

TOPOGRAPHICAL INDEX

EUROPE

Norway (Norge)

- Berg Råde, near Moss*, mossite, 553.
Gran Hadeland, Oslo region, zoned pyroxenes and amphiboles from camptonites, 913
Hømes and Feøy, almandine pseudomorphous after plagioclase in a metadolerite dyke, 127

Sweden (Sverige)

- Gladhammar mine*, nickel-rich carrollite, 737
Harstig mine, Pajsberg, sarkinite, 681
Norrö, arrojadite (hühnerkobelite), 230
Sjo mine, Grythyttte Parish, Örebro, xantharsenite, polyarsenite, 681
Skrumpetorp, alluaudite (varulite), 230
Varuträsk, alluaudite (varulite, mangan-alluaudite), 230

Finland (Suomi)

- Lemnäs*, alluaudite (lemnäsite), 230
Sukula, alluaudite, 230

British Isles

ENGLAND

- Alston, Cumbria*, fluorite, 820
Blue Anchor point to Stolford rocks, Somerset, calcite, baryte, celestine, sphalerite, pyrite, chalcopyrite, analcime, 761
Castleton, Derbyshire, fluorite (Blue John), 243
Crook Hill brickyard, Chickerell, near Weymouth, Dorset, hydrobasaluminite, basaluminite, 931
Merehead quarry, Somerset, mendipite, chloroxiphite, 901
St. Austell granite, Cornwall, luxullianite, 441; 442
Scar Crag, Lake District, arsenopyrite, alloclase, glaucodot, cobaltian arsenopyrite, cobaltite, skutterudite, 390
Seathwaite Tarn, Coniston, Cumbria, wittichenite, 103; 109
Spratling Court farm, Ramsgate, Kent, chalk, 160
Tynebottom mine, Garrigill, Cumbria, arsenical marcasite, gersdorffite, glaucodot, 390
Wheat Owles, St. Just, Cornwall, triploidite, neotocite, 179
Wheat Phoenix, Linkinhorne, Cornwall, kidwellite, 952

WALES (Cymru)

- Dyfed*, illite, 857
Parc mine, Gwynedd, hydrozincite, nickeloan hydrozincite, 397

SCOTLAND

- Barncorkrie farm, Drummorie*, paratacamite, 547
Barra, Outer Hebrides, amphibolite assemblage of andesine, tschermakitic hornblende, diopside pyroxene (sahlite), quartz, 177
Centre 3 igneous complex, Ardnamurchan, laminated gabbros, 989
Glen Cosaidh, Loch Quoich, johnsomervilleite, 833

- Killundine, Morvern*, basalt, 865
Mill of Johnston, Clatt road, Inch, glushinskite, 837
Moine Thrust, Sutherland, amphibolites, 211
Muirshiel, Renfrewshire, calcite, baryte, 446
Rhum, Inner Hebrides, olivine, 293; chrome spinels, 519
Scourie, Sutherland, pyroxenes, garnet, 371
Shios peninsula and Torran nan Clach Boga, between Scourie and Badcall, Sutherland, iron-titanium oxides, 623
Stonehaven coast, NE. Scotland, garnet, biotite, 155
Upper Badcall, Sutherland, ilmenite-magnetite grains in trondhjemite samples, 165

IRELAND

- Currywongann, Connemara*, acid pegmatite and orthopyroxenite, 473

CHANNEL ISLANDS

- Chouet, NW. Guernsey*, diorite and associated rocks, 919
Le Pulec, Jersey, pyrite, marcasite, arsenopyrite, sphalerite, ferroan dolomite, galena, chalcopyrite, argentian tetrahedrite, native antimony, bournonite, cubanite, pligionite, stibnite, 1025.

Poland (Polska)

- Kletno*, bohdanowiczite intergrown with clausthalite and wittichenite, 131

Germany (Deutschland)

- Clara mine, Black Forest*, cuprotungstite, 448
Friedrich mine, hauchecornite, 875
Hagendorf, Bavaria, arrojadite (hagendorfite), 230
Hühnerkobel, Bavaria, alluaudite (hühnerkobelite), 230
Lüneberg, hydrophilite, 682
Müssen, siegenite, 737

Belgium

- Richelle*, drugmanite, koninckite, destinezite, richellite, fluellite, minyulite, scholzite, corkite, wulfenite, 463

France

- Cervione, Corsica*, deerite, 251
Chanteloube, Limoges, alluaudite, 230
Piedmont zone, Western Alps, chromian jadeite, phengite, pumpellyite, and lawsonite in gabbro, 979
Termignon, Haut Savoie, blueschist-facies amphiboles, 741; deerite, 251

Spain (España)

- Cerro del Hierro, Province of Sevilla*, goethite, 355

Italy (Italia)

- Beth e Ghinivert and Salbertrand, Piedmont*, deerite, 251
Elba, dachiardite; 548
Euganean Hills, biotites from trachytes and rhyolites, 985
Mt. Amiatti and Mt. Cimino, grandidierite, 651
Mt. Etna, Sicily, clinopyroxene phenocrysts from trachybasaltic lavas, 765; plagioclase, 181

Orcesco, Valle Vigezzo, Prov. Novara, vigezzite, 459
Osa quarry, Rome, gismondine, 841
Sasso della Mantessa and Sasso di S. Zanobi, N. Apennine, Bologna, serpentine polymorphs from veins in serpentine rocks, 135
Valle del Frigido, Apuane Alps, Tuscany, garavellite, chalcocopyrite, siderite, tetrahedrite, pyrrhotine, pyrite, marcasite, galena, sphalerite, meneghinite, ullmanite, pentlandite, vaesite, bismuthinite, chalcantinite, quartz, coppite, frigidite, 99

Jugoslavia

Brezovica, howieite, 363

Greece

Crete, ferrocapholite, 313
Neapolis, S. Peloponnese, ferroglaucophane and chloritoid-bearing metapelites of the phyllite series, 975
Sifnos, blueschist-facies amphiboles, 741; deerite, 251

ASIA

USSR

Karagaily, 'arsenian hauchecornite', 875
Oktgabr'skoe deposit, 'hauchecornite', 875
Verkhne Dnieprovsk, Ekaterinoslav District, Ukraine, iron meteorite, 149

Turkey (Türkiye)

Konya basin, burkeite, halite, trona, 341
Sübren-kalaalan Eskisehir county, deerite, 251

Iraq

Sinjar, Mosul, sinjarite, 643

Pakistan

Katlang, Mardan, topaz, 175
Swat, Kohistan, pyroxenes, 175
Topsin, Swat district, blueschist rocks, 941

India

Bombay, Nasik and Poona, okenite, 677
Central Provinces, manganoan sugilite, 948
Eastern Ghats, Andhra Pradesh, pyroxenes 311; chromian actinolitic hornblende, 437
Garividi, Andhra Pradesh, fluorian allanite, fluorapatite, ferroan sahlite, epidote, 312
Gondivalsa, Orissa, fluorapatite, phlogopite, pyrrhotine, 439
Jaduguda uranium deposit, Singhbhum Shear Zone, Bihar, melonite, 775
Kuttakuzhi, Travancore (now in Kerala State), cheralite, 885

Indonesia

Redjang, Lebong mine, Benkulen, Sumatra, truscottite, 333
Sulawesi, nickeliferous lateritic profiles, 816

Japan (Nippon)

Zoisite, clinozoisite, 1005
Biriyama vein, Toi mine, Tagatagun, Shizuoka, truscottite, 333

Iwagi islet, sugilite, 948
Mihara mine, 'hauchecornite', 875
Taneyama mine, Kumamoto Prefecture, howieite, 363
Tsumo mine, 'hauchecornite', 875

AFRICA

Morocco

Sidi-Bou-Kricha, arrojadite, 232
Sidi-Bou-Othmane, alluaudite (ferri-alluaudite), 230

Rwanda

Buranga mine, Gatumba, alluaudite, 230; *arrojadite*, 232
Buranga, pegmatite, eosphorite-childrenite series minerals, 1015

Uganda

Ankole, zincian staurolite, apatite, wavellite, bertossaite, crandallite, goyazite, eosphorite, corundum, arsenopyrite, muscovite, 446
Kilembe, siegenite, 737

Kenya

Lake Turkana, Loiengalani, burkeite, halite, thenardite, 341

Zaire

Kambowe and Shinkolobwe, siegenite, 737
Kobokobo, Kivu, ranunculite, 321

Zambia

Nkama mine, carrolite, 737
Rhokana south orebody, ferroan carrollites, 733

Tanzania

Furua granulite complex, hibonite, sphene, (clino)zoisite, hercynite, apatite, ilmenite, 995

Malawi

Champira dome, banded gneisses and migmatites, 701
Karoo basin, Karoo dolerite dyke, 487
Mchinji, grandidierite from a metamorphic aureole, 822

Zimbabwe

Madziwa mine, Bindura, cobaltian violarite, polydymite, 737
Mashaba chromite mine, chromites, 'nephrite', 811

South-West Africa (Namibia)

Ida mine, Kahn, 'idaite', 198
Tsaobismuna, alluaudite, 230

South Africa

De Beers mine, Kimberley, cebollite in kimberlite, 583
Kimberley area mines and Jagersfontein mine, garnet, lherzolite xenoliths from kimberlites, 689
Wessels mine, Hotazel, manganoan sugilite, 948
Witwatersrand, tučekite, 875

Lesotho

Matsoku, garnet lherzolite xenoliths from kimberlites, 689

AMERICA

Canada

- Strathcona mine, Lot 4, Con IV, Levack Tp, Sudbury district, Ontario, tellurohauchecornite, 875, 877*
Vermilion mine, Lot 6, Con IV, Denison Tp, Sudbury district, Ontario, arsenohauchecornite, 875, 877
Zimmel Lake, 'hauchecornite', 875

U.S.A.

- Beauregard Creek (Southfork), Santa Clara County, California, blueschist-facies amphiboles, 741; deerite, 251*
Berry quarry, Poland, Maine, arrojadite (dickinsonite), 232
Burns Flats and Covelo, Mendocino county, California, deerite, 251; howieite, 363
Cave creek, Arizona, cuprotungstite, 448
Christmas mine, Gila county, Arizona, apachite, gilaite, kinoite, stringhamite, junitoite, clinohedrite, 639
Colorado, Redskin granite, 959
Coon creek mine, Polk county, Arkansas, kidwellite, 952
Dyke lode and Pleasant Valley, Custer, S. Dakota, alluaudite, 230
East Point, Nahant, Massachussets, gabbro, epidote, garnet, prehnite, diopside, calcic hornblende, chlorite, biotite, plagioclase, 201
Finney creek, Shuksan Unit, Washington State, deerite, 251
Grand Central mine, Tombstone, Arizona, girdite, oboyerite, fairbankite, winstanleyite, 453; schieffelinite, girdite, rodalquilarite, bromargyrite, gold, 771
Joe mine, Tombstone, Arizona, schieffelinite, girdite, rodalquilarite, bromargyrite, gold, 771
Laytonville quarry, Mendocino county, California, blueschist-facies amphiboles, 741; deerite, 251; howieite, 363; zussmanite, 605
Lone Pine, Catron county, New Mexico, rajite, 91
Mammoth mine, Tiger, Arizona, diaboleite, 901
Manganese Lake, Copper Harbor, Keeweenaw county, Michigan, macfallite, manganite, braunite, orientite, pyrolusite, 325
Mine la Motte, Missouri, siegenite, 737
Monument No. 2 mine, Monument Valley, Arizona, meta-hewettite, 550
Nancy mine, N. Groton, New Hampshire, arrojadite, 232
Nickel Plate mine, Keystone, S. Dakota, arrojadite, 232
Pacheco Pass, Santa Clara and Merced Cos., California, howieite, 363
Palermo No. 1 mine, N. Groton, New Hampshire, alluaudite (hühnerkobelite), 230; arrojadite, 232
Panoche Pass, San Benito county, California, blueschist-facies amphiboles, 741; deerite, 251; howieite, 363
Powers quarry, Coos county, Oregon, blueschist-facies amphiboles, 741; deerite, 251; howieite, 363
Pringle, S. Dakota, alluaudite, 230
Rock Ridge and Old Mike mine, Custer, S. Dakota, wylieite, 230
Russian river, Sonoma and Mendocino counties, California, howieite, 363
Shuksan, Washington State, blueschist-facies amphiboles, 741
Smith mine, Newport, New Hampshire, wylieite, 230; arrojadite, 232

- Sterling Hill mine, Ogdensburg, Sussex county, New Jersey, sarkinite, 681*
Victory mine, Custer, S. Dakota, wylieite, 230; arrojadite, 232
Ward Creek, Cazadero, Sonoma county, California, blueschist-facies amphiboles, 741; deerite, 251; howieite, 363
Wild Horse Lookout, Curry county, Oregon, deerite, 251

Mexico

- La Paz, Baja California, cuprotungstite, 449*
Santa Rosalia, Baja California, cumengéite, 901
Xalapasco de la Joya, San Luis Potosi SLP, spinel herzolites, 483

Guatemala

- Lake Izabel region, nickeliferous lateritic profiles, 818*

Brazil (Brasil)

- Ouro Preto, topaz, 237*
Sapucaia, Minas Gerais, arrojadite, 232

Chile

- Aconcagua, cuprotungstite, 449*

AUSTRALASIA

Australia

- Timberlite and kimberlitic rocks, 727*

QUEENSLAND

- Mt. Colin and Mt. Calcite, cobaltian violarite, 733*
O'Briens creek area, topaz, 943
Success mine and Lady Austin mine, carrollite, 737

NEW SOUTH WALES

- Glenrock Station, pyroxenes in altered volcanic rocks, 497*
Kempfield, pyrite, baryte, sphalerite, galena, tetrahedrite, chalcocopyrite, 297
Purnamoota road, Broken Hill, spotted structures in gneiss and veins, 779
Thackerenga district, wolfeite, barbosalite, 505

VICTORIA

- Cosgrove, olivine leucite, 597*
Hanging Rock, Turritable Falls, Camel's Hump, Pantelleria, Mt. Anakie, Mt. Franklin, Mt. Noorat, anorthoclase, 288

SOUTH AUSTRALIA

- Iron Knob, kleemanite, 93*
Mt. Gunson, carrollite, 737
Mt. Painter Province, hōgbomite and taaffeite in a spinel-phlogopite schist, 575
Olary Province, margarite, 433

WESTERN AUSTRALIA

- Nickeloan clinocllore, 551*
Capel, ilmenite, pseudorutile, 659

Carr Boyd mine, georgeite, 97

Kalgoorlie district, Co-Ni disulphide, Co-Ni-Fe thio-
spinel, 950

Kambalda and Agnew mine, violarite, 737

Kanowna, tučekite, 875

Perserverance mine, *Kalgoorlie*, tomichite in quartz,
vanadian muscovite, rutile, pyrite, calaverite, 469

Whim creek, tučekite, 875

New Zealand

Taupo pumice formation, *North Island*, hypersthene, 279

Tokatoka, basalt-limestone contact, 797

Westland, awaruite, 647

New Caledonia

22° 17' S., 166° 58' E., nickeliferous lateritic profiles, 816
Onegoa Koumec and *Diahöt Valley*, deerite, 251

Solomon Islands

Malaita, alnoite intrusion, 587

Papua New Guinea

Wamira river, *Dogura mission*, Ba-rich sanidine mega-
crysts, 845

Fiji

Undu mine, *Nukundama*, nukundamite, 194