

THE CANADIAN MINERALOGIST

INDEX, VOLUME 41

J. DOUGLAS SCOTT[§]

203-44 Brousseau Avenue, Timmins, Ontario P4N 5Y2, Canada

AUTHOR INDEX

- Acosta, A. with Pereira, M.D., 617
 Agakhanov, A.A. with Sokolova, E., 513
 Ahmed, A.H. & Arai, S., Platinum-group minerals in podiform chromitites of the Oman ophiolite, 597
 Alfonso, P., Melgarejo, J.C., Yusta, I. & Velasco, F., Geochemistry of feldspars and muscovite in granitic pegmatite from the Cap de Creus field, Catalonia, Spain, 103
 Alfonso, P. with Canet, C., 561, 581
 Amthauer, G. with Makovicky, E., 1125
 Anderson, A.J. with Černý, P., 1003
 Andersson, U.B. with Holtstam, D., 1233
 Antao, S.M., Hassan, I. & Parise, J.B., The structure of danalite at high temperature obtained from synchrotron radiation and Rietveld refinements, 1413
 Antao, S.M. with Hassan, I., 759
 Antonov, A.A. with Britvin, S.N., 1371
 Arai, S. with Ahmed, A.H., 597
 Armbruster, T. with Britvin, S.N., 1371
 Armbruster, T. with Brugger, J., 1423
 Armbruster, T. with Galuskin, E.V., 843
 Balić-Zunić, T. with Topa, D., 1155, 1481
 Bandli, B.R., Gunter, M.E., Twamley, B., Foit, F.F., Jr. & Cornelius, S.B., Optical, compositional, morphological, and X-ray data on eleven particles of amphibole from Libby, Montana, U.S.A., 1241
 Bateman, R. with Shackleton, J.M., 1503
 Belluso, E. with Ferraris, G., 1183
 Belluso, E. with Rinaudo, C., 883
 Berlepsch, P. with Brugger, J., 1423
 Bernardini, G.P. with Bonazzi, P., 639
 Bindi, L. & Cipriani, C., Plumbian baksanite from the Tyrnyauz W-Mo deposit, Baksan River valley, northern Caucasus, Russian Federation, 1475
 Bindi, L. & Cipriani, C., The crystal structure of winstanleyite, $TiTe_3O_8$, from the Grand Central mine, Tombstone, Arizona, 1469
 Bindi, L., Popova, V. & Bonazzi, P., Uzonite, As_4S_5 , from the type locality: single-crystal X-ray study and effects of exposure to light, 1463
 Bindi, L. with Bonazzi, P., 639
 Birch, W.D. with Leake, B.E., 1355
 Boatner, L.A. with Donovan, J.J., 221
 Bogdanova, A.N. with Yakubovich, O.V., 981
 Bogutyn, P.A. with Clarke, D.B., 1027
 Bonazzi, P., Bindi, L., Bernardini, G.P. & Menchetti, S., A model for the mechanism of incorporation of Cu, Fe and Zn in the stannite - kesterite series, $Cu_2FeSnS_4 - Cu_2ZnSnS_4$, 639
 Bonazzi, P. with Bindi, L., 1463
 Borisov, S.V. with Pervukhina, N.V., 1445
 Borodaev, Yu. S., Garavelli, A., Garbarino, C., Grillo, S.M., Mozgova, N.N., Paar, W.H., Topa, D. & Vurro, F., Rare sulfosalts from Vulcano, Aeolian Islands, Italy. V. Selenian heyrovskýite, 429
 Bottazzi, P. with Tiepolo, M., 261
 Brandstätter, F. with Ertl, A., 1363
 Brenan, J.M. with Mungall, J.E., 207
 Britvin, S.N., Antonov, A.A., Krivovichev, S.V., Armbruster, T., Burns, P.C. & Chukanov, N.V., Fluorvesuvianite, $Ca_{19}(Al, Mg, Fe^{2+})_{13}[SiO_4]_{10}[Si_2O_7]_4O(F, OH)_9$, a new mineral species from Pitkäranta, Karelia, Russia: description and crystal structure, 1371
 Brugger, J., Berlepsch, P., Meisser, N. & Armbruster, T., Ansermetite, $MnV_2O_6 \cdot 4H_2O$, a new mineral species with V^{5+} in five-fold coordination from Val Ferrera, Eastern Swiss Alps, 1423
 Burke, E.A.J. with Leake, B.E., 1355
 Burns, P.C., Deely, K.M. & Hayden, L.A., The crystal chemistry of the zippeite group, 687
 Burns, P.C. with Britvin, S.N., 1371
 Burns, P.C. with Hughes, K.-A., 677
 Burns, P.C. with Krivovichev, S.V., 707, 951, 1225, 1455
 Burns, P.C. with Locock, A.J., 91, 489
 Burns, P.C. with Roberts, A.C., 1167
 Burns, P.C. with Yakovenchuk, V.N., 503
 Caballero, J.M. with Oberti, R., 1345
 Cabral, A.R., Lehmann, B., Kwitko-Riebeiro, R., Jones, R.D. & Rocha Filho, O.G., On the association of palladium-bearing gold, hematite and gypsum in an ouro preto nugget, 473
 Cabri, L.J., Sylvester, P.J., Tubrett, M.N., Peregoedova, A. & Laflamme, J.H.G., Comparison of LAM-ICP-MS and micro-PIXE results for palladium and rhodium in selected samples of Noril'sk and Talnakh sulfides, 321
 Cámara, F. with Oberti, R., 1345
 Canet, C., Alfonso, P., Melgarejo, J.-C. & Jorge, S., PGE-bearing minerals in Silurian sedex deposits in the Poblet area, southwestern Catalonia, Spain, 581
 Canet, C., Alfonso, P., Melgarejo, J.-C. & Jorge, S., V-rich minerals in contact-metamorphosed Silurian sedex deposits in the Poblet area, southwestern Catalonia, Spain, 561
 Capitán, M.Á. with Saéz, R., 627
 Černý, P., Anderson, A.J., Tomascak, P.B. & Chapman, R., Geochemical and morphological features of beryl from the Bikita granitic pegmatite, Zimbabwe, 1003
 Černý, P., Galliski, M.A., Oyarzábal, J.C., Teertstra, D.K., Chapman, R., MacBride, L. & Ferreira, K., Stranded and equilibrated assemblages of late feldspars in two granitic pegmatites in the Pampean Ranges, Argentina, 1013

[§] E-mail address: jdsctt@vianet.on.ca

- Cerqueira Alves, L. with Jesus, A.P., 1105
 Chapman, R. with Černý, P., 1003, 1013
 Chen, T.T. with Dutrizac, J.E., 479
 Chen, Xiao Ming with Wang, Ru Cheng, 727
 Christiansen, C.C., Johnsen, O. & Makovicky, E., Crystal chemistry of the rosenbuschite group, 1203
 Chukanov, N.V. with Britvin, S.N., 1371
 Čina, A. with Ferrini, V., 413
 Ciobanu, C.L. with Cook, N.J., 441
 Cipriani, C. with Bindi, L., 1469, 1475
 Clague, D.A. with Davis, A.S., 457
 Clark, D. with Norman, M., 293
 Clarke, D.B. & Bogutyn, P.A., Oscillatory epitactic-growth zoning in biotite and muscovite from the Lake Lewis leucogranite, South Mountain batholith, Nova Scotia, Canada, 1027
 Cook, N.J. & Ciobanu, C.L., Lamellar minerals of the cuprobismutite series and related paderaites: a new occurrence and implications, 441
 Cooper, M.A. & Hawthorne, F.C., The crystal structure of vasilyevite, $(\text{Hg}_2)^{2+}_{10}\text{O}_6\text{I}_3(\text{Br},\text{Cl})_3(\text{CO}_3)$, 1173
 Cooper, M.A., Hawthorne, F.C., Grice, J.D. & Haynes, P., Anorthominasragrite, $\text{V}^{4+}\text{O}(\text{SO}_4)(\text{H}_2\text{O})_5$, a new mineral species from Temple Mountain, Emery County, Utah, U.S.A.: description, crystal structure and hydrogen bonding, 959
 Cooper, M.A. with Förster, H.-J., 1433
 Cooper, M.A. with Roberts, A.C., 721, 1167
 Cornelius, S.B. with Bandli, B.R., 1241
 Courtin-Nomade, A. with Lenain, J.-F., 1135
 Cousens, B.L. with Davis, A.S., 457
 Cox, R.A., Wilton, D.H.C. & Košler, J., Laser-ablation U–Th–Pb *in situ* dating of zircon and allanite: an example from the October Harbour granite, central coastal Labrador, Canada, 275
 Cox, R.A. with Košler, J., 307
 Craig, J.R. with Dunkle, S.E., 659
 Criddle, A.J. with Förster, H.-J., 1433
 Cuevas, J. with Esteban, J.J., 161
 Davis, A.S., Clague, D.A., Zierenberg, R.A., Wheat, C.G. & Cousens, B.L., Sulfide formation related to changes in the hydrothermal system on Loihi Seamount, Hawai'i, following the seismic event in 1996, 457
 De Parseval, P. with Wang, Ru Cheng, 727
 De Vito, C. with Ferrini, V., 413
 Deda, T. with Ferrini, V., 413
 Deely, K.M. with Burns, P.C., 687
 Demartin, F., Gramaccioli, C.M. & Pilati, T., The crystal structure of orlandite, $\text{Pb}_3\text{Cl}_4(\text{SeO}_3)_2 \cdot \text{H}_2\text{O}$, a complex case of twinning and disorder, 1147
 Dong, Ping with Pan, Yuanming, 529
 Donovan, J.J., Hanchar, J.M., Piccoli, P.M., Schrier, M.D., Boatner, L.A. & Jarosewich, E., A re-examination of the rare-earth-element orthophosphate standards in use for electron-microprobe analysis, 221
 Drugova, G. with Skublov, S., 383
 Dunkle, S.E., Craig, J.R., Rimstidt, J.D. & Lusardi, W.R., Romarchite, hydromarchite and abhurite formed during the corrosion of pewter artifacts from the *Queen Anne's Revenge* (1718), 659
 Dunning, G.E. with Roberts, A.C., 1167
 Dutrizac, J.E. & Chen, T.T., Synthesis and properties of V^{3+} analogues of jarosite-group minerals, 479
 Dutrizac, J.E. with Paktunc, D., 905
 Dyar, M.D. with Ertl, A., 1363
 Ercit, T.S., Groat, L.A. & Gault, R.A., Granitic pegmatites of the O'Grady batholith, N.W.T., Canada: a case study of the evolution of the elbaite subtype of rare-element granitic pegmatite *via* mineral chemistry, 117
 Ercit, T.S. with Groat, L.A., 139
 Ertl, A., Hughes, J.M., Brandstätter, F., Dyar, M.D. & Prasad, P.S.R., Disordered Mg-bearing olenite from a granitic pegmatite at Goslar, Austria: a chemical, structural, and infrared spectroscopic study, 1363
 Esteban, J.J., Cuevas, J., Tubía, J.M. & Yusta, I., Xonotlite in rodingite assemblages from the Ronda peridotites, Betic Cordilleras, southern Spain, 161
 Evans, H.T. Jr. with Schindler, M., 83
 Ferraris, G., Belluso, E., Gula, A., Soboleva, S.V. & Khomyakov, A.P., The crystal structure of seidite-(Ce), $\text{Na}_4(\text{Ce},\text{Sr})_2\{\text{Ti}(\text{OH})_2(\text{Si}_8\text{O}_{18})\}(\text{O},\text{OH},\text{F})_4 \cdot 5\text{H}_2\text{O}$, a modular microporous titanosilicate of the rhodesite group, 1183
 Ferraris, G. with Grice, J.D., 795
 Ferraris, G. with Johnsen, O., 785
 Ferraris, G. with Leake, B.E., 1355
 Ferreira, K. with Černý, P., 1013
 Ferrini, V., Martarelli, L., De Vito, C., Čina, A. & Deda, T., The Koman dawsonite and realgar-orpiment deposit, northern Albania: inferences on processes of formation, 413
 Figueiras, J. with Jesus, A.P., 1105
 Foit, F.F., Jr. with Bandli, B.R., 1241
 Fontan, F. with Wang, Ru Cheng, 727
 Fontelles, M. with Katona, I., 1255
 Forcher, K. with Makovicky, E., 1125
 Förster, H.-J., Cooper, M.A., Roberts, A.C., Stanley, C.J., Criddle, A.J., Hawthorne, F.C., Laflamme, J.H.G. & Tischendorf, G., Schlemaitte, $(\text{Cu},\square)_6(\text{Pb},\text{Bi})\text{Se}_4$, a new mineral species from Niederschlema-Alberoda, Erzgebirge, Germany: description and crystal structure, 1433
 Fournelle, J.H. with Medaris, L.G., Jr., 749
 Froese, E., Point defects in pyrrhotite, 1061
 Fryer, B.J. with Gagnon, J.E., 365
 Gagnon, J.E., Samson, I.M., Fryer, B.J. & Williams-Jones, A.E., Compositional heterogeneity in fluorite and the genesis of fluorite deposits: insights from LA-ICP-MS analysis, 365
 Galliski, M.A. with Černý, P., 1013
 Galuskin, E.V., Armbruster, T., Malsy, A., Galuskina, I.O. & Sitarz, M., Morphology, composition and structure of low-temperature *P4/mnc* high-fluorine vesuvianite whiskers from Polar Yakutia, Russia, 843
 Galuskin, E.V., Galuskina, I.O., Sitarz, M. & Stadnicka, K., Si-deficient, OH-substituted, boron-bearing vesuvianite from the Wiluy River, Yakutia, Russia, 833
 Galuskina, I.O. with Galuskin, E.V., 833, 843
 Garavelli, A. with Borodaev, Yu.S., 429
 Garbarino, C. with Borodaev, Yu.S., 429
 Gastaldi, D. with Rinaudo, C., 883
 Gault, R.A. with Ercit, T.S., 117
 Gault, R.A. with Groat, L.A., 139
 Gault, R.A. with Johnsen, O., 55, 785
 Gault, R.A. with Pilonen, P.C., 1
 Gault, R.A. with Roberts, A.C., 721
 Gavrilenko, P.G. with Yakubovich, O.V., 981
 Gieré, R. with Graeser, S., 1271
 Gieré, R. with Hetherington, C.J., 1281
 Graeser, S., Hetherington, C.J. & Gieré, R., Ganterite, a new barium-dominant analogue of muscovite from the Berisal Complex, Simplon region, Switzerland, 1271
 Graeser, S. with Hetherington, C.J., 1281
 Gramaccioli, C.M. with Demartin, F., 1147
 Grew, E.S. with Ren, Liudong, 393
 Grice, J.D. & Ferraris, G., New minerals approved in 2002 and nomenclature modifications approved in 1998–2002 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 795
 Grice, J.D. with Cooper, M.A., 959
 Grice, J.D. with Johnsen, O., 55, 785
 Grice, J.D. with Leake, B.E., 1355
 Grice, J.D. with Roberts, A.C., 721
 Grice, J.D. with Schindler, M., 83
 Grillo, S.M. with Borodaev, Yu. S., 429
 Groat, L.A., Jambor, J.L. & Pemberton, B.C., The crystal structure of argentojarosite, $\text{AgFe}_3(\text{SO}_4)_2(\text{OH})_6$, 921

- Groat, L.A., Mulja, T., Mauthner, M.H.F., Ercit, T.S., Raudsepp, M., Gault, R.A. & Rollo, H.A., Geology and mineralogy of the Little Nahanni rare-element granitic pegmatites, Northwest Territories, 139
- Groat, L.A. with Ercit, T.S., 117
- Gula, A. with Ferraris, G., 1183
- Gunter, M.E. with Bandli, B.R., 1241
- Günther, D. with Jackson, S.E., 257
- Hanchar, J.M. with Donovan, J.J., 221
- Hanley, J.J. & Mungall, J.E., Chlorine enrichment and hydrous alteration of the Sudbury Breccia hosting footwall Cu–Ni–PGE mineralization at the Fraser mine, Sudbury, Ontario, Canada, 857
- Hassan, I., Antao, S.M. & Hersi, A.A.M., Single-crystal XRD, TEM, and thermal studies of the satellite reflections in nepheline, 759
- Hassan, I. with Antao, S.M., 1413
- Hawthorne, F.C. with Cooper, M.A., 959, 1173
- Hawthorne, F.C. with Förster, H.-J., 1433
- Hawthorne, F.C. with Huminicki, D.M.C., 79
- Hawthorne, F.C. with Khomyakov, A.P., 989
- Hawthorne, F.C. with Leake, B.E., 1355
- Hawthorne, F.C. with Roberts, A.C., 721, 1167
- Hawthorne, F.C. with Schindler, M., 83
- Hawthorne, F.C. with Sokolova, E., 513, 929
- Hawthorne, F.C. with Tait, K.T., 61, 71
- Hawthorne, F.C. with Uvarova, Yu.A., 1193
- Hayden, L.A. with Burns, P.C., 687
- Haynes, P. with Cooper, M.A., 959
- Haynes, P. with Schindler, M., 83
- Henry, D.J. with Medaris, L.G., Jr., 749
- Hersi, A.A.M. with Hassan, I., 759
- Hetherington, C.J., Gieré, R. & Graeser, S., Composition of barium-rich white micas from the Berisal Complex, Simplon Region, Switzerland, 1281
- Hetherington, C.J. with Graeser, S., 1271
- Hinchey, J.G., Wilton, D.H.C. & Tubrett, M.N., A LAM–ICP–MS study of the distribution of gold in arsenopyrite from the Lodestar prospect, Newfoundland, Canada, 353
- Holtstam, D., Andersson, U.B. & Mansfeld, J., Ferriallanite-(Ce) from the Bastnäs deposit, Västmanland, Sweden, 1233
- Hu, Huan with Wang, Ru Cheng, 727
- Hughes, J.M. with Ertl, A., 1363
- Hughes, K.-A., Burns, P.C. & Kolitsch, U., The crystal structure and crystal chemistry of uranosphaerite, $\text{Bi}(\text{UO}_2)_2\text{O}_2\text{OH}$, 677
- Huminicki, D.M.C. & Hawthorne, F.C., The crystal structure of nikischerite, $\text{NaFe}^{2+}_6\text{Al}_3(\text{SO}_4)_2(\text{OH})_{18}(\text{H}_2\text{O})_{12}$, a mineral of the shigaite group, 79
- Huminicki, D.M.C. with Schindler, M., 83
- Ivanyuk, G. Yu. with Yakovenchuk, V.N., 503
- Jackson, S.E., Günther, D. & Sylvester, P.J., Preface: Applications of laser-ablation ICP–MS analysis: a tribute to Henry P. Longrich, 257
- Jambor, J.L. with Groat, L.A., 921
- Jarosewich, E. with Donovan, J.J., 221
- Jesus, A.P., Mateus, A., Waerenborgh, J.C., Figueiras, J., Cerqueira Alves, L. & Oliveira, V., Hypogene titanian, vanadian maghemite in reworked oxide cumulates in the Beja layered gabbro complex, Odivelas, southeastern Portugal, 1105
- Johnsen, O., Ferraris, G., Gault, R.A., Grice, J.D., Kampf, A.R. & Pekov, I.V., The nomenclature of eudialyte-group minerals, 785
- Johnsen, O., Grice, J.D. & Gault, R.A., Ferrokentbrooksit, a new member of the eudialyte group from Mont Saint-Hilaire, Quebec, Canada, 55
- Johnsen, O. with Christiansen, C.C., 1203
- Jones, R.D. with Cabral, A.R., 473
- Jorge, S. with Canet, C., 561, 581
- Junk, S.A. with Malitch, K.N., 331
- Kaminsky, F.V. with Khachatryan, G.K., 171
- Kampf, A.R. with Johnsen, O., 785
- Kartashov, P.M. with Khomyakov, A.P., 989
- Karup-Møller, S. with Makovicky, E., 1125
- Katona, I., Pascal, M.-L., Fonteilles, M. & Verkaeren, J., The melilite (Gh_{50}) skarns of Oravita, Banat, Romania: transition to gehlenite (Gh_{85}) and to vesuvianite, 1255
- Khachatryan, G.K. & Kaminsky, F.V., “Equilibrium” and “non-equilibrium” diamond crystals from deposits in the East European platform, as revealed by infrared absorption data, 171
- Khomyakov, A.P., Kulikova, I.E., Sokolova, E., Hawthorne, F.C. & Kartashov, P.M., Paravinogradovite, $(\text{Na}, \square)_2[(\text{Ti}^{4+}, \text{Fe}^{3+})_4\{\text{Si}_2\text{O}_6\}_2\{\text{Si}_3\text{AlO}_{10}\}(\text{OH})_4]\text{H}_2\text{O}$, a new mineral species from the Khibina alkaline massif, Kola Peninsula, Russia: description and crystal structure, 989
- Khomyakov, A.P. with Ferraris, G., 1183
- Khomyakov, A.P. with Tait, K.T., 61
- Kisch, H.J. with Leake, B.E., 1355
- Knauf, V.V. with Malitch, K.N., 331
- Kolitsch, U. with Hughes, K.-A., 677
- Košler, J., Simonetti, A., Sylvester, P.J., Cox, R.A., Tubrett, M.N. & Wilton, D.H.C., Laser-ablation ICP–MS measurements of Re/Os in molybdenite and implications for Re–Os geochronology, 307
- Košler, J. with Cox, R.A., 275
- Kretz, R., Dendritic magnetite and ilmenite in 590 Ma Grenville dikes near Otter Lake, Quebec, Canada, 1049
- Krivovichev, S.V. & Burns, P.C., Chains of edge-sharing OPb_4 tetrahedra in the structure of $\text{Pb}_4\text{O}(\text{VO}_4)_2$ and in related minerals and inorganic compounds, 951
- Krivovichev, S.V. & Burns, P.C., Crystal chemistry of uranyl molybdates. VIII. Crystal structures of $\text{Na}_3\text{Ti}_3[(\text{UO}_2)(\text{MoO}_4)_4]$, $\text{Na}_{13-x}\text{Ti}_{3+x}[(\text{UO}_2)(\text{MoO}_4)_3]_4(\text{H}_2\text{O})_{6+4x}$ ($x = 0.1$), $\text{Na}_3\text{Ti}_5[(\text{UO}_2)(\text{MoO}_4)_3]_2(\text{H}_2\text{O})_3$ and $\text{Na}_2[(\text{UO}_2)(\text{MoO}_4)_2](\text{H}_2\text{O})_4$, 707
- Krivovichev, S.V. & Burns, P.C., Crystal chemistry of uranyl molybdates. IX. A novel uranyl molybdate sheet in the structure of $\text{Ti}_2[(\text{UO}_2)_2\text{O}(\text{MoO}_5)]$, 1225
- Krivovichev, S.V. & Burns, P.C., Crystal chemistry of uranyl molybdates. X. The crystal structure of $\text{Ag}_{10}[(\text{UO}_2)_8\text{O}_8(\text{Mo}_5\text{O}_{20})]$, 1455
- Krivovichev, S.V. with Britvin, S.N., 1371
- Krivovichev, S.V. with Yakovenchuk, V.N., 503
- Krivovichev, V.G. with Leake, B.E., 1355
- Kulikova, I.E. with Khomyakov, A.P., 989
- Kwitko-Riebeiro, R. with Cabral, A.R., 473
- Laflamme, J.H.G. with Cabri, L.J., 321
- Laflamme, J.H.G. with Förster, H.-J., 1433
- Lalonde, A.E. with Piilonen, P.C., 1, 27
- Lalonde, A.E. with Shabani, A.A.T., 1381
- Larsen, A.O. with Piilonen, P.C., 1
- Leake, B.E., Woolley, A.R., Birch, W.D., Burke, E.A.J., Ferraris, G., Grice, J.D., Hawthorne, F.C., Kisch, H.J., Krivovichev, V.G., Schumacher, J.C., Stephenson, N.C.N. & Whittaker, E.J.W., Nomenclature of amphiboles: additions and revisions to the International Mineralogical Association’s 1997 recommendations, 1355
- Lehmann, B. with Cabral, A.R., 473
- Lehmann, B. with Warmada, I W., 185
- Lenain, J.-F. & Courtin-Nomade, A., Visual-statistical classification of As–Fe-rich products of alteration of tailings from the Engualès tungsten mine, France, 1135
- Liferovich, R.P. with Uvarova, Yu.A., 1193
- Liferovich, R.P. with Yakubovich, O.V., 981
- Liu, Chang Shi with Wang, Ru Cheng, 727
- Locock, A.J. & Burns, P.C., Crystal structures and synthesis of the copper-dominant members of the autunite and meta-autunite groups: torbernite, zeunerite, metatorbernite and meta-zeunerite, 489
- Locock, A.J. & Burns, P.C., The crystal structure of bergenite, a new geometrical isomer of the phosphuranylite group, 91
- Lottemoser, W. with Makovicky, E., 1125
- Lusardi, W.R. with Dunkle, S.E., 659
- Ma, Zhesheng with Ren, Liudong, 393
- MacBride, L. with Černý, P., 1013

- Magarill, S.A. with Pervukhina, N.V., 1445
 Makovicky, E., Tippelt, G., Forcher, K., Lottermoser, W., Karup-Møller, S. & Amthauer, G., Mössbauer study of Fe-substituted synthetic tennantite, 1125
 Makovicky, E. with Christiansen, C.C., 1203
 Makovicky, E. with Topa, D., 1155, 1481
 Malitch, K.N., Junk, S.A., Thalhammer, O.A.R., Melcher, F., Knauf, V.V., Pernicka, E. & Stumpfl, E.F., Laurite and ruarsite from podiform chromitites at Kraubath and Hochgrösse, Austria: new insights from osmium isotopes, 331
 Malsy, A. with Galuskin, E.V., 843
 Mandarino, J.A., *New Minerals*, 803, 1309
 Mandarino, J.A. with Ramik, R.A., 649
 Mansfeld, J. with Holtstam, D., 1233
 Martarelli, L. with Ferrini, V., 413
 Martin, R.F., *Encyclopedia of Mineral Names: third update*, 1075
 Massa, W. with Yakubovich, O.V., 981
 Mateus, A. with Jesus, A.P., 1105
 Mauthner, M.H.F. with Groat, L.A., 139
 Mazdab, F.K., The diversity and occurrence of potassium-dominant amphiboles, 1329
 McDonald, A.M. with Piilonen, P.C., 1, 27
 Medaris, L.G. Jr., Fournelle, J.H. & Henry, D.J., Tourmaline-bearing quartz veins in the Baraboo quartzite, Wisconsin: occurrence and significance of foitite and "oxy-foitite", 749
 Meisser, N. with Brugger, J., 1423
 Melcher, F. with Malitch, K.N., 331
 Melgarejo, J.-C. with Alfonso, P., 103
 Melgarejo, J.-C. with Canet, C., 561, 581
 Menchetti, S. with Bonazzi, P., 639
 Menshikov, Yu. P. with Yakovenchuk, V.N., 503
 Mitchell, R.H. with Uvarova, Yu.A., 1193
 Mozgova, N.N. with Borodaev, Yu. S., 429
 Mulja, T. with Groat, L.A., 139
 Mungall, J.E. & Brenan, J.M., Experimental evidence for the chalcophile behavior of the halogens, 207
 Mungall, J.E. with Hanley, J.J., 857
 Naumov, D.Yu. with Pervukhina, N.V., 1445
 Nestola, F. with Tribaudino, M., 521
 Nieto, J.M. with Saéz, R., 627
 Nikischer, A.J. with Roberts, A.C., 721
 Nocete, F. with Saéz, R., 627
 Norman, M., Robinson, P. & Clark, D., Major- and trace-element analysis of sulfide ores by laser-ablation ICP-MS, solution ICP-MS, and XRF: new data for international reference materials, 293
 Nysten, P., Yeatmanite and magnussonite from the Garpenberg Norra mine, Bergslagen ore province, Sweden, 201
 Oberti, R., Cámara, F., Caballero, J.M. & Ottolini, L., Sodic-ferri-ferropedrizite and ferri-clinoferroholmquistite: mineral data and degree of order of the A-site cations in Li-rich amphiboles, 1345
 Oliveira, V. with Jesus, A.P., 1105
 Organ, R.M. with Ramik, R.A., 649
 Ottolini, L. with Oberti, R., 1345
 Oyarzabal, J.C. with Černý, P., 1013
 Paar, W.H. with Borodaev, Yu.S., 429
 Paar, W.H. with Roberts, A.C., 1167
 Paar, W.H. with Topa, D., 1155
 Pakhomovsky, Ya. A. with Yakovenchuk, V.N., 503
 Paktunc, D. & Dutrizac, J.E., Characterization of arsenate-for-sulfate substitution in synthetic jarosite using X-ray diffraction and X-ray absorption spectroscopy, 905
 Palenzona, M. with Tiepolo, M., 261
 Pan, Yuanming & Dong, Ping, Bromine in scapolite-group minerals and sodalite: XRF microprobe analysis, exchange experiments, and application to skarn deposits, 529
 Parise, J.B. with Antao, S.M., 1413
 Pascal, M.-L. with Katona, I., 1255
 Pautov, L.A. with Sokolova, E., 513
 Pekov, I.V. with Johnsen, O., 785
 Pemberton, B.C. with Groat, L.A., 921
 Peregodova, A. with Cabri, L.J., 321
 Pereira, M.D., Shaw, D.M. & Acosta, A., Mobile trace elements and fluid-dominated processes in the Ronda peridotite, southern Spain, 617
 Pernicka, E. with Malitch, K.N., 331
 Pervukhina, N.V., Vasil'ev, V.I., Borisov, S.V., Magarill, S.A. & Naumov, D.Yu., The crystal structure of a polymorph of $\text{Hg}^{2+}_3\text{S}_2\text{Br}_{1.0}\text{Cl}_{0.5}\text{I}_{0.5}$, 1445
 Peterson, R.C., The relationship between Cu content and distortion in the atomic structure of melanterite from the Richmond mine, Iron Mountain, California, 937
 Peterson, R.C., Roeder, P.L. & Zhang, Yousheng, The atomic structure of siderotil, $(\text{Fe,Cu})\text{SO}_4 \cdot 5\text{H}_2\text{O}$, 671
 Piccoli, P.M. with Donovan, J.J., 221
 Piilonen, P.C., Lalonde, A.E., McDonald, A.M., Gault, R.A. & Larsen, A.O., Insights into astrophyllite-group minerals. I. Nomenclature, composition and development of a standardized general formula, 1
 Piilonen, P.C., McDonald, A.M. & Lalonde, A.E., Insights into astrophyllite-group minerals. II. Crystal chemistry, 27
 Pilati, T. with Demartin, F., 1147
 Popova, V. with Bindi, L., 1463
 Prasad, P.S.R. with Ertl, A., 1363
 Prencipe, M. with Tribaudino, M., 521
 Ramik, R.A., Organ, R.M. & Mandarino, J.A., On type romarchite and hydromarchite from Boundary Falls, Ontario, and notes on other occurrences, 649
 Raudsepp, M. with Groat, L.A., 139
 Ren, Liudong, Grew, E.S., Xiong, Ming & Ma, Zhesheng, Wagnerite-*Ma5bc*, a new polytype of $\text{Mg}_2(\text{PO}_4)(\text{F},\text{OH})$, from granulite-facies paragneiss, Larsemann Hills, Prydz Bay, East Antarctica, 393
 Rimstidt, J.D. with Dunkle, S.E., 659
 Rinaudo, C., Gastaldi, D. & Belluso, E., Characterization of chrysotile, antigorite and lizardite by FT-Raman spectroscopy, 883
 Roberts, A.C., Cooper, M.A., Hawthorne, F.C., Gault, R.A., Grice, J.D. & Nikischer, A.J., Arsmithite, a new Hg^{1+} -Al phosphate-hydroxide from the Funderburk Prospect, Pike County, Arkansas, U.S.A., 721
 Roberts, A.C., Cooper, M.A., Hawthorne, F.C., Stirling, J.A.R., Paar, W.H., Stanley, C.J., Dunning, G.E. & Burns, P.C., Vasilyevite, $(\text{Hg}_2)^{2+}_{10}\text{O}_6\text{I}_3\text{Br}_2\text{Cl}(\text{CO}_3)$, a new mineral species from the Clear Creek Claim, San Benito County, California, 1167
 Roberts, A.C. with Förster, H.-J., 1433
 Roberts, A.C. with Sokolova, E., 929
 Robinson, P. with Norman, M., 293
 Rocha Filho, O.G. with Cabral, A.R., 473
 Roeder, P.L. with Peterson, R.C., 671
 Rollo, H.A. with Groat, L.A., 139
 Rovira, S. with Saéz, R., 627
 Ruiz Cruz, M.D., Two stages of "metamorphic vermiculite" growth in schists from the Maláguide Complex, Betic Cordillera, Spain, 1397
 Rundlof, H. with Tribaudino, M., 521
 Saéz, R., Nocete, F., Nieto, J.M., Capitán, M.Á. & Rovira, S., The extractive metallurgy of copper from Cabezo Juré, Huelva, Spain: chemical and mineralogical study of slags dated to the third millennium B.C., 627
 Samson, I.M. with Gagnon, J.E., 365
 Schindler, M., Hawthorne, F.C., Humnicki, D.M.C., Haynes, P., Grice, J.D. & Evans, H.T., Jr., Bobjonesite, $\text{V}^{4+}\text{O}(\text{SO}_4)(\text{H}_2\text{O})_3$, a new mineral species from Temple Mountain, Emery County, Utah, U.S.A., 83
 Schrier, M.D. with Donovan, J.J., 221
 Schumacher, J.C. with Leake, B.E., 1355
 Shabani, A.A.T., Lalonde, A.E. & Whalen, J.B., Composition of biotite from granitic rocks of the Canadian Appalachian orogen: a potential tectonomagmatic indicator?, 1381

- Shackleton, J.M., Spry, P.G. & Bateman, R., Telluride mineralogy of the Golden Mile deposit, Kalgoorlie, Western Australia, 1503
- Shaw, D.M. with Pereira, M.D., 617
- Sherriff, B.L. with Zhou, Bing, 891
- Simandjuntak, M. with Warmada, I W., 185
- Simonetti, A. with Košler, J., 307
- Sitarz, M. with Galuskin, E.V., 833, 843
- Skublov, S. & Drugova, G., Patterns of trace-element distribution in calcic amphiboles as a function of metamorphic grade, 383
- Soboleva, S.V. with Ferraris, G., 1183
- Sokolova, E., Hawthorne, F.C. & Roberts, A.C., The crystal structure of an anthropogenic Cu–K–Na–hydro–hydroxyl–carbonate–chloride from Johanngeorgenstadt, Saxony, Germany, 929
- Sokolova, E., Hawthorne, F.C., Agakhanov, A.A. & Pautov, L.A., The crystal structure of moskvinite-(Y), Na₂K(Y,REE) [Si₆O₁₅], a new silicate mineral with [Si₆O₁₅] three-membered double-rings from the Dara-i-Pioz moraine, Tien-Shan Mountains, Tajikistan, 513
- Sokolova, E. with Khomyakov, A.P., 989
- Sokolova, E. with Tait, K.T., 61
- Sokolova, E. with Uvarova, Yu.A., 1193
- Spry, P.G. with Shackleton, J.M., 1503
- Stadnicka, K. with Galuskin, E.V., 833
- Stanley, C.J. with Förster, H.-J., 1433
- Stanley, C.J. with Roberts, A.C., 1167
- Stephenson, N.C.N. with Leake, B.E., 1355
- Stirling, J.A.R. with Roberts, A.C., 1167
- Stumpfl, E.F. with Malitch, K.N., 331
- Sylvester, P.J. with Cabri, L.J., 321
- Sylvester, P.J. with Jackson, S.E., 257
- Sylvester, P.J. with Košler, J., 307
- Tait, K.T. & Hawthorne, F.C., Refinement of the crystal structure of arseniolepite: confirmation of its status as a valid species, 71
- Tait, K.T., Sokolova, E., Hawthorne, F.C. & Khomyakov, A.P., The crystal chemistry of nepheline, 61
- Taulelle, F. with Zhou, Bing, 891
- Teertstra, D.K. with Černý, P., 1013
- Thalhammer, O.A.R. with Malitch, K.N., 331
- Tiepolo, M., Bottazzi, P., Palenzona, M. & Vannucci, R., A laser probe coupled with ICP – double-focusing sector-field mass spectrometer for *in situ* analysis of geological samples and U–Pb dating of zircon, 261
- Tippelt, G. with Makovicky, E., 1125
- Tischendorf, G. with Förster, H.-J., 1433
- Tomascak, P.B. with Černý, P., 1003
- Topa, D., Makovicky, E. & Balić-Žunić, T., Crystal structures and crystal chemistry of members of the cuprobismutite homologous series of sulfosalts, 1481
- Topa, D., Makovicky, E., Balić-Žunić, T. & Paar, W.H., Kupčikite, a new Cu–Bi sulfosalt from Felbertal, Austria, and its crystal structure, 1155
- Topa, D. with Borodaev, Yu.S., 429
- Tribaudino, M., Nestola, F., Prencipe, M. & Rundlof, H., A single-crystal neutron-diffraction investigation of spodumene at 54 K, 521
- Tubía, J.M. with Esteban, J.J., 161
- Tubrett, M.N. with Cabri, L.J., 321
- Tubrett, M.N. with Hinchey, J.G., 353
- Tubrett, M.N. with Košler, J., 307
- Tuisku, P. with Yakubovich, O.V., 981
- Twamley, B. with Bandli, B.R., 1241
- Uvarova, Yu.A., Sokolova, E., Hawthorne, F.C., Liferovich, R.P. & Mitchell, R.H., The crystal chemistry of shcherbakovite from the Khibina Massif, Kola Peninsula, Russia, 1193
- Vannucci, R. with Tiepolo, M., 261
- Vasil'ev, V.I. with Pervukhina, N.V., 1445
- Velasco, F. with Alfonso, P., 103
- Verkaeren, J. with Katona, I., 1255
- Vurro, F. with Borodaev, Yu.S., 429
- Waerenborgh, J.C. with Jesus, A.P., 1105
- Wang, Ru Cheng, Fontan, F., Chen, Xiao Ming, Hu, Huan, Liu, Chang Shi, Xu, Shi Jin & de Parseval, P., Accessory minerals in the Xihuashan Y-enriched granitic complex, southern China: a record of magmatic and hydrothermal stages of evolution, 727
- Warmada, I W., Lehmann, B. & Simandjuntak, M., Polymetallic sulfides and sulfosalts of the Pongkor epithermal gold–silver deposit, West Java, Indonesia, 185
- Whalen, J.B. with Shabani, A.A.T., 1381
- Wheat, C.G. with Davis, A.S., 457
- Whittaker, E.J.W. with Leake, B.E., 1355
- Williams-Jones, A.E. with Gagnon, J.E., 365
- Wilton, D.H.C. with Cox, R.A., 275
- Wilton, D.H.C. with Hinchey, J.G., 353
- Wilton, D.H.C. with Košler, J., 307
- Woolley, A.R. with Leake, B.E., 1355
- Wu, Gang with Zhou, Bing, 891
- Xiong, Ming with Ren, Liudong, 393
- Xu, Shi Jin with Wang, Ru Cheng, 727
- Yakovenchuk, V.N., Pakhomovsky, Ya. A., Menshikov, Yu. P., Ivanyuk, G. Yu., Krivovichev, S.V. & Burns, P.C., Chlorbartonite, K₆Fe₂₄S₂₆(Cl,S), a new mineral species from a hydrothermal vein in the Khibina massif, Kola Peninsula, Russia: description and crystal structure, 503
- Yakubovich, O.V., Massa, W., Liferovich, R.P., Gavrilenko, P.G., Bogdanova, A.N. & Tuisku, P., Hillite, a new member of the fairfieldite group: description and crystal structure, 981
- Yusta, I. with Alfonso, P., 103
- Yusta, I. with Esteban, J.J., 161
- Zhang, Yousheng with Peterson, R.C., 671
- Zhou, Bing, Sherriff, B.L., Taulelle, F. & Wu, Gang, Nuclear magnetic resonance study of Al:Si and F:OH order in zunyite, 891
- Zierenberg, R.A. with Davis, A.S., 457

SUBJECT INDEX

- A LAM-ICP-MS study of the distribution of gold in arsenopyrite from the Lodestar prospect, Newfoundland, Canada, (Hinchev *et al.*), 353
- A laser probe coupled with ICP – double-focusing sector-field mass spectrometer for *in situ* analysis of geological samples and U–Pb dating of zircon, (Tiepolo *et al.*), 261
- A model for the mechanism of incorporation of Cu, Fe and Zn in the stannite – k esterite series, Cu₂FeSnS₄ – Cu₂ZnSnS₄, (Bonazzi *et al.*), 639
- A re-examination of the rare-earth-element orthophosphate standards in use for electron-microprobe analysis, (Donovan *et al.*), 221
- A single-crystal neutron-diffraction investigation of spodumene at 54 K, (Tribaudino *et al.*), 521
- Accessory minerals in the Xihuashan Y-enriched granitic complex, southern China: a record of magmatic and hydrothermal stages of evolution, (Wang *et al.*), 727
- Anorthominasragite, V⁴⁺O(SO₄)(H₂O)₅, a new mineral species from Temple Mountain, Emery County, Utah, U.S.A.: description, crystal structure and hydrogen bonding, (Cooper *et al.*), 959
- Ansermetite, MnV₂O₆·4H₂O, a new mineral species with V⁵⁺ in five-fold coordination from Val Ferrera, Eastern Swiss Alps, (Brugger *et al.*), 1423
- Artsmithite, a new Hg¹⁺–Al phosphate–hydroxide from the Funderburk Prospect, Pike County, Arkansas, U.S.A., (Roberts *et al.*), 721
- Bobjonessite, V⁴⁺O(SO₄)(H₂O)₃, a new mineral species from Temple Mountain, Emery County, Utah, U.S.A., (Schindler *et al.*), 83
- Bromine in scapolite-group minerals and sodalite: XRF microprobe analysis, exchange experiments, and application to skarn deposits, (Pan & Dong), 529
- Chains of edge-sharing OPb₄ tetrahedra in the structure of Pb₃O(VO₄)₂ and in related minerals and inorganic compounds, (Krivovichev & Burns), 951
- Characterization of arsenate-for-sulfate substitution in synthetic jarosite using X-ray diffraction and X-ray absorption spectroscopy, (Paktunc & Dutrizac), 905
- Characterization of chrysotile, antigorite and lizardite by FT-Raman spectroscopy, (Rinaudo *et al.*), 883
- Chlorbartonite, K₆Fe₂₄S₂₆(Cl,S), a new mineral species from a hydrothermal vein in the Khibina massif, Kola Peninsula, Russia: description and crystal structure, (Yakovenchuk *et al.*), 503
- Chlorine enrichment and hydrous alteration of the Sudbury Breccia hosting footwall Cu–Ni–PGE mineralization at the Fraser mine, Sudbury, Ontario, Canada, (Hanley & Mungall), 857
- Comparison of LAM-ICP-MS and micro-PIXE results for palladium and rhodium in selected samples of Noril'sk and Talnakh sulfides, (Cabri *et al.*), 321
- Composition of barium-rich white micas from the Berisal Complex, Simplon Region, Switzerland, (Hetherington *et al.*), 1281
- Composition of biotite from granitic rocks of the Canadian Appalachian orogen: a potential tectonomagmatic indicator?, (Shabani *et al.*), 1381
- Compositional heterogeneity in fluorite and the genesis of fluorite deposits: insights from LA-ICP-MS analysis, (Gagnon *et al.*), 365
- Crystal chemistry of the rosenbuschite group, (Christiansen *et al.*), 1203
- Crystal chemistry of uranyl molybdates. VIII. Crystal structures of Na₃Tl₃[(UO₂)(MoO₄)₄], Na_{13-x}Tl_{3+x}[(UO₂)(MoO₄)₃]₄(H₂O)_{6+x} (x = 0.1), Na₃Tl₅[(UO₂)(MoO₄)₃]₂(H₂O)₃ and Na₂[(UO₂)(MoO₄)₂](H₂O)₄, (Krivovichev & Burns), 707
- Crystal chemistry of uranyl molybdates. IX. A novel uranyl molybdate sheet in the structure of Tl₂[(UO₂)₂O(MoO₅)], (Krivovichev & Burns), 1225
- Crystal chemistry of uranyl molybdates. X. The crystal structure of Ag₁₀[(UO₂)₈O₈(Mo₅O₂₀)], (Krivovichev & Burns), 1455
- Crystal structures and crystal chemistry of members of the cuprobismutite homologous series of sulfosalts, (Topa *et al.*), 1481
- Crystal structures and synthesis of the copper-dominant members of the autunite and meta-autunite groups: torbernite, zeunerite, metatorbernite and metazeunerite, (Locock & Burns), 489
- Dendritic magnetite and ilmenite in 590 Ma Grenville dikes near Otter Lake, Quebec, Canada, (Kretz), 1049
- Disordered Mg-bearing olenite from a granitic pegmatite at Goslam, Austria: a chemical, structural, and infrared spectroscopic study, (Ertl *et al.*), 1363
- Encyclopedia of Mineral Names: third update, (M artin), 1075
- Equilibrium” and “non-equilibrium” diamond crystals from deposits in the East European platform, as revealed by infrared absorption data, (Khachatryan & Kaminsky), 171
- Experimental evidence for the chalcophile behavior of the halogens, (Mungall & Brennan), 207
- Ferriallanite-(Ce) from the Bastn as deposit, V astmanland, Sweden, (Holstam *et al.*), 1233
- Ferrokentbrooksit, a new member of the eudialyte group from Mont Saint-Hilaire, Quebec, Canada, (Johnsen *et al.*), 55
- Fluorvesuvianite, Ca₁₉(Al,Mg,Fe²⁺)₁₃[SiO₄]₁₀[Si₂O₇]₄O(F,OH)₉, a new mineral species from Pitk aranta, Karelia, Russia: description and crystal structure, (Britvin *et al.*), 1371
- Ganterite, a new barium-dominant analogue of muscovite from the Berisal Complex, Simplon region, Switzerland, (Graeser *et al.*), 1271
- Geochemical and morphological features of beryl from the Bikita granitic pegmatite, Zimbabwe, (Cerny *et al.*), 1003
- Geochemistry of feldspars and muscovite in granitic pegmatite from the Cap de Creus field, Catalonia, Spain, (Alfonso *et al.*), 103
- Geology and mineralogy of the Little Nahanni rare-element granitic pegmatites, Northwest Territories, (Groat *et al.*), 139
- Granitic pegmatites of the O'Grady batholith, N.W.T., Canada: a case study of the evolution of the elbaite subtype of rare-element granitic pegmatite *via* mineral chemistry, (Ercit *et al.*), 117
- Hillite, a new member of the fairfieldite group: description and crystal structure, (Yakovovich *et al.*), 981
- Hypogene titanian, vanadian maghemite in reworked oxide cumulates in the Beja layered gabbro complex, Odivelas, southeastern Portugal, (Jesus *et al.*), 1105
- Insights into astrophyllite-group minerals. I. Nomenclature, composition and development of a standardized general formula, (Pilonen *et al.*), 1
- Insights into astrophyllite-group minerals. II. Crystal chemistry, (Pilonen *et al.*), 27
- Kupc ikite, a new Cu–Bi sulfosalt from Felbertal, Austria, and its crystal structure, (Topa *et al.*), 1155
- Lamellar minerals of the cuprobismutite series and related pad eraite: a new occurrence and implications, (Cook & Ciobanu), 441
- Laser-ablation ICP-MS measurements of Re/Os in molybdenite and implications for Re–Os geochronology, (Ko ler *et al.*), 307
- Laser-ablation U–Th–Pb *in situ* dating of zircon and allanite: an example from the October Harbour granite, central coastal Labrador, Canada, (Cox *et al.*), 275
- Laurite and ruarsite from podiform chromitites at Kraubath and Hochgr osse, Austria: new insights from osmium isotopes,

- (Malitch *et al.*), 331
- Major- and trace-element analysis of sulfide ores by laser-ablation ICP-MS, solution ICP-MS, and XRF: new data for international reference materials, (Norman *et al.*), 293
- Mobile trace elements and fluid-dominated processes in the Ronda peridotite, southern Spain, (Pereira *et al.*), 617
- Morphology, composition and structure of low-temperature *P4/mnc* high-fluorine vesuvianite whiskers from Polar Yakutia, Russia, (Galuskin *et al.*), 843
- Mössbauer study of Fe-substituted synthetic tennantite, (Makovicky *et al.*), 1125
- New Minerals, (Mandarino), 803, 1309
- New minerals approved in 2002 and nomenclature modifications approved in 1998–2002 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Grice & Ferraris), 795
- Nomenclature of amphiboles: additions and revisions to the International Mineralogical Association's 1997 recommendations, (Leake *et al.*), 1355
- Nuclear magnetic resonance study of Al:Si and F:OH order in zunyite, (Zhou *et al.*), 891
- On the association of palladium-bearing gold, hematite and gypsum in an ouro preto nugget, (Cabral *et al.*), 473
- On type romarchite and hydromorphite from Boundary Falls, Ontario, and notes on other occurrences, (Ramik *et al.*), 649
- Optical, compositional, morphological, and X-ray data on eleven particles of amphibole from Libby, Montana, U.S.A., (Bandli *et al.*), 1241
- Oscillatory epitaxial-growth zoning in biotite and muscovite from the Lake Lewis leucogranite, South Mountain batholith, Nova Scotia, Canada, (Clarke & Bogutyn), 1027
- Paravinogradovite, $(\text{Na}, \square)_2(\text{Ti}^{4+}, \text{Fe}^{3+})_4\{\text{Si}_2\text{O}_6\}_2\{\text{Si}_3\text{AlO}_{10}\}(\text{OH})_4\text{H}_2\text{O}$, a new mineral species from the Khibina alkaline massif, Kola Peninsula, Russia: description and crystal structure, (Khomyakov *et al.*), 989
- Patterns of trace-element distribution in calcic amphiboles as a function of metamorphic grade, (Skublov & Drugova), 383
- PGE-bearing minerals in Silurian sedex deposits in the Poblet area, southwestern Catalonia, (Canet *et al.*), Spain, 581
- Platinum-group minerals in podiform chromitites of the Oman ophiolite, (Ahmed & Arai), 597
- Plumbian baksanite from the Tyrnyauz W–Mo deposit, Baksan River valley, northern Caucasus, Russian Federation, (Bindi & Cipriani), 1475
- Point defects in pyrrhotite, (Froese), 1061
- Polymetallic sulfides and sulfosalts of the Pongkor epithermal gold–silver deposit, West Java, Indonesia, (Warmada *et al.*), 185
- Preface: Applications of laser-ablation ICP-MS analysis: a tribute to Henry P. Longerich, (Jackson *et al.*), 257
- Rare sulfosalts from Vulcano, Aeolian Islands, Italy. V. Selenian heyrovskýite, (Borodaev *et al.*), 429
- Refinement of the crystal structure of arseniolepite: confirmation of its status as a valid species, (Tait & Hawthorne), 71
- Romarchite, hydromorphite and abhurite formed during the corrosion of pewter artifacts from the *Queen Anne's Revenge* (1718), (Dunkle *et al.*), 659
- Schlemaite, $(\text{Cu}, \square)_6(\text{Pb}, \text{Bi})\text{Se}_4$, a new mineral species from Niederschlema–Alberoda, Erzgebirge, Germany: description and crystal structure, (Förster *et al.*), 1433
- Si-deficient, OH-substituted, boron-bearing vesuvianite from the Wiluy River, Yakutia, Russia, (Galuskin *et al.*), 833
- Single-crystal XRD, TEM, and thermal studies of the satellite reflections in nepheline, (Hassan *et al.*), 759
- Sodic-ferri-ferropedrizite and ferri-clinoferroholmquistite: mineral data and degree of order of the A-site cations in Li-rich amphiboles, (Oberti *et al.*), 1345
- Stranded and equilibrated assemblages of late feldspars in two granitic pegmatites in the Pampean Ranges, Argentina, (Černý *et al.*), 1013
- Sulfide formation related to changes in the hydrothermal system on Loihi Seamount, Hawai'i, following the seismic event in 1996, (Davis *et al.*), 457
- Synthesis and properties of V^{3+} analogues of jarosite-group minerals, (Dutrizac & Chen), 479
- Telluride mineralogy of the Golden Mile deposit, Kalgoorlie, Western Australia, (Shackleton *et al.*), 1503
- The atomic structure of siderotil, $(\text{Fe}, \text{Cu})\text{SO}_4 \cdot 5\text{H}_2\text{O}$, (Peterson *et al.*), 671
- The crystal chemistry of nepheline, (Tait *et al.*), 61
- The crystal chemistry of shcherbakovite from the Khibina Massif, Kola Peninsula, Russia, (Uvarova *et al.*), 1193
- The crystal chemistry of the zippeite group, (Burns *et al.*), 687
- The crystal structure and crystal chemistry of uranosphaerite, $\text{Bi}(\text{UO}_2)\text{O}_2\text{OH}$, (Hughes *et al.*), 677
- The crystal structure of a polymorph of $\text{Hg}^{2+}_3\text{S}_2\text{Br}_{1.0}\text{Cl}_{0.5}\text{I}_{0.5}$, (Pervukhina *et al.*), 1445
- The crystal structure of an anthropogenic Cu–K–Na–hydro–hydroxyl–carbonate–chloride from Johanngeorgenstadt, Saxony, Germany, (Sokolova *et al.*), 929
- The crystal structure of argentojarosite, $\text{AgFe}_3(\text{SO}_4)_2(\text{OH})_6$, (Groat *et al.*), 921
- The crystal structure of bergenite, a new geometrical isomer of the phosphuranylite group, (Locock & Burns), 91
- The crystal structure of moskvinit-(Y), $\text{Na}_2\text{K}(\text{Y}, \text{REE})[\text{Si}_6\text{O}_{15}]$, a new silicate mineral with $[\text{Si}_6\text{O}_{15}]$ three-membered double-rings from the Dara-i-Pioz moraine, Tien-Shan Mountains, Tajikistan, (Sokolova *et al.*), 513
- The crystal structure of nikischerite, $\text{NaFe}^{2+}_6\text{Al}_3(\text{SO}_4)_2(\text{OH})_{18}(\text{H}_2\text{O})_{12}$, a mineral of the shigaite group, (Huminicki & Hawthorne), 79
- The crystal structure of orlandiite, $\text{Pb}_3\text{Cl}_4(\text{SeO}_3) \cdot \text{H}_2\text{O}$, a complex case of twinning and disorder, (Demartin *et al.*), 1147
- The crystal structure of seidite-(Ce), $\text{Na}_4(\text{Ce}, \text{Sr})_2\{\text{Ti}(\text{OH})_2(\text{Si}_3\text{O}_{18})\}(\text{O}, \text{OH}, \text{F})_4 \cdot 5\text{H}_2\text{O}$, a modular microporous titanosilicate of the rhodesite group, (Ferraris *et al.*), 1183
- The crystal structure of vasilyevite, $(\text{Hg}_2)^{2+}_{10}\text{O}_6\text{I}_3(\text{Br}, \text{Cl})_3(\text{CO}_3)$, (Cooper & Hawthorne), 1173
- The crystal structure of winstanleyite, TiTe_3O_8 , from the Grand Central mine, Tombstone, Arizona, (Bindi & Cipriani), 1469
- The diversity and occurrence of potassium-dominant amphiboles, (Mazdab), 1329
- The extractive metallurgy of copper from Cabezo Juré, Huelva, Spain: chemical and mineralogical study of slags dated to the third millennium B.C., (Saéz *et al.*), 627
- The Koman dawsonite and realgar–orpiment deposit, northern Albania: inferences on processes of formation, (Ferrini *et al.*), 413
- The melilite (Gh_{50}) skarns of Oravița, Banat, Romania: transition to gehlenite (Gh_{85}) and to vesuvianite, (Katona *et al.*), 1255
- The nomenclature of eudialyte-group minerals, (Johnsen *et al.*), 785
- The relationship between Cu content and distortion in the atomic structure of melanterite from the Richmond mine, Iron Mountain, California, (Peterson), 937
- The structure of danalite at high temperature obtained from synchrotron radiation and Rietveld refinements, (Antao *et al.*), 1413
- Tourmaline-bearing quartz veins in the Baraboo quartzite, Wisconsin: occurrence and significance of foitite and “oxy-foitite”, (Medaris *et al.*), 749
- Two stages of “metamorphic vermiculite” growth in schists from the Maláguide Complex, Betic Cordillera, Spain, (Ruiz Cruz), 1397
- Uzonite, As_4S_5 , from the type locality: single-crystal X-ray study and effects of exposure to light, (Bindi *et al.*), 1463
- Vasilyevite, $(\text{Hg}_2)^{2+}_{10}\text{O}_6\text{I}_3\text{Br}_2\text{Cl}(\text{CO}_3)$, a new mineral species from the Clear Creek Claim, San Benito County, California, (Roberts *et al.*), 1167
- Visual-statistical classification of As–Fe-rich products of alteration of tailings from the Enguialès tungsten mine, France, (Lenain & Courtin-Nomade), 1135
- V-rich minerals in contact-metamorphosed Silurian sedex deposits in the Poblet area, southwestern Catalonia, Spain, (Canet *et al.*), 561

Wagnerite-*Ma5bc*, a new polytype of $Mg_2(PO_4)(F,OH)$, from granulite-facies paragneiss, Larsemann Hills, Prydz Bay, East Antarctica, (Ren *et al.*), 393

Xonotlite in rodingite assemblages from the Ronda peridotites, Betic Cordilleras, southern Spain, (Esteban *et al.*), 161

Yeatmanite and magnussonite from the Garpenberg Norra mine, Bergslagen ore province, Sweden, (Nysten), 201

CHEMICAL ANALYSES (see also Electron-microprobe analyses)

Minerals

albite, 107, ancient copper metallurgical slags, 631, base-metal sulfide ore standards, 295, beryl, 1005, melanterite (cuprian), 942, melanterite (zincian), 942, melanterite, 942, microcline, 107, muscovite, 110, plagioclase, 108

Rocks

argillite, 416, Ba-rich white-mica schist, 1285, Ba-rich zoisite-celsian gneiss, 1285, leucogranite, 621, limestone, 416, marl, 416, peraluminous granite (REE-rich), 730, peridotite, 621, PGE in chromitite, 335, quartz diorite, 209, seafloor hydrothermal mound, 465, serpentinite, 621

COUPLED-ATOM SUBSTITUTIONS

Oxides

cassiterite, 153

Selenides

schlemaite, 1442

Silicates

actinolite (vanadoan), 568, amphibole group, 1330, 1348, 1356, astrophyllite group, 22, Ba-rich white micas, 1282, beryl, 1007, ferriallanite-(Ce), 1237, fluorvesuvianite, 1377, foidite, 752, ganterite, 1273, 1287, götzenite, 1211, hainite, 1211, kochite, 1211, muscovite, 1028, olenite (magnesian), 1367, "oxy-foitite", 752, rosenbuschite, 1211, seidozerite, 1211, spessartine (yttrian), 735, titanite (vanadoan), 568, vesuvianite (F-rich), 849, vesuvianite (Si-deficient), 836, wiluite, 836

Sulfates

arsenate-substituted jarosite (synthetic), 912

Sulfides

chlorbartonite, 509, cuprobismutite, 452, 1493, cuprobismutite homologous series, 452, 1493, heyrovskýite (selenian), 430, hodrushite, 453, 1493

CRYSTALLOGRAPHY

 (see also Twinning)

12-coordinated Ag^+ , 926, amphibole classification, 1330, 1346, 1356, amphibole formula, normalization routines, 1333, arsenate-substituted jarosite (synthetic), 909, astrophyllite group crystal chemistry, 27, astrophyllite group general formula, 11, baksanite (plumbian), 1478, beryl crystal chemistry, 1006, chemical composition from crystal structure, 89, 691, 724, 930, 1170, 1348, 1456, cuprobismutite homologous series, crystal chemistry, 442, 1161, 1487, distance-least-square (DLS) refinement, 1186, edge-sharing OPb_4 tetrahedra, 954, eudialyte-group crystal chemistry, 59, 785, Fe-Fe metallic bonding, 507, Fe_8S_{14} clusters, 507, Fe-sub-

stituted tennantite (synthetic), 1127, Hg-Hg dimers, 1175, ilmenite dendrites, 1053, Jahn-Teller distortion (Cu^{2+}), 495, 673, 944, lone-pair electrons (Bi^{3+}), 681, 1437, 1491, lone-pair electrons (Pb^{2+}), 953, 1437, lone-pair electrons (Te^{4+}), 1471, lone-pair electrons (Tl^+), 710, 1227, magnetite dendrites, 1051, microporous structures, 1190, nepheline crystal chemistry, 61, 764, neutron diffraction, 522, Rietveld refinement, 1112, 1415, rosenbuschite-group crystal chemistry, 1203, shcherbakovite-batisite-group crystal chemistry, 1199, stannite-kësterite series, 640, synchrotron radiation, 1414, tourmaline crystal chemistry, 1367, triplite group, 401, U-O (uranyl) distance, 94, 495, 680, 691, 711, 1226, 1457, uranyl molybdate crystal chemistry, 707, 1225, 1456, uranyl-sheet topologies, 95, 496, 681, 694, 712, 1228, 1458, uranyl sulfate sheet, 694, vanadyl (V-O) bond-length revised, 963, vesuvianite (Si-deficient), 839, zippeite-group crystal chemistry, 687, zunyite, 892

CRYSTAL STRUCTURE

 (see also X-ray diffraction)

ansermetite, 1426, anthropogenic Cu-K-Cl carbonate, 929, argentojarosite, 921, arsenate-substituted jarosite (synthetic), 909, arseniopleite, 71, astrophyllite, 29, astrophyllite group, 7, bergenite, 91, bobjonesite, 86, chlorbartonite, 503, cobalt-zippeite (synthetic), 687, cuprobismutite, 1481, danalite, 1415, eudialyte group, 785, ferri-clinoferroholmquistite, 1347, ferrokentbrooksitite, 58, fluorvesuvianite, 1371, götzenite, 1206, grechishchevite (synthetic), 1446, hainite, 1206, hillite, 985, hodrushite (Cu-enriched), 1488, hodrushite, 1481, kësterite, 641, kochite, 1206, kupčikite, 1155, kupletskite, 29, magnesium-zippeite (synthetic), 687, melanterite (cuprian), 937, melanterite (zincian), 937, melanterite, 937, metatorbernite (synthetic), 491, metazeunerite (synthetic), 491, moskvinit-(Y), 513, nepheline, 61, 760, nikischerite, 79, niobokupletskite, 29, olenite (magnesian), 1364, orlandiite, 1147, paravinogradovite, 992, rosenbuschite, 1206, schlemaite, 1433, seidite-(Ce), 1183, seidozerite, 1206, shcherbakovite, 1193, siderotil, 671, sodic-ferri-ferropedrizite, 1347, sodium-zippeite (synthetic), 687, spodumene (54 K), 523, spodumene, 523, stannite, 641, stannite-kësterite intermediates, 641, synthetic $Ag_{10}[(UO_2)_8O_8(Mo_5O_{20})]$, 1455, synthetic $Mg_2(H_2O)_{11}[(UO_2)_2(SO_4)O_2]_2$, 687, synthetic $Na_2[(UO_2)(MoO_4)_2](H_2O)_4$, 707, synthetic $Na_3Ti_3[(UO_2)(MoO_4)_4]$, 707, synthetic $Na_3Ti_5[(UO_2)(MoO_4)_3]_2(H_2O)_3$, 707, synthetic $Na_{13-x}Ti_{3+x}[(UO_2)(MoO_4)_3]_4(H_2O)_{6+x}$ ($x = 0.1$), 707, synthetic $(NH_4)_2[(UO_2)_2(SO_4)O_2]$, 687, synthetic $(NH_4)_4(H_2O)[(UO_2)_2(SO_4)O_2]_2$, 687, synthetic $Pb_4O(VO_4)_2$, 951, synthetic $Tl_2[(UO_2)_2O(MoO_5)]$, 1226, torbernite (synthetic), 491, uranosphaerite, 677, uzonite, 1463, vasilyevite, 1173, vesuvianite (F-rich), 850, vesuvianite (Si-deficient), 839, wagnerite-*Ma5bc*, 401, winstanleyite, 1469, zeunerite (synthetic), 491, zinc-zippeite (synthetic), 687, zippeite (synthetic), 687, zunyite, 892

ELECTRON-MICROPROBE ANALYSES

abhurite, 665, acanthite, 189, actinolite (vanadoan), 567, actinolite, 871, aguilarite, 189, albite, 1018, allanite-(Ce), 132, 567, altaite, 1512, anhydrite, 465, ankerite, 417, annite, 1386, anorthite, 567, anorthominasragrite, 961, ansermetite, 1425, anthropogenic Cu-K-Cl carbonate, 934, apatite, 156, arfvedsonite, 1333, arsenate-substituted jarosite (synthetic), 909, arseniopleite, 73, arsenopyrite, 361, 586, artsmithite, 724, astrophyllite, 14, 32, astrophyllite group, 14, 32, awaruite, 611, baksanite (plumbian), 1477, Ba-rich white mica, 1285, barite, 465, berdesinskiite (chromian), 572, bergenite, 92, beryl, 1006, berzelianite, 1442, biotite (F-rich), 1034, biotite (vanadoan), 567, biotite, 130, 873, 1034, 1386, bismuthinite, 445, bismutopyrochlore, 132, bornite (PGE-rich), 611, calaverite, 1512, calcite, 147, caryinite, 73, cassiterite, 153, chalcocopyrite (zincian), 465, chlorbartonite, 506, chlorite, 875, chromite, (vanadoan), 572, clausenthalite, 1442,

clinopyroxene, 634, clintonite, 1262, coexisting silicate glass and quenched sulfide liquid, 213, coloradoite, 1512, coulsonite, 572, cuprobismutite, 449, 1158, 1484, cuproiridite, 338, cupromakovickýite, 1159, dawsonite, 417, dolomite, 417, dravite, 126, 135, elbaite, 126, 135, erlichmanite, 338, 607, eucairite, 1442, famatinite, 189, ferberite, 745, fergusonite-(Y), 132, 743, ferriallanite-(Ce), 1235, ferri-clinoferroholmquistite, 1352, ferroaxinite, 130, ferrohornblende (vanadoan), 567, ferrokentbrooksitite, 57, ferropyrosmalite, 874, Fe-substituted tennantite, (synthetic), 1127, fianelite, 1425, fluorite (yttrian), 732, fluorovesuvianite, 1375, foitite, 135, 753, ganterite, 1274, 1285, garnet (Grs₅₀), 1262, gehlenite, 1262, gold (argentian), 586, gold (palladian), 476, goldmanite, 567, götzenite, 1205, greigite, 417, hainite, 1205, heazlewoodite, 611, hessite, 1512, heyrovskýite (selenian), 433, hibschite, 838, hillite, 985, hodrushite (Cu-enriched), 1484, hodrushite, 449, 1158, 1484, hollingworthite, 608, hornblende, 384, hübnerite, 745, hydroromarchite, 665, ilmenite, 131, 1115, ingodite, 1478, irarsite, 339, 608, iridian osmium, 339, Ir-Pt alloy, 608, Ir-Rh alloy, 608, isoferroplatinum, 608, isomertieite, 476, joséite-A, 1478, joséite-β, 586, kaersutite, 384, kēsterite, 641, kochite, 1205, krennerite, 1512, krupkaite, 1158, kupčikite, 1158, 1484, kupletskite, 14, 32, laurite (Os-rich), 607, laurite, 338, lepidolite, 130, lithiophilite, 156, löllingite (palladian), 586, löllingite (selenian), 1442, maghemite, 1115, magnesiophorite, 871, magnetite, 133, magnussonite, 204, makovickýite, 1159, manganocolumbite, 152, manganotantalite, 152, marcasite, 417, mckinstryite, 189, melilite, 1262, mertieite-II, 476, mica phase intermediate between biotite and muscovite, 1034, microcline, 147, 567, 1022, millerite, 611, monazite-(Ce), 132, 739, monticellite, 1262, moskvinitite-(Y), 514, muscovite, 130, 150, 1034, nepheline, 65, 762, nikischerite, 80, niobokupletskite, 15, 32, olenite (magnesian), 1364, olivine, 634, orpiment, 417, orthoclase, 1018, Os-Ir alloy, 608, osmium iridium, 339, "oxy-foitite", 753, padēraite, 449, 1484, palladium, 608, palladoarsenide, 608, paravinogradovite, 991, pearceite (tellurian), 189, pearceite, 189, pentlandite (cuprian), 611, pentlandite, 611, petzite, 586, 1512, pewter, 665, plagioclase, 634, plumbopyrochlore, 742, pollucite, 130, polybasite (selenian), 189, polybasite, 189, proustite, 189, pseudorutile, 133, pyrite (arsenian), 1510, pyrite, 465, 1510, pyrochlore, 133, pyrrhotite, 465, realgar, 417, romarchite, 665, rosenbuschite, 1205, ruarsite, 339, rutile (niobian), 133, rutile (tantalian), 158, rutile (vanadoan), 572, scapolite, 534, scheelite, 131, 745, schlemaite, 1441, schorl, 126, seidozerite, 1205, shcherbakovite, 1199, siderotil, 673, sodic-ferri-ferropedrizite, 1352, sperryite, 586, spessartine, 157, 733, sphalerite, 465, spurrite, 1262, stannite, 641, stannite-kēsterite intermediates, 641, stibicolumbite, 133, stibnite, 417, stromeyerite, 189, sylvanite, 1512, synchysite-(Y), 732, synthetic vanadium ammoniojarosite analogue, 481, synthetic vanadium dorallcharite analogue, 481, synthetic vanadium hydronium jarosite analogue, 481, synthetic vanadium jarosite analogue, 481, synthetic vanadium natrojarosite analogue, 481, synthetic vanadium Pb-bearing hydronium jarosite analogue, 482, synthetic vanadium plumbogjarosite analogue, 482, synthetic vanadium Rb-substituted jarosite analogue, 481, tellurantimony, 1512, tennantite, 1510, tetrahedrite (argentian), 189, tetrahedrite (zincian), 189, tetrahedrite, 1510, thorie (uranoan), 738, thorite, 131, titanian maghemite (vanadoan), 1115, titanite (vanadoan), 567, titanite, 130, 875, trillithionite, 150, triploidite, 156, unidentified crichtonite-like Ti-V oxide, 572, unidentified Cu-Pt-Fe-Ir-Rh alloy, 608, unidentified fairfieldite-like, 156, unidentified Nb-Ta-W oxide, 742, unidentified Ni-Ru-Os-Ir alloy, 608, unidentified Pd-Cu oxide, 476, unidentified Pd-Fe oxide, 476, unidentified Ru-Os-Ir oxide, 610, unidentified Sb-Mn-Zn silicate, 204, unnamed (Ir,Rh)(Ni,Cu,Fe)₂S₃, 607, unnamed PdAs₂, 586, unnamed Ru-Ni sulfarsenide, 339, uraninite, 740, uvite, 126, uyttenbogaardite, 192, vasilyevite, 1170,

1181, vermiculite, 1403, vesuvianite (F-rich), 847, vesuvianite (Si-deficient), 838, vesuvianite, 1262, wagnerite-*Ma5bc*, 398, westerfeldite (inclusions in pewter), 665, wiluile, 838, winchite, 1245, winstanleyite, 1471, xenotime-(Y), 132, 739, xonotlite, 165, yeatmanite, 204, yttropyrochlore-(Y), 132, zircon (hafnian), 735, zircon, 130, zunyite, 895

EXPERIMENTAL (see also Petrology)

Analytical Techniques

¹⁹F MAS NMR, 893, ²⁷Al MAS NMR, 893, ²⁷Al 3QMAS NMR, 893, ²⁹Si MAS NMR, 893, ⁵⁷Fe Mössbauer, 6, 1110, 1126, 1236, 1365, 1384, EXAFS, 906, FTIR, 5, 839, high-temperature XRD, 1414, ICP-AES, 5, ICP-MS, 1110, ion microprobe, 1348, laser ablation ICP-MS, 257, 259, 273, 293, 307, 321, 331, 353, 365, 1030, 1236, micro-PIXE, 323, 1110, nuclear reaction analysis (NRA), 5, Rietveld XRD refinement, 1112, 1415, secondary ionization mass spectrometry (SIMS), 1348, statistical analysis of EPMA data on amorphous phases, 1136, XAFS, 906, XANES, 906, XRF microprobe, 530

Computer Program

OCTAHEDRON, 34

General

Ag₁₀[(UO₂)₈O₈(Mo₅O₂₀)] synthesis, 1456, ancient copper metallurgical slags, 628, arsenate-substituted jarosite synthesis, 906, Br analysis by XRF microprobe (precision & accuracy), 531, cobalt-zippeite synthesis, 689, corrosion products of pewter, 650, 660, detection limits for Sc, Y, La, REE and Pb in EPMA, 224, detection limits in LA-ICP-MS, 263, 296, diamond (nitrogen content), 173, Fe-bearing tennantite synthesis, 1126, grechishchevite synthesis, 1446, magnesium-zippeite synthesis, 689, metatorbernite synthesis, 490, metazeunerite synthesis, 490, Pb₄O(VO₄)₂ synthesis, 952, PGE in sulfides, 321, PGE reference standards, 323, point defects in pyrrhotite, 1062, pyrrhotite thermodynamic data, 1065, quantitative interferences for Sc, Y, La, REE and Pb in EPMA, 224, Re/Os fractionation in molybdenite, 313, REE orthophosphate EPMA standards, 222, REE orthophosphate EPMA standards (Pb impurity), 225, Re-Os geochronology, 307, sodium-zippeite (synthesis), 689, subaluminous tourmaline, formula calculation, 124, sulfide/mss partition coefficients for Cl, Cu and Ni, 215, sulfide/silicate partition coefficients for F, Cl, Br and I, 210, synthetic Mg₂(H₂O)₁₁ [(UO₂)₂(SO₄)O₂]₂, 689, synthetic Na₂[(UO₂)(MoO₄)₂](H₂O)₄, 708, synthetic Na₃Tl₃[(UO₂)(MoO₄)₄], 708, synthetic Na₃Tl₅[(UO₂)(MoO₄)₃]₂(H₂O)₃, 708, synthetic Na_{13-x}Tl_{3+x}[(UO₂)(MoO₄)₃]₄(H₂O)_{6+x} (x = 0.1), 708, synthetic (NH₄)₂ [(UO₂)₂(SO₄)O₂], 689, synthetic (NH₄)₄(H₂O) [(UO₂)₂(SO₄)O₂]₂, 689, Tl₂[(UO₂)₂O(MoO₅)] synthesis, 1226, torbernite synthesis, 490, U-Pb dating of allanite, 274, U-Pb dating of zircon, 262, 273, uranosphaerite synthesis, 679, vanadium jarosite-group analogue, synthesis, 480, zeunerite synthesis, 490, zinc-zippeite synthesis, 689, zippeite synthesis, 689

Stable Isotopes

carbon, 417, lead, 262, 278, osmium, 307, 341, oxygen, 417, 622, rhenium, 307, strontium, 466, sulfur, 417, 466, uranium, 262, 278

INFRARED-ABSORPTION SPECTRA

artsmithite, 724, astrophyllite group, 6, diamond, 173, ferrokentbrooksitite, 58, fluorovesuvianite, 1375, ganterite, 1277,

hillite, 985, margarite, 1277, muscovite, 1277, olenite (magnesian), 1367, paragonite, 1277, paravinogradovite, 992, vasilyevite, 1171, vesuvianite (F-rich), 850, vesuvianite (Si-deficient), 839

MICROHARDNESS

baksanite (plumbian), 1477, chlorbartonite, 505, ganterite, 1273, kupčikite, 1156, schlemaite, 1435

MINERAL DATA (see also Electron-microprobe analyses)

abhurite, 660, acanthite (selenian), 189, actinolite (vanadoan), 568, actinolite, 866, aguilarite, 189, albite, 107, 1018, allabogdanite, 803, allanite-(Ce), 570, allanite, 285, altaite, 1514, anhydrite, 465, anorthominasragrite, 959, ansermetite, 1423, anthropogenic Cu–K–Cl carbonate, 929, antigorite, 883, argentojarosite, 921, arsenate-substituted jarosite (synthetic), 906, arsenioleite, 71, arsenopyrite, 361, artsmithite, 721, aschamalmite, 431, astrophyllite, 12, 29, astrophyllite group, 12, 28, Au–Ag alloy, 189, 585, awaruite, 610, (Ba,Sr)SO₄ solid solution (intermediate compositions), 468, baksanite (plumbian), 1476, Ba-rich white mica, 1282, barite, 465, berdesinskiite (chromian), 573, beryl, 1004, biotite (F-rich), 873, 1034, biotite (vanadoan), 570, biotite, 867, 1030, 1385, bismuthinite, 445, bobjonesite, 83, bornite (PGE-rich), 610, burnsite, 804, bushmakinitite, 805, calaverite, 1512, cerite-(La), 806, chalcopyrite (zincian), 465, chlorbartonite, 503, chlorite, 867, chromite, (vanadoan), 571, chrysothite, 883, ciprianiite, 807, cobaltkieserite, 808, coloradoite, 1514, coulsonite, 571, cuprobismutite, 442, 1158, 1484, cuproiridsite, 338, cupromakovickýite, 1159, danalite, 1415, dawsonite, 418, diamond, 171, dravite, 126, elbaite, 126, erlichmanite, 338, 605, eudialyte group, 785, ferberite, 743, fergusonite-(Y), 742, ferriallanite-(Ce), 809, 1233, ferri-clinoferroholmquistite, 1346, ferrohornblende (vanadoan), 568, ferrokentbrooksitite, 55, ferropyrosmalite, 868, Fe-substituted tennantite (synthetic), 1127, fianelite, 1425, fluorite (yttrian), 730, fluoite, 366, fluorovesuvianite, 1371, foitite, 750, ganterite, 1271, 1285, gehlenite, 1257, gjerdingenite-Fe, 810, gladite, 445, gold (argentian), 585, gold (palladian), 476, gold, 1511, goldmanite, 569, götzenite, 1205, grechishchevite (synthetic), 1446, gutkovaite-Mn, 811, hainite, 1205, heazlewoodite, 610, hessite, 1515, heyrovskýite (selenian), 430, hibschite, 835, hillite, 981, hodrushite (Cu-enriched), 1484, hodrushite, 442, 1158, 1484, hoganite, 812, hollingworthite, 605, hornblende, 384, hübnerite, 743, hydromorochite, 650, 660, ilmenite (dendrites), 1053, ilmenite (vanadoan), 1115, irarsite, 339, 605, iridian osmium, 339, Ir–Pt alloy, 609, Ir–Rh alloy, 609, isoferroplatinum, 609, isomertieite, 476, joséite-A, 1478, joséite-β, 590, kaersutite, 384, karupmøllerite-Ca, 813, keilite, 814, kēsterite, 641, kochite, 1205, krennerite, 1512, kristiansenite, 815, krupkaite, 1158, kupčikite, 1158, 1484, kupletskite, 12, 29, kurgantaite, 816, kuzmenkoite-Zn, 817, laurite (Os-rich), 605, laurite, 338, lizardite, 883, löllingite (palladian), 584, maghemite, 1112, magnesiophornblende, 865, magnetite (dendrites), 1051, magnussonite, 202, makovickýite, 445, 1159, manganlotharmeyerite, 818, megakalsilite, 819, melanterite (cuprian), 937, melanterite (zincian), 937, melanterite, 937, melilite, 1257, mertieite-II, 476, mica phase intermediate between biotite and muscovite, 1030, microcline, 107, 147, 567, 1018, millerite, 610, moëloite, 821, monazite-(Ce), 739, monazite-(Sm), 820, montbrayite, 1512, moskvinitite-(Y), 513, mottanaite-(Ce), 822, muscovite, 110, 149, 1030, nepheline, 61, 759, nikischerite, 79, niobokupletskite, 12, 29, “noonkanbahite” (reproposed as valid), 1199, novgorodovite, 823, olenite (magnesian), 1364, orlandiite, 1147, orthoclase, 1018, Os–Ir alloy, 606, osman iridium, 339, ottolinite, 1356, “oxyfoitite”, 750, paeite, 824, padérite, 442, 1484, palladium, 609, palladoarsenide, 606, paravinogradovite, 990, pentlan-

dite (cuprian), 610, pentlandite, 610, petzite, 1514, petzite, 586, plagioclase, 108, plumbopyrochlore, 742, potassic-chloropargosite, 825, potassic-fluoro-magnesiokataphorite, 1333, potassicleakeite, 826, pyrite (arsenian), 1510, pyrite, 465, 1510, pyrrhotite, 465, 1061, radovanite, 827, reidite, 828, romarchite, 650, 660, rosenbuschite, 1205, ruarsite, 339, rutile (vanadoan), 571, scapolite, 531, scheelite, 742, schlemaite, 1433, schorl, 126, seidite-(Ce), 1183, seidozerite, 1205, shcherbakovite, 1193, siderotil, 671, sodic-ferri-ferropedrizite, 1346, sodicpedrizite, 1356, sperryite, 584, spessartine, 732, sphalerite, 465, spodumene (54 K), 521, spodumene, 521, stannite, 641, stannite–kēsterite intermediates, 641, sylvanite, 1512, synchysite-(Y), 739, tellurantimony, 1515, tennantite, 1510, tetrahedrite, 1510, thortite (uranian), 736, titanian maghemite (vanadoan), 1112, titanite (vanadoan), 568, titanite, 868, trilithionite, 149, unidentified crichtonite-like Ti–V oxide, 573, unidentified Cu–Pt–Fe–Ir–Rh alloy, 609, unidentified nanpingite-like mica, 129, unidentified Nb–Ta–W oxide, 742, unidentified Ni–Ru–Os–Ir alloy, 609, unidentified Pd–Cu oxide, 476, unidentified Pd–Fe oxide, 476, unidentified Ru–Os–Ir oxide, 609, unidentified Sb–Mn–Zn silicate, 204, unidentified Sn oxide(?), 652, unidentified Sn sulfate(?), 652, unknown Cu–K–Cl carbonate, 929, unnamed (Ir,Rh)(Ni,Cu,Fe)₂S₃, 605, unnamed PdAs₂, 585, unnamed Ru–Ni sulfarsenide, 339, uraninite, 741, uranosphaerite, 677, uvite, 126, uyttenbogaardite, 191, uzonite, 1463, vanadium jarosite analogues (synthetic), 480, vasilyevite, 1167, 1173, vermiculite, 1401, vesuvianite (F-rich), 846, vesuvianite (Si-deficient), 835, vesuvianite, 1262, wagnerite, 393, whittakerite, 1356, wiluite, 835, winchite, 1241, winstanleyite, 1469, xenotime-(Y), 737, xonotile, 165, yeastmanite, 202, zircon (hafnian), 733, zunyite, 892

MINERALOGICAL ASSOCIATION OF CANADA

Berry Medal for 2002 (Downs), 243, Berry Medal for 2003 (LeCheminant), 1303, book reviews, 233, 541, 831, 1069, 1293, 1525, erratum, 829, Hawley Medal for 2002 (Ewing), 241, Hawley Medal for 2003 (Kontak, Dostal, Kyser & Archibald), 1301, Past Presidents' Medal for 2002 (Jambor), 247, Past Presidents' Medal for 2003 (Ghent), 1305, proceedings of the 47th annual meeting, 2002 (McDonald), 239, proceedings of the 48th annual meeting, 2003 (McDonald), 1299, referees for 2002, 1529, Young Scientist Award for 2002 (Brenan), 249, Young Scientist Medal for 2003 (Meldrum), 1307

MÖSSBAUER SPECTROSCOPY

astrophyllite group, 6, biotite, 1384, ferriallanite-(Ce), 1236, Fe-substituted tennantite (synthetic), 1128, maghemite, 1113, olenite (magnesian), 1365, paravinogradovite, 992

NEW MINERAL SPECIES

New Minerals, (Mandarino), 803, 1309, New minerals approved in 2002 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 795, allabogdanite, 803, alsakharovite-Zn, 1309, annite, 1385, anorthominasragrite, 959, ansermetite, 1423, artsmithite, 721, bobjonesite, 83, burnsite, 804, bushmakinitite, 805, cavote, 1310, cerite-(La), 806, chlorbartonite, 503, ciprianiite, 807, cobaltkieserite, 808, ferriallanite-(Ce), 809, ferri-clinoferroholmquistite, 1346, ferrokentbrooksitite, 55, 1311, fluorovesuvianite, 1371, ganterite, 1271, gjerdingenite-Fe, 810, goldquarryite, 1312, gutkovaite-Mn, 811, hillite, 981, hoganite, 812, karupmøllerite-Ca, 813, keilite, 814, kochite, 1313, kristiansenite, 815, kupčikite, 1155, kurgantaite, 816, kuzmenkoite-Zn, 817, mallestigitite, 1314, manganlotharmeyerite, 818, megakalsilite, 819, moëloite, 821, monazite-(Sm), 820, moskvinitite-(Y), 513, mottanaite-(Ce), 822, niigataite, 1315, nikischerite, 79, “noonkanbahite” (repro-

posed as valid), 1199, novgorodovaite, 823, "oxy-foitite" (probable first occurrence), 750, paceite, 824, paravinogradovite, 990, potassic-chloropargasite, 825, potassicleakeite, 826, radovanite, 827, reidite, 828, seawardite, 1316, sodic-ferri-ferropedrizite, 1346, tedhadleyite, 1317, vajdakite, 1318, vasilyevite, 1167, wagnerite-*Ma5bc*, 393, walkerite, 1319

NOMENCLATURE

Nomenclature modifications approved in 1998–2002 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 801, Nomenclature of amphiboles: additions and revisions to the International Mineralogical Association's 1997 recommendations, 1355, amphibole group, 1330, anorthominasragrite, 959, ansermetite, 1423, arsenioleite, 75, artsmithite, 721, astrophyllite group, 1, bobjonessite, 83, chlorbartonite, 503, eudialyte group, 785, ferri-clinoferroholmquistite, 1346, ferrokentbrooksitite, 55, fluorvesuvianite, 1375, ganterite, 1271, hillite, 981, hydromorarchite, 655, kupčikite, 1155, moskvinitite-(Y), 513, "noonkanbahite" (reproposed as valid), 1199, ottoliniite, 1356, oxy-foitite, 750, padëraite (new formula), 454, paravinogradovite, 990, potassic-amphibole group, 1334, romarchite, 653, shcherbakovite-batisite group, 1199, sodic-ferri-ferropedrizite, 1346, sodicpedrizite, 1356, vasilyevite, 1167, wagnerite-*Ma5bc*, 393, whittakerite, 1356, zippeite group (revised formulae), 691

OPTICAL PROPERTIES

General

anorthominasragrite, 960, ansermetite, 1425, artsmithite, 723, bobjonessite, 85, ferrokentbrooksitite, 56, fluorvesuvianite, 1373, ganterite, 1273, hillite, 984, paravinogradovite, 991, vesuvianite (F-rich), 846, vesuvianite (Si-deficient), 839, wagnerite-*Ma5bc*, 396, winchite, 1245

Reflectance

aschamalmite, 431, baksanite (plumbian), 1477, chlorbartonite, 505, heyrovskÿite (selenian), 431, kupčikite, 1157, schlemaite, 1436, vasilyevite, 1171

PETROLOGY

General (see also Experimental)

amphibole classification, 1330, 1346, 1356, amphibole formula normalization routines, 1333, Appalachian orogen granites, 1382, Beja Igneous Complex, 1107, Bikita granite pegmatite, 1003, Br in Cl-rich minerals, 533, chondrite-normalized REE, 132, 371, 387, 1238, Cl/Br in magmatic sulfides, 218, Cu–Ni–PGE sulfide ore, 858, diamond formation, 178, F/Cl in biotite, 878, fluid-inclusion data, 194, fluorite composition *versus* hydrothermal fluid, 378, gehlenitic melilite skarn, reaction chemistry, 1266 geochronology, 266, 285, 307, geothermometry, 876, gold mineralization, 186, 1503, gold (palladian), 476, gold (supergene), 198, gold transport, 197, 1518, halogens in magmatic sulfide ores, 215, ilmenite dendrites, 1053, invisible gold, 353, 1504, K–Cl metasomatism, amphibole species, 1339, K-dominant amphibole, 1335, Kalgoorlie, 1503, Kola Peninsula, 2, 62, 172, 504, 990, 1184, 1194, 1204, late feldspars in granite pegmatite, 1019, Li-rich amphibole, 1346, Loihi Seamount, 457, maghemite formation, 1123, magmatic-hydrothermal evolution of peraluminous granite complex, 744, magnetite dendrites, 1051, Mont Saint-Hilaire, 2, 55, Oman ophiolite, 598, oscillatory epitactic-growth zoning in micas, 1042, "oxy-foitite", 752, pegmatite evolution geochemistry, 104, PGE in black

shales, 592, PGE in SEDEX deposits, 582, PGE oxide formation in chromitite, 613, PGM in chromitite, 597, PGM in SEDEX deposits, 584, REE fractionation in granite magma, 744, REE in calcic amphiboles, 383, rodingization, 162, Ronda ultramafic massif, 618, SEDEX deposit, 562, 581, skarn genetic-modeling *via* Cl/Br in scapolite, 537, South Mountain Batholith, 1027, Strange Lake, 2, Sudbury Basin, 857, Sudbury Breccia, 862, transformation mineral species, 999, ultrapotassic rocks, 1194, vesuvianite (F-rich) whiskers, 846

Igneous

biotite granite, 1384, chromitite, 333, 597, gabbro (layered complex), 1107, gabbro dikes, 1049, granite (peraluminous), 728, 1382, granite pegmatite (elbaite subtype), 118, granite pegmatite, 104, 118, 139, 618, 1003, 1013, 1364, hornblende granite, 121, komatiite, 1504, leucogranite, 122, 1027, ophiolite, 414, 598, peridotite, 162, 617

Metamorphic

anorthite-rich metasediment, 565, Ba-rich white-mica schist, 1283, Ba-rich zoisite–celsian gneiss, 1283, episyenite, 1346, gehlenitic melilite skarn, 1256, paragneiss, 396, rodingite, 162, skarn (manganoan), 202, skarn, 1373, vermiculite, 1398

RAMAN SPECTRA

antigorite, 883, chrysotile, 883, ganterite, 1278, goethite, 1141, jarosite, 1141, lizardite, 883, margarite, 1278, muscovite, 1278, paragonite, 1278, vesuvianite (Si-deficient), 839, wagnerite-*Ma5bc*, 399

SCANNING-ELECTRON MICROGRAPHS

abhurite, 666, ancient copper metallurgical slags, 632, anhydrite, 464, anorthite-rich metasediment, 566, ansermetite, 1425, antigorite, 886, baksanite (plumbian), 1476, barite, 462, biotite, 1031, bismuthinite, 446, chabazite, 122, chrysotile, 885, cuprobismutite, 448, 1165, 1483, cuproiridites, 336, cupromakovickÿite, 1165, elbaite, 122, fianelite, 1425, fluorite (yttrian), 731, foitite, 752, gladite, 446, gold (palladian), 475, goldmanite, 569, herzenbergite, 667, heyrovskÿite (selenian), 432, hibschite, 835, hillite, 983, hodrushite, 448, 1165, 1483, hydromorarchite, 655, ilmenite dendrites, 1052, irarsite, 340, isomertieite, 477, josëite- β , 590, krupkaite, 1165, kupčikite, 1165, 1483, laser-ablation raster in arsenopyrite, 362, laser-ablation raster in molybdenite, 310, laurite (Os-rich), 602, laurite, 336, leucogranite, 137, lilliantite, 432, lizardite, 886, magnetite dendrites, 1052, magnussonite, 204, makovickÿite, 446, 1165, mica phase intermediate between biotite and muscovite, 1031, muscovite, 1031, nanpingite-like mica, 122, "oxy-foitite", 752, padëraite, 448, 1483, pewter, 664, PGE oxide in chromitite, 604, PGM in chromitite, 602, PGM in SEDEX deposits, 587, pyrochlore (bismuthian), 122, pyrrhotite, 462, quenched sulfide liquid, 216, romarchite, 653, 664, ruarsite, 340, schlemaite, 1436, scholite, 983, seidite-(Ce), 1185, shcherbakovite, 1195, spessartine, 734, sphalerite, 462, synchysite-(Y), 731, synthetic vanadium ammoniojarosite analogue, 484, synthetic vanadium hydronium jarosite analogue, 485, synthetic vanadium jarosite analogue, 483, synthetic vanadium natrojarosite analogue, 484, synthetic vanadium plumbojarosite analogue, 485, tungstenite rimming molybdenite, 591, unidentified crichtonite-like Ti–V oxide, 574, unidentified Nb–Ta–W oxide, 744, unidentified Pd–Cu oxide, 477, unidentified Sb–Mn–Zn silicate, 204, unidentified Sn oxide(?), 655, unidentified Sn sulfate(?), 653, unnamed Ru–Ni sulfarsenide, 340, vermiculite, 1402, vesuvianite (F-rich), 848, vesuvianite (Si-deficient), 835, volcanic glass, 464, wagnerite-*Ma5bc*, 398, yeatmanite, 204, zircon (hafnian), 731, zircon, 282

TEXTURES

ancient copper metallurgical slags, 633, anorthite-rich meta-sediment, 566, cuprobismutite series, 442, 1165, cupromakovickýite, 1165, gehlenitic melilite skarn, 1257, goldmanite, 569, heyrovskýite (selenian), 432, hibschite, 835, hodrushite, 1165, ilmenite dendrites, 1052, krupkaite, 1165, kupčikite, 1165, leucogranite, 137, maghemite, 1111, magnetite dendrites, 1052, makovickýite, 1165, PGM in SEDEX deposits, 585, quenched sulfide liquid, 216, Sudbury Breccia, 865, titanian maghemite (vanadoan), 1111, vesuvianite (Si-deficient), 835

THERMOGRAVIMETRIC ANALYSIS

astrophyllite group, 6, fluorvesuvianite, 1375, ganterite, 1276, nepheline, 767, paravinogradovite, 992, xonotlite, 165

TRACE-ELEMENT DATA

albite, 107, ancient copper metallurgical slags, 631, Au in arsenopyrite, 363, Au in chalcopyrite, 363, Au in pyrite, 363, Ba-rich white-mica schist, 1285, Ba-rich zoisite-celsian gneiss, 1285, base-metal sulfide ore standards, 295, beryl, 1005, ferriallanite-(Ce), 1236, fluorite, 370, high-grade gold-carbonate ore, 193, hornblende, 384, kaersutite, 384, Kalgoorlie rock units, 1520, leucogranite, 621, microcline, 107, muscovite, 110, 1038, peraluminous granite (REE-rich), 730, peridotite, 621, PGE in chalcopyrite, 328, PGE in chromitite, 335, PGE in pentlandite, 328, PGE in pyrrhotite, 328, plagioclase, 108, REE in calcic amphiboles, 384, REE in fluorite, 370, seafloor hydrothermal mound, 465, serpentinite, 621, titanian maghemite (massive oxide ore), 1118

TRANSMISSION ELECTRON MICROSCOPY

nepheline, 769, vermiculite, 1402

TWINNING (see also Crystallography)

feldspar, 1016, metatorbernite (synthetic), 499, metazeunerite (synthetic), 499, orlandiite, 1147, zippeite group, 690

X-RAY DIFFRACTION (see also Crystal Structure)**Cell Dimensions**

albite, 1018, anorthominasragrite, 962, ansermetite, 1426, anthropogenic Cu–K–Cl carbonate, 929, argentojarosite, 921, arsenate-substituted jarosite (synthetic), 910, arseniopleite, 72, artsmithite, 723, astrophyllite, 34, baksanite (plumbian), 1477, bergenite, 93, beryl, 1009, bobjonesite, 86, chlorbartonite, 506, cobalt-zippeite (synthetic), 687, cuprobismutite, 1485, danalite (high-temperature), 1415, dravite, 155, elbaitite, 155, ferriallanite-(Ce), 1237, ferri-clinoferroholmquistite, 1347, ferrokentbrooksitite, 59, Fe-sub-

stituted tennantite (synthetic), 1127, fluorvesuvianite, 1375, ganterite, 1274, götzenite, 1206, grechishchevite (synthetic), 1446, hainite, 1206, heyrovskýite (selenian), 433, hillite, 984, hodrushite, 1485, hydroromarchite, 655, kēsterite, 641, kochite, 1206, kupčikite, 1155, kupletskite, 34, maghemite, 1112, magnesium-zippeite (synthetic), 687, magnussonite, 205, manganocolumbite, 152, manganotantalite, 152, melanterite (cuprian), 942, melanterite (zincian), 942, melanterite, 942, metatorbernite (synthetic), 491, metazeunerite (synthetic), 491, microcline, 148, 1018, moskvinitite-(Y), 515, nepheline, 61, 762, nikischerite, 79, niobokupletskite, 34, olenite (magnesian), 1365, orlandiite, 1147, orthoclase, 1018, paravinogradovite, 992, romarchite, 653, rosenbuschite, 1206, schlemaite, 1436, seidite-(Ce), 1184, seidozerite, 1206, shcherbakovite, 1196, siderotil, 671, sodic-ferri-ferropedrizite, 1347, sodium-zippeite (synthetic), 687, spodumene (54 K), 523, spodumene, 523, stannite, 641, stannite-kēsterite intermediates, 641, synthetic $\text{Ag}_{10}[(\text{UO}_2)_8\text{O}_8(\text{Mo}_5\text{O}_{20})]$, 1456, synthetic $\text{Mg}_2(\text{H}_2\text{O})_{11}[(\text{UO}_2)_2(\text{SO}_4)_2]_2$, 687, synthetic $\text{Na}_2[(\text{UO}_2)(\text{MoO}_4)_2](\text{H}_2\text{O})_4$, 707, synthetic $\text{Na}_3\text{Ti}_3[(\text{UO}_2)(\text{MoO}_4)_4]$, 707, synthetic $\text{Na}_3\text{Ti}_5[(\text{UO}_2)(\text{MoO}_4)_3]_2(\text{H}_2\text{O})_3$, 707, synthetic $\text{Na}_{13-x}\text{Ti}_{3+x}[(\text{UO}_2)(\text{MoO}_4)_3]_4(\text{H}_2\text{O})_{6+x}$ ($x = 0.1$), 707, synthetic $(\text{NH}_4)_2[(\text{UO}_2)_2(\text{SO}_4)_2]$, 687, synthetic $(\text{NH}_4)_4(\text{H}_2\text{O})[(\text{UO}_2)_2(\text{SO}_4)_2]_2$, 687, synthetic $\text{Pb}_4\text{O}(\text{VO}_4)_2$, 952, synthetic $\text{Ti}_2[(\text{UO}_2)_2\text{O}(\text{MoO}_5)]$, 1226, synthetic vanadium ammoniojarosite analogue, 486, synthetic vanadium dorallcharite analogue, 487, synthetic vanadium hydronium jarosite analogue, 487, synthetic vanadium jarosite analogue, 486, synthetic vanadium natrojarosite analogue, 486, synthetic vanadium plumbjarosite analogue, 487, synthetic vanadium Rb-substituted jarosite analogue, 486, torbernite (synthetic), 491, uranosphaerite, 677, uzonite, 1464, vasilyevite, 1169, 1174, vesuvianite (F-rich), 846, vesuvianite (Si-deficient), 839, wagnerite-*Ma5bc*, 398, winchite, 1245, winstanleyite, 1470, zeunerite (synthetic), 491, zinc-zippeite (synthetic), 687, zippeite (synthetic), 687

Powder Data

anorthominasragrite, 961, ansermetite, 1426, anthropogenic Cu–K–Cl carbonate, 930, arsenate-substituted jarosite (synthetic), 907, artsmithite, 724, baksanite (plumbian), 1478, bergenite, 99, bobjonesite, 86, chlorbartonite, 510, ferri-clinoferroholmquistite, 1347, ferrokentbrooksitite, 59, fluorvesuvianite, 1376, ganterite, 1274, heyrovskýite (selenian), 434, hillite, 984, hydroromarchite, 656, kupčikite, 1162, paravinogradovite, 992, romarchite, 653, schlemaite, 1441, seidite-(Ce), 1186, sodic-ferri-ferropedrizite, 1347, synthetic vanadium ammoniojarosite analogue, 486, synthetic vanadium dorallcharite analogue, 487, synthetic vanadium hydronium jarosite analogue, 487, synthetic vanadium jarosite analogue, 486, synthetic vanadium natrojarosite analogue, 486, synthetic vanadium plumbjarosite analogue, 487, synthetic vanadium Rb-substituted jarosite analogue, 486, unidentified Sn oxide(?), 652, unidentified Sn sulfate(?), 652, uzonite, 1466, vasilyevite, 1170, vermiculite, 1401, wagnerite-*Ma5bc*, 400, winstanleyite, 1472, xonotlite, 167

**Mineralogical Association Canada Short Course
INFRARED SPECTROSCOPY IN
GEOCHEMISTRY
EXPLORATION GEOCHEMISTRY
& REMOTE SENSING**

GOALS.....To update graduate students
researchers & professional geologists
on the current theory & practice
in infrared spectroscopy (IR)
from the molecular to planetary scale.

TOPICS

- ▶ Fundamentals & instrumentation used in IR spectroscopy
- ▶ IR spectroscopy of minerals & glasses
- ▶ IR spectroscopy in ore deposit exploration
- ▶ IR spectroscopy in environmental remediation
& much more....

SPEAKERS

James Crowley- USGS Reston; Carol Hirschmugl- Univ. Wisconsin Milwaukee; Anne Hofmeister- Washington Univ; Vladimir Khomenko- Ukrainian Acad. Sci.; Jeff Johnson- USGS Flagstaff; Penny King- Univ. Western Ontario; Gordon Moore- Arizona State Univ.; Sandra Perry- Perry Remote Sensing; Mike Ramsey- Univ. Pittsburgh; Benoit Rivard- Univ. Alberta; Dar Roberts- UC Santa Barbara; Gregg Swayze- USGS Denver.




WHEN?..... May 10 - 11, 2004
WHERE?..... University of Western Ontario
London Ontario, Canada

**OPPORTUNITIES TO
PRESENT
YOUR RESEARCH**

A special session at the
GAC-MAC annual meeting
(St. Catharines, Ontario,
May 12-14) will
complement
the short course.

For further information please contact:
P. King, Univ. Western Ontario, London ON, Canada
penny.king@uwo.ca.
M. Ramsey, Univ. Pittsburgh, Pittsburgh PA, USA
ramsey@ivis.eps.pitt.edu
G. Swayze, USGS, Denver CO, USA
gswayze@usgs.gov
Additional information will be posted on the
MAC web site:
www.mineralogicalassociation.ca



**ORDER
YOUR
COPY NOW**

Short-Course Volume 32

Fluid Inclusions: Analysis and Interpretation

Editors: Iain Samson, Alan Anderson and Dan Marshall

COVERS all the basic and many advanced aspects of the analysis and interpretation of fluid inclusions:

- what information and data can be obtained from fluid inclusions
- what approaches and techniques can be used to analyze them
- how data are processed and interpreted
- where the limitations and pitfalls of the various techniques lie.

The accompanying CD-ROM includes fluid inclusion modelling software and figures from the short-course volume.

ISBN 0-921294-32-8
 SC32, approx. 300 pages, 2003
US\$45 (outside Canada) **CDN\$45** (in Canada)
 (Member Price US\$36/CAN\$36)



P.O. Box 78087
 Merilene Postal Outlet
 1460 Merivale Road
 Ottawa ON Canada
 K2E 1B1
 Tel. & fax : (613) 226-4651
 canmin.mac.ottawa@sympatico.ca

Please send _____ copy(ies) of *Fluid Inclusions: Analysis and Interpretation*, \$45* each _____

* CDN\$ in Canada. Other countries US\$. -20% discount for members _____

Total _____

Method of payment Prices include shipping by surface mail and handling

Cheque Money order Credit card

I authorize the Mineralogical Association of Canada to charge the **TOTAL AMOUNT DUE** to my: Visa MasterCard EuroCard

Number / / / / Expiry Date | / / | Membership # | |

Date / / **Total \$** Signature _____

Name _____ Institution _____

Address _____

City _____ Prov./State _____ Country _____

Postal/Zip Code _____ Tel. () _____ Fax () _____

E-mail _____

ORDER ONLINE www.mineralogicalassociation.ca