

# THE CANADIAN MINERALOGIST

## INDEX, VOLUME 42

J. DOUGLAS SCOTT<sup>§</sup>

*203-44 Brousseau Avenue, Timmins, Ontario P4N 5Y2, Canada*

## AUTHOR INDEX

- Agakhanov, A.A. with Pautov, L.A., 107  
 Agakhanov, A.A. with Sokolova, E., 731  
 Agakhanov, A.A. with Uvarova, Yu.A., 125, 1005  
 Alapieti, T.T. with Barkov, A.Y., 515  
 Allis, R.G. with Moore, J.N., 1483  
 Amayri, S., Arnold, T., Foerstendorf, H., Geipel, G. & Bernhard, G., Spectroscopic characterization of synthetic beccquerelite,  $\text{Ca}[(\text{UO}_2)_6\text{O}_4(\text{OH})_4] \cdot 8\text{H}_2\text{O}$ , and swartzite,  $\text{CaMg}[\text{UO}_2(\text{CO}_3)_3] \cdot 12\text{H}_2\text{O}$ , 953  
 Anderson, A.J. with Kontak, D.J., 1273  
 Antao, S.M., Hassan, I. & Parise, J.B., Chromate aluminate sodalite,  $\text{Ca}_8[\text{Al}_{12}\text{O}_{24}](\text{CrO}_4)_2$ : phase transitions and high-temperature structural evolution of the cubic phase, 1047  
 Armbruster, T. with Paar, W.H., 1757  
 Arnold, T. with Amayri, S., 953  
 Bailly, L. with Kouzmanov, K., 1501  
 Baker, D.E.L. & Seccombe, P.K., Physical conditions of gold deposition at the McPhees deposit, Pilbara Craton, western Australia: fluid inclusion and stable isotope constraints, 1405  
 Bakker, R.J., Raman spectra of fluid and crystal mixtures in the systems  $\text{H}_2\text{O}$ ,  $\text{H}_2\text{O}-\text{NaCl}$  and  $\text{H}_2\text{O}-\text{MgCl}_2$  at low temperatures: applications to fluid-inclusion research, 1283  
 Baksheev, I.A. & Kudriavtseva, O.E., Nickel-rich tourmaline from the Berezovskoe gold deposit, Middle Urals, Russia, 1065  
 Babić-Žunić, T. with Friis, H., 95  
 Barkov, A.Y. & Fleet, M.E., An unusual association of hydrothermal platinum-group minerals from the Imandra layered complex, Kola Peninsula, northwestern Russia, 455  
 Barkov, A.Y., Fleet, M.E., Martin, R.F. & Alapieti, T.T., Zoned sulfides and sulfarsenides of the platinum-group elements from the Penitak layered complex, Finland, 515  
 Barkov, A.Y., Fleet, M.E., Martin, R.F. & Alapieti, T.T., Zoned sulfides and sulfarsenides of the platinum-group elements from the Penitak layered complex, Finland: erratum, 1900  
 Barkov, A.Y., Fleet, M.E., Martin, R.F. & Halkoaho, T.A.A., A potentially new konderite-like sulfide of Fe, Pb, Cu, Rh, Pd and Ir from the Penitak layered complex, Finland, 499  
 Barkov, A.Y., Fleet, M.E., Martin, R.F. & Tarkian, M., Compositional variations in oulankaite and a new series of argentoan oulankaite from the Lukkulaisvaara layered intrusion, northern Russian Karelia, 439  
 Barnes, S.-J. with Prichard, H.M., 423  
 Basson, I.J. with Smith, D., 243  
 Belkabir, A., Hubert, C. & Hoy, L.D., Gold emplacement and hydrothermal alteration in metabasic rocks at the Mouska mine, Bousquet District, Abitibi, Quebec, Canada, 1079  
 Belkabir, A., Hubert, C. & Hoy, L.D., Gold emplacement and hydrothermal alteration in metabasic rocks at the Mouska mine, Bousquet District, Abitibi, Quebec, Canada: erratum, 1899  
 Bellezza, M. with Merlini, S., 1037  
 Bellezza, M. with Pushcharovsky, D.Yu., 723  
 Berlepsch, P. with Paar, W.H., 1757  
 Bermancic, V. with Tomašić, N., 1847  
 Bernhard, G. with Amayri, S., 953  
 Bernhardt, H.-J. with Ertl, A., 1057  
 Bindi, L. & Cipriani, C., Mazzettite,  $\text{Ag}_3\text{HgPbSbTe}_5$ , a new mineral species from the Findley Gulch, Saguache County, Colorado, USA, 1739  
 Bindi, L. & Cipriani, C., Structural and physical properties of fischesserite, rare gold-silver selenide from the De Lamar mine, Owyhee County, Idaho, USA, 1733  
 Bindi, L. & Cipriani, C., The crystal structure of skippenite,  $\text{Bi}_2\text{Se}_2\text{Te}$ , from the Kochkar deposit, southern Urals, Russian Federation, 835  
 Bocchio, R., de Capitani, L. & Ottolini, L., New chemical data on the clinopyroxene-garnet pair in the Alpe Arami eclogite, Central Alps, Switzerland, 1205  
 Bodnar, R.J. with Elwood Madden, M.E., 1357  
 Bodnar, R.J. with Student, J.J., 1583  
 Bogdanov, K. with Kouzmanov, K., 1501  
 Bogutyn, P.A. with Reynolds, P.H., 1129  
 Borisov, S.V. with Pervukhina, N.V., 87  
 Boudreau, A.E., PALLADIUM, a program to model the chromatographic separation of the platinum-group elements, base metals and sulfur in a solidifying pile of igneous crystals, 393  
 Boudreau, A.E., PALLADIUM, a program to model the chromatographic separation of the platinum-group elements, base metals and sulfur in a solidifying pile of igneous crystals: erratum, 1265  
 Bowerman, M. with Luth, R.W., 897  
 Bray, C.J. with Hanley, J.J., 1777  
 Brodtkorb, M.K. de with Paar, W.H., 1745  
 Browne, P.R.L. with Moore, J.N., 1483  
 Buijs, G.J.A., Goldstein, R.H., Hasiotis, S.T. & Rogers, J.R., Preservation of microborings as fluid inclusions, 1563  
 Burke, E.A.J. & Ferraris, G., New minerals and nomenclature modifications approved in 2003 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 905  
 Burke, E.A.J. & Leake, B.E., "Named amphiboles": a new category of amphiboles recognized by the International Mineralogical Association (IMA), and the proper order of prefixes to be used in amphibole names, 1881  
 Burnley, P.C. & Davis, M.K., Volume changes in fluid inclusions produced by heating and pressurization: an assessment by finite element modeling, 1369  
 Burns, P.C. with Hughes Kubatko, K.-A., 997  
 Burns, P.C. with Locock, A.J., 973, 1699

<sup>§</sup> E-mail address: jdscott@vianet.on.ca

- Cabral, A.R. & Kvitko-Ribeiro, R., On the rosettes of "native palladium" from Minas Gerais, Brazil: evidence from Gongo Soco, 683
- Cabral, A.R., Lehmann, B., Grambole, D. & Herrmann, F., Hydrogen in a natural Pd–O compound from Gongo Soco, Minas Gerais, Brazil, 689
- Carri, L.J. with McClenaghan, S.H., 851
- Cao, Zhi-Min with Song, Xie-Yan, 469
- Caro, G., Kopylova, M.G. & Creaser, R.A., The hypabyssal 5034 kimberlite of the Gahcho Kue cluster, southeastern Slave craton, Northwest Territories, Canada: a granite-contaminated Group-I kimberlite, 183
- Carpenter, G.J.C. with Roberts, A.C., 1771
- Carruzzo, S., Kontak, D.J., Clarke, D.B. & Kyser, T.K., An integrated fluid–mineral stable-isotope study of the granite-hosted mineral deposits of the New Ross area, South Mountain Batholith, Nova Scotia, Canada: evidence for multiple reservoirs, 1425
- Carugno-Duran, A. with Zaccarini, F., 155
- Cawthorn, R.G. & Kruger, F.J., Petrology and Ni–Cu–PGE potential of the Insizwa lobe, Mount Ayliff intrusion, South Africa, 303
- Čejka, J. with Sejkora, J., 963
- Čempírek, J. with Novák, M., 1117
- Černý, P. with Novák, M., 1117
- Černý, P. with Tait, K.T., 705
- Chao, G.Y. with McDonald, A.M., 769
- Chen, Xiao Ming with Zhang, Ai Cheng, 873
- Chi, Guoxiang with Yang, Xue-Ming, 1443
- Christenson, B.W. with Moore, J.N., 1483
- Chukanov, N.V. with Pushcharovsky, D.Yu., 723
- Cipriani, C. with Bindl, L., 835, 1733, 1739
- Claeson, D.T. with Meurer, W.P., 279
- Clark, S.M. with Roberts, A.C., 1771
- Clarke, D.B. with Carruzzo, S., 1425
- Clarke, D.B. with Reynolds, P.H., 1129
- Cooper, M.A. & Hawthorne, F.C., The crystal structure of goldquarryite,  $(\text{Cu}^{2+}, \square)(\text{Cd}, \text{Ca})_2\text{Al}_3(\text{PO}_4)_4\text{F}_2(\text{H}_2\text{O})_{10}$   $\{(\text{H}_2\text{O}), \text{F}\}_2$ , a secondary phosphate from the Gold Quarry mine, Eureka County, Nevada, U.S.A., 753
- Cooper, M.A. & Hawthorne, F.C., The crystal structure of hubeite, a novel sorosilicate mineral, 825
- Cooper, M.A., Hawthorne, F.C., Roberts, A.C., Foord, E.E., Erd, R.C., Evans, H.T. Jr. & Jensen, M.C., Nevadaite,  $(\text{Cu}^{2+}, \square, \text{Al}, \text{V}^{3+})_6[\text{Al}_8(\text{PO}_4)_4\text{F}_8](\text{OH})_2(\text{H}_2\text{O})_{22}$ , a new phosphate mineral species from the Gold Quarry mine, Carlin, Eureka County, Nevada: description and crystal structure, 741
- Craig, J.R. with Márquez-Zavalía, M.F., 169
- Creaser, R.A. with Caro, G., 183
- Davis, M.K. with Burnley, P.C., 1369
- de Capitani, L. with Bocchio, R., 1205
- de Parseval, P. with Toledo, M.C.M. de, 1139
- De Waal, S.A., Xu, Zhanhua, Li, Chusi & Mouri, H., Emplacement of viscous mushes in the Jinchuan ultramafic intrusion, western China, 371
- Della Ventura, G. with Sokolova, E., 1013
- Desharnais, G., Peck, D.C., Scoates, R.F.J. & Halden, N.M., The KO Zone: a new model for PGE–Cu–Ni mineralization in the Marginal Zone of the Fox River sill, northern Manitoba, Canada, 291
- Dorais, M.J. with Galliski, M.A., 1799
- Duke, M.J.M. with Locock, A.J., 973
- Dyar, M.D. with Ertl, A., 1057
- Dyar, M.D. with Losey, A., 1105
- Eldjarn, K. with Ferraris, G., 787
- Elwood Madden, M.E., Horz, F. & Bodnar, R.J., Experimental simulation of shock-induced re-equilibration of fluid inclusions, 1357
- Ercit, T.S. with Gault, R.A., 781
- Erd, R.C. with Cooper, M.A., 741
- Ertl, A., Pertlik, F., Dyar, M.D., Prowatke, S., Hughes, J.M., Ludwig, T. & Bernhardt, H.-J., Fe-rich olenite with tetrahexagonal coordination of Fe<sup>3+</sup> from Eibenstein, Austria: structural, chemical and Mössbauer data, 1057
- Evans, H.T., Jr. with Cooper, M.A., 741
- Falck, H. with Marshall, D.D., 1523
- Fanlo, I., Subías, I., Gerville, F., Paniagua, A. & García, B., The composition of Co–Ni–Fe sulfarsenides, diarsenides and triarsenides from the San Juan de Plan deposit, central Pyrenees, Spain, 1221
- Ferrari, V.C. with Toledo, M.C.M. de, 1139
- Ferraris, G. with Burke, E.A.J., 905
- Ferraris, G., Gula, A., Zubkova, N.V., Pushcharovsky, D.Yu., Gobetchiya, E.R., Pekov, I.V. & Eldjarn, K., The crystal structure of ilímaussite-(Ce),  $(\text{Ba}, \text{Na})_{10}\text{K}_3\text{Na}_{4.5}\text{Ce}_5(\text{Nb}, \text{Ti})_6[\text{Si}_{12}\text{O}_{36}][\text{Si}_9\text{O}_{18}(\text{O}, \text{OH})_{24}]\text{O}_6$ , and the "ilímaussite" problem, 787
- Fershtater, G.B. with Zaccarini, F., 545
- Filip, J. with Novák, M., 1117
- Fisher, P.C. with Ortega, L., 325
- Fisher, P.C. with Prichard, H.M., 423
- Fisher, P.C. with Seabrook, C.L., 485
- Fleet, M.E. with Barkov, A.Y., 439, 455, 499, 515
- Flynn, T.M. with Locock, A.J., 973, 1699
- Foerstendorf, H. with Amayri, S., 953
- Fontan, F. with Toledo, M.C.M. de, 1139
- Fontan, F. with Fransolet, A.-M., 697
- Foord, E.E. with Cooper, M.A., 741
- Förster, H.-J. & Rhede, D., Mineralogy of the Niederschlema–Alberoda U–Se–polymetallic deposit, Erzgebirge, Germany. III. First indication of complete miscibility between tenmannite and giraudite, 1719
- Förster, H.-J., Rhede, D. & Tischendorf, G., Mineralogy of the Niederschlema – Alberoda U–Se–polymetallic deposit, Erzgebirge, Germany. I. Jolliffeite, NiAsSe, the rare Se-dominant analogue of gersdorffite, 841
- Francis, C.A. with Losey, A., 1105
- Fransolet, A.-M., Hatert, F. & Fontan, F., Petrographic evidence for primary hagendorfite in an unusual assemblage of phosphate minerals, Kibingo granitic pegmatite, Rwanda, 697
- Franz, L. with Renno, A.D., 1
- Friis, H., Balíč-Žunić, T., Pekov, I.V. & Petersen, O.V., Kuannersuite-(Ce),  $\text{Ba}_6\text{Na}_2\text{REE}_2(\text{PO}_4)_6\text{FCl}$ , a new member of the apatite group, from the Ilímaussaq alkaline complex, South Greenland: description and crystal chemistry, 95
- Fryer, B.J. with Gagnon, J.E., 1331
- Gagnon, J.E., Samson, I.M., Fryer, B.J. & Williams-Jones, A.E., The composition and origin of hydrothermal fluids in a NYF-type granitic pegmatite, South Platte District, Colorado: evidence from LA-ICP-MS analysis of fluorite- and quartz-hosted fluid inclusions, 1331
- Gajović, A. with Tomašić, N., 1847
- Galliski, M.A., Lira, R. & Dorais, M.J., Low-pressure differentiation of melanephelinitic magma and the origin of ijolite pegmatites at La Madera, Córdoba, Argentina, 1799
- Galliski, M.A. with Márquez-Zavalía, M.F., 169
- Galliski, M.A. with Tait, K.T., 705
- García, B. with Fanlo, I., 1221
- García-Palomero, F. with Ortega, L., 325
- Garuti, G. with Zaccarini, F., 155, 545, 1825
- Gast, L. with Oberthür, T., 563
- Gault, R.A., Ercit, T.S., Grice, J.D. & Van Velthuizen, J., Manganokukisvumite, a new mineral species from Mont Saint-Hilaire, Quebec, 781
- Geipel, G. with Amayri, S., 953
- Gerville, F. with Fanlo, I., 1221
- Gierth, E. with Shcheka, G.G., 601
- Giuliani, G. with Marshall, D.D., 1523
- Gobetchiya, E.R. with Ferraris, G., 787
- Gobetchiya, E.R. with Merlin, S., 1037
- Goemann, K. with Shcheka, G.G., 601
- Goldstein, R.H. with Buijs, G.J.A., 1563
- Gorton, M.P. with Hanley, J.J., 1777
- Grambole, D. with Cabral, A.R., 689

- Grice, J.D. with Gault, R.A., 781  
 Grice, J.D. with Roberts, A.C., 1771  
 Grice, J.D. with Tait, K.T., 121  
 Grins, J. with Holtstam, D., 1097  
 Groat, L.A. with Marshall, D.D., 1523  
 Gu, Xiang-Ping with Zhang, Pei-Hua, 763  
 Gula, A. with Ferraris, G., 787  
 Halden, N.M. with Desharnais, G., 291  
 Halkoaho, T.A.A. with Barkov, A.Y., 499  
 Hanley, J.J., Mungall, J.E., Bray, C.J. & Gorton, M.P., The origin of bulk and water-soluble Cl and Br enrichments in ore-hosting Sudbury Breccia in the Fraser Copper Zone, Strathcona Embayment, Sudbury, Ontario, Canada, 1777  
 Hasiotis, S.T. with Buijs, G.J.A., 1563  
 Hassan, I. with Antao, S.M., 1047  
 Hatert, F. with Fransolet, A.-M., 697  
 Hawthorne, F.C. with Cooper, M.A., 741, 753, 825  
 Hawthorne, F.C. with Pautov, L.A., 107  
 Hawthorne, F.C. with Schindler, M., 1601, 1629, 1651, 1683  
 Hawthorne, F.C. with Sokolova, E., 731, 797, 807, 1013  
 Hawthorne, F.C. with Tait, K.T., 121, 705, 717  
 Hawthorne, F.C. with Uvarova, Yu.A., 125, 1005  
 Heinrich, C.A. with Mernagh, T.P., 1383  
 Hellström, F.A. with Meurer, W.P., 279  
 Helmy, H.M., Cu–Ni–PGE mineralization in the Genina Gharbia mafic–ultramafic intrusion, Eastern Desert, Egypt, 351  
 Helvacı, C. & Ortí, F., Zoning in the Kirka borate deposit, western Turkey: primary evaporitic fractionation or diagenetic modifications?, 1179  
 Hem, S.R. & Makovicky, E., The system Fe–Co–Ni–As–S. I. Phase relations in the (Fe,Co,Ni)As<sub>0.5</sub>S<sub>1.5</sub> section at 650° and 500°C, 43  
 Hem, S.R. & Makovicky, E., The system Fe–Co–Ni–As–S. II. Phase relations in the (Fe,Co,Ni)As<sub>1.5</sub>S<sub>0.5</sub> section at 650° and 500°C, 63  
 Herrmann, F. with Cabral, A.R., 689  
 Herzig, P.M. with Renno, A.D., 1  
 Hlousek, J. with Sejkora, J., 963  
 Holtstam, D., Grins, J. & Nyström, P., Häleniusite-(La) from the Bastnäs deposit, Västmanland, Sweden: a new REE oxyfluoride mineral species, 1097  
 Horz, F. with Elwood Madden, M.E., 1357  
 Hoy, L.D. with Belkabir, A., 1079  
 Hu, Huan with Wang, Ru Cheng, 883  
 Hu, Huan with Zhang, Ai Cheng, 873  
 Huang, Xiao Long with Wang, Ru Cheng, 883  
 Hubert, C. with Belkabir, A., 1079  
 Hudson, D.M. with Polovina, J.S., 261  
 Hughes Kubatko, K.-A. & Burns, P.C., The crystal structure of a novel uranyl tricarbonate, K<sub>2</sub>Ca<sub>3</sub>[UO<sub>2</sub>](CO<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(H<sub>2</sub>O)<sub>6</sub>, 997  
 Hughes, J.M. with Ertl, A., 1057  
 Hughes, J.M. with Losey, A., 1105  
 Hunter, B.A. with Wallwork, K.S., 135  
 Hwang, Jeong with Shin, Dongbok, 1465  
 Isomäki, O.-P. with Kojonen, K., 539  
 Jambor, J.L. with Tait, K.T., 121  
 Jensen, M.C. with Cooper, M.A., 741  
 Johanson, B. with Kojonen, K., 539  
 Jones, R.E. with Polovina, J.S., 261  
 Karpenko, V.V. with Sokolova, E., 731  
 Kartashov, P.M. with Sokolova, E., 1013  
 Keppler, H. with Linnen, R.L., 1275  
 Kerzin, A.L. with Vikentyev, I.V., 651  
 Kitakaze, A. & Sugaki, A., The phase relations between Fe<sub>4.5</sub>Ni<sub>4.5</sub>S<sub>8</sub> and Co<sub>9</sub>S<sub>8</sub> in the system Fe–Ni–Co–S at temperatures from 400° to 1100°C, 17  
 Klementova, M. & Rieder, M., Exsolution in niobian rutile from the pegmatite deposit at Greenbushes, Australia, 1859  
 Knauf, V.V. with Kojonen, K., 539  
 Kojonen, K., Roberts, A.C., Isomäki, O.-P., Knauf, V.V., Johanson, B. & Pakkanen, L., Tarkianite, (Cu,Fe)(Re,Mo)<sub>4</sub>S<sub>8</sub>, a new mineral species from the Hitura mine, Nivala, Finland, 539  
 Kontak, D.J., Analysis of evaporate mounds as a complement to fluid-inclusion thermometric data: case studies from granitic environments in Nova Scotia and Peru, 1315  
 Kontak, D.J., Anderson, A.J. & Marshall, D.D., Preface: PACROFI VIII, 1273  
 Kontak, D.J. with Carruzzo, S., 1425  
 Kopylova, M.G. with Caro, G., 183  
 Kouzmanov, K., Ramboz, C., Bailly, L. & Bogdanov, K., Genesis of high-sulfidation vinciennite-bearing Cu–As–Sn (±Au) assemblage from the Radka epithermal copper deposit, Bulgaria: evidence from mineralogy and infrared microthermometry of enargite, 1501  
 Kozlov, A.P. with Tolstykh, N.D., 619  
 Kruger, F.J. with Cawthorn, R.G., 303  
 Kudriavtseva, O.E. with Baksheev, I.A., 1065  
 Kugimiya, Y., Umino, S., Masuda, T. & Matsuda, Y., Kanonaita from the metamorphic sole of the Oman Ophiolite: evidence for high f(O<sub>2</sub>) conditions during retrograde metamorphism, 143  
 Kvitko-Ribeiro, R. with Cabral, A.R., 683  
 Kyser, T.K. with Carruzzo, S., 1425  
 Kyser, T.K. with Yang, Xue-Ming, 1443  
 Leake, B.E. with Burke, E.A.J., 1881  
 Lebedeva, Yu.S. with Pushcharovsky, D.Yu., 723  
 Lee, Insung with Shin, Dongbok, 1465  
 Lee, Kwang-Sik with Shin, Dongbok, 1465  
 Lehmann, B. with Cabral, A.R., 689  
 Lehmann, B. with Shcheka, G.G., 583, 601  
 Lenharo, S.L.R. with Toledo, M.C.M. de, 1139  
 Lentz, D.R. with McClenaghan, S.H., 851  
 Lentz, D.R. with Yang, Xue-Ming, 1443  
 Leroy, G. with Toledo, M.C.M. de, 1139  
 Li, Chusi with De Waal, S.A., 371  
 Lifervich, R.P. with Mitchell, R.H., 1169, 1871  
 Lin, Jin-Fu with Zhang, Pei-Hua, 763  
 Linnen, R.L., Keppler, H. & Stern, S.M., *In situ* measurements of the H<sub>2</sub>O:CO<sub>2</sub> ratio in fluid inclusions by infrared spectroscopy, 1275  
 Lira, R. with Galliski, M.A., 1799  
 Locock, A.J., Burns, P.C., Duke, M.J.M. & Flynn, T.M., Monovalent cations in structures of the meta-autunite group, 973  
 Locock, A.J., Burns, P.C. & Flynn, T.M., Divalent transition metals and magnesium in structures that contain the autunite-type sheet, 1699  
 Lodziak, J. with Oberthür, T., 563  
 Losey, A., Rakovan, J., Hughes, J.M., Francis, C.A. & Dyar, M.D., Structural variation in the lithiophilite–triphylite series and other olivine-group structures, 1105  
 Ludwig, T. with Ertl, A., 1057  
 Lunar, R. with Ortega, L., 325  
 Luth, R.W. & Bowerman, M., Microtextural and powder-diffraction study of analcime phenocrysts in volcanic rocks of the Crowsnest Formation, southern Alberta, Canada, 897  
 Lutz, S.J. with Moore, J.N., 1483  
 Magarill, S.A. with Pervukhina, N.V., 87  
 Maier, W.D. with Prichard, H.M., 423  
 Makovicky, E. with Hem, S.R., 43, 63  
 Makovicky, E. with Paar, W.H., 1745  
 Malitch, K.N. & Merkle, R.K.W., Ru–Os–Ir–Pt and Pt–Fe alloys from the Evander Goldfield, Witwatersrand Basin, South Africa: detrital origin inferred from compositional and osmium-isotope data, 631  
 Mandarino, J.A., New Minerals, 215, 921, 1241, 1901  
 Marcus, M.A. with Roberts, A.C., 1771  
 Márquez-Zavalá, M.F., Southam, G., Craig, J.R. & Galliski, M.A., Morphological and chemical study of placer gold from the San Luis Range, Argentina, 169  
 Marshall, D.D., Groat, L.A., Falck, H., Giuliani, G. & Neufeld, H., The Lened emerald prospect, Northwest Territories, Canada: insights from fluid inclusions and stable isotopes, with implications for northern Cordilleran emerald, 1523  
 Marshall, D.D. with Kontak, D.J., 1273

- Martin, R.F. with Barkov, A.Y., 439, 499, 515  
 Martín-Estévez, J.R. with Ortega, L., 325  
 Masuda, T. with Kugimiya, Y., 143  
 Matsuda, Y. with Kugimiya, Y., 143  
 McClenaghan, S.H., Lentz, D.R. & Cabri, L.J., Abundance and speciation of gold in massive sulfides of the Bathurst mining camp, New Brunswick, Canada, 851  
 McDonald, A.M., Proceedings of the forty-ninth annual meeting of the Mineralogical Association of Canada, 1887  
 McDonald, A.M. & Chao, G.Y., Haineaultite, a new hydrated sodium calcium titanosilicate from Mont Saint-Hilaire, Quebec: description, structure determination and genetic implications, 769  
 Melcher, F. with Oberthür, T., 563  
 Merkle, R.K.W. with Malitch, K.N., 631  
 Merlino, S., Pasero, M., Bellezza, M., Pushcharovsky, D.Yu., Gobetchia, E.R., Zubkova, N.V. & Pekov, I.V., The crystal structure of calcium catapleite, 1037  
 Merlino, S. with Pushcharovsky, D.Yu., 723  
 Mernagh, T.P., Heinrich, C.A. & Mikucki, E.J., Temperature gradients recorded by fluid inclusions and hydrothermal alteration at the Mount Charlotte gold deposit, Kalgoorlie, Australia, 1383  
 Meurer, W.P., Hellström, F.A. & Claeson, D.T., The relationship between chlorapatite and PGE-rich cumulates in layered intrusions: the Kläppsjö Gabbro, north-central Sweden, as a case study, 279  
 Meurer, W.P. with Mungall, J.E., 241  
 Mikucki, E.J. with Mernagh, T.P., 1383  
 Mitchell, R.H. & Lifervovich, R.P., Ecandrewsite – zincian pyrophanite from lujavrite, Pilansberg alkaline complex, South Africa, 1169  
 Mitchell, R.H. & Lifervovich, R.P., The pyrophanite–ecandrewsite solid-solution: crystal structures of the  $Mn_{1-x}Zn_xTiO_3$  series ( $0.1 \leq x \leq 0.8$ ), 1871  
 Mitchell, R.H. with Zurevinski, S.E., 1159  
 Mokhov, A.V. with Vikentyev, I.V., 651  
 Moore, J.N., Christenson, B.W., Allis, R.G., Browne, P.R.L. & Lutz, S.J., The mineralogical consequences and behavior of descending acid-sulfate waters: an example from the Karaha-Telaga Bodas geothermal system, Indonesia, 1483  
 Moreno, T. with Ortega, L., 325  
 Mouri, H. with De Waal, S.A., 371  
 Mungall, J.E. & Meurer, W.P., Preface: Platinum-group elements: petrology, geochemistry, mineralogy, 241  
 Mungall, J.E. with Hanley, J.J., 1777  
 Mutter, A. with Schindler, M., 1629, 1651  
 Naumov, D.Yu. with Pervukhina, N.V., 87  
 Neufeld, H. with Marshall, D.D., 1523  
 Ni, Pei with Wang, Ru Cheng, 883  
 Nickel, E.H. with Paar, W.H., 1745  
 Novák, M., Černý, P., Cempírek, J., Šrein, V. & Filip, J., Ferrotapiolite as a pseudomorph of stibiotantalite from the Laštovičky lepidolite pegmatite, Czech Republic: an example of hydrothermal alteration at constant Ta/(Ta + Nb), 1117  
 Novák, M. with Sejkora, J., 963  
 Nysten, P. with Holtstam, D., 1097  
 Oberthür, T., Melcher, F., Gast, L., Wöhrl, C. & Lodziak, J., Detrital platinum-group minerals in rivers draining the eastern Bushveld Complex, South Africa, 563  
 Olivo, G.R. & Theyer, P., Platinum-group minerals from the McBratney PGE–Au prospect in the Flin Flon greenstone belt, Manitoba, Canada, 667  
 Ortega, L., Lunar, R., García-Palomero, F., Moreno, T., Martín-Estévez, J.R., Prichard, H.M. & Fisher, P.C., The Aguablanca Ni–Cu–PGE deposit, southwestern Iberia: magmatic ore-forming processes and retrograde evolution, 325  
 Ortí, F. with Helvací, C., 1179  
 Ortiz-Suarez, A. with Zaccarini, F., 155  
 Ottolini, L. with Bocchio, R., 1205  
 Paar, W.H., Roberts, A.C., Berlepsch, P., Armbruster, T., Topa, D. & Zagler, G., Putzite,  $(Cu_{4.7}Ag_{3.3})_{\Sigma 8}GeS_6$ , a new mineral species from Capillitas, Catamarca, Argentina: description and crystal structure, 1757  
 Paar, W.H., Topa, D., Makovicky, E., Sureda, R.J., Brodkorb, M.K. de, Nickel, E.H. & Putz, H., Jaguéite,  $Cu_2Pd_3Se_4$ , a new mineral species from El Chire, La Rioja, Argentina, 1745  
 Pakkanen, L. with Kojonen, K., 539  
 Paniagua, A. with Fanlo, I., 1221  
 Parise, J.B. with Antao, S.M., 1047  
 Park, Hee-In with Shin, Dongbok, 1465  
 Pasero, M. with Merlino, S., 1037  
 Pasero, M. with Pushcharovsky, D.Yu., 723  
 Pautov, L.A., Agakanov, A.A., Sokolova, E. & Hawthorne, F.C., Maleevite,  $Ba_2Si_2O_8$ , and pekovite,  $SrB_2Si_2O_8$ , new mineral species from the Dara-i-Pioz alkaline massif, northern Tajikistan: description and crystal structure, 107  
 Pautov, L.A. with Sokolova, E., 731  
 Pautov, L.A. with Uvarova, Yu.A., 125, 1005  
 Peck, D.C. with Desharnais, G., 291  
 Pekov, I.V. with Ferraris, G., 787  
 Pekov, I.V. with Friis, H., 95  
 Pekov, I.V. with Merlino, S., 1037  
 Pertlik, F. with Ertl, A., 1057  
 Pervukhina, N.V., Vasil'ev, V.I., Naumov, D.Yu., Borisov, S.V. & Magarill, S.A., The crystal structure of synthetic radtkeite,  $Hg_2S_2Cl_2$ , 87  
 Petersen, O.V. with Friis, H., 95  
 Pinch, W.W. with Tait, K.T., 121  
 Polovina, J.S., Hudson, D.M. & Jones, R.E., Petrographic and geochemical characteristics of postmagmatic hydrothermal alteration and mineralization in the J–M Reef, Stillwater Complex, Montana, 261  
 Prichard, H.M., Barnes, S.-J., Maier, W.D. & Fisher, P.C., Variations in the nature of the platinum-group minerals in a cross-section through the Merensky Reef at Impala Platinum: implications for the mode of formation of the reef, 423  
 Prichard, H.M. with Ortega, L., 325  
 Prichard, H.M. with Seabrook, C.L., 485  
 Pring, A. with Wallwork, K.S., 135  
 Prowatke, S. with Ertl, A., 1057  
 Pushcharovsky, D.Yu., Lebedeva, Yu.S., Zubkova, N.V., Pasero, M., Bellezza, M., Merlino, S. & Chukanov, N.V., The crystal structure of sturmanite, 723  
 Pushcharovsky, D.Yu. with Ferraris, G., 787  
 Pushcharovsky, D.Yu. with Merlino, S., 1037  
 Pushkarev, E.V. with Zaccarini, F., 545  
 Putnis, A. with Schindler, M., 1629, 1651, 1667, 1683  
 Putnis, C. with Schindler, M., 1683  
 Putz, H. with Paar, W.H., 1745  
 Rajić, M. with Tomašić, N., 1847  
 Rakovan, J. with Losey, A., 1105  
 Ramboz, C. with Kouzmanov, K., 1501  
 Reid, D.L. with Smith, D., 243  
 Renno, A.D., Franz, L., Witzke, T. & Herzig, P.M., The coexistence of melts of hydrous chloride, sulfide and silicate compositions in a magnesiohastingsite cumulate, TUBAF Seamount, Papua New Guinea, 1  
 Reusser, E. with Roberts, A.C., 1771  
 Reynolds, P.H., Clarke, D.B. & Bogutyn, P.A.,  $^{40}\text{Ar}/^{39}\text{Ar}$  laser dating of zoned white micas from the Lake Lewis leucogranite, South Mountain Batholith, Nova Scotia, Canada, 1129  
 Rhede, D. with Förster, H.-J., 841, 1719  
 Rieder, M. with Klementova, M., 1859  
 Roberts, A.C., Seward, T.M., Reusser, E., Carpenter, G.J.C., Grice, J.D., Clark, S.M. & Marcus, M.A., Eyselite,  $Fe^{3+}Ge^{4+}_3O_7(OH)$ , a new mineral species from Tsumeb, Namibia, 1771  
 Roberts, A.C. with Cooper, M.A., 741  
 Roberts, A.C. with Kojonen, K., 539  
 Roberts, A.C. with Paar, W.H., 1757  
 Rogers, J.R. with Buijs, G.J.A., 1563  
 Samson, I.M. with Gagnon, J.E., 1331

- Schandl, E.S., The role of saline fluids in base-metal and gold mineralization at the Cobalt Hill Prospect northeast of the Sudbury Igneous Complex, Ontario: a fluid-inclusion and mineralogical study, 1541
- Schindler, M. & Hawthorne, F.C., A bond-valence approach to the uranyl-oxide hydroxy-hydrate minerals: chemical composition and occurrence, 1601
- Schindler, M., Hawthorne, F.C., Putnis, C. & Putnis, A., Growth of uranyl-hydroxy-hydrate and uranyl-carbonate minerals on the (104) surface of calcite, 1683
- Schindler, M., Mutter, A., Hawthorne, F.C. & Putnis, A., Prediction of crystal morphology of complex uranyl-sheet minerals. I. Theory, 1629
- Schindler, M., Mutter, A., Hawthorne, F.C. & Putnis, A., Prediction of crystal morphology of complex uranyl-sheet minerals. II. Observations, 1651
- Schindler, M. & Putnis, A., Crystal growth of schoepite on the (104) surface of calcite, 1667
- Scoates, R.F.J. with Desharnais, G., 291
- Seabrook, C.L., Prichard, H.M. & Fisher, P.C., Platinum-group minerals in the Raglan Ni-Cu-(PGE) sulfide deposit, Cape Smith, Quebec, Canada, 485
- Seccombe, P.K. with Baker, D.E.L., 1405
- Sejkora, J., Čejka, J., Hloušek, J., Novák, M. & Šrein, V., Phosphowalpurgite, the  $(\text{PO}_4)$ -dominant analogue of walpurgite, from Smrkovec, Slavkovský Les Mountains, Czech Republic, 963
- Seward, T.M. with Roberts, A.C., 1771
- Shcheka, G.G., Lehmann, B., Gierth, E., Goemann, K. & Wallianos, A., Macrocrystals of Pt-Fe alloy from the Kondyor PGE placer deposit, Khabarovskiy Kray, Russia: trace-element content, mineral inclusions and reaction assemblages, 601
- Shcheka, G.G., Vrzhošek, A.A., Lehmann, B. & Tolstykh, N.D., Associations of platinum-group minerals from the Zolotaya gold placer, Primorye, Russian Far East, 583
- Sheriff, B.L. & Zhou, Bing,  $^{29}\text{Si}$  and  $^{23}\text{Na}$  MAS NMR spectroscopic study of the polytypes of the titanosilicate penkvilksite, 1027
- Shin, Dongbok, Park, Hee-In, Lee, Insung, Lee, Kwang-Sik & Hwang, Jeong, Hydrothermal As-Bi mineralization in the Nakdong deposits, South Korea: insight from fluid inclusions and stable isotopes, 1465
- Shvedenkov, G.Yu. with Zhmodik, S.M., 405
- Sidorov, E.G. with Tolstykh, N.D., 619
- Smith, D., Basson, I.J. & Reid, D.L., Normal Reef subfacies of the Merensky Reef at Northam Platinum mine, Zwartklip Facies, western Bushveld Complex, South Africa, 243
- Sokolova, E. & Hawthorne, F.C., The crystal chemistry of epistolite, 797
- Sokolova, E. & Hawthorne, F.C., The crystal chemistry of silicate minerals with chains of  $(\text{TiO}_6)$  octahedra, 807
- Sokolova, E., Hawthorne, F.C., Della Ventura, G. & Kartashov, P.M., Chevkinite-(Ce): crystal structure and the effect of moderate radiation-induced damage on site-occupancy refinement, 1013
- Sokolova, E., Hawthorne, F.C., Karpenko, V.V., Agakhanov, A.A. & Pautov, L.A., Turanite,  $\text{Cu}^{2+}_5(\text{V}^{5+}\text{O}_4)_2(\text{OH})_4$ , from the Tyuya-Muyun radium-uranium deposit, Osh Region, Kyrgyzstan: a new structure for an old mineral, 731
- Sokolova, E. with Pautov, L.A., 107
- Sokolova, E. with Uvarova, Yu.A., 125, 1005
- Song, Xie-Yan, Zhou, Mei-Fu & Cao, Zhi-Min, Genetic relationships between base-metal sulfides and platinum-group minerals in the Yangliuping Ni-Cu-(PGE) sulfide deposit, southwestern China, 469
- Southam, G. with Márquez-Zavalía, M.F., 169
- Šrein, V. with Novák, M., 1117
- Šrein, V. with Sejkora, J., 963
- Stern, S.M. with Linnen, R.L., 1275
- Student, J.J. & Bodnar, R.J., Silicate melt inclusions in porphyry copper deposits: identification and homogenization behavior, 1583
- Stumpfl, E.F. with Zaccarini, F., 1825
- Subías, I. with Fanlo, I., 1221
- Sugaki, A. with Kitakaze, A., 17
- Sureda, R.J. with Paar, W.H., 1745
- Tait, K.T. & Hawthorne, F.C., Johillerite from Tolbachik, Kamchatka Peninsula, Russia: crystal-structure refinement and chemical composition, 717
- Tait, K.T., Hawthorne, F.C., Černý, P. & Galliski, M.A., Bob Fergusonite from the Nancy pegmatite, San Luis Range, Argentina: crystal-structure refinement and chemical composition, 705
- Tait, K.T., Hawthorne, F.C., Grice, J.D., Jambor, J.L. & Pinch, W.W., Potassio-carpholite, a new mineral species from the Sawtooth batholith, Boise County, Idaho, U.S.A., 121
- Tarkian, M. with Barkov, A.Y., 439
- Taylor, M.R. with Wallwork, K.S., 135
- Theyer, P. with Olivo, G.R., 667
- Tischendorf, G. with Förster, H.-J., 841
- Toledo, M.C.M. de, Lenharo, S.L.R., Ferrari, V.C., Fontan, F., de Parseval, P. & Leroy, G., The compositional evolution of apatite in the weathering profile of the Catalão I alkaline-carbonatic complex, Goias, Brazil, 1139
- Tolstykh, N.D., Sidorov, E.G. & Kozlov, A.P., Platinum-group minerals in lode and placer deposits associated with the Ural-Alaskan-type Gal'moenan complex, Koryak-Kamchatka platinum belt, Russia, 619
- Tolstykh, N.D. with Shcheka, G.G., 583
- Tomašić, N., Gajović, A., Bermanec, V. & Rajić, M., Recrystallization of metamict Nb-Ta-Ti-REE complex oxides: a coupled X-ray-diffraction and Raman spectroscopy study of aeschynite-(Y) and polycrase-(Y), 1847
- Topa, D. with Paar, W.H., 1745, 1757
- Tsepin, A.I. with Vikentyev, I.V., 651
- Umino, S. with Kugimiya, Y., 143
- Uvarova, Yu.A., Sokolova, E., Hawthorne, F.C., Agakhanov, A.A. & Pautov, L.A., The crystal structure of arapovite,  $\text{U}_{4+}(\text{Ca},\text{Na})_2(\text{K}_{1-x})_x[\text{Si}_8\text{O}_{20}]$ ,  $x \approx 0.5$ , a new mineral species of the steacyite group from the Dara-i-Pioz moraine, Tien-Shan Mountains, Tajikistan, 1005
- Uvarova, Yu.A., Sokolova, E., Hawthorne, F.C., Pautov, L.A. & Agakhanov, A.A., A novel  $[\text{Si}_{18}\text{O}_{45}]^{18-}$  sheet in the crystal structure of zerafshanite,  $\text{Cs}_4\text{Na}_2\text{Zr}_3[\text{Si}_{18}\text{O}_{45}](\text{H}_2\text{O})_2$ , 125
- van Middlesworth, J. with Wood, S.A., 411
- Van Velthuizen, J. with Gault, R.A., 781
- Vasil'ev, V.I. with Pervukhina, N.V., 87
- Verkhovtseva, N.V. with Zhmodik, S.M., 405
- Vikentyev, I.V., Yudovskaya, M.A., Mokhov, A.V., Kerzin, A.L. & Tsepin, A.I., Gold and PGE in sulfide massive ore of the Uzelginsk deposit, south Urals, Russia, 651
- Vrzhošek, A.A. with Shcheka, G.G., 583
- Wallianos, A. with Shcheka, G.G., 601
- Wallwork, K.S., Pring, A., Taylor, M.R. & Hunter, B.A., The network of hydrogen bonding in kingite, as revealed by a neutron-diffraction investigation of its deuterated analogue,  $\text{Al}_3(\text{PO}_4)_2\text{F}_3 \bullet 7\text{D}_2\text{O}$ , 135
- Wang, Ru Cheng, Hu, Huan, Zhang, Ai Cheng, Huang, Xiao Long & Ni, Pei, Pollucite and the cesium-dominant analogue of polylithionite as expressions of extreme Cs enrichment in the Yichun topaz-lepidolite granite, southern China, 883
- Wang, Ru Cheng with Zhang, Ai Cheng, 873
- Williams-Jones, A.E. with Gagnon, J.E., 1331
- Witzke, T. with Renno, A.D., 1
- Wöhrl, C. with Oberthür, T., 563
- Wood, S.A. & van Middlesworth, J., The influence of acetate and oxalate as simple organic ligands on the behavior of palladium in surface environments, 411
- Xu, Zhanhua with De Waal, S.A., 371
- Yang, Xue-Ming, Lentz, D.R., Chi, Guoxiang & Kyser, T.K., Fluid-mineral reaction in the Lake George granodiorite, New Brunswick, Canada: implications for Au-W-Mo-Sb mineralization, 1443
- Yudovskaya, M.A. with Vikentyev, I.V., 651

- Zaccarini, F., Garuti, G., Ortiz-Suarez, A. & Carugno-Duran, A., The paragenesis of pyrophanite from Sierra de Comechingones, Córdoba, Argentina, 155
- Zaccarini, F., Pushkarev, E.V., Fershtater, G.B. & Garuti, G., Composition and mineralogy of PGE-rich chromitites in the Nurali Iherzolite-gabbro complex, southern Urals, Russia, 545
- Zaccarini, F., Stumpf, E.F. & Garuti, G., Zirconolite and Zr-Th-U minerals in chromitites of the Finero complex, Western Alps, Italy: evidence for carbonatite-type metasomatism in a subcontinental mantle plume, 1825
- Zagler, G. with Paar, W.H., 1757
- Zhang, Ai Cheng, Wang, Ru Cheng, Hu, Huan, Chen, Xiao Ming & Zhang, Hui, Occurrences of foitite and rossmanite from the Koktokay No. 3 granitic pegmatite dyke, northwestern China: a record of hydrothermal fluids, 873
- Zhang, Ai Chang with Wang, Ru Cheng, 883
- Zhang, Hui with Zhang, Ai Cheng, 873
- Zhang, Pei-Hua, Zhu, Jin-Chu, Zhao, Zhen-Hua, Gu, Xiang-Ping & Lin, Jin-Fu, Zincospiroffite, a new tellurite mineral from the Zhongshangou gold deposit, Hebei Province, China, 763
- Zhao, Zhen-Hua with Zhang, Pei-Hua, 763
- Zhmodik, S.M., Shvedenkov, G.Yu. & Verkhovtseva, N.V., Iridium distribution in hydrothermally synthesized Fe, Cu, Zn and Pb sulfides, 405
- Zhou, Bing with Sherriff, B.L., 1027
- Zhou, Mei-Fu with Song, Xie-Yan, 469
- Zhu, Jin-Chu with Zhang, Pei-Hua, 763
- Zubkova, N.V. with Ferraris, G., 787
- Zubkova, N.V. with Merlino, S., 1037
- Zubkova, N.V. with Pushcharovsky, D.Yu., 723
- Zurevinski, S.E. & Mitchell, R.H., Extreme compositional variation of pyrochlore-group minerals at the Oka carbonatite complex, Quebec: evidence of magma mixing?, 1159

## SUBJECT INDEX

- A bond-valence approach to the uranyl-oxide hydroxy-hydrate minerals: chemical composition and occurrence, (Schindler & Hawthorne), 1601
- A novel  $[Si_{18}O_{45}]^{18-}$  sheet in the crystal structure of zerafshanite,  $Cs_2Na_2Zr_3[Si_{18}O_{45}](H_2O)_2$ , (Uvarova *et al.*), 125
- A potentially new konderite-like sulfide of Fe, Pb, Cu, Rh, Pd and Ir from the Penikat layered complex, Finland, (Barkov *et al.*), 499
- Abundance and speciation of gold in massive sulfides of the Bathurst mining camp, New Brunswick, Canada, (McClennahan *et al.*), 851
- An integrated fluid-mineral stable-isotope study of the granite-hosted mineral deposits of the New Ross area, South Mountain Batholith, Nova Scotia, Canada: evidence for multiple reservoirs, (Carruzzo *et al.*), 1425
- An unusual association of hydrothermal platinum-group minerals from the Imandra layered complex, Kola Peninsula, north-western Russia, (Barkov & Fleet), 455
- Analysis of evaporate mounds as a complement to fluid-inclusion thermometric data: case studies from granitic environments in Nova Scotia and Peru, (Kontak), 1315
- $^{40}Ar/^{39}Ar$  laser dating of zoned white micas from the Lake Lewis leucogranite, South Mountain Batholith, Nova Scotia, Canada, (Reynolds *et al.*), 1129
- Associations of platinum-group minerals from the Zolotaya gold placer, Primorye, Russian Far East, (Shcheka *et al.*), 583
- Bob Fergusonite from the Nancy pegmatite, San Luis Range, Argentina: crystal-structure refinement and chemical composition, (Tait *et al.*), 705
- Chevkinite-(Ce): crystal structure and the effect of moderate radiation-induced damage on site-occupancy refinement, (Sokolova *et al.*), 1013
- Chromate aluminate sodalite,  $Ca_8[Al_{12}O_{24}](CrO_4)_2$ : phase transitions and high-temperature structural evolution of the cubic phase, (Antao *et al.*), 1047
- Composition and mineralogy of PGE-rich chromitites in the Nurali Iherzolite-gabbro complex, southern Urals, Russia, (Zaccarini *et al.*), 545
- Compositional variations in oulankaite and a new series of argento-oulankaite from the Lukkulaivaara layered intrusion, northern Russian Karelia, (Barkov *et al.*), 439
- Crystal growth of schoepite on the (104) surface of calcite, (Schindler & Putnis), 1667
- Cu-Ni-PGE mineralization in the Genina Gharbia mafic-ultramafic intrusion, Eastern Desert, Egypt, (Helmy), 351
- Detrital platinum-group minerals in rivers draining the eastern Bushveld Complex, South Africa, (Oberthür *et al.*), 563
- Divalent transition metals and magnesium in structures that contain the autunite-type sheet, (Locock *et al.*), 1699
- Einandersite – zincian pyrophanite from Iujavrite, Pilansberg alkaline complex, South Africa, (Mitchell & Liferovich), 1169
- Emplacement of viscous mushes in the Jinchuan ultramafic intrusion, western China, (De Waal *et al.*), 371
- Experimental simulation of shock-induced re-equilibration of fluid inclusions, (Elwood Madden *et al.*), 1357
- Exsolution in niobian rutile from the pegmatite deposit at Greenbushes, Australia, (Klementova & Rieder), 1859
- Extreme compositional variation of pyrochlore-group minerals at the Oka carbonatite complex, Quebec: evidence of magma mixing?, (Zurevinski & Mitchell), 1159
- Eyselite,  $Fe^{3+}Ge^{4+}_3O_7(OH)$ , a new mineral species from Tsumeb, Namibia, (Roberts *et al.*), 1771
- Fe-rich olenite with tetrahedrally coordinated  $Fe^{3+}$  from Eibenstein, Austria: structural, chemical and Mössbauer data, (Ertl *et al.*), 1057
- Ferrotapiolite as a pseudomorph of stibiotantalite from the Lašovičky lepidolite pegmatite, Czech Republic: an example of hydrothermal alteration at constant Ta/(Ta + Nb), (Novák *et al.*), 1117
- Fluid-mineral reaction in the Lake George granodiorite, New Brunswick, Canada: implications for Au-W-Mo-Sb mineralization, (Yang *et al.*), 1443
- Genesis of high-sulfidation vinciennite-bearing Cu-As-Sn ( $\pm$ Au) assemblage from the Radka epithermal copper deposit, Bulgaria: evidence from mineralogy and infrared microthermometry of enargite, (Kouzmanov *et al.*), 1501
- Genetic relationships between base-metal sulfides and platinum-group minerals in the Yangliuping Ni-Cu-(PGE) sulfide deposit, southwestern China, (Song *et al.*), 469
- Gold and PGE in sulfide massive ore of the Uzelginsk deposit, south Urals, Russia, (Vikentyev *et al.*), 651
- Gold emplacement and hydrothermal alteration in metabasic rocks at the Mouska mine, Bousquet District, Abitibi, Quebec, Canada, (Belakabir *et al.*), 1079
- Growth of uranyl-hydroxy-hydrate and uranyl-carbonate minerals on the (104) surface of calcite, (Schindler *et al.*), 1683
- Haineaultite, a new hydrated sodium calcium titanosilicate from Mont Saint-Hilaire, Quebec: description, structure determination and genetic implications, (McDonald & Chao), 769
- Häleniusite-(La) from the Bastnäs deposit, Västmanland, Sweden: a new REE oxyfluoride mineral species, (Holtstam *et al.*), 1097
- Hydrogen in a natural Pd-O compound from Gongo Soco, Minas Gerais, Brazil, (Cabral *et al.*), 689

- Hydrothermal As–Bi mineralization in the Nakdong deposits, South Korea: insight from fluid inclusions and stable isotopes, (Shin *et al.*), 1465
- In situ* measurements of the H<sub>2</sub>O:CO<sub>2</sub> ratio in fluid inclusions by infrared spectroscopy, (Linnen *et al.*), 1275
- Iridium distribution in hydrothermally synthesized Fe, Cu, Zn and Pb sulfides, (Zhmudik *et al.*), 405
- Jaguéite, Cu<sub>2</sub>Pd<sub>3</sub>Se<sub>4</sub>, a new mineral species from El Chire, La Rioja, Argentina, (Paar *et al.*), 1745
- Johillerite from Tolbachik, Kamchatka Peninsula, Russia: crystal-structure refinement and chemical composition, (Tait & Hawthorne), 717
- Kanonaite from the metamorphic sole of the Oman Ophiolite: evidence for high f(O<sub>2</sub>) conditions during retrograde metamorphism, (Kugimura *et al.*), 143
- Kuannersuite-(Ce), Ba<sub>6</sub>Na<sub>2</sub>REE<sub>2</sub>(PO<sub>4</sub>)<sub>6</sub>FCI, a new member of the apatite group, from the Ilímaussaq alkaline complex, South Greenland: description and crystal chemistry, (Friis *et al.*), 95
- Low-pressure differentiation of melanephelinitic magma and the origin of ijolite pegmatites at La Madera, Córdoba, Argentina, (Galliski *et al.*), 1799
- Macrocryystals of Pt–Fe alloy from the Kondyor PGE placer deposit, Khabarovskiy Kray, Russia: trace-element content, mineral inclusions and reaction assemblages, (Shcheka *et al.*), 601
- Maleevite, BaB<sub>2</sub>Si<sub>2</sub>O<sub>8</sub>, and pekovite, SrB<sub>2</sub>Si<sub>2</sub>O<sub>8</sub>, new mineral species from the Dara-i-Pioz alkaline massif, northern Tajikistan: description and crystal structure, (Pautov *et al.*), 107
- Manganokukisvumite, a new mineral species from Mont Saint-Hilaire, Quebec, (Gault *et al.*), 781
- Mazzettite, Ag<sub>3</sub>HgPbSbTe<sub>5</sub>, a new mineral species from the Findley Gulch, Saguache County, Colorado, USA, (Bindi & Cipriani), 1739
- Microtextural and powder-diffraction study of analcime phenocrysts in volcanic rocks of the Crowsnest Formation, southern Alberta, Canada, (Luth & Bowerman), 897
- Mineralogy of the Niederschlema–Alberoda U–Se–polymetallic deposit, Erzgebirge, Germany. I. Jolliffeite, NiAsSe, the rare Se-dominant analogue of gersdorffite, (Förster *et al.*), 841
- Mineralogy of the Niederschlema–Alberoda U–Se–polymetallic deposit, Erzgebirge, Germany. III. First indication of complete miscibility between tennantite and geraudite, (Förster & Rhede), 1719
- Monovalent cations in structures of the meta-autunite group, (Locock *et al.*), 973
- Morphological and chemical study of placer gold from the San Luis Range, Argentina, (Márquez-Zavalía *et al.*), 169
- “Named amphiboles”: a new category of amphiboles recognized by the International Mineralogical Association (IMA), and the proper order of prefixes to be used in amphibole names, (Burke & Leake), 1881
- Nevadaite, (Cu<sup>2+</sup>□,Al,V<sup>3+</sup>)<sub>6</sub>[Al<sub>8</sub>(PO<sub>4</sub>)<sub>8</sub>F<sub>8</sub>](OH)<sub>2</sub>(H<sub>2</sub>O)<sub>22</sub>, a new phosphate mineral species from the Gold Quarry mine, Carlin, Eureka County, Nevada: description and crystal structure, (Cooper *et al.*), 741
- New chemical data on the clinopyroxene–garnet pair in the Alpe Arami eclogite, Central Alps, Switzerland, (Bocchio *et al.*), 1205
- New minerals and nomenclature modifications approved in 2003 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Burke & Ferraris), 905
- New Minerals, (Mandarino), 215, 921, 1241, 1901
- Nickelato tourmaline from the Berezovskoe gold deposit, Middle Urals, Russia, (Baksheev & Kudriavtseva), 1065
- Normal Reef subfacies of the Merensky Reef at Northam Platinum mine, Zwartklip Facies, western Bushveld Complex, South Africa, (Smith *et al.*), 243
- Occurrences of foitite and rossmanite from the Koktokay No. 3 granitic pegmatite dyke, northwestern China: a record of hydrothermal fluids, (Zhang *et al.*), 873
- On the rosettes of “native palladium” from Minas Gerais, Brazil: evidence from Gongo Soco, (Cabral & Kwitko-Ribeiro), 683
- PALLADIUM, a program to model the chromatographic separation of the platinum-group elements, base metals and sulfur in a solidifying pile of igneous crystals, (Boudreau), 393
- Petrographic and geochemical characteristics of postmagmatic hydrothermal alteration and mineralization in the J–M Reef, Stillwater Complex, Montana, (Polovina *et al.*), 261
- Petrographic evidence for primary hagendorfite in an unusual assemblage of phosphate minerals, Kibingo granitic pegmatite, Rwanda, (Fransolet *et al.*), 697
- Petrology and Ni–Cu–PGE potential of the Insizwa lobe, Mount Ayliff intrusion, South Africa, (Cawthorn & Kruger), 303
- Phosphowalpurgite, the (PO<sub>4</sub>)-dominant analogue of walpurgite, from Smrkovec, Slavkovsky Les Mountains, Czech Republic, (Sejkora *et al.*), 963
- Physical conditions of gold deposition at the McPhees deposit, Pilbara Craton, western Australia: fluid inclusion and stable isotope constraints, (Baker & Secombe), 1405
- Platinum-group minerals from the McBratney PGE–Au prospect in the Flin Flon greenstone belt, Manitoba, Canada, (Olivo & Theyer), 667
- Platinum-group minerals in lode and placer deposits associated with the Ural–Alaskan-type Gal'moenan complex, Koryak–Kamchatka platinum belt, Russia, (Tolstykh *et al.*), 619
- Platinum-group minerals in the Raglan Ni–Cu–(PGE) sulfide deposit, Cape Smith, Quebec, Canada, (Seabrook *et al.*), 485
- Pollucite and the cesium-dominant analogue of polylithionite as expressions of extreme Cs enrichment in the Yichun topaz-lepidolite granite, southern China, (Wang *et al.*), 883
- Potassio-carpholite, a new mineral species from the Sawtooth batholith, Boise County, Idaho, U.S.A., (Tait *et al.*), 121
- Prediction of crystal morphology of complex uranyl-sheet minerals. I. Theory, (Schindler *et al.*), 1629
- Prediction of crystal morphology of complex uranyl-sheet minerals. II. Observations, (Schindler *et al.*), 1651
- Preface: PACROFI VIII, (Kontak *et al.*), 1273
- Preface: Platinum-group elements: petrology, geochemistry, mineralogy, (Mungall & Meurer), 241
- Preservation of microborings as fluid inclusions, (Buijs *et al.*), 1563
- Proceedings of the forty-ninth annual meeting of the Mineralogical Association of Canada, (McDonald), 1889
- Putzite, (Cu<sub>4.7</sub>Ag<sub>3.3</sub>)<sub>2</sub>GeS<sub>6</sub>, a new mineral species from Capillitas, Catamarca, Argentina: description and crystal structure, (Paar *et al.*), 1757
- Raman spectra of fluid and crystal mixtures in the systems H<sub>2</sub>O, H<sub>2</sub>O–NaCl and H<sub>2</sub>O–MgCl<sub>2</sub> at low temperatures: applications to fluid-inclusion research, (Bakker), 1283
- Recrystallization of metamict Nb–Ta–Ti–REE complex oxides: a coupled X-ray-diffraction and Raman spectroscopy study of aeschynite-(Y) and polycrase-(Y), (Tomasic *et al.*), 1847
- Ru–Os–Ir–Pt and Pt–Fe alloys from the Evander Goldfield, Witwatersrand Basin, South Africa: detrital origin inferred from compositional and osmium-isotope data, (Malitch & Merkle), 631
- <sup>29</sup>Si and <sup>23</sup>Na MAS NMR spectroscopic study of the polytypes of the titanosilicate penkvilsite, (Sherriff & Zhou), 1027
- Silicate melt inclusions in porphyry copper deposits: identification and homogenization behavior, (Student & Bodnar), 1583
- Spectroscopic characterization of synthetic becquerelite, Ca[(UO<sub>2</sub>)<sub>6</sub>O<sub>4</sub>(OH)<sub>6</sub>]•8H<sub>2</sub>O, and swartzite, CaMg[UO<sub>2</sub>(CO<sub>3</sub>)<sub>3</sub>]•12H<sub>2</sub>O, (Amayri *et al.*), 953
- Structural and physical properties of fischesserite, a rare gold–silver selenide from the De Lamar mine, Owyhee County, Idaho, USA, (Bindi & Cipriani), 1733
- Structural variation in the lithiophilite–triphylite series and other olivine-group structures, (Losey *et al.*), 1105
- Tarkianite, (Cu,Fe)(Re,Mo)<sub>2</sub>S<sub>8</sub>, a new mineral species from the Hitura mine, Nivala, Finland, (Kojonen *et al.*), 539
- Temperature gradients recorded by fluid inclusions and hydrothermal alteration at the Mount Charlotte gold deposit, Kalgoorlie, Australia, (Mernagh *et al.*), 1383

- The Aguablanca Ni–Cu–PGE deposit, southwestern Iberia: magmatic ore-forming processes and retrograde evolution, (Ortega *et al.*), 325
- The coexistence of melts of hydrous chloride, sulfide and silicate compositions in a magnesiohastingsite cumulate, TUBAF Seamount, Papua New Guinea, (Renno *et al.*), 1
- The composition and origin of hydrothermal fluids in a NYF-type granitic pegmatite, South Platte District, Colorado: evidence from LA–ICP–MS analysis of fluorite- and quartz-hosted fluid inclusions, (Gagnon *et al.*), 1331
- The composition of Co–Ni–Fe sulfarsenides, diarsenides and triarsenides from the San Juan de Plan deposit, central Pyrenees, Spain, (Fanlo *et al.*), 1221
- The compositional evolution of apatite in the weathering profile of the Catalão I alkaline-carbonatic complex, Goias, Brazil, (Toledo *et al.*), 1139
- The crystal chemistry of epistolite, (Sokolova & Hawthorne), 797
- The crystal chemistry of silicate minerals with chains of  $(\text{TiO}_6)$  octahedra, (Sokolova & Hawthorne), 807
- The crystal structure of a novel uranyl tricarbonate,  $\text{K}_2\text{Ca}_3[(\text{UO}_2)(\text{CO}_3)_3]_2(\text{H}_2\text{O})_6$ , (Hughes Kubatko & Burns), 997
- The crystal structure of arapovite,  $\text{U}^{4+}(\text{Ca},\text{Na})_2(\text{K}_{1-x}\square_x)[\text{Si}_8\text{O}_{20}]$ ,  $x \approx 0.5$ , a new mineral species of the steacyite group from the Dara-i-Pioz moraine, Tien-Shan Mountains, Tajikistan, (Uvarova *et al.*), 1005
- The crystal structure of calcium catapleite, (Merlino *et al.*), 1037
- The crystal structure of goldquarryite,  $(\text{Cu}^{2+}\square)(\text{Cd},\text{Ca})_2\text{Al}_3(\text{PO}_4)_4\text{F}_2(\text{H}_2\text{O})_{10}(\text{H}_2\text{O}),\text{F}_2$ , a secondary phosphate from the Gold Quarry mine, Eureka County, Nevada, U.S.A., (Copper & Hawthorne), 753
- The crystal structure of hubeite, a novel sorosilicate mineral, (Copper & Hawthorne), 825
- The crystal structure of ilímaussite-(Ce),  $(\text{Ba},\text{Na})_{10}\text{K}_3\text{Na}_{4.5}\text{Ce}_5(\text{Nb},\text{Ti})_6[\text{Si}_{12}\text{O}_{36}][\text{Si}_9\text{O}_{18}(\text{O},\text{OH})_{24}]\text{O}_6$ , and the "ilímaussite" problem, (Ferraris *et al.*), 787
- The crystal structure of skippenite,  $\text{Bi}_2\text{Se}_2\text{Te}$ , from the Kochkar deposit, southern Urals, Russian Federation, (Bindi & Cipriani), 835
- The crystal structure of sturmanite, (Pushcharovsky *et al.*), 723
- The crystal structure of synthetic radtkeite,  $\text{Hg}_3\text{S}_2\text{ClI}$ , (Pervukhina *et al.*), 87
- The hypabyssal 5034 kimberlite of the Gahcho Kue cluster, southeastern Slave craton, Northwest Territories, Canada: a granite-contaminated Group-I kimberlite, (Caro *et al.*), 183
- The influence of acetate and oxalate as simple organic ligands on the behavior of palladium in surface environments, (Wood & van Middelworth), 411
- The KO Zone: a new model for PGE–Cu–Ni mineralization in the Marginal Zone of the Fox River sill, northern Manitoba, Canada, (Desharnais *et al.*), 291
- The Lened emerald prospect, Northwest Territories, Canada: insights from fluid inclusions and stable isotopes, with implications for northern Cordilleran emerald, (Marshall *et al.*), 1523
- The mineralogical consequences and behavior of descending acid-sulfate waters: an example from the Karaha – Telaga Bodas geothermal system, Indonesia, (Moore *et al.*), 1483
- The network of hydrogen bonding in kingite, as revealed by a neutron-diffraction investigation of its deuterated analogue,  $\text{Al}_3(\text{PO}_4)_2\text{F}_3 \cdot 7\text{D}_2\text{O}$ , (Wallwork *et al.*), 135
- The origin of bulk and water-soluble Cl and Br enrichments in ore-hosting Sudbury Breccia in the Fraser Copper Zone, Strathcona Embayment, Sudbury, Ontario, Canada, (Hanley *et al.*), 1777
- The paragenesis of pyrophanite from Sierra de Comechingones, Córdoba, Argentina, (Zaccarini *et al.*), 155
- The phase relations between  $\text{Fe}_{4.5}\text{Ni}_{4.5}\text{S}_8$  and  $\text{Co}_9\text{S}_8$  in the system Fe–Ni–Co–S at temperatures from 400° to 1100°C, (Kitakaze & Sugaki), 17
- The pyrophanite–ecandrewsite solid-solution: crystal structures of the  $\text{Mn}_{1-x}\text{Zn}_x\text{TiO}_3$  series ( $0.1 \leq x \leq 0.8$ ), (Mitchell & Liferoth), 1871
- The relationship between chlorapatite and PGE-rich cumulates in layered intrusions: the Kläppsjö Gabbro, north-central Sweden, as a case study, (Meurer *et al.*), 279
- The role of saline fluids in base-metal and gold mineralization at the Cobalt Hill Prospect northeast of the Sudbury Igneous Complex, Ontario: a fluid-inclusion and mineralogical study, (Schandl), 1541
- The system Fe–Co–Ni–As–S. I. Phase relations in the (Fe,Co,Ni)  $\text{As}_{0.5}\text{S}_{0.5}$  section at 650° and 500°C, (Hem & Makovicky), 43
- The system Fe–Co–Ni–As–S. II. Phase relations in the (Fe,Co,Ni)  $\text{As}_{1.5}\text{S}_{0.5}$  section at 650° and 500°C, (Hem & Makovicky), 63
- Turanite,  $\text{Cu}^{2+}_5(\text{V}^{5+}\text{O}_4)_2(\text{OH})_4$ , from the Tyuya–Muyun radium–uranium deposit, Osh Region, Kyrgyzstan: a new structure for an old mineral, (Sokolova *et al.*), 731
- Variations in the nature of the platinum-group minerals in a cross-section through the Merensky Reef at Impala Platinum: implications for the mode of formation of the reef, (Prichard *et al.*), 423
- Volume changes in fluid inclusions produced by heating and pressurization: an assessment by finite element modeling, (Burnley & Davis), 1369
- Zincospiroffite, a new tellurite mineral from the Zhongshangou gold deposit, Hebei Province, China, (Zhang *et al.*), 763
- Zirconolite and Zr–Th–U minerals in chromitites of the Finero complex, Western Alps, Italy: evidence for carbonatite-type metasomatism in a subcontinental mantle plume, (Zaccarini *et al.*), 1825
- Zoned sulfides and sulfarsenides of the platinum-group elements from the Penikat layered complex, Finland, (Barkov *et al.*), 515
- Zoning in the Kirka borate deposit, western Turkey: primary evaporitic fractionation or diagenetic modifications?, (Helvacı & Ortı), 1179

## BOOK REVIEWS

- A Systematic Classification of Minerals, (Ferraiolo), 1885, Geology and Health: Closing the Gap, (Skinner & Berger), 916, Gold – the Noble Mineral, (Cook *et al.*), 915, Granito di Baveno: Minerali, Scultura, Architettura, (Buccellati), 214, Introduction to Ore-Forming Processes, (Robb), 1886, Kukisvumchorr Deposit: Mineralogy of Alkaline Pegmatites and Hydrothermalites, (Pekov & Podlesnyi), 1261, Mind over Magma: the Story of Igneous Petrology, (Young), 917, New Data on Minerals, (Ocean Pictures Ltd.), 213, Nordic Stone, (Selonen & Suominen), 211, Pegmatology: Pegmatite Mineralogy, Petrology and Petrogenesis, (Simmons *et al.*), 919, Structural Classification of Minerals. Volume 3. Minerals with  $\text{ApBq}_{0.1-0.5}\text{ExFy}_{0.1-0.5}\text{nAq}$ . General Chemical Formulas and Organic Minerals, (Lima-de-Faria), 919, The Petrographic Microscope, (Kile), 209, The Seashell on the Mountaintop, (Cutler), 210

## CHEMICAL ANALYSES (see also Electron-microprobe analyses)

### Minerals

- aeschynite-(Y), 1852, orthopyroxene, 376, polycrase-(Y), 1852

### Rocks

- andesite, 1090, basalt, 1090, base-metal ores, 856, eclogite, 1209, gabbro, 296, gabbronorite, 296, 381, garnet peridotite, 188, granite (SE Slave Province), 188, granite xenolith in kimberlite, 188, hornblende gabbro, 296, ijolitic pegmatite (zeolitic), 1804, ijolitic pegmatite, 1804, kimberlite (Gahcho Kue), 188, 197, kimberlitic magma (calculated), 188, leucogabbro, 296, lherzolite, 296, 309, melanephelinite (olivine), 1804, olivine gabbronite, 309, olivine websterite,

296, peridotite, 378, plagioclase Iherzolite, 296, siltstone, 296

## COUPLED-ATOM SUBSTITUTIONS

### Arsenides

cobaltite (rhodian), 477, gersdorffite–cobaltite solid-solution, 1234, skutterudite, 1229, sperrylite (rhodian sulfurian), 463

### Oxides

ecandrewsite, 1173, ferrocolumbite, 1863, ferrotapiolite (ferrian), 1122, perovskite, 1810, pyrochlore, 1163, pyrophanite, 1173, rutile (niobian), 1863, synthetic pyrophanite–ecandrewsite solid-solution, 1872, zirconolite, 1831

### Phosphates

apatite, 1151, fluorapatite (strontian), 1809, lithiophilite–triphylite solid solution series, 1107

### Selenides

giraudite, 1720, hackite, 1720, hakite–giraudite solid solution, 1723

### Silicates

carpholite group, 123, foitite, 880, manganokukisvumite, 784, olenite (Fe-rich), 1061, polylithionite (Cs-dominant), 892, potassio-carpholite, 123, rossmanite, 880, talc (nickeloan), 1069, tourmaline (nickeloan), 1069, tourmaline, 880

### Sulfides

colusite, 1511, irarsite–hollingworthite solid solution, 532, laurite–erlichmanite solid solution, 526, oulankaite, 445, tennantite–giraudite solid solution, 1723, unnamed Cu<sub>2</sub>(Ni,Co)Pt<sub>3</sub>S<sub>8</sub>, 464, unnamed konderite-like (Cu,Fe,Pb)(Rh,Pd,Ir)<sub>2</sub>S<sub>4</sub>, 505, vinciennite, 1510

### Uranates

phosphowalpurgite, 967

## CRYSTALLOGRAPHY (see also Twinning)

Ag-for-Cu substitution, 452, alluaudite-group crystal chemistry, 701, 713, 719, apatite structural formula calculation, 1148, autunite-type sheet, 1700, baotite, 812, batisite, 814, chemical composition from crystal structure, 725, 754, 1020, chevkinite-(Ce), 818, chromate aluminate sodalite (synthetic, phase transitions), 1051, chromate aluminate sodalite (synthetic, thermal-expansion), 1053, epistolite–murmanite crystal chemistry, 802, fersmanite, 817, hagendorfite, 701, Jahn–Teller distortion (Cu<sup>2+</sup>), 719, 734, 755, konderite, 510, korobitsynite, 815, lemmleinite–Ba, 816, lone-pair electrons (Bi<sup>3+</sup>), 1606, lone-pair electrons (Pb<sup>2+</sup>), 1606, lorenzenite, 818, mercury sulfosaladite, 89, metamictization, 1006, 1014, 1161, murmanite, 812, narsarsukite, 814, novel [Si<sub>18</sub>O<sub>45</sub>]<sup>18-</sup> sheet, 128, O–D bond distances, 139, perrierite–(Ce), 818, PGE thiospinels, 505, polyakovite–(Ce), 808, polylithionite (Cs-dominant), 892, pyrochlore-group crystal chemistry, 1163, radiation-induced disorder, 1021, Rietveld refinement, 136, 1049, 1100, 1874, rutile (niobian)–ferrocolumbite intergrowth, 1864, sitinakite, 812, sperrylite (rhodian sulfurian), 463, synchrotron radiation, 1048, synthetic pyrophanite–ecandrewsite solid-solution, 1876, TiO<sub>6</sub> octahedral chain crystal chemistry in silicates, 776, 807, titanite, 814, trögerite identity, 992, U–O (uranyl) distance, 970, 983, 999, 1710, uranyl-oxide hydroxy-hydrate activity–activity diagram, 1617, 1685, uranyl-oxide hydroxy-hydrates, 1602, 1631, 1668, 1684, uranyl phosphate–arsenate crystal chem-

istry, 968, 980, uranyl-sheet mineral, crystal morphology, 1629, 1651, 1669, uranyl-sheet topologies, 984, 1605, 1631, 1653, 1670, 1694, uranyl silicate sheet, 1664, uranyl tricarbonate cluster, 1001, vinogradovite, 811, wyartite sheet, 1694, zorite, 816

## CRYSTAL STRUCTURE (see also X-ray diffraction)

arapovite, 1006, bobergusonite, 707, calcium catapleite, 1038, chevkinite–(Ce), 1015, chromate aluminate sodalite (synthetic), 1048, epistolite, 798, fischeserite, 1734, gold-quartzite, 754, haineaultite, 773, häleniusite–(La), 1100, hubeite, 826, ilímaussite–(Ce), 788, johillerite, 717, kingite (deuterated), 136, kuannersuite–(Ce), 97, lithiophilite, 1106, lithiophilite–triphylite solid-solution series, 1106, maleevite, 113, nevadaite, 742, olenite (Fe-rich), 1057, pekovite, 113, putzite, 1763, radtkeite (synthetic), 89, skippenite, 835, sturmanite, 723, synthetic Ag[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 979, synthetic Ag[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 979, synthetic Co[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>12</sub>, 1704, synthetic Co[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>8</sub>, 1705, synthetic Co[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>10</sub>, 1705, synthetic Cs(H<sub>3</sub>O)[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>5</sub>, 979, synthetic Cs<sub>2</sub>[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>5</sub>, 979, synthetic Fe[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>8</sub>, 1705, synthetic K[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 978, synthetic K<sub>2</sub>Ca<sub>3</sub>[(UO<sub>2</sub>)(CO<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(H<sub>2</sub>O)<sub>6</sub>, 997, synthetic Li[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>4</sub>, 978, synthetic Mg[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>10</sub>, 1705, synthetic Mg[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>12</sub>, 1704, synthetic Mn[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>12</sub>, 1704, synthetic Mn[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>8</sub>, 1705, synthetic Mn[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>10</sub>, 1704, synthetic Na[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 978, synthetic Na[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 978, synthetic Ni[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>12</sub>, 1704, synthetic Ni[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>10</sub>, 1705, synthetic Ni[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>12</sub>, 1704, synthetic pyrophanite–ecandrewsite solid-solution, 1872, synthetic Rb[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 978, synthetic Rb[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 979, synthetic Ti[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 979, triphylite, 1106, turanite, 731, zeravshanite, 126

## ELECTRON-MICROPROBE ANALYSES

aegirine, 607, aegirine-augite, 1806, aguilarite, 1752, albite, 150, 359, 607, alluaudite, 701, alloclasite, 1230, altaite, 364, 658, andalusite (manganese), 149, andesine, 607, andradite, 163, apatite, 285, 359, 1149, 1842, arapovite, 1006, arsenopyrite, 860, 1225, As<sub>1-x</sub>S<sub>x</sub> melt glass, 49, atheneite, 576, atokite, 578, 608, augite, 163, baddeleyite, 1836, berzelianite, 847, biotite, 150, 607, bobergusonite, 707, bornite, 609, borovskite, 676, bowieite, 575, braunita, 150, bravoite, 1546, calcium catapleite, 1038, cattierite (synthetic), 49, ceriopyrochlore, 1163, chalcocite, 609, chalcopyrite (PGE-rich), 591, chalcopyrite (selenian), 847, chalcopyrite, 336, 472, 609, 1546, chamosite, 607, cherepanovite, 591, chevkinite–(Ce), 1015, chlorapatite, 285, chlorite, 195, 269, chrisstanleyite, 1752, chromite, 313, 385, 457, 549, 587, clausenthalite, 847, clinoatacamite, 9, clinochlore, 150, 163, 519, 607, 1546, clinozoisite, 269, clintonite, 163, cobalt pentlandite (synthetic), 23, cobalt pentlandite, 609, cobaltite (palladian), 360, cobaltite (rhodian), 475, cobaltite (synthetic), 49, cobaltite, 475, 1230, coloradoite, 658, 1546, colusite, 1512, cooperite, 462, 591, 639, cubanite, 360, cuprorthodsite, 504, 575, 591, cyrilovite, 701, daomantite, 462, devitrified glass (ijolite pegmatite), 1810, diopside, 195, 551, 1806, diversilite–(Ce), 789, dravite, 878, ecandrewsite, 1173, edenite, 457, elbaite, 878, emerald, 1528, enargite, 1506, epidote, 359, epistolite, 799, erlichmanite (Ru-rich), 627, erlichmanite, 554, erlichmanite–osarsite solid-solution, 627, eskebornite, 847, eucairite, 847, eyselite, 1774, ferrocolumbite, 1863, ferropargasite (Cl-rich), 269, 445, ferrotapiolite (antimanoan), 1121, ferrotapiolite (ferrian), 1121, ferrotapiolite (niobian), 1121, ferrotapiolite, 1121, fischeserite, 1736, fluorapatite (strontian), 1811, fluorapatite, 607, foitite, 878, garnet, 1210, gersdorffite (As-rich),

- 1234, gersdorffite (rhodian), 475, gersdorffite (synthetic), 49, gersdorffite, 475, 1546, gersdorffite–cobaltite solid-solution, 1231, giraudite (cuprian), 1724, giraudite (ferroan), 1724, giraudite (mercurian), 847, 1726, gold (argentian), 608, 658, 1085, 1506, gold (mercurian), 176, gold (palladian), 578, gold, 176, 340, 608, 1085, 1546, goldquarryite, 757, hagendorfite, 701, haineaultite, 773, hakite (mercurian), 1726, häleniusite-(La), 1101, hematite, 150, 161, hercynite, 161, hessite, 340, 364, 658, 847, heterosite, 701, hollingworthite, 462, hubrite, 826, hydroxylapatite, 7, “iddingsite”, 270, ilmaussite-(Ce), 79, ilmenite, 161, 607, irarsite, 591, irarsite–hollingworthite solid solution, 522, iridarsenite, 591, iridium, 627, 638, isoferroplatinum, 462, isomertite, 576, jaguáite, 1752, johillerite, 718, jolliffeite, 845, kanonite, 149, keithconnite, 576, kuannersuite-(Ce), 97, laurite, 554, 639, laurite–erlichmanite solid solution, 519, 595, lepidolite, 888, lithiophilite, 1108, lithiophilite–triphylite solid-solution series, 1108, lizardite, 195, löllingite, 847, mackinawite, 360, magnesiochromite (ferroan), 1840, magnesiochromite, 194, magnesiohastingsite, 6, magnesiohornblende, 457, magnesio-katophorite, 1815, magnetite (titaniferous), 607, magnetite, 6, 161, 194, 1814, maleevite, 111, mangano-kukisvumite, 783, maucherite (palladian), 488, mazzettite, 1742, melonite (palladian), 477, melonite (palladian bismuthian), 337, 364, merenskyite, 337, 364, 488, 678, mertieite-II, 612, miassite, 575, michenerite, 337, 364, müllerite, 1546, molybdenite (argentian tellurian), 360, monazite-(Ce), 1546, moncheite, 337, 612, monosulfide solid-solution, 49, monticellite, 195, muscovite (chromian), 1546, muscovite, 150, 1546, nepheline, 1808, nevadaite, 743, nickeline, 360, olenite (Ferich), 1059, oligoclase, 607, olivine, 194, 269, 313, 385, 1840, omphacite, 1210, orthoclase, 607, orthopyroxene, 269, 385, Os–Ir–Pt alloy, 627, osmium, 627, 638, oulankaite (argentoan), 448, oulankaite, 446, “oxy-dravite”, 1493, palladoarsenide, 576, pargasite, 6, pectolite, 194, pekovite, 111, pentlandite (palladian), 273, pentlandite (synthetic), 23, pentlandite, 336, 360, 472, 1546, perovskite, 195, 607, 1813, petzite, 658, phillipsite-Na, 1809, phlogopite, 6, 193, 359, 1841, phosphowalpurgite, 967, plagioclase, 269, platarsite (nickelian), 462, platinum (ferroan), 626, platinum, 571, pollucite (altered), 887, pollucite, 887, poly lithionite (Cs-dominant), 891, potarite (cuprian), 578, potarite, 554, potassic-carpholite, 123, Pt–Fe alloy (Rh-rich), 571, Pt–Fe alloy, 571, 589, 606, Pt–Fe–Cu alloy, 626, Pt–Ir–Os alloy, 638, putzite, 1763, pyrite (nickeloan), 336, pyrite (ruthenian), 462, pyrite (synthetic), 49, pyrite, 336, 360, 655, 847, 859, 1085, 1225, pyrochlore (ceroan), 1163, pyrochlore (thorian), 1163, pyrochlore (uranoan), 1163, pyrochlore, 1163, pyrophanite (zincian), 1173, pyrophanite, 161, 1173, pyrrhotite, 336, 360, 472, 1546, quartz, 607, radtkeite (synthetic), 88, rammelsbergite, 1228, rhenium, 658, rhodarsenide, 576, rossmanite, 878, rustenburgite, 608, ruthenium, 638, rutile (niobian), 1863, rutnenridosmine, 638, safflorite, 1228, schorl, 878, serpentine, 269, silicate glass, 7, silicate-melt inclusions, 1588, silver (mercurian), 1752, skippenite, 837, skutterudite, 1228, sobolevskite (tellurian), 612, sperrylite (antimonian), 627, 639, sperrylite (rhodian sulfurian), 460, 488, sperrylite, 337, 476, 488, 678, spinel, 161, 194, stibiopalладинит, 576, стиботанталит, 1121, stillwaterite, 576, стütзит, 658, subburyite (telluroan), 677, subisburyte, 488, 639, 676, taimyrite (Pt-rich), 608, talc (nickeloan), 1068, talc, 269, tarkianite, 543, tatyanaite, 608, tellurium, 364, 658, tellurobismuthite, 340, temagamite, 677, tennantite (argentiferous, tellurian), 657, tennantite (bismuthian), 1728, tennantite (cuprian), 1724, tennantite (Cu-rich), 1506, tennantite (ferroan), 1724, tennantite (zincian), 1724, tennantite, 657, testibiopalладит, 477, тетра-аурокуприде, 608, тетраферроплатинум, 554, тетрахедрит (зинкян), 1727, тетрахедрит, 657, торианит, 1836, тиаманит, 847, титанит, 163, 359, 607, tourmaline (nickeloan), 1070, tremolite, 269, triphyllite, 1108, tsumoite, 364, turanite, 733, umangite, 847, unidentified Os–Ir–Ru–Pt alloy, 589, unidentified Pd–Bi telluride, 426, unidentified Pt–Bi telluride, 426, unidentified Pt–Fe–Pd–Ni–Cu alloy, 554, unidentified Pt–Pd sulfide, 426, unidentified Rh–Fe–Ni sulfide, 575, unknown Au–Ag–Cu–Pd–Pt alloy, 612, unknown Pd–Cu oxide, 343, unknown Pd–Cu–O–H, 690, unknown Pd–Pt–Fe–Cu oxide, 343, unknown Pd telluride–antimonide ( $\beta$ Pd<sub>2</sub>Te<sub>2</sub>Sb), 678, unknown Pt–Fe hydroxide, 343, unknown Pt–Rh–Cu sulfide, 426, unnamed Ag-dominant oulankaite, 448, unnamed Ag–Hg sulfoselenide, 1752, unnamed Ag–Hg–Pd selenide, 1752, unnamed Bi<sub>2</sub>O<sub>3</sub>•3H<sub>2</sub>O, 612, unnamed Cu<sub>2</sub>(Ni,Co)Pt<sub>3</sub>S<sub>8</sub>, 462, unnamed Cu<sub>2</sub>PdAu, 578, unnamed konderite-like (Cu,Fe,Pb)(Rh,Pd,Ir)<sub>2</sub>S<sub>4</sub>, 502, unnamed Pd<sub>3</sub>Bi, 612, unnamed Pd<sub>2</sub>Bi<sub>3</sub>, 612, unnamed Pd(Cu,Te), 578, unnamed Pd<sub>2</sub>Fe, 578, unnamed (Pd,Rh)<sub>3</sub>Te<sub>2</sub>, 576, unnamed Pd<sub>1</sub>Te<sub>2</sub>As<sub>2</sub>, 576, unnamed RhNiAs, 576, unnamed (Rh,Ru)As, 591, unnamed Ru–Os–Ir–Pt–Rh alloy, 571, uraninite, 1836, uranopyrochlore, 1163, vaesite, 49, vasilite, 575, vinciennite, 1511, volynskite, 340, vysotskite–braggite solid-solution, 533, xingzhongite, 591, zerafshanite, 126, zincospirofite, 767, zinnwaldite, 888, zircon, 1836, zirconolite, 1835, zvyagintsevite, 519, 578
- EXPERIMENTAL** (see also Petrology)
- Analytical techniques**
- <sup>40</sup>Ar/<sup>39</sup>Ar Ar geochronology, 9, 1130, 1468, atomic force microscopy, 1652, 1671, 1687, cathodoluminescence, 1146, 1446, 1572, elastic recoil detection analysis, 69, <sup>57</sup>Fe Mössbauer, 1059, 1068, 1120, FTIR, 956, 1276, ICP–AES, 1849, ICP–MS, 1207, INAA, 977, laser-ablation ICP–MS, 632, 1527, laser-ablation ICP–MS on fluid inclusions, 1336, micro-PIXE, 606, 692, <sup>23</sup>Na MAS NMR, 1028, nuclear microprobe, 690, powder neutron diffraction, 136, Rietveld XRD refinement, 136, 1049, 1100, 1874, secondary ionization mass spectrometry (SIMS), 855, 1058, 1207, time-resolved laser-induced fluorescence spectroscopy (TRLFS), 955, <sup>29</sup>Si MAS NMR, 1028, XAFS, 1774, XANES, 1774, XRF microprobe, 1774
- Computer program**
- PALLADIUM**, 393, tourmaline structural formulae, 875
- General**
- Ag[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub> synthesis, 976, Ag[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub> synthesis, 976, aqueous–carbonic homogenization temperature by FTIR, 1277, bequerelite growth on calcite, 1690, bequerelite synthesis, 954, bequerelite TRLFS, 956, cathodoluminescence of apatite, 1146, Co[(UO<sub>2</sub>)(AsO<sub>4</sub>)]<sub>2</sub>(H<sub>2</sub>O)<sub>12</sub> synthesis, 1702, Co[(UO<sub>2</sub>)(AsO<sub>4</sub>)]<sub>2</sub>(H<sub>2</sub>O)<sub>10</sub> synthesis, 1702, cobalt pentlandite synthesis, 18, Cs(H<sub>2</sub>O)[(UO<sub>2</sub>)(AsO<sub>4</sub>)]<sub>2</sub>(H<sub>2</sub>O)<sub>5</sub> synthesis, 976, Cs<sub>2</sub>[(UO<sub>2</sub>)(PO<sub>4</sub>)]<sub>2</sub>(H<sub>2</sub>O)<sub>5</sub> synthesis, 976, dehydrated schoepite synthesis, 1634, 1652, 1690, FC LAPW calculations, 1031, (Fe,Cu,Ni)As<sub>1.5</sub>S<sub>0.5</sub> section synthesis, 43, (Fe,Co,Ni)As<sub>1.5</sub>S<sub>0.5</sub> section synthesis, 63, Fe<sub>4.5</sub>Ni<sub>4.5</sub>S<sub>8</sub>–Co<sub>9</sub>S<sub>8</sub> join synthesis, 18, Fe[(UO<sub>2</sub>)(AsO<sub>4</sub>)]<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub> synthesis, 1702, finite element modeling of fluid inclusions, 1370, fluid-inclusion decrepitate-mound analysis, 1316, 1450, geochemical modeling of PGE in layered intrusions, 394, hydrogen analysis, 690, hydrothermal diamond anvil cell (HDAC), 1370, Ir enrichment of synthetic sulfides, 407, IR microthermometry (enargite), 1507, K<sub>2</sub>Ca<sub>3</sub>[(UO<sub>2</sub>)(CO<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(H<sub>2</sub>O)<sub>6</sub> synthesis, 998, K[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub> synthesis, 976, liebigite growth on calcite, 1692, lithium storage electrodes, 1113, Li[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>4</sub> synthesis, 976, Mg[(UO<sub>2</sub>)(AsO<sub>4</sub>)]<sub>2</sub>(H<sub>2</sub>O)<sub>10</sub> synthesis, 1702, Mg[(UO<sub>2</sub>)(AsO<sub>4</sub>)]<sub>2</sub>(H<sub>2</sub>O)<sub>12</sub> synthesis, 1702, Mn[(UO<sub>2</sub>)(AsO<sub>4</sub>)]<sub>2</sub>(H<sub>2</sub>O)<sub>12</sub> synthesis, 1702, Mn[(UO<sub>2</sub>)(AsO<sub>4</sub>)]<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub> synthesis, 1702, Mn[(UO<sub>2</sub>)(PO<sub>4</sub>)]<sub>2</sub>(H<sub>2</sub>O)<sub>10</sub> synthesis, 1702, Na[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub> synthesis, 976, Na[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub> synthesis, 976,

$\text{Ni}[(\text{UO}_2)(\text{AsO}_4)]_2(\text{H}_2\text{O})_{12}$  synthesis, 1702,  $\text{Ni}[(\text{UO}_2)(\text{PO}_4)]_2(\text{H}_2\text{O})_{10}$  synthesis, 1702,  $\text{Ni}[(\text{UO}_2)(\text{PO}_4)]_2(\text{H}_2\text{O})_{12}$  synthesis, 1702, osmium isotope geochronology, 640, Pd acetate complex stability, 413, Pd mobility in surface environments, 412, Pd oxalate complex stability, 413, pentlandite synthesis, 18, pyrophanite–ecandrewsite solid-solution synthesis, 1873, radtkeite synthesis, 88, Raman spectroscopy of fluid inclusions, 1284,  $\text{Rb}[(\text{UO}_2)(\text{AsO}_4)](\text{H}_2\text{O})_3$  synthesis, 976,  $\text{Rb}[(\text{UO}_2)(\text{PO}_4)](\text{H}_2\text{O})_3$  synthesis, 976, schoepite growth on calcite, 1671, 1687, schoepite synthesis, 1671, 1687, shock-induced re-equilibration of fluid inclusions, 1358,  $^{29}\text{Si}$  and  $^{23}\text{Na}$  MAS NMR spectra of penkvilksite polytypes, 1028, solid solution in the system Ni–Co–Fe–As–S, 1230, swartzite synthesis, 954, swartzite TRLFS, 957,  $\text{Tl}[(\text{UO}_2)(\text{AsO}_4)](\text{H}_2\text{O})_3$  synthesis, 976,  $\text{Tl}[(\text{UO}_2)(\text{PO}_4)](\text{H}_2\text{O})_3$  synthesis, 976, wyartite-II growth on calcite, 1691

#### Stable isotopes

argon, 9, carbon, 1471, 1815, hydrogen, 1429, 1455, 1474, neodymium, 199, osmium, 634, oxygen, 1093, 1209, 1414, 1429, 1454, 1471, 1533, 1815, rubidium, 199, 313, samarium, 199, strontium, 199, 313, sulfur, 1092, 1474

#### SYSTEM

$\text{Fe}-\text{Co}-\text{Ni}-\text{As}-\text{S}$ , 43, 63,  $\text{Fe}-\text{Cu}-\text{S} + ^{192}\text{Ir}$ , 406,  $\text{Fe}-\text{Ni}-\text{Co}-\text{S}$ , 17,  $\text{Fe}-\text{Pb}-\text{S} + ^{192}\text{Ir}$ , 406,  $\text{Fe}-\text{Zn}-\text{S} + ^{192}\text{Ir}$ , 406

#### INFRARED-ABSORPTION SPECTRA

apatite, 1148, aqueous-carbonic fluid inclusions, 1279, becquerelite (synthetic), 959, chevkinite–(Ce), 1015, danburite, 111, eyselite, 1774, haineaultite, 773, häleniusite–(La), 1102, kingite (deuterated), 136, kingite, 136, maleevite, 111, manganokukisvumite, 784, pekovite, 111, phosphophyllite, 969, swartzite (synthetic), 960

#### MICROHARDNESS

fischesserite, 1734, jaguáite, 1750, maleevite, 110, mazzettiite, 1740, pekovite, 110, putzite, 1762, skippenite, 836, tarkianite, 542

#### MINERAL DATA (see also Electron-microprobe analyses)

abernathyite (synthetic), 976, aegirine-augite, 1804, aeschynite–(Y), 1848, agardite–(Ce), 1901, agularite, 1752, alluaudite, 701, alloclasite (synthetic), 70, alloclasite, 1229, almarudite, 1241, altaite, 658, 1740, alumino-magnesiohulsite, 1902, analcime, 897, andalusite (manganian), 147, ankinovichite, 1903, anorthominasragrite, 921, ansermetite, 1242, apatite, 1140, arapovite, 1006, arsenopyrite (synthetic), 56, 71, arsenopyrite, 1225, artsmithite, 215,  $\text{As}_{1-x}\text{S}_x$  melt glass, 49, atheneite, 576, atokite, 577, 608, aurivilliusite, 1904, baddeleyite, 1831, bario-olomite, 1905, becquerelite (synthetic), 954, bobfergusonite, 705, bobjonesite, 216, borax, 1185, borocookeite, 217, borovskite, 673, bowieite, 573, braggite, 573, bravoite, 1546, brinrobertsite, 218, calcium catapleite, 1037, calderonite, 219, carbokentbrooksite, 922, catalanoite, 1906, cattierite (synthetic), 49, cattiite, 220, čejkaite, 221, ceriopyrochlore, 1161, chalcopyrite (PGE-rich), 591, chalcopyrite, 1546, cherepanovite, 591, chevkinite–(Ce), 1015, chlorapatite, 285, chrisstanleyite, 690, 1748, chromite, 549, 586, clinoatacamite, 9, clinobarylite, 222, clinochlore, 1546, cobalt pentlandite (synthetic), 20, cobaltite (palladian), 361, cobaltite (rhodian), 475, cobaltite (synthetic), 51, 71, cobaltite, 475, 1230, colemanite, 1193, coloradoite, 658, 1546, colusite, 1507, cooperite, 462, 573, 591, 640, cuprorthosite, 504, 574, 591, cyrilovite, 701, daomanite, 462, devitrified glass (ijolite pegmatite), 1809, diopside, 193, 549, 1804, diversilite–(Ce), 789, 923, ecandrewsite, 1172, emerald,

1527, enargite, 1506, epistolite, 798, erlichmanite (Ru-rich), 624, erlichmanite, 516, 552, 573, 624, erlichmanite–osarsite solid-solution, 628, eskebornite (sulfurian), 1721, eveslogite, 223, eyselite, 1771, ferri-clinoferroholmquistite, 1243, ferri-ottoliniite, 1244, ferriwhittakerite, 1245, ferrocolumbite, 1860, ferrohögbomite– $2\text{N}2\text{S}$ , 224, ferropargasite (Cl-rich), 266, 440, ferrosaponite, 225, ferrotapiolite (antimonoan), 1121, ferrotapiolite (ferrian), 1121, ferrotapiolite (niobian), 1121, ferrotapiolite, 1120, filatoite, 1907, fischesserite, 1733, fluorapatite (strontian), 1809, fluorapatite, 607, fluorvesuvianite, 1246, foitite, 875, galenbergeite–(Ce), 226, ganterite, 924, garnet, 1210, gersdorffite (As-rich), 1230, gersdorffite (rhodian), 475, gersdorffite (synthetic), 50, 71, gersdorffite, 475, 1546, gersdorffite–cobaltite solid-solution, 1229, giraudite (cuprian), 1724, giraudite (ferroan), 1724, giraudite (mercurian), 1726, glagolevite, 227, gold (argentian), 606, 658, 671, 1085, 1469, 1506, gold (palladian), 578, gold, 170, 606, 864, 1085, 1546, gold-quarryite, 754, graulichite–(Ce), 228, greifensteinite, 229, hagendorfite, 701, haineaultite, 770, 1908, hakite (mercurian), 1726, hakite–giraudite solid-solution, 1721, häleniusite–(La), 1098, herbertsmithite, 1909, hessite, 658, heterosite, 701, hillite, 925, hollingworthite, 462, 574, 626, 635, hubeite, 1910, hydroboracite, 1194, hydroxyapatite, 7, ikranite, 926, ilímaussite–(Ce), 788, ilmenite, 158, 607, inderite, 1194, inyoite, 1193, irarsite, 591, irarsite–hollingworthite solid-solution, 518, iridarsenite, 591, iridium, 624, 635, isoferroplatinum, 462, 602, 621, isomerteite, 577, ixiolite, 1860, jaguáite, 1746, johillerite, 718, jolliffeite, 842, kanonaite, 144, keithconnite, 577, kozoite–(La), 927, krutovite (synthetic), 73, kuannersuite–(Ce), 96, kukarenkoite–(La), 928, kúpcíkite, 929, kurnakovite, 1194, larisaite, 1911, laurite, 459, 516, 552, 573, 624, 640, laurite–erlichmanite solid-solution, 516, 591, leogangite, 1912, lepidolite, 888, lepkhenelmite–Zn, 1913, lindbergite, 1914, lithiophilite, 1106, lithiophilite–triphylite solid-solution series, 1106, lizardite, 194, löllingite (synthetic), 73, magnesiochromite (ferroan), 1829, magnesiochromite, 193, magnesiohastingsite, 6, magnesiokatophorite, 1812, magnesiosadanagaite, 1915, magnesiostaurolite, 230, magnesiotantalite, 231, magnetite (titaniiferous), 607, magnetite, 6, 1811, maikainite, 1247, maleevite, 108, 1916, manganokukisvumite, 782, 1917, marécottite, 232, marinellite, 1248, maucherite (palladian), 488, mazzettite, 1740, melonite (palladian), 475, melonite (palladian bismuthian), 341, 362, merenskyite, 341, 489, 673, mertieite–II, 609, miassite, 573, michenerite, 340, millerite, 1546, molybdenite (argentian tellurian), 361, monazite–(Ce), 1546, moncheite, 341, 612, monosulfide solid-solution, 53, moskvinit–(Y), 1918, murmanite, 802, muscovite (chromian), 1546, muscovite (oscillatory-zoned), 1130, muscovite, 1546, nabalamprophyllite, 1919, nepheline, 1807, neskevaaraite–Fe, 1249, nevadaite, 742, 1920, nikischerite, 233, olenite (Fe-rich), 1058, omphacite, 1210, osarsite, 626, Os–Ir–Pt alloy, 624, 640, osmium, 623, 635, oulankaite (argentoan), 440, oulankaite, 440, ovamboite, 1250, “oxydravite”, 1490, palladium (rosettes), 683, palladoarsenide, 575, paratsepinit–Ba, 234, paravogradovite, 930, pargasite, 6, Pd–O precipitate, 684, pekovite, 108, 1921, pentlandite (palladian), 273, pentlandite (synthetic), 20, pentlandite, 1546, percleveite–(Ce), 931, perovskite, 607, 1810, pertsevite, 1251, petewilliamsite, 1922, petzite, 658, phillipsite–Na, 1808, phlogopite, 6, 192, phosphowalpurgite, 964, platarsite (nickelian), 462, platarsite, 626, platinum (ferroan), 602, 621, platinum, 568, 621, pollucite, 885, polycrase–(Y), 1848, poly lithionite (Cs-dominant), 888, potarite (cuprian), 578, potassium–carpholite, 122, 1923, protoanthophyllite, 1252, Pt–Fe alloy (Rh-rich), 568, Pt–Fe alloy, 568, 587, 602, 640, Pt–Fe–Cu alloy, 626, Pt–Rh alloy, 573, putzite, 1757, pyrite (nickelano), 336, pyrite (ruthenian), 462, pyrite (synthetic), 56, pyrite, 655, 1225, pyrochlorite (ceroan), 1161, pyrochlorite (thorian), 1161, pyrochlorite

(uranoan), 1161, pyrochlore, 1160, pyrophanite (zincian), 1172, pyrophanite, 156, 1172, pyrrhotite (synthetic), 74, pyrrhotite, 1546, radtkeite (synthetic), 88, rammelsbergite, 1228, raslakite, 932, rhenium, 658, rhodarsenide, 575, rhodium, 573, rondorfite, 1253, rossmanite, 875, rustenburgite, 607, rutheniridosmine, 640, ruthenium, 635, rutile (niobian), 1860, safflorite (synthetic), 79, safflorite, 1225, sailaufite, 933, santabarbaraite, 934, schlemaite, 1254, schoepite, 1668, 1687, shirokshinite, 935, shirozulite, 1255, siegenite (synthetic), 57, silicate glass, 7, silver (mercurian), 1752, skippenite, 835, skutterudite (synthetic), 73, skutterudite, 1225, sobolevskite (tellurian), 607, sodic-ferri-ferropedrizite, 1256, sperrylite (rhodian sulfurian), 460, 640, sperrylite, 474, 489, 575, 640, 673, sphærobertrandite, 936, sprigrite, 1257, stibiopalladinite, 576, stibiotantale, 1120, stillwaterite, 576, sturmanite, 723, stützite, 658, sudburyite (telluroan), 673, sudburyite, 489, 640, 673, surkhobite, 938, swartzite (synthetic), 954, synthetic Ag[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 976, synthetic Ag[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 976, synthetic Co[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>12</sub>, 1704, synthetic Co[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>8</sub>, 1705, synthetic Co[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>10</sub>, 1705, synthetic Cs<sub>2</sub>[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>5</sub>, 976, synthetic Cs<sub>2</sub>[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>5</sub>, 976, synthetic dehydrated schoepite, 1634, synthetic Fe[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>8</sub>, 1705, synthetic K[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>3</sub>, 976, synthetic K<sub>2</sub>Ca<sub>3</sub>[(UO<sub>2</sub>)(CO<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(H<sub>2</sub>O)<sub>6</sub>, 997, synthetic Li[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>4</sub>, 976, synthetic Mg[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>10</sub>, 1705, synthetic Mg[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>12</sub>, 1704, synthetic Mn[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>12</sub>, 1704, synthetic Mn[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>8</sub>, 1705, synthetic Mn[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>10</sub>, 1704, synthetic Na[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>3</sub>, 976, synthetic Na[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>12</sub>, 1704, synthetic Ni[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>10</sub>, 1705, synthetic Ni[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>12</sub>, 1704, synthetic Rb[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 976, synthetic Rb[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 976, synthetic Ti[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>3</sub>, 976, synthetic Ti[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 976, taimyrite (Pt-rich), 606, talc (nickeloan), 1069, tarkianite, 540, 1924, taseqite, 1925, tatyanaite, 606, telargpalite, 440, tellurium, 658, telyushenkoite, 1258, temagamite, 673, tennantite (argentiferous, tellurian), 657, tennantite (bismuthian), 1728, tennantite (cuprian), 1724, tennantite (Cu-rich), 1506, tennantite (ferroan), 1724, tennantite (zincian), 1724, tennantite, 657, tennantite-giraudite solid-solution, 1721, testibiopaladite, 475, tetraauricupride, 606, tetraferroplatinum, 552, 623, tetrahedrite (zincian), 1727, tetrahedrite, 657, thorianite, 1831, thoripyrochlore, 1163, thorite, 1831, tillmannsite, 939, tourmaline (nickeloan), 1069, trattnerite, 1926, triphylite, 1106, trögerite, 992, tsepinite-Ca, 940, tsumgallite, 941, tsumoite, 364, tuite, 1259, tulameenite, 623, tunellite, 1196, turanite, 731, ulexite, 1191, unidentified Os–Ir–Ru–P alloy, 587, unidentified Pd–Bi telluride, 426, unidentified Pt–Bi telluride, 426, unidentified Pt–Fe–Pd–Ni–Cu alloy, 552, unidentified Pt–Pd sulfide, 426, unidentified Rh–Fe–Ni sulfide, 574, unidentified Ru–Fe oxide, 552, unknown Au–Ag–Cu–Pd–Pt alloy, 609, unknown Ca–Th phosphocarbonate, 609, unknown Pd–Cu oxide, 343, unknown Pd–Cu–O–H, 690, unknown PdO-like, 684, 690, unknown Pd–Pt–Fe–Cu oxide, 343, unknown Pd telluride ( $\approx$ FeAuBiPd<sub>2</sub>Te<sub>3</sub>), 273, unknown Pd telluride–antimonide ( $\approx$ Pd<sub>2</sub>Te<sub>2</sub>Sb), 673, unknown Pt–Fe hydroxide, 343, unknown Pt–Rh–Cu sulfide, 426, unknown titanite-like (Cl-rich), 606, unnamed Ag-dominant oulankaite, 440, unnamed Ag–Hg sulfoselenide, 1752, unnamed Ag–Hg–Pd selenide, 1748, unnamed Bi<sub>2</sub>O<sub>3</sub>•3H<sub>2</sub>O, 607, unnamed Cu<sub>2</sub>(Ni,Co)Pt<sub>3</sub>S<sub>8</sub>, 461, unnamed Cu<sub>2</sub>PdAu, 578, unnamed kondenerite-like (Cu,Fe,Pb)(Rh,Pd,Ir)<sub>2</sub>S<sub>4</sub>, 501, unnamed Pd<sub>3</sub>Bi, 607, unnamed Pd<sub>7</sub>Bi<sub>3</sub>, 607, unnamed Pd(Cu,Te), 578, unnamed Pd<sub>3</sub>Fe, 577, unnamed (Pd,Rh)<sub>3</sub>Te<sub>2</sub>, 577, unnamed Pd<sub>11</sub>Te<sub>2</sub>As<sub>2</sub>, 577, unnamed RhNiAs, 575, unnamed (Rh,Ru)As, 591, unnamed Ru–Os–Ir–Pt–Rh alloy, 571, uraninite, 1831, uranopyrochlore, 1161, vaesite, 54, vasilit, 574, vasilyevite, 942, vinciennite, 1507, vitimite,

943, vysotskite–braggite solid-solution, 524, watatsumite, 944, wodginite, 1860, xingzhongite, 591, zerafshanite, 126, zincospioffite, 764, 1927, zincostaurolite, 945, zircon, 1831, zirconolite, 1831, zirsilite-(Ce), 1260, zvyagintsevite, 519, 577

## MINERALOGICAL ASSOCIATION OF CANADA

Berry Medal for 2004 (Scott), 1891, errata, 1265, 1267, 1899, 1900, Hawley Medal for 2004 (Mungall & Brenan), 1889, Past Presidents' Medal for 2004 (Wicks), 1893, proceedings of the 49th annual meeting, 2004 (McDonald), 1887, Young Scientist Medal for 2004 (Pan), 1897

## MÖSSBAUER SPECTROSCOPY

ferrotapiolite (ferrian), 1121, olenite (Fe-rich), 1059, tourmaline (nickeloan), 1068

## NEW MINERAL SPECIES

New Minerals, (Mandarino), 215, 921, 1241, 1901, New minerals approved in 2003 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 905, agardite-(Ce), 1901, almarudite, 1241, alumino-magnesiohulsite, 1902, ankinovichite, 1903, anorthominasragrite, 921, ansermetite, 1242, arapovite, 1006, artsmitrite, 215, aurivilliusite, 1904, bario-oligte, 1905, bobjonesite, 216, borocookeite, 217, brinrobertsite, 218, calderonite, 219, carbokentbrooksite, 922, catalanoite, 1906, cattite, 220, čejkaite, 221, clinobarylite, 222, diversilite-(Ce), 923, eveslogite, 223, eyselite, 1771, ferri-clinoferroholmquistite, 1243, ferri-ottoliniite, 1244, ferriwhittakerite, 1245, ferrohögbonite–2N2S, 224, ferrosaponite, 225, filatoelite, 1907, fluorvesuvianite, 1246, galenberglite-(Ce), 226, ganterite, 924, glagolevite, 227, graulichite-(Ce), 228, greifensteinite, 229, haineaultite, 770, 1908, håleniusite-(La), 1098, herbertsmithite, 1909, hillite, 925, hubeite, 826, 1910, ikranite, 926, jaguéite, 1746, kozoite-(La), 927, kuannersuite-(Ce), 96, kukharenkoite-(La), 928, kupčíkite, 929, larisaite, 1911, leogangite, 1912, lepkhenelmite-Zn, 1913, lindbergite, 1914, magnesiosadanagaite, 1915, magnesiostaurolite, 230, magnesiotantalite, 231, maikainite, 1247, maleevite, 108, 1916, manganokukisvumite, 782, 1917, marécottite, 232, marinellite, 1248, mazzettiite, 1740, moskvinit-(Y), 1918, nabalamprophyllite, 1919, neskevaaraite-Fe, 1249, nevadaite, 742, 1920, nikischerite, 233, ovamboite, 1250, paratsepinitite-Ba, 234, paraviningradovite, 930, pekovite, 108, 1921, perclelite-(Ce), 931, pertsevite, 1251, petewilliamsite, 1922, phosphowalpurgite, 964, potassic-carpholite, 122, 1923, protoanthophyllite, 1252, putzite, 1757, raslakite, 932, rondorfite, 1253, sailaufite, 933, santabarbaraite, 934, schlemaite, 1254, shirokshinite, 935, shirozulite, 1255, sodic-ferri-ferropedrizite, 1256, sphærobertrandite, 936, sprigrite, 1257, surkhobite, 938, tarkianite, 540, 1924, taseqite, 1925, telyushenkoite, 1258, tillmannsite, 939, trattnerite, 1926, tsepinite-Ca, 940, tsumgallite, 941, tuite, 1259, vasilyevite, 942, vitimite, 943, watatsumite, 944, zincospioffite, 764, 1927, zincostaurolite, 945, zirsilite-(Ce), 1260

## NOMENCLATURE

"Named amphiboles": a new category of amphiboles recognized by the International Mineralogical Association (IMA), and the proper order of prefixes to be used in amphibole names, 1881, Nomenclature modifications approved in 2003 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 912, arapovite, 1006, eyselite, 1771, haineaultite, 770, håleniusite-(La), 1098, jaguéite, 1746, kuannersuite-(Ce), 96, maleevite, 108, manganokukisvumite, 782, mazzettiite, 1740, meta-autunite group, 975, nevadaite, 742, oulankaite, 440, pekovite, 108,

phosphowalpurgite, 964, potassio-carpholite, 122, prassoite (approval withdrawn), 913, putzite, 1757, spodiosite (discredited), 912, tarkianite, 540, zincospiroffite, 764

## OPTICAL PROPERTIES

### General

eyselite, 1773, haineaultite, 773, kuannersuite-(Ce), 96, maleevite, 110, manganokukisvumite, 783, nevadaite, 743, pekovite, 110, phosphowalpurgite, 966, potassio-carpholite, 122

### Reflectance

argyrodite, 1762, cobalt pentlandite (synthetic), 20, fischiesserite, 1734, jagu  ite, 1750, mazzettite, 1741, oulankaite, 443, pentlandite (synthetic), 20, putzite, 1762, skippenite, 837, tarkianite, 541, unnamed Ag-dominant oulankaite, 443, zincospiroffite, 765

## PETROLOGY

### General (see also Experimental)

acid-sulfate water alteration, 1484, 1513, analcime (primary *versus* secondary), 897, apatite-weathering profile, 1155, arsenopyrite geothermometer, 1414, Bastn  s deposit, 1098, Bathurst Mining Camp, 852, Catal  o I carbonatite, 1140, cesium enrichment in granite, 884, chlorite geothermometer, 160, chondrite-normalized PGE, 345, 368, 550, 615, chondrite-normalized REE, 772, Cl/Br in Sudbury Breccia, 1785, Cu-Cl-salt-hydrate melt, 2, Cu-Ni-PGE deposit, 1778, Dari-Pioz alkaline massif, 108, 126, 1006, East Kemptville tin deposit, 1317, emerald, 1527, endolithic microbial microborings, 1564, fluid-inclusion data, 1275, 1283, 1315, 1331, 1357, 1369, 1383, 1405, 1425, 1443, 1465, 1483, 1501, 1523, 1541, 1563, 1583, 1782, geochronology, 9, 313, 640, 1130, 1468, geothermometry, 11, 160, 1215, 1393, 1410, 1448, 1474, 1485, 1512, 1530, 1547, 1574, 1587, gold (palladian), 684, gold (secondary), 179, 765, gold in VMS ores, 661, 671, 852, gold mineralization, 660, 671, 1084, 1386, 1407, 1444, 1469, 1502, 1543, Gold Quarry mine, 742, 754, gold transport, 676, 865, 1398, 1417, 1461, 1478, hagendorfite (primary), 697, hagendorfite-alluaudite transition, 701, hydrothermal REE deposit, 1332, hydrothermally deposited laurite, 465, ijolitic pegmatite crystallization, 1818, ijolitic-pegmatite-forming melt, generation, 1817, Il  maussaq alkaline complex, 96, 788, 798, immiscible melts, 10, immiscible sulfide liquid, 287, 299, 317, 344, 365, 431, 470, 476, 493, 555, 1778, invisible gold, 656, 863, Kalgoorlie, 1382, Kamchatka Peninsula (GFTE), 718, Kirka borate deposit, 1179, Kola Peninsula, 455, 1027, Lake George antimony mine, 1444, Lake Lewis leucogranite geochronology, 1130, layered intrusion, 244, 262, 280, 292, 306, 424, 440, 455, Lened emerald prospect, 1524, mantle-source PGM, 643, marble xenoliths (Mont Saint-Hilaire), 771, metamict, 1006, 1014, 1161, 1847, Mont Saint-Hilaire, 770, 782, Nb/Ta fractionation, 1125, Niederschlema U-Se deposit, 842, 1720, Oka carbonatite complex, 1160, Oman ophiolite, 144, oscillatory-zoned muscovite, 1130, *ouro preto*, 690, palladium (rosettes), 683, penkvilksite polytypes, 1027, PGE mobility, 274, 366, 412, 494, 663, 676, 683, PGE thiospinels, 505, Pilansberg alkaline complex, 1169, placer gold morphology, 172, porphyry copper deposit, 1584, Pt-Fe alloy macrocrystals, 604, pyrophanite-ilmenite solid-solution, 158, silicate-melt inclusions, 1584, South Mountain Batholith, 1130, 1425, spider diagram, 1805, stibiotantalite alteration, 1118, Sudbury Breccia, 1778, Ta(Nb) mobility, 1125, Tsumeb, 1772, TUBAF Seamount, 2, unmixing of Cu-Fe-S melt, 11, unmixing of Cu-salt-hydrate melt, 11, vapor-dominated geothermal system, 1484, VMS deposit, 652, 852, xenoliths, 2,

186, zirconolite in chromitite, 1825, zoned borate deposit, 1180

### Igneous

chromitite, 244, 424, 457, 548, 1826, eclogite, 1206, granite (topaz-lepidolite), 884, granite pegmatite (NYF-type), 1332, granite pegmatite, 698, 874, 1058, 1106, 1118, 1800, 1849, 1860, granodiorite, 1446, harzburgite, 355, 546, ijolitic pegmatite, 1801, kimberlite, 184, lepidolite pegmatite, 1118, leucogranite, 1130, lherzolite, 292, 307, 356, 546, luajavrite, 1169, melanephelinite, 1800, troctolite, 265

### Metamorphic

itabirite, 684, quartzite, 1545

### PGE deposits

Aguablanca deposit, 326, Bushveld Complex, 244, 564, detrital PGM (Evander), 632, detrital PGM (Gal'moenan), 620, detrital PGM (Kondyor PGM placer), 602, detrital PGM (Merensky Reef), 564, detrital PGM (Zolotaya River), 564, Evander Goldfield, 632, Fox River Sill (KO Zone), 292, Gal'moenan complex, 620, Genina Gharbia intrusion, 352, Gongo Soco, 684, 690, Hitura mine, 540, Imandra layered intrusion, 456, Impala Platinum mine, 424, Jinchuan ultramafic intrusion, 372, Jinchuan ultramafic intrusion deposit model, 383, J-M Reef, 262, J-M Reef: grade *versus* alteration, 274, Katiniq orebody, 486, Kimberley Reef, 632, Kirakkajuppura deposit, 500, 516, Kl  ppsj   Gabbro, 280, KO Zone deposit model, 299, Kondyor PGM placer, 602, Koryak-Kamchatka Platinum Belt, 620, Lukkulaisvaara layered intrusion, 440, Maandagshoek farm, 564, McBratney PGE-Au prospect, 668, Merensky Reef, 244, 424, 564, Merensky Reef evolution model, 258, 430, Mount Ayliff Intrusion, 304, Mount Bol'shaya Varaka deposit, 457, Nadezhda Pt-Pd-Ag deposit, 440, Ni-Cu-PGE deposits, 262, 292, 304, 326, 352, 372, 470, 486, 540, 670, Northam Platinum mine, 247, Nurali complex, 546, Penikat layered complex, 500, 516, PGE in chromitites, 248, Raglan, 486, Stillwater Complex, 262, Uralian-Alaskan-type complex, 584, 602, 620, 836, Uzelginsk VMS deposit, 652, Witwatersrand, 632, Yangliuping deposit, 470, Zolotaya River gold placer, 584

## RAMAN SPECTRA

aeschynite-(Y), 1853, apatite, 1147, fluid inclusions (natural), 1392, 1413, 1533, fluid inclusions (synthetic), 1285, hydrohalite, 1295, ice, 1289,  $MgCl_2 \cdot 12H_2O$ , 1303,  $MgCl_2$  brine, 1299, NaCl brine, 1292, polycrase-(Y), 1853, poly lithionite (Cs-dominant), 890, shocked quartz, 1366, water, 1287, zincospiroffite, 766

## SCANNING-ELECTRON MICROGRAPHS

alloclasite, 1226, altaite, 660, 1740, analcime, 900, andalusite (manganese), 148, anhydrite, 1493, apatite, 282, arsenopyrite (Au-bearing), 861, arsenopyrite, 1226, atokite, 611, baddeleyite, 1834, brachonite, 1099, chrisstanleyite, 1749, chromitite, 1829, cobalt pentlandite (synthetic), 22, cobaltite (rhodian), 474, cobaltite, 1226, coloradoite, 661, colosite, 1509, cooperite, 567, 593, 636, cuprorhodesite, 501, 593, daomanite, 458, daughter minerals, 1555, 1783, decrepitate mounds, 1319, 1454, ecandreelite, 1172, erlichmanite, 552, 625, eskebornite (sulfurian), 1721, eskebornite, 844, exsolution in Cu-Fe sulfide melt, 10, eyselite, 1775, ferrotapiolite (ferrian), 1120, fluid inclusions (Sudbury Breccia), 1782, foitite, 876, gersdorffite (As-rich), 1226, gersdorffite-cobaltite solid-solution, 1226, gold (argentian), 659, gold (secondary), 179, gold in pyrite, 1083, gold, 174,

339, 567, granite contamination of kimberlite, 202, häleniusite-(La), 1099, hessite, 338, hollingworthite, 625, irarsite, 339, 501, irarsite-hollingworthite solid-solution, 520, isoferroplatinum, 625, isomertite, 567, jaguéite, 1749, jolliffeite, 844, kanonaite, 148, kimberlite (Gahcho Kue), 191, laurite, 429, 501, 552, 636, laurite-erlichmanite solid-solution, 517, maleevite, 109, manganokukisvumite, 782, mazzettite, 1740, melonite (palladian), 338, merenskyite, 338, 491, mertieite-II, 611, michenerite, 338, moncheite, 338, 442, 611, niocalite, 1164, osarsite, 625, osmium, 625, 636, oulankaite (argentoan), 442, oulankaite, 442, palladium (rosettes), 685, pekovite, 110, pentlandite (synthetic), 22, petzite, 661, phosphowalpurgite, 966, platarsite, 625, pollucite, 886, poly lithionite (Cs-dominant), 891, Pt-Fe alloy (Rh-rich), 567, Pt-Fe alloy, 567, 593, 606, 624, 637, pyrite (Au-bearing), 861, 1083, pyrite (ruthenian), 459, pyrite, 1226, pyrochlore (ceroan), 1161, pyrochlore (uranoan), 1161, pyrophanite (zincian), 1172, pyrophanite, 1172, radtkeite (synthetic), 88, rammelsbergite, 1226, rhenium, 662, rossmanite, 877, Ru-Os-Ir-Pt alloy, 637, safflorite, 1226, silver, 662, skutterudite, 1226, sobolevskite, 611, sperrylite (rhodian sulfuran), 460, sperrylite, 268, 338, 478, 491, 567, 637, stibiotantalite, 1120, sudburyite, 491, 637, taimyrite, 608, tangetite, 733, tatyanaite, 608, telargpalite, 442, tellurium, 662, tellurobismuthite, 339, tennantite-giraudite solid-solution, 1721, tetra-auricupride, 608, tetraferroplatinum, 553, 625, tulaneeinite, 625, turanite, 733, unidentified Os-Ir-Ru-Pt alloy, 592, 637, unidentified Pd-Bi telluride, 429, unidentified Pt-Bi telluride, 429, unidentified Pt-Fe-Pd-Ni-Cu alloy, 553, unidentified Pt-Pd sulfide, 429, unidentified Ru-Fe oxide, 552, unknown Pd-Cu oxide, 344, unknown Pd-Pt-Fe-Cu oxide, 344, unknown Pt-Fe hydroxide, 344, unknown Pt-Rh-Cu sulfide, 426, unnamed Ag-Hg-Pd selenide, 1749, unnamed Cu<sub>2</sub>(Ni,Co)Pt<sub>3</sub>S<sub>8</sub>, 458, unnamed konderite-like (Cu,Fe,Pb)(Rh,Pd,Ir)<sub>2</sub>S<sub>4</sub>, 501, vincinnite, 1509, volynskite, 338, vysotskite-braggite solid-solution, 532, xingzhongite, 593, zincospiroffite, 765, zirconolite, 1832

## TEXTURES

apatite, 1144, foitite, 875, granoblastic, 1082, gumbite alteration, 1066, ijolitic pegmatite, 1802, J-M Reef alteration, 266, kimberlite (Gahcho Kue), 188, microglobules of chlorochlore and zvyagintsevite, 519, Ni-Co-Fe sulfarsenides, 1226, olivine websterite, 296, replacement (po/cpy), 1082, reverse net-texture, 487, rossmanite, 875, symplectite, 1207, 1828, unidentified Os-Ir-Ru-Pt alloy, 592, unnamed konderite-like (Cu,Fe,Pb)(Rh,Pd,Ir)<sub>2</sub>S<sub>4</sub>, 501

## THERMOGRAVIMETRIC ANALYSIS

aeschynite-(Y), 1849, apatite, 1148, cobalt pentlandite (synthetic), 29, pentlandite (synthetic), 29, polycrase-(Y), 1849

## TRACE-ELEMENT DATA

aeschynite-(Y), 1852, anorthosite, 425, arsenopyrite, 860, Au-Cu ore, 1899, chromitite, 425, 551, Cl and Br in Sudbury Breccia, 1785, eclogite, 1209, emerald, 1528, gabbro, 296, 361, gabbronorite, 296, 381, garnet peridotite, 188, garnet, 1210, granite (SE Slave Province), 188, granite xenolith in kimberlite, 188, harzburgite (serpentinitized), 361, harzburgite, 361, hornblende gabbro, 296, ijolitic pegmatite (zeolitic), 1804, ijolitic pegmatite, 1804, J-M Reef, 274, kimberlite (Gahcho Kue), 188, kimberlitic magma (calculated), 188, leucogabbro, 296, leuconorite, 425, lherzolite, 296, 361, melanophelinitite (olivine), 1804, melanorite, 425, norite, 361, olivine websterite, 296, omphacite, 1210, peridotite, 378, perovskite, 196, PGE in Ni-Cu-PGE ore, 343, plagioclase-lherzolite, 296, polycrase-(Y), 1852, Pt-Fe alloy macro-

crystal, 606, pyrite (auriferous), 859, 1085, pyroxenite, 361, silicate-melt inclusions, 1588, siltstone, 296, VMS ore and concentrates, 655, 856

## TRANSMISSION ELECTRON MICROSCOPY

fluid inclusion in quartz, 1374

## TWINNING (see also Crystallography)

calcium catapleite, 1039, chromate aluminate sodalite (synthetic), 1048, jaguéite, 1750, oulankaite, 440, phosphowalpurgite, 966, rammelsbergite, 1223, turanite, 732

## X-RAY DIFFRACTION (see also Crystal Structure)

### Cell dimensions

aeschynite-(Y), 1850, apatite, 1147, arapovite, 1007, bobergusonite, 707, calcium catapleite, 1040, cattierite (synthetic), 47, chevkinit-(Ce), 1015, chromate aluminate sodalite (synthetic), 1049, chromate aluminate sodalite (synthetic, high-temperature), 1049, cobalt pentlandite (synthetic), 19, cobaltite (synthetic), 47, episoltite, 799, eyselite, 1773, ferrocolumbite, 1864, ferrotapiolite (ferrian), 1122, fischesserite, 1734, gersdorffite (synthetic), 47, gold-quarryite, 754, haineaultite, 774, häleniusite-(La), 1098, hubeite, 826, ilmaussite-(Ce), 791, jaguéite, 1751, johillerite, 718, kuannersuite-(Ce), 98, lithiophilite, 1107, lithiophilite-triphylite solid-solution series, 1107, maleevite, 113, manganokukisvumite, 784, mazzettite, 1742, nevadaite, 744, olenite (Fe-rich), 1061, pekovite, 113, pentlandite (synthetic), 19, phosphowalpurgite, 967, polycrase-(Y), 1850, potassic-carpholite, 123, putzite, 1763, pyrite (synthetic), 47, radtkeite (synthetic), 89, rutile (niobian), 1864, skippenite, 837, sturmanite, 724, synthetic Ag[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 979, synthetic Ag[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>, 979, synthetic Co[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>], 1704, synthetic Co[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>], 1705, synthetic Co[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>10</sub>], 1705, synthetic Cs(H<sub>3</sub>O)[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>5</sub>], 979, synthetic Cs<sub>2</sub>[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>5</sub>], 979, synthetic Fe[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>], 1705, synthetic K[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>], 978, synthetic K<sub>2</sub>Ca<sub>3</sub>[(UO<sub>2</sub>)(CO<sub>3</sub>)<sub>3</sub><sub>2</sub>(H<sub>2</sub>O)<sub>6</sub>], 998, synthetic Li[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>4</sub>, 978, synthetic Mg[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>10</sub>], 1705, synthetic Mg[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>12</sub>], 1704, synthetic Mn[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>], 1704, synthetic Mn[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>10</sub>], 1704, synthetic Na[(UO<sub>2</sub>)(AsO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>], 978, synthetic Na[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>], 978, synthetic Ni[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>12</sub>], 1704, synthetic Ni[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>10</sub>], 1705, synthetic Ni[(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>12</sub>], 1704, synthetic pyrophanite-ecandrewsite solid-solution, 1876, synthetic Rb[(UO<sub>2</sub>)(AsO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>3</sub>], 978, synthetic Rb[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>], 979, synthetic Tl[(UO<sub>2</sub>)(PO<sub>4</sub>)](H<sub>2</sub>O)<sub>3</sub>], 979, tarkianite, 542, triphylite, 1107, turanite, 734, vaesite, 47, zeravshanite, 126, zincospiroffite, 767

### Powder data

aeschynite-(Y), 1850, analcime, 899, cobalt pentlandite (synthetic), 25, eyselite, 1774, fischesserite, 1735, haineaultite, 774, häleniusite-(La), 1100, ilmaussite-(Ce), 791, jaguéite, 1752, kingite (deuterated), 138, kuannersuite-(Ce), 97, maleevite, 112, manganokukisvumite, 785, mazzettite, 1742, nevadaite, 744, pekovite, 112, pentlandite (synthetic), 26, phosphowalpurgite, 966, polycrase-(Y), 1850, potassic-carpholite, 123, putzite, 1763, radtkeite (synthetic), 93, skippenite, 838, synthetic pyrophanite-ecandrewsite solid-solution, 1875, tarkianite, 543, zincospiroffite, 767