

# Thraciodea (Mollusca: Bivalvia) Reported from the City of San Diego's Ocean Monitoring Program

By K. Barwick

## Thraciodea

### Thraciidae

*Asthenothaerus diegensis* (Dall, 1915)

*Cyathodonta pedroana* Dall, 1915

*Thracia trapezoides* Conrad, 1849


### Periplomatidae

*Periploma discus* Stearns, 1890


*Periploma planiusculum* G. B. Sowerby I, 1834

Key to species:

1. a. Shell with concentric oblique undulating ribs, Fig. 3\* ..... *Cyathodonta pedroana* ..... 2  
b. Shell without ribs ..... 2
2. a. Condrophore present located posterior to umbones on both valves, Fig. 1 .....  
*Periploma* spp. ..... 3  
b. Chondrophore absent; a small rounded lateral projection just anterior to umbone on the right valve may be present, Fig. 2 ..... 4
3. a. Shell discoid shape, Fig. 6 ..... *Periploma discus*  
b. Shell subquadrate, Fig. 7 ..... *Periploma planiusculum*
4. a. Shell length greater than 3 mm. .... 5  
b. Shell length less than or equal to 3 mm. .... Thraciidae
5. a. Ligament external, *Thracia* sp. .... 6  
b. Ligament internal, Fig. 4 ..... *Asthenothaerus diegensis*
6. a. Shell length less than or equal to 5 mm ..... *Thracia* sp  
b. Shell length greater than 5 mm, Fig. 5 ..... *Thracia trapezoides*



**Fig. 1** — Right valve of *Periploma discus* showing internal hinge structure. (3 mm specimen)



**Fig. 2** — Right valve of Thraciidae showing internal hinge structure. (2 mm specimen)

Thraciodea (Mollusca: Bivalvia)  
Februaray, 1993; Revised November, 2000  
K. Barwick



Fig. 3 — *Cyathodonta pedroana*



Fig. 4 — *Asthenothaerus diegensis*



Fig. 5 — *Ihracia trapezoides* (tick marks = 1mm)



Fig. 6 — *Periploma discus* (length = 18 mm)



Fig. 7 — *Periploma planiusculum*