

## Index

Numbers in bold type refer to illustrations

- Abalone, 109
- Abarenicola claparedi oceanica*, 49;
  - A. pacifica*, 49; *A. vagabunda oceanica*, 49
- Abietinaria* spp., 17
- Acanella* sp., 19
- Acanthina*, 89
- Acanthinephyra curtirostris*, 183;
  - A. hispidus*, 184
- Acanthochitonidae, 153
- Acanthochitonina, 152, 153
- Acanthodoris*, 90; *A. brunnea*, 120;
  - A. hudsoni*, 120; *A. nanaimoensis*, 120; *A. rhodoceras*, 120
- Acanthogorgiidae Family, 19
- Acarnus erithacus*, 11
- Acila castrensis*, 132, **139**
- Acmaea*, 89
- Acmaeidae, 89
- Acorn worms, 293-95
- Acotylea Suborder, 26
- Acocirridae Family, 68
- Acrocirrus heterochaetus*, 42
- Acteocina*, 89
- Acteonidae Family, 103
- Acteonidae, 89
- Actiniaria Order, 15, 20-22
- Actiniidae Family, 19
- Actinocyclidae, 90
- Actinostolidae Family, 19
- Actinotroch larvae, 253
- Actinotrocha A*, 257; *Actinotrocha B*, 256; *Actinotrocha D*, 254, 257, **258**
- Actinula, 16
- Adalaria*, 90; *Adalaria* sp., 120
- Adocia*, 9; *A. gellindra*, 11
- Adula californiensis*, 132;
  - A. diegensis*, 132; *A. falcata*, 132
- Aedicira pacifica*, 54
- Aegires*, 90, **98**; *A. albopunctatus*, 96, 120; *A. punctilucens*, 98
- Aeolidia*, 90; *A. papillosa*, 121
- Aeolidiidae, 90
- Aequorea victoria*, 17
- Aequoreidae Family, 17
- Aetea* sp., 262
- Aeteidae Family, 262
- Agalmidae Family, 17
- Aglaja*, 89, 104
- Aglajid opistobranch, 103
- Aglajidae, 89
- Aglaopheniidae Family, 17
- Agriodesma saxicola*, 135
- Akentrogonida, 175
- Akentrogonidae, 175
- Alaskan Gaper, **148**
- Alciopa reynaudi*, 55
- Alciopidae Family, 47, **55**
- Alciopina tenuis*, 55
- Alcyonacea Order, 19
- Alcyonaria Subclass, 19
- Alcyoniidae Family, 19
- Alcyoniidiidae Family, 262
- Alcyonium gelatinosum*, 262, 267;
  - A. mammillatum*, 262;
  - A. parasiticum*, 262;
  - A. pedunculatum*, 262; *A. duplex*, 262; *A. mytili*, 262, **264**;
  - A. polyoum*, 262
- Alcyoniina Suborder, 19
- Alcyonium* spp., 19
- Alderia*, 90; *A. modesta*, 105, 119
- Alderina brevispina*, 262
- Alderinidae Family, 262
- Aldisa*, 90; *A. cooperi*, 120;
  - A. sanguinea*, 120
- Aldisidae, 90
- Algaophenia* spp., 17
- Alia*, 89
- Allia ramosa*, 54
- Allocentrotus fragilis*, 273, **279**
- Allopora petrograpta*, 17; *A. porphyra*, 17; *A. venusta*, 17; *A. verrilli*, 17
- Alpheidae Family, 182, 196
- Alteration of generations, 13
- Alvania*, 89
- Amage anops*, 74
- Amblysyllis lineata var. alba*, 66;
  - Amblysyllis* sp., 66
- Ammochares*, 55
- Ammotrypane aulogaster*, 53
- Ampharete acutifrons, 74;
  - A. finmarchica*, 74; *A. goesi goesi*, 74; *A. arctica*, 74; *A. grubei*, 74; *A. gagareae*, 74
- Ampharetidae Family, 74
- Amphiblastula larvae, 6, 7
- Amphiteis gunneri floridus*, 75;
  - A. mucronata*, 74;
  - A. scaphobranchiata*, 74
- Amphictene auricoma*, 75; *A. moorei*, 75
- Amphinomida Order, 48
- Amphinomidae Family, 45, 48
- Amphiodia occidentalis*, 274;
  - A. urtica*, 274
- Amphioplus macraspis*, 274;
  - A. strongyloplax*, 274
- Amphipholis pugetana*, 274;
  - A. squamata*, 274
- Amphisamytha bioculata*, 74
- Amphissa*, 89
- Amphitrite, 76; *A. cirrata*, 76;
  - A. scionides dux*, 76; *A. palmata*, 76
- Amphoriscidae Family, 9
- Anaata brepha*, 11; *A. spongigartina*, 11
- Anaitides groenlandica*, 60, **61**;
  - A. hartmanna*, 60; *A. medipapillata*, 60; *A. mucosa*, 60, **62**, **62**; *A. multiserata*, 60; *A. williamsi*, 60, **62**
- Anaspidea, 119
- Anaspidean opistobranch, 106
- Anatoma*, 89
- Anchinoe*, 9
- Archinoidae Family, 11
- Ancistrolepis*, 89
- Ancistrosyllis aff. groenlandica*, 63
- Ancula*, 90; *A. pacifica*, 120
- Ancystrosyllis*, 62, **63**
- Angulosasscus tenuis*, 158, 175
- Anisodoris*, 90; *A. lentiginosa*, 120;
  - A. nobilis*, 120
- Anobothrus gracilis*, 74
- Anomiidae, 133
- Anomura, 184: Anomuran megalopa, 184, 198; Anomuran zoea, 190
- Anthoarcuata graceae*, 11
- Anthopleura artemisia*, 19;
  - A. elegantissima*, 13, 18-20;
  - A. xanthogrammica*, 19, 21
- Anthoptilidae Family, 19
- Anthoptilum grandiflorum*, 19
- Anthothela pacifica*, 19
- Anthothelidae Family, 14, 19
- Anthozoa Class, 13, 18-22
- Antinoe*, 63
- Antinoella*, 63
- Antipatharia Order, 19
- Antipathes* sp., 19
- Antipathidae Family, 19
- Antipathina Suborder, 19
- Antiplanes*, 89; *A. perversa*, **102**; *A. voyi*, 102
- Antomedusae, 17
- Aphrodita japonica*, 55; *A. longipalpa*, 55; *A. magellanica*, 55; *A. parva*, 55; *A. refulgida*, 55
- Aphroditidae Family, 48, 55
- Apidium nordmanni*, 301
- Aristobranchidae Family, 69
- Aristobranchus ornatus*, 69
- Aplidium*, 302; *A. arenatum*, 302; *A. californicum*, 302; *A. glabrum*, 302; *A. propinquum*, 302; *A. solidum*, 302; *Aplidium* sp., 302
- Aplousobranchia Suborder, 302
- Aplysia*, 90; *A. californica*, 106, 119
- Aplysiidae, 90
- Aplysilla*, 8; *A. ?glacialis*, 12
- Aplysillidae Family, 12
- Aplysiopsis enteromorphae*, 106, 119
- Apodida Order, 274
- Apomatus geniculatus*, 67; *A. timsi*, 67
- Arabella iricolor*, 51
- Arabellidae Family, 51
- Arachnidiiidae Family, 262
- Archaeogastropoda, 89
- Archidistoma aggregatum*, 301;
  - A. molle*, 302; *A. psammion*, 302
- Archidorididae, 90
- Archidoris*, 90; *A. montereyensis*, 120;
  - A. odhneri*, 120
- Arcoida, 132
- Arctonea fragilis*, 63; *A. pulchra*, 63; *A. vittata*, 63
- Arenicola pusilla*, 49; *A. claparedi*, 49; *A. marina*, 49
- Arenicolidae Family, 48, 49
- Argeia pugettensis*, 178
- Arginula*, 89
- Argis levior*, 182; *A. alaskensis*, 182
- Arhynchite pugettensis*, 86
- Aricia michaelsoni*, 54
- Aricidea*, 54; *A. wassi*, 54
- Armandia bioculata*, 53; *A. brevis*, **53**

- Armina*, 90; *A. californica*, 121  
*Arminidae*, 90  
*Arndtanchora* sp., 11  
*Artacama conifera*, 76  
*Artacamella hancocki*, 76  
*Arthophryxus beringanus*, 178  
*Articulata* Class, 269-70  
*Asabellides lineata*, 74; *A. sibrica*, 75  
*Asbestopluma occidentalis*, 11  
*Ascidia callosa*, 300, 301; *A. ceretodes*, 300; *A. mentula*, 299; *A. paratropa*, 298, 300, 302; *A. prunum*, 300  
*Asciidiacea*, 296-303  
*Ascidian* tadpole larva, 296-303  
*Ascidians*, 296-303; development, 297-98; identification, 298-303; life cycle, 296; reproduction, 287-98; solitary, 301-2; tadpole larvae 296-303  
*Ascididae* Family, 300, 301  
*Asclerocheilus beringianus*, 53  
*Aspidochirotiida* Order, 273  
*Aspidosiphon* sp., 81  
*Assiminea*, 89  
*Assimineidae*, 89  
*Astarte compacta*, 133; *A. esquimalti*, 133; *A. undata*, 133  
*Astartidae*, 133  
*Asterina minuta*, 273, 281  
*Asteroid* key, 284  
*Astroidea* Class, 281-84  
*Astrea*, 89  
*Asychis disparidentata*, 50  
*Atelecyclidae* Family, 185  
*Athecanephria* Order, 86, 87  
*Athecata* Suborder, 17  
*Atlanta peroni*, 113  
*Atlanta*, 89  
*Atlantid* heteropod, 113  
*Atlantidae*, 89  
*Aulactinia incubans*, 15, 19  
*Auricularia* larva, 282, 285  
*Autolytus varius*, 66; *A. cornutus*, 66; *A. prismaticus*, 66; *Autolytus* sp., 66  
*Axiidae* Family, 184, 186  
*Axinella* sp., 11  
*Axinellida* Order, 11  
*Axinellidae* Family, 11  
*Axinopsida serricata*, 133; *A. viridis*, 133  
*Axiopsis spinulicauda*, 184  
*Axiothella*, 50; *A. rubrocincta*, 50  
*Axocielita originalis*, 11  
  
*Balanoglossus clavigerus*, 295  
*Balanomorpha*, 158, 165-72  
*Balanus balanus*, 158, 162, 169; *B. crenatus*, 158, 162, 167; *B. glandula*, 158, 162, 166, 167, 168; *B. improvisus*, 158, 162, 165, 166; *B. nubilus*, 158, 162, 168, 169; *B. rostratus*, 158  
*Balcis*, 89  
*Balnophyllia elegans*, 15, 20  
*Balthica Macoma*, 145  
*Balticina californica*, 19; *B. septentrionalis*, 19  
  
*Bankia setacea*, 135, 139, 140, 144  
*Barlecia*, 89  
*Barleeidiae*, 89  
*Barnacles*, 157-77; development, 157-59; identification, 159-64; local species, 158; morphology, 157-59; parasitic, 158, 174-76  
*Barnea substruncata*, 135  
*Basket stars*, 288  
*Bathybembix*, 89  
*Batillaria*, 89  
*Benthogenenema borealis*, 182; *B. burkenroadi*, 182  
*Bergstroemia*, 61  
*Beringius*, 89  
*Berthella*, 90; *B. californica*, 96, 119  
*Betaeus harrimanii*, 182; *B. setosus*, 182  
*Bicellariella ciliata*, 265  
*Bicellariellidae* Family, 262  
*Bicidium aequareae*, 19  
*Bicrisia edwardsiana*, 261  
*Biemna rhadia*, 11  
*Biemnidae* Family, 11  
*Bimeria* spp., 17  
*Bipinnariae* larvae, 281  
*Bittium*, 89, 109  
*Bivalves*, 131-51; development, 131, 136; identification, 137, 138; *pericylma* larvae, 137, 139; reproduction, 131, 136; veliger larvae, 139  
*Bocardiella hamata*, 70  
*Boccardia*, 70; *B. californica*, 70; *B. columbiana*, 70; *B. polybranchia*, 70; *B. proboscidea*, 70; *B. uncata*, 70  
*Bocardiella hamata*, 70, 72  
*Bolitaena diaphana*, 155, 156  
*Boltenia villosa*, 299, 300  
*Bonelliidae* Family, 86  
*Bonelloinea* Order, 86  
*Bonneviella* spp., 17  
*Bonneviellidae* Family, 17  
*Bopyridae*, 178  
*Bopyroides hippolytes*, 178  
*Boreohydridae* Family, 17  
*Botrylloides leachi*, 301; *Botrylloides* sp., 302  
*Botryllus* sp., 302  
*Bougainvillia* spp., 17  
*Bougainvilliidae* Family, 17  
*Bowerbankia gracilis*, 262, 265, 267  
*Brachiolaria*, 282; *brachiolaria* larvae, 282  
*Brachiopoda* Phylum, 269-71  
*Brachyura*, 185; *B. megalopae*, 197; *B. zoea*, 191  
*Branchiomaldane vincenti*, 49; *B. simplex*, 49  
*Brarosccus callosus*, 158, 175  
*Brisaster latifrons*, 273, 275, 278  
*Brittle stars*, 287-89  
*Bryozoa*, 260-68  
*Buccinidae*, 89  
*Buccinium*, 89  
*Bugula californica*, 262; *B. cuclifera*, 262; *B. flabellata*, 262, 265, 266; *B. pacifica*, 262; *B. pugeti*, 262; *B. plumosa*, 265; *B. simplex*, 266  
  
*Buskia nitens*, 262  
*Buskiidae* Family, 262  
*Byglides macrolepida*, 63  
*Bythotiarahuntsmani*, 17  
  
*Caberea boryi*, 262; *C. ellisi*, 262  
*Cadlina*, 90; *C. flavomaculata*, 120; *C. luteomarginata*, 120; *C. modesta*, 120  
*Cadulus aberrans*, 154; *C. californicus*, 154; *C. tolmiei*, 154  
*Caecid prosobranchs*, 105  
*Caecidae*, 89  
*Caenogastropoda*, 89, 111  
*Calappidae* Family, 185  
*Calastacus stilirostris*, 184  
*Calcarea* Class, 5, 7, 8, 9  
*Calcaronea*, 9  
*Calcigorgia spiculifera*, 19  
*Calinaticina*, 89  
*Callianassa*. See *Neotrypaea*  
*Callianassidae* Family, 184, 196, 215  
*Callianopsis investigatoris*, 184; *C. goniophthalma*, 184  
*Calloplanidae* Family, 27  
*Callostoma*, 89, 108  
*Callistochiton crassicostatus*, 153  
*Callistochitonidae*, 153  
*Callogorgia kinoshitae*, 19  
*Callopora armata*, 262; *C. circumclathrata*, 262; *C. corniculifera*, 262; *C. horrida*, 262; *C. lineata*, 262  
*Callyspongia*, 9  
*Calocaris quinqueseriatus*, 184  
*Calvopora occidentalis*, 262  
*Calycella* spp., 17  
*Calycophorae* Suborder, 17  
*Calycopsidae* Family, 17  
*Calypteraeidae*, 89, 105, 109  
*Campanularia* spp., 17  
*Campanulariidae* Family, 17  
*Campanulinidae* Family, 17  
*Cancellaria*, 89  
*Cancellariidae*, 112  
*Cancellariidae*, 89  
*Cancer gracilis*, 185, 198, 236; *C. antennarius*, 185, 198, 237; *C. branneri (gibbosulus)*, 185; *C. magister*, 185, 198, 237; *C. oregonensis*, 185, 198, 237; *C. productus*, 185, 198, 238  
*Cancridae* Family, 185, 193, 198, 235-38  
*Cancridae zoeae*, 235  
*Capitella capitata*, 49, 50  
*Capitellida* Order, 49-50  
*Capitellidae* Family, 48-50  
*Carcinus maenas*, 186, 200, 246, 247, 248  
*Cardiidae*, 133  
*Cardiomya californica*, 135; *C. oldroydi*, 135; *C. pectinata*, 135; *C. planctica*, 135  
*Carditidae*, 133  
*Caridea*, 182, 197  
*Caridean zoea*, 184  
*Carinaria*, 89

- Carinariid heteropods, 113  
 Carinariidae, 89  
*Caryophyllia alaskensis*, 19, 20; *C. smithi*, 18-20  
 Caryophylliidae Family, 19  
 Caryophylliina Order, 19  
*Catriona*, 90; *C. columbiana*, 121; *C. rickettsi*, 121  
*Caulibugula californica*, 262; *C. ciliata*, 262; *C. occidentalis*, 262  
*Caulieriella alata*, 69; *C. gracilis*, 70; *C. hamata*, 69; *C. racilis*, 69  
*Cauloramphus brunea*, 262; *C. echinus*, 262; *C. spiniferum*, 262  
*Cavolinia*, 90, 116  
 Cavoliniid thecosomatous pteropods, 97, 116, 117  
 Cavoliniidae, 90  
*Cellaria diffusa*, 262; *C. mandibulata*, 262  
 Cellariidae Family, 262  
*Cellepora pumicosa*, 262; *Cellepora* sp., 262  
 Celleporidae Family, 262  
 Cephalaspidea, 119  
 Cephalaspidean optisthobranch, 98, 104  
 Cephalopoda, 154-56  
*Ceramaster articus*, 273; *C. patagonicus*, 273  
*Ceratonereis paucidentata*, 59  
*Ceratostoma*, 89  
*Cerberilla*, 90  
 Ceriantharia Order, 15, 19, 20  
 Cerianthidae Family, 18, 19  
 Ceriantipatharia Subclass, 19  
*Cerithiidae*, 89, 109  
*Cerithiopsidae*, 89, 110  
*Cerithiopsis*, 89  
 Cestoda Class, 26  
*Cestoplana* sp., 27  
 Cestoplanidae Family, 27  
*Chaetopleura apiculata*, 152; *C. gemma*, 153  
 Chaetopleuridae, 153  
 Chaetopteridae Family, 46, 69  
 Chaetopteridae, 69  
*Chaetopterus variopedatus*, 69  
*Chaetozone berkeleyorum*, 70; *C. setosa*, 69  
*Chalinula*, 9  
*Chama arcana*, 133  
 Chamidae, 133  
*Chamyla*, 90  
*Chapperiella condylata*, 262; *C. patula*, 262  
 Chapperiellidae Family, 262  
*Cheilonereis cylclurus*, 59  
*Cheilopora praelonga*, 263  
 Cheiloporinidae Family, 263  
*Chelanaplysilla polygraphis*, 12  
*Chelophys appendiculata*, 17  
*Chelyosoma*, 301; *C. columbianum*, 300; *C. productum*, 300, 301  
*Chioneocetes bairdi*, 185, 199, 242-43; *C. angulatus*, 185  
*Chitinopoma*, 68; *C. groenlandica*, 68  
*Chitonida*, 152, 153
- Chitonina, 153  
 Chitons, 152-54  
*Chlamys behringiana*, 132; *C. hastata*, 132; *C. rubida*, 132  
*Chloea entypa*, 48; *C. pinnata*, 48  
*Chone gracilis*, 67; *C. infundibuliformis*, 67, 68; *C. magna*, 67; *C. minuta*, 67; *C. mollis*, 67; *C. ecaudata*, 67; *C. teres*, 67  
*Chorilia longipes*, 185  
 Choristida Order, 11  
 Chromodorididae, 90  
 Chrysogorgiidae Family, 19  
 Chrysopetalidae Family, 46, 55  
 Chrysopetalidae, 55  
*Chrysopetalum*, 55; *C. debile*, 55  
*Chthamalus dalli*, 158, 162, 163, 172; *C. fissus*, 172  
*Ciaperoecia californica*, 261; *C. major*, 261  
*Ciocalyptus penicillus*, 11  
*Ciona intestinalis*, 299, 300, 301  
 Cionidae Family, 300  
*Circeis americana*, 68; *C. spirillum*, 68, 69; *C. spirillum*, 68  
 Cirratulidae Family, 45, 69  
*Cirratus cirratus cingulatus*, 70; *C. cirratus cirratus*, 70; *C. robustus*, 70; *C. spectabilis*, 70  
*Cirriformia spirabranchia*, 70  
 Cirripedia, 157-77  
*Cirrophorus lyra*, 54  
*Cistenides brevicomata*, 75; *C. granulata*, 75  
*Cladocarpus* spp., 17  
*Cladonema californicum*, 17  
 Cladonematidae Family, 17  
 Clams, 131-51: Alaskan Gaper, 148; Asiatic Freshwater, 144; Butter, 147; Little Gaper, 145; Soft-shell, 145-46  
 Clathriidae Family, 11  
*Clathrina*, 8; *C. blanca*, 9; *C. coriacea*, 9; *Clathrina* sp., 9  
 Clathrinidae Family, 9  
*Clathromangelia*, 89  
*Clavelina huntsmanii*, 302; *C. lepadiformis*, 301; *Clavelina* sp., 302  
 Clavelinidae Family, 302  
 Clavidae Family, 17  
 Clavoporidae Family, 262  
*Clavularia moresbii*, 19; *Clavularia* spp., 19  
 Clavulariidae Family, 19  
*Clinocardium blandum*, 133; *C. californiense*, 133; *C. clatum*, 133; *C. fucanum*, 133; *C. nuttalli*, 133  
*Clio*, 90, 116  
*Cliona* 8, 90; *C. ?argus*, 11; *C. ?celata*, 11; *C. limacina*, 99, 120; *C. lobatta*, 11; *C. ?warreni*, 11  
 Clionidae Family, 11  
*Clionidae*, 90  
*Cliopsidae*, 90  
*Cliopsis*, 90
- Clistosccus paguri*, 158, 175  
 Clistrosaccidae, 175  
*Clymenella torquata*, 50  
 Clypeasteroida Order, 273  
*Clytia* spp., 17  
*Cnemidocarpa finmarkiensis*, 300  
 Cnidaria: development, 13-15; Phylum, 13-23; reproduction, 13-15  
 Cnidarian planulae, 6  
*Codonellina cribiformis*, 263  
 Coelenterata, 13-24  
 Coelomate worms, 85-87  
*Coelosphaera*, 9  
*Colletosia radiata*, 262  
 Columbellidae, 89, 112  
*Colus*, 89  
*Compsomyax subdiaphana*, 134  
*Conchocole bisecta*, 133  
*Conopeum reticulum*, 262, 264  
*Cooperella subdiaphana*, 134  
 Cooperellidae, 134  
*Copepoda*, 159  
*Copidozoum protectum*, 262; *C. tenuirostre*, 262  
 Corallimorpharia Order, 19  
 Corallimorphidae Family, 19  
*Corallimorphus* sp., 19  
 Corals, 13, 14  
*Corambe*, 90  
 Corambidae, 90  
*Corbicula fluminea*, 134, 136, 140, 143, 144  
 Corbiculidae, 134  
*Cordagalma cordiformis*, 17  
*Cordylophora caspia*, 17  
*Corella*, 301; *C. inflata*, 298, 300, 301; *C. willmeriana*, 300  
 Corellidae Family, 300  
*Corolla*, 90; *C. spectabilis*, 107  
 Coronate larvae, 260, 265-67  
*Corymorphidae* sp., 17  
 Corymorphidae Family, 17  
*Corynactis californica*, 19  
*Coryne* sp., 17  
 Corynidae Family, 17  
*Cossura modica*, 50  
 Cossurida Order, 50  
 Cossuridae Family, 50  
*Castazia costazia*, 263; *C. robertsoniae*, 263; *C. ventricosa*, 263  
 Cotylea Suborder, 26  
 Crab: Black-clawed, 248; Brackish-Water, 249; Butterfly, 221-22; Dungeness, 237; Flat Porcelain, 234; Flattop, 234; Graceful, 236; Graceful Decorator, 243-44; Green, 246, 247, 248; Hermit, 218, 219; Lined Shore, 241-42; Mussel, 244-45; Pacific Rock, 236; Pacific Sand, 219-20; Pubescent Porcelain, 234; Purple Shore, 240; Pygmy Rock, 237; Red Rock, 238; Rhinoceros, 222; Shore, 246, 247, 248; Striped Shore, 241-42; Tanner, 242-43; Thick-Clawed Porcelain, 234; Turtle, 221-22; Yellow Shore, 240

- Crangon alba*, 182; *C. alaskensis*, 182;  
*C. franciscorum*, 182; *C. handi*, 182;  
*C. nigricauda*, 182; *C. stylirostris*,  
182
- Crangonidae*, 182, 196
- Crania*, 271; *C. californica*, 269, 270
- Craniella villosa*, 11; *C. spinosa*, 11
- Craniopsis*, 89
- Crassicardia crassidens*, 133
- Crassostrea*, 133; *C. gigas*, 133, 140,  
142, 144; *C. virginica*, 133, 140,  
142, 144
- Crenella decussata*, 132
- Crepidula*, 89; *C. adunca*, 105, 109
- Crepipatella*, 89
- Crescis*, 90; *C. virgula*, 116
- Cresiella producta*, 261
- Cribrilina annulata*, 262; *C. corbicula*,  
262; *C. radita*, 262
- Cribritinidae Family*, 262
- Cribrinopsis fernaldi*, 15, 19;  
*C. williamsi*, 19
- Crimora*, 90; *C. coneja*, 120
- Crinoid*, 288, 289
- Crinoidea Class*, 274, 289-90
- Crisia eburnea*, 261; *C. elongata*, 261;  
*C. occidentalis*, 261; *C. operculata*,  
261; *C. pugeti*, 261; *C. serrulata*,  
261
- Crisidium cornuta*, 261
- Crisiidae Family*, 261
- Crossaster borealis*, 273
- Crucigera irregularis*, 67;  
*C. zygodora*, 67
- Cryptobranchia*, 89
- Cryptochiton stelleri*, 152, 153
- Cryptolaria* spp., 17
- Cryptolithodes sitchensis*, 184;  
*C. typicus*, 184, 221-22
- Cryptomya californica*, 134
- Cryptoniscus larva*, 178, 179
- Cryptosula pallasiana*, 263
- Ctenodrilida Order*, 51
- Ctenodrilidae Family*, 51
- Ctenodrilus serratus*, 51
- Ctnatiidae*, 110
- Cubozoa Class*, 13
- Cucumaria fallax*, 274; *C. lubrica*, 274;  
*C. miniata*, 274; *C. piperata*, 274;  
*C. pseudocurata*, 274, 285;  
*Cucumaria* sp., 286
- Cultellidae*, 134
- Cumanotidae*, 90
- Cumanotus*, 90; *C. fernaldi*, 121
- Cumingia californica*, 134
- Cup corals*, 14
- Cuspidariidae*, 135
- Cuthona*, 90; *C. abronia*, 121;  
*C. albocrusta*, 121; *C. cocochroma*,  
121; *C. divae*, 121; *C. fulgens*, 121;  
*C. lagunae*, 121
- Cuvierina*, 90, 116
- Cyathoceras quaylei*, 19
- Cyclichnidae*, 89
- Cyclocardia crebricostata*, 133;  
*C. ventricosa*, 133
- Cylichna*, 89
- Cylchinidae Family*, 104
- Cymakra*, 89
- Cymatiidae*, 89, 107
- Cymbulia peroni*, 107
- Cymbuliidae*, 90
- Cyphonautes larvae*, 260, 263-65
- Cyprid*: 159, 163; key to Cyprids,  
163-64
- Cystodytes dellechiajei*, 301;  
*C. lobatus*, 302
- Cytididae Family*, 261
- Dacrydium pacificum*, 132
- Dajidae*, 178
- Dakaria dawsoni*, 263; *D. ordinata*,  
263; *D. pristina*, 263
- Decapoda*, 181-252: development,  
181, 186, 187; keys megalopae,  
197-203; keys zoeae, 192-97; keys  
zoeae vs megalopae, 192; life  
cycle, 187; morphology, 187-88;  
reproduction, 181, 186, 187
- Decapodid*, 187
- Delectopecten randolphi*, 132;  
*D. vancouverensis*, 132
- Demonax media*, 67, 68
- Demospongiae Class*, 5, 8
- Dendraster excentricus*, 273, 278
- Dendrobeania curvirostrata*, 262;  
*D. laxa*, 262; *D. lichenoides*, 262;  
*D. longispinosa*, 262; *D. murrayana*,  
262
- Dendrobranchiata*, 182
- Dendroceratida Order*, 8, 12
- Dendrochirotida Order*, 273
- Dendrochiton flectens*, 153;  
*D. semiliratus*, 153
- Dendrodoa abbotti*, 300;  
*D. grossularia*, 299
- Dendrogaster* sp., 158
- Dendronotacean nudibranch*, 107
- Dendronotidae Family*, 114
- Dendronotidae*, 90
- Dendronotus*, 90; *D. albopunctatus*,  
120; *D. diversicolor*, 120;  
*D. frondosus*, 120; *D. iris*, 120;  
*D. subramosus*, 120
- Dendrophylliidae Family*, 19
- Dendrophyllia Suborder*, 19
- Dendropoma*, 89
- Dentaliida*, 154
- Dentaliidae*, 154
- Dentalium*, 154, 155; *D. agassizi*, 154;  
*D. pretiosum*, 154; *D. rectius*, 154
- Dermasterias imbricata*, 273
- Desmophyes annectens*, 17
- Desmophyllum cristagalli*, 19
- Desmoxyidae Family*, 11
- Dexiospira*, 68
- D-hinge stage*, 137, 138
- Diacria*, 90, 116
- Diaperoecia californica*, 261;  
*D. intermedia*, 261; *D. johnstoni*,  
261; *D. obelium*, 261
- Diaphana*, 89, 104; *D. californica*, 119
- Diaphanidae*, 89
- Diaphorodoris*, 90; *D. lirulatocauda*,  
120
- Diastoporidae Family*, 261
- Diaulula*, 90; *D. sandiegensis*, 120
- Dictyoceratida*, 10
- Dictyociona asodes*, 11
- Didemnidae Family*, 302
- Didemnum albidum*, 301;  
*D. carnulentum*, 302
- Dimophyes arctica*, 17
- Diodora*, 89
- Diogenidae Family*, 184, 195, 201,  
202, 218
- Diopatra cuprea*, 52; *D. ornata*, 52
- Diphasia* spp., 17
- Diphyidae Family*, 17
- Diplodonta impolita*, 133; *D. orbellus*,  
133
- Dipsosoma listerianum*, 301
- Dirona*, 90; *D. albolineata*, 121;  
*D. aurantia*, 121; *D. picta*, 121
- Dironidae*, 90
- Discocytis canadensis*, 261
- Discodorididae*, 90
- Discurria*, 89
- Disoma multisetosum*, 74
- Disporella fimbriata*, 261; *D. hispida*,  
261; *D. separata*, 261
- Dissoconch*, 137
- Distaplia rosea*, 301
- Distaplia occidentalis*, 297, 302;  
*D. smithi*, 302
- Distylium rugosa*, 67
- Dodecaceria choncharum*, 70;  
*D. fewkesi*, 70; *D. fistulicola*, 70
- Doliolaria* larvae, 285, 286, 289
- Doridacean nudibranch*, 98
- Doridella*, 90; *D. steinbergae*, 108, 120
- Dorvillea*, 51; *D. atlantica*, 51;  
*D. moniloceras*, 51;  
*D. pseudorubrovittata*, 51;  
*D. rudolphi*, 51
- Dorvilledae Family*, 45, 51
- Doryporella alcicornis*, 262
- Doto*, 90; *D. amyra*, 107, 108, 120;  
*Doto* form B, 120; *D. kya*, 120
- Dotoidea*, 90
- Drilonereis falcata*, 51; *D. filum*, 51
- Dynamena* spp., 17
- Dysidea fragilis*, 11
- Dysideidae Family*, 11
- Echinodermata*, 272-91: collecting,  
276-77; development, 272-76;  
local species, 273-74; morphology,  
278-90; observing, 276-77;  
reproduction, 272-76
- Echinoid key*, 280-81
- Echinoida Order*, 273
- Echinoidea Class*, 278-81
- Echinoplutei*, 278: larvae, 278
- Echinoplateus*, 278
- Echinospira* larvae, 97
- Echiura Phylum*, 85
- Echiuridae Family*, 85-86
- Echiuroinea Order*, 85-86
- Echiurus echiurus* subsp. *Alaskanus*,  
86
- Ectyomyxilla parasitica*, 11
- Edwardsia stipuloides*, 19
- Edwardsiidae Family*, 10

- Ehlersia cornuta*, 66  
*Eirenidae Family*, 17  
*Electra crustulenta*, 262, 264, 265;  
*E. pilosa*, 264  
*Electridae Family*, 262  
*Ellisina levata*, 262  
*Elysia*, 90; *E. hedgpethi*, 119  
*Elysiidae*, 90  
*Emerita analoga*, 184, 194, 219-220  
*Enipo*, 63; *E. cirrata*, 63  
*Enterocoelous*, 293-95  
*Enterogona Order*, 302  
*Enteropneusta Class*, 293  
*Enteroxenos*, 89; *E. parastichopolis*, 117  
*Entoconchid prosobranch*, 117  
*Entoconchidae*, 89  
*Entodesma pictum*, 135  
*Entoniscidae*, 178  
*Ephesia*, 65  
*Ephesiella*, 65  
*Epiactis fernaldi*, 15; *E. prolifera*, 15;  
*E. ritteri*, 15  
*Epicaridea*, 178; larvae, 178  
*Epistomiidae Family*, 262  
*Epitonidae*, 89, 110  
*Epitonium*, 89  
*Epizoanthidae Family*, 19  
*Epizoanthus scotinus*, 15, 19, 20  
*Errinopora pourtalesii*, 17  
*Esperiopsisidae Family*, 11  
*Eteone bistriata*, 60; *E. californica*, 60;  
*E. longa*, 60, 61, 62; *E. maculata*, 60;  
*E. pacifica*, 60; *E. spitsbergensis var.*  
*pacifica*, 60  
*Eualus avinus*, 182; *E. barbatus*, 182;  
*E. berkeleyorum*, 182; *E. biunguis*,  
182; *E. fabricii*, 182; *E. lineatus*,  
182; *E. macrophthalmus*, 182;  
*E. suckleyi*, 183, 204  
*Eubranchidae*, 90, 114  
*Eubranchus*, 90; *E. olivaceus*, 121;  
*E. rustyus*, 121  
*Euchone analis*, 67; *E. barnardi*, 67;  
*E. incolor*, 67; *E. rosea*, 67; *E. sp. cf.*  
*hancocki*, 67; *E. trisegmentata*, 67  
*Euclymene*, 50; *E. reticulata*, 67  
*Eudendriidae Family*, 17  
*Eudendrium spp.*, 17  
*Eudistoma illotum*, 301;  
*E. purropunctatum*, 302;  
*E. ritteri*, 302  
*Eudistylia abbreviata*, 67; *E. plumosa*,  
67; *E. polymorpha*, 67; *E. tenella*, 67;  
*E. vancouveri*, 67  
*Euherdmania claviformis*, 301, 302,  
303  
*Eulaeospira*, 68  
*Eulalia aviculifera*, 61; *E. bilineata*,  
60; *E. levicornuta*, 60;  
*E. nigrimaculata*, 61;  
*E. quadrioculata*, 61; *E. sanguinea*,  
61, 62; *E. viridis*, 61, 62  
*Eulima*, 89  
*Eulimidae Family*, 110  
*Eulimidae*, 89  
*Eumastia sitiens*, 11  
*Eumida*, 61  
*Eunicidae Family*, 45, 46, 51  
*Eunice kobiensis*, 52; *E. segregata*, 52;  
*E. valens*, 52  
*Eunicida Order*, 51  
*Eunicidae*, 51  
*Eunoë barbata*, 63; *E. nodosa*, 63;  
*E. oerstedi*, 63; *E. senta*, 63  
*Eupentacta pseudoquinquesemita*, 274;  
*E. quinquesemita*, 274, 286  
*Euphosine bicirrata*, 48; *E. hortensis*,  
48  
*Euphosinidae Family*, 48  
*Euphysa rufa*, 17; *Euphysa spp.*, 17  
*Euphyisiidae Family*, 17  
*Eupolymnia crescentis*, 76;  
*E. heterobranchia*, 76  
*Eurylepta aurantiaca*, 27; *E. leoparda*,  
27  
*Euryleptidae Family*, 27  
*Eurystomella bilabiata*, 263  
*Eurystomellidae Family*, 263  
*Eusergestes similis*, 182  
*Eusyllis assimilis*, 66; *E. blomstrandii*,  
66  
*Euthecoscome pteropods*, 116  
*Eutonina indicans*, 17  
*Euzonus mucronata*, 53; *E. williamsi*,  
53  
*Evasterias troschelii*, 273  
*Exilioidea*, 89  
*Exogone gemmifera*, 66; *E. lourei*, 66;  
*E. naidina*, 66; *E. uniformis*, 66;  
*E. verugera*, 66  
*Fabia subquadrata*, 186, 199, 244-45  
*Fabricia brunnea*, 67; *F. dubia*, 67;  
*F. oregonia*, 67; *F. sabella*, 67  
*Fabriciola berkeleyi*, 67; *F. pacifica*, 67;  
*F. sabella*, 67  
*Facelinidae*, 90  
*False Angel Wing*, 147  
*Fartulum*, 89  
*Fauveliopsida Order*, 52  
*Fauveliopsidae Family*, 52  
*Fauveliopsis armata*, 63  
*Feather stars*, 289  
*Fenestrulina malusii*, 263  
*Filellum spp.*, 17  
*Filiocrisia franciscana*, 261;  
*F. geniculata*, 261  
*Fiona*, 90; *F. pinnata*, 121  
*Fionidae Family*, 114  
*Fionidae*, 90  
*Fissurellidae*, 89  
*Flabelliderma commensalis*, 51  
*Flabelligera affinis*, 53;  
*F. infundibularis*, 53  
*Flabelligerida Order*, 52-53  
*Flabelligeridae Family*, 52  
*Flabellina*, 90; *F. fusca*, 121;  
*F. trilineata*, 121  
*Flabellinidae*, 90  
*Flatworms*, 26  
*Florometra serratissima*, 274, 289  
*Flustrellidra corniculata*, 262;  
*F. hispida*, 264  
*Flustrellidridae Family*, 262  
*Foersteria spp.*, 17  
*Fondiporidae Family*, 261  
*Forcepsia ?japonica*, 11  
*Forcipulatida Order*, 273  
*Freemania litoricola*, 27  
*Fulifascigera fasciculata*, 261  
*Funiculinida Family*, 19  
*Fusinidae*, 89  
*Fusinus*, 89  
*Fusitriton*, 89; *F. oregonensis*, 110  
*Gadilida*, 154  
*Gadilidae*, 153  
*Galathealinum brachiosum*, 87  
*Galatheidae Family*, 184, 195  
*Galeommatidae*, 133  
*Gari californica*, 134  
*Garveia annulata*, 17; *G. groenlandica*,  
17  
*Gastropoda: Class*, 88-130;  
classification, 89; Families, 89-90;  
genera, 89-90; identification, 94-  
95; illustration sources, 123; key,  
96-117; larval form, 91;  
morphology, 88-91  
*Gastropteridae*, 89  
*Gastropteron*, 89, 104; *G. pacificum*,  
98, 103, 104, 119  
*Gattyana*, 63  
*Geitodoris*, 90; *G. heathi*, 120  
*Gemellioporella inflata*, 263  
*Genetyllis*, 61  
*Gennadas incertas*, 182;  
*G. propinquus*, 182; *G. tinayrei*, 182  
*Geodia mesotriaena*, 11  
*Geodidae Family*, 11  
*Geodinella robusta*, 11  
*Gersemia rubiformis*, 19  
*Glans carpenteri*, 1333  
*Glaucothoe*, 187  
*Gleba sp.*, 107  
*Glycera americana*, 56; *G. capitata*, 56,  
57; *G. convoluta*, 56, 57;  
*G. gigantea*, 56; *G. nana*, 56;  
*G. oxycephala*, 56; *G. robusta*, 56;  
*G. tenuis*, 56; *G. tesselata*, 56  
*Glyceridae Family*, 45, 55, 56  
*Glycinde armigera*, 57; *G. picta*, 56;  
*G. polygnatha*, 57  
*Glycymerididae*, 132  
*Glycymeris corteziana*, 132;  
*G. subobsoleta*, 132  
*Golfingia elongata*, 81;  
*G. margaritacea*, 80; *G. minuta*, 81;  
*G. misakiana*, 81; *G. pugettensis*, 80,  
81; *G. vulgaris*, 81  
*Golfingiidae Family*, 80  
*Goniada brunnea*, 56  
*Goniadidae Family*, 45, 56, 57  
*Goniodorididae*, 90  
*Goniomenus vertens*, 17  
*Gonothyraea spp.*, 16, 17  
*Gorgonocephalus eucnemis*, 274  
*Götte's larvae*, 26, 27  
*Grammaria spp.*, 17  
*Grantia comoxensis*, 9; *G. compressa*,  
7, 9  
*Grantiidae Family*, 9  
*Granulina*, 89

- Grapsidae Family, 185, 193, 200, 238-242  
 Gymnolaemata, 261-63, 262  
 Gymnomorph slugs, 89  
*Gymnomorpha*, 89, 90  
*Gymnosomata*, 120  
 Gymnosomatous pteropods, 97, 99, 116  
*Gyptis*, 57; *G. arenisola glabra*, 57
- Hadromerida Order, 8, 11  
*Halcampa crypta*, 19;  
   *H. decentia*, 18, 19, 21  
 Halcampidae Family, 19  
*Halcampoides purpurea*, 19  
 Halcampoididae Family, 19  
 Haleciidae Family, 17  
*Halecium* spp., 17  
*Halichondria*, 8, 10, 11;  
   *H. bowerbanki*, 11; *H. melanadocia*, 10; *H. moorei*, 8; *H. paricula*, 11  
 Halichondriida Order, 8, 10, 11  
 Halichondriidae Family, 11  
*Haliclona* 8, 9; *H. ecbastis*, 11;  
   *H. permollis*, 11  
 Haliclonidae Family, 11  
 Halimedusidae Family, 17  
 Haliotidae, 89  
 Haliotids, 109  
*Haliotis*, 109  
*Haliplanella lineata*, 19  
 Haliplanellidae Family, 19  
*Halisarca*, 8; *H. sacra*, 12  
 Halisarcidae Family, 12  
*Hallaxa*, 90; *H. chani*, 120  
*Halomedusa typus*, 17  
*Halochondria* spp., 11  
 Haloclavidae Family, 19  
*Halocynthia*, 301; *H. aurantium*, 300;  
   *H. igaboja*, 300  
*Haloscoloplos*, 53, 54  
*Halosydna brevisetosa*, 63, 64  
 Hamacanthidae Family, 11  
*Hamigera lundbecki*, 11  
*Haminaea*, 89, 104  
 Haminoeidae, 89  
 Hanleyidae, 153  
*Haplogaster grebnitzkii*, 184  
 Haplosclerida Order, 9, 10, 11  
*Haploscoloplos alaskensis*, 54;  
   *H. pugettensis*, 53  
*Haplosyllis spongicola*, 66  
*Harmothoe extenuata*, 63, 64, 65;  
   *H. fragilis*, 63; *H. hartmanae*, 63;  
   *H. imbricata*, 63, 64, 65;  
   *H. lunulata*, 63, 64, 65;  
   *H. multiseta*, 63; *H. pellucelytris*, 63; *H. rarispina*, 63; *H. tenebricosa*, 63; *H. triannulata*, 63  
*Harrimania*, 293-95  
 Harrimanidae Family, 293  
*Hataia parva*, 17  
*Havelockia bentii*, 274  
 Heart urchin, 278  
*Hebella* spp., 17  
*Helicopitulum rigidum*, 19  
*Hemectyon hyle*, 11  
*Hemiarthrus abdominalis*, 178
- Hemichordata Phylum, 293-95  
*Hemigrapsus nudus*, 185, 200, 240;  
   *H. oregonensis*, 185, 200, 241  
 Hemioniscidae, 178  
*Hemioniscus balani*, 178  
*Hemipenaeus spinidorsalis*, 183  
*Hemipodus borealis*, 56, 57  
*Hemithiris psittacea*, 269  
*Herleya oldroydi*, 153  
*Henricia* spp., 273, 283  
*Heptabrachia ctenophora*, 87  
*Heptacarpus brevirostris*, 183;  
   *H. camtschaticus*, 183; *H. carinatus*, 183; *H. decorus*, 183; *H. flexus*, 183;  
   *H. herdmani*, 183; *H. kincaidi*, 183;  
   *H. littoralis*, 183; *H. moseri*, 183;  
   *H. paludicola*, 183; *H. pictus*, 183;  
   *H. pugettensis*, 183; *H. sitchensis*, 183; *H. simpsoni*, 183; *H. taylori*, 183; *H. tenuissimus*, 183  
*Hermadion truncata*, 63  
*Hermaea*, 90; *H. vancouverensis*, 119  
 Hermaeid sacoglossan opistobranch, 106  
 Hermaeidae, 90  
*Hermissenda*, 90; *H. crassicornis*, 121  
 Hesionidae Family, 48, 57  
*Hesperonea adventor*, 63;  
   *H. complanata*, 63  
*Hesperophyllum*, 61  
 Heterobranchia Subclass, 89  
*Heteromastus filobranchus*, 49;  
   *H. filiformis*, 50  
 Heteropoda, 89, 105  
*Heteropora alaskensis*, 261; *H. magna*, 261; *H. pacifica*, 261  
 Heteroporidae Family, 261  
 Heterostrophic shell growth, 102, 103, 104  
 Hexactinellida Class, 5  
*Hexadella* sp., 12  
*Hiatella arctica*, 135, 140, 142, 145  
 Hiatellidae, 135  
*Higginsia* sp., 11  
*Hincksina alba*, 262; *H. pallida*, 262  
 Hincksinidae Family, 262  
*Hinnites gigantea*, 132  
*Hippasteria spinosa*, 273  
 Hippidae Family, 184, 194, 219  
*Hippodiplosia insculpta*, 263, 265,  
   266; *H. reticulato-punctata*, 263  
*Hippolyte clarki*, 183  
 Hippolytidae Family, 182, 197, 204  
*Hippomonavella longirostrata*, 263  
 Hipponidae, 89  
*Hipponix*, 89  
*Hippoporella nitescens*, 263  
 Hippoporinidae Family, 263  
*Hippothoa divaricata*, 262; *H. hyalina*, 263  
 Hippothoidae Family, 262  
*Hobsonia florida*, 75  
 Holaxonia Suborder, 19  
*Holophryxus alaskensis*, 178  
*Holoplacania*, 9  
*Holoporella brunnea*, 263  
 Holothroid key, 287  
 Holothuroidea Class, 273, 285-87
- Homalopoma*, 89  
 Homoscleromorphida Order, 11  
*Hopkinsia*, 90; *H. rosacea*, 120  
 Hormathiidae Family, 19  
*Humilaria kennedyi*, 134  
*Hybocodon*, 16; *H. prolifer*, 17  
*Hyboscolex pacificus*, 53  
*Hydractinia*, 17; *H. aggregata*, 17;  
   *H. laevispina*, 17; *Hydractinia* sp., 17  
 Hydractiniidae Family, 17  
*Hydrallmania* spp., 17  
 Hydrocorals, 13, 17  
*Hydrodendron* spp., 17  
 Hydroids Order, 13, 17  
 Hydroids, 13  
 Hydromedusae, 16  
 Hydrozoa Class, 13, 17  
*Hymedesmisanoschela rayae*, 11  
 Hymedesmiidae Family, 11  
*Hymedesmia* spp., 11  
*Hymenamphiaстра cyanocrypta*, 11  
*Hymenanchora* sp., 11  
*Hymenecyon lyoni*, 11  
*Hymeniacidon*, 10; *H. perleve*, 11;  
   *H. sinapium*, 11; *Hymeniacidon* sp., 11; *H. urgonodon*, 11  
*Hymenodora acanthitelsonis*, 183;  
   *H. frontalis*, 183; *H. glacialis*, 183
- Idanthyrsus armatus*, 75;  
   *I. ornamentatus*, 75  
 Immergentiidae Family, 262  
*Immergetia* sp., 262  
 Inarticulata Class, 270-71  
*Ione cornuta*, 178  
*Iothia*, 89  
*Ischnochiton abyssicola*, 153;  
   *I. interstinctus*, 153; *I. trifidus*, 153  
 Ischnochitonidae, 153  
*Iselica*, 89  
 Isididae Family, 19  
*Isocirrus longiceps*, 50  
 Isopoda, 178-89
- Janolus*, 90; *J. fuscus*, 121  
*Janthina*, 89  
 Janthinidae, 89, 110  
*Janura rugata*, 70  
 Jellyfish, 13  
*Jones amaknakensis*, 11
- Kaburakia excelsa*, 27  
*Katharina tunicata*, 153  
*Kellia suborbicularis*, 133, 136, 142, 143, 145  
 Kelliidae, 133  
 Kentrogonida, 175  
 Keyhole limpets, 89  
 Kophobelemnidae Family, 19  
*Kophobelemnmon affine*, 19;  
   *K. biflorum*, 19; *K. hispidum*, 19  
*Kurtzia*, 89  
*Kurtziella*, 89
- Lacerna fistulata*, 263  
*Lacuna*, 89  
 Lacunid larvae, 111

- Lacunidae, 89, 111  
*Laeospira*, 68  
*Laevidomus*, 171  
*Lafoea* spp., 17  
*Lafoeidae* Family, 17  
*Lagenipora punctulata*, 263;  
*L. socialis*, 263  
*Lagisca*, 63  
*Laila*, 90; *L. cockerelli*, 120  
*Lamellaria*, 89  
*Lamellibranchs*, 131-51  
*Lamellisabella coronata*, 87; *L. zachsi*,  
87  
*Langerhansia*, 66  
*Lanice chonchilega*, 76  
*Laodiceidae* Family, 17  
*Laonice cirrata*, 70, 72  
*Laqueus californianus*, 269  
*Larvaceans*, 298  
*Lasaea subviridis*, 133  
*Lasaeidae*, 133  
*Latrunculia* sp., 11  
*Latrunculidae* Family, 11  
*Laxosuberites* sp., 11  
*Leanira calcis*, 65  
*Lebbeus schrencki*, 183; *L.*  
*washingtonianus*, 183; *L.*  
*groenlandicus*, 183, 204, 205  
*Lebrunia*, 15  
*Leitoscoloplos elongatus*, 53, 54;  
*L. panamensis*, 54  
*Lensia baryi*, 17; *L. conoidea*, 17  
*Lepadomorpha*, 158, 173-74  
*Lepas anatifera*, 158, 173;  
*L. fascicularis*, 158; *L. hilli*, 158;  
*L. pacifica*, 158; *Lepas* spp., 164  
*Lepeta*, 89  
*Lepetidae*, 89  
*Lepidasthenia longicirrata*, 63  
*Lepidochitonina cinereus*, 152;  
*L. dentiens*, 153; *L. fernaldi*, 153;  
*L. hartwegii*, 153  
*Lepidochitonidae*, 153  
*Lepidonotus caekorus*, 63;  
*L. squamatus*, 63, 64, 65  
*Lepidopleurina*, 153  
*Lepidopleurus asellus*, 152  
*Lepidozona cooperi*, 153;  
*L. mertensi*, 153; *L. retiporosa*, 153;  
*L. scabriocostata*, 153; *L. willetti*, 153  
*Lepraliella hispina*, 263  
*Leptasterias hexactis*, 273  
*Leptochiton nexus*, 153; *L. rugatus*,  
153  
*Leptochitonidae*, 153  
*Leptomedusae*, 17  
*Leptoplana vesiculata*, 27  
*Leptoplaniidae* Family, 27  
*Leptosynapta clarki*, 274; *L. roxtona*,  
274; *L. transgressor*, 274  
*Leucandra heathi*, 9; *L. pyriformis*, 9;  
*L. taylori*, 9; *L. ?levius*, 9  
*Leuckartiara* spp., 17  
*Leucilla nuttingi*, 9  
*Leucopsis stylifera*, 9  
*Leucosolenia eleanor*, 9; *L. nautilia*, 9;  
*Leucosolenia* spp., 9; *L. variabilis*, 8  
*Leucosoleniida* Order, 9  
*Leucosoleniidae* Family, 9  
*Lichenopora novae-zelandiae*, 261;  
*L. verrucaria*, 261  
*Lichenoporidae* Family, 261  
*Limacina*, 90; *L. helicina*, 103, 104,  
120  
*Limacinidae*, 90  
*Limatula subauriculata*, 132  
*Limidae*, 132  
*Limnomedusae* Suborder, 17  
*Limoida*, 132  
*Limpets*, 89  
*Lingula*, 270, 271  
*Liponema brevicornis*, 19  
*Liponematidae* Family, 19  
*Liriopsidae*, 178  
*Liriopsis pygmaea*, 178  
*Lirularia*, 89  
*Lissocrangon stylirostris*, 182  
*Lissodendoryx*, 9; *L. firma*, 11;  
*Lissodendoryx* sp., 11  
*Lithodes couesi*, 184  
*Lithodidae* Family, 184, 195, 221-22  
*Lithophaga plumula*, 132  
*Lithopoma*, 89  
*Littorina*, 89  
*Littorinidae*, 89, 111  
*Loimia medusa*, 76  
*Lopadorhynchidae* Family, 45, 46,  
58  
*Lopadorhynchus uncinatus*, 58;  
*L. varius*, 58  
*Lophelia californica*, 19  
*Lopholithodes foraminatus*, 184;  
*L. mandtii*, 184  
*Lophon cheifler*, 11; *L. piceus*, 11  
*Lophopanopeus bellus*, 186, 199;  
*L. bellus bellus*, 186, 248; *L. bellus*  
*diegensis*, 186  
*Lottia*, 89  
*Lottidae*, 89  
*Loxothylacus panopaei*, 158, 175  
*Lucina tenuisculpta*, 133  
*Lucinidae*, 133  
*Lucinoma annulata*, 133  
*Luidia foliata*, 273, 281  
*Lumbrineridae* Family, 45, 46, 52  
*Lumbrineris* aff. *abyssicola*, 52;  
*L. bifurcata*, 52; *L. bricirrita*, 52;  
*L. californiensis*, 52; *L. cruzensis*,  
52; *L. japonica*, 52; *L. latreilli*, 52;  
*L. zonata*, 52  
*Lyocyma fluctuosa*, 134  
*Lyonsia californica*, 135  
*Lyonsiidae*, 135  
*Lyrula hippocrepis*, 262  
*Lysippe annexens*, 75  
*Macoma californica*, 134;  
*M. eliminata*, 134; *M. nasuta*, 134;  
*M. secta*, 134; *M. yoldiformis*, 134;  
*M. balthica*, 134, 140, 145  
*Mactra californica*, 133  
*Mactridae*, 133  
*Madreporia*, 19  
*Magelona* sp., 70  
*Magelonidae* Family, 45, 70  
*Majidae* Family, 185, 194, 198, 199,  
200, 242-44  
*Maldane robusta*, 50; *M. sarsi*, 50  
*Maldanella harai*, 50  
*Maldanidae* Family, 50  
*Malmgrenia*, 63; *M. nigralba*, 63  
*Margarites*, 89; *M. pupillus*, 103  
*Marginellidae*, 89  
*Marphysa stylobranchiata*, 51  
*Marseniid prosobranchs*, 97, 115  
*Marseniidae*, 89  
*Marsenina*, 89  
*Marsenopsis*, 89  
*Mediaster aequalis*, 273, 283  
*Mediomastus californiensis*, 50  
*Megacrella columbiana*, 133  
*Megalomma splendida*, 67  
*Megalopa*, 187, 188  
*Melampidae*, 90  
*Melanochlamys*, 104; *M. diomedea*,  
103, 119  
*Melibe*, 90; *M. leonina*, 107, 120  
*Melibe leonina*, 107  
*Melinna cristata*, 75; *M. denticulata*,  
75  
*Membranipora membranacea*, 262,  
264  
*Membraniporidae* Family, 262  
*Merriamum oxeota*, 11  
*Mesochaetopterus taylori*, 69  
*Mesocrangon munitella*, 182  
*Mesogastropoda*, 89  
*Metacrangon acclivis*, 182;  
*M. munita*, 182; *M. spinosissima*,  
182; *M. variabilis*, 182  
*Metandrocarpa dura*, 300; *M. taylori*,  
299, 300  
*Metridiidae* Family, 19  
*Metridium senile*, 15, 19; *Metridium*  
spp., 18, 19, 21  
*Micranellum*, 89  
*Microciona*, 9; *M. coccinea*, 8;  
*M. microjoanna*, 11; *M. primitiva*,  
11; *M. prolifera*, 11  
*Microglyphis*, 89  
*Micronereis bodega*, 59;  
*M. nanaimoensis*, 59, 60;  
*M. variegata*, 59  
*Microniscus*, 178  
*Microporella californica*, 262;  
*M. ciliata*, 262; *M. coriacea*, 262;  
*M. setiformia*, 262; *M. umbonata*,  
262; *M. vibraculifera*, 262  
*Microporellidae* Family, 263  
*Microporidae* Family, 262  
*Microporina borealis*, 262  
*Micrura wilsoni*, 30  
*Mimulus foliatus*, 185  
*Minuspio cirrifera*, 70  
*Miontodiscus prolongatus*, 133  
*Mitella polymerus*, 158  
*Mitrella*, 89  
*Mitrocoma* spp., 17  
*Mitrocomella* spp., 17  
*Mitrocomidae* Family, 17  
*Modiolus modiolus*, 132, 140, 142,  
145; *M. rectus*, 132  
*Molgula citrina*, 299; *M. cooperi*, 300;  
*M. manhattensis*, 300; *M. oregonia*,  
300; *M. pugetensis*, 300;

- M. occidentalis*, 301; *M. pacifica*, 300  
**Molgulidae Family**, 300, 301  
*Molpadia intermedia*, 274  
**Molpadiida Order**, 274  
*Monobrachium parasiticum*, 17  
**Monogtenea Class**, 27  
**Montaculidae**, 132  
*Mooreonuphis stigmatis*, 52  
*Mopalia ciliata*, 153; *M. cirrata*, 153;  
*M. cithara*, 153; *M. egretta*, 153;  
*M. hindsi*, 153; *M. imporcata*, 153;  
*M. laevior*, 153; *M. lignosa*, 152,  
153; *M. muscosa*, 153; *M.*  
*phorminx*, 153; *M. porifera*, 153;  
*M. sinuata*, 153; *M. spectabilis*, 153;  
*M. suanii*, 153  
**Mopaliidae**, 153  
*Mucronella ventricosa*, 263  
*Muggiae atlantica*, 17  
**Müller's larva**, 26, 27  
*Munida quadrispina*, 184  
*Munidion parvum*, 178  
*Munidopsis quadrata*, 184  
**Muricidae**, 89, 112  
*Mursia gaudichaudi*, 185  
*Musculista senhousia*, 132  
*Musculus discors*, 132; *M. niger*, 132;  
*M. taylori*, 132  
**Mussel: Blue**, 146; **Northern Horse**,  
145  
*Mya arenaria*, 134, 140, 142, 145, 146;  
*M. truncata*, 134  
*Mycale*, 8, 9: *M. adhaerens*, 11;  
*M. bamfieldense*, 11;  
*M. bellabellensis*, 11; *M. hispida*, 11;  
*M. macilenta*, 8; *M. toporoki*, 11;  
*M. macginitieei*, 11; *M. richardsoni*, 8  
*Mycalecarnia lobata*, 11  
**Mycalidae Family**, 11  
**Myidae**, 134  
**Myoida**, 134  
*Myoisophagos*, 32; *M. sanguineus*, 30,  
32  
*Myriochele oculata*, 55; *M. heeri*, 55  
**Myriozoidae Family**, 263  
*Myriozoum coarctatum*, 263;  
*M. subgracile*, 263; *M. tenuue*, 263  
*Mysella tumida*, 133  
*Mysotella*, 90  
**Mytillidae**, 132  
*Mytilimeria nuttalli*, 135  
**Mytiloida**, 132  
*Mytilus californianus*, 132, 146;  
*M. trossulus (edulis)*, 132, 140, 142,  
146  
*Myxicola aesthetica*, 67;  
*M. infundibulum*, 67  
*Myxilla behringensis*, 11; *M. lacunosa*,  
11  
**Myxillidae Family**, 11  
*Naineris berkeleyorum*, 54; *N. cara*,  
17; *N. dendritica*, 54; *N. laevigata*,  
54; *N. uncinata*, 54  
*Nassariidae*, 89, 111, 112  
*Nassarius*, 89  
*Natantia*, 181-83  
*Natica*, 89  
**Naticidae**, 89, 113  
*Nauplius*, 157, 159, 160: key, 162-63;  
key stages, 161-62; larva, 186;  
stages, 161  
*Neanthes*, 58  
*Nellobia eusoma*, 86  
*Nematostella vectensis*, 19  
**Nemertea**, 28-38: development, 28-  
30; identification, 29;  
reproduction, 28-29  
*Nemertopsis gracilis*, 30  
*Nemocardium centrifilosum*, 133  
*Neoamphitrite robusta*, 76  
*Neocrangon abyssorum*, 182;  
*N. communis*, 182; *N. resima*, 182  
*Neoesperiopsis digita*, 11;  
*N. infunibula*, 11; *N. rigida*, 11;  
*N. vancouverensis*, 11  
**Neogastropoda**, 89  
*Neoleanira areolata*, 65  
*Neoleprea spiralis*, 76  
*Neoloricata*, 153  
*Neopygospio laminifera*, 71  
*Neotrypaea californiensis*, 184, 215-  
16; *N. gigas*, 184  
*Neoturris* spp., 17  
**Nephtheidae Family**, 19  
**Nephtyidae Family**, 45, 58  
*Nephthys assignis*, 58; *N. caeca*, 58;  
*N. caecoides*, 58; *N. californiensis*,  
58; *N. cornuta cornuta*, 58;  
*N. cornuta franciscana*, 58;  
*N. discors*, 58; *N. ferruginea*, 58;  
*N. longosetosa*, 58; *N. paradoxa*, 58;  
*N. punctata*, 58; *N. rickettsi*, 58;  
*N. schmitti*, 58  
*Neptunea*, 89  
**Neptunidae**, 89  
**Nereidae Family**, 46, 58, 59  
*Nereis brandti*, 59; *N. callaona*, 59;  
*N. diversicolor*, 59; *N. eakini*, 59;  
*N. grubei*, 59; *N. japonica*, 59;  
*N. lighti*, 59; *N. limnicala*, 59, 60;  
*N. mediator*, 59; *N. natans*, 59;  
*N. neoneanthes*, 59; *N. pelagica*, 59,  
60; *N. procta*, 59; *N. vexillosa*, 59;  
*N. virens*, 59, 60; *N. zonata*, 59  
*Nerine*, 71  
*Netastoma rostrata*, 135  
*Neverita*, 89  
*Nicomache lumbricalis*, 50;  
*N. personata*, 50  
*Nicon moniloceras*, 59  
*Ninoe gemmea*, 52  
*Nitidiscala*, 89; *N. tintca*, 110  
*Notella stipata*, 262  
**North Atlantic Lepton**, 145  
*Notaspidea*, 119  
*Notaspidean heterobranchs*, 104  
*Notaspidean opisthobranchs*, 96, 98  
*Nothria*, 52; *N. abyssalis*, 52;  
*N. geophiliformis*, 52; *N. iridescens*,  
52; *N. occidentalis*, 52  
*Notocirrus californiensis*, 51  
**Notodoridae**, 90  
*Notomastus balanoglossi*, 50;  
*N. giganteus*, 50; *N. lineatus*, 50;  
*N. magnus*, 50; *N. tenuis*, 50  
*Notophyllum imbricatum*, 60;  
*N. tectum*, 60  
*Notoplana atomata*, 27; *N. celoris*, 27;  
*N. inquieta*, 27; *N. inquilina*, 27;  
*N. longastylella*, 27; *N. natans*, 27;  
*N. rupicola*, 27; *N. rupicola*  
*rupicola*, 27; *N. sanjuanica*, 27  
*Notoproctus pacificus*, 50  
*Notopygos labiatus*, 48  
*Notostomus japonicus*, 183  
*Nucella*, 89  
**Nucellidae**, 89  
*Nucula delphinodonta*, 139;  
*N. proxima*, 139; *N. tenuis*, 132  
*Nuculana cellutita*, 132; *N. hamata*,  
132; *N. minuta*, 132  
**Nuculanidae**, 132  
**Nuculidae**, 132  
*Nuculoida*, 132, 136  
**Nudibranchia: Aeolidacea**, 114,  
121; **Arminacea**, 121;  
*Dendronotacea*, 96, 120;  
*Doridacea*, 120  
*Nuttallina californica*, 153  
**Nynantheae Suborder**, 19  
*Obelia bidentata*, 17; *O. dichotoma*,  
17; *O. geniculata*, 17  
*Ocenebra*, 89  
*Ococoralia*, 19  
*Octopoda*, 154-56  
*Octopodidae*, 154  
*Octopus dofleini*, 154, 155, 156;  
*O. leioderma*, 154, 155;  
*O. rubescens*, 154, 155, 156  
*Odontogena borealis*, 133  
*Odontosyllis parva*, 66; *O. phosphorea*,  
66; *O. phosphorea* var.  
*nanaimoensis*, 66  
*Odostomia*, 89  
*Oedignathus inermis*, 184  
*Oenopota*, 89; *O. levidensis*, 112  
*Oerstedia dorsalis*, 30, 31  
*Oikopleura* sp., 298  
*Oligobrachia dogielii*, 86; *O. webbi*, 86  
*Olindiasidae Family*, 17  
*Olivella*, 89  
*Olivellidae*, 112  
*Olividae*, 89  
*Onchidella*, 90  
*Onchidiidae*, 90  
*Onchidorididae*, 90  
*Onchidoris*, 90; *O. bilamellata*, 120;  
*O. muricata*, 120  
*Oncoscolex*, 53  
*Oncousoecia ovoidea*, 261  
*Oncousoeciidae Family*, 261  
*Onoba*, 89  
*Onuphidiae Family*, 46, 52  
*Onuphis*, 52; *O. longibranchiata*, 52  
*Opalia*, 89  
*Ophelia borealis*, 53; *O. limacina*, 53  
**Ophelida Order**, 53  
*Ophelidae Family*, 46, 54  
*Ophelina acuminata*, 54  
*Ophiodermella*, 89  
*Ophiodromus pugettensis*, 57  
*Ophiopholis aculeata*, 274, 289

- Ophiopluteus*, 288, 289; larvae 288, 289  
*Ophiopterus papillosa*, 274  
*Ophiuropa leptocenia*, 274; *O. lütkeni*, 274; *O. sarsi*, 274  
 Ophiurida Order, 274  
 Ophiuroidea Class, 274, 287-89  
 Ophiuroids, 274, 287-89  
*Ophilitaspongia*, 8, 9; *O. pennata*, 11; *O. serata*, 8  
 Opisthobranchia, 89: Anaspidea, 90; Cephalaspidea, 89; Gymnosomata, 90; Notaspidea, 90; Nudibranchia, Aeolidacea, 90; Nudibranchia, Arminacea, 90; Nudibranchia, Dendronotacea, 90; Nudibranchia, Doridacea, 90; Sacoglossa, 90; Thecosomata, Euthecosomata, 90; Thecosomata, Pseudothecosomata, 90  
 Opisthobranchs comparative data, 118-22  
 Ophophoridae Family, 183  
*Orbinia*, 53  
 Orbiniida Order, 53-54  
 Orbiniidae Family, 46, 53  
*Oregonia bifurca*, 185; *O. gracilis*, 186, 198, 243-244  
*Orina* sp., 11  
*Oriopsis gracilis*, 67  
*Orthasterias koehleri*, 273  
*Orthopagurus minimus*, 184; *O. schmitti*, 203  
*Orthopyxis* spp., 17  
*Oscarella*, 8  
 Osteoida Order, 132  
 Ostracods, 159  
*Ostrea conchaphilia*, 133; *O. lurida*, 133, 140, 143, 147  
 Ostreidae, 133  
*Ostreoida*, 132  
*Ovatella*, 90  
*Owenia fusiformis*, 55  
 Oweniida Order, 54  
 Oweniidae Family, 46, 54  
 Oysters, 135: Eastern, 144; Giant Pacific, 144; Native Pacific, 147  
 Pachastrellidae Family, 11  
*Pachycerianthus fimbriatus*, 15, 19, 20  
*Pachychalina* spp., 11  
*Pachycheles*, 201; *P. pubescens*, 185, 202, 234; *P. rufus*, 185, 202, 235  
*Pachygrapsus crassipes*, 185, 194, 201, 241-42  
 Paguridae Family, 184, 195, 201, 202, 203, 223-32: key megalopae, 231-32; key zoeae I, 223-24; key zoeae II, 225; key zoeae III, 225, 227; key zoeae IV, 226-231; key zoeal stages, 223  
*Pagurus aleuticus*, 184; *P. armatus*, 184; *P. beringanus*, 185, 203; *P. capillatus*, 185; *P. caurinus*, 185; *P. confragosus*, 185; *P. cornutus*, 185; *P. dalli*, 185; *P. granosimanus*, 185, 202; *P. hemphilli*, 185; *P. hirsutiusculus*, 185, 203;  
*P. ochotensis*, 185, 204; *P. quaylei*, 185; *P. samuelis*, 185; *P. setosus*, 185; *Pagurus* sp. C, 224, 227, 231, 232; *Pagurus* sp. I, 224, 227, 231; *Pagurus* sp. J, 229, 232; *P. tanneri*, 185; *P. turgidus*, 184, 202, 218, 219; *P. ulreyi*, 184  
 Palaeonemertea Order, 28-31  
*Paleanotus bellis*, 55, 56; *P. chrysolepis*, 55; *P. occidentale*, 55  
*Palio zosterae*, 120  
 Pandalidae Family, 183, 197, 205  
*Pandalopsis ampala*, 183; *P. dispar*, 183, 205, 206  
*Pandalus borealis*, 183, 207; *P. danae*, 183, 208; *P. eous (borealis)*, 207; *P. gurneyi*, 183; *P. jordani*, 183, 209, 210; *P. platyceros*, 183, 211, 212; *P. stenolepis*, 183, 214, 215; *P. tridens*, 183;  
 Pandeidae Family, 17  
*Pandora bilirata*, 135; *P. filosa*, 135; *P. glacialis*, 135; *P. punctata*, 135; *P. wardiana*, 135  
 Pandoridae, 135  
*Panomyia chrysis*, 135  
*Panope abrupta*, 135  
*Paracaudina chilensis*, 274, 286  
*Paracornulum*, 9  
*Paracrangon echinata*, 182  
*Paractinostola faeculenta*, 18, 19  
*Paracyathus stearnsi*, 19  
*Paradexiospira violacea*, 68; *P. vitrea*, 68  
*Paragorgia pacifica*, 19  
 Paragrogiidae Family, 19  
*Paralomis multispina*, 184; *P. verrilli*, 184  
*Paranaitis*, 61  
*Paranemertes peregrina*, 30  
 Paraoniidae Family, 54  
*Paraonis*, 54; *P. ivanovi* 54  
 Parapaguridae Family, 185, 195, 201  
*Parapagurus pilosimanus*, 185  
*Parapasphe sulcifrons*, 183  
*Parapriionospio pinnata*, 70, 72  
*Parasabella*, 67; *P. maculata*, 67  
 Parasitic barnacles, 158, 174-76  
*Parasmittina collifera*, 263  
*Paraspisodisphon fischeri*, 81  
*Parastenella* sp., 19  
*Parastichopus californicus*, 273, 285; *P. leukothelae*, 273; *P. parvimensis*, 273; *Parastichopus* sp., 285, 286  
 Parenchymella larvae, 6, 7  
*Paresperella psila*, 11  
*Parvamussium alaskensis*, 132  
*Pasiphaea pacifica*, 183; *P. tarda*, 183  
 Pasiphaeidae Family, 183  
 Patellogastropoda Order, 89, 96, 97, 114  
*Patinopecten caurinus*, 132  
*Peachia quinquecapitata*, 18, 19  
 Peanut worms, 80-84  
*Pectinaria*, 75; *P. belgica*, 75; *P. californiensis*, 75  
 Pectinariidae Family, 44, 75  
 Pectinidae, 132  
 Pedivelige, 137, 138  
*Pelagobia longicirrata*, 58  
*Pelagodiscus atlanticus*, 271  
 Pelagosphaera: larvae, 80-81; stage, 80-81  
 Pelecypods, 131-51  
*Pelonia corrugata*, 297  
*Peltogaster*, 175; *P. boschmae*, 158, 175; *P. gracilis*, 158, 175; *P. paguri*, 158, 175  
 Peltogastridae, 175  
 Penaeidae Family, 182, 196  
*Penares cortius*, 11  
*Penetrantia* sp., 262  
 Penetrantiidae Family, 262  
*Penitella conradi*, 135; *P. gabii*, 135; *P. penita*, 135; *P. turnerae*, 135  
*Penatula phosphorea*, 19  
 Pennatulacea Order, 15, 19  
 Pennatulidae Family, 19  
*Pentameris lissoplaca*, 274; *P. populifera*, 274; *P. pseudocalciegera*, 274; *P. trachyplaca*, 274  
 Pereonites, 179  
*Periclymma larva*, 137, 139  
*Perigonimus* spp., 17  
*Perinereis monterea*, 58  
 Periwinkles, 89  
*Periphora annectens*, 300; *P. listeri*, 299  
 Perophoridae Family, 300  
*Petalidium subspinosum*, 182  
*Petricola carditoides*, 134; *P. pholadiformis*, 134, 140, 147  
 Petricolidae, 135  
*Petrolisthes*, 201; *P. cinctipes*, 185, 202, 234; *P. eriomerus*, 185, 201, 235  
 Petrosiida Order, 11  
 Petrosiidae Family, 11  
*Phaketia ?beringensis*, 11  
*Phascolion cryptus*, 81; *P. strombi*, 81  
*Phascolopsis gouldi*, 81  
*Phascolosoma agassizii*, 80, 81, 82; *P. antillarum*, 81; *P. perlucens*, 81; *P. varians*, 81  
 Phascolosomatidae Family, 80  
*Pherusa inflata*, 53; *P. neopallata*, 53; *P. papillata*, 53; *P. plumosa*, 53  
*Phidolopora labiata*, 263  
*Philine*, 89, 104; *P. auriformis*, 119  
 Philinidae, 89  
*Philobrya setosa*, 132  
 Philobryidae, 132  
 Phlebobranchia Suborder, 300  
 Pholadidae, 134  
*Pholadomyoida*, 135  
*Phloe caeca*, 65, 66; *P. minuta*, 65; *P. tuberculata*, 65  
*Pholoides aspera*, 60  
 Pholoididae Family, 60  
*Phorbas*, 9, 10  
 Phoronida, 253-59: early pelagic stages, 258; identification, 253; local taxa, 257; reproduction and development, 253

- Phoronis architecta*, 254, 255, 256;  
*P. ijimai*, 254; *P. muelleri*, 256;  
*P. pallida*, 254, 255; *P. vancouverensis*, 254  
*Phoronopsis harmeri*, 256; *P. viridis*, 254, 256, 257  
*Phylactellidae* Family, 263  
*Phyllaplysia*, 90; *P. taylori*, 119  
*Phyllochaetopterus prolifica*, 69  
*Phyllocoete*, 60; *P. castanea*, 61;  
*P. polynoides*, 61  
*Phyllocoelia*, 59  
*Phyllocoidae* Family, 48, 60-62  
*Phyllocoidae* Order, 55-66  
*Phyllodurus abdominalis*, 178  
*Phyllostichodes papillosus*, 184  
*Phylloplana viridis*, 27  
*Phylo felix*, 54  
*Physonectae* Suborder, 17  
*Physophora hydrostatica*, 17  
*Physophoridae* Family, 17  
*Pilargidae* Family, 44, 62  
*Pilargus berkeleyi*, 63  
*Pileolaria langerhansi*, 68;  
*P. quadrangularis*, 68; *P. potswaldi*, 68, 69  
*Pildenium* larvae, 32-36: history of classification, 34-35; new observations, 35-36  
*Pinnixa eburna*, 186; *P. fava*, 186;  
*P. littoralis*, 186; *P. occidentalis*, 186;  
*P. schmitti*, 186; *Pinnixa* spp., 186, 199; *P. tubicola*, 186  
*Pinnotheres pugettensis*, 186;  
*P. taylori*, 186, 246  
*Pinnotheridae* Family, 186, 193, 194, 197-199, 244-246  
*Pionosyllis gigantea*, 66  
*Pisaster brevispinus*, 273; *P. giganteus*, 273; *P. ochraceus*, 273, 282  
*Pista brevibranchiata*, 76; *P. cristata*, 76; *P. elongata*, 76; *P. fasciata*, 76;  
*P. fimbriata*, 76; *P. moorei*, 76;  
*P. pacifica*, 76  
*Placida*, 90; *P. dendritica*, 119  
*Placiphorella rufa*, 153; *P. verlata*, 153  
*Plagioecia patina*, 261  
*Plakina*, 8; *P. ?brachylopha*, 11;  
*Plakina* sp., 11; *P.?trilopha*, 11  
*Plakinidae* Family, 11  
*Planes cyaneus*, 185; *P. marinus*, 185  
*Planula*, 14, 16, 21  
*Platyasterida* Order, 273  
*Platyhelminthes* Phylum, 26  
*Platynereis*, 59  
*Platyodon cancellatus*, 134  
*Playtnereis bicamaliculata*, 59, 60;  
*P. dumerili* var. *agassizi*, 59  
*Plectodon scaber*, 135  
*Pleocymata*, 184  
*Pleraplyolla* sp., 12  
*Pleurobranchaea californica*, 96, 119  
*Pleurobranchia*, 90  
*Pleurobranchidae*, 90  
*Pleurogona* Order, 300  
*Plexauridae* Family, 19  
*Plificusus*, 89  
*Plocamia karykina*, 11  
*Plocamiidae* Family, 11  
*Plocamilla illgi*, 11; *P. lambei*, 11  
*Plotohelmis*, 55  
*Plumularia* spp., 17  
*Plumulariidae* Family, 17  
*Pluteus* larvae, 275  
*Pneumoderma*, 90  
*Pneumodermatidae*, 90  
*Pneumodermopsis*, 90  
*Podarke*, 57  
*Podarkeopsis brevipalpa*, 57  
*Pododesmus cepio*, 133  
*Podotuberculum hoffmanni*, 11  
*Poecillastra rickettsi*, 11  
*Poecilosclerid* larvae, 11  
*Poecilosclerida* Order, 9, 10, 11  
*Pogonophora* Phylum, 86-87  
*Polinices*, 89; *P. lewisi*, 113  
*Pollicipes polymerus*, 158, 162, 162, 174  
*Polybrachia canadensis*, 87  
*Polybrachiidae* Family, 87  
*Polycera*, 90; *P. atra*, 120  
*Polyceratidae*, 90  
*Polychaeta*, 41-79: development, 41-42; morphology, 41-44; reproduction, 41-42  
*Polycirrus caliendum*, 76;  
*P. californicus*, 76  
*Polyclades*, 26  
*Polycladida* Order, 26  
*Polyclinidae* Family, 302  
*Polydora*, 71; *P. alloporis*, 71;  
*P. armata*, 71; *P. brachycephala*, 71;  
*P. caeca* var. *mangna*, 71; *P. cardalia*, 71; *P. ciliata* var. *spongicola*, 71;  
*P. commensalis*, 71, 72; *P. giardi*, 71; *P. kempfi japonica*, 71; *P. lighti*, 71, 72; *P. ligni*, 71, 72; *P. plena*, 71; *P. pygidialis*, 71; *P. socialis*, 71, 72; *P. spongicola*, 71; *P. websteri*, 71, 72  
*Polymastia*, 8; *P. pacifica*, 11;  
*P. pachymastia*, 11  
*Polymastidae* Family, 11  
*Polyne canadensis*, 63; *P. gracilis*, 63  
*Polynoidae* Family, 48, 63-65  
*Polyplacophora*, 152-54  
*Polytrochous* larvae, 99  
*Porcellanidae* Family, 185, 194, 201, 232-34; key to zoeae, 232-233  
*Porella columbiana*, 263; *P. concinna*, 263; *P. porifera*, 263  
*Porifera*: larvae, 6; reproduction, 5  
*Portunidae* Family, 186, 194, 200, 246-48  
*Portunion conformis*, 178  
*Postlarva*, 187  
*Potamididae*, 89  
*Potamilla californica*, 67; *P. intermedia*, 67; *P. neglecta*, 67; *P. occelata*, 67  
*Praxillella affinis* var. *pacifica*, 50; *P. gracilis*, 50  
*Praya dubia*, 17; *P. reticulata*, 17  
*Prayidae* Family, 17  
*Prianos problematicus*, 11  
*Primnoa willeyi*, 19  
*Primnoidae* Family, 19  
*Prionospio*, 70; *P. lighti*, 71;  
*P. malmgreni*, 71; *P. ornata*, 70;  
*P. steenstrupi*, 71, 72  
*Proboscidactyla flavigirrata*, 17  
*Proboscidactylidae* Family, 17  
*Proboscina incrassata*, 261  
*Proboscis*, 31, 32  
*Procephalothrix filiformis*, 31;  
*P. simulus*, 31; *P. spiralis*, 30  
*Propagules*, 17  
*Prophryxus alasensis*, 178  
*Prosobranchia* Subclass, 89  
*Prosüberites* sp., 11  
*Protocapitella*, 49  
*Protodorvillea gracilis*, 51;  
*P. kefersteini*, 51; *P. recuperata*, 51  
*Protoglossidae* Family, 293  
*Protohydra leuckarti*, 17  
*Protohydridae* Family, 17  
*Protolaeospira eximia*, 68  
*Protoptilidae* Family, 19  
*Protothaca staminea*, 134; *P. tenerrina*, 134  
*Psammobiidae*, 134  
*Psammopemma* sp., 12  
*Psephidia lordi*, 134; *P. ovalis*, 134  
*Pseudaxinella ?rosacea*, 11  
*Pseudione galacanthae*, 178; *P. giardi*, 178  
*Pseudoceros canadensis*, 27  
*Pseudocerotidae* Family, 27  
*Pseudochama exogyra*, 133  
*Pseudochitinopoma occidentalis*, 68  
*Pseudomelatoma*, 89  
*Pseudopolydora kempfi*, 71, 72  
*Pseudopotamilla*, 67; *P. reniformis*, 67  
*Pseudopythina compressa*, 133;  
*P. rugifera*, 133  
*Pseudosabellides*, 74  
*Pseudostylochus burchami*, 27;  
*P. ostreophagus*, 27  
*Pseudosüberites* spp., 11  
*Pseudothecosome pteropod*, 107  
*Psolidium bulatum*, 273  
*Psolus chitonoides*, 273, 286;  
*P. squamatus*, 273  
*Pteraster tesselatus*, 273, 283  
*Pterotrachea*, 89; *P. coronata*, 105  
*Pterotracheidae*, 89; pterotracheid heteropod, 105  
*Ptilosarcus gurneyi*, 18, 19  
*Ptychoderidae* Family, 293, 295  
*Ptychogena* spp., 17  
*Puellina setosa*, 262  
*Pugettia gracilis*, 186, 200;  
*P. producta*, 186, 201; *P. richii*, 186;  
*Pugettia* sp., 198  
*Pulmonata*, 89, 90  
*Pulsellidae*, 154  
*Pulsellum salishorum*, 154  
*Puncturella*, 89  
*Pycnoclavella stanleyi*, 301, 302  
*Pycnopodium helianthoides*, 273  
*Pygospio elegans*, 71, 72  
*Pyramidellacea*, 89  
*Pyramidellid*: heterobranchs, 103, 104; snails, 89

- Pyramidellidae Superorder, 89  
 Pyramidellidae, 89  
*Pyura haustor*, 300; *P. microcosmus*, 299; *P. mirabilis*, 300  
 Pyuridae Family, 300  
*Radiceps* sp., 19  
 Raspailiidae Family, 11  
*Rathkea octopunctata*, 17  
 Rathkeidae Family, 17  
*Reginella furcata*, 262; *R. nitida*, 262  
*Reniera* sp.; *R. mollis*, 11  
*Reptantia*, 181, 184-86  
 Reteporidae Family, 263  
 Retusidae, 89, 104  
*Rhamphidonta retifera*, 133  
*Rhamphostomella cellata*, 263; *R. costata*, 263; *R. curvirostrata*, 263  
*Rhinolithodes wossnessenskii*, 184, 222  
*Rhizocaulus verticillatus*, 17  
*Rhizocephala*, 158, 174-76  
*Rhizogeton* sp., 17  
*Rhodine bitorquata*, 50  
*Rhynchozoon tumulosum*, 263  
*Rhynocragon alata*, 182  
*Rhysia* sp., 17  
 Rhysidae Family, 17  
*Rictaxis*, 89; *R. punctocaelatus*, 119  
 Rissoidae, 89, 111  
*Rithropanopeus harrisi*, 186, 201, 249  
*Ritterella aequalisiphonis*, 302; *R. pulchra*, 302; *R. rubra*, 301, 302  
*Romanchella*, 68  
*Rostanga*, 90; *R. pulchra*, 107, 120  
 Rostangidae, 90  
*Rostaria* larva, 48  
*Runcina*, 89; *R. macfarlandi*, 119  
 Runcinidae, 89  
*Sabella*, 67; *S. aulaconota*, 67; *S. crassicornis*, 67  
*Sabellaria alveola*, 75, 76; *S. cementarium*, 75; *S. gracilis*, 75  
 Sabellariidae Family, 45, 46, 75  
 Sabellida Order, 67-68  
 Sabellidae Family, 47, 67-68  
*Saccoglossus bromophenolosus*, 293; *S. horsti*, 294; *Saccoglossus* spp., 293  
*Sacculina carcinii*, 175  
 Sacculinidae, 175  
*Sacoglossa*, 119; Sacoglossan opistobranchs, 106  
*Sagitella kowalevskii*, 66  
*Salmicina dysteri* var. *tribranchiata*, 68; *S. tribrianchiata*, 68  
 Sand dollars, 278-81  
*Sarcodictyon* sp., 19  
*Sarsia japonica*, 17; *Sarsia* spp., 17  
*Sarsonuphis elegans*, 52; *S. lepta*, 52  
 Saxicave, 145  
*Saxidomus giganteus*, 134, 140, 143, 147  
*Scalibregma inflatum*, 53  
 Scalibregmidae Family, 53  
*Scalpellum columbianum*, 158  
 Scaphopoda, 154  
*Schistocomus hiltoni*, 75  
*Schistomerings longicornis*, 51  
*Schizobranchia insignis*, 67  
*Schizomavella auriculata*, 263  
*Schizoplax brandti*, 153  
*Schizoporella cornuta*, 263; *S. linearis*, 263; *S. unicornis*, 263  
 Schizoporellidae, 263  
*Scintillona bellerophon*, 133  
*Scionella japonica*, 76  
 Scissurellidae, 89  
 Scleractinia Order, 15, 19, 20  
 Scleranoxia Suborder, 19  
*Scleroplax granulata*, 186  
 Scleroptilidae Family, 19  
*Scleroptilum* sp., 19  
*Scolelepis acuta*, 71; *S. foliosa*, 71; *S. squamata*, 71  
*Scoloplos*, 53; 54: *S. acmeceps*, 54; *S. armiger*, 54  
 Scrobiculariidae, 134  
*Scruparia* sp., 265, 267  
*Scrupocellaria californica*, 262; *S. reptans*, 265; *S. varians*, 262  
 Scrupocellaridae Family, 262  
*Scypha compacta*, 9; *S. mundula*, 9; *S. protecta*, 9; *Scypha* spp. 9  
 Scyphozoa Class, 13  
*Scyra acutifrons*, 186  
 Sea anemones, 13  
 Sea cucumbers, 285-87  
 Sea pens, 14  
 Sea stars, 281-84  
 Sea urchins, 278-81  
*Searlesia*, 89  
*Semele rubropicta*, 134  
*Semibalanus balanoides*, 158, 162, 163, 170, 171; *S. cariosus*, 158, 162, 163, 167, 169, 179  
*Sepioidae*, 155  
*Septibranchida*, 135  
 Sergestidae Family, 182, 196  
*Sergia tenuiremis*, 182  
*Serpula columbiana*, 68; *S. vermicularis*, 68  
 Serpulidae Family, 47, 67-68  
*Serripes groenlandicus*, 133  
*Sertularella* spp., 17  
*Sertulariidae* Family, 17  
 Sessiliflorae Suborder, 19  
 Shell coiling, 101  
 Shipworm: Common, 147; Feathery, 139  
 Shortscale Eualid, 204  
 Shrimp: Bay Ghost, 215, 216; Blue Mud, 216, 217; Dock, 208; Pacific Ocean, 209-10; Rough Patch, 212-13; Sidestriped, 205, 206; Spot, 211-12  
 Siboglinidae Family, 87  
*Siboglinum fedotovi*, 87; *S. fiordicum*, 86; *S. pusillum*, 87  
*Siderastraea* sp., 15  
 Sigalionidae Family, 48, 65  
*Sigambra tentaculata*, 63  
*Sigmadocia*, 9; *S. edaphus*, 11; *Sigmadocia* spp., 11  
*Siliqua lucida*, 134; *S. patula*, 134; *S. sloati*, 134  
*Sinistrella media*, 68  
*Siphonaria*, 90  
 Siphonariidae, 90  
 Siphonophora Class, 13  
*Siphonosoma cumanense*, 81; *Siphonosoma* sp., 81  
 Sipuncula, 80-84: development, 80-81; identification, 81-82; reproduction, 80-81  
*Sipunculus nudus*, 81; *S. polymyotus*, 81; *Sipunculus* sp., 81  
 Slipper shells, 105, 108  
*Smittina cordata*, 263; *S. landsborovi*, 263  
 Smittinidae Family, 263  
 Snails: Bubble, 89; Lunged, 89; Moon, 113; Pyramidellid, 89; Turban, 89; Tusk, 154; Vermetid, 88  
*Solariella*, 89  
*Solaster dawsoni*, 273; *S. stimpsoni*, 273  
 Solecurtidae, 134  
*Solemya reidi*, 132, 136, 139; *S. velum*, 139  
 Solemyidae, 132  
*Solemyoida*, 132, 136  
*Solen sicarius*, 134  
 Solenidae, 134  
*Solenosmilia variabilis*, 19  
*Solidobalanus engbergi*, 158; *S. hesperius*, 158, 162, 171  
 Spat, 136  
 Spatangoida Order, 273  
 Spengelidae Family, 293  
 Sphaerodoridae Family, 45, 65  
*Sphaerodoridium*, 65  
*Sphaerodoropsis biserialis*, 65; *S. minuta*, 65; *S. sphaerulifer*, 65  
*Sphaerodorum*, 65; *S. papillifer*, 65  
*Sphaeronectes gracilis*, 17  
 Sphaeronectidae Family, 17  
*Sphaerosyllis californiensis*, 66; *S. hystrix*, 66; *S. pirifera*, 66  
*Sphenia ovoidea*, 134  
 Spicules, 6  
 Spinulosida Order, 273, 283  
 Spiny Lebbeid, 204  
*Spi filicornis*, 71, 72  
*Spiochaetopterus costarum*, 69  
 Spionida Order, 68-73  
 Spionidae Family, 46, 70-73  
*Spionophanes berkeleyorum*, 71; *S. bombyx*, 71, 72; *S. cirrata*, 71; *S. foliosa*, 71, 72; *S. squamata*, 71, 72  
*Spirontocaris arcuata*, 183; *S. holmesi*, 183; *S. lamellicornis*, 183; *S. prionota*, 183; *S. sica*, 183; *S. spina*, 183; *S. synderi*, 183; *S. truncata*, 183  
 Spirophorida Order, 11  
 Spirorbidae Family, 47, 68  
*Spirorbis*, 68; *S. ambilateralis*, 68; *S. bifurcatus*, 68; *S. moerchi*, 68; *S. racemosus*, 68; *S. rugatus*, 68; *S. semidentatus*, 68; *S. variabilis*, 68

- Spirularina Suborder, 19  
*Spisula falcata*, 133  
*Spongia*, 10  
*Spongionella* sp., 11  
*Stauronereis*, 51; *S. articulata*, 51  
*Stauropora* spp., 17  
*Stegopoma* spp., 17  
*Stellella clarella*, 11  
*Stellettidae* Family, 11  
*Stelodoryx alaskensis*, 11  
*Stelotrochota hartmani*, 11  
*Stenolaemates*, 261  
*Stenoplax fallaz*, 153; *S. heathiana*, 153  
*Stephanauge annularis*, 19  
*Stephanosella vitrea*, 263  
*Stereogastrula* larvae, 6  
*Sternaspida Order*, 74  
*Sternaspidae* Family, 74  
*Sternaspis affinis*, 74; *S. fossor*, 74; *S. scutata*, 74  
*Sthenelais berkeleyi*, 65; *S. fusca*, 65; *S. verruculosa*, 65  
*Stiliger*, 90; *S. fuscovittatus*, 119  
*Stiligeridae*, 90  
*Stolidobranchia* Suborder, 300, 302  
*Stolonifera* Suborder, 19  
*Stomachetosella cruenta*, 263; *S. limbata*, 263; *S. sinuosa*, 263  
*Stomachetosellidae* Family, 263  
*Stomatopora granulata*, 261  
*Stomphia coccinea*, 19; *S. didemon*, 19; *Stomphia* sp., 19  
*Stone coral*, 15  
*Straight-hinge stage*, 138  
*Streblospio benedicti*, 71  
*Strongylocentrotus droebachiensis*, 273; *S. franciscanus*, 273, 278, 279; *S. purpuratus*, 51, 273, 278, 279; *Strongylocentrotus* sp., 278  
*Stylela (barnharti) clava*, 300; *S. clavata*, 300; *S. coriacea*, 300; *S. gibbsii*, 300; *S. montereyensis*, 300; *S. partita*, 299; *Stylela* sp., 299; *S. truncata*, 300  
*Stylelidae* Family, 300, 302  
*Stylasterias forrieri*, 273  
*Stylasteridae* Family, 17  
*Stylasterina* Order, 13, 17  
*Stylatula elongata*, 19  
*Styleroides*, 53  
*Stylinos* sp., 11  
*Styliola*, 90; *S. subula*, 117  
*Styliissa stipitata*, 11  
*Stylochidae* Family, 27  
*Stylochoplana chloranota*, 27  
*Stylochus*, 26; *S. atentaculatus*, 27; *S. tripartitus*, 27  
*Stylopus arndti*, 11  
*Stylostomum album*, 27; *S. sanjuania*, 27  
*Suberites montiniger*, 11; *S. ?suberea*, 11; *S. simplex*, 11; *Suberites* sp., 11  
*Suberitidae* Family, 11  
*Subselliflorae* Suborder, 19  
*Swiftia kofodi*, 19; *S. simplex*, 19; *S. spauldingi*, 19; *S. torreyi*, 19  
*Sycandra ?utriculus*, 9  
*Sycettida* Order, 9  
*Sycettidae* Family, 9  
*Syphnelmis aff. klatti*, 63  
*Syllidae* Family, 47, 66  
*Syllis*, 66; *S. adamantea*, 66; *S. alternata*, 66; *S. armillaris*, 66; *S. elongata*, 66; *S. heterochaeta*, 66; *S. hyalina*, 66; *S. oerstedi*, 66; *S. pulchra*, 66; *S. spenceri*, 66; *S. variegata*, 66  
*Sylon hippolytes*, 158, 175  
*Sylonidae*, 175  
*Symplectoscyphus* spp., 17  
*Synnotum aegyptiacum*, 262  
*Synoicum georgianum*, 301; *S. parfustis*, 302; *Synoicum* sp., 302  
*Syringella amphispicula*, 11  
*Systellaspis braueri*, 183; *S. cristata*, 183  
*Tachyrynchus*, 89  
*Tadpole larvae*, 298-303  
*Tachelus californianus*, 134  
*Tapes philippinarum*, 134  
*Taranis*, 89  
*Tauberia gracilis*, 54  
*Tealia filina*. See *Urticina*  
*Tedania*, 9; *T. fragilis*, 11; *T. gurjanovae*, 11  
*Tedaniidae* Family, 11  
*Tedaniione obscurata*, 11  
*Tegella aquilirostris*, 262; *T. armifera*, 262; *T. robertsonae*, 262  
*Tegula*, 89  
*Telepsavus*, 69  
*Tellina bodegensis*, 134; *T. carpenteri*, 134; *T. modesta*, 134; *T. nucleoides*, 134  
*Tellinidae*, 134  
*Telmessus cheiragonus*, 185  
*Tenellia*, 90; *T. adspersa*, 114, 121  
*Tenthrenodes* sp., 9  
*Terebellidae* Family, 75-76  
*Terebellidae* Order, 74-76  
*Terebellides stroemi*, 76  
*Terebratalia transversa*, 269  
*Terebratalina*, 270  
*Teredinidae*, 135  
*Teredo navalis*, 135, 140, 148  
*Tergipedidae*, 90, 114  
*Terrebratulina unguicula*, 269  
*Tethidae* Family, 11  
*Tethya*, 8; *T. californiana*, 11  
*Tethyidae*, 90  
*Tetillidae* Family, 11  
*Tetrastemma candidum*, 30; *T. nigrifrons*, 30; *T. phyllospadicola*, 30  
*Teuthoidea*, 155  
*Thalassinidae*, 184, 197  
*Thalysias laevigata*, 11  
*Tharyx*, 60; *T. multifilis*, 70; *T. multifilis* var. *parvus*, 70; *T. parvus*, 70  
*Thecanephria* Order, 87  
*Thecata* Suborder, 17  
*Thecocarpus* spp., 17  
*Thecosomata*, 120  
*Thelepus cincinnatus*, 76; *T. crispus*, 76; *T. hamatus*, 76; *T. setosus*, 76  
*Themiste alutacea*, 81; *T. dyscrita*, 80; *T. lageniformis*, 81; *T. pyroides*, 80, 81  
*Thompsonia* sp., 175, 176  
*Thoracica*, 165-74  
*Thoracophelia*, 53  
*Thracia beringi*, 134; *T. challiciana*, 134; *T. curta*, 134; *T. trapezoides*, 134  
*Thraciidae*, 134  
*Thuiaria* spp., 17  
*Thysasira barbarensis*, 133; *T. cygnus*, 133; *T. gouldii*, 133  
*Thysasiridae*, 133  
*Thyonicola*, 89  
*Thysanocardia nigra*, 80  
*Tiarannidae* Family, 17  
*Tiaropsisidium* spp., 17  
*Tiaropsis* spp., 17  
*Tochuina*, 90  
*Tomopteridae* Family, 45, 66  
*Tomopteris cavalli*, 66; *T. elegans*, 66; *T. pacifica*, 66; *T. renata*, 66; *T. septentrionalis*, 66  
*Topsentia disparilis*, 11; *T. insignis*, 153; *T. lineata*, 153  
*Tornaria larva*, 294, 295  
*Toxicdia* spp., 11  
*Transenella confusa*, 134; *T. tantilla*, 134  
*Travisia brevis*, 53; *T. carnea*, 53; *T. pupa*, 53  
*Traviopsis lobifera*, 66  
*Trematoda* Class, 26  
*Tresus capax*, 134, 140, 148; *T. nuttalli*, 134  
*Tricellaria gracilis*, 262; *T. occidentalis*, 262, 266; *T. praescuta*, 262; *T. ternata*, 262  
*Trichobranchidae* Family, 76  
*Trichobranchus glacialis*, 76  
*Trichotropididae*, 89  
*Trichotropis*, 89  
*Trichydra pudica*, 17  
*Trichydridae* Family, 17  
*Tricolia*, 89  
*Trididemnum opacum*, 302; *T. strangulatum*, 302  
*Tridonta alaskensis*, 133  
*Trimusculidae*, 90  
*Trimusculus*, 90  
*Triopha*, 90; *T. catalinae*, 120; *T. maculata*, 120  
*Triticella pedicellata*, 262  
*Triticellidae* Family, 262  
*Tritonia*, 90; *T. diomedea*, 120; *T. festivae*, 120  
*Tritoniidae*, 90  
*Trochidae*, 89  
*Trochochaeta franciscanum*, 74; *T. multiseta*, 74  
*Trochochatidae* Family, 74  
*Trochophore* larvae, 93, 94  
*Trophonia*, 52  
*Trophonopsis*, 89  
*Trypanosyllis gemmipara*, 66; *T. ingens*, 66

- Trypetesa* sp., 158  
*Trypostega claviculata*, 263  
*Tubilipora pulchra*, 261  
*Tubulanus capistratus*, 30;  
*T. polymorphus*, 30; *T. sexlineatus*,  
 30; *Tubulanus* sp., 31  
*Tubularia*, 16; *T. crocea*, 17;  
*T. harrimani*, 17; *T. indivisa*, 17;  
*T. marina*, 17  
*Tubulariidae* Family, 17  
*Tubulipora flabellaris*, 261; *T. pacifica*,  
 261; *T. phalangea*, 261; *T. tuba*, 261  
*Tubuliporidae* Family, 261  
 Tunicates, 298-303  
 Turbellaria Class, 26  
 Turbinidae, 89  
*Turbonilla*, 89  
 Turrid prosobranchs, 102  
 Turridae, 89, 112  
 Turrillidae, 89, 109  
*Turritopsis*, 89  
*Turtonia minuta*, 133  
 Turtoniidae, 133  
 Typhloscolecidae Family, 66  
*Typosyllis*, 66  
  
*Ulosa*, 10  
*Umbellula lindahli*, 19  
 Umbellulidae Family, 19  
 Umbo stage, 138  
*Umbonula arctica*, 263  
 Umbonulidae Family, 263  
 Ungulinidae, 133  
*Upogebia pugettensis*, 184, 196, 216-  
 17  
 Upogebiidae Family, 184, 196, 216  
 Urechidae Family, 86  
*Urechis caupo*, 85, 86  
 Urochordata, 298-303  
*Urticia crassicornis*, 19, 22;  
*U. lofotensis*, 19; *U. piscivora*, 19;  
*Urticia* sp., 19  
*Urticina columbiana*, 19; *U. coriacea*,  
 19; *U. crassicornis*, 19; *U. filina*, 15,  
 19  
  
 Valvatida Order, 273  
 Veliconcha, 138: Veliconcha stage,  
 138  
 Veliger, 137, 139: Veliger larvae, 91,  
 92, 93  
*Velutina*, 89; *V. plicatilis*, 115;  
*V. velutina*, 115  
 Velutinid prosobranchs, 97  
 Velutinidae, 89  
 Veneridae, 134  
*Veneroida*, 133  
 Vermetidae, 89  
*Vermetus*, 89  
 Verongiida Order, 12  
 Verongiidae Family, 12  
 Vesiculariidae Family, 262  
 Vetigastropoda, 89, 96, 108  
*Virgularia* spp., 19  
 Virgulariidae Family, 19  
*Volvulella*, 89  
  
*Waltonia*, 270  
*Watersipora arcuata*, 265  
*Weberella ?verrucosa*, 11  
 Whelks, 89  
*Williamia*, 90  
 Worms: Acorn, 293-95; Coelomate,  
 85-87; Common Ship-, 147;  
 Feathery Ship-, 139; Flat-, 26;  
 Peanut, 80-84; Ribbon, 30  
  
 Xanthidae Family, 186, 193, 199,  
 201, 248-49; key to zoeae, 248  
 Xenopneusta Order, 86  
*Xestospongia tridanea*, 11; *X. vanilla*,  
 11; *X. washingtona*, 135  
*Xylophagaidae*, 135  
  
 Yellow Leg Pandalid, 214-15  
*Yoldia amygdalea*, 132; *Y. limatula*,  
 132, 139; *Y. myalis*, 132;  
*Y. scissurata*, 132; *Y. thraciaeformis*,  
 132  
*Yoldiidae*, 132  
  
 Zephyrinidae, 90  
*Zirfaea pilosbryii*, 135  
 Zoantharia Subclass, 19  
 Zoanthidea Order, 15  
 Zoanthinaria Order, 19, 20  
 Zoea, 187-88  
*Zygherpe hyaloderma*, 11  
*Zygonemertes virescens*, 30  
*Zygophylax* spp., 17