

S

Bibliography of Research on
(Chionoecetes opilio)

now Crab



A.J. Paul, Editor

University of Alaska Sea Grant College Program
Report No. 00-01

Bibliography of Research on Snow Crab *(Chionoecetes opilio)*

A.J. Paul, Editor



University of Alaska Sea Grant College Program

AK-SG-00-01

2000

Price \$10.00

For an online, searchable version of this bibliography, go to
www.uaf.edu/seagrant/pubvid/pubs/AK-SG-00-01.pdf

Elmer E. Rasmuson Library Cataloging in Publication Data:

Bibliography of research on snow crab (*Chionoecetes opilio*) / A.J. Paul editor. – [Fairbanks : Alaska] University of Alaska Sea Grant College Program, 2000.

49 p. cm. – (University of Alaska Sea Grant College Program ; AK-SG-00-01)

1. *Chionoecetes opilio*—Bibliography. 2. I. Title. II. Paul, A. J. III. Series: Alaska Sea Grant College Program report ; AK-SG-00-01.

Z5973.C7.B53 2000 QL444.M33.B53 2000

ISBN 1-56612-063-2

Acknowledgments

This book is published by the University of Alaska Sea Grant College Program, which is cooperatively supported by the U.S. Department of Commerce, NOAA National Sea Grant Office, grant no. NA86RG-0050, project A/161-01; and by the University of Alaska Fairbanks with state funds. The University of Alaska is an affirmative action/equal opportunity institution.

Sea Grant is a unique partnership with public and private sectors combining research, education, and technology transfer for public service. This national network of universities meets changing environmental and economic needs of people in our coastal, ocean, and Great Lakes regions.



University of Alaska Sea Grant
P.O. Box 755040
205 O'Neill Bldg.
Fairbanks, Alaska 99775-5040
(907) 474-6707 Fax (907) 474-6285
Toll free for book orders (888) 789-0090
<http://www.uaf.edu/seagrant/>

Preface

Snow crab supports the largest crab fishery in Alaska, but because it is indigenous to the northern Bering Sea much of the research on this species takes place far from its home waters. This bibliography of 1,050 entries brings together snow crab research published in Japan, Russia, Canada, the United States, and other countries. Fisheries managers and researchers throughout the Northern Hemisphere can use the bibliography to help in the understanding of opilio biology.

The bibliography got its start at the International Symposium on Biology, Management, and Economics of Crabs from High Latitude Waters, in October 1995, where participants elected to update the bibliography included in the book *Life History of the Snow Crab, Chionoecetes opilio: A Literature Review*, by Albert E. Adams, published in 1979 by Alaska Sea Grant.

For the current bibliographic publication, editors did not see most original works; contributors take responsibility for the accuracy of their original submissions. Original language of publication for Japanese and Russian references is unknown for some entries, and page numbers may be less than 100% accurate. If you as a reader have difficulty tracking down a publication, or find errors, please contact Sue Keller at fnsk@uaf.edu so we can correct the entries on the electronic version (www.uaf.edu/seagrant/pubvid/pubs/AK-SG-00-01.pdf). Serial abbreviations in this bibliography follow BIOSIS Serial Sources.

Credits

Thanks to the following people for helping to compile the bibliographic entries:

Brenda Baxter, University of Alaska Sea Grant, Fairbanks, AK
Earl Dawe, Department of Fisheries and Oceans, St. Johns, NF, Canada
Sue Keller, University of Alaska Sea Grant, Fairbanks, AK
Tohshi Kon, Fukui Prefectural Fisheries, Turuga Fukui Pref., Japan
Gordon Kruse, Alaska Department of Fish and Game, Juneau, AK
Mikio Moriyasu, Department of Fisheries and Oceans, Moncton, NB, Canada
Bernard Sainte-Marie, Maurice Lamontagne Inst., Department of Fisheries and Oceans,
Mont-Joli, Quebec, Canada
Dave Taylor, Department of Fisheries and Oceans, St. Johns, NF, Canada
Jie Zheng, Alaska Department of Fish and Game, Juneau, AK

Translations from Japanese by Madelon Mottet, Alaska-Southeast Bio-Research, Sitka, AK, paid for by National Marine Fisheries Service, Kodiak, AK.

Edited by Kitty Mecklenburg, Pt. Stephens Research Associates, Juneau, AK; and Sue Keller, University of Alaska Sea Grant, Fairbanks, AK.

Formatted by Carol Kaynor, University of Alaska Sea Grant, Fairbanks, AK. Cover design by Dave Brenner, University of Alaska Sea Grant, Fairbanks, AK.

Bibliography of Research on Snow Crab (*Chionoecetes opilio*)

A

- Adachi, J. 1991. Distribution of snow crab *Chionoecetes opilio* in sea area off Hinomisaki, Shimane Prefecture where protection shelters have been installed. JAMSTEC Tr. Deepsea Res. 1991:259-269. [English translation: Can. Transl. Fish. Aquat. Sci. 5632. 16 pp.]
- Adachi, J. 1993. Relation between concentration degree and distribution density of snow crab *Chionoecetes opilio* in sea area off Hinomisaki, Shimane Prefecture where protection shelters have been installed. Proc. JAMSTEC Symp. Deep Sea Res. 9:367-376. [In Japanese with English summary.]
- Adams, A.E. 1979. Life history of the snow crab, *Chionoecetes opilio*: A literature review. University of Alaska Sea Grant, AK-SG-78-13, Fairbanks. 141 pp.
- Adams, A.E. 1982. The mating behavior of *Chionoecetes bairdi*. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 223-271.
- Adams, A.E. 1985. Some aspects of the reproductive biology of the crab *Chionoecetes bairdi*, final project report. University of Alaska Sea Grant, AK-SG-85-07, Fairbanks. 10 pp.
- Adams, A.E., and A.J. Paul. 1983. Male parent size, sperm storage and egg production in the crab *Chionoecetes bairdi* (Decapoda, Majidae). Int. J. Invertebr. Reprod. 6:181-187.
- Addison, R.F., R.G. Ackman, and J. Hingley. 1972. Lipid composition of the queen crab (*Chionoecetes opilio*). J. Fish. Res. Board Can. 29(4):407-411.
- Aikawa, H. 1929. On larval forms of some brachyura. Rec. Oceanogr. Works Jpn. 2(1):17-55.
- Aikawa, H. 1937. Further notes on brachyuran larvae. Rec. Oceanogr. Works Jpn. 9:87-162.
- Akita Prefectural Fisheries Experimental Station. 1926. Studies and experiments on the Tanner crab *Chionoecetes opilio*. Report on the Experimental Operations of 1926:37.
- Akita Prefectural Fisheries Experimental Station. 1927. Studies and experiments on the Tanner crab *Chionoecetes opilio*. Report on the Extent of Operations, 1923:3.
- Akita Prefectural Fisheries Experimental Station. 1927. Studies and experiments on the Tanner crab *Chionoecetes opilio*. Report on the Experimental Operations of 1927:34-35.
- Akita Prefectural Fisheries Experimental Station. 1928. Studies and experiments on the Tanner crab *Chionoecetes opilio*. Report on the Extent of Operations, 1928:3-4.
- Akita Prefectural Fisheries Experimental Station. 1928. Studies and experiments on the Tanner crab *Chionoecetes opilio*. Report on the Experimental Operations of 1928:36-37.
- Akita Prefectural Fisheries Experimental Station. 1929. Studies and experiments on the Tanner crab *Chionoecetes opilio*. Report on the Extent of Operations, 1929:3-4.
- Akita Prefectural Fisheries Experimental Station. 1930. Fishery experiments using a bottom dragnet and a study of the Tanner crab *Chionoecetes opilio*. Report on the Experimental Operations of 1930:11-13.
- Alaska Department of Fish and Game. 1980. Westward Region Tanner crab report to the Alaska Board of Fisheries. Alaska. 98 pp.
- Alaska Sea Grant. 1982. Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks. 732 pp.
- Alaska Sea Grant. 1990. Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks. 633 pp.
- Alaska Sea Grant. 1996. High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks. 713 pp.
- Allyn, G.J. 1976. Electrophoretic evidence of hybrid snow crab, *Chionoecetes opilio*. Fish. Bull., U.S. 74(3).
- Alunno-Bruscia, M. 1993. Croissance et maturation des femelles du crabe des neiges, *Chionoecetes opilio* (O. Fabricius), dans le golfe du Saint Laurent. Diplôme d'études approfondies (DEA) thesis, Université d'Aix Marseille II, Marseille, France. 36 pp.
- Alunno-Bruscia, M., and B. Sainte-Marie. 1998. Abdomen allometry, ovary development, and growth of female snow crab, *Chionoecetes opilio* (Brachyura, Majidae), in the northwestern Gulf of St. Lawrence. Can. J. Fish. Aquat. Sci. 55(2):459-477.

- American Fisheries Society. 1989. Common and scientific names of aquatic invertebrates from the United States and Canada: Decapod crustaceans. Am. Fish. Soc. Spec. Publ. 17.
- Andersen, M. 1993. Inshore survey for snow crab, *Chionoecetes opilio*, in West Greenland. ICES Council Meeting Papers, ICES, Copenhagen. 9 pp.
- Anderson, E., C. Atkinson, A. Gorham, F. Ness, and F. Orth. 1977. Bering Sea Tanner crab resource: U.S. production capacity and marketing. University of Alaska Sea Grant, AK-SG-77-05, Fairbanks. 157 pp.
- Andriyashev, A.P. 1939. The zoogeography and origin of fish fauna of the Bering Sea and adjacent waters. Leningrad State University, Leningrad. 185 pp.
- Angers, A., F. Pothier, J.-M. Sévigny, and B. Sainte-Marie. 1994. Tissue specificity and ontogeny of lactate dehydrogenase in snow crab, *Chionoecetes opilio* (Brachyura, Majidae). Comp. Biochem. Physiol. B Comp. Biochem. 108B(3):385-395.
- B**
- Baba, K., and T. Tominaga 1969. Report on the study to develop the *Chionoecetes opilio* resource. Aomori Prefectural Fisheries Research Station. 29 pp.
- Bailey, R. 1978. Analysis of the snow crab population in northwestern Cape Breton, 1978. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 78/41. 16 pp.
- Bailey, R. 1978. Status of snow crab (*Chionoecetes opilio*) stocks in the Gulf of St. Lawrence. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 78/27. 39 pp.
- Bailey, R. 1981. Catch prediction for the snow crab (*Chionoecetes opilio* O. Fabricius) fishery in the southwestern Gulf of St. Lawrence. A problem of predation by cod (*Gadus morhua* L.). Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 81/1. 12 pp.
- Bailey, R. 1982. Relationship between catches of snow crab, *C. opilio* (O. Fabricius) and abundance of cod (*Gadus morhua* L.) in the southwestern Gulf of St. Lawrence. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 485-497.
- Bailey, R.F.J. 1983. A review of the sampling of snow crab (*Chionoecetes opilio*) catches in the southwestern Gulf of St. Lawrence. In: W.G. Doubleday and D. Rivard (eds.), Sampling commercial catches of marine fish and invertebrates. Can. Spec. Publ. Fish. Aquat. Sci. 66:77-81.
- Bailey, R. 1983. Overview of Leslie fishing success method as an assessment tool for snow crab stocks. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 83/85.
- Bailey, R., and R. Cormier. 1983. Évaluation du stock de crabe des neiges exploité par le Nouveau-Brunswick dans le sud-ouest du golfe Saint-Laurent. [Stock assessment of snow crab exploited by New Brunswick in the southwest Gulf of St. Lawrence.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 83/54.
- Bailey, R., and R. Cormier. 1983. Review of snow crab resource in western Cape Breton (areas 1 and 7) for 1982. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 83/55.
- Bailey, R., and R. Cormier. 1983. Revue du stock de crabe des neiges exploité par le Nouveau-Brunswick en 1983 dans le sud-ouest du golfe Saint-Laurent. [Stock status in 1983 of snow crab exploited by New Brunswick in the southwest Gulf of St. Lawrence.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 83/79. 34 pp.
- Bailey, R., and R. Dufour. 1983. Comparaison des rendements de crabe des neiges obtenus par deux types de casiers différents. [Comparison of snow crab catch rates with two different trap types.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 83/19.
- Bailey, R.F.J., and R. Dufour. 1987. Field use of an injected ferromagnetic tag on the snow crab (*Chionoecetes opilio* O. Fabr.). J. Cons. Cons. Int. Explor. Mer 43:237-244.
- Bailey, R.F.J., and R.W. Elner. 1989. Northwest Atlantic snow crab fisheries: Lessons in research and management. In: J.F. Caddy (ed.), Marine invertebrate fisheries: Their assessment and management. John Wiley and Sons, New York, pp. 261-280.
- Bailey, R., R. Rioux, and N. Raymond. 1986. La mue terminale chez *Chionoecetes opilio* (O. Fabricius), un crabe oxyrhynque, Majidae. [The terminal molt in *Chionoecetes opilio*.] Actes de la neuvième réunion des carcinologistes de langue française, France, Roscoff, June 3-5, 1985. Cah. Biol. Mar. 27. [Abstract.]
- Bataller, E.E. 1992. Étude histologique et ultrastructurale de l'organe Y chez les males immatures et matures du crabe des neiges (*Chionoecetes opilio*) (O. Fabricius) (Decapoda: Majidae). [Histological and ultrastructural study of the Y-organ in immature and mature male snow crab (*Chionoecetes opilio*) (O. Fabricius) (Decapoda: Majidae).] M.S. thesis, University of Moncton, New Brunswick.
- Bataller, E., and A.D. Boshen. 1992. Deterioration of the Y-organ in male snow crab *Chionoecetes opilio* and its possible implications with regard to the terminal molt. J. Shellfish Res. 11(1):189.
- Bataller, E.E., A.D. Boshen, and M. Moriyasu. 1989. A histological and ultrastructural study of the Y-organ in immature and mature male snow crab (*Chionoecetes opilio*). Aquaculture '89, February 12-16, 1989, Los Angeles, California. [Abstract.]

- Bellan, P.P. 1978. Contribution a l'étude des annelides polychaetes de la province de Québec, 2. Étude synecologique. *Tethys* 8(3):231-240.
- Benhalima, K., and M. Moriyasu. 1993. Histological, histochemical and ultrastructural observations of the vasa deferentia of male snow crab, *Chionoecetes opilio* (Majidae, Brachyura). Presented at International Seckenberg Symposium on Crustacea Decapoda. Frankfurt a. Mainz, Germany, October 18-22, 1993. [Abstract.]
- Benhalima, K., M. Moriyasu, and M. Hébert. 1998. A technique for identifying the early-premolt stage in the male snow crab *Chionoecetes opilio* (Brachyura: Majidae) in the southern Gulf of St. Lawrence. *Can. J. Zool.* 76(4):609-617.
- Benhalima, K., M. Moriyasu, E. Wade, and M. Hébert. 1998. Exoskeletal lesions in the male snow crab *Chionoecetes opilio* (Brachyura: Majidae) in the southern Gulf of St. Lawrence. *Can. J. Zool.* 76(4):601-608.
- Beninger, P.G., and C. Lanteigne. 1995. The spermatheca of immature, pre-mature, mature snow crabs, *Chionoecetes opilio*. *J. Shellfish Res.* 14(1):260.
- Beninger, P.G., R.W. Elner, and Y. Poussart. 1991. Functional anatomy of the copulatory appendages of the snow crab, *Chionoecetes opilio*. *J. Shellfish Res.* 10:304.
- Beninger, P.G., R.W. Elner, and Y. Poussart. 1991. The gonopods of the majid crab *Chionoecetes opilio* (O. Fabricius). *J. Crustacean Biol.* 11(2):217-228.
- Beninger, P.G., A. Ferguson, and C. Lanteigne. 1995. The gonopod tegumental glands of snow crab (*Chionoecetes opilio*) are accessory reproductive glands. *J. Shellfish Res.* 14(2):365-370.
- Beninger, P.G., A. Ferguson, and C. Lanteigne. 1996. The gonopod tegumental glands of snow crab, *Chionoecetes opilio*: A closer look yields evidence for sexual function. *J. Shellfish Res.* 15(2):487.
- Beninger, P.G., C. Lanteigne, and R.W. Elner. 1993. Reproductive processes revealed by spermatophore dehiscence experiments and by histology, ultrastructure, and histochemistry of the female reproductive system in the snow crab *Chionoecetes opilio* (O. Fabricius). *J. Crustacean Biol.* 13(1):1-16.
- Beninger, P.G., C. Lanteigne, and R.W. Elner. 1994. Not just a storage tank: Anatomical, biochemical, and microbiological studies of spermatheca structure and function in snow crab, *Chionoecetes opilio*. *J. Shellfish Res.* 13:291.
- Beninger, P.G., R.W. Elner, T.P. Foyle, and H.P. Odense. 1988. Functional anatomy of snow crab (*Chionoecetes opilio*) reproductive systems, and a hypothesis for fertilization. *J. Shellfish Res.* 7:196.
- Beninger, P.G., R.W. Elner, T.P. Foyle, and P.H. Odense. 1988. Functional anatomy of the male reproductive system and the female spermatheca in the snow crab *Chionoecetes opilio* (O. Fabricius) (Decapoda: Majidae) and a hypothesis for fertilization. *J. Crustacean Biol.* 8(3):322-332.
- Bennett, J.T., and K.K. Turekian. 1984. Radiometric ages of brachyuran crabs from the Galapagos spreading-center hydrothermal vent field. *Limnol. Oceanogr.* 29:1088-1091.
- Biron, M., E. Wade, and M. Moriyasu. 1998. Evaluation of the possibility for effort increase in eastern Nova Scotia snow crab fishing Areas 23 and 24. Atlantic Stock Assessment Doc. 97/129. 20 pp.
- Biron, M., M. Moriyasu, E. Wade, P. DeGrace, R. Campbell, and M. Hébert. 1997. Assessment of the 1996 snow crab (*Chionoecetes opilio*) fishery off eastern Cape Breton, Nova Scotia (Areas 20, 21, 22, 23, 24, and 4X) for 1996. Atlantic Stock Assessment Doc. 98/102. 56 pp.
- Biron, M., M. Moriyasu, E. Wade, P. DeGrace, R. Campbell, and M. Hébert. 1998. Assessment of the 1997 snow crab (*Chionoecetes opilio*) fishery off eastern Nova Scotia (Areas 20, 21, 22, 23, 24 [and 4X]), Canada. Atlantic Stock Assessment Doc. 98/101. 50 pp.
- Biron, M., M. Moriyasu, E. Wade, P. DeGrace, R. Campbell, and M. Hébert. 1999. Assessment of the 1998 snow crab (*Chionoecetes opilio*) fishery off eastern Nova Scotia (Areas 20, 21, 22, 23, 24 [and 4X]), Canada. Atlantic Stock Assessment Doc. 99/12. 50 pp.
- Birshtein, T.A., and L.G. Vinogradov. 1953. New data on Bering Sea decapod fauna. *Zool. Zh.* 32(3):215-228. [In Russian.]
- Blackwood, C.M., S. Varga, and A.B. Dewar. 1969. Code of practice for processing queen crab. In: Meeting on Atlantic crab fishery development, Fredericton, New Brunswick, March 1969. 18 pp.
- Bol. Soc. Port. Entomol. 1993. Not just a storage tank: Anatomical, biochemical, and microbiological studies of spermatheca structure and function in snow crab, *Chionoecetes opilio*. Actas do V Congresso Iberico de Entomologia, Lisbon, 9-13 Nov. 1992. Vol. 2.; Bol. Soc. Port. Entomol., p. 291; vol. supplement 3.
- Botta, J.R., S.L. Keats, and B.E. Squires. 1993. Quality of frozen cooked snow crab (*Chionoecetes opilio*) meat: The effect of the pre-processing condition. *Food Res. Int.* 26(5):333-342.
- Bouchard, S., B. Sainte-Marie, and J.N. McNeil. 1996. Indirect evidence indicates female semiochemicals release male precopulatory behaviour in the snow crab, *Chionoecetes opilio* (Brachyura: Majidae). *Chemoecology* 7:39-44.

- Bouchard, R., J.-C.F. Brêthes, G. Desrosiers, and R.F.J. Bailey. 1986. Changes in size distribution of snow crabs (*Chionoecetes opilio*) in the southwestern Gulf of St. Lawrence. *J. Northwest Atl. Fish. Sci.* 7:67-75.
- Boucher, J. 1992. Economic and commercial analysis of the Quebec snow crab industry, 1992. *Econ. Commer. Anal. Rep. Dep. Fish. Oceans (Can.)* 125. 48 pp.
- Boucher, J. 1994. Economic and commercial analysis of the Quebec snow crab industry, 1993. *Econ. Commer. Anal. Rep. Dep. Fish. Oceans (Can.)* 137. 43 pp.
- Boucher, J., C. Cantin, and D. Pelletier. 1991. Economic and commercial analysis of the Quebec snow crab industry, 1991. Economic and commercial analysis report. *Econ. Commer. Anal. Rep. Dep. Fish. Oceans (Can.)* 107. 25 pp.
- Boudreau, M.M. 1991. Use of a galvanic time release mechanism on crab traps during the 1991 snow crab fishing season. Rep. 3006, Programme Fédéral de Développement Pêches du Québec 3:1-14.
- Boutillier, J.A., R.B. Lauzier, A.C. Phillips, and L. Barton. 1998. Framework for a Tanner crab (*Chionoecetes tanneri* and *C. angulatus*) fishery in water off the west coast of Canada. *Canadian Stock Assessment Secretariat, Res. Doc.* 98/125. 29 pp.
- Bowerman, J.H., and B.R. Melteff. 1984. A bibliography of references on the genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-84-07, Fairbanks. 60 pp.
- Brattey, J., R.W. Elnor, L.S. Uhazy, and A.E. Bagnall. 1985. Metazoan parasites and commensals of five crab (*Brachyura*) species from eastern Canada. *Can. J. Zool.* 63:2224-2229.
- Brêthes, J.-C., and F. Coulombe. 1987. Évolution des politiques de gestion de la pêche de crabe des neiges dans le golfe du Saint-Laurent. In: *Actes de la Conférence internationale sur les pêches, Université du Québec à Rimouski, août 1986*, pp. 587-599.
- Brêthes, J.-C.F., and F. Coulombe. 1990. Oriented movements of tagged male snow crabs (*Chionoecetes opilio* O. Fabr.) off the north shore of the Gulf of St. Lawrence. In: *Proceedings of the International Symposium on King and Tanner Crabs*. University of Alaska Sea Grant, AK-SG-90-4, Fairbanks, pp. 193-206.
- Brêthes, J.-C., and R. Dufour. 1992. The Canadian Atlantic snow crab as a system: Variables, interactions and uncertainty. *Proceedings of the 6th Conference of the International Institute for Fisheries Economics and Trade, Paris, 7-9 July 1992*.
- Brêthes, J., R. Bouchard, and G. Desrosiers. 1985. Determination of the area prospected by a baited trap from a tagging and recapture experiment with snow crabs (*Chionoecetes opilio*). *J. Northwest Atl. Fish. Sci.* 6:37-42.
- Brêthes, J.-C.F., G. Desrosiers, and F. Coulombe. 1982. Food of the snow crab (*Chionoecetes opilio*) from the southwestern part of the Gulf of St. Lawrence (Chaleur Bay area). In: *Proceedings of the International Symposium on the Genus Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 319-335.
- Brêthes, J.-C.F., G. Desrosiers, and F. Coulombe. 1984. Aspects de l'alimentation et du comportement alimentaire du crabe-des-neiges, *Chionoecetes opilio* (O. Fabr.) dans le sud-ouest du golfe du St. Laurent. *Crustaceana* 47 (3):235-244.
- Brêthes, J.-C.F., B. Parent, and J. Pellerin. 1994. Enzymatic activity as an index of trophic resource utilization by the snow crab *Chionoecetes opilio* (O. Fabricius). *J. Crustacean Biol.* 14:220-225.
- Brêthes, J.-C.F., R. Bouchard, G. Desrosiers, and R. Bailey. 1985. Application of statistical methods of factorial analysis to the size frequency distributions of crab in the southwestern Gulf of St. Lawrence. In: *Proceedings of the International King Crab Symposium*. University of Alaska Sea Grant, AK-SG-85-12, Fairbanks, pp. 389-400.
- Brêthes, J.-C.F., F. Coulombe, P.-E. Lafleur, and R. Bouchard. 1987. Habitat and spatial distribution of early benthic stages of the snow crab *Chionoecetes opilio* O. Fabricius off the north shore of the Gulf of St. Lawrence. *J. Crustacean Biol.* 7(4):667-681.
- Bright, D.S. 1967. Life histories of the king crab, *Paralithodes camtschatica*, and the Tanner crab, *Chionoecetes bairdi*, in Cook Inlet, Alaska. Ph.D. thesis, University of Southern California, Los Angeles. 265 pp.
- Brothers, G. 1976. Exploratory fishing for shrimp and crab, 1976. *Fisheries Develop. Industrial Development Branch, Newfoundland*. 26 pp.
- Brown, R. 1971. The development of the Alaskan fishery for Tanner crab, *Chionoecetes* species, with particular reference to the Kodiak area, 1967-1970. *Alaska Dep. Fish Game Inf. Leafl.* 153. 26 pp.
- Brown, R.B., and G.C. Powell. 1972. Size at maturity in the male Alaskan Tanner crab, *Chionoecetes bairdi* as determined by chela allometry, reproductive tract weights, and size of precopulatory males. *J. Fish. Res. Board Can.* 29:423-427.
- Browning, R.J. 1974. *Fisheries of the North Pacific*. Alaska Northwest Publishing Co., Anchorage. 408 pp.

- Brunel, P. 1960. Observations sur la biologie et biométrie du crabe-araignée *Chionoecetes opilio* (Fabr.). Sta. Biol. Mar., Grande-Rivière, P.Q., Rapp. Ann. 1960:59-67.
- Brunel, P. 1961. Nouvelles observations sur la biologie et biométrie du crabe-araignée *Chionoecetes opilio* (Fabr.). Sta. Biol. Mar., Grande-Rivière, P.Q., Rapp. Ann. 1961:63-72. [English translation by Linda Nielsen, Natl. Mar. Fish. Serv., Auke Bay, Alaska.]
- Brunel, P. 1962. Notes bibliothèques et biométriques sur la crabe araignée, *Chionoecetes opilio* (Fabr.). Annu. Acfas. 28:52-53.
- Brunel, P. 1962. Three papers on spider crabs. I, II, and III. Observations on the biology and biometry of the spider crab, *Chionoecetes opilio*. Natl. Mar. Fish. Serv., Auke Bay Biological Laboratory, Auke Bay, Alaska. Manuscr. Rep. File 72.
- Brunel, P. 1962. Troisième série d'observations sur la biologie et la biométrie du crabe-araignée *Chionoecetes opilio* (Fabr.). Sta. Biol. Mar., Grande-Rivière, P.Q., Rapp. Ann. 1962:81-89. [English translation by Linda Nielsen, Natl. Mar. Fish. Serv., Auke Bay, Alaska.]
- C**
- Cahn, A.R. 1948. Canned crab industry of Japan. U.S. Fish. Wildl. Serv. Fish. Leaflet. 314. 50 pp.
- Canadian Atlantic Fisheries Scientific Advisory Commission. 1993. Snow crab in the southern Gulf of St. Lawrence (NAFO Division 4T), Can. Atl. Fish. Sci. Adv. Comm. Advisory Document 92/11. In: Can. Atl. Fish. Sci. Adv. Comm. Ann. Rep. 15:149-160.
- Canadian DFO. 1967. Exploration for queen crab: Atlantic area. 1968 Program plan. Canada Department of Fisheries, Industrial Development Service, Operations Branch.
- Canadian DFO. 1982. Cape Breton snow crab fishery. Communications Division, DFO, Halifax, Nova Scotia, 82/003E.
- Canadian DFO. 1995. Southern Gulf snow crab. DFO Atlantic Fisheries Stock Status Rep. 95/1.
- Canadian DFO. 1996. Southern Gulf snow crab. DFO Atlantic Fisheries Stock Status Rep. 96/1.
- Canadian DFO. 1997. Eastern Nova Scotian snow crab. DFO Maritimes Regional Stock Status Rep. C3-02 (1997). 5 pp.
- Canadian DFO. 1997. Southern Gulf snow crab. DFO Maritimes Regional Stock Status Rep. 97/C3-01 (1997). 13 pp.
- Canadian DFO. 1998. Eastern Nova Scotian snow crab. DFO Maritimes Regional Stock Status Rep. C3-02 (1998). 5 pp.
- Canadian DFO. 1998. Limited effort snow crab fishery in the non-traditional grounds of CFAs 23 and 24. DFO Maritimes Regional Fisheries Status Rep. 98/6E. 5 pp.
- Canadian DFO. 1998. Southern Gulf snow crab. DFO Maritimes Regional Stock Status Rep. 98/C3-01 (1998). 14 pp.
- Canadian DFO. 1999. Eastern Nova Scotian snow Crab. DFO Maritimes Regional Stock Status Rep. C3-02 (1999). 5 pp.
- Canadian DFO. 1999. Southern Gulf snow crab. DFO Maritimes Regional Stock Status Rep. 99/C3-01 (1999). 15 pp.
- Carls, M.G., and C.E. O'Clair. 1990. Influence of cold air exposures on ovigerous red king crabs (*Paralithodes camtschatica*) and Tanner crabs (*Chionoecetes opilio*) and their offspring. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 329-343.
- Charmentier, G., and M. Charmantier-Daures. 1995. Osmoregulation and salinity tolerance in zoeae and juveniles of snow crab *Chionoecetes opilio*. Aquat. Living Resour. 8(2):171-179.
- Chen, C.-L., K.H. Pollack, and J.M. Hoenig. 1998. Combining change-in-ratio, index-removal, and removal models for estimating population size. Biometrics 54:815-827.
- Chen, C.-L., J.M. Hoenig, E.G. Dawe, C. Brownie, and K.H. Pollack. 1995. An efficient design for index-removal and change-in-ratio estimation of population size and related parameters. ICES C.M. 1995/D:9. 22 pp.
- Chen, C.-L., J.M. Hoenig, E.G. Dawe, C. Brownie, and K.H. Pollack. 1998. New developments in change-in-ratio and index-removal methods, with application to snow crab (*Chionoecetes opilio*). In: G.S. Jamieson and A. Campbell (eds.), Proceedings of the North Pacific Symposium on Invertebrate Stock Assessment and Management. Can. Spec. Publ. Fish. Aquat. Sci. 125, pp. 49-61.
- Chiasson, H. 1993. Profitability study of the mid-shore snow crab fleet based in New Brunswick and Nova Scotia (Gulf Region) in 1992. Econ. Commer. Anal. Rep. Dep. Fish. Oceans (Can.). 132. 72 pp.
- Chiasson, Y., and M. Moriyasu. 1992. Size-weight relationship of male snow crab, *Chionoecetes opilio*, in the southern Gulf of St. Lawrence. Summer meeting of the Crustacean Society, June 11-14, 1992, Charleston, South Carolina. [Abstract.]
- Chiasson Y., R. Campbell, and M. Moriyasu. 1992. Review of the western Cape Breton Island snow crab (*Chionoecetes opilio*) fishery for 1990 and 1991. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 92/11. 40 pp.

- Chiasson, Y., M. Comeau, and M. Moriyasu. 1988. Assessment of the areas 18 and 19, western Cape Breton Island snow crab, *Chionoecetes opilio*, fisheries. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 88/34. 34 pp.
- Chiasson, Y., P. DeGrace, and M. Moriyasu. 1990. Review of the snow crab (*Chionoecetes opilio*) fishery in areas 18 and 19 (western Cape Breton Island) for 1989. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 90/28. 29 pp.
- Chiasson Y., M. Hébert, and M. Moriyasu. 1991. A review of the southern Gulf of St. Lawrence snow crab (*Chionoecetes opilio*) management zone boundaries. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 91/75. 15 pp.
- Chiasson, Y., M. Hébert, and M. Moriyasu. 1992. Snow crab (*Chionoecetes opilio*) fishery assessment for western Cape Breton Island in 1992. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 92/118. 32 pp.
- Chiasson, Y., P. DeGrace, G. Roach, and M. Moriyasu. 1989. Review of the snow crab *Chionoecetes opilio* resource in western Cape Breton Island (areas 18 and 19) for 1988. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 89/13. 30 pp.
- Chiasson, Y., C. Gallant, P. DeGrace, and M. Moriyasu. 1991. Stock assessment and fishery trends for the Prince Edward Island snow crab (*Chionoecetes opilio*) fishery: 1990. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 91/24. 15 pp.
- Chiasson, Y., C. Gallant, P. DeGrace, and M. Moriyasu. 1992. Assessment of Prince Edward Island (zones 25 and 26) snow crab (*Chionoecetes opilio*) stock for 1992. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 92/110. 18 pp.
- Chiasson, Y., C. Gallant, P. DeGrace, and M. Moriyasu. 1992. The Prince Edward Island snow crab (*Chionoecetes opilio*) stock assessment for 1991. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 92/12. 16 pp.
- Chiasson, Y.J., M. Hébert, P. DeGrace, E. Wade, and M. Moriyasu. 1995. Highgrading at sea of snow crabs (*Chionoecetes opilio*) in the southwest Gulf of St. Lawrence (zone 12) based on a sampling program in 1994. Can. Tech. Rep. Fish. Aquat. Sci. 2066. 14 pp.
- Chiasson, Y., M. Hébert, M. Moriyasu, A. Bourgoïn, and D. Noël. 1992. A retrospective look at the development and expansion of the southwestern Gulf of St. Lawrence snow crab, *Chionoecetes opilio*, fishery. Can. Tech. Rep. Fish. Aquat. Sci. 1847. iv + 23 pp.
- Chiasson, Y., M. Hébert, P. DeGrace, P. Landry, E. Wade, and M. Moriyasu. 1995. L'évaluation des pêcheries de crabe des neiges (*Chionoecetes opilio*) dans le sud-ouest du golfe du Saint-Laurent (zones 12, 18, 19, 25/26) en 1993 et 1994. DFO Atl. Fish. Res. Doc. 95/104. 44 pp.
- Chiasson, Y., M. Hébert, E. Wade, C. Gallant, P. DeGrace, P. Mallet, and M. Moriyasu. 1991. La pêche au crabe des neiges (*Chionoecetes opilio*) dans le sud-ouest du golfe du Saint-Laurent en 1990: Etat de la ressource et l'estimation de la biomasse. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 91/27. 22 pp.
- Chiasson, Y.J., R. Vienneau, P. DeGrace, R. Campbell, M. Hébert, and M. Moriyasu. 1993. Evaluation of catch selectivity of modified snow crab (*Chionoecetes opilio*) conical traps. Can. Tech. Rep. Fish. Aquat. Sci. 1930. 24 pp.
- Chiba, A., T. Kon, and Y. Honma. 1992. Ultrastructure of the spermatozoa and spermatophores of the zuwai crab, *Chionoecetes opilio* (Majidae, Brachyura). Acta Zool. 73(2):103-108.
- Chiba, A., S. Oka, T. Kon, and Y. Honma. 1989. Histological examination of the spermatophore of the Tanner crab *Chionoecetes opilio*. In: Lecture summaries, Regular Meeting of the Central Region, Branch Office of the Japanese Society of Scientific Fisheries, pp. 17-18.
- Chitwood, P. 1969. Japanese, Soviet, and South Korean fisheries off Alaska. Development through 1966. U.S. Bur. Comm. Fish. Circ. 310. 34 pp.
- Claxton, W.T., C.K. Govind, and R.W. Elner. 1994. Chela function, morphometric maturity, and the mating embrace in male snow crab, *Chionoecetes opilio*. Can. J. Fish. Aquat. Sci. 51(5):1110-1118.
- Colgate, W.A. 1982. A review of the Gulf of Alaska Tanner crab, *Chionoecetes bairdi*, fishery and management related research. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 41-70.
- Colgate, W.A. 1982. Some problems in assessing the Tanner crab, *Chionoecetes bairdi*, population in the Gulf of Alaska and one possible remedy. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 617-635.
- Colgate, W.A., and D. Hicks. 1982. Investigations of life history and fishery for Tanner crab, *Chionoecetes bairdi*, in Alaska. Alaska Dep. Fish Game Tech. Rep. Proj. No. 5-47-R. Comm. Fish. Res. Devel. Act. 160 pp.
- Comeau, M. 1985. Détermination de la maturité sexuelle par morphométrie chez le crabe des neiges, *Chionoecetes opilio*. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 85/81. 15 pp.
- Comeau, M. 1987. Maturité gonadique et mue pré-pubérale chez le crabe des neiges *Chionoecetes opilio* (O. Fabricius). M.S. thesis, University of Moncton, New Brunswick. 145 pp.

- Comeau, M., and G.Y. Conan. 1992. Morphometry and gonad maturity of male snow crab, *Chionoecetes opilio*. Can. J. Fish. Aquat. Sci. 49(12):2460-2468.
- Comeau, M., and K.G. Davidson. 1987. Prince Edward snow crab fishery stock assessment for 1986. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 87/52. 16 pp.
- Comeau, M., Y. Chiasson, and M. Moriyasu. 1988. Prince Edward Island snow crab, *Chionoecetes opilio*, fishery stock assessment for 1987. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 88/31. 16 pp.
- Comeau, M., G.Y. Conan, and A.D. Jones. 1989. Fluctuations in mating, reproduction and recruitment of the snow crab population in Bonne Bay: Implications to fisheries management. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 89/79. 38 pp.
- Comeau, M., G.Y. Conan, G. Robichaud, and A. Jones. 1991. Life history patterns and population fluctuations of snow crab (*Chionoecetes opilio*) in the fjord of Bonne Bay on the west coast of Newfoundland, Canada from 1983 to 1990. Can. Tech. Rep. Fish. Aquat. Sci. 1817. ix + 73 pp.
- Comeau, M., G. Robichaud, M. Starr, J.-C. Therriault, and G.Y. Conan. 1998. Mating of snow crab *Chionoecetes opilio* (O. Fabricius, 1788) (Decapoda, Majidae) in the fjord of Bonne Bay, Newfoundland. Crustaceana 71(8):925-941.
- Comeau, M., M. Starr, G.Y. Conan, G. Robichaud, and J.-C. Therriault. 1999. Fecundity and duration of egg incubation for multiparous female snow crab (*Chionoecetes opilio*) in the fjord of Bonne Bay, Newfoundland. Can. J. Fish. Aquat. Sci. 56(6):1088-1095.
- Comeau, M., G.Y. Conan, F. Maynou, G. Robichaud, J.-C. Therriault, and M. Starr. 1998. Growth, spatial distribution, and abundance of benthic stages of the snow crab (*Chionoecetes opilio*) in Bonne Bay, Newfoundland, Canada. Can. J. Fish. Aquat. Sci. 55(1):262-279.
- Commercial Fisheries Review. 1968. Canada: Wide search for queen crab in North Atlantic starts. Commer. Fish. Rev. 30(8-9):65.
- Commercial Fisheries Review. 1969. Canada: Conference on queen crab, *Chionoecetes opilio*, scheduled. Commer. Fish. Rev. 31(4):48.
- Commercial Fisheries Review. 1969. Canada: Fisheries minister warns of overfishing queen crab stocks. Commer. Fish. Rev. 31(7):48.
- Commercial Fisheries Review. 1971. Tanner crab tagged successfully for the first time. Commer. Fish. Rev. 33(3):19.
- Conan, G.Y. 1986. Mating and terminal molt in the genus *Chionoecetes*. Incidence on fishery management. ICES C.M. 1986/K:19.
- Conan, G.Y. 1989. An optimized method for identifying morphometrically mature snow crab. Can. Atl. Fish. Sci. Adv. Comm. Working Paper 89/64. 15 pp.
- Conan, G.Y., and M. Comeau. 1985. Functional maturity of male snow crab, *Chionoecetes opilio*. ICES C.M. 1985/K:28. 40 pp.
- Conan, G.Y., and M. Comeau. 1986. Functional maturity and terminal molt of male snow crab, *Chionoecetes opilio*. Can. J. Fish. Aquat. Sci. 43:1710-1719.
- Conan, G.Y., and M. Comeau. 1986. Functional maturity of male snow crab, *Chionoecetes opilio*. Can. J. Fish. Aquat. Sci. 43:1710-1719.
- Conan, G.Y., and D.R. Maynard. 1987. Estimates of snow crab (*Chionoecetes opilio*) abundance by underwater television: A method for population studies on benthic fisheries resources. J. Appl. Ichthyol. 3:158-165.
- Conan, G.Y., M. Comeau, and G. Robichaud. 1992. Life history and fishery management of majid crabs: The case study of the Bonne Bay (Newfoundland) *Chionoecetes opilio* population. ICES C.M. 1992/K:21. 24 pp.
- Conan, G.Y., R.W. Elner, and M. Moriyasu. 1990. Review of literature on life histories in the genus *Chionoecetes* in light of the recent findings on growth and maturity of *C. opilio* in eastern Canada. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 163-179.
- Conan, G.Y., M. Comeau, M. Moriyasu, and R. Cormier. 1988. Reply to Donaldson and Johnson. Can. J. Fish. Aquat. Sci. 45(8):1501-1503.
- Conan, G.Y., R.J. Cormier, M. Comeau, and A. Doiron. 1986. Mue et reproduction du crabe des neiges dans le fjord de Bonne Bay (Terre-Neuve): Un majidé sans mue terminale? Cah. Biol. Mar. 27(3):308-309.
- Conan, G.Y., M. Comeau, G. Robichaud, C. Gosset, and C. Garaicoechea. 1994. The Bigouden nephrops trawl, and the Devismes trawl, two otter trawls efficiently catching benthic stages of snow crab (*Chionoecetes opilio*) and American lobster (*Homarus americanus*). ICES C.M. 1994/B: 20 Ref. K. 30 pp. [Also available as: Can. Tech. Rep. Fish. Aquat. Sci. 1992.]
- Conan, G.Y., M. Moriyasu, D.R. Maynard, and Y.J. Chiasson. 1989. Factors influencing egg production in decapod Crustacea with two case studies: *Chionoecetes opilio* and *Homarus americanus* in the Gulf of St. Lawrence. ICES, Mini-Symposium, C.M. 1989/Mini.04. 30 pp. + 23 figs.
- Conan, G.Y., M. Moriyasu, E. Wade, and M. Comeau. 1988. Assessment and spatial distribution surveys of snow crab stocks by geostatistics. ICES C.M. 1988/K:10. 23 pp.

- Conan, G.Y., M. Moriyasu, M. Comeau, P. Mallet, R. Cormier, Y. Chiasson, and H. Chiasson. 1988. Growth and maturation of snow crab (*Chionoecetes opilio*). In: G.S. Jamieson and W.D. McKone (eds.), Proceedings of the International Workshop on Snow Crab Biology, December 8-10, 1987, Montreal, Quebec. Can. Manuscr. Rep. Fish. Aquat. Sci. 2005:45-66.
- Conan, G.Y., M. Starr, M. Comeau, J.-C. Therriault, F.X. Maynou i Hernández, and G. Robichaud 1996. Life history strategies, recruitment fluctuations, and management of the Bonne Bay fjord Atlantic snow crab (*Chionoecetes opilio*). In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 59-97.
- Cormier, R.J. 1986. Diminution de la concentration des ecdusones circulants après la mue de puberté chez *Chionoecetes opilio*. M.S. thesis, University of Moncton, New Brunswick. 92 pp.
- Cormier, R.J., and R. Bailey. 1984. Review of the Cape Breton area 7 snow crab (*Chionoecetes opilio*) fishery in 1983. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 84/35.
- Cormier, R.J., and M. Comeau. 1986. Exploitation levels of the Cape Breton (areas 1 and 7) snow crab fishery for 1984. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 86/5. 15 pp.
- Cormier, R.J., M. Comeau, and M. Lanteigne. 1993. Serum protein concentration and somatic index in relation to morphometric maturity for male snow crab (*Chionoecetes opilio*) in the Baie des Chaleurs. Can. Tech. Rep. Fish. Aquat. Sci. 1944. 17 pp.
- Cormier, R.J., M. Comeau, and M. Lanteigne. 1999. Serum protein concentration and somatic index in relation to morphometric maturity for male snow crab, *Chionoecetes opilio* Fabricius, 1788, in the Baie des Chaleurs, Canada (Decapoda, Brachyura). Crustaceana 72(5):497-506.
- Cormier, R.J., A.R. Fraser, R.F.J. Bailey, and N. Raymond. 1992. Hemolymph ecdysone concentration as a function of sexual maturity in the male snow crab (*Chionoecetes opilio*). Can. J. Fish. Aquat. Sci. 49:1619-1623.
- Cornick, T.W., and J.E. Stewart. 1975. Red crab, *Geryon quinquedens*, and snow crab, *Chionoecetes opilio*, resistance to infection by the lobster pathogen *Aerococcus viridans* (var.) *humari*. J. Fish. Res. Board Can.
- Coulombe, F. 1983. Écologie et distribution d'une population de crabes des neiges, *Chionoecetes opilio*, dans le sud-ouest du golfe du Saint-Laurent (Baie des Chaleurs). M.S. thesis, University of Quebec at Rimouski. 123 pp.
- Coulombe, F. 1984. Estimation de la biomasse exploitable du crabe des neiges du sud-ouest du golfe du Saint-Laurent pour l'année 1984: Utilisation de l'aire efficace de pêche d'un casier. Can. Atl. Fish. Adv. Comm. Res. Doc. 88. 38 pp.
- Coulombe, F. 1984. Étude comparative de la fécondité de deux populations de crabe des neiges, *Chionoecetes opilio*, de la côte-nord du Saint-Laurent. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 84/55. 21 pp.
- Coulombe, F., and A. Nadeau. 1985. Évolution temporelle du pré-recrutement de deux populations de crabe des neiges, *Chionoecetes opilio* (O. Fabr.), du golfe du Saint-Laurent entre 1981 et 1984. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 85/31. 29 pp.
- Coulombe, F., J.-C.F. Brêthes, R. Bouchard, and G. Desrosiers. 1985. Ségrégation édaphique et bathymétrique chez le crabe des neiges, *Chionoecetes opilio* (O. Fabr.), dans le sud-ouest du golfe du Saint-Laurent. Can. J. Fish. Aquat. Sci. 42:169-180.
- Coulombe, F., R. Dufour, and J.-L. Beaulieu. 1986. Retour sur l'état des stocks de crabe des neiges, *Chionoecetes opilio*, de l'estuaire et de la côte-nord du golfe Saint-Laurent en 1983. [A retrospective look at the status of snow crab stocks of the estuary and north shore of the Gulf of St. Lawrence.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 86/115.
- Cushing, D.H. 1975. Marine ecology and fisheries. Cambridge University Press, Cambridge. 278 pp.
- Cyr, C., and B. Sainte-Marie. 1995. Catch of Japanese crab traps in relation to bait quantity and shielding. Fish. Res. 24:129-139.

D

- Davidson, K.G., and E.A. Chin. 1991. A comparison of the taxonomic characteristics and duration of the laboratory reared larvae of snow crabs, *Chionoecetes opilio* (O. Fabricius) and toad crabs (*Hyas* sp.) from Atlantic Canada. Can. Tech. Rep. Fish. Aquat. Sci. 1762. 21 pp.
- Davidson, K.G., and M. Comeau. 1987. An overview of catch, effort and biological trends for the 1986 snow crab, *Chionoecetes opilio*, fisheries in areas 18 and 19, western Cape Breton Island. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 87/53. 35 pp.
- Davidson, K., R.W. Elnor, and J. Roff. 1982. Discrimination of Atlantic snow crab, *Chionoecetes opilio* populations: A problem of management application. Northwest and Atlantic Fisheries Organization, SCR Doc. 82/IX/86, serial no. N595. 13 pp.

- Davidson, K., J.C. Roff, and R.W. Elner. 1985. Morphological, electrophoretic, and fecundity characteristics of Atlantic snow crab, *Chionoecetes opilio*, and implications for fisheries management. *Can. J. Fish. Aquat. Sci.* 42(3):474-482.
- Davidson, K.G., M. Comeau, P. Mallet, and M. Moriyasu. 1986. Fishery trends and stock assessments for four snow crab, *Chionoecetes opilio*, fisheries in the Gulf of St. Lawrence: 1985. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 86/51. 50 pp.
- Davidson, K.G., M. Comeau, P. Mallet, and E. Wade. 1987. The 1986 southwest Gulf of St. Lawrence midshore snow crab, *Chionoecetes opilio*, fishery: A review of catch effort and biological trends. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 87/52. 29 pp.
- Davis, A.S. 1980. Shellfish investigations in lower Cook Inlet, Alaska. *Dep. Fish. Game Tech. Rep. Proj. No.* 5-38-R. *Comm. Fish. Res. Devel. Act.* 59 pp.
- Davis, S.K. 1982. History of Tanner crab management off Alaska and the role of the North Pacific Fishery Management Council. In: *Proceedings of the International Symposium on the Genus Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 71-81.
- Davis, S.K., D.M. Taylor, J.M. Hoenig, W.G. Warren, G. Ennis, R.G. Hooper, W. Donaldson, A.J. Paul, and J. MacDonald. 1990. A critical look at the idea of terminal molt in male snow crab (*Chionoecetes opilio*). *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 90/11. 36 pp.
- Dawe, E.G. 1988. Density-dependent factors have no impact on the level of annual recruitment to the commercial fishery. In: G.S. Jamieson and W.D. McKone (eds.), *Proceedings of the International Workshop on Snow Crab Biology*, December 8-10, 1987, Montreal, Quebec. *Can. Manuscr. Rep. Fish. Aquat. Sci.* 2005:125-131.
- Dawe, E.G., and J.M. Hoenig. 1990. An assessment strategy for snow crabs. *ICES 1990 Shellfish Symposium*, No. 92.
- Dawe, E.G., J.M. Hoenig, and P.G. O'Keefe. 1991. Molt indicators for male snow crabs (*Chionoecetes opilio*). *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 91/155. 11 pp.
- Dawe, E.G., J.M. Hoenig, and X. Xu. 1993. Change-in-ratio and index-removal methods for population assessment and their application to snow crab (*Chionoecetes opilio*). *Can. J. Fish. Aquat. Sci.* 50(7):1467-1476.
- Dawe, E.G., D.M. Taylor, and E.B. Colbourne. 1997. Factors affecting snow crab year-class strength in the Newfoundland region. *CSAS Res. Doc.* 97/58. 23 pp.
- Dawe, E.G., D.M. Taylor, and J.M. Hoenig. 1996. Evaluating an index of snow crab (*Chionoecetes opilio*) biomass from trapping surveys. In: *High latitude crabs: Biology, management, and economics*. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 301-314.
- Dawe, G., J.M. Hoenig, P.G. O'Keefe, and M. Moriyasu. 1992. Molt indicators and growth per molt for male snow crabs (*Chionoecetes opilio*). *ICES C.M.* 1992/K:35. 15 pp.
- Dawe, E.G., D.M. Taylor, P.C. Beck, and J. Drew. 1988. A photographic survey for snow crab (*Chionoecetes opilio*) in Conception Bay, Newfoundland. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 88/4. 9 pp.
- Dawe, E.G., D.W. Kulka, H.J. Drew, P.J. Veitch, and P.C. Beck. 1998. Status of Newfoundland and Labrador snow crab in 1997. *CSAS Res. Doc.* 98/137. 28 pp.
- Dawe, E.G., D.M. Taylor, J.M. Hoenig, P.C. Beck, H.J. Drew, and P.G. O'Keefe. 1995. Prediction of snow crab commercial CPUE from trapping survey indices. *DFO Atl. Fish. Res. Doc.* 95/85. 16 pp.
- Dawe, E.G., D.M. Taylor, P.J. Veitch, H.J. Drew, P.C. Beck, and P.G. O'Keefe. 1996. Status of Newfoundland and Labrador snow crab. *DFO Atl. Fish. Res. Doc.* 96/06. 33 pp.
- Dawe, E.G., D.M. Taylor, P.J. Veitch, H.J. Drew, P.C. Beck, and P.G. O'Keefe. 1997. Status of Newfoundland and Labrador snow crab in 1996. *CSAS Res. Doc.* 97/07. 30 pp.
- Dawe, E.G., D.M. Taylor, J.M. Hoenig, W.G. Warren, G.P. Ennis, R.G. Hooper, W. Donaldson, A.J. Paul, and J. MacDonald. 1990. A critical look at the concept of terminal molt in male snow crabs (*Chionoecetes opilio*). *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 90/11. 36 pp.
- Dawe, E.G., D.M. Taylor, J.M. Hoenig, W.G. Warren, G.P. Ennis, R.G. Hooper, W.E. Donaldson, A.J. Paul, and J.M. Paul. 1991. A critical look at the idea of terminal molt in male snow crabs (*Chionoecetes opilio*). *Can. J. Fish. Aquat. Sci.* 48(11):2266-2275.
- DeGrace, P., Y. Chiasson, and M. Moriyasu. 1990. Prince Edward Island snow crab, *Chionoecetes opilio* fishery stock assessment-1989. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 90/26. 17 pp.
- Derjugin, K.M., and S. Kobjakowa. 1935. Zur Dekapodenfauna des Japonischen Meeres. *Zool. Anz.* 112:141-147.
- Desrosiers, G., J.-C.F. Brêthes, and F. Coulombe. 1982. Edaphic segregation within a population of *Chionoecetes opilio* in the southwestern part of the Gulf of St. Lawrence (Chaleur Bay area). In: *Proceedings of the International Symposium on the Genus Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 353-379.

- Deveau, L.F., and J.W. Aucoin. 1966. Spider crab explorations, Gulf of St. Lawrence, December 1965 to February 1966. Manuscr. Rep. Can. Dep. Fish. Ind. Dev. Serv., March 1966.
- Deveau, L.F., and A. McAllister. 1967. A report on the development of a queen crab fishery in the maritime provinces of Canada. Can. Dep. Fish. Ind. Dev. Serv. Proj. 4. Manuscr. Rep.
- Dewar, A.B., and others. 1969. Effects of post mortem spoilage on the quality of processed queen crab. In: Meeting on Atlantic crab fishery development, Fredericton, New Brunswick, March 1969. 12 pp.
- Doi, K. 1970. Written report on the *Chionoecetes opilio* studies, 1963-1969. *Chionoecetes opilio* in the Sea of Okhotsk. Ministry of Fisheries, Hokkaido Fisheries Research Stations, and the Tanner Crab Fisheries Organization. 80 pp.
- Domon, T. 1964. Studies on the *Chionoecetes opilio* fishing grounds off the coast of Kitami (1963). Monthly Rep. Hokkaido Fish. Exp. Stn. 21(4,5):25-30.
- Domon, T. 1965. Studies on the crab, *Chionoecetes opilio* (1964). Monthly Rep. Hokkaido Fish. Exp. Stn. 22(4):41-56.
- Domon, T. 1966. Studies on the *Chionoecetes opilio* resource: Relationship between the resource and the fish catch. Monthly Rep. Hokkaido Fish. Exp. Stn. 23(5):20-32.
- Donaldson, W.E. 1980. Alaska Tanner crab, *Chionoecetes bairdi*, investigations. Alaska Dep. Fish Game Tech. Rep. Proj. No. 5-41-R. Comm. Fish. Res. Devel. Act. 122 pp.
- Donaldson, W.E. 1980. Movements of tagged male Tanner crabs, *Chionoecetes bairdi*, liberated off Kodiak Island, Alaska. Alaska Dep. Fish Game Inf. Leaflet. 188. 60 pp.
- Donaldson, W.E. 1983. Movements of tagged males of Tanner crab, *Chionoecetes bairdi* Rathbun, off Kodiak Island, Alaska. J. Shellfish Res. 3:195-201.
- Donaldson, W.E. 1988. Growth of males after reaching sexual maturity in the genus *Chionoecetes*. In: G.S. Jamieson and W.D. McKone (eds.), Proceedings of the International Workshop on Snow Crab Biology, December 8-10, 1987, Montreal, Quebec. Can. Manuscr. Rep. Fish. Aquat. Sci. 2005:100-120.
- Donaldson, W.E. 1996. Development of an expert computer vision-based crab classification system. In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 99-113.
- Donaldson, W.E., and A.E. Adams. 1986. An ethogram and description of mating behavior for the Tanner crab, *Chionoecetes bairdi* M.J. Rathbun. Alaska Dep. Fish Game Inf. Leaflet. 256. 30 pp.
- Donaldson, W.E., and A.E. Adams. 1989. Ethogram of behavior with emphasis on mating for the Tanner crab *Chionoecetes bairdi* Rathbun. J. Crustacean Biol. 9:37-53.
- Donaldson, W.E., and M. Dick. 1977. Kodiak Alaska Tanner crab, *Chionoecetes bairdi* research. Alaska Dep. Fish Game Tech. Rep. Proj. No. 5-41-R. Comm. Fish. Res. Devel. Act. 109 pp.
- Donaldson, W.E., and W.K. Donaldson. 1992. A review of the history and justification for size limits in Alaskan king, Tanner, and snow crab fisheries. Alaska Dep. Fish Game, Div. Comm. Fish. Manage. Dev., Fish. Res. Bull. 92-02:1-21.
- Donaldson, W.E., and D.M. Hicks. 1978. A bibliography of selected references to the Tanner crab genus *Chionoecetes*, species *C. bairdi* (O. Fabricius), *C. opilio* (Rathbun), *C. tanneri* (Rathbun), *C. angulatus* (Rathbun), *C. japonicus* (Rathbun). Alaska Dep. Fish Game Inf. Leaflet. 174.
- Donaldson, W.E., and D.M. Hicks. 1980. Explorations for the Tanner crab, *Chionoecetes bairdi*, off the coasts of Kodiak Island, the Alaska Peninsula and Aleutian Islands, 1973-1977. Alaska Dep. Fish Game Tech. Data Rep. 45. 254 pp.
- Donaldson, W.E., and B.A. Johnson. 1988. Some remarks on "Functional maturity and terminal molt of male snow crab, *Chionoecetes opilio*" by Conan and Comeau. Can. J. Fish. Aquat. Sci. 45:1499-1501.
- Donaldson, W.E., R.T. Cooney, and J.R. Hilsinger. 1981. Growth, age and size at maturity of Tanner crab, *Chionoecetes bairdi* M.J. Rathbun, in the northern Gulf of Alaska (Decapoda, Brachyura). Crustaceana (Leiden) 40(3):286-302.
- Donaldson, W.E., J.R. Hilsinger, and R.T. Cooney. 1980. Growth, age, and size at maturity of Tanner crab, *Chionoecetes bairdi*, in the northern Gulf of Alaska. Alaska Dep. Fish Game Inf. Leaflet. 185. 52 pp.
- Dorion, D., and L. Provencher. 1994. Étude de faisabilité financière de la stabulation du crabe des neiges au Québec. [Economic feasibility of stocking snow crab in Quebec.] Can. Ind. Rep. Fish. Aquat. Sci. 226. 74 pp.
- Dorion, D., and L. Provencher. 1995. Étude de marché sur le crabe des neiges en stabulation au Québec. [Market analysis for stocked snow crab in Quebec.] Can. Ind. Rep. Fish. Aquat. Sci. 229. 70 pp.
- Dorion, D., L. Provencher, and P. Gagnon. 1995. Stabulation du crabe des neiges en mer: Type de casier et niveau d'entassement des crabes. [Stocking of snow crab: Type of pen and crowding of crabs.] Can. Ind. Rep. Fish. Aquat. Sci. 231.
- Drach, P. 1939. Mue et cycle d'intermue chez les crustacés décapodes. Ann. Inst. Oceanogr. 19:103-391.

- Drinkwater, K.F., R. Pettipas, R. Petrie, and D.P. Swain. 1997. Temperature conditions in the Gulf of St. Lawrence and on the Scotian Shelf during 1996 relevant to snow crab. Canadian Stock Assessment Secretariat, Res. Doc. 97/02. 18 pp.
- Drinkwater, K.F., R. Pettipas, R. Petrie, and D.P. Swain. 1998. Temperature conditions in the Gulf of St. Lawrence and on the Scotian Shelf during 1997 relevant to snow crab. Canadian Stock Assessment Secretariat, Res. Doc. 98/56. 30 pp.
- Dufour, R. 1984. Rendements comparatifs et sélectivité de trois types de casiers à crabe des neiges. [Comparison of catch rates and selectivity of three types of snow crab traps.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 84/1.
- Dufour, R. 1985. Évaluation des stocks de crabe des neiges (*Chionoecetes opilio*) de l'estuaire et du nord du golfe Saint-Laurent. [Status of snow crab stocks in the estuary and northern Gulf of St. Lawrence.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 85/13.
- Dufour, R. 1986. État des stocks de crabe des neiges de l'estuaire et du nord du golfe Saint-Laurent en 1985. [Status of snow crab stocks in the estuary and northern Gulf of St. Lawrence in 1985.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 86/16.
- Dufour, R. 1988. Marquage du crabe des neiges du nord-est du golfe du Saint-Laurent en 1987. [Tagging of snow crab in the northeast Gulf of St. Lawrence in 1987.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 88/39.
- Dufour, R. 1988. Overview of the distribution and movement of snow crab (*Chionoecetes opilio*). In: G.S. Jamieson and W.D. McKone (eds.), Proceedings of the International Workshop on Snow Crab Biology, December 8-10, 1987, Montreal, Quebec. Can. Manuscr. Rep. Fish. Aquat. Sci. 2005:75-82.
- Dufour, R. 1995. Le crabe des neiges de l'estuaire et du nord du golfe du Saint-Laurent: Etat des populations en 1994. [Snow crab in the estuary and northern Gulf of St. Lawrence: Status of populations in 1994.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 95/96.
- Dufour, R., and A.E. Adams. 1989. Ethogram of behavior with emphasis on mating for the Tanner crab *Chionoecetes bairdi* Rathbun. J. Crustacean Biol. 9(1):37-53.
- Dufour, R., and R. Bailey. 1990. Snow crab growth and stock size estimations obtained with coded wire tags in the St. Lawrence estuary. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-4, Fairbanks, pp. 505-516.
- Dufour, R., and D. Bernier. 1994. Potentiel d'exploitation du crabe des neiges (*Chionoecetes opilio*) et des crabes *Hyas araneus* et *Hyas coarctatus* dans le nord de la Péninsule gaspésienne. [Potential for exploitation of snow crab and *Hyas araneus* and *Hyas coarctatus* along the north shore of the Gaspé Peninsula.] Can. Tech. Rep. Fish. Aquat. Sci. 1996. 51 pp.
- Dufour, R., and J.-C. Brêthes. 1992. White snow crab (*Chionoecetes opilio*) impact on the Gulf of Saint Lawrence crab fishery: Population and meat yield optimisation strategy. First European Crustacean Conference, Paris, August 31-September 5, 1992, Abstracts, p. 49.
- Dufour, R., and J.-C. Brêthes. 1993. Dynamique de la structure démographique du crabe des neiges (*Chionoecetes opilio*) sur la rive nord de l'estuaire maritime du Saint-Laurent et ses implications sur le recrutement à la pêche. [Dynamics of the demographic structure of snow crab on the north shore of the St. Lawrence Estuary and its implications for fishery recruitment.] In: Y. de Lafontaine, T. Lambert, F.R. Lilly, W.D. McKone, and R.J. Miller (eds.), Juvenile stages: The missing link in fisheries research. Report of a workshop. Can. Tech. Rep. Fish. Aquat. Sci. 1890:43-52.
- Dufour, R., and J.-M. Coutu. 1988. Stocks de crabe des neiges de l'estuaire et du nord du golfe du Saint-Laurent: Évaluation 1987. [Snow crab stocks in the estuary and northern Gulf of St. Lawrence: 1987 assessment.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 88/35.
- Dufour, R., and J.-M. Coutu. 1989. Crabe des neiges de l'estuaire et du nord du golfe du Saint-Laurent: Évaluation 1988. [Snow crab stocks in the estuary and northern Gulf of St. Lawrence: 1988 assessment.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 89/31. 52 pp.
- Dufour, R., and J.-M. Coutu. 1990. État des stocks de crabe des neiges de l'estuaire et du nord du golfe du Saint-Laurent: Évaluation 1989. [Snow crab stocks in the estuary and northern Gulf of St. Lawrence: 1989 assessment.] Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 90/37. 42 pp.
- Dufour, R., and B. Sainte-Marie. 1996. Le crabe des neiges de l'estuaire et du nord du golfe du Saint-Laurent. [Snow crab of the estuary and northern Gulf of St. Lawrence.] DFO, Atlantic Fisheries, Stock Status Rep. 96/6.
- Dufour, R., and B. Sainte-Marie. 1997. Crabe des neiges de l'estuaire et du nord du golfe du Saint-Laurent (zones 13 à 17). [Snow crab of the estuary and northern Gulf of St. Lawrence (zones 13 to 17).] DFO, Atlantic Fisheries, Stock Status Rep. C4-01.

- Dufour, R., D. Bernier, and J.-C. Brêthes. 1997. Optimization of meat yield and mortality during snow crab (*Chionoecetes opilio* O. Fabricius) fishing operations in eastern Canada. *Can. Tech. Rep. Fish. Aquat. Sci.* 2152. 31 pp.
- Dutil, J.-D., J. Munro, and M. Pêloquin. 1997. Laboratory study of the influence of prey size on vulnerability to cannibalism in snow crab (*Chionoecetes opilio*). *J. Exp. Mar. Biol. Ecol.* 212(1):81-94.

E

- Eaton, B., C. Botelho, K. Imamura, T.R. Meyers, and T. Koeneman. 1990. Preliminary results on the seasonality and life cycle of the parasitic dinoflagellate causing bitter crab disease in Tanner crabs. In: *Proceedings of the International Symposium on King and Tanner Crabs*. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 407-408.
- Elner, R.W. 1982. An overview of the snow crab, *Chionoecetes opilio*, fishery in Atlantic Canada. In: *Proceedings of the International Symposium on the Genus Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 3-19.
- Elner, R.W. 1982. Characteristics of the snow crab, *Chionoecetes opilio*, fishery off Cape Breton Island. In: *Proceedings of the International Symposium on the Genus Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 657-680.
- Elner, R.W. 1983. Status of the snow crab resource off the Atlantic coast of Cape Breton Island, 1982. *CSCPCA Doc. Rec.* 83/5. 27 pp.
- Elner, R.W. 1984. Crab biology and resource status in the N.W. Atlantic. In: B.G. Burns and P.J. Ke (eds.), *Queen Crab Workshop (1983) on Quality Enhancement*. Canadian DFO, Fisheries Development Branch, Scotia-Fundy Region, Project Report 72:1-14.
- Elner, R.W. 1988. Review of snow crab biology. A. Stock definition and larval mixing in the snow crab, *Chionoecetes opilio*. *Can. Manuscr. Rep. Fish. Aquat. Sci.* 2005:33-44.
- Elner, R.W. 1988. Stock definition and larval mixing in the snow crab (*Chionoecetes opilio*). In: G.S. Jamieson and W.D. McKone (eds.), *Proceedings of the International Workshop on Snow Crab Biology*, December 8-10, 1987, Montreal, Quebec. *Can. Manuscr. Rep. Fish. Aquat. Sci.* 2005:33-44.
- Elner, R.W. 1990. Supplementary analyses of the snow crab fishery off the Atlantic coast of Cape Breton Island. *Can. Atl. Fish. Sci. Adv. Comm. Working Paper* 90/14.
- Elner, R.W., and R.F.J. Bailey. 1986. Differential susceptibility of Atlantic snow crab, *Chionoecetes opilio*, stocks to management. In: G.S. Jamieson and N. Bourne (eds.), *North Pacific workshop on invertebrate stock assessment and management*. *Can. Spec. Publ. Fish. Aquat. Sci.* 92:335-346.
- Elner, R.W., and P.G. Beninger. 1989. Comment on functional maturity in small male snow crab (*Chionoecetes opilio*): Sizing up the evidence. *Can. J. Fish. Aquat. Sci.* 46(11):2037-2039.
- Elner, R.W., and P.G. Beninger. 1992. The reproductive biology of snow crabs, *Chionoecetes opilio*: A synthesis of recent contributions. *Am. Zool.* 32(3):524-533.
- Elner, R.W., and P.G. Beninger. 1995. Multiple reproductive strategies in snow crab, *Chionoecetes opilio*: Physiological pathways and behavioral plasticity. *J. Exp. Mar. Biol. Ecol.* 193:93-112.
- Elner, R.W., and C.A. Gass. 1984. Observations on the reproductive condition of female snow crabs from NW Cape Breton Island, November 1983. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 84/14. 20 pp.
- Elner, R.W., and D.A. Robichaud. 1980. Analysis of the Cape Breton snow crab fishery, 1979. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 80/55. 44 pp.
- Elner, R.W., and D.A. Robichaud. 1981. Assessment of the Cape Breton inshore fishery for snow crab, 1980. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 81/40. 57 pp.
- Elner, R.W., and D.A. Robichaud. 1982. Analysis of the Cape Breton snow crab fishery (areas 2-7), 1981. *Can. Atl. Fish. Sci. Adv. Comm. Working Paper* 82/2. 18 pp.
- Elner, R.W., and D.A. Robichaud. 1982. Assessment and historical perspective on the northwest (area 1) Cape Breton Island snow crab resource, 1981. *Can. Atl. Fish. Sci. Adv. Comm. Working Paper* 82/8. 14 pp.
- Elner, R.W., and D.A. Robichaud. 1983. Observations on the efficacy of the minimum legal size for Atlantic snow crab, *Chionoecetes opilio*. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 83/63. 26 pp.
- Elner, R.W., and D.A. Robichaud. 1983. Status of the snow crab resource off the Atlantic coast of Cape Breton Island, 1982. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 83/5. 27 pp.
- Elner, R.W., and D.A. Robichaud. 1984. The fishery for snow crab off the Atlantic coast of Cape Breton Island: The 1983 assessment. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 84/15. 36 pp.
- Elner, R.W., and D.A. Robichaud. 1985. Assessment of the 1984 fishery for snow crab off the Atlantic Coast of Cape Breton Island. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 85/5. 33 pp.

- Elner, R.W., and D.A. Robichaud. 1986. Assessment of the fishery for snow crab off the Atlantic coast of Cape Breton Island in 1985. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 86/10. 30 pp.
- Elner, R.W., and D.A. Robichaud. 1987. Assessment of the 1986 fishery for snow crab, *Chionoecetes opilio*, off the Atlantic coast of Cape Breton Island. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 87/86. 35 pp.
- Elner, R.W., P.G. Beninger, and T. Foyle. 1986. Strategie et processus reproducteurs chez le crabe des neiges, *Chionoecetes opilio* (O. Fabricius) (Decapoda, Brachyura). In: M. Porchet, J.-C. Andries, and A. Chainaut (eds.), *Advances in invertebrate reproduction* 4:508. Elsevier Science Publishers, Amsterdam.
- Elner, R.W., R.E. Semple, and M. Gillis. 1989. Assessment 1988: Snow crab off the Atlantic coast of Cape Breton Island. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 89/11. 39 pp.
- Elner, R.W., R.E. Semple, and M. Gillis. 1990. The 1989 assessment for snow crab on the Atlantic coast of Cape Breton Island. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 90/10. 44 pp.
- Elner, R.W., R.E. Semple, and E.M. Lachance. 1988. Assessment of the 1987 fishery for snow crab, *Chionoecetes opilio*, around the Atlantic Coast of Cape Breton Island. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 88/11. 37 pp.
- Ennis, G.P. 1988. Density-dependent factors have no impact on the level of annual recruitment to the commercial fishery. In: G.S. Jamieson and W.D. McKone (eds.), *Proceedings of the International Workshop on Snow Crab Biology, December 8-10, 1987, Montreal Quebec*. *Can. Manuscr. Rep. Fish. Aquat. Sci.* 2005:121-124.
- Ennis, G.P., R.G. Hooper, and D.M. Taylor. 1988. Changes in size composition of male crabs (*Chionoecetes opilio*) participating in the annual breeding migration in Bonne Bay, Newfoundland. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 88/2. 14 pp.
- Ennis, G.P., R.G. Hooper, and D.M. Taylor. 1988. Functional maturity in small male snow crabs (*Chionoecetes opilio*). *Can. J. Fish. Aquat. Sci.* 45:2106-2109.
- Ennis, G.P., R.G. Hooper, and D.M. Taylor. 1989. Changes in the composition of snow crab, *Chionoecetes opilio*, participating in the 1988 breeding migration in Bonne Bay. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 89/10. 16 pp.
- Ennis, G.P., R.G. Hooper, and D.M. Taylor. 1989. Reply to comment by R.W. Elner and P.G. Beninger. *Can. J. Fish. Aquat. Sci.* 46:2039-2044.
- Ennis, G.P., R.G. Hooper, and D.M. Taylor. 1990. Changes in the composition of snow crab, *Chionoecetes opilio*, participating in the annual breeding migration in Bonne Bay, Newfoundland. *Can. J. Fish. Aquat. Sci.* 47:2242-2249.
- ## F
- Fabricius, O. 1780. *Fauna Groenlandica, systematica sistera animalia Groenlandiae occidentalis hactenus indagata ... maximaque parse secundum proprias observations Othonis Fabricii. Hafniae.* xvi + 452 pp., 1 pl.
- Fabricius, O. 1788. *Beskrivelse over den store Gronlandske krabbe. Nye samling ... selskab skr. K. Danske Vidensk. Selsk.* 3:181-190.
- Fedoseyev, V.Ya. 1988. Duration and productivity of spermatogenesis in the snow crab, *Chionoecetes opilio* (wave of the spermatogenesis epithelium) In: B.G. Ivanov (ed.), *Morskije promyslovyje bespozvonochnye. Vses. Nauchno-Issled. Inst. Morsk. Rybn. Khoz. Okeanogr. (VNIRO)*, pp. 36-44. [English translation: *Can. Transl. Fish. Aquat. Sci.* 5601. 10 pp.]
- Fedoseyev, V.Ya., and A.G. Slizkin. 1988. Reproduction and population structure of snow crab (*Chionoecetes opilio*) of the Far Eastern seas. *Morskiye promysloviye bespozvonochniye. M. VNIRO*, pp. 24-35. [English translation: *Can. Transl. Fish. Aquat. Sci.* 5645. 12 pp.]
- Fleming, L.C., and M.D.B. Burt. 1978. Revision of the turbellarian genus *Ectocotyla* (Seriata, Monocelididae) associated with the crabs *Chionoecetes opilio* and *Hyas araneus*. *J. Fish. Res. Board Can.* 35:1223-1233.
- Foll, D.L., E. Brichet, J.L. Reyss, C. Lalor, and D. Latrouite. 1989. Age determination of the spider crab *Maja squinado* and the European lobster *Homarus gammarus* by 228Th/228Ra chronology: Possible extension to other crustaceans. *Can. J. Fish. Aquat. Sci.* 46:720-724.
- Foyle, T.P. 1987. Metabolism and energetics in a cold-water crustacean: The snow crab, *Chionoecetes opilio*. M.S. thesis, Dalhousie University. 38 pp.
- Foyle, T.P., G.V. Hurley, and D.M. Taylor. 1989. Field testing shell hardness gauges for the snow crab fishery. *Can. Ind. Rep. Fish. Aquat. Sci.* 193. iv + 35 pp.
- Foyle, T.P., R.K. O'Dor, and R.W. Elner. 1989. Energetically defining the thermal limits of the snow crab. *J. Exp. Biol.* 145:371-393.
- Fujii, Y., M. Nenohi, A. Oyama, and Y. Suzuki. 1972. Relation between quality of canned red crab and freshness of materials used. *Bull. Tokai Reg. Fish. Res. Lab.* 69:99-106. [In Japanese with English summary.]

- Fujino, S., M. Tanaka, and M. Fujino. 1969. Microinjection of ouabain into crab muscle fibres. *Nature* 223:413-414.
- Fujita, H., and K. Takeshita. 1979. Tagging technique for Tanner crab long-term tag. *Bull. Far Seas Fish. Res. Lab. (Shimizu)* 17:223-226.
- Fujita, H., and K. Takeshita. 1980. Relative growth of the chela and size at maturity of the crab, *Chionoecetes opilio*. Fisheries Agency, pp. 1-8.
- Fujita, H., K. Takeshita, and S. Matsuura. 1988. Relative growth of chela and size at maturity in Tanner crabs, *Chionoecetes opilio* and *C. bairdi*. *Res. Crustacea* 17:7-13. [In Japanese with English summary.]
- Fujita, H., S. Kawasaki, and K. Takeshita. 1977. The occurrence of Baird crab, *Chionoecetes bairdi* Rathbun, in the waters off western Kamchatka. *Bull. Far Seas Fish. Res. Lab. (Shimizu)* 15:91-99.
- Fukataki, H. 1965. Comparative studies on the external features of female specimens of the edible crabs belonging to the genus *Chionoecetes* obtained from the Japan Sea. *Bull. Jpn. Sea Reg. Fish. Res. Lab.* 15:1-11. [English translation: *Fish. Res. Board Can. Transl. Ser.* 1130.]
- Fukataki, H. 1965. Number of the ovarian eggs of the deep-sea edible crab, *Chionoecetes japonicus* Rathbun, in the Japan Sea. *Bull. Jpn. Sea Reg. Fish. Res. Lab.* 15:95-97. [In Japanese with English summary.]
- Fukataki, H. 1965. The period of appearance of the free-swimming planktonic larvae of the snow crab, *Chionoecetes opilio*. *Nipponkai Ku Suisan Shiken Renraku News* 173/174:3.
- Fukataki, H. 1967. Stomach contents of the pink salmon, *Oncorhynchus gorbuscha* (Walbaum), in the Japan Sea during the spring season of 1965. *Bull. Jpn. Sea Reg. Fish. Res. Lab.* 17:49-66. [In Japanese with English summary.]
- Fukataki, H. 1969. Occurrence and distribution of planktonic larvae of edible crabs belonging to the genus *Chionoecetes* (Majidae, Brachyura) in the Japan Sea. *Bull. Jpn. Sea Reg. Fish. Res. Lab.* 21:35-54. [In Japanese with English summary.]
- Fukui Prefectural Fisheries Experiment Station, Hyogo Prefectural Fisheries Research Station, Tottori Prefectural Research Station. 1972. Coordinated operations fostering designated research. Written report of the studies on bottom fisheries resources: The ecology and fisheries of the crab, *Chionoecetes opilio*, in the southwestern part of the Japan Sea, 1967-1971. 66 pp.
- Fukui Prefectural Fisheries Experiment Station. 1936. Experiments on the tagging and release experiments of the crab, *Chionoecetes opilio*. Operations Rep. Fukui Fish. Res. Stn. 1934:13-18.
- Fukui Prefectural Fisheries Experiment Station. 1940. Experiments on tagging and releasing the crab *Chionoecetes opilio*. Operations Rep. Fukui Fish. Res. Stn. 1939:13-18.
- Fukui Prefectural Fisheries Experiment Station. 1974. 1974 coordinated operations fostering designated research. Report on research for techniques to produce seed of the crab, *Chionoecetes opilio*. Rep. Fukui Prefect. Fish. Res. Stn. 94. 19 pp.
- Fukui Prefectural Fisheries Experiment Station. 1975. 1975 coordinated operations fostering designated research. Report on research for techniques to produce seed of the crab, *Chionoecetes opilio*. Rep. Fukui Prefect. Fish. Res. Stn. 102. 11 pp.
- Fukui Prefectural Fisheries Experiment Station. 1976. 1976 coordinated operations fostering designated research. Report on research for techniques to produce seed of the crab, *Chionoecetes opilio*. Rep. Fukui Prefect. Fish. Res. Stn. 112. 26 pp.
- Fukui Prefectural Fisheries Experiment Station. 1977. 1974-1976 coordinated operations fostering designated research. Report on research for techniques to produce seed of the crab, *Chionoecetes opilio* (summary). Rep. Fukui Prefect. Fish. Res. Stn. 1977(8). 10 pp.
- Fukui Prefectural Fisheries Experiment Station. 1978. 1978 operations to foster research. Report on the experiments to develop techniques for culturing species of crab (a study of suitable sites for releasing the crab *Chionoecetes opilio*). Rep. Fukui Prefect. Fish. Res. Stn. 1978(6). 50 pp.
- Fukui Prefectural Fisheries Experiment Station. 1978. 1977 operations to foster research development. Report on the experiments to develop techniques for culturing species of crab (producing the seed of the crab *Chionoecetes opilio*). Rep. Fukui Prefect. Fish. Res. Stn. 1978(8). 12 pp.
- Fukui Prefectural Fisheries Experiment Station. 1978. Experimental operations to develop economically important migratory resources. Report on the experiments to develop techniques for propagating the crab, *Chionoecetes opilio* (studies on a suitable release locations). Rep. Fukui Prefect. Fish. Res. Stn. 1978(9). 12 pp.
- Fukui Prefectural Fisheries Experiment Station. 1980. 1978 operations to foster research. Report on the experiments to develop techniques for culturing species of crab (producing the seed of the crab *Chionoecetes opilio*). Rep. Fukui Prefect. Fish. Res. Stn. 1979(8). 14 pp.
- Fukui Prefectural Fisheries Experiment Station. 1980. 1979 operations to foster research. Report on the experiments to develop techniques for culturing species of crab (studies on appropriate locations for releasing the crab *Chionoecetes opilio*). Rep. Fukui Prefect. Fish. Res. Stn. 1980(6). 17 pp.

Fukui Prefectural Fisheries Experiment Station. 1981. 1980 operations to foster research. Report on the experiments to develop techniques for culturing species of crab (studies to find suitable releasing locations for the crab *Chionoecetes opilio*). Rep. Fukui Prefect. Fish. Res. Stn. 1981(13). 20 pp.

G

- Gagnon, M., and M. Boudreau. 1991. Sea trials of a galvanic corrosion delayed release mechanism for snow crab traps. Can. Tech. Rep. Fish. Aquat. Sci. E 1803:1-17.
- Garth, J.S. 1958. Brachyura of Pacific coast of America. Oxyrhyncha. Allan Hancock Pacific Expedition 21(1,2). 854 pp.
- Gerard, Y.C., and I. Comeau. 1986. Functional maturity and terminal molt of male snow crab, *Chionoecetes opilio*. Can. J. Fish. Aquat. Sci. 43:1710-1719.
- Gerstaecker, C.E.A. 1857. Carcinologische Beitrage. Arch. f. Naturgesch. 22(1856), pt. 1:101-162, pls. 4-6.
- Gissberg, J.G. 1982. State, federal and international regulation of Tanner crab harvests in the Bering Sea. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 649-655.
- Gorham, A.H., and F.L. Orth. 1978. U.S. market demand and Japanese marketing channels for Tanner crab. University of Alaska Sea Grant, AK-SG-78-12, Fairbanks. 40 pp.
- Goto, K., and Y. Suzuki. 1985. Experiments on transplanting *Chionoecetes opilio*. Operations Rep. Fukui Prefect. Fish. Res. Stn. 1983:77-78.
- Goto, K., and Y. Suzuki. 1986. Experiments on transplanting *Chionoecetes opilio*. Operations Rep. Fukui Prefect. Fish. Res. Stn. 1984:55-58.
- Goto, K., and Y. Suzuki. 1987. Experiments on transplanting *Chionoecetes opilio*. Operations Rep. Fukui Prefect. Fish. Res. Stn. 1985:69-70.
- Goto, K., and Y. Suzuki. 1988. Experiments on transplanting *Chionoecetes opilio*. Operations Rep. Fukui Prefect. Fish. Res. Stn. 1986:79-81.
- Govind, C.K., A.T. Read, W.T. Claxton, and R.W. Elner. 1992. Neuromuscular analysis of the chela-closer muscle associated with precopulatory clasping in male snow crabs, *Chionoecetes opilio*. Can. J. Zool. 70(12):2356-2363.
- Grant, W.S., L. Bartlett, and F.M. Utter. 1977. Biochemical genetic identification of species and hybrids of the Bering Sea Tanner crab, *Chionoecetes bairdi* and *C. opilio*. Proc. Natl. Shellfish. Assoc. 67:127. [Abstract.]
- Greenberg, J.A., M. Herrmann, and P.J. Hooker. 1992. Report to the Alaska Board of Fisheries: Economic impacts of alternative pot limits to Bristol Bay red king crab and Bering Sea *C. opilio* fishermen: Executive summary. Alaska Dep. Fish Game, Div. Comm. Fish. Manage. Dev., Juneau. Unpublished report.
- Greenberg, J.A., M. Herrmann, and J. McCracken. 1995. An international supply and demand model for Alaska snow crab. Mar. Resour. Econ. 10(3):231-246.
- Greendale, R., and R.F.J. Bailey. 1982. Résultats d'inventaire du crabe des neiges (*Chionoecetes opilio*) dans l'estuaire et le golfe du Saint-Laurent. [Results of a snow crab census in the estuary and Gulf of St Lawrence.] Can. Tech. Rep. Fish. Aquat. Sci. 1099F.
- Grischkowsky, R.S., and J.E. Follett. 1982. Tanner crab disease investigations in Alaska. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 547-561.

H

- Haflinger, K.E., and C.P. McRoy. 1983. Final Report: Yellowfin sole (*Limanda aspera*) predation on three commercial crab species (*Chionoecetes opilio*, *C. Bairdi*, and *Paralithodes camtschatica*) in the southeastern Bering Sea. National Marine Fisheries Service Final Report, Contract #82-ABC-00202.
- Halcrow, K., and C.G.H. Steel. 1992. Cuticular repair in the mature male snow crab, *Chionoecetes opilio* (Majidae; Crustacea): Relation to ecdysteroids. Can. J. Zool. 70:314-319.
- Hardy, D., J. Munro, and J.-D. Dutil. 1994. Temperature and salinity tolerance of soft-shell and hard-shell male snow crab, *Chionoecetes opilio*. Aquaculture 122(2-3):249-265.
- Hardy, D., J.-D. Dutil, J. Munro, L. Provencher, R.F.J. Bailey, and J.-C.F. Brêthes. 1994. La stabulation du crabe des neiges (*Chionoecetes opilio*). [Snow crab stocking.] Can. Rep. Ind. Fish. Aquat. Sci. 224. 39 pp.
- Hare, G.M., and D.L. Dunn. 1993. A retrospective analysis of the Gulf of St. Lawrence snow crab (*Chionoecetes opilio*) fishery 1965-1990. In: L.S. Parson and W.H. Lear (eds.), Perspectives on Canadian Marine Fisheries Management. Can. Bull. Fish. Aquat. Sci. 226:177-192.
- Hartnoll, R.G. 1969. Mating in Brachyura. Crustaceana 16:161-181.

- Hashimoto, J., and H. Hotta. 1985. An attempt of density estimation of megalop-epibenthos by the deep towed TV system and the deep sea research submersible "Shinkai 2000." Technical Rep. Japan Marine Science and Technology Center: Deepsea Research Using the Submersible "Shinkai 2000" System, pp. 23-35. [In Japanese with English summary.]
- Hatai, K., K. Furuya, S. Udagawa, and T. Fujii. 1986. Fungus disease of Tanner crab, *Chionoecetes opilio*, caused by *Trichomaris invadens*. In: Proc. 30th Meeting, Mycol. Soc. Japan. Japan Mycology Institute, p. 88. [In Japanese.]
- Hayase, S., T. Sadakata, S. Yasuda, W. Tsuda, and T. Matakazu. 1988. Studies on the transplantation of *Chionoecetes opilio*. Operations Rep. Ishikawa Prefect. Fish. Exp. Stn. 1986:53-61.
- Hayasi, T., K. Yamaguchi, and S. Konosu. 1978. Studies on flavor components in boiled crab. II. Nucleotides and organic bases in the extracts. Bull. Jpn. Soc. Sci. Fish. 44(12):1357-1362.
- Hayasi, T., A. Asakawa, K. Yamaguchi, and S. Konosu. 1979. Studies on flavor components in boiled crab. III. Sugars, organic acids, and minerals in the extracts. Bull. Jpn. Soc. Sci. Fish. 45(10):1325-1329.
- Hayes, M.L., and J.W. Balsinger. 1972. King and Tanner crabs research in the eastern Bering Sea, 1972. In: Annual Rep. 1972, North Pacific Commission, pp. 111-119.
- Haynes, E. 1973. Description of prozoae and stage I zoeae of *Chionoecetes bairdi* and *C. opilio* (Oxyrhyncha, Oregoniinae). Fish. Bull., U.S. 71(3):769-775.
- Haynes, E. 1981. Description of stage II zoeae of snow crab, *Chionoecetes bairdi* (Oxyrhyncha, Majidae) from plankton of lower Cook Inlet, Alaska. Fish. Bull., U.S. 79:177-182.
- Haynes, E., J.F. Karinen, J. Watson, and D.J. Hopson. 1976. Relation of number of eggs and egg length to carapace width in the Brachyuran crabs *Chionoecetes bairdi* and *Chionoecetes opilio* from the Gulf of St. Lawrence. J. Fish. Res. Board Can. 33(11):2592-2595.
- Hébert, M., Y. Chiasson, C. Gallant, and M. Moriyasu. 1992. Évaluation de l'état du stock de crabe des neiges (*Chionoecetes opilio*) dans le sud-ouest du golfe du Saint-Laurent in 1991. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 92/19. 21 pp.
- Hébert, M., K. Robichaud-LeBlanc, P. DeGrace, M. Biron, and M. Moriyasu, M. 1997. Assessment of the 1995 and 1996 snow crab (*Chionoecetes opilio*) exploratory fisheries in the Laurentian Channel (zone E) and the Magdalen Islands/Cape Breton (zone F) area, in the southern Gulf of St. Lawrence. Tech. Rep. Can. Fish. Aquat. Sci. 97/111. 40 pp.
- Hébert, M., E. Wade, P. DeGrace, M. Biron, and M. Moriyasu. 1997. 1996 assessment of snow crab (*Chionoecetes opilio*) stock in the southern Gulf of St. Lawrence (areas 12, 18, 19, 25/26 and zones E and F). DFO Atl. Fish. Res. Doc. 97/86. 60 pp.
- Hébert, M., E. Wade, P. DeGrace, M. Biron, and M. Moriyasu. 1999. 1998 assessment of snow crab (*Chionoecetes opilio*) stock in the southern Gulf of St. Lawrence (areas 12, 18, 19, 25/26 and zones E and F). Atlantic Stock Assessment Doc. 99/11. 69 pp.
- Hébert, M., Y. Chiasson, P. Mallet, P. DeGrace, C. Gallant, and M. Moriyasu. 1992. Évaluation de l'état de stock de crabe des neiges (*Chionoecetes opilio*) dans le sud-ouest du golfe du Saint-Laurent (zone 12) en 1992. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 92/109. 23 pp.
- Hébert, M., C. Gallant, Y. Chiasson, P. Mallet, P. DeGrace, and M. Moriyasu. 1992. Monitoring the occurrence of soft-shell crabs in commercial catches of snow crab (*Chionoecetes opilio*) in the southwestern Gulf of St. Lawrence (zone 12) in 1990 and 1991. Can. Tech. Rep. Fish. Aquat. Sci. 1886. 23 pp.
- Hébert, M., E. Wade, P. DeGrace, A. Hébert, M. Biron, and M. Moriyasu. 1998. 1997 assessment of snow crab (*Chionoecetes opilio*) stock in the southern Gulf of St. Lawrence (areas 12, 18, 19, 25/26 and zones E and F). Atlantic Stock Assessment Doc. 98/95. 63 pp.
- Hellou, J., J. Banoub, E. Gentil, D.M. Taylor, and P.G. O'Keefe. 1994. Electrospray tandem mass spectrometry of ecdysteroid moulting hormones. Spectroscopy 12:43-53.
- Hellou, J., C. Upshall, D.M. Taylor, P.G. O'Keefe, V. O'Malley, and T. Abrajano. 1994. Unsaturated hydrocarbons in muscle and hepatopancreas of two crab species, *Chionoecetes opilio* and *Hyas coarctatus*. Mar. Pollut. Bull. 28(8):482-488.
- Hibbits, J., G.C. Hughes, and A.K. Sparks. 1981. *Trichomaris invaders* gen. et sp. nov., an ascomycete parasite of the Tanner crab (*Chionoecetes bairdi* Rathbun) (Crustacea; Brachyura). Can. J. Bot. 59(11):2121-2128.
- Hicks, D.M. 1982. Abundance and distribution of black mat syndrome in stocks of Tanner crabs, *Chionoecetes bairdi*, in the northwestern Gulf of Alaska. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 563-579.
- Hilsinger, J.R. 1976. Aspects of the reproductive biology of female snow crabs, *Chionoecetes bairdi*, from Prince William Sound and the adjacent Gulf of Alaska. Mar. Sci. Commun. 2(3-4):201-225.
- Hilsinger, J.R. 1976. Selected references to the genus *Chionoecetes*. University of Alaska Inst. Mar. Sci., IMS Rep. 76-2, Fairbanks. 28 pp.

- Hilsinger, J.R. 1982. Tanner crab population abundance and its relationship to the commercial fishery in the south peninsula area. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 637-646.
- Hilsinger, J.R., W.E. Donaldson, and R.T. Cooney. 1975. The Alaska snow crab, *Chionoecetes bairdi*: Size and growth. University of Alaska Sea Grant, AK-SG-75-12, Fairbanks. 38 pp.
- Hiltz, D.F., and L.J. Bishop. 1975. Postmortem glycolytic and nucleotide degradative changes in muscle of the Atlantic queen crab (*Chionoecetes opilio*) upon iced storage of unfrozen and thawed meat, and upon cooking. *Comp. Biochem. Physiol.* 52B:453-458.
- Hitz, C.R., and W.F. Rathjen 1965. Bottom trawling surveys of the north-eastern Gulf of Alaska (summer and fall 1961 and spring 1962). *Commer. Fish. Rev.* 27(9):1-15.
- Hodson, P.V., É. Pelletier, R. McLeod, J. Hellou, B. Sainte-Marie, C. Couillard, and J.-M. Sévigny. 1994. Chemical contamination of surface sediments and biota of the Saguenay Fjord. In: J.-M. Sévigny and C. Couillard (eds.), *Le fjord du Saguenay: Un milieu exceptionnel de recherche*. Can. Manuscr. Rep. Fish. Aquat. Sci. 2270:97-104.
- Hoenig, J.M., and E.G. Dawe. 1991. Relative selectivity of four sampling methods using traps and trawls for male snow crabs (*Chionoecetes opilio*). *Can. Atl. Fish. Sci. Adv. Com. Res. Doc.* 91/32. 18 pp.
- Hoenig, J.M., E.G. Dawe, and P.G. O'Keefe. 1994. Molt indicators and growth per molt for male snow crabs (*Chionoecetes opilio*). *J. Crustacean Biol.* 14(2):273-279.
- Hoenig, J.M., E.G. Dawe, and D.M. Taylor. 1991. Can we calibrate pot CPUE with Leslie analysis? *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 91/31. 5 pp.
- Hoenig, J.M., E.G. Dawe, and X. Xu. 1993. Index-removal estimators of population size which incorporate information on sampling gear selectivity. *ICES C.M.* 1993/D:51. 6 pp.
- Hoenig, J.M., E.G. Dawe, D.M. Taylor, M. Eagles, and J. Tremblay. 1992. Leslie analyses of commercial snow crab trap data: A comparative study of catchability coefficients. *ICES C.M.* 1992/K:34. 5 pp.
- Hokkaido Central Fisheries Experimental Laboratory. 1986. On what appears to be a crab that is a hybrid between *Chionoecetes japonicus* and *Chionoecetes opilio*. *Monthly Rep. Hokkaido Fish. Exp. Stn.* 43(10-12):213.
- Hokkaido Wakkanai Fisheries Experimental Station. 1966. Studies on the fishing grounds of the *Chionoecetes opilio* crab in the Japan Sea. Completion Report on Operations 1965:33-34.
- Hokkaido Wakkanai Fisheries Experimental Station. 1967. Studies on the fishing grounds of the *Chionoecetes opilio* crab in the Japan Sea. Completion Report on Operations 1966:67-71.
- Hokkaido Wakkanai Fisheries Experimental Station. 1968. Studies on the fishing grounds of the *Chionoecetes opilio* crab in the Japan Sea. Completion Report on Operations 1967:65-69.
- Honma, H., and K. Muraoka. 1992. Brachyuran and anomuran crabs from northern Hokkaido. *Cancer* 2:39-46.
- Hooper, R.G. 1986. A spring breeding migration of the snow crab, *Chionoecetes opilio* (O. Fabr.), into shallow water in Newfoundland. *Crustaceana* (Leiden) 50(3):257-264.
- Hoopes, D.T., J.F. Karinen, and M.J. Pelto. 1972. King and Tanner crab research. *Int. North Pac. Fish. Comm. Ann. Rep.* 1970:110-120.
- Horii, N. 1977. An immature, second generation hybrid between *Chionoecetes japonicus* and *Chionoecetes opilio*. *Toyama Prefect. Biol. Bull.* 21-22:3-10.
- Horii, N. 1986. The crabs of Toyama Bay. *Toyama to Jizen [Nature in Toyama]* 9:8-11.
- Hosie, M.J., and T.F. Gaumer. 1974. Southern range extension of the Baird crab (*Chionoecetes bairdi* Rathbun). *Calif. Fish Game* 60(1):44-47.
- Hudson, D.A., and R.D. Adlard. 1994. PCR techniques applied to *Hematodinium* spp. and *Hematodinium*-like dinoflagellates in decapod crustaceans. *Dis. Aquat. Org.* 20(3):203-206.
- Humes, A.G. 1942 The morphology, taxonomy and bionomics of the nemertean genus *Chionoecetes*. III. *Biol. Monogr. Univ. Illinois, Urbana.* 95 pp.
- Hurley, G.V., R.W. Elner, D.M. Taylor, and R.F.J. Bailey. 1990. Evaluation of snow crab tags retainable through molting. *Am. Fish. Soc. Symp.* 7:84-93.
- Hynning, J.M., and A.M. Scarborough. 1973. Identification of fungal encrustation on the shell of the snow crab (*Chionoecetes bairdi*). *J. Fish. Res. Board Can.* 30(11):1738-1739.
- Igarashi, T. 1970. A list of marine decapod crustaceans from Hokkaido, deposited at the Fisheries Museum, Faculty of Fisheries, Hokkaido University. III. *Brachyura. Fish. Mus., Fac. Fish., Hokkaido Univ.* 13:1-18.
- Imai, Y., and M. Mituhashi. 1993. Black mat syndrome of snow crab, *Chionoecetes opilio*, caught in the northeastern waters of Hokkaido. *Bull. Jpn. Soc. Fish. Oceanogr.* 57(4):402-404.

- Incze, L.S., 1983. Larval life history of Tanner crabs, *Chionoecetes bairdi* and *C. opilio*, in the southeastern Bering Sea and relationships to regional oceanography. Ph.D. thesis, University of Washington, Seattle. 192 pp.
- Incze, L.S., and A.J. Paul. 1983. Grazing and predation as related to energy needs of stage I zoeae of the Tanner crab *Chionoecetes bairdi* (Brachyura, Majidae). Biol. Bull. 165(1):197-208.
- Incze, L.S., D.A. Armstrong, and S.L. Smith. 1987. Abundance of larval Tanner crabs (*Chionoecetes* spp.) in relation to adult females and regional oceanography of the southeastern Bering Sea. Can. J. Fish. Aquat. Sci. 44:1143-1156.
- Incze, L.S., D.A. Armstrong, and D.L. Wencker. 1982. Rates of development and growth of larvae of *Chionoecetes bairdi* and *C. opilio* in the southeastern Bering Sea. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 191-218.
- Incze, L.S., D.L. Wencker, and D.A. Armstrong. 1984. Growth and average growth rates of Tanner crab zoeae collected from the plankton. Mar. Biol. 84:93-100.
- International North Pacific Fisheries Commission (INPFC). 1969. Proceedings of the 16th Annual Meeting. Report of Subcommittee on King and Tanner Crab, Appendix 4 (Doc. 1246):191-196.
- International Pacific Halibut Commission (IPHC). 1964. Catch records of a trawl survey conducted by the International Pacific Halibut Commission between Unimak Pass and Cape Spencer, Alaska from May 1961 to April 1963. IPHC Doc. 36. 524 pp.
- Ishikawa Prefectural Fisheries Experimental Station. 1965. Studies on the Tanner crab, *Chionoecetes opilio*, 1964. Data Ishikawa Fish. Exp. Stn. 19. 48 pp.
- Ishikawa Prefectural Fisheries Experimental Station. 1979. Operations to promote developmental research, report on experiments to develop techniques for the culture of species of crab (studies on suitable locations for releasing Tanner crabs, *Chionoecetes opilio*). Data Ishikawa Fish. Exp. Stn. 106. 21 pp.
- Ishikawa Prefectural Fisheries Experimental Station. 1980. Operations to promote research, report on experiments to develop techniques for the culture of species of crab (studies on suitable locations for releasing Tanner crabs, *Chionoecetes opilio*). Data Ishikawa Fish. Exp. Stn. 112. 51 pp.
- Ishikawa Prefectural Fisheries Experimental Station. 1981. Operations to promote research, report on experiment to develop techniques for the culture of species of crab (studies on suitable locations for releasing Tanner crabs, *Chionoecetes opilio*). Data Ishikawa Fish. Exp. Stn. 119. 40 pp.
- Ishikawa Prefectural Fisheries Experimental Station. 1984. Assessment of the *Chionoecetes opilio* fishing grounds in the Kaga Sea area. 31 pp.
- Ishikawa Prefectural Fisheries Experimental Station. 1988. Report on the results of the studies on the transplantation of the crab *Chionoecetes opilio*. 27 pp.
- Iso, A., and E. Yamada. 1986. Studies on the release of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Ishikawa Prefect. Fish. Res. Stn., 1984. Fish. Res. Data 144:63-71.
- Ito, K. 1956. Abnormal dactylopodites of the second ambulatory leg of *Chionoecetes*. Collect. and Rearing 18(11):347.
- Ito, K. 1956. Resource of bottom fisheries in the Japan Sea, fisheries biological studies on economically important species (chapter on the Tanner crab, *Chionoecetes opilio*). Bull. Jpn. Sea Reg. Fish. Res. Lab. 4:293-305.
- Ito, K. 1956. The snow crab. I. Number of moltings estimated from carapace width distribution. Teigyo Shigen Chosa Gaiho (September 1955-May 1956). Teigyo Shigen Chosa Tanshosa Kaigi Shiryo 8:29-32. Unpublished report.
- Ito, K. 1956. The trawl fishery in the Japan Sea, and its resources. The section on the snow crabs. Bull. Jpn. Sea Reg. Fish. Res. Lab. 4:293-305. [In Japanese.]
- Ito, K. 1957. A study of the snow crab. Teigyo Shigen Chosa Gaiho (September 1956 to May 1957). Teigyo Shigen Chosa Tanshosa Kaigi Shiryo 9:15-31. Unpublished report.
- Ito, K. 1957. On the relative growth of abdomen and five paired thoracic appendages of zuwaigani, *Chionoecetes opilio*. Ann. Rep. Jpn. Sea Reg. Fish. Res. Lab. 3:117-129. [In Japanese with English summary.]
- Ito, K. 1957. The stages and relative growth of the abdomen and endopodites in the snow crab, *Chionoecetes opilio* O. Fabricius. Bull. Jpn. Sea Reg. Fish. Res. Lab. 3:117-129. [In Japanese with English summary.]
- Ito, K. 1960. Abnormal propodus of the cheliped of *Chionoecetes*. Collect. and Rearing 22(4):123-125.
- Ito, K. 1963. A few studies on the ripeness of eggs of zuwai-gani, *Chionoecetes opilio*. Bull. Jpn. Sea Reg. Fish. Res. Lab. 11:65-76. [English translation: Fish. Res. Board Can. Transl. Ser. 1117.]

- Ito, K. 1963. Materials for the study of the snow crab. Data from informal talks on the snow crab. Nissuiken (Toshazuri). 20 pp. Unpublished report.
- Ito, K. 1963. Some observations on the degree of ripeness of the eggs of the snow crab (*Chionoecetes opilio*). Bull. Jpn. Sea Reg. Fish. Res. Lab. 11:1-12.
- Ito, K. 1965. Age and growth of the Tanner crab, *Chionoecetes opilio*. Communication News of Fisheries Research in the Japan Sea Region 173, 174:4.
- Ito, K. 1965. On two abnormal forms of zuwai-gani, *Chionoecetes opilio elongatus* O. Fabricius. Bull. Jpn. Sea Reg. Fish. Res. Lab. 14:91-93. [English translation: Fish. Res. Board Can. Transl. Ser. 1116.]
- Ito, K. 1967. An abnormal form of the edible crab, *Chionoecetes opilio* (O. Fabricius), with three legs in left side. Bull. Jpn. Sea Reg. Fish. Res. Lab. 17:141-142. [In Japanese with English summary.]
- Ito, K. 1967. Ecological studies on the edible crab, *Chionoecetes opilio* (O. Fabricius), in the Japan Sea. I. When do female crabs first spawn and how do they advance into the following reproductive stage? Bull. Jpn. Sea Reg. Fish. Res. Lab. 17:67-84. [English translation: Fish. Res. Board Can. Transl. Ser. 1103.]
- Ito, K. 1968. Ecological studies on the edible crab, *Chionoecetes opilio* (O. Fabricius), in the Japan Sea. II. Description of young crabs, with note on their distribution. Bull. Jpn. Sea Reg. Fish. Res. Lab. 19:43-50. (English translation: Fish. Res. Board Can. Transl. Ser. 1184.)
- Ito, K. 1968. Observations on the primary features of the newly hatched zoeal larvae of the zuwai crab, *Chionoecetes opilio* (O. Fabricius). Bull. Jpn. Sea Reg. Fish. Res. Lab. 20:91-93. [In Japanese with English summary.]
- Ito, K. 1970. Ecological studies on the edible crab, *Chionoecetes opilio* (O. Fabricius) in the Japan Sea. III. Age and growth as estimated on the basis of the seasonal changes in the carapace width frequencies and the carapace hardness. Bull. Jpn. Sea Reg. Fish. Res. Lab. 22:81-116 [English translation: Fish. Res. Board Can. Transl. Ser. 1512.]
- Ito, K. 1976. Maturation and spawning of the queen crab, *Chionoecetes japonicus*, in the Japan Sea, with special reference to the reproduction cycle. Bull. Jpn. Sea Reg. Fish. Res. Lab. 27:59-74. [In Japanese with English summary.]
- Ito, K. 1981. Current situation of *Chionoecetes opilio* in the Japan Sea. In: Fisheries resources research meeting, meeting report on Japanese bottom fisheries, 1980, pp. 3-12.
- Ito, K. 1982. Ecology of the crab, *Chionoecetes opilio*. Suisan Gijutsu to Kaiei [Fisheries Technique and Management] (Tokyo) 12:23-33.
- Ito, K. 1983. Studies on the dives of the "Shinkai 2000." I. A day revealed in the life of the crab, *Chionoecetes opilio*. Communication News on the Fisheries Experimental Research in the Japan Sea Area 326:1-5.
- Ito, K. 1984. Ecological studies on the edible crab, *Chionoecetes opilio* O. Fabricius in the Japan Sea. IV. Distribution and ecology of the larvae at the early bottom life stage in the coastal waters of Niigata Prefecture. Bull. Jpn. Sea Reg. Fish. Res. Lab. 34:19-41. [In Japanese with English summary.]
- Ito, K. 1985. Recent trends in the fisheries of the Japan Sea (section on the Tanner crab, *Chionoecetes opilio*). Japan Fisheries Research, pp. 62-65.
- Ito, K. 1986. Operations on the release of the Tanner crab, *Chionoecetes opilio*, in the Yamato-tai area. Northern Japan Bottom Fish. Section Bull. 19:7-17.
- Ito, K., and K. Ikehara. 1971. Observations on the occurrence and distribution of the planktonic larvae of the queen crabs, *Chionoecetes* spp., in the neighboring waters of Sado Island. Bull. Jpn. Sea Reg. Fish. Res. Lab. 23:81-100. [In Japanese with English summary.]
- Ito, K., and T. Kobayashi. 1967. A female specimen of the edible crab, *Chionoecetes opilio* (O. Fabricius), with the unusual symptom of additional ecdysis. Bull. Jpn. Sea Reg. Fish. Res. Lab. 18:127-128. [English translation: Fish. Res. Board Can. Transl. Ser. 1118.]
- Ivanov, B.G. 1997. On behaviour of some commercial crabs (Crustacea: Decapoda, Brachyura, Majidae and Anomura, Lithodidae) with special reference to the snow crab *Chionoecetes opilio*. Zool. Zh. 76(3):287-293.
- Iwamoto, H. 1991. Encyclopedia on live fish. Volume III. Easy explanation of rearing and management. Chapter 2. Techniques for live fish. Section on *Chionoecetes opilio*. Fuji Tekuno Shisutemu [Technique System], Tokyo, pp. 536-539.
- Iwasa, T., T. Tamaki, Y. Matsui, and S. Gyota. 1990. Experiments on tagging and releasing the crab *Chionoecetes opilio* and the crab pot fishing experimental operations in the Yamato-tai protected fishing area. Operations Rep. Tajima, Hyogo Prefect. Fish. Office Res. Stn. 1989:78-87.
- Iwasa, T., T. Otani, S. Okamoto, R. Takeda, Y. Matsui, and S. Gyota. 1991. Experimental crab pot operations in the *Chionoecetes opilio* protection reef area. Operations Rep. Tajima, Hyogo Prefect. Fish. Office Exp. Stn. 1992:68-81.
- Iwasa, T., T. Otani, T. Tamaki, Y. Matsui, S. Gyota, and M. Nakamura. 1991. Experimental crab pot operations in the crab (*Chionoecetes opilio*) protected area of the Yamato-Tai region. Operations Rep. Tajima, Hyogo Prefect. Fish. Office Exp. Stn. 1990:67-76.

J

- Jadamec, L.S., W.E. Donaldson, and P. Cullenberg. 1999. Biological field techniques for *Chionoecetes* crabs. University of Alaska Sea Grant, AK-SG-99-02, Fairbanks. 80 pp.
- Jamieson, G.S. 1990. Development of a fishery for *Chionoecetes tanneri* on the continental slope off British Columbia: Management considerations. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 587-592.
- Jamieson, G.S., and W.D. McKone (ed.). 1988. Proceedings of the International Workshop on Snow Crab Biology, 8-10 December 1987, Montreal, Quebec. Can. Manuscr. Rep. Fish. Aquat. Sci. 2005. 163 pp.
- Jamieson, G.S., G.D. Heritage, and N. Noakes. 1990. Life history characteristics of *Chionoecetes tanneri* off British Columbia. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 153-162.
- Japan Sea Regional Fisheries Research Laboratory. 1963. Data from studies of the Tanner crab, *Chionoecetes opilio*. 20 pp.
- Japan Sea Regional Fisheries Research Laboratory. 1964. Intermediate report of the Tanner crab, *Chionoecetes opilio*, in the Japan Sea, 1963. Hyogo Fisheries Experimental Station, Kasumi High School, Hyogo Prefecture. 13 pp.
- Japan Sea Regional Fisheries Research Laboratory. 1966. In: Studies estimating the size of the Tanner crab resource using the tag-and-release method. Intermediate report, p. 13.
- Jewett, S.C. 1978. Summer food of the Pacific cod, *Gadus macrocephalus*, near Kodiak Island, Alaska. Fish. Bull., U.S. 76(3):700-706.
- Jewett, S.C. 1981. Variations in some reproductive aspects of female snow crabs, *Chionoecetes opilio*. J. Shellfish Res. 1(1):95-100.
- Jewett, S.C. 1982. Predation on crabs of the genus *Chionoecetes*: A literature review. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 521-535.
- Jewett, S.C., and R.E. Haight. 1977. Description of megalopa of snow crab, *Chionoecetes bairdi* (Majidae, subfamily Oregoniinae). Fish. Bull., U.S. 75(2):459-463.

- Jewett, S.J., and M. Howard. 1982. Food of the Tanner crab *Chionoecetes bairdi* near Kodiak Island, Alaska. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 293-318.
- Johnson, A.G. 1975. Electrophoretic confirmation of hybrid snow crab, *Chionoecetes bairdi-opilio*. National Marine Fisheries Service, Seattle. Unpublished manuscript.
- Johnson, A.G. 1976. Electrophoretic evidence of hybrid snow crab, *Chionoecetes bairdi x opilio*. Fish. Bull., U.S. 74(3):693-694.
- Judson, D., and I. Judson. 1966. Crab explorations (*C. opilio*). Prince Edward Island Department of Fisheries. Manuscript report.

K

- Kagei, N., and T. Kon. 1978. Metacercariae of genus *Steganoderma* (Trematoda) in a crab, *Chionoecetes opilio* (O. Fabricius), from Northern Sea. Jpn. J. Parasitol. 27(1):27-30.
- Kakimoto, A., and T. Tone. 1966. Studies on the crab, *Chionoecetes opilio*. Operations Rep. Niigata Prefect. Fish. Exp. Stn. 1964:82-99.
- Kamita, T. 1941. Studies on the decapod crustaceans of Chosen. Part I. Crabs. Fish. Soc. Chosen, Keijo. 289 pp. [In Japanese with English summary.]
- Kamita, T. 1963. Crabs of San-in district, including Oki Islands and its adjacent waters (southern part of Japan Sea). Res. Crustacea 1:20-31. [In Japanese with English summary.]
- Kanamaru, N. 1990. Distribution of immature Tanner crabs, *Chionoecetes opilio*, in the western part of the Japan Sea during the summer. In: Summary of presentations, General Meeting of Central District of Japanese Society of Scientific Fisheries.
- Kanamaru, N. 1990. The fisheries catch of the Tanner crab, *Chionoecetes opilio* in the Japan Sea area. Conference Report on Research on Fisheries Resources, Northern Japan Bottom Fisheries 23:13-23.
- Kanno, Y. 1972. Relative growth of the Tanner crab (*Chionoecetes opilio*) in the Okhotsk Sea and its difference in two fishing grounds. Sci. Rep. Hokkaido Fish. Exp. Stn. 14:17-30. [In Japanese with English summary.]
- Kanno, Y. 1975. On the method of estimation of age composition of male Tanner crabs in the Okhotsk Sea. Bull. Jpn. Soc. Sci. Fish. 41(4):403-411. [In Japanese with English summary.]

- Kanno, Y. 1987. Reproductive ecology of Tanner crab in the southwestern Okhotsk Sea. Bull. Jpn. Soc. Sci. Fish. 53(5):733-738. [English translation: Can. Transl. Fish. Aquat. Sci. 5628. 15 pp.]
- Kansa, K. 1962. Species of decapod crustaceans in the region near Sadoshima. Sado Museum Bulletin 9:1-6.
- Karinen, J.F. 1969. Preliminary evaluation of Bering Tanner crab stocks. Minutes of the Second Alaskan Shellfish Conference, Alaska Dep. Fish Game Leaflet. 135:91-101.
- Karinen, J.F. 1972. A note on the identifying characteristics of the eastern Bering Sea *Chionoecetes bairdi* Rathbun, *C. opilio* (O. Fabricius) and a proposed "hybrid" of these species. NOAA, Natl. Mar. Fish. Serv., Northwest Fisheries Center, Auke Bay Laboratory, Auke Bay, Alaska. 9 pp.
- Karinen, J.F. 1974. King and Tanner crab research, 1971. Int. N. Pac. Fish. Comm., Ann. Rep., pp. 102-111.
- Karinen, J.F., and D.T. Hoopes. 1971. Occurrence of Tanner crabs (*Chionoecetes* spp.) in the eastern Bering Sea with characteristics intermediate between *C. bairdi* and *C. opilio*. Proc. Natl. Shellfisheries Assoc. 61:8-9. [Abstract.]
- Karinen, J.F., and S.D. Rice. 1974. Effect of Prudhoe Bay crude oil on molting Tanner crabs, *Chionoecetes bairdi*. MFR Paper 1074. from Mar. Fish. Rev. 36(7), July 1974.
- Kasutani, Y. 1993. Relation between the shape of tilled seabed and population density of pink shrimp and snow crab off Wakasa Bay. Proc. JAMSTEC Symp. Deep Sea Res. 9:361-366. [In Japanese with English summary.]
- Ke, P.J., B. Smith-Lall, and A. Dewar. 1981. Quality improvement for Atlantic queen crab (*Chionoecetes opilio*). Can. Tech. Rep. Fish. Aquat. Sci. 1002.
- Khan, R.A. 1982. Biology of a leech ectocommensal on the spider crab, *Chionoecetes opilio*. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 681-694
- Kihara, K., and M. Uda. 1969. Studies on the formation of demersal fishing grounds. I. Analytical studies on the mechanism concerning the formation of demersal fishing grounds in relation to the bottom water mass in the eastern Bering Sea. J. Tokyo Univ. Fish. 55(2):83-90.
- Kishida, T. 1962. A comparison of *Chionoecetes japonicus* and *Chionoecetes opilio* which were obtained offshore from Tottori. In: Summary of presentations, General Meeting of Japan Central Branch Office of Japan Science Education Institute, pp. 1-7.
- Kitazawa, H., and T. Oaku. 1982. Study on the discards by the Danish seine fishery in western Wakasa Bay. Bull. Jpn. Soc. Sci. Fish. 48(8):1089-1093. [In Japanese with English summary.]
- Ko, A. 1971. Studies of the Tanner crab, *Chionoecetes opilio*, of the Soviet Union on the east coast of Sakhalin. Monthly Rep. Hokkaido Fish. Exp. Stn. 28(3):21-22.
- Kobayashi, H., and Y. Yamaguchi. 1978. Distribution and ecology of zuwaigani, *Chionoecetes opilio*, on the Yamato-tai. Bull. Jpn. Soc. Sci. Fish. 44(10):1079-1086. [In Japanese with English summary.]
- Kobayashi, K. 1965. Distribution and migration of the *Chionoecetes opilio* crab in the area near Tajima. Communication News of Fisheries Research in the Japan Sea Region 173, 174:5.
- Kobayashi, K. 1965. Maturation and spawning of the *Chionoecetes opilio* crab. Communication News of Fisheries Research in the Japan Sea Region 173, 174:2.
- Kobayashi, K. 1965. Study of the crab *Chionoecetes opilio*. Operations Rep. Hyogo Prefect. Fish. Exp. Stn. 1963:13-25.
- Kobayashi, K. 1966. Report on studies of the *Chionoecetes opilio* crab (1). Hyogo Fisheries Research Station. 67 pp.
- Kobayashi, K. 1967. Studies on the *Chionoecetes opilio* crab. Operations Rep. Tottori Prefect. Fish. Exp. Stn. 1965:16-19.
- Kobayashi, K. 1970. Studies on the *Chionoecetes opilio* crab. Rep. Tottori Prefect. Fish. Exp. Stn. 1966(5):1-20.
- Kobayashi, K. 1977. Trends in the *Chionoecetes opilio* resource in the offshore areas of Hyogo Prefecture in the Japan Sea as determined from fish catch data using Ito bottom seine. Bull. Hyogo Prefect. Fish. Exp. Stn. 17:1-20.
- Kobayashi, K. 1983. Progress in rearing the crab *Chionoecetes opilio* in tanks through spawning, hatching, larval stages and to the adult stage. Saibai Giken [Aquaculture Techniques Research] 12(1):35-45.
- Kobayashi, K. 1989. Ecological studies on reproduction of the spider crab *Chionoecetes opilio*. Bull. Tottori Prefect. Fish. Exp. Stn. 31:1-95. [In Japanese with English summary.]
- Kobayashi, K., and S. Gyoda. 1968. Research on the Tanner crab (*Chionoecetes opilio*) resource. Operation Rep. Hyogo Prefect. Fish. Exp. Stn. 1968:35-59.
- Kobayashi, K., and S. Gyoda. 1969. Research on the Tanner crab (*Chionoecetes opilio*) resource. Operation Rep. Hyogo Prefect. Fish. Exp. Stn. 1969:30-38.

- Kobayashi, K., and S. Gyoda. 1971. Research on the Tanner crab (*Chionoecetes opilio*) resource. Operation Rep. Hyogo Prefect. Fish. Exp. Stn. 1971:83-88.
- Kobayashi, K., and K. Nagai. 1991. Ecological observations of the snow crab (*Chionoecetes opilio*) conservation reef and macrobenthic animal communities in the sea off Tottori Prefecture. JAMSTEC Tr. Deepsea Res. 1991:267-275. [In Japanese with English summary.]
- Kobayashi, K., and T. Tamaki. 1980. Experiments on developing techniques for culture in the Tanner crab (*Chionoecetes opilio*). Operation Rep. Hyogo Prefect. Fish. Exp. Stn. 1980:348-355.
- Kobayashi, K., T. Meikaku, and S. Gyoda. 1967. Joint research on the Tanner crab, *Chionoecetes opilio*. Operation Rep. Hyogo Prefect. Fish. Exp. Stn. 1965:33-54.
- Kobayashi, K., Miki, E. Yamamoto, and A. Taniguchi. 1986. Experiments of the reproduction of the *Chionoecetes opilio* crab. Operations Rep. Tottori Prefect. Aquacult. Fish. Exp. Stn. 1986:70-75.
- Kobayashi, K., Miki, E. Yamamoto, and A. Taniguchi. 1987. Experiments of the reproduction of the *Chionoecetes opilio* crab. Operations Rep. Tottori Prefect. Aquacult. Fish. Exp. Stn. 1987:61-65.
- Kobayashi, T. 1966. Report on zuwai crab fishery. Bull. Hyogo Prefect. Fish. Exp. Stn. 1.
- Kobayashi, T. 1977. Fluctuation of the queen crab, *Chionoecetes opilio*, populations in the Japan Sea off Hyogo Prefecture estimated by the experimental Danish seine trawlings. Bull. Hyogo Prefect. Fish. Exp. Stn. 17:1-20.
- Kobyakova, Z.I. 1937. Decapods of the Okhotsk and Japan seas. Uchyeniye zapiski. Leningrad State University, Leningrad 15:93-154.
- Kobyakova, Z.I. 1955. Stomatopoda and Decapoda. In: P.V. Ushakova and others (eds.), Atlas of invertebrates of the Far Eastern seas of the USSR, pp. 146-158.
- Kobyakova, Z.I. 1958. Composition and distribution of decapods in the coastal waters of Shikotan and Kunashir islands. Issledovaniye dalnevostochnikh morei. Akad. Nauk SSSR 5:249-260.
- Kodaki, I. 1966. Distribution of juvenile ke-gani crabs (*Erimacrus isenbecki*) and juvenile Tanner crabs (*Chionoecetes*). Preliminary report. Rep. Jpn. Fish. Soc. Tohoku District 18:45.
- Kon, T. 1965. The age and carapace width of *Chionoecetes opilio* in Wakasa Bay during the winter. Japan Sea Area Fisheries Research Communication News 173, 174.
- Kon, T. 1965. The number of moltings and carapace width of the snow crabs in Wakasa Bay. Nipponkai Ku Suisan Shiken Kenkyu Renraku News 173/174:4.
- Kon, T. 1967. Fisheries biology of the Tanner crab, *Chionoecetes opilio*. I. On the prezoéal larva. Bull. Jpn. Soc. Sci. Fish. 33(8):726-730. [In Japanese with English summary.]
- Kon, T. 1967. Molting in the Tanner crab, *Chionoecetes opilio*. Saisho to Shiiku [Collecting and Rearing] 29(5):174-175.
- Kon, T. 1969. Fisheries biology of the Tanner crab. III. The density distribution and carapace width composition in relation to depth. Bull. Jpn. Soc. Sci. Fish. 35(7):624-628. [English translation: Fish. Res. Board Can. Transl. Ser. 1363.]
- Kon, T. 1970. Fisheries biology of the Tanner crab. IV. The duration of planktonic stages estimated by rearing experiments of larvae. Bull. Jpn. Soc. Sci. Fish. 36(3):219-224. [English translation: Fish. Res. Board Can. Transl. Ser. 1603.]
- Kon, T. 1971. Life history and culture of the crab *Chionoecetes opilio*. Dobutsu to Shizen [Animals and Nature] 1(9):12-16.
- Kon, T. 1973. Fisheries biology of the Tanner crab. V. Effect of salinity on survival and growth of the larvae reared in the laboratory. Bull. Jpn. Soc. Sci. Fish. 39(9):945-950. [In Japanese with English summary.]
- Kon, T. 1974. Fisheries biology of the Tanner crab. VI. On the number of ovarian eggs and eggs held in the pleopods. Bull. Jpn. Soc. Sci. Fish. 40(5):465-469. [In Japanese with English summary.]
- Kon, T. 1976. Fisheries biology of the Tanner crab. VII. Changes of the external morphogenesis in the process of the embryonic development. Aquaculture 23(3):103-110.
- Kon, T. 1977. Life history of the crab, *Chionoecetes opilio*, in Wakasa Bay. Meeting Rep. Fukui Municipal Nat. Hist. Mus. 24:21-25.
- Kon, T. 1979. Ecological studies on larvae of the crabs belonging to the genus *Chionoecetes*. I. The influence of starvation on the survival and growth of the zuwai crab. Bull. Jpn. Soc. Sci. Fish. 45(1):7-9.
- Kon, T. 1979. Fishery biology and propagation of the zuwai crab, *Chionoecetes opilio*, occurring along coasts of central Japan Sea. In: G. Yamamoto (ed.), Proc. 7th Japan-Soviet Joint Symp. Aquaculture 1978:197-205.
- Kon, T. 1979. Return of Tanner crab larvae (*Chionoecetes opilio*) to their original fishing grounds during transport during the planktonic life stage. Fukui Municipal Local Sci. Mus. Assoc. Bull. 26:29-32.

- Kon, T. 1979. The life history and culture of the zuwai crab, *Chionoecetes opilio*. Suisan Gijutsu to Kaiei [Fisheries Techniques and Management] 25(9):62-70.
- Kon, T. 1980. Studies on the life history of the zuwai crab, *Chionoecetes opilio* (O. Fabricius). Spec. Publ. Sado Mar. Biol. Stn., Niigata Univ., Ser. 2:1-64. [English translation: Can. Transl. Fish. Aquat. Sci. 5634. 125 pp.]
- Kon, T. 1981. Prospects for the Tanner crab (*Chionoecetes opilio*), especially from the perspective of aquaculture. Suisan Gijutsu to Kaiei [Fisheries Techniques and Management] 27(11):27-33.
- Kon, T. 1981. The current situation and problems in the rearing of the larvae of the Tanner crab, *Chionoecetes opilio*. Introduction. Saibai Giken [Culture Techniques] 10(1):125-136.
- Kon, T. 1982. On the planktonic larval life of the zuwai crab, *Chionoecetes opilio*, occurring along coasts of the Central Japan Sea. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 137-156.
- Kon, T. 1982. Outlook for changes in Tanner crab (*Chionoecetes opilio*) culture. Saibai [Cultivation] (Japan Cultivation Society) 23:10-13.
- Kon, T. 1982. Studies on the life history of the Tanner crab, *Chionoecetes opilio*. Fukui Municipal Local Sci. Mus. Assoc. Bull. 29:53-56.
- Kon, T. 1995. Management of the Tanner crab, *Chionoecetes opilio*, resource in Fukui Prefecture. Japan Mariculture Institute Conference Lecture Summaries. Suisan Zoshoku [Fisheries Culture] 43(4):544-546.
- Kon, T. 1996. Overview of Tanner crab fisheries around the Japanese Archipelago. In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 13-24.
- Kon, T., and T. Namba. 1968. Ecological observations of the snow crab (*Chionoecetes opilio*) by means of year-round culturing. Suisan Zoshoku 16(3):137-143.
- Kon, T., and T. Namba. 1968. Some observations on the breeding of the Tanner crab, *Chionoecetes opilio*, kept under laboratory conditions throughout a year. Aquaculture 16(3):237-243. [In Japanese.]
- Kon, T., and Y. Honma. 1970. Studies on the maturity of the gonad in some marine invertebrates. IV. Seasonal changes in the testes of the Tanner crab. Bull. Jpn. Soc. Sci. Fish. 36(10):1028-1033. [In Japanese with English summary.]
- Kon, T., and Y. Honma. 1970. Studies on the maturity of the gonad in some marine invertebrates. III. Seasonal changes in the ovary of the Tanner crab. Bull. Jpn. Soc. Sci. Fish. 36(10):1021-1027. [In Japanese with English summary.]
- Kon, T., A. Chiba, and G. Honma. 1991. The ecology and life history of the Tanner crab, *Chionoecetes opilio*. Records on the Japan Sea Block Experiment 22:39-58.
- Kon, T., N. Ietsugu, and H. Kinoshita. 1993. The composition of molting stages in the snow crab *Chionoecetes opilio* caught off Wakasa Bay, the Sea of Japan. Bull. Jpn. Soc. Sci. Fish. 59(11):1831-1836. [English translation: Can. Transl. Fish. Aquat. Sci. 5626.]
- Kon, T., M. Niwa, and F. Yamakawa. 1968. Fisheries biology of the Tanner crab. II. On the frequency of molting. Bull. Jpn. Soc. Sci. Fish. 34(2):138-142. [English translation: Fish. Res. Board Can. Transl. Ser. 1129.]
- Kon, T., N. Ietsugu, K. Ryoike, and Y. Kasutani. 1993. Ecological features of snow crab *Chionoecetes opilio* distributed on the Yamato Bank in the Japan Sea. Saibai Giken 22(1):29-33. [English translation: Can. Transl. Fish. Aquat. Sci. 5620. 15 pp.]
- Kon, T., N. Ietsugu, K. Ryoike, and M. Kawashiro. 1996. Ecology of the snow crab (*Chionoecetes opilio*) from an isolated, unfished bank in the Sea of Japan. In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 187-197.
- Konishi, K., and I. Matsu. 1995. Identification of the zoeal larvae of the three species of Tanner crab (*Chionoecetes*). In: Summary, General Spring Meeting of Japanese Fisheries Society, 1993, p. 729.
- Konishi, K., and I. Yoshio. 1995. Identifying the zoea larvae of three species of Tanner crab (genus *Chionoecetes*). In: Summaries of presentations, General Spring Meeting of Japan Fisheries Society, 1995, p. 223.
- Konishi, K., T. Sakami, and Y. Fujinami. 1997. An attempt to estimate the amount of microalga ingestion by crab larvae. Cancer 6:3-7.
- Kounosu, S., K. Yamaguchi, and T. Hayashi. 1978. Studies on flavor components in boiled crabs. I. Amino acids and related compounds in the extracts. Bull. Jpn. Soc. Sci. Fish. 44(5):505-510.
- Krøyer, H. 1838. Conspectus Crustaceorum Groenlandiae. Naturhist. Tidsskr. ser. 1, vol. 2:249-261.
- Kruse, G.H. 1994. King and Tanner crab research in Alaska: Semiannual report for July 1, 1993 through December 31, 1993. Alaska Dep. Fish Game, Div. Comm. Fish. Manage. Dev., Reg. Info. Rep. 5J94-09, Juneau.
- Kruse, G.H. 1994. King, Tanner and snow crab research in Alaska: A long-term work plan. Alaska Dep. Fish Game, Div. Comm. Fish. Manage. Dev., Reg. Info. Rep. 5J94-22, Juneau. 13 pp.

- Kruse, G.H., and J. Zheng. 1999. Are changes in Bering Sea crab and groundfish populations related? In: Ecosystems approaches for fisheries management. University of Alaska Sea Grant, AK-SG-99-01, Fairbanks, pp. 143-148.
- Kurata, H. 1960. Increase in size at molting in Crustacea. Bull. Hokkaido Reg. Fish. Res. Lab. 22:1-49.
- Kurata, H. 1963. Larvae of Decapoda Crustacea of Hokkaido. 2. Majidae (Pisinae). Bull. Hokkaido Reg. Fish. Res. Lab. 27:25-31. [English translation: Fish. Res. Board Can. Transl. Ser. 1124.]
- Kurata, H. 1969. Larvae of Decapoda Brachyura of Arasaki, Sagami Bay. IV. Majidae. Bull. Tokai Reg. Fish. Res. Lab. 57:81-127. [In Japanese with English summary.]
- Kuwahara, A., M. Sinoda, A. Yamasaki, and S. Endo. 1995. Management of the snow crab resource in the western Japan Sea. Fish. Res. Ser. 44. Japan Fish. Resour. Conserv. Assoc., Tokyo. 89 pp.
- Kuwatani, Y., T. Wakui, and T. Nakanishi. 1971. Studies on the larvae and post-larvae of a Tanner crab, *Chionoecetes opilio elongatus* Rathbun. I. On the protozoal larvae. Bull. Hokkaido Reg. Fish. Res. Lab. 37:32-40. [In Japanese with English summary.]
- Kuwatani, Y., T. Wakui, and T. Nakanishi. 1973. Studies on the larvae and post-larvae of a Tanner crab, *Chionoecetes opilio elongatus* Rathbun. A correction to the previous report (1971) on the external feature of protozoal larvae. Bull. Hokkaido Reg. Fish. Res. Lab. 39:93-94. [In Japanese.]
- Kyoto Prefectural Oceanographic Center. 1982. Report on the assessment techniques for determining the primary factors in the formation of fishing grounds as local resources (Studies on the resource and the ecology of commercially important crab species in the Japan Sea, *Chionoecetes opilio*). 1981 report on the operations to promote the development of new techniques for enhancing regionally important fisheries. 24 pp.
- Kyoto Prefectural Oceanographic Center. 1986. 1985 operations report aiding in the analysis of designated research. Research related to the ecology and the protection of the Tanner crab (*Chionoecetes opilio*) resource. 21 pp.
- Kyoto Prefectural Oceanographic Center. 1986. Efficacy and ecology of protection zones for the Tanner crab, *Chionoecetes opilio*. Kiho or Rigetsuho [Ending or December Issue] 24:1-16.
- Kyoto Prefectural Oceanographic Center. 1987. 1986 operations report aiding in the analysis of designated research. Research related to the ecology and the protection of the Tanner crab (*Chionoecetes opilio*) resource. 24 pp.
- Kyoto Prefectural Oceanographic Center. 1994. Management of the *Chionoecetes opilio* resource. Kiho or Rigetsuho [Ending or December Issue] 46. 13 pp.
- Kyoto Prefectural Oceanographic Center 1995. Management of the *Chionoecetes opilio* resource. 2. The bycatch and discards of the Tanner crab, *Chionoecetes opilio*. Kiho or Rigetsuho [Ending or December Issue] 50. 12 pp.
- ## L
- Lafleur, P.-E., R. Bailey, J.-C. Brêthes, and P. Lamoureux. 1984. Le crabe des neiges (*Chionoecetes opilio* O. Fabricius) de la côte-nord de l'estuaire et du golfe du Saint-Laurent: Etat des stocks et perspectives d'exploitation. [Snow crab of the North Shore of the estuary and Gulf of St. Lawrence.] Trav. Pêch. Québec 50. 53 pp.
- Lamoureux, P. 1981. Evolution des rendements chez les bateaux exploitant le crabe des neiges (*Chionoecetes opilio*) dans le sud-ouest du Golfe du Saint-Laurent de 1974 à 1980. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 81/48. 24 pp.
- Lamoureux, P., and P.-E. Lafleur. 1982. The effects of exploitation on snow crab populations of the southwestern Gulf of St. Lawrence between 1975 and 1981. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 443-484.
- Lanteigne, M. 1985. Distribution spatio-temporelle des larves de crabe appartenant aux genres *Chionoecetes* et *Hyas*, dans la baie des Chaleurs, Canada. M.S. thesis, University of Moncton, New Brunswick. 161 pp.
- Lanteigne, C., P.G. Beninger, and C. Gionet. 1996. Ontogeny of female primary sexual characters in the majid crabs *Chionoecetes opilio* and *Hyas coarctatus*. J. Crustacean Biol. 16(3):501-514.
- Lauer, B.H., M.C. Murray, W.E. Anderson, and E.B. Guptill. 1974. Atlantic queen crab, *Chionoecetes opilio*, Jonah crab *Cancer borealis*, and red crab, *Geryon quinquedens*, proximate composition of crab meat from edible tissues and concentrations of some major mineral constituents in the ash. J. Food Sci. 39(2):383-385.
- Lefebvre, L., and J.-C.F. Brêthes. 1990. Food of early benthic stages of snow crab (*Chionoecetes opilio*) in the southwestern Gulf of St. Lawrence. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-4, Fairbanks, pp. 273-282.

M

- Lefebvre, L., and J.-C.F. Brêthes. 1991. Orientation des déplacements de crabes des neiges males (*Chionoecetes opilio*) marques dans le sud-ouest du golfe du Saint-Laurent. *Can. J. Fish. Aquat. Sci.* 48:1167-1175.
- Lefebvre, L., and J.-C.F. Brêthes. 1991. Influence de la croissance et de facteurs du milieu sur l'alimentation du crabe des neiges, *Chionoecetes opilio* (O. Fabricius), dans le sud-ouest du golfe du Saint-Laurent. *Can. J. Zool.* 69:489-494.
- Livingston, P.A. 1989. Interannual trends in Pacific cod, *Gadus macrocephalus*, predation on three commercially important crab species in the eastern Bering Sea. *Fish. Bull., U.S.* 87:807-827.
- Loch, J.S., M. Moriyasu, and J.B. Jones. 1994. An improved link between industry, management and science: A case history: The southern Gulf of St. Lawrence snow crab fishery. *ICES* 46:22.
- Loch, J.S., M. Moriyasu, and J.B. Jones. 1995. An improved link between industry, management and science: Review of case history of the southwestern Gulf of St. Lawrence snow crab fishery. *Aquat. Living Resour.* 8(3):253-265.
- Love, D., R. Thomas, and A. Moles. 1996. Bitter crab hemolymph studies: Indications of host physiological condition. In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 549-562.
- Love, D.C., S.D. Rice, D.A. Moles, and W.D. Eaton. 1993. Seasonal prevalence and intensity of bitter crab dinoflagellate infection and host mortality in Alaskan Tanner crabs *Chionoecetes bairdi* from Auke Bay, Alaska, USA. *Dis. Aquat. Org.* 15(1):1-7.
- Lovrich, G.A., and P. Ouellet. 1994. Patterns of growth and triacylglycerol content in snow crab *Chionoecetes opilio* (Brachyura: Majidae) zoeal stages reared in the laboratory. *Mar. Biol. (Berl.)* 120(4):585-591.
- Lovrich, G.A., and B. Sainte-Marie. 1997. Cannibalism in the snow crab, *Chionoecetes opilio* (O. Fabricius) (Brachyura: Majidae), and its potential importance to recruitment. *J. Exp. Mar. Biol. Ecol.* 211(2):225-245.
- Lovrich, G.A., B. Sainte-Marie, and B.D. Smith. 1995. Depth distribution and seasonal movements of *Chionoecetes opilio* (Brachyura: Majidae) in Baie Sainte-Marguerite, Gulf of Saint Lawrence. *Can. J. Zool.* 73(9):1712-1726.
- MacDonald, J.K. No date. Crab harvesting economics and licensing options: Newfoundland Region. Economics Branch, Department of Fisheries and Oceans, St. Johns, Newfoundland. 62 pp.
- MacGinitie, G.E. 1955. Distribution and ecology of the marine invertebrates of Point Barrow, Alaska. *Smithson. Misc. Collect.* 128(9). 201 pp.
- MacIntosh, R.A., B.G. Stevens, J.A. Haaga, and B.A. Johnson. 1996. Effects of handling and discarding on mortality of Tanner crabs (*Chionoecetes bairdi*). In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 577-590.
- Makiguchi, N., M. Arita, and Y. Asai. 1980. Application of a luminous bacterium to fish attracting purpose. *Bull. Jpn. Soc. Sci. Fish.* 46(11):1307-1312. [In Japanese with English summary.]
- Mallet, P. 1968. Oxygen consumption of the spider crab (*Chionoecetes opilio*) and the American lobster (*Homarus americanus*) at a low temperature. *J. Fish. Res. Board Can.* 25(8):1729-1732.
- Mallet, P. 1968. Temperature resistance of the spider crab *Chionoecetes opilio*. *J. Fish. Res. Board Can.* 25(8):1733-1736.
- Mallet, P., R. Campbell, and M. Moriyasu. 1993. Assessment of the 1992 snow crab (*Chionoecetes opilio*) exploratory fishery in Bay of Islands, western coast of Newfoundland. *Can. Manuscr. Rep. Fish. Aquat. Sci.* no. 2189. vi + 15 pp.
- Mallet, P., Y. Chiasson, and M. Moriyasu. 1988. A review of catch, fishing effort and biological trends for the 1987, southwestern Gulf of St. Lawrence snow crab (*Chionoecetes opilio*) fishery. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 88/32. 39 pp.
- Mallet, P., G.Y. Conan, and M. Moriyasu. 1993. Periodicity of spawning and duration of incubation time for *Chionoecetes opilio* in the Gulf of St. Lawrence. *ICES, Shellfish Comm., C.M.* 1993/K:26. 19 pp.
- Mallet, P., M. Moriyasu, and H. Lacroix. 1987. Histological observations of the reproductive and accessory organs of male snow crab (*Chionoecetes opilio*), in relation to functional maturity. *ICES, Shellfish Comm., C.M.* 1987/K:21. 14 pp.
- Mallet, P., M. Hébert, C. Gallant, and M. Moriyasu. 1992. Évaluation de l'état de stock de crabe des neiges (*Chionoecetes opilio*) dans le sud-ouest du golfe du Saint-Laurent (zone 12) en 1991. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 92/19. 21 pp.

- Mallet, P., E. Wade, M. Moriyasu, and G.Y. Conan. 1990. La pêche au crabe des neiges (*Chionoecetes opilio*) dans le sud-ouest du golfe Saint-Laurent en 1989: L'état de la ressource et l'estimation de la biomasse. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 90/93. 35 pp.
- Mallet, P., E. Wade, Y. Chiasson, P. Degrace, G.Y. Conan, and M. Moriyasu. 1989. La pêche du crabe des neiges (*Chionoecetes opilio*) dans le sud-ouest du golfe du Saint Laurent in 1988: L'analyse des prises, de l'effort de pêche et l'estimation de la biomasse. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 89/25. 59 pp.
- Matsuda, K. 1989. Study on the experimental transplantation of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Tajima Fish. Office Exp. Lab. Hyogo Prefect., 1988:56-66.
- Matsuda, K., T. Otani, T. Tamaki, T. Gyoda, Y. Matsui, T. Yoshida, and H. Cho. 1989. Study on the experimental transplantation of the Tanner crab *Chionoecetes opilio*. Rep. Tajima Fish. Office Exp. Lab. Hyogo Prefect., 1987:74-86.
- Matsumoto, K. 1955. Migration of the neurosecretory products in the thoracic ganglion of the crab, *Chionoecetes opilio*. Biol. J. Okayama Univ. 2(4):127-146.
- Matsumoto, K. 1955. Neurosecretion of the brain of *Chionoecetes opilio* (O. Fabricius). Zool. Mag. (Tokyo) 64:366-369.
- Matsumoto, K. 1955. Neurosecretion of the thoracic ganglion of *Chionoecetes opilio* (O. Fabricius). Zool. Mag. (Tokyo) 64:361-365.
- Matsumoto, M., and H. Yamanaka. 1992. Post-mortem biochemical changes in the muscle of Tanner crab during storage. Bull. Jpn. Soc. Sci. Fish. 58(5):915-920. [In Japanese with English summary.]
- Matsumoto, M., and H. Yamanaka. 1992. Studies on "arai" treatments in the muscle of Tanner crab. Bull. Jpn. Soc. Sci. Fish. 58(4):787-791.
- Matsuta, Y. 1983. Spawning ecology of the crab *Chionoecetes opilio* as it relates to culture. Bull. Hyogo Prefect. Fish. Exp. Stn. 21:21-26.
- Matsuta, Y., and A. Kaneda. 1974. On the growth of the larvae of the crab *Chionoecetes opilio* during culture. Bull. Hyogo Prefect. Fish. Exp. Stn. 14:33-36.
- Matsuta, Y., and A. Kaneda. 1978. Experiments on producing the seed of the crab *Chionoecetes opilio*. Rep. Hyogo Prefect. Fish. Exp. Stn. 1974:369-371.
- Matsuura, Y. 1934. On the ecology of the Tanner crab, *Chionoecetes opilio*. Zool. Mag. (Tokyo) 46:411-420.
- Matuura, S., and K. Takeshita. 1987. Interspecific mating and egg laying in Tanner crab, *Chionoecetes bairdi* x *C. opilio*. In: XVI Pacific Science Congress, p. 164. [Abstract.]
- Maynard, D.R. 1990. Biophysical ecology of snow crab, *Chionoecetes opilio*, movement at different temperatures. ICES 1990 Shellfish Symposium, No. 77.
- Maynard, D.R. 1991. Biophysical ecology of snow crab *Chionoecetes opilio*; relating respiration rates and walking speeds from the laboratory to field observations. M.S. thesis, Dalhousie University, Halifax, Nova Scotia. 89 pp.
- Maynard, D.R., and D.M. Webber. 1987. Monitoring the movements of snow crab (*Chionoecetes opilio*) with ultrasonic telemetry. Fisheries and Oceans, Proceedings 1987:962-966.
- Mayrand, E., H. Guderley, and J.-D. Dutil. 1998. The effect of morphometric maturity and size on enzyme activities and nucleic acids ratio in the snow crab *Chionoecetes opilio*. J. Crustacean Biol. 18:232-242.
- McAllister, H. 1967. Processing and handling of Atlantic queen crab. Canada Department of Fisheries and Oceans, Industrial Development Service, Project Rep. 6.
- McBride, J. 1982. Tanner crab tag development and tagging experiments 1978-1982. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 383-403.
- McLeese, D.W. 1968. Temperature resistance of the spider crab, *Chionoecetes opilio*. J. Fish. Res. Board Can. 25(8):1733-1736.
- McLeese, D.W., and J. Watson. 1968. Oxygen consumption of the spider crab, *Chionoecetes opilio*, and the American lobster, *Homarus americanus*, at low temperature. J. Fish. Res. Board Can. 25(8):1729-1732.
- McMullen, J.C. No date. Dissolved oxygen requirements of snow crab at 44 degrees F. Alaska Department of Fish and Game, Kodiak, Alaska. Unpublished manuscript.
- Merkouris, S.E., L.W. Seeb, and M.C. Murphy. 1998. Low levels of genetic diversity in highly exploited populations of Alaskan Tanner crabs, *Chionoecetes bairdi*, and Alaskan and Atlantic snow crabs, *C. opilio*. Fish. Bull., U.S. 96(3):525-537.
- Meyer, R.M. 1974. Marking fishes and invertebrates. IV. A nonpermanent tag for king crabs, *Paralithodes camtschatica*, and Tanner crab, *Chionoecetes bairdi*. Mar. Fish. Rev. 36:14-16.
- Meyers, T.R., T.M. Koeneman, C. Botelho, and S. Short. 1987. Bitter crab disease: A fatal dinoflagellate infection and marketing problem for Alaskan Tanner crabs, *Chionoecetes bairdi*. Dis. Aquat. Org. 3(3):195-216.

- Meyers, T.R., B. Eaton, S. Short, C. Botelho, T. Koeneman, A. Sparks, and F. Morado. 1990. Bitter crab dinoflagellate disease: Overview of the causative agent and its importance and distribution in the Alaskan Tanner crab (*Chionoecetes bairdi*, *Chionoecetes opilio*) fisheries. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-4, Fairbanks, p. 405.
- Michaud, J.-C., and J.-F. Abrall. 1985. Forecasting the price of crab on the Boston wholesale market. In: Proceedings of the International King Crab Symposium. University of Alaska Sea Grant, AK-SG-85-12, Fairbanks, pp. 401-418.
- Miller, G.A. 1973. Drained weight determination of frozen glazed snow crab meat. J. Assoc. Off. Anal. Chem. 56(4):886-887.
- Miller, R.J. 1975. Density of the commercial spider crab, *Chionoecetes opilio*, and calibration of effective area fished per trap using bottom photography. J. Fish. Res. Board Can. 32(6):761-768.
- Miller, R.J. 1976. North American crab fisheries: Regulations and their rationales. Fish. Bull., U.S. 74(3):623-633.
- Miller, R.J. 1976. Trap mesh selection and catches of the spider crab, *Chionoecetes opilio*. Environ. Can. Fish. Mar. Serv. Res. Dev. Tech. Rep. 598. iv + 15 pp.
- Miller, R.J. 1977. Resource underutilization in a spider crab industry. Fisheries 2(3):9-13.
- Miller, R.J. 1979. Social rationales for management of a crab fishery. Fisheries 4(6):2831.
- Miller, R.J. 1983. How many traps should a crab fisherman fish? N. Am. J. Fish. Manage. 3(1):1-8.
- Miller, R.J., and R.W. Elner. 1993. A good times licensing strategy for limited entry fisheries. N. Am. J. Fish. Manage. 13:387-390.
- Miller, R.J., and J.R. Hoyles. 1973. Loss of commercial snow crabs to cod gillnets in Newfoundland. Fish. Res. Board Can. Tech. Rep. 429. 21 pp.
- Miller, R.J., and R.K. Mohn. 1989. Less Leslie please. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 89/22. 14 pp.
- Miller, R.J., and R.K. Mohn. 1993. Critique of the Leslie method for estimating sizes of crab and lobster populations. N. Am. J. Fish. Manage. 13:676-685.
- Miller, R.J., and P.G. O'Keefe. 1981. Seasonal and depth distribution, size, and molt cycle of the spider crabs, *Chionoecetes opilio*, *Hyas araneus*, and *Hyas coarctatus* in a Newfoundland bay. Can. Tech. Rep. Fish. Aquat. Sci. 1003. iv + 18 pp.
- Miller, R.J., and J. Watson. 1976. Growth per molt and limb regeneration in the spider crab, *Chionoecetes opilio*. J. Fish. Res. Board Can. 33(7):1644-1649.
- Minamizawa, A. 1955. On the reproductive season and migration of snow crab, *Chionoecetes opilio*, in Wakasa Bay in the Sea of Japan. Rep. Fukui Prefect. Fish. Exp. Stn. 1955:127-134. [In Japanese.]
- Mix, M.C., and A.K. Sparks. 1980. Tanner crab *Chionoecetes bairdi* Rathbun haemocyte classification and an evaluation of using differential counts to measure infection with a fungal disease. J. Fish Dis. 3:285-293.
- Miyagawa, M., K. Yamazaki, M. Maeda, S. Takagi, and M. Umezu. 1973. Research on the organic compounds of the Tanner crab, *Chionoecetes opilio*. Abura Kagaku [Oil Chemistry] 22:275-277.
- Miyagawa, M., S. Nakagawa, K. Yamane, A. Shipo, S. Uezu, M. Yahikozawa, H. Kuramochi, and M. Umezu. 1979. Studies on organic constituents of the snow crab (*Chionoecetes*). II. Free amino acids in extracts. Bull. Jpn. Soc. Sci. Fish. 45(1):115-120. [In Japanese with English summary.]
- Miyagawa, M., Y. Tabuchi, K. Yamane, M. Matsuda, S. Watabe, K. Hashimoto, R. Katakai, and Y. Stsuka. 1990. Changes in the free amino acids profile of snow crab *Chionoecetes opilio* muscle during storage in ice. Agric. Biol. Chem. 54:359-364.
- Mohn, R.K. 1988. Generic dynamic and production models for snow crab. In: G.S. Jamieson and W.D. McKone (eds.), Proceedings of the International Workshop on Snow Crab Biology, December 8-10, 1987, Montreal Quebec. Can. Manuscr. Rep. Fish. Aquat. Sci. 2005:132-145.
- Mohn, R.K. 1998. Modelling a snow crab population. Generic dynamic and productions models for snow crab. Can. Manuscr. Rep. Fish. Aquat. Sci. 2005:132-144.
- Mohn, R.K., and R.W. Elner. 1987. A simulation of the Cape Breton snow crab, *Chionoecetes opilio*, fishery for testing the robustness of the Leslie method. Can. J. Fish. Aquat. Sci. 44(11):2002-2008.
- Mohn, R.K., and R.W. Elner. 1988. A novel approach to snow crab yield per recruit. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 88/14. 12 pp.
- Mori, T. 1994. Experiments on preventing blackening of Tanner crabs, *Chionoecetes opilio*, during cold storage using the method of removing oxygen at low temperatures. Rep. Hyogo Fish. Res. Stn. 31:59-62.
- Moriyasu, M., and K. Benhalima. 1998. Snow crab, *Chionoecetes opilio* (O. Fabricius, 1788) (Crustacea: Majidae) have two types of spermatophore: Hypotheses on the mechanism of fertilization and population reproductive dynamics in the southern Gulf of St. Lawrence, Canada. J. Nat. Hist. 32:1651-1665.

- Moriyasu, M., and M. Comeau. 1996. Grasping behavior of male snow crab *Chionoecetes opilio* (O. Fabricius) in captivity. *Crustaceana* 69(2):211-222.
- Moriyasu, M., and G.Y. Conan. 1985. Snow crab (*Chionoecetes opilio*) biology and fisheries in the Gulf of St. Lawrence. Gulf Snow Crab Seminar, December 3-5, 1985, Moncton, New Brunswick. Typescript. 42 pp.
- Moriyasu, M., and G.Y. Conan. 1988. Aquarium observations on mating behavior of snow crab, *Chionoecetes opilio*. ICES C.M. 1988/K:9. 21 pp.
- Moriyasu, M., and C. Lanteigne. 1998. Embryo development and reproductive cycle of snow crab, *Chionoecetes opilio*, (Crustacea: Majidae) in the southern Gulf of St. Lawrence, Canada. *Can. J. Zool.* 76(11):2040-2048.
- Moriyasu, M., and P. Mallet. 1986. Molt stages of the snow crab *Chionoecetes opilio* by observation of morphogenesis of setae on the maxilla. *J. Crustacean Biol.* 6(4):709-718.
- Moriyasu, M., and P. Mallet. 1986. Practical key for molt stage determination of the snow crab, *Chionoecetes opilio*, by means of setal development observation in the endite of the maxilla. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 86/18. 18 pp.
- Moriyasu, M., Y. Chiasson, and C. Bougeois-Godbout. 1988. Prince Edward Island snow crab, *Chionoecetes opilio*, fishery stock assessment: 1988 spring season. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 88/56. 20 pp.
- Moriyasu, M., Y.J. Chiasson, and P. DeGrace. 1990. Study on catchability and size structure of snow crab (*Chionoecetes opilio*) in relation to three different trap types. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 90/29. 16 pp.
- Moriyasu, M., C. Lanteigne, and K. Benhalima. 1992. Morphological and histological observations of female snow crab (*Chionoecetes opilio*). 6th International Congress on Invertebrate Reproduction, Dublin, Ireland. [Abstract.]
- Moriyasu, M., J.S. Loch, and J.B. Jones. 1997. Reply: An improved link between industry, management and science: Review of case history of the southwestern Gulf of St. Lawrence snow crab fishery. *Can. J. Fish. Aquat. Sci.* 54:501-502.
- Moriyasu, M., Y. Chiasson, P. Degrace, and G.Y. Conan. 1989. Preliminary study on catchability and size structure of snow crab (*Chionoecetes opilio*) in relation to trap type. ICES, Shellfish Comm., C.M. 1989/K:4. 19 pp.
- Moriyasu, M., G.Y. Conan, E. Wade, and Y.J. Chiasson. 1990. An alternative stock management strategy for snow crab *Chionoecetes opilio* (Brachyura, Majidae) based on male terminal molt theory. The 25th European Marine Biology Symposium, Ferrara, Italy. (Abstract) and ICES Shellfish Life History and Shellfishery Models, Moncton New Brunswick, Canada (Poster). [Also in: *Memoirs of Queensland Museum* 31:461.]
- Moriyasu, M., E. Wade, A. Sinclair, and Y. Chiasson. 1998. Snow crab, *Chionoecetes opilio*, stock assessment in the southwestern Gulf of St. Lawrence by bottom trawl survey. In: G.S. Jamieson and A. Campbell (eds.), *Proceedings of the North Pacific Symposium on Invertebrate Stock Assessment and Management*. *Can. Spec. Publ. Fish. Aquat. Sci.* 125:29-40.
- Moriyasu, M., Y.J. Chiasson, E. Wade, P. DeGrace, and G. Conan. 1989. Prince Edward Island snow crab, *Chionoecetes opilio* fishery stock assessment: 1988 fall season. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 89/27. 20 pp.
- Moriyasu, M., G.Y. Conan, P. Mallet, Y.J. Chiasson, and H. Lacroix. 1987. Growth at molt, molting season and mating of snow crab (*Chionoecetes opilio*) in relation to functional and morphometric maturity. ICES C.M. 1987/K:21. 14 pp.
- Motoh, H. 1970. On the laboratory-hatched prezoae and first zoeae of *Chionoecetes japonicus* Rathbun (Decapoda, Brachyura). *Bull. Ishikawa Prefect. Mar. Culture Stn.* 1:7-11. [In Japanese with English summary.]
- Motoh, H. 1971. Abnormalities found in the left cheliped of Japanese edible crab, *Chionoecetes japonicus* Rathbun. *Res. Crustacea* (4,5):184-187.
- Motoh, H. 1973. Laboratory-reared zoeae and megalopae of zuwai crab from the Sea of Japan. *Bull. Jpn. Soc. Sci. Fish.* 39(12):1223-1230.
- Motoh, H. 1976. The larval stages of benizuwai-gani, *Chionoecetes japonicus* Rathbun reared in the laboratory. *Bull. Jpn. Soc. Sci. Fish.* 42(5):533-542.
- Motoh, H. 1982. The larval stages of the genus *Chionoecetes*, *C. opilio* and *C. japonicus* reared in the laboratory. In: *Proceedings of the International Symposium on the Genus Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 119-136.
- Motoh, H. 1997. On a rearing case of snow crabs, *Chionoecetes opilio*, survived under high water temperature. *Cancer* 6:17-18.
- Motoh, H., and W. Tomi. 1969. Commercial crab species in the waters near Ishikawa Prefecture. *Suisan Ishikawa [Ishikawa Fisheries]*. 12 pp.

- Motoh, H., and W. Tomi. 1969. Report of the 1968 study of Tanner crabs (several observations on *Chionoecetes opilio* and *C. japonicus*). Data from the Ishikawa Fisheries Experiment Station.
- Munk, J.E., S.A. Payne, and B.G. Stevens. 1996. Timing and duration of the mating and molting season for shallow water Tanner crab (*Chionoecetes bairdi*). In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, p. 341.
- Muraoka, K., and H. Honma. 1993. Albino of the Tanner crab, *Chionoecetes japonicus* Rathbun collected from Hokkaido. *Cancer* (3):23-25.
- Murray, L.H., and J.W. Balsiger. 1971. King and Tanner crabs research in the eastern Bering Sea 1972. *Int. N. Pac. Fish. Comm., Ann. Rep.* 1971:111.
- N**
- Nagai, H., and K. Matsuda. 1989. Research related to the ecology and the resources of the economically important crabs in the Japan Sea. *Bull. Tottori Prefect. Fish. Exp. Stn.* 20:96-121.
- Nagai, H., and K. Matsuda. 1991. Studies on the transplantation and follow-up studies on the Tanner crab, *Chionoecetes opilio*, 1984-1988. Tottori Prefecture Fisheries Station. 32 pp.
- Nagai, T. 1975. Studies on the marine snail resources on the eastern Bering Sea. II. List of Gastropoda and Bivalvia (Mollusca) species collected with snail-basket and some information about the incidental catch in the adjacent waters of the Pribilof Islands, 1973. *Bull. Far Seas Fish. Res. Lab.* 12:137-143. [In Japanese with English summary.]
- Nagasawa, K., T. Fukuda, K. Nakamichi, S. Takayanagi, and Y. Watanabe. 1988. Investigations for fisheries ground of Tanner crab and sea snail. *Rep. Hokkaido Hakodate Fish. Exp. Stn.* 1987:263-272. [In Japanese.]
- Nagataku, W., and J. Yamazaki. 1990. Crab leeches: The vampire of Tanner crabs? Observations of the crab leech made by the submersible "Shinkai 2000." *Umishu Tsoshin [Sea Hare Communication]* 8:36-38.
- Nakagawa, T., and F. Nagayama. 1981. Properties of catechol oxidase from the snow crab. *Bull. Jpn. Soc. Sci. Fish.* 47(11):1521-1526.
- Nakata, J. 1993. Records of the Submersible, the Shinkai 2000. *Hoku Suishi Dayori [Northern Fisheries Resources]* 21:1-5.
- National Marine Fisheries Service. 1977. Preliminary management plan for king and Tanner crabs of the eastern Bering Sea. Juneau, Alaska. 50 pp.
- National Marine Fisheries Service. 1993. Manual of crab sampling methods for the trawl survey in the eastern Bering Sea, 1993. Alaska Fisheries Science Center, Kodiak, Alaska. 18 pp.
- Nevissi, A., J.M. Orensanz, A.J. Paul, and D.A. Armstrong. 1996. Radiometric estimation of shell age in *Chionoecetes* spp. from the eastern Bering Sea, and its use to interpret shell condition indices: Preliminary results. In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 389-396.
- Niiyama, H. 1966. The chromosomes of two species of edible crabs (Brachyura, Decapoda, Crustacea). *Bull. Fac. Fish. Hokkaido Univ.* 16(4):201-205.
- Nishimura, S. 1966. The ecology of *Chionoecetes opilio* from operations journals. *Bull. Kyoto Municipal Fish. Res. Lab.,* 1965:38-47.
- Nishimura, S. 1967. Male first pleiopods of the majid brachyurans *Chionoecetes opilio* (O. Fabricius) and *C. japonicus* Rathbun from the Japan Sea. *Publ. Seto Mar. Biol. Lab.* 15(3):165-171.
- Nishimura, S., and R. Mizusawa. 1969. On the possible natural interbreeding between *Chionoecetes opilio* (O. Fabricius) and *C. japonicus* Rathbun (Crustacea, Decapoda), a preliminary report. *Publ. Seto Mar. Biol. Lab.* 17(3):193-208.
- Niwa, M. 1967. On the results of releasing marked snow crabs *Chionoecetes opilio* in Wakasa Bay. *Nipponkai Ku Suisan Shiken Kenraku News* 190:4.
- Niwa, S. 1971. Fisheries biological studies on the Tanner crab, *Chionoecetes opilio*. *Bull. Fukui Fish. Exp. Stn.* 64. 120 pp.
- Niwa, S., and others. 1964. Studies on the Tanner crab, *Chionoecetes opilio* (1). *Fukui Fisheries Research Station.* 63 pp.
- Niwa, S., and others. 1965. Distribution and migration of the Tanner crab, *Chionoecetes opilio*, in Wakasa Bay. *Communication News of Fisheries Research in the Japan Sea Region* 173, 174:5.
- Niwa, S., and others. 1965. Studies on the Tanner crab, *Chionoecetes opilio* (2), *Bull. Fukui Prefect. Fish. Exp. Stn.* 1. 90 pp.
- Niwa, S., and others. 1965. Studies on the Tanner crab, *Chionoecetes opilio* (3). *Bull. Fukui Prefect. Fish. Exp. Stn.* 3. 71 pp.
- North Pacific Fishery Management Council (NPFMC). 1978. Fishery management plan for the commercial Tanner crab fishery off the coast of Alaska. 179 pp. (In Federal Register, May 16, 1978).
- Novikov, N.P., and G.M. Gavrilov. 1970. Distribution and abundance of Tanner crabs off the east coast of Sakhalin. *Rybn. Khoz.* 2:8-9. [In Russian.]

O

- Ogata, T. 1967. The current conditions of the fisheries and the research on the Tanner crab, *Chionoecetes opilio*, resource in the Japan Sea. Japan Fisheries Research Pamphlet 11. 25 pp.
- Ogata, T. 1973. Studies on the population biology of the edible crab, *Chionoecetes opilio* O. Fabricius in the Japan Sea region. Mar. Sci. Men. 5(3):27-33.
- Ogata, T. 1973. The ecology of the Tanner crab, *Chionoecetes opilio*: Research in the Japan Sea area. Kaiyo Kagaku [Oceanography] 5(3):27-33.
- Ogata, T. 1974. Notes on the ecology and fisheries of the zuwai crab, *Chionoecetes opilio* (O. Fabricius) in the Japan Sea. Suisan Kenkyo Sousyo [Fisheries Research Library] 26. Nihon Suisan Shigen Hogo Kyokai [Japan Fisheries Resources Conservation Association], Tokyo. 61 pp. [In Japanese with English summary.]
- Ogata, T., M. Okiyama, and Y. Tanino. 1973. Diagnoses of the animal populations in the depths of the Japan Sea, chiefly based on the trawling experiments by the R/V Kaiyo-Maru. Bull. Jpn. Reg. Fish. Res. Lab. 24:21-51. [In Japanese with English summary.]
- O'Halloran, M.J. 1985. Moulting cycle changes and the control of moulting in the male snow crab, *Chionoecetes opilio*. M.S. thesis, Dalhousie University, Halifax, Nova Scotia. 183 pp.
- O'Halloran, M.J., and R.K. O'Dor. 1988. Molt cycle of male snow crabs, *Chionoecetes opilio*, from observations of external features, setal changes, and feeding behavior. J. Crustacean Biol. 8(2):164-176.
- O'Halloran, M.J., R.K. O'Dor, and R.W. Elner. 1988. The moulting cycle of male snow crab (*Chionoecetes opilio*) in captivity: Evidence for a terminal molt at maturity and the effects of starvation and eyestalk ablation. Shellfish Res. 7:173.
- Ohashi, Y. 1991. Operations data on the creation of aquaculture grounds, 1990. I. Studies on the ecological characteristics necessary for artificial fish reefs for the Tanner crab, *Chionoecetes opilio*. Data from Ishikawa Prefect. Fish. Lab. 173:34.
- Ohashi, Y. 1992. Mesh-size selectivity of bottom trawls for the Tanner crab, *Chionoecetes opilio*. Operations data on the creation of aquaculture grounds, 1991. Data from Ishikawa Prefect. Fish. Lab. 181:24-48.
- Ohashi, Y. 1992. Observations on the fisheries estimates for the Tanner crab, *Chionoecetes opilio*. Compilation of Research on Japan Sea Block Experiments 24:33-42.
- Ohashi, Y. 1992. Studies on the artificial reef for the Tanner crab, *Chionoecetes opilio*. Operations data on the creation of aquaculture grounds, 1991. II. Data from Ishikawa Prefect. Fish. Lab. 181:1-17.
- Ohashi, Y. 1992. The reproductive capacity of the male Tanner crab, *Chionoecetes opilio*, under culture conditions. Operations data on the creation of aquaculture grounds, 1991. II. Data from Ishikawa Prefect. Fish. Lab. 181:18-23.
- Ohashi, Y. 1993. Observation of benthic organisms around artificial reefs which protect snow crabs from being caught in the sea off Kaga, Ishikawa Prefecture. Proc. JAMSTEC Symp. Deep Sea Res. 9:351-359. [In Japanese with English summary.]
- Ohashi, Y. 1994. Study estimating the maturation of Tanner crab (*Chionoecetes opilio*) eggs from ovary weight. 1992. In: Summary of presentations, Fall General Meeting of Japanese Society of Scientific Fisheries, 1992, p. 40.
- Ohashi, Y., S. Ikeguchi, and T. Sadakatu. 1993. Functional maturity of male snow crab *Chionoecetes opilio* in the laboratory. Saibai Giken [Research on Aquaculture Techniques] 22(1):25-28.
- Ohashi, Y., T. Sadakatu, and K. Uno. 1991. Experiments on transplantation releases of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Ishikawa Prefect. Fish. Exp. Stn. 1988:62-83.
- Ohashi, Y., T. Sadakatu, H. Uno, and K. Sawada. 1993. Investigation of the transplantation releases of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Ishikawa Fish. Exp. Stn., 1991. Data from Ishikawa Prefect. Fish. Lab. 184:66-85.
- Ohashi, Y., T. Sadakatu, H. Uno, and K. Sawada. 1994. Studies on the transplant releases of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Ishikawa Fish. Exp. Stn., 1992. Data of the Ishikawa Prefect. Fish. Exp. Stn. 188:97-118.
- Ohashi, Y., T. Sadakatu, H. Uno, and K. Sawada. 1995. Studies on the transplant releases of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Ishikawa Fish. Exp. Coordination Center, 1993. Data of the Ishikawa Fish. Exp. Coordination Center 1:42-50.
- Okamoto, M. 1993. New techniques for performing studies on the continental shelf: An example with the crab, *Chionoecetes opilio*. Compilation of Research on Japan Sea Block Experiments 29:93-110.
- Okamoto, M. 1994. Studies on cultivating the sea bottom at a depth of 250 m for a farm for the Tanner crab, *Chionoecetes opilio*. JAMSTEC 6(1):17-24.
- Okamoto, M., O. Nagahama, and M. Yamazaki. 1993. Management experiments of the Tanner crab, *Chionoecetes opilio*, on the sea bottom at a depth of 250 m. In: Summary of presentations, Fall General Meeting of Japanese Society of Scientific Fisheries, 1993, p. 11.

- Okamoto, M., O. Nagahama, and T. Takatsu. 1994. Fundamental studies for a plan to use the sea bottom of the deep part of the continental shelf for farming the Tanner crab, *Chionoecetes opilio*. In: 12th Ocean Engineering Symposium, January 24-25, 1994.
- Orensanz, L., D. Armstrong, and R.W. Elner. 1994. Reproductive dynamics and growth of snow and Tanner crab, *Chionoecetes opilio* and *C. bairdi*, in the Bering Sea. The Crab Newsletter 1(1). 2 pp.
- Otani, T., T. Tamaki, K. Masuda, H. Gyoda, K. Akitake, and H. Takagi. 1988. Experiments on the transplantation of the crab, *Chionoecetes opilio*. Operations Rep. Tadaba Office, Hyogo Prefect. Fish. Res. Stn. 1986:103-112.
- Otto, R.S. 1981. Eastern Bering Sea crab fisheries. In: D.W. Hood and J.A. Calder (eds.), The eastern Bering Sea shelf: Oceanography and resources. Vol. 2. University of Washington Press, Seattle, pp. 1037-1066.
- Otto, R.S. 1982. An overview of the eastern Bering Sea Tanner crab fisheries. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 3-19.
- Otto, R.S. 1990. An overview of eastern Bering Sea king and Tanner crab fisheries. In: Proceedings of the International Symposium on King and Tanner crabs. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 9-26.
- Otto, R.S., R.A. Macintosh, T.M. Armetta, W. Meyers, J. McBride, and D.A. Somerton. 1983. United States crab research in the eastern Bering Sea during 1982. Int. N. Pac. Fish. Comm. Ann. Rep. 1982:141-160.
- Otto, R.S., R.A. Macintosh, T.M. Armetta, and K.L. Stahl. 1981. Report to industry on the 1981 eastern Bering Sea crab survey. Natl. Mar. Fish. Serv., Northwest and Alaska Fisheries Center, Seattle, Processed Rep. 81-08.
- Otto, R.S., R.A. MacIntosh, K.L. Stahl-Johnson, and S.J. Wilson. 1984. United States crab research in the eastern Bering Sea during 1983. Int. N. Pac. Fish. Comm. Ann. Rep. 1983:131-151.
- Ouellet, P., J.-P. Allard, and J.-F. St.-Pierre. 1994. Distribution of larvae of invertebrate decapods (Pandalidae, Majidae) and of the eggs and larvae of fish species in the northern Gulf of St. Lawrence in May and June from 1985-1987 and 1991-1992. Can. Tech. Rep. Fish. Aquat. Sci. 2019. 68 pp.
- ## P
- Parsons, D.G., E.G. Dawe, G.P. Ennis, K.S. Naidu, and D.M. Taylor. 1983. Sampling of commercial catches for invertebrates in Newfoundland. In: W.G. Doubleday and D. Rivard (eds.), Sampling commercial catches of marine fish and invertebrates. Can. Spec. Publ. Fish Aquat. Sci. 66:39-51.
- Paul, A.J. 1984. Mating frequency and viability of stored sperm in the Tanner crab *Chionoecetes bairdi* (Decapoda, Majidae). J. Crustacean Biol. 4(3):375-381.
- Paul, A.J., and A.E. Adams. 1984. Breeding and fertile period for female *Chionoecetes bairdi* (Decapoda, Majidae). J. Crustacean Biol. 4(4):589-594.
- Paul, A.J., and J.M. Paul. 1990. The size at the onset of maturity in male *Chionoecetes bairdi* (Decapoda, Majidae). In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 95-103.
- Paul, A.J., and J.M. Paul. 1992. Second clutch viability of *Chionoecetes bairdi* Rathbun (Decapoda: Majidae) inseminated only at the maturity molt. J. Crustacean Biol. 12(3):438-441.
- Paul, A.J., and J.M. Paul. 1995. Molting of functionally mature male *Chionoecetes bairdi* Rathbun (Decapoda: Majidae) and changes in carapace and chela measurements. J. Crustacean Biol. 15(4):686-692.
- Paul, A.J. and J.M. Paul. 1996. A note on mortality and injury rates of male *Chionoecetes bairdi* competition for multiparous mates. In: High latitude crabs: biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 343-347.
- Paul, A.J., and J.M. Paul. 1996. Observations on mating of multiparous *Chionoecetes bairdi* Rathbun (Decapoda, Majidae) held with different sizes of males and one clawed males. J. Crustacean Biol. 16(2):295-299.
- Paul, A.J., and J.M. Paul. 1996. Recruitment variability in snow crab (*Chionoecetes opilio*): Pattern, possible causes, and implications for fishery management. In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 451-478.
- Paul, A.J., H.M. Feder, and S.C. Jewett. 1979. Food of the snow crab, *Chionoecetes bairdi* Rathbun, 1924, from Cook Inlet, Alaska (Decapoda, Majidae). Crustaceana Suppl. 5:62-68.
- Paul, A.J., J.M. Paul, and W.E. Donaldson. 1995. Shell condition and breeding success in Tanner crabs. J. Crustacean Biol. 15(3):476-480.

- Paul, A.J., J.M. Paul, P.A. Shoemaker, and H.M. Feder. 1979. Prey concentrations and feeding response in laboratory-reared stage one zoeae of king crab, snow crab, and pink shrimp. *Trans. Am. Fish. Soc.* 108:440-443.
- Paul, A.J., A.E. Adams, J.M. Paul, H.M. Feder, and W.E. Donaldson. 1983. Some aspects of the reproductive biology of the crab *Chionoecetes bairdi*. University of Alaska Sea Grant, AK-SG-83-1, Fairbanks. 32 pp.
- Paul, J.M. 1982. Distribution of juvenile *Chionoecetes bairdi* in Cook Inlet. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 173-190.
- Paul, J.M. 1982. Mating frequency and sperm storage as factors affecting egg production in multiparous *Chionoecetes bairdi*. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 273-281.
- Paul, J.M. 1984. Mating frequency and viability of stored sperm in the Tanner crabs *Chionoecetes bairdi* (Decapoda, Majidae). *J. Crustacean Biol.* 4(3):375-381.
- Paul, J.M. 1992. A review of size at maturity in male Tanner (*Chionoecetes bairdi*) and king (*Paralithodes camtschaticus*) crabs and the methods used to determine maturity. *Am. Zool.* 32(3):534.
- Paul, J.M., and A.E. Adams. 1984. Breeding and fertile period for female *Chionoecetes bairdi* (Decapoda Majidae). *J. Crustacean Biol.* 4:589-594.
- Paul, J.M., and A. Fuji. 1989. Bioenergetics of the Alaskan crab *Chionoecetes bairdi* (Decapoda: Majidae). *J. Crustacean Biol.* 9(1):25-36.
- Paul, J.M., and A.J. Paul. 1996. A note on mortality and injury rates of male *Chionoecetes bairdi* (Decapoda, Majidae) competing for multiparous mates. In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 343-347.
- Paul, J.M., H.M. Feder, and S.C. Jewett. 1979. Food of the snow crab, *Chionoecetes bairdi* Rathbun, 1924, from Cook Inlet, Alaska (Decapoda, Majidae). *Crustaceana*, Suppl. 6268.
- Paul, J.M., A.J. Paul, and W. Barber. 1997. The reproductive biology and distribution of *Chionoecetes opilio* from the northeastern Chukchi Sea. In: J. Reynolds (ed.), *Fish ecology in Arctic North America*. *Am. Fish. Soc. Symp.* 19:287-294
- Paul, J.M., A.J. Paul, and A. Kimker. 1994. Compensatory feeding capacity of two brachyuran crabs, Tanner and Dungeness, after starvation periods like those encountered in pots. *Alaska Fish. Res. Bull.* 1(2):184-187.
- Paul, J.M., A.J. Paul, P.A. Shoemaker, and H.M. Feder. 1979. Prey concentrations and feeding response in laboratory-reared stage-one zoeae of king crab, snow crab, and pink shrimp. *Trans. Am. Fish. Soc.* 108:440-443.
- Pelletier, N., A. Fraser, D. Gauthier, M. Laviolette, and M. Moriyasu. 1998. Mise au point de la technique HPLC pour l'analyse de la phéromone d'accouplement chez le crabe des neiges (*Chionoecetes opilio*). *Can. Tech. Rep. Fish. Aquat. Sci.* 2200:1-25.
- Pelletier, N., A. Fraser, D. Gauthier, M. Laviolette, and M. Moriyasu. 1998. A study of a method for the biochemical analysis of the mating mechanism in snow crabs (*Chionoecetes opilio*). *Can. Tech. Rep. Fish. Aquat. Sci.* 32 pp.
- Pereyra, W.T. 1965. Carapace length-width relationship for male and female Tanner crab. *Trans. Am. Fish. Soc.* 94(3):269-270.
- Pereyra, W.T. 1966. The bathymetric and seasonal distribution and reproduction of adult Tanner crab, (*Chionoecetes tanneri*) Rathbun (Brachyura, Majidae), off the northern Oregon coast. *Deep-Sea Res.* 13(6):1185-1205.
- Pereyra, W.T. 1967. Tanner crab: An untapped Pacific resource. *National Fisherman* 48(4):16-A.
- Pereyra, W.T. 1967. The bathymetric and seasonal abundance and general ecology of the Tanner crab, *Chionoecetes tanneri* Rathbun (Brachyura; Majidae) off the northern Oregon coast. Ph.D. thesis, University of Washington. 415 pp.
- Pereyra, W.T. 1968. Distribution of juvenile Tanner crabs (*Chionoecetes Tanneri* Rathbun), life history model, and fisheries management. *Proc. Natl. Shellfisheries Assoc.* 58:66-70.
- Pereyra, W.T., J.E. Reeves, and R.G. Bakkala. 1976. Demersal fish and shellfish resources of the eastern Bering Sea in the baseline year 1975. *Natl. Mar. Fish. Serv., Northwest and Alaska Fisheries Center Processed Report*, Seattle. 619 pp.
- Phinney, D.E. 1977. Length-width-weight relationships for mature male snow crab, *Chionoecetes bairdi*. *Fish. Bull., U.S.* 75(4):870-871.
- Pilote, S. 1981. Données sur le crabe des neiges (*Chionoecetes opilio*) de la haute et moyenne côte-nord du Saint-Laurent en 1980. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 81/79. 33 pp.
- Pohle, G.W. 1991. Larval development of Canadian Atlantic oregoniid crabs (Brachyura: Majidae), with emphasis in *Hyas coarctatus alutaceus* Brandt, 1851, and a comparison with Atlantic and Pacific conspecifics. *Can. J. Zool.* 69:2717-2737.

- Powles, H.W. 1966. Observations on the biology of two species of spider crabs, *Chionoecetes opilio* and *Hyas araneus*, in the Gulf of St. Lawrence. Fish. Res. Board Can. Manuscr. Rep. Ser. (Biol.) 884. 27 pp.
- Powles, H.W. 1968. Observations on the distribution and biology of the spider crab, *Chionoecetes opilio*. Fish. Res. Board Can. Manuscr. Rep. Ser. (Biol.) 950.
- Powles, H.W. 1968. Distribution and biology of the snow crab *Chionoecetes opilio* in the Magdalen Shallows, Gulf of St. Lawrence. Fish. Res. Board Can. Manuscr. Rep. Ser. 997. 106 pp.
- Powles, H.W. 1968. Distribution and biology of the spider crab, *Chionoecetes opilio*, in the Magdalen Shallows, Gulf of St. Lawrence. M.S. thesis, Department of Marine Science, McGill University. 106 pp.
- Provencher, L., D. Dorion, and P. Gagnon. 1995. Confinement of snow crab in the sea; type of holding cage and stocking density level of crab. Can. Ind. Rep. Fish. Aquat. Sci. 30 pp.
- R**
- Rathbun, M.J. 1893. Catalogue of the crabs of the family Majidae in the U.S. National Museum. Proc. U.S. Natl. Mus. 16:63-103, pls. 3-8.
- Rathbun, M.J. 1904. Decapod crustaceans of the northwest coast of North America. In: C.H. Merriam (ed.), Harriman Alaska Expedition. Vol. 10. Crustaceans. Doubleday, Page and Company, New York, pp. 3-112.
- Rathbun, M.J. 1924. New species and subspecies of spider crabs. Proc. U.S. Natl. Mus. 64(2504):1-5.
- Rathbun, M.J. 1925. The spider crabs of America. Bull. U.S. Natl. Mus. 129:232-252, pls.84-91.
- Rathbun, M.J. 1932. Preliminary descriptions of new species of Japanese crabs. Proc. Biol. Soc. Wash. 45:29-38.
- Ratz, H.-J. 1997. Structures and changes of the demersal fish assemblage off Greenland and trends in near bottom temperature, 1982-96. Sci. Coun. Res. Doc., NAFO. 32 pp.
- Raymond, S. 1995. Croissance et maturation du male chez le crabe des neiges, *Chionoecetes opilio*, dans le nord-ouest du golfe Saint-Laurent. M.S. thesis, University of Quebec at Rimouski.
- Reeves, J.E. 1979. Analysis of current fishery information relating to the stock of *C. opilio* north of 58 degrees in the eastern Bering Sea. North Pacific Fishery Management Council, Anchorage, Alaska.
- Reeves, J.E. 1982. Data requirements for Tanner crab management, as suggested by the Bristol Bay king crab management model. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 697-716.
- Reeves, J.E. 1987. The eastern Bering Sea snow (Tanner) crab *opilio* fishery. Quarterly Rep., April-June 1987, Natl. Mar. Fish. Serv.
- Richardson, J. 1980. Market aspects of the foreign allocation of *C. opilio* Tanner crab in the Bering Sea under the framework of the Magnuson Fishery Conservation and Management Act of 1976. NPFMC Doc. 10, Anchorage. 72 pp.
- Richardson, J. 1981. Life history and population dynamics of two species of Tanner crab, *Chionoecetes bairdi* and *C. opilio*, in the eastern Bering Sea with implication for the management of the commercial harvest. Ph.D. thesis, University of Washington, Seattle. 221 pp.
- Richardson, J. 1981. Regional variation in the size of maturity of two species of Tanner crab (*Chionoecetes bairdi* and *C. opilio*) in the eastern Bering Sea and its use in defining management subareas. Can. J. Fish. Aquat. Sci. 38:163-174.
- Rioux, R. 1988. Étude histologique de l'organe Y chez les femelles de crabe des neiges *Chionoecetes opilio*. M.S. thesis, University of Moncton, New Brunswick. 79 pp.
- Robichaud, D.A. 1985. Écologie du crabe des neiges (*Chionoecetes opilio*) juvenile au large des côtes nord-ouest du Cap Breton, et ses interactions avec la morue (*Gadus morhua*) et la raie (*Raja radiata*). M.S. thesis, University of Moncton, New Brunswick. 168 pp.
- Robichaud, D.A. 1988. An overview of natural mortality and factors affecting *Chionoecetes bairdi* and *opilio*. In: G.S. Jamieson and W.D. McKone (eds.), Proceedings of the International Workshop on Snow Crab Biology, December 8-10, 1987, Montreal, Quebec. Can. Manuscr. Rep. Fish. Aquat. Sci. 2005:83-99.
- Robichaud, D.A., and R.W. Elner. 1985. Preliminary analysis of snow crab (*Chionoecetes opilio*) movement off the coast of Cape Breton Island, 1979-1985. Can. Atl. Fish. Sci. Adv. Comm. Working Paper 85/173.
- Robichaud, D.A., R.F.J. Bailey, and R.W. Elner. 1986. The predatory behaviour of cod (*Gadus morhua*) and skate (*Raja radiata*) on crab prey species (*Chionoecetes opilio*, *Hyas araneus* and *H. coarctatus*). ICES C.M. 1986/G:47. 32 pp.
- Robichaud, D.A., R.F.J. Bailey, and R.W. Elner. 1989. Growth and distribution of snow crab, *Chionoecetes opilio*, in the southeastern Gulf of St. Lawrence. J. Shellfish Res. 8(1):13-28.

- Robichaud, D.A., R.W. Elnor, and R.F.J. Bailey. 1991. Differential selection of crab *Chionoecetes opilio* and *Hyas* spp. as prey by sympatric cod *Gadus morhua* and thorny skate *Raja radiata*. Fish. Bull., U.S. 89(4):669-680.
- Rodin, V.Ye., and A.G. Slizkin. 1977. Variations in distribution and abundance of commercial species of crabs in the Bering Sea in 1965-1974. Biol. Morya (Vladivost.) 5:84-89. [In Russian.]
- Ronhold, L.L., H.H. Shippen, and E.S. Brown. 1977. Demersal fish and shellfish resources of the Gulf of Alaska from Cape Spencer to Unimak Pass, 1948-1976. A historical review. Final OCSEAP Rep. Research Unit 174. 955 pp.
- Ryoke, K. 1991. Observations on the behavior and ecology of Tanner crab, *Chionoecetes opilio*, around the Tanner crab sanctuary in the Wakasa Bay using the deep-sea research submersible "Sinkai 2000." JAMSTEC Tr. Deepsea Res. 1991:277-282. [In Japanese with English summary.]
- Ryoke, K. 1995. Observations of benthic organisms at a tilled seabed site off Wakasa Bay, the Sea of Japan. JAMSTEC J. Deepsea Res./JAMSTEC Shinkai Kenkyu 11:415-420.
- S**
- Sadakata, T. 1987. Studies on the transplantation of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Ishikawa Fish. Exp. Stn., 1985. Fish. Res. Data 148:45-55.
- Sadakata, T., S. Hayase, S. Tsuda, and K. Uno. 1988. Report on the experimental releases of the Tanner crab, *Chionoecetes opilio*. Data of the Ishikawa Fish. Exp. Stn. 161. 27 pp.
- Safran, E.B., T.P. Foyle, and R.W. Elnor. 1990. Prospects for distinguishing morphometrically mature and immature crabs: An alternate management strategy for the snow crab fishery. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 90/30. 22 pp.
- Safronov, A.M., and V.J. Anikeev. 1997. Northern shrimp in Russian catches from Flemish Cap Bank (NAFO Division 3M) in 1995-1996. Sci. Counc. Res. Doc., NAFO. 11 pp.
- Sainte-Marie, B. 1993. Reproductive cycle and fecundity of primiparous and multiparous female snow crab, *Chionoecetes opilio*, in the northwest Gulf of Saint Lawrence. Can. J. Fish. Aquat. Sci. 50(10):2147-2156.
- Sainte-Marie, B. 1997. Comment: An improved link between industry, management and science: Review of case history of the southwestern Gulf of St. Lawrence snow crab fishery. Can. J. Fish. Aquat. Sci. 54:496-500.
- Sainte-Marie, B., and C. Carrière. 1995. Fertilization of the second clutch of eggs of snow crab, *Chionoecetes opilio*, from females mated once or twice after their molt to maturity. Fish. Bull., U.S. 93(4):759-764.
- Sainte-Marie, B., and R. Dufour. 1994. Crabe des neiges de l'estuaire et du nord du golfe du Saint-Laurent (zones de pêche 13, 14, 15, 16 et 17). [Snow crab of the estuary and northern Gulf of St Lawrence (fishing zones 13, 14, 15, 16 and 17).] In: L. Savard (ed.), Rapport sur l'état des invertébrés en 1993: Crustacés et mollusques des côtes du Québec et crevette nordique de l'estuaire et du golfe du Saint-Laurent. Can. Manusc. Rep. Fish. Aquat. Sci. 2257:2-23.
- Sainte-Marie, B., and R. Dufour. 1995. Le crabe des neiges de l'estuaire et du nord du golfe du Saint-Laurent (zones de pêche 13, 14, 15, 16 et 17). [Snow crab of the estuary and northern Gulf of St Lawrence (fishing zones 13, 14, 15, 16 and 17).] In: L. Savard (ed.), Rapport sur l'état des invertébrés en 1994: Crustacés et mollusques des côtes du Québec et crevette nordique de l'estuaire et du golfe du Saint-Laurent. Can. Manusc. Rep. Fish. Aquat. Sci. 2323:3-27.
- Sainte-Marie, B., and D. Gilbert. 1998. Possible effects of changes in CIL temperature and thickness on population dynamics of snow crab, *Chionoecetes opilio*, in the Gulf of Saint Lawrence. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 98/38. 19 pp.
- Sainte-Marie, B., and F. Hazel. 1992. Moulting and mating of snow crabs, *Chionoecetes opilio* (O. Fabricius), in shallow waters of the northwestern Gulf of Saint Lawrence. Can. J. Fish. Aquat. Sci. 49(7):1282-1293.
- Sainte-Marie, B., and G.A. Lovrich. 1994. Delivery and storage of sperm at first mating of female *Chionoecetes opilio* (Brachyura: Majidae) in relation to size and morphometric maturity of male parent. J. Crustacean Biol. 14(3):508-521.
- Sainte-Marie, B., R. Dufour, and C. Desjardins. 1988. Beaching of snow crab (*Chionoecetes opilio*) on the north shore of the Gulf of Saint Lawrence. Nat. Can. 115(2):105-109.
- Sainte-Marie, B., S. Raymond, and J.-C. Brêthes. 1995. Growth and maturation of the benthic stages of male snow crab, *Chionoecetes opilio* (Brachyura: Majidae). Can. J. Fish. Aquat. Sci. 52(5):903-924.
- Sainte-Marie, B., J.-M. Sévigny, and Y. Gauthier. 1997. Laboratory behavior of adolescent and adult males of the snow crab (*Chionoecetes opilio*) (Brachyura: Majidae) mated noncompetitively and competitively with primiparous females. Can. J. Fish. Aquat. Sci. 54(2):239-248.

- Sainte-Marie, B., V. Lapointe, D. Archambault, and R. Dufour. 1992. Distribution spatiale et structure de taille du crabe des neiges, *Chionoecetes opilio* (O. Fabricius), dans le fjord du Saguenay. [Spatial distribution and size structure of snow crab in the Saguenay Fjord.] Can. Manuscr. Rep. Fish. Aquat. Sci. 2156. 12 pp.
- Sainte-Marie, B., J.-M. Sévigny, B.D. Smith, and G.A. Lovrich. 1996. Recruitment variability in snow crab (*Chionoecetes opilio*): Pattern, possible causes, and implications for fishery management. In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 451-478.
- Sainte-Marie, G., and B. Sainte-Marie. 1998. Morphology of the spermatheca, oviduct, intermediate chamber and vagina of the adult snow crab (*Chionoecetes opilio*). Can. J. Zool. 76.
- Sakai, T. 1938. Studies on the crabs of Japan. Brachygnatha, Oxyrhyncha. Yokendo, Tokyo, pp. 193-364, 55 text figs., 22 pls.
- Sakai, T. 1976. Crabs of Japan and adjacent seas. Kodansha Ltd., 12-21 Otowa 2-chrome, Bunkyo-ku, Tokyo 112, Japan. 198 pp.
- Sakai, T. 1978. Decapod crustacea from the Emperor Seamount chain. Res. Crustacea (8) Suppl. 1-39, pls. 1-4.
- Sakai, T. 1979. Decapod crustacea from the Emperor Seamount chain, central Pacific (5). On the Kaizan-beni-zuwaigani, *Chionoecetes japonicus pacificus* Sakai 1978. Aquabiology 1(5):i-1.
- Sando, H. 1965. 1964 Report on the study of the crab, *Chionoecetes opilio*. Yamagata Fisheries Data I. 55 pp.
- Sando, H. 1965. *Chionoecetes opilio* appearance and larval rearing. Communication News of Fisheries Research in the Japan Sea Region 173, 174:2.
- Sando, H. 1966. Artificial rearing and the larvae of the crab *Chionoecetes opilio*. In: Summary of presentations, Autumn General Meeting of Japanese Society of Scientific Fisheries, 1966, p. 46.
- Sando, H. 1967. Studies on the Tanner crab, *Chionoecetes opilio*. Operations Rep. Yamagata Prefect. Fish. Exp. Stn. 1964:181-229.
- Sando, H. 1968. Growth and feeding behavior of the larvae of the Tanner crabs, *Chionoecetes opilio* and *Chionoecetes japonicus*. Japanese Society of Scientific Fisheries, Northeastern Branch. Seventeenth Branch General Meeting Summary 20:39.
- Sando, H. 1968. Rearing the larvae of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Yamagata Fish. Exp. Stn. 1965:186-189.
- Sando, H. 1969. 1968 Operations aiding in the analysis of designated research on bottom fish (*Chionoecetes opilio*). Interim report data. Yamagata Fisheries Experimental Station. 18 pp.
- Sando, H. 1969. Culture of the Tanner crab, *Chionoecetes opilio*. Yoshoku [Culture] 1969(2):64-67.
- Sando, H. 1969. Examples of crabs (*Chionoecetes opilio* and *Chionoecetes japonicus*) that were recaptured after extended periods of time. Operations Rep. Yamagata Prefect. Fish. Exp. Stn. 1964:26-27.
- Sando, H. 1969. Identifying the larvae of the Tanner crabs, *Chionoecetes opilio* and *Chionoecetes japonicus*. Japan Sea Area Fisheries Research Communication News 210:2-3.
- Sando, H. 1971. Molting of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Yamagata Prefect. Fish. Exp. Stn. 1968:259-263.
- Sando, H. 1972. The life history ecology of the Tanner crab, *Chionoecetes opilio*, especially during the culture of the larvae. Bull Jpn. Soc. Fish. Oceanogr. 20:81-83.
- Sando, H. 1973. Experimental culture of the immature stages of *Chionoecetes opilio*. Operations Rep. Yamagata Prefect. Fish. Exp. Stn. 1970:33-37.
- Sando, H. 1973. Studies on the distribution of the larvae of crabs in the genus *Chionoecetes*. Operations Rep. Yamagata Prefect. Fish. Exp. Stn. 1970:28-32.
- Sando, H. 1973. Studies on the distribution of the larvae of crabs in the genus *Chionoecetes*. Operations Rep. Yamagata Prefect. Fish. Exp. Stn. 1971:25-26.
- Sando, H. 1974. Studies on the distribution of the larvae of crabs in the genus *Chionoecetes*. Operations Rep. Yamagata Prefect. Fish. Exp. Stn. 1972:29-34.
- Sando, H. 1976. Examples of crabs (*Chionoecetes opilio* and *Chionoecetes japonicus*) that were recaptured after extended periods of time. Operations Rep. Yamagata Prefect. Fish. Exp. Stn. 1974:26-28.
- Sando, H. 1977. Studies on the ecology of benthic organisms, 1. Feeding behavior and growth related to environmental factors of the larvae of the Tanner crabs, *Chionoecetes opilio* and *Chionoecetes japonicus*. (Summary of results starting from 1965.) Operations Rep. Yamagata Prefect. Fish. Exp. Stn. 1975:32-36.
- Sando, H. 1978. Studies on the ecology of benthic organisms, 1. Ecological studies on the feeding of the larvae of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Yamagata Prefect. Fish. Exp. Stn. 1976:34-41.
- Sando, H. 1980. Resource ecology of the Tanner crab, *Chionoecetes opilio*. Fisheries resource map of the northern part of the Japan Sea area; 97, 103. Communications from the Association for the Fisheries Research on the Northern Part of the Japan Sea Block Experiments.

- Sando, H. 1988. An ecological survey of deep-sea animal communities on the muddy flat bottom of the Mogami Trough. Report on dive 247 of kite "Shinkai 2000." JAMSTEC Tr. Deepsea Res. 1988:41-52. [In Japanese with English summary.]
- Sano, S., and H. Nagai. 1986. Studies on the ecology and the resource of commercially important crab species in the Japan Sea. In: Operations report to promote new techniques for regionally important species, 1986. Volume 3. Tottori Prefecture, pp. 53-59.
- Sano, S., and H. Nagai. 1988. Studies on the ecology and the resource of commercially important crab species in the Japan Sea. Synthesis report. Operations report to promote new techniques for regionally important species, 1985-1987. Toyama, Shimane, and Tottori Prefecture Fisheries Experimental Stations. 108 pp.
- Sano, S., and T. Ogata. 1980. Resource statistics of the *Chionoecetes opilio* crab in the area offshore of Yamakage. Bull. Tottori Prefect. Fish. Exp. Stn. 21:1-17.
- Sano, S., T. Kawaguchi, and H. Nagai. 1986. Results of tag-and-release experiments of the Tanner crab, *Chionoecetes opilio*, in the northwestern marine area of the Oki Islands: Distribution and migration. Japan Fish. Res., Compilation of Research on Japan Sea Block Experiments 7:79-94.
- Sapelkin, A.A., and V.Ya. Fedoseyev. 1981. The structure of the male reproductive system of Tanner crabs. Biol. Morya (Vladivost.) 6:37-43. [In Russian.]
- Sasano, Y., and F. Hirata. 1973. Studies on freezing storage of Tanner crabs: Relation between the quality of meat and the nucleotide content. Bull. Jpn. Soc. Sci. Fish. 39(9):951-954. [In Japanese with English summary.]
- Sbornik Nauchno Trudov SakhNIRO. 1996. Preliminary results of studies on the reproductive peculiarities of female snow crabs *Chionoecetes opilio* from the coast of eastern Sakhalin. [Fishery investigations in the Sakhalin-Kuril region and adjacent areas.] Rybokhozyajstvennye Issledovanya v Sakhalino-Kuril'skom rajone i sopredel'nykh sakvatoriyakh, Sakh. Obl. Kn. Izd., Yuzhno-Sakhalinsk (Russia). Sb. Nauchn. Tr. SakhNIRO 1:83-89.
- Schary, P.B. 1972. The marketing of snow crab: A report to the National Marine Fisheries Service. School Bus. Tech., Oregon State Univ., Corvallis, Oregon. 99 pp.
- Seeb, L., and S. Merkouris. 1991. A genetic investigation of hybridization between *Chionoecetes bairdi* and *C. opilio*. Alaska Dep. Fish Game, Div. Comm. Fish. Manage. Dev., Anchorage. Unpublished report.
- Sévigny, J.-M., and B. Sainte-Marie. 1996. Electrophoretic data support the last-male sperm precedence hypothesis in the snow crab, *Chionoecetes opilio* (Brachyura: Majidae). J. Shellfish Res. 15(2):437-440.
- Shahidi, F. 1992. Nutrients of fisheries by-products and their potential use in feed and compost formulations. In: Proceedings of the 1991 Fisheries By-product Composting Conference, University of Wisconsin Sea Grant, WISCU-W-91-001, Madison, pp. 73-79.
- Shanks, A.L. 1994. Oriented swimming by megalopae of several eastern North Pacific crab species and its potential role in their onshore migration. J. Exp. Mar. Biol. Ecol. 186:1-16.
- Shields, J.D., D.E. Wickham, and A.M. Kuris. 1989. *Carcinonemertes regicides* n. sp. (Nemertea), a symbiotic egg predator from the red king crab, *Paralithodes camtschatica* (Decapoda: Anomura), in Alaska. Can. Zool. 67:923-930.
- Shimamoto, N., K. Tabata, K. Harada, K. Masuda, and T. Yamamoto. 1993. Experiments on producing seed of fisheries species. 1. Studies on the production of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Hyogo Fish. Exp. Stn. 1991:183-186.
- Shimazaki, T. 1968. Condition of the Tanner crab, *Chionoecetes opilio*, resource in Toyama Bay. Japan Fish. Res. Communication News 205.
- Shinsawa, T., M. Irie, and Y. Yamada. 1992. Coordinated basic studies on the Yamato-tai fishing grounds in the Japan Sea. XX. On the microdistribution of the Tanner crab, *Chionoecetes opilio*, in the Yamato-tai area. In: Summary of presentations, Spring General Meeting of Japanese Society of Scientific Fisheries, 1992, p. 27.
- Sinoda, M. 1968. Studies on the fishery of zuwai crab in the Japan Sea. I. Growth. Bull. Jpn. Soc. Sci. Fish. 34(3):185-190.
- Sinoda, M. 1968. Studies on the fishery of zuwai crab in the Japan Sea. II. Rate of exploitation and efficiency of seining operation. Bull. Jpn. Soc. Sci. Fish. 34(5):391-394.
- Sinoda, M. 1968. Studies on the fishery of zuwai crab in the Japan Sea. III. Relation between natural mortality and recruitment. Bull. Jpn. Soc. Sci. Fish. 34(7):599-603.
- Sinoda, M. 1970. Non-frustrative predation of zuwai crab in the southwest Japan Sea. Ph.D. thesis, Department of Fisheries, Kyoto University.
- Sinoda, M. 1982. Fisheries for the genus *Chionoecetes* in southwest Japan Sea. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 21-40.
- Sinoda, M., and T. Kobayashi. 1968. Studies on the fishery of zuwai crab in the Japan Sea. IV. Survival rate of female crab. Bull. Jpn. Soc. Sci. Fish. 34(8):695-698.

- Sinoda, M., and T. Kobayashi. 1969. Studies on the fishery of zuwai crab in the Japan Sea. VI. Efficiency of the Toyama Kago (a kind of crab trap) in capturing the benizuwai crab. *Bull. Jpn. Soc. Sci. Fish.* 35(10):948-956.
- Sinoda, M., and T. Kobayashi. 1982. Some effects of long-term exploitation of *C. opilio* stocks in the southwest Japan Sea. In: *Proceedings of the International Symposium on the Genus Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 421-442.
- Sinoda, M., T. Ikuta, and A. Yamasaki. 1987. On changing the size selectivity of fishing gear for *Chionoecetes opilio* in the Japan Sea. *Bull. Jpn. Soc. Sci. Fish.* 53(7):1173-1179.
- Sinoda, M., Y. Sano, Y. Kato, and K. Kanda. 1969. Studies on the fishery of zuwai crab in the Japan Sea. V. On the estimation of swept area of Danish seine. *Bull. Jpn. Soc. Sci. Fish.* 35(7):648-652.
- Sitka Daily Sentinel. 1991. New type of snow crab found in Bering Sea? *Sitka Daily Sentinel*, Sitka, Alaska, Friday, May 10, 1991.
- Skinner, D.M., and D.E. Graham. 1972. Loss of limbs as a stimulus to ecdysis in Brachyura. *Biol. Bull.* 143:227-253.
- Slipp, J.W. 1952. Status of the crab, *Chionoecetes bairdi*, in the inshore waters of Washington and British Columbia. *Wasmann J. Biol.* 10(2):235-239.
- Slizkin, A.G. 1974. Characteristics of the distribution of crabs (Lithodidae and Majidae; Crustacea, Decapoda) in the Bering Sea. *Tr. Vses. Nauchno-Issled. Inst. Morsk. Rybn. Khoz. Okeanogr. (TINRO)* 99:29-37. [In Russian.]
- Slizkin, A.G. 1977. Distribution and relative crab ecology (Lithodidae and Majidae) in the northwest Pacific. Abstracts of papers at the First Congress of Soviet Oceanologists. Vol. 2. Nauka Press, Moscow, pp. 28-29. [In Russian.]
- Slizkin, A.G. 1978. Some ecological features of *Chionoecetes opilio* in the Far Eastern seas. *Tez. dokl. II vsesouyanoi konferentsii po biologii shelfa*. Vol. 2. Naukova dumka Press, Kiev, pp. 104-105. [In Russian.]
- Slizkin, A.G. 1982. Distribution of snow crabs, genus *Chionoecetes*, and their habitat in the northern part of the Pacific Ocean. *Izv. TINRO* 106:26-33. [English translation: *Can. Transl. Fish. Aquat. Sci.* 5664. 10 pp.]
- Slizkin, A.G. 1990. Tanner crabs (*Chionoecetes opilio*, *C. bairdi*) of the northwest Pacific: Distribution, biological peculiarities, and population structure. In: *Proceedings of the International Symposium on King and Tanner Crabs*. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 27-33.
- Slizkin, A.G., and V.Y. Fedoseyev. 1989. Distribution, biology, population structure and abundance of Tanner crabs in the Bering Sea. *Proceedings of the International Scientific Symposium on Bering Sea Fisheries, 1988*, Sitka, Alaska. National Oceanic and Atmospheric Administration (NOAA), Seattle, pp. 316-347.
- Slizkin, A.G., and V.I. Myasoyedov. 1979. Some biological and ecological characteristics of the west Kamchatka Tanner crab (*Chionoecetes opilio*) population. V sb.: *isledovanive ryb i promyslovoi okeanografii*. Vladivostok, TINRO 10:44-51. [In Russian.]
- Sloan, N.A., S.M. Bower, and S.M.C. Robinson. 1984. Cocoon deposition on three crab species and fish parasitism by the leech *Notostomum cyclostoma* from deep fjords in northern British Columbia. *Mar. Ecol. Prog. Ser.* 20:51-58.
- Smith, G.B., and G.E. Walters. 1982. Relationships between crab and groundfish in the eastern Bering Sea. In: *Proceedings of the International Symposium on the Genus Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 581-614.
- Sobajima, N., Y. Wada, M. Munekiyo, and A. Kuwahara. 1983. Ecological studies on zuwai crab, *Chionoecetes opilio*, in the sea off Kyoto Prefecture. II. Difference in catch by daytime and nighttime fishing of zuwai crab and etchu whelk, *Buccinum striotissum*, caught by trap line. *Bull. Kyoto Oceanic Fish. Sci.* 7:35-39. [In Japanese with English summary.]
- Somerton, D.A. 1976. Population dynamics of two species of Tanner crabs, *Chionoecetes bairdi* and *C. opilio*, in the Bering Sea. *Natl. Mar. Fish. Serv., Northwest Fisheries Center, Seattle, Washington*. Unpublished manuscript.
- Somerton, D.A. 1980. A computer technique for estimating the size of sexual maturity in crabs. *Can. J. Fish. Aquat. Sci.* 37:1488-1494.
- Somerton, D.A. 1981. Life history and population dynamics of two species of Tanner crab, *Chionoecetes bairdi* and *C. opilio*, in the eastern Bering Sea with implications for the management of the commercial harvest. Ph.D. thesis, University of Washington, Seattle. 220 pp.
- Somerton, D.A. 1981. Regional variation in the size of maturity of two species of Tanner crab (*Chionoecetes bairdi* and *C. opilio*) in the eastern Bering Sea, and its use in defining management subareas. *Can. J. Fish. Aquat. Sci.* 38:163-174.
- Somerton, D.A. 1982. Bipartite breeding: A hypothesis of the reproductive pattern in Tanner crabs. In: *Proceedings of the International Symposium on the Genus Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 283-289.

- Somerton, D.A. 1982. Effects of sea ice on the distribution and population fluctuations of *C. opilio* in the eastern Bering Sea. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 157-172.
- Somerton, D.A. 1982. Estimating the frequency of molting in adult male *Chionoecetes bairdi* in the eastern Bering Sea. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 337-352.
- Somerton, D.A., and L. Low. 1977. Determination of minimum size and yield limitation for Tanner crabs in the eastern Bering sea. Natl. Mar. Fish. Serv., Northwest and Alaska Fish. Center Processed Report.
- Somerton, D.A., and W.S. Meyers. 1983. Fecundity differences between primiparous and multiparous female Alaskan Tanner crab (*Chionoecetes bairdi*). J. Crustacean Biol. 3(2):183-186.
- Sonen, W.J. 1971. Japanese crab factory ship observer report: *Keiku Maru*. U.S. Bur. Commer. Fish., Auke Bay Biological Laboratory, Auke Bay, Alaska. Unpublished report.
- Sorenson, A.L. 1968. Water fluxes in isolated fibers of crab muscle. Proc. Int. Union Physiol. Sci. 7(24):410.
- Sparks, A.K. 1982. Observations on the histopathology and probable progression of the disease caused by *Trichomaris invaders*, an invasive Ascomycete in the Tanner crab, *Chionoecetes bairdi*. J. Invertebr. Pathol. 40:242-254.
- Sparks, A.K. 1982. The histopathology and possible role in the population dynamics of the Tanner crab, *Chionoecetes bairdi*, of the fungus disease (black mat syndrome) caused by *Trichomaris invaders*. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 539-545.
- Sparks, A.K., and J. Hibbits. 1979. Black mat syndrome, an invasive mycotic disease of the Tanner crab, *Chionoecetes bairdi*. J. Invertebr. Pathol. 34:184-191.
- Squires, H.J. 1969. Decapoda Crustacea of the Beaufort Sea and arctic waters eastward to Cambridge Bay, 1960-65. J. Fish. Res. Board Can. 26(7):1899-1918.
- Starr, M., J.-C. Therriault, G.Y. Conan, M. Comeau, and G. Robichaud. 1994. Is match/mismatch the universal ill fated mechanism de-regulating stock/recruitment models? Snow crab (*Chionoecetes opilio*) prove that some species may precisely sense optimal plankton production for a timely release of their larvae. ICES C.M. 1994/R: 12. 23 pp.
- Starr, M., J.-C. Therriault, G.Y. Conan, M. Comeau, and G. Robichaud. 1994. Larval release in a sub-euphotic zone invertebrate triggered by sinking phytoplankton particles. J. Plankton Res. 16(9):1137-1148.
- Stasko, A.B. and R.W. Elner. 1980. Capsule overview of Maritimes crustaceans fisheries. Can. Atl. Fish. Sci. Adv. Comm. Working Paper 1980/196. 15 pp.
- Steele, D.H., R.G. Hooper, and D. Keats. 1986. Two corophoid amphipods commensal on spider crabs in Newfoundland. J. Crustacean Biol. 6(1): 119-124.
- Stephensen, K. 1935. The larvae of the Crustacea Decapoda found in the waters between W. Greenland and arctic America. Medd. Gron. 80(1):38-42.
- Stephensen, K., W.E. Donaldson, J.A. Haaga, and J.E. Munk. 1993. Morphometry and maturity of paired Tanner crabs, *Chionoecetes bairdi*, from shallow- and deepwater environments. Can. J. Fish. Aquat. Sci. 50:1504-1516.
- Stevens, B.G. 1990. Survival of king and Tanner crabs captured by commercial sole trawls. Fish. Bull., U.S. 88(4):731-744.
- Stevens, B.G. 1996. Crab bycatch in pot fisheries: Causes and solutions. In: Solving bycatch: Considerations for today and tomorrow. University of Alaska Sea Grant, AK-SG-96-03, Fairbanks, pp. 151-158.
- Stevens, B.G., J.A. Haaga, and W.E. Donaldson. 1994. Aggregative mating of Tanner crabs, *Chionoecetes bairdi*. Can. J. Fish. Aquat. Sci. 51(6):1273-1280.
- Stevens, B.G., J.H. Bowerman, R.A. MacIntosh, and J.A. Haaga. 1992. Report to the industry on the 1992 eastern Bering Sea crab survey. Natl. Mar. Fish. Serv., Alaska Fisheries Science Center Processed Report 92-12, Seattle. 57 pp.
- Stevens, B.G., J.H. Bowerman, R.A. MacIntosh, and J.A. Haaga. 1993. Report to the industry on the 1993 eastern Bering Sea crab survey. Natl. Mar. Fish. Serv., Alaska Fisheries Science Center Processed Report 93-14, Seattle. 24 pp.
- Stevens, B.G., J.A. Haaga, W.E. Donaldson, and S.A. Payne. 1996. Reproductive conditions of prespawning multiparous female Tanner crabs (*Chionoecetes bairdi*) from Chiniak and Womens bays, Kodiak Island, Alaska. In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 349-353.
- Stimpson. 1857. Proc. Boston Soc. Nat. Hist. 6:84.
- Street. 1870. Proc. Acad. Nat. Sci. Phil. 22:106-107.
- Sulkin, S.D., 1984. Behavioral basis of depth regulation in the larvae of brachyuran crabs. Mar. Ecol. Prog. Ser. 15:181-205.

- Suzuki, K., and T. Tanabe. 1988. Comparison of the exterior morphology of the two species of Tanner crabs during their first year and characteristics of the natural populations in Wakasa Bay. In: Summary of presentations, Central District Regular Meeting of Japanese Society of Scientific Fisheries, 1988.
- Suzuki, K., T. Tanabe, and R. Imada. 1983. On the early life stages of the Tanner crabs, *Chionoecetes opilio* and *Chionoecetes japonicus*. In: Summary of Proceedings, Tenth Meeting to Promote Aquaculture on Blocks in the Japan Sea, pp. 22-26.
- ## T
- Tabata, K., and K. Masuda. 1991. Hatching of snow crab *Chionoecetes opilio* zoeae from parents reared under different thermal conditions. Bull. Hyogo Prefect. Fish. Exp. Stn. 29:69-72.
- Takahashi, T. 1969. Results of the study on the organisms and the Tanner crab (*Chionoecetes opilio*) fishery in the northern part of the Japan Sea. Monthly Rep. Hokkaido Fish. Exp. Stn. 26(9):2-18.
- Takeda, R., and K. Tabata. 1991. On the mortality of snow crab *Chionoecetes opilio* by means of tagging of anchor-type model. Bull. Hyogo Prefect. Fish. Exp. Stn. 29:65-67.
- Takeda, R., K. Tabata, and K. Harada. 1992. Larvae of snow crab *Chionoecetes opilio* from parents reared under different thermal conditions. Bull. Hyogo Prefect. Fish. Exp. Stn. 30:11-16. [In Japanese with English summary.]
- Takematsu, B. Meikaku, T. Kobayashi, and H. Gyoda. 1966. Tanner crab (*Chionoecetes opilio*) study. 1964 Operations Rep. Hyogo Prefect. Fish. Exp. Stn. 1964:41-48.
- Takeshita, K. 1986. Tanner crabs and king crabs. Iden [Heredity] 40:14-18.
- Takeshita, K., H. Fujita, T. Yamamoto, and S. Kawasaki. 1969. Morphometric characters of two species of Tanner crab, genus *Chionoecetes*, in the eastern Bering Sea. Bull. Far Seas Fish. Res. Lab. (Shimizu) 2:163-176. [In Japanese with English summary.]
- Takeshita, K., H. Fujita, T. Yamamoto, and S. Kawasaki. 1970. Distribution of Tanner crab in the eastern Bering Sea. Int. N. Pac. Fish. Comm. Doc. 1343.
- Takeuchi, I. 1969. On the distribution of larval stage of king crab, *Paralithodes camtschatica* and some crustacean Decapoda off the west coast of the Kamchatka Peninsula, 1957-64. Bull. Hokkaido Reg. Fish. Res. Lab. 35:44-118. [In Japanese with English summary.]
- Takeuchi, I. 1969. On the distribution of the larval stages of "okuri-gani," *Erimacrus isenbeckii* and "zuwai-gani," *Chionoecetes opilio elongatus*, in the northeastern and eastern regions of Hokkaido in 1958. Bull. Hokkaido Reg. Fish. Res. Lab. 35:20-43. [In Japanese with English summary.]
- Takeuchi, I. 1972. Food animals collected from the stomachs of three salmonid fishes (*Oncorhynchus*) and their distribution in the natural environments on the northern North Pacific. Bull. Hokkaido Reg. Fish. Res. Lab. 38:1-119, Appendix table A-1-D-2. [In Japanese with English summary.]
- Takeuchi, I., and S. Matsuura. 1980. Copulation and spawning in the Tanner crab, *Chionoecetes opilio*. Fisheries Agency, pp. 1-7.
- Tamamizu, T., and T. Kobayashi. 1980. Experiments on developing techniques for culturing the Tanner crab, *Chionoecetes opilio*. Bull. Hyogo Prefect. Fish. Exp. Stn. 1979:312-321.
- Tamamizu, T., and T. Kobayashi. 1980. Experiments on the development of culture techniques for the Tanner crab, *Chionoecetes opilio*. Bull. Tajima Office, Hyogo Prefect. Fish. Exp. Stn. 1980:51-62.
- Tamamizu, T., and T. Kobayashi. 1981. Experiments on the development of culture techniques for the Tanner crab, *Chionoecetes opilio*. Bull. Tajima Office, Hyogo Prefect. Fish. Exp. Stn. 1981:80-85.
- Tamamizu, T., T. Otani, H. Gyoda, K. Akitake, and T. Yoshino. 1985. Studies on transplantation experiments of the Tanner crab, *Chionoecetes opilio*. Bull. Tajima Office, Hyogo Prefect. Fish. Exp. Stn. 1985:141-146.
- Tanabe, J., and Y. Suzuki. 1981. Report of the technical exploitation on the zuwai crab multiplication, 1980. Fukui Prefect. Fish. Exp. Stn. 20 pp. [In Japanese.]
- Tange, K., and T. Iwasa. 1991. An abnormal form of the red snow crab *Chionoecetes japonicus* Rathbun, with two pincers on the right side. Bull. Hyogo Prefect. Fish. Exp. Stn. 29:73-76.
- Tanino, Y., and K. Ito. 1968. Studies on the tagging experiments of the zuwai-crab, *Chionoecetes opilio* (O. Fabricius), in the Japan Sea. I. Comparisons of the tagging methods. Bull. Jpn. Sea Res. Fish. Res. Lab. 20:35-41. [In Japanese with English summary.]
- Tanino, Y., and K. Ito. 1968. Studies on the tagging experiments of the zuwai-crab, *Chionoecetes opilio* (O. Fabricius), in the Japan Sea. II. Considerations on the validity of a currently used tagging method in relation to the limb loss and regeneration. Bull. Jpn. Sea Res. Fish. Res. Lab. 20:43-48. [In Japanese with English summary.]

- Tanino, Y., and F. Kato. 1971. The fishing efficiency and selectivity of beni-zuwai crab traps. Bull. Jpn. Sea Res. Fish. Res. Lab. 23:101-117. [In Japanese with English summary.]
- Tarverdieva, M.I. 1976. Feeding of the Kamtchatka king crab, *Paralithodes camtschatica*, and Tanner crabs, *Chionoecetes bairdi* and *C. opilio*, in the southeastern part of the Bering Sea. Sov. J. Mar. Biol. 2(1):34-39 (Engl. Transl. Biol. Morya 1:41-48).
- Tarverdieva, M.I. 1978. Daily feeding rhythm of Kamtchatka crab. Sov. J. Mar. Biol. (Engl. Transl. Biol. Morya) 3:91-95.
- Tarverdiyeva, M.I. 1981. On the feeding of the snow crabs *Chionoecetes opilio* and the *C. bairdi* in the Bering Sea. Zool. J. Linn. Soc. 60(7):991-997.
- Taylor, D.M. 1982. A recent development in tagging studies on snow crab, *Chionoecetes opilio*, in Newfoundland—retention of tags through ecdysis. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 405-417.
- Taylor, D.M. 1984. A biological perspective: Newfoundland crab fishery. In: Record of Proceedings, Snow Crab Seminar, Gander, Newfoundland, January 24-27, 1984. Department of Fisheries and Oceans, Newfoundland Region. 17 pp.
- Taylor, D.M. 1986. A bilateral gynandromorph of the snow crab, *Chionoecetes opilio*, from Newfoundland, Canada. Crustaceana 51(3):309-312.
- Taylor, D.M. 1988. A review of the literature pertaining to the reproductive biology of the genus *Chionoecetes*. In: G.S. Jamieson and W.D. McKone (eds.), Proceedings of the International Workshop on Snow Crab Biology, December 8-10, 1987, Montreal, Quebec. Can. Manuscr. Rep. Fish. Aquat. Sci. 2005:67-74.
- Taylor, D.M. 1990. Long-term observations on tagged male snow crab, *Chionoecetes opilio*, movements in Bonavista Bay, Newfoundland. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 90/64. 9 pp.
- Taylor, D.M. 1992. Long-term observations on movements of tagged male snow crabs in Bonavista Bay, Newfoundland. N. Am. J. Fish. Manage. 12(4):777-782.
- Taylor, D.M. 1996. Aspects of multiparous snow crab (*Chionoecetes opilio*) fecundity in insular Newfoundland waters. M.S. thesis, Memorial University of Newfoundland, St. Johns. 110 pp.
- Taylor, D.M., and J.M. Hoenig. 1990. Growth per molt of male snow crab, *Chionoecetes opilio*, from Conception and Bonavista bays, Newfoundland. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 90/1. 17 pp.
- Taylor, D.M., and J.M. Hoenig. 1990. Growth per molt of male snow crab, *Chionoecetes opilio*, from Conception and Bonavista bays, Newfoundland. Fish. Bull., U.S. 88:753-760.
- Taylor, D.M., and J.M. Hoenig. 1991. Effect of tag anchor location on retention/survival through molt in male snow crabs *Chionoecetes opilio*. Fish. Bull., U.S. 89:325-329.
- Taylor, D.M., and R.A. Khan. 1995. Observations on the occurrence of *Hematodinium* sp. (Dinoflagellata: Syndinidae), the causative agent of bitter crab disease in Newfoundland snow crab (*Chionoecetes opilio*). J. Invertebr. Pathol. 65(3):283-288.
- Taylor, D.M., and P.G. O'Keefe. 1981. Assessment of snow crab (*Chionoecetes opilio*) stocks in Newfoundland, 1979. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 81/57. 34 pp.
- Taylor, D.M., and P.G. O'Keefe. 1983. Assessment of snow crab (*Chionoecetes opilio*) stocks in Newfoundland in 1980. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 83/3. 40 pp.
- Taylor, D.M., and P.G. O'Keefe. 1984. Assessment of Newfoundland snow crab (*Chionoecetes opilio*) stocks, 1982. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 84/13. 35 pp.
- Taylor, D.M., and P.G. O'Keefe. 1984. Assessment of snow crab (*Chionoecetes opilio*) stocks in Newfoundland for 1984. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 84/3. 30 pp.
- Taylor, D.M., and P.G. O'Keefe. 1985. Analysis of the snow crab, *Chionoecetes opilio*, fishery in Newfoundland for 1983. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 85/8.
- Taylor, D.M., and P.G. O'Keefe. 1985. Analysis of the snow crab, *Chionoecetes opilio*, fishery in Newfoundland for 1984. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 86/93. 21 pp.
- Taylor, D.M., and P.G. O'Keefe. 1986. Analysis of the snow crab, *Chionoecetes opilio*, fishery in Newfoundland for 1985. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 86/57. 24 pp.
- Taylor, D.M., and P.G. O'Keefe. 1986. Recovery period of newly molted snow crab, *Chionoecetes opilio*, to a hard-shelled condition. Abstracts, 1986 Annual Meeting, June 22-26, 1986, National Shellfisheries Association, Seattle, Washington.
- Taylor, D.M., and P.G. O'Keefe. 1987. Analysis of the snow crab (*Chionoecetes opilio*) fishery in Newfoundland for 1986. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 87/57. 26 pp.
- Taylor, D.M., and P.G. O'Keefe. 1988. Analysis of the snow crab (*Chionoecetes opilio*) fishery in Newfoundland for 1987. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 88/62. 27 pp.

- Taylor, D.M., and P.G. O'Keefe. 1989. Assessment of the Newfoundland snow crab, *Chionoecetes opilio*, fishery: 1988. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 89/69. 30 pp.
- Taylor, D.M., and P.G. O'Keefe. 1990. Assessment of the Newfoundland snow crab, *Chionoecetes opilio*, fishery: 1989. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 90/70. 20 pp.
- Taylor, D.M., and P.G. O'Keefe. 1997. Summary of performance of the 1996 Newfoundland and Labrador snow crab fishery. CSAS Res. Doc. 97/08. 34 pp.
- Taylor, D.M., and P.G. O'Keefe. 1998. Assessment of the 1997 Newfoundland and Labrador snow crab fishery. CSAS Res. Doc. 98/140. 31 pp.
- Taylor, D.M., and W.G. Warren. 1990. The effect of shell condition on male snow crab, *Chionoecetes opilio*, weight-width relationships. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 145-151.
- Taylor, D.M., and W.G. Warren. 1991. Male snow crab, *Chionoecetes opilio* (Fabricius, 1788), weight-width relationships: An exercise in multi-source regression. J. Shellfish Res. 10(1):165-168.
- Taylor, D.M., R.G. Hooper, and G.P. Ennis. 1984. Biological aspects of the spring breeding migration of snow crabs (*Chionoecetes opilio*) in Bonne Bay, Newfoundland (Canada). Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 84/58. 11 pp.
- Taylor, D.M., R.G. Hooper, and G.P. Ennis. 1985. Biological aspects of the spring breeding migration of snow crabs, *Chionoecetes opilio*, in Bonne Bay, Newfoundland (Canada). Fish. Bull., U.S. 83(4):707-711.
- Taylor, D.M., D.H. Lynn, and S.G. Gransden. 1995. *Vasichona opiliophila* n. sp., an ectosymbiotic ciliate (Chonotrichia; Exogemmida) on the maxillae of the snow crab, *Chionoecetes opilio*. Can. J. Zool. 73(1):166-172.
- Taylor, D.M., G.W. Marshall, and P.G. O'Keefe. 1989. Shell hardening in snow crabs *Chionoecetes opilio* tagged in soft-shelled condition. N. Am. J. Fish. Manage. 9:504-508.
- Taylor, D.M., M. Moriyasu, and J. Munro. 1992. A review of rehabilitation and enhancement strategies utilized in Atlantic Canada snow crab (*Chionoecetes opilio*) fisheries. In: Proceedings of the International Crab Rehabilitation and Enhancement Symposium, January, 1992, Kodiak, Alaska, pp. 142-155.
- Taylor, D.M., P.G. O'Keefe, and C. Fitzpatrick. 1990. A snow crab, *Chionoecetes opilio*, fishery collapse in Newfoundland. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 90/63. 12 pp.
- Taylor, D.M., P.G. O'Keefe, and C. Fitzpatrick. 1994. A snow crab *Chionoecetes opilio* (Decapoda, Majidae), fishery collapse in Newfoundland. Fish. Bull., U.S. 92:412-419.
- Taylor, D.M., P.G. O'Keefe, and P.J. Veitch. 1997. Results of the 1996 Div. 3L inshore/nearshore snow-crab time-series research cruise. CSAS Res. Doc. 97/09. 25 pp.
- Taylor, D.M., W.R. Squires, and P.G. O'Keefe. 1983. An alternate methodology for estimating snow crab (*Chionoecetes opilio*) populations in commercially fished areas. Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 83/1. 10 pp.
- Thompson, R.J., and M. Hawryluk. 1990. Physiological energetics of the snow crab, *Chionoecetes opilio*. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 283-291.
- Thomson, A. 1990. An industry perspective on problems facing the rebuilding of king and Tanner (*bairdi*) crab stocks of the eastern Bering Sea. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 533-545.
- Tohshi, K., N. Ietsugu, and H. Kinoshita. 1994. The composition of molting stages in the snow crab *Chionoecetes opilio* caught off Wakasa Bay, the Sea of Japan. [English translation: Can. Transl. Fish. Aquat. Sci. 5626. 17 pp.]
- Tokado, T. 1965. Investigations of Tanner crabs for 1964. Khokusuisi. Geppo. 22(4):219-234.
- Tomi, W. 1967. Report of 1965 studies of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Ishikawa Prefect. Fish. Exp. Stn. 1965:110-120.
- Tomi, W., and K. Ito. 1969. Report of 1968 studies of the Tanner crab, *Chionoecetes opilio* (Trends in the Tanner crab resource of Ishikawa Prefecture). Data of the Ishikawa Fish. Exp. Stn. 45. 18 pp.
- Torisawa, M., and M. Mihashi. 1989. "Love child"—Who is the parent? Analysis using isozyme electrophoresis to determine the parentage of Tanner crabs, *Chionoecetes opilio*. Hoku Suishi Dayori [Northern Fisheries Resources] 6:1-7.
- Tottori Aquaculture Experiment Station. 1985. Research on the spawning and growth of the crab, *Chionoecetes opilio*. Shitei Chosa Kenkyo Hokokusho [Designated Research Report], 1984. 12 pp.
- Tottori Aquaculture Experiment Station. 1986. Research on the spawning and growth of the Tanner crab, *Chionoecetes opilio*. Shitei Chosa Kenkyo Hokokusho [Designated Research Report], 1985. 11 pp.
- Tottori Fisheries Research Station. 1936. Experiments on tagging and releasing the crab *Chionoecetes opilio*. Operations Rep. Tottori Fish. Res. Stn. 1935:46-47.

- Tottori Fisheries Research Station. 1979. 1978 Research operations promoting development, report on experiments to develop culture techniques for crabs (studies on suitable locations for releasing the Tanner crab, *Chionoecetes opilio*). 21 pp.
- Tottori Fisheries Research Station. 1980. 1979 Research operations promoting development, report on experiments to develop culture techniques for crabs (studies on suitable locations for releasing the Tanner crab, *Chionoecetes opilio*). 24 pp.
- Tottori Fisheries Research Station. 1981. 1980 Research operations promoting development, report on experiments to develop culture techniques for crabs (studies on suitable locations for releasing the Tanner crab, *Chionoecetes opilio*). 19 pp.
- Tottori Fisheries Research Station. 1982. 1981 Research operations promoting development, report on experiments to develop culture techniques for crabs (studies on suitable locations for releasing the Tanner crab, *Chionoecetes opilio*). 24 pp.
- Tracy, D.A. 1994. Draft: Biological summary of the 1992 mandatory shellfish observer program database. Alaska Dep. Fish Game, Div. Comm. Fish. Manage. Dev., Dutch Harbor. Unpublished report.
- Tremblay, M.J. 1997. Snow crab (*Chionoecetes opilio*) distribution limits and abundance trends on the Scotian Shelf. J. Northwest Atl. Fish. Sci. 21:7-22.
- Tremblay, M.J., and M.D. Eagles. 1995. Assessment of the 1994 snow crab fishery off eastern Cape Breton (areas 20-24). DFO Atl. Fish. Res. Doc. 95/1. 29 pp.
- Tremblay, M.J., and M.D. Eagles. 1996. Assessment of the 1994 snow crab fishery off eastern Nova Scotia. DFO Atl. Fish. Res. Doc. 96/35. 29 pp.
- Tremblay, M.J., M. Eagles, and R.W. Elner. 1992. Trial use of a claw gauge as an alternate measure of minimum legal size in the snow crab fishery of eastern Cape Breton (Area 23). Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 92/24. 11 pp.
- Tremblay, M.J., M.D. Eagles, and R.W. Elner. 1994. Changes in catch, effort and population structure in the snow crab fishery off eastern Cape Breton, 1978-1993. Can. Tech. Rep. Fish. Aquat. Sci. 2021. 50 pp.
- Tsuchiya, T., and Y. Fujii. 1972. Studies on utilization of beni-zuwai (*Chionoecetes japonicus* Rathbun). I. Properties of papercrab meat of beni-zuwai. Bull. Tokai Fish. Res. Lab. 70:87-94. [In Japanese with English summary.]
- Tyler, A.V. 1970. Rates of gastric emptying in young cod. J. Fish. Res. Board Can. 27:1177-1189.

U

- U.S. Department of State. 1973. Fisheries: King and Tanner crab agreement between the United States of America and the Union of Soviet Socialist Republics, 1973. U.S. Government Printing Office, Washington, DC. 8 pp. (Also available as: Int. N. Pac. Fish. Comm. Doc. 1555).
- Urbani, N., B. Sainte-Marie, J.-M. Sévigny, D. Zadworny, and U. Kuhnlein. 1998. Mating dynamics of the snow crab *Chionoecetes opilio* (Brachyura: Majidae): An analysis using DNA microsatellite markers. In: Y. Le Gal and H.O. Halvorson (eds.), New developments in marine biotechnology. Plenum Press, New York, pp. 241-244.
- Urbani, N., B. Sainte-Marie, J.-M. Sévigny, D. Zadworny, and U. Kuhnlein. 1998. Sperm competition and paternity assurance during the first breeding period of female snow crab *Chionoecetes opilio* (Brachyura: Majidae). Can. J. Fish. Aquat. Sci. 55(5):1104-1113.
- Urbani, N., J.-M. Sévigny, B. Sainte-Marie, D. Zadworny, and U. Kuhnlein. 1998. Identification of microsatellite markers in the snow crab *Chionoecetes opilio*. Mol. Ecol. 7(3):357-358.
- Urita, T. 1942. Decapod crustaceans from Saghalien, Japan. Bull. Biogeogr. Soc. Jpn. 12(1):1-78.

V

- Van Hying, J.M., and R.T. Cooney. 1972. The developing fishery for snow crabs in Prince William Sound, Alaska, with observations on biology, size composition, and abundance. Presented at the 23rd Alaska Science Conference, Science and Policy in the North, University of Alaska. 18 pp.
- Van Hying, J.M., and A.M. Scarborough. 1973. Identification of fungal encrustations on the shell of the snow crab (*Chionoecetes bairdi*). J. Fish. Res. Board Can. 30(11):1738-1739.
- Vienneau, R., and M. Moriyasu. 1994. Study of the impact of ghost fishing on snow crab, *Chionoecetes opilio*, by conventional conical traps. Can. Tech. Rep. Fish. Aquat. Sci. 1984. 13 pp.
- Vienneau, R., A. Paulin, and M. Moriyasu. 1993. Evaluation of the catch mechanism of conventional conical snow crab (*Chionoecetes opilio*) traps by underwater video camera observations. Can. Tech. Rep. Fish. Aquat. Sci. 1903. v + 17 pp.
- Vinogradov, L.G. 1950. Key for identifying shrimps, crustaceans and crabs of the Far East. Izv. TINRO 33:179-358. [In Russian.]
- Vshakov, P.V. 1959. Fauna of the Sea of Okhotsk and conditions of its existence. Izd. Akad. Nauk SSSR, Moscow, 459 pp. [In Russian.]

W

- Wada, Y., N. Sobajima, M. Munekiyo, and A. Kuwahara. 1983. Ecological studies on zuwai crab, *Chionoecetes opilio*, in the sea off Kyoto Prefecture. I. Bathymetric distributions estimated by experimental trap fishing. Bull. Kyoto Oceanic Fish. Sci. 7:29-34. [In Japanese with English summary.]
- Wade, E., M. Leblanc, and M. Moriyasu. 1996. Geostatistical analysis of sediment distribution in the southern Gulf of St. Lawrence snow crab fisheries. Can. Tech. Rep. Fish. Aquat. Sci. 2177. 16 pp.
- Waiwood, K.G., and R.W. Elner. 1982. Cod predation of snow crab (*Chionoecetes opilio*) in the Gulf of St. Lawrence. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 499-520.
- Waiwood, K.G., J. Majkowski, and G. Keith. 1980. Food habits and consumption rates of cod from the southwestern Gulf of St. Lawrence (1979). Can. Atl. Fish. Sci. Adv. Comm. Res. Doc. 80/37.
- Warren, W.G. 1994. Maturity and molt status of Crustacea: Determining classification without prior criteria. Can. J. Fish. Aquat. Sci. 51(2):408-416.
- Watanabe, Y. 1992. Maturity and spawning of Tanner crab, *Chionoecetes bairdi* Rathbun, in the Pacific coast of southern Hokkaido. Sci. Rep. Hokkaido Fish. Exp. Stn. 39:21-34. [In Japanese with English summary.]
- Watson, J. 1969. Biological investigations on the spider crab *Chionoecetes opilio*. Proceedings of Meeting on Atlantic Crab Fisheries Development. Can. Fish. Rep. 13:24-27.
- Watson, J. 1969. Fisheries for the genus *Chionoecetes* in other countries with a note on the occurrence in Labrador. Proceedings of Meeting on Atlantic Crab Fisheries Development. Can. Fish. Rep. 13:14-23.
- Watson, J. 1969. Submarine operations in queen crab research. Fish. Res. Board Can. Tech. Rep. 102:26-35.
- Watson, J. 1970. L'étiquetage revele une exploitation intensive du crab des neiges. Pêche. Can. 1970(Sep.):3-7.
- Watson, J. 1970. Maturity, mating, and egg laying in the spider crab, *Chionoecetes opilio*. J. Fish. Res. Board Can. 27(9):1607-1616.
- Watson, J. 1970. Tag recaptures and movements of adult male snow crab *Chionoecetes opilio* (O. Fabricius) in the Gaspé region of the Gulf of St. Lawrence. Fish. Res. Board Can. Tech. Rep. 204. 16 pp.
- Watson, J. 1971. Ecdysis of the snow crab, *Chionoecetes opilio*. Can. J. Zool. 49(7):1025-1027.
- Watson, J. 1971. Tagging shows heavy exploitation of Atlantic queen crab stocks. Fish. Can. 23(3):6-9.
- Watson, J. 1971. The Atlantic snow crab. Fisheries Fact Sheet. Can. Dep. Environ., Ottawa, Ontario. 4 pp.
- Watson, J. 1972. Mating behavior in the spider crab, *Chionoecetes opilio*. J. Fish. Res. Board Can. 29(4):447-449.
- Watson, J. 1972. Reproductive potential of the Atlantic snow crab, *Chionoecetes opilio*. Proc. Natl. Shellfish Assoc. 62:8.
- Watson, J., and S.L. Simpson. 1969. The queen crab industry in the Atlantic Provinces. Industrial Development Branch, Fisheries Service, Department of Fisheries and Forestry, Proj. Rep. 28, Ottawa. 52 pp., figs. 1-29.
- Watson, J., and P.G. Wells. 1970. A gauge for carapace measurements of crabs. J. Fish. Res. Board Can. 27(6):1158-1161.
- Watson, J., and P.G. Wells. 1972. Recaptures and movements of tagged snow crabs (*Chionoecetes opilio*) in 1970 from the Gulf of St. Lawrence. Fish. Res. Board Can. Tech. Rep. 349. 12 pp.
- Wencker, D.L., L.S. Incze, and D.A. Armstrong. 1982. Distinguish between *Chionoecetes bairdi* and *C. opilio* zoeae collected in the southeast Bering Sea. In: Proceedings of the International Symposium on the Genus *Chionoecetes*. University of Alaska Sea Grant, AK-SG-82-10, Fairbanks, pp. 219-230.
- Wickham, D.E. 1986. Epizootic infestations by nemertean brood parasites on commercially important crustaceans. Can. J. Fish. Aquat. Sci. 43:2295-2302.
- Wickham, D.E., and A. Kuris. 1990. Brood mortality estimation and role of symbionts in egg mortality of the Tanner crab *Chionoecetes bairdi* in Alaskan waters. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-04, Fairbanks, pp. 397-402.
- Wieczorek, S.K., and R.G. Hooper. 1995. Relationship between diet and food availability in the snow crab *Chionoecetes opilio* (O. Fabricius) in Bonne Bay, Newfoundland. J. Crustacean Biol. 15(2):236-247.
- Wilder, D.G. 1969. Conservation of the queen crab. Fish. Res. Board Can., St. Andrews, New Brunswick. Unpublished manuscript.
- Williams-Ryan, K.A. 1997. Occurrence, histopathology and fine structural studies on *Hematodinium* sp. (Dinoflagellata: Syndinidae) parasitising the snow crab (*Chionoecetes opilio*). M.S. thesis, Memorial University of Newfoundland, St. Johns. 86 pp.

Witherell, D., and G. Harrington. 1996. Evaluation of alternative management measures to reduce the impacts of trawling and dredging on Bering Sea crab stocks. In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 41-58.

X

Xu, X., and R.B. Millar. 1993. Estimation of trap selectivity for male snow crab (*Chionoecetes opilio*) using the SELECT modeling approach with unequal sampling effort. *Can. J. Fish. Aquat. Sci.* 50:2485-2490.

Xu, X., E.G. Dawe, and J.M. Hoenig. 1992. Change-in-ratio and index-removal estimates of snow crab (*Chionoecetes opilio*) abundance in St. Marys Bay, Newfoundland. *ICES C.M.* 1992/K:36. 23 pp.

Xu, X., R.B. Millar, J.M. Hoenig, and E.G. Dawe. 1992. Estimation of trap selectivity for male snow crab (*Chionoecetes opilio*) using the SELECT modelling approach with unequal effort data. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 92/92. 16 pp.

Y

Yamada, Y., T. Fujino, and Y. Matsutsuchi. 1992. Coordinated synthesis of research in the Yamato-tai area of the Japan Sea. XXI. Survival rate of the Tanner crabs, *Chionoecetes opilio*, released from crab pot gear during the summer season. In: Summary of presentations, Spring General Meeting of Japanese Society of Scientific Fisheries, 1993, p. 27.

Yamamoto, T. 1950. *Chionoecetes japonicus* Rathbun collected in the southwestern Japan Sea, off the coast of Tajima province. *Bull. Jpn. Soc. Sci. Fish.* 15(10):519-523. [In Japanese with English summary.]

Yamamoto, T., T. Nishida, and M. Nozawa. 1978. Report on research to develop culture techniques for the Tanner crab, *Chionoecetes opilio*, 1977. Tottori Prefecture Fisheries Experimental Station. 14 pp.

Yamamoto, T., T. Nishida, and M. Nozawa. 1978. The report of the technical exploitation on the zuwai crab multiplication, 1977. Tottori Prefecture Fisheries Experiment Station. 14 pp.

Yamasaki, A. 1985. A study on the posterior suture tagging in zuwai crab, *Chionoecetes opilio*. *Bull. Kyoto Oceanic Fish. Sci.* 9:71-73. [In Japanese with English summary.]

Yamasaki, A. 1988. Ecological studies on zuwai crab *Chionoecetes opilio* in the sea off Kyoto Prefecture. IV. Characteristic of population parameters from tagging experiments of the adult females. *Bull. Kyoto Oceanic Fish. Sci.* 11:35-42. [In Japanese with English summary.]

Yamasaki, A. 1988. Synthesis report on the operations to promote the development of new techniques for regionally important fisheries. Studies on the resource ecology for commercially important crab species in the Japan Sea: Tanner crabs, *Chionoecetes opilio*. 47 pp.

Yamasaki, A. 1990. Ecological observations of the snow crab, *Chionoecetes opilio*, in the preserved area in the sea off Kyoto Prefecture. *JAMSTEC Tr. Deepsea Res.* 1990:335-340. [In Japanese with English summary.]

Yamasaki, A. 1994. Studies on stock management of snow crab *Chionoecetes opilio* based on biology. *Kyoto Inst. Oceanic Fish. Sci. Spec. Rep.* 4:1-53. [In Japanese with English summary.]

Yamasaki, A. 1994. Studies related to resource management: Ecological characteristics of the Tanner crab, *Chionoecetes opilio*. *Res. Pap. Kyoto Governmental Oceanogr. Center* 4:1-53.

Yamasaki, A. 1996. Legal minimum size of male snow crab *Chionoecetes opilio* in the Sea of Japan. *Bull. Jpn. Soc. Sci. Fish.* 62(4):623-630. [English translation: *Can. Transl. Fish. Aquat. Sci.* 21 pp.]

Yamasaki, A. 1997. Effectiveness of banning the harvesting of soft-shell male snow crab (*Chionoecetes opilio*) in the Sea of Japan. *Bull. Jpn. Soc. Sci. Fish.* 63(1):30-34. [English translation: *Can. Transl. Fish. Aquat. Sci.* 14 pp.]

Yamasaki, A., and A. Kuwahara. 1989. Preserved area to effect recovery of overfished Zuwai crab stocks off Kyoto Prefecture. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-4, Fairbanks, pp. 575-586.

Yamasaki, A., and A. Kuwahara. 1991. Horizontal distribution pattern and carapace size composition of snow crab *Chionoecetes opilio* caught by trap. *Bull. Jpn. Soc. Sci. Fish.* 57(3):439-446. [In Japanese with English summary.]

Yamasaki, A., and A. Kuwahara. 1991. The terminal molt of male snow crab in the Japan Sea. *Bull. Jpn. Soc. Sci. Fish.* 57(10):1839-1844 [English translation: *Can. Transl. Fish. Aquat. Sci.* 5559.]

Yamasaki, A., and A. Kuwahara. 1992. Bathymetric and horizontal distribution patterns during primary spawning period of snow crab *Chionoecetes opilio*. *Bull. Jpn. Soc. Sci. Fish.* 58(9):1647-1652. [English translation: *Can. Transl. Fish. Aquat. Sci.* 5646. 15 pp.]

- Yamasaki, A., and A. Kuwahara. 1993. Distribution pattern and terminal molt size of snow crab *Chionoecetes opilio* in Yamato-tai. Bull. Jpn. Soc. Sci. Fish. 59(12):1977-1983. [In Japanese with English summary.]
- Yamasaki, A., M. Sinoda, and Y. Hamanaka. 1989. A consideration of the management of the resource of the Tanner crab, *Chionoecetes opilio*. I. Ecology and conditions of the resource. Suisan Gijutsu to Keiei [Fisheries Techniques and Economics] 35(1):23-31.
- Yamasaki, A., M. Sinoda, and Y. Hamanaka. 1989. A consideration of the management of the resource of the Tanner crab, *Chionoecetes opilio*. II. Conditions of the fishery and resource utilization of the Tanner crab, *Chionoecetes opilio*. Suisan Gijutsu to Keiei [Fisheries Techniques and Economics] 35(2):44-51.
- Yamasaki, A., M. Sinoda, and Y. Hamanaka. 1989. A consideration of the management of the resource of the Tanner crab, *Chionoecetes opilio*. III. Effectiveness of no-fishing zones as a tool in resource management. Suisan Gijutsu to Keiei [Fisheries Techniques and Economics] 35(3):36-42.
- Yamasaki, A., M. Sinoda, and A. Kuwahara. 1990. A method for estimating survival rate of male zuwai crab (*Chionoecetes opilio*) in the western Japan Sea. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-4, Fairbanks, pp. 365-376.
- Yamasaki, A., M. Sinoda, and A. Kuwahara. 1992. Estimation of survival rate after terminal molting of male snow crab *Chionoecetes opilio*. Bull. Jpn. Soc. Sci. Fish. 58(2):181-186. [In Japanese with English summary.]
- Yamasaki, A., M. Sinoda, and A. Kuwahara. 1993. Estimation of survival rate after terminal molting of male snow crab *Chionoecetes opilio*. [English translation: Can. Transl. Fish. Aquat. Sci. 5594. 20 pp.]
- Yamasaki, A., S. Fujita, K. Uchino, and T. Tojima. 1994. Ecological studies on snow crab, *Chionoecetes opilio*, in the sea off Kyoto Prefecture. IX. Number of sperm remaining in a seminal receptacle of female snow crab *Chionoecetes opilio*. Bull. Kyoto Oceanic Fish. Sci. 16:18-23. [In Japanese with English summary.]
- Yamasaki, A., S. Fujita, K. Uchino, and T. Tojima. 1995. Legal minimum size of male Tanner crabs, *Chionoecetes opilio*, in the western region of the Japan Sea (first report). Legal minimum size for the effective utilization of male crabs. Suisan no Kenkyo [Fisheries Research] 14(5):53-59.
- Yamasaki, A., S. Fujita, K. Uchino, and T. Tojima. 1995. Legal minimum size of male Tanner crabs, *Chionoecetes opilio*, in the western region of the Japan Sea (middle report). Legal minimum size as it relates to the spawning ability of male crabs. Suisan no Kenkyo [Fisheries Research] 14(6):67-72.
- Yamasaki, A., S. Fujita, K. Uchino, and T. Tojima. 1997. Number of sperm in the receptacles of female snow crabs. [English translation: Can. Transl. Fish. Aquat. Sci. 12 pp.]
- Yamasaki, A., T. Ikuta, T. Nishihiro, and K. Uchino. 1985. Ecological studies on zuwai crab, *Chionoecetes opilio*, in the sea off Kyoto Prefecture. III. Bathymetric and seasonal movement of female crabs associated with maturation and spawning. Bull. Kyoto Oceanic Fish. Sci. 9:17-22. [In Japanese with English summary.]
- Yamasaki, A., A. Kuwahara, Y. Hamanaka, and N. Sobajima. 1990. Ecological studies on snow crab *Chionoecetes opilio* in the Sea off Kyoto Prefecture. V. A consideration on efficiency of the Danish seine and crab trap in capturing the adult crab. Bull. Kyoto Oceanic Fish. Sci. 13:35-40. [In Japanese with English summary.]
- Yamasaki, A., A. Kuwahara, H. Funata, T. Tojima, S. Fujita, and K. Uchino. 1993. Ecological studies on snow crab, *Chionoecetes opilio*, in the sea off Kyoto Prefecture. VII. A preliminary study on year-class strength of male snow crab *Chionoecetes opilio*. Bull. Kyoto Inst. Oceanic Fish. Sci. 16:1-9. [In Japanese with English summary.]
- Yamasaki, A., A. Kuwahara, H. Funata, T. Tojima, S. Fujita, and K. Uchino. 1993. Ecological studies on snow crab, *Chionoecetes opilio*, in the sea off Kyoto Prefecture. VIII. Distribution pattern before secondary spawning of snow crab *Chionoecetes opilio* caught by trap. Bull. Kyoto Inst. Oceanic Fish. Sci. 16:10-17. [In Japanese with English summary.]
- Yamashita, K. 1994. Evolutionary biology of the crustaceans. 1. Crabs. Kaiyo to Seibutsu [Aquabiology] 16(1):27-33.
- Yamashita, K. 1994. Evolutionary biology of the crustaceans. 2. Crabs. Kaiyo to Seibutsu [Aquabiology] 16(2):114-121.
- Yasuda, T. 1967. Feeding habit of the zuwaigani, *Chionoecetes opilio elongatus*, in Wakasa Bay. I. Species composition of stomach contents. Bull. Jpn. Soc. Sci. Fish. 33(4):315-319. [English translation: Fish. Res. Board Can. Transl. Ser. 1111.]
- Yokoya, Y. 1933. On the distribution of decapod crustaceans inhabiting the continental shelf around Japan, chiefly based upon the materials collected by S.S. *Soyo-Maru*, during the year 1923-1930. J. Coll. Agric. Tokyo Imp. Univ. 12(1):1-226.
- Yoo, J.S. 1971. Relative population size index and fishing intensity of *Chionoecetes opilio* (Fabricius) on shrimp trawl fishery. Bull. Fish. Res. Div. Agency (Pusan, Korea) 7:97-104. [English translation: Fish. Res. Board Can. Transl. Ser. 2181.]

- Yoshida, H. 1941. On the reproduction of useful crabs in N. Korea. II. Suishan Kenkyushi 36:116-123. [Pages 116-121 translated from Japanese by Hack Chin Kim, Natl. Mar. Fish. Serv., Seattle.]
- Yoshida, H. 1951. On the sexual dimorphism in size and its cause in some staple crabs. Bull. Jpn. Sci. Soc. Fish. 16(12):90-92. [In Japanese with English summary.]
- Yoshida, H. 1966. Studies of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Niigata Fish. Res. Stn. 1963:93-124.
- Yoshida, H., and K. Hamaura. 1970. Fisheries research of the zuwai Tanner crab, *Chionoecetes opilio*, in the Yamato-tai area and the red beni-zuwai Tanner crab, *C. japonicus*. Operations Rep. Niigata Fish. Res. Stn. 1969:11-31.
- Yosho, I., and I. Hayashi. 1994. The bathymetric distribution of *Chionoecetes opilio* and *C. japonicus* (Majidae: Brachyura) in the western and northern areas of the Sea of Japan. Bull. Jpn. Sea Natl. Fish. Res. Inst. 44:59-71.
- Yoshida, H., and B. Tobi. 1965. Vitality of crab, *Chionoecetes opilio*, under cultured conditions. Niigata Prefecture Fisheries Experimental Station. 9 pp.
- Yoshida, H., and B. Tobi. 1968. Experiments on the culture and vitality of the Tanner crab, *Chionoecetes opilio*. Operations Rep. Niigata Fish. Res. Stn. 1965:205-210.
- Yosho, I., T. Nagasawa, and K. Konishi. 1996. Larval distribution of *Chionoecetes* (Majidae, Brachyura) in the Sado Strait, Sea of Japan. In: High latitude crabs: Biology, management, and economics. University of Alaska Sea Grant, AK-SG-96-02, Fairbanks, pp. 199-208.

Z

- Zahn, M.C. 1970. Japanese Tanner crab fishery in eastern Bering Sea. U.S. Bur. Commer. Fish. Commer. Fish. Rev. 32(2):52-56.
- Zgurovsky, K.A., S.D. Bukin, A.G. Slizkin, and Ye.V. Lavrovsky. 1990. Trophic relationships of crabs, shrimps, and fishes of the western Bering Sea. In: Proceedings of the International Symposium on King and Tanner Crabs. University of Alaska Sea Grant, AK-SG-90-4, Fairbanks, pp. 305-314.