

Potato Variety Identification and Ownership Table

Updated: 2-11-2022

Rating Key:	
Characteristic	Options/Rating/Abbreviations (new additions at bottom of main list)
Flower Color:	(corolla) lt=light, (m)=many, (sm) = small, (lg)=large; <u>Examples</u> : light lavender ; lt. Mauve ; red-violet ; medium violet ; reddish purple ; white ; pink ;
Flesh Color:	(of tuber) Wh= white , Cr= cream ; , Y= yellow ; , B= blue , R= red , P= purple ;
Skin Color:	(of tuber) Wh= smooth white , Ru= russet, Ru-Br= Brown Russet , P= purple , R= red , BrR= bright red ; lt=light (i.e., lt Russet), sm=smooth, dk=dark or deep (red); * red/ pink eyes ., *d-blue/purple eyes , (wx)=waxy
Tuber Shape:	1 = Round, 5 = Very Long; (L-W Ratio Chart) f=flat, bk=blocky, cu= curved F=fingerling; cr=crescent, td=tear drop, r=rounded ends, sf=slightly flattened
Vine Size:	1 = Very Small, 5 = Very Large, np=no pigment (reds); mz=metribuzin sensitivity; (e)=erect, (se)=semi erect, (t)=tall; (s)=spreading
Maturity:	Very Early (<90 days.), Very Late (+120 days)
Utilization:	Fr=Fresh, Pr=processing, C=Chip FF=French Fry, D=Dual fresh and processing, B=Boiling, Bk=baker, (ex)=export market; (nov)=novelty, g=gourmet

NOTE: **public** = non-proprietary variety; **Public (heirloom)** = variety with no known or living breeder/owner (strains may vary);

? **public** = protection outside USA but no PVP application on record (as of 2-14-07);

Additional sources of information: [PAA Potato Variety Inventory](#), [Canadian Potato Varieties Descriptions](#), [European Cultivated Potato Database](#), [British Potato Variety DB](#); [PVP Certificates](#), , [Owner/Agent Listing \(below\)](#), [WA Potato Exchange](#)

Cultivar (click for pictures/descriptions)	Owner/ agent *1	Protec- tion *2	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special notes
A99331-2RY	PVM (Idaho)	MTA	md-dark purple	yellow	red, yellow speckles	round		medium	fresh	
AAC Hamer; Ref-2	CSURF	PVP 2020	pink	white	white, smooth	round	intermed.	medium	fresh, chip	high set, cold stroage, com- Atlantic
AC Chaleur	Public (Can-NB)	(none)	white	white	buff smooth	round-oval	med. spreading	early	early fresh	
AC Peregrine Red	Public (Canada)	(none)	blue-violet intense	cream	red	oval smooth	medium semi-erect	mid-season	fresh	Good boiling characteristics
AC Stampede Russet	TAMS	PVP 2010	violet (m)	white	brown (ru)	oblong	medium (e)	long-v.long	fresh & fries	
Achill	Higgins (IPB)	(none)	white	cream	lt gold	long	medium	medium	fresh	

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 2

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Accumulator (W2324-1)	WARF	MTA	white	white	white, mod-net	oval/blocky	rapid vigor	?	chips	high yield, good internals, early blight resistance; susp. scab
Acoustic (CMK2006-070-005)	Meijer	PVP Applied 4/20	cream	lt yellow	yellow	round-oval	??	late	fresh (organic)	Resistant to YNTN Virus and Ro1 nematodes.
Adirondack Blue	Public (Cornell)	(none) PVP-Ab	white	purple	Dk purple	round/oblong	large, spreading	Early-mid	Specialty TS; chips	maintain color after cooking
Adora	HZPC	PVP 2000	red-violet	lt yellow	yellow (sm)	oblong-long	medium	v.early-early	fresh	
Agata	Public (Netherlands)	(none)	white	yellow	lt yellow smooth	oval to oblong	medium, spreading	early - mid	fresh (baked, boiled)	High yielding, low defects
Agave	Norika-H	(none)	white	yellow int. rust spots	yellow net	oval	Med-tall, semi-erect	early	table	HR: PVY, PVA Hollow Heart
Alaska Bloom, 2	KWS *a	(none)	??	cream	yellow/pink eyes	round	??	mid. season	specialty, organic	alt. to Yukon Gold
Albatross	Norika-H	(none)	white	yellow, inter. rust spots	yellow net	oval	tall, semi-erect	med-early	starch, multipurpose	HR: PLRV, PVY and PVA
Alegria	Norika-H	PVP 2012	white	med. yellow	yellow	round-oval	spreading	Medium	Fresh Market	
Alexia (Alexia)	??	none	violet	yellow	white	Oval-long	Med-high	Med-early	table	Scab resistance, suitable sandy soils
Algonquin (NY141)	CCTEC (NY)	PVP 2019	white	white	white, smooth	round	Semi-erect	mid-season	~Atlantic, ~Superior, Chipper	High yields, low defects, Res Golden Nematode Ro1, scab
All Blue, 2	Public (heirloom)	(none)	lt violet	blue, outer area light	blue	long	long	v. long	fresh	
Allians	EPG	PVP 2012	white	dk yellow	yellow, smooth	cylindrical	tall, semi-erect	mid-season	fresh	good internals, long dormancy, Res Golden Nematode

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 3

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Alliston	SEQ ?	??	??	white	white	oval-round	??	early	fries	yield, warm climate, shape, early yields
Allora	Norika-H	PVP 2016	??	Lt yellow	Yellow, shiny	oval-oblong	Med-lg	Med-early	Potato salad	Res PVY and cyst nematode
Alpha	Public	(none)	mauve, white tips	pale yellow	yellow	round-oval large	very large	very late	fresh (boiling)	high yields, uniform, good internals
Alpine Russet (A9305-10)	PVMI (Idaho)	PVP 2013	red-purple	white	lt russet	long	v.long	medium-long	processing	Light fries out of 45F storage, higher yield the R. Burbank
Alta Russet	AgFCan	(none)	blue-violet	white	russet-brown	long	medium	medium	fries	
Alta Crown	Public (AgCanada)	(none)	red-violet	cream	brown russet	lg oblong	med, semi-erect	mid-season	fresh (boiling / baking)	res. common scab.; MR- early blight, tubers late blight. low defects
Alturas (A82360-7)	PVMI (Idaho)	PVP 2010	white	white	white-lt russet	long-v.long	v.long	long	process	~Latent Mo in WGO
AmaRosa (POR01PG22-1)	PVMI	PVP 2014	Purple	red	red, smooth	fingerling	semi-erect	mid-season	specialty	high culinary quality, resistant to scab
Ambra	HZPC	PVP 2009	white	yellow	yellow	oval smooth	medium semi-erect	early-mid season	fresh	taste, no discoloration after cooking
Amev	Public (Cornell)	(none)	white	white	lt russet	oblong	large upright	late	fries, fresh	improved Russet Burbank, res scab, Golden nematode
Amisk (a selection of Ranger Russet)	Public (USDA)	(none)	blue-lavender (m)	white	russet brown	v.long	v.long	v.long	dual	more resistant to Verticillium and Fusarium and slightly higher yields than Ranger Russet
Andes Sun	Public (Heirloom)	(none)	Pink	yellow w red ring	White-Purple spots	round	medium	medium	specialty	
Andover	Public (NY)	(none)	white	white	buff	round; rough	tall, erect to semi-erect	early to mid-season	chip, boiling	few int. defects; early set, res. powdery scab

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 4

Cultivar (click for pictures/descriptions)	Owner/agent*<u>1</u>	Protection *<u>2</u> (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *<u>3</u>
Annabelle	HZPC	PVP 2009	white	white	white, smooth	oblong	??	early	fresh	Res. skin spot, silver scurf, black dot, bruising
Anouk	PPV	PVP 2020	white	yellow	yellow	round		med-early	organic fresh	res. Late blight, PVY
Anuschka	EPG (Germany)	PVP 2013	violet - white wings	deep yellow	yellow, smooth	round-oval	med. / upright	very early	salad potato	Disease resistance (PVY, PLRV, scab, Leaf blight)
AO02183-2	PVMI	MTA	?	white	md brown russet	oblong, blocky	?	Med-Late	Fry	yield, fry color and taste, Res, PVY, Late blight, shape
AOA9515por024-1 *	PVMI (Oregon)	MTA	red-purple	white	lt russet	long	v.long	long-v.long	processing	
AOND95292-3Russ	NDRF	MTA	??	white	md brown russet	long-blocky	??	??	processing	excellent quality, reduced inputs
Apache	CBPL	PVP 2014	red-violet	yellow	Red, partial	oval, short	med-tall	Early	Fresh, baking	flavor, appearance, res to blackleg and dry rot
Asterix	HZPC	PVP-Ex 2000	large red-violet	lt yellow	flaky red, sh eyes	oblong	medium tall, semi-erect	mod late	fresh market, french fries	very high yielding. resistance to internal bruising and hollow heart
Atlantic	Public (USDA)	(none)	lt. lavender	white	white (lt russet)	round	medium	medium	chip	
ATTX961014-1R/Y ("Sierra Rose")	TAMS	PVP 2014	purple/lavender	yellow	Red	oblong	med. open	early	fresh	"Sierra Rose" TM
Austrian Crescent, 2	Public (Heirloom)	(none)	pink-white margins	Pale Yellow	Yellow	Fingerling	small	medium	specialty	
Autumn Rose	Solana	PVP 2021	??	white	red, smoth	round-oval		early	fresh	appearance, taste, early, scab resistance
Avalanche, 2	John Mara	PVP 2001	lt.red-pur.	cream.	white	long-v.long	long	medium	boil	

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 5

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Avondale	IPM (Ireland)	(none)	white	cream	white, med-smooth	oval	Medium height	medium	home market	high res to Potato Cyst Nematode fair res. to Late blight (tuber/ and foliage)
Baby Boomer	A.S. Heijboer / TTI, LPC	(none)	blue-violet	yellow	yellow	round, small	medium, semi-erect	??	specialty	
Banana	Public (heirloom)	(none)	lav. (lg)	yellow	lt yellow (sm)	banana	sm-med (pros)	late	specialty	latent PVY, PLRV
Banba	IPM (Ireland)	(none)	?	Light yellow	Bright deep yellow	large long-oval	?	early	fresh, fries	Highly resistant to foliage blight
Bannock Russet	Public (Idaho)	(none)	white	white	russet	long	long	v.long	dual	
Beacon Chipper	MPIC , MiSU	(none) (none)	white	cream	flakey brown	round	medium, semi-erect	medium	chip	high early yield
Bellarosa, 2	EPG	PVP 2012		yellow	red	round-oval	large	early-med.	fresh	very high yield of oval tubers, excellent resistances to diseases
Belmonda	Solana	PVP 2017	red-violet	yellow	yellow, smooth	round-oval	upright, rapid	med-early	fresh	resistance to heat and drought, wart, PCN
Bildtstar	HZPC	(none)	Red Violet	yellow	red	round, lg, smooth	med-tall	med-early to med-late	specialty	resistance to wart & potato cyst nematode
Bintje	Public (de Vries)	(none)	white, few	lt. yellow	pale yellow, sm.	oval	medium, erect	late	table	widely adapted
Bison, Pic.	Public (USA)	(none)	purple	white	red, bright	round	small, sprawling	medium	fresh	
Blackberry, (Ref)	MiSU	(PVP-Pend 2021)	??	dk-purple	purple	round	full sized, semi-erect	mid-season	fresh, chips	appearance, few internal defects, mod-scab res.
Blazer Russet (A8893-1)	PVMI (Idaho)	PVP 2010	white	white	lt russet	long-v.long	medium	early	dual	Replacement for Shepody

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 6

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Blue Tomcat	Public (Heirloom)	(none)	dark blue	blue	dark blue	oblong	short open	late	Specialty	
Brigus	Public (AgCan)	(none)	mauve (m)	cream-lt yellow	purple	round-oblong	medium	medium	fries, bake	
Burgundy	Public (Heirloom)	(none)	Purple	cream w burgundy rings	burgundy, lg eyes	blocky	long	late	specialty	
Butte	Public (USDA)	(none)	lt mauve (m)	white	russet-lt brown	long-v.long (r)	medium	medium-long	fresh, bake	High yield, resistant to hollow heart; very resistant to injuries due to the herbicide metribuzin
Butterfinger	Public (Heirloom)	(none)	White	cream-yellow	lt russet	v.long-F (cr-td)	Erect, vig.		fresh	
Butternut	Public (Heirloom)	(none)	Pink-violet	yellow	tan smooth	fingerling	med-long	medium	specialty	
CalRed	Public (USDA)	(none)	violet	cream.	red	round-oval	short (np)	medium	fresh	
CalWhite	Public (U.Idaho)	(none)	white	white	white	oblong-long	??	medium	frozen	L-PVY
Canberra	HZPC	PVP 2013	??	lt yellow	red	round-oval	??	med-late	fresh	delicious flavor, Res Potato Cyst Nema, common scab
Canela Russet, Ref 2	CCPGA	PVP 2012	white	white	Dk. Russet	long	?	Medium	Fresh	long dormancy, virus resistance
Caribe	Public (AgCan)	(none)	pl. purplish blue; tips whitish	creamy white	sm. red-purple, tan background	oblong, narrow at bud end	med, spreading, purple sp.	early	boiling, chipping	
Caribou Russet (AMS) (AF3362-1)	UofME	PVP 2016	white	white	russet tan/lt brown	oblong	upright, shorter than RB	med-late	fresh & fries	~Russet Burbank; Res. to internal defects (HH,SB,BS)
Carlingford	ECR (NRPB)	(none)	white, few	white	sm. white	round-oval	short, compact	mid-season	fresh	Good storability, res. PVY, c. scab

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 7

Cultivar (click for pictures/descriptions)	Owner/agent*<u>1</u>	Protection *<u>2</u> (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *<u>3</u>
Carola, <u>Pic</u>	Public	(none)	??	pale yellow	golden	oblong, large		mid-season	table stock	good yielder, res. scab & late blight
Carolina	HZPC	PVP 2016	??	red	white	Lg oblong	??	early	tablestock	Attractive, culinary qualities
Cascade	Public (USDA , W SU)	(none)	lt lavender	cream	buff (flaky)	oval-oblong	med (erect)		fresh/fry	
Castile	USDA/ N Y	(none)	violet, white tips	white	white, smoth	oblong, sl flattened	lg, spreading	mid-season	fresh,chip,fry	few internal defects, res. Golden nematode
Castle Russet (POR06V12-3)	PVMI	PVP 2020	white	white	russet brown	long	??	medium	fresh / processing	Res. Cold sweetening, Fusarium, TRV, PVY, Pectobacterium,
Catalina (TPS) *	Bejoseeds	(none)	(wh ?)	cream.	white	oval-oblong (f)	medium	long-v.long	fresh	
Cecile, *	HZPC	PVP 2010	red-violet	br. yellow	red	lg oval	erect,	short	fresh	immune to Wart, drought resistance, low N requirement
Centennial Russet	Public	(none)	white	white	dark netted	oblong, blocky	large upright	med-late	fresh	Adapted to San Luis Valley, Colarado.
Century Russet	Public (USDA)	(none)	white, many	white	russ. tan	oblong	lg upright	late	fresh	HR: verticillium wilt, PVX.
Challenger	HZPC	PVP 2013	white	lt yellow	Yellow	oval	med. Tall	early	french fries	Good res. to splitting and bruising;
Charlotte	DBSI	(none – public)	red-violet	Lt. yellow	cream	Oval-long	medium	mid-season	fresh	Resistance to Blackleg
Cherry Red (DT6063-1R)	Public (TAMS)	(none)	red-purple	white	brown-red	oblong	medium	medium	dual	
Cheshire (POR04PG11-1)	OSU/ PVMI	PVP-P 2017	purple-violet	dk yellow	red, yellow eye brow	round	med. semi-erect	early	specialty boiling/roast	smaller tubers, beta carotenes
Chieftain	Public (IowaSU)	(none)	lt violet	white	red (sm)	round-oval	medium-long	medium	fresh	

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 8

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Chipeta	Public (CSU, UofId)	(none)	abundant, reddish, lg. anthers	white	white, sm. russeted areas	round-oval	very large, upright	late	chip	low-input variety
Classic Russet	PVMI (U.Idaho)	PVP 2013	white	white	md brown russet	long, blocky	??	early	fresh / early proc	High US#1, replacement for R. Norkotah,
Clearwater Russet (AOA95154-1)	PVMI (Idaho)	PVP 2014	purple, white tips	white	brown med russet	oblong-long	?	med-late	fry & fresh	high protein, low internal defects
Ciklamen	Hungry (1986)	(none)	Red-violet	cream	red	oval	moderate	med-late	fresh	Res. Golden Nematode; Gen. disease resistance;
CO 95051-7W	Public (Col.)	(none)	??	white	white to lt tan	round	??	medium	Chipping, Processing	high specific gravity 1.098
Columbine Gold	CCPGA	none (2021)		gold (yellow)	dk purple			early	specialty fresh	high yields,
Coastal Russet	Public (USDA)	(none)	md-violet (m)	white	md russet tan	long-v.long	long (e)	medium	fresh-bake	
Coliban, Pic.	Public (DEPI)	(none)	white	white	white, bright	round	erect, tall	late	fresh	long dormancy
Colomba	HZPC	PVP 2016	??	yellow	yellow, bright	round-oval	med.	early	fresh	High res. to Common Scab
Colorado Rose	CCPGA	PVP 2010	purple	white	rose-red, smooth	oval	medium	mid-season	all purpose	
Constance, Ref-2	PPV	PVP 2020	white	Lt-yellow	yellow	Oval-round	?	md-early	fresh	Res-PVY, Late Blight, Common scab. Taste
Crestone Russet	CCPGA	PVP 2015	purple	white	light russet	oblong to long	Medium, semi-prostrate	early	fresh	latent PVY
Crimson King	CCPGA	PVP-P 2017	??	red	red	oval	medium, semi-erect	med-early	fresh	yield, size profile

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 9

Cultivar (click for pictures/descriptions)	Owner/agent*<u>1</u>	Protection *<u>2</u> (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *<u>3</u>
Crimson Red (COO 86107-1R)	PVMI (OSU)	PVP 2013	red-purple	white	bright red	oblong	medium-long	v.early-early	fresh	Somewhat latent to PVY; better skin color than Dr Red Norland or Red LaSoda
Cycloon	Public (Netherlands)	(none)	Red violet	Light yellow	white to yellow	oval to long	semi-erect to erect	early to medium	fresh	Immune to Wart (Synchytrium endobioticum)
Dakota Crisp	NDRF	PVP 2011	White	White	eggshell, sh eyes	Round	Med-vig	Medium	Chip, table	Low sugar in storage
Dakota Diamond	NDRF	PVP 2011	White, many	White, smooth	Bt.white	Round	Lg-vig	Med-late	chips	Low nitrogen req
Dakota Jewel	NDRF	PVP 2010	Red-purple	White	Br. red, smooth	Round-ob	Small-med	Med-late, early tuber	table	Long dormancy
Dakota Pearl	NDRF	PVP 2007	white (m)	cream	lt yellow (sm)	round-oval	medium (se)	medium	chips	Low sugar storage
Dakota Rose (ND3574-5R)	NDRF	PVP 2008	Red-purple	white	Red, smooth	Round, sh eyes	large	medium	fresh	Stores well, color
Dakota Ruby	NDRF	PVP 2016	Red-Purple	white	red	round	med-lg	??	fresh	Particularly well suited for boiling, soups and salads
Dakota Russet	NDRF (RDO)	PVP 2015	white	white	russet	long	med-large, vigorous	med-late	Fresh	Russet Norkotah replacement
Dakota Trailblazer (249-1Russ)	NDRF	PVP 2014	white	v.white	med.russet	Ob-Long	Large-vig	med-late	Chip-fresh	Uniformity, yield, res: cold sweetening, late blight, pink rot, sugar end, verticillium wilt
Dark Red Norland	Public (NDSU)	(none)	red-pu (sm)	white	dk red	oblong	sm-med	early		
DarkRed Chieftain; R2	CPI	PVP 2013	blue-violet	white	Dk. red	round	med-tall	late	boiling/baking	Appearance; long dormancy
Defender (A90586-11)	PVMI (Idaho)	PVP 2005	white	white	white	long	long	v.long	processing	Late blight resistance (t & l)
Delikat	Norika--H	PVP-EX 2022	white, many	yellow	yellow, lt. net	oblong-oval	tall, semi-erect to spreading	early	table & fry mealy	high solids (21), long dormancy, no int. defects

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 10

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Denali	Public (USDA)	(none)	p violet (many)	white	buff smooth	oval-oblong	medium	v.long	chips	
Desiree	Public (ZPG)	(none)	pink (many)	yellow	red (sm)	oblong-long	short-medium	long	fries (ex)	
Divina	HZPC	PVP-Ex2021	white	cream-yellow	lt-yellow *	oblong	?	medium-long	fresh	
Durango Red (CO86218-2)	CSU	No PVP 2022	red-purple	white	Dk Red	round	sm-med, upright	medium	fresh	
Easton	MPB	PVP 2015	lt pink	white	lt russet	long	large	late	fries	lt fries, mod res verticillium, fusarium, RB replacement
Echo Russet (AO96141-3)	PVMI (Oregon)	PVP 2020	??	white	russet brown	long	??	med-late	fresh / processing	Res Fusarium, cold sweetening, PMTV. Culinary quality
Eden	BP (France)	(none)	white	pale yellow	yellow	Long, shallow eyes	Med- tall, semi-upright	Medium	ware potato	unsuitable for frying.
Elfe, 2	EPG (Germany)	PVP 2010	white	deep yellow	smooth yellow	Oval to long	medium	early	early tablestock	few defects, disease resistance
Elkton	USDA	PVP 2013	white	white	tan-net	round-oval	erect, closed	med-late	Chip	High yield, high specific gravity and chip quality
Envol	Public (Quebec)	(none)	white	white	white smooth	round-oval	medium semi-erect	very early	early fresh	
Erika	Solana	PVP 2014		yellow	yellow, smooth	long-oval		early	fresh, organic	res. Common scab, Black dot
Estima	Public (GBSI)	(none)	white	lt yellow	cream	oval	medium	early	fresh - baker	flavor, shape
Eva, 2	Public (NY)	(none)	white	white	white	round	medium semi-erect	mid-season	fresh, chips	attractive, uniform, low internal defects; Res GN and EB
Exempla, (2)	Solana	PVP 2008	white	yellow	yellow, rough	oblong	semi-erect, med-height		fresh	taste

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 11

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Exton, 2	Public (Aust.)	(none)	lilac, white tips	white	creamy white	oval	tall	late (140 Days)	fresh	susp. to hollow-heart; drought resistance
Fabula	HZPC	PVP 2006	red-violet (lg-wh tips)	lt yellow	lt yellow	oval	sh-med	?	fresh	
FL 1533	Public (pre-PVP)	(none)	blue	white	lt russet	oval	med	early-med	chips	good size distribution, very sus. Late Blight, storage problems
FL 1867	FritoLay	PVP 2005	white (few)	white	buff russet	Oval (sl flattened)	vigorous	Early mid season	chipping	resistant to potato cyst nematode, & tolerance to heat
FL 1879	FritoLay	PVP 2005	white	P.yelow	tan	Rd-oval	Med-Lg	Med-late	chip	Storage options, Res T early blight
FL 2048	FritoLay	PVP 2005	white	white	lt beige	round	upright, m	??	fry	Low defects, fries from cold storage
FL 2126	FritoLay	PVP 2011	white	white	beige	oval-long oval	vigorous, upright	late	chips	improved Atlantic
FL 2204	FritoLay	PVP 2013	Rd-violet (wh tips)	white	lt br russet	round	med-semi erect	mid season	chips	higher early hrvest yields, long storage, scab resistance
Fortress Russet Ref2, (AC99375-1RU)	CCPGA	PVP 2016	white	white	lt russet	oblong	large, erect	medium	dual	low acrylamide, res. PVY
Freedom Russet (W1836-3rus)	WARF	PVP 2009	pale purplish pink	white	russet, lt eyes	long, blocky	large semi-spreading	med-late	dual	common scab res., adapted to the short season
Fremont Russet , 2 (CO85026-4)	Public (CSU)	(none)	white	white	russet	long	med., compact	medium	fresh	utilizes low nitrogen, late storage, OK in rocky soil
French Fingerling	Public (heirloom)	(none)	Lt-violet	yellow (pr ¹)	red (sm)	Fingerling	?	medium	gourmet	
Frontier Russet	Public (USDA)	(none)	white, few	white	tannish-brown, spotting	oblong – long, blocky	sm. upright, compact	med-early	baking, fry	Verticillium resistance

¹ yellow flesh with an interior ring of pink

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 12

Cultivar (click for pictures/descriptions)	Owner/agent*<u>1</u>	Protection *<u>2</u> (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *<u>3</u>
Gala (US 307-93)	Norika --H	PVP 2012	white, few	dk yellow	shiny yellow	round-oval	medium tall, semi-erect	early	table-	good taste
Galena Russet	PVMI (Idaho)	PVP 2021	??	white	tan russet	oblong-long	erect, medium	med-late	French fries	cold-sweeting resistant
Gallatin Russet (A88338-1)	Public (Idaho)	(none)	lt red-purple, white tips	white	lt tan russet	long	?	late-very late	processing	Good tuber conformation, high yields, resistant to Vert. & Scab
Gemchip	Public (USDA)	(none)	white	white	smooth, scaly patches	round-oblong	med-large	med-late	chip	higher yields than Norchip
Gem Russet	PVMI (Idaho)	PVP 2007	white	white	russet brown	long	medium	medium	dual	
GemStar Russet	PVMI (Idaho)	PVP 2010	white	white	russet	v.long	medium	medium	dual	Lat-PVY, good yields under water stress
Genesee (NY78)	Public (Cornell)	(none)	white	white	beige (lt russet)	round/oblong				
Georgina ; Ref 2	Europlant , (SunRain)	PVP 2016	??	lt-yellow	yellow, smooth	Short-oval	??	med-early	fresh	uniform tuber size, res. Common scab, storability
German Butterball , 2	Public (heirloom)	(none)	white	dk-yellow	Yellow-sl flakey	oval	lg prostrate	very late	fresh, specialty	
Golden Sunburst (Us 283-89)	Norika --H	(none)	lavender, dk. orange anthers	dk-yellow	dk yellow smooth, P. lenticels	oval		med late	table	Sus to Common Scab, high yield
Goldrush	NDRF	PVP EX2017	Red-purple	White	Md gold russet	Oblong-blocky	Med-lg, upright	Medium	fresh	Stores well
Granola , 2	Public (SAKA)	(none)	Red-violet	lt. yellow	yellow	oval-round	medium, tall	med-late	fresh	very long dormancy, suitable for high altitudes
Green Mountain	Public (Alexander)	(none)	white, lg	white	buff	oblong, flattened	large, spreading	late	fresh, home	latent PVY

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 13

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Harley Blackwell	Public (USDA)	(none)	white	white	white, netted	round	=Atlantic	medium	chipping	res. to heat necrosis; res PVY, PVX, golden nematode
Harmony	Public (CPBL)	Canada only	red violet	white	white smooth	round	??	early	fresh	excellent storage, long dormancy
Hermes	Public (GBSI)	(none)	red violet	lt yellow	cream	oval	tall	maincrop	fresh	res. Powdery scab & sprang; long dormancy
Highland Russet (A9045-7), 2	PVMI (Idaho)	PVP 2012	red-purple	white	lt Russet, buff	long	med, erect	med. late	processing	high yield of uniform tubers
HiLite Russet	Public (NPS)	(none)	white	white	brown russet	oblong	short-upright	early-mid	fresh	HR blackleg, c. scab, potato wart
HO2000 (Blushing Belle)	LPC (CN)	(none)	red-violet	lt. yellow	red	round	tall, semi-erect	mid-season	Specialty (boiling)	attractive, good storage capacity
Hodag (W5955-1)	WARF/ WCIA	PVP 2019	white, many	white	lt russet	oblong, large	semi-erect	120 days	chipper	long storage, res. common scab & Vert. wilt, compare to Snowden
Hot Dog	Public (heirloom)	(none)	Purple/ white	white - red stripes	smooth red	long	4	medium	specialty	
Huckleberry Gold (A99326-1PY)	PVMI (Idaho)	PVP 2013	Violet (limited)	yellow	purple	Rd-Oval, md-small	Intermediat e	med-early	fresh	Excellent culinary qualities, Light chip color, Low sus. to vert wilt;
Huron Chipper, Ref2	MiSU	PVP 2020	lt violet	white	tan, lt net	round	medium, strong	mid-season	chips	res. Late Blight, Tol. Scab.; long term storage
IdaRose	PVMI (Idaho)	PVP 2007	dk pink	white-cream	red-smooth	oval	?	medium	fresh	long dormancy, low inputs
Innovator, 2	HZPC	PVP Ex2022	white, many	yellowish-white	tan russet	long oblong	med-large, semi-erect	early to mid-season	fresh, chip	L-PVY; HR: wart, R: P. cyst nematode,
Irish Cobbler	Public (heirloom)	(none)	lilac ,white tips	white	cr. white	round, flat	med-erect	early	early fresh, chip	widely adapted

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 14

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Ivory Crisp (NDO1496-1)	PVMI (Idaho)	PVP 2008	white	white	white	round	medium-long	medium	chip	
Ivory Rose (A91556-1W)	UCReg	(none)	white	white	white	long	v.long	medium	fresh	Bannock R.
Ivory Russet	SRV (HZPC)	PVP 2015	violet	white	tan, Russet	long oval		medium		res. PCN, Common Scab
Jacqueline Lee, 2	MPIC	PVP 2007	violet	yellow	white (sm)	oblong-long (sf)	medium-long (se)	full season	fresh	res. Late Blight, latent BRR
Jelly, 2	EPG (germany)	PVP 2010	white	dark yellow	light beige, smooth	oval-oblong	semi-upright	early to Medium	fresh	very high yielding, long storage capabilities
Jester (POR03PG42-1)	OSU/PVMI	PVP-P 2017	red-purple	yellow / with red splashes	Purple-red, smooth	round	med, semi-erect	early	specialty, boiling/baking	color, high antioxidants
Juliette	Germicopa (France)	PVP 2007	white	yellow	yellow	long oval	int. tall/upright	med-early to medium	fresh	Res. to Common scab and Golden Nematode
Kalkaska (MSJ036-A)	MPIC	(none)	white	white	buff-brown	round	tall, upright, vigorous	late	chip-processing	resistant to common scab
Katahdin	Public	(none)	lilac (white tips)	white	white, glossy	flat round - oval	med - spreading	early	fresh	
Kennebec	Public (USDA , AgCan)	(none)	white	white	sm. creamy buff skin	elliptical to oblong	lg. erect, spr @ maturity	mid-late	fresh, chip	Excellent storage quality, R. PVA, PVY.
Keuka Gold	Public (Cornell)	(none)	white	pale yellow	sl netted to flaky skin	round, sl oval	med-large upright	medium-late	tablestock	res. scab & golden nematode
Keystone Russet 2 (AC83064-1)	CCPGA	PVP 2008	white	white	brown med russet	long	medium	medium	fresh	
Klamath Russet	PVMI (Oregon)	PVP 2007	red-purple	white	russet	long	v.long	v.long	fresh	

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 15

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Krantz	Public (TX & MN)	(none)	white, many	white	med-heavy russ, buff	oblong to blocky	med, upright	mid. season	fresh, fry	HR: c. scab, hollow heart. late blight
La Belle Russet	PVMI	PVP 2021	??	white	med. russet	oblong-long		early-med.	processing	long dormancy (rel to RB)
La Chipper	Public (Louisiana)	(none)	white	very white	smooth white, cream eyes	elongated somewhat flattened	medium and spreading	midseason	chips	some resistance to late blight
La Ratte (Ratte)	Public (heirloom)	(none)	purple-red (white tips)	yellow	yellow	v.long+ (cu)	medium	medium	fresh	
Lady Alba	Meijer	(none)								
Lady Anna	Meijer	PVP 2014	white	lt yellow (cream)	lt yellow	long (s. oval)	??	??	fries/chips	resistant: bruising, scab, golden nematode
Lady Amarilla	Meijer	PVP 2014	White	yellow	Dk yellow	oval	??	early	fries	Excellent storability, low bruising;
Lady Claire	Meijer	PVP Ex2021	white	lt yellow	cream	oval	medium	'maincrop'	fries	long storage, excellent cold storage color
Lady Liberty; Ref 2 (NY152)	CCTEC (NY)	PVP 2020	white	white	lite net	small round		late	Chipper	excellent chip color from cold storage, scab res.
Lady Rosetta	PIL	PVP Ex2021	red violet	Lt yellow	red	round	medium	medium	specialty (fry)	high dry matter, low sugars
Lady Terra	Meijer	(none) 2022	white	white	yellow	long-oval	??	late	??	
Lamoka (NY139)	CCTEC (Cornell)	PVP 2013	magenta, white tips	white	white, smooth	round	?	late-season	chipping	improved Atlantic

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 16

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Latona	Public	(none)	white with prominent star	lt yellow	yellow	round to oval, lg	medium to tall; semi-erect	mid-season	fresh	uniformity, high no. tubers per plant, stores well
Lehigh (NY-126)	Public (PennSU)	(none)	white	yellow	netted	round	semi-erect, short	mid-late	fresh	adaptable, attractive
Lelah (W2717-5)	WARF	(none) 2021	white	white	white, smooth	round, oval	medium, semi-erect	med-early	chips	storage, high specific gravity
Lemhi Russet	Public (USDA)	(none)	red-purple white tips	white	tan-brown, hv. net	oblong to long	med-large	late	fresh, fry	tolerance to scab and net necrosis
Liberator, 2 (MSA091-1)	MPIC	PVP 2007	white	white	white, smooth	round	med-tall, spreading	long, direct	chips	strong resistance to scab, no dormancy
Lilly	Solana	none	white	dk yellow	yellow	round-oval	med.	early (med)	fresh	taste, dis. resistance, organic
Lions Paw	Public (heirloom)	(none)	white	Pur. center, wh. cortex	purple	round	?	?	specialty	
Laperla	Solana	PVP 2015	pink	lt yellow	yellow, smoth	round	upright	very early	fresh (early)	Drought res.
Manistee	MiSU	PVP 2015	??	white	russet-tan	round	full	early-mid season	Chip-Processing	long storage, tolerance to blackspot bruise
Marcy, 2	CCTEC	PVP 2008	white	white	buff, smooth	oval, sl flattened	tall, semi-erect	late	chipping	high yield, good storability, resis. to Golden Nematode & scab
Mackinaw (MSX540-4.pdf)	MiSU	PVP 2020	white	white	tan, lite net	round	Med-semi erect	mid-late	chipping	Res. PVY and Late blight, long term storage
Magic Myrna	(Alaska)	(none)	??	yellow	Pink with yellow eyes	fingerling	??	??	specialty	AKA "Alaska Fingerling"
Maris Peer	Public (GBSI)	(none)	red violet	cream	cream	oval	medium	"second early"	fresh	disease resistance; uniform
Maris Piper, 2, 3	Public	(none)	violet	cream.	white	oblong-long	long	long	fresh	

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 17

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Markies	Agrico UK	PVP 2007	white	lt yellow	cream	oval	medium	main crop	fry	Storage, low N requirements, drought tolerances
Masquerade	CCPGA	PVP 2015	purple	yellow	yellow/purple splotch	oblong	med.	medium	specialty	Sim. to Yukon Gold but with purple splotch
Mazama	PVMI (Oregon)	PVP 2007	blue	white	brown-red	oblong	long (mz)	medium	fresh	ss-PVY
MegaChip (W1201)	WARF	PVP 2008	lt purple	white	sl. netted	round-oval	robust, medium high	early	chipping	Long 48F storage, Verticillium res.
Melody	PIL	PVP 2008	red violet	md yellow	yellow	oval	medium	main crop	fresh pack	High yields, stores well
Mercury Russet	CCPGA	PVP 2015	white	white	med. russet	oblong	small	very early	Dual Market	attractive, few internal problems
Merlot	Norika	PVP 2019	??	yellow	red	oval oblong	med-large	med-late	fresh-microwave	
Mesa Russet (CO94035-15RU)	CCPGA	PVP 2013	white	white	Dk. brown Russet	oblong		medium	fresh and processing	Verticillium res.; good grade out; low inputs; long storage
Michigan Purple	MPIC	PVP 2007	violet	bt. white	purple, smooth	round-oval,	med-tall	medium	specialty	
Midnight Moon, (Pic)	CSU	MTA	blue	dk yellow	purple	round, med	medium, semi-erect	medium	specialty	yield, attractive, Res Hollow heart, BS bruise
Millennium Russet (W1348)	WARF	PVP 2007	??	white	russet	long	??	med-late	fresh/fry	
Milva, 2	EPG	PVP 2008	white	yellow	yellow, smooth	oval	Med. semi-upright	early, fast	fresh	good disease resistance, few internal problems
Missaukee (MSJ461-1)	MPIC	(none) 2021	white	white	m brown net, scaly	round	med-tall, se	full season	chip	res. Late Blight
MonDak Gold (MN15620)	U.Minn	PVP 2014	red-violet, white tips	lt. yellow	red-pink	oblong-oval	med.,es,	med-late	baking, fries	High US#1,lg dormancy, scab

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 18

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Mountain Gem Russet (A03158-2TE) (trials)	TSVDP (see PVMI)	PVP 2016	white	white	med. russet	oblong-long	md-lg	med-long	processing	Earlier maturity than Russet Burbank, sim. properties
Mountain Rose, 2 (CO 94183-1 R/R)	CCPGA	PVP 2012	reddish purple	red	red	oval	?	Medium	specialty	
Modoc (NDO4300-1R)	PVMI (Oregon)	PVP 2013	violet	white	red (sm)	oval-oblong	short-medium-mz	medium	fresh	Higher yields of small, high-value tubers than Red Norland and Red LaSoda
Molli	Norika--S	PVP 2001	white, few	yellow	yellow	round oval to oval	med-tall, semi-erect	very early	table	HR: PVY
Monona	Public (USDA, Fr ito)	(none)	white	white	sm. creamy buff	oblong to ovate, flattened	medium, spreading	mid-season	chipping	early chipper, reconditions rapidly after cold storage
Moonlight	Public (NZ)	(none)	purple	white	cream, flaky	oval-rd, oval	tall, upright	medium	fresh	Potato Cyst Nematode and Late blight resistance
Morning Gold	HZPC	PVP 2000	white (lg)	yellow	yellow	round	med-tall semi-erect	medium	fresh	drought; storability; HR: leaf roll, PVY, P. scab, spraing
Mozart, 2	HZPC	PVP 2010	red-violet, profuse	md yellow	red, smooth	round to oval	semi-upright to spreading	late	fresh	delicious flavor, stores well
MSJ126-9Y	MiSU	?	white	yellow	lt russet	round	med-upright	med.	chips	LT cold storage, scab res.
MSJ147-1	MiSU	?	??	white	lt	round	??	late	chips	cold long term storage, size
MSR 061-1 (Saginaw chipper)	MiSU	MTA	white	white	dk Russet	round	medium	mid-season	Chips	PVY resistance, fry color, low int. defects
Musica	Meijer	PVP 2014	??	deep yellow	lt yellow	oval-long	??	early	fresh	high productivity, resistance PVY and potato cyst nematode
Nadine	CPBL	(none) (Europe)	Red-violet	cream	cream	Oval	short-md	early-mid	fresh	high yield; res. potato cyst nematode Ro1
Natascha; Ref2.	Saka	PVP 2014	white	yellow	yellow, smooth	oval	intermed.	early	fresh	appearance, res Rhizoc, Black leg, res. to bruising

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 19

Cultivar (click for pictures/descriptions)	Owner/agent*<u>1</u>	Protection *<u>2</u> (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *<u>3</u>
Navan, <u>2</u>	ECR	(none)	lt purple, many	white	white, bright	round	tall, open	very long	Late storage, fresh market	high dry matter Maris Piper replacement
ND4659-5R	(NDRF)	MTA	red-purple	white	br red, smooth	round-ob	med	med	table	stores well, scab
ND5002-3R	(NDRF)	MTA	Red-purple	v.white	Bt red, smooth	Round/ob, sh. eyes	med	med-late	table	
ND7132-1R	(NDRF)	MTA	??	red	white	oval-oblong	??	medium	fresh	
ND7519-1	(NDRF)	MTA								
ND7799C-1	(NDRF)									
ND7818-1Y	(NDRF)	MTA	??	med yellow	white, smooth	oval, sh eyes	med	med-early	dual	cold storage
ND7882b-7Russ	(NDRF)	MTA	white	white	med.Russ, bt eyes	long-blocky	med-lg	medium	dual (fry-fresh)	fries from cold
ND8555-8R , <u>2</u>	NDRF	PVP-C	red-purple	white	bright red, smooth	round	med, vigorous	medium	Tablestock	stores well, appearance, uniform size
ND081571-2R	NDRF	MTA	??	white	Br. red	round	medium	Early	fresh	appearance
ND124-1Y	NDRF	MTA	??	white	White, smooth	Round-oblong	medium	Medium	Fresh, chips	High yield
NDA050237B-1R	Univ of Idaho	MTA	dark purple	white	red	round	medium	long	fresh	good skin set, less bruise than Chieftain; improved Red LaSoda (color, vert. res)
NDA5507-3Y, *	PVMI	MTA	red-purple	lt yellow	lt-yellow, pink splash	round-oval	med. erect	mid-season	fresh pack	blight & PVY resistance, higher yielding than Yukon Gold
NDTX4271-5R	NDSU	MTA	violet-purple	white	brown-red (sm)	round	medium	early-medium	fresh	extreme pitted scab; good color; good type; good yield
Nicolet (Slides)	WARF	PVP 2014	white	white	buff, smooth	round-oval	lg, semi-erect	med-late	chip	high yield, internals quality, long storage, uniform size, scab res.

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 20

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Noelle	SRV	PVP 2016	white	yellow	yellow	small, oval		early	specialty	res. PCN Ro1/4, PVY, Common Scab
Nooksack	Public (USDA, W SU)	(none)	white	white	sm russet	oblong	large, var	late	fresh	adapted to hot dry conditions
Norchip, 2	Public (NDSU)	(none)	white	white	sm creamy white	round-oblong	med-large, upright, com	mid-season	chipping	heavy soils; flea beetle tolerance
NorDonna	NDRF	PVP Ex2020	violet	white	Br. red, smooth	oval to round	??	medium	Table Stock	Wide Adaptability, Res. Hollow Heart & Scab
Norgold Russet	Public (NDSU)	(none)	pink	v. white	Gold Russ	oblong-long	med, comp.	early	e. fresh	
Norking Russet	Public (NDSU)	(none)	red-purple (white tips)	white	tan russet	oblong	lg-upright	medium		
Norland	Public (NDSU)	(none)	purple	white	red (sm)	md oblong	md-lg (mz)	early	e. fresh	
NorValley	NDSU	PVP Ex2020	white	cream-yellow	white-yellow	oval-oblong	medium	medium	chip-fresh	Chips from 42F
Northwest Norkotah 90	Univ of Idaho	PVP 2016	white	white	brown-russet	oblong	med.	med.	Fresh	Res. to Early Dying
Norwis	Public	(none)	white	pale yellow-cream	smooth buff skin	blocky to oval	med- large; spreading	mid-late	chipping	High res. PVX, PVY, leaf roll
NY 115	Public (NY)	(none)	white	white	lt beige, lt net	round	spreading	mid-season	chip	cold chipper, low defects, res scab & golden nematode
Oneida Gold (W6703-1)	WARF	MTA (noPVP 2021)	??	yellow	yellow, sl netting	round	??	late	fresh	Tol. common scab, yield, little hollow heart
Operle	Canada: Dutch Potato Farm	(none) 2021 CAN: 7098	White	Lt Yellow	Yellow	Round, Oval, Lg		81-100 Days		

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 21

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3	
Owyhee Russet (AO96160-3)	PVMI (Oregon)	PVP 2014	purple violet	white	brown russet	long	long	Medium	dual -F. Fry / Fresh	Better fry color than R. Burbank res. to black spot bruise & sugar end	
Ozette	Public (heirloom)	(none)	white	cream-yellow ²	lt. brown (smooth)	Fingerling	?	?	Spec.		
PA 99N2-1	PVMI (C.Brown)	(none)	white	white	Med Russet	Rnd Oblong	medium	early	Dual/fries	Res. Corky RS, long term storage	*
PA N82-4	PVMI (C.Brown)	(none)	white	white	Med Russet	Rnd Oblong	small	early	Dual/fries	Res. Corky RS, long term storage	*
Pacific Russet 2	AgFCan	(none)	white, many	white	brown, russet	oblong	med, erect	early	Processing/fresh	Better tuber shape than RB or RN	
Palisade Russet (A97066-42LB)	PVMI	PVP 2013	white	white	lt brown russet	oblong	med-large	med-late	Processing	Res. Late Blight, cold storage processing;	
Patrones, Pic.	Public (Holland)	(none)	lt. purple	lt. yellow	lt. yellow smooth	oblong, pear	med. upright	mid-late	fresh, boiling		
Payette Russet (A02507-2LB)	TSVDP (see PVMI)	PVP 2016	white	white	med. russet	oblong	med-lg vine	med-late	processing	Rest. to PVY, Res to cold sweetening	
Peanut Fingerling	Public (heirloom)	(none)	?	yellow	Tan (n)	v.long (F)	-	v.long	fresh (novelty)		
Pentland Dell	Public	(none)	white	white	white-yellow	oval to long	erect	mid-season	fresh	wart resistance	
Penta	Dijkhuis	PVP Ex2020	white	yellow	white (sm)	round	medium (se)	medium	fresh		
Perline (Ref 2)	KWS	PVP 2014	??	lt yellow	white/smooth	round / oval	semi-upright	early	potato salad	Res golden nematode/wart, high tuber number/plant	
Peruvian Cream	Public (heirloom)	(none)	White	yellow	sm. clear (yellow)	oblong	long	medium	specialty		

² Beige skin with pinkish highlights and fairly deep evenly spaced eyes that make the surface appear segmented

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 22

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Peter Wilcox (B1816-5)	Public	(none)	mauve, bright orange stamens	yellow	Medium purple, smooth	Round to oblong	Spreading	med-early	Specialty fresh	res. powdery scab
Piccolo Star, 2	L. van Zanten / TTI, LPC	PVP 2010	white, few	dark yellow	yellow, smooth	round to oval	short-med.	second early	creamer	
Pike	Public (NY & PA)	(none)	white	white	buff (sl net)	round (med)	vig-dense	mid-late	chips (cold)	
Pinnacle (W5015-12 07)	WARF	PVP 2019	??	white	md Brown	round/blocky	lg, semi-erect	md-late	chips	Cold chipper (log storage), vert. tolerance, susp. common scab
Pinto Gold	(U.Maine)	(none)	??	yellow	red & yellow	oblong			specialty gourmet	high yield, unique 'pinto type' skin color
Pomerelle Russet (A02062-1TE)	PVMI (UofI)	PVP 2016	white	white	brown-russet	oblong-long	semi-erect, medium	early	fresh	high early season yields
POR12PG69-2	PVMI	MTA	(??)	yellow	yellow	fingerling	??	??	Fresh (specialty)	
Premier Russet	PVMI (Idaho)	PVP 2012	white	white	lt russet	long	medium	Med-late	Fresh-Pro.	cold storage (light fries at 42F), low N requirements
Princess; ref2	Saka	PVP 2009	??	yellow	yellow	oval	semi-erect	early	potato salad	scab & blight resistance
Prospect	CFC	PVP 2010	mauve, many	cream	buff, flaky	oblong	med. semi-erect	mid-season	fresh (boiling)	High res. Potato Wart, res. PVY, common scab
Purple eyes	Public (heirloom)	(none)	na	cream yellow	cream w purple eyes	round	medium	medium	specialty	
Purple Majesty	CCPGA	PVP 2010	lt blue	purple	purple	oblong	?	medium	specialty	
Purple Pelisse, 2 (POR01PG16-1)	PVMI (Oregon)	PVP 2014	lt blue/p (abort)	dk purple	purple, smooth	fingerling	small, semi-erect	medium	specialty	good taste, high in antioxidants, few defects

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 23

Cultivar (click for pictures/descriptions)	Owner/agent*<u>1</u>	Protection *<u>2</u> (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *<u>3</u>
Purple Peruvian	Public (heirloom)	(none)	white, many	purple	purple	v.long (F)	lg, upright	-	fresh (novelty)	
Purple Prince (aka 'Mi Negra')	TTI	PVP 2017	??	md yellow, parti-color	blue	oval to long	semi-upright	late	Specialty	Appearance,
Purple Viking	Public	(none)	??	white	purple	lg round, pk splashes	??	medium	Specialty	moist, firm, white flesh. Excellent storage, High resistance to scab
Queen Anne, Ref2	Solana (Germany)	PVP 2020	??	yellow	yellow, smoth	oval to long	??	mid-season	fresh mkt	brilliant appearance, yield, disease resistance,
Rainier Russet (AO06191-1)	PVMI	MTA (noPVP 2021)	white	white	md brown russet	oblong	lg semi-erect	Med-Late	dual (fresh/process)	taste; Resistant, Common scab, Fusarium, uniform
Ranger Russet	Public (USDA)	(none)	blue-lavender (m)	white	russet brown	v.long	v.long	v.long	dual	ss-PVY
Raspberry Fingerling	Public (heirloom)	(none)	violet	yellow w red rings	red	Fingerling	long	medium	specialty	
Reba (NY 87)	Public (Cornell)	(none)	white	white	Smooth, white to buff	Round/oval to oblong	Medium to tall, semi-erect	Mid-to-late	Tablestock, chipping	cold chipper, broad disease resistances
Red Cara	Private? (Ireland)	(none)	white	cream-yellow	red	Oval to round	erect, good cover	late to very late	fresh	Resistance to late blight ,Very high yield potential, many tubers per plant
Red Companion (1100-R)	WARF	PVP Ex2021	??	white	red	large round-oval	?	??	fresh	resistance to blight
Red Endeavor	WARF	PVP 2020	Grayish-purple	white	md red	round/blocky	Semi-erect, spreading	full season	fresh	attractive, hold color, uniform, long dormancy
Red LaSoda	Public (LAES)	(none)	lavender (lg)	white	dk-red	oval, large	medium	long	fresh	
Red Luna	CC PGA	PVP 2016	reddish purple	yellow	red	oblong	medium	medium	specialty fresh market	Res. blackspot and shatter bruise

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 24

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Red Maria (NY 129)	CCTEC	(none)	red-violet	white	red	round	semi-upright to spreading	mid-late	tablestock	dormancy, boiling qualities, res to Golden Nematode
Red Pearl (W84-75R)	WARF	(none)	white, pink strip	white	red	sm round-oval	med, spreading	mid-season	specialty	70% tubers are less than 1 7/8 inches
Red Pontiac	Public (MiSU)	(none)	lg, blt purple, (white tips)	white	red (sm)	round-oblong	lg-spr	mid-late	fresh	High yielding variety of attractive appearance, widely adapted (especially to muck soils).
Red Prairie (W8405-1R)	WARF	MTA (noPVP 2021)	??	white	red, smoth	round-oval	??	medium (< Norland)	fresh	Maintains color in storage; resistant to skinning
Red Ruby	Public (UofMin)	(none)	med Pink	white	dk red	round / blocky	med large	mid-season	fresh	color, scab resistance, good internals
Red Thumb	Public (heirloom)	(none)	white	white (red rings)	brown-red	long-v.long (cr-F)	medium	-	fresh (g)	
Red Sunset, * (AO93487-2R)	PVMI (Oregon)	PVP 2013	purple-violet	White	dk. red	round	?	early	fresh	Better skin color & less defects than Dk Red Norland or Red LaSoda
Redsen	Public (NDSU)	(none)	lavender	white	brown-red (sm)	round-oblong	medium-long (se)	early	fresh	
Reveille Russet	TAMS	PVP 2016	white	white	russet-tan	oblong	med-erect	early-med.	fresh mkt	good internals, res. common scab, pinkeye
Rio Colorado	CCPGA	PVP 2012	dk purple	white	red	round-oblong				
Rio Grande Russet (AC 89536-5), 2	CCPGA	PVP 2010	lavender (many)	white	md Russ (smooth)	oblong-long	large-upright	med	fresh	
Rio Rojo (NDTX4304-1R)	TAMS	PVP 2010	??	white	med red, lt net	round, smooth	??	??		

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 25

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Rock	Meijer	PVP 2018	white	lt yellow	yellow	oval	medium	mid-crop	table & fries	high yields. Dual eelworm resistance
Rocket, 2	ECR	(none)	white - pale blue tipped	white	white	round	Low-medium height	early	early fresh	
Rocky Mountain Russet	CCPGA	(PVP Applied 2021)	White	white	russet (tan)	long-oblong	Med-large	late	fresh/processing	high US#1 grade out, few defects, disease resistance
Romanze	Norika-	PVP 2012	red-violet	med yellow	red	oval	short upright	??	fresh	
Rooster (IPM-ABR)	IPM	(none)	Red violet	med yellow	red	oval	med-tall	?	fresh	Appearance, Res. Blackleg and PLRV
Rosara, 2	Public (Canada /Germany)	PVP Ex2020	Red violet	yellow	red	very long	mod	very early	fresh	
Rose Finn Apple	Public (heirloom)	(none)	white	yellow	rose yellow (wax)	v.long (F)	-	medium	fresh (g)	
Ruby Crescent	Public (heirloom)	(none)	white	cream	Red	Fingerling	lg., upright	mid	fresh/ specialty	
Russet Burbank	Public (Burbank)	(none)	white (sm)	white	russet	long	long	v.long	dual	
Russet Burbank M161	Uofld	PVP 2010	white (sm)	white	russet	long	long	v.long	dual	
Russet Legend	PVMi (Oregon)	PVP 2005	white, pro.	white	dk russet, sh. eyes	oblong to long	med, upright	late	frozen processing	susceptible to stem end pitting
Russet Norkotah	Public NDSU	(none)	white (sm)	white	russet	long	short	early	fresh	
Russet Norkotah (Sel. 3)	CC PGA	(none)	white (sm)	white	russet	long	long	medium	fresh	
Russet Norkotah (Sel. 8)	CCPGA	(none)	white (sm)	white	russet	long	medium	early	fresh	

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 26

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Russet Norkotah Texas selections, 102,112, 223, 278, 296, others	TAMS	PVP Ex2022	white (sm)	white	russet	long	medium	early	fresh	
Russet Nugget, 2	Public (CSU)	(none)	white, many	creamy white	med. russet, smooth	oblong	large, erect	late	frozen, fresh	HR: defects; high specific gravity
Russian Banana	Public (heirloom)	(none)	blue-violet	yellow	yellow (sm)	v.long (F)	-	?	fresh (g)	
Russian Blue (see All Blue)	Public (heirloom)	(none)	blue	purple white ring	Dk Purple (net)	ob-oval	tall, rob	late	spec. (table)	
Sage Russet (AO96164-1)	PVMI (Oregon)	PVP 2015.	White	white	brown russet	long	long	medium	dual	lt fry color, low internal defects, high early season yields
Salem (NY84)	Public (Cornell)	(none)	?	white	Buff	round-oblong	?	Med	Fresh	Excellent storage, good scab resistance
Sangre	Public (USDA/C SU)	(none)	few, lavender	white	smooth, dk red	oval to oblong	med. spreading,	medium	fresh	tol PLRV, slow to emerge
Santé	Public (GAS)	(none)	white (f)	yellow	yellow	oblong	v.long (t,s)	medium	fresh & processing	
Satina	Solana (Germany)	PVP Ex2021	? - white	deep yellow	Smooth yellow	oval - round	Medium to large, upright	medium early	fresh	high resistance to discoloration, c. scab, P. Cyst Nema, long dormancy
Saxon, 2	ECR	PVP Ex2002	white, few	Very pale cream	White; bright	round-oblong	medium, erect	medium	fresh	Better storage capabilities
Sebak	MPB	No	??	white	netted	round - oblong	large	med-late	chips/fresh	alt. to Atlantic, lt color, fewer defects
Sebec	UofME	PVP 2015	violet	white	beige, netted	round	medium	med-late	chipping (out of season)	~Atlantic, longer dormancy
Sequoia	Public	(none)	white	white	white-cre smooth	flattened oval	large, spreading	late, >140D	table	very hardy, good for non-irrigated areas;

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 27

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Sebago	Public (Maine)	(none)	lilac – red	white	ivory-y, smooth	elliptical to round	lg. erect	late-v. late	fresh, chip	high yield of lg tubers, short dormancy, Virus Resistance.
Shasta	Cal-Ore (?)	(none)	white	white	Buff lt russet	long	medium (mz)	medium	dual	L-PVY
Shepody	Public (AgCan)	(none)	lt violet (white tips)	white	Buff lt russet	long-v.long	medium (mz)	early	dual	L-PVY
Sierra, 2	ECR (PBI)	(none)	dk blue-violet (many)	yellow	lt yellow (sm)	oval-oblong	medium (se)	v.long	fresh & fries	tolerance to drought and PLRV
Sifra, 2	HZPC	PVP 2012	white	white	white smooth	round-oblong	tall	med-late	fresh (boil,bake)	high yield, wide adaptability
Silverton Russet (AC83064-6)	CCPGA	PVP 2008	white	white	gold. brown, lt net	long	medium	medium	Dual	Latent PVY
Slaney, 2	IPM (Ireland)	(none)	white	white	white	oval	very vigorous	late	fresh, chips	very high yields, efficient nutrient user
Smilin' Eyes (POR02PG26-5)	PVMI	PVP 2019	pink	yellow	yellow / red eyes	round /smooth	semi-erect, medium	early/mid-season	fresh and processing	high culinary quality
Snowbird, 2	HZPC	PVP 2009	red-violet (weak)	white	br. white	round	shorter than Kennebec		Fresh	Res. to common scab, stores well
Snowden , 2	Public (UW)	(none)	white	white	buff	round	?	late	chip	resistant to scab, high input
Soprano	Meijer (Solana)	PVP 2014	pink	cream	lt yellow	long oval	?	late?	fresh/boil	Disease resistance, inc. PVYntn
Soraya	Norika	PVP 2013	??	yellow	yellow	oval	??	med-early	fresh	
Summit Russet (A84118-3)	PVMI (Idaho)	PVP 2005	white	white	russet	long-v.long	v.long	v.long	process	

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 28

Cultivar (click for pictures/descriptions)	Owner/agent*1	Protection *2 (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *3
Superior ,	Public	(none)	pale lilac; tips white	white	smooth to lt flaked buff	oval to oblong;	medium, erect to spreading	early to mid-season	early fresh, chipping	stores well, washes excellently
Tacna	Public (CIP)	(none)	??	cream	white	elliptical	??	short	??	High resistance to both PVX and PVY. high tolerance to drought
Targhee Russet A01010-1 (R2)	PVMI	PVP 2016	white, many	white	brown-russet	oblong/blocky	semi-erect, medium	v. long	fresh/process (fries)	cold storage, high vitamin C, similar to Russet Burbank
Tebina	BB-RP	PVP 2013	pink	yellow	yellow	oval	md, upright,	early	fresh	Similar to Yukon Gold but lacking pink eyes
Teton Russet (AO008-1TE)	PVMI	PVP 2014	white (abort)	white	lt russet	oblong	erect, not tall	early	dual (fry/fresh)	high protein, vitamin c, fry color, early maturing
Tejon	Public	(none)	white	white	white	long blocky	short	v. long	table	high yield Resistance: storage rots, verticillium wilt, early blight.
TerraRosa (POR01PG20-12)	PVMI (Oregon)	PVP 2017	red purple	red	red	oblong	med. semi-erect	medium	specialty	Excellent Culinary Quality, Few Tuber Defects
Toolangi Delight, Pic.	Public (DEPI)	(none)	lilac	white	deep purple	round	med. bushy	mid-early (100 days)	Home garden	
Toronto	The Potato Company BV	PVP 2020	white	cream	lt yellow	long	'very good'	mid-early	table, processing	
Toscana	Solana	PVP 2014	white	yellow	yellow	round-oval	Int-rapid	med-early	fresh- boiling	Appearance, taste, resistance to common diseases
Trailblazer Russet (see Dakotah Trailblazer)				white	russet	oblong		early	fresh & processing	resistance to many diseases and cold sweeting, long dormancy
Tundra (W2310-3)	WARF	PVP 2014	lt purple	white	white, smooth	round-oval	moderate	early	chips	long storage at 45F; sp gravity > Atlantic, md res scab;
TX1523-1Ru/Y (tm-"Sierra Gold")	TAMS Cal-Ore	PVP 2008	lavender	yellow	russet	oblong-long	medium	early	fresh	low incidence of internal and external defects, esp. hollow heart, L-PLRV

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 29

Cultivar (click for pictures/descriptions)	Owner/agent*<u>1</u>	Protection *<u>2</u> (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *<u>3</u>
Ute Russet	Public (Holms)	(none)		white	dark net	oblong	medium erect	late	fresh	high yield, res. Sclerotium & PLRV
Umatilla Russet	OSU	PVP 2004	lt lavender-red	white	dk-russet	long	long	long	fries	
Upstate Abundance (NY150); <u>(S2)</u>	CCTEC (NY)	PVP 2019	white	white	White /smooth	round	Upright/spreading	early	Table stock	Resistant to race Ro1 of the golden nematode and to potato virus Y, dormancy
Valisa	Norika--H	PVP Ex2022	white, few	dk yellow	gold Net	oblong	med-tall, semi-erect	early	table firm	HR: PLRV, culinary quality
Valor, 2	CPBL	PVP Ex2021	red-violet many-scented	cream	lt yellow	oval to round; lg;	medium tall, semi-erect	late	fresh market	tol. drought and heat stress
Vanguard Russet	TAMS	PVP 2020		white	lt brown-russet	oblong	semi-erect	medium	fresh, early processing	shape, res. Common scab, Fusarium dry rot
Verdi	Solana (PVP-CI)	PVP 2013	red-violet	white-yellow	yellow	round-oval	semi-upright	very long	chips/fresh	Disease resistance (PCN,wart,Black leg,Lezf blight)
Vermillian (POR03PG33)	OSU/ PVMI	PVP-P 2017	purple-violet	red	red, smooth	oblong, pointy	med. semi-erect	early	specialty	color, antioxidant level
Vitabella (2).pdf	Plantera - Gerard Bovee	PVP 2016	??	yellow	Lt yellow	Oval-long	strong	early	Table	Phytophthora res. Good storage capability, low fertilization req., appearance
Vivaldi	HZPC	PVP 2004	white	cream	lt yellow smooth	oval	??	med-early	fresh 'baby potato'	appearance
Victoria	HZPC	PVP 2004	white	med-yellow	cream, smooth	oval-long	medium	early	Fish Fryers	reliable fry colors from long term storage
Viking	Public (NDSU)	(none)	pink	v. white	sm. red	round-oblong	??	mid season	e. fresh, Cuba	Drought resistant

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 30

Cultivar (click for pictures/descriptions)	Owner/agent*<u>1</u>	Protection *<u>2</u> (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *<u>3</u>
Villetta Rose (W2275-3R)	WARF	PVP 2008	??	white	dk red, sh eyes	round	??	med-late	fresh/can	high tuber set
Vista Gold	CCPGA	(none) 2021		gold (yellow)	yellow	round-oblong		med-early	specialty	yield, appearance
W1386:1	WARF	MTA	??	white					chip	
W6234-4RUS 08	WARF	MTA	??	white	md brown	oblong/long	??	??	fries	lt color, low acrylamide
W6609-3	WARF	MTA	??	white	buff (sl net)	round (med)	vig-dense	??	chip stock	long-term storage, scab tolerance; ~Pike
W8893-1R; (2)	WARF	MTA	??	white	dark red	round/oblong	??	early	fresh	Attractive color/shape, Res. Common scab
Plover Russet W9133-1rus	WARF	MTA (noPVP 2021)	??	white	russet	blocky	??	??	fresh	large size profile, Long dormancy, , sus. Verticillium,
W9426-3R/W	WARF	MTA (PVP-P)	Purple-violet	white	Purplish-red, smooth	oval	Semi-erect	?	Tablestock	
Wallowa (AO97277-6)	PVMI (Oregon)	PVP 2008	pink-lavender (m)	white	lt-russet	long	short-medium	v.long	processing	Higher specific grav.& low internal defects than R.Bubank
Waneta (NY138)	CCTEC (Cornell)	PVP 2013	lt pink	white	white, smooth	oblong	large	late	chips, boiling	res. scab & golden nematode, long tuber dormancy, cold storage
Western Russet (A7961-1)	UI	PVP 2011	white	white	russet-brown	oblong-long	large	med-late	process & fries	res. Sugar ends, common scab
White Pearl (W-1355-1)	WARF	PVP 2008	??	white	light netted	med, round	??	med-late	chipping	long term cold storage
White Rose	Public (Chapman)	(none)	white	white	white (sm)	lg-long	lg-sp	med	fresh	
Willamette (AO91812-1)	PVMI (Oregon)	PVP 2013	pink-white	white	white	round	medium	long	chip	High yield, excellent chipping qualities

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 31

Cultivar (click for pictures/descriptions)	Owner/agent*<u>1</u>	Protection *<u>2</u> (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *<u>3</u>
Winay	IPC-Peru/U.Wis	(none)	??	yellow	brown	long	??	short?	Fresh (Peru)	Extreme frost resistance (14°F)
Winema	PVMI (Oregon)	PVP 2007	blue-violet	white	brown-red	round-oval	medium (mz)	medium	fresh	Latent to PVY;
Yagana	Public (heirloom)	(none)	lt-purple	yellow	yellow	oblong	long	medium	dual	
Yellow Finn	Public (heirloom)	(none)	white	yellow	yellow	Oval to round	??	??	Fresh	stores well
Yukon Gold	Public (AgCan)	(none)	lt-violet	yellow	yellow russet *	oval	med, upright, few stems	early	Early, fast	Res. PVA & PLRV
Yukon Gem (NDA5507-3Y)	PVMI (Idaho)	PVP 2012	med. red-purple	yellow	white, pink eyes	round	??	med. early		PVY & scab resistant
Yukon Nugget POR02PG37-2 (*)	PVMI	PVP 2015	lt violet	yellow	yellow, smooth, pink eyes	oblong	med, upright, few stems	early	Early, fast	Replacement for Yukon Gold, good tuber set
New Varieties (to list) 2-21-2021										
AF4124-7 **										
Almera										
Arizona	PPV	PVP 2016	white	lt yellow	yellow	oval		early		heat tolerance, res. PVY, PCN Ro1 and Ro4.
Baby Lou *										
Bellanita	PPV	PVP 2020	white	yellow	yellow	fingerling		early	specialty fingerling	taste, res PVYntn
Baltic Rose	Norika-H	none (2021)	red-violet	dk yellow	red, shiny	oval	tall, vigorous	??	potato salad	resistance to common scab, PVY virus, and golden nematodes
Bora Valley										

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

Cultivar <small>(click for pictures/descriptions)</small>	Owner/agent*<u>1</u>	Protection*<u>2</u> <small>(USA)</small>	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes*<u>3</u>
Brodie (NY140) *										
C322 *										
Cascada	Norika-H	PVP 2018	white	md yellow	yellow, smooth	short oval		early (65-75 dap)	fresh mkt	tol heat, brusing, res. Black scurf, Late blight, PVY
Cerata										
CIP Matilde	CIP	none								Late Blight Resistant
Concordia										
Constance										
Donata *										
Electra , ref: 2	IPM	PVP 2010	white	lt yellow	lt yellow, lt pink eyes	short oval	??	late (105-DAP)	fresh	heat tolerance, res. Common scab, Silver scurf, nematode
Fenway Red (HZC-07-6040)										
Fontane *										
Francisca										
Giaconda										
Gioconda										
Hamlin		(none)								
Isabella *										
Julinka										
King Russet *										
Langlade										
Lollipop										
Ludmilla										
Madison										
Magic Molly										
Malou										

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

2/19/21 Pg 33

Cultivar (click for pictures/descriptions)	Owner/agent*<u>1</u>	Protection *<u>2</u> (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *<u>3</u>
Mariola										
Monica Russet	HZPC	(none)								
Montreal *										
Northwest Norkotah 86		(none-2021)	white (sm)	white	russet	long	short	early	fresh	
Northwest Norkotah 90	UofId	PVP 2016	white (sm)	white	russet	long	short	early	fresh	
Northwest Norkotah 111	UofId	(none-2021)	white (sm)	white	russet	long	short	early	fresh	
Northwest Norkotah 218	UofId	(none-2021)	white (sm)	white	russet	long	short	early	fresh	
Northwest Norkotah 285	UofId	PVP 2016	white (sm)	white	russet	long	short	early	fresh	
NY118										
Obama										
Oriana *										
Paroli	Norika-H	none (2021)	??	yellow	yellow, smooth	round-oval		very early (85 days)	fresh mkt.	Res. Common scab, Rhizoctonia, PVY virus, Blackleg
Pioneer Russet										
Prada *										
Princess Alexia										
Radley (HZC07-6049)										
Red Emmalie										
Red LaSoda-New York										
Red LaSoda #10										
Red Sonia										

Potato Variety Identification Table

<https://seedcert.oregonstate.edu/potato-varieties>

Cultivar (click for pictures/descriptions)	Owner/agent*<u>1</u>	Protection *<u>2</u> (USA)	Flower Color	Flesh Color	Skin Color	Tuber Shape	Vine Size	Maturity	Utilization	Special / notes *<u>3</u>
Ricarda **										
Roko	PPV	(none)	purple	white	red, smooth	oval-round		mid-late	fresh pack	res. Virus, bruise, damage
Runestone Gold										
Sanibel										
Valery										
Vigor										
Violetta										
Volare	PPV	PVP 2016	lt purple	white	white, smooth	oval-round		very early	fresh pack	early harvest, PCN res.
Vizzelle	(Australia)	(none)	??	lt yellow	white, smooth	oval		main crop	salid, boiling	taste, low carbs. Res PCN, Silver scurf, yields
Yellow Star *								?		

***1 Information on owners (or designated agents) of some proprietary varieties can be found at:**

(Designation compiled from information provided or found on indicated sites)

- AgCan** Agriculture Canada (various Research Stations, see variety descriptions for more detail)
- AgFCan** Agriculture and Agri-Food Canada http://www.agr.gc.ca/index_e.php
Agriculture and Agri-Food Canada c/o Sir John Carling Building, 930 Carling Ave, Ottawa, Ontario, K1A 0C7
Telephone: (613) 759-1000, Fax: (613) 759-7977, E-mail: info@agr.gc.ca
- Agrico UK** Agrico UK Ltd, Castleton of Eassie, By Forfar, Angus, GBR DD8 1SJ; Telephone: +44 (0)1307 840551, Fax: +44 (0)1307 840245,
Email: potatoes@agrico.co.uk
- BB-RP** **Binst Breeding & Selection** - Assignee - Real Potatoes - **Real Potatoes LTD**, P.O. Box 905, Cornwall, Prince Edward Island, Canada C0A1H0. Phone: 902-368-2669
- BP** BRETAGNE PLANTS – Roudouhir, 29460 HANVEC, Tél. 33(0)2 98 21 97 00 Fax. 33(0)2 98 21 97 08; bretplants@plantsdebretagne.com
- CCTEC** Cornell Center for Technology, Enterprise, and Commercialization,
New York City Office, 418 East 71st Street Suite 61 New York, NY 10021, P: 212.746.6186 F: 212.746.6662
c/o Jessica Stein jml73@cornell.edu
- CU** Cornell University (public release) <http://www.citl.cornell.edu/plants/plant-varieties.php?plant=Potatoes>
- CPBL** Cainthness Potato Breeders, Ltd – Prince Edward Island, Canada COA 1H0. See: http://www.cainthnesspotatoes.com/contact_us.php
- CCPGA** Colorado Certified Potato Growers Association - <http://www.coloradopotato.org/seed/index.html>
Manager Preston Stanley - P.O. Box 267 - Monte Vista, CO 81144 - (719)580-1296 or (719)274-5996 E-mail: CCPGA@Yahoo.com
- CSURA** Colorado State University Research Foundation (<https://csurf.org>). 2537 Research Blvd #200, Fort Collins, CO 80526. 970-491-2933
- CFC** **Cavendish Farms Corporation**, Cavendish Produce, PO Box 3240, Charlottetown, PE, C1A 7N9 Canada. 1-866-770-3823 or our direct line at 902-629-2200. <http://www.cavendishproduce.com/main.aspx?id=72>, info@cavendishproduce.com; Seed Farm Manager: Jeff DeHaan, , PO Box 386, Lucky Lake, SK, Canada, S0L 1Z0. Phone: 306-858-2600, Fax: 306-858-2606, Email: dehaan.jeff@cavendishfarms.com
- CSU** Colorado State University & Colorado Agricultural Experiment Station (see variety description for breeders)
- CQI** Cultures Quinto, Inc., Les; Philippe Parent; St Ubalde, Québec, CA; (p) 418.277.9262; (c) 418.284.2859; (f) 418.277.2850; email: philippe@dolbec.ca

- Dijkhuis** P.R. & J.P. Dijkhuis, Warfhuizen (Netherlands).
- DEPI** Institute of Horticultural Development, Toolangi (DPI) State of Victoria. Australia. see: <http://www.eoas.info/biogs/A000039b.htm> or email plant.standards@depi.vic.gov.au.
- EPG** (Germany) Europlant Pflanzenzucht GmbH
- FritoLay** Craig K Leafgren Craig.K.Leafgren@pepsico.com; Global Procurement Agro Director, Frito-Lay North America, Office 972-334-5249 | Cell 972-989-8255 | Fax 972-334-4983
- GAS** Global Agri Services Inc.; 376 New Maryland Highway, New Maryland, NB E3C 1E5; 506-462-9493
<http://gasglobalagriculturalservices.com/>
- Germicopa** (France) Variety manager - **Thierry Terouanne**, | varietes@germicopa.com
- GBSI** **Great Britain Seed Industry** <http://varieties.ahdb.org.uk/organisations/view/GB%20Seed%20Industry>
- A.S. Heijboer** **A.S. Heijboer** "Flora en Fauna" Groenedaal 2, 4481 BK Kloetinge, Nederland / **Tuberosum Technologies Inc.** (Canadian Agent) P.O. Box 271 Outlook, Saskatchewan, SOL 2N0, Canada, 306-867-9695 (or) Tuberosum Technologies Inc 780-484-9626 - 11720 170 Street NW, Edmonton, Alberta, Canada T5S 1J7
- Higgins** Higgins Farms, Inc., 60571 Highway 112, Hooper, Colorado, 81136. (719) 378-2388
- HZPC** HZPC Americas Corporation - <http://www.hzpc.ca/english/varieties.asp>; Fred Koops 1-902-892-2004 Fax 1-902-892-0321, fred@hzpc.ca
- IowaSU** Iowa State University (see variety descriptions(s) for breeders name)
- IPCP-UW** International Potato Center (Peru) and University of Wisconsin (John Bamberg). 920-743-5406. john.bamberg@ars.usda.gov
4312 State Highway 42 Sturgeon Bay, WI 54235.
- IPM** **Irish Potato Marking** - Head Office - IPM Limited, Unit 412, Q House, 76 Furze Road, Sandyford Industrial Estate, Dublin 18, Ireland, Tel: +353 1 2135410, Fax: +353 1 2958035, info@ipm.ie;
- IPB** **Irish Potato Breeders, Ltd** see: <http://www.spud.ie/>; 168 Seapark, Malahide, County Dublin, Ireland. Telephone: + 353 1 8450666; Mobile: + 353 87 2556246; Skype: johnspudmara; eMail: info@spud.ie
- KWS** POTATO B.V. ^[SEP]Gildenweg 15^[SEP]8304 BD, Emmeloord^[SEP]The Netherlands; P.O. Box 1049, 8300 BA Emmeloord; The Netherlands; Email: potato@kws.com **USA contact:** Tuberosum Technologies Inc. , Jacob VanderSchaaf, Box 271, Outlook^[SEP]Saskatchewan, ; Sol 2N0^[SEP]Canada; Phone: +1 780 484 9626; email: jakob@sasktel.net
- *A - Agent in Canada (Alaska Bloom) Betaseed, Inc., Suite 74, 162 - 2025 Corydon Ave., Winnipeg, Manitoba R3P0N5 Canada Variety protected in Canada.

- LAES** Louisiana Agricultural Experiment Station, Baton Rouge, Louisiana
- LPC** **Little Potato Company**, PO Box 33166, Edmonton, AB T5P 4V8 CANADA; Tel: (780) 414-6075, Fax: (780) 960-2020, Email:info@littlepotatoes.com
- Meijer** C. Meijer B.V. Bathseweg 45, 4411 RK Rilland, Netherlands, +31 113 760 100+31 113 - 76 01 00, : info@meijer-potato.com; <http://www.meijer-potato.com/index.php>
- MPB** **Main Potato Board**, 744 Main Street, Suite 1, Presque Isle, ME 04769; 1-800-553-5516; mainepotatoes@mainepotatoes.com
- MiSU** Michigan State University (David Douches Ph.D.); email: douchesd@msu.edu; Department of Plant, Soil, and Microbial Sciences, 1066 Bogue St.; East Lansing, MI 48824; Tel: (517) 884-6946
- NDSU** North Dakota State University (see variety description for breeders)
- NDSURF** North Dakota Research Foundation: <http://www.undrf.org/>; Dale Zetocha, Executive Director, 1735 NDSU Research Park Drive, Fargo, ND 58105-5002. Telephone: 701-231-8931 or email dzetocha@ndsurf.org
- MPIC** Michigan Potato Industry Commission - <http://www.mipotato.com/>; Contact Dave Douches, Ph.D. 517-355-0271x198 douchesd@msu.edu
Or see: http://www.msu.edu/%7Edouchesd/commercial_release.html
- MiSU** **Michigan State University AgBio Reaseach**. potatobg.css.msu.edu; David Douches Ph.D., Program Director; Department of Plant, Soil, and Microbial Sciences, 1066 Bogue St., East Lansing, MI 48824, douchesd@msu.edu. (517) 884-6946
- NORIKA** Nordring-Kartoffelzucht- und Vermehrungs-GmbH GroB Lusewitz info@norika.de; NORIKA proprietary varieties are represented by **Mr. Charles Higgins** ([Norika-H](#)), 5317 Piccadilly Court, Stevens Point, Wisconsin 54481. Home phone: 715 544 4444 higginsfarms@comcast.net
. Charlie cell phone: 719 588 2388. The only exception is the exclusive marketing right for Molli which is held by Mr. Steve Myers, Summit Farms ([Norika-S](#))-Summit Farms, L.L.C., 53943 County Road B, Center, CO., 81125. Phone (719)754-3613 * Fax (719)754-2529. (2-14-07) Dr. Holger Junghans - Manager Breeding and Research. Try mgruszczewski@norika.de (Miroslav Gruszczewski)
- NRPB** **Northern Ireland Plant Breeding Station** from (S62/47/1 x Dr McIntosh) in Loughgall (Northern Ireland, UK) – no PVP application on record (2-14-07)
- NPS** - **Northwest Potato Sales** Inc. (Kennewick, Washington) in 1987.
- NZ** New Zealand Institute for Crop & Food Research Limited, Cronin Road, RD 1, Pukekohe, New Zealand. J.A.D Anderson (Breeder) mail: andersonjad@crop.cri.nz
- OSU** **Oregon State University** <https://research.oregonstate.edu/research-office-contacts#occd>
Office of Technology Transfer - 312 Kerr Administration Building, Oregon State University, Corvallis, OR 97331-2140. Phone: (541) 737-0674, Fax: (541) 737-3093. Contact is Denis Sather, Senior Intellectual Property & Licensing Manager, (541) 737-8806

- PPV Parkland Potato Varieties, Edmonton, Alberta. Phone: (780) 435-3122. <http://www.parklandseedpotatoes.com/about-us#sthash.38yUi3C1.dpbs>
- PBI** - **Plant Breeding International** Cambridge Ltd., Cambridge, England,
- PIL** - **Potato Innovations Limited**, Bayfield Brecks Barns, Garden Lane, Letheringsett, Holt, Norfolk, GBR NR25 7DZ; Telephone: +44 (0) 1263 710602 Fax: +44 (0) 1263 715576 Email: paulknight@potato-innovations.com
- PVMI** **Potato Variety Management Institute**: <http://www.pvmi.org>; 60380 Chickasaw Way, Bend, OR 97702-9724 U.S.A.; **Executive Director** - Jeanne Debons- (p) 541.318.1485; (e) jeannedebons@msn.com
- ECR** Eric C. Robinson Inc., P.O. Box 1, Albany, Prince Edward Island, Canada, C0B 1A0; info@robinsons.pe.ca, (902) 437-6666, <http://www.robinsons.pe.ca/contactus.html>
- SAKA** Saka Pflanzenzucht GbR – (Germany) . Website(s): http://www.solana.de/index2_e.htm ; Address SaKa Pflanzenzucht GbR / Solana Agrar-Produkte GmbH and Co. KG Pickhuben 2 Hamburg Germany D-20457; Phone/ Fax: +49 40 - 414236-0 +49 40 – 448585. Read more: <http://www.potatopro.com/Lists/Companies/DispForm.aspx?ID=428#ixzz1QEG4tpm6>
- Solana** SaKa Pflanzenzucht GbR (Germany) Torsten Spill, Albert-Einstein-Ring 5 - D-22761 Hamburg; Fon - +49 (0)40 - 414240-0; Telefax - +49 (0)40 – 417716, Mobile - +49 (0)172 - 2898 877, E-mail – info@solana.de; www.solanum-int.com
- SEQ** SEQ Marketing, Quebec; <https://www.quebecparmentier.com/en/varieties/varieties.html>
- SRV SunRain Varieties. 208-552-3096. Aron Derbidge, 5466 West 49th St, Idaho Falls, ID 83402. aderbidge@sunrainvarieties.com
- TAMS** Texas A&M System: <http://otc.tamu.edu/technologies.jsp?casecode=1391TAES99>; Janie C. Hurley - Licensing Manager , Office of Technology Commercialization, 1700 Research Parkway, Suite 250, College Station, TX 77845. Email: jhurley@tamu.edu, Phone: 979-845-6337
- TSVDP TriState Potato Variety Development Project (OR,WA, ID) see: <http://www.ars.usda.gov/main/docs.htm?docid=21888>; and <http://www.nwpotatoresearch.com/pr/Breeding.cfm>. Varieties released out of this program are admisintered by **PVMI**.
- TTI** **Tuberosum Technologies**, Inc; P.O. Box 271, Outlook, Saskatchewan S0L 2N0,Canada; Tel: 306-867-9695 (9528). Jacob van der Schaff is the contact for these varieties in Canada. His e-mail is jakob@sasktel.net
- UCReg** Univ. of California Regents; Office of the Secretary and Chief of Staff to the Regents, 1111 Franklin St.,12th floor, Oakland, CA 94607, regentsoffice@ucop.edu fax: (510) 987-9224
- UofME University of Maine Board of Trustees; Contact: Kristine H. Johnson kristineh@patentlegal.com

- U.Minn** **University of Minnesota**, contact Christian Thill for more information or a MTA. All lines listed have not yet been released (4/19/07).
- UW** University of Wisconsin (see WARF)
- UofId** University of Idaho, Idaho Agricultural Experiment Station, University of Idaho, Moscow, ID 83844. Phone: 208-885-7173, FAX: 208-885-6654
agres@uidaho.edu
- USDA** United State Department of Agriculture (various Research Stations, see variety descriptions for more detail). For US East coast releases from the USDA Genetic Improvement of Fruits and Vegetables Laboratory contact Kathleen Haynes: [Kathleen Haynes](#)
- WARF** Wisconsin Alumni Research Foundation: <http://www.warf.ws/technologies.jsp?techfield=Agriculture&msnum=474>; **Carl E. Gulbrandsen** 614 Walnut Street, 13th floor, Madison, WI 53726. **Emily Bauer** 608-262-8638, [Emily Bauer emily@warf.org](mailto:Emily.Bauer@warf.org); Fax: 608-263-1064, General Email: info@warf.org; <https://www.warf.org/technologies/summary/P140163US01.cmsx>
Also (2021): Maria Parlow, Wisconsin Alumni Research Foundation (WARF), Contract Manager. 614 Walnut Street, 13th floor, Madison, WI 53726. P: (608) 960-9831
- WSU** Washington State University (often in cooperation with the [Washington State Potato Commission](#))
- ZPC** ZPG in Leeuwarden, The Netherlands
- L. van Zanten** **L. van Zanten / TTI** = L. van Zanten Van Rijn - KWS B.V., Poeldijk, The Netherlands / **Tuberosum Technologies Inc.** (Canadian Agent) P.O. Box 271 Outlook, Saskatchewan, S0L 2N0, Canada, 306-867-9695 (or) Tuberosum Technologies Inc 780-484-9626 - 11720 170 Street NW, Edmonton, Alberta, Canada T5S 1J7

***2 Protection (nature of proprietary claim) in the US**

PVP = US Plant Variety Protection certificate issued or pending (see ; [PVP Certificates](#))

PVP-A = certificate issued (as of April 2014)

PVP-B = Application pending (as of April 2014)

PVP-C = PVP application in progress (by variety owner) - not considered 'protected' until application actually made but generally material protected by a **MTA** (Material Transfer Agreement) between supplier and buyer of seed stock.

PVP-Ab= PVP application abandoned

MTA = Advanced Breeding line/New variety - Material Transfer agreement required for certified production (in the USA, generally PVP application in progress). For example and more information see:

Oregon - https://agsci.oregonstate.edu/sites/agscid7/files/policy_governing_release_of_new_plant_varieties_and_germplasm_m1.pdf (Part VII)

Washington - <https://comotion.uw.edu/what-we-do/ip-advising-protection-and-licensing/material-transfer-agreements-mta/>

Special Notes & Abbreviations

NOTE: Provided for informational purposes only as noted in posted variety descriptions. See variety descriptions and/or contact variety owner for more specific information. No guarantees of performance implied.

GN = Golden nematode (see variety description for race)

LB = Late Blight

PLRV = Potato Leafroll Virus

PVA = Potato Virus A

Res.= Resistance show against