




INTRODUCING GIMMS-PC

A microcomputer version of the GIMMS mapping and graphics software package is currently under development for the IBM PC/PS range (including good compatibles).

This is a full implementation of GIMMS with the full system available as on mainframe and mini computers.



COMPUTER REQUIREMENTS

IBM PC/PS Range (or compatibles) MS-DOS or OS/2

- (1) IBM PC/AT or upwards (i.e. 80286 or 80386 processor)
- (2) Floating Point co-processor (i.e. 80287 or 80387 co-processor)
- (3) At least 3 Mbytes of memory (Extended memory for MS-DOS)
- (4) MS-DOS 3.3 (or later) OR OS/2 operating systems
- (5) Hard disk with at least 5 Mbytes available space
- (6) Parallel port with 25 pin D connector

GIMMS-PC has been in use at existing mainframe sites since March 1989, and a version of GIMMS-PC with menu enhancements will be available for general distribution during the summer of 1989.

For further information and prices, please contact:


Marlene Ferenth, Sales & Marketing, GIMMS LTD,
30 Keir Street, Edinburgh EH3 9EU, Scotland
Tel: (031) 668 3046 Fax: (031) 668 2104

MST

micro scientific techniques



Cartographic Instruments and Cutting Tools



Telephone your orders direct on

Ashtead (STD 03722) 76604

Where a small number of cutters are needed we can despatch within 48 hours. Larger orders can commence within the same period with fast follow up.

Have you tried our range of scribing instruments (tripods)? We now manufacture four:—

- | | |
|--------|--|
| MK.1 | Fixed Head |
| MK.11 | Rotary Head |
| MK.111 | Universal Head |
| MK.IV | Universal Head (Sapphire Ball Adjusters) |

Also ask for details of our cutter storage box which holds 30 cutters. It can be supplied with holes to accept any shank diameter.


P.O. Box 3
Ashtead Surrey KT21 2QD England

THE MAP SHOP (A. T. Atkinson & Partner)

15 High Street, Upton-upon-Severn, Worcs.
WR8 0HJ. Tel: (STD 06846) - 3146



Ordnance Survey & Foreign
Official Map Agents



We are agents for most
Official Mapping Authorities of
Europe, the USA, Canada, Australia,
New Zealand & many other areas of the world.

Please contact us for your map purchasing
requirements or for information
and index sheets etc.

With the compliments of -
A. T. ATKINSON & PARTNER,
THE MAP SHOP
15 HIGH ST., UPTON-ON-SEVERN, Worcs.
WR8 0HJ Tel. (STD 06846) - 3146

(Comprehensive shop or postal service)


ORDER CODES and PRINTING VALUES

Z 5% **A** 10% **B** 20% **C** 30% **D** 40% **E** 50% **F** 60% **G** 70% **H** 80% **I** 90%

Enlarged segments showing dot shape and negative tint values which are supplied.



Segments showing positive printing values — negative tints supplied to print these values.



TRUETONE BI-ANGLE TINTS

The Bi-angle Tint is a composite of two tints oriented 30 degrees apart and are recommended for screening thin lines to avoid loss of resolution as when lines would be parallel with a normal single angle screen. They are particularly useful in engineering reproduction, architectural, and topographic charts. Also, Bi-angle Tints are excellent for use in reversing small type in printing processes.

BI-ANGLE ORDER CODES and PRINTING VALUES

B 20% **C** 30% **D** 40% **E** 50% **F** 60% **G** 70% **H** 80%

Enlarged Segments of Negative Values Which Are Supplied



Segments Showing Positive Printing Values



TRUETONE TINTS

are produced from precisely controlled master tints which are manufactured to rigid standards in our own lab.

Value and uniformity are rigidly maintained through the use of special dot diameter measurement techniques and densitometry.

Tints are individually inspected by transmission and oblique light to insure maximum freedom from defects.

Densitrol Truetone Tints are available in the following sizes on easy to handle 7 mil polyester base film.

20 x 24" 35 x 45"
24 x 30" *40 x 48"
30 x 40" 48 x 60"

Process angles at 75 degree, 90 degree, and 105 degree are available in the same sizes as the standard 45 degree (black angle) tints at slightly higher prices.

* Maximum size available in 65, 85 and 100 line rulings.

TRUETONE LINE TINTS

Truetone Line Tints offer greater versatility than conventional tints. Twelve colors can be printed with line tints with a minimum of 15 degrees between colors. A single line tint oriented at 75 degrees with the emulsion down can be used at both 75 and 345 degrees if the tint is rotated 90 degrees and if then turned emulsion up it can be used at 15 and 105 degrees. Also, line tints can be used in combination to produce different values. Available in 65, 85, 100, 120, 133 and 150 line rulings.

LINE TINT ORDER CODES and PRINTING VALUES

B 20% **C** 30% **D** 40% **E** 50% **F** 60% **G** 70% **H** 80%

Enlarged Segments of Negative Values Which Are Supplied



Segments Showing Positive Printing Values




Available in 65, 85, 100, 120, 133 and 150 line rulings.



Arnold Cook (Graphic Arts) Ltd Riverside Maltings Stånstead Abbotts Ware Hertfordshire SG12 4HG England
Telephone Ware (0920) 870991 Telex 25102 Chacom G Prefix: Arncook

Analytical Plotter AP 190



Manufactured in Britain by

CARTOGRAPHIC ENGINEERING LTD.

- Simple precise Analytical Stereo Plotter
- Output to IBM PC/AT or compatible
- Complete suite of software written for PC-DOS or MS-DOS
- Utilising rigid mathematical formulae
- Real time parallax removal
- Accepts all photo formats up to 23 x 23 cms
- Developed by W. W. Carson

OTHER PRODUCTS

SB 100 Radial Line Plotter

SB 215 Zoom Stereosketch

SB 180 to SB 190 Modular Stereoscopes



CARTOGRAPHIC ENGINEERING LTD.
LANDFORD MANOR, LANDFORD,
SALISBURY, WILTSHIRE
SP5 2EW, ENGLAND.
Telephone: 0794 390392
Telex: 477575 Share G
Fax: 0794 390867

Parent Company
CARTOGRAPHICAL SERVICES (SOTON) LTD.
Aerial Photographers
Aerial and Ground Surveys
Digital Mapping
British Air Survey Association Member