

# DATASHEET

## FUJITSU DISPLAY B17-5 ECO DISPLAY

ADVANCED DISPLAY: 43 CM (17-INCH)  
BEST ERGONOMIC AND ENERGY SAVING SOLUTIONS FOR OFFICE APPLICATIONS

---

Due to its entry size the B17-5 ECO is ideal for very small desks. It combines outstanding ergonomic and energy saving solutions. The highly flexible stand with height adjust assures a healthy posture for long working sessions. The highlight especially for text-oriented office applications is the rotation to portrait.

Unique, high efficient energy saving solutions like ECO operation mode and ECO standby

Convenient and fatigue-proof longtime-usage with excellent visual ergonomics for the office

Optimized and relaxed position - with ergonomic stand featuring height adjust, swivel, tilt and 90° rotation

Flexible connectivity with DVI and Analog

Ready for remote inventory and administration tasks due to the DisplayView Manageability tools

Representative design with space saving front frame and smart details like discretely integrated speakers



# TECHNICAL DETAILS

## SPECIAL FEATURES

DisplayView™ IT Suite, 4-in-1 Stand, ECO button, ECO Status LED: 3 colors for 3 modes, Pivot

## ERGONOMIC STAND

Stand	4-in-1 Stand
Height adjust range	110 mm
Rotation to portrait	90°
Picture height over desk (min)	110 mm
Tilt angle	-5° / +20°
Swivel angle	90°

## PICTURE PERFORMANCE

Contrast - typical	1000:1
Response time typical	5 ms
Viewing angle (h/v)	170° / 170°
Color performance	16.7 million colors (Hi-FRC)
Brightness - typical	250 cd/m2

## SIZE AND RESOLUTION

Aspect ratio	5:4
Diagonal Size	43.2 cm (17-inch)
Resolution (native)	1280 x 1024 pixel (recommended)
Resolution (interpolated)	1024 x 768 pixel, 800 x 600 pixel, 640 x 480 pixel
Picture size	338 x 270 mm
Pixel Pitch	0.264 mm

## FREQUENCIES

Horizontal	30 - 82 kHz
Vertical	55 - 75 Hz

## CONNECTIVITY

Video input	1 x DVI, 1 x D-SUB
Audio sound output	2 x 1 W
Audio signal input	3.5 mm stereo phone jack

## EASE-OF-USE MENU

Languages	Dutch, English, French, German, Italian, Russian, Spanish, Swedish
Brightness / Contrast	Brightness, Contrast, Black level, Auto level
Color	sRGB, 6500K, 9300K, Native, Custom Color (R,G,B)
Image adjust	Clock, Phase, H-Position, V-Position
Audio	Mute, Volume
Information	Model name, S/N, Resolution/mode, Signal input
Setup	Input select, Language, DDC-CI, OSD-Position, OSD-Timeout, Factory recall

## POWER CONSUMPTION (TYPICAL, W/O SOUND)

Soft switch off	<0.1 W
Power save mode	<0.1 W
Operating with EPA settings	17 W
Operating maximum brightness	22 W

## ELECTRICAL VALUES

Rated voltage range	100 - 240 V
Rated frequency range	50 - 60 Hz
Protection class	1

## COMPLIANCE

Model	B17-5
Germany	GS

**COMPLIANCE**

<b>Europe</b>	CE certification according to EC Directive 2004/108/EEC, EN 60950
<b>USA/Canada</b>	FCC Class B, cUL
<b>Russia</b>	GOST
<b>China</b>	CCC
<b>Saudi Arabia</b>	SASO
<b>Global</b>	TCO'03, ENERGY STAR® 5.0, EPEAT® Silver, ISO9241-307 (Pixel fault class II), RoHS, IT-Eco-Declaration, WEEE
<b>Compliance link</b>	<a href="https://sp.ts.fujitsu.com/sites/certificates/default.aspx">https://sp.ts.fujitsu.com/sites/certificates/default.aspx</a>

**QUALITY AND RELIABILITY**

<b>MTBF (demonstrated)</b>	70000 h
----------------------------	---------

**DIMENSIONS / WEIGHT / ENVIRONMENTAL**

<b>Dimension without stand (W x D x H)</b>	373 x 62 x 322
<b>Dimension with stand (W x D x H)</b>	373 x 210 x 405
<b>Weight (packed)</b>	7.5 kg
<b>Weight (unpacked)</b>	5.1 kg
<b>Weight (Monitor only)</b>	3.5 kg
<b>Operating ambient temperature</b>	5 - 35°C

**MISCELLANEOUS**

VESA DDC/ CI, Standardized mounting interface VESA FP MP MI 100 mm, Kensington lock prepared

**PACKAGE CONTENT**

DVI-D Data cable 1.8m, D-SUB Data cable 1.8m , Audio cable 1.8m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8m, Quickstart flyer, Utility CD, Warranty booklet, Safety booklet  
Data cables and audio cable detachable on display

**ORDER INFORMATION**

<b>Order Code</b>	S26361-K1317-V140
<b>EAN-No.</b>	4049699064708

**WARRANTY**

<b>Standard Warranty</b>	3 years
<b>Service level</b>	Collect & Return Service (depending on country)
<b>Service Weblink</b>	<a href="http://ts.fujitsu.com/Supportservice">http://ts.fujitsu.com/Supportservice</a>

#### FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu Display B17-5 ECO, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

##### Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

##### Computing Products

[www.fujitsu.com/global/services/computing/](http://www.fujitsu.com/global/services/computing/)

##### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

#### MORE INFORMATION

Learn more about Fujitsu Display B17-5 ECO, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. <http://ts.fujitsu.com/displays>

#### FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at <http://www.fujitsu.com/global/about/environment/>



#### COPYRIGHTS

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [http://ts.fujitsu.com/terms\\_of\\_use.html](http://ts.fujitsu.com/terms_of_use.html)

Copyright © Fujitsu Technology Solutions

#### DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

#### CONTACT

FUJITSU Technology Solutions  
Website: <http://ts.fujitsu.com>  
2010-04-16 CE-EN