


FOR THE LATER STAGES OF...



TRYPARSAMIDE *May & Baker*

Tryparsamide has the power, not possessed by other arsenicals, of penetrating into the C.S.F. in a trypanocidally active form.

Supplied in ampoules of 1, 2 and 3 gm. Also available in boxes of 10 ampoules and in 'Bipoule' double ampoules.

**G.P.I. • TABES DORSALIS
VASCULAR NEUROSYPHILIS
MENINGO-VASCULAR SYPHILIS
CARDIO-VASCULAR SYPHILIS
INTERSTITIAL KERATITIS**



PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD., DAGENHAM

* DAGENAN- M&B 693 *

SULPHAPYRIDINE

IN THE TREATMENT OF GONORRHOEA

- ACTS RAPIDLY
- IS OF LOW TOXICITY
- OBVIATES DELAY
- REDUCES COMPLICATIONS

"There is no doubt in our minds that sulphapyridine is greatly superior to the other drugs in this series (the sulphonamides); it produces a more rapid curative effect, toxic effects are less severe, drug resistance is much less common (5.7 per cent.), and the complications of gonorrhœa are similarly low (4 per cent.) . . ."

*(From a report on the study of 949 cases,
"Brit. Med. J.," 15th June, 1940, P.962.)*

CONTAINERS OF 25 x 0.50 GM. AND 25 x 0.125 GM. TABLETS

By prescribing original containers whenever possible wastage due to repacking is prevented, thus serving the interest of National economy.

★ TRADE MARK



PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD., DAGENHAM

AMERICAN JOURNAL OF SYPHILIS, GONORRHŒA, AND VENEREAL DISEASES

Editor :

J. E. MOORE

Johns Hopkins University School of Medicine

Associate Editor :

PAUL PADGET

Advisory Editorial Board :

ALAN M. CHESNEY

Johns Hopkins U.

C. W. CLARKE

Am. S. H. Assn.

RUSSELL D. HERROLD

University of Illinois

J. MASON HUNDLEY, JR.

University of Maryland

EDWARD L. KEYES

Cornell University

PAUL A. O'LEARY

Mayo Clinic

THOMAS PARRAN, JR.

Surg. Gen., U. S. P. H. S.

P. S. PELOUZE

U. of Pennsylvania

JOHN H. STOKES

U. of Pennsylvania

R. A. VONDERLEHR

Asst. Surgeon General,

U. S. P. H. S.

This Journal is the only American publication devoted exclusively to the study of the venereal diseases. It is edited not only for the specialists in venerology, but also for the urologist, the obstetrician, the pediatrician, the internist and the general practitioner.

Not only will this Journal acquaint you with the new diagnostic aids for the detection of these infections and the new treatments developed for them, but it will offer invaluable assistance in managing the many complications of venereal infection frequently encountered in your practice.

Published bi-monthly.

Subscription rate : 37/6 per annum, post free.

THE C. V. MOSBY COMPANY, Publishers, St. Louis, U.S.A.

Agent for Great Britain :

HENRY KIMPTON, 26 HART STREET, LONDON, W.C.1

THE BRITISH JOURNAL OF UROLOGY

Edited by H. P. WINSBURY-WHITE, F.R.C.S.

Assistant Editor: ALEX E. ROCHE, F.R.C.S.

Vol. XII

SEPTEMBER, 1940

No. 3

CONTENTS

EDITORIAL NOTICES.

ORIGINAL ARTICLES—

INJURIES OF THE KIDNEY. By R. H. JOCELYN SWAN, M.S.(Lond.), F.R.C.S.

INJURIES OF THE BLADDER. By A. RALPH THOMPSON, Ch.M., F.R.C.S.

NOTES ON INTERESTING CASES—

ACCIDENTAL LIGATION OF BOTH URETERS. By DAVID SWARTZ, M.D.(Man.), F.R.C.S.(Edin.).

RADIOGRAPHIC DEMONSTRATION OF PROSTATIC ABSCESS. By SAMUEL E. LAST, M.D.

TIME-TABLE SHOWING UROLOGICAL WORK.

ABSTRACTS FROM CURRENT LITERATURE.

For these extensive abstracts alone, which are taken from the Medical Literature of the whole World, this Journal is of the greatest value to all who are interested in Urology.

INDEX TO CURRENT UROLOGICAL LITERATURE.

REVIEWS OF BOOKS.

The BRITISH JOURNAL of UROLOGY is published quarterly at 7s. 6d. (March, June, September and December), but Annual Subscriptions are accepted at the reduced rate of 25s. post free. U.S.A. and Canada, \$6.10.

Applications and orders should be addressed to the Publishers—

CONSTABLE & CO. LTD., 10 & 12 Orange Street, London, W.C.2

THE SUBCUTANEOUS ARSPHENAMINE



Tested in accordance with the Therapeutic Substances Acts, 1925, and approved for use under the V.D. Regulations, 1916.

Specific in—**SYPHILIS** in all its stages
and **GONORRHEAL** COMPLICATIONS

**EXTREME FACILITY OF INJECTION EITHER BY THE DEEP
SUBCUTANEOUS OR INTRAMUSCULAR ROUTES**

Brochures giving particulars of treatment and a résumé of reports on request from

**MODERN PHARMACALS LTD., 12 GUILFORD STREET,
LONDON, W.C.1**

Telephone: Holborn 3202.

Telegrams: "Pharmacals, Holb., London."

Arsenical Preparations in the TREATMENT OF SYPHILIS

TRADE MARK **NOVOSTAB** BRAND
Neoarsphenamine B.P.

Novostab possesses high therapeutic activity combined with low toxicity. It may be administered either in aqueous solution or dissolved in Thiostab (sterile sodium thiosulphate solution).

Approved by the Ministry of Health for use in Public Institutions.

TRADE MARK **STABILARSAN** BRAND
Arsphenamine Diglucoside

A stable compound of arsphenamine and glucose supplied in solution ready for use.

Approved by the Ministry of Health for use in Public Institutions.

TRADE MARK **SULPHOSTAB** BRAND
Sulpharsphenamine B.P.

The Arsphenamine compound recommended for deep subcutaneous or intramuscular injection. Particularly suitable for Congenital Syphilis.

Approved by the Ministry of Health for use in Public Institutions.



Literature sent on request :

**BOOTS PURE DRUG CO. LTD
NOTTINGHAM**

May & Baker

ARSENICALS



Whether you require an arsenical preparation for intravenous, intramuscular or oral administration, for the treatment of early or late syphilis, congenital syphilis, yaws, helminthiasis, or amoebic dysentery, there is a product to meet your need included in the May & Baker range.

***N.A.B. (NOVARSENOBILLON)**

Intravenous

For primary, secondary and tertiary somatic syphilis.

TRYPARSAMIDE MAY & BAKER

Intravenous

For parenchymatous neurosyphilis.

***ACETYLARSAN**

Intramuscular

For all stages of syphilis, including congenital syphilis, and yaws.

***STOVAR SOL**

Oral

For congenital syphilis, yaws, amoebic dysentery and helminthiasis.

**Trade Mark*



Pharmaceutical Specialities (May & Baker) Ltd.

DAGENHAM

Dependable Bismuth Products for use in Syphilis



TRADE MARK 'HYPOLOID' BRAND

BISMUTH METAL

0.2 gramme (gr. 3 approx.) in 1 c.c.
Suspended in a sterile isotonic glucose
solution.

Rubber-capped bottles of 5 c.c., 10 c.c.
and 25 c.c.

TRADE MARK 'HYPOLOID' BRAND

BISMUTH OXYCHLORIDE

0.1 gramme (gr. 1½ approx.) in 1 c.c.
Suspended in a sterile isotonic saline
solution.

Rubber-capped bottles of 25 c.c.

TRADE MARK 'BICREOL' BRAND

BISMUTH CREAM

Glass jars containing 1/2 oz. and 2 oz.

Burroughs Wellcome & Co.
offer only preparations
which attain to an exception-
ally high standard of purity
and precision.

The name, Burroughs
Wellcome & Co., remains a
safeguard to medical men
and their patients.

Literature to Medical
Men on request

8777B



BURROUGHS WELLCOME & CO., LONDON

H 3896

COPYRIGHT