



# VISAYA

N


E

T

**RECENT MARINE MOLLUSCS OF SANTA CATARINA STATE, SC, SOUTHERN  
BRAZIL REGION: A COMPREHENSIVE SYNTHESIS AND CHECK LIST**

Ignacio Agudo-Padrón, Mário Saraiva Bleicker & Kay Saalfeld

July 21, 2008



## Recent Marine Molluscs Of Santa Catarina State, Sc, Southern Brazil Region: A Comprehensive Synthesis And Check List

*\*Ignacio Agudo-Padrón, \*\*Mário Saraiva Bleicker*  
 Avulsos Malacológicos, Caixa Postal (P.O. Box) 010, 88010-970  
 Centro, Florianópolis, Santa Catarina, SC, Brasil.  
 \*E-mail: ignacioagudo@gmail.com; \*\*msbleicker@terra.com.br  
<http://www.malacologia.com.br>

&

*Kay Saalfeld*

Departamento de Ecologia e Zoologia - ECZ, Centro de Ciências Biológicas - CCB,  
 Universidade Federal de Santa Catarina - UFSC, Florianópolis, Santa Catarina, SC, Brasil.  
 E-mail: kaysaalfeld@yahoo.com.br


Based in our technical reports already published or in editorial process (Agudo & Saalfeld 2003, 2004; Agudo & Bleicker 2005 a-d, 2006 a-b, 2008 a-d; Agudo-Padrón et al 2007), a comprehensive synthesis of the general revision on the recent marine mollusks that happen in the geographical territory of Santa Catarina's State, SC (Fig. 1) is presented to proceed, product of twelve year-old exhaustive regional researches (between 1996 and 2008), understanding checklist of 608 known and reported species and subspecies, among them 10 POLYPLACOPHORA, 356 GASTROPODA, 223 BIVALVIA, 10 SCAPHOPODA, and 9 CEPHALOPODA, systematically distributed in 308 genus, 137 families and 5 classes, established until the month of March 2008, with base in wide bibliographical revision starting from the historical contributions of MORRETES (1949), GOFFERJÉ in BIGARELLA (1949) and MORRETES (1953), and the exam of copies deposited in Brazilian institutional and private collections, as well as of specimens obtained during field collections and/or for the road of sporadic donations.



**Fig. 1:** Some native marine shells of Santa Catarina State (Photos: Agudo-Padrón).

For a rapid and basic knowledge of the geographical area that he understands the present study, portion of the Brazilian region in the Southern Cone Atlantic Slope of South America (Fig. 2), consult our previous available regional contributions in the net (Agudo & Bleicker 2006; Agudo 2008).

The species like this striped they were examined with support in the approaches exposed in the specialized literature, including contributions of RIOS (1975, 1985, 1994), VALDÉS (2002) and THOMÉ et al (2004). The exposed systematic order, simplified, accompanies mainly RIOS (1994):



**Fig. 2:** Geographical localization of Santa Catarina State (red area) in the Southern region of Brazil (Top) and general aspect of your coastal strip (Buttom).

### Class POLYPLACOPHORA

(10 espécies, 4 genus, 1 family)

#### Family ISCHNOCHITONIDAE (10 species)

*Chaetopleura angulata* (Splengler, 1797)  
(Fig. 3)

*Chaetopleura asperrima* (Gould, 1852)

*Chaetopleura isabellei* (d'Orbigny, 1841)

*Chaetopleura sowerbiana* (Reeve, 1847)



**Fig. 3:** Common chiton *Chaetopleura angulata* (Splengler, 1797) of Santa Catarina State (Photo: Agudo-Padrón).

*Ischnochiton hartmeyer* Thiele, 1910

*Ischnochiton lopesi* Kaas, 1974

*Ischnochiton striolatus* (Gray, 1828)

*Ischnochiton pectinatus*  
(Sowerby, 1840)

*Stenoplax purpurascens*  
(C. B. Adams, 1845)

*Calloplax janeirensis* (Gray, 1828)

### Class GASTROPODA

(354 species, 176 genus, 80 families)

#### Family PLEUROTOMARIIDAE (1 species)

*Petrotrochus atlanticus* Rios & Matthews, 1968

#### Family FISSURELLIDAE (13 species)

*Cranopsis* (= *Puncturella*) *granulata*  
Seguenza, 1863

*Diodora cayenensis* (Lamarck, 1822)

*Diodora dysoni* (Reeve, 1850)

*Diodora harrassowitzi* (Ihering, 1927)

- Diodora meta* (Ihering, 1927)  
*Diodora patagonica* (d'Orbigny, 1847)  
*Diodora* sp.  
*Fissurellidea megatrema* d'Orbigny, 1841  
*Fissurella clenchi* Farfante, 1943  
*Fissurella rosea* (Gmelin, 1791)  
*Fissurella* sp.  
*Lucapinella limatula* (Reeve, 1850)  
*Lucapinella henseli* (Martens, 1900)
- Family ACMAEIDAE (1 species)  
*Collisella* (= *Acmaea*) *subrugosa* (d'Orbigny, 1846)
- Family TROCHIDAE (16 species)  
*Tegula patagonica* (d'Orbigny, 1840)  
*Tegula viridula* (Gmelin, 1791)  
*Calliostoma coppingeri* (E. A. Smith, 1880)  
*Calliostoma jucundum* (Gould, 1849)  
*Calliostoma depictum* Dall, 1927  
*Calliostoma jujubinum* (Gmelin, 1791)  
*Calliostoma adpersum* (Philippi, 1851)  
*Calliostoma axelolssoni* Quinn, 1992  
*Calliostoma echinatum* Dall, 1881  
*Calliostoma militaris* (Ihering, 1907)  
*Calliostoma barbouri* Clench & Aguayo, 1946  
*Calliostoma sapidum* Dall, 1881  
*Calliostoma rota* Quinn, 1992  
*Photinula blakei* (Clench & Aguayo, 1938)  
*Solariella carvalhoi* Lopes & Cardoso, 1958  
*Halistylus columna* Dall, 1890
- Family SKENEIDAE (2 species)  
*Cyclostremiscus pentagonus* (Gabb, 1873)  
*Cyclostremiscus beauui* (Fischer, 1857)
- Family TURBINIDAE (4 species)  
*Astraea latispina* (Philippi, 1844)  
*Astraea tecta* (Lightfoot, 1786)  
*Astraea olfersii* (Philippi, 1846)  
*Astraea phoebia* Röding, 1798
- Family TRICOLIIDAE (1 species)  
*Tricolia affinis* (C. B. Adams, 1850)
- Family SUGUENZIIDAE (1 species)  
*Seguenzia hapala* Woodring, 1928
- Family NERITIDAE (1 species)  
*Neritina virginea* (Linnaeus, 1758)
- Family PHENACOLEPADIDAE (1 species)  
*Phenacolepas hamillei* (Fischer, 1857)
- Family LITTORINIDAE (5 species)  
*Littorina lineata* d'Orbigny, 1841  
*Littorina flava* King & Broderip, 1832  
*Littorina ziczac* (Gmelin, 1791)  
*Littorina scabra angulifera* (Lamarck, 1822)  
*Littorina lineolata* d'Orbigny, 1840
- Family RISSOINIDAE (6 species)  
*Benthonella tenella* (Jeffreys, 1883)  
*Ceratia rustica* (Watson, 1885)  
*Rissoina indiscreta* Leal & Moore, 1989  
*Rissoina bryerea* (Montagu, 1803)  
*Rissoina catesbyana* d'Orbigny, 1842  
*Rissoina* sp.
- Family ASSIMINEIDAE (1 species)  
*Assiminea succinea* (Pfeiffer, 1840)
- Family CAECIDAE (7 species)  
*Caecum brasiliicum* Folin, 1874  
*Caecum* aff. *condylum* Moore, 1969  
*Caecum pulchellum* Stimpson, 1851  
*Caecum antillarum* Carpenter, 1857  
*Caecum strigosum* Folin, 1867  
*Caecum ryssotitum* Folin, 1867  
*Meioceras* (= *Caecum*) *cornucopiae* (Carpenter, 1858)
- Family VITRINELLIDAE (5 species)  
*Episcynia inornata* (d'Orbigny, 1842)  
*Solariorbis mooreana* (Vanatta, 1904)  
*Solariorbis shimeri* (Clapp, 1914)  
*Solariorbis shumoi* (Vanatta, 1913)  
*Teinostoma megastoma* (C. B. Adams, 1850)
- Family MODULIDAE (1 species)  
*Modulus modulus* (Linnaeus, 1758)
- Family CERITHIIDAE (2 species)  
*Cerithium atratum* (Born, 1778)  
*Bittium varium* (Pfeiffer, 1840)

- Family POTAMIDAE (1 species)  
*Batillaria minima* (Gmelin, 1791)
- Family VERMETIDAE (4 species)  
*Dendropoma annulatus* (Daudin, 1800)  
*Petalococonchus erectus* (Dall, 1888)  
*Petalococonchus varians* (d'Orbigny, 1841)  
*Serpulorbis decussatus* (Gmelin, 1791)
- Family DIASTOMATIDAE (1 species)  
*Finella dubia* (d'Orbigny, 1842)
- Family FOSSARIDAE (1 species)  
*Fossarus orbigny* Fischer, 1854
- Family STROMBIDAE (1 species)  
*Strombus pugilis* Linnaeus, 1758
- Family HIPPONICIDAE (3 species)  
*Hipponyx grayanus* Menke, 1853  
*Hipponyx subrufus* (Lamarck, 1819)  
*Hipponix* sp.
- Family CALYPTRAEIDAE (4 species)  
*Crepidula aculeata* (Gmelin, 1791)  
*Crepidula plana* Say, 1822  
*Crepidula protea* d'Orbigny, 1835  
*Calyptrea centralis* (Conrad, 1841)
- Family CAPULIDAE (1 species)  
*Capulus incurvatus* (Gmelin, 1791)
- Family NATICIDAE (10 species)  
*Natica limbata* d'Orbigny, 1840  
*Naticarius* (= *Natica*) *canrena* (Linnaeus, 1758)  
*Natica pusilla* Say, 1822  
*Natica isabelleana* d'Orbigny, 1840  
*Natica* sp.  
*Polinices hepaticus* (Röding, 1798)  
*Polinices lacteus* (Guilding, 1833)  
*Polinices uberinus* (d'Orbigny, 1842)  
*Sinum maculatum* (Say, 1831)  
*Sinum perspectivum* (Say, 1831)
- Family XENOPHORIDAE (2 species)  
*Onustus* (= *Xenophora*) *longleyi* Bartsch, 1931
- Onustus* (= *Xenophora*) *caribaeus* Petit, 1856
- Family CYPRAEIDAE (2 species)  
*Erosaria* (= *Cypraea*) *acicularis* Gmelin, 1791  
*Cypraea zebra* Linnaeus, 1758
- Family OVULIDAE (4 species)  
*Cyphoma signatum* Pilsbry & McGinty, 1939  
*Cyphoma intermedium* (Sowerby, 1828)  
*Cyphoma gibsonsmithorum* Petuch, 1987  
*Simnialena* (= *Simnia*) *uniplicata* (Sowerby, 1848)
- Family TRIVIIDAE (2 species)  
*Hespererato* (= *Erato*) *maugeriae* (Gray, 1832)  
*Niveria* (= *Trivia*) *maltbiana* (Schwengel & McGinty, 1942)
- Family LAMELLARIIDAE (2 species)  
*Lamellaria perspicua mopsicolor* E. Marcus, 1956  
*Lamellaria patagonica* E. A. Smith, 1881
- Family TONNIDAE (1 species)  
*Tonna galea* (Linnaeus, 1758)
- Family CASSIDAE (5 species)  
*Cypraecassis testiculus* (Linnaeus, 1758)  
*Phalium* (= *Semicassis*) *labiatum iheringi* Carcelles, 1953  
*Phalium* (= *Semicassis*) *granulatum* (Born, 1778)  
*Eudolium crosseanum* (Monterosato, 1869)  
*Semicassis granulatum peristephes* (Pilsbry & McGinty, 1939)
- Family RANELLIDAE (= CYMATIIDAE) (12 species)  
*Ranella olearium barcellosi* Mathews, Rios & Coelho, 1973  
*Ranella australasia gemnifera* (Euthyme, 1889)  
*Cabestana* (= *Cymatium*) *felipponei* (Ihering, 1907)  
*Charonia lampas pustulata* (Euthyme, 1889)  
*Cymatium femorale* (Linnaeus, 1758)  
*Cymatium labiosum* (Wood, 1828)  
*Cymatium nicobaricum* (Röding, 1798)

*Cymatium parthenopeum parthenopeum*  
(von Salis, 1793)  
*Linatella* (= *Cymatium*) *caudata*  
(= *cingulatum*) (Gmelin, 1791) (Fig. 4)



**Fig. 4:** *Cymatium cingulatum* (Gmelin, 1791), severe maricultural pest in Santa Catarina State (Photo: Agudo-Padrón).

*Linatella succinta* (Linnaeus, 1771)  
*Fusitriton brasiliensis* Cossignani &  
Cossignani, 2003  
*Fusitriton magellanicus* (Röding, 1798)

Family BURSIDAE (3 species)

*Bursa corrugata ponderosa* (Reeve, 1844)  
*Bursa latitudo natalensis* Coelho &  
Mathews, 1970  
*Bursa ranelloides tenuisculpta* (Dautzenberg &  
Fischer, 1906)

Family CERITHIOPSIDAE (4 species)

*Cerithiopsis gemmulusa* (C. B. Adams, 1839)  
*Cerithiopsis greenii* (C. B. Adams, 1839)  
*Cerithiopsis emersoni* (C. B. Adams, 1838)  
*Seila adamsi* (H. Lea, 1845)

Family TRIPHORIDAE (2 species)

*Triphora nigrocincta* (C. B. Adams, 1839)  
*Triphora pulchella* (C. B. Adams, 1850)

Family EPITONIIDAE (12 species)

*Epitonium albidum* (d'Orbigny, 1842)  
*Epitonium angulatum* (Say, 1830)  
*Epitonium georgettina* (Kiener, 1839)

*Epitonium humpheysii* (Kiener, 1838)  
*Epitonium krebsi* (Morch, 1874)  
*Epitonium novangliae* (Couthouy, 1838)  
*Epitonium nautlae* (Morch, 1874)  
*Epitonium tenuistriatum* (d'Orbigny, 1840)  
*Epitonium unifasciatum* (Sowerby, 1844)  
*Epitonium candeanum* (d'Orbigny, 1842)  
*Opalia crenata* (Linnaeus, 1758)  
*Opalia hotessieriana* (d'Orbigny, 1842)

Family JANTHINIDAE (3 species)

*Janthina janthina* (Linnaeus, 1758)  
*Janthina exigua* Lamarck, 1816  
*Recluzia rollandiana* Petit, 1853

Family EULIMIDAE (= STROMBIFORMIDAE;  
MELANELLIDAE) (7 species)

*Eulima* cf. *hemphilli* (Dall, 1884)  
*Eulima mulata* Rios & Absalão, 1990  
*Balcis breviscula* (Dunker, 1875)  
*Melanella arcuata* (C. B. Adams, 1850)  
*Melanella breviscula* (Dunker, 1875)  
*Melanella hebes* (Watson, 1883)  
*Melanella sarissa* (Watson, 1883)

Family ACLIDIDAE (1 species)

*Aclis underwoodae* (Bartsch, 1947)

Family MURICIDAE (15 species)

*Chicoreus* (= *Siratus*) *beauui* (Fischer &  
Bernardi, 1857)  
*Chicoreus* (= *Siratus*) *senegalensis*  
(Gmelin, 1790)  
*Chicoreus* (= *Siratus*) *tenuivaricosus*  
(Dautzenberg, 1927)  
*Phyllonotus pomum ocularis* (Reeve, 1845)  
*Muricopsis necocheana* (Pilsbry, 1900)  
*Favartia cellulosa* (Conrad, 1846)  
*Coronium* (= *Fulgurofusus*) *coronatum*  
(Penna-Neme & Leme, 1978)  
*Coronium elegans* Simone, 1996  
*Trachipollia turricula* (von Maltzan, 1884)

*Trachipollia* (= *Morula*) *nodulosa*  
(C. B. Adams, 1845)  
*Urosalpinx cala* (Pilsbry, 1897)  
*Urosalpinx haneti* (Petit, 1856)

*Trophon pelseneeri* E. A. Smith, 1915  
*Typhis cleryi* (Petit, 1842)  
*Typhis riosi* Bertsch & D'Attilio, 1980

Family CORALLIOPHILIDAE (3 species)

*Coralliophila aberrans* (C. B. Adams, 1850)  
*Latiaxis dalli* Emerson & D'Attilio, 1963  
*Latiaxis basilium* Neme & Leme, 1978

Family THAIDIDAE (2 species)

*Stramonita* (= *Thais*) *haemastoma*  
 (Linnaeus, 1767)  
*Thais mariae* Morretes, 1954

Family BUCCINIDAE (5 species)

*Metula anfractura* Matthews & Rios, 1969  
*Metula gigliottii* Coltro, 2005  
*Metula* sp.  
*Pisania auritula* (Link, 1807)  
*Pisania pusio* (Linnaeus, 1758)

Family COLUMBELLIDAE (15 species)

*Aesopus metcalfei* (Reeve, 1858)  
*Amphissa cancellata* (Castellanos, 1982)  
*Amphissa acuminata* (E. A. Smith, 1915)  
*Anachis* (= *Costoanachis*) *catenata*  
 (Sowerby, 1844)  
*Anachys lyrata* (Sowerby, 1832)  
*Anachis pulchella* (Blainville, 1829)  
*Anachis sertulariarum* d'Orbigny, 1841  
*Anachis* (= *Costoanachis*) *sparsa*  
 (Reeve, 1859)  
*Anachis isabellei* (d'Orbigny, 1841)  
*Anachis* (= *Parvanachis*) *obesa*  
 (C. B. Adams, 1845)  
*Anachis pulchella* (C. B. Adams, 1845)  
*Mazatlania* aff. *fulgurata* (Phillippi, 1846)  
*Mitrella argus* (d'Orbigny, 1842)  
*Mitrella lunata* (Say, 1826)  
*Suturoglypta hotessieriana* (d'Orbigny, 1842)

Family NASSARIIDAE (9 species)

*Nassarius albus* (Say, 1826)  
*Nassarius vibex* (Say, 1822)  
*Nassarius scissuratus* (Dall, 1889) =  
*coppingeri* (E. A. Smith, 1881)  
*Dorsanum moniliferum* (Valenciennes, 1834)

*Buccinanops duartei* Klappenbach, 1961  
*Buccinanops gradatum* (Deshayes, 1844)  
*Buccinanops lamarckii* (Kiener, 1834)  
*Buccinanops uruguayensis* (Pilsbry, 1897)  
*Buccinanops deformis* (King &  
 Broderip, 1832)

Family MELONGENIDAE (1 species)

*Pugilina morio* (Linnaeus, 1758)

Family FASCIOLARIIDAE (3 species)

*Fusinus frenguelli* (Carcelles, 1953)  
*Fusinus marmoratus* (Philippi, 1846)  
*Leucozonia nassa* (Gmelin, 1791)

Family VOLUTIDAE (12 species)

*Zidona dufresnei* (Donovan, 1823)  
*Zidona dufresneyi distincta* (Lahille, 1895)  
*Adelomelon ancilla* (Lightfoot, 1786)  
*Adelomelon beckii* (Broderip, 1836) (Fig. 5)



**Fig. 5:** *Adelomelon beckii* (Broderip, 1836) of Santa Catarina State, one of the largest gastropods of South America (Photo: Agudo-Padrón).

*Adelomelon* (= *Pachycymbiola*) *brasiliana* (Lamarck, 1811)  
*Adelomelon riosi* Clench & Turner, 1964  
*Odontocymbiola americana* (Reeve, 1856)  
*Odontocymbiola* (= *Minicymbiola*) *corderoi* (Carcelles, 1953)  
*Odontocymbiola magellanica* (Gmelin, 1791)  
*Odontocymbiola simulatrix* Leal & Bouchet, 1989  
*Odontocymbiola macaensis* Calvo & Coltro, 1997  
*Nanomelon viperinus* Leal & Bouchet, 1989

Family OLIVIDAE (20 species)

*Oliva circinata* Marrat, 1870 (= *reticularis* Lamarck, 1811)  
*Oliva fulgurator* (Röding, 1798)  
*Olivancillaria carcellesi* Klappenbach, 1965  
*Olivancillaria contortuplicata* (Reeve, 1850)  
*Olivancillaria deshayesiana* (Duclos, 1857)  
*Olivancillaria uretai* Klappenbach, 1965  
*Olivancillaria urceus* (Röding, 1798)  
*Olivancillaria vesica vesica* (Gmelin, 1791)  
*Olivancillaria vesica auricularia* (Lamarck, 1810) (Fig. 6)



**Fig. 6:** *Olivancillaria vesica auricularia* (Lamarck, 1810), common species in sandy beaches of Santa Catarina State (Photos: Agudo-Padrón).

*Ancilla dimidiata* (Sowerby, 1850)  
*Olivella nivea* (Gmelin, 1791)  
*Olivella petiolita* (Duclos, 1835)  
*Olivella defiorei* Klappenbach, 1964  
*Olivella minuta* (Link, 1807)  
*Olivella orejasmirandai* Klappenbach, 1986  
*Olivella puelcha* (Duclos, 1840)  
*Olivella formicacorsii* Klappenbach, 1962  
*Olivella* sp.  
*Agaronia travassosi* Morretes, 1938  
*Amalda josecarlosi* Pastorino, 2003

Family MARGINELLIDAE (3 species)

*Prunum* (= *Marginella*) *martini* (Petit, 1853)  
*Prunum* (= *Marginella*) *rubens* (Martens, 1881)  
*Volvarina pontesi* Rios & Leal, 1993

Family MITRIDAE (2 species)

*Mitra anfractura* Matthews & Rios, 1970  
*Mitra larranagai* (Carcelles, 1947)

Family CONIDAE (7 species)

*Conus clerii* Reeve, 1844  
*Conus clenchi* Martins, 1943  
*Conus villepini* Fischer & Bernardi, 1867  
*Conus xanthocinctus* Petuch, 1986  
*Conus mazei* Deshayes, 1874  
*Conus tostesii* Petuch, 1979  
*Conus* sp.

Family TURRIDAE (32 species)

*Cerodrillia perryae* Bartsch & Rehder, 1939  
*Drilliola* (= *Microdrillia*) *comatotropis* (Dall, 1881)  
*Splendrillia lissotropis* (Dall, 1881)  
*Polystira formosissima* (E. A. Smith, 1915)  
*Carinodrillia braziliensis* (E. A. Smith, 1915)  
*Fusiturricula taurina* (Olsson, 1922)  
*Compsodrillia tristicha* (Dall, 1889)  
*Compsodrillia* sp.  
*Pilsbryspira albomaculata* (d'Orbigny, 1842)  
*Pilsbryspira* sp.  
*Cochlespira elongata* Simone, 1999  
*Brachytoma rioensis* (E. A. Smith, 1915)  
*Stenodrillia* (= *Knepfastia*) *horrenda* (Watson, 1885)





*Cochlespira* cf. *elegans* (Dall, 1881)  
*Glyphostoma epicasta* (Bartsch, 1934)  
*Mangelia fusca* C. B. Adams, 1850  
*Mangelia quadrata* (Reeve, 1845)  
*Mangelia rugirima* (Dall, 1889)  
*Cryoturris adamsi* (E. A. Smith, 1884)  
*Kurtziella rhysa* (Watson, 1881)  
*Kurtziella dorvillae* (Reeve, 1845)  
*Granoturris* (= *Kurtziella*) *padolina*  
 Fargo, 1953  
*Ithythythara hyperlepta* Haas, 1953  
*Ithythythara lanceolata* (C. B. Adams, 1850)  
*Pyrgocythara albovittata* (C. B. Adams, 1845)  
*Pyrgocythara caribaea* (d'Orbigny, 1842)  
*Pyrgocythara guarani* (d'Orbigny, 1841)  
*Tenaturris fulgens* (E. A. Smith, 1888)  
*Pleurotomella aguayoi* (Carcelles, 1953)  
*Pleurotomella circumvoluta* (Watson, 1881)  
*Vepracula morra* (Dall, 1881)  
*Fenimorea* sp.

Family TEREBRIDAE (7 species)

*Terebra brasiliensis* (E. A. Smith, 1873)  
*Terebra doello-juradoi* Carcelles, 1953  
*Terebra gemmulata* Kiener, 1839  
*Terebra riosi* Bratcher & Cernohorsky, 1985  
*Terebra taurina* (Lightfoot, 1786)  
*Hastula cinerea* (Born, 1778)  
*Hastula hastata* (Gmelin, 1791)

Family ARCHITECTONICIDAE (3 species)

*Architectonica nobilis* Roding, 1798  
*Heliacus bisulcatus* (d'Orbigny, 1845)  
*Philippia uruguayana* (Carcelles, 1953)

Family PYRAMIDELLIDAE (17 species)

*Odostomia canaliculata* C. B. Adams, 1850  
*Odostomia laevigata* (d'Orbigny, 1842)  
*Odostomia muelleri* Clessin, 1900  
*Odostomia bisuturalis* (Say, 1822)  
*Odostomia seminuda* (C. B. Adams, 1837)  
*Fargoa* (= *Odostomia*) *bushiana* Bartsch, 1909  
*Chrysallida* (= *Odostomia*) *jadisi* Olsson &  
 McGinty, 1958

*Peristichia agria* Dall, 1889  
*Turbonilla uruguayensis* Pilsbry, 1897  
*Turbonilla pusilla* (C. B. Adams, 1850)  
*Turbonilla americana* (d'Orbigny, 1840)  
*Turbonilla dispar* Pilsbry, 1897  
*Turbonilla fasciata* (d'Orbigny, 1840)  
*Turbonilla interrupta* (Totten, 1835)  
*Turbonilla haycocki* Dall & Bartsch, 1911  
*Turbonilla abrupta* Bush, 1899  
*Turbonilla* sp.

Family CYLICHNIDAE (6 species)

*Cylichna* aff. *crispula* Watson, 1883  
*Cylichna verrillii* Dall, 1889  
*Acteocina bullata* (Kiener, 1834)  
*Acteocina bidentata* (d'Orbigny, 1841)  
*Acteocina candei* (d'Orbigny, 1842)  
*Acteocina inconspicua* Olsson &  
 McGinty, 1958

Family AMATHINIDAE (1 species)

*Iselica anomala* (C. B. Adams, 1850)

Family ACTEONIDAE (2 species)

*Acteon pelecais* Marcus, 1981  
*Mysouffa cumingii* (A. Adams, 1854)

Family BULLIDAE (1 species)

*Bulla striata* Bruguière, 1792

Family HAMINEIDAE (1 species)

*Haminoea elegans* (Gray, 1825)

Family RETUSIDAE (2 species)

*Pyrunculus caelatus* (Bush, 1885)  
*Volvulella persimilis* (Morch, 1875)

Family APLYSIIDAE (3 species)

*Aplysia juliana* Quoy & Gaimard, 1823  
*Aplysia brasiliiana* Rang, 1828  
*Aplysia dactylomela* Rang, 1828 (Fig. 7)



**Fig. 7:** Seaslug *Aplysia dactylomela* of Santa Catarina State (Photo: Agudo-Padrón).

Family PLEUROBRANCHIDAE (1 species)

*Pleurobranchus areolatus* Morch, 1836

Family ATLANTIDAE (1 species)

*Atlanta peronii* Lesuer, 1817

Family CAVOLINIIDAE (10 species)

*Cavolinia gibbosa* (d'Orbigny, 1836)

*Cavolinia inflexa imitans* (Pfeffer, 1879)

*Cavolinia tridentata* Niebuhr, 1775

*Cavolinia uncinata* (Rang, 1813)

*Cavolinia* sp.

*Diacria trispinosa* (Blainville, 1821)

*Cuvierina spoeli* Rampal, 2002

*Clio pyramidata lanceolata* (Lesueur, 1813)

*Creseis acicula* (Rang, 1802)

*Creseis* sp.

Family POLYCERIDAE (1 species)

*Polycera aurisula* Marcus, 1957

Family DORIDIDAE (2 species)

*Doris verrucosa* Cuvier, 1804

*Etidoris ladislavii* Ihering, 1886

Family DENDRODORIDIDAE (1 species)

*Dendrodoris krebsi* (Morch, 1863)

Family TRITONIIDAE (1 species)

*Marionia cucullata* (Gould, 1852)

Family ARMINIDAE (1 species)

*Armina mulleri* (Ihering, 1886)

Family GLAUCIDAE (= FAVORINIDAE) (1 species)

*Dondice occidentalis* (Engel, 1925)

Family AEOLIDIIDAE (= SPURILLIDAE) (1 species)

*Spurilla neapolitana* (Delle Chiaje, 1923)

Family PTEROTRACHEIDAE (1 species)

*Piroloida desmarestia* Lesueur, 1817

Family ONCHIDIIDAE (1 species)

*Onchidella indolens* (Gould, 1852)

Family TRIMUSCULIDAE (1 species)

*Trimusculus goesi* Hubendick, 1946

Family UMBRACULIDAE (1 species)

*Umbraculum* sp.

Family SIPHONARIIDAE (2 species)

*Siphonaria hispida* E. A. Smith, 1890

*Siphonaria lessoni* (Blainville, 1824)

Class BIVALVIA

(222 species, 118 genus, 48 families)

Family NUCULIDAE (2 species)

*Nucula semiornata* d'Orbigny, 1846

*Nucula puelcha* d'Orbigny, 1846

Family NUCULANIDAE (3 species)

*Nuculana larranagai* Klappenbach & Scarabino, 1968

*Adrana electa* (A. Adams, 1846)

*Adrana patagonica* (d'Orbigny, 1846)

Family NEILONELLIDAE (1 species)

*Neilonella acinula* Dall, 1889

Family ARCIDAE (8 species)

*Arca imbricata* Bruguiere, 1789

*Barbatia cancellaria* (Lamarck, 1819)

*Barbatia dominguensis* (Lamarck, 1819)

*Barbatia candida* (Helbling, 1779)

*Anadara brasiliiana* (Lamarck, 1819)

*Anadara chemnitzii* (Philippi, 1851)  
*Anadara notabilis* (Roding, 1798)  
*Anadara (Lunarca) ovalis* (Bruguère, 1789)

Family NOETIIDAE (2 species)

*Noetia bisulcata* (Lamarck, 1819)  
*Arcopsis adamsi* (Dall, 1886)

Family LIMOPSIDAE (1 species)

*Limopsis janeiroensis* E. A. Smith, 1915

Family GLYCYMERIDIDAE (3 species)

*Glycymeris longior* (Sowerby, 1833)  
*Glycymeris undata* (Linnaeus, 1758)  
*Glycymeris pectinata* (Gmelin, 1791)

Family MYTILIDAE (13 species)

*Brachidontes exustus* (Linnaeus, 1758)  
*Brachidontes solisianus* (d'Orbigny, 1846)  
*Mytella charruana* (d'Orbigny, 1842)  
*Mytella guyanensis* (Lamarck, 1819)  
*Perna perna* (Linnaeus, 1758)  
*Modiolus carvalhoi* Klappenbach, 1966  
*Lioberus castaneus* (Say, 1822)  
*Gregariella coralliophila* (Gmelin, 1791)  
*Musculus lateralis* (Say, 1822)  
*Musculus viator* (d'Orbigny, 1846)  
*Lithophaga bisulcata* (d'Orbigny, 1842)  
*Lithophaga patagonica* (d'Orbigny, 1847)  
*Myoforceps aristatus* (Dillwyn, 1817)

Family PTERIIDAE (2 species)

*Pteria colymbus* (Röding, 1798) = *Pteria*  
*hirundo* (Linnaeus, 1758)  
*Pinctada imbricata* Roding, 1798

Family ISOGNOMONIDAE (1 species)

*Isognomon bicolor* (C. B. Adams, 1845)

Family PINNIDAE (2 species)

*Pinna carnea* Gmelin, 1791  
*Atrina seminuda* (d'Orbigny, 1846)

Family LIMIDAE (3 species)

*Lima scabra* (Born, 1778)  
*Limaria inflata* Lamarck, 1819  
*Limaria pellucida* (C. B. Adams, 1846)

Family OSTREIDAE (8 species)

*Ostrea cristata* Born, 1778  
*Ostreola (= Ostrea) equestris* (Say, 1834)  
*Ostrea puelchana* d'Orbigny, 1841  
*Crassostrea gigas* (Thunberg, 1795)  
*Crassostrea rhizophorae* (Guilding, 1828)  
*Crassostrea brasiliiana* Lamarck, 1819 (Fig. 8)



**Fig. 8:** Shells of giant estuarine native oysters *Crassostrea* cf. *brasiliiana* Lamarck, 1819 of Santa Catarina State (Photo: Agudo-Padrón).

*Crassostrea virginica* (Gmelin, 1791)  
*Dendostrea (= Lophia) frons* (Linnaeus, 1758)

Family PLICATULIDAE (1 species)

*Plicatula gibbosa* Lamarck, 1801

Family PECTINIDAE (8 species)

*Chlamys muscosus* (Wood, 1828)  
*Chlamys sentis* (Reeve, 1853)  
*Chlamys tehuelchus* (d'Orbigny, 1846)  
*Argopecten (= Chlamys) gibbus*  
(Linnaeus, 1758)  
*Argopecten noronhensis* (E. A. Smith, 1885)  
*Leptopecten bavary* (Dautzenberg, 1900)  
*Nodipecten (= Lyropecten) nodosus*  
(Linnaeus, 1758) (Fig. 9)



**Fig. 9:** Native scallop *Nodipecten nodosus* (Linnaeus, 1758) of Santa Catarina State (Photo: Agudo-Padrón).

*Euvola* (= *Pecten*) *ziczac* (Linnaeus, 1758)

Family SPONDYLIDAE (1 species)

*Spondylus ictericus* Reeve, 1856

Family ANOMIIDAE (2 species)

*Anomia ephippium* Linnaeus, 1758

*Pododesmus rudis* (Broderip, 1834)

Family LUCINIDAE (9 species)

*Lucina pectinata* (Gmelin, 1791)

*Lucina rehderi* Britton, 1972

*Codakia costata* (d'Orbigny, 1842)

*Codakia orbicularis* (Linnaeus, 1758)

*Ctena* (= *Codakia*) *orbiculata* (Montagu, 1808)

*Ctena* sp.

*Linga amiantus* (Dall, 1901)

*Myrtea lens* (Verill & Smith, 1880)

*Lucina tixierae* (Klein, 1969)

*Divaricella quadrisulcata* (d'Orbigny, 1842)

Family THYASIRIDAE (1 species)

*Thyasira trisinuata* d'Orbigny, 1842

Family SPORTELLIDAE (1 species)

*Basterotia quadrata* (Hinds, 1843)

Family UNGULINIDAE (6 species)

*Diplodonta danieli* Klein, 1967

*Diplodonta patagonica* (d'Orbigny, 1842)

*Diplodonta punctata* (Say, 1822)

*Felaniela candeana* (d'Orbigny, 1842)

*Felaniela vilardeboana* (d'Orbigny, 1846)

*Phlyctiderma semiaspera* (Philippi, 1836)

Family CARDITIDAE (2 species)

*Carditamera floridana* Conrad, 1838

*Carditamera plata* (Ihering, 1907)

Family CONDYLOCARDIIDAE (1 species)

*Carditopsis smithii* (Dall, 1896)

Family CHAMIDAE (5 species)

*Chama congregata* Conrad, 1833

*Chama macerophylla* (Gmelin, 1791)

*Chama sarda* Reeve, 1847

*Pseudochama radians* (Lamarck, 1819)

*Arcinella brasiliiana* (Nicol, 1953)

Family CRASSATELLIDAE (5 species)

*Crassatella brasiliensis* (Dall, 1903)

*Crassatella riograndensis* Vokes, 1973

*Crassinella lunulata* (Conrad, 1834)

*Crassinella marplatensis* Castellanos, 1970

*Crassinella martinicensis* (d'Orbigny, 1842)

Family CARDIIDAE (6 species)

*Trachycardium manoeli* Prado, 1993

*Trachycardium muricatum* (Linnaeus, 1758)

*Papyridea soleniformis* (Bruguière, 1789)

*Nemocardium* (= *Microcardium*) *tinctum*

(Dall, 1881)

*Laevicardium brasilianum* (Lamarck, 1819)

*Laevicardium laevigatum* (Linnaeus, 1758)

Family MACTRIDAE (11 species)

*Mactra isabelleana* d'Orbigny, 1846

*Mactra marplatensis* Doello-Jurado, 1918

*Mactra patagonica* d'Orbigny, 1846

*Mactra fragilis* Gmelin, 1791

*Mactra iheringi* Dall, 1897

*Mactra petiti* d'Orbigny, 1846

*Mactra janeiroensis* E. A. Smith, 1915

*Macrellona alata* (Spengler, 1802)



*Mulinia cleryana* (d'Orbigny, 1846)  
*Anatina anatina* (Spengler, 1802)  
*Raeta plicatella* (Lamarck, 1818)

Family MESODESMATIDAE (1 species)  
*Mesodesma mactroides* Deshayes, 1854

Family SOLENIDAE (2 species)  
*Solen tehuelchus* d'Orbigny, 1843  
*Solen obliquus* Spengler, 1794

Family TELLINIDAE (23 species)  
*Tellina radiata* Linnaeus, 1758 (= *brasiliiana* Spengler, 1798)  
*Tellina diantha* Boss, 1964  
*Tellina exerythra* Boss, 1964  
*Tellina versicolor* De Kay, 1843  
*Tellina alternata* Say, 1822  
*Tellina angulosa* Gmelin, 1791  
*Tellina lineata* Turton, 1819  
*Tellina nitens* C. B. Adams, 1845  
*Tellina punicea* Born, 1778  
*Tellina aequistriata* Say, 1824  
*Tellina alerta* Boss, 1964  
*Tellina martinicensis* d'Orbigny, 1853  
*Tellina sandix* Boss, 1968  
*Tellina listeri* Roding, 1798  
*Tellina* sp.  
*Strigilla carnaria* (Linnaeus, 1758)  
*Strigilla pisiformis* (Linnaeus, 1758)  
*Macoma cleryana* (d'Orbigny, 1846)  
*Macoma tenta* (Say, 1834)  
*Macoma constricta* (Bruguère, 1792)  
*Macoma brevifrons* (Say, 1834)  
*Macoma uruguayensis* (E. A. Smith, 1885)  
*Temnoconcha brasiliiana* Dall, 1921

Family SEMELIDAE (8 species)  
*Semele casali* Doello-Jurado, 1949  
*Semele proficua* (Pulteney, 1799)  
*Semele purpurascens* (Gmelin, 1791)  
*Semele nuculoides* (Conrad, 1841)  
*Semele modesta* (Reeve, 1853)  
*Abra aequalis* (Say, 1822)  
*Abra lioica* (Dall, 1881)  
*Ervilia concentrica* (Holmes, 1860)

Family PSAMMOBIIDAE (7 species)  
*Sanguinolaria sanguinolenta* (Gmelin, 1791)  
*Sanguinolaria cruenta* (Lightfoot, 1786)  
*Solecortus cumingianus* (Dunker, 1861)  
*Solecortus sanctaemarthae* Orbigny, 1842  
*Gari* sp.  
*Tagelus plebeius* (Lightfoot, 1786)  
*Tagelus divisus* (Spengler, 1794)

Family DONACIDAE (3 species)  
*Donax gemmula* Morrison, 1971  
*Donax hanleyanus* Philippi, 1842  
*Iphigenia brasiliiana* (Lamarck, 1818)

Family GAIMARDIIDAE (1 species)  
*Gaimardia trapezina* (Lamarck, 1819)

Family VENERIDAE (25 species)  
*Ventricolaria rigida* (Dillwyn, 1817)  
*Gouldia cerina* (C. B. Adams, 1845)  
*Chione cancellata* (Linnaeus, 1767)  
*Chione pubera* (Bory Saint-Vicent, 1827)  
*Chione paphia* (Linnaeus, 1767)  
*Anomalocardia brasiliiana* (Gmelin, 1791)  
*Protothaca antiqua* (King & Broderip, 1835)  
*Protothaca pectorina* (Lamarck, 1818)  
*Protothaca* sp.  
*Tivela fulminata* (Valenciennes, 1827)  
*Tivela mactroides* (Born, 1778)  
*Tivela ventricosa* (Gray, 1838)  
*Tivela isabelleana* (d'Orbigny, 1846)  
*Tivela foresti* Fischer-Piette & Testud, 1967  
*Tranzenella stimpsoni* Dall, 1902  
*Pitar fulminatus* (Menke, 1828)  
*Pitar palmeri* Fischer-Piette & Testud, 1967  
*Pitar rostratus* (Koch, 1844)  
*Pitar circinatus* (Born, 1778)  
*Amiantis purpuratus* (Lamarck, 1818)  
*Callista* (= *Macrocallista*) *maculata* (Linnaeus, 1758)  
*Transepitar americana* (Doello-Jurado, 1951)  
*Dosinia concentrica* (Born, 1778)  
*Dosinia* sp.  
*Cyclinella tenuis* (Récluz, 1852)

Family PETRICOLIDAE (3 species)  
*Petricola lapicida* (Gmelin, 1791)

*Petricola stellae* Narchi, 1975  
*Petricola typica* (Jonas, 1844)

Family MYIDAE (1 species)

*Sphenia antillensis* Dall & Simpson, 1901

Family CORBULIDAE (3 species)

*Corbula caribaea* Orbigny, 1842  
*Corbula lyoni* Pilsbry, 1897  
*Corbula cubaniana* d'Orbigny, 1853

Family ERODONIDAE (1 species)

*Erodona mactroides* Bosc, 1802

Family GASTROCHAENIDAE (1 species)

*Gastrochaena hians* (Gmelin, 1791)

Family HIATELLIDAE (2 species)

*Hiatella arctica* (Linnaeus, 1767)  
*Panopea abbreviata* Valenciennes, 1839

Family PHOLADIDAE (7 species)

*Pholas campechiensis* Gmelin, 1791  
*Barnea truncata* (Say, 1822)  
*Cyrtoleura costata* (Linnaeus, 1758)  
*Cyrthopleura lanceolata* (d'Orbigny, 1846)  
*Martesia striata* (Linnaeus, 1758)  
*Martesia fragilis* Verrill & Bush, 1890  
*Martesia cuneiformis* (Say, 1822)

Family TEREDINIDAE (18 species)

*Teredo navalis* Linnaeus, 1758  
*Teredo bartschi* Clapp, 1923  
*Teredo fulleri* Clapp, 1924  
*Teredo* sp.  
*Lyrodus floridanus* (Bartsch, 1922)  
*Lyrodus pedicellatus* (Quatrefages, 1849)  
*Psiloterodo healdi* (Bartsch, 1922)  
*Neoterodo reynei* (Bartsch, 1920)  
*Spathoteredo spatha* (Jeffreys, 1860)  
*Nausitora fusticula* (Jeffreys, 1860)  
*Bankia carinata* (Gray, 1827)  
*Bankia gouldi* Bartsch, 1908  
*Bankia destructa* Clench & Turner, 1946  
*Bankia cieba* Clench & Turner, 1946  
*Bankia bagidaensis* (Roch, 1931)  
*Bankia rochi* (Moll, 1931)

*Bankia setacea* (Tryon, 1863)  
*Bankia martensi* (Stempell, 1899)

Family THRACIIDAE (2 species)

*Thracia similis* Couthony, 1839  
*Asthenothaerus rushii* (Pilsbry, 1897)

Family PERIPLOMATIDAE (1 species)

*Periploma ovata* d'Orbigny, 1846

Family PANDORIDAE (2 species)

*Pandora arenosa* Conrad, 1834  
*Pandora braziliensis* Sowerby, 1874

Family CUSPIDARIIDAE (2 species)

*Cardiomya ornatissima* (d'Orbigny, 1842)  
*Cardiomya perrostrata* (Dall, 1881)

Family VERTICORDIIDAE (1 species)

*Spinospella* sp.

Class SCAPHOPODA (10 species, 3 genus, 2 families)

Family DENTALIIDAE (9 species)

*Dentalium (Dentalium) americanum*  
 Chenu, 1843  
*Dentalium (Dentalium) laqueatum*  
 Verrill, 1885  
*Dentalium (Heteroschismoides) callithrix*  
 Dall, 1889  
*Dentalium (Antalis) ceratum* Dall, 1881  
*Dentalium (Antalis) disparile* d'Orbigny, 1842  
*Dentalium (Antalis) infractum* Odhner, 1931  
*Dentalium (Fissidentalium) carduum*  
 (= *floridense*) (Dall, 1889)  
*Graptacme perlongum* (Dall, 1881)  
*Graptacme semistriolatum* (Guilding, 1834)(3)

Family SIPHONODENTALIIDAE (1 species)

*Cadulus (Polyschides) tetraschistus*  
 Watson, 1879

Class CEPHALOPODA (9 species, 9 genus, 6 families)

Family SPIRULIDAE (1 species)

*Spirula spirula* Lamarck, 1801 (Fig. 10)



**Fig. 10:** Internal shells of *Spirula spirula* Lamarck, 1801 collected in beaches of Santa Catarina State (Photo: Agudo-Padrón).

Family LOLIGINIDAE (3 species)

*Loligo sanpaulensis* Brakoniecki, 1984

(= *L. brasiliensis* Blainville, 1823)

*Doryteuthis* (= *Loligo*) *plei* (Blainville, 1823)

*Lolingucula brevis* (Blainville, 1823)

Family OMMASTREPHIDAE (1 species)

*Illex argentinus* Castellanos, 1960

Family ARCHITEUTHIDAE (1 species)

*Architeuthis* sp.

Family OCTOPODIDAE (2 species)

*Octopus vulgaris* Cuvier, 1797 (Fig. 11)

*Scaevargus unicirrhus* (d'Orbigny, 1840)

Family ARGONAUTIDAE (1 species)

*Argonauta nodosa* Lightfoot, 1786 (Fig. 12)



**Fig. 12:** Shells of *Argonauta nodosa* Lightfoot, 1786 collected in beaches of Santa Catarina State (Photo: Agudo-Padrón).



**Fig. 11:** Common octopus, *Octopus vulgaris* Cuvier, 1797, of Santa Catarina State (Photos: Agudo-Padrón).

## REFERENCES

**Agudo, A. I.**

- 2008 Non marine mollusc diversity in Paraná State, Southern Brasil. IUCN/SSC Newsletter Tentacle, Honolulu, Hawaii - USA, (16): 10-13. Available in: < <http://www.hawaii.edu/cowielab/Tentacle.htm> >.

**Agudo, A. I. & Bleicker, M. S.**

- 2005a Malacofauna marinha catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. I: GASTROPODA. Informativo SBMa, Rio de Janeiro, 36 (151): 3-7.

**Agudo, A. I. & Bleicker, M. S.**

- 2005b Malacofauna marinha catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. II: BIVALVIA. Informativo SBMa, Rio de Janeiro, 36 (152): 4-7.

**Agudo, A. I. & Bleicker, M. S.**

- 2005c Malacofauna marinha catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. III: POLYPLACOPHORA, SCAPHOPODA, CEPHALOPODA. Informativo SBMa, Rio de Janeiro, 36(153): 5-6.

**Agudo, A. I. & Bleicker, M. S.**

- 2005d Malacofauna marinha catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. IV: Adenda: registros adicionais. Informativo SBMa, Rio de Janeiro, 36(154): 4-6.

**Agudo, A. I. & Bleicker, M. S.**

- 2006a Moluscos exóticos no Estado de Santa Catarina. Informativo SBMa, Rio de Janeiro, 37(157): 6-8.

**Agudo, A. I. & Bleicker, M. S.**

- 2006b First general inventory of the malacological fauna of Santa Catarina State, Southern Brasil. IUCN/SSC Internet Newsletter Tentacle, Honolulu - Hawaii, (14): 8-10. Available in: <http://www.hawaii.edu/cowielab/Tentacle.htm>.

**Agudo, A. I. & Bleicker, M. S.**

- 2008a Malacofauna marinha catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. V: Acréscimos ao cadastro de espécies. Informativo SBMa, Rio de Janeiro: ... In editorial process.

**Agudo, A. I. & Bleicker, M. S.**

- 2008b Malacofauna marinha catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. VI: Algumas considerações zoogeográficas regionais. I. Informativo SBMa, Rio de Janeiro: ... In editorial process.

**Agudo, A. I. & Bleicker, M. S.**

- 2008c Malacofauna marinha catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. VI: Algumas considerações zoogeográficas regionais. II. Informativo SBMa, Rio de Janeiro: ... In editorial process.

**Agudo, A. I. & Bleicker, M. S.**

- 2008d Malacofauna marinha catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. VII: Balanço geral da produção bibliográfica regional. Informativo SBMa, Rio de Janeiro: ... In editorial process.

**Agudo, I. & Saalfeld, K.**

- 2003 Registro da Ocorrência de Chitons (MOLLUSCA: POLYPLACOPHORA) no Litoral do Estado de Santa Catarina, SC, Região Sul do Brasil. Rio de Janeiro, RJ. Resumos XVIII Encontro Brasileiro de Malacologia: 195.

**Agudo, I. & Saalfeld, K.**

- 2004 Registro da Ocorrência de Escafópodes (MOLLUSCA: SCAPHOPODA) no Litoral do Estado de Santa Catarina - SC. Brasília, DF. Resumos XXV Congresso Brasileiro de Zoologia, Mollusca: 295.



**Agudo-Padrón, I.; Bleicker, M. S. & Saalfeld, K.**

- 2007 Moluscos marinhos ocorrentes no estado de Santa Catarina, região sul do Brasil: uma revisão geral. Rio de Janeiro, RJ: Resumos XX Encontro Brasileiro de Malacologia: 217.

**Bigarella, J. J.**

- 1949 Contribuição ao estudo da planície sedimentar da parte Norte da Ilha de Santa Catarina. Arq. Biol. Tecn. IBPT, Curitiba, 4: 107-140.

**Morretes, F. L.**

- 1949 Ensaio de Catálogo dos Moluscos do Brasil. Curitiba: Arquivos do Museu Paranaense, 7 (1): 5-216.

**Morretes, F. L.**

- 1953 Addenda e Corrigenda ao Ensaio de Catálogo dos Moluscos do Brasil. Curitiba: Arquivos do Museu Paranaense, 10 (2): 37-76.

**Rios, E. de C.**

- 1975 Brazilian Marine Mollusks Iconography. Museu Oceanográfico da FURG, 331 p., 91 pls.

**Rios, E. de C.**

- 1985 Seashells of Brazil. Fundação Cidade do Rio Grande/Fundação Universidade do Rio Grande, Museu Oceanográfico, 329 p., 102 pls.

**Rios, E. de C.**

- 1994 Seashells of Brazil. Fundação Universidade do Rio Grande, Museu Oceanográfico, 2nd. Edition, 329 p., 102 plts.

**Thomé, J. W.; Bergonci, P. E. A. & Gil, G. M.**

- 2004 As conchas das nossas praias: guia ilustrado. Pelotas, RS: Editora USEB, 96 p.

**Valdés, Á.**

- 2002 A phylogenetic analysis and systematic revision of the cryptobranch dorids (MOLLUSCA, NUDIBRANCHIA, ANTHOBRANCHIA). Zool. J. Linn. Soc., London - UK, 136 (4): 535-636.