

Istilah Teknologi Informasi Bahasa Indonesia

Pemrakarsa:

Pusat Bahasa

Jalan Daksinapati Barat IV

Rawamangun, Jakarta Timur, Indonesia

Telp: 021 489-6558, 470-6287, 470-6288

FAX : 021 475-0407, 470-6678

E-mail: kapusba@mweb.co.id

pusba@mweb.co.id

Tim istilah TI	glosti@aia.bppt.go.id (mailing list tim)
Titon Dutono	titon@eepis-its.ac-id.net (ketua tim)
Onno W. Purbo	onno@indo.net.id
Gunarso	gunarso@aia.bppt.go.id
Rully Soelaiman	rully@its-sby.edu, rully_s@hotmail.com
Abdul Gaffar Ruskhan	gaffarkan@plasa.com
Ellya Iswati	pusba@mweb.co.id
Web	<a href="http://nlp.aia.bppt.go.id/glosti/">http://nlp.aia.bppt.go.id/glosti/</a>

Komentar, koreksi, perbaikan istilah mohon disampaikan kepada tim di atas melalui e-mail.

Untuk aplikasi komersial,  
mohon untuk membicarakannya dengan Pusat Bahasa.

10Base2:10Base2:

10Base5:10Base5:

10BaseT:10BaseT:1

10baseT:10BaseT:

128-bit:128-bit:

16-bit:16-bit:

1-out-of-2 code:kode 1 dari 2:

24-bit:24-bit:

32-bit:32-bit:1

32-bit:32-bit:

3COM :3COM:

3D/stereo scene analysis:analisa pemandangan secara 3D/stereo:

64-bit:64-bit:

7 - layer reference model:model referensi 7 lapis:1

8-bit:8-bit:

A/D converter:konvertor A/D:

ABC computer:komputer ABC:1

abend recovery program:program pemulihan aben:1

abnormal ending (abend):pengakhiran abnormal:1

abnormal event:peristiwa abnormal:1  
abnormal event (interrupt type):kejadian abnormal:  
abort:menggugurkan:1  
abort (a transaction):gugur:  
abort (a transaction):henti paksa:1  
absolute address:alamat mutlak:1  
absolute address:alamat mutlak:  
absolute addressing:pengalamatan mutlak:1  
absolute addressing:pengalamatan mutlak:  
absolute error:galat absolut:1  
absolute form for time:bentuk absolut waktu:  
absolute program:program absolut:1  
absolute reference:acuan absolut:1  
absolute reference:referensi absolut:  
abstract class:kelas abstrak:1  
abstract class:kelas abstrak:  
abstract data type:tipe data abstrak:1  
ABSTRACT DATA TYPE::1  
abstract data types:tipe data abstrak:  
abstract data types:tipe data abstrak:  
abstract data types (ADT):tipe data abstrak:  
abstract interpretation:interpretasi abstrak:  
abstract machine:mesin abstrak:1  
abstract operation:operasi abstrak:  
abstract syntax:sintaksis abstrak:  
abstract syntax notation:notasi sintaksis abstrak:  
abstract system:sistem abstrak:  
abstract window toolkit:alat jendela abstrak:  
abstracting methods:metode pengabstrakan:  
abstracting program:program pengabstrakan:1  
abstraction:abstraksi:1  
abstraction:abstraksi:  
abstraction :abstraksi:1  
abstraction space:ruang abstraksi:  
abuse and crime involving computers:kekerasan dan kejahatan mengkaitkan komputer:DELETE  
abuse and crime involving computers:kekerasan dan kejahatan mengkaitkan komputer:DELETE  
ac:ac:  
academy one teleolympics::  
ACAP :ACAP:  
accelerated graphic port (AGP):porta grafik terakselerasi:1  
accelerated test:test terakselerasi:  
accelerator board:papan akselerator:1  
accelerator card:kartu akselerator:  
accelerator cards:kartu akselerator:1  
accelerator cards:kartu akselerator:  
accelerator chart:bagan akselerator:1

accelerator program:program akselerator:1  
accept:menerima:DELETE  
ACCEPT ON:ACCEPT ON:1  
ACCEPT ON:ACCEPT ON:  
acceptable:berterima:DELETE  
acceptable quality level:tingkat kualitas berterima:  
acceptable use policy (AUP):AUP:  
acceptance:penerimaan:DELETE  
acceptance criteria:kriteria penerimaan:  
acceptance inspection:inspeksi penerimaan:  
acceptance number:angka penerimaan:  
acceptance test:tes penerimaan:  
acceptance test:uji penerimaan:1  
acceptance testing:pengujian penerimaan:1  
acceptance testing:tes penerimaan:  
acceptance testing:tes penerimaan:  
acceptance testing:tes penerimaan:  
acceptance testing:tes penerimaan:  
acceptance testing:tes penerimaan:  
acceptance testing:uji keberterimaan:1  
acceptance testing:uji keberterimaan:1  
acceptance testing:uji keberterimaan:1  
accepting:penerimaan:DELETE  
accepting station:stasiun penerima:  
acceptor:penerima:1  
access:akses:1  
access:akses:  
access address:alamat akses:1  
access arm:lengan akses:1  
access arm:lengan akses:  
access arm:tangan akses:1  
"access arm, disk":lengan akses:  
access attribute:atribut akses:  
access channel:kanal akses:1  
access charge:biaya akses:  
access code:kode akses:1  
access code :kode akses:  
access code file:berkas kode akses:1  
access code file:berkas kode akses:  
access condition:kondisi akses:  
access control:kendali akses:1  
access control:kendali akses/kontrol akses:1  
access control:kontrol akses:  
access control field:isian kontrol akses:  
access control list: daftar kendali akses:1  
access control list:senarai kontrol akses:

access control matrix: matriks kendali akses:1  
access control matrix:matriks kontrol akses:  
access control mechanism:mekanisme kontrol akses:  
Access controls:kontrol akses:  
access controls directories:direktori kendali akses:1  
access controls directories:direktori kontrol akses:  
access cycle:siklus akses:1  
access delay:delay akses:  
access delay:tunda akses:1  
access delay:tundaan akses:1  
access exception:eksepsi akses/akses:  
access file:berkas akses:1  
access files:berkas akses:1  
access gap:celah akses:  
access key:kunci akses:  
access level:tingkat akses:  
access level file:berkas aras akses:1  
access level file:berkas aras akses:  
access levels:aras akses:1  
access line:garis akses:  
access mechanism:mekanisme akses:1  
access mechanism:mekanisme akses:1  
access mechanism:mekanisme akses:  
access mechanism:mekanisme akses:  
access method:metode akses:1  
access method:metode akses:1  
access method:metode akses:  
access method services:layanan metode akses/akses:  
access methods:metode akses:1  
access methods:metode akses:  
access methods:metode akses:  
access mode:model akses:  
access mode:ragam akses:  
access network:jaringan akses:1  
access network:jaringan akses:  
access path:lintasan akses:  
access path data:lintasan akses data:  
access permission:ijin akses:1  
access permission:izin akses:  
access protocol:protokol akses:1  
access protocol:protokol akses:  
access provider:penyelenggara akses:  
access provider::  
access right:hak akses:1  
access right:hak akses:1  
access right:hak akses:

istilah-ti-indonesia

access right:hak akses:  
access rights (to files and directories):hak akses (ke berkas & direktori):  
access scheme:skema akses:1  
Access schemes:skema akses:  
access sequential:akses berurutan:  
access time:waktu akses:1  
access time:waktu akses:1  
access time:waktu akses:1  
access time:waktu akses:1  
access time:waktu akses:  
access time:waktu akses:  
access time:waktu akses:  
access time (disc):waktu akses (cakram):  
access time (disc):waktu akses (cakram):  
access time (main storage):waktu akses (penyimpan utama):  
access time (main storage):waktu akses (penyimpan utama):  
access to data:akses ke data:DELETE  
access to file(s):akses ke berkas:DELETE  
access to files:akses ke berkas:  
accessibility:kemudahan masuk; aksesibilitas:  
accessible:dapat menerima:  
accessing gopher:pengaksesan gopher:  
accessor:aksesor:  
accessor control:kontrol aksesor:  
accessor controller:pengontrol aksesor:  
accessories:aksesori:  
accessory:aksesori; pelengkap:  
accident:kecelakaan:  
accidental error:kesalahan kebetulan:  
accommodated location:lokasi berakomodasi:  
accommodation:akomodasi:  
accordion:akordion:  
account:akun:  
account (FTP):account (FTP):  
account executive:eksekutif akun:1  
account executive:eksekutif akun:  
account number:bilangan perkiraan:  
account number:nomor akun:  
account number:nomor rekening:  
accountability:keterkiraan; akuntabilitas:  
accounting:perakunan/akunting:  
accounting:perakunan/akunting:  
accounting board:papan akuntansi:  
accounting exit-routine:rutin-keluar akunting:  
accounting file:berkas akuntansi:  
accounting information:informasi akuntansi:

istilah-ti-indonesia

accounting information system (AIS):sistem informasi akuntansi (AIS):1  
accounting information system (AIS):sistem informasi akuntansi (AIS):  
accounting information system (AIS):sistem informasi akuntansi (AIS):  
accounting machine:mesin akunting/perakunan; mesin akuntansi:  
accounting machines:mesin akuntansi:1  
accounting machines:mesin akunting/perakunan; mesin akuntansi:  
accounting MIS:SIM perakuntansian:DELETE  
accounting plus:akuntansi plus:1  
accounting plus:akuntansi plus:  
accounting routine:rutin akuntansi; rutin akunting:  
accounting software:perangkat akuntansi; perangkat akunting:  
accounting software:perangkat akuntansi; perangkat akunting:  
accounting software:perangkat lunak akuntansi:1  
accounting systems and knowledge base:sistem akuntansi dan basis pengetahuan:1  
accounting systems and knowledge base:sistem akuntansi dan basis pengetahuan:DELETE  
accreditation:akreditasi:  
accreditation:akreditasi:  
accumulate:mengakumulasi:  
accumulating reproducer:reproduser penumpukan:  
accumulating totals:total penumpukan:  
accumulation:akumulasi:  
accumulation file:berkas penghimpunan:  
accumulation principle:prinsip akumulasi:  
accumulator: akumulator:1  
accumulator:akumulator:1  
accumulator:akumulator:  
accumulator:akumulator:  
accumulator latch:grendel akumulator:  
accumulator register:register akumulator:  
accuracy:ketelitian; ketepatan:  
accuracy control character:karakter kontrol ketelitian:  
accuracy data:akurasi data:  
accuracy document:dokumen akurasi:1  
accuracy document:dokumen akurasi:  
accuracy in data entry:akurasi dalam entri data:DELETE  
accuracy in data input:akurasi dalam masukan data:DELETE  
ACE:ACE:  
achievable:dapat mencapai:  
achromatic color:warna akromatik:  
acid value:nilai asam:  
activity file:berkas aktifitas:  
ACK:ACK:  
acknowledge:tanggapan:  
acknowledge character:karakter pengakuan:  
acknowledge character:karakter tanggapan:1  
acknowledge character :karakter balas:1

acknowledge character (ACK):huruf pengakuan/tanggapan:  
acknowledgement:pengakuan:  
acknowledgement scheme:skema pengakuan:  
acknowledgment:pengakuan:  
acknowledgment:salam balas:1  
acclinic line:garis aklinik:  
a-contact:a-kontak:  
acorn tube:tabung buah k:  
acoustic:akustik:  
acoustic coupler:pasangan akustik:1  
acoustic coupler:penggandeng akustik:1  
acoustic coupler:penggandeng akustik:  
acoustic delay line:saluran kelambatan akustik:  
acoustic feedback:umpan balik akustik:  
acoustic filter:filter akustik:  
acoustic impedance:rintangan/impedans akustik:  
acoustic impedance density:densitas impedans akustik:  
acoustic load:beban akustik:  
acoustic memory:memori akustik:1  
acoustic memory:memori akustik:  
acoustic memory (H):memori akustik:  
acoustic modem:modem akustik:1  
acoustic reactance:reaktansi akustik:  
acoustic signal:sinyal akustik:  
acoustic storage:penyimpan akustik:  
acoustic theory:teori akustik:  
acoustical coupler:penggandeng akustis:  
acoustics:akustik:  
acquaintance:pengetahuan; pengenalan:  
acquirer::  
acquiring information systems purchasing a package::1  
acquiring information systems purchasing a package::DELETE  
acquisition:perolehan:  
acquisition::  
acquisition of signal:perolehan sinyal:  
acquisition of software:akuisisi perangkat lunak:1  
acquisition of software:akuisisi perangkat lunak:  
ACR:ACR:  
acronym :akronim:  
ACROSS clause:klausa ACROSS:DELETE  
across clause:klausa silang:1  
acrylic resin:resin akrilik:  
act:aksi:  
actin:aktin:  
action:aksi; tindakan:  
action expression ::

action operator:operator aksi:  
action procedure:prosedur aksi:1  
action stage (Kolb-Frohman model):tingkat aksi:1  
action stage (Kolb-Frohman model):tingkat aksi:  
action state ::  
activate:pengaktifan:  
activation:aktivasi:  
activation::  
activation of block:blok aktivasi:  
active:aktif:  
active adress key:kunci alamat aktif:  
active area:area aktif:  
active balance:imbang aktif:  
active cell:sel aktif:1  
active cell:sel aktif:  
active class ::  
active component:komponen aktif:  
active data dictionary:kamus data aktif:  
Active Data Object:ACTIVE DATA OBJECT:OBJEK DATA AKTIF  
active disk table:tabel cakram aktif:  
active document:dokumen aktif:  
active error handling::  
active file:berkas aktif:1  
active hub:hub aktif:1  
active logic:logika aktif:  
active matrix display::  
active object::  
active program:program aktif:1  
active quality assurance::  
active redundancy:redudansi aktif:  
active redundancy::  
active satellite:satelit aktif:  
active star:bintang aktif:  
active star topology:topologi bintang aktif:1  
active state:keadaan aktif:1  
active window:jendela aktif:1  
active window:jendela aktif:1  
active window:jendela aktif:  
active window:jendela aktif:  
active x::  
active-high:aktif-tinggi:  
active-low:aktif-rendah:  
active-matrix LCD:LCD matriks aktif:1  
ActiveMovie :ActiveMovie:  
ActiveX:AktifX:  
activity::



activity diagram ::  
activity file:berkas aktifitas:  
activity file:berkas aktivitas:1  
activity loading:pemuatan aktivitas:  
activity log sheet:lembatang log aktivitas:  
activity rate:laju ke aktifan:  
activity ratio:rasio aktifitas:  
activity specifications:spesifikasi aktifitas:  
activity specifications:spesifikasi aktivitas:1  
activity specifications:spesifikasi aktivitas:1  
activity specifications:spesifikasi aktivitas:  
actuating signal:sinyal aktuasi:1  
actuator:aktuator:1  
actuator:aktuator:  
actuator:aktuator:  
ACU:ACU:  
acyclic:takberkala:  
acyclic generator:generator asiklik:  
AD converter:konverter AD:1  
A-D converter:konverter analog-ke-digital:  
A-D converter:konverter analog-ke-digital:  
ada:ADA:  
ADA language:bahasa ADA:1  
adamagic::  
adaptability:daya suai; adaptabilitas:  
adaptable architecture:arsitektur beradaptasi:1  
Adaptable architectures:arsitektur penyesuai:  
adapter:adapter:1  
adapter board:papan adapter:1  
adapter card:kartu adapter:1  
adapter card:kartu adapter:1  
adapting:persesuaian:DELETE  
adaptive:adaptif:DELETE  
adaptive:kemampuan menyesuaikan; adaptif:DELETE  
adaptive allocation:alokasi adaptif:1  
adaptive allocation:alokasi adaptif:  
adaptive bridge:jembatan adaptif:1  
adaptive bridge:jembatan adaptif:  
adaptive bridge:jembatan adaptif:  
adaptive control:kontrol persesuaian:  
adaptive control system:sistem kontrol adaptif:  
adaptive controller:pengontrol adaptif:  
adaptive design:desain adaptif:1  
adaptive design:desain adaptif:1  
adaptive design:desain adaptif:  
adaptive design:desain adaptif:

adaptive maintenance:perawatan adaptif:1  
adaptive maintenance ::  
adaptive retransmission:transmisi adaptif:1  
adaptive retransmission:transmisi ulang adaptif:  
adaptor:adaptor:  
adaptor base:dasar adaptor:  
adaptor check:tilikan/cek penyadur:  
adaptor control:kontrol adaptor:  
ADC:ADC:  
add instruction:instruksi jumlah:1  
add instruction:instruksi jumlah:  
add instruction:intruksi tambah:1  
adder:penambah:1  
adder:penjumlah:1  
adder:penjumlah:  
adder-subtractor:penjumlah-pengurang:1  
add-in card:kartu tambahan:  
add-in memory:memori tambah:1  
adding machines:mesin penambah:  
adding records:rekaman tambahan:1  
adding records:rekaman tambahan:1  
adding records:rekaman tambahan:  
adding records:rekaman tambahan:  
add-on:tambahan:  
add-on :pasang tambah:1  
add-on memory:memori penambah-atas:  
addrer:penjumlah:  
address:alamat:1  
address:alamat:  
address:alamat:  
address adjustment:pencocokan alamat:  
address administration:administrasi alamat:  
address all zeros:semua alamat nol:  
address all zeros suffix:alamat dengan seluruh sufiks nol:  
address and data buses:bus alamat dan data:DELETE  
address array:larik alamat:1  
address assignment:pemuatan alamat:  
address assignment:penentuan alamat:1  
address binding:pengikatan alamat:1  
address binding:penyatuan alamat:  
address book:buku alamat:1  
address buffer:penyangga alamat:1  
address buffer:penyangga alamat:1  
address buffer:penyangga alamat:  
address buffer:penyangga alamat:  
address bus:bus alamat:1

address bus:bus alamat:1  
address bus:bus alamat:1  
address bus:bus alamat:  
address bus:bus alamat:  
address bus:bus alamat:  
address class:kelas alamat:  
address data:data alamat:1  
address decoder:dekoder alamat:1  
address decoder:dekoder alamat:1  
address decoder:dekoder alamat:  
address destination:alamat tujuan:  
address error: galat alamat:1  
address error:galat alamat:1  
address error:galat alamat:  
address field:medan alamat:  
address field(IE): medan alamat:1  
address field(IE):medan alamat:  
address format:format alamat:  
address generation:generasi alamat:  
address generation:generasi alamat:  
address generation interlock (AGI):antarkunci pembangkitan alamat:  
address interleave:bersela alamat:  
address key:kunci alamat:  
address line:garis alamat:  
address locking:penguncian alamat:  
address locking :penguncian alamat:1  
address loopback:alamat pengulangan/perputaran:  
address map: peta alamat:1  
address map:peta alamat:  
address mapping:pemetaan alamat:  
address mapping:pemetaan alamat:  
address mark:tanda alamat:  
address mark search:cari tanda adres:  
address marker:penanda/pemarkah alamat:  
address mask:masker alamat:1  
address mask:topeng alamat:  
address mask reply:balasan topeng alamat:  
address mask request:permintaan topeng alamat:  
address method:metode alamat:  
address mode:ragam alamat:  
address modification:modifikasi alamat:  
address modifier:pemodifikasi alamat:  
address network prefix:prefiks alamat jaringan:  
address parameter:parameter alamat:1  
address parameter:parameter alamat:  
address part:bagian alamat:

address protocol:alamat protokol:  
address reference:referensi alamat:  
address reference:rujukan alamat/acuan alamat:1  
address register:register alamat:1  
address register:register alamat:1  
address register:register alamat:  
address register:register alamat:  
address resolution:resolusi alamat:  
address resolution closed-form:bentuk tertutup alamat resolusi:  
address resolution message exchange:pertukaran berita alamat resolusi:  
address resolution protocol:protokol alamat resolusi:  
Address Resolution Protocol (ARP):Protokol Resolusi Alamat (ARP):1  
address resolution table lookup:tabel resolusi alamat:  
address source:alamat sumber:  
address space:ruang alamat:  
address vector:vektor alamat:1  
addressable memory:memori beralamat:1  
addressable memory:memori dapat alamat:1  
addressing:pengalamatan:1  
addressing:pengalamatan:1  
addressing:pengalamatan:  
addressing:pengalamatan:  
addressing characters:karakter pengalamatan:  
addressing exception:aksepsi pengalamatan:  
addressing fault:salah pengalamatan:1  
addressing fault:salah pengalamatan:  
addressing level:tingkat alamat:  
addressing list:daftar/senarai alamat:  
addressing mode:ragam pengalamatan:  
addressing mode:ragam pengalamatan/mode pengalamatan:1  
addressing modification:modifikasi alamat:  
addressing range:tingkat pengalamatan:  
addressless instruction format:format instruksi tan alamat:  
address-size prefix:prefiks ukuran alamat:  
adequacy:kecukupan:  
adhesion:adhesi:  
adhesion coefficient:koefisien adhesi:  
adiabatic expansion:ekspansi adiabatik:  
adjacency:bersebelahan; berdampingan:  
adjacent:sandingan:  
adjacent domain:domain dekat:  
adjacent node:simpul dekat  
adjoint:berdampingan  
adjust:menyetel  
adjustable:dapat disetel  
adjustable array:susunan disesuaikan

adjustable dimension:dimensi disesuaikan  
adjustable extent:tingkat persesuaian  
adjustable voltage generator:generator voltase disesuaikan  
adjustable-size aggregate:agregasi ukuran tersesuaikan  
adjusting device:alat setel  
adjustment:penyesuaian; penyetaraan  
administration:administrasi  
administrative data processing:olah data administrasi  
administrative operator:operator administratif  
administrative operator station:stasiun operator administratif  
administrative security:sekuritas administratif  
administrator:administrator:  
admissible:dapat diterima:  
admittance:masuk:  
admittance chart:senarai masuk:  
admittance matrix:matriks admitansi:  
ADP:ADP:  
ADPCM:ADPCM:  
addressing mode:ragam pengalamatn:  
ADSL:ADSL:  
adsorption:jerapan; adsorpsi:  
ADU:ADU (unit pencakraan automatik):  
advance estimate:dugaan awal:  
advanced control:kontrol lanjut:  
advanced control program support:dukungan program kontrol lanjut:  
Advanced Digital Network (ADN)::1  
advanced functions-DOS/VS:VS/DOS fungsi lanjut:  
advanced life information system:sistem informasi hidup lanjut:  
advanced life information system version 2:versi 2 sistem informasi hidup lanjut:  
advanced network and services:jaringan-jasa lanjut:  
advanced research projects:proyek penelitian lanjut:DELETE  
advanced research projects agency:ARPA:  
advanced technologies:teknologi tinggi:DELETE  
advanced television :televisi canggih:  
advanced text management system:sistem manajemen teks lanjut:  
advanced window toolkit:peralatan jendela canggih:  
advantage:keuntungan:  
advanture game:permainan pengembaraan:  
adventure game:permainan pengembaraan:1  
advertising:periklanan:1  
advertising:periklanan:DELETE  
advertising:periklanan:DELETE  
adware:perangkat lunak beriklan:1  
aerospace:ruang angkasa:  
afferent flow::  
Affiliate:afiliasi:

affinity:afinitas:  
affirmative acknowledge:pengakuan setuju:  
affix:affiks:  
AF-INET:AF-INET:  
agent:agen:  
agent:agen:  
agent software:perangkat lunak agen:1  
aggregate class:kelas agregat:  
Aggregate functions :AGGREGATE FUNCTIONS :FUNGSI AGREGAT  
Aggregate object :AGGREGATE OBJECT :OBJEK AGREGAT  
aggregation:agregasi:  
AGP::  
"air gap, magnetic recording":kesenjangan udara; pencatatan magnetis:  
algebra:aljabar:  
algebraic adder:penambah aljabar:1  
Algebraic algorithms:algoritma aljabar:  
algebraic approaches to semantics:pendekatan aljabar terhadap semantik:  
algebraic language theory:teori bahasa aljabar:  
algebraic method ::  
algebraic semantics:aljabar semantik:  
algebraic sign:tanda aljabar:  
algebraic sign:tanda/isyarat aljabar:  
algebraic value:nilai aljabar:  
ALGOL:ALGOL:  
algorithm:algoritma:1  
algorithm:algoritma:  
algorithm:algoritma:  
algorithm:algoritma:  
algorithm analysis:analisis algoritma:  
algorithm animation:animasi algoritma:  
algorithm design:desain algoritma:  
algorithmic language:bahasa algoritma:1  
algorithmic language:bahasa algoritma:  
algorithmic language:bahasa algoritmik:  
algorithmic technique:teknik algoritmik:  
algorithmization:pengalgoritmaan:  
algorithms:algoritma:  
algorithms:algoritma:  
Algorithms implemented in hardware:implementasi algoritma di perangkat keras:  
alias:alias:  
Alias :ALIAS :ALIAS  
aliasing:pengaliansan:  
aliasing:pengaliansan:  
aligner:penepat:  
alignment:penjajaran:  
alignment:penyebaran garis arah

alignment by decimal point:titik desimal penjumlahan  
alignment mark:tanda penjumlahan  
alignment requirement:persyaratan penjumlahan  
"alignment, memory":"memori, penjumlahan"  
alkaline storage battery:baterai penyimpan alkalin  
all day efficiency:efisiensi hari penuh  
all ones address:alamat yang seluruhnya satu  
all ones suffix:sufiks yang seluruhnya satu  
allegation:dugaan; alegasi  
all-in-one computer:komputer lengkap  
all-in-one processor:prosesor satu-dalam-semua  
allocate:melokasi  
allocated storage:penyimpan beralokasi  
allocation:alokasi  
allocation of data set:alokasi kumpulan data  
allocation of data sets:alokasi kumpulan data:  
allocation routine:rutin alokasi:1  
Allocation/deallocation strategies:strategi alokasi/dealokasi:  
Aloha :Aloha:  
alpha based CPU::  
alpha beta testing:uji alpha beta:  
alpha expression:ekspresi alfa:  
alpha format:format/bentuk alfa:  
alpha rays:sinar alfa:  
alpha search inquiry system:sistem penyelidikan pencarian alfa:  
alpha standard procedure:prosedur standar alfa:  
alpha test:tes alfa:  
alpha testing:uji alfa:1  
alpha testing:uji alpha :  
alpha testing:uji alpha :  
alpha type:tipe/model alfa:  
alphanumeric data:data alfanumerik:  
alphanumeric data:data alfanumerik:  
alphanumeric data:data alfanumerik:  
ALPHANUMERIC DATA::1  
alphanumeric data type:tipe data alfanumerik:1  
alphanumeric data types:tipe data alfanumerik:  
alphanumeric edited:periksa alfanumerik:  
alphanumeric edited character:karakter teredit alfanumerik:  
alphanumeric edited item:item/unsur periksa alfanumerik:  
alphanumeric format:format alfanumerik:1  
alphanumeric format:format alfanumerik:1  
alphanumeric format:format alfanumerik:  
alphanumeric format:format alfanumerik:  
alphanumeric item:item/unsur alfanumerik:  
alphanumeric key:kunci alfanumerik:1

alphanumeric keyboard:papan tombol alfanumerik:  
alphanumeric keyboard:papan tombol alfanumerik:  
alphanumeric mode: ragam alfanumerik:1  
alphanumeric mode:ragam alfanumerik:  
alphanumeric string:string alfanumarik:  
alpha-numeric string:sirkuitan alfa-numerik:  
alphaphotographic:alfafatografik:  
ALT/D:ALT/D:1  
ALT/D:ALT/D:  
altering error:galat perubahan:1  
alternate instruction:instruksi selang-seli:1  
alternate path routing:perutean lintasan alternatif:  
alternate route:rute cadangan:  
alternate statement:pernyataan selang-seli:1  
alternate tape drive:penggerak pita alternat:1  
alternating acknowledge:pengakuan alternatif:  
alternating current:arus penyilangan:  
alternating current system:sistem arus bolak-balik  
alternation:alternasi; tandingan  
alternation:penyilangan  
alternative:alternatif  
alternative attribute:atribut tandingan  
alternative connection:koneksi alternatif  
alternative hypothesis:hipotesis alternatif  
alternative window toolkit:peralatan alternatif untuk window  
ALU:ALU (unit logika dan aritmetika)  
alumina:alumina  
alumina ceramics:keramik alumunia  
aluminium cable steel reinforced:diperkuat baja kawat aluminium  
aluminium reaction solder:solder reaksi alumunium  
aluminium solder:solder alumunium  
aluminium wire:kawat alumunium  
alumite wire:kawat alumit  
AM:AM:  
AM demodulator:demodulator AM:  
AM demodulator:demodulator AM:  
amalgamation:peleburan:  
amateur:amatir:  
amateur packet radio:radio paket amatir:  
amateur radio:radio amatir:  
amateur radio emergency service (ARES):ARES:  
"Amateur Radio Operator (""HAM"")":operator amatir radio:  
amateure satellite:satelit amatur:  
amber:amber:  
ambiguous reference:acuan ambigu/rujukan ambigu:1  
ambiguity:keambiguan:1



Amdahl's law:hukum Amdahl:  
America online:America online:  
American National Standards Institute:ANSI:  
"american national standards institute, ANSI "::  
American Standard code for information Interchange:Kode standard Amerika untuk pertukaran informasi:  
American Standard Code for Information Interchange (ASCII):ASCII:  
American Standard Code for Information Interchange (ASCII):ASCII:  
American Standard Code For Information Interchange (ASCII):Kode Standard Amerika untuk Pertukaran Informasi (ASCII):1  
amplifier:penguat:1  
amplifier:penguat:1  
amplifier:penguat:  
amplifier:penguat:  
amplifiers:penguat:  
amplitude modulation:modulasi amplitudo:  
amplitude modulation:modulasi amplitudo:  
amplitude modulation (AM):modulasi amplitud:1  
amplitude modulation (AM):modulasi amplitudo:  
amplitude modulation (AM):modulasi amplitudo:  
amplitude shift keying (ASK):penguncian alih amplituda:  
analog:analog:  
analog:analog:  
analog adder:penambah analog:1  
analog computer:komputer analog:1  
analog computers:komputer analog:  
analog computers:komputer analog:  
analog digital converter:konverter analog digital:1  
analog display unit:unit penampil analog:1  
analog signal:signal analog:  
analog signal:sinyal analog:1  
analog signals:signal analog:  
analog simulation:simulasi analog:  
analog sinusoidal signals:sinyal sinusoid analog:  
analog sinusoidal signals:sinyal sinusoid analog:  
analog storage expander:perentang penyimpan analog:  
analog storage module:modul penyimpan analog:  
analog switch:saklar analog:  
analog to digital converter:pengubah digital ke analog:  
analog transmission:transmisi analog:1  
analog transmission:transmisi analog:  
analog variable:perubah analog:  
analog voltage reference:referensi voltase analog:  
analog/digital:analog/digital:  
analog/digital:analog/digital:  
analog/digital converter:konverter digital/analog:

analog/digital converter:pengubah digital/analog:  
analog-digital conversion:konversi digital-analog:  
analog-digital converter:pengubah digital-analog:  
analogies:analogi:  
analog-to-digital (A/D):analog-ke-digital (A/D):  
analog-to-digital converter:alat pengubah analog-ke-digital:  
analog-to-digital converter:alat pengubah analog-ke-digital:  
analog-to-digital converter:konverter analog-ke-digital:  
analog-to-digital converter (ADC):konverter analog-digital:1  
analogue:analog:  
analogue (data):analog (data):1  
analogue (data):analog (data):  
analogue (data):data analog:  
analogue computer:komputer analog:1  
analogue computer:komputer analog:  
analogue computer:komputer analog:  
analogue data:data analog:  
analogue instrument:instrumen analog:  
analogue output enclosure:lampiran keluaran analog:  
analogue signal:sinyal analog:  
analogue signals:sinyal analog:DELETE  
analogue-to-digital converter:konverter analog-ke-digital:  
analogue-to-digital converter:konverter analog-ke-digital:  
analogy:analogi:  
analyse:menganalisis:  
analyser:penganalisis:  
analysis:analisis:  
analysis (of a system):analisis sistem:  
analysis and design tools:analisis dan perencanaan perkakas:DELETE  
analysis and design tools:perangkat analisis dan desain:DELETE  
analysis and design tools:perkakas analisis dan desain:1  
analysis and design tools decision tables:analisis dan tabel keputusan perencanaan perkakas:DELETE  
analysis and design tools decision tables:tabel keputusan perkakas analisis dan desain:1  
analysis and design tools extended-entry table:analisis dan tabel perluasan entri perencanaan perkakas:DELETE  
analysis and design tools extended-entry table:tabel perluasan entri perkakas analisis dan desain:1  
analysis and design tools flowcharts:bagan alir perkakas analisis dan desain:1  
analysis and design tools folwcharts:analisis dan bagan alir perencanaan perkakas:DELETE  
analysis and design tools limited-entry table:analisis dan tabel entri terbatas perencanaan perkakas:DELETE  
analysis and design tools limited-entry table:tabel entri terbatas perkakas analisis dan desain:1  
analysis and design tools pseudocode:analisis dan sandi semu perencanaan perkakas:DELETE  
analysis and design tools pseudocode:sandi semu perkakas analisis dan desain:1  
analysis method:metode analisis:  
analysis method::  
Analysis of algorithms:analisis dari algoritma:

analysis of covariance:kovarians analisis:  
analysis of variance:varian analisis:  
analysis of variance:varians analisis:  
analysis program:program analisis:  
analysis reuse::  
analysis systems:sistem analisis:  
analysis time ::  
analyzability ::  
analyzer:penganalisis:1  
analyzer:penganalisis:  
ancestor ::  
ancestor file:berkas moyang:1  
anchor:jangkar:  
anchor:jangkar:  
AND:AND (and; dan):  
AND:AND (and; dan):  
AND circuit:kalang/sirkuit AND; sirkuit AND (and; dan):  
AND gate:gerbang AND:1  
AND gate:gerbang AND:  
AND operation:operasi AND:  
AND-NOT operation:operasi AND-NOT:  
android:android:1  
android:android:  
android:android:  
android:android:  
ANI:ANI:  
animated GIF:GIF animasi:1  
animated GIF :GIF animasi:  
animation:animasi:1  
animation:animasi:1  
animation:animasi:1  
animation:animasi:  
animation:animasi:  
animation:animasi:  
Animation:animasi:  
animation:animasi:  
Animations:animasi:  
"annihilation, magnetic bubble memory"::  
annul bit:bit annul:  
anolyte:anolit:  
anomalies data:anomali data:  
anomalous propagation:propagasi anomalous:  
anomaly:anomali:  
anon FTP site::  
anonymous FTP::

anonymity:ketantananaman:  
anonymous:anonimus :  
anonymous ftp:anonimus ftp:  
anonymous ftp:anonimus ftp:  
anonymous server:server anonim:1  
anorak::  
ANSI:ANSI:  
ANSI control character:karakter kontrol ANSI:  
answer:jawab:  
answer lamp:lampu jawaban:  
answer mode:mode jawaban:  
answer mode:ragam jawab:1  
answer next lamp:lampu akhir jawab:  
Answer/reason extraction:ekstraksi jawaban/sebab:  
antenna technology:teknologi antena:  
Anthony's framework:kerangka kerja Anthony:1  
Anthony's framework:kerangka kerja Anthony:  
anti-aliasing:antialias:1  
antialiasing :antialias:  
antidependency:antiketergantungan:  
antiglare filter:tapis anti cerah:  
antistatic mat:keset anti statik:  
antivirus program:program antivirus:1  
antivirus software:perangkat lunak antivirus:1  
antivirus software:perangkat lunak antivirus:  
aperiodic task ::  
API:API:  
APM::  
APPEND:APPEND:  
append:menambahkan:  
append (FTP):menambahkan:  
appendage:anggota badan:  
appendage task:tugas tambahan:  
apple talk:apple talk:  
applelink:applelink:  
applet:applet:1  
applet:applet:1  
applet:applet:  
applet tag:tanda applet:  
applet widget toolkit:perangkat oprek applet:  
applicability:aplikabilitas:  
application:aplikasi; penerapan:1  
application:aplikasi; penerapan:DELETE  
application areas:wilayah aplikasi:  
application backlog:tunggak catatan aplikasi:1  
application backlog:tunggakan aplikasi:1

application backlog:tunggakan aplikasi:  
application backlog:tunggakan aplikasi:  
application builder:pembangun aplikasi:  
application context::  
application control:kendali aplikasi/kontrol aplikasi:1  
application controls:kontrol aplikasi:  
application controls:kontrol aplikasi:  
application data:data aplikasi:  
application development:pengembangan aplikasi:1  
application development:pengembangan aplikasi:1  
application development:pengembangan aplikasi:  
application development:pengembangan aplikasi:  
application family ::  
application field:medan aplikasi:  
application file:berkas aplikasi:1  
application files:berkas aplikasi:  
application generator:pembangkit aplikasi:1  
application generator:pembangkit aplikasi:  
application generator:pembangkit aplikasi:  
application generator ::  
application generators:pembangkit aplikasi:1  
application generators:pembangkit aplikasi:  
application generators languages:bahasa pembangkit aplikasi:  
application independent:independen aplikasi:  
application layer:lapis aplikasi:1  
application layer:lapis aplikasi:  
application layer:lapisan aplikasi/penerapan:  
application layer:lapisan aplikasi/penerapan:  
application level:tingkat/aras aplikasi:  
application oriented language:bahasa berorientasi aplikasi:  
application package:kemasan aplikasi:1  
application package:kemasan aplikasi:  
application package:paket aplikasi:1  
application package:paket aplikasi; kemasan aplikasi:  
application package program:program pengepakan aplikasi:  
application packages:kemasan aplikasi:1  
application packages:kemasan aplikasi:  
application packages:paket aplikasi; kemasan aplikasi:  
application packages:paket aplikasi; kemasan aplikasi:  
Application packages:paket aplikasi; kemasan aplikasi:  
application problem:persoalan aplikasi:  
application program:program aplikasi:1  
application program:program aplikasi:1  
application program:program aplikasi:1  
application program:program aplikasi:  
application program:program aplikasi:

istilah-ti-indonesia

application program:program aplikasi:  
application program image:citra program aplikasi:  
application program interface:antarmuka program aplikasi:  
Application Programming interface (API):API:  
application programming interface (API):antarmuka pemrograman aplikasi:1  
Application Programming Interface (API):Antarmuka Pemrograman Aplikasi (API):1  
application program-to-program communication:komunikasi program aplikasi ke program:  
application satellite:satelit aplikasi:  
application server:server aplikasi:  
application sharing :berbagi aplikasi:  
application sign-on:sign-on aplikasi:  
application software:perangkat lunak aplikasi:1  
application software:perangkat lunak aplikasi:1  
application software:perangkat lunak aplikasi:1  
application software:perangkat lunak aplikasi:  
application software:perangkat lunak aplikasi:  
application software:perangkat lunak aplikasi:  
application software:perangkat lunak aplikasi:  
application software ::  
application system ::  
application technology satellite:satelit teknologi aplikasi:  
application tool:peralatan aplikasi:1  
application tool:perkakas aplikasi:1  
application tool:perkakas aplikasi:  
application tools:peralatan aplikasi; perangkat aplikasi:DELETE  
application tools:perkakas aplikasi:1  
application tools:perkakas aplikasi:DELETE  
application viruses:aplikasi virus:  
application-oriented:orientasi aplikasi:  
applications:aplikasi:  
applications files:berkas aplikasi:  
applications joint development:pengembangan gabungan aplikasi:1  
applications joint development:pengembangan gabungan aplikasi:  
applications of artificial intelligence:aplikasi dari kecerdasan buatan:DELETE  
applications of artificial intelligence:aplikasi dari kecerdasan buatan:DELETE  
applications organisation:aplikasi organisasi:  
"applications programmer interface, API "::  
applications query language:bahasa permohonan aplikasi:1  
applications query language:bahasa permohonan aplikasi:  
applications software:perangkat lunak aplikasi:1  
applications software:perangkat lunak aplikasi:  
applicative:aplikatif:  
applicative (functional) languages:bahasa aplikatif:  
applied software measurement ::  
appraisal ::  
approval cycle ::

approximate methods:metode pendekatan:  
approximation:pendekatan:  
approximation of surfaces and contours:pendekatan dari permukaan dan kontur:DELETE  
arbiter:penengah; arbiter:  
arbitrated message:pesan terarbitrasi:  
arbitration:arbitrasi:  
archaeology:arkeologi:  
archie:archie:  
architectural acoustics:akustika arsitektur:  
architectural design ::  
architectural register:register arsitektural:1  
architectural registers:register kearsitekturan:  
architecture:arsitektur:  
architecture:arsitektur:  
architecture ::  
architecture and control structures:arsitektur dan struktur kontrol:  
architecture logic:logik arsitektur:  
architectures:arsitektur:  
archival:arsip:  
archival files:berkas arsip:1  
archival files:berkas arsip:1  
archival files:berkas arsip:  
archival files:berkas arsip:  
archival storage:penyimpan arsip:  
archive:arsip:  
archive file:berkas arsip:1  
archive file:berkas arsip:  
archive server:server arsip:1  
archive server:server arsip:  
archive site:situs arsip:1  
archived file:berkas terarsip:  
archiving:pengarsipan:1  
archiving:pengarsipan:1  
archiving:pengarsipan:DELETE  
archiving:pengarsipan:DELETE  
archiving:pengarsipan:DELETE  
ARCHIVING:PENGARSIPAN:  
archiving (files):pengarsipan (berkas):DELETE  
archiving (files):pengarsipan (berkas):DELETE  
argument:argumen:1  
argument:argumen:  
argument list:senarai argumen:  
argument list:senarai pendapat/argumen:  
arithmetic operators:operator aritmetika:  
arithmetic and logic unit (ALU):unit aritmatika dan logika (UAL):  
Arithmetic and logic units:unit logika dan aritmetika:

arithmetic and logical unit:unit logis dan aritmetik:  
arithmetic instruction:instruksi aritmatika:1  
arithmetic instruction:instruksi aritmatika:  
arithmetic instruction:intruksi aritmetik:1  
arithmetic logic unit:unit logika aritmetik:  
arithmetic logic unit (ALU): unit aritmatika logika (ALU):1  
arithmetic logic unit (ALU):unit logika aritmetik:  
arithmetic logic unit (ALU):unit logika aritmetik:  
arithmetic logic unit (ALU):unit logika aritmetik:  
arithmetic logic unit (ALU):unit logika aritmetik (ULA):1  
arithmetic logical unit:unit logika aritmetika:  
arithmetic operation:operasi aritmatika:  
arithmetic operation:operasi aritmetik:1  
arithmetic operator:operator aritmetik:1  
arithmetic operator:operator aritmetik:  
arithmetic overflow:limpah arimatika:  
arithmetic overflow:limpah arimatika:  
arithmetic overflow:luapan artimetik:1  
arithmetic register:registre aritmetik:1  
arithmetic shift:geseran aritmatika:  
arithmetic shift:geseran aritmetik:  
arithmetic shift:perpindahan aritmatik:  
arithmetic shift instruction:instruksi geser aritmetik:  
arithmetic statement:pernyataan aritmetik:  
arithmetic statement feature:ciri pernyataan aritmetik:  
arithmetic subroutine:subrutin aritmetik:  
arithmetic symbol:simbol aritmetik:  
arithmetic term:istilah aritmetik:  
arithmetic underflow:limpahbawah aritmetik:  
arithmetic unit:unit aritmetik:  
arithmetic/logic unit:satuan aritmatika/logic:  
arithmeticexpression:ungkapan aritmetik:  
arithmetic-logic unit:unit aritmatika-logika:  
Arithmetic-Logic Unit (ALU):Unit Aritmetik-Logika:1  
arm:lengan:  
arm:tangan:  
armature:angker dinamo; armatur:  
armature coil:lilitan armatur  
armature core:teras armatur  
armature current:arus armatur  
armature ohmic loss:kerugian ohmik armatur  
armature ratio:rasio armatur  
armature reaction:reaksi armatur  
armature stroke:pukulan armatur  
armature time constant:tetapan waktu armatur  
armature winding:pilin armatur



armature winding equalizer:ekualisator pilin armatur  
armature-voltage control:kontrol voltase-armatur  
armor:perisai  
armored cable:kabel berperisai  
armoring tape:pita-pembajaan  
armoring wire:kawat pembajaan  
arpanet:ARPAnet  
ARPAnet:ARPAnet:  
ARPANET :ARPAnet:  
ARQ:ARQ:  
arrangement:aransemen:  
array:larik:1  
array:larik; susunan:  
array:larik; susunan:  
array and vector processors:prosesor susunan; prosesor larik:  
array processor:pemroses array:  
array processor:pemroses array:  
array processor:pemroses larik:1  
array processor:pemroses larik:1  
array processor:pengolah susun(an):  
array processor:prosesor larik:  
array processor:prosesor susunan:  
array structure:struktur susunan:  
array table:tabel susunan  
array variable:variabel susunan  
array-handling built-in function:fungsi membangun susunan-perawatan  
arrays:susunan  
arrester:arester  
arrester:penangkap  
arrival:ketibaan  
arrival angle:sudut tiba  
arrival bearing:bantalan tiba  
arrival curve:kurva tiba  
arrow:panah  
arrow diagram:diagram panah  
article:artikel  
articulated:terertikulasi  
articulation:artikulasi  
articulation index:indeks artikulasi  
articulation reference equivalent:ekuivalen referensi/ acuan artikulasi:  
artifact:artifak:  
artificial:buatan; tiruan:  
artificial atmosphere furnace:tanur atmosfer tiruan:  
artificial ear:telinga buatan/artifisial:  
artificial graphite:grafit tiruan:  
artificial intelligence:kecerdasan buatan:1

istilah-ti-indonesia

artificial intelligence:kecerdasan buatan:1  
artificial intelligence:kecerdasan buatan:1  
artificial intelligence:kecerdasan buatan:  
artificial intelligence:kecerdasan buatan:  
artificial intelligence:kepandaian buatan; intelegensia buatan; kecerdasan buatan:  
artificial intelligence (AI):AI:  
artificial intelligence and computer-based information system:kecerdasan buatan dan sistem informasi berbasis komputer:DELETE  
artificial intelligence and computer-based information system:kecerdasan buatan dan sistem informasi berbasis komputer:  
artificial intelligence and ethical issues:kecerdasan buatan dan masalah etika:DELETE  
artificial intelligence business information systems:sistem informasi bisnis kecerdasan buatan:1  
artificial intelligence business information systems:sistem informasi bisnis kecerdasan buatan:  
artificial intelligence systems and inventory:sistem kecerdasan buatan dan inventaris:DELETE  
artificial intelligence:kepandaian buatan; intelegensia buatan; kecerdasan buatan:  
Artificial intelligence (AI):kepandaian buatan; intelegensia buatan; kecerdasan buatan:  
artificial language:bahasa buatan:  
artificial language:bahasa buatan/bahasa artifisial:1  
artificial lighting:cahaya tiruan:  
artificial line:garis tiruan:  
artificial load:beban artifisial:  
artificial mouth:mulut tiruan:  
artificial network:jaringan buatan:  
artificial pollution test:uji polusi tiruan:  
artificial satellite:satelit artifisial:  
artificial traffic:lalu lintas tiruan:  
arts:seni:  
artwork:karya seni:  
artwork data:data karya seni:  
ASA:ASA:  
asbestos:asbestos:  
asbestos cement pipe:pipa semen asbes:  
asbestos tube:tabung asbes:  
ascender:pengasenden:  
ascending:pengasendenan:  
ascending key:jaringan buatan/artifisial:  
ascending order:urutan menaik:  
ascending sequence:urutan menaik:  
ASCII:ASCII:1  
ASCII:ASCII:  
ASCII:ASCII:  
ASCII:ASCII:  
ASCII::1  
ASCII :ASCII:  
ascii (FTP):ascii (FTP):  
ASCII code:kode ASCII:1

ASCII format:format ASCII:  
ASCII label:label ASCII:  
ASCII string:kalimat ASCII:  
ASCII string:untai ASCII:1  
ASCII text file::  
ash-pit:lubang-abu:  
ASIC:ASIC:  
ASID:ASID:  
ASID:ASID:  
ASM:ASM:  
ASP:ASP:  
aspect:aspek:  
aspect card:kartu aspek:  
aspect ratio:rasio/nisbah aspek:  
asphalt:aspal:  
aspiration:aspirasi:  
ASR:ASR:  
assemble:rakit:  
assemble duration:lama rakit:  
assemble-and-go:rakit dan jalan:  
assembled origin:rakitan asal:  
assembler: perakit:1  
assembler:perakit:1  
assembler:perakit:1  
assembler:perakit:  
assembler:perakit:  
assembler:perakit:  
assembler directive:arahan perakit:  
assembler instruction:instruksi perakit  
assembler language:bahasa perakit  
assembler language:bahasa perakit  
assembler mnemonic instruction:instruksi mnemonik perakit  
assembler option:pilihan perakit  
assembler processor:pemroses perakit  
assembler translating program:program penerjemahan perakit  
assembler verb:verba perakit  
assemblers language processor:pemroses bahasa perakit  
assembling:perakitan  
assembling phase:fase perakit  
assembling time:waktu perakitan  
assembly:pasangan; rakit; pertemuan  
assembly chaining:rantai rakitan  
assembly code:kode perakit  
assembly drawing:gambatang rakitan  
assembly language:bahasa perakitan:1

istilah-ti-indonesia

assembly language:bahasa perakitan:1  
assembly language:bahasa perakitan:  
assembly language:bahasa perakitan:  
assembly language:bahasa rakit:1  
assembly language:bahasa rakit:  
assembly languages:bahasa rakit:  
assembly programming languages:bahasa pemrograman rakit:1  
assembly programming languages:bahasa pemrograman rakit:  
assembly programming languages:bahasa pemrograman rakit:  
assembly routine:rutin rakit:  
assembly time:waktu rakit:  
assert:menegaskan:  
assert:menegaskan:  
assertion:penegasan:  
assertion:penegasan:  
assertion ::  
Assertion checkers:penguji penegasan:  
assertion table:tabel penegasan:  
assessment::  
assessment tool ::  
assign:menentukan:  
assignation:pemberian:  
assigned frequency band:pita frekuensi tetap:  
assigned GO TO statement:pernyataan GO TO menugaskan:  
assigning alternate track:lintas silang penentuan:  
assigning users:penentuan pengguna:  
assignment:penugasan:1  
assignment operator:operator penugasan:1  
assignment scope ::  
assignment statement:pernyataan penugasan:1  
assignment symbol:symbol penugasan:1  
assist:bantuan  
assistive technologies for persons with disabilities:teknologi pembantu untuk orang cacat  
"associate mode, CAM":ragam sejawat  
associated:sekutuan; rekanan  
associated address:alamat terpadu  
associated variable:variabel sekutuan  
associating data sets with files:kumpulan data asosiasi dengan berkas  
association:asosiasi  
association:asosiasi  
association:asosiasi; sekutuan  
association :  
association area:area asosiasi  
Association for Computing Machinery (ACM):ACM  
ASSOCIATION RULE:  
associative array register:tepat letak susun(an) asosiatif/ menghimpun

associative lookup:mencari asosiasi  
Associative memories:memori asosiatif:  
associative memory:memori bersejawat:1  
associative memory:memori bersejawat:  
associative processor:pemroses bersejawat:1  
Associative processors:prosesor asosiatif:  
ASSOCIATIVITY::1  
"associativity, in a cache":"kesejawatan, dalam tembolok":  
Astronomy:astronomi:  
asymmetric digital subsciber line (ADSL):jalur pelanggan digital asimetri (ADSL):1  
asymmetric multiprocessor: pemroses ganda asimetrik:1  
asymmetric multiprocessor:pemroses ganda asimetrik:  
asymmetric processor:pemroses asimetrik:1  
asymptotical complexity::  
asynchronization:asinkronisasi:  
asynchronous:asinkron:  
asynchronous:asinkron; tak padu:  
asynchronous:asinkron; tak padu:  
asynchronous adaptor:penyadur asinkronus:  
asynchronous balanced mode:model keseimbangan asinkronus:  
asynchronous bus:bus asinkron:1  
asynchronous bus:bus asinkron:  
asynchronous circuit:untai asinkron:  
asynchronous communication:komunikasi asinkron:  
asynchronous communication:komunikasi tak padu:  
asynchronous communication ::  
asynchronous communication control:kontrol komunikasi asinkron:  
asynchronous communication interface adaptor:penyadur antartatapan komunikasi asinkronus:  
asynchronous communications:komunikasi asinkron:  
asynchronous communications:komunikasi asinkron:  
asynchronous communications 8 line control:komunikasi 8 garis kontrol 8 taksinkron:  
asynchronous communications control:kontrol komunikasi taksinkron:  
asynchronous device:peranti asinkron:1  
Asynchronous interaction:interaksi asinkron:  
asynchronous mode:model asinkronus:  
asynchronous modem:modem asinkronus:  
asynchronous operation:operasi asinkron:  
asynchronous operation:operasi asinkron:  
asynchronous parallel input::  
asynchronous processing:pemrosesan asinkron:1  
asynchronous terminal:terminal asinkron:1  
asynchronous terminal:terminal asinkron:  
asynchronous terminal :terminal asinkron:1  
asynchronous transfer mode:ragam transfer asinkron (ATM):  
asynchronous transfer mode:ragam transfer asinkron (ATM):  
asynchronous transfer mode (ATM ):ragam transfer asinkron/tak serempak (ATM):1

istilah-ti-indonesia

asynchronous transfer mode (ATM):mode transfer asinkron (MTA):1  
asynchronous transfer mode (ATM):ragam transfer asinkron (ATM):  
asynchronous transfer mode (ATM):ragam transfer asinkron (ATM):  
asynchronous transfer mode (ATM):ragam transfer asinkron (MTA):  
asynchronous transmission:transmisi asinkron:1  
asynchronous transmission:transmisi asinkron:  
asynchronous transmission:transmisi asinkron/tak serempak:1  
asynchronous transmission:transmisi asinkron; transmisi takselaras:  
asynchronous transmission:transmisi asinkron; transmisi takselaras:  
asynchronous transmission:transmisi asinkron; transmisi takselaras:  
asynchronous transmission and cost:transmisi asinkron dan biaya:DELETE  
asyndetic:asindetik:  
AT bus:bus AT:  
ATA::  
ATAPI::  
ATM:ATM:  
ATM cell:sal ATM:1  
ATM network:jaringan ATM:1  
ATM switch:pengalih ATM:1  
atmosphere absorpction:penyerapan atmosfer:  
atmosphere refraction:refraksi atmosfer:  
atmospheric discharger:tang pengosongan atmosferik:  
atmospheric sciences:ilmu pengetahuan atmosphere:  
atmospherics:atmosferik:  
ATMs and banking industry:ATM dan industri perbankan:DELETE  
atomic component::  
atomic instruction:instruksi atomik:  
atomic transaction:transaksi atomik:  
atomic type ::  
attachement unit interface:antarmuka unit pelekatan:  
attachment:pelekatan:  
attachment coefficient:koefisien tambahan:  
attachment file:berkas lampiran:1  
attachment plug:steker tambahan:  
attachment unit interface:antarmuka alat pelengkap:  
attack:serang:  
attemperator:atemperator; pencoba:  
attemp:percobaan:  
attendant board:papan pembantu:  
attended operation:operasi pencapaian:  
attended operation:operasi yang di hadiri operator:  
attention:perhatian:  
attention exit routine:rutin keluar atensi:  
attention handling:penanganan atensi/perhatian:  
attention interruption:interupsi perhatian:  
attention key:kunci perhatian:

attention key:kunci perhatian/atensi:  
attention processing:pemrosesan atensi/perhatian:  
attention signal:signal atensi/perhatian:  
attenuation:atenuasi/laifan:1  
attenuation:atenusasi/laifan:  
attenuation:pengenceran:  
attractiveness::  
attribute:sifat/atribut:1  
attribute:sifat; atribut:  
attribute::  
attribute value:nilai lambang/atribut:  
attributes layer:lapis atribut:1  
attributes layer (object-oriented analysis):lapis atribut (analisis berorientasi objek):  
attune:membiasakan:  
ATX :ATX:  
audio:audio:1  
audio:audio:  
audio:suara; audio:1  
audio:suara; audio:  
audio:suara; audio:  
audio adapter:adapter audio:1  
audio amplifier:penguat/amplifier audio:  
audio cassette interface:antartatapan kaset audio:  
audio cassette tape:pita kaset audio/pendengaran:  
audio communication line:garis komunikasi audio:  
audio conferencing:konferensi audio:  
audio device:peranti audio:1  
audio file:berkas audio:1  
audio files:berkas audio:1  
audio files:berkas audio:  
audio frequencies:frekwensi audio:  
audio frequency:audio frekuensi:  
Audio input/output:keluaran/masukan audio:  
audio interchange file format (AIFF):AIFF:  
audio interchange file format (AIFF):format berkas pertukaran audio (AIFF):1  
audio range frequency:frekuensi jarak/julat audio:  
audio response:tanggapan audio:  
audio response message:pesan tanggap suara:  
audio response unit:unit tanggap audio:  
audio station:stasiun suara:  
audio streaming:pengaliran audio:  
audio streaming :pengaliran audio:1  
audio terminal:audio terminal:  
audio terminal:terminal audio:  
audio text:audio teks:  
audio text:teks audio:

audio/video applications:aplikasi audio/video:  
audioconferencing:audio konferensi:1  
audioconferencing:audio konferensi:  
audioconferencing:audiokonferensi:  
audioconferencing:peraudiokonferensian:1  
audioconferencing:peraudiokonferensian:  
audioconferencing:perkonferensian audio:1  
audioconferencing:perkonferensian audio:  
audioconferencing:sidang audio:1  
audio-frequency amplifier:penguat frekuensi-audio:  
audio-frequency telegraphy:telegrafi frekuensi-audio:  
audiogram:audiogram:  
audiology:audiologi:  
audiometer:audiometer:  
audiometric hearing loss:kerugian pendengaran audiometrik:  
audio-video adapter:adapter audio-video:1  
audit:audit:  
audit ::  
audit list:senarai audit:  
audit programming:pemrograman audit:  
audit trail:jejak audit:1  
audit trail:jejak audit:1  
audit trail:jejak audit:  
audit trail:jejak audit:  
auditability:auditabilitas:  
auditable:mampu audit:  
auditing:pengauditan:  
auditing around the computer:komputer pemeriksaan keliling:DELETE  
auditing information system:sistem informasi pengauditan:1  
auditing information system:sistem informasi pengauditan:  
auditing information system:sistem informasi pengauditan:  
auditor:auditor; pengauditan:  
auditory (non-speech) feedback:umpan balik auditory (bukan-percakapan):  
auditory sensation area:daerah sensasi pendengaran:  
audit-review file:berkas audit-tinjau:  
augend:augen:  
augend register:register augen:  
augment:membesarkan:  
augmentability:daya tambah:  
augmented:tidak nyata:  
augmented operation code:sandi/kode operasi diperkuat:  
augmenter:penambah:  
AUI:AUI:  
AUP :AUP:  
aural harmonics:harmonika aural:  
aural null:nol aural:



aural signal:sinyal aural:  
aurora:aurora:  
auroral zone:zona auroral:  
Australia Academic and Research Network (AARNet):AARnet:  
authentication:pengesahan:DELETE  
authentication:pengesahan:  
authentication:pengesahan:  
authentication:pengesahan/autentikasi:1  
authentication:pengesahan/pengesahihan:1  
Authentication :AUTHENTICATION :KEOTENTIKAN  
authentication security:keamanan pengesahan:1  
authentication security:keamanan pengesahan:  
authenticator:pengesah:  
authoring system:sistem pengarang :1  
authoring tool:alat pengarang:1  
AUTHORING TOOL:PERKAKAS PENULIS NASKAH:  
authorised program:program kewenangan:1  
authoritative answer:jawaban otoritas:  
authority:otoritas/wenang:  
authority for naming:otoritas/wenang dari penamaan:DELETE  
authorization:otoritas/wenang:  
autoanswer:swajawab; jawab-automatis:  
autoconfiguration:konfigurasi otomatis:1  
autoconfiguration:konfigurasi otomatis:  
autodecrementing::  
autodial:autodial:1  
autodial:autodial:  
autodialer:swadial:  
autodoping:swacemar:  
autodraft:autodraf:  
auto-dup indicator:penunjuk buka-auto:  
autoepistemic logic:logik autoepistemik:  
autoexec-bat::  
autoincrementing::  
autoincrementing :autopeningkatan:1  
autoindex:auto indeks:  
auto-index:indeks otomatis:  
auto-index:indeks-otomatis:  
autokey:swakunci:  
autoload:autobeban:  
autoloader:loader otomatis:  
autoloading:pembebanan otomatis:  
autoloading:pembebanan sendiri:  
automan:automan:  
automata:automata:  
automate:mengotomatiskan:

istilah-ti-indonesia

automated cash machine (ATM):anjungan tunai mandiri (ATM):1  
automated cash machine (ATM):anjungan tunai mandiri (ATM):  
automated cash machine (ATM):anjungan tunai mandiri (ATM):  
automated data capture:penangkap daya otomatis:1  
automated data capture:penangkapan data otomatis:  
automated data capture:penangkapan data otomatis:  
automated data medium:tengah/medium data automat:  
automated estimation tools ::  
automated flowchart:bagan alir terautomasi:1  
automated guided vehicle (AGV):kendaraan terpandu otomatis:1  
automated guided vehicle (AGV):kendaraan terpandu otomatis:  
automated office:kantor berautomatis:  
automated reverse architectural design ::  
automated software development tools:alat pengembangan perangkat lunak terautomasi :1  
automated software development tools:perangkat pengembangan perangkat lunak otomatis:  
automated software development tools:perkakas pengembangan perangkat lunak otomatis:1  
automated software development tools:perkakas pengembangan perangkat lunak otomatis:  
automated stage:panggung otomatis:  
automated teller machine (ATM):anjungan tunai mandiri (ATM):1  
automated teller machine (ATM):anjungan tunai mandiri (ATM):  
automated teller machine (ATM):anjungan tunai mandiri (ATM):  
automated verification system ::  
automatic:otomatik:  
automatic allocation:alokasi otomatis:  
automatic analysis of algorithms:analisis algoritma otomatis:  
automatic code generation:pembangkitan program otomatis:1  
automatic code generation:pembangkitan program otomatis:1  
automatic code generation:pembangkitan program otomatis:  
automatic code generation:pembangkitan program otomatis:  
automatic code generation:pembangkitan program otomatis:  
automatic code generator:pembangkit program otomatis :1  
automatic dialing unit:unit pencakraan otomatis:  
automatic differentiation:penurunan otomatis:  
automatic digital computer:komputer digital otomatis:  
automatic direction finder:penemu arah/direksi otomatis:  
automatic disconnect:tak terhubung otomatis:  
automatic EOB:EOB otomatis:  
automatic exchange:pertukaran otomatis:  
automatic field duplication:duplikasi medan otomatis:  
automatic formatting:pemformatan otomatis:  
automatic frequency control:kontrol frekuensi otomatis:  
automatic function:fungsi otomatis:  
automatic function selection:seleksi fungsi otomatis:  
automatic gain adjustment:pengaturan kekuatan otomatis  
automatic gain control:kontrol tambahan/penguat otomatis  
automatic gain selection:seleksi penambahan otomatis

istilah-ti-indonesia

automatic garbage collection:pengumpul sampah otomatis  
automatic ground-controlled approach:pendekatan terkontrol-kawasan otomatis  
automatic initial program loading:pembebanan program awal otomatis  
automatic interrupt:interupsi otomatis  
automatic IPL:IPL otomatis  
automatic key generation:generasi kunci otomatis  
automatic ledger feed:kecepatan lembaran otomatis  
automatic library call:cacah pustaka otomatis  
automatic load dispatching:pengiriman beban otomatis  
automatic logon:masuk otomatis  
automatic member:anggota otomatis  
automatic message-switching center:pusat penyambungan pesan otomatis  
automatic number identification (ANI):ANI  
automatic picture transmission:transmisi gambatang otomatis:  
automatic pilot:pilot otomatis:  
automatic polling:angket otomatis:  
automatic polling:pengepolan otomatis:  
automatic power station:stasiun tenaga otomatis:  
automatic precision increase:kenaikan presisi otomatis:  
automatic priority group:grup prioritas otomatis:  
automatic priority group routine:rutin grup prioritas otomatis:  
automatic production recording system:sistem perekaman produksi otomatis:  
automatic program interrupt:sela program otomatis:  
automatic programmed tools:alat pemrogram otomatis:  
automatic programming:pemrograman otomatis:1  
automatic programming:pemrogramman otomatis:  
automatic read amplification burst:deburan amplikasi baca otomatis:  
automatic register:register otomatis:  
automatic regulator:pengatur otomatis:  
automatic repeat request (ARQ):pinta otomatis pengulangan :1  
automatic repetition system:sistem ulangan otomatis:  
Automatic Request for repetition (ARQ):permintaan otomatis untuk pengulangan:  
automatic restart:anjak ulang otomatis:  
automatic restart:re-anjak otomatis:  
automatic restart:restart otomatis:  
automatic retensioning capability:kemampuan retensi otomatis:  
automatic ribbon shift and line feed select:seleksi kecepatan garis dan geser ribon otomatis:  
automatic selectivity control:kontrol penyeleksian otomatis:  
Automatic Send/Receive:Terima / Kirim otomatis:  
automatic send/receive:terima / kirim otomatis:  
automatic send-receive set:perangkat kirim-terima otomatis:  
automatic sequential operation:operasi sekuensial otomatis:  
automatic signaling apparatus:aparatus pengisyarat otomatis:  
automatic skip:lompatan otomatis:  
automatic space reclamation:reklamasi ruang otomatis:  
automatic step restart:tingkat otomatis:

istilah-ti-indonesia

automatic storage:penyimpanan automatik:1  
automatic storage:penyimpanan automatik:  
automatic storage allocation:alokasi penyimpanan otomatis:  
automatic switch:sakelar automatik:  
automatic switching system:sistem pengalihan otomatis:  
automatic synchronizer:pemadu automatik:  
automatic synthesis:sintesa otomatis:  
automatic synthesis:sintesa otomatis:  
automatic synthesis:sintesa otomatis:  
automatic system:sistem automatik:  
automatic system build:bangun sistem automatik:  
automatic task initiation:pengawalan tugas otomatis:  
automatic telegraphy:telegrafi automatik:  
automatic telephone switchboard:papan hubung telepon automatik:  
automatic teller machine:mesin penghitung automatik:  
automatic teller machines (ATMs):mesin penghitung automatik:DELETE  
automatic teller machines (ATMs):mesin penghitung automatik:DELETE  
automatic variable:variabel automatik:  
automatics:automatik:  
automating data entry:entri data pengautomatisan:1  
automating data entry:pengotomatisan entri data:  
automation:automatisasi:  
automatism:automatisme:  
automotive computer:komputer automotif :1  
automaton:automaton:  
automaton:automaton:  
automonitor:automonitor:  
auto-network shutdown:penutupan jaringan otomatis:  
autonomous computer:komputer autonom:1  
autonomous device:peranti autonom:1  
autonomous operation:operasi autonom:1  
autonomous operation::  
autonomous system number:nomor AS:  
autonomous vehicles:kendaraan otonom:  
autonomous working:kerja autonom:  
autonomous working:kerja autonomus:  
autonomy:autonomi:  
autoPC:autoPC:1  
AUTOPICK:autopick:1  
AUTOPICK:AUTOPICK:  
autopiler:autopiler:  
autopilot:autopilot:  
autoplotter:autoperajah:1  
autoplotter:swarancang:  
autopoll:angket otomatis:  
autopoll:autopoll:

authoring language:bahasa pengarang:1  
autosave:swasimpan:  
autoscore:swaskor:  
autothread:autoulir:  
autotracing ::  
auxiliary memory:memori bantu:1  
auxiliary operation:operasi daya bantu:  
auxiliary or backing storage:pembantu penyimpan cadangan :DELETE  
Auxiliary Service Station:stasiun servis pembantu:  
auxiliary storage:penyimpan pembantu:1  
availability:ketersediaan:  
availability::  
avatar ::  
average seek time:purata masa jangkau :1  
AVERAGE/AVG:AVERAGE/AVG:  
AVERAGE/AVG:purata/Prt:1  
avionics:avionik:  
avoidance:elokan  
avometer:avometer  
AVR:AVR  
AWT:AWT  
axes:kampak  
axial response:respons aksial  
axial wave:gelombang aksial  
axial-flow turbine:turbin aliran-aksial  
axiom:aksian  
axiomatic:aksiomatik  
axis:sumbu  
axis of commutation:aksial komutasi  
axle:gandar; aksel  
axon:akson  
azimuth:azimut  
azimuthal error:kekeliruan berazimut  
B channel:B channel:  
B channel:kanal B:1  
b register:register:  
b-1's complement:komplemen b-l:  
babble:suara:  
BABT::  
bace:bace:  
back:latar:  
back ampere-turn:amper-balik belakang:  
back end processor:pemroses belakang:1  
back end processor:pemrosesan latar belakang:  
back fire:pukulan balik:  
back light:cahaya belakang:

back lobe:cuping belakang:  
back out file:berkas mundur:  
back out file buffer:penyangga berkas mundur:  
back out processing:proses berkas mundur:  
back panel:panel belakang:  
back panel assembly:perakitan panel belakang:  
back pitch:jarak bagi belakang:  
back plane::  
back porch:anjung belakang:  
back propagation algorithm:algoritma propagasi belakang:1  
back radiation:radiasi balik:  
back read:baca belakang/latar:  
back records:catatan lalu/belakang:  
back records:catatan lalu/belakang:  
back to back testing::  
back track:tapak belakang:1  
backbone:tulang punggung:1  
backbone:tulang punggung:  
backbone:tulang punggung:  
backbone:tulang punggung:  
backbone network:jaringan tulang punggung:1  
backbone network:jaringan tulang punggung:  
backbones:tulang punggung:  
back-end processor:pemrosesan latar belakang:  
back-end processor:pemrosesan latar belakang:  
back-end processor:prosesor belakang:1  
background:latar belakang:  
background::  
background activity:aktivitas:  
background image:citra latar belakang:1  
background image:gambatang latar belakang:  
background job:kerja latar belakang:1  
background job:tugas latar belakang:  
background noise:desah latar belakang:  
background partition:sekatan latar belakang:  
background printing:pencetakan latar belakang:  
background processing:pemrosesan latar belakang:1  
background processing:pemrosesan latar belakang:1  
background processing:pemrosesan latar belakang:  
background processing:pemrosesan latar belakang:  
background program:program latar belakang:1  
background program:program latar belakang:  
background reader:alat baca latar belakang:  
background reader:pembaca latar belakang:  
background region:kawasan latar belakang:  
background returns:pengembalian dasar belakang:

backgrounding:latar belakang:  
backing:dukungan:DELETE  
backing memory:memori belakang:  
backing memory block::  
backing storage:penyimpan cadangan:1  
backing storage:penyimpan cadangan:  
backing storage:penyimpan cadangan:  
backing store:penyimpan cadangan:1  
backing store:penyimpan cadangan:  
backing store:penyimpan dukungan:1  
backing store:penyimpan dukungan:  
backing store:penyimpan dukungan; penyimpan cadangan:  
backing store:penyimpan dukungan; penyimpan cadangan:  
backing up file(s):mencadangkan berkas:  
back-lash potential:potensi selip-balik roda gigi:  
backlog:timbunan:  
backoff:mundur:  
backout:memundurkan:  
backpanes:bidang belakang:  
backplane:bidang belakang:  
backplane :bidang belakang:  
backplane bus:bus bidang belakang:  
backplate:backplate:  
back-pressure turbine:turbin tekanan-lawan:  
backside bus:bus samping belakang:  
backslash:iris belakang:  
backspace:hapus mundur:1  
backspace:hapus mundur:  
backspace:spasi mundur:  
backspace character:karakter hapus mundur:1  
backspace character:karakter hapus mundur:  
backspace character:karakter spasi mundur:  
backspace file:berkas mundur:  
backspace key:kunci spasi balik:1  
backspace record:rekam mundur:1  
backspace record:rekam mundur:  
backtrace:jejak belakang:  
backtrack:tapak belakang:  
backtrack mechanism:mekanisme belakang:  
backtracking:penapakan belakang:  
backup:cadangan:  
backup:cadangan:  
backup:cadangan:  
backup:cadangan:  
backup:rekam cadang:1  
backup:simpan cadang; cadangan:1

backup copy:kopi cadangan:  
backup data set:himpunan data cadangan:  
backup database:pangkalan data cadangan:  
backup database:pangkalan data cadangan:  
backup diskette:disket cadangan:  
backup equipment:peralatan cadangan:1  
backup file:berkas cadangan:  
backup file:berkas rekam cadang:1  
backup files:berkas cadangan:1  
backup files:berkas cadangan:1  
backup files:berkas cadangan:  
backup files:berkas cadangan:  
backup files:berkas pendukung:  
backup files:berkas pendukung:  
backup flight model:model lompatan cadangan:  
back-up fuse:sekring cadangan:  
backup library:pustaka pendukung:  
backup power indicator:penunjuk tenaga cadangan:  
backup procedures:prosedur cadangan:  
backup program:program backup:  
backup program:program rekam cadang:1  
backup programmer:pemogram simpan cadang:  
backup programs:pemogram simpan cadang:  
backup programs:program cadangan:1  
backup programs:program cadangan:  
backup system:sistem pendukung:  
backup techinques:teknik cadangan:1  
backup technique:teknik pencadangan:  
backup techniques:teknik pencadangan:1  
backup techniques:teknik pencadangan:DELETE  
backup techniques:teknik pencadangan:DELETE  
backup unit:unit simpan cadang:  
backup utility:utiliti rekam cadang:1  
backup utility:utiliti simpan cadang:  
backup volume:volume pendukung:  
backupable:daya dukung:  
backups:cadangan:1  
backups:cadangan:  
Backus Naur form:BNF:  
Backus Naur form syntax:BNFS:  
backward:balik:  
backward brush-lead:kepala-borstel belakang:  
backward chaining:rantai balik:1  
backward chaining:rantai terbaik:  
backward channel:saluran terbalik:  
backward compatible :kompatibel mundur:



backward current: arus mundur:  
backward error recovery::  
backward file recovery: penyelamatan berkas terdahulu:  
backward LAN channel: kanal LAN terbalik:  
backward pointer: penunjuk balik:  
backward pointers: penunjuk balik: 1  
backward pointers: penunjuk balik: DELETE  
backward read: membaca mundur:  
backward reading: pembacaan terbalik:  
backward recovery: pemulihan ke belakang:  
backward reference: referensi terbalik:  
backward supervision: pengawasan terbalik:  
backward voltage: voltase mundur:  
backwards compatibility ::  
backward-wave tube: tabung gelombang-belakang:  
backwater: terpengaruh:  
bacteria: bakteria: 1  
bacteria: bakteria:  
bactericidal lamp: lampu bakterisidal:  
bad parity: paritas buruk: 1  
BADGE: BADGE:  
badge: lambang:  
badge punch: penebuk/pelubang lambang:  
badge reader: pembaca lambang:  
badge reader-magnetic stripe: jalur pembaca-magnetik lambang:  
badge reader-punched hole: lubang pembaca-penebuk lambang:  
bagbiter: bakbiter:  
BAK::  
bake oven: oven bakar:  
baking oven: oven bakari:  
balance:imbang; balans:  
balance beam type relay:siar tipe balok imbang:  
balance check:tilikan keseimbangan:  
balance circuit:sirkuit keseimbangan:  
balance converter:pengubah imbang:  
balance list:senarai imbang:  
balance system:sistem imbang:  
balance with service:seimbang dengan layanan:DELETE  
balance with service security:keseimbangan dengan jasa keamanan:1  
balance with service security:keseimbangan dengan jasa keamanan:DELETE  
balanced circuit:sirkuit berbalans:  
balanced class:kelas berimbang:  
balanced converter:pengubah berimbang:  
balanced deflection:defleksi berimbang:  
balanced demodulator:demodulator berimbang:  
balanced draft:konsep berimbang:

balanced error:kekeliruan berimbang:  
balanced file:bekas berimbang:  
balanced line:garis berbalans:  
balanced load:beban berimbang:  
balanced modulator:modulator berimbang:  
BALANCED TREE::1  
balanced-load meter:meter beban-berimbang:  
balanced-to-unbalanced transformer:transformator tak berimbang- ke-berimbang:  
balancer:pengimbang:  
balancing capacitor:kapasitor pengimbangan:  
balancing capacity:kapasitas pengimbangan:  
balancing network:jaringan pengimbangan  
balancing variable resistor:resistor variabel pengimbangan  
balck box:kotak hitam  
ball bearing:bantalan bal/bola  
ball-and-socket type:tipe soket-dan-bola  
ballast:pembeban  
ballast choke:pencekik balast  
ballast lamp:lampu balast  
ballast leakage resistance:resistansi kebocoran balast  
ballast resistance:resistansi balast  
ballast tube:tabung balast  
ballistic galvanometer:galvanometer balistik  
balun:balun  
band:pita; ban  
band chart:bagan pita  
band overlap:luah pita  
band pass filter:filter pita lurus:  
band printer:pencetak pita:1  
band printer:pencetak pita:  
band spectrum:spektrum band:  
band spectrum:spektrum pita:  
band spread:hampar pita:  
band width:lebatang pita:  
bandpass:lulus jalur:  
band-pass:lulus jalur:  
bandpass amplifier:penguat lulus jalur:  
bandpass filter:filter lulus jalur:  
band-pass filter:penyaring pita-pas:  
band-pass filter:penyaring/filter pas-pita:  
band-rejection filter:penyaring rejeksi-pita:  
band-stop filter:penyaring henti-pita:  
bandwidth:lebar jalur:1  
bandwidth:lebatang pita:1  
bandwidth:lebatang pita:1  
bandwidth:lebatang pita:

bandwidth:lebatang pita:  
bandwidth:lebatang pita:  
bandwidth:lebatang pita:  
bandwidth broker:pialang lebatang pita:  
bandwidth on demand::  
bandwidths:lebatang pita:  
bandwith:lebatang pita:  
bang metric ::  
bang-bang control:kontrol bang-bang:  
bank:bank:  
bank cleaner:pembersih bank:  
bank conflict:konflik bank:  
bank multiple cable:kabel ganda bank:  
bank rod:batang bank:  
bank supporter:penumpu bank:  
bank transit processing unit:unit pemrosesan transit bank:  
bank wiring:pengabelan bank:  
banking:perbankan:  
banking industry:isdustri perbankan:1  
banking industry:isdustri perbankan:  
banking machine:mesin perbankan:  
banking online system:sistem garis hidup perbankan:  
banking system:sistem perbankan:  
banking terminal:terminal perbankan:  
banking terminal system:sistem terminal perbankan:  
bankswitching:sakelar jalur:  
banner:spanduk:  
bar:bar:  
bar chart:daftar/bagan bar/palang:  
bar chart:daftar/bagan bar/palang:  
bar code:kode batang:1  
bar code:kode batang:1  
bar code:kode batang:  
bar code:kode batang:  
bar code:kode batang:  
bar code reader:pembaca kode bar:1  
bar code reader:pembaca kode batang:1  
bar code reader:pembaca kode batang:  
bar code readers:pembaca kode batang:1  
bar code readers:pembaca kode batang:DELETE  
bar code scanner:pemindai kode bar:1  
bar code scanner:penelusur kode batang:  
bar code sensor:sensor kode batang/palang:  
bar coding:pengkodean bar:1  
bar coding:pengkodean bar:  
bar coding:pengkodean bar:

bar coding:pengodean batang:1  
bar coding:pengodean batang:1  
bar coding:pengodean batang:  
bar coding:pengodean batang:  
bar magnet:magnet bar/palang:  
bar printer:pencetak bar:  
bar-code scanner:penelusur kode batang:  
bare conductor:penghantar tepat:  
bare wire:kawat tepat:  
bargaining power :data tawar menawar:  
"Barhausen noise, magnetic recording":  
barrel distortion:distorsi barel:  
barrel printer:pencetak tong:  
barrel shifter::  
barretter:bareter:  
barrier:penghalang:  
base:basis; dasar:  
base:basis; dasar:  
base address:alamat basis:1  
base address:alamat basis:  
base address:alamat basis:  
base address:alamat dasar:1  
base address:alamat dasar:  
base address modification:modifikasi alamat dasar:  
base address register:register alamat basis:  
base address register modification:modifikasi register alamat dasar:  
base class ::  
base cluster:gugus dasar:  
base code ::  
base conversion:konversi dasar:  
base current:arus dasar:  
base diameter:diameter dasar:  
base displacement address:alamat salah penempatan dasar:  
base element:elemen dasar:  
base expansion:ekspansi dasar:  
base group:grup dasar:  
base header:kepala basis:  
base item:butir dasar:  
base item:unsur dasar:  
base limit register:register batas dasar:  
base line:garis dasar:  
base load:beban dasar:  
base load station:stasiun beban dasar:  
base memory:memori basis:1  
base number:bilangan dasar:  
base program preparation facilities:fasilitas preparasi program dasar:

base quantity:kuantitas dasar:  
base RAM:RAM basis:1  
base register: register basis:1  
base register:register basis:  
base register:register dasar:  
base register:tepat letak/register dasar:  
base register addressing:pengalamatan register basis:1  
base register addressing:pengalamatan register basis:  
base register addressing:pengalamatan register dasar:1  
base seat to hold down line:garis turun palka kursi dasar \*:  
base shield:tanung dasar:  
base sleeve:lengan dasar:  
base station:stasiun basis:  
base station:stasiun utama:  
base turbine:turbin dasar:  
base unit:unit dasar:  
baseband:band dasar:  
baseband:jalur basis:1  
baseband channels:kanal jalur alas:  
baseband coax:koax jalur alas:  
baseband coax:koax jalur alas:  
baseband LAN:LAN band dasar:  
baseband modem:modem pita basis:1  
baseband modem:modem pita basis:  
baseband signal:sinyal jalur alas:  
baseband transmission:transmisi jalur alas:  
baseband transmission:transmisi jalur basis:1  
baseband transmission:transmisi pita dasar:1  
baseband transmission:transmisi pita dasar:  
baseboard:papan alas:  
base-cap connection diagram:diagram koneksi tanda- dasar:  
based:dasar:  
based reference:referensi/acuan dasar:  
based storage:penyimpan dasar:  
based storage allocation:jatah/alokasi penyimpanan dasar:  
based variable:peubah berdasar:  
based variable:variabel dasar:  
baseline:garis dasar:  
baseline::  
baseline management::  
basetype:tipe alas:  
BASIC:BASIC:1  
BASIC:BASIC:  
BASIC:BASIC:  
BASIC:BASIC:  
basic::

istilah-ti-indonesia

basic access method:metode akses dasar:  
basic access technique:teknik akses/akses dasar:  
basic assembler:perakit dasar:  
basic assembler language:bahasa perakit dasar  
basic block diagram:diagram blok dasar  
basic coding:pengkodean dasar  
basic components:komponen dasar  
basic concept:konsep dasar  
basic concepts:konsep-konsep dasar  
basic console:konsol/tuts dasar  
basic control mode:mode kontrol dasar  
basic controller:pengontrol dasar  
basic counter unit:unit penukar dasar  
basic device unit:unit peralatan dasar  
Basic Direct Access Method:Metode Akses Langsung Dasar  
basic direct access method:metode akses langsung dasar  
basic external function:fungsi eksternal dasar  
basic external function reference:referensi/acuan fungsi tambahan dasar  
basic features:fitur dasar  
basic field descriptor:pendeskripsi/deskriptor daerah dasar:  
basic function:fungsi dasar:  
basic hardware:perangkat keras dasar:  
basic indexed sequential access method:metode akses urut terindeks dasar:  
basic indexed sequential access method:metode akses/akses berurutan indeks dasar:  
basic information unit:unit informasi dasar:  
basic information unit segment:segmen unit informasi dasar:  
basic input and output system:sistem masukan dan keluaran dasar:DELETE  
Basic Input/Output System (BIOS):Sistem Masukan/Keluaran Dasar (BIOS):1  
basic instruction:instruksi dasar:  
basic instruction set:himpunan instruksi dasar:  
BASIC language:bahasa BASIC:1  
basic language:bahasa dasar:  
basic link unit:unit sambung dasar:  
basic linkage:sambungan/sangkutan dasar:  
basic memory:memori dasar:  
basic mode:ragam dasar:  
basic mode data link control procedure:prosedur kontrol sangkutan data model dasar:  
basic mode data link control procedures:prosedur kontrol sangkutan data model dasar:  
basic mode link control:kontrol penghubung mode dasar:  
basic monitor:layar/monitor dasar:  
basic network:jaringan dasar:  
basic operating system:sistem pengoperasian awal:  
basic partitioned access method:metode akses pembagian dasar:  
basic partitioned access method:metode akses penyekatan dasar:  
basic programming support:penopang pemrograman dasar:  
basic rate interface:antar muka laju basis:1

istilah-ti-indonesia

basic rate interface:laju antarmuka dasar:  
basic real constant:konstanta nyata dasar:  
basic remote concentrator:pemusat jarak jauh dasar:  
basic segment:segmen dasar:  
basic sequential access method:metode akses berurutan dasar:  
basic statement:pernyataan dasar  
basic storage:penyimpanan dasar  
basic subroutine:subrutin dasar  
basic subroutine reference:referensi/acuan subrutin dasar  
basic symbol:lambang dasar  
basic system telegraph:sistem telegrafi dasar  
basic systems:sistem dasar  
basic telecommunication:telekomunikasi dasar  
basic telecommunication access method:metode akses telekomunikasi dasar  
basic telecommunications access method:metode akses telekomunikasi dasar  
basic tele-communications access method:metode akses tele-komunikasi dasar  
basic theory television:teori televisi dasar  
basic trace:metriks dasar  
Basic Trading Area (BTA):tempat perdagangan mendasar  
basic transmission header:kepala transmisi dasar  
basic transmission unit:unit transmisi dasar  
basic utility:jasa/utilitas dasar:  
basic-mode:ragam-dasar:  
basis:basis:  
bass:bass:  
BAT::  
batch:tumpak:  
batch file:berkas tumpak:  
BATCH FILE::1  
batch input:masukan bac/angkatan:  
batch input data:data masukan bac/angkatan:  
batch job:pekerjaan berkelompok:  
batch number:nomor kelompok:  
BATCH NUMBER::1  
batch output:keluaran tumpak:  
batch output data:data keluaran bac/angkatan:  
batch print:cetak kelompok:  
batch process:proses angkatan:  
batch processing:pemrosesan berbarengan:1  
batch processing:pemrosesan kelompok:  
batch processing:pemrosesan tumpak:1  
batch processing:pemrosesan tumpak:1  
batch processing:pemrosesan tumpak:  
batch processing:pemrosesan tumpak:  
batch processing:proses berbarengan:  
batch processing:proses berbarengan:

istilah-ti-indonesia

batch processing:proses berkelompok:  
batch processing mode:ragam pemrosesan bac/angkatan:  
batch processing system:sistem pemrosesan bac/angkatan:  
batch session:pembahasan angkatan:  
batch system:sistem kelompok:1  
batch system:sistem tumpak:1  
batch system:sistem tumpak:1  
batch system:sistem tumpak:  
batch system:sistem tumpak:  
batch terminal simulator:simulator terminal angkatan:  
batch total:total kelompok:  
batch total:total tumpak:1  
batch total:total tumpak:  
batch total (error-checking technique):total tumpak (teknik pemeriksaan galat):DELETE  
batch total check:cek total bac/angkatan:  
batch transfer program:program transfer kelompok:  
batch transmission:transmisi kelompok:  
batch updating:pembaruan tumpak:  
batch updating:pemutakhiran tumpak:1  
batch updating :pemutakhiran tumpak:1  
batch updating (backup technique):pemutakhiran tumpak:  
batch updating (backup techniques):pembaruan tumpak (teknik cadangan):DELETE  
batched communication:komunikasi angkatan:  
batched job:pekerjaan berkelompok:  
batched job:pekerjaan terkelompok:  
batched job:tugas terkumpul:  
batched processing:proses angkatan:  
batches:tumpak:1  
batches:tumpak:  
batch-header document:dokumen batch-header \*:  
batching:pengangkatan:  
bate memory::  
bath voltage:voltase tangas:  
batten system:sistem pengikat/baten:  
battery:baterai:  
battery back up:cadangan baterai:  
battery backup:cadangan baterai:  
battery circuit breaker:pematah sirkuit baterai:  
battery dialing:pencakraan baterai:  
battery jar:jar baterai:  
battery room:ruang baterai:  
battery-powered calculator:mesin hitung bercatudayakan batere:  
baud:baud:  
baud:baud:  
baud:baud:  
baud rate:laju baud:1



baud rate:laju baud:  
baud rate:laju baud:  
baud rate:laju baud:  
Baudot:baudot:  
Baudot code:kode Baudot:1  
Baudot code:kode baudot:  
bay:teluk:  
bayonet pin:pena bayonet:  
BBS::  
BC mode:ragam BC  
BCC:BCC  
BCD:BCD  
BCD:BCD  
BCD code:kode BCD  
BCH:BCH  
b-contact:kontak-b  
BCU:BCU  
BDAM:BDAM  
BDU:BDU  
beacon:rambu  
beaconing station:stasiun rambu  
bead:manik  
beam:balok  
beam:berkas  
beam alignment:penjajaran balok  
beam alignment coil:kumparan penjajaran balok  
beam angle:sudut berkas  
beam coupling coefficient:koefisien kopling balok  
beam current:arus balok  
beam deflection:defleksi sinar  
beam deviation factor:faktor deviasi balok  
beam lead:timbel balok  
beam loading admittance:admitans pembebanan balok  
beam loading conductance:konduktans pembebanan balok  
beam reflector:reflektor balok  
beam spot:sorot balok  
beam-power tube:tabung/tube berkas-daya  
beamwidth:lebatang berkas  
bearer:alas  
bearer rate:laju alas  
bearing:bantalan  
bearing cursor:kursor bantalan  
bearing error:kekeliruan dukung  
bearing friction loss:kerugian friksi dukung  
bearing indicator:indikator dukung  
bearing resolution:resolusi bantalan

beat:denyut  
beat frequency:frekuensi lonjak  
beat frequency oscillator:oskilator frekuensi lonjak  
beath:  
beats:denyut  
beep:berbunyi  
beeper:bunyi  
before skip:lintasan kabel awal  
before space:ruang sebelum/depan  
begin:mulai  
begin block:blok mula  
begin block:blok mula/awal:  
begin bracket indicator:penunjuk braket awal:  
begin column:kolom mulai:  
begining-of-tape:permulaan-pita:  
begining-of-tape marker:permulaan-penanda pita:  
beginner:pemula:  
Beginners All Purpose Symbolic Instruction Code (BASIC):Kode Intruksi Simbolik Serba Guna Pemula (BASIC):1  
beginner's all-purpose symbolic instruction code:kode instruksi simbolik serba-guna pemula:  
beginning flag:panji permulaan:  
beginning of tape:pita permulaan:  
beginning of tape marker (BOT):penanda awal pita:  
beginning-of-file label:label awal berkas:  
beginning-of-tape mark:tanda awal pita:  
beginning-of-tape marker:penanda awal pita:  
beginning-of-volume label:permulaan-label isi:  
behavior:tingkah laku:  
behavior :  
behavior sharing:  
behavioral feature :  
behavioral modeling :  
behavioral-aspect :  
behaviorism:behaviorisme  
behaviour:tingkah laku  
belief revision:revisi keyakinan  
bell:bel; lonceng  
bell (FTP):bel; lonceng  
bell character:karakter bell  
bell test:uji bel  
bellboy:pelayan  
bellfast:belfas  
bell-jar process:proses suara gosokan giring- giring  
bellmouth:liwat  
bellows:pengangin:  
belt conveyer:konveyer sabuk:

belt conveyer:konveyor sabuk:  
belt insulation:insulasi sabuk:  
belt leakage:kebocoran sabuk:  
belt printer:pencetak sabuk:  
belt pulley:puli sabuk:  
belted cable:kabel bersabuk:  
belt-in-place switch:alih lajur-dalam- tempat:  
bench type switchboard:papan hubung tipe tetap:  
benchmark:tanda:  
benchmark:tanda:  
benchmark:tanda:  
benchmark:tolok:1  
benchmark problem:problem tolok:  
benchmark program:program tolak:  
benchmark test:uji tolak:1  
benchmark test:uji tolak:  
benchmark testing:uji tolak:1  
benchmark testing:uji tolak:  
benchmark testing:uji tolak:  
benchmarking:penolokan:1  
benchmarking:penolokan:  
benchmarks:tolok:  
bending angle:sudut tikungan:  
benefit:faedah:  
benefit analysis:analisis manfaat:1  
benefit analysis:analisis manfaat:  
benefits of database systems:manfaat sistem pangkalan data:1  
benefits of database systems:manfaat sistem pangkalan data:DELETE  
benign failure::  
bent antenna:antena lengkung:  
ber code:kode ber  
ber code reader:alat baca kode ber  
berkas:gagal  
berkas safe:selamat/aman dari kegagalan  
berkas safe:simpan berkas  
berkas soft:lunak gagal  
berkas-safe:selamat dari kegagalan  
berkassafe operation:operasi anti gagal  
berkassoft:gampang gagal \*  
berkasure:kegagalan; berkasur  
berkasure analysis:analisis kegagalan  
berkasure in term:kegagalan istilah  
berkasure logging:peralatan kegagalan  
berkasure rate:tingkat/laju kegagalan  
berkeley broadcast:berkeley broadkas  
berkeley software distribution:distribusi perangkat lunak berkeley

best fit algorithm:algoritma paling cocok:1  
best-effort:usaha terbaik:  
best-fit memory allocation:alokasi memori paling sesuai:1  
"best-fit, memory allocation"::  
best-practice ::  
beta rays:sinar beta:  
beta test ::  
beta testing:uji beta:1  
beta version:versi beta:  
betatron:betatron:  
between class variation:variasi kelas antara:  
between groups:kelompok antara:  
BEX:BEX:  
BEX:BEX:  
bezel:bezel:  
Bézier curve :kurva bezeir:  
BG:BG  
BGA (ball grid array):  
BH:BH  
biadaptive:biadaptif  
bias:bias; prasikap  
bias distortion:erotan/distorsi bias  
bias error:kesalahan bias  
bias value:nilai bias/panjaran  
bias voltage:voltase bias  
bibliographic:bibliografik  
bibliography:bibliografi  
bibliography:bibliografi  
bichromate cell:sel bikromat  
biconical antenna:antena bikonikal  
bid:tawaran  
bidding:penawaran  
bidirectional:dua arah; dwiarah:  
bi-directional:dwi-direksional:  
bidirectional bus::  
bi-directional bus:bus dua-direksional:  
bi-directional bus:bus dwi-direksional:  
bidirectional chaining:rangkaian bidireksional:  
bidirectional flow:aliran dua arah:  
bidirectional inference:inferensi dua arah/dwiarah:  
bidirectional logical relationship:hubungan logika bidireksional:  
bidirectional microphone:mikrofon bidireksional:  
bidirectional pacing:pengaturan bidireksional:  
bifilar suspension:suspensi bifiler:  
bifilar winding:gulungan bifiler:  
bifurcate:dua cabang:

bifurcation:bifurkasi:  
big bang:big bang:1  
big bang:big bang  
big bang:big bang  
big endian:  
big-bang testing:  
big-endian little-endian problem :  
bijection:bijeksi  
bilateral antenna:antena bilateral  
bilateral network:jaringan bilateral  
bilinear equation:persamaan bilinear  
bill exchanger:penukar faktur  
bill processor systems-IMS/360 Bridge:jembatan 360 IMS sistem prosesor faktur  
billi:billi  
billing:billing; pengenalan  
billing>tagihan/pengenal  
billing demand:tuntunan faktur  
billing machine:mesin pemakturan  
billisecond:bilisekon:  
bimetal:bimetal; metal ganda:  
bimining tariff:tarif bimining \*:  
bin:bin:  
BIN:BIN:  
bin card:kartu bin:  
bin cylinder:silinder-bin:  
binarization:binerisasi:  
binarize:membiner:  
binary:biner:1  
binary:biner:  
binary:biner:  
binary:biner:  
binary (FTP):biner:  
binary addition:tambahan biner:  
binary arithmetic operation:operasi aritmetik biner:  
binary association ::  
binary base:dasar biner:  
binary card:kartu biner:  
binary cell:sel biner:  
binary character:karakter biner:  
binary character set:himpunan karakter biner:  
binary circuit:sirkuit/rangkaian biner:  
binary code:kode biner:1  
binary code:kode biner:  
binary code:kode biner:  
binary coded character:karakter pengodean biner:  
BINARY CODED DECIMAL::1

istilah-ti-indonesia

binary coded decimal (BCD):desimal terkode biner:  
binary coded decimal character code:kode karakter desimal terkode biner:  
binary coded decimal notation:notasi desimal terkode biner:  
binary coded notation:notasi berkode biner:  
binary coded set:himpunan terkode biner:  
binary constant:konstanta biner:  
binary counter:pencacah biner:  
binary cycle:siklus biner:  
binary data:data biner:1  
binary data item:unsur data biner:  
binary digit:digit biner:  
binary digit characters:karakter digit biner:  
binary digit string:string digit biner:  
binary dump:penumpah biner:  
binary element:unsur/elemen biner:  
binary exponential backoff:mundur secara biner eksponensial:  
binary file:berkas biner:1  
Binary File Transfer (BFT) :BFT:  
binary files:berkas biner:  
binary files:berkas biner:  
binary files:berkas biner:  
binary image:citra biner:  
binary incremental representation:representasi riapan/tambahan biner:  
Binary Information Unit or Binary Digit (BIT):bit:  
binary integer:bilangan bulat biner:  
binary loader:pembeban biner:  
binary multiplication:multiplikasi biner:  
binary notation: notasi biner:1  
binary notation:notasi biner:  
binary notation:notasi biner:  
binary number: bilangan biner:1  
binary number:bilangan biner:  
binary number:bilangan biner:  
binary number:nomor biner:  
binary numeral:angka biner:  
binary numeration system:sistem bilangan biner:  
binary operation:operasi biner:  
binary operator:operator biner:1  
binary operator:operator biner:  
binary operator:operator biner:  
binary operator :operator biner:1  
binary pair:pasangan biner:  
binary pattern:pola biner:  
binary picture data:data gambatang biner:  
binary point:titik biner:  
binary radix:radiks biner:

istilah-ti-indonesia

binary representation:representasi biner:1  
binary representation:representasi biner:  
binary representation:representasi biner:  
binary representation:representasi biner:  
binary search:cari biner:  
binary search:gelintar biner:1  
binary search:pencarian biner:  
binary search processing:pemrosesan pencarian biner:1  
binary search processing:pemrosesan pencarian biner:  
binary search processing:pemrosesan telusur biner:1  
binary search processing:pemrosesan telusur biner:  
binary search tree:pohon gelintar biner:1  
binary self defining term:istilah pendefinisian sendiri biner:  
binary simulation:simulasi biner:  
BINARY SORT::1  
binary subtraction:substraksi biner:  
binary symmetric channel:kanal simetrik biner:  
binary synchronous adaptor:penambah sinkronus biner:  
binary synchronous communication:komunikasi sinkron biner:  
binary synchronous communication (BSC):komunikasi sinkron biner:  
binary synchronous communication (BSC):komunikasi sinkron biner (KSB):1  
binary synchronous communications adaptor:adaptor 2 komunikasi sinkron biner:  
binary synchronous communications single line control:kontrol garis tunggal komunikasi sinkron biner:  
binary synchronous transmission:transmisi sinkron biner:  
binary to decimal conversion:konversi biner ke desimal:  
binary tree:pohon biner:  
BINARY TREE::1  
binary tree structure:struktur pohon biner:  
binary unit:unit biner:  
binary variable:variabel biner:  
binary-coded character:karakter berkode-biner:  
binary-coded decimal:desimal berkode-biner:  
binary-coded decimal code:kode desimal terkode biner:  
binary-coded decimal code:sandi desimal terkode biner:  
binary-coded decimal notation:notasi desimal biner-pengkodean:  
binary-coded decimal notation:notasi desimal terkode biner:  
binary-coded decimal representation:representasi desimal berkode biner:  
binary-coded decimal representation:representasi desimal terkode biner:  
binary-coded digit:digit berkode-biner:  
binary-coded notation:notasi terkode biner:  
binary-to-decimal conversion:konversi biner-ke-desimal:  
binaural:dwitelinga:  
binaural effect:efek dwitelinga:  
binaural hearing:pendengaran dwitelinga:  
bind:ikat:

binder:penjilid:  
binding:pengikatan:  
binding:pengikatan:  
Binding :BINDING :PENJILIDAN  
binding machine:mesin pengikat:  
binding time:masa pengikatan:1  
binding wire:kawat pengikat:  
"binding, dynamic"::  
"binding, static"::  
BinHex :BinHex:1  
BinHex :BinHex:  
BinHex format:format BinHex:  
binomial coefficient:koefisien binomial:  
binomial distribution:distribusi binomial:  
binominal distribution:distribusi binominal:  
bioceramics:biokeramika:  
bioelectronics:bioelektronika:  
biofeedback:balikan hayat:  
biohardware:perangkat keras hidup:  
biological:biologis:  
biology:biologi :  
biomedical:biomedis:  
biomedical engineering:teknik biomedis:  
biometric device:peranti biometrik:1  
biometric pen:pena biometrik:1  
biometrics:biometrika  
bionics:bionik  
biorhythm:bioritme  
BIOS:BIOS  
biosensor:biosensor  
biosoftware:perangkat lunak hidup  
biotechnology:bioteknologi  
bipolar:dwikutub; bipolar  
bipolar and complementary oxide semiconductor (BiCMOS):BiCMOS  
bipolar and complementary oxide semiconductor (BiCMOS):BiCMOS  
bipolar cell:sel dua kutub/bipolar  
bipolar electrode:elektrode dwikutub  
bipolar integrated circuit:sirkuit terpadu bipolar  
bipolar memory:memori dwikutub  
bipolar pulse:pulsa dwikutub  
bipolar pulse train:kereta pulsa dwikutub  
bipolar transistor:transistor bipolar:1  
bipolar transistor:transistor bipolar:  
bipolar transistor:transistor bipolar:  
bipolar transistor:transistor bipolar:  
bipolar transistor:transistor bipolar/transistor dwikutub:1



bipolar transistor:transistor dwikutub:1  
bipolar transmission:transmisi bipolar:  
biquinary:bikuiner:  
biquinary code:sandi/kode bikuiner:  
biquinary notation:notasi bikuiner:  
biquinary numeral:angka bikuiner:  
BISAM:BISAM:  
bistable:bistabel:1  
bistable:bistabel:  
bistable:bistabel:  
bistable behavior:tingkah laku bistabil:  
bistable circuit:sirkuit bistabil:  
bistable device::  
bistable multivibrator:multivibrator bistabel:  
bistable trigger circuit:kalang/sirkuit picu bistabel:  
bistable trigger circuit:sirkuit picu bistabil:  
bisync:dwiselaras; dwisinkron:  
bisynchronous:dwisinkron:  
bit: bit:1  
bit:bit:1  
bit:bit:1  
bit:bit:1  
bit:bit:  
bit:bit:  
bit:bit:  
bit block transfer :transfer blok bit:1  
bit block transfer :transfer blok bit:  
bit capacity expansion:perluasan kapasitas bit:1  
bit capacity expansion:perluasan kapasitas bit:  
bit channelization:penyaluran bit:  
bit combination:kombinasi/gabungan bit:1  
bit combination:kombinasi/gabungan bit:  
bit comparison:perbandingan bit:1  
bit comparison:perbandingan bit:  
bit configuration:konfigurasi bit:1  
bit configuration:konfigurasi bit:  
bit connecting:hubungan bit:  
bit control block:blok kontrol bit:1  
bit control block:blok kontrol bit:  
"bit crowding, magnetic recording"::  
bit data:data bit:  
bit density:densitas bit:1  
bit density:densitas bit:  
bit density:kerapatan bit:  
bit error:galat bit:1  
bit error rate:tingkat kesalahan bit:1

bit error rate:tingkat kesalahan bit:  
bit error rate:tingkat/laju kesalahan bit:  
bit error rate (BER):laju galat bit:1  
bit error rate (BER):laju galat bit:  
bit image:citra bit:  
bit line:jalur bit:  
bit map:peta bit:1  
bit map:peta bit:  
bit map scanning:penelusuran peta bit:1  
bit map scanning:penelusuran peta bit:  
bit mapped display:penayangan peta bit:  
bit mapping:pemetaan bit:1  
bit mapping:pemetaan bit:  
bit mover:penggerak bit:  
bit operation:operasi bit:1  
bit operation:operasi bit:  
bit parallel:sejajar bit:1  
bit parallel:sejajar bit:  
bit parallel:sejajar bit:  
bit pattern:pola bit:1  
bit pattern:pola bit:  
bit period:perioda bit:  
bit position:posisi bit:  
bit rate:laju bit:1  
bit rate:laju bit:1  
bit rate:laju bit:  
bit rate:laju bit:  
bit ring:cincin bit:  
bit select:seleksi bit:  
bit serial:serial bit:  
bit serial:serial bit:  
bit shift:geseran bit:1  
bit shift:geseran bit:  
bit sign:tanda bit:1  
bit sign:tanda bit:  
bit slice:iris bit:1  
bit slice:iris bit:  
bit sliced microprocessor:mikro prosesor iris bit:1  
bit sliced microprocessor:prosesor mikro iris bit:  
bit sliced microprocessor:prosesor mikro iris bit:  
bit stream:alir/arus bit:1  
bit stream:alir/arus bit:  
bit string:sirkuitan/rangkaian bit:  
bit string:string bit:  
bit stuffing:pengisian bit:1  
bit stuffing:pengisian bit:1

bit stuffing:pengisian bit:  
bit synchronization:sinkronisasi bit:1  
bit synchronization:sinkronisasi bit:  
bit synchronous:sinkron bit:1  
bit synchronous:sinkron bit:  
bit variable:variabel bit:  
bit/s:bit/s:  
bitBLT::  
bitblt ::  
bite:bite:  
BITFTP:BITFTP:  
bit-line capacitance:kapasitansi jalur bit:  
bit-map :peta bit:1  
bit-map file:berkas peta bit:1  
Bitmap operations:operasi bitmap:  
bit-mapped graphics :grafik peta bit; grafik bitmap:  
bit-mapped storage:penyimpan peta bit:  
bit-mapped storage:penyimpan peta bit:  
Bitnet:Bitnet:1  
BITNET:BITNET:  
BITNET:BITNET:  
bitonal::  
bit-oriented protocols:protokol berorientasi bit:  
bits:bit:  
bits:bit:  
bits per inch:bit per inchi:  
bits per inch:bits per inchi:  
bits per second:bit per detik:  
bits per second:bits per detik:  
bits per second (bps):bit per detik (bps):1  
bits per second (bps):bps:  
bits per second (bps):bps:  
bit-slice processor:pemroses potongan bit:  
bit-string constant:konstanta bit-sirkuitan:  
bit-string data:data bit-sirkuitan:  
bit-string operation:operasi bit-sirkuitan:  
bit-string operator:operator bit-sirkuitan:  
bit-string operators:operator bit-sirkuitan:  
BITWISE OPERATOR::1  
BIU:BIU:  
bivariate distribution:distribusi pengubah-dua:  
black box:kotak hitam:1  
black box:kotak hitam:1  
black box:kotak hitam:  
black box:kotak hitam:  
black box:kotak hitam:

istilah-ti-indonesia

black box reuse:guna-ulang kotak hitam:  
black box testing:uji kotak hitam:1  
black box testing:uji kotak hitam:  
black level clamping circuit:sirkuit pengapitan tingkat hitam:  
black list:senarai hitam:  
black spot:noda hitam:  
black tape:pita hitam:  
black-and-white television:televisi hitam-putih:  
blackboard:papan tulis:  
blackbody:benda hitam:  
blackbody locus:lokus benda hitam:  
black-box testing:uji kotak hitam:1  
black-box testing:uji kotak hitam:1  
black-box testing:uji kotak hitam:  
black-box testing:uji kotak hitam:  
black-box testing ::  
black-light lamp:lampu cahaya-hitam:  
Blackout:hilang pancaran  
blade:muka  
blade clip:klip sudu  
blank:kosong  
blank after:setelah/belakangan kosong  
blank character:karakter kosong  
blank coil:lilitan/kumparan kosong/tebuk  
blank column:kolom kosong  
blank common:induk blanko (\*)  
blank deleter:penghapus kosong/tebuk  
blank field descriptor:deskriptor medan blanko (\*)  
blank groove:alur bahan  
blank line:garis kosong/tebuk  
blank medium:medium kosong  
blank signal:sinyal kosong  
blank tape:pita kosong  
blanking:penebukan:  
blanking level:tingkat penebukan:  
blanking pulse:pulsa penebukan:  
blast:ledakan:  
bleakpoint instruction:instruksi titik suram:  
bleed:rembes:  
bleeder current:arus pencerat:  
bleeder resistance:resistans pencerat:  
bleeder turbine:turbin pencerat:  
bleeper:bleper:  
blind:buta:  
blind alley:gang buta:  
blind carbon copy:BCC:

blind carbon copy (BCC):BCC:  
blind carbon copy (BCC):kopi karbon pita:1  
blind controller:pengendali buntu:  
blind landing:pendarat buta:  
blind sending:pengirim buntu:  
blink:kedip:  
blinking:kedipan:  
blip:blip:  
block:blok:  
block:blok:  
block (of text):blok:  
block (of text):blok:  
block address:adres/alamat blok:  
block addressing:pengalamatan blok:1  
block cancel character:karakter hapus blok:  
block capacitor:kapasitor blok:  
block chart (or diagram):diagram blok:  
block chart (or diagram):diagram blok:  
block check:cek blok:  
block check character:karakter cek blok:1  
block check character:karakter cek blok:  
block check character:karakter cek blok:  
block check character:karakter cek/tilikan blok:  
block check sequence:urutan cek blok:  
block code:kode blok:1  
block code:kode blok:  
block control header:tajuk kontrol blok:1  
block control header:tajuk kontrol blok:  
block control unit:unit kontrol blok:  
block copy:kopi blok:  
block count error:kesalahan hitung blok:  
block data subprogram:subprogram data blok:  
block descriptor word:kata pendeskripsi blok:  
block diagram:diagram blok:1  
block diagram:diagram blok:  
block diagram::  
block error rate:tingkat kesalahan blok:  
block gap:rumpang blok:  
block graphics :grafik blok:  
block handler:pembantu blok:  
block handler set:kumpulan pembantu blok:  
block handling macro instruction:instruksi makro pemindahan blok:  
block head:kepala blok:  
block heading statement:kalimat judul blok:  
block ignore character:karakter abai blok:  
block instrument:instrumen blok:

block interrupt:interupsi blok:  
block length:panjang blok:1  
block length:panjang blok:  
block length indicator:penunjuk panjang blok:  
block loading:pembebanan blok:  
block map allocation storage:simpan alokasi peta blok:1  
block map table:tabel peta blok:1  
block mark:tanda blok:  
block meter rate:laju meter blok:  
block mode:ragam blok:1  
block multiplexar channel:kanal multipleksor blok:1  
block multiplexer channel:kanal multiplekser blok:  
block multiplexer channel:saluran multiplekser blok:  
block multiplexer channel for 2nd selector channel:saluran selektor kedua saluran multipleksor blok:  
block multiplexer channel-3rd:saluran ketiga multipleksor blok:  
block multiplexing:pemultipleksan blok:  
block multiplexor::  
block name:nama blok:  
block prefix:prefiks blok:  
block processor:pemroses blok:  
block record:rekaman blok:  
"block replication, magnetic bubble memory":  
block separation:ceraian blok:  
block sequence indicator:penunjuk urutan blok:  
block signal:sinyal blok:  
block size:ukuran blok:  
block sort:klasifikasi blok:  
block state:stasiun blok:  
block station:stasiun blok:  
block structure:struktur blok:1  
block structure:struktur blok:  
block system:sistem blok:  
block transfer:transfer blok:1  
block transfer:transfer blok:  
block transfer:transfer blok:  
block wiring:perkabelan blok:  
"block, in a cache":  
block-carry lookahead adder::  
blocked impedance:impedans terblok:  
blocked record:rekam terblok:  
blocked recorde:rekaman terblok:  
blocked state:keadaan terblok:1  
blockhouse:rumah blok:  
blocking:pemblok:1  
blocking:pemblok:

blocking capacitor:kapasitor penghalang:  
blocking factor:faktor pemblokian:1  
blocking factor:faktor pemblokian:  
blocking factor:faktor pengeblokan:1  
blocking factor:faktor pengeblokan:  
blocking oscillator:oskilator pemblokian:  
blocking oscillator:oskilator penghalang:  
blocking period:periode penghalang:  
blocking relay:siar/relai penghalang:  
block-structured:struktur blok:  
blooming:berbunga:  
blooming in a television picture tube:tabung gambatang televisi (dalam) pengembangan:  
blow:hembus:  
blower:penghembus:  
blowing:penghembusan:  
blow-out coil:kumparan buang:  
BLU:BLU:  
blue printing machine:mesin cetak biru:  
blue vitriol:vitriol biru:  
BMP::  
BNC connector:konektor BNC:1  
BNC connector:konektor BNC:  
BNPF format:bentuk/format BNPF:  
board:papan:  
board:papan  
board computer:komputer papan  
boarder following:pengikut tumpangan  
bobbin:kumparan  
body:badan; bodi  
body capacity:kapasitas badan  
body file:berkas tubuh  
body of edit word:kata sunting badan/bodi  
bogey tube:tabung bogi  
bogie car:mobil bogi  
bogie truck:truk bogi  
bogomips:bogomips  
bogus:palsu  
boiler room:ruang ketel/empul  
boldface:cetak tebal  
bolometer:bolometer  
bolster:bolster:  
bomb:bom; gagal:  
bombardment:bombardemen:  
bond:rekatan:  
bonding:penekatan:  
bonding:perekatan:

bonding pad:pad penekatan:  
bone conduction:konduksi tulang:  
bone-conduction receiver:penerima konduksi-tulang:  
book:buku:  
book message:pesan buku:  
book name:nama buku:  
book type:tipe buku:  
bookbinding:penjilidan buku:  
booking:pemesanan:  
bookmark:marka buku:1  
bookmark:marka buku:1  
bookmark:tanda buku:  
Boolean:Boolean:  
boolean ADD:ADD boole:  
boolean algebra:aljabar boole:  
Boolean algebra:aljabar Boolean:1  
Boolean algebra:aljabar Boolean:  
Boolean algebra:aljabar Boolean:  
Boolean complementation:komplementasi Boolean:  
Boolean equation:persamaan Boole:  
boolean expression:ekspresi boole:  
Boolean expression:ekspresi Boolean:1  
Boolean expression:ekspresi Boolean:  
Boolean factor:faktor Boole:  
Boolean format:format Boole:  
Boolean function:fungsi Boole:  
Boolean logic: logika Boolean:1  
Boolean logic:logika Boole:  
Boolean logic:logika Boolean:1  
Boolean logic:logika Boolean:  
boolean logic::  
Boolean operation:operasi Boole:  
Boolean operation table:tabel operasi Boole:  
boolean operator:operator boole:  
Boolean operator:operator Boolean:1  
Boolean operator:operator Boolean:  
Boolean operator:operator Boolean:  
Boolean primary:primer Boolean:  
Boolean secondary:sekunder Boolean:  
Boolean variable:perubah Boolean/variabel Boolean:1  
booster:penguat; buster:  
booster amplifier:amplifier/penguat buster:  
boot:bot :1  
boot:bot (permulaan pita):  
boot:bot (permulaan pita):  
boot disk:cakram but:1



boot disk:cakram but:1  
boot disk::  
boot drive:penggerak but:1  
boot load:beban bot:  
"boot loop, magnetic bubble memory"::  
boot record: catatan bot:1  
boot record:catatan awal:  
boot sector:sektor bot:1  
boot sector virus:virus sektor but:1  
booting:pembotan:  
booting:pembutan:1  
booting:pengebotan:1  
BOOTP:BOOTP:  
bootstrap: botstrap:1  
bootstrap:bootstrap; pengangkat:  
bootstrap:bootstrap; pengangkat:  
bootstrap:butstrap:1  
bootstrap circuit:sirkuit bootstrap:  
bootstrap loader:pembeban bootstrap:  
bootstrap loader:pemuat botstrap:1  
bootstrap program:program mandiri:  
BOOTstrap protocol:protokol bootstrap; protokol pengangkat:  
bootstrapping:pengangkatan:  
boot-up:boot :  
bo-peep:bo-pip:  
border gateway protocol (BGP):protokol batas gerbang:1  
border gateway protocol (BGP):protokol batas gerbang:  
border-punched card:kartu batas-penebukan:  
bore:bor:  
bore:mengebor:  
borehole cable:kabel lubang penggerak:  
boro-silicated glass:gelas silikat-boro:  
borriw digit:digit pinjaman:  
borrow:pinjam:  
BOS:BOS:  
BOT:BOT (permulaan pita):  
BOT marker:penanda BOT:  
both-way communication:komunikasi kedua-cara:  
bothway exchange line:garis pindah \*:  
bothway trunk:tubuh \*:  
bottleneck:kemacetan:  
bottom:dasar:  
bottom up:bawah-atas:  
bottom up integration:integrasi bawah-atas:1  
bottom up integration:integrasi bawah-atas:  
bottom up integration strategy:strategi integrasi bawah-atas:

bottom-up:bawah-atas:  
bottom-up ::  
bottom-up approach:pendekatan bawah-atas:1  
bottom-up approach:pendekatan bawah-atas:  
BOTTOM-UP APPROACH:PENDEKATAN BAWAH-ATAS:  
bottom-up design:desain bawah atas:1  
bottom-up testing:uji bawah atas:1  
bouncing:kuat:  
bouncing motion:mosi pengosongan \*:  
bound:membatasi:  
bound charge:muatan batas:  
bound pair:pasangan batas:  
bound pair list:senarai pasangan batas:  
bound register:register batas:  
bound variable:variabel ikat:  
boundary:batas:DELETE  
boundary alignment:penjajaran batas:  
boundary clash:pertentangan batas:  
boundary condition:kondisi batas:  
boundary function:fungsi batas:  
boundary register:register batas:  
Boundary representations:representasi batas:  
boundary scan interface::  
boundary scan path::  
boundary scan test::  
boundary testing:uji batas:1  
boundary testing:uji batas:  
boundary testing:uji batas:  
boundary value analysis :analisa nilai batas:  
boundary value problems:masalah nilai batas:  
bounded:terbatas:  
bounded serial scan:pindai serial terbatas:  
bounded-action devices:perangkat aksi terbatas:  
bounds:batas:  
bounds fault::  
bounds of array(s):susunan terikat:DELETE  
bounds register::  
bow collector:kolektor lengkung:  
box:kotak:  
box diagram:diagram kotak:  
box head:kepala kotak:  
box horn:kotak terompet:  
box-type plate:pelat tipe-kotak:  
bozo filter :tapis pengacau:  
BPAM:BPAM:  
BPAM:BPAM (metode akses tersekat dasar):

bpi:bpi  
bps:bps  
bps:bps  
BPS:  
brace:ganjalan; penguat; pengikat  
bracing:penguatan  
bracket:braket  
bracket arm:lengan braket  
bracket communication:komunikasi braket  
bracket panel:panel braket  
bracket signal:sinyal braket  
bracketing process:proses braketing  
braid:jalin; keping  
braider:penyalin  
braiding:penjalinan  
braiding machine:mesin penyalin  
braille:braille:  
braille feature:ciri braile:  
braille keyboard:papan tombol braille:1  
braille printer:pencetak braille:1  
braille typewriter:mesin ketik braile:  
brain:otak:  
brainstorming:pengilhaman:DELETE  
brake:rem:  
brake magnet:magnet rem:  
brake shoe:sepatu rem:  
brake test:uji rem:  
braking:pengereman:  
branch:cabang:  
branch:cabang:  
branch address:alamat cabang:1  
branch address:alamat cabang:  
branch address:alamat cabang:  
branch cable:kabel cabang:  
branch circuit:sirkuit/rangkaian cabang:  
branch condition:kondisi cabang:  
branch construct:konstruksi bercabang:  
branch history table::  
branch instruction:instruksi cabang:1  
branch instruction:instruksi cabang:1  
branch instruction:instruksi cabang:  
branch instruction:instruksi cabang:  
branch instruction:perintah/instruksi cabang:  
branch line:garis cabang:  
branch node:noda cabang:  
branch office:kantor cabang:

branch penalty::  
branch point:titik cabang:  
branch prediction::  
branch table:tabel cabang:  
branch target buffer::  
branch target cache::  
branch testing:uji cabang:1  
branch testing:uji cabang:1  
branch testing:uji cabang:  
branch testing:uji cabang:  
branch testing:uji cabang:  
branches program flow instruction:instruksi meloncat ke cabang:  
branching:pencabangan:  
branchpoint:titikcabang:  
brazing:pematrian; patrian:  
bread board:papan lebar:  
bread board design:desain papan roti:  
breadboard:papan racik:1  
breadboard:papan racik; papan lebar:  
breadboard:papan racik; papan lebar:  
breadboard construction:konstruksi papan lebar:  
breadboard design:desain papanroti:  
breadth-first search:gelintar lebar dahulu:1  
BREAK:pisah; putus:  
break character:karakter sela:  
break key:kunci putus:1  
break through:pemecahan:  
breakdown:gangguan; kemacetan:  
breakdown test:tes/uji pembelah:  
breakdown voltage:voltase gangguan:  
breakdown voltage:voltase pembelah:  
break-down voltage:voltase detil:  
breaker:pemisah; pematah:  
breaker-terminal fault break:putus kesalahan terminal- pemutus:  
breakeven analysis:analisa balik modal:  
breakeven analysis:analisa balik modal:  
breakeven analysis:analisis impas:1  
breakeven analysis:analisis impas:  
break-in:campur-tangan:  
breaking capacity:kapasitas putus:  
breaking of wire:pemberhentian kabel:  
breaking resistor:resistor putus:  
breaking weight:bobot putus:  
break-make ratio:rasio buat detil:  
break-make ratio:rasio buat rinci:  
break-out box::

break-out box::  
breakover voltage:voltase \*:  
breakpoint:titik pisah; titik putus:  
breakpoint:titik pisah; titik putus:  
breakpoint:titik sela:  
break-point:titik-putus:  
breakpoint halt:penghentian pada titik sela:  
breakpoint instruction:instruksi titik putus:1  
breakpoint instruction:instruksi titik sela:  
breakpoint instruction:instruksi titik sela:  
break-point instruction:intruksi titik jeda:1  
breather:peniup:  
breathing:peniupan; pernafasan:  
B-register:register-B:  
bremsstrahlung:bremsstrahlung:  
BRI:BRI:  
bridge:jembatan:1  
bridge:titisan; jembatan:  
bridge:titisan; jembatan:  
bridge:titisan; jembatan:  
bridge circuit:sirkuit titisan/jembatan  
bridge connection:koneksi titisan  
bridge console:konsol titisan  
bridge input circuit:sirkuit jembatan masukan  
bridge method:metode titisan/jembatan  
bridge position:posisi titisan  
bridge rectifier:rektifier titisan  
bridge system:sistem titisan  
bridge type relay:siar tipe titisan  
bridged circuit:sirkuit berjembatan  
bridgeware:perangkat jembatan  
bridging:penitisan; penjembatanan  
bridging:penitisan; penjembatanan  
bridging wiper:penyilih sambung  
brightness:keterangan  
brightness control:kontrol fajar  
brilliance modulation:modulasi genderang:  
brine:air asin:  
broadband:jalur lebar:1  
broadband:jalur lebar; pita-lebar:  
broadband channels:kanal jalur lebar:  
broadband coax:koax jalur lebar:  
broadband coax:koax jalur lebar:  
broadband exchange:pertukaran pita lebar:  
broad-band filter:penyaring pita-lebar:  
broadband ISDN:ISDN jalur lebar:1

broadband ISDN:ISDN pita lebar:  
broadband LAN:LAN broadband \*:  
broad-band matching circuit:sirkuit pemadanan pita- lebar:  
broadband modem:modem jalur lebar:1  
broadband network:jaringan jalur lebar:1  
broadband network:jaringan jalur lebar:  
broadband transmission:transmisi jalur lebar:1  
broad-band transmission:transmisi pita-lebar:  
broadcast: siar:1  
broadcast:siar; siaran:  
broadcast:siar; siaran:  
broadcast address:alamat penyiaran:  
broadcast address:alamat siar:1  
broadcast addressing:pengalamatan siar:  
broadcast communication:komunikasi siar:  
broadcast communication network:jaringan komunikasi siar:1  
broadcast data set:kumpulan data siar:  
broadcast data set:kumpulan data tersiar:  
broadcast message:pesan siaran:  
broadcast radio channel:kanal radio siar:1  
broadcast wave:gelombang sebar:  
broadcasting:siaran:  
broadcasting network:jaringan siaran:  
broadcasting organization:organisasi pancar luasan:  
broadcasting station:stasiun siaran:  
broken:sela:  
brokerage accounting system elements:elemen sistem perakunan pialang:  
brouter :bruter:  
browse:ramban:  
browser:penelusur/peramban:1  
browser:peramban:1  
browser:peramban:  
browser:peramban:  
browsers:peramban:1  
browsers:peramban:1  
browsers:peramban:  
browsers:peramban:  
browsers:peramban:  
browsers:peramban:  
browsing:meramban  
brush:sikat  
brush discharge:pemberhentian sikat  
brush friction loss:kerugian friksi borstel  
brush inclination:inklinasi borstel  
brush resistance loss:kerugian resistansi borstel  
brush station:stasiun sikat  
brush-lead:kepala-borstel

BS:BS  
b's complement:komplemen b's  
BSAM:BSAM  
BSC:BSC  
BSD:BSD  
BTAM:BTAM  
BTAM:BTAM (metode akses berurutan dasar)  
BTU:BTU  
BTW::  
bubble:gelembung:  
bubble chart::  
bubble jet:jet gelembung:  
bubble jet printer:pencetak jet gelembung:1  
bubble jet printers:pencetak jet gelembung:  
bubble memory:ingatan gelembung:1  
bubble memory:ingatan gelembung:  
bubble memory:memori gelembung:1  
bubble sort:urut gelembung:1  
BUBBLE SORT::1  
"bubble, magnetic bubble memory":  
bubbling:penggelembungan:  
bucket:ember; buket:  
bucket sort:urut buket:1  
"buddy, memory allocation":1  
"buddy, memory allocation":  
buffer:penyangga:1  
buffer:penyangga:1  
buffer:penyangga; penyekat:1  
buffer:penyangga; penyekat:  
buffer:penyangga; penyekat:  
buffer alignment:penjajaran penyangga:  
buffer amplifier:penguat/amplifier penyangga:  
buffer area:area penyangga:  
buffer battery:baterai penyangga:  
buffer capacitor:kapasitor penyangga:  
buffer chain:rantai/rangkaian penyangga:  
buffer control:kontrol penyangga:  
buffer directory:direktori penyangga:  
buffer expansion:ekspansi penyangga:  
"buffer expansion, additional":tambahan ekspansi penyangga:  
buffer insertion:penyelipan penyangga:  
buffer length:panjang penyangga:  
buffer management:manajemen penyangga:  
buffer memory:memori penyangga:1  
buffer memory:memori penyangga:  
buffer number:bilangan penyangga:

buffer offset:offset penyangga:  
buffer pad characters:karakter pad penyangga:  
buffer pool:pol penyangga:  
buffer pool:pool penyangga:  
buffer prefix:prefiks penyangga:  
buffer receive:sambut penyangga:  
buffer register:register penyangga:  
buffer register-single 13bit:register penyangga 13 bit tunggal:  
buffer segment:segmen penyangga:  
buffer spring:pegas penyangga:  
buffer storage:penyimpan penyangga:1  
buffer storage:penyimpan penyangga:  
buffer storage:penyimpanan penyangga:  
buffer store:simpan penyangga:  
buffer tube:tabung penyangga:  
buffer unit:unit penyangga:  
buffer unit pool:pul unit penyangga:  
buffer with edit:sunting dng penyangga:  
buffered input/output:keluaran-masukan berpenyangga:  
buffered input-output:keluaran-masukan berpenyangga:  
buffered reservation terminal:terminal reservasi penyanggaan:  
buffering:penyanggaan:1  
buffering:penyanggaan:  
buffering area:tempat penyanggaan:  
bug:hama; virus; penyakit:  
bug:hama; virus; penyakit:  
bug:kutu:1  
bug:kutu:  
bug rule:kaidah bug:  
build list table:tabel senarai membangun:  
building block sysrem:sistem blok bentuk:  
buildingblock:blok bangunan:  
building-out cable:kabel pembinaan ke luar \*:  
building-up transient:transien tokokan:  
built-in:termasuk didalam:  
built-in check:pemeriksaan built-in:  
built-in function:fungsi built-in:  
built-in function:fungsi terbangun:  
built-in function:fungsi terbina:1  
Built-in functions: BUILT-IN FUNCTIONS: FUNGSI TERPASANG  
built-in logic block observer::  
built-in routine:rutin terbina:1  
built-in self-test (BIST)::  
built-in self-test(BIST):swauji terbina:1  
built-in subroutine:subrutin membangun:  
built-in tests:tes termasuk didalam:



built-in tests:tes termasuk didalam:  
built-in tests:tes termasuk didalam:  
built-in tests:tes termasuk didalam:  
bulb:cembul; pentol:  
bulb diameter:diameter bohlam:  
bulge network:jaringan menonjol:  
bulk:muatan kapal; luas; massa:  
bulk eraser:penghapus bongkah:  
bulk lifetime:umur massa \*:  
bulk memory:memori bongkahan:  
bulk recombination rate:laju rekombinasi tumpukan:  
bulk sample:sampel tumpuk:  
bulk storage:penyimpanan bongkahan:  
bulk store:gudang bongkahan:  
bulkhead:sekat:  
bulldozer:buldoser:  
bulletin board:papan buletin:1  
bulletin board:papan buletin:1  
bulletin board:papan buletin:  
bulletin board:papan buletin:  
bulletin board:papan buletin:  
bulletin board system:sistem papan buletin:  
bulletin board system (BBS):sistem papan buletin:1  
bulletin board system (BBS):sistem papan buletin:  
bulletin board system (BBS):sistem papan buletin:  
bulletin board system (BBS):sistem papan buletin (BBS):1  
bulletin board system (BBS):sistem papan buletin (SPB):1  
bulletin board systems (BBSs):sistem papan buletin:  
bulletin boards:papan buletin:  
bum:ceroboh:  
buncher:penjaras:  
bunching parameter:parameter penjarasan:  
bundle:bundel:  
bundle conductor:konduktor berkas:  
bundled:terbendel:  
buoy:pelampung:  
buoy david:david pelampung:  
buoy lamp:lampu pelampung:  
buoy rope:tali pelampung:  
burden:pokok; beban:  
burden rate ::  
bureaucracy:birokrasi:DELETE  
bureaux::  
buried cable:kabel pendam:  
buried layer:lapisan pendam:  
burn:menyala; memasang:

burn in :tindihan putih:  
burn-in:tindihan putih:  
burning:bakar:  
burst:letupan:  
burst error:galat letupan:1  
burst error:kesalahan letupan:  
burst errors:kesalahan letupan:  
burst interval:interval letupan:  
burst mode:cara letupan:1  
burst mode:model debur(an); mode meledak:  
burst rate:laju letupan:1  
burst refresh::  
burst speed :kecepatan letupan:1  
burst transfer::  
burst transmission:transmisi letupan:  
burster:peletup:  
burster trimmer stacker feature:ciri steker pemapas rengkah:  
bus:bus:1  
bus:bus:1  
bus:bus; galang:  
bus:bus; galang:  
bus (local area network):bus (jaringan area lokal):  
bus acquisition::  
bus arbiter::  
bus arbitration::  
bus architecture:arsitektur bus:  
bus bandwidth::  
bus broadcast: siaran bus:1  
bus broadcast:siaran bus:  
bus circuit:sirkuit bus:  
bus clock speed::  
bus controller:pengontrol bus:1  
bus controller:pengontrol bus:  
bus controller:pengontrol bus/galang:  
bus cycle: siklus bus:1  
bus cycle:siklus bus:  
bus driver:pemacu bus:1  
bus driver:penggerak bus:  
bus driver:penggerak bus:  
bus grant::  
bus hierarchy: hierarki bus:1  
bus hierarchy:hierarki bus:  
bus idle:idel bus:1  
bus idle:idel bus:  
bus interface:antarmuka bus:1  
bus interface unit:unit antarmuka bus:1

bus interface unit:unit antarmuka bus:1  
bus interface unit:unit antarmuka bus:  
bus interface unit:unit antarmuka bus:  
bus interface unit:unit antarmuka bus:  
bus line:jalur bus:1  
bus line:jalur bus:  
bus line width:lebatang saluran bus:  
bus line width and CPU:lebatang saluran bus dan CPU:DELETE  
bus locking:penguncian bus:  
bus management:managemen bus:  
bus master:induk/master bus:  
bus master:master bus:  
bus mouse:mouse bus:  
bus network:jaringan bus:1  
bus network:jaringan bus:1  
bus network:jaringan bus:  
bus network:jaringan bus:  
bus networks:jaringan bus:  
bus orbiter:pengorbit bus/galang:  
bus owner:pemilik bus:  
bus phases:fase bus:  
bus priority:prioritas bus:  
bus protocol:protokol bus:1  
bus protocol:protokol bus:  
bus quiet signal:sinyal tenang bus:  
bus receiver:penerima bus:  
bus request:permintaan bus:  
bus slave: anak bus/galang:1  
bus slave:anak bus/galang:  
bus slave:anak bus/galang:  
bus slave :budak bus:1  
bus snooping::  
bus specifications:spesifikasi bus:  
bus standards:standar bus:  
bus system:sistem bus:1  
bus system:sistem bus/galang:  
bus tenure::  
bus termination:penghentian bus:  
bus topology:topologi bus:1  
bus topology:topologi bus:1  
bus topology:topologi bus:1  
bus topology:topologi bus:  
bus topology:topologi bus:  
bus topology:topologi bus:  
bus topology:topologi bus:  
bus transaction:transaksi bus:

bus watching:pengamatan bus:  
bus width: lebar bus:1  
bus width:lebar bus:1  
bus width:lebar bus:  
bus wire:kawat bus:1  
"bus, asynchronous":bus asinkron:  
"bus, synchronous":bus sinkron:  
bus-bar:batang-bus:  
Buses:berbagai macam bus:  
bushing:ring; paking; penopang:  
bus-in:bus-masuk:  
business:bisnis:  
business applications:aplikasi bisnis:1  
business applications:aplikasi bisnis:  
business applications:aplikasi bisnis:  
business automation:automasi niaga:  
business calculation:kalkulasi bisnis:  
business computer:komputer bisnis:  
business data processing:olah data bisnis:  
business form:bentuk bisnis:  
business game:permainan niaga:  
business graphics:grafik bisnis:  
business graphics:grafik bisnis:  
business instruction:instruksi bisnis:  
business language:bahasa bisnis:  
business machine:mesin bisnis:  
business machine:mesin niaga:  
business machine clocking:pengejaman mesin niaga (\*):  
business machine internal clock:jam internal mesin bisnis:  
business organization:organisasi bisnis:  
business organization environment:lingkungan organisasi bisnis:  
business oriented language:bahasa berorientasi bisnis:  
business process reengineering:rekayasa ulang proses bisnis:1  
business process reengineering:rekayasa ulang proses bisnis:  
BUSINESS PROCESS REENGINEERING:REKAYASA ULANG PROSES BISNIS:  
"business process reengineering, BPR "::  
business risks ::  
Business rules :BUSINESS RULES :KAIDAH BISNIS  
business system:sistem bisnis:  
business system planning (BSP):perencanaan sistem bisnis:  
business system planning (BSP):perencanaan sistem bisnis:  
business-oriented languages:bahasa berorientasi bisnis:1  
business-oriented languages:bahasa berorientasi bisnis:  
business-to-business :bisnis ke bisnis:  
bus-out:bus-keluar:  
bussback:pengujian pembalikan arah saluran:

bust:gagal:  
bust this:gagal (\*):  
bustback:pengujian pembalikan arah saluran:  
busy:sibuk:  
busy after reset:reset setelah sibuk:  
busy hour:jam sibuk:  
busy hour call:panggil waktu sibuk:  
busy line:garis sibuk:  
busy test:tes sibuk:  
busy tone:nada sibuk:  
busy trunk:peti sibuk \*:  
busy trunk line:garis peti sibuk \*:  
busy waiting:sibuk tunggu :1  
busy waiting:tunggu sibuk:1  
busy waiting:tunggu sibuk:  
busy-buzz:dengung-sibuk \*:  
busy-flash signal:sinyal sinar-sibuk:  
butt joint:sambungan pangkal:  
butt resistance welding:las resistans pangkal:  
butterfly oscillator:oskilator kupu-kupu:  
butterfly valve:katup kupu-kupu:  
buttinski:butinski:  
button:tombol:1  
button:tombol:  
buying on Web:membeli di web:DELETE  
buying on web:membeli di web:DELETE  
buying on Web:membeli melalui jaringan:1  
buying on web:pembelian melalui jaringan:1  
buzzer:bel; pendengung:  
buzz-stick method:metode stik-dengung:  
BY clause:dengan klausa:1  
BY clause:klausa BY:DELETE  
bye:bye:  
bye (FTP):bye (FTP):  
BYFOOT:BYFOOT:  
BYFOOT:dengan kaki:1  
BYHEAD:BYHEAD:  
BYHEAD:dengan kepala:1  
bypass:pintasan:  
by-pass capacitor:kapasitor pintas:  
bypass capasitor:kapasitor bipas/pintar:  
bypass circuit:sirkuit pintasan:  
by-pass system:sistem pintas:  
bypassing label processing:proses label pintasan:  
byproduct:ikutan:  
by-product:hasil sampingan:

byte:bita:1  
byte:bita:1  
byte:bita:1  
byte:bita:1  
byte:bita:  
byte:byte:1  
byte:byte:  
byte:byte:  
byte:byte :  
byte address:alamat byte:1  
byte address:alamat byte:  
byte boundary:batas byte:1  
byte boundary:batas byte:  
byte count:hitung byte:1  
byte count:hitung byte:  
byte index:indeks byte:1  
byte index:indeks byte:  
byte machine:mesin bite:  
byte mode:model byte/bit:  
byte multiplexer channel:kanal pencampur byte:  
byte multiplexing:pencampuran byte:  
byte multiplexor channel:kanal pengganda bita:1  
byte multiplexor channel:kanal pengganda bita:  
byte multiplexor:pengganda bita:  
byte ordering:pengurutan bita:  
byte ordering:pengurutan byte:1  
byte ordering:pengurutan byte:  
byte oriented:berorientasi bite:1  
byte oriented:berorientasi bite:  
byte oriented operand feature:fitur operandi berorientasi byte:  
byte per inch:per inci byte:  
byte serial:serial bita:  
byte stuffing:pengisian byte:1  
byte stuffing:pengisian byte:  
bytecode:kode byte:  
byte-interleave mode:model byte-menyisip:  
bytes:bytes:  
bytes per inch:bite tiap inchi:  
bytes per inch (BPI):bita per inci (BPI):1  
bytes per inch (bpi):bite tiap inchi:  
bytes per inch (bpi):byte per inci:  
C:C:1  
C:C:  
C:C:  
C programming language:bahasa pemrograman:1  
C++:C++:1

C++:C++:  
C++:C++:  
C++:C++:  
CA:CA:  
CAB::  
cab signal:sinyal kap \*:  
cable:kabel:  
cable bearer:pembantal kabel:  
cable boring tool:alat bor kabel:  
cable bridge:jembatan kabel:  
cable car:mobil/kendaraan kabel:  
cable code:sandi/kode kabel:  
cable conductor:konduktor kabel:  
cable conduit:saluran kabel:  
cable connector:penyambung kabel:1  
cable connectors:konektor kabel:  
Cable Converter Box:kotak tempat konverter kabel:  
cable drum:drum kabel:  
cable extension:ekstensi kabel:  
cable grip:pegangan kabel:  
cable head:kepala kabel:  
cable hook:kait kabel:  
cable house:cangkang kabel \*:  
cable jack:kontak kabel:  
cable loop:ikal kabel:  
cable map:peta kabel:  
cable modem:modem kabel:1  
cable modem :kabel modem:  
cable network:jaringan kabel:1  
cable network:jaringan kabel:  
cable pot head:kepala pot kabel:  
cable rack:rak kabel:  
cable railway:rel kereta kabel:  
cable reel:rel kabel:  
cable ship:kapal kabel:  
Cable Signal Leakage:bocoran sinyal dari kabel:  
cable splicing:penyambungan kabel:  
cable tank:tank kabel:  
cable television:kabel televisi:  
Cable Television Relay Service (CARS):CARS:  
cable television service:peralatan kabel televisi:  
Cable Television Transmission:transmisi televisi kabel:  
cable trailer:penggandeng kabel:  
cable trench:saluran kabel:  
cable turning table:tabel pembalikan kabel:  
cable TV:televi kabel:1

cable tv:televisi kabel:  
cable TV:televisi kabel:  
cable vault:serangkaian kabel:  
cables:kabel:  
cabling:pengabelan:  
cache:tembolok:1  
cache:tempat:  
cache access:akses tembolok:1  
cache access:akses tembolok:1  
cache access:akses tembolok:  
cache aliasing:aliasing tembolok:1  
cache aliasing:aliasing tembolok:  
cache block:blok tembolok:1  
cache block:blok tembolok:  
CACHE BUFFER:PENYANGGA TEMBOLOK:  
cache coherence:koheren tembolok:  
cache coherency:kohenrensi tembolok:  
cache directory:direktori tembolok:  
cache eviction:eviksi tembolok:  
cache footprint:jejak tembolok:  
cache hit:kena tembolok:  
cache index:indeks tembolok:  
cache line:jalus tembolok:  
cache memories:memori tembolok (C):  
cache memory:memori tembolok :1  
cache memory:memori tembolok :1  
cache memory:memori tembolok (C):1  
cache memory:memori tembolok (C):  
cache memory:memori tembolok (C):  
cache memory:memori tembolok (C):  
cache miss:menyimpang tembolok:  
cache network:jaringan penyimpan:  
cache performance:kinerja tembolok:  
cache replacement:penggantian tembolok:  
cache server:server penyimpan:1  
cache server:server penyimpan:  
cache storage:penyimpanan tempat:1  
cache storage:penyimpanan tempat:  
cache synonym:sinonim tembolok:  
cache tag:tanda tembolok:  
"cache, code":tembolok:  
"cache, data":tembolok:  
"cache, direct mapped":tembolok:  
"cache, fully associative":tembolok:  
"cache, instruction"::  
"cache, set-associative"::



"cache, unified"::

cache-reload transient:transien isi ulang-tembolok:

caching:penyimpanan; penyembunyian:

CAD:CAD:1

CAD:CAD:

CAD:CAD:

CAD based authoring tool:alat pengarang berasas CAD :1

CAD packages:paket CAD:

CAD packages:paket CAD:

CAD/CAM:CAD/CAM:

CAD/CAM:CAD/CAM:

CAD/CAM software:perangkat lunak CAD/CAM:1

cadmium test:uji kadmium:

cage antenna:antena sangkar:

cage rotor:rotor sangkar:

cake:melekat:

calculate:menghitung:

calculate-scientific:hitung-ilmuiah:

calculating accounting machine:mesin akunting hitung:

calculating machine:mesin hitung:1

calculating machines:mesin hitung:

calculating punch:penebuk hitung:

calculating unit:unit hitung:

calculation:kalkulasi:

calculation specifications:spesifikasi kalkulasi:

calculation time:waktu kalkulasi:

calculator:alat hitung; kalkulator:

calculator:kalkulator:

calculator:mesin hitung; kalkulator

calculator punch:

calculator with algebraic logic:mesin hitung dengan logika aljabar

calculator with arithmetic logic:mesin hitung dengan logika aritmetik

calculator with external program input:mesin hitung dengan masukan program eksternal

calculator with keyboard and external program input:mesin hitung dengan masukan program eksternal dan papan tombol

calculator with keyboard controlled addressable storage:mesin hitung dengan penyimpan teralamatkan dan terkontrol papan tombol

calculator with keyboard program input:mesin hitung dengan masukan program papan tombol

calculator with postfix notation logic:mesin hitung dengan logika notasi postfix

calculator with program-controlled addressable storage:mesin hitung dengan penyimpan teralamatkan dan terkontrol program

calculator with program-controlled and keyboard controlled addressable storage:mesin hitung dengan penyimpan teralamatkan terkontrol papan tombol dan terkontrol program

calculator with reverse-Polish notation logic:mesin hitung dengan logika notasi Polish terbalik

calculator with suffix notation logic:mesin hitung dengan logika notasi akhiran

calculator without addressable storage:mesin hitung tanpa penyimpan teralamatkan

calculus:kalkulus  
"calculus of communicating system, CCS ":  
calculus of variations:kalkulus ubahan; kalkulus varian:  
calculus of variations:variasi dari kalkulus:  
calendar:kalender:  
calendar management:managemen kalender:  
calendar time::  
calenders:kalender:  
calibration:kalibrasi:  
calibration curve:kurva kalibrasi:  
calibration curve:kurva kalibrasi/peneraan:  
calibration marker:penanda kalibrasi:  
California Education and Research Federation Network (CERFnet):CERFnet:  
call:cacah:  
call:panggil:  
call by value:panggil dengan nilai:1  
call accepted packet:paket panggilan yang diterima:  
call announcer:penyiar panggil:  
call back:belakang cacah:  
call back:panggil balik:1  
call back modem:modem panggil balik:1  
call back system:sistem panggil balik:1  
call blocking:blok panggil:  
call by address:panggil per alamat:  
call by name:panggil dengan nama:1  
call by name:panggil per nama:  
call by reference:panggil dengan rujukan/panggil dengan acuan:1  
call by value:nilai dari cacah:  
call clearing:bersih panggil:  
call connected packet:paket panggil yang terkait:  
call control procedure:prosedur kontrol panggilan:  
call directing code:kode langsung panggil:  
call directing code:sandi pelangsungan cacah:  
call duration:kejangkaan panggil:  
call establishment:pemenuhan panggilan:  
call if plus:plus jika panggil:  
call instruction:instruksi cacah:  
call instruction:instruksi panggil:  
call instruction :intruksi panggil:1  
call loss:kerugian panggil:  
call meter:meter panggil:  
call name:nama cacah/panggilan:  
call number:nomor panggilan:  
call program:program panggil:  
call request packet:paket peminta panggilan:1  
call request packet:paket peminta panggilan:

call setup:setup panggilan:  
call sign:tanda cacah/panggilan:  
call signal:sinyal cacah/panggilan:  
call source:sumber panggilan:  
call wire system:sistem kabel panggil  
call-accepted signal:sinyal panggilan dapat terima  
call-by reference:panggil melalui referensi  
call-by-name:panggil melalui nama  
called party:bagian cacahan  
called party:kelompok terpanggil  
called program:program cacahan  
called station:stasiun terpanggil  
called subscriber:subskriber cacahan/panggilan  
called terminal:terminal terpanggil  
called-subscriber held alarm:alarm rebut subskriber terpanggil  
caller:pencacah; pemanggil  
calligraphic display device:alat tampilan kaligrafik  
calling:pemanggilan  
calling device:alat pemanggilan  
calling indicator:indikator/penunjuk pengenalan  
calling lamp:lampu pemanggilan  
calling list:senarai pemanggilan  
calling mode:ragam pemanggilan  
calling parameter:parameter panggilan  
calling party:bagian pencacahan  
calling party:pemanggil  
calling program:program pemanggilan  
calling program:program pencacahan  
calling rate:laju panggil  
calling sequence:giliran pencacahan  
calling sequence:urutan panggil  
calling sequence:urutan pemanggilan  
calling station:stasiun pemanggilan  
calling station:stasiun pemanggilan  
calling subscriber:subskriber pencacahan  
calling terminal:terminal panggil  
calling-on signal:sinyal singgah \*  
call-not-accepted signal:sinyal panggilan tak dapat diterima  
calls:panggil  
calorific value:nilai kalorifik  
cam tower:menara hubungan  
cambridge ring:cincin Cambridge  
camera:kamera  
camera calibration:kalibrasi kamera  
camera chain:rangkaian kamera  
camera tube:tabung kamera

cam-operated controller:pengendali bubungan- bergerak  
cam-operated switch:sakelar bubungan- bergerak  
camp on busy:sibuk dalam kemah \*  
camp-on:kemah-atas  
campus:kampus  
Campus Wide Area Network:jaringan area seluruh kampus  
campus-wide information systems (CWISs):CWISs  
CAN:CAN  
cancel:batal  
cancel character:karakter batal  
cancel indicator:penunjuk batal  
canceled projects :  
canceler:pembatal  
candidate:kandidat  
candidate volume:volume calon  
canned software:perangkat berkaleng  
canonical form:bentuk kanonik  
canonicalization:kanonikalisasi  
cant:sisi miring  
CANTRAN:CANTRAN  
caoutchouc:kaukuk; karet alam  
cap:tutup  
capabilities:kemampuan:  
capability:kesanggupan; kapabilitas:  
capability:kesanggupan; kapabilitas:  
capability architectures:arsitektur kemampuan:  
capability list:senarai kemampuan:  
capability list :daftar kemampuan:1  
"capability maturity model, CMM "::  
capacitance:kapasitansi :  
capacitance (capacitor):kapasitansi (kapasitor):  
capacitance potential device:alat potensial kapasitansi:  
capacitive circuit:sirkuit kapasitif:  
capacitive coupling:kopling kapasitif:  
capacitive reactance:reaktans kapasitif:  
capacitor:kapasitor:  
capacitor antenna:antena penunjuk:  
capacitor bushing type potential device:alat potensial tipe paling kapasitor:  
capacitor earphone:pendengar telinga kapasitor  
capacitor element:elemen kapasitor  
capacitor losses:kerugian kapasitor  
capacitor motor:motor kapasitor  
capacitor non-polarized 10LF:IOLF non pengutuban kapasitor  
capacitor storage:penyimpan kapasitor  
capacitor-start induction motor:motor induksi mulai- kapasitor  
capacitor-type bushing:paking tipe-kapasitor \*

capacity:kapasitas  
capacity attenuator:atenuator kapasitas  
capacity bridge:jembatan kapasitas  
capacity factor:faktor kapasitas  
capacity loaded cavity:kavitas/rongga pembebanan kapasitas  
capacity meter:meter kapasitas  
capacity miss:menyimpang kapasitas  
capacity record:rekaman kapasitas  
capacity record:rekord kapasitas  
capacity unbalance:takbalans kapasitas  
capital budgeting:uang pendanaan  
capital letter:huruf kapital/besar  
capstan:kapstan  
capsule:kapsul  
CAPTION:  
captive firing test:uji penyalaan terikat  
capture :penangkapan  
"capture and playback, C&P ":  
car body:badan mobil  
car kilometer:kilometer mobil  
carbon arrester:penangkap karbon  
carbon copy:Cc  
carbon film resistor:resistor film karbon  
carbon film resistor:resistor film karbon  
carbon granule:granul karbon  
carbon microphone:mikrofon karbon  
carbon rheostat:reostat karbon  
carbon-filament lamp:lampu filamen-karbon  
carbonization:karbonisasi; pengarbonan  
carborundum:karborundum  
card:kartu  
card:kartu  
card attachment unit:unit penahanan kartu  
card back:belakang kartu  
card cage:sangkar kartu  
card cage:sangkar kartu  
card code:kode kartu  
card code:sandi/kode kartu  
card collator:penyatu kartu  
card column:kolom kartu  
card column:kolum kartu  
card controlled tape punch:pelubang pita pengendalian kartu  
card counting sorter:pemilah perakunan kartu  
card deck:dek kartu  
card design:desain kartu  
card desing:desain kartu

card duplicator:duplikator kartu  
card face:permukaan kartu  
card feed:loloh/umpan kartu  
card feed:pengirim kartu  
card feed device:alat pengirim kartu  
card feed path:lintasan kecepatan kartu  
card field:medan kartu  
card file:berkas kartu  
card format:format kartu  
card hopper:gerobak kartu  
card hopper:hoper kartu:  
card image:bayangan/citra kartu:  
card image:citra kartu:  
card input:masukan kartu:  
card insertion:sisipan kartu:  
card interpreter:penerjemah kartu:  
card jam:desak-desakan kartu:  
card layout form:lembatang tataletak kartu:  
card loader:pembeban kartu:  
card matching:penjodohan kartu:  
card mode:model kartu:  
card modem:modem kartu:1  
card path:alur kartu:  
card path:lintasan kartu:  
card per minute:kartu per menit:  
card print:cetak kartu:  
card proving machine:mesin pembuktian kartu \*:  
card punch:penebuk kartu:  
card punch attachment:penahanan pelubang kartu:  
card punch machine:mesin pelubang kartu:  
card punching:penebukan kartu:  
card read:baca kartu:  
card read punch:penebuk baca kartu:  
card reader:pembaca kartu:1  
card reader:pembaca kartu:  
card reader:pembaca kartu:  
card reader program:program pembaca kartu:  
card reproducer:reprodusir kartu:  
card reproducing punch:pelubang reproduksi kartu:  
card reproducing punch:pelubang reproduksi kartu:  
card row:baris kartu:  
card sensing:penginderaan kartu:1  
card sorter:pemilah kartu  
card sorter:pengurut kartu  
card stacker:penimbun kartu  
card stacker:penumpuk kartu

istilah-ti-indonesia

card system:sistem kartu  
card to disk conversion:konversi kartu ke disket  
card to tape conversion:konversi kartu ke pita  
card transmission terminal:terminal transmisi kartu  
card verifier:pemeriksa kartu  
card verifying:pentahkikan kartu  
card weight:berat kartu  
card wreck:hancuran kartu  
cardinality:kardinalitas  
CARDINALITY:  
cardless:ketankartuan  
card-resident system:sistem residen-kartu  
cards per minute:kartu per menit  
card-to-card:kartu-ke-kartu  
card-to-disk:cakram ke kartu  
card-to-disk conversion:konversi kartu-ke-cakram  
card-to-magnetic-tape converter:konverter kartu ke pita magnetik  
card-to-magnetic-tape converter program:program konverter kartu ke pita magnetik  
card-to-printer:pencetak ke kartu  
card-to-tape:kartu ke pita  
card-to-tape:kartu-ke-pita  
card-to-tape convert program:program konverter kartu ke pita  
card-to-tape converter:konverter kartu ke pita  
caret:karet  
cargo bay:teluk kargo \*  
carousel:korsel  
CARR:CARR  
carriage:alat pengirim kertas  
carriage:kendaraan:  
carriage:pengangkut:  
carriage control:kontrol pengirim:  
carriage control tape:pita kontrol kereta:  
carriage control tape:pita kontrol pengirim:  
carriage return:pemulangan kereta:  
carriage return character:karakter pemulangan kereta:  
carriage tape:pita pengirim:  
carrier:pembawa:1  
carrier:pembawa:  
carrier:pembawa:  
carrier chrominance signal:sinyal krominansi pembawa:  
carrier detect:deteksi pembawa:  
carrier detector:pendeteksi pembawa:  
carrier filter:filter pembawa:  
carrier frequency:frekuensi pengangkut:  
carrier frequency shift:geser frekuensi pembawa:  
carrier leak:kebocoran/tirisan pembawa:

carrier level:tingkah pembawa:  
carrier method:metode pembawa:1  
carrier power:daya pembawa:  
carrier return:kembali pembawa:  
carrier sense:rasa pembawa:  
carrier sense:rasa pembawa:  
carrier sense multiple access (CSMA):CSMA:  
carrier sense multiple access (CSMA):CSMA:  
carrier sense multiple access with collision avoidance network:"jaringan akses ganda ""carrier sense"" dengan penghindaran tubrukan":  
Carrier Sense Multiple Access With Collision Detection:Deteksi Akses Ganda Carrier Sense dengan Kolisi:  
carrier sense multiple access with collision detection network:"jaringan akses ganda ""carrier sense"" dengan deteksi tubrukan":  
Carrier Sense Multiple Access/Collision Detection (CSMA/CD) :Akses Multipel Penginderaan Pembawa/Deteksi Pembenturan (CSMA/CD):1  
carrier sense with multiple access:CSMA:  
carrier signal:sinyal pembawa:1  
carrier signal:sinyal pembawa  
carrier storage effect:efek penyimpanan pembawa  
carrier suppression system:sistem supresi pembawa  
carrier system:sistem pembawa  
carrier system:sistem pengangkut  
carrier systems:sistem pembawa  
carrier telegraphy:telegrafi pembawa  
carrier telephone circuit:sirkuit telepon pembawa  
carrier wave:gelombang pengangkut  
carrier-current telegraphy:telegrafi arus-pembawa  
carrier-frequency amplifier:penguat frekuensi- pembawa  
carrier-frequency cable:kabel frekuensi-pembawa  
carrier-frequency terminal equipment:alat terminal frekuensi- pembawa  
carrier-leak balancer:pengimbang pembawa-bocor \*  
carrier-leak system:sistem pembawa-bocor  
carrier-to-noise ratio:rasio pembawa-dengan-desah (\*)  
carry:bawa:  
carry:bawa:  
carry:pengangkat:  
carry bit: bit bawa:1  
carry bit:bit bawa:  
carry digit:digit muat:  
carry flag:flag muat:  
carry flag:panji muat:1  
carry lookahead:pandangan pembawa:  
carry lookahead adder::  
carry register:register bawa:1  
carry register:register bawa:



carry register:register bawa:  
carry status:status bawa:  
carry time:waktu pindahan:  
carrying case:kasus lanjutan:  
carry-save adder:penambah simpan bawaan:  
Cartesian product :CARTESIAN PRODUCT :PRODUK CARTESIUS  
cartography:kartografi:  
cartridge:kartridge:  
cartridge:kartrij:1  
cartridge:kelongsong:  
cartridge access station:stasiun akses kartridge:  
cartridge cell:sel kelongsong:  
cartridge label:label kelongsong:  
cartridge reader:pembaca kelongsong:  
cartridge serial number:bilangan serial kartridge:  
cartridge store:penyimpanan kartridge:  
cascade:kaskade:  
cascade amplifier:penguat kaskade:  
cascade bunching:penjarasan kaskade:  
cascade connection:sambungan/koneksi terjun:  
cascade control:kontrol kaskade:  
cascade method:metode kaskada:  
cascade potential transformer:pentransfor potensial kaskade:  
cascade stack:banyak kasus:  
cascade testing transformer:pentransfor pengujian kaskade:  
CASCADE WINDOW::  
cascaded carry:bawa terjun:  
cascaded carry:pengangkat kaskada:  
cascading:pengkaskadaan:  
Cascading deletion :CASCADING DELETION :  
cascode amplifier:penguat kaskode:  
CASE:CASE:  
CASE:kasus:1  
case:kasus:  
case (FTP):kasus:  
CASE and applications:CASE dan aplikasi:  
CASE and applications:kasus dan aplikasi:1  
case based reasoning ::  
case hardening:pengerasan kasus \*:  
case of sensitivity of file names::DELETE  
CASE SENSITIVE::1  
Case sensitivity :CASE SENSITIVITY :SENSITIVITAS KASUS  
case structure:struktur kotak:  
case study :study kasus:  
CASE tool:perkakas CASE:  
CASE tool:perkakas kasus:1

CASE tools:peralatan CASE:  
case tools:peralatan CASE:  
case workbench::1  
cash dispenser:pemberi tunai:  
cash issuing terminal:terminal pemberi tunak:  
cash register:register tunai:  
cash register with account display equipment:alat tampilan hitung dengan register tunai:DELETE  
cassette:kaset:  
cassette magnetic tape:pita magnetik/bermagnet kaset:  
cassette recorder:perekam kaset:  
cassette tape recorder:perekam pita kaset:  
cassette unit:unit kaset:  
cast molding:pencetakan mur:  
cast soldering:penyolderan mur:  
caster:penuang:  
catalanguage:katabahasa:  
cataleptic failure ::  
catalog:katalog:  
catalog file:berkas/file katalog:  
catalog function:fungsi katalog:  
catalog management:manajemen katalog:  
catalog recovery area:area pemulihan katalog:  
cataloged data set:kumpulan data katalog:  
cataloged data set:kumpulan data terkatalog:  
cataloged file:berkas berkatalog:  
cataloged procedure:prosedur katalog:  
cataloged procedure:prosedur terkatalog:  
catalogged file:berkas berkatalog:  
catalogged file:berkas berkatalogn:  
catalogged procedure:prosedur berkatalog:  
catalogging:pengkatalogan:  
cataloging:pengkatalogan:  
catalogs indexes:indeks katalog:1  
catalogs indexes:indeks katalog:  
catalogue:katalog:  
catalogue (of files):katalog (dari berkas):  
cataloguing data:data katalog:  
catalytic action:aksi katalitik:  
catalyzer:pengatalis; katalisator  
cataphora:katafora  
cataphoric:kataforik  
catastrophic failure:  
catcher:penangkap  
catcher voltage:voltase penangkap  
catch-holder:pelubang-tangkap \*  
catchment area:area aliran

category:kategori  
category 5 cable:kabel kategori 5  
catena:katena  
catenary:kateneri; tali rantai  
catenary suspension:suspensi kateneri  
catenate:mengkatena  
catenation:ligatur  
cathode:katoda  
cathode:katode:  
cathode arc:busur katoda:  
cathode dark space:ruang gelap katode:  
cathode fall:jatuh katode:  
cathode feedback amplifier:penguat umpan balik katode:  
cathode follower:pembawa katoda:  
cathode glow:pijar katoda:  
cathode interface impedance:impedansi antartatapan katoda:  
cathode ray oscillograph:oskilograf sinar katode:  
cathode ray tube (CRT):tabung sinar katoda:  
cathode ray tube (CRT):tabung sinar katoda:  
cathode ray tube (CRT):tabung sinar katoda (CRT):1  
cathode ray tube (CRT):tabung sinar katoda (TSK):1  
cathode ray tube (CRT):tabung sinar katoda (TSK):  
cathode ray tube display:layar/tampilan tube sinar katode:  
cathode ray tube visual display unit:unit tampilan visual tabung sinar:  
cathode rays:sinar katoda  
cathode sputtering:pemercik katode  
cathode warm-up time:waktu panas katoda  
cathode-ray oscillograph:oskilograf sinar-katoda  
cathode-ray oscilloscope:oskiloskop sinar-katoda  
cathode-ray tube:tube/tabung sinar-katode  
cathode-ray tube:tube sinar-katode  
cathodic protection:proteksi katodik  
cation:kation  
CATV:CATV  
causal ordering:perintah kausal  
causality:kausalitas  
cause:sebab  
cause-effect graphing :  
caustic:kostik  
caution release signal:sinyal sebatang kausi/peringatan  
caveman:lekukan  
cavitation:kavitasi; peronggaan  
cavity:rongga; kavitas  
cavity resonance:resonansi rongga  
cavity resonator:resonator rongga  
cavity wavemeter:meter gelombang rongga

CAW:CAW  
CAW:CAW (channel address word; kata adres/alamat saluran)  
CAX:CAX  
CBT :CBT  
CC:CC (cursor control; pengendali kursor)  
CCD:CCD  
CCD memory:memori CCD  
CCH:CCH  
CCH:CCH (pembantu pemeriksaan saluran)  
CCITT:CCITT  
CCTV:CCTV:  
CCU:CCU:  
CCW:CCW:  
CD:CD:  
cd:cd:  
cd (FTP):cd:  
CDC:CDC:  
CDF :CDF:  
CD-interactive (CD-I):CD-interaktif (CD-I):1  
CDMA:CDMA:  
CDPD:CDPD:  
CD-recordable (CD-R):CD-bisa rekam (CD-R):1  
CD-rewriteable (CD -RW):CD-bisa tulis ulang (CD-RW):1  
CD-ROM:CD-ROM:1  
CD-ROM:CD-ROM:1  
CD-ROM:CD-ROM:  
CD-ROM:CD-ROM:  
CD-ROM:CD-ROM:  
CD-ROM:CD-ROM:  
CD-ROM:CD-ROM:  
CDROM drive::  
CD-ROM optical disk:CD-ROM cakram optik:1  
CD-ROM optical disk:CD-ROM cakram optik:  
cdup:cdup:  
CDV::  
CEEFAX:CEEFAX:1  
CEEFAX:CEEFAX:  
CEEFAX:CEEFAX:  
CEEFAX:CEEFAX:  
celestial navigation:navigasi angkasa:  
cell:sel:1  
cell:sel:  
cell (spreadsheet):sel (lembarsebar):  
cell (spreadsheet):sel (lembarsebar):  
cell control block:blok kontrol sel:  
cell reference:sel referensi:

cell reference:sel referensi:  
cell relay:pengulang sel:  
cell relay:relai sel:1  
cell tester:penguji sel:  
cell winding:gulungan sel:  
"cell, memory":sel memori:1  
"cell, memory":sell memori:  
cellar:tempat terakhir:  
cellar stak:stak tempat terakhir \*\*:  
cellophane:selofan:  
cellular architecture:arsitektur selular:  
cellular arrays:susunan selular:  
cellular automata:automata selular:  
cellular automata:automata selular:  
cellular automaton:automaton bersel:  
cellular automaton:automaton bersel:  
Cellular Digital Packet Data (CDPD):Data Paket Digital Selular (CDPD):1  
cellular logic:logik sel:  
cellular mobile :mobil selular:  
Cellular Mobile Radio Telephone System:sistem telepon selular:  
cellular radio:radio selular:  
cellular radio channel:kanal radio selular:1  
cellular system:sistem bersel:  
cellular telephone:telepon selular:1  
celluloid:seluloid:  
cementing:perekat:  
censorship:pensensoran:  
census:sensus:  
cent:sen:  
center:pusat:  
CENTER ALL:CENTER ALL:  
CENTER ALL:rata tengah:1  
center expand:pemuaian pusat \*:  
center for advanced space:pusat untuk penelitian lanjut ruang angkasa:DELETE  
center line:baris pusat:  
center point:titik pusat:  
center pole:kutub pusat:  
center split:belah pusat:  
center tap rectifier connection:koneksi peralat ketuk pusat:  
center time point:titik waktu pusat:  
centering:pemusat:  
centerline:pusat garis:  
centimeter:sentimeter:  
centimetric wave:gelombang sentimetrik:  
centisecond:sentisekon:  
central computer:komputer pusat:

central control:kontrol sentral:  
central control unit:unit kontrol pusat:  
central control unit:unit kontrol pusat:  
central controller:pengontrol pusat:  
central exchange office:kantor bursa pusat:  
central limit theorem:dalil batas pusat:  
central line:garis sentral/pusat:  
central office:kantor pusat:  
central processing unit:unit pengolah pusat; unit pemroses sentral:  
central processing unit:unit pengolah pusat; unit pemroses sentral:  
central processing unit:unit pengolah pusat; unit pemroses sentral:  
central processing unit (CPU):unit pemroses sentral:1  
central processing unit (CPU):unit pemroses sentral:  
central processing unit (CPU):unit pemrosesan pusat (CPU):1  
central processing unit (CPU):unit pemrosesan sentral (CPU):1  
central processing unit (CPU):unit pengolah pusat; unit pemroses sentral:  
central processing unit (CPU):unit pengolah pusat; unit pemroses sentral:  
central processor:prosesor pusat; pusat pengolah:  
central processor unit:unit pemroses pusat:  
central repository:repositori pusat:1  
central station:stasiun pusat:  
central telephone exchange:bursa telepon sentral:  
central tendency:tendensi pusat:  
central value:nilai pusat:  
central value:nilai sentral:  
centralised data processing:pemrosesan data terpusat:1  
centralization:sentralisasi:  
centralized arbitration::  
"centralized arbitration, bus"::  
centralized control:kontrol terpusat:  
centralized control apparatus:aparatus kontrol terpusat:  
centralized data processing:pemrosesan data terpusat:  
centralized data processing:pemrosesan data terpusat:  
CENTRALIZED DATA PROCESSING:PEMROSESAN DATA TERPUSAT:  
centralized data processing system:sistem pemrosesan data terpusat:  
centralized management:manajemen terpusat:1  
centralized management:manajemen terpusat:  
centralized network:jaringan tersentral:1  
centralized networks:jaringan terpusat:  
centralized processing:pemrosesan terpusat:1  
centralized processing:pemrosesan terpusat:1  
centralized processing:pemrosesan terpusat:  
centralized processing:pemrosesan terpusat:  
centralized processing:pemrosesan tersentral:1  
centralized system:sistem terpusat:1  
centralized system:sistem terpusat:

centralized traffic control:kontrol lalu lintas terpusat  
centre:pusat  
centrex:sentreks  
centrifugal blower:penghembus sentrifugal  
centrifugal governor:pengatur sentrifugal  
centrifugal pump:pompa sentrifugal  
centrifugal relay:siar sentrifugal  
centring columns:  
centring lines:  
ceramic capacitor:kapasitor keramik  
ceramic condenser:kondenser keramik  
ceramic pickup:petikan keramik \*  
cerebellar:serebelar  
cerebellar cortex:korteks serebelar  
cerebellum:serebelum  
cermet:sermet  
CERN :CERN:  
certificate authority:sertifikasi otoritas :1  
certificate authority :otoritas sertifikasi:  
certification:sertifikasi:  
certification:sertifikasi:  
certification::  
CESD:CESD:  
CESD:CESD (kamus lambang eksternal komposit):  
CESD (composite external symbol dictionary):kamus simbol luar komposit:  
CGA::  
"CGA, color graphic adaptor"::  
CGI:CGI:  
CGI:CGI:  
CGI program:program CGI:  
CGI scripts directories:direktori skrip CGI:1  
CGI scripts directories:direktori skrip CGI:  
chad:serpih:  
chadded:terserpih:  
chadded tape:pita terserpih:  
chaded tape:pita bertotol:  
chadless:nirserpih:  
chadless tape:pita nirserpih:  
chain:rangkaian:  
chain:rantai:  
chain:rantai; rangkaian:  
chain address file:berkas alamat rangkaian:  
chain code:kode rangkaian:  
chain file:berkas rangkaian:  
chain job:tugas rantai:  
chain of stations:stasiun rangkaian:

chain pointer:penuding rantai:  
chain printer:pencetak rantai:1  
chain printer:pencetak rantai:  
chain structure:struktur rantai:  
chain winding:gulungan rantai:  
chain-data flag:panji data-rangkaian:  
chained command:perintah rangkaian:  
chained file:berkas berantai:1  
chained file:berkas berantai:  
chained file:berkas terangkai:  
chained list:senarai terangkai:  
chained list search:pencarian senarai berantai:  
chained record:rekam berantai:  
chained scheduling:penjadwalan rangkaian:  
chaining:perangkaian:  
chaining:rangkaian:  
chaining address:alamat rangkaian:  
chaining check:tilikan/cek rangkaian:  
chaining field:daerah rangkaian  
chaining file:berkas rantai  
chaining overflow:limpah berangkai  
chaining search:pencarian berangkai  
chaining search:pencarian rangkaian  
"chaining, interrupts":  
"chaining, pipeline":  
chair:kursi  
challenge:tantangan; penolakan  
challenger:penantang  
challenge-response :tantang-respons  
chance:peluang  
change:perubahan  
change bit:bit perubahan  
change control :  
change dump:penumpah perubahan  
change file:berkas perubahan:  
change in y:perubahan y:  
change management:manajemen perubahan:1  
change management:manajemen perubahan:  
CHANGE MANAGEMENT::  
change record:rekaman perubahan:  
change report ::  
change request ::  
change tape:pita perubahan:  
change tracker:pelintas perubahan:  
changeability::  
changeable disk storage:penyimpanan cakram mampu alih:



istilah-ti-indonesia

changeable storage:penyimpanan mampu alih:  
changeback:ubah:  
change-direction-command indicator:indikator perintah-direksi- perubahan:  
change-direction-request indicator:indikator permintaan- direksi-perubahan:  
changeover:bertukar; berpindah:1  
changeover:bertukar; berpindah:  
change-over contact:kontak lebih-perubahan:  
change-over switch:sakelar lebih-perubahan:  
change-over system:sistem penggantian:  
changer:penukar:  
change-speed motor:motor kecepatan-perubahan:  
channel:saluran:  
channel:saluran; kanal:  
channel adapter:adapter kanal:1  
channel adaptor:adaptor saluran:  
channel adaptor:penyadur saluran:  
channel address:alamat saluran:  
channel address field:medan alamat saluran:  
channel address word:kata alamat saluran:  
channel architecture:arsitektur saluran:  
channel assignments:pentugasan kanal:  
channel bus controller:pengawas/pengontrol bus saluran:  
channel busy:kanal sibuk:  
channel cabability:kahabilitas saluran:  
channel capacity:kapasitas kanal:1  
channel capacity:kapasitas saluran:  
channel check handler:pembantu periksa kanal:  
channel command:komando kanal:  
channel command register:register perintah saluran:  
channel command word:kata perintah saluran:  
channel command word:kata perintah saluran:  
channel communication support:penopang komunikasi saluran:  
channel configuration:konfigurasi saluran:  
channel control check:cek kontrol saluran:  
channel control register:register kontrol saluran:  
channel control word:kata kontrol saluran:  
channel controller:pengontrol saluran:  
channel DAT:DAT saluran:  
channel demodulator:demodulator saluran:  
channel director:pengarah saluran:  
channel dynamic address translation:terjemahan/translasi alamat dinamik saluran:  
channel end:akhir saluran:  
channel hop:lompat kanal:1  
channel I/O:.  
channel indirect data addressing:pengalamatan data tak- langsung saluran:  
channel induction furnace:relau induksi saluran:

channel interface:antartatapan saluran:  
"channel interface, second":kedua antartatapan saluran:  
channel interrupt:sela saluran:  
channel mask:masker saluran:  
channel mask bit:bit masker saluran:  
channel number:bilangan saluran:  
channel operator:operator kanal:1  
channel plan:rencana saluran:  
channel program:program saluran:  
channel program:program saluran:  
channel program block:blok program saluran:  
channel program translation:translasi program saluran:  
channel program translation:translasi/terjemahan program saluran:  
channel pulse:pulsa saluran:  
channel retry:retri saluran \*:  
channel scheduler:penjadwal saluran:  
channel shifter:penggeser saluran:  
channel socket adaptor:penyadur soket saluran:  
channel status table:tabel status saluran:  
channel status word:kata status kanal:  
channel subsystem::  
channel waiting queue:antri tunggu saluran:  
channeling:penyaluran:  
channelize:menyalurkan:  
channelizing:penyaluran:  
channels:saluran; kanal:  
channel-to-channel adaptor:penyadur saluran-ke-saluran:  
channel-to-channel connection:koneksi saluran ke saluran:  
channel-to-channel-first adaptor:penyadur pertama-saluran- ke-saluran:  
chaos:kacau:  
chaotic systems:sistem kacau:  
CHAP :CHAP:  
chapin chart::  
chapter:cabang/babak:  
character:karakter:1  
character:karakter:  
character:karakter; watak:  
character:karakter; watak:  
character address:alamat karakter:1  
character address:alamat karakter:  
character addressing:pengalamatan karakter:  
character alignment:penyebarisan garis arah karakter:  
character assembly:pasangan/rakitan karakter:  
character boundary:batasan karakter:  
character boundary:sempadan karakter:  
character check:periksa karakter:

character class:kelas karakter:  
character code:kode karakter:  
character code:kode/sandi karakter:  
character comparision:perbandingan karakter:  
character control block:blok kontrol karakter:  
character count:hitung karakter:  
character data line:garis data karakter:  
character deletion:lesapan karakter:  
character density:kerapatan karakter:1  
character density:kerapatan karakter:  
character dial:dial karakter:  
character disassembly:pembongkaran karakter:  
character display:tampilan karakter:1  
character display:tampilan karakter:  
character display device:alat tayang karakter:  
character error rate:nilai galat karakter:  
character error rate:tingkat kesalahan karakter:  
character expression:ekspresi karakter:  
character expression:ungkapan/ekspresi karakter:  
character fill:isi karakter:  
character generator:generator karakter:  
character generator:pembangkit karakter:1  
character generator:pembangkit karakter:1  
character inhibit:hambat/cegah karakter:  
character key:kunci karakter:  
character keys:kunci karakter:DELETE  
character machine:mesin karakter:  
character memory:memori karakter:  
character mode :ragam karakter:  
character oriented:berorientasi karakter:  
character outline:garis besar karakter:  
character outline limit:batas garis luar karakter:  
character per second:karakter per detik:1  
character per second:karakter per detik:  
character pointer:penitik/penilai karakter:  
character position:posisi karakter:  
character printer:pencetak karakter:  
character printer:pencetak karakter:  
character printer:pencetak karakter:  
character rate:laju karakter:  
character reader:pembaca karakter:1  
character reader:pembaca karakter:  
character recognition:pengenal huruf:1  
character recognition:pengenal huruf:  
character recognition:pengenal huruf:  
character recognition:pengenal huruf:

character recognition: pengenalan huruf:  
character relation: relasi karakter:  
character row: baris karakter:  
character self-defining term: istilah sendiri- pendefinisian karakter:  
character sensing equipment: peralatan perasaan karakter:  
character separation: pemisahan karakter:1  
character separation: pemisahan karakter:  
character service: servis karakter:  
character set: perangkat karakter:  
character set: perangkat karakter:  
character sets: set/kumpulan/perangkat karakter:  
character size: ukuran karakter:  
character spacing: penjarakan karakter:1  
character spacing: penjarakan karakter:  
character spacing reference line: garis referensi jarak karakter:  
character standard procedure: prosedur standar karakter:  
character stream: alir karakter:1  
character string: sirkuitan karakter:  
character string: sirkuitan karakter:  
character string: untai karakter:1  
character strings: sirkuitan karakter:  
character stuffing: pemenuhan karakter:  
character subset: subset/subkumpulan karakter:  
character type: tipe karakter:  
character value: nilai karakter:  
character variable: variabel karakter:  
character-at-a-time printer: pencetak karakter-pd-satu waktu  
character-deletion character: karakter karakter-lesapan  
characteristic: karakteristik  
characteristic: karakteristik; ciri  
characteristic:  
characteristic (floating point):  
characteristic curve: kurva karakteristik  
characteristic distortion: distorsi karakteristik  
characteristic element: elemen karakteristik  
characteristic frequency region: kawasan frekuensi karakteristik  
characteristic function: fungsi karakteristik/ciri  
characteristic impedance: impedans karakteristik  
characteristic of a logarithm: karakteristik logaritma  
characteristic overflow: limpah karakteristik  
characteristic test: uji karakteristik  
characteristic underflow: limpah bawah karakteristik  
characteristics CPU: karakteristik CPU:  
characteristics operating systems: karakteristik sistem operasi:  
characters per inch: karakter per inchi:  
characters per second: karakter per detik:

istilah-ti-indonesia

character-string:rangkaiian-karakter:  
character-string constant:konstanta rangkaian- karakter:  
character-string data:data rangkaian-karakter:  
character-string picture specifications:spesifikasi gambatang rangkaian-karakter:  
charactron method:metode karaktron:  
charge:beban:  
charge and discharge system:sistem lecut dan beban:  
charge back policy:kebijakan pembayaran kembali:  
charge back policy:kebijakan pembayaran ulang:1  
charge back policy:kebijakan tagih balik:  
charge coupled device:alat penggandengan beban:  
charge coupled device (CCD):CCD:  
charge pattern:pola beban:  
charge storage tube:tube penyimpan muatan:  
chargeback:tagih balik:1  
chargeback:tagih balik:  
chargeback policy:kebijakan tagih balik:1  
charge-coupled device:alat penggandengan-beban:  
charge-coupled device (CCD)::1  
charged body:badan pembebanan:  
CHARGEN:CHARGEN:  
charger:pembeban:  
charging:pembebanan; peminjaman:  
charging coefficient:koefisien pembebanan:  
charging current:arus pembebanan:  
charging error:kesalahan pembebanan:  
charging formula:formula pembebanan:  
charging generator:generator pembebanan:  
charging pressure:tekan pembabanan:  
charging wire:kawat pembebanan:  
chart:daftar; bagan:  
chart:peta:  
chart:peta:  
chart on the left:bagan kiri:  
charter:carter:  
charts:bagan:  
charts:bagan:  
chassis:casis:  
chassis assembly:rakitan sasis:  
chat :dialog:  
chat room :ruang dialog:  
chatter:gemeletak:  
chattering:tak terkontrol:  
chatting software:perangkat lunak obrol:1  
CHDL::  
cheapernet:jaringan murah:

Chebyshev approximation:pendekatan Chebyshev:  
Chebyshev theory:teori Chebyshev:  
check:cek:  
check:pemeriksaan:  
check:tilikan; cek; simak; periksa:  
check bit:bit pengecek:1  
check bit:bit pengecek:  
check bit:bit periksa:  
Check box :CHECK BOX :KOTAK CEK  
check character:karakter cek:1  
check character:karakter cek:  
check character:karakter periksa:  
check digit:digit cek:1  
check digit:digit cek:1  
check digit:digit periksa:1  
check digit:digit periksa:  
check digit:digit periksa:  
check digit (error-checking technique):digit periksa:DELETE  
check digit verification:verifikasi digit cek:1  
check digit verification:verifikasi digit cek:  
check digit verification:verifikasi digit cek:  
check digit verification:verifikasi digit periksa:1  
check digit verification:verifikasi digit periksa:  
check indicater:indikator cek:  
check indicator:penunjuk/indikator cek/tilikan:  
check inspection:inspeksi cek:  
check key:kunci simak/tilikan:  
check locking:penguncian tilikan:  
check matrix:matriks cek:  
check number:bilangan/nomor cek:  
check out:periksa:  
check problem:masalah pengecekan:  
check processing control system:sistem kendal pemrosesan tilikan:  
check processing control system:sistem kontrol pemrosesan tilikan:  
check register:register cek:  
check reset:reset tilikan:  
check sum:jumlah cek:1  
check symbol:simbol tilikan:  
check system:sistem cek:  
check total:total cek:  
check valve:katup cek/tilikan:  
check word:kata cek:  
checkerboarding::  
checking ::  
checking data:data cek:  
checking program:program pengecekan:

checking routine:rutin penilikan:  
check-list:senarai cek:1  
checklist approach (to systems development):pendekatan daftarperiksa:DELETE  
checkout:periksa:  
checkpoint:titik pemeriksaan:  
checkpoint:titik pemeriksaan:  
checkpoint::  
check-point :titik cek:1  
checkpoint data set:kumpulan data titik periksa:  
checkpoint data set:kumpulan data titikperiksa:  
checkpoint entry:masuk/entri pos/titik periksa:  
checkpoint ID:ID titik periksa:  
checkpoint record:rekaman titik periksa:  
checkpoint record:rekaman titikperiksa:  
checkpoint restart:anjak ulang cekpoint:  
checkpoint restart:anjak ulang titik periksa:  
checkpoint restart facilities:fasilitas memulai titik periksa:  
checkpoint restart point:titk menganjak lagi titik periksa:  
checkpoint routine:rutin cekpoint:  
checkpoint sorting:penyortiran titik-titik:  
Checkpoint/restart:menganjak lagi/titik periksa:  
checkpoint/restart facility:fasilitas menganjak lagi/titik periksa:  
checkpointing::  
checkpointing procedure:prosedur penunjukanperiksa:  
checkpointing procedure (backup technique):prosedur penunjukanperiksa:DELETE  
checksum:ceksum:1  
checksum:ceksum:  
checksum:ceksum:  
checksum:pengecekan jumlah:  
checksum character::1  
checksum character::  
checksum digit:digit ceksum:1  
checkwriter:mesin tulis cetak:  
chemical energy:energi kimia:  
chemistry:kimia:  
chess:catur:  
chief information officer (CIO):CIO:  
chief information officer (CIO):direktur informasi:1  
chief information officer (CIO):direktur informasi:1  
chief information officer (CIO):kepala pegawai informasi:  
chief operator's desk:meja operator eksekutif:  
chief programmer:pemrogram utama:  
chief programmer::  
chief programmer team:ketua tim pemrogram:1  
chief programmer team:ketua tim pemrogram:  
chief programmer team:tim pemogram utama:

chief programmer team ::  
chief programming team:tim pemrograman ketua:1  
child:anak:  
child diagram:diagram anak:1  
child diagram:diagram anak:  
child segment:segmen anak:  
children nodes:simpul anak:1  
children nodes:simpul anak:  
child-to-parent mapping:pemetaan anak ke orangtua:1  
child-to-parent mapping:pemetaan anak ke orangtua:  
child-to-parent mapping:pemetaan anak-ke-orangtua:1  
child-to-parent mapping:pemetaan anak-ke-orangtua:  
chiller:pendingin:  
chimney:serombong; cerobong:  
china wood oil:minyak kayu cina:  
Chinese binary:biner Cina:  
Chinese-character printer:pencetak karater Cina:  
chip:cip:1  
chip:keping cip:1  
chip:keping; cip:1  
chip:keping; cip:  
chip:keping; cip:  
chip:keping; cip; chip:  
chip:keping; cip; chip:  
chip box:kotak keping:  
chip card:kartu chip:  
chip carriers:pembawa cip:  
chip deselect::  
chip enable:enabel keping/serpih:  
chip select:pilih serpihan:  
chip select:pilih serpihan:  
chip set::  
chip tray:piring serpihan:  
chipping:penyerpihan:  
chi-square distribution:distribusi seperempat-khi:  
chloride accumulator:aki klorida:  
chloride plate:pelat klorida:  
chloronaphthalene:kloronaptalena:  
choice:pilihan:  
choice device:peralatan pemilihan:  
choke:cok:  
choke coil:lilitan/kumparan menarik:  
choke flange:flens pencekik:  
choke flange coupling:kopling flens pencekik:  
choke input filter:folter masukan pencekik:  
choke modulation:modulasi pencekik:



choking coil:lilitan pencekikan:  
choosing a model:pemilihan model:1  
choosing a model:pemilihan model:DELETE  
chopper:pemotong:  
chord:tali  
chroma:kroma  
chromatic aberration:aberasi kromatik  
chromatic adaptation:adaptasi kromatik  
chromatic color:warna kromatik  
chromaticity:kromatisitas  
chromaticity coordinates:koordinat kromatisitas  
chromaticity diagram:diagram kromatisitas  
chromatography:kromatografi  
chrominance:krominans  
chrominance signal:sinyal krominans  
chromium-copper wire:kawat tembaga-kromium  
chronograph:kronograf  
chunk:keratan  
chunking:pengeratan  
Churn:curm  
CI:CI:  
CIB:CIB:  
CICS:CICS:  
CIDR:CIDR:  
CIFS::  
cinder catcher:penangkap sinder:  
cipher:sandi rahasia:  
cipher text :teks disandi:  
circle diagram:diagram lingkaran:  
circuit:sirkuit; kalang; sirkuit:  
circuit:sirkuit; kalang; sirkuit:  
circuit board:papan sirkuit:1  
circuit breaker:pemutus sirkuit/kalang:  
circuit capacity:kapasitas sirkuit:  
circuit changing switch:sakelar pengubahan sirkuit:  
circuit control office:kantor kontrol sirkuit:  
circuit controller:pengendali sirkuit  
circuit diagram:diagram sirkuit  
circuit gap impedance:impedans rumpang sirkuit  
circuit grade:tingkat/gred kalang/sirkuit  
circuit load:beban sirkuit  
circuit noise:desah sirkuit  
circuit noise level:tingkat desah/derau kalang/sirkuit  
circuit parameter:parameter sirkuit  
circuit power factor:faktor daya sirkuit  
circuit problems:masalah sirkuit

circuit switched:sirkuit bersakelar  
circuit switched connection:koneksi bersakelar sirkuit  
circuit switching:alih sirkuit  
circuit switching:pengalihan sirkuit (sirkuit)  
circuit switching mode:ragam perangkaian sirkuit  
circuit tester:penguji sirkuit  
circuits:sirkuit:  
circuits:sirkuit:  
circuit-switching network:jaringan sirkuit pengalih:1  
Circuit-switching networks:jaringan sirkuit switch:  
circular chart:bagan lingkaran:  
circular frequency:frekuensi lingkaran:  
circular list:senarai lingkaran:1  
CIRCULAR LIST::1  
circular list structure:struktur senarai lingkaran:  
circular orbit:orbit lingkaran:  
circular polling:penjajaran lingkaran:  
circular register buffer::  
circular self-test path::  
circular shift:pergantian melingkar:  
circular timing axis:sumbu perjangkaan lingkaran:  
circularly polarized wave:gelombang berpola lingkaran:  
circulating current:arus beredar:  
circulating register:register beredar:  
circulating register:register perputaran:  
circulating storage:penyimpan beredar:  
circulating storage:penyimpanan melingkar:  
circulation:sirkulasi:  
circulation axis:poros/sumbu sirkulasi:  
circulation control:kontrol sirkulasi:  
circulator:sirkulator:  
circumscription:skrip:  
circumstance:keadaan:  
circumvention:elakan:  
CISC:CISC:  
CISC:CISC:  
CISC and CPU:CISC dan CPU:  
CISC processor:pemroses CISC:1  
CISC processor:prosesor CISC:1  
CISC processor:prosesor CISC:  
CISC processor:prosesor CISC:  
cistron:sistron:  
citation:kutipan:  
citation index:indeks kutipan:  
city cable:kabel kota:  
city noise:desau kota:

CL:CL:  
clock:jam:  
clad contact:kontak balut:  
cladding:penyalutan:  
clamp:apit:  
clamp:pengapit; pengepit; penjepit:  
clamp level:tingkat pengapit:  
clamper:pengapit:  
clamper:pengepit; pemegang:  
clamping:pengapitan:  
clamping circuit:sirkuit pengapitan:  
clamp-on:penjepit-atas:  
clarification:penjelasan; uraian; klasifikasi:  
class:kelas:1  
class:kelas:DELETE  
class:kelas:DELETE  
class:kelas:DELETE  
class :kelas:1  
class ::  
class A amplification:amplifikasi A kelas:  
class B amplification:amplifikasi B kelas:  
class B insulation:insulasi B kelas:  
class behavior ::  
class C insulation:insulasi B kelas:  
class condition:keadaan/kondisi kelas  
class condition:kondisi kelas  
class definition :  
class diagram :  
class E insulation:insulasi B kelas  
class F insulation:insulasi B kelas  
class feature :  
class H insulation:insulasi B kelas  
class hierarchy :  
class implementation :  
class instance:  
class interval:interval kelas  
class invariants:kelas invarian  
class library :  
class member :  
class method:  
class name:nama kelas  
class of exchange:bursa kelas  
class specialization :  
class tree :  
class value:nilai kelas  
class variables :

classes and objects:kelas  
classes defined by grammars or automata:kelas di definisikan oleh tata bahasa atau automata  
classes defined by resource-bounded automata:kelas di definisikan oleh automata terbatas sumber daya  
classification:klasifikasi  
classification:klasifikasi; pembagian; penggolongan  
classifier:penggolong; pembagi  
classifier design:rancangan penggolongan  
classifier evaluation:evaluasi penggolongan  
classify:mengklasifikasi  
clause:klausa  
clause ::  
claw magnet:magnet gancu \*:  
clean (cache block)::  
clean page::  
clean room:ruang; bilik bersih:  
clean room development ::  
cleaner:pembersih:  
cleaning:pembersihan:  
CLEAR:bersih:1  
clear:bersih:  
clear:bersih:  
CLEAR:CLEAR:  
clear all function:fungsi pembersih total:  
clear area:area bersih:  
clear area:daerah bersih:  
Clear Channel:kanal bersih:  
clear command:perintah bersih:  
clear data:data terang:  
clear disk:cakram bersih:  
clear entry function:fungsi pembersih masukan:  
clear memory function:fungsi pembersih memori:  
clear to send:sila kirim:  
clear to send (CTS):sila kirim:1  
clear to send (CTS):sila kirim:  
clearance:ruang bebas:  
clearance point:titik longgar:  
clear-down signal:sinyal bersih-turun \*:  
clearing:pembersihan:  
clear-to-send lead:kepala kirim-ke-bersih:  
CLEC :CLEC:  
clevis type:tipe klevis \*:  
click:klik:  
click test:tes/uji klik:  
click-through :lalu-lalang-klik:  
client:klien:1

client:klien:  
client:klien:  
client:klien:  
client::  
client computer:komputer klien:1  
client computer:komputer klien:1  
client layer:lapisan Klein:  
client program gopher:program klien gopher:  
client server:klien server:  
client/server:klien/server:1  
client/server:klien/server:  
client/server ::  
client/server architecture:arsitektur klien-server:1  
client/server architecture:arsitektur klien-server:  
client/server computing:penghitungan klien-server:1  
client/server computing:penghitungan klien-server:  
client/server computing:perkomputeran klien/server:1  
client/server computing:perkomputeran klien/server:  
client/server computing:perkomputeran klien/server:  
client/server computing:perkomputeran klien/server:  
client/server network:jaringan klien/server:1  
client/server system:sistem klien/server:  
client/server system:sistem klien-server:1  
client/server system:sistem klien-server:  
client/server systems and costs:sistem klien/server dan biaya:DELETE  
client/sever applications ::  
clients:klien:1  
clients:klien:DELETE  
clients:klien:DELETE  
client-server:klien-server:  
client-server model:model klien server:1  
client-server model:model klien server:1  
client-server model:model klien server:  
client-server model:model klien-server:1  
client-server model:model klien-server:  
client-server model:model klien-server:  
client-server paradigm:paradigma klien-server:1  
client-software:perangkat lunak klien:1  
climbing space:ruang pemanjat:  
clinical laboratory data acquisition system:sistem pemerolehan data laboratoris klinis:  
clinical laboratory management system:sistem manajemen laboratorium klinis:  
clip :klip :  
clip art:seni klip:  
clip art :klip rupa:  
clip block:blok klip:  
clip level:tingkat klip:

clipboard:papan klip:  
clipboard:papan klip:  
Clipboard :CLIPBOARD :PAPAN KLIP  
clipper:pemotong/kliper:  
Clipper chip:cip Clipper:1  
Clipper chip:cip Clipper:1  
Clipper chip :cip kliper/pemotong:  
Clipper chip and ethical issues:keping Clipper dan masalah etika:DELETE  
clipping:kliping:  
clipping circuit:sirkuit guntingan/kliping:  
clipping circuit:sirkuitan guntingan/kliping:  
clipping distortion:erotan/distorsi kliping:  
clipping program :program kliping:1  
clique:klik:  
clock:jam:1  
clock:jam:  
clock:jam:  
clock:lonceng:  
clock comparator:pembanding waktu/jam:1  
clock comparator:pembanding waktu/jam:  
clock cycle:siklus jam:1  
clock cycle::1  
clock cycle:  
clock cycle time:siklus waktu:  
clock duty cycle::1  
clock duty cycle:  
clock error:galat jam:1  
clock frequency:frekuensi jam:1  
clock mechanism:mekanisme klip:  
clock operation:operasi jam:1  
clock pulse: pulsa jam:1  
clock pulse:pulsa jam:1  
clock pulse:pulsa jam:  
clock pulse:pulsa jam:  
clock pulse:pulsa waktu/jam:  
clock pulse generator:generator pulsa jam:  
clock rate:jala jam:  
clock rate:laju jam:1  
clock read-out control:kontrol keluar-baca jam:  
clock register:register jam:  
clock replacement algorithm:  
clock scan:pindai jam:  
clock signal:sinyal jam:1  
clock signal:sinyal lonceng:  
clock skew:  
clock speed:kecepatan waktu:

clock speed:kecepatan waktu:  
clock speed:kecepatan waktu:  
clock speed:kelajuan jam:1  
clock speed CPU:kecepatan waktu CPU:  
clock track:jejak/lintas jam:  
"clock, doubling"::  
clock-actuated device:peranti dipicu jam:1  
clock-circuit:sirkuit detak:  
clock-circuit:sirkuit detak:  
clocking:pewaktuan:  
"clocking period on-off control, add'l":add'l kontrol mati-hidup periode penjaman:  
clock-rate:laju detak:  
clock-rate:laju detak:  
clone:clone:  
clone:klon:1  
cloning ::  
CLOSE:CLOSE:  
close:rapat; tutup:  
CLOSE:tutup:1  
close (file):close (berkas):  
close (FTP):close (FTP):  
close button::  
close coupling:kopling tutup:  
closed:tertutup:  
closed array:susunan tertutup:  
closed box baffle:sekat kotak tertutup:  
Closed Captioning :tutup penangkapan:  
closed circuit:sirkuit/rangkaian tertutup:  
closed conduit:konduit tertutup:  
closed core type:tipe inti tertutup:  
closed loop:ikal tertutup:  
closed loop control:kontrol/krndali lubang tertutup:  
closed network:jaringan tertutup:  
closed pipe:pipa tertutup:  
closed service:layanan tertutup:  
closed shop:bengkel tertutup:  
closed shop:bengkel tertutup; ambilan tertutup:  
closed subroutine:subrutin tertutup:  
closed system:sistem tertutup:1  
closed system:sistem tertutup:  
closed system:sistem tertutup:  
closed user group:grup pengguna tertutup:  
closed user group (CUG):grup pengguna tertutup:  
closed user group with outgoing access:grup pengguna tertutup dengan akses keluar:  
Closed-circuit Television (CCTV):televisi siaran terbatas:  
closed-coil armature:armatur kumparan-tertutup:

closedown:tutupturun (\*):  
closing coil:kumparan akhir:  
closing file:berkas tertutup:1  
closing file(s):penutupan berkas:  
closing speed:kecepatan akhir:  
closing time:waktu penutup:  
closure:ketertutupan:  
cloud picture:gambatang awan:  
cluster:gugus:  
cluster:gugus:  
cluster controller:pengendali gugusan:1  
cluster control unit:unit kontrol kluster:  
cluster controller:pengendali gugus:  
cluster controller:pengendali kluster:1  
cluster controller node:simpul pengontrol kluster:  
cluster sampling:persampelan gugus:  
Clustered index :CLUSTERED INDEX :INDEKS BERGUGUS  
clustering:penggugusan:  
clustering model:model penggugusan:  
clutch:cekam; kait  
clutch magnet:magnet cekam/kait  
clutch motor:motor kait  
clutter:kekacauan  
CM:CM  
CM:CM (multipleksor komunikasi)  
CML:CML  
CMM:CMM  
"CMMR, common-mode rejection ration":  
CMOS:CMOS  
CMOS:CMOS  
CNAME:CNAME  
co:  
coal bunker:bunker arang  
coal drier:pengering arang  
coalesce:bersatu; bergabung  
coarse adjustment:penyesuaian/penyetelan kasar:  
coarse delay:tunda kasar \*:  
COAST::  
coast station:stasiun pesisir:  
coastal effect:efek koastal \*:  
coasting:pemantauan:  
coating:penyalutan:  
coat-type developing:pengembangan tipe-salut:  
coax:koaks:  
coax cable:kabel koaksial:  
coaxial antenna:antena sesumbu:



coaxial cable:kabel koaksial:1  
coaxial cable:kabel koaksial:  
coaxial cable:kabel koaksial:  
Coaxial Cable (COAX):kabel coax:  
coaxial feeder:pelolah sesumbu:  
coaxial line switch:sakelar garis sesumbu:  
coaxial line tuner:pengenal garis sesumbu:  
COBOL:cobol:1  
COBOL:COBOL:  
COBOL:COBOL:  
cobol:COBOL:  
COBOL:COBOL (bahasa berorientasi bisnis umum):  
COBOL (Contraction of Common Business-Oriented Language):COBOL:  
COBOL character:karakter COBOL:  
cobweb site:situs web lapuk:1  
cochannel interference:interferensi kosalurkan:  
cochlea:ruang siput:  
cock:keran air:  
cocoon fiber:fiber kokun:  
CODASYL:CODASYL:  
code:sandi; kode:1  
code:sandi; kode:  
code:sandi; kode:  
code:sandi; kode:  
code:sandi; kode:  
code:sandi; kode:  
code and fix ::  
code and go FORTRAN:FORTRAN sandi dan jalan:  
code and go FORTRAN:FORTRAN sandi dan jalan:  
code book:buku kode:1  
code book:buku kode:  
code breaking:pemecah sandi:  
code chain:rantai kode:  
code check:cek kode:  
code comparing unit:unit perbandingan kode:  
code conversion:konversi kode:1  
code conversion:konversi kode:  
code conversion:konversi kode:  
code conversion:konversi kode:  
code conversion program:program konversi kode:  
code converter:konvertor kode:  
code converter:konvertor kode:  
code design:desain kode:  
code disk:cakram kode:1  
Code Division Multiple Access (CDMA):CDMA:  
code element:elemen kode:  
code element set:himpunan elemen kode:

code extension character: karakter ekstensi kode:  
code extension character: karakter perluasan kode:  
code field: medan kode:  
code generating unit: unit generator kode:  
code generation: pembangkit kode/sandi/program:  
code generation ::  
code generator: pembangkit kode:1  
code generators: pembangkit kode:1  
code generators: pembangkit kode/sandi/program:1  
code generators: pembangkit kode/sandi/program:  
code generators: pembangkit kode/sandi/program:  
code generators: pembangkit kode/sandi/program:  
code hole: lubang kode:  
code holes: lubang kode:  
Code inspections and walk-throughs: inspeksi kode dan melihat keseluruhan:  
code length: panjang kode:1  
code length: panjang kode:  
code level: tingkat sandi/kode:1  
code level: tingkat sandi/kode:  
code of ethics: kode etika:1  
code of ethics: kode etika:DELETE  
code position: posisi kode:  
code restructurers: penstruktur kembali kode:  
code restructurers: penstruktur kembali kode:1  
code restructures: penstruktur kembali kode:  
code reuse: guna-ulang kode:  
code segment: segmen kode:1  
code segment: segmen kode:  
code set: kumpulan kode:  
code set: perangkat kode:  
code table: tabel kode:  
code theory: teori kode:  
code translation: terjemahan kode:  
code transparent data communication: komunikasi data nyata kode:  
code unit: unit kode:  
code value: nilai kode:  
code views: pandangan kode:  
code walkthrough: jalan lewat kode:1  
codebase: basis kode:  
codebook: buku kode:  
codebreaker: pemecak kode:  
codebreaking: pemecahan kode:  
codec: kodek:1  
codec: kodek:  
coded: pengkodean:  
coded arithmetic data: data aritmetik terkode:

coded character set:perangkat karakter berkode:  
coded decimal:desimal pengkodean:  
coded decimal notation:notasi desimal berkode:  
coded form:bentuk berkode:  
coded image:gambatang yang terkode:  
coded passive reflector:perefleksi posif pengodean:  
coded representation:representasi berkode:  
coded set:himpunan yang terkode:  
code-independent data communication:komunikasi data bebas kode:  
coder:penyandi:  
coder:penyandi; pengkode:  
codes:kode:  
codes of ethics:kode etik :  
codes of good practice:kode praktek yang baik:  
codes of good practice:kode praktek yang baik:  
code-transparent data communication:komunikasi data transparan kode:  
codeword:kata kode:  
coding:pengodean:1  
coding:penyandian :1  
coding:penyandian / pengodean:  
coding:penyandian / pengodean:  
coding:penyandian / pengodean:  
coding:penyandian / pengodean:  
coding ::  
coding check:cek pengkodean:  
coding device:peranti pengkodean:1  
coding equipment:alat pengkodean:  
coding form:bentuk pengkodean:  
coding scheme:skema pengkodean:  
coding sheet:lembatang pengkodean:  
coding signals:sinyal pengkodean:  
coding style:gaya pemrograman:  
coding style:gaya pemrograman:  
coding style:gaya pemrograman:  
coding style:gaya pemrograman:1  
coding style:gaya pengodean:1  
coding style:gaya penyandian:1  
codon:kodon:  
coefficient:koefisien:  
coefficient of absorption:penjarangan kumparan:DELETE  
coefficient of correlation:koefisien korelasi:DELETE  
coefficient of coupling:koefisien kopling:DELETE  
coefficient of displacement:koefisien pergeseran:DELETE  
coefficient of electrostatic capacity:kapasitas koefisien elektrostatik:DELETE  
coefficient of electrostatic capacity:koefisien kapasitas elektrostatik:DELETE  
coefficient of mutual induction:koefisien sesama induksi:DELETE

istilah-ti-indonesia

coefficient of potential:potensial koefisien:DELETE  
coefficient of preventative maintenance:perawatan preventatif koefisien:DELETE  
coefficient of utilization:pemanfaatan koefisien:DELETE  
coefficient of variation:koefisien variasi:DELETE  
coefficient unit:unit koefisien:  
coercion:paksa:  
coercive force:kakas kursif:  
co-existence::  
cognition:kognisi:  
cognitive map:peta kognitif:  
cognitive metric ::  
Cognitive simulation:simulasi kognitif:  
cognitron:kognitron:  
coherence:koherensi:  
coherent:sederap:  
coherent transmission:transmisi koheren:  
coherer:pengumpul:  
cohesion:kohesi:1  
cohesion:kohesi:1  
cohesion:kohesi:  
cohesion:kohesi:  
cohesion ::  
cohesiveness system design:rancang sistem kekohesian:  
coil:lilitan/kumparan:  
"coil driver, magnetic bubble memory"::  
coil insulation:penyekatan kumparan:  
coil pitch:jarak bagi kumparan:  
"coil predriver, magnetic bubble memory"::  
coil spacing:penaspasian koil:  
coiled waveguide:pandu gelombang berkumparan:  
coil-end leakage:kebocoran kumparan-akhir:  
coiling:pelilitan:  
coin exchanger:penukar koin:  
coincide:bertepatan; serupa:  
coincidence:koinsidensi:  
coincidence circuit:kalang koinsidensi:  
coincidence method:metode koinsidensi:  
coincident demand:tuntunan koinsiden:  
coincident-current selection:seleksi aliran bersama:  
COL:COL (bahasa berorientasi komputer):  
COLD :COLD :  
cold boot:bot dingin:1  
cold boot:but dingin:1  
cold cathode:katode dingin:  
cold cathode character-display discharge tube:tabung lecut tampilan- karakter katode dingin:  
cold cathode lamp:lampu katode dingin:

istilah-ti-indonesia

cold emission:emisi dingin:  
cold junction thermocouple temperature compensation:kompensasi suhu termokopel sambungan:  
cold reflection coefficient:koefisien refleksi dingin:  
cold restart:star ulang dingin:  
cold site:situs dingin:1  
cold start:mula dingin:1  
cold start:start dingin:1  
cold start:start dingin:  
cold start:start dingin:  
cold start:start dingin:  
cold start:start dingin:  
"cold start, cache"::  
cold VSWR:VSWR dingin:  
ColdFusion :ColdFusion:  
collaboration:kerjasama:  
collaboration diagram ::  
collaborative computing:perkomputeran bersama:  
collaborative learning:belajar bersama:  
collaborative software:perangkat lunak kerjasama:1  
collate:susun kumpul:  
collate program:program kolat:  
collating sequence:urutan penyatuan:  
collation:taklikan:  
collation operation:operasi kolasi:  
collator:kolator:  
collator-numerical:numerik-kolator:  
collect:mengumpulkan:  
collecting bow:lengkung koleksi:  
collecting calling:panggilan koleksi:  
collection:koleksi:  
collection ::  
collector:pengoleksi; kolektor:  
collector capacitance:kapasitans kolektor:  
collector dissipation:disipasi kolektor:  
collector ring:cincin kolektor:  
collector saturation voltage:voltase jenuhan kolektor:  
collector shoe:kolektor sepatu:  
collimator:kalimator:  
collision:pembenturan:1  
collision:tabrakan:1  
collision:tabrakan:DELETE  
collision:tabrakan:  
collision (in a pipeline)::  
"collision (in hash table, TLB)"::  
collision avoidance:pengelak tabrakan:  
collision avoidance:pengelak tabrakan:

collision detection:deteksi pembenturan:1  
collision detection:pendeteksi tabrakan:  
collision detection:pendeteksi tabrakan:  
collision enforcemant:pelaksanaan tubrukan:  
COLLISION HANDLING::1  
collision resolution:penyelesaian tabrakan:1  
collision vector::  
colon:titik dua:  
colon classification:klasifikasi kolon:  
colon classification:klasifikasi kolon/rongga:  
colon hex::  
colon hexadecimal notation::  
color:warna:  
color:warna:  
color:warna:  
color:warna:  
color bar:bar/palang warna:  
color bar signal:sinyal palang warna:  
color breakup:pisah warna \*:  
color burst:luapan warna:  
color chart:bagan warna:  
color chip:keping/serpih warna:  
color chromaticity:kromatisitas warna:  
color code:kode warna:  
color coder:pengode waktu:  
color contrast:kontras warna:  
color depth :kedalaman warna:  
color fringing:pinggiran warna:  
color function:fungsi warna:  
color graphic adapter card:kartu adapter grafik warna:1  
color light signal:sinyal cahaya berwarna:  
color matching:pemadanan warna:  
color mixture curve:kurva campuran warna:  
color monitor:monitor warna:1  
color monitors:layar berwarna:  
Color palette :COLOR PALETTE :PALET WARNA  
color perception:persepsi/anggapan warna:  
color picture tube:tabung gambatang warna:  
color printer:pencetak warna:1  
color printer:pencetak warna:  
color purity:puritas warna:  
color rendering:pembuatan warna:  
color scanner:pemindai warna:1  
color space:ruang warna:  
color specification:spesifikasi warna:  
color stimulus:stimulus warna:

color television:televisi warna:  
color temperature:suhu warna:  
color triangle:segitiga warna:  
color vision:visi/pandangan warna:  
Colorado Association of Research Libraries (CARL):CARL:  
color-difference signal:sinyal perbedaan-warna:  
colorimeter:kolorimeter:  
colorimetry:kolorimetri:  
coloring:pewarnaan:  
coloring problem:problem pewarnaan:  
color-picture signal:sinyal gambar-warna:  
color-picture tube:tabung gambar-warna:  
colour:warna:  
colour graphic adapter:adapter grafik warna:1  
colour graphic adaptors:adaptor grafik warna:  
colour graphics adaptor (CGA):adaptor grafik warna:  
colour look up table (CLUT):CULT:  
colour look up table (CLUT):CULT:  
colour management system:sistem manajemen warna:  
colour purity:kemurnian warna:  
colour uniformity:keseragaman warna:  
column (spreadsheet):kolom:  
column (spreadsheet):kolom:  
column address strobe:strob alamat kolom:  
column binary:biner kolom:  
column binary:kolum biner:  
column binary mode:model biner kolom:  
column decoder::  
column indicator:penunjuk kolom:  
COLUMN n: COLUMN n:  
COLUMN n:n kolom:1  
column split:belah/robek kolum:  
COM:COM:  
com::  
COM (commercial) names:COM (komersial) nama:  
COM device:alat COM:  
com port::  
COM printer:pencetak COM:  
COM1:COM1:  
COM2:COM2:  
COM3:COM3:  
COM4:COM4:  
coma-lobe:cuping-koma \*:  
comb:sikat; menjelajah:  
combination:kombinasi:  
combination switch:pengalih gabungan:1

combination tone:nada kombinasi:  
combinational circuit:sirkuit gabungan:  
combinational logic:logika kombinasional:  
combinational logic:logika kombinasional  
combinational logic element:elemen logika gabungan  
combinational network:jaringan gabungan  
combinations:kombinasi  
combinator:penggabung  
combinatorial:kombinatorik  
Combinatorial algorithms:algoritma kombinatorik  
combinatorial circuit:sirkuit gabungan  
combinatorics:kombinatrik  
Combined:gabung  
combined address file:berkas alamat gabung  
combined configuration:konfigurasi gabungan  
combined distributing board:papan pendistribusian gabung  
combined distributing frame:kerangka pendistribusian gabung  
combined efficiency:efisiensi gabung  
combined error:kesalahan berangkai  
combined file:berkas gabungan:  
combined head:kepala berkombinasi:  
combined line switchboard:papan hubung garis gabung:  
combined read/write head:kepala baca/tulis berkombinasi:  
combined resistance:hambatan gabung:  
combined station:stasiun tergabung:  
combined voltage current transformer:transformator arus voltage gabung:  
combiner:penggabung:  
combining customized and off-the shelf software::DELETE  
Combo box:COMBO BOX:KOTAK KOMBO  
comb-type access assembly:rakitan akses tipe-gabung:  
combustion:pembakaran:  
combustion chamber:kamar/ruang pembakaran:  
combustion efficiency:efisiensi pembakaran:  
combustion rate:kecepatan pembakaran:  
comma:koma:  
command:komando; perintah:  
command:komando; perintah:  
Command and control:perintah dan kontrol:  
Command and control languages:bahasa perintah dan kontrol:  
command and control system:sistem perintah dan kontrol:  
Command button :COMMAND BUTTON :TOMBOL PERINTAH  
command chaining:perangkaian perintah:  
command code:kode perintah:  
command code:sandi/kode perintah:  
command control block:blok kontrol perintah:  
command control system:sistem kontrol perintah:



command directory:direktori perintah:1  
command directory:direktori perintah:  
command dispatcher:pemberangkat aba-aba:  
command driven:dikemudi perintah:  
command driven program:program dipacu perintah:1  
command editing keys:kunci pengeditan perintah:  
command input buffer:penyangga masukan perintah:  
command interpreter::  
command interrupt mode:model menyela perintah:  
command keys:kunci perintah:  
command language:bahasa komando; bahasa perintah:1  
command language:bahasa komando; bahasa perintah:  
command language:bahasa perintah:1  
command languages:bahasa komando; bahasa perintah:DELETE  
command library:pustaka perintah:  
command line:garis perintah:  
command line interface:antarmuka jalur perintah:  
command menu:menu aba-aba:  
command mode:model perintah:  
command mode:ragam perintah:  
command name:nama perintah:  
command phase:fase perintah:  
command privilege class:kelas hak istimewa perintah:  
command procedure:prosedur perintah:  
command processing:pemrosesan perintah:  
command processing:proses perintah:  
command processor:pengolah perintah:  
command pulse:denyut/pulsa perintah:  
command response message:pesan respons perintah:  
command retry:retri perintah:  
command scan:pindai perintah:  
command separator:pemisah perintah:1  
command separator:pemisah perintah:  
command separator (;):pemisah perintah:1  
command separator (;):pemisah perintah:  
command signal:sinyal perintah:  
command statement:pernyataan perintah:1  
command statement:pernyataan/statemen perintah  
command window:jendela perintah  
commander eis:  
commands:perintah  
comment:komentar  
comment:komentar; ulasan  
comment convention:konvensi komentar  
comment entry:entri ulasan  
comment field:medan komentar

comment field:medan ulasan  
comment line:garis ulasan  
comment statement:pernyataan ulasan  
commentary lines :  
comments:komentar  
commerce server :server niaga  
CommerceNet:CommerceNet; jaringan komersial  
commercenet:CommerceNet; jaringan komersial:  
CommerceNet:jaringan komersial; jaringan niaga:1  
CommerceNet:jaringan niaga:1  
commercenet:jaringan niaga:1  
CommerceNet:jaringan niaga:  
commercenet:jaringan niaga:  
commercial:komersial:  
commercial activities:aktivitas komersial:1  
commercial activities:aktivitas komersial:  
commercial activities:aktivitas komersial:  
commercial activities:aktivitas niaga:1  
commercial activities:aktivitas niaga:1  
commercial activities:aktivitas niaga:  
commercial character:karakter komersial:  
commercial circuit:sirkuit komersial:  
commercial efficiency:efisiensi komersial:  
commercial feature:ciri komersial:  
commercial instruction set:kumpulan perintah komersial:  
Commercial Internet Exchange (CIX):pertukaran internet komersial:  
commercial IS planning systems:sistem perencanaan SI komersial:  
commercial IS planning systems:sistem perencanaan sistem informasi komersial:1  
commercial machine:mesin komersial:  
commercial mix:campur komersial:  
"commercial off-the-shelf, cots "::  
commercial robots and applications:robot komersial dan aplikasi:DELETE  
commercial satellite:satelit komersial:  
commercial services:jasa komersial:  
commercial set:perangkat komersial:  
commercial test:tes/uji komersial:  
commercial translator:penerjemah komersial:  
commercial-mix:campur-komersial:  
commit (in atomic transaction)::  
commitment:komitmen; keikatan:  
common:tunggal; bersama; umum:  
common antenna television system:sistem antena televisi sekutu:  
common applications environment (CAE):lingkungan aplikasi bersama:  
common area:daerah umum:  
common base:dasar sekutu:  
common battery central office:kantor pusat baterai sekutu:

common block:blok umum:  
common bus:bus bersama:  
common bus:bus komon:1  
common business oriented language:bahasa berorientasi bisnis bersama:  
Common Business Oriented Language (COBOL):Bahasa Berorientasi Niaga Umum (COBOL):1  
common carrier:pembawa bersama:1  
common carrier:pembawa bersama:  
common carrier adaptor:penyadur pembawa bersama:  
common carrier leased line:jalur sewa pembawa bersama:  
common control:kontrol bersama:  
common control:kontrol bersama:  
common control system:sistem kontrol bersama:  
common data dictionary (CDD):CCD:  
Common Dialog :COMMON DIALOG :DIALOG UMUM  
common field:medan umum:  
common gateway interface:antarmuka gerbang:1  
common gateway interface:CGI:  
common gateway interface (CGI):antara muka gerbang bersama:1  
common gateway interface (CGI):CGI:  
Common Intermediate Format :CIF:  
common label item:unsur label umum:  
common language:bahasa umum:  
common logarithm:logaritma umum:  
common management information protocol (CMIP):CMIP:  
common mode failure::  
common mode interference:interferensi model umum  
common mode rejection:penolakan mode umum  
common mode rejection ratio:rasio penolakan model bersama  
common mode voltage:tegangan mode umum  
common network:jaringan umum  
COMMON OBJECT REQUEST BROKER ADMINISTRATION:  
"common object request broker architecture, CORBA":  
common return:keuntungan/kembali sekutu  
common section:seksi umum  
common segment:segmen umum  
common service area:daerah pelayanan umum  
common service facility:fasilitas pelayanan umum  
common stay:penunjang/penahan sekutu  
common storage area:area penyimpanan bersama  
common system area:area sistem bersama  
commonality:kebersamaan  
common-battery system:sistem baterai-sekutu:  
common-battery telephone set:telepon baterai-sekutu:  
common-frequency broadcasting:pemancar frekuensi-sekutu:  
common-mode input:masukan mode-sekutu:  
common-mode rejection ratio:rasio penolakan model-umum:

common-mode voltage:voltase model-umum:  
communality:komunitas:  
communcation block diagram:blok diagram komunikasi:  
communicate:berkomunikasi:  
communicate mode:model berkomunikasi:  
"communicating sequential processes, CSP":  
communication:komunikasi:DELETE  
communication:komunikasi:  
communication:komunikasi:  
communication adaptor:adaptor komunikasi:  
communication architecture:arsitektur komunikasi:  
communication area:daerah komunikasi:  
communication basic system:sistem dasar komunikasi:1  
communication basic systems:sistem dasar komunikasi:  
communication between application programs:komunikasi antara program aplikasi:  
communication channel:kanal komunikasi:1  
communication channel:saluran komunikasi:  
communication common carrier:pembawa umum komunikasi:  
communication components:komponen komunikasi:  
communication computer:komputer komunikasi:  
communication control:kontrol komunikasi:  
communication control character:karakter kontrol komunikasi:  
communication control equipment:peralatan kontrol komunikasi:  
communication control processor:prosesor kontrol komunikasi:  
communication control program:program kontrol komunikasi:  
communication control unit:unit kontrol komunikasi:  
communication controller:pengendali komunikasi:  
communication controller node:simpul pengawas komunikasi:  
communication device:alat komunikasi:  
communication driver without business machine clocking:penggerak komunikasi tanpa jam mesin dagang:  
communication equipment for maintenance:perawatan (untuk) peralatan komunikasi:  
communication facility:fasilitas komunikasi:  
communication identifier:pengenal komunikasi:  
communication interface:antarmuka komunikasi:1  
communication interface:antarmuka komunikasi:  
communication IOCS:IOCS komunikasi:  
communication line:garis komunikasi:  
communication line adaptor:penyadur garis komunikasi:  
communication link:penghubung komunikasi; sambungan komunikasi:  
communication link:taut komunikasi:1  
communication management:manajemen komunikasi:  
communication network:jaringan komunikasi:1  
communication network:jaringan komunikasi:  
communication oriented message system:sistem pesan berorientasi komunikasi:  
communication package:kemasan komunikasi:

istilah-ti-indonesia

communication parameter list:senarai parameter komunikasi:  
communication path:sambungan komunikasi:  
communication processor:prosesor komunikasi:1  
communication region:kawasan komunikasi:  
communication satellite:satelit komunikasi:1  
communication satellite:satelit komunikasi:  
communication scanner:pemayar komunikasi:  
communication server:server komunikasi:1  
communication server:server komunikasi:  
communication servers:server komunikasi:DELETE  
communication service:layanan/servis komunikasi:  
communication serviceability facility:fasilitas servisabilitas komunikasi:  
communication software:perangkat lunak komunikasi:1  
communication software:perangkat lunak komunikasi:  
communication support program:program penumpu komunikasi:  
communication system:sistem komunikasi:  
communication task:tugas komunikasi:  
communication terminal:ujung/pangkalan komunikasi:  
communication terminal unit:unit terminal komunikasi:  
communication theory:teori komunikasi:  
communications:komunikasi:  
communications:komunikasi:  
Communications Assistant (CA):bantuan komunikasi:  
communications audit:audit komunikasi:1  
communications audit:audit komunikasi:  
communications bus:bus komunikasi:  
communications common carrier:karier umum komunikasi:  
communications controller:pengendali komunikasi:  
communications devices and cost::DELETE  
communications in object-oriented design:komunikasi dalam desain berorientasi objek:DELETE  
communications indicator panel:panel indikator komunikasi:  
communications input/output control system:sistem kontrol keluaran/ masukan komunikasi:  
communications input/output control system:sistem kontrol masukan/keluaran komunikasi:  
communications instantaneous ::  
communications interface software:perangkat lunak antarmuka komunikasi:  
communications line interface:antartatapan garis komunikasi:  
communications lines:saluran komunikasi:  
communications personnel:personel komunikasi:1  
communications personnel:personel komunikasi:  
communications processors:pemroses komunikasi:1  
communications processors:prosesor komunikasi:  
communications processors and CPU:prosesor komunikasi dan CPU:DELETE  
communications protocols:protokol komunikasi:1  
communications protocols:protokol komunikasi:  
communications satellite:satelit komunikasi:1  
communications satellite:satelit komunikasi:

istilah-ti-indonesia

communications software:perangkat lunak komunikasi:1  
communications software:perangkat lunak komunikasi:1  
communications software:perangkat lunak komunikasi:1  
communications software:perangkat lunak komunikasi:  
communications software:perangkat lunak komunikasi:  
communications software:perangkat lunak komunikasi:  
communications software and errors:perangkat lunak komunikasi dan galat:DELETE  
communications standard:standar komunikasi:1  
communications standard:standar komunikasi:  
communications standards:standar komunikasi:  
communications technology:teknologi komunikasi:  
communicativeness:kekomunikatifan:  
communicator:komunikator:  
community antenna television (CATV):televisi antena komunitas:  
commutating field:medan komutasi:  
commutating pole:kutub komutasi:  
commutating reactance:tanggapan komutasi:  
commutating zone:zona komutasi:  
commutating-pole coil:kumparan kutub-komutasi:  
commutating-pole core:inti kutub-komutasi:  
commutating-pole machine:mesin kutub-komutasi:  
commutation:komutasi:  
commutation point:titik komutasi:  
commutative law:hukum komutatif:  
commutative law of addition:hukum tambahan komutatif:DELETE  
commutative law of multiplication:hukum perkalian komutatif:DELETE  
commutativity::  
commutator:komutator:  
commutator machine:mesin komutator:  
commutator motor:motor komutator:  
commutator ripple:reaksi komutator:  
commutator riser:penaik komutator:  
commutator sleeve:selongsong komutator:  
commutator tube:tabung komutator:  
commutator-motor type:tipe motor-komutator:  
compact disc (CD):cakram kompak:  
compact disc (CD):cakram kompak:  
compact disk:cakram kompak:1  
compact disk::  
compact disk read only memory (CD-ROM):CD-ROM:  
compact disk read-only memory:CD-ROM:  
compact disk read-only memory (CD-ROM):cakram kompak memori baca saja (CD-ROM):1  
compact disk write once CD-WO:CD-WO:  
compactified data:data padat:  
compactify:memadatkan:

compaction:kepadatan:1  
compaction:pemadatan:  
compactness:kepadatan:  
companding:pengompanan:  
companding converter:pengubah kompanan:  
compandor:kompandor:  
comparand:suku tanding:  
comparator:pembanding:  
comparator:pembanding:  
compare:menandingkan:  
compare instruction:instruksi banding:  
compare instruction:instruksi banding:  
compare instruction:intruksi banding:1  
compare portion:porsi pembanding:  
compared workstation::  
comparing operator:operator pembandingan:  
comparing unit:unit pembanding(an):  
comparison:perbandingan:  
comparison frequency:frekuensi perbandingan:  
comparison method:metode bandingan:  
comparison of data collection tools:perbandingan perkakas koleksi data:1  
comparison of data collection tools:perkakas koleksi perbandingan data:DELETE  
comparison of database models:perbandingan model pangkalan data:DELETE  
comparison operators:operator perbandingan:  
comparison test:uji/tes perbandingan:  
compatibility: keserasian:1  
compatibility:keserasian; keluwesan; bersesuaian:  
compatibility:keserasian; keluwesan; bersesuaian:  
compatibility interface:antartatapan kompatibilitas:  
compatible :serasi:  
compatible mode:ragam serasi:  
compatible software:perangkat lunak kompatibel:1  
compensated semiconductor:semikonduktor berkompensasi:  
compensating capacitor:kapasitor kompensasi:  
compensating coil:kumparan kompensasi:  
compensating shunt:cabang kompensasi:  
compensating universal shunt:cabang universal kompensasi:  
compensating winding:gulungan kompensasi:  
compensation:kompensasi:  
compensation theorem:teorema kompensasi:  
compensator:kompensator:  
competition and computer industry:kompetisi dan industri komputer:DELETE  
competitive access providers:penyelenggara akses kompetitif:  
competitive advantage and ethical issues:keuntungan kompetitif dan masalah etika:DELETE  
competitive connection:koneksi/sambungan kompetitif:  
competitive forces model:model daya kompetitif:1

competitive forces model:model daya kompetitif:  
compilation:kompilasi:  
compilation phase:fasa kompilasi :1  
compilation unit:unit kompilasi:  
compile:kompil:1  
compile:rangkum; kompilasi:  
compile and go:rangkum dan eksekusi:  
compile duration:lama kompilasi:  
compile load and go:kompilasi muat dan jalan:  
compile phase:fase rangkum:  
compile time:waktu kompilasi:  
compile time array:susunan waktu kompilasi:  
compile time error:galat waktu kompil:1  
compile time facility:fasilitas waktu kompilasi:  
compile time table:tabel waktu kompilasi:  
compiled:dirakit:  
compiled program:program dirakit; program terkompilasi:1  
compiled program:program tersusun; program terkompilasi:  
compiled programs:program dirakit:  
compiler:kompilator:1  
compiler:kompilator:1  
compiler:kompilator; penyusun:1  
compiler:kompilator; penyusun:  
compiler:kompilator; penyusun:  
compiler:perakit:1  
compiler:perakit:  
compiler:perakit:  
compiler:perakit:  
compiler and resident library:pustaka kompilator dan residen:  
compiler chip:tatal perangkum:  
compiler diagnostic:diagnostik perangkum:  
compiler directing statement:pernyataan pengarahan kompilator:  
compiler directive:arahan pengkompilator:1  
compiler directive:perintah pengompail:  
compiler generator:generator perangkum:  
compiler generators:pembangkit kompilator:  
compiler language:bahasa kompilator:  
compiler option:pilihan penyusun:  
compiler processor:pemroses perangkum:  
compiler processor program:program pemroses perangkum:  
compiler structure:struktur perangkum:  
compiler translating program:program penerjemahan perangkum:  
compiler-compiler:perangkum-perangkum:  
compiler-compiler :kompilator-kompilator:1  
compiler-directing statement:pernyataan penghimpun- pengarahan:  
compiler-level languages:bahasa tingkat kompilasi:



compilers:kompilasi:DELETE  
compilers:kompilasi:  
compilers language processor:prosesor bahasa kompilasi:  
compile-time array:deret waktu-kompilasi:  
compile-time built-in function:fungsi terbangun waktu kompilasi:  
compile-time processing:pemrosesan waktu kompilasi:  
compile-time statement:pernyataan menghimpun:  
compile-time table:tabel waktu-kompilasi:  
compiling:perangkum:  
compiling computer:komputer perangkuman:  
compiling phase:fase perangkuman:  
compiling program:program kompilasi:  
compiling time:waktu kompilasi:  
complement:komplemen:1  
complement:pelengkap; komplemen:  
complement :pelengkap; komplemen:  
complement accumulator:akumulator komplemen:  
complement carry:pindahan komplemen:  
complement on nine:komplemen pd 9:  
complement on one:komplemen pd 1:  
complement on ten:komplemen pd 10:  
complement on two:komplemen pd 2:  
complementarity:komplementer:  
complementary:komplementer:  
complementary arithmetic::  
complementary color:warna komplementer:  
complementary colors:warna komplementer:  
complementary event:kejadian komplementer:  
complementary metal oxide semiconductor:semikonduktor oksida metal komplementer:  
complementary metal oxide semiconductor (CMOS):CMOS:  
complementary metal oxide semiconductor (CMOS):CMOS:  
complementary metal oxide semiconductor (CMOS):semikonduktor oksida logam komplemen (CMOS):1  
complementary MOS:MOS komplementer:  
complementary operation:operasi komplementer:  
complementary operator:operator komplementer:  
complementary transistor:transistor komplementer:  
complementary wave:gelombang komplementer:  
complementation:komplementasi:  
komplementer:komplementer  
complementing:komplemen  
complete:komplet; lengkap  
complete block:blok lengkap  
complete carry:limpahan lengkap  
complete carry:pembawa/pemuat lengkap  
complete count:cacah lengkap

complete deductive system :  
complete failure:  
complete group:grup/kelompok komplet/lengkap  
complete key:kunci komplet/lengkap  
COMPLETE RECOVERY:  
complete theory :  
complete tree:pohon lengkap  
completed:lengkap  
completed call:panggil lengkap  
completely nested nest:sarang tersarang lengkap/komplet:  
completeness:kelengkapan:  
completeness::  
completeness check:uji kekomplitan:  
completion:pelengkapan:  
completion code:kode pelengkapan:  
completion unit::  
completion value:nilai pelengkapan:  
complex:kompleks:  
complex condition:kondisi kompleks:  
complex constant:konstanta kompleks:  
complex data:data kompleks:  
complex expression:ungkapan lengkap:  
complex file access:akses berkas kompleks:1  
complex file access:akses berkas kompleks:  
complex format item:unsur/item bentuk kompleks:  
complex instruction set computer::  
complex instruction set computer (CISC):komputer perangkat instruksi kompleks (CISC):  
complex instruction set computer (CISC):komputer perangkat instruksi kompleks (CISC):  
Complex Instruction Set Computing (CISC):Komputasi Set Justuksi Kompleks (CISC):1  
complex ion:ion kompleks:  
complex number:bilangan kompleks:  
complex relocatable expression:ekspresi penempatan kompleks:  
complex sound:bunyi/suara kompleks:  
complex system:sistem kompleks:  
complex type:tipe kompleks:  
complex value:nilai kompleks:  
complexity:kompleksitas:  
complexity ::  
complexity analysis ::  
complexity hierarchies:hirarki kompleksitas:  
Complexity measures:ukuran kompleksitas:  
complexity of proof procedures:kompleksitas dari prosedur pembuktian:  
complexity theory:teori kompleksitas:  
compliance:komplians:  
compliance::  
compliance testing:uji pemenuhan:1

compliance testing:uji pemenuhan:1  
compliance testing:uji pemenuhan:  
compliance testing:uji pemenuhan:  
compliance testing:uji pemenuhan:  
compliance tests:uji pemenuhan:1  
compliance tests:uji pemenuhan:  
complimentary metal-oxide semiconductor (CMOS):semikonduktor logam oksida komplementar (CMOS):1  
component:komponen:  
component ::  
component address:alamat komponen:  
component diagram ::  
component failure::  
component fault::  
component function:fungsi komponen:  
Component object model :COMPONENT OBJECT MODEL :MODEL OBJEK KOMPONEN  
component services ::  
component software ::  
component testing::  
components:komponen:  
components information system:komponen sistem informasi:  
components of database systems:komponen sistem pangkalan data:DELETE  
composite:campuran:  
composite (combined) key:kunci gabungan:1  
composite (combined) key:kunci gabungan:  
composite cable:kabel gabungan:  
composite class ::  
composite coding:pengkodean campuran:  
composite console:konsol gabungan:  
composite console:tuts/konsol komposit/gabungan:  
composite external symbol dictionary:kamus simbol eksternal komposit:  
composite file:berkas gabungan:  
composite filter:penyaring komposit:  
composite group:grup komposit:  
COMPOSITE INDEX :INDEKS MAJEMUK:  
Composite key or index :COMPOSITE KEY:KUNCI MAJEMUK  
composite loudspeaker:pengeras suara komposit:  
composite operators:operator komposit:  
composite part:bagian komposit:  
composite parts:bagian komposit:  
composite picture signal:sinyal gambatang komposit:  
composite set:perangkat komposit:  
composite signal:signal gabungan:  
composite state ::  
composite structures:struktur komposit:  
composite tone:nada komposit:

composite video:video gabungan:  
composited circuit:sirkuit komposit:  
composition:komposisi:  
composition ::  
composition of target:komposisi target:  
compositionality:komposisianalitas:  
compound:gabungan; majemuk:  
compound command:perintah gabungan:  
compound condition:kondisi majemuk:  
compound conditional statement:pernyataan kondisional gabungan:  
compound connection:koneksi gabungan:  
compound document:dokumen gabung:1  
compound document:dokumen kompon:  
compound document ::  
compound documents:dokumen gabungan:1  
compound documents:dokumen gabungan:  
compound event:kejadian kompon:  
compound expression:ungkapan gabungan:  
compound generator:generator kompon:  
compound interface:antartatapan kompon:  
compound machine:mesin kompon:  
compound mode:ragam gabungan:  
compound modulation:modulasi gabungan:  
compound statement:penyataan majemuk:1  
compound statement:pernyataan majemuk:  
compound tail:ujung majemuk; lepai majemuk:  
compound tone:nada kompon:  
comprehending:pemahaman:  
comprehensibility ::  
comprehensive:menyeluruh:  
compress:mampat; tekan:  
compressed data item:unsur data dimampatkan:  
compressed file:berkas mampat:1  
compressed file formats:format berkas dimampatkan:  
compressed format:bentuk mampat:  
compressed index:indeks dimampatkan:  
compressed phase:fase dimampatkan:  
compressed terminal bond:rekatan terminal mampat:  
compressed-air circuit-breaker:sirkuit-penyela udara- mampat:  
compressing:pemampatan:1  
compressing:pemampatan:DELETE  
compressing:pemampatan:  
compression:pemampatan:  
compression:pemampatan:  
compression (of files):kompresi (dari berkas):  
compression joint:sambungan kompresi:

compression techinques:teknik pemampatan:1  
compression techinques:teknik pemampatan:  
compression techniques:teknik pemampatan:1  
compression techniques:teknik pemampatan:  
compressional wave:gelombang kompresional:  
compressive strength:kekuatan kompresif:  
compressive stress:tegangan tekan:  
compressor:kompresor:  
compromise net:jaring kompromi:  
compromise network:jaringan kompromi:  
"compulsory miss, cache"::  
compuserve:compuserve:  
Compuserve Packet Network (CPN):CPN:  
Compuserve Public Network (CPN):CPN:  
computability:komputabilitas:  
Computability theory:teori kemampuan komputasi:  
computability theory:teori kemampuan komputasi  
computable:mampu hitung  
computation:komputasi  
computation of transforms:komputasi dari transformasi  
computation structure:struktur komputasi  
computational:komputasional  
computational built-in function:fungsi tetap komputasional  
computational complexity:  
computational cost:  
computational logic:logika komputasional  
computational mechanics:mekanik komputasional  
computational stability:kestabilan komputasional  
computations in finite fields:komputasi di medan hingga  
computations on discrete structures:komputasi dalam struktur diskrit  
computations on matrices:komputasi matriks  
computations on polynomials:komputasi polinomial  
compute:memperhitungkan:  
compute mode:ragam perhitungan:  
computed address:alamat terhitung:  
computed GO TO statement:pernyataan GO TO komputer:  
computer:komputer:1  
computer:komputer:  
computer:komputer:  
computer input microfilm:mikrofilm masukan komputer:1  
computer abuse:penyalahgunaan komputer:1  
computer abuse:penyalahgunaan komputer:1  
computer abuse:penyalahgunaan komputer:  
computer abuse:penyalahgunaan komputer:  
computer abuse:penyalahgunaan komputer:  
computer abuse:penyalahgunaan komputer:

istilah-ti-indonesia

Computer Aided Design (CAD package):paket Desain Berbantuan Komputer (paket CAD):1  
computer aided design (CAD):desain berbantuan komputer (CAD):  
computer aided design (CAD):desain berbantuan komputer (CAD):  
computer aided design (CAD):desain berbantuan komputer (CAD):  
computer aided drawing software:perangkat lunak lukisan berbantuan komputer:1  
computer aided engineering:CAE:  
Computer Aided Engineering System (CAE System):Sistem Rekayasa Berbantuan Komputer (Sistem CAE):1  
computer aided learning software:perangkat lunak pembelajaran berbantuan komputer:1  
computer aided manufacturing:pemakturan bantuan komputer:  
Computer Aided Manufacturing System (CAM System):Sistem Manufaktur Berbantuan Komputer (Sistem CAM):1  
computer aided process planning (CAPP):CAPP:  
computer aided process planning (CAPP):CAPP:  
computer aided reengineering tool:alat rekayasa ulang berbantuan komputer:1  
computer aided software engineering:mesin peranti halus berbantuan komputer:  
COMPUTER AIDED SOFTWARE ENGINEERING TOOL::  
Computer Aided Software Engineering tool (CASE tool):alat Rekayasa Perangkat Lunak Berbantuan Komputer (alat CASE):1  
"computer aided software engineering tool, case tool"::  
computer animation:animasi komputer:1  
computer applications:aplikasi komputer:  
computer architecture: arsitektur komputer:1  
computer architecture:arsitek komputer:1  
computer architecture:arsitektur komputer:  
computer architecture:arsitektur komputer:  
computer arithmetic:aritmatika komputer:  
computer art:seni komputer:  
computer assisted instruction:instruksi berbantuan komputer:  
computer assisted instruction software:perangkat lunak instruksi berbantuan komputer:1  
computer assisted learning (CAI):pembelajar berbantuan komputer:  
computer assisted management:manajemen bantuan komputer:  
computer based information system:sistem informasi berbasis komputer:1  
computer based information system:sistem informasi berbasis komputer:  
computer based information system:sistem informasi berbasis komputer:  
computer based information system:sistem informasi berbasis komputer:  
Computer Based Information System (CBIS):Sistem Informasi Berasas Komputer (CBIS):1  
computer based training software:perangkat lunak pelatihan berasas komputer:1  
computer cameras:kamera komputer:  
computer cartography:komputer kartografi:  
computer chasis:casis komputer:1  
computer chip:cip komputer:  
computer chip:cip komputer:  
computer chip:cip komputer; keping komputer:1  
computer chip:cip komputer; keping komputer:  
computer code:kode komputer:

istilah-ti-indonesia

computer communication protocol:protokol komunikasi komputer:1  
computer communication protocol:protokol komunikasi komputer:  
computer communications:komunikasi komputer:  
computer complex:kompleks komputer:  
computer conferencing:konferensi komputer:  
computer configuration:konfigurasi komputer:  
computer console:konsol komputer:  
computer control:kontrol komputer:  
computer crime:kejahatan komputer:1  
computer crime:kejahatan komputer:  
computer crime:kejahatan komputer:  
computer crime:kejahatan komputer:  
computer crime and access:kejahatan komputer dan akses:DELETE  
computer crime and data:kejahatan komputer dan data:DELETE  
computer dealer:pedagang komputer:DELETE  
computer device:peranti komputer:1  
computer devices:alat komputer:  
computer driver:penggerak komputer:1  
Computer Emergency Response Team:Tim Tanggapan Darurat Komputer:DELETE  
Computer Emergency Response Team (CERT):Tim Tanggapan Darurat Komputer (CERT):DELETE  
Computer Emergency Response Team (CERT):Tim Tanggapan Darurat Komputer (CERT):  
Computer Emergency Response Team (CERT):Tim Tanggapan Darurat Komputer (TTDK):1  
computer fraud:penipuan komputer:1  
computer fraud:penipuan komputer:  
computer fraud and abuse act 1986:Undang-undang Penipuan dan Penyalahgunaan Komputer  
1986:DELETE  
Computer Fraud and Abuse Act of 1986:Undang-undang Penipuan dan Penyalahgunaan Komputer  
1986:DELETE  
computer game software :perangkat lunak permainan komputer:1  
computer games:permainan komputer:  
computer generations:generasi komputer:1  
computer generations:generasi komputer:  
computer generations:generasi komputer:  
computer generations:generasi komputer:  
computer graphic:grafik komputer:1  
computer graphic metafile:metaberkas grafik komputer:1  
computer graphics:grafik komputer:  
computer hardware:peranti keras komputer:  
computer hierarchy system:sistem hierarki komputer:  
computer hobbyist:penggemar komputer:  
computer imaging :pencitraan komputer:  
computer installation:instalasi komputer:  
computer instruction:instruksi komputer:1  
computer instruction:instruksi komputer:  
computer instruction:instruksi komputer:  
computer instruction:intruksi komputer:1

computer instruction code:kode instruksi komputer:  
computer instruction set:kumpulan instruksi komputer:  
computer instructions:instruksi komputer:  
computer integrated manufacturing (CIM):fabrikasi terpadu komputer:1  
computer integrated manufacturing (CIM):fabrikasi terpadu komputer :  
computer integrated manufacturing (CIM):fabrikasi terpadu komputer :  
computer integrated manufacturing (CIM):fabrikasi terpadu komputer :  
computer language:bahasa komputer:  
computer languages:bahasa komputer:1  
computer languages:bahasa komputer:  
computer languages:bahasa komputer:  
computer languages:bahasa komputer:  
computer layout:tataletak komputer:  
computer leasing companies:perusahaan penyewaan komputer:DELETE  
computer literacy:kenal komputer:1  
computer literacy:kenal komputer:  
computer literacy:pemahaman komputer:DELETE  
computer literacy:pemahaman komputer:  
computer managed instruction:instruksi berkemudi komputer:  
computer manufacturers:pabrik komputer:DELETE  
computer manufacturers:pabrik komputer:  
computer micrographics:mikrografis komputer:  
computer midrange:komputer kelas menengah:1  
computer midrange:komputer kelas menengah:  
computer monitoring:pemonitoran komputer:DELETE  
computer mouse:mouse komputer:  
computer music:musik komputer:  
computer network:jaringan komputer:1  
computer network:jaringan komputer:  
computer network:jaringan komputer:  
computer network:jaringan komputer:  
computer network devices:peralatan jaringan komputer:  
computer network lans:jaringan komputer LANs:  
computer network LANs:jaringan komputer LANs:  
computer network management:manajemen jaringan komputer:  
computer network management:manajemen jaringan komputer:  
computer network switching techniques:teknik pengalihan jaringan komputer:  
computer network switching techniques:teknik pengalihan jaringan komputer:  
computer network topologies:topologi jaringan komputer:  
computer network topologies:topologi jaringan komputer:  
computer network wans:jaringan komputer WANs:  
computer network WANs:jaringan komputer WANs:  
computer numerical control (CNC):kontrol numerik komputer:  
computer operation:operasi komputer:  
computer operator:operator komputer:  
computer operators:operator komputer:1



istilah-ti-indonesia

computer operators:operator komputer:  
computer output microfilm:mikrofilm keluaran komputer:  
computer output microfilm (COM):mikrofilm keluaran komputer:  
computer output microfilm (COM):mikrofilm keluaran komputer:  
computer output microfilm (COM):mikrofilm keluaran komputer (COM):1  
computer output microfilm (COM) devices:peranti mikrofilm keluaran komputer:1  
computer output microfilm (COM) devices:peranti mikrofilm keluaran komputer:DELETE  
computer output microfilm (COM) devices:peranti mikrofilm keluaran komputer:  
computer output microfilm output devices:peranti keluaran mikrofilm keluaran komputer:1  
computer output microfilm output devices:peranti keluaran mikrofilm keluaran komputer:  
computer output microfilm printer:pencetak mikrofilm keluaran komputer:  
computer output microfilmer:pemikrofilm keluaran komputer:  
computer output microfilming:mikrofilm keluaran komputer:  
computer output microfilming:pemikrofilman keluaran komputer  
computer output on microfilm (COM):  
computer personnel:personel komputer  
computer procedures:prosedur komputer  
computer processing speeds:kecepatan pemrosesan komputer  
computer processing speeds:kecepatan pemrosesan komputer  
computer program:program komputer  
computer program abstract:  
computer program annotation:anotasi program komputer  
computer program coding:pengkodean program komputer  
computer program coding:pengkodean program komputer  
computer program design:desain program komputer  
computer program design:desain program komputer  
computer program origin:asal program komputer  
computer program testing:uji program komputer  
computer program testing:uji program komputer  
computer programmers:pemrogram komputer:1  
computer programmers:pemrogram komputer:  
computer science:ilmu komputer:  
Computer science education:pendidikan ilmu komputer:  
Computer Science Network (CSNET):CSNET:  
computer screen:layar komputer:  
computer security:keamanan komputer:1  
computer security:keamanan komputer:1  
computer security:keamanan komputer:  
computer security:keamanan komputer:  
computer security:keamanan komputer:  
Computer selection:pemilihan komputer:  
computer simulation:simulasi komputer:1  
computer simulation:simulasi komputer:1  
computer simulation:simulasi komputer:1  
computer simulation:simulasi komputer:

computer simulation:simulasi komputer:  
computer simulation:simulasi komputer:  
computer simulation:simulasi komputer:  
computer simulator:simulator komputer:  
computer software:perangkat lunak komputer:1  
computer software:perangkat lunak komputer:1  
computer software:perangkat lunak komputer:  
computer software:perangkat lunak komputer:  
computer software:perangkat lunak komputer:  
computer software:perangkat lunak komputer:  
"computer supported cooperative / collaborative work / groupware, CSCW "::  
computer system components:komponen sistem komputer:  
computer system components:komponen sistem komputer:  
computer system fault tolerance:toleransi kesalahan sistem komputer:  
computer system platform:platform sistem komputer:  
computer system resilience:ketahanan sistem komputer:  
computer system security:keamanan sistem komputer:  
computer system simulator:simulator sistem komputer:  
computer systems architecture:arsitektur sistem komputer:  
computer tape:pita komputer:1  
computer telecommunications network:jaringan telekomunikasi komputer:  
computer tomography:tomografi komputer:  
Computer Traud and Abuse Act 1986:Undang-Undang Penipuan dan Penyalahgunaan Komputer  
1986:1  
computer trouble:kesukaan komputer:  
computer utility:utilitas komputer:  
computer virus:virus komputer:1  
computer virus:virus komputer:1  
computer virus:virus komputer:1  
computer virus:virus komputer:1  
computer virus:virus komputer:  
computer virus:virus komputer:  
computer virus:virus komputer:  
computer virus:virus komputer:  
Computer vision:pandang komputer:  
computer waste:buangan komputer:1  
computer waste:buangan komputer:  
computer waste:sampah komputer:1  
computer waste:sampah komputer:  
computer waste and controls:sampah dan kontrol komputer:DELETE  
computer waste and cost:sampah dan biaya komputer:DELETE  
computer word:istilah komputer:  
computer word:istilah komputer:  
computer word:kata komputer:1  
computer worm:cacing komputer:1

istilah-ti-indonesia

computer-aided design (CAD):desain bantuan komputer (CAD):  
computer-aided design (CAD):desain bantuan komputer (DBK):1  
computer-aided design (CAD):desain berbantuan komputer (CAD):  
computer-aided design (CAD):desain berbantuan komputer (CAD):  
computer-aided design (CAD):desain berbantuan komputer (CAD):  
computer-aided design (CAD):desain berbantuan komputer (DBK):1  
computer-aided engineering (CAE):CAE:  
computer-aided engineering (CAE):CAE:  
computer-aided engineering (CAE):rekayasa bantuan komputer (RBK):1  
computer-aided engineering (CAE):rekayasa berbantuan komputer:  
computer-aided engineering (CAE):rekayasa berbantuan komputer (RBK):1  
computer-aided engineering (CAE):teknik bantuan komputer (CAE):  
computer-aided instruction (CAI):perintah bantuan komputer (CAI):  
computer-aided instruction (CAI):perintah bantuan komputer (PBK):1  
computer-aided manufacturing:CAM:  
computer-aided manufacturing (CAM):CAM:  
Computer-aided manufacturing (CAM):CAM:  
computer-aided manufacturing (CAM):fabrikasi berbantu komputer (CAM):  
computer-aided manufacturing (CAM):fabrikasi berbantuan komputer:  
computer-aided manufacturing (CAM):fabrikasi berbantuan komputer (FBK):1  
computer-aided manufacturing (CAM)::1  
computer-aided process planning (CAPP):perencanaan proses berbantuan komputer (PPBK):1  
computer-aided process planning (CAPP):perencanaan proses berbantuan komputer (PPBK):  
computer-aided process planning (CAPP):proses perencanaan bantuan komputer (PPBK):1  
computer-aided process planning (CAPP):proses perencanaan bantuan komputer (PPBK):  
computer-aided software engineering:CASE:  
computer-aided software engineering (CASE):CASE:  
Computer-aided software engineering (CASE):CASE:  
computer-aided software engineering (CASE):rekayasa perangkat lunak berbantuan komputer:  
computer-aided software engineering (CASE):rekayasa perangkat lunak berbantuan komputer (RPLBK):1  
computer-aided software engineering tool (CASE):CASE:  
computer-aided softwere engineering (CASE):rekayasa perangkat lunak terbantu komputer:  
computer-aided softwere engineering (CASE):rekayasa perangkat lunak terbantu komputer:  
computer-assisted design (CAD):CAD:  
computer-assisted instruction:instruksi dibantu- komputer:  
Computer-assisted instruction (CAI):CAI:  
computer-assisted manufacturing (CAM):CAM:  
computer-based information system:sistem informasi berbasis komputer:  
computer-computer communication:komunikasi komputer-komputer:  
computer-dependent language:bahasa terikat-komputer:  
computer-designed models:model desain komputer:1  
computer-designed models:model desain komputer:  
computer-designed models:model desain-komputer:  
computerese:mengkomputerkan:  
computer-integrated manufacturing (CIM):pabrikasi terpadukan komputer (PTK):1

istilah-ti-indonesia

computer-integrated manufacturing (CIM):pabrikasi terpadukan komputer (PTK):  
computer-integrated manufacturing (CIM):rekayasa terpadu komputer:  
computer-integrated manufacturing (CIM):rekayasa terpadu komputer (RTK):1  
computerization:komputerisasi:  
computerize:mengkomputerkan:  
computerized collaborative work system:sistem kerja kolaboratif terkomputerisasi:1  
computerized collaborative work system:sistem kerja kolaboratif terkomputerkan:  
computerized reservations:pemesanan terkomputerkan:1  
computerized reservations:pemesanan terkomputerkan:  
computerized reservations systems:sistem pemesanan terkomputerkan:1  
computerized reservations systems:sistem pemesanan terkomputerkan:  
computerized tomography:tomografi terkomputerkan:  
computerized tomography (CT):tomografi terkomputerkan:  
computer-managed instruction (CMI):pengajaran dimanjaje komputer:  
computer-name:nama-komputer:  
computernick ::1  
computer-oriented language:bahasa berorientasi komputer:  
computerphobia:komputerphobia:  
computer-related control:kontrol komputer:  
computer-related crime:kejahatan komputer:  
computer-related crime and control:kejahatan dan komputer komputer:DELETE  
computer-related health issues:masalah kesehatan berkaitan komputer:  
computer's character set:set karakter komputer:  
computers mainframe:bingkai utama komputer:1  
computers mainframe:komputer besar:  
computer-supported collaborative work:kerjasama dibantu komputer:  
computer-supported cooperative work:kerjasama dibantu komputer:  
computer-system audit:audit sistem-komputer:  
computing:komputasi:  
computing element:elemen pengkomputeran:  
Computing equipment management:manajemen peralatan komputer:  
computing logger:pencatat penghitungan:  
Computing Services Organization (CSO):CSO:  
computing system:sistem komputasi:  
computing system:sistem pengkomputeran:  
computing system RPQ:RPQ sistem penghitungan:  
computing time:waktu pengkomputeran:  
computopia:komputopia:  
computrized collaborative work system:sistem kerja kolaboratif terkomputerisasi:1  
computrized collaborative work system:sistem kerja kolaboratif terkomputerisasi:  
concatenaion:ion rangkaian:  
concatenate:merangkai:  
concatenate record:rekaman rangkaian:  
concatenate record type:tipe rekaman rangkaian:  
concatenated code:kode terangkai:  
concatenated data set:kumpulan data terangkai:

istilah-ti-indonesia

concatenated data sets:kumpulan data terangkai:  
concatenated file:berkas terangkai:  
concatenated frequency changer:pengubah frekuensi terangkai:  
concatenated key:kunci terangkai:  
concatenated motor:motor terangkai:  
concatenated segment:segmen terangkai:  
concatenating:perangkaian:  
concatenation:perangkaian:  
Concatenation :CONCATENATION :RANGKAIAN  
concatenation :perangkaian:1  
concatenation character:karakter perangkaian:  
concatenation operation:operasi rangkaian:  
concealment:persembunyian:  
concentrated capacity:kapasitas terkonsentrasi:  
concentrated system:sistem terkonsentrasi:  
concentrated winding:gulungan terkonsentrasi:  
concentration:konsentrasi; kadar:  
concentration cell:sek konsentrasi:  
concentrator:konsentrator:1  
concentrator:konsentrator:  
concentrator:konsentrator:  
concentric cable:kabel sepusat:  
concept:konsep:  
concept assignment ::  
concept assignment problem ::  
concept classification:klasifikasi konsep:  
Concept learning:konsep belajar:  
concept phase ::  
concept recognition ::  
conceptual:konseptual:  
conceptual abstraction ::  
conceptual dictionary:kamus konseptual:  
conceptual model::  
conceptual model of artificial intelligence:model konseptual dari kecerdasan buatan:DELETE  
conceptual model of artificial intelligence:model konseptual dari kecerdasan buatan:DELETE  
conceptual system design:desain sistem konseptual:  
conceptualization:konseptualisasi:  
conciseness:keringkasan:  
conclusion:konklusi:  
concordance:konkordan:  
concordant:konkordan:  
concrete class ::  
concrete object:objek kongkret:  
concrete pipe:pipa konkret:  
concrete pole:kutub konkret:  
concrete system ::

concretization:pengkongkretan:  
Concurrency:CONCURRENCY:KONKURENSI  
concurrency:konkurensi; berbarengan:  
concurrency:konkurensi; berbarengan:  
concurrency:konkurensi; berbarengan:  
concurrency:konkurensi; berbarengan:  
concurrency:konkurensi; berbarengan:  
"concurrency, apparent":  
"concurrency, true":  
concurrent:searah:1  
concurrent:serentak:  
concurrent ::  
concurrent execution:eksekusi serentak:  
concurrent I/O data transfer:transfer/alih data I/O setanda:  
concurrent input-output:keluaran-masukan bersaing:  
concurrent languages:bahasa serentak:  
concurrent operation:operasi serentak:  
concurrent peripheral operation:operasi periferal serempak:  
concurrent peripheral operation:operasi periferal setanda/ serempak:  
concurrent peripheral operations:operasi periferal serempak:  
concurrent processing: pemrosesan serentak:1  
concurrent processing:pemrosesan serentak:  
concurrent processing:pemrosesan serentak:  
concurrent program:program serentak:  
Concurrent programming structures:struktur pemrograman serentak:  
condensate:kondensat:  
condensation:kondensasi:  
condensation polymerization:polimerisasi kondensasi:  
condensed deck:dek terkondensi:  
condensed print:cetak bersyarat:  
condensed-mercury temperature:temperatur merkuri terkondensasi:  
condenser:kondenser:  
condenser earphone:alat pendengar kondensor:  
condenser loudspeaker:pengeras suara kondensor:  
condensive load:beban kondensif:  
conditinal assembly:rakitan kondisional/bersyarat:  
condition:kondisi:  
condition ::  
condition code:kode kondisi:1  
condition code:kode kondisi:  
condition code:kode kondisi:  
condition code:kode syarat:  
condition code register::1  
condition code register::  
condition element:elemen kondisi:  
condition flag:tanda kondisi:

condition jump:lompatan kondisi:  
condition list:senarai syarat:  
condition name:nama syarat:  
condition prefix:prefiks syarat:  
condition variable::  
conditional assembler instruction:instruksi perakitan kondisional/bersyarat:  
conditional assembly:pasangan/rakitan bersyarat:  
conditional assembly:rakit bersyarat:  
conditional assembly expression:ungkapan pasangan/rakitan bersyarat:  
conditional assembly instruction:instruksi rakit bersyarat:  
conditional assembly instruction:perintah pasangan/rakitan bersyarat:  
conditional branch:cabang bersyarat:1  
conditional branch:cabang bersyarat:  
conditional construct:konstruksi bersyarat:  
conditional dump:penumpah bersyarat:  
conditional entropy:entropi bersyarat:  
conditional expression:ekspresi bersyarat:  
conditional information content:isi informasi bersyarat:  
conditional instruction:intruksi bersyarat:1  
conditional instruction::  
conditional jump:lompatan bersyarat:  
conditional jump instruction:perintah lompat bersyarat:  
conditional negation:negasi bersyarat:  
conditional probability:kemungkinan kondisional/ bersyarat:  
conditional request:permintaan bersyarat:  
conditional sentence:kalimat bersyarat:  
conditional statement:pernyataan bersyarat:  
conditional transfer:transfer bersyarat  
conditional variable:perubah bersyarat  
conditionally addressed ROM:  
conditional-swapping:penukaran bersyarat  
conditioned line:garis terkondisi; saluran terkondisi  
condition-handling built-in function:fungsi membangun kondisi-bantuan  
conditioning:pelayanan; pengkondisian  
conditioning:pelayanan; pengkondisian  
condition-name condition:syarat nama-syarat  
condition-name description entry:entri deskripsi kondisi nama  
conditions:syarat-syarat  
conditions of storage and transport:kondisi penyimpan dan transpor  
conducted interference:interferensi tersalur  
conducting period:periode antar  
conduction:konduksi  
conduction band:pita konduksi  
conduction current:arus konduksi  
conduction electron:elektron konduksi  
conductive coupling:kopling konduktif

conductivity:konduktivitas  
conductivity modulation:modulasi konduktivitas  
conductor:konduktor  
conductor arrangement:susunan konduktor  
conductor dancing:tarian konduktor  
conductor length:panjang/rentang waktu konduktor  
conductor spacing:sela-antara konduktor  
conduit fitting:suaian konduit  
conduit tube:tabung konduit  
conduit work:kerja konduit  
cone:kerucut  
cone antenna:antena kerucut  
conference :konferensi  
conference system:sistem konferensi:  
conferencing:konferensi:  
confidence coefficient:koefisien kepercayaan:  
confidence interval:interval kepercayaan:  
confidence limit:batas kepercayaan:  
confidence limits:perbatasan kepercayaan:  
confidence region:daerah konfidensi:  
confidential delivery:hantaran rahasia:  
confidentiality:kerahasiaan:  
config sys::  
configurable addressing scheme:skema pengalamatan dapat dikonfigurasi:  
configuration: konfigurasi:1  
configuration:konfigurasi:  
configuration :konfigurasi:  
configuration ::  
configuration audit ::  
configuration conditions:kondisi konfigurasi:1  
configuration conditions:kondisi konfigurasi:  
configuration control:kontrol konfigurasi:  
configuration control ::  
configuration control board:papan kontrol konfigurasi:  
configuration control panel:panel kontrol konfigurasi:  
configuration diagram::  
configuration image:bayangan konfigurasi:  
configuration item ::  
configuration management:manajemen konfigurasi:1  
configuration management:pengelolaan konfigurasi:  
configuration management ::  
configuration procedure:prosedur konfigurasi:  
configuration programming ::  
configuration restart:anjak ulang konfigurasi:  
configuration section:bagian konfigurasi:  
configuration service:pelayanan konfigurasi:



configuration software:perangkat lunak konfigurasi:1  
 "configuration status reporting, CSR":  
 configure:membentuk:  
 configured:mengkonfigurasi:  
 confirm:menguatkan:  
 confirmability:daya kukuh:  
 confirmation:konfirmasi:  
 conflict:konflik:  
 conflict miss::  
 conformance::  
 conformant array:deret suai:  
 confounding:pengacauan; pembauran:  
 congestion:kemacetan:  
 congestion collapse:kolapse karena kemacetan:  
 congestion control:kontrol kemacetan:  
 congestion control:pengendali kemacetan:1  
 conical scan:pindai kerucut:  
 conjunction:konjungsi:  
 conjunctive normal form:bentuk normal konjungsi:  
 connect:hubung; sambung:  
 connect charge:mulatan hubung:  
 connected:terhubung:  
 connected load:beban tersambung:  
 connected reference:acuan tersambung:  
 connected storage:penyimpan tersambung:  
 connectedness:berhubungan:  
 connecting cord circuit:sirkuit tali hubung:  
 connecting sleeve:selongsong hubung:  
 connecting stage:tingkat penghubung:  
 connection:koneksi; sambungan:  
 connection::  
 connection box:kotak hubung:  
 connection charge:beban hubungan/koneksi:  
 connection confidentiality:kerahsiaan sambungan:1  
 connection diagram:diagram sambungan:  
 connection identifier:pengidentifikasi sambungan:  
 Connection machines:mesin terhubung:  
 connection multiplexors:sambungan multipleksor:  
 connection permanent:sambungan permanen:  
 connection persistence:sambungan ngotot \*\*:  
 connection point manager:pengelola sambungan:  
 connection switched::  
 connectionism:koneksionis; penghubung:  
 connectionist:koneksionis; penghubung:  
 connectionless:nirkoneksi; nirhubung:  
 connectionless confidentiality:kerahsiaan nirsambung:1

istilah-ti-indonesia

connectionless data transfer:transfar data nirsambung:1  
connectionless internetworking:antar jaringan nirsambung:1  
connectionless internetworking:jaringan nirhubung:  
connectionless network service (CNS):CNS:  
connection-oriented:orientasi terhubung:  
connection-oriented data transfer:transfer data berorientasi sambung:1  
connection-oriented network service (CONS):CONS:  
connection-oriented network service (CONS):layanan jaringan berorientasi sambung:1  
connective:konektif:  
connective:penyambung:  
connectivity:ketersambungan; konektivitas:1  
connectivity:konektivitas:  
connector:konektor:  
connector:penghubung:  
connector:penyambung:1  
connector block:blok penghubung/konektor:  
connector card:kartu konektor:  
connector shelf:rak konektor  
"connector, 3-pin":konektor 3-pin  
"connector, 4-pin":konektor 4-pin  
connexion:koneksi  
connotation:konotasi  
consecutive:berturutan  
consecutive number:bilangan konsekutif  
consecutive operation:operasi berturutan  
consecutive processing:proses konsekutif  
consecutive sequence computer:komputer urut konsekutif  
conservative:konservatit  
conservator:konservator  
consistency:konsistensi  
consistency :  
consistency (sequential):  
consistent:konsisten  
consistent statistic:statistik konsisten:  
console:konsol:1  
console:konsol:  
console auxiliary:pembantu konsol:  
console card reader:pembaca kartu konsol:  
console control unit:unit control tuts/konsol:  
console data buffer:penyangga data konsol:  
console desk:meja konsol/tuts:  
console display:layar konsol:  
console display:peragaan konsol:  
console file:berkas konsol:  
console function:fungsi tuts/konsol:  
console inquiry station:stasiun selidik konsol:

console interrupt:interupsi konsol:  
console key:kunci konsol/tuts:  
console message:pesan konsol:  
console panel:panel tuts/konsol:  
console printer-keyboard:papan tombol-pencetak konsol:  
console switch:perangkai konsol/tuts:  
console typewriter unit:unit pengetik konsol:  
consonance:konsonans:  
consonant:konsonan:  
consonant articulation:artikulasi konsonan:  
constancy:konstansi:  
constant:konstanta:  
constant:konstanta:  
constant amplitude recording:perekaman amplitudo tetapan:  
"constant angular velocity, disk":  
constant area:area konstanta:  
constant bit rate (CBR):laju bit konstan:1  
constant function:fungsi konstanta:  
"constant linear velocity (CLV), disk":  
constant ratio code:sandi/kode rasio konstanta  
constant ratio frequency changer:pengubah frekuensi rasio konsonan  
constant rotating field:medan perotasian konstanta  
constant storage:penyimpan tetap  
constant temperature oven:oven temperatur konstanta  
constant voltage & constant frequency unit:tunit frekuensi konstan & voltase konstan  
constant(s):konstan  
constantan:konstantan  
constant-current charge:isi/muatan arus-konstanta  
constant-current generator:generator arus-konstanta  
constant-current system:sistem arus-konstanta  
constant-current transformer:transformator arus-konstanta  
constant-K filter:filter K-konstanta  
constant-resistance discharge:pemberhentian hambatan- konstanta  
constant-voltage charge:isi/muatan voltase-konstanta  
constant-voltage generator:generator voltase-konstanta  
constant-voltage modulation:modulasi voltage-konstanta  
constituent:konstituen; pengisi  
constrained optimization:optimisasi kendala  
constraint:kendala  
constraint:kendala  
constraint :  
constraint programming:pemrograman kendala  
constraints:kendala  
CONSTRAINTS:  
constriction:konstriksi; pengerutan  
constriction resistance:hambatan konstriksi/ penyempit

constrictor:konstriktor  
construct:bangun  
construction:konstruksi  
construction (of a system):konstruksi (dari sebuah system)  
construction gauge:pengukur konstruksi  
"constructive cost model, COCOMO "::  
constructive solid geometry (CSG):konstruktif geometri solid:  
constructor:pembangun; konstruktor:  
constructor ::  
consultant:konsultan:  
consultants ::  
consultation program:program konsultasi:  
consumer:pemakai:  
consumer direct access:akses langsung konsumen:1  
consumer direct access:akses langsung konsumen:  
consumer goods system:sistem barang konsumen:  
Consumer products:produk konsumen:  
Consumer Reporting Reform Act of 1995:Undang-undang Pembaharuan Pelaporan Konsumen  
1995:DELETE  
contact:kontak:  
contact:kontak; sentuh:  
contact alignment:penepatan kontak:  
contact bank:bank kontak:  
contact bounce:lambungan kontak:  
contact command:perintah kontak:  
contact converter:konvertor kontak:  
contact diagram:diagram kontak:1  
contact fault:salah kontak:  
contact force:kakas sentuhan/kontak:  
contact input:masukan kontak:  
contact interrogation signal:sinyal kontak interogasi:  
contact parting time:waktu pisahan kontak:  
contact pin:pin kontak:  
contact pressure:tekanan kontak:  
contact printing of reflectance:kontak pencetakan reflektans:  
contact printing of transparence:kontak pencetakan transparansi:  
contact protection:proteksi kontak:  
contact resistance:hambatan sentuhan/kontak:  
contact sending:pengiriman kontak:  
contact start stop:henti awal kontak:  
contact surface:permukaan kontak:  
contactor:pengontak; penyentuh:  
contagion:penjangkitan; penularan:  
contain:berisi:  
contained text:teks manampung:  
Container:CONTAINER:PETI KEMAS

container:wadah:  
containment ::  
containtment control:kendali penahanan:1  
containtment control:kontrol penahanan:  
contamination:kontaminasi:  
content:isi; kandungan:  
content:kandungan:  
content addressed RAM:RAM beralamat kandungan/isi:  
content addressed retrieval:retrieval/perolehan alamat isi:  
content addressed storage:penyimpan teralamatkan isi:  
content retrieval:retrival isi:  
content search:selurus esi:  
content-addressable memory:memori kandungan beralamat:1  
content-addressable memory::  
content-addressable storage:penyimpan alamat-isi:  
content-addressed storage:penyimpan isi teralamat:  
contention:pendirian:1  
contention:pendirian:DELETE  
contention:pendirian:  
contention bus:bus kontensi:  
contention mode:mode kontensi:  
contention system:sistem kontensi:  
contents addressable memory:memori teralamatkan isi:  
contents directory:direktori isi:  
contents directory:direktori kandungan:  
contents supervision:supervisi kandungan/isi:  
contents supervisor:penyelia isi:  
context:konteks:  
context (for naming)::  
context editing:suntingan konteks:  
context editor:editor/penyunting konteks:  
context free grammar:tata bahasa bebas konteks:  
context free language:bahasa bebas konteks:  
context model:model konteks:  
context sensitive:sensitif konteks:1  
context switch::  
context switch::  
context switching: alihan konteks:1  
context switching:alihan konteks:  
context switching:alihan konteks:  
context-free languages:bahasa bebas konteks:  
context-sensitive grammar:tata bahasa sensitif konteks:  
contextual declaration:deklarasi kontekstual:  
contiguity:persinggungan; persentuhan:  
contiguous:bersinggungan; bersentuhan:  
contiguous allocation storage:simpan alokasi bergandingan:1

contiguous item:unsur/item dekat:  
contiguous items:butir-butir jangkitan:  
contiguous representations:representasi jangkitan:  
contingency:kebetulan:  
contingency interrupt:selaan kebetulan:  
contingency procedure:prosedur kontigensi:  
contingency table:tabel kontigensi:  
contingency table analysis:tabel analisa kontigensi:  
continuation:keterangan:  
continuation (homotopy) methods:metode kontinuitas (homotopy):  
continuation column:kolom kontinuitas:  
continuation line:garis kontinuitas:  
continuation restart:pengulangan kontinuitas:  
continue column:kolom terusan:  
continued line:garis terusan:  
continued statement:pernyataan kontinu:  
continuity:kontinuitas:  
continuity and relay tester:pengetes kontinuitas dan relai:  
continuous:kontinu; malar:  
continuous channel:saluran; malar:  
continuous chart:peta/diagram kontinu:  
continuous control action:aksi kontrol kontinu:  
continuous current:arus kontinu:  
continuous distribution:distribusi kontinu:  
continuous duty:tugas kontinu:  
continuous duty with short-time loading:pembebanan bea dengan jangka-pendek kontinu:DELETE  
continuous form:bentuk kontinu:  
continuous forms:kertas terhubung terus:  
continuous forms paper:kertas terhubung terus:  
continuous furnace:tanur kontinu:  
continuous hunting:pencarian kontinu:  
continuous improvement ::  
continuous improvement and competition:perbaikan dan persaingan berkesinambungan:DELETE  
continuous metrication ::  
continuous oscillation:osilasi kontinu:  
continuous printer:pencetak kontinu:  
continuous process auditing system:sistem pengauditan proses berkesinambungan:1  
continuous process auditing system:sistem pengauditan proses berkesinambungan:  
continuous rating:penilaian kontinu:  
continuous record:rekaman kontinu:  
continuous ringing:giring-giring kontinu:  
continuous simulation:simulasi kontinu:  
continuous spectrum:spektrum kontinu  
continuous speech:ujaran berterusan  
continuous system modeling program:program model sistem kontinyu  
continuous time :

continuous tone :nada kontinu  
continuous wave:gelombang kontinu  
continuous wave (CW):gelombang bersinambung  
continuous wave telegraphy:telegrafi gelombang kontinu  
contour:kontur  
contouring:sekeliling; pembatasan  
contouring control:kontrol sekeliling  
contract:kontrak  
contract :  
contract demand:permintaan kontrak  
contract software :perangkat lunak kontrak  
contract-driven lifecycle :  
contraction:kontraksi  
Contraction of Common Business-Oriented Language (COBOL):COBOL  
contracts:kontrak  
contrast:kontras  
contrast:kontras; pembandingan  
control:kontrol  
control action:tindakan kontrol  
control algorithm:algoritma kontrol  
control algorithms:algoritma kontrol  
control and read only memory:memori khusus kontrol dan baca  
control area:area kontrol  
control area:daerah kontrol  
control area split:pisah daerah kontrol  
control ball:bola kontrol  
control block:blok kontrol  
control board:papan kontrol  
control box:kotak kendali:1  
control box:kotak kontrol:  
control box:kotak kontrol:  
control break:kendali henti:1  
control break:kontrol henti:  
control break:pecah kontrol:  
control bus: bus kontrol:1  
control bus:bus kendali:1  
control bus:bus kontrol:  
control bus:bus kontrol:  
control bus:bus kontrol:  
control bytes:byte kontrol:  
control cable:kabel kontrol:  
control card:kartu kontrol:  
control card specification:spesifikasi kartu kontrol:  
control center:pusat kontrol:  
control character:huruf/karakter kendali:1  
control character:karakter kontrol:

control character: karakter kontrol:  
control characters: karakter kontrol:  
control chart: bagan kontrol:  
control chart: grafik kontrol:  
control circuit: kalang kontrol:  
control circuit: sirkuit kendali: 1  
control clerk: pengawas kontrol:  
control code: kode/sandi kontrol:  
control command: perintah kontrol:  
control computer: komputer kontrol:  
control connection: sambungan kontrol:  
control console: konsol kontrol:  
control console: konsol kontrol:  
control counter: pencacah kontrol:  
control data: data kontrol  
control data item: butir data kontrol  
control dependencies: ketergantungan kontrol  
Control design: desain kontrol  
control desk: meja kontrol  
control dictionary: kamus kontrol  
control electrode: elektroda kontrol  
control facility: fasilitas kontrol  
control field: medan kontrol  
control field length: panjang daerah kontrol  
control flag: bendera kontrol  
control flow: alur kontrol  
control flow diagram: diagram alir kontrol  
control flow trace: jejak alir kontrol  
control flowchart: bagan alir kontrol  
control footing: dasar kontrol  
control format item: butir format kontrol:  
control frame: bingkai kontrol:  
control function: fungsi kontrol:  
control grid: kisi kontrol:  
control group: kelompok kontrol:  
control hierarchy: hierarki kontrol:  
control input: masukan kontrol:  
control inspection: inspeksi kontrol:  
control instruction: instruksi kontrol:  
control instruction register: register instruksi:  
control instructions: instruksi kontrol:  
control interval: interval kontrol:  
control interval access: akses interval kontrol:  
control interval definition field: medan definisi interval kontrol:  
control key: kunci kendali: 1  
control key: kunci kontrol:



control language:bahasa kontrol:  
control law:hukum kontrol:  
control leader:pemimpin kontrol:  
control level:tingkat kontrol:  
control level indicator:indikator tingkat kontrol:  
control line:garis kontrol:  
"control line, bus":garis kontrol:  
control mark:markah kontrol:  
control memory:memori kontrol:  
control memory:memori kontrol:  
Control menu box:CONTROL MENU BOX:KOTAK MENU KENDALI  
control mode:mode kontrol:  
control module:modul kontrol:  
control office:kantor kontrol:  
control operation:operasi kontrol:  
control operator:operator kontrol:  
control panel:panel kendali:1  
control panel:panel kontrol:  
control password:kata teguran kontrol:  
control point:titik kontrol:  
control primitives:primitif kontrol:  
control procedure:prosedur kendali/prosedur kontrol:1  
control procedure:prosedur kontrol:  
control procedure:prosedur kontrol:  
control program:program kontrol:  
control program for microcomputers (CP/M):CP/M:  
control program generation language:bahasa generasi program kontrol:  
control program generation procedure:prosedur generasi program kontrol:  
control program support:penunpu program kontrol:  
control programs:program kontrol:  
control programs:program kontrol:  
control punching:penebukan kontrol:  
control ratio:rasio kontrol  
control record:rekaman kontrol  
control regiser:register kontrol  
control register:register kontrol  
control register:register kontrol  
control registers:register kontrol  
control room:ruang kontrol  
control section:bab kontrol  
control section:bagian kontrol  
control sequencer:rangkaian/urutan kontrol  
control signal:signal kontrol  
control statement:pernyataan kontrol  
control statement analyzer:penganalisis pernyataan kontrol  
control statement feature:ciri pernyataan kontrol

control station:stasiun kontrol  
control station:stasiun kontrol  
control storage:penyimpan kontrol:  
control storage:penyimpanan kontrol:  
control storage area:area penyimpan kontrol:  
control storage expansion:ekspansi penyimpan kontrol:  
control storage save:tabung penyimpan kontrol:  
control store::  
control structure:struktur kendali/struktur kontrol:1  
control structures:struktur kontrol:  
control structures:struktur kontrol:  
control switch:perangkai kontrol:  
control system:sistem kontrol:  
control systems:sistem kontrol:  
control systems:sistem kontrol:  
control tape:pita kontrol:  
control terminal:terminal kontrol:  
control theory:teori kontrol:  
control total:jumlah kontrol:  
control total:total kontrol:  
control track:lintasan/trek kontrol:  
control unit:unit kendali:1  
control unit:unit kendali:1  
control unit:unit kontrol:  
control unit:unit kontrol:  
control unit:unit kontrol:  
Control unit-local:pengendali terminal:  
Control unit-local:unit kontrol lokal:  
Control unit-printing:pencetakan unit kontrol:  
Control unit-remote:unit kontrol jauh:  
Control variable:perubah kontrol:  
control volume:volume kontrol:  
control winding:gulungan kontrol:  
control wire:kawat kontrol  
control word:kata kontrol  
control-desk type switchboard:papan hubung tipe bangku-kontrol  
control-interval access:akses interval-kontrol  
control-interval split:pisah interval-kontrol  
controllability:kemampuan kontrol  
controllability:kemampuan kontrol  
controllability:kemampuan kontrol; kontrolabilitas  
controlled argument:pendapat terkontrol  
controlled manual block system:sistem blok manual terkontrol  
controlled parameter:parameter terkontrol/terawasi  
controlled sequential access method:metode akses urutan terkontrol

istilah-ti-indonesia

controlled storage:penyimpan terkontrol  
controlled storage allocation:jatah/alokasi penyimpanan terkontrol  
controlled system:sistem terkontrol  
controlled variable:peubah terkontrol  
controlled variable:variabel terkontrol:  
controller:pengawas; pengontrol:  
controller:pengawas; pengontrol:  
controller:pengawas; pengontrol:  
controller card:kartu pengendali:1  
controller diskette:disket pengontrol:  
controller function:fungsi pengontrol:  
controllers:pengendali:  
controlling board:papan kontrol:  
controlling element:elemen kontrol:  
controlling force:gaya kontrol:  
controlling magnet:magnet pengarah:  
controlling magnetic field:medan magnetik pengarah:  
convection:konveksi:  
convection current:arus konveksi:  
convection type heater:pemanas tipe konveksi:  
convention:konvensi  
conventional efficiency:efisiensi konvensional  
conventional memory:  
converge:temu; terpusatkan  
Convergence:kekonvergenan; konvergensi  
convergence:konvergensi  
convergence magnet:magnet konvergensi  
convergence surface:permukaan konvergensi  
conversation:konversasi  
conversation mode:model konversasi/percakapan  
conversational:konversasional  
conversational compiler:perangkum percakapan  
conversational device:alat konversasional  
conversational language:bahasa percakapan  
conversational mode:model percakapan  
conversational mode:ragam percakapan  
conversational monitor system:sistem layar/monitor konversasional:  
conversational processing:pemrosesan percakapan:  
conversational processing:proses percakapan:  
conversational remote job entry:entri tugas percakapan jauh:  
conversational system:sistem percakapan:  
conversational terminal:terminal konversasional:  
conversion:konversi:DELETE  
conversion ::  
conversion (to new system):konversi (ke sistem baru):  
conversion conductance:konduktans konversi:

conversion equipment:peralatan konversi:  
conversion equipment:bahasa konversi:  
conversion loss:kerugian konversi:  
conversion of files:konversi berkas:  
conversion of files:konversi berkas:  
conversion rate:laju konversi:  
conversion routine:rutin konversi:  
conversion sequence:urutan/rangkaian konversi:  
conversion transconductance:transkonduktansi konversi:  
convert:ubah:  
converted cable ship:kirim kabel terkonversi:  
converter:konverter:  
converter:pengubah:  
converter tube:tabung konvertor:  
convertor:konvertor; pengoversi:  
convex programming:pemograman konveks:  
conveyer:konveyer:  
conveyor:konveyor:  
convolution:konvolusi:  
convolutional code:sandi konvolusional:  
cookbook:buku masak:  
cookie:kuki:1  
cookie::1  
cookie::  
cooler:pendingin:  
cooling:pendinginan:  
cooling dome:cungkup pendingin:  
cooling pond:kolam pendingin:  
cooling system:sistem pendingin:  
cooling timer:waktu pendingin:  
cooling tower:menara pendingin:  
cooling water:air pendingin:  
cooperation:kerjasama:  
co-operative multi-tasking::  
coordinate:koordinat:  
coordinate data:data kordinat:  
coordinate graphics:grafiks koordinat:  
coordinate grid:kisi-kisi kordinat:  
coordinate indexing:pembagian koordinat:  
coordinate storage:penyimpan koordinat:  
coordination:koordinasi:  
coordination gap:pemisah koordinasi:  
copier:"pengopi, peniru":  
copper:tembaga:  
copper distribution data:data distribusi tembaga:  
copper distribution data interconnection (CDDI):CDDI:

copper loss:kerugian tembaga:  
copper oxide rectifier:alat perata arus oksida tembaga:  
copper plating:lempeng tembaga:  
copper sulfate:sulfat tembaga:  
copper-clad steel wire:kawat baja salut-tembaga:  
copper-sulfate impregnated pole:kutub berimpregnasi sulfat-tembaga:  
copper-weld wire:kawat las-tembaga:  
coprocessor: koprosesor:1  
coprocessor:koprosesor:1  
coprocessor:koprosesor:  
coprocessor:koprosesor:  
coprocessors:koprosesor:  
copy:kopi; salin:  
copy:kopi; salinan:  
copy (and paste):kopi (dan tempel):  
copy back::  
"copy back, cache"::  
copy modification:modifikasi kopi:  
copy protection:proteksi kopi:  
copy protection:proteksi kopi; perlindungan kopi:  
copy protection:proteksi salinan:1  
copy protection:proteksi salinan; perlindungan data:1  
copy virtual volume:volume virtual kopi:  
copyback (in cache)::  
copying (cells):pengkopian (sel):  
copying (files):pengkopian (berkas):  
copying file(s):kopi berkas:  
copying machine:mesin penyalinan:  
copyright:hak cipta:1  
copyright:hak cipta:DELETE  
copyright:hak cipta:DELETE  
copyrighted software:perangkat lunak berhak cipta:1  
copyrights:hak cipta:  
cord:tali:  
cord weight:berat tali:  
cord-circuit repeater:pengulang sirkuit-tali:  
"CORDIC, COordinated Rotation Dlgital Computer"::  
cordless mouse:tetikus nirtali:1  
cordless plug:steker/penusuk nirtali:  
cordless telephone:telepon tanpa kabel:  
core:inti:  
core:inti:  
core competence:kompetensi inti:  
core competencies and competition:kompetensi dan kompetisi inti:DELETE  
core depth:kedalaman inti:  
core dump:timbunan inti:1

core dump:timbunan inti:  
core dump:tumpahan inti:  
core image:bayangan inti:  
core image:bayangan/citra inti:  
core image directory:direktori citra inti:  
core image dump:penumpah citra inti:  
core image library:pustaka bayangan inti:  
core image library:pustaka citra inti:  
core image service program:program servis bayangan inti:  
core insulation:penyekatan/insulasi inti:  
core length:panjang inti  
core memory:memori inti  
core memory:memori inti  
core memory (H):  
core storage:penyimpan inti  
core storage:penyimpanan inti  
core storage unit:unit penyimpan inti  
core type:tipe inti  
coreferential:koreferensial  
co-resident:koresiden  
cornea:kornes  
corner:sudut  
corner cut:potong penjuru  
corner cut:potong sudut  
corner distortion:distorsi sudut  
corner reflector:reflektor sudut  
corner-reflector antenna:antena reflektor-sudut:  
corona:korona:  
corona discharge:pemberhentian korona/tekstur:  
corona discharge tube:tabung pemberhentian korona:  
corona loss:kerugian korona:  
corona noise:desah korona:  
corona starting voltage:voltase pengawalan korona:  
coroutine:korutin:  
coroutines:korutin:  
corporate data model:model data badan hukum:1  
corporate data model:model data badan hukum:  
corporate espionage:mata-mata perusahaan:1  
corporate espionage:mata-mata perusahaan:  
corporate espionage:spionase badan hukum:1  
corporate espionage:spionase badan hukum:  
corporate espionage and crime:spionase dan kejahatan badan hukum:DELETE  
corpussular eclipse:gerhana korpuskular:  
correctable error:kesalahan pembetulan:  
correcting errors:perbaiki kesalahan:  
correction:pembetulan; koreksi:

correction factor:faktor koreksi:  
corrections:perbaikan :  
corrective action:aksi korektif:  
corrective maintenance:perawatan korektif:1  
corrective maintenance:perawatan korektif:  
corrective maintenance:perawatan pembetulan:  
corrective maintenance::  
corrective maintenance time:waktu perawatan korektif:  
correctness:pengoreksi; ketepatan:  
correctness::  
correctness problem:program pengoreksian:  
correctness proofs:keabsahan pembuktian:  
correctness proofs ::  
correlation:korelasi:  
correlation analysis:analisis korelasi:  
correlation coefficient:koefisien korelasi:  
correlation ratio:rasio/nisbah korelasi:  
correlation table:tabel koreksi:  
correlator:korelator:  
correspondence:korespondensi:  
corrosion:korosi:  
corrosion protected cable:kabel terlindung korosi:  
corrosion protective covering:tutup pencegah korosi:  
corrugated tank:tangki berombak-ombak:  
corrupt:korupsi:  
corrupt:korupsi/cemar:1  
corrupted file:berkas terkorupsi:1  
corruption:korupsi:  
COS:cos:1  
COS:COS:  
coset:koset:  
cosine:kosinus:  
cosmic noise:gangguan kosmik:  
cosmic rays:sinar kosmik:  
cost:harga; beban:  
cost analysis:analisis biaya:1  
cost analysis:analisis biaya:  
cost analyst::  
cost avoidance::  
cost centers:pusat biaya:1  
cost centers:pusat biaya:  
Cost estimation:estimasi biaya:  
cost estimation:estimasi biaya:  
cost function:fungsi biaya:  
cost maintenance:biaya pemeliharaan:1  
cost maintenance:biaya perawatan:

cost objectives:sasaran biaya:1  
cost objectives:sasaran biaya:  
cost of failure:biaya kegagalan:  
cost of maintaining COBOL:biaya untuk memelihara COBOL:  
cost of measurement:biaya pengukuran:  
cost per defect:biaya tiap kerusakan:  
cost performance:prestasi biaya:  
cost performance ratio:nisbah kelaikan harga:  
cost software ownership:biaya pemilikan perangkat lunak:1  
cost software ownership:biaya pemilikan perangkat lunak:  
cost systems:sistem biaya:1  
cost systems:sistem biaya:  
cost trade-offs::  
cost/benefit analysis:analisis biaya/keuntungan:  
cost/benefit analysis:analisis biaya/manfaat:1  
cost/benefit analysis ::  
cost/benefit ratio:perbandingan biaya/keuntungan:  
cost/benefit ratio (CBR):perbandingan biaya/keuntungan:  
cost/performance:biaya/kinerja:  
cost-performance:biaya kinerja:  
costs software development:biaya pengembangan perangkat lunak:1  
costs software development:biaya pengembangan perangkat lunak:  
cotangent:kotangen:  
cotree:kotre:  
cotrol console:konsol/tuts kontrol:  
cotton tape:pita kapas:  
coulomb meter:meter coulomb:  
coulomb sensitivity:sensitivitas coulomb:  
coulometer:kolometer:  
count:hitung:  
count area:daerah cacah:  
count area check:cek area lawan:  
count check:cek/tilikan hitung:  
COUNT/CNT:COUNT/CNT:  
COUNT/CNT:hitung:1  
counter:pencacah:  
counter cell:sel pencacah:  
counter circuit:sirkuit lawan:  
counter rotating:pencacah berputar:  
counter terminal:terminal lawan:  
counter tube:tabung lawan:  
counter-clockwise rotation:rotasi lawan-arah jarum jam:  
countermeasure:hitungan ukuran:  
counterpoise:hitungan poise:  
counting:penghitungan:  
counting circuit:sirkuit pembilang:



counting discharge tube: tabung buang penghitungan:  
counting loss: kerugian penghitungan:  
counting problems: masalah perhitungkan:  
counting rate: tingkat pembilang:  
counting rules ::  
counting-rate meter: meter nilai-penghitungan:  
count-key-data device: alat hitung-kunci-data:  
couple: kopel; rakitan; pasangan:  
coupled circuit: sirkuit kembar:  
coupler: penggandeng:  
coupling: gandingan:  
coupling: kopling:1  
coupling: kopling:  
coupling capacitor: kapasitor gandingan/kopling:  
coupling capacitor potential device: alat potensial kapasitor kopling:  
coupling coil: kumparan kopling:  
coupling iris: iris kopling:  
coupling system design: desain pengkaitan sistem:  
course computer: komputer kursus:  
course structuring feature: ciri struktur jalan:  
course-line computer: komputer garis-kursus:  
courseware: aliran kawat:  
courseware: perangkat lunak kursus:1  
coursework: aliran kerja:  
coursework projects: projek pekerjaan kuliah:  
covariance: kovarians:  
covariance matrix: matriks kovarians:  
covariation: kovariansi:  
cover: tutup; menutup:  
cover page: halaman muka:  
coverage: liputan:  
coverage contour: kontur liputan:  
coverage diagram: diagram liputan:  
coverage testing: pengujian keseluruhan:  
coverage testing: uji liputan:  
coverage testing: uji liputan:  
covering: penutupan; pengiring:  
covert channel: kanal terlindung:1  
covert channel (ruining security)::  
CP: CP:  
cpi: cpi:  
CPM: CPM:  
cpm: cpm:  
CPO: CPO (operasi sekeliling bersaing):  
cps: cps:  
CPS::

CPU:CPU:  
CPU:CPU:  
CPU:CPU (unit pemroses pusat):  
CPU and processing:CPU dan pemrosesan:  
CPU bound program::  
CPU cache:tempat CPU:  
CPU memory bus::  
CPU time:waktu CPU:1  
CPU time:waktu CPU:  
CPU time:waktu CPU:  
CR:CR:  
CR:CR (pemulangan kereta):  
cr (FTP):cr (FTP):  
crack:rengkah:1  
crack:rengkah:  
crack program:program perengkah:1  
crack program:program perengkah:  
crack program:program perengkah:  
crack program:program perengkah:  
crack program:program rengkah:1  
crack program:program rengkah:1  
cracker:perengkah:1  
cracker:perengkah:  
crackers:perengkah:1  
crackers:perengkah:  
crackers defined:perengkah terdefiniskan:1  
crackers defined:terdefiniskan perengkah:  
crackers killing access:akses pembunuhan perengkah:1  
crackers killing access:akses pembunuhan perengkah:  
cradle frame:kerangka liputan:  
crane:keran:  
crane motor:motor kran:  
crank:engkol:  
crash:hancur:  
crash:hancur:  
crashes:hancur:DELETE  
crashless supercomputer:super komputer nirhancur:  
crate:peti kayu; kerat:  
craving:rindu:  
crawler:perangkak:1  
crawling:penjalaran/kelabang:  
CRC:CRC:  
CRC:CRC:  
CRC:CRC (karakter pemeriksaan keterlebihan siklus):1  
CRC:CRC (karakter pemeriksaan keterlebihan siklus):  
CRC:CRC (karakter pemeriksaan keterlebihan siklus):

CRC character:karakter CRC:1  
CRC character::  
"CRC, cyclic redundancy check"::  
"CRCW, concurrent read and concurrent write"::  
CREATE:buat:1  
CREATE:CREATE:  
CREATE parameters:parameter buat:1  
CREATE parameters:parameter CREATE:DELETE  
creating:penciptaan:  
creating and modifying files:penciptaan dan modifikasi berkas:  
creation:kreasi:  
creation data:data kreasi:  
creation date:tanggal kreasi:  
creation of file(s):pembentukan berkas:  
creation of task:tugas kreasi:  
creative analysis:analisis kreatif:1  
creative analysis:analisis kreatif:  
creator:pencipta:  
credit:kredit:  
credit card:kartu kredit:1  
credit card:kartu kredit:  
credit card imprinter:pencetak kartu kredit:  
credit card machine:mesin kartu kredit:  
credit cards:kartu kredit:  
creeping:penjalaran:  
creeping discharge:pemberhentian menjalar:  
creeping distance:jarak menjalar:  
creeping user requirements ::  
creosote treatment:perlakuan kreasot:  
crest ammeter:ampermeter puncak:  
crest factor:faktor krista:  
crest value:nilai krista:  
crest voltmeter:volmeter puncak:  
"CREW, concurrent read and exclusive write"::  
crime and computer(s):kejahatan dan komputer:DELETE  
crime computer:kejahatan komputer:1  
crime computer:kejahatan komputer:  
criminal hacker:peretas kriminal:1  
criminal hacker:peretas kriminal:  
criminal hackers:peretas jahat:1  
criminal hackers:peretas jahat:  
crisis management:manajemen krisis:1  
crisis management:manajemen krisis:  
criteria:kriteria:  
criterion:kriterium:  
critical analysis:analisis kritis:1

critical analysis:analisis kritis:  
critical angle:sudut kritis:  
critical coupling:kopling kritis:  
critical damping:peredam kritis:  
"critical design review, CDR "::  
critical failure::  
critical frequency:frekuensi kritis:  
critical item::  
critical path:lintasan kritis:1  
critical path:lintasan kritis:  
critical path:lintasan kritis:  
critical path::  
critical path method (CPM):metode lintasan kritis:  
critical path method (CPM):metode lintasan kritis:  
critical piece first::  
critical race::  
critical region:kawasan genting:  
critical region:kawasan genting:  
critical region :kawasan genting:1  
critical resistance:hambatan kritis:  
critical section:bagian kritis:  
critical section:bagian kritis:  
critical software::  
"critical success factor, CSF "::  
critical success factors:faktor sukses kritis:1  
critical success factors:faktor sukses kritis:  
critical success factors (CSF):faktor keberhasilan kritis:  
critical success factors (CSF):faktor keberhasilan kritis:  
critical system::  
critical task ::  
critical temperature:suhu/temperatur genting:  
critical viewing distance:jarak pandangan kritis:  
critical voltage of a magnetron:voltase magnet kritis:  
criticality::  
criticism:kritisme:  
CRJE:CRJE:  
crop:kerat :  
crop :crop:  
cross:silang:  
cross ampere-turn:putaran-amper silang:  
cross assembler:assembler seberang:  
cross assembler:perakit silang:1  
cross board:papan silang:  
cross bracing:ganjalan silang:  
cross call:panggil silang:  
cross check:cek/tilikan silang:

cross check system:sistem cek silang:  
cross coil:kumparan silang:  
cross compiler:kompilator silang:1  
cross compiler:perangkum silang:  
cross compiler:perangkum silang:  
cross connection:koneksi/hubungan silang:  
cross correlation:korelasi silang:  
cross current:arus silang:  
cross domain resource manager:manager sumber kawasan silang:  
cross footing:ruas silang:  
cross memory services:layanan memori silang:  
cross modulation:modulasi silang:  
cross platform application:aplikasi bebas platform:1  
cross pointer indicator:indikator penuding silang:  
cross processing:proses silang:  
cross protection:proteksi silang:  
cross reference:rujuk silang:  
cross reference list:senarai referensi silang:  
cross reference table:meja referensi silang:  
cross section:seksi silang:  
cross section of an array:larik dari potongan silang:  
cross tabulation:tabulasi silang:  
crossarm:lengan silang:  
crossbar:bar/palang silang:  
crossbar contact:kontak palang/lintang:  
crossbar switch:saklar batang silang:  
crossbar switch:saklar batang silang:  
crossbar switch:saklar palangsilang:  
crossbar switch :pengalih batang silang:1  
crossbar switching::  
crossbar system:sistem:  
crossbar system:sistem palangsilang:  
cross-compilers:perangkum silang:  
cross-compound turbine:turbin kompon-silang:  
cross-correlation:korelasi-silang:  
cross-field generator:generator medan-silang:  
crossfire:api bersilang:  
crossfoot:kaki silang:  
crossfoot:kakisilang:  
crossfooting:pijakan silang:  
crossing:penyilangan:  
crossing angle:sudut penyilangan:  
crossing gate:pintu penyilangan:  
crossover:pindah silang:  
cross-over design:perencanaan pindah-silang:  
crossover frequency:frekuensi pindah silang:

crosspoint:titik silang:  
cross-posting:posting-silang:  
cross-program:program-silang:  
cross-reference list:daftar acuan silang:1  
cross-reference list:senarai acuan silang:  
cross-reference map:peta referensi silang:1  
CROSSTAB TABLE::  
crosstalk:cakap silang:1  
crosstalk:wicara silang; cakap silang:  
crosstalk:wicara silang; cakap silang:  
crosstalk meter:meter pembicaraan silang  
crosstalk-proof cover:tutup uji-pembicaraan silang  
crossunder:silang bawah  
crowbar:perejang  
crown height:berat puncak  
CRT:CRT (tabung sinar katode)  
CRT:CRT (tabung sinar katode)  
CRT device:peralatan CRT  
CRT display:layar/tampilan CRT  
CRT display:penayang CRT  
CRT display device:alat peragaan CRT (tabung sinar katode)  
CRT display unit:unit tampilan CRT  
crucible induction furnace:tanur induksi krus  
crusher:pemecah  
crushing:penghancuran  
cryogenic storage:penyimpan kriogenik  
cryogenics:kriogenik:  
cryostat:kriostat:  
cryotron:kriotron:  
cryptanalysis:kriptalisis:1  
cryptanalysis:kriptalisis:  
cryptographic:kriptografik:1  
cryptographic:kriptografik:  
cryptographic algorithm:algoritme kriptografik:1  
cryptographic algorithm:algoritme kriptografik:  
cryptographic controls:kontrol kriptografik:1  
cryptographic controls:kontrol kriptografik:  
cryptography :kriptografi:1  
cryptography :kriptografi:  
cryptology:kriptologi:1  
cryptology:kriptologi:  
crystal:kristal:  
crystal:kristal; hablur  
crystal barrier:penghalang kristal  
crystal clock:jam kristal  
crystal control:kontrol kristal

crystal detector:detektor/pendeteksi kristal  
crystal diode:diode kristal  
crystal earphone:alat pendengar kristal  
crystal filter:penyaring kristal  
crystal loudspeaker:pengeras suara kristal  
crystal mixer:pencampur kristal  
crystal multiplier:pengganda kristal  
crystal oscillator:oskilator kristal  
crystal pickup:pemungut kristal  
crystal temperature ratio:rasio temperatur kristal  
CSA:CSA  
CSECT:CSECT  
CSMA:CSMA:  
CSMA/CA:CSMA/CA:  
CSMA/CA:CSMA/CA:  
CSMA/CA network:jaringan CSMA/CA:  
CSMA/CD:CSMA/CD:  
CSMA/CD:CSMA/CS:  
CSMA/CD:CSMA/CS:  
CSMA/CD network:jaringan CSMA/CD:  
CSMA/CD protocol:protokol CSMA/CD:1  
CSMA/CD protocol:protokol CSMA/CD:  
CSMP:CSMP:  
CSNET:CSNET:  
CSR::  
CSU/DSUs:CSU/DSUs:  
CSW:CSW:  
CSW:CSW (kata status saluran):  
CT:CT:  
CT:CT:  
CTCA:CTCA:  
CTRL::  
CTRL/END:CTRL/END:  
CTRL/END:kontrol/selesai:1  
CTRL/ENTER:CTRL/ENTER:  
CTRL/ENTER:kontrol/enter:1  
CTRL/HOME:CTRL/HOME:  
CTRL/HOME:kontrol/:1  
CU:CU:  
cubicle switchgear:alat penghubung dan pembagi kubus:  
cue:isyarat:  
culture:budaya; kultur:  
culvert:urung-urung/kulver:  
cumulative compound generator:generator kompon kumulatif:  
cumulative compound motor:motor kompon kumulatif  
cumulative defect removal efficiency :

cumulative distribution:distribusi kumulatif  
cumulative distribution function:fungsi distribusi kumulatif  
cumulative metering:ukuran kumulatif  
cumulative PTF tape:pita PTF kumulatif  
cumulative time metering:ukuran waktu kumulatif  
cup insulator:mantel isolator  
currency:peredaran; aluran  
currency symbol:lambang mata uang  
current:arus  
current amplification factor:faktor amplifikasi arus  
current awareness systems:sistem kesadaran terkini  
current balance system:sistem seimbang arus  
current beam position:posisi balok arus  
current beam position:posisi berkas arus  
current carrying capacity:kapasitas limpahan arus:  
current chopping:penolong arus:  
current coil:kumparan arus:  
current collector:kolektor arus:  
current density:densitas arus:  
current directory:direktori saat ini:  
current element:elemen arus:  
current engineering:mesin aliran:  
current generation:generasi kini:  
current instruction address register:register alamat instruksi arus:  
current length:panjang arus:  
current limiter:pembatas arus:  
current line pointer:penitik garis arus:  
current logical system:sistem logika terkini:1  
current logical system:sistem logika terkini:  
current loop:kalang arus:  
current loop receiver/transmitter:pesawat pancar/penerima putaran arus:  
current meter:meter arus:  
current mode logic:logika model arus:  
current physical system:sistem fisik terkini:1  
current physical system:sistem fisik terkini:  
current position:posisi saat ini:  
current PSW:PSW kini:  
"current pulse generator, magnetic bubble memory"::  
current record:rekaman kini:  
current record buffer:penyangga rekaman arus:  
current relay:relai/siar sambung arus:  
current resistor:resistor arus:  
current sensitivity:sensitivitas arus:  
current steering logic:logika kemudi arus:  
current strength:kekuatan arus:  
current system:sistem arus:



current tracer:juru kalkir arus  
current transformation:transformasi arus  
current wave:gelombang arus  
current/HL element:elemen HL arus  
current-fed antenna:antena pengumpan-arus  
current-limiting fuse:sekring pembatas-arus  
current-limiting reactor:reaktor pembatas-arus  
current-time curve:kurva waktu-arus  
curriculum:kurikulum  
cursor:kursor  
cursor:kursor  
cursor:kursor  
cursor display:tampilan penggeser  
curtailed inspection:inspeksi terbatas  
curtate:kurtat  
curvature:kurvatur  
curve fitting:penyesuaian kurva:  
curve follower:ikutan kurva:  
curve generation:pembentukan kurva:  
curve generator:generator kurva:  
curve plotter:perajah kurva:  
Curve representations:representasi kurva:  
curve resistance:hambatan kurva:  
CU-SeeMe :CU-SeeMe:  
cushion:bantal:  
custom:kustom; biasa:  
Custom control :CUSTOM CONTROL :KENDALI PESANAN  
custom element:elemen bea:  
custom feature:ciri kebiasaan:  
custom IC:IC kebiasaan:  
custom program:program bea:  
custom ROM:ROM biasa:1  
custom ROM:ROM biasa:  
custom software:perangkat lunak tersuai:1  
custom-designed program:program desain custom:  
custom-designed program:program desain custom:  
custom-designed program:program desain tersuai:1  
customer:pelanggan:  
customer::  
customer access panel-customer DPC adaptor cable:kabel adaptor DPC langgan- panel akses  
pelanggan:  
customer awareness:kesadaran konsumen:  
customer billing:penagihan pelanggan:  
customer charge:tugas pelanggan:  
customer engineer:insinyur pelanggan:  
customer engineer:perekayasa pelanggan:

istilah-ti-indonesia

customer engineering control section:seksi kontrol teknik pelanggan:  
customer preferences:acuan konsumen:1  
customer preferences:acuan konsumen:  
Customer Premises Equipment (CPE):CPE:  
CUSTOMER RELATIONSHIP MANAGEMENT:MANAJEMEN HUBUNGAN PELANGGAN:  
customer resource life cycle:daur hidup sumber daya konsumen:1  
customer resource life cycle:daur hidup sumber daya konsumen:  
customer satisfaction:kepuasan konsumen:DELETE  
customer satisfaction survey ::  
customer station equipment:peralatan pelanggan stasiun:  
customer support :penolong pelanggan:  
customer support ::  
customers awareness:kesadaran konsumen:DELETE  
Customization:CUSTOMIZATION:PEMESANAN  
customization:kebiasaan \*:  
customize:penyesuaian :  
customized:penyesuaian :  
customized application software: perangkat lunak aplikasi tersuai:1  
customized application software:penyesuaian perangkat lunak aplikasi:  
customized application software:perangkat lunak aplikasi sesuai:1  
customized application software:perangkat lunak aplikasi sesuai:  
customized date terminal:tanggal terminal tersesuaikan:  
customizer program:program pelanggan:  
customizing:pembiasaan:  
custom-made software:perangkat lunak buatan tersuai:1  
cut:potong:  
cut (and paste):potong (dan tempel):  
cut in:selipan; selingan:  
cutform:bentuk potong:  
cutoff:pemotongan:  
cutoff:pemutusan:  
cut-off:putus:  
cut-off field:medan potong:  
cutoff frequency:frekuensi pancung/sumbat:  
cut-off frequency:frekuensi pancung/sumbat:  
cut-off frequency:frekuensi putus:  
cut-off magnetic field:medan magnetik potong:  
cut-off relay:relai potong:  
cut-off voltage:voltase putus:  
cutout:pancung; sumbat:  
cut-out:pemutus arus:  
cut-out switch with fuse-link:perangkai dengan sambungan- sekering pemutus:  
cutover:jatuh/pindah pancung:  
cut-over:pemotong \*:  
CUT-OVER PLANNING::  
cutset:set pancung:

cutter:pemotong:  
cxml :cxml:  
cxml :cxml:  
cyber :siber; maya:  
cybercash:tunai siber:1  
CyberCash:tunai Siber:1  
cybercash:tunai siber:1  
cybercash:tunai siber:  
cybercash:uang maya:  
cybercash:uang siber:  
CyberCash:uang siber:  
cybermedia:sibermedia:1  
cybermedia:sibermedia:  
cybernate:sibernat:  
cybernation:sibernasi:  
cybernetic:sibernesitik:  
cybernetics:sibernetika:  
cybernout:sibernaut:1  
cybernout:sibernout:  
cyberphobia:siberfobia:  
Cyberspace:ruang maya:  
cyberspace:ruang siber:1  
cyberspace:ruang siber:1  
cyberspace:ruang siber:  
cyberspace:ruang siber:  
cyberspace :ruang maya:  
cybersquatting:sibersiar:1  
cycle:perputaran:  
cycle:perputaran:  
cycle:siklus:  
cycle counter:pencacah siklus:  
cycle of magnetization:siklus pemagnetan:  
cycle sharing:kebersamaan siklus:  
cycle steal:bergerak siklus:  
cycle steal address key:kunci alamat curi siklus:  
cycle stealing:selinap siklus:  
cycle stealing:selinap siklus:  
cycle stealing direct memory access:akses memori langsung curi siklus:  
cycle time:waktu siklus:  
cycle time:waktu siklus:  
cycles per second:siklus per detik:  
cycle-stealing:selinap-siklus:  
cyclic access::  
cyclic check:cek siklus:  
cyclic code:kode siklik:  
cyclic memory (H)::

istilah-ti-indonesia

cyclic redundancy check:cek redundansi siklik:  
cyclic redundancy check:cek redundansi siklik:  
cyclic redundancy check:cek redundansi siklik:  
CYCLIC REDUNDANCY CHECK::1  
cyclic redundancy check (CRC):cek kelewahan siklik:  
cyclic redundancy check (CRC):cek kelewahan siklik;cek redundansi siklik (CRC):1  
cyclic redundancy check (CRC):cek redundansi siklik:1  
cyclic redundancy check character:karakter cek/tilikan redundansi siklik:  
cyclic redundancy check character:karakter tilikan redudansi siklik:  
cyclic redundancy code check:cek kode redundan siklik:  
cyclic shift:geseran siklik:  
cyclic shift instruction:instruksi geser siklik:  
cyclic storage:penyimpanan bersiklus:  
cycling:pemutaran:  
cycloconverter:pengubah siklon:  
cycloid:sikloid:  
cycloinverter:pengubah siklo:  
cyclomatic complexity::  
cyclomatic complexity::  
cyclomatic complexity ::  
cyclotron:siklotron:  
cylinder:silinder:1  
cylinder:silinder:  
cylinder:silinder  
cylinder:silinder  
cylinder:silinder; tabung  
cylinder address:alamat silinder  
cylinder boundary:batas silinder  
cylinder concept:konsep silinder  
cylinder fault:kesalahan silinder  
cylinder index:indeks silinder  
cylinder mode:model silinder  
cylinder operation:operasi silinder  
cylinder overflow:limpahan silinder  
cylinder overflow area:daerah limpahan silinder  
cylinder overflow area:daerah meluap/limpahan silinder  
cylinder overflow control record:rekaman kontrol meluap silinder  
cylinder overflow record:rekaman meluap silinder  
cylinder pulse:pulsa silinder  
cylindrical:silinder:  
cylindrical antenna:antena silindris:  
cylindrical coil:kumparan silindris:  
cylindrical reflector:reflektor silindris:  
cylindrical solenoid:solonoid silindris:  
cylindrical wave:gelombang silindris:  
cylindrical waveguide:pandu gelombang silindris:

cypher:sifer:  
cytodiagnosis:sitodiagnosis:  
cytosine:sitosin:  
d channel:kanal d:  
D flip-flop:flip-flop D:1  
D flip-flop:flip-flop D:  
D flip-flop:flip-flop D:  
D format:format D:  
d. c. booster:penggalak d.c.:  
d. c. circuit:sirkuit d.c.  
d. c. distribution:distribusi d.c.  
d. c. electromotive force:gaya elektromotif d.c.  
d. c. motor:motor d.c.  
d. c. potentiometer:potensiometer d.c.  
d. c. power transmission:transmisi daya d.c.  
d. c. reactor:reaktor d.c.  
d. c. voltage:voltase d.c.  
D/A converter:konverter A/D  
D-A converter:konverter A/D  
DAC:DAC  
DAC:DAC  
daemon:jurik  
daily load curve:kurva beban harian  
daisy chain:rantai daisy  
daisy chain:rantai daisy  
daisy chain:rantai daisy:  
daisy chain configuration:konfigurasi rantai utama:  
daisy chain connection: rantai daisy:1  
daisy chained drive:penggerak rantai daisi:1  
daisy chained drives::  
daisy chaining:rangkaian daisi:  
daisywheel:daisywheel:  
daisywheel printer:pencetak roda daisi:1  
daisywheel printer:pencetak roda daisi:  
daisywheel printers:pencetak roda daisi:  
dam:dam:  
dam and conduit type power station:stasiun daya tipe conduit dan dam:  
dam type power station:stasiun daya tipe dam:  
damage:kerusakan:  
damage assessment routines:rutin penilaian kerusakan:  
damped oscillation:osilasi teredam:  
damper:peredam  
damping:pembasahan  
damping:peredam  
damping:peredaman  
damping coefficient:koefisien peredam

damping coil:kumparan peredam  
damping factor:faktor peredaman  
damping magnet:magnet peredam  
damping oil:minyak peredam  
damping oscillation:osilasi peredam  
damping ratio:rasio peredam  
damping time:waktu peredaman  
damping time constant:konstanta waktu peredam  
damping time constant:konstanta waktu peredaman  
damping winding:gulungan peredam  
dance:tari  
danger signal:sinyal bahaya:  
dangerous zone:zona bahaya:  
dangling:pengejaran:  
dark adaptation:adaptasi gelap:  
dark current:arus gelap:  
darlington transistor:transistor darlington:  
DARPA:DARPA:  
DAS control:kontrol DAS:  
DASD:DASD:  
dash:alangan; des:  
DAT:DAT:  
DAT Feature:fitur DAT:  
data:data:1  
data:data:1  
data:data:1  
data:data:  
data:data:  
data:data:  
data transfer rate:laju transfer data:  
data abstraction:abstraksi data:1  
data abstraction:abstraksi data:1  
data abstraction:abstraksi data:  
data access:akses data:1  
data access:akses data:1  
data access:akses data:1  
data access:akses data:  
data access:akses data:  
data access fault:salah akses data:  
Data access object :DATA ACCESS OBJECT :OBJEK AKSES DATA  
data acquisition:akuisisi data:1  
data acquisition:akuisisi data:  
data acquisition:akuisisi data:  
data acquisition facility:fasilitas perolehan data:1  
data acquisition facility:fasilitas perolehan data:  
data acquisition software:perangkat lunak akuisisi data:1

data acquisition system:sistem akuisisi data:1  
data acquisition system:sistem akuisisi data:1  
data acquisition system:sistem akuisisi data:  
data adaptor unit:unit penyadur data:  
data address:alamat data:  
data administration:administrasi data:1  
data administration:administrasi data:  
data aggregate:agregat data:  
data analysis:analisis data:1  
data analysis:analisis data:  
data area:area data:  
data attribute:atribut data:1  
data attribute:atribut data:  
data authentication:pengesahan data:1  
data authentication:pengesahan data:  
data availability:ketersediaan data:  
data bank:bank data:1  
data bank:bank data:  
data base:pangkalan data:  
data base administrator:administrator pangkalan data:  
data base creation:kreasi pangkalan data:  
data base description:diskripsi pangkalan data:  
data base design aid:alat bantu rancang pangkalan data:  
data base machine:mesin pangkalan data:  
data base management:manajemen pangkalan data:  
data base management system:sistem manajemen pangkalan data:  
data base management system (DBMS):DBMS:  
data base management system (DBMS):DBMS:  
data base management system (DBMS):sistem manajemen pangkalan data (DBMS):  
data base management system (DBMS):sistem manajemen pangkalan data (SMPD):1  
data base monitor:monitor pangkalan data:  
data base positioning:posisi pangkalan data:  
data base rearrangement:penyusunan kembali pangkalan data:  
data base reorganization:reorganisasi pangkalan data:  
data base structure:struktur pangkalan data:  
data base support:penunpu pangkalan data:  
data base system:sistem pangkalan data:  
data base/data communication:komunikasi data/pangkalan data:  
data bits:bit data:1  
data bits:bit data:  
data buffer:penyangga data:  
data buffer key:kunci penyangga data:  
data bus:bus data:1  
data bus:bus data:1  
data bus:bus data:  
data bus enable:kemampuan bus data:

data bus status:status bus data:  
data cache:tembolok data:  
data capture:tangkap data:  
data capture :tangkap data:1  
data capture application:aplikasi tangkap data:1  
data capture application:aplikasi tangkap data:  
data capture application:aplikasi tangkap data:  
data capture forms:formulir tangkap data:  
data capture methods:metode tangkap data:  
data card:kartu data:  
data carrier:pembawa data:  
data cartridge:kelongsong data:  
data cell:sel data:  
data cell drive:gerak sel data:  
data center:pusat data:1  
data center:pusat data:  
data centered program understanding :pengertian program data terpusat:  
data chaining:rangkaian data:  
data channel:kanal data:1  
data channel:saluran data:1  
data channel:saluran data:  
data channel repeater remote:alat pengulang jarak jauh saluran data:  
data character set:kumpulan karakter data:  
data check:cek data:DELETE  
data circuit:sirkuit data:  
data circuit terminating equipment :peralatan tambatan sirkuit data:1  
data circuit terminating equipment (DCE):peralatan tambatan sirkuit data:  
data circuit transparency:ketransparanan sirskit data:  
data circuit-terminating equipment:peralatan tambatan-sirkuit data:  
data circulation::  
data clause:klausa data:  
data code:sandi data:  
data code set:himpunan kode data:  
data collection:koleksi data:1  
data collection:koleksi data:  
data collection:koleksi data:  
data collection:kumpulan data:  
data collection platform:platform koleksi data:  
data collection station:stasiun koleksi data:  
data collection system:sistem koleksi data:  
data collection terminal:terminal koleksi data:  
data collection tools:perkakas pengumpul data:1  
data collection tools:perkakas pengumpul data:  
data collector:kolektor data:  
data communication:komunikasi data:1  
data communication:komunikasi data:1



data communication:komunikasi data:  
data communication:komunikasi data:  
data communication:komunikasi data:  
data communication equipment (DCE):alat komunikasi data:  
data communication equipment (DCE):alat komunikasi data:  
data communication equipment (DCE):peralatan komunikasi data:1  
data communication exchange:pertukaran komunikasi data:  
data communication facility:fasilitas komunikasi data:  
data communication network:jaringan komunikasi data:  
data communication system:sistem komunikasi data:  
data communication terminal unit:unit terminal komunikasi data:  
data communication unit:unit komunikasi data:  
data communications:komunikasi data:1  
data communications:komunikasi data:  
data communications:komunikasi data:  
data communications:komunikasi data:  
data communications:komunikasi data:  
data communications terminal:terminal komunikasi data:  
data compaction:pemadatan data:  
data complementation:komplementasi data:  
data complexity ::  
data compression:kompresi data:1  
data compression:kompresi data:  
data compression:kompresi data:  
data compression:kompresi data:  
data compression:pemampatan data:1  
data compression:pemampatan data:1  
data compression:pemampatan data:  
data concentrator:pengumpul data:  
data confidentiality:kerahasiaan data:  
data connection:hubungan data:  
data constant:konstanta data:  
data contamination:kontaminasi data:  
data control:kendali data:1  
data control:kendali data/kontrol data:1  
data control:kontrol data:  
data control:kontrol data:  
data control:kontrol data:  
data control block:blok kontrol data:  
data control block:blok kontrol data:  
data control unit:unit kontrol data:  
data conversion:konversi data:1  
data conversion:konversi data:1  
data conversion:konversi data:  
data converter:pengubah data:  
data converter check:cek konverter data:

data corruption:kerusakan data:  
data coupling:kopling data:1  
data declaration::  
Data definition :DATA DEFINITION :DEFINISI DATA  
data definition ::  
data definition instruction:instruksi definisi data:  
DATA DEFINITION LANGUAGE:BAHASA DEFINISI DATA:  
data definition language (DDL):bahasa definisi data (BDD):1  
data definition language (DDL):bahasa definisi data (BDD):1  
data definition language (DDL):bahasa definisi data (BDD):  
data definition language (DDL):bahasa definisi data (BDD):  
data definition language (DDL):bahasa definisi data (BDD):  
data definition language (DDL):bahasa definisi data (BDD):  
data definition language (DDL):bahasa definisi data (DDL):1  
data definition name:nama definisi data:  
data definition statement:pernyataan definisi data:  
data delay:tanda data:  
data density:kepekatan data:  
data dependency::  
data description entry:entri deskripsi data:  
data description language (DLL):bahasa deskripsi data (DLL):  
data description table:tabel deskripsi data:  
data design:desain data:1  
data designing:perancangan data:  
data dictionary:kamus data:1  
data dictionary:kamus data:1  
data dictionary:kamus data:  
data dictionary:kamus data:  
Data dictionary :DATA DICTIONARY :KAMUS DATA  
data dictionary ::  
data dictionary and code:kamus data dan kode:DELETE  
data dictionary and data redundancy:kamus data dan redundansi data:DELETE  
data dictionary and database management system (DBMS):kamus data dan sistem manajemen pangkalan data:DELETE  
data dictionary/directory:direktori/kamus data:  
data directory:direktori data:1  
data directory:direktori data:  
data display:penayang data:  
data display indicator:indikator tampilan data:  
data division:divisi data:1  
data division:divisi data:  
data division:divisi data:  
Data element:DATA ELEMENT:ELEMEN DATA  
data element:elemen data:1  
data element:elemen data:

data element ::  
data elements:unsur data:1  
data elements:unsur data:  
data encapsulation ::  
data encoding:penyandian data:1  
data encoding:penyandian data:  
data encryption:enkripsi data:1  
data encryption:enkripsi data:1  
data encryption:enkripsi data:1  
data encryption:enkripsi data:  
data encryption:enkripsi data:  
data encryption standard (DES):DES:1  
data encryption standard (DES):DES:  
Data entity :DATA ENTITY : "MANJUD DATA, ENTITAS DATA"  
data entry:entri data:1  
data entry:entri data:1  
data entry:entri data:  
data entry:entri data:  
data entry keyboard:papan tombol entri data:  
data entry system:sistem entri data:  
data entry terminal:terminal masuk data:  
data entry unit:unit entri data:  
data entry unit controller:pengontrol unit entri data:  
data evaluation:evaluasi data:  
data evaluation routine:rutin evaluasi data:  
data event control block:blok kontrol kejadian data:  
data exception:pengecualian data:  
data exchange:pertukaran data:  
data extent block:blok perluasan data:  
data file:berkas data:1  
data file:berkas data:1  
data file:berkas data:  
data file utility:utiliti berkas data:1  
data file utility:utiliti berkas data:  
data files:berkas data:  
data files:berkas data:  
data flow:alur data:1  
data flow:alur data:  
data flow analysis:analisis alur data:1  
data flow analysis ::  
data flow architecture::  
data flow computer:komputer alur data:  
data flow diagram (DFD):diagram alir data (DAD):1  
data flow diagram (DFD):diagram alir data (DAD):  
data flow diagram (DFD):diagram aliran data (DAD):  
data flow diagram (DFD):diagram aliran data (DFD):1

"data flow diagram, DFD "::  
data flow diagrams:diagram alir data:1  
data flow diagrams:diagram alir data:  
data flow language:bahasa alir data:  
data flowchart:aliran data:1  
data flowchart:aliran data:  
data format:format data:1  
data format:format data:  
data format item:unsur format data:  
data formats:format data:  
data gathering:pengumpulan data:1  
data gathering:pengumpulan data:  
data generator:pembangkit/generator data:1  
data generator:pembangkit/generator data:  
data generators:pembangkit data:  
data handling:penanganan data:1  
data handling:penanganan data:  
data havens:penyinggahan data:1  
data havens:persinggahan data:  
data hiding ::  
data hierachy:hierarki data:  
data hierarchy:hierarki data:1  
data hierarchy:hierarki data:  
data hierarchy:hierarki/tingkatan data:  
data high way:jalan raya data:  
data highway:jalan raya data:  
data independence:bebas data:  
data independence:kebebasan data:1  
data independence:kebebasan data:  
data independence:kebebasan data:  
data initialization statement:pernyataan inisialisai data:  
data input:masukan data:1  
data input:masukan data:1  
data input:masukan data:  
data input:masukan data:  
data input station:stasiun masukan data:  
data input terminal:terminal masukan data:  
data integration:integrasi data:  
data integrity:integritas data:1  
data integrity:integritas data:  
data integrity:integritas data:  
Data integrity :DATA INTEGRITY :INTEGRITAS DATA  
data integrity :integritas data:1  
data integrity and security:integritas data dan keamanan:DELETE  
data integrity and security:integritas data dan keamanan:  
data integrity and security:integritas keamanan dan data:1

data interface:antarmuka data:  
data item:butir data:1  
data item:butir data:1  
data item:butiran data:  
data item:butiran data:  
data item:butiran data:  
data item attribute:atribut butiran data:  
data item compression:tekan butiran data:  
data item concatenation:perangkaian butiran data:  
data item editing:pengeditan butiran data:  
data item resequencing:praurutan butiran data:  
data item selection:seleksi butiran data:  
data item split:pisah butiran data:  
data line:garis data:  
data line set:perangkat garis data:  
data line set expander:pemekar perangkat garis data:  
data link:penghubung data:  
data link:sangkutan/mata rantai data:  
data link adaptor:adaptor penghubung data:  
data link control:kontrol mata rantai data:  
data link control:kontrol penghubung data:  
data link control:kontrol penghubung data:  
data link escape:larian sangkutan data:  
data link escape:pelepas penghubung data:  
data link escape character:karakter larian sambung data:  
data link layer:lapis taut data:1  
data link layer:lapis taut data:  
data link layer:lapis taut data:  
data link layer:lapisan sambungan data:  
data link level:tingkat/taraf sambungan data:  
data list:senarai data:  
data location statement:pernyataan lokasi data:  
data logger: pencatat data:1  
data logger:pencatat data:  
data logger:pencatat data:  
data logging:pencatatan data:  
data logging:pencatatan data:  
data logging:pencatatan data:  
data logging:pendaftaran data:  
data loop transceiver:pemancar penerima putaran data:  
data loop transceiver:transeiver ikal data:  
data loss:kehilangan data:1  
data loss :kehilangan data :  
data loss and banking industry:kehilangan data dan industri perbankan:DELETE  
data maintenance function:fungsi perawatan data:  
data management:manajemen data:1

data management:manajemen data:  
data management:manajemen data:  
data management:pengelolaan data:1  
data management:pengelolaan data:  
data management format:format pengelolaan data:  
data management program:program manajemen data:  
data management routine:rutin manajemen data:  
data management software:perangkat lunak manajemen data:1  
data management software:perangkat lunak manajemen data:  
data management system:sistem manajemen data:  
data manipulation:manipulasi data:1  
data manipulation:manipulasi data:1  
data manipulation:manipulasi data:1  
data manipulation:manipulasi data:  
data manipulation:manipulasi data:  
data manipulation:manipulasi data:  
data manipulation language:bahasa manipulasi data:1  
data manipulation language:bahasa manipulasi data:  
data manipulation language:bahasa manipulasi data:  
data manipulation language:bahasa manipulasi data:  
DATA MANIPULATION LANGUAGE:BAHASA MANIPULASI DATA:  
data manipulation language (DML):bahasa manipulasi data (BMD):1  
data manipulation language (DML):bahasa manipulasi data (BMD):  
data manipulation language (DML):DML:  
data mapping:pemetaan data:  
data marshalling ::  
DATA MART::  
data media:media data:  
data medium:media data:  
data medium:medium data:  
data medium protection device:peralatan proteksi media data:  
data menu:menu data:  
data migration:migrasi data:  
data mining:penambangan data:  
DATA MINING:PENAMBANGAN DATA:  
data mining algorithm:algoritma perlombongan data:1  
data mobility:mobilitas data:  
data mode:model data:  
data mode:ragam data:  
data model:model data:1  
data model:model data:  
data modeling:pemodelan data:1  
data modeling:pemodelan data:1  
data modeling:pemodelan data:  
data modeling:pemodelan data:  
data modeling ::

data models:model data:1  
data models:model data:  
data module:modul data:  
data multiplexer:pengganda data:  
data name:nama data:  
data network:jaringan data:1  
data network:jaringan data:  
data object:objek data:  
data objects ::  
data organization:organisasi data:  
data origination:keaslian data:  
data over voice (DOV):data diatas suara:  
data package:kemasan data:1  
data package:kemasan data:  
data path: alur data:1  
data path:alur data:  
data path:alur data:  
data pipeline::  
data plotter:perajah data:  
data pointer:penitik data:  
data portability:kemudahan membawa data:  
data prefetching:pra-ambil data:1  
data prefetching:prapengambilan data:  
data preparation:sediaan/preparasi data:1  
data preparation:sediaan/preparasi data:  
data processing:pemrosesan data:1  
data processing:pemrosesan data:  
data processing:pemrosesan data:  
data processing center:pusat proses data:1  
data processing center:pusat proses data:  
data processing department manager:manager bagian pemrosesan data:  
data processing node:simpul olah data:  
data processing operations:operasi pemrosesan data:  
data processing operators:operator pemrosesan data:  
data processing stages:tahapan pemrosesan data:  
data processing station:stasiun olah data:  
data processing system:sistem olah data:  
data processing system (DPS):DPS:  
data processing system security:keamanan sistem olah data:  
data processor:pengolah data:  
data protection:proteksi data:1  
data protection:proteksi data:  
data protection act:hukum proteksi data:1  
data protection act:hukum proteksi data:  
data protection act:hukum proteksi data:  
data protection act:hukum proteksi data:

data protocols:protokol data:  
data purification:pemurnian data:1  
data quality:kualitas data:  
data rate:kecepatan data:  
data rate buffer::  
data receivers:penerima data:  
data record:rekaman data:  
data record update mode:model memperbarui rekaman data:  
data recording:perekaman data:  
data recording control:kontrol perekaman data:  
data recording controller:pengontrol perekaman data:  
data recording device:alat perekaman data:  
data recording program:program perekaman data:  
data reduction:reduksi data:  
data redundancy:redundansi data:1  
data redundancy:redundansi data:  
data reengineering:rekayasa ulang data:  
data register:register data:1  
data register:register data:  
data relay satellite system:sistem satelit relai data:  
data repository:penyimpanan data:  
data representation:representasi data:1  
data retrieval:temubalik data:  
data retrieval system:sistem temu balik data:1  
data retrieval system:sistem temu balik data:  
data retrieval/management system:sistem pengambilan/manajemen data:1  
data retrieval/management system:sistem pengambilan/manajemen data:  
data retrieval/management system:sistem temu balik/manajemen data:DELETE  
data retrieval/management systems:sistem pengambilan/manajemen data:DELETE  
data scaling:penskalaan data:  
data schema:skema data:1  
data schema:skema data:  
data secured file:berkas terjamin data:  
data security:keamanan data:1  
data security:sekuriti data:1  
data security:sekuriti data:  
data segment:segmen data:  
data segments:segmen data:  
data separator:separator data:  
data set:kumpulan data:  
data set access method:metode akses kumpulan data:  
data set adaptor unit:unit adaptor kumpulan data:  
data set attribute:atribut kumpulan data:  
data set buffer:penyangga kumpulan data:  
data set clocking:jam kumpulan data:  
data set clocking:pengejaman kumpulan data:



data set control block:blok kontrol kumpulan data:  
data set definition:definisi kumpulan data:  
data set extension:perluasan kumpulan data  
data set integrity:integritas kumpulan data  
data set label:label kumpulan data  
data set name:nama kumpulan data  
data set organization:organisasi kumpulan data  
data set protection:proteksi kumpulan data  
data set ready:sedia kumpulan data  
data set recovery:pengembalian kumpulan data  
data set reference number:bilangan acuan kumpulan data  
data set security:keamanan kumpulan data  
data set sequence number:bilangan urutan kumpulan data  
data set serial number:bilangan serial kumpulan data  
data set utility:manfaat kumpulan data  
data set utility programs:program manfaat kumpulan data  
data sharing:berbagi data  
data sheet:lembar data  
data signal rate selector:selektor laju sinyal data:  
data signaling rate:laju sinyal data:  
data sink:pembenaman data:1  
data sink:penyerap data:1  
data sink:penyerap data:  
data sink:penyerap data:  
data source:sumber data:1  
data source:sumber data:1  
data source:sumber data:  
data source:sumber data:  
data space:ruang data:  
data specification:spesifikasi data:  
data stacking:penumpukan data:  
data station:stasiun data:  
data station console:konsol stasiun data:  
data station unit:unit stasiun data:  
data storage:penyimpan data; simpan data:  
data storage:penyimpan data; simpan data:  
data storage area:daerah penyimpanan data:  
data store:penyimpan data:1  
data store:penyimpan data:  
data store:simpan data:1  
data store:simpan data:  
data stream:aliran data:  
data string:sirkuitan data:  
data stripe::  
data strobe:stroba data:  
data structure:struktur data:1

data structure:struktur data:1  
data structure:struktur data:  
data structure:struktur data:  
data structure design:desain struktur data:1  
data structure design:desain struktur data:  
data structure diagram:diagram struktur data:  
data structure update mode:model memperbarui kumpulan data:  
data structures:struktur data:1  
data structures:struktur data:  
data structures:struktur data:  
data structures:struktur data:  
data stuffing:pengisian data:  
data subset:subkumpulan data:  
data switching exchange:pertukaran perangkaian data:  
data switching network:jaringan perangkaian data:  
data symbol:simbol data:  
data table:tabel data:  
data tape:pita data:  
data terminal equipment:peralatan terminal data:  
data terminal equipment:peralatan terminal data:  
data terminal equipment (DTE):peralatan terminal data (DTE):1  
data terminal equipment (DTE):peralatan terminal data:1  
data terminal equipment (DTE):peralatan terminal data:  
data terminal ready:kesiapan terminal data:  
Data terminals and printers:terminal data dan printer:  
data test:uji data:  
data testing:pengujian data:1  
data testing:pengujian data:  
data traffic:lalulintas data:1  
data transceiver:penerima-pengirim data:  
data transfer:transfer data:1  
data transfer:transfer data:  
data transfer:transfer data:  
data transfer phase:fase transfer data:  
data transfer rate:kecepatan transfer data:  
data transfer rate:laju transfer data:1  
data transfer rate:laju transfer data:  
data transfer standards:standar transfer data:  
data translation:translasi data:  
data transmission:transmisi data:1  
data transmission:transmisi data:  
data transmission channel:kanal transmisi data:  
data transmission circuit:sirkuit transmisi data:  
data transmission efficiency:efisiensi transmisi; data:  
data transmission line:garis transmisi data:  
data transmission network:jaringan transmisi data:

data transmission unit:unit transmisi data:  
data transmission utilization measure:sukatan utilisasi transmisi data:  
data type:tipe data:1  
data type:tipe data:  
data type ::  
data types:tipe data:  
data unit:unit data:  
data validation:validasi data:1  
data validation:validasi data:  
data vaulting :penyalahan data:  
data verification:verifikasi data:1  
data verifying program:program pentahkikan data:  
data warehouse:gudang data:1  
data warehouse:gudang data:  
data warehousing:penggudangan data:  
data word:kata data:  
data. inventory:inventarisasi data:  
database:pangkalan data:1  
database:pangkalan data:1  
database:pangkalan data:1  
database:pangkalan data:  
database:pangkalan data:  
database:pangkalan data; pangkalan data:  
database:pangkalan data; pangkalan data:  
database ::  
Database (persistent) programming languages:bahasa pemrograman pangkalan data:  
database administration (DBA):administrasi pangkalan data (APD):1  
database administration (DBA):administrasi pangkalan data (APD):  
database administrator:administrator pangkalan data:1  
database administrator:administrator pangkalan data:  
database and access paths:pangkalan data dan lintasan akses:DELETE  
database and application software:pangkalan data dan perangkat lunak aplikasi:DELETE  
database and application software:pangkalan data dan perangkat lunak aplikasi:DELETE  
database and application software:pangkalan data dan perangkat lunak aplikasi:DELETE  
database and application software:perangkat lunak dan pangkalan data aplikasi:1  
database and application software:perangkat lunak pangkalan data dan aplikasi:1  
database and ethical issues:pangkalan data dan masalah etika:DELETE  
database approach and cost:pendekatan pangkalan data dan biaya:DELETE  
database approach to data management:pendekatan pangkalan data ke manajemen data:DELETE  
database auditing:pemeriksaan pangkalan data:  
database capacity:kapasitas pangkalan data:1  
database capacity:kapasitas pangkalan data:  
database controls:kendali pangkalan data:1  
database controls:kontrol pangkalan data:  
database creation:kreasi pangkalan data:

istilah-ti-indonesia

database creation and modification:pembuatan pangkalan data dan modifikasi:DELETE  
database data entry:entri data pangkalan data:  
database description:deskripsi pangkalan data:1  
database description:deskripsi pangkalan data:  
database design:desain pangkalan data:1  
database design:desain pangkalan data:  
database design:desain pangkalan data:  
database development team:tim pengembangan pangkalan data:1  
database development team:tim pengembangan pangkalan data:  
database efficiency:efisiensi pangkalan data:1  
database efficiency:efisiensi pangkalan data:  
database environment:lingkungan pangkalan data:1  
database environment:lingkungan pangkalan data:  
database errors and controls:galat dan kontrol pangkalan data:DELETE  
database file (master):berkas pangkalan data (induk):1  
database file (master):berkas pangkalan data (induk):  
database files:berkas pangkalan data:  
database generating reports:laporan dihasilkan pangkalan data:  
database generating reports:laporan dihasilkan pangkalan data:  
database indexing:pengindeksan pangkalan data:  
database indexing:pengindeksan pangkalan data:  
database integrity:integritas pangkalan data:  
database languages:bahasa pangkalan data:1  
database languages:bahasa pangkalan data:  
database machine:mesin pangkalan data:1  
database machine:mesin pangkalan data:  
database machine:mesin pangkalan data:  
database maintenance:pemeliharaan pangkalan data:1  
database maintenance:perawatan pangkalan data:  
database maintenance:perawatan pangkalan data:  
database management:manajemen pangkalan data:1  
database management:manajemen pangkalan data:1  
database management:manajemen pangkalan data:  
database management:manajemen pangkalan data:  
database management system (DBMS):sistem manajemen pangkalan data (DBMS):1  
database management system (DBMS):sistem manajemen pangkalan data (SMPD):1  
database management system (DBMS):sistem manajemen pangkalan data (SMPD):1  
database management system (DBMS):sistem manajemen pangkalan data (SMPD):  
database management system (DBMS):sistem manajemen pangkalan data (SMPD):  
database management system (DBMS):sistem manajemen pangkalan data (SMPD):  
database management system (DBMS):sistem manajemen pangkalan data (SMPD):  
database management system (DBMS):sistem manajemen pangkalan data (SMPD):  
"database management system, DBMS "::  
database management systems (DBMS):sistem manajemen pangkalan data:  
database management systems (DBMS):sistem manajemen pangkalan data (SMPD):1  
database model:model pangkalan data :

database model and database management system (DBMS):model pangkalan data dan sistem manajemen pangkalan data:DELETE  
database models:model pangkalan data:  
database packages:paket pangkalan data:  
database positioning:menentukan posisi pangkalan data:  
Database processing:pemrosesan pangkalan data:  
database programming:pemrograman pangkalan data:1  
database programming:pemrograman pangkalan data:  
database report:laporan pangkalan data:  
database review:tinjauan pangkalan data:1  
database review:tinjauan pangkalan data:  
database server:server pangkalan data:1  
database server:server pangkalan data:1  
database server:server pangkalan data:  
database server:server pangkalan data:  
database server:server pelayanan data:  
database service:layanan pangkalan data:  
database structure:struktur pangkalan data:1  
database structure:struktur pangkalan data:  
database structure:struktur pangkalan data:  
database system:sistem pangkalan data:1  
database system:sistem pangkalan data:  
database system:sistem pangkalan data:  
database systems:sistem pangkalan data:1  
database systems:sistem pangkalan data:DELETE  
database systems:sistem pangkalan data:  
database trends and data management:kecenderungan pangkalan data dan manajemen data:DELETE  
databases and ethical issues:pangkalan data dan masalah etika:DELETE  
data-directed transmission:transmisi data langsung:  
data-driven:didorong data:1  
data-driven:dorongan data:  
data-driven design methods:metode desain dorongan data:  
data-driven design methods:metode desain terdorong data:1  
DataEase:DataEase:1  
DataEase:DataEase:  
data-entry operator:operator entri data:1  
data-entry operator:operator entri data:  
dataflow:aliran data:1  
dataflow:aliran data:  
Data-flow architectures:arsitektur aliran data:  
dataflow computer: komputer aliran data:1  
dataflow computer:komputer aliran data:  
dataflow computer:komputer aliran data:  
dataflow control:kontrol aliran data:  
dataflow diagram examples:contoh diagram alir data:1

dataflow diagram examples:contoh diagram alir data:  
dataflow diagrams:diagram alir data:  
dataflow diagrams:diagram alir data:  
dataflow diagrams (DFDs): diagram alir data:  
dataflow diagrams (DFDs):diagram alir data:  
dataflow diagrams (DFDs):diagram aliran data:1  
Data-flow languages:bahasa aliran data:  
data-flow line:jalur alir data:1  
data-flow line:jalur alir data:  
datagram:datagram:1  
datagram:datagram:  
datagram service:layanan datagram:  
datalink layer:lapisan datalink:  
datamation:datamasi:  
datamodule:modul data:  
data-name clause:klausa nama-data:  
data-oriented approach:pendekatan berorientasi data:1  
data-oriented approach:pendekatan berorientasi data:  
Data-path design:desain jalur data:  
dataphone:datafon:  
dataplex:dataplex:  
datapro:datapro:1  
datapro:datapro:  
data-sensitive fault:kesalahan sensitif-data:  
datasheet:lembar data:  
DATASPEED:KECEPATANDATA (DATASPEED):  
data-structure based testing:pengujian basis struktur data:  
data-structure based testing:pengujian berbasis struktur data:1  
data-structure oriented:berorientasi struktur data:1  
data-structure oriented:orientasi struktur data:  
data-structure oriented design methods:metode desain berorientasi struktur data:1  
data-structure oriented design methods:metode desain berorientasi struktur data:  
dataware:gudang data:  
date:tanggal:  
date card:kartu tanggal:  
date data type:tipe tanggal data:  
DATE display format:format tampilan DATE:  
DATE display format:format tampilan tanggal:1  
date display format:format tampilan tanggal:  
date format:format tanggal:1  
date format:format tanggal:  
date format:format tanggal:  
date format:format tanggal:  
date time data types:tipe data tanggal waktu:  
datel::  
DATETIME display format:format penampilan DATETIME:DELETE

DATETIME display format:format penampilan waktu tanggal:1  
datetime display format:format tampilan tanggal waktu:  
DateTime format:format tanggal waktu:  
datum:datum; tanggal:  
datum line:garis data:  
daughter board:papan anak:1  
daughter board::  
daughter card:kartu anak:1  
daughterboard:papan anak:1  
daughtercard :kartu pendamping:  
day:hari:  
day load:beban harian:  
day of year:tahun dan hari:  
daylight:waktu siang:  
daylight factor:faktor cahaya siang:  
day-of-week read-out:pembacaan hari \*:  
daytime:waktu siang hari:  
dB:dB:  
dB meter:meter dB:  
DB2:DB2:1  
DB2:DB2:  
DB-25:DB-25:  
dBASE:dBASE:1  
dBASE:dBASE:  
dBASE III:dBASE III:1  
dBASE III:dBASE III:  
dBASE IV:dBASE IV:1  
dBASE IV:dBASE IV:  
dBASE2R:dBASE:  
dBASE3R:dBASE:  
DBD:DBD:  
dBm:dBm:  
DBMS and data management:SMPD dan manajemen data:DELETE  
DBMS and database models:SMPD dan model pangkalan data:DELETE  
DBMS/4GLS:DBMS/4GLS:  
DBMS/4GLS:DBMS/BGKe:1  
D-bus:bus-D:  
DC:DC:  
DC:DC (device control; pengendali alat):  
DC amplifier:penguat searah:  
DC current detection:pendeteksi arus searah:  
DCB:DCB:  
DCE:DCE:  
DCE (Data Communications Equipment)::  
DCOM::  
DD name:nama DD:

DDA:DDA:  
DDC:DDC:  
DDD:DDD:  
DDE::  
DDP:DDP:  
DDR:DDR:  
DDR:DDR (rekonfigurasi alat dinamik):  
DDT:DDT:  
deactivate:deaktifat:  
deactivation:deaktivasi:  
dead band:pita mati:  
dead card:kartu mati:  
dead code:kode mati:1  
dead coil:kumparan tetap:  
dead contact:kontak tetap:  
dead earth:tanah tetap:  
dead end:akhir mati:  
dead level:tahap tetap:  
dead line:garis mati  
dead load:beban mati  
dead ring:cincin tetap  
dead room:ruang mati  
dead section:seksi tetap  
dead spot:langsung mati  
dead time:waktu mati  
dead weight:berat tetap  
dead zone:zona/bidang mati  
dead zone unit:unit sona mati  
dead-end clamp:pengapit jalan-buntu  
dead-end pole:kutub jalan-buntu  
dead-front switchboard:papan hubung terdepan  
dead-level trunk line:lin utama datar sekali  
deadline :  
deadline scheduling:penjadwalan batas akhir  
deadlock:kebuntuan:1  
deadlock:mogok:  
deadlock:mogok:  
Deadlock :DEADLOCK :BUNTU  
deadlock ::  
deadlock avoidance:penghindar mogok:  
deadlock recovery:pengembalian mogok:  
deadlock restart:reanjak mogok:  
deadlocks:mogok:  
deadman:tenaga tetap:  
dead-number trunk line:lin utama bilangan-tetap:  
dead-reckoning:pelayaran duga-duga:



dead-zone unit:unit sona mati:  
deal:bagi:  
deallocate:dealokasi:  
deallocation:pengawaalokasi:  
deassert::  
DEB:DEB:  
DEB:DEB (blok ekstensi data):  
debugging program:program perbaikan:  
deblock:deblok:  
deblocking:pelepasan blok:  
deblurring:penumpulan:  
debouncing:pengaliran:  
debug: awakutu:1  
debug:awakutu:  
debug:awakutu:  
debug:awakutu:  
debug ::  
debug (FTP):debug (FTP):  
debug aid:bantuan awakutu:  
debug command:perintah awakutu:1  
debug command:perintah awakutu:  
debug online:perbaikan terhubung:  
debug port::  
debugger:pengawakutu:1  
debugger:pengawakutu:  
debugger:pengawakutu:  
debugger:pengawakutu:  
debugger ::  
debugging:pengawakutuan:1  
debugging:pengawakutuan:  
debugging:pengawakutuan:  
debugging:pengawakutuan:  
debugging aid:alat bantu pengawakutu:  
debugging aid program:program bantuan perbaikan:  
debugging line:garis penyelidikan:  
debugging packet:paket pengawakutuan:  
debugging program:program pengawakutuan:1  
debugging program:program pengawakutuan:  
debugging program:program pengawakutuan:  
debugging programs:program pengawakutuan:1  
debugging programs:program pengawakutuan:  
debunching:pengawarangkai:  
debunching factor:faktor pengawarangkai:  
decade:dekade:  
decarbonization:dekarbonisasi:  
decay:uzur:

decay characteristic:karakteristik lapuk/uzur:  
decay constant:konstanta kemunduran:  
decay constant:tetapan/konstanta lapuk:  
decay pattern:pola lapuk/uzur:  
decay time:waktu lapuk:  
decay time:waktu uzur:  
decay time constant:konstanta waktu lapuk:  
DECB:DECB:  
decca flight log:log lari decca:  
decca navigator:navigator decca:  
decca navigator system:sistem navigator decca:  
decelerating electrode:elektroda pendeselerasian:  
deceleration time:waktu deselerasi/perlambatan:  
decentralization:desentralisasi:  
decentralized control:kontrol terdesentralisasi:  
decentralized data:data takterpusat:  
decentralized data processing:pemrosesan data terdesentralisasi:  
decentralized data processing system:sistem pemrosesan data takterpusat:  
decentralized data procrssing system:sistem pemrosesan data takterpusat:  
decentralized processing:pemrosesan terdesentralisasi:1  
decentralized processing:pemrosesan terdesentralisasi:  
decentralized processing:proses terdesentralisasi:  
decentralized system:sistem terdesentralisasi:1  
decentralized system:sistem terdesentralisasi:  
decentralizing systems development:pengembangan sistem terdesentralisasi:1  
decentralizing systems development:pengembangan sistem terdesentralisasi:  
dechotomizing search:selidikan belah dua:  
decibel:desibel:  
decibel milliwatt:miliwatt desibel:  
decidability:desidabilitas:  
decidability ::  
decidable:desidabel:  
decile:desil:  
deciliter:desiliter:  
decimal:desimal:  
decimal:desimal:  
decimal address:alamat desimal:  
decimal adjust accumulator:penimbun/aki menyetel desimal:  
decimal alignment:penyipatan desimal  
decimal arithmetic:hitungan desimal  
decimal constant:konstanta desimal  
decimal digit:digit desimal  
decimal digit character:karakter digit desimal  
decimal divide exception:eksepsi bagi desimal  
decimal feature:fitur desimal  
decimal fraction:fraksi desimal

istilah-ti-indonesia

decimal fraction format:bentuk praktis desimal  
decimal integer constant:konstanta bulat desimal  
decimal marker:tanda desimal  
decimal notation:notasi desimal  
decimal number:bilangan desimal  
decimal number fraction:fraksi bilangan desimal  
decimal number system:sistem bilangan desimal  
decimal numeral:angka desimal  
decimal numeration system:sistem bilangan desimal  
decimal operation:operasi desimal  
decimal operator:operator desimal  
decimal or denary:desimal atau denary  
decimal overflow exception:perkecualian limpahan desimal  
decimal picture data:data gambatang desimal  
decimal point:titik desimal  
decimal position:posisi desimal  
decimal radix:bilangan dasar sepuluh  
decimal selection:seleksi desimal  
decimal self-defining term:istilah pendefinisian- sendiri desimal  
decimal system:sistem desimal  
decimal to binary conversion:konversi desimal ke biner  
decimal-point specifier:penetap titik-desimal  
decimeter:desimeter  
decimillimetric wave:gelombang desimilimetrik  
decipher:desifer:  
decision:keputusan:  
decision analysis:analisis keputusan:1  
decision analysis:analisis keputusan:  
decision box:kotak keputusan:  
decision content:isi informasi keputusan:  
decision element:elemen keputusan:  
decision feedback system:sistem umpanbalik keputusan:  
decision function:fungsi keputusan:  
decision instruction:instruksi keputusan:  
decision level:tingkat keputusan:  
decision making:pembuatan keputusan:  
decision making:pengambilan keputusan:1  
decision making:pengambilan keputusan:  
decision making cognitive style:gaya pengertian pengambilan keputusan:1  
decision making cognitive style:gaya pengertian pengambilan keputusan:  
decision making function:fungsi pembuatan keputusan:  
decision making models:model pengambilan keputusan:1  
decision making models:model pengambilan keputusan:  
decision making under certainty:pengambilan keputusan dalam kepastian:1  
decision making under certainty:pengambilan keputusan dalam kepastian:  
decision problem:problem keputusan:

decision problems:masalah keputusan:  
decision problems:masalah keputusan:  
decision support:pendukung keputusan:  
decision support business information systems:sistem informasi bisnis pendukung keputusan:1  
decision support business information systems:sistem informasi bisnis pendukung keputusan:  
decision support system (DSS):DSS:  
decision support system (DSS):DSS:  
decision support system (DSS):sistem pendokong keputusan (DSS):1  
decision support system (DSS):sistem pendukung keputusan:1  
decision support system (DSS):sistem pendukung keputusan:DELETE  
decision support system (DSS):sistem pendukung keputusan:  
decision support system (DSS):sistem pendukung keputusan:  
decision support system (DSS):sistem pendukung keputusan (SPK):1  
decision support system (DSS):sistem pendukung keputusan (SPK):1  
decision support system (DSS):sistem pendukung keputusan (SPK):  
decision support system and analysis:sistem pendukung keputusan dan analisis:DELETE  
decision support system and banking industry:sistem pendukung keputusan dan industri perbankan:DELETE  
decision support system and cost:sistem pendukung keputusan dan biaya:DELETE  
decision support system and database:sistem pendukung keputusan dan pangkalan data:DELETE  
decision support system and database management system (DBMS):sistem pendukung keputusan dan sistem manajemen pangkalan data:DELETE  
decision support system and inventory:sistem pendukung keputusan dan inventaris:DELETE  
decision support system development tools:alat pengembang sistem pendukung keputusan:  
decision support tool:alat pendukung keputusan:  
decision support tools:perkakas pendukung keputusan:1  
decision support tools:perkakas pendukung keputusan:  
decision table:tabel keputusan:1  
decision table:tabel keputusan:1  
decision table:tabel keputusan:  
decision table:tabel keputusan:  
decision table:tabel keputusan:  
decision table:tabel keputusan:  
decision table and conditions:tabel keputusan dan kondisi:DELETE  
decision tables:tabel keputusan:  
decision tables:tabel keputusan:  
decision theory:teori keputusan:  
decision tree:pohon keputusan:1  
decision tree:pohon keputusan:  
decision-making:pembuatan keputusan:  
decision-making information needs:kebutuhan informasi pengambilan keputusan:  
decision-support language:bahasa pendukung keputusan:  
deck:dek:  
deck name:nama dek:  
deck of cards:dek kartu:  
declaration:deklarasi:1  
declaration:deklarasi:

declaration:deklarasi:  
declaration::  
Declaration :DECLARATION :DEKLARASI  
Declaration section :DECLARATION SECTION :SEKSI DEKLARASI  
declarative:deklaratif:  
declarative data:data deklaratif:  
declarative instruction:instruksi deklaratif:  
declarative language:bahasa deklaratif:1  
declarative language:bahasa deklaratif:  
declarative language ::  
declarative macro instruction:instruksi makro deklaratif:  
declarative macroinstruction:instruksi makro deklaratif:  
declarative statement:penyataan deklaratif:1  
declarative statement:pernyataan deklaratif:  
declaratives:deklaratif:  
declarator:deklarator:  
declarator name:nama deklarator:  
declarator subscript:tulisan di bawah deklarator:  
declare:melaporkan:  
declination:deklinasi:  
declination of the sun:deklinasi matahari:  
declining metered rate system:sistem laju bermeter kemerosotan:  
declinometer:deklinometer:  
decode:dekode:1  
decode:dekode:1  
decode:dekode:  
decode:dekode:  
decode:dekode:  
decode:membaca sandi:1  
decode cycle:daur/siklus mengawasandi:  
decode cycle:daur/siklus mengawasandi:  
decode history table::  
decode time:waktu baca sandi:  
decoder:dekoder:1  
decoder:dekoder:1  
decoder:penafsir; dekoder; pembaca sandi:1  
decoder:penafsir; dekoder; pembaca sandi:  
decoder:penafsir; dekoder; pembaca sandi:  
decoding:pengawasandian:1  
decoding:pengawasandian:  
decoding operator:operator pendekod:  
decoding operator:operator pendekodean:1  
decoding operator:operator pendekodean:  
decoherer:dekoherer:  
decollate:dekolat:  
decollator:dekolator:

decompiler:dekompiletor:1  
 decompose:memisahkan:  
 decomposition:awakomposisi:1  
 decomposition:decomposition:  
 decomposition:decomposition:  
 decomposition:dekomposisi:1  
 decomposition ::  
 decomposition penalty:penalti dekomposisi:  
 decomposition voltage:voltase dekomposisi:  
 decompressing:awamampatan:1  
 decompressing:awamampatan:  
 decompressing:pengawamampatan:1  
 decompressing:pengawamampatan:  
 decompression:dekompresi:  
 deconcatenation:dekontanetasi:  
 decorder:penerjemah sandi; dekorder:1  
 decorder:penerjemah sandi; dekorder:  
 decoupling::  
 decrement:pengurangan:  
 decrement:pengurangan:  
 decrement filed:berkas pengurangan:  
 decrement operation:operasi penurunan:1  
 decrypt:dekrip:1  
 decrypt:dekrip:  
 decryption:dekripsi:1  
 decryption:dekripsi:1  
 decryption:dekripsi:  
 decryption:dekripsi:  
 dedicated:mempersembahkan:  
 dedicated channel option:pilihan saluran dedikat:  
 dedicated computer:komputer khusus:1  
 dedicated device:alat terpakai:  
 dedicated line:sambungan khusus:1  
 dedicated line:sambungan khusus:  
 dedicated register:tepat letak dedikat:  
 dedicated service:servis terpakai:  
 dedicated system:sistem terpakai:  
 dedication:dedikasi:  
 deducible:dedusibel:  
 deduction:deduksi:  
 deduction system:sistem deduksi:  
 deductive:deduktif:  
 deductive system ::  
 deemphasis:"deemfasis, awa tekanan":  
 de-emphasis:pengawatekanan:  
 deenergize:ketakbangkitan; ketakkuatan:

deep copy ::  
deep sea cable:kabel laut dalam:  
deep space:ruang bawah/rendah  
deep space network:jaringan ruang dalam  
deep-slot motor:motor celah-dalam  
deep-slot squirrel-cage motor:motor sangkar-tapai celah-dalam  
default:default  
default:default  
default assumption:asumsi asal  
default attribute:atribut asal  
default expression:ekspresi cacat  
default file attribute:atribut berkas default  
default length:panjang asal  
default mass storage volume group:kelompok volume penyimpanan massa asal  
default mode:ragam asal  
default option:pilihan default  
default option:pilihan mula  
default precision:presisi asal  
default route:rute asal:1  
default route:rute default:  
default value:harga default:  
default value:nilai asal:1  
default value:nilai mula:  
defaults:asal:  
defaults:kelalaian:1  
defaults network:jaringan asal:  
defaults network:jaringan kelalaian:1  
defaults system:sistem asal:  
defaults system:sistem kelalaian:1  
defect:cacat:  
defect::  
defect origin ::  
defect potential ::  
defect prevention ::  
defect removal ::  
defect severity ::  
defect skipping:peloncatan cacat:  
defective:defektif:  
defective pair:pasangan defektif:  
defects count::  
defence:pertahanan:  
defense:pertahanan:  
defensive programming:pemrograman defensif:1  
deference:deferensi:  
deferred addressing:pengalamatan tertangguhkan:  
deferred addressing:pengalamatan tertangguhkan:

deferred checkpoint restart:restar titik cek/ pos tangguh:  
deferred entry:masukan tertunda:  
deferred evaluation::  
deferred exit:keluar tertunda:  
deferred maintenance:perawatan tertunda:  
deferred method:metode tertangguh:1  
deferred mount:puncak tangguh:  
deferred restart:anjak ulang tertangguh:  
deferred restart:re-anjak tertunda:  
deferred run:jalan tertangguh:  
deferred step restart:restar tingkat tangguh:  
definable key:kunci teruraikan:  
DEFINE:DEFINE:  
define:membatasi:  
DEFINE:tetap:1  
DEFINE parameters:parameter DEFINE:DELETE  
DEFINE parameters:parameter tetap:1  
define sparse array:deret jarang definisi:  
define the file macro instruction:instruksi makro berkas definisi:  
define the filemacro instruction:instruksi makrofile definisi:  
defined:definisi:  
defined:terdefinisi:  
defined absolute program:program absolut terdefinisi:  
defined aging:ketuaan terdefinisi:  
defined array:susunan terdefinisi:  
defined Boolean data:data Boolean terdefinisi:  
defined character data:data huruf terdefinisi:  
defined character generator(s):pembangkit huruf terdefinisi:  
defined conditional branch(es):cabang kondisional terdefinisi:  
defined cracker:perengkah terdefinisi:1  
defined cracker:perengkah terdefinisi:  
defined directory system(s):sistem direktori terdefinisi:  
defined file name extension:perluasan nama berkas terdefinisi:  
defined file protection:proteksi berkas terdefinisi:  
defined file transfer:transfer berkas terdefinisi:  
defined file(s):berkas terdefinisi:  
defined gopher:gopher terdefinisi  
defined high-level language(s):bahasa tingkat tinggi terdefinisi  
defined information system:sistem informasi terdefinisi  
defined integer(s):bilangan bulat terdefinisi  
defined interpreter(s):penterjemah terdefinisi  
defined item:butir terdefinisi  
defined item:unsur/item definisi  
defined masking:penutupan terdefinisi  
defined path:alur terdefinisi  
defined procedure:prosedur terdefinisi



istilah-ti-indonesia

defined procedure oriented language:bahasa berorientasi prosedur terdefinisi  
defined program:program terdefinisi  
defined program control data:data kontrol program terdefinisi  
defined program counters:program penghitung terdefinisi  
defined program fetch:ambil program terdefinisi  
defined program languages:bahasa program terdefinisi  
defined program status register:register status program terdefinisi:  
defined source listing:pendaftaran sumber terdefinisi:  
defined structure data:data struktur berdefinisi:  
defined syntax:sintaks berdefinisi:  
defined testing:uji berdefinisi:  
defined variable:variabel berdefinisi:  
DEFINES OFF::1  
DEFINES ON::1  
DEFINES ON/OFF:DEFINES ON/OFF:  
definite response:tanggapan terbatas:  
definition:definisi:  
definition:definisi:  
definition baud:definisi baud:  
definition field:daerah definisi:  
definition file:berkas definisi:  
definition of facsimile:definisi dari FAX:  
definition of information:definisi dari informasi  
definition of record:definisi rekaman  
definition phase:fase definisi  
definition statement:pernyataan definisi  
definition systems:sistem definisi  
deflecting current:arus pendeleksian/pembelokan  
deflecting electrode:elektroda pendeleksian/ pembelokan  
deflecting yoke:gandar pendeleksian/ pembelokan  
deflection:defleksi; penyimpangan  
deflection angle:sudut defleksi/belokan  
deflection coefficient:koefisien defleksi/belokan  
deflection coefficient of a cathod-ray tube:koefisien tabung sinar katoda defleksi  
deflection factor:faktor defleksi  
deflection sensitivity:sensitivitas penyimpangan/penurunan  
deflection sensitivity of a magnetic-deflection cathode-ray tube:kepekaan defleksi-magnetik  
tabung sinar-katoda defleksi  
deflection sensitivity of an electrostatic-deflection cathode-ray tube:kepekaan defleksi-  
elektrostatik tabung sinar-katoda defleksi  
deflector plates:plak deflektor:  
defragment:defragmen:  
defragmentation:defragmentasi:1  
defragmentation:defragmentasi:1  
defragmentation:defragmentasi:  
degassing:pengawagasan:

degauss:awa magnet:  
degausser:pengawa magnet:  
degeneracy:keciutan:  
degenerate:merosot:  
degradation:degradasi:  
degradation berkasure:kegagalan degradasi:  
degradation factor:faktor degradasi:  
degraded mode:ragam penurunan:  
degree:derajat:  
degree of association:derajat asosiasi:  
degree of compounding:derajat kompon:  
degree of coupling:derajat kopleng:  
degree of freedom:kebebasan tingkat:  
degree of superheat:derajat superpanas:  
deinstall:awa pasang; awa tempat:  
deionizing effect:efek deionisasi:  
de-ionizing grid:kisi deionisasi:  
dekaliter:dekaliter:  
dekameter:dekameter:  
DEL:DEL:  
DEL:DEL (delete; menghapus):  
DEL:hapus:1  
delay:tunda:1  
delay:tunda:  
delay:tunda:  
delay:tunda:  
delay base:dasar tunda:  
delay circuit:sirkuit tunda:  
delay computer controlled:komputer tunda terkendali:1  
delay computer controlled:tunda dikontrolkan komputer:  
delay computer controlled:tunda terkontrolkan komputer:struktur?  
delay disconnect signal:signal tak hubung tunda:  
delay distortion:arotan kelambatan:  
delay distortion:distorsi tunda:1  
delay element:elemen penunda:  
delay entry:masukan tunda:1  
delay entry:pemasukan tunda:  
delay entry:pemasukan tunda:  
delay equalizer:penyamaan kelambatan:  
delay equations:persamaan tunda:  
delay exit:keluaran tunda:1  
delay exit:keluaran tunda:  
delay exit:tunda keluaran:  
delay line:garis kelambatan:  
delay line:garis tunda:  
delay line (H)::

delay line memory:memori garis tunda:  
delay line register:register garis tunda:  
delay line storage:penyimpan garis tunda:  
delay memory:memori tunda:  
delay network:jaringan tunda:  
delay resetting:set ulang tunda:1  
delay resetting:tunda reset:  
delay resetting:tunda set ulang:  
delay slot::  
delay time:waktu kelambatan:  
delay-bandwidth product:perkalian tunda-lebatang band:  
delayed branch instruction:intruksi cabang tertunda:1  
delayed branch instruction:  
delayed call:panggilan tertunda  
delayed command reject:tolak perintah tertunda  
delayed control mode:mode kontrol tertunda  
delayed PPI:PPI tertunda  
delayed request mode:ragam permintaan tertunda  
delayed response:respon terlambat  
delayed response mode:ragam respons tertunda  
delayed sweep:sapuan tertunda  
delayed time system:sistem waktu tertunda  
delaying:penundaan  
delaying circuit:sirkuit pelambatan  
delay-throughput product:produk debit-tunda  
deleave:awabiar  
deleaving:pemisahan kertas \*  
delegation:delegasi  
delegation ::  
deletable:terhapus:  
DELETE:DELETE:  
delete:hapus:1  
DELETE:hapus:1  
delete:hapus:  
delete:lesapan:  
delete (FTP):delete (FTP):  
delete character:karakter hapus:  
delete character:karakter hilang/hapus:  
delete digit:jari hapus/buang:  
delete indicator:indikator hapus:1  
delete indicator:indikator hapus:  
delete procedure:prosedur hapus:1  
delete procedure:prosedur hapus:  
delete procedure:prosedur penghapusan:  
deleted code ::  
deleted space ring:ring ruang terhapus:

deleting (files):penghapusan berkas:  
deleting records:menghapus rekaman:1  
deleting records:menghapus rekaman:1  
deleting records:menghapus rekaman:  
deleting records:penghapusan rekaman:  
deletion:delisi:  
deletion record:rekaman lesapan:  
delimit:awalimit; awabatas:  
delimiter:delimeter:  
delimiter:karakter penentu batas:  
delimiter:pembuang limit:  
delimiter card:kartu delimeter:  
delimiter character:karakter pembatas:1  
delimiter statement:pernyataan penentu batas:  
delimiting character:karakter pembuangan limit:  
deliverables ::  
delivered product quality::  
delivered system::  
delivery:bebas:  
delivery date:tanggal hantar:  
delivery inspection:inspeksi hantaran:  
delivery productivity ::  
Delphi:Delphi:  
delphi approach decision making:pengambilan keputusan pendekatan delphi:1  
delphi approach decision making:pengambilan keputusan pendekatan delphi:  
delta:delta:  
delta clock:waktu delta:  
delta connection:sambungan delta:  
delta-delta connection:sambungan delta-delta:  
delta-PROLOG:PROLOG-delta:  
demagnetization:demagnetisasi:  
demagnetizing ampere-turn:putaran-amper demagnetisasi:  
demagnetizing factor:faktor demagnetisasi:  
demand:permintaan:  
demand charge:tugas permintaan:  
demand estimate:dugaan/taksiran tuntunan/permintaan:  
demand factor:faktor tuntunan:  
demand fetch::  
demand file:berkas permintaan:  
demand for software:permintaan akan perangkat lunak:  
demand forecast:prakiraan permintaan:  
demand interval indicator:indikator interval permintaan:  
demand model:model tunda:  
demand paging: pelayanan permintaan:1  
demand paging:pelayanan permintaan:  
demand paging:pelayanan permintaan:

demand pointer:penuding permintaan:  
demand processing:pemrosesan permintaan:  
demand processing system:sistem pemrosesan permintaan:  
demand pusher:pendesak permintaan:  
demand pusher indicator:indikator pendesak permintaan:  
demand reading/writing:tulis/baca permintaan:  
demandulation:demandulasi:  
demarcation:demarkasi:  
demarcation strip:jalur batas/sempadan:  
demineralizer:demineralisator:  
demodularization::  
demodulation:demodulasi:1  
demodulation:demodulasi:  
demodulation:demodulasi:  
demodulator:demodulator:1  
demodulator:demodulator:  
demon:demon:  
demonstration::  
DeMorgan's theorem::  
demount:demount:  
demount:lepas:  
demultiplex:demultipleks:  
demultiplexed:demultipleksan:  
demultiplexer:demultiplekser:  
demultiplexer:demultiplekser:  
demultiplexing:pendemultipson:  
denary:diner:  
dendrite:dendrit:  
denial of service:nafi layanan:1  
DENORMALIZATION:DENORMALISASI:  
denormalized numbers::  
denotation:denotasi:  
denotation approach:pendekatan denotasi  
denotational:denotasional  
denotational :  
denotational model:  
denotational semantics:semantik denotasional  
dense binary code:sandi biner rapat  
densitometer:densitometer  
density:densitas; rapat/kerapatan  
density:kerapatan; densitas  
density modulation:modulasi densitas  
density of an ion beam:densitas berkas ion  
deoxyribose:deoksiribose  
depalletizing:pendepaletan  
dependability:ketergantungan

dependability:ketergantungan  
dependability:  
dependence:defensi  
dependency:defedensi  
dependency:defedensi  
dependent:terikat; tergantung  
dependent backtrack:trek balik bergantung  
dependent compilation:kompilasi bergantung  
dependent event:peristiwa terikat/tak bebas  
dependent exchange:pertukaran terikat/tak bebas  
dependent job control:kontrol pekerjaan bergantung  
dependent office:kantor bergantung  
dependent segment:segmen bergantung  
dependent variable:peubah tak bebas  
dependent variable:variabel gayut/bergantung/terikat  
depletion:depleksi; penipisan  
depletion layer:lapisan pengosongan  
depletion type:tipe pengosongan  
deployment diagram :  
depolarization:depolarisasi  
depolarizer:depolarisator  
deposit:letakan; deposit  
deproceduring:pemroseduran  
depth cues:  
depth of discharge:kedalaman/ketajaman buang  
depth of penetration:kedalaman penetrasi  
dequeue:takgiliran \*  
derail:derail; menyebabkan  
derailing switch-point:titik-hubung derailing  
derating:derasing; menjalankan  
dereferencing:pendeterensian  
derivation:derivasi  
derivative action:aksi derivasi; diadakan jabaran  
derivative action time:waktu aksian/tindakan derivatif  
derivative control action:tindakan kontrol derivatif:  
derivative element:elemen derivatif:  
derive:terbit; peroleh:  
derived:menurunkan:  
derived class:kelas tambahan:1  
derived class ::  
derived measure::  
derived m-type filter:filter tipe-m berderivasi:  
derived type::  
derived unit:unit turunan:  
derrick crane:kran derek:  
DES:DES:1

DES:DES :  
DES :DES:  
descendance:penurunan:  
descendant:turun:  
descendant :  
descender:penurun  
descending key:kunci menurun  
descending order:urutan menurun  
descending sequence:urutan menurun  
Descrambler:pembalik acak  
describing function:fungsi penjelas  
description:diskripsi  
descriptive:deskriptif  
descriptive :  
descriptive abstract:abstrak deskriptif  
descriptive error:kesalahan deskriptif  
descriptive model:  
descriptive procedure:prosedur deskripsi  
descriptor:diskriptor  
descriptor:diskriptor  
descriptor code:kode diskriptor  
deserialize:deserialin  
deserializer:deserialisator  
desiccant:metode dua-reaksi  
desiccation:desikasi; pengeringan  
design:desain  
design:desain; rancangan  
design (of a system):rancangan (sebuah sistem)  
design automation:otomatisasi bentuk  
design considerations:pertimbangan desain  
design diversity:  
design documentation:dokumentasi desain  
design failure:kegagalan desain  
design fault:  
design for reuse:desain guna-ulang  
design for testability:  
design hierarchy ::  
Design languages:desain bahasa:  
Design management:desain manajemen:  
design maximum rating:penilaian maksimum desain/ rancangan:  
design methods:metode desain:  
design of experiment:desain percobaan:  
design of experiment:desain/rancangan percobaan:  
design pattern::  
design phase:fasa desain:1  
design phase and errors:fasa desain dan galat:DELETE

design process:proses desain:1  
design process:proses desain:  
design process:proses desain:  
design recovery::  
design requirement:syarat desain/rancangan:  
design review:tinjauan desain:1  
design review:tinjauan desain:1  
design review:tinjauan desain:  
design review:tinjauan desain:  
design specification:spesifikasi desain:1  
design specification:spesifikasi desain:  
design specifications:spesifikasi desain:1  
design specifications:spesifikasi desain:  
design stage:tahapan perancangan:  
design stage:tingkat perencanaan:1  
design stage:tingkat perencanaan:  
design studies:studi desain:  
design technique tool:perkakas teknik desain:1  
design technique tool:perkakas teknik desain:  
design technique tools:peralatan teknik desain:  
design technique tools:perkakas teknik desain:1  
design technique tools:perkakas teknik desain:  
design time:waktu desain:  
design to cost:disain biaya:  
design walkthrough ::  
designating device:alat penunjukan:  
designation:designasi:  
designation station:stasiun penunjukkan:  
designational expression:ekspresi desainasional:  
designator:designator:  
designer:"pendesain, designer":  
desirability:desirabilitas:  
desire:ingin:  
desired state:keadaan ingin:1  
desired value:nilai ingin:  
desk:meja:  
desk check:meja cek:  
desk checking:pengecekan meja \*:  
desk top computer:komputer desktop:  
desk type switchboard:papan hubung tipe bangku:  
desk-checking:meja uji:1  
desk-checking:uji meja:  
desk-checking:uji meja:  
desktop:desktop:  
desk-top calculator:mesin hitung meja:  
desktop computer:komputer desktop:1



desktop computer:komputer destop:  
desktop computer:komputer meja:1  
desk-top computer:komputer desk-top:  
desktop computers:komputer destop:  
Desktop publishing (DTP):penerbyten destop:  
desktop publishing:penerbitan destop:1  
desktop publishing:penerbitan destop:  
desktop publishing:penerbitan destop:  
desktop publishing:penerbitan destop:  
desktop publishing:penerbitan destop:  
desktop publishing:penerbitan destop:  
desktop publishing:penerbitan destop:  
desktop publishing:penerbitan semeja:1  
desk-top publishing:penerbitan des-top:  
desktop publishing system (DTP system):sistem penerbitan destop (sistem DTP):1  
desktop publishing software:perangkat lunak penerbitan destop:  
desktop publishing software:perangkat lunak penerbitan destop:  
desktop publishing software:perangkat lunak penerbitan semeja:1  
despatch:kirim:  
despiking:despiking:  
despin control electronics:elektronik control despin:  
despooler:despol:  
destage:destase:  
destaging:turun pentas:  
destination:tujuan  
destination address:alamat tujuan  
destination address field:medan alamat tujuan  
destination code:sandi destinasi  
destination control table:tabel kontrol destinasi  
destination directory:direktori tujuan  
destination field:medan destinasi  
destination file:berkas destinasi  
destination operand:  
destination port:port tujuan  
destination queue:bagan kontrol dua-arah  
destination station:stasiun destinasi  
destination unreachable:tujuan tak tercapai  
destruction of file(s):perusakan berkas  
destructive addition:tambahan destruktif/merusak  
destructive cursor:kursor destruktif  
destructive inspection:inspeksi destruktif:  
destructive read:pembacaan destruktif:  
destructive read:pembacaan destruktif:  
destructive read-out:bacaan destruktif:  
destructive read-out storage:penyimpan bacaan destruktif:  
destructive software:perangkat lunak destruktif:1

destructive test:uji/tes destruktif:  
destructive write-in::  
destructive-read-out:pembacaan-destruktif:  
destuff:destul:  
desuperheater:pengawa panas lanjut:  
deta utilization station:stasiun utilisasi deta:  
detach:pisah:  
detachable hard disk:cakram keras dapat di lepas:  
detachable hard disk:cakram keras dapat lepas:1  
detachable keyboard:papan tombol dapat lepas:1  
detacher:awa pisah:  
detail:"detil, rinci":  
detail card:kartu detail:  
detail diagrams:diagram detil:  
detail file:berkas detail:  
detail flowchart:bagan alir terperinci:  
detail inspection:inspeksi detail:  
detail record:rekord detil:  
detail reporting:pelaporan rinci:  
detail tape:pita tape detil:  
detail time:waktu detil:  
detailed design:desain terinci:1  
detailed design:desain terinci:  
detailed design:detil desain:  
detailed design:rincian desain:  
detailed design document:dokumen desain terinci:1  
detailed design document:dokumen desain terinci:  
detailed design Nassi-Shneiderman charts:bagan Nassi-Shneiderman desain terinci:1  
detailed design Nassi-Shneiderman charts::DELETE  
detailed document:dokumen terinci:1  
detailed records:rekaman terinci:1  
detailed records:rekaman terinci:  
detectability:kedetektifan:  
detectable element:elemen terdeteksi:  
detectable segment:segmen terdeteksi:  
detecting character:karakter pendeteksian:  
detecting element:elemen deteksi:  
detecting means:alat deteksi:  
detection:deteksi:  
detector:detektor; pendeteksi:  
detector bar:batang detektor:  
detector locking:penguncian detektor:  
"detector, magnetic bubble memory":  
detent:menahan/tahan  
deterioration:kemunduran; deteriorasi  
determinant:determinan

determinants:determinan  
determinate:determinat  
determiner:determinator  
determining files on the network:penentuan berkas di jaringan  
deterministic:deterministik  
deterministic:deterministik  
deterministic automaton:automaton deterministik  
deterministic model:model deterministik  
deterministic scheduling:penschedulan deterministik  
detonating meteor:meteor peledakan  
detonating signal:signal peledakan  
detonator:detonator; peledak  
detouring:pembelokan:  
developer:pembangun:  
developer of COBOL:pengembang cobol:1  
developer of COBOL:pengembang COBOL:DELETE  
developer pump:pompa pengembang:  
developer tank:tanki pengembang:  
developing:pembangunan:  
developing roller:alat gelas pengembangan:  
developing tray:penampakan pengembangan:  
developing tray retainer:pembantu penampakan pengembangan:  
development:perkembangan:  
development center:pusat pengembangan:  
development center 4GLs:pusat pengembangan 4GL:  
development center 4GLs:pusat pengembangan BGKe:1  
development context:konteks perkembangan:  
development information system:sistem informasi pengembangan:  
development life cycle:pengembangan daur hidup:1  
development life cycle:pengembangan daur hidup:  
development life cycle:siklus hidup pengembangan:  
development life cycle:siklus hidup perkembangan:  
development process:proses perkembangan:  
development productivity:produktivitas perkembangan:  
development system:sistem perkembangan:  
development systems:pengembangan sistem:  
development test station:stasiun tes pengembangan:  
development time:waktu pengembangan:  
development toolkit:set alat pengembangan:1  
development tools:perkakas pengembangan:1  
development tools:perkakas pengembangan:  
development tools critical success factors:faktor sukses kritis perkakas pengembangan:  
development tools critical success factors:faktor sukses kritis perkakas pengembangan:1  
development tools observation:pengamatan perkakas pengembangan:1  
development tools observation:pengamatan perkakas pengembangan:  
development tools questionnaires:kuesioner perkakas pengembangan:1

istilah-ti-indonesia

development tools questionnaires:kuesioner perkakas pengembangan:  
developmental baseline:basis saluran pengembangan:  
deviation:deviasi:  
deviation alarm:alarm deviasi:  
deviation due to an influencing characteristic:wajib deviasi karakteristik influensi:  
deviation ratio:rasio deviasi:  
device:alat:  
device:peranti:1  
device:peranti:  
device :peranti:  
device adaptor:adaptor alat:  
device address:alamat alat:  
device allocation:alokasi alat:  
device assignment:penandaan alat:  
device base control block:blok kontrol basis alat:  
device busy:sibuk alat:  
device class:klas alat:  
device code:kode/sandi alat:  
Device context :DEVICE CONTEXT :KONTEKS PIRANTI  
device control:kontrol alat:  
device control:kontrol/kontrol alat:  
device control character:karakter kontrol alat:  
device control characters:karakter kontrol alat:  
device control unit:unit kontrol alat:  
device controller:pengawas/pengontrol alat:  
device controller:pengawas/pengontrol alat:  
device controller:pengontrol peranti:1  
device coordinate:koordinat peralatan:  
device dependent :tergantung alat:  
device dependent status available:tersedia status bergantung alat:  
device dependent status word:kata status takbebas alat:  
device diagnostic program:program diagnostik alat:  
device driver: pemacu peranti:1  
device driver:penggerak alat:  
device driver:penggerak alat:  
device driver:penggerak peranti:  
device driver :penggerak peranti:1  
device drivers:penggerak alat:  
device end:akhir alat:  
device independence:bebas alat:  
device independence:kebebasan alat:  
device independence:kebebasan alat:  
device independent access method:metode akses bebas:  
device independent program:program bebas/independen peranti:1  
device input queue:antrian masukan alat:  
device mask:topeng alat:

device model:model alat/peranti  
device name:nama alat  
device number:nomor alat  
device parameter list:senarai parameter alat  
device precedence list:senarai utama alat  
device register:  
device space:ruang peralatan  
device status word:kata status alat  
device tolerance:toleransi alat  
device type:tipe alat  
device driver:  
dew point:titik embun  
dexterity:deksteritas  
DF:DF  
DFT:DFT  
DFU:DFU  
DG:DG:  
DHCP:DHCP:  
Dhrystone benchmark::  
diagnosability:diagnosabilitas:  
diagnosis:diagnosis:  
diagnosis stage (Kolb-Frohman model):tingkat diagnosis:1  
diagnosis stage (Kolb-Frohman model):tingkat diagnosis:  
diagnostic:diagnostik:  
diagnostic::  
diagnostic check:cek/tilikan diagnostik:  
diagnostic diskette:disket diagnostik:  
diagnostic function:fungsi diagnostik:  
diagnostic function test:uji fungsi diagnostik:  
diagnostic message:pesan diagnostik:  
diagnostic mode:ragam diagnostik:  
diagnostic processor:pemroses diagnostik:  
diagnostic program:program diagnostik:  
diagnostic routine:rutin diagnostik:  
diagnostic scan:pindai diagnostik:  
diagnostic test:uji diagnostik:  
diagnostics:diagnostik:  
diagnostics:diagnostik:  
diagnostics:diagnostik:  
diagnostics:diagnostik:  
diagnostics:diagnostik:  
diagnostics:diagnostik:  
diagnostics:diagnostik:  
diagnosator:diagnosator:  
diagonal:diagonal:  
diagonal bracing:ganjalan diagonal:  
diagram:diagram:

diagram of CASE approach:diagram pendekatan CASE:DELETE  
diagramming tools:pekakas pendiagraman:  
diagramming tools:perkakas pendiagraman:1  
dial:cakra:  
dial:cakra pilih:  
dial exchange:pertukaran sambungan:  
dial line:saluran penyambung:  
dial mounting plate:pelat bantalan cakra:  
dial pulse:pulsa cakra:  
dial pulse:pulsa cakra pilih:  
dial register:register cakra:  
dial switch:saklar putar:  
dial system:sistem cakra:  
dial terminal:akhir cakra:  
dial terminal feature:ciri terminal cakra:  
dial thermometer:thermometer cakra:  
dial tone:nada ckara:  
dial up connection::  
dialect:dialek:  
dialectology:dialektologi:  
Dial-In Service:pelayanan dial:  
dialing:pencakraan:  
dialing:penyambungan:  
dialing device:alat pencakraan:  
dialing mode:model cakra angka/dial:  
dialing system:sistem pencakraan:  
dialog:dialog:  
dialog box::  
dialogic operation:operasi dialogik:  
dialogism:dialogisme:  
dialogue:dialog:  
dial-up:penyambungan:  
dial-up access:akses dial-up:1  
dial-up access:akses dial-up:  
dial-up line:talian dial-up:1  
dialup modem:modem dial-up:  
dial-up modem:modem dial-up:1  
dial-up modem:modem dial-up:1  
dial-up phone circuits:sirkuit telepon dial-up:  
dial-up terminal:terminal penyambung:  
dialysis:dialisis:  
diamagnetic material:material diamagnetik:  
diameter:diameter:  
diaphragm:diafragma:  
dibit:dibit:  
dibit signal:signal dibit:

dichotomizing search:pencarian belah dua:  
dichotomizing search:telusur pendikotomian:  
dichotomy:dikotomi:  
dichroic mirror:kaca dikroik:  
dictator:diktator:  
dictionaries:kamus:  
dictionary:kamus:  
dictionary processing:pemrosesan kamus:1  
dictionary processing:pemrosesan kamus:  
die:cetakan:  
die attachment:pelengkap cetakan:  
die bonding:perekatan cetakan:  
die separation:pemisahan cetakan:  
dielectric isolation:isolasi dielektrik:  
dielectric:dielektrik:  
dielectric attenuation:atenuasi dielektrik:  
dielectric breakdown test:tes pembelah dielektrik:  
dielectric constant:tetapan dielektrik:  
dielectric displacement:anjakan dielektrik:  
dielectric flux:fluks dielektrik:  
dielectric flux density:densitas fluks dielektrik  
dielectric heating:pemanas dielektrik  
dielectric isolation:isolasi dielektrik  
dielectric lens:lensa dielektrik  
dielectric loss:kerugian dielektrik  
dielectric loss angle:sudut rugi dielektrik  
dielectric loss tangent:tangen rugi dielektrik  
dielectric polarization:polarisasi dielektrik  
dielectric power factor:faktor daya dielektrik  
dielectric strength test:tes kekuatan dielektrik  
dielectric waveguide:pandu gelombang dielektrik  
difference:beda  
difference engine:  
difference equations:persamaan diferensial  
difference formulas:formula beda  
difference input:masukan selisih  
difference limen:limen/ambang beda:  
difference method:metode beda:  
difference of two squares:selisih dua bujur sangkar:  
difference quotient:kuosien beda/selisih:  
difference set:kumpulan beda:  
difference tone:nada selisih:  
differencing:perbedaan:  
Different Engine:Mesin Beda:1  
differentiable:terbedakan:  
differential:diferensial:

istilah-ti-indonesia

differential amplifier:amplifier diferensial:  
differential analog input point:titik masukan analog diferensial:  
differential analyser:penganalisis diferensial:  
differential analyzer:penganalisis diferensial:  
differential compound motor:motor kompon diferensial:  
differential duplex:dupleks diferensial:  
differential filter:tapir deferensial  
differential gain:penambahan diferensial  
differential galvanometer:galvanometer diferensial  
differential gear:gigi/roga gigir diferensial  
differential method:metode diferensial  
differential multiplexer:multiplexer diferensial  
differential permeability:permeabilitas diferensial  
differential phase:fase diferensial  
differential threshold:ambang diferensial  
differential transducer:pengalih diferensial  
differential type relay:relai tipe diferensial  
differential-algebraic equations:persamaan aljabar diferensial  
differentiating circuit:sirkuit diferensiasi  
differentiating element:elemen diferensiasi  
differentiation:diferensiasi  
differentiation circuit:sirkuit diferensiasi  
differentiation selection:seleksi diferensiasi  
differentiator:diferensiator  
difficulty:sulit  
difficulty of software development:kesulitan dalam pengembangan perangkat lunak  
diffracted wave:gelombang lentur  
diffraction:difraksi/lenturan  
diffraction loss:kerugian lenturan  
diffuse reflectance:daya pantul membaur  
diffuse reflection:refleksi membaur  
diffuse sound:suara membaur  
diffuse transmission:transmisi membaur  
diffused junction:cabang berbaur  
diffused resistor:resistor membaur  
diffusing surface:permukaan difusi  
diffusion:difusi  
diffusion:difusi; pembauran  
diffusion capacitance:kapasitansi difusi:  
diffusion current:arus difusi:  
diffusion length:panjang difusi:  
diffusion potential:potensial difusi:  
diffusion process:proses difusi:  
diffusion pump:pompa difusi:  
DigiCash:digiuang:  
DigiCash:digiuang:



DigiCash:tunai digital:1  
DigiCash:UangDigi:1  
digipeater:digipeater:  
digiral plotter:perajah digital:  
digit:digit:  
digit compression:kompresi digit:  
digit emitter:emiter digit:  
digit place:tempat digit:  
digit place:tempat digit:  
digit position:posisi digit:  
digit punch:penebuk digit:  
digit selector:selektor/penyeleksi digit/jari:  
digit selector character:karakter penyeleksi digit:  
digit specifier:penspesikasi digit:  
digit wheel:roda jari/digit:  
digital:digital:1  
digital:digital:  
digital:digital:  
digital:digital:  
digital (data):digital (data):  
digital (data):digital (data):  
digital (data):digital (data):  
digital analyzer:penganalisis digital:  
digital and analog output basic:digital dan dasar keluaran analog:  
digital and analog output data channel adaptor:digital dan adaptor saluran data keluaran analog:  
Digital Audio Broadcasting (DAB):DAB:  
digital audio tape (DAT):pita audio digital:  
digital audio tape drive:penggerak pita audio digital:1  
digital cash:uang digital:  
digital cash :uang digital:  
digital cassette:kaset digital:  
digital certificate :sertifikat digital:  
digital certificate :sertifikat digital:  
digital circuit:kalang digital:  
digital coins :koin digital:  
digital colck:jam digital:  
digital computer:komputer digital:1  
digital computer:komputer digital:1  
digital computer:komputer digital:  
digital computer:komputer digital:  
digital computer:komputer digital  
digital data:data digital  
digital data exchange:tukar data digital  
digital date exchange:pertukaran data digital  
digital device read-in:pembacaan peranti digital  
digital differential analyser:penganalisis diferensial digital

digital differential analyzer:penganalisis diferensial digital  
digital display:layar/tampilan digital  
digital distribution television:televisi terdistribusi digital  
digital electronic voltmeter:voltmeter elektronik digital  
digital envelope :amplop digital  
digital exchange:pindah digital  
digital filter:penyaring digital  
digital I/O power supply:suplai daya I/O digital  
digital IC:IC digital  
digital imaging:pencitraan digital  
digital incremental plotter:perajah inkremental digital:  
digital input:masukan digital:  
digital input basic:dasar masuk digital:  
digital input data channel adaptor:adaptor saluran data masuk digital:  
digital input feature:ciri masuk digital:  
digital input fuse:pemutus arus masuk digital:  
digital input group:grup masuk digital:  
digital input non-isolated:takterisolasi masuk digital:  
digital input/digital output:masukan/keluaran digital:  
digital input/output module:modul keluaran/masukan digital:  
digital input/process interrupt non-isolated:masukan digital/proses menyela takberisolasi:  
digital instrument:instrumen digital:  
digital lease line:jalur suwa digital:1  
digital magnetic tape:pita magnetik digital:  
digital multiaccess:multiakses digital:  
digital multimeter:multimeter digital:  
digital network::1  
digital network architects:arsitek jaringan digital:  
digital networks:jaringan digital:  
digital notebook:buku nota digital:1  
digital optical disk:disk digital optik:  
digital optical storage:penyimpan optik digital; simpan optik digital:  
digital output adaptor:penyadur keluaran digital:  
digital output control:kontrol keluaran digital:  
digital output feature:ciri keluaran digital:  
digital paper:berkas digital:  
digital photography :fotografi digital:  
digital private branch exchange:pertukaran cabang sendiri digital:  
digital private branch exchange:pertukaran cabang sendiri digital:  
digital recorder:perekam digital:  
digital register:register digital:  
digital representation:representasi digital:  
digital scanner:pemindai digital:1  
digital scanner:penelusur digital:  
digital signal:sinyal digital:1  
digital signal:sinyal digital:1

digital signal:sinyal digital:1  
digital signal:sinyal digital:  
digital signal:sinyal digital:  
digital signal:sinyal digital:  
digital signal:sinyal digital:  
digital signal processor:pemroses sinyal digital:1  
digital signal processor:prosesor sinyal digital:  
digital signal processor:prosesor sinyal digital:  
digital signals:sinyal digital:  
digital signals:sinyal digital:  
digital signature:tanda tangan digital:1  
digital signature:tanda tangan digital:  
digital signature:tandatangan digital:1  
digital simulation:simulasi digital:  
digital solar aspect sensor:sensor aspek matahari digital:  
digital subscriber line:jalur pelanggan digital:1  
digital system:sistem digital:  
digital television signal:sinyal televisi digital:1  
digital time read-in:membaca waktu digital:  
digital time read-out control:kontrol membaca waktu digital:  
digital time unit:unit waktu digital:  
digital transmission:transmisi digital:1  
digital transmission:transmisi digital:  
digital transmission:transmisi digital:  
digital transmission networks:jaringan transmisi digital:  
digital vascular imaging:pencitraan tenggorok digital:  
digital versatile disc (DVD):cakram serba dapat digital (DVD):1  
digital video interactive (DVI):interaktif video digital:  
digital video signal:sinyal video digital:1  
digital volt meter:volt meter digital:  
digital voltmeter:voltmeter digital:  
digital wallet :dompet digital:  
digital wallet :dompet digital:  
digital/analog:digital/analog:  
digital/analog converter:konverter digital/analog:  
Digital/Digitized:digital/digitasi:  
digital-analog computer:komputer digital analog:1  
digitalized signature:penanda pendigitalan:  
digitally coded voice:suara berkode digital:  
digital-pulse converter:konverter/pengubah pulsa-digital:  
digital-to-analog converter: konverter digital-analog:1  
digital-to-analog converter:konverter digital-analog:  
digital-to-analog converter:konverter digital-analog:  
digital-to-analog converter:konverter digital-analog:  
digital-to-analogue converter:konverter digital-analog:  
digital-to-analogue converter:konverter digital-analog:

digitise:pendigit:  
 digitise:pendigit:  
 digitiser:pendigit:  
 digitize:pendigitan:  
 digitize:pendigitan:  
 digitizer:pendigit:1  
 digitizer:pendigit:  
 digitizing:pendigitan:  
 digitizing:pendigitan:  
 digitizing pad:pad pendigitan:1  
 digitizing tablet:tablet pendigitan:1  
 digraph:digraf:  
 digroup:digrup:  
 Dijkstra's algorithm:algoritma Dijkstra:  
 dilute sulfuric acid:asam belerang encer  
 dimension:dimensi  
 dimension (of a matrix):dimensi (sebuah matriks)  
 dimension attribute:atribut dimensi  
 dimensionality:besar dimensi  
 dimensioning:pemandraan  
 diminished radix complement:komplemen radiks berkurang  
 diminished radix complement:komplemen radiks berkurang  
 diminished radix complement:penggenap akar pengurangan  
 DIMMS:  
 diode:dioda  
 diode AC switch:perangkai AC dioda  
 diode matrix:matriks diode  
 diode transistor logic:logika transistor diode  
 diode-transistor logic:logika transistor diode  
 dip:dip; lubang  
 DIP switch:pengalih DIP:1  
 DIP switch::  
 "DIP, Dual In-line Package"::  
 duplex operation:operasi dupleks:  
 diplexer:diplekser:  
 dipole:dipol; dwikutub:  
 dipole antenna:antena dipol/kutub:  
 dipole oscillator:osilator dwikutub:  
 dipping:diping:  
 dip-type developing:pengembangan tipe-benam:  
 dipulse code:sandi dipulsa:  
 dir:dir:  
 dir (FTP):dir (FTP):  
 direct:langsung:  
 direct access:akses langsung:1  
 direct access:akses langsung:

direct access:akses langsung:  
direct access:akses langsung:  
direct access application:aplikasi akses langsung:  
direct access device:peralatan akses langsung:  
direct access file:berkas akses langsung:1  
direct access file:berkas akses langsung:  
direct access files:berkas akses langsung:  
direct access files:berkas akses langsung:  
direct access input/output statement:kata masukan/keluaran akses langsung:  
direct access memory:memori akses langsung:1  
direct access memory:metode akses langsung:  
direct access method:metode akses langsung:  
direct access method:metode memperoleh akses langsung ke alat penyimpan:  
direct access methods:metode akses langsung:1  
direct access methods:metode akses langsung:  
direct access READ statement:kata READ akses langsung:  
direct access storage:DAS:  
direct access storage:DAS :  
direct access storage:penyimpan akses langsung:  
direct access storage:simpan akses langsung:1  
direct access storage:simpan akses langsung; penyimpan akses langsung:  
direct access storage device:alat penyimpan akses langsung:  
direct access storage device (DASD):DASD:  
direct access storage device (DASD):peranti penyimpan akses langsung (DASD):1  
direct access storage facility:fasilitas penyimpan akses langsung:  
direct access store:penyimpanan akses langsung:  
direct access store:penyimpanan akses langsung:  
direct access WRITE statement:kata WRITE akses langsung:  
direct address:alamat langsung:  
direct address instruction:instruksi alamat langsung:  
direct address relocation:relokasi alamat langsung:  
direct addressing: pengalamatan langsung:1  
direct addressing:pengalamatan langsung:  
direct addressing:pengalamatan langsung:  
direct addressing instruction:instruksi pengalamatan langsung:  
direct addressing:pengalamatan langsung:  
direct allocation:alokasi langsung:  
direct broadcast:siar langsung:1  
Direct Broadcast Satellite (DBS)/DISH:DBS:  
direct broadcasting by satellite (DBS):DBS:  
direct cable connection::  
direct call:cacah langsung:  
direct call:panggil langsung:  
direct call facility:fasilitas panggil langsung:  
direct changeover:pindah langsung:  
direct channel:kanal langsung:

direct circuit:sirkuit/rangkaian langsung:  
direct code:kode langsung:  
direct control channel:kanal kontrol langsung:  
direct control feature:ciri kontrol langsung:  
direct conversion:konversi langsung:1  
direct costs::  
direct couple amplifier:amplifier gandeng langsung:  
direct coupled transistor logic:logika transistor gandeng langsung:  
direct coupling:gandengan langsung:  
direct conversion:konversi langsung:1  
direct conversion:konversi langsung:  
direct current:arus langsung:  
direct current telegraphy:telegrafi arus langsung:  
direct current transformer:transformer arus langsung:  
direct data channel:saluran data langsung:  
direct data entry (DDE):entri data langsung:  
direct data manipulation:manipulasi data langsung:  
direct data set:kumpulan data langsung:  
direct data set:kumpulan data langsung:  
direct deflection method:metode defleksi langsung:  
direct digital control:kontrol digital langsung:  
direct distance dialing:penyambungan jarak langsung:  
direct dump:dump langsung:  
direct entry technique:teknik entri langsung:  
direct file:berkas langsung:1  
direct file:berkas langsung:  
direct file:berkas langsung:  
direct file:berkas langsung:  
direct graph::  
direct index:indeks langsung:  
direct indexing:pengindeksan langsung:  
direct input:masukan langsung:  
direct insert subroutine:subrutin sisipan langsung:  
direct instruction:instruksi langsung:  
direct lighting:pencahayaan langsung:  
direct manipulation:manipulasi langsung:  
direct manipulation (user interface):manipulasi langsung (antarmuka pengguna):  
direct manipulation interface:antarmuka manipulasi langsung:1  
direct manipulation interface:antarmuka manipulasi langsung:  
direct manipulation interface:antarmuka manipulasi langsung:  
direct mapped cache::  
direct measure::  
direct measurement:ukuran langsung:  
direct measurement::  
direct memory access:akses memori langsung:  
direct memory access (DMA):akses memori langsung:1

istilah-ti-indonesia

direct memory access (DMA):akses memori langsung:  
direct memory access (DMA):akses memori langsung:  
direct memory access channel:saluran akses memori langsung:  
direct memory access channel unit:unit saluran akses memori langsung:  
direct memory access controller:pengendali akses memori langsung:1  
direct memory access controller:pengendali akses memori langsung:  
direct memory access mode:ragam akses memori langsung:  
direct method:metode langsung:  
direct method electro-static process copying machine:mesin pengopian proses elektro-statik  
metode langsung:  
direct methods:metode langsung:  
direct metric::  
direct organization:organisasi langsung:  
direct organization file:berkas organisasi langsung:  
direct percentage function:fungsi persentasi langsung:  
direct processing:pemrosesan langsung:1  
direct processing:pemrosesan langsung:  
direct processing:pemrosesan langsung:  
direct program control:kontrol program langsung:  
direct program control:kontrol program langsung:  
direct punch control:kontrol pelubang langsung:  
direct reading instrument:instrumen baca langsung:  
direct readout infrared radiation:radiasi infra merah membaca langsung:  
direct retrieval:pengambilan langsung:  
direct semantics:semantik langsung:  
direct statement:pernyataan langsung:  
direct suspension:suspensi langsung:  
direct system output writer:penulis keluaran sistem langsung:  
direct trunk line:lin/garis batang langsung:  
direct viewing tube:tabung pandang langsung:  
direct wave:gelombang langsung:  
direct word:kata langsung:  
direct x::  
direct-access files:berkas akses langsung:1  
direct-access files:berkas akses langsung:  
direct-axis reactance:reaksi sumbu-langsung:  
direct-coupled amplifier:amplifier bergandeng- langsung:  
direct-coupled cavities:kavitasi bergandeng-langsung:  
direct-coupled flip-flop:flip-flop:  
directed:arahan:  
DIRECTED ACYCLIC GRAPH::1  
directed beam display device:alat tampilan berkas berarah:  
directed broadcast:boardcast terarah:  
directed broadcast address:alamat broadcast terarah:  
directed graph:grafik langsung:  
directed scan:pindai berarah:

directed-beam scan:pindai berkas-berarah:  
direction:arah:  
direction finder:penemu arah:  
directional antenna:antena langsung:  
directional comparison relaying:relai perbandingan direksional:  
directional coupler:penggandeng direksional/berarah:  
directional electromagnetic radiation:radiasi elektromagnetik berarah:  
directional filter:penyaring direksional/berarah:  
directional gain:penambahan direksional/ berarah:  
directional microphone:mikrofon direksional:  
directional radiation:radiasi berarah:  
directive:direktif:  
directivity:direktivitas:  
directivity diagram:diagram direktivitas:  
directivity factor:faktor direktivitas:  
directivity gain:penguatan direktivitas:  
directivity index:indeks direktivitas:  
directly heated thermistor:thermistor berpanas langsung:  
director:direktur:  
director:direktur/pengarah:  
director element:elemen pimpinan:  
directorized data set:kumpulan data berdirektori:  
directory:direktori:1  
directory:direktori:1  
directory:direktori:  
directory:direktori:  
directory:direktori :  
directory:direktori :  
directory :direktori:1  
directory (for cache coherence)::  
directory and database services (DS):direktori dari servis pangkalan data:  
directory block:blok direktori:  
directory entry:entri direktori:  
directory file:berkas direktori:  
directory information:informasi direktasi:  
directory look aside table (DLT)::  
directory management:manajemen direktori:  
directory operator:operator direksi:  
directory service:layanan direktori:  
directory services:layanan direktori  
directory structures:struktur direktori  
directory tree structured:pohon direktori terstruktur  
direct-point repeater:pengulang langsung-titik  
direct-reading instrument:instrumen baca-langsung  
direct-writing recorder:perekam tulis-langsung  
dirt:kotoran



dirty bit:  
"dirty bit, cache":  
"dirty bit, page":  
dirty page:  
DIS:DIS  
disable:mencacatkan; disabel  
disable:mencacatkan; disabel  
disable:tak boleh  
disabled:melumpuhkan  
disabled page fault:kesalahan halaman cacat:  
disabling the line:pelumpuhan garis/lin:  
disaggregation:disagregasi:  
disagreement:perbedaan pendapat:  
disassemble:awa rakitan:  
disassembler:awa rakitan:  
disassembler:awa rakitan:  
disassembler:pembongkar:  
disassembler:penghurai:1  
disassembler ::  
disassembly:awa rakitan:  
disaster dump:penumpah kerusakan:  
disaster planning:perencanaan bencana:1  
disaster planning:perencanaan bencana:  
disaster recovery:pemulihan bencana:1  
disaster recovery:pemulihan bencana:  
disaster recovery plan:rencana pemulihan bencana:1  
disaster recovery plan:rencana pemulihan bencana:  
disc:cakram; disk:  
disc coil:kumparan cakram/piringan:  
disc constant:konstanta cakram/piringan:  
disc files:berkas cakram:  
disc files:berkas cakram:  
disc labels:label cakram:  
disc pack:disk pak:  
disc packs:disk pak:  
disc packs:disk pak:  
disc reading:pembacaan cakram:  
disc striping::  
disc units:unit cakram:  
disc units:unit cakram:  
discard:buangkartu:  
discharge:pemberhentian  
discharge:pembongkaran  
discharge current:arus pemberhentian  
discharge device:alat pemberhentian  
discharge lamp:lampu lecut

discharge tube: tabung lecut  
discharge tube rectifier: perata arus pipa pengosongan  
discharge voltage: voltase kosong  
discharged stencil making machine: mesin pembuatan stensil kosong  
discharging curve: kurva/lengkung pengosongan  
discharging gap: rumpang kosong  
discipline: disiplin  
disconnect: tak terhubung  
disconnect (FTP): disconnect (FTP)  
disconnect lamp: lampu terpisah  
disconnect mode: ragam tak terhubung  
disconnect signal: sinyal tak terhubung  
disconnecting plug: plug/penusuk terpisah  
disconnection: hal tak terhubung  
discontinuous: tak selalu  
discontinuous control action: aksi kontrol terputus  
discounted payback period: periode balik bayar terabat  
discourse: tak kursus  
discourse situation: situasi tak kursus  
discrete: diskret  
discrete circuit: sirkuit diskret: 1  
discrete circuit: sirkuit diskret:  
DISCRETE COSINE TRANSFORM: : 1  
discrete data: data diskret  
discrete distribution: distribusi diskret:  
discrete distribution: distribusi sebarang:  
Discrete event: even diskrit:  
discrete part: bagian diskret  
discrete programming: pemrograman diskret  
discrete programming: pemrograman diskret  
discrete representation: representasi terpisah  
discrete semiconductor: semikonduktor deskret  
discrete sentence intelligibility: inteligibilitas kalimat lapisan  
discrete simulation: simulasi diskret  
discrete structures: komputasi dalam struktur diskrit  
discrete system simulation: simulasi sistem sebarang  
discrete time :  
discrete simulation: simulasi diskrit  
discriminant: diskriminan  
discriminating: pendiskrimian  
discriminating selector: selektor pendeskriminasian  
discriminating tone: nada pendeskriminasian  
discrimination: diskriminasi  
discrimination circuit: sirkuit diskriminasi:  
discrimination condition: kondisi diskriminasi:  
discrimination instruction: instruksi diskriminasi:

discrimination level:tahap diskriminasi:  
discriminator:diskriminator:  
disc-seal:perapat-cakram/piringan:  
disc-seal tube:tabung perapat-cakram/ piringan:  
disc-sealled tube:tabung rapat-cakram/piringan:  
dish:cawan:  
disintegration:disintegrasi:  
disintermediation :disintermediasi:  
disjunction:disjungsi:  
disjunctive normal form:bentuk normal disjungtif:  
disk:disk:  
disk :cakram:  
disk actuator:aktuator cakram:1  
disk actuator::  
disk arm:lengan cakram:1  
disk arm:tangan/lengan cakram:  
disk arm:tangan/lengan cakram:  
disk array::  
disk brake:rem disk:  
disk buffer:penyangga cakera:1  
disk cache:at cakram \*:  
disk cache:tembolok cakram:1  
disk cache:tempat cakram \*:  
disk capacity:kapasitas cakram:  
disk cartridge:katridge disk:  
disk cartridge unit:unit katridge disk:  
disk catridge:tempat cakram:  
disk controller:pengendali cakram:1  
disk controller:pengendali cakram:  
disk controller:pengontrol cakram:1  
disk controller card:kartu pengendali cakram:1  
disk cycle steal:curi siklus cakram:  
disk cylinder:silinder cakram:  
disk drive:penggerak cakram:  
disk dump:tumpukan cakram:  
disk duplexing:perangkapan cakram:1  
disk duplexing:perangkapan cakram:  
disk duplexing:perangkapan cakram:  
disk duplication:duplikasi cakram:1  
disk envelope:envelop cakram:1  
disk file:berkas cakram:  
disk file organization:organisasi berkas cakram:  
disk formatting::  
disk initialization:inisialisasi disk:  
disk label:label cakram:  
disk label check:cek label cakram:

disk latency::  
disk memory:memori cakram:1  
disk mirroring:pencerminan cakram:1  
disk mirroring:pencerminan cakram:1  
disk mirroring:pencerminan cakram:  
disk mirroring:pencerminan cakram:  
disk mirroring:pencerminan cakram:  
disk monitor system:sistem layar/monitor cakram:  
disk operating system:sistem operasi disk:  
disk operating system:sistem pengoperasian cakram (DOS):  
disk operating system (DOS):sistem operasi cakram:1  
disk operating system (DOS):sistem operasi cakram:  
disk operating system (DOS):sistem operasi cakram:  
disk operating system (DOS):sistem operasi cakram (DOS):1  
disk operating system PL/I optimizing compiler and libraries:sistem pengoperasian cakram PL/I  
perangkum optimis dan pustaka:  
disk oriented system:sistem orientasi cakram:  
disk pack:pak cakram:1  
disk pack:pak cakram:  
disk pack:pak cakram:  
disk pack control adaptor:adaptor kontrol diskpak:  
disk pack controller:pengontrol diskpak:  
disk pack drive unit:unit alat diskpak:  
disk pack storage:pak cakram penyimpan:  
disk pack storage:penyimpan pak cakram:1  
disk patch:lintasan cakram:  
disk platter:piring cakera:1  
disk platter::  
disk record:rekam cakram:  
disk recovery:penyelamatan cakram:  
disk resident system:sistem residen cakram:  
disk scheduling::  
disk schematic:skema cakram:1  
disk schematic:skema cakram:STRUCTUR?  
disk sector: sektor cakram:1  
disk sector:sektor cakram:  
disk sector:sektor cakram:  
disk sort:pilah cakram:  
disk sort program:program pendek cakram:  
disk spindle::  
disk storage:cakram penyimpanan:  
disk storage:cakram penyimpanan:  
disk storage:cakram penyimpanan:  
disk storage:penyimpan cakram:1  
disk storage:penyimpanan cakram:1  
disk storage control:kontrol penyimpan disk:

Disk Storage Drive:penggerak penyimpan disk:  
disk storage drives:gerakan penyimpan cakram:  
disk storage module:modul penyimpan cakram:  
disk storage operations:operasi penyimpan cakram:  
disk storage unit:unit penyimpan disk:  
disk to card:cakram ke kartu:  
disk to diskette copy:kopi/salin disket ke cakram:  
disk to printer dump:penumpah pencetak ke cakram:  
disk track:lintas/jejak cakram:  
disk unit:unit cakram:1  
disk unit:unit cakram:  
disk volume:volume cakram:  
disk/disc:cakram:1  
disk/disc:cakram:  
diskette:disket:1  
diskette:disket:1  
diskette:disket:  
diskette:disket:  
diskette:disket:  
diskette:disket:  
diskette drawer:laci disket:  
diskette drive:penggerak disket:  
diskette input/output unit:unit masukan/keluaran cakram:  
diskette IPL bootstrap:pengangkat IPL disket:  
diskette patch:tambahan/potongan disket:  
diskette to disk copy:salin cakram ke disket:  
diskette to printer dump:penumpah pencetak ke disket:  
diskette unit:unit cakram:  
diskettes:disket:  
diskfile:berkas cakram:  
dismount:turun:  
disparity:perbedaan:  
disparity analysis:analisis perbedaan:  
dispatch:pelepasan:1  
dispatch:pelepasan:DELETE  
dispatch:pelepasan:  
dispatch networks:jaringan pengiriman; jaringan pelepasan:  
dispatch program:program mulai:  
dispatchable:tersebarkan:  
dispatcher:pengirim:  
dispatching:pengiriman:  
dispatching center:pusat pengiriman:  
dispatching priority:prioritas pengiriman:  
dispatching queue:antrian pengiriman:  
disperse:menebarkan:  
dispersing agent:agen pengiriman:

dispersion:dispersi:  
dispersion:dispersi; tebaran:  
dispersion coefficient:koefisien dispersi:  
displacement:penggantian:  
displacement:penukaran:  
displacement current:arus pisah:  
DISPLAY:DISPLAY:DELETE  
display:layar; tampilan; tampilan:  
DISPLAY:peraga:1  
display adapter:adapter penampil:1  
display adaptor:penyadur tampilan:  
Display algorithms:algoritma tayangan:  
display and printing calculator:mesin hitung cetak dan tayang:  
display attachment:perlengkapan tampilan:  
display attribute:atribat tampilan:  
display calculator:mesin hitung tayang:  
display character generator:pembangkit/generator karakter tampilan:  
display command:perintah tayang:  
display console:konsol penampil:1  
display console:konsol tampilan/layar:  
display control unit:unit kontrol tampilan:  
display controller:pengendali tampilan:  
display copier:pengopi tampilan:  
display cycle:siklus peragaan:  
display device:peranti penampil:1  
display device:peranti tampilan:  
display element:elemen tampilan:  
display field:lapangan peragaan; medan peragaan:  
display format:bentuk/format tampilan:  
display format control:kontrol format tampilan:  
display format facility:fasilitas format tayangan:  
display formats:format tampilan:1  
display formats:format tampilan:  
display frame:kerangka tampilan:  
display image:bayangan tampilan:  
display instruction:instruksi tayang:  
display lamp:lampu tampilan:  
display line:garis peragaan:  
display management system:sistem manajemen tampilan:  
display monitors output devices:peranti keluaran monitor tampilan:1  
display monitors output devices:peranti keluaran monitor tampilan:  
display multiplexor:multiplexor tampilan:  
display position:posisi peragaan:  
display recall control:kontrol panggil ulang tayang:  
display scheduler:perskedul tampilan:  
display screen:layar penampil:1

display screens:layar tayangan; layar tampilan:  
display space:ruang tampilan:  
display station:stasiun tampilan:  
display station-single remote:alat jarak jauh stasiun tunggal tampilan:  
display storage tube:tabung penyimpan tampilan:  
display support:dukungan tayangan:  
display terminal:terminal penampil:1  
display terminal:terminal tampilan:  
display tube:tabung peragaan:  
display tube:tabung tampilan:  
display unit:unit penampil:1  
display unit:unit peragaan:  
display unit:unit tampilan:  
displaying:penampilan:  
disposable models:model:  
disposition:disposisi:  
disproof:sanggahan:  
disruptive discharge:lecut disruptif:  
dissector:disektor:  
dissector:pembedah:  
dissemination:deseminasi:  
dissonance:disonans:  
dissonance coil:kumparan disonansi:  
distance:jarak:  
distance learning :pendidikan jarak jauh:  
distance mark:penanda pemisah:  
distance measuring equipment:alat ukur jarak:  
distance measuring equipment:peralatan ukur jarak:  
distance range:jarak nilai pemisah:  
distance resolution:resolusi pemisah:  
distant indication:indikasi pisah:  
Distant Signal:sinyal jauh:  
distorted wave:gelombang berdistorsi:  
distortion:distorsi:1  
distortion:distorsi:  
distortion:distorsi:  
distortion:distorsi; erotan:  
distortion analysis:analisis erotan:  
distortion factor:faktor distorsi:  
distortion rate:kecepatan distorsi:  
distortion transmission impairment:pelemahan transmisi distorsi:  
distortionless condition:kondisi tak berdistorsi:  
distress traffic:trafik berbahaya:  
distributed:terdistribusi:  
distributed amplifier:amplifier berdistribusi:  
distributed applications:aplikasi berdistribusi:1

distributed applications:aplikasi terdistribusi:  
distributed applications:aplikasi terdistribusi:  
distributed arbitration::  
Distributed architectures (NEW):arsitektur terdistribusi:  
Distributed commercial transactions (NEW):transaksi komersial terdistribusi:  
distributed computer network:jaringan komputer terdistribusi:  
distributed computing: perhitungan terdistribusi:1  
distributed computing:perhitungan terdistribusi:  
distributed computing:perhitungan terdistribusi:  
distributed constant:konstanta berdistribusi:  
distributed data base:pangkalan data tersebar/teragih:  
distributed data interface (DDI):antarmuka data terdistribusi:1  
distributed data interface (DDI):antarmuka data terdistribusi:  
distributed data processing (DDP):pemrosesan data terdistribusi (DDP):1  
distributed data processing (DDP):pemrosesan data terdistribusi (DPP):1  
distributed data processing (DDP):pemrosesan data terdistribusi (DPP):  
distributed data processing (DDP):pemrosesan data tersebar (DPP):  
distributed data processing (DDP):pemrosesan data tersebar (DPP):  
distributed data structures:struktur data terdistribusi:1  
distributed data structures:struktur data terdistribusi:  
distributed database:pangkalan data terdistribusi:1  
distributed database:pangkalan data terdistribusi:1  
distributed database:pangkalan data terdistribusi:1  
distributed database:pangkalan data terdistribusi:  
distributed database:pangkalan data terdistribusi:  
distributed database:pangkalan data terdistribusi:  
distributed database:pangkalan data terdistribusi:  
distributed database and banking industry:pangkalan data terdistribusi dan industri perbankan:DELETE  
distributed debugging:pengawakutan terdistribusi:  
distributed file systems:sistem berkas terdistribusi:  
distributed free space:ruang bebas terdistribusi:  
distributed function:fungsi terdistribusi:  
distributed function computer system:sistem komputer fungsi terdistribusi:  
distributed inductance:induktans berdistribusi:  
distributed intelligence:inteligensi terdistribusi:  
distributed intelligence system:sistem inteligensi terdistribusi:  
distributed intelligence system:sistem inteligensia terdistribusi:  
distributed languages:bahasa terdistribusi:  
distributed management:manajemen terdistribusi:1  
distributed management:manajemen terdistribusi:  
distributed memories:memori terdistribusi:  
distributed memory::  
distributed memory architecture::  
distributed multiprocessor:multiprosesor terdistribusi:  
distributed network:jalinan teragih:1



distributed networks:jaringan terdistribusi:  
distributed networks:jaringan terdistribusi:  
distributed objects:objek terdistribusi:  
distributed processing:pemrosesan terdistribusi:1  
distributed processing:pemrosesan terdistribusi:1  
distributed processing:pemrosesan terdistribusi:1  
distributed processing:pemrosesan terdistribusi:1  
distributed processing:pemrosesan terdistribusi:  
distributed processing:pemrosesan terdistribusi:  
distributed processing:pemrosesan terdistribusi:  
DISTRIBUTED PROCESSING:PEMROSESAN TERDISTRIBUSI:  
distributed processing:proses teragih; proses tersebar:  
Distributed programming:pemrograman terdistribusi:  
distributed refresh::  
distributed route computation:komputasi rute terdistribusi:  
distributed spanning tree:pohon rentang terdistribusi:  
distributed star topologies:topologi bintang tersebar:  
distributed system:sistem teragih; tersebar:  
distributed system:sistem terdistribusi:1  
distributed system ::  
distributed systems:sistem teragih; tersebar:  
distributed systems:sistem teragih; tersebar:  
distributed winding:gulungan berdistribusi:  
distributed/network graphics::  
distributing board:papan penyebaran:  
distributing frame:kerangka teragih; tersebar:  
distributing operator:operator pendistribusian:  
distribution:distribusi  
distribution:distribusi; agihan  
distribution board:papan distribusi  
distribution cable:kabel distribusi  
distribution curve:kurva distribusi  
distribution entry:entri distribusi  
distribution factor:faktor distribusi  
distribution function:fungsi distribusi  
distribution functions:fungsi distribusi  
distribution library:pustaka distribusi  
distribution line:jalur distribusi  
distribution list:senarai distribusi  
distribution loss:kerugian distribusi  
distribution medium:medium distribusi  
distribution network:jaringan distribusi  
distribution of electrical energy:distribusi energi listrik  
distribution phase:fase distribusi  
distribution point:titik pendistribusian  
distribution pole:kutub distribusi

distribution program:program distribusi  
distribution sort:pilah distribusi  
distribution tape:tape distribusi  
distribution technique:teknik distribusi  
distribution volume:volume distribusi  
distributive law:hukum distributif  
Distributor:distributor  
distributor:distributor  
distributor shelf:lapisan distributor  
district center:pusat distrik  
district selector:selektor daerah  
disturbance:gangguan; disturbans  
ditcher:pelengkung  
dithering:penggentaran  
divergence:divergensi  
diversity:diversitas; bineka  
diversity:  
diversity factor:faktor keanekaragaman  
diversity reception:resepsi keanekaragaman  
diverter switch:sakelar pemisah  
divide:bagi  
divide by/per zero:  
divide check:cek pembagian  
divide check interrupt:sela cek pembagian  
dividend:laba; dividen  
divider:pembagi  
divider:pembagi  
dividing:pembagian  
dividing filters:penyaring/tapis pembagian  
dividing line:garis pembagian:  
dividing network:jaringan pembagi:  
divisible:terbagian:  
division:divisi; pembagian:  
division:pembagian; divisi:  
division axiom:aksioma divisi:  
division by zero:pembagian nol:1  
division header:divisi saluran kumpul/pipa kumpul:  
division name:nama divisi:  
division of integer(s):pembagian integer:  
division process:proses divisi:  
divisions COBOL:COBOL divisi:  
divisor:pembagi:  
DIX ethernet:DIX ethernet:  
DLC:DLC:  
DLE:DLE:  
DLE:DLT:

DLL::  
DLL :DLL :PUSTAKA TAUT DINAMIK  
DLT:DLT:  
DMA:DMA:  
DMA:DMA:  
DMA channel:saluran DMA:  
"DMA, direct memory access":  
DMI::  
DMS:DMS:  
DNS:DNS:  
DNS reply:jawaban DNS:  
DNS request:permohonan DNS:  
DNS server:server DNS:1  
DO loop:ikalan DO:  
do nothing operation:operasi tak berbuat apa-apa:  
DO variable:varibel DO:  
docking station:stasiun dok:1  
docking station:stasiun doking:  
document:dokumen:  
document analysis:analisis dokumen:  
document and journal printer:pencetak jurnal dan dokumen:  
document change instructions:instruksi pengubah dokumen:  
document detailed document::DELETE  
document formatting:pemformatan dokumen:  
document handling machine:mesin pelayanan dokumen:  
document inscriber:pencatat dokumen:  
document insertion:sisipan dokumen:  
document management:manajemen dokumen :  
document management ::  
document originating machine:mesin penerbyten dokumen:  
document processor:prosesor dokumen:  
document production:produksi dokumen:1  
document production:produksi dokumen:  
document reader:pembaca dokumen:1  
document reader:pembaca dokumen:  
document readers:pembaca dokumen:  
document reference edge:pinggir/tepi referensi dokumen:  
document reference edge:tebing acuan dokumen:  
document retrieval:retrieval dokumen:  
document retrieval system:sistem retrieval dokumen:  
document time:waktu/umur dokumen:  
document writing machine:mesin penulisan dokumen:  
documentation:dokumentasi:1  
documentation:dokumentasi:1  
documentation:dokumentasi:DELETE  
documentation:dokumentasi:

documentation:dokumentasi:  
documentation:dokumentasi:  
documentation:dokumentasi:  
documentation ::  
documentation book:buku dokumentasi:  
documentation management:manajemen dokumentasi:  
documentation program:program dokumentasi:1  
documentation program:program dokumentasi:  
documentation program:program dokumentasi:  
documentation system:sistem dokumentasi:  
documentation testing:pengujian dokumentasi:  
documentor:dokumentor:  
documentor:dokumentor; pendokumen:  
documents:dokumen:1  
documents:dokumen:DELETE  
docuterm:dokuterm:  
dog:anjing:  
do-group:grup DO:  
dollar sign:tanda dolar:  
DOM :DOM :  
domain:domain; daerah; wilayah; kawasan; matra:  
domain:domain; daerah; wilayah; kawasan; matra:  
domain:ranah:DELETE  
domain ::  
domain analysis ::  
domain architectural model ::  
domain decomposition methods:metoda dekomposisi domain:  
domain engineering ::  
Domain engineering (NEW):rekayasa domain:  
domain expert:pakar ranah:DELETE  
domain model ::  
domain name :nama domain:  
domain name server:server nama ranah:1  
domain name server (DNS):DNS:  
domain name system (DNS):DNS:  
domain name system (DNS):DNS:  
domain name system (DNS):DNS:  
domain name system (DNS):sistem nama ranah:1  
domain names:nama domain:  
"domain nameservers, for fulltime connections": "nama domain, untuk hubungan penuh":  
domain requirements model ::  
domain theory:teori kawasan/domain:  
Domain-specific architectures (NEW):arsitektur domain spesifik:  
dome:lengkung; kubah:  
dome shaped contact:kontak profil dokumen:  
domestic broadcasting:penyiaran domestik:

dominance ::  
dominant mode:ragam dominan:  
dongle:anak kunci:1  
dongle:dongel  
donor:penderma; donor  
door keylock:kunci pintu  
doorknob transition:transisi tombol pintu  
dopant:dopan  
dope:dop  
doppler:doppler  
dormant state:keadaan dorman  
DOS:DOS  
DOS:DOS  
DOS 45:DOS 45  
DoS attack :penyerangan DoS  
"DOS, disk operating system":  
dose:dosis  
dosemeter:dosemeter  
dosimeter:dosimeter  
dot:titik:  
dot command:perintah titik:1  
dot cycle:siklus titik:  
dot diagram:diagram dot:  
dot impact printer:pencetak dot impact:  
dot matrix:matriks dot/titik:  
dot matrix character generator:generator karakter matriks dot/titik:  
dot matrix printer:pencetak matriks bintik:1  
dot matrix printer:pencetak matriks dot/titik:  
dot matrix printer:printer matriks bintik:  
dot matrix printer:printer matriks bintik:  
dot pattern:pola titik:  
dot pitch::  
dot printer:pencetak dot/titik:  
dot-frequency:frekuensi-dot:  
dots per inch (dpi):bintik per inchi:  
dotted decimal notation:notasi desimal bertitik  
double address:alamat ganda  
double bond:ikatan ganda  
double bridge:jembatan ganda  
double buffering:  
double bus:bus ganda  
double catenary suspension:suspensi tali rantai ganda  
double cavity klystron:klistron kavitas ganda  
double commutator d. c. machine:mesin d.c. komutator ganda  
double commutator generator:generator komutator ganda  
double connection:koneksi ganda

istilah-ti-indonesia

double corona charging: pengisian korona ganda  
double cotton-covered wire: kawat berbungkus-kapas ganda  
double current: arus ganda  
double current line adaptor: adaptor garis arus ganda  
double delta connection: koneksi delta ganda  
double density: densitas ganda:  
double detection reception: resepsi deteksi ganda:  
double drawer: penggambatang dobel:  
double echo: gema ganda:  
double end: akhir ganda:  
double error: kesalahan ganda:  
double flow turbine: turbin aliran ganda:  
double lens: lensa ganda:  
DOUBLE LINKED LIST::1  
double modulation: modulasi ganda:  
double precision: kecermatan/presisi ganda/dobel:  
double precision: presisi ganda:1  
double precision: presisi ganda:  
double precision arithmetic: aritmetik presisi ganda:1  
double precision arithmetic: aritmetik presisi ganda:  
double precision complex constant: konstanta kompleks presisi dobel:  
double precision complex type: tipe kompleks presisi dobel:  
double precision constant: konstanta presisi dobel:  
double precision exponent part: bagian eksponen presisi dobel:  
double-precision number: nomor presisi ganda:1  
double precision type: tipe presisi dobel:  
double pulse recording: perekaman pulsa dobel:  
double pulse train: lengkapan pulsa ganda:  
double punch: penebuk ganda:  
double rail logic: logika rel dobel:  
double range: deret ganda:  
double register: register ganda:  
double sampling: percontohan ganda:  
double sampling inspection plan: rencana inspeksi percontohan ganda:  
double side band: jalur samping ganda:  
double sided: sisi ganda:  
double silk-covered wire: kawat berbungkus-sutera ganda:  
double squirrel-cage induction motor: motor induksi angker hubungan-singkat ganda:  
double star rectifier connection: koneksi perata arus bintang ganda:  
double stream amplifier tube: tabungan amplifier alir ganda:  
double total adding machine: mesin penambah jumlah ganda:  
double track: lintasan ganda:  
double wire-armored cable: kabel berperisai-kawat ganda:  
double word: kata kembar:1  
double word: kata ganda:1  
double word: kata ganda:

istilah-ti-indonesia

double word:kata ganda:  
double-current bridge duplex:dupleks jembatan arus- ganda:  
double-current generator:generator arus-ganda:  
double-current simplex circuit:sirkuit simpleks arus- ganda:  
double-current system:sistem arus-ganda:  
double-ended cord:tali berujung-ganda:  
double-fluid cell:sel cairan-ganda:  
double-humped resonance curve:kurva resonansi langsir- ganda:  
doublelength:panjang ganda:  
doublelength numeral:bilangan panjang ganda:  
double-length register:register panjang-ganda:  
"double-period gate, magnetic bubble memory":  
double-plugged cord:tali berpenusuk-ganda:  
double-pole cut-out:sakelar padam kutub-ganda:  
double-precision:presisi/kecermatan-ganda:  
double-precision arithmetic:aritmatika presisi ganda:1  
double-precision arithmetic operation:operasi aritmetik presisi/kecermatan-ganda:  
double-precision number:bilangan presisi/kecermatan- ganda:  
double-precision qxponent part:bagian eksponen presisi/kecermatan-ganda:  
double-precision arithmetic:aritmatika presisi ganda:  
double-precision arithmetic:aritmatika presisi ganda:  
double-pulse recording:perekaman pulsa ganda:  
doubler:dobler; pengganda:  
double-sideband transmission:transmisi ganda-pitasisi:  
double-sided board:papan bersisi-ganda:  
double-sided disk:cakram dobel sisi:1  
double-sided disk::  
double-sided double-density disk:cakram dobel sisi dobel densitas:1  
double-sided high-density disk:cakram dobel sisi densitas tinggi:1  
doublet:doblet; bentuk ganda:  
doublet antenna:antena kembar:  
double-tariff meter:meter tarif-ganda:  
double-tariff system:sistem tarif-ganda:  
double-tariff system meter:meter sistem tarif-ganda:  
double-throw switch:sakelar buangan-ganda:  
double-wire signal:signal kawat-ganda:  
doubleword:kata dobel:  
doubleword:kata ganda:  
doubleword boundary:batas kata dobel:  
doubly re-entrant winding:gulungan yg masuk kem- bali-ganda:  
dovetail:sambungan:  
down lead:timbangan turunan:  
down link:matarantai turun:  
down loading:pembeban turun:  
down time:waktu anggur:  
down time:waktu anggur; waktu hilang:

down time:waktu rusak:  
down time::  
downconverter:pengubah turun:  
downlink:downlink:  
downlink:taut turun:1  
down-link:downlink:  
download:ambil berkas:1  
download:ambil berkas:1  
download:ambil berkas:  
download:ambil berkas:  
download:ambil berkas:  
download:ambil berkas:  
download:ambil data:1  
download (receive):ambil berkas:  
downloading:ambil berkas:  
downloading:ambil data:  
downloading:pembeban turun:  
downloading:pengambilan berkas:1  
downloading:pengambilan data:1  
downsize:pengecilan:  
downsizing:pengecilan:  
downsizing:penurunan ukuran:1  
downsizing ::  
downtime:periode terganggu:  
downward call:pemanggilan kebawah:  
downward compatibility:kompatibilitas turun:  
downward reference:acuan ke bawah:  
downward reference:referensi kebawah:  
downwards compatible:kompatibilitas turun:  
DP:DP:  
DPI::  
DPLL (Dual Phase-Locked Loop)::  
dpublic-precision number:bilangan presisi/kecermatan ganda:  
draft height:tingginya bagan:  
draft ISO recommendation:rekomendasi ISO bagan:  
draft proposal:proposal konsep:  
draft quality:kualitas draft:  
drag:geser:  
drag and drop::  
Drag-and-drop :DRAG-AND-DROP :SERET-BUANG  
dragging:penghelaan:  
dragless antenna:antena nirhambatan  
drain:elektrode transistor  
drain:saluran  
drain tube:tabung kuras  
drain valve:katub kuras



drainage coil:kumparan saluran  
DRAM:DRAM  
DRAM:DRAM  
draw bridge locking device:alat penguncian jembatan tarik  
drawer:penggambar  
drawer type:tipe penarik  
draw-in conduit system:sistem konduit tarik  
drawing:gambar  
DRC:DRC  
DRD:DRD  
DRESS:DRESS  
drift:hanyut:  
drift current:arus tarikan:  
drifting:layang:  
drifting character:karakter layang:  
drifting characters:karakter penghanyutan:  
Drill-down Report:DRILL-DOWN REPORT:LAPORAN BERTURUN  
drip gauge:pengukur tetes:  
drip-proof machine:mesin uji-tetes:  
directory services gopher:jasa direktori gopher:  
drive:dorongan:  
drive:gerakan; guguhan; penggerak:  
drive:hantar; guguhan; gerakan:  
drive bay:laci penggerak:1  
drive unit:unit kemudi:  
driven element:elemen yang digerakkan:  
driver:penggerak:1  
driver:penggerak  
driver control area:area kontrol penggerak  
driver control area region extension:perluasan bagian area kontrol penggerak  
driver control area region extention:ekstensi bagian area kontrol penggerak  
driving grid:kisi penggerak  
driving pulse:pulsa kemudi  
driving torque:puntir penggerak  
driving tube:tabung penggerak  
driving wheel:roda pacuan  
drop:jatuh  
drop bar:batang timpa  
drop cable:kabel jatuh  
drop in:masuk  
drop wire:kawat jatuh  
dropin:masuk  
drop-in:taruh di dalam  
drop-in:taruh masuk:  
dropout:"keluar, jatuh":  
drop-out:taruh keluar:

dropout voltage:voltase putus/turun:  
dropper:penetes:  
drug-cup rotor:rotor cangkir-obat \*:  
drum:drum:1  
drum:drum:  
drum:drum:  
drum boiler:ketel tromol:  
drum drive:pacu teromol:  
drum dump:penumpang tromol:  
drum factor:faktor teromol:  
drum memory::  
drum oriented system:sistem pedoman teromol:  
drum plotter:perajah drum:1  
drum plotter:plotter drum  
drum printer:pencetak drum  
drum printer:pencetak teromol  
drum sort:pilah drum  
drum storage:penyimpanan drum  
drum switch:sakelar tromol  
drum unit:unit drum  
drum winding:gulungan tromol  
drums:tromol  
dry contact:kontak kering  
dry element battery:baterai elemen kering  
dry element cell:sel elemen kering  
dry flashover voltage:voltase cetus-api kering  
dry lead contact:kontak timbel kering  
dry reed contact:sentuhan/kontak buluh  
dry run:jalan kering  
dry season:musim kering  
dry type transformer:transformer tipe kering  
dry-core cable:kabel inti kering  
dryer:pengering  
drying:pengeringan  
DS:DS  
DSCB:DSCB  
DSCB 0:DSCDO  
DSE:DSE (ekstensi kumpulan data)  
DSP:DSP  
"DSP, digital signal processor":  
DSS :DSS  
DST:DST  
DSTN:  
DSU:DSU  
DSVD:  
DTE:DTE

DTE (Data Terminal Equipment):  
DTP:  
d-type flip-flop:flip-flop d-tipe  
dual:ganda  
dual brightness:kecerahan ganda  
dual card:kartu rangkap  
dual channel scanning radiometer:radiometer pemindaian saluran rangkap  
dual communication interface:antartatapan komunikasi rangkap  
dual data set:kumpulan data rangkap/ganda  
dual data station:stasiun data rangkap  
dual density:densitas kembar  
dual density:kepadatan dobel  
dual density tape unit:unit pita densitas rangkap  
dual feed carriage control:kontrol kereta umpan rangkap  
dual independent forms feed:umpan bentuk tak-bebas rangkap  
dual inline memory module (DIMM):modul memori dua sebaris:1  
dual inline memory module (DIMM):modul memori dual sebaris (DIMM):1  
dual inline package:kemasan segaris ganda:  
dual in-line package (DIP):DIP:  
dual model ::  
dual multiple column control:kontrol kolom ganda rangkap:  
dual network:jaringan ganda:  
dual operation:operasi kembar/rangkap:  
dual port memory:memori dual port:1  
dual port memory::  
dual processor:dua pemroses:1  
dual processor:pemroses kembar:  
dual scan display::  
dual slope type:tipe tanjakan rangkap:  
dual speed:kecepatan rangkap:  
dual system:sistem kembar:  
dual tone multi-frequency (DTMF):DTMF:  
dual tone multi-frequency (DTMF):multifrekuensi dwinada:1  
dual-cable broadband LAN:LAN penyebaran kabel-dobel:  
dualhoming:dua nama:1  
dualhoming:dualhoming:  
dual-in-line package:paket dual pada baris:  
dualprocessor: dwiprosesor:1  
dualprocessor:dwiprosesor:  
dualprocessor:dwiprosesor:  
dubbing:pengisian suara:  
duct:duktus:  
duct entrance:jalan masuk saluran/pipa:  
duct line:garis saluran/pipa:  
duct piece:potongan saluran/pipa:  
duct width:bentangan saluran/pipa:

ductility:duktilitas:  
due in:hak masuk:  
due out:hak keluar:  
dumb terminal:terminal dungu:1  
dumb terminal:terminal dungu:1  
dumb terminal:terminal dungu:  
dummy:sulih; boneka:  
dummy argument:argumen dumi:  
dummy argument:argumen kosong:  
dummy argument:argumen/pendapat sulih/tiruan:  
dummy argument::1  
dummy coil:kumparan tiruan:  
dummy control section:irisian kontrol kosong:  
dummy data set:kumpulan data dumi:  
dummy data set:kumpulan data sulih/tiruan:  
dummy file:berkas kosong:  
dummy instruction:perintah/instruksi dumi:  
dummy list:senarai tiruan:  
dummy load:beban sulih/tiruan:  
dummy parameter:parameter tiruan:  
dummy record:rekaman kosong:  
dummy record:rekord kosong:  
dummy section:bagian dumi:  
dummy section:pangsa/bagian dumi:  
dummy statement:statemen dumi:  
dummy treatment:pemrosesan tiruan:  
dummy variable:variabel dumi:  
dump:dump:  
dump:membuang:1  
dump area:area/daerah bertumpuk:  
dump check:cek bertumpuk:  
dump management:pengelolaan timbunan:  
dump point:titik bertumpuk:  
dump power:daya penumpah:  
dump program:program bertumpuk:  
dump routine:rutin dump \*:  
dump terminal:terminal bertumpuk:  
dumping:pembuangan:  
dumps:buang:  
duodecimal:duodesimal:  
duologue:dualog:  
DUP:DUP:1  
DUP:DUP:DELETE  
duplex:dupleks:1  
duplex:dupleks/rangkap:  
duplex:dupleks/rangkap:

duplex cable:kabel dupleks:  
duplex channel:kanal dupleks:1  
duplex channel:kanal dupleks:  
duplex channel:kanal dupleks:  
duplex computer system:sistem komputer dupleks:  
duplex data attachment base:dasar sambungan data dupleks:  
duplex FU:FU dupleks:  
duplex operation:operasi dupleks/rangkap:  
duplex system:sistem dupleks:  
duplex telegraphy:telegraf dupleks:  
duplex telephony:telepon dupleks:  
duplex transmission:transmisi dupleks:1  
duplex transmission:transmisi dupleks/rangkap:  
duplexed system:sistem rangkap:  
duplexer:perangkap; duplekser:  
duplexing:pendeplekson:  
duplicate:duplikat:  
duplicate disk:cakram duplikat:1  
duplicate mass storage volume:volume penyimpan massa duplikat:  
duplicate sampling:percontohan duplikat  
duplicate volume:volume duplikat  
duplicating card punch:pelubang kartu pengganda  
duplicating punch:pelubang duplikat  
duplication:duplikasi  
duplication check:pemeriksaan duplikasi  
duplication factor:faktor duplikasi  
duplication with complementary logic:  
duplicator:duplikator  
duration:durasi  
duration curve:kurva lamanya  
duration of wave front:waktu gelombang depan  
duration of wave tail:waktu gelombang belakang  
duration selector:selektor lamanya  
dust core:teras debu  
dustproof machine:mesin tahan debu  
duty:tugas:  
duty cycle:ikal tugas:  
duty factor:faktor pembebanan:  
duty ratio:rasio aktif:  
duty-cycle operation:operasi lamanya pembebanan:  
duty-factor:faktor tugas:  
DVD::  
DVD Random Access Memory (DVD-RAM) :DVD Memori Akses Acak (DVD-RAM):1  
DVD Read Only Memory (DVD-ROM) :DVD Memori Baca Saja (DVD-ROM):1  
DVD Recordable (DVD-R):DVD Bisa Rekam (DVD-R):1  
DVD Rewriteable (DVD-RW):DVD Bisa Tulis Ulang (DVD-RW):1

DVDROM::  
DVD-ROM drive:penggerak DVD-ROM:1  
DVI:DVI:  
Dvorak keyboard:papan tombol Dvorak:1  
dyadic:diadik:  
dyadic Boolean operation:operasi Boolean diadik:  
dyadic boolean operator:operator boole diadik:  
dyadic instruction:instruksi diadik:1  
dyadic operation:operasi diadik:  
dyadic operator:operator diadik:  
dynamic:dinamik:  
dynamic ::  
dynamic access control method:metode kontrol akses dinamik:  
dynamic adaptive operating system:sistem pengoperasian adaptif dinamik:  
dynamic address translation:terjemahan alamat dinamik:  
dynamic address translation feature:fitur terjemahan alamat dinamik:  
dynamic addressing scheme:skema pengalamatan dinamik:1  
dynamic addressing scheme:skema pengalamatan dinamik:  
dynamic allocation:jatah/alokasi dinamik:1  
dynamic allocation:jatah/alokasi dinamik:  
dynamic allocation:jatah/alokasi dinamik:  
dynamic allocation:jatah/alokasi dinamik:  
dynamic analysis ::  
dynamic area:daerah/area dinamik:  
dynamic array area:daerah array dinamik:  
dynamic assertion ::  
dynamic balancing:imbang dinamik:  
dynamic binding:ikatan dinamik:1  
dynamic binding ::  
dynamic brake:rem dinamik:  
dynamic braking:pengereman dinamik:  
dynamic buffering: penyanggaan dinamik:1  
dynamic buffering:penyanggaan dinamik:  
dynamic buffering:penyanggaan dinamik:  
dynamic characteristic:karakteristik dinamik:  
dynamic characteristics:karakteristik dinamik:  
dynamic circuit:sirkuit dinamik:  
dynamic convergence:konvergensi dinamik:  
dynamic current:arus dinamik:  
dynamic data exchange (DDE):pertukaran data dinamik:1  
dynamic data exchange (DDE):pertukaran data dinamik (DDE):1  
dynamic data exchange (DDE):pertukaran data dinamik (DDE):  
dynamic data exchange (DDE):pertukaran data dinamik (DDE):  
dynamic data exchange (DDE):pertukaran data dinamik (PDD):1  
dynamic data exchange (DDI):DDI:  
dynamic data set definition:definisi kumpulan data dinamik:

dynamic device reconfiguration:konfigurasi ulang peralatan dinamik:  
dynamic device reconfiguration:rekonfigurasi peralatan dinamik:  
dynamic dispatching:tebar/menebarkan dinamik:  
dynamic document:dokumen dinamik:  
dynamic driving:penggerakan dinamik:  
dynamic dump:dump dinamis:  
dynamic earphone:telepon kepada dinamik:  
dynamic error:kesalahan dinamik:  
dynamic evaluation:evaluasi dinamik:  
dynamic host configuration:konfigurasi host dinamik:  
dynamic host configuration protocol (DHCP):protokol konfigurasi:1  
dynamic HTML:HTML dinamik:1  
dynamic image:gambatang dinamik:  
dynamic indication:indikasi telepon:  
dynamic inheritance ::  
dynamic link library:perpustakaan tautan dinamik:1  
dynamic link table:tabel sambung dinamik:  
dynamic linkage:sambungan dinamik:  
dynamic linkage structure:struktur sambungan dinamik:  
dynamic linkage structured program:program struktur sambungan dinamik:  
dynamic linking::  
dynamic linking structure:struktur penyambungan dinamik:  
dynamic loading:pembebanan dinamik:  
dynamic memory (DRAM) :memori dinamik (DRAM)  
dynamic memory allocation:alokasi memori dinamik  
dynamic memory allocation:alokasi memori dinamik  
dynamic memory disk:  
dynamic microphone:mikrofon dinamik  
dynamic microprogramming:pemrograman mikrodinamik  
dynamic model:model dinamik  
dynamic model :  
dynamic object instantiation :  
dynamic parameter:parameter dinamik  
dynamic path reconnect:  
dynamic pickup:daya akselerasi dinamik  
dynamic printout:hasil cetakan dinamik  
dynamic print-out:cetak-keluar dinamik  
dynamic program loading:pembebanan program dinamik  
dynamic programming:pemrograman dinamik  
dynamic programming:pemrograman dinamik:  
dynamic RAM:RAM dinamik:  
dynamic RAM (DRAM):RAM dinamik:1  
dynamic RAM (DRAM):RAM dinamik:  
dynamic RAM (DRAM):RAM dinamik:  
dynamic RAM (DRAM):RAM Dinamik (DRAM):1  
dynamic random access memory:memori akses acak dinamik:

dynamic relocation:relokasi dinamik:  
dynamic resource allocation:alokasi sumber dinamik:  
dynamic routing:peruteanan dinamik:1  
dynamic routing:perutinan dinamik:  
dynamic scheduler ::  
dynamic scheduling::  
dynamic scheduling::  
dynamic storage:penyimpan dinamik:1  
dynamic storage:penyimpan dinamik:  
dynamic storage allocation:jatah/alokasi penyimpan dinamik:  
dynamic storage area:daerah penyimpanan dinamik:  
dynamic storage compacting:pemadatan penyimpan dinamik:  
dynamic storage management:manajemen penyimpan dinamik:  
dynamic string switch:alih tali dinamik:  
dynamic structure:struktur dinamik:  
dynamic structured program:program struktur dinamik:  
dynamic subroutine:subrutin dinamik:  
dynamic support program:program dukung dinamik:  
dynamic support system:sistem dukung dinamik:  
dynamic system interchange:simpangan sistem dinamik:  
dynamic testing:pengujian dinamik:  
dynamic two channel switch:sakelar dua saluran dinamik:  
dynamic type-checking ::  
dynamic variable:perubah dinamik/variabel dinamik:1  
dynamicizer:pendinamis; dinamisator:  
dynamics:dinamika:  
dynamometer:dinamometer:  
dynamotor:dinamotor:  
dynatron:dinatron:  
dynatron characteristic:karakteristik dinatron:  
dynatron effect:efek dinatron:  
dynatron frequency meter:meter frekuensi dinatron:  
dynode:dinoda:  
E-1::  
EAM:EAM:  
ear:telinga:  
early automation with database systems:automasi awal dengan sistem pangkalan data:DELETE  
early berkasure:kegagalan belum waktunya:  
early warning system ::  
"early/late select, cache"::  
earphone:alat dengar telinga:  
earphone coupler:penggandeng telepon kepala  
EARPROM:  
earth:bumi; tanah  
earth capacity:kapasitas tanah  
earth conductivity:konduktivitas tanah



earth current: arus bumi; tanah  
earth imaging: bayangan tanah  
earth load: beban tanah  
earth magnetic field: medan magnetik tanah  
earth magnetism: magnetisme tanah  
earth potential: potensial bumi  
earth pulse: pulsa tanah  
earth resistance: resistansi tanah  
earth return system: sistem retur tanah  
earth sensor: sensor tanah  
earth station: stasiun bumi  
earth terminal: terminal tanah:  
earth wire: kawat tanah:  
earthed circuit: sirkuit terbumi:  
earthed neutral system: sistem netral bertanah:  
earthing: pbumian:  
earthing device: lengkapan (ke) tanah:  
earthing terminal: terminal (ke) tanah:  
earth-return circuit: sirkuit retur-tanah:  
ease: mudah:  
easy of learning ::  
eavesdropping: pasang telinga: 1  
eavesdropping: pendengaran diam-diam (pd sesuatu):  
EAX: EAX:  
EAX: EAX:  
EBCDIC: EBCDIC:  
EBCDIC:: 1  
"EBCDIC, Extended Binary-Coded-Decimal Interchange Code":  
ebonite: ebonit:  
EBR: EBR:  
EC (extended control) mode: mode kontrol perluasan:  
EC (extended control) mode: ragam EC (kontrol perluasan):  
EC mode: ragam EC:  
e-cash: e-cash:  
ECB: ECB:  
ECC: ECC:  
ECC memory::  
echo: gema: 1  
echo: gema; gaung:  
echo attenuation: pelemahan gema:  
echo box: kotak gema:  
echo check: tilikan/cek gema:  
echo check: tilikan/periksa gema:  
echo checking system: sistem penilikan gema  
echo machine: mesin gema  
echo reply: balasan gema

echo request:permohonan gema  
echo room:ruang gema  
echo sounder:penyuar gema  
echo suppressor:alat tindaas gema  
echo suppressor:supresor gema  
echoes:gema  
echoplex:pleks gema  
ECL:  
ECMA:ECMA  
e-commerce :  
econometric model:model ekonometris  
econometrics:ekonometrika  
economic load dispatching:pengiriman beban ekonomik  
economic order quantity:kuantitas order ekonomi:  
Economics:ekonomi:  
economizer:penghemat:  
ECP::  
ECT:ECT:  
eddy current:arus kisaran:  
eddy current:arus putar:  
eddy current brake:rem arus putar:  
eddy-current brake:rem arus-liar:  
eddy-current loss:kerugian arus-liar:  
edge:tebing; tepi:  
edge card:kartu pinggir:1  
edge connector:konektor pinggir:1  
edge effect:efek tepi:  
edge notched card:kartu derajat akhir:  
edge seek:pencari tepi:  
edge-notched card:kartu akhir-derajat  
edge-punch read:baca pelubang tepi  
edge-punched card:kartu terlubang tepi  
edge-punching:pelubangan tepi  
edge-sensitive:  
edge-triggered:  
edge-triggered flip-flop:flip-flop berpicu pinggir  
edgewise instrument:instrumen profil  
edgewise winding:gulungan profil  
EDI:EDI  
edit:sunting  
edit:sunting (menyunting); edit  
edit code:kode edit  
edit command:perintah sunting  
edit control character:karakter kontrol edit  
edit function:fungsi edit  
edit mode:cara/model sunting:

edit pattern:pola edit:  
edit word:kata edit:  
edit word:kata sunting:  
edit-directed transmission:transmisi edit-langsung:  
edited macro:makro dapat diedit:  
editing:suntingan:  
editing:suntingan; editing:  
editing character:karakter suntingan:  
editing instruction:instruksi penyuntingan:  
editing program:program penyuntingan:  
editing terminal:penyunting; editor:  
edition:edisi:  
editor:editor:1  
editor:penyunting; editor:  
editor command:perintah penyunting/editor:  
editors:editor  
edo RAM:  
EDP:EDP  
EDP auditors:auditor EDP  
EDP center:pusat EDP  
EDPS:EDPS  
edu:  
EDU (educational) names:EDU (pendidikan) nama  
education:edukasi  
education:pendidikan  
edulcorate:edulkorat  
edutainment:  
EEPROM:  
EEPROM:  
effective data transfer rate:laju pindah data efektif  
effect:efek  
effective acoustic center:pusat akustik efektif:  
effective address: alamat efektif:1  
effective address:alamat efektif:  
effective address:alamat efektif:  
effective address generation:pembangkit alamat efektif:  
effective addressing:pengalamatan efektif:  
effective amplitude modulation factor:faktor modulasi amplitudo efektif:  
effective attenuation:atenuasi efektif:  
effective distortion:distorsi efektif:  
effective error:kekeliruan efektif:  
effective frequency deviation:deviasi frekuensi efektif:  
effective frequency range:deret frekuensi efektif:  
effective head:kepala efektif:  
effective height:ketinggian efektif:  
effective input admittance:tempat masukan efektif:

istilah-ti-indonesia

effective input capacitance:kapasitansi masukan efektif:  
effective instruction:instruksi efektif  
effective isotropically radiated power:daya beradiasi isotropis efektif  
effective length:ukuran panjang efektif  
effective length of track:ukuran ranjang jalan efektif  
effective measuring range:deret ukuran efektif  
effective order:permintaan efektif  
effective output capacitance:kapasitansi daya guna  
effective permeability:permeabilitas efektif  
effective power:daya efektif  
effective radius of the earth:radius tanah efektif  
effective range:deret efektif  
effective range:jarak efektif  
effective reactance:reaktansi efektif  
effective resistance:resistans efektif  
effective speed:kecepatan efektif  
effective storage capacity:kapasitas penyimpan efektif  
effective throughput:truput efektif:  
effective time:waktu efektif:  
effective transfer rate:tingkat transfer efektif:  
effective transmission:transmisi efektif:  
effective transmission rating:laju transmisi efektif:  
effective value:nilai efektif:  
effectiveness:efektifitas:  
effectiveness:ketererefektifan:  
effectiveness::  
effector:efektor; pengefek:  
effluent flow::  
efficiency:efisiensi:1  
efficiency:efisiensi:  
efficiency:efisiensi:  
efficiency:efisiensi:  
efficiency::  
efficiency algorithm:efisiensi alogritma:  
efficiency by input-output test:tes masukan/keluaran efisiensi:  
efficiency by summation of losses:efisiensi oleh penjumlahan kehilangan:  
efficiency factor:faktor efisiensi:  
efficiency test:uji efisiensi:  
effort:usaha:  
effort ::  
effort estimation ::  
effort planning ::  
EFT:EFT:  
EFT 209:EFT 209:  
EFTPOS:EFTPOS:  
EFTPOS:EFTPOS:

EFTS:EFTS:

EGA::

EGA card:kartu EGA:1

"EGA, enhanced graphic adaptor"::

egoless programming:pemrograman egoistis:

egoless programming:pemrograman nir-ego:1

egoless programming team:tim pemrograman nirego:1

EHF (Extremely-High Frequency):EHF:

EIA:EIA:

EIA interface:antartatapan EIA:

EIDE::

eigenfunction:fungsi eigen:

eigentone:nada eigen:

eigenvalue:nilai eigen:

eigenvalues:nilai eigen:

eigenvector:vektor eigen:

eigenvectors:vektor eigen:

eight bit data interchange code:kode silih ganti data bit delapan:

eight level code:sandi tingkat delapan:

eighth power region:region daya delapan

eighty-column card:kartu delapan puluh- kolom/ja

EISA:

EISA:

EISA bus:bus EISA

EISA bus:bus EISA

either-way communication:komunikasi arah-bersama

eject:pancar

eject key:kunci pancar

ejection:"kepancaran, efeksi"

elaborate:elaborat

elaboration:elaborasi

elapsed time:waktu liwat/lalu

elastance:elastansi

elastic collision:tabrakan elastik

elastic limit:batas elastik

elbow:siku

electromagnetic radiation:radiasi elektromagnetik

electric adding machine:mesin penambah elektrik

electric anticorrosion:antikorosi elektrik

electric appliance:penggunaan elektrik

electric arc:busur listrik

electric bell:bel listrik

electric boiler:ketel elektrik

electric brake:rem elektrik

electric braking:pengerem elektrik

electric brooder:pengeram elektrik

electric car:mobil listrik  
electric charge:pengisi listrik  
electric circuit:rangkaian listrik  
electric clock:jam elektrik  
electric conductor:konduktor listrik  
electric contact:kontak listrik  
electric contact point:titik kontak listrik  
electric control:kontrol elektrik  
electric crane:kran elektrik  
electric current:arus listrik  
electric discharge:penyetopan listrik  
electric double layer:lapisan ganda elektrik  
electric drill:mesin bor elektrik  
electric dynamometer:dinamometer elektrik  
electric engineering:mesin elektrik  
electric exploration:ekplorasi elektrik  
electric field:medan listrik  
electric field strength:kekuatan medan listrik  
electric field strength:kuat medan listrik  
electric force:gaya listrik  
electric furnace:relau listrik  
electric heater:pemanas listrik  
electric heating:pemanasan listrik  
electric hoist:pengungkit listrik  
electric hot plate:pelat panas listrik  
electric image:bayangan listrik  
electric installation:instalasi listrik  
electric kana typewriter:mesin ketik kana listrik  
electric lever:tuas listrik  
electric light:cahaya listrik  
electric line of force:garis gaya listrik  
electric loading:pembeban listrik  
electric lock:kunci listrik  
electric locking:pengunci listrik  
electric machine:mesin listrik  
electric motor:motor listrik  
electric operation:operasi listrik  
electric oscillation:osilasi listrik  
electric power:tenaga listrik  
electric power industry:industri daya listrik  
electric power pool:sumur daya listrik  
electric power system:sistem daya listrik  
electric precipitation:pengendap listrik  
electric prospecting:peneropong elektrik  
electric prospecting:peneropong listrik  
electric railroad:jalan kereta api listrik

electric rate:laju listrik  
electric rate schedule:skedul laju listrik  
electric resistance:resistansi elektrik  
electric ship propulsion:gaya-dorong kapal elektrik  
electric signal:signal elektrik  
electric smelting furnace:dapur lumer elektrik  
electric storage:penyimpanan elektrik  
electric system:sistem elektrik  
electric table interlocker:penyambung meja elektrik  
electric utility:utilitas elektrik  
electric washer:gelang tutup elektrik  
electric welding:las listrik  
electric winch:lir elektrik  
electric wire:kawat listrik  
electrical accounting machine:mesin perakunan elektrik  
electrical angle:sudut elektris  
electrical energy:energi elektris  
electrical equipment building:bangunan perlengkapan elektris  
electrical impulse:simpul elektrik  
electrical machinery and apparatus:aparatus dan mesin elektris  
electrical performance test:tes prestasi elektris  
electrical transmission:transmisi listrik  
electrical transmission coax cable:transmisi listrik kabel koax  
electrical transmission fiber optics:transmisi listrik serat optik:  
electrical transmission radiation:radiasi transmisi listrik:  
electrical transmission waveguides:bumbung gelombang transmisi listrik:  
electrical wire:kawat elektris:  
electrical zero:zero elektris:  
electrically alterable read-only memory (EAROM):EAROM:  
electrically alterable read-only memory (EAROM):EAROM:  
electrically alterable ROM:ROM alterabel listrik:  
Electrically Erasable Programmable Read Only Memory (EEPROM):Memori Baca Saja Bisa Program  
Bisa Hapus Elektris (EEPROM):1  
electrically erasable ROM:ROM mampu hapus listrik:  
electrically programmable ROM:ROM pemrograman listrik ROM:  
electric-discharge lamp:lampu pengosongan-elektrik:  
electrification:elektrifikasi:  
electro static charge:muatan statik elektro:  
electroacoustic transducer:transduser elektroakustik:  
electroacoustics:elektroakustika:  
electroanalysis:elektroanalisis  
electrocalorimeter:elektrokalorimeter  
electrocardiogram:elektrokardiogram  
electrocardiograph:elektrokardiograf  
electrochemical constant:konstanta elektrokimia  
electrochemical equivalent:ekuivalen elektrokimia

electrochemical valve:katup elektrokimia  
electrochemistry:elektrokimia  
electrode:elektroda  
electrode capacitance:kapasitans elektroda  
electrode characteristic:karakteristik elektroda  
electrode current:arus elektroda  
electrode dissipation:kerugian elektroda  
electrode impedance:impedans elektroda  
electrode potential:potensial elektroda  
electrode resistance:resistansi elektroda  
electrode susceptance:kepekaan elektroda  
electrode voltage:voltase elektroda  
electrodeposition:elektrodaposisi  
electrodialysis:elektrodialisis  
electrodynamic earphone:telepon-kepala elektrodinamik  
electrodynamic force:gaya elektrodinamik  
electrodynamic microphone:gaya elektrodinamik  
electrodynamics:elektrodinamika  
electrodynamometer:elektrodinamometer  
electrodynamometer type:tipe elektrodinamometer  
electroencephalogram:elektroensefalogram  
electroencephalograph:elektroensetalograf  
electro-explosive device:lengkapan eksplosif-elektro  
electroextraction:elektroekstraksi  
electrofax:elektrotaks  
electrofluor:elektrofluor  
electroforming:pembentukan elektro  
electrographite brush:sikat elektrografit  
electrokinetics:elektrokinetika  
electroless plating:lempengan nirelektro  
electroluminescence:elektroluminesens  
electrolysis:elektrolisis  
electrolyte:elektrolit  
electrolytic alkali:alkali elektrolitik  
electrolytic capacitor:kapasitor elektrolitik  
electrolytic cell:sel elektrolitik  
electrolytic copper:tembaga elektrolitik  
electrolytic dissociation:disosiasi elektrolitik  
electrolytic iron:besi elektrolitik  
electrolytic oxidation:oksidasi elektrolitik  
electrolytic rectifier:peralat elektrolit  
electrolytic refining:pemurnian elektrolit  
electrolytic resistance:hambatan elektrolit  
electrolyzer:elektrolisator  
electromagnet:elektromagnet  
electromagnetic brake:rem elektromagnetik



istilah-ti-indonesia

electromagnetic clutch:cengkam elektromagnetik  
electromagnetic compatibility:kompatibilitas elektromagnetik  
electro-magnetic compatibility:kompatibilitas magnetik- elektro  
electromagnetic contactor:pengontak elektromagnetik  
electromagnetic controller:pengontrol elektromagnetik  
electromagnetic coupling:gandengan/kopling elektromagnetik  
electromagnetic deflection:defleksi elektromagnetik  
electromagnetic delay line:garis kelambatan elektromagnetik  
electromagnetic energy:daya elektromagnetik  
electromagnetic field:medan elektromagnetik  
electromagnetic horn:tanruk elektromagnetik  
electromagnetic induction:induksi elektromagnetik  
electromagnetic interference:interferensi elektromagnetik  
electromagnetic lens:kanta elektromagnetik  
electromagnetic microphone:mikrofon elektromagnetik  
electromagnetic oscillograph:osiligraf elektromagnetik  
electromagnetic pump:pompa elektromagnetik  
electromagnetic radiation:radiasi elektromagnetik  
electromagnetic relay:siar/pelantas elektromagnetik  
electromagnetic shielding:tanungan elektromagnetik  
electromagnetic spectrum:spektrum elektromagnetik  
electromagnetic spectrum:spektrum elektromagnetik  
electromagnetic switch:saklar elektromagnetik  
electromagnetic unit:unit elektromagnetik  
electromagnetic wave:gelombang elektromagnetik  
electromagnetics:elektromagnetika  
electromagnetism:elektromagnetisme  
electromechanical interlocking machine:mesin tautan elektromagnetik  
electromechanical switching:pengalihan elektromekanis  
electromechanical transducer:transduser elektromekanis  
electromechanics:elektromakenis  
electrometallurgy:elektrometalurgi  
electrometer:elektrometer  
electromotive force:kakas elektromotif  
electromyogram:elektromiogram  
electromyograph:elektromiograf  
electron:elektron  
electron beam:berkas elektron  
electron beam:berkas elektron  
electron beam exposure:eksposur/pembiaran berkas elektron  
electron beam heating:pemanasan berkas elektron  
electron beam recording:rekaman berkas elektron  
electron beam transmission efficiency:efisiensi transmisi berkas elektron  
electron collector:kolektor elektrostatik  
electron current:arus elektron  
electron device:alat elektron

electron emission:pancaran elektron  
electron emission characteristic:ciri pancaran elektron  
electron gun:senjata elektron  
electron lens:lensa elektron  
electron microscope:mikroskop elektron  
electron mirror:cermin elektron  
electron multiplier:pengali elektron  
electron multiplier:penggali elektron  
electron optics:optika elektron  
electron pair creation:kreasi pasangan elektron  
electron transit angle:sudut transit elektron  
electron transit time:waktu transit elektron  
electron tube:tabung elektron  
electron volt:volt elektron  
electron-beam adressable memory::  
electronic:elektronik:  
"electronic "" contact "" operate":operasi kontak elektronik:  
electronic accounting machine:mesin perakunan elektronik:  
electronic accumulator and sequence checking:akumulator elektronik dan pengecekan urutan:  
electronic admittance:keizinan elektronik ?:  
electronic automatic exchange:pertukaran otomatis elektronik:  
electronic bidding:tawar-menawar elektronik:  
electronic blackboard:papan elektronik:  
electronic blackboard:papan hitam elektronik:1  
electronic book:buku elektronik:1  
electronic book :buku elektronik:  
electronic bulletin board:papan buletin elektronik:1  
electronic bulletin board:papan buletin elektronik:  
electronic bulletin board:papan buletin elektronik:  
electronic bulletin board:papan pengumuman elektronik:1  
electronic business (e-business):bisnis elektronik:  
electronic cash:tunai elektronik:1  
electronic cash:tunai elektronik:  
electronic cash:uang elektronik:1  
electronic cash:uang elektronik:1  
electronic cash:uang elektronik:  
electronic cash:uang elektronik:  
electronic cash register:register tunai elektronik:  
electronic cash register with electronic reader system:senarai kas elektronik dengan bacaan elektronik:  
electronic circuit analysis program:program analisis sirkuit elektronik:  
electronic classroom:ruang kelas elektronik:1  
electronic classroom:ruang kelas elektronik:1  
electronic classroom:ruang kelas elektronik:  
electronic classroom:ruang kelas elektronik:  
electronic commerce::

electronic commerce :e-niaga:  
electronic commerce (e-commerce):e-niaga:1  
electronic commerce (e-commerce):e-niaga:  
electronic communication:komunikasi elektronik:  
electronic communication:komunikasi elektronik:  
electronic computer:komputer elektronik:  
electronic computer system:sistem komputer elektronik:  
electronic conferencing:konferensi elektronik:1  
electronic conferencing:konferensi elektronik:  
electronic conferencing:konferensi elektronik:  
electronic conferencing:konperensi elektronik:  
electronic control:kontrol elektronik:  
electronic cottage:pondok elektronik:  
electronic current:arus elektronik:  
electronic data exchange:pertukaran data elektronik:1  
electronic data exchange:pertukaran data elektronik:  
electronic data exchange (EDI):pertukaran data elektronik:  
electronic data interchange (EDI):pertukaran data elektronik:1  
electronic data interchange (EDI):pertukaran data elektronik:1  
electronic data interchange (EDI):pertukaran data elektronik:  
electronic data interchange (EDI):pertukaran data elektronik:  
electronic data interchange (EDI):pertukaran data elektronik:  
electronic data interchange (EDI):pertukaran data elektronik:  
electronic data interchange (EDI):pertukaran data elektronik:  
electronic data interchange (EDI):pertukaran data elektronik:  
electronic data interchange (EDI):pertukaran data elektronik (PDE):1  
electronic data interchange (EDI):pertukaran data elektronik (PDE):  
electronic data interchange (EDI):saling tukar data elektronik:1  
electronic data interchange (EDI):saling tukar data elektronik:  
electronic data interchange (EDI) security:keamanan saling tukar data elektronik:  
"electronic data interchange for administration, commerce and transport (EDIFACT)":EDIFACT:  
electronic data interchange implementation:implementasi pertukaran data elektronik:  
electronic data interchange security:keamanan pertukaran data elektronik:  
electronic data interchange security:keamanan saling tukar data elektronik:1  
electronic data interchange software:perangkat lunak pertukaran data elektronik:  
electronic data interchange standards:standar pertukaran data elektronik:  
electronic data interchange versus conventional approach:pertukaran data elektronik lawan metode konvensional:  
electronic data processing:olah data elektronik:  
electronic data processing:pemrosesan data elektronik:1  
electronic data processing:pemrosesan data elektronik:  
electronic data processing:pemrosesan data elektronik:  
electronic data processing:pemrosesan data elektronik:  
electronic data processing center:pusat pemrosesan data elektronik:  
electronic data processing machine:mesin pemrosesan data elektrnik:

istilah-ti-indonesia

electronic data processing machine:mesin pemrosesan data elektronik:  
electronic data processing system:sistem pemrosesan data elektronik:  
electronic data systems (EDS):EDS:  
electronic differential analyzer:penganalisis diferensial elektronik:  
electronic digital computer:komputer digital elektronik:  
electronic document interchange (EDI):pertukaran dokumen elektronik:1  
electronic document interchange (EDI):pertukaran dokumen elektronik:  
electronic document interchange (EDI):pertukaran dokumen elektronik:  
electronic filing:pengarsipan berkas elektronik:  
electronic filing cabinets:almari berkas elektronik:1  
electronic filing cabinets:almari berkas elektronik:  
electronic forms:borang elektronik:  
electronic frequency converter:konverter frekuensi elektronik:  
Electronic Frontier Foundation (EFF):EFF:  
electronic funds transfer:pemindahan dana elektronik:1  
electronic funds transfer:pemindahan dana elektronik:  
electronic funds transfer:pemindahan dana elektronik:  
electronic funds transfer:pemindahan dana elektronik:  
electronic funds transfer:pemindahan dana elektronik:  
electronic funds transfer (EFT):pemindahan dana elektronik:  
Electronic Funds Transfer (EFT):pemindahan dana elektronik:  
electronic funds transfer (EFT):pemindahan dana elektronik (PDE):1  
electronic funds transfer (EFT):pemindahan dana elektronik (PDE):  
electronic funds transfer (EFT):pertukaran dana elektronik:1  
electronic funds transfer (EFT):pertukaran dana elektronik:  
electronic funds transfer at point of sale (EFTPOS):pemindahan dana elektronik - tempat  
penjualan:1  
electronic funds transfer at point of sale (EFTPOS):pemindahan dana elektronik - tempat penjualan:  
electronic gap admittance:admitans kesenjangan elektronik:  
electronic impedance:impedans elektronik:  
electronic industries association:asosiasi industri elektronik:  
electronic intraoffice:intra-kantor elektronik:  
electronic library:perpustakaan elektronik:1  
electronic library:perpustakaan elektronik:1  
electronic library:perpustakaan elektronik:  
electronic library:perpustakaan elektronik:  
electronic library:perpustakaan elektronik:  
electronic mail:surat elektronik:1  
electronic mail:surat elektronik:  
electronic mail:surat elektronik:  
electronic mail:surat elektronik:  
electronic mail :surat elektronik:1  
electronic mail (email):surat elektronik:  
electronic mail (email):surat elektronik:  
electronic mail (e-mail):surat elektronik:  
electronic mail (e-mail):surat elektronik:

istilah-ti-indonesia

electronic mail (Email) address:alamat surat elektronik:  
electronic mail (email) applications:aplikasi surat elektronik:  
electronic mail (email) gateways:gerbang e-mail:  
electronic mail (Email) multisystem:surat elektronik multi-sistem:  
electronic mail (Email) private:surat elektronik pribadi:  
electronic mail (Email) public:surat elektronik umum:  
electronic mail (Email) role of information centers:surat elektronik di pusat informasi:  
electronic mail (email) servers:server surat elektronik:  
electronic mail (Email) single-system:surat elektronik sistem tunggal:  
electronic mail address:alamat surat elektronik:1  
electronic mail address:alamat surat elektronik:  
electronic mail address:alamat surat elektronik:  
electronic mail address:alamat surat elektronik:  
electronic mail definition:definisi surat elektronik:  
electronic mail evaluating:pengevaluasian surat elektronik:  
electronic mail interoffice:surat elektronik antar kantor:  
electronic mail multi-system:surat elektronik multi-sistem:  
electronic mail multi-system:surat elektronik sistem ganda:1  
electronic mail multi-system:surat elektronik sistem ganda:  
electronic mail private:surat elektronik pribadi:1  
electronic mail private:surat elektronik pribadi:  
electronic mail private:surat elektronik pribadi:  
electronic mail public:surat elektronik umum:  
electronic mail single-system:surat elektronik sistem tunggal:1  
electronic mail single-system:surat elektronik sistem tunggal:  
electronic mail single-system:surat elektronik sistem tunggal:  
electronic mail using:penggunaan surat elektronik:  
electronic mail/e-mail:surat elektronik:1  
electronic mail/e-mail:surat elektronik:1  
electronic mail/e-mail:surat elektronik:  
electronic mail/e-mail:surat elektronik:  
electronic mailbox:kotak surat elektronik:1  
electronic mailbox:kotak surat elektronik:  
electronic mailbox:kotak surat elektronik:  
electronic measuring apparatus:radas pengukur elektronik:  
electronic meeting systems:sistem pertemuan elektronik:1  
electronic meeting systems:sistem pertemuan elektronik:  
electronic message interchange (EMI):saling tukar pesan elektronik:1  
electronic message solution (EMS):solusi pesan elektronik:1  
electronic money:uang elektronik:1  
electronic money:uang elektronik:  
electronic newspaper:surat kabar elektronik:1  
electronic newspaper:surat kabatang elektronik:  
electronic office:kantor elektronik:1  
electronic office:kantor elektronik:  
electronic office:kantor elektronik:

electronic office:kantor elektronik:  
electronic optical tracking system:sistem runutan optis elektronik:  
electronic organiser:pengatur elektronik:  
electronic oscillation:osilasi elektronik:  
electronic payment services:jasa pembayaran elektronik:1  
electronic payment services:jasa pembayaran elektronik:  
electronic pen:pena elektronik:1  
electronic pen:pena elektronik:  
electronic point of sale (EPOS):tempat penjualan elektronik:  
electronic printer:pencetak elektronik:  
electronic publishing:penerbyten elektronik:  
electronic relay:siar/pelantas elektronik:  
electronic scanning:pemayaran elektronik:  
electronic shopping:belanja elektronik:  
electronic software distribution:distribusi perangkat lunak elektronik:1  
electronic software distribution:distribusi perangkat lunak elektronik:  
electronic spread sheet:kertas sebatang elektronik:  
electronic spreadsheet:kertas sebar elektronik:  
electronic statistical machine:mesin statistik elektronik:  
electronic switch:alih elektronik:  
electronic switching:pengalihan elektronik:  
electronic switching system:sistem pengalihan elektronik:  
electronic switching systems:sistem pengalihan elektronik:  
electronic terminal cash register:senarai kas terminal elektronik:  
electronic ticketing machines:mesin tiket elektronik:1  
electronic ticketing machines:mesin tiket elektronik  
electronic tuning:penalaan elektronik  
electronic village:kampung elektronik  
electronics:elektronika  
electroosmosis:elektroosmosis  
electrophoresis:elektroforesis  
electrophotographic printer:pencetak elektrofotografik  
electrophotographic technology:teknologi elektrofotografi  
electrophotography:elektrofotografi  
electroplating:elektroplating  
electropneumatic controller:pengontrol elektropneumatik  
electropneumatic switch machine:mesin saklar elektropneumatik  
electropolarized relay:relai terpolarisasi elektrik  
electroscope:elektroskop  
electrosensitive printer:pencetak elektrosensitif  
electroslag furnace:tanur elektroslag  
electrostatic capacitor:kapasitor elektrostatik:  
electrostatic capacity:kapasitas elektrostatik:  
electrostatic coupling:penggandengan elektrostatik:  
electrostatic deflection:defleksi/lenturan elektrostatika:  
electrostatic earphone:telepon telinga elektrostatik:

istilah-ti-indonesia

electrostatic focusing potentials:potensi pemumpunan elektrostatik:  
electrostatic force:kakas elektrostatik:  
electrostatic ground detector:detektor tanah elektrostatik:  
electrostatic induction:induksi elektrostatik:  
electrostatic lens:lensa elektrostatik:  
electrostatic loudspeaker:pengeras suara elektrostatik:  
electrostatic microphone:mikrofon elektrostatik:  
electro-static plate making machine:mesin pembuatan pelat statik-elektro:  
electrostatic plotter:penggambar elektrostatik:  
electrostatic plotter:perajah elektrostatik:1  
electrostatic printer:pencetak elektrostatik:1  
electrostatic printer:pencetak elektrostatika:  
electro-static process copying machine:mesin pengopi proses statik-elektro:  
electrostatic screening:pentabiran elektrostatik:  
electrostatic shielding:tanungan elektrostatik:  
electrostatic storage:penyimpanan elektrostatik:  
electrostatic type:tipe elektrostatik:  
electrostatic unit:unit elektrostatik:  
electrostatic voltmeter:voltmeter elektrostatik:  
electrostatics:elektrostatika:  
electrostatography:elektro stotografi:  
electrostenolysis:elektrostenolisis:  
electrostriction:elektrostriksi:  
electrothermal printer:pencetak elektrotermal:1  
electrothermal printer:pencetak elektrotermal:  
electrothermics:elektrotermika:  
electrotyping:pengelektrotipan:  
electrowinning:elektrowining \*:  
element:elemen:  
element:elemen; unsur:  
element:unsur; elemen:  
element ::  
element address:alamat elemen:  
element assembly:perakitan elemen:  
element definition:definisi unsur:1  
element definition:definisi unsur:  
element error rate:tingkat/laju kesalahan elemen:  
element expression:ekspresi elemen:  
element name control:kontrol nama elemen:  
element of a set:elemen suatu himpunan:  
element variable:variabel elemen:  
elementalism:elementalisme:  
elementary event:peristiwa dasar:  
elementary function approximation:aproksimasi fungsi sederhana  
elementary item:unsur elementer  
elementary statistics:statistik elementer

istilah-ti-indonesia

elementary wiring diagram:diagram jaringan kawat elementer  
elevated railway:jalur kereta api terelvisi  
elevation angle:sudut elevasi  
elevator:elevator  
eleven position:posisi sebelas  
eleven punch:tebuk/lubang sebelas  
eleven-punch:tujuh-penebuk  
elicitation methods:metode elisitasi  
ellipsis:elipsis  
elliptic equations:persamaan eliptik  
elliptic rotating field:medan rotasi eliptik  
elliptical orbit:edaran eliptis  
elliptically polarized wave:gelombang terkutub eliptis  
ELM:ELM:  
elongation:elongasi; pemanjangan:  
EM:EM:  
EM:EM (ujung medium):  
emacs:emacs:  
EMail:e-mail:  
e-mail:e-mail:1  
e-mail:e-mail:  
e-mail:e-mail:  
e-mail:e-mail:  
e-mail:e-mail; surat elektronik:1  
e-mail address:alamat e-mail:1  
e-mail address:alamat e-mail:  
e-mail administration requirement:kebutuhan administrasi e-mail:  
e-mail and ethical issues:surat elektronik dan masalah etika:DELETE  
e-mail body:badan e-mail:  
e-mail client :klien e-mail:  
email forwarding:penerusan email:  
e-mail gateway:gerbang e-mail:  
e-mail header:kepala surat elektronik:  
e-mail indexing:pengindeksan surat elektronik:1  
e-mail indexing:pengindeksan surat elektronik:1  
e-mail indexing:pengindeksan surat elektronik:  
e-mail indexing:pengindeksan surat elektronik:  
e-mail interface:antarmuka e-mail:  
e-mail relay:relai e-mail:  
e-mail security:keamanan surat elektronik:1  
e-mail security:keamanan surat elektronik:1  
e-mail security:keamanan surat elektronik:  
e-mail security:keamanan surat elektronik:  
e-mail systems:sistem e-mail:  
embedded:pembenaman:  
embedded computer:komputer terbenam:1



embedded computer::  
embedded software ::  
embedded system:sistem pembenaman:  
embedded system:sistem terbenam:1  
embedded systems:sistem pembenaman:  
embedded systems:sistem pembenaman:  
embedded temperature detector:detektor suhu bernama:  
embedded type:tipe pembenaman:  
embossing typewriter:mesin tulis cetak timbul:  
embossment:pencetakan timbul:  
ement:koreksi:  
emergency:emergensi; darurat:  
emergency brake:rem darurat:  
emergency counter:pencacah emergensi/darurat:  
emergency interconnection:antarhubungan darurat:  
emergency maintenance:perawatan darurat  
emergency maintenance time:waktu perawatan darurat  
emergency power-off control:pengawasan lepas-daya darurat  
emergency pull:renggutan darurat  
emergency retract:tarik kembali emergensi  
emergency signal:sinyal darurat  
emergency switch:alih emergensi  
emergency traffic:trafik/lalu lintas darurat  
emission:emisi  
emission current:arus pancaran  
emission of electron:pancaran elektron  
emission stability:kemantapan pancaran  
emissivity:emisivitas  
emitter:emiter  
emitter:pemancar; emiter  
emitter coupled logic:logika kopel emiter  
emitter efficiency:efisiensi emiter:  
emitter function logic:logika fungsi emiter:  
emitter junction:sambungan emiter:  
emitter-coupled logic:logika pancaran berpasangan:  
emitter-follower:pengikut pancaran:  
emoticon:emosikon:1  
emoticon:ikonemosi:  
emoticons::  
emotion:emosi:  
emotional:emosional:  
empathy:empati:  
emphasis:emfasis:  
emphasizer:emfasitor:  
employment:pekerjaan:  
employment:pekerjaan:

employment patterns:pola pekerjaan:1  
employment patterns:pola pekerjaan:DELETE  
empowerment and cost:penguasaan dan biaya:DELETE  
empowerment and decision making:pengambilan dan penguasaan keputusan:1  
empowerment and decision making:penguasaan dan pengambilan keputusan:DELETE  
emptiness:kekosongan:  
empty:kosong:  
empty list:senarai kosong:1  
empty medium:medium kosong:  
empty set:himpunan kosong:  
empty string:sirkuitan kosong:  
EMS:EMS:  
emulate:emulasi:  
emulate:emulasi:  
emulation:emulasi:  
emulation:emulasi:  
emulation mode:model emulasi:  
emulation mode:model emulasi  
emulation program:program emulasi  
emulator:emulator  
emulator:emulator  
emulator generation:generasi emulator  
emulator program:program emulator  
emulsion:emulsi  
enable:enabel  
enable interrupt:interupsi termungkinkan  
enable ring:cincin enabel  
enable signal:sinyal termungkinkan  
enabled:enabel  
enabled:enabel (\*)  
enabled page fault:kesalahan halaman termungkin  
enabled wait state:keadaan dapat menunggu  
enabling signal:sinyal mampu/enabel  
enamel:enamel:  
enameled wire:kawat beremail:  
encapsulated postscript format (EPSF):EPSF:  
encapsulated type:tipe terkapsul \*:  
encapsulation:enkapsulasi:  
encapsulation ::  
encipher:menyandi:  
encipherment:penyandian:  
enclosed bus-bars:busbatang tersertakan:  
enclosed cell:sel tersertakan:  
enclosed fuse:sekring tersertakan:  
enclosed switchboard:papan saklar tersertakan:  
enclosed ventilated machine:mesin ventilasi tersertakan:

enclosure for analogue output channel:penutupan untuk saluran keluaran analog:

encode:enkode:1

encode:menyandikan:1

encode:penyandian:

encode:penyandian:

encoder:enkoder:1

encoder:enkoder:1

encoder:enkoder:

encoder:enkoder:

encoder:pengkode; penyandi:

encoding:pengodean:

encoding law:hukum penyandian:

encryption:enkripsi:1

encryption:enkripsi:1

encryption:enkripsi:1

encryption:enkripsi:1

encryption:enkripsi:1

encryption:enkripsi:1

encryption:enkripsi:

encryption:enkripsi:

encryption:enkripsi:

encryption:enkripsi:

encryption:enkripsi:

encryption:enkripsi:

encryption and privacy issues:enkripsi dan isu kenyamanan pribadi:

encryption key:kunci enkripsi:1

encryption key:kunci enkripsi:1

encryption key:kunci enkripsi:

encryption keys:kunci enkripsi:

encryption of data:enkripsi dari data:

encryption of data:enkripsi dari data:

END:END :

END:selesai; tamat:1

end:tamat; akhir:

end card:kartu akhir:

end cell:sel akhir

end coil:gulungan akhir

end column:kolom akhir

end connection:hubungan akhir

end distortion:distorsi/erotan ujung

END line:garis END

end mark:tanda akhir

end of address:akhir alamat

end of assembly:akhir perakitan

end of block:akhir blok

end of extent:akhir perluasan

end of file:akhir berkas  
end of file label:label akhir berkas  
end of file mark:tanda akhir berkas  
end of job:kerja dari ujung  
end of media:akhir media  
end of medium:akhir medium:  
end of medium character:karakter akhir medium:  
end of message:akhir pesan:  
end of message character:akhir ciri pesan:  
end of module indication:indikasi akhir modul:  
end of procedure division:divisi prosedur dari ujung:  
end of record:akhir rekaman:  
end of reel:akhir kumparan:  
end of tape:akhir pita:  
end of tape label:label akhir pita:  
end of tape marker:tanda akhir medium:  
end of task exit routine:rutin keluar akhir pekerjaan:  
End of Text:Akhir Teks:  
end of text:akhir teks:  
end of text character:karakter akhir teks:  
end of transmission:akhir transmisi:1  
end of transmission:akhir transmisi:  
end of transmission:ujung transmisi:  
end of transmission block:blok akhir transmisi:  
end of transmission block (ETB):blok ujung transmisi:  
end of transmission block character:karakter blok akhir transmisi:  
end of transmission character:karakter akhir transmisi:  
end of volume:akhir volume:  
end office:ujung kantor:  
end plate:akhir pelat:  
end point:titik akhir:  
end product::  
end standard:standar akhir:  
end -to-end control:kontrol ujung-ke-ujung:  
end user:pengguna akhir:1  
end user:pengguna akhir:  
end user control character:ciri pengendali pengguna kahir:  
end-around borrow:peminjaman putar ujung:  
end-around carry:pengangkat putar-ujung:1  
end-around carry:pengangkat putar-ujung:  
end-around carry:pengangkut putar ujung:  
end-around shift:geser putar ujung:  
end-around shift instruction:instruksi geser putar ujung:  
end-contact fuse:sekering kontak akhir:  
endfile record:rekaman akhir berkas:

endian::  
ending flag:indikator akhir:  
endless loop:ikal nirakhir:1  
endocentric:endosentris:  
endocentricity:keendosentrison:  
end-of-data-set exit routine:rutin eksit akhir kumpulan data:  
end-of-data-set record:rekord akhir himpunan data:  
end-of-file:akhir berkas  
end-of-file indicator:penunjuk akhir berkas  
end-of-file label:label akhir berkas  
end-of-file label:label akhir berkas  
end-of-file mark:tanda akhir berkas  
end-of-file marker:penanda akhir berkas  
end-of-file program:program akhir berkas  
end-of-file record:rekaman akhir berkas  
end-of-file routine:rutin akhir berkas  
end-of-job:akhir tugas  
end-of-medium character:karakter akhir medium  
end-of-message:akhir pesan  
end-of-record:akhir rekaman  
end-of-record word:kata akhir rekaman  
end-of-reel:akhir gulungan  
end-of-reel marker:penanda akhir gulungan  
end-of-tape:akhir pita  
end-of-tape label:label akhir pita  
end-of-tape marker:penanda ujung-pita  
end-of-tape program:program akhir pita  
end-of-tape routine:rutin akhir pita  
end-of-text character:karakter akhir teks  
end-of-volume:akhir volume/isi  
end-of-volume label:label akhir volume  
end-of-volume label:label akhir volume/isi  
endorser:penyokong  
endorser plate:pelat endorser  
endpoint address:ujung alamat  
endpoint node:simpul titik akhir  
endpoint node:simpul titik akhir  
end-to-end:ujung ke ujung  
end-to-end control character:ciri pengendali akhir-ke- akhir  
end-to-end point:titik hujung ke hujung:1  
endurance:endurans; sabar:  
end-used software:pengguna perangkat lunak:  
end-used software:pengguna perangkat lunak:  
end-user computing:pengguna akhir perkomputeran:1  
end-user computing:pengguna perkomputeran:  
end-user computing:pengguna perkomputeran:

istilah-ti-indonesia

end-user computing:penghitungan pengguna:  
end-user computing:penghitungan pengguna akhir:1  
end-user computing:pengomputeran pengguna akhir:1  
end-user development of application software:pengembangan oleh pengguna dari perangkat lunak aplikasi:DELETE  
end-user development of application software:pengembangan oleh pengguna dari perangkat lunak aplikasi:  
end-user development of application software:pengembangan pengguna akhir perangkat lunak aplikasi:1  
end-user development of application software:pengembangan pengguna akhir perangkat lunak aplikasi:1  
end-user development of application software:pengembangan pengguna perangkat lunak aplikasi:DELETE  
end-user development of application software:perangkat lunak aplikasi untuk pengembangan pengguna akhir:DELETE  
end-user languages:bahasa pengguna:  
end-user programming:pemrograman pengguna:  
end-user programming:pemrograman pengguna ahir:1  
end-user software:perangkat lunak pengguna akhir:1  
end-winding leakage:kebocoran penggulungan akhir:  
energize:daya/kekuatan:  
energy:energi/tenaga:  
energy charge:muatan energi:  
energy curve:kurva energi:  
energy database:pangkalan data energi:  
energy level diagram:diagram tingkat tenaga/energi:  
energy loss:kepekaan energi:  
energy saver:penghemat energi:  
energy sensitivity:kepekaan energi:  
energy value:nilai energi:  
enforcement:penguatan:  
engaged test:uji berpesan:  
engine classes ::  
engine generator:generator mesin:  
engineer:praktisi:  
engineering:rekayasa:  
engineering advisor:penasihat teknik permesinan:  
engineering change:perubahan rekayasa:  
engineering change analysis:analisis perubahan rekayasa:  
"engineering change order, ECO "::  
engineering change proposal:usulan perubahan rekayasa:  
engineering graphics:grafik mesin:  
engineering units:satuan rekayasa:  
engineering work station:stasiun kerja msein:  
engram:engram:  
enhance graphics adaptor (EGA):adaptor grafik dipertingkat:

istilah-ti-indonesia

Enhanced Graphic Adapter (EGA):Adapter Grafik Dipertingkat (EGA):1  
enhanced graphic adaptors:adaptor grafik dipertingkat:  
Enhanced Industry Standard Architecture bus (EISA bus) :bus Arsitektur Standard Industri  
Dipertingkat (EISA bus):1  
Enhanced Service Providers:penyedia jasa dikayakan:  
enhancement:pengayaan:  
enlargement:pembesaran:  
ENQ:ENQ:  
enqueue:pembatalan antrian:  
enqueue residence value:nilai residen enqueue:  
enquiry character (ENQ):ENQ:  
enquiry:enquiry \*:  
Enquiry:Penyelidikan:  
enquiry:penyelidikan:  
enquiry character:karakter enquiry:  
enquiry processing:olah penyelidikan:  
enquiry processing activities:aktivitas pemrosesan permohonan:  
enter:masuk:  
enter mode:mode masuk:  
enter/inquiry mode:mode masuk/inquiry:  
entering:pemasukan:  
entering user requirements:pemasukan kebutuhan pengguna:1  
entering user requirements:pemasukan keperluan pengguna:  
ENTERPRISE ASSET MANAGEMENT:MANAJEMEN ASET USAHA:  
enterprise data planning and modeling:perencanaan data perusahaan dan pemodelan:DELETE  
Enterprise Integration Network (EINet):EINet:  
ENTERPRISE JAVA BEAN::  
enterprise network:jaringan perusahaan:1  
enterprise number:bilangan firma:  
enterprise resource planning:ERP:  
ENTERPRISE RESOURCE PLANNING:PERENCANAAN SUMBER USAHA:  
enterprise resource planning (ERP):ERP:  
enterprise-wide database:pangkalan data perusahaan besar:1  
enterprise-wide database:pangkalan data perusahaan besar:  
enthalpy:entalpi:  
entire interval:selang penuh:  
entirety:entiretar; kejumlahan:  
entities database:entitas pangkalan data :  
entities database:pangkalan data entitas:1  
entity:entitas:  
entity::  
entity attribute::  
entity authentication::1  
entity identifier:pengenali entitas:  
entity list:senarai entitas:  
entity record:rekaman entitas:

entity relation diagram:diagram hubungan entiti:1  
entity relation diagram:diagram hubungan-entiti:  
entity relationship:perhubungan titik:  
entity -relationship (E-R) diagram::  
"entity relationship model, ERM "::  
entity set:set entitas:  
entity type:tipe entitas:  
entity-relationship (ER) diagramming:pendiagraman hubungan entitas:DELETE  
entity-relationship diagram:diagram hubungan entitas:1  
entity-relationship diagram:diagram hubungan entitas:  
entity-relationship diagram:diagram hubungan-entitas:1  
entity-relationship diagram:diagram hubungan-entitas:  
entrance:masuk:  
entrance cable:kabel masuk:  
entrophy (of system):entropi (sistem):  
entrophy (of system):entropi (sistem):  
entropy:entropi:  
entry:entri:  
entry:entri:  
entry block:blok masuk:  
entry conditions:syarat entri  
entry constant:tetapan/konstanta entri  
entry expression:ekspresi entri  
entry instruction:instruksi masuk  
entry mask:  
entry name:nama entri  
entry of a procedure:entri suatu prosedur  
entry point:titik entri  
entry point:titik entri  
entry range:jarak masukan  
entry record:rekord masukan  
entry record type:tipe rekord masukan  
entry relation (E-R) diagram:diagram relasi masukan (E-R)  
entry sequence:urutan entri  
entry sequenced data set:himpunan data terurut masukan  
entry station mounting brackets:tempat mounting stasiun masukan  
entry symbol:simbol entri  
entry table:tabel masukan  
entry technique:teknik masukan  
entry time sharing system:sistem kebersamaan waktu masuk  
entry value:nilai entri  
entry variable:variabel entri  
entry-name:nama masukan  
entry-sequenced data set:kumpulan data entri-urutan  
entry-sequenced file:berkas entri-urutan  
enumerable:enumeralabel



enumerable set:set enumerabel  
enumeration:enumerasi  
enumerator:enumerator  
envelop:amplop  
envelope:amplop  
envelope:sampul  
environment:lingkungan  
environment:  
environment control table:tabel kontrol lingkungan  
environment description:diskripsi lingkungan  
environment division:divisi lingkungan  
environment record:rekaman lingkungan  
environment variables:variable lingkungan  
environmental conditions:kondisi lingkungan  
environmental control table:tabel kontrol lingkungan  
environmental information:informasi lingkungan  
environmental loss time:waktu hilang sekitar  
environmental record editing and statistics program:program pengadilan rekaman dan statistik lingkungan  
"environmental recording, editing, and printing":perekaman lingkungan pengeditan dan pencetakan  
environments:lingkungan  
enzyme:enzim  
EOA:EOA  
EOB:EOB  
EOF:EOF  
EOF indicator:indikator EOF  
EOF maker:pembuat EOF  
EOF program:program EOF  
EOF record:rekam EOF  
EOF routine:rutin EOF  
EOM:EOM  
EOT:EOT  
EOT:EOT (ujung pita)  
EOT:EOT (ujung pita)  
EOT marker:penanda EOT  
EOT program:program EOT  
EOT routine:rutin EOT  
EOV:EOV  
epilog:epilog  
epilogue:epilog:  
epimorphism:epimorfisme:  
epitaxial growth:peryumbuhan epitaksial:  
epitaxial planar technique:teknik planar epilaksial:  
epitome:ringkasan/lambang:  
epoch:waktu:  
epoxy resin:resin epoksi:

EPP::

EPPROM::

EPROM:EPROM:

EPROM:EPROM:

EPROM (erasable programmable read only memory):memori hanya baca terprogram terhapus:1

EPS:EPS:

equal:sama:

equal indicator:indikator seragam:

equal interval integration:integrasi dengan interval sama:

equal pitch contour:kontur buai sama

equal pressure method:metode tekanan sama

equal sign:tanda sama

equal temperament of 12 degrees:temperemen sama 12 derajat

equality:kesamaan

equality:kesatuan

equality of fractions:kesamaan fraksi

equalization:penyamaan; penyeragaman

equalizer:penyama; penyeragam

equalizer:penyatu

equalizing pulse:pulsa penyetoran

equals function:fungsi persamaan

equate:menyamakan

equation:ekuasi; persamaan

equation solver:penyelesai persamaan

equation which is separable:persamaan yang terpisahkan

equatorial orbit:edar ekuatorial

equijoin:gabungan sama

EQUIJOIN:

equiluminous curve:kurva ekuiluminus

equiphase zone:zona ekuifase

equipment:peralatan

equipment:peralatan; kelengkapan

equipment berkasure:kegagalan/kesalahan alat

equipment charge:muatan peralatan

equipment check:tilikan/cek peralatan

equipment compatibility:kompatibilitas alat

equipotential line:garis ekuipotensial

equipotential surface:permukaan ekuipotensial

equivalence:kesetaraan

equivalence:kesetaraan; ekuivalen

equivalence group:grup ekuivalen

equivalence operation:operasi ekuivalensi

equivalence partitioning testing:pengujian ekuivalensi pemartisian

equivalent:setara; ekuivalen

equivalent articulation loss:kehilangan artikulasi ekuivalen

equivalent band width:lebatang pita ekuivalen

istilah-ti-indonesia

equivalent binary digits:digit biner setara  
equivalent circuit:sirkuit ekuivalen  
equivalent conductivity:konduktivitas ekuivalen  
equivalent diode of a multi-electrode tube:diode ekuivalen tabung multielektrode  
equivalent diode of a triode:diode ekuivalen triode  
equivalent diode voltage:voltase diode ekuivalen  
equivalent four-wire system:sistem setara empat-kawat  
equivalent input impedance:impedans masukan ekuivalen  
equivalent mass:massa ekuivalen  
equivalent network:jaringan ekuivalen  
equivalent noise resistance:tahanan derau ekuivalen  
equivalent P circuit:sirkuit? ekuivalen:  
equivalent path:lintasan ekuivalen:  
equivalent reactance:realitans ekuivalen:  
equivalent resistance:perintang ekuivalen:  
equivalent test:uji ekuivalen:  
equivocation:ekuivokasi:  
erasable programmable read only memory:memori hanya baca pemrograman hapus/erasabel:  
erasable programmable ROM:ROM pemrograman hapus/erasabel:  
erasability:keterhapusan:  
erasable:dapat dihapus:  
erasable optical:optik dapat dihapus:  
erasable optical (EO):EO:  
erasable optical discs:cakram optik dapat dihapus:  
erasable optical disk:cakram optik dapat dihapus:1  
erasable optical disk::  
erasable optical storage:penyimpanan optik dapat dihapus:  
Erasable Programmable Read Only Memory (EPROM):Memori Hanya Baca Berprogram Bisa Hapus:1  
erasable programmable read-only memory:memori hanya-baca terprogram terhapus:  
erasable programmable read-only memory:memori hanya-baca terprogram terhapus:  
erasable programmable read-only memory:memori hanya-baca terprogram terhapus:  
erasable programmable read-only memory (EPROM):memori baca saja bisa program bisa hapus (EPROM):1  
erasable programmable read-only memory (EPROM):memori hanya-baca terprogram terhapus:  
erasable programmable Read-Only Memory (EPROM):memori hanya-baca terprogram terhapus:  
erasable storage:penyimpanan terhapus:  
erase:erase:  
erase character:karakter hapus:  
erase head:kepala penghapus:  
erasable programmable read-only memory (EPROM):EPROM:  
erasable programmable read-only memory (EPROM):EPROM:  
eraser:penghapus:  
erasing:penghapusan:  
erasure sequence:aliran hapus:  
EREP:EREP:  
EREP:EREP:

"EREW, exclusive reads and exclusive writes":  
ergodicity:ergodisitas:  
ergonomic keyboard:papan tombol ergonomik:1  
ergonomic mouse:papan tombol ergonomik:1  
ergonomics:erogonomis:  
ergonomics:erogonomis:  
erlang:erlang:  
erosion:erosi:  
ERP:ERP:  
erroneous block:blok erroneous:  
erroneous state:  
error:kesalahan:  
error:kesalahan:  
error:  
error analysis:analisa kesalahan:  
error analysis:analisa kesalahan:  
error analysis:analisa kesalahan:  
error analysis:analisa kesalahan:  
error analysis:analisa kesalahan:  
error burst:ledakan kesalahan:  
error check:periksa kesalahan:  
error checking and correction:koreksi dan pengecekan kekeliruan:  
error checking code:kode pengecekan kesalahan:  
error class:kelas kesalahan:  
error code:kode galat:1  
error code:kode salah:  
error condition:kondisi galat:1  
error condition:kondisi galat:1  
error condition:kondisi galat:  
error condition:kondisi kesalahan:  
error control:kontrol kesalahan:  
error control character:karakter kontrol kesalahan:  
error control codes:kode pengendali kesalahan:  
error control software:perangkat lunak kontrol kesalahan:  
error control system:sistem kontrol kesalahan:  
error correcting code:kode koreksi kesalahan:  
error correcting code:kode koreksi kesalahan:  
error correcting code:sandi pembetulan kesalahan:  
error correcting system:sistem koreksi kesalahan:  
error correction:koreksi galat:1  
error correction:koreksi kekeliruan:  
error correction:koreksi kesalahan:  
error correction code:kode koreksi kesalahan:  
error correction program:program koreksi kesalahan:  
error correction routine:rutin koreksi kesalahan:  
error count:jumlah kesalahan:

error curve:kurva kesalahan:  
error detecting code:kode deteksi kesalahan:1  
error detecting code:kode deteksi kesalahan:  
error detecting code:kode deteksi kesalahan:  
error detecting code:kode pendeteksi kesalahan; kode deteksi kekeliruan:  
error detecting code system:sistem kode deteksi kesalahan:  
error detecting system:sistem deteksi kesalahan:  
error detection:deteksi galat:1  
error detection:deteksi kesalahan:1  
error detection:deteksi kesalahan:  
error detection:deteksi kesalahan:  
error detection routine:rutin deteksi kesalahan:  
error deviation:simpangan galat:  
error diagnostics:diagnostik kesalahan:  
error expressed as a percentage of the fiducial value:galat dinyatakan sbg persentase nilai fidusial:  
error file:berkas kesalahan:  
error handling:penanganan kesalahan:  
error handling routine:rutin penanganan kesalahan:  
error indication:indikasi kesalahan:  
error interrupt:sela kesalahan:  
error interrupt signal:sinyal interupsi kesalahan:  
error latency::  
error list:senarai kesalahan:  
error lock:kunci kesalahan:  
error log:catatan galat:1  
error logging area:daerah log kesalahan:  
error logs:rekaman galat:1  
error logs:rekaman galat:  
error message:pesan galat:1  
error message:pesan galat:1  
error message:pesan galat:1  
error message:pesan galat:  
error message:pesan kesalahan:  
error message design:desain pesan kesalahan:  
error message log file:berkas catatan berita galat:1  
error message log file:berkas pencatat berita galat:  
error messages:pesan galat:1  
error messages:pesan galat:1  
error messages:pesan galat:  
error messages:pesan galat:  
error messages:pesan galat:  
error monitor:layar kesalahan:  
error option:pilihan kesalahan:  
error procedure:prosedur kesalahan:  
error range:daerah kesalahan:  
error range:daerah/jangkah kesalahan/kekeliruan:

error rate:persentasi kesalahan:  
error ratio:rasio kesalahan:  
error record:rekam kesalahan:  
error recovery:pemulihan kesalahan:1  
error recovery:pemulihan kesalahan:  
error recovery:pemulihan kesalahan:  
error recovery:pemulihan kesalahan:  
error recovery:  
error recovery control routine:rutin kontrol pemulihan kesalahan:  
error recovery procedure:prosedur pemulihan kesalahan:  
error recovery procedures:prosedur pemulihan kesalahan:  
error recovery routine:rutin pemulihan kesalahan:  
error report:laporan kesalahan:  
error report ::  
error routine:rutin galat:1  
error routine:rutin kesalahan:  
error span:ruang lingkup kesalahan:  
error statistics by tape volume:statistik kekeliruan berdasar isi pita:  
error statistics by tape volume:statistik kesalahan oleh volume tape:  
error statistics by volume:statistik galat berdasarkan isi:  
error statistics by volume:statistik kesalahan oleh volume:  
error tester formatter:pemformat penguji kesalahan:  
error tolerance::  
error volume analysis:analisis isi keliru:  
error volume analysis:analisis volume kesalahan:  
error window:jendela galat:1  
error window:jendela galat:  
error window:jendela kesalahan:  
error-checking:periksa kesalahan:  
error-checking:periksa kesalahan:  
error-checking:periksa kesalahan:  
error-checking:periksa kesalahan:  
error-checking:periksa kesalahan:  
error-checking:periksa kesalahan:  
error-checking:periksa kesalahan:  
error-checking technique:teknik pemeriksaan galat:  
error-checking technique:teknik periksa galat:  
error-checking techniques:teknik pemeriksaan galat:1  
error-checking techniques:teknik pemeriksaan galat:  
error-correcting code:kode perbaikan-kesalahan:  
error-correction save point:titik penyelamat koreksi galat:  
error-prone module ::  
error-prone modules:module kebal kesalahan:  
errors:galat:1  
errors:galat:  
errors in code:galat dalam kode:DELETE

errors in code:galat kode:1  
ESC:ESC:  
escalator:eskalator:  
escape:eskape:  
escape:larian/lolos:  
escape:lompatan:  
escape character:karakter eskape:  
escape character:karakter eskape:  
escape key:kunci keluar:1  
escape orbit:edar lepas:  
escape sequence:urutan lepas:  
escapement crank:engkol eskapemen:  
ESD :ESD:  
"ESDI, Enhanced Small Disk Interface, Enhanced Small Device Interface":  
ESS:ESS:  
ESS (Electronic Switching System):ESS:  
estimated quality::  
estimating model ::  
estimation:estimasi; pendugaan:  
estimator:estimator; penduga:  
ETB:ETB:  
ETB:ETB (ujung blok transmisi):  
etching:pengetsaan:  
ether:eter:  
etherlink:etherlink :  
EtherLink+:etherlink+:  
ethernet:eternet:1  
ethernet:eternet:1  
ethernet:eternet:  
ethernet:eternet:  
ethernet:ethernet:  
ethernet:ethernet:  
ethernet:ethernet:  
Ethernet :Ethernet:1  
ethernet card:kartu ethesnet:1  
Ethernet frame:bingkai Ethernet:1  
ethernet frame:bingkai ethernet:1  
ethernet frame:frame ethernet:  
Ethernet standard and bus topology:standar Eternet dan topologi bus:DELETE  
ethical analysis:analisis etik:1  
ethical analysis:analisis etika:  
ethical and societal dimensions of information technology:dimensi etik dan masyarakat teknologi informasi:1  
ethical and societal dimensions of IT:dimensi etik dan masyarakat dari TI:DELETE  
ethical and societal dimensions of IT:dimensi etik dan masyarakat dari TI:  
ethical and societal dimensions of IT:dimensi etik dan masyarakat dari TI:

ethical dilemmas:dilema etis:  
ethical issues:isu etis; masalah etis:1  
ethical issues:isu etis; masalah etis:  
ethical issues and access:isu etis dan akses:  
ethical issues and artificial intelligence:isu etis dan kecerdasan buatan:  
ethical issues and artificial intelligence:isu etis dan kecerdasan buatan:  
ethical issues and computer technology:m masalah etika dan teknologi komputer:DELETE  
ethical issues and database:m masalah etika dan pangkalan data:DELETE  
ethical issues e-mail:surat elektronik masalah etik:1  
ethical issues e-mail:surat elektronik masalah etika:  
ethical principles:prinsip etik:1  
ethical principles:prinsip etika:DELETE  
ethics:etika:  
ethics:etika:  
ETRN:ETRN:  
ETRN host:mesin ETRN:  
ETRN service:jasa ETRN:  
ETX:ETX:  
EU:EU:  
eudora:eudora:  
eukaryotic cell:sel eukariotik:  
Euler constant:konstanta Euler:  
eureka (barrier type)::  
euro problem ::  
European Laboratory for Particle Physics (CERN):CERN:  
evaluate:menilai:  
evaluating an emulator:pengevaluasian dan emulator:  
evaluation:evaluasi:  
evaluation::  
evaluation detailed design:desain terinci evaluasi :1  
evaluation detailed design:evaluasi desain terinci:  
evaluation item ::  
evaluation level::  
evaluation module:modul evaluasi:  
evaluation module::  
evaluation of coursework:evaluasi dari pekerjaan kuliah:  
evaluation of coursework:evaluasi dari pekerjaan kuliah:  
evaluation of expression:ekspresi evaluasi:  
evaluation of software:evaluasi dari perangkat lunak:  
evaluation of software:evaluasi dari perangkat lunak:  
evaluation report:laporan evaluasi:  
Evaluation strategies:strategi evaluasi:  
evaluation/methodology:evaluasi/metodologi:  
evaluation/methodology:evaluasi/metodologi:  
evaluation/methodology:evaluasi/metodologi:  
evaporating heater:pemanas evaporation:



evaporating tray:baki evaporasi:  
evaporation:evaporasi; penguapan:  
evaluation of software:evaluasi perangkat lunak:  
even check:cek/tilikan genap:  
even data:data genap:  
even harmonics:harmonika tetap:  
even number:bilangan genap:  
even parity:paritas genap:1  
even parity:paritas genap:  
even parity check:tilikan/periksa paritas genap  
even servo signal:sinyal servo tetap  
even servo track:trak servo tetap  
even-odd check:cek/tilikan ganjil-genap  
event:kejadian; peristiwa  
event control block:blok kontrol kejadian  
event control block:blok kontrol kejadian  
event control routine:rutin kontrol kejadian  
event driven :  
event identifier:identikasi kejadian  
event name:nama kejadian  
event processor:prosesor kejadian  
event relationships :  
event routine:rutin kejadian  
event table:  
event termination:pemberhentian kejadian  
event trace ::  
event type:tipe kejadian:  
event variable:variabel kejadian:  
Event-driven:EVENT-DRIVEN:TERDORONG PERISTIWA  
event-sequenced data set:kumpulan data urutan kejadian:  
eventually operator ::  
evolution of computers:evolusi komputer:DELETE  
evolution planning ::  
evolutional:evolusional:  
evolutionary development:pengembangan evolusioner:1  
evolutionary development:pengembangan evolusioner:  
evolutionary model ::  
evolutionary prototyping:evolusi pemprototipean:  
evolutionary prototyping:pemprototipean berevolusi:1  
evolutionary prototyping:pemprototipean berevolusi:  
evolutionary prototyping:pemprototipean berevolusi:  
evolutionary prototyping:pemrototipean evolusi :1  
evolving-fault break:jeda sesar-pengembangan:  
e-wallet:e-wallet:  
exact coding:pengkodean eksak:  
examination:eksaminasi; ujian:

example:contoh:  
example of spreadsheet:contoh dari lembarsebar:  
example of spreadsheet:contoh lembar hampal:1  
examples operating systems:contoh sistem operasi:  
excavator:ekskavator; penggali:  
EXCEPT operation:operasi EXCEPT:  
except operation:operasi kecuali:  
exception:pengecualian:  
exception:pengecualian:  
exception ::  
exception condition:kondisi perkecualian:  
exception handler::  
exception message:pesan kelainan/eksepsi:  
exception record:rekord perkecualian:  
exception reporting ::  
exception response:respons eksepsi:  
exceptional condition code:kode kondisi perkecualian:  
excess:ekses:  
excess current:arus ekkses:  
excess meter:meter ekkses:  
excess sixty-four binary notation:notasi biner enampuluh empat akses:  
excess three code:kode ekkses tiga:  
EXCESS THREE CODE:::1  
excess-64 code:kode ekkses-64:  
excess-fifty code:sandi ekkses/turah-lima puluh:  
excess-N representation::  
excess-three code:sandi ekkses/turah-tiga:  
exchangeable disk:disket bertukarkan  
exchange:pertukaran  
exchange buffering:penyanggaan pertukaran  
exchange classes:kelas pertukaran  
exchange instruction:intruksi pindah  
exchange message:pesan pertukaran  
exchange service:pelayanan pertukaran  
exchange system:sistem pertukaran  
exchangeable disk:  
exchangeable disk storage:penyimpan cakram bertukaran  
exchangeable disk unit:unit cakram bertukaran  
exchangeable storage:penyimpan bertukaran  
excide battery:baterai toraja  
excitation:eksitasi; penerapan  
excitation current:arus eksitasi  
excitation keep alive electrode:elektrode penyulut eksitasi  
excitation potential:potensi eksitasi:  
excitation system ceiling voltage:voltase maksimal sistem eksitasi:  
excitation system voltage response ratio:nisbah tanggapan voltase sistem eksitasi:

excitation voltage:voltase teralan:  
exciter:pembangkit:  
exciting admittance:admitans peneralan:  
exciting conductance:konduktans peneralan:  
exciting impedance:impedans peneralan:  
excitron:eksitron:  
exclusion:eksklusi:  
exclusive:eksklusif:  
exclusive branch:cabang eksklusif:  
exclusive control:kontrol eksklusif:  
exclusive control:pengendalian eksklusif:  
exclusive event:kejadian eksklusif:  
exclusive lock:kunci eksklusif:1  
exclusive lock:kunci eksklusif:  
exclusive lock:kunci eksklusif:  
Exclusive lock :EXCLUSIVE LOCK :KUNCI EKSKLUSIF  
exclusive NOR:NOR eksklusif:  
exclusive or:eksklusif OR:  
exclusive OR:eksklusif OR:  
exclusive OR:eksklusif OR:  
EXCLUSIVE OR:EXCLUSIVE OR:  
exclusive OR:OR eksklusif:  
exclusive OR gate:gerbang eksklusif OR:1  
exclusive read mode:ragam baca eksklusif:  
exclusive reference:acuan eksklusif:  
exclusive segment:segmen eksklusif:  
exclusive segments:segmen-segmen eksklusif:  
EXCLUSIVE-OR:eksklusif-OR:  
EXCLUSIVE-OR element:elemen eksklusif-OR:  
EXCLUSIVE-OR element:elemen EXCLUSIVE-OR:  
EXCLUSIVE-OR gate:gerbang EXCLUSIVE-OR:  
EXCLUSIVE-OR gate:pintu eksklusif-OR:  
EXCLUSIVE-OR operation:operasi eksklusif-OR:  
EXCLUSIVE-OR operation:operasi EXCLUSIVE-OR:  
EXE::  
EXEC built-in function:fungsi terpasang tetap/imbo EXEC:  
EXEC control statement:pernyataan kontrol EXEC:  
EXEC procedure:prosedur EXEC:  
EXEC user-defined variable:variabel pengguna-takrif EXEC:  
executable:keterlaksanaan:  
executable description:deskripsi keterlaksanaan:  
executable instruction:instruksi pelaksanaan:  
executable program:program pelaksanaan:  
executable program:program tereksekusi:1  
executable representation:representasi pelaksanaan:  
executable specification :

executable statement:pernyataan dapat eksekusi  
execute:laksana  
execute :laksana  
execute cycle:siklus pelaksanaan  
execute cycle:siklus pelaksanaan  
execute cycle:siklus pelaksanaan  
execute form:formulir eksekusi  
execute NOMAD command:laksanakan perintah NOMAD  
execute phase:fase melaksanakan  
executing phase:fase pelaksanaan  
execution:pelaksanaan  
execution batch processing:pemrosesan berkelompok pelaksanaan  
execution behavior:kebiasaan pelaksanaan  
execution card:kartu pelaksanaan  
execution cycle:putaran pelaksanaan  
execution cycle:putaran pelaksanaan:  
execution cycle:siklus pelaksanaan:  
execution profile:profil pelaksanaan:  
execution profile::  
execution sequence:urut-urutan pelaksanaan:  
execution service:pelayanan eksekusi:  
execution time:waktu eksekusi:1  
execution time:waktu pelaksanaan:  
execution time:waktu pelaksanaan:  
execution time::  
execution trace::  
execution unit::  
executive:eksekutif:DELETE  
executive:eksekutif:  
executive decision making:pengambilan keputusan eksekutif:1  
executive decision making:pengambilan keputusan eksekutif:  
executive information system (EIS):sistem informasi eksekutif:  
executive information system (EIS):sistem informasi eksekutif:  
executive information system (EIS):sistem informasi eksekutif (SIE):1  
executive information system (EIS):sistem informasi eksekutif (SIE):  
executive information systems (EIS):sistem informasi eksekutif:1  
executive information systems (EIS):sistem informasi eksekutif:  
executive information systems (EIS):sistem informasi eksekutif:  
executive information systems (EIS):sistem informasi eksekutif:  
executive information systems (EIS):sistem informasi eksekutif:  
Executive Information Systems (EIS):Sistem Informasi Eksekutif (EIS):1  
executive program:program eksekutif:  
executive routine:rutin eksekutif:  
executive support system:sistem pendukung eksekutif:1  
executive support system:sistem pendukung eksekutif:  
executive support system (ESS):sistem pendukung eksekutif:

istilah-ti-indonesia

executive support system and board of directors:sistem pendukung eksekutif dan dewan direktur:DELETE  
executive support system and communications:sistem pendukung eksekutif dan komunikasi:DELETE  
executive support system and data:sistem pendukung eksekutif dan data:DELETE  
executive system:sistem eksekutif:  
executor:pelaksana:  
exerciser:pelatih:  
exercutive information system:sistem informasi eksekutif:1  
exercutive information system:sistem informasi eksekutif:  
exercutive support system:sistem pendukung eksekutif:1  
exercutive support system:sistem pendukung eksekutif:  
exercutive support system:sistem pendukung eksekutif:  
exhalation:ekshalasi:  
exhaust hole:lubang buangan:  
exhaust steam:uap ekshaus:  
existential quantification ::  
existential quantifier:kuantitas eksistensial:  
exit:keluar:  
exit address:alamat keluar:  
exit list:senarai keluar:  
exit point:titik keluar:  
exit routine:rutin keluar:  
exjunction:eksjungsi:  
EXLST:EXLST:  
exocentric:eksosentris:  
exocentric rule:kaidah eksosentris:  
expand:mekar:  
expandability:kemekaran:  
expandability::  
expandable:termekarkan:  
expanded capability:kapabilitas diperluas:  
expanded control store:gudang kontrol diperluas:  
expanded I/O capability:kapabilitas I/O diperluas:  
expanded memory:memori terekspansi:1  
expanded memory:perluasan memori:1  
expanded memory:perluasan memori:  
expanded memory:perluasan memori:  
expanded memory specification:spesifikasi perluasan memori:  
expanded print line:garis cetak diperluas:  
expanded storage:perluasan penyimpanan:  
expanded sweep:lejang diperluas:  
expanded symbol set:perangkat simbol diperluas:  
expander:pemuai; perentang:  
expansion:ekspansi:  
expansion base:perluasan dasar:  
expansion board:papan ekspansi:1

expansion board:papan ekspansi:  
expansion bus:bus ekspansi:1  
expansion bus:bus ekspansi:  
expansion card:kartu ekspansi:1  
expansion card:kartu ekspansi:  
expansion cards:kartu ekspansi:  
expansion feature-katakana:perluasan garis utama katakana:  
expansion joint:sambungan ekspansi:  
expansion of edit word:ekspansi kata edit:  
expansion RAM:RAM ekspansi:1  
expansion ROM:ROM ekspansi:1  
expansion slot:slot ekspansi:1  
expansion slot:slot ekspansi:  
expansion unit:satuan ekspansi:  
expectation:harapan:  
expected quality level:aras kualitas terjangkau:  
expected value:nilai harapan:  
expedited flow:alir mempercepat:  
experiment value:nilai eksperimen:  
experimental design:desain eksperimen:  
experimental prototype:prototipe eksperimental:  
experimental prototype:prototipe eksperimental:  
experimental prototype:prototipe percobaan:1  
experimental prototype:prototipe percobaan:  
experimental prototyping:pemprototipean eksperimental:  
experimental prototyping:pemprototipean eksperimental:  
experimental prototyping:pemprototipean percobaan:  
experimental prototyping:pemrototipean percobaan:1  
experimental station:stasiun eksperimen:  
expert:ahli:  
expert system:sistem pakar:1  
expert system:sistem pakar:  
expert system:sistem pakar:  
expert system:sistem pakar:  
expert system ::  
expert system (ES):sistem pakar:  
expert system (ES):sistem pakar:  
expert system (ES):sistem pakar (ES):1  
expert system (ES) benefits and limitations:keuntungan dan keterbatasan sistem pakar:  
expert system (ES) components:komponen sistem pakar:  
expert system (ES) development:pengembangan sistem pakar:  
expert system (ES) shells:cangkang sistem pakar:  
expert system and business information systems artificial intelligence::  
expert system development:pengembangan sistem pakar:1  
expert system development:pengembangan sistem pakar:  
expert system development:pengembangan sistem pakar:

istilah-ti-indonesia

Expert system tools and techniques:peralatan sistem pakar dan teknik:  
expert systems:sistem pakar:1  
expert systems:sistem pakar:  
expert systems:sistem pakar:  
expert systems and accounting:sistem pakar dan perakuntansian:DELETE  
expert systems and banking industry:sistem pakar dan industri perbankan:DELETE  
expert systems and business information systems:sistem pakar dan sistem informasi bisnis:DELETE  
expert systems and cost:sistem pakar dan biaya:DELETE  
expert systems and database:sistem pakar dan pangkalan data:DELETE  
expert systems and database:sistem pakar dan pangkalan data:  
expert systems and decision making:sistem pakar dan pengambilan keputusan:DELETE  
expert systems and errors:sistem pakar dan galat:DELETE  
expert systems ethical issues:masalah etik sistem pakar:1  
expert systems ethical issues:masalah etika sistem pakar:  
expert systems knowledge base:sistem pakar berbasis pengetahuan:1  
expert systems knowledge base:sistem pakar berbasis pengetahuan:  
expert systems personal computer:sistem pakar personal komputer:  
expertize:keahlian:  
expiration date:data ekspirasi:  
expiration date:tanggal berlaku:  
expiration test:uji ekspirasi:  
explanation:eksplanasi:  
explanation facility and conclusion:fasilitas penjelasan dan kesimpulan:DELETE  
explicit:eksplisit:  
explicit address:alamat eksplisit:  
explicit addressing:pengalamatan eksplisit:  
explicit control:kontrol eksplisit:  
explicit declaration:deklarasi eksplisit:  
explicit form:bentuk eksplisit:  
explicit frame type:tipe frame eksplisit:  
explicit mode:ragam eksplisit:  
explicit opening:terbuka eksplisit:  
explicitly addressed operand:operandi teralamat eksplisit:  
exploit system shell::1  
exploratory prototyping:pemprototipean eksploratif:  
exploratory prototyping:pemprototipean eksploratori:1  
exploratory prototyping:pemprototipean eksploratori:  
exploring coil:lilitan/kumparan jelajahan:  
explosion:ledakan  
explosion chamber:kamar eksploasi  
explosion proof:bukti luapan  
explosion sound:suara eksplosi  
exponent:eksponen  
exponent:eksponen  
exponent:perluasan; eksponen  
exponent character:karakter eksponen

exponent modifier:modifikasi eksponen  
exponent overflow:luapan eksponen  
exponent part:bagian eksponen  
exponent part format:format/bentuk bagian eksponen  
exponent underflow:limpahan eksponen  
exponential backoff:mundur eksponensial  
exponential distribution:distribusi eksponensial  
exponential horn:horn eksponensial  
exponential pulse:pulsa eksponen:  
exponential smoothing:pelancar/pelembut eksponensial:  
exponentiation:eksponentiasi:  
exponent-overflow exception:eksepsi eksponen-ruah:  
exponent-underflow exception:pengecualian limpahan eksponen:  
export:ekspor:1  
export:ekspor:  
EXPORT:EXPORT:  
export data:ekspor data:  
export file:ekspor berkas:  
export function:ekspor fungsi:  
export license:lisensi ekspor:  
exporting data:pengeksporan data:  
exposure:pembiaran; eksposur:  
exposure control knob:tombol kontrol eksposur:  
exposure time::  
expression:pernyataan:  
expression:ungkapan; ekspresi:  
extendability::  
extended:dikembangkan:  
extended addressing:pengalamatan luasan:  
extended amplifier:penguat dikembangkan:  
extended area service:layanan daerah luasan:  
Extended Binary Coded Decimal Interchange Code:kod saling tukar desimal berkode bine diperluas:1  
extended binary coded decimal interchange code:kode pertukaran desimal terkode biner perluasan:  
extended binary coded decimal interchange code (EBCDIC):EBCDIC:  
extended binary coded decimal interchange code (EBCDIC):EBCDIC:  
extended binary coded decimal interchange code (EBCDIC):kode pertukaran desimal berkode biner terpeluas (EBCDIC):1  
extended character punching:penebukan ciri diperluas:  
extended character reading:pembacaan ciri diperluas:  
extended characters:huruf perluasan:  
extended characters:huruf perluasan:  
extended control mode:mode kontrol perluasan:  
extended cursor control:kontrol kursor diperluas:  
extended cursor control alphameric keyboard:papan kunci alfamerik kontrol kursor diperluas:  
extended cursor control numeric keyboard:papan kunci numerik kontrol kursor diperluas:  
extended direct control:kontrol langsung diperluas:



istilah-ti-indonesia

extended dynamic address translation:penerjemahan adres dinamik diperluas:  
extended expansion:perluasan ekspansi:  
extended format:format perluasan:  
extended graphics array (XGA):XGA:  
extended group coded recording:perekaman terkodefikasi kelompok diperluas:  
extended LRU method:metode LRU terluaskan:  
extended machine instruction:instruksi mesin dikembangkan:  
extended maintenance operating system:sistem pengoperasian peralatan diperluas:  
extended memory:pertambahan memori:  
extended memory:pertambahan memori:  
extended memory :memori terekstensi:1  
extended mnemonic code:kode mnemonik terluaskan:  
extended multi-file support feature:fitur pendukung berkas ganda perluasan:  
extended open:terbuka perluasan:  
extended precision:ketepatan perluasan:  
extended precision floating point:titik ambang presisi luasan:  
extended range of a DO statement:perluasan batas pernyataan DO:  
extended result output function:fungsi keluaran hasil yang diperluas:  
extended search option:pilihan cari terluaskan:  
extended source program library facility:fasilitas pustaka program asal terluaskan:  
"extended state machine, ESM "::  
extended storage attachment:tambahan penyimpanan diperluas:  
extended-entry table:tabel entri perpanjangan:1  
extended-entry table:tabel entri perpanjangan:  
extender board:papan ekstensi:1  
extender card:kartu pengembang:  
extensibility:kemekaran:  
extensibility::  
extensible:dapat diperpanjang:  
extensible mark-up language (XML):bahasa tandaan boleh diperluas (XML):1  
extensible languages:bahasa pemekaran:  
EXTENSIBLE MARKUP LANGUAGE::  
extension:perluasan:  
extension:tambahan; ekstensi:  
extension bell:genta peluasan:  
extension code:kode perluasan:  
extension header:tajuk perluasan:  
extension station:stasiun tambahan:  
extension telephone:telepon ekstensi/tambahan:  
extensionality:keekstensionalar:  
extent:luas:  
extent exit:keluar bertingkat:  
extent of array(s):perpanjangan dari deret:  
extention specification:spesifikasi perluasan:  
exterior packet switch:alih paket luar:  
exterior switch:alih luar:

external:tambahan; eksternal:  
 external attribute:atribut eksternal:  
 external attribute::  
 external block:blok luar:  
 external cable modem:model kabel eksternal:1  
 external characteristic curve:kurva karakteristik eksternal:  
 external circuit:sirkuit eksternal:  
 external clocking:pewaktuan tambahan:  
 external commutated inverter:invertor tukar arus eksternal:  
 external containment ::  
 external conversion:konversi luar:  
 external critical damping resistance:tahanan peredaman kertas eksternal:  
 external decimal item:unsur desimal luar:  
 external delay:lambatan eksternal:  
 external description ::  
 external dummy section:bagian kosong luar:  
 external event (alternative to external interrupt)::  
 external failure::  
 external feedback type:tipe umpan balik eksternal:  
 external floating-point item:unsur floating-point luar \*:  
 external fragmentation:fragmentasi eksternal:1  
 external fragmentation::  
 external function:fungsi eksternal:  
 external gate:gerbang eksternal:  
 external hard disk:cakram keras eksternal:1  
 external I/O adaptor:eksternal I/O adaptor:  
 external indicator:indikator luar:  
 external input ::  
 external inquiry ::  
 external interface ::  
 external interrupt:interupsi tambahan:  
 external interrupt:interupsi tambahan:  
 external interruption:interupsi eksternal:  
 external label:label eksternal:  
 external labels:label eksternal:  
 external language:bahasa eksternal:  
 external loss time:waktu hilang eksternal:  
 external measure::  
 external medium:medium luar:  
 external memory:memori eksternal:  
 external memory:memori eksternal:  
 external memory :memori eksternal:1  
 external merge:gabung eksternal:  
 external metric ::  
 external modem:modem eksternal:1  
 external modem:modem eksternal:1

external modem:modem eksternal:  
external modem:modem eksternal:  
external name:nama eksternal:  
external noise:gangguan eksternal:  
external noise factor:faktor derau eksternal:  
external operation mode:mode operasi luar:  
external output ::  
external output control:pengawasan keluaran eksternal:  
external page:halaman luar:  
external page address:alamat halaman tambahan:  
external page storage:penyimpanan halaman eksternal:  
external page table:tabel halaman tambahan:  
external procedure:prosedur tambahan:  
external program parameter:parameter program eksternal:  
external Q:eksternal Q:  
external quality :  
external reference:referensi ekksternal  
external reference:referensi eksternal  
external resistance:tahanan eksternal  
external security audit:audit sekuritas eksternal  
external signal:sinyal eksternal  
external signal line:saluran sinyal eksternal  
external slot:slot eksternal  
external sort phase:fase urut luar  
external specification :  
external storage:penyimpanan eksternal  
external storage:penyimpanan eksternal  
external subroutine:subrutin tambahan  
external symbol:symbol eksternal  
external symbol control:kontrol simbol luar  
external symbol dictionary:kamus simbol eksternal  
external symbol dictionary:kamus simbol luar:  
external synchronization:sinkronisasi eksternal:  
external synchronization control:pengawasan sinkronisasi eksternal:  
external triggering:pemicuan eksternal:  
external utility:guna eksternal:  
extinction angle:sudut pemuduran:  
extinction of arc:pemuduran busur:  
extra:ekstra:  
extra pair:pasangan ekstra:  
extra segments:segmen ekstra:  
extracode:sandi ekstra:  
extract:ekstrak:1  
EXTRACT:EXTRACT:  
EXTRACT:pindah:1  
extract:sari; akstrat:

EXTRACT ALL:EXTRACT ALL:  
EXTRACT ALL:pindah seluruh:1  
extract function:fungsi ekstrak:  
extract instruction:instruksi sari:  
extract operation:operasi ekstrak:  
extraction:ekstraksi:  
extractor:penyari/ekstraktor:  
extragrammaticality:kegramatikan ekstra:  
extra-high pressure mercury lamp:lampu merkuri bertekanan ekstra tinggi:  
extra-high pressure mercury vapor lamp:lampu uap merkuri bertekanan ekstra tinggi:  
extra-high voltage:voltase ekstra tinggi:  
extra-light loading:pemuatan ekstra ringan:  
extranet :extranet:  
extraordinary wave:gelombang ekstraordiner:  
extrapolation:ekstrapolasi:  
extra-pulse:pulsa ekstra:  
extremely low frequency:frekuensi awal biasa:  
EXTRN:EXTERN:  
EXTRN:EXTRN:  
eye camera:kamera mata:  
eye-ball indicator:indikator bola mata:  
eyebolt:baut mata:  
eyes:mata:  
e-zine :e-zine:  
F format:format F:  
FA:FA:  
fabricate:reka:1  
face:permukaan:  
face change character:karakter ubah muka:  
face down bonding:perekatan bawah muka:  
face-plate:pelat muka:  
face-plate of a cathode-ray tube:pelat muka tabung sinar katode:  
facet:faset; bidang:  
facilitate:meringankan:  
facilities:kemudahan:  
facilities advisor:penasihat fasilitas:  
facility:fasilitas:  
facility:fasilitas:  
facility:kemudahan; fasilitas:  
facsimile:faksimil:  
facsimile:faksimil:  
Facsimile (Fax):fax:  
facsimile applications:aplikasi fax:  
facsimile box:kotak taksimile:  
facsimile posting machine:mesin pos faksimil:  
facsimile technology:teknologi taksimile:

facsimile-signal level:tingkat faksimil-sinyal:  
fact:faksa:  
fact finding:penemuan fakta:1  
fact finding:penemuan fakta:  
fact finding:penemuan fakta:  
fact recording:perekaman fakta:1  
fact recording:perekaman fakta:  
fact recording:perekaman fakta:  
fact retrieval:retrieval/temuan fakta:  
fact retrieval system:sistem retrieval/temuan fakta:  
factor:faktor:  
factor:faktor:  
factor 1:faktor 1:  
factor 2:faktor 2:  
factor analysis:analisis faktor:  
factor of merit:faktor manfaat:  
factorial:faktorial:  
factorial experiment:eksperimen faktorial:  
factorial function:fungsi faktorial:  
factorial moment:momen faktorial:  
factoring:pemaktoran:  
factoring:pemaktoran:  
factoring::  
factorization:faktorisasi:  
factors in competitive advantage:faktor keuntungan kompetitif:DELETE  
factory:pabrik:  
factory ::  
facula:fakul:  
fade:mengalun:  
fade area:daerah pudar:  
fade chart:bagan alir pudar:  
fader:pelesap:  
fading:pudaran:  
fading range:jarak pemudaran:  
fading simulator:simulator alunan:  
fail compression:kompresi berkas:1  
fail safe::  
fail safe::  
fail soft::  
fail stop processor:pemroses gagal henti:1  
fail-stop processor::  
failure::  
failure::  
failure cause of a system::  
failure mechanism of a system::  
failure mode::

failure rate::  
failure ration::  
failure severity::  
fairness::  
fall:gagal:  
fall back:mundur  
fall time:waktu jatuh  
fall time:waktu jatuh  
fallback:mundur  
fallback recovery:kendala mundur  
falling edge:  
fall-of-potential method:metode jatuhnya potensial  
fallout:rontok  
false add:tambah lancung  
false contact:kontak palsu  
false drop:tetes lancung  
false echo:gema palsu  
false pulse:pulsa palsu  
false retrieval:pengambilan salah  
false retrievals:kembali/perbaiki lancung  
false sharing (in cache):  
false signal:sinyal salah:  
false zero method:metode zero palsu:  
family:keluarga:  
family ::  
family chip:keluarga cip:  
family design ::  
fan:kipas:  
fan antenna:antena kipas:  
fan forced heater:pemanas diperkuat kipas:  
fan out:kipas keluar:  
fanfold paper:kertas lipat sambung:  
fan-in:kipas pemasuk:1  
fan-in:kipas pemasuk:  
fan-in:kipas pemasuk:  
fanning strip:jalur fanning:  
fan-out:kipas buang:  
fan-out:kipas buang:  
fan-out :kipas buang:1  
FAQ :FAQ:  
far pointer::  
far ultraviolet rays:sinar ultra ungu jauh:  
farad:farad:  
fare quote/ticketing program:program pembiayaan kuota/pertiketan:  
far-end crosstalk:cakap silang ujung jauh:  
farm electrification:elektrifikasi usaha tani:

"farm, processor":  
fash chip:chip cepat:  
fast access storage:penyimpan akses/akses cepat:  
fast access storage device:peranti penyimpan akses cepat:1  
fast circuit switching:pengalihan sirkuit cepat:1  
fast circuit switching:pengalihan sirkuit cepat:  
Fast Ethernet:Ethernet Cepat:1  
fast ethernet:ethernet cepat:  
Fast Fourier Transform:transformasi cepat Fourier:  
fast Fourier transform:transformasi Fourier cepat:  
FAST FOURIER TRANSFORM::1  
Fast Fourier transforms (FFT) (NEW):transformasi Fourier cepat:  
fast processor:pemroses cepat:  
fast relay:relai cepat:  
fast select:seleksi cepat:  
fast selecting:pemilihan cepat:  
fast-access storage:penyimpan akses-cepat:  
fast-time-constant circuit:sirkuit tetapan waktu cepat:  
FAT::  
fat client::  
fatal:fatal:  
fatal error:kesalahan fatal:  
fatal error :galat fatal:1  
fatch time:waktu ambil:  
fatigue:fatig; capai:  
fault:kerusakan:  
fault:kerusakan:  
fault:kesalahan:  
fault::  
fault activation::  
fault avoidance::  
fault confinement::  
fault coverage::  
fault detection:deteksi kesalahan:1  
fault indicator:indikator salah:  
fault isolation by nucleus diagnostic system:isolasi salah harus sistem diagnostik nukleus:  
fault latency::  
fault localization:lokalisasi kekeliruan:  
fault locator:lokator kesalahan:  
fault masking::  
fault masking::  
fault mode::  
fault model:model salah:  
fault prevention::  
fault report ::  
fault secure::

fault secure::  
fault simulation::  
fault threshold:ambang kegagalan:  
fault time:waktu kegagalan:  
fault tolerable circuit:sirkuit menahan kesalahan:  
fault tolerance:toleransi kegagalan:1  
fault tolerance:toleransi kegagalan:  
fault tolerance:toleransi kegagalan:  
fault tolerance:toleransi kegagalan:  
fault tolerance::  
fault tolerant:toleransi kegagalan:  
fault tolerant:toleransi kegagalan:  
fault- tolerant computer:komputer dapat terima rusak:1  
fault tree::  
"fault, intermittent"::  
"fault, permanent"::  
"fault, transient"::  
fault-rate threshold:ambang tingkat kesalahan:  
Fault-tolerance:toleransi kegagalan:  
fault-tolerant computer:komputer toleransi kesalahan:1  
faulty:kesalahan:  
faulty wire:kawat salah:  
favicons::  
favored execution option:pilihan eksekusi berkualitas tinggi:  
favorite::  
FAX:FAX:  
FAX:FAX (facsimile):  
fax board:papan fax:  
fax devices:peralatan fax:  
fax modem:modem faks:1  
fax modem:modem faks:1  
fax modem:modem fax:  
faxes in computer:fax di komputer:  
FCB:FCB:  
FCC:FCC:  
FCS:FCS:  
FD:FD:  
FD:FD (dupleks penuh):  
FDDI:FDDI:  
FDDI (Fiber Distributed Data Interface)::  
FDISK:FDISK:1  
FDISK:FDISK:  
f-distribution:agihan-f:  
FDM:FDM:  
FDM:FDM (multipleks divisi frekuensi):  
FDX:FDX:



FDX:FDX (dupleks penuh):  
FE:FE:  
fear of computer:ketakutan komputer:1  
fear of computer:ketakutan terhadap komputer:  
feasibility:kelayakan:  
feasibility analysis:analisis kelayakan:1  
feasibility analysis:analisis kelayakan:  
feasibility studies:studi kelayakan:DELETE  
feasibility study:studi kelayakan:1  
feasibility study:studi kelayakan:1  
feasibility study:studi kelayakan:  
feasibility study:studi kelayakan:  
FEASIBILITY STUDY:STUDI KELAYAKAN:  
feasibility study ::  
feasibility study stage:tingkat studi kelayakan :1  
feasibility study stage (systems life cycle):tingkat studi kelayakan (siklus hidup sistem):  
feasible solution:solusi keterlaksanaan:  
feature:fitur:  
feature::  
feature detection:deteksi fitur:  
feature evaluation:evaluasi ciri:  
feature group A:ciri utama grup A:  
feature group A-80 character:sifat ciri utama A-80:  
feature representation:representasi ciri:  
feature selection:seleksi ciri:  
features security:ciri keamanan:  
federal communications commission:komisi hubungan federal:  
feed:kecepatan; loloh; sulang  
feed:umpan  
feed 51-column card:kartu umpan kolom-51  
feed forward:kecepatan bertambah  
feed hole:lubang kecepatan  
feed holes:lubang-lubang umpan  
feed hopper:penjingkat loloh/sulang  
feed pitch:nada umpan  
feed rate:laju kecepatan  
feed short card pack:permainan kartu umpan pendek  
feed track:trek/jalur kecepatan  
feed water heater:pemanas air umpan  
"feed, variable length":umpan panjang bervariasi  
feedback:umpan balik  
feedback amplifier:penguat/amplifier umpanbalik  
feedback array:deret umpan balik  
feedback capacitor:kapasitor balikan  
feedback coil:gulungan balikan  
feedback control:periksa umpanbalik

feedback information:informasi umpan balik  
feedback loop:ikal umpan balik  
feedback option:pilihan umpanbalik  
feedback ratio:nisbah balikan  
feedback system:sistem umpanbalik  
feeder:pengumpan  
feeder cable:kabel pelolah  
feeder ear:kuping pengumpan  
feeder section:seksi pelolah  
feeder tie post:pos pengikat pengumpan  
feeder wire:kawat pengumpan  
feedforward:umpan maju  
feedforward control:kontrol umpan depan  
feedforward control:kontrol umpan maju:  
feedforward loop:lingkaran umpan maju:  
feeding:pelolohan:  
feedthrough:sambungan isi:  
female connector:konektor betina:1  
female connector:konektor betina:1  
female connector::  
female tab:label perempuan:  
femtosecond:detik femto:  
FEP:FEP (program evaluasi finansial):  
ferrimagnetic material:bahan feromagnetik:  
ferrimagnetic substance:substansi feromagnetik:  
ferrite:ferit:  
ferrite core:teras ferit:  
ferrite core memory:memori inti ferit:1  
ferrite core memory (H)::  
ferroelectric:feroelektrik:  
ferromagnetic:feromagnetik:  
ferromagnetic material:bahan feromagnetik:  
ferromagnetic substance:substansi feromagnetik:  
ferromagnetics:feromagnetika:  
ferrous oxide:oksida fero:  
FET:FET:  
fetch:ambil; kembali:  
fetch bypass::  
fetch cycle: siklus ambil:1  
fetch cycle:siklus ambil:  
fetch cycle:siklus ambil:  
fetch cycle:siklus ambil:  
fetch on demand::  
fetch on miss::  
fetch overflow:limpahan ambil:  
fetch policy:

fetch program:program ambil  
fetch protection:proteksi ambil  
fetch protection:proteksi kembali  
fetch violation:pelanggaran pengambilan  
fetch/load trace:penelusuran fetch/load  
fetch-and-add instruction:  
fetch-execute cycle:  
fetching:  
fetch-store paradigm:paradigma ambil simpan  
FF:FF  
FF:FF (karakter umpan bentuk)  
FIB:FIB  
fiber:fiber; serat  
fiber channel:kanal fiber  
fiber distributed data interconnect:antarmuka data terdistribusi di serat (FDDI)  
Fiber Distributed Data Interface (FDDI):antarmuka data terdistribusi di serat (FDDI):1  
fiber distributed data interface (FDDI):antarmuka data terdistribusi di serat (FDDI):  
fiber distributed data interface (FDDI):antarmuka data terdistribusi di serat (FDDI):  
fiber distributed data interface (FDDI):antarmuka data terdistribusi di serat (FDDI):  
fiber distributed data interface (FDDI):antarmuka data terdistribusi serat (FDDI):1  
fiber modem:modem fiber:  
fiber optic intra-repeater link:sambungan intra-repeater serat optik:  
fiber optic intra-repeater link (FOIRL):paut intra pengulang serat optik:1  
fiber optics:serat optik:  
fiber optics:serat optik:  
fiber optics:serat optik:  
fiber pipe:pipa fiber:  
fiber-glass covered wire:kawat selaput fiber-glas:  
fibernet:fibernet:  
fiber-optic back bone:tulang punggung serat optik:1  
fiber-optic cable:kabel serat optik:1  
fibonacci number:bilangan fibonacci:  
fibonacci search:pencarian secara fibonacci:  
Fibonacci search:telusur Fibonacci:  
Fibonacci series:seri/deret Fibonacci:  
fibre:serat :  
fibre optic cable:kabel serat optik:1  
fibre optic cable:kabel serat optik:  
fibre optic cable:kabel serat optik:  
fibre optic cable:kabel serat optik:  
fibre optic cable:kabel serat optik:  
fibre optics:serat optik:  
fibre optics cathode-ray tube:tabung sinar katode optik fiber:  
fiche:fike:  
fidonet:fidonet:  
fiducial interval:selang fidusial:

fiducial limit:batas fidusial:  
fiducial value:nilai fidusial:  
field:medan:1  
field:medan:  
field accumulation:akumulasi medan:  
field blocking:pemblokian medan:  
field calibration:peneraan medan:  
field control:kontrol medan:  
field core:inti medan:  
field correct mode:mode kebenaran medan:  
field data:data area:  
FIELD DATA::1  
field definition card:kartu definisi medan:  
field description and control entry:deskripsi medan dan masukan kontrol:  
field description entry:masukan deskripsi isian:  
field descriptor:pendeskripsi medan:  
field descriptor:pendeskripsi/deskriptor medan:  
FIELD DESCRIPTOR::1  
field descriptor group:kelompok pendeskripsi/deskriptor medan:  
field developed program:program memperluas medan:  
field effect transistor:transistor efek medan:  
field format:format medan:  
FIELD FORMT::1  
field frequency:frekuensi medan:  
field indicator:penunjuk medan:  
field length:panjang area/medan:  
field magnet:medan magnet:  
field mesh electrode:elektroda jala medan:  
field modification statement:pernyataan modifikasi medan:  
field name:nama medan:1  
field name:nama medan:  
field of view:medan pandangan:  
field ohmic loss:rugi ohm medan:  
FIELD parameters:parameter FIELD:DELETE  
FIELD parameters:parameter medan:1  
field plate:pelat medan:  
field pole:kutub medan:  
field record relation:relasi rekord isian:  
field regulator:regulator medan:  
field strength:kekuatan medan:  
field strength map:peta kuat medan:  
field switch:sakelar medan:  
field system:sistem medan:  
field type:tipe medan:1  
field type:tipe medan:  
field width:lebatang isian:

field winding: gulungan medan:  
fieldata code: kode data medan:  
field-control motor: mesin kontrol medan:  
field-displacement isolator: isolator pergeseran medan:  
field-effect transistor: transistor efek medan:  
field-formatted request: permintaan format medan:  
fields: medan:  
fields: medan:  
field-strength meter: meter kuat medan:  
fieldwidth: lebar tang medan:  
fiers::  
FIF :FIF:  
FIFO::  
FIFO buffer: penyangga FIFO:  
FIFO list: senarai FIFO:1  
FIFO memory: memori FIFO:1  
FIFO memory::  
fifth generation computer: komputer generasi kelima:1  
fifth generation language: bahasa generasi kelima:1  
fifth generation language: bahasa generasi kelima  
fifth generation languages: bahasa generasi ke lima  
fifth generation languages: bahasa generasi ke lima  
FIGS: FIGS  
figurative constant: tetapan figuratif  
figurative constant: tetapan/konstanta figuratif  
figure of merit: figur jasa  
figures shift: pergeseran gambar  
figure-shift: pergeseran gambar  
filament: kawat pijar  
filament activity: aktivitas filamen  
filament current: arus filamen  
filament power: daya filamen  
filament resistance: tahanan filamen  
filament resistor: penahan filamen  
filament transformer: transformator filamen  
filamentary cathode: katode filamenter:  
file: berkas:1  
file: berkas:  
file: berkas; berkas:  
file: berkas; berkas:  
FILE: berkas; fail:1  
FILE: FILE:  
file access: akses berkas:1  
file access: akses berkas:  
file access: akses berkas:  
file access: akses berkas:

file access code:kode akses berkas:  
file access method:metode akses berkas:  
FILE ACCESS METHOD::1  
file access mode:ragam akses berkas:  
FILE ACCESS MODE::1  
file activity:aktifitas berkas:  
file allocation table (FAT):FAT:  
file allocation table (FAT):tabel alokasi berkas:1  
file attribute:atribut berkas:  
FILE ATTRIBUTE::1  
file clause:klausa berkas:  
FILE CLAUSE::1  
file clean-up:pembersihan berkas:  
file compression:kompresi berkas:  
file condition:kondisi berkas:  
file constant:konstanta berkas:  
file control:alat kontrol berkas:  
file control:kontrol berkas:  
file control block:blok kontrol berkas:  
file control table:tabel kontrol berkas:  
file conversion:konversi berkas:  
FILE CONVERSION::1  
file conversion action statement:pernyataan aksi konversi arsip:  
file coupling:pengkopelan berkas:  
file data:data berkas:  
file decompression:pengawamampatan berkas:1  
file definition statement:kalimat definisi berkas:  
FILE DEFINITION STATEMENT::1  
file description:diskripsi berkas:  
file description entry:entri deskripsi berkas:  
FILE DESCRIPTION ENTRY::1  
file description specification:spesifikasi diskripsi berkas:  
FILE DESCRIPTION SPECIFICATION::1  
file design:desain berkas:1  
file design:desain berkas:  
file designation:penandaan berkas:  
file directory:direktori berkas:  
FILE DIRECTORY::1  
file dump:tumpukan berkas:  
FILE DUMP::1  
file dumping:penumpukan berkas:  
file elements:unsur berkas:1  
file elements:unsur berkas:  
file enquiry:permohonan berkas:  
file enquiry:permohonan berkas:  
file entry block:blok masukan berkas:

file error option:pilihan kesalahan berkas:  
file expression:ekspresi berkas:  
file extension:perluasan berkas:  
FILE EXTENSION::1  
file extension specification form:formulir spesifikasi perluasan berkas:  
file format:format berkas:  
FILE FORMAT::1  
file gap:rumpang berkas:  
file handling language:bahasa penanganan berkas:  
file header label:label judul berkas:  
file I/O:I/O berkas:  
file identification:identifikasi berkas:  
file identifier:pengidentifikasi berkas:  
FILE IDENTIFIER::1  
file identifiert:penanda berkas:  
file label:label/kitir berkas:  
file label check:cek label berkas:  
file label record:rekaman label berkas:  
file layout:atak berkas:  
file layout:tata letak berkas:  
file layout:tataletak berkas:  
file length:panjang berkas:  
file locking:penguncian berkas:  
file maintenance:perawatan berkas:  
file maintenance program:program perawatan berkas:  
file management:manajemen berkas:  
file management system:sistem manajemen berkas:  
file manager:manajer berkas:1  
file media:media berkas:  
file name:nama berkas:1  
file name:nama berkas:  
file of cards:arsip kartu:  
file organisation:organisasi berkas:  
file organisation disc:cakram organisasi berkas:  
file organisation tape:tape organisasi berkas:  
file organization:organisasi berkas:1  
file organization:organisasi berkas:  
file organization:organisasi berkas:  
file organization:organisasi berkas:  
FILE ORGANIZATION::1  
file organization logic module:modul logis organisasi arsip:  
file organization on disks:cakram organisasi berkas:  
file organization on tapes:tape organisasi berkas:  
FILE parameters:parameter berkas; parameter fail:1  
FILE parameters:parameter FILE:DELETE  
file print:cetak berkas:

file processing disc:cakram pemrosesan berkas:  
file processing program:program pemrosesan berkas:  
file processing tape:tape pemrosesan berkas:  
file protect ring:ring proteksi berkas:  
file protected condition:kondisi terprotek berkas:  
file protection:proteksi berkas:1  
file protection:proteksi berkas:  
file protection ring:jaringan proteksi berkas:  
file read-only:berkas hanya baca:  
file recovery:pemulihan berkas  
file reel:kumparan berkas  
file reference number:nomor referensi berkas  
file register:register berkas  
file relationships:hubungan berkas  
file relationships:hubungan berkas  
file relationships chains:rantai hubungan berkas  
file relationships many- to-one:hubungan berkas banyak ke satu  
file relationships many-to-one:hubungan berkas banyak ke satu  
file relationships multiple child:hubungan berkas dengan banyak anak  
file relationships multiple child:hubungan berkas dengan banyak anak  
file relationships one-to-many:hubungan berkas satu ke banyak  
file relationships one-to-many:hubungan berkas satu ke banyak  
file relationships one-to-one:hubungan berkas satu-satu  
file relationships one-to-one:hubungan berkas satu-satu  
file retention period:periode perawatan berkas  
FILE RETENTION PERIOD::1  
file scan:pindai berkas:  
FILE SCAN::1  
file search:cari berkas:  
file section:segmen/potongan berkas:  
file section:seksi berkas:  
file security:keamanan berkas:1  
file security:keamanan berkas:  
file security:keamanan berkas:  
file security:keamanan berkas:  
file separator:pemisah berkas:  
file sequence number:nomor urut berkas:  
file serial number:nomor serial berkas:  
file server:server berkas:1  
file server:server berkas:1  
file server:server berkas:  
file server:server berkas:  
file set:kumpulan berkas:  
file share:bagian berkas:  
file sharing:berbagi berkas:1  
file sharing:berbagi berkas:



file sharing:pembagian berkas:  
file size:besar berkas:  
file size:besar berkas:  
file size:ukuran berkas:1  
file size:ukuran berkas:1  
file specification:spesifikasi berkas:  
file storage capability:kemampuan penyimpanan arsip:  
file structure:struktur berkas:  
file switch:sakelar arsip:  
file system:sistem berkas:  
file trailer label:label trailer berkas:  
file transfer:transfer berkas:  
file transfer:transfer berkas:  
file transfer and management (FTAM):transfer berkas dan manajemen:  
file transfer program (ftp):protokol pemindahan file:  
file transfer protocol:protokol pemindahan berkas:1  
file transfer protocol:protokol pemindahan berkas:  
file transfer protocol:protokol pemindahan file:  
file transfer protocol:protokol pemindahan file:  
file transfer protocol (FTP):protokol pemindahan file:  
file transfer protocol (FTP):protokol pemindahan file:  
file transfer protocol (FTP):protokol transfer berkas:1  
"file transfer protocol, ftp "::  
file translation:translasi berkas:  
file type:model/tipe berkas:  
file types:tipe berkas:1  
file types:tipe berkas:  
file update:pemutakhiran data:  
file updating:penyesuaian berkas:  
file variable:variabel berkas:  
file verification program:program verifikasi berkas:  
file-by-file:berkas satu per satu:  
file-by-file:berkas-demi-berkas:1  
file-by-file:berkas-demi-berkas:  
file-by-file backup:pencadangan berkas satu per satu:  
filemark:tanda berkas:  
filename:nama berkas:1  
filename:nama berkas:  
filename extension:eksstensi nama berkas:  
files:berkas:1  
files:berkas:1  
files:berkas:  
files:berkas:  
files hierarchical directories:direktori hirarki berkas  
files listing:senarai berkas  
files master:berkas utama

files organizing:pengorganisasian berkas  
files sequential:urutan berkas  
filestore:  
filing:pengisian; filing  
filing and source data entry techniques for easier retrieval-low core:pengarsipan dan tehnik masukan data sumber untuk kemudahan temuan kembali- teras rendah  
fill :isi  
fill character:karakter pengganti  
filler:pengisi  
fillet:filet  
fill-in the blank programming language:isi bahasa terprogram yang kosong  
filling:pengisian  
filling compound:himpunan pengisian  
film:selaput; film  
film integrated circuit:kalang terintegrasi selaput:  
film integrated circuit:sirkuit terpadu film:  
film reader:pembaca film:  
film recorder:perekaman film:  
film recording:perekaman film:  
film resistor:tahanan film:  
film scanner:pemayar selaput:  
"FILO, first in last out":  
filter:penapis; penyaring:  
filter:saringan; filter:  
filter bridge:jembatan penyaring:  
filter capacitor:kapasitor film:  
filter card:kartu filter:  
filter element:unsur filter:  
filtering:penapisan:  
filtering software:perangkat lunak penyaringan:1  
FIN segment:segmen FIN:  
final controlling element:elemen pengontrolan akhir:  
final copy:kopi akhir:  
final LINE-COUNTER setting rule:kaidah pengesetan liner- counter akhir:  
final merge phase:fase gabung akhir:  
final orbit condition:kondisi edar akhir:  
final selector:selektor akhir:  
final test:tes akhir:  
final value of the input impedance:nilai akhir impedans masukan:  
finance communication controller:pengontrol komunikasi kenangan:  
financial:finansial:  
financial consideration:pertimbangan keuangan:1  
financial consideration:pertimbangan keuangan:  
financial electronic data interchange (FEDI):FEDI:  
financial information and competition:informasi keuangan dan kompetisi:DELETE  
financial information system:sistem informasi finansial:1

istilah-ti-indonesia

financial information system:sistem informasi finansial:  
financial information system:sistem informasi finansial:  
financial information system:sistem informasi keuangan:1  
financial information system (FIS):sistem informasi finansial:  
financial management and cost:manajemen keuangan dan biaya:DELETE  
financial management expert system :sistem pakar manajemen keuangan:1  
financial management expert system (ES):sistem pakar manajemen keuangan:  
financial modeling:pemodelan anggaran:1  
financial modeling:pemodelan anggaran:  
financial planning software:perangkat lunak perencanaan keuangan:1  
finding hidden directories:penemuan direktori tersembunyi:1  
finding hidden directories:penemuan direktori tersembunyi:  
fine actuator:aktuator halus:  
fine arts:seni murni:  
fine control:kontrol halus:  
fine delay:penundaan denda:  
fineness of scale:skala kehalusan  
fineness of scanning:pemayaran kurang tajam/jelas  
finger :finger  
fingerprint:cetak jari  
finished product:hasil rampung  
finite automata:automata terbatas  
finite correction:koreksi akhir  
finite difference methods:metode beda hingga  
finite difference methods:metode beda hingga  
finite difference methods:metode beda hingga  
finite element methods:metode elemen hingga  
finite fields:medan hingga  
finite multiplier:pekali akhir  
"finite pole tip head, magnetic recording":  
finite population:populasi berhingga  
finite state automaton:automaton tempat film  
"finite state machine, FSM "::  
finite volume methods:metode volume hingga:  
finite-state machine::  
fire:api:  
fire alarm:alarm kebakaran:  
fire pot:pot kebakaran:  
fireable:mampu bakar:  
firewall:dinding api :1  
firewall:tembok api:1  
firewalls:dinding penahan:1  
firewalls:dinding penahan:1  
firewalls:dinding penahan:1  
firewalls:dinding penahan:  
firewalls:dinding penahan:

firewalls:dinding penahan:  
firing:penyalaaan; pencentusan; pembakaran:  
firing angle:sudut penyalaaan:  
firing time of a gas-filled switching tube:waktu penyalaaan tabung sakelar berisi gas:  
firm banking:perbankan firma:  
firm output:keluaran tetap:  
firm power:daya tetap:  
firmware:perangkat perusahaan:1  
firmware:perangkat tegar:1  
firmware:perangkat tegar:  
firmware:perangkat tegar:  
firmware:perangkat tegar:  
firmware::1  
firmware::  
firmware engineering:rekayasa perangkat tegar:  
firmware program:program perangkat tegar:  
firmware support of instruction sets:dukungan perangkat tegar bagi kumpulan instruksi:  
firmware support of operating systems:dukungan perangkat tegar bagi sistem operasi:  
firmwaring:peralatan tegar:  
first 4K control storage increments:tambahan penyimpanan kontrol 4K pertama:  
first detector:pendeteksi pertama:  
first fit memory allocation:alokasi memori pertama sesuai:1  
first generation computer:komputer generasi pertama:  
first generation computer:komputer generasi pertama :1  
first in first out:masuk duluan keluar duluan:  
first in first out buffer:penyangga satu masuk satu keluar:  
first in first out list:senarai satu masuk satu keluar:  
first in first out storage:penyimpanan satu masuk satu keluar:  
first in last out:masuk pertama keluar terakhir:  
first level definition:definisi tahap pertama:  
first operand:operandi pertama:  
"first order logic, FOL "::  
first page forms alignment:penjajaran bentuk-bentuk halaman pertama:  
first page indicator:insikator halaman pertama:  
first party release:pelepasan partai pertama:  
first print line position rule:kaidah posisi garis cetak pertama:  
first printer attachment:bantuan pencetak pertama:  
first reader attachment:bantuan pembaca pertama:  
first transition:peralihan pertama:  
first transition peak:puncak peralihan pertama:  
first transition peak to peak mesial point:titik mesial puncak ke puncak peralihan pertama:  
first transition percent point:titik persen peralihan pertama:  
first virtual:first virtual:DELETE  
first virtual:maya pertama:1  
first virtual:maya pertama:1  
first virtual:maya pertama:DELETE

"first-fit, memory allocation"::

first-generation computers:generasi komputer pertama:

first-generation computer:komputer generasi pertama:

first-in first-out:masuk duluan keluar duluan:

first-in first-out:masuk pertama keluar pertama:

first-in first-out:masuk pertama keluar pertama:

first-in first-out (FIFO):FIFO:

first-in first-out (FIFO):FIFO:

first-in-first out:masuk duluan keluar duluan:1

first-level address:alamat tingkat/taraf pertama:

first-level message:pesan tingkat pertama:

fish pole antenna:antena kutub pertama:

fishplate:pelat las:

fit:siap; fit:

fit test rule:kaidah uji layak:

fitting:penyesuaian:

fitting adaptors:adaptor penyesuai:

fittings:fitting:

five unit code:kode unit lima:

five-bit address argument:argumen adres 5 bit:

five-level code:sandi lima-tingkat

fix:tetap

fixed:pasti

fixed area:daerah tetap

fixed area:daerah tetap/pasti

fixed area:daerah/area tetap

fixed BLDL table:tabel BLDL pasti

fixed BLDL table:tabel BLDL tetap

fixed block length:panjang blok tetap

fixed bolster:bolster tetap

fixed build list table:tabel senarai bangunan tetap

fixed capacitor:kapasitor tetap

fixed coil:gulungan tetap

fixed command control:kontrol komando tetap

fixed costs :

fixed coupler:penggandeng tetap

fixed data:data pasti:

fixed decimal mode:ragam desimal tetap:

fixed disk:cakram tetap:1

fixed disk:cakram tetap:1

fixed disk:cakram tetap:

fixed disk:cakram tetap:

fixed disk:cakram tetap:

fixed disk system:sistem cakram tetap:

fixed dollar sign:tanda dolar tetap:

fixed field:medan tetap:

fixed format:format tetap:  
fixed function generator:pembangkit fungsi tetap:  
fixed head:kepala tetap:  
fixed head storage:penyimpan kepala tetap:  
Fixed Head Storage:Penyimpanan Kepala Tetap:  
fixed inductance:induktansi tetap:  
fixed insertion:penyisipan tetap:  
fixed insertion character:karakter penyisipan tetap:  
fixed insertion editing:editing penyisipan tetap:  
fixed length:panjang tetap:  
fixed length block:blok panjang tetap:  
fixed length field:medan panjang tetap:  
fixed length fields:medan panjang tetap:  
fixed length records:rekam panjang tetap:  
fixed length word:kata panjang tetap:  
fixed link pack area:area pak sambungan pasti:  
fixed link pack area:daerah padat sambung tetap:  
fixed loss:rugi tetap:  
fixed medium:medium tetap:  
fixed page:halaman tetap:  
fixed page frame:kerangka halaman tetap:  
fixed partition :pantis tetap:1  
fixed point:titik tetap:  
fixed point arithmetic:aritmetik titik tetap:  
fixed point arithmetic:aritmetik titik tetap:  
fixed point arithmetic::  
fixed point binary:titik tetap biner:  
fixed point divide exception:pengecualian pembagi titik tetap:  
fixed point number:nomor titik tetap:  
fixed point overflow exception:pengecualian luap titik tetap:  
fixed- point register:register titik tetap:1  
fixed point value:harga titik tetap:  
fixed portion:bagian tetap/pasti:  
fixed radix notation:notasi radiks tetap:  
fixed radix numeration system:sistem perangkaan radiks tetap:  
fixed resident routine:rutin residen tetap:  
fixed resistor:penahan tetap:  
fixed routing:routing tetap:  
fixed service:jasa tetap:  
fixed signal:sinyal tetap:  
fixed station:stasiun tetap:  
fixed storage:penyimpan tetap/pasti:  
fixed storage:penyimpanan tetap:  
fixed storage area:daerah penyimpanan tetap:  
fixed time call:pemanggilan waktu tetap:  
fixed word length:panjang kata tetap:

istilah-ti-indonesia

fixed word length:panjang kata tetap/pasti:  
fixed word length computer:komputer panjang kata tetap:  
fixed-block-architecture (FBA):arsitektur blok tetap :1  
fixed-cycle operation:operasi tetap/pasti-siklus:  
fixed-format messages:pesan format tetap:  
fixed-head disk:cakram kepala tetap:1  
fixed-head disk:cakram/piringan tetap/pasti-kepala:  
fixed-head disk:cakram/piringan tetap/pasti-kepala:  
fixed-head disk :cakram kepala tetap:1  
fixed-length instruction::  
fixed-length record:rekaman panjang tetap:  
fixed-length records:rekaman panjang tetap:1  
fixed-length records:rekaman panjang tetap:  
fixed-point arithmetic operation:operasi aritmetik titik-tetap:  
fixed-point binary constant:konstanta biner titik tetap:  
fixed-point computer:komputer titik-tetap:  
fixed-point constant:tetap/konstanta pasti-titik:  
fixed-point decimal constant:konstanta desimal titik tetap:  
fixed-point item:unsur titik tetap:  
fixed-point literal:literal titik tetap:  
fixed-point number:bilangan titik-tetap:  
fixed-point part:bagian titik tetap:  
fixed-point register:pencatatan titik tetap:  
fixed-point register:pencatatan titik tetap:  
fixed-point register:register titik tetap:1  
fixed-point representation:representasi titik tetap:1  
fixed-point representation:representasi titik tetap:  
fixed-point representation:representasi titik tetap:  
fixed-point representation system:sistem representasi titik- tetap:  
fixed-point scale:skala titik tetap:  
fixing:penentuan:  
fixpoint:titik pasti:  
fixture:tempelan:  
flag:panji:1  
flag:tanda; panji:  
flag:tanda; panji:  
flag :bendera:1  
flag alarm:alarm bendera:  
flag bit:bit panji:  
flag byte:byte tanda:  
flag event:kejadian panji:  
flag register:pencatatan bercak:  
flag register:pencatatan bercak:  
flag register:register bendera:1  
flag register:register panji:1  
flame :kemarahan:

flame deflector: deflektor nyala:  
 flame message: pesan kemarahan: 1  
 flame war: perang kemarahan: 1  
 flaming error: galat penyalaan:  
 flange: flens:  
 flapped: gerak:  
 flapper coil: kumparan kelepai:  
 flap-type attenuator: pelat tipe-kelapai:  
 flash: kilat:  
 flash lamp: lampu kilat:  
 flash memory: memori kilat: 1  
 flash memory: memori kilat: 1  
 flash memory: memori kilat:  
 flash memory: memori kilat:  
 flash RAM: RAM kilat: 1  
 flash ram::  
 flash ROM: ROM kilat: 1  
 flash test: tes kilat:  
 flasher relay: relai pengilap:  
 flashing: denyaran; leburan; kilatan:  
 flashing key: kunci berkilap:  
 flashing point: titik kilatan:  
 flashing relay: relai berkilap:  
 flashover: cetus api berkisar:  
 flat: datar:  
 flat address::  
 flat bed camera: kamera tempat tidur:  
 flat cable: kabel rata:  
 FLAT FILE:: 1  
 flat file::  
 flat file::  
 flat file ::  
 flat gain control: kontrol perolehan tempat:  
 flat leakage power of a gas-filled switching tube: daya kebocoran tempat tabung putar bergas:  
 flat package: kemasan rata:  
 flat panel monitor: monitor panel rata: 1  
 flat plate radiometer: radiometer pelat datar:  
 Flat Rate: biaya tetap:  
 flat rate: tarif dasar:  
 flat screen: layar datar : 1  
 flat top antenna: antena ujung datar:  
 flat type copper wire: kawat tembaga tipe datar:  
 flatbed plotter: perajah papan datar: 1  
 flatbed plotter: plotter papan datar:  
 flat-bed plotter: plotter papan datar:  
 flat-bed plotter: plotter papan datar:



flatbed scanner:pemayar flatbed:  
 flatbed scanner:pemindai rata:1  
 flat-compounded generator:generator persenyawaan datar:  
 flatness:kerataan:  
 flat-rate schedule:skala tarif dasar:  
 flatwise coil:kumparan arah datar:  
 flexibility:fleksibilitas:  
 flexibility ::  
 flexible armoring:persenjataan lentur:  
 flexible cartridge:kelongsong fleksibel:  
 flexible coupilng:kopling lentur:  
 flexible disk:cakram fleksibel:1  
 flexible disk:cakram/piringan fleksibel:  
 flexible tower:menara lentur:  
 flexowriter:penulis feksa:  
 flick:kerdip:  
 flicker:kelipan:  
 flicker effect:efek kelipan:  
 flicker noise:gangguan kerdipan:  
 flicker photometer:fotometer kerdipan:  
 flickering:peneglipan:  
 flight control:kontrol penerbangan:  
 flight safety officer:petugas keamanan terbang:  
 flight simulator:simulator penerbangan:  
 flip chip:tatal puntir:  
 flip chip bonding:pengikatan cip flip:  
 flip-flop: flip-flop:1  
 flip-flop:flip-flop:1  
 flip-flop:flip-flop  
 flip-flop:flip-flop  
 flip-flop circuit:sirkuit flip-flop  
 flipping:puntiran  
 flippy:flipi  
 float:kambang  
 floating:luapan  
 floating asterisk:asterisk ambang  
 floating battery:baterai apung  
 floating carrier system:sistem pembawa apung  
 floating construction:konstruksi apung  
 floating decimal mode:ragam desimal pecahan  
 floating dollar sign:tanda luapan dollar  
 floating gate:gerbang ambang  
 floating gate avalanche injection:injeksi avalans gerbang apung  
 floating head:kepala luapan  
 floating insertion:lembatang sisa ambang:  
 floating insertion character:karakter lebatang sisa ambang:

floating operations per second:operasi apung per detik:  
floating point:titik ambang:  
floating point arithmetic:aritmetik titik ambang:  
floating point arithmetic::  
floating point constant:konstanta pecahan:  
floating point coprocessor:koprosesor titik terapung:1  
floating point divide exception:perkecualian pembagi pecahan:  
floating point instruction per second (FLOPS):FLOPS:  
floating point instruction per second (FLOPS):FLOPS:  
floating point instruction per second (FLOPS):instruksi titik terapung per detik (FLOPS):1  
floating point literal:literal titik ambang:  
floating point number:bilangan titik ambang:  
floating point register:register titik ambang:  
floating point routine:rutin titik ambang:  
floating point unit:unit titik ambang  
floating segment:segmen ambang  
floating storage addressing:alamat simpan apung  
floating zone melting method:metode pelelehan zona apung  
floating-point arithmetic operation:operasi aritmetik titik- mengamba  
floating-point base:basis pecahan  
floating-point binary constant:konstanta biner pecahan  
floating-point computer:komputer titik-ambang  
floating-point constant:konstanta pecahan  
floating-point data:data titik-ambang  
floating-point decimal constant:konstanta desimal pecahan  
floating-point item:unsur pecahan  
floating-point literal:harfiah titik ambang  
floating-point number:bilangan titik-ambang  
floating-point operations per second:operasi titik-ambang per detik  
floating-point package:kemasan titik ambang  
floating-point processor:pemroses titik ambang:1  
floating-point radix:radiks desimal:  
floating-point register: register titik terapung:1  
floating-point register:register titik ambang:1  
floating-point register:register titik-ambang:  
floating-point register:register titik-ambang:  
floating-point representation: representasi titik terapung:1  
floating-point representation:representasi titik ambang:  
floating-point representation:representasi titik ambang:  
floating-point representation system:sistem representasi titik- mengamba:  
floating-point scale:skala titik ambang:  
floating-point unit::  
floating-point unit (FPU):FPU:  
floating-point unit (FPU)::  
flooding:pelimpahan:  
floor duct:saluran lantai:

floor lamp:lampu berdiri:  
floor space:luas lantai:  
"flop, FLoating OPeration per second"::  
flop-over circuit:sirkuit flop-over:  
floppy:flopi:  
floppy discs:cakram floppy:  
floppy discs:cakram floppy:  
floppy disk:cakram flopi:1  
floppy disk:cakram flopi:  
floppy disk:cakram flopi:  
floppy disk:cakram floppy:1  
floppy disk:cakram floppy:  
floppy disk:cakram floppy:  
floppy disk controller:pengawas/pemeriksa cakram flopi:  
floppy disk controller card:kartu pengendali cakram floppy:  
floppy disk drive:penggerak cakram floppy:1  
floppy disk drive::  
floppy disk drive unit:unit gerak disket flopi:  
floppy disk operating system:sistem pengoperasian cakram lentur:  
floppy disk storage:penyimpan cakram flopi/lentur:  
floppy disk unit:unit cakram flopi:  
floppy tape adaptor board:papan adaptor tape floppy:  
FLOPS:FLOPS:  
floptical::  
flow:aliran:  
flow camera:kamera alir:  
flow chart::  
flow charts:bagan alir:  
flow control:kendali alir:1  
flow control:kontrol alir:  
flow dependency::  
flow diagram:diagram alir:  
flow diagram::  
flow direction:direksi alir:  
flow label:label alir:  
flow line:garis alir; garis arus:  
flow meter:meter alir:  
flow of control::  
flow program:alur program:  
flow relay:siar pancar alir:  
flow table:tabel alir:  
flowchart:bagan alir:1  
flowchart:bagan alir:  
flowchart:bagan alir:  
flowchart connector:konektor bagan alir:  
flowchart symbol:symbol bagan alir:

flowchart text:teks peta arus:  
flowcharting:pembagan aliran:  
flowcharts:bagan alir:  
flowcharts:bagan alir:  
flowcharts:grafik alir:1  
flowcharts:grafik alir:  
flowcharts systems:sistem bagan alir:  
flowline:garis alir:  
flowmeter:meter aliran:  
flowmetter:meter alir:  
fluctuation:fluktuasi:  
fluctuation noise:gangguan fluktuasi:  
flue:cerobong asap:  
flue gas:gas asap:  
fluerics:flueris:  
fluidic:fluidik:  
fluidics:fluidika:  
fluorescence:berpijar:  
fluorescent character display tube:tabung tampilan karakter berpijar  
fluorescent material:material fluoesen  
fluorescent noise generator:generator derau fluoesen  
fluorescent screen:layar berpijar  
fluororesin:fluororesin  
flush (pipeline):  
flush type:tipe bilas  
flushmica commutator:komutator mika bilas  
flutter:geletar  
flutter echo:gaung getar  
flux:fluks  
flux density:kerapatan/densitas fluks  
flux of light:fluks sinar  
flux reversal:kebalikan fluks  
fluxmeter:meter fluks  
fly contact:kontak terbang  
flyback:terbangbalik  
fly-back line:garis terbang-balik  
flyback period:periode lompat balik  
flyback period:periode lompat balik  
flyback transformer:transformator lompat balik  
fly-frame:kerangka terbang  
flying:layang  
flying head:kepala kemudi  
flying head disk:  
flying height:puncak/tinggi daya  
flying spot scanner:pemayar sorot daya  
flying spot scanner:penelusur sorot terbang

flying-spot scanner:pemayar terbang-bintik  
flying-spot scanner tube:tabung pemindai titik terbang  
flywheel:roda gaya  
flywheel generator:generator roda gila  
FM:FM  
FM (biphase):  
FM (Frequency Modulation):FM  
FM Cable Service:jasa kabel FM  
FM discriminator:diskriminator FM  
FM discriminator:diskriminator FM  
FM recording:perekaman FM  
F-mode records:perekam model-F  
focal glass plate:pelat kaca pumpun  
focus:fokus  
focus of control :  
focusing:pemfokusan  
focusing electrode:elektrode pemumpunan  
focusing magnet:magnet pemumpunan  
fog-type insulator:insulator tipe kabut  
foirl:  
FOLD:FOLD :  
FOLD:lipat:1  
fold:lipat:  
folded antenna:antena lipat:  
folder:folder:1  
folder:folder:  
folder:folder:  
folder:pelipat:1  
folding:pelipatan:  
folding machine:mesin lipat:  
follow up:tindak lanjut:  
font:fon:1  
font:fon:  
font change character:karakter pindah fon:  
foot push:tolak kaki:  
footer:pengaki:  
FOOTING:FOOTING:  
FOOTING:pijakan:1  
footing:pijakan:  
footprint:tapak:  
for clause:klausa for:  
for digital data:untuk data digital:  
for home use:untuk penggunaan di rumah:  
for list:untuk daftar:  
for list element:elemen senarai untuk:  
for statement:pernyataan for:

forbidden band:pita terlarang:  
forbidden character code:kode karakter terlarang:  
forbidden code:kode terlarang:  
forbidden combination:kombinasi larangan:  
forbidden combination check:cek kombinasi terlarang:  
force:paksaan:  
force placement:tempatan forsa  
force priority:prioritas paksaan  
forced circulation boiler:ketel sirkulasi paksa  
forced circulation furnace:tanur sirkulasi paksa  
forced display:layar/tampilan kakas; penampilan paksaan  
forced draft:konsep paksaan  
forced draft fan:kipas sarat paksa  
forced drainage:pengaliran paksa  
forced message:pesan paksaan  
forced oil transformer:transformer minyak paksa  
forced release:pelepasan paksa  
forced stroke:goresan paksa  
forced-air cooling:pendinginan udara paksa  
forced-air-cooled transformer:transformator dinginan- udara-paksa  
forced-air-cooled tube:tabung dinginan-udara-paksa  
forcing:paksaan  
forcing point lock plunger:plunger kunci titik paksa:  
forecasting:forekasting:  
forecasting cost:biaya prakiraan:1  
forecasting cost:prakiraan biaya:DELETE  
foreground:latar depan:  
foreground :latar depan:  
foreground image:gambatang depan:  
foreground initiated background:latar belakang memulai latar depan (?):  
foreground initiated background job:kerja latar belakang memulai latar depan (?):  
foreground initiator:inisiator latar depan:  
foreground job:tugas latar depan:  
foreground message processing program:program pemrosesan pesan latar depan:  
foreground partition:sekatan latar depan:  
foreground processing: pemrosesan latar depan:1  
foreground processing:pemrosesan latar depan:  
foreground processing:pemrosesan latar depan:  
foreground program:program latar depan:  
foreground region:kawasan latar depan:  
foregrounding:keutamaan:  
foreground-initiated background job:pekerjaan latar belakang diawali latar depan:  
foreign exchange service:layanan pertukaran asing:  
Foreign key :FOREIGN KEY :KUNCI ASING  
foreign medium:tengah/medium asing:  
forest of trees ::

fork:garpu:  
fork:garpu:  
fork mark:tanda cagak:  
form:formulir:  
form (FTP):form (FTP):  
form control:kontrol bentuk:  
form design:desain formulir:1  
form design:rancangan bentuk:  
form development process:proses pengembangan bentuk:  
form factor :faktor bentuk:  
form factor :faktor bentuk:  
form feed:umpan kertas:  
form feed:umpan lembaran:  
form feed character:karakter umpan form:  
form feed character:karakter umpan lembaran:  
form feed chatacter:karakter kecepatan terlarang:  
form fill-in interface:antarmuka isi formulir:1  
form fill-in interface:antarmuka pemasukan formulir:  
form flash:kilasan form:  
form overlay:tindihan form:  
form stop:stop bentuk:  
form tractor unit:unit traktor kertas:1  
form type:tipe bentuk:  
formal analysis:analisis formal:1  
formal argument:argumen formal:  
"formal description techniques, FDT"::  
formal design method:metode desain formal:1  
formal language::  
formal logic:logika formal:  
formal method:metode formal:  
formal method:metode formal:  
formal method::  
formal methods:metode formal:  
formal model ::  
formal models:model formal:  
formal models:model formal:  
formal models:model formal:  
Formal models of communication:model formal dari komunikasi:  
formal parameter:parameter formal:  
formal parameter ::  
formal parameter list:senarai parameter formal:  
formal parameter part:bagian parameter formal:  
formal proof-of-correctness:bukti kebenaran formal:1  
formal report feature:kekhasan reportase formal:  
formal specification:spesifikasi formal:  
formal specification::

formal technical reviews ::  
formal translator:penerjemah resmi:  
format:format:  
format:format:  
format check:cek format:  
format code:kode/sandi format:  
format control:kontrol format:  
format control code:kode kontrol format:  
format control language:bahasa kontrol format:  
format D record:rekaman D format:  
format description:diskripsi format  
format description type:tipe deskripsi format  
format effector:efektor format  
format effector:efektor format/bentuk  
format F record:rekaman F format  
format ID field:medan format ID  
format identification field:medan identifikasi bentuk  
format identifier:pengenal format  
format identifier:pengenal format  
format independence:kebebasan format  
format item:item format  
format item:unsur format  
format list:senarai format  
format primary:primer bentuk  
format procedure:prosedur format  
format processing language:bahasa pemrosesan format  
format record:rekaman format:  
format specification:spesifikasi format:  
format statement:pernyataan format:  
format string:sirkuitan format:  
format U record:rekaman U format:  
format V record:rekaman V format:  
formation:formasi:  
formation level:aras formasi:  
formats:format:  
formats files:berkas format:1  
formats files:berkas format:  
formatted core dump:penumpang inti terformat:  
formatted data:data pembentukan:  
formatted display:layar/tampilan terformat:  
formatted dump:penumpang pembentukan:  
formatted FORTRAN record:rekaman FORTRAN berformat:  
formatted input/output statement:statemen keluaran/ masukan pembentukan:  
formatted message:pesan terformat:  
formatted READ statement:pernyataan BACA terformat:  
formatted record:rekaman terformat:



formatted WRITE statement:pernyataan TULIS terformat:  
formatter:pembentuk:  
formatting:pemformatan:  
formed conductor:konduktor bentukan:  
former:bekas; pembentuk:  
former-wound:gulungan semula:  
forming:pembentukan:  
FORMS:FORMS:1  
FORMS:FORMS:  
forms:formulir :  
forms alignment:bentuk pengajaran:  
forms control buffer:penyangga kontrol bentuk:  
forms design:desain bentuk:1  
forms design:desain bentuk:  
forms design:desain bentuk:  
forms design:desain bentuk:  
forms feed control:kontrol kecepatan bentuk:  
forms feed stacker:bentuk penimbunan pemasokan:  
forms overlay:tindihan lembaran:  
forms stand:bentuk standar:  
forms stand stacker:penumpuk stan bentuk:  
forms tractor unit:unit traktor kertas:  
formula:formula:  
formula manipulation:manipulasi rumus:  
formula translation:translasi rumus:  
formula translator:penerjemah formula:  
formulator:perumus:  
FORTRAN:FORTRAN:1  
FORTRAN:FORTRAN  
FORTRAN:FORTRAN  
FORTRAN:FORTRAN  
FORTRAN compiler:perangkum FRONTRAN  
FORTRAN language:bahasa FRONTRAN  
FORTRAN processor:prmroses FRONTRAN  
FORTRAN processor program:program prmroses FRONTRAN  
FORTRAN tranlator:penerjemah FROGRAM  
fortuitous conductor:konduktor kebetulan  
fortuitous distortion:erotan/distorsi kebetulan  
forum :forum  
forward:depan  
forward abort sequence:urutan gugur ke muka  
forward bias:bias ke depan  
forward channel:kanal kedepan  
forward chining:  
forward class declaration:deklarasi kelas maju:1  
forward current:arus ke depan:

forward direction:arah maju:  
forward engineering::  
forward error recovery::  
forward LAN channel:kanal LAN depan:  
forward read:baca ke depan:  
forward reading:pembacaan ke depan:  
forward recovery:pemulihan ke depan:  
forward round-the-world echo:gaung keliling dunia ke muka:  
forward scheduling:penjadwalan ke depan:  
forward space:ruangan ke depan:  
forward traveling wave:gelombang berjalan maju:  
forward voltage:voltase ke muka:  
forwarding:penerusan:  
forwarding:penerusan:  
fouling point:titik cemar  
foundation:fondasi  
foundation bolt:baut fondasi  
fount:sumber  
fount changeable typewriter:mesin tik dapat-tukar lengkap  
fountain life-cycle :  
four address instruction:instruksi alamat empat  
four figure system:sistem bentuk empat  
four wire:kawat empat  
four-bit address argument:argumen adres empat-lit  
Fourier series:seri/deret Fourier  
Fourier transform:alihragam Fourier  
Fourier Transform:transformasi Fourier  
four-plus-one address:alamat empat plus satu  
four-row keyboard:papan tombol empat-baris  
four-terminal attenuation:atenasi empat-terminal  
four-terminal network:jaringan empat-terminal:  
fourth control attachment:tambahan katrol empat:  
fourth generation computer:komputer generasi keempat:1  
fourth generation languages:bahasa generasi ke empat:  
fourth generation languages (4GLs):bahasa generasi ke empat:  
fourth generation programming language (4GPL):4GPL:  
fourth-generation computing:komputasi 4GL:  
fourth-generation language (4GL):bahasa generasi keempat:1  
fourth-generation language (4GL):bahasa generasi keempat (4GL):  
fourth-generation language (4GL):bahasa generasi keempat (BG4):  
fourth-generation language (4GL):bahasa generasi keempat (BGKe):1  
"fourth-generation language, 4GL "::  
fourth-generation languages:bahasa generasi ke empat:  
fourway interleaved::  
four-wheel car:mobil roda-empat:  
four-wire arm:lengan kawat-empat:

four-wire channel:kanal empat-kabel  
four-wire circuit:kalang empat-kawat  
four-wire circuit:sirkuit empat kawat  
four-wire circuit:sirkuit empat-kabel  
four-wire repeater:pengulang empat-kawat  
four-wire system:sistem empat-kawat  
four-wire terminating set:kumpulan terakhir empat-kawat  
fovea:foveo  
foveola:foveola  
fox message:pesan membingungkan  
"FPGA, field programmable gate array":  
FPM RAM:  
FPU:  
fractal :fraktal  
fractal curve:kurva fraktal  
fractals:fraktal  
Fractals:fraktal:  
fraction:pecahan:  
fraction defective:fraksi defektif:  
fractional exponent:eksponen fraksional:  
fractional horsepower motor:mesin daya kuda fraksional:  
fractional part:bagian fraksional:  
fractional pitch winding:pembalikan pitch fraksional:  
fractional slot winding:pembalikan celah fraksional:  
FRAD :FRAD:  
fragment:fragmen:  
fragmentation: fragmentasi:1  
fragmentation:fragmentasi:  
fragmentation:fragmentasi:  
fragmentation required:kebutuhan fragmentasi:  
fragmenting:pemecahan:  
frame:bingkai; kerangka:  
frame (for page)::  
frame check sequence:urutan cek bingkai:  
frame check sequence:urutan cek rangka:  
frame check sequence:urutan tilikan kerangka:  
frame check sequence (FCS):urutan cek bingkai:1  
frame checksum:kerangka uji jumlah:  
frame dropping:pendropan kerangka:  
frame filtering:tapis kerangka:  
frame ground:latar rangka:  
frame header:tajuk bingkai:  
frame number:bilangan kerangka:  
frame pitch:titi kerangka:  
frame rate:tarif kerangka:  
frame relay:relai bingkai:1

frame relay:relai bingkai:  
frame relay:relai bingkai:  
frame relay:relai bingkai:  
frame relay network:jaringan relai bingkai:1  
Frame relay networks (NEW):jaringan relai bingkai:  
frame table:tabel kerangka:  
frame table entry:masukan tabel kerangka:  
frame type:tipe kerangka:  
frame type field::  
framebuffer operations:operasi kerangka penyangga:  
frames:kerangka :  
framework:kerangka kerja:  
framework ::  
Frameworks (NEW):kerangka kerja:  
framing:pembingkaian:  
framing bit:bit pembingkaian:  
framing bits:pengerangkaan bit:  
framing error:kekeliruan kerangka:  
Franchise Authority:otoritas Franchise:  
franking:keterusterangan:  
franking machine:mesin franking:  
fraud:tipuan:1  
fraud:tipuan:  
Fredholm equations:persamaan Fredholm:  
free:bebas:  
free access:akses/akses bebas:  
free access floor:dasar akses bebas:  
free area:daerah bebas:  
free charge:permintaan bebas:  
free electron:elektron bebas:  
free field:medan/daerah bebas:  
free form:form bebas:  
free format field:medan/daerah format bebas:  
free impedance:impedans bebas:  
free list:daftar/senarai bebas  
free magnetization condition:kondisi pemagnetan bebas  
free path:lintas bebas  
free progressive wave:gelombang progresif bebas  
free routing:penyalur(an) bebas  
free routing:penyaluran bebas  
free running:lari bebas  
free running multivibrator:multivibrator sambungan/ pelarian bebas  
free sound field:medan bunyi bebas  
free space:ruang bebas  
free space block:blok ruang bebas  
free storage:penyimpan bebas

free store :  
free time:waktu bebas  
free variable:variabel bebas  
free vibration:getaran bebas  
free wheeling:perodaan bebas (?):  
freedom:merdeka:  
free-field response:tanggapan medan-bebas:  
free-line repeater:pengulang garis-bebas:  
freenets:freenet:  
free-page list::  
free-running circuit:sirkuit ikutan-bebas:  
freeware:perangkat gratis:  
freeware:perangkat lunak gratis:1  
freewheeling:pesodaan bebas:  
freeze frame video:frame video di bekukan:  
FREEZE PANES::  
freeze quantifier ::  
freight car:gerbong barang:  
fremodyne:fremodyne:  
frequence allocations:alokasi frekuensi:  
frequency:frekuensi  
frequency allocation:alokasi frekuensi  
frequency analysis:analisis frekuensi  
frequency analyzer:penganalisis frekuensi  
frequency band:pita frekuensi; jalur frekuensi  
frequency bandwidth:jalurtengah frekuensi  
frequency changer:pengubah frekuensi  
frequency changer:penukaran frekuensi  
frequency characteristic:karakteristik frekuensi  
frequency control:kontrol frekuensi  
frequency conversion:konversi frekuensi  
frequency converter:pengubah frekuensi  
frequency demultiplier:demultiplier frekuensi  
frequency demultiplier:demultiplikator frekuensi  
frequency deviation:deviasi frekuensi  
frequency deviation:simpangan frekuensi  
frequency deviation for sinusoidal modulation:simpangan frekuensi untuk modulasi sinusoidal:  
frequency discrimination:diskriminasi frekuensi:  
frequency distribution:distribusi frekuensi:  
frequency diversity:perbedaan frekuensi:  
frequency divider:pembagi frekuensi:  
frequency division multiplex (FDM):multipleks divisi frekuensi:  
frequency division multiplex:multipleks divisi frekuensi:  
frequency division multiplexing:pemultipleksan divisi frekuensi:  
frequency division multiplexing (FDM):multipleks bagi frekuensi (FDM):  
frequency division multiplexing (FDM):multipleks bagi frekuensi (FDM):

istilah-ti-indonesia

frequency division multiplexing (FDM):multipleks bagi frekuensi (FDM):  
frequency division multiplexing (FDM):pemultipleksan divisi frekuensi:1  
frequency division multiplexing with satellites:multipleks bagi frekuensi dengan satelit:  
frequency division system:sistem devisi frekuensi:  
frequency error:kesalahan frekuensi:  
frequency indicator:indikator frekuensi:  
frequency interlace:frekuensi selang-seling  
frequency meter:meter frekuensi  
frequency modulatin:modulasi frekuensi  
frequency modulation:modulasi frekuensi  
Frequency Modulation (FM):modulasi frekuensi  
frequency modulation distortion for sinusoidal modulation:erofan modulasi frekuensi untuk modulasi sinusiodal  
frequency modulation recording:pencatatan modulasi frekuensi  
frequency monitor:monitor frekuensi  
frequency multiplier:pengali frekuensi  
frequency of occurrence:frekuensi kejadian  
frequency of vibration of the normal mode:frekuensi getaran modus normal  
frequency range:jangkauan frekuensi  
frequency record:rekaman frekuensi  
frequency response:tanggapan/respons frekuensi  
frequency sharing:pembagian frekuensi  
frequency shift keying:kuncian geser frekuensi  
frequency shift keying (FSK):penguncian alih frekuensi:  
frequency spectrum:spektrum frekuensi:  
frequency stability:stabilitas frekuensi:  
frequency standard:standar frekuensi:  
frequency system:sistem frekuensi:  
frequency tolerance:toleransi frekuensi:  
frequency transfer function:fungsi transfer frekuensi:  
frequency tuning range:jangkauan penalaan frekuensi:  
frequency/voltage pattern:patern freklkuensi/tengangan:  
frequency/voltage patterns:patern freklkuensi/tengangan:  
frequency-converter tube:tabung konverter-frekuensi:  
frequency-multiplexed system:sistem multipleks frekuensi:  
frequency-multiplexed systems:sistem multipleks frekuensi:  
frequency-response equalization:ekualisasi respon- frekuensi:  
frequency-shift keying:ketentuan pergantian frekuensi:  
frequent user:pengguna setia:1  
frequent user:pengguna setia:  
Frequently Asked Questions (FAQs):FAQs:  
Frequently Asked Questions (FAQs):pertanyaan yang sering ditanyakan:  
frequently asked questions (FAQs):soalan sering ditanya:1  
friction:friksi:  
friction brake:rem gesekan:  
friction clutch:cekam/kait gesekan:

friction cluth:kopling gesekan:  
friction compensation:kompensasi gesekan:  
friction coupling:kopling gesekan:  
friction feed:kecepatan friksi:  
friction loss:rugi gesekan:  
friction tape:pita gesekan:  
frictional resistance:tahanan friksi:  
friction-feed platen:tempatan kecepatan-friksi:  
friend class:kelas teman:1  
friend class ::  
friend function:fungsi teman:1  
friendliness:keramahtamahan:  
frog:katak:  
frog-leg winding:gulungan kaki-kodok:  
from filename:nama berkas dari:  
front:depan:  
front code:sandi depan:  
front compression:tekanan depan:  
front connection:sambungan depan:  
front cord:tali depan:  
front elevation:elevasi depan:  
front end::  
front end processor:pengolah ujung depan:  
front inserter:penyisip depan:  
front panel:panel penuh:  
front pitch:pitch depan:  
front porch:portal depan:  
front-back connection:sambungan depan-belakang:  
front-end approach:prosesor depan-akhir:  
front-end processor: prosesor depan:1  
front-end processor:pemroses depan:1  
front-end processor:prosesor depan-akhir:  
front-end processor:prosesor depan-akhir:  
front-end processor:prosesor depan-akhir:  
front-end tools:alat depan-akhir:1  
front-rod:batang depan:  
frontside bus::  
front-to-back ratio:nisbah depan ke belakang:  
FS:FS:  
FSK:FSK:  
FSS:FSS:  
FTP:FTP:  
FTP program:program FTP:1  
FTP server:server FTP:1  
FTP site:situs FTP:1  
FTP site::

FTP-by-email servers:FTP menggunakan server email:  
FTS:FTS:  
FTS:FTS:  
fuel:bahan bakar:  
fuel cell:sel bahan bakar:  
fuel consumption:konsumsi bahan bakar:  
fuel cost:harga bahan bakar:  
fuel economizer:penghemat bahan bakar:  
fuel fill valve:katup pengisi bahan bakar:  
fuel loading counter:gerai pengisian bahan bakar:  
fuel tank area:daerah tangki bahan bakar:  
fuel valve:katub bahan bakar:  
FUJ::  
full:penuh:  
full adder:penambah penuh:1  
full adder:penambah penuh:1  
full adder:penambah penuh:  
full adder:penambah penuh:  
full availability:kegunaan penuh:  
full capacity tap:cerat kapasitas penuh:  
full carrier:pengangkut lengkap:  
full duplex:dupleks penuh:  
full duplex:dupleks penuh:  
full duplex channel:saluran dupleks penuh:  
full duplex line:lin/garis dupleks penuh:  
full floating:pengapalan lengkap:  
full insulation:insulasi lengkap:  
full key compression:kompresi kunci penuh:  
full motion video:video gerakan penuh:  
full radiator locus:lokasi radiator penuh:  
full screen menu:menu layar penuh:  
full speed:kecepatan penuh:  
full subtracter:subtrakter penuh:  
full text retrieval:ambil seluruh teks:  
full text retrieval:pengambilan seluruh teks:1  
full text search:cari seluruh teks:  
full text search:pencarian seluruh teks:1  
full track index write option:pilihan menulis indeks lintasan penuh:  
full wave:gelombang penuh:  
full word:kata penuh:  
full-access dial-up (SLIP/PPP) connection:sambungan dial-up akses penuh (SLIP/PPP):  
full-duplex:dupleks penuh:1  
full-duplex:dupleks penuh:  
full-duplex channel:kanal dupleks-penuh:  
full-duplex lines:saluran dupleks-penuh:  
full-duplex transmission:transmisi dupleks penuh:1



full-duplex transmission: transmisi dupleks-penuh:  
full-duplex transmission: transmisi dupleks-penuh:  
full-keyboard: papan bilah lengkap:  
full-load efficiency: efisiensi muat-lengkap:  
full-pitch winding: pemutaran pitch-penuh:  
fulltext: teks penuh:  
full-time connections: sambungan waktu penuh:  
full-voltage starting: anjakan voltase penuh:  
full-wave rectification: penyearahan gelombang penuh:  
fullword: kata penuh:  
fully associative cache::  
fully associative cache::  
fully distributed topology: topologi terdistribusi penuh:1  
fully perforated tape: pita berpeforasi penuh:  
fully qualified name: nama berkualifikasi penuh:  
fully-connected network: jaringan terhubung lengkap:  
fully-qualified name: nama berkualifikasi penuh:  
function: fungsi:  
function: fungsi:  
function::  
function key: tombol fungsi:1  
function analysis ::  
function approximation: aproksimasi fungsi:  
function byte: byte fungsi:  
function code: kode fungsi:  
function control block: blok kontrol fungsi:  
function designator: perancangan fungsi:  
function generator: pembangkit/generator fungsi:  
function hole: lubang fungsi:  
function interpreter: penafsir fungsi:  
function key: tombol fungsi:  
function keyboard: papan tombol fungsi:  
function keys: tombol fungsi:  
function keys: tombol fungsi:  
function management layer: lapisan pengelolaan fungsi:  
function matrix: fungsi matriks:  
function name: nama fungsi:  
function of computer: fungsi komputer:1  
function of computer: fungsi komputer:DELETE  
function overloading ::  
function part: bagian operasi:  
function point ::  
function point analysis ::  
function procedure: prosedur fungsi:  
function reference: referensi fungsi:  
function selection screen: layar seleksi fungsi:

function step:langkah funasi:  
function subprogram:subprogram fungsi:  
function subprogram reference:referensi subtrakter penuh:  
function table:tabel fungsi:  
function table:tabel fungsi; senarai fungsi:  
function testing:uji fungsi:1  
function testing:uji fungsi:  
function testing:uji fungsi:  
function testing:uji fungsi:  
function testing:uji fungsi:  
functional:fungsional:  
FUNCTIONAL ABSTRACTION:ABSTRAKSI FUNGSIONAL:  
functional abstraction ::  
functional analysis:analisis fungsional:  
functional block:blok fungsional:  
functional command:perintah fungsional:  
functional completeness:terkomplet fungsional:  
functional constructs:bangun fungsi:  
FUNCTIONAL DECOMPOSITION:AWAKOMPOSISI FUNGSIONAL:  
functional decomposition ::  
FUNCTIONAL DEPENDENCIES::  
functional design:desain fungsional:  
functional design ::  
functional design implementation ::  
functional device:alat fungsional:  
functional diagram:diagram fungsi:  
functional diagram:diagram fungsional:  
functional element:elemen fungsional:  
functional language:bahasa fungsional:  
functional machine:mesin fungsional:  
functional MISs and database:SIM fungsional dan pangkalan data:DELETE  
functional model ::  
functional processing module:modul proses fungsional:  
functional programming:pemrograman fungsional:  
functional recovery routine:rutin pemulihan fungsional:  
functional redundancy checking::  
FUNCTIONAL REQUIREMENT:PERSYARATAN FUNGSIONAL:  
functional requirement:syarat fungsional:1  
functional requirement:syarat fungsional:1  
functional requirement:syarat fungsional:  
functional requirement:syarat fungsional:  
functional requirement::  
functional specification:spesifikasi fungsional:  
functional testing:uji fungsi:  
functional testing:uji fungsional:1  
FUNCTIONAL TESTING:UJI FUNGSIONAL:

functional unit::  
functional-aspect :  
functionality:  
functions:fungsi  
functions of computer:fungsi komputer  
functions of computer:fungsi komputer  
functions operating systems:fungsi sistem operasi  
functor:functor  
fundamental:fundamental  
fundamental design quality:  
fundamental frequency:frekuensi dasar  
fundamental harmonic:harmonis fundamental  
fundamental measures:  
fundamental metric:  
fundamental mode:  
fundamental solution:pemecahan fundamental  
fundamental tone:nada dasar  
fundamental unit:unit fundamental  
fundamental vibration:getaran fundamental  
fundamental wave:gelombang fundamental  
fundamental wavelength:panjang gelombang fundamental  
funnel:corong  
furnace:tanur  
furnace transformer:transformer tanur  
furnace volume:volume tanur  
furnace wall:dinding tanur  
fuse:sekring  
fuse:sekring; pemutus arus; kawat sekring lebur  
fuse alarm:alarm fuse  
fuse alarm:alarm sekering  
fuse link:  
fuse tube:tabung sekering  
fuse-carrier:pembawa sekering  
fused quartz:kuarsa terlebur:  
fused signal:sinyal lebur:  
fuse-element:unsur sekering:  
fuseholder:penahan sekering:  
fuser:fuser:  
fuse-switch:saklar sekering:  
fuse-switch combination:kombinasi saklar sekering:  
fusing current:arus lebur:  
fusion:fusi:  
future:mendatang:  
future growth considerations network and networking::DELETE  
future improvements:perbaikan mendatang:  
future use block:blok guna mendatang:

Futurebus::  
fuzziness:kekaburan:  
fuzzy:fuzy:  
fuzzy logic:logik samar  
fuzzy set:himpunan fuzzy  
FWIW:  
FYI:  
G (giga):  
gage:ukuran  
gage pressure:tekanan peukur  
gain:perolehan  
gain:tambahan; penguatan; keuntungan  
gain control:kontrol keuntungan  
gain margin:margin penambahan  
gain-bandwidth product:hasil bati-lebar-pita  
gallium:galium  
gallium arsenide:galium arsenid  
galloping:pencongklangan  
galvanic cell:sel galvanik  
galvanic electricity:keelekrikan galvanik  
galvanization:galvanisasi  
galvanized iron wire:kawat besi tergalvani  
galvanized steel pipe:pipa baja tergalvani  
galvanized steel wire:kabel baja galvanis  
galvanometer:galvanometer  
galvanometer recorder:perekam galvanometer  
game:permainan  
game port:  
game theory:teori permainan  
games:permainan  
games:permainan  
Gaming:permainan  
gaming simulation:simulasi gaming  
gamma:gama  
gamma rays:sinar gama  
gamut:tangga nada:  
gang control:pengontrolan gang:  
gang punch:tebuk/lubang geng:  
gang socket:soket gang:  
ganglion:ganglion:  
gangpunch:tebuk gang:  
gantry crane:keran gantri:  
gantry tower:menara gantri:  
Gantt chart:bagan Gantt:1  
Gantt chart:bagan Gantt:1  
Gantt chart:bagan Gantt:

Gantt chart:grafik Gantt:  
gantt diagram ::  
gap:celah:  
gap admittance:admitans kesenjangan:  
gap analysis::  
GAP ANALYSIS::  
gap coding:pengkodean renggang:  
gap length:panjang rumpang:  
gap width:rentang gap:  
gapless:tanpa sela:  
garbage:sampah; kotoran:  
garbage:sampah; kotoran:  
GARBAGE COLLECTION:KUMPULAN SAMPAH:  
garbage collection:pengumpulan sampah:1  
garbage collection:pengumpulan sampah:  
garbage collection:pengumpulan sampah:  
garbage collector::  
Garbage In Garbage Out (GIGO): masuk sampah keluar sampah (GIGO):1  
garbage-in garbage-out (GIGO):masuk sampah keluar sampah:  
garbage-in garbage-out (GIGO):masuk sampah keluar sampah:  
gas amplification:penguatan gas:  
gas burner:pembakaran gas:  
gas compression cable:kabel kompresi gas:  
gas discharge lamp:lampu lucutan gas:  
gas distortion:erotan gas:  
gas flow indicator:indikator aliran gas:  
gas focusing:pemumpunan gas:  
gas generator:generator gas:  
gas insulator:isolator gas:  
gas multiplication:perkalian gas:  
gas panel:panel gas:  
gas plasma monitor:monitor plasma gas:1  
gas ratio:nisbah gas:  
gas reservoir:tempat tandu gas:  
gas sensitive:gas sensitif:  
gas turbine:turbin gas:  
gas-blast circuit-breaker:pemutus-sirkuit ledakan gas:  
gas-blast load-break switch:saklar pemutus-beban ledakan gas:  
gaseous insulator:insulator gas:  
gas-filled cable:kabel berisi gas:  
gas-filled phototube:tabung foto berisi gas:  
gas-filled switching tube:tabung saklar berisi gas:  
gasket:paking:  
gasoline engine:mesin bensin:  
gate:gerbang:1  
gate:gerbang:

gate:gerbang:  
gate amplifier:penguat gerbang:  
gate array::  
gate arrays:susunan gerbang:  
gate circuit:sirkuit gerbang:  
gate pulse:denyut nadi:  
gate signal:sinyal gerbang:  
gate way:pintu gerbang:  
gateshead:kepala jaga pintu:  
gateway:gerbang:1  
gateway:gerbang:1  
gateway:gerbang:1  
gateway:gerbang:  
gateway:gerbang:  
gateway:gerbang:  
gateway:gerbang:  
gateway:gerbang:  
gateway:gerbang:  
gateway (to network):gerbang (ke jaringan):  
gateway application programming interface (GAPI):antarmuka pemrograman aplikasi gerbang (GAPI):1  
gateway application programming interface (GAPI):GAPI:  
gateway approach:pendekatan pintu gerbang:  
gateway asynchronous:pintu gerbang asinkron:  
gateway communications:pintu gerbang komunikasi:  
gateway costs:biaya pintu gerbang:  
gateway mainframe:pintu gerbang ke mainframe:  
gateway processor:prosesor pintu gerbang:  
gateways:gerbang:1  
gateways:gerbang:DELETE  
gateways:gerbang:  
gateways:gerbang:  
gateways (to networks):gerbang (ke jaringan):  
gateways (to networks):gerbang (ke jaringan):  
gather write:tulis liputan:  
gathering:kumpulan:  
gating:pelolosan:  
gauge:ukuran:  
gauge pressure:tekanan ukuran:  
gauss:gauss:  
Gaussian quadrature:kuadratur gaussian:  
gbps:gbps:  
GDG:GDG:  
gear ratio:rasio roda gigi:  
geared motor:mesin beroda-gigi:  
gender:genur:

gender:genur:  
gender changer:penukar gender:1  
gender changer:penukar jenis:1  
gene:gan:  
general and administrative cost:biaya administrasi dan biaya umum:  
general calling:panggilan umum:  
general control subroutine:kontrol umum subrutin:  
general flowchart:bagan alir umum:  
general format:format umum:  
general function checkout program:program checkout fungsi umum:  
general ledger applications:aplikasi buku besar umum:1  
general ledger applications:aplikasi bukubesar umum:  
general ledger document:dokumen buku besar umum:1  
general ledger document:dokumen buku besar umum:  
general lighting:cahaya umum:  
general motors:motor umum:  
general poll:pul umum:  
general principle:prinsip umum:  
general purpose:serba guna:  
general purpose computer:komputer serba guna:1  
general purpose computer:komputer serba guna:  
general purpose computer:komputer serba guna:  
general purpose computers:komputer serba guna:  
general purpose computers:komputer serbaguna:1  
general purpose interface bus:bus antartatapan serba guna:  
general purpose language:bahasa (untuk) tujuan umum:  
general purpose operating system:sistem pengoperasian untuk tujuan umum:  
general purpose register:register serba guna:1  
general purpose register:register serba guna:  
general purpose register:register tujuan umum:1  
general purpose simulation system:sistem simulasi serba guna:  
general purpose simulation system/360 OS version 2:sistem simulasi serba guna:  
general purpose systems simulation:simulasi sistem keperluan umum:  
general register:register umum:  
general representations:representasi umum:  
general rule:kaidah umum:  
general source file:berkas sumber umum:  
General systems theory:teori sistem umum:  
general virtual volume:volume virtual umum:  
general-diffused lighting:pencahayaan bauran-umum:  
generalisation object:objek generalisasi:1  
generalization:perampalan; generalisasi:  
generalization ::  
generalized routine:rutin diperumum:  
generalized sort:pilah diperumum:  
generalized sort/merge program:program sort/merge terumumkan:

istilah-ti-indonesia

generalized supervisor calls trace:pelacakan panggilan penyelia rampatan:  
generalized trace facility:fasilitas telusur terumumkan:  
generalized variable:peubah umum:  
general-purpose 4GL:bahasa generasi keempat serbaguna:1  
general-purpose 4GL:BG4 serba guna:  
general-purpose 4GLs:4GL serba guna:  
general-purpose computer:komputer serba guna:  
general-purpose fuse:sekering serba guna:  
general-purpose language:bahasa serba-guna:1  
general-purpose language:bahasa serba-guna:  
general-purpose languages:bahasa serba-guna:  
general-purpose register::  
general-use volume:volume pakai-umum  
generate:generasi  
generate:membangkitkan  
generated address:alamat bergenerasi/berbangkit  
generated energy:tenaga terjana  
generated operating system:sistem operasi terjana  
generated system:sistem bergenerasi  
generating end:akhir perampatan  
generating function:fungsi pembangkit  
generating functions:pembangkitan fungsi  
generating reports from data:pembangkitan laporan dari data  
generating-end output:kelaran akhir perampatan  
generation:generasi; pembangkit  
generation data group:grup data pembangkit  
generation data group:grup generasi data  
generation data group:kelompok data generasi  
generation data set:kumpulan data generasi:  
generation lap:lompatan generasi:  
generation number:nomor generasi:  
generation of a variable:sebuah variabel untuk generasi:  
generation of electrical energy:generasi tenaga listrik:  
generation system:sistem generasi:  
generation version number:nomor versi generasi:  
generations computer:generasi komputer:1  
generations computer:generasi komputer:  
generations computer:generasi komputer:  
generator:pembangkit; generator:  
generator program:program generator:  
generator with flywheel:generator dengan roda gila:  
"generator, magnetic bubble memory":  
generator-motor:motor generator:  
generic:generik:  
generic class :  
generic device assignment:perlengkapan alat generik



generic entry name:nama entri generik  
generic family:famili generik  
generic function :  
generic key:kunci generik  
generic name:nama generik  
generic reference:referensi generik  
generic selection:seleksi generik  
generic unit:unit generik  
generic-descriptor list:senarai pendeskripsi-generik  
generics:jenerik; umum  
genetics:genetika  
genie:jin  
genlock:genlok  
genus:marga; genus  
geographic:geografik:  
geographic information system (GIS):sistem informasi geografik:1  
geographic information system (GIS):sistem informasi geografik:  
geometric:geometrik:  
geometric algorithms:algoritma geometrik:  
geometric constraint:kendala geometrik:  
geometric correction:perbaikan geometrik:  
geometric languages:bahasa geometrik:  
geometric sysrems:system geometrik:  
geometric transformations:transformasi geometrik:  
geometrical capacity:kapasitas geometris:  
geometrical optics:optika geometris:  
geometrical problems:masalah geometrik:  
geometrical problems and computations:masalah geometrik dan komputasi:  
geostationary:geotasioner:  
geostationary meteorological satellite system:sistem satelit meteorologi stasioner:  
Geostationary Orbit:orbit geotasioner:  
Geostationary Satellite:satelit geotasioner:  
geosynchronous orbit:orbit geosinkron:1  
geosynchronous orbit:orbit geosinkron:  
geosynchronous satellite:satelit geosinkron:1  
geothermal power station:stasiun daya geotermal:  
germanium:gramanium:  
germicidal lamp:lampu germisida:  
get:ambil:  
get (FTP):get (FTP):  
gethostbyaddr:gethostbyaddr:  
gethostbyname:gethostbyname:  
gethostname:gethostname:  
getsockopt:hetsockopt:  
getter:pemeroleh:  
GFLOP::

ghoperspace::  
ghost:hantu:  
ghost cursor:kursor hantu:1  
gibberish:celoteh:  
Gibson mix:campur Gibson:  
Gibson Mix::  
GIF:GIF:  
GIF file::  
giga:giga:  
giga cycle:siklus giga:  
Gigabit Ethernet:Ethernet Gigabit:1  
gigabit ethernet:eternet gigabit:  
gigabyte:gigabita:1  
gigabyte:gigabyte:  
gigabyte:gigabyte; gigabyte:  
gigabyte:gigabyte; gigabyte:  
gigabyte:gigabyte; gigabyte:  
Gigahertz (GHz):gigahertz:  
GIGO:GIGO:  
gimbal control panel:panel kontrol gimbal:  
GIS:GIS:  
GJP:GJP:  
"GKS, graphical kernel system"::  
glade clamp:penjepit glade:  
gland:kelenjar:  
glare:cahaya menyilaukan:  
glare:cahaya menyilaukan:  
glare:cahaya yang menyilaukan:  
glare filter:tapis cahaya terang:  
glare protector:protektor silau:1  
glasnet:glasnet:  
glass fiber:fiber/serat kaca:  
glass insulator:isolasi kaca:  
glass strain test:uji penyaring gelas:  
glass tube separator:pemisah tabung gelas:  
glassivation:glasifikasi:  
glaze:lapisan:  
glia:glia:  
glide path:tambat luncuran:  
glide slope:lereng luncuran:  
glide slope station:stasiun lereng luncur:  
glitch:sinyal glits:  
glitch:sinyal glits:  
glob:glob :  
glob (FTP):glob (FTP):  
global:global:DELETE

istilah-ti-indonesia

global address administration:administrasi alamat global:  
global atmospheric research program:program riset atmosferik global:  
global bus:bus global:1  
global clock:jam global:  
global code:kode/sandi global:  
Global Dialing Service (GDS):GDS:  
global information highway:jalan raya informasi global:1  
global information highway:jalan raya informasi global:1  
global information highway:jalan raya informasi global:  
global information highway:jalan raya informasi global:  
global internet:internet global:  
global lock:kunci global:  
global memory:memori global:1  
global memory::  
global name:nama global:  
global optimization:optimasi global:  
global positioning software(GPS):perangkat lunak pemosisian global (GPS):1  
Global Positioning System (GPS):sistem kedudukan sejagat (GPS):1  
global processor:pemrosesan global:  
global roaming:roaming global:  
global schoolhouse:sekolah global:  
global service:layanan/servis global:  
global SET variable symbol:symbol variabel perangkat global:  
global storage:penyimpanan global:  
global symbol control:kontrol simbol global:  
global tracking network:jaringan pelacakan global:  
global variable:perubah global/variabel global:1  
global variable:variabel global:  
global variable symbol:symbol variabel global:  
global village:desa global:1  
global village:desa global:  
gloss:glos:  
glossary:glosari:  
glottis:gratis:  
glow:memijar:  
glow discharge:ke luar memijar:  
glow discharge tube:tabung luah-pijar:  
glow lamp:lampu memijar:  
glow switch starter:starter saklar pijar:  
glow-discharge tube:tabung luah-pijar:  
glue logic:logic sambungan; logic penempel:  
GM:GM:  
g-net:g-net:  
GO TO:tuju:1  
goal:tujuan:  
goal interaction:interaksi tujuan:

"goal question metric, GMQ "::  
goal-seeking analysis:analisis pencarian tujuan:1  
goal-seeking analysis:analisis pencarian tujuan:  
go-faster boards::  
goniometer:goniometer  
good conductor:konduktor baik  
goodness of fit:kebaikan kesesuaian  
Gopher:Gopher  
Gopher:gopher  
gopher:  
gore:gore  
GOTO:GOTO  
goto:goto  
gov:  
GOV (government) names:GOV  
governing valve:katup pengatur  
Government:pemerintah  
government furnish equipment:perlengkapan  
government OSI profile (GOSIP):GOSIP  
governor:pengatur  
governor test:uji regulator:  
grabber::1  
gradation:gradasi:  
grade::  
grade resistance:tahanan tingkat:  
graded insulation:insulasi bertingkat:  
graded-skill user interface:antarmuka keahlian pengguna beragam:1  
graded-skill user interface:antarmuka keahlian pengguna beragam:  
graded-skill user interface:antarmuka keahlian pengguna yang beragam:  
gradient:penilaian:  
gradient method:metode gradien:  
Gradient methods:metode gradien:  
gradient space:ruang landai:  
grading:penjajangan:  
grading ring:cincin pilah:  
graduation:lulusan; tamatan:  
graduation line:garis graduasi:  
gram:gram:  
grammar:tata bahasa:  
grammar checker:pemeriksa tatabahasa:1  
grammar types:tipe tata bahasa:  
grammarians:tata bahasa:  
grand total:total utama:  
grandfather tape:pita kakak:  
grant signal::  
granularity:granularitas:

granularity :granularitas:  
granule:granul:  
Graph:Graph:  
Graph algorithms:algoritma Graph:  
Graph and tree search strategies:graph dan strategi pencarian pohon:  
Graph labeling:pelabelan graph:  
graph plotter:perajah graf:1  
Graph plotter:perajah Graph:  
Graph plotter:perajah Graph:  
Graph plotter:perajah Graph:  
Graph structure:struktur Graph:  
Graph theorem:teori Graph:  
grapheme:grafem:  
graphic:grafik:1  
graphic:grafik:DELETE  
graphic:grafiks:  
graphic adapter:adapter grafik:1  
graphic adaptor::  
graphic analysis of three-dimensional data:analisis grafis data tiga dimensi:  
graphic character:karakter grafiks:  
graphic character modification feature:kekhasan modifikasi ciri grafik:  
graphic controller:pengendali grafik:1  
graphic controller::  
graphic design feature:kekhasan desain grafik:  
graphic digitizer:pendigit grafik:1  
graphic display:layar/tampilan grafik:  
graphic display controller:pengontrol tampilan grafik:  
graphic display program:program layar/tampilan grafik:  
graphic display terminal:terminal penampil grafik:1  
graphic display unit:unit penampil grafik:1  
graphic display unit:unit tampilan grafik:  
graphic form:form grafiks:  
graphic function:fungsi grafik:  
graphic input device:peranti masukan grafik:1  
graphic job processing:olah pekerjaan grafiks:  
graphic job processor:pemroses tugas grafik:  
graphic language:bahasa grafik:  
graphic language:bahasa grafiks:  
graphic output package:kemasan keluaran grafik:  
graphic package:paket grafik:  
graphic panel:panel grafik:  
graphic primitive:primitif grafik:  
graphic programming services:layanan pemrograman grafis:  
graphic software:perangkat lunak grafik:1  
graphic software:perangkat lunak grafik:  
graphic solution:penyelesaian grafik:

graphic solution:solusi grafik:  
graphic thesaurus:tesansus grafik:  
graphical browser:penelusur grafik:  
graphical environments:lingkungan grafik:  
graphical interface:antarmuka grafik:1  
graphical interface:antarmuka grafik:  
graphical interface:antarmuka grafis:1  
graphical interface:antarmuka grafis:  
graphical output:keluaran grafik:1  
graphical output:keluaran grafik:  
graphical output:keluaran grafik:  
graphical user interface:antarmuka pengguna grafis:  
graphical user interface:antarmuka pengguna grafis:  
graphical user interface (GUI):antarmuka pengguna grafis:1  
graphical user interface (GUI):antarmuka pengguna grafis:  
graphical user interface (GUI):antarmuka pengguna grafis:  
graphical user interface (GUI):antarmuka pengguna grafis:  
graphical user interface (GUI):antarmuka pengguna grafis (GUI) :1  
"graphical user interface, GUI "::  
graphics:grafik:  
graphics:grafik:  
graphics:grafik:  
graphics:grafik:  
graphics access method:metode akses grafika:  
graphics based:basis grafik:  
graphics character:huruf grafik:  
graphics characters:huruf grafik:  
Graphics data structures and data types:struktur data grafik dan tipe data:  
Graphics editors:editor grafik:  
graphics image:sanlir grafik:  
graphics interchange format:format pertukaran grafik:  
graphics interpretation:interpretasi grafik:  
graphics language:bahasa grafik:1  
graphics language:bahasa grafik:  
graphics language:bahasa grafik:  
graphics languages:bahasa grafik:  
graphics package:paket grafik:1  
graphics package:paket grafik:  
graphics packages:paket grafik:  
Graphics processors:pemroses grafik:  
graphics recognition:pengenal grafik:  
graphics resolution:resolasi grafik:  
graphics software:perangkat lunak grafik:  
graphics software:perangkat lunak grafik:  
graphics tablet:tablet grafik:1  
graphics tablet:tablet gararik:

graphics toolkit:alat-alat grafik:  
graphics workstation:workstation grafik:  
graphite:grafit:  
graphite brush:sikat grafit:  
graphitized carbon:karbon bergrafit:  
Graphs:Graphs:  
grappling:jepitan; penggenggam:  
grasping:mengganggu:  
grass:rumput:  
grating:kisi-kisi:  
graunch:graunch:  
grave accent:tanda:  
gravity control:kontrol gravitas:  
gravity dam:dam gravitas:  
gray body:bodi gray:  
gray code:kode Gray:  
gray code:kode suam; sandi gray:  
gray code:sandi kelabu:  
GRAY CODE::1  
GRAY LEVEL::1  
gray scale:skala kelabu:  
gray scaling :penyekalaan kelabu:  
Grayscale manipulation:manipulasi skala kelabu:  
grazing angle:sudut serempet:  
greater or equal:lebih besar atau sama:  
greater than:lebih besar daripada:  
greedy method:metode rakus:  
Green function:fungsi Green:  
green PC:PC hijau:1  
grey level:aras kelabu:  
grey linearity:linearitas kelabu:  
grey scale:skala grey:  
grey scale:skala kelabu:  
grey-scaling:penskalaan kelabu:1  
grid:jaringan:  
grid:kisi:  
grid bell:genta kisi:  
grid bias:tumpuan kisi:  
grid capacitance:kapasitans kisi:  
grid capacity:kapasitas kisi:  
grid current:arus kisi:  
grid current for break-down:arus kisi untuk menahan:  
grid emission:pancaran kisi  
grid exciting power:daya penaralan kisi  
grid inverse current:arus inversi kisi  
grid leak:kebocoran kisi

grid limiter:pembatas kisi  
grid lines:garis kisi  
grid loss:rugi kisi  
grid modulation:modulasi kisi  
grid swing:ayunan kisi  
grid-controlled rectifier tube:tabung penyearah terkontrol-kisi  
grid-glow tube:tabung pijar-kisi  
gridless:tanpa kisi  
groove:alur  
gross generation:generasi kotor  
gross head:kepala gros \*  
ground:kawasan; tanah; bumi  
ground:kawasan; tanah; bumi  
ground bounce:  
ground conductivity:konduktivitas dasar  
ground constant:tetapan dasar  
ground directional relay:siar pancar direksional dasar  
ground mat:mat dasar  
ground net:jaring dasar  
ground pipe:pipa dasar  
ground potential:potensial bumi  
ground resistance:tahanan bumi  
ground rod:batang bumi  
ground signal:sinyal bumi  
ground speed:kecepatan tanah/bumi  
ground station:stasiun bumi  
ground support equipment:alat menunjang tanah/bumi  
ground support facility:fasilitas dukung bumi  
ground system:sistem landasan  
ground wave:gelombang darat  
ground wire:kawat darat  
grounded antenna:antena terbumi  
grounded circuit:sirkuit terbumikan  
grounded input:masukan terbumi  
grounded neutral system:sistem netral terbumi  
grounded-plate amplifier:penguat plat terbumi  
grounding:pembumian  
grounding resistance:tahanan bumi  
grounding resistor:penahan dasar  
ground-reflected wave:gelombang terpantul-bumi  
group:grup  
group:kelompok  
group addressing:pengalamatan kelompok  
group authority:otoritas kelompok  
group busy:kelompok sibuk:  
group calling:pemanggilan kelompok:



istilah-ti-indonesia

group carrier frequency:frekuensi pembawa kelompok:  
group centre:pusat grup:  
group code:sandi/kode kelompok:  
group code:sandi/kode kelompok:  
group coded recording:perekaman pengodean grup:  
group control:kontrol kelompok:  
group decision support system:sistem pendukung keputusan kelompok:1  
group decision support system:sistem pendukung keputusan kelompok:  
group decision support system:sistem pendukung keputusan kelompok:  
group decision support system (GDSS):sistem pendukung keputusan kelompok (GDSS):1  
group decision support system and database:kelompok sistem pendukung keputusan dan pangkalan data:DELETE  
group decision support system and document:kelompok sistem pendukung keputusan dan dokumen:DELETE  
group decision support systems(GDSS):sistem pendukung keputusan kelompok:  
group demodulation:demodulasi kelompok:  
group indicate:penunjuk grup  
group indication:indikasi kelompok  
group indication:penunjuk grup  
group item:unsur/item kelompok  
group mark:tanda kelompok  
group modulation:modulasi kelompok  
group name:nama grup  
group number:nomor grup  
group print:cetak per grup  
group propagation time:waktu propagasi grup  
group repeat count:hitung ulang grup  
group selector:penyeleksi grup  
group separator:pemisah grup  
group theory:teori grup  
group variation:variasi kelompok  
group velocity:kecepatan grup  
group-1 facsimile:faksimel kelompok-1:  
group-address message:pesan alamat kelompok:  
grouped records:rekaman tergrup:  
grouped sequential inspection:inspeksi urutan terkelompok:  
grouped virtual volume:volume maya tergrup:  
grouping:pengelompokkan:  
grouping isolation:isolasi pengelompokan:  
groupware:perangkat kelompok:1  
groupware:perangkat kelompok:  
groupware:perangkat kelompok:  
groupware:perangkat lunak kelompok:1  
groupware:.  
grown junction:sambungan tumbuh:  
growth of gopher:perkembangan gopher:

graphic data processing:pemrosesan data grafik:  
grumping:grumping:  
GS:GS  
GSM:GSM  
graphic display system:sistem tampilan grafik  
GTF:GTF  
guarantee:jaminan  
guaranteed efficiency:efisiensi dijamin  
guard:pengaman  
guard band:pita pengaman/pagar  
guard condition :  
guard digit:jari/langit pengaman  
guard digits:  
guard lamp:lampu jaga  
guard net:jaringan jaga  
guard rail:jeruji/rel pengaman  
"guard rail, magnetic bubble memory":  
guard ring:lingkar kawal  
guard space:ruang jaga  
guardband:pita jaga  
guarded input:masukan terjaja  
guardian:penjagaan  
guarding:menjaga  
guess:terka  
guest:tamu  
GUI:GUI  
guidance:petunjuk  
guidance console operator:operator konsol panduan  
guidance ground-station:stasiun-tanah panduan  
guidance section test set:perangkat uji seksi panduan  
guide:pandu  
guide bearing:bantalan panduan  
guide edge:tepi/pinggir pandu  
guide plate:pelat panduan  
guide vane:daun petunjuk  
guided missile test set:perangkat uji rudal terpandu:  
guided transmission media:media transmisi terpandu:1  
guided transmission media :media transmisi terpandu:  
gulp:telan:  
gun:senapan:  
guy:orang:  
guy anchor:jangkar gai:  
guy clamp:penjepit gai:  
guyed must:pelapukan terbubut \*:  
gyro frequency:frekuensi giro:  
gyro-stabilizer:penstabil giro:

H.323 :H.323:  
H.324 :H.324:  
habituation:habitudan:  
hack:hack:  
hack:retas:1  
hacker:peng-hack; haker:  
hacker:peretas:1  
hackers:peng-hack; haker:  
hackers:peretas:1  
hackers:peretas:  
hackers and networks:peretas dan jaringan:DELETE  
hacking:haking:  
hacking:peng-hack-an:  
hacking:peng-hack-an:  
hacking:peretasan:1  
hacking:peretasan:1  
hacking:peretasan:  
hacking:peretasan:  
halation:halasi:  
half:paro:  
half adder:penambah separuh:1  
half adder:penambah setengah:1  
half adder:penambah setengah:  
half adder:penambah setengah:  
half bridge:paro-jembatan:  
half cell:sel setengah:  
half duplex:dupleks setengah; paro-dupleks; setengah dupleks:  
half duplex line:garis dupleks setengah:  
half duplex transmission:transmisi setengah dupleks:  
half loading section:seksi pemuatan setengah:  
half normal:setengah normal:  
half speed:separuh kecepatan:  
half subtracter:pengurang separuh:1  
half subtracter::  
half tone:setengah nada:  
half word:paruh kata:  
half-adder:setengah-penambah  
half-adjust:setengah-setel  
half-carry:setengah-bawa  
half-coil:setengah humparan  
half-coil spacing:penjarakan setengah humparan  
halfduplex:dupleks setengah; paro-dupleks; setengah dupleks  
half-duplex:dupleks setengah; paro-dupleks; setengah dupleks  
half-duplex channel:saluran setengah-dupleks  
half-duplex lines:saluran setengah-dupleks  
halfduplex operation:operasi paro-dupleks

half-duplex tranasmission: transmisi setengah-dupleks  
 half-duplex transmission: transmisi setengah-dupleks  
 half-duplex transmission: transmisi setengah-dupleks  
 half-lap: setengah lap  
 half-life: waktu paro  
 half-power angle: sudut sengah tenaga  
 half-speed: setengah-kecepatan:  
 half-subtracter: setengah-subtrakter:  
 half-subtractor: separuh-subtraktor:  
 halftime emitter: emiter setengahwaktu:  
 halftone: paro-nada:  
 HALFTONE::1  
 half-tone: setengah-nada:  
 halftone : setengah-nada:  
 halftoning: penyetengah-nada:  
 half-wave antenna: antena setengah gelombang:  
 half-wave length: panjang setengah gelombang:  
 halfword: separuh kata:  
 halfword: separuhkata:  
 halfword boundary: batas separuh kata:  
 halide lamp: lampu halide:  
 hall: balai ruang:  
 hall device: alat ruang:  
 Hall effect: efek Hall:  
 halt: henti:  
 halt indicator: penunjuk/indikator (ber) henti:  
 halt instruction: instruksi (ber)henti:  
 halt instruction: instruksi (ber)henti:  
 halt number: bilangan henti:  
 ham: amatir radio:  
 hammer: martil:  
 hamming: Hamming:  
 hamming code: sandi hamming; kode hamming:  
 HAMMING CODE::1  
 Hamming code::  
 Hamming distance: jarak Hamming:1  
 Hamming distance: jarak Hamming:  
 hamming distance: jarak hamming:  
 Hamming distance: jarak Hamming:  
 hand: tangan:  
 hand assemble: rakitan tangan:  
 hand capacity: kapasitas tangan:  
 hand effect: efek tangan:  
 hand held calculator: kalkulator genggam:  
 hand held PC: PC penelusur:  
 hand held scanner: pemindai tangan:1

hand held terminal:terminal penelusur:  
hand scanner:penelusur tangan:  
hand scanners:penelusur tangan:  
hand-held calculator:mesin hitung genggam:  
hand-held computer:komputer tangan:1  
hand-held computer::  
hand-held computers:komputer tangan:  
handhole:lubang tangan:  
handicapped persons:orang cacat:  
handle:menangan; pembantu:  
handler:menangan; pembantu:  
handling:penanganan:  
handoff:lepas tangan:  
handover:menyampaikan:  
hand-reset:pemasangan kembali dengan tangan:  
handset:kumpulan tangan:  
handshake:jabat tangan:  
handshaking:gabungan/hubungan:  
handshaking:gabungan/hubungan:  
handshaking:gabungan/hubungan:  
handshaking protocol:protokol jabat:1  
handwriting recognition:pengenal tulisan tangan:1  
handwriting recognition:pengenal tulisan tangan:  
handwriting recognition:pengenal tulisan tangan:  
hanger:penggantung:  
hangover:bekas:  
hangup:gantung:  
hang-up:gantung:  
hang-up:sangkutan; rintangan; menggantung:  
haptic I/O:I/O haptik:  
harbor radio:radio pelabuhan:  
hard:keras:  
hard card:kartu keras:1  
hard copy:cetakan:  
hard copy:cetakan:  
hard copy:cetakan:  
hard copy:salinan keras:1  
hard copy:salinan prasunting; hasil cetakan:1  
hard copy log:log kopi prasunting:  
hard copy unit:unit kopi keras:  
hard decision:putusan keras:  
hard disc:cakram keras:  
hard disk:cakram keras:1  
hard disk:cakram keras:1  
hard disk:cakram keras:  
hard disk:cakram keras:

hard disk:cakram keras:  
hard disk:cakram keras:  
hard disk cartridge:kartrij cakram keras:1  
hard disk compatibility:kompatibilitas cakram keras:  
hard disk controller board:papan kendali cakram keras:1  
hard disk controller boards:papan kontrol cakram keras:  
hard disk pack:pak cakram keras:1  
hard disk saving space by archiving files:penghematan tempat cakram keras dengan cara pengarsipan berkas:  
hard disks - microcomputers:cakram keras - komputer mikro:  
hard drive::  
hard error:kesalahan peranti keras  
hard error:kesalahan peranti keras  
hard fault:  
hard machine check interruption:interupsi cek mesin keras  
hard methodology:metode keras  
hard rubber:karet keras  
hard sectoring:pembagian sektor peranti keras  
hard stop:berhenti keras (\*)  
hard tube pulser:pemulsa tabung keras  
hardcopy:kopi prasunting  
hardcopy devices:perangkat kopi prasunting  
hardcopy log:log hasil cetakan  
hardcopy log:log kopi prasunting  
hardcopy printer:printer kopi prasunting  
hardddisk:cakram keras  
hard-drawn aluminium wire:kawat aluminium tarik keras  
hard-drawn copper stranded conductor:konduktor tarik keras berdiri\*:  
hardening:pengerasan:  
hard-external data:data eksternal keras?:  
hard-real-time tasks ::  
hard-sectored disk:disket sektor-keras:  
hardware:perangkat keras:1  
hardware:perangkat keras:1  
hardware:perangkat keras:  
hardware:perangkat keras:  
Hardware:perangkat keras:  
hardware:perangkat keras:  
hardware:perangkat keras:  
hardware::  
hardware address:alamat perangkat keras:  
hardware check:tilikan/periksa perangkat keras:  
hardware description:deskripsi perangkat keras:  
Hardware description languages:bahasa penjelas perangkat keras:  
Hardware description languages:bahasa penjelas perangkat keras:

hardware design::  
hardware diagnostics:diagnosa perangkat keras:  
hardware diagnostics:diagnosis perangkat keras:1  
hardware diagnostics:diagnostik perangkat keras:  
hardware error recovery management system:sistem manajemen pemulihan kesalahan perangkat keras:  
hardware floating point instruction:instruksi titik ambang perangkat keras:  
hardware interfaces:antarmuka perangkat keras:  
hardware interrupt::  
hardware key::  
hardware managenent:manajemen perangkat keras:  
hardware monitor:monitor perangkat keras:  
hardware patents:paten perangkat keras:  
hardware performance:kinerja perangkat keras:  
hardware reliability:keandalan perangkat keras:  
hardware representation:representasi peranti keras:  
"hardware software interface, HSI"::  
hardware standards:standar perangkat keras:  
hardware support:pendukung perangkat keras:  
hardware system:sistem perangkat keras:  
hardwire:kabel terpatri:  
hardwired:terpatri:1  
hardwired:terpatri:  
hardwired:terpatri:  
hardwired control:kontrol terpatri:  
hard-wired logic:logic terpatri:  
hardwiring:pematrian:  
harmonic:harmonik:  
harmonic analysis:analisis harmonik:  
harmonic distortion:distorsi harmonik:  
harmonic frequency:frekuensi harmonis:  
harmonic oscillation:osilasi harmonis:  
harmonic ringing:penggelangan harmonis:  
harmonic suppressor:supresor harmonis:  
harmonic telephone ringer:pendering telepon harmonik:  
harmonic wave:gelombang harmonik:  
harness:abak-abak:  
harp antenna:antena harpa:  
Hartley:Hartley:  
Harvard architecture::  
hash:hash :  
hash (FTP):hash (FTP):  
HASH ADDRESS::1  
hash addressing:penyapaan kacau:  
hash coding:pengkodean hash:  
hash coding:pengodean hash:1

HASH FUNCTION:::1  
hash method:metode kacau:  
HASH TABLE:::1  
hash table::  
hash table cache::  
hash table search:penelusuran tabel hash:  
hash total:total campuran:  
hash total check:cek total kotoran:  
HASH TREE:::1  
hashed file:berkas dikacaukan:1  
hashed file:berkas dikacaukan:  
hashed page table::  
hashing:pengotoran:1  
hashing:pengotoran:  
hashing:pengotoran:  
HASHING:::1  
hashing method:metode perbincangan:  
hash-table representations:representasi tabel-hash/kacau:  
hatching:pola arsiran garis:  
haulage capacity:kemampuan daya tarik:  
hayes-compatible:kompatibel hayes:  
hayes-compatible:serasi Hayes:1  
Hayes-compatible modem::  
hazard:bahaya:  
hazard:bahaya:  
hazard probability::  
hazard rate:laju/tingkat bahaya:  
hazard/hazardous state::  
HCMOS::  
HD:HD:  
HD:HD:  
HDA:HDA:  
HDLC:HDCL  
HDR:HDR  
HDX:HDX  
HDX:HDX  
head:kepala  
head alignment:penjajaran kepala  
head arm:lengan kepala/bonggol (\*)  
head crash:gesekan kepala  
head disk assembly:rakitan cakram kepala  
head disk assembly:rakitan cakram kepala  
head eraser:penghapus utama  
head gap:rumpang bonggol/kepala  
head load:beban kepala  
head loading zone:zona pembeban kepala



head set:perangkat utama  
head switching:penggantian head  
head tank:tangki utama:  
head unload:tak beban kepala:  
head/disk assembly:perakitan head/disk:  
HEADASIS ALL:HEADASIS ALL:1  
HEADASIS ALL:HEADASIS ALL:DELETE  
headed block:blok kepala:  
headend:ujung kepala:  
header: kepala:1  
header:kepala:1  
header:pengumpul; kepala; judul:  
header:pengumpul; kepala; judul:  
header base:basis judul/kepala:  
header card:kartu judul:  
header cell:sel kepala:  
header entry:entri kepala:  
header extension:perluasan tajuk:  
header hub:hub pengepala:1  
header label:label judul:  
header label:label kepala:  
header options:pilihan kepala:  
header record:rekord judul:  
header records:catatan tajuk:1  
header records:catatan tajuk:  
header segment:segmen kepala/pengumpul:  
header table:tabel judul:  
heading:judul:1  
heading:judul; arah:  
heading flash:dengan utama:  
heading line:baris judul:  
head-medium separation::  
headphone:telepon kepala:  
headway:kemajuan:  
Health:kesehatan:  
health care industry document:dokumen industri perawatan kesehatan:1  
health care industry document:dokumen industri perawatan kesehatan:  
health care support/accounting base program:program dasar akunting:  
health care support/data communications program:program komunikasi data:  
health care support/ECG analysis program:bantuan layanan kesehatan program analisis ECG:  
health care support/laboratory information system:sistem informasi laboratorium:  
healthnet:healthnet:  
heap:tumpuk:1  
heap:tumpuk:  
heap:tumpuk:  
heap ::

HEAP SORT::1  
hearing:pendengaran:  
hearing ability:kemampuan dengar:  
hearing acuity:akuitas/ketajaman pendengaran:  
hearing level:tingkat pendengaran:  
hearing loss:rugi dengar:  
heart pacemaker:alat per jantung:  
heart-shape characteristic:ciri bentuk-hati:  
heat balance:kesetimbangan panas:  
heat conduction:konduksi panas:  
heat consumption:konsumsi panas:  
heat cycle:siklus panas:  
heat energy:energi panas:  
heat exchanger:penukar panas:  
heat flow:aliran panas:  
heat rate:laju panas:  
heat ray:sinar panas:  
heat sink:pembuang panas:1  
heat sink :penyerap panas:  
heater:pemanas:  
heater current:arus pemanas  
heater holder:penahan pemanas  
heater voltage of a magnetron:voltase pemanas magnetron  
heating element:elemen pemanas  
heating roller:penggulung pemanas  
heating surface:permukaan pemanas  
heating wire:kawat pemanas  
heat-shield:tameng panas  
heat-shield of a cathode:tameng panas katoda  
heavy loading:pembebanan berat  
heavy-load adjustment:pelarasan beban berat  
heavy-load compensating device:peranti pemampasan beban berat  
hectometer:hektometer  
hectometric wave:gelombang hektometrik  
height correction:koreksi tinggi  
height gain factor:faktor perolehan tinggi  
height indicator:indikator tinggi:  
helical grid:kisi helikal:  
helical waveguide:pandu gelombang helikal:  
helium supply panel:panel suplai helium:  
helium vent valve:katup lubang helium:  
helix:heliks:  
help:tolong:  
help (FTP):help (FTP):  
help desk system:sistem meja bantu:1  
helper application:aplikasi pembantu:1

hemoglobin:hemoglobin:  
henceforth operator :operator lanjutan:  
Henry:Henry:  
Hercules monochrome adaptors:adaptor monokrom Herkules:  
heredity:keturunan:  
heritage:warisan:  
hertz:hertz:1  
hertz:hertz:  
hertz:hertz:  
hertz:hertz:  
hertz (Hz):hertz (Hz):  
hertzian waves:gelombang hertz:  
hesitation mode:ragam hesitation:  
heterodyne:heterodin:  
heterodyne frequency meter:meter frekuensi heterodin:  
heterodyne repeater:pengulang heterodin:  
heterogeneity test:tes heterogenan:  
heterogeneous:heterogen:  
heterogeneous computer network:jaringan komputer heterogen:  
heterogeneous list ::  
heterogeneous network ::  
heterogeneous system:sistem heterogen:1  
heterogeneous systems:sistem heterogen:  
heterogenous computer:komputer heterogen:1  
heterosynaptic:heterosinaptik:  
heuristic:heuristik:  
heuristic approach:pendekatan/ancangan heuristik:  
heuristic knowledge:pengetahuan heuristik:  
heuristic method:metode heuristik:  
heuristic methods:metode heuristik:  
heuristic program:program heuristik:  
heuristic programming:pemrograman heuristik:1  
Heuristic programming:pemrograman heuristik:  
heuristics:heurstika:  
hex:heks:  
hexadecimal:heksadesimal:  
hexadecimal address:alamat heksadesimal:  
hexadecimal code:kode heksadesimal:  
hexadecimal constant:konstanta heksadesimal:  
hexadecimal digit:jari/digit heksadesimal:  
hexadecimal field descriptor:pendeskripsi daerah heksadesimal:  
hexadecimal notation:notasi heksadesimal:1  
hexadecimal notation:notasi heksadesimal:  
hexadecimal notation:notasi heksadesimal:  
hexadecimal number system: sistem bilangan heksadesimal:1  
hexadecimal number system:sistem bilangan heksadesimal:

istilah-ti-indonesia

hexadecimal number system:sistem bilangan heksadesimal:  
hexadecimal numeral:bilangan heksadesimal:  
hexadecimal numeration system:sistem numerasi heksadesimal:  
hexadecimal representation:representasi heksadesimal:1  
hexadecimal representation:representasi heksadesimal:  
hexadecimal representation:representasi heksadesimal:  
hexadecimal representation:representasi heksadesimal:  
hexadecimal self-defining term:istilah pendefinisian-sendiri heksadesimal:  
hexadecimal type:tipe heksadesimal:  
HF (high frequency):HF (frekuensi tinggi):  
hidden line:garis sembunyi:  
hidden line elimination:eliminasi garis tersembunyi:  
hidden variable:variabel tersembunyi:  
hiding:penyembunyian:1  
hierarchic file support feature:fitur dukung berkas hirarkis:  
hierarchic sequence:urutan hierarkis:  
hierarchic structure:struktur hirarkis:  
hierarchical:hierarhis:  
hierarchical:hierarkis:  
hierarchical addressing:pengalamatan berhieraki:1  
hierarchical classification:klasifikasi hierarkis:  
hierarchical computer network:jaringan komputer hirarki:  
hierarchical database models:model pangkalan data hierarkis:1  
hierarchical database models:model pangkalan data hierarkis:  
hierarchical decomposition:dekomposisi hierarkis:1  
hierarchical decomposition:dekomposisi hierarkis:  
hierarchical design:desain hirarkis:  
hierarchical direct access method:metode akses langsung hierarkis:  
hierarchical direct organization:organisasi langsung hirarkis:  
hierarchical directories:direktori hirarkis:  
hierarchical directory file:berkas direktori berhierarki:1  
hierarchical indexed direct access method:metode akses langsung terindeks hierarkis:  
hierarchical LRU method:metode LRU hierartikal:  
hierarchical memory:memori hirarkis:1  
hierarchical memory::  
hierarchical memory system:sistem memori hierarkis:  
hierarchical menu:menu hirarkis:1  
hierarchical menus:menu hierarhis:  
hierarchical network:jaringan berhieraki:1  
hierarchical network:jaringan hierarhis:  
hierarchical network structure:struktur jaringan hierartikal:  
hierarchical relationship:hubungan hirarkis:  
hierarchical scheme (network):skema (jaringan) hirarkis:  
hierarchical sequential:urutan hierarkis:  
hierarchical sequential organization:organisasi sekuensial hirarkis:  
hierarchical structure:struktur hierarkis:1

istilah-ti-indonesia

hierarchical structure:struktur hierarkis:  
hierarchical structure:struktur hirarkis:  
hierarchical subsystem structures ::  
hierarchical tree structure:struktur pohon hirarkis:  
"hierarchical, plus input, process, output":hierarkis plus masukan proses keluaran:  
hierarchy:hirarki:  
hierarchy ::  
hierarchy of data and data management:hierarki data dan manajemen data:DELETE  
hierarchy of operations:hirarki operasi:  
hierarchy system:sistem hierarki:  
hierarchy transformations:transformasi hirarki:  
hierarcllical addressing:pengalamatan hirarki:  
HiFD disk:cakram HiFD:1  
high:tinggi:  
high altitude test stand:kedudukan uji ketinggian tinggi:  
high angle radiation:penyinaran sudut tinggi:  
high byte::  
high capacity disk::  
High Definition Television (HDTV):televisi definisi tinggi:  
high density disk::  
high fidelity:hifi:  
high frequency:frekuensi tinggi:  
high frequency pass filter:filter melalui frekuensi tinggi:  
high impedance state::  
high level:tingkat tinggi:  
high level data link control:kontrol sangkutan data tingkat tinggi:  
high level data link control (HDLC):HDLC:  
high level data link control procedure:prosedur kontrol sangkutan tingkat tinggi:  
high level language:bahasa tingkat tinggi:  
high level language:bahasa tingkat tinggi:  
high level language (HLL):bahasa aras tinggi:1  
high level language (HLL):bahasa aras tinggi:  
high level language machine:mesin bahasa tingkat tinggi:  
high level languages:bahasa tingkat tinggi:  
high level only attachment:pembantu hanya untuk aras atas:  
high level programming language:bahasa pemrograman aras tinggi:1  
high limit address:alamat batas tinggi:  
high memory area::  
high order:pesanan/perintah tinggi:  
high order interleaving::  
high order language:bahasa perintah tinggi:  
"high order logic, HOL "::  
high order zero and blank selection:zero tingkat tinggi dan seleksi kosong:  
High Performance Computing and Communications (HPCC)::  
high pressure mercury lamp:lampu merkuri tekanan tinggi:  
high pressure mercury vapor lamp:lampu uap merkuri tekanan vapor lamp tinggi:

istilah-ti-indonesia

high pressure storage tank:tangki penyimpanan tekanan tinggi:  
high resolution facsimile:faksimil resolusi tinggi:  
high resolution infrared radiometer:radiometer inframerah resolusi tinggi:  
high resolution interval timer:pengatur waktu selang resolusi tinggi:  
high scale:skala tinggi:  
high speed:kecepatan tinggi:  
high speed access storage:penyimpan akses/akses kecepatan tinggi:  
high speed digital input-voltage:voltase masukan digital laju tinggi:  
high speed direct access storage priority:prioritas penyimpanan akses langsung laju tinggi:  
high speed dump:penumpang kecepatan tinggi:  
high speed modem:modem kecepatan tinggi:1  
high speed modem:modem kecepatan tinggi:  
high speed modem:modem kelajuan tinggi:1  
high speed multiplexer subchannel:subsaluran pemultipleks laju tinggi:  
high speed multiply:pengali laju tinggi:  
high speed printer:pencetak kecepatan tinggi:1  
high speed processor:prosesor laju tinggi:  
high speed skip:skip laju tinggi:  
high speed storage:penyimpan kecepatan tinggi:  
high state::  
high threshold logic:logik ambang tinggi:  
high voltage:voltase tinggi:  
high-definition television (HDTV):televisi berdefinisi tinggi:1  
High-Definition TV (HDTV):TV Definisi Tinggi (HDTV):1  
higher harmonic:harmonik peninggi:  
higher harmonics:harmoni lebih tinggi:  
higher level algorithm:algoritma tingkat tinggi:  
higher level language:bahasa tingkat lebih tinggi:  
higher mode:modus lebih tinggi:  
highest derivative:derivatif tertinggi:  
highest level index:indeks aras tertinggi:  
highest-numbered pin of heater:pin pemanas bernomor tertinggi:  
high-frequency amplifier:penguat frekuensi tinggi:  
high-frequency furnace:tanur frekuensi tinggi:  
high-frequency generator:generator frekuensi tinggi:  
high-frequency heating:pemanasan frekuensi tinggi:  
high-frequency measurement:pengukuran frekuensi tinggi:  
high-frequency resistance:tahanan frekuensi tinggi:  
high-frequency wave:gelombang tinggi-frekuensi:  
high-level code:kode tingkat-tinggi:  
high-level data link control:kontrol sambung data tingkat- tinggi:  
high-level data link control (HDLC):kontrol paut data aras tinggi (HDLC):1  
high-level fortran:FORTTRAN tingkat tinggi:  
high-level language:bahasa aras tinggi:1  
high-level language:bahasa aras-tinggi:  
high-level language:bahasa tingkat-tinggi:

istilah-ti-indonesia

high-level language architectures:arsitektur bahasa tingkat tinggi:  
high-level languages:bahasa tingkat-tinggi:  
high-level languages:bahasa tingkat-tinggi:  
high-level programming and costs:pemrograman bahasa tingkat tinggi dan biaya:  
high-level programming language:pemrograman bahasa aras tinggi:  
high-level programming language:pemrograman bahasa aras tinggi:1  
high-level programming languages:pemrograman bahasa tingkat tinggi:  
highlight:puncak kejadian:  
highlighting:pencahayaan tinggi:  
high-order:pesanan/perintah-tinggi:  
high-order digit:digit orde tinggi:  
high-order position:posisi orde tinggi:  
high-pass:lalu tinggi:  
highpass filter:saringan frekuensi tinggi:  
high-pass filter:penapis lalu tinggi:  
high-pass filter:penyaring operan-tinggi:  
high-Q circuit:sirkuit Q-tinggi:  
high-speed:kecepatan tinggi:  
high-speed carry:pembawa kecepatan tinggi:  
high-speed carry:pembawa kecepatan tinggi:  
high-speed carry:pengangkat kecepatan tinggi:  
high-speed d. c. circuit-breaker:pemutus sirkuit arus langsung laju tinggi:  
high-speed memory:memori kecepatan tinggi:  
high-speed network:jaringan laju tinggi:1  
high-speed storage buffer:penyangga penyimpanan laju tinggi:  
high-tension arc:busur tegangan tinggi:  
high-tension cable:kawat tegangan tinggi:  
high-tension circuit:sirkuit tegangan tinggi:  
high-velocity beam camera tube:tabung kamera berkas kecepatan tinggi:  
highway:jalan raya:  
highway:jalan raya  
highway crossing protection device:peranti perlindungan pelitasan jalan raya  
highway switching:putaran jalan raya  
hill and dale recording:perekaman bukit dan lembah  
hinge:engsel  
hinged type relay:relai tipe bersendi  
HIPO chart:bagan HIPO  
hippocampus:hipokampus  
hiragana:hiragana  
hiss noise:derau his  
histogram:histogram  
histogram :  
historical log file:berkas log historikal  
historical log file buffer:penyangga berkas log historikal  
history:sejarah  
history file:berkas aktifitas

history file:berkas histori:  
history of radio:sejarah radio:  
history of telegraph:sejarah telegrafi:  
hit:ketuk:  
hit :ketuk:  
hit counter:pembilang ketukan:1  
hit counter:pembilang ketukan:  
hit list:daftar ketukan:1  
hit list:senarai ketukan:  
hit miss ratio:nisbah kena tak kena:  
HIT MISS RATIO::  
hit rate:laju ketukan:1  
hit rate:laju ketukan:  
hit rate:laju ketukan:  
"hit rate, ratio"::  
hit ratio:rasio/nisbah pukul:  
hitch:penyangga  
hit-miss ratio:  
hit-on-the-fly printer:pencetak hit-on-the-fly  
hits:pukul-pukul  
hi-vision:visi-hi  
HLA:HLA  
HMOS:  
hobby computer:komputer hobi  
hog:babi  
hold:menahan  
hold file:arsip induk  
hold line active:aktif garis tahan  
hold mode:ragam genggam  
hold page queue:antrian halaman genggam  
hold page queue:giliran halaman palka  
hold queue:antrian genggam  
hold request:permintaan tahan:  
hold signal:sinyal palka:  
hold signal:sinyal palka:  
hold time:waktu palka:  
hold time:waktu palka:  
holder:pemegang:  
holding:genggam:  
holding circuit:sirkuit genggam:  
holding coil:kumparan penahanan:  
holding register:register genggam:  
holding time:waktu genggam:1  
holding time:waktu genggam; waktu sah; waktu penahan:  
hold-off circuit:sirkuit tahan jarak:  
hole:lubang:



hole pattern:pola lubang:  
hole sorter:pemilah lubang:  
Hollerith:Hollerith:  
Hollerith card:kartu Hollerith:  
Hollerith card (H)::  
Hollerith code:sandi/kode Hollerith:  
Hollerith constant:konstanta Hollerith:  
Hollerith number:nomor Hollerith:  
Hollerith type:tipe Hollerith:  
Hollerrith code::  
hollow dam:dam berlubang:  
hologram:hologram:  
hologram type:tipe hologram:  
holographic memory:memori holografik:  
holographic storage:penyimpan holografik:1  
holography:holografi:  
holophrasting:holofrase:  
HOME:HOME:1  
HOME:HOME:  
home:rumah:  
home address:alamat rumah:  
home brewed computer:komputer olahan rumah:  
home computer:komputer rumah:1  
home computer:komputer rumah:1  
home computer:komputer sendiri:  
home correction:ralat rumah:  
home directories:direktori awal:  
home loop:ikal rumah:  
home loop input component interlock:penyambungan komponen masukan ikal lokal:  
home loop operation:operasi berputar sendiri:  
home mode:model sendiri:  
home pages:beranda muka:  
home pages:beranda muka:  
home pages:beranda muka; laman:1  
home pages:beranda muka; laman:1  
home pages:beranda muka; laman:  
home pages:beranda muka; laman:  
home position:posisi rumah:  
home record:rekaman rumah:  
Home Satellite Dish (HSD):antenna parabola rumah:  
home security:sekuritas rumah:  
home shopping:belanja di rumah:  
home signal:sinyal pangkalan:  
home user:pengguna rumah:1  
home working:kerja di rumah:  
homebrew:buatan rumah:

homeomorphic:homeomorfik:  
homeostasis:homeostasis:  
homepage:beranda muka:  
homepage:beranda muka; laman:1  
homepage:beranda muka; laman  
homer:homer  
homing:homing  
homing type line switch:saklar saluran tipe rumah  
homogeneity :  
homogeneous:  
homogeneous computer network:jaringan komputer homogen  
homogeneous first-order differential equation:persamaan diferensial urutan pertama homogen  
homogeneous function:fungsi homogen  
homogeneous list:  
homogeneous network :  
homogeneous radiation:sinaran homogen  
homologation:homologasi  
homomorphism:homomorfisme  
homopolar generator:generator homopolar  
homoscedastic:homosedastik  
homosynaptic:homosinaptik  
hood:kap  
hook:kait  
hook bolt:baut kait  
hook mark:simbol kait  
hooking:pengaitan  
hook-switch:saklar kait  
hook-type current transformer:transformator arus tipe sudut  
hop:hop  
hop count:banyaknya hop  
HOP LIMIT:HOP LIMIT  
hopper:penjingkat; hopper  
horizontal antenna:antena horizontal  
horizontal cell:sel horizontal  
horizontal centering control:kontrol pemusatan horizontal  
horizontal check:tilikan/cek horizontal  
horizontal check bit:bit cek horizontal  
horizontal concentration:konsentrasi horizontal  
horizontal deflection:defleksi horisontal  
horizontal deflection coefficient:koefisien defleksi horizontal  
horizontal feed:umpan mendatar  
horizontal line:garis horizontal  
horizontal microinstruction:  
horizontal parity:paritas horizontal  
horizontal parity bit:bit paritas horizontal  
horizontal parity check:tilikan paritas horizontal

horizontal pattern:pola horizontal  
horizontal pointer:penitik horizontal  
horizontal pointer:penuding horizontal  
horizontal redundancy check:cek redundansi horizontal  
horizontal relay:siar pancar horizontal  
horizontal resolution:resolusi horizontal  
horizontal retrace line:garis horizontal  
horizontal scanning:pemindaian horizontal  
horizontal scroll:gulung mendatar \*  
horizontal spacing:penjarakan horizontal  
horizontal strut:penyangga horizontal  
horizontal synchronization:sinkronisasi horizontal  
horizontal synchronization signal:sinyal sinkronisasi horizontal  
horizontal tabulation:tabulasi mendatar  
horizontal tabulation character:karakter tabulasi mendatar  
horizontal type machine:mesin tipe horizontal  
horizontal water turbine:turbin air horizontal  
horizontal wave:gelombang horizontal  
horizontal wraparound:bungkus keliling horizontal  
horizontal-hold control:pengawasan taha-horizontal  
horizontally polarized wave:gelombang terkutub horizontal  
horn:terompet  
horn antenna:antena terompet:  
horn clause ::  
horn loudspeaker:pengeras suara corong:  
horn mouth:mulut selompret:  
horn throat:jalan sempit bentuk selaput:  
hospital information system:sistem informasi rumah sakit:  
hospital relay group:kelompok relai hospital:  
host:host; tuan rumah:  
host:host; tuan rumah:  
host application program:program penerapan hos:  
host attachment:alat pelengkap hos:  
host communications feature with business machine clocking:pengejaman fitur komunikasi host dengan mesin bisnis:  
host communications feature without business machine clocking:pengejaman fitur komunikasi host tanpa mesin bisnis:  
host computer:komputer hos:1  
host computer:komputer hos:1  
host computer:komputer host:  
host CPU:CPU host:  
host language:bahasa hos:1  
host languages:bahasa host:  
host node:nod hos:1  
host node:simpul host:  
"host part, of email addresses":"bagian host, dari alamat e-mail":

host preparation facility:fasilitas persediaan hos:  
 host processor:prosesor host:  
 host system:sistem hos:1  
 host system:sistem host:  
 host variable:perubah hos/variabel hos:1  
 hostname:nama hos:1  
 hostname:nama induk:  
 hostpots::  
 hosts:mesin:  
 hot:panas:  
 hot air type heater:pemanas tipe udara panas:  
 hot input-output:keluaran-masukan panas:  
 hot java::  
 hot key:kunci panas:1  
 hot link:taut panas:1  
 hot link :hot link:  
 hot plate:kompur:  
 hot reflection coefficient:koefisien refleksi panas:  
 hot restart::  
 hot site:situs panas:1  
 hot site:situs panas:1  
 hot spot:tempat hiburan:  
 hot standby::  
 hot swap:ganti alat dengan komputer nyala:  
 hot well:sumur panas:  
 hot-cathode grid glow tube:tabung pijar kisi katode panas:  
 hot-cathode lamp:lampu katode-panas:  
 hot-cathode rectifier:penyerah katode-panas:  
 hot-cathode rectifier tube:tabung penyearah katode panas:  
 hotel machine:mesin hotel:  
 hotlist:daftar panas:1  
 hotlist:hotlis:  
 hot-wire manometer:manometer kawat-panas:  
 hour meter:meter jam:  
 house generator:generator rumah:  
 house keeping:pengurusan rumah:  
 house software:perusahaan perangkat lunak:1  
 house software:perusahaan perangkat lunak:  
 house wiring:pengawatan rumah:  
 housekeeping:operasi persiapan:  
 housekeeping operation:operasi persiapan:  
 housekeeping program:program penunjang:  
 housing:perumahan:  
 howler:kesalahan:  
 howling:gemilang:  
 HT:HT:

HTML:HTML:  
HTML:HTML:  
HTML:HTML:  
HTML:MBHT:1  
HTML (HyperText Markup Language):bahasa markah hiperteks (BMHT):1  
HTML (HyperText Markup Language):BMHT (bahasa markah hiperteks):1  
HTML (HyperText Markup Language):HTML (bahasa penanda hiperteks):  
HTML (HyperText Markup Language):HTML (bahasa penanda hiperteks):  
HTML editor:editor BMHT:1  
HTML editor:editor HTML:  
HTML editors:editor BMHT:1  
HTML editors:editor HTML:  
HTML editors:penyunting BMHT:1  
HTML editors:penyunting HTML:  
HTML files:berkas BMHT:1  
HTML files:berkas BMHT:1  
HTML files:berkas BMHT:1  
HTML files:berkas HTML:  
HTML files:berkas HTML:  
HTML files:berkas HTML:  
HTTP:HTTP:  
HTTP (HyperText Transfer Protocols):HTTP (protokol alih hiper teks):  
HTTP (HyperText Transfer Protocols):PAHT (protokol alih hiper teks):1  
HTTP (HyperText Transfer Protocols):HTTP (protokol alih hiper teks):  
HTTP (HyperText Transfer Protocols):protokol transfer hiperteks (PTHT):1  
hub:hub:1  
hub:singgah:1  
hub:singgah:  
hub:singgah:  
hub:singgah:  
hub go-ahead:mulai-kerja hub/lubang:  
hub polling:penjajakan hub:1  
hub polling:poling hub:  
hub polling:poling hub:  
hub topologies:topologi hub:  
hue:corak warna/hue:  
Huffman encoding:penandaan Huffman:  
Huffman encoding:pengkodean Huffman:1  
HUFFMAN ENCODING::1  
hum:hum:  
"human computer interface, HCI":  
human engineering:rekayasa manusia:  
human error::  
human factor engineering:rekayasa faktor manusia:  
human factors:faktor manusia:  
human information processing:pemrosesan informasi manusia:1

istilah-ti-indonesia

human information processing:pemrosesan informasi manusia:  
Human information processing:pemrosesan informasi manusia:  
human interface (front end) simulation:simulasi antarmuka manusia:  
"human machine interface, HMI":  
human oriented concepts ::  
human oriented language:bahasa berorientasi manusia:  
human resource information system:sistem informasi sumber daya manusia:1  
human resource information system (HRIS):sistem informasi sumber daya manusia:  
human resource information system (HRIS):sistem informasi sumber daya manusia:  
human resource information system (HRIS):sistem informasi sumber daya manusia:  
human resource information system (HRIS):sistem informasi sumber daya manusia (SISDM):1  
human resource MIS and corporate policies:SIM sumberdaya manusia dan kebijakan perusahaan:DELETE  
human resources ::  
Human safety:keamanan manusia:  
humanity:kemanusiaan:  
hume pipe duct:sauran pipa senandung:  
humidity:humiditas:  
hundred call-second:seratus panggilan per detik:  
hunting:pemburuan/kejaran:  
hybrid:hibrida:  
hybrid bridge rectifier connection:koneksi penyearah jembatan hibrida:  
hybrid circuit:kalang hibrid:  
hybrid circuit:kalang hibrid:  
hybrid circuit:kalang/sirkuit hibrida:  
hybrid circuit:sirkuit hibrid:1  
hybrid circuit:sirkuit hibrid:1  
hybrid coil:kumparan/lilitan hibrid:  
hybrid coil:lilitan/kumparan hibrida:  
hybrid computer:komputer hibrid:1  
hybrid computer:komputer hibrid:1  
hybrid computer:komputer hibrid:  
hybrid computer:komputer hibrid:  
hybrid computer:komputer hibrid:  
hybrid computer:komputer hibrida:  
hybrid hierarchy:hierarki hibrid:  
hybrid IC:IC hibrid:  
hybrid integrated circuit:sirkuit terintegrasi hibrid:  
hybrid interface:antartatapan hibrid:  
hybrid junction:sambungan hibrida:  
hybrid language:bahasa hibrid:1  
hybrid languages:bahasa hibrid:  
hybrid model::  
hybrid multiplex modulation:modulasi multipleks hibrid:  
hybrid network:jaringan hibrid:1  
hybrid object:objek hibrid:1

hybrid redundancy::  
hybrid ring:cincin hibrid  
hybrid specification models :  
hybrid system:sistem hibrid  
hybrid systems:sistem hibrid  
hydration:hidrasi  
hydraulic operation:operasi hidraulik  
hydraulic power:daya hidraulik  
hydraulic test:uji hidraulik  
hydro-electric power station:stasiun tenaga hidro elektrik  
hydrogen overvoltage:voltase lebih hidrogen  
hydrograph:hidrograf  
hydrolysis:hidrolisis  
hydrometer:hidrometer  
hydrometry:hidrometri  
hygrometer:higrometer  
hyperbolic equations:persamaan hiperbolik  
hyperbolic horn:corong hiperbolik:  
hyperbolic system:sistem hiperbolik:  
hypercube:hiperkubus:  
hyperdrive:hiperdorongan:  
hypergraph:hipergraf:  
hypergraphs:hipergraf:  
hypergroup:hipergrup:  
hyperlink:hipertaut:1  
hyperlink:linkhiper:  
hyperlinks:hipertaut:1  
hyperlinks:hipertaut:1  
hyperlinks:hipertaut:  
hyperlinks:hipertaut:  
hypermedia:hipermedia:1  
hypermedia:hipermedia:  
hypermedia:hipermedia:  
hypermedia:hipermedia:  
hypermedia:mediahiper:  
hyper-media:hiper-media:  
hypermedia ::  
hypermedia database:pangkalan data hipermedia:1  
hypermedia database:pangkalan data hipermedia:  
hypermedia database:pangkalan data hipermedia:  
hyperresolution:hiperresolusi:  
Hyperstitial :hiperstisial:  
hypertape:hiperpita:  
hypertape drive:pacu hipertape:  
hypertext:hiperteks:1  
hypertext:hiperteks:1

hypertext:hiperteks:1  
hypertext:hiperteks:1  
hypertext:hiperteks:1  
hypertext:hiperteks:  
hypertext:hiperteks:  
hypertext:hiperteks:  
hypertext:hiperteks:  
hypertext:hiperteks:  
hyper-text:teks hiper:  
hypertext :hiperteks:  
hypertext ::  
hypertext database:pangkalan data hiperteks:  
hypertext markup language:bahasa penanda hiperteks:  
HYPERTEXT MARKUP LANGUAGE:BAHASA MARKAH HIPERTEKS:  
hypertext markup language:bahasa penanda hiperteks:  
hypertext markup language:bahasa penanda hiperteks:  
hypertext markup language (HTML):bahasa markah hiperteks (BMHT):1  
hypertext markup language (HTML):bahasa penanda hiperteks (BPHT):  
hypertext markup language (HTML):bahasa penanda hiperteks (HTML):1  
hypertext markup language (HTML):bahasa penanda hiperteks (HTML):1  
"hypertext markup language, html "::  
hypertext navigation and maps:navigasi hiperteks dan peta:  
HyperText Transfer Protocol:protokol transfer hiperteks:  
hypertext transfer protocol (HTTP):HTTP:  
hypertext transfer protocol (HTTP):HTTP:  
hypertext transfer protocol (HTTP):protokol alih hiper teks (PAHT):  
hypertext transfer protocol (HTTP):protokol pemindah hiperteks (PPHT):1  
hypertext transfer protocol (HTTP):protokol pemindah hiperteks (PPHT):  
hypertext transfer protocol (HTTP):protokol transfer hiperteks:1  
hypertext transfer protocol (HTTP):protokol transfer hiperteks (PTHT):1  
hypertext transmission protocol:HTTP:  
hypertext transport protocol:HTTP:  
hyper-text transport protocol (HTTP):HTTP:  
"hypertext transport protocol, http "::  
hyperthermia:hipertema  
hyphen:tanda hubung  
hyphenation:pemberian tanda hubung  
hypothesis:hipotesis  
hysteresis:histeresis  
hysteresis coefficient:koefisien histeresis  
hysteresis error:kekeliruan histeresis  
hysteresis loop:ikal histeresis  
hysteresis loss:kerugian histeresis  
hysteresis motor:motor histeresis  
hysterisis:histeresis



hysterisis loop:ikal histeresis  
Hz:Hz  
I/o:I / O  
I/O:  
I/O:  
I/O bandwidth::  
I/O buffer::  
I/O bus:bus I/O:1  
I/o bus:bus I/O:  
I/O bus::  
I/O bus::  
I/o channel:kanal I/O:  
I/O channel::  
I/O command::  
I/O controller:pengendali I/O:1  
I/O controller::  
I/O device:alat I/O:1  
I/O device:peranti I/O:1  
I/O device:peranti I/O:  
I/O device:peranti I/O:  
I/O devices:peranti I/O:  
I/O devices:peranti I/O:  
I/O interface::  
I/o interrupt:interupsi I/O:  
I/O interrupt::  
I/O on a network:I/O di jaringan:  
I/O port::  
I/O port::  
I/O processor:pemroses I/O:1  
I/O processor::  
I/O register:register I/O:1  
I/O register::  
I/O routine::  
I/O system::  
I/O throughput::  
I/O trunk::  
I/O unit:unit I/O:1  
I/O unit:  
IAB:  
IAC :IAC  
IAHC :IAHC  
IANA:IANA  
IBM:IBM  
IBM 308X:IBM 308X  
IBM 3101 terminal:terminal IBM 3101  
IBM 43XX:IBM 43XX

IBM card:kartu IBM  
IBM PC AT:IBM PC AT  
IBM PC cluster:kelompok IBM PC  
IBM PC network:jaringan IBM PC  
IBM PC XT:IBM PC XT  
IBM PCLANP:IBM PCLANP  
IBM system/370:IBM system/370  
IBM token ring:IBM cincin tiket:  
IBM/compatibles:IBM kompatibel:  
IBM-compatible:IBM kompatibel:  
IC memory:memori IC:  
ICA:ICA:  
ICA:ICA:  
ICANN :ICANN:  
icd:icd:  
ICE:ICE:  
ice coating:pelapisan es:  
ice loading:pemunggaran es:  
"ICE, In-Circuit Emulator"::  
iceberg effect:efek gunung es:1  
ICMP:ICMP:  
Icom::  
icon:ikon:1  
icon:ikon:1  
icon:ikon:  
icon:ikon:  
icon:ikon:  
icon-based operating system:sistem operasi berbasis ikon:1  
icon-based operating system:sistem operasi berbasis ikon:  
iconoscope:ikonoskop:  
icons:ikon:1  
icons:ikon:  
icons:ikon:  
icons:ikon:  
ICQ :ICQ:  
ICU:ICU:  
ID:ID:  
ID character:karakter ID:  
IDE::  
idea generator:pembangkit ide  
idea processor:prosesor ide  
ideal pole arc:busur kutub ideal  
ideal pulse:pulsa aideal  
idempotent element:elemen idempoten  
identification:identifikasi  
identification burst:deburan identifikasi

identification card:kartu identifikasi  
identification card reader:pembaca kartu identifikasi  
identification character:karakter identifikasi  
identification code:kode identifikasi  
identification division:divisi identifikasi  
identification number:nomor identifikasi  
identification sequence field:daerah urutan identifikasi  
identifier:identifikasi  
identifier:pengenali/identifikasi  
identifier:pengidentifikasi:  
identifier list:senarai pengenali:  
identifier naming:penamaan pengenali:1  
identifier naming:penamaan pengenali:  
identify:mengidentifikasi:  
identity:identitas:  
identity attribute:atribut identitas:  
identity element:elemen identitas:  
identity friend or foe:identitas kawan atau lawan:  
identity gate:gerbang identitas:  
identity key:kunci identitas:  
identity matrix:matriks identitas:  
identity operation:operasi identitas:  
identity unit:unit identitas:  
ideogram:ideogram:  
ideographic character:karakter ideografiks:  
independent compilation:kompilasi bebas  
IDF:IDF  
idle:tak berguna; terbiar  
idle character:karakter terbiar/istirahat/idel  
idle contact:kontak percuma  
idle line:garis idel/terbiar  
idle period:kala kosong  
idle state:keadaan idel  
idle time:waktu idel/terbiar/gencat  
idle time:waktu terbiar  
idle time:waktu terbiar; waktu gencat; waktu istirahat  
idler circuit:sirkuit pengangguran  
IDP:IDP  
IDP:IDP (institut pemrosesan data)  
ids:ids  
IEEE:IEEE  
IEEE 802.11:IEEE 802.11  
IEEE 802.3:IEEE 802.3  
IEEE representation (of floats):  
IEEE Standard 754:  
IETF:IETF

IF:IF

IF (Intermediate Frequency):IF (frekuensi antara)

if clause:klausa jika (\*)

IF-AND-ONLY-IF element:elemen IF-AND-ONLY-IF

IF-AND-ONLY-IF gate:pintu IF-AND-ONLY-IF

IF-AND-ONLY-IF operation:operasi IF-AND-ONLY-IF

IFF:IFF

IFIP:IFIP

IF-THEN element:elemen IF-THEN

IF-THEN gate:gerbang IF-THEN

IF-THEN gate:pintu IF-THEN

IF-THEN operation:operasi IF-THEN

ignition coil:lilitan penyalu

ignition interference:interferens sulutan

ignitor:pembakar

ignitor electrode:elektrode penyulut

ignitor electrode of a gas-filled switching tube:elektroda ignitor pipa saklar gas \*

ignitron:ignitron

ignore:mengabaikan

ignore gate:pintu abai

IIS :IIS

ill-conditioning:pengkondisian kurang baik

illegal:ilegal

illegal character:karakter ilegal

illegal character:karakter tak benar

illegal character check:cek karakter ilegal

illegal code:kode ilegal

illegal command:perintah ilegal:

illegal instruction:instruksi ilegal:

illegal instruction check:cek instruksi ilegal:

illegal operation: operasi ilegal:1

illegal operation:operasi ilegal:

illegal operation:operasi ilegal:

illuminance:penjelas:

illuminance meter:meter penjelas:

illuminated track diagram:diagram jejak teriluminasi:

illuminated track model:model jejak teriluminasi:

illuminating engineering:teknik pengiluminasian:

illumination:iluminasi; penerangan:

illumination meter:meter iluminati:

iMac :iMac:

image:bayangan; citra:

image:citra:

image:citra; bayangan:

image :gambar:

image camera tube:tabung kamera bayangan:

image capture:penangkapan gambar:  
image converter:konvertor santri:  
image converter tube:tabung konverter santir:  
image cropping:keratan citra:  
image data:data bayangan:  
image databases:pangkalan data gambar:  
image digitizer:pendigit citra:  
Image display:penayangan gambar:  
Image displays:penayangan gambar:  
image dissector:disektor bayangan:  
image dissector:pembedah citra:  
image editor :editor citra:1  
image frequency interference:interferensi frekuensi santir:  
image grabber:pengambil gambar:  
image iconoscope:ikonoskop bayangan:  
image intensifier:penguat bayangan:  
image intensifier tube:tabung penguat santir:  
image library:pustaka bayangan:  
image manipulation:manipulasi gambar:  
image map:peta gambar:  
image orthicon:ortikon bayangan:  
image pickup tube:tabung ambil bayangan:  
image pick-up tube:tabung pikup santir:  
image processing:pemrosesan citra:1  
image processing:pemrosesan citra:  
image processing:pemrosesan/proses gambar:  
image processing software:perangkat lunak pemrosesan citra:1  
image processing software:perangkat lunak pemrosesan citra:1  
image processing software:perangkat lunak pemrosesan citra:  
image processing software:perangkat lunak pemrosesan/proses gambar  
image processing software:perangkat lunak pemrosesan/proses gambar  
image ratio:nisbah santir  
image receivers:penerima gambar  
image recognition:pengakuan bayangan  
image regeneration:regenerasi gambar  
image response:tanggapan santir  
image scanning:penskanan gambar  
image sensor:sensor citra  
image space:ruang citra  
image to electrical signal:gambatang dari sinyal elektrik  
image transfer:transfer bayangan  
image tube:tabung bayangan  
imaginary:imajiner  
imaginary constant:konstanta imajiner  
imaginary part:bagian imajiner  
imaging:pencitraan:

imaging geometry:geometri pencitraan:  
IMAP :IMAP:  
IMHO::  
immediate:segera:  
immediate access:akses seketika:  
immediate access storage:penyimpan akses seketika:  
immediate access store:persediaan akses segera:  
immediate address:alamat seketika:  
immediate address:alamat seketika:  
immediate addressing:pengalamatan seketika :1  
immediate addressing:pengalamatan/alamat seketika (\*):  
immediate addressing:pengalamatan/alamat seketika (\*):  
immediate AND:AND segera:  
immediate command:perintah segera:  
immediate control mode:modus kontrol segera:  
immediate data:data seketika  
immediate device control block:blok kontrol peranti segera  
immediate instruction:instruksi seketika  
immediate operand:operandi segera  
immediate operand:operandi segera  
immediate operation:operasi segera  
immediate response mode:modus tanggapan segera  
immediate skip:lompatan segera  
immediate status:status langsung  
immersion cell:sel rendam  
immersion lens:kanta rendam  
imminent deadlock:mogok darurat  
immitance:imitans  
immittance:imitans  
immunity:kekebalan  
IMP:IMP  
impact:dampak:  
impact analysis ::  
impact locator system:sistem lokator dampak:  
impact paper:kertas tumbuk:  
impact printer:pencetak ketuk:1  
impact printer:pencetak tumbukan/ketuk:  
impact printer:pencetak tumbukan/ketuk:  
impedance:impedansi:  
impedance bridge:jembatan impedans:  
impedance correction network:jaringan koreksi impedans:  
impedance coupling:kopling impedans:  
impedance drop:drop impedans:  
impedance function:fungsi impedans:  
impedance matching:pencocokan rintangan:  
impedance matrix:matriks impedans:

impedance relay:siar pancar impedans:  
impedance transformer:transformator impedans:  
impedance unbalance:impedans takimbang:  
impedance voltage:voltase impedans:  
imperative:imperatif:  
imperative sentence:kalimat perintah:  
imperative statement:pernyataan imperatif:  
implement:implemen:  
implementability:implementabilitas:  
implementation:implementasi:  
implementation:implementasi:  
implementation:implementasi:  
implementation::  
implementation (system):implementasi (sistem):  
implementation and systems data preparation:implementasi dan persiapan data sistem:DELETE  
implementation design description ::  
implementation inheritance ::  
implementation model :  
implementation step:langkah implementasi  
implemented software quality:  
implementor:implementor  
implication:implikasi  
implicit:implisit  
implicit address:alamat terkandung  
implicit closing:penutupan implisit  
implicit control:kontrol terkandung  
implicit declaration:deklarasi implisit  
implicit declaration:deklarasi terkandung  
implicit identification:identifikasi terkandung  
implicit opening:pembukaan implisit  
implicit reasoning:penalaran implisit  
implicit type declaration:deklarasi tipe implisit  
implicit typing:penjenisan implisit  
implicitly defined array:susunan pendefinisian implisitan:  
implied address:alamat terkandung:  
implied addressing:pengalamatan tak langsung:1  
implied addressing:pengalamatan tak langsung:  
implied addressing:pengalamatan tak langsung:  
implied DO:DO terkandung:  
implied memory addressing:pengalamatan memori tak langsung:  
implied needs::  
implied subject:subjek implisit:  
implosion:hirup:  
implosion of an envelope:implosi amplop:  
imply:termasuk:  
import:impor:1

import:impor:  
IMPORT:IMPORT:  
IMPORT:masuk:1  
import data:impor data:  
import file:impor berkas:  
import function:impor fungsi:  
importance of radio:pentingnya radio:  
importance of satellite:pentingnya satelit:  
importance of television:pentingnya televisi:  
importance of time-multiplexed systems:pentingnya sistem multipleks waktu:  
importance of time-varying signals:pentingnya sinyal bervariasi terhadap waktu:  
importing:pemasukan:1  
importing:pengimporan:1  
importing:pengimporan:DELETE  
importing:pengimporan:DELETE  
importing data:pengimporan data:  
importing data:pengimporan data:  
imprecise interrupts:.  
impregnated cable:kabel tersedak:  
impregnation:impregnasi  
impressed electromotive force:tegangan gerak elektrik terpasang  
impression :impresi  
imprint:cap  
imprinter:imprinter  
imprinting:penerbyten  
improved programming technologies:teknologi pemrograman terbaik  
improvement factor:faktor perbaikan  
impulse:denyut/impuls  
impulse:denyut; impuls  
impulse current:arus ajakan  
impulse function:fungsi impuls  
impulse recorder:perekam ajakan  
impulse repeater:pengulang ajakan  
impulse response:respons impuls  
impulse sending machine:mesin kirim ajakan  
impulse sparkover voltage:voltase meletik ajakan:  
impulse system:sistem ajakan:  
impulse turbine:turbin impuls:  
impulse voltage test:uji voltase ajakan:  
impulse water turbine:turbin air ajakan:  
impulse-duration system:sistem durasi-ajakan:  
impulse-frequency system:sistem frekuensi ajakan:  
impulsive function:fungsi impulsif:  
impulsive noise:desah impulsif:  
impulsive sound:suara ajakan:  
impurity:ketakmurnian:



IMS:IMS:

in the large testing:uji garis besar:

in the small testing:uji detail:

in tin group selection level::DELETE

inactive:takaktif:

inactive file:jajaran takaktif

inactive line:garis takaktif

inactive link:sambungan takaktif

inactive mass storage volume:volume penyimpanan massa tak aktif

inactive page:halaman takaktif

inactive partition:partisi tak aktif

inactive program:program takaktif

inactive station:stasion takaktif

inactive station:stasiun takaktif

inactive volume:volume pasif

INADDR\_ANY:INADDR\_ANY

inbound track:jejak balik

inbox:inbox

incandescent: pijar

incandescent lamp:lampu pijar

incentive:insentif

inching:gerak per inci

incident:

incident record:perekam insiden

incident wave:gelombang insiden

incidental frequency modulation deviation:penyimpangan modulasi frekuensi insidental

incidental programming:pemrograman insidental

incidental time:waktu insidental

incidentals time:waktu insidental

in-circuit emulator:emulator sirkuit-dalam

inclination:inklinasi; kecenderungan

inclined antenna:antena miring

inclusion:inklusi

inclusion of external text:teks eksternal inklusi

inclusive:inklusif

inclusive OR:OR inklusif

inclusive OR:OR inklusif

inclusive reference:referensi inklusif

inclusive relation:relasi inklusif

inclusive segments:segmen-segmen inklusif

INCLUSIVE-OR element:elemen eksklusif-OR

INCLUSIVE-OR element:elemen INCLUSIVE-OR

INCLUSIVE-OR gate:gerbang INCLUSIVE-OR

INCLUSIVE-OR gate:pintu eksklusif-OR

INCLUSIVE-OR operation:operasi eksklusif-OR

incoherence:takberhubungan

istilah-ti-indonesia

incoherent:inkoheren  
incoming call wire grouping key:kunci pengelompokan kawat panggilan masuk  
incoming group:kelompok masuk  
incoming level:aras masuk  
incoming line:baris yang baru naik  
incoming message:pesan tambahan/masukan  
incoming panel:panel masuk  
incoming selector:selektor masuk:  
incompatible:tidak cocok:  
incomplete block:blok tak komplet:  
INCOMPLETE RECOVERY::  
incompleted call:panggilan tak lengkap:  
incompleteness:ketaklengkapan:  
inconnector:inkonektor:  
inconsistent:inkonsisten:  
inconsistent read:bacaan tak konsisten:1  
inconsistent statistic:statistik tak konsisten:  
incorrect:tak tepat:  
incorrect length:panjang tak benar:  
increase:bertambah:  
increment:riapan/tambahan:  
increment:riapan/tambahan:  
increment:riapan; bertambah:  
increment instruction :instruksi inkremen:1  
increment vector:vektor inkremen:  
incremental:inkremen:  
INCREMENTAL BACKUP::  
incremental coding:pemrograman riapan/tambahan:  
incremental coding:pemrograman riapan/tambahan:  
incremental coding:pengkodean inkremental:1  
incremental coding:pengodean riapan/tambahan:1  
incremental compiler:penghimpun riapan/tambahan:  
incremental compilers:penghimpun riapan/tambahan:  
incremental computer:komputer tambahan:  
incremental coordinate:koordinat penambahan:  
incremental curve plotter:perajah/ploter kurve inkremen:  
incremental data:data inkremen:  
incremental design:desain inkremental:1  
incremental design:desain riapan:  
incremental development:pengembangan inkremen:  
incremental dump:tumpuk/dum inkremen:  
incremental energy cost:biaya tenaga inkremental:  
incremental integrator:integrator tambahan:  
incremental language processor:prosesor bahasa inkremental:  
incremental permeability:ketelusan inkremental:  
incremental plotter:perajah/ploter inkremen:

istilah-ti-indonesia

incremental quantity:kuantitas inkremental:  
incremental record:perekam inkremental:  
incremental representation:representasi riapan/tambahan:  
incremental system development:perkembangan inkremental system:  
incremental system development:perkembangan sistem inkremental :1  
incremental testing::  
incrementation parameter:parameter inkrementasi:  
incrementer:inkrementer:  
indent:inden:  
indentation:lekuk'an  
indented implosion:implosi inden  
indenting:pengindenan  
independence:independensi  
independent:mandiri  
independent directory read-in area:daerah tulisan masuk direktori independen  
independent event:kejadian independen  
independent overflow area:area meluap bebas/ independen  
independent routine:rutin mandiri  
independent segment:segmen bebas  
independent sideband transmission:transmisi pita ujung bebas  
"independent test group, ITG "  
independent testing :  
independent utility:kegunaan bebas  
independent utility programs:program kegunaan independen  
indeterminacy:ketakpastian  
indeterminate:tak pasti:  
indeterminateness:yang takmenentukan:  
INDEX:indeks:1  
index:indeks:  
INDEX:INDEX:  
index addressing:pengalamatan indeks:  
index area:area indeks:  
index block:bloks indeks:  
index buffer:penyangga indeks:  
index build:membangun indeks:  
index data base:indeks penghalang data:  
index data item:unsur data indeks:  
index entry:entri indeks:  
index entry record type:tipe rekaman entri indeks:  
index entry technique:teknik entri indeks:  
index file:jajaran indeks:  
index generation:pembangkitan indeks:  
index hole:lubang indeks:  
index key item:item kunci indeks:  
index level:tingkat indeks:  
index loop:gelung indeks:

index marker:pemarkah indeks:  
index modification:modifikasi indeks:  
index name:nama indeks:  
index of cooperation:indeks koperasi:  
index of coupling:indeks kopling:  
index of dispersion:indeks tebaran:  
index part:bagian indeks:  
index point:titik indeks:  
index record:rekaman indeks:  
index register:register indeks:1  
index register:register indeks:1  
index register:register indeks:  
index register:register indeks:  
index register modification:penyederhanaan register indeks:  
index sequential access method:metode akses banjaran indeks:  
INDEX SEQUENTIAL ACCESS METHOD::1  
index sequential file:berkas berurutan indeks:  
index sequential organization:organisasi banjaran/deret indeks:  
index sequential organized file:jajaran terorganisasi banjaran indeks:  
INDEX SEQUENTIAL ORGANIZED FILE::1  
index sequential structure:struktur banjaran indeks:  
index set:kumpulan/perangkat indeks:  
index set:perangkat indeks:  
index source segment:segmen sumber indeks:  
index target segment:segmen target indeks:  
index track:jalur indeks:  
index word:kata indeks:  
"index, in caches":  
indexed:terindeks:  
indexed addressing::  
indexed address:alamat berindeks:  
indexed addressing:pengalamatan berindeks:1  
indexed addressing:pengalamatan terindah:  
indexed data name:nama data berindeks:  
indexed file:berkas berindeks:  
indexed organization:organisasi banjaran indeks:  
indexed organized file:jajaran terorganisasi banjaran indeks:  
indexed sequential access method:metode akses berurut terindeks:1  
indexed sequential access method:metode akses berurut terindeks:  
indexed sequential access method:metode akses sekuensial terindeks:1  
indexed sequential access method:metode akses sekuensial terindeks:  
indexed sequential data set:kumpulan data sekuensial berindeks:  
indexed sequential data set:kumpulan data sekuensial berindeks:  
indexed sequential file:berkas sekuensial berindeks:1  
indexed sequential file:berkas sekuensial berindeks:  
indexed sequential file:berkas sekuensial berindeks:

istilah-ti-indonesia

indexed sequential file management system:sistem manajemen berkas sekuensial berindeks:  
indexed sequential organization:organisasi sekuensial berindeks:  
indexed set:set berindeks:1  
indexer:pengindeks:  
indexical:indeks:  
indexing:pengindeksan:  
indexing:pengindeksan:  
indexing e-mail:email pengindeksan; surat elektronik pengindeksan:1  
indexing e-mail:pengindeksan email:  
Indexing methods:metode pengindexan:  
indicated horsepower:daya kuda berindikasi:  
indicated value:nilai tertentu:  
indicating instrument:instrumen indikasi:  
indicating instrument method:metode radas teraan  
indicating lamp:lampu teraan  
indicating lock:kunci teraan  
indicating wattmeter:meter-watt teraan  
indication:indikasi  
indication relay:relai peneraan  
indicative:indikatif  
indicative abstract:abstrak indikatif  
indicator:indikator  
indicator:penunjuk/indikator  
indicator:  
indicator lamp:lampu petunjuk  
indicator measure:  
indicator panel:panel petunjuk  
indicator register:register/senarai petunjuk  
indicator tube:tabung penera  
indirect:taklangsung:  
indirect access:akses tak langsung:  
indirect address:alamat tak langsung:  
indirect address modification:modifikasi alamat taklangsung:  
indirect addressing: pengalamatan tak langsung:1  
indirect addressing:pengalamatan tak langsung:  
indirect addressing:pengalamatan tak langsung:  
indirect instruction:instruksi tak langsung:  
indirect lighting:pencahayaan taklangsung:  
indirect lightning stroke:lintas kilat tak langsung:  
indirect measure::  
indirect measurement:pengukuran tak langsung:  
indirect measurement::  
indirect method:metode tak langsung:  
indirect stroke:lintas tak langsung:  
indirection:indireksi:  
indirectly heated thermistor:termistor terpanaskan tak langsung

indirectness:ketaklangsungan  
individual:pencorangan  
individual calling:pemanggilan perseorangan  
individual constant:konstanta individual  
individual modulation:modulasi perseorangan  
individual productivity :  
indoor antenna:antena ruangan  
indoor location:lokasi dalam ruangan  
indoor substation:substasiun dalam ruangan  
indoor transformer:transformator dalam ruangan  
induced current:arus terimbas  
induced electromotive force:tegangan gerak elektrik terimbas  
induced radioactivity:radioaktivitas terimbas  
induced voltage:voltase terimbas  
inducing current:arus imbas  
inductance:induktansi  
inductance coil:lilitan induktans  
inductance tuning:penalaan imbasan  
inducting circuit:sirkuit pengimbasan  
Induction:induksi  
induction coil:kumparan induksi  
induction field:medan imbasan  
induction heating:pemanasan induksi  
induction machine:mesin imbasan  
induction regulator:pengatur imbasan  
induction type relay:relai tipe imbasan  
induction welding:pengelasan imbasan  
inductionless conductor:konduktor tanpa imbasan  
inductive circuit:sirkuit induktif  
inductive coupling:kopling induktif  
inductive disturbance:gangguan induktif  
inductive output tube:tabung keluaran induktif  
inductive radio:radio induktif  
inductive shunt:pirau induktif  
inductive statistics:statistika induktif  
inductor:induktor  
inductor-type generator:generator tipe induktor  
industrial:industri  
Industrial automation:industri automasi  
industrial benefits :  
industrial computer:komputer industri  
Industrial control:kontrol industri  
industrial control unit:unit kontrol industri  
industrial data processing:olah data industri  
industrial dynamics:dinamika industrial  
industrial instrument:peralatan industri

industrial instrumentation:instrumentasi industri  
industrial instrumentation:instrumentasi industrialisasi:  
industrial simulator:simulator industri:  
industry:industri:  
industry standard architecture bus (ISA bus):bus arsitektur standar industri:1  
ineffective:takefektif:  
ineffective time:waktu takefektif:  
inefficient:takefisien:  
inelastic collision:tabrakan inelastik:  
inequality:tak sama:  
inequivalence:inekuivalens:  
inerrupt program:program sela/berinterupsi:  
inert gas:gas lengai:  
inertance:inertans:  
inertial navigation system:sistem navigasi inersial:  
inference:inferensi:  
inference :inferensi:1  
inference engine:mesin inferensi:  
inference engines:mesin inferensi:  
inference program:program inferens:  
INFERENCE RULE::  
inferior:inferior:  
inferno:kebakaran:  
infinite:ananta:  
infinite pad method:metode padinfinit:  
infinite set:perangkat ananta:  
infinitely:takhingga:  
infinitesimal:infinitesimal:  
infinity:infinitas:  
infix:sisipan:  
infix notation:notasi infiks:  
infix notation:notasi sisipan:  
INFIX NOTATION::1  
infix operation:operasi infiks:  
infix operator:operatoe infiks:  
inflection:infleksi:  
inflexion:infleksi:  
inflight error correction:ralat galat terbang masuk:  
influence quantity:kuantitas pengaruh:  
influential factors ::  
informal ::  
informal reasoning ::  
informal testing::  
informatics:informatika:  
information:informasi:  
information:informasi:

istilah-ti-indonesia

information access and costs:akses dan biaya informasi:  
information access and ethical issues:akses informasi dan masalah etika:DELETE  
information analysis:analisis informasi:  
information attribute:atribut informasi:1  
information attributes:atribut informasi:  
information attributes:atribut informasi:  
information base ::  
information bit:bit informasi:  
information bits:bit informasi:  
information browsers:penelusur informasi:  
information capacity:kapasitas informasi:  
information center:pusat informasi:  
information center (IC):pusat informasi:  
information center (IC):pusat informasi (PI):1  
information center (IC):pusat informasi (PI):  
information channel:kanal informasi:  
information content:isi informasi:  
information cost:biaya informasi:  
information desk:meja informasi:  
information directory:direktori informasi:  
information feedback system:sistem umpanbalik informasi:  
information field:medan informasi:  
information filtering:penapisan informasi:  
information flag:tanda informasi:  
Information flow controls:kontrol alur informasi:  
INFORMATION GATHERING:PENGUMPULAN INFORMASI:  
information hiding:penyembunyian informasi:1  
information hiding:penyembunyian informasi:1  
information hiding:penyembunyian informasi:  
information hiding:penyembunyian informasi:  
information hiding:penyembunyian informasi:  
information hiding::  
information highway:jalan raya informasi:  
information highway :jalan raya informasi:  
information interchange:simpang susun informasi:  
information kiosk:kios informasi:1  
information kiosk:kios informasi:  
information management:manajemen informasi:1  
information management:manajemen informasi:  
information management system:sistem kelola informasi:  
information management-definitions:definisi manajemen informasi:1  
information management-definitions:definisi manajemen informasi:  
information marketplace:pasar informasi:1  
information marketplace:pasar informasi:  
information message:pesan informasi:  
information mind:jiwa informasi:



information mode:mode informasi:  
Information networks:jaringan informasi:  
information overload:sarat informasi:  
information patterns:pola informasi:  
information processing:pemrosesan informasi:  
information processing and organizations:pemrosesan dan organisasi informasi:1  
information processing and organizations:pengolah dan organisasi informasi:DELETE  
Information Processing Society of Japan:pemrosesan Informasi Masyarakat Jepang:  
information processor:pemroses/prosesor informasi:  
information provider:penyedia informasi:  
information rate:kecepatan informasi:  
information rate:laju informasi:  
information rate per character:kecepatan informasi per karakter:  
information representation:representasi informasi:  
information representation:representasi informasi:  
information resource management and organizational goals:manajemen sumberdaya informasi dan tujuan organisasional:DELETE  
information retrieval:perolehan kembali informasi:  
information retrieval:retrival informasi; pengambilan informasi:  
information retrieval:retrival informasi; pengambilan informasi:  
information retrieval:retrival informasi; pengambilan informasi:  
information retrieval:temu balik informasi:1  
information retrieval:temu balik informasi:  
information retrieval system:sistem perolehan kembali informasi:  
information science:ilmu informasi:  
information separator:pemisah informasi:  
information services:jasa informasi:  
information society:masyarakat informasi:1  
information society:masyarakat informasi:1  
information society:masyarakat informasi:1  
information society:masyarakat informasi:  
information society:masyarakat informasi:  
information source:sumber informasi:  
information storage and retrieval:pemulihan dan penyimpan informasi:  
information superhighway:adimarga informasi:  
Information Superhighway:jalan raya informasi:  
information superhighway:jalan raya super informasi:1  
information system:sistem informasi:  
information system ::  
information system development:pengembangan sistem informasi:  
INFORMATION SYSTEM MAINTENANCE:PERAWATAN SISTEM INFORMASI:  
information system maintenance:perbaikan sistem informasi:  
INFORMATION SYSTEM METHODOLOGY:METODOLOGI SISTEM INFORMASI:  
INFORMATION SYSTEM PLANNING:PERENCANAAN SISTEM INFORMASI:  
information system planning:perencanaan sistem informasi:  
INFORMATION SYSTEM PROTOTYPING:PEMROTOTIPEAN SISTEM INFORMASI:

istilah-ti-indonesia

information system resources:sumber daya sistem informasi:  
information systems:sistem informasi:1  
information systems:sistem informasi:  
Information systems (IS) management:manajemen sistem informasi:  
information systems costs:biaya sistem informasi:  
Information systems education:pendidikan sistem informasi:  
Information systems management:manajemen sistem informasi:1  
information systems methodologies:metodologi sistem informasi:1  
information systems methodologies:metodologi sistem informasi:  
information systems prototyping:prototyping sistem informasi:  
information systems support for decision making:pendukung sistem informasi untuk pengambilan keputusan:DELETE  
information systems-definitions:definisi sistem informasi:1  
information systems-definitions:definisi sistem informasi:  
information technology:teknologi informasi (TI):  
information technology:teknologi informasi (TI):  
information technology (IT):teknologi informasi:  
information technology (IT):teknologi informasi (TI):1  
information technology (IT):teknologi informasi (TI):1  
information technology (IT):teknologi informasi (TI):  
information technology (IT):teknologi informasi (TI):  
information technology (IT) challenges:tantangan teknologi informasi (TI):  
information technology (IT) employment:pekerjaan teknologi informasi (TI):  
information technology (IT) ethical and social issues:isu etika dan sosial teknologi informasi:  
information Technology (IT) health hazards:bahaya kesehatan teknologi informasi:  
information technology architecture:arsitektur teknologi informasi:1  
information technology architecture:arsitektur teknologi informasi:  
information technology ethical and social issues:isu etika dan sosial teknologi informasi:  
information technology-definitions:definisi teknologi informasi:1  
information technology-definitions:definisi teknologi informasi:  
Information theory:teori informasi:  
information transfer:transfer informasi:  
information transfer rate:laju transfer informasi:  
information transfer state:keadaan alih informasi:  
information word:kata informasi:  
informational message:pesan informasional:  
information-feedback system:sistem umpan-balik informasi:  
informations systems:sistem informasi:1  
informations systems:sistem informasi:  
informative abstract:abstrak informatif:  
informative message:pesan informatif:  
info-servers:server info:  
infra-acoustic telegraphy:telegrafi infra-akustik:  
infrared:infra merah:  
infrared:inframerah:1  
infrared:inframerah:

infrared active:infra merah aktif:  
infrared active:inframerah aktif:1  
infrared active:inframerah aktif:  
Infrared Data Association (IrDA):Asosiasi Data Inframerah:1  
infrared heating:pemanasan inframerah:  
infrared lamp:lampu inframerah:  
infrared medium:medium inframerah:1  
infrared network access device:peranti akses jaringan inframerah:1  
infrared passive:infra merah pasif:  
infrared passive:inframerah pasif:1  
infrared passive:inframerah pasif:  
infrared ray:sinar inframerah:  
infrared radiometer:radiometer inframerah:  
infrared signal:sinyal inframerah:1  
infrastructure:prasarana:  
infrastructure architecture:arsitektur infrastruktur:1  
infrastructure architecture:arsitektur infrastruktur:  
infrastructure architecture:arsitektur prasarana:  
INGRES:INGRES:  
inherit:turunan:  
inheritance:keturunan:  
inheritance:keturunan :1  
inheritance:warisan:1  
inheritance ::  
inheritance (object-oriented analysis):keturunan (analisis berorientasi objek):  
inherited attribute::  
inherited dimension:dimensi terwaris:  
inherited error:kekeliruan warisan  
inhibit:cegah  
inhibit:cegah  
inhibit circuit:kalang/sirkuit cegah  
inhibit control:pengawasan hambat  
inhibit gate:gerbang hambatan  
inhibited:terhambat  
inhibited red fuming nitric acid:asam sitrat perabunan merah terhambat  
inhibited white fuming nitric acid:asam nitrat perabunan putih terhambat  
inhibiting signal:sinya cegah  
inhibiting signal:sinyal penghambatan  
inhibition:hambatan  
inhibitor:penghambat  
inhouse:dalam rumah  
in-house:dalam gedung  
in-house:dalam-rumah  
inhouse system:sistem dalam kelompok  
INI:  
initial:inisial

initial berkasure:berkasur inisial/awal  
initial characteristics:ciri-ciri awal  
initial charge:muatan awal  
initial condition:kondisi awal  
initial condition mode:ragam syarat awalan  
initial current compensation:kompensasi arus awal  
initial graphics exchange specification (IGES):spesifikasi tukar grafik awal  
initial instruction:instruksi awal  
initial line:garis awal  
initial load:beban awal  
initial micro program loader:pembeban program mikro awal  
initial microprogram load:beban mikroprogram awal  
initial microprogram loading:pembebanan mikroprogram awal  
initial parameter:parameter awal  
initial permeability:ketelapan awal  
initial procedure:prosedur awal  
initial program load:beban program awal  
initial program loader:pemanggil program awal  
initial program loader:pembeban program awal  
initial program loader:pembeban program inisial  
initial program loading:pembebanan program awal  
initial reverse voltage:voltase balik awal  
initial screen:layar inisial/awal  
initial seek:cari inisial/awal  
initial value:harga awal  
Initial value problems:masalah harga awal  
initialization:pengawalan/inisialisasi  
initialization mode:mode inisialisasi  
initialization routine:rutin inisialisasi/pengawalan  
initialize:inisialisasi  
initialize:inisialisasi  
initialize:pengawalan  
initialize program:program pengawalan  
initializer routine:rutin penginisial  
initializing:penginisialan  
initializing a disk:penginisialan sebuah cakram  
initial-microprogram-load:beban-program mikro-inisial  
initiate self:awa-inisiasi  
initiating a call:penginisialan sebuah panggilan  
initiating task:pekerjaan inisiasi  
initiation:inisiasi  
initiation priority:prioritas inisiasi  
initiator:inisiator  
initiator/terminator:inisiator/terminator  
injection:injeksi  
injection efficiency:efisiensi injeksi:

injection molding:pencetakan injeksi:  
ink:tinta:  
ink jet printer:pencetak sembur tinta:  
ink jet printers:pencetak jet tinta:1  
ink jet printers:pencetak sembur tinta:  
ink jet printers:pencetak sembur tinta:  
ink toner:tinta-toner:  
inked ribbon:pita tinta:  
inking:pentintaan:  
ink-jet plotter:perajah sembur tinta:1  
ink-jet printer:pencetak sembur tinta:1  
inlet:bangunan masuk:  
inlet valve:katup masuk:  
inline:dalam garis:  
in-line:segaris:  
in-line coding:penyandian dalam-garis:  
inline function:fungsi dalam baris:1  
in-line plant system:sistem dalam pabrik:  
inline procedure:prosedur garis dalam:  
inline processing:pemrosesan segaris:  
in-line processing:pemrosesan dalam-garis:  
in-line subroutine:subrutin dalam-garis:  
inline system:sistem dalam garis:  
in-line system:sistem garis-dalam:  
inner ear:telinga dalam:  
inner guard band:pita pengawasan dalam:  
inner macro instruction:instruksi makro dalam:  
inner marker:penanda dalam:  
innervation:inervasi:  
innovation:inovasi:  
inoperable time:waktu takteroperasikan:  
inoperative:takberlaku:  
in-order issue::  
INORDER TRAVERSAL::1  
inosine:inosin:  
in-phase component:komponen tahap-dalam:  
in-plant system:sistem dalam pabrik:  
input:masukan:  
input:masukan:  
input:masukan:  
input admittance:admitans masukan:  
input area:area masukan:  
input area:daerah masukan:  
input block:blok masukan:  
input blocking factor:faktor pemblokian masukan:  
input buffer:penyangga masukan:

input buffer:penyangga masukan:  
input channel:kanal masukan:1  
input channel:saluran masukan:  
input circuit:sirkuit masukan:  
input configuration:konfigurasi masukan:  
input control unit:unit kontrol masukan:  
input data:data masukan:  
input data set:kumpulan data masukan:  
input design:rancangan/desain masukan:  
input device:alat masukan:  
input device:alat masukan:  
input device:peranti masukan:1  
input device:peranti masukan:1  
input device:peranti masukan:  
input devices:alat masukan:  
input devices:alat masukan:  
Input devices:alat masukan:  
input devices:alat masukan  
input devices and strategies:alat & strategi masukan  
input devices cost:biaya alat masukan  
input editing:penyuntingan masukan  
input electrode:elektrode masukan  
input expansion:ekspansi input  
input field:medan masukan  
input file:berkas masukan  
input form:formulir masukan  
input format:format masukan  
input gap:celah masukan  
input gap voltage:voltase celah masukan  
input hopper:peloncat masukan  
input impedance:halangan/impedansi masukan  
input instruction:instruksi masukan  
input job queue:antrian pekerjaan masukan  
input job stream:deretan pekerjaan masukan:  
input limited:batasan masukan:  
input line filter:tapis garis masukan:  
input list:senarai masukan:  
input loading factor:faktor pembebanan masukan:  
input magazine:majalah masukan:  
input media:media masukan:  
input medium:medium masukan:  
input methods and devices:metode dan alat masukan:  
input mode:model masukan:  
input offset voltage:tegangan gelinciranmasukan:  
input output supervisor:penyelia keluaran masukan:  
input output supervisor:supervisor keluaran masukan:

input port:gerbang masukan:  
input port:gerbang masukan:  
input port:port masukan:1  
input primitive:elemen dasar masukan:  
input procedure:prosedur masukan:  
input process:proses masukan:  
input processing:pemrosesan masukan:  
input product::  
input program:program masukan:  
input protection:proteksi masukan:  
input queue:antrian masukan:  
input reader:pembaca masukan:  
input record:rekaman masukan:  
input register:register input:1  
input register:register masukan:1  
input register:senarai masukan:  
input register:senarai masukan:  
input routine:rutin masukan:  
input routine:rutin masukan:  
input specification:spesifikasi masukan  
input specifications:spesifikasi masukan  
input state:keadaan masukan  
input station:stasiun masukan  
input stream:alir/ arus masukan  
input stream control:kontrol aliran masukan  
input stream procedure:prosedur urutan masukan  
input subprogram:subprogram masukan  
input subroutine:subrutin masukan  
input subsystem:subsistem masukan  
input terminal:terminal input/masukan  
"input terminations, contact":terminasi masukan kontak  
"input terminations, voltage":terminasi masukan voltase  
"input track, magnetic bubble memory":  
input unit:unit masukan  
input unit:unit masukan  
input voltage range:jangkauan voltase masukan:  
input with isolated common point:masukan dengan titik umum terisolasi:  
input work queue:giliran pekerjaan masukan:  
Input/output:keluaran/masukan:  
Input/output:keluaran/masukan:  
input/output area:daerah keluaran/masukan:  
input/output channel:saluran keluaran/masukan:  
Input/output circuits:rangkaian keluaran/masukan:  
input/output component table:tabel komponen masukan/ keluaran:  
input/output control:kontrol masukan/keluaran:  
input/output control system:sistem kontrol input/output:1

istilah-ti-indonesia

input/output control system:sistem kontrol keluaran/masukan:  
input/output control system:sistem kontrol masukan / keluaran:  
input/output error:kesalahan keluaran/masukan:  
input/output expansion unit:unit ekspansi masukan/ keluaran:  
input/output interruption:penyelaan keluaran/ masukan:  
input/output list:senarai keluaran/masukan:  
input/output module:modul keluaran/masukan:  
input/output operation:operasi keluaran/masukan:  
input/output operation:operasi masukan/keluaran:  
input/output port:pelabuhan keluaran/masukan:  
input/output procedure:prosedur keluaran/masukan:  
input/output processing:pemrosesan keluaran/masukan:1  
input/output processing:pemrosesan keluaran/masukan:  
input/output processor:prosesor masukan/keluaran:  
input/output queue:giliran keluaran/masukan:  
input/output statement:pernyataan keluaran/masukan:  
input/output subsystem:subsistem keluaran/masukan:  
input/output supervisor:penyelia keluaran/masukan:  
input/output synchronizer:sinkronisator masukan/ keluaran:  
input/output trace:jejak keluaran/masukan:  
input-output:masukan-keluaran:  
input-output analysis:analisis masukan keluaran  
input-output area:daerah masukan-keluaran  
input-output bound:batas masukan-keluaran  
input-output bus:bus/galang masukan-keluaran  
input-output channel:saluran masukan-keluaran  
input-output command:perintah masukan--keluaran  
input-output control:pengendali/kontrol masukan- keluaran  
input-output control program:program pengendali/kontrol masukan-keluaran  
input-output control system:sistem pengendali/kontrol masukan-keluaran  
input-output control unit:unit kontrol masukan- keluaran  
input-output controller:pengontrol masukan-keluaran  
input-output data:data masukan-keluaran  
input-output design:rancangan/desain masukan- keluaran  
input-output device:peralatan masukan-keluaran  
input-output device:peranti masukan-keluaran  
input-output driver:penggerak masukan-keluaran  
input-output equipment:alat masukan-keluaran  
input-output form:formulir masukan-keluaran  
input-output format:format masukan-keluaran  
input-output generation:generasi masukan keluaran  
input-output instruction:instruksi masukan--keluaran  
input-output interface:antar tatapan masukan keluaran  
input-output interrupt:gangguan masukan-keluaran  
input-output library:pustaka masukan-keluaran  
input-output limit:batas masukan-keluaran



istilah-ti-indonesia

input-output limited:batasan masukan-keluaran  
input-output media:media masukan/keluaran  
input-output operation:operasi masukan-keluaran  
input-output overlapping:tumpang tindih masukan keluaran  
input-output process:proses masukan-keluaran  
input-output program:program masukan-keluaran  
input-output record:rekaman masukan-keluaran  
input-output request:permintaan masukan keluaran  
input-output routine:rutin masukan-keluaran  
input-output scheduler:penjadwal masukan-keluaran  
input-output section:seksi keluaran-masukan  
input-output section:seksi masukan-keluaran  
input-output subprogram:subprogram masukan-keluaran  
input-output subroutine:subrutin masukan-keluaran  
input-output symbol:lambang masukan keluaran  
input-output typewriter:mesin tulis masukan-keluaran  
input-output unit:unit masukan-keluaran  
input-output unit status word:kata status unit masukan- keluaran  
input-output-block:blok masukan-keluaran  
inquiries :  
inquiry:penyelidikan  
inquiry and transaction processing:pemrosesan transaksidan penyelidikan  
inquiry display terminal:terminal peragaan angket  
inquiry display unit:unit tayang inquiri:  
inquiry key:kunci pertanyaan:  
inquiry mode:ragam penyelidikan:  
inquiry session:pembahasan penyelidikan:  
inquiry station:stasiun penyelidik:  
inquiry station:stasiun penyelidikan:  
inquiry system:sistem penyelidikan:  
inquiry system:sistem selidik:  
inquiry terminal:terminal angket:  
inquiry unit:unit penyelidikan:  
inquiry/response communication:komunikasi tanya/jawab:  
inquiry/response operation:operasi tanya/jawaban:  
INS:INS:1  
INS:INS:  
inscribe:mengukir:  
inscribing:pengukiran:  
insecurity:ketakamanan:  
insert:sisip:  
insert key:kunci sisip:1  
insertion:lembatang sisa:  
insertion character:karakter penyisipan:  
insertion loss:hilang sisipan:  
insertion picture character:karakter gambarsisipan:

inside:sebelah dalam:  
inside cord:tali dalam:  
insoluble anode:anoda tak-larut:  
insourcing:pengalihdalam:  
inspection:inofeksi:  
inspection::  
inspector:inspektor:  
insruction fetch cycle:siklus menangkap instruksi:  
instability:ketakmantapan:  
instability:ketidak stabilan:  
install:memasang:  
installability ::  
installation:instalasi:1  
installation:instalasi:  
installation:instalasi:  
installation:instalasi:  
installation charge:biaya pemasangan:  
installation diskette:disket instalasi:  
installation exit routine:rutin keluar instalasi:  
installation license:lisensi instalasi:  
installation manual:instalasi manual:  
installation manual::  
installation performance specification:spesifikasi kinerja instalasi:  
installation productivity offering:penawaran produktivitas instalasi:  
installation stage:tingkat instalasi :1  
installation stage (systems life cycle):tingkat instalasi (daur hidup sistem):  
installation standards:standar instalasi:  
installation testing:uji instalasi:  
installation testing:uji instalasi:  
installation time:waktu instalasi:  
installation verification procedure:prosedur verifikasi instalasi:  
installer:penginstal:1  
instance:contoh:  
instance::  
instance diagram ::  
instant:segera:  
instant messaging:pemberitaan instan:1  
instant messaging :pemesanan segera:  
instant messaging :pemesanan segera:  
instantaneous:seketika itu juga:  
instantaneous automatic gain control:kontrol keuntungan otomatis momen:  
instantaneous compressor:kompresor momen:  
instantaneous deviation control:kontrol deviasi seketika:  
instantaneous frequency:frekuensi seketika:  
instantaneous geometric field of view:lantang pandangan geometrik momen:  
instantaneous impact prediction:prediksi tumbukan momen:

instantaneous value: nilai seketika:  
instantaneous value conversion: konversi nilai momen:  
instantiation: instansiasi:  
instantiation ::  
instinct: insting:  
institute for electrical and electronic engineers: IEEE: DELETE  
in-stream procedure: prosedur dalam-aliran:  
instruct: menginstruksikan:  
instruct step indicator: indikator langkah instruksi:  
instruct step key: kunci langkah instruksi:  
instruction: instruksi:  
instruction: instruksi:  
instruction access fault::  
instruction address: alamat perintah:  
instruction address backup register: register cadangan alamat instruksi:  
instruction address register: register alamat instruksi:1  
instruction address register: register alamat instruksi:  
instruction address register: register alamat perintah:  
instruction buffer: penyangga instruksi:  
instruction cache::  
instruction cell: sel instruksi:  
instruction codes: kode instruksi:  
instruction constant: tetapan/konstanta perintah:  
instruction control unit: unit kontrol instruksi:  
instruction counter: pencacah instruksi:  
instruction counter: pencacah instruksi:  
instruction counter: pencacah perintah/instruksi:  
instruction cycle: siklus intruksi:1  
instruction cycle: siklus perintah:1  
instruction cycle: siklus perintah:  
instruction cycle: siklus perintah:  
instruction cycle: siklus perintah:  
instruction decode: mengawakode instruksi:  
instruction decode cycle: siklus mengawakode instruksi:  
instruction decode time: waktu mengawakode instruksi:  
instruction decoder: dekoder instruksi:1  
instruction decoder: dekoder instruksi:1  
instruction decoder: dekoder instruksi:  
instruction decoder: dekoder instruksi:  
instruction decoder unit::  
instruction execution: eksekusi intruksi:1  
instruction execution: eksekusi intruksi:  
instruction execution: eksekusi intruksi:  
instruction execution cycle: siklus/daur pelaksanaan perintah:  
instruction execution time: waktu eksekusi instruksi:1  
instruction execution time: waktu eksekusi instruksi:

instruction execution time:waktu eksekusi instruksi:  
instruction execution time:waktu eksekusi instruksi:  
instruction fetch: pengambilan instruksi:1  
instruction fetch:pengambilan instruksi:  
instruction fetch:pengambilan instruksi:  
instruction fetch cycle:siklus/daur pengambilan perintah:  
instruction fetch time:waktu menangkap instruksi:  
instruction fetch unit::  
instruction field:medan instruksi:  
instruction field:medan instruksi:  
instruction format:bentuk perintah/instruksi; format instruksi:  
instruction format:bentuk perintah/instruksi; format instruksi:  
instruction format:bentuk perintah/instruksi; format instruksi:  
instruction issue::  
instruction length:panjang instruksi:  
instruction length code:kode panjang instruksi:  
instruction mix:campuran perintah/instruksi:  
instruction modification:modifikasi instruksi:  
instruction modifier:pemodifikasi instruksi:  
instruction part:bagian instruksi:  
instruction path length:panjang lintasan instruksi:  
instruction path length:panjang lintasan instruksi:  
instruction pipeline::  
instruction pointer:penunjuk instruksi:  
instruction pointer:penunjuk instruksi:  
instruction pointer register:pencatat penunjuk instruksi:  
instruction pointer register:register penunjuk instruksi:1  
instruction prefix::  
instruction processing unit:unit pengolah instruksi:  
instruction processing unit:unit proses instruksi:  
instruction redundancy:kemubasiran instruksi:  
instruction register:register instruksi:1  
instruction register:register instruksi:1  
instruction register:register instruksi:  
instruction register:register perintah/instruksi:  
instruction reordering::  
instruction repertoire::  
instruction repertory:perbendaharaan instruksi:  
instruction retry:coba kembali/retri instruksi:  
instruction retry:percobaan instruksi:  
instruction scheduling::  
instruction set:perangkat perintah/instruksi; kumpulan instruksi:  
instruction set:perangkat perintah/instruksi; kumpulan instruksi:  
instruction set:perangkat perintah/instruksi; kumpulan instruksi:  
instruction set:perangkat perintah/instruksi; kumpulan instruksi:  
instruction set:perangkat perintah/instruksi; kumpulan instruksi:

instruction set:set instruksi:1  
instruction set design:desain kumpulan instruksi:  
instruction set design:desain set instruksi:1  
Instruction set interpretation:instruksi dan interpretasi:  
instruction set :set instruksi:1  
instruction space-key:tombol instruksi spasi:  
instruction statement:pernyataan perintah:  
instruction time:masa instruksi:1  
instruction time:waktu instruksi:  
instruction time:waktu perintah/instruksi:  
instruction timing:waktu instruksi:  
instruction type:tipe instruksi:1  
instruction types:tipe instruksi:  
instruction window::  
instruction word:kata perintah/instruksi:  
instruction-level parallelism:  
instrument:instrumen  
instrument landing system:sistem pendarat instrumen  
instrument transformer:transformer instrumen  
instrumental error:kekeliruan instrumen  
instrumentation:instrumentasi  
insulated rail joint:sambungan rel berisolasi  
insulated wire:kawat berisolasi/berpenyekat  
insulating barrier:pintu palang isolasi  
insulating bolt:bant isolasi  
insulating coupling:kopling isolasi  
insulating oil:minyak isolasi  
insulating rubber tape:pita karet isolasi  
insulating sleeve:selongsong isolasi  
insulating tape:pita isolasi  
insulating transformer:transformator isolasi  
insulating varnish:lak isolasi  
insulating wax:lilin isolasi  
insulation:penyekatan  
insulation resistance:resistans penyekatan  
insulation resistance of main:resistansi utama isolasi  
insulation to the earth:isolasi tanah  
insulation-resistance tester:pengetes resistansi- isolasi  
insulator pin:penahan isolator  
insulator string:sirkuit isolator  
insulin:insulin  
insurance:asuransi  
insurance:asuransi  
int:  
intake:pemasukan  
integer:bilangan bulat

integer: bilangan bulat  
integer attribute: atribut bilangan bulat  
integer constant: konstanta bilangan bulat  
integer number: bilangan bulat  
integer part: bagian integer  
integer programming: pemrograman bilangan bulat  
integer type: tipe integer  
integer type of four bytes: tipe 4 byte bulat  
integer type of two bytes: tipe 2 byte bulat  
integer unit:  
integer variable: perubah bilangan bulat  
integers: bilangan bulat  
integral: integral  
integral action time: waktu tindakan integral  
integral boundary: batas integral  
integral boundary: sempadan integral  
integral control action: aksi kontrol integral  
integral equation: persamaan integral:  
integral implosion-protected picture tube: tabung gambatang berproteksi- sedotan integral:  
integral time: waktu integral:  
integral-slot winding: gulungan alur-integral:  
integrated : terintegrasi :  
integrated adaptor: adaptor terintegrasi:  
integrated channel: saluran terintegrasi:  
integrated circuit: rangkaian terintegrasi; sirkuit terintegrasi:  
integrated circuit: sirkuit terintegrasi:1  
integrated circuit: sirkuit terintegrasi:  
integrated circuit: sirkuit terpadu:1  
integrated circuit (IC): sirkuit terintegrasi:  
integrated circuit board: papan sirkuit terintegrasi:1  
integrated circuit memory: memori sirkuit terintegrasi:1  
integrated circuit memory: memori sirkuit terintegrasi:  
integrated communication control processor: prosesor kontrol komunikasi terintegrasi:  
integrated communication controller: pengontrol komunikasi terintegrasi:  
integrated communications adaptor extended: adaptor diperluas komunikasi berintegrasi:  
integrated communications attachment: penyematan komunikasi berintegrasi:  
integrated data base: pangkalan data berintegrasi:  
integrated data processing: pemrosesan data terintegrasi:  
integrated data processing: proses data terintegrasi:  
integrated data processing: proses data terintegrasi  
integrated data processing: proses data terintegrasi  
integrated data processing system: sistem pemrosesan data terpadu:  
Integrated Device Electronics (IDE controller): Peranti Elektronik Terintegrasi (pengendali IDE):1  
integrated digital access: akses digital terintegrasi:  
integrated digital access: akses digital terintegrasi:  
integrated digital input/output non-isolated: digital input/output tak- berisolasi berintegrasi:  
integrated disk: cakram terintegrasi:

integrated emulation:emulasi terintegrasi:  
integrated emulator:emulator terintegrasi:  
Integrated environments:lingkungan terintegrasi:  
integrated file adaptor:adaptor berkas terintegrasi:  
integrated injection logic:logik injeksi terintegrasi:  
integrated management information system:sistem informasi manajemen terpadu:  
integrated modem:modem terintegrasi:  
integrated package:kemasan terintegrasi:1  
integrated package:kemasan terintegrasi:  
integrated package:paket terintegrasi:1  
integrated package:paket terintegrasi:  
integrated package:paket terintegrasi:  
integrated packages:paket terintegrasi:  
integrated packages application software:kemasan terpadu perangkat lunak aplikasi:  
integrated packages application software:perangkat lunak aplikasi kemasan terintegrasi:1  
integrated packages application software:perangkat lunak aplikasi kemasan terintegrasi:  
integrated packages application software:perangkat lunak aplikasi kemasan terpadu:1  
integrated service digital network (ISDN):jaringan digital layanan terpadu (JDLT):1  
integrated service digital network (ISDN):jaringan digital pelayanan terintegrasi (ISDN):  
integrated service digital network (ISDN):jaringan digital pelayanan terintegrasi (ISDN):  
integrated services digital network:jaringan digital pelayanan terintegrasi (ISDN):  
integrated services digital network (ISDN):jaringan digital pelayanan terintegrasi (ISDN):1  
integrated services digital network (ISDN):jaringan digital pelayanan terintegrasi (ISDN):  
integrated services digital networks (ISDNs):jaringan digital pelayanan terintegrasi (ISDN):  
integrated storage controls:kontrol penyimpan berintegrasi:  
integrated system:sistem terintegrasi:1  
integrated system:sistem terintegrasi:  
integrated systems:sistem terintegrasi:  
integrated trajectory system:sistem lintasan berintegrasi:  
integrating circuit:sirkuit integrasi:  
integrating conversion:konversi integrasi:  
integrating element:elemen pengintegrasian:  
integrating fax systems:pengintegrasian sistem fax:  
integrating maximum demand meter:meter tuntunan maksimum:  
integrating motor:motor pengintegrasian:  
integrating photometer:foto meter integrasi:  
integrating sphere:sfer integrasi:  
integrating voice system:sistem suara terintegrasi:1  
integrating voice system:sistem suara terintegrasi:  
integrating voice systems:pengintegrasian sistem suara:  
integration:integrasi:1  
integration:integrasi:DELETE  
integration:integrasi:  
integration circuit:sirkuit integrasi:  
integration strategy:strategi integrasi:1  
integration strategy:strategi integrasi:

integration test:uji integrasi:  
integration test ::  
integration testing:pengujian integrasi:1  
integration testing:pengujian integrasi:  
integration testing:pengujian integrasi:  
integration testing:pengujian integrasi:  
integration testing:uji integrasi:1  
integrator:integrator:  
integrity:integritas:  
integrity:integritas:  
integrity:integritas:  
integrity::  
integrity (of data)::  
integrity constraint:kendala integritas:  
integrity of data:integritas data:  
integrity of data:integritas data:  
Integro-differential equations:persamaan integro-diferensial:  
intellectual property:sifat intelektual:  
Intellectual property rights:hak akan kekayaan intelektual:  
intelligence:pengertian:  
intelligent:inteligen:  
intelligent agent:agen cerdas:1  
intelligent agents:agen pandai:  
intelligent building:bangunan pandai:  
intelligent cable:kawat inteligen:  
intelligent controller:pengendali inteligen:  
intelligent dialing:peneleponan pandai:  
intelligent knowledge-based system (IKBS):sistem pakar pandai:  
intelligent multiplexer:pemultipleks inteligen:  
intelligent software:perangkat lunak cerdas:1  
intelligent terminal:terminal cerdas:1  
intelligent terminal:terminal pandai; pangkalan inteligen:  
intelligent terminal test program:program tes terminal inteligen:  
intelligent typewriter:mesin ketik pandai:  
intelligibility:dapat dimengerti:  
intensify:penggalahkan:  
intension:intensi:  
intensity:intensitas  
intensity change:pertukaran intensitas  
intensity control:kontrol intensitas  
intensity level:tingkat intensitas  
intensity line:intensitas garis  
intensity modulation:modulasi intensitas  
intensity of electric field:intensitas medan elektrik  
intensity of magnetization:intensitas magnet  
inter block gap:gap antar blok



inter block gap:gap antar blok  
inter NIC:  
inter record gap:gap antar rekaman  
interaction:interaksi  
interaction diagram :  
interaction styles:gaya interaksi  
interaction techniques:teknik interaktif  
interaction time:waktu interaksi:  
interactive:interaktif:  
interactive application:aplikasi interaktif:1  
interactive applications:aplikasi interaktif:  
interactive applications:aplikasi interaktif:  
interactive communication:komunikasi interaktif:  
interactive computation:komputasi interaktif:  
interactive computing:pengomputeran interaktif:1  
interactive computing:pengomputeran interaktif:  
interactive computing:pengomputeran interaktif:  
interactive computing:pengomputeran interaktif:  
interactive computing:pengomputeran interaktif:  
interactive computing system:sistem penghitungan interaktif:  
interactive controller:pengontrol interaktif:  
interactive data entry:entri data interaktif:1  
interactive data entry:entri data interaktif:  
interactive debugger:debugger interaktif:  
interactive environments:lingkungan interaktif:  
interactive graphics:grafik interaktif:  
interactive instructional system:sistem instruksi interaktif:  
interactive mode:mode interaktif:  
interactive mode:model interaktif:  
interactive multimedia:multimedia interaktif:1  
interactive multimedia:multimedia interaktif:  
interactive programming:pemrograman interaktif:  
interactive programming language:bahasa pemrograman interaktif:1  
interactive routine:rutin interaktif:1  
interactive services:jasa interaktif:  
interactive syntax checking:pengecekan sintaksis interaktif:  
Interactive systems:sistem interaktif:  
Interactive systems:sistem interaktif:  
interactive terminal:terminal interaktif:  
interactive terminal facility:fasilitas terminal interaktif:  
interactive terminal facility:fasilitas terminal mengantartindak:  
interactive terminalunit:unit terminal interaktif:  
interactive training system:sistem latihan interaktif:  
interactive TV:TV interaktif:1  
interactive video:video interaktif:1  
interactive video:video interaktif:

Interactive Video Data Service (IVDS):IVDS:  
interactive voice response (IVR):tanggap suara interaktif:  
interblock gap:celah antar blok:1  
interblock gap:celah antar blok:  
interblock gap:rumpang antarkelompok:  
intercarrier receiving system:sistem penerimaan antarsalur:  
Intericast :interkas:  
intercept ground optical recorder:perekam optik tanah penahan \*:  
intercept operator:operator interaktif:  
intercept valve:katup penahan:  
intercepting:pemintasan:  
intercepting trunk:batang pemintasan:  
interchange:salin tukar:  
interchange signal:sinyal saling tukar:  
interchangeability:kesalingtukaran:  
interchangeable chain cartridge:isi rantai mampu tukar:  
interchangeable train cartridge:isi deret mampu tukar:  
interclass correlation:korelasi antarkelas:  
intercommunicating system:antar sistem komunikasi:  
interconnect::  
interconnection:antarkoneksi:1  
interconnection:antarkoneksi:  
Interconnection:interkoneksi:  
interconnection architecture:arsitektur interkoneksi:1  
interconnection architectures:arsitektur interkoneksi:  
interconnection network::  
interconnection network :jaringan interkoneksi:1  
intercycle:intensitas:  
inter-digital pause:jeda antar digital:  
interelectrode capacity:kapasitas antarelektroda:  
interest groups:grup kesamaan interes:  
interexchange channel:saluran antar tambahan:  
interface:antarmuka:1  
interface:antarmuka:  
interface:antarmuka:  
interface:antarmuka:  
interface::  
interface card:kartu antarmuka:1  
interface card:kartu antarmuka:  
interface card:kartu antarmuka:  
interface chip:kepingan antarumah:  
interface control check:cek kontrol antartatapan:  
interface control subroutine:subrutin kontrol antartatapan:  
interface control unit:unit kontrol antartatapan:  
INTERFACE DEFINITION LANGUAGE:BAHASA DEFINISI ANTARMUKA:  
"interface definition language, IDL ":

Interface definition languages (NEW):bahasa definisi antarmuka:  
interface detecting system:sistem pendeteksi antarmuka:  
interface hardware:perangkat keras antarmuka:  
interface inheritance ::  
interface message processor:pemroses pesan antarmuka:  
interface message processor (IMP):prosesor pesan antarmuka:1  
interface program:program antarmuka:  
interface specification:spesifikasi anatrumah:  
interface termination:penghentian antartatapan:  
interfaces:antarmuka:  
Interfaces:antarmuka:  
interfaces:antarmuka:  
interference:interferensi:  
interference:interferensi:  
interference:interferensi:  
Interference:interferensi:  
interference:interferensi:  
interference detection:deteksi interferensi:  
interference detection system:sistem deteksi interferensi:  
interference filter:filter interferensi:  
interference level:tingkat interferensi:  
inter-field check:pemeriksaan antar medan:  
interfix:interfiks:  
interflection:interfleksi:  
interframe:antarbingkai:  
interior gateway protocol (IGP):IGP:  
interior gateway protocol (IGP):protokol gerbang interior:1  
interior lighting:lampu dalam:  
interior switch:pengalih dalam:1  
interior switch:saklar dalam:  
interlace:jalinan membayang:  
interlace:jalinan membayang:  
interlace mode:mode menyisipkan:  
interlaced:jalin menjalin:  
interlaced memory:memori jalin-menjalin:  
interlaced scanning:pemindaian terjalin:  
interlacing:jalin-menjalin:  
interlanguage:antarbahasa:  
interlanguage facility:fasilitas antarbahasa:  
interleave:berantara/bersela:  
interleave storage:penyimpan antarlembar:1  
interleaved array:deret tersisipkan:  
interleaved array:susunan berantara:  
interleaved memories:memori berantara:  
interleaved memory:memori antara lembar:1  
interleaved memory:memori antarlembar:1

interleaved memory::  
interleaved storage::  
interleaved subscripts:subscripts berantara:  
interleaving:penyelaan:  
interleaving:penyelaan:  
interleaving:penyisipan:  
interlingual:antarbahasa:  
interlinkage:arus-gaya terpotong:  
interlock:saling kunci:  
interlock:saling kunci:  
interlock:salingunci; kait:  
interlocking:saling saut:  
interlocking device:alat penyambungan:  
interlocking machine:mesin penyambungan:  
interlocking relay:relai penyambungan:  
interlude:jeda:  
intermediate battery supply board:papan pemasukan baterai antara:  
intermediate block checking:pengecekan blok tengah:  
intermediate code:kode lanjutan:  
intermediate distributing frame:kerangka pendistribusian tengah:  
intermediate equipment:peralatan antara:  
intermediate frequency:frekuensi tengah:  
intermediate function:fungsi intermedit/tengah:  
intermediate hub:hub pengantaraan:1  
intermediate language:bahasa antara:  
intermediate merge phase:fase gabung tengah:  
intermediate node:simpul antara:  
intermediate product:produk antara:  
intermediate product::  
intermediate product quality:  
intermediate repeater station:stasiun pengulang antara  
intermediate result:hasil intermedit/tengah  
intermediate sequence:urutan lanjutan  
intermediate status word:istilah status tengah  
intermediate storage:penyimpan antara  
intermediate total:jumlah antara  
intermediate transmission block:blok transmisi antara  
intermediate-frequency amplifier:amplifier frekuensi antara  
intermetallic compound:majemuk intermetalik  
intermittent contact:kontak intermiten  
intermittent discharge:pengosongan intermiten  
intermittent disconnection:diskoneksi intermiten  
intermittent earth:tanah intermiten  
intermittent fault :  
intermittent periodic rating:rating periodik antara sebentar  
intermittent relay:relai intermiten:

intermittent ringing:giring-giring intermiten:  
inter-modulation distortion:distorsi antar modulasi:  
intermodulation product:produk intermodulasi:  
internal:internal:  
internal air circulation:sirkulasi udara internal:  
internal air isolation:isolasi udara internal:  
internal attribute::  
internal auditing:audit internal:  
internal auditing:audit internal:  
internal block:blok dalam:  
internal bus:bus internal:1  
internal bus:bus internal:1  
internal bus::  
internal cable modem:modem kabel internal:1  
internal cache:tembolok internal:1  
internal cache:tembolok internal:1  
internal character code:sandi/kode karakter internal:  
internal characteristic curve:kurva karakteristik internal:  
internal check:uji internal:  
internal clock:jam internal:  
internal code:sandi/kode internal:  
internal combustion engine:mesin pembakaran internal:  
internal command:perintah internal:  
internal containment ::  
internal conversion routine:rutin konversi internal:  
internal data bus:bus data internal:  
internal decimal:desimal internal:  
internal decimal item:item desimal internal:  
internal floating-point item:item titik-ambang internal:  
internal format:format internal:  
internal forwarding::  
internal fragmentation:fragmentasi internal:1  
internal fragmentation::  
internal hard disk:cakram keras internal:1  
internal indicator:penunjuk internal:  
internal interface:antartatapan internal:  
internal interrupt:gangguan internal:  
internal interruption:interupsi internal:  
internal label:label internal:  
internal memory:memori internal:1  
internal memory:memori internal:  
internal memory:memori internal:  
internal memory :memori internal:1  
internal modem:modem internal:1  
internal modem:modem internal:1  
internal modem:modem internal:

internal modem:modem internal:  
internal name:nama internal  
internal noise:desah internal  
internal operation mode:model operasi internal  
internal phase angle:sudut fase internal  
internal procedure:prosedur internal  
internal procedure mode:model prosedur internal  
internal rate of return (IRR):IRR  
internal reader:pembaca internal  
internal registers:register internal  
internal registers:register internal  
internal representation:representasi internal  
internal schema:skema internal  
internal security audit:audit sekuritas internal  
internal software :  
internal sort:indang internal  
internal sort:urut internal  
internal sort phase:fase pendek internal:  
internal specification ::  
internal statement number:bilangan pernyataan internal:  
internal storage:penyimpan internal:1  
internal storage:penyimpan internal:  
internal subroutine:subrutin internal:  
internal text:teks internal:  
internal timer:waktu internal:  
internal trace table:tabel jejak internal:  
internal triggering:pelatuk internal:  
internal variance:variasi internal:  
internal writer:penulis internal:  
international advanced life information system:sistem informasi tahan-lama internasional:  
international broadcasting:siaran internasional:  
international information system:sistem informasi internasiional:  
international information system:sistem informasi internasional:1  
international ohm:ohm internasional:  
international organization for standardization:ISO:  
International Organization for Standardization:Organisasi Internasional untuk Standardisasi:  
International Organization for Standardization (ISO):ISO:  
"international organization for standardization, ISO"::  
International Record Carrier (IRC):IRC:  
International Shortwave Broadcast Station:stasiun siaran gelombang pendek internasional:  
international standard organisation (ISO):ISO:  
international standard organization (ISO):ISO:DELETE  
international standard organization (ISO):Organisasi Standar Internasional (OSI):1  
international standards:standar internasional:  
International Standards Organization (ISO):ISO :  
international telecommunication union:union internasional komunikasi \*:

istilah-ti-indonesia

international telecommunication union (ITU):ITU:  
International Telecommunications Satellite Organization (INTELSAT):INTELSAT:  
international telecommunications union:ITU:  
International Telegraph and Telephone Consultative Committee:Komite Konsultan Telepon dan  
Telegraf Internasional:  
international telegraph and telephone consultative committee:komite konsultan telepon dan  
telegraf internasional:  
international volt:volt internasional:  
international watt:watt internasional:  
Internet:Internet:1  
internet:internet:1  
internet:internet:1  
internet:internet:1  
internet:internet:  
internet:internet:  
internet:internet:  
internet:internet:  
internet:internet:  
internet:internet:  
internet ::  
internet access:akses internet:  
Internet access feature:ciri aksas Internet:1  
Internet Address:Alamat Internet:1  
internet address:alamat internet:  
internet and electronic ticketing machine:internet dan mesin tiket elektronik:1  
internet and electronic ticketing machine:internet dan mesin tiket elektronik:DELETE  
internet and e-mail:internet dan surat elektronik:DELETE  
Internet Architecture Board (IAB):IAB:  
internet assigned number authority:IANA:  
Internet content provider (ICP):penyedia isi Internet (PII):1  
internet content provider (ICP):penyedia isi internet (PII):  
internet control message protocol:protokol pesan kontrol internet (ICMP):  
Internet control message protocol:protokol pesan kontrol internet:1  
internet email:email internet:1  
internet email:email internet:  
Internet Engineering Task Force (IETF):IETF:  
Internet file:berkas Internet:1  
internet file transfer protocol:protokol tranfer berkas internet:1  
internet file transfer protocol:protokol tranfer berkas internet:  
internet firewall:firewall internet :  
internet layering model:model lapisan internet:  
Internet navigation:navigasi Internet:1  
internet network provider (INP):penyedia jaringan internet :1  
internet network provider (INP):penyedia jaringan internet (PJI):  
internet portal:portal internet:  
internet protocol:protokol internet:

istilah-ti-indonesia

internet protocol (IP):protokol internet:  
Internet protocol (IP):protokol Internet (IP):1  
Internet Protocol (IP) address:alamat protokol internet; alamat IP:  
internet protocol address:alamat protokol internet:1  
internet protocol address:alamat protokol internet; alamat IP:  
internet protocols:protokol internet:  
internet providers:penyedia internet:  
internet reference model:model referensi internet:  
internet relay chat:IRC:  
internet relay chat:tunda internet:1  
internet relay chat (IRC):IRC:  
Internet Relay Chat (IRC):IRC:  
Internet relay chat (IRC):saling bual Internet (IRC):1  
internet service provider:penyedia jasa internet (PJI):  
Internet service provider (ISP):penyedia jasa internet (PJI):1  
internet service provider (ISP):penyedia jasa internet (PJI):  
internet society:masyarakat internet:1  
internet society:masyarakat internet:  
Internet Society :masyarakat internet:  
Internet Society (ISOC):masyarakat internet:  
Internet telephone service:servis telepon Internet:1  
Internet television:televisi Internet:1  
internet terminal:terminal internet:1  
internet TV:televisi internet:  
internet TV:TV internet:1  
Internet-In-A-Box:internet dalam kotak:  
internetting:antarjaringan:  
internetting hardware:perangkat keras internet:  
internetwork:antar jaringan:  
internetworking:antar jaringan:1  
internetworking:antar jaringan:  
internetworking:antar jaringan:  
internic:internic:  
InterNIC :InterNIC:  
internode systems:sistem antar node:  
interoffice:antar kantor:  
interoffice trunk:lintasan antarjawatan:  
interoffice trunk line:sambungan utama antar kantor \*:  
interoperability:interoperabilitas:DELETE  
interoperability:interoperabilitas  
interoperability:interoperabilitas  
interoperability:interoperabilitas  
interoperability :  
interorganizational informations systems:sistem informasi antar organisasi  
interpenetrating samples:contoh interpenetrasi \*  
interpersonal message:peran antarperson



interphone:interfon  
interplanetary monitoring platform:monitoring antarplanetori \*  
interplay:saling mempengaruhi  
interpolating:interpolasi  
interpolating oscillator:osilator interpolasi  
interpolation:interpolasi; bidik silang; titik potong  
Interpolation formulas:formula interpolasi  
interpolator:interpolator  
interpole:interpole \*  
inter-position trunk:batang antar posisi:  
inter-position trunk line:lin utama antar posisi:  
interpositioning:interposisi:  
interpreted:terjemahan:  
interpret:menerjemahkan:  
interpret table:tabel terjemah:  
interpretation:interpretasi:  
interpretative execution:eksekusi interpretatif:  
interpreted:diinterpretasikan:DELETE  
interpreted:diinterpretasikan:  
interpreted:terinterpretasi:1  
interpreted binary data:data biner terinterpretasi \*:  
interpreter:interpreter:1  
interpreter:penafsir:  
interpreter:penafsir:  
interpreter:penerjemah:1  
interpreter:penerjemah:DELETE  
interpreter:penerjemah:  
interpreter:penerjemah:  
interpreter:penerjemah:  
interpreter:penerjemah:  
interpreter:penerjemah:1  
interpreter device:alat penerjemah:  
interpreter directive:perintah penerjemah:  
interpreter language:bahasa penerjemah:  
interpreter program:program penerjemah:  
Interpreters:penterjemah:  
interpreters fortran:penterjemah FORTRAN:  
interpreting:penafsiran:  
interpreting:penerjemahan:  
interpreting card punch:pelubang kartu penginterpretasi \*:  
interpretive:interpretif:  
interpretive code:kode terjemahkan:  
interpretive language:bahasa interpretif:  
interpretive machine:mesin interpretif:  
interpretive program:program terjemahkan:  
interpretive routine:rutin terjemahkan:

interprocess communication (IPC):komunikasi interproses:1  
"interprocess communication, IPC"::  
interprocessor communication:komunikasi antar prosessor:  
interprocessor communication:komunikasi interprosesor:  
inter-program communication:komunikasi antar program:  
interrecord:saling rekan:  
inter-record gap:celah antar-rekaman:1  
inter-record gap:kesenjangan antarrekaman:1  
inter-record gap:kesenjangan antar-rekaman:  
inter-record gap:kesenjangan antar-rekaman:  
inter-record slack byte:byte kelendutan antar-rekaman:  
interrobang:interobang:  
interrogating:penginteroganisian:  
interrogating typewriter:mesin tulis interogasi:  
interrogation:interogasi:  
interrogator:interogator:  
interrogator-responsor:penanya dan penaggap \*:  
interrup level:aras interupsi:  
interrupt: interupsi:1  
interrupt:interupsi:  
interrupt:interupsi:  
interrupt:interupsi:  
interrupt address vector:vektor alamat sela:  
interrupt address vector:vektor alamat sela:  
interrupt condition:kondisi interupsi/sela:  
interrupt control:pengendalian interupsi:  
interrupt control signal:sinyal kawalan interupsi:1  
interrupt control state:keadaan pengendalian interupsi:  
interrupt controller:pengontrol gangguan:  
interrupt descriptor table::  
interrupt disable::1  
interrupt disable::  
interrupt enable:memungkinkan interupsi:1  
interrupt enable:memungkinkan interupsi:  
interrupt enable:memungkinkan interupsi:  
interrupt enable register:register pemungkinan interupsi:  
interrupt enable register:register pemungkinan interupsi:  
interrupt flag register:register bendera interupsi:1  
interrupt flag register:register tanda interupsi:  
interrupt handler: pembantu interupsi:1  
interrupt handler:pembantu interupsi:  
interrupt handler:pembantu interupsi:  
interrupt handling:penanganan interupsi:  
interrupt handling:penanganan interupsi  
interrupt handling program:program penanganan interupsi  
interrupt I/O:I/O interupsi

interrupt ID register:register ID interupsi  
interrupt information byte:byte informasi interupsi  
interrupt inhibit:penghambat interupsi  
interrupt levels:tingkat interupsi  
interrupt line:  
interrupt mask:masker  
interrupt mask:masker  
interrupt mask bit:bit pelindung interupsi  
interrupt operation:operasi menyela  
interrupt pending:penundaan interupsi  
interrupt priority:prioritas interupsi  
interrupt priority level:aras prioritas sela  
interrupt priority level:aras prioritas sela  
interrupt processing:pemrosesan interupsi:  
interrupt processing program:program pemrosesan interupsi:  
interrupt program:program interupsi:  
interrupt queue:antre interupsi:  
interrupt register:pencatat interupsi:  
interrupt register:register interupsi:1  
interrupt request:permintaan interupsi:  
interrupt request:permintaan menyela:  
interrupt service::  
interrupt service routine:rutin sela:  
interrupt service routine:rutin sela:  
interrupt signal:sinyal sela:  
interrupt signal:sinyal sela:  
interrupt source:sumber interupsi:  
interrupt state:keadaan interupsi:  
interrupt status register:register status interupsi:1  
interrupt status register:register status interupsi  
interrupt status word:kata sttus interupsi  
interrupt structure:struktur interupsi  
interrupt subprogram:subprogram interupsi  
interrupt subprogtam:subprogram interupsi  
interrupt system:sistem interupsi  
interrupt time:saat gangguan  
interrupt vector:vektor sela  
interrupt vector:vektor sela  
interrupt vectoring:pemvektoran interupsi  
interruptable instruction:interuksi tabel menyela  
interrupt-driven i/o:  
interrupted earth:tanah  
interrupted ringing:bunyi dering terinterupsi  
interruptible:terganggu  
interruptible state:keadaan dapat interupsi  
interrupting capacity:kapasitas

interrupting current: arus  
interrupting source: sumber penginterupsian  
interrupting time: waktu penginterupsian  
interruption: interupsi  
interruption: selaan  
interruption code: kode interupsi  
interruption handler: pembantu interupsi  
interruption handling routine: rutin interupsi  
interruption level: tingkat interupsi  
interruption mask register: register pelindung interupsi  
interruption network: jaringan interupsi  
interruption pending: penundaan interupsi  
interruption queue: antrian interupsi  
interruption request: permintaan interupsi  
interruption routine: rutin interupsi  
interruption source: sumber interupsi  
interruption subroutine: subrutin interupsi  
interruption system: sistem interupsi  
interruption to service: interupsi pelayanan \*  
interrupts: interupsi  
Intersatellite Link: hubungan antar satelit  
intersection: perpotongan  
intersection data: data perpotongan  
intersection search: pencairan interseksi  
interstage punching: penebuk  
interstitial : interstisial  
intersystem communication: komunikasi antarsistem  
intertoll trunk: lintasan antarbunyi  
inter-train pause: jeda antar deret  
interval: selang  
Interval arithmetic: aritmatika interval  
interval logic :  
interval service value: nilai servis interval  
interval timer: pengukur waktu selang  
interval timer: waktu interval  
interval timer interrupt: interupsi pencatat-waktu selang  
interval timer interruption: interupsi pengukur waktu selang  
intervention: intervensi  
intervention required: kebutuhan intervensi  
interview: wawancara  
interviewer: pewawancara  
interviewing: pewawancaraan  
interviews: wawancara  
interworking: antarkerja  
interworking: antarkerja  
interworking function: fungsi antarkerja

intimate:karib  
intonation:intonasi:  
intra-field check:cek intra medan:  
Intranet:Intranet:1  
intranet :intranet:  
intranet ::  
intraoffice:intra kantor:  
intraoffice:intrainstansi:  
intraoffice network:jaringan intrainstansi:  
intra-page fragmentation:fragmentasi intra halaman:  
intra-record slack byte:byte kelendutan rekaman-dalam:  
intra-system communication:komunikasi intra sistem:  
intrinsic accuracy:akurasi intrinsik:  
intrinsic admittance:tempat masuk intrinsik:  
intrinsic current amplification factor:faktor amplifikasi arus intrinsik:  
intrinsic function:fungsi intrinsik:  
intrinsic function reference:referensi fungsi intrinsik:  
intrinsic impedance:impedans intrinsik  
intrinsic permeability:permeabilitas intrinsik  
intrinsic semiconductor:semikonduktor intrinsik  
intrinsic wavelength:panjang gelombang intrinsik  
intrusion:intrusi  
intuition:intinsi  
intuitive:intuitif  
invalid:invalid  
invalid bit:bit cacat  
invalid defect :  
invalid entry:  
invalid exclusive reference:acuan eksklusif invalid  
invalid key condition:kondisi kunci invalid  
invalid page:halaman cacat  
invalid punch:pelubang/penebuk invalid  
invariant:invarian  
invariant::  
invariant assertion:penegasan invarian:  
invariants:invarian:  
Invariants:invarian:  
invasive software:perangkat lunak invasif:  
invasive software:perangkat lunak invasif:  
inventory:inventaris:  
inventory control:kendali inventaris:1  
inventory control:kontrol inventaris:  
inventory control application output:keluaran aplikasi kendali inventaris:1  
inventory control application output:keluaran aplikasi kontrol inventaris:  
inventory example:contoh inventaris:  
inverse:kebalikan:

inverse distance curve:kurva jarak balik:  
inverse electrode current:arus elektroda balik:  
INVERSE FAST FOURIER TRANSFORM::1  
inverse file structure:struktur jajaran inversi  
inverse filtering:pentapisan terbalik  
inverse grid current:arus kisi balik  
inverse matrix:matriks kebalikan  
inverse network:jaringan berbalik  
inverse problems:masalah terbalik  
inverse sensitivity:sensitivitas balik  
inverse structured file:jajaran berstruktur inversi  
inverse translation buffer (ITB):  
inverse video:video terbalik  
inversion:inversi  
inversion layer:lapisan inversi/penjungkiran  
invert:balik  
inverted:terbalik  
inverted AND:AND terbalik  
inverted AND:AND terbalik  
inverted data structure:struktur data terbalik:  
inverted directory:direktori terbalik:1  
inverted directory:direktori terbalik:  
inverted file:berkas terbalik:  
inverted index:indeks terbalik:  
inverted OR:OR terbalik:  
inverted OR:OR terbalik:  
inverted page table::  
inverted print:cetak terbalik:  
inverter:pembalik:  
inverter:pembalik:  
inverter circuit:sirkuit inserter:  
investment:investasi:  
invisibility:ketaktampakan:  
invisible register:register tak nampak:1  
invitation:invitasi:  
invitation delay:tunda invitasi:  
invitation list:senarai invitasi:  
invitation to send:undangan mengirim:  
invocation:pemanggilan:  
invocation of preprocessor procedure:prosedur praprosesor invokasi:  
invocation of procedure:prosedur invokasi:  
invoke:permohonan:  
invoked procedure:prosedur teroperasi:  
invoking block:blok invoking:  
invoking block:blok pengoperasian:  
invoking command:mengoperasikan perintah:1

invoking command:pengoperasian perintah:  
invoking command:pengoperasian perintah:  
inward WATS:WATS dalam:  
IOC:IOC:  
IOCS:IOCS:  
IOCS:IOCS (sistem pengendali keluaran-masukan)  
ion:ion  
ion burn:bakar ion  
ion burning:pembakaran ion  
ion focusing:pemfokusan ion  
ion spot:bintik ion  
ion trap:perangkap ion  
ionic current:arus ionik  
ionization:ionisasi  
ionization by collision:ionisasi tabrakan  
ionization chamber:rongga ionisasi  
ionization gage:ukuran ionisasi  
ionization gauge:manometer ionisasi  
ionization potential:potensi ionisasi  
ionization time:waktu ionisasi  
ionization vacuum gage:ukuran vakum ionisasi  
ionization vacuum gauge:manometer vakum ionisasi  
ionized layer:lapisan berion  
ionosphere:ionosfer  
ionospheric error:kekeliruan  
ionospheric storm disturbance:gangguan  
iota system:sistem iota  
IP:IP  
IP address:alamat IP  
IP addresses:alamat IP  
IP datagram:datagram IP  
IP Multicast :multikast IP  
IP options:pilihan IP  
IP spoofing :spofing IP  
IP switching :switching IP  
IPC:IPC  
IPL:IPL  
IPL:IPL (bahasa pemrosesan informasi):  
IPL:IPL (bahasa pemrosesan informasi):  
iplnreceives:iplnreceives:  
IPng :lpng:  
IPO::  
IPS:IPS:  
IPsec :lpsec:  
IPT:IPT:  
IPU:IPU:

IPv4:IPv4:  
IPv6:IPv6:  
IPX:IPX:  
IPX/SPX:IPX/SPX:  
IR:IR:  
IRC :IRC:  
IrDA port:port IrDA:1  
IRG InterRecord Gap:cetak inter Rekam IRG  
iris:iris  
iron core:teras besi  
iron machine:mesin besi  
iron pipe conduit:konduit pipa besi  
ironclad battery:baterai berperisai  
iron-core choking coil:kumparan ciut teras-besi  
iron-core reactor:reaktor teras-besi  
irony:ironi  
IRQ:  
IRQ conflict:  
irradiation:iradiasi; penyinaran  
irrational number:bilangan irrasional  
irreducible:taktereduksi  
irreduction:ireduksi  
irreflective:takreflektif  
irregular distortion:distorsi tak teratur:  
irregular reflection:refleksi tak teratur:  
irregularity:iregularitas:  
irrelevance:tak relevans:  
IRTF::  
IS:IS:  
IS:IS:  
IS plan:rencana SI:1  
IS plan:rencana SI:  
IS planning document:dokumen perencanaan SI:1  
IS planning document:dokumen perencanaan SI:  
IS steering committee:panitia acara SI:1  
IS steering committee:panitia acara SI:DELETE  
IS strategic planning process:proses perencanaan strategis SI:1  
IS strategic planning process:proses perencanaan strategis SI:  
ISA::  
is-a :  
is-a-kind-of :  
ISAM:ISAM  
ISDN:ISDN  
ISDN (Integrated Services Digital Network):ISDN  
ISDN network switch:switch jaringan ISDN  
ISK:ISK



ISO:ISO  
ISOC:  
isocandela diagram:diagram isokandela  
isochronous:isokron  
isochronous transmission:transmisi isokronus  
isoclinic line:garis isoklinik  
isogonic line:garis isogonik  
isolated:terisolasi  
isolated amplifier:penguat terisolasi  
isolated i/o:  
isolated neutral system:sistem netral terisolasi  
isolated pulse:pulsa berisolasi  
isolation:isolasi  
isolator:isolator  
isolux curve:kurva isoluks  
isomorphic:isomorfik  
isomorphism:isomorfisma  
isotope:isotop  
isotropic:isotropik  
isotropic antenna:antena isotropik  
ISP:ISP  
is-part-of :  
is-referred-by :  
issue:isu  
issue (an instruction):  
issues regarding security:isu keamanan:  
iSUB defining:penentuan iSUB:  
iSUB variable:variabel iSUB:  
ISW:ISW:  
IT:IT:  
IT platform:platform teknologi informasi:1  
IT platform:platform teknologi informasi:  
IT platform:platform TI:1  
IT platform:platform TI:  
item:butir:  
item design:butir disain:  
item endorsing:penyokongan butir:  
item numbering:penomoran butir:  
iterate:iterasi:DELETE  
ITERATED FUNCTION SYSTEMS:::1  
iteratif quadrature:kuadratur iteratif:  
iteration:iterasi:1  
iteration:iterasi:  
iteration factor:faktor iterasi:  
iterative specification:spesifikasi iteratif:  
iterative:iteratif:

iterative design:desain iteratif:  
iterative design:desain iteratif:  
iterative do-group:do-kelompok iteratif:  
iterative impedance:impedans iteratif:  
iterative method:metode iteratif:  
iterative methods:metode iteratif:  
Iterative methods:metode iteratif:  
Iterative methods:metode iteratif:  
iterative operation:operasi iteratif:  
iterative parameter:parameter iteratif:  
iterative query resolution:penanyaan resolusi iteratif:  
Iterative solution techniques:teknik solusi iteratif:  
iterator:iterator:1  
iterator:iterator:  
iterator class ::  
ithic:ITHICS:  
ithic:itiks:1  
ithics:ITHICS:  
ITHICS:ITHICS:  
ITS:ITS:  
ITU:ITU:  
IX:IX:  
jabber:komentar:  
jabber control:kontrol komentar:  
jack:dongkrak:  
jack:stop kontak:  
jack board:papan dongkrak:  
jack box:kotak dongkrak:  
jack panel:panel stop kontak:  
Jackson (JSP) design methods:metode desain Jackson:1  
Jackson (JSP) design methods:metode desain Jackson:  
Jackson Structured Design Method (JSDM):Metode Desain Terstruktur Jackson (JSDM):1  
Jackson system of programming:cara pemrograman Jackson:  
JAD:JAD:  
jaggies :gerigi:  
jam:desak-desakan:  
jam signal:sinyal jam/tersumbat:  
jamming pattern:pola pemampatan:  
"Japan Electronic Computer Co., Ltd.":JEC Co. ltd:  
Japanese Industrial Standard:Standard Industri Jepang:  
java:java:1  
java:java:  
java:java:  
java:java:  
java bytecode representation:representasi kode byte java:  
java compiler:kompiler java:

JAVA DATABASE CONNECTIVITY::  
java programming language:bahasa pemrograman java:  
java script:skrip Java:1  
javac::  
javascript:javaskrip:  
JavaStation:stasiun Java:1  
JavaStation :javastation:  
JAVE DEVELOPMENT KIT::  
Jaz drive:penggerak Jaz:1  
Jazfi disk:cakram Jazfi:1  
JCL:JCL:  
JEIDA:JEIDA:  
jellybeans:gula-gula agar:  
jerkiness:sentakan:  
jet condenser:kondensor jet:  
jet propulsion system:sistem gaya dorong jet:  
jewel:perhiasan:  
jewel box:kotak CD:1  
jib crane:kran layar topang:  
jig:jig:  
JIS:JIS:  
jitter:getaran:  
JK flip -flop:flip-flop JK:1  
JK flip-flop:flip-flop JK:  
job:pekerjaan:  
job accounting:akuntansi pekerjaan:  
job accounting interface:antartatapan akunting tugas:  
job accounting routine:rutin akuntansi pekerjaan:  
job accounting table:tabel akuntansi pekerjaan:  
job assembly:perakitan pekerjaan:  
job assembly:perakitan pekerjaan:  
job batch:kelompok pekerjaan:  
job class:kelas pekerjaan:  
job control:kontrol pekerjaan:  
job control block:blok pengendali tugas:  
job control card:kartu pengendali tugas:  
job control command:perintah kontrol kerja:  
job control language:bahasa kontrol job:  
job control language:bahasa kontrol job:  
job control language:bahasa kontrol pekerjaan:  
job control language :bahasa kendali kerja:1  
job control macro:pengendali tugas makro:  
job control program:program kontrol pekerjaan:  
job control statement:pernyataan kontrol pekerjaan:  
job control statement:pernyataan kontrolpekerjaan:  
job control word:kata pengendali tugas

istilah-ti-indonesia

job definition:definisi pekerjaan  
job entry:entri kerja  
job entry central services:pelayanan sentral entri pekerjaan  
job entry control language:bahasa kontrol entri pekerjaan  
job entry peripheral services:pelayanan periferi entri pekerjaan  
job entry subsystem:subsistem entri tugas  
job file control block:blok kontrol berkas tugas  
job file control block:blok kontrol berkas tugas  
job flow:arus tugas  
job flow control:pengendali arus tugas  
job information block:blok informasi tugas  
job input device:alat masukan pekerjaan  
job input file:berkas masukan pekerjaan  
job input stream:aliran masukan pekerjaan  
job journal:jurnal tugas  
job library:pustaka pekerjaan  
job management:pengelolaan pekerjaan  
job management program:program manajemen tugas  
job menu:menu kerja  
job name:nama pekerjaan  
job oriented terminal:terminal berorientasi tugas  
job output device:alat keluaran pekerjaan  
job output file:berkas keluaran pekerjaan  
job output stream:aliran keluaran pekerjaan  
job pack area:area pak tugas  
job priority:prioritas pekerjaan  
job processing:pemrosesan pekerjaan  
job queue:antrian pekerjaan; giliran pekerjaan  
job queue:antrian pekerjaan; giliran pekerjaan  
job queue:antrian pekerjaan; giliran pekerjaan  
job queue data set:kumpulan data antrian  
job queue management:pengelolaan antrian pekerjaan  
job queuing:antrian pekerjaan  
job run:arus tugas  
job scheduler:pengatur pekerjaan  
job scheduling:penjadwal job  
job scheduling:penjadwal job  
job separator:pemisah tugas  
job stack:timbunan tugas  
job statement:pernyataan pekerjaan  
job step:langkah pekerjaan  
job step:tangga/tingkat pekerjaan  
job step initiation:inisiasi langkahpekerjaan  
job step restart:anjak ulang langkah pekerjaan  
job step task:tugas langkah pekerjaan  
job step task:tugas tingkat pekerjaan

job step timing:pewaktuan langkah tugas  
job stream:alir/arus pekerjaan  
job stream:deretan pekerjaan  
job support task:tugas penumpu pekerjaan  
job transfer:tukar tugas  
job-oriented terminal:pangkalan pekerjaan terorientasi  
job-recovery control file:berkas kontrol pemulih tugas  
job-shop scheduling:bagan bengkel kerja  
job-shop simulation:simulasi bengkel-kerja  
joggle:joggle \*  
join:sambung  
joint:sambungan  
joint academic network (JANET):JANET  
joint assembly:rakitan sambungan  
joint box:kotak sambungan  
joint information content:isi informasi bersama  
joint pole:kutub sambung  
joint use:bekas sambung \*:  
jointer:penyambung:  
Josephson computer:komputer Josephson:  
joule:joule:  
journal:jurnal:  
journal file:jajaran jurnal:  
journal roll:gulungan bantalan:  
journal tape:pita jurnal:  
journaling:penjurnalan:  
joystick:tongkat joy; tongkat ria:  
joystick:tongkat joy; tongkat ria:  
joystick:tongkat ria:1  
JPA:JPA:  
JPEG :JPEG:  
JPEG algorithm:algoritma JPEG:  
JPG::  
judder:judder:  
judgment sample:contoh pertimbangan:  
juke box:kotak juke:1  
juke boxes:kotak juke:  
jukebox:kotak juke:  
jumbo group:grup jumbo:  
jump:loncat/lompatan:  
jump:loncatan:  
jump counter:pencacah lompatan:  
jump if zero:lompat bila nol \*:  
jump instruction:instruksi lompat:  
jump instruction:instruksi lompat:  
jump instruction:instruksi loncatan:

jump on minus:lompat pada keadaan minus \*:  
jump statement:pernyataan menyimpang:  
jumper:titian:  
jumper:titian:  
jumper :jumper:1  
jumper list:senarai lompatan:  
jumper wire:kawat pelompat:  
jumpering table:tabel lompatan:  
junction:sambungan:  
junction box:kotak cabang:  
junction cable:kabel cabang:  
junction circuit:sirkuit cabang:  
junction diode:dioda cabang:  
junction temperature:suhu/temperatur sambung:  
junction transistor:transistor cabang:  
junctor:junktor:  
junk:limbah:1  
junk:surat limbah:  
junk e-mail:surat elektronik rongsokan:1  
junk e-mail:surat limbah  
just intonation:intonasi pantas  
just noticeable difference:beda nyata pantas  
just temperament:temperamen pantas  
justification:justifikasi  
justify:membenarkan  
justifying text:pembenaran teks  
jute:jut  
jute covered steel pipe:pipa baja berbungkus goni  
jute serving:pelapis goni  
juxtaposition:rapat  
k+B15939nowledge information service (KIS):jasa informasi pengetahuan  
Kalman filtering:pentapisan Kalman  
Kana:Kana  
kana COBOL:kana COBOL  
Kanji:Kanji  
kanji:kanji  
kanji code:kode kanji  
kanji coded set:himpunan terkode kanji  
kanji input-output:masukan-keluaran kanji  
kanji printer:pencetak kanji  
kanji processing:pemroses kanji  
Karnaugh map:peta Karnaugh  
Karnaugh map:peta Karnaugh  
Karnaugh map:peta Karnaugh  
katakana:katakana  
katakana card print:cetak kartu katakana

katakana control:kontrol katakana  
katakana graphics:grafik katakana  
katakana KB & type EL:KB katakana & El tipe  
katakana keyboard arrangement:penataan papan tombol katakana  
kpbs:kpbs  
keep it simple stupid (KISS):KISS:  
keep-alive electrode:elektroda tahan-aktif:  
kelvin:kelvin:  
Kerberos :Kerberos:  
kermit:kermit:  
kermit file transfer protocol:protokol tranfer berkas kermit:  
kernel:kernel:1  
kernel:kernel:  
kernel sentence:kalimat inti:  
kerning:pengintian:  
key:kunci:1  
key:kunci:  
key (record):kunci (catatan):  
key address transformation:transformasi alamat kunci:  
key area:daerah/area kunci:  
key change:tukar kunci:  
key class:kelas kunci:  
key class::  
key click:bunyi/klik kunci:  
key click:klik kunci:  
key click filter:tapis klik kunci:  
key compression:kompresi tombol:  
key entry area:daerah entri/masukan kunci:  
key escrow chip:cip eskrow kunci:1  
key field:daerah kunci; medan kunci:  
key field:daerah kunci; medan kunci:  
key folding:peliputan kunci:  
key item:butir kunci:  
key length:panjang kunci:  
key matching:pencocokan kunci:  
key pad:pad kunci:1  
key protection:perlindungan kunci:  
key pulse:pulsa kunci:  
key punch:tombol penebuk:  
key punch (H)::  
key record:rekaman kunci:  
key sequence:urutan tombol:  
key sequenced data set:kumpulan data terurut kunci:  
key socket:soket kunci:  
key sort:pilah/macam kunci:  
key sorting:pemilahan kunci:

key station:stasiun pasak:  
key stroke analysis device:peranti analisis ketukan kunci:1  
key stroke verification:ferifikasi strok kunci:  
key transformation:transformasi tombol:  
key verify:verifikasi kunci:  
key word:kata kunci:  
key word out of context:kata kunci di luar konteks:  
key word parameter:parameter kata kunci:  
keyboard:papan ketik; papan tombol:1  
keyboard:papan tombol:1  
keyboard:papan tombol:  
keyboard:papan tombol:  
keyboard:papan tombol:  
keyboard:papan tombol:  
keyboard controller:pengendali papan tombal:1  
keyboard controller:pengontrol papan:  
keyboard correction:koreksi papan tombol:  
keyboard display:peragaan papan tombol:  
keyboard entry:masukan/entri papan tombol:  
keyboard features:corak papan tombol:  
keyboard inquiry:angket papan tombol:  
keyboard perforator:perforator papan tombol:  
keyboard printer:pencetak papan tombol:  
keyboard printer:pencetak papan tombol  
keyboard punch:penebuk papan tombol  
keyboard request:permintaan papan tombol  
keyboard send/receive (KSR):penerima/pengirim papan tombol  
keyboard terminal:terminal papan tombol  
keyboard transmitter:pemancar papan tombol  
keyboard/display:tampilan/papan tombol  
keyboard-display unit:unit tampilan-papan tombol  
keyboards:papan tombol  
keycap:tutup tombol  
key-click filter:tapis klik kunci  
keyed automatic gain control:kontrol tambahan otomatis terkunci  
keyed direct access:akses langsung terkunci  
keyer:pengunci  
keying:ketokan/kuncian  
keying:kuncian  
keying chirps:kerik kuncian  
keying circuit:sirkuit kuncian  
keying signal:signal kuncian  
keying wave:gelombang kuncian  
keying-error rate:laju galat-kuncian  
keyless ringing:giring-giring tanpa kunci  
keylock:kancing kunci



keymat:tombol  
keynote:intisari  
keypad:bantalan kunci  
keypunch:kunci pelubang kertas  
keypunch:mesin tebuk timbul  
keypunch:penebuk kunci  
keypunch operator:operator mesin tebuk timbul  
keypuncher:penebuk tombol  
keystroke:pukulan kunci  
keystroke verification:ferifikasi strok kunci:  
keytape:pita kunci:  
key-to-address transformation:transformasi kunci-ke-alamat:1  
key-to-address transformation:transformasi kunci-ke-alamat:  
key-to-disc:kunci-ke-cakram:  
key-to-disk:kunci-ke-disket:  
key-to-disk device:peranti tombol-ke-cakram:  
key-to-disk unit:unit kunci-ke-disket:  
key-to-disk unit:unit kunci-ke-disket:  
key-to-floppy-disk device:peranti tombol-ke-cakram lentur:  
key-to-tape:kunci-ke-pita:  
keyword:kata kunci:  
keyword in context:kata kunci dalam konteks:  
keyword in context index:kata kunci dalam indeks konteks:  
keyword macro definition:definisi makro kata kunci:  
keyword macro instruction:instruksi makro kata kunci:  
keyword operand:operandi kata kunci:  
keyword out of context:kata kunci di luar konteks:  
keyword parameter:parameter kata kunci:  
keyword search:pencarian kunci:  
keyword system:sistem kata kunci:  
keywords:kata-kata kunci:  
kick off:permulaan:  
kick on:lanjutan:  
kick transformer:transformator injak:  
kill:bunuh:  
killer:pembunuh:  
killer application:aplikasi pembunuh:1  
killing access cracker:membunuh akses perengkah:  
killing access cracker:membunuh perengkah akses:1  
kilobaud:kilobaud:  
kilobyte:kilobyte; kilobyte:  
kilobyte (Kb):kilobita:  
kilobyte (Kb):kilobita (Kb):1  
kilobyte (kb):kilobyte; kilobyte:  
kilobyte (Kb):kilobyte; kilobyte:  
kilocycle:kilosaikel:

kilogram:kilogram:  
kilohertz:kilohertz:  
kilomega:kilomega:  
kilometer:kilometer:  
kilometric wave:gelombang kilometrik:  
kiloword:kilokata:  
kinematics:kinematiks:  
kinematics and dynamics:kinematika dan dinamika:  
kinescope:kineskop:  
kinetic energy:energi kinetik:  
kink:kekusutan:  
kiosk information system:sistem informasi kios:1  
kiosks:kios:  
kit:kotak:  
kiviatt graph ::  
klirr-attenuation:atenuasi-klirr:  
klirrfactor:faktor klir (?):  
kludge:klug \*:  
klystron:klistron:  
knapsack:ransel:  
knee-point:penunjuk-lutut:  
knife-edge pointer:penunjuk mata-pisau:  
knife-edge wiper:wiper mata-pisau:  
knowledge:pengetahuan:  
Knowledge acquisition:akuisisi pengetahuan:  
knowledge base:basis pengetahhuan:  
knowledge base:basis pengetahuan:1  
knowledge base:basis pengetahuan:  
knowledge based information system:sistem informasi berbasis pengetahuan:1  
KNOWLEDGE DISCOVERY::  
knowledge engineering:perekayasa pengetahuan:  
knowledge information processing system:sistem pemroses informasi pengetahuan:  
knowledge management:manajemen pengetahuan:  
knowledge management:manajemen pengetahuan:  
KNOWLEDGE MANAGEMENT:MANAJEMEN PENGETAHUAN:  
knowledge user:pengguna pengetahuan:1  
knowledge user:pengguna pengetahuan:  
knowledge worker:pekerja pengetahuan:1  
knowledge worker:pekerja pengetahuan:1  
knowledge worker:pekerja pengetahuan:  
knowledge worker:pekerja pengetahuan:  
knowledge-based concept assignment::  
"knowledge-based systems, KBS ":sistem berbasis pengetahuan:  
known:terkenal  
kraft paper:kertas kraft  
k-sample:contoh-k

KSR:KSR  
KST (known segment table):KST  
kurtosis:kurtosis  
KWIC:KWIC  
KWIC index:indeks KWIC  
KWOC:KWOC  
label:label  
label (cell):label (sel)  
label check:cek label  
label constant:konstanta label  
label cylinder:silinder label  
label data:label data  
label expression:ekspresi label  
label field:medan label  
label group:grup label  
label identifier:pengenal label  
label information cylinder:silinder informasi label  
label number:nomor label  
label prefix:prefiks label  
label processing:proses label  
label processor:pemroses label  
label record:rekaman label  
label standard level:tingkat standar label  
label type:tipe label  
label variable:variabel label  
labeled common:blok umum berlabel  
labeled common block:blok bersama terlabel  
labeled tape:pita berlabel  
labeled transition system :sistem transisi berlabel  
labeling:pelabelan:  
labeling machine:mesin pelabelan:  
LABELST:LABELST:1  
LABELST:LABELST:  
LABELTOT:LABELTOT:1  
LABELTOT:LABELTOT:  
labor science:ilmu usaha:  
laboratory automation:otomasi laborator:  
lace:renda:  
lace punch:lubang renda:  
laced card:kartu renda:  
lacing:merenda:DELETE  
ladder diagram:diagram tangga:  
ladder-type filter:saringan tipe-tangga:  
ladder-type network:jaringan tipe-tangga:  
lag:lambat:  
lag adjustment:penyesuaian kelambatan:

lag time:waktu telat:1  
lag time:waktu telat:  
lagged type:tipe terlambat:  
lagging:kelambatan:  
lagging device:peranti penyalutan:  
Lambda calculus:kalkulus Lambda:  
Lambda calculus and related systems:kalkulus Lambda dan sistem terkait:  
lambert:lambert:  
laminar flow:aliran laminar:  
laminated core:inti berlapis:  
laminater:pelapis:  
lamp:lampu:  
lamp circuit:sirkuit lampu:  
lamp load:beban lampu:  
lamp panel:panel lampu:  
lamp receptacle:wadah lampu:  
lamp-socket:socket lampu:  
LAN:LAN:  
LAN adapter:adapter LAN:1  
LAN broadcast:penyebaran LAN:  
LAN broadcast:penyiaran LAN:  
LAN broadcast address:alamat penyebaran LAN:  
LAN emulation:emulasi LAN:1  
LAN emulation:emulasi LAN:  
LAN gateway:gerbang LAN:  
LAN global address:alamat global LAN:  
LAN global adress:alamat global LAN:  
LAN group address:alamat grup LAN:  
LAN individual address:alamat pribadi LAN:  
LAN multicast:pembalut ganda LAN:  
LAN multicast address:alamat pembalut ganda LAN:  
LAN networks and networking:jaringan LAN dan networking:  
LAN server:LAN server:  
land:tanah:DELETE  
land mobile service:servis mobil darat:  
land mobile station:stasiun mobil darat:  
landing:pendaratan:DELETE  
landing beam:balok pendapat:  
landline facilities:fasilitas garis tanah:  
landscape format:format landscape:  
lane:jalur:  
Language acquisition:akusisi bahasa:  
language and terminal feature:bahasa dan ciri akhir:  
language application generators:pembangkit aplikasi bahasa:1  
language application generators:pembangkit aplikasi bahasa:

language assembly:bahasa rakitan:  
language assembly:perakitan bahasa:1  
language assembly:perakitan bahasa:  
language character set:himpunan karakter bahasa:  
language characteristics:ciri-ciri bahasa:  
language construct:struktur bahasa; elemen bahasa:  
language decision-support:bahasa pendukung keputusan:  
language decision-support:pendukung keputusan bahasa :1  
language definition:definisi bahasa:  
language description:keterangan bahasa:  
language form:bentuk bahasa:  
Language generation:pembangkit bahasa :  
language interconnection:interkoneksi bahasa:  
Language models:model bahasa:  
language object:objek bahasa:  
language parsing:pemilah bahasa:  
language preprocessor:preprosesor bahasa:  
language processor:pengolah bahasa; pemroses bahasa:  
language program:program bahasa:  
language statement:permintaan/pengambilan:DELETE  
language statement:pernyataan bahasa:  
language subset:bagian bahasa:  
language symbolic manipulation:bahasa manipulasi simbol:  
language symbolic manipulation:manipulasi simbol bahasa :1  
language translating program:program penerjemahan bahasa:  
Language translation:terjemahan bahasa:  
language translator:penerjemah bahasa:  
language understanding:pengertian bahasa:  
language-name:nama-bahasa:  
Languages and compilers:bahasa dan perakitan:  
Languages and structures:bahasa dan struktur:  
Languages and systems:bahasa dan sistem:  
languages application generators:pembangkit bahasa aplikasi:  
languages assembly:bahasa rakitan:  
languages decision-support:bahasa pendukung keputusan:  
languages fourth-generation:bahasa generasi ke empat:  
languages general-purpose:bahasa tujuan umum:  
languages report generator:pembangkit laporan bahasa:1  
languages report generator:pembangkit laporan bahasa:  
LAN-to-remote:LAN -ke-remote:  
lap:tumpang:  
lap joint:sendi liwatan:  
lap portable:portabel lap:  
lap winding:gulungan jerat:  
Laplace transform:transformasi Laplace:  
lapping:tumpang:

laptop:laptop:1  
laptop:laptop:  
laptop:laptop:  
laptop:laptop:  
laptop computer:komputer laptop:1  
laptop computer:komputer laptop:1  
laptop computer:komputer laptop:  
lap-top computer:komputer lap-top:  
laptop computers:komputer laptop:  
laptops:laptop:  
large astronomical satellite:satelit astronomis besar:  
large capacity storage:penyimpan kapasitas besar:  
large capacity storage:penyimpan kapasitas besaran:  
large core storage:inti penyimpanan besar:  
large graph:graf besar:  
LARGE ITEMSET::  
large scale:skala besar:  
large scale integrated circuit:sirkuit terintegrasi skala besar:  
large scale integration:integrasi skala besar:  
large scale integration:integrasi skala besar:  
large scale integration (LSI):integrasi skala besar:  
large text archives:arsip besar teks:  
large-scale integrated circuit (LSI circuit):sirkuit terintegrasi skala besar (sirkuit LSI):1  
large-scale integration (LSI):integrasi skala besar:1  
large-scale integration (LSI):integrasi skala besar:  
large-scale prototyping:prototipe skala besar:  
laser:laser:  
laser beam:sinar laser:  
laser beam printer:pencetak laser:  
laser diode:diode laser:  
laser disk:disket laser:  
laser disk (LD):cakram laser (LD):1  
laser noise:derau laser:  
laser power modulation recording::  
laser printer:pencetak laser:1  
laser printer:pencetak laser:  
laser printer:pencetak laser:  
laser printers:pencetak laser:  
laser printers:pencetak laser:  
laser welding:pengelasan laser:  
laserjet:laserjet:  
lasher:pemukul:  
last in first out:masuk akhir keluar duluan:1  
last in first out buffer:penyangga masuk akhir keluar dulu:  
last in first out list:senarai masuk akhir keluar dulu:  
last in first out storage:penyimpanan masuk akhir keluar dulu:

istilah-ti-indonesia

last in first-out:masuk belakangan keluar duluan:  
last in last out (LIFO):akhir masuk akhir keluar:  
last party release:pembebasan partai terakhir:  
last transition:transisi akhir:  
last transition:transisi terakhir:  
last transition peak mesial point:titik mesial puncak transisi terakhir  
last transition percent point:titik persen transisi terakhir  
last-in first-out:masuk belakangan keluar duluan  
last-off sampling:pemercontohan luar-akhir  
latch:pengunci; gerendel  
latch (or latching):gerendel; kunci (penguncian)  
latch locking:pengunci grendel  
latching:menggerendal  
latching contact operate points:titik operasi kontak penguncian  
latching digital output:keluaran digital penguncian  
latching logic:logika gerendal  
latency:kelenaan  
latency speed:kecepatan keluaran  
latency time:waktu (ke)lena(an)  
latency time:waktu kelenaan  
latent charge image:bayangan muatan laten  
latent fault:  
latent image:bayangan terpendam  
lateral:lateral  
lateral PNP:PNP lateral  
lateral recording:rekaman lateral  
lateral stay:tupang lateral  
lateralization:pelateralan  
latitude effect:efek ukuran lebar  
lattice:kekisi; balok kisi  
lattice:kisi  
lattice design:desain latis  
lattice-type filter:saringan tipe-latis  
launch:luncuran  
launch complex:kompleks luncuran  
launch control center:pusat kontrol luncur  
launch control document:dokumen kontrol luncur  
launch mount area:area latak luncur  
launch mount operator:operator letak luncur  
launch preparation document:dokumen persiapan luncur  
launcher:peluncur  
launching environment measurement:pengukuran lingkungan peluncuran  
law:hukum  
law:hukum  
law information:informasi hukum  
law of large number:hukum bilangan besar

lay:letak  
lay out:denah; tata letak  
lay ratio:rasio bantu  
layer:lapisan  
layer 1:lapisan 1  
layer 2:lapisan 2  
layer 3:lapisan 3  
layer 4:lapisan 4  
layer 5:lapisan 5  
layer 6:lapisan 6  
layer 7:lapisan 7  
layer insulation:isolasi lapisan  
layering:pelapisan  
layering model:model pelapisan  
layering principle:prinsip pelapisan  
laying:pemasangan  
layout:layout  
Layout:tata letak  
layout display:peragaan otak  
layout procedure:prosedur tata letak  
LCB:LCB  
LCD:LCD  
lcd (FTP):lcd (FTP)  
LCD monitor:monitor LCD:1  
LCD projection panel:panel proyeksi LCD:1  
LCD projection panel:panel proyeksi LCD:  
LCD projection panel:panel proyeksi LCD:  
LCD projection panel:panel proyeksi LCD:  
LCD projector:projektor LCD:1  
"LCD, liquid-crystal display"::  
LCU:LCU:  
LDA:LDA:  
LDAP :LDAP:  
lead:timbel:  
lead inductance:induktansi timbel:  
lead loss:kerugian timbel:  
lead monoxide:monoksida timbel:  
lead sheath:selubung timbel:  
lead spacing gauge:ukuran ruang timbel:  
lead time:waktu  
lead time:waktu pimpin  
lead tree:pohon timbel  
lead wire:kawat timbel  
leader:pemimpin  
lead-in:penyalur  
lead-in groove:alur pembawa



lead-in insulator:isolator masuk  
lead-in wire:kawat masuk  
leading edge:tebing depan  
leading edge mesial point:titik mesial tebing depan  
leading edge peak mesial point:titik mesial puncak tebing depan  
leading edge percent point:titik persen tebing depan  
leading end:akhir terpenting  
leading graphics:grafik depan  
leading pole-tip:sepatu kutub timbel  
leading wire:kawat timbel  
leading zero:nol depan  
leading zeros:kosong mendahului  
leading-in:pemasukan/pembawa  
leading-in cable:kabel pembawa  
lead-out groove:alur keluar  
lead-sleeve joint:sambungan selongsong timbel  
leaf:lembaran  
leaf electrometer:elektrometer daun  
leak:tirisan  
leak resistance:tahanan/resistansi bocoran  
leakage:kebocoran  
leakage:tirisan  
leakage current:arus kebocoran  
leakage current:arus tirisan  
leakage flux:fluks kebocoran  
leakage inductance:induksi bocoran  
leakage loss:kerugian bocoran  
leakage power:daya bocoran  
leakage reactance:reaktansi bocoran  
leakage transformer:transformator bocoran  
leakance:daya-antar isolasi  
leapfrog test:lompat katak  
learnability :  
learning:pembelajaran  
learning automation:automaton ilmu pengetahuan  
learning bridge:jembatan belajar  
learning curve:kurva pemelajaran  
learning memory:  
lease:sewa  
leased:disewakan  
leased circuit:sirkuit tersewa  
leased circuit connection:hubungan sirkuit sewa:  
leased facility:fasilitas tersewa:  
leased facility:kemudahan/fasilitas menyewa:  
leased line:jalur sewa:1  
leased line:jalur sewa:1

leased line:jalur sewa:  
leased line:jalur sewa; saluran sewa:  
leased line:jalur sewa; saluran sewa:  
leased line:jalur sewa; saluran sewa:  
leased line network:jaringan garis:  
leasing:penyewaan:  
least common denominator:sebutan pembagian bersama terkecil:  
LEAST RECENTLY USED::  
"least recently used algorithm (LRU), in caches and paging":  
least recently used rule:kaidah terpakai saat ini:  
least significant:signifikan terkecil:  
least significant bit:bit signifikan terkecil:  
least significant digit:digit/jari signifikan terkecil:  
Least squares approximation:aproksimasi kuadrat terkecil:  
Least squares methods:metode kuadrat terkecil:  
LED:LED:  
LED (light emitting diode)::  
LED printer:pencetak LED:1  
ledger card:kartu buku induk:  
left:kiri:  
left hand side:sisi tangan kiri:  
left in:tertinggal di dalam \*:  
left mdl MP multiprocessor features:ciri pemroses ganda MP mdl kiri:  
left parenthesis:parentesis kiri:  
left part:bagian kiri:  
left part list:senarai bagian kiri:  
left shift:geser kiri:  
left shift instruction:perintah geser kiri  
left side:sisi kiri  
left-hand lay:bantu tangan-kiri  
left-hand rule:kaidah tangan-kiri  
left-justified:kiri-dibenarkan  
left-justify:lurus tepi kiri  
leftmost:paling kiri  
leg:kawat cabang  
LEGACY SYSTEM:  
legacy system :  
legacy systems:  
legal:legal  
legal unit:unit legal  
legality:legalitas  
legibility:legibilitas  
legitimate check:cek/tilikan legitimasi/pengesakan  
length:panjang:  
length:rentang waktu:  
length attribute:atribut panjang:

length modifier:modifikator/pengubah panjang:  
length specification:spesifikasi panjang:  
lens:lensa:  
lepeth cable:kabel lepeth:  
leptokurtic distribution:distribusi leptokurtik:  
less-than sign:tanda kurang-lebih:  
letter:huruf:  
letter names:nama surat:  
letter notation:notasi surat:  
letter quality:kualitas huruf:  
letter quality printer (LQ printer):pencetak berkualitas huruf (pencetak LQ):1  
letter shift:penggeseran huruf:  
letter shift:pergantian huruf:  
letter signal:sinyal huruf  
letter string:sirkuitan/rangkaian huruf  
lettering typewriter:mesin ketik huruf  
letters shift:pergantian huruf  
level:tingkat; taraf; tataran  
level above threshold:threshold di atas tingkat  
level compensator:kompensator aras  
level control:kontrol tingkat  
level conversion:konversi tingkat  
level converter:pengubah tingkat  
level crossing protection device:peranti proteksi persilangan selantai  
level displacement table:tabel tingkat pemindahan  
level I cache:  
level indicator:indikator aras  
level indicator:penunjuk/indikator level  
level meter:meter tingkat  
level number:nomor tingkat:  
level of control:tingkat kontrol:  
level of decision-making:tingkat pengambilan keputusan:  
level of performance::  
level of significance:tingkat ketepatan:  
level recorder:perekaman tingkat:  
level shift:geser tingkat:  
level shifter:penggeser tingkat:  
level status block:blok status tingkat:  
level-1 cache:tembolok aras 1:1  
level-1 cache::  
level-2 cach::  
level-one variable:peubah satu aras:  
levels management:tingkat manajemen:  
levels of abstraction ::  
levels of decision-making:tingkat pengambilan keputusan:  
level-sensitive:

level-triggered:  
lever:pengungkit  
lever light:cahaya tuas  
lever lock:kunci tuas  
lexeme:leksem  
lexical analysis:analisis leksikal  
lexical token:token leksikal  
lexical unit:unit leksikal  
lexicographic order:perintah leksikografis  
lexicology:leksikologi  
lexicon:leksikon  
LF:LF  
LGN:LGN  
liaison:hubungan  
librarian:pustakawan  
librarian program:program pustaka  
library:perpustakaan; pustaka  
library catalogs:katalog pustaka  
library directory:direktori pustaka  
library macro definition:definisi makro pustaka  
library maintenance:perawatan pustaka  
library maintenance program:program perawatan pustaka  
library management:manajemen pustaka  
library management program:program manajemen pustaka  
library member:anggota pustaka  
library name:nama pustaka  
library of data:pustaka data  
library program:program pustaka  
library routine:rutin pustaka  
library search:penyelidikan pustaka  
library software:peranti lunak pustaka  
library subroutine:subrutin pustaka  
library tape:pita pustaka  
library text:teks pustaka  
library track:runutan pustaka  
library-name:nama-pustaka  
libray of program:program pustaka  
licenced optional material:bahan pilihan berizin  
licenced program:program berizin  
license:lisensi  
licenser:pelisensi  
licensing:lisensi  
lidar:lidar  
life cycle:siklus hidup  
life cycle:siklus hidup  
life end point:titik akhir hidup

life performance:prestasi hidup  
life support system:sistem penunpu tahan lama  
life-cycle:  
life-cycle model:  
life-cycle process :  
Lifeline /Link-Up Services:jasa saluran pertolongan  
lifetime:umur/usia  
lifetime :  
LIFO:LIFO  
LIFO buffer:penyangga LIFO  
LIFO list:senarai LIFO  
LIFO storage:penyimpan LIFO  
"LIFO, last in first out":  
lift:pengangkat  
lift off:peluncuran  
lifting magnet:magnet angkat  
ligament:ligamen  
light:cahaya:  
light adaptation:adaptasi cahaya:  
light amplification by stimulated emission of radiation:amplifikasi lampu oleh emisi radiasi yang terstimulasi:  
light amplification by stimulated emission of radiation:radiasi pemancaran terangsang amplikasi cahaya:  
light beam:berkas cahaya:  
light button:tombol lampu:  
light center:pusat cahaya:  
light center of a lamp:pusat cahaya lampu:  
light chopper:pemotong cahaya:  
light emitting diode (LED):diode pancaran cahaya:  
light emitting diode (LED):diode pancaran cahaya:  
light filter:penyaring cahaya:  
light output ratio of a lighting fitting:ratio keluaran cahaya titip lampu:  
light pen:pena cahaya:1  
light pen:pena cahaya:1  
light pen:pena cahaya:  
light pen:pena cahaya:  
light pen:pena cahaya:  
light pen attention:perhatian pena cahaya:  
light pen attention:perhatian/atensi pena cahaya:  
light pen tracking:gerak pena cahaya:  
light sensor:sensor penerangan:  
light source:sumber cahaya:  
light stability:kestabilan lampu:  
light stability:stabilitas cahaya:  
light-emitting diode (LED):diode pancaran cahaya (LED):1  
lighting:pencahayaan:

lighting circuit:sirkuit lampu:  
lighting fitting:fiting lampu:  
light-load:beban-cahaya:  
light-load adjustment:penyesuaian beban cahaya:  
light-load compensation:kompensasi beban cahaya:  
lightness:keringanan  
lightning arrester:penahan cahaya  
lightning conductor:konduktor petir  
lightning discharger:penangkal petir  
lightning protector:protektor petir  
lightning rod:penangkal cahaya  
lightning shielding:perisai petir  
lightpen:pena lampu  
light-pen detection:pendeteksian pena  
light-pen hit:pukulan pena  
lightpipe:pipa lampu  
light-weight process :  
likage program:program sambungan  
likelihood function:fungsi kemungkinan  
likelihood ratio:nisbah kemungkinan  
LIMDOW :LIMDOW  
lime based storage:penyimpanan berdasar kapur:  
limit:batas:  
limit check:pengecekan batas:  
limit conditions of operation:kondisi batas operasi:  
limit count:hitungan batas:  
limit gage:pengukur batas:  
limit gauge:pengukur batas:  
LIMIT n:LIMIT n:  
LIMIT n:n limit:1  
limit of proportionality:batas proporsionalitas:  
limit path:lintasan limit/batas:  
limit priority:prioritas batas:  
limit register:senarai batasan:  
limit switch:perangkai limit:  
limitation:pembatasan:  
limited:terbatas:  
limited broadcast:siaran terbatas:  
limited broadcast address:alamat siaran terbatas:  
limited distance modem:modem terbatas jarak:  
limited-entry table:tabel entri terbatas:1  
limited-entry table:tabel entri terbatas:  
limited-entry table:tabel masukan terbatas:  
limited-purpose:tujuan terbatas:  
limiter:pemangkas:  
limiting amplifier:amplifier batas:

limiting circuit:sirkuit batas:  
limits file:berkas pembatas:  
line:garis; saluran:  
line adaptor:adaptor saluran:  
line adaptor:penyadur garis:  
line adaptor module:modul adaptor garis:  
line addressing:pengalamatan garis:  
line advance:pendahuluan baris  
line alignment:penjajaran garis  
line amplifier:penguat saluran  
line analysis:analisis saluran  
line analyzer:penganalisa saluran  
line art :seni garis  
line balancing:pengimbangan garis  
line bank:bank garis  
line boosters:boster saluran  
line capacity:kapasitas garis  
line character:sifat saluran  
line concentrator:pengonsentrasi garis  
line constant:konstanta saluran  
line control:kontrol saluran  
line control block:blok kontrol saluran  
line control character:karakter kontrol saluran  
line control unit:satuan kontrol garis  
line correction:koreksi garis  
line correction release:pelepas koreksi garis  
line count:hitung garis  
line counter file:berkas penghitung garis  
line counter specification:spesifikasi hitungan berkas  
line data set:kumpulan data baris  
line data set:kumpulan data garis  
line deletion:lesapan garis  
line deletion character:karakter hapus baris  
line deletion character:karakter lesapan garis  
line driver:penggerak saluran  
line drivers:penggerak saluran  
line drop:timpa garis  
line editor:editor saluran  
line entry keyboard:papan tombol entri garis  
line equalization:penyamaan saluran  
line feed:umpan baris  
line feed character:karakter umpan baris  
line filter:saringan garis  
line finder:penemu saluran  
line frequency:frekuensi saluran  
line frequency:frekuensi saluran

line generation:pembentukan garis  
line graph:grafik garis  
line graphics:grafik garis  
line group:grup saluran  
line hardware:perangkat keras garis  
line hit:pukulan saluran  
line impedance:impedansi saluran  
line interface base:basis antartatapan saluran  
line length:panjang garis  
line level:tingkat saluran:  
line load:beban saluran:  
line loop:putaran baris:  
line loop operation:operasi putaran saluran:  
line loop resistance:tahanan ikal saluran:  
line loss:kerugian garis:  
line maintenance:perawatan saluran:  
line marking:penandaan garis:  
LINE n:LINE n:  
LINE n:n jalur:1  
line noise:derau saluran:1  
line noise:derau saluran:  
line number:nomor baris:  
line number editing:perbaikan nomor baris:  
line of magnetic flux:garis fluks magnet:  
line of magnetic force:garis gaya magnet:  
line of magnetization:garis permagnetan:  
line of position:baris posisi:  
line operator:operator garis:  
line overflow:luapan garis:  
line pointer:penitik garis:  
line printer:pencetak baris:1  
line printer:pencetak baris:  
line printer control unit:unit kontrol pencetak garis:  
line printer paper:kertas pencetak garis:  
line printer unit:unit pencetak garis:  
line printers:pencetak garis :  
line printing:pencetakan baris:  
line receiver:penerima garis:  
line register:register garis:  
line relay:relai saluran:  
line relay:rilai saluran:  
line scanning:pemayaran garis:  
line set type:tipe perangkat garis:  
line sharing:pembagian saluran:  
line skipping:skip baris:  
line spacing:penspasian baris:



line spectrum:spektrum saluran:  
line speed:kecepatan saluran:  
line standard:standar garis:  
line status register:register status kabel/saluran:  
line stretcher:peregang saluran:  
line switch:perangkai saluran:  
line switch shelf:papan sakelar garis:  
line switch unit:unit sakelar garis:  
line switching:pengalihan jalur:1  
line switching:pengalihan jalur:  
line switching:perangkaian saluran:  
line switching service:konduktor saklar saluran  
line sync:sinkronisasi kabel  
line trace:penelusuran saluran  
line traffic:trafik saluran  
line transfer:perpindahan garis  
line transformer:transformator garis  
line unit:unit saluran  
line voltage:voltase garis  
line width:lebatang garis  
line winding:gulungan garis  
line wire:kawat garis  
"line, bus":  
"line, cache":  
linear:linear  
linear accelerator:akselerator linear  
linear approximation:aproksimasi linear  
linear beam klystron:klistron balok linear:  
linear circuit:sirkuit linear:  
linear density:kerapatan linear:  
linear detection:deteksi linear:  
linear detector:detektor lenear:  
linear distortion:distorsi linear:  
linear econometric modeling system:sistem pemodelan ekonometrik linear:  
linear equalization:persamaan linear:  
linear equation:persamaan linear:  
linear filter:tapis lincar:  
linear inequality:ketaksamaan linear:  
linear list:senarai linear:  
linear menu:menu linear:1  
linear menus:menu linear:  
linear modulation:modulasi linear:  
linear motor:motor linear:  
linear network:jaringan linear  
linear optimization:optimasi linear  
linear optimization:optimisasi linear

linear pipeline:saluran pipa linear  
linear programming:pemrograman linear  
linear programming system:sistem pemrograman linear  
linear ramp type:tipe tanjakan linear  
linear regulator:regulator linear  
linear search:penelusuran linear  
linear select address:  
linear selection:seleksi linear  
linear sweep:keluasan linear  
linear system:sistem linear  
linear systems:sistem linear  
linear time base:dasar waktu linear  
"linear-feedback shift register, LFSR":  
linearity:linearitas:  
line-at-a-time printer:pencetak garis sekaligus:  
line-counter:penghitung-garis:  
linefeed:linefeed:  
line-impact printer::  
linemode browser:penelusur mode kalimat/baris:  
line-of-sight:garis pengamatan:  
line-of-sight distance:pemisah garis pengamatan:  
line-of-sight transmission:transmisi garis tampak:1  
line-out-of-service signal:sinyal saluran terputus:  
lines per minute:baris per menit:  
"lines-of-code metrics, LOC "::  
line-start motor:motor permulaan garis:  
line-type pulser:pemulsa tipe garis:  
lineup display:peragaan senarai pemain:  
linguistic:linguistik:  
linguistic computation:komputasi linguistik:  
Linguistic processing:pemrosesan bahasa:  
Linguistics:bahasa; linguistik:  
link:hubung:  
link:penghubung:  
link:sambung:  
link:sambung:  
link :sambung:  
link access protocol:protokol akses taut:1  
link access protocol (LAP-B):LAP-B:  
link editor:editor penghubung:  
link field:medan penghubung:  
link fuse:sekring penghubung:  
link information:informasi sambungan:  
link layer:lapisan sambungan:1  
link layer:lapisan sambungan:  
link library:pustaka penghubung

link library:pustaka sambungan  
link line:garis penghubung  
link pack area:daerah pak sambungan  
link pack area directory:direktori area pakpenghubung  
link pack area directory:direktori daerah pak sambungan  
link pack area extension:ekstensi area pakpenghubung  
link pack area library:pustaka area pakpenghubung  
link pack area library:pustaka daerah pak sambungan  
link pack area queue:antrian area packpenghubung  
link pack update area:area penyesuaian pakpenghubung  
link protocol:tata cara hubungan  
link receiver:penerima penghubung  
link vector:  
linkage:hubungan  
linkage:sambungan  
linkage convention:konvensi sangkutan:  
linkage editor:penyunting/editor sambungan:  
linkage library:pustaka berhubungan:  
linkage loader:pengisi sambungan:  
linkage name:nama sangkutan:  
linkage phase:fase sambungan:  
linkage protection:proteksi sambungan:  
linkage register:register sangkutan:  
linkage section:potongan sambungan:  
linkage section:seksi hubungan:  
linkage time:waktu sambungan:  
linked file:berkas tertaut:1  
linked file:berkas tertaut:1  
linked file:berkas tertaut:  
linked files:berkas tersambung:  
linked files:berkas tersambung:  
linked images:citra tertaut:1  
linked images:citra tertaut:  
linked list:senarai terhubung:  
LINKED LIST::1  
Linked representations:representasi sambungan:  
linked subroutine:subrutin tersambung:  
linker:perangkai/penyambung:1  
linker:perangkai/penyambung:  
linker:perangkai/penyambung:  
linkers:perangkai/penyambung:  
linking loader:pembeban sangkutan:  
links:taut:1  
links:taut:1  
links:taut:  
links:taut :1

links:taut :  
links:tautan:  
link-state:kondisi sambungan:  
link-state routing:rute kondisi sambungan:  
link-status routing:rute status sambungan:  
lins tape:pita lins\*:  
linseed oil:minyak biji rami:  
LINUX::  
liquid crystal:kristal cairan:  
liquid crystal display:peragaan habluralir:  
liquid crystal display:peragaan habluralir:  
liquid crystal display (LCD):peragaan habluralir:  
liquid crystal display (LCD):penampil kristal cair (LCD):1  
liquid developer:pembangkit cairan:  
liquid hydrogen:hidrogen cairan:  
liquid insulator:isolator cairan:  
liquid nitrogen trailer:trailer nitrogen cairan:  
liquid oxygen:oksigen cair:  
liquid propellant:bahan pembakar cair:  
liquid rheostat:reostat cairan:  
liquid starter:penstarter cairan:  
list:daftar:  
list:daftar/lis:  
list form:bentuk lis:  
list format:format daftar:  
list manager:manajer daftar:  
LIST OF VALUES::  
LIST parameters:parameter daftar:1  
LIST parameters:parameter LIST:  
list procedure:prosedur daftar:  
list processing:pemrosesan lis:  
list processing language:bahasa pemrosesan daftar:  
list processor:pemroses daftar:  
list scan:pindai daftar:  
list structure:struktur daftar:  
list-directed input/output statement:pernyataan keluaran/masukan terlangsung-daftar:  
list-directed transmission:transmisi langsung lis:  
list-directed transmission:transmisi terarah daftar:  
listen:dengar:  
listener:pendengar:  
listener echo:gema pendengar:  
listing:senarai:  
listing info files:pendaftaran berkas informasi:1  
listing info files:pendaftaran berkas informasi:  
lists:senarai:  
lists:senarai:

lists of lists:senarai dari senaraian:  
 LISTSERV:LISTSERV:  
 LISTSERV :LISTSERV:  
 listserv program:program listserv:1  
 liter:liter:  
 literacy:kemampuan membaca:  
 literal:harfiah/literal:  
 literal:harfiah/literal:  
 literal:literal:  
 literal :harafiah:1  
 literal constant:konstanta literal:  
 literal operand:kinandar literal:  
 literal pool:kumpul literal:  
 literal pool:pool literal:  
 literature:literatur:  
 literature search:telusur literatur:  
 litharge:monoksida timbel:  
 litre:liter:  
 little endian::  
 litz wire:kawat litz  
 live:hidup/langsung  
 live insertion:  
 live part:bagian hidup  
 live program:program hidup  
 live wire:  
 livelock:  
 liveness:kegiatan  
 liveness conditions :  
 liveware:orang waspada \*  
 LLA:LLA  
 LLC:LLC  
 LLC protocol:protokol LLC  
 LLC sublayer:sub lapisan LLC  
 LLC type 1:LLC tipe 1  
 LLC type 2:LLC tipe 2  
 LLC type 3:LLC tipe 3:  
 load:beban:  
 LOAD:LOAD:  
 LOAD:muat:1  
 load accumulator:akumulator beban:  
 load and go:memuat dan eksekusi:  
 load and go:pelaksanaan dan beban:  
 load balancing:pengimbangan beban:  
 load balancing:pengimbangan beban:  
 load bypass::  
 load byte:byte beban:

load center:pusat beban:  
load characteristic curve:kurva karakteristik beban:  
load curve:kurva beban:  
load factor:faktor beban:  
load files:pemasukan berkas; pengambilan berkas:  
load forward::  
load H and L direct:langsung H dan L beban:  
load image:bayangan beban:  
load instruction:instruksi beban:1  
load instruction:instruksi beban:  
load instruction:instruksi beban:  
load key:kunci beban:  
load line:garis beban:  
load map:peta beban:  
load member:anggota beban:  
load mode:ragam beban:  
load module:modul beban:  
load module library:pustaka modul beban:  
LOAD parameters:parameter LOAD:DELETE  
LOAD parameters:parameter muat:1  
load point:titik pemasukan; titik masuk:  
load point marker:penanda titik beban:  
load register pair immediate:dekat pasangan register beban:  
load regulation:regulasi beban:  
load share:bagian beban:  
load sharing:kebersamaan beban:  
load sharing:pembagian:  
load sharing system:sistem pembagian beban:  
load switch:saklar bebam:  
load system program:program sistem beban:  
load test:tes beban:  
load test:uji beban:  
load/store architecture::  
load/store architecture :arsitektur muat/simpan:1  
load/store unit(IE)::  
loadable program tape:pita program muat:  
load-and-go:memuat-dan-pelaksanaan (\*):  
load-and-go:panggil dan jalan:  
load-break switch:sakelar rem beban:  
load-break switch with release:sakelar dengan pelepas rem beban:  
load-dispatch instruction:instruksi bagi-beban:  
load-dispatcher:pembagi-beban:  
load-dispatching office:kantor pembagian-beban:  
loaded cable:kabel berbeban:  
loaded circuit:sirkuit berbeban:  
loaded origin:titik pangkal terbeban:

istilah-ti-indonesia

loaded program request block:blok permintaan program berbeban:  
loaded Q:Q berbeban:  
loader:pembeban; pemuat:  
loader:pemuat:1  
loaders:pembeban; pemuat:  
loading:pembebanan:  
loading coil:kumparan pembebanan:  
loading error:galat pemuatan:  
loading manhole:lubang pembeban:  
loading pattern:pola pembebanan:  
loading phase:fase beban:  
loading program:program pembebanan:  
loading time:waktu pembebanan:  
loading unit:unit pembebanan:  
loading-back method:metode balik-beban:  
loan application analysis expert system:aplikasi peminjaman sistem pakar analisis:1  
loan application analysis expert system:aplikasi peminjaman sistem pakar analisis:  
lobe:daun:  
lobe switching:penghubung daun:  
local:setempat; lokal:  
local access:akses lokal:1  
local access:akses lokal:1  
local access:akses lokal:  
local access:akses lokal:  
Local Access and Transport Area (LATA):LATA:  
local address:alamat lokal:  
local address administration:administrasi alamat lokal:  
local area network:jaringan area lokal; jaringan daerah lokal:  
local area network:jaringan area lokal; jaringan daerah lokal:  
local area network:jaringan area lokal; jaringan daerah lokal:  
local area network (LAN):jaringan area lokal:  
local area network (LAN):jaringan area lokal (JAL):1  
local area network (LAN):jaringan area lokal (JAL):1  
local area network (LAN):jaringan area lokal (JAL):  
local area network (LAN):jaringan area lokal (LAN):1  
local area network (LAN):jaringan area lokal; jaringan daerah lokal:  
local area network (LAN):jaringan area lokal; jaringan daerah lokal:  
local area network (LAN):jaringan area lokal; jaringan daerah lokal:  
local area network adaptor:adaptor jaringan area lokal; jaringan daerah lokal:  
local area network advantages:keuntungan jaringan area lokal; jaringan daerah lokal:  
local area network applications:aplikasi jaringan area lokal; jaringan daerah lokal:  
local area network as communications system:LAN sebagai sistem komunikasi:  
local area network central mass storage:pusat penyimpanan besar jaringan area lokal; jaringan daerah lokal:  
local area network components:komponen jaringan area lokal; jaringan daerah lokal:  
local area network connectivity:konektifitas jaringan area lokal; jaringan daerah lokal:

istilah-ti-indonesia

local area network cost:biaya jaringan area lokal; jaringan daerah lokal:  
local area network definition:definisi jaringan area lokal; jaringan daerah lokal:  
local area network interface card:kartu antarmuka jaringan area lokal; jaringan daerah lokal:  
local area network management:manajemen jaringan area lokal; jaringan daerah lokal:  
local area network organizational benefits:keuntungan organisasi jaringan area lokal; jaringan daerah lokal:  
local area network response time:respon waktu jaringan area lokal; jaringan daerah lokal:  
local area network server:server LAN:  
local area network server (LAN server):server jaringan area lokal (server LAN):1  
local area network sharing information:berbagi informasi jaringan area lokal; jaringan daerah lokal:  
local area network workstations:workstation jaringan area lokal; jaringan daerah lokal:  
local area networks:jaringan area lokal; jaringan daerah lokal:  
local area networks (LANs):jaringan area lokal (JAL):1  
local area networks (LANs):jaringan area lokal (JAL):  
local area networks (LANs):jaringan area lokal; jaringan daerah lokal:  
local assistance:bantuan lokal:  
local attribute::  
local battery:baterai lokal:  
local board:papan kabel:  
local bus:bus lokal:1  
local bus:bus lokal:1  
local bus::  
local bus::  
local bypass:jalan alternatif lokal:  
local cable:kabel lokal:  
local central office:kantor pusat setempat/lokal:  
local channel:kanal lokal:  
local clock signal:sinyal jam lokal:  
local code:kode lokal:  
local communications adaptor:adaptor komunikasi lokal:  
local current:arus lokal:  
local directory list:senarai direktori lokal:  
local exchange:pertukaran lokal:  
local expert:pakar lokal:1  
local expert:pakar lokal:  
local fault::  
local function:fungsi lokal:  
local intelligence:inteligens:  
local jack:dongkrak lokal:  
local lighting:cahaya lokal:  
local line:jalur lokal:1  
local line:jaringan lokal:  
local line:kabel lokal:  
local lock:kunci lokal:  
local loop:putaran lokal; ikal lokal; lingkaran lokal:



local loop:putaran lokal; ikal lokal; lingkaran lokal:  
local maximum:maksimum lokal:  
local memory:memori lokal:1  
local memory::  
local minimum:minimum setempat/lokal:  
local mode:mode lokal:  
Local Multipoint Distribution Services (LMDS):LMDS:  
local name:nama setempat:  
local operation:operasi lokal:  
local oscillation:osilasi lokal:  
local oscillator:osilator lokal:  
"local part, of email addresses":"bagian lokal, dari alamat email":  
local processor:pemroses lokal:  
local selector:selektor lokal:  
local service:layanan lokal:  
local service area:daerah pelayanan lokal:  
local SET variable symbol:symbol/variabel Perangkat lokal:  
local side:sisi lokal:  
local station:stasiun lokal:  
local storage unit:unit penyimpan lokal:  
local system queue area:area antri sistem lokal:  
local system queue area:area giliran sistem lokal:  
local talk:pembicaraan lokal:  
local terminal:terminal lokal:  
local traffic:lalu lintas lokal:  
local transmitter:pemancar lokal:  
local trunk line:garis-induk lokal:  
local variable:perubah lokal/variabel lokal:1  
local variable:peubah setempat:  
local variable symbol:lambang peubah lokal:  
local/remote:jarak jauh/lokal:  
localhost:host lokal:  
locality:lokalitas; kelokalan:  
locality:lokalitas; kelokalan:  
locality of reference:kelokalan referensi:  
locality of reference:kelokalan referensi:  
"locality, principle of"::  
localization:lokalisasi:  
localization of fault:lokalisasi salah:  
locally attached terminal:terminal bersemat lokal:  
LOCATE:LOCATE:  
locate:menempatkan:  
LOCATE:tempatkan:1  
locate mode:mode melokasikan:  
locate mode:model letak:  
location:lokasi:

location counter:pencacah lokasi:  
location key item:item/unsur kunci lokasi:  
location parameter:parameter lokasi:  
location registration:pendaftaran lokasi:  
location set:perangkat/kumpulan lokasi:  
location test:tes lokasi:  
locator:lokator:  
locator argument:argumen/pendapat lokator:  
locator data:data lokator:  
locator qualification:kualifikasi lokator:  
locator qualification:kualifikasi lukator:  
locator qualifier:pengualifikasi lokator:  
locator variable:peubah lokator:  
locator variable:variabel lokator:  
lock:kunci:1  
lock:mengunci:  
lock:mengunci:  
lock:terkunci:DELETE  
lock:terkunci:  
lock key:kunci penutup:  
lock magnet:magnet kunci:  
lock mode:mode kunci:  
lock option:pilihan kunci:  
lock out:pengucilan:  
lock rod:batang kunci:  
lock test:tes kunci:  
lock/unlock facility:fasilitas kunci/tak kunci:  
locked name:nama terkunci:  
locked page:halaman terkunci:  
locked record:rekaman terkunci:  
lockin:menutupi:  
locking:penguncian:  
locking:penguncian:  
locking device:alat penguncian:  
locking dog:anjing kuncian:  
locking list:senarai kuncian:  
locking sheet:lembaran kuncian:  
lockout:larangan bekerja:  
lock-out:pengunci:  
lockout circuit:sirkuit larangan:  
lock-out facility:fasilitas pengunci:  
lock-up-free cache::  
locomotion:lokomasi:  
locus:lokus:  
lofting:memukul bola tinggi:  
LOG:catat:1

LOG:LOG:  
log:log; catatan:  
log buffer:penyangga log:  
log data:data log:  
log data set:kumpulan data log:  
log file:berkas log:  
log file:log file:  
log files:berkas catatan:1  
log files:berkas catatan:  
log in:login :  
log off:logof:  
log on:log masuk:1  
log out:keluaran log:  
log sheet:kertas log:  
logarithm:logaritma:  
logarithmic decrement:pengurangan logaritma:  
logarithmic scale:skala logaritma:  
logatom articulation:artikulasi logatom:  
logfile:logfile:  
logger:pencatat:  
logging:pencatatan:  
Logging and recovery:pencatatan dan penyelamatan:  
logging device:peranti pencatatan:  
logging in and out:log in dan out:  
logging in and out:login dan logout:  
logic:logika:  
logic:mantik; logika:  
logic analyser:penganalisis logikal:1  
logic analyser::  
logic analyzer:penganalisis logika:  
logic arrays:susunan logika:  
logic bomb:bom logika:  
logic chip:cip logika:1  
logic circuit:sirkuit logika:1  
logic circuit:sirkuit logika:1  
logic circuit:sirkuit logika:  
logic circuit:sirkuit logika:  
logic circuit:sirkuit logika:  
logic circuits:sirkuit logika:  
logic clip:klip logik:  
logic design:rancangan mantik/logika:  
logic device:peranti logik:  
logic diagram:diagram logika:  
logic element:unsur logika:  
logic error:galat logika:1  
logic error:galat logika:

logic errors:galat logika:  
logic errors:galat logika:  
logic flow diagram:diagram alir logika:1  
logic flow diagram:diagram alur logika:  
logic function:faal logika; fungsi logika:  
logic gate:gerbang logika:1  
logic gate:gerbang logika:1  
logic gate::  
logic IC:IC logik:  
logic instruction:instruksi mantik/logika:  
logic languages:bahasa logika:  
logic level::  
logic module:modul logika:  
logic operator:operator logik:  
logic probe:penyidik logika:  
logic programming:pemrograman logik:  
logic programming:pemrograman logika:1  
Logic programming:pemrograman logika:  
logic shift:geseran logika:  
logic symbol:symbol logika:  
logic unit:unit logika:  
logical:logis:  
logical add:tambah logika:  
logical address:alamat logika:  
logical address space:ruang alamat logis:  
logical algebra:aljabar logis:  
logical assignment statement:pernyataan tugas logika:  
logical channel:saluran logika:  
logical child:anak logika (\*):  
logical circuit:kalang/sirkuit logika:  
logical cohesion::  
logical combination:kombinasi logika:  
logical comparison:perbandingan logika:  
logical complexity ::  
logical connection:koneksi logika:1  
logical connective:penyambung/konektif logika:  
logical connector:penyambung logika:  
logical connectors:konektor logika:1  
logical connectors:konektor logika:  
logical constant:kostan logis:  
logical constant:tetapan/konstanta logika:  
logical data:data logika:  
logical data base:pangkalan data logis:  
logical data base record:rekaman pangkalan datalogis:  
logical data flow diagram:diagram alir data logika:1  
logical data structures:struktur data logika:

logical data structures:struktur data logis:1  
logical data types:tipe adat logika:  
logical design:desain logika:  
logical design:desain logis:1  
logical design control:kendali desain logis:1  
logical design control:kontrol desain logika:  
logical destination:tempat tujuan logis:  
logical device:peranti logis:  
logical device address:alamat alat logika:  
logical disablement:cacat logis:  
logical editing character:karakter pengeditan logis:  
logical element:elemen logika:  
logical errors:galat logika:  
logical errors:galat logis:1  
logical expression:ungkapan logika/ekspresi logika:1  
logical expression:ungkapan/ekspresi logika:  
logical expression:ungkapan/ekspresi logika:  
logical factor:faktor logika:  
logical field descriptor:pemerik/deskriptor medan logika:  
logical file:berkas logika:  
logical format:format logika:  
logical format:format logis:1  
logical format:format logis:  
logical function:fungsi logika:  
logical group:kelompok logika:  
logical group number:bilangan grup logika:  
logical IF statement:pernyataan IF logika:  
logical instruction:instruksi logika:1  
logical instruction:perintah/instruksi logika:  
logical IOCS:IOCS logika:  
logical IOCS:IOCS logika:  
logical level:tingkat logika:  
logical link control protocol:protokol kontrol sambung logikal:  
logical line:garis logika:  
logical line group:grup garis logika:  
logical link control:kontrol sambungan logikal:  
logical link control:kontrol taut logika:1  
logical link control 2:kontrol sambung logikal:  
logical link control sublayer:sub lapisan kontrol sambung logikal:  
logical link control type 1:kontrol sambung logikal tipe 1:  
logical link control type 2:kontrol sambung logikal tipe 2:  
logical link control type 3:kontrol sambung logikal tipe 3:  
logical memory:memori logis:  
logical message:pesan logika:  
logical NOT:NOT logika:  
logical operation:operasi logika:

logical operation:operasi logika:  
logical operation:operasi logis:  
logical operator:operator logika:1  
logical operator:operator logika:  
logical OR:OR logika:  
logical OR register:register OR logis:  
logical page identifier:pengenal halaman logika:  
logical page identifier:pengenali halaman logika:  
logical page number:nomor halaman logika:  
logical page number:nomor halaman logikal:  
logical parent:induk logika:  
logical primary:primer logika:  
logical primary:primer logis:  
logical product:hasil/produk logika:  
logical record:rekor logika:  
logical record interface:antartatapan rekaman logika:  
logical record length:panjang rekaman logika:  
logical register:register logikal:1  
logical register::  
logical relation:hubungan/relasi logika:  
logical relationship:perhubungan logika:  
logical ring:ring logikal:  
logical sector:sektor logis:  
logical shift:geseran logika:  
logical shift instruction:instruksi regu logis  
logical structure:struktur logika  
logical sum:jumlah logika  
logical tab:punca logika  
logical term:istilah/suku logika  
logical terminal:terminal logika  
logical trace:  
logical track:runutan logis  
logical transient area:area transien logika  
logical twin:kembang logika  
logical type:jenis/tipe logika  
logical type of four bytes:tipe empat byte logis  
logical type of one byte:byte satu tipe logika  
logical type of two bytes:type dua byte logis  
logical unit:satuan/unit logika  
logical unit block:blok unit logika  
logical unit number:bilangan unit logis:  
logical variable:variabel logika:  
logical work station:stasiun kerja logika:  
logical-unit service:layanan/servis logika-unit:  
logic-per-track device:peranti logik per runutan:  
logics of programs:logika program:

login:prosedur masuk; login:  
login log file:berkas pencatatan login:1  
login log file:berkas pencatatan login:  
login security:keamanan prosedur masuk; login:  
logins:login:1  
logins:login:1  
logins:login:  
logins:login:  
logistic:logistik:  
logistic curve:kurva logistik:  
logistics:logistik  
LOGO:LOGO  
LOGO:LOGO  
logoff:logof  
logoff request:permintaan logof  
logon:logon  
logon message:pesan logon  
logon procedure:prosedur logon  
log-on procedure:prosedur log-on  
logon request:permintaan logon  
logon-interpret routine:rutin terjemah logon  
logout:logout  
log-periodic antenna:antena periodik-log  
LOL:  
long:panjang  
long complex type:tipe kompleks panjang  
long floating point:titik menyambung panjang:  
long floating-point number:bilangan titik ambang panjang:  
long integer::  
long integer type:tipe integer panjang:  
long persistence phosphor:fosfor persistensi panjang:  
long precision:presisi panjang:  
long real type:tipe real panjang:  
long shunt:cabang internasional:  
long term fix:tetap istilah panjang:  
long vertical mark:tanda vertikal panjang:  
long wave:gelombang panjang:  
long word:kata panjang:  
LONG/SHORT:LONG/SHORT:  
LONG/SHORT:panjang/pendek:1  
long-distance aids:bantuan pemisah internasional:  
long-distance cable:kabel pemisah internasional:  
long-distance navigation:navigasi pemisah jarak jauh  
long-distance navigational aids:bantuan navigasi pemisah internasional  
long-distance transmission:transmisi pemisah internasional  
long-distance transmission line:garis transmisi pemisah internasional

istilah-ti-indonesia

long-haul network:jaringan jarak jauh  
longitudinal redundancy check:cek redundansi longitudinal  
longitudinal check:cek longitudinal  
longitudinal circuit:sirkuit membayar  
longitudinal load:beban longitudinal  
longitudinal magnetic recording:perekaman magnetik longitudinal  
longitudinal magnetization:magnetisasi bujur  
longitudinal parity check:pengecekan paritas bujur  
longitudinal redundancy check:cek redundansi longitudinal  
longitudinal redundancy check:cek redundansi longitudinal  
longitudinal redundancy check character:karakter tilikan keluwehan longitudinal  
longitudinal retardation coil:kumparan retardasi longitudinal  
long-rod insulator:isolator batang panjang  
long-term memory:memori jangka panjang  
longword data transfer:  
look ahead field:daerah mendahului pandangan (?)  
lookahead:memandang lurus  
look-ahead:pandang ke muka  
lookahead (at conditional branches):  
look-ahead carry:  
lookbehind (instruction buffer):  
lookin:melihat  
looks:air muka  
lookup:memandang  
look-up:tabel  
look-up operation:operasi pencarian  
lookup table:tabel pencarian  
look-up table:tabel pencarian  
look-up table:tabel pencarian:  
LOOK-UP TABLE::  
loop:ikal:1  
loop:ikal:  
loop:ikal:  
loop:putaran:  
loop 2 attachment:alat tambahan dua putaran:  
loop adaptor:adaptor putaran:  
loop antenna:antena jendela:  
loop back:belakang melingkar:  
loop body:badan ikalan:  
loop cable:kabel sengkeli:  
loop checking system:sistem pengecekan melingkar:  
loop clause:klausa simpal:  
loop connector:penghubung sengkeli:  
loop construct:pembentuk ikal:  
loop control:kontrol ikalan  
loop counter:pencacah putaran



loop coupling:kopling sengkeli  
loop feature:fitur ikalan  
loop initialization:inisialisasi ikalan  
loop invariant:perbedaan antara ikal  
loop jack switchboard:papan hubungdongkrak putaran  
loop network:jaringan simpal  
loop resistance:tahanan/hambatan putaran  
loop splice plate:plat las sengkeli  
loop station connector:penghubung stasiun sengkeli  
loop system:sistem putaran  
loop test:tes putaran  
loop test:uji melingkar  
loop testing :  
loop transmission:transmisi ikalan  
loop transmission frame:kerangka transmisi putaran:  
loop unrolling:membuka simpal:  
loop wiring concentrator:pemusat jaringan kawat sengkeli:  
loopback:kebelakang melingkar:  
loop-back:putar balik; ikal balik:  
loopback address:alamat putar balik; ikal balik:  
loopback test:uji ikal balik:  
loop-control variable:variabel kontrol ikalan:  
looping:ikalan; berputar; melingkar:  
looping program:program ikal:1  
loops program flow instruction:instruksi alur program berputar:  
loose cable:kabel lepas:  
loose contact:kontak lepas:  
loose coupling:kopling/gandengan longgar:  
loosely-coupled multiprocessor::  
loran:loran:  
loran chart:bagan loran:  
loran line:garis loran:  
loran receiver:penerima loran:  
loran receiver indicator:indikator penerima loran:  
lorhumb line:garis lorhumb:  
lose:kehilangan:  
LOSELESS COMPRESSION::1  
loser:orang yang kalah:  
loss:kerugian:  
loss call:panggil kerugian:  
loss current:arus rugi:  
loss of signal:kerugian sinyal:  
loss-of-charge method:metode rugi-muatan:  
LOSSY COMPRESSION::1  
lost data:data hilang:  
lot:lot:

lot inspection:inspeksi lot:  
lot quality protection:proteksi kualitas lot:  
"Lotus 1-2-3, 65,273 Systems Problem 13-2"::1  
lotus notes:catatan lotus :1  
lotus notes:lotus notes:  
loudness:kebisingan:  
loudness:keras:  
loudness contours:kontur suara:  
loudness level:tingkat kebisingan:  
loudness loss:rugi kebisingan:  
loudspeaker:pengeras suara:  
low:rendah:  
low altitude:titik-tinggi rendah:  
low battery indicator:indikator baterai rendah:  
low byte::  
low capacitance cable:kabel kapasitansi rendah:  
low density mode:model densitas rendah:  
low end computer:komputer rendahan:1  
low frequency:frekuensi rendah:  
low level language:bahasa taraf bawah/awal:  
low level languages:bahasa tingkat rendah:  
low limit address:alamat batas bawah:  
low order:pesanan awal (?):  
low order digit:digit perintah rendah:  
low order interleaving::  
low pass filter:filter pas rendah:  
Low Power Television Service (LPTV):LPTV:  
low pressure mercury lamp:lampu air raksa tekanan rendah:  
low pressure sodium lamp:lampu sodium tekanan rendah:  
low range:daerah rendah:  
low scale:skala rendah:  
low side:sisi rendah:  
low speed:kecepatan awal/rendah:  
low speed modem:modem kecepatan rendah:  
low state::  
low tape:pita awal/bawah:  
low tape:pita pemberitahu awal:  
low tension:tegangan rendah:  
low voltage:voltase rendah:  
low-boy type:tipe rendah:  
low-end MPU:MPU akhir-rendah:  
lower atmosphere:atmosfer bawah:  
lower bound:batas bawah:  
lower bound:batas bawah/turun (\*):  
lower CASE:huruf kecil:1  
lower CASE:huruf kecil:DELETE

lower CASE ::  
lower limit:batas bawah:  
lower limit of hearing:batas pendengaran terbawah:  
lower limit rule:kaidah limit awal:  
lower sideband:jalur samping bawah:  
lower-feed:ruas bawah:  
lower-level management and ethical issues:manajemen aras rendah dan masalah etika:DELETE  
lowest useful high frequency:frekuensi tinggi berguna terbawah:  
low-frequency:frekuensi-rendah:  
low-frequency amplifier:amplifier frekuensi-rendah:  
low-level code:isyarat aras-rendah:  
low-level language:bahasa tingkat rendah:  
low-level language:bahasa aras rendah:1  
low-level language:bahasa aras rendah:  
low-level language:bahasa tingkat rendah:  
low-level lisp:lisp tingkat rendah:  
low-level programming language:pemrograman bahasa aras rendah:1  
low-level programming language:pemrograman bahasa aras rendah:  
low-level programming languages:pemrograman bahasa tingkat rendah  
lowlight:penerangan kecil  
low-pass:suai rendah  
low-pass filter:penyaring operan-rendah  
low-pass filter:saringan nilai rendah  
low-potential metal:logam potensi rendah  
low-tension arc:busur tegangan rendah  
low-tension circuit:sirkuit tegangan rendah  
low-tension side:sisi tegangan rendah  
low-tension winding:gulungan tegangan rendah  
low-voltage relay:relai voltase-rendah  
LP:LP  
LPA:LPA  
LPID:LPID  
lpm:lpm  
LPN:LPN  
LPX :LPX  
LRC:LRC  
LRU:  
LRU bits:  
LRU replacement:  
LRU rule:kaidah LRU  
LRU stack:  
ls (FTP):ls (FTP)  
LSB:LSB  
"LSB, least-significant bit":  
LSD:LSD  
LSI (large-scale integration):

L-systems:sistem L

LTRS:LTRS

LU:LU

lubricant:pelumas

lubricating oil:minyak lumas

lug:mengangkat

luggable:

Lukasiewicz notation:notasi Lukasiewics

luminaire:cahaya

luminaire efficiency:efisiensi luminair

luminance:luminano

luminance and chrominance:luminano dan warna

luminance meter:meter luminansi

luminance signal:sinyal luminans

luminescence:pencahaya

luminescent material:bahan berluminesensi

luminescent spot in a cathode-ray tube:tabung titik dalam sinar katoda berluminesensi

luminosity:luminositas

luminous cloud:awan berkilau

luminous color:warna berkilau

luminous efficacy:kegiatan berkilau

luminous efficacy:manjur bercahaya (?)

luminous exitance:eksitasi berkilau

luminous flux:fluks bercahaya

luminous intensity:intensitas bercahaya

luminous intensity:tandasan bercahaya; intensitas caayaan

luminous intensity distribution curve:kurva distribusi intensitas bercahaya

luminous radiation:radiasi berkilau

luminous screen pickup tube:tabung daya akselerasi tirai berkilau

luminous sensitivity of a camera tube:tabung sensitivitas kamera berkilau

lumped constant:konstanta berbungkah

lumped inductance:induktansi berbungkah

lumped loading:pembebanan tergumpal

lunar module:modul lunar

lunar variation:variasi bulan

lurk :lurk

lux:luks

LZW:

LZW algorithm:algoritma LSW

M (mega):

M out of N code:kode M karena N

M response:respons M

M65MP:M65MP

MAC:MAC

MAC protocol:protokol MAC

MAC sublayer:sub lapisan MAC

macdef:macdef  
macdef (FTP):macdef (FTP)  
machine:mesin  
machine address:alamat mesin  
machine aided cognition:sulitan bantuan mesin  
machine berkasure:kerusakan mesin  
machine check:cek mesin:  
machine check analysis and recording:analisis dan perekaman cek mesin:  
machine check analysis and recovery:mesin cek analisis dan pemulihan:  
machine check handler:kemudi cek mesin:  
machine check interrupt:selang pengecekan mesin:  
machine check interruption:interupsi cek mesin:  
machine code:kode mesin:1  
machine code:kode mesin:1  
machine code:kode mesin:  
machine code:kode mesin:  
machine code:kode mesin:  
machine code:kode mesin:  
machine coding:pengkodean mesin:  
machine configuration:konfigurasi mesin:  
machine control character:karakter kontrol mesin:  
machine cycle:siklus mesin:1  
machine cycle:siklus mesin:  
machine down time:waktu anggur mesin:  
machine error:galat mesin:  
machine function:fungsi mesin:  
machine in normal service:mesin normal servis:  
machine independence:kebebasan mesin:  
machine independency:independensi mesin:  
machine independent:bebas mesin:  
machine independent ::  
machine ink character recognition:pengenalan karakter tinta mesin:  
machine instruction:instruksi mesin:  
machine instruction code:kode instruksi mesin:  
machine instruction processor:prosesor instruksi mesin:  
machine language:bahasa mesin:1  
machine language:bahasa mesin:1  
machine language:bahasa mesin:1  
machine language:bahasa mesin  
machine language:bahasa mesin  
machine language:bahasa mesin  
machine language:bahasa mesin  
machine language and CPU:bahasa mesin dan CPU  
machine language code:kode bahasa mesin  
machine language coding:pengkodean bahasa mesin

istilah-ti-indonesia

machine language instruction:instruksi bahasa mesin  
machine language program:program bahasa mesin  
machine languages:bahasa mesin  
machine learning:pembelajaran mesin  
machine lisp:lisp mesin  
machine malfunction:kegagalan pemakaian mesin  
machine operation:operasi mesin  
machine operator:operator mesin  
machine oriented language:bahasa terorientasi mesin:  
machine program:program mesin:  
machine programming language:pemrograman bahasa mesin:1  
machine programming language:pemrograman bahasa mesin:  
machine programming languages:pemrograman bahasa mesin:  
machine readable:terbaca mesin:  
machine readable medium:medium terbaca mesin:  
machine ringing:giring-giring mesin:  
machine room:ruang mesin:  
machine run:jalan mesin:  
machine sensible information:informasi peka mesin:  
machine stage:kondisi mesin:  
machine switching system:sistem penghubung mesin:  
Machine translation:terjemahan mesin; mesin penterjemah:  
machine units:unit mesin:  
machine vision:pandang mesin:  
machine word:kata mesin:  
machine-dependent:bergantung mesin:  
machine-dependent:ketergantungan mesin:  
machine-independent:bebas mesin:1  
machine-independent:bebas mesin:  
machine-independent:kebebasan mesin:  
machine-independent complexity:kompleksitas mesin-bebas:  
machine-independent microcode generation:pembentuk kode-mikro bagi mesin-bebas:  
machine-readable data:data yang dapat dibaca mesin:  
machine-sensible information:informasi peka mesin:  
macro:makro:1  
macro:makro:DELETE  
macro:makro:  
macro:makro:  
macro and assembly languages:bahasa makro dan bahasa rakitan:  
macro assembler:perakit makro:  
macro assembly:rakitan makro  
macro assembly program:program rakitan makro  
macro call:pemanggilan makro  
macro code:kode makro  
macro coding:pengkodean makro  
macro command:perintah makro

macro control statement:pernyataa-pengendalianmakro  
macro cycle:  
macro declaration:deklarasi makro  
macro definition:definisi makro  
macro definition header statement:pernyataan kepala definisi makro  
macro definition trailer statement:pernyataan gandengan definisi makro  
macro development :  
macro directory:petunjuk makro  
macro element:elemen makro  
macro expansion:ekspansi makro  
macro facility:fasilitas makro  
macro generating program:program generasi makro  
macro generation:generasi makro  
macro generator:makrogenerator  
macro instruction:instruksi makro  
macro instruction :  
macro instruction operand:suku operasi instruksi makro  
macro instructions:instruksi makro  
macro language:bahasa makro  
macro library:pustaka makro  
macro library section:seksi pustaka makna  
macro processing instruction:instruksi pemrosesan makro  
macro processor:pemroses/prosesor makro  
macro prototype:prototip makro  
macro prototype statement:pernyataan prototip makro  
macro service program:program servis makro  
macroassembler:perakit makro  
macroassembly program:program pertemuam makro  
macrocall:panggilan makro  
macrocode:kode makro  
macrocoding:pengkodean makro  
macrocommand:komando makro  
macrodeclaration:makrodeklarasi  
macrodeclarative instruction:instruksi makrodeklaratif  
macrodefinition:makrodefinisi  
macroelement:elemen makro  
macroexerciser:pelatih makro  
macroexpander:peluas makro  
macroexpansion:makro ekspansi  
macrofacility:fasilitas makro  
macroflowchart:bagan alir makro  
macrogeneration:generasi makro  
macrogenerator:generator makro:  
macroinstruction:makroinstruksi:1  
macroinstruction:makroinstruksi:  
macroinstruction:makroinstruksi:

macrolanguage:bahasa makro:  
macrolibrary:pustaka makro:  
macroorder:makroorder:  
macroparameter:makroparameter:  
macroprocessor:makroprosesor:  
macroprogram:makroprogram:  
macroprogram:makroprogram:  
macroprogramming:pemrogramman makro:  
macroprototype:makro proto tipi:  
macroshock:goncangan makro:  
macrosystem:makro sistem:  
macrotrace:makrotrase:  
macrovirus:makrovirus:1  
magazine:majalah:  
magnesia-insulated metal sheathed wire:kawat berlapis logam berisolasi magnesium:  
magnet:magnet:  
magnetic:magnetik:DELETE  
magnetic:magnetik:  
magnetic:magnetik:  
magnetic actuator:akuator magnetik:  
magnetic ageing:penyepuhan magnet:  
magnetic alloy:paduan magnet:  
magnetic amplifier:amplifier magnetik:  
magnetic anisotropy:anisotropi magnetik:  
magnetic badge:tanda magnetik:  
magnetic badges:tanda magnetik:  
magnetic balance system:sistemimbang magnet:  
magnetic balance type:tipeimbang magnet:  
magnetic bias:bias magnetik:  
magnetic biasing:pemiringan magnet:  
magnetic blow-out:pemadam magnet:  
magnetic blow-out circuit-breaker:pemutus sirkuit pemadam magnet:  
magnetic bubble memory:memori gelembung bermagnet:1  
magnetic bubble memory:memori gelembung magnetik:1  
magnetic bubble memory:memori gelembung magnetik:  
magnetic bubble memory::  
magnetic card:kartu magnetik:1  
magnetic card:kartu magnetik:  
magnetic card file:jajaran kartu magnetik:  
magnetic card storage:penyimpanan kartu magnetik:  
magnetic cell:sel magnetik:  
magnetic character reader:pembaca karakter magnetik:  
magnetic circuit:sirkuit magnetik:  
magnetic clutch:kopling magnetik:  
magnetic compass:kompas magnetik:  
magnetic core:inti magnetik:1



magnetic core:inti magnetik:  
magnetic core matrix:matriks inti magnetik:  
magnetic core memory:memori inti magnetik:  
magnetic core storage:penyimpan inti magnetik:  
magnetic coupling:kopling magnetik:  
magnetic current:arus magnetik:  
magnetic damping:peredaman magnetik:  
magnetic data inscriber:pencatat data magnetik:  
magnetic declination:deklinasi magnetik:  
magnetic delay line:saluran penundaan magnetik:  
magnetic dip:inklinasi magnetik:  
magnetic disc:cakram magnetik; disk magnetik:  
magnetic discs:cakram magnetik; disk magnetik:  
magnetic discs:cakram magnetik; disk magnetik:  
magnetic disk:cakram magnetik:1  
magnetic disk:cakram magnetik:1  
magnetic disk:cakram magnetik:  
magnetic disk cartridge:selongsong disket magnetik:  
magnetic disk cartridge unit:unit selongsong disket magnetik:  
magnetic disk control unit:unit pengendali disket magnetik:  
magnetic disk drive:penggerak disket magnetik:  
magnetic disk file:jajaran disket magnetik:  
magnetic disk file label:label jajaran disket magnetik:  
magnetic disk label:label disket magnetik:  
magnetic disk pack:bungkus disket magnetik:  
magnetic disk pack storage:penyimpanan bungkus disket magnetik:  
magnetic disk pack unit:unit bungkus disket magnetik:  
magnetic disk storage:penyimpan disk magnetik:  
magnetic disk storage:simpanan cakram magnetik:1  
magnetic disk unit:unit disket magnetik:  
magnetic disks:cakram magnetik:  
magnetic disks:cakram magnetik:  
magnetic domain:daerah magnet:  
magnetic drum:drum magnetik:1  
magnetic drum:drum magnetik:  
magnetic drum drive:penggerak gelondong magnetik:  
magnetic drum storage:penyimpanan drum magnetik:  
magnetic drum unit:unit drum magnetik:  
magnetic eraser:pengikis magnet:  
magnetic erasing head:kepala penghapusan magnetik:  
magnetic field:medan gaya:  
magnetic field strength:kekuatan medan magnet:  
magnetic figure:gambatang magnet:  
magnetic file:jajaran magnetik:  
magnetic film memory:memori film magnetik:  
magnetic flux:fluks magnetik:

magnetic graphic printer:pencetak grafiks magnetik:  
magnetic hand scanner:penelusur tanganbermagnet:  
magnetic head:bonggol bermagnet:  
magnetic head:bonggol bermagnet:  
magnetic head:kepala magnetik:1  
magnetic hysteresis:histeresis magnetik:  
magnetic hysteresis loop:lingkar histeresis bermagnet:  
magnetic hysteresis loop:putaran histeresis magnetik:  
magnetic induction:induksi magnetik:  
magnetic ink:tinta magnetik:  
magnetic ink character:karakter tinta magnetik:  
magnetic ink character inscriber:penulis karakter tinta magnetik:  
magnetic ink character reader:pembaca karakter tinta magnetik:  
magnetic ink character recognition reader (MICR reader):pembaca pengenal karakter tinta magnetik (pembaca MICR):1  
magnetic ink character recognition (MICR):pengenalan karakter tinta magnetik:  
magnetic leakage:bocor magnetik:  
magnetic leakage coefficient:koefisien bocor magnetik  
magnetic ledge:birai magnetik  
magnetic ledger:balok lintang magnetik  
magnetic ledger unit:unit balok lintang magnetik  
magnetic loudspeaker:pengeras suara magnetik  
magnetic mark reader:pembaca tanda magnetik  
magnetic material:bahan magnetik  
magnetic measurement:pengukuran magnetik  
magnetic meridian:meridien magnetik  
magnetic moment:momen magnetik  
magnetic needle:jalur magnetik  
magnetic oxide:oksid magnetik  
magnetic path:lintasan magnetik  
magnetic pickup:daya akselerasi magnetik  
magnetic polarity:polaritas magnetik  
magnetic pole:kutub magnetik  
magnetic potential:potensial magnetik  
magnetic printing:pencetakan magnetik  
magnetic prospecting:pengharapan magnetik  
magnetic recording:perekaman magnetik  
magnetic recording head:bonggol perekaman magnetik  
magnetic recording reproducer:reproduser perekaman magnetik  
magnetic reluctance:reluktansi magnetik  
magnetic reproducing head:kepala pereproduksi magnetik  
magnetic repulsion:repulsi magnetik  
magnetic resonance imaging (MRI):penggambaran resonansi magnetik  
magnetic saturation:jenuhan magnetik  
magnetic screen:layar magnetik  
magnetic screening:penyaringan magnetik

magnetic separator:separator magnetik  
magnetic sheet storage:penyimpanan lebatang magnetik  
magnetic shield:tameng magnetik  
magnetic shield assembly:rakitan tameng magnetik:  
magnetic shielding:penamengan magnetik:  
magnetic shunt:cabang magnetik:  
magnetic slot reader:pembaca celah magnetik:  
magnetic slot reader:pembaca celahbermagnet:  
magnetic sound recording:perekaman suara magnetik:  
magnetic sound recording film:film rekaman bunyi magnetik:  
magnetic sound recording tape:pita perekaman suara magnetik:  
magnetic storage:penyimpan magnetik:  
magnetic storm:penahan magnetik:  
magnetic strip:jalur magnetik:  
magnetic stripe:strip magnetik:  
magnetic stripe encoder-reader:alat baca-alat sandi garis magnet:  
magnetic substance:substans magnetik:  
magnetic tape:pita magnetik:1  
magnetic tape:pita magnetik:  
magnetic tape:pita magnetik:  
magnetic tape:pita magnetik:  
magnetic tape cartridge:kelongsong pita bermagnet:  
magnetic tape cartridge:kelongsong pita bermagnet:  
magnetic tape cartridge:lapis luar pita bermagnet:  
magnetic tape cartridge unit:unit selongsong pita magnetik:  
magnetic tape cassette:kaset pita magnetik:  
magnetic tape cassette handler:pembantu kaset pita bermagnet:  
magnetic tape cassette unit:unit kaset pita bermagnet:  
magnetic tape cassette unit:unit kaset pita magnetik:  
magnetic tape cassettes:kaset pita magnetik:  
magnetic tape control unit:unit kontrol pita magnetik:  
magnetic tape deck:perangkat pita magnetik:  
magnetic tape drive:penggerak pita magnetik:1  
magnetic tape drive:penggerak pita magnetik:  
magnetic tape file:jajaran pita magnetik:  
magnetic tape file label:label jajaran pita magnetik:  
magnetic tape head:kepal pita magnetik:  
magnetic tape label:label pita magnetik:  
magnetic tape leader:tajuk pita magnetik:  
magnetic tape librarian:pustakawan pita magnetik:  
magnetic tape library:pustaka pita magnetik:  
magnetic tape recording and reproducing equipment:peralatan pita perekaman dan pereproduksiian magnetik:  
magnetic tape reel:gulungan pita magnetik:  
magnetic tape storae:penyimpanan pita magnetik:  
magnetic tape storage:penyimpan pita magnetik:

magnetic tape streamer:pengalir pita magnetik:1  
magnetic tape trailer:trailer pita magnetik:  
magnetic tape transport:transpor pita magnetik:  
magnetic tape unit:unit pita magnetik:1  
magnetic tape unit:unit pita magnetik:  
magnetic tape unit and control:unit dan kontrol pita magnet:  
magnetic tape volume:volume pita bermagnet  
magnetic tapes for selector channel:pita magnetik untuk saluran selektor  
magnetic thin film:film tipis magnetik  
magnetic thin film:selaput tipis magnetik  
magnetic thin film memory:memori film tipis magnetik  
magnetic thin film storage:penyimpanan film tipis magnetik  
magnetic track:jejak magnetik  
magnetic transfer:pemindahan magnetik  
magnetic variation:variasi magnetik  
magnetic video recording:video perekaman magnetik  
magnetic viscosity:viskositas magnet  
magnetic wedge:pasak magnet  
magnetic wire storage:penyimpanan label magnetik  
magnetic-brush developing:pengembangan sikat- magnet  
magnetics:magnetik  
magnetism:kemagnetan  
magnetization:magnetisasi:  
magnetization curve:kurva pemagnetan:  
magnetizing ampere-turn:lilitan-ampere pemagnetan:  
magneto:magneto:  
magneto bell:bel magnet:  
magneto system:sistem magnet:  
magneto telephone set:perangkat telepon magnet:  
magnetocardiogram:magnetokardiogram:  
magnetodiode:magnetodiode:  
magnetograph:magnetograf:  
magnetographic printer:pencetak magnetografiks:  
magnetohydrodynamics:magnetohidrodinamika:  
magnetometer:magnetometer:  
magnetomotive force:kekuatan magnetomotif:  
magneto-optic drive:penggerak magneto-optik:1  
magneto-optical (MO):magneto-optik (MO):  
magneto-optical disk:cakram magneto-optik:1  
magneto-optical disk:cakram magneto-optik:  
magnetopneumogram:magnetopneumogram:  
magneto-resistance effect:efek magneto-resisten:  
magneto-resistive head:kepala magneto-resistif:  
magnetosphere:magnetosfer:  
magnetostriction:magnetostriksi:  
magnetostriction oscillator:osilator magnetostriksi:

magnetostrictive material:bahan magnetostruktif:  
magnetron:magnetron:  
magnitude:magnitudo:  
magnitude comparison:penandingan kebesaran:  
magnitude transition:transisi kebesaran:  
mail:pos:  
mail archive:arsip surat:  
mail bomb:bom surat:  
mail box:kotak surat:  
mail exchanger (MX):tempat pertukaran surat:1  
mail exchanger (MX):tempat pertukaran surat:  
mail exploder:pengembang surat:  
mail forwarder:pengirim ulang surat:  
mail forwarder::1  
mail gateway:gerbang surat:1  
mail gateway:gerbang surat:  
mail inserter:penyisip pos:  
mail merge:gabung surat:1  
mail merge:gabung surat:  
mail relay:relai mel:1  
mail server:server surat:1  
mail server:server surat:  
mail transfer:transfer surat:  
mailbox:kotak surat:1  
mailbox:kotak surat:1  
mailbox:kotak surat:  
mailbox:kotak surat:  
mailboxes:kotak surat:  
mailer:pengirim surat:  
mailing list:diskusi lewat e-mail:1  
mailing list:diskusi via surat:  
mailing list server:server diskusi lewat e-mail:1  
mailing list server :server tempat diskusi via surat:  
mailing list subscription:langganan lewat mel:1  
mailing lists:diskusi via surat:  
mailing machine:mesin pengiriman pos:  
main axis of tube elements:sumbu elemen tabung utama:  
main carrier:pengangkut utama:  
main circuit:sirkuit induk:  
main contact:kontak utama:  
main control unit:unit kontrol utama:  
main distributing frame:bingkai pendistribusian induk:  
main effect:efek utama:  
main entry point:titik entri induk:  
main file:jajaran utama:  
main frame computer:komputer besar:

main frame maker:pembuat rangka utama:  
main gap:celah utama:  
main line:jalur induk:  
main lobe:daun induk:  
main LOX tank:bejana LOX utama:  
main LOX tank vent valve:katup lubang bejana LOX utama:  
main memory: memori utama:1  
main memory:memori utama:1  
main memory:memori utama:1  
main memory:memori utama:  
main memory:memori utama  
main memory:memori utama  
main memory capacity:kapasitas memori utama  
main motor:motor utama  
main page pool:kelompok halaman induk  
main page pool:pul halaman induk  
main path:jalan utama  
main pole:kutub utama  
main procedure:prosedur induk  
main processor:processor utama  
main program:program utama  
main routine:rutin utama  
main scale mark:tanda skala utama  
main signal:sinyal utama  
main station:stasiun induk  
main steam control valve:katup kontrol uap utama  
main stop valve:katup stop utama:  
main storage:penyimpan induk; penyimpan utama:  
main storage:penyimpan induk; penyimpan utama:  
main storage:penyimpan utama:1  
main storage control:kontrol penyimpan utama:  
main storage hierarchy support:dukungan hirarki penyimpan utama:  
main storage occupancy routine:rutin pemilikan memori utama:  
main storage partition:sekatan penyimpan induk:  
main storage region:daerah penyimpan utama:  
main storage requirement:persyaratan penyimpan bermagnet:  
main store:penyimpan induk:1  
main store:penyimpan induk:  
main store:penyimpan induk; penyimpan utama:  
main store:penyimpan induk; penyimpan utama:  
main switch:perangkai induk:  
main task:tugas utama:  
main throttle valve:katup cekik utama:  
main winding:gulungan utama:  
mainboard:papan utama:1  
mainframe:bingkai induk; kerangka induk:

istilah-ti-indonesia

mainframe:bingkai induk; kerangka induk; mainframe:  
mainframe:bingkai induk; kerangka induk; mainframe:  
mainframe:bingkai utama; kerangka induk:1  
mainframe computer:komputer besar:  
mainframe computer:komputer besar:  
mainframe computer:komputer bingkai utama; komputer kerangka induk:1  
mainframe computer:komputer kerangka utama:1  
mainframe computers:komputer besar:  
mainframe computers:komputer besar:  
mainframes and database management system (DBMS):komputer utama dan sistem manajemen informasi:DELETE  
mainline:lin induk:  
mains/battery powered calculator:mesin hitung bertenaga batere:  
mains-powered calculator:mesin hitung bertenaga batere:  
maintainability:kemampuan memelihara:  
maintenability:keterawatan:  
maintenance:perawatan:  
maintenance (of system):perawatan (dari sistem):  
maintenance assignment scope ::  
maintenance assistance by remote teleprocessing system:sistem proses tele luar bantuan perawatan (?):  
maintenance contract:kontrak perawatan:  
maintenance cost:biaya pemeliharaan:1  
maintenance cost:biaya perawatan:  
maintenance costs:biaya perawatan:  
maintenance department :bagian perawatan:  
maintenance directory:direktori perawatan:  
maintenance factory ::  
maintenance free:perawatan bebas:  
maintenance information system:sistem informasi perawatan:  
maintenance man:ahli perawatan  
maintenance manual:  
maintenance metric :  
maintenance panel:panel perawatan  
maintenance procedure:prosedur perawatan  
maintenance processing activities:aktifitas pemrosesan perawatan  
maintenance program:program perawatan  
maintenance report handbook:pedoman laporan perawatan  
maintenance security:keamanan perawatan  
maintenance service:pelayanan/servis perawatan  
maintenance specialist :  
maintenance time:masa perawatan  
major components:komponen utama  
major control change:perubahan kontrol mayor  
major control field:medan kontrol utama  
major cross-section of tube elements:penampang lintang besar tabung elemen

major defect:cacat besar:  
major key:kunci utama:  
"major loop, magnetic bubble memory "::  
major node:simpul utama:  
major structure:struktur mayor:  
major structure:struktur utama:  
major task:pekerjaan utama:  
major time slice:iris waktu utama:  
major total:jumlah utama:  
Major Trading Area (MTA):MTA:  
majordomo:majordomo:1  
Majordomo:majordomo:  
majority:mayoritas:  
majority carrier:pembawa mayoritas:  
majority circuit:sirkuit mayoritas:  
majority element:unsur/elemen mayoritas:  
majority gate:gerbang mayoritas:  
majority operation:operasi mayoritas:  
make:merek:  
make and break:pemutus arus:  
make contact:kontak buatan:  
make-busy key:kunci:  
make-busy relay:relai:  
makeup time:waktu perbaikan:  
making current:arus pembuatan:  
making time:waktu pembuatan:  
male connector:koneksi pria:1  
male connector:koneksi pria:  
male connector:koneksi pria:  
male connector :konektor jantan:1  
male tab:punca jantan:  
malfunction:kegagalan pemakaian:  
malfunction alert:kegagalan pemakaian:  
malfunction routine:rutin malafungsi:  
malicious code:kode hasad:1  
malign failure::  
mallet:palu; pemukul:  
mallet perforator:perforator palu kayu:  
mamoey pollution::  
man:pria:  
managed data network services (MDNS):pengaturan jasa jaringan data:  
management:manajemen:  
Management audit:audit manajemen:  
management computer:manajemen komputer:  
management computer:manajemen komputer:  
management control:kontrol manajemen:



istilah-ti-indonesia

management cycle:siklus manajemen:  
management information needs:kebutuhan informasi manajemen:  
management information base:basis informasi manajemen:  
management information system:sistem informasi manajemen:1  
management information system:sistem informasi manajemen:  
management information system:sistem informasi manajemen:  
management information system (MIS):sistem informasi manajemen:  
management information system (MIS):sistem informasi manajemen:  
management information system (MIS):sistem informasi manajemen (MIS):1  
management information systems:sistem informasi manajemen:1  
management information systems:sistem informasi manajemen:  
management information systems:sistem informasi manajemen:  
management of EDP:manajemen dari EDP:  
management of file(s):manajemen berkas:  
management protocol:pratikel manajemen:  
management systems architecture:arsitektur sistem manajemen:1  
management systems architecture:arsitektur sistem manajemen:  
management techniques:teknik manajemen:  
management workstation:workstasiun manajemen:  
manager:manajer:  
managing communications:pengaturan komunikasi:1  
managing communications:pengaturan komunikasi:  
managing database:pengaturan pangkalan data:1  
managing database:pengaturan pangkalan data:  
managing databases and data management:pengaturan pangkalan data dan manajemen data:DELETE  
Manchester encoding:pengekodean Manchester:1  
mandatory check:cek perintah:  
mandatory maintenance ::  
mandrel:mandrel:  
mandril:mandril:  
manhole:lubang got:  
manifestation of a latent fault::  
manifold:pipa bermulut banyak; manipol:  
manifolding:perbanyak:  
manipulate:manipulasi:  
manipulated variable:peubah termanipulasi:  
manipulating data and database management system (DBMS):pemanipulasian data dan sistem manajemen pangkalan data:DELETE  
manipulation:manipulasi:  
manipulator:manipulator:  
manipulator dynamics:dinamika manipulator:  
Manipulators:manipulator:  
man-machine communication:komunikasi mesin-manusia:  
man-machine interaction:interaksi mesin-manusia:  
man-machine interface:antarmuka mesin-manusia:

istilah-ti-indonesia

man-machine system:sistem manusia-mesin:  
man-machineinteractive system:sistem interaktif mesin- manusia:  
man-made noise:suara buatan-manusia:  
manned orbiting laboratory:laboratorium pengorbyten manual \*:  
manned space flight:penerbangan angkasa manual \*:  
manometer:manometer:  
manpower:tenaga kerja:  
mantissa:mantissa:1  
mantissa:mantissa:  
mantissa:mantissa:  
mantissa of a logarithm:mantisa suatu logaritma:  
manual>manual:  
manual alphabetical typewriter:mesin ketik alfabetis manual:  
manual answering:penjawaban manual:  
manual backup:cadangan manual:  
manual binary input:masukan biner manual:  
manual calculator:kalkulator manual:  
manual calling:pemanggilan manual:  
manual control:kontrol tangan:  
manual dial:penyambungan manual:  
manual entry:entri manual:  
manual exchange:pertukaran manual:  
manual function:fungsi manual  
manual input:masukan manual  
manual input:masukan tangan  
manual input unit:unit masukan manual  
manual kana typewriter:mesin ketik kana manual  
manual modem:modem manual  
manual operation:operasi manual  
manual operation:operasi tangan  
manual request:permintaan manual  
manual ringing:giring-giring manual  
manual switch:penyambungan manual  
manual system:sistem manual  
manuals>manual  
manuals>manual  
manufacturing:manufaktur  
manufacturing automation protocol:protokol automasi manufaktur  
manufacturing automation protocol:protokol automasi manufaktur:  
manufacturing automation protocol (MAP):protokol automasi manufaktur:1  
manufacturing automation protocol (MAP):protokol automasi manufaktur:  
manufacturing information system:sistem informasi manufaktur:1  
manufacturing information system:sistem informasi manufaktur:  
manufacturing information system:sistem informasi manufaktur :1  
manufacturing information systems:sistem informasi manufaktur:  
manufacturing information systems:sistem informasi manufaktur:

istilah-ti-indonesia

manufacturing MIS and competitive advantage:pemabrikan SIM dan kelebihan kompetitif:DELETE  
manufacturing MIS and corporate policies:pemabrikan SIM dan kebijakan perusahaan:DELETE  
manufacturing monitoring system:sistem pemonitoran pembuatan:  
manufacturing resource planning:perencanaan sumber daya manufaktur:1  
manufacturing resource planning:perencanaan sumber daya manufaktur:  
MANUFACTURING RESOURCE PLANNING:PERENCANAAN SUMBER KEPABRIKAN:  
manufacturing resource planning (MRP II):perencanaan sumber daya manufaktur:  
manufacturing resource planning II:perencanaan sumber daya manufaktur:  
manufacturing resource planning II (MRP II):perencanaan sumber daya manufaktur:  
many sort:banyak macam:  
MANY-TO-MANY RELATIONSHIP::  
MAP:MAP:  
map:peta:  
MAPI :MAPI:  
mapped buffer:penyangga peta:  
mapped buffer:penyangga terpeta:  
mapping:pemetaan:1  
mapping:pemetaan:  
mapping:pemetaan:  
mapping PROM:PROM pemetaan:  
mapping rule:kaidah pemetaan:  
marble:marmar; pualam:  
marching:bebani:  
marge:marse:  
margin:pinggir  
margin A:garis tepi A  
margin control:kontrol garis tepi  
margin for line:garis margin  
margin for page:halaman margin  
margin from edge:tepi dari margin  
margin guide:petunjuk marjin  
margin of safety:garis tepi keamanan  
marginal check:cek marginal  
marginal check:cek/tilikan marginal  
marginal checking:pengecekan marginal  
marginal distribution:distribusi marginal  
marginal test:uji/tes marginal  
marginal testing:pengujian tanda  
margin-punched card:kartu marginbertebuk  
marine radar:radar kapal  
maritime applications system:sistem aplikasi maritim  
maritime applications/bridge system:sistem jembatan/aplikasi maritim  
maritime mobile service:servis mobil maritim  
MARK:MARK  
mark:tanda  
mark card:kartu tanda

mark card reader:pembaca kartu bertanda  
mark counting check:cek perakunan tanda  
mark hold:pegangan tanda  
mark read:baca tanda  
mark read:pembaca tanda  
mark reader:pembaca tanda  
mark reading:pembacaan tanda  
mark scanning:pemayaran tanda  
mark sense card:kartu arti tanda  
mark sense sheet:lembatang ati tanda  
mark sensed card:kartu antrean tanda:  
mark sensing:penginderaan tanda:  
mark sensor:sensor tanda:  
mark sheet:lembatang tanda:  
mark sheet reader:pembaca lembatang tanda:  
mark state:keadaan tanda:  
mark to space transition:tanda untuk ruang transisi:  
marker:penanda:  
marker bit:bit:  
marker pulse:pulsa penanda:  
market data:data pasar:1  
market data:data pasar:  
market intelligence:intelijen pasar:1  
market intelligence:mata-mata pasar:  
market intelligence:memata-matai pasar; intel pasar:  
market intelligence:memata-matai pasar; intel pasar:  
market research:penelitian pasar:  
market research:riset pasar:  
Marketing:pemasaran:  
marketing information system:sistem informasi pemasaran:1  
marketing information system:sistem informasi pemasaran:1  
marketing information system:sistem informasi pemasaran:  
marketing information systems:sistem informasi pemasaran:  
marketing information systems:sistem informasi pemasaran:  
marketing MIS and competition:SIM pemasaran dan kompetisi:DELETE  
marketing MIS and corporate policies:SIM pemasaran dan kebijakan perusahaan:DELETE  
Markets:pasar:  
mark-hold:pegangan-tanda:  
marking:penandaan:  
marking adaptor:adaptor penandaan:  
marking current:arus kerja:  
marking wave:gelombang tandaan:  
Markov chain:rantai Markov:  
Markov processes:proses markov:  
mark-sense:perasaan-tanda:  
mark-sensing card:kata penginderaantanda:

mark-sensing column:kolom penginderaantanda:  
 markup language:bahasa marka:  
 maser:maser:  
 mask:maskara:1  
 mask:masker:1  
 mask:masker:  
 mask:masker:  
 mask bit:bit masker:  
 mask layout:rencana topeng:  
 mask programming:pemrograman masker:  
 mask register:register tanda:  
 mask register:register topeng:1  
 mask ROM:ROM masker/topeng:  
 maskable interrupt::  
 masked:bertopeng:  
 masked state:keadaan berkedok:  
 "masked-associate mode, CAM":  
 "masked-match, CAM":  
 masking:penopengan:1  
 masking:penutupan:  
 masking audiogram:audiogram pencadaran:  
 masking effect:efek pencadaran:  
 mass data:data massa:  
 mass insertion:sisipan massa:  
 mass number:bilangan massa:  
 mass replacement:penggantian massa:  
 mass resistivity:daya hambat massa:  
 mass sequential insertion:lembatang sisaberurutan massa:  
 mass storage:penyimpan kapasitas besar:  
 mass storage:penyimpan kapasitas besar:  
 mass storage:penyimpan massa:1  
 mass storage:penyimpan massa:  
 mass storage control:kontrol panyimpan massa:  
 mass storage control:kontrol penyimpanan massa:  
 mass storage control table create:membuat tabel kontrol penyimpanan massa:  
 mass storage device:alat penyimpanan massa:  
 mass storage facility:fasilitas penyimpanan massa:  
 mass storage file:berkas penyimpanan massa:  
 mass storage system:sistem penyimpanan massa:  
 mass storage system:sistem penyimpanan raksasa:  
 mass storage system communicator:komunikator sistem penyimpanan raksasa:  
 mass storage volume:volume penyimpanan massa:  
 mass storage volume control:kontrol volume penyimpanan massa:  
 mass storage volume control journal:jurnal kontrol volume penyimpanan massa:  
 mass storage volume group:grup volume penyimpanan massa:  
 mass storage volume inventory:inventori volume penyimpanan massa:

massaging:pengurutan:  
massively parallel architecture:arsitektur paralel masif:  
massively parallel processing (MPP):pemrosesan paralel masif:  
massively parallel processing (MPP):pemrosesan paralel masif:  
massively parallel processor:pemroses paralel besar:1  
massively parallel processor:pemrosesan paralel secara besar-besaran:1  
massively parallel processor:prosesor paralel masif:  
mast:tiang:  
master:master:1  
master:master:  
master processor:prosesor master:1  
master address file:berkas alamat induk:  
master address space:ruang alamat induk:  
Master Antenna Television System:sistem televisi antena utama:  
master boot record::  
master card:kartu induk:  
master catalog:katalog induk:  
master character:ciri master:  
master clock:jam induk:  
master clock:jam utama:  
master console:konsol induk:  
master console:tuts induk:  
master control room:ruang kontrol induk:  
master control routine:rutin kontrol utama:  
master copy (in coherence protocols)::  
master data:data utama:  
master disk:data utama:  
master file: berkas induk:1  
master file:berkas induk:1  
master file:berkas induk:  
master file:berkas utama; berkas induk:  
master file control record:perekam kontrol berkas induk:  
master file directory (MFD):direktori berkas master:1  
master file directory block:blok direktori berkas induk:  
master file tape:pita jajaran utama:  
master files:berkas induk:1  
master files:berkas induk:  
master files:berkas utama; berkas induk:  
master files:berkas utama; berkas induk:  
master group:grup induk:  
master index:indeks induk:  
master index level:tingkat indeks induk:  
master library tape:pita pustaka utama:  
master mark:tanda induk:  
master mode:modus utama:  
master monitor:monitor induk:

master oscillator:osilator induk:  
master password:kata operan induk:  
master PPI:PPI induk:  
master processor:pemroses induk:  
master program file:jajaran program utama:  
master program tape:pita program utama:  
master record:rekam utama:  
master records:rekaman induk:1  
master records:rekaman induk:  
master sample:contoh induk:  
master scheduler:penjadwal induk:  
master scheduler task:pekerjaan penjadwal induk:  
master scheduler task:tugas penjadwal induk:  
master segment:segmen induk:  
master station:stasiun induk:  
master switch:sakelar induk:  
master tape:pita induk:  
master terminal:terminal induk:  
master terminal command:perintah terminal induk:  
master variable:variabel induk:  
master/slave :master/hamba; bantu/induk; majikan/sahaya:  
master/slave multiprogramming:permultiprograman master/hamba:  
mastergroup:kelompok master:  
master-meter method:metode meter-induk:  
master-slave:majikan-sahaya; bantu-induk; master-hamba:  
master-slave:majikan-sahaya; bantu-induk; master-hamba:  
master-slave arrangement:pengaturan bantu-induk:  
master-slave flip-flop:flip-flop master-budak:1  
master-slave flip-flop:  
master-slave processor:prosesor master-hamba:1  
master-slave system:sistem majikan-sahaya:  
mat coprocessor:koprosesor math:1  
match:padan; serasi:  
match (when searching):cocok; sepadan; serasi:  
matcher:tandingan:  
matching:pemadanan :  
matching box:kotak penyesuaian:  
matching circuit:sirkuit pemadanan:  
matching clause:klausa penyuaian:1  
matching clause:klausa penyuaian:  
matching clause:pemadanan kalimat; pemadanan klausul:  
matching field:daerah sepadan:  
matching problem:problem penyesuaian:  
matching record indicator:penunjuk catatan sepadan:  
matching score:angka pertandingan:  
matching stub:puntung korek api:

matching trap:perangkat penyesuaian:  
material resource planning:perencanaan sumber daya material:1  
material resource planning:perencanaan sumber daya material:  
MATERIALS REQUIREMENT PLANNING:PERENCANAAN PERSYARATAN MATERIAL:  
materials requirement planning (MRP):perencanaan kebutuhan material:  
materials requirement planning (MRP):perencanaan kebutuhan material:  
MATERIALS RESOURCE PLANNING:PERENCANAAN SUMBER MATERIAL:#1  
materials resource planning (MRP):perencanaan sumber daya material:  
materials resource planning (MRP):perencanaan sumber daya material:  
math coprocessor:koprosesor matematik:1  
math coprocessor:koprosesor matematik:  
math coprocessor:koprosesor matematik:  
mathematic coprocessor:koprosesor matematik:1  
mathematical and functional subroutine library:pustaka subrutin fungsional dan matematis:  
mathematical built-in function:fungsi membangun matematika:  
mathematical check:cek matematik:  
mathematical framework:kerangka matematis:  
Mathematical induction:induksi matematis:  
mathematical logic:logika matematika  
mathematical model:model matematik; model matematika; model matematis  
mathematical problem solver library:pustaka pemecah problem matematis  
mathematical programming:pemrograman matematik  
mathematical programming system:sistem pemrograman matematik  
mathematical programming system:sistem pemrograman matematis  
mathematical structure:struktur matematis  
mathematical theory of computation:teori komputasi matematika  
Mathematics and statistics:matematika dan statistik  
matrix:matriks  
matrix array(s):susunan matriks  
matrix array(s):susunan matriks  
matrix inversion:inversi matriks  
matrix print head:kepala mencetak matriks  
matrix printer:pencetak matriks  
matrix report:laporan matriks  
matrix storage:penyimpan matriks  
matrix unit:unit matriks  
mat-statement:pernyataan-lapik  
maturity:  
maturity level :  
MAU :MAU  
maunal adding machine:mesin penambah manual  
maximal area density:  
maximum:maksimum  
maximum allowable common mode overvoltage:kelebihan voltase maksimum yg diijinkan mode umum  
maximum allowable normal mode overvoltage:kelebihan voltase maksimum yg diijinkan mode



istilah-ti-indonesia

normal

maximum common mode voltage:voltase maksimum mode umum

maximum diameter:diameter maksimum

maximum likelihood:kemungkinan maksimum

maximum load:beban maksimum

maximum network throughput:truput maksimum jaringan

maximum normal mode voltage:voltase maksimum mode normal:

maximum operating common mode voltage:voltase operasi maksimum mode umum:

maximum operating normal mode voltage:voltase operasi maksimum mode normal:

maximum peak inverse voltage:voltase terbalik puncak maksimum:

maximum peak reverse voltage:voltase balik puncak maksimum:

maximum principle:prinsip maksimum:

maximum range:deret maksimum:

maximum record length:panjang catatan maksimum:

maximum record number:bilangan catatan maksimum:

maximum scale value:nilai skala maksimum:

maximum torque:momen puntir maksimum:

maximum transmission unit (MTU):MTU:

maximum transmission unit (MTU):unit transmisi maksimum:1

maximum working tension:tegangan kerja maksimum:

maximun rating:penilaian maksimum:

maxterm:maksterm:

maxterm expression:akspresi maksterm

maxterms:

maze:jaringan jalan rumput

Mbone :Mbone

mbps:mbps

MCAR:MCAR

MCH:MCH (pembantu pemeriksaan mesin)

MCI:

MCIMail:MCIMail

MCP:MCP (program pemeriksaan induk)

MCRR:MCRR

MCS:MCS (sistem pemeriksaan induk)

MCSE (Microsoft Certified System Engineer):MCSE

MCT (Microsoft Certified Trainer):MCT

MD5 :MD5

"MDA, monochrome display adaptor":

mdelete:mdelete

mdelete (FTP):mdelete (FTP)

m-derived filter:saringan turunan-m

MDF:MDF

MDI:MDI

mdir:mdir

mdir (FTP):mdir (FTP)

mead data central:pusat data mead

mealy model:  
mean:rata-rata  
mean access time:waktu akses rata-rata  
mean conditional information content:isi informasi bersyarat nilai tengah  
mean deviation:deviasi rata-rata  
mean down time:waktu anggur rata-rata  
mean electrode voltage:voltase elektroda rata-rata  
mean entropy:entropi nilai tengah  
mean entropy per character:entropi nilai tengah per karakter  
mean error:kekeliruan rata-rata  
mean free path:lintasan bebas tengah  
mean information content:isi informasi nilai tengah  
mean information content per character:isi informasi nilai tengah per karakter  
mean life:hidup rata-rata  
mean positioning time:waktu penempatan rata-rata  
mean power:daya rata-rata  
mean rate accuracy:akurasi tingkat nilai tengah  
mean repair time:waktu perbaikan rata-rata  
mean rotation waiting time:waktu tunggu rotasi rata-rata  
mean seek time:waktu pencarian rata-rata  
mean square:kuadrat tengah  
mean square error:kekeliruan kuadrat tengah  
mean time between failures (MTBF):rata-rata waktu antar kegagalan (MTBF)  
mean time between failures (MTBF):rata-rata waktu antar kegagalan (MTBF)  
mean time between failures (MTTF):rata-rata waktu antar kegagalan (MTBF)  
mean time between failures:waktu gagal/berkasur rata-rata  
"mean time between failures, MTBF ":  
mean time to failure (MTTF):waktu rata-rata kegagalan (MTTF)  
mean time to failure (MTTF):waktu rata-rata kegagalan (MTTF)  
"mean time to failure, MTTF ":  
"mean time to interrupt, MTI ":  
mean time to repair:waktu rata-rata perbaikan (MTTR)  
mean time to repair (MTTR):waktu rata-rata perbaikan (MTTR)  
"mean time to repair, MTTR ":  
mean transinformation content:isi transinformasi nilai tengah  
mean transinformation content per character:isi transinformasi nilai tengah per karakter  
mean value:nilai rata-rata  
mean velocity of agitation:velocitas agitasi rata-rata  
meaning:arti  
mean-time-between-failures:rata-rata waktu diantara dua kegagalan  
mean-time-to-repair:rata-rata waktu untuk perbaikan  
MEASAT system:sistem MEASAT  
measurable variable:variabel dapat diukur  
measure:ukuran  
measure:  
measure of information:ukuran informasi

measured quantity:kuantitas terukur  
measured service:layanan terukur  
measured value:nilai terukur  
measurement:ukuran  
measurement:  
measurement specialist :  
Measurement techniques:teknik pengukuran  
measurement tool :  
Measurements:pengukuran  
measuring area:area ukur  
measuring earth terminal:terminal tanah ukur  
measuring gauge:tolok ukur  
measuring instrument:instrumen ukur  
measuring meter:meter ukur  
measuring object:objek ukur  
measuring range:daerah/julat ukur  
measuring time:waktu ukur  
mechanical automation:antomasi mekanis  
mechanical braking:rem mekanik  
mechanical dialer:dialer mekanik  
mechanical energy:energi mekanik  
mechanical equivalent:keekuivalenan mekanik  
mechanical factor of merit:mekanik faktor jasa  
mechanical filter:filter mekanik  
mechanical impedance:rintangan mekanik  
mechanical interlocking machine:mesin penguncian mekanik  
mechanical lever:tuas mekanik  
mechanical load:beban mekanik  
mechanical loss:kerugian mekanik  
mechanical recorder:perekam mekanik  
mechanical rectifier:rektifikator mekanik  
mechanical resistance:resistansi mekanik  
mechanical scanning:pemayaran mekanik  
mechanical signal:sinyal mekanik  
mechanical stoker:pengopak mekanik  
mechanical switching:penghubung mekanik  
mechanical theorem proving:pembuktian teorema mekanika  
mechanical translation:terjemahan mekanik  
mechanical verification:verifikasi mekanik  
mechanical verifier:pemeriksa mekanik  
mechatronics:mekatronika  
media:media  
media berkasure:kegagalan media:  
media conversion:konversi media:  
media telecommunication:media telekomunikasi:1  
media telecommunication:media telekomunikasi:

istilah-ti-indonesia

media telecommunications:media telekomunikasi:  
median:median:  
medical imaging:gambatang kedokteran:  
Medical information systems:sistem informasi kedokteran:  
medical information systems program:program sistem informasi medis:  
medical use:kegunaan medis:  
Medicine and science:kedokteran dan ilmu pengetahuan:  
medium:tengah; antara; medium:  
medium access control:kontrol akses medium:  
medium access control (MAC):kontrol akses medium:1  
medium access control protcol:protokol kontrol akses medium:  
medium access control sublayer:sub lapisan kontrol akses medium:  
medium attachment unit:unit tambahan medium:  
medium dependent interface:antarmuka bergantung medium:  
medium interface connector:konektor antarmuka medium:  
medium scale computer:komputer skala medium:  
medium scale integrated circuit:sirkuit terintegrasi skala medium:  
medium scale integration:integrasi skala medium:  
medium speed:kecepatan antara/tengah/medium:  
medium speed asynchronous line pair:pasangan garis tak sinkron kecepatan medium:  
medium speed modem:modem kecepatan medium:1  
medium speed modem:modem kecepatan menengah:  
medium speed single-line:garis tunggal kecepatan medium:  
medium-voltage winding:gulungan voltase-medium:  
meet:pantas:  
meg:mega:  
mega:mega:  
mega instruction per second (MIPS):mega instruksi per detik (MIPS):  
mega instruction per second (MIPS):mega instruksi per detik (MIPS):  
megabit:megabit:  
megabyte:megabyte; megabyte:  
megabyte:megabyte; megabyte:  
megabyte:megabyte; megabyte:  
megabyte (Mb):megabita:  
megabyte (Mb):megabita (Mb):1  
megabyte (Mb):megabyte; megabyte:  
megabyte (Mb):megabyte; megabyte:  
megabyte per second (MBps):megabait per saat:1  
megacycle:megasiklus:  
megahertz:megahertz:1  
megahertz:megahertz:  
megahertz:megahertz:  
mega-hertz:mega hertz:  
megahertz (Mhz):mega hertz:  
megahertz (Mhz):mega hertz:  
megahertz (MHz):megahertz (MHz):1

megampere:megampere:  
 megger:megger:  
 megohm sensitivity:sensitivitas meg-ohm:  
 mel:mel:  
 melamine resin:resin melamin:  
 member:anggota:  
 member function ::  
 member name:nama anggota:  
 member of a class ::  
 member of a set:anggota suatu himpunan:  
 member record:rekaman anggota:  
 member record type:tipe catatan anggota:  
 membership:kenggotaan:  
 membership relationship ::  
 membrane:membran:  
 memo function:fungsi memo:  
 memorizing:penghapalan:  
 memorizing unit:unit memori:  
 memory:memori:1  
 memory:memori:1  
 memory:memori:  
 memory:memori:  
 memory:memori/ingatan:  
 memory:memori/ingatan:  
 memory access: akses memori:1  
 memory access:akses memori:  
 memory access:akses memori:  
 memory access control signal:sinyal kontrol akses memori:1  
 memory address computation::  
 memory address register:register alamat memori:1  
 memory address register:register alamat memori:  
 memory address register:register alamat memori:  
 memory address register (MAR):register alamat memori:1  
 memory alignment:penjajaran memori:1  
 memory allocation: alokasi memori:1  
 memory allocation:alokasi/jatah memori:  
 memory allocation:alokasi/jatah memori:  
 memory and hardware:memori dan perangkat keras:  
 memory array:susunan memori:  
 memory bandwidth::  
 memory bank: bank memori:1  
 memory bank:bank memori:1  
 memory bank:bank memori:  
 memory bank:bank memori:  
 memory bank conflict::  
 memory banking:penyimpanan memori:

memory bound:ikatan memori:  
memory bounds registers::  
memory buffer register::  
memory buffer register (MBR):register penyangga memori:1  
memory bus:bus memori:  
memory cache:memori tembolok:1  
memory cache:memori tembolok:  
memory cache:memori tembolok:  
memory capacity:kapasitas memori:  
memory capacity:kapasitas memori:  
memory capacity:kapasitas memori:  
memory capacity and cost:kapasitas memori dan biaya:  
memory capacity :kapasitas memori:1  
memory card:kartu memori:  
memory cell:sel memori:  
memory chip:chip memori:1  
memory chip:keping memori:  
memory compacting:pemadatan memori:  
memory compaction: pemadatan memori:1  
memory compaction:pemadatan memori:  
memory compaction:pemadatan memori:  
memory control:kontrol memori:  
memory controller:pengendali memori:  
memory cycle:siklus memori:  
memory cycle:siklus memori:  
memory data register:register data memori:1  
memory data register:register data memori/ingatan:  
memory data register:register data memori/ingatan:  
memory density::  
Memory design:desain memori:  
memory device: alat memori:1  
memory device:alat memori:  
memory device:alat memori:  
memory disk:disket memori:  
memory dump:dump memori; penumpah memori:  
memory dump:timbunan memori:1  
memory eprom:eprom memori:1  
memory eprom:EPROM memori:  
memory EPROM:EPROM memori:  
memory error:galat memori:  
memory expansion board:papan ekspansi memori:1  
memory expansion boards:papan ekspansi memori:  
memory fragmentation:fragmentasi memori:  
memory hierarchy:hierarki memori:1  
memory hierarchy:hierarki memori:  
memory hierarchy:hierarki memori:

memory indication:indikasi memori:  
memory intereference::  
memory interlace:jalinan memori:  
memory interlacing:penjalinan memori:  
memory interleave:sisipan memori:  
memory interleaving:penyisipan memori:  
memory latency::  
memory leakage ::  
memory limit:batas memori:  
memory limited:batasan memori:  
memory location:lokasi memori:  
memory locking::  
memory management: manajemen memori:1  
memory management:manajemen memori:  
memory management:manajemen memori:  
"memory management unit, MMU"::  
memory map:peta memori:  
memory mapping:pemetaan memori:  
memory mapping:pemetaan memori:  
memory maximum:maksimum memori:  
memory module:modul memori:1  
memory module:modul memori:  
memory module:modul memori:  
memory overlay (H)::  
memory page:halaman memori:  
memory page:halaman memori:  
memory paging:penghalamanan memori:  
memory paging:penghalamanan memori:  
memory partition:pembagian memori:  
memory partitioning:partisi memori:  
memory partitioning:partisi memori:  
memory port:port memori:1  
memory port::  
memory print:cetakan memori:  
memory prom:prom memori:1  
memory prom:PROM memori:  
memory PROM:PROM memori:  
memory protection:proteksi memori:  
memory protection:proteksi memori:  
memory ram:ram memori:1  
memory ram:RAM memori:  
memory RAM:RAM memori:  
memory reference::  
memory reference instruction:instruksi acuanmemori:  
memory refresh::  
memory resident virus:virus residen memori:1

memory rom:rom memori:1  
memory rom:ROM memori:  
memory select::  
memory share:bagian memori:  
memory state:keadaan memori:  
memory swapping::  
Memory technologies:teknologi memori:  
memory unit:unit memori:  
memory used as logic:memori digunakan sebagai logic:  
memory width::  
memory with accumulator:memori dengan akumulator:  
memory word::  
memory write signal:sinyal tulis memori:  
memoryless source:sumber tanpa memori:  
memory-mapped I/O:I/O terpeta-memori:  
memory-mapped I/O:I/O terpeta-memori:  
memory-reference instruction::  
memory-resident:penghuni memori:  
menu:menu:1  
menu:menu:  
menu:menu:  
menu:menu:  
menu:menu:  
menu bar:bar menu :1  
menu bar:batang menu:1  
menu bar:menu bar:  
menu bar:menu bar:  
menu bar:menu batang:  
menu builder:pembangun menu:1  
menu builder:pembangun menu:  
menu driven:dipacu menu:  
menu driver::  
menu method:metode memori:  
menu selection:bagian menu:  
menus:menu:  
menus:menu :1  
menus (user interface):menu (antarmuka pengguna):  
mercury:merkuri:  
mercury lamp:lampu merkuri:  
mercury storage:penyimpan merkuri:  
mercury switch:perangkai merkuri:  
mercury switch interlock:pengunci sakelar air raksa:  
mercury vapor-filled rectifier tube:tabung rektifikator terisi uap air raksa:  
mercury-arc power converter:konverter daya busur api air raksa:  
mercury-arc rectifier:rektifikator busur api air raksa:  
mercury-contact relay:relai kontak air raksa:



mercury-pool cathode:katoda sumur air raksa:  
mercury-pool rectifier:alat perata arus kelompok merkuri:  
mercury-vapor diffusion pump:pompa difusi uap air raksa:  
mercury-wetted contact relay:relai kontakmemori basah:  
mercury-wetted relay:relai memori basah:  
MERGE:gabung:1  
merge:gabung:  
merge:gabung:  
merge:leburan:  
merge:menggabungkan:1  
MERGE:MERGE:DELETE  
merge (files):leburan (berkas):  
merge (files):leburan (berkas):  
merge module:modul gabung:  
merge only application:aplikasi hanya menggabungkan:  
merge order:perintah/pesanan leburan:  
merge pass:operan menggabungkan:  
merge sort:pilahan gabungan:  
MERGE SORT:::1  
merge way:cara gabung:  
merging:penggabungan:  
meridian:meridian:  
mesa:mesa  
mesh:mata jala  
mesh current:arus mesh  
mesh grid:kisi mes  
mesh network:jaringan saringan  
mesh networks:  
MESI:  
MESI protocol:  
mesial magnitude:jarak mesial  
mesial point:titik mesial  
message:pesan  
message :  
message channel:saluran pesan  
message circuit:sirkuit berita  
message concentration:konsentrasi pesan  
message control:kontrol pesan  
message control program:program kontrol pesan  
message control program:program kontrol pesan  
message digest :intisari berita; intisari pesan  
message display console:konsol peragaan pesan  
message distribution:distribusi pesan  
message edit description:deskripsi sunting/ edit pesan  
message editing:perbaikan pesan  
message editing service:servis/layanan penyunting pesan

message exchange:pertukaran pesan  
message file:berkas pesan  
message handler:pengemudi pesan  
message header:saluran kumpul berita  
message identification code:kode identifikasi berita  
message mode:modus pesan  
message passing :  
message processing:pemrosesan pesan  
message processing program:program olah pesan:  
message processing program:program proses pesan:  
message queue:antrian pesan:  
message queue node:noda giliran pesan:  
message queueing:pengantrean pesan:  
message queuing:antrian pesan:  
message rate:kecepatan berita:  
message region:daerah pesan:  
message retransmission:retransmisi pesan:  
message router:perute berita/pesan:1  
message router:perute berita/pesan:  
message routing:penelusuran pesan:  
message scheduling:penjadwalan pesan:  
message segment:segmen berita:  
message send service procedure:prosedur servis menyampaikan pesan:  
Message sending:pengiriman berita:  
message sequence number:bilangan terurut pesan:  
message sink:sungap pesan:  
message source:sumber pesan:  
message stack file:berkas kumpulan pesan:  
message switching:alih pesan:  
message switching:pengalihan pesan:1  
message switching:pengalihan pesan:  
message switching:penyambungan pesan:  
message switching center:pusat penyaklaran pesan:  
message switching mode:modus penyaklaran pesan:  
message switching system:sistem perangkaian pesan:  
message text:teks berita:  
message transfer:transfer berita:  
message type option:opsi tipe berita:  
message-passing system::  
messages:berita:  
messaging:pemesanan  
messenger cable:kabel rantai  
messing interruption checker:pengecek interupsi pengotoran  
meta ad :ad meta  
meta database:meta-pangkalan data  
Meta files\*\*:berkas meta

meta language:metabahasa  
metaaction:meta aksi  
metaassembler:meta perakitan  
metacharacter:meta watak  
metaclass :  
metacompilation:meta komputasi  
metacontrast:meta kontras  
METADATA:METADATA  
metafile output:keluaran metaarsip  
metakey:metakunci  
metal fog:kabut logam:  
metal halide lamp:lampu halida logam:  
metal lens:lensa logam:  
metal lens antenna:antena lensa logam:  
metal nitride MOS:MOS nitrida logam:  
metal oxide semiconductor:semikonduktor oksida logam:  
metal oxide semiconductor (MOS):semikonduktor oksida logam (MOS):1  
metal oxide semiconductor IC:IC semikonduktor oksida logam:  
metal oxide semiconductor integrated circuit:sirkuit terintegrasi semikonduktor oksida logam:  
metal oxide semiconductor integrated circuit:sirkuit terintegrasi semikonduktor oksida logam:  
metal raceway:saluran masuk logam:  
metalinguage:metabahasa:  
metal-backed phosphor screen:tirai fosfor bertopang logam:  
metal-bristle ionizer:pengion bulu-logam:  
metal-enclosed switchgear:penghubung dan pembagi bertutup logam:  
metalinguistic bracket:braketmetalinguistik:  
metalinguistic connective:konektif metalinguistik:  
metalinguistic formula:formula metalinguistik:  
metalinguistic variable:variabel metalinguistik:  
metal-insulator semiconductor integrated circuit:MIS sirkuit berintegrasi semikonduktor isolator-logam:  
metal-insulator semiconductor transistor:MIS transistor semikonduktor isolator logam:  
metallic carbon brush:sikat karbon metalik:  
metallic conduit:konduit metalik:  
metallic contact:kontak metalik:  
metallic resistor:resistor metalik:  
metallic return:kembalian metalik:  
metallic return circuit:sirkuit kembalikan metalik:  
metallic shield coating:lapisan perisai metalik:  
metallized screen:tirai berlogam:  
metal-oxide semiconductor field-effect transistor (MOSFET) :transistor efek medan semikonduktor oksida logam (MOSFET):1  
metal-oxide-semiconductor-field-effect-transistor:MOSFET transistor-efek-medan-semikonduktor-oksida-logam:  
metamemory:metamemori:  
metamer:metamer:

metamerism:metamerisme:  
metamodel:metamodel:  
metamodel ::  
metanetwork:metajaringan:  
metaobject:metaobjek:1  
metaphor:metafor:  
metaprogram:metaprogram:  
metarecognition:meta rekognisi:  
metastable state:nyatakan metastabil:  
metasystem:metasistem:  
metatheory:meta teori:  
metavariabel:meta peubah:  
meteorological aids service:servis bantu meteorologis:  
meteorological satellite:satelit meteorologis:  
meter:miter:  
meter ampere:ampere meter  
meter bridge:jembatan meter  
meter rate:kecepatan/nilai meter  
meter transformer:transformator meter  
meter-gram resistivity:daya hambat gram-meter  
metering outfit:perlengkapan meter  
method:metode  
method:metode  
method:  
method of elimination:metode penghalauan  
method of least squares:metode least squares  
Method of lines:metode garis  
method of moving average:rata-rata bergerak metode  
method of successive comparison:pembandingan metode suksesif  
method of symmetrical coordinates:koordinat metode simetris  
methodologies:metodologi  
methodologies:metodologi  
methodologies and techniques:metodologi  
methodology:  
methods:metode  
metre:meter  
metric:  
metric validation :  
metric wave:gelombang metrik  
metric wire gage:ukuran kawat metrik  
metricator :  
metrics:metrik  
metrics:metrik  
metrology:metrologi  
Metropolitan Area Network (MAN):jaringan area metropolitan  
metropolitan Area Network (MAN):jaringan area metropolitan

istilah-ti-indonesia

metropolitan area network (MAN):jaringan area metropolitan  
metropolitan area network (MAN):jaringan area metropolitan (MAN):1  
Metropolitan Area Networks (MANs):jaringan area metropolitan:  
MF:MF:  
MFA:MFA:  
mflops:mflops:  
MFLOPS::  
MFM:MFM:  
MFM recording:perekaman MFM:  
MFR:MFR:  
MFR:MFR:  
MFT:MFT:  
MFT:MFT:  
MFT with subtasking:subpenugasan dengan MFT:  
MGCP :MGCP:  
mget:mget:  
mget (FTP):mget (FTP):  
MH:MH  
MH coding:pengkodean MH  
mho relay:relau mho  
MHz:MHz  
MHz:MHz  
MIB:MIB  
MIC:MIC  
MIC:MIC  
mica:mika  
micanite:mikanit  
Michelangelo virus:virus Michelangelo  
MICR:MICR  
MICR:MICR  
micro:mikro  
micro code:mikrokode  
micro coding:pengkodean mikro  
micro computer:komputer mikro  
micro computer:komputer mikro  
micro development :  
micro electronics:mikro elektronika  
micro estimating :  
micro floppy:lentur mikro  
micro NOVA:NOVA mikro  
micro order:perintah mikro  
micro processing unit:unit pemrosesan mikro  
micro processor:prosesor mikro  
micro processor:prosesor mikro  
micro switch:sakelar mikro  
microammeter:mikroameter

microampere:mikro ampere  
microassembler:mikro perakit  
microassembly:rakit mikro  
microbus:bus mikro:  
microchip:mikrocip:1  
microcircuit:kalang renik/mikro:  
microcircuit:sirkuit mikro:  
microcode:kode mikro:  
microcode:kode mikro:  
micro-code:kode mikro:1  
micro-code:kode mikro:  
microcoding:mikro pengkodean:  
microcommand:mikro perintah:  
microcommand:mikro perintah:  
microcomponent:komponen mikro:  
microcomputer:komputer mikro:1  
microcomputer:komputer mikro:  
microcomputer:komputer mikro:  
microcomputer:komputer mikro:  
microcomputer:komputer mikro:  
microcomputer:mikro komputer:1  
microcomputer architecture:arsitektur mikrokomputer:  
microcomputer development system:sitem perkembanganmikrokomputer:  
microcomputer program:program mikrokomputer:  
microcomputer tools:alat mikro komputer:  
microcomputers:mikro komputer:  
microcontroller:mikrokontroler:  
microcontroller:mikrokontroler:  
microcontroller:mikropengendali:1  
microcycle:mikrosiklus:  
micro-cycle ::  
microdiagnostics:diagnostik mikro:  
microelectronic circuit:sirkuit mikroelektronik:  
microelectronic system:sistem elektromikro:  
microelectronics:mikroelektronik:  
Microelectronics and Computer Technology Corporation::DELETE  
microelement:elemen mikro:  
microfiche:mikrofis:1  
microfiche:mikrofis:  
microfiche:mikrofis:  
microfiche viewer:penonton microfiche:  
microfilm:mikro film:  
microfilm:mikrofilm:1  
microfilm duplicator:duplikator mikrofilm:  
microfilm equipment:peralatan mikrofilm:  
microfilm processor:pemroses mikrofilm:

microfilm reader:alat baca mikrofilm:  
microfilm reader with opaque screen:pembaca mikrofilm dengan tirai tak tembus cahaya:  
microfilm reader with translucent screen:pembaca mikrofilm dengan tirai tembus cahaya:  
microfilmer:mikro filmer:  
microfilming:pemikrofilman:  
microfloppy:mikro flopi:  
microflowchart:mikro bganahi:  
microform:mikro formag:  
micrographics:mikro grafika:  
microgroove recording:perekaman aluran mikro:  
microimage:mikrosantri:  
microinstruction:instruksi mikro:1  
microinstruction:instruksi mikro:  
microinstruction:instruksi mikro:  
microinstruction decoder:dekoder mikromatruksi:  
microkernel:kernel mikro:  
microkernel:mikrokernel:1  
microkit:mikrokit:  
micromachine:mikro mesin:  
micromainframe:mikro bingkai utama:  
micromaxi:mikro maksii:  
micrometer:mikrometer:  
micromidi:mikro midi:  
microminiaturization:mikrominiaturisasi:  
micro-minicomputer:minikomputer-mikro:  
micromodule:mikro modul:  
micromotor:mikro motor:  
micromouse:mikrotino:  
MicroMUSE:MicroMUSE:  
micron:mikron:  
microorder:mikro order:  
microphone:mikrofon:  
microphotometer:mikrofotometer:  
microPLANNER:mikro planer:  
microprocessing:mikro pemrosesan:  
microprocessor:mikroprosesor:1  
microprocessor:mikroprosesor:1  
microprocessor:mikroprosesor:  
microprocessor:mikroprosesor:  
microprocessor:mikroprosesor:  
microprocessor card:kartu mikroprosesor:  
microprocessor chip:cip mikroprosesor:1  
microprocessor semantics:semantik mikroprosesor:  
Microprocessor/microcomputer applications:aplikasi mikroprosesor/komputer mikro:  
Microprocessors:mikroprosesor:  
Microprocessors and microcomputers:mikroprosesor dan komputer mikro:

microprogram:program mikro:1  
microprogram:program mikro:  
microprogram:program mikro:  
microprogram counter:pencacah mikroprogram:  
microprogram display:peragaan mikro program:  
microprogram sequencer:penganut mikroprogram:  
microprogrammable computer:komputer pemrograman mikro:  
microprogrammed control:kontrol terprogram mikro:  
microprogrammed logic arrays:susunan mikroprogram logic:  
microprogramming:pengcaraan mikro:  
microprogramming:pengcaraan mikro:  
microprogramming languages:bahasa pemrograman mikro:  
microroutine:rutin mikro:  
microsatellite:satelit mikro:1  
microsatellite:satelit mikro:  
microsatellites:satelit mikro:  
microscopic image:santir mikroskopik:  
microsecond:mikrodetik:  
microsequencer:mikro pengurut:  
microshock:mikro goncangan:  
microsoft disk operating system (MS-DOS):MS-DOS:  
Microsoft Windows:Microsoft Windows:1  
Microsoft Windows:Microsoft Windows:DELETE  
Microsoft Word:Microsoft Word:1  
Microsoft Word:Microsoft Word:DELETE  
microstep:langkah mikro:  
microstrip:mikro strip:  
microstructure:mikrostruktur:  
microsubroutine:mikrosubrution:  
microswitch:perangkai mikro:  
micro-to-mainframe links:sambungan mikro ke mainframe:  
microwave:gelombang mikro:  
microwave:mikrogelombang:  
Microwave Band:pita gelombang mikro:  
microwave detector:detektor gelombang mikro:1  
microwave detector:detektor gelombang mikro:  
microwave detectors:detektor gelombang mikro:  
microwave diode:dioda gelombang mikro:  
microwave heating:pemanasan gelombang mikro:  
microwave radio channel:kanal radio gelombang mikro:1  
microwave transmission:transmisi gelombang mikro:1  
microwave transmission:transmisi gelombang mikro:1  
microwave transmission:transmisi gelombang mikro:  
microwave transmission:transmisi gelombang mikro:  
microwave transmission:transmisi gelombang mikro:  
microwave transmission:transmisi gelombang mikro:



microwave tube:tabung gelombang mikro:  
microwaves:gelombang mikro:  
microwaves:gelombang mikro:  
microworld:mikro dunia:  
mid point:titik tengah:  
midar:midar \*:  
middle:tengah:  
middle CASE ::  
middle-out ::  
middleware:perangkat lunak tengah:1  
middleware:perangkat menengah:1  
middleware:perangkat menengah:  
middleware:perangkat tengah:  
middleware ::  
MIDI::  
midicomputer:midikompuetr:  
midrange computers:komputer kelas menengah:  
mid-section impedance:impedansi seksi-tengah:  
mid-series image impedance:impedansi bayangan seri- tengah:  
midspan flashover:cetus api rentang tengah:  
migration:migrasi:  
migration:perpindahan:  
mike boom:tangan-tangan carong:  
mil:mil:  
MIL (military) names:MIL:  
milestone:tonggak bersejarah  
milestone :  
military:militer  
military:militer  
milking:pemerahan  
mill:mil  
millenium bug:kutu milenium  
millenium bug:kutu milenium  
millennium bug:  
millennium problem:  
milliammeter:miliameter  
milliampere:miliampere  
millimeter:milimeter  
millimeter wire gage:ukuran kawat milimeter  
millimeter wire gauge:ukuran kawat milimeter  
millimetric wave:gelombang milimetrik  
million instruction per second:juta per detik instruksi:  
million instruction per second:per detik instruksi juta:  
million instruction per second (MIPS):juta instruksi per detik (MIPS):1  
million-instructions per second:per detik instruksi- juta:  
millisecond:milisekon:

millivolt:milivolt:  
MIMD architecture::  
MIME:MIME:  
mimic bus:bus mimik:  
mini computer:komputer mini:  
miniature switchboard:papan rangkai miniatur:  
miniaturization:pemini aturan:  
minibuffer:mini penyangga:  
minicard:kartu mini:  
minicartridge:mini peluru:  
minicomponent:mini komponen:  
minicomputer:komputer mini:1  
minicomputer:komputer mini:  
minicomputer:komputer mini:  
minicomputer:minikomputer:1  
minicomputer:minikomputer:  
minicomputer representative:representatif minikomputer:  
minicomputers:minikomputer:  
minidisk:minidisk:  
minidiskette:mini disket:  
minidrum:drum kecil/mini:  
Minimax algorithms:aproksimasi algoritma:  
Minimax approximation:aproksimasi minimax:  
minimax decision:putusan minimaks:  
mini-max method:metode maks-mini:  
mini-max method:metode mini-maks:  
mini-micro system:sistem mini-mikro:  
minimization:peminian:  
minimization of errors:minimisasi galat:1  
minimization of errors:minimisasi galat:  
minimum:minimum:  
minimum access code:kode akses minimum:  
minimum access coding:pengkodean akses minimum:  
minimum arc current:arus busur minimum:  
minimum arc voltage:voltase busur minimum:  
minimum arcing current:arus pembusuran minimum:  
minimum bill clause:klausa rekening minimum:  
MINIMUM CONFIDENT FACTOR:FAKTOR RAHASIA MINIMUM:  
minimum configuration:konfigurasi minimum:  
minimum delay code:kode tundaan minimum:  
minimum delay coding:pengkodean tundaan minimum:  
minimum delay programming:pemrogram tundaanminimum:  
minimum detectable range:julat mampu temu minimum:  
minimum distance code:kode jaral minimum  
minimum firing power:daya penyalan minimum  
minimum flow:aliran minimum

minimum key:kunci minimum  
minimum latency code:kode laten minimum  
minimum machine requirement:persyaratan mesin minimum  
minimum maximum basis:dasar maksimum minimum  
minimum pause:selaan minimum  
minimum running current:arus aliran minimum  
minimum scale value:nilai skala minimum  
minimum single-station throughput:truput minimal satu stasiun  
MINIMUM SUPPORT:BANTUAN MINIMUM  
minimum teleprocessing data entry subroutines:subrutin entri data proses jauh minimum  
minimum working current:arus bekerja minimum  
miniperipheral:mini periferal  
minisatellite:mini salelit  
minisupercomputers:mini superkomputer  
minor control change:perubahan kontrol minor  
minor control field:medan kontrol minor  
minor defect :  
minor lobe:daun kecil  
"minor loop, magnetic bubble memory ":  
minor node:simpul minor  
minor structure:struktur minor  
minor structure:struktur minor/kecil  
minor time slice:cantas waktu minor  
minor total:total minor  
minority carrier:pembawa minoritas  
minterm:monterm  
minters:  
minuend:minuen  
minumum latency coding:pengkodean laten minimum  
minus sign:tanda minus:  
minus zone:zona minus:  
mips:mips:  
MIPS::  
mirror:cermin:  
mirror galvanometer:galvanometer cermin:  
mirror site::  
mirroring:pemantulan:  
mirroring:pemantulan:  
mirroring:pencerminan:  
MIS:MIS:  
MIS:MIS:  
MIS and competitive advantage:SIM dan kelebihan kompetitif:DELETE  
MIS and database:SIM dan pangkalan data:DELETE  
MIS business information systems:MIS sistem informasi bisnis:  
miscellaneous intercept:pintas serbaneka:  
miscellaneous time:waktu penggiliran

MISD architecture:  
misfeed:salah umpan  
misfire:gagal  
misfiring:tak hidup; tak nyala  
misframing:salah kerangkaan  
mishap:  
mismatch:tidak sebanding  
misoperation:salah operasi  
misregistration:salah pendaftaran  
miss:  
"miss rate, ratio":  
missile borne guidance equipment:peralatan pedoman pendukung proyektil  
missile service tower:menara servis proyektil  
missile trajectory measurement:pengukuran lintasan peluru  
missile trajectory measurement:pengukuran lintasan proyektil peluru  
missing bit pattern:pola bit hilang/lepas:  
missing data:data hilang:  
missing information decision making:kehilangan informasi pengambilan keputusan:1  
missing information decision making:kehilangan informasi pengambilan keputusan:  
missing page interruption:interupsi halamanhilang:  
missing plot:alur/plot hilang:  
missing pulse:pulsa lepas:  
missing value:nilai lepas:  
missing-pulse:pulsa hilang:  
missing-pulse factor:faktor pulsa-gangguan:  
mission:tugas:  
mission critical software :perangkat lunak pusi kritis:1  
Mission-critical :MISSION-CRITICAL :MISI KRITIS  
mistake:kekeliruan:  
mistake::  
mitochondrion:mito kondrion:  
mix:campur  
mix value:nilai campur  
mixed:tercampur  
mixed base notation:notasi dasar campuran  
mixed base numeration system:sistem bilangan berbasis campuran  
mixed base system:sistem berbasis campuran  
mixed environment:lingkungan campuran  
mixed highs:tinggi campuran  
mixed language projects :  
mixed media:mix media  
mixed mode:modus campuran  
mixed mode expression:eksepsi modus campuran  
mixed radix:radiks campuran  
mixed radix notation:notasi radiks campuran  
mixed radix numeration system:sistem pembilangan akar campuran

mixed radix system:sistem radiks campuran  
mixed set:perangkat tercampur  
mixed set type:tipe perangkat tercampur  
mixed-pressure turbine:turbin tekanan campur  
mixer:pencampur  
mixing:pencampuran  
mkdir:mkdir  
mkdir (FTP):mkdir (FTP)  
mls:mls (FTP)  
mls (FTP):mls (FTP)  
MMX:  
MMX register:  
mnemonic:mnemonik  
mnemonic code:kode mnemonik  
mnemonic codes:kode mnemonik  
mnemonic codes:kode mnemonik  
mnemonic field:medan mnemonik  
mnemonic instruction:instruksi mnemonik:  
mnemonic instruction code:kode instruksi mnemonik:  
mnemonic name:nama mnemonik:  
mnemonic notation:notasi mnemonik:  
mnemonic operation code:kode operasi mnemonik:  
mnemonic symbol:symbol mnemonik:  
mnemonic-name:nama-pemudah:  
mobile communications system:sistem komunikasi bergerak:  
mobile computer::1  
mobile computing:computerisasi bergerak:  
mobile computing:komputasi bergerak:  
mobile data communication:komunikasi data bergerak:  
Mobile IP:IP bergerak:  
mobile processors:pemroses bergerak:  
mobile service:servis mobil:  
mobile service tower:menara servis mobil:  
mobile station:stasiun mobil  
mobile substation:substansi mobil  
mobility:mobilitas  
mock-up prototype :  
mod/demod:mode/demodular \*  
modal logic :  
Modal logic (NEW):modalitas logic  
Modal logic (NEW):modalitas logic  
modality:modalitas  
modality:modalitas  
mode:model  
mode:ragam  
mode:ragam

mode (FTP):mode (FTP)  
mode browser:ragam peramban  
mode conversion:konversi mode  
mode filter:filter mode  
mode message:pesan mode  
mode purity:puritas mode  
mode register:register mode  
mode separation:separasi mode  
mode set:perangkat modus  
mode set command:perintah perangkat mode  
model:model  
model :  
model 2 attachment:alat tambahan 2 model  
model 20 mode feature:ciri mode 20 model  
model building:bangunan model  
model checking:uji model  
model checking :  
model classification:klasifikasi model  
model command:perintah model  
model information system:model sistem informasi:  
model of decision-making:model pengambilan keputusan:DELETE  
model program generator:generator program model:  
model statement:pernyataan model:  
model statement:pernyataan/statemen model:  
model theory:teori model:  
modeler:pemodus:  
modeless:tanpa modus:  
modeling:pemodelan:  
modeling:pemodelan:  
modeling::  
Modeling and prediction:pemodelan dan prediksi:  
Modeling and recovery of physical attributes::DELETE  
modeling information:informasi pemodelan:  
Modeling methodologies:metodologi pemodelan:  
modeling of computer architecture:pemodelan arsitektur komputer:  
modeling packages:paket pemodelan:  
modeling techniques:teknik pemodelan:  
modeling time ::  
modelling language:bahasa pemodelan:1  
modelling languages:bahasa pemodelan:  
models and decision making:model dan pengambilan keputusan:DELETE  
modem:modem:1  
modem:modem:1  
modem:modem:1  
modem:modem:1  
modem:modem:

modem:modem:  
modem:modem:  
modem:modem:  
modem:modem:  
modem:modem:  
modem attachment:alat tambahan model:  
modem control:kontrol modem; kontrol modem:  
modem control:kontrol modem; kontrol modem:  
modem control register:register kontrol modem:  
modem control register:register kontrol modem:  
modem eliminator:penyisih modem:1  
modem fan-out:sebatang modem:  
modem fiber:fiber modem:  
modem pool:kumpulan modem:  
modem pool:kumpulan modem:  
modem status register:register status modem:  
modem status register:register status modem:  
modem transmission standards:standar transmisi modem:  
modem transmission standards:standar transmisi modem:  
modems:modem:  
modems in computer:modem di komputer:  
moderated newsgroup :newsgroup terkontrol  
modifiability:modifiabilitas  
modification:modifikasi  
modification:  
modification level:tingkat modifikasi  
modification loop:gelung modifikasi  
modification state:  
modified address:alamat termodifikasi  
modified frequency modulation:modulasi frekuensi  
modified frequency modulation:modulasi frekuensi termodifikasi  
modified frequency modulation recording:perekaman modulasi frekuensi termodifikasi  
"modified frequency modulation, magnetic recording":  
modified index:indeks berubah  
"modified non-return to zero inverted, magnetic recording":  
"modified return to bias, magnetic recording":  
modifier:modifikator  
modifier:penentu/modifier:  
modifier bit:bit penentu sifat:  
modifier function bit:bit fungsi penentu sifat:  
modifier part:bagian pemodifikasi:  
modifier register:register penentu:  
modify:modifikasi:  
modify feature:ciri ubah:  
modifying records:memodifikasi rekaman:1  
modifying records:memodifikasi rekaman:

modifying records:pengubahan rekaman:1  
modifying records:pengubahan rekaman:  
modular:modular:  
modular architecture :arsitektur modular:  
modular converter:konverter modular:  
modular decomposition::  
modular design ::  
modular programming:pemrogramman modulasi:  
modular type:tipe modular:  
modularity:modularitas:  
modularity ::  
modularity system design:desain sistem modular+C12430:  
modularization:modularisasi:1  
modularization:modularisasi:  
modularization:modularisasi:  
modularization ::  
modularization techniques:teknik modularisasi:1  
modularization techniques:teknik modularisasi:  
modularization techniques:teknik modularisasi:  
modulate:memodulasi:  
modulated amplifier:amplifier bermodulasi:  
modulated tube:tabung bermodulasi:  
modulated wave:gelombang bermodulasi:  
modulating electrode:elektroda modulasi:  
modulating speed:kecepatan permodulasian:  
modulation:modulasi:1  
modulation:modulasi:1  
modulation:modulasi:  
modulation:modulasi:  
modulation:modulasi:  
modulation amplitude:modulasi amplituda:  
modulation and multiplexing:modulasi dan multipleksing:  
modulation characteristic:karakteristik modulasi:  
modulation demodulation system:sistem demodulasi modulasi:  
modulation element:elemen modulasi:  
modulation factor:faktor modulasi:  
modulation frequency:frekuensi modulasi:  
modulation frequency:frekuensi modulasi:  
modulation index:indeks modulasi:  
modulation indicator:indikator modulasi:  
modulation loss:kerugian modulasi:  
modulation meter:meter modulasi:  
modulation noise:desah modulasi:  
modulation product:produk modulasi:  
modulation pulse code:modulasi kode pulsa:  
modulation rate:tingkat modulasi:



modulation signal:sinyal modulasi:  
modulation tube:tabung modulasi:  
modulations:modulasi:  
modulator:modulator:1  
modulator:modulator:  
modulator/demodulator:modulator:  
modulator-demodulator:modulator-demodulator:  
module:modul:  
module::  
module arithmetic:aritmetika modul:  
module attribute:atribut modul:  
module generator:generatot modul:  
module header:kepala modul:1  
module header:mukadimah modul:  
module ID:ID modul:  
module strength::  
module structure:struktur modul:  
module testing::  
modules:modul:  
modules:modul:  
modules:modul:  
modulo:modulo:  
modulo N check:tilikan modulo N:  
modulo two sum:operasi jumlahan modulo dua:  
modulo-n counter:kounter modulo-n:  
modulus:modulus  
MOESI:  
moire:moire  
moiré :moire  
moisture sensitive device:alat sensitif lembab; alat peka uap air  
moisture-proof case:bungkus tahan lembab  
mol:mol  
molar conductivity:konduktivitas geraham  
molded resistor:resistor berbentuk  
molded-case circuit-breaker:pemecah-sirkuit bungkus berbentuk  
mole:mola  
mole electronics:elektromika mola  
molelectronics:molektronika  
molecular beam epitaxy:epitaksi balok molekular  
molecular electronics:elektronik molekul  
molecular polarization:polarisasi molekular  
molecule:molekul  
moment:momen  
moment method:metode momen  
momentary breakdown:rusak momen  
momentary digital output:keluaran digital momen

momentary load:beban momen  
moments:momen  
momentum:momentum  
monadic Boolean operater:operator Boole monadik  
monadic boolean operator:operator boole monad  
monadic operater:operator monadik  
monadic operation:operasi monadik  
monadic operator:operator monadik  
monaural:monaural  
monaural hearing:dengar monaural\*  
monic:monik  
monitor:monitor:1  
monitor:monitor:1  
monitor:monitor:  
monitor:monitor:  
monitor:monitor:  
monitor:pantau; simak:  
monitor::  
monitor control program for microcomputers:program kontrol monitor mikrokomputer CP/M:  
monitor desk:meja monitor:  
monitor display:peragaan monitor:  
monitor display:peragaan monitor:  
monitor jack:dongkrak monitor:  
monitor key:kunci monitor:  
monitor printer:pencetak monitor:  
monitor program:program monitor:  
monitor scratch:guratan monitor:  
monitor station:stasiun monitor:  
monitoring:pemonitoran:  
monitoring amplifier:amplifier pemonitoran:  
monitoring controller:pengontrol pemonitoran:  
monitoring diagnostics:diagnostik pemonitoran:  
monitoring program:program pemantauan:  
monitoring system:sistem pemonitoran:  
monitors:monitor:1  
monitors:monitor:  
monitors:monitor:  
monitors:monitor:  
monochromatic light:cahaya monokromatik:  
monochromatic radiation:radiasi monokromatik:  
monochrome:monokrom:  
monochrome:monokrom:  
monochrome display adaptor (MDA):MDA:  
monochrome monitor:monitor monokrom :1  
monograph:monograf:  
monolithic:monolitik:

monolithic IC:IC monolitik:  
monolithic integrated circuit:sirkuit berintegrasi monolitik:  
monolithic integrated circuit:sirkuit terintegrasi monolitik:  
monolithic memory:memori monolitik:  
monolithic storage:penyimpan monolitik:  
monolithic storage:penyimpan monolitik:  
monomer:monomer:  
monomorphism:monomorfisme:  
monophonic:monofonik:  
monophonic broadcasting:transmisi informasi monofonik:  
monophonic recording:perekaman monofonik:  
monophony:monofoni:  
monopulse:monopulse:  
monopulse system:sistem monopulse  
monoscope:monoskop  
monoscope method:metode monoskop  
monostable:ekamantap  
monostable circuit:sirkuit monostabel  
monostable multivibrator:multivibrator monostabel  
monostable trigger circuit:sirkuit pelatuk monostabil  
monostable trigger circuit:sirkuit penyulut monostabil  
monotone:monoton  
monotonicity:mono tonisitas  
montage:montase  
Montague grammar:gramatika Montague  
Monte Carlo:Monte Carlo  
Monte Carlo:monte carlo  
Monte Carlo method:metode Monte Carlo  
monthly load factor:faktor beban bulanan  
moore model ::  
MOPS::  
mora:mora:  
moving picture expert group (MPEG):kumpulan pakar gambar bergerak:1  
morpheme:morfem:  
morphing:pembentukan:  
morphism:morfisme:  
morphological:morfologis:  
morphology:morfologi:  
morse code:sandi/kode Morse:  
MOS:MOS:  
MOS memory:ingatan MOS:  
"MOS, metal-oxide semiconductor"::  
mosaic:mosaik:  
Mosaic hotlist:mosaic hostlist:  
mosaic set:perangkat mosaik:  
mosaic type panel:panel tipe mosaik:

MOSFET:MOSFET:  
most significant:terpenting:  
most significant bit:bit terpenting:  
most significant digit:digit terpenting:  
moter drive punch:pelubang gerak moter \*:  
moter drive verifier:pentahlik gerak moter \*:  
mother board:papan induk:1  
mother board:papan induk:  
mother boards:papan induk:  
motherboard:papan utama:1  
motherboard :papan induk:  
motion:gerak:  
motion:gerak:  
motional impedance:impedans gerakan:  
motivation:motivasi:  
motor:motor  
motor car:mobil  
motor car with driver's car:mobil dengan sopir mobil  
motor circuit:sirkuit motor  
motor magnet:magnet motor  
motor sensation:sensasi motor  
motor type relay:relai tipe motor  
motorboating:sekoci  
motor-generator:generator-motor  
motorman's cab:masinis kap  
motor-operated starter:starter beroperasi-motor  
motors:motor  
mount:naik  
mount:"puncak, susun"  
mount attribute:atribut naik  
mount of a microwave tube:bingkai tabung gelombang mikro  
mountable:tersusun:  
mountainous propagation:perambatan bergunung-gunung:  
mounted spare:cadangan berbingkai:  
mounting:ganjal; bantalan:  
mounting plate:pelat peletakan:  
mouse:tetikus:1  
mouse:tetikus:1  
mouse:tetikus:1  
mouse:tetikus:  
mouse bus:bus tetikus:  
mouse driver:penggerak tetikus:  
MOV:MOV:  
movable head:kepala dapat gerak:  
movable heads:kepala mampu gerak:  
movable read head:kepala baca mampu gerak:

move:gerak:  
move:pindah:  
move instruction:instruksi langkah:1  
move instruction:instruksi langkah:  
move mode:ragam gerak:  
movement:gerakan:  
movement files:gerakan berkas:  
moving average:rata-rata perpindahan:  
moving blade:sudu jalan:  
moving coil pickup:daya akselerasi kumparan gerak:  
moving contact:kontak gerak:  
moving head disk:disket induk gerakan:  
moving magnet pickup:daya akselerasi magnet gerak:  
moving target indicator:indikator target gerak:  
moving-coil ammeter:ammeter kumparan-gerak:  
moving-coil galvanometer:galvanometer kumparan-gerak:  
moving-coil microphone:mikrofon kumparan-gerak:  
moving-coil pickup:daya akselerasi kumparan- gerak:  
moving-iron loudspeaker:pengeras suara induktor dinamis:  
moving-iron microphone:mikrofon induktor dinamis:  
moving-magnet galvanometer:galvanometer magnet jarum:  
moving-needle type galvanometer:galvanometer tipe jarum:  
MPEG:MPEG:  
MPEG algorithm:algoritma MPEG:  
MPEG card:kartu MPEG:1  
MPEG card:kartu MPEG:1  
MPEG card:kartu MPEG:  
MPEG file:berkas MPEC:1  
MPP:MPP:  
MPS:MPS:  
MPU:MPU:  
mput:mput :  
mput (FTP):mput (FTP):  
m-ranking:peringkat-m:  
mRNA:mRNA:  
MSB:MSB:  
MSB:MSB:  
MSC:MSC:  
MSD:MSD:  
MS-DOS:MS-DOS:1  
MS-DOS:MS-DOS:DELETE  
MS-DOS:MS-DOS:  
MSF:MSF (berkas sumber induk):  
MSI:MSI:  
MSI:MSI:  
MSS:MSS:

MSSC:MSSC:  
MSVC:MSVC:  
MTBF:MTBF:  
MTF:MTF  
MTTR:MTTR  
MTU:MTU  
mu factor:faktor mu  
mud lime:kapur lumpur  
multi access:multi akses  
multi access computer:komputer multiakses  
multi definition:multi definisi  
Multi User Dungeons (MUDs):MUD  
multiaccess:multi akses  
multiaccess:multi akses  
multiaccess computing:komputasi multi akses  
multi-access computing:komputasi multi akses  
multi-access computing:komputasi multi akses  
multiaddress:banyak alamat  
multiaddress instruction:instruksi multiadres  
multi-address instruction:instruksi alamat ganda:  
multiagent systems:sistem multiagen:  
multiaspect:multi aspek:  
multi-assignment:tugas-ganda:  
multiband antenna:antena pita ganda:  
multi-beam cathode-ray tube:tabung sinar-katoda balok-jamak:  
multibilling system:sistem pengajuan ganda:  
multiblock:multi blok:  
multibus:multibus:1  
multibus:multibus:  
Multibus::  
multicast:multikas:  
multicast:multikas:  
multicast :multikas:  
multicast :multikas:  
multicast backbone (MBONE):MBONE:  
multi-cavity klystron:klistron rongga-jamak  
multicellular voltmeter:voltmeter multiselular  
multichannel:saluran ganda  
Multichannel Multipoint Distribution Service (MMDS):MMDS  
multichannel telegraphy:telegrafi saluran banyak  
multichannel telephony:telefoni saluran banyak  
multi-character input:masukan karakter-jamak  
multichip:multichip  
multichip circuit:sirkuit multichip  
multichip package:paket multi cip  
multicomputer:multi komputer

multi-computer system:sistem multikomputer  
multiconductor cable:kabel konduktor banyak  
multi-contact relay:relai kontak-jamak  
Multidimensional:multidimensi  
multidimensional (multiple) quadrature:kuadratur multidimensi  
multidrop:multidrop:  
multidrop line:salur multidrop:1  
multidrop line:saluran multidrop:  
multielectrode tube:tabung elektroda banyak:  
multiemitter:multi emiter:  
multi-emitter transistor:transistor emitar-jamak:  
multiexchange call:panggilan multi tukar:  
multifile tape:pita multijajaran:  
multifile volume:isi multijajaran:  
multi-file volume:volume berkas-ganda:  
multiframe:multirangka:  
multifrequency generator:generator frekuensi banyak:  
multifrequency pushbutton set:perangkat tombolmultifrekuensi:  
multifrequency receiver:pesawat terima frekuensi ganda:  
multifrequency signal:signal multifrekuensi:  
multifrequency terminal:terminal multifrekuensi:  
multifunction board:papan mutifungsi:1  
multi-function card machine:mesin kartu fungsi ganda:  
multi-function card unit:unit kartu fungsi ganda:  
multifunction device:peranti multifungsi:1  
multifunction module:modul fungsi ganda:  
multigrad methods:metode multigrad:  
multihomed:multihome:  
multihomed host:host multihome:  
multihoming:multihoming:  
multi-hop transmission:transmisi lompatan-jamak:  
multi-instruction multi data stream:aliran data jamak instruksi-jamak:  
multi-instruction single data stream:aliran data tunggal instruksi-jamak:  
multijob:multi karya:  
multijob multiprogramming:multipemograman multitugas:  
multijob operation:operasi banyak kerja:  
multijob operation:operasi tugas ganda:  
multijob programming:pemograman multitugas  
multijob scheduling:penjadwalan tugas ganda  
multijobbing:penugasan ganda  
multijoint robot:robot multi patungan  
multikeyed:kunci ganda  
multilanguage:multi bahasa  
multilayer:multi lapis  
multilayer interconnection:interkoneksi lapisganda  
multileaving:lembaran ganda

multilevel address:alamat multilevel  
multi-level cache:  
multilevel index structure:struktur indeks bertaraf ganda  
multi-level memory:  
multilevel methods:metode multiaras  
multiline card print:cetak kartu garis banyak  
multi-line connection diagram:diagram hubungan garis- jamak  
multilinear regression ::  
multilink:multi sambungan:  
multiLISP:multiSILP:  
multilist:multi senarai:  
multi-list:senarai ganda:  
multimedia:multimedia:1  
multimedia:multimedia:1  
multimedia:multimedia:1  
multimedia:multimedia:DELETE  
multimedia:multimedia:  
multimedia:multimedia:  
multimedia:multimedia:  
multimedia:multimedia:  
multimedia collaboration:kerja sama multimedia:1  
multimedia collaboration:kerja sama multimedia:  
multimedia collaboration:kolaborasi multimedia:1  
multimedia collaboration:kolaborasi multimedia:  
multimedia databases:pangkalan data multimedia:  
multimedia DBMS:multimedia DBMS:  
multimedia interfaces:antarmuka multimedia:  
multimedia kiosks:kios multimedia:  
multimedia PC:PC multimedia:1  
multimedia technology:teknologi multimedia:1  
multimedia technology:teknologi multimedia:  
multimedia technology:teknologi multimedia:  
multimicroprocessor:mikroprosesor ganda:  
multimicroprocessor system:sistem multi mikro prosesor:  
multiminicomputer:multi mini komputer:  
multiminiprocessor:multyi mini prosesor:  
multimode:multi modus:  
multimode fiber:serat multiragam:1  
multimode fiber:serat multiragam:  
multinomial distribution:distribusi meultinomial:  
multioffice exchange:penukaran kantor banyak:  
multi-origination broadcast program:program siaran:  
"multipage, magnetic bubble memory "::  
multiparadigm languages:bahasa multiparadigma:  
multipart:bagian ganda:  
multiparty telephone:telepon partai banyak:



multiple sort:pilah/jenis multipas:  
multipath:lintasan ganda:  
multipath reflection:refleksi lintasan banyak:  
multiphase:fase ganda:  
multiple:ganda:  
multiple:ganda:  
multiple access computer:komputer akses ganda:1  
multiple address:alamat berganda:  
multiple address instruction:instruksi alamat rangkap:  
multiple address space:ruang alamat berganda:  
Multiple Address Systems (MAS):MAS:  
multiple aperture core:inti tingkap ganda:  
multiple channel:saluran ganda:  
multiple character set feature:ciri perangkat karakter jamak:  
multiple column select-sort suppress:tekanan jenis-seleksi kolom jamak:  
multiple computer system:sistem komputer rangkap:  
multiple connection:hubungan paralel:  
multiple connector:konektor berganda:  
multiple console support:pendukung multi konsol:  
multiple correlation:korelasi paralel:  
multiple course:kursus jamak:  
multiple data set groups:grup kumpulan data jamak:  
multiple declaration:deklarasi berganda:  
multiple inheritance:warisan ganda:1  
multiple inheritance ::  
multiple instruction multiple data (MIMD):MIMD:  
multiple instruction multiple data (MIMD):MIMD:  
multiple interfaces:antarmuka ganda:1  
multiple interfaces:antarmuka ganda:1  
multiple interfaces:antarmuka ganda:  
multiple interfaces:antarmuka ganda:  
multiple interrupt:interupsi berganda:  
multiple jack:dongkrak jamak:  
multiple linear regression:regresi linear jamak:  
multiple lock:kunci jamak:  
multiple matching clause:klausa penyuaiian ganda:1  
multiple matching clause:klausa penyuaiian ganda:  
multiple matching clauses:klausa suai ganda:  
multiple modulation:modulasi jamak:  
multiple operation:operasi berganda:  
multiple part:bagian berganda:  
multiple platter::  
multiple positioning:posisi jamak:  
multiple precision arithmetic:arimatika presisi tinggi:  
multiple processing:pemrosesan rangkap:  
multiple program:program ganda:

multiple punch:penebuk/pelubang jamak:  
multiple punching:pembuatan lubang pras berganda:  
multiple purpose dam:tanggul serba guna:  
multiple reflection echo:gema refleksi jamak:  
multiple requesting:minta berganda:  
multiple requesting:permintaan ganda:  
multiple results:hasil jamak:  
multiple routing:penyaluran ganda:  
multiple screen menu:menu layar ganda:1  
multiple screen menus:menu layar ganda:  
multiple session procedure:prosedure pembahasan berganda:  
multiple signal:sinyal jamak  
multiple SSAs:SSA jamak  
multiple stratification:stratifikasi jamak  
multiple string processing:pemrosesan sirkuitan jamak  
multiple system:sistem berganda  
Multiple System Operator (MSO):MSO  
multiple systems coupling:kopling sistem jamak  
multiple terminal simulator:simulator terminal berganda  
multiple track error:kekeliruan lintasan jamak  
multiple utility:utilitas berganda  
multiple virtual storage:penyimpan maya berganda  
multiple virtual storage:penyimpan maya ganda  
multiple virtual storage:penyimpan semu ganda  
multiple wait:tunggu berganda  
multiple winding:gulungan jamak  
multiple-address instruction:instruksi alamat berganda  
multiple-address message:pesan alamat-jamak:  
multiple-gun cathode-ray tube:tabung sinar-katoda senjata-jamak:  
"Multiple-instruction-stream, multiple-data-stream processors (MIMD)":MMID:  
"Multiple-instruction-stream, single-data-stream processors (MISD)\*\*":MISD:  
multiple-job processing:pemrosesan tugas- ganda:  
multiple-line:garis-jamak:  
multiple-operand instruction::  
multiple-precision:ketelitian berganda:  
multiple-precision number:bilangan presisi-rangkap:  
multiple-task management:managemen tugas berganda:  
multiple-tuned antenna:antena disetel jamak:  
multiple-twin cable:kabel kembang jamak:  
multiple-unit control:kontrol unit jamak:  
multiple-unit tube:tabung unit jamak:  
multiplex: multipleks:1  
multiplex:multipleks:  
multiplex:multipleks:  
multiplex communication:komunikasi multipleks:  
multiplex data terminal::

multiplex mode:mode multipleks:  
multiplex mode:model multipleks:  
multiplex operation:operasi multipleks:  
multiplex receiver:penerima multi pleks:  
multiplex system:sistem multipleks:  
multiplex telegraphy:telegrafi multipleks:  
multiplex transmission:transmisi multipleks:  
multiplex transmission line:garis transmisi multipleks:  
multiplex winding:gulungan multipleks:  
multiplexer:multiplekser:1  
multiplexer:multiplekser:  
multiplexer:multiplekser:  
multiplexer:multiplekser:  
multiplexer:multiplekser:  
multiplexer:multiplekser:  
multiplexer (MUX):multiplekser (MIX):1  
multiplexer channel:saluran pemultipleks:  
multiplexer channel:saluran pemultipleks:  
multiplexer device:peralatan multiplekser:  
multiplexer device:peralatan multiplekser:  
multiplexer mode:modus multipleks:  
multiplexer overlap:tumpang tindih pemultipleks:  
multiplexer terminal:terminal pemultipleks:  
multiplexer/R control additional:tambahan kontrol R/ pemultipleks:  
multiplexer/S control:kontrol S/pemultipleks:  
multiplexer/solid state:keadaan pajak/pemultipleks:  
multiplexing:pemultipleksan:  
multiplexor:multipleksor:  
multiplexor:multipleksor:  
multiplexor:pemultipleks:1  
multiplexor (MPX):multipleksor (MPX):  
multiplexor channel:kanal multipleksor:  
multiplexor channel:kanal multipleksor:  
multiplicand:multiplikan:  
multiplication:multiplikasi:  
multiplication:penggandaan:  
multiplication of integer(s):perkalian bilangan bulat:  
multiplication shift:pergantian penggandaan:  
multiplicity:multiplisitas:  
multiplier:pengali:  
multiplier:pengganda:  
multiplier-quotient register:register penggandahasil bagi:  
multiply:menggandakan:  
multiply re-entrant winding:gulungan masuk-kembali dikalikan:  
multiplying operator:operator pengalian:

multipoint:titik ganda:  
multipoint:titik-bertitik:  
multi-point:titik-jamak:  
multipoint bus::  
multipoint circuit:kalang/sirkuit banyak titik:  
multipoint connection:koneksi banyak titik:  
multipoint data link control:kontrol penghubung data titik banyak:  
multipoint distribution service:layanan distribusi titik ganda:  
Multipoint Distripution Service (MDS):MDS:  
multipoint line:garis banyak titik:  
multi-point line control:kontrol garis titik-jamak:  
multipoint network:jaringan banyak titik:  
multipoint network:jaringan multitik:1  
multipoint operation:operasi titik-bertitik:  
multipoint system:sistem titik-bertitik:  
multipoint tributary:cabang banyak titik \*:  
multipolar generator:generator berkutub banyak:  
multipole moment:momen ganda:  
multiport:multipart:  
multiport memory:memori banyak port:1  
multiport memory:memori banyak port:  
multiport memory:memori banyak port:  
multiposition action:aksi posisi jamak:  
multipriority:multi prioritas:  
multiprocess:multi proses:  
multiprocessing:multi proses:  
multiprocessing:multipemrosesan:1  
multiprocessing:pemrosesan multi:  
multiprocessing:pemrosesan multi:  
multiprocessing:pengalahan berganda:  
multiprocessing::  
multiprocessing system:sistem pemrosesan berganda:  
MULTIPROCESSING SYSTEM:SISTEM PEMROSESAN GANDA:  
multiprocessor:multiprosesor:1  
multiprocessor:multiprosesor:1  
multiprocessor:multiprosesor:  
multiprocessor:multiprosesor:  
multiprocessor:multiprosesor:  
multiprocessor:multiprosesor:  
multiprocessor:pengolah berganda:  
multiprocessor:pengolah ganda:  
multiprocessor element:elemen multi prosesor:  
multiprocessor system:sistem multiprosesor:  
multiprogramming:multipemrograman:1  
multiprogramming:multipemrograman:1  
multiprogramming:multipemrograman:

multiprogramming:multipemrograman:  
multiprogramming:multipemrograman:  
multiprogramming:multipemrograman:  
multiprogramming:pemrograman berganda:  
multiprogramming:pemrograman ganda:  
multiprogramming:pemrograman multi:  
multiprogramming:pemultiprograman:1  
multiprogramming::  
multiprogramming system:sistem pemrograman berganda:  
multiprogramming with a fixed number of tasks:pemrograman jamak dengan nomor tetap MFT borongan:  
multiprogramming with a fixed number of tasks:pemrograman jamak dengan nomor tetap tugas:  
multipulse:multi pulsa:  
multipunch:multitebuk:  
multipurpose internet mail extension (MIME):perluasan surat internet serbaguna:1  
Multipurpose Internet Mail Extensions:ekstensi surat internet multiguna:1  
Multipurpose Internet Mail Extensions:ekstensi surat internet multiguna:  
multipurpose internet mail extensions:MIME:  
Multi-purpose Internet Mail Extensions (MIME):MIME  
multiqueue:multi deret  
multiqueue operating:operasi multi deret  
multirange:deret jamak  
multirange amplifier:penguat jajaranberganda  
multi-record file:berkas rekam-jamak  
multireel:multirol  
multi-reel file:berkas rel-banyak  
multirouting:multi penrayekan  
multirunning:multi perusahaan  
multiscreen:multi layar  
multispectral scanner:pemindai spektral ganda  
multistage amplifier:penguat bertingkat banyak  
multistage interconnection network:  
multi-stage sampling:percontohan bertingkat banyak  
multistation:multistasiun  
multistation access unit (MAU):unit akses multistasiun:1  
multistep methods:metode multistep:  
multistep modulation:modulasi bertingkat:  
multi-structure file:berkas struktur ganda:  
multisystem:sistem berganda:  
multisystem communication unit:unit komunikasi sistem jamak:  
multisystem infrastructure:infrastruktur sistem multi:  
multisystem mode:mode multisistem:  
multisystem networking facility:fasilitas jaringan sistem ganda:  
multisystem operation:operasi sistem berganda:  
multisystem unit:unit sistem jamak:  
multitasking:multitugas:

multitape file:jajaran multipita:  
multitask:multi tugas:  
multitask multiprogramming:multipemrograman multitugas:  
multitask operation:operasi banyak tugas:  
multitask programming:pemrograman multitugas:  
multitask system:sistem multitugas:  
multitasking:banyak tugas:1  
multitasking:banyak tugas:  
multitasking:banyak tugas:  
multitasking:banyak tugas:  
MULTITASKING:PENUGASAN GANDA:  
multitasking::  
multi-tasking:banyak tugas:  
multi-tasking:banyak tugas:  
multi-tasking:tugas ganda:1  
multitasking built-in functions:fungsi tetap tugas ganda:  
multitasking system:sistem multitugas:  
multithread:multirangkaian:  
multi-thread:uliran jamak:  
multi-thread conversational processing:pemrosesan percakapan ulir ganda:  
multithreaded execution:eksekusi multithread:  
multithreading:multi perangkaian:  
MULTITHREADING:PENGULIRAN GANDA:  
multithreading ::  
multitiered environment:lingkungan multitier:  
multitrack:multi jalur:  
multiunit:multi unit:  
multiunit office:kantor unit jamak:  
multiuser:multipengguna:  
multiuser:multipengguna:  
MULTIUSER:PENGGUNA GANDA:  
multi-user:multipengguna:1  
multi-user:multipengguna:  
multi-user:multipengguna:  
multi-user:multipengguna:  
multi-user:pengguna ganda:1  
multiuser computer:komputer multipengguna:1  
Multi-User Dimension (MUD):MUD:  
multiuser software:perangkat lunak multi pengguna:  
multiuser support:dukungan multi pengguna:  
multivalue:multi nilai:  
multivalue methods:metode multinilai:  
multivariable control system:sistem kontrol variabel ganda:  
multivariate:peubah ganda:  
multivariate analysis:analisis banyak variasi:  
multi-vendor system:sistem multivendor:

multivibrator:multivibrator:  
multiviewport:multi vieqpoint:  
multivoltage generator:generator voltase jamak:  
multivolume:volume ganda:  
multivolume data set:kumpulan data volume ganda:  
multivolume file:jajaran multivolume:  
multivolume multiframe:multijajaran multivolume  
multi-volume multi-file:berkas jamak volume-jamak  
multiway channel:saluran multi arah  
multiwinding transformer:transformator gulungan banyak  
multiwindow:multi jendela  
muscle:otot  
music:musik  
music:musik  
music typewriter:mesin ketik musik  
musical instrument digital interface (MIDI):MIDI  
musical interval:interval musik  
musical sound:bunyi musik  
Must Carry (retransmission):transmisi ulang  
mutation:  
mutation testing:  
muting:pembisuan  
mutual conductance:konduktansi timbal-balik:  
mutual consistency:konsistensi mutual:  
MUTUAL EXCLUSION:EKSKLUSI TIMBAL BALIK:  
mutual exclusion:pengeluaran bergantian:  
mutual exclusion:pengeluaran bergantian:  
mutual exclusion:saling asing:1  
mutual inductance:induktans mutual:  
mutual induction:induksi timbal-balik:  
mutual information:informasi mutual:  
mutual reactance:reaktansi timbal-balik:  
MVS:MVS:  
MVS:MVS:  
MVT:MVT:  
MVT:MVT:  
MX computes:komputer MX:  
MX records:catatan MX:  
Mylar:Mylar  
Mylar tape:pita Mylar  
myosin:miosin  
n address instruction:instruksi alamat-n  
n max:maks n  
N-adic Boolean operation:operasi Boole N-adic  
N-adic operation:operasi N-adic  
nail head bonding:ikatan kepala paku

NAK:NAK  
 name:nama  
 name:name  
 name entry:entri nama  
 name field:medan nama  
 name of label exit:nama label keluar  
 name plate:pelat nama  
 name qualification:kualifikasi nama  
 name resolution:resolusi nama:  
 name resolver:peresolusi nama:  
 name service:jasa nama:  
 name space:ruang nama:  
 name table:tabel nama:  
 named:bernama:  
 naming authority:otoritas penamaan:  
 naming files:berkas penamaan:1  
 naming files:penamaan berkas:  
 naming files:penamaan berkas-berkas:  
 NaN (IEEE float encoding)::  
 NAND:NAND:  
 NAND circuit:kalang/sirkuit NAND:  
 NAND circuit:SRM:  
 NAND element:elemen NAND:  
 NAND gate:gerbang NAND:1  
 NAND gate:gerbang NAND:1  
 NAND gate:gerbang NAND:  
 NAND gate:gerbang NAND:  
 NAND operation:operasi NAND:  
 nano:nano:  
 nanocircuit:monosirkuit:  
 nanoprocessor:monoprosesor:  
 nanoprogram:monoprogram:  
 nanosecond:nanodetik:  
 nanovolt:nanovolt:  
 nanowatt:nanowatt:  
 NAP::  
 narrative:naratif:  
 narrow band:band sempit:  
 Narrowband:band sempit:  
 narrowband channel:kanal band sempit:  
 narrowband channels:kanal band sempit:  
 narrow-band filter:saringan pipa-sempit:  
 narrowcast :narrowkas:  
 Narrowcasting:narrowkas:  
 N-ary:N-an:  
 n-ary association ::



NASA:NASA:  
NASA spacelink:sambungan ruang angkasa NASA:  
NASA/IPAC Extragalactic Database (NED):NED:  
Nassi-Shneiderman chart:bagan Nassi-Shneiderman:1  
"nassi-Shneiderman chart,"::  
Nassi-Shneiderman charts:bagan Nassi-Shneiderman:  
nat:alamiah\*:  
NAT :NAT:  
national center for supercomputer applications (NCSA):NCSA:  
national center for supercomputer applications (NCSA):NCSA:  
National Computer Conference:Konferensi Komputer Nasional  
National Information Infrastructure (NII):NII  
National Public Telecommunication Network (NPTN):NPTN  
national railway:jalan rel nasional  
National Research and Education Network (NREN):NREN  
national science foundation (NSF):NSF  
National Science Foundation Network (NSFNET):NSFNET  
National Television Standards Committee (NTSC):NTSC  
native mode:ragam asli  
native tape attachment:penyematan pita alam  
natural:natural  
natural basis:dasar alami  
natural current:arus alamiah  
natural draft:bagan alamiah  
natural frequency:frekuensi alami  
natural frequency of transient recovery voltage:frekuensi voltase derek transient alamiah  
natural gas:gas alam:  
natural illumination:ilmuminasi alamiah:  
natural intelligence vs artificial intelligence:kecerdasan alami vs kecerdasan buatan:  
natural join:gabungan alami:  
NATURAL JOIN::  
natural keyboard:papan tombol alami:1  
natural language:bahasa alami:1  
natural language:bahasa alami:  
natural language:bahasa alami :1  
natural language ::  
natural language (user interface):bahasa alami (antarmuka pengguna):  
natural language interfaces:antarmuka bahasa alami:  
natural language processing (NLP):pemrosesan bahasa alami:1  
natural language processing (NLP):pemrosesan bahasa alami (NLP):1  
natural language processing (NLP):pemrosesan bahasa alami (NLP):  
natural language processing (NLP):pemrosesan bahasa alami (NLP):  
natural languages:bahasa alami:  
natural metric ::  
natural noise:desah alami/asli:  
natural number:nomor alami:

istilah-ti-indonesia

natural oscillation:osilasi alamiah:  
natural unit of information content:unit alamiah dari isi informasi:  
natural vibration:vibrasi alamiah:  
natural wavelength:panjang gelombang alamiah:  
naturalness:kewajaran:  
nature of data:sifat data:DELETE  
NAU:NAU:  
navigation:navigasi:  
navigation key:kunci navigasi:1  
navigator:navigator:1  
navigator:navigator:  
n-bit byte:byte bit-n:  
NCC:NCC:  
n-component column vector:vektor kolom komponen-n:  
n-core-per-bit storage:gudang n-core-per-bit:  
N-core-per-bit storage:penyimpan inti-per-bit-N:  
NCP:NCP:  
NCP generation:generasi NCP:  
NCSA:NCSA:  
N-cube:kubus-N:  
near echo:gema dekat:  
near letter quality:NLQ:  
near letter quality printer (NLQ printer):pencetak hampir kualitas huruf (pencetak NLQ):1  
near miss:near miss:  
near-by echo:gema dekat:  
near-by frequency:frekuensi dekat:  
near-end crosstalk:cakapsilang ujung-dekat:  
necessary bandwidth:lebatang pita penting:  
need:keperluan  
need:keperluan/butuh  
NEED ANALYSIS:ANALISIS KEBUTUHAN  
needle:jarum  
needle electrode:elektroda jarum  
needle spark gap:celah busi jarum  
needs:anekakeperluan  
negate:penghilangan  
negater:negater  
negation:"penghilangan, negasi"  
negative:negatif  
negative acknowledge:pengakuan negatif  
negative acknowledge:pernyataan negatif  
negative acknowledge (NAK):NAK  
negative acknowledge character:karakter pernyataan negatif  
negative acknowledgement:pengakuan negatif  
negative acknowledgment:pengakuan negatif  
negative bias:bias negatif

negative brush-lead:timbel-sikat negatif  
negative charge:muatan negatif  
negative edge:tepi negatif  
negative electricity:keelektrikan/eletrisitas negatif  
negative electricity:kelistrikan negatif  
negative electrode:elektrode negatif  
negative entry:entri negatif  
negative feed back:kopling negatif  
negative feedback:umpan balik negatif  
negative glow:pijar negatif  
negative indication:indikasi negatif  
negative ion:ion negatif  
negative logic:logika negatif  
negative modulation:modulasi negatif  
negative pole:kutub negatif  
negative receiving:penerimaan negatif  
negative resistance:hambatan negatif  
negative response:respons negatif  
negative temperature characteristic:karakteristik temperatur negatif  
negative term:jangka waktu negatif  
negative terminal:terminal negatif  
negative-phase-sequence component:komponen urutan-fase- negatif  
negative-phase-sequence overcurrent relay:relai arus lebih urutan- fase negatif  
negator:negator  
negatron:negatron  
negentropy:negentropi  
negotiation:perundingan  
neighbor:jiran  
neighbor notification:notifikasi tetangga  
neighborhood:lingkungan  
neighborhood system:sistem lingkungan  
neighbour:tetangga  
neither-nor operation:operasi baik-maupun  
NEITHER-NOR operation:operasi NEITHER-NOR  
neocognitron:neokognitron  
neologism:neokogisme  
neon glim lamp:lampu kelip neon  
neon indicator:indikator neon  
neper:neper  
nerve:saraf  
nest:sarana  
nest:sekumpulan  
nest structure:struktur sarang  
nestar plan series:seri rencana netstar  
nested DO:DO bertandan  
nested structure:struktur sarang

nested subroutine:subrutin tersarang  
nested subroutine:subrutin tersarang  
nesting:penyelamatan  
nesting:tandanan  
nesting level:tingkat penyelamatan  
nesting level:tingkat tandanan  
nesting loop:simpal penyarangan  
nesting subroutine:subrutin penyarangan  
net:jala  
Net :jaringan  
NeT (network) names:NET (jaringan) nama  
net attenuation:atenuasi jala  
net beui:  
net head:kepala jala  
net loss:kerugian jala  
net present value (NPV):NPV  
net present value (NPV):NPV:  
net surfing:selancar Internet:1  
net time:waktu jala:  
net/one personal connection:sambungan pribadi net/one:  
NETBIOS:NETBIOS:  
Netcheque :ceknet:  
Netcheque :ceknet:  
NETCOM On-line Communication Services:NETCOM On-line Communication Services:  
Netfind:carinet:  
netiquette:netiket:  
netlist:senarai bersih:  
netmask:masker Internet:1  
netmask:netmask:  
NetMeeting :PertemuanNet:  
netnews ::  
netscape:netscape:1  
netscape:netscape:DELETE  
NetShow :PeragaanNet:  
netsite:situs jaringan:1  
netsite:situs jaringan:1  
netsite:situs jaringan:1  
netsite:situs jaringan:  
netsite:situs jaringan:  
netsite:situs jaringan:  
netsite:situs jaringan:  
netstar plan 5000::DELETE  
nettiquette::  
NetWare:netware:DELETE  
netware:netware:  
NetWare:netware:  
NetWare:netware; perangkat jaringan:1

netware commands:perintah netware:  
NetWare diagnostics:diagnostik netware:1  
NetWare diagnostics:diagnostik netware:  
netware diagnostics:diagnostik netware:  
network:jaringan:1  
network:jaringan:1  
network:jaringan:  
network:jaringan:  
network:jaringan :  
network (plex) structure:struktur jaringan:1  
network (plex) structure:struktur jaringan:  
network (plex) structure:struktur jaringan:  
network access time:waktu akses jaringan:1  
network adapter:adapter jaringan:1  
network adapter card:kartu adapter jaringan:1  
network adaptor:adaptor jaringan:1  
network adaptor:adaptor jaringan:  
network adaptor card:kartu adaptor jaringan:  
network address:alamat jaringan:  
network address translation:translasi alamat jaringan:1  
network addressable unit:unit teralamatkan jaringan:  
network addressable unit (NAU):unit beralamat jaringan:1  
network administrator:administrator jaringan:1  
network analog:analog jaringan:  
network analysis:analisis jaringan:1  
network analyzer:penganalisis jaringan:  
network architecture:arisitektur jaringan:  
network architecture:arsitektur jaringan:1  
network architecture::  
network architectures:arsitektur jaringan:1  
network architectures:arsitektur jaringan:  
network architectures:arsitektur jaringan:  
network attachment:bawaan jaringan:  
network basic input and output system:sistem dasar masukan dan keluaran jaringan:  
network basic input and output system :sistem input output dasar jaringan:1  
network calculator:kalkulator jaringan:  
network chart:gambatang jaringan:  
network communication:komunikasi jaringan:  
network communication device:peranti komunikasi jaringan:1  
network communication device:peranti komunikasi jaringan:  
network communications:komunikasi jaringan:  
network communications devices:peralatan komunikasi jaringan:  
network communications devices:peralatan komunikasi jaringan:  
network computer:komputer jaringan:1  
network computer:komputer jaringan:1  
network computers:komputer jaringan:

network computing:komputasi jaringan:1  
network computing:komputasi jaringan:  
network congestion:kemacetan jaringan:1  
network control:kontrol jaringan:1  
network control:kontrol jaringan:  
network control:kontrol jaringan; kontrol jaringan:  
network control center:pusat pengendali jaringan:  
network control mode:mode kontrol jaringan:  
network control program:program kontrol jaringan:  
network control program generation:generasi program kontrol jaringan:  
network control program/virtual storage:penyimpan maya/ program kontrol jaringan:  
network control unit:unit kontrol jaringan:  
Network Data Management Protocol (NDMP):protokol manajemen data jaringan:1  
network data model:model data jaringan:1  
network database models:model pangkalan data jaringan:1  
network database models:model pangkalan data jaringan:  
network databases:pangkalan data jaringan:1  
network databases:pangkalan data jaringan:  
network definition:definisi jaringan:  
network design:desain jaringan:1  
network device driver:pemacu peranti jaringan:1  
network directory:direktori jaringan:1  
network enhanced windows (NEWT) TCP/IP:NEWT TCP/IP:  
network evaluation:evaluasi jaringan:  
network evaluation bit rate:evaluasi laju bit jaringan:  
network evaluation NICs:evaluasi NICs jaringan:  
network evaluation operating systems:evaluasi sistem operasi jaringan:  
network evaluation performance formula:evaluasi persamaan kinerja jaringan:  
network evaluation physical site:evaluasi situs fisik jaringan:  
network evaluation servers:evaluasi server jaringan:  
Network File System:sistem berkas jaringan:1  
network file system (NFS):sistem berkas jaringan (NFS):  
network file system (NFS):sistem berkas jaringan (NFS):  
network function:fungsi jaringan:  
network functions:fungsi jaringan:  
network hardware:perangkat keras jaringan:  
network I/O:I/O jaringan:  
network information center (NIC):pusat informasi jaringan:1  
network information center (NIC):pusat informasi jaringan:  
network installation:instalasi jaringan:  
network installation:instalasi jaringan:  
network installation cable connectors:instalasi konektor kabel jaringan:  
network installation cable distribution:instalasi distribusi kabel jaringan:  
network installation cable handling:instalasi penanganan kabel jaringan:  
network installation cable testing:instalasi pengujian kabel jaringan:  
network installation fault tolerance:instalasi toleransi kesalahan jaringan:

istilah-ti-indonesia

network installation fire-retardant cable:instalasi kabel anti kebakaran di jaringan:  
network installation grounding:instalasi pentanahan jaringan:  
network installation interference:instalasi interferensi jaringan:  
network installation log:instalasi log jaringan:  
network installation planning:instalasi perencanaan jaringan:  
network interface card:kartu antarmuka jaringan:  
network interface card (NIC):kartu antarmuka jaringan:1  
network interface card (NIC):kartu antarmuka jaringan:  
network interface card (NIC):kartu antarmuka jaringan:  
network interface card (NIC):kartu antarmuka jaringan (NIC):1  
network interface unit:unit antarmuka jaringan:  
network interface unit (NIU):unit antarmuka jaringan:1  
network interface unit (NIU):unit antarmuka jaringan:  
network latency:kelatengan jaringan:1  
network layer:lapisan jaringan:1  
network layer:lapisan jaringan:  
network layer:lapisan jaringan:  
network level:aras jaringan:1  
network level:aras jaringan:  
network management:manajemen jaringan:1  
network management:manajemen jaringan:  
network management:manajemen jaringan:  
network management center (NMC):pusat manajemen jaringan:1  
network management center (NMC):pusat manajemen jaringan:  
network management software:perangkat lunak manajemen jaringan:  
network manager:manajer jaringan:  
network menus:menu jaringan:  
network model:model jaringan:  
network monitor:monitor jaringan:1  
network monitor:monitor jaringan:  
network monitoring:pemonitoran jaringan:  
network name:nama jaringan:  
network news:jaringan news:  
Network News Transfer Protocol (NNTP):NNTP:  
Network News Transfer Protocol (NNTP):protokol transfer berita jaringan (NNTP):1  
network node:simpul jaringan:  
network node:simpul jaringan:  
network of conductors:jaringan konduktor:  
network of machines:jaringan mesin:  
network operating system:sistem operasi jaringan:1  
network operating system:sistem operasi jaringan:1  
network operating system:sistem operasi jaringan:  
network operating system:sistem operasi jaringan:  
network operating system:sistem pengoperasian jaringan:1  
network operating system:sistem pengoperasian jaringan:  
network operating system (NOS):sistem operasi jaringan:

network operating systems:sistem operasi jaringan:  
network operation systems:sistem operasi jaringan:  
network operator:operator jaringan:  
network operator command:perintah operator jaringan:  
network operator command:perintah operator jaringan:  
network operator console:konsol operator jaringan:  
network operator logon:logon operator jaringan:  
network operator terminal:terminal operator jaringan:  
network path:alur jaringan:  
network personal computer (net PC):komputer pribadi jaringan (net PC):1  
network planning:perencanaan jaringan:  
network preparation processor:pemroses persiapan jaringan:  
network problems:masalah jaringan:  
network protocol:protokol jaringan:  
network protocols:protokol jaringan:1  
network protocols:protokol jaringan:  
network provider:penyedia jaringan:1  
network provider:penyedia jaringan:  
network quiescence:ketenangan jaringan:  
network resource:sumber jaringan:  
network security:keamanan jaringan:1  
network server:server jaringan:1  
network services:layanan jaringan:  
network site license:lesensi situs jaringan:1  
network slowdown:kemunduran jaringan:  
network sniffer:pencium jaringan:  
"Network Solution, Inc.,":"Network Solution, Inc.,":  
network specialist:pakar jaringan:  
network stabilization:pemantapan jaringan:  
network structure:struktur jaringan:  
network supervisor:pensupervisi jaringan:  
network support manager:manager pendukung jaringan:  
network switching:pengalihan jaringan:  
network switching:pengalihan jaringan:  
network terminal:terminal jaringan:1  
Network Time Protocol (NTP):protokol waktu jaringan (NTP):1  
network topologies:topologi jaringan:1  
network topologies:topologi jaringan:  
network topologies:topologi jaringan:  
network topology:topologi jaringan:1  
network topology:topologi jaringan:  
network topology:topologi jaringan:  
network user address (NUA):alamat pengguna jaringan:1  
network user address (NUA):alamat pengguna jaringan:  
network user identifier (NUI):petanda pengguna jaringan:1  
network user identifier (NUI):petanda pengguna jaringan:



Network/Networking:penjaringan:  
networking:penjaringan:  
networking alternatives:alternatif jaringan:  
networking alternatives PBX:alternatif jaringan PBX:  
networking alternatives PBX to LAN connections:alternatif jaringan sambungan PBX ke LAN:  
networking hardware:perangkat keras jaringan:1  
networking software:perangkat lunak jaringan:1  
networks:jaringan:1  
networks:jaringan:  
networks:jaringan:  
networks:jaringan:  
networks and database:jaringan dan pangkalan data:  
networks and database:jaringan dan pangkalan data:  
networks and errors:jaringan dan galat:DELETE  
networks and networking:jaringan dan penjaringan:  
networks and networking client/server computing:komputasi klien/server dalam jaringan dan penjaringan:  
networks and networking layers:lapisan jaringan dan penjaringan:  
networks and programs:jaringan dan program:  
networks communications integration:integrasi jaringan komunikasi:  
networks connectivity:konektivitas jaringan:  
networks hierarchical scheme:skema hierarkis jaringan:  
networks programs:program jaringan:  
neural control:kontrol saraf:  
neural nets:jaringan syaraf:  
neural nets:jaringan syaraf tiruan:  
neural nets:jaringan syaraf tiruan:  
neural network:jaringan syaraf  
neural network:jaringan syaraf tiruan  
neural network:jaringan syaraf tiruan  
neural networks:jaringan syaraf tiruan  
neurobiology:neurobiologi  
neuroblast:neuroblas  
neuro-computer:neurokomputer  
neurocyte:neurosit  
neurodynamics:neurodinamika  
neuroelectricity:neuroelektrisitas  
neuron:neuron  
neurophysiology:neurofisisologi  
neuroplasm:neuroplasma  
neuroscience:ilmu saraf  
neutral:netral  
neutral contact:kontak netral  
neutral corpuscle:sel darah netral  
neutral earthing:hubungan tanah netral  
neutral grounding:tanah netral

neutral point:titik netral  
neutral relay:relai netral  
neutral transmission:transmisi netral  
neutral zone:zona netral  
neutrality condition:kondisi kenetralan  
neutralization:netralisasi  
neutralizing balance:neraca penetralan  
neutrodyne:neutrodina  
neutron:neutron  
never-call function:fungsi takpernah panggil  
new informatics:informatika baru  
New Line:baris Baru  
new line:baris baru  
new line character:karakter garis baru:  
new master disk:disket utama baru:  
new master file:jajaran utama baru:  
new master tape:pita utama baru:  
new PSW:PSW baru:  
newbie:pemula:1  
newbie :pemula:  
newbies:pemula:  
new-line character:karakter garis-baru:  
NEWPAGE:halaman baru:1  
NEWPAGE:NEWPAGE:DELETE  
news ::  
news group::  
news reader :pembaca news:  
news reader software:perangkat lunak pembaca berita:1  
news readers:pembaca news:  
newsgroup:kelompok warta; kelompok diskusi:1  
newsgroup:kelompok warta; kelompok diskusi:  
newsgroup:kumpulan berita:1  
newsgroup audio:audio kelompok diskusi:1  
newsgroup audio:audio kelompok diskusi:  
newsgroup multimedia:multimedia kelompok diskusi:1  
newsgroup multimedia:multimedia kelompok diskusi:  
newsgroups:kelompok diskusi ; kelompok warta:1  
newsgroups:kelompok diskusi ; kelompok warta:  
newsgroups:kelompok warta; kelompok diskusi:DELETE  
newsgroups:newsgroup:  
newton:newtron:  
newvicon:newvicon:  
next address instruction:instruksi alamat berikut:  
next group rule:kaidah grup baru:  
next header:header selanjutnya:  
next hop:hop selanjutnya:

next-hop forwarding::  
nexus:neksus:  
NFS:NFS:  
NFS (network file system):sistem berkas jaringan:1  
NFS (Network File System):Sistem Berkas Jaringan:  
NIB:NIB:  
NIB list:senarai NIB:  
nibble:nibel:1  
nibble:nibel; gigit:  
nibble:nibel; gigit:  
nibble-mode DRAM::  
NIC:NIC:  
nick:takik:  
nicknames:nama panggilan:  
NICs:NICs:  
night effect:efek malam:  
night load:beban malam:  
night position:posisi malam:  
nine month flow:pasang bulan sembilan:  
nine track:sembilan jalur:  
nine-bit byte:bit sembilan-bit:  
nine-edge leading:awal ujung sembilan\*:  
nines complement:komplemen sembilan:  
nine's complement:komplemen sembilan:  
nine-track magnetic tape:pita magnetik sembilan-jalur:  
ninety-column card:kartu kolom-sembilan puluh:  
NIP:NIP:  
nipper:penggigit:  
NIS (network information services):layanan informasi jaringan:1  
NIS (Network Information Services):Layanan Informasi Jaringan:  
nit:nit:  
nitrogen gas cylinder:silinder gas nitrogen  
nitrogen-sealed transformer:transformer tertutup- nitrogen  
Nixie tube:tube Nixie  
NL:NL  
N-level address:alamat tingkat-N  
NLX :NLX  
nmap:nmap  
nmap (FTP):nmap (FTP)  
NMOS:NMOS  
NNTP :NNTP  
no connection:tanpa sambungan  
"no fetch on write, in a cache":  
no label:tanpa label  
NO OP:NO OP  
no operation:operasi no

no operation instruction:instruksi tidak-operasi  
no response:respons no:  
no-address instruction format:format perintah tanpa alamat:  
no-charge call:panggilan tanpa muatan:  
node:simpul:1  
node:simpul:  
node:simpul:  
node :simpul:1  
node initialization block:blok inialisasi simpul:  
node name:nama simpul:  
node processor:pemroses simpai:  
nodes:simpul:  
NOEJECT:NOEJECT:DELETE  
NOEJECT:tan:1  
NOHEAD:NOHEAD:DELETE  
NOHEAD:tankepala:1  
noise:derau:  
noise:gangguan:  
noise burst signal:sinyal ledakan bunyi:  
noise cancel:batal deran:  
noise factor:faktor desah:  
noise field intensity:intensitas medan suara:  
noise figure:figur desah:  
noise filter:saringan gangguan/derum:  
noise generator:generator desah:  
noise immunity:imunitas derau:1  
noise immunity:inunitas desah:  
noise immunity:inunitas desah:  
noise killer:peredam derau:  
noise level:taraf desah:  
noise limiter:pembatas suara:  
noise margin:margin desah:  
noise meter:meter suara:  
noise record:rekaman desah:  
noise signal:sinyal derau:1  
noise silencer:peredam bunyi suara:  
noise suppressor:penekan suara:  
noise temperature:temperatur desah:  
noise transmission impairment:pelemahan transmisi suara:  
noisiness:kederauan:  
noisy digit:digit deranan:  
noisy mode:ragam desah:  
no-load:tanpa beban:  
no-load current:arus tanpa beban:  
no-load Q:Q tanpa beban:  
no-load running:larian tanpa beban:

no-load saturation curve:kurva kejenuhan tanpa beban:  
no-load speed:kecepatan tanpa beban:  
no-load test:tes tanpa beban:  
nominal band width:lebatang pita nominal  
nominal discharge current:arus pengosongan nominal  
nominal horsepower:daya kuda nominal  
nominal rating:pengujian nominal  
nominal speed:kepesatan nominal  
nominal steepness:tingkatan nominal  
nominal transfer rate:laju transfer nominal  
nominal value:nilai nominal  
nomograph:nomograf  
non destructive read-out:pembacaan tak destruktif  
non maskable interrupt:interupsi  
non packet mode terminal:terminal mode nonpaket  
non preemptive:nonpreemptif  
non return to zero:tak kembali ke nol  
non return to zero change on ones recording:penukaran tak kembali ke nol pada perekaman satu  
"non step transition, magnetic recording":  
non volatile:tak menguap  
non volatile:tak mudah berubah  
nonadd function:fungsi tak nambah  
nonaddressable:tak teralamatkan  
nonalgebraic algorithms:algoritma nonaljabar  
"non-allocate on write, in a cache":  
nonarithmetic operation:operasi nonaritmetik  
non-automatic block section:seksi blok tak-otomatis  
nonblocking:nonblok  
non-blocking cache:  
non-central:tak-sentral  
non-coincident demand:permintaan tak kebetulan  
non-combustible:tak mampu bakar  
non-commentary source statements (NCSS) :  
nonconductor:nonkonduktor  
non-conductor:tak konduktor  
non-conformance:  
nonconformity:  
nonconjunction:nonkonjungsi  
non-conjunction:non konjungsi  
non-conjunction:non-konjungsi  
non-connected storage:penyimpan tak-tersambung  
noncontiguous item:unsur/item jauh  
non-contiguous item:butir tak-dekat  
nonconversational:nonkonversasi  
non-data set clocking:jam perangkat tanpa data  
non-dedicated workstation:stasiun kerja tak-terpakai

nondeletable:tak terhapuskan  
nondestructive cursor:kursor nondestruktif  
nondestructive inspection:inspeksi nondestruktif  
non-destructive inspection:inspeksi tak destruktif  
nondestructive read:bacaan nondestruktif  
non-destructive reading:pembacaan tak-destruktif  
non-destructive readout:  
non-destructive readout memory:memori membaca tak destruktif  
nondestructive readout storage:penyimpan pembacaan nondestruktif  
nondestructive read-out storage:penyimpan pembacaan tak merusak\*  
nondeterminacy:nondeterminisasi  
nondeterminism:ketidakpastian  
nondeterminism:nondeterminisme  
nondeterministic:nondeterministik  
non-deterministic :  
nondeterministic languages:bahasa non-deterministik  
nondeterministic statement:pernyataan nondeterministik  
nondirectional microphone:mikrofon tak-langsung  
nondisjunction:nondisjungsi  
non-disjunction:non disjungsi  
non-disjunction:non-disjungsi  
nondispatchable:tak-tersalur  
non-display/non-print data:data tak cetak/tak tampil  
non-duplication rules:aturan tidak terduplikasi  
non-effectively earthed system:sistem terbumikan tak efektif\*  
nonequivalence:nonekuivalens  
non-equivalence:tak padan  
nonequivalence element:elemen nonekuivalens  
non-equivalence operation:operasi non ekuivalen  
nonerasable storage:penyimpanan tak terhapus  
non-erasable storage:simpan tetap; -- mantap  
nonexclusive:noneksklusif  
non-executable statement:kalimat tak dapat dieksekusi  
nonexecutable:tak terlaksanakan  
non-executable instruction:instruksi tak terlaksanakan  
non-executable statement:pernyataan tak- terlaksana  
nonformat:nonformat  
nonfunctional requirement:kebutuhan non-fungsional:1  
nonfunctional requirements:kebutuhan non-fungsional:  
nongeographic:nongeografik:  
non-glare face-plate picture tube:tabung gambatang datar tak kilau \*:  
non-harmonic component:komponen tak-harmoni:  
non-homing switch:saklar tak-berharmoni:  
non-identity operation:operasi tanpa identitas:  
nonimpact printer:pencetak tak ketuk:1  
nonimpact printer:printer nonimpak:

non-impact printer:pencetak non-ketuk:  
 non-impact printer:printer tak berdampak:  
 non-impact priter:pencetak tan-dampak:  
 non-individual body:bodi non-individual \*:  
 non-inductive circuit:rangkaian tak-induksi:  
 non-inductive load:muatan tak-induktif:  
 non-inflammable:anti nyala:  
 noninteractive:noninteraktif:  
 noninterlaced monitor:monitor tak selang seling:1  
 non-isolated amplifier:penguat tak terisolasi:  
 nonkey identifier:pengenal non-kunci:1  
 nonlinear:taklinear:  
 nonlinear approximation:aproksimasi taklinear:  
 nonlinear crosstalk:pembicaraan silang nonlinear:  
 nonlinear distortion:distorsi nonlinear:  
 nonlinear equation:persamaan nonlinear:  
 nonlinear loading:pemuatan nonlincar:  
 nonlinear optimization:optimasi taklinear:  
 nonlinear programming:pemrograman taklinear:  
 nonlinear regression analysis:analisis regresi taklinear:  
 nonlinearity:nonlinearitas:  
 non-loaded cable:kabel nirbeban:  
 non-loaded circuit:sirkuit nirbeban:  
 nonloaded lines:garis tak terbeban  
 nonlocal:nonlokal  
 nonlocking:tak mengunci  
 non-locking:tak menggaet  
 non-magnetic material:bahan nirmagnetik  
 non-magnetic substance:bahan nirmagnetik  
 non-maskable interrupt (NMI):NMI  
 "non-maskable interrupt, NMI":  
 nonmonotonic reasoning:  
 nonnegative integer:bilangan bulat non negatif  
 non-normalized arithmetic:aritmetik tak-normal  
 non-normalized number:bilangan tak-normal  
 nonnumeric application:aplikasi nonnumerik  
 non-numeric item:butir tak-numerik  
 nonnumeric literal:literal tak berangka  
 non-numeric literal:harfiah tak-numerik  
 non-numeric operand:suku operasi tak-numerik:  
 non-numerical switch:alih tancacah:  
 nonobject property:sifat non-objek:1  
 non-operating current:arus takkerja:  
 non-oscillatory discharge:pemberhentian non-osilatori \*:  
 nonoverlap mode:ragam tak tumpang tindih:  
 nonpageable area:daerah tak berhalaman:

istilah-ti-indonesia

non-pageable area:medan takterhalami:  
nonpageable dynamic area:area dinamik:  
nonpageable dynamic area:daerah/area dinamik tak berhalaman:  
nonpageable partition:partisi tak dapat berhalaman:  
nonpageable region:daerah tak dapat berhalaman:  
nonpageable region:daerah/kawasan tak berhalaman:  
nonparametric statistics:statistik non-parametrik:  
non-polarized relay:siaran tak terpolarisasi \*:  
non-polarized return-to-zero recording:perekaman kembali ke nol tak-terpolarisasi:  
nonpreemptive scheduling::1  
nonprint:bukan cetak:  
non-print code:kode tak-cetak:  
nonprint function:fungsi tak cetak:  
non-printing card punch:pelubang kartu tak cetak \*:  
non-privileged instruction:instruksi tanpa privelese:  
nonprocedural:nirprosedural:1  
nonprocedural:nirprosedural:DELETE  
nonprocedural:nirprosedural:  
nonprocedural:nonprosedur:  
nonprocedural:nonprosedural:1  
nonprocedural:tidak mengikuti prosedur:  
nonprocedural language:bahasa non-prosedural:1  
non-procedural language:bahasa bebas:  
nonprocedural languages:bahasa bebas:  
nonprocedural languages:bahasa bebas:  
nonproductive poll:pemberian suara tak produktif:  
nonproductive task:pekerjaan memproduksi:  
nonprogrammable calculator:mesin hitung tak terprogramkan:  
nonprogrammed decision:keputusan tak terprogram:1  
nonprogrammer:bukan pemrogram:  
non-real-time variable bit rate (nrt-VBR):laju bit variabel non waktu nyata:1  
non-reciprocal circuit:sirkuit sepihak:  
nonrecursive:nonekskursif:  
non-reentrant:tak-menceruk:  
nonreflective ink:tinta nonreflektif:  
non-relocatable:tak dapat direlokasi \*:  
nonresident:bukan penduduk:  
nonresident portion:porsi bukan penduduk:  
non-resident program:program non-residen:  
nonreturn to zero (NRZ1):tak kembali ke nol:1  
nonreturn to zero encoding:enkoding tak kembali ke nol:1  
non-return to zero invert:ubah tak nol bersyarat  
non-return-to-change recording:perekaman kemungkinan tak-kembali-ke  
non-return-to-reference recording:perekaman acuan tak-kembali-ke  
non-return-to-reference recording:perekaman tak kembali ke referensi  
non-return-to-reference recording:rekaman tak kembali ke acuan



istilah-ti-indonesia

non-return-to-zero:ubah tak nol

"non-return-to-zero "" change "" recording":"perekaman ""tukar"" tanpa kembali ke nol"

"non-return-to-zero "" mark "" recording":"perekaman ""tanda"" tak kembali ke nol \*"

non-return-to-zero change on ones recording:pertukaran tak kembali ke nol pada sekali perekaman \*

non-return-to-zero change on zeros recording:penukaran tak kembali ke nol pada perekaman nol

non-return-to-zero change on-ones recording:perekaman tukar satu tak kembali ke nol

non-return-to-zero change on-zeros recording:perekaman tukar satu tak kembali ke nol

non-return-to-zero change recording:perekaman tukar tak kembali ke nol

non-return-to-zero change recording:perekaman tukar tanpa kembali ke nol

non-return-to-zero IBM recording:perekaman IBM tanpa kembali ke nol

non-return-to-zero mark recording:perekaman tanda tak kembali ke nol

non-return-to-zero on one's recording:tak kembali ke nol pada sekali perekaman \*:

non-return-to-zero recording:perekaman tak kembali ke nol:

non-return-to-zero recording:perekaman tak-kembali ke nol:

non-return-to-zero recording:perekaman tanpa kembali ke nol:

"non-return-to-zero, magnetic recording"::

"non-return-to-zeroHmark "" recording":"perekaman ""tanda"" tak kembali ke nol \*":

non-return-to-zero-inverted recording:perekaman terbalik tanpa kembali ke nol:

nonreusable:"nonreusabel, tak dapat dipakai ulang":

nonreusable:tak berkali-kali:

non-reusable:tak-terpakai lagi:

non-reusable routine:rutin tak-terpakai lagi:

nonroutine topology:topologi non rutin:1

non-sampling error:kesalahan niracak:

nonscrollable:tak tergulung:

nonsecret encoding schemes:skema enkod tidak rahasia:

non-select hold:pegangan tak-terseleksi:

non-select-hold:penanganan bebas \*:

non-selfreferential:tak-swaacu:

nonsensitive data:data tak sensitif:

nonsequenced format:format tak terurut:

nonsharable:tak terbagi:

nonsharable attribute:atribut tidak terbagi:

nonshareable directory:direktori nirkongsi:1

nonshareable directory:direktori tidak terbagi:

nonshared device:rencana tanpa keikutsertaan:

nonsimultaneous transmission:transmisi nonsimultan:

non-sinusoidal wave:gelombang tak-sinusoidal:

non-SNA terminal:terminal non-SNA:

non-spanned record:rekord tak rentang \*:

nonspecific volume request:permintaan volume takspesifik:

nonspecific volume request:permintaan volumenonspesifik:

nonstaging drive:gerakan taklancar:

nonstandard job:tugas nonstandar

nonstandard label:label nonstandar

istilah-ti-indonesia

non-standard label:label non-standar  
nonstandard label processing:pemrosesan label nonstandar  
nonstandard labeled magnetic tape:pita magnetik berlabel nonstandar  
nonstandard labels:label nonstandar  
nonswappable:tak dapat ditukar  
non-switched line:garis tak-terangkai  
non-switched network:jaringan tak-terangkai  
nonsynchronous:tak sintron  
nonsynchronous network:jaringan taksintron  
nontemporary data set:kumpulan data taktemporari  
nontemporary data set:kumpulan datan taktemporari  
nonterminal:nonterminal  
non-terminating block:blok nir-pangkalan  
nonterminating decimal:desimal  
non-transmitting typewriter:mesin tulis tan-transmisi:  
nontransparent:nontransparan:  
nontransparent mode:model taktransfaran:  
non-uniform electromagnetic field:medan elektromagnetik beragam:  
nonuniformity:tak berkeseragaman:  
nonunique key:kunci tak unik:  
non-utility electric installation:instalasi elektrik tan-guna:  
non-voice traffic:lalulintas bukan suara:1  
non-voice traffic:trafik bukan suara:  
nonvolatile:tidak menguap:  
nonvolatile:tidak menguap:  
nonvolatile memory: memori mantap:1  
nonvolatile memory:memori tak gambar:1  
non-volatile memory:memori mantap:  
non-volatile memory:memori mantap:  
nonvolatile storage:penimbunan non-volatif:  
nonvolatile storage:penyimpan tak gambar:1  
non-volatile storage:penyimpanan tak mudah menguap:  
nonvolatility:nonvolatilitas:  
non-von Neumann architecture:arsitektur non-von Neumann:  
no-op:no-op \*:  
no-op:no-op \*:  
no-operation instruction:instruksi tanpa operasi:  
NOPAGENO:NOPAGENO:DELETE  
NOPAGENO:tanpa halaman:1  
NOPRINT:nircetak:1  
NOPRINT:NOPRINT:DELETE  
NOPRINT ALL:nircetak seluruh:1  
NOPRINT ALL:NOPRINT ALL:DELETE  
NOR:NOR:  
NOR:"NOR (nor, takatau)":  
NOR:NOR (nor; takatau):

NOR circuit:kalang/sirkuit NOR:  
NOR element:elemen NOR:  
NOR gate:gerbang NOR:1  
NOR gate:gerbang NOR:1  
NOR gate:pintu NOR:  
NOR gate:pintu NOR:  
NOR operation:operasi NOR:  
norator:norator:  
NOR-gate:gerbang NOR:  
norm:norma:  
normal:normal:  
normal cable:kabel normal:  
normal cell:sel normal:  
normal contact:kontak normal:  
normal curve:kurva normal:  
normal cut:potong normal:  
normal danger:bahaya normal  
normal direction flow:aliran arah normal  
normal distribution:distribusi normal  
normal E layer:peletak E normal  
normal electrode potential:potensial elektroda normal  
normal entry:entri normal  
normal execution sequence:urutan eksekusi normal  
normal flow:aliran biasa/normal  
normal form:bentuk normal  
Normal forms:bentuk normal  
normal incident absorption coefficient:koefisien serapan insiden normal  
normal induction:induksi normal  
normal magnetization:pemagnetan normal  
normal mode:model normal  
normal mode propagation:rambatan model normal  
normal mode rejection:penolakan mode normal  
normal mode voltage:voltase mode normal  
normal pin:pena normal  
normal position:posisi normal  
normal priority:prioritas normal  
normal propagation:rambatan normal; jalaran normal  
normal random number:bilangan randomnormal  
normal range:jarak normal  
normal record:rekaman normal  
normal record type:tipe catatan normal  
normal refraction:biasan normal  
normal response:respons normal  
normal response mode:ragam respon normal  
normal return:kembali normal  
normal reverberation time:masa kerdam normal

normal sampling inspection:insfeksi pemercontohan normal  
normal service condition:kondisi layanan normal  
normal state:keadaan normal:  
normal termination:terminasi normal:  
normal voltage:tegangan normal:  
normality:normalitas:  
normalization:normalisasi:DELETE  
normalization:normalisasi:  
normalization and database:normalisasi dan pangkalan data:DELETE  
normalize:normalisasi:  
normalize:normalisasi:  
normalized admittance:hak masuk ternormalkan \*:  
normalized device coordinate:koordinat peralatan yang dinormalkan:  
normalized form:bentuk ternormalkan:  
normalized number:bilangan normalan:  
normalized numbers::  
normalizer:penormal:  
north pole:kutub utara:  
NOS::  
NOT:NOT:  
NOT:NOT:  
NOT:NOT:  
NOT:NOT (not; tidak):  
NOT circuit:sirkuit NOT (not; tidak):  
not circuits:tak sirkuit:  
not data accepted:terterima bukan-data:  
NOT element:elemen NOT:  
NOT gate:gerbang NOT:1  
NOT gate:pintu NOT:  
NOT operation:operasi NOT:  
not ready for data:tak-siap bukan-data:  
not reusable:tidak terpakai kembali:  
NOT-AND:tidak-dan:  
NOT-AND element:elemen NOT-AND:  
NOT-AND operation:operasi NOT-AND:  
notation:notasi:  
notation:notasi :  
NOT-BOTH operation:operasi NOT-BOTH:  
notch:takik; derajat:  
notched card:kartu bertakik:  
notching curve:kurva penakikan:  
notching relay:tayangan takik \*:  
NOT-circuit:sirkuit NOT:  
note:nota:  
note list:senarai kota:  
notebook:notebook:

istilah-ti-indonesia

notebook computer:komputer notebook:1  
notebook computer:komputer notebook:  
notebook computers:komputer notebook:  
not-editable attribute:atribut tak-teredit:  
notepad:bantal catatan:1  
notepad:notepad:  
not-executable attribute:atribut tak- terlaksana:  
notice:pemberitahuan:  
NOT-IF-THEN:tidak-jika-maka:  
NOT-IF-THEN element:elemen NOT-IF-THEN:  
NOT-IF-THEN element:elemen tidak-jika-maka:  
NOT-IF-THEN gate:pintu NOT-IF-THEN:  
NOT-IF-THEN operation:elemen NOT-IF-THEN:  
NOT-IF-THEN operation:operasi NOT-IF-THEN:  
NOT-OR:tidak-atau:  
NOT-OR element:elemen NOT-OR:  
NOT-OR operation:operasi NOT-OR:  
nought condition:kondisi nol:  
nought state:keadaan nol:  
noun:nomina:  
novell:novell:  
novell 286A/B:novell 286A/B:  
novell advanced netware:novell netware terakhir:  
novell s-net:novell s-net:  
novell s-net server:novell s-net server:  
novice user:pemula:1  
novice user:pemula:  
novice user:pemula:  
no-voltage tap-changing device:alat penukar tap tanpa voltase:  
no-voltage time:waktu tanpa voltase:  
"no-write allocate, cache":  
nozzle:nozel:  
n-plus-one address instruction:instruksi alamat n-tambah-satu:  
NRZ:NRZ:  
NRZ:NRZ non return to zero:  
NRZ (C):NRZ (C):  
NRZ (M):NRZ (M)  
NRZ-0:NRZ-0  
NRZ1:NRZ1  
NRZ-1:NRZ-1  
NRZC:NRZC  
NRZI:NRZI non return to zero inverted  
NSFnet :NSFnet  
nslookup:nslookup  
NSP :NSP  
NT:

ntrans:ntrans  
 ntrans (FTP):ntrans (FTP)  
 N-tuple:tupel-N  
 N-tuple length register:pendaftaran panjang tupel N  
 N-tuple register:pendaftaran tupel N  
 nuance:nuansa  
 NuBus:  
 nuclear power station:stasiun tenaga nuklir  
 nucleotide:nukleotida  
 nucleus:inti  
 nucleus:"nukleus, inti"  
 nucleus initialization program:program inisialisasi inti  
 NUL:NUL  
 null:nol  
 null:null  
 null address:alamat nol  
 null argument list:senarai argumen nol  
 null bit-string:sirkuitan-bit nol  
 null character:karakter null  
 null character string:karakter string null  
 null character string:sirkuitan karakternol  
 null circuit:sirkuit nol  
 null detector:detektor nol:  
 null field:medan nol:  
 null gate:gerbang nol:1  
 null hypothesis:hipotesis nol:  
 null line:garis nol:  
 null line:jalur kosong:  
 null locater value:nilai peletak nol:  
 null locator value:nilai lokator nol:  
 null method:metode nol:  
 null pointer value:nilai penuding nol:  
 null response:tanpa tanggapan:  
 null set:himpunan null:  
 null sharpness:ketajaman nol:  
 null statement:pernyataan nol:  
 null string:sirkuitan nol:  
 null suppression:supresi null:  
 null word:kata nol:  
 nullator:nulator:  
 nullity:nulitas:  
 nullor:nulor:  
 NUM:NUM:1  
 NUM:NUM:DELETE  
 number:bilangan:  
 number:bilangan:

NUMBER:nomor:1  
NUMBER:NUMBER:DELETE  
number attribute:atribut bilangan:  
number crunching:penguyahan angka:  
number format:format bilangan/angka:  
number of calls:bilangan panggilan:  
number of degrees of freedom:bilangan derajat kebebasan:  
number of digits:bilangan digit:  
number of dimention:bilangan dimensi:  
number of division:jumlah bidang:  
number of occurrence:bilangan kejadian:  
number of pictures per second:jumlah gambatang per menit:  
number of samples:jumlah percontoh:  
number of scanning lines:jumlah baris telusuran \*:  
number representation:representasi bilangan:  
number representation system:sistem representasi bilangan:  
number sign:tanda bilangan:  
number system:sistem bilangan:  
number system:sistem bilangan:  
number wheel:roda bilangan:  
NUMBER/NUM:NUMBER/NUM:DELETE  
numbering adaptor:adaptor penomoran :  
numbering plan:rencana penjumlahan:  
number-theoretic computations:komputasi angka-teoritik:  
numeral:angka  
numeral:karakter numerik  
numeral system:sistem angka  
numeralization:pembilangan  
numeration:per-angkaan  
numeration system:sistem tentang angka  
numeric:berangka  
numeric bit:bit berangka  
numeric bit data:data bit berangka  
numeric character:karakter berangka  
numeric character data:data karakter numerik  
numeric character set:himpunan karakter numerik  
numeric character subset:subset karakter berangka  
numeric code:kode berangka  
numeric coded character set:himpunan karakter terkode numerik  
numeric coded set:himpunan terkode numerik  
numeric coding:pengkodean numerik:  
numeric constant:konstanta numerik:  
numeric control:kontrol numerik:  
numeric data:data numerik:  
numeric data:data numerik:  
numeric data code:kode data berangka:

NUMERIC DISPLAY FORMAT:format tampilan numerik:DELETE  
numeric display format:format tampilan numerik:1  
numeric edited character:karakter teredit numerik:  
numeric edited item:butir teredit berangka/numerik:  
numeric field:medan numerik:  
numeric field descriptor:pendeskripsi/deskriptor daerah numerik:  
numeric format:format numerik:1  
numeric format:format numerik:  
numeric format:format numerik:  
numeric item:unsur numerik:  
numeric key:kunci angka:  
numeric keyboard:papan tombol numerik:1  
numeric keyboard:papan tombol numerik:  
numeric keypad:pad kunci numerik:1  
numeric keypad:tombol numerik:  
numeric literal:literal berangka:  
numeric literal:literal numerik:  
numeric operand:suku operasi berangka/numerik:  
numeric picture data:data gambatang berangka/numerik:  
numeric picture specification:spesifikasi gambatang berangka/numerik:  
numeric pictured form:bentuk bergambatang berangka/numerik:  
numeric pictured variable:variabel bergambatang berangka/numerik:  
numeric processor extension:ekstensi pemroses berangka:  
numeric punch:punch berangka:  
numeric punched hole badge reader:pembaca badge lubang terlubangi numerik \*:  
numeric representation:representasi numerik:  
numeric shift:pergantian numerik  
numeric verifier:penguji numerik  
numeric word:kata berangka  
numeric word:kata numerik  
numerical:numerik  
numerical accounting machine:mesin akuntansi numerik  
numerical algorithms:algoritma numerik  
numerical analysis:analisis numerik  
numerical application:aplikasi numeria  
numerical control:kontrol numerik  
numerical data types:tipe data numerik  
numerical data types:tipe data numerik  
numerical distance:jarak numerik  
numerical integration:integrasi numerik  
numerical method:metode numeria  
numeric-array:susunan-berangka/numerik  
numeric-field:numerik medan:  
NVRAM::  
nybble::  
nyquist sampling theorem:teori penyuplikan Nyquist:



OA:OA:  
object:objek:  
object ::  
object and operations in system:objek dan operasi dalam sistem:  
object based ::  
object based storage:penyimpanan berbasis objek:  
object based storage:penyimpanan berbasis objek:  
object card:kartu objek:  
object clause:klausa objek:1  
object clause:klausa objek:  
object cloning::  
object code: kode objek:1  
object code:kode objek:1  
object code:kode objek:1  
object code:kode objek:  
object code:kode objek:  
object code:kode objek:  
object color:rona objek:  
object computer:komputer objek:  
object configuration:konfigurasi objek:  
object creation:penciptaan objek:1  
object deck:dek objek:  
object design:desain objek:1  
object design:desain objek:  
object development:pengembangan objek:1  
object development:pengembangan objek:  
object diagram:diagram objek:1  
object diagram ::  
object domain:panah objek:  
object hierarchies:hirarki objek:  
object identity ::  
object language:bahasa objek:1  
object language:bahasa objek:  
object language program:program bahasa objek:  
object layer:lapis objek :1  
object layer (object-oriented analysis):lapis objek (analisis berorientasi objek):  
object level program:program tahapobjek:  
object library:pustaka objek:  
Object Linking and Embedding (OLE):Pentautan dan Pembenanaman Objek (OLE):1  
"object management group, OMG "::  
object memory:memori objek:  
object model ::  
object module:modul objek:1  
object module:modul objek:1  
object module:modul objek:  
object module:modul objek:

object module library:pustaka modul objek:  
object module library:pustaka modulobjek:  
object name:nama objek:1  
object of condition:objek kondisi:  
object of entry:entri atau/dari objek:  
object orientation ::  
object oriented:berorientasi objek:  
object oriented ::  
"object oriented analysis, OOA "::  
object oriented database:pangkalan data berorientasi objek:1  
object oriented database:pangkalan data berorientasi objek:  
object oriented database management system ::  
"object oriented database, OODB "::  
object oriented decomposition ::  
"object oriented design, OOD "::  
"object oriented language, OOL "::  
object oriented paradigm::  
"object oriented programming, OOP "::  
object program:program objek:1  
object program:program objek:  
object program:program objek:  
object programming:pemrograman objek:1  
object programming:pemrograman objek:  
object property:sifat objek:1  
object recognition:pengenalan objek:  
object representation:representasi objek:  
object representations:representasi objek:  
"object request broker, orb "::  
object routine:rutin objek:  
object sharing ::  
object subschema:subskema objek:  
object time:waktu objek:  
object time array:deret waktu objek:  
object time table:tabel waktu objek:  
object type (in tag)::  
object variable:variabel objek:  
object view:pandangan objek:1  
object-computer:komputer-objek:  
objected-oriented:berorientasi objek:1  
objected-oriented:berorientasi objek:  
objected-oriented programs memory:memori program berorientasi objek:1  
objected-oriented programs memory:memori program berorientasi objek:  
objective:onjektif:  
object-oriented:berorientasi objek:1  
object-oriented:berorientasi objek:DELETE  
object-oriented:berorientasi objek:

istilah-ti-indonesia

object-oriented analysis:analisis berorientasi objek:1  
object-oriented analysis:analisis berorientasi objek:1  
object-oriented analysis:analisis berorientasi objek:  
object-oriented analysis:analisis berorientasi objek:  
object-oriented constructs:konstruksi berorientasi objek:  
object-oriented database:pangkalan data berorientasi objek:1  
object-oriented database:pangkalan data berorientasi objek:  
object-oriented database management system (DBMS):sistem manajemen pangkalan data berorientasi objek:1  
object-oriented database management system (DBMS):sistem manajemen pangkalan data berorientasi objek:  
object-oriented databases:pangkalan data berorientasi objek:  
object-oriented design:desain berorientasi objek:  
object-oriented design (OOD):desain berorientasi objek (OOD):1  
object-oriented design methods:metode desain berorientasi objek:1  
object-oriented design methods:metode desain berorientasi objek:  
object-oriented development:pengembangan berorientasi objek:  
object-oriented graphics :grafik berorientasi objek:  
object-oriented language:bahasa berorientasi objek:  
Object-oriented languages:bahasa berorientasi objek:  
object-oriented methodologies:metodologi berorientasi objek:  
object-oriented programming:pemrograman berorientasi objek:1  
object-oriented programming:pemrograman berorientasi objek:  
object-oriented programming (OOP):pemrograman berorientasi objek:1  
object-oriented programming (OOP):pemrograman berorientasi objek:  
object-oriented programming (OOP):pemrograman berorientasi objek:  
object-oriented programming (OOP):pemrograman berorientasi objek:  
object-oriented programming (OOP):pemrograman berorientasi objek:  
object-oriented programming (OOP):pemrograman berorientasi objek (PBO):1  
object-oriented programming and COBOL:pemrograman berorientasi objek dan COBOL:  
object-oriented programming language:bahasa pemrograman berorientasi objek:1  
object-oriented programming language:bahasa pemrograman berorientasi objek:1  
object-oriented programming language:bahasa pemrograman berorientasi objek:  
object-oriented programming languages:bahasa pemrograman berorientasi objek:  
object-oriented programming languages cost:biaya bahasa pemrograman berorientasi objek:1  
object-oriented programming languages cost:biaya bahasa pemrograman berorientasi objek:  
object-oriented software development:pengembangan perangkat lunak berorientasi objek:1  
object-oriented software development:pengembangan perangkat lunak berorientasi objek:  
objectory ::  
objects:objek:  
oblique incidence:insidensi wajib:  
oblique wave:gelombang wajib:  
OBR:OBR:  
observability:observabilitas:  
observability:observabilitas:  
observation:observasi:

observation line:garis amat:  
 observational language:bahasa observasi:  
 observer:pengobservasi:  
 OCC:OCC:  
 occlusion:oklusi:  
 occupation:okupasi:  
 occupied bandwidth:lebatang pita terisi:  
 occurrence:kejadian:1  
 occurrence:kejadian:  
 OCL:OCL:  
 OCR:OCR:1  
 OCR:OCR:SINGKATAN  
 OCR:OCR:  
 OCR device:peranti OCR:1  
 octal:oktal:  
 octal code:kode oktal:  
 octal digit:digit/jari oktal:  
 octal notation:notasi oktal:  
 octal number::1  
 octal number system::  
 octal numeral:bilangan oktal:  
 octal numeration system:sistem bilangan/numerasi oktal:  
 octave:oktaf:  
 octet:oktet:  
 octonary:oktanari:  
 ODBC::  
 odd:ganjil:  
 odd check:cek keganjilan:  
 odd harmonic:keselarasan hanjil:  
 odd level:aras ganjil:  
 odd parity:kesamaan ganjil:  
 odd parity:paritas ganjil:  
 odd parity:paritas gasal:  
 odd parity check:cek paritas ganjil:  
 odd parity system:sistem paritas ganjil:1  
 odd servo signal:sinyal servo ganjil:  
 odd servo track:lintasan servo ganjil:  
 odd-even check:cek ganjil-genap:  
 odds:barang tetek tengah:  
 ODMA::  
 odometer:odometer:  
 of a task:suatu tugas:  
 of DEFAULT statement:pernyataan mula:  
 OFF:mati:1  
 off:mati:  
 OFF:OFF:DELETE

off delay:lepas tunda:  
off-center PPI:PPI tak pusat \*:  
offering connector:penghubung:  
offering distributor:distributor:  
offgauge:luar ukuran:  
off-hook:pelepasan kesukaran subscriber \*:  
office:kantor:  
office automation:automasi kantor:  
office automation system:sistem automasi kantor:1  
office automation system:sistem automasi kantor:  
office automation system (OAS):sistem automasi kantor:  
office automation system (OAS):sistem automasi kantor (OAS):1  
office automation system (OAS):sistem automasi kantor (SAK):1  
office automation systems (OAS):OAS:  
office automation systems (OAS):OAS:  
office cable:saluran kantor:  
office code:kode kantor:  
office computer:komputer kantor:  
office machine:mesin kantor:  
office of munitions control:kantor kontrol mesin:  
office procedures:prosedur kantor:  
office selector:pemilah kantor:  
office systems:sistem kantor:1  
office systems:sistem kantor:  
office work:kerja kantor:  
office work station:stasiun kerja kantor:  
offline:putus jaring:1  
offline:saluran putus:  
off-line:lepas jalur:  
off-line:lepas jalur:  
off-line:lepas jalur:  
off-line:putus jaring:1  
off-line data transmission:transmisi data lepas jalur:  
off-line data transmission:transmisi data lepas jalur:  
off-line data transmission:transmisi data lepas jalur:  
off-line data transmission:transmisi data putus jaring:1  
off-line error detection::  
offline IBM 3800 utility:utiliti IBM 3800 tanpa sambung \*:  
offline indicator:indikator luar jalur:  
offline machine:mesin lepas jalur:  
offline operation:operasi garis luar:  
off-line operation:operasi saluran putus:  
offline output:keluaran garis luar:  
offline processing:pemrosesan lepas sambung:  
offline processing:pemrosesan off-line:  
off-line processing:pemrosesan off-line:

off-line processing:pemrosesan off-line:  
off-line secondary storage:simpan sekunder putus jaring:1  
offline software access:akses perangkat lunak offline:  
offline storage:alat penyimpan lepas sambung:  
offline storage:memori lepas sambung:  
offline system:sistem garis luar:  
off-line system:sistem garis-putus:  
off-line system:sistem saluran putus:  
offline tape punch:pelubang pita luar jalur  
offline unit:unit luar jalur  
offline working:kerja luar jalur  
offlining:penutupan jalur  
off-normal:tak biasa \*  
off-normal spring:pegas tak normal \*  
offpage connector:penghubung halaman  
off-path transmission:transmisi tanpa cabang \*  
off-punch:bebas-tebuk  
offset:gelinciran  
offset:offset  
offset current:arus gelinciran  
offset data:data gelinciran  
offset duplicator:duplikator offset  
offset expression:ekspresi gelinciran  
offset parameter:parameter offset  
offset qualification:kualifikasi gelinciran:  
offset qualifier:pembilang offset:  
offset reproducing:reproduksi offset:  
offset stacker:penimbun gelinciran:  
offset stacker:penumpuk offset:  
offset variable:variabel offset:  
offset voltage:voltase offset:  
offset voltage:voltase/tegangan gelinciran:  
off-the shelf software and cost:perangkat lunak biaya dan tersedia:1  
off-the shelf software and cost:perangkat lunak tersedia dan biaya:DELETE  
off-the-shelf:tersedia:  
off-the-shelf application software:perangkat aplikasi tersedia:  
off-the-shelf application software:perangkat aplikasi yang tersedia:1  
off-the-shelf application software:perangkat lunak aplikasi papan putus jaring:1  
off-the-shelf application software:perangkat lunak aplikasi tersedia:  
off-the-shelf software :perangkat lunak papan terputus :  
off-the-shelf software and cost:perangkat lunak tersedia dan biaya:DELETE  
offtrack error:keliru lintasan luar:  
ohm:ohm:  
ohm relay:relao ohm:  
ohmic drop:drop berohm:  
ohmic loss:rugi ber-ohm:

ohmic resistance:hambatan ber-ohm:  
ohmmeter:meter ohm:  
oil burner:pembakaran minyak:  
oil circuit-breaker:pemutus hubungan minyak:  
oil cooler:alat pendingin minyak; alat penyejuk minyak:  
oil diffusion pump:pumpa difusi minyak:  
oil duct:saluran minyak:  
oil feeding tank:tangki penyimpanan minyak:  
oil filter:penyaring minyak; filter minyak:  
oil gage:meteran minyak:  
oil insulation:isolasi minyak  
oil pressure:tekanan minyak  
oil sampling cock:kokang contoh minyak \*  
oil separator:pemisah minyak  
oil-cooled transformer:transformator berpendingin minyak  
oil-filled bushing:kelelahan/selongsong pengisian minyak \*  
oil-immersed transformer:transformer \*  
oil-impregnated capacitor:kapasitor \*  
oilproof:kedap minyak  
old master disk:cakram utama  
old master file:file utama  
old master tape:pita utama  
old PSW:PSW tua  
OLE:  
OLTEP:OLTEP  
omnibearing:pendugaan magnetik \*  
omnidirectional:segala arah:  
omnidirectional antenna:antena segala arah:  
omnidirectional microphone:mikrofon omnidireksional:  
omninet:omninet:  
OMR reader:pembaca OMR:1  
ON:hidup:1  
on:"hidup, sedang berlangsung":  
ON:ON:DELETE  
on board:papan atas:  
ON CONVERT:berubah:1  
ON CONVERT:ON CONVERT:DELETE  
on delay:dalam penundaan:  
ON ENDFILE:ON ENDFILE:DELETE  
ON ENDFILE:pada berkas akhir:1  
ON ERROR:ON ERROR:DELETE  
ON ERROR:tersalah:1  
ON FATAL:ON FATAL:DELETE  
ON FATAL::1  
ON FUNCTIONKEY/FKEY:ON FUNCTIONKEY/FKEY:1  
ON FUNCTIONKEY/FKEY:ON FUNCTIONKEY/FKEY:DELETE

on hook:sambung ke telepon:  
ON LIMIT:berbatas:1  
ON LIMIT:ON LIMIT:DELETE  
on line test:uji tersambung \*:  
ON MASK:bermarkah:1  
ON MASK:ON MASK:DELETE  
ON MEMBER:ON MEMBER:DELETE  
ON MEMBER::1  
ON NOKEY:ON NOKEY:DELETE  
ON NOKEY:tanpa kunci:1  
ON PRN:ON PRN:1  
ON PRN:ON PRN:DELETE  
ON PTR:ON PTR:1  
ON PTR:ON PTR:DELETE  
ON UNIQUE:ON UNIQUE:1  
ON UNIQUE:ON UNIQUE:DELETE  
on unit:atas unit:  
on-board computer:komputr dalam kendaraan:1  
once-through boiler:ketel ekonomis \*:  
on-chip:atas-supih:  
on-condition:syarat-on:  
on-demand:dalam-pesanan:  
on-demand system:sistem on-demand:  
on-demand system:sistem pada tuntutan:  
one address code:kode alamat satu:  
one address instruction:instruksi satu alamat:  
one address one instruction system:sistem instruksi/perintah satu alamat satu:  
one board:papan satu:  
one board computer:komputer papan satu  
one chip:serpih tunggal  
one chip CPU:CPU serpih satu  
one chip microcomputer:mikrokomputer serpih satu  
one chip microcomputer:mikrokomputer serpih tunggal  
one condition:kondisi satu  
one level address:alamat tahap satu  
one level code:kode arus/tingkat satu  
one level store:simpan tahap satu  
one level subroutine:subrutin arus satu  
one pass:lulusan satu  
one plus one address instruction:instruksi alamat satu tambah satu  
one shot operation:operasi satu kali  
one state:keadaan satu  
one to one assembler:perakit satu plus satu  
one way property:sifat satu arah  
one writing system:sistem menulis tunggal:  
one-address code:kode satu alamat:



one-address instruction:instruksi satu alamat:  
 one-ahead addressing:pengalamatan maju satu:  
 one-core-per-bit storage:penyimpan satu inti per bit:  
 one-dimensional array:susunan satu dimensi:1  
 one-dimensional array:susunan satu dimensi:  
 one-for-one translation:terjemahan satu-satu:  
 one-gun tube:laras bersenapan satu \*:  
 one-hour rating:laju perjam:  
 one-level address:alamat level satu:  
 one-level address:alamat satu level; tahap:  
 one-level memory::  
 one-level store::  
 one-line diagram:diagram sebaris:  
 one-line ground:dasar sebaris:  
 one-pip-area:satu-pipa-area:  
 one-plus-one address:alamat satu plus satu:  
 one-plus-one address instruction:perintah alamat satu plus satu:  
 ones complement:pelengkap satu:  
 one's complement:komplemen satu:1  
 one's complement:komplemen satu:  
 one's complement:komplemen satu:  
 oneshot:satu tindakan:  
 oneshot multivibrator:multibiator satu tindakan:  
 one-shot multivibrator:multibibrator tembak-satu:  
 one-shot multivibrator:multivibrator sekali tembak:  
 one-shot operation:operasi satu ambilan:  
 one-step (single step) methods:metode satu tahap (tahap tunggal):  
 ONE-TO-MANY RELATIONSHIP::  
 one-to-one:satu per satu:  
 ONE-TO-ONE RELATIONSHIP::  
 one-way:satu-cara:  
 one-way communication:komunikasi satu arah:  
 one-way propagation time:waktu propagasi satu arah:  
 one-way trunk:batang/tubuh satu-cara:  
 on-hook:pada sangkutan:  
 onlie card punch:pelubang kartu dalam jalur:  
 online:sambung jaring:1  
 online:terhubung:  
 online banking system:sistem perbankan terhubung:  
 online bookstore (OBS):toko buku terhubung:  
 online bookstore (OBS):toko buku terhubung:  
 online central file:file/berkas pusat dalam jalur:  
 on-line coders:pengkode terhubung:  
 online computation:komputasi terhubung:  
 online data base system:sistem dasar data terhubung:  
 online data entry:entri data terhubung:

online data gathering system:sistem pemrosesan data dalam jalur:  
on-line data transmission:transmisi data sambung jaring:1  
on-line data transmission:transmisi data terhubung:  
on-line data transmission:transmisi data terhubung:  
on-line data transmission:transmisi data tersambung:  
on-line database:pangkalan data sambung jaring:1  
on-line database:pangkalan data tersambung:  
on-line database:pangkalan data tersambung:  
online debug:hapus dalam jalur:  
on-line debugging:pengawakutuan tersambung \*:  
online diagnostic program:program diagnostik dalam jalur:  
online directory service databases:jasa pangkalan data direktori terhubung:  
online editor:editor terhubung:  
on-line error detection::  
on-line interactive system:sistem interaktif on-line:  
online library catalogs:katalog perpustakaan terhubung:  
online media conversion:konversi media dalam jalur:  
on-line memory::  
online operation:operasi terhubung:  
on-line operation:operasi terhubung:  
online processing:pemrosesan sambung jaring:1  
online processing:pemrosesan terhubung:  
on-line processing:pemrosesan sambung jaring:1  
on-line processing:pemrosesan sambung jaring:1  
on-line processing:pemrosesan terhubung:  
on-line processing:pemrosesan terhubung:  
on-line processing:pemrosesan terhubung:  
on-line processing:pemrosesan tersambung:  
online real time system:sistem waktu nyata dalam jalur:  
on-line real time system:sistem waktu nyata terhubung:  
online realtime system:sistem waktu nyata terhubung:  
on-line secondary storage:simpan sekunder sambung jaring:1  
online service:layanan sambung jaring:1  
online service::  
online services:jasa terhubung:  
online storage:alat simpan terhubung:  
online storage:memori terhubung:  
online storage:penyimpan terhubung:1  
online system:sistem sambung jaring:1  
online system:sistem tersambung:  
on-line system:sistem terhubung:  
on-line system:sitem terhubung:  
online tape punch:pelubang pita dalam jalur:  
online terminal test:uji terminal terhubung:  
online test control program:program kontrol uji terhubung:  
on-line test executive program:program eksekutif uji tersambung \*:

istilah-ti-indonesia

online test program:program uji terhubung:  
online test section:seksi tes terhubung:  
online test system:sistem tes terhubung:  
online testing:uji terhubung:  
online transaction:transaksi dalam jangkauan:  
online transaction processing:pemrosesan transaksi tersambung:1  
online transaction processing:pemrosesan transaksi tersambung:  
online transaction processing (OLTP):pemrosesan transaksi tersambung:  
online typewriter:pengetik dalam jalur:  
online unit:unit dalam jalur:  
on-load tap changing transformer:ad tap \*:  
only loadable attribute:atribut berdaya beban:  
ONMATCH:ONMATCH:1  
ONMATCH:ONMATCH:DELETE  
onomasticon:onomastikon:  
on-the-fly printer:pencetak masih mengudara:  
on-the-fly printer:pencetak udara:  
ontology:ontologi:  
on-unit:pada unit:  
OP code:kode OP:  
op code::  
op code::  
OP field:medan OP:  
OP part:bagian OP:  
opaque projector:proyektor legap:  
opcode::  
OPEN:buka:1  
open:buka:  
OPEN:OPEN:DELETE  
open (a file):buka (sebuah berkas):  
open (FTP):buka (FTP):  
"oPEN (Object-oriented Process, Environment and Notation)":  
open antenna:antena terbuka:  
open architecture:arsitektur terbuka:1  
open cell:sel terbuka:  
open circuit:sirkuit terbuka:  
open circuit:sirkuit terbuka:  
open code:kode buka:  
open code:kode terbuka:  
open collector:kolektor terbuka:  
open core type:tipe inti terbuka:  
OPEN DATABASE CONNECTIVITY::  
open document architecture:arsitektur dokumen terbuka:  
open document architecture:lintasan terpendek pertama buka:1  
open ended:ujung terbuka:  
open ended design:desain ujung terbuka:

open ended system:sistem ujung terbuka:  
open fuse:sekering terbuka:  
open line:garis terbuka:  
open line detection:deteksi garis terbuka:  
open list:senarai terbuka:  
open loop:sosok terbuka:  
open loop control:kontrol sosok terbuka:  
open loop system:sistem sosok terbuka:  
open machine:mesin terbuka:  
open magnetic circuit:sirkuit magnetik terbuka:  
open messaging interface (OMI):OMI:  
open numbering:penomoran terbuka:  
open protocol suites:suite protokol terbuka:  
OPEN protocols:protokol OPEN:  
open service:layanan terbuka:  
open shop:bengkel buka:  
open shop:ruang kerja terbuka:  
open shortest path first (OSPF):OSPF:1  
open shortest path first (OSPF):OSPF:  
open software foundation:yayasan perangkat lunak terbuka:  
"open software foundation, OSF "::  
open standards:standar terbuka:  
open string:sirkuitan terbuka:  
open subroutine:subrutin terbuka:  
open system:sistem terbuka:1  
open system:sistem terbuka:1  
open system:sistem terbuka:1  
open system:sistem terbuka:  
open system:sistem terbuka:  
open system interconnection:interkoneksi sistem terbuka:  
open system interconnection (OSI):sambungan sistem terbuka:  
open system interconnection (OSI):sambungan sistem terbuka (OSI):1  
open system interconnection (OSI) reference model:model acuan interkoneksi sistem terbuka:1  
open system interconnection (OSI) reference model:model acuan interkoneksi sistem terbuka:  
open systems:sistem terbuka:1  
open systems:sistem terbuka:1  
open systems:sistem terbuka:  
open systems:sistem terbuka:  
open systems:sistem terbuka:  
open systems:sistem terbuka:  
open systems interconnection:interkoneksi sistem terbuka:1  
open systems interconnection:interkoneksi sistem terbuka:  
open systems interconnection (OSI):OSI:  
Open Systems Interconnection (OSI) protocols:protokol OSI:  
Open Systems Interconnection reference model (OSI):OSI:  
"open systems interconnection, OSI "::<

open type:tipe terbuka:  
open type rack:rak tipe terbuka:  
Open Video Systems (OVS):OVS:  
open wire:kawat terbuka:  
open wiring:pengawatan terbuka:  
open-circuit impedance:impedansi sirkuit terbuka:  
open-circuit system:sistem sirkuit terbuka:  
open-circuit time-constant:masa konstan sir:  
open-conduit:saluran terbuka:  
open-delta connection:sambungan terbuka-delta:  
openended:terbuka:  
open-ended:tak terbatas:  
open-ended:terbuka:  
open-ended desgin:desain dari awal sampai akhir:  
open-ended desgin:desain terbuka:  
opening brace:pembukaan penahan \*:  
opening file:pembukaan berkas:1  
opening file(s):pembukaan berkas:  
opening force:daya terbuka:  
opening time:waktu terbuka:  
open-phase relay:relai fase terbuka:  
open-read-write-close:buka-baca-tulis-tutup:1  
open-read-write-close:buka-baca-tulis-tutup:  
open-wire line:saluran kawat terbuka:  
operability:dapat dioperasikan:  
operability::  
operable time:waktu teroperasi:  
operand:bilangan yg beroperasi:  
operand:bilangan yg beroperasi:  
operand:operan:1  
operand:operan:  
operand:operan:  
operand:operandi:  
operand:operasian:1  
operand:suku operasi:  
operand 1 key:operan 1 kunci:  
operand address:alamat pengoperasi:  
operand address register::  
operand address :alamat operasian:1  
operand buffer:penyangga operasi:  
operand designation:penunjukan operandi:  
operand fetch:ambil operasian:  
operand fetch cycle:daur ambil operasian:  
operand fetch time:waktu ambil operasian:  
operand field:medan operandi:  
operand part:bagian operandi:

operand register:register operan:1  
operand sublist:subsenarai operasi:  
operate mode:mode operasi:  
operating characteristic curve:kurva sifat operasi:  
operating code (op code):kode operasi (op code):  
operating code (op code):kode operasi (op code):  
operating cost:biaya operasi:  
operating current:arus operasi:  
operating delay:tundaan pengoperasian  
operating device:alat operasi  
operating diskette:disket pengoperasian  
operating duty:tugas pengoperasian  
operating environment:lingkungan pengoperasian  
operating error:kekeliruan pengoperasian  
operating guide:pandu pengoperasian  
operating instruction:instruksi/perintah operasi  
operating point:titik pengoperasian  
operating procedure:prosedur pengoperasian  
operating range:jarak nilai pengoperasian  
operating ratio:rasio pengoperasian  
operating reflection coefficient:koefisien refleksi operasi  
operating rod:batang operasi  
operating room:ruang pengoperasian  
operating state:keadaan operasi  
operating system:sistem operasi:1  
operating system:sistem operasi:1  
operating system:sistem operasi:1  
operating system:sistem operasi:  
operating system:sistem operasi:  
operating system:sistem operasi (OS):  
operating system:sistem operasi (OS):  
operating system:sistem operasi (OS):  
operating system:sistem operasi/sistem pengoperasian:1  
operating system (OS):sistem operasi (OS):1  
operating system (OS):sistem operasi (OS):  
operating system (OS):sistem operasi (SO):1  
operating system (OS):sistem operasi (SO):  
operating system 2 (OS/2):sistem operasi 2 (OS/2):1  
operating system 2 (OS/2):sistem operasi 2 (OS/2):  
operating system 2 (OS/2):sistem operasi 2 (OS/2):  
operating system editor:editor sistem operasi:  
operating system firmware:peralatan liat sistem pengoperasian:  
operating system generation:generasi sistem operasi:  
operating system label:label sistem operasi:  
operating system option:opsi sistem operasi:  
operating system program:program sistem operasi:

operating system shell:inti sistem operasi:  
operating systems:sistem operasi:  
operating systems:sistem operasi:  
operating temperature:temperatur pengoperasian:  
operating time:waktu pengoperasian:  
operating voltage indicator:indikator voltase operasi:  
operation:operasi:  
operation:operasi:  
operation::  
operation code:kode operasi:1  
operation code:kode operasi  
operation code:kode operasi  
operation code mnemonics:mnemonik kode operasi  
operation code trap:perangkap kode operasi  
operation control command:perintah kontrol operasi  
operation control language:bahasa kontrol operasi  
operation control language:bahasa kontrol operasi  
operation control language:bahasa kontrol operasi  
operation control statement:pernyataan kontrol operasi  
operation declaration:deklarasi operasi  
operation decoder:pengawasan operasi  
operation exception:pengecualian operasi  
operation expression:ekspresi operasi  
operation factor:faktor operasi  
operation field:medan operasi  
operation indicator:indikator operasi  
operation instruction:instruksi operasi  
operation manual:tangan operasi  
operation mode:mode operasi  
operation of time division multiplexing:  
operation part:bagian operasi  
operation register:register operasi  
operation step:langkah operasi  
operation systems:sistem operasi  
operation table:tabel operasi  
operation time:waktu operasi  
operational:operasional  
operational amplifier:amplifier operasional  
operational amplifier:penguat operasional  
operational analysis:analisis operasional  
operational and maintenance phase:fasa operasi dan perawatan  
operational and maintenance phase life cycle:fasa siklus hidup dari operasi dan perawatan  
operational characteristics:karakteristik operasional:  
operational environment:lingkungan operasional:  
operational flowchart:bagan aliran operasional:  
operational form:bentuk operasi:

istilah-ti-indonesia

operational level decision-making: pengambilan keputusan tingkat operasional:  
operational level decision-making: pengambilan keputusan tingkat operasional:  
operational model: model operasi:  
operational model ::  
operational profile ::  
operational research: riset operasional:1  
operational research: riset operasional:  
operational satellite: satelit operasi:  
operational semantics: semantik operasi:  
operational sign: lambang operasional:  
operationalization: operasionalisasi:  
operations analysis: analisis operasi:  
operations director: direktur operasi:  
operations on languages: pengoperasian pada bahasa:  
operations per minute: operasi per menit:  
operations planning and control entry: perencanaan operasi dan entri kontrol:  
operations research: riset operasi:  
operator: operator:  
operator : operator:1  
operator command: perintah operator:  
operator console: konsol operator:  
operator console: tuts operator:  
operator console facility: fasilitas konsol operator:  
operator console keyboard: papan tombol operator:  
operator control: kontrol operator:  
operator control address vector table: tabel vektor alamat kontrol operator:  
operator control command: perintah kontrol operator:  
operator control panel: panel kontrol operator:  
operator control station: stasiun kontrol operator  
operator error: galat operator  
operator function :  
operator guidance: pedoman operator  
operator guidance: petunjuk operator  
operator guidance code: kode petunjuk pedoman/operator  
operator guidance panel: panel petunjuk operator  
operator guide: pandu operator  
operator ID: operator ID  
operator ID card reader: pembaca kartu ID operator  
operator in symbols manipulation: operator manipulasi simbol-simbol  
operator interfaces: antarmuka operator  
operator intervention: intervensi operator  
operator intervention section: seksi intervensi operator  
operator message: pesan operator  
operator overloading :  
operator panel: panel operator:  
operator part: bagian operator:



operator precedence:operator utama:  
operator precedence:petunjuk operator:  
operator precedence:petunjuk operator:  
operator station:stasiun operator:  
operator telephone circuit:sirkuit telepon operator:  
operator's access code:kode akses operator:  
operator's cab:kursi operator:  
operator's console:konsol operator:  
operator's guide:panduan operator:  
opinion test:uji pendapat:  
opm:opm:  
OPN:OPN:1  
OPN:OPN:DELETE  
oppotunity study:studi kesempatan:  
optic fibre cable:kabel serat optik:  
optical bar reader:pembaca bar optik:1  
optical bar-code reader:alat baca kodebatang optik:  
optical character:huruf optikal:  
optical character reader:alat baca huruf optik:  
optical character reader:pembaca huruf optikal:  
optical character readers:pembaca huruf optikal:  
optical character recognition (OCR):pengenalan huruf optik (OCR):  
optical character recognition (OCR):pengenalan huruf optik (OCR):  
optical character recognition (OCR):pengenalan huruf optik (OCR):  
optical character recognition (OCR):pengenalan huruf optis (OCR):  
optical character recognition (OCR):pengenalan karakter optis (PKO):1  
Optical Character Recognition device (OCR device):peranti Pengenal Karakter Optik (peranti OCR):1  
optical character recognition faxes:pengenalan huruf optik dari fax:  
Optical Character Recognition reader (OCR reader):pembaca Pengenal Karakter Optik (pembaca OCR):1  
optical code reader:pembaca kode optik:1  
optical communication:komunikasi optik:  
optical computer:komputer optikal:  
optical computing: komputasi optik:1  
optical computing:komputerisasi optik:  
optical computing:komputerisasi optik:  
optical data readers:pembaca data optik:  
optical device:alat optik:  
optical discs:cakram optis:  
optical disk:cakram optis:1  
optical disk:cakram optis:  
optical disk:cakram optis:  
optical disk:cakram optis:  
optical disk:cakram optis:  
optical disk :cakram optik:1  
optical disk storage:penyimpan cakram optik:

optical distability:ketidakmampuan optik:  
optical distance:jarak optik:  
optical eclipse:ekliptis optikal \*:  
optical fiber:serat optik:1  
optical fiber:serat optik:1  
optical fiber:serat optik:  
optical fiber cable:kabel serat optik:  
optical fibre:serat optik:1  
optical fibre:serat optik:  
optical fibre:serat optik:  
optical fibre:serat optik:  
optical head:kepala optis:  
optical isolator:isolator optik:  
optical mark read:baca tanda optik:  
optical mark reader:alat baca tanda optikal:  
optical mark reader:pembaca tanda optik:  
optical mark readers:pembaca tanda optik:  
optical mark reading (OMR):pembacaan tanda optik:  
optical mark reading (OMR):pembacaan tanda optik:  
Optical Mark Recognition device (OMR device):peranti Pengenal Marka Optik (peranti OMR):1  
optical mark/hole reader:pembaca tanda/lubang optikal \*:  
optical memory:memori optik:1  
optical memory:memori optik:1  
optical memory:memori/ingatan optik:  
optical memory:memori/ingatan optik:  
optical memory card:kartu memori optik:  
optical modem:modem optik:1  
optical modem:modem optik:  
optical mouse:tetikus optik:1  
optical page reader:pembaca halaman optik:  
optical page scanner:pemindai halaman optik:1  
optical path:garis edar optik:  
optical path difference:beda garis edar optik:  
optical processors:pemroses optik:  
optical pyrometer:pirometer optik:  
optical reader:alat baca optik:  
optical reader:pembaca optik:1  
optical reader sorter:pemilah pembaca optik:  
optical repeater:pengulang optis:  
optical scanner:pemindai optik:1  
optical scanner:penelusur optik:  
optical scanner:pengecek optik:  
optical scanning:pengecekan optik:  
optical sound recorder:perekam bunyi optik:  
optical sound recording head:perekaman suara optikal \*:  
optical sound reproducer:pemancar kembali bunyi optik:

optical storage:penyimpan optik:1  
optical storage:penyimpan optik; simpan optik:  
optical storage:penyimpan optis:1  
optical storage:penyimpan optis:  
optical switching:pengalihan optik:1  
optical switching:pengalihan optik:  
optical type font:fon tipe optik:  
optical wand:tongkat optik:1  
optical wand:tongkat optik:  
optimal control:kontrol optimum:  
optimal repetition:pengulangan optimal:  
optimazing control:kontrol pengoptimuman:  
Optimistic locking :OPTIMISTIC LOCKING :PENGUNCIAN OPTIMISTIK  
optimization:optimasi:1  
optimization:optimasi:  
optimization:optimasi:  
optimization:optimasi:  
optimization:optimasi:  
optimization:optimasi:  
optimization module:modul optimisasi:  
optimization phase:fase optimisasi:1  
optimization phase:fase optimisasi:  
optimize:mengoptimalkan:1  
optimize:mengoptimalkan:  
optimizer:peroptimal:1  
optimizer:peroptimal:  
optimum allocation:alokasi optimum:  
optimum bunching:pengikatan optimum:  
optimum code:kode optimum:1  
optimum code:kode optimum:  
optimum coding:pengodean optimum:1  
optimum coding:pengodean optimum:  
optimum control:kontrol optimum:  
optimum coupling:kopling optimum:  
optimum estimate:dengan optimum:  
optimum program:program optimum:1  
optimum program:program optimum:  
optimum programming:pemrogramman optimum:1  
optimum programming:pemrogramman optimum:  
optimum real storage:simpan nyata optimum:  
optimum regression:regresi optimal:  
optimum sensitivity:kepekaan optimum:  
optimum working frequency:kekerapan kerja optimum:  
opt-in::  
option:pilihan:  
option:pilihan; kebebasan:

Option button :OPTION BUTTON :TOMBOL PILIHAN  
option cord:tali pilihan:  
option field:medan pilihan:  
option table:tabel pilihan:  
optional device:peranti sesuka:  
optional feature:ciri pilihan:  
optional label:label pilihan:  
optional pause instruction:perintah jeda sesuka:  
optional stop instruction:perintah stop sesuka:  
optional symbol:lambang pilihan:  
optional word:kata opsional:  
optional-pause instruction:perintah jeda- opsional:  
optional-stop instruction:perintah henti- opsional:  
options header:tajuk pilihan:  
optoelectronics:optoelektronik:  
optoisolator:optoisolator:  
opto-isolators:isolator-opto:  
optomechanical mouse:tetikus optomekanikal:1  
OR:OR:  
OR:OR:  
OR:OR; atau:  
OR circuit:sirkuit OR:  
OR element:elemen OR:  
OR gate:gerbang OR:1  
OR gate:gerbang OR:1  
OR gate:gerbang OR:  
OR gate:gerbang OR:  
OR gate:pintu OR:  
OR operation:operasi OR:  
ORACLE:ORACLE:DELETE  
oracle:orakel:  
ORACLE:peramal:1  
oral locality::  
orbit:orbit:  
orbiter:pengorbit:  
orbits:orbit:  
orchid PC net:orchid PC net:  
OR-circuit:sirkuit OR:  
order:"perintah, pesan":  
order:permintaan; pesanan:  
order button:tombol berurut:  
order code:kode permintaan:  
order code:kode permintaan:  
order entry:entri/masuk pesan:  
order key:kunci berurut:  
order line:garis berurut:

istilah-ti-indonesia

order of algorithm:urutan algoritma:1  
order of algorithm:urutan dari algoritma:  
order of algorithms:urutan dari algoritma:  
order statistic:statistik berurut:  
order wire:kawat perintah:  
ordered pair of real numbers:pasangan tertata angka- nyata:  
ordered set:perangkat terurut:  
ordering:pemesanan:  
ordering among events ::  
ordering bias:bias pemesanan:  
ordinal:ordinal:  
ordinary symbol:lambang biasa:  
ordinary symbol:simbol biasa:  
ordinary twin type:tipe kembang beraturan:  
ordnance control engineer:insinyur kontrol senjata \*:  
orelse:atau yang lain:  
org::  
ORG (organization) names:ORG (organisasi) nama:  
organic plastics:plastik organik:  
organisation:organisasi:1  
organisation:organisasi:  
organisation and methods:organisasi dan metode:  
organisation and methods:organisasi dan metode:  
organization:organisasi:  
organization chart:bagan organisasi:1  
organization chart:bagan organisasi:  
organization culture and decision making:kebudayaan organisasi dan pengambilan:DELETE  
organization of directory(ies):pengorganisasian direktori:  
Organizational design:pengorganisasian rancangan:  
organizational information systems:sistem informasi terorganisasi:  
organizational information systems:sistem informasi terorganisasi:1  
organizational infrastructure:organisasi prasarana:  
organizational infrastructure:prasarana organisasi :1  
organizationally unique identifier::  
organizing:pengorganisasian:  
organizing data:pengorganisasian data:1  
organizing data:pengorganisasian data:1  
organizing data:pengorganisasian data:  
organizing data in database:pengorganisasian data dalam pangkalan data:DELETE  
organizing data in database and data management:pengorganisasian data dalam pangkalan data dan manajemen data:DELETE  
organizing files:pengorganisasian berkas:1  
organizing files:pengorganisasian berkas:  
organizing in database:pengorganisasian dalam pangkalan data:DELETE  
OR-gate:gerbang OR:  
orientation:orientasi:

orifice:mulut:  
origin:asal:  
origin address field:medan alamat asli:  
original cover:pelindung asli:  
original data:data asli:1  
original data:data asli:  
original equipment manufacturer (OEM):OEM:  
original expression:ungkapan asli:  
original glass plate:lempeng kaca asli:  
original separator:pemisah asli:  
originating task:tugas mula-mula:  
origination:originasi:  
orphan:piatu:  
orthicon:ortikon:  
orthogonal:ortogonal:  
"orthogonal coil, magnetic bubble memory":  
orthogonal set:rangkain ortogonal:  
orthogonal square:kuadrat ortogonal:  
orthogonalization:ortogonalisasi:  
orthography:ortografi:  
orthonormal base:basis ortonormal:  
OS:OS (sistem pengoperasian):  
os:  
OS/2:OS/2:1  
OS/2:OS/2:DELETE  
OS/2:OS/2:  
OS/2 warp:OS/2 warp:1  
OS/2 warp:OS/2 warp:DELETE  
oscillating component:komponen osilasi:  
oscillating current:arus osilasi:  
oscillating tape technique:teknik pita osilasi:  
oscillation:osilasi:  
oscillation circuit:sirkuit osilasi:  
oscillation constant:konstan osilasi:  
oscillation grid:grid osilasi:  
oscillator:oskilator:  
oscillator:oskilator:  
oscillator clock:lonceng osilasi:  
oscillators:osilator :  
oscillators:osilator :  
oscillatory:osilatori:  
oscillatory circuit:sirkuit osilator:  
oscillogram:osilogram:  
oscillograph:osilograf:  
oscilloscope:osiloskop:  
OSI model:model OSI:

OSI model:model OSI:  
OSI reference model:model acuan OSI:1  
OSI reference model:model acuan OSI:  
OSI reference model:model acuan OSI:  
OSI reference model:model acuan OSI:  
osillograph:osilograf:  
osillograph tube:tabung osilograf:  
osilloscope tube:tabung osiloskop:  
osmotic pressure:tekanan osmosis:  
OTHERWISE (or OTW):kebalikan:1  
OTHERWISE (or OTW):OTHERWISE ( atau OTW):  
OUI:OUI:  
ouput subsystem:subsistem keluaran:  
out of control:lepas kontrol lepas kontrol:  
out of order:rusak:  
outage:lewat umur \*:  
outboard recorder:perekam luar:  
outbound:ke luar:  
outconnector:konektor luar:  
outdoor antenna:antena luar:  
outdoor scene:adegan luar:  
outdoor structure:struktur luar:  
outdoor transformer:transformator luar:  
outer conductor:konduktor sisi luar:  
outer control limit:batas kontrol sisi luar:  
outer guard band:jalur kawal luar:  
Outer join :OUTER JOIN :JOIN TERLUAR  
outer macro instruction:instruksi makro luar:  
outer marker:penanda sisi luar  
outernets:  
outflow pressure:tekanan arus luar  
outgoing:yang pergi  
outgoing level:aras tarian  
outgoing line:lin  
outgoing panel:panel tarian  
outgoing secondary line switch:alih lini sekunder ke luar  
outgoing trunk:batang surut  
outgoing trunk line:lini peti keluar  
outlet box:kotak keluar  
outlet line filter:penyaring lini ke luar  
OUTLIM:OUTLIM  
outline:garis besar  
outline function :  
outline gauge:ukuran kerangka  
outline of system specifications:garis besar spesifikasi sistem:DELETE  
outlook express:Outlook ekspress:

out-off voltage:tegangan lepas:  
out-of-order issue::  
OUTPUT:keluaran:1  
output:keluaran:1  
output:keluaran:  
output:keluaran:  
output:keluaran:  
OUTPUT:OUTPUT:DELETE  
output (of data):keluaran (dari data):  
output area:area keluaran:  
output area:daerah keluaran:  
output assertion::  
output block:blok keluaran:  
output block:blok keluaran:  
output blocking factor:faktor pemblokian keluaran:  
output buffer:penyangga keluaran:1  
output buffer:penyangga keluaran:  
output buffer:penyangga keluaran:  
output bus driver::  
output capability:kemampuan keluaran:  
output capacitance:kapasitansi keluaran:  
output channel:kanal keluaran:  
output circuit:sirkuit keluaran:  
output class:kelas keluaran:  
output condition:kondisi keluaran:  
output data:data keluaran:1  
output data:data keluaran:  
output data set:kumpulan data keluaran:  
output data set:kumpulan data keluaran:  
output decay:lopak keluaran:  
output dependency::  
output design:desain keluaran:  
output device:peranti keluaran:1  
output device:peranti keluaran:1  
output device:peranti keluaran:  
output device:peranti keluaran:  
output device:peranti keluaran:  
output device:peranti keluaran:  
output devices:peranti keluaran:  
output devices cost:biaya peranti keluaran:  
output display area:area peragaan keluaran:  
output electrode:elektroda keluaran:  
output equipment:alat keluaran:  
output equipment:peralatan keluaran :1  
output expansions:ekspansi keluaran:  
output field:medan keluaran:



output filter:penyaring keluaran  
output form:bentuk keluaran  
output format:format keluaran  
output format specification:spesifikasi/pengkhususan format keluaran  
output format specification form:formulir spesifikasi format keluaran  
output gap:senjang keluaran  
output impedance:rintangan keluaran  
output indicator:indikator keluaran  
output instruction:perintah keluaran  
output job queue:antrian pekerjaan luar  
output job queue:giliran tugas keluaran  
output job stream:aliran kerja keluaran  
output layout:atak keluaran  
output limiting facility:fasilitas pembatasan keluaran  
output list:senarai keluaran  
output media:media keluaran  
output meter:meter keluaran:  
output mode:mode keluaran:  
output port:gerbang keluaran:  
output port:gerbang keluaran:  
output port:port keluaran:1  
output power:daya keluaran:  
output primitive:elemen dasar keluaran:  
output print:cetakan keluaran:  
output procedure:prosedur keluaran:  
output process:proses keluaran:  
output processing:pemrosesan keluaran:  
output product::  
output program:program keluaran:  
output punch:punch keluaran:  
output queue:antrian keluaran:  
output queue:giliran keluaran:  
output record:catatan/rekam keluaran:  
output record type:tipe rekaman keluaran:  
output resistance:hambatan keluaran:  
output resonator:resonator keluaran:  
output routine:rutin keluaran:  
output routine:rutin keluaran:  
output stacker:pemumpun keluaran:  
output state:keadaan keluaran:  
output stream:aliran keluaran:  
output stream control:kontrol aliran keluaran:  
output stream control:kontrol giliran keluaran:  
output subprogram:subprogram keluaran:  
output subroutine:subrutin keluaran:  
output terminal:terminal keluaran:1

"output track, magnetic bubble memory"::  
output transformer:transformator keluaran:  
output typewriter:mesin tulis keluaran:  
output unit:unit keluaran:  
output unit:unit keluaran:  
output unit:unit output:1  
output voltage:voltage keluaran:  
OUTPUT WHERE:OUTPUT WHERE:1  
OUTPUT WHERE:OUTPUT WHERE:DELETE  
output winding:lilitan keluaran:  
output window:jendela keluaran:1  
output window:jendela keluaran:  
output work queue:antrian kerja keluaran:  
output writer:pencetak keluaran:  
output writer:penulis keluaran:  
output/input bit:bit masukan/keluaran:  
outside wiring:pengawatan sisi luar:  
outsourcing:pengalihluaran:1  
outsourcing:pengalihluaran:  
outsourcing ::  
outsourcing and cost:outsourcing dan biaya:1  
outsourcing and cost:pengalihluaran dan biaya:DELETE  
outsourcing and cost:pengalihluaran dan biaya:DELETE  
OVER:OVER:1  
OVER:OVER:DELETE  
over damping:peredam lebih:  
overall attenuation:atenuasi menyeluruh:  
overall characteristic:sifat umum:  
overall error:kesalahan keseluruhan:  
overall length:panjang keseluruhan:  
overbunching:kelebihan penyatuan \*:  
overcharge:kemahalan:  
overcommitment:tanggung jawab tambahan:  
overcommutation:kelebihan peringanan \*:  
overcoupling:kelebihan perangkaian \*:  
overcurrent:aruslebih:  
overcurrent relay with voltage restraint:relai arus lebih dengan pengendalian voltase \*:  
overdamping:lewat lembap:  
overdrive:gir tambahan; penambah kecepatan:  
overflow:luapan:1  
overflow:luapan:1  
overflow:luapan:1  
overflow:luapan:  
overflow:luapan:  
overflow area:area limpahan:1  
overflow area:area limpahan:

overflow area:daerah luapan:  
overflow bucket:timpa luapan:  
overflow chain:rantai ruahan:  
overflow check:pengecekan luapan:  
overflow connector:penghubung luapan:  
overflow entry:entri limpahan:1  
overflow entry:entri limpahan:  
overflow error:galat luapan:1  
overflow error:galat luapan:  
overflow field:medan limpahan:1  
overflow field:medan limpahan:  
overflow incomplete:tak tangkap luapan:  
overflow indication:penandaan luapan:  
overflow indicator:indikator limpahan:1  
overflow indicator:indikator limpahan:  
overflow indicator:indikator luapan:  
overflow position:posisi limpahan:  
overflow position:posisi luapan:  
overflow record:rekaman limpahan:1  
overflow record:rekaman limpahan:  
overflow status:status luapan:1  
overflow status:status luapan:  
overflow test:tes ruahan:1  
overflow test:tes ruahan:  
overhang:serambi:  
overhaul:perbaikan menyeluruh:  
overhead:atas umum:  
overhead:biaya umum:  
overhead ::  
overhead bit:bit atas umum:  
overhead conductor:konduktor atas:  
overhead line:lini atas; lini umum:  
overhead operation:operasi umum:  
overhead time:waktu lebih:  
overhearing:pemeriksaan lebih:  
overheat:terlalu panas:  
overland propagation:propagasi lintas darat \*  
overlap:tumpang tindih  
overlap :  
overlap mode:ragam tumpang tindih  
overlap processing:proses tumpang tindih  
overlap section:seksi tumpang tindih  
overlapped execution:  
overlapping angle:sudut bertindihan  
overlay:hamparan; lapisan tutup  
overlay:tumpang hamparan

overlay control:kontrol lapis luar  
overlay load module:modul bebanmenumpangangi  
overlay module:beban menumpangangi  
overlay module:modul hamparan  
overlay patch:lintasan tumpang tindih  
overlay path:lintasan hamparan  
overlay path:lintasan menumpangangi  
overlay program:program hamparan  
overlay program:program menumpangangi  
overlay region:kawasan hamparan  
overlay region:kawasan menumpangangi  
overlay segment:segmen hamparan  
overlay segment:segmen menumpangangi  
overlay structure:struktur hamparan/lembaran  
overlay structured program:program berstruktur tumpang- tindih  
overlay supervisor:pengawas menumpangangi  
overlay supervisor:penyelia hamparan  
overlay tree:pohon hamparan  
overlay tree:pohon menumpangangi  
overlayable fixed segment:segmen pasti tertumpang  
overline:lewat garis  
overload:beban lebih  
overload relay:relai lebih-beban  
overload tariff system:sistem tarif beban lebih  
overload valve:kutub beban lebih  
overloading:lewat muat  
overloading :  
overmodulation:modulasi berlebihan  
overpower relay:relai daya lebih  
overprint:cetak berlebihan  
overprinting:cetakan berkelebihan  
overpunch:pons berkelebihan  
overreach:lewat capaian  
overriding :  
overrun:jalan lebih  
overrun:penarikan lebih  
overrun error:kesalahan penarikan lebih  
oversampling:pencontohan capaian  
overscan:lewat pagar:  
overscanning:pemayaran lebih:  
oversea propagation:propagasi lintas laut \*:  
overshoot:jelajah; lewat:  
overshoot:melampaui:  
overspeed:kecepatan berlebihan/tinggi:  
overstrike:lewat tempa:  
overtone:nada tinggi/lonjak:

overtime::  
overview:lewat pandang:  
overview diagrams:diagram gambaran ikhtisar \*:  
overview of artificial intelligence:gambaran luas dari kecerdasan buatan:  
overview of communications systems:gambaran luas dari sistem komunikasi:DELETE  
overview of communications systems:gambaran luas dari sistem komunikasi:  
overview of database systems:gambaran luas dari sistem pangkalan data:DELETE  
overvoltage:voltase berlebih:  
overvoltage protection:prateksi lewat voltase  
overvoltage relay:relai voltase-lebih  
overwrite:tulis timpa  
own coding:pengkodean sendiri  
own coding routine:rutin pengodean sendiri  
owned:dimiliki  
owner:pemilik  
owner (of migrating object):  
owner record:rekaman pemilik  
owner record type:tipe rekaman pemilik  
oxide coated cathode:katode tertutup oksida\*  
oxide-coated cathode:katode tertutup oksida\*  
oxide-magnet:oksida maknet  
oxidizer:pengoksidasi  
oxidizer bleed disconnect:pengoksidasi luka tak terhubung \*  
oxidizer vent valve:katup lubang angin pengoksidasi \*  
ozone-proof:cetakan percobaan ozon \*:  
ozonizer:pengozon:  
PABX:PABX:  
pacemaker:pacu jantung:  
pacing:pelangkahan:  
pack:pak; kemas:  
package:kemasan:  
package ::  
package density:kepadatan kemasan:  
package function:fungsi paket:  
package software:kemasan perangkat lunak:1  
package software:kemasan perangkat lunak:  
packaged:terpaket:  
packaged program:program kemasan:  
packaged software:perangkat lunak terkemas:  
packages:paket:  
packages:paket:  
packaging:pengemasan:  
packaging density:densitas pengemasan:  
packaging design:desain pengemasan:  
packed array:larik pak:1  
packed card:kartu terpak:

packed card column counter:penghitung kolom kartu terpak:  
packed cell:sel terpak:  
packed decimal:desimal terpak:  
packed decimal:desimal terpak:  
packed decimal notation:notasi desimal terpak:  
packed decimal numeral:bilangan desimal terpak:  
packed form:bentuk paket:  
packed-mode operation:operasi model-terpak:  
packet:paket:  
packet:paket:  
packet assembler:perakit paket:  
packet assembler disassembler (PAD):assembler/disassembler paket (PAD):  
packet assembly:perakitan paket:  
packet assembly and disassembly:rakitan dan nonrakitan paket:  
packet assembly and disassembly (PAD) software:perangkat lunak perakit/pengurai paket:1  
packet assembly and disassembly (PAD) software:perangkat lunak perakit/pengurai paket (PAD):  
packet bulletin board system (PBBS):PBBS:  
packet disassembler:bukan perakitan paket:  
packet disassembly:bukan perakitan paket:  
packet duplication:duplikasi paket:  
packet filter:tapis paket:  
packet filtering :penapisan paket:  
packet length:panjang paket:1  
packet length:panjang paket:  
packet level:aras paket:1  
packet level:tingkat paket:  
packet loss:kehilangan paket:  
packet mode:mode paket:  
packet mode terminal:terminal model paket:1  
packet mode terminal:terminal model paket:  
packet multicomunication:multikomunikasi paket:  
packet network:jaringan paket:  
packet order:urutan paket:  
packet radio:radio paket:1  
packet radio:radio paket:  
packet sequencing:pengurutan paket:  
packet switch:alih paket:  
packet switch exchange:tukar pindah paket:  
packet switched network:jaringan teralih paket:  
packet switching:alih paket:  
packet switching:alih paket:  
packet switching:alih paket:  
packet switching:alih paket:  
packet switching:penalihan paket:  
packet switching:pengalihan paket:1  
packet switching:sambungan paket:1

packet switching mode:ragam alih paket:  
packet switching network:jaringan alih paket:  
packet switching network:jaringan sambungan paket:1  
packet switching networks:jaringan alih paket:  
packet switching service:layanan perangkaian paket:  
packet system:sistem paket:  
packetizing:pemaketan:  
packetizing:pemaketan:  
packets:paket:  
packets:paket:  
packet-switched circuits:sirkuit jaringan alih paket:  
packet-switched networks:jaringan alih paket:  
packet-switching networks:jaringan alih paket:  
packing:paking:  
packing density:densitas pengepakan:  
packing density:kepadatan pengepakan:  
packing document:pengepakan dokumen:1  
packing document:pengepakan dokumen:  
packing factor:faktor pengepakan:  
packing problem:masalah pengepakan:  
pack-in-place switch:sambungan pak-ditempat:  
PAD:PAD:  
pad:pad; tambah:  
pad character:karakter pad:1  
pad character:karakter pad:  
pad character:karakter pad/tambah:  
pad propulsion engineer:insinyur propulsi bantalan \*:  
pad safety officer:petugas pengamanan pad \*:  
padding:penambahan:1  
padding:penambahan:  
padding capacitor:kapasitor padding \*:  
paddle:kayuh:  
page:halaman:  
page:halaman:  
page address method:metode alamat segmen/halaman:  
page address system:sistem alamat segmen/halaman:  
page alignment:penepatan halaman:  
page buffer:penyangga halaman:  
page control block:blok kontrol halaman:  
page control block:blok kontrol halaman:  
page data set:kumpulan data hal:  
page data set:kumpulan data halaman:  
page directory:direktori halaman:  
page fault:kesalahan halaman:1  
page fault:kesalahan halaman:  
page fault:kesalahan halaman:

page file:berkas halaman:  
page fix appendage:tambahan halaman tetap \*:  
page fixing:penentuan halaman:  
page frame:bingkai halaman:1  
page frame:kerangka halaman:  
page frame:kerangka halaman:  
page frame table:tabel kerangka halaman:  
page frame table:tabel kerangka halaman:  
page index:indeks halaman:  
page interrupt:sela halaman:  
page map table:tabel peta halaman:1  
page migration:perpindahan halaman:  
page miss penalty::  
page mode:ragam halaman:  
page mode:ragam halaman:  
page number:nomor halaman:  
page offset::  
page overflow:ruahan halaman:  
page per minute (ppm):ppm:  
page pool:pool halaman:  
page pool:pul halaman:  
page printer:pencetak halaman:1  
page printer:pencetak halaman:  
page printers:pencetak halaman:  
page printing telegraphy:telegrafi pencetak halaman:  
page rate::  
page reader:pembaca halaman:  
page reclamation:reklamasi hal:  
page reclamation:reklamasi halaman:  
page record:rekaman halaman:  
page region table:tabel medan halaman  
page register:register/pencatat halaman  
page replacement:  
page replacement operation:operasi ganti halaman  
page replacement routine:rutin ganti halaman  
page reuse:guna ulang halaman  
page size:nomor halaman  
page stealing:pencurian halaman  
page swapping:penukaran halaman  
page table:tabel halaman  
page table:tabel halaman  
page translation exception:pengecualian perubahan halaman  
page turning:pengembalian halaman  
page wait:tunggu halaman  
"page, magnetic bubble memory":  
pageable dynamic area:area dinamik penunjuk halaman



pageable dynamic area:daerah dinamik penghalaman:  
pageable nucleus:inti penunjuk halaman:  
pageable partition:partisi penunjuk halaman:  
pageable region:daerah yang dapat berhalaman:  
pageable region:kawasan penghalaman:  
pageable supervisor:penyelia terlembarkan:  
page-counter:penghitung halaman:  
paged memory management unit (PMMU):PMMU:  
paged memory management unit (PMMU):PMMU:  
paged memory management unit (PMMU):unit memori berhalaman:1  
paged segmentation::  
paged-segment::  
page-fault processing:pemrosesan kesalahan halaman:  
page-fault processing:pemrosesan kesalahan halaman:  
page-fault-frequency replacement::  
page-in:halaman dalam (\*):  
page-in:halaman-masuh:  
page-mode DRAM::  
page-out:halaman luar (\*):  
page-out:halaman-keluar:  
page-printing printer::  
pager:pager:  
pager:pejer:1  
pagination:paginasi:  
paging:penghalaman:1  
paging:penghalaman:  
paging:penghalaman:  
paging:penghalaman:  
paging area:area penghalamanan:  
paging data set:rangkain data pelembaran:  
paging device:peralatan penghalaman:  
paging model:model penomoran halaman:  
paging rate:taraf penghalamanan  
paging rate:tingkat penghalaman  
paging supervisor:penyelia penghalaman  
Paging System:sistem pager  
paging technique:teknik penghalaman  
paint:cat  
paint packages:paket cat  
paint packages:paket cat  
paint systems:sistem cat  
painting:pengecatan  
pair:pasangan  
pair of stations:pasangan stasiun  
pair split:split memasang  
paired cable:kabel pasangan

paired segment:segmen sepasang  
PAK:PAK  
"PAL, programmable array logic":  
palette :palet:  
palette (colour):palet (warna):  
palmtop:palmtop:1  
palmtop:palmtop:  
palmtop computer:komputer palmtop:1  
palmtop computer:komputer palmtop:1  
palmtop computer:komputer palmtop:  
palmtop computers:komputer palmtop:  
palmtops:palmtop:  
palmtops:palmtop:  
PAM:PAM:  
pan:gerak datar:  
panel:panel:  
panel:panel:  
panel data set:kumpulan data panel:  
panel number:nomor panel  
panel room:ruang penel  
panel vibration:getaran panel  
panelboard:papan alat  
panic mode:mode panik  
panning:pelimbangan  
pantograph collector:kolektor pantograf  
PAP :PAP  
paper:kertas  
paper cable:kabel kertas  
paper capacitor:kapasitor kertas  
paper condenser:kondenser kertas  
paper feed:umpan kertas  
paper insulation:insulasi kertas  
paper jam:macet/kesukaran kertas  
paper jam detection:deteksi  
paper jointing tube:tabung penggabung kertas  
paper prototype :  
paper pulp insulated cable:kabel terinsulasi pulp kertas  
paper shredder:penghancur kertas \*  
paper skip:skip kertas  
paper sleeve:lengan kertas \*  
paper supporting shaft:berkas pendukung paper \*  
paper tape:pita kertas  
paper tape (H):  
paper tape control:kontrol pita kertas  
paper tape punch:penebuk pita kertas  
paper tape punch:punch pita kertas

paper tape reader:pembaca paper tep  
paper tape reader control:kontrol pembaca pita kertas  
paper tape reproducer:penghasil ulang pita kertas  
paper tape system:sistem pita kertas  
paper tape to magnetic tape converter:konverter pita kertas ke pita magnetik \*:  
paper tape unit:unit pita kertas:  
paper tape verifier:penguji pita kertas:  
paper throw:lontar kertas:  
paper-covered wire:kabel tutup kertas \*:  
paper-insulated cable:kabel insulasi kertas \*:  
paperless:nirkertas:  
PAR:PAR:  
parabola:parabola:  
parabolic equations:persamaan parabolik:  
paracontrast:parakontras:  
paradigm:paradigma:  
paradigms ::  
paradox:paradoks:1  
paradox:paradox:DELETE  
paraffin:parafin:  
paraffin oil:minyak parafin:  
paraffin wax:lilin parafin:  
paragraph:paragraf:  
paragraph header:induk paragraf:  
paragraph header:kepala paragraf:  
paragraph name:nama paragraf:  
paragraph-name:nama paragraf:  
PARALEL RUN::  
parallax error:salah paraloks:  
parallax reading error:kekeliruan pembaca paralaks:  
parallel:paralel:  
parallel:paralel:  
parallel:paralel:  
parallel::  
parallel access:akses paralel:  
parallel adder:penambah paralel:1  
parallel adder:penambah paralel:  
parallel adder:penambah paralel:  
parallel addition:penambahan paralel:  
Parallel algorithms:algoritma paralel:  
parallel architecture::  
parallel branch:cabang paralel:  
parallel bus:bus paralel:1  
parallel bus:bus paralel:1  
parallel bus:bus paralel:  
parallel bus:bus paralel:

parallel circuit:sirkuit paralel:  
Parallel circuits:sirkuit paralel:  
parallel composition ::  
parallel computer:komputer paralel:1  
parallel computer:komputer paralel:1  
parallel computer:komputer paralel:  
parallel computing:komputasi paralel:  
parallel computing:komputasi paralel:  
parallel connection:hubungan paralel:  
parallel connections:hubungan paralel:  
"parallel contention arbitration, bus":  
"parallel contention mechanism, bus":  
parallel cut:potongan paralel:  
parallel data:data paralel:1  
parallel data:data paralel:  
parallel data adaptor:adaptor data paralel:  
parallel data extension:ekstensi data paralel:  
parallel data transfer::  
parallel data transmissions:transmisi data paralel:  
parallel databases:pangkalan data paralel:  
parallel distributed:distribusi paralel:  
parallel feed:umpan paralel \*:  
parallel GET:GET paralel:  
parallel I/O:I/O paralel:1  
parallel I/O:I/O paralel:1  
parallel I/O:I/O paralel:  
parallel I/O:I/O paralel:  
parallel implementations:implementasi paralel:  
parallel interface:antarmuka paralel:  
parallel interface:antartatapan paralel:  
parallel languages:bahasa paralel:  
parallel mode:ragam paralel:  
parallel operation:operasi paralel:  
parallel port:port paralel:1  
parallel port::  
parallel processing: pemrosesan paralel:1  
parallel processing:pemrosesan paralel:1  
parallel processing:pemrosesan paralel:1  
parallel processing:pemrosesan paralel:  
parallel processing:pemrosesan paralel:  
parallel processor:pemroses paralel:1  
parallel processor:proses paralel:  
parallel processor:proses paralel:  
parallel processor:prosesor paralel:1  
parallel processors:proses paralel:  
parallel program:pogram paralel:

Parallel programming:pemrograman paralel:  
parallel read:pembacaan paralel:  
parallel resistance:hambatan paralel:  
parallel resonance:resonansi paralel:  
parallel reusable program:program terguna ulang paralel:  
parallel reusable subroutine:subrutin terguna ulang paralel:  
parallel rewriting systems:sistem penulisan paralel:  
parallel run:putar paralel:  
parallel running:pemutaran paralel:  
parallel running:putar/lari paralel:  
parallel search storage:penyimpan selamat/telusur paralel:  
parallel storage:penyimpan paralel:  
parallel terminal:terminal paralel:  
parallel test:uji paralel:1  
parallel test:uji paralel:1  
parallel test:uji paralel:  
parallel test:uji paralel:  
parallel transmission:transmisi paralel:1  
parallel transmission:transmisi paralel:1  
parallel transmission:transmisi paralel:  
parallel transmission:transmisi paralel:  
parallel transmission:transmisi paralel:  
parallel transmission:transmisi paralel:  
parallel version:versi paralel:  
parallel virtual machine:mesin maya selari:1  
parallel-groove clamp:klem alur paralel \*:  
parallelism:paralelisme:  
parallel-plate capacitor:kapasitor lempeng paralel \*:  
parallel-serial converter:konverter paralel-serial:  
parallel-to-serial conversion::  
paramagnetic material:material paramagnetik:  
paramagnetic substance:substansi paramagnetik:  
parameter:parameter:1  
parameter:parameter:  
parameter:parameter:  
parameter association:asosiasi parameter:  
parameter attribute:atribut parameter:  
parameter card:kartu parameter:  
parameter delimiter:pembuang limit parameter:  
parameter descriptor:deskriptor parameter:  
parameter descriptor list:senarai deskriptorparameter:  
parameter learning:mempelajari parameter:  
parameter library:pustaka parameter:  
parameter word:kata parameter:  
parameterized class ::  
parameterized element ::

parametric amplification:penguatan parametrik:  
 parametron:parametron:  
 paramodulation:paramodulasi:  
 parasitic antenna:antena plastik:  
 parasitic oscillation:osilasi parasit:  
 parasitic stopper:penghenti parasitik:  
 parastic effect:efek parastik:  
 parent:induk:  
 parent ::  
 parent directory:direktori induk:1  
 parent directory:direktori induk:  
 parent list:senarai induk:  
 parent master file:berkas induk:  
 parent master record link:sangkutan perekam induk:  
 PARENT NODE::1  
 parent nodes:simpul orang tua:1  
 parent nodes:simpul orang tua:  
 parent process ::  
 parent segment:segmen induk:  
 parentage:asal-usul:  
 parenthesis:parentesis:  
 parenthesis-free notation:notasi bebas kurung:  
 parenthesis-free notation:notasi parantesisbebas:  
 parity:paritas:1  
 parity:paritas:1  
 parity:paritas:  
 parity:paritas:  
 parity bit:bit paritas:1  
 parity bit:bit paritas:1  
 parity bit:bit paritas:  
 parity bit:bit paritas:  
 parity bit:bit paritas:  
 parity bits:bit paritas:  
 parity bits:bit paritas:  
 parity check:cek paritas; tilikan paritas:1  
 parity check (bit):cek paritas; tilikan paritas:  
 parity check (bit):cek paritas; tilikan paritas:  
 parity check error:salah uji paritas:  
 parity check system:sistem uji paritas:  
 parity detection circuit::  
 parity error:galat paritas:1  
 parity error:kekeliruan paritas:  
 parity error:kesalahan paritas:  
 parity flag:bendera paritas:  
 parking::  
 "parking, bus"::

parse:menguraikan:  
 parse:urai:  
 parse tree:pohon uraian:1  
 parse tree:pohon uraian:  
 parsed statement:uraian pernyataan:  
 parser:pengurai:  
 parsing:penguraian:  
 parsing:penguraian:  
 parsing tree:pohon:  
 part:bagian:  
 part list:senarai bagian:  
 part number:nomor bagian:  
 partial carry:bawa parsial  
 partial carry:limpahan penggalan  
 partial confounding:pembauran parsial \*  
 partial contact:kontak parsial  
 partial correctness:  
 partial correlation:korelasi sebagian  
 partial derivative:derivatif parsial  
 partial error:kesalahan sebagian  
 partial evaluation:evaluasi sebagian  
 partial inheritance :  
 partial integral:integral sepora  
 partial load:muatan sebagian  
 partial LRU method:metode LRU sebagian  
 partial product:produk penggalan  
 partial reflection:refleksi sebagian  
 partial specification :  
 partial vibration:getaran sebagian:  
 partiality:keseparaan:  
 partially-qualified name:nama memenuhi syarat sebagian \*:  
 participant:partisipan:  
 participation in systems development:partisipasi dana pengembangan sistem:DELETE  
 participation in systems development:partisipasi pengembangan sistem:1  
 particle:partikel:  
 particle accelerator:akselerasi partikel:  
 particle velocity:kecepatan partikel:  
 partition:partisi:  
 partition:partisi; sekatan:  
 partition ::  
 partition communication region:kawasan komunikasi sekatan:  
 partition page pool:pool halaman sekatan:  
 partition switch:saklar pembagi:  
 partition system:sistem penyeparan:  
 partitioned access method:metode akses partisi:  
 partitioned access method:metode akses penyekatan:

partitioned data set:kumpulan data partisi:  
partitioned data set:kumpulan data penyekatan:  
partitioned emulation program:program emulasi tersekat:  
partitioned emulation programming:pemrograman emulasi tersekat:  
partitioned file:berkas tersekat:  
partitioned mode:ragam terpisah:  
partitioned organization:organisasi terpisah:  
partitioning:pemartisian:  
partitioning:penyeparaan:  
parts:bagian:  
party line telephone:telepon lini hubungan ganda:  
Pascal:Pascal:1  
PASCAL:PASCAL:  
pascal:PASCAL:  
pascal lisp:PASCAL LISP  
pass:lewat  
pass:lulusan  
passband:jalur lulusan  
passbook:buku pass  
passbook and document printer:printer dokumen dan  
passbook index W/O CR:indeks passbook W/O CR \*  
passing argument:argumen alih  
passing band:pita pelewatan  
passing signal:sinyal pelewatan \*  
passivation:pasivasi  
passive:pasif  
passive antenna:antena pasif  
passive backplane:  
passive communication satellite:satelit komunikasi pasif \*  
passive element:elemen/unsur pasif  
passive imagery:citraan pasif:  
passive object ::  
passive redundancy::  
passive satellite:satelit pasif:  
passive star topology:topologi bintang pasif:1  
passive state:keadaan pasif:  
passive station:stasiun pasif:  
passive-matrix monitor :monitor pasif matriks:1  
passivity:pasif:  
passway:jalur:  
password:passwor; kata sandi:  
password:sandi lewat:1  
password:sandi lewat:1  
password:sandi lewat:1  
password:sandi lewat:  
password:sandi lewat:



password protection:proteksi kata sandi:1  
password protection:proteksi passwor; proteksi kata sandi:  
password security protection:proteksi sekuritas kata sandi:  
passwords:passwor; kata sandi:  
passwords:passwor; kata sandi:  
passwords:sandi lewat:1  
passwords:sandi lewat:  
paste:pasta:  
paste:pasta; tempel:  
patch:sambungan:  
patch:tambat:  
patch board:papan sambungan:  
patch board:papan tambat:  
patch diskette:disket tambalan:  
patch panel:panel tambatan; panel sambungan:  
patchboard:papan tambat:  
patchcord:tali tambat:  
patching:penambatan:  
patent:paten:  
patents:paten:  
path:lintasan:1  
path:lintasan:  
path ::  
path analysis:analisis lintang:  
path analysis::  
path clearance:ruang bebas lintasan:  
path condition::  
path control:kontrol lintasan:  
path difference:perbedaan path \*:  
path expression::  
path MTU:lintasan MTU:  
path MTU:lintasan MTU:  
path MTU discovery:penemuan lintasan MTU:  
path MTU discovery:penemuan lintasan MTU:  
path testing:uji lintasan:1  
path testing:uji lintasan:1  
path testing:uji lintasan:  
path testing:uji lintasan:  
path testing:uji lintasan:  
path testing:uji lintasan:  
path testing:  
path-delay testing::  
path-length antenna:antena pqnjang path \*:  
pathway design:desain arah lintasan:  
pathway design:desain arah lintasan:  
patrol diagnostic program:program diagnostik patroli:

pattern:pola:  
pattern analysis:analisa pola:  
pattern collation:kolasi pola:  
pattern matching:pencocokan pola:  
pattern memory:memori pola:  
pattern recognition:pengenalan pola:  
pattern sensitive::  
pattern sensitive fault:kesalahan sensitif berpola:  
patterns:pila:  
patterns:pola:  
patterns:pola:  
patterns of processing:pola pemrosesan:1  
patterns of processing:pola pemrosesan:  
pattern-sensitive fault:kesalahan sensitif berpola:  
pause:jeda:  
pause instruction:instruksi jeda:  
pause instruction:instruksi jeda:  
pause word:kata jeda \*:  
pause-retry:coba ulang jeda \*:  
PAX:PAX:  
pay station:stasiun bayar:  
pay station board:stasiun tempat bayar \*:  
payback method:metode pengembalian uang:  
payback method:metode pengembalian uang:  
payload:muatan:  
payload length:panjang muatan:  
payment schemes:skema pembayaran:  
Pay-Per-View:bayar setiap melihat:  
payroll application and document:aplikasi penggajian dan dokumen:DELETE  
PBX:PBX:  
PBX network:jaringan PBX:  
PC:PC:  
PC:PC:  
PC card:kartu PC:1  
PC cards:kartu PC:  
PC memory card:kartu memori PC:  
PC/TV :PC/TV:  
PCB:PCB:  
PCB:PCB:  
PCBA::  
p-channel metal oxide semiconductor:semikonduktor oksida logam saluran-P:  
p-channel MOS:saluran P MOS:  
PCI:PCI:  
PCLANP:PCLANP:  
PCLANP commands:perintah PCLANP:  
pcm:PCM:

PCM:PCM:  
PCM (Pulse Code Modulation):PCM:  
PCMCIA::  
PCMCIA card:kartu PCMCIA:1  
PCP:PCP  
PC-relative addressing:  
PCs:PC  
PCS:PCS  
PCs applications:aplikasi PC  
PCs backup:PC cadangan  
PCs costs:biaya PC  
PCs downtime:waktu rusak PC  
PCs drawbacks:keburukan PC  
PCs hardware add-ons:tambahan perangkat keras PC  
PCs host systems:sistem host PC  
PCs mainframe workstations:  
PCU:PCU  
PCX:  
PD:PD  
PDA:PDA  
PDAID:PDAID  
PDF:  
PDM (Pulse Duration Modulation):PDM  
PE:PE  
peacenet:peacenet  
peak:puncak  
peak amplitude:amplitudo puncak  
peak cathode current in steady state:arus katode puncak dalam keadaan mantap \*  
peak current:arus puncak \*  
peak detector:detektor puncak  
peak factor:faktor puncak  
peak inverse voltage:voltase kebalikan puncak  
peak load:beban puncak  
peak mesial magnitude:magnitude mesial puncak  
peak negative-pulse grid voltage:voltase grid pulsa negative puncak \*  
peak negative-pulse plate voltage:piringan pulsa negatif puncak \*  
peak positive-pulse plate voltage:voltase piringan pulsa positif puncak \*:  
peak reverse voltage:voltase kebalikan puncak \*:  
peak to peak mesial point:titik mesial puncak ke puncak \*:  
peak value:nilai puncak:  
peak voltmeter:voltmeter puncak:  
peakedness:pemuncakan:  
peaking:pemuncakan:  
peaking capacity:kapasitas besar \*:  
peaking coil:gulungan besar \*:  
peak-load power station:stasiun puncak load power \*:

pedestal feature:fitur pedestal \*:  
 pedestal level:tingkat pedestal \*:  
 peek:intip:  
 peek-a-boo:permainan cilukba:  
 peer:tatap:  
 peer computer:komputer rekan:1  
 peer computers:komputer rekan:  
 peering :rekanan:  
 peer-to-peer:rekan-ke-rekan:  
 peer-to-peer network:jaringan rakan ke rakan:1  
 PEL:PEL:  
 pel:pel:  
 pel matrix:matriks:  
 pellet:palet:  
 pen computer:komputer pena:  
 pen plotter:perajah pena:1  
 pen recorder:pena pencatat:  
 pen-based computer:komputer berasas pena:1  
 pen-based input:masukan berasas pena:1  
 pen-based input:masukan berbasis pena:  
 pencil:pensil:  
 pencil beam:batang pensil:  
 pend:tunda:  
 pendant switch:saklar pendant \*:  
 pending:penundaan:  
 penetration frequency:frekuensi penetrasi \*:  
 PenPoint:PenPoint:  
 penstock:pintu air:  
 pentagrid converter:konverter pentagrid (heptode) \*:  
 pentium::  
 pentium chip:cip pentium:1  
 pentium chip:cip pentium:  
 pentium chip:cip pentium:  
 pentium chip:cip pentium:  
 pentium II::  
 pentium pro::  
 pentode:pentoda:  
 penumbral:penumbral:  
 People:masyarakat; orang  
 PEP:PEP  
 PER:PER  
 percent:persen  
 percent articulation:artikulasi persen \*  
 percent defective:defektif persen \*  
 percent point:titik persen \*  
 percentage:persentase

percentage conductivity:konduktifitas persentasi \*

percentage function:fungsi persentasi

percentage loss:kehilangan persentasi \*

percentage modulation:modulasi persentasi \*

percentile:persentil

perception:persepsi

perceptron:pencerapan

Perceptual reasoning:

perceptual recognition:pengenalan cerapan:

percolate:menapis:

percolation:perlokasi:

perfect:sempurna:

perfective maintenance:perawatan perfektif:1

perfective maintenance ::

perforated:berperforasi:

perforated panel:panel terperforasi \*:

perforated tape:pita berperforasi:

perforating typewriter:mesin ketik perforasi \*:

perforation:perforasi:

perforation rate:tingkat perforasi:

perforator:pelubang kertas; perforator:

perforator:pembuat lubang:

perforator:perforator:

perforator slip:slip perforator \*:

performability:kekinerjaan:

performance:penampilan:

Performance and usage measurement:pengukuran kinerja dan penggunaan:

Performance attributes:atribut kinerja:

performance characteristic:karakteristik unjuk kerja:

performance evaluation:evaluasi kinerja:

performance group:kelompok prestasi:

performance measurement:pengukuran kinerja:

Performance measures:ukuran kinerja:

performance monitor:pemantau prestasi:

performance objective:objektif prestasi:

performance period:masa prestasi:

performance requirement:syarat kinerja:1

performance requirements::

performance specification::

Performance Systems International (PSI):PSI:

performance test:uji kinerja:1

performance test:uji kinerja:

performance testing:pengujian kinerja:

performance testing:uji kinerja:1

performance testing:uji kinerja:1

performance testing:uji kinerja:

performance testing:uji kinerja:  
performance testing:uji kinerja:  
performance testing::  
PERFORMANCE TUNING::  
performing arts:seni drama:  
performing arts:seni tari:  
perigee:perige:  
perimeter system complex:batasan sistem kompleks:  
perimeter system complex:kompleks sistem lingkaran:1  
perimeter system infrared:batasan sistem infra merah:  
perimeter system infrared:infra merah sistem lingkaran:1  
perimeter system wireless:batasan sistem nirkabel:  
perimeter system wireless:nirkabel sistem lingkaran:1  
perimeter systems:batas sistem:  
perimeter systems complex:batasan sistem infra merah:  
perimeter systems hardwired::  
perimeter systems infrared:batasan sistem infra merah:  
perimeter systems wireless:batasan sistem nirkabel:  
period:periode:  
period definition:definisi periode:  
periodic:periodik:  
periodic and/or random deviation:deviasi acak and/or periodik \*:  
periodic damping:pelembapan periodik:  
periodic duty:tugas periodik:  
periodic event ::  
periodic pulse train:muatan pulsa periodik:  
periodic task ::  
periodicity:periodisitas; kewaktuan:  
peripheral:periferal:1  
peripheral:periferal:  
peripheral:periferal:  
peripheral:tambahan/periferal:  
peripheral adapter:adapter periferal:1  
peripheral adaptor::  
peripheral bound:ikatan tambahan:  
peripheral bound program:program ikatan tambahan:  
peripheral buffer::  
peripheral component interconnect (PCI):interkoneksi komponen periferal (PCI):1  
peripheral control:kontrol peralatan antar muka:  
peripheral control unit:unit kendali periferal:1  
peripheral control unit:unit kontrol tambahan:  
peripheral control unit:unit kontrol tambahan:  
peripheral controller:pengendali periferal:1  
peripheral controller::  
peripheral device:alat tambahan:  
peripheral device:peranti periferal:1

peripheral device :alat tambahan:  
peripheral equipment:peralatan periferal:1  
peripheral equipment:peralatan periferi:  
peripheral equipment:peralatan tambahan:  
peripheral equipment:peralatan tambahan:  
peripheral interface:antarmuka tambahan:  
peripheral interface adaptor:adaptor antartatapan:  
peripheral interface channel:saluran antarmuka tambahan:  
peripheral interrupt:selaan pariferal:  
peripheral limited:batas alat tambahan:  
peripheral LSI chip:serpihan LSI periferal:  
peripheral node:simpul periferal:  
peripheral processor:pemroses tambahan  
peripheral processor:pemroses tambahan  
peripheral transfer:transfer periferi  
peripheral transfer:transfer periferi  
peripheral unit:  
peripherals:alat tambahan  
peripherals:alat tambahan  
perl:  
permanent:permanen  
permanent address:alamat tetap  
permanent answer:jawaban tetap  
permanent connection:sambungan permanen  
permanent current:arus permanen  
permanent fault:kesalahan permanen  
permanent fault:kesalahan permanen  
permanent file:berkas permanen  
permanent ground fault:kesalahan dasar tetap:  
permanent menu:menu permanen:1  
permanent menus:menu permanen:  
permanent read/write error:kesalahan baca/tulis permanen:  
permanent segment:segmen permanen:  
permanent set:rangkaian permanen:  
permanent short:korsleting tetap \*:  
permanent signal:lambang permanen:  
permanent state:keadaan permanen \*:  
permanent storage:memori permanen:  
permanent virtual circuit (PVC):PVC:  
permanent virtual circuit (PVC):PVC:  
permanent virtual circuit (PVC):sirkuit maya permanen (PVC):1  
permanently resident volume:volume sisa permanen:  
permanent-magnet moving-coil instrument:instrumen kumparan gerak magnet permanen:  
permatron:permatron:  
permeability:permeabilitas; ketertembusan  
permeable sequence:urutan permeabel

permeameter:permiameter  
permeance:permeansi  
permissible error:kekeliruan terizinkan  
permissible temperature:temperatur diizinkan  
permission:izin  
permissions:  
permissive stop signal:sinyal stop bebas \*  
permittivity:permitivitas  
permutation:permutasi  
permutations:permutasi  
permuting information:informasi permutasi  
perpendicular magnetic recording:perekaman magnetik tegaklurus  
persistence:persisitensi  
persistence :  
persistence characteristic:karakteristik persisten \*:  
persistence characteristic of a luminescent screen:karakteristik persisten dari luminescent \*:  
persistence of a luminescent screen:layar persisten luminescent \*:  
Persistent (objects) :PERSISTENT (OBJECTS) :MENETAP  
persistent object ::  
persistent oscillation:osilasi persisten \*:  
personal code:kode pribadi:  
Personal Communications Services (PCS):PCS:  
personal computer:komputer pribadi:  
personal computer (PC):komputer pribadi (KP):1  
personal computer (PC):komputer pribadi (PC):1  
personal computer (PC):komputer pribadi (PC):  
personal computer disk operating system (PC-DOS):PC-DOS:  
Personal Computer Memory Card International Association (PCMCIA):PCMCIA:  
personal computer memory card international association (PCMCIA):PCMCIA:  
personal computers:komputer pribadi:  
personal computers:komputer pribadi:  
personal data:data pribadi:  
personal data:data pribadi:  
personal digital assistant (PDA):pembantu digital pribadi (PDA):1  
personal digital assistants:asisten digital personal:  
personal digital assistance (PDA):PDA:  
personal error:kesalahan personal:  
personal identification:identifikasi personal:  
personal machine:mesin personal:  
personal support system:sistem pendukung personal:1  
personal support system:sistem pendukung personal:  
personal-circuit:sirkuit pribadi:  
personality:kepribadian:  
personalize:mempribadi:  
personnel:personil:  
perspective:perpektif:



PERT:PERT:  
perturbation:usikan:  
per-unit system:sistem per-unit \*:  
perveance:perviansi:  
perviance:perviansi:  
Pessimistic locking :PESSIMISTIC LOCKING :PENGUNCIAN PESIMISTIK  
Petri nets:jaringan Petri:  
"petri nets, PN"::  
PF\_APPLETALK:PF\_APPLETALK:  
PF\_INET:PF\_INET:  
PF3:PF3:1  
PF3:PF3:DELETE  
PGP:PGP:  
PH:PH:  
pH value:nilai pH:  
phantom cable:kabel pantom:  
phantom circuit:sirkuit fantom  
phantom circuit:sirkuit momok  
phantom load:beban hantu  
phantom loading:muatan pantom  
phantom repeating coil:kumparan pengulangan pantom  
Phase:Fasa  
phase:fasa  
phase:fase  
phase adjustment:penyesuaian fase  
phase angle:sudut fase  
phase belt:sabuk fase  
phase coding:pengkodean fase  
phase compensating transformer:transformator penggantian fase  
phase compensator:pengganti fase  
phase constant:konstanta fase  
phase control:kontrol fase  
phase converter:konvertor fase:  
phase current:arus fase:  
phase detector:pendeteksi fase:  
phase deviation:deriasi fase:  
phase difference:beda fase:  
phase discrimination:diskriminasi fase:  
phase distortion:distorsi fasa:  
phase distortion:distorsi fase:  
phase encoded:menyandi fase:  
phase encoding:penyandian fasa:  
phase encoding (PE):enkoder fase:1  
phase fault relay:relai salah fase:  
phase indicator:indikator fase:  
phase inversion modulation:modulasi inversi fasa:

phase inverter:pembalik fase:  
phase jitter:getaran fase:  
phase locked loop:lop/putaran terkunci fase  
phase modifier:pengubah fase  
phase modifying equipment:alat pengubah fase  
phase modulation:modulasi fasa  
phase modulation:modulasi fase  
phase modulation recording:perekaman modulasi fasa  
"phase modulation, magnetic recording":  
phase pattern:pola fase  
phase rotation:putaran fase  
phase segregation:segregasi fase  
phase sequence:deret fase  
phase shift:geser fase  
phase shift keying (PSK):penguncian alih fasa  
phase shift modulation:modulasi geser fase  
phase shifter:penggeser fase  
phase splitter:pemisah fase  
phase velocity:kecepatan fase  
phase velocity of a slow wave structure:laju-fase struktur- gelombang-lambat  
phase winding:belitan fase  
phase-balance relay:relai fase-imbang  
phase-control angle:sudut fase-kontrol  
phased array:satuan berfase  
phase-encoding recording:  
phase-meter:fase-meter  
phase-reversal relay:relai fase-balik  
phase-rotation relay:relai fase-rotasi  
phase-shifting:pengalihan-fase  
phase-splitting device:alat pemisah fase  
phasing:pemfasean  
phasing signal:signal pemingkai  
phenomena:gejala; fenomena  
phenomenon:fenomenon  
Philosophical foundations:dasar-dasar filosofis  
philoxenic:filoksenik  
phonation:penyuaran  
phone card:telepon kartu  
phoneme:fonem  
phoneme typewriter:mesin tik fonem  
phonetics:fonetik  
phonic motor:motor fonik  
phonocardiograph:fonokardiograf  
phonogram:fonogram  
phonology:fonologi  
phonomotor:fonomotor

phonon:fonon  
phosphor:fosfor  
phosphor bronze:perunggu fosfor  
phosphor screen:skrinfosfor  
phosphor stripe screen:skrin jalur fosfor  
phosphorescence:fosforesensi  
photo coupler:perangkai/penggandeng foto  
photo detector:detektor foto  
photo isolator:isolator foto  
photo reader:pembaca foto  
photo tape reader:pembaca pita foto; pembaca klise  
photocathode:fotokatode  
photocell:fotosel  
photocomposition :komposisi gambar  
photo-conductive camera tube:tabung kamera foto- konduktif  
photoconductive cell:sel fotokonduktif  
photoconductive pickup tube:tabung fotokonduktif  
photoconductivity:foto konduktifitas  
photoconductor:foto konduktor  
photocoupler:fotokopler  
photodetection:fotodeteksi  
photodetector:fotodetektor  
photodetector array:sinar fotodetektor  
photodiode:fotodioda  
photodiode:fotodiode  
photoelasticity:fotoelastisitas  
photoelectric:foto-elektrik  
photo-electric cathode:katode foto-elektrik  
photoelectric conductance:konduktansi fotoelektrik  
photoelectric effect:efek fotoelektrik  
photoelectric emission:emisi fotoelektrik  
photoelectric reader:pembaca fotoelektrik  
photoelectric sensitivity:kepekaan fotoelektrik  
photoelectric tape reader:pembaca pita fotoelektrik  
photoelectric threshold:ambang fotoelektrik  
photoelectricity:fotoelektrisitas  
photo-electron:foto -elektron  
photoetching:pengepetsa foto  
photoflash lamp:lampu fotoflas  
photogalvanic effect:efek fotogalvanik  
photogrammetry:fotogrametri  
photographic plate making machine:mesin pembuat lempeng fotografik  
photographic recorder:perekam fotografik  
photographic sound recorder:perekam bunyi fotografik  
photographic sound recording head:puncak pencatatan bunyi fotografik  
photographic sound reproducer:pemancar kembali bunyi fotografik

photolithography:fotolitografi  
photoluminescence:fotoluminesensi  
photometry:fotometri  
photometry:fotometri  
photomicrography:fotomikrografi  
photomultiplier:foto-pengganda  
photomultiplier tube:tabung foto-pengganda  
photon:foton  
photoreceiver:foto-penerima; fotoreseptor  
photoreceptor:foto-penerima; fotoreseptor  
photoresist:fotoreซิส  
photosampling:pemercontohan foto  
photosemiconductor:fotosemikonduktor  
photo-sensing market:pasar pemantau foto  
photosensitivity:foto-kepekaan  
photosensor:fotosensor  
phototelegraphy:fototelegrafi  
phototherapy:fototerapi  
phototransistor:fototransistor  
photo-type setting machine:mesin pengesetan foto-tipe  
phototypesetting:pengesetan tipe foto  
phototypography:fototipografi  
photovoltaic pickup tube:tabung pengambilan fotovoltaiik:  
phrasal analyzer:penganalisis frasal:  
phrase:frase:  
phrase data base:pangkalan data frase:  
phreaking:preaking:  
physical:fisik:  
physical:fisik:  
physical access control:kontrol akses fisik:1  
physical address:alamat fisik:1  
physical address:alamat fisik:  
physical address:alamat fisik:  
physical address space:ruang alamat fisik:  
physical berkasure:Balah fisik:  
physical cables:kabel fisik:  
physical characteristics of CPU:karakteristik fisik dari CPU:  
physical child:anak fisik:  
physical circuit:sirkuit fisik:  
physical circuit:sirkuit fisika:  
physical data:data fisika:  
physical data structure:struktur data fisik:1  
physical data structure:struktur data fisik:  
physical design control:kendali desain fisik:1  
physical design control:kontrol desain fisik:  
physical detector:pelacak fisik:

physical device address:alamat alat fisik:  
physical disablement:cacat fisik:  
physical failure::  
physical fault::  
physical instrument:instrumen fisik:  
physical IOCS:IOCS fisik:  
physical layer:lapisan fisik:1  
physical layer:lapisan fisik:  
physical level:aras fisik:1  
physical line:garis fisik:  
physical locality:lokalitas fisik:  
physical lock:kunci fisik:  
physical medium attachment sublayer:sub lapisan tambahan medium fisikal:  
physical memory::  
physical message:pesan fisika:  
physical organization:organisasi fisik:  
physical page format::  
physical page number::  
physical parent:induk fisik:  
physical photometry:fotometri fisik:  
physical receptor:penerima fisik:  
physical record:rekaman fisik:  
physical record length:panjang rekaman fisik:  
physical record size:ukuran rekaman fisik:1  
physical record size:ukuran rekaman fisik:  
physical recording density:kepadatan perekaman fisikal:  
physical security:sekuritas fisik:  
physical security:sekuritas fisik:  
physical signaling sublayer:sub lapisan pensinyalan fisikal:  
physical simulation:simulasi fisik:  
physical structure:struktur fisik:  
physical structures:struktur fisik:  
physical terminal:terminal fisik:  
physical track address:alamat lintasan fisik:  
physical transient area:area transient fisik:  
physical transmission media:media transmisi fisik:1  
physical twin:kematang fisik:  
physical unit:unit fisik:  
physical unit:unit fisikal:  
physical unit block:blok unit fisik:  
physical unit number:nomor unit fisik:  
Physically based modeling:pemodelan berbasis fisik:  
physics:fisika:  
physiology:fisiologi:  
piano-like switch:alih bak-piano:  
PIC::

pick:petik:  
PICK:PICK:1  
PICK:PICK:DELETE  
pick device:gawai pilih:  
PICK parameters:parameter PICK:1  
PICK parameters:parameter PICK:DELETE  
picking:hasil:  
picking list document:dokumen pemetikan daftar:1  
picking list document:dokumen pemetikan daftar:  
pickling:pengasaman:  
pickup:petik; pikap:  
pickup arm:lengan petik:  
pickup tube:tabung petik:  
PICO:PICO:  
pico:piko:  
picofarad:pikofarad:  
picoJava :pikoJava:  
picoprocessor:pikoprosesor:  
picosecond:piko detik:  
PICTORIAL SYSTEMS::1  
picture:gambar:  
picture and waveform monitor:monitor gambatang dan bentuk gelombang:  
picture area:medan gambar:  
picture carrier:pembawa gambar:  
picture character:karakter gambar:  
picture check:uji gambar:  
picture data:data gambar  
picture description languages:deskripsi bahasa gambar  
picture dot interlacing:penjalinan titik gambar  
picture element:elemen/unsur gambar  
picture frequency:frekuensi gambar  
picture languages:bahasa gambar  
picture recording:pencatatan/perekaman gambar  
picture signal:sinyal gambar  
picture specification:spesifikasi gambar  
picture specification character:karakter spesifikasi gambar  
picture specification character:karakter spesipikasi gambar  
picture system:sistem gambar  
picture television:gambatang televisi  
picture transmitter:pentransmisi gambar  
picture tube:tabung gambar  
pictured data:data tergambar  
picturephone:gambatang suara:  
pie chart:bagan pie:1  
pie chart:bagan pie:  
pie chart:diagram pie:

piecewise polynomial approximation:aproksimasi polinom:  
piecewise polynomial interpolation:interpolasi polinom:  
piezo-coupler:piezo-coupler:  
piezoelectric:piezoelektrik:  
piezoelectric ceramics:keramik piezoelektrik:  
piezoelectric constant:tetap piezoelektrik:  
piezoelectric crystal:hablur piezoelektrik:  
piezo-electric device:alat piezo-elektrik:  
piezoelectric loudspeaker:pengeras suara piezoelektrik:  
piezoelectric material:material piezoelectric:  
piezoelectric microphone:mikrofon piezoelektrik:  
piezoelectric modulus:modul piezoelektrik:  
piezoelectric pickup:pengambilan piezoelektrik:  
piezoelectric transducer:transduser piezoelektrik:  
piezoelectricity:kepiezoelektrik:  
piezo-resistance device:alat tahanan piezo:  
PIF::  
piggyback:bersidukung:  
piggyback board::  
piggybacking:pengendongan:1  
pigtail:ekor babi:  
pilot:pilot:  
pilot block system:sistem blok pilot; sistem blok perintis:  
pilot channel:saluran perintis:  
pilot filter:penyaring perintis:  
pilot frequency:kekerapan perintis; frekuensi perintis:  
pilot lamp:lampu pilot:  
pilot model:model pilot:  
pilot operation:operasi pilot:  
pilot oscillator:osilator perintis; asilator pilot:  
pilot program:program induk:1  
pilot program:program induk:DELETE  
pilot projects:proyek percontohan:1  
pilot projects:proyek percontohan:DELETE  
pilot protection:proteksi pilot:  
pilot relaying:perelaian perintis; perelaian pilot:  
pilot survey:survei perintis; survei pilot:  
pilot system:sistem percontohan:  
pilot test:uji perintis:1  
pilot test:uji perintis:1  
pilot test:uji perintis:  
pilot test:uji perintis; uji coba:  
pilot test:uji perintis; uji coba:  
pilot wire:kawat perintis; kawat pilot:  
PIM:  
pin:pena

pin:pena  
pin:pin  
pin compatible:keserasian pena  
pin feed:umpan pin  
pin feed platen:rol umpan pen  
pin feed platen with forms control:kontrol silinder pin dengan kertas \*  
pin insulator:insulator pena  
pinboard:papan pen  
pinch effect:efek cubyten  
pinchoff:menjepit  
pinch-off voltage:tegangan tanpa pin\*  
pincushion distortion:distorsi/erotan pinkusi  
pin-cushion distortion:distorsi bantalan pin\*  
PINE :PINE  
pinfeed platen:rol umpan pen:  
ping:ping:1  
PING:PING:  
ping:ping:  
PING :PING:  
pin-hole:lubang pena:  
pinouts:lubang pin:  
pin-type insulator:insulator tipe pin\*:  
PIOCS:PIOCS:  
pip:pipa:  
pipe:pipa:  
pipe arrangement:rangkaian pipa:  
pipe flush::  
pipe line control:kontrol lini/garis pipa:  
pipeline:garis korok:  
pipeline:garis korok:  
pipeline:pipasaluran:  
pipeline:pipasaluran:  
pipeline:pipasaluran:  
pipeline:pipelain:  
pipeline computer:komputer alur:  
pipeline interlock::  
pipeline processor:pemroses saluran pipa:1  
pipeline processor:prosesor pipasaluran:1  
pipeline processor:prosesor pipasaluran:  
pipeline processor:prosesor pipasaluran:  
pipeline processors:prosesor pipasaluran:  
pipeline processors:prosesor pipasaluran:  
pipeline processors:prosesor pipasaluran:  
pipelined cache::  
pipelining:pengaluran:  
pipelining:pengaluran:



pipelining computer:komputer pengaluran:  
piping:pemipaan:  
pirated software:perangkat lunak bajak:1  
piston:piston:  
pit:pit:  
pitch:hubungan; jarak bagi:  
pitch diameter:diameter lingkaran jarak bagi:  
pitch names:nama nada:  
pivot:pivot; umpil:  
pivoting:peniasakan:  
pixel: piksel:1  
pixel:piksel:  
pixel:piksel:  
pixel:piksel:  
pixel based storage:penyimpanan berbasis piksel:  
Pixel classification:klasifikasi piksel:  
pixels:piksel:  
PKI :PKI:  
PKZIP compatible files:berkas kompatibel PKZIP:1  
PKZIP compatible files:berkas kompatibel PKZIP:DELETE  
PKZIP compatible files:berkas kompatibel PKZIP:  
PL/I:PL/I:  
PLA:PLA:  
PLA:PLA:  
"PLA, programmable logic array"::  
place:tempat:  
placeholder:pelubang tempat:  
placement :penempatan; peletakan:  
placement argument ::  
placement technique:teknik penempatan:  
plaid square design:rancangan:  
plain old telephony system (POTS):POTS:  
plain old telephony system (POTS):sistem telepon biasa:1  
plain text :teks saja:  
plan:rancangan:  
plan execution :pelaksanaan rencana:  
plan formation:formulasi rencana:  
plan generation:pembuatan rencana:  
plan position indicator:penunjuk posisi perencanaan:  
plan view:pandangan rancangan:  
planar:planar:  
planar electrode tube:tabung elektrode planar:  
planar technique:teknik planar:  
planar transistor:transistor planar:  
plane:bidang:  
plane earth:bumi ketam; ketam bumi:

plane polarization:poliasi ketam:  
planer transistor:transistor pengetam:  
planetary camera:kamera planetari:  
planimeter:planimeter:  
planned overlay structure:struktur tumpang tindih terprogram:  
planning:perencanaan:  
planning document:perencanaan dokumen:1  
planning document:perencanaan dokumen:  
planning information system:sistem informasi perencanaan:  
planning systems generator:pembangkit sistem perencanaan:  
plant:instalasi:  
plant:pabrik:  
plant communication controller:pengendali komunikasi jaringan:  
plant communication system:sistem komunikasi jaringan:  
plant terminal:terminal jaringan:  
plasma:plasma:  
plasma display:tampilan plasma:  
plasma display:tampilan plasma:  
plasma panel:panel plasma  
plastic:plastik  
plastic film capacitor:kapasitor film plastik  
plastic foam:busa plastik  
plasticity:keplastikan  
plastics:plastik  
plate:lempeng  
plate:pelat; lempeng  
plate capacitance:kapasitansi lempeng; kapasitansi pelat  
plate capacitor:kapasitor lempeng; kapasitor pelat  
plate conductance:konduktansi lempeng; konduktansi pelat  
plate current:arus pelat  
plate detection:pelacakan pelat  
plate dissipation:disipasi pelat  
plate impedance:impedansi pelat  
plate loss:hilang pelat  
plate making machine:msein pembuat pelat:  
plate voltage:voltase pelat; tegangan pelat:  
plated wire storage:penyimpanan kawat berpelat:  
platen:platen:  
platen pin Fd non std in lieu:mekanisme penunjuk interval silinder pin \*:  
platform:teras:  
platform ::  
platform scanner:pemindai platform:1  
plating:pelempengan:  
platter:piring:1  
platter:rerata:  
PLAY32:PLAY23:

playback:saji balik:  
playback::  
playback characteristics:sifat saji balik:  
playback control:kontrol memainkan kembali:  
PLC::  
"PLD, programmable logic device":  
plesiochronous:plesikronus:  
plex:pleks:  
pliers:penjepit:  
plosive:bersuara; plosif:  
plot:alur; rajah:  
plot :plot:  
plot experimentation:pencobaan plot:  
plotter:penggambar; ploter:1  
plotter:penggambar; ploter:  
plotter:penggambar; ploter:  
plotter:perajah:1  
plotter step size:ukuran langkah plotter:  
plotter subroutine:subrutin penggambar:  
plotters:penggambar:  
plotters:penggambar:  
plotters output devices:peranti keluaran ploter:1  
plotters output devices:peranti keluaran ploter:  
plotting:perancangan:  
plotting board:papan gambar:  
plotting board:tombol perajahan:  
plotting head:kepala kelompok:  
PLS sublayer:sub lapisan PLS:  
plug:plug; steker:  
plug & play::  
plug and play:pasang dan pakai (PnP):  
plug and play (PnP):pasang dan pakai (PnP):  
plug and play device:peranti pasang dan pakai:1  
plug bond:ikatan busi; ikatan sumbat:  
plug compatible :bersesuaian busi:  
plug seat:dudukan busi:  
plug socket:tempat busi:  
plug-and-play networking:jaringan masukan dan mainkan:  
"plug-and-play, PNP "::  
plugboard:papan steker:  
plugboard:tombol plug:  
plug-compatible:keserasian plug:  
plugging:penyumbatan:  
plugging relay:relai penyumbatan:  
plugging-up line:lini penyumbatan keatas:  
plugin:menyumbat:

plugin:penyumbat:  
plug-in:pasang-masuk:  
plug-in:penyumbat :  
plug-in board:papan penyolok:1  
plug-in board:papan plug-in:  
plug-in board:papan plug-in:  
plug-in boards:papan plug-in:  
plug-in card:kartu plug-in:  
plug-in software:perangkat lunak tambahan:  
plug-in software::1  
plugin unit:unit sumbat:  
plug-in unit:unit plug-in:  
plug-in unit:unit steker-dalam:  
plug-in-type relay:relai jenis penyumbatan:  
plumber:ukur tegak:  
plumber jointer:penggabung tukang; tukang penggabung:  
plumbicon:plumbikon:  
plunger type line switch:saklar sambungan tipe pengisap \*:  
plus input:masukan plus:  
plus sign:tanda plus:  
PM:PM:  
PMA sublayer:sub lapisan PMA:  
PMOS:PMOS:  
PMS:PMS:  
pn junction:cabang pn:  
p-n junction:cabang p-n:  
pneumatic brake:rem pneumatik:  
pneumatic operation:operasi penumatik:  
pneumatic tube:tube pnenmatik:  
PNG :PNG:  
pocket:kantung; saku:  
pocket calculator:mesin hitung saku:  
pocket computer:komputer saku:1  
pocket telephone:telepon saku:  
point:titik:  
point and click:tunjuk dan klik:  
point galvanometer:galvanometer titik:  
point mode display unit:unit tayangan mode titik:  
point of invocation:titik pemanggilan:  
point of measurement:titik ukur:  
Point of Presence (POP):POP:  
point of presence (POP):titik kehadiran:1  
point of sale system:sistem tempat penjualan:  
point of sale terminal:terminal titik jual:  
point of sales:tempat penjualan:  
point size:ukuran titik:

point source of light:sumber titik sinar; titik sumber sinar:  
point to point configuration:konfigurasi titik ke titik:1  
point-and-click-interface:antarmuka tunjuk dan klik:  
PointCast :PointCast:  
point-contact transistor:transistor titik kontak:  
pointer:penunjuk:1  
pointer:penunjuk:1  
pointer:penunjuk:  
pointer:penunjuk:  
pointer compression:kompresisi petunjuk:  
pointer data:data penuding:  
pointer data:data penunjuk:1  
pointer expression:ekspresi penuding:  
pointer galvanometer:galvanometer penunjuk:  
pointer query:permintaan penunjuk:  
pointer register:pencatat penunjuk:  
pointer segment:segmen penunjuk:  
pointer type:tipe penunjuk:  
pointer value:nilai penuding:  
pointer variable:variabel penunjuk:  
pointer variable:variable penuding:  
pointers:penunjuk:1  
pointers:penunjuk:  
pointing:penunjukan:  
pointing device:peranti penunjuk:1  
point-of-sale (POS) terminal:terminal kasir:  
point-of-sale (POS) terminal:terminal kasir:  
point-of-sale (POS) terminal:terminal kasir:  
point-of-sale (POS) terminal:terminal titik jual:1  
point-of-sale devices:peralatan di kasir:  
Point-Of-Sale terminal (POS terminal):terminal tempat jual (terminal POS):1  
point-to-point:titik-ke-titik:  
point-to-point bus::  
point-to-point circuits:sirkuit titik ke titik:  
point-to-point connection:koneksi titik ke titik:  
point-to-point connection:sambungan dari titik ke titik:  
point-to-point line:sambungan titik ke titik:  
point-to-point network:jaringan titik ke titik:1  
point-to-point network:jaringan titik ke titik:  
point-to-point operation:operasi titik ke titik:  
point-to-point protocol:protokol titik ke titik:1  
point-to-point service:pelayanan titik ke titik \*:  
point-to-point topology:topologi titik ke titik:  
point-to-point transmission:transmisi titik per titik:  
point-to-point transmisson:transmisi titik ke titik:  
point-to-point tunneling protocol (PPTP):protokol penerowongan titik ke titik:1

Point-to-Point-Protocols (PPP):PPP:  
poke:mengopak:  
polar:palar:  
polar contact:kontak polar:  
polar coordinate type potentiometer:potensiometer tipe koordinat polar:  
polar echo:gaung polar; gema polar:  
polar relay:relai polar:  
polar transmission:transmisi kutub:  
polarity:polaritas:  
polarity relay:relai polaritas:  
polarization:polarisasi  
polarization diversity:diversitas penalaran  
polarized relay:relai terpolarisasi  
polarized return to zero recording:perekaman terpolarisasi kembali ke nol  
polarized return-to-zero recording:pencatatan kembali ke zero terpolarisasi  
polarized sounder:alat tekuk-telegraf terpolarisasi  
polarized wave:gelombang berpolar  
polarizer:pemolar  
pole:kutub  
pole arc:busur kutub  
pole attachment:lampiran kutub  
pole changer:penukar kutub  
pole climber:taji panjat  
pole face:muka kutub  
pole mounted oil switch:sakelar minyak pemuncak kutub  
pole oil switch:sakelar minyak kutub  
pole piece:sepatu kutub:  
pole shoe:sepatu kutub:  
pole spacing:penjarakan kutub:  
pole step:tapak kutub:  
pole switch:alih kutub:  
pole tip:puncak kutub:  
policies database:pangkalan data kebijakan:1  
policies database:pangkalan data kebijakan:  
policy:kebijakan:  
policy module:modul kebijakan:  
Polish notation:notasi Polish:  
Polish notation:notasi upam:  
poll:pengumpulan pendapat; pol:  
poll bill:kertas pilih:  
poll/select:jajak/seleksi:  
polled interrupt::  
polling:penjajakan:1  
polling:penjajakan:  
polling:penjajakan:  
polling:penjajakan:

polling address:alamat pemilihan:  
polling character:karakter penjajaan:  
polling characters:karakter jajaan:  
polling characters:karakter penjajaan:  
polling delay:kelambatan penjajaan:  
polling interval:interval jajaan:  
polling interval:interval penjajaan:  
polling list:senarai jajaan:  
polling pointer:penunjuk polling:  
polling processing:pemrosesan pendapat umum:  
polling sequence:urutan jajaan:  
polling sequence:urutan polling:  
polling/selecting:jajaan/penyeleksian  
polling/selecting:pemilihan  
pollution:polusi  
poly:poli  
poly tube:tabung ganda  
poly wire:kawat banyak  
polyalgorithm:polialgoritma  
polyamide:poliamida  
polyamide resin:resin poliamid  
polyautomaton:poliautomaton  
polycarbonate:polikarbonat  
polycylinder:polisilinder  
polyethylene:polietilen  
polyglass:poliglas  
polyhedra:polihedra  
polyhedral scene:adegan polihedra  
polyhedron:polihedron:  
polyiron:serba baja:  
polyline:banyak jalur:  
polyline :banyak jalur:  
polymerization:polimerisasi:  
polymerized filter:penyaring berpolimer:  
polymorphic:banyak morfem:  
polymorphic virus:virus polimorfik:1  
polymorphism:banyak morfem:  
polymorphism:polimorfisme:1  
polymorphism ::  
polynomial:polinomial:  
polynomial representations:representasi polinomial:  
"Polynomials, methods for":metode polinomial:  
polyphase:polifase:  
polyphase commutator machine:mesin nomutator polifase:  
polyphase generator:pembangkit polifase:  
polyphase motor:mesin polifase:

polyphase tape technique:teknik pita polifase:  
polyprocessor:poliprosesor:  
polyrod antenna:antena polirod:  
polystyrene:polistiren:  
polyvalence:polivalensi:  
polyvinyl chloride:polivinil klorid:  
polyvinyl chloride wire:kawat klorida polivinil:  
polyvinyl formal wire:kawat formal polivinil:  
pondage type power station:stasiun daya tipe pondasi:  
pool:pol:  
pool-cathode mercury-arc rectifier tube:tabung peralatan merkuri-ark pal-katode:  
POP :POP:  
POP client:klien POP:1  
POP client:klien POP:  
pop instruction::  
pop operation:operasi pop:  
POP server:server POP:1  
POP server:server POP:  
pop up:timbul:  
pop up menu:menu timbul:  
popdown:popdown:  
population:populasi:  
population inversion:inversi populasi:  
population of measured values:populasi nilai terukur:  
population parameter:parameter populasi:  
population variance:varian populasi:  
popup:popup:  
pop-up:dorong naik:1  
pop-up:dorong-naik:  
pop-up:pop-up:  
pop-up menu:menu dorang naik:1  
porcelain:porcelain:  
porcelain tube:tabung porselin:  
porcelain-clad circuit-breaker:pemecah sirkuit sandang porselin:  
porcelain-clad type current transformer:transformator arus jenis sandang porselin:  
porosity:porositas:  
porosity test:uji keberserapan:  
porous pit:ruang menyerap:  
port:port:  
port:port:  
port:porta:1  
port control:port kontrol:  
port numbers:nomor port:  
portability:portabilitas:1  
portability:portabilitas:  
portability:portabilitas:



portability::  
"portable common tool environment, PCTE "::  
portable computer:komputer portabel:1  
portable computer:komputer portabel:  
portable data medium:media data portabel:  
portable devices:peralatan portabel:  
portable operating system:sistem operasi portabel:  
portable pressure gage:gaus tekanan portabel:  
portable pressure gauge:gaus tekanan portabel:  
portable secondary storage:penyimpanan sekunder portabel:  
portable secondary storage:penyimpanan sekunder portabel:1  
portable tape drive:penggerak pita portabel:1  
portable telephone:telepon portabel:  
portal:portal:1  
portfolio analysis:analisis portofolio:  
portfolio analysis:analisis portofolio:  
portfolio management:manajemen portepel:1  
portfolio management:manajemen portepel:  
portfolio selection:seleksi portofolio:  
POS:POS:  
POS terminal:terminal POS:  
position:posisi:  
position:posisi:  
position alignment gauge:gaus penjajaran kedudukan:  
position angle:sudut kedudukan:  
position balance system:sistemimbang letak:  
position lamp:lampu kedudukan:  
position light signal:sinyal lampu kedudukan:  
position system:sistem kedudukan:  
positional notation:notasi berposisi:  
positional notation:notasi posisional:  
positional operand:bilangan yg beroperasi posisional:  
positional parameter:parameter posisional  
positional representation:representasi berposisi  
positional representation system:sistem representasi posisional  
positioner:positioner  
positioning:penempatan  
positioning discriptor:diskriptor posisi  
positioning format item:butir format posisi  
positioning time:waktu penempatan  
positive:positif  
positive acknowledge:pengakuan positif  
positive acknowledgement with retransmission:pengakuan positif dengan retransmisi  
positive bias:bias positif  
positive charge:beban positif  
positive edge:tepi positif

istilah-ti-indonesia

positive electricity:keelektrikan positif  
positive electrode:elektrode positif  
positive electron:elektron positif  
positive feedback:umpan positif  
positive feeder:penyulang positif  
positive grid characteristic:sifat kisi positif  
positive ion composition:komposisi ion positif  
positive logic:logika positif  
positive plate:lempeng positif  
positive pole:kutub positif  
positive receiving:penerimaan positif  
positive response:jawaban positif  
positive-phase-sequence component:komponen deret fase-positif  
positive-phase-sequence reactance:reaktansi deret-fase-positif  
positive-phase-sequence voltage relay:relai tegangan deret-fase-positif  
positron:positron  
possibility:kemungkinan  
possible:mungkin  
possible crosstalk:pembicaraan silang mungkin:  
post:tiang; tonggak:  
post :sebelum:  
POST :sebelum:  
POST (power on self test)::  
post acceleration:akselerasi pos:  
post code:kode tonggak/pusat:  
post mortem ::  
post office protocol (POP):POP:  
post office protocol (POP):protokol kantor pos:1  
post office protocol (POP):protokol kantor pos:  
postal:postal:  
postamble:postambel:  
postamble sequence:deret postambel:  
postbyte:pasca-byte:  
postcondition:pasca-kondisi:  
post-condition ::  
postconditions:poskondisi:  
postcript:postcrip:  
post-deflection accelerating electrode:elektroda pengakselerasi pasca-defleksi:  
post-development review:pengulangan pengembangan lanjut:  
postedit:pasca-edit:  
post-edit:pasca edit:  
postemphasis:pasca-pemusatan:  
postfix:pasca-fiks:  
postfix:pasca-fiks:  
postfix notation:notasi akhir:  
POSTFIX NOTATION::1

post-implementation review:tinjauan paska-implementasi:  
postincrementation::  
posting:posting:  
postmortem:postmortem:  
postmortem dump:pembuangan postmortem:  
postmortem program:program postmortem:  
postnormalization:normalisasi lanjutan:  
postnormalize:pasca-menormalkan:  
POSTORDER TRAVERSAL::1  
postprocessor:prosesor lanjut:  
PostScript files:berkas catatan tambahan:1  
PostScript files:berkas PostScript:1  
PostScript files:berkas PostScript:  
PostScript files:berkas PostScript:  
pot:pot:  
potential:potensial:  
potential balance system:sistem keseimbangan potensial:  
potential barrier:pembawa potensial:  
potential circuit:sirkuit potensial:  
potential difference:beda potensial:  
potential divider:pembagi potensial  
potential energy:energi potensial  
potential hydro-energy:hidro-energi potensial  
potentiometer:potensiometer  
potentiometer set mode:ragam set potensiometer  
pot-motor:sistem keseimbangan potensial  
potpourri module :  
potrait format:format potret  
power:daya  
power:pangkat  
power amplification:amplifikasi daya  
power amplifier:penguat daya  
power and coolant distribution unit:unit distribusi ter-dinginkan dan daya  
power berkasure:kegagalan daya  
power berkasure detect:lacak kerusakan daya  
power cable:  
power circle diagram:diagram dan daya:  
power circuit:sirkuit daya:  
power control:kontrol daya:  
power conversion:konversi daya:1  
power conversion:konversi daya:  
power conversion:konversi daya:  
power delay product:hasil kelambatan daya:  
power detection:pelacak daya:  
power distribution unit:unit distribusi daya:  
power down :matikan:

istilah-ti-indonesia

power driven system:sistem terkontrol daya:  
power factor:faktor daya:  
power flow adjustment:penyesuaian aliran daya:  
power flow output and capacity feature:ciri kapasitas dan keluaran aliran daya:  
power flux density:kepekatan fluks daya:  
power fuse:lebatang daya:  
power interchange:simpang daya  
power inverter:pembalik daya  
power level:taraf daya  
power level:tingkat tenaga  
power limit:batas daya  
power of a number:daya bilangan  
power of a number:pangkat suatu bilangan  
power operation:operasi daya  
power rate:laju daya  
power rectifier:peralat daya  
power relay:relai daya  
power response:respon daya  
power sequencing:perunutan daya  
power set:perangkat daya  
power source:sumber daya  
power spectrum:spektrum daya  
power station:stasiun daya  
power supply:sumber daya; catu daya  
power supply :sumber daya; catu daya  
power supply 50 Hz:catur daya 50 Hz  
power supply expansion:ekspansi catur daya  
power transformer:penghantar/transformator daya  
power transistor:transistor daya  
power tube:tabung daya  
power unit:unit daya  
power up :nyalakan  
power user:pengguna mahir  
power winding:penghawaan daya  
power window:jendela daya  
power-berkasure restart:mulai ulang karena kegagalan daya  
power-factor characteristic:sifat faktor daya  
power-factor indicator:indikator faktor daya  
power-factor regulating relay:relai pengaturan faktor daya  
powerful:digdaya  
power-supply voltage:voltase suplai daya  
PPM:  
PPP:  
PQA:PQA  
practical unit:unit praktis  
pragma:pragma

istilah-ti-indonesia

pragmatic concerns:keprihatinan pragmatik; perhatian pragmatik  
pragmatics:pragmatik  
PRAM model:  
pre-allocate:praalokasi  
preallocation:praalokasi  
preamble:mukadimah  
preamble block:blok pembuka  
preamble sequence:deret permulaan  
preamplifier:praamplifaier; penguat depan:  
preanalysis:pra analisis:  
pre-analysis:analisis awal:  
prearcing time-current characteristic:sifat waktu-arus pralesat:  
preassembly:prarakit:  
pre-assembly time:waktu prarakitan:  
pre-assembly time:waktu pra-rakitan:  
preassignment:pratugas:  
prebind module:modul prajilid:  
precedence:preseden:  
PRECEDENCE::1  
precedence matrix:matriks petunjuk:  
precedence prosign:prosignal (\*) preseden:  
precedent:preseden:  
pre-charge line:line pra beban:  
precipitation static:endapan stastis:  
precise interrupts::  
precision:ketepatan:  
precision:presision:  
precision::  
precision approach radar:radar pendekatan tepat:  
precision attribute:atribut presisi:  
precision frequency meter:meter frekuensi presisi:  
precision reached:terjangkau presisi:  
precision sweep:sapuan tepat:  
precision wavemeter:gelombang-meter presisi:  
precoded form:bentuk prakode:  
precompile:prarangkuman:  
precompiler:prakompiker:  
precompiler:prakompilator:1  
pre-compiler:penghimpun awal:  
precondition:prakondisi:  
precondition ::  
preconditioning:pem-prakondisian:  
preconditions:prakondisi:  
predecrementation::  
predefined:pradefinisi:  
predefined data sets:set data pradefenisi:

predefined phrase:frase prapasti:  
 predefined process:proses pradefinisi:1  
 predefined process:proses pradefinisi:  
 predefined process:proses teridentifikasi awal:  
 predefined specification:spesifikasi sebelum terdefinisi:  
 predeveloped software::  
 predicate:kepekaan; kerentanan:  
 predicate:kepekaan; kerentanan:  
 predicate logic:logika predikat:  
 predicted quality::  
 prediction:prediksi  
 prediction (of branches):  
 prediction system:  
 predictive residue:sisa predaktif  
 predistorter:predistorter  
 preedit:suntingan awal; prasunting  
 pre-edit:praedit  
 preediting:pra-penyuntingan  
 preemphasis:tekanan awal; pratekan  
 pre-emphasis:pratekan  
 preemptable:preemtabel  
 preemption:pratuang  
 preemptive:preemtif  
 preemptive scheduling:penjadwal preemtif  
 preemptive scheduling:  
 pre-equalizer:pra imbang  
 preexecution-time table:tabel praeksekusi waktu:  
 preferred virtual machine:mesin mayapilihan:  
 prefetch:praambil; prasongsong:  
 prefetch:praambil; prasongsong:  
 prefetch queue::  
 prefetch register:register praambil:  
 prefetching:praambilan:  
 prefix:prefiks:  
 prefix multiplier:pengganda awalan; -- prefiks:  
 prefix notation:notasi prefiks:  
 PREFIX NOTATION:::1  
 prefix operation:operasi praisyarat:  
 prefix operator:operator prefiks:  
 prefix switch:alih prefiks:  
 prefix trigger:picu praisyarat:  
 prefixing:prefiksisasi:  
 preform:prabentuk:  
 preformatted:praformat:  
 pre-group:pra grup:  
 preheating time:masa prapemanasan:

preincrementation::  
preliminary:preliminar:  
preliminary data:data awal:  
preliminary design:desain awal:1  
preliminary design:desain awal:  
preliminary design:desain awal:  
preliminary design ::  
preliminary design defined:definisi desain awal:  
preliminary design document:dokumen desain awal:1  
preliminary design document:dokumen desain awal:  
preliminary design document:dokumen desain awal:  
preliminary design evaluation:evaluasi desain awal:  
preliminary design of software/data structures:perangkat lunak/struktur data dari desain awal:  
preliminary design of user interface:desain awal antarmuka pengguna:1  
preliminary design of user interface:desain awal antarmuka pengguna:  
preliminary design of user interface:desain awal antarmuka pengguna:  
preliminary locking device:alat penguncian awal:  
preliminary pulse:pulsa awal:  
preliminary survey stage:tingkat penelitian awal:1  
preliminary survey stage (systems life cycle):tingkat penyelidikan awal:  
preliminary survey stage analyzing existing system:sistem pengadaan penganalisisan tingkat penelitian awal:1  
preliminary survey stage analyzing existing system::  
preliminary test report:laporan uji awal:  
preloading:pra pembebanan:  
prelogic:pralogis:  
Premium Channels:kanal permium:  
premount:prahitung:  
prenominal:pranominal:  
prenormalization:normalisasi awal:  
prenormalize:pra menormalkan:  
preorder:pra atur:  
PREORDER TRAVERSAL::1  
preoutput:prakeluaran:  
preparation:preparasi; sediaan:  
prepare:perawatan:  
preprinted form:form cetakan:  
preprinted sheet:kertas pracetak:  
preprocessing:praproses:  
preprocessor:preprosesor:  
preprocessor built-in function:fungsi built-in prapengolah:  
preprocessor expression:ekspresi prapengolah:  
preprocessor group:kelompok prapengolah:  
preprocessor procedure:prosedur prapengolah:  
preprocessor statement:pernyataan preprosesor:  
preprocessor variable:variabel prapengolah:

preprocessors:praprosesor:  
preprogrammed chip:chip praprogram:1  
prepunch:pratebuk:  
prepunched card:kartu pralubang:  
pre-punched card:kartu pratebuk:  
pre-read head:kepala prabaca:  
pre-recorded data medium:media data pra-rekam:  
pre-recorded medium:media pra-rekam:  
prerequisite:prasyarat:  
prerequisite PTF:PTF prasyarat:  
prescanner:prapindai:  
preselection:praseleksi:  
preselector:presut:  
presence:presensi:  
presentation:penampilan:  
presentation class:kelas unjukan:  
presentation layer:lapis presentasi:1  
presentation layer:lapis presentasi:  
presentation level:aras tampilan:  
presentation protocol:protokol penampilan:  
presentation software:perangkat lunak penampilan; peranti lunak penampilan:  
presentation software:perangkat lunak penampilan; peranti lunak penampilan:  
preset:tata awal:  
pre-set counter:pencacah praset:  
preset parameter:parameter prakumpul \*:  
presetting:pratata latar:  
presetting system:sistem pracetak:  
preshoot:prarekam:  
presort:pra pilih:  
press roller:penggulung tekan:  
pressed-core cable:kabel inti-bertekanan:  
press-to-talk system:sistem tekan untuk bicara:  
pressure:tekan:  
pressure balancing:pengimbangan tekanan:  
pressure circuit:sirkuit tekanan:  
pressure coil:kumparan tekanan:  
pressure distribution chart:kartu distribusi tekanan:  
pressure gage:alat ukur tekanan:  
pressure governor:pengatur tekanan:  
pressure gradient microphone:mikrofon gradien tekanan:  
pressure inclination gauge:alat ukur inklinasi tekanan:  
pressure microphone:mikropon tekanan:  
pressure pipe:pipa tekanan:  
pressure regulator:pengatur tekanan:  
pressure response:respon tekanan:  
pressure sensitive diode:diode peka tekanan:



pressure sensitive switches:saklar peka tekanan:1  
pressure sensitive switches:saklar peka tekanan  
pressure sensitivity:kepekaan tekanan  
pressure spectrum level:aras spektrum tekanan  
pressure test:tes tekanan; uji tekanan  
pressure transducer:transduser tekanan  
pressure tunnel:terowongan tekanan  
pressure-time method:metode tekan-waktu  
pressurization:penekanan  
prestore:prasimpan  
Presubscription:pralanggan  
presumptive instruction:instruksi presuntif  
presupposition:pradaya  
pretest:prauji  
pretty good privacy (PGP):PGP  
pretty printers:pencetak cantik  
prevarication:prevarikasi  
preventing errors:pencegahan galat:1  
preventing errors:pencegahan galat:  
prevention of error:pencegahan kesalahan:  
preventive maintenance:perawatan awal; preventif:  
preventive maintenance:perawatan preventif:1  
preventive maintenance::  
preventive maintenance time:waktu perawatanpreventif:  
preventive service:jasa preventif:  
preview :pratonton:  
previewing:pra-pertunjukkan:  
previous record buffer:sangga-catat-awal:  
PRF:PRF:  
PRI:PRI:  
pricing :penentuan harga :  
primal problem:problem utama:  
primality testing:pengujian angka primer:  
primary:primer  
primary air:udara primer  
primary cache:  
primary cell:sel primer  
primary center:pusat primer  
primary class:kelas primer  
primary clock:jam primer  
primary coil:kumparan primer  
primary control program:program kontrol utama  
primary controller adaptor:adaptor pengontrol primer  
primary cooling water:air pendinginan primer  
primary CPU:CPU utama  
primary data set group:induk perekaman utama

primary electron:elektron primer  
primary electron emission:emisi elektron primer  
primary entry point:titik entri primer  
primary entry point:titik masukan utama:  
primary file:berkas primer:1  
primary file:berkas primer:  
primary file:berkas primer:  
primary index:indeks utama:1  
primary index:indeks utama:  
primary information:informasi primer:  
primary input stream:aliran masukan utama:  
Primary Interexchange Carrier (PIC):PIC:  
primary IPL source:sumber IPL utama:  
primary key:kunci primer:1  
primary key:kunci primer:  
Primary key:PRIMARY KEY:KUNCI UTAMA  
Primary memory:memori primer:  
primary operator control station:stasiun kontroloperator primer:  
primary outlet:salur luar primer:  
primary paging device:alat penghalaman utama:  
primary paging device:alat penghalamanan primer:  
primary protection:perlindungan primer:  
primary quantity:kuantitas primer:  
primary rate interface:antarmuka laju utama:  
primary rate interface (PRI):antara muka laju primer:1  
primary sampling unit:unit percontohan primer:  
primary space allocation:alokasi tempatprimer:  
primary standard:standar primer:  
primary station:stasiun primer:  
primary station:stasiun utama:  
primary storage:alat penyimpanan utama:  
primary storage/memory:alat penyimpan / memori utama:  
primary storage/memory:alat penyimpan / memori utama:  
primary storage/memory:penyimpan / memori utama:1  
primary storage/memory:penyimpan / memori utama:  
primary test board:papan uji primer  
primary track:jalur utama  
primary winding:lilitan primer  
primary-line switch:saklar lini primer  
primary-to-secondary flow:arus primer ke sekunder  
prime:prima  
prime area:daerah primer  
prime data area:area data utama  
prime factor:faktor prima  
prime index:indeks prima  
prime key:kunci prima

prime key:kunci primer  
prime key item:butir kunci utama  
primer ignition period:masa pembakaran primer  
primer ignition period of a gas-filled switching tube:masa pembakaran primer tabung rangkaian berisi gas  
primer interaction:interaksi primer  
primer interaction of a gas-filled switching tube:interaksi primer tabung rangkaian berisi gas:  
priming:pengutamaan:  
primitive :primitif:1  
primitive :primitif:  
primitive act:tindak primitif:  
primitive data items:unsur data primitif:1  
primitive data items:unsur data primitif:  
primitive resolution:resolusi primitif:  
primitive type ::  
Princeton architecture::  
principle:prinsip:  
principle of locality::  
principle of superposition:asas superposisi:  
PRINT:cetak:1  
print:cetak:  
PRINT:PRINT:DELETE  
print bar:tombol cetak:  
print button:kunci cetak:  
print contrast ratio:rasio kontras cetak:  
print control character:karakter kontrol cetak:  
print drum:drum cetak:  
print format:format cetak:  
print head:judul cetak:  
print inhibit:hambat cetak:  
print item:item cetak:  
print line:cetak garis:  
PRINT parameters:parameter cetak:1  
PRINT parameters:parameter PRINT:DELETE  
print point:titik cetak:  
print position:posisi cetak:  
"print positions, additional":tambahan posisi mencetak:  
print queue:antrian cetak:  
print server:server cetak:1  
print server:server pencetak; server printer:  
print span:masa cetak:  
print spooler:pengantri pencetak:  
print station:stasiun cetak:  
print through:lewat cetak:  
print wheel:roda cetak:  
print writer:penulis cetak:

print zone:zona cetak:  
printable area:medan tercetak:  
printed board:papan cetak:  
printed circuit:sirkuit pencetak:  
printed circuit board:papan sirkuit tercetak:1  
printed circuit board:papan sirkuit-tercetak:  
printed circuit board :papan sirkuit-tercetak:  
printed circuit board (PCB):papan sirkuit-tercetak:  
printed circuit card:kartu sirkuitpencetak:  
printed wiring:jaringan kawat tercetak:  
printed-circuit board:papan sirkuit-tercetak:  
printer:pencetak:1  
printer:pencetak:1  
printer:pencetak:  
printer:pencetak:  
printer adaptor:adaptor pencetak:  
printer attachment:pelengkap pencetak:  
printer belt:pita pencetak:  
printer buffer:penyangga printer:  
printer command language (PCL):PCL:  
printer control:kontrol pencetak:  
printer driver::  
printer file:berkas pencetak:  
printer format control:kontrol format pencetak:  
printer horizontal format control:kontrol format horizontal pencetak:  
printer plotter:perancang cetak:  
printer scanner:pemayar pencetak:  
printer scanner:pemindai pencetak:1  
printer spacing chart:kertas grafik spasi printer:  
printerfacing:pelapis cetak:  
printer-keyboard:papan tombol pencetak:  
printers:printer; pencetak:  
printers:printer; pencetak:  
printers character:printer huruf; pencetak huruf:  
printers character:printer huruf; pencetak huruf:  
printers line:printer garis:  
printers line:printer garis:  
printers optical:printer optik:  
printers optical:printer optik:  
printers output devices:peranti keluaran pencetak:1  
printers output devices:peranti keluaran pencetak  
printing:pencetakan  
printing and photography:pencetakan dan fotografi  
printing calculator:kalkulator pencetakan  
printing card punch:penebuk kartu pencetakan  
printing card unit:satuan kartu pencetakan

printing format item:butir format cetak  
printing pitch:kisar pencetakan  
printing position:posisi pencetakan  
printing subsystem:subsistem pencetakan  
printing summary punch:penebuk ringkasan pencetakan  
print-item:butir-cetak  
printout:cetakan  
print-separater:pencerai-cetak  
priority:prioritas  
priority aging:penentuan usia prioritas  
priority control:kontrol/kontrol prioritas:  
priority encoder:enkoder prioritas:1  
priority encoder:penyandian prioritas:  
priority indicator:indikator prioritas:  
priority interrupt:interupsi prioritas:  
priority interruption system:sistem interupsi prioritas:  
priority level:tahap prioritas:  
priority level:tingkat prioritas:  
priority number:nomor prioritas:  
priority of operation:prioritas operasi:  
priority of operator:prioritas operator:  
priority operator:operator prioritas:  
priority performance option:pilihan penampilan prioritas:  
priority processing:pemrosesan prioritas:  
priority scheduler:penjadwal prioritas:  
priority scheduling:penjadwalan prioritas:  
priority scheduling system:sistem penjadwalanprioritas:  
priority section:seksi prioritas:  
priority value:nilai prioritas:  
priority-number:bilangan-prioritas:  
privacy:pribadi:1  
privacy:pribadi:DELETE  
privacy:pribadi:  
privacy:pribadi:  
privacy and database:kerahasiaan pribadi dan pangkalan data:DELETE  
privacy communication system:sistem komunikasi privasi:  
privacy enhanced mail (PEM):PEM:  
privacy lock:kunci rahasia:  
privacy protection:proteksi privasi:  
private:privat:  
private ::  
private address space:tempat alamatpribadi:  
private automatic branch exchange:pertukaran cabang otomatis privat:  
private automatic branch exchange (PABX):PABX:  
private automatic exchange:pertukaran otomatis privat:  
private branch exchange:pertukaran cabang hubungan tunggal:

istilah-ti-indonesia

private branch exchange:pertukaran cabang pribadi:  
private branch exchange (PBX):pertukaran cabang pribadi:  
private branch exchange equipment:peralatan pertukaran cabang privat:  
private code:kode pribadi:  
private directory:direktori pribadi:  
private exchange:perubahan privat:  
Private Home Viewing:menonton di rumah pribadi:  
private key:kunci pribadi:1  
private key:kunci pribadi:1  
private key:kunci pribadi:  
private key:kunci pribadi:  
private library:pustaka pribadi:  
private line:saluran pribadi:1  
private line:saluran pribadi:  
private line:saluran pribadi:  
Private Line Service:jasa saluran pribadi:  
private line service:pelayanan daris hubungan tunggal:  
private members ::  
private network:jaringan pribadi:1  
private network:jaringan pribadi; jaringan privat:  
private networks:jaringan pribadi; jaringan privat:  
private permanent file:file/berkas tetap pribadi:  
Private Radio Service:jasa radio pribadi:  
private telegraph network:jaringan telegraf pribadi:  
private telephone:telepon privat:  
private telephone network:jaringan telepon pribadi:  
private type ::  
private videotex:vidioteks privat:  
private volume:volume pribadi:  
private wiper:pemupus privat:  
private wire:kawat privat:  
private wire network:jaringan kawat pribadi:  
privately leased line:lin sewa pribadi:  
privately owned communication network:jaringan komunikasi pribadi:  
privately owned line:saluran pribadi:  
privately used line:lin pakai pribadi:  
privilege:hak:  
privileged instruction:instruksi istimewa:1  
privileged instruction:instruksi istimewa:  
privileged instruction:instruksi istimewa:  
privileged mode:mode istimewa:1  
privileged mode:mode istimewa:  
privileged mode:mode istimewa:  
privileged operation exception:eksepsi operasi yg istimewa:  
privileged user:pengguna istimewa  
Pro language:bahasa PRO

probabilistic algorithms: algoritma probabilistik  
probabilistic computation: komputasi probabilistik  
probabilistic reasoning: penalaran kemungkinan  
probabilistic routing: penyaluran probabilitrik  
probability: kemungkinan  
probability density: kepadatan kemantakan  
probability density function: fungsi densitas kemungkinan  
probability element: unsur kementakan  
probability of cause: kemantakan sebab  
probable error: kekeliruan tak pasti  
probe: pemeriksa  
probe: penyidik  
probe microphone: mikrofon kuar  
probit: probit  
problem: masalah  
problem analysis: analisis problem  
problem data: data masalah/problem  
problem description: deskripsi masalah  
problem determination: determinasi masalah  
problem determination aid: bantuan penentuan problem  
problem determination procedure: prosedur determinasi problem  
problem diagnosis: diagnosis problem  
problem domain model:  
problem language analyzer: penganalisis bahasa problem  
problem mode: ragam problem  
problem oriented language: bahasa berorientasi masalah  
problem program: program masalah  
problem solver: penyelesaian masalah  
problem solver library: pustaka penuntas problem  
problem solving: penyelesaian masalah  
problem solving cycle: siklus pemecahan masalah:1  
problem space: ruang masalah:  
problem state: negara/ tempat problem:  
problem-oriented language: bahasa berorientasi masalah:1  
problem-oriented language: bahasa problemberorientasi:  
problems of data capture: masalah penangkapan data:  
problem-solving factors and decision making: faktor pemecahan masalah dan pengambilan keputusan: DELETE  
problem-solving language: bahsa pemecahan masalah:  
PROC statement: pernyataan PROC:  
procedural: prosedural:1  
procedural: prosedural:1  
procedural: prosedural:  
procedural: prosedural:  
procedural cohesion::  
procedural control commands: perintah kendali prosedural:1

procedural control commands:perintah kontrol prosedural:  
procedural design ::  
procedural language:bahasa prosedur:1  
procedural language:bahasa prosedur:  
procedural language::  
procedural languages:bahasa prosedur:  
procedural programming:pemrograman prosedural:1  
procedural programming languages:bahasa pemrograman prosedur:  
procedural representation:penampilan prosedural:  
procedural representations:prosedur representasi:  
procedure:prosedur:1  
procedure:prosedur:1  
procedure:prosedur:DELETE  
procedure:prosedur:  
procedure:prosedur:  
procedure attribute:atribut prosedur:  
procedure block:blok prosedur:  
procedure body:korpus prosedur:  
procedure call:pemanggilan prosedur:1  
procedure call:prosedur panggil:  
procedure call:prosedur panggil:  
procedure declaration:deklarasi prosedur:  
procedure division:divisi prosedur:  
procedure heading:kepala prosedur:  
procedure identifier:penentu prosedur:  
procedure level:tahap prosedur:  
procedure library:pustaka prosedur:  
procedure library-mathematics:pustaka matematik prosedur:  
procedure member:anggota prosedur:  
procedure name:nama prosedur:  
procedure oriented:berorientasi prosedur:  
procedure oriented language:bahasa berorientasi prosedur:  
procedure reference:acuan prosedur:  
procedure reference:referensi prosedur:  
procedure statement:pernyataan prosedur:  
procedure step:langkah prosedur:  
procedure step:tingkat prosedur:  
procedure subprogram:subprogram prosedur:  
procedure-name:prosedur-nama:  
procedures:prosedur:1  
procedures:prosedur:  
procedures:prosedur:  
procedures:prosedur:  
procedures analysis:analisis prosedur:  
proceed signal:sinyal pendahulu:  
process:proses:



process:proses:  
process ::  
process action diagram:diagram aksi proses:1  
process algebra ::  
process assessment::  
process automation:otomasi proses:  
process bound:ikatan proses:  
process computer:komputer proses:  
process computer system:sistem komputer proses:  
process control:kontrol proses; kontrol proses:  
process control:kontrol proses; kontrol proses:  
Process Control Block:blok kontrol proses:1  
process control block:blok kontrol proses:  
Process Control Block::  
process control computer:komputer kontrol proses:  
process control equipment:peralatan kontrol proses:  
process control systems:sistem kendali proses:  
process creation ::  
process decomposition ::  
process design :desain proses:1  
process diagram ::  
process domain:ranah proses:  
process I/O:I/O proses:  
process identifier (PID):pengacam proses:1  
process indicator:penunjuk proses:  
process input output:proses masukan keluaran:  
process input unit:unit masukan proses:  
process interface system:sistem antarmuka proses:  
process interrupt:sela proses:  
process interrupt signal:sinyal interupsi proses:  
process interrupt-contact:sela-kontak proses:  
process interrupt-voltage:tegangan-sela proses:  
process management::  
process measure::  
process metrics:metrik proses:  
process model ::  
process models:model proses:  
process operator console:tempat operator proses:  
process oriented:berorientasi proses:  
process oriented ::  
process state::  
process status word:kata status proses:  
process support ::  
process swap::  
process systems program:program sistem proses:  
processing:pemrosesan:

processing (data):pemrosesan (data):  
processing activities:aktifitas pemrosesan:  
processing activities:aktifitas pemrosesan:  
processing algorithm:algoritma pemrosesan:  
processing controls:pemrosesan kendali:1  
processing controls:pemrosesan kontrol:  
processing criteria:kriteria pemrosesan:1  
processing criteria:kriteria pemrosesan:  
processing design:desain pemrosesan:1  
processing design:desain pemrosesan:  
processing direct-access files:pemrosesan berkas akses langsung:1  
processing direct-access files:pemrosesan berkas akses langsung:  
processing element::  
processing errors:galat pemrosesan:1  
processing errors:galat pemrosesan:  
processing errors:kesalahan pemrosesan:  
processing limit:batas pemrosesan:  
processing narrative ::  
processing object:objek pemrosesan:  
processing program:program pemrosesan:  
processing program table:tabel program pemrosesan:  
processing sequential files:pemrosesan berkas berurut:1  
processing sequential files:pemrosesan berkas berurut:  
processing specification:spesifikasi pemrosesan:  
processing speed and cost:kecepatan prosesor dan biaya:  
processing speed and CPU:kecepatan prosesor dan CPU:  
processing time:waktu pemrosesan:  
processing unit:unit pemrosesan:  
processing unit expansion:perluasan unit pemrosesan:  
processor:pemroses:1  
processor:pemroses:1  
processor:pemroses:DELETE  
processor:prosesor:  
processor:prosesor:  
processor address space::  
processor bound:ikatan pemroses:  
processor chip:chip pemroses:1  
processor complex:kompleks pemroses/prosesor:  
processor cycle:siklus prosesor:  
processor cycle:siklus prosesor:  
processor element::  
processor error interrupt:sela kesalahan pemroses:  
processor farm::  
processor limited:batas pemroses:  
processor limited:batas pemroses:  
processor limited:batas pemroses:

processor management:manajemen pemroses:  
processor module:modul pemroses/prosesor:  
processor speed:kecepatan pemroses:1  
processor speed:kecepatan pemroses:  
processor speed:kecepatan pemroses:  
processor speed:kecepatan pemroses:  
processor state:status pemroses:  
processor state control:kontrol keadaan pemroses  
processor status word:  
processor status word (PSW):keterangan status prosessor  
processor status word (PSW):keterangan status prosessor  
processor storage:penyimpanan prosesor  
processor storage:penyimpanan prosesor  
processor storage control function:fungsi kontrol penyimpanan prosessor  
processor-bound:batas prosesor  
processor-controller:pengontrol prosessor  
processors:prosesor  
processors speed:kecepatan prosesor  
producer:produsir  
producer's risk:risiko pemroduksi  
product:hasil  
product:produk  
product:  
product analysis:  
product assessment :  
product baseline:  
product detector:pelacak hasil  
product family :  
product information control system:sistem kontrol informasi hasil  
product instance :  
product management:  
product measure:  
product metrics:hasil metrik  
product specification:pengkhususan hasil  
product specification:  
product structure:struktur hasil  
production:produksi  
production control:kontrol produksi  
production information control system:sistem kontrol informasi produksi  
production library :  
production rate :  
production routine:rutin produksi  
production run:lubang/lari produksi  
production statistics:statistik produksi  
production test:uji hasil  
production time:waktu produksi

productive poll:pol produktif  
productive task:tugas produktif  
productive work :  
productivity:produktifitas  
productivity :  
productivity analysis :  
productivity improvement plan :  
productivity paradox :  
professional fourth-generation tools:alat profesional generasi ke empat  
profile:profil:  
profile map:peta profil:  
profitability index (PI):index keuntungan:  
PROFs:PROFs:  
proggie::  
program:program:1  
program:program:DELETE  
program:program:  
program:program:  
program analysis:analisis program:  
program analysis ::  
program attention key:kunci atensi program:  
program attention key:kunci perhatianprogram:  
program attention key:tombol perhatian program:  
program block:blok program:  
program board:papan program:  
program card:kartu program:  
program change sheet:lembaran perubahan program:1  
program check:cek program:  
program check interrupt:interupsi cek program:1  
program check interrupt:interupsi cek program:1  
program check interrupt:interupsi cekprogram:  
program check interruption:interupsi cekprogram:  
program checkout:pemeriksaan program:  
program circuit:sirkuit program:  
program code and CPU:kode program dan CPU:  
program coding:pengkodean program:1  
program communication block:blok komunikasi program:  
program compatibility:ketersesuaian program:  
program compilation:kompilasi program:  
program concepts::  
program control:kontrol program:  
program control block:blok kontrol program:  
program control block:blok kontrol program:  
program control data:data kendali program:1  
program control data:data kontrol program:  
program control data attribute:atribut data kontrol program:

istilah-ti-indonesia

program control for pocket lights:kontrol program sinar saku:  
program control table:tabel kontrol program:  
program control variable:variabel kontrol program:  
program controlled defined:program pengendali definisi:  
program controlled input:masukan terkendali program:1  
program controlled input:program pengendali masukan:  
program controlled interruption:interupsi terkendali program:  
program controlled mode:ragam terkendali program:  
program controlled output:keluaran terkendali program:1  
program controlled output:keluaran terkendali program:  
program correction:koreksi program:1  
program correctness:ketepatan program:1  
program counter:pencacah program:1  
program counter:pencacah program:1  
program counter:pencacah program:  
program counter:pencacah program:  
program counters:pencacah program:  
"program description/design language, PDL "::  
program design:desain program:1  
program design:rancangan program:  
program development team:tim pengembangan program:1  
program development time:waktu pengembangan program:  
program documentation:dokumentasi program:1  
program documentation:dokumentasi program:  
program documentation:dokumentasi program:  
Program editors:dokumentasi program:  
program element:elemen program:  
program evaluation and review technique:teknik tinjauan dan penilaian program:  
program event recording:perekaman kejadian program:  
program execution:penetapan program:  
program execution time:waktu eksekusi program:  
program exit:pintu keluar program:  
program fetch:pengambilan program:  
program fetch time:waktu pengambilan program:  
program file:berkas program:  
program flaw :kepincangan program:1  
program flow instructions:instruksi alur program:  
program flowchart:bagan alir program:1  
program flowcharts:bagan program:  
program flowcharts:bagan program:  
program function key:tombol fungsi program:  
program generated parameter:parameter tergenerasi program:  
program generator:pembangkit program:  
program generator:penghasil program:  
program generator ::  
program header:kepala program:1

program header:tajuk program:  
program heuristics ::  
program hierarchy:hierarki program:  
program instruction:perintah program:  
program interface:antarmuka program:  
program interrupt:sela program:  
program interrupt management:pengelolaan interupsi program:  
program interruption:interupsi program:  
program interruption routine:rutin interupsi program:  
program isolation:isolasi program:  
program level:tahap program:  
program level change tape:pita berubah aras program:  
program librarian:pustakawan program:1  
program librarian:pustakawan program:  
program library:pustaka program:  
program library:pustaka program:  
program linkage:lingkaran program:  
program list:senarai program:  
program listing:senarai program:  
program listing:senarai program:  
program listing:senarai program:  
program loader:pembeban program:  
program loader-mini:program pemuat mini:  
Program Log:catatan program:  
program logic:logika program:  
program logical view:pandangan logikal program:1  
program maintenance:perawatan program:  
program maintenance manual>manual perawatan program:  
program management:pengelolaan pprogram:  
program manual>manual program:1  
program modification:modifikasi program:  
program monitor:monitor program:  
program mutation::  
program name:nama program:  
program office:kantor program:1  
program overlay:henti program:  
program package:kemasan program:  
program parameter:parameter program:  
program part:bagian program:  
program partition:pembagian program:  
program phase:fase program:  
program plan recognition ::  
program plans::  
program preparation subsystem:subsistem preparasi program:  
program priority:prioritas program:  
program product:produk program:

program production time:masa produksi program:  
program readability:kebisabacaan program:1  
program register:pendaftaran program:  
program relocatability:ketertempatan program:  
program relocation:penempatan ulang program:  
program request:permintaan program:  
program request count:jumlah permintaan program:  
program restructuring:restrukturisasi program:  
program routine:rutin program:  
program run:eksekusi program:  
program search:susur program:  
program segment:segmen program:  
program segmentation:segmentasi program:  
program sensitive fault:kesalahan peka program:  
program service:layanan program:  
program sheet:lembatang isian program:  
program slice ::  
program slicing ::  
program specification:spesifikasi program:  
program specification block:blok spesifikasi program:  
program status register:pencatat status program:  
program status register (PSR):register status program:1  
program status word:keterangan status program:  
program status word (PSW): keterangan status program:1  
program status word (PSW):keterangan status program:  
program status word (PSW):keterangan status program:  
program step:tahap program:  
program storage:penyimpan program:  
program structure:struktur program:  
program structure diagram::  
program stub:potongan program:1  
program switch:alih/ubah program:  
program switching:penggantian program:  
program synthesis:sintesa program:  
program tape:pita program:  
program temporary fix:koreksi program temporer:  
program test:uji program:  
program test time:waktu uji program:  
program testing:uji program:1  
program transfer:alih program:  
program transformation:transformasi program:  
program transformation::  
program translation:translasi program:  
program translation ::  
"program trouble report, PTR"::  
program understanding ::

program unit:unit program:  
program validation services:pelayanan validasi program  
program verification:verifikasi program  
program visualization :  
program-checkout condition:kondisi periksa program  
program-generated parameter:parameter tergenerasi program  
programmable:tarprogram  
programmable array:sinar terprogram  
programmable array logic:  
programmable calculator:mesin hitung terprogram  
programmable device:gawai terprogramkan  
programmable function key:kunci fungsi terprogramkan  
Programmable Gate Array (PGA):PGA  
programmable input-output chip:serpih masukan-keluaran program  
programmable interval-timer:interval-waktu terprogram  
programmable key:kunci terprogramkan  
programmable logic array:susunan logik program  
programmable logic array:susunan logik program:  
programmable logic controller:pengawas logika terprogram:  
programmable logic controller:pengawas logika terprogram:  
programmable peripheral interface:antarmuka peralatan terprogramkan:  
programmable peripheral interface:antartatapan periferal terprogram:  
programmable read only memory (PROM):ingatan/memori hanya-baca terprogramkan (PROM):  
Programmable Read Only Memory (PROM):Memori Hanya Baca Terprogram (PROM):1  
programmable read only memory (PROM):memori hanya-baca terprogramkan (MHBT):1  
programmable read only memory (PROM):memori hanya-baca terprogramkan (PROM):  
programmable read-only memory (PROM):memori baca saja bisa program (PROM):1  
programmable read-only memory (PROM)::  
programmable ROM:ROM terprogram:  
programmable ROM:ROM terprogram:  
programmable terminal:terminal terprogram:  
programmable unit:unit terprogramkan:  
programmable work station:stasiun kerja terprogram:  
programmatisation:pragmatik:  
programme:program:  
programmed check:cek program:  
programmed check:tilikan terprogram:  
programmed checking:penilikan terprogram:  
programmed computer:komputer perprogram:  
programmed control:kontrol terprogram:  
programmed data transfer:transfer data terprogram:1  
programmed decision:keputusan terprogram:1  
programmed dump:penumpukan terprogram:  
programmed halt:perhentian terprogram:  
programmed I/O:I/O terprogram:  
programmed I/O:I/O terprogram:



programmed logic:logika terprogram:  
programmed mode switch:saklar modus terprogram:  
programmed peripheral interface::  
programmed polling:jaja-an terprogram  
programmed switch:alih berprogram  
programmer:pemrogram  
programmer:"programer, pemrogram"  
programmer console:konsol pemrogram  
programmer defined macro:makro terbatas pemrogram  
programmer logical unit:unit logis pemrogram  
programmer macro:makro pemrogram  
programmer named condition:kondisi bernama pemrogram  
programmer workbench:tempat kerja pemrogram  
programmer workbench:tempat kerja pemrogram  
programmer's macro:makro pemrogram  
programming:pemrogramman  
programming :  
programming apprentice:oprentis pemrograman  
programming by contract:kontrak pemrograman  
programming environment:lingkungan pemrograman:1  
programming environments:lingkungan pemrograman:  
programming envoronment:lingkungan pemrograman:  
programming flowchart:aliran pemrogramman:  
programming language:bahasa pemrograman:1  
programming language:bahasa pemrograman:1  
programming language:bahasa pemrograman:DELETE  
programming language:bahasa pemrograman:  
programming language::  
programming language :bahasa pemrograman:  
programming language (4GL):bahasa pemrograman:  
programming language 1:PL/1:  
programming language and distributed processing:bahasa pemrograman dan pemrosesan terdistribusi:DELETE  
programming language C:bahasa pemrograman C:  
Programming Language for Logic (PROLOG):Bahasa Pemrograman Logika (PROLOC):1  
programming language/One:bahasa pemrograman One:  
programming languages:bahasa pemrograman:1  
programming languages:bahasa pemrograman:  
programming languages:bahasa pemrograman:  
programming languages:bahasa pemrograman:  
programming languages assembly:bahasa pemrograman rakitan:  
programming languages data types:tipe data bahasa pemrograman:  
programming languages high-level:bahasa pemrograman tingkat tinggi:  
programming languages low-level:bahasa pemrograman tingkat rendah:  
programming languages machine:bahasa pemrograman mesin:  
programming languages object-oriented:bahasa pemrograman orientasi objek:

istilah-ti-indonesia

programming languages used for expert system:bahasa pemrograman untuk sistem pakar:  
programming mnemonic instruction:perintah mnemonik pemrograman:  
programming module:modul pemrograman:  
programming paradigm:paragigma pemrograman:  
programming stage:tingkat pemrograman:1  
programming stage:tingkat pemrograman:  
programming standards:standard pemrograman:1  
programming structure:struktur pemrograman:1  
programming structures:struktur pemrograman:  
programming support representative:gambatang dukung pemrograman:  
programming support tool:alat pendukung pemrograman:  
programming support tool:alat pendukung pemrograman:1  
programming support tool:perkakas pendukung pemrograman:1  
programming support tools:alat pendukung pemrograman:  
programming system:sistem pemrograman:  
programming teams:team pemrograman:  
programming technique:teknik pemrograman:  
programming-in-the-large concerns:programan dalam persoalan luas:  
programming-in-the-small concerns:programan dalam persoalan sempit:  
programs:program:DELETE  
programs:program:  
program-sensitive fault:kesalahan peka program:  
program-sensitive fault:kesalahan sensitif program  
progress:maju  
progress control:kontrol maju  
progressive:progresif  
progressive overflow:luapan progresif  
progressive overflow:ruahan progresif  
progressive winding:belitan progresif  
project:projek  
project :  
project analysis and control system:sistem kontrol dan analisis projek  
project approval document:dokumen persetujuan projek  
project control:kontrol proyek  
project control :  
project control system:sistem kontrol proyek  
project coordinator:  
project database :  
project evaluation :evaluasi proyek :  
project evaluation and review technique (PERT):evaluasi proyek dan teknik tinjauan:  
project evaluation and review technique (PERT):evaluasi proyek dan teknik tinjauan (EPTT):1  
project evaluation and review technique (PERT):teknik evaluasi dan review projek:  
project evaluation and review technique (PERT):teknik evaluasi dan review projek:  
project evaluation and review technique (PERT):teknik evaluasi dan review projek:  
project evaluation and review technique (PERT):teknik evaluasi dan tinjauan proyek (TETP):1  
project management:manajemen projek:

project management:manajemen projek:  
project management:manajemen projek:  
project management:manajemen proyek:1  
project management:manajemen proyek:1  
project management system ::  
project management tools:alat manajemen projek:  
project management tools:perkakas manajemen projek:  
project management tools:perkakas manajemen proyek:1  
project manager:  
project network:jaringan projek  
project plan:  
project planning:perencanaan projek  
project planning :  
project risks :  
project scheduling:penjadwalan projek  
project scope :  
project size :  
project specification:spesifikasi projek  
project start-up :  
project teams :  
project tracking :  
projection:projeksi  
projection :  
projection cathode-ray tube:tabung sinar-katode projeksi  
projections:projeksi; tayangan:  
projector:penayang:  
projects:projek:  
prolegomena:prolegomena:  
prolegomenon:prolegomenon:  
prolog:prolog:  
prologue:kata pendahuluan:  
PROM:PROM:  
PROM:PROM:  
promiscuous mode:ragam kacau balau:  
prompt:prom:1  
prompt:prom:  
prompt:prom:  
prompt (FTP):prompt (FTP):  
prompting:peringatan:  
prompting message:pesan segera:  
pronet:pronet:  
pronoun:pronominal:  
pronunciation:pelafalan:  
proof:kedap:  
proof ::  
proof inscriber:pencatat-kedap:

proof keyboard:pappan-tombol keypad:  
proof list:senarai keypad:  
proof machine sterling:sterling mesin keypad:  
proof of correctness:bukti ketepatan:1  
proof of correctness::  
proof procedures:prosedur pembuktian:  
proof theory:teori keypad:  
proofreader:kedapbaca:  
proofs:kepad:  
proofs:kepad:  
propagate:rambat:  
propagated error:kesalahan merambat:  
propagation:prapagasi:  
propagation coefficient:koefisien propagasi:  
propagation constant:konstanta rambatan:  
propagation delay:tundaan rambatan:1  
propagation delay:tundaan rambatan:  
propagation delay:tundaan rambatan:  
propagation delay:tundaan rambatan:  
propagation delay time:waktu tundaanrambatan:  
propagation loss:rugi rambatan:  
propagation path:pemekaran edar:  
propagation time:waktu rambatan:  
propagation-delay time:waktu kembang lambat:  
propellant:propelan:  
propellant transfer system:sistem transfer propelan:  
propeller fan:kipas propeler:  
propeller pump:pompa propeler:  
propelling mechanisms:mekanisme pempropelan:  
proper:penanganan:  
proper program:program proparti/alat:  
proper subset:subset:  
property:sifat; ciri:  
property ::  
property and liability agency accounting system:sistem akuntansi keagenan kewajiban dan hak milik:  
property and liability information system:sistem informasi kewajiban dan hak milik:  
property sort:pilih proparti/alat:1  
property sort:pilih proparti/alat:  
property-oriented ::  
proportion:proporsi:  
proportional band:bidang proporsional:  
proportional counter tube:tabung pemerhati proporsional:  
proportional gain:hasil proposional:  
proportional region:daerah proposional:  
proportional time distance relay:relai jarak waktu proporsional:

proportionate sampling:pemercontohan berproporsi:  
proposal:usulan; proposal:  
proposed architecture:rancang bangun terusul:  
proposed logical system:sistem logika usulan:1  
proposed logical system:sistem logika usulan:  
proposed logical system:usulan sistem logic:  
proposed physical system:sistem fisik usulan:1  
proposed physical system:sistem fisik usulan:  
proposed physical system:usulan sistem fisik:  
proposition:proposisi:  
propositional calculus:kalkulus proposional:  
propositional logic:logika proposional:  
propositional logic ::  
proprietary rights:hak cipta:  
propulsion:propulsi:  
prosthetic:prostetik:  
protectability:keterlindungan:  
protected area:kawasan terlindung:  
protected data:data terlindung:  
protected field:berkas terlindung:  
protected location:lokasi terjaga:  
protected location:lokasi terlindung:  
protected machine:mesin terlindung:  
protected member:anggota terproteksi:1  
protected members ::  
protected mode:mod terlindung:1  
protected queue area:daerah antrian terprotek:  
protected queue area:daerah giliran terlindung:  
protected region:daerah terlindung:  
protecting file:berkas pengamanan; fail perlindungan:1  
protecting file:pengamanan berkas:  
protecting files:pengamanan berkas:  
protecting files:pengamanan berkas:  
protecting film:film perlindungan:  
protection:perlindungan:  
protection:proteksi:  
protection:proteksi:  
protection:proteksi:  
protection boundary register:daftar/register sirkuitan perlindungan:  
protection exception:perkecualian perlindungan:  
protection fault::  
protection feature:ciri perlindungan:  
protection key:kunci proteksi; perlindungan; kunci perlindungan:  
protection mechanisms:mekanisme proteksi:  
protection of data:proteksi data:DELETE  
protective control:kontrol protektif:

protective device:alat pelindung:  
protective device:gawai terlindung:  
protective earth terminal:terminal bumi terlindung:  
protective ground:dasar telindung:  
protective relay:relai terlindung:  
protector:pelindung:  
protein:protein:  
proteon:proteon:  
protocol:protokol:1  
protocol:protokol:DELETE  
protocol:protokol:  
protocol:protokol:  
protocol:protokol:  
protocol address:alamat protokol:  
protocol architecture:aritektur protokol:  
protocol configuration:konfigurasi protokol:  
protocol conversion:konversi protokol:  
protocol data unit:unit data protokol:1  
protocol discrimination:diskriminasi protokol:  
protocol family:keluarga protokol:  
protocol port number:nomor port protokol:  
protocol software:perangkat lunak protokol:  
protocol suite:suite protokol:  
protocol verification:verifikasi protokol:  
protocols:protokol:1  
protocols:protokol:1  
protocols:protokol:DELETE  
protocols:protokol:DELETE  
protocols:protokol:  
protocols:protokol:  
protocols:protokol:  
prototype:prototip:  
prototype:prototipe:  
prototype:prototipe:  
prototype boards:papan prototipe:  
prototype model:model prototipe:  
prototype section:seksi prototipe:  
prototype statement:pernyataan prototip:  
prototyping:pemprototipean:1  
prototyping:pemprototipean:DELETE  
prototyping:pemprototipean:  
prototyping:pemprototipean:  
prototyping:pemprototipean:  
prototyping:pemprototipean:  
prototyping:pemrototipean:1  
prototyping:pemrototipean:1

prototyping ::  
prototyping and 4GL:pemprototipean dan 4GL:DELETE  
prototyping and 4GL:pemrototipean dan BGKe:1  
prototyping and errors:pemprototipean dan galat; pembuatan prototipe dan galat:DELETE  
prototyping and output:pemprototipean dan keluaran:  
prototyping environment:lingkungan prototipe:1  
prototyping environment:lingkungan prototipe:1  
prototyping environment:lingkungan prototipe:1  
prototyping environment:lingkungan prototipe:  
prototyping environment:lingkungan prototipe:  
prototyping environment:lingkungan prototipe:  
prototyping for evolution:pemprototipean untuk evolusi:DELETE  
prototyping for evolution:pemprototipean untuk evolusi:  
prototyping for evolution:pemrototipean untuk evolusi:1  
prototyping for experimentation:pemprototipean untuk eksperimen:DELETE  
prototyping for experimentation:pemrototipean untuk eksperimen:1  
prototyping for exploration:pemprototipean untuk eksplorasi:DELETE  
prototyping for exploration:pemrototipean untuk eksplorasi:1  
prototyping life cycle:daur hidup pemrototipean :1  
prototyping life cycle:pemprototipean daur hidup:  
prototyping life cycle:pemprototipean daur hidup:  
prototyping life cycle:pemprototipean siklus kehidupan:  
prototyping life cycle:pemrototipean daur hidup:1  
prototyping life cycle:siklus hidup pemprototipean:1  
prototyping methodology:meteologi pemprototipean :1  
prototyping methodology:metode pemprototipean:  
prototyping methodology:metode pemprototipean:  
prototyping methodology:metodologi pemprototipean:  
prototyping methodology:metodologi pemrototipean:1  
prototyping methodology:metodologi pemrototipean:1  
prototyping methodology:metodologi pemrototipean:1  
prototyping team:team pemprototipean:  
prototyping team:tim pemprototipean:  
prototyping team:tim pemrototipean:1  
prototyping technique:teknik pemprototipean:1  
prototyping technique:teknik pemprototipean:1  
prototyping technique:teknik pemprototipean:  
prototyping technique:teknik pemprototipean:  
prototyping technique:teknik pemprototipean:  
prototyping technique:teknik pemrototipean:1  
prototyping tool:alat pemprototipean:1  
prototyping tool:perkakas pemprototipean:1  
prototyping tool:perkakas pemprototipean:  
prototyping tools:alat pemprototipean:  
prototyping tools:perkakas pemprototipean:  
prototyping tools:perkakas pemrototipean:1  
prototyping-oriented project management:manajemen proyek berorientasi pemprototipean:

istilah-ti-indonesia

prototyping-oriented project management:manajemen proyek berorientasi pemprototipean:  
prototyping-oriented project management:manajemen proyek berorientasi pemrototipean:1  
provable ::  
providing user support:pemberian penunjang pengguna:  
proving:pembuktian:  
proving properties ::  
proving time:waktu pembuktian:  
provisioning:pemprovisian:  
proximity effect:efek terdekat:  
proximity switch:saklar terdekat:  
proxy:wakil:  
proxy (FTP):proxy (FTP):  
proxy server:server proksi:1  
proxy server:server wakil:1  
proxy server:server wakil:  
pruning:perantingan:  
PRUNING::  
PS/2:PS/2:1  
PS/2:PS/2:DELETE  
PSB:PSB  
pseudo access mode:ragam akses semu  
pseudo argument:argumen semu  
pseudo code:kode semu  
pseudo code:kode semu  
pseudo cursor:kursor semu  
pseudo index:indeks semu  
pseudo instruction:perintah semu  
pseudo operation:operasi semu  
pseudo random number:angka semu acak  
pseudo random variable:peubah semu acak  
pseudo real-time:waktu riil semu  
pseudo register:register semu  
pseudo variable:variabel semu  
pseudo-Brewster's angle:sudut pseudo-Brewster's  
pseudoclock:waktu semu  
pseudo-clock:waktu semu:  
pseudocode:kode semu:1  
pseudocode:kode semu:1  
pseudocode:kode semu:  
pseudocode:kode semu:  
pseudocode compared to decision table:kode semu berbanding tabel putusan:1  
pseudocoding:pengkodean semu:  
pseudocolor:warna semu:  
pseudocursor:kursor semu:  
pseudodrive:penggerak semu:  
pseudoexhaustive testing:tes lengkap semu:



pseudofile:berkas semu:  
pseudoinstruction:instruksi semu:  
pseudo-instruction:instruksi semu:  
pseudoinverse restoration:restorasi kebalikan semu:  
pseudoinverses:kebalikan semu:  
pseudolanguage:bahasa semu  
pseudo-line control block:blok kontrol jalur semu  
pseudooperation:operasi semu  
pseudo-operation:operasi semu  
pseudopaging:panggilan semu  
pseudoparallel:paralel semu  
pseudorandom:random semu  
pseudorandom code:kode acak semu  
pseudo-random number sequence:urutan nomor acak semu  
pseudo-random pulse train:kereta pulsa acak semu  
pseudorandom testing:tes acak semu  
pseudouridine:uridin semu  
pseudovariabel:variabel semu  
psophometric noise power:daya bising psometrik  
PSP:PSP  
PSW:PSW  
psychoanalysis:psikoanalisis:  
psychological:psikologis:  
psychology:psikologi:  
psychometrics:psikometrik:  
psychophysical analysis:analisis psikofisis:  
psychophysics:psikofisika:  
p-type semiconductor:semi konduktortipe-p:  
PUB:PUB:  
public :publik:  
public address:alamat publik:  
public business organization:organisasi bisnis umum:  
public communication channel:saluran komunikasi:  
public data:data publik:  
public data network (PDN):jaringan data publik:1  
public data network (PDN):jaringan data publik:  
public defect ::  
public directory:direktori publik:1  
public directory:direktori umum/publik:  
public domain (PD):perangkat lunak gratisan:  
public domain (PD):ranah publik:1  
public domain software:perangkat lunak ranah publik:1  
public domain software:perangkat lunak umum:1  
public internet:internet publik:  
public key:kunci publik:1  
public key:kunci umum:1

istilah-ti-indonesia

public key:kunci umum:  
public key:kunci umum:  
public key cryptography:kriptografi kunci publik:1  
public key cryptography:kriptografi kunci publik:1  
public key cryptography:kriptografi kunci publik:  
public key cryptosystems:kunci publik/umum dalam sistem kriptografi :1  
public key cryptosystems:kunci publik/umum dalam sistem kriptografi :  
public members ::  
public message service:jasa amanat publik:  
public network service:jasa jaringan umum:1  
public network service:jasa jaringan umum:  
public network services cost:biaya layanan jaringan umum:1  
public network services cost:biaya layanan jaringan umum:  
public network services database:pangkalan data layanan jaringan umum:1  
public network services database:pangkalan data layanan jaringan umum:  
Public networks:jaringan publik/umum:  
Public Notice (PN):pemberitahuan publik (PN):  
public opinion poll:jumlah pendapat publik:  
public opinion survey:survei pendapat publik:  
public switch telephony network (PSTN):PSTN:  
public switched network:jaringan teralih publik:  
public switched telephone network (PSTN):jaringan telepon pengalih publik (PSTN):1  
public telnet clients:klien telnet publik:  
public volume:volume publik:  
public-access Internet sites:situs Internet bebas akses:  
publication language:bahasa publikasi:  
publicity:publikasi:1  
publicity:publikasi:DELETE  
publicity:publikasi:DELETE  
publicity:publisitas:1  
publicity:publisitas:DELETE  
publicity advertising:iklan publisitas:1  
publicity advertising:publikasi iklan:DELETE  
public-key encryption :enkripsi kunci publik:  
published material:bahan terpublikasi:  
publishing:penerbitan:  
puck:puck:1  
puck::  
pugboard::  
pull:"lepas, kontak tarik":  
pull : "tarik, kontak tarik":  
pull box:kotak tarikan-bawah:  
pull out:keluar penuh:  
pull switch:alih penuh:  
pull technology:tektarik:  
pullback:singkap:

pull-down:tarik bawah:  
pull-down:tarik-bawah:1  
pull-down:tarik-bawah:  
pull-down menu:menu tarik bawah:1  
pull-down menu:menu tarik turun:1  
pull-down menu:menu tarik-bawah:  
pull-down menu:menu tarik-bawah:  
pull-down menu:menu tarik-bawah:  
pull-down or pop-up:tarik-bawah atau dorong-naik:DELETE  
pull-down or pop-up menus:menu tarik-bawah atau dorong-naik  
pull-down resistor:resistor tarikan-bawah  
pull-in box:kotak tarikan-dalam  
pulling eye:mata tarikan  
pull-off:tarikan-luar  
pull-out torque:momen-putar tarik-keluar  
pull-up resistor:resistor tarik  
pull-up resistor:resistor tarik-atas  
pulsating current:arus pemulsaan  
pulsation loss:rugi pemulsaan  
pulse:pulsa  
pulse advance:tambah pulsa  
pulse amplitude:amplitudo pulsa  
pulse amplitude modulation:modulasi amplitudo pulsa  
pulse base:basis pulsa  
pulse base center point:titik pusat dasar pulsa  
pulse center point:titik pusat pulsa:  
pulse circuit:sirkuit pulsa:  
pulse code dialing:dial kode pulsa:1  
pulse code dialing:dial kode pulsa:  
pulse code modulation (PCM):modulasi kode pulsa:1  
pulse code modulation (PCM):modulasi kode pulsa:  
pulse code modulation (PCM):modulasi kode pulsa:  
pulse code modulation (PCM):modulasi kode pulsa:  
pulse coding tube:tabung pengkodean pulsa:  
pulse communication system:sistem komunikasi pulsa:  
pulse counter:penghitung pulsa:  
pulse counter adaptor:adaptor penghitung pulsa:  
pulse counter expansion feature:ciri ekspansi penghitung pulsa:  
pulse counter-additional:penghitung-tambahan pulsa:  
pulse delay:kecepatan pulsa:  
pulse duration:durasi pulsa:  
pulse duration:lama pulsa:  
pulse duration fluctuation:fluktuasi lama pulsa:  
pulse duration jitter:getaran lama pulsa:  
pulse duty factor:faktor bea pulsa:  
pulse duty factor:faktor tanpa pulsa:

pulse equalizer:penyumbang pulsa:  
pulse falltime:jatuh tempo pulsa:  
pulse falltime:waktu jatuh pulsa:  
pulse forming:pembentukan pulsa:  
pulse forming circuit:sirkuit pembentuk pulsa:  
pulse frequency modulation:modulasi frekuensi pulsa:  
pulse generator:generator pulsa:  
pulse generator board:papan pembangkit pulsa:1  
pulse generator boards:papan generator pulsa:  
pulse height analyzer:penganalisis tinggi pulsa:  
pulse length:panjang pulsa:  
pulse length distortion:erotan panjang pulsa  
pulse length fluctuation:fluktuasi panjang pulsa  
pulse length modulation:modulasi panjang pulsa  
pulse magnitude:magnitudo pulsa  
pulse magnitude fluctuation:magnitudo fluktuasi pulsa  
pulse magnitude jitter:magnitudo getaran pulsa  
pulse matching:penyesuaian pulsa  
pulse method:metode pulsa  
pulse modulation:modulasi pulsa  
pulse operating time:waktu kerja pulsa  
pulse output:keluaran pulsa  
pulse position:posisi pulsa  
pulse position jitter:getaran posisi pulsa  
pulse position modulation:modulasi posisi pulsa  
pulse rate:laju pulsa  
pulse regeneration:regenerasi pulsa  
pulse regeneration circuit:sirkuit regenerasi pulsa  
pulse regenerator:pembangkit ulang pulsa  
pulse relay:relai pulsa  
pulse repetition frequency:frekuensi repetisi pulsa  
pulse repetition frequency functuation:penanda frekuensi- berulang pulsa  
pulse repetition period:masa pengulangan pulsa  
pulse repetition period:masa ulangan pulsa  
pulse repetition period jitter:getaran masa perulangan pulsa  
pulse repetition rate:laju repetisi pulsa  
pulse response:jawaban pulsa  
pulse risetime:waktu naik pulsa  
pulse separation:penjarakan pulsa  
pulse separation fluctuation:fluktuasi pemisahan pulsa  
pulse separation jitter:getaran pemisahan pulsa  
pulse shaper:pembentuk pulsa; penyerut pulsa  
pulse shaping:pembentukan pulsa  
pulse shaping circuit:sirkuit pembentukan pulsa  
pulse spacing:penjarakan pulsa  
pulse speed:laju pulsa

pulse stacking:tumpuhan pulsa  
 pulse tester:pengetes pulsa  
 pulse top:puncak pulsa  
 pulse top magnitude:gedang puncak pulsa  
 pulse train:rentetan pulsa  
 pulse transfer function:fungsi transfer pulsa  
 pulse transformer:pentransfer pulsa  
 pulse waveform distortion:erotan bentuk gelombang pulsa  
 pulse width:lebatang pulsa  
 pulse width distortion:piuhan debatang pulsa  
 pulse width fluctuation:fluktuasi lebar-pulsa  
 pulse-amplitude discriminator:pembeda pulsa-amplitudo  
 pulse-amplitude modulation:modulasi pulsa- amplitudo  
 pulse-code modulation:modulasi kode pulsa  
 pulsed glide display:pajangan luncur berputar  
 pulse-frequency modulation:modulasi kekerapan pulsa  
 pulse-height analyzer:penganalisis tinggi pulsa  
 pulse-number modulation:modulasi jumlah pulsa  
 pulse-phase modulation:modulasi fase pulsa  
 pulse-position modulation:modulasi  
 pulser:pendenyut  
 pulse-repetition frequency:frekuensi pulsa berulang  
 pulse-repetition rate:tingkat pulsa berulang  
 pulverized coal:arang bubuk  
 pulverized coal burner:pembakar arang bubuk  
 pulverizer:pemipis  
 pump head:puncak pompa  
 pumped-storage power station:stasiun daya pompa simpan  
 pumping method:metode pemompaan  
 punch:pons; penebuk  
 punch:pukul; tebuk  
 punch 81 indication:indikasi 81 tebukan  
 punch block:blok tebuk  
 punch card:kartu lubang  
 punch feed read:baca umpan tebuk  
 punch feed read control:kontrol baca umpan tebuk  
 punch operator:operator tebuk/lubang  
 punch path:alur plong  
 punch position:posisi penebuk  
 punch position:posisi punch  
 punch queue:antri pukul  
 punch row:baris pelubang  
 punch station:stasiun punch  
 punch tape:pita tebuk/lubang  
 punch writer:pencatat tebuk  
 punched card:kartu penebukan; kartu pons

istilah-ti-indonesia

punched card (H):  
punched card data processing:pemrosesan data kartu tertebuk  
punched card interpreter:penerjemah kartu terlubang  
punched card machine:mesin pelubang kartu  
punched card utility:utiliti kartu berlubang  
punched card verifier:penguji kartu terlubang  
punched card/punched badge adaptor:kartu tertebuk/adaptor bet tertebuk  
punched cards:kartu penebukan; kartu pons  
punched cards:kartu penebukan; kartu pons  
punched paper tape:pita kertas terlubang  
punched tape:pita pons  
punched tape reader:pembaca pita tape berlubang  
puncher:pelubang pras  
punching:pelubangan pons  
punching machine:mesin penebukan  
punching position:posisi pelubangan:  
punching rate:laju pelubangan:  
punching unit:satuan penebukan:  
punctuation:tanda baca:  
punctuation bit:bit pungtuasi:  
punctuation capability:kemampuan beri tanda baca:  
punctuation character:karakter fungtuasi:  
punctuation character:karakter pungtasi:  
punctuation mark:tanda pungtuasi:  
punctuation symbol:simbol tanda baca:  
puncture:bocor:  
puncture test:uji bocor:  
punctured code:kode tusuk:  
pupil records system:sistem rekam murid:  
purchaser::  
purchasing and cost:pembelian dan biaya:DELETE  
purchasing computer:komputer pembelian:1  
purchasing computer:pembelian komputer:  
pure:murni:  
pure binary data:data biner murni:1  
pure binary data:data biner murni:  
pure chance traffic:lalu lintaspeluang murni:  
pure procedure:prosedur murni:  
pure procedure:prosedur murni:  
pure sound:nada murni:  
pure tone:noda murni:  
pure virtual function ::  
PURGE:bersihkan:1  
purge:pembuangan:1  
purge:pembuangan:  
purge:pembuangan:

PURGE: PURGE: DELETE  
purge date: tanggal pembuangan  
purged document: dokumen tersingkir  
purgings: menyingkirkan  
purity: kemurnian  
PURL : PURL  
purpose: tujuan  
purposive selection: pemilahan  
push : dorong tekan; ditekan  
push brace: tekanan dorong  
push down storage: penyimpanan tekan-ke-bawah  
push instruction:  
push operation: kerja tekan  
push tachnology:  
push technology: tek dorong  
pushbutton: dorong button  
push-button dialing: penyambungan tekan tombol  
push-button dialing pad: pad pencakraan tombol  
pushbutton switch: alih tombol tekan  
pushbutton transfer system: sistem transfer  
pushdown: dorong kebawah  
pushdown: tekan bawah  
push-down automata: automata tarik ke bawah  
pushdown automaton: automaton tekan  
pushdown buffer: penyangga tekan-ke-bawah  
pushdown dialing: pemasangan tekan bawah  
pushdown list: senarai tekan kebawah  
pushdown method: metode tekan-ke-bawah  
pushdown popup method: metode dorong tekan  
pushdown register: pendaftar/register tekan-ke- bawah  
pushdown stack: stak tekan kebawah  
pushdown storage: penyimpanan tekan kebawah  
pushdown store: penyimpanan tekan kebawah  
pushdown switch: saklar tekan bawah  
pushing: pendorongan  
pushing figure: sosok penekanan  
push-OFF: dorong luar  
push-ON: dorong masuk  
pushphone: tekan bunyi  
push-pull: dorong tarik  
push-pull oscillator: osilator tekan-tarik  
pushup: tekan ke atas  
pushup buffer: penyangga tekan-ke-atas  
pushup list: senarai tekan atas  
pushup list: senarai tekan ke atas  
push-up list: senarai tolak-angkat

pushup method:metode tekan-ke-atas  
pushup storage:penyimpan ditekan ke atas  
pushup store:sediaan ditekan ke atas  
put:letak:  
put (FTP):put (FTP):  
PVC:PVC:  
pwd:pwd:  
pwd (FTP):pwd (FTP):  
pyramid:piramid:  
pyroelectricity:prioelektrisitas:  
pyrometer:pirometer:  
QBE:QBE:1  
QBE:QBE:DELETE  
QCB:QCB:  
QCIF :QCIF:  
QISAM:QISAM:  
QMF:QMF:1  
QMF:QMF:DELETE  
QMF/QBE:QMF/QBE:1  
QMF/QBE:QMF/QBE:DELETE  
QSAM:QSAM:  
QTAM:QTAM:  
quad:empat:  
quadded cable:kabel satuan empat konduktor:  
quadrant:kuadran:  
quadrantal error:salah kuadrantal:  
quadratic:kuadratik:  
quadratic programming:pemograman kuadratis:  
quadratic programming:pengacaraan kuadratis:  
quadratic programming methods:metode pemrograman kuadratik:  
quadratic search:cari kuadratik:  
quadrature:kuadratur:  
quadrature component:komponen kuadratur:  
quadrature modulation:modulasi kuadratur:  
quadrature phase:fase kuadrat:  
quadrature-axis reactance:reaktans kuadrat-aksis:  
quadruple:lipat empat:  
quadruple length register:register panjang lipat 4:  
quadruple precision complex constant:konstanta kompleks ketelitian quadrupel:  
quadruple precision complex type:tipe kompleks ketelitian quadrupel:  
quadruple precision constant:konstanta ketelitian quadrupel:  
quadruple precision exponent part:bagian eksponen ketelitian quadrupel:  
quadruple precision type:tipe ketelitian quadrupel:  
quadruple register:register kuadratur:  
quadruple-length register:register quadrupel panjang:  
quadtree:lipat pohon:1



quadtree:lipat pohon:  
quadword::  
qualification:kualifikasi:  
qualification::  
qualified data-name:data-nama cakap:  
qualified name:nama cakap:  
qualified product list:senarai produk terkualifikasi:  
qualifier:pemberi sifat:  
qualifier:pengukur:  
qualify:kualifikasi:  
quality:kualitas:  
quality::  
quality assessment::  
quality assurance:jaminan kualitas:  
quality assurance::  
QUALITY ASSURANCE::  
quality attribute:atribut kualitas:1  
quality attribute::  
quality circle ::  
quality control:kontrol kualitas:  
quality control::  
quality evaluation::  
quality factor:faktor kualitas:  
quality improvement ::  
quality in use::  
quality indicator::  
quality measure ::  
quality metric:metrik kualitas:1  
quality metric::  
quality model::  
quality of service :kualitas layanan:1  
quality of service (QoS):kualitas layanan:  
quality profile::  
quality specification:spesifikasi kualitas:  
quality standard:standar mutu:  
quality system::  
quantifier:kuantitas:  
quantity:kuantitas  
quantity of electricity:kuantitas kualitas  
quantity of magnetism:kuantitas magnetik  
quantization:penguantitasan  
quantization:penguantitasan  
quantization error:kekeliruan kuantisasi  
quantize:membilang  
quantize distortion:cacat membilang  
quantizer:pengkuantisasi

quantizing:pembilangan  
quantum:kuantum  
quantum electronics:elektronik kuantum  
quarter speed:kecepatan seperempat  
quarter-speed:1/4 laju  
quarter-squares multiplier:pengali seperempat kuadrat  
quarter-squares multiplier:pengganda bujursangkar seperempat  
quarter-wave antenna:antena 1/4 gelombang  
quartet:kuartet  
quartile:kuartil  
quartile deviation:deviasi kuartil  
quartz crystal:kristal kuarsa  
quartz glass:kaca quartz  
quartz oscillator:osilator kuarsa  
quartz plate:piring quartz  
quartz plate holder:penahan lempeng quartz  
quasi-factorial experiment:eksperimen kuasi- faktorial  
quasi-Latin square:segi empat kuasi-Latin  
quasi-single sideband transmission system:sistem transmisi band- samping kuasi-tunggal  
quasistable state:keadaan/kondisi labil  
QUE:  
quene:  
query:permintaan  
query:permintaan:  
query:pertanyaan:1  
query:pertanyaan:  
query and database management system (DBMS):permohonan dan sistem manajemen pangkalan data:DELETE  
QUERY BY CONTENT::  
QUERY BY EXAMPLE::  
query facilities:fasilitas permintaan:1  
query facilities:fasilitas permintaan:  
query facilities:fasilitas permohonan:1  
query facilities:fasilitas permohonan:  
query facilities:fasilitas permohonan:  
query facility:fasilitas pertanyaan:1  
query formulation:formulasi permintaan:  
query language:bahasa permintaan:  
query language:bahasa permintaan:  
query language:bahasa permintaan:  
query language:bahasa permintaan:  
query language:bahasa permohonan:1  
query language:bahasa permohonan:1  
query language:bahasa permohonan:  
query language:bahasa permohonan:  
query language:bahasa pertanyaan:1

query languages:bahasa permohonan:  
query path:alur pertanyaan:  
query processing:pemrosesan permintaan:  
query/retrieval:permintaan/pengambilan:1  
query/retrieval:permintaan/pengambilan:1  
query/retrieval:permintaan/pengambilan:DELETE  
query/retrieval:permintaan/pengambilan:  
query\_string:string permintaan:  
Query-and Update:permohonan dan mutakhir:1  
Query-and Update:permohonan dan pemuatkhiran:DELETE  
query-and-update:permintaan dan update:  
query-and-update languages:bahasa permintaan dan update:  
query-by-example (QBE):permintaan bercontoh:1  
query-by-example (QBE):permohonan bercontoh:1  
query-by-example (QBE):permohonan bercontoh:  
query-by-example (QBE):pertanyaan dengan contoh (QBE):1  
query-by-example (QBE):QBE:  
query-by-example (QBE):QBE:  
querying by email distributed directory databases::DELETE  
question and answer:tanya dan jawab:  
question mark:tanda tanya:  
questionable condition:kondisi tersoalkan:  
question-answering (fact retrieval) systems:sistem pencari fakta (pertanyaan-jawaban):  
questionnaire:senarai pertanyaan:  
questionnaires:senarai pertanyaan:  
queue:giliran; antrian:  
queue:giliran; antrian  
queue control block:blok kontrol antrian  
queue control block:blok kontrol deret  
queue control block:blok kontrol giliran  
queue file:berkas giliran  
queue length:panjang deret  
queue management:manajemen giliran  
queue manager:manager giliran  
queue size:ukuran deret  
queue time:waktu giliran  
queued access:akses giliran  
queued access method:metode akses giliran  
queued access method:metode aksestergilir  
queued access technique:teknik akses bergilir  
queued indexed sequential access method:metode akses sekuensial antrian berindeks  
queued logon request:permintaan logon giliran  
queued sequential access method:metode akses sekuensial berantri  
queued telecommunication access method:metode akses telekomunikasi  
queued telecommunications access method:metode akses telekomunikasi berantri  
queueing:antrian

queueing delay:tunda antrian  
queueing delay:tunda antrian  
queueing model:model antrian  
queueing theory:teori antrian  
queueing theory:teori antrian  
queueing theory:teori antrian  
queues:antrian  
quick:cepat  
quick cell:sel cepat  
quick cell facility:fasilitas selcepat  
quick closedown:berhenti cepat  
quick disconnect:pemutusan cepat  
quick shutdown:penutupan cepat:  
QUICK SORT::1  
quick start:mulai cepat:  
quick start:mulai/awal cepat:  
quick-break switch:saklar penutup-hubungan- cepat berurutan:  
quick-disconnect:cepat lepas:  
quick-response excitation:eksitasi cepat-tanggap:  
quicksort:cepat-cepat:  
quicktime:quicktime:  
quiescent:diam:  
quiescent point:titik beku:  
quiescing:hal tak bergerak:  
quiet hour:waktu nyata; jam nyata:  
quinary:kuiner:  
quintet:kuintet:  
quit:lepas:  
QUIT:QUIT:DELETE  
QUIT:tinggalkan:1  
quit (FTP):quit (FTP):  
quota method:metode kuota:  
quotation mark:tanda kutip:  
quote:kuarta; jumlah:  
quote (FTP):quote (FTP):  
quoted string:sirkuitan kuatet:  
quoted string:sirkuitan pernyataan:  
quoted string:string bertanda kutip:  
quotient:pangkat:  
quotient register:pensenaarai hasil bagi:  
qwerty:qwerty:  
qwerty keyboard:papan ketik qwerty:  
QWERTY keyboard:papan tombol QWERTY:1  
r. m. s. value:nilai r.m.s:  
rabbit:kelinci:1  
race:ras:

race condition:keadaan lomba:1  
race condition::  
raceway:jalur pacu:  
RACF:RACF:  
racing:pacu:  
rack:rak:  
rack mounting fixture:alat tetap pememuncakan rak:  
rack-up:membubung:  
racon:suar radar:  
RADAR:RADAR:DELETE  
RADAR:RADAR:  
radar interface adaptor:adaptor antarmuka radar:  
radar relay:relai radar:  
radar shadow:bayangan radar:  
radar system:sistem radar  
radial:radial  
radial commutator:komutator radial  
radial time base:basis waktu radial  
radial transfer:pindah radial  
radian:radian; radial  
radiant energy:energi radian  
radiant flux:ubahterus radian  
radiant intensity:intensitas radian  
radiated susceptibility:kerentanan teradiasi  
radiation:radiasi  
radiation damage:kerusakan radiasi  
radiation decrement:pengurangan radiasi  
radiation efficiency:keefisienan radiasi  
radiation hardened:keterkuatan radiasi  
radiation hardening:penyegar kuatradiasi  
radiation impedance:impedans radiasi  
radiation pattern:pola radiasi  
radiation power:daya radiasi  
radiation resistance:hambatan radiasi  
radiation-cooled tube:tabung radiasi- terdingin  
radiator:radiator  
radiator loss:hilang radiator  
radical:radikal  
radio:radio  
radio AM:radio AM  
radio astronomy station:stasiun astronomi radio  
radio beacon:suar radio  
radio bearing:bantalan radio  
radio button:  
radio channel:saluran radio  
radio common carrier:pembawa radio bersama

radio compass:kompas radio:  
radio control:kontrol radio:  
radio determination station:stasiun penentuan radio:  
radio direction finding:penemuan arah radio:  
radio direction-finder:arah-penemu radio:  
radio direction-finding station:stasiun arah-penemuan radio:  
radio disturbance:gangguan radio:  
radio equipment:perlengkapan radio:  
radio FM:radio FM:  
radio frequency:frekuensi radio:1  
radio frequency:frekuensi radio:  
radio frequency:frekuensi radio:  
radio guidance system:sistem panduan radio:  
radio heating:pemanasan radio:  
radio inertial guidance system:sistem panduan intersial radio:  
radio inertial missile equipment:peralatan misil intersial radio:  
radio interference:interferensi radio  
radio magnetic indicator:indikator megnetik radio  
radio navigation:navigasi radio  
radio navigation land station:stasiun tanah navigasi radio  
radio navigation system:sistem navigasi radio  
radio range:julat radio  
radio relay:relai radio  
radio relay station:stasiun radio  
radio relay system:sistem pancar ulang radio  
radio shortest path first (RSPF):RSPF  
radio station:stasiun radio  
radio telemetry:telemetri radio  
radio transmitter:penransmisi radio  
radio trunking:tulangpunggung radio  
radio wave:gelombang radio  
radio waves:gelombang radio  
radio wind detection finding:penemuan pelacakan angin radio  
radioactive substance:substansi radioaktif  
radioactivity:radioaktivitas  
radio-casting:pilihan radio  
radiocommunication service:jasa radiokomunikasi  
radio-frequency amplifier:penguat radio-frekuensi  
radio-frequency transformer:transformer radio- frekuensi  
radiogoniometer:radiogoniometer  
radiogram:radiogram  
radiography:radiografi  
radiolocation:radiolokasi  
radiolocation land station:stasiun bumi radiololasi  
radiolocation mobile station:stasiun mobil radiolokasi  
radiomail:surat radio

radiometer:radiometer  
radiometry:radiometri  
radiopaging:radio penghalamanan:  
radiosity::  
radiosonde:radiosonde:  
radiotelegram:radiotelegram:  
radiotelegraphy:radiotelegrafi:  
Radiotelegraphy:telegrafi radio:  
radiotelemetering:radiotelemetering:  
radiotelephony:radioteleponi:  
Radiotelephony:radiotelepon:  
radiothermy:radioterapi:  
radius vector:vektor radius:  
radix: radiks:1  
radix:radiks:  
radix:radiks:  
radix complement:komplemen radiks:  
radix complement:komplemen radiks:  
radix notation:notasi akar:  
radix numeration system:sistem numerasi radiks:  
radix point:titik radiks:  
radix sort:pilih/sortir radiks:1  
radix sort:pilih/sortir radiks:  
radix system:sistem radiks:  
radix-minus-one complement:komplemen radiks minus satu:  
radix-minus-one complement:komplemen radiks minus-satu:  
radome:kubah radar:  
RAID:RAID:  
RAID:RAID:  
rail bond:ikatan rel:  
rail impedance:impedansi rel:  
rail-car:rel kereta:  
railway electrification:pelistrikan rel:  
railway motor:kereta rel:  
railway operation:kerja rel  
railway service:jasa rel  
rain arc-over test:uji pelesatan hujan  
rain barrel effect:efek tong hujan  
raised floor:lantai menaik  
raising factor:faktor pemuncakan  
RAM:RAM  
RAM:RAM  
RAM disk:cakram RAM  
RAM doubler:  
ramp:tanjakan  
ramp:tanjakan; lereng

ramp nonlinearity:ketaklinearan lereng  
ramp type:jenis lereng  
ramped loading:beban bertanjakan  
random:acak  
random access:akses acak; akses acak:  
random access:akses acak; akses acak:  
random access file:akses berkas acak:1  
random access file:akses berkas acak:  
random access file:berkas acak akses:1  
random access files:akses berkas acak; akses berkas acak:  
random access files:akses berkas acak; akses berkas acak:  
random access input-output:keluaran-masukan akses acak:  
random access machines:mesin akses acak:  
random access memory (RAM):memori akses acak:  
random access memory (RAM):memori akses acak:  
random access memory (RAM):memori akses acak:  
random access memory (RAM):memori akses acak:  
random access memory (RAM):memori akses acak:  
random access memory (RAM):memori akses acak (MAA):1  
random access memory (RAM):memori akses acak (RAM):1  
random access memory (RAM):memori akses acak (RAM):1  
random access procedure:prosedur ases acak:  
random access storage:penyimpan akses acak:1  
random access storage:penyimpan akses acak:  
random access storage:penyimpan akses acak:  
random arrangement:deretan acak:  
random coil:kumparan acak:  
random connection:sambungan acak:  
random entry record type:tipe rekaman entri acak:  
random entry technique:teknik entri acak:  
random error:kekeliruan acak:  
random failure::  
random file:berkas acak:  
random file access:akses berkas acak:  
random files:berkas acak:  
random joint:sambungan acak:  
random key item:butir kunci acak  
random logic:logika acak  
random logic:logika acak  
random method:metode random  
random noise:desah acak  
random number:bilangan acak  
random number generation:pembangkit bilangan acak  
random number generator:pembangkit bilangan acak  
random number sequence:urutan nomor acak  
random numbers:bilangan acak



random operation:operasi acak  
random processing:pemrosesan random  
random replacement:  
random replacement algorithm:  
random retrieval:pengambilan secara random  
random sample:contoh acak  
random sample:sampel acak  
random sampling:cuplikan acak  
random sampling:pemercontohan acak  
random sampling numbers:bilangan cuplikan acak  
random sampling numbers:jumlah percontohan acak  
random scan:pindai acak  
random sequence:urutan random  
random signal:sinyal acak  
random table:tabel acak  
random testing:  
random testing:  
random variable:variabel acak  
random variation:variasi acak  
random walk method:metode jalan acak  
random-incidence response:respon acak-insiden  
random-incidence sensitivity:kepekaan acak-insiden  
randomize:merandomkan:  
randomized blocks method:metode blok beracak:  
randomizing:pengacakan:1  
randomizing:pengacakan:  
randomness:keacakan:  
range:jarak:  
range:jarak nilai:  
range check:cek jarak:  
range control center:pusat kontrol julat:  
range data:jangkauan data:  
range finder:pengukur jarak:  
range gate:gerbang julat:  
range height indicator:petunjuk tinggi julat:  
range index:indeks jarak:  
range key:kunci kitar:  
range mark:markah julat:  
range of a DO statement:batas pernyataan DO  
range of cells:jangkauan sel  
range of hearing:julat dengar  
range of variable:jarak variabel  
range resolution:resolusi julat  
range ring:cincin julat  
range safety officer:pejabat pengamanan julat  
range scale:skala julat

range select:pilih julat  
range unit:unit julat  
range-height indication:indikasi julat tinggi  
rank:tingkat  
rank order:urutan peringkat  
ranking:pemeringkatan  
rape:deras  
"rapid application development, RAD ":  
rapid applications development (RAD):pengembangan aplikasi cepat:1  
rapid applications development (RAD):pengembangan aplikasi cepat:  
rapid changes to data:perubahan cepat pada data:DELETE  
rapid formation:tataan jadi:  
rapid prototyping:pemprototipean cepat:1  
rapid prototyping:pemprototipean cepat:  
rapid prototyping:pemprototipean cepat:  
rapid prototyping::  
RARP:RARP:  
RAS:RAS:  
raster:raster:  
raster count:perhatian raster:  
raster display:peragaan kasa:  
raster display device:gawai tayang raster \*:  
raster display devices:alat tayang raster:  
raster graphics:grafiks raster:  
raster graphicsy:  
raster grid:kisi kasa  
raster image file format (RIFF):RIFF  
raster image processor (RIP):RIP  
raster method:metode raster  
raster plotter:ploter raster  
raster scan:pindai kasa  
raster scan display:  
raster unit:unit raster  
rat race circuit:sirkuit-pacu tikus  
rate:taraf; laju; nilai  
rate:taraf; laju; nilai  
rate center:inti/sentral taraf/laju/nilai  
rate control:taraf; laju; nilai kontrol  
rate modification:modifikasi tingkat  
rate of flow:tingkat ombangan  
rate of information transfer:laju dari transfer informasi  
rate selection switch:alih pemilihan tingkat  
rate system:sistem tingkat  
rate time:waktu bertingkat  
rated:bertingkat  
rated capacity:kapasitas bertingkat

istilah-ti-indonesia

rated current: arus bertingkat  
rated frequency: keseringan bertingkat; frekuensi bertingkat  
rated load: beban bertingkat; muatan bertingkat  
rated operating conditions: kondisi kerja bertingkat  
rated output: keluaran bertingkat  
rated power-factor: daya-faktor bertingkat  
rated range: julat bertingkat  
rated speed: kecepatan dasar  
rated supply voltage: tegangan catu bertingkat  
rated throughput: throughput berkecepatan\*  
rated value: nilai bertingkat  
rated voltage: tegangan bertingkat  
rate-of-change relay: relai tingkat berubah  
rate-of-rise of recovery voltage: tingkat kenaikan tegangan pemilihan  
rating: penilaian  
rating:  
rating level:  
rating plate: plate bertingkat  
ratio: perbandingan  
ratio: rasio; bandingan  
ratio: rasio; perbandingan  
ratio arm: lengan banding  
ratio control: kontrol rasio  
ratio detector: detektor nisbah; detektor rasio  
ratio error: kesalahan rasio; kesalahan nisbah  
ratio gear: gear rasio; gear nisbah  
ratio of current transformation: rasio transformasi arus  
ratio of expansion: rasi pemuai  
ratio-meter: rasio meter; nisbah meter  
rational approximation: aproksimasi rasional  
rational number: bilangan rasional  
rational system of units: sistem rasional unit  
rational-number: bilangan rasional  
raw data: data mentah  
raw data :  
rawin: rawin; angin radar  
ray: sinar  
ray curvature: kelengkungan sinar  
rayleigh curve :  
raytracing:  
RBA: RBA  
RBSM:  
RCB: RCB  
RCT: RCT  
RDF: RDF  
RDF: RDF

reach:jangkauan  
reachability:kejangkauan  
reachable:dapat dicapai  
reactance:reaktansi  
reactance coupling:kopling reaktans  
reactance network:jaringan reaktans  
reactance relay:relai reaktans  
reactance tube modulator:modulator tabung reaktans  
reaction:reaksi  
reaction motor:mesin reaksi  
reaction time :  
reaction turbine:turbin reaksi  
reaction water turbine:turbin air reaksi:  
reactivation:pengaktifan ulang:  
reactive:reaktif:  
reactive component:komponen reaktif:  
reactive computation:komputasi reaktif:  
reactive power:daya reaktif:  
reactive selectivity:keterpilihan reaktif:  
reactive sputtering:desis reaktif:  
reactive system ::  
reactor:reaktor:  
READ:baca:1  
read:baca:  
READ:READ:DELETE  
read backward:mundur bacaan:  
read check:periksa bacaan:  
read column eliminate:penghilangan kolom merah:  
read cycle time:waktu siklus baca:  
read head:kepala bacaan:  
read hopper:pengharap baca:  
read instruction::  
read only memory:memori hanya baca:  
read only memory:memori hanya bacaan:  
read only memory (ROM):memori hanya baca:1  
read only mode:ragam hanya bacaan:  
read only optical discs:cakram optik hanya baca:  
read path:alur baca:  
read phase (of transaction)::  
read rate:tingkat baca:  
read station:stasiun baca:  
read time:waktu baca:  
read time:waktu baca:  
read/modify/write::  
"read/reset, consecutive":baca/susun ulang selektif  
"read/reset, selective":baca/susun ulang selektif

read/write:baca/tulis  
read/write channel:  
read/write head:kepala baca/tulis  
read/write head:kepala baca/tulis  
read/write memory:memori baca/tulis  
read/write opening:pembukaan baca/tulis  
read/write slot:slot baca/tulis  
read/write tape control:kontrol pita baca/tulis  
readability:keterbacaan  
read-after-write hazard:  
read-after-write-verification:verifikasi baca sesudah menulis  
read-around ratio:rasio baca keliling  
read-compare:baca-banding  
read-compare adaptor:adaptor baca-banding  
reader:pembaca  
reader:pembaca; alat baca  
reader adaptor:adaptor korektor  
reader procedure:prosedur pembaca  
reader process:proses pembaca  
reader stop-prefix J:prefiks J-hambat  
reader/interpreter:korektor penerjemah  
readiness:keterbacaan  
reading:bacaan; membaca  
reading board extension:perluasan papan pembacaan  
reading brush:sikat baca  
reading task:pekerjaan membaca  
readjust current:arus susun kembali  
readjustment:penyesuaian ulang  
README files:berkas README  
read-modify-write cycle:  
read-mostly chip::  
read-only:hanya baca:  
read-only memory:memori hanya baca:  
read-only memory:memori hanya-baca:  
read-only memory:ROM:  
read-only memory (ROM):memori baca saja (ROM):1  
read-only memory (ROM):memori hanya baca:  
read-only memory (ROM):memori hanya baca:  
read-only memory (ROM):memori hanya baca (MHB):1  
read-only memory (ROM):ROM:  
read-only memory (ROM):ROM:  
read-only memory (ROM):ROM:  
read-only optical disk:cakram optik baca saja:1  
read-only storage:penyimpan hanya baca:  
read-only storage:penyimpannya baca:  
readout:terbaca:

read-out:pembacaan:  
read-out clock:jam unjuk-layar:  
ready:siap; sedia:  
ready condition:keadaan/kondisi siap:  
ready condition:kondisi siap:  
ready for receiving:siap menerima:  
ready for sending:siap kirim:  
ready state:daerah siap:  
ready task:tugas siap:  
ready to send (RTS):RTS:  
ready to send (RTS):siap kirim:1  
ready-for-sending:siap kirim:  
real:riil:  
real address:alamat riil:  
real address area:area alamat nyata:  
real address area:daerah adres nyata:  
real arithmetic data:data aritmetik nyata  
real audio:audio nyata  
real constant:konstanta riil  
real cylinder:silinder nyata  
real DASD:DASD riil  
real machine:mesin riil  
real memory:  
real mode:ragam riil  
real number:bilangan riil  
real page:halaman nyata  
real part:bagian nyata  
real partition:sekatan nyata  
real polynomial:polinomial nyata  
real storage:penyimpan nyata  
real storage:penyimpan riil  
real storage manager:program kelola penyimpan riil  
real storage page table:tabel halaman penyimpan nyata:  
real time:waktu nyata:1  
real time:waktu nyata:1  
real time:waktu nyata:1  
real time:waktu nyata:1  
real time:waktu nyata:  
real time:waktu nyata:  
real time:waktu nyata:  
real time:waktu nyata:  
real time:waktu nyata:  
real time:waktu nyata; waktu riil:  
real time::  
real time input:masukan waktu nyata:  
real time input data:data masukan waktu nyata:  
real time operation:operasi waktu nyata:

real time OS:OS waktu nyata:  
real time output:keluaran waktu nyata:  
real time output data:data keluaran waktu nyata:  
real time processing:pemrosesan waktu nyata:  
real time simulation:pengimakan/simulasi waktu nyata:  
real time system:sistem waktu nyata; sistem waktu riil:  
real time systems:sistem waktu nyata:1  
real time systems:sistem waktu nyata:  
real time-mix:campuran-waktu nyata:  
real type:tipe nyata:  
real unit address:tujuan unit nyata:  
real value:nilai nyata:  
real variable:perubah riil:  
real variable:variabel nyata:  
real video:RealVideo:  
RealAudio :RealAudio:  
realm:bidang:  
real-time:waktu riil:  
real-time:waktu riil:  
real-time action:aksi waktu nyata:  
realtime application:aplikasi waktu nyata:1  
realtime application:aplikasi waktu nyata:  
real-time application:aplikasi waktu nyata:1  
realtime applications:aplikasi waktu nyata; aplikasi waktu riil:  
realtime applications:aplikasi waktu nyata; aplikasi waktu riil:  
realtime billing:pemrograman waktu nyata:  
realtime clock:jam waktu nyata:  
real-time clock:jam waktu nyata:  
real-time clock:jam waktu nyata:  
real-time communication:komunikasi waktu riil:  
real-time constraints ::  
realtime control:kontrol waktu riil:  
realtime input:masukan waktu riil:  
realtime job:pekerjaan waktu riil:  
real-time logic ::  
realtime mode:ragam waktu nyata:  
real-time mode:modus waktu nyata:1  
real-time mode:ragam waktu nyata:  
real-time operating system ::  
realtime operation:operasi waktu nyata:  
real-time operation:operasi waktu-nyata:  
realtime output:keluaran waktu riil:  
realtime processing:pemrosesan waktu riil:  
real-time processing:pemrosesan waktu nyata:1  
real-time processing:pemrosesan waktu riil:  
real-time processing:pemrosesan waktu riil:

istilah-ti-indonesia

realtime programming system:sistem pemrograman waktu nyata:  
realtime relocatable program library:pustaka program mampu tampung kembali waktunya:  
realtime simulaion:simulasi waktu riil:  
real-time software::  
realtime subroutine library:pustaka subrutin waktu nyata  
realtime system:sistem waktu riil  
real-time system :  
real-time systems:sistem waktu riil  
RealVideo :RealVideo  
reantrant:  
rear compression:compresi belakang  
rear suppression:supresi belakang  
rearrangement:pengurutan ulang  
reason:ralat  
reasonableness check:pemeriksaan kemasuk-akalan  
reasonableness test:tes tak menasabah  
reasoning:penalaran  
reassembling:rakit ulang  
reassembly:rakit ulang  
reblock:blok ulang  
reblocking:pemblokingan kembali:  
reboot:reboot:  
recall:panggil:  
recall ratio:rasio panggil ulang:  
receipt:resi:  
receive:menerima:  
receive data:data terima:  
receive interruption:interupsi terima:  
receive interruption:penyelaan menerima:  
receive mode:ragam terima:  
receive sequence count:cacah urutan terima:  
received data lead:jarak-maju data berterima:  
received power:daya berterima:  
receive-only typing reperforator:reperforator ketik hanya penerima:  
receiver:penerima:1  
receiver:penerima:  
receiver:penerima; pesawat terima  
receiver:penerima; pesawat terima  
receiver register:pencatat penerima  
receiver signal element timing:waktu elemen sinyal menerima  
receivers:penerima  
receiving:penerimaan  
receiving area:area penerima  
receiving balance:imbang penerima  
receiving data item:butir data penerima  
receiving end:puncak penerimaan



receiving flag:ubira penerima  
receiving margin:marjin penerimaan  
receiving perforator:perforator penerimaan  
receiving station:stasiun penerimaan  
receiving-end crossfire:api silang akhir-penerimaan  
receptacle:penyangga  
reception:resepsi  
reception :  
receptor:penerima  
reciprocal:resiprokal  
reciprocal of amplification factor:faktor pendekatan amplifikasi  
reciprocity:ketersalingan; resiprositas  
reciprocity calibration:klaborasi resiprositas  
reciprocity theorem:teorema kesalingan  
"reciprocity, magnetic recording":  
"recirculation, CCD":  
reclamation:reklamasi  
reclosing relay:relai penutupan kembali  
reclosing time:waktu penutupan kembali  
recode :  
recognition:pengakuan; pengenalan  
recognition algorithm:algoritma pengenalan  
recognition and control processor:pengakuan dan pemroses kontrol  
recognition time:waktu pengenalan  
recognizer:pengenal  
recombination center:pusat kombinasi  
recommendation:rekomendasi  
recompile:kompilasi ulang  
recomplementation:pemerengkapan ulang  
reconfigurability:kemampuan rekonfigurasi  
reconfiguration:rekonfigurasi  
reconfigure:konfigurasi ulang  
reconnaissance:pengintaian  
re-connection:hubung ulang  
reconstitute:merekonstitusi  
reconstitution:rekonstitusi  
reconstitution of data:rekonstitusi data  
reconstruction:rekonstitusi  
reconstruction of data:rekonstruksi data:  
reconsult:saran ulang:  
recooler:pendingin kembali:  
record:catatan:1  
record:catatan:  
record:catatan:  
record:catatan:  
record:rekaman:1

record:rekaman:1  
record (instance):catatan :  
record (instance):catatan :  
record address file:berkas alamat rekaman:  
record block:blok rekaman:  
record blocking:pemblokian rekam:  
record case:kotak catat:  
record checking:pengujian rekam:  
record classification:klasifikasi catatan  
record count:hitung rekam  
record counter:alat hitung rekam  
record deblocking:pembatalan blok rekam  
record definition field:medan definisi rekam  
record description:diskripsi rekord  
record description entry:masukan diskripsi rekord  
record descriptor word:kata deskriptor rekaman  
record format:format rekaman  
record format:format rekord  
record gap:rumpang rekaman  
record I/O:I/O rekord  
record identification code:kode identifikasi rekord  
record identification entry:entri indentifikasi rekaman  
record identifying indicator:indikator pengenalan rekaman  
record layout:tata letak rekaman  
record layout:tataletak rekord  
record length:panjang rekord  
record length indicator:petunjuk panjang catat  
record locking:penguncian catatan  
record mark:penanda rekaman  
record mode:ragam rekaman  
record name:nama rekord  
record number:bilangan rekaman  
record overflow:rekord meluap  
record plyer:pelapis sekam  
record pointer:penitik rekam  
record separator:pemisah rekord  
record string:tali rekam  
record transmission:transmisi rekaman  
record type:tipe rekaman  
record type selection:seleksi tipe rekaman  
record types:tipe rekaman:1  
record types:tipe rekaman:  
recordable optical discs:cakram optik perekam:  
recordable optical disk:cakram optik bisa rekam:1  
recorder:perekam; pencatat:  
recorder file:berkas perekam:

recorder finder:alat cari perekam:  
recording:perekaman:  
recording ammeter:alat cari perekam:  
recording characteristics:ammeter perekaman:  
recording density: densitas perekaman:1  
recording density:densitas perekaman:  
recording density:densitas perekaman:  
recording density:kepadatan perekaman:  
recording head:kepala rekam:  
recording instrument:instrumen perekam:  
recording media:media perekaman  
recording medium:medium perekaman  
recording meter:meter perekaman  
recording mode:ragam perekaman  
recording optical tracking instrument:instrumen lintasan optis perekaman  
recording paper:kertas perekaman  
recording stylus:jarum sayat perekaman  
recording thermometer:thermometer perekaman  
recording track:trek/jalur perekaman  
recording trunk:batang perekaman  
recording wattmeter:meter watt perekaman  
record-level-search:telusur-aras-rekam  
records:catatan  
recoverability:keterlindungan  
recoverability:  
recoverable ABEND:ABEND tersembuhkan  
recoverable error:kekeliruan dapat dipulihkan:  
recoverable error:kesalahan dapat diperlihatkan:  
recovery:pemulihan:1  
recovery:perbaikan; pemulihan:1  
recovery:perbaikan; pemulihan:  
recovery:perbaikan; pemulihan:  
recovery:perbaikan; pemulihan:  
recovery::  
recovery block scheme::  
recovery function:fungsi penyembuhan:  
recovery management:pengelolaan penyembuhan:  
recovery management support:penunjang manajemen pemulihan:  
recovery management support recorder:perekam penunjang manajemen pemulihan:  
recovery procedure:prosedur penyembuhan:  
recovery routine:rutin penyembuhan:  
recovery semantics:semantik lindungan:  
recovery termination manager:manajer penghentian pemulihan  
recovery time:waktu pemulihan  
recovery time of a gas-filled switching tube:waktu derek tabung penghubung berisi gas  
recovery time of a thyatron:waktu derek thyatron

recovery volume:volume penyembuhan  
recruitment:rekrutmen  
rectangular aluminium wire:kawat alumunium segi empat  
rectangular coordinate type potentiometer:potensiometer tipe koordinat segi empat  
rectangular copper wire:kawat tembaga segi empat  
rectangular distribution:distribusi segi empat  
rectangular pulse:pulsa segi empat  
rectification:pembetulan; rektifikasi  
rectified current:arus rata  
rectifier:alat perata arus  
rectifier:pembetul; peralat  
rectifier diode:dioda pembetul  
rectifier junction:tabung riktifikator  
rectifier type:tipe rektifikator  
rectifying device:alat perata arus  
recurrence formula:formula rekurens  
recurrences:rekurens  
recursion:rekursi  
recursion:rekursi  
recursion schemes:skema rekursi  
recursive:rekursif  
recursive call:panggil rekursif  
recursive circuit:sirkuit rekursif  
RECURSIVE CLOSURE OPERATION:  
recursive function:fungsi rekursif  
recursive function theory:teori fungsi rekusif  
recursive procedure:prosedur rekurtif  
recursive program:program rekursif  
recursive query resolution:permohonan resolusi rekursif:  
recursive region:daerah rekursif:  
recursive relationship:hubungan rekursif:1  
recursive routine:rutin rekursif:  
recursive sets:kumpulan rekursif:  
recursive subroutine:subrutin rekursif:  
recursively defined sequence:urutan terdefiniskan rekursif:  
recv:recv:  
recv (FTP):recv (FTP):  
recvfrom:recvform:  
recvmsg:recvmsg:  
red tape operation:operasi pita merah:  
red/write head:kepala baca/tulis:1  
redact:susun:  
redaction:redaksi:  
redefine:definisi ulang:  
redefinition:pendefinisian kembali:  
redesign ::

redial:redial:  
redimension:pendimensian:  
redirect:arah ulang:  
redirection:pengarahan ulang:  
redirector:pengarah ulang:  
redistribution:redistribusi:  
redocumentation ::  
redresh rate:laju perbaikan:  
reduced capacity:kapasitas tereduksi:  
reduced capacity tap:tap kapasitas tereduksi:  
reduced instruction set computer::  
reduced instruction set computer (RISC):komputer perangkat instruksi tereduksi (RISC):  
reduced instruction set computer (RISC):komputer perangkat instruksi tereduksi (RISC):  
Reduced Instruction Set Computing (RISC):Komputasi Set Instruksi Terkurang (RISC):1  
reduced instruction set computing processor (RISC processor):pemroses komputer kelompok  
instruksi tereduksi (pemroses RISC):1  
reduced insulation:isolasi tereduksi:  
reduced speed signal:sinyal kecepatan tereduksi:  
reduced-carrier transmission:transmisi pembawa-tereduksi:  
reducibility:pereduksian:  
reducible:tereduksi:  
reducible graph:gambatang tereduksi:  
reducing valve:katup pereduksi:  
reduction:reduksi:  
redundancy:kelebihan; redundansi:  
redundancy:kelebihan; redundansi:  
redundancy::  
redundancy check:cek lewahan:1  
redundancy check:cek redundansi:  
redundancy check character:karakter cek redundansi:  
"redundancy loop, magnetic bubble memory"::  
"redundancy map, magnetic bubble memory"::  
redundant array independent disk (RAID):cakram bebas larik redundan (RAID):1  
redundant array of inexpensive disks (RAID):RAID:  
redundant bit:bit redundan:  
redundant character:karakter berlebihan:  
redundant code:kode berlebihan:  
redundant data:data redundan:  
redundant design:desain redundan; desain berlebih:  
redundant design:desain redundan; desain berlebih:  
redundant design:desain redundan; desain berlebih:  
redundant design:desain redundan; desain berlebih:  
redundant design:desain redundan; desain berlebih:  
redundant design:desain redundan; desain berlebih:  
redundant design:desain redundan; desain berlebih:  
redundant design:desain redundan; desain berlebih:  
redundant module:modul bawah; modul radundun:

redundant phase encoding:pengkodean fase lewah:  
reed relay:nilai buluh:  
reed relay:siar gelombang:  
reed switch:perangkai buluh:  
Reed-Solomon code:kode Reed-Solomon:  
reel:rol:  
reel label:label rol:  
reel number:angka rol:  
reel sequence number:nomor rangkaian nol:  
reel take-up:pemendekan gulungan:  
reels center roll feed and take-up:pemendekan dan mengisi putaran pusat gulungan:  
reengineering:rekayasa ulang:  
reengineering:rekayasa ulang:  
reengineering ::  
reengineering organization:organisasi rekayasa ulang:1  
reengineering organization:organisasi rekayasa ulang:  
reenlargement:pembesaran ulang:  
reenterable:mampu masuk kembali; reenter  
reenterable load module:modul beban reenter  
reenterable program:program dapat masuk ulang  
reenterable routine:rutin dapat masuk ulang  
reenterable subroutine:subrutin dapat masuk ulang  
reentrancy:penerimaan ulang  
reentrancy:penerimaan ulang  
reentrant:masuk ulang; peserta kembali  
reentrant cavity:kavitas masuk kembali  
reentrant code:kode masuk ulang  
reentrant cylindrical cavity:kavitas silinders masuk kembali  
reentrant procedure:prosedur masuk ulang  
reentrant program:program masuk ulang  
reentrant routine:rutin masuk ulang  
reentrant structure:struktur masuk ulang  
reentrant subroutine:subrutin masuk ulang  
reentry point:titik masuk ulang  
REFER expression:ungkapan/ekspresi REFER  
REFER object:objek REFER  
reference:acuan  
reference :  
reference (to a cell):referensi (ke sel)  
reference address:alamat acuan  
reference atmosphere:atmosfer rujukan  
reference bit:bit referensi  
reference by location:referensi per lokasi  
reference conditions:kondisi rujukan  
reference connection:hubungan acuan  
reference count:perhitungan acuan

reference edge:pinggir acuan  
reference equivalent:kesetaraan acuan  
reference files:berkas referensi  
reference format:bentuk/format acuan/referensi  
reference frequency:frekuensi rujukan  
reference language:bahasa referensi  
reference level:taraf acuan  
reference level:tingkat acuan  
reference library :  
reference line:lin/garis acuan  
reference line for the base of an electron tube:garis rujukan untuk dasar tabung elektron  
reference line for the outline of an electron tube:garis rujukan untuk bagan tabung elektron  
reference listing:pendaftaran acuan  
reference mark:markah acuan  
"reference matrix, for cache LRU implementation":  
reference monitor (in security):  
reference noise:gangguan referensi  
reference plane of a microwave tube:bidang datar rujukan tabung gelombang mikro  
reference point of potential:titik rujukan potensial  
reference range of an influencing characteristic:daerah karakteristik influensi rujukan:  
reference temperature:temperatur rujukan:  
reference test:tes rujukan:  
reference traffic:trafik acuan:  
reference value of an influencing characteristic:nilai karakteristik influensi rujukan:  
reference volume:volume referensi:  
reference wave:gelombang acuan:  
reference white:putih rujukan:  
referencing processing activities:aktifitas pemrosesan referensi:  
Referential integrity :REFERENTIAL INTEGRITY :INTEGRITAS REFERENSIAL  
refile:pengarsipan kembali:  
refinement:penyulingan:  
refinement-specification ::  
reflectance:reflektifitas:  
reflected binary code:kode biner terpantul:  
reflected binary code:kode biner terrefleksi:  
reflected wave:gelombang pantul  
reflector:pemantul  
reflection:refleksi  
reflection (of drawing):refleksi; pantulan  
reflection coefficient:koefisien refleksi  
reflection coefficient chart:bagan koefisien pantulan  
reflection factor:faktor refleksi  
reflection loss:rugi refleksi  
reflective:reflektif  
reflective mark:tanda reflektif  
reflective marker:penanda refleksi

reflective sensor:sensor reflektif  
 reflectometer:reflektometer  
 reflector:reflektor  
 reflex klystron:klystron refleks  
 reflexive:refleksif  
 reflexive association ::  
 reflexive property:sifat refleksif:  
 reform:memperbaharui:  
 reformat:format ulang:  
 reformatting:pemformatan ulang:  
 reformatting ::  
 reforming:pembaharuan; pembaruan:  
 refraction:pembiasan:  
 refractive index:indeks bias:  
 refractor:reflektor:  
 refraction:refraksi:  
 refresh:segarkan ulang:  
 refresh:segarkan ulang:  
 refresh cycle:siklus penyegaran:  
 refresh cycle:siklus penyegaran:  
 refresh memory:memori penyegaran:1  
 refresh period::  
 refresh rate:kecepatan penyegaran:  
 refresh rate:kecepatan penyegaran:  
 refresh rate:laju penyegaran:1  
 refresh type:tipe penyegaran:  
 refreshable:penyegaran:  
 refreshing:penyegaran:  
 refrigerant:barang yang didinginkan:  
 refrigerant:yang didinginkan:  
 refrigeration:pendinginan:  
 refrigerator:pendingin:  
 refutation:refutasi:  
 refutation tree:pohon refutasi:  
 regardless of:tanpa memperhatikan:  
 regen:pembaruan:  
 regenerate:regenerasi:  
 regenerating:pengatur  
 regenerating turbine:turbin peregenerasian  
 regeneration:regenerasi  
 regeneration rate:efisiensi regenerasi  
 regenerative cycle:daur regeneratif  
 regenerative reading:pembacaan regeneratif  
 regenerative repeater:pengulang regeneratif  
 regenerative signal:sinyal regeneratif  
 regenerative storage:penyimpanan regeneratif



regenerative store:penyimpanan regeneratif  
regenerative track:lintasan regeneratif  
regenerator:regenerator  
region:daerah; kawasan  
region:kawasan  
region control block:blok kontrol kawasan  
region control task:tugas kontrol daerah  
region control task:tugas kontrol kawasan:  
region growing:pengembangan wilayah:  
region partitioning:penyeparan wilayah:  
regional address:alamat regional:  
regional center:pusat regional:  
register:register:1  
register:register:1  
register:register; daftar; tepat letak:  
register:register; daftar; tepat letak:  
register alias table::  
register and ALU:register dan ALU:  
register control:kontrol register:  
register designator:penanda register:  
register direct addressing::  
register file::  
register finder:alat cari register:  
register indirect addressing:  
register length:panjang/lama pencatat  
register pair:pasangan register  
register pair instruction:instruksi pasangan register  
register ratio:rasio register  
register renaming:  
register section:seksi register  
register select:seleksi register  
register transfer notation:  
register transistor logic:logik transistor register  
register window:  
registers:register; pendaftar  
registers:register; pendaftar  
registration:registrasi; pendaftaran  
registration program:program register  
registration services (RS):jasa pendaftaran  
regression:regresi:  
regression analysis:analisa regresi:  
regression analysis ::  
regression coefficient:koefisien regresi:  
regression function:fungsi regresi:  
regression line:garis regresi:  
regression testing:pengujian regresi:

regression testing:pengujian regresi:  
 regression testing:ujian regresi:1  
 regression testing ::  
 regressive:regresif:  
 regular:teratur:  
 regular distortion:distorsi regular:  
 regular network:jaringan teratur:  
 regular reflection:refleksi teratur:  
 regular selector:selektor teratur:  
 regular sets:kumpulan biasa  
 regular transmission:transmisi regular  
 regulated steam flow:aliran uap teratur  
 regulating transformer:transformator  
 regulation:peraturan; perundangan; regulasi  
 regulation:peraturan; perundangan; regulasi  
 regulator:pengatur; regulator  
 regulator:pengatur; regulator  
 rehashing:pengulangan  
 rehearsal:latihan ulang  
 reheat turbine:turbin memanaskan ulang  
 reheater:pemanas ulang  
 reignition:penyalaaan kembali  
 reinforced concrete:beton bertulang  
 reinforced concrete pole:kutub konkret bertulang  
 reinforcing band:pita bertulang  
 REJECT:apkir:1  
 REJECT:REJECT:DELETE  
 reject:totak; sampah:  
 REJECT ON:apkir:1  
 REJECT ON:REJECT ON:DELETE  
 reject processing:pemrosesan tolak:  
 rejection:penolakan:  
 rejection number:angka penolakan:  
 rejection ratio:rasio penolakan:  
 rejector:penolak:  
 rejector circuit:sirkuit rejektor:  
 relation:relasi; hubungan:  
 relation character:karakter relasi/hubungan:  
 relation condition:kondisi relasi:  
 relation systems:sistem relasi:  
 relation test:uji relasi:  
 relational:relasional:  
 relational:relasional:  
 relational algebra:aljabar relasional:  
 relational completeness:kelengkapan relasional:  
 relational data base:pangkal data yang berhubungan:

relational database:pangkal data relasional:1  
relational database:pangkal data relasional:  
relational database:pangkal data yang berhubungan:  
relational database:pangkal data yang berhubungan:  
relational database:pangkalan data relasional:1  
relational database models:model pangkalan data relasional:1  
relational database models:model pangkalan data relasional:  
relational databases:pangkal data yang berhubungan:  
relational databases:pangkalan data relasional:1  
relational databases:pangkalan data relasional:  
relational expression:ekspresi relasional:  
relational model:model relasional:  
relational operations:operasi relasional:1  
relational operations:operasi relasional:1  
relational operations:operasi relasional:  
relational operations:operasi relasional:  
relational operator:operator relasional:1  
relational operator:operator relasional:  
relational operators:operator relasional:1  
relational operators:operator relasional:  
relational operators:operator relasional:  
relational semantics:semantik relasional:  
relational structure:struktur relasi:  
relational structure:struktur relasional:1  
relational structure:struktur relasional:1  
relational structure:struktur relasional:  
relational structure:struktur relasional:  
relational structure:struktur relasional:  
relations among complexity classes:hubungan antara kelas kompleksitas:  
relations among complexity measures:hubungan antara ukuran kompleksitas:  
relations among modes:hubungan antar mode:  
relations between models:hubungan antar model:  
relationship:keterhubungan:  
relationship ::  
relative address:alamat relatif:  
relative address modification:modifikasi nisbi:  
relative addressing: pengalamatan relatif:1  
relative addressing:pengalamatan relatif:  
relative addressing:pengalamatan relatif:  
relative bearing:bantalan relatif:  
relative block address:alamat blok nisbi:  
relative block address:alamat blok relatif:  
relative byte address:alamat bit nisbi:  
relative clcok:jam nisbii  
relative code:kode nisbi  
relative coding:pengodean relatif

relative command:komando relatif  
relative command:komando relatif  
relative coordinate:koordinat relatif  
relative data:data relatif  
relative data set:kumpulan data relatif  
relative entropy:entropi relatif  
relative error:kekeliruan relatif  
relative error:kesalahan relatif  
relative form for time :  
relative generation number:bilangan generasi relatif  
relative humidity:kelengasan nisbi  
relative instruction:instruksi relatif  
relative line number:bilangan garis relatif  
relative measurement:pengukuran nisbi  
relative modification:modifikasi relatif/nisbi  
relative order:order relatif  
relative order:permintaan relatif  
relative organization:organisasi relatif/nisbi  
relative organized file:file/berkas terorganisasi nisbi  
relative permittivity:permitivitas relatif  
relative pressure:tekanan relatif  
relative record date set:kumpulan data rekam relatif  
relative record number:bilangan catatan relatif  
relative redundancy:kelewahan nisbi  
relative reference:referensi relatif  
relative response:jawaban nisbi  
relative time clock:jam tim nisbi  
relative track address:alamat trek relatif  
relative transmission level:tahap transmisi relatif  
relative vector:vektor relatif:  
relative-record file:berkas catatan relatif:  
relativized computation:komputasi relatif:  
relaxation:penyantaian:  
relaxation:relaksasi:  
relaxation oscillator:osilator penyantaian:  
relay:pengulang; relai:  
relay:pengulang; relai:  
relay:relai:1  
relay:relai:  
relay calculator:kalkulator relai:  
relay center:pusat menyiarkan:  
relay contact:kontak siar sambung:  
relay interlocking device:alat penyambungan relai:  
relay rack:batang gigi relai:  
relay system:sistem relai:  
release:pembebasan:

release:pengeluaran; permintaan:  
release:siap siar:  
release::  
release alarm:alarm pelepasan:  
release current:arus pelepasan:  
release read:baca:  
release time:waktu siap siar:  
relevance feedback:umpan balik yang relevan:  
relevant failure::  
relevant incident::  
reliability:keandalan:  
reliability:keandalan:  
reliability:reliabilitas:1  
reliability::  
reliability and life testing:keandalan dan pentestan kehidupan:  
reliability and robustness:keandalan:  
reliability measurement:pengukuran keandalan:  
reliability model ::  
reliability of data:keterandalan data:DELETE  
reliability performance::  
reliable:andal:  
reliable system:sistem andal:  
relief cable:kabel relief:  
relief duplicator:duplikator relief:  
relief valve:katup relief/engaman:  
relink:lingkar ulang:  
reload:membeban ulang:  
"reload buffer, cache":  
reload utility:utilitas muat ulang:  
reloadable:terbeban ulang:  
reloadable control storage:penyimpan kontrolisi ulang:  
relocatability:keteratan ulang  
relocatability:ketertempatan ulang  
relocatable:relokatable  
relocatable address:alamat dapat direlokasi  
relocatable area:daerah dapat direlokasi  
relocatable assembly:perakitan nisbi  
relocatable expression:ekspresi dapat direlokasi  
relocatable library:pustaka relokatable  
relocatable library:pustaka terlokalisasi ulang  
relocatable library module:modul pustaka terlokalisasi ulang  
relocatable loader:pembeban tertampung  
relocatable name:nama dapat direlokasi  
relocatable program:program dapat direlokasi  
relocatable symbol:symbol dapat direlokasi  
relocatable term:istilah dapat direlokasi

relocate:menempatkan ulang  
relocate hardware:perantu keras penampung:  
relocated address:alamat relokasi:1  
relocating loader:pembeban penampungan:  
relocation:relokasi:  
relocation address:alamat relokasi:  
relocation dictionary:kamus penampungan:  
relocation dictionary:kamus relokasi:1  
relocation dictionary:kamus relokasi:  
relocation register:pencatat relokasi:  
reluctance:keengganan:  
reluctivity:reluktivitas:  
rem:rem:  
remain lock control:kontrol kunci tetap:  
remainder:reja; sisa:  
remainder:sisa:  
remainder:sisa; restan:  
remark:catatan:  
remembering:pengingatan:  
remodularization ::  
remote:jauh:  
remote access:akses secara remote:  
remote access server (RAS):server akses jauh:1  
remote access server (RAS):server akses secara remote:  
remote access system:sistem akses kontrol jauh:  
remote batch:sekumpulan tipis/terpencil:  
remote batch entry:entri kelompok jauh:  
remote batch job:tugas kelompok luar:  
remote batch printer:pencetak batok kontrol jauh:  
remote batch processing:pemrosesan tumpak jauh:1  
remote batch processing:pemrosesan tumpak jauh:  
remote batch service:layanan kelompok jarak jauh:  
remote batch system:sistem sekumpulan jarak jauh:  
remote batch terminal (RBT):terminal tumpak jauh (RBT):1  
remote batch terminal (RBT):terminal tumpak jauh (RBT):  
remote communication unit:unit komunikasi jarak jauh:  
remote computer::  
remote computing:perhitungan jauh:  
remote computing service:layanan pengkomputeran jarak jauh:  
remote computing system:sistem komputasi kontrol jauh:  
remote computing system language:bahasa sistem komputasi kontrol jauh:  
remote concentrator:pengonsentrasi terpencil/jauh:  
remote console:tombol kontrol jauh:  
remote control:kontrol dari jauh:  
remote cut-off:pemutusan jauh:  
remote data entry:entri data kontrol jauh:

istilah-ti-indonesia

remote data processing:olah data jauh:  
remote data station:stasiun data kontrol jauh:  
remote data terminal:terminal data kontrol jauh:  
remote date acquisition and control station:pemerolehan data jarak jauh dan stasiun kontrol:  
remote debugging:pendebugan kontrol jauh:  
remote dialer:pendial jauh:1  
remote dialer:pendial jauh:  
remote dialer:pendial jauh:  
remote entry service:pelayanan entri jauh:  
remote entry services:konduktor layan entri luar:  
remote format item:unsur format jauh:  
remote indication:indikasi jarak jauh:  
remote information retrieval and management system:pencarian informasi jauh dan sistem managemen:  
remote inquiry unit:unit penyelidikan jarak jauh:  
remote interconnection:interkoneksi jauh:  
remote job:tugas jauh:  
remote job entry:entri pekerjaan jauh:  
remote job entry (RJE):entri kerja jauh:1  
remote login:login jauh:  
remote log-in:log-in jauh  
remote loop:perut luar  
remote maintenance:perawatan kontrol jauh  
remote measuring equipment:peralatan ukur jauh  
remote multiplexer:pemultipleks jarak jauh  
remote operation:operasi jauh  
remote power off:daya luar  
remote PPI:PPI jarak jauh  
remote procedure call (RPC):RPC  
remote processing:pemrosesan kontrol jauh  
remote program loader:beban program luar  
remote program loading:pembebanan program luar  
remote services:jasa jauh  
remote signal:sinyal jauh  
remote sloop adaptor:adaptor sekoci jauh  
remote station:stasiun jauh  
remote supervisory control:kontrol penyeliaan jarak jauh:  
remote supervisory controlled substation:substasiun terkontrol pengawasan jauh:  
remote switch attachment:alat tambahan sakelar jauh:  
remote system:sistem jauh:  
remote systems:sistem jauh:  
remote terminal:terminal jauh:1  
remote terminal:terminal jarak jauh:  
remote terminal:terminal jauh:1  
remote terminal access method:metode akses terminal jarak jauh:  
remote terminal command:perintah terminal jarak jauh:

remote-access data processing:olah data akses jauh:  
remotehelp:bantuan jauh:  
removable drive:penggerak bisa pindah:1  
removable hard disk:cakram keras bisa pindah:1  
remove:mengubah:  
removeable disk:cakram tergerakkan:  
rename:nama ulang  
rename register:  
renaming:penamaan ulang  
renaming files:penamaan ulang berkas  
rendezvous:pelesir  
renewal theory:teori perbaruan  
rental:persewaan  
reorder:atur ulang  
reorder buffer:  
reorganization:reorganisasi  
repagination:repagimasi  
repair:memperbaiki  
repair:  
repair clerk desk:bangku pelayaran perbaikan  
repair delay time:waktu henti perbaikan  
repair expense:pengeluaran perbaikan  
repair man:pereparasi:  
repair time:waktu perbaikan:  
repair time::  
repairable system:sistem tereparasi:  
repeat:mengulang:  
repeat counter:pencacah ulang:  
REPEAT statement:pernyataan REPEAT:  
REPEAT statement:pernyataan REPEAT:  
repeatability:kemampuan mengulang:  
repeatability:keulangan:  
repeatability:repeatabilitas:  
repeatability::  
repeater:pengulang:1  
repeater:pengulang:  
repeater:pengulang:  
repeater:pengulang:  
repeater bay:teluk pengulang  
repeater coil:gulungan pengulang; kumparan pengulang  
repeater shelf:papan/rak pengulang  
repeater station:stasiun pengulang  
repeater station:stasiun pengulangan  
repeaters:pengulang  
repeating coil:kumparan ulang  
repeating installation:instalasi ulang



repeating signal:sinyal ulang  
 repeller:penolak; penangkis  
 reperforator:reperforator  
 reperforator/transmitter:transmitter/reperforator  
 repertoire:repertoar  
 repertory:perbendaharaan; repertari  
 repetition:ulangan  
 repetition factor:faktor repetisi  
 repetition impulse:impulse ulangan:  
 repetition instruction:instruksi repetisi:  
 repetitive:berulang:  
 repetitive addressing:pengalamat repetitif:  
 repetitive operation:operasi berulang:  
 repetitive specification:spesifikasi repetitif:  
 replace:mengganti:  
 REPLACE:pindahkan:1  
 REPLACE:REPLACE:DELETE  
 replaceability ::  
 replacement:penggantian:  
 replacement algorithm:algoritma penempatan ulang:  
 replacement problem:problem penempatan ulang:  
 replay:balasan:  
 replay::  
 replay error:kesalahan balasan:  
 replicated database:replikasi pangkalan data:  
 replicated database:replikasi pangkalan data:  
 replication:replikasi; peniruan:  
 Replication :REPLICATION :REPLIKASI  
 "replicator, magnetic bubble memory":  
 replies:balasan:  
 reply:saji ulang; main ulang; balasan:  
 report:laporan:  
 report description entry:entri deskripsi laporan:  
 report file:berkas laporan:  
 report formatting:format laporan:  
 report formatting:pemformatan laporan:1  
 report formatting:pemformatan laporan:1  
 report formatting:pemformatan laporan:  
 report generation:generasi laporan:  
 report generator:pembangkit laporan:1  
 report generator:pembangkit laporan:1  
 report generator:pembangkit laporan:  
 report generator:pembangkit laporan:  
 report generator language:bahasa pembangkit laporan:1  
 report generator program:program generator laporan:  
 report generators:pembangkit laporan:1

report generators:pembangkit laporan:  
report generators languages:bahasa pembangkit laporan:  
report group:kelompok laporan:  
report name:nama laporan:  
report program:program laporan:  
report program generator:generator program laporan:  
report program generator program:program generator/pembangkit program lapor:  
report programming generator (RPG):pembangkit program laporan (PPL):  
report writer:penulis laporan:  
report writer feature:ciri penulis laporan:  
report writers:penulis laporan:  
report writing:penulisan laporan:  
reporting:pelaporan:  
reporting system:sistem pelaporan:  
reporting terminal:terminal ulangan:  
report-name:nama laporan:  
reports and database management system (DBMS):laporan dan sistem manajemen pangkalan  
dadta:DELETE  
REPOSITORY:GUDANG:  
repository:penyimpanan :  
repository ::  
representation:representasi:  
representation languages:bahasa representasi:  
representation problem ::  
representations:representasi:  
representations:representasi:  
representations:representasi:  
representative:mewakili  
representative parameters for transient recovery voltage:parameter representatif untuk voltase  
derek singkat  
reprocessing:pemroses ulang  
reproduce:memproduksi ulang  
reproducer:alat reproduksi  
reproducible failure :  
reproducing characteristics:karakteristik pereproduksiian  
reproducing head:puncak pancar  
reproducing punch:pelubang reproduksi  
reproducing punch:punch pereproduksiian  
reproducing stylus:gaya pancar  
reproduction technique:teknik reproduksi  
reprogramming:pemrograman ulang  
reprographics:reprografik  
repulsion motor:motor repulsi  
request:meminta  
request control subroutine:subrutin kontrol permintaan:  
request for comment (RFC):RFC:

istilah-ti-indonesia

request for maintenance form document:permintaan untuk dokumen isian perawatan:DELETE  
request for price quotation:permintaan harga kuotasi:  
request for proposal:permintaan saran:  
request header:saluran kumpul perintah:  
request parameter list:senarai parameter permintaan:  
request repeat system:sistem pengulangan perintah:  
request repeat system with error detecting code:sistem ulang permintaan dengan kode pendektesian keliru:  
request system by interference detection:sistem permintaan dengan deteksi interferensi:  
request to send:permintaan untuk dikirim:  
request unit:unit permintaan:  
request-response header:judul tanggap-permintaan:  
request-response unit:unit tanggap-pinta:  
request-to-send:permintaan-untuk-dikirim:  
required function::  
required product quality::  
required service::  
requirement:kebutuhan:  
requirement:keperluan:  
requirement::  
REQUIREMENT ANALYSIS:ANALISIS KEPERLUAN:  
requirement analysis :analisis kebutuhan:1  
requirement specification:spesifikasi kebutuhan:  
requirement specification :spesifikasi kebutuhan:1  
requirements:kebutuhan:  
requirements acquisition ::  
requirements activity specifications:spesifikasi kebutuhan aktifitas:  
requirements analysis:analisis keperluan:1  
requirements analysis:analisis keperluan:  
requirements analysis ::  
requirements analysis and specification:analisis kebutuhan dan spesifikasi:  
requirements and specification document:persyaratan dan spesifikasi dokumen:1  
requirements and specification document:spesifikasi dokumen dan persyaratan:DELETE  
requirements changing:perhubungan kebutuhan:  
requirements engineering ::  
requirements feasibility:kelayakan kebutuhan:  
requirements for quality::  
requirements functional:fungsi kebutuhan:  
requirements model ::  
requirements nonfunctional:kebutuhan non-fungsional:  
requirements prototyping:kebutuhan pemprototipean:  
requirements prototyping:pemrototipean persyaratan:1  
requirements prototyping:pemrototipean syarat:1  
requirements prototyping:syarat pemprototipean:  
requirements prototyping:syarat pemprototipean:  
requirements review::

requirements specification::  
requirements specification evaluation:evaluasi spesifikasi kebutuhan  
requirements traceability :  
requirements validation :  
requirements verification:  
re-radiation:radiasi ulang  
reread:baca ulang  
rereading:baca ulang  
re-ring:lingkar ulang  
rering signal:sinyal cincin  
rerun:eksekusi ulang  
rerun:jalan ulang  
rerun:jalan ulang  
rerun mode:ragam eksekusi ulang  
rerun point:titik eksekusi ulang  
rerun point:titik putar ulang  
rerun point:titik/angka  
rerun routine:rutin eksekusi ulang:  
rerun time:waktu eksekusi ulang:  
RES:RES:  
resale carrier:pembawa kulak:  
resampler:pemercontohan ulang:  
resampling:pemercontohan ulang:  
rescan:pindai ulang:  
rescanning:pemayaran ulang:  
rescue disk:cakram penyelamat:1  
rescue dump:tumpukan penyelamatan:  
research and development ::  
reseller:kulak:  
reservation station::  
reserve:cadangan:  
reserve capability:kemampuan cadangan:  
reserve capability:kapasitas cadangan:  
reserve capability:kemampuan cadangan:  
reserve capacity:kapasitas cadangan:  
reserved:cadangan:  
reserved address:alamat cadangan:  
reserved page option:pilihan halaman cadangan:  
reserved virtual volume:volume maya bercadangan:  
reserved volume:volume tercadangkan:  
reserved word:kata cadangan:1  
reserved word:kata cadangan:  
reserved word:kata tercadang:1  
Reserved word :RESERVED WORD :KATA TERCADANG/TERSISA  
reserved words:kata cadangan:1  
reserved words:kata cadangan:

reserved words:kata cadangan:  
 reservoir:reservoar:  
 reservoir type power station:stasion daya tipe penyimpan:  
 reset:reset; pasang ulang  
 reset button :tombol reset  
 reset mode:ragam set ulang  
 reset pulse:pulsa reset  
 reset signal:sinyal reset  
 reset time:mata susun ulang  
 resetting key:kunci pemulihan  
 reshape:bentuk ulang  
 reshaping:pembentukan ulang  
 reside:sisik ulang  
 residence:residen  
 resident:residen; kediaman  
 resident:tinggal  
 resident access method:metode akses kawasan  
 resident access method:metode akses residen  
 resident area:kawasan terpumpu  
 resident assembler:perakit kawasan  
 resident control program:program kontrol residen  
 resident data base:pangkal data tetap  
 resident data set:pangkal data tetap  
 resident independence:kebebasan tempat simpan  
 resident library:pustaka tetap  
 resident mode:ragam tetap  
 resident routine:rutin tetap  
 resident supervisor call:telepon pengawas daerah  
 resident system function:fungsi sistem residen  
 residential terminal:terminal residensial  
 residual:sisa  
 residual address table:tabel alamat residual  
 residual attenuation:atenuasi sisa  
 residual byte count:jumlah byte sisa  
 residual capacity:kapasitas sisa  
 residual electric charge:muatan listrik sisa  
 residual error:salah residual  
 residual error rate:tingkat salah residual  
 residual error ratio:rasio kesalahan tertinggal  
 "residual flux density, magnetic recording":  
 residual gas:gas sisa  
 residual magnetism:magnetisme sisa  
 residual status block:blok status sisa  
 residual voltage:voltase sisa  
 residue:residu  
 residue check:cek residu

residue check:tilikan residu/sisa  
residue checked adder:penambah teruji residu  
residue class:kelas residu  
resilience:kekenyalan  
resin:resin  
resin bushing:selongsong damar  
resist:menahan  
resistance:resistan  
resistance attanuator:atanuator tahanan  
resistance box:kotak tahanan  
resistance card load:beban kartu tahanan  
resistance decrement:pengurangan tahanan  
resistance furnace:tanur tahanan  
resistance grounded neutral system:sistem netral pembumian resistan  
resistance loss:kerugian tahanan  
resistance manometer:manometer tahanan  
resistance pyrometer:pirometer tahanan  
resistance thermometer:termometer tahanan  
resistance to earth:tahan ke tanah  
resistance welding:pengelasan tahanan  
resistance wire:kawat tahanan  
resistor:penahan; resistor:  
resistor:resistor:1  
resistor:resistor:  
resistor (or resistance):tahanan:DELETE  
resistor (or resistance):tahanan:  
resistor capacitor transistor logic:logika transistor kapasitas penahan:  
resistor transistor logic:logika transistor penahan:  
resolution:"resolusi, putusan":  
resolution:"resolusi, putusan":  
resolution:"resolusi, putusan":  
resolution enhancement:perbaikan resolusi:  
resolution of a camera tube:resolusi tabung kamera:  
resolution of a television picture tube:resolusi tabung gambatang televisi:  
resolution plan:perancangan resolusi:  
resolved:terpecahkan:  
resolvent:dipecah:  
resolver:pemecah  
resolving power:daya pemecahan  
resolving time:waktu pemisah  
resonance:resonansi  
resonance:resonansi; kesetalaan  
resonance characteristic:karakteristik resonansi  
resonance circuit:sirkuit resonansi  
resonance curve:kurva resonansi  
resonance indicator:indikator resonansi

resonance potential:potensial resonansi  
resonance range:daerah resonansi  
resonance voltage:voltase resonansi  
resonant absorber:penyerap resonansi  
resonant frequency:frekuensi resonansi  
resonant gap:jurang resonansi  
resonant grounded system:sistem resonansi ke tanah  
resonant iris:iris resonansi:  
resonant line:garis resonansi:  
resonator:resonator:  
resource:sumber daya:  
resource::  
resource allocation:alokasi sumber:1  
resource allocation:alokasi sumber daya:  
resource allocation:alokasi sumber daya:  
resource allocation ::  
resource allocation processor:pemroses alokasi sumber:  
resource allocator:pengalokasi sumber:  
resource analysis ::  
resource conflict::  
resource control block:blok kontrol sumber daya:  
resource deallocation::  
resource definition table:tabel definisi sumber daya:  
resource identification table:tabel identifikasi sumber daya:  
resource management:manajemen sumber daya:  
resource management::  
resource management peripherals:manajemen sumber daya periferi:  
resource management personnel:personal manajemen sumber daya:  
resource management processors:pemroses manajemen sumber daya:  
resource manager:manajer sumber daya:  
resource measure::  
resource measurement facility:fasilitas ukuran sumber:  
resource requirement:keperluan sumber:  
resource share:bagi sumber:  
resource sharing architecture:arsitektur kongsi sumber:1  
resource sharing network:jaringan berbagi sumber daya:  
resource sharing network:jaringan kongsi sumber :1  
resource synchronization:sinkronisasi sumber daya:  
resource use algorithm:algoritma guna sumber:  
resource utilization:  
resource vector table:tabel vektor sumber  
resource-bounded automata:automata terbatas sumber daya  
resource-bounded automata:automata terbatas sumber daya  
resources:sumber daya  
resources:sumber daya  
resources information system:sistem informasi sumber daya

resources naming:penamaan sumber daya  
respecify :  
respect to x:respek ke x  
responded output:keluaran tertanggap  
responder:responder  
response:respons; tanggapan  
response:tanggapan  
response analysis program:program analisis tanggapan  
response curve:kurva tanggapan  
response frame:kerangka tanggapan:  
response header:saluran kumpul respons:  
response message:pesan tanggapan:  
response time:waktu tanggap:1  
response time:waktu tanggap:1  
response time:waktu tanggap:  
response time:waktu tanggap:  
response time:waktu tanggap:  
response time:waktu tanggap:  
response time:waktu tanggap:  
response time ::  
response time window:jendela waktu tanggap:  
response times:waktu tanggap:DELETE  
response times:waktu tanggap:  
response unit:unit tanggapan:  
response window:jendela tanggap:  
response/throughput bias:bias respons  
responsibility:pertanggungjawaban  
responsibility :  
responsibility-driven :  
responsiveness:kebertanggungjawaban  
rest mode:mode istirahat  
rest time:waktu istirahat  
restart:start ulang  
restart:start ulang  
restart condition:kondisi start ulang  
restart facility:fasilitas menganjak lagi  
restart instruction:instruksi start ulang  
restart point:titik re-anjak  
restart procedure:prosedur start ulang  
restitution:restitusi  
restoration:restorasi  
restore:pembaikan:  
RESTORE:RESTORE:DELETE  
RESTORE:simpan ulang:1  
re-store:simpan semula:  
restore instruction::



restrain:mengendalikan:  
restricted instruction set computer:komputer perangkat perintah terbatas:  
restricted speed signal:sinyal kecepatan terbatas:  
restricted-use mass storage volume:isi penyimpan massa terlarang digunakan:  
restricted-use volume:volume penggunaan terbatas:  
restriction:ikatan; pembatasan:  
restrike:membatasi:  
restriking:gambaran ulang:  
restriking voltage:voltase pembatas:  
restructure:restruktur:  
restructurer:perestruktur:  
restructuring:penstrukturan ulang  
restructuring :  
result:hasil  
result even indicator:indikator datar hasil  
result field:medan hasil  
result positive indicator:indikator positif hasil  
result table:tabel hasil  
resultant error:galat resultan  
resultant pitch:jarak-bagi hasil  
resulting indicator:indikator penghasilan  
resume:meringkas  
resume speed signal:sinyal kecepatan simpulan  
RET:RET  
retaining coil:kumparan penahan  
retardation coil:kumparan penghambat  
retardation method:metode penghambat  
retardation network:jaringan penghambat:  
retardation time:waktu penghambatan:  
retargetable compilers:kompiler pentarget ulang:  
retargeting ::  
retention:ingatan:  
retention code:kode penyimpanan:  
retention cycle:siklus penyimpanan:  
retention period:periode simpanan:  
retention period check:uji masa retensi:  
retentivity:daya simpan maknetisme:  
retiming:penentuan waktu ulang:  
retina:retina:  
retinal scanner:pemindai retina:1  
retire unit::  
retrace line:garis tarik:  
retract:penarikan:  
retraction:retraksi:  
retransmission:transmisi ulang:  
retransmitting:pentransmisisan ulang:

retrieval:temubalik:  
retrieval code:kode temubalik:  
retrieval key:kunci panggil:  
retrieval languages:bahasa temu balik:1  
retrieval languages:bahasa temubalik:  
retrieval models:model pengambilan:  
retrieval of data:temubalik data:DELETE  
retrieval system:sistem temu balik:1  
retrieval system:sistem temu balik:  
retrieve:temubalik :  
retriever:penemubalik :  
retrieving:pemanggilan:  
retrieving records:penemubalikan rekaman:1  
retrieving records:penemubalikan rekaman:  
retrofit:retrofit:  
retrograde orbit:orbit mundur:  
retrograding wave:gelombang mundur:  
RETROSPECTIVE::  
RETRY:coba ulang:1  
retry:coba ulang:  
retry:coba ulang:  
RETRY:RETRY:DELETE  
retry processing:pemrosesan ulang:  
retry routine:rutin dapat dicoba ulang:  
retry-code register:register kode-coba lagi:  
RETURN:kembali:1  
return:kembalian; retur:  
RETURN:RETURN:DELETE  
return address:alamat kembalian:  
return address:alamat kembalian  
return address instruction:perintah alamat kembali  
return bias:bias kembali  
return circuit:sirkuit kembali  
return code:kode kembali  
return code:kode return/kembalian  
return code register:register kode kembalian  
return code register:register kode retur/kembalian  
return feeder:pengumpan kembali  
return from a procedure:kembali dari suatu prosedur  
return if plus:kembali jika plus  
return if zero:kembali jika zero  
return instruction:instruksi kembalian  
return instruction:instruksi kembalian  
return loss:rugi kembalian  
return mechanism:mekanisme balik  
RETURN ON INVESTMENT::

return on investment (ROI):balik modal (ROI):  
return point:titik kembali:  
"return to bias, magnetic recording":  
return to zero:kembali nol:  
"return to zero, magnetic recording":  
returned value:nilai terkembali:  
return-to-bias recording:pencatatan kembali ke bias:  
return-to-reference recording:pencatatan kembali ke acuan:  
return-to-zero:kembali-ke-nol:  
return-to-zero recording:pencatatan kembali ke nol:  
reusability:kebergunaan ulang:1  
reusability:kebergunaan ulang:  
reusability ::  
reusable:dapat dipakai ulang:  
reusable code:kode kebergunaan ulang:1  
reusable code:kode termanfaat kembali:  
reusable code:kode terpakai kembali:1  
reusable code:program pakai ulang:1  
reusable code:program pakai ulang:  
reusable code:program terpakai ulang:1  
reusable code:program terpakai ulang:  
reusable code:program terpakai ulang:  
reusable components ::  
reusable data set:kumpulan data terpakai:  
reusable data set:kumpulan data terpakai ulang:  
reusable file:berkas terpakai kembali:  
reusable libraries:pustaka terpakai ulang:  
reusable program:program terpakai ulang:  
reusable routine:rutin terpakai ulang:  
reusable software:peranti lunak terpakai ulang:  
reusable subroutine:subrutin terguna ulang:  
reuse ::  
reuse analysis ::  
reuse engineering ::  
reuse models:penggunaan ulang model:  
reused code ::  
reverberation:gema:  
reverberation meter:meter gema:  
reverberation method:metode gema:  
reversal:reversal:  
reverse:balik:  
REVERSE ENGINEERING::  
reverse address resolution protocol (RARP):protokol resolusi alamat terbalik (RARP):1  
reverse address resolution protocol (RARP):RARP:  
reverse appraisal ::  
reverse break:patahan terbalik:

reverse channel: saluran terbalik:  
reverse clipping: penjepitan balik:  
reverse current: arus balik:  
reverse current: arus membalik:  
reverse direction: direksi membalik:  
reverse direction flow: aliran arah terbalik:  
reverse drive: penggerak balik:  
reverse engineering: rekayasa balik:1  
reverse engineering: rekayasa balik:  
reverse engineering ::  
reverse execution ::  
reverse file structure: struktur berkas membalik:  
reverse flow: aliran sebalik:  
reverse interrupt: interupsi membalik:  
reverse Polish notation: notasi Polish balik:  
reverse power relay: relai daya balik:  
reverse routing: penyaluran balik:  
reverse slant: kemiringan terbalik  
reverse specification :  
reverse translation buffer:  
reverse video: video terbalik  
reverse-blocking state: keadaan pemblokkan balik  
reversibility: kesebalikan  
reversible: berbalik  
reversible binary counter: pencacah berpasangan terbalikkan  
reversible booster: penggiat mampu balik  
reversible cell: sel timbul balik  
reversible counter: pencacah terbalikkan  
reversible execution:  
reversible motor: motor putar balik  
reversing key: kunci pembalik  
reversing switch: sakelar pembalik  
reverting call: telepon balik  
review ::  
review cycle ::  
review of document: tinjauan dokumen: DELETE  
review of structure charts: tinjauan baganterstruktur:  
review technique: teknik tinjauan:  
revise: menyelia:  
revision: revisi:  
revolution counter: penghitung balik:  
revolutions per second: putaran per detik:  
revolver: revolver:  
revolving-field type: tipe medan-pemutaran:  
reward: ganjaran:  
rewind: gulung balik:

rewind and unload:bongkar dan balik:  
rewind time:waktu kembali pita:  
rewritable optical disk:cakram optik tulis ulang:  
rewrite:tulis ulang:  
rewriteable optical disk:cakram optik bisa tulis ulang:1  
rewriteable optical storage:penyimpan optik tertuliskan ulang:  
rewriting:penulisan ulang:  
rewriting rule:kaidah penulisan ulang:  
rezero seek:cari nol ulang:  
RF:RF:  
RF (Radio Frequency):RF:  
RF modem:modem RF:  
RGB monitor:monitor RGB:  
RGB signal:sinyal RGB:  
RGReport Generator:GENERATOR laporan RG:  
RH:RH:  
rheostatic control:kontrol reostatis:  
rheostatic voltage regulator:regulator voltase reostatis:  
rheotaxial growth:penumbuhan reotaksial:  
rhombic antenna:antena rombis  
ribbon:pita  
ribbon cable:kabel ribon; kabel pita  
ribbon cartridge:peluru ribon  
ribbon line:garis pita/jalur  
ribose:ribosa  
ribosome:ribosom  
rich pictures:gambatang kaya informasi  
rich text format:  
rich text format (RTF):RTF  
ridgeline:ridgelin  
right:kanan  
right adjust:setel kanan  
right hand side:sisi kanan  
right in:lurus; kanan  
right parenthesis:parentesis kanan  
right shift:pindah hak  
right shift instruction:perintah pindah hak  
right shifting:penggeseran kanan  
right side:sisi kanan  
right-hand lay:lilit kanan  
right-hand rule:kaidah tangan kanan  
right-justified:hak membenaran  
rightmost:paling kanan  
rigid coupling:kopling kaku  
rigid frams selection program:program seleksi kerangka kaku/sukar  
rigid tower:menara kaku

rigid wheel base:dasar roda kaku  
 rim drive:penggerak rim  
 ring:ring  
 ring armature:armatur cincin  
 ring bus arrangement:susunan bus cincin  
 ring counter:pencacah lingkaran/cincin:  
 ring counter:pencacah lingkaran; cincin:  
 ring current:arus cincin:  
 ring format:format cincin:  
 ring gauge:pengukur cincin:  
 ring in a box:cincin dalam kotak:  
 ring latency:sembunyian ring:  
 ring method:metode cincin:  
 ring network:jaringan cincin:  
 ring network:jaringan cincin:  
 ring network:jaringan ring:1  
 ring networks:jaringan cincin:1  
 ring networks:jaringan lingkaran:  
 ring numbering (for access control)::  
 ring or loop scheme:skema cincin atau perputaran:  
 ring seal:perapat cincin:  
 ring shift:alih cincin:  
 ring solenoid:solenoid cincin:  
 ring structure:struktur cincin:1  
 ring structure:struktur cincin:  
 ring structure:struktur lingkaran:  
 ring topology:topologi cincin:  
 ring topology:topologi ring:1  
 ring winding:gulungan cincin:  
 ringback tone:nada sinyal balik:  
 ringdown:aturan sinyal \*:  
 ring-down key:kunci aturan sinyal\*:  
 ringer:bel:  
 ringing:bunyi:  
 ringing berkas alarm:alarm kegagalan giring-giring:  
 ringing circuit:sirkuit giring-giring:  
 ringing effect:efek giring-giring:  
 ringing key:kunci giring-giring  
 ringing sequence:urutan bunyi bell  
 ringing tone:nada bunyi bell  
 ring-off signal:sinyal selesai sambung\*  
 ripeller:ripeler  
 ripple:riak  
 ripple:ripel  
 ripple carry:bawaan ripel  
 ripple counter:penghitung reaksi

ripple factor:faktor ripel  
ripple percentage:persentase riak  
ripple rejection:penolakan riak  
ripple voltage:voltase riak  
ripple-carry adder:  
RISC:RISC  
RISC and CPU:RISC dan CPU  
RISC chip:chip RISC:1  
RISC chips:chip RISC:  
RISC processor:prosesor RISC:1  
RISC processor:prosesor RISC:  
RISC processor:prosesor RISC:  
rise time:waktu naik:  
rise time:waktu naik:  
riser cable:kabel panaik:  
rising edge::  
rising-sun magnetron:magnetron matahari-naik:  
risk:risiko:  
risk::  
risk analysis:analisa resiko:  
risk analysis:analisis resiko:1  
RISK ANALYSIS:ANALISIS RISIKO:  
risk analysis ::  
risk identification ::  
risk management ::  
"risk management and monitoring plan, RMMP "::  
risk management planning ::  
risk prioritization ::  
risk resolution and monitoring ::  
"rivest, shamir and adelman (RSA)":RSA:  
rivet:rivet; keling:  
rivet joint:sambungan paku keling:  
RJ-45:RS-45:  
RJE:RJE:  
RKEY:RKEY:1  
RKEY:RKEY:DELETE  
RLD:RLD:  
RLE :RLE:  
RM:RM:  
rmdir:rmdir:  
rmdir (FTP):rmdir (FTP):  
RMS:RMS:  
RMW memory cycle::  
robot:robot:1  
robot:robot:  
robot capability:kapabilitas robot:

robotics:robotik:  
robots:robot:  
robots:robot:  
robust regression:regresi andal:  
robustness:ketangguhan:  
robustness:nir-kuat:  
robustness ::  
rocker:penggongcang:  
rocket engine:mesin roket:  
rocking arc furnace:tanur lengkung batuan:  
rod lens:tangkai lensa:  
rodding:rodding \*:  
role:peran/tugas:  
role ::  
role in systems development:peranan dalam pengembangan sistem:DELETE  
role indicator:penunjuk/indikator peran:  
role modeling ::  
roll:gulung:  
roll:rol:  
roll back:rekam balik:  
roll call polling:penjajakan panggil bergantian:1  
roll call polling:penjajakan panggil bergantian:  
roll in:masuk program:  
roll in/roll out:bergulung/berbentang:  
roll out:keluar program:  
roll paper:kertas gulung:  
rollback:pembentangan ke belakang:  
Rollback :ROLLBACK :BALIK PUTAR  
rolled:penugasan:  
roller:penggilas:  
roller bearing:bantal alan penggulung:  
roll-in:pembentangan masuk:  
rolling:penggilasan:  
rolling forward:maju gelinding:  
rolling ladder:tangga penggilasan:  
rolling mill:giling berulang:  
rolling mill motor:motor penggilasan:  
rolling stock:sediaan berulang:  
rollout:pembentangan keluar:  
roll-out:pembentangan keluar:  
rollout/rollin:bergulung/berbentang:  
rollover:berguling:  
ROM:ROM:  
ROM:ROM:  
ROM:ROM:  
ROM:ROM:



Roman letter:huruf Romawi:  
 romvelope::  
 room charge:muatan ruang:  
 room index:indeks ruang:  
 room temperature:suhu ruang:  
 root:akar:1  
 root:akar:  
 root anchor point:titik jangka akar:  
 root class ::  
 root directory::1  
 root directory::  
 root locus:lokus akar:  
 root segment:segmen akar:  
 root server:akar server:  
 root server:server akar :1  
 root server:server punca:1  
 rooted tree:pohon berakar:  
 root-mean-square value:nilai bujur sangkar-tengah-akar:  
 ROS:ROS:  
 rotary:putar:  
 rotary condenser:kondenser putar:  
 rotary connector:penghubung putar:  
 rotary dial:cakram rotari; berputar:  
 rotary filing machine:mesin isi putar:  
 rotary joint:sambungan putar:  
 rotary knife:pisau putar:  
 rotary line switch:sakelar garis putar:  
 rotary phase modifier:modifikator fase putar  
 rotary ringing generator:generator giring-giring putar  
 rotary secondary line switch:sakelar garis sekunder putar  
 rotary switch:alih putar  
 rotary system:sistem putar  
 rotary valve:katup putar  
 rotate:berputar  
 rotate:rotasi  
 rotate (logical operation):  
 rotate accumulator right:lurus akumulator berputar  
 rotating:pemutaran  
 rotating amplifier:amplifier putar  
 rotating field:medan putar  
 rotating magnetic field:medan magnet putar  
 rotating mirror:kaca putar  
 rotating standard:standar putar  
 rotation:rotasi:  
 rotation (of drawings):rotasi (dari gambar):  
 rotation waiting time:waktu tunggu rotasi:

rotational:rotasional:  
rotational delay:penundaan rotasional:  
rotational delay:penundaan rotasional:  
rotational latency::  
rotational position sensing:posisi rotasional:  
rotational position sensing:posisi rotasional:  
rotational position sensing:sensing posisi berputar:  
rotational position sensing:sensing posisi rotasi:  
rotational speed:kecepatan putar:  
rotational-delay time:waktu tunda rotasional:1  
rotational-delay time:waktu tunda rotasional:  
rotator:perotasi:  
rotay camera:kamera putar \*:  
rotor:rotor  
rotor core:inti kotor  
ROTR:ROTR  
roughness:"kesesatan, kekasaran"  
round:bulat  
round conductor:konduktor bulat  
round off:pembulatan  
round robin scheduling:penjadwalan kompetisi setengah  
round trip time (RTT):RTT  
round-down function:fungsi pembulatan kebawah  
rounding:pembulatan  
rounding:pembulatan  
rounding error:kekeliruan pembulatan  
rounding error:keliru pembulatan  
roundoff:pembulatan  
round-off:pembulatan  
round-off-function:fungsi pembulatan:  
round-robin:robin keliling:  
"round-robin arbitration, bus":  
round-the-world echo:gema keliling-dunia:  
round-trip delay:waktu tunda perjalanan pulang pergi:  
round-trip propagation time:waktu propagasi pulang-pergi:  
round-up function:fungsi pembulatan keatas:  
route:route:  
route flip-flop:flip-flop route:  
route lever:tuas rute:  
route locking:pengunci rute:  
route planning:perencanaan rute:  
route segment:segmen jalur:  
router:perute:1  
router:perute:1  
router:perute:  
router:perute:

router:perute:  
router:perute:  
router:perute:  
routers:perute:  
routers:perute:  
routine:rutin:1  
routine:rutin:  
routine adjustment:penyetelan rutin:  
routine library:pustaka jalur:  
routine maintenance:perawatan jalur:  
routine maintenance time:waktu rawat jalur:  
routine schedule:bagan rutin:  
routiner:perutin:  
routing:perutean:1  
routing:perutean:  
routing:perutean:  
routing:perutean:  
routing code:kode penyaluran:  
routing indicator:indikator penyaluran:  
routing information protocol (RIP):protokol informasi perutean:1  
routing information protocol (RIP):protokol informasi perutean:  
routing protocol:protokol perutean:1  
routing protocols:protokol rute:  
routing service:jasa perutean:1  
routing service:jasa perutean:  
routing service:jasa perutean:  
routing switch:pengalihan perutean:1  
routing switch :switch rute:  
routing table:tabel rute:  
row:baris:  
row address:alamat baris:  
row address:alamat deret:  
row binary:biner baris:  
row decoder::  
row major order:perintah utama baris:  
row pitch:nada baris:  
row scanning:pemindaian baris:  
rowing:penderetan:  
rows per inch:baris per inci:  
RP:RP:  
RPG:RPG:  
RPG high-level language:bahasa tingkat tinggi RPG:1  
RPG high-level language:RPG bahasa tingkat tinggi:DELETE  
RPG III:RPG III:1  
RPG III:RPG III:DELETE  
RPL:RPL:

RPL exit routine:rutin keluar RPL:  
RPL string:sirkuitan RPL:  
RPS:RPS:  
RR card:kartu RR:  
rRNA:rRNA:  
RS:RS:  
RS flip-flop:flip-flop RS:1  
RS flip-flop::  
RS232::  
RS-232:RS-232:  
RS-232:RS-232:  
RS-232-C:RS-232-C:  
RS-232C port:port RS-323C:1  
RS-449:RS-449:  
RSA:RSA:  
RSM:RSM:  
RTAM:RTAM:  
RTB:RTB:  
RTF::  
RTF (Rich Text Format):Format Teks Kaya (FTK):1  
RTF (Rich Text Format):RTF (Format Teks Lengkap):  
RTM:RTM:  
RTP :RTP:  
RTSP :RTSP:  
RU:RU:  
rubber:karet:  
rubber tape:pita karet:  
rubber-banding:karet ban:  
rubber-insulated cable:kabel berisolasi-karet:  
rubber-insulated gloves:sarung berisolasi-karet:  
rubber-insulated wire:kawat berisolasi-karet:  
ruby:rubi:  
rule:kaidah:  
rule modeling ::  
rule-based databases:pangkalan data berdasar kaidah:  
rule-based language:bahasa asas kaidah:1  
rule-based language:bahasa berdasar kaidah:1  
rule-based language:bahasa berdasar kaidah:1  
rule-based language:bahasa berdasar kaidah:  
rule-based language:bahasa berdasar kaidah:  
rule-based language:bahasa berdasar kaidah:  
rule-based representations:representasi berdasar aturan:  
ruled-based:basis aturan:  
ruly English:kaidah inggris:  
rumble noise:suara menderu:  
run:jalan :

run book:buku jalan:  
run chart:bagan jalan:  
run diagram:diagram jalan:  
run duration:rentang waktu jalan:  
run indicator:penunjuk jalan:  
RUN LENGTH ENCODING::1  
run mode:ragam jalan:  
run phase:fase jalan:  
run schedule:jadwal jalan:  
run state:keadaan jalan:  
run stream:alur kerja:  
run time:waktu jalan:1  
run time:waktu jalan:  
run time ::  
run unit:unit jalan:  
runaway:melarikan diri:  
runaway speed:laju:  
runique:runike:  
runique (FTP):runike (FTP):  
runner:pelari; pelari:  
running:perputaran:  
running average:biaya rata-rata:  
running charge:biaya eksplotasi:  
running cost:biaya berlari:  
running light:sinar berlari:  
running mean:jalan rata-rata:  
running open:pembukaan eksekusi:  
running phase:fase perjalanan:  
running state:keadaan perjalanan:  
running task:program berjalan:  
running time:waktu eksekusi:  
runtime environment:lingkungan waktu eksekusi:  
Run-time environments:lingkungan waktu eksekusi:  
run-time error:galat waktu jalan:1  
rupturing capacity:kapasitas rengat:  
Rural Cellular Radio Service Area:servis radio selular bagi daerah rural:  
rush current:arus aliran:  
RZ (P):RZ(P):  
S/MIME :S/MIME:  
S/MIME :S/MIME:  
S/MIME :S/MIME:  
S/N:S / N:  
S/N ratio:rasio S/N:  
S-100::  
S-100 bus:bus S-100:  
sa\_family:sa\_family:

sa\_len:sa\_len:  
saccade:sakad:  
saddle point:titik utama:  
SADT:SADT:  
SADT design methods:metode desain SADT:1  
SADT design methods:metode desain SADT:  
safe distance for overrun:jarak aman lari tinggi:  
safeguard:penyelamat:  
safeness conditions ::  
safety:keselamatan:1  
safety:keselamatan:  
safety::  
safety belt:sabuk pengaman:  
safety critical ::  
safety critical function::  
safety critical software::  
safety device:alat pengaman:  
safety factor:faktor pengaman:  
safety integrity::  
safety related software::  
safety ring:ring pengamanan:  
safety stock:sedian pengaman  
safety switch:sakelar pengaman  
safety traffic:lalu lintas pengaman  
safety valve:katup pengaman  
sag:longgar; sag  
sale management:manajemen penjualan  
sales monitoring information system:sistem informasi pemonitor penjualan  
saliency:kemencolokan  
salient-pole machine:mesin kutub-tonjol  
salient-pole synchronous induction motor:motor induksi sinkron kutub-tonjol  
salt deposit density:densitas endapan garam  
SAM:SAM  
same direction:arah sama  
same sense:rasa sama  
sample:sampel; contoh; cuplikan  
sample:sampel; cuplikan  
sample and hold circuit:sirkuit pegang dan percontoh:  
sample hold:pegang percontoh:  
sample mean:rerata percontoh:  
sample menu:contoh menu:  
sample menu:menu contoh:1  
sample menu:menu contoh:  
sample of measured values:sampel nilai ukuran:  
sample space:jarak percontoh:  
sample variance:varian percontoh:

sample-and-hold circuit::  
sample-and-hold device:peralatan contoh dan genggam \*:  
sampled data control:kontrol data bersampel:  
sampled-data control:kontrol data-bersampel:  
sampler:pencuplik:  
sampler reader:pembaca sampel:  
sampler reader adaptor:adaptor pembaca sampel:  
sampling:pengambilan contoh; pencuplikan; percontohan  
sampling:pengambilan contoh; pencuplikan; percontohan  
sampling circuit:sirkuit percontohan  
sampling circuit:sirkuit sampling  
sampling control:kontrol acak; kontrol pemercontohan  
sampling error:kekeliruan percontohan  
sampling inspection:pengawas pemercontohan  
sampling normal distribution:distribusi normal sampling  
sampling oscilloscope:osiloskop percontohan  
sampling period:periode pencuplikan  
sampling rate:tingkat pencuplikan  
sampling ratio:rasio sampling  
sampling survey method:metode survei sampling  
sampling time:waktu sampling  
sampling unit:unit sampling  
sandpump:pompa pasir  
sandwich arrangement:susunan sisip:  
sapphire:safir:  
sapphire substrate:substrat safir:  
satelife:kehidupan jauh:  
satellite:satelit:1  
satellite:satelit:  
satellite:satelit:  
Satellite Carrier:sinyal pembawa satelit:  
satellite communication:satelit komunikasi; komunikasi satelit:  
satellite communication systems:sistem komunikasi satelit:  
satellite communications:komunikasi satelit:  
satellite computer:komputer satelit:  
Satellite Dish:antenna parabola satelit:  
satellite exchange:pertukaran satelit:  
satellite footprint:cetak-kaki satelit:  
satellite footprint:jejak satelit:1  
satellite graphic job processor:pemroses kerja grafik satelit  
Satellite Master Antenna Television:televiisi antena utama satelit  
satellite processor:pemroses satelit  
satellite system:sistem satelit  
satellite transmission:transmisi satelit  
satellites:satelit  
satellites:satelit

satisfaction :  
satisfiability:kepuasaan  
satisfiability relation :  
satisfiable:pemuasaan  
satisfied:puas  
satisfy:memuaskan  
saturable core:inti mampu jenuh  
saturable reactor:reaktor terjenuhkan  
saturated:jenuhan  
saturated color:warna terjenuhkan:  
saturated logic::  
saturation:kejenuhan:  
saturation current:arus kejenuhan:  
saturation curve:kurva kejenuhan:  
saturation factor:faktor kejenuhan:  
saturation gain:perkuatan kejenuhan:  
saturation point:titik jenuh:  
sausage aerial:antena salsus:  
SAVE:SAVE:DELETE  
SAVE:simpan:1  
save :simpan:1  
save (a file):simpan (berkas):1  
save (a file):simpan (berkas):1  
save (a file):simpan (berkas):  
save (a file):simpan (berkas):  
save (a file):simpan (berkas):  
save area:area simpan:  
save area:tempat menyimpan:  
save area table:tabel area simpan:  
save instruction::  
SAVE parameters:parameter SAVE:DELETE  
SAVE parameters:parameter simpan:1  
savevalue:intai selamat:  
saving:penyelamatan:  
saw tooth pulse:pulsa gigi gergaji:  
sawtooth:gergasi gigi:  
sawtooth oscillator:osilator gigi gergaji:  
sawtooth waveform:bentuk-gelombang segigi:  
SBS:SBS:  
SBS:SBS:  
SC:SC:  
scalability:skalabilitas  
SCALABILITY:  
scalable:  
scalar:skalar  
scalar expression:ekspresi skalar



scalar item:butir skalar  
scalar processor:  
scalar product:hasil kali skalar  
scalar quantity:kuantitas skalar  
scalar variable:peubah skalar  
scalar variable:variabel skalar  
scale:  
scale :skala  
scale coefficient:koefisien skala  
scale conversion:conversi skala  
scale division:divisi skala  
scale factor:faktor skala:  
scale factor disignator:disignator faktor skala:  
scale interval:interval skala:  
scale length:panjang skala:  
scale modifier:pemodifikasi skala:  
scale multiplier:pengganda skala:  
scale plate:plat skala:  
scale span:bentang skala:  
scaleable processor architecture (SPARC):arsitektur skala prosesor:1  
scaleable processor architecture (SPARC):SPARC:  
scaleable processor architecture (SPARC):SPARC:  
scaled lattice:kisi skala:  
scaler:penskala:  
scaling:penskalaan:  
scaling:perskalaan; penentuan ukuran asli:  
scaling (of drawings):skala (gambar):  
scaling attribute:atribut penskalaan:  
scaling factor:faktor penskalaan:  
scamp:berandal:  
scan:pindai:  
scan head:bonggol pindai:  
scan limit:batas pindai:  
scan method:metode pindai:  
scan operation:operasi pindai:  
scan out:pindai keluar:  
scan pointer:petunjuk pindai:  
scan program extension:ekstensi program pindai:  
scan/read feature:ciri baca/pindai:  
scan-based testing::  
scanner:pemayar:  
scanner:pemayar:  
scanner:pemindai:1  
scanner:pemindai:1  
scanner:pemindai:  
scanner:penelusur; penatap; peraba:

scanner:penelusur; penatap; peraba:  
scanners:penelusur; penatap; peraba:  
scanning:pemindaian:  
scanning:pemindaian:  
scanning:penelusur:  
scanning antenna:antena penelusuran:  
scanning circuit:kalang pemayaran:  
scanning devices:alat penelusur:  
scanning line:garis telusuran:  
scanning loss:kerugian penelusuran:  
scanning point:titik rabaan:  
scanning rate:tingkat pemindaian:  
scanning routine:rutin pemindaian:  
scanning search:cari penyusuran  
scanning speed:kecepatan telusuran  
scanning spot:singkat pemindaian  
scan-out analysis program:program analisis pindai  
scan-test path:  
scarf joint:gabung selempang  
SCATS:SCATS  
scatter:menyebar  
scatter communication:komunikasi menyebar  
scatter diagram:diagram skater  
scatter format:format hambur  
scatter graph:grafik hambur  
scatter index table:  
scatter load:beban hambur  
scatter loading:pemuatan hambur  
scatter read:bacaan hambur  
scattered light:cahaya menyebar:  
scattering matrix:matriks penyebaran:  
scenario:senario:  
scenario ::  
scene:"adegan, pemandangan":  
schedule:jadwal:  
schedule resource:sumber jadwal:  
schedule speed:kecepatan bagan:  
scheduled maintenance:perawatan terjadwal:  
scheduled maintenance time:waktu rawat terjadwal:  
scheduled output:keluaran terjadwal:  
scheduler: penjadwal:1  
scheduler:penjadwal:  
scheduler:penjadwal:  
scheduler work area:daerah kerja berjadwal:  
scheduler work area data set:kumpulan data area kerja skeduler:  
schedulers:penjadwal

scheduling:penjadwalan  
scheduling:penjadwalan  
scheduling:penjadwalan  
scheduling:penjadwalan  
scheduling algorithm:algoritma penjadwalan  
scheduling control:kontrol penjadwalan  
scheduling control program:program kontrol penjadwalan  
scheduling program:program penjadwalan  
schema:skema  
schema and subschema:skema dan subskema  
schema group:kelompok skema  
schema name:nama shema  
schematic:shematik  
schematic:shematik  
schematic capture:  
schematic diagram:diagram skematik:  
schematic model program:program model skematik:1  
schematic model program:skema model program:  
schematic models and programs:model dan program terskema:1  
schematic models and programs:model terskema dan program:  
schematic of file update:skematik pemutakhiran berkas:1  
schematic of file update:skematik pemutakhiran berkas:  
schematic of modulation:skema modulasi:  
schottky diode:dioda schottky:  
schottky TTL:TTL schottky:  
science:ilmu:  
science:ilmu pengetahuan:  
scientific:keilmuan:  
scientific calculation:penghitungan ilmiah:  
scientific calculus:kalkulus ilmiah:  
scientific computer:komputer ilmiah:  
scientific data processing:pemrosesan data ilmiah  
scientific databases:pangkalan data ilmiah  
scientific instruction:perintah ilmiah  
scientific instruction set:himpunan instruksi saintifik  
scientific language:bahasa ilmiah  
scientific satellite:satelit ilmiah  
scientific set:perangkat ilmiah  
scientific software:peranti lunak keilmuan  
scintigram:skintigram  
scintiscanner:pemayar skinti  
scissoring:penggunting  
SCN:SCN  
scope:jangkauan  
scope attribute:atribut lapangan  
scope of declaration:skop deklarasi

scoping:penjangkauan  
score:angka nilai:  
scoreboard::  
scoring method:metode penilaian:  
SCP:SCP:  
scram:rebut:  
scramble:berebut:1  
scramble:berebut:  
scrambled:berebutan:1  
scrambled:berebutan:  
scrambler:pengacak:1  
scrambler:pengacak:  
scrambling:perebutan:1  
scrambling:perebutan:  
scratch:guratan:  
scratch file:berkas hapus:  
scratch pad:papan penggaris:  
scratch pad storage:penyimpanan bantal kais:  
scratch tape:pita hapus:  
scratch volume:volume guratan:  
scratchpad:blok gerit:  
scratch-pad:pad-guratan:  
scratch-pad area:area pad-guratan:  
scratch-pad file:berkas pad-guratan:  
scratchpad memory:memori blok gerit:  
scratch-pad memory:memori pad-guratan:  
scratch-pad register:register bantalan coret:  
scratch-pad storage:penyimpanan pad-guratan:  
screen:layar:1  
screen:tabir; layar:  
screen attribute byte:byte atribut layar:  
screen buffer:layar penyangga:  
screen capture :menangkap layar:  
screen design:desain layar:1  
screen design:desain layar:1  
screen design:desain layar:1  
screen design:desain layar:  
screen design:desain layar:  
screen design:desain layar:  
screen factor of a grid:faktor kisi tirai:  
screen filter::  
screen format:format layar:  
screen frequency:frekuensi layar:  
screen grid:kisi tabir; kisi kasa:  
screen layout:layout layar:  
screen mode:mode layar:

screen mode:mode layar:  
screen name::  
screen paging:penghalaman layar/tabir:  
screen reflector:refleksi tirai:  
screen size:ukuran layar:  
screen transfer:transfer layar:  
screened cable:kabel hasil saringan:  
screened-conductor cable:kabel konduktor bertirai:  
screening:penabiran:  
screening:penyaringan:  
screening box:kotak tiraian:  
screening criteria:kriteria penyaringan:1  
screening criteria:kriteria penyaringan:1  
screening criteria:kriteria penyaringan:  
screening criteria:kriteria penyaringan:  
screening effect:efek tiraian:  
screening inspection:inspeksi tiraian:  
screening parameter:parameter penyaringan:1  
screening parameter:parameter penyaringan:1  
screening parameter:parameter penyaringan:  
screening parameters:parameter penyaringan:  
screens:layar:  
screw cap:tudung skrup:  
screw connection:sambungan sekrup:  
screw socket:soket sekrup:  
screw terminal:terminal sekrup:  
screw tuner:pengenal sekrup:  
scribe:dkrib:  
script:tulisan:  
scripting languages:bahasa penulisan:  
scripts:skrip:  
scroll:penggulung:  
scroll bar:batang penggulung:  
SCROLL BAR::  
Scroll bar :SCROLL BAR :PALANG GULUNG  
scroll box:kotak penggulung  
scroll mode:ragam penggulung  
scrolling:penggulungan  
SCS:SCS  
SCS I:  
SCS I-1:  
SCS I-2:  
SCSI:  
SD RAM:  
SDL:SDL  
SDLC:SDLC

SDLC:SDLC

SDLC:SDLC

SDR:SDR

sea earth:tanah laut

sea returns:retur laut

sealed contact:kontak rapat:

seal-in relay:relai perapat:

sealing device:alat pengelakan:

seam welding:pengelasan lapisan:

search:cari:

search and replace:cari dan tukar:

search argument:argumen telusur:

search coil:kumparan telusur:

search cycle:daur cari-cari:

search direct:langsung telusur:

search engine:mesin gelintar:1

search engine:mesin pencari:1

search engine::

search key:kunci cari:

search language:bahasa selusur:

search level message:pesan aras:

search mode:ragam telusur

search on content:telusur isi

search on end of data:cari akhir data

Search process:proses pencarian

search radar:radar cari

search time:waktu cari

search word:kata cari

searches:mencari

searching:mencari

searching:penyelusuran

seasonal adjustment:penyemaian mudiman

seasonal power:daya musiman

seasonal rate schedule:jadwal laju musiman

seasonal variation:variasi musiman

seasoning:bumbu \*

seasoning:pemusiman

seat reservation system:sistem reservasi bangku

seating capacity:kapasitas dudukan katup

second additional lines:garis tambahan kedua

second byte multiplexer channel:saluran multipleksor byte kedua

second detector:detektor kedua

second disk:cakram kedua

second disk attachment:penambahan disk kedua \*

second generation computer:komputer generasi kedua

second harmonic:harmonik kedua

istilah-ti-indonesia

second level definition: definisi aras kedua  
second level message member: anggota pesanantaraf pembantu  
second modem: modem kedua  
second on sequential content: makna detik pada sekuensial ??  
second printer attachment: alat tambahan pencetak kedua  
second punch attachment: alat tambahan pelubang kedua  
second single disk storage drive: penggerak penyimpan cakram tunggal kedua  
second source: sumber pembantu  
secondary: sekunder  
secondary address vector table: tabel vektor alamat sekunder  
secondary air: udara sekunder  
secondary allocation: alokasi sekunder  
secondary battery: baterai sekunder  
secondary cache:  
secondary cache:  
secondary cell: sel sekunder  
secondary circuit: sikuit sekunder  
secondary coil: kumparan sekunder; gulungan sekunder  
secondary console: konsol sekunder  
secondary CPU: CPU sekunder  
secondary data: data sekunder  
secondary data set group: grup peringkat data sekunder  
secondary data structure: struktur data sekunder  
secondary destination: destinasi sekunder:  
secondary electron: elektron sekunder:  
secondary electron emission: emisi elektron sekunder:  
secondary emission: emisi sekunder:  
secondary emission characteristic of a luminescent screen: karakteristik tirai bercahaya emisi sekunder:  
secondary entry point: titik entri sekunder:  
secondary entry point: titik masukan sekunder:  
secondary file: berkas sekunder:  
secondary index: indeks sekunder:  
secondary indexing: pengindeksan sekunder:  
secondary indicator: penunjuk sekunder:  
secondary key: kunci sekunder: 1  
secondary key: kunci sekunder:  
secondary memory: memori sekunder: 1  
secondary memory: memori sekunder:  
secondary memory: memori sekunder:  
secondary memory: memori sekunder:  
secondary output punch attachment: alat tambahan pelubang keluaran sekunder:  
secondary paging device: alat penghalaman sekunder:  
secondary paging device: alat penomoransel sekunder:  
secondary password: tegoran sekunder:  
secondary processing sequence: urutan pemrosesan sekunder:

secondary quantity:kuantitas sekunder:  
secondary radar:radar sekunder:  
secondary space allocation:alokasi ruangsekunder:  
secondary standard:standar sekunder:  
secondary station:stasiun sekunder:  
secondary station:stasiun sekunder:  
secondary storage:penyimpan sekunder:1  
secondary storage:penyimpan sekunder:  
secondary storage:penyimpan sekunder:  
secondary storage:penyimpan sekunder:  
secondary substation:substasi sekunder:  
secondary voltage:voltase sekunder:  
secondary-emission tube:tabung emisi-sekunder:  
secondary-to-primary flow:aliran sekunder ke primer:  
second-generation computer:komputer generasi-kedua:  
second-line manager ::  
secret:rahasia:1  
secret:rahasia:  
section:bagian:  
section:seksi:  
section control office:kantor kontrol penampang:  
section header:judul bab:  
section lamp:lampu penampang:  
section name:nama bagian:  
section switch:sakelar penampang:  
sectional center:pusat setempat:  
sectional route locking:pengunci rute penampang:  
sectioning:pembidangan:  
section-name:nama bab:  
sector:sektor:  
sector:sektor:  
sector (of disc):sektor (pada cakram):  
sector address:alamat sektor:  
sector conductor:konduktor sektor:  
sector file:berkas sektor:  
"sector mapping, in a cache":  
sector mode:modus sektor:  
sector scan indicator:indikator pindai sektor:  
sector-addressing information:informasi pengalamatan sektor:1  
sectors:sektor:  
sectors:sektor:  
secure:mengamankan:  
secure HTTP:HTTP aman:  
secure HTTP:HTTP aman:  
secure HTTP:PPHT aman:1  
secure HTTP:PTHT aman:1



secure perimeter:batas aman:  
secure server :server aman:  
secure socket layer (SSL):lapisan soket aman:1  
secure socket layer (SSL):SSL:  
secured HTTP:HTTP teramankan:1  
secured transaction:transaksi teramankan:1  
security:keamanan:1  
security:keamanan:DELETE  
security:keamanan:DELETE  
security:keamanan:  
security:keamanan:  
security:keamanan:  
security:keamanan:  
security:keamanan:  
security:  
security and database:keamanan dan pangkalan data:DELETE  
security audit:audit sekuriti:  
security cable radiation:keamanan radiasi kabel:  
security call-back:keamanan call-bak:  
security diskless:keamanan tanpa disk:  
security e-mail:keamanan e-mail:1  
security e-mail:keamanan e-mail:  
security e-mail:keamanan surat elektronik; keamanan e-mail:1  
security encryption:keamanan enkripsi:1  
security encryption:keamanan enkripsi:1  
security encryption:keamanan enkripsi:  
security encryption:keamanan enkripsi:  
security encryption keys:keamanan kunci enkripsi:1  
security encryption keys:keamanan kunci enkripsi:  
security feature:ciri keamanan:1  
security feature:ciri keamanan:1  
security feature:ciri keamanan:  
security identification:identifikasi jaminan:  
security issues regarding:mengenai isu keamanan:1  
security issues regarding:tentang isu keamanan:DELETE  
security kernels:keamanan kernel:  
security keylock:kunci sekuritas:  
security login:keamanan login:  
security monitor:monitor keamanan:  
security of data:keamanan data:1  
security of data:keamanan data:  
security of data:keamanan data:  
security of data:keamanan data:  
security on-line coders:koder keamanan on-line:  
security passwords:password keamanan:  
security perimeter:batas keamanan:

istilah-ti-indonesia

security personal identification:identifikasi personal untuk keamanan:  
security physical:keamanan secara fisik:  
security policy:kebijakan keamanan:1  
security policy:kebijakan keamanan:  
security risk analysis:analisa resiko keamanan:1  
security risk analysis:analisa resiko keamanan:  
security table:tabel jaminan:  
sediment:endapan sedimen:  
SEDR:SEDR:  
seed:biji:  
seek:cari:  
seek area:wilayah pencarian:  
seek check:uji tilik:  
seek separation:pemisahan cari:  
seek time:waktu pencarian:1  
seek time:waktu pencarian:  
seek time:waktu pencarian:  
segment:segmen:  
segment:segmen:  
segment addressing:pengalamatan segmen:  
segment descriptor word:kata deskriptor segmen:  
segment format:format segmen:  
segment index:indeks penggal:  
segment interface:antartatapan segmen:  
segment interrelationship:relasi antar segmen:  
segment level:aras penggal:  
segment linker:cincin kotak:  
segment mapping table::  
segment name:nama segmen:  
segment prefix:awalan segmen:  
segment record:catat penggal:  
segment register:register segmen:1  
segment register::  
segment search argument:argumen runut segmen:  
segment table: tabel segmen:1  
segment table:tabel segmen:  
segment table:tabel segmen:  
segment table entry:entri tabel segmen:  
segment table origin register:senarai asli tabel segmen:  
segment translation exception:pengecualian perubahan segmen:  
segmentation:segmentasi:  
segmentation:segmentasi:  
segmentation:segmentasi:  
segmentation:segmentasi:  
segmentation and paging system:segmentasi dan sistem penyimpangan:  
segmented architecture::

segmented program:program tersegmen:  
segmented system:sistem bersegmen:1  
segmenting:mengatakan:  
segment-page structure:struktur halaman-segmen:  
sequentially controlled automatic transmitter start:permulaan transmiter otomatis \*:  
seismic:seismik:1  
seismic:seismik:  
seismic:seismik:  
seize:ukuran:  
seizure signal:isyarat pengukuran:  
select:pilih:  
select hold:pegangan memilih:  
select transmit frequency:frekuensi pindah pilih:  
selectable:dapat dipilih:  
selectance:selektansi:  
selected mode:ragam terseleksi:  
selecting:pemilihan:  
selecting sequence:urutan penyeleksian:  
selection:seleksi:  
selection:seleksi; pilihan:  
selection addressing:pengalamatan seleksi:  
selection check:cek pilihan/seleksi:  
selection check:tilikan seleksi:  
selection criteria:kriteria seleksi:1  
selection criteria:kriteria seleksi:1  
selection criteria:kriteria seleksi:  
selection criteria:kriteria seleksi:  
selection process:proses seleksi:  
selection signal:sinyal seleksi:  
selection sort:pemilihan:1  
selection sort:pemilihan:  
selective absorption:penyerap selektif:  
selective calling:panggilan pilah-pilah  
selective calling:panggilan selektif  
selective dissemination of information:penyebaran informasi selektif  
selective dissemination of information:penyebaran selektif informasi  
selective dump:pembuangan terseleksi  
selective emission:emisi selektif  
selective fading:alunan selektif  
selective interference:interferensi selektif  
selective listing:pendaftaran selektif/pepilih  
selective message routing:penelusuran pesan selektif  
selective relay:relai selektif  
selective resonance:resonansi selektif  
selective stacker:cerobong selektif  
selective tape listing feature:ciri pinggiran pita selektif

selective testing :  
selective trace:jejak selektif/pepilih  
selectivity:keselektifan; keterpilihan:  
selector:selektor:  
selector:selektor; pemilih:  
selector card:kartu penyeleksi:  
selector channel:kanal selektor:1  
selector channel:saluran pemilih:  
selector channel:saluran pemilih:  
selector channel:saluran pemilih:  
selector channel:saluran selektor:  
selector circuit:sirkuit selektor:  
selector gate:pintu selektor:  
selector key:kunci selektor:  
selector pen:pena selektor/pemilih:  
selector pen attention:perhatian pena selektor/pemilih:  
selector pen attention:perhatian penaselektor:  
selector shelf:papan selektor:  
selector subchannel:saluran bawah selektor  
selenium cell:sel selenium  
selenium rectifier:penyearah selenium  
self arbitrating bus:  
self assembler:assembler sendiri \*  
self bias:swa bias  
self check:swauji  
self correcting system:sistem mengoreksi diri  
self healing network:jaringan swa-perbaikan  
self identifying:swakenal  
self information:swaberita; pemberitaan sendiri  
self loading:swabeban  
self loading routine:jalur swabeban  
self test:  
self testing:pengujian sendiri; swauji  
self weighting sample:sampel swa-pembabatan  
self-adapting:penyesuaian diri:  
self-adapting computer:komputer penyesuaiandiri:  
self-adapting program:program swa-adaptasi:  
self-assessment:swa-evaluasi:  
self-bias:swa-bias:  
self-capacitance:swa-kapasitansi:  
self-checking:.  
self-checking code:kode cek sendiri:  
self-checking code:kode pengecekan sendiri:  
self-checking code:kode swacek:1  
self-checking number:nomor pengecekan sendiri:  
self-checking number generator:pembangkit nomor swa-cek:

self-checking system:sistem swauji:  
self-commutated inverter:pembalikan swa-komutasi:  
self-contained instrument:instrumen swa-isi:  
self-contained navigation:navigasi swa-isi:  
self-contained system:sistem terisisendiri:  
self-correcting code:kode swakoreksi:1  
self-correcting system:sistem koreksi-diri:  
self-defining:swa-definisi:  
self-defining delimiter:pembatasan swa-definisi:  
self-defining term:istilah swa-definisi:  
self-defining value:harga swa-definisi:  
self-demagnetization:swa-lepas magnet:  
"self-demagnetization, magnetic recording"::  
self-discharge:swa-kosong:  
self-documenting program:program swadokumentasi:1  
self-drive:swa-kemudi:  
self-excitation:swa-eksitasi:  
self-excitation type:tipe swa-rangsang:  
self-excited generator:generator swa-rangsang:  
self-excited motor:motor swa-rangsang:  
self-healing:swapulih:  
self-heterodyne:swa-heterodin:  
self-hold:swa-tupang:  
self-identifying frame:bingkai swa-kenal:  
self-impedance:swa-hambat:  
self-inductance:swa-induktans:  
self-induction:swa-induksi:  
self-maintaining discharge:pengosongan swa-tahan:  
self-modifying channel program:program saluran swa- modifikasi:  
self-modifying code:::  
self-modifying machines:mesin swa-modifikasi:  
self-organizing:pengorganisasian diri:  
self-organizing computer:komputer pengorganisasian diri:  
self-reactance:swa-reaktansi:  
self-reference:swaacuan:1  
self-relative address:alamat swa-relatif:  
self-relative addressing:pengalamatan swa-relatif  
self-relocating program:program swa-relokasi  
self-relocation:swa-relokasi  
self-reset:swa-reset  
self-resetting loop:sosok swaunjuk  
self-restoring drop:tetes swa-restorasi  
self-saturation type:tipe swa-jenuh  
self-supporting tower:menara swa-dukung  
self-test and repair:  
self-testing:

self-triggering program:program swa-picu  
semanteme:semantem  
semantic:semantik  
semantic differential:diferensial semantik  
semantic error:salam semantik  
semantic gap:kesenjangan semantik  
semantic net:jaring semantik; rangkaian semantik:  
semantic net ::  
semantic networks:jaringan semantik:1  
semantic networks:jaringan semantik:  
semantics:semantik:  
semantics:semantik:  
semantics:semantik:  
semantics ::  
semantics (interface):semantik (antarmuka):1  
semantics (interface):semantik (antarmuka):DELETE  
semantics check:uji semantik:  
semantics interpretation:tafsiran semantik; tafsiran makna:  
semaphore: semafor:1  
semaphore:semafor:  
semaphore:semafor:  
semaphore signal:sinyal semafor:  
semiautomatic message switching center:pusat perangkaian pesan semiantomatis:  
semiautomatic signal:sinyal semiautomatik:  
semibridge system:sistem semijembatan\*:  
semicircular conductor:konduktor setengah bulat:  
semicolon:titik koma:  
semicompiled:semi susun:  
semiconductive:semikonduktif:  
semiconductor:semikonduktor:  
semi-conductor::  
semiconductor assembly:prakiraan semikonduktor:  
semiconductor device:gawai semikonduktor:  
semiconductor diode:diode semikonduktor:  
semiconductor integrated circuit:sirkuit terintegrasi semikonduktor:  
semiconductor laser:laser semi konduktor:  
semiconductor memory:memori semikonduktor:1  
semiconductor memory:memori semi-konduktor:  
semi-conductor memory:memori semi-konduktor  
semiconductor rectifier:rektifikator semikonduktor  
semiconductor types:tipe semikonduktor  
semiconductor-controlled rectifier:penyearah berkontrol- semikonduktor  
semicontrol office:kantor semikontrol  
semi-dry process:proses setengah kerung  
semidry process diazo copying machine:mesin kopian diazo proses setengah kering  
semienclosed slot:celat setengah tertutup

semihard-drawn aluminium wire:kawat alumunium  
semi-indirect lighting:penyinaran semi-tak langsung  
semilattice:semi kisi  
semilinear set:perangkat semilinear  
semilog graph paper:kertas graf semilag  
semi-operational satellite:satelit semi-operasional  
send:kirim  
send sequence count:hitung urutan kirim  
sender:pengirim  
sender key:kunci penyampai  
sending:pengiriman  
sending area:area pengiriman  
sending data item:butir data pengiriman  
sending email to ATTMail:mengirim email ke ATTMail  
sending end:akhir pengiriman  
sending-end impedance:impedansi akhir-pengiriman  
sendport:port pengirim  
sendport (FTP):port pengirim  
senior system analyst:analisis sistem senior  
sensation:sensasi  
sensation level:aras sensasi  
sensation level:tahap sensasi  
sense:indera  
sense amplifier:penguat rasa; indera  
sense amplifier:penguat rasa; indera  
sense byte:byte indera  
sense data:data indera  
sense of absolute pitch:indra jarak bagi absolut  
sense operation:operasi indera  
sense station:stasiun indera  
sense switch:saklar rasa  
sensitivity:ketersensoran; sensibilitas  
sensing:penyesoran  
sensing element:elemen penginderaan  
sensing signal:isyarat penyesoran  
sensitive data:data sensitif  
sensitiveness:kepekaan  
sensitivity:kepekaan  
sensitivity:"kepekaan, kerentanan"  
sensitivity time control:kontrol waktu sensitivitas  
sensor:indera:  
sensor:indera:  
sensor:sensor:1  
sensor:sensor:1  
sensor based computer:komputer berbasis sensor:  
sensor based system:sistem berbasis sensor:

sensor fusion:fusi sensor:  
sensor I/O:I/O sensor:  
sensor interaction:interaksi sensor:  
sensor-based:sensor dasar:  
sensor-based computer:komputer berbasis sensor:  
sensor-based system:sistem berbasis sensor:  
sensors:sensor:  
sensors:sensor:  
sentence:kalimat:  
sentence intelligibility:kecerdasan kalimat:  
sentential calculus:kalkulus sentensial:  
sentinel:penjaga; pengawal:  
separable:terpisahkan:  
separable process:proses terpisahkan:  
separate compilation:kompilasi terpisah:1  
separate compilation:kompilasi terpisah:  
separate excitation:perangsangan pisah:  
separate index access method:metode akses indeks terpisah:  
separately ventilated machine:mesin berventilasi pisah:  
separating character:karakter pemisah:  
separation:pemisahan:  
separation record:rekaman separasi:  
separator:pemisah:  
separator:separator:  
septet:septet:  
sequence:deret; urutan:  
sequence check:cek sekuensial  
sequence check routine:jalur uji rangkaian  
sequence checking:pengecekan sekuensial  
sequence control:kontrol sekuensial  
sequence control counter:pencacah kontrol berurutan  
sequence control register:pencatat kontrol rangkaian  
sequence diagram :  
sequence error:salah rangkai  
sequence indicator:penunjuk berurut  
sequence monitor:monitor urutan  
sequence number:bilangan urutan  
sequence number:nomor urutan  
sequence numbering:penomoran berurut  
sequence of switches:urutan sakelar  
sequence set:himpunan sekuensial  
sequence set:perangkat urutan  
sequence symbol:symbol sekuensial:  
sequencer:penderet:  
sequencer:penderet:  
sequencing:penderetan:



sequencing:penderetan:  
sequent:mengurutkan:  
sequential:sekuensial:  
sequential access:akses berurut:1  
sequential access:akses berurut:  
sequential access:akses berurut:  
sequential access:akses sekuensial:1  
sequential access:akses sekuensial/berurut:  
sequential access:akses sekuensial/berurut:  
sequential access file:akses berkas berurut:  
sequential access file:berkas akses berurut:1  
sequential access files:akses berkas sekuensial:  
sequential access files:akses berkas sekuensial:  
sequential access memory:akses memori berurutan:1  
sequential access method:metode akses berurutan:  
sequential access storage:penyimpanan akses sekuensial:  
sequential addressing:pengalamatan sekuensial:  
sequential algorithm:algoritma berderet; algoritma berurut:  
sequential batch processing:olah bersama sekuensial:  
sequential circuit:sirkuit sekuensial:  
sequential circuit:sirkuitan berurutan:  
sequential circuits:sirkuit berurutan:  
sequential computer:komputer sekuensial:  
sequential consistency::  
sequential control:kontrol berurutan:  
sequential control:kontrol sekuensial:  
sequential data set:kumpulan data berurutan:  
sequential date set:perangkat tanggal berurutan:  
sequential element:elemen sekuensial:  
sequential fault::  
sequential file:berkas berurut:1  
sequential file:berkas berurut:  
sequential file:berkas berurutan:  
sequential file:berkas berurutan:  
sequential files:berkas berurut:1  
sequential files:berkas berurut:  
sequential files and storage media:berkas berurut dan media penyimpan:DELETE  
sequential input/output statement:pernyataan keluaran masukan berurutan:  
sequential locality::  
sequential logic:logika beruntun:  
sequential logic:logika beruntun:  
sequential logic element:elemen logika sekuensial:  
sequential matrix:matriks berurutan:  
sequential number:jumlah berderet; jumlah berurut:  
sequential operation:operasi berurutan  
sequential operator:operator berurutan

sequential organization:organisasi berurutan  
SEQUENTIAL PATTERN:  
sequential processing:olah sekuensial  
sequential processing:pemrosesan berurutan  
sequential retrieval:pengambilan sekuensial  
sequential sampling inspection plan:rencana inspeksi persampelan berurutan  
sequential scanning:penelusuran berurutan  
sequential scheduling:penjadwalan beruntun  
sequential scheduling system:sistem penjadwalanberurutan  
sequential search:susur berangkai  
sequential specification:spesifikasi berurutan  
sequential structure:struktur berangkai  
sequential structured file:berkas bertsruktur berangkai  
sequential test:tes berurutan  
sequential-access memory:akses memori berurutan:  
sequential-access memory:akses memori berurutan:  
sequentially operated teletypewriter universal selector:selektor universal teleks beroperasi berurutan:  
sequential-stacked job control:kontrol tugas rangkaian bertumpuk:  
SER:SER:  
serdes:serdes:  
serial:secara deret; berderet; serial:  
serial:secara deret; berderet; serial:  
serial::  
serial access: akses serial:1  
serial access:akses serial:1  
serial access:akses serial:  
serial access:akses serial:  
serial access:akses serial:  
serial access file:akses berkas serial:  
serial access file:berkas akses serial:1  
serial access memory:memori akses serial:  
serial access storage:penyimpan akses berderet:  
serial access stores:penyimpan akses berderet:  
serial access stores:penyimpan akses berderet:  
serial adder:penambah berderet:  
serial addition:penambahan berderet:  
serial bus:bus serial:1  
serial bus::  
serial card:kartu serial:  
serial computer:komputer secara deret:  
serial connections:hubungan serial:  
serial correlation:korelasi berderet:  
serial counter:tandingan serial:  
serial data:data berderet:  
serial data circuit:sirkuit data serial:

serial data transfer::  
serial data transmission:data transmisi serial:  
serial dot printer:pencetak titik berseri:  
serial file:berkas serial:1  
serial files:berkas serial:  
serial files:berkas serial:  
serial I/O adaptor:adaptor I/O berderet:  
serial I/O interface:antartatapan I/O berderet:  
serial input:masukan berderet:  
serial interface:antarmuka berseri:  
serial interface:antarmuka berseri:  
serial interface:antarmuka serial:1  
serial interface:antarmuka serial:  
serial line:sambungan serial:  
Serial Line Internet Protocol (SLIP):SLIP:  
serial memory::  
serial mouse:mouse serial:  
serial mouse:tetitus serial:1  
serial non-impact printer::  
serial number:jumlah secara deret:  
serial numbering:penomoran berderet:  
serial operation:operasi berderet:  
serial operation:operasi secara deret:  
serial port::  
serial port::  
serial printer:pencetak berderet:  
serial printer:pencetak secara deret:  
serial processing:pemrosesan secara deret:  
serial punching:penebukan seri:  
serial read:pembacaan serial:  
serial scan:pindai serial:  
serial storage:penyimpan serial:  
serial terminal:terminal secara deret:  
serial transfer:perpindahan secara deret:  
serial transmission:transmisi berderet:1  
serial transmission:transmisi berderet:  
serial transmission:transmisi berderet:  
serial transmission:transmisi berderet:  
serial transmission:transmisi serial:1  
serial transmission:transmisi serial:  
serial/parallel:serial/paralet:  
serial/parallel:serial/paralet:  
serial-impact printer::  
serializability:keberserialan:  
serialization:serialisasi:  
serialize:berserial:

serializer:penyerial:  
serially reusable:terpakai ulang secara deret:  
serially reusable:terpakai ulang serial:  
serially reusable load module:modul load terpakai ulang serial  
serially reusable program:program berguna ulang serial  
serially reusable routine:rutin terpakai kembali secara berderet  
serially reusable subroutine:subrutin berguna ulang serial  
serial-parallel addition:tambahan serial paralel  
serial-parallel conversion:konversi paralel  
serial-parallel converter:konverter serial-paralel  
serial-parallel converter:konverter serial-paralel  
serial-to-parallel conversion:  
series:barisan  
series branch:cabang seri  
series coil:kumparan seri  
Series expansion methods:metode ekspansi seri  
series feedback amplifier:amplifier umpan balik seri  
series mode interference:interferensi mode seri  
series mode rejection ratio:ratio penolakan mode seri  
series mode voltage:voltase mode seri:  
series motor:motor berseri:  
series multiple board:papan jamak seri:  
series regulator:regulator berderet:  
series resistance:resistance seri:  
series winding:gulungan berseri:  
series-feed:kecepatan-seri:  
series-multiple connection:hubungan jamak-seri:  
series-parallel connection:sambungan berseri-paralel:  
series-parallel control:sambungan berseri-paralel:  
servant:pembantu; pelayan:  
server:pelayan/server:  
server:pembantu; pelayan:  
server:server:1  
server:server:  
server ::  
server push:server pendorong:  
server-class computer:komputer kelas server:  
servers:server:  
servers alternatives:alternatif server:  
service:servis; layanan:  
service::  
service access point:titik akses layanan:1  
service aid:alat konduktor layan:  
service area:area layanan:  
service band:pita servis:  
service bit:bit layanan:

service bureau:biro pembantu; biro bantuan:  
service call:telepon servis:  
service conductor:konduktor servis:  
service element:unsur layanan; unsur bantuan:  
service entrance:masuk servis:  
service head:kepala servis:  
service level agreement (SLA):persetujuan aras layanan:1  
service level agreement (SLA):persetujuan aras layanan:  
service level agreement (SLA):persetujuan aras layanan (PAL):1  
service level reporter:reporter aras servis:  
service life:nyata layanan:  
service manager:manajer pelayanan:  
service meter:meter servis:  
service order table:tabel urutan pelayanan:  
service paradigm:paradigma servis:  
service priority list:senarai prioritas pelayanan:  
service processor:pemroses layanan:  
service processor:prosesor layanan:  
service program:program layanan:1  
service program:program layanan:  
service program:program layanan:  
service programs:program layanan:  
service provider:penyedia jasa:  
service rate:kecepatan pelayanan:  
service register:register servis:  
service request:permintaan layanan; permintaan bantuan:  
service request block:blok permintaan pelayanan:  
service routine:rutin layanan:  
service session layer:lapisan sesi jasa:  
service session layer:lapisan sesi layanan:1  
service support console:mata dukung layanan:  
service time:waktu layan:  
service tone:nada servis:  
service tower:menara servis:  
service unit:unit pelayanan:  
service voltage:voltase layanan:  
service voltage:voltase servis:  
serviceability:kejasaan:  
serviceability:kemampuan layan:  
serviceability:kemampuan layanan:  
serviceability ratio:nisbah dayalayan:  
service-seeking:layanan pencarian:  
service-seeking pause:jeda pelayanan pencarian:  
serving:porsi; pengunjukan:  
serving docs directories:pelayanan direktori dokumen:1  
serving docs directories:pelayanan direktori dokumen:

servlet:servlet:  
 SERVLET::  
 servo:servo:  
 servo head:kepala servo:  
 servo integrator:pengintegrasi servo:  
 servo system:sistem servo:  
 servo track:lintasan servo:  
 servo track writer:penulis lintasan servo:  
 servo-balancing type:tipe imbang-servo:  
 servomechanism:servomekanisme:  
 servo-mechanism:mekanisme servo:  
 servomotor:servomotor:  
 servomultiplier:pengganda servo:  
 session:pembahasan:  
 session:sesi:  
 session control:kontrol sesi:  
 session layer:lapis sesi:1  
 session layer:lapis sesi:  
 session layer:lapis sesi:  
 session level:aras sesi:1  
 session level:aras sesi:  
 set:perangkat; set; himpunan:  
 SET:SET:1  
 SET:SET :DELETE  
 set algebra:alsabatang perangkat:  
 set associative cache::  
 "set conflict, cache":  
 set control operation:operasi kontrol pengencang:  
 set identification:identifikasi perangkat:  
 set identifier:pengidentifikasi set:  
 set name:nama himpunan:  
 set noise:suara pengencang:  
 set operation:perangkat operasi:  
 set point:angka akhir:  
 set point control:kontrol titik perangkat:  
 set pulse:pulsa pemasang:  
 set theory:teori himpunan:  
 set type:tipe perangkat:  
 set value:nilai pengencang:  
 set-associative cache::  
 set-off:konpensasi:  
 setsockpot:setsockopt:  
 setting:latar:  
 setting depth:dalam penempatan:  
 setting up directories:penyiapan direktori:  
 settlement:penyelesaian:

settlement cost:biaya pengaturan:  
settling:penyelesaian:  
settling basin:bak pengendapan:  
settling time:waktu penganapan:  
settling time:waktu penganapan:  
set-top box:kotak atas set:1  
setup:menatasiapkan:  
setup diagram:diagram pengesetan:  
setup time:waktu menatasiapkan:  
setup time:waktu menatasiapkan  
setup time:waktu pengesetan  
seven layer reference model:model acuan peletak tujuh  
seven track:langkah/lintasan tujuh  
seven track compatibility:kompatibilitas kelabang tujuh  
seven track magnetic tape:pita magnetik trek tujuh  
severity:kepelikan  
severity:  
severity code:kode pelik  
sexadecimal:seksadesimal  
sexadecimal digit:digit  
sexadecimal notation:notasi seksadesimal  
sexadecimal or hexadecimal:seksadesimal atau heksadesimal  
sextet:sektet  
SGML:  
SGRAM:  
shackle:belenggu  
shackle type strain insulator:isolator regangan tipe sakel  
shade:gelapan  
shading:penggelapan  
Shading (NEW):penggelapan  
shading coil:kumparan tutupan  
shading information:informasi pembayangan  
shadow:bayangan  
shadow distance:pemisah bayang  
shadow electrode:elektroda bayang  
shadow loss:krugian bayang  
shadow mask:masker bayangan  
shadow mask tube:tabung penghalang bayang  
shadow page table:tabel halamanbayangan  
shadow register:  
shadowing:pembayangan  
shadowing:pembayangan  
shaft:ceruk  
shaft generator:pembangkit paros  
shaft horsepower:daya kuda ceruk  
shallow copy :

shallow water cable:kabel air dangkal  
Shannon:Shannon  
shannon:shanon  
Shannon diagram:diagram shannon  
shape:bentuk  
shape:bentuk  
shape parameter:parameter bentuk  
sharable:dapat dibagi  
sharable attribute:atribut bersama  
share:bagian  
SHARE:SHARE  
shareable:terbagi:  
shareable directory:direktori terbagi:  
shared:terbagi:  
shared batch area:medan takar terbagi:  
shared bus::  
shared control:kontrol bersama:  
shared control unit:unit kontrol bersama:  
shared DASD:DASD bersama:  
shared DASD option:pilihan DASD bersama:  
shared data:data bersama:1  
shared data:data bersama:  
shared data:data bersama:  
shared direct access storage device:alat penyimpan akses langsung bersama:  
shared file:berkas bersama:  
shared file system:sistem berkas terbagi:  
shared frequency station:stasiun frekuensi terbagi:  
shared functions:fungsi bersama:  
shared I/O device:I / O bersama:  
shared index:indeks bersama:  
Shared lock :SHARED LOCK :KUNCI TERBAGI  
shared main storage:penyimpan utama bersama:  
shared main storage multiprocessing:multiproses penyimpan utama bersama:  
shared main storage multiprocessing:pemrosesan banyakpenyimpan utama bersama:  
shared memory: memori berkongsi:1  
shared memory:memori bersama:  
shared memory:memori bersama:  
shared memory architecture::  
shared network:jaringan bersama:  
shared page frame:kerangka halaman bersama:  
SHARED POOL AREA:AREA LUBUK TERBAGI:  
shared processor:prosesor bersama:  
shared processor storage:penyimpan pemroses terbagi:  
shared region:wilayah terbagi:  
shared resources:sumber bersama:  
shared segment:segmen bersama:



shared storage:penyimpan bersama:  
 shared subchannel:sub kanal bersama:  
 shared terminal:terminal bersama:  
 shared terminal:terminal bersama:  
 shared track:kelabang terbagi:  
 shared variable:perubah bersama:  
 shared virtual area:area maya bersama:  
 shared virtual area:medan nyata terbagi:  
 shareware:perangkat berbagi:  
 shareware:perangkat lunak bersama:1  
 sharing:pembagian:  
 sharp cut-off:potongan tajam:  
 sharp tuning:penyetalaan tajam:  
 sharpening:penajaman  
 sharpness:tak tepat  
 shear wave:gelombang geser  
 sheath:upih; seludang  
 sheath current:arus pelepah  
 sheath loss:rugi seludang; hilang seludang  
 sheet:lembar  
 sheet iron:baja lembaran  
 sheet resistivity:daya hambat helai  
 Sheffer stroke:gerak/gaya Sheffer  
 shelf:rak  
 shelf corrosion:korosi papan  
 shelf life:umur rak  
 shell:cangkang  
 shell account:  
 shell programs:program cangkang  
 SHELL SORT:::1  
 shell type:tipe cangkang:  
 sherardizing:pemanasan lapisan \*:  
 SHF:SHF:  
 shield:perisai:  
 shield grid:kisi perisai:  
 shield grid of a discharge tube:kisi tabung buang perisai:  
 shielded cable:kabel terlindung:  
 shielded twisted pair (STP):pasangan putar terlindung (STP):  
 shielded twisted-pair cable:pasangan berbelit terlindung:1  
 shielded-cable:kabel perberisai:  
 shielding:tanungan:  
 shielding angle:sudut lindung:  
 shielding case:kulit perisai:  
 shielding efficiency:efisiensi perisai:  
 shielding ring:cincin perisai:  
 shielding wire:kawat lindung:

shift:geseran:  
shift:penggeseran; perpindahan:  
shift amount:jumlah pemindahan:  
shift character:karakter geser:  
shift count:hitung alih:  
shift counter:penghitung pindah:  
shift instruction:instruksi anjak:1  
shift instruction:perintah pindah:  
shift instruction:perintah pindah:  
shift pulse:pulsa geser:  
shift register:register geser:1  
shift register:register geser:  
shift register:register geser:  
shift register:register geser:  
shift register:register geser:  
"shift, arithmetic":  
"shift, logical":  
shift-in:geser-masuk  
shift-in character:karakter geser-masuk  
shifting:berpindah-pindah  
shifting field:medan penggeseran  
shifting field type:tipe medan penggeseran  
shift-out:geser keluar  
shift-out:geser-keluar  
shift-out bit:bit bergeser  
shift-out character:karakter geser-keluar  
ship's heading marker:pemarkah kepala kapal  
shock wave:gelombang kejut  
shockware:  
shockwave:shokwave  
shop test:uji bengkel  
shopping cart :keranjang belanja:  
shore end cable:kabel akhir tupang:  
short:pendek:  
short block:blok pendek:  
short card:kartu pendek:  
short circuit:sirkuit pendek:  
short circuit admittance:izin masuk sirkuit singkat:  
short circuit ro feature:ciri ro sirkuit singkat:  
short distance aids:bantuan pemisah singkat:  
short floating point number:angka titik ambang singkat:  
short haul modem:modem jarak pendek:1  
short haul modem:modem jarak pendek:  
short pass principle:prinsip jalan singkat:  
short precision:presesi pendek:  
short shunt:shunt singkat:

short term fix:fix istilah pendek:  
short term memory:memori sementara:  
short term page fixing:penentuan halaman jangka pendek:  
short word:kata singkat:  
short-circuit:sirkuit pendek:  
short-circuit capacity:kapasitas hubungan-singkat:  
short-circuit characteristic curve:kurva karakteristik hubungan-singkat:  
short-circuit current limit:batas arus hubungan-singkat:  
short-circuit power-factor:faktor-daya hubungan-singkat:  
short-circuit ratio:rasio hubungan-singkat:  
short-circuit relay:relai hubungan-singkat:  
short-circuit subtransient time-constant:konstanta-waktu sementara hubungan-singkat:  
short-circuit time constant:konstanta waktu hubungan- singkat:  
short-circuit winding:gulungan hubungan-singkat:  
shortcut::  
Shortcut key :SHORTCUT KEY :KUNCI PINTAS  
shortest job first (SJF) scheduling:penjadualan kerja terpendek dahulu:1  
shortest path:rute terpendek:  
shortest path first:rute terpendek lebih dulu:  
shortest remaining time (SRT) scheduling:penjadualan sisa waktu terpendek:1  
shortest route problem:problem rute terpendek:  
shortest word:kata terpendek:  
short-pitch winding:gulungan jarak bagi pendek:  
short-time current:arus waktu-singkat:  
short-time duty:pembeban waktu-singkat:  
short-time rating:beban waktu-singkat:  
shortwave::  
Shortwave Station:pemancar radio gelombang pendek:  
shot noise:bisingan tembak:  
shoulder tap:sentuhan pinggir:  
shoulder tapping:pencabangan bahu:  
shout::  
shovel-ware:perangkat sodok:  
show stopper :  
shrink:  
shrinking:penyusutan  
shroud assembly:rakitan selubung  
S-HTTP :S-HTTP  
S-HTTP :S-HTTP  
shuffling:pengocokan  
shunt:langsir  
shunt:melangsir  
shunt circuit:sirkuit shunt  
shunt coil:kumparan shunt  
shunt field relay:relai medan shunt  
shunt generator:pembangkit shunt

shunt loss:kerugian shunt  
shunt motor:motor pirau  
shunt reactor:reaktor shunt  
shunt signal:sinyal shunt:  
shunt winding:lilitan pirau:  
shunted capacitor:kapasitor berpiran:  
shunt-fed antenna:antena pengisian paralel:  
shunt-fed antenna:antena pengisian paralel:  
shunting signal:sinyal langsir:  
shunting yard:lapangan langsir:  
shut down :penutupan:  
shutdown:penutupan:  
SI:SI:  
SIAM:SIAM:  
SIBLING NODE::1  
side:sisi:  
side anchor:jangkar samping:  
side circuit:sirkuit samping:  
side circuit loading coil:kumparan pembebanan sirkuit samping:  
side circuit repeating coil:belitan berulang sirkuit samping  
side circuit repeating coil:kumparan berulang sirkuit sisi  
side cutting pliers:tang pemotong samping  
side effect:efek samping  
side effect of a function procedure:efek samping suatu prosedur fungsi  
side lobe:daun samping  
side plate:plat samping  
side stroke:langkah samping  
side track:sepur simpang  
sideband:jalur samping  
sidetone:nada samping  
sidetone circuit:sirkuit nada samping  
siding:penyisian  
sift:sarung  
sig:  
SIG :SIG  
sight check:tilikan penglihatan:  
sight-check:cek-penglihatan:  
sigma memory:memori sigma:  
sign:tanda; lambang:  
sign and currency symbol characters:sifat lambang edor dan tanda:  
sign bit:bit tanda:1  
sign bit:bit tanda/lambang:  
sign change function:fungsi tukar tanda:  
sign changer:pengubah tanda:  
sign character:karakter tanda/lambang:  
sign condition:kondisi tanda/lambang:

sign digit:digit tanda:  
sign digit:digit tanda/lambang:  
sign extend:regang tanda:  
sign flag:bendera tanda:  
sign flag:panji tanda:1  
sign format:format lambang  
sign handling:perawatan lambang  
sign magnitude:jarak tanda  
sign off:sign off  
sign on:sign on  
sign on/sign off:tanda on/off \*  
sign part:bagian lambang  
sign position:posisi tanda  
sign position:posisi tanda/lambang  
sign test:tes lambang  
signal:isyarat; sinyal  
signal:lambang; sinyal  
signal:sinyal  
signal:sinyal  
signal analysis:analisis sinyal  
signal appendant:penambahan sinyal \*  
signal box:kotak sinyal:  
signal cabin:kabin sinyal:  
signal circuit:sirkuit sinyal:  
signal conversion:konversi sinyal:  
signal conversion equipment:peralatan konversi sinyal:  
signal converter:konverter sinyal:1  
signal converter:konverter sinyal/signal:  
signal converter:pengubah sinyal:  
signal converters:konversi sinyal:  
signal converters:konversi sinyal:  
signal current:arus sinyal:  
signal current of a camera tube:arus sinyal tabung kamera:  
signal detection:pelacak isyarat:  
signal distance:jarak sinyal:  
signal distortion:distorsi sinyal:  
signal electrode of a camera tube:elektroda sinyal tabung kamera:  
signal generator:pembangkit sinyal:  
signal grid:kisi sinyal:  
signal ground:sinyal ground:  
signal ground:tanah sinyal/signal:  
"signal group, bus"::  
signal indication:indikasi sinyal:  
signal level:taraf sinyal/signal:1  
signal level:taraf sinyal/signal:  
signal level:taraf sinyal/signal:

signal loss:kehilangan sinyal:  
signal mast:tiang sinyal:  
signal oscillator:osilator sinyal:  
signal pipe line:garis pipa sinyal:  
signal plate:plat sinyal:  
signal post:pos sinyal:  
signal processing:pemrosesan sinyal:  
Signal processing:pemrosesan sinyal:  
Signal processing systems:sistem pemrosesan sinyal:  
signal quality detector:detektor kualitas sinyal:  
signal regeneration:regenerasi sinyal:  
signal reshaping:pembentukan ulang sinyal:  
signal roundel:roundel sinyal:  
signal shaping:pembentukan sinyal:  
signal station:stasion sinyal:  
signal strength:kekuatan sinyal:  
signal switching:pengalihan sinyal:  
signal synthesis:sintesa sinyal:  
signal to noise ratio:rasio sinyal ke derau:  
signal transformation:transformasi sinyal:  
signal winding:gulungan sinyal:  
signal-encoding scheme:skema pengkode sinyal:1  
signaling:penandaan; pengisyratan:  
signaling:pengisyratan:  
signaling network:jaringan penandaan; jaringan pengisyratan:  
signaling speed:laju penandaan:  
signals:sinyal:  
signal-to-noise ratio:nisbah sinyal derau:1  
signal-to-noise ratio:rasio sinyal terhadap derau:  
signature:tanda tangan:  
signature analysis::  
signature analyzer:penganalisis tanda tangan:  
signed:menandai:  
signed field:medan/bidang tertanda/terlambang:  
signed integer:bilangan utuh bertanda:  
signed-digit representation::  
significance:signifikan:  
significance code:kode signifikan:  
significance exception:eksepsi nilai:  
significance start character:karakter awal nilai:  
significance tag:label signifikasi/dikenali:  
significand::  
significant:terkenali:  
significant allocation:alokasi berbobot:  
significant condition:kondidi berbobot:  
significant digit:digit signifikan:

significant digit arithmetic:aritmetik digit signifikan:  
significant figure:gambatang signifikan:  
significant figures:figur berbobot:  
significant instant:semerta dikenal:  
significant interval:interval signifikan:  
significant part:bagian berbobot:  
sign-magnitude representation::  
sign-on procedure:prosedur lapor:1  
sign-on procedure:prosedur lapor:  
sign-on procedure:prosedur lapor:  
sign-on procedure:prosedur sign-on:1  
sign-on procedure and security:keamanan & prosedur sign-on:DELETE  
sign-on procedure and security:prosedur dan keamanan sign-on:1  
sign-on procedures and security:prosedur lapor dan sekuriti:DELETE  
silent arc:busur tak bersuara:  
silent discharge:buang tak bersuara:  
silica:silika:  
silicate glass:gelas silikat:  
silicon:silikon:  
silicon bronze wire:kawat perunggu silikon:  
silicon chip:cip silikon:  
silicon diode:diode silikon:  
silicon on sapphire:silikon nilam:  
silicon steel plate:plat baja silikon:  
silicon-gate:gerbang silikon:  
silk:sutera:  
silk screening:pengayakan sutra:  
silk-covered wire:kawat bertutup sutra:  
silver bullet syndrome ::  
SIMD architecture::  
similarity:kesamaan:  
similarity inference:inferensi kesamaan:  
Similarity measures:kesamaan ukuran:  
SIMM:SIMM:  
SIMMS:SIMMS:  
simple:sederhana:  
simple absolute expression:ekspresi mutlak tunggal:  
simple alarm:alarm sederhana:1  
simple alarm:alarm sederhana:  
simple alarm:alarm sederhana:  
simple alarm capacitive:alarm kapasitif sederhana:  
simple alarm doorstop:alarm pintu sederhana  
simple alarm trap switch:alih perangkap alarm tunggal  
simple alarm vibration:alarm vibrasi sederhana  
simple alpha expression:ekspresi alfa tunggal  
simple arithmetic expression:ekspresi aritmetik sederhana

istilah-ti-indonesia

simple Boolean expression:ekspresi Boole tunggal  
simple buffering:penyangga tunggal  
simple buffering:penyanggaan sederhana  
simple catenary suspension:gantungan tali rantai tunggal  
simple condition:kondisi sederhana  
simple conditional expression:ekspresi kodisional sederhana  
simple cost effective microprocessor:mikroprosesor efektif biaya biasa  
simple defining:penentu sederhana  
simple designational expression:ekspresi pengenalan sederhana  
simple energy transient:peralihan energi biasa  
simple expression:ekspresi sederhana  
simple HISAM:HISAM tunggal:  
simple HISAM:HISAM tunggal:  
simple HSAM:HSAM sederhana:  
simple insertion:penyisipan sederhana:  
simple insertion character:karakter penyisipan sederhana:  
simple insertion editing:pengeditan penyisipan sederhana:  
simple interaction:interaksi biasa:  
simple list:senarai sederhana:  
simple mail transfer protocol:protokol pengiriman surat sederhana:  
simple mail transfer protocol (SMTP):protokol pengiriman surat sederhana (SMTP):1  
simple mail transport protocol (SMTP):protokol pengiriman surat sederhana:  
simple name:nama sederhana:  
simple network management:manajemen jaringan sederhana:  
Simple Network Management Protocol (SNMP):protokol manajemen jaringan sederhana (SNMP):1  
simple network management protocol (SNMP):protokol manajemen jaringan sederhana (SNMP):  
simple network management protocol (SNMP):protokol manajemen jaringan sederhana (SNMP):  
simple network management protocol (SNMP):protokol manajemen jaringan sederhana (SNMP):  
simple object:objek sederhana:1  
simple palyer:pemain sederhana:  
simple parameter:parameter tunggal:  
simple player:pemain sederhana:  
simple program structure:struktur program sederhana:  
simple sound source:sumber suara- sederhana:  
simple source of sound:sumber suara sederhana:  
simple statement:pernyataan sederhana:  
simple structure:struktur sederhana:  
simple structured program:program berstruktur sederhana:  
simple tone:nada sederhana:  
simple variable:variabel sederhana:  
simplex:simpleks:  
simplex:simpleks:  
simplex channel:kanal simpleks:1  
simplex channel:saluran simpleks:  
simplex channel:saluran simpleks:  
simplex circuit:sirkuit simpleks:



simplex code:kode simpleks:  
simplex communication:komunikasi simpleks:  
simplex lines:garis simpleks:  
simplex lines:garis simpleks:  
simplex method:metode simpleks:  
simplex mode:ragam simpleks:  
simplex operation:operasi simpleks:  
simplex system:sistem simpleks:  
simplex tableaux:tabel simpleks:  
simplex telegraphy:telegrafi simpleks:  
simplex transmission:transmisi simpleks:1  
simplex transmission:transmisi simpleks:  
simplex working:pengerjaan simpleks:  
simplicity:kesederhanaan:  
Simplification of expressions:simplifikasi rumus:  
simplified network architecture :arsitektur jaringan dipermudah:1  
simulate:mensimulasi:  
simulate:menstimulir:  
simulated annealing:pemanasan simulasi:  
simulated attention:perhatian pura-pura:  
simulated attention:perhatian tersimulasi:  
simulation:simulasi:1  
simulation:simulasi:1  
simulation:simulasi:DELETE  
simulation:simulasi:  
simulation:simulasi:  
simulation:simulasi:  
simulation:simulasi:  
simulation:simulasi:  
simulation:simulasi  
simulation:simulasi  
simulation:simulasi  
simulation:simulasi  
simulation executive:eksekutif simulasi  
simulation language:bahasa simulasi  
simulation language based on PL/I:bahasa simulasi berbasis PL/I  
simulation model:model simulasi  
simulator:simulator  
simulator program:program simulator  
simultaneity:keserentakan  
simultaneous:simultan; serentak  
simultaneous access:akses serentak  
simultaneous calling:telepon simultan  
simultaneous color television system:sistem televisi berwarna simultan  
simultaneous computer:komputer simultan  
simultaneous DMA:DMA simultan:

simultaneous equation:ekuasi serentak:  
simultaneous input/output:keluaran/masukan simultan:  
simultaneous mode:ragam simultan:  
simultaneous operation:operasi serentak:  
simultaneous operation:operasi simultan:  
simultaneous peripheral operations online:terhubung operasi keliling simultan:  
simultaneous processing:pemrosesan simultan:  
simultaneous telegraphy and telephony:telegrafi dan telefoni simultan:  
simultaneous transmission:transmisi serentak:1  
simultaneous transmission:transmisi simultan:  
simultaneous transmission:transmisi spontan:  
sine:sinus:  
sine galvanometer:galvanometer sinus:  
sine wave:gelombang sinus:  
singing:lengkingan:  
singing margin:garis tepi lengkingan  
singing point:titik lengkingan  
singing stability:stabilitas lengkingan  
singing tolerance:toleransi lengkingan  
single address:alamat tunggal  
single address code:kode alamat tunggal  
single address instruction:instruksi alamat tunggal  
single board computer:komputer papan tunggal  
single board microcomputer:mikrokomputer papan tunggal  
single bond:las tunggal  
single cable:kabel tunggal  
single cable broadband LAN:LAN tersebatang kabel tunggal  
single chip:serpih tunggal  
single chip microcomputer:mikrokomputer serpih tunggal  
single connection:sambungan tunggal  
single console support:dukungan konsol tunggal  
single contact:kontak tunggal:  
single control:kontrol tunggal; kontrol tunggal:  
single corona charging:pengisian korona tunggal:  
single cotton-covered wire:kawat bertutup-kapas tunggal:  
single crystal:kristal tunggal:  
single current:arus tunggal:  
single current line adaptor:adaptor garis arus tunggal:  
single data stream architecture:arsitektur strim data tunggal:1  
single density:densitas tunggal:  
single disk storage drive channel attachment:perlengkapan saluran penggerak penyimpan cakram tunggal:  
single error:keliru tunggal:  
single error correcting code:kode koreksi kesalahan tunggal:  
single fiber:serat tunggal:  
single function software:perangkat lunak fungsi tunggal:1

single hierarchic path:saluran hierarki tunggal:  
single inheritance:warisan tunggal:1  
single inheritance ::  
single inline memory module (SIMM):modul memori satu sebaris (SIMM):1  
single inline memory module (SIMM):modul memori sebaris tunggal (SIMM):1  
single in-line memory module (SIMM):SIMM:  
single in-line memory module (SIMM):SIMM:  
single in-line package:pengepakan dl garis tunggal:  
single instruction multiple data (SIMD):SIMD:  
single instruction multiple data (SIMD):SIMD:  
single instruction multiple data (SIMD) :intruksi tunggal data (SIMD):1  
single instruction single data stream:arus data tunggal instruksi tunggal:  
single job scheduling:penjadwalan kerja tunggal:  
single level explosion:ledakan tingkat tunggal:  
single level implosion:hirup tingkat tunggal:  
single mode (SM):serat multiragam?:  
single mode fiber:serat multiragam tunggal?:  
single mode fiber:serat ragam tunggal:1  
single operation:operasi tunggal:  
single part:bagian tunggal:  
single pass:angka tunggal:  
single phase:fase tunggal:  
single phase clock:jam fase tunggal:  
single point failure::  
single pole double throw:buangan ganda kutub tunggal:  
single pole single throw:buangan tunggal kutub tunggal:  
single positioning:penempatan tunggal:  
single precision:presisi tunggal:  
single precision:presisi tunggal:  
single program initiator:inisiator program tunggal:  
single program initiator:pemrakarsa program tunggal:  
single pulse:pulsa tunggal:  
single screen menu:menu layar tunggal:1  
single screen menus:menu satu layar:  
single session procedure:prosedur pembahasan tunggal  
single shot operation:operasi foto tunggal  
single sideband:pita samping tunggal  
single silk-covered wire:kawat bertutup-sutra tunggal  
single step:langkah tunggal  
single step operation:operasi langkah-tunggal  
single step operation:operasi tahap tunggal  
single system:sistem tunggal  
single total adding machine:kabel penambahan jumlah tunggal  
single track:lintasan tunggal  
single virtual storage:penyimpan maya tunggal  
single volume:volume tunggal

single volume data set:kumpulan data volume tunggal  
 single volume file:berkas volume tunggal  
 single wire-armored cable:kabel berperisai-kawat tunggal  
 single-address code:kode alamat tunggal  
 single-address instruction:instruksi alamat tunggal:  
 single-address message:pesan alamat tunggal:  
 single-adress instruction::  
 single-anode mercury-arc rectifier:perata busur-air raksa anoda-tunggal:  
 single-break disconnecter:sakelar pisah-tunggal:  
 single-bus system:sistem bus tunggal:1  
 single-byte block read::  
 single-chip microprocessor::  
 single-column pence:sen kolom-tunggal:  
 single-domain:kawasan tunggal:  
 single-electrode pontential:potensial elektroda-tunggal:  
 single-ended system:sistem berakhir-tunggal:  
 single-fluid cell:sel fluida-tunggal:  
 "Single-instruction-stream, multiple-data-stream processors (SIMD)":SIMD:  
 "Single-instruction-stream, single-data-stream processors (SISD)\*\*":SISD:  
 single-layer winding:gulungan lapisan-tunggal:  
 single-level directory(ies):direktori satu level:  
 single-level directory:direktori aras tunggal:1  
 single-level directory:direktori satu level:  
 single-line diagram:diagram garis-tunggal:  
 single-line repeater:pengulang garis tunggal:  
 single-office area:area kantor-tunggal:  
 single-office exchange:pertukaran kantor tunggal:  
 single-phase circuit:sirkuit fase tunggal:  
 single-phase circuit:sirkuit fase-tunggal:  
 single-phase generator:pembangkit fase-tunggal:  
 single-phase induction motor:motor induksi fase-tunggal:  
 single-phase motor:motor fase-tunggal:  
 single-phase series motor:motor seri fase-tunggal:  
 single-phase short-circuit:sirkuit-pendek fase-tunggal:  
 single-phase transformer:transformator fase-tunggal:  
 single-phase two-wire system:sistem kawat-dua fase-tunggal:  
 single-precision:presisi tunggal:  
 single-precision number:nomor presisi tunggal:  
 single-sideband reception:resepsi jalur samping-tunggal:  
 single-sideband transmission:transmisi jalur samping tunggal:  
 single-sided:satu sisi:  
 single-sided disk::  
 single-step::  
 single-step operation:operasi langkah-tunggal:  
 single-structure file:berkas struktur tunggal:  
 single-thread:uliran tunggal:

single-throw:buangan tunggal:  
single-user system:sistem pengguna tunggal:1  
single-user system:sistem pengguna tunggal:  
single-user systems:sistem satu pengguna:  
single-user systems:sistem satu pengguna:  
single-volume file:berkas isi-tunggal:  
single-wire line:garis kawat-tunggal  
single-wire line:saluran kawat tunggal  
single-wire signal:sinyal kawat-tunggal  
single-wrap cable splice:pencabangan kabel bungkus- tunggal  
singly reentrant winding:gulungan masuk-tunggal  
singular point:titik tunggal  
Singular value decomposition (NEW):dekomposisi nilai singular  
singularity:ketunggalan  
sink:benaman  
sink current:arus benaman  
sinusoid electrical signals:sinyal listrik sinusoid  
sinusoid electrical signals:sinyal listrik sinusoid  
sinusoidal:sinusoidal  
sinusoidal wave:gelombang sinusoid  
sinusoids:sinusoidal  
SIO:SIO  
"SIP, Single Inline Package"::  
siren:sirene:1  
siren:sirene:DELETE  
siren:sirene:  
SISD architecture::  
site::  
site licence:lisensi tempat:  
site licensing:lisensi tempat:  
site network:jaringan situs:1  
site network:tempat jaringan:  
situation:situasi:  
six phase:fase enam:  
six unit code:kode unit enam:  
six-sigma quality level ::  
size:ukuran:  
Size and shape:ukuran dan bentuk:  
size error condition:kondisi keliruukuran:  
size file:ukuran berkas:  
size of file(s):ukuran berkas:  
size volatility:kesementaraan ukuran:  
skew::  
skewed addressing::  
skip instruction::  
skip zone:zona lintasan kabel:

SKIP[n]:SKIP [n]:1  
SKIP[n]:SKIP [n]:DELETE  
Slamming:slaming:  
slate store::  
slave :slave; budak:  
slave memory:memori hamba:1  
slave memory:memori slave; memori budak:  
slave memory:memori slave; memori budak:  
slave processor:prosesor hamba:1  
sliding window:jendela bergeser:  
sliding-scale tariff system:sistem tarif skala-geser:  
sliding-window technique:teknik jendela geser:1  
slimline model :model garis tipis:  
slip:gelinciran; slip:  
SLIP::  
slip frequency:frekuensi gelincir:  
slip meter:meter gelincir:  
slip regulator:regulator gelincir:  
SLIP/PPP connection and gopher:sambungan SLIP/PPP dan gopher:  
slot :celah; petak; slot:  
slotted ring network:jaringan ring terslot:1  
slow scan video:video scan lambat:  
slow start:start lambat:  
small computer system interface (SCSI):antarmuka sistem komputer kecil:  
small computer system interface (SCSI):antarmuka sistem komputer kecil:  
small computers system interface (SCSI):antarmuka sistem komputer kecil:  
small scale integrated circuit:sirkuit terintegrasi skala kecil:  
small scale integration:integrasi skala kecil:  
small scale integration (SSI):integrasi skala kecil:  
small size:ukuran kecil:  
small-signal gain:perkuatan sinyal-kecil:  
smart:pintar:  
smart card:kartu pintar:1  
smart card:kartu pintar:1  
smart card:kartu pintar:  
smart card:kartu pintar:  
smart card:kartu pintar:  
smart cards:kartu pintar:  
smart instrument:instrumen pintar:  
smart modem:modem pandai:  
smart school:sekolah pintar:  
smart system:sistem pintar:  
smart typing:pentipean pintar:  
smartcards:smartcard:  
smash:smes:  
SMD:SMD:

SMDS:SMDS:  
SMF:SMF:  
smoke detector:detektor asap:1  
smoke detector:detektor asap:  
smoke detector:detektor asap:  
smoke test:uji asap:  
smooth:mulus; licin:  
smooth core armature:armatur inti datar:  
smoothing:pelancaran; pelicinan:  
smoothing:penghalusan:  
smoothing:penghalusan:  
smoothing capacitor:kapasitor perataan:  
smoothing choke:katup erat perataan:  
smoothing device:alat perataan:  
smoothing effect:efek perataan:  
smoothline:garis polos:  
smoothness:kehalusan:  
smoothsort:pilah/sortir halus:  
SMTP:SMTP:  
SMTP client:klien SMTP:1  
SMTP client:klien SMTP:  
SMTP server:server SMTP:1  
SMTP server:server SMTP:  
smudge:corengan:  
smurf :smurf:  
SNA:SNA:  
snail mail:surat biasa (pos):  
snailmail:surat biasa:1  
snailmail :surat biasa (pos):  
SNAP:SNAP:  
SNAP header:infomuka SNAP:  
sneakernet:penyelinap internet:1  
sneakernet:sneakernet:  
sniffer:pencium:  
sniffing:penghirupan:  
snivitz:snivitz:  
SNMP:SNMP:  
SNOBOL:SNOBOL:  
snoop::  
snooping bus::  
snoopy cache::  
SNOW-FLAKE SCHEMA::  
snow-flake scheme:skema keping salju:  
snowflake topology:topologi emping salju:1  
snowflake topology:topologi keping salju:  
SO:SO:

Sociology:sosiologi:  
sockaddr-in:sockaddr-in:  
sock-dgram:sock-dgam:  
socket:soket:  
socket API:soket API:  
socket library:soket pustaka:  
SOCKS :SOCKS:  
sock-stream::  
soft:lembut; lunak:  
soft copy:kopi lunak:1  
soft copy:kopi lunak:  
soft copy:salinan lembut:1  
soft copy:salinan lembut:  
soft copy:salinan lembut:  
soft copy:salinan lembut:  
soft copy:salinan lunak:1  
soft data:data lembut:  
soft data:data lunak:1  
soft data:data lunak:1  
soft data:data lunak:  
soft error:kesalahan lunak \*:  
soft exception trap interrupt:interupsi tak terperangkap perangkat lunak:  
soft failure::  
soft fault::  
soft keys:kunci lunak:  
soft limiting:pembatasan lunak:  
soft methodology:metodologi lunak:  
soft sectoring:pensektoran lunak \*:  
soft soldering:penyolderan lunak:  
soft system methodology:metodologi sistem lembut:1  
soft wired logic:logika berkawat halus:  
softbot:sofbot:1  
soft-sectored:bersektor lunak:  
soft-sectored disk:cakram bersektor lunak:  
software:perangkat lunak:1  
software:perangkat lunak:1  
software:perangkat lunak:1  
software:perangkat lunak:  
software:perangkat lunak:  
software:peranti lunak; perangkat lunak:  
software:peranti lunak; perangkat lunak:  
software AG:perangkat lunak AG:1  
software AG:perangkat lunak AG:  
software AG:peranti lunak; perangkat lunak AG:  
software and decision making:perangkat lunak dan pengambilan keputusan:DELETE  
software and decision making:peranti lunak; perangkat lunak dan keputusan:



software characteristic ::  
software compatible:kompatibel peranti lunak:  
software complexity:kompeksitas perangkat lunak:  
software complexity:kompeksitas perangkat lunak:  
software component:komponen perangkat lunak:  
software component::  
Software configuration management:manajemen konfigurasi perangkat lunak:  
software conversion:konversi perangkat lunak:  
software copyright:hak cipta perangkat lunak:1  
software costs:biaya perangkat lunak:  
software debugging:pengawakutuan perangkat lunak:  
software defect::  
software development:pengembangan perangkat lunak:1  
software development:pengembangan perangkat lunak:1  
software development:pengembangan perangkat lunak:  
software development:pengembangan perangkat lunak:  
software development:pengembangan perangkat lunak:  
software development and 4GL:pengembangan perangkat lunak dan 4GL:DELETE  
software development and analysis:pengembangan perangkat lunak dan analisis:DELETE  
software development approaches:pendekatan pengembangan perangkat lunak:  
software development cost:biaya pengembangan perangkat lunak:  
software development cycle:putaran pengembangan perangkat lunak:  
software development cycle::  
Software Development File (SDF):Berkas Pengembangan Perangkat Lunak (SDF):1  
software development methods:metode pengembangan perangkat lunak:  
software development productivity:produktifitas pengembangan perangkat lunak:  
software development productivity:produktivitas pengembangan perangkat lunak:1  
software development productivity:produktivitas pengembangan perangkat lunak:  
software documentation:dokumentasi perangkat lunak:1  
software documentation:dokumentasi peranti lunak:  
software efficiency:efisiensi perangkat lunak:1  
software efficiency:efisiensi perangkat lunak:  
software engineering:rekayasa perangkat lunak:1  
software engineering:rekayasa perangkat lunak:1  
software engineering:rekayasa perangkat lunak:  
software engineering:rekayasa perangkat lunak:  
software engineering:rekayasa perangkat lunak:  
software engineering ::  
software engineering defined:definisi rekayasa perangkat lunak:  
software engineering environment:lingkungan rekayasa perangkat lunak:  
software engineering future:masa depan rekayasa perangkat lunak:  
software engineering status:status rekayasa perangkat lunak:  
software engineering tool:alat rekayasa perangkat lunak:1  
software engineering tool:perkakas rekayasa perangkat lunak:1  
software engineering tool:perkakas rekayasa perangkat lunak:  
software engineering tools:alat rekayasa perangkat lunak:

software engineering tools:alat rekayasa perangkat lunak:  
software evolution ::  
software factory ::  
software failure::  
software fault::  
software functionality:kefungsian perangkat lunak:1  
software functionality:kefungsian perangkat lunak:  
software house:rumah perangkat lunak:1  
software house:rumah perangkat lunak:  
software house:rumah perangkat lunak:  
software house ::  
software installation:instalasi perangkat lunak:1  
software instrumentation:instrumentasi peranti lunak:  
software interfaces:antarmuka perangkat lunak:  
software interrupt::  
Software libraries:pustaka perangkat lunak:  
software life cycle:ketahanan perangkat lunak:  
software life cycle:siklus hidup perangkat lunak:1  
software life cycle::  
software maintenance:pemeliharaan perangkat lunak:1  
software maintenance:pemeliharaan perangkat lunak/perawatan perangkat lunak:1  
Software maintenance:perawatan perangkat lunak:  
software maintenance:perawatan perangkat lunak:  
software maintenance:perawatan perangkat lunak:  
software maintenance ::  
software metering and costs:pengukuran perangkat lunak dan biaya:  
software methodology ::  
software metric:metrik perangkat lunak:1  
software metric:metrik peranti lunak:1  
software metric:metrik peranti lunak:  
software metric ::  
software metrics:metrik peranti lunak:  
software metrics:metrik peranti lunak:  
software off-the-shelf ::  
software ownership cost:biaya kepemilikan perangkat lunak:  
software package:paket perangkat lunak:  
software package:paket perangkat lunak:1  
software package::  
software packages:paket perangkat lunak:  
software packages:paket perangkat lunak:  
software packages:paket perangkat lunak:1  
software packages that compute critical path::DELETE  
software piracy:pembajakan perangkat lunak:1  
software piracy:pembajakan perangkat lunak:1  
software piracy:pembajakan perangkat lunak:  
software piracy:pembajakan perangkat lunak:

software piracy:pembajakan perangkat lunak:  
software polling:perekaman perangkat lunak:  
software problem report ::  
software process:proses perangkat lunak:  
software process improvement ::  
software process model:model proses perangkat lunak:1  
software process model:model proses perangkat lunak:1  
software process model:model proses perangkat lunak:  
software process model:model proses perangkat lunak:  
software process models:model proses perangkat lunak:  
software product::  
software project manager:manajer projek perangkat lunak:1  
software prototype:prototipe perangkat lunak:1  
software prototype:prototipe perangkat lunak:  
software prototypes:perangkat lunak prototipe:  
software psychology:psikologi perangkat lunak:  
software psychology:psikologi perangkat lunak:  
software psychology ::  
software quality:kualitas perangkat lunak:1  
software quality:kualitas perangkat lunak:1  
software quality:kualitas perangkat lunak:  
software quality:kualitas perangkat lunak:  
software quality:kualitas perangkat lunak:  
software quality::  
software quality assessment criteria::  
software quality assurance:jaminan kualitas perangkat lunak:1  
Software quality assurance (SQA):SQA:  
"software quality assurance, SQA "::  
software quality characteristics::  
software quality metric::  
software recording facility:fasilitas perekaman perangkat lunak:  
software reengineering:rekayasa ulang perangkat lunak:1  
software re-engineering:re-rekayasa perangkat lunak:  
software reliability:keandalan perangkat lunak:1  
software reliability:kehandalan perangkat lunak:  
software reliability:kehandalan peranti lunak:  
software reliability:kehandalan peranti lunak:  
software reliability:realibitas perangkat lunak:1  
software renovation ::  
software requirement document:dokumen kebutuhan perangkat lunak:1  
software requirements specification ::  
software science:ilmu perangkat lunak:  
software Science::  
software selection:pemilihan perangkat lunak:  
software size::  
software specification:spesifikasi perangkat lunak:1

istilah-ti-indonesia

software standards:standar perangkat lunak:  
software standards presentation layer:standar perangkat lunak lapisan presentasi:  
software standards star network:standar perangkat lunak jaringan bintang:  
software standards start-stop:standar perangkat lunak start-stop:  
software standards streaming:standar perangkat lunak streaming:  
software standards subnet level:standar perangkat lunak tingkat subnet:  
software standards switching:pengalihan standar perangkat keras:  
software structure:struktur perangkat lunak:1  
software structure:struktur perangkat lunak:  
software subsystem:subsistem peranti lunak:  
Software support:pendukung perangkat lunak:  
software support:pendukung perangkat lunak:  
software system architecture::  
software testing::  
software tool:alat perangkat lunak:1  
software tool::  
software transformation::  
software translation::  
software utility:kegunaan perangkat lunak:  
software volume::  
software-compatible:keserasian peranti lunak  
software-engineering:rekayasa peranti lunak  
SOH:SOH  
SOHO:SOHO  
SOL:SOL  
solar battery:baterai solar  
solar cell:sel solar  
solar noise:gangguan matahari  
solar panels:panel matahari  
solid representations:representasi solid  
solid state computer:komputer keadaan padat  
solid state disk:  
solid state memory:memori keadaan padat  
solid state multiplexer:pengganda tetap padatan  
solid type cable:kabel pita padat  
solid wire:kawat padat  
solidus:solidus:  
soluble anode:anoda dapat larut:  
solution:pemecahan:  
solvable:mampu:  
solve:memecahkan:  
SOM:SOM:  
soma:soma:  
sonagraph:sonagraf:  
SONAR:sonar:  
sonar:sonar:

sonic delay line:saluran kelambatan sonik:  
sonics:sonik:  
sort:urut:1  
sort:urut:1  
sort:urut:  
sort blocking factor:faktor memblok urut:  
sort blocking factor:faktor pengeblokan urut:  
sort capacity:kapasitas sortir:  
sort description entry:entri deskripsi urut:  
sort file:berkas urut:1  
sort file:berkas urut:  
sort file description entry:entri deskripsi berkas urut:  
sort generator:pembangkit pilah:1  
sort generator:pembangkit pilah:  
sort key:kunci urut:1  
sort key:kunci urut:  
sort merge:penggabungan pilah:1  
sort merge:penggabungan pilah:  
sort operation:operasi urut:1  
sort operation:operasi urut:  
sort program:program urut:  
sort reorganization:reorganisasi urut:  
sort routine:rutin pilah:  
sort routine generator:pembangkit rutin pilah:  
sort suppress/digit select:seleksi digit/tekan sortir:  
sort/merge program:program urut/gabung:  
sorted-key item:item kunci urut:  
sorter:pengurut:  
sorter:pengurut:  
sort-file-name:nama-berkas-jenis:  
sorting:pengurutan:1  
sorting:pengurutan:  
sorting application:aplikasi pengurutan:  
sorting program:program pemilahan:  
sorting records:pengurutan rekaman:1  
sorting records:pengurutan rekaman:  
sorting records:pengurutan/penyortiran rekaman:  
sorting records:penyortiran rekaman:1  
sorting routine:rutin pemilahan:  
sorting routine generator:pembangkit rutin pemilahan:  
sorting technique:teknik pengurutan:1  
sorting technique:teknik pengurutan:  
sorting yard:lembatang pilahan:  
sorting/mergence:gabungan/sortiran:  
Sorting/searching:gabungan/mencari:  
sort-merge file description entry:entri deskripsi berkas urut-gabung:

sortworker:tugas pilah/sortir:  
sound:suara:  
sound analyser:penganalisis suara:  
sound articulation:artikulasi suara:  
sound bell:bel bunyi:  
sound card:kartu suara:1  
sound deductive system ::  
sound effect:efek suara:  
sound insulation:insulasi suara:  
sound intensity:intesitas suara:  
sound level:dataran suara:  
sound level meter:meter dataran suara:  
sound pressure:tekanan suara:  
sound pressure level:aras tekanan suara:  
sound pressure meter:meter tekanan suara:  
sound ray:sinar suara:  
sound recorder:perekam suara:  
sound recording:rekaman suara:  
sound reproducing:pereproduksi bunyi:  
sound signal:sinyal suara; tanda suara:  
sound sorce:sumber bunyi:  
sound system:sistem suara:1  
sound system:sistem suara:  
sound system:sistem suara:  
sound track:jejak suara:  
sound transmitter:pemancar suara:  
sound volume:volume siswa:  
sound wave:gelombang suara:  
sunder:pembunyi:  
sounding:pendugaan:  
sounding:penyuaraan:  
soundness:keberbunyian:  
sound-proof chamber:kamar kedap-suara:  
sound-proof door:pintu kedap-suara:  
source:sumber:  
source address:alamat sumber:  
source address field:tempat alamat sumber:  
source card:kartu sumber:  
source code:kode sumber:1  
source code:kode sumber:  
source code:kode sumber:  
source code:kode sumber:  
source code documentation:dokumentasi kode sumber:1  
source code documentation:dokumentasi kode sumber:  
source code documentation line comments:dokumentasi dan baris keterangan kode sumber:  
source code documentation module header:tajuk modul dokumentasi kode sumber:

istilah-ti-indonesia

source code documentation program header:tajuk program dokumentasi kode sumber:  
source code format:format kode sumber:  
source code listing:senarai kode sumber:1  
source code metrics ::  
source computer:komputer sumber:  
source current:arus sumber:  
source data:data sumber:  
source data item:unsur data sumber:  
source deck:dek sumber:  
source department:departemen sumber data:  
source document:dokumen sumber:1  
source document:dokumen sumber:1  
source document:dokumen sumber:  
source document:dokumen sumber:  
source field:medan sumber:  
source file:berkas sumber:  
source follower:penyerta sumber:  
source impedance:impedansi sumber:  
source independence:sumber tidak tergantung:  
source key:kunci sumber:  
source language:bahasa sumber:1  
source language:bahasa sumber:  
source library:pustaka sumber:  
source list:senarai sumber:  
source macro definition:definisi makro sumber:  
source member:anggota sumber:  
source module:modul sumber:  
source module library:pustaka modul sumber:  
source operand::  
source port:port sumber:1  
source port:port sumber:  
source program:program asal:  
source program:program sumber:1  
source program:program sumber:  
source program:program sumber:  
source program:program sumber:  
source program list:senarai program sumber:  
source quench:padam sumber:  
source record:rekaman sumber:  
source recording:perekaman sumber:  
source representation:representasi sumber:  
source routine:rutin sumber:  
source routing:rute sumber  
source spectrum:spektrum sumber  
source statement:pernyataan sumber  
source statement library:pustaka pernyataan sumber

source station:stasiun sumber  
source switch:sakelar sumber  
source text:teks sumber  
source-computer:komputer sumber  
south pole:kutub selatan  
SP:SP  
space:ruangan; ruang; spasi  
space allocation:alokasi tempat  
space bar:batang spasi  
space chamber:rongga ruang  
space character:karakter spasi  
space charge:beban ruang  
space charge density:densitas isi ruang:  
space communication:komunikasi ruang:  
space compression/expansion:ekspansi/kompresi angkasa:  
space detector:detektor ruang:1  
space detector:detektor ruang:  
space detector:detektor ruang:  
space diversity:diversitas ruang:  
space division multiple access:akses berganda divisi ruang:  
space division switching:pengalihan divisi ruang:  
space frequency:frekuensi ruang:  
space hold:pegang spasi:  
space interval system:sistem interval ruang:  
space launch complex:kompleks luncur angkasa:  
space management:pengelolaan ruangan:  
space manager:manajer ruangan:  
SPACE n:n spasi:1  
SPACE n:SPACE n:DELETE  
space probe:pemeriksaan jarak:  
space recode:recode spasi:  
space record:rekaman spasi:  
space shuttle:kumparan jarak:  
space state:status ruangan:  
space station:terminal ruang:  
space suppression:pemampatan spasi:  
space transportation system:sistem transportasi angkasa:  
space wave:gelombang spasi:  
space-charge effect:efek isi-ruang:  
space-charge grid:kisi isi-ruang:  
space-charge-grid tube:tabung kisi isi-ruang:  
spacecraft:pesawat angkasa:  
space-hold:kapasitas ruangan:  
spacemet internet:internet spacemet:  
spacer:pengatur jarak; penjarak:  
space-to-mark transition:transisi kosong-ke-tanda:



spacing:peluangan; jarak:  
 spacing bias:bias peluangan:  
 spacing signal:sinyal jarak:  
 spaghetti code:kode spageti:  
 spam:spam:1  
 spam :spam:  
 span:bentangan; rentangan:  
 span length:panjang bentang:  
 span of instrumental error:bentang kesalahan instrumental:  
 spanned file:berkas merentang:  
 spanned recode:rekode terbentang:  
 spanned record:rekaman terbentang:  
 Sparc::  
 spare:cadangan:  
 spare locker:pengunci cadangan  
 spare machine:mesin hindar  
 spare parts kit:perkakas suku cadang  
 spare tape:pita cadangan  
 spare track:lintasan cadang  
 spare wire:kawat cadangan  
 spark:bunga api  
 spark ball:bulat langkah  
 spark distance:panjang langkah  
 spark gap:celah busi  
 spark quenching:pemadaman cetus api  
 spark quenching circuit:sirkuit pemadaman cetus api  
 spark resistance:resistansi cetus api  
 sparking voltage:voltase penyal  
 sparkless commutation:komutasi tak nyala  
 sparkover:mencetus  
 sparse:jarang:  
 sparse:jarang:  
 sparse array:larik jarang:1  
 sparse array(s):susunan jarang:  
 sparse array(s):susunan jarang:  
 sparse matrix::  
 sparse vector (handling in instructions)::  
 spatial:berjarak:  
 SPATIAL ANALYSIS::  
 SPATIAL DATA::  
 spatial databases:pangkalan data berjarak:  
 spatial locality:lokal berjarak:  
 spatial multiplexing:pemultipleksan berjarak:  
 spawn::  
 SPC:SPC:  
 speaker:pembicara:

speaker:penguat suara:1  
speaking key:kunci pembicaraan:  
SPEC benchmarks::  
special:spesial:  
special architectures:arsitektur khusus / spesial:  
special character:karakter khusus:  
special character table:tabel karakter khusus:  
special code key:kunci kode khusus:  
special communications:spesial komunikasi:  
special contract:kontrak khusus:  
special control character:karakter kontrol khusus:  
special effect:efek khusus:  
Special Emergency Radio Services (SERS):SERS:  
special feature:ciri khusus:  
special feature adaptor:adaptor ciri khusus:  
special function approximations:aproksimasi fungsi khusus:  
special insertion:insersi khusus:  
special insertion editing:pengeditan insersi khusus:  
special internet connections file:berkas khusus sambungan internet:  
special logical operator:operator logis spesial:1  
special logical operator:operator logis spesial:  
special logical operators:operator logika spesial:  
special names:nama-nama khusus:  
special needs:orang dengan kebutuhan khusus:  
special purpose computer:komputer tujuan khusus:  
special purpose language:bahasa tujuan khusus:  
special purpose languages:bahasa tujuan khusus:  
special purpose operating system:sistem operasi tujuan khusus:  
special purpose oriented language:bahasa berorientasi guna khusus:  
special purpose programming language:bahasa pemrograman maksud khusus:1  
special register:register khusus:  
special register:register khusus:  
specialization:spesialisasi:  
specialization ::  
Specialized application languages:bahasa aplikasi spesial:  
Specialized Common Carrier (SCC):SCC:  
Specialized Mobile Radio Services (SMR):SMR:  
special-names:nama-nama khusus:  
Special-purpose:maksud khusus:  
special-purpose:maksud khusus:  
special-purpose:tujuan khusus:  
Special-purpose algebraic systems:sistem aljabar dengan maksud khusus:  
Special-purpose hardware\*\*:perangkat keras khusus:  
special-purpose output devices:peranti keluaran guna khusus:1  
special-purpose output devices:peranti keluaran guna khusus:  
specific:khusus;spesifik:

specific acoustic impedance:impedans akustik spesifik:  
specific address:alamat khas:  
specific coding:pengkodean khas  
specific communication channel:saluran komunikasi khas  
specific conductance:konduktansi spesifik  
specific heat:parut/bahang khusus  
specific impulse:impuls khusus  
specific inductive capacity:kapasitas induktif spesifik  
specific mode:mode khas  
specific program:program khusus  
specific resistance:resistansi spesifik  
specific sensation:sensasi spesifik  
specific speed:laju khusus  
specific volume request:permintaan volume khas  
specification:spesifikasi  
specification:  
"specification and description language, SDL "  
specification exception:pengecualian spesifikasi  
specification fault:  
specification inheritance:  
specification language:  
specification list :  
specification model :  
specification sheet:lembatang spesifikasi  
specification statement:pernyataan spesifikasi  
specification subprogram:subprogram spesifikasi  
specification techniques:teknik spesifikasi  
specifications:spesifikasi  
specifications activity:aktifitas spesifikasi  
specifications management:manajemen spesifikasi  
specificator:spesifikator  
specificity:spesifisitas  
specified operating environment:lingkungan pengoperasian terinci  
specifier:penentu  
specify task asynchronous exit:jalan keluar tak sinkron tugas rinci  
specimen:spesimen; contoh  
spectra:spektra  
spectral band:pita spektral  
spectral characteristic:karakteristik spektral  
spectral characteristic of a luminescent screen:karakteristik layar hitam spektral  
spectral luminous efficacy:efikasi terang  
spectral luminous efficiency:efisiensi berkilau spektral  
spectral methods:metode spektral  
spectral response:daya tanggap spektral  
spectral sensitivity characteristic of a camera tube:karakteristik tabung kamera sensitivitas spektral

spectral tristimulus values: nilai tristimulus spektral  
spectrogram: spektrogram  
spectrometer: spektrometer  
spectrophotometer: spektrofotometer  
spectrum: spektrum  
spectrum allocation: alokasi spektrum:  
spectrum interleave: catatan spektrum:  
spectrum level: aras spektrum:  
Spectrum Management: management spektrum:  
spectrum pressure level: dataran tekanan sepektrum:  
spectrum spread system: sistem sebaran spektrum:  
specular reflectance: reflektansi spekular:  
speculative execution::  
speech: ujar:  
speech amplifier: amplifier bicara:  
speech boards: papan bicara:  
speech channel: kanal bicara:  
speech channel: kanal wicara: 1  
speech devices: peranti wicara: 1  
speech devices: peranti wicara:  
speech enhancement: peninggian ujar:  
speech inversion system: sistem inversi bicara:  
speech recognition: pengenalan suara:  
speech recognition: pengenalan suara:  
speech recognition: pengenalan wicara: 1  
speech recognition: pengenalan wicara:  
speech signal: sinyal:  
speech synthesis: sintesis wicara:  
speech synthesizer: penyatu/sintesisator ujaran:  
speech traffic: kecepatan trafik:  
speech traffic: lalulintas wicara: 1  
speed: kecepatan:  
speed: kecepatan:  
speed characteristic curve: kurva karakteristik laju:  
speed control: kontrol kecepatan:  
speed electromotive force: gaya elektromatifik kecepatan:  
speed extension: perluasan kecepatan:  
speed governor: pengatur kecepatan:  
speed of computer: kecepatan komputer:  
speed of computer: kecepatan komputer:  
speed regulation: regulasi kecepatan:  
speed relay: relai kecepatan:  
speed ring: cincin kecepatan:  
speed selector switch: sakelar selektor kecepatan:  
speedometer: speedometer:  
speed-power product: produk kecepatan daya:

speedup factor::  
spell checker:pemeriksa ejaan:  
spell checker:pemeriksa ejaan:  
spelling:pengajaran:  
spelling:penulisan:  
spelling checker:pemeriksa ejaan:1  
SPF:SPF:  
sphere-gap:celah sfer:  
spherical aberration:lanturan bola:  
spherical wave:gelombang bola:  
SPI:SPI:  
spider :laba-laba:  
spider bonding:pengikatan lelobah:  
spider map:peta laba-laba:  
spider network :jaringan laba-laba:1  
spigot:keran:  
spike:paku:  
spike:pasak:  
spike leakage energy:energi kebocoran paku:  
spike leakage energy of a gas-filled switching tube:energi tabung sambungan berisi gas kebocoran paku:  
spillway:pelimpah:  
spin:putaran:  
spin lock:kunci spin:  
spin lock:kunci spin:  
spin off:berpusing:  
spin stabilization:stabilisasi berpusing:  
spin test facility:fasilitas uji berpusing:  
spindle :spindel; gelondongan:  
spindle lock:kunci as:  
spindle motor:motor as:  
spindle switch:alih gelombang:  
spinning reserve:cadangan putar:  
spiral approach:ancangan spiral:  
spiral life-cycle ::  
spiral model:model spiral:1  
spiral model ::  
spiral scanning:penelusuran spiral:  
spirit addressing machine:mesin pengalamatan spiritus:  
spirit duplicator:duplikator spirit:  
SPL:SPL  
splashproof machine:mesin kedap air recik  
splay:miring  
splice:sambungan tiang/tulangan  
splice box:kotak pencabangan  
splice loading:pembebanan pencabangan

spliced pole:kutub bercabang  
splicer:penyambung  
splicing:penyambungan  
Spline:spline  
spline :spline  
Spline and piecewise polynomial approximation:spline dan aproksimasi polinom  
Spline and piecewise polynomial interpolation:spline dan interpolasi polinom  
splines:spline  
split:belah  
split anode:anoda belah  
split cache:  
split catalog:katalog pisahan  
split chaining field:bidang merangkai pisahan  
split control field:bidang kontrol pisahan  
split cylinder:silinder belah  
split cylinder allocation:alokasi silinder pisahan  
split cylinder mode:model silinder belah  
split field:medan belah  
split friction feed platen:silinder umpan friksi split \*  
split pair:pasangan belah  
split plot experiment:ekesperimen denah belah  
split screen:layar terbagi  
split transaction protocol:  
split-anode magnetron:magnet anoda-belah  
split-phase induction motor:motor induksi fase-belah  
splitting:pemisahan  
split-word operation:operasi kata-belah:  
sponge:sepon:  
sponsor:sponsor:  
spontaneous computation:komputasi spontan:  
spontaneous emission:emisi semester:  
spoof :spof:  
SPOOL:SPOOL:  
spool:spul:  
spool:spul:  
spool file class:kelas berkas pisah:  
spool management:pengelolaan spul:  
spool reader:alat baca spul:  
spooler:penggulung; pengumpar:  
spoolin:kumparan masuk:  
spooling:penyepulan:1  
spooling:penyepulan:  
spooling:penyepulan  
spooling:penyepulan  
spoolout:kumparan keluar  
sporadic E layer:peletak E sejingkat

sporadic task :  
spot:titik  
spot cut-off voltage:voltase potong bintik  
spot network:jaringan spot  
spot punch:punch pisah  
spot softening phenomena:fenomena titik lunak  
spot unblanking:spot tanpa kosong \*  
spotting:pembintik  
SPP:  
spray plate:plat pengabut  
sprayproof oil:minyak kedap recik-air  
spread:penyebaran  
spread card record:rekaman kartu hampar:  
spread spectrum:spektrum lebar:  
spreading resistance:resistan penghamparan:  
spreadsheet:lembar sebar:1  
spreadsheet:lembarsebar:  
spreadsheet:lembarsebar:  
spreadsheet:lembarsebar:  
spreadsheet:lembarsebar:  
spreadsheet:lembatang sebar:1  
spreadsheet:lembatang sebar:1  
spreadsheet formulae:rumus lembarsebar:  
spreadsheets:lembarsebar:  
spreadsheets:lembarsebar:  
spring control:kontrol elastisitas:  
sprint:lari:  
sprintlink:SprintLink:  
sprite :  
sprocket:jentera  
sprocket feed:loloh jentera; loloh sproket  
sprocket hole:lubang jentera; lubang sproket  
sprocket hole:lubang sproket  
sprocket holes:lubang sproket  
sprocket track:trek jentera  
sprouting:pemakaian  
SPSS:SPSS  
SPSS:SPSS  
SPSS:SPSS  
Spurious Emission:emisi spurius  
spurious output:keluaran palsu  
spurious radiation:radiasi palsu  
sputtering:percikan  
SPX circuit:sirkuit SPX (simpleks)  
sq sentence:kalimat sq:  
SQA:SQA:

SQL:SQL:1  
SQL:SQL:DELETE  
SQL:SQL:  
SQL/DS:SQL/DS:1  
SQL/DS:SQL/DS:DELETE  
SQRT:SQRT:1  
SQRT:SQRT:DELETE  
square coil:kumparan bujur sangkar:  
square function:fungsi kuadrat:  
square pole:kutub bujur sangkar:  
square root function:fungsi akar dua:  
square wave:gelombang kuadrat:  
square-law detector:detektor hukum kuadrat:  
square-wave:gelombang kuadrat:  
squeal:dengking  
squeezeout:tekanan keluar  
squelch:tukas  
squelch circuit:sirkuit squelch  
squid:squid  
squirrel-cage motor:motor angker hubungan singkat  
squirrel-cage rotor:rotor angker hubungan singkat  
squish:skuis  
SR:SR  
SRAM:SRAM  
SRB:SRB  
SRM:SRM  
SSA:SSA  
SSADM:SSADM  
SSC:SSC  
SSCP:SSCP  
SSI:SSI  
SSI:SSI  
SSIA:  
SSL :SSL  
SSP:SSP  
SSS:SSS  
ST:ST  
ST506:  
STA:STA  
stability:stabilitas  
stability:stabilitas  
stability :  
stabilized process copying machine:mesin pengopi proses stabil  
stabilized process reader printer:pencetak baca proses stabil  
stabilized shunt-wound motor:motor belitan-shunt stabil  
stabilizer:pemantap



stabilizing:penstabilan; pemapanan:  
stabilizing winding:gulungan penstabilan:  
stable:stabil; mapan:  
stable state:keadaan stabil:  
stable state:keadaan stabil:  
stable trigger:pices stabil:  
stack:tumpukan:1  
stack:tumpukan:  
stack:tumpukan:  
stack:tumpukan:  
stack architecture:arsitektur tumpukan:1  
stack architecture::  
stack cache::  
stack computer:komputer tumpukan:1  
stack control:kontrol tumpukan:  
stack management:menajemen tumpuk:  
stack pointer: penuding tumpukan:1  
stack pointer:penuding tumpukan:1  
stack pointer:penuding tumpukan:  
stack pointer:penuding tumpukan:  
stack pointer addressing:pengalamatan titik cerobong:  
stack program concept::  
stack storage:penyimpan stak:  
stacked job:tugas tertumpuk:  
stacked job processing:pemrosesan tugas tertumpuk:  
stacked logical destination:destinasi logis bercerobong:  
stacked memory:memori tumpuk:  
stacker:penumpuk:1  
stacker:penumpuk:  
stacker selection:seleksi penimbun:  
stacking:penumpukan:  
stack-oriented processor:prosesor berorientasi tumpukan:1  
stack-oriented processors:prosesor berorientasi tumpukan:  
stackpointer:penunjuk tumpukan:  
stacks:tumpukan:1  
stacks:tumpukan:  
Staffing:pengisian staf:  
stage:tingkat:  
stagger amplifier:amplifier sigsag:  
stagger tuning:pengetalaan sigsag:  
staging:pementasan:  
staging adaptor:penyesuai medan:  
staging effective data rate:kecepatan pementasan data efektif:  
staging pack:pak penahanan:  
staircase:undakan:  
stall:malet:

"stall, in a pipeline":  
stalling torque:tenaga putaran kritis:  
stalo:stalo:  
stand alone::  
stand alone computer:komputer tersendiri:1  
stand type switchboard:papan tombol tipe standar:  
standalone:berdiri sendiri:  
stand-alone :berdiri sendiri:  
stand-alone computer:komputer berdiri- sendiri/:  
standalone emulator:emulator berdiri sendiri:  
stand-alone mode:ragam berdiri sendiri:  
standalone program:program berdiri sendiri:  
stand-alone program:program berdiri sendiri:  
standalone system:sistem mandiri:1  
standalone system:sistem mandiri:  
standalone systems:sistem berdiri sendiri:  
standalone systems:sistem berdiri sendiri:  
stand-alone systems:sistem berdiri sendiri:  
stand-alone utility:kegunaan standar:  
standalone version:versi berdiri sendiri:  
standard:standar:DELETE  
standard:standar:  
standard ammeter:ammeter standar:  
standard assignment:tugas standar:  
standard broadcasting:siaran standar:  
standard capacitor:kapasitas standar:  
standard card:kartu standar:  
standard cell:sel standar:  
standard cells:sel standar:  
standard collating sequence:urutan pengkolasian standar:  
standard colorimetric observer:pengamat kalorimeter standar:  
standard data format:format data standar:  
standard default:asal standar:  
standard deviation:deviasi standar:  
standard electrode:elektroda standar:  
standard feature:ciri standar:  
standard file:berkas standar:  
standard fixed length record:rekaman panjang terpasang standar:  
standard form:bentuk baku:  
standard form:bentuk standar:  
standard format:format standar:  
standard frequency station:stasion standar:  
standard function:fungsi standar:  
standard general markup language (SGML):bahasa penanda umum standar:1  
standard general markup language (SGML):SGML:  
standard I/O interface:antartatapan I/O standar:

standard illuminant:cahaya standard:  
standard illuminants:cahaya standard:  
standard input data set:kumpulan data masukan standard:  
standard instruction set:perangkat instruksi standard:  
standard interface:antarmuka standar  
standard interface:antartatapan baku  
standard label:label standard  
standard labeled magnetic tape:pita magnetik berlabel standard  
standard light source:sumber cahaya standard  
standard logic:logika standar  
standard microphone:mikrofon standard  
standard musical pitch:jarak bagi musik standard  
standard output data set:peringkat data keluaran standard  
standard procedure:prosedur standard  
standard reference material:materi referensi standard  
standard resistor:resistor standard  
standard sample:sampel standard  
standard set:peringkat standard  
standard signal generator:pembangkit sinyal standard  
standard subroutine:subrutin standar  
standard substance:substansi standard:  
standard system action:aksi sistem standar:  
standard test frequency:frekuensi uji standard:  
standard test-tone power:daya tes bunyibaku:  
standard time:masa standar; waktu standar:  
standard value:nilai standar:  
standard voltage:voltase standard:  
standard volume label:label volume standard:  
standard wave:gelombang standard:  
standard wavemeter:pengukur gelombang standard:  
standardization:pembakuan; penstandaran:  
standardize:membakukan:  
standards:standar; baku:1  
standards:standar; baku:  
standards:standar; baku:  
standards:standar; baku:  
standards:standar; baku  
standards:standar; baku  
standards:standar; baku  
standards:standar; baku  
standards:standar; baku  
standards:standar; baku  
standards of television broadcasting:standard siaran televisi  
standby:siap  
stand-by block:blok sedia/siap  
stand-by computer:komputer siap/sedia

standby current drain: pipa buang arus standard  
stand-by machine: mesin cadangan  
stand-by redundancy: kelebihan/redundansi sedia  
standby system: sistem siap  
stand-by system: sistem siap  
stand-by time: waktu siap  
standing capacity: kapasitas standard:  
standing wave: gelombang berdiri:  
standing-on-nines carry: pengangkat berdiri pada sembilan:  
standing-on-nines carry: pengangkat berdiri pada sembilan:  
standing-wave voltage ratio: rasio voltase gelombang standard:  
staple: paut:  
stapler: pemaut:  
star: bintang:  
star connection: hubung bintang:  
star connection (network): hubung bintang:  
star network: jaringan bintang: 1  
star network: jaringan bintang:  
star network: jaringan bintang:  
star network: jaringan bintang:  
star network: jaringan bintang:  
star quad: segi empat bintang:  
star ring topology: topologi cincin bintang:  
star ring topology: topologi gelang bintang: 1  
STAR SCHEMA: SKEMA BINTANG:  
star topology: topologi bintang: 1  
star topology: topologi bintang:  
star topology: topologi bintang:  
star trek: perjalanan bintang:  
star-delta connection: hubungan delta-bintang:  
star-shaped bus: bus berbentuk bintang:  
star-shaped ring: cincin berbentuk bintang:  
star-star connection: hubungan bintang-bintang:  
start: mulai:  
start bit: bit awal: 1  
start bit: bit awal; bit start:  
start bit: bit awal; bit start:  
start button: dasar mula:  
start distributor: distributor permulaan:  
start element: elemen awal:  
start instruction address: alamat instruksi awal:  
start manual input symbol: simbol masukan manual permulaan:  
start of block: mula blok:  
start of header: awal tajuk:  
start of heading: awal judul:  
start of heading character: karakter anjak/mulai kepala:  
start of message: awal pesan:

start of text:awal teks:  
start of text (STX):awal teks:1  
start of text (STX):awal teks:  
start of text character:karakter anjak teks:  
start options:pilihan start:  
start pulse:pulsa awal:  
start signal:sinyal awal:  
start signal:sinyal start:  
start time:waktu anjak  
start/stop data adaptor base:basis adaptor data stop/mulai  
start/stop data adaptor extension 1:ekstensi adaptor data stop/mulai  
start/stop date adaptor base mode:ragam basis adaptor data stop/mulai  
started task control:kontrol tugas berawal  
starter:pemulai  
starter diskette:disket penganjak  
starter gap:celah starter  
starter system:sistem penganjak  
starter system:sistem starter  
starting:mula  
starting:permulaan  
starting characteristic:karakteristik starter  
starting current:arus permulaan  
starting point:titik awal  
starting point:titik mula  
starting point:titik starter  
starting reactor:reaktor permulaan  
starting resistance:resistansi permulaan  
starting signal:sinyal permulaan  
starting stability:stabilitas permulaan  
starting stability of a magnetron:stabilitas magnet permulaan  
starting time:waktu peranjakan  
starting torque:tenaga putaran awal  
starting type:tipe permulaan  
start-of-heading:awal-judul  
start-of-text:awal-teks  
start-stop:anjak-henti  
start-stop distortion:erotan/distorsi anjak-stop  
start-stop signal:isyarat/sinyal anjak-stop  
start-stop supervision:supervisi anjak-stop  
start-stop system:sistem anjak-henti  
start-stop system communication:komunikasi sistem stop- mulai:  
start-stop time:waktu anjak-stop:  
start-stop transmission:transmisi anjak-henti:1  
start-stop transmission:transmisi anjak-henti:  
starvation:kekurangan:  
starvation:kekurangan:

stat mux :mux statistik:  
state:keadaan:  
state diagram:diagram keadaan:  
state diagram:diagram keadaan:  
state diagrams:diagram keadaan:  
state information:keadaan informasi:  
state machine::  
state machine ::  
state of control:keadaan kontrol:  
state restoration:restorasi status:  
state transition ::  
state transition diagram:diagram transisi keadaan:1  
state transition diagram:diagram transisi keadaan:  
state transition diagram:diagram transisi keadaan:  
"state transition diagram, STD "::  
state transition matrix:matriks transisi:  
state variable:variable status:  
statement:penyataan:1  
statement:pernyataan:  
statement body:badan pernyataan:  
statement function:fungsi pernyataan:  
statement function defining statement:pernyataan penentu fungsi pernyataan:  
statement function definition:definisi fungsi pernyataan:  
statement function reference:acuan fungsi pernyataan:  
statement identifier:pengenal pernyataan:  
statement identifier:petunjuk pernyataan:  
statement label:label pernyataan  
statement label constant:tetapan label pernyataan  
statement label expression:ekspresi label pernyataan  
statement label variable:variabel label pernyataan  
statement number:nomor pernyataan  
statement of system scope:pernyataan dari bidang sistem  
statement prefix:awalan statemen  
state-oriented model :  
state-table:tabel keadaan  
state-table:tebel keadaan  
static:statis  
static addressing scheme:skema pengalamatan statik  
static allocation:alokasi statik  
static allocation :  
static analysis:  
static array:susunan statis  
static assertion :  
static binding :  
static buffer allocation:alokasi dasar statis  
static buffering:penyanggaan statis

static characteristic curve:kurva karakteristik statik  
static characteristics:karakteristik statik  
static coupling:kopling statik  
static CP area:area CP statis  
static data member :  
static discharge:pengosongan statik  
static discharger:pengosongan statik  
static document:dokumen statik  
static draft head:kepala bahan statik  
static dump:dump statis  
static electricity:keelektrikan statik  
static error:keliru statis  
static evaluation:evaluasi statik:1  
static evaluation:evaluasi statik:  
static evaluation:evaluasi statik:  
static file:berkas statik:  
static focusing:pemfokusan statik:  
static gain:hasil statik:  
static image:gambatang statis:  
static induction:induksi statik:  
static linkage:sambungan statik:  
static loading:pembebanan statik:  
static memory:memori statik:  
static memory:memori statis:  
Static memory (SRAM) (NEW):memori statik:  
static memory allocation:alokasi memori statik:  
static model:model statik:  
static model ::  
static object instantiation ::  
static prediction::  
static pressure:tekanan statik:  
static RAM:RAM statik:  
static RAM:RAM statis:  
static RAM (SRAM):RAM statik (SRAM):1  
static RAM (SRAM)::  
static register:register statis:  
static relocation:relokasi statis:  
static resource allocation:alokasi sumber statik:  
static routing:perutean statik:1  
static routing:perutean statik:  
static scheduler ::  
static scheduling::  
static scope:cakupan statik:  
static stability:stabilitas statik:  
static storage:penyimpan statis:  
static storage:penyimpanan statis:

static storage allocation:alokasi penyimpanstatis:  
static subroutine:subrutin statik:  
static test mode:ragam tes statik:  
static testing:pengujian statik:  
static type checking:pengecekan tipe statik:  
static type-checking ::  
static-column DRAM::  
station:stasiun:  
statistic:statistik:  
statistical:statistik:  
statistical:statistik:  
statistical analysis:analisis statistik:1  
statistical analysis:analisis statistik:  
statistical computing:komputasi statistik:  
statistical data recorder:perekam data secara statistik:  
statistical data recorder:perekam data statistik:  
statistical databases:pangkalan data statistik:  
statistical hypothesis:hipotesis statistik:  
statistical information:informasi secara statistik:  
statistical machine:mesin statistis:  
statistical methods:metode statistik:  
statistical model:model statistis:  
statistical multiplexor:multipleksor statistik:  
statistical package for the social science (SPSS):paket statistik untuk ilmu sosial:1  
statistical package for the social science (SPSS):paket statistik untuk ilmu sosial:DELETE  
statistical problem solver library:pustaka penyelesai masalah statistis:  
statistical quality assurance ::  
statistical software:perangkat lunak statistik:1  
statistical software:perangkat lunak statistik:  
statistical software:perangkat lunak statistik:  
statistical software:perangkat lunak statistik:  
statistical software:perangkat lunak statistik:  
statistical time-division multiplexing:penggandaan divisi waktu statistik:1  
statistical time-division multiplexing:penggandaan divisi waktu statistik:  
statistics:statistik:1  
statistics:statistik:  
statistics (database):statistik (pangkalan data):  
statistics (database):statistik (pangkalan data):  
statistics (database):statistik (pangkalan data):  
stator:stator:  
stator core:inti stator:  
status:status:  
status:status:  
status (FTP):status (FTP):  
status bit:gurdi status:  
status byte:bit status:



status character:karakter status:  
status flag:panji status:  
status identifier:pengenali/identifikator status:  
status information:informasi status:  
status instruction:instruksi status:  
status line:garis status:  
status modifier:pewatas status:  
status of edit word:status sunting kata:  
status panel:panel status:  
status register: pencatat status:1  
status register:pencatat status:  
status register:pencatat status:  
status signal:sinyal status:  
status strobe:strobe status \*:  
status value:nilai status:  
status word: kata status:1  
status word:kata status  
status word:kata status  
status word register:pencatat kata status  
stay:diam  
stay bolt:baut diam  
stay insulator:isolator tupang  
stay rod:baut jangka  
stay thimble:mur sungkup tupang  
steady:tunak  
steady brace:penguat tetap  
steady load:beban tetap  
steady strain:regangan tetap  
steadying resistance:resistansi tetap  
steady-state current:arus keadaan tetap  
steady-state error:keliru keadaan tetap  
steady-state stability:stabilitas keadaan tetap  
steam:kukus  
steam consumption:pemakaian uap  
steam drum:drum uap  
steam extraction:ekstraksi uap  
steam generator:generator kukus  
steam pipe:pipa kukus  
steam power:daya kukus  
steam power station:stasiun daya uap  
steam separator:pemisah air  
steam turbine:turbin kukus  
steatite:steatit  
STEDR:STEDR  
steel pipe:pipa baja  
steel pipe pole:kutub pipa baja

steel tape:pita baja  
steel tower:menara baja  
steel truss pole:kutub konsol baja  
steel-cored aluminium cable:kabel aluminium berinti baja  
steel-tank mercury-arc rectifier:penguat busur-air raksa tanki baja  
steel-tape armoring:pelapisan pita baja  
steel-wire armoring:pelapisan kawat baja  
steepness:kecuraman  
stem:akar  
stencil duplicator:duplikator stensil  
steno typewriter:mesin ketik steno  
step:langkah  
step and repeat camera:kamera ulang dan tindak  
step bolt:baut tangga  
step lens:lensa tangga  
step library:pustaka langkah  
step name:nama langkah  
step out:anjak  
step response:respons langkah  
step restart:anjak ulang langkah  
step restart:reanjak langkah  
step-by-step:langkah demi langkah  
step-by-step operation:operasi langkah demi langkah  
step-by-step switch:alat hubung langkah demi langkah  
step-by-step switching:alat hubung langkah demi langkah  
step-by-step switching:alat hubung langkah demi langkah  
step-down transformer:transformator penurun  
step-out relay:relai keatas  
stepped:menginjakkan(kaki)  
stepped rail:rel bertangga  
stepped ramp type:tipe jendela bertangga  
stepper:penalup; penapak  
stepper motor:motor penapak  
stepper motor:motor penjurangan  
stepping motor:motor penjurangan  
stepwise refinement:penghalusan berjenjang:1  
stepwise refinement:penghalusan berjenjang:  
stepwise refinement:penghalusan berjenjang:  
stepwise refinement:penghalusan berjenjang:  
STEPWISE REFINEMENT::  
stepwise refinement ::  
Stereo:stereo:  
stereo:stereo:  
stereophonic broadcasting:siaran stereofonik:  
stereophonic effect:efek stereofonik:  
stereophonic recording:rekaman stereofonik:

stereotype ::  
stick circuit:sirkuit tongkat:  
stick signal:sinyal tongkat:  
sticking:pemotongan:  
sticking voltage:voltase tongkat:  
sticky bit::  
stiction::  
Stiff equations:persamaan Stiff:TE  
stiffness:kepejalan:  
stimulated emission:emisi berstimulasi:  
stimulus:rangsang; stimulus:  
stimulus limen:limen rangsang; pembatas rangsang:  
stochastic:stokastik:  
stochastic analysis:analisis stokastik:  
stochastic convergence:konvergensi stokastik:  
stochastic model:model stokastik:  
stochastic process:proses stokastik:  
stochastic processes:proses stokastik:  
stochastic programming:pemrograman stokastik:  
stock:stok :  
stock control:kontrol stok:  
stock control:kontrol stok:  
stoker:penyala:  
stonewalling:dinsing batu:  
stop:henti; stop:  
STOP:STOP:1  
STOP:STOP:DELETE  
stop action video:aksi video berhenti:  
stop bit:bit stop:1  
stop bit:bit stop:  
stop bit:bit stop:  
stop code:kode stop:  
stop element:elemen stop:  
stop indicator:indikator stop:  
stop instruction:instruksi stop:  
stop joint:sambungan akhir:  
stop key:kunci stop:  
stop loop:simpal stop; sosok stop:  
stop signal:sinyal/signal stop:  
stop time:saat stop/henti:  
stop valve:katup stop:  
stopped state:keadaan terhenti:  
stopper:penstop:  
STOR:STOR:  
storage:penyimpanan:1  
storage:penyimpanan:

storage:penyimpanan:  
storage:penyimpanan:  
storage acquisition:akuisisi memori:  
storage addition:tambahan penyimpanan:  
storage address register:register alamat penyimpanan:  
storage address relocation translator:translator relokasi alamat penyimpanan:  
storage allocation:alokasi penyimpan:  
storage allocation:alokasi simpan:  
storage allocation switch:alih lokasi simpan:  
storage and control frame:kerangka kontrol dan penyimpanan:  
storage and information retrieval system:sistem retrieval informasi dan simpan:  
storage and retrieval of data:penyimpan dan temubalik data:DELETE  
storage area:area simpan:  
storage battery:baterai simpan:  
storage block:blok memori:  
storage capacity:kapasitas memori:  
storage cell:sel memori:  
storage cell:sel memori:  
storage cell:sel penyimpan:  
storage cell:sel simpan:1  
storage class:kelas penyimpan:  
storage class attribute:atribut kelas penyimpan:  
storage compacting:pemadatan penyimpan  
storage compaction:pemadatan penyimpan  
storage configuration control:kontrol konfigurasi penyimpanan  
storage control:kontrol penyimpan  
storage control:kontrol penyimpanan  
storage control built-in function:fungsi terpasang kontrol penyimpan  
storage control status word:kata status kontrol penyimpanan  
storage control unit:unit kontrol memori  
storage cost:biaya penyimpanan  
storage cushion:bantal penyimpanan  
storage cycle:siklus memori  
storage cycle time:daur/sirkus penyimpan  
storage data check status bit:bit status cek data simpan  
storage device:peralatan memori  
storage devices:peralatan memori  
storage devices:perangkat penyimpan  
storage devices:peranti penyimpan:1  
storage devices:peranti penyimpan:1  
storage devices:peranti penyimpan:  
storage disposition:disposisi penyimpanan:  
storage distribution element:element distribusi penyimpanan:  
storage dump:dump memori:  
storage element:elemen memori:  
storage exchange:tukar simpan:

storage fragmentation:fragmentasi memori:  
storage gain:perkuatan penyimpanan:  
storage hierarchies:hierarki penyimpan:  
storage hierarchy:hierarki penyimpan:  
storage image:gambatang memori:  
storage indication:indikasi memori:  
storage initialization:inisialisasi memori:  
storage interference:interferensi memori:  
storage key:kunci simpan:  
storage key:tombol memori:  
storage load:beban memori:  
storage location:lokasi memori:  
storage management:pengelolaan memori:  
storage map:peta penyimpan:  
storage map:peta simpan:  
storage media:media penyimpan:  
storage medium:medium memori:  
storage of data:penyimpan data:DELETE  
storage of directory:penyimpanan direktori:  
storage of file:penyimpanan berkas:  
storage of files:penyimpanan berkas:  
storage tube:tabung simpanan:  
storage tube display:tampilan tabung penyimpan:  
store:simpan:  
store:simpan:  
store:simpan; menyimpan:1  
store:simpan; menyimpan:  
store:simpan; menyimpan:  
store and forward:simpan dan meneruskan:  
store and forward network:jaringan simpan dan hantar:1  
store and forward networks:jaringan simpan dan meneruskan:  
store and forward switch:alihan simpan dan hantar:1  
store back buffer::  
store data buffer::  
store instruction::  
store through::  
store-and-forward switching:perangkaian maju-dan-simpan:  
store-and-forward switching mode:ragam perangkaian maju-dan- simpan:  
Stored procedure :STORED PROCEDURE :PROSEDUR TERSIMPAN  
stored program computer::  
storyboard:papan cerita:1  
STRAIGHT SELECTION SORT::1  
strategic distribution of document:distribusi strategis dokumen:DELETE  
strategic information system:sistem informasi strategis:1  
strategic information system:sistem informasi strategis:  
strategic information system planning:perencanaan sistem informasi strategis:1

istilah-ti-indonesia

strategic information system planning:perencanaan sistem informasi strategis:  
Strategic information systems planning (NEW):perencanaan sistem informasi strategis:  
strategic level decision making:keputusan tingkat strategis:  
strategic level decision-making:keputusan tingkat strategis:  
strategic planning for competitive advantage:perencanaan strategis untuk kelebihan kompetitif:DELETE  
strategy:kiat:  
stratification:stratifikasi:  
stratified language:bahasa bertingkat:  
stratosphere:stratosfer:  
stratum:stratum:  
stray capacitance:kapasitans menyimpang:  
stray capacity:kapasitas menyimpang:  
stray capacity:kapasitas simpanan:  
stray current:arus besatan:  
stray electromagnetic field:medan elektromagnetik sesatan:  
stray flux:fluks sesatan:  
stray magnetic field:medan magneti sesatan:  
streaking:pencorengan:  
stream:aliran:1  
stream:aliran:  
stream:sungai kecil:  
stream (of data/instructions)::  
stream data:data alur:  
stream input/output:keluaran/masukan aliran:  
stream transmission:transmisi aliran:  
streamer:pengalur:  
streaming:pengaliran:1  
streaming:pengaliran:  
streaming tape:pita pengalir:1  
streaming tape drive:pengaliran tape drive \*:  
streaming tape drive:penggerak pita pengalir:1  
stress:tekan:  
stress testing:pengeteaaan tekanan:  
stress testing ::  
stressor:penekan:  
stretched PPI:PPI terpanteng:  
stretcher:pemulur:  
stretching:pantengan:  
striate region:kawasan bertanda garis:  
striation:striasi:  
strict consistency::  
stride (of vector components)::  
striker:pemapas:  
striking current:arus serang:  
striking voltage of arc:voltase busur serang:

string:string; sirkuitan:  
 STRING ::1  
 string array:susunan sirkuitan:1  
 string array:susunan sirkuitan:  
 string built-in function:fungsi terpasang sirkuitan:  
 string data:data sirkuitan:1  
 string data:data sirkuitan:  
 string data attribute:atribut data sirkuitan:  
 string efficiency:efisiensi rangkaian:  
 string field:bidang sirkuitan:  
 string format:format sirkuitan:  
 string length:panjang rangkaian:  
 string manipulation:manipulasi sirkuitan:1  
 string manipulation:manipulasi sirkuitan:  
 string manipulation:manipulasi string:  
 string manipulation language:bahasa manipulasi sirkuitan:  
 string operator:operator sirkuitan:1  
 string operator:operator sirkuitan:  
 string processing:pemrosesan rangkaian:  
 string processing language:bahasa pemrosesan rangakain:  
 string quote:kutipan sirkuitan:  
 string reduction:reduksi string:  
 string switch:perangkai sirkuit:  
 string variable:variabel sirkuitan:  
 stringing:pengsirkuitan:  
 strip:papas:  
 strip conductor:konduktor strip:  
 strip line:garis jalur; saluran carik:  
 strip transmission line:garis transmisi jalur:  
 stripe:strip:  
 striping:pengelupasan:  
 striping drive:gerak pengelupasan:  
 stroke refresh display:tampilan segar ulang coretan:  
 stroke storage:simpanan pukulan:  
 stroke width:lebatang coretan:  
 stroke width:lebatang pukulan:  
 strong typing::  
 strongly typed ::  
 structural:struktural:  
 structural aspect ::  
 structural decomposition ::  
 structural sharing ::  
 structure:struktur :  
 structure chart:bagan struktur:1  
 structure chart:bagan struktur:1  
 structure chart:bagan struktur:

structure chart::  
structure charts based on transaction analysis:bagan struktur berbasis pada analisis transaksi:  
structure charts based on transform analysis:bagan struktur berbasis pada analisis transformasi:  
structure diagram:struktur diagram:1  
structure diagram:struktur diagram:  
structure diagrams:struktur diagram:  
structure expression:ekspresi struktur:  
structure member:anggota struktur:  
structure of arrays:susunan struktur:  
structure of business organization:struktur organisasi bisnis:  
structure program:program struktur:  
structure testing:struktur uji:1  
structure testing:struktur uji:  
structure variable:variabel struktur:  
structured:terstruktur:  
structured analysis:analisis berstruktur:1  
structured analysis:analisis berstruktur:  
structured analysis:analisis berstruktur:  
"structured analysis, SA "::  
structured approach:analisis berstruktur:  
structured approach:pendekatan berstruktur:  
structured BASIC:BASIC berstruktur:  
structured charts:bagan terstruktur:1  
structured charts:bagan terstruktur:  
structured coding:program terstruktur:  
structured data:data terstruktur:  
structured decision:keputusan berstruktur:  
structured decision system:sistem keputusan terstruktur:1  
structured design:desain berstruktur:  
structured design:desain terstruktur:1  
structured design:desain terstruktur:  
structured design:desain terstruktur:  
structured design software:perangkat lunak desain berstruktur:  
structured flowchart:bagan alir berstruktur:  
structured language:bahasa terstruktur:  
structured methodologies:metodologi terstruktur:1  
structured methodologies:metodologi terstruktur:  
structured program:program terstruktur:  
structured programming:pemrograman berstruktur:  
structured programming:pemrograman berstruktur:  
structured programming:pemrograman terstruktur:1  
structured programming:pemrograman terstruktur:1  
structured programming:pemrograman terstruktur:  
structured programming:pemrograman terstruktur:  
structured programming:pemrograman terstruktur :1  
structured programming::



structured programming and code:pemrograman terstruktur dan kode:DELETE  
structured query language:bahasa pertanyaan terstruktur:  
structured query language (SQL):bahasa permohonan terstruktur:1  
structured query language (SQL):bahasa permohonan terstruktur:  
Structured Query Language (SQL):Bahasa Pertanyaan Berstruktur (SQL):1  
structured query language (SQL):bahasa query berstruktur:  
structured query language (SQL):bahasa query berstruktur:  
structured query language (SQL):bahasa query berstruktur:  
structured software::  
structured systems analysis:analisis sistem terstruktur:  
structured walkthrough:jalan lewat terstruktur:1  
structured walk-through:jalan lewat tersusun:  
structured wiring:perkabelan berstruktur:  
stub:potongan:1  
stub object ::  
stubs:potongan:  
stuck-at fault::  
stuck-open:  
stud:pasak  
studio:studio  
studio control room:ruang kontrol studio  
study systems:pelajari sistem  
stuff:penuh  
stuff multiplexer:multiplexser penuh  
stunt box:kotak pemeran  
STX:STX  
STX:STX  
style:gaya  
Style guides (NEW):petunjuk gaya  
Styles:gaya  
stylistics:stalistika  
stylus:stilus  
sub class :  
"sub-block, in a cache":  
subcarrier:subpembawa:  
subchannel::  
subchannel (I/O):  
subclass:subkelas:1  
subclass:subkelas:  
subclass client:klien subkelas:1  
subclassing::  
subdirectories:subdirektori:  
subdirectory:subdirektori:1  
sub-directory:subdirektori:1  
sub-directory:subdirektori:1  
sub-directory:subdirektori:

sub-directory:subdirektori:  
sub-directory:subdirektori:  
subnet::  
subnet level:aras subnet:1  
subnetwork:subjaringan:1  
subprocess::  
subroutine:subrutin:1  
subroutine:subrutin:  
sub-routine:subrutin:  
sub-routine:subrutin:  
subroutine calls:panggil subrutin:  
subroutine jump:lompat subrutin:  
subroutine library:pustaka subrutin:  
subroutine link:sambung subrutin:  
subroutine link instruction:perintah sambung subrutin:  
subroutine linkage:sambungan subrutin:  
subroutine procedure:prosedur subrutin:  
subroutine program:program subrutin:  
subroutine reference:acuan subrutin:  
subroutine subprogram:subprogram subrutin:  
subroutine subprogram reference:acuan subprogram subrutin:  
subroutines:subrutin:  
subsample:subsampel:  
subsampling:pemercontohan bawahan:  
subscale mark:tanda subskala:  
subschema:subskema:1  
subschema:subskema:  
subscriber:nasabah:  
subscriber circuit:sirkuit pelanggan:  
Subscriber Line Charge (SLC):biaya kabel langganan:  
subscriber's circuit:sirkuit subskriber:  
subscriber's drop:kemerosotan pelanggan:  
subscriber's group service:layanan kelompok pelanggan:  
subscriber's line:garis subskriber:  
subscriber's loop:ikalnya pelanggan:  
subscript:tika bawah  
subscript area:daerah subskrip  
subscript bound:batas tika bawah  
subscript bracket:braket tika bawah  
subscript expression:ekspresi tika bawah  
subscript list:senarai tika bawah  
subscript list:senarai tika bawah  
subscript quantity:kuantitas tulisan di bawah garis  
subscripted data-name:nama data bertika bawah  
subscripted name:nama bertika bawah  
subscripted qualified name:nama terbatas yang bertika bawah

subscripted variable:variabel bertika bawah  
subscripted variable symbol:lambang variabel bertika bawah  
subscripting:pelanggan  
subsegment:subsegmen  
subset:himpunan bagian  
SUBSET:SUBSET:1  
SUBSET:SUBSET:DELETE  
subset:subset:  
SUBSET ALL:SUBSET ALL:1  
SUBSET ALL:SUBSET ALL:DELETE  
subshell:anak ketopak:  
subsidiary wire:kawat subsider:  
sub-solar point:titik subsolar:  
subspace:subruang:  
substantially sinusoidal waveform:bentuk gelombang sinusoidal substansial:  
substantive testing:uji substantif:  
substate ::  
substation:substasiun:  
substation capacity:kapasitas substasiun:  
substation wire:kawat substasiun:  
substitute:pengganti:  
substitute character:karakter pengganti:  
substitute character:karakter penyulih:  
substitute mode:ragam pengganti:  
substitution:penggantian; substitusi:  
substitution mechanisms:mekanisme substitusi:  
substitution method:metode penyulihan:  
substitution table:tabel pengulihan:  
SUBSTR:SUBSTR:1  
SUBSTR:SUBSTR:DELETE  
substracter:pengurang:  
substrate:dasar:  
substrate:substratum; lapik:  
sub-stratification:substratifikasi:  
substring:subangkaian:  
substring notation:notasi substring:  
subsume:menggolongkan:  
subsumption:subsumsi:  
subsymbol:subsimbol:  
sub-synchronous speed:laju subsinkron:  
subsystem:sub sistem:  
subsystem:sub sistem:  
subsystem:subsistem:1  
subsystem:subsistem:  
subsystem::  
subsystem component:komponen sub sistem:

subsystem composition ::  
subsystem controller:pengontrol sub sistem:  
subsystem controller definition record:rekaman definisipengendali subsistem:  
subsystem definition:definisi sub sistem:  
subsystem definition statement:kalimat definisi sub sistem:  
subsystem generation:generasi sub sistem:  
subsystem identification:identifikasi sub sistem:  
subsystem information library:pustaka informasi subsistem:  
sub-system manager::  
subsystem program preparation support:sokongan persiapan program subsistem:  
subsystem support program:program penumpusubsistem:  
subsystem support services:jasa dukung subsistem:  
subsystem:subsistem:  
subtask:bagian tugas:  
subtask:sub tugas:  
subtask control block:blok kontrol sub tugas:  
subtasking:substraksi:  
SUBTOTAL (ST):SUBTOTAL (ST):1  
SUBTOTAL (ST):SUBTOTAL (ST):DELETE  
SUBTOTAL ALL:SUBTOTAL ALL:DELETE  
SUBTOTAL ALL:SUBTOTAL seluruh:1  
SUBTOTAL FOR:SUBTOTAL dari:1  
SUBTOTAL FOR:SUBTOTAL FOR:DELETE  
SUBTOTAL FULLST:SUBTOTAL FULLST:1  
SUBTOTAL FULLST:SUBTOTAL FULLST:DELETE  
subtotal function:fungsi subtotal:  
subtotaling:subtotal:  
subtotalling:subtotal; subpenjumlahan:  
subtract immediate from accumulator:kurangi segera dari akumulator:  
subtractor:subtrakter:  
subtractor:subtrakter:  
subtraction:substraksi:  
subtractive color mixture:campuran warna subtraktif:  
subtractive complementary colors:warna komplementer subtraktif:  
subtractive mixture:campuran subtraktif:  
subtractive mixture of color stimuli:subtraktif campuran warna yg merangsang:  
subtractive primaries:subtraktif primer:  
subtractor:subtraktor:  
subtrahend:bilangan pengurang:  
subtransient reactance:reaktans subtransian:  
subtree:anak pohon:  
SUBTREE::1  
subtype:subtipe:1  
subtype:subtipe:  
subtype ::  
subtypes:subtipe:

subtyping::  
 subvoice-grade channel:saluran tingkat bagian suara:  
 subway:bawah tanah; subaway:  
 successful termination ::  
 successive approximation:aprakrimasi berturut-turut:  
 successive approximation type:model pendekatan suksesif:  
 successor:pengurut:  
 sudden short-circuit:sirkuit-pendek dadakan:  
 sufficiency:kecukupan:  
 suffix:sufiks:  
 suffix notation:notasi sufiks:  
 sugar:gula:  
 suitability ::  
 suite:runtun:  
 sulfation:sulfasi:  
 sulfuric acid:asam sulfur:  
 sum:jumlah:  
 SUM:ringkas:1  
 SUM:SUM:DELETE  
 sum check digit:digit cek jumlah:  
 sum counter:alat hitung jumlah:  
 sum of squares:jumlah segiempat:  
 summarize:meringkat:  
 summarized implosion:implusi ringkas:  
 SUMMARY:ringkasan:1  
 summary:ringkasan:  
 SUMMARY:SUMMARY:DELETE  
 summary card:kartu ringkasan:  
 summary data field:medan data ringkas:  
 summary file:arsip simpulan:  
 summary punch:punch ringkasan:  
 summary punch:ringkasan punch:  
 summary punching:pelubangan (pen)jumlahan:  
 summary record:rekaman ringkasan:1  
 summary record:rekaman ringkasan:  
 summary records:rekaman ringkas:1  
 summary records:ringkasan/ikhtisar rekaman:  
 summary reporting:pelaporan ringkasan:  
 summation:penjumlahan:  
 summation check:pemeriksaan penjumlahan:  
 summation metering:meter penjumlahan:  
 summation methods:metode penjumlahan:  
 summation tone:nada penjumlahan:  
 summer:penjumlah:  
 summing integrator:integrator penjumlahan:  
 sun sensor:sensor matahari:

sunlit path:lintasan tersinari matahari:  
sunspot:spot snoya:  
super:super:  
super (very large) computers:superkomputer:  
super computer:superkomputer:  
super master group:grup induk utama:  
super microcomputer:mikrokomputer super:  
super program:program super:  
super video graphic array monitor (monitor SVGA):monitor super larik grafik video (monitor SVGA):1  
super video graphics array (SVGA):susunan grafik video super:  
superaudible frequency:frekuensi superaudibel:  
superchip:supercip:1  
superchip:supercip:  
superchip:supercip:  
superclass:superklas:  
superclass ::  
supercomputer: superkomputer:1  
supercomputer:superkomputer:1  
supercomputer:superkomputer:1  
supercomputer:superkomputer:  
supercomputer:superkomputer:  
supercomputer:superkomputer:  
supercomputers:superkomputer:  
supercomputers:superkomputer:  
superconduction:superkonduksi:  
superconductive magnet:magnet superkonduktif:  
superconductivity:superkonduktivitas:  
superconvergence:superkonvergensi  
supercritical pressure boiler:ketel tekanan superkritis  
superexchange:superbursa  
supergain antenna:antena superlaba  
supergroup:supergrup  
superheated steam:uap superpanas  
superheater:pemanas super  
superheterodyne:superheterodin  
superimpose:superimpose  
superimposed:tertindih  
superimposed ringing:penggoresan lingkaran terlekat  
superior:superior  
supermini:supermini  
superpipelined processor:  
superpipelining:  
superposed (superimposed) ringing:pelingkaran bertindih  
superposed circuit:sirkuit superposisi:  
superposed ringing:penggoresan lingkaran superposisi:  
super-regenerative receiver:penerima super- regeneratif:

superscalar processor:prosesor superskalar:1  
 superscalar processor::  
 superscript:superskrip:  
 Superstation:stasiun super:  
 supersynchronous motor:motor supersinkron:  
 supersynchronous speed:laju supersinkron:  
 superturnstile antenna:antena superturnikuat:  
 supertwist:supertwis:  
 supertype:supertipe:1  
 supertype ::  
 supervise:menyelia:  
 supervision:penyeliaan:  
 supervision table:label supervisi:  
 supervisor:penyelia:  
 supervisor:penyelia:  
 supervisor area:kawasan penyelia:  
 supervisor call:pemanggilan penyelia:  
 supervisor call (SVC) interruption:interupsi panggil penyelia:  
 supervisor call (SVC) interruption:interupsi panggil penyelia(SVC):  
 supervisor call instruction:instruksi panggil penyelia:  
 supervisor call interrupt:sela panggil supervisor/penyelia:  
 supervisor call interruption:selaan panggilan penyelia:  
 supervisor call trace:trace panggilan penyelia:  
 supervisor call transient area:daerah sementara panggil penyelia:  
 supervisor instructions::  
 supervisor lock:kunci penyelia:  
 supervisor mode:model pengawas:  
 supervisor mode:model pengawas:  
 supervisor mode :ragam pengawas:1  
 supervisor program:program pengawas:  
 supervisor queue area:daerah antrian penyelia:  
 supervisor request block:blok permintaan penyelia:  
 supervisor resident area:area luar penyelia:  
 supervisor state:keadaan pengawas:1  
 supervisor state:keadaan penyelia:  
 supervisor state:keadaan penyelia:  
 supervisor transient area:area kilasan penyelia:  
 supervisory:pengawasan:  
 supervisory computer control:kontrol komputer pengawasan:  
 supervisory control:kontrol selia:  
 supervisory control:kontrol selia:  
 supervisory format:format penyeliaan:  
 supervisory function bit:bit fungsi penyeliaan:  
 supervisory lamp:lampu pengawas:  
 supervisory program:program penyeliaan:  
 supervisory relay:relai selia

supervisory routine:rutin penyeliaan  
supervisory sequence:urutan selia  
supervisory services:pelayanan penyeliaan  
supervisory signals:sinyal penyeliaan  
supervisory software:peranti lunak berpenyelia  
supplemental capacity:kapasitas suplemen  
supplier:  
Suppliers:suplier  
supply:catu  
supply capability:kemampuan pemasokan  
supply capability:kesanggupan suplai  
supply delay time:waktu tunda pemasokan  
supply option:pilihan penawaran  
supply reel:gelondong suplai  
supply voltage:voltase suplai  
supplying bottle:botol perbekalan  
supplying cap:tutup perbekalan  
supplying valve:katup perbekalan  
support:dukungan  
support code :  
support families :  
support manual:  
support program:program penunjang  
support software :  
support system:sistem penunjang  
support system :  
supporting structure:tata dukung  
supporting technology:  
suppress:menindih  
suppressed carrier transmission:transmisi pembawa pengawas  
suppressed scale:skala tekanan  
suppression:penindasan  
suppression symbol:lambang tindasan  
suppress-length-indication (SLI) flag:tanda penunjuk tindasan panjang  
suppress-length-indication flag:tanda indikasi panjang supres  
suppress-length-indication flag:tanda penunjuk tindasan panjang  
suppressor grid:kisi penekan  
surf :layar  
surface analysis:analisis permukaan  
surface color:rona permukaan  
surface condenser:kondensor permukaan  
surface distance:jarak permukaan  
surface fitting:penyesuaian permukaan  
surface knowledge:pengetahuan permukaan  
surface leakage:kebocoran permukaan  
surface noise:derau permukaan



istilah-ti-indonesia

surface plug receptacle:stopkontak steker permukaan  
surface recombination velocity:kecepatan rekombinasi permulaan:  
surface removal:penghilangan permukaan:  
surface representations:representasi permukaan:  
surface trapping:hiasan permukaan:  
surface treatment:perawatan permukaan:  
surface waveguide:pandu gelombang permukaan:  
surfer:pelayar:1  
surfer:pelayar:  
surfing:pelayaran:  
surge:sentakan:  
surge absorber:penyerap sentakan:  
surge electrode current:arus elektrode sentakan:  
surge impedance:impedans sentakan:  
surge protector :penahan lonjakan tegangan:  
surge resistance:ketahanan kentalan:  
surge voltage:voltase sentakan:  
surge-proof transformer:transformasi bukti sentakan \*  
surjection:surjeksi  
surveillance:pengawasan  
surveillance radar element:elemen radar pengawasan  
survey:survei  
surveys:survei  
Survival analysis:analisis survei  
susceptibility:kerentanan  
suspend:tunda  
suspend lock:kunci gantung  
suspended pattern:pola tertunda  
suspension:penungguhan  
suspension clamp:kompa gantung  
suspension insulator:isolator gantung  
suspension wire:kawat gantung  
sustained radiation:sinaran panggah  
SVA:SVA:  
SVC:SVC:  
SVC (Supervisor Call instruction)::  
SVC (supervisor call) interruption:interupsi panggil penyelia:  
SVC (supervisor call) interruption:interupsi SVC(panggil penyelia):  
SVC routine:rutin SVC:  
S-video:S-video:  
SVRB:SVRB:  
SWA:SWA:  
swap:tukar-menukar:  
swap:tukar-menukar:  
swap allocation unit:satuan alokasi tukaran:  
swap data set:kumpulan data tukaran:

swap data set control block:blok kontrol kumpulan data tukaran:  
swap file:berkas swap:1  
"swap gate, magnetic bubble memory":  
swap in:alih masuk \*:  
swap out:alih keluar \*:  
swap set:perangkat tukaran:  
swap time:waktu swap:  
swapfile::  
swopin:tukar ke dalam:  
swap-in:barter masuk:  
swap-in:swap-in:  
swapout:tukar ke luar:  
swap-out:barter keluar:  
swap-out:swap-out:  
swappable bay:laci bisa swap:1  
swapping:penukaran:  
sweep:keluasan:  
sweep:lejang:  
sweep circuit:sirkuit lejang:  
sweep frequency:frekuensi lejang:  
sweep oscillator:pengalun lejang:  
sweepage:halaman bersih \*:  
sweep-out method:metode hanyut:  
SWIFT:SWIFT:  
swing bolster:bantalan ayun:  
swinging:berayun:  
swipe (a card):gesek (kartu):  
switch:alat hubung; sakelar; perangkai; saklar; alih:  
switch :alat hubung; sakelar; perangkai; saklar; alih:  
switch adjuster:saklar penyesuai:  
switch card:kartu alih:1  
switch card:kartu alih:  
switch circuit controller:pengontrol sirkuit pindah:  
switch declaration:deklarasi alih:  
switch designator:penanda perangkai:  
switch frame:kerangka alih  
switch hook:kait hubung  
switch hook:pengait saklar  
switch hub:hub alih  
switch identifier:pengidentifikasi perangkai  
switch indicator:penunjuk saklar  
switch jack:bicu putar  
switch list:senarai perangkai  
switch manual channel:saluran putar tangan  
switch matrix:matriks alih  
switch oil:minyak saklar

switch room:ruang hubung  
switch tube:tabung saklar  
switch unit:unit saklar  
switch-and-lock movement:gerakan pindah-dan-mengunci  
switchboard:papan hubung  
switched communication network:jaringan komunikasi alih:  
switched connection:koneksi teralih:  
switched line:garis terhubung:  
switched line:saluran tersambung:  
switched lines:saluran tersambung:  
switched multimegabit data service (SMDS):SMDS:  
switched network:jaringan alih:1  
switched network:jaringan teralih:  
switched network attachment:tambahan jaringan terpindahkan:  
switched network backup:cadangan jaringan terhubung:  
switched network rate selection switch:saklar seleksi tingkat jangsan terpindahkan:  
switched networks:jaringan teralih:  
switched-message network:jaringan pesan-berangkai:  
switcher:pengalih:  
switches:sakelar:1  
switches:sakelar:  
switches:sakelar:  
switches heat sensitive:sakelar peka panas:1  
switches heat sensitive:sakelar peka panas:  
switchgear:persneling:  
switching:perangkaian:  
switching:perangkaian:  
switching center:pusat perangkaian:  
switching circuit:sirkuit perangkaian:  
switching devices:alat perangkaian:  
switching equipment:perangkat pengalihan:  
switching function:fungsi perangkaian:  
switching hub :hub pengalihan:  
switching hysteresis:histerisis pengalihan:  
switching office:jasa perangkaian:  
switching pad:pad terhubung:  
switching regulator:regulator perangkaian:  
switching selector repeater:pengulang penyeleksi pindahan  
switching surge:gelombang perangkaian  
switching theory:teori pengalihan  
switching time:waktu perangkaian  
switching time:waktu perangkaian  
switching unit:satuan perangkain  
switching unit manual:unit pemindahan tangan  
switching variable:peubah perangkaian  
switching voltage:voltase pindahan

switchover:alih lebih  
switchpoint:titik perangkai  
switch-point derail:gelincir titik-saklar  
switch-status condition:kondisi status-perangkai  
switchyard:medan langsir  
swivel:kursi putar  
syllabic nasal:nasal silabik  
syllable:silabel; suku kata  
syllable:suku kata; silabel  
syllable articulation:artikulasi silabel  
syllable names:nama silabel  
syllable reader:pembaca silabel  
syllogism:silogisme  
symbiont:simbion  
symbol:lambang  
symbol:simbol  
symbol definition instruction:instruksi definisi lambang  
symbol manipulation:manipulasi simbol  
symbol manipulation language:bahasa manipulasi simbol  
symbol name:nama simbol  
symbol rank:kedudukan simbol  
symbol string:sirkuitan lambang  
symbol string:string simbol  
symbol table:tabel lambang  
symbol table:tabel simbol  
symbolic:simbalik  
symbolic address:alamat simbolik  
symbolic addressing:pengalamatan simbolik  
symbolic assembler:perakit simbolik  
symbolic assembler processor:pemroses perakit simbolik  
symbolic assembly language:bahasa perakitan simbolik  
symbolic assembly program:program perakitan simbolik  
symbolic code:kode simbolik  
symbolic coding:pengkodean simbolik  
symbolic convention:konversi simbalik  
symbolic data processing:pemrosesan data simbolik  
symbolic debugger:penyelisik simbolik  
symbolic device:alat simbolik  
Symbolic execution:eksekusi simbol  
symbolic file:berkas simbolik  
symbolic I/O assignment:pemuatan I / O simbolik  
symbolic instruction:instruksi simbolik  
symbolic language:bahasa simbolik  
symbolic language:  
symbolic logic:logika simbolik  
symbolic manipulation:manipulasi simbolik

symbolic manipulation languages:bahasa manipulasi simbol  
symbolic model checking :  
symbolic name:nama simbolik  
symbolic name space:ruang nama simbolik  
symbolic node name:nama simpul simbolik  
symbolic operand:operandi simbolik  
symbolic parameter:parameter simbolis  
symbolic program:program simbolik  
symbolic program linkage:keterkaitan program simbolik  
symbolic programming:pemrograman simbolik:  
symbolic statement:pernyataan simbolik:  
symbolic substitution:substitusi simbolis:  
symbolic terminal name:nama terminal simbolik:  
symbolic trace ::  
symbolic value:nilai simbalik:  
symbolically:kesimbolikan:  
symbols (programming):simbolis (pemrograman):  
symbols for analysis and design tools:simbol perkakas analisis dan desain:1  
symbols for analysis and design tools:simbol untuk analisis dan perkakas perencanaan:DELETE  
symbols for analysis and design tools:simbol untuk analisis dan perangkat desain:DELETE  
symmetric:simetrik:  
symmetric binary channel:kanal biner simetris:  
symmetric encryption :enkripsi simetrik:  
symmetric kernel:kernel simetris:  
symmetric multiprocessor::  
symmetric processors:pemroses simetri  
symmetric property:properti simetrik  
symmetric storage configurations:konfigurasi penyipanan simetri  
symmetrical:simetris  
symmetrical component:komponen simetris  
symmetrical deflection:defleksi simetris  
symmetrical list:senarai simetrikal  
symmetrical network:jaringan simetris  
symmetrical wave:gelombang simetris  
symmetric-key cryptography :kriptografi kunci simetris  
symmetry:simetri  
SYN:SYN  
synapse:sinapse  
synaptic plasticity:plastisitas sinoptik  
sync bit:bit sinkronisasi  
sync character (SYN):karakter sinkronisasi  
synch:sin:  
synchronous data link control (SDLC):kontrol taut data sinkron:1  
synchronous data link control (SDLC):SDLC:  
synchronous digital hierarchy (SDH):hirarki digital sinkron:  
synchro:sinkro:

synchro cut:potongan sinkron:  
synchro device:peranti sinkro:  
synchro transmitter:pemancar sinkro:  
synchronism:sinkronisme:  
synchronization:sinkronisasi:  
synchronization:sinkronisasi:  
synchronization:sinkronisasi:  
synchronization frequency range:julat frekuensi sinkronisasi:  
synchronization minimum voltage:voltase minimum sinkronisasi:  
synchronization pulse:pulsa sinkronisasi:  
synchronization pulses:pulsa sinkronisasi:  
synchronize:sinkronis  
synchronized :tersinkron  
synchronized refinement :  
synchronized sweep:lejang tersinkron  
synchronizer:penyinkron  
synchronizing:penyinkronan  
synchronizing current:arus penyinkronan  
synchronizing frequency:frekuensi penyinkronan  
synchronizing hold control:kontrol lahan penyinkronan  
synchronizing pilot:pilot penyinkronan; pilot penyewaktuan  
synchronizing power:tenaga penyinkronan  
synchronizing pulse:pulsa sinkronisasi  
synchronizing signal generator:generator sinyal penyemasaan  
synchronoscope:sinkronoskop  
synchronous:semasa; sinkronis  
synchronous:semasa; sinkronis  
synchronous base:dasar sinkron  
synchronous booster:penggalak sinkron  
synchronous bus:  
synchronous circuit:sirkuit semasa; sirkuit sinkronis  
synchronous circuit:sirkuit semasa; sirkuit sinkronis  
synchronous clock:jam sinkron  
synchronous communication :  
synchronous communication control:kontrol komunikasi sinkronus/serempak  
synchronous commutator:komutator sinkron  
synchronous computer:komputer sinkron  
synchronous counter:penangkis semasa; pencacah sinkronis  
synchronous data adaptor:adaptor data sinkron  
synchronous data link control:kontrol penghubung data sinkron  
synchronous data link control:kontrol sambung data sinkron  
synchronous data link control communications:komunikasi kontrol hubungan data sinkron  
synchronous data network:jaringan kerjadata sinkron  
synchronous DRAM:DRAM sinkron:1  
synchronous error exit routine:rutin keluar keliru sinkron:  
synchronous exit routine:rutin keluar sinkron:

synchronous fading:pemudaran sinkron:  
synchronous generator:generator sinkron:  
synchronous idle:idle sinkron:  
synchronous idle:tak jalan sinkron:  
synchronous idle character:karakter tak berguna sinkron:  
synchronous impedance:impedans sinkron:  
synchronous induction motor:mesin induksi sinkron:  
Synchronous interaction:interaksi sinkron:  
synchronous line control:kontrol garis sinkron:  
synchronous line low load:beban rendah jalur sinkron:  
synchronous line medium speed:laju medium jalur sinkron:  
synchronous line medium speed with clock:laju medium jalur sinkron dengan jam:  
synchronous line set:perangkat jalur sinkron:  
synchronous machine:mesin sinkron:  
synchronous mode:ragam sinkron:  
synchronous mode:ragam sinkron:  
synchronous modem:modem sinkron:  
synchronous operation:operasi sinkron:  
synchronous operation:operasi sinkron:  
synchronous processing:pemrosesan sinkron:1  
synchronous time -division multiplexing:penggandaan divisi waktu sinkron:1  
synchronous time -division multiplexing:penggandaan divisi waktu sinkron:  
synchronous transmission:transmisi sinkron:1  
synchronous transmission:transmisi sinkron:  
synchronous transmission:transmisi sinkron:  
synchronous transmission:transmisi sinkron:  
"synonym, cache"::  
synonyms:sinonim:DELETE  
"synonyms, in virtual addressed cache"::  
syntactic:sintaktik:  
syntactic analysis:analisis sintaktik:  
syntactic rule:kaidah sintaktik:  
syntactical unit:unit sintaktikal:  
syntactics:sintaksis:  
syntax:sintaks; sintaksis:  
syntax:sintaksis:  
syntax and semantics:sintaksis dan semantik:1  
syntax and semantics:sintaksis dan semantik:DELETE  
syntax error:galat sintaks:1  
syntax errors:galat sintaks:1  
syntax errors:galat sintaks:  
syntax errors:kesalahan sintaks:  
syntax errors:kesalahan sintaks:  
syntax language:bahasa sintaks:  
syntax notation:notasi sintaksis:  
syntax of language(s):sintaks bahasa:

syntax of snobol:sintaks snobol:  
syntax programming languages:sintaks bahasa pemrograman:  
syntax rule:kaidah sintaksis:  
synthesizer:pensintesis:1  
synthetic metric ::  
sys::  
sysop :sysop:  
system::  
system administrator:administrator sistem:  
system analysis:analisis sistem:1  
system analysis:analisis sistem:1  
system analysis:analisis sistem:  
system analysis:analisis sistem:  
system analysis:analisis sistem:  
system analysis:analisis sistem:  
system analysis ::  
system analysis stage:tingkat analisis sistem:1  
system analysis stage:tingkat analisis sistem:1  
system analysis stage:tingkat analisis sistem:  
system analysis stage:tingkatan analisis sistem:1  
system analysis stage:tingkatan analisis sistem:  
system analysis stage (systems life cycle):tingkat analisis sistem (sistem daur hidup):DELETE  
system analyst:analisis sistem:1  
system analyst:penganalisis sistem:  
system analyst:penganalisis sistem:  
system architectures:arsitektur sistem:  
system assessment ::  
system block diagram:blok diagram sistem:  
system boards:papan sistem:  
system boundary:batasan sistem:  
system builder:pembangun sistem:  
system building ::  
system bus:bus sistem:1  
system bus:bus sistem:  
system bus:bus sistem:  
system characteristics:karakteristik sistem:  
system clock:jam sistem:1  
system complexity ::  
system composition ::  
system configuration:konfigurasi sistem:1  
system control:kendali sistem:1  
system control:kontrol sistem:  
system control block (SCB):blok kontrol sistem:1  
system conversion:konversi sistem:1  
system conversion:konversi sistem:1  
system conversion:konversi sistem:



system conversion:konversi sistem:  
system conversion:konversi sistem:  
system crash:kehancuran system:  
system data rates:laju data sistem:  
system decomposition ::  
system definition:definisi sistem:  
system delivery:pengantaran sistem:1  
system delivery:pengantaran sistem:  
system design:desain sistem:1  
system design:desain sistem:  
system design:disain sistem:  
system design:rancangan sistem:  
system design:rancangan sistem:  
system design ::  
system design stage:tingkat desain sistem:  
system design stage:tingkatan desain sistem:1  
system design stage:tingkatan desain sistem:  
system design stage (systems life cycle):tingkat desain sistem:1  
system design stage (systems life cycle):tingkat desain sistem:DELETE  
system development:pengembangan sistem:1  
system development:pengembangan sistem:  
system development:pengembangan sistem:  
system development ::  
system development approaches:pendekatan pengembangan sistem:  
system development cycle::  
system development hard/soft methodology:metode pengembangan sistem keras/lunak:  
system development life cycle:siklus hidup pengembangan sistem:1  
system development life cycle (SDLC):daur hidup pengembangan sistem:  
system development life cycle (SDLC):daur hidup pengembangan sistem (DHPS):1  
system development life cycle (SDLC):daur hidup pengembangan sistem (DKPS):1  
system development life cycle (SDLC):daur kehidupan pengembangan sistem (DKPS):  
system development life cycle (SDLC):siklus kehidupan pengembangan sistem:  
system development problems:masalah pengembangan sistem:  
system development software:perangkat lunak pengembangan sistem:  
system disk::  
system documentation:dokumentasi sistem:1  
system engineering ::  
system environment:lingkungan sistem:1  
system environment:lingkungan sistem:1  
system environment:lingkungan sistem:  
system environment:lingkungan sistem:  
system environment:lingkungan sistem:  
system failure::  
system failure ::  
system features:ciri sistem:  
system file:berkas sistem:

system files:berkas sistem:1  
system files:berkas sistem:DELETE?  
system files:berkas sistem:  
system flexibility:fleksibilitas sistem:1  
system flexibility:fleksibilitas sistem:1  
system flexibility:fleksibilitas sistem:  
system flexibility:fleksibilitas sistem:  
system flow:alir sistem:1  
system flow:alir sistem:  
system flow:aliran sistem:1  
system flow:aliran sistem:  
system flow chart::  
system flowchart:bagan alir sistem:1  
system flowchart:grafik alir sistem:  
system flowchart:grafik-aliran sistem:  
system flowchart:grafik-aliran sistem:  
system flowchart:grafik-aliran sistem:  
system flowcharts:grafik-aliran sistem:  
system integration:integrasi sistem:1  
system integration:integrasi sistem:  
system integration:integrasi sistem:  
system integration and network:integrasi dan jaringan sistem:1  
system integration and network:integrasi sistem dan jaringan:DELETE  
system life cycle:ketahanan sistem:  
system life cycle:ketahanan sistem:  
system life-cycle::  
system maintenance:pemeliharaan sistem:1  
system maintenance:perawatan sistem:  
system maintenance:perawatan sistem:  
system maintenance:perawatan sistem:  
system maintenance ::  
system menu window:jendela menu sistem:1  
system menu window:jendela menu sistem:  
system menu window:jendela menu sistem:  
system message:pesan sistem:  
system message design:desain pesan sistem:1  
system message design:desain pesan sistem:  
system message design:rancangan pesan sistem:  
system modeling ::  
system models data flow diagram:diagram aliran data model sistem :1  
system models data flow diagram:diagram sistem model aliran data:  
System Network Architecture (SNA):arsitektur jaringan sistem (SNA):1  
system network architecture (SNA):sistem arsitektur jaringan; arsitektur jaringan sistem:  
system profile::  
system reset:reset sistem:  
system size ::

system software:perangkat lunak sistem:1  
system software:peranti sistem:1  
system software:peranti sistem:  
system software:peranti sistem:  
system software:peranti sistem:  
system software ::  
system test ::  
system testing:uji sistem:1  
system testing:uji sistem:  
system testing:uji sistem:  
system testing::  
system type:tipe sistem:  
system unit :unit sistem:  
system utility device:alat utilitassistem:  
system utility program:program utilitas sistem:  
system variable symbol:simbol variabel sistem:  
system variables:variabel sistem:  
system verification:verifikasi sistem:  
system windows:jendela sistem:  
system with solidly earthed neutral:sistem dengan neutral tanah mantap:  
systematic distortion:distorsi sistematis:  
systematic error:kesalahan sistematis:  
systematic failure::  
systematic fault::  
systematic sampling:pengarahan sistematis:  
systems:sistem:  
systems:sistem:  
systems acquisition and cost:penguasaan sistem dan biaya:DELETE  
systems analysis:analisis sistem:1  
systems analysis:analisis sistem:  
systems analysis:analisis sistem:  
systems analysis and design:analisis dan desain sistem :1  
Systems analysis and design:analisis sistem dan desain:  
systems analyst:analisis sistem:  
systems analyst:analisis sistem:  
systems data preparation:persiapan data sistem:1  
systems data preparation:persiapan data sistem:  
systems definition:definisi sistem::  
systems design:desain sistem:1::  
systems design:desain sistem::  
systems design alternatives and cost:alternatif desain sistem dan biaya:DELETE::  
systems design and operations:desain dan operasi sistem :1::  
systems design and operations:desain sistem dan operasi::  
systems design cost:biaya desain sistem:1::  
systems design cost:biaya desain sistem::  
systems designer:pendesain/desainer sistem::

istilah-ti-indonesia

systems development: dataflow diagrams (DFDs):pengembangan sistem: diagram alir data:1  
systems development:pengembangan sistem:1::  
systems development:pengembangan sistem:1::  
systems development:pengembangan sistem::  
systems development:pengembangan sistem::  
systems development:pengembangan sistem::  
systems development analysis and design tools:analisis pengembangan sistem dan peralatan desain:DELETE::  
systems development analysis and design tools:perkakas analisis dan desain pengembangan sistem:1  
systems development and database systems:pengembangan sistem dan sistem pangkalan data:DELETE  
systems flowchart:bagan alir sistem:  
systems flowcharts:bagan alir sistem:  
systems implementation:implementasi sistem:  
systems issues:isu sistem:  
systems life cycle:daur hidup sistem:  
systems life cycle:daur kehidupan sistem:1  
systems life cycle:siklus hidup sistem:1  
systems life cycle:siklus kehidupan sistem:  
systems life cycle and applications:daur hidup dan aplikasi sistem:1  
systems maintenance and documentation:perawatan sistem dan dokumentasi:DELETE  
Systems Network Architecture:Arsitektur Jaringan Sistem:1  
Systems Network Architecture:Arsitektur Jaringan Sistem:  
systems of equations:sistem dari persamaan:  
systems resource:sumber sistem:  
systems review and control:tinjauan sistem dan kontrol:DELETE  
systems review documentation:dokumentasi tinjauan sistem:1  
systems review documentation:dokumentasi tinjauan sistem:  
systems software:perangkat sistem:  
systems software:perangkat sistem:  
systems specification:spesifikasi sistem:  
systems specification methodology:metodologi spesifikasi sistem:  
systems theory:teori sistem:  
systems throughput:debit sistem:  
systolic array:susunan sistolik:  
systolic array:susunan sistolik:  
T-1::  
T1 carrier:pembawa T1:1  
T1 carrier:pembawa T1:  
T-1 line:jalur T1:1  
T-3::  
tab:label:  
tab file:berkas tab:  
TAB key:tombol TAB:  
tab position:posisi tabel:  
tabbing:pelabelan:

tab-call:panggilan tab:  
 table:tabel:1  
 table:tabel:  
 table element:elemen tabel:  
 table file:berkas tabel:  
 table handling:penanganan tabel:  
 table language:tabel bahasa:  
 table linkage field:medan penghubung tabel:  
 table look-at:lihat label:  
 table lookup:pembacaan tabel:  
 table look-up:tabel:1  
 table look-up:tabel  
 table lookup instruction:instruksi tabel  
 table management:pengelola daftar  
 table of frequency allocations:tabel alokasi frekuensi  
 table pack:kemas tabel  
 table search:telusur tabel  
 tables:tabel  
 tables:tabel  
 tablespace:ruang table  
 TABLESPACE:  
 tablet:tablet  
 tablet block instrument:alat blok tablet  
 tabular form language:bahasa bentuk tabulasi  
 tabular language:bahasa daftar/tabel  
 tabulation:tabulasi  
 tabulation spacing:jarak tabulasi  
 tabulator:tabulator  
 TAC access:akses TAC  
 tachometer:takometer  
 tachometer dynamo:dinamo takometer  
 tactical air navigation:navigasi udara taktis  
 tactical level decision-making:keputusan tingkat taktis  
 tactical level decision-making:keputusan tingkat taktis  
 tactical view :  
 TAD interface:  
 tag:label  
 tag>tag; girik  
 tag (in memory to indicate object class/type):  
 tag along sort:panjang pendek girik  
 tag bus:bus tag  
 tag card:kartu girik/kitir  
 tag decode:membaca sandi tag  
 tag format:format kitir:  
 tag reader:pembaca kutipan:  
 tag sort:urut tag:

tag system:sistem tag:  
"tag, in caches"::  
tagged image file format (TIFF):TIFF:  
tagged value ::  
tagging:penandaan:  
tailing:lepaian:  
tailored software:perangkat lunak sesuai:  
tailrace:ekor pace:  
take-up:ambil:  
take-up option:pilihan pengambilan:  
take-up reel:gelondong pengangkut:  
talk key:kunci bicara:  
talk mode:ragam bicara:1  
talk mode:ragam bicara  
talker:pembicara  
talker echo:gema pembicara  
talking capacitor:kapasitor pembicaraan  
tally:penghitungan  
tally register:register penghitungan  
tamper:pelalatom  
tandem data circuit:sirkuit data berurutan  
tandem office:kantor tandem  
tandem office:kantor tendem  
tandem operation:operasi tandem/ganda  
tandem selection:seleksi tandem  
tandem switch:saklatr tandem  
tandem system:sistem tandem  
tandem trunking:pembuatan jalur utama tandem  
tandem-compound turbin:turbin tandem-majemuk  
tangent suspension tower:menara suspensi tangan  
tank capacity:kapasitas tangki  
tank circuit:untak tangki  
tantalum condenser:kondensor tantalum  
tap:cerat  
tap changer:pengubah tap  
tap continuity test:uji kemalaran tap  
tap noise test:uji derau tap  
tape:pita  
tape backup:cadangan pita  
tape block:blok pita  
tape cable:kabel pita  
tape cartridge:patrum pita  
tape cartridge drive:kontrol patrum pita  
tape cartridge reader:pembaca patrum pita  
tape cartridge unit:unit kelongsong pita  
tape cassette:pita kaset:

tape cassettes:pita kaset:  
tape cartridge:tempat pita:  
tape channel:alur pita:  
"tape channels, 6 additional":saluran pita 6 tambahan:  
tape cleaner:pembersih pita:  
tape complexity:kekompleksan pita:  
tape control:kontrol pita magnetik:  
tape deck:pita dek:  
tape deck:pita dek:  
tape device:peranti pita:1  
tape drive:penggerak pita:  
tape drive:penggerak pita:  
tape dump:penumpah pita:  
tape error statistics:statistik kesalahan pita:  
tape file:berkas pita:  
tape frame:kerangka tape  
tape guide:pendu pita  
tape head:  
tape header label:label kepala/bonggol pita  
tape input:masukan pita  
tape label:label pita  
tape label check:cek label pita  
tape labels:cek label pita  
tape librarian:pustakawan pita  
tape library:pustaka pita  
tape library:pustaka pita  
tape limit:batas pita  
tape limited:pembatas pita  
tape loading:pembeban pita  
tape mark:tanda pita  
tape operating system:sistem operasi tape  
tape oriented system:sistem orientasi pita:  
tape punch:pelubang pita:  
tape read head:kepala baca pita:  
tape reader:alat baca pita:  
tape reading:pembacaan pita:  
tape recording:perekaman pita:  
tape reel:rol pita:  
tape relay:relai pita:  
tape relay system:sistem relai pita:  
tape reproducer:reproduser pita:  
tape resident system:sistem residen pita:  
tape row:deretan tape:  
tape serial number:nomor seri pita:  
tape server:server pita:1  
tape server:server pita:

tape shooter:penembak pita:  
tape sort:pilah pita:  
tape speed:kecepatan pita:  
tape splicer:penyambung pita:  
tape spool:pemisah pita:  
tape station:stasiun pita:  
tape storage:penyimpan pita:  
tape streamer:pengalir pita:1  
tape streamer:pengalir pita:  
tape system backup:sistem tape cadangan:  
tape system backup software:sistem tape cadangan perangkat lunak:  
tape system backup start-stop:mulai-henti sistem pita cadangan:  
tape system backup streaming:pengaliran sistem pita cadangan:  
tape to card converter:konverter pita ke kartu:  
tape to card printing punch:pita ke kartu tebuk cetakan:  
tape to card punch:pita ke kartu tebuk:  
tape to print:pita ke cetakan:  
tape trailer label:label ekor pita  
tape transport:transport pita  
tape unit:unit pita  
tape unit status:status unit pita  
tape verifier:pentahkik pita  
tape/disc library:perpustakaan pita / cakram  
tape-armored cable:kabel bersirah pita  
tape-controlled carriage:bea angkutan pita terkontrol  
tape-to-card converter:pengubah pita-ke-kartu  
tape-to-card converter program:program pengubah pita-ke- kartu  
tape-to-tape converter:pengubah pita-ke-pita  
tape-to-tape converter program:program pengubah pita-ke-pita  
tar:tar  
tare weight:bobot tarra  
target:target  
target architecture (in emulation):  
target computer:komputer target:  
target configuration:konfigurasi target:  
target data:data target:  
target entity::  
target language:bahasa sasaran:  
target language::  
target machine ::  
target program:program/acara sasaran:  
target segment:segmen target:  
target variable:variabel target:  
targeting mail:surat sasaran:1  
targeting mail:surat sasaran:  
targeting mail:surat tertuju:



targeting mail:surat tertuju:  
tariff:tarif:  
tariff publishing system:sistem tarif penerbyten:  
tariff system:sistem tarif  
task:tugas  
task :  
task control:kontrol tugas  
task control block:blok kontrol tugas  
task control program:program kontrol tugas  
task data:data tugas  
task dispatcher:pemberangkat tugas  
task dispatcher:pengirim pekerjaan  
task dispatching:pengiriman tugas  
task identification:identifikasi tugas  
task initiation:pengawalan tugas  
task input queue:antrian masukan tugas  
task interaction graph :  
task library:pustaka tugas  
task log buffer:penyangga log tugas  
task management:pengelolaan tugas  
task management program:program manajemen tugas  
task message queue node:nodus antri pesan tugas  
task name:nama tugas  
task object:objek target  
task origination:asal-muasal tugas  
task points :  
task priority:prioritas tugas  
task queue:antrian tugas  
task recovery:pemulihan tugas  
task scripts :  
task selection:penyeleksian tugas  
task suspend:penangguhan tugas  
task switch:perangkai tugas  
task switch:saklar tugas  
task switching:peralihan tugas  
task synchronization:sinkronisasi tugas  
task termination:terminasi pekerjaan  
task termination:terminasi tugas  
task variable:variabel tugas  
task-scheduling priorities:prioritas penjadwalan pekerjaan  
tatibana-type magnetron:magnetron tipe-tatibana  
tautology:tautologi  
taxation:perpajakan  
taxonomy:taksonomi  
taxonomy:  
TC:TC

TC:TCAM

TCAM:TCAM

TCB:TCB

TCP/IP:TCP/IP

TCP/IP:TCP/IP

TCU:TCU

TD:TD

team members :

team organization:team organisasi

team work key:kunci kerja tim

teamwork:kerja kelompok

technical and office protocol (TOP):protokol teknis dan kantor

technical committee:komite teknis

technical documentation:dokumentasi teknis

technical documentation:dokumentasi teknis

technical metric :

technical process:proses teknikal

technical reference:acuan teknis

technical reference :

technical risks :

technical writer :

technique:teknik:

techniques:teknik:

technological risk ::

technology::

technology assessment:penilaian teknologi:

technology evolution:evolusi teknologi:

technology transfer:transfer teknologi:

technos:teknos:

tele-autograph:tele autograf:

telebanking:telebanking:

teleblackboard:papan tulis jarak jauh:

telecamera:telekamera:

telecenter:telesenter:

telecommunication:telekomunikasi:1

telecommunication:telekomunikasi:

telecommunication control:kontrol telekomunikasi:

telecommunication facility:fasilitas telekomunikasi:

telecommunication lines:lin telekomunikasi:

telecommunication network:jaringngan telekomunikasi:

telecommunication network:jaringan telekomunikasi:1

telecommunication regulation:undang-undang telekomunikasi:

telecommunication system:sistem telekomunikasi:

telecommunications:telekomunikasi:

telecommunications:telekomunikasi:

telecommunications and competitive advantage:telekomunikasi dan kelebihan kompetitif:DELETE

istilah-ti-indonesia

telecommunications channels:kanal telekomunikasi:  
telecommunications channels asynchronous/ synchronour:kanal telekomunikasi asinkron / sinkron:  
telecommunications channels bandwidth:lebatang band kanal telekomunikasi:  
telecommunications channels simplex/duplex/ half-duplex:kanal telekomunikasi simplex/duplex:  
telecommunications control system:sistem kontrol telekomunikasi:  
telecommunications control unit:unit kontrol telekomunikasi:  
telecommunications feature:ciri khas telekomunikasi:  
telecommunications media:media telekomunikasi:  
telecommunications networks:jaringan telekomunikasi:  
telecommunications system:sistem telekomunikasi:  
telecommuting:telekarya:1  
telecommuting:telekarya:  
telecommuting:telekarya:  
teleconferencing:penelekonferensian:1  
teleconferencing:penelekonferensian:1  
teleconferencing:penelekonferensian:  
teleconferencing:telekonferensi:1  
teleconferencing:telekonferensi:  
teleconferencing:telekonferensi:  
teleconferencing:telekonferensi:  
teleconferencing:telekonferensi:  
teleconferencing:telesidang:1  
teleconferencing multimedia:multimedia telekonferensi:1  
teleconferencing multimedia:multimedia telekonferensi:  
teleducation:belajar jarak jauh:  
telegram:telegram:  
telegraph:telegraf:  
telegraph:telegraf:  
telegraph:telegraf:  
telegraph alphabet:abjad telegraf:  
telegraph attachment:penambahan telegraf:  
telegraph cable:kabel telegraf:  
telegraph code:kode telegraf:  
telegraph equation:penyamaan telegraf:  
telegraph grade circuit:sirkuit derajat telegraf:  
telegraph line:lin telegraf:  
telegraph line pair:pasangan saluran telegraf:  
telegraph network:jaringan telegraf:  
telegraph relay:relai telegraf  
telegraph repeater:pengulang telegraf  
telegraph signal:sinyal telegraf  
telegraph speed:kecepatan telegraf  
telegraph speed:kepesatan telegraf  
telegraph system operation:operasi sistem telegrafi  
telegraph terminal control base:basis pengawas terminal telegraf

telegraphy:telegrafi  
telelearning:telebelajar  
telematics:telematika  
telemeter:telemeter  
telemetering:pentelemeteran  
telemetry:telemetri  
telemetry system:sistem telemetri  
telemonitoring:monitor jarak jauh  
telenet:telenet  
telenet:telenet  
telenet:telenet  
telephone:telepon  
telephone answering sequence:urutan menjawab telepon  
telephone area:daerah telepon  
telephone bandwidth:lebatang band telepon  
telephone basic system:sistem telepon sederhana  
telephone busy signals:nada sibuk telepon  
telephone cable:kabel telepon  
telephone central office:kantor sentral telepon  
telephone company:perusahaan telepon  
telephone components:komponen telepon  
telephone connections:sambungan telepon  
telephone drop:kemerosotan telepon  
telephone electronic system:sistem elektronik telepon  
telephone exchange:pertukaran telepon  
telephone input:masukan telepon:  
telephone interference coordination:koordinasi interferens telepon:  
telephone line:lin telepon:  
telephone line:lini telepon:  
telephone lines:lini telepon; saluran telepon:  
telephone receiver:penerima telepon:  
telephone repeater station:stasiun pengulang telepon:  
telephone set:perangkat telepon:  
telephone subscriber:pelanggan telepon:  
telephone traffic management:manajemen lalu lintas telepon:1  
telephone traffic management:manajemen lalu lintas telepon:  
telephone-tunnel:terowongan telepon:  
telephonic communication:komunikasi telefonik:  
telephony:telepon:  
teleport:teleport:  
teleprinter:telepencetak:  
teleprinter for leased telegraph:telepencetak untuk telegraf sewaan:  
teleprocessing:telepemrosesan:1  
teleprocessing:telepemrosesan:  
teleprocessing monitor:monitor telepemrosesan:  
teleprocessing network simulator:simulator jaringan telepemrosesan:

istilah-ti-indonesia

teleprocessing on-line test control program:program kontrol tes on-line teleprosesing:  
teleprocessing on-line test program:program uji sedang mengudara telepemrosesan:  
teleprocessing security:keamanan pemrosesan jarak jauh:  
teleprocessing subsystem:subsistem pemrosesan jarak jauh:  
teleprocessing support feature:ciri khas bantuan telepemrosesan:  
teleprocessing system:sistem pemrosesan jarak jauh:  
telereference:acuan jauh:  
teleservice:telejasa:  
teleshopping:telebelanja:1  
teleshopping:telebelanja:  
teleshopping:telebelanja:  
teleshopping:telebelanja:  
telesoftware:teleperangkat lunak:1  
telesoftware:teleperangkat lunak:  
telesoftware:teleperangkat lunak:  
telesoftware:teleperangkat lunak:  
TELESPEED:TELESPEED:  
teletel:teletel:1  
teletel:teletel:  
teletel:teletel:  
teletel:teletel:  
teletex:teleteks:1  
teletex:teletex:  
teletext:teletext:  
teletext:teletext:  
teletype:teleketik:  
teletype (H)::  
teletype input-output unit:unit masukan-keluaran teleketik:  
teletype protokol (TTY protokol):protokol teleketik (protokol TTY):1  
teletypewriter:mesin teleketik:  
teletypewriter:mesin teleketik:  
teletypewriter cable:kabel mesin teleketik:  
teletypewriter exchange service:pelayanan pertukaran teleketik:  
Teletypewriter Exchange Service (TWX):TWX:  
teletypewriter switching system:sistem penyambungan teleketik:  
teletypewriter switching systems:sistem penyambungan teleketik:  
television:televi:  
television bandwidths:lebar band televi:  
television broadcasting:siaran televi:  
television cable:televi kabel:  
television color circuitry:rangkaian televi berwarna:  
television color transmission:transmisi televi berwarna:  
television networks:jaringan televi:  
television picture tube:tabung gambatang televi  
Television Receive Only Earth Station (TVRO):TVRO  
television receiver:penerima televi

istilah-ti-indonesia

television soundcarrier:pembawa suara televisi  
television transmitter separation:pemisahan pemancar televisi  
telewriter:mesin tulis tele  
telewriting:tulis jauh  
telex:teleks  
telex code:kode teleks  
telex data:data telex  
Telex Service:jasa telex  
telex station equipment:perlengkapan stasiun teleks  
teller:kasir  
teller station:stasiun perbankan  
teller terminal:terminal perbankan  
tellers terminal:terminal penerima  
telnet:telnet:1  
telnet:telnet:1  
telnet:telnet:  
telnet:telnet:  
TELNET:TELNET:  
TelNet:telnet:  
temperature alarm:alarm suhu:  
temperature coefficient:koefisien temperatur:  
temperature distribution:agihan suhu:  
temperature gradient:gradien temperatur:  
temperature inversion:inversi suhu/temperatur:  
temperature lapse rate:tingkat perubahan suhu:  
temperature noise:derau suhu:  
temperature radiation:sinaran suhu:  
temperature relay:relai suhu:  
temperature test:uji suhu:  
tempering:prngurangan  
template:pencontoh  
template :  
TEMPLATE FORM:  
TEMPLATE REPORT:  
templating:  
temporal coherence:koherensi temporal  
temporal cohesion:  
temporal constraint :  
temporal interval logic :  
temporal logic:logic temporal  
temporal logic:logic temporal  
temporal logic :  
temporary area:kawasan/daerah sementara  
temporary assignment:tugas sementara  
temporary close:tutup sementara  
temporary data set:kumpulan data sementara

temporary disk:disk temporer  
temporary file:berkas sementara  
temporary file:berkas temporer  
temporary files:  
temporary library:pustaka sementara  
temporary log file:berkas log sementara  
temporary memory:memori temporer  
temporary read/write error:kesalahan baca/tulis temporer  
temporary register:pencatat temporer  
temporary service:layanan temporer  
temporary signal:sinyal temporer  
temporary storage:memori temporer  
temporary storage:penyimpan sementara  
temporary storage management:pengelolaan memori temporer  
temporary text delay:tundaan teks sementara  
temporary valve:katup temporer:  
ten key:kunci sepuluh:  
tenefrescence:tenefresens:  
ten-key:kunci sepuluh:  
tens complement:komplemen/pelengkap tens:  
ten's complement:komplemen 10:  
tension control:kontrol tensi:  
tension insulator:insulator tensi:  
tension meter:meter tensi:  
tension roller:roler tensi:  
tera-:tera-:  
terabyte:terabita:1  
terabyte:terabyte:1  
terabyte:terabyte:  
terabyte:terabyte:  
terabyte:terabyte:  
teraflop:teraflop:  
term:istilah:  
terminal:terminal:1  
terminal:terminal:1  
terminal:terminal:  
terminal:terminal; pangkalan:  
terminal:terminal; pangkalan:  
terminal assembly:perakitan terminal:  
terminal base adaptor:adaptor alas terminal:  
terminal board:papan terminal:  
terminal box:kotak terminal:  
terminal class:klas terminal:  
terminal clients:klien terminal:  
terminal component:komponen terminal:  
terminal control:kontrol terminal:

istilah-ti-indonesia

terminal control expansion:perluasan pengawan terminal:  
terminal control table:tabel kontrol terminal  
terminal control unit:unit kontrol terminal  
terminal device:peranti terminal  
terminal emulation:emulasi terminal  
terminal emulation and file transfer:emulasi terminal dan transfer berkas  
terminal emulation and gopher:emulasi terminal dan gopher  
terminal emulator package:paket emulasi terminal  
terminal equipment:alat pangkalan  
terminal equipment:alat terminal  
terminal fitting:pencocokan terminal  
terminal I/O wait:tunggu I/O terminal  
terminal identification:identifikasi akhir  
terminal impedance:impedansi terminal  
terminal input:terminal masukan  
terminal job:pekerjaan terminal  
terminal job identification:identifikasi kerja terminal  
terminal job identification:identifikasi tugas terminal::  
terminal list:senarai terminal::  
terminal loop feature:ciri khas putaran terminal::  
terminal loss:rugi akhir::  
terminal lug:tarikan terminal::  
terminal machine:mesin terminal::  
terminal management:manajemen terminal::  
terminal management program:program manajemen terminal::  
terminal marking:penandaan terminal::  
terminal monitor program:program monitor terminal::  
terminal multiplexer:pengganda terminal::  
terminal node:titik simpul terminal::  
terminal node controller (TNC):kontroler node terminal:1::  
terminal node controller (TNC):TNC::  
terminal online test executive:uji mengudara terminal eksekutif::APL:DELETE  
terminal parameter:parameter terminal::  
terminal port:pelabuhan terminal  
terminal repeater:pengulang terminal  
terminal room:ruang terminal  
terminal servers:server terminal  
terminal service:service terminal  
terminal session:pembahasan terminal  
terminal status block:blok status terminal  
terminal strip:garis terminal  
terminal systems:terminal sistem  
terminal table:tabel terminal  
"terminal type, for remote login":tipe terminal untuk login jarak jauh  
terminal unit:unit terminal  
terminal user:pengguna terminal



terminal voltage:voltase akhir  
terminal VOR:terminal VOR  
terminals:terminal  
terminal-table entry:entri tabel-terminal:  
terminate self:swapembatasan:  
terminated line:baris berhenti:  
terminating decimal:desimal penutup:  
terminating plug:steker pemutusan:  
terminating resistance:tahanan pembatasan:  
terminating subscriber:pelanggan putus:  
termination:pemberhentian:  
termination:terminasi:  
termination:terminasi; penghentian:  
termination card:kartu terminasi:  
termination predicate:predikat pemungkasan:  
termination routine:rutin terminasi:  
terminator:terminator:1  
terminator:terminator:1  
terminator:terminator:  
terminator:terminator  
terminators:terminator  
terminators:terminator  
ternary:tigaan  
ternary incremental representation:representasi penambahan tigaan  
ternary numeral:bilangan terner  
ternary numeration system:sistem pembilangan/numerasi terner  
terrain effect error:daerah galat efek  
terrestrial station:stasiun bumi  
terrestrial current:arus bumi  
terrestrial magnetism:magnetise terestrial  
terrestrial transmission:transmisi terestrial  
tertiary circuit:sirkuit tertier  
tertiary coil:kumparan tertier  
tertiary current:arus tertier  
tertiary voltage:voltase tertier  
test:tes:  
test:ujian:  
test::  
test access port::  
test atmosphere:uji atmosfer:  
test bed:tempat uji coba:  
test bed::  
test board:papan tes:  
test board:papan uji:  
test call:panggilan tes:  
test call message:pesan panggilan tes:

test case ::  
test case generator::  
test case specification:spesifikasi kasus uji:1  
test clamp:kempa uji:  
test come clear:penghapusan hingga uji datang:  
test coodition:syarat tes:  
test coverage ::  
test criteria::  
test data:data tes:  
test data:data uji:1  
test desk:meja uji:  
test dial:dial uji; angka uji:  
test distributor:uji distributor:  
test generation:pembangkit tes:  
test generation:pembangkit tes:  
test generation:pembangkit tes:  
test generation:pembangkit tes:  
test generation:pembangkit tes:  
test generation:pembangkit tes:  
test generation:pembangkit tes:  
test generator ::  
test harness:sabuk tes:  
test indicator:indikator tes:  
test jack:bicu uji:  
test joint:sambungan uji:  
test library ::  
test loop:sosok uji:  
test oracle:tes oracle:  
test pattern:pola tes:  
test pattern:pola tes:  
test pattern ::  
test phase::  
test plan:rencana uji:  
test plan and procedure ::  
test point::  
test pole:kutub uji:  
test procedure specification:spesifikasi prosedur uji:1  
test program:program tes:  
test register::  
test repeatability::  
test report::  
test response compaction::  
test routine:rutin uji:  
test run:rentetan tes:  
test schema:skema tes:  
test section:seksi tes:

test spring:pegas uji:  
test tone:nada uji:  
test translator:uji penerjemah:  
testability:kedapatan ujian:1  
testability:kemampuan uji:  
testability:kemampuan uji:  
testability:kemampuan uji:  
testability:kemampuan uji:  
testability ::  
test-and-set instructiontest-and-set instruction::  
testbed:tapak uji:1  
tester:alat uji; penguji:  
testing:pengujian:  
testing:pengujian:  
testing:pengujian:  
testing::  
testing boundary:batas uji:1  
testing boundary:batas uji:  
testing constant:pengujian tetap:  
testing coverage:cakupan uji:1  
testing coverage:cakupan uji:  
testing data-structure based:penyekatan ekuivalensi uji:1  
testing data-structure based:uji berbasis struktur data:  
testing defined:definisi uji:1  
testing defined:definisi uji:  
testing device:peranti penguji:  
testing documentation:dokumentasi uji:1  
testing documentation:dokumentasi uji:1  
testing documentation:dokumentasi uji:  
testing documentation:dokumentasi uji:  
testing documentation:dokumentasi uji:  
testing dynamic:uji dinamik:1  
testing dynamic:uji dinamik:  
testing dynamic:uji dinamik:  
testing equivalence partitioning:penyekatan ekuivalensi uji:1  
testing equivalence partitioning:uji ekuivalensi pemartisian:  
testing in the large:uji umum:1  
testing in the large:uji umum:  
testing in the large:uji umum:  
testing integration:integrasi uji:1  
testing integration:integrasi uji:  
testing integration:integrasi uji:  
testing jack:bicu penguji:  
testing machine:mesin penguji:  
testing performance:uji kinerja:1  
testing performance:uji kinerja:

testing performance:uji kinerja:  
testing regression:regresi uji:1  
testing regression:uji regresi:  
testing regression:uji regresi:  
testing static:statik uji:1  
testing static:uji statik:  
testing static:uji statik:  
testing stress:tekanan uji:1  
testing stress:uji tekanan:  
testing stress:uji tekanan:  
testing structure:struktur uji:1  
testing structure:uji struktur:  
testing structure:uji struktur:  
testing tool:perkakas pengujian:  
testing tool:perkakas pengujian:  
testing tool:perkakas uji:1  
testing tools:perangkat pengujian:  
testing transformer:transformator penguji:  
testing white-box:kotak putih uji:1  
testing white-box:uji kotak putih:  
testing/implementation stage:tingkat uji/implementasi:1  
testing/implementation stage (systems life cycle):tingkat uji/implementasi:DELETE  
tetrode:tetroda:  
TEX:TEX:  
texel:teksel:  
text:teks:  
Text analysis:analisis teks:  
Text box :TEXT BOX :KOTAK TEKS  
text card:kartu teks:  
text communication:komunikasi teks:  
text editing:penyuntingan teks:  
text editor:pengedit teks:  
text file:berkas teks:1  
text file:berkas teks:  
text files:berkas teks:  
text files:berkas teks:  
text interface:antarmuka teks:1  
text interface:antarmuka teks:  
text interface:antarmuka teks:  
text interface:antarmuka teks:  
text library:pustaka teks:  
text mode :ragam teks  
text processing:pemrosesan teks  
text segment:segmen teks  
text step:tahap teks  
Text Telephone (TT):TT

istilah-ti-indonesia

text transfer state:keadaan transfer teks  
textile industry monitoring system:sistem monitor industri tekstil  
textile insulated cable:kabel isolasi tekstil  
Textual databases (NEW):pangkalan data tekstual  
textual interface :  
texture:tekstur  
texture:tekstur  
texture:tekstur  
TFT:  
TFTP :TFTP  
"TGV, INC.,":"TGV, Inc."  
theft of data:pencurian data:DELETE  
theorem solvers ::  
theoretical margin:margin teoretis:  
theoretical programming:pemrograman teoretis:  
theoretical value:nilai teoritis:  
theory:teori:  
theory:teori:  
theory and methods:teori dan metode:  
theory and models:teori dan model:  
thermal agitation:agitasi suhu:  
thermal agitation noise:derau agitasi suhu:  
thermal conductivity:kehantaran termal:  
thermal copying machine:mesin kopi suhu:  
thermal efficiency:efisiensi suhu:  
thermal fuse:pemutus arus termal:  
thermal neutron:neutron suhu:  
thermal noise:desah termik  
thermal plate making machine:mesin pembuatan pelat suhu  
thermal printer:pencetak panas  
thermal printer:pencetak panas  
thermal process diazo copying machine:mesin kopi diazo proses termal  
thermal radiation:sinaran suhu  
thermal relay:relai suhu  
thermal resistance:resistensi listrik  
thermal resistance:tahanan listrik  
thermal run away:lepas termal  
thermal test:uji suhu  
thermal type:jenis termal  
thermion:termion  
thermionic conduction:konduksi termionik  
thermionic emission:emisi termionik  
thermionic tube:tabung termionik  
thermionic valve:kran termionik  
thermistor:termistor  
thermistor mount:puncak termistor

thermo-ammeter:termo-ometer  
thermocombustion bonding:pengikatan termokompresi  
thermocouple:termogu  
thermocouple block:blok termokopel  
thermoelectric current:arus termoelektrik  
thermoelectric diagram:diagram termoelektrik  
thermoelectric power:tenaga termoelektrik  
thermoelectric thermometer:termometer termoelektrik  
thermoelectric type:tipe termoelektrik  
thermoelectricity:ketermoelektrikan  
thermoelectromotive force:kakas termoelektromotif  
thermomagnetic recording:  
thermometer:termometer  
thermopile:termopila:  
thermoplastic resin:damar termoplastik:  
thermoplasticity:termoplastisitas:  
thermo-sensitive device:peranti termo-sensitif:  
thermosetting property:properti termoset:  
thermosetting resin:damar termoset:  
thermostat:termostatistik:  
thermostatic bath:tangas termostatik:  
thermostatic pyrometer:pirometer termostatik:  
thesaurus:tesaurus:  
thesauruses:tesaurus:  
theta join:gabungan theta:  
THETA JOIN::  
thick ethernet:ethernet tebal:1  
thick ethernet:ethernet tebal:  
thick film:film/selaput tebal:  
thick film hybrid integrated circuit:sirkuit terintegrasi hibrida film tebal:  
thick film integrated circuit:sirkuit terintegrasi film tebal:  
thin client computer:komputer klien kecil:1  
thin ethernet:ethernet tipis:  
thin film:film/selaput tipis:  
thin film capacitor:kapasitor film tipis:  
thin film integrated circuit:sirkuit berintegrasi selaput tipis:  
thin film memory:memori film tipis:  
thin film storage:penyimpanan film tipis:  
thinning method:metode perampingan:  
third control for base drives:kontrol ketiga untuk pacu dasar:  
third generation computer:komputer generasi ketiga:  
third generation language (3GL):bahasa generasi ketiga:  
third generation language (3GL):bahasa generasi ketiga (BGK):1  
"third generation language, 3GL"::  
third generation languages:bahasa generasi ke tiga:  
third party maintenance:perawatan bagaiannya ketiga:

THIRD PARTY PRODUCT::

third party traffic:trafik melalui orang ke tiga:  
third printer control:pengontrol printer ketiga:  
third rail:rel ketiga:  
third-brush generator:generator sikat-ketiga:  
third-generation language (3GL):bahasa generasi ketiga:  
third-generation language (3GL):bahasa generasi ketiga (BGKt):1  
third-generation languages:bahasa generasi ke tiga:  
third-rail system:sistem rel-ketiga:  
thrashing: deraan:1  
thrashing:deraan:  
thrashing:deraan:  
thread:ulir:  
thread:ulir:  
thread of control ::  
threaded discussions:ulir diskusi  
threading:penguliran  
threads:ulir  
threads integration:integrasi ulir  
three address instruction:perintah alamat tiga  
three axis attitude stabilization:pemantapan sikap poros tiga  
three color tube:tabung warna tiga  
three dimensional system:sistem tiga dimensi  
three phase:tiga tahap  
three primary colors:rona primer tiga  
three state control:kontrol keadaan tiga  
three-address:tiga alamat  
three-address instruction:instruksi tiga alamat  
three-address instruction:instruksi tiga-alamat  
three-core cable:kabel inti-tiga  
three-dimensional displays:display tiga dimensi  
three--dimensional memory organization:  
three-factor interaction:interaksi tiga-faktor  
three-part rate schedule:jadwal laju tiga-bagian  
three-phase circuit:sirkuit tiga-tahap  
three-phase commutator machine:mesin ulang-alik tiga-tahap  
three-phase generator:generator tiga-tahap  
three-phase motor:motor tiga-tahap  
three-phase short-circuit:sirkuit pendek tiga-tahap  
three-phase short-circuit characteristic:karakteristik sirkuit pendek tiga-tahap  
three-phase three-wire system:sistem tiga-dawai tiga- tahap  
three-plus-one address:adres tig-plus-satu  
three-plus-one address instruction:instruksi alamat tiga tambah satu  
three-pole:tiga-kutub  
three-position signal:sinyal tiga posisi  
three-row keyboard:papan tombol tiga baris

three-state circuit:  
three-terminal contact:kontak tiga terminal:  
Three-tier :THREE-TIER :BERDERET BERTINGKAT TIGA  
three-way receiver:penerima tiga-cara:  
three-way switch:saklar tiga-cara:  
three-wire meter:meter tiga-kawat:  
threshold:ambang:  
threshold:ambang:  
threshold audiogram:audiogram ambang:  
threshold element:elemen ambang:  
threshold frequency:frekuensi ambang:  
threshold function:fungsi threshold:  
threshold gate:gerbang ambang:  
threshold level:aras ambang:  
threshold level:tahap ambang:  
threshold logic:logika ambang:  
threshold of audibility:ambang keterdengaran:  
threshold of feeling:ambang rasa  
threshold of hearing:ambang pendengaran  
threshold operation:operasi threshold  
threshold signal:signal ambang  
threshold value:nilai ambang  
threshold voltage:tegangan ambang  
threshold voltage:voltase ambang  
threshold wavelength:panjang gelombang ambang  
threshold element:elemen ambang pintu  
thresholding:penthresholdan  
throat microphone:mikrofon kerongkongan  
through hole:lubang terusan  
through type current transformer:transformasi arus tipe tembus  
throughput:debit  
throughput:debit  
thruput:debit  
thrust bearing:bantalan kakas-dorong  
thrust chamber:ruang bidang  
thrust vector control:pengontrol vektor kakas- dorong  
Thue systems:sistem Thue  
thumb wheel:roda utama  
thumbnail:  
thump:gebukan  
thyatron:tiratron  
thyristor:tiristor  
TI system:sistem TI  
ticker:juru tiket  
ticket:tiket  
ticket printing machine:mesin pencetak tiket



tickler coil:kumparan pentikel  
tidal power station:stasiun daya apasang  
tie:seri  
tie jumper:besi bor ikat:  
tie line:garis ikat:  
tie trunk:batang balok landasan:  
tie wire:dawai ikat:  
Tier:tier:  
TIF::  
tight coupling:kopling rapat:  
tightened sampling inspection:inspeksi acak ketat:  
tightly coupled system::1  
tightly-coupled multiprocessors::  
tilde:tilde:  
tiled window:jendela petak:  
TILED WINDOW::  
tilt:dongak:  
tilting arc furnace:tanur busur miring:  
timbre:warna suara:  
time:waktu  
time analysis:  
time base:dasar waktu  
time behavior :  
time boxing :  
time coefficient:koefisien waktu  
time complexity:kekompleksan waktu  
time constant:konstanta waktu  
time critical task:  
time data types:tipe data waktu  
time dependent variables :  
time difference:perbedaan waktu  
Time Division Multiple Access (TDMA):TDMA  
time division multiplex:multipleks divisi waktu  
time division multiplexing:multipleks divisi waktu  
time division multiplexing:multipleks divisi waktu  
time division multiplexing system components:multipleks divisi waktu komponen sistem  
time entry station:stasiun entri waktu  
time estimation:estimasi waktu  
time event :  
time explicit :  
time expression :  
time format:format waktu  
time implicit :  
time increment:penambahan waktu  
time independent variables :  
time interval:selang waktu

time lag:ketertinggalan waktu  
 time limit:batas waktu  
 time limit relay:relai pembatas waktu  
 time lock:kunci jam  
 time management:pengelolaan waktu  
 time modulation:modulasi waktu  
 time of day:waktu hari  
 time of day control:kontrol waktu hari  
 time recorder:perekam waktu  
 time register:register waktu  
 time scale:skala waktu  
 time scale factor:faktor skala waktu  
 time series:deret waktu  
 time series analysis:analisis deret waktu  
 time shared input/output:masukan/keluaran bagi-waktu  
 time sharing:berbagi waktu  
 time sharing:berbagi waktu  
 time sharing control:kontrol kebersamaan waktu  
 time sharing control task:pekerjaan kontrol kebersamaan waktu  
 time sharing control task:tugas kontrol kebersamaan waktu  
 time sharing driver:penggerak kebersamaan waktu  
 time sharing interface area:medan antarmuka bagi waktu:  
 time sharing interface program:program antarmuka bagi waktu:  
 time sharing monitor system:sistem pantau berekan waktu:  
 time sharing option:pilihan kebersamaan waktu:  
 time sharing priority:prioritas pembagian waktu:  
 time sharing services:layanan pembagian waktu:  
 time sharing system:sistem berbagi waktu:  
 time sharing system:sistem kebersamaan waktu:  
 time sharing terminal:terminal kebersamaan waktu:  
 time signal device:peranti sinyal waktu:  
 time slice:cantas waktu:  
 time slice multitasking::  
 time slicing:pencantasan waktu:  
 time slicing:pencantasan waktu:  
 time slicing:penghirisan waktu:1  
 time stamp:tanda waktu:  
 Time stamp :TIME STAMP :BUBUH WAKTU  
 time stamp ::  
 time table:senarai waktu:  
 TIME TO BENEFIT::  
 time to recover ::  
 time to restore service::  
 time zone meter:meter zona waktu:  
 time-box prototype ::  
 timecode:kode waktu:

time-compression multipleksing (TCM):TCM:  
timed out::  
time-dependent:bergantung-waktu:  
time-division multiple access:akses ganda waktu-divisi:  
time-division multiplexing:penggunaan waktu-divisi:  
time-division multiplexing:penggunaan waktu-divisi:  
time-division multiplexing:TDM :  
time-division multiplexing (TDM):multipleksan waktu-divisi (TDM):1  
time-division multiplexing (TDM):TDM:  
time-division switching:pengalihan divisi-waktu:  
time-division system:sistem pembagian waktu:  
time-interval system:sistem selang-waktu:  
time-lag of first order:keter-waktu urutan pertama:  
time-lag of higher order:keter-waktu urutan lebih tinggi:  
time-lagged type:tipe keter-waktu:  
timely document:dokumen tepat waktu:1  
timely document:dokumen tepat waktu:  
time-multiplexed system:sistem waktu yang di multipleks:  
time-of-day (TOD) clock:waktu hari ini:  
time-of-day clock:waktu hari ini:  
time-optimal control:kontrol waktu-optimal:  
timeout::  
time-out:minta rehat:  
time-out:pemotongan waktu  
time-out:rehat  
timeout :  
time-out control:kontrol time-out  
timer:pengatur waktu  
timer:pewaktu  
timer boards:papan pewaktu  
timer clock:pencatat waktu  
timer interruption:interupsi pengatur waktu  
timer interruption:salam penunjuk waktu  
timer supervision:penyeliaan waktu  
timer word:kata penunjuk waktu  
time-shared bus:  
time-shared networks:jaringan dibagi waktu  
timesharing:pembagian waktu  
timesharing:pembagian waktu  
timesharing:perkongsian waktu:1  
time-sharing job control block:blok kontrol pekerjaan pembagian waktu:  
timestamp:stempel waktu:  
time-to-live (TTL):TTL:  
time-to-market ::  
time-varying imagery:gambatang berubah waktu:  
time-varying signals:sinyal berubah waktu:

timing:perjangkaan:  
timing:perjangkaan:  
timing chart:peta waktu:  
timing constraint ::  
timing device:alat perjangkaan:  
timing diagram::  
timing element:unsur waktu:  
timing error:salah atur waktu:  
timing error:salah atur waktu:  
timing estimate:perkiraan waktu  
timing generator:generator perjangkaan  
timing pulse:pulsa penjangkaan  
timing routine:rutin penentuan waktu  
timing track:trek atur waktu  
timing wave:gelombang waktu  
tin news reader:pembaca news - tin  
tinned wire:dawai lapis timah  
tinning:pengalengan  
tinsel cord:kawat perasa  
tinted-glass face-plate picture tube:tabung gambatang pelat muka kaca berwarna  
tiny BASIC:BASIC kecil  
tip:ujung  
tip and ring loop:ujung dan lingkaran cincin  
tip side:sisi ujung  
tire:ban  
titanium oxide porcelain:porcelain oksida titanium:  
TITLE:judul:1  
TITLE:TITLE:DELETE  
TLA::  
TLB:TLB:  
TLB:TLB:  
TLD:TLD:  
TLP:TLP:  
TM:TM:  
TMP:TMP:  
TNEF:TNEF:  
to abort:menggugurkan:  
to address:mengalamatkan:  
to allocate:melokasi:  
to assemble:merakit:  
to backspace:menaspasi kebelakang:  
to backspace:menaspasi mundur  
to backspace a data medium:menaspasi kebelakang media data  
to backspace a position:menaspasi kebelakang suatu posisi  
to bind:menggandengkan  
to bootstrap:melakukan bootstrap \*

to branch:mencabang  
to carry:membawa  
to catalog:menganalog  
to catenate:menghubungkan  
to character fill:mengisi karakter  
to classify:menggolongkan  
to clear:membersihkan  
to code:menyandi  
to collate:menyatukan  
to compare:membandingkan  
to compile:menghimpun  
to computerize:komputerisasi  
to convert:mengkonversi  
to copy:mengopi  
to debug:menyelisik  
to decode:membaca sandi  
to digitize:mendigit  
to dispatch:mengirim  
to dump:membuang  
to duplicate:menurun  
to edit:menyunting  
to emulate:menandingi  
to encode:menyandikan  
to erase:menghapus  
to exit:keluar  
to expand:memperluas  
to extract:menyarikan  
to filename:ke nama berkas  
to initialize:mengawalkan  
to interleave:menempatkan bersilang  
to interpret:menafsirkan  
to jump:meloncat  
to keypunch:melubangi  
to left-justify:menggaris tepi-kiri  
to link:menghubungkan  
to load:mengisi  
to make reentrable:menjadi masuk  
to make reentrant:menjadi ikut  
to make reusable:menjadi berguna  
to map:memetakan  
to mask:menutupi  
to merge:menggabungkan  
to mount:memasang  
to move:memindahkan  
to negate:melakukan negasi  
to nest:menyarangkan

to normalize:menormalkan  
to order:mengurutkan  
to overlay:melapisi  
to overpunch:melubangi  
to pack:mengepak  
to partition:membuat partisi  
to patch:melintasi  
to poll:memberikan jalan  
to preset:membagi-bagi  
to prestore:memulihkan  
to process data:memroses data  
to program:memrogram  
to range:menetapkan jarak  
to read:membaca  
to recompile:menghimpun kembali  
to recover:memulihkan/menyembuhkan  
to relocate:menampung  
to reset:melakukan reset  
to reset a counter:melakukan reset kounter  
to restart:memulai ulang  
to return:kembali  
to rewind:memutar kembali  
to right-justify:menggaris-tepi kanan  
to roll in:menggulung masuk  
to roll out:menggulung keluar  
to round:mengelilingi  
to round down:mengelilingi bawah  
to round off:membulatkan  
to round up:mengumpulkan  
to sample:menyontoh  
to scale:menggulung  
to schedule:menjadwal  
to section:membagi  
to section:membelah  
to segment:segmentasi  
to sequence:mengurutkan  
to set:mengatur  
to set a counter:menset kounter  
to setup:menyusun  
to simulate:merangsang  
to sort:memilah  
to synchronize:menyinkroniskan  
to trace:menjiplak  
to transfer:mentransfer/memindahkan  
to translate:menerjemahkan  
to transliterate:menyalin:

to trigger:memicu:  
to trigger:menggerakkan:  
to unpack:membongkar:  
to unwind:melepaskan:  
to update:memperbarui:  
to write:menulis:  
to zerofill:mengisi nol:  
to zeroise:mengenolkan:  
toggle:guling:  
toggle:guling:  
TOGGLE BUTTON::  
toggle switch:sakelar guling:  
token:token:1  
token:token:  
token bus:bus token :1  
token bus:token bus:  
token passing:penyampaian tanda:  
token passing procedure:prosedure token passing:  
token passing protocol:protokol token-passing:  
token ring:cincin token:  
token ring:cincin token:  
token ring:ring token:1  
token rings:cincin token:  
token-bus:cincin token:  
token-bus:token-bus:  
token-bus network:jaringan token-bus:  
token-ring:cincin token:  
token-ring:cincin token:  
token-ring network:jaringan token-ring:  
tolerance:toleransi:  
tolerance limit:batas toleransi:  
tolerance limits:batas toleransi  
toll:tol  
toll and regular connector:sambungan tol dan reguler  
toll cable:kabel tol  
toll cable circuit:sirkuitan kabel tol  
toll call:panggil tol  
toll center:pusat tol  
toll entrance cable:kabel masuk tol  
toll line:jalur bayar  
toll offering connector:penghubung penawaran tol  
toll rotary connector:sambungan roteri tol  
toll train tester:penguji rantai tol  
toll-free Internet access:akses internet bebas bea  
toll-free number:nomor bebas tol  
tonal range:jajaran tonal

tone:nada  
tone:nada:  
tone arm:tangan nada:  
tone burst:rekahan nada:  
tone color:rona nada:  
tone control:kontrol nada:  
tone dialing:pencaknaan nada:  
tone quality:kualitas nada:  
toner:nada:  
toner:toner:  
tonic:tonik:  
tool:alat :  
tool library:pustaka:  
tool stage:panggung alat:  
toolbar::  
Toolbar :TOOLBAR :BATANG PERKAKAS  
Toolbox :TOOLBOX :KOTAK PERKAKAS  
Tools:peralatan:  
tools testing:alat tes:  
tooth:gigi:  
toothed armature:angka dinamo bergerigi:  
toothed gear:roda gig bergerigi:  
top:atas:  
TOP:TOP:  
top down:bagian atau di bawah:  
top element address:alamat unsur atas:  
top hat:topi puncak:  
top-down:atas-bawah:  
top-down ::  
top-down analysis:analisis atas bawah:1  
top-down approach:pendekatan atas-bawah:1  
top-down approach:pendekatan atas-bawah:  
top-down approach:pendekatan atas-bawah:  
top-down approach:pendekatan atas-bawah:  
TOP-DOWN APPROACH:PENDEKATAN PUNCAK-BAWAH:  
top-down design:desain atas-bawah:  
top-down design:desain atas-bawah:  
top-down development:pengembangan atas-bawah:  
top-down functional design methods:metode desain fungsi atas bawah:  
top-down functional design methods:metode desain fungsi atas-bawah:1  
top-down functional design methods:metode desain fungsi atas-bawah:  
top-down integration:integrasi atas bawah:  
top-down integration strategy:strategi integrasi atas bawah:  
top-down program design:desain program atas bawah:1  
top-down programming:pemrograman atas-bawah:1  
top-down programming:pemrograman atas-bawah:



istilah-ti-indonesia

top-down programming:pemrograman atas-bawah:  
top-down programming:pemrograman atas-bawah:  
top-down programming:pemrograman atas-bawah:  
top-down testing:uji atas bawah:1  
top-loaded antenna:antena bebanan-puncak:  
topologies:topologi:  
topologies:topologi:  
topologies distributed star:topologi bintang terdistribusi:  
topologies hub:topologi hub:  
topologies linear bus:topologi bus linear:  
topologies star:topologi bintang:  
topologies star-wired ring:topologi cincin bintang terhubung kabel:  
topology:topologi:  
topside sounder:alat bunyi geladak:  
torn-tape switching center:pusat perangkaian pita basah:  
torpedo:torpedo:  
torque:momen kakas:  
torque balance system:sistemimbang momen kakas:  
torque balancer:pengimbang momen kakas:  
torsion:puntiran:  
torsion head:kepala puntiran:  
torsion moment:momen puntiran:  
torsional moment test:uji momen puntiran:  
torsional strength:kekuatan puntiran:  
torus::  
TOS:TOS:  
TOTAL (TOT):TOTAL (TOT):1  
TOTAL (TOT):TOTAL (TOT):DELETE  
total check:cek total:  
total correctness ::  
TOTAL COST OWNERSHIP::  
total distortion:erotan menyeluruh:  
total emission:pancaran menyeluruh:  
total function:fungsi total:  
total inspection:inspeksi menyeluruh:  
total power factor:faktor tenaga menyeluruh:  
total quality management ::  
total quality management and customer needs:manajemen kualitas total dan kebutuhan konsumen:DELETE  
total record:rekaman total:  
total reflection:pantulan menyeluruh:  
total reflector current:arus pemantul menyeluruh:  
total regulation:regulasi menyeluruh:  
total storage capacity:kapasitas penyimpanan menyeluruh:  
total time:waktu total:  
total element:elemen terhitung:

totally enclosed machine:mesin tertutup total:  
totally-enclosed fancooled machine:mesin dinginan tan tertutup total:  
totem pole:kutub penuh:  
touch screen:layar sentuh:1  
touch screen:layar sentuh:  
touch sensitive screen:layar sensitif sentuh:  
touch sensitive screens:layar peka sentuh:  
touch tone dial:penyambungan sentuh tombol:  
touch tone dialing:penyambungan sentuh tombol:  
touch-call:panggilan sentuhan:  
touch-in method:metode penambahan kilas:  
touch-input device::  
touchscreen:layar sentuh:  
touchscreen:layar sentuh:  
touch-sensitive device:peranti peka sentuh:1  
touch-sensitive screen:layar peka sentuh:  
touch-tone:nada sentuh:  
tough-rubber sheath cable:kabel upih karet-kasar:  
tournament selection:seleksi turunan:  
tower:menara:  
tower antenna:antena menara:  
TPS:TPS:  
trace:bekas; jejak; runutan  
trace:runutan  
trace:  
trace back map:peta latar jejak  
trace buffer:penyangga jejak  
trace interrupt:menyela jejak  
trace length:  
trace loading:  
trace program:program runutan  
trace separation:pemisahan perunut  
trace table:tabel runutan  
traceability:keterunutan  
traceability :  
tracer:pengusutan; juru kalkir  
tracer:perunut  
traceroute :perunut rute  
tracing:perunutan:  
tracing:perunutan:  
tracing distortion:erotan perunutan:  
tracing program:program mengalkir:  
tracing routine:rutin jiplakan:  
track:lintasan; jalur:  
track address:alamat tapak/trek:  
track and hold unit:unit penjaga dan pencari:

track and store unit:unit trak dan penyimpan:  
track balance:imbang lintasan:  
track ball:bola jejak:1  
track ball:bola jejak:  
track buffer::  
track capacity:kapasitas lintasan:  
track circuit:sirkuit jejak:  
track condition check:pemeriksaan kondisi lintasan:  
track density:kepadatan trak  
track descriptor record:rekaman deskriptor lintasan  
track following:pengikut lintasan  
track format:format lintasan  
track free:bebas lintasan  
track hold:pembatas lintasan  
track hold:penggenggam lintasan  
track identifier:pengidentifikasi lintasan  
track index:indeks lintasan  
track overflow:lintasan meluap  
track overrun:overum lacak  
track pitch:hubungan lintasan  
track pitch:jarak lintasan  
track reactor:reaktor jejak  
track resister:penahan jejak  
track transformer:transformator jejak  
trackball:bola traker  
trackball:bola traker  
tracker ball:bola traker  
tracker ball:bola traker  
tracker balls:bola traker  
tracking:garis aus lintasan  
tracking:penjejakan  
tracking:sekalahan jejak  
tracking error:salah lacak  
tracking exchange:pertukaran jejak  
tracking mode of operation:modus pelacakan operasi  
tracking symbol:simbol penjejakan  
tracking telescope:teleskop pelacakan  
tracks:lacak  
tracks:lacak  
tracks per inch:lacak per inci  
traction:pelacakan:  
tractive force:kakas aseret:  
tractor:traktor:  
trade data interchange:pertukaran data perdagangan:  
trade secrets:rahasia dagang:  
trade-off:untung-rugi:

istilah-ti-indonesia

traditional approach to data management:pendekatan tradisional ke manajemen data:DELETE  
traffic:lalu lintas:  
traffic analysis:analisa lalu lintas:1  
traffic analysis:analisa lalu lintas:  
traffic bit:bit lalu lintas:  
traffic carrying capacity:kapasitas pembawaan:  
traffic control:kendali lalu lintas:1  
traffic control:kontrol lalu lintas:  
traffic lever:tuan lalu lintas:  
traffic model:model trafik:  
traffic profile analysis system:sistem analisis profil lalu lintas:  
traffic statistics:statistik lalu lintas:1  
traffic statistics:statistik lalu lintas:  
trailer:gandengan; trailer:  
trailer:pengekar:  
trailer label:label gandengan/trailer:  
trailer label:label pengekar:  
trailer label:label penggandeng:  
trailer records:rekaman penggandeng:1  
trailer records:rekord penggandeng:  
trailer with controller:trailer dengan pengontrol:  
trailing antenna:antena sambungan:  
trailing edge:pinggir trailing:  
trailing edge:pinggir trailing:  
trailing edge mesial point:titik mesial tepi sambungan:  
trailing edge peak to peak mesial point:tepi saambungan puncak ke puncak titik mesial:  
trailing edge peak to peak mesial point:tepi sambungan puncak ke puncak titik mesial:  
trailing end:akhir seret:  
trailing pole-tip:ujung tiang sambungan:  
train:deretan:  
train:rentet:  
train bus-line:jalur bus rentet:  
train diagram:diagram rentet:  
train of waves:rentetan gelombang:  
train protection:perlindungan rentet:  
train resistance:tahanan rentet:  
train shunt:pirau rentet:  
train ticket:tiket rentet:  
Training:pelatihan:  
training document:dokumen pelatihan:1  
training document:dokumen pelatihan:  
"Training, help, and documentation":"pelatihan, pertolongan dan dokumentasi":  
train-kilometer:kilometer-rentet:  
trajectory:lintasan:  
tramcar motor:motor kendaraan trem:  
transaction:transaksi:

transaction ::  
transaction analysis:analisa transaksi:  
transaction analysis:analisis transaksi:1  
transaction analysis:analisis transaksi:  
transaction card:kartu transaksi:  
transaction code:kode transaksi:  
transaction data:data transaksi:  
transaction data set:himpunan data transaksi:  
transaction disk:cakram transaksi:  
transaction file:berkas transaksi:1  
transaction file:berkas transaksi:  
transaction file:berkas transaksi:  
transaction file:berkas transaksi:  
transaction files:berkas transaksi:  
transaction flow diagrams:diagram alir transaksi:1  
transaction flow diagrams:diagram alir transaksi:  
transaction flow diagrams:diagram alur transaksi:  
transaction journal:jurnak transaksi:  
transaction journal:jurnak transaksi:  
transaction log:log transaksi:  
transaction management:managemen transaksi:  
transaction monitor:monitor transaksi:  
transaction processing:pemrosesan transaksi:1  
transaction processing:pemrosesan transaksi:  
transaction processing and computer-based information system:pemroses transaksi dan sistem informasi berbasis komputer:  
transaction processing business information systems:pemrosesan transaksi sistem informasi bisnis:  
transaction processing business IS:pemrosesan transaksi SI:1  
transaction processing document:dokumen pemrosesan transaksi:1  
transaction processing document:dokumen pemrosesan transaksi:  
"transaction processing monitor, TPM "::  
transaction processing system:sistem pemroses transaksi :  
transaction processing system (TPS):sistem pemroses transaksi :  
transaction processing system (TPS):sistem pemroses transaksi :  
transaction processing system (TPS):sistem pemrosesan transaksi (SPT):1  
transaction processing system and banking industry:sistem pemrosesan transaksi ddan industri perbankan:DELETE  
transaction processing system and competitive advantage:sistem pemrosesan transaksi dan kelebihan kompetitif:DELETE  
transaction processing system and customer information:sistem pemroses transaksi dan informasi pelanggan:  
transaction processing system and customer information:sistem pemrosesan transaksi dan informasi konsumen:DELETE  
transaction processing system and data entry:sistem pemrosesan informasi dan entri data:DELETE  
transaction processing systems:sistem pemrosesan transaksi:1  
transaction processing systems:sistem pemrosesan transaksi:

"transaction processing, tp "::  
transaction processor:pemroses transaksi:1  
transaction processor:pemroses transaksi:  
transaction record:rekaman transaksi:  
transaction recovery:pemulihan transaksi:  
transaction router:inter transaksi:  
transaction synchronization:sinkronisasi transaksi:  
transaction tape:pita transaksi:  
transaction telephone:transaksi telepon:  
transaction tracking:pelacakan transaksi:  
transaction-oriented language:bahasa berorientasi transaksi:  
transactions processing system (TPS):TPS:  
transadmittance:transadmitans:  
transborder data flow:aliran data lintas batas:  
transborder flow of data:alir antarbatas data:  
transceiver:pemancar - penerima:1  
transceiver:pemancar dan penerima:  
transceiver:pemancar-terima:1  
transceiver:pengirim-penerima:  
transceiver:transeiver  
transconductance:transkonduktans  
transcribe:salinan  
transcription error:kesalahan transkripsi  
transcription error:kesalahan transkripsi  
transducer:pengalih  
transducer:transduser  
transfer:pemindahan  
transfer:transfer  
transfer characteristic:ciri transfer  
transfer characteristic:karakteristik transfer  
transfer characteristics:ciri-ciri transfer  
transfer check:tilikan pindahan  
transfer coefficient:koefisien transfer  
transfer contact:kontak transfer  
transfer control:kontrol pindahan  
transfer curve:kurva transfer:  
transfer function:fungsi pindahan:  
transfer instruction:perintah/instruksi transfer:  
transfer interpreter:penerjemah transfer:  
transfer key:kunci pindahan:  
transfer modes data:data mode transfer:1  
transfer modes data:data mode transfer:  
transfer orbit:edar transfer:  
transfer rat::  
transfer rate:tingkat/laju pemindahan:1  
transfer rate:tingkat/laju pemindahan:

transfer rate:tingkat/laju pemindahan:  
transfer syntax:sintaks transfer:  
transfer time: waktu pemindahan:1  
transfer time:waktu pemindahan:  
transfer time:waktu pemindahan:  
transfer trip relaying:perjalanan transfer beranting:  
transference number:bilangan trasferens:  
"transfer-in, magnetic bubble memory"::  
transferring word-processed files:transfer berkas hasil pemroses kata:  
"transfer-out, magnetic bubble memory"::  
transferred information:informasi telah ditransfer:  
transform analysis:analisa transformasi:  
transform analysis:analisis alih ragam:1  
transform analysis:analisis alih ragam:  
transform function:fungsi perubahan:  
transform methods:metode transformasi:  
transformation ratio:nisbah transformasi:  
transformation rule:kaidah transformasi:  
transformer:transfamator:  
transformer coil:kumparan transformasi:  
transformer electromotive force:kakas elektromotif transformator:  
transformer oil:minyak transformator:  
transformer-rectifier assembly:perakitan transformator penyearah:  
transforming into information data:pentransformasian ke dalam data informasi:1  
transforming into information data:pentransformasian ke dalam data informasi:DELETE  
transforms:transformasi:  
transient:kilasan:  
transient area:area kilasan:  
transient area:area kilsan:  
transient current:arus transien:  
transient data management:pengelolaan data sementara:  
transient delay:penundaan transien:  
transient deviation:penyimpangan transien:  
transient error:kekeliruan kilasan:  
transient fault::  
transient library:pustaka kilasan:  
transient library:pustaka semusim:  
transient object:objek fana:1  
transient phenomena:fenomena kilasan:  
transient reactance:reaktans transien:  
transient response:respons transien:  
transient routine:rutin kilasan:  
transient routines:rutin sementara:  
transient stability:stabilitas transien:  
transient state:nyatakan kilasan:  
transient supervisor:penyelia fana:

transient SVC table:tabel SVC sementara:  
transinformation content:isi transinformasi:  
transinformation rate:kecepatan transinformasi:  
transistor:transistor:1  
transistor:transistor:  
transistor:transistor:  
transistor:transistor:  
transistor transistor logic (TTL):logika transistor  
transistors hardware:perangkat keras transistor  
transistor-transistor logic:logika transistor-transistor  
transit node:simpul transien  
transit time:waktu transit  
transition:peralihan; transisi  
transition amplitude:amplitudo transisi  
transition card:kartu transisi  
transition curve:kurva transisi  
transition diagram:diagram transisi  
transition matrix:matriks transisi  
transition probability:probabilitas transisi  
transition segment:segmen transisi  
transitive dependency:kebergantungan transitif  
translate:terjemah  
translate duration:lama terjemah  
translate phase:fase terjemah  
translate time:waktu terjemah  
translator:penerjemahan  
translating:perpindahan  
translating phase:fase penerjemahan  
translating program:program penerjemahan  
translating programs:program penerjemahan  
translating time:waktu penerjemahan  
translation:penerjemahan; translasi  
translation:pengalihbahasaan  
translation look aside buffer (TLB):  
translation lookaside buffer:penyangga sampingan translasi  
translation snobol:penterjemah snobol  
translation specification exception:eksepsi spesifikasi translasi  
translation system:sistem penerjemahan  
translation table:tabel translasi  
translation tables:tabel translasi:  
translator:penterjemah:1  
translator:translator; penterjemah:  
translator program:program penterjemah:  
translator writing systems:sistem penulis terjemahan:  
translucent projector:proyektor tembus cahaya:  
transmission:transmisi:



transmission:transmisi:  
transmission block:blok transmisi:  
transmission block:blok transmisi:  
transmission cables cost:biaya kabel transmisi:  
transmission channel:kanal transmisi:1  
transmission channel:kanal transmisi:  
transmission characteristic:karakteristik transmisi:  
transmission code:kode transmisi:  
transmission coefficient:koefisien transmisi:  
transmission control:kontrol transmisi:  
transmission control character:karakter kontrol transmisi:  
transmission control characters:karakter kontrol transmisi:  
transmission control procedures:prosedur kontrol transmisi:  
transmission control protocol (TCP):protokol kontrol transmisi/protokol internet:  
transmission control protocol/Internet protocol (TCP/IP):protokol kendali transmisi/protokol Internet (TCP/IP):1  
transmission control protocol/internet protocol (TCP/IP):protokol kendali transmisi; protokol internet:1  
transmission control protocol/internet protocol (TCP/IP):protokol kontrol transmisi/protokol internet:  
Transmission Control Protocol/Internet Protocol (TCP/IP):protokol kontrol transmisi/protokol internet:  
Transmission Control Protocol/Internet Protocol (TCP/IP):protokol kontrol transmisi/protokol internet:  
transmission control subroutine:subrutin kontrol transmisi:  
transmission control unit:unit kontrol transmisi:  
transmission control unit:unit kontrol transmisi:  
transmission equivalent:ekuivalen transmisi:  
transmission error:keliru transmisi:  
transmission error:kesalahan transmisi:  
transmission error:kesalahan transmisi:  
transmission factor:faktor transmisi:  
transmission header:pemuncak transmisi:  
transmission imparments:kegagalan transmisi:  
transmission interruption:interupsi transmisi:  
transmission level:tataran transmisi:  
transmission limit:batas transmisi:  
transmission line:garis transmisi:  
transmission line:garis transmisi:  
transmission line:jalur transmisi:1  
transmission line:saluran transmisi:  
transmission link:sambungan transmisi:  
transmission link:sambungan transmisi:  
transmission link:taut transmisi:1  
transmission log:log transmisi:  
transmission loss:rugi transmisi:

transmission loss:rugi-rugi transmisi:  
transmission loss ::  
transmission media:media transmisi:1  
transmission media:media transmisi:1  
transmission media:media transmisi:  
transmission mode:ragam transmisi:  
transmission mode:ragam transmisi:  
transmission modes:mode transmisi:1  
transmission modes:ragam transmisi:  
transmission modes:ragam transmisi:  
transmission network:jaringan transmisi:  
transmission networks:jaringan transmisi:  
transmission options:pilihan transmisi:  
transmission path delay:lambatan saluran transmisi:  
transmission performance:kinerja transmisi:  
transmission priority:prioritas transmisi:  
transmission quality:kualitas transmisi  
transmission services:jasa transmisi  
transmission speed:kecepatan transmisi  
transmission speed:kecepatan transmisi  
transmission speed:kecepatan transmisi  
transmission subsystem:subsistem transmisi  
transmission subsystem layer:lapisan subsistem transmisi  
transmission system:sistem transmisi  
transmission unit:unit transmisi  
transmission voltage:voltase transmisi  
transmit:pancar  
transmit:transmit; pemancar  
transmit allow break:pemutus terizin transmit  
transmit buffer ready:penyangga transmit usai  
transmit data:data pengiriman  
transmit data lead:petunjuk data pengiriman  
transmit data set:kumpulan data transmisi:  
transmit end allow break:pemutusan terizin akhir transmit:  
transmit interrupt:interupsi pengiriman:  
transmit-receive box:kotak penerima-pengiriman:  
transmit-receive monitor print:cetak monitor penerima- pengiriman:  
transmittal mode:ragam pemancar:  
transmittance:transmitansi:  
transmitted information:informasi terkirim:  
transmitter:pemancar:1  
transmitter:pemancar:  
transmitter:pemancar; transmitter:  
transmitter:pemancar; transmitter:  
transmitter distortion:arotan transmitter:  
transmitter off:pemancar putus:

istilah-ti-indonesia

transmitter signal element timing:penjangkaan waktu unsur sinyal pemancar:  
transmitter start code:kode start pemancar:  
transmitter-distributer:distributor-pemancar:  
transmitter-distributor:distributor-pemancar:  
transmitter-receiver:pengirim-penerima:  
transmitters:pemancar:  
transmitting station:stasiun pengiriman:  
transmitting tube:tabung pengiriman:  
transmittivity:transmitivitas:  
transparency:kesemrawangan:  
transparency:transparansi; kesemrawangan:  
transparent:transparent:  
transparent mode:model transparan:  
transparent mode:ragam semrawang:  
transparent mode:ragam semrawang:  
transparent mode:ragam transparan:1  
transparent text format:format teks semrawang:  
transparent text mode:ragam teks semrawang:  
transparent transmission:transmisi transparan:  
transponder:transponder:1  
transponder:transponder:1  
transponder:transponder:  
transponder:transponder:  
Transponder:transponder:  
transponder:transpondor:  
transponder:transposisi:  
transponder beacon:rambu transponder:  
transport:transport:  
transport:transport:  
transport layer:lapis transpor:1  
transport layer:lapis transpor:  
transport layer:lapisan transpor:  
transport layer:lapisan transpor:  
transport level:aras transpor:1  
transport level:aras transpor:  
transport level:taraf transpor:  
transport network:jaringan transpor:1  
transport network:jaringan transpor:  
transport station:stasiun transport:  
transportation problem:problem tranportasi:  
transportation programming:pemrograman transportasi:  
transposition:transposisi:  
transposition:transposisi:  
transposition error:kesalahan transposisi:  
transposition error:kesalahan transposisi:  
transposition insulator:insulator transposisi:

transposition section:seksi transposisi:  
 transposition system:sistem transposisi:  
 transput process:proses transput:  
 transputer:transputer:1  
 transputer:transputer:  
 transputer:transputer:  
 transverse crosstalk coupling:kopling cakap-silang lintang:  
 transverse electric wave:gelombang elektrik lintang:  
 transverse electromagnetic mode:modus elektromagnetik lintang:  
 transverse load:beban lintang:  
 transverse magnetic wave:gelombang magnetik lintang:  
 transverse parity check:cek paritas lintang:  
 transverse wave:gelombang lintang:  
 trap:perangkap:1  
 trap:perangkap:  
 trap:perangkap:  
 trap:perangkap:  
 trap circuit:sirkuit perangkap:  
 trap door:pintu perangkap:1  
 trapezium distortion:erotan trapesium:  
 trapezoidal integration:integrasi trapezoidal:  
 trapping:hiasan:  
 trapping:pengetrapan:  
 trapping center:pusat penjebakan:  
 trapping index:indeks penjebakan:  
 trash::  
 trash rack:para-para rosokan:  
 trashing:penyampahan:  
 trasmission modes:mode transmisi:1  
 trasmission modes:ragam transmisi:  
 traveling contact:kontak perjalanan:  
 traveling crane:kran jalan:  
 traveling-wave antenna:antena gelombang-perjalanan:  
 traveling-wave tube:tabung jalan-gelombang:  
 traveller EUnet:pejalan Eunet:  
 travelling salesman problem:problem penjual keliling:  
 travelling-wave tube:tabung gelombang keliling:  
 traverser:pelintang:  
 tray:penampan:  
 treadle:tridel:  
 treated wood pole:tiang kayu garapan:  
 tree:pohon; silsilah:1  
 tree:pohon; silsilah:  
 tree classification:klasifikasi pohon:1  
 tree classification:klasifikasi pohon:  
 tree LAN:pohon LAN:

tree network:jaringan kerja silsilah:  
 tree node:simpul pohon:  
 tree pruning:pemangkasan pohon:1  
 tree pruning:pemangkasan pohon:  
 tree search:penelusuran model pohon:1  
 tree search:penelusuran model pohon:  
 TREE SORT::1  
 tree structure:struktur pohon:1  
 tree structure:struktur pohon:  
 tree topology:topologi pohon:1  
 tree topology:topologi pohon:  
 tree topology:topologi pohon:  
 TREE TRAVERSAL::1  
 tree trimming:pemangkasan pohon:1  
 tree trimming:pemangkasan pohon:  
 Trees:pohon:  
 Trees:pohon :  
 tremcate::  
 trench:lurah:  
 trend:kecenderungan:  
 trend analysis:analisis kecenderungan:  
 trend analysis/370:analisis kecenderungan/370:  
 triad:tritunggal:  
 trial:tindakan:  
 trial line charging:pemuatan jalur coba-coba:  
 triangle pole:kutub segitiga:  
 triangular pulse:denyut triangular:  
 tribit signal:signal tribit:  
 tributary:anak sungai:  
 tributary station:stasion jajahan:  
 tributary station:stasiun cabang:  
 trichromatic system:sistem trikromatik:  
 trigatron:trigatron:  
 trigger:penyulut:  
 trigger:picu; peledak:  
 Trigger :TRIGGER :PEMICU  
 trigger circuit:kalang sulut:  
 trigger circuit:sirkuit pelatuk/picu:  
 trigger pair:pasangan cetus  
 trigger pulse:pulsa picu  
 trigger relay:relai pemicu  
 trigger signal:sinyal picu  
 triggered mode of operation:modus operasi terpicu  
 trigger-precision:ketepatan sulut  
 trimmer capacitor:kapasitor  
 trim-pot:pot keseimbangan

triode:triode  
triode AC switch:saklat Ac triode  
trip arm:lengan trip  
trip coil:kumparan trip  
trip-free:bebas-trip  
triple length register:register panjang tiga-an  
triple register:register tiga-an  
triple-gun color picture tube:tabung gambatang warna pistol tiga bagian  
triplet:triplet:  
triplex cable:kabel tripleks:  
tripper:pengandung:  
tripping:sandung:  
tri-state:tiga-keadaan:  
tri-state circuit::  
trivial response:respon trivial:  
trivial response:tanggapan remeh:  
trojan:Trojan:  
trojan horse:kuda trojan:1  
trojan horses:kuda troya:  
trojan horses:kuda troya:  
trolley base:basis troli:  
trolley pole catcher:penangkap tiang troli:  
trolley stand:pangkalan troli:  
trolley wire:kabel troli:  
trolleybus:bus listrik  
troposphere:troposfer  
tropospheric propagation:propagasi troposfer  
trouble:kesukaran  
trouble back tone:nada balik gangguan  
trouble shooting:penaggalan gangguan  
trouble ticket:tiket gangguan  
trouble unit:satuan kesukaran  
troubleshoot:mengatasi kesukaran  
troubleshoot :mengatasi kesukaran  
trough:palung  
truck:truk  
true add:tambahan nyata  
true bearing:bantalan tegak  
true binary notation:notasi biner  
true complement:komplemen benar  
true complement:komplemen benar  
true data dependency:  
true electric charge:muatan elektrik murni  
true type font:  
true value:nilai benar  
truncate:penggal

istilah-ti-indonesia

truncated binary exponential backoff:pemunduran eksponensial terpotong biner  
truncated block:blok terpancang  
truncation:pemotongan  
truncation error:kekeliruan pemenggalan  
truncation of a computation process:pemberhentian proses komputasi  
truncation of a string:pemotongan string  
trunk:batang  
trunk:batang  
trunk:peti  
trunk cable:bantalan tegak  
trunk circuit:sirkuit batang; kalang batang:  
trunk circuit:sirkuit batang; kalang batang:  
trunk circuit:sirkuit/kalang batang:  
trunk connecting unit:unit hubung jalur kereta api:  
trunk coupling unit:unit gabung jalur kereta api:  
trunk coupling unit:unit sambung jalur kereta api:  
trunk distributing frame:rangka pengagihan belalai:  
trunk efficiency:efisiensi batang:  
trunk exchange:pertukaran batang:  
trunk exchange:pertukaran batang:  
trunk group:grup batang:  
trunk holder:pemilih jalur utama:  
trunk hunting:kepincangan batang:  
trunk junction circuit:sirkuit sambungan jalur utama:  
trunk line:garis utama:1  
trunk line:garis utama:  
trunk line:garis utama:  
trunk line:jalur utama:  
trunk network:jaringan utama:1  
trunk network:jaringan utama:  
trunk number:jumlah belalai:  
trunk operator:operator utama:  
trunk segment cable:segmen kabel utama:  
trunk tone:nada utama:  
trunking scheme diagram:diagram skema utama:  
truth table:tabel kebenaran:  
truth table:tabel kebenaran:  
truth value:nilai kebenaran:  
TSC:TSC:  
TSO:TSO:  
TSO command language:bahasa perintah TSO:  
TSR::  
TSS:TSS  
TTD:TTD  
TTL :TTL  
"TTL, transistor-transistor logic":

TTY:TTY

tube:tabung

tube of electric force:tabung kakas elektrik

tube of flux:tabung fluks

tube of magnetic force:tabung kakas magnetik

tube socket:stopkontak tabung

tube voltage drop:tabung penurunan voltase

tube voltmeter:tabung voltmeter

tumbler switch:alih-akrobatik

tumbling:penabungan

tuned antenna:antena tala

tuner:penyetel

tung oil:minyak

tungsten filament:filamen tungsten

tungsten halogen lamp:lampu hologen tungsten

tungsten-filament lamp:lampu filamen tungsten

tuning:penala

tuning:penalaan

tuning circuit:sirkuit tala

tuning fork:garpu tala

tuning sensitivity:kepekaan tala

tuning-fork oscillator:ayunan garpu tala

tunnel:lorong; terowongan

tunnel diode:diode terowongan

tunnel stack:pipa terowongan

tunnelling:tunneling

turbine blade:sudut turbin

turbine room:ruang turbin

turbine rotor:rotor turbin

turbine-driven generator:generator gerak-turbin

turbulent burner:pembakar turbulen

turbulent flow:aliran turbulen

Turing machine:mesin Turing

turing machines:mesin turing

turn around time:waktu perputaran

turn around time:waktu putar pulangan

turn key:kunci balik

turn off:mematikan

turn off time:waktu mematikan

turn on:menyalakan

turn on time:waktu menyala

turn ratio:nisbah perubahan

turnaroumd document:dokumen perputaran

turnaround:memutar

turnaround document:dokumen perputaran:

turn-around document:dokumen perputaran:



turn-around ranging station:stasiun jelajah ubah haluan:  
turnaround system:sistem perputaran:  
turnaround time:waktu perputaran:1  
turnaround time:waktu perputaran:  
turnbuckle:ragum; peregang kawat:  
turnkey system:sistem siap pakai:  
turn-off time:waktu mematikan:  
turn-on stabilizing time:waktu stabilisasi penyalaan:  
turn-on time:waktu menyala:  
turnout point:titik mematikan:  
turntable:papan putar:  
turtle:kura-kura:  
turtle:kura-kura:  
tutorials:tutorial:  
tutorials:tutorial  
TWAIN:  
tweeter:pencericit  
twelve position:posisi dua belas  
twelve punch:punch dua belas  
twin:kembar  
twin cable:kabel kembar  
twin check:cek kembar  
twin contact:kontak kembar  
twin crystal:hablur kembar  
twin segment:segmen kembar  
twin-lead type feeder:pemungguh tipe petunjuk kembar  
twist amplifier:penguat puntir  
twist regulation:regulasi puntir  
twisted copper wires:kabel tembaga berbelit  
twisted pair:pasangan berbelit  
twisted pair:pasangan berbelit:  
Twisted Pair:pasangan berbelit:  
twisted pair line:garis pasangan berbelit:  
twisted pair wire:dawai pasang puntiran:  
twisted pairs:pasangan berbelit:  
twisted sleeve joint:sambungan lengan puntiran:  
twisted wire:kabel berbelit:  
twisted-pair cable:kabel pasangan berbelit:1  
twisted-pair wire cable:pasangan kabel berbelit:  
twisted-wire pair:pasangan kabel berbelit:  
twisting:belitan:  
twisting:peleukan:  
twisting joint:sambungan memuntir:  
twisting pliers:gegep memuntir:  
two address:alamat dua:  
two address instruction:instruksi alamat dua:

two byte interface:dua byte antarmuka:  
two channel switch:saklar dua gelombang:  
two complement:komplemen dua:1  
two independent sidebands:dua pita samping belat:  
two pass:lewat dua:  
two phase clock:jam dua kutub:  
two processor switch:saklar dua prosesor:  
two way transmission:transmission dua arah:  
two wire:kawat dua:  
two wire circuit:sirkuit dua kawat:  
two-address:dua alamat:  
two-address code:kode dua alamat:  
two-address instruction:instruksi dua alamat:  
two-address instruction:instruksi dua alamat:  
two-and-a-half-dimensional memory organization::  
two-channel switch:saklar dua-saluran:  
two-core cable:kabel dua-teras:  
two-dimensional array:susunan dua-dimensial:  
two-dimensional memory organization::  
two-element reday:reday dua-unsur:  
two-factor interaction:interaksi dua-faktor:  
two-level address:alamat dua tingkat:  
two-level directory(ies):direktori dua tingkat:  
two-line ground:dasar dua-garis:  
two-out-five code:kode/sandi dua-dari-lima:  
two-out-of-five code:kode dua darilima:  
two-out-of-five notation:notasi dua-dari-lima:  
two-pair core:teras dua-pasang:  
two-part rate schedule:jadwal laju dua-bagian:  
two-pass assembler::  
two-phase clock::  
Two-phase commit :TWO-PHASE COMMIT :KETERIKATAN DUA FASE  
two-phase motor:motor dua-tahap  
two-phase short-circuit:sirkuit-pendek dua-tahap  
two-plus-one address:adres dua-plus-satu  
two-plus-one address instruction:instruksi alamat dua tambah satu  
two-pole:dua kutub  
two-port memory:  
two-position relay:relai dua-posisi  
two-position system:sistem dua-posisi  
two-reaction method:metode dua rekasi  
twos complement:dua-komplemen  
two's complement:dua komplemen  
two's-complement:komplemen-dua  
two-speed motor:motor dua-persneling  
two-stage sampling:cuplik dua-tahap

istilah-ti-indonesia

two-step relay:relai dua-tingkat  
two-terminal network:jaringan dua-terminal  
two-tone keying:penguncian dua nada  
two-way alternate communication:komunikasi berganti-ganti dua-arah  
Two-way Cable TV Capability:kemampuan dua arah TV kabel  
two-way control chart:bagan kontrol dua arah  
two-way interleaved:  
two-way simultaneous communication:komunikasi simultan dua arah  
two-way television:televisi dua-arah  
two-winding transformer:transformer dua-putaran  
two-wire channel:kanal dua-kabel  
two-wire circuit:sirkuit dua kawat  
two-wire circuit:sirkuit dua-kabel  
two-wire system:sistem kawat dua  
TWX:TWX  
TWX (teletypewriter exchange) service:pelayanan TWX  
tying machine:mesin pengikatan  
tymnet:Tymnet  
typamatic index key:kunci indeks tipamatik:  
typamatic key:kunci tipamatik:  
type:tipe; jenis:  
type A frame:rangka tipe A:  
type approval test:tipe uji percobaan:  
type attribute:atribut tipe:  
type B frame:rangka tipe B:  
type bar:batang tipe:  
type cartridge:cartridge huruf cetak:  
type chain printer:tipe printer rantai:  
type checking ::  
type conversion:konversi jenis/tipe:  
type conversion:konversi tipe:1  
type declaration:deklarasi huruf:  
type declaration:deklarasi tipe:  
type declarative instruction:instruksi deklaratif tipe:  
type declarative statement:pernyataan deklaratif tipe:  
type drum printer:tipe printer drum:  
type element:elemen huruf:  
type font:font huruf cetak:  
type list:senarai tipe:  
type pattern:pola tipe:  
type statement:pernyataan tipe/jenis:  
type structure:tipe struktur:  
type test:tipe uji:  
type wheel:roda huruf:  
type wheel:roda tipe/jenis:  
typebar:tipe bar:

typed procedure:prosedur ketikan:  
typeface:jenis tik:  
typeface:muka huruf:1  
types (of data):tipe / jenis (data):  
types of data:tipe data:DELETE  
types of information system:tipe sistem informasi:  
types of information system:tipe sistem informasi:  
types of media:tipe media:  
types of simulation:jenis simulasi:  
typesetting:pengetikan:  
typestyle:gaya mentik:  
typewriter:mesin tulis:  
typewriter paper:kertas mesin tik:  
typewriter tape punch:mesin tik pita tebuk:  
typewriter unit:unit mesin tik:  
typewriter with calculator:mesin tik dengan kalkulator:  
typewriter with electronic calculator or computer:mesin tik dengan kalkulator atau komputer elektronik:  
typical input:masukan umumnya:  
typical methods electronic:metode elektronik umum:  
typical methods light patterns:metode umum bentuk cahaya:  
typical methods sound patterns:metode umum bentuk suara  
typical output:keluaran umum  
typing reperforator:reperforator huruf  
typomatic key:kunci tipomatik  
tyre:lelah  
U format:format U  
U format:format U  
UADS:UADS  
UART:UART  
"UART, universal asynchronous receiver/transmitter":  
UCS:UCS  
UHCARL library system:sistem perpustakaan UHCARL  
UHF (Ultra-High Frequency):UHF  
ultimate goal quality:  
ultra LSI:ultra LSI  
ultra-audible sound:bunyi ultra-terdengar  
ultra-fax:ultrafaks:  
ultrashort wave:gelombang ultrapendek:  
ultrasonic bonding:rekatan ultrasonik:  
ultrasonic detector:detektor ultrasonik:1  
ultrasonic detector:detektor ultrasonik:1  
ultrasonic detector:detektor ultrasonik:  
ultrasonic detectors:detektor ultrasonik:  
ultrasonic frequency:frekuensi ultrasonik:  
ultrasonic memory:memori ultrasonik:

ultrasonic storage:penyimpan ultrasonik:  
ultrasonic wave:gelombang ultrasonik:  
ultrasonics:ultrasonik:  
ultrasound:ultrabunyi:  
ultraviolet radiation:radiasi ultraungu:  
ultraviolet ray:sinar ultraviolet:  
ultraviolet rays:sinar-sinar ultraviolet:  
umbrella antenna:antena payung:  
umbrella type antenna:antena tipe payung:  
umbrella type generator:generator tipe payung:  
U-mode records:perekam model-U:  
unary Boolean operater:operator Boolean tunggal:  
unary operation:operasi tanpa sambungan:  
unary operation:operasi tanpa sambungan:  
unary operator:operator tanpa sambungan:  
unattended operation:operasi tak berlangsung:1  
unattended operation:operasi tak berlangsung:  
unattended operation:operasi tak berlangsung:  
unattended operation:operasi tanpa perawatan:  
unattended station:stasiun tak diawasi:  
unauthorized access:akses tanpa ijin:  
unavailable time:waktu tak sedia:  
unbalance:ketakseimbangan:  
unbalanced:ketakseimbangan:  
unbalanced circuit:sirkuit tidak seimbang:  
unbalanced class:kelas tidak seimbang:  
unbalanced load:beban tak diawasi:  
unbiased estimate:perkiraan tak memihak:  
unbiased estimate of population variance:perkiraan tak memihak varians populasi:  
unblocked record:rekaman tidak terblok:  
unblocked record:rekord takterblok:  
unbounded-action devices:alat yang tanpa batas aksi:  
unbundle:nirbendel:  
Unbundling:lepaskan kelompok:  
uncertainty:ketaktentuan:  
uncertainty:tak tentu:  
uncommitted logic array (ULA):ULA:  
uncompress:awamampat:1  
unconditional branch:cabang tak terkondisi:  
unconditional branch:cabang tak terkondisi  
unconditional branch instruction:industri cabangtak terkondisi  
unconditional branch instruction:instruksi percabangan tak terkondisi  
unconditional GO TO statement:kondisi ke statemen  
unconditional jump:lompatan tak bersyarat  
unconditional jump:lompatan takbersyarat  
unconditional jump instruction:instruksi lompatan takbersyarat

unconditional request:permintaan tak bersyarat  
unconditional statement:pernyataan takbersyarat  
unconditional transfer:transfer tak kondisional  
unconnected terminal:terminal tak berhubungan  
unconstrained magnetization condition:kondisi magnetisasi tak berkendala  
unconstrained optimization:optimisasi tak berkendala  
uncorrectable error:keliru tak terkoreksi  
undamped oscillation:ayunan tak kontrol  
undamped wave:gelombang tak kontrol  
undecidable ::  
undefined:takterdefinisi:  
undefined format:format tak berdefinisi:  
undefined length record:rekaman panjang tak berdefinisi:  
undefined record:rekaman tak terdefinisi:  
under-and overvoltage relay:relai voltase kurang dan lebih:  
undercompensation:kurang kompensasi:  
undercompound generator:generator gabungan:  
undercurrent relay:relai kurang-arus:  
undercut commutator:komutator pemotong:  
underdamping:kurang-kontrolan:  
underexcitation:kurang-rangsangan:  
underflow: limpah bawah:1  
underflow:limpah bawah:  
underflow:limpah bawah:  
underflow:limpah bawah; ruah bawah:  
underflow indication:penunjuk bawah alur  
underground cable:kabel bawah-tanah  
underground lead-in:saluran masuk bawah-tanah  
underground line:jalur bawah-tanah  
underground substation:substasiun bawah-tanah  
underpower relay:relai kurang-daya  
underpunch:tebuk bawah  
underscore:bawah ukuran  
undershoot:tembok bawah  
understandability:  
undervoltage relay:relai kurang voltase  
undesired sound:bunyi tak berkeinginan  
undetected error rate:rasio kesalahan tak terdeteksi  
undifined:tak tentu  
unformatted data:data tak berformat  
unformatted diskette:disket tak terformat  
unformatted display:peragaan tak terformat:  
unformatted message:pesan tak berformat:  
unformatted READ statement:pernyataan baca tak berformat:  
unformatted record:rekaman tak terformat:  
unformatted request:permintaan tak terformat:

istilah-ti-indonesia

unformatted sequential input/output statement:pernyataan keluaran/masukan urutan tak berformat:  
unformatted WRITE statement:pernyataan tulis tak berformat:  
ungermann-bass:ungermann-bass:  
unibus:unibus:  
unicode:unikod:  
unidentified flying object:piring terbang:  
unidirectional bus:bus searah:1  
unidirectional bus:bus tak langsung:  
unidirectional bus:bus tak langsung:  
unidirectional converter:konvektor tak langsung:  
unidirectional current:arus tak langsung:  
unidirectional logical relationship:hubungan logis unidireksi:  
unidirectional microphone:mikrofon tak langsung:  
unidirectional transmission:transmisi unidireksi:  
UNIFIED MODELING LANGUAGE::  
"unified modeling language, UML "::  
unified transaction::  
uniform diffuse reflection:pantulan baur seragam:  
uniform distribution:distribusi seragam:  
uniform insulation:insulasi seragam:  
uniform loading:pembebanan seragam:  
uniform memory access::  
uniform random number:bilangan acak seragam:  
uniform referencing:pengacuan uniform:  
uniform resource identifier (URI):pengidentifikasi sumber seragam (URI):1  
uniform resource locator (URL):lokator sumber seragam (URL):1  
uniform resource locator (URL):pelokasi sumber daya seragam (URL):  
uniform resources locators (URL):pelokasi sumber daya seragam (URL):  
uniform scale:skala seragam:  
uniformed resource locator (URL):pelokasi sumber daya seragam (URL):  
unilateral impedance:impedans unilateral:  
unimplemented instruction::  
uninstaller:pengawainstalasi:1  
uninterrupted power supply (UPS):penyedia daya bebas gangguan (UPS):1  
uninterruptible power supply (UPS):sumber tenaga nirgangguan:  
uninterruptible power supply (UPS):sumber tenaga nirgangguan:  
uninterruptible power supply (UPS):sumber tenaga nirgangguan:  
uninterruptible power supply (UPS):suplai daya takterinterupsi:1  
union:serikat:  
union (logical operation)::  
union catalog:katalog serikat:  
unipolar:ekakutub; unipolar:  
unipolar:satu kutub:  
unipolar device:peranti unipolar:  
unipolar pulse:pulsa unipolar:

uniprocessing:satu pemrosesan:  
uniprocessor:unipemroses:1  
uniprocessor:uniprosesor:1  
uniprocessor:uniprosesor :1  
uniprocessor:uniprosesor / unipemroses:  
uniprocessor:uniprosesor / unipemroses:  
uniprocessor:uniprosesor / unipemroses:  
uniprocessor:uniprosesor / unipemroses:  
uni-processor:uniprosesor / unipemroses:  
uniprogramming:uniprogram:  
unique data space:ruang data unik:  
unique key:kunci unik:  
uniselector:uniselektor:  
unit:satuan:  
unit:unit  
unit address:alamat unit  
unit area acoustic impedance:daerah unit impedans akustik  
unit check:cek unit  
unit check:uji unit  
unit control block:blok kontrol satuan  
unit control block:blok kontrol unit  
unit control word:kata kontrol unit  
unit count:cacah unit  
unit duration of signal:lilaku unit sinyal  
unit element:elemen unit  
unit end:akhir unit  
unit exception:pengecualian unit  
unit fee area:daerah upah unit  
unit impulse:dorongan unit  
unit impulse response:tanggapan dorongan unit  
unit inscriber:pemberi tugas unit  
unit length of signal:panjang unit sinyal  
unit number:bilangan unit  
unit protection:proteksi unit  
unit record:rekaman satuan  
unit record:rekaman unit  
unit record device:alat rekaman unit  
unit record device:alat rekaman unit  
unit separator:pemisah unit  
unit separator:pemisah unit  
unit speed:unit kelajuan  
unit status byte:byte status unit  
unit step:langkah unit  
unit string:sirkuitan satuan  
unit string:sirkuitan unit  
unit test :



unit testing:tes unit:  
unit testing:uji unit:1  
unit testing:uji unit:1  
unit testing:uji unit:  
unit-area acoustic impedance:daerah-unit impedans akustik:  
unitary matrix:matriks pemersatu:  
unitary operation:operasi penuh:  
unitary operator:operator penuh:  
United Stantes of American Standards Code of Information Interchange:USASCII:  
uniterm indexing:pengindeksan uniterm:  
universal address administration:administrasi alamat universal:  
universal asynchronous receiver transmitter:pengantar penerima simpang universal:  
universal character set:kumpulan karakter umum:  
universal character set:perangkat karakter semestaan:  
universal character set control:pengawasan perangkat ciri universal:  
universal character set feature:corak utama prangkat ciri universal:  
universal coupling:kopling universal:  
universal decimal classification:klasifikasi desimal universal:  
universal development system:sistem pengembangan universal:  
universal host processor:pemroses hos universal:  
universal instruction set:perangkat instruksi universal:  
universal key:kunci universal:  
universal LSI:LSI universal:  
universal motor:motor universal:  
universal product code:kode produk universal:  
universal quantification ::  
universal quantifier:kuantitas universal:  
universal resource identifier (URI):pengidentifikasi sumber daya seragam (URI):  
universal resource locator (URL):pelokasi sumber daya seragam (URL):  
Universal Service:servis universal:  
universal set:perangkat universal:  
Universal Synchronous /Asynchronous Receiver-Transmitter:Pengirim Penerima Sinkron/Asinkron  
Universal:1  
universal synchronous receiver/transmitter:penerima/pengirim sinkron universal:  
universal synchronous/asynchronous receiver/transmitter:penerima/pengirim sinkron asinkron  
universal:  
universal Turing machine:mesin Turing universal:  
universe:populasi:  
universe:umum:  
UNIX:UNIX:1  
UNIX:UNIX:  
unix:unix:  
UNIX:unix:  
unix:unix:  
Unix-Unix Copy Protocol (UUCP):UUCP:  
unkeyed record:rekam tak terkunci:

unknown letter:surat tak dikenal:  
unlabeled basic statement:pernyataan dasar tak berlabel:  
unlabeled compound statement:pernyataan majemuk tak berlabel:  
unlabeled tape:pita tak berlabel:  
unlabelled common:umum tak berlabel:  
unlabelled data set:peringkat data tak berlabel:  
unlabelled file:berkas tak berlabel:  
unload:melimpahkan:  
unmanned probing:percobaan tak berawak:  
unmanned satellite:satelit tak berawak:  
unmodified instruction:instruksi tak bermodifikasi:  
unpack:membongkar:1  
unpack:membongkar:  
unpacked decimal:desimal terbongkar:  
unpacked decimal notation:notasi desimal tak dipak:  
unpacked format:format tak terpak:  
unprivileged mode::  
unprotected field:lapangan/medan takterjaga:  
unprotected field:medan tak terlindung:  
unrecoverable ABEND:ABEND taktersembuhkan:  
unrecoverable error:galat taktersembuhkan:  
unrecoverable error:kekeliruan takterpulihkan:  
unresolved external reference:acuan eksternal takterpecahkan:  
unrevealed failure ::  
unsafe:tek aman:  
unsaturated cell:sel tak jenuh:  
unsaturated standard cell:sel standar tak jenuh:  
unshielded twisted pair (UTP):pasangan berbelit tak terlindung (UTP):1  
unshielded twisted pair (UTP):pasangan putar tak terlindung:  
unshielded twisted-pair wire cable (UTP):UTP:  
unsigned integer:bilangan bulat tak bertanda:  
unsigned integer:bilangan bulat tak bertanda:  
unsigned integer constant:kontan bilangan bulat tak bertanda:  
unsigned number:bilangan tak bertanda:  
unsigned numeric operand:suku operasi numerik tak bertanda:  
unsolicited message:pesan tak diminta:  
unspecify bit rate (UBR):laju bit tak tentu:1  
unstable:takstabil:  
unstable state:pernyataan tak stabil:  
unstratified language:bahasa tak bertingkat:  
unstructured decision:keputusan tidak terstruktur:  
unsubscribing:tak berlangganan:  
unsuccessful search:pencarian gagal:  
unswitched network:jaringan tak teralih:1  
unswitched network:jaringan takteralih :  
unsymmetrical:tak simetris:

istilah-ti-indonesia

untreated wood pole:tiang kayu tak diolah:  
unwanted frequency modulation deviation:simpangan modulasi frekuensi yg tak diinginkan:  
unwanted frequency modulation deviation due to amplitude modulation:simpangan modulasi frekuensi yg tak diinginkan:  
unwanted modulation:modulasi yg tak diinginkan:  
unzip :awazip:1  
up loading:beban naik:  
up time:waktu terpakai  
up/down counter:  
upcasting :  
up-converter:konverter-naik  
update:pembaruan  
update file:berkas pembaruan  
update mode:ragam terbaru  
update node:mode perubahan  
update number:jumlah kini  
update program:program terbaru  
update record:rekaman baru  
update/create feature:corak antena diperbarui/ diciptakan  
updating files:perbarui berkas  
updating files:perbarui berkas  
updating processing activities:aktifitas perbarui proses  
upgrade:perbaikan  
upgrade:perbaikan:  
upgrade set:perangkat perbarui:  
uplink:taut naik:1  
Uplink:uplink:  
up-link:kaitan naik:  
up-link:kaitan naik:  
upload:beri berkas:1  
upload:beri berkas:  
upload:beri berkas:  
upload :beri berkas:  
UPPER:atas:1  
UPPER:UPPER:DELETE  
upper bound:batas atas:  
upper CASE:huruf besar:  
upper CASE:kasus atas:1  
upper CASE ::  
upper limit rule:kaidah batas tertinggi:  
upper-feed:arus ke atas:  
UPS :UPS:  
upshift-downshift:perseneling atas- perseneling bawah:  
uptime:periode berfungsi:  
upward compatibility:kompatibilitas menaik:  
upward compatible:kompatibilitas menaik:

upward reference:acuan ke atas:  
upward reference:referensi menaik:  
upwards compatible:kompetibilitas menaik:  
urgency traffic:lalu lintas mendesak:  
urgent call:panggilan penting:  
urgent processing:pemrosesan:  
urgent telegram:telegram penting:  
URI :URI:  
URL:URL:1  
URL:URL:  
URL:URL:  
US:US:  
USA Standards Institute:USA SI:  
usability:kedapatgunaan:1  
usability::  
usage::  
usage charge:biaya penggunaan:  
"USART, Universal Synchronous/Asynchronous Receiver-Transmitter":  
USASCII:USASCII:  
USASI:USASI:  
USB port universal serial bus port (USB port):port bus serial universal (port USB):1  
use bit::  
use case diagram ::  
use/abuse of power:penggunaan/penggunaan berlebihan dari kekuasaan:  
use-developed applications:aplikasi dikembangkan pengguna:  
useful life:hidup bermanfaat:  
USENET:USENET:  
Usenet Groups:grup Usenet:  
usenet news:berita penggunaan jaringan:1  
UseNet News:berita Usenet:  
usenet news:berita Usenet:  
user:pengguna:1  
user:pengguna:  
user:pengguna:  
user::  
user acceptance document:dokumen persetujuan pengguna:1  
user acceptance document:dokumen persetujuan pengguna:  
user agent (UA):agen pengguna:  
user agents:agen pengguna:  
user area:area pengguna:  
user attribute data set:kumpulan data atribut pemakai:  
user authorization:kewenangan pengguna:1  
user authorization:kewenangan pengguna:  
user block handling routine:rutin penanganan blok pengguna:  
user catalog:katalog pengguna:  
user class of service:klas layanan pengguna:

user coordinate:koordinat pengguna:  
user data:data pengguna:  
user defined:didefinisikan pengguna:  
user documentation:dokumentasi pengguna:1  
user documentation:dokumentasi pengguna:1  
user documentation:dokumentasi pengguna:  
user documentation:dokumentasi pengguna:  
user documentation:dokumentasi pengguna:  
user documentation ::  
user edit routine:rutin sunting pengguna:  
user exit:keluarnya pengguna:  
user exit routine:rutin keluarnya pemakai:  
user exit routine:rutin keluarnya pengguna:  
user facility:fasilitas pengguna:  
user file:berkas pengguna:  
user friendly:akrab pengguna:  
user friendly:akrab pengguna:  
user friendly:memudahkan pengguna:  
user friendly:memudahkan pengguna:  
user friendly:pengguna akrab:1  
user friendly:pengguna akrab :1  
user friendly ::  
user group:grup pengguna:1  
user group:grup pengguna:  
user header label:label saluran kumpul pengguna:  
user identification:identifikasi pengguna:  
user input area:area masukan pemakai:  
user interface:antarmuka pengguna:1  
user interface:antarmuka pengguna:1  
user interface:antarmuka pengguna:  
user interface:antarmuka pengguna:  
user interface:antarmuka pengguna:  
user interface:antarmuka pengguna:  
user interface:antarmuka pengguna:  
user interface defined:antarmuka pengguna terdefinisi:1  
user interface defined:definisi antarmuka pengguna:  
user interface defined:definisi antarmuka pengguna:  
user interface defined:definisi antarmuka pengguna:  
user interface design:desain antarmuka pengguna:1  
user interface design:desain antarmuka pengguna:1  
user interface design:desain antarmuka pengguna:  
user interface design:desain antarmuka pengguna:  
user interface design:desain antarmuka pengguna:  
user interface design:desain antarmuka pengguna:  
user interface management system (UIMS):sistem manajemen antarmuka pengguna (SMAMP):1  
user interface management system (UIMS):UIMS:

istilah-ti-indonesia

user interface management systems:UIMS:  
user interface management systems (UIMS):sistem manajemen antarmuka pemakai:  
user interface management systems (UIMS):sistem manajemen antarmuka pengguna:1  
User interface management systems (UIMS):UIMS:  
user interface style:gaya antarmuka pengguna:1  
user interface style:gaya antarmuka pengguna:  
user interface style:gaya antarmuka pengguna:  
"user interface, UI "::  
user interfaces:antarmuka pengguna:  
user interfaces:antarmuka pengguna:  
user issues :isu pengguna:  
user issues :isu pengguna:  
user label:label pemakai:  
user label:label pengguna:  
user label exit routine:rutin keluar label pengguna:  
user label processing:pemrosesan label pengguna:  
user main storage map:peta penyimpan utama pemakai:  
user manual>manual pengguna:1  
user manual>manual pengguna:  
user manual>manual pengguna:  
user manual>manual pengguna:  
user manual ::  
user microprogramming:pemrograman mikro pengguna:  
user mode:ragam pengguna:1  
user mode::  
user name:nama pengguna:  
user option:pilihan pengguna:  
user perceived quality::  
user privilege:hak pengguna:1  
user privilege:hak pengguna  
user priority:prioritas pengguna  
user profile table:label profil pengguna  
user profile table:tabel profil pemakai  
user profiles and alert services:profil pengguna dan jasa pemberitahuan  
user program:program pemakai  
user program:program pengguna  
user requirements :  
user routine:rutin pengguna  
user satisfaction :  
user state:  
user task:tugas pengguna  
user terminal:terminal pemakai  
user totaling:penjumlahan pengguna  
user trailer label:label penutup pengguna  
user training and aid:pelatihan dan alat pertolongan pengguna  
user training and aid:pelatihan dan alat pertolongan pengguna:

user training and aid:pelatihan dan bantuan pengguna:1  
user variable:variabel pengguna:1  
user variable:variabel pengguna:  
user variables:variabel pengguna:1  
user variables:variabel pengguna:  
user variables:variabel pengguna:  
user view and database management system (DBMS):pandangan pengguna dan sistem manajemen pangkalan data:DELETE  
user/designer:pengguna/perancang:1  
user/designer:pengguna/perancang:DELETE  
user/designer:pengguna/perancang:  
user-assistance facilities:fasilitas bantu pengguna:1  
user-assistance facilities:fasilitas bantu pengguna:  
user-assistance facilities:fasilitas pembantu pengguna:1  
user-assistance facilities:fasilitas pembantu pengguna:  
user-assistance facilities:fasilitas pembantu pengguna:  
user-centered design:desain berorientasi kepada pengguna:  
user-defined data set:perangkat data pemakai terbatas:  
user-defined function:fungsi pengguna-berdefinisi:  
user-defined window (form):jendela terdefinikan pengguna :  
user-defined window (form):jendela tertentu pengguna:1  
user-defined windows:jendela terdefinisi pengguna:1  
user-defined windows:jendela yang didefinikan pengguna :  
user-defined windows (forms):jendela (lembaran) terdefinisi pengguna:  
user-developed application:aplikasi terkembangkan pengguna:1  
user-developed application:aplikasi terkembangkan pengguna:  
user-developed applications:aplikasi dikembangkan pengguna:  
user-developed applications:aplikasi terkembangkan pengguna:1  
user-driven:dipacu pengguna:  
user-driven:dipacu pengguna:  
user-driven:dipacu pengguna:  
user-driven:terdorong pengguna:1  
user-driven:terdorong pengguna:1  
user-friendly:akrab-pengguna:  
USERID:USERID:  
username:nama pengguna:1  
username:nama pengguna:  
username:nama pengguna:  
username :nama pengguna:  
usernames (userids):nama pengguna:  
user's guide:petunjuk pemakai:  
user's manual:pengguna manual:  
user's resource:pengguna sumber:  
user's set:perangkat pengguna:  
user-supplied directories:direktori tersedia pengguna:  
user-supplied directories:direktori tersuplai pengguna:1

user-visible register::  
using declaration::  
using file transfer:penggunakan transfer berkas  
using gopher:penggunaan gopher  
usual y:yang biasa y  
utility:utilitas  
utility command:perintah kegunaan  
utility definition:definisi kegunaan  
utility directory specification:spesifikasi penggunaan direktori  
utility file server:penggunaan server berkas  
utility generation:generasi kegunaan  
utility inscriber:pemberi tugas kegunaan  
utility locking:penggunaan fasilitas pengunci  
utility marker:pemerkah kegunaan  
utility nonshareable directory:penggunaan direktori tanpa share  
utility power indicator:indikator daya kegunaan  
utility power switch:sakelar daya kegunaan  
utility print server:penggunaan server pencetak  
utility private directory:penggunaan direktori pribadi:  
utility program:program kegunaan:1  
utility program:program kegunaan:  
utility program:program utilitas:  
utility program:program utilitas; program kegunaan:  
utility program:program utilitas; program kegunaan:  
utility programs:program utilitas; program kegunaan:  
utility public directory:penggunaan direktori publik:  
utility routine:rutin utilitas:  
utility shareable directory:direktori utilitas terbagikan :  
utility software:pemanfaatan perangkat lunak:DELETE  
utility software:perangkat lunak kegunaan:1  
utility software:perangkat lunak utiliti:1  
utilization factor:faktor pengguna:  
UTP :UTP:  
uuencode :uuencode:  
UUNET:UUNET  
UV:UV  
uv-eraseable:dapat dihapus dengan ultra violet  
V = R:V=R  
V = R area:daerah V=R  
V = R dynamic area:daerah dinamik V=R  
V = R partition:sekatan/dinding V=R  
V = R storage:memori V=R  
V format:format V  
V response:respons V  
v series recommendations:rekomendasi seri v  
v.21:v.21



v.22:v.22  
 v.23:v.23  
 v.29:v.29  
 v.32:v.32  
 v.35:v.35:  
 vaccine:vaksin:1  
 vaccine:vaksin:  
 vacuum arrester:arester vakum:  
 vacuum breaker:pemutus vakum:  
 vacuum column:lajur vakum:  
 vacuum evaporation:evaporasi vakum:  
 vacuum furnace:tanur vakum:  
 vacuum gauge:tolok vakum:  
 vacuum lightning arrester:penahan kilat hampa (udara):  
 vacuum lightning protector:pelindung kilat hampa (udara):  
 vacuum load-break switch:sakelar muat-putus hampa (udara):  
 vacuum printer:alat cetak vakum:  
 vacuum pump:pompa vakum:  
 vacuum separation:pemisah vakum:  
 vacuum thermocouple:termokopel vakum:  
 vacuum tube technology:teknologi tabung vakum:  
 vacuum-junction:sambungan vakum:  
 vacuum-tube oscillator:osilator tabung-vakum:  
 vacuum-tube rectifier:pengarah tabung-vakum:  
 vacuum-tube relay:relai tabung-vakum:  
 vacuum-tube voltmeter:voltmeter tabung-vakum:  
 valence electron:elektron valensi:  
 valid bit:bit sah:  
 valid exclusive reference:acuan eksklusif valid:  
 valid memory address:alamat memori sah:  
 valid unique defects:kerusakan unik sah:  
 validate:sah:  
 validation:kesahihan:1  
 validation:kesahihan:1  
 validation:kesahihan:DELETE  
 validation:kesahihan:  
 validation:penyahihan; validasi:  
 validation:penyahihan; validasi:  
 validation:penyahihan; validasi:  
 validation of a measure::  
 validation of a prediction system::  
 validation test:uji validasi:  
 validity:kesahihan:  
 validity:validitas:  
 validity check:tilikan kesahihan:  
 valuator:penilai:

VALUE:nilai:1  
value:nilai:  
VALUE:VALUE:DELETE  
value added network (VAN):jaringan nilai tambah (VAN):  
value array:nilai susunan:  
Value of information:nilai informasi:  
value part:bagian nilai:  
value-added data services:jasa data nilai-tambah:  
value-added data services:layanan data nilai-tambah:1  
value-added network:jaringan nilai-tambah:  
value-added network:jaringan nilai-tambah:  
value-added network (VAN):jaringan nilai tambah (VAN):1  
value-added reseller:kulak nilai-tambah:  
valve action test set:katup perangkat uji aksi:  
valve resistance arrester:penahan tahanan katup:  
valve voltmeter:voltmeter katup:  
valve-type arrester:arester tipe-katup:  
VAN:VAN:  
van de Graaff accelerator:pemercepat van de Graaf:  
Van Jacobson compression:kompresi Van Jacobson:  
vane-type relay:relai tipe-baling-baling:  
V-antenna:antena-V:  
vapor cooled tube:tabung dinginan uap:  
VAR:VAR:DELETE  
VAR:variasi:1  
varactor:varaktor:  
varactor diode:dioda varaktor:  
variability:variabilitas:  
variable:variabel:  
variable address:alamat variabel:  
variable block length:panjang blok variabel:  
variable capacitance diode:dioda kapasitansi variabel:  
variable capacitor:kapasitor variabel:  
variable connector:penghubung variabel:  
variable density system:sistem kepadatan variabel:  
variable field:medan variabel:  
variable format:format variabel:  
variable function generator:penghasil fungsi variabel:  
variable identifier:pengidentifikasi variabel  
variable inductance:induktansi variabel  
variable item:butir variabel  
variable length block:blok panjang variabel  
variable length data:data panjang variabel  
variable length feed:umpan panjang variabel  
variable length field:medan panjang variabel  
variable length fields:medan panjang variabel

variable length record:rekam panjang variabel  
variable length records:rekam panjang variabel  
variable length word:kata panjang variabel  
variable mu (L) tube:tabung mu(L) variabel  
variable name:nama variabel  
variable point:titik variabel  
variable point representation system:sistem representasi titik variabel  
variable ratio frequency changer:pengubah frekuensi nisbah variabel  
variable record length:panjang catat variabel  
variable resistance:tahanan variabel  
variable resistance arm:lengan tahanan variabel  
variable savearea:area simpan variabel  
variable standard:standar variabel  
variable subscript:tika bawah variabel  
variable symbol:simbol variabel  
variable word:kata variabel  
variable word length:panjang kata variabel  
variable word length:rentang waktuvariabel kata  
variable-area recording:perekaman daerah-variabel  
variable-density recording:perekaman kerapatan- variabel  
variable-format messages:pesan format variabel  
variable-L tube:tabung variabel-L  
variable-length instruction:  
variable-length record:rekaman panjang variabel  
variable-point representation:representasi titik variabel:  
variable-speed scanning:pemayaran laju variabel:  
variance:keberlainan:  
VARIANCE:VARIANCE:DELETE  
VARIANCE:varians:1  
variance detection:deteksi varians:  
variance ratio:nisbah varians:  
variant part:bagian berubah-ubah:  
variate:menyeling:  
variation:variasi:  
variometer:variometer:  
varistor:varistor:  
varmeter:varmeter:  
varnish:rengas:  
varnished bias tape:pita bias vernisan:  
varnished cloth:kain vernisan:  
varnished cotton tube:tabung katun vernisan:  
varnished silk tape:pita sutra vernisan:  
varying:bermacam-macam:  
varying-speed motor:motor laju aneka-warna:  
vault manhole:mangat ruang bawah tanah:  
VAX:VAX:1

VAX:VAX:DELETE  
vbscript:vbskrip:  
VC:VC:  
VCA:VCA:  
VDU:VDU:  
vector:vektor:  
vector address:alamat vektor:  
vector array(s):susunan vektor:  
vector based storage:penyimpan berbasis vektor:  
vector diagram:diagram vektor:  
vector display devices:alat tampilan vektor:  
vector field:medan vektor:  
vector generator:pembangkit/generator vektor:  
vector graphics :grafik vektor:  
vector implementations:implementasi vektor:  
vector locus:lokus vektor:  
vector method:metode vektor:  
vector mode display unit:unit tampilan mode vektor:  
vector operation:operasi vektor:  
vector processor:pemroses vektor:1  
vector processor:pemroses vektor:  
vector processor:pemroses vektor:  
vector processors:prosesor vektor:  
vector product:hasil vektor:  
vector quantity:kuantitas vektor:  
vector scope:cakupan vektor:  
vector stride:  
vector transfer:transfer vektor  
vectored interrupt:interupsi tervektor  
vectored interrupt:interupsi tervektor  
vectoring:pemvektoran  
vehicle:wahana  
vehicle scheduling program-extended:penjadwalan program perluasan kendaraan  
Veitch diagram:diagram Veitch  
veitch diagram:diagram veitch  
velocity cut-off system:sistem pemutusan kecepatan  
velocity microphone:mikrofon kecepatan  
velocity of propagation:kecepatan propagasi  
velocity type control algorithm:algoritme kontrol tipe kecepatan  
velocity-modulated tube:tabung termodulasi kecepatan  
vending machine:mesin penjajaan  
vendor:vendor  
Venn diagram:diagram Venn:  
vented baffle:bafel terlepas:  
ventilating duct:saluran ventilasi:  
ventilation:ventilasi:

ventilator:ventilator:  
verb:kata kerja:  
verifiability::  
verification:verifikasi:1  
verification:verifikasi:DELETE  
verification:verifikasi:  
verification:verifikasi:  
verification:verifikasi:  
verification:verifikasi:  
verification:verifikasi:  
verification:verifikasi:  
verification:verifikasi:  
verification:verifikasi:  
verification:verifikasi:  
verification:verifikasi:  
"verification and validation, V&V":  
verification mode:ragam verifikasi:  
verification test:uji verifikasi:  
verifier:pemeriksa:  
verifier:pentahlik:  
verify:pemeriksaan:  
VERIFY:periksa:1  
VERIFY:VERIFY:DELETE  
VERIFY parameters:parameter periksa:1  
VERIFY parameters:parameter VERIFY:DELETE  
verify read control:kontrol baca periksa:  
vernier:nonius:  
vernier dial:piringan vernier:  
veronica:veronica:  
version:versi:  
version:versi:  
version control:kontrol versi:  
version control:kontrol versi:  
version controller:pengendali ragam:  
vertical blanking interval:interval sinyal pengosongan:  
vertical blanking interval (VBI):VBI:  
vertical blanking signal:sinyal pengosongan vertikal:  
vertical centering control:kontrol pemusatan vertikal:  
vertical check:tilikan vertikal:  
vertical check bit:bit cek vertikal:  
vertical communications:komunikasi vertikal:1  
vertical communications:komunikasi vertikal:  
vertical deflection:defleksi vertikal:  
vertical drive:perseneling vertikal:

vertical feed:ruas vertikal:  
vertical feed:umpan tegak:  
vertical forms control:kontrol borang vertikal:  
vertical illuminance:iluminansi vertikal:  
vertical incidence:insidens vertikal:  
vertical Integration:integrasi vertikal:  
vertical interval signal:sinyal selang vertikal:  
vertical line:garis tegak:  
vertical load:beban vertikal:  
vertical magnetic recording:perekaman magnetik vertikal:  
vertical microinstruction::  
vertical off-normal spring:pegas lepas-normal vertikal:  
vertical parity:paritas vertikal:  
vertical parity bit:bit paritas vertikal:1  
vertical parity bit:bit paritas vertikal:  
vertical parity check:cek paritas vertikal:1  
vertical parity check:tilikan paritas vertikal:  
vertical parity check:tilikan paritasvertikal:  
vertical pointer:penuding vertikal:  
vertical pointer:penunjuk vertikal:  
vertical positioning:posisi vertikal:  
vertical recording:perekaman vertikal:  
vertical redundancy check:cek lewah vertikal:1  
vertical redundancy check:cek redundansi tegak:  
vertical scanning:pemindaian vertikal:  
vertical scroll:gulungan vertikal:  
vertical separation:separasi vertikal:  
vertical shift:ingsutan vertikal:  
vertical spacing:pengantara vertikal:  
vertical subdivision:subdivisi vertikal:  
vertical sync signal:sinyal sink vertikal:  
vertical synchronization:sinkronisasi vertikal:  
vertical tabulation:tabulasi tegak:  
vertical tabulation:tabulasi vertikal:  
vertical tabulation character:karakter tabulasi vertikal:  
vertical temperature profile radio meter:radio meter profil suhu vertikal:  
vertical temperature profile radiometer:radiometer profil suhu vertikal:  
vertical type machine:mesin tipe vertikal:  
vertical-break disconnecter:diskonektor putus-vertikal:  
vertical-plane radiation pattern:pola sinaran bidang vertikal:  
vertical-shaft water turbine:turbin air ceruk-vertikal:  
verti-port :keluaran verti:  
Very High Frequency (VHF):VHF:  
very high level language (VHLL):bahasa aras tertinggi:1  
very high level language (VHLL):bahasa tingkat sangat tinggi:  
very high level language (VHLL):bahasa aras tertinggi:1

istilah-ti-indonesia

very high resolution radiometer:radiometer resolusi sangat tinggi:  
very high-level language (VHLL):bahasa aras tertinggi:  
very high-level language (VHLL):bahasa aras tertinggi (BAT):1  
very high-level languages:bahasa aras tertinggi:  
very high-level languages (VHLL):bahasa aras tertinggi:  
very large scale integrated circuit:rangkaian terintegrasi skala sangat besar:  
very large scale integration (VLSI):rangkaian terintegrasi skala sangat besar:  
very large systems:sistem sangat besar:  
very large-scale integrated circuit (VLIC):VLIC:  
very large-scale integrated circuit (VLSI circuit):sirkuit integrasi skala sangat besar (sirkuit VLSI):1  
very large-scale integration (VLSI):integrasi skala sangat besar:  
very large-scale integration (VLSI):integrasi skala terluas:1  
very small aperture terminal (VSAT):VSAT:  
vestigial sideband:jalur samping sisa:  
vestigial sideband transmission:transmisi pita samping vestigial:  
vestigial-sideband:pita samping vestigial:  
vestigial-sideband transmission:transmisi pita samping vestigial  
VGA 8:VGA  
"VGA, video graphic adaptor":VGA  
VHF (Very-High Frequency):VHF  
VHF and UHF:VHF dan UHF  
VHSIC:VHSIC  
vibrating relay:relai getaran  
vibrating-reed frequency meter:meter frekuensi gelagah getaran  
vibration:getar  
vibration of fundamental mode:vibrasi modus fundamental  
vibration of normal mode:vibrasi modus normal  
vibration pickup:pikap vibrasi  
vibrator:alat getar; penggetar  
vibrometer:vibrometer  
vibromotive force:kakas vibromotif  
vice:utama  
video:video:  
video adapter:adapter video:1  
video adaptors:adaptor video:  
video amplifier:amplifier video:  
video analysis:analisis video:  
video applications:aplikasi video:  
video capture:penangkapan video:  
video clip:video klip:  
video compact disk (VCD):VCD:  
video compressor:kompresor video:  
video conferencing:konferensi video:  
video conferencing:konferensi video:  
video disk:cakram video:  
video disk:disket video:

video display board:papan tayangan video:  
video electronics standards association (VESA):VESA:  
video file:berkas video:  
video file unit:unit berkas video:  
video game:mainan video:  
video generator:generator video:  
video grabber:penangkap video:  
video graphics array (VGA):susunan grafik video:  
video mail:surat video:1  
video mail:surat video:  
video memory:memori video:  
video mode :ragam video:  
video on demand (VOD):video atas permit:1  
video on demand (VOD):VOD:  
video overlay adaptor:adaptor tumpangan video:  
video projectors:projektor video:  
video RAM:RAM video:  
video RAM (VRAM):RAM video (VRAM):1  
video recorder:perekam video:  
video scanner:penelusur video:  
video signal:sinyal video:  
video stream:aliran video:1  
video stream:stream video:  
video streaming:pengaliran video:1  
video streaming:pengaliran video:  
video streaming :pengaliran video:1  
video tape:tape video:  
video tape recorder:perekam pita video:  
video tape recorder:video tape recorder:  
video tape recording:pita perekam video:  
videoconferencing:video konferensi:  
videoconferencing:video konferensi:  
videoconferencing:video konferensi:  
videoconferencing:video konferensi:  
videoconferencing:video konperensi:1  
videoconferencing:videokonferensi:1  
videoconferencing and telecommunication:video konferensi dan telekomunikasi:DELETE  
videoconferencing and telecommunication:video konperensi dan telekomunikasi:1  
videoconferencing and telecommunication:video konperensi dan telekomunikasi:DELETE  
Videodisc:disk video:  
videodisk:cakram video:  
videodisk pit:birik cakram video:  
videotex:videoteks:1  
videotex:videoteks:1  
videotex:videoteks:  
videotex:videoteks:



videotex:videoteks:  
videotex:videoteks:  
videotex:videoteks:  
videotex decoder:dekoder videoteks:  
videotext:teks video:  
vidicon:vidikon:  
Vienna Design Method (VDM):Metode Desain Vienna (VDM):1  
view:pandangan:  
VIEW::  
viewdata:melihat data:1  
viewdata:melihat data:  
viewdata:melihat data:  
viewdata:melihat data:  
viewer:pemandang:  
viewing algorithm:algoritma melihat:  
viewing transformation:transformasi penampakan:  
viewpoints:titik pandang:  
viewport:tempat pandang:  
vinyl resin:resin vinila:  
virgin coil:gulungan asli/murni:  
virgin medium:medium murni:  
virtual:maya:1  
virtual:maya:DELETE  
virtual:maya:  
virtual:maya:  
virtual = real option:pilihan maya=riil:  
virtual address:alamat maya:1  
virtual address:alamat maya:1  
virtual address:alamat maya:  
virtual address area:area alamat maya:  
virtual address area:lahan alamat maya:  
virtual address space:ruang alamat maya:  
virtual addressing:pengalamatan semua:  
virtual base class ::  
virtual block processor:pemroses blok maya:  
virtual call:panggil maya:  
virtual call facility:fasilitas panggil maya:  
virtual card reader:alat baca kartumaya:  
virtual channel:kanal maya:1  
virtual channel connection:koneksi kanal maya:1  
virtual channel identifier:identifikasi kanal maya:1  
virtual channel link:tautan kanal maya:1  
virtual circuit:sirkuit maya:1  
virtual circuit:sirkuit maya:  
virtual circuit:sirkuit maya:  
virtual circuit:sirkuit maya:

virtual circuit:untai maya:1  
virtual classroom:ruang kelas maya:  
virtual college:sekolah maya:1  
virtual college:sekolah maya:  
virtual college:sekolah maya:  
virtual college:sekolah maya:  
virtual communities:masyarakat maya:  
virtual computer:komputer maya:1  
virtual computer:komputer maya:  
virtual computing system:sistem komputasi maya:  
virtual connection:sambungan maya:  
virtual corporations:perusahaan maya:  
virtual CPU time:waktu CPU maya:  
virtual cylinder:silinder maya:  
virtual DASD:DASD maya:  
virtual data:data maya:  
virtual data base:pangkalan data maya:  
Virtual device interfaces:antarmuka maya:  
virtual disk:cakram maya:  
virtual disk:disk maya:  
virtual disk initialization function:fungsi inialisasi disk maya:  
virtual equals real address area:daerah alamat maya sama dengan riil:  
virtual equals real storage:memori maya sama dengan riil:  
virtual function:fungsi maya:1  
virtual function ::  
virtual I/O:I / O maya:  
virtual I/O area:virtual I/O daerah:  
virtual image:bayangan maya:  
virtual image:citra maya:  
virtual junction temperature:temperatur sambung maya:  
virtual library:perpustakaan maya:  
virtual logical structure:struktur logikal maya:  
virtual machine:mesin maya:1  
virtual machine:mesin maya:1  
virtual machine:mesin maya:  
virtual machine:mesin maya:  
virtual machine environment:lingkungan mesin maya:  
virtual memory:memori maya:1  
virtual memory:memori maya:1  
virtual memory:memori maya:1  
virtual memory:memori maya:1  
virtual memory:memori maya:  
virtual memory:memori maya:  
virtual memory:memori maya:  
virtual memory:memori maya:  
virtual memory:memori maya:  
virtual memory:memori maya:

virtual memory system:sistem memori maya:1  
virtual mode:mode maya:  
virtual network:jaringan maya:1  
virtual network:jaringan semua:  
virtual office:kantor maya:1  
virtual office:kantor maya:  
virtual office:kantor maya:  
virtual page:halaman maya:  
virtual page number::  
virtual partition:sekatan maya:  
virtual printer:pencetak maya:  
virtual private network (VPN):jaringan pribadi maya:  
virtual private network (VPN):jaringan privat maya (VPN):1  
virtual punch:tebuk maya:  
virtual push button:tombol maya:  
virtual random access memory (VRAM):memori akses acak maya (VRAM):  
virtual reality markup language (VRML):bahasa penanda realitas maya (VRML):  
virtual realities:realitas maya:  
virtual reality:realitas maya:1  
virtual reality:realitas maya:1  
virtual reality:realitas maya:1  
virtual reality:realitas maya:  
virtual reality:realitas maya:  
virtual reality:realitas maya:  
virtual reality:realitas maya:  
virtual reality:realitas maya:  
virtual reality:realitas maya:  
VIRTUAL REALITY MARKUP LANGUAGE::  
virtual reality mark-up language (VRML):bahasa penanda realitas maya (VRML):1  
virtual reality modelling language:bahasa pemodelan realitas maya:1  
virtual reality system:sistem realitas maya:1  
virtual reality system:sistem realitas maya:  
virtual region:daerah maya:  
virtual region:kawasan maya:  
virtual register::  
virtual research institute:institusi peneliti virtual:  
virtual research institute:institusi penelitian maya:1  
virtual set:perangkat maya:  
virtual set type:tipe perangkat maya:  
virtual space:ruang maya  
virtual spooling device:peralatan penyepulan maya  
virtual storage:penyimpanan maya  
virtual storage:penyimpanan maya  
virtual storage:penyimpanan maya  
virtual storage access method:metode akses penyimpanan maya

istilah-ti-indonesia

virtual storage manager:manajer penyimpanan maya  
virtual storage partition:sekatan penyimpan maya  
virtual storage personal computing:komputasi personal penyimpanan virtual  
virtual storage region:daerah penyimpanan maya  
virtual storage supervision:penyeliaan penyimpan maya  
virtual telecommunication access method:metode akses telekomunikasi maya  
virtual telecommunications access method:metode akses telekomunikasi maya  
virtual terminal (VT):terminal maya  
virtual unit address:alamat unit maya  
virtual unit control block:blok kontrol unit maya  
virtual volume:volume maya:  
virtual volume attribute:atribut volume maya:  
virtual volume type:tipe volume virtual:  
virtually addressed cache::  
virus:virus:1  
virus:virus:  
virus:virus:  
virus checker:pemeriksa virus:1  
virus scanner:pemindai virus:1  
virus scanner:pemindai virus:  
virus scanners:penelusur virus:  
virus scanners:penelusur virus:  
viruses:virus:1  
viruses:virus:  
viruses:virus:  
viruses:virus:  
viruses:virus:  
viruses and public domain software:virus dan perangkat lunak gratis:  
viscosity:kekentalan:  
visibility:visibilitas:  
visibility factor:faktor ketampaan:  
visible:terlihat:  
visible light:cahaya tampak:1  
visible light:cahaya tampak:  
visible light:cahaya terlihat:  
Visible line/surface algorithms:algoritma memperlihatkan garis / permukaan:  
visible radiation:sinaran tampak:  
visible record computers:komputer pencatat terlihat:  
visible record computers:komputer pencatat terlihat:  
vision:pandang:  
vistaLAN/PC:vistaLAN/PC:  
Visual:pandangan:  
visual (vi):vi :  
visual angle:sudut visual:  
visual BASIC programming language:bahasa pemrograman BASIC visual:1  
visual C++:visual C++:1

visual C++:visual C++:DELETE  
 visual corona:korona tampak:  
 visual display:terminal peragaan visual:  
 visual display terminal:terminal peragaan visual:  
 visual display terminal (VDT):terminal peragaan visual:  
 visual display unit:unit peragaan visual:  
 visual display unit (VDU):unit tampilan visual (VDU):1  
 visual display units:unit tampilan visual:  
 visual display units:unit tampilan visual:  
 visual field:medan visual:  
 visual flight rules:kaidah terbang tampak:  
 visual identification character:karakter identifikasi visual:  
 visual interface:antarmuka visual:  
 visual language:bahasa visual:  
 visual model:model visual:  
 visual notation ::  
 visual photometry:fotometri visual:  
 visual programming:pemrograman visual:1  
 visual programming:pemrograman visual:1  
 visual programming:pemrograman visual:1  
 visual programming:pemrograman visual:  
 visual programming:pemrograman visual:  
 visual programming:pemrograman visual:  
 visual programming:pemrograman visual:  
 "visual programming environment, VPE "::  
 "visual programming language, VPL "::  
 visual programming languages:bahasa pemrograman visual:1  
 visual programming languages:bahasa pemrograman visual:  
 visual readout:pembacaan visual:  
 visual scanner:pengecek visuil:  
 visual telephone:telepon visual:  
 VLIW:VLIW:  
 VLIW architectures:arsitektur VLIW:  
 "VLIW processor, very long instruction word processor"::  
 VLSI:VLSI:  
 VLSI (very large scale integration):VLSI:  
 "VLSI, Very Large Scale Integration"::  
 Vmail:surat visual; Vmail:1  
 Vmail:Vmail:  
 vmail:vmail:  
 Vmail:Vmail:  
 "VMEbus, Versa Module Europe bus"::  
 V-mode records:perekam model-V:  
 vocabulary:kosakata:  
 VoD:VoD:  
 vodas:vodas:  
 voice:suara:

voice amplifier:penguat suara:  
voice based dialogues:dialog berbasis suara:  
Voice Carry Over (VCO):VCO:  
voice channel:kanal suara:1  
voice channel:kanal suara:  
voice code translation:terjemahan kode suara:  
voice considerations:pertimbangan suara:  
voice entry data:pemasukan data oleh suara:  
voice frequency:frekuensi suara:  
voice grade:tingkat suara:  
voice grade line:saluran kelas suara:  
voice I/O:suara I/O:  
voice input device:alat masukan suara:  
voice input/output:keluaran/masukan suara:  
voice line:jalur suara:1  
voice line:jalur suara:  
voice mail:surat suara:1  
voice mail:surat suara:  
voice mail:surat suara:  
voice mail box:kotak surat suara:1  
voice modulation:modulasi suara:  
voice network:jaringan suara:1  
voice output:keluaran suara:  
voice output device:alat pengeluar suara:  
voice receivers:penerima suara:  
voice recognition:pengenalan suara:  
voice responds:tanggap suara:  
voice response:tanggapan suara:  
voice synthesis:sintesa suara:  
voice synthesis:sintesa suara:  
voice synthesis:sintesa suara:  
voice synthesis:sintesis suara:1  
voice synthesizer:pensintesa suara:  
voice traffic:lalu lintas suara:1  
voice traffic:trafik suara:  
voice unit:unit suara:  
voice/data integration:integrasi suara/data:1  
voice/data integration:integrasi suara/data:  
voice-frequency carrier telegraphy:telegrafi pembawa frekuensi-suara:  
voice-frequency multichannel telegraphy:telegrafi multigelombang frekuensi-suara:  
voice-frequency repeater equipment:peralatan pengulang frekuensi-suara:  
voice-frequency telegraph system:sistem telegraf frekuensi suara:  
voice-grade channel:kanal kelas suara:  
voice-grade channel:kanal kelas suara:  
voice-grade channel:saluran kelas suara:1  
voice-grade channel:saluran kelas suara:

voice-grade line:jalur kelas suara:1  
voice-grade line:kabel kelas suara:  
voicegram:voicegram:  
voicemail:surat suara:1  
voicemail:voicemail:  
voice-operated device:peralatan teroperasikan suara:  
voice-operated device anti-singing:peranti operasian-suara anti-nyanyi:  
voice-operated gain-adjusted device:peranti sesuai perolehan operasian suara:  
voice-operated gain-adjusting device:peranti sesuai perolehan operasian suara:  
voice-synthesizing hardware:perangkat keras pensintesa suara:  
void:batal:  
void:kosong:  
VOL:VOL:  
volatile:sementara:  
volatile:sementara:  
volatile fault::  
volatile file:berkas sementara:  
volatile logical destination:destinasi logis sementara:  
volatile memory:memori sementara:  
volatile memory:memori sementara:  
volatile memory :memori sementara:1  
volatile storage:penyimpan sementara:  
volatility:kesementaraan:  
volatility:kesementaraan:  
volatility:kesementaraan:  
volatility:volatilitas; kesementaraan:1  
volatility file:berkas sementara:  
volatility of data:sementara data:DELETE  
volt ohm milliammeter:miliameter volt ohm:  
voltage:voltase:  
voltage adjustment:penyesuaian:  
voltage amplifier:penguat voltase:  
voltage build-up rate:laju penguatan voltase  
voltage characteristic:ciri voltase  
voltage circuit:sirkuit voltase  
voltage commutation:komutasi voltase  
voltage control:kontrol voltase  
voltage controlled oscillator:pengosilasi berkontrol voltase  
voltage detector:detektor voltase  
voltage differential relay:relai diferensi voltase  
voltage divider:pembagi tegangan  
voltage drop:drop tegangan  
voltage feedback amplifier:penguat balikan voltase  
voltage fluctuation:fluktuasi tegangan  
voltage regulation:regulasi voltase  
voltage regulation diode:dioda regulasi voltase

voltage regulator :regulator tegangan  
voltage relay:relai voltase  
voltage response:tanggapan voltase  
voltage stabilizer:penstabil tegangan  
voltage stabilizing tube:tabung pemantapan voltase  
voltage standing-wave ratio:nisbah gelombang-berdiri voltase  
voltage system:sistem voltase  
voltage to frequency conversion type:tipe konversi voltase ke frekuensi  
voltage transformer:transformator voltase  
voltage/R element:voltase/ R elemen  
voltage/S element:voltase/ S elemen  
voltammeter:voltameter  
volt-ampere characteristic:ciri volt-ampere  
Volterra equations:persamaan Volterra  
voltmeter:voltmeter  
volume:volume  
volume:volume; isi  
volume charging:pembebanan volume  
volume control:kontrol isi  
volume control block:blok kontrol volume  
volume count:cacah volume  
volume efficiency:efisiensi volume  
volume end label:label akhir volume  
volume equivalent:kesepakatan volume  
volume group:grup volume  
volume header label:label judul volume  
volume initialize:inisial volume  
volume label:label isi  
volume label:label volume  
volume label check:cek label volume  
volume label record:rekam label volume  
volume number:jumlah isi  
volume resistivity:ketahanan volume  
volume security:keamanan volume  
volume sequence number:nomor urut volume:  
volume serial number:nomor serial volume:  
volume state:keadaan volume:  
volume switch procedures:prosedur penyambungan volume:  
volume switching:alih volume:  
volume table of contents:volume senarai isi:  
volume trailer label:label pengekor volume:  
volume unit meter:meter unit volume:  
volume velocity:kecepatan volume:  
volumetric:volumetrik:  
volumetric efficiency:efisiensi volum:  
von Neumann architechture::



Von Neumann architecture:arsitektur Von Neumann:1  
von Neumann architecture:arsitektur von Neumann:  
von neumann architectures:arsitektur von Neumann:  
von Neumann computer:komputer von Neuman:  
Von Neumann machine :mesin von neuman:  
voting circuit::  
vowel:vokal:  
vowel articulation:artikulasi vokal:  
VRAM:VRAM:  
VRC:VRC:  
VRM:VRM:  
VRML browser:perambong VRML:1  
VS:VS:  
VSAM:VSAM:  
VSAM master catalog:katalog induk VSAM:  
VSAM recoverable catalog:katalog terpulihkan VSAM:  
VSAM user catalog:katalog pengguna VSAM:  
VSB:VSB:  
V-series:seri-V:  
VSM:VSM:  
VT:VT  
VT-100 protocol:protokol VT-100  
VTAM definition:definisi VTAM  
VTAM definition library:pustaka definisi VTAM  
VTAM load module library:pustaka modul beban VTAM  
VTOC:VTOC  
V-type address constant:konstanta alamat tipe V  
V-type address constant:konstanta alamat tipe-V  
VU:VU  
VUA:VUA  
vulcanization:vulkanisasi  
W3C :W3C  
wafer:kripik  
wafer base:alas wafer  
wafer scale integration:integrasi skala wafer  
wafer scale integration:integrasi skala wafer  
wagon:gerbang:  
wais:wais:1  
WAIS:WAIS:  
wais:WAIS:  
wait:tunggu:  
wait before transmit:tunggu sebelum kirim:  
wait before transmit positive acknowledgement:pernyataan positif tunggu sebelum kirim:  
wait before-transmit:tunggu sebelum kirim:  
wait before-transmit:tunggu sebelum transmit:  
wait condition:kondisi menunggu:

wait indicator:indikator tunggu:  
wait state:keadaan menunggu:  
wait state:keadaan menunggu:  
wait task:tugas tunggu:  
waiting list:senarai tunggu:  
waiting loop:putaran menunggu:  
waiting state:keadaan tunggu:  
waiting time:waktu menunggu:  
wake:membangkitkan:  
walkthrough:jalan lewat:1  
walkthrough:jalan lewat:  
walkthroughs:jalan lewat:1  
walkthroughs:jalan melalui:  
walkthroughs:jalan melalui:  
wall clock::  
wall tube insulator:insulator tabung dinding:  
wall-mounted switchboard:sakelar terpasang pd dinding:  
WAN:WAN:  
wand:tongkat sihir:  
WAP:WAP:  
WAP application:aplikasi WAP:1  
WAP MARKUP LANGUAGE:BAHASA MARKAH PAN:  
warm boot:boot hangat:  
warm restart:re-anjak pemanasan:  
warm spot:titik hangat:  
warm start:mula hangat:1  
warm start:mula hangat:  
warm start:mula hangat:  
warm start:start hangat:1  
warm start:start panas:  
warm-up time:waktu memanaskan:  
warm-up time:waktu mulai panas:  
Warnier-Orr:Warnier-Orr:  
Warnier-Orr design methods:metode desain Warnier-Orr:1  
Warnier-Orr design methods:metode perancangan Warnier-Orr:  
Warnier-Orr diagram:diagram Warnier-Orr:1  
warning message:pesan peringatan:  
warp:melengkungkan:  
waste instruction:instruksi sia-sia  
waste operation:operasi sia-sia  
watch dog timer:penentu waktu anjing jaga  
watchdog processor:  
watchdog timer:penentu waktu anjing jaga  
watchdog timer:penentu waktu anjing jaga  
watchdog timer:waktu penjaga  
watchman's clock:jam penjaga

water activated cell:sel aktifan air  
water circuit-breaker:pemecah-sirkuit air  
water gate:pintu air  
water hammering:penempaan air  
water head:kepala air  
water power site:situs daya air  
water pressure:tekanan air  
water rheostat:reostat air  
water tube boiler:ketel tabung air:  
water wheel:kincir air:  
water-cooled transformer:transformator dinginan air:  
waterfall life-cycle ::  
waterfall model:model air terjun:1  
waterproof machine:mesin kalis air:  
watertight case:kotak kedap air:  
water-wall tube:tabung dinding air:  
WATS:WATS:  
wattage:jumlah watt:  
watthour meter:meteran watt-jam:  
watthour meter with maximum demand meter:meteran watt-jam dengan meteran persyaratan maksimum:  
wattless current:arus tanpa-watt:  
wattmeter:wattmeter:  
wave absorber:penyerap gelombang:  
wave analyzer:penganalisis gelombang:  
wave changing switch:tombol pengubah gelombang  
wave director:pengarah gelombang  
wave filter:penyaring gelombang  
wave front:depan gelombang  
wave group:kelompok gelombang  
wave motion:gerak gelombang  
wave node:simpul gelombang  
wave normal:gelombang normal  
wave number:jumlah gelombang  
wave tail:gelombang ekor  
wave train:deret gelombang  
wave winding:penggulungan gelombang  
waveform:bentuk gelombang  
Waveform analysis:analisa bentuk gelombang  
waveform characteristic:sifat bentuk gelombang  
waveform distortion:piuhan bentuk gelombang  
waveform equalization:ekualisasi bentuk gelombang  
waveform equalizer:penjelas bentuk gelombang  
waveform regeneration:regenerasi bentuk gelombang  
waveform regeneration circuit:sirkuit regenerasi bentuk gelombang  
waveform separation:pemisahan bentuk gelombang

istilah-ti-indonesia

waveform shaper:pembentuk bentuk gelombang  
waveform shaping:penentuan bentuk gelombang  
wavefront array:susunan wavefront  
waveguide:pandu gelombang  
waveguide branching filter:penyaring percabangan pandu-gelombang  
waveguide constant:tetapan pandu-gelombang  
waveguide filter:penyaring pandu-gelombang  
waveguide radiator:radiator pandu-gelombang  
waveguide resistance attenuator:atenuator tahanan pandu-gelombang  
waveguides:pandu gelombang  
wavelan:wavelan  
wavelength:panjang gelombang  
wavelength constant:tetapan panjang gelombang  
wavelength filter:penyaring panjang gelombang  
wavelength in waveguide:panjang gelombang dalam pandu-gelombang  
wavelets:wavelet  
wavemeter:meter gelombang  
wax:lilin  
waxing:bertambah besar  
way station:stasiun antara  
weak external reference:acuan eksternal teratur  
weather effects:efek cuaca  
weather underground:cuaca bawah tanah  
weathering:penyuasaan  
web:web  
Web automaton:automator Web  
web based learning:pembelajaran berbasis web  
web browser:perambang web:1  
web crawler:web crawler:  
web developer:pengembang web:  
web hosting services:layanan hos web:1  
web page:halaman web:  
web page:laman web:1  
web portal:portal web:  
web server:server web:1  
web server:server web:1  
web server:server web:  
web servers:server web:  
web site:situs web:1  
web site:situs web:  
web surfing:pelayaran web:1  
web tv:tv web:  
web-based interaction:interaksi berbasis web:  
web-based services:jasa berbasis web:  
webcasting:siaran web:1  
webcasting :siaran web:

webcopy:kopi web:1  
webcopy:kopi web:  
webcrawler:webcrawler:  
webhost :hosweb:  
webhosting:webhosting:  
webmaster:kuasaweb:  
webmaster:master web:1  
webtone:nadaweb:  
WebTV :webTV:  
wedge:baji:  
weight:berat:  
weight:bobot:  
weight efficiency:wefisiensi bobot:  
weight ratio:nisbah bobot  
weighted mean:purata bobot  
weighting:timbangan  
weir method:metode halang  
welder:pengelas  
welding generator:generator pengelasan  
welding transformer:transformator pengelasan  
welfare technology:teknologi kesejahteraan  
well pump:pompa sumur  
wet cell:sel basah  
wet contact:kontak basah  
wet flashover voltage:voltase lewat-dengan basah  
wet type air cell:sel air tipe basah  
wetting:pembasahan  
what phase:fase apa  
What-You-See-Is-What-I-See (WYSIWIS):Apa-Anda-Lihat-Saya-Lihat  
What-You-See-Is-What-You-Get (WYSIWYG):Apa-Anda-Lihat-Itu-Anda-Dapat:  
what-you-see-is-what-you-get (WYSIWYG)::1  
wheel:roda:  
wheel base:alas jentera:  
wheel printer:pencetak wheel:  
where:di mana:  
WHERE:mana:1  
WHERE:WHERE:DELETE  
whetstone::  
Whetstone benchmark::  
whip antenna:antena pecut:  
white box reuse ::  
white box testing ::  
white metal:logam putih:  
white noise:desah putih:  
white pages:halaman putih:  
white point:titik putih:

white-box testing:pengujian kotak putih:1  
white-box testing:pengujian kotak-putih:  
who can use:siapa dapat menggunakan:  
WHOIS:WHOIS:  
whois :whois:  
whole tone:nada semua:  
Wide Area Information Servers (WAIS):WAIS:  
wide area network:jaringan luas:  
wide area network:jaringan luas:  
wide area network (WAN):jaringan area lebar (WAN):1  
wide area network (WAN):jaringan area luas:  
wide area network (WAN):jaringan area luas:  
wide area network (WAN):jaringan area luas:  
wide area network (WAN):jaringan area metropolitan:1  
wide area networks (WANs):jaringan area luas:  
Wide Area Telecommunications/Telephone Service (WATS):WATS:  
wide area telephone service:pelayanan telepon daerah luas:  
wide area telephone service:servis telepon area lebar:  
wideband:jalur lebar:1  
wideband:pita lebar:  
wide-band:pita lebar:  
wideband amplifier:penguat pita lebar:  
wideband antenna:antena pita-lebar:  
wideband channels:kanal pita lebar:  
wideband frequency modulation:modulasi frekuensi pita lebar:  
wideband radio relay system:sistem relai radio pita lebar:  
widening::  
widening of gage:pelebaran alat:  
widening of gauge:pelebaran alat:  
width:keluasan:  
Wiener filtering:tapis Wiener:  
wild failure::  
WILDCARD::  
Wildcard :FOLDER:PELIPAT  
willful intercept:pintas sengaja:  
William tube memory (H)::  
Williams tube:tabung/tube Williams:  
WIMP:WIMP:  
WIMP:WIMP:  
winch:derek:  
winchester disk:cakram/piringan Winchester:  
Winchester disk::  
Winchester type magnetic disk unit:unit cakram magnmetik tipe winchester:  
wind load:beban:  
wind pressure:tekanan udara:  
winding:gulungan:

winding factor:faktor lilit:  
winding pitch:buaian melingkar:  
window:jendela:1  
Window:jendela:  
window:jendela:  
window:jendela:  
WINDOW CLEAR:bersih jendela:1  
WINDOW CLEAR:WINDOW CLEAR:DELETE  
WINDOW CLOSE:tutup jendela:1  
WINDOW CLOSE:WINDOW CLOSE:DELETE  
window environment:lingkungan jendela:1  
window environment:lingkungan jendela:1  
window environment:lingkungan jendela:  
window environment:lingkungan jendela:  
window intercept:pintasan jendela:  
WINDOW LOAD:muat jendela:1  
WINDOW LOAD:WINDOW LOAD:DELETE  
window manager ::  
Window managers:manajer window:  
WINDOW MOVE:gerak jendela:1  
WINDOW MOVE:WINDOW MOVE:DELETE  
WINDOW OPEN:buka jendela:1  
WINDOW OPEN:WINDOW OPEN:DELETE  
WINDOW READ:baca jendela:1  
WINDOW READ:WINDOW READ:DELETE  
WINDOW READ parameters:parameter baca jendela:1  
WINDOW READ parameters:parameter WINDOW READ:DELETE  
window size:ukuran jendela:  
window/viewport transformation:transformasi jendela:  
Windowing systems:sistem window:  
Windows:jendela:1  
Windows>window:DELETE  
windows>window:  
windows 98 :window 98:  
windows NT:jendela NT:1  
windows NT>window NT:DELETE  
WINS :WINS:  
wiper:pemunah:  
wiper cord:tali penyeka:  
wiping cloth:lap penyeka:  
wire:kawat:  
wire bonding:ikatan dawai:  
wire brush:sikat kawat:  
wire chief desk:bangku utama dawai:  
wire frame representation:representasi kerangka kabel:

wire fuse:sekering dawai:  
wire gauge:tolok kawat:  
wire jointing:tambahan dawai:  
wire memory:memori kawat  
wire printer:pencetak kawat  
wire splicing:penyambungan dawai  
wire tapping:penyadapan kawat  
wire telegraphy:telegrafi dawai  
wire telephone:telepon dawai  
wire wound resistor:tahan lingkaran dawai  
wire wrap:membengkokkan kawat  
wired AND:berkawat AND  
wired building:bangunan terkait kabel  
wired logic:logika berkawat  
wired OR:OR berkawat  
wired OR:OR berkawat  
wired radar:radar dawaian  
wired waveguide:pandu gelombang dawaian  
wireless:nirkawat  
Wireless Application Protocol:Protokol Aplikasi Nirkabel:1  
WIRELESS APPLICATION PROTOCOL:PROTOKOL APLIKASI NIRKABEL:  
wireless application protokol:protokol aplikasi nirkabel:1  
wireless cable:kabel nirkawat:  
Wireless Communication:komunikasi nir kabel:  
wireless communication:komunikasi nirkabel:1  
wireless computing:komputasi nirkabel:1  
wireless computing:komputasi nirkawat:  
wireless electronic mail:surat elektronik nirkabel:  
wireless internet software:perangkat lunak internet nirkabel:1  
wireless LAN:JAL nirkabel:1  
wireless LAN:JAL nirkabel:  
wireless LAN:LAN nirkabel:1  
wireless modem:modem nirkabel:1  
wireless modem:modem nirkabel:  
wireless telegraphy:telegrafi nirkabel:  
wireless transmission:transmisi nirkabel:1  
wireless transmission:transmisi nirkawat:1  
wireless transmission:transmisi nirkawat:  
wireless transmission:transmisi nirkawat:  
wireless transmission:transmisi nirkawat:  
wireless transmission media:media transmisi nirkabel:1  
wiring:pemasangan kawat:  
wiring board:papan pemasangan kawat:  
wiring diagram:diagram kawat:  
wiring diagram:diagram perkabelan:  
within class variation:variasi dalam kelas:



withstand voltage test:uji voltase bertahan:  
wooden pole:tiang kayu:  
wooden raceway:jalan-pacu tiang:  
woofer:penyalak:  
word:kata:1  
word:kata  
word address:alamat kata  
word area:area kata  
word boundary:batas kata  
word boundary:sempadan kata  
word buffer:penyangga kata  
word intelligibility:kejelasan kata  
word lattice:kisi kata  
word length:panjang kata  
word line:  
word machine:mesin kata  
word mark:tanda kata  
word organized storage:penyimpan terorganisasi kata  
word oriented:berorientasi kata  
word per minute:kata per menit  
word processing:pemroses kata  
word processing:pemrosesan kata:1  
word processing:pemrosesan kata:  
word processing:pemrosesan kata:  
word processing software:perangkat lunak pemroses kata:1  
word processing software:perangkat pemroses kata:  
word processor:pemroses kata:1  
word processor:pemroses kata:  
word processor:pemroses kata:  
word processor:pemroses kata:  
word size:nomor kata:  
word time:waktu kata:  
word warp:pembungkus kata:  
word wrap:pembungkus kata:  
WordPerfect:WordPerfect:1  
WordPerfect:WordPerfect:DELETE  
wordprocessors:pemroses kata:  
words per minute:kata per menit:  
work area:area kerja:  
work area:area kerja:  
work bench ::  
work measurement:pengukuran kerja:  
work simplication:penyederhanaan kerja:  
work study in the office::DELETE  
work tape:pita kerja:  
workcell organization::

workcell planning::  
workflow ::  
workflow management:manajemen alir kerja:1  
workflow management:manajemen alir kerja:  
"workflow management, WFM "::  
workflow system:sistem alir kerja:1  
workflow system:sistem alir kerja:  
workgroup computing:komputasi kelompok kerja:1  
workgroup hacker:penggodam kelompok kerja:1  
workgroup software and telecommunication:perangkat lunak dan telekomunikasi grup kerja:1  
workgroup software and telecommunication:perangkat lunak grup kerja dan telekomunikasi:  
workgroup software and telecommunication:perangkat lunak workgroup dan telekomunikasi:DELETE  
working set::  
working-set policy::  
workload ::  
workpackage ::  
workstation: stasiun kerja:1  
workstation:stasiun kerja:1  
workstation:stasiun kerja:  
workstation:stasiun kerja:  
workstations:stasiun kerja:  
world wide web (WWW):waring wera wanua (WWW):1  
world wide web (WWW):wire wiri wae; waring wera wanua; jaring jagad jembar:  
world wide web (WWW):wire wiri wae; waring wera wanua; jaring jagad jembar:  
world wide web (WWW/3W):waring wera wanua (WWW):1  
world wide web (WWW/3W):wire wiri wae; waring wera wanua; jaring jagad jembar:  
world wide web (WWW/3W):wire wiri wae; waring wera wanua; jaring jagad jembar:  
world wide web (WWW/3W):wire wiri wae; waring wera wanua; jaring jagad jembar:  
WorldWideWeb (WWW):wire wiri wae; waring wera wanua; jaring jagad jembar:  
worldwideweb browsers:penelusur WWW:  
worldwideweb home pages:beranda muka WWW:  
worldwideweb HTML:HTML WWW:  
WorldWideWeb public telnet clients::  
worldwideweb URL:URL WWW:  
worm:cacing:1  
WORM:WORM:1  
WORM:WORM:  
WORM:WORM:  
WORM:WORM:  
WORM:WORM  
WORM optical disk:cakram optik WORM  
worms:worms  
worms:worms  
worst-case analysis:analisa kondisi terburuk  
worst-case analysis:analisa kondisi terburuk  
worst-case analysis:analisa kondisi terburuk

wraparound:  
wrapped:  
wrapper :pembungkus  
wrapper class:  
writable control store:penyimpan kontrol tertulis  
write:tulis  
write allocate:  
write broadcast:  
write buffer:  
write check:cek penulisan:  
write cycle time:waktu siklus tulis:  
write instruction::  
write invalidate::  
Write Once read Many:tulis sekali baca banyak:  
write once read many (WORM):tulis sekali baca banyak:  
write once read many (WORM):tulis sekali baca banyak:  
write permit ring (WPR):cicin dengan ijin menulis:  
write phase:ruang kerja:  
write policy::  
write protect:proteksi penulisan:  
write protect ring:cincin lindung tulis:  
write protection:proteksi penulisan:1  
write protection:proteksi penulisan:  
write protection:proteksi penulisan:  
write through::  
write-after-read hazard::  
write-after-write hazard::  
write-back cache::  
write-in cache::  
write-through cache::  
writing tablet:meja kecil tempat menulis:  
WWW:WWW:  
WXTRN:WXTRN:  
X position:posisi X:  
X series recommendations:rekomendasi seri x:  
X window:jendela X:1  
X window:x window:  
x window:x window:  
X.12:x.12:  
X.21:x.21:  
X.21 protocol:protokol x.21:1  
X.25:x.25:  
x.25 networks:jaringan x.25:  
X.28:x.28:  
X.400:x.400:  
x.500:x.500:

X.500:x.500:  
X.509 :x.509:  
XML :XML:  
Xmodem:xmodem:  
X-off:nyala-X:  
X-on:mati-X:  
XOR:XOR:  
XOR gate:gerbang XOR:1  
XOR gate:gerbang XOR:  
XOR operation:operasi XOR:  
X-punch:penebuk X-Y:  
X-series:seri-X  
xy chart:bagan xy  
X-Y plotter:pengomplak X-Y  
X-Y recorder:rerekam X-Y  
xyz space:ruang xyz  
Y2K:masalah komputer tahun 2000 (MKT-2000)  
year 2000 problem (Y2K):masalah komputer tahun 2000 (MKT-2000)  
"year 2000 problem, Y2K problem ":  
yearly load curve:kurva beban tahunan  
yearly load factor:faktor beban tahunan  
yellow page:lembatang kuning  
yield:luluh  
y-intercept:pintasan-y  
ymodem:ymodem  
yoke:pikulan  
zap:hapus  
zero divide::  
zero flag::  
zero-address instruction::  
zip: zip:1  
zip:zip:  
zip:zip:  
zmodem:zmodem:1  
zmodem:zmodem:  
zombie proccess:proses mati suri:  
zone recording::  
zoom:fokus:  
zoom in:fokus ke dalam:  
zoom out:fokus ke luar:  
zooming:peningkatan:  
FALSE:salah:  
TRUE:benar: