
# Historic, archived document


Do not assume content reflects current scientific knowledge, policies, or practices.















# CONTENTS.

## ---

	introductory
I.	New, Rare and Desirable Plants
	Orchids
II.	New, Rare and Highly Valuable Orchids 14-2
III.	Warm House or East Indian Orchids
IV.	Orchids for Intermediate Temperature
V.	Cool House Orchids
VI.	Orchids for Cultivation in the Open Ground
VII.	Pitcher Plants, Etc
VIII.	Palms
IX.	Special Palms and Cycadeas for Out-door Decoration 63-6
X.	Rare Specimens of Palms, Cycadeas and Tree Ferns 66-6
XI.	Ferns and Selaginellas
XII.	Ferns and Selaginellas for Greenhouse Culture
XIII.	Tree Ferns
XIV.	A Special Collection of Ferns for Table Decoration, etc
XV.	Select Hardy Ferns
XVI.	Select Decorative Plants
XVII.	Bromeliads
XVIII.	Pandanads, Musaceas and Scitamineas 91-9
XIX.	Stove and Hot-house Plants
XX.	General List of Greenhouse Plants
XXI.	Climbing and Creeping Plants
XXII.	Amaryllideas
XXIII.	Succulent Plants (including Cactuses)
XXIV.	Bulbs and Tuberous Plants
XXV.	Aquatic Plants
XXVI.	Ornamental Grasses
XXVII.	Plants for Sub-Tropical Groups
XVIII.	
XXIX.	Hardy Perennial and Herbaceous Plants
XXX.	Deciduous Trees and Shrubs
XXXI.	Evergreen Trees and Plants
XXXII.	Trees and Shrubs of Special Effect
XXIII.	
XXIV.	
	Alphabetical Index



#### THIS CATALOGUE,

Prepared with much care, and under an entirely new system of classification, is designed to be a practical help to those interested in Floriculture and Horticulture, as well as a very complete list of available material for a wide range of planting or decorating. The novel arrangement, it is hoped, will prove of advantage not only to the skilled botanist, but as well to those not so fully informed on the matters treated of. That, upon careful perusal, it may be found interesting and worthy of preservation, is the sincere wish of

## INTRODUCTORY.



PRESENTING a new edition of our General Catalogue, we wish to call attention to the variety and extent of our stock, as well as to its superior condition. Since the issue of the last edition, we have added to our collection very many new and valuable plants of recent discovery and introduction, as well as brought forward a number of beautiful species which, while years ago found among the finest collections, have through neglect or perhaps extreme

modern fashions been partially lost sight of. Among these latter especially may often be found the most charming forms, possessing all the attraction of the latest novelty, together with merits established by years of experience in their culture. We have for several years given especial attention to the re-introduction of many such deserving and valuable plants to their former place in the esteem of the horticultural public, and with gratifying success.

#### Our Advantages.

We are operating extensive tropical nurseries on our plantations in the West Indies, and are thus enabled to grow rapidly and to perfection, under most favorable circumstances, many things which are slow and difficult of culture in North America. Our direct connections with the most prominent botanical and commercial establishments of Europe, the East Indies, Australia and South America, are also a great advantage in procuring and exchanging rare and valuable stock; wherefore it may be readily understood how we are in an exceptionally favorable way of meeting all demands for new, rare and valuable plants at the most reasonable prices.

#### A Visit Solicited.

We invite personal inspection of the stock in our show houses, at New Rochelle. Here are constantly many interesting sights, not common to ordinary nurseries—rare Orchids and tropical plants in bloom, grand specimen Palms and Cycads, a profusion of the finest Roses, etc., etc. We are glad to see visitors any day except Sunday, and the Rose Hill Nurseries are easy of access from New York. Trains on the New York, New Haven and Hartford railroad, leaving the Grand Central depot (Forty-second street), every hour, pass New Rochelle, and cabs and stages for the nurseries will be found at the station on the arrival of all trains.

### Conditions under Which we Conduct our Business.

- 1. All purchasers are requested when ordering by mail or otherwise to give their proper address and directions where to and how they desire their orders shipped—whether by freight or express. When not advised how to ship, we exercise our own judgement, and forward to the best advantage of the purchaser.
- 2. New customers and persons unknown to us are kindly requested to accompany their esteemed orders either with cash in post office orders or draft on New York, or with satisfactory reference.
- 3. All orders are carefully packed for shipment by experienced hands, so they may be sent to even far distant points with perfect safety; and no charges are made for packing and shipping by express or freight at New Rochelle.

SIEBRECHT & WADLEY.



ALOCASIA SANDERIANA.

# New, RARE AND DESIRABLE PLANTS

#### And Plants of Recent Introduction.

HIS LIST contains all the newer plants of value introduced to cultivation within the past decade, as well as some plants meriting special mention, though not new. Several grand old varieties, almost lost to cultivation, are introduced afresh—they are fully as meritorious as any of the novelties. We ask especial attention to this list, which contains much that will be of interest to any lover of fine plants.

- with fine dark colored and white leaves: a very fine Aroid. \$2.50.
- A. nebulosum. Another very beautiful species from Java: resembles the foregoing, but is quite distinct. having striped foliage. \$2.50.
- ALOCASIA marginata. A very fine ornamental species from Brazil; has very large sinuated leaves, with a sharply pointed apex. The upper surface is dark green, and the reverse purple tinted, with red midrib and nerves. \$5.
- A. Reginæ. A plant of great beauty, with large coriaceous leaves of a dark green and purplish color. The stems of the leaves are greenish purple, marbled slightly and spotted. \$5.
- A. Sanderiana. A very remarkable plant, with deeply sinuated leaves of a dark slate color, and with ivorywhite bands, mid-rib and nerves. (See illustration.) \$2.50 to 85
- A. Van Houttei. Another excellent species, of imposing habit: large leaves silvery ribs and veins. \$5.
- A. princeps. A species from the Malay Archipelago, with sagittate-sinuate leaves and slender petioles of a grayish green color, spotted and marmorated with deep purple brown. 85.
- A. gigas. This is the largest species of this noble class of hot-house decorative plants. \$5.
- A. Lindeni. A very attractive species from the Malay Archipelago, with white petioles and dark green leaves. and white veins and ribs. 83.
- A. Luciani. (Hybrid.) This most remarkable variety is a hybrid of A. Thibautiana and A. Putzeysi, and is of extreme beauty. The petioles are bronze brown, and the leaves of a brown purple. \$5.
- A. Margaritæ. An excellent Aroid from Java. Of a very graceful habit, with brown spotted pctioles and purple leaves with a rosy margin. \$3.
- A. Sedenii. A very fine hybrid between A. Lowii and A. metallica combining the merits of both these fine species in a still higher degree. A first-class exhibition plant. \$2 to \$3.50.

- AGLAONEMA picta. This species is of dwarf habit, | A. Thibautiana. This most charming and very imposing plant is one of the rarest novelties of late introduction. Its immense leaves of elegant form and rich coloring make it a most desirable plant for exhibitions. \$2.50 to \$4.
  - A. Villeneuvei. This majestic and noble species is from Borneo, and much like A. gigas, but has longer petioles, with deep green leaves. \$5.
  - ANTHURIUM Andreanum. The true species is a most striking and beautiful plant, with extra large brilliant scarlet flowers of a leathery texture and of long duration. Therefore, large plants are always in bloom. A plant exceedingly useful for florists. (See illustration, page 6.) \$2 to \$5.
  - A. Ferrierense. This is much like the foregoing species, both in habit and character, only that the flower is of a very rich deep rosy pink; a very free grower and free bloomer. \$2.50 to \$4.
  - A. Scherzerianum Bennettii. Distinct in appearance, with lanceolate foliage, having sharper points than any of the other Anthuriums; the same characteristic is noticed in the flower, which has a long sharp spathe and an enormous fiery red spadix. \$5 to \$10.
  - A. Scherzerianum Cypherii. A hybrid, and the best form of A. Scherzerianum: the flower and stem from the base is of the darkest crimson and very large; the largest and most beautiful flowers, of heavy texture and great substance. Price on application.
  - A. Scherzerianum Wardii. Leaves and flowers especially broad; as brilliant and rich in color as the foregoing, while of entirely distinct shape. A splendid variety. \$5 to \$10.
  - A. Scherzerianum, var. Rothschildianum. A very fine and peculiar profuse flowering species; spathe rich bright searlet, mottled with white. \$5.
  - A. crystallinum. One of the handsomest of this excellent class of decorative plants, with large leaves of deep velvety green, marked with broad silvery veins and ribs. \$1 to \$2.50.
  - A. Gustavi. Another exquisite species with large and fine leaves. \$2 to \$3,50.



ANTHURIUM ANDREANUM.



ANTHURIUM WAROCQUEANUM.

#### ANTHURIUM, Continued.

- A. Veitchii. One of the grandest of the genus, with extraordinarily long leaves; very imposing and of decorative habit. §5.
- A. Warocqueanum. A novelty of the first class, with long cross corrugated leaves of a beautiful green, with pale green ribs. This species is an excellent exhibition plant. (See illustration.) \$2.50 to \$5.
- APHELANDRA amœna. A new species from Brazil, with fine variegated leaves, and of dwarf habit. \$1.
- A. Macedoana. Another noble and very decorative species with white striped leaves. \$1.
- A. Margaritæ. A very fine species with pubescent leaves of a metallic green color, and white nerves; an excellent exhibition plant. \$1.
- **ARISTOLOCHIA.** We offer three new species of this remarkable class of tropical climbing plants with very peculiar and interesting flowers.
- A. elegans. \$1.
- A. Goldieana. \$1.
- A. ridicula. \$1.

# ANANASSA Cochin-Chinensis. This fine species is very distinct, with its deep green leaves striped with

green leaves striped with yellow, and a rosy margin. \$5.

#### AZALEA balsaminæflora (A. rosæflora, A. Rollissonii fl. pl.). A new species from Japan, with very fine double flowers of a bright salmony red, regularly imbricated

like a Camelia-flowered balsam; very fine. \$1. AGAVE Victoria Regina.

This rare and beautiful species is of a dwarf compact growth, and belongs to the easy flowering class. (See illustration in General Collection.) \$3.50 to \$7.50.

BRACHYCHITON acerifolium. Called the Australian Flame Tree. A most beautifultree, with brilliant scarlet flowers. \$1.

CAMOËNSIA maxima. This grand species is a native of West Africa. The large bunches of milky white flowers tinted with golden yellow, and its luxuriant foliage, will make this most gorgeous tropical climber indispensable in any collection. §10.

CRINUM nobile. This Crinum Lily produces the largest flowers of the genus, often

seven to eight inches broad. The color is creamy white, with light rose on the outside of petals. The scape is of a bronze purplish color. \$5.

- C. ornatum. Has large flowers of light rosy color. \$2.
  C. scabram. This species produces rosy and purple flowers in large umbels; very fine and ornamental. The showy flowers are of great lasting substance. \$3.
- **CROTON** illustris. A very handsome new Croton with leaves like those of *Passifora trifasciata*; is very brilliant and conspicuous. §2.
- C. Nestor. A new, variety with large lanceolate leaves of a bright yellow variegation. Has broad mid-rib and spotted margin; a very attractive plant. \$2.
- C. Baron Adolph Selliere. This new and rare Croton is of strong and robust growth. The brilliant green leaves are large, with pale yellow nerves, which soon become ivory white; thus the contrast of color produces a striking effect. \$2.
- **C.** ruberrimus. This is a very fine bright red variety of great beauty. §2.
- C. Lady Zetland. This beautiful new Croton is of most brilliant coloring and showy and graceful habit. \$2.



DRACÆNA BAUSEI.

#### CROTON, Continued.


- C. Bergmanii. A most excellent new variety, with large dense foliage of rose and white; stems and petioles of lively green, with an irregular dark green band through center of leaf. §2.
- CYRTOSPERMA Johnstoni. This is a very remarkable Aroid from the Salomons Islands. The leaf stalks are covered with stiff spines, and the leaves are arrow-shaped, variegated and varied with bright red. \$5.
- COCHLIOSTEMA Jacobianum, var. albo lineatum.

  This is the variegated form of the original very imposing species; a first-class exhibition plant. \$5.
- CURMERIA picturata. A very fine ornamental and decorative plant, with Maranta-like leaves of great beauty. \$1.50 to \$3.
- **DRACÆNA** fragrans Massangeana. A species with broad yellow striped leaves: a first-class decorative plant, of robust and stout habit. §2.
- D. Lindenii. This excellent and very beautiful new plant is of nearly the same character and habit as the foregoing, though its very striking and clearly marked variegation of rich green and bright yellow, makes it more effective and desirable. §3.

- D. Goldieana. (See illustration.) This is one of the finest Dracænas known; has peculiar zebra-striped leaves; of very compact and vigorous habit, and a most beautiful decorative plant of great substance. \$1.50 to \$2.
- D. amabilis. Though not new, this species is still very rare in collections; it is a grand, beautifully colored and distinct sort. \$1.
- **D. Bausei.** (See illustration.) A very distinct and densely growing plant of fine rich colors and graceful habit; a truly beautiful plant. \$1.50.
- **D.** Cochin-Chinensis (Aletris frutescens). A re-introduction of a plant of great value for decorative purposes; it stands rough treatment, and is hardy for out-door decoration in summer. This noble species is in great favor in European gardens for its hardy character. §1.
- D. argenteo-striata. A new and very elegant variety from the South Sea Islands: a form with narrow, light green leaves, varied with distinct white and gray stripes and lines; a plant of great merit. §5.
- **D.** umbraculiflora. Another re-introduction, and one of the most decorative and substantial plants existing; has been much neglected of late. Fine specimens, §5.
- D. Norwoodiencis. A most beautiful and very useful novelty; of elegant habit and pleasing coloring from the foot-stalks to the very tips of the leaves; of compact and rather dwarf habit. \$2.50.
- D. Scottii. This is one of the most conspicuous hybrid Dracenas; has exceedingly broad and very substantial foliage with rich coloring, which makes it one of the best and noblest plants for exhibitions; a very effective and showy variety. \$1.50 to \$5.



DRACÆNA GOLDIEANA.



DIEFFENBACHIA REX.

#### DRACÆNA, Continued.

- D. terminalis alba. This rare Dracæna is the exact counterpart of the old red terminalis, its leaves being white instead of red; in all other respects it is like that good and very popular sort. It is the best of all the white colored Dracænas yet introduced, and will be much admired as it becomes more widely known. \$1.50 to \$2.50.
- D. imperialis. Another very handsome and most distinct sort; foliage often three feet long, with most pleasing combinations of colors throughout the whole plant; of strong habit and bold character—a beauty. \$1.50 to \$2.50.
- **D. stricta grandis.** This is one of the strongest and most robust growing sorts of the highly colored species; its noble aspect and bold erect habit give it a majestic appearance. \$2.
- D. congesta, var. discolor. A re-introduction of a fine variety, of much decorative value; very tough and hardy, and unsurpassed for decorations; will be found very valuable and useful. \$1 to \$2.50.

- DIEFFENBACHIA Regina. A very distinct and striking species, with oblong elliptical leaves of a greenish white color, mottled and blotched with alternate light and dark green tints. Its extreme beauty makes it the queen of all Dieffenbachias. \$3.50 to \$5.
- D. triumphans. Another very ornamental form from Colombia, with fine variegated leaves. \$3.50 to \$5.
- D. Rex. This is a robust and vigorous growing form of extreme beauty, and it is easily the king of the Dieffenbachias. 83.50 to 85.
- **DAVIDSONIA** pruriens. A noble decorative plant from Queensland, with very long pinnated leaves of a rich green color. The young foliage is of a light rosy or red color. One of the finest greenhouse plants. \$3.
- **EUPHORBIA** triangularis cristata. A very interesting and conspicuous variety. \$1 to \$3.
- E. neriifolia aurea variegata. Another extra fine golden spotted and striped Cactus-like Euphorbia. This plant presents a most quaint and remarkable appearance. \$2.50 to \$5.



FICUS ELASTICA FOL. AUREA VAR.

ECHEVERIA Fræbeli tricolor. This is a very showy variety of the dwarf Echeverias, with white and rosy variegated leaves. Excellent for carpet gardening; a plant of rare merit. 50 cents.

#### EURYCLES Australasica. \$1.

- E. Cunninghami. These two species represents the Narcissus and Amaryllis in the Australian flora. Exquisite plants for white cut-flowers, and also for decorative purposes. \$2.
- EUCALYPTUS cordata. The foliage of this rare and fine species is of a whitish green color, and in form it is very conspicuous; an extra fine variety. \$1.
- E. ficifolia. This is the new crimson scarlet flowering Australian Gum Tree; of a dwarf and compact habit; of quick growth and an easy flowering species.
- FICUS elastica fol. aurea var. This is undoubtedly one of the finest decorative ornamental foliage plants of late introduction. In habit and growth it is like the ordinary F. elastica, but the leaves of this novel plant have a pleasing yellow variegation throughout. In every respect a most charming plant, and differing from all others. \$2.50 to \$5.
- GRIFFINIA. Two new Amaryllis species from the southern provinces of Brazil, with showy rosy and blue flowers of graceful and fine form.
- G. Blumenavia. \$1 to \$2.
- G. hyacinthina. \$1 to \$2.
- HELICONIA aurea-vittata. A very handsome foliage plant, of a height of two feet, with Maranta-like leaves, beautifully veined and striped with yellow and a light rose hue. \$1.50 to \$2.50.
- HIBISCUS chrysanthus. A shrubby plant from Natal, with very large golden yellow flowers with deep purple eye. \$1.

- LABISIA Malouana. A beautiful dwarf plant from the mountains of Borneo, with purple red leaves, variegated partly with rosy color, banded with white. \$2.
- LYCORIS aurea. This is the true golden yellow Amaryllis. Flowers appear in late autumn, and are of long duration. An excellent plant, like the Griffinias, for florists' use and for cut-flower purposes. \$2 to \$3.
- MUSA vittata. A variegated form of the Banana, and a plant of great value for all decorative purposes. Its especially attractive and noble foliage, of the wellknown Musa form, is marked with rose and white. It is of dwarf habit and fine healthy growth, and is altogether one of the most charming plants in our collection. See illustration, which, however, shows the leaves too narrow. \$1.50 to \$3.
- NIDULARIUM striatum. A very fine and striking Bromeliaceous plants, with bright green leaves a foot long, and striped with white lines in the way of Ananassa sativa fol. variegata. \$5.
- NEPHTHYTIS picturata. A very distinct and ornamental Aroid from the Congo, with leaves like a fancy Caladium, of a rich green color, with a very peculiar ivory white variegation. A valuable acquisition. \$5.
- PASSIFLORA violacea. A beautiful and floriferous species, with fine large violet blue flowers in great prosion. \$1.
- PHYLLOTÆNIUM Lindeni. A most beautiful foliage plant of the natural order of Aroidæa, with large Calla-like leaves of a beautiful velvety green, zebra striped. \$1 to \$2.



MUSA VITTATA

- PHRYNIUM variegatum. A very fine Maranta-like decorative plant of dwarf habit (about one foot high), with small Canna-like leaves, which are beautiful light green, with cream white stripes. \$1 to \$2.
- P. setosum. A robust and vigorous plant, two to three feet in height, with dark green leaves; a first class decorative plant. \$1 to \$2.
- P. cylindricum. Much like the foregoing species, but more graceful in growth; a rare plant. \$1 to \$2.
- P. Moritzianum. An excellent plant of robust habit, with very large and broad leaves of a deep bronze green color; very rare. \$3 to \$5.
- **PANAX.** The four species below are new introductions from Brazil. They are distinguished by their beautiful and deeply cut foliage and very graceful habit. They are most valuable plants, and worthy of extensive trial.
- P. crispatum. \$2 to \$3.
- P. lepidum. 82 to 83.
- P. nitidum. \$2 to \$3.
- P. ornatum. \$2 to \$3.
- PHILODENDRON bipinnatifidum. A remarkable and unsurpassed decorative plant of a robust habit and fine dark green dissected leaves; should not be neglected in any collection. It is also useful for outdoor decorations during summer. \$3 to \$5.
- P. Sellowi. Another grand decorative plant, with bright green, large, deeply sinuated leaves, in form like a gigantic oak leaf; very ornamental and rare; a beautiful plant. \$3 to \$5.
- P. speciosum. The leaves of this remarkably fine and rare plant are larger than those of *Colocasia esculenta*, of strong and leathery texture, and of a most beautiful light green color. This is one of the very best ornamental plants existing. \$5 to \$10.
- P. Andreanum. A very fine decorative plant, with beautiful colored leaves like those of the finest Alocasias. \$3 to \$5.

- PHLOX decussata hybrida, Royality. (New.) This Phlox is undoubtedly the finest and most floriferous variety of dwarf and compact growth, with large umbels of extra large round flowers of a most brilliant crimson color. It is a perpetual flowering sort, and very useful for bedding and for cut flowers. It flowers from early summer until late autumn. 50 cents to \$1.
- **POTHOS** argyrea. A climbing Aroid, like a small Philodendron, with white mottled leaves. 50 cts. to \$1.
- P. aureo-picta. Resembles the foregoing, but has yellow variegated foliage. 50 cents to \$1.
- RAVENALA Madagascariensis. The Traveler's tree from Madagascar is one of the most imposing plants. Its singular character gives it a most interesting appearance. Fine specimens, from \$5 to \$10. (See illustration, page 12.)
- SCHISMATOGLOTTIS Robelini. An excellent Aroid, with handsome leaves, beautifully marked with silvery white lines. \$1 to \$2.50.
- SPARMANNIA Africana fl. pl. This double flowering variety of the well-known Sparmannia is an extra fine acquisition for the greenhouse and conservatory. The double white flowers appears in March and April, and are very useful as cut blooms. \$1.
- SPIRÆA astilboides. One of the finest new hardy herbaceous plants, with a profusion of white flowers on slender stems about two feet high. \$1.50.
- TILLANDSIA musaica. A remarkable species, with beautiful marbled and marked leaves. \$5.
- VRIESIA splendens (Tillandsia). (See illustration in department of Bromeliaceæ.) A plant of singular beauty; the green leaves are banded and marbled with deep brown spots. §1.
- V. hieroglyphica. A species with long, tough and stout leaves of a grayish green color, marked, banded and marbled with lines and spots of brown violet; an extremely showy plant. \$5.



PHLOX DECUSSATA HYBRIDA, ROYALITY.



RAVENALA MADAGASCARIENSIS. (See page 11.)

# ORCHIDS.

T IS WELL KNOWN that we have one of the most extensive and valuable commercial collections of Orchids in America, to which we are constantly adding, both by our own propagation of the most desirable species, and by large importations from the various quarters of the globe in which are found growing these strange and most beautiful members of the floral kingdom.

It has always been with us a labor of love as well as a matter of business, wherefore we may be pardoned for our enthusiasm. Indeed, anyone who has ever engaged in the culture of Orchids will agree with us, that it is a most fascinating employment, interesting to every sense of man, and filling him with admiration and reverence for the great Creator of whose wonders these are but a fragment. There is something about these plants which, while they may attract first only from curiosity aroused by the grotesque form of a particular species, will always hold the nature-lover with triple bands of interest, surprise and admiration, constantly growing as he sees new wonders in the unfolding of rare flowers, and astonishing him with the peculiarities of growth and habit often presented.

The idea often obtains, that Orchids are very difficult of growth, and indeed even successful Orchid growers were of opinion that special greenhouses must be devoted to their culture, and specially troublesome conditions maintained therein. That this is erroneous anyone may easily be convinced by a visit to our nurseries, where the most beautiful and lovely Orchids are seen blooming and flourishing as luxuriantly as in their native habitat right among our Roses, Palms and other more ordinary plants. There is no difficulty in enjoying the exquisite flowers of very many species in any greenhouse which will produce good rose buds between October and April. And there is no special difficulty, either, in attending to their wants; no "secrets" which must be found out in order to succeed—the following out of simple directions will bring a gratifying result in wonderful flowers and curious growths.

Among many people, indeed among many flower lovers, there is an inquiry, often unspoken but yet visibly apparent, as to what really constitutes an Orchid-wherein do Orchidaceous plants differ from the forms familiar to us? A reference to a botany, a dictionary, or even a horticultural encyclopædia, does not answer this question satisfactorily, except for trained botanists-and these do not require to know! Briefly, the Orchidæ is a very large class or "natural order" of plants, endogenous (or mostly without bark), and differing essentially from all other classes in the construction of the plant, and particularly in the strange and varied forms of the flowers. They are found growing in a large part of the habitable globe, although more especially in the warm and torrid regions of the tropics, and their very remarkable flowers take on most wonderful and peculiar shapes, often of exquisite beauty, and are generally of rich fragrance. There are two main divisions: the TERRESTRIAL Orchids, so called because they grow in the ground, and the EPIPHYTAL (sometimes called celestial) Orchids, which maintain themselves in nature by attaching their long adventitious roots to the trunks of trees and rocks, deriving their support from the atmosphere—not from the object upon which they fasten, as is often erroneously supposed. These latter usually have thick, fleshy leaves, which, with their peculiar "pseudo-bulbs" (really meaning imitation bulbs), act as storage reservoirs, by which the plant secures, in the "wet season" of the tropics, a plentiful supply of moisture to carry it through the hot, rainless "dry season" uninjured. The epiphytal Orchids are by far in the majority, and include the most beautiful and curious forms.

We have divided our list into classes with reference to the temperature they require, for the convenience of cultivators, and hope the rapidly growing love for these grand specimens of nature's handiwork may become yet more widely disseminated throughout the country.

#### COLLECTIONS OF ORCHIDS.

Many flower lovers who-would gladly enjoy Orchids are deterred from beginning their fascinating culture from the apparent difficulty in selecting suitable varieties for a beginning, catalogues offering such a bewildering assortment that they know not which to purchase. To such friends we can give entire satisfaction by selecting for them, only requiring to know the amount to be expended, and the accommodations that can be offered for the plants. A judicious assortment will provide a wide range of form and coloring in the flowers, as well as a constant succession of bloom throughout the year. We have often made up such collections for our customers, with most satisfactory results. One customer in Canada writes, saying he has scarcely been without blossoms since receiving the selection of less than one hundred plants which we sent him about a year ago, and expects to have flowers continuously; this shows the range afforded by proper selection within a comparatively limited number of plants.

Those who prefer to make their own selections, and yet are uncertain as to suitable varieties, are referred to our List of Orchids for Intermediate Temperature, which will be found farther on in the catalogue.

#### П.

## NEW, RARE AND HIGHLY VALUABLE ORCHIDS.

Where prices are omitted, they may be had on application, with further particulars as to the plants,

- **AËRIDES Ballantinianum.** A new and really valuable introduction of this handsome species. Its flowers are produced like those of A. crispum, on long racemes, but it differs from that variety in being of a much brighter color, while equally sweet scented; is a free grower and bloomer. We have several fine specimens.
- A. crassifolium. This is not a new variety, but certainly is one of the most free flowering and easiest cultivated, and a truly beautiful and bright showy sort. We offer a few perfect specimens, twelve inches high with twelve to fifteen leaves. Price on application.
- A. quinquevulnerum. This is a splendid free-growing and free-flowering Orchid, and though not exactly new, yet rare. Grows more open than any other of the genus; its flowers are fragrant and of a beautiful coloring of rosy purple and white.
- A. Larpentæ (falcatum). In the way of A. erispum, with sweet scented flowers which are produced in pendulent dense masses. Several fine specimens.
- ANGRÆCUM articulatum. A very pretty dwarf growing variety with creamy white flowers, produced freely on long racemes; very curious in their formation, and are miniature reproductions of the well-known "Ivory Orchid," A. sesquipedale. A few strong specimens, \$7.50 and upward.
- A. citratum. This really coquettish dwarf growing variety is one of the most interesting of the genus. Numberless pure white flowers are set in regular order upon round green stems, which curve over from the plant in a most graceful manner. Several fine plants, \$5 to \$15.
- A. Sanderianum. This is a quite new and rare Angræcum. It has numberless flowers which are produced during the winter months, on a long single spike: their fragrance is delicious. A very fine specimen; price on application.
- A. sesquipedale. Often called the "Ivory Orchid" for its ivory white flowers, which are curious as well as handsome; quite fragrant and very showy, lasting a long time in perfection; before fading the flowers turn a lemon yellow. \$7.50 to \$25.
- A. eburneum superbum. A grand specimen three feet high and the same in spread. An exceptionally fine plant, producing a number of long white spikes of ivory white flowers, measuring eighteen to twenty inches long; its fine densely growing habit gives it a stately appearance even when not in bloom. Price on application.
- A. Leonis (Aeranthus Leonis). A very distinct Orchid, of dense, rather dwarf habit, with stiff leaves of a fleshy texture; many flowers, in branching spikes, of a pure white, and sweet scented; handsome. \$2.50.

- ANGULOA Ruckeri. A very handsome Orchid of strong growth and bold habit, with large green leaves and rich dark flowers; the sepals and petals have crimson spots on a yellow ground, and a deep crimson lip; flowers remain in good condition for three weeks. Is best cultivated in a pot in a warm temperature. \$5 and upward.
- BOLEA Lalindenii. A very distinct species, and of quite late introduction, with very curiously formed and handsomely colored flowers. Though not exactly showy colors, they are so arranged and set together as to attract attention. This plant, besides bearing handsome flowers, is quite a pretty foliage plant. \$10 and upwards.
- **B. Patinii.** Though not exactly new, this very interesting plant is yet quite rare. It is indeed a real curiosity, with its lilae and rosy pink colored flowers, representing a perfect half-open mouth with teeth, as natural as can well be imagined. This, like its companion, is also a fine foliage plant, as well as most interesting in bloom. \$10 and upwards.
- BATEMANNIA. This genus is among the smaller and more compact growing Orchids, and in addition to producing very curious and interesting flowers of many different combinations of colors, are really handsome foliage plants, and even when not in bloom present a very decorative appearance. Their free-growing and free-flowering habit commends their cultivation. They do well in either pots or baskets, and will thrive in the Cattleya house; they require a great deal of moisture for successful culture.
- B. Burtii. Flowers three inches across, and yellow, with reddish and brown checkered spots, and a trowelshaped white lip; peculiar and very interesting. §5 and upwards.
- B. grandiflora. Extremely pretty, and although not very new it is still quite rare. Flowers have olive green petals, striped reddish brown, with a pure white lip and purple streaks: the base part orange yellow, with red streaks. \$5 and upward.
- B. meleagris. A beautiful species, single-flowered and four inches across; of a very interesting combination of colors—pale yellow, purplish brown and white; crescent-shaped plate, fringed with stiff yellowish hairs. \$6 and upward.
- B. Wallisii. This magnificent and large flowering variety is still quite rare, and besides its large flowers, which measure five to six inches in diameter, has a very curious and rich coloring of white and chestnut brown, with reddish dark purple, making it very attractive. \$7.50 to \$10.



CATASETUM BUNGEROTHII.

- CALANTHE oculata gigantea. This very rare and truly handsome Calanthe is certainly the most beautiful and most showy of the genus. It has been commonly named the "Christ Orchid," as the pure white five-petaled flower, with the rich blood-red blotch in the center, very correctly represents the wounded hand of the Saviour on the cross. \$5 and upward.
- C. Regnierii. Quite a rare acquisition, as its very beautiful and striking bright flowers, with a wholly rosy pink lower petal, appear much later than most of the other varieties. Several strong plants, \$3.50 upward.
- CATASETUM Bungerothii. A beautiful and very handsome new Orchid, with large white flowers of a waxy texture and of great substance; should be in every collection. Its bold and strong-growing habit, and its easy cultivation, makes it at once a favorite with all who have seen it. \$7.50 to \$10.
- CATTLEYA aurea. This lovely Cattleya is from Colombia, and is quite distinct from A. Domiana aurea, with which it is often confused. It is of good strong growth and free flowering; very distinct. It flowers in the autumn; sepals and petals greenish lemon yellow; leaf is undulated and of a rosy purple with yellow streaks: the flowers are of good size and deliciously fragrant. Price on application.
- C. Bowringiana. A capital new Orchid of free and easy growth; an abundant bloomer in autumn. Flowers amethyst; rosy petals and sepal, with rich purple lip; many flowered, and good for cut blooms. Fine specimens, \$3.50 and upwards.
- C. eldorado Wallisi (or Virginalis). A pure white Cattleya, flowering in September. Sepals, petals and lip pure white, with orange yellow throat; very sweet scented. \$25 and upwards.

#### CATTLEYA, Continued.

- C. gigas. The Giant-flowering Cattleya. This section contains the largest and most showy flowering Cattleyas known. It is of robust growth and good strong constitution, and delights in plenty of heat and moisture; does best in baskets. Extra fine specimens, on some of which we have had as many as twenty-six flowers, measuring from seven to nine inches across. Fine specimens, §5, §10, §25 and §50.
- C. gigas, var. (Variety unnamed.) This is truly an extraordinarily handsome acquisition, and certainly the richest and most brilliantly-colored Cattleya ever flowered. Its flowers are extremely large; the sepals and petals are very full and round, so as to almost entirely enclose the rich broad lip. A very strong and perfect specimen, with four bulbs and one strong lead; offers for this only specimen received.
- **C. Sanderiana.** Only one fine specimen of this quite new, rare and really true variety, which is quite distinct from all other Cattleyas. Price on application.
- C. Mendelii grandifiora. This, though not new, is certainly one of the finest of Cattleyas, and we offer some fine specimens, which cannot easily be excelled. Prices on application.
- C. Mendelii, var. —. (Unnamed.) We offer several plants of this new and beautiful variety, which is in the way of *C. Mendelii*, the old form, but the lip of this variety is much larger and with extraordinary frills, while of a distinct form. \$15 and upwards.




CATTLEYA TRIAN.E.

- C. Schræderiana. Of late introduction, and is certainly a variety of the C. Trianæ section, though quite distinct from that type in its flowers, which are of great size and good substance. Sepals and petals of a delicate mauve, the lip being very full and well frilled, and of a most delicious rosy salmon color. A very beautiful and desirable species. Several fine specimens; δ5 and upwards.
- C. Mossiæ Mattetina. A new introduction, not yet flowered in this country, but we are enabled to offer a few fine specimens. Their flowering will be awaited with interest. 85 and upwards.
- C. Trianæ alba. One of the most delicate and chaste flowering Orchids. Sepals and petals pure white and full; lip broad and fringed. pure white with a yellow throat; of great beauty and interest. Several specimens; price on application.
- C. Trianæ, var. —. (Unnamed.) A most charming Cattleya of the Trianæ section. Sepals and petals pure white and extremely broad and full, with white lip, mottled with rosy pink, giving it a most exquisite and distinct appearance. Only one specimen: offers received.

The purchaser is entitled to name this plant, as well as other unnamed sub-varieties, of which fine specimens are offered in this list.

- C. Trianæ. Large and extra large specimens. Having imported many thousands of this fine variety, we are enabled to offer some very large and fine specimens of the handsomest and largest flowering type only. [One of these large plants in bloom, with twenty or more of the exquisitely beautiful and extremely large flowers open at one time, is a sight to be remembered. The illustration shows only an ordinary plant; these specimen masses are more than quadruple the size shown, and form objects of the greatest interest and beauty. Having a very large stock, we offer superb specimens at low prices, size and condition considered.] \$10 and upwards.
- **CŒLOGYNE** pandurata. The rarest and most interesting species of the genus, with large flowers which are produced on a semi-pendulent raceme. Sepals and petals are of a pale apple green; a singularly warted greenish lip, with broad black veins, gives it a most extraordinary appearance; different and distinct from all other Orchids. \$15 and upwards.
- C. cristata. (Chatsworth variety.) We offer some very large and extra fine specimens of this, one of the most charming and free-blooming Orchids. Grand specimens, from §5 upwards.
- **CYMBIDIUM** eburneum. A grand Orchid, and also a beautiful foliage plant, bearing its large, pure white, fragrant flowers on erect stems during autumn and winter. Not new, but of great value and interest. Several fine specimens, \$10 and upwards.
- C. Lowianum. A most distinct and truly rare East Indian Orchid with its decorative reed-like foliage, and its grand horizontal spikes. of a peculiar combination of greenish-brown and yellow flowers, which give it an extraordinary character. One of the most peculiar and desirable species. Several fine specimens, \$5 and upwards.

- **CYPRIPEDIUM.** Very little indeed needs to be said about this now popular and highly esteemed genus of Orchids. They are one of the most satisfactory plants that can possibly be cultivated. Almost all of them have very showy and decorative foliage, while their flowers are of fairy-like delicacy. Out of the three hundred or more varieties now in cultivation, we desire to call attention to a few new and rare sorts of recent introduction, of which we can offer a few fine healthy specimens.
- C. albo purpureum. A very handsome and highly colored hybrid; a good strong grower. \$10 and upwards.
- C. Ashburtoniæ. In the way of C. barbatum; white petals, tinged with green, veined with purple; dorsal sepal very large; of free-growing and free-flowering habit. \$5 for good strong plants.
- C. bellatulum. A new and grand species which promises to take the foremost rank amongst all the newly introduced varieties. Its flowers are marvels of beauty, and it promises to be a free and easy grower. Established specimen plants, \$5 and upwards. See illustration.
- C. caudatum. This, although not a new variety, is still one of the rarest and most interesting of the genus—its long, pendant petals, which are thirty inches long, of a yellow brown color, give it a rare and curious appearance. Fine established plants, §5 and upwards.
- C. Curtisii. A rare and very valuable species of late introduction, in the way of *C. superbiense* and *C. ciliotare*. Its bold and freegrowing habit, and its beautiful and distinct markings, make it a desirable plant for every collection. Thoroughly established plants, \$12.50 and upwards.
- C. Dayanum. A charming variety. The foliage is beautifully marked; the flowers are of medium size; sepals white, with green veining; petals purplish, tinged with green; it is very pretty and quite rare. \$5 and upward.
- C. Dominianum. Named after the father of Orchid hybridization—and one of his children. Many new varieties have been introduced since this made its appearance, but scarcely any have eclipsed it for peculiarity. It is a free and robust grower. Several fine specimens, \$5 and upwards.
- C. Elliottiana. While this variety is much of the habit and growth of the beautiful new C. Rothschildianum, it has somewhat smaller but most richly colored flowers, with petals more pendulous; a beautiful and distinct variety, and one of the best of recent introduction. \$10 to \$15.
- C. Godefroyæ. A charming rather dwarf-growing lady slipper of delicate texture, both in foliage and flower. Very pretty and distinct, and will be prized in any collection. Finely established plants, \$5 and upwards.



CYPRIPEDIUM BELLATULUM.

- C. grande. This is undoubtedly one of the grandest of hybrids; it is of the most robust habit, making strong but few leads, which keeps it rare. Its flowers are most attractive, being large and handsome, with long pendulent petals, which give it rare distinction. Several finely established plants, \$20 and upwards.
- C. insigne Chantenii. This is a very beautiful and quite distinct variety, in the way of C. insigne Maulei, but differing from it in having a larger dorsal sepal, and being more distinctly spotted throughout; fine healthy plants, \$10 and upwards.
- C. insigne Maulei. This, though much like the general type, has nevertheless the distinctness of being brighter in color, the dorsal sepal being fully half snowy white and spotted purple; beautiful. \$7.50.



#### CYPRIPEDIUM, Continued.

- C. Leeanum superbum. This is a lovely gem, being a hybrid between C. i. Maulei and C. Spiecrianum; quite distinct and rare; a good strong grower and a free bloomer. \$10.
- C. nitens. A very attractive variety, being a hybrid of C. insigne and C. villosum. It is in the way of C. Chantenii, but its extremely long petals distinguish it from that variety. Very charming, and of strong growth. Strong established plants, \$10 and upwards.
- C. politum. A very showy hybrid between C. barbatum superbum and C. renustum. Flowers large; dorsal sepal whitish, suffused red, green veined; petals purplish red, dotted lip suffused purplish red. \$25 and upwards.
- **C.** præstans. This is a very beautiful new species from New Guinea, having been figured in the *Lindenia*, and is highly prized as a very bold and showy variety. We are enabled to offer a few well established plants at \$10 and upwards.
- C. Rothschildianum. This wonderful species is one of the grandest Cypripedes of the group lately introduced from the Eastern Archipelago, including C. Sanderiana and C. Elliottiana, and yet its structural character closely approaches that of the Selenepedia of South America. It is therefore highly interesting. The flowers are bold and handsome, of distinct marking and beautiful coloring: cannot fail to be much admired in any collection. See our illustration on page 18. \$10 to \$15.
- C. Sanderianum. A most striking novelty, just introduced, being a new species of the Selenipedium section. Flowers large, of a dark maroon color; dorsal sepal and inner lining streaked with brown and yellow, with its very attractive long pendulent petals of a dark brown, which, with its equally dark slipper, make it the most valuable and distinct of its class. We can offer finely established strong plants, at \$10 and upwards.
- **C. Sedeni candidulum.** A grand hybrid between *C. longifolium* and *C. Schlimeti albiflorum.* Flowers large; sepals and petals white, with a rosy hue on the edge; lip or pouch of a fine rosy pink. A very showy and strong growing variety; fine, healthy and strong plants, \$10 and upwards.
- C. Spicerianum. This most beautiful and truly grand Cypripede, though not exactly new, is yet conceded by all to be the most showy and useful free-growing and free-blooming variety, and more valuable to-day than when first known, being exceptionally well adapted for cut-flowers. Very fine specimens, \$5 and upwards.
- C. superciliare. A very interesting hybrid of *C. barbatum* and *C. superbiens*. Scape hairy, dorsal sepal ovate triangular, with peculiarly marked petals of warts and blotches, which give it a very highly interesting appearance. Strong well established plants, 85 and upwards.
- C. Veitchii superbiens. This is the true Prince Demidoff variety, being the original plant. It is one of the most charming species, and a very showy plant of robust habit and distinct character. A perfect gem, and the largest plant to be found anywhere. Price on application.

- **DENDROBIUM Ainsworthii.** A beautiful hybrid—the most charming and sweet scented of all the Dendrobes. The flowers, which are borne in great numbers on erect spikes, are handsomely marked; the sepals and petals being pure white, form a most lovely contrast with the richly colored deep claret purple lip. We offer one grand specimen; price on application.
- D. albo sanguineum. A very distinct and highly peculiar species, bearing large flowers, the sepals and petals of which are creamy white, while the lip has a rich and warm crimson blotch on each side, making it a very showy and attractive plant. Good strong specimens, \$5.
- D. Brymerianum. This is one of the handsomest and showiest Dendrobes, bearing its large golden flowers on a pendulent raceme in great profusion, the middle lobe being of a greenish yellow, beautifully fringed, with a long beard-like appendage. Fine strong specimens, \$5 and upwards.
- D. Dearei grandiflorum. This truly grand winterblooming species cannot be excelled. Its pure snowy white, tassel-like bunches of sweet-scented flowers, which issue from the extreme top of the terete stems, remain in perfection fully two months. It is of easy cultivation, and delights in plenty of heat and moisture. Fine strong specimens, \$5 and upwards.
- **D. Falconeri.** A very pretty and most peculiar plant, with almost thread-like knotted vines, from which are produced extraordinarily large and most exquisite flowers, surpassing for size and beauty the grand old variety, *D. nobile*, which it much resembles in form and color. Several fine specimens; \$7.50 and upwards.

This plant requires a great deal of moisture at all times, and must be kept quite warm.

- D. formosum giganteum. Another fine evergreen species, and no doubt the largest flowering of the genus. Its flowers, which are pure white with an orange yellow center, often attain the extraordinary size of a Cattleya. It is very fragrant, and lasts a long time in perfection. Like most all evergreen Dendrobes, it delights in plenty of heat and moisture. Some fine strong specimens are offered at \$5 and upwards.
- **D.** nobile superbum. This is a grand, very distinct and most superior variety of *D.* nobile, the flowers being much larger, and the deep and dark throat being of a more intense color than in the type, and quite as handsome as the very valuable and highly prized *D.* nobile nobilius, which it much resembles. A fine large specimen; price on application.
- D. Wardianum giganteum. A large and fine form and very distinct and beautifully marked variety of D. Wardianum. The plant is of much stronger growth, and the flowers are much larger and more substantial, with heavy and very solid deep violet crimson blotches extending far into the petals, the lip also being heavily marked with deep crimson; altogether a rare acquisition. A very fine specimen; price on application.
- **LÆLIA** anceps. Grand cylinder specimens of this popular and charming easy and free-flowering Orchid, bearing from fifty to one hundred flowers on a single specimen; price on application.

#### LÆLIA, Continued.

L. anceps Dawsoni. This is an exquisite form of L. anceps, the special character of the plant being in the strong growing habit and in the charming and very conspicuous flowers, sepals and petals being pure white, of a very solid texture, and the extremity of the lip being of an intense rosy purple, which makes it a very desirable and valuable plant. Fine strong specimens; price on application.

L. anceps alba. This is the true pure white flowering L. anceps, being in habit and character similar to it, except that the flowers are pure white, with a slight vellow disk on the lip. Fine well established plants, \$7.50 and upwards.

L. elegans. A highly prized and very handsome species, producing its many large and beautifully col-

petals being pure white, and the lip a rich amethyst color: considered one of the choicest of the genus. Some grand specimens; price on application.

-Patinii? (New species, yet unnamed; although commercially called L. Patinii, the name is not yet fixed, awaiting the decision of Prof. Reichenbach, to whom it has been sent.) This new mid-winter blooming Orchid from Colombia promises to be a grand acquisition. Coming into bloom, as it does, at Christmas, and being of a very free-flowering habit, and of an entirely new form and color, it will no doubt become a favorite; in appearance this new variety much resembles Cattleya Skinnerii, and yet it is quite distinct from that species. The charming richly colored and compact flowers give it a fine character; a most beautiful, distinct and valuable plant, which will prove of value and interest in any collection. Well established blooming plants, \$5 to \$10.

L. purpurata. This is the king of all the Orchids-a title which it richly deserves, as certainly a more noble Orchid does not exist. It is really grand and majestic in appearance, with its immense large foliage and its bold pseudo-bulbs, from which issue imposing bracts or spikes of very large and beautifully colored flowers, as many as six upon a single stem. The colors in these very handsome and charming flowers vary from a pure white and delicate rose to the deepest velvety crimson; it is of strong and easy growth, and should be in every Orchid collection. The plants are ornamental and noble in appearance even when not in bloom, from their beautiful foliage. We offer fine, healthy and very vigorous plants at \$10 and upwards.



ODONTOGLOSSUM ALEXANDRÆ (CRISPUM).

ored flowers upon grand, erect spikes, the sepals and ' LYCASTE Skinnerii alba. One of the most chaste and rare Orchids, being the white type of the wellknown L. Skinnerii. The bold and solid appearance of the flowers, which are very substantial, of a wax-like texture, free-blooming habit and long lasting quality, makes it a very desirable acquisition. Price on application.

> MAXILLARIA Sanderiana. A grand new introduction, and yet rare; it is a most showy and very interesting novelty, the flowers being large, of white and dark maroon crimson; very rich and beautiful. Price on application.

> MILTONIA spectabilis Moreliana rosea. A very distinct form of the old favorite M. Moreliana. The flowers are large and beautiful; the sepals and petals are white, traversed by a band of pale rose; center down the lip bright rose, distinctly veined with rosy purple, making it a very striking and showy flower. It lasts a long time in perfection, and is of good, freegrowing habit. Several fine strong plants, \$10 and upwards.

> ODONTOGLOSSUM Alexandræ (crispum). the grandest of the cool Orchids, with its many varieties and colors, is a most desirable species. The flowers, which are borne in great numbers upon long, slender stems, which issue from the base of the very interesting dark green pseudo-bulbs in a very graceful curving manner, are of very peculiar forms and colors, and of a most lasting and satisfactory character. Some very rare selected forms and specimens, \$5 and upwards. See illustration, which shows well the graceful character of the sprays.

#### ODONTOGLOSSUM, Continued.

- O. Harryanum. The latest important addition to the Odontoglot family, and a grand and unexpected surprise. A really fresh type, as Professor Reichenbach deservedly called it when it first flowered, but it has ever since then become a greater favorite with all. It has given ample evidence of a free-growing and free-flowering habit, and will no doubt prove to be a grand acquisition, especially for cut-flower purposes. Good strong established flowering plants, §3.50 and upwards.
- O. Edwardii. One of the rarest types of Odontoglots, being so distinct from all others. In color, the flowers, which are borne upon a strong pyramid-like spike, are of a peculiar blue, with a very conspicuous yellow eye; altogether an odd but pleasing contrast.
- O. Roezlii. This most charming and very showy Odontoglot, although not exactly new, is still one of the grandest. Its large and showy flowers, of many different soft and pleasing colors, produced from small and miniature-like plants, make it one of the most interesting Orchids in cultiva-

tion. We offer some extra strong and very healthy specimens, some of which have given as many as thirteen flowers from a single bulb. \$5 and upwards.

- O. vexillarium. This now well-known and much appreciated showy Orchid is not unlike the beautiful O. Roczlii in its peculiarly marked flowers, but is of a much stronger and more robust habit than that variety. Its grand metal-like colored foliage gives it a very distinct appearance. A number of grand specimens, including the choice varieties of rubellum and superbum, \$5 and upwards. See cut in department of Orchids for Intermediate Temperature.
- oncidium cebolleta. A quite new introduction, and a most distinct and very interesting species, with long round leaves, twelve to twenty inches, which are of a downward habit of growth; much like the well-known O. Jonesianum, but of stronger habit; it bears numberless beautiful flowers of brown and gold, upon large branching panicles; a very striking plant, of easy culture. Some strong specimens, §5 and upwards.
- O. crispum. One of the most satisfactory and freeflowering Orchids, growing upon blocks and rafts without much care or attention, and giving imposing flowers all through the year. We offer some extraordinary large masses, well established, at \$5 and upwards.
- O. macranthum. This most magnificent Oncidium is without doubt the largest and finest of the genus. Flowers from three to four inches in diameter, with clawed sepals and petals of a very fleshy texture: the upper one of a golden olive brown, the two lateral sepals deep orange yellow, while the petals are a clear bright yellow, and its rather short lip of a dark brown



ODONTOGLOSSUM HARRYANUM.

purple; one of the best ever introduced. Strong specimens, \$7.50 and upwards.

- macranthum hastiferum. An improvement on the foregoing, with much larger flowers, of more intense and richer coloring.
- O. sarcodes. A remarkably fine species, producing its masses of rich brown and golden flowers upon branching spikes, often six feet long, all through the year. It is of free growth. Fine specimens, §5 and upwards.
- **O.** splendidum. This rare and noble species is one of the grandest of the genus. Somewhat like O. tigrinum, but flowers are larger and handsomer than that variety, with a rich and peculiar combination of color. Grows freely in the Cattleya house. Strong, well established plants, \$10 and upwards.
- O. varicosum Rogersii. (True.) This is called the "Golden Butterfly," and is much like O. varicosum in appearance and color, though many times larger. It is a most charming and showy species, with densely branched nodding panicles of rich golden yellow flowers, as many as upwards of two hundred having been counted on a single plant. It is winter flowering, and a most desirable Orchid, of easy cultivation in an intermediate house. Fine strong specimens, \$5 and upward.
- O. Weltoni (Millonia Warseewiezii Weltoni). This, though not new, is of such interesting character, both in form and color of flower, that we deem it worthy of description. Its branching flower scape bears great numbers of substantial flowers which remain a long time in perfection. It is a free and easy grower, and needs intermediate temperature. Finely established strong plants, \$2.50 and upwards.



PERISTERIA ELATA. (The Holy Ghost Orchid.)

PERISTERIA elata. The Dove or Holy Ghost Orchid. One of the most peculiar and at the same time exquisitely beautiful of all the wonderful family of Orchids. Its name arises from the plainly outlined figure of a dove with brooding wings, which can be seen in the center of each waxy white, almost globular flower. Outside, the flower is much like a bell of Fucca filamentosa, but more circular, opening at one side to show the dove. The Spanish name El cspirito santo, is significant of the esteem in which this most lovely plant is held. It is of upright and vigorous growth, and not difficult to handle; it requires a warm situation while growing, which is in summer. We have many fine specimens,

which will all bloom this summer; indeed, ours is probably the largest stock in cultivation of this very desirable Orchid. \$7.50, \$10, \$12.50, \$15 and upwards to \$50. See illustration.


PHALÆNOPSIS amabilis Dayana. This is a beautiful and very distinctly marked variety of *P. amabilis*, from which it differs, its flowers being larger and the two lower sepals being thickly dotted with carmine; the side lobes of the lip at lower edge are of a deep yellow, heavily marked with carmine crimson across the base of hastate lobe, and a distinct stripe of same color down its center. Several fine specimens, \$15 and upwards.



#### PHALÆNOPSIS, Continued.

- P. grandiflora. A truly handsome and noble Orchid. second to none of which we know. It is in the way of amabilis, but both in leaves and flowers much larger than it, besides there being more yellow and less rose color in this than in amabilis. Its flower stems are tinted with purple, and it blooms at different periods of the year. A grand exhibition Orchid, as it lasts a long time in perfection. Several fine strong specimens, \$20 and upwards.
- P. Schillerianum. Most magnificent, and undoubtedly the finest and most beautiful species in cultivation. It has handsome mottled green and whitish foliage, and its long branching graceful flower scapes or peduncles, covered with upwards of a hundred charming blossoms, of the most delicate mauve and row pink, spotted with reddish brown, give it a queenly and fairy-like appearance. This being of the East India section, requires a hot and moist atmosphere. Grand specimens, with large leaves and plenty of roots, \$10 and upwards.

- SACCOLABIUM Blumei majus. A most charming variety of S. Blumei, though it is much larger in every way. The beautiful flowers grow in pendulous cylindrical axillary racemes, and are of the same white rose and magenta color, only that they are larger than in S. Blumei, and altogether one of the most beautiful of the genus. The flowers last three weeks in perfection. Several fine handsome specimens, \$5 and upwards.
- S. violaceum. This, another magnificent species of Saccolabium, produces very showy racemes, twelve to fifteen inches long, with numerous beautiful blossoms of pure white, mauve, spotted and marked with deeper colored lines. Very handsome; blossoms in winter and lasts four to five weeks in perfection. Several very good specimens, \$5 and upwards.
- VANDA Amesiana. A beautiful new variety from India. The flowers are creamy white, with a rich rosy hue on the lip, changing to light yellow as the bloom reaches maturity; deliciously fragrant, and of thin and delicate texture. A charming species. See illustration. Good specimens, \$10 to \$20.
- V. Cathcartii. This is a tall and slender growing but very distinct and noble species, not unlike Renanthera coccinea in general habit, but stouter. It bears four to five rather fleshy large, curiously-shaped and marked flowers, upon an erect flower scape. Although not entirely new, it is still rare. It is certainly a grand Orchid. Some fine specimens; price on application.
- V. cœrulea. This remarkably handsome plant produces erect scapes from between its leaves, and upon these dense racemes are borne ten to fifteen flowers, which are four inches across. The sepals and petals are of a beautiful pallid blue, while the small lip is of a deep rich blue and of a leathery texture, the spur being short and blunt; it flowers during the autumn and lasts six weeks in perfection. We offer some very fine strong specimens, at \$5 and upwards. (See cut in list of Intermediate Orchids.)
- V. Sanderiana. This grand and yet unexcelled Vanda is one of the most wonderful and distinct Orchids that has ever been introduced, and it may be many years before anything like this will be again discovered. It produces the largest and handsomest flowers of all Vandas; the racemes are axillary and manyflowered; the flowers are about four inches in diameter, and the coloring is something wonderful-blush pink, buff yellow, pale nankin and greenish yellow, crimson, pale purplish red and chocolate purple—all these colors are set together in beautiful harmony, which make it a great study in color, even for the cleverest artist. We have the honor to offer the largest and handsomest specimen, the original celebrated "Morgan Vanda," which has borne as many as sixty-five flowers at once. This specimen is in the healthiest and most vigorous condition, and is a beautiful object even when out of flower. It is a noted and remarkable plant. Price upon application. We have also smaller but good plants. (See illustration on page 24.)



VANDA SANDERIANA.

#### VANDA, Continued.

V. teres. A very handsome and distinct species of curious aspect, being of a scrambling or climbing habit, the growth extending several feet in length. The stems as well as the leaves are terete or cylindrical and dark green; its beautiful large flowers are produced in ascending, mostly two-flowered, racemes; the coloring of the flowers is much like that in Phalænopsis Schillerianum, but of a heavier texture, and of great lasting substance. We offer several fine specimens, certainly the finest in cultivation; prices on application.

V. tricolor suavis superba. This is a most charming free-flowering species. A noble plant, even when not

in bloom, with rich green distichous, lorate, channelled, recurved leaves, bilobed; the peduncles are axillary from the upper leaves, which support short dense racemes of the most charmingly colored fragrant flowers, lasting a long time in perfection. Several fine large specimens,  $2\frac{1}{2}$  to 3 feet; price on application.

**ZYGOPETALUM Sedenii.** A very distinct and showy hybrid (named in honor of Mr. Seden, who raised it), between *Z. maxillare* and *Z. Mackayi*, partaking in its growth mostly of the character of the last-named or male parent. Its bold racemes of showy flowers, of a deep purplish brown and rich bluish purple, make it a very rare and most desirable acquisition. A very finely established flowering specimen; price on application.

#### Ш.

## WARM HOUSE OR EAST INDIAN ORCHIDS.

COLLECTION of Orchids that should be grown in a stove-plant house with a temperature of from 60 to 75 degrees, and a considerable degree of moisture; known as "East Indian" or "Warm-house" Orchids, and including many magnificent species.

ACACALIS cyanea. A very fine and distinct Orchid; free, with charming blue flowers much of the beautiful color of Vanda cærulea; very rare. The pseudobulds are ovate, one-leaved, and upwards of a foot long by three inches wide. Sepals and petals a lightish blue, and the lip a brownish purple, with pale veins. It should be grown on a block. §5 and upwards.

AËRIDES. The species of Aërides are amongst the most beautiful of East Indian Orchids, many of them uniting every good quality that a plant can possess, even when they are not in bloom. The stems are straight or slightly bent; the leaves, which are of a leathery texture, being attached on opposite sides, and they are nourished by large fleshy roots, shooting out horizontally from near the base. The flowers, which proceed from the axils of the leaves, extend in pendulous delicate racemes one to two feet in length, and are very fragrant. These plants are of easy culture, and should be grown in pots or baskets with pot-sherds and moss, and good supply of water at all times.

A. Ballantinianum. See New and Rare Orchids.
<b>A.</b> crassifolium
<b>A.</b> crispum
A. — Warneri 3 50 to 10 00
A. Fieldingii. Fox-brush Orchid 2 50 to 5 00
<b>A. Larpentæ</b> 5 00 to 10 00
<b>A. Leeanum</b> 2 50 to 5 00
<b>A. L</b> obbii
<b>A.</b> — Ainsworthii 5 00 to 10 00
<b>A.</b> odoratum 2 50 to 4 00
A. — majus
A. — purpurescens
<b>A.</b> quinquevulnerum 2 50 to 5 00
<b>A.</b> suavissimum 5 00 to 10 00
<b>A.</b> virens 2 00 to 5 00
A. — Dayanum 2 00 to 4 00
ANGRÆCUM. A very curious genus of Orchids, all
of them being very handsome, and desirable in every
collection. In habit they resemble the Aërides, having
much the same stems and leaves; their flowers also are
produced in a similar manner, but yet quite distinct
and very different on account of their peculiar spur
and their spreading sepal and petals. They require
the same treatment as Aërides.
<b>A.</b> articulatum
<b>A.</b> citratum 3 00 to 5 00

ANGRÆCUM eb	ur	n	eu	m	יו	vi:	re	ns	š .		\$3	50	to	\$5	00
A superbum											5	00	to	10	00
A. falcatum											3	00	to	6	00
A. Leonis											2	00	to	4	00
A. sesquipedale .											7	50	to	10	00
A. superbum											5	00	to	10	00
A. virens											3	50	to	5	00

**BATEMANNIA.** A small genus of dwarf plants, of free-flowering habit. The species are showy plants, and well worth growing, as they are easily accommodated. They should be grown in baskets or pots, with a liberal supply of water, and be potted in peat and moss. The very interesting flowers remain a long time in perfection.


В.	Burtii								\$3	50	to	\$5 (	00
В.	Colleyi								5	00	to	7 :	50
В.	grandiflora								4	00	to	6 (	00
В.	meleagris .								2	00	to	3	50
B.	Wallisii								5	00	to	7 8	50

**BOLLEA.** This genus consists of epiphytal plants, scarcely forming bulbs, having bold, evergreen foliage and one-flowered scapes, bearing large and most remarkable and curious flowers of an interesting character. They are easily grown in a mixture of peat and moss, and need a good supply of water when growing.


B.	cœlestis.								\$5	00 to	\$10	00
B.	Lalindei.								5	00 to	10	00
В.	Patinii .								5	00 to	10	00

species and garden hybrids are among the freest and most satisfactory Orchids, and therefore are great favorites. Their very beautiful and also very useful flowers are produced on long spikes from two to three feet in length, and bloom in the most acceptable time. They are of easy culture; a few varieties are evergreen, but most of them are deciduous. The latter sorts require a decided period of rest, while the evergreen varieties require to be kept moist all the year round. The majority of them are terrestrial Orchids; therefore they require to be potted in loam and leaf mould, with a liberal supply of water when growing.

	C. Regnierii
the same treatment as Aërides.	C. — fausta
A. articulatum	C. Veitchii
A. citratum 3 00 to 5 00	C. vestita 2 00 to 2 50
A. eburneum 3 50 to 7 50	C. — igneo oculata



CYPRIPEDIUM LAWRENCEANUM. (See page 29.)



CYPRIPEDIUM ARGUS.

CALANTHE, Continued.														
C. vestita luteo oculata	\$2 00 to \$3 50													
C. — oculata gigantea	2 50 to 4 00													
C muhma aquilata	1 50 to 9 50													

**CYMBIDIUM.** These are all evergreen plants of a noble and decorative aspect, with closely set tufts of long and somewhat narrow leaves; most of them are large and vigorous growing plants, with short pseudobulbs, from which the leaves and flowers proceed. The flowers are large, beautiful and very attractive, the racemes being often three feet long; they last in perfection for many weeks. They require plenty of pot room for their many roots. We grow them most successfully in rough peat and moss, with good drainage.



CYMBIDIUM EBURNEUM.

CYMBIDIUM	е	bı	ır	n	eu	m								\$3	50	to	\$10	00
C. giganteum														84	00	to	87	50
C. Lowianum														3	50	to	5	00
C. Mastersii .														2	50	to	5	00
C. — album.		P	ric	e.	01	1 2	101	pli	ica	ti	or	١.						


CATASETUM Bungerothii. A beautiful new Crchid. (See New and Rare Orchids.) \$5 to \$10.

CYPRIPEDIUM. A grand species, and becoming very popular. For notes and mode of culture and additional varieties, see list of Cypripedes in Orchids for Intermediate Temperature.

C. albo purpureum. Hybrid . . . . . \$10 00 to \$15 00

•	COLOU POLL	L							-								
C.	Argus.	(See c	ut)										1	50	to	3	50
C.	Ashburt	niæ.	H	vbı	id								3	00	to	5	00
C.	barbatun	n											1	00	to	2	5(
C.	- nigr	um .											2	50	to	4	00
C.	- supe	rbum											3	00	to	5	00
C.	bellatulu	m. (	See	Νe	ew	aı	ıd	R	ar	е	0	1°-					
	chids.)	Grand	lno	ove	lty	;	85	5 8	n	d	uj	)-					
	wards.																
C.	Boxallii												2	50	to	5	00
	Bullenii												1	50	to	3	00
C.	calurum.	Hyb	rid										5	00	to	10	00
C.	canudatu	m .											2	50	to	5	00
C.	rose	um .															
C.	Chantini	i (C. i	nsig	me	) .												
	chlorone												6	00	to	10	00
	ciliolare												2	50	to	5	00
	conchifer												10	00	to	20	00
	concolor		-											00	to	5	00

C. Crossianum. Hybrid . . . . . . 5 00 to 10 00



CYPRIPEDIUM, Continued.	CYPRIPEDIUM Rœzlii \$1 00 to \$2 00
C. Curtisi. (See New Orchids, p. 17.) . \$12 50 to \$20 00	C. Sanderianum. (See page 19.) 10 00 to 15 00
C. Dauthieri. Hybrid. (See page 17.) 5 00 to 10 00	C. Schlimii 5 00 to 7 50
C. Dayanum. (See New Orchids, p. 17.) 5 00 to 7 50	C. — albiflorum 7 50 to 10 00
	C. Sedeni. Hybrid 2 00 to 4 00
C. Dominianum. Hybrid. (See page 17.) 5 00 to 10 00	C. — candidulum. (See page 19.) 10 00 to 20 00
C. Druryi	C. Selligerum. Hybrid
C. Elliottiana. (See description, page 17) 10 00 to 15 00	C. Spicerianum. (See page 19.) 5 00 to 10 00
C. Euryandrum	C. — superbum
C. Godefroyæ. (See page 17.) 5 00 to 7 50	
C. grande. Hybrid. (See page 17.) 20 00 to 25 00	C. Stonei
C. Harrisianum. Hybrid 2 00 to 5 00	C. superbiens (Veitchii) 4 00 to 6 00
C. Haynaldianum 2 50 to 5 00	C. superciliare. (See page 19.) 5 00 to 10 00
<b>C.</b> hirsutissimum	C. Swanianum. Hybrid 4 00 to 7 50
C. Hookeræ	C. Veitchii superbiens. On application.
C. insigne 1 00 to 2 50	C. venustum 1 00 to 2 50
C. — albo marginatum 3 50 to 5 00	C. — spectabilis 4 00 to 7 50
C. — Chantenii. (See page 17.) 10 00 to 15 00	C. villosum
C. — Maulei. (See page 17.) 7 50 to 15 00	CYRTOPODIUM. For notes and mode of culture, see
C. — Maxima	list of Intermediate Orchids.
C. — punctatum violacea 10 00 to 15 00	
C. Japonicum 2 00 to 3 50	C. Andersonii
C. Javanicum 2 50 to 4 00	C. maculatum
C. Kimballianum	C. punctatum 4 00 to 6 00
C. lævigatum	DENDROBIUM. While making their growth, most all
C. Lawrenceanum. (See cut.) 1 00 to 2 00	of the Dendrobes should be kept in the East India
C. Lawrenceanum giganteum 7 50 to 10 00	house or in a temperature of that average. For notes
C. Leeanum. Hybrid 5 00 to 7 50	and mode of culture, see Intermediate Orchids.
C. — superbum. (See page 19.) 10 00	
C. Lowii	<b>D.</b> aggregatum
C. marmorophyllum. Hybrid 15 00 to 20 00	<b>D.</b> — majus
C. microchilum. Hybrid	D. Ainsworthii. Hybrid. (See page 19.) 5 00 to 7 50
C. nitens. (See page 19.) 10 00 to 20 00	D. — roseum
C. niveum	D. albo sanguineum 2 00 to 3 50
C. enarthum. Hybrid	<b>D.</b> Bensoniæ 1 50 to 3 00
	D. — xanthinum
C. cenanthum superbum. Hybrid 25 00 to 30 00	<b>D.</b> bigibbum 2 50 to 4 00
C. pardinum	D. — candidum
	<b>D.</b> — superbum 5 00 to 7 50
C. Pearcei	<b>D. Brymerianum.</b> True 5 00 to 7 50
C. porphyreum. Hybrid 5 00 to 10 00	<b>D.</b> Cambridgeanum 1 50 to 3 00
C. præstans. (See page 19.) 10 00 to 12 50	<b>D.</b> chrysanthum 1 25 to 2 50
C. Robbelinii 3 00 to 5 00	D. chrysotoxum 2 00 to 3 50
V	<b>D.</b> crassinode 1 50 to 3 00
	D. — Barberianum
	D. crepidatum 2 00 to 3 00
	D. cretaceum 1 50 to 3 00
	D. cruentum
	D. crystallinum 2 00 to 3 50
	D. Dalhousianum 2 50 to 4 00
	D. Dearei
	D. densiflorum
	D. — album Schræderi
	D. — Walkerianum
	D. Devonianum
	D. Dominianum. Hybrid 6 00 to 10 00
	D. Falconerii
	D. Farmeri
	D. fimbriatum
	D. Findleyanum
All Tries	D. formosum
	D. — giganteum 2 00 to 3 50
	<b>D.</b> hedyosmum (aureum) 2 50 to 4 00
WINNIN IN	D. heterocarpum 2 00 to 3 50
CYPRIPEDIUM SEDENI.	<b>D.</b> Jamesianum

DENDROBIUM, Continued.	PAPHINIA.
D. lituiflorum	few species.
<b>D.</b> luteolum 2 00 to 3 50	pseudo-bulbs,
<b>D. Lowii</b> 5 00 to 7 50	Calanthes, bea
D. macrophyllum 3 00 to 5 00	ers on pendu
D. nobile 1 00 to 3 50	grant, of a p
D. — Cooksonianum	are easily gro
D. — nobilius	eral supply o
D. — superbum 5 00 to 10 00	meritorious cl
<b>D. Parishii</b> 1 00 to 2 50	P. cristata
<b>D. Pierardii</b> 1 00 to 2 00	P. grandis
<b>D.</b> — latifolium 4 50 to 6 50	P. rugosa
<b>D.</b> primulinum 2 00 to 2 50	PESCATORE
D. — giganteum 3 50 to 5 00  D. splendidissimum. A rare hybrid	dwarf and co
D. splendidissimum. A rare nybrid	do-bulbs, but
<b>D.</b> suavissimum	tive characte:
D. thyrsiflorum (See cut in Int. Orchids) 1 00 to 2 50	The flowers c
D. — Walkerianum	very distinct
<b>D.</b> tortile 2 50 to 3 50	ture of peat an
<b>D.</b> — roseum 2 50 to 3 50	P. Backhousia P. cerina
<b>D.</b> Wardianum 2 00 to 3 50	P. Dayana .
D. — candidum	P. Lehmanni
D. — giganteum	P. Russeliana
D. — Lowii 5 00 to 7 50	PHALÆNOP
<b>DENDROCHILUM.</b> A small genus consisting of plants	which are in
of graceful habit, having small pseudo-bulbs and nar- row evergreen leaves. The flower spikes, which pro-	ful of the Eas
ceed from the top of the bulbs in an arching manner.	gular habit a
are eight to ten inches in length, covered all over with	them suspen
hundreds of densely set miniature flowers of a light	their beautifu
straw color and most deliciously sweet scented. They	green, while
bloom in winter, and the flowers remain a long time in	bled, and brow
perfection. These plants do best in fibrous peat and	very fleshy to sometimes tw
moss, with plenty of good drainage.	ance. In cul
<b>D.</b> filiformis	cies, some m
	flowers are pr
GALEANDRA. These plants are deciduous and epiphy-	proceed from
tal, with erect slender terete stems, from the top of	there being n
which they produce their very odd and interesting flowers, most of which are very showy and of lasting	ers come in
quality. They are best cultivated in peat, with good	dred flowers
drainage and a liberal supply of water when growing.	The color of t
G. Baueri	plants need
<b>G.</b> cristata	their growing
<b>G. Devoniana</b> 3 50 to 5 00	plenty of moi
<b>G.</b> nivalis	and live sphag
GOODYERA discolor. A very pretty dwarf-growing	P. amabilis .
terrestrial Orchid, with handsome foliage of a dark	P. amethystir
velvety rich color, striped and veined of light colors.	P. casta
The flower spikes issue from between the leaves; it	P. Esmeralda
does well in small pots or pans. Requires plenty of moisture when growing; best of the genus. \$2 to \$3.50.	P. grandiflora P. — aurea
	P. Luddeman
GRAMMATOPHYLLUM Ellisii. This is one of the	P. Sanderiana
most remarkable Orchids in cultivation, and should be in every collection; it is deciduous, of large and	P. Schillerian
vigorous growth and of distinct habit; requires plenty	P. Stuartiana
of room, and is best grown in pots with peat and lib-	P. violacea .
eral drainage. The large flowers are produced on	Our stoc
branching spikes of good size, and are interesting,	most healthy a
lasting a long time in perfection. \$5 to \$10.	spection.

PESCATOREA. This genus consists of plants of dwarf and compact habit. They scarcely form pseudo-bulbs, but have bold evergreen foliage of a decorative character, therefore look well, even out of flower. The flowers come singly, and are large, of peculiar and very distinct colors. They are easily grown in a mix-

	ture of peat	an	a	m	.os	s,	aı	10	11.	aı	ıt:	аş	300	oa	S	upp	12.	י 10	wat	er.	
F	. Backhous	sia	n	a												\$5	00	to	87	50	
F	cerina .															4	00	to	6	00	
F	. Dayana															5	00	to	7	50	
P	. Lehmann	ıi.																			
P	. Russelia:	na.																			

SIS. The various species of this genus cultivation rank among the most beautist Indian Orchids. The plants are of sinand bird-like appearance when looking at nded upon rafts, blocks or baskets, with ul leaves, some of which are of rich olive others are of whitish, mottled and marwn green ground; all of the leaves are of a exture. The roots are most interesting, wo feet in length, flat and of rough appeartivating quite a few of the different spenay be had in bloom the year round. The roduced upon long branching scapes which m the axies of the leaves near the base, no pseudo-bulbs to this Orchid. The flowgreat profusion, upwards of three hunhaving been counted on a single plant. these most beautiful and delicate flowers. onstruction, is most wonderful. These constant high temperature, and during g season, from March to October, require isture. Fibrous peat, charcoal, pot-sherds gnum moss, is what they delight to grow in.

P. amabilis							-	-	٠	\$3	50	to	80	00
P. amethystina			-											
P. casta										5	00	to	7	50
P. Esmeralda										3	50	to	5	00
P. grandiflora .										4	00	to	5	00
P. — aurea (Bo	nı	ec	7	a	rie	ety	7)			7	50	to	10	00
P. Luddemannia	ına	ι.								4	00	to	7	00
P. Sanderiana .										4	00	to	6	00
P. Schillerianur	n.									+	00	to	6	00
P. Stuartiana										4	00	to	6	00
P. violacea										5	00	to	7	50

Our stock of Phalænopsis is very large and in the most healthy and vigorous condition, and we invite inspection.

**SACCOLABIUM.** A most interesting epiphytal stove Orchid. It is of very ornamental habit, growing erect, with leaves opposite, and long fleshy roots which proceed from the axils of the lower leaves. The flowers, which are produced on long densely set pendulous racemes, are of various beautiful colors, and most of them are deliciously sweet scented, and remain a long time in perfection. They require the same treatment as the Vandas and Aërides, and need all the light it is possible to give them.

S. ampulaceum		
S. Blumei, var. Dayi	2 50 to	3 50
S. Blumei (Java variety)	3 50 to	5 00
S. giganteum	2 50 to	3 50
S. guttatum	2 50 to	3 50
S. Harrisonianum. (Very fragrant) .	5 00 to	7 50
S. illustre	3 50 to	5 00
S. violaceum	2 50 to	5 00

VANDA. A genus of epiphytal East India Orchids. The Vandas are all of very distinct habit, nearly all the species having a very characteristic and noble bearing, and even when not in bloom, present a quite deco-

rative appearance, The flowers are of peculiar butterfly form, and of great beauty; very showy and
highly scented, with a most delicious odor. All but a
few species require regular East India house temperature, and do well in pots or baskets in pots herds, charcoal and sphagnum moss. They delight in sending out
their fleshy roots from the axils of the lower leaves.
During their growing season they should have abundance of water, while in the winter very little will suffice.

 V. Sanderiana
 25 00 upwards

 V. suavis
 5 00 to 10 00

 V. tricolor
 5 00 to 7 50

 V. — superba
 10 00 to 20 00

Where prices are omitted in this list, they may be had upon application, with further particulars as to the plants.



### IV.

# ORCHIDS FOR INTERMEDIATE TEMPERATURE.

Varieties best suited for Beginners in Orchid Culture.

CAREFULLY selected list of Orchids which are not expensive, and which can be easily managed under ordinary circumstances, and in ordinary greenhouse temperature of from 48 to 55 degrees at night during winter, with a little increase as spring weather approaches. There are many beautiful varieties included in this collection. They need no special or separate house, but can be grown in an ordinary greenhouse, rose or plant houses, with much the same regular treatment as other plants, the only difference being that they should be kept from the direct hot rays of the sun. Orchids, like other plants like moisture, air and general attention. If treated as directed, they will richly repay the cultivator.

It must not be supposed that because these Orchids are recommended as being cheap and easily grown, they are inferior; on the contrary, many of the richest and finest varieties are here included. All the plants offered are well established.

PLEASE NOTICE. All varieties in the following general list marked thus (\*) can be supplied in large quantitics, and a discount of ten per cent. from the regular catalogue prices will be allowed on all orders of a dozen or more plants of any one variety thus indicated.

When prices are omitted, they may be had, with further particulars, upon application.

### SPECIAL OFFER.

50 plants in 50 varieties, our selection	
25 plants in 25 varieties, our selection	
12 plants in 12 varieties, our selection	
ACINETA. Epiphytal plants of stout habit, bearing	ANGULOA Clowesii \$1 00 to \$2 50
showy flowers in drooping racemes. They are related	A. eburnea. (Rare) 5 00 to 7 50
to the Peristeria or Holy Ghost Orchid. They should	A. Ruckerii 5 00 to 7 50
be grown in a basket; their fragrant flowers are borne on pendulous spikes.	A. virginalis 8 00 to 10 00
A. Barkeri	BRASSAVOLA. Epiphytal plants with somewhat
A. Humboldtii 1 00 to 2 00	thickened stems; one-leaved, with terminal showy
A. fulva	flowers, of which the sepals are long and spreading.
A. 1 1 1 2 1 0 2 2 3	They should be grown on a block

P	A. straminea .				1 25 to	2 50
A	CROPERA.	The Act	roperas	are epip	phytal p	lants
	bearing long l	oose race	emes of	large a	nd curi	ously
-	shaped flowers	. These	should	be grown	n in bas	kets,
	with a fibrous	eat and	sphagnu	m moss.		

*A. armeniaca							\$0	75	to	\$1	50	
*A. Loddigesii								50	to	1	00	
A. luteola								75	to	1	50	

ADA aurantiaca. A small genus of epiphytal plants, which should be grown in pots in compost of peat and moss. A few plants of it produce a charming effect, as the flowers are of an unusually rich orange vermilion color. \$1.50 to \$2.50.

ANGULOA. Very showy plants, growing about eighteen inches high. The flowers are large and beautiful, with thick, fleshy, connivent sepals, which often give them a sub-globular outline. They should be grown in pots, with fibrous peat and moss.

A. Ruckerii						5 00 to	7 50
A. virginalis					. :	8 00 to	10 00
BRASSAVOLA.	Epi	phyta	l pla	ants	with	h som	ewhat
thickened stems;	one	e-leav	ed,	with	terr	ninal s	showy
flowers, of which	the	sepal	s are	e lon	gan	d spre	ading.
They should be gro	wn	on a l	olock				

B. acaulis	٠		•	٠	٠	٠	٠	\$1	50	to	52	50
*B. glauca								1	50	to	2	50
*B. Digbyana								1	50	to	2	50

BRASSIA. This genus is closely allied to Oncidium, differing in the narrow long sepals and petals. The flowers are in loose and simple racemes. They are evergreen plants of easy culture, and are best grown in pots, with fibrous peat and moss; should never be allowed to get dry.

B. maculata						\$1	50 to	\$3 00
B. — major						3	50 to	5 00
*B. verrucosa							75 to	1 50
B. — grandiflora						1	00 to	1 50

BROUGHTONIA sanguinea. A small epiphytal plant of the series of Lælicæ, having four pollen masses, as in that genus. This plant succeeds best in a block with a little moss. \$1.50 to \$3.



CATTLEYA MOSSIÆ. (See page 34.)

**BURLINGTONIA.** There are some beautiful species in this genus, all of which are of a compact habit of growth and very pretty. These plants should be in every collection; they grow best in baskets with moss and crocks.

<b>B</b> . ca	andida															\$2	00	to	\$3	00
B. de	ecora															3	50	to	5	00
B. fr	ragran	s.														3	50	to	5	00
CAT	ASET	עט'	I.	A	ge	en	us	3 0	f	a	ve	ry	7 1	eı	na	rka	ıbl	e cl	ar	ac-
ter	, with	hor	ts	tei	n-	lik	re	ps	se	ud	lo-	bι	ıll	os	ar	ıd la	arg	e le	av	es,
ha	ving er	ect	sp	ike	es	0	f (	qu	ai	nt	1	00	ki	in	3 :	flow	ver	s.	Th	ey
she	ould be	pot1	ted	in	a	col	mj	ро	st	of	р	ea	t	wi	th	god	od o	lra	ina	ge.
*C. 1	macro	arp	un	n.												\$0	75	to	\$1	50
C. 8	curra															2	70	to	5	00
C. 1	tridend	latu	ım													1	50	to	2	50
CAT	TLE	ZA.	Т	'hε	s	ре	eci	ies	5 (	ıf	tł	nis	3 1	00	рu	lar	ge	nus	ra	nk

CATTLEYA. The species of this popular genus rank among our finest Orchids; they are general favorites, and we are glad to find that they are beginning to be extensively cultivated in this country. The pseudobulbs are, in many cases, elongated and thickened, and

the dark massive evergreen foliage render the plants peculiarly attractive. The flowers are all large and elegant, and can scarcely be surpassed for their sparkling richness and depth of color, the most frequent tints of which are violet, rose, crimson, magenta, white, yellow, mauve and purple, with their intermediate shades. The flower scape, which is enclosed in a sheath, issues from the top of the stem, and a single spike sometimes contains as many as from ten to twenty flowers. They can be easily grown in baskets or pots, with a compost of fibrous peat and moss with good drainage and a liberal supply of moisture when growing; they should always be shaded from the direct rays of the sun.


C.	Aclandi	æ										\$2	50	to	\$3 50
*C.	amethys	sti	n	a								1	25	to	2 50
*C.	amethys	sto	og	lo	SS	a						2	00	to	3 50
C.	sul	ρħ	u	rea	a							3	<b>5</b> 0	to	5 00
C.	${\bf bicolor}.$											3	50	to	5 00
*C.	citrina.												50	to	1 50
C.	crispa .											1	50	to	3 00

CATTLEYA, Continued.			CATTLEYA Warnerii (labiata War-
C. Dormaniana	3 50 to	\$5 00	nerii)
	1 50 to	2 50	*C. Warscewiczii 1 50 to 2 50
C. — alba (Wallisi)			*C. — delicata 2 00 to 4 00
	5 00 to	10 00	C. — superba 3 00 to 5 00
	1 50 to	3 00	CHYSIS. This is a beautiful genus, producing showy
	1 50 to	2 50	flowers in lateral racemes with the young growth; of
5-5	2 50 to	3 50	easy culture. They are best grown in baskets or pots
	2 50 to	3 50	in peat and moss, with good drainage. Flowers pure
	3 00 to	5 00	white to golden brown.
	1 50 to	2 50	*C. aurea
C. — violacea	2 50 to	4 00	*C. bractescens 1 50 to 2 50
	3 50 to	5 00	CŒLIA. A small genus of epiphytes, the base of whose
*C. intermedia	1 50 to	2 50	stems eventually thicken into bulbs. They throw up
C. — superba	2 50 to	3 50	from the base of the bulbs dense racemes of good sized
C. labiata Warnerii	2 50 to	5 00	flowers on short erect scapes. These plants do best in
*C. lobata	2 00 to	3 50	pots with peat and sphagnum moss and a little char-
C. Loddigesii	2 00 to	3 00	coal; very free-growing and free-flowering.
C. luteola. An abundant bloomer	1 00 to	2 50	*C. bella
	2 50 to	5 00	*C. macrostachya
	2 00 to	4 00	CŒLOGYNE. There are numerous species of Cœlog-
8	5 00 to	7 50	ynes, many of them very beautiful, the color of the flow-
	7 50 to	10 00	ers being generally pure white, with rich yellow throats,
*C. Mossiæ. This variety is one of the			and often richly marked. The pseudo-bulbous and
best and largest flowering of the			evergreen foliage presents a very interesting appear-
genus, both in form and richness of			ance even when not in bloom. The flowers are gener-
color; very sweet scented, and alto-			ally produced with the young growths, and are excel-
gether a beautiful showy variety.  We have many hundred plants,			lent for cut-flower purposes, measuring often as much
among which are found endless va-			as three inches across. They should be grown in a pot
	00 to	5 00	with peat and moss, with a liberal supply of water
·	00 00	0 00	when growing.  *C. cristata. One of the best for cut
*C. Percivaliana. One of the richest			blooms; free grower\$1 00 to \$2 00
colored Orchids in cultivation; free growing and an abundant bloomer;			C. cristata citrina
flowers early in the season when			C. — Lemoniana 2 50 to 5 00
*	1 50 to	5 00	C. — major maxima 3 50 to 5 00
C. Percivaliana alba. Price on applica-		0 00	C. flaccida
tion.			C. Lowii
C. pumila marginata	2 00 to	3 00	C. Massangeana
	2 50 to	3 50	C. pandurata
C. — Regnellii	3 50 to	5 00	<b>C.</b> speciosa 3 50 to 5 00
	2 50 to	5 00	CORYANTHES macrantha. The flowers of this
C. Skinnerii	2 00 to	3 50	plant are very curious objects. They are of large
*C. speciosissima. A very large win-			size, and just before they open greatly resemble a
ter flowering and sweet scented			Chinese foot. They are produced from the base of
· ·	2 00 to	3 50	the bulb on a pendulous raceme. They should be grown
-	5 00 to	7 50	in baskets with peat and moss, and given good drain-
	5 00 to	7 50	age. \$2.50 to \$5.
	2 50 to	5 00	CYPRIPEDIUM. This remarkably distinct genus
	5 00 to	7 50	consists partly of terrestrial and partly of epiphytal
*C. Trianæ. This Cattleya we grow by			species, but the tropical species included in this list
the thousand, and find it the best			are all epiphytes. They have mostly very short stems,
winter flowering variety. Among			bearing leathery leaves, from the base of which the sev-
them are found colors of all shades and hues, from the purest white to			eral flower scapes issue. Many of the Cypripedes have
the deepest royal purple and crim-			well-marked foliage as well as flowers, and on this ac-
son. The species are free and vig-			count ought to have a place in every collection. The
orous growers and abundant bloom-			form of the flowers is curious, the usually conspicu- ous parts being the dorsal sepal, erect and highly col-
	1 25 to	5 00	ored, two spreading petals and a slipper-formed pouch
	3 50 to	5 00	or lip, on account of which the genus is called "Lady's
C. virginalis (Wallisii)	5 50 10	0 00	or Venus's Slipper.' There are now a large number
	2 00 to	3 50	of hybrid Cypripediums which are very fine and dis-
C. Wallisii (virginalis)			tinct, and many of them are certainly an improvement
,			,


#### CYPRIPEDIUM, Continued.

on the original types, but are as yet expensive. The following is a list of the cheapest and most useful sorts. These plants are of easy culture, and require but little space; although most of them need the same temperature as the East Indian section, yet many may

be grown in a warm gre		, ai
C. Argus. See cut p. 27	\$2 00 to \$3	00
*C. barbatum	1 00 to 2	00
C. — nigrum	2 50 to 3	50
C superbum	3 00 to 5	00
C. Chantinii	10 00 to 15	00
C. ciliolare	2 50 to 3	00
C. Crossianum	5 00 to 7	50
C. Harrisianum	2 00 to 4	00
C. Hookeræ	1 00 to 2	00
*C. insigne	1 00 to 2	00
C albo margina-		
tum	2 50 to 4	00
C Maulei	5 00 to 7	50
C maxima	2 50 to 4	00
C punctatum vi-		
olaceum	5 00 to 7	5() D
C. Lawrenceanum	1 00 to 2	50
*C. pardinum		3 50 to 5 00
C. Pearcei		
*C. Roezlii		1 50 to 2 50
C. Schlimii		5 00 to 7 00
*C. Sedeni. (See cut, p.	29)	'1 50 to 2 00
*C. Spicerianum		2 50 to 4 00
C. superciliare		
*C. venustum		
C. villosum		2 50 to 5 00



CYPRIPEDIUM INSIGNE.



ENDROBIUM WARDIANUM.

CYTOCHILUM. See Oncidium.

CYRTOPODIUM. These are large growing plants, and are well worth cultivating, for if well grown they are noble objects, even when not in bloom. The flowers are large and showy; they are produced with the young growths in spring. The best soil is a rich fibrous loam, mixed with manure in order to produce a vigorous growth.

	-	0														
C.	Anders	onii									\$3	50	to	\$5	00	
C.	macula	ıtum	gig	aı	ıtı	eu	m			Di.	3	50	to	5	00	
C.	puncta	tum									4	00	to	6	00	

DENDROBIUMS. The Dendrobes are a very extensive as well as a magnificent genus of Orchids, mostly consisting of plants with tall jointed terete stems or bulbs, bearing lateral or pseudo-terminal racemes of handsome flowers, especially fine for cutting. Some of the varieties produce very large and showy flowers, which are delicate in color and delightfully fragrant; many of them blossom very freely, and are highly effective. Quite a few are evergreen, retaining their foliage all the year round, while others are deciduous, producing their flowers on the ripened leafless stems. So extensive is this genus, and so different their habits that it requires a variety of treatment; hence, the deciduous varieties must be kept in a cool atmosphere during winter, while during summer sufficient heat is easily procured for their growth. They grow best in baskets, and while growing should never get dry.

D. aggregatum .						\$1	50	to	\$2	50
D. — majus						2	00	to	3	50
D. Ainsworthii						5	00	to	ĩ	50
D. — roseum										
D. Bensoniæ						1	50	to	2	50
D. bigibbum						3	00	to	õ	00
D superbum						õ	00	to	ĩ	50
D. Brymerianum						2	50	to	4	00



DENDROBIUM, Continued.	*DENDROBIUM Wardianum \$2 00 to \$3 50
*D. Cambridgeanum	<b>D.</b> — <b>Lowii</b> 5 00 to 7 50
<b>D.</b> chrysanthum	<b>D.</b> — candidum 5 00 to 7 50
<b>D.</b> chrysotoxum 2 25 to 3 50	<b>D.</b> — giganteum
<b>D.</b> crassinode 1 50 to 2 50	EPIDENDRUM. This, a very extensive genus, con-
<b>D.</b> crystallinum 1 50 to 2 50	tains a number of very rare and highly interesting va-
<b>D.</b> Dalhousieanum 2 50 to 4 00	rieties, the choicest of which are here enumerated.
<b>D.</b> densiflorum 1 50 to 2 50	They are of very luxuriant and rapid growth, and
<b>D.</b> Devonianum	therefore easily cultivated; they bear their beautiful
<b>D.</b> formosum	flowers upon their terminal growths, and can either be
D. — giganteum 1 75 to 3 00	grown upon blocks of wood, in pots or baskets, with
*D. nobile 1 00 to 2 00	fibrous peat and sphagnum moss, in equal parts, for
<b>D.</b> — superbum 5 00 to 7 50	potting material; they delight in plenty of moisture
* <b>D.</b> primulinum 2 00 to 3 50	nearly all the time.
<b>D.</b> — giganteum 3 00 to 5 00	*E. atropurpureum
D. thyrsiflorum. (See cut.) 2 00 to 4 00	E. — roseum 5 00 to 7 50
<b>D.</b> tortile 1 50 to 2 50	<b>E.</b> aurantiacum 2 00 to 3 00
<b>D.</b> — roseum 2 50 to 4 00	<b>E.</b> bicornutum 1 50 to 2 50

E. cliliare		
L. cinnabarinum	EPIDENDRUMS, Continued.	
E. crasifolium	*E. ciliare	
L. crasps folium   150 to 250	<b>E.</b> cinnabarinum 3 50 to 5 00	
E. fragrams	*E. cochleatum 1 50 to 2 50	
Limperator 1 dolto 6 0 0 12. Imperator 2 dolto 6 0 0 12. Imperator 2 dolto 7 5 0 13. Commaniana 3 50 to 5 0 0 to 15 0 13. Commaniana 2 5 0 to 15 0 14. Commaniana 3 5 0 to 5 0 15 0 15 0 14. Commaniana 2 5 0 to 16 0 15 0 15 0 15 0 15 0 15 0 15 0 15 0	<b>E.</b> crassifolium 1 50 to 2 50	
L   microchium atropurpureum   3 (0) 10 3 00     L   maculatum   3 50 10 4 00     L   marulatum   3 50 10 5 00     L   marulatum   3 50 10 5 00     L   marulatum   3 50 10 5 00     L   prismatocarpum   2 00 10 4 00     L   prismatocarpum   2 00 10 4 00     L   rhizophorum   2 50 10 4 00     L   stanfordianum   2 50 10 4 00     L   tibicinis   1 00 10 2 00     E   tibicinis   1 00 10 2 00     E   majus   2 00 10 4 00     E   majus   1 00 10 2 00     E   majus   2 50 10 4 00     E   majus   2 50 10 5 00	*E. fragrans 2 00 to 3 50	
L		
E.   maculatum		
L nemorale   1 50 to 2 55		
Lexamination   Lexa		
L. paniculatum		
L prismatocarpum 2 00 to 4 00 E raticans 2 50 to 4 00 E rhisophorum 2 50 to 4 00 E Stamfordianum 2 50 to 5 00 E Stamfordianum 2 50 to 6 4 00 E Stamfordianum 1 00 to 2 00 E Stamfordianum 1 00 to 2 00 E Stamfordianum 1 00 to 2 00 E Tempins 1 00 to 2 00 E Stamfordianum 1 00 to 2 00 E Stamfordianum 1 00 to 2 00 E Stamfordianum 2 50 to 4 00 E Tempins 1 00 to 2 00 E Stamfordianum 1 00 to 2 00 E Stamfordianum 2 50 to 4 00 E Tempins 1 00 to 2 00 E Stamfordianum 1 0 to 2 00 E Tempins 1 0 to 2 00 E Stamfordianum 1 0 to 2 00 E Tempins 1 0 to 2 50 E vitellinum 1 0 to 0 2 00 E Tempins 2 0 to 4 00 E Stamfordianum 1 0 to 2 00 E Stamfordianum 1 0 to 2 00 E Tempins 2 0 to 4 00 E Stamfordianum 2 5 0 to 4 00 E Tempins 2 0 to 4 00 E Tem		
**E radicans	-	
E. Stamfordianum		*L. harpophylla 1 50 to 3 00
E. Stamfordianum		*L. majalis 1 50 to 2 50
E tibicinis  E vitellinum 1 00 to 2 00  E — majus 1 00 to 2 50  GONGGRA This genus is much like the Acroperas in habit, but larger; they require the same treatment.  G. atropurpureum \$1 00 to \$150 G. fiscata 575 to 1 50 L. cappel one only spending to this genus are cyrl useful of wery substantial flowers, and their free-blooming habit, make them one of the best fisc. Their fee-blooming habit, make them one of the best fisc. Their fee-blooming habit, make them one of the best fisc. Their fee-blooming habit, make them one of the best fisc. Their fee-blooming habit, make them one of the best fisc. Their fee-blooming habit, make them one of the best fisc. Their fee-blooming habit, make them one of the best fisc. Their fee-blooming habit, make them one of the best fisc. Their fee-blooming habit, make them one of the best fisc. Their fee-blooming habit, make them one of the fisc. Their fee-blooming habit, make t		
E. witellinum		
GONGORA. This genus is much like the Acroperas in habit, but larger; they require the same treatment.  G. atropurpureum \$1 00 to \$1 50 G. fiscata \$75 to \$1 50 G. fiscata \$75 to \$1 50 G. fiscata \$2 50 to \$4 00 G. truncata \$2 50 to \$4 00 HOULLETIA. A small group of epiphytes with large, loosely arranged racemes of flowers, which are not only very fragrant, but are most curious and quaint; they are well worth cultivating on account of their distinctness. They grow best in pots with peat and good drainage, and like a liberal supply of water when growing.  L. Exilia. \$5 00 to \$7 50 L. Truncata \$5 00 to \$7 50 L. T		•
Lands   Compute   Comput		
habit, but larger; they require the same treatment.  G. tropurpureum \$1 00 to \$1 50 G. fuscata \$75 to \$150 G. maculata \$2 50 to \$400  HOULLETIA. A small group of epiphytes with large, loosely arranged racemes of flowers, which are not only very fragrant, but are most curious and quaint; they are well worth cultivating on account of their distinctness. They grow best in pots with peat and good drainage, and like a liberal supply of water when growing.  H. chrysantha \$5 00 to \$7 50 H. picta  LELIA. This is a lovely genus, and one of the most valuable of epiphytal Orchids, most of the species being vigorous and compact in growth, with evergreen leaves much like the Cattleyas, to which they are closely allied—many are of equal beauty when in bloom. Their flowers, which are large and distinct in color and very handsome, are produced on spikes of various lengths, from the top of pseudo-bulbs. They will all thrive better in baskets or pots, with a compost of fibrous peat and good drainage.  L. albida \$0.75 to \$1.25 L. — Marianæ \$1.50 to \$2.50 L. — Marianæ \$1.50 to \$2.50 L. — Sulphurea \$1.50 to \$2.50 L. — Barkeriana \$5.00 to \$7.50 L. — Dawsoni L. — Hilliana \$5.00 to \$7.50 L. — Herivaliana \$5.00 to \$7.50 L. — Herivaliana \$5.00 to \$7.50 L. — Herivaliana \$5.00 to \$7.50 L. — Perevialiana \$5.00 to \$7.50 L. — Herivaliana \$5.00 to \$7.50 L. — Perevialiana \$5.00 to \$7.50 L. — Herivaliana \$5.00 to \$7.50 L	GONGORA This genus is much like the Acroners in	
G. atropurpureum	·	
G. maculata		
G. truncata 250 to 400  HOULLETTA. A small group of epiphytes with large, loosely arranged racemes of flowers, which are not only very fragrant, but are most curious and quaint; they are well worth cultivating on account of their distinctness. They grow best in pots with peat and good drainage, and like a liberal supply of water when growing.  H. chrysantha 85 00 to 87 50 H. picta 500 L. mall his is a lovely genus, and one of the most valuable of epiphytal Orchids, most of the species being vigorous and compact in growth, with evergreen leaves much like the Cattleyas, to which they are closely allied—many are of equal beauty when in bloom. Their flowers, which are large and distinct in color and very handsome, are produced on spikes of various lengths, from the top of pseudo-bubbs. They are unsurpassed for cut-flower purposes. Some of them may be grown upon blocks or rafts, though they will all thrive better in baskets or pots, with a compost of fibrous peat and good drainage.  L. albida 80 75 to 81 25 L. — Bella 150 to 250 L. — Barkeriana 500 to 750 L. — Barkeriana 500 to 750 L. — Dawsoni L. — Hilliana 50 to 100 To 50 L. — Percivaliana 750 to 100 M. Harrisoniæ 250 to 400 M. Harrisoniæ 250 to 84 00 M. Harrisoniæ 200 to 350		
G. truncata		
HOULLETIA. A small group of epiphytes with large, loosely arranged racemes of flowers, which are not only very fragrant, but are most curious and quaint; they are well worth cultivating on account of their distinctness. They grow best in pots with peat and good drainage, and like a liberal supply of water when growing.  H. chrysantha \$5.00 to \$7.50 the holding as long as three most valuable of epiphytal Orchids, most of the species being vigorous and compact in growth, with evergreen leaves much like the Cattleyas, to which they are closely allied—many are of equal beauty when in bloom. Their flowers, which are large and distinct in color and very handsome, are produced on spikes of various lengths, from the top of pseudo-bulbs. They are unsurpassed for cut-flower purposes. Some of them may be grown upon blocks or rafts, though they will all thrive better in baskets or pots, with a compost of fibrous peat and good drainage.  *L. albida \$0.75 to \$1.25 the Most of the Lycastes are very useful Orchids, most of the set and most profitable, which we can safely recommend. Several fine varieties have appeared during the best and most profitable, which we can safely recommend. Several fine varieties have appeared during the best few past few years, chiefly belonging to the L. Skinnerii type, and differing very much from each other in color. L. Exkinerii is the best one among the many known species, as its lasting qualities are unsurpassed, the flowers act belonging to this genus are of easy culture; they should be potted in peat, with good drainage, and never allowed to get dry.  *L. aromatica \$0.75 to \$1.00 they give and differing very much from each other in color. L. Exkinerii is the best one among the many known species, as its lasting qualities are unsurpassed, the flowers are of easy culture; they should be potted in peat, with good drainage, and never allowed to get dry.  *L. aromatica \$0.75 to \$1.00 the past few years, chiefly belonging to the L. Skinnerii is the best one among the many known species, as its la		
loosely arranged racemes of flowers, which are not only very fragrant, but are most curious and quaint; they are well worth cultivating on account of their distinctness. They grow best in pots with peat and good drainage, and like a liberal supply of water when growing.  H. chrysantha	HOUT I TITLA A small group of oninhy-tos with lange	
only very fragrant, but are most curious and quaint; they are well worth cultivating on account of their distinctness. They grow best in pots with peat and good drainage, and like a liberal supply of water when growing.  H. chrysantha		
they are well worth cultivating on account of their distinctness. They grow best in pots with peat and good drainage, and like a liberal supply of water when growing.  H. chrysantha \$5.00 to 7.50 H. odoratissima \$5.00 to 7.50 H. picta  LELIA. This is a lovely genus, and one of the most valuable of epiphytal Orchids, most of the species being vigorous and compact in growth, with evergreen leaves much like the Cattleyas, to which they are closely allied—many are of equal beauty when in bloom. Their flowers, which are large and distinct in color and very handsome, are produced on spikes of various lengths, from the top of pseudo-bulbs. They are unsurpassed for cut-flower purposes. Some of them may be grown upon blocks or rafts, though they will all thrive better in baskets or pots, with a compost of fibrous peat and good drainage.  *L. albida \$0.75 to \$1.25  L. — Marianæ \$0.75 to \$1.25  L. — sulphurea \$0.75 to \$1.25  L. — sulphurea \$0.75 to \$1.25  L. — sulphurea \$0.75 to \$1.25  L. — alba \$0.75 to \$1.25  L. — Barkeriana \$0.00 to 7.50  L. — Gelicata \$0.00 to 7.50  L. — Hilliana \$0.00 to 7.50  L. — Hilliana \$0.00 to 7.50  M. — Percivaliana \$0.00 to 7.50 to 10.00  M. Harrisoniæ \$0.00 to 8.50  M. Harrisoniæ \$0.		
distinctness. They grow best in pots with peat and good drainage, and like a liberal supply of water when growing.  H. chrysantha \$5 00 to \$7 50  H. odoratissima \$5 00 to \$7 50  H. picta \$5 00 to		
past few years, chiefly belonging to the L. Skinnerii type, and differing very much from each other in color. Lycaste Skinnerii is the best one among the many known species, as its lasting qualities are unsurpassed, the flowers often holding as long as three months. The plants belonging to this genus are of easy culture; they should be potted in peat, with good drainage, and never allowed to get dry.  **L. according to the L. Skinnerii type, and differing very much from each other in color. Lycaste Skinnerii is the best one among the many known species, as its lasting qualities are unsurpassed, the flowers often holding as long as three months. The plants belonging to this genus are of easy culture; they should be potted in peat, with good drainage, and never allowed to get dry.  **L. according to the L. Skinnerii type, and differing very much from each other in color. Lycaste Skinnerii is the best one among the many known species, as its lasting qualities are unsurpassed, the flowers often holding as long as three months. The plants belonging to the L. Skinnerii type, and differing very much from each other in color. Lycaste Skinnerii is the best one among the many known species, as its lasting qualities are unsurpassed, the flowers often holding as long as three months. The plants belonging to the L. Skinneri type, and differing very much from each other in color. Lycaste Skinnerii is the best one among the many known species, as its lasting qualities are unsurpassed, the flowers often holding as long as three months. The plants belonging to the L. Skinneri type, and differing very much from each other in color. Lycaste Skinnerii is the best one among the many known species, as its lasting qualities are unsurpassed, the flowers often holding as long as three months. The plants belonging to the L. Skinneri type, and differing very much from each other in color. Lycaste Skinnerii is the best one among the many known species, as its lasting qualities are unsurpassed, the flowers often holding as long as three mo		
H. chrysantha \$5 00 to \$7 50 H. odoratissima 5 00 to 7 50 H. picta 5 00 to 7 50 LELIA. This is a lovely genus, and one of the most valuable of epiphytal Orchids, most of the species being vigorous and compact in growth, with evergreen leaves much like the Cattleyas, to which they are closely allied—many are of equal beauty when in bloom. Their flowers, which are large and distinct in color and very handsome, are produced on spikes of various lengths, from the top of pseudo-bulbs. They are unsurpassed for cut-flower purposes. Some of them may be grown upon blocks or rafts, though they will all thrive better in baskets or pots, with a compost of fibrous peat and good drainage.  *L. albida \$0.75 to \$1.25 L. — bella \$1.50 to 2.50 L. — sulphurea \$1.50 to 2.50 L. — sulphurea \$1.50 to 2.50 L. — sulphurea \$5.00 to 7.50 L. — Barkeriana \$5.00 to 7.50 L. — Dawsoni \$1. — delicata \$2.50 to 4.00 L. — precivaliana \$5.00 to 7.50 L. — Percivaliana \$5.00 to 7.50 L. — Percivaliana \$5.00 to 7.50 M. Harrisonias \$2.00 to 8.50 M. Harrison	good drainage, and like a liberal supply of water when	past few years, chiefly belonging to the L. Skinnerii
H odoratissima 5 00 to 7 50 H picta  LÆLIA. This is a lovely genus, and one of the most valuable of epiphytal Orchids, most of the species being vigorous and compact in growth, with evergreen leaves much like the Cattleyas, to which they are closely allied—many are of equal beauty when in bloom. Their flowers, which are large and distinct in color and very handsome, are produced on spikes of various lengths, from the top of pseudo-bulbs. They are unsurpassed for cut-flower purposes. Some of them may be grown upon blocks or rafts, though they will all thrive better in baskets or pots, with a compost of fibrous peat and good drainage.  *L. albida \$0.75 to \$1.25  *L. — bella 150 to 250  *L. — sulphurea 150 to 250  *L. — sulphurea 150 to 250  *L. — sulphurea 150 to 250  *L. — alba 500 to 750  *L. — Barkeriana 500 to 750  *L. — Dawsoni  L. — Dawsoni  L. — Gelicata 250 to 400  L. — grandaffora 350 to 500  L. — Percivaliana 750 to 100  M Harrisoniæ 200 to 350	growing.	type, and differing very much from each other in color.
H. odoratissima 5 00 to 7 50 H. picta	H. chrysantha	
The plants belonging to this genus are of easy culture; they should be potted in peat, with good drainage, and never allowed to get dry.  **L. aromatica \$0.75 to \$1.00 to \$1.	H. odoratissima 5 00 to 7 50	
they should be potted in peat, with good drainage, and never allowed to get dry.  **L. aromatica \$0.75 to \$1.00 to \$0.00 to \$1.00	H. picta	
valuable of epiphytal Orchids, most of the species being vigorous and compact in growth, with evergreen leaves much like the Cattleyas, to which they are closely allied—many are of equal beauty when in bloom. Their flowers, which are large and distinct in color and very handsome, are produced on spikes of various lengths, from the top of pseudo-bulbs. They are unsurpassed for cut-flower purposes. Some of them may be grown upon blocks or rafts, though they will all thrive better in baskets or pots, with a compost of fibrous peat and good drainage.    L. albida	LÆLIA. This is a lovely genus, and one of the most	
The test and compact in growth, with evergreen leaves much like the Cattleyas, to which they are closely allied—many are of equal beauty when in bloom. Their flowers, which are large and distinct in color and very handsome, are produced on spikes of various lengths, from the top of pseudo-bulbs. They are unsurpassed for cut-flower purposes. Some of them may be grown upon blocks or rafts, though they will all thrive better in baskets or pots, with a compost of fibrous peat and good drainage.  *L. albida		
**L. cruenta		
L	leaves much like the Cattleyas, to which they are	
L.		
Lawrenceana		
Lawrenceana		
L.   plana   2 50 to 4 00		5-5
will all thrive better in baskets or pots, with a compost of fibrous peat and good drainage.         *L. albida       \$0.75 to \$1.25         *L. — bella       1.50 to 2.50         L. — Sulphurea       1.50 to 2.50         *L. anceps       75 to 1.50         *L. — alba       5.00 to 7.50         L. — Barkeriana       5.00 to 7.50         L. — Dawsoni       MAXILLARIA         L. — grandiflora       3.50 to 5.00         L. — Hilliana       5.00 to 7.50         May grandiflora       \$2.50 to \$4.00         M. Harrisoniæ       2.00 to 3.50		
I. — alba         *L. albida       \$0.75 to \$1.25         *L. — bella       1.50 to 2.50         L. — Marianæ       1.50 to 2.50         L. — sulphurea       1.50 to 2.50         *L. anceps       75 to 1.50         L. — alba       5.00 to 7.50         L. — Barkeriana       5.00 to 7.50         L. — Dawsoni       MAXILIARIA       A very interesting and free-growing species. The flowers are pretty and sweet scented; are all of evergreen habit, and can be successfully grown in either the intermediate house or cool house. They succeed best grown in pots in peat and moss, and require a liberal supply of water while growing.         L. — grandiflora       3.50 to 5.00       *M. grandiflora       *2.50 to \$4.00         L. — Percivaliana       7.50 to 10.00       M. Harrisoniæ       2.00 to 3.50		
*L. albida \$0.75 to \$1.25  *L. bella 1.50 to 2.50  *L. Marianæ 1.50 to 2.50  *L. sulphurea 1.50 to 2.50  *L. alba 5.00 to 7.50  *L. alba 5.00 to 7.50  *L. Barkeriana 5.00 to 7.50  *L. delicata 2.50 to 4.00  *L. grandiflora 3.50 to 5.00  *M. Hilliana 5.00 to 7.50  *M. grandiflora \$2.50 to \$4.00  *M. Harrisoniæ 2.00 to \$3.50  *M. Harrisoniæ 2.00 to 3.50		<b>L</b> . — alba
*L. — bella 1 50 to 2 50  L. — Marianæ 1 50 to 2 50  L. — sulphurea 1 50 to 2 50  *L. anceps 75 to 1 50  L. — alba 5 00 to 7 50  L. — Barkeriana 5 00 to 7 50  L. — Dawsoni  L. — Dawsoni  L. — grandiflora 3 50 to 5 00  L. — grandiflora 3 50 to 5 750  L. — Hilliana 5 00 to 7 50  M. W. Grandiflora \$2 50 to \$4 00  M. Harrisoniæ 2 00 to 3 50	1 0	
L.       Sulphurea       1 50 to       2 50         *L.       anceps       75 to       1 50         L.       alba       5 00 to       7 50         L.       Barkeriana       5 00 to       7 50         L.       Dawsoni       in either the intermediate house or cool house. They succeed best grown in pots in peat and moss, and require a liberal supply of water while growing.         L.       Hilliana       5 00 to       7 50       *M. grandiflora       \$2 50 to       \$4 00         L.       Percivaliana       7 50 to       10 00       M. Harrisoniæ       2 00 to       3 50 to		L. — purpurata. Quite rare
L. — sulphurea       1 50 to 2 50         *L. anceps       75 to 1 50         L. — alba       5 00 to 7 50         L. — Barkeriana       5 00 to 7 50         L. — Dawsoni       in either the intermediate house or cool house. They succeed best grown in pots in peat and moss, and require a liberal supply of water while growing.         L. — grandiflora       3 50 to 5 00         L. — Helliana       5 00 to 7 50         *M. — superbax. Quite fare.         MAXILLARIA. A very interesting and free-growing species. The flowers are pretty and sweet scented; are all of evergreen habit, and can be successfully grown in either the intermediate house or cool house. They succeed best grown in pots in peat and moss, and require a liberal supply of water while growing.         *M. = superbax. Quite fare.         MAXILLARIA. A very interesting and free-growing species. The flowers are pretty and sweet scented; are all of evergreen habit, and can be successfully grown in either the intermediate house or cool house. They succeed best grown in pots in peat and moss, and require a liberal supply of water while growing.         *M. = superbax. Quite fare.		L. — rosea. Quite rare
*L. anceps 75 to 1 50  L. — alba 5 00 to 7 50  L. — Barkeriana 5 00 to 7 50  L. — Dawsoni 1. — delicata 2 50 to 4 00  L. — grandiflora 3 50 to 5 00  L. — Hilliana 5 00 to 7 50  L. — Percivaliana 7 50 to 10 00  *M. AXILLARIA. A very interesting and free-grow-interesting and free		L. — superba. Quite rare
L. — alba		
L.       Barkeriana       5 00 to 7 50       are all of evergreen habit, and can be successfully grown in either the intermediate house or cool house. They succeed best grown in pots in peat and moss, and required in the property of the peat and moss, and required in the p	L. — alba 5 00 to 7 50	
L. — Dawsoni       in either the intermediate house or cool house. They succeed best grown in pots in peat and moss, and resucceed best grown in pots in peat and moss, and require a liberal supply of water while growing.         L. — Hilliana.       5 00 to 7 50       *M. grandiflora       \$2 50 to \$4 00         L. — Percivaliana       7 50 to 10 00       M. Harrisoniæ       2 00 to 3 50	L. — Barkeriana 5 00 to 7 50	
L. — grandiflora       3 50 to 5 00       quire a liberal supply of water while growing.         L. — Hilliana       5 00 to 7 50       *M. grandiflora       \$2 50 to \$4 00         L. — Percivaliana       7 50 to 10 00       M. Harrisoniæ       2 00 to 3 50	L. — Dawsoni	
L. — Hilliana       5 00 to 7 50       *M. grandiflora       \$2 50 to \$4 00         L. — Percivaliana       7 50 to 10 00       M. Harrisoniæ       2 00 to 3 50		
L. — Percivaliana		
	L. — Hilliana 5 00 to 7 50	
10. Fosea		
	L. — rosea 5 00 to 7 50	IVI. luteo alba 2 00 to 2 50




ODONTOGLOSSUM VEXILLARIUM. (See page 39.)

MAXILLARIA, Continued.	ODONTOGLOSSUM. We include comparatively few
*M. Lehmanii. Very rare	varieties of this grand and rich genus, as most of them
M. Sanderiana	require a strictly cool treatment. For further infor-
M. venusta	mation see notes upon Cool House Orchids, where a
MILTONIA. This genus includes several beautiful	general list of them is appended.
Orchids. They are all of evergreen habit, and com-	O. grande
pact in growth. The pseudo-bulbs are short, bearing	O. hastilabium 2 00 to 3 50
two or three leaves each, and usually one or two flower	*O. Insleayi (Leopardinum) 2 00 to 3 50
scapes are produced from the side of the bulbs, which	*O. — macranthum 3 50 to 5 00
have a number of handsome flowers. They are easily	O. — splendens
managed and can be grown either in pots, upon blocks,	O. Phalænopsis 2 50 to 4 00
or in baskets. They require a liberal supply of water.	*O. Reichenheimii (Karwinski) 4 00 to 6 00
*M. bicolor	*O. Roezlii
M. candida. (See cut)	0.— album
M. Clowesii	*O. Schleiperianum 3 50 to 5 00
*M. cuneata	*O. vexillarium. (See cut, page 38) 2 50 to 7 50
M. Regnelli 5 00 to 7 50	
M. — purpurea	ONCIDIUM. The Oncidiums belong to the older class
*M. spectabilis 1 50 to 3 00	of Orchids, hence their numerous varieties. The spe-
M. — Moreliana	cies are all evergreen, and most of them are very beau-
	tiful, their flowers being showy, richly colored and of
M. — rosea	great lasting quality. They are exceedingly valuable
*M. — Weltoni	for exhibitions and decorations, as well as for cut
	blooms. Some varieties succeed well on blocks of
MORMODES. These are of a most highly interesting	wood, but they are generally best grown in pots or in
genus, bearing quaint and very showy and most pecu-	baskets, in a compost of peat and moss, with good
liar flowers. The plants have a deciduous habit, and	drainage. They are very accommodating, as they will
do best potted in peat, with a liberal quantity of water	grow in a cool Orchid house or an intermediate house.
during their period of growth.	*O. ampliatum
M. buccinator	*0. — majus 2 50 to 4 00
*M. colossus	O. bicolor
M. eburneum 5 00 to 7 50	*0. bictoniense
M. luxatum	*O. Cavendishianum 1 50 to 3 50 O. concolor 1 50 to 3 50
	O. concolor
A CONTRACTOR OF THE CONTRACTOR	*O. crispum
	*O. — grandiflorum 2 00 to 4 00
	O. flexuosum
	O. Forbesii
	O. Gardneri (curtum)
	*O. incurvum
	*O. Jonesianum 1 50 to 2 50
	O. Kramerianum
	*O. Lanceanum 2 50 to 4 00
	*O. Lawrenceanum 2 00 to 3 50
	<b>*O.</b> luridum 1 50 to 2 50
	0. — roseum 2 50 to 4 00
	O macranthum 3 50 to 5 00
	O. maculatum 1 50 to 3 00
	O. Marshallianum
	*O. ornithorhynchum
	*O. Papilio 1 00 to 2 50
	O. — majus
	O. — Eckhardtii 3 00 to 5 00
	<b>O.</b> phymatochilum
	<b>O.</b> pulvinatum
	O. — majus 3 50 to 5 00
	*O. sarcodes
Name of the second seco	<b>O.</b> sphacelatum 1 50 to 3 00
	O, splendidum 3 50 to 5 00
1	<b>O.</b> stelligerum 1 50 to 3 00
	O. superbiens
,,	O. tigrinum (Barkerii) 1 00 to 2 00
MILTONIA CANDIDA.	*O. varicosum 1 50 to 3 00



ONCIDIUM WELTONI. (See page 41.)

ON CATIONUM ROGERTIM: \$ 50 to \$ 50 ON Wethout. (See cut, page 40, and special description, page 21.) 1 50 to 3 50 ERRISTERIA. A genus of remarkable character, one of which P. elata. the Dove plant or Holy Chost Credit, is a noble and most interesting plant. For ages it has been the sacred object of devotion of the native tribes in Central America, from whence it comes. A plant which ought to be in every greenhoase and conservatory: besides their beautiful and fragrant flowers, which are borne in great numbers upon take plants of bold character. They should be grown in loan and leaf mould, with a good supply of water during their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth period.  P. cerina.  P. cerina.  P. cerina.  P. cerina.  P. cerina.  P. cerina.  P. calta. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 29  P. cerina.  S. 50 to 82 50  P. stabling and the cerin dependent of the cerin de		
O. Wettoni. (See cut, page 40, and special description, page 21). 1 50 to 8 to 8 to PRINSTERIA. A genus of remarkable character. One of whitch P. data. the Dove plant or Holy Ghost Credid, is a noble and mest interesting plant. For ages it has been the sacred object of devotion of the native tribes in Central America, from whence it comes. A plant which ought to be in every greenhouse and conservatory: beades their beautiful and fragrant flowers, which are borne in great numbers upon tall erect stems, they are handsome decorative foliage plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growth process of the stem. The flowers are very handsome mes (of which we have probably the largest stock in cultivation), page 22 . 81 50 to 82 50  PHAJUS. A fine genus of terrestrial plants which produce their well furnished racenes of large and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots or large size, with loam, leaf mould and decomposed manure.  P. Blumei . \$8 00 to 80 00  P. Blummia . \$8 00 to 80 00  P. grandifolius . 1 50 to 350  P. maculatus . 5 00 to 10 00  P. Wallichii . 5 00 to 10 00  P. Wallichii . 5 00 to 10 00  P. Wallichii . 5 00 to 10 00  P. Tagrans . \$8 00 to 80 00  P. nobilis	ONCIDIUM, Continued.	SCHOMBURGKIA. This genus resembles the Cat-
O. Weltoni. (See cut, page 40, and special description, page 21.) . 1 50 to 3 00 pERISTERIA. A genus of remarkable character, one of which P. edua. the Dove plant or Holy Ghost Orchid, is a noble and most interesting plant. For ages it has been the sacred object of devotion of the native tribes in Central America, from whence it comes. A plant which ought to be in every greenhouse and conservatory: besides their beautiful and fragrant flowers, which are borne in great numbers upon tall erect stems, they are handsome decorative foliage plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growing period.  P. ecrina  P. elata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), by the largest stock in cultivation, by the largest stock in cultivation, by the largest stock in cultivation and care. They are of large growth, and even when not inboom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei . \$5 00 to 810 00  P. Wallichii . 5 00 to 10 00  P. Wallichii . 5 00 to 85 00  P. naculatus . \$ 50 to 485 00  P. naculatus . \$ 50 to 85 00  P. naculatus . \$ 50 to 400  P. with the proper time to rest them until the flowers are of good drainage. They should not have too much water at any time.  P. fragrams . \$ 00 to 85 00  P. naculatus . \$ 50 to 85 00  P. naculatus . \$ 50 to 85 00  P. naculatus	*O. varicosum Rogersii	tleyas and Lælias in growth, except that they are less
special description, page 21.) 1 50 to 3 to PRISTERIA. A genus of remarkable character, one of which P, etate, the Dove plant or Holy Ghost Orchid, is a noble and most interesting plant. For ages it has been the sacred object of devotion of the native tribes in Central America, from whence it comes. A plant which ought to be in every greenhouse and conservatory; besides their beautiful and fragrant flowers, which are borne in great numbers upon tail erect stems, they are handsome decorative foliage plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growing heritage of the stem. The flowers are very handsome and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental if fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manner.  P. Blumei . \$5 00 to \$10 00 PLUMINA. This genus contains some very handsome dwarf evergreen plants. Their flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  P. Fragrans . \$2 00 to 85 00 P. p. Object too, the lip handsomely fringed, They have flast-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  P. Fragrans . \$2 00 to 85 00 P. nobilis .		compact. The flowers are large, with spreading petals
pRINISTERIA. A genus of remarkable character, one of which P. etato, the Dove plant or Holy Ghost Orchid, is a noble and most interesting plant. For ages it has been the sacred object of devotion of the native tribes in Central America, from whence it comes. A plant which ought to be in every greenhouse and conservatory; besides their beautiful and fragrant flowers, which are borne in great numbers upon tall erect stems, they are handsome decorative foliage plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth in prices for extra fine specmens (of which we have probably the largest stock in cultivation.)  **P. elata.** See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation.)  **P. elata.** See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation.)  **P. elata.** See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation.)  **P. elata.** See cut and special description.  **In the prices of extra fine specmens (of which we have probably the largest stock in cultivation.)  **P. erran.**  **P. elata.** See cut and special description.  **In the prices of extra fine specmens (of which we have probably the largest stock in cultivation.]  **P. elata.**  **P. elata.** See cut and special description.  **In the prices of the probably the largest stock in cultivation.]  **P. elata.**  **P. elata.**  **P. elata.**  **P. grace and the prices of the stems of the prices of the p		and sepals, and are produced in large panicles upon
persisterial. A genus of romarkable character, one of which P. Jedta, the Dove plant or Holy Ghost Orchid, is a noble and most interesting plant. For ages it has been the sacred object of devotion of the native tribes in Central America, from whence it comes. A plant which ought to be in every greenhouses and conservatory; besides their beautiful and fragrant flowers, which are borne in great numbers upon talge plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. The warmest part of greenhouses or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growthin produce their well furnished racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Elumei So 100 to 100 P. grandifolius 1 90 to 300 P. grandifolius 1 90 to 300 P. maculatus 5 000 to 810 OP. P. maculatus 5 000 to 810 OP. P. maculatus 5 000 to 800 P. mobilis 3 30 to 600 P. nobilis 3 30 to 600 P. nobilis 4 20 to 500 OP. nobilis 4 20 to 500 OP. nobilis 6 20 to 600 P. nobilis 7 20 to 600 P. nobilis 8 20		
one of which P. Actas, the Dove plant or Holy Ghost Orchid, is a noble and most interesting plant. For ages it has been the sacred object of devotion of the native tribes in Central America, from whence it comes. A plant which ought to be in every greenhouse and conservatory; besides their beautiful and fragrant flowers, which are borne in great numbers upon tail erect stems, they are handsome decorative foliage plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growing period.  P. ceiria. P. ceiria. P. ceiria. P. ceiria. P. ceiria. Sea cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 22 Stibium and belief will furnised racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure. P. Blumei \$5.00 to 10.00 P. grandifolius 1.50 to 3.50 P. maculatus \$2.00 to 8.50 P. nobilis 3.50 to 6.00 P. maculatus \$2.00 to 4.00 P. wallichii per time to rest them until the flowers appear; then they can again be watered. They should be potted in a compost of peat and moss, which a good supply of water when growing. P. hummilis \$2.00 to 400 P. maculatus \$2.00 to 400 P. mac		
Orchid, is a noble and most interesting plant. For ages it has been the sacred object of devotion of the native tribes in Central America, from whence it comes. A plant which ought to be in every green longs and conservatory: besides their beautiful and fragrams flowers, which are borne in great numbers upon talge plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. The warmest part of greenhouses or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growthin protes of certain flags and their growth in the state of the stem of the growth in post of largest stock in cultivation.  P. elata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation). The page 22 St. 50 to 82.50  PHAJUS. A fine genus of terrestrial plants which produce their well furnished racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble follage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumed		
ages it has been the sacred object of devotion of the native tribes in Central America, from whence it comes. A plant which ought to be in every greenlouses and conservatory; besides their beautiful and fragrant flowers, which are borne in great numbers upon tall erect stems, they are handsome decorative foliage plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growink period.  P. ceiria.  P. elata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 22  \$1 50 to \$2.50  PHAJUS. A fine genus of terrestrial plants which produce their well furnished racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots with produce their well furnished racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots with provided their produce their produce their well furnished racemes of large and showy flowers seemes of large and showy flowers of the stock of their produce their well furnished racemes of large and showy flowers of the stock of the summit large show, flowers of the stock of their produce their produced and their summit large show, flowers are of good size, beautifully combined of white, green and yellow and very fragrant		
and conservatory: besides their beautiful and fragrant flowers, which are borne in great numbers upon tall erect stems, they are handsome decorative foliage plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. They warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growthink is not so difficult, as the summer is their growthink is not so difficult, as the summer is their growthing period.  **P. ecrina**  *P. elata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 22	Orchid, is a noble and most interesting plant. For	
comes. A plant which ought to be in every greenhouse and conservatory; besides their beautiful and fragrant flowers, which are borne in great numbers upon tall erect stems, they are handsome decorative foliage plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth the largest stock in cultivation;  *P. ceita.*  *P. clata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 22.  *P. flata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots with large size, with loan, leaf mould and decomposed manure.  *P. Blumei.*  *So to to 80  *P. grandifolius*  *D. maculatus*  *So to 100  *P. Wallichii*  *So to 100  *P. Wallichii*  *So to 100  *P. Humina*  *So to 60  *So their in the flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should be potted in a compost of peat and most with peat and good drainage. They should be potted in a compost of peat and most, with early pretty crocus-like flowers are very beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  *P. fragrans*  *So to 100  *P. fragrans*  *So to 100  *So to 100  *So to 100  *So to 10		
and conservatory: besides their beautiful and fragrant flowers, which are borne in great numbers upon tall erect stems, they are handsome decorative foliage plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. They should be accorded them during their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growthen by the largest stock in cultivation).  P. elata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 22	native tribes in Central America, from whence it	
flowers, which are borne in great numbers upon tall erect stems. they are handsome decorative foliage plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth after which they must have a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growing before the continuous provides the summer is their growing before the summer is their growing before the summer is their growing the largest stock in cultivation), page 22.  **No corina**  **P. clata.** See cut and special description, with prices for extra fine specimens of of which we have probably the largest stock in cultivation), page 22.  **STAMOWERALEA.** A small genus of true is a special description, with prices for extra fine specimens of of which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  **P. Blume!**  **P. Blume!**  **Stote**  **P. maculatus**  **P. maculatus**  **P. maculatus**  **Stote**  **P. maculatus**  **Stote**  **P. maculatus**  **Stote**	comes. A plant which ought to be in every greenhouse	
seriest stems, they are handsome decorative foliage plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth probably the largest stock in cultivation), page 22  *P. elata. See cut and special description, with prices for extra fine specimens of which we have probably the largest stock in cultivation), page 22  *P. elata. See cut and special description, with prices for extra fine specimens of the restrict of the largest stock in cultivation, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 22  *P. elata. See cut and special description, page 24  *P. elata. See cut and special description, page 24  *P. elata. See cut and special description should be potted in a compost of east and page 24  *P. elata. See cut and special description should be potted in a compost of east and page 24  *P. elata. See cut and special description should be potted	and conservatory: besides their beautiful and fragrant	
plants of bold character. They should be grown in loam and leaf mould, with a good supply of water dwing their period of growth, after which they must have a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growth which is not so difficult as the long of the follows:  P. Blume	flowers, which are borne in great numbers upon tall	S. tibicinis
plants of bold character. They should be grown in loam and leaf mould, with a good supply of water during their period of growth, after which they must have a good season of rest. The warmest part of greenhose or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growth which where were from the side of the stem. The flowers are very handsome advert with a liberal supply of water which growth and the stem. The flowers are of easy culture, and they with allowed such course for the stem. The flowers are of good size, beautifully combined of white, green and yellow per part of a fresh and derive best on blocks of wood, or in sail part their longer summer after finishing their growth the leaves die away, which she proper time to r	erect stems, they are handsome decorative foliage	SCUTICARIA. A small genus of curious epiphytal
like pendulent leaves, producing very short fleshy one- ing their period of growth, after which they must have a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which is not so difficult, as the summer is their growth which we have probably the largest stock in cultivation), page 22 . \$1 50 to \$2 50  PHAJUS. A fine genus of terrestrial plants which produce their well furnished racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in posts of large size, with loam, leaf mould and decom- posed manure.  P. Blumei . \$5 00 to \$10 00 P. P. grandifolius . 1 50 to 3 50 P. maculatus . 50 0 to 10 00 P. Wallichii . 5 00 to 10 00 P. Wallichii		
leaved stems, the leaves being very long; the scapes or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growth period.  *P. cerina*  *P. cerina*  *P. celata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 22  *St. 50 to \$2.50  *PHAJUS.*  *A fine genus of terrestrial plants which produce their well furnished racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  *P. Blumei*  *St. 900 to \$100  *P. Wallichii*  *D. P. Maculatus*  *S. 00 to 100  *PLEJONE.*  *A genus of pretty dwarf deciduous plants, with very pretty crocus-like flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear; then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  *P. humilis*  *S. 00 to \$2.50  *SOBRALIA.*  *S. 50 to \$3.50  *SOBRALIA.*  *This genus contains some very handsome species which are quite distinct from most other Ornicals, with large Cattley-alike flowers of very brilliant colors. They are all strong free-growing terrestrial plants, the long, slender, reed-like stems furnished with dark green leaves, bearing at their summit large showy flowers, as many as six or more on a single with dark green leaves, bearing at their summit large showy flowers, as many as six or more on a single with dark green leaves, bearing at their summit large showy flowers, as many as six or more on a single dark from the top of the stem.  *S. 50 to \$5.00  *S. 184.  *S.		
a good season of rest. The warmest part of greenhouse or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growth period.  *P. elata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 22  **P. elata.**  *P. el		
or conservatory should be accorded them during their growth which is not so difficult, as the summer is their growing period.  *P. cerina  *P. cerina  *P. celata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 22  **St. 50 to \$2.50  *PHAJUS.** A fine genus of terrestrial plants which produce their well furnisned racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  *P. Blumei  *St. 00 to \$10.00  *P. maculatus  *St. 00 to \$10.00  *P. Wallichii  *OP. P. Mallichii  *St. 00 to \$10.00  *P. Wallichii  *St. 00 to \$10.00  *P. Wallichii  *St. 00 to \$10.00  *P. Fragrans  *St. 00 to \$10.00  *P. Fragrans  *St. 00 to \$10.00  *P. Fragrans  *St. 00 to \$5.00  *St. Hadwenii  *St. Bladwenii  *St. 50 to \$5.00  *St. Hadwenii  *St. 50 to \$0.00  *St. Hadwenii  *St. 50 to \$5.00  *St. Hadwenii  *St. 5		
growth which is not so difficult, as the summer is their growing period.  *P. cerina  *P. cerina  *P. cerina  *P. cerina  *P. clata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 32  *Stock See See Stock in cultivation), page 23  *PHAJUS. A fine genus of terrestrial plants which produce their well furnished racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  *P. Blumei  *Stock Steelii  *Stock Steelii  *Steelii  *Stee		
### P. elata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 22 \$1 50 to \$2.50  PHAJUS. A fine genus of terrestrial plants which produce their well furnisned racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large and which when well grown are noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei \$5.00 to \$10.00 P. grandifolius 1 50 to 3 50 P. maconlatus 5 00 to 10.00 P. Wallichii 5 00 to 10.00 P. Wallichii 5 00 to 10.00 P. Wallichii 5 500 to 85.00 P. nobilis 3 500 to \$5.00 P. nobilis 3 500 to \$5.00 P. nobilis 8 50 to \$5.00 P. nobilis 9 500 to \$5.00 P. Helione. \$2.00 to \$5.00 P. Helione. \$2.00 to \$5.00 P. nobilis 9 500 to \$5.00 P. Nobilis	· · ·	
P. cerina P. elata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 32 St 50 to \$2.50  PHAJUS. A fine genus of terrestrial plants which produce their well furnisned racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei St 00 to \$10 to \$0  P. maculatus St 00 to \$10 to \$0  P. Wallichii St 00 to \$00  P. P. Agenus of pretty dwarf deciduous plants, with very pretty crocus-like flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis St 50 to \$30  S. Hadwenii St 50 to \$2.50  SCBRALIA. This genus contains some very handsome with dark green leaves, bearing at their summit large with all arge size, potted in rough, fibrous peat, with good drainage.  St leucozantha. Very rare; price on application.  Sourcantha St 50 to \$5.00  S. macrantha St 50 to \$5.00  S. virginalis. Price on application.  SOPHRONITES. A small genus of dwarf growing rather miniature Orchids. The flowers are very beautifully combined of white, green and yellow, and very freagrant. They are best grown in pots with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs		
P. elata. See cut and special description, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page 22		
tion, with prices for extra fine specmens (of which we have probably the largest stock in cultivation), page \$22 \ \$1.50 to \$2.50 to \$2.50 PHAJUS. A fine genus of terrestrial plants which produce their well furnished racemes of large and showy flowers very freely, and which, when well grown, are noble objects, They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei \$5.00 to \$10.00 PLUMNA. This genus contains some very handsome dwarf evergreen plants. Their flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should be potted after the decay of the flowers. So to 600 PLEIGONE. A genus of pretty dwarf deciduous plants, with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are quite distinct from most other Orchids, with large Cattleya-like flowers of very brilliant colors. They are all strong free-growing terrestrial plants, the long, slender, recellike stems furnished with dark green leaves, bearing at their summit large showy flowers, as many as six or more on a single stem, but not more than one expanded at one time. They arre flame to be to 1000 to 1000 P. Machine they make they must be grown in post with good drainage.  S. leucoxantha. Very rare; price on application.  SOPHRONITES. A small genus of dwarf growing rather ministure Orchids. The flowers are very beautiful, of bright color and great lasting quality, and appear on short, few-flowered racemes from the top of their pseudo-bulbs. These pretty little evergreen plants thrive best to blocks of wood, or in small baskets, with a moderate supply of moisture all the year round.  S. coccinea  S. T		
mens (of which we have probably the largest stock in cultivation), page 22		
the largest stock in cultivation), page 22		
PHAJUS. A fine genus of terrestrial plants which produce their well furnished racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei  \$5 00 to \$10 00  P. grandifolius		S. Steelii
pragues. A fine genus of terrestrial plants which produce their well furnished racemes of large and showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei \$5 00 to \$10 00 P. grandifolius \$1 50 to \$50 P. maculatus \$5 00 to \$10 00 P. Wallichii \$5 00 to 10 00 P. TLIUMNA. This genus contains some very handsome dwarf evergreen plants. Their flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  P. Fragrans \$2 00 to \$5 00 P. nobilis \$3 50 to \$6 00 P. TLIUNE. A genus of pretty dwarf deciduous plants. with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water weng growing.  P. humilis \$250 to \$50 to \$50 to \$100 to \$70 to		SOBRALIA. This genus contains some very handsome
showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei \$5 00 to \$10 00 P. grandifolius \$5 00 to \$10 00 P. wallichii \$5 00 to 10 00 P. Wallichii \$5 00 to 50 00 p. Flaumna. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  P. Fragrams \$2 00 to \$5 00 P. nobilis \$3 50 to \$5 00 P. nobilis \$3 50 to \$6 00 P. Elione. A genus of pretty dwarf deciduous plants. with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when not in bloom. Of easy culture, and best grown in pots with moss; they require a liberal supply of water when growing.  P. humilis \$2 00 to \$0 to \$0 to \$0 to \$10 to \$0 t		
showy flowers very freely, and which, when well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei \$5 00 to \$10 00  PP. grandifolius 1 50 to 3 50  PP. maculatus 5 00 to 10 00  PP. Wallichii 5 00 to 10 00  PILUMNA. This genus contains some very handsome dwarf evergreen plants. Their flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  *P. fragrans \$2 00 to \$5 00  PP. mobilis 3 50 to 6 00  PP. BLEIONE. A genus of pretty dwarf deciduous plants, with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have fask-like pseudo-bulbs and light green leaves, bearing at their summit large strial plants, the long, slender, reed-like stems furnished with dark green leaves, bearing at their summit large strip avit dark green leaves, bearing at their summit large stromy, thou the not more than one expanded at one time. They thrive best in pots of large size, potted in rough, fibrous peat, with good drainage.  S. leucoxantha. Very rare; price on application.  S. macrantha \$3 50 to \$5 00  S. rosea 5. violt 10 00  PR. mobilis 5. 00 to 10 00  PR. fragrans \$2 00 to \$5 00  PR. fragrans \$2 00 to \$5 00  PR. sprandifolius 1 free leaves, bearing at their summit large strem, but not more than one expanded at one time. They thrive best in pots of large size, potted in rough, fibrous peat, with good drainage.  S. leucoxantha. Very rare; price on application.  Somera 6. Soute 7. Soute 7. So 00 to 10 00  S. macrantha 8. So 10 to \$5 00  S. macrantha 9. So 10 to \$5 00  S.		
snow lowers very reely, and which, which well grown, are noble objects. They are of easy culture, and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei		
with dark green leaves, bearing at their summit large and they will amply repay any amount of attention and care. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei		
showy flowers, as many as six or more on a single ster. They are of large growth, and even when not in bloom, their noble foliage is extremely ornamental. If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei \$5 00 to \$10 00  P. grandifolius \$1 50 to \$3 50  P. maculatus \$5 00 to \$10 00  P. Wallichii \$5 00 to \$10 00  PLUMINA. This genus contains some very handsome dwarf evergreen plants. Their flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  P. Fragrans \$2 00 to \$5 00  P. Deleione. A genus of pretty dwarf deciduous plants, with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good drainage.  S. leucozantha. Very rare; price on application.  S. macrantha  S. psplendens  S. psplendens  S. prosea  S. rosea  S. rosea  S. rosea  S. rosea  S. rosea  S. rosea  S. psplendens  S. prosea  S. prose on application.  S. macrantha  S. prosea  S		
stem, but not more than one expanded at one time. They bear in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei \$5 00 to \$10 00  P. grandifolius 1 50 to 3 50  P. maculatus 5 00 to 10 00  P. Wallichii 5 00 to 10 00  PLUMNA. This genus contains some very handsome dwarf evergreen plants. Their flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  P. fragrans \$2 00 to \$5 00  PLEIONE. A genus of pretty dwarf deciduous plants. with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good they are then they connected in a compost of peat and moss, with a good drainage.  S. leucoxantha. Very rare; price on application.  S. macrantha \$3 50 to \$5 00  S. rosea 50 to \$5 00  S. rosea 50 to \$0 to 10 00  S. rosea 50 to 10 00  S. price on application.  SOPHRONITES. A small genus of dwarf growing rather miniature Orchids. The flowers are reproduced after the evergreen and yellow, and or initially of bright color and great lasting quality, and appear on short, few-flowered racemes from the top of their pseudo-bulbs. These pretty little evergreen plants thrive best on blocks of wood, or in small baskets, with a moderate supply of moisture all the year round.  S. coccinea \$3 50 to \$5 00  S. TANHOPEA. A genus of beautiful epiphytes, the majority of which have ovate-furrowed pseudo-bulbs, bearing each at their summit a large green leaf, and from their base a deflexed or drooping scape furnished with several large curiously-shaped flowers. Most of the varieties are highly colored, and emit a very stro		
If fine specimens are wanted, they must be grown in pots of large size, with loam, leaf mould and decomposed manure.  P. Blumei \$5 00 to \$10 00  P. grandifolius \$1 50 to \$50  P. maculatus \$5 00 to \$10 00  P. Wallichii \$5 00 to \$10 00  P. Wallichii \$5 00 to \$10 00  P. Wallichii \$5 00 to \$10 00  PLUMNA. This genus contains some very handsome dwarf evergreen plants. Their flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  P. fragrans \$2 00 to \$5 00  PLEIONE. A genus of pretty dwarf deciduous plants. with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good drainage.  S. leucoxantha. Very rare; price on application.  S. macrantha \$8 5 00 to \$5 00  S. rosea \$5 00 to \$5 00  S. viriginalis. Price on application.  S. macrantha \$8 5 00 to \$5 00  S. viriginalis. Price on application.  S. prosea \$5 00 to \$5 00  S. viriginalis. Price on application.  S. macrantha \$8 5 00 to \$5 00  S. viriginalis. Price on application.  SOPHRONITES. A small genus of dwarf growing rather miniature Orchids. The flowers are very beautiful, of bright color and great lasting quality, and appear on short, few-flowered racemes from the top of their pseudo-bulbs. These pretty little evergreen plants thrive best in pots of a \$5 00 to \$5 00  S. viriginalis. Price on application.  SophHRONITES. A small genus of dwarf growing rather miniature Orchids. The flowers are very beautiful, of bright color and great lasting quality, and appear on short, few-flowered racemes from the top of their pseudo-bulbs. These pretty little evergreen plants t		
posed manure.  P. Blumei \$5 00 to \$10 00  P. grandifolius \$1 50 to \$5 00  P. maculatus \$5 00 to 10 00  P. Wallichii \$5 00 to 10 00  PILLUMNA. This genus contains some very handsome dwarf evergreen plants. Their flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  *P. fragrans \$2 00 to \$5 00  PLEIONE. A genus of pretty dwarf deciduous plants. with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis \$2 50 to \$3 50  P. lagenaria \$2 00 to 4 00  P. maculata \$2 50 to 5 00  P. maculata \$2 50 to 5 00  P. maculata \$2 50 to 5 00  S. — splendens. Very rare; price on application.  S. macrantha. Very rare; price on application.  S. plendens. Se 00 to 7 50  S. macrantha. Very rare; price on application.  S. macrantha. Very rare; price on application.  S. plendens. Se 00 to 10 00  S. plendens. Se 00 to 10 00  S. plendens. Se 00 to 10 00  S. price of object on and great lasting quali		
posed manure.  P. Blumei		
P. Blumei		
*P. grandifolius		
*P. maculatus 5 00 to 10 00  P. Wallichii 5 00 to 10 00  PILUMNA. This genus contains some very handsome dwarf evergreen plants. Their flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  *P. fragrans \$2 00 to \$5 00  P. nobilis \$3 50 to 6 00  PLEIONE. A genus of pretty dwarf deciduous plants. with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis \$2 50 to \$3 50  P. lagenaria 2 00 to 4 00  P. maculata 2 50 to 5 00		
P. Wallichii 5 00 to 10 00  PILUMNA. This genus contains some very handsome dwarf evergreen plants. Their flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  *P. fragrans \$2 00 to \$5 00  P. nobilis \$3 50 to 6 00  PLEIONE. A genus of pretty dwarf deciduous plants. with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear; then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis \$2 50 to \$3 50  P. lagenaria \$2 00 to 4 00  P. maculata \$2 50 to 5 00  P. maculata \$2 50 to 5 00  *S. virginalis. Price on application.  SOPHRONITES. A small genus of dwarf growing rather miniature Orchids. The flowers are very beau-tiful, of bright color and great lasting quality, and appear on short, few-flowered racemes from the top of their pseudo-bulbs. These pretty little evergreen plants thrive best on blocks of wood, or in small baskets, with a moderate supply of moisture all the year round.  S. coccinea \$3 50 to \$5 00  *S. grandiflora \$1 50 to 3 50  S. violacea \$2 50 to 4 00  *STANHOPEA. A genus of beautiful epiphytes, the majority of which have ovate-furrowed pseudo-bulbs, bearing each at their summit a large green leaf, and from their base a deflexed or drooping scape furnished with several large curiously-shaped flowers. Most of the varieties are highly colored, and emit a very strong perfume; they are very ornamental foliage plants when not in bloom. Of easy culture, and best grown in baskets with moss; they require a liberal supply of water, and plenty of shade.		
PILUMNA. This genus contains some very handsome dwarf evergreen plants. Their flowers are of good size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  *P. fragrans		
rather miniature Orchids. The flowers are very beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  *P. fragrans		the second secon
size, beautifully combined of white, green and yellow, and very fragrant. They are best grown in pots with peat and good drainage. They should not have too much water at any time.  *P. fragrans		
pear on short, few-flowered racemes from the top of their pseudo-bulbs. These pretty little evergreen plants thrive best on blocks of wood, or in small basks, with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis  \$2.00 to \$5.00  *S. coccinea  \$3.50 to \$5.00  *S. grandiflora  \$5. violacea  \$3.50 to \$5.00  *S. grandiflora  \$5. violacea  \$3.50 to \$5.00  *S. TANHOPEA. A genus of beautiful epiphytes, the majority of which have ovate-furrowed pseudo-bulbs, bearing each at their summit a large green leaf, and from their base a deflexed or drooping scape furnished with several large curiously-shaped flowers. Most of the varieties are highly colored, and emit a very strong perfume; they are very ornamental foliage plants when not in bloom. Of easy culture, and best grown in baskets with moss; they require a liberal supply of water, and plenty of shade.		
peat and good drainage. They should not have too much water at any time.  *P. fragrans  \$2 00 to \$5 00  P. nobilis  3 50 to 6 00  PLEIONE. A genus of pretty dwarf deciduous plants. with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear; then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis  \$2 50 to \$3 50  P. lagenaria  \$2 00 to \$5 00  *S. grandiflora  \$5 violacea  \$3 50 to \$5 00  *S. grandiflora  \$5 violacea  \$2 50 to \$5 00  *STANHOPEA. A genus of beautiful epiphytes, the majority of which have ovate-furrowed pseudo-bulbs, bearing each at their summit a large green leaf, and from their base a deflexed or drooping scape furnished with several large curiously-shaped flowers. Most of the varieties are highly colored, and emit a very strong perfume; they are very ornamental foliage plants when not in bloom. Of easy culture, and best grown in baskets with moss; they require a liberal supply of water, and plenty of shade.		
much water at any time.  *P. fragrans		
*P. fragrans		
P. nobilis		
PLEIONE. A genus of pretty dwarf deciduous plants, with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis \$250 to \$350  P. lagenaria 2000 to 400  P. maculata 250 to 500  S. coccinea \$350 to \$500  STANHOPEA. A genus of beautiful epiphytes, the majority of which have ovate-furrowed pseudo-bulbs, bearing each at their summit a large green leaf, and from their base a deflexed or drooping scape furnished with several large curiously-shaped flowers. Most of the varieties are highly colored, and emit a very strong perfume; they are very ornamental foliage plants when not in bloom. Of easy culture, and best grown in baskets with moss; they require a liberal supply of water, and plenty of shade.		
with very pretty crocus-like flowers of a fresh and delicate rich color, the lip handsomely fringed. They have flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis  \$2 50 to \$3 50  R. lagenaria  \$2 00 to 4 00  P. maculata  \$3 grandiflora  \$5 violacea  \$2 50 to \$3 50  STANHOPEA. A genus of beautiful epiphytes, the majority of which have ovate-furrowed pseudo-bulbs, bearing each at their summit a large green leaf, and from their base a deflexed or drooping scape furnished with several large curiously-shaped flowers. Most of the varieties are highly colored, and emit a very strong perfume; they are very ornamental foliage plants when not in bloom. Of easy culture, and best grown in baskets with moss; they require a liberal supply of water, and plenty of shade.		
flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis  \$2 50 to \$400  STANHOPEA. A genus of beautiful epiphytes, the majority of which have ovate-furrowed pseudo-bulbs, bearing each at their summit a large green leaf, and from their base a deflexed or drooping scape furnished with several large curiously-shaped flowers. Most of the varieties are highly colored, and emit a very strong perfume; they are very ornamental foliage plants when not in bloom. Of easy culture, and best grown in baskets with moss; they require a liberal supply of water, and plenty of shade.		
flask-like pseudo-bulbs and light green leaves which are produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis		
produced after the decay of the flowers. Every year after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis		
after finishing their growth the leaves die away, which is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis		
is the proper time to rest them until the flowers appear: then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis		
pear; then they can again be watered. They should be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis		
be potted in a compost of peat and moss, with a good supply of water when growing.  P. humilis		
supply of water when growing.  P. humilis		
P. humilis		
P. lagenaria 2 00 to 4 00 in baskets with moss; they require a liberal supply of water, and plenty of shade.		
P. maculata       2 50 to 5 00       m baskets with moss; they require a liberal supply of water, and plenty of shade.         P. præcox       2 50 to 5 00       *S. grandiflora       \$1 50 to \$2 50	P. humilis	
P. præcox 2 50 to 5 00 water, and plenty of snade.  *S. grandiflora	P magnitude	
2 50 to 5 00 "S. grandinora \$1 50 to \$2 50	P number 2 20 to 5 00	
	<b>2.</b> presoux	S. grandinora



VANDA CŒRULEA. (See pages 23 and 43.)

STANHOPEA, Continu	ied.
--------------------	------

*S.	insignis						i			\$2	50	to	\$3	50
*S.	oculata									2	50	to	5	00
S.	tigrina									2	50	to	4	00
S.	Wardii									3	50	to	5	00
S.	- aure	ea	,							5	00			

**THUNIA**. A small genus of Asiatic Orchids, which are deciduous; therefore they need a decided period of rest. They should be grown in pots with peat and moss, about equal parts, with plenty of water while growing. The flowers, which appear upon long stalks, are much like those of the Phajus, but of much deeper colors, and therefore more brilliant and showy.

THUNIA alba .						\$1	00 to	\$3 00
*T. Bensoniæ						1	00 to	2 00
*T. Marshalliana						1	00 to	3 00

TRICHOCENTRUM. This is a small genus of pretty miniature dwarf epiphytes, with small pseudo-bulbs and radical scapes bearing one or two flowers of medium size, and beautifully colored. Very free-growing and free-blooming; they present a pretty appearance when growing on blocks, upon which they do best; care must be taken not to allow too much water about their roots.

* <b>T</b> .	albo-purpureum						\$1	00 to	\$2 50
T.	tigrinum						3	50 to	5 00

**TRICHOPILIA.** This genus contains some very handsome and distinct looking dwarf evergreen plants, which produce from the base of the bulbs four or five flowers, which are not only curious in form, but also very distinct in color. They are grown in pots with peat, and not too much water.

T. candida
<b>T.</b> crispa 3 50 to \$5 00
T. Galeottiana 10 00 upward.
T. suavis 1 50 to 3 50
*T. tortilis 1 50 to 2 50
VANDA. The flowers are gayly colored, fleshy in tex-
ture, usually very fragrant and produced in loose ra-
cemes. We offer here a few varieties which can be
successfully grown in intermediate temperature. For
additional varieties see other departments.
V. cœrulea. (See cut, page 42.) \$2 50 to \$6 00
*V cœrulescens 3 50 to 7 50
V. — Boxallii 2 50 to 6 00
*V. teres 2 50 to 5 00
V. — Andersoni. Price on application.

**2YGOPETALUM.** This genus comprises a consider able number of handsome plants, with stout pseudobulbs and evergreen leaves and terminal scapes, bearing a raceme of large, and showy flowers which are produced in winter, and are of beautiful blue ground colors, veined and tipped with white, green and deep purple, and sweet scented. Most of the species are rather large growing plants of easy culture, and are grown in pots with peat and moss, and plenty of water while growing.

											81	75	to	84	00
											3	50	to	5	00
											3	00	to	5	00
											3	50	to	6	00
											1	50	to	3	50
											1	50	to	5	00
ur	n										2	50	to	4	00
		•	•						spe	ec:	ial	des	cri	ptic	n,
e e	on	a	pp	lie	ea	tic	n								
		um	um d, ver	um	umd, very ra	um	um	um	um	um , very rare (see sp	um , very rare (see spec	3	3 50 3 00 3 50 1 50 1 50 1 50 2 50 3 yery rare (see special des	3 50 to 3 00 to 3 50 to 5 50 to 1 50 to 1 50 to 2 50 to 2 50 to 3 50 to	

Where prices are omitted, they may be had on application, together with further particulars as to the plants offered.

Fine specimens of many Orchids in the foregoing list are priced in the department of New, Rare and Highly Valuable Orchids, pages 14 to 24, where also special descriptions of such varieties may be found.



ODONTOGLOSSUM POLYXANTHUM.

#### V.

## COOL HOUSE ORCHIDS.

THESE require so-called cool treatment. A winter temperature of from 45 to 50 degrees, with plenty of moisture, is best suited for them, and in summer they should be kept as cool as possible—the direct rays of the sun should never reach them. The principal species which constitute this section are Odontoglossums, Masdevallias and Oncidiums, together with a few sorts of Lælia, Cattleya, Maxillaria, Mesospinidium, Epidendrum and Disa, all of which are very beautiful and most satisfactory flowering Orchids. The principal thing in successfully growing these Orchids is to keep them cool, moist, and admit plenty of air.

DISA grandiflora. This cool-growing terrestrial Orchid, from South Africa, is of the most brilliant and showy color. In habit of growth it is lily-like, with erect stems, covered with numerous rich green leaves, and bearing on the top from three to five beautiful scarlet flowers, which are three to four inches in diam. eter. It can be successfully cultivated in a cool house with Odontoglossums or Masdevallias, and should be potted in a mixture of fibrous peat and well decomposed cow manure, to which sharp sand should be added and fresh sphagnum moss put on the top of the pots or pans while growing. This plant requires an abundance of water and syringing several times a day; therefore the drainage should be perfect and ample. After the flowering season, which is during June and July, the plants need rest, and should be kept in a cool place, receiving only enough water to keep them from starving. There are a number of varieties of Disas, but this is the best of the genus. Price on application.

EPIDENDRUM	vitellinum			\$1 00 to	\$1 50
E. — majus .				1 50 to	2 50

These are the only Epidendrums we can recommend to do well in the cool house. They require to be grown in baskets or on rafts, with peat and moss, and need a liberal supply of water all the year. These Epidendrums are beautiful dwarf-growing plants; they are the most brilliant of the genus, as they throw up long spikes of bright vermilion and orange colored blossoms, which last six or more weeks in perfection.

CATTLEYA citrina. This is the only Cattleya that thrives in the cool house, and it there grows to perfection; it is citron colored and citron scented; it should be grown on blocks of wood. \$1 to \$2.

**LÆLIA.** The Lælias which can be successfully cultivated in the cool house are more numerous than the Cattleyas—the latter require more heat. For notes, see Lælias in the list of Intermediate Orchids, page 37.

L.	acuminata	ι										\$2	00 to	\$3	50
L.	albida											1	00 to	1	50
L.	bella											2	00 to	3	00
L.	rosea	(1	ſα	ric	ın	Œ)	)					2	<b>5</b> 0 to	4	00
L.	- sulph	ur	ea	L								3	50 to	5	00
L.	anceps											1	00 to	2	00
L.	alba											5	00 to	7	50

LÆLIA anceps Barker	ria	ına	ı.			\$3	50 to	<b>\$5 00</b>
L. — Dawsonii								
L. — delicata						2	50 to	¥ 00
L grandiflora .						3	50 to	5 00
L. — Hilliana						5	00 to	10 00
L. — Percivaliana .						5	00 to	10 00
<b>L</b> . — rosea						3	50 to	5 00
L. autumnalis						1	50 to	2.50
L. — atrorubens						2	00 to	3 00
L. majalis						1	00 to	2 00
L. — majus						1	50 to	3 00
L. peduncularis						1	00 to	1 50

**DENDROBIUM Jamesianum** is the only one of the genus for the cool house. It is a lovely white flowering Orchid, lasting a long time in perfection; it should be grown in baskets, with peat and sphagnum moss and plenty of water while making its growth. \$2.50 to \$3.50.

**LYCASTE.** Several varieties of this genus can be equally as well grown in a cool house as in intermediate temperature. For notes on Lycastes, see page 37.

											\$1	00	to	\$2	00
											2	50	to	5	00
											1	00	to	2	00
ıt:	is	si	m	a							2	50	to	õ	00
											3	50	to	5	00
		 	  . tissi	tissim	 tissima	itissima	itissima	 tissima	tissima	 	tissima				

MASDEVALLIA. Of this very interesting genus of cool house Orchids, we have many beautiful species, some of which are very distinct and brilliant in color; this renders them valuable for decorative or exhibition purposes. We refer especially to such sorts as M. Lindenii, M. Veitchii, M. Harryana (Bull's blood), and M. Davisii, all of which furnish us with colors that add much to the brilliancy of the display of our Orchid houses. They are beautiful, neat and dwarf-growing plants, and should be in every collection, for they are of easy culture if they get the treatment they require. They should be potted in equal parts of peat and moss with good drainage, and never allowed to get dry at the roots.

M. amabilis										
M. bella								2	50 to	5 00
M. Chelsonii										




ODONTOGLOSSUM ROSSII MAJUS. (See page 47.)

MASDEVALLIA, Continued.	
M. Davisii	\$1 50 to \$2 50
M. Harryana (Bull's blood)	
M. — grandiflora	
M. ignea	2 00 to 4 00
M. — grandiflora	
M. Lindenii	2 00 to 3 50
M. Shuttleworthii	2 50 to 4 00
M. tovarensis	1 50 to 3 50
M. Veitchiana grandiflora	2 50 to 4 00
MAXILLARIA. Maxillarias ca	an be grown in the cool
house or the intermediate. For	r notes, see page 37.
M. grandiflora	\$2 50 to \$4 00
M. Harrisoniæ	2 50 to 3 50
M. luteo alba	2 00 to 3 00
M. Sanderiana. (New and rare)	)
M. venusta	

**MESOSPINIDIUM.** A small group of cool house Orchids, closely allied to Odontoglossums, with pretty flowers. They are evergreen plants, and are best grown in baskets in peat and moss, with a good supply of water.

M.	sanguineum							\$2	00	to	\$3	00
M.	vulcanicum.							2	50	to	5	00

ODONTOGLOSSUM. To this comprehensive genus of Orchids so many magnificent additions have been made during the last few years, that it now contains some of the choicest and most useful Orchids in cultivation. The demand for these plants is becoming very great, and this is not to be wondered at, for they are a lovely and most satisfactory class of plants. They can be grown in a cool house at less expense than the more stately Brazilian and East Indian Orchids. In the form of cut blooms and otherwise, they yield very much en-





ODONTOGLOSSUM LUTEO PURPUREUM.

#### ODONTOGLOSSUM, Continued.

joyment to lady cultivators. The flowers of the Odontoglots are exquisitely beautiful, and last a long time in perfection. They succeed best in a temperature of 45 to 50 degrees in winter, and as cool as possible in summer. Shade and moisture are very essential to their well being; some growers prefer a north house, but a little sun in winter is very good, helping to ripen the bulbs, and inducing them to produce their handsome flowers more freely. Most of them can be grown in pots or baskets in rough fibrous peat and moss, with good drainage, and plenty of water.

٠,						
0.	Alex	andræ	crispum	and	its	varie-
		CI.				

	ties.	See	cut	aı	ad	S	рe	ci	al	d	les	sei	riį	)-					
	tion,	page	20 .												\$1	00 '	to	\$3	$0\bar{c}$
0.	Anders	onia	nun	1											3	50 1	to	õ	00
0.	aspersi	ım .													1	50 1	to	3	00
	Victori														1	50 1	to	2	50
	al																		
0.	su	perbu	ım												3	50 1	to	5	00
	Blunti														1	50 1	to	3	00
0.	Cervan	tesii													1	00 1	to	2	00
O.	Ar	iders	oni	ί.															
0.	cirrhos	sum.	(S	ee	cı	ıt.	p	ag	e	46	.)				1	00	to	3	50
0.	citrosn	ıum													1	50	to	2	50
0.	ros	seum													3	00	to	õ	00
0.	constri	ctum	١												1	50	to	3	00
0.	cordati	ım .													2	50	to	3	50
0.	su	perb	um																
0.	crispur	n and	lits	7	ar	iet	ie	s							1	00	to	3	50
0.	Edwar	dii .																	
0.	glorios	um .													1	50 1	to	3	50
0.	grande														1	50 1	to	3	50
0.	Hallii														53	50	to	4	00
0.	hastila	bium	١												1	50	to	2	50
0.	Harry	num	. (	Se	e	eu	t.	p.	2	1)					1	50	to	3	50
	hebrai																		
	Inslead														2	50	to	4	$0\bar{0}$
0.	— sp	lende	ns																
	luteo p														1	00	to	3	00

01	OONTOGLO	SS	UN	1 1	na	ıc.	ula	at	u	m		\$1	00	to	83	50
0.	madrense											2	50	to	4	$\overline{00}$
	nebulosum											-1	00	to	2	50
	odoratum .											1	00	to	5	50
	Œrstedii .											1	00	to	5	00
0.	Pescatorei	ind	its	V	ar	ie	tie	S				1	00	to	.3	50
	pulchellum											1	00	to	3	50
	Rossii											1	00	to	.3	00
	— majus.												50	to	5	50
0.	Ruckerianu	ım										-1	50	to	2	50
	Sanderianu												00	to	2	50
0.	Schlieperia	nuı	n.									1	00	to	2	50
0.	triumphans											•?	00	to	3	50

**ONCIDIUM.** One of the older and therefore larger classes of Orchids. The species are all evergreen, and many of them are very beautiful—their flowers being richly colored and showy. They make fine plants for exhibitions and decoration, and are profitable for cut blooms. They are very accommodating plants, as they will thrive well either in cool or intermediate houses. Some varieties succeed well on blocks, but they are generally best grown in pots or buskets.

ž	senerant, ne	эι	8.	. 0	11	ц.	m	Ťν	U L:	5 (	) 1	D	15.	Re	15					
0.	ampliatun	1														\$1	50 t	0	82	50
0.	majus															2	00 t	0	3	50
0.	bicolor															1	50 t	0	3	50
0.	concolor.															1	00 t	0	2	50
0.	cornigeru	m																		
0.	crispum .															1	00 t	0	2	50
0.	grand	ifl	01	:a												3	50 t	0	õ	00
0.	Forbesii .											-				1	00 t	0	3	50
0.	Gardnerii	(6	u	ti	ın	( )										3	50 t	0	5	00
0.	incurvum															1	00 t	0	2	50
0.	macranth	an	1													1	50 t	0	2	ວັ()
0.	Marshallia	an	u	m												2	00 t	0	4	00
0.	ornithorhy	yn	cŀ	ıu	m	L										1	00 t	0	2	50
0.	Rogersii															2	50 t	0	3	50
0.	sarcodes.															1	00 t	0	2	50
0.	sphacelatu	ım									·					2	00 t	.0	3	()()
0.	stelligerur	n														3	00 t	.0	ō	ÛÛ
0.	tigrinum															1	00 t	0	2	50
0.	varicosum															1	50 t	0	•)	<b>5</b> ()
0.	- Roger	si	i													.5	50 t	0	3	50
0.	Warscewie	ezi	i	(1	Vε	lte	172	ii)								1	00 t	0	2	00
0.	Weltoni .															1	00 t	0	3	00



ODONTOGLOSSUM SANDERIANUM.

#### VI.

# ORCHIDS FOR CULTIVATION IN THE OPEN GROUND.

To be grown as Hardy Herbaceous Plants.

HIS class has many attractive and beautiful members, and is worthy careful attention. A bed of fine garden soil and peat or leaf mould will be the best for their successful cultivation. The bed should be in a half shady locality. Many of the hardy Orchids are as showy as the tropical and epiphytal species. In small gardens, and where no hothouse is at disposal, the hardy Orchids will enable the plant-lover to admire the beauty of form and color of this distinguished and noble class of plants.

ACERAS anthropophora. Long spikes of num-	HABENARIA ciliaris
erous pale yellow flowers; blooms in May \$0 50	H. dilatata. Showy; a fine and floriferous spe-
APLECTRUM hyemale. Flowers greenish-	cies
brown, and very pretty; blooms in September 25	H. fimbriata 2
ARETHUSA bulbosa. Fine species. Large rosy	H. Hookeri
purple flowers in May; very fragrant and fine . 25	H. leucophæa H. orbiculata 2
BLETIA hyacinthina. A fine species from China,	H. orbiculata
with pretty purple flowers; requires protection 50	
CALOPOGON pulchellus. Large deep rosy pur-	LIPARIS lilifolia. Dark purple flowers 2
ple flowers in summer; has tuberous roots 25	L. Læseli. Yellowish green flowers 2
CALYPSO borealis. Bear in summer handsome	LISTERIA convallaroides
flowers of delicate rose and brown	<b>L.</b> cordata
CYPRIPEDIUM acaule. Fine and large flowers	L. ovata. Tall growing
of warm rose, blotched purple 50	OPHRYS. Very pretty and odd Orchidaceous plant
C. arietinum. White and carmine flowers 50	found in Europe, Asia and Africa
C. Calceolus. The ordinary Lady Slipper 25	O. apifera. The Bee Orchid; conspicuous flowers 2
C. candidum. White lip	O. arachnites
C. macranthum. Deep purple flowers 50	0. lutea
C. montanum. Very fragrant 50	ORCHIS. A large genus of useful Orchids.
C. pubescens. Yellow and red flowers 25	O. alba odorata. Fine 2
C. spectabile. Large white flowers, with a crimson purple lip like a slipper; a superb species . 50	<b>O.</b> bifolia
	O. latifolia
<b>EPIPACTIS.</b> A genus of very pretty hardy Orchids, mostly native to Europe and Russian Asia.	0. mascula
E. gigantea. Very fine; from Texas \$1 50	O. morio
E. latifolia. Greenish purple flowers 25	0. pyramidalis         2           0. spectabilis         A fine native species         2
E. palustris. Flowers whitish, tinged crimson,	
slightly drooping 50	POGONIA ophioglossoides
E. rubiginosa 50	P. verticillata. A very interesting species 2
GOODYERA Menziesii. Long dark green leaves,	SATYRIUM candidum 5
median veins bordered with pure white \$0 50	S. carneum. A fine species
G. pubescens. A fine species with silvery white	SERAPIAS cordigera
veins in the pretty foliage	S. lingua
G. repens. A very pretty and showy species; flow-	S. parviflora. Very fine and conspicuous form 2
ers white and sweet scented	SPIRANTHES autumnalis 2
GYMNADENIA. Pretty Orchids, nearly related to the	S. cernua
Habenarias.	S. latifolia
G. albida	S. Romanzoviana
•	S. simplex. A very interesting white flowering species; flowers on spiral spikes
HABENARIA. A large and fine class of hardy plants,	
doing best in a damp, cool spot.	TIPULARIA discolor. A very interesting species 50

### VII.

# PITCHER PLANTS, ETC.

Including Nepenthes, Sarracenia, Darlingtonia, Etc.

OST INTERESTING are these rare and wonderful plants, and their curious forms well repay the most careful study. No tropical collection is complete without them. The Nepenthes, Sarracenias, Darlingtonia, Cephalotus follicularia and the Dionæa, are the celebrated so called "carnivorous" plants.

NEPENTHES. These very interesting plants, of extraordinary and remarkable character, are from Borneo and the East Indies, and therefore require to be grown in a warm and moist atmosphere. They do best in baskets suspended from the roof of the greenhouse or conservatory. Two parts peat with one of sphagnum moss, plenty of drainage and an abundant supply of water, will make them grow to perfection. They should always be thoroughly shaded. Our collection of these interesting and highly ornamental plants is unequalled in America, many new and beautiful varieties obtained by hybridization being included, which are not to be found elsewhere. The large size of their interesting pitchers, the brilliant coloring and variety of form, makes them desirable for any collection of plants.

Nothing makes a greenhouse look so tropical as do these gems of nature.

N. Amesiana. This grand and very distinct hybrid bears no doubt the largest as well as the best and most uniform pitchaniate cultivated. It is not

ers of any variety cultivate	ed. It :	is not
entirely new, but as yet quit	e rare,	and is
one of the most desirable a	and bea	utiful
varieties	5 00 to	\$10.00
	,, 00 00 .	210 00
N. Alleniana. This, also a		
fine hybrid, bears most re-		
markable long pitchers of		
fine form and good dark		
color	5 00 to	7 50
N ammullania Has light		
N. ampullaria. Has light		
green pitchers; of robust		
growth	2 00 to	4 00
N vittata. Striped		
pitchers	2 50 to	5 00
N. — major. Beautifully	0.00.	0.00
mottled	3 00 to	6 00
N. bicalcarata. New and		
very rare; this is a new		
form of great beauty, with		
large pitchers of dark		
crimson color	5 00 to	~ 50
N. Chelsonii	3 50 to	5 ()()

brid . . . . . . . . . . 5 00 to 7 50

tively new; a fine hybrid 3 50 to 5 00


N. Courtii. A beautiful hy-

N. Corbiniana. Compara-

NEPENTHES Curtisii. A new and distinct species	ŝ
from Borneo	)
N. Craigiana. A very handsome hybrid,	
of strong and vigorous habit, producing,	
when well grown, some of the most per-	
fect pitchers of the Maxima type, large	
and of good color 3 50 to 5 0	)
N. cylindrica. (New.) A hybrid be-	
tween N. Veitchii and N. Zeylanica rubra,	
with large pitchers of a beautiful color 5 00 to 7 5	)
N. distillatoria. The true species 2 50 to 5 00	)
N. Dominiana. A robust growing hy-	
brid	)
N. Elmenhorstiana 3 50 to 6 00	)



NEPENTHES HOOKERIANA.





#### NEPENTHES, Continued.

N. excelsior. (New.) A hybrid between N. Hookeriana and N. Rafflesiana, and of exquisite beauty; produces a large number of pitchers with very dark chocolate brown spots; one of the most desirable varieties

N. Eyermanii. A very distinct hybrid, and one of the most beautiful of the highly colored varieties; though not as large as the Maxima type, it is one of the best of all, and will be found quite satisfactory in any col-


N. hybrida maculata. Long pitchers,	
reddish purple and dark green 2 50 to 4	00
N. Hookeriana. Very handsome; see cut 2 50 to 4	00
	00
N. Johnsonii. This grand novelty is in	
the way of N. picturata, though of more	
robust growth. The pitchers, which	
are highly colored, are produced freely,	
nearly every leaf bearing a pitcher of	
	00
N. Kennedyi 3 00 to 4	00
N. lanata (Veitchii). Rare; a very slow	
grower, and slow to propagate	
N. Lawrenceana. Pitchers pale green,	
an-44-3 . !	00

N. Lonewoodii . . . . . . . . . . . 4 50 to 7 50

riety . . . . . . . . . . . . . . . 6 00 to 10 00

N. Mastersii, No. I. The true dark va-

NEPENTHES Mastersii, No. II. A				
new hybrid between N. distillatoria				
and N. sanguinea; of exquisite beau-				
ty	\$3 50	to	\$5 (	
N. Mayi	2 50	) to	4 (	
N. Morganiana	3 50	) to	5 (	Ю
N. Northiana. Has pitchers of extra-				
ordinary size, of green color, spotted	15 00			
with purple			0.0	00
N. Osborniana	4 00	to	6 (	Ю
hybrid	2 50	) to	4 (	M
N. Paradisiæ. Large pitchers of a	~ 00			
rich crimson color	2 50	) to	4 (	00
N. Patersonii			4 (	00
N. picturata (See cut)	3 50	) to	5 (	00
N. phyllamphora. Of robust habit,				
with handsome pitchers of the same				
color as the leaves	2 00	to	3 5	0
species, remarkable for the long pro-				
cesses supporting the pitchers. Noth-				
ing need be said in favor of this				
grand old species—it is still one of				
the best, and it is one of the parents				
of all the really good hybrids we				
have to-day	3 50		5 (	
N. Rafflesiana insignis			3 5	
N. — nivea	2 00	) to	3 5	50
N. Siebrechtii. A new acquisition.				
This is one of the grandest new hy- brids yet introduced; a free and vig-				
orous grower, producing its im-				
mense pitchers freely; it resembles N.				
Amesiana more than any other variety,				
though its pitchers are of lighter color;				
a desirable plant	5 00	) to	10 (	00
N. Savageiana. Is much in the way of N.				
Craigiana, though it differs from that				
variety in that the pitchers are not				
quite as long but broader, like those				
of <i>Hookeriana</i> . One of the best sorts yet raised	3 50	) to	5 (	ю
N. Sedenii. Light green pitchers, blotch-				-
ed brownish crimson; a fine hybrid	2 00	to	3 5	0
N. Stewartii	2 00		3 5	
N. Stewartii	2 50	to	3 5	0
N. Shelburnei. A most distinct and strik-				
ing new hybrid. The pitchers of this Nepenthe are most remarkable mugs,				
with bottle-like narrow necks, and a				
beautiful color	5 00	to	7 5	0
N. Taplini	4 00		6 0	
N. Taplini				
geous pitchers in the way of N. Sie-				
brechtii; a very strong grower; the	, -			0
pitchers are of a leathery texture			6 0	
N. Thorpeiana :	2 50	to	4 0	0
N. Veitchii. (New.) The pitchers are				
remarkable for their dimensions; of a				
light green color				
species	3 00	to	4 0	0
Sp. 5.500				



SARRACENIA DRUMMONDI,

- SARRACENIA. A genus of very curious half-hardy herbaceous perennials, remarkable especially for its odd pitcher-shaped leaves. They require to be grown in a moderately cool house where a moist and close atmosphere is maintained, and should be potted in fibrous peat and sphagnum, with sufficient drainage to prevent any souring from the large quantity of water necessarily supplied while the plants are making their growth. The roots should not be allowed to ever become dry.
- S. Atkinsoniana. A very distinct form, between S. flava and S. purpurea. \$1.50 to \$2.50.
- S. Courtii. A magnificent new hybrid, of remarkably distinct character; beautifully colored, and of good habit. \$5.
- S. Drummondii. This is a tall growing variety with beautifully colored tall upright pitchers, and with highly colored large flowers. Requires a greenhouse temperature and plenty of water; is best grown in peat and moss, with plenty of good drainage. \$1 to \$1.50.
- S. Drummondi alba. \$1 to \$1.50.
- flava. Varieties with white or pale yellow pitchers. \$1 to \$1.50.
- S. exculta. An erect growing hybrid between S. atropurpurea and S. Drummondii. \$2.
- S. illustrata. A very beautiful hybrid between S. flava and S. Stevensii. \$1.50 to \$3.
- S. Madisoniana. \$1 to \$1.75.S. Mitchelliana. This is an elegant hybrid between L. Drummondii rubra and purpurea. \$1.50 to \$3.

- SARRACENIA Moorei. Tall, strong grower, with large fragrant flowers.
- S. purpurea. The common North American "side sad dle flower" or pitcher plant; makes a splendid table plant when properly established for that purpose. 50c.
- S. psittacina. \$1.50 to \$2.50.
- S. rubra. \$1 to \$2.
- S. Swaniana. A very fine hybrid between S. variolaris and S. purpurea. \$1.50 to \$2.50.
- S. Tolliana. \$1.25 to \$2.
- S. variolaris. A form with very dark colored leaves and green flowers. \$1 to \$2.
- CEPHALOTUS follicularis. (The Australian Pitcher Plant.) Is of extreme beauty and of exceeding dwarf habit. The small white flowers are borne on an erect scape. The leaves are the remarkable feature, some being upright, some in a peculiar pitcher form. We have a good stock of this exquisite and rare plant, in splendid condition, and of most vigorous cultivation.
- DARLINGTONIA Californica. A very interesting plant of low growth, with small upright pitchers of green color, striped brown; they are entirely distinct from any other form of pitcher plant, and are admired in any collection. \$1.50 to \$2.50.
- DIONÆA muscipula. The well-known "Venus' Fly Trap." This most interesting and really wonderful little plant exhibits more than ordinary plant life, for when touched in certain places it will respond promptly by closing its wing-like claws. 50 cts. to \$1.



DIONÆA MUSCIPULA.



PHŒNICOPHORIUM SECHELLARUM. (See page 60.)

#### VIII.

# PALMS.

Including Cyclanthaceas, Cycadeas, Etc.

CLASS of plants especially noted for their majestic and very imposing character, and rightly called the mon archs of the vegetable kingdom. They are of great decorative value—their grand appearance, their magnificent foliage, and their universally graceful and imposing habit distinguish them from all other plants. No collection is complete without Palms; they are unrivaled for the decoration of greenhouses and conservatories, and many establishments have stately structures used especially as Palm houses. Twenty years ago but few varieties of Palms were to be found in collections, as gardeners then generally supposed them difficult to cultivate, but now we find large numbers of species and varieties of Palms, Cycads, Zamias, etc., in nearly all the prominent gardens. They can be justly recommended for their great usefulness, beauty and easy cultivation; in all modern decorations of churches, public and private festive halls, as well as for floral exhibitions, handsome specimens of Palms are the main factors, and indispensable.

Having had firm belief in the steadily increasing taste and demand for these noble plants, we have prepared ourselves, and at great expense continued in cultivating and increasing our now unlimited supply. We have added a number of new, handsome and distinct species and varieties, and our stock is now of such magnitude that it must be seen in order to form the least idea of it. As most of our stock is raised in our own plantations and tropical nurseries in Trinidad, West Indies, and cultivated and perfected in our extensive Palm houses at Rose Hill Nurseries, New Rochelle, N. Y., we are enabled to amply supply the trade of the country at most reasonable and popular prices.

## PALMS, CYCLANTHEAS AND CYCADEAS.

Requiring a Hothouse Temperature of from 60 to 70 degrees, for their Successful Cultivation.

ACANTHOHPŒNIX crinita (Areca crinita). A Palm
of a very graceful habit, with fine pinnated fronds.
The under side of the pinnulæ is of silvery glaucous
color, and the plant is garnished with long black
spines, which gives it a very decorative appearance.
\$5 upward.
•
ACROCOMIA lasiospatha. A fine species from Bra-
zil and the Amazon river
A. slerocarpa. Another fine species
from Trinidad, with pinnated fronds;
of robust habit 3 50 upward.
ARECA alba 3 50 to \$5 00
A. rubra. A fine pinnated Palm of high
decorative value, with purplish shaded
foliage 1 50 to 3 50
For other Arecas see page 59.
ARENGA saccharifera. The genuine
Sugar Palm of India 2 50 to 5 00
A. Whiteii. New and rare species 5 00 to 10 00
ASTROCARYUM Ayri. The Muru-
muru Palm. A very fine pinnated and
spinous Palm 5 00 to 10 00
A. argenteum. Leaves silvery under-
neath 5 00 to 10 00
A. aculeatum. A very spiny species of
great decorative value; of dwarf habit . 5 00 to 10 00

ASTROCARYUM acaulis. A handsome
species from Brazil; stemless \$3 50 to \$7 50
A. Mexicanum 3 50 to 6 00
A. tenuifolium 7 50 to 10 00
ATTALEA spectabilis. A very fine
pinnated species 5 00 to 15 00
A. macrocarpa. A cocoanut-like Palm . 3 50 to 20 00
BACTRIS minor 5 00 to 10 00
<b>B.</b> major 5 00 to 10 00
B. caryotifolia. An excellent thorny
Palm, with pinnated fronds and pinnules
of a distinct form 5 00 to 10 00
BORASSUS flabelliformis. The Pal-
myra Palm. An excellent and rare
species, with very large, nearly circu-
lar, palmate leaves 10 00 to 20 00
BRAHEA glauca (Roezlii). A Palm of
an exquisite habit, with glaucous green
fronds 5 00 to 10 00
CALAMUS. The Calamus or Rotang Palms are beauti-
ful, of very graceful habit, with colored spines; the
young specimens are unrivaled for small decorations
and for jardiniéres.
C. asperrimus
C. ciliaris 5 00 to 7 50

C. farinosus . . . . . . . . . . . . . . . 5 00 to 10 00



CYCAS REVOLUTA. (See page 58.)

CALAMUS, Continued. C. hystrix	CARYOTA. Caryotas are broad, acute, pinnated Palms of majestic habit, with bi-pinnated fronds. The pinnulæ are of a peculiar fish-tail-like form, and the species are admirable for decorative uses.  C. urens
	into scarlet berries 5 00  C. Wendlandii 3 50 to 5 00  COCOS. The Cocoa Palms are without exception, majestic forms, with long fronds and narrow pinnæ.  C. flexuosa \$1 50 to \$2 50  C. nucifera. The real fruit-bearing species . 5 00 to 15 00  C. lapida 6 00  C. schizophylla 5 00 to 10 00  C. Weddeliana. A beautiful dwarf and graceful species, with very fine pinnated fern-like fronds; excellent to use for jardinéries, table decorations, etc.; it bears the same relation to other Palms as the fine maiden-hair fern does to all other ferns . 1 00 to 10 00
COCOS WEDDELIANA.	CYCAS. These are magnificent plants, the true type of the Cycadæas. Of noble and majestic habit, and most impressive, they do not grow too large. They are probably the most valuable decorative plants grown, both for indoor and out-door use, and have in recent years been made available largely for funeral wreaths, etc., in the use of the cut leaves. The Cycas are very hardy—their heavy, glossy deep green fronds resist alike the gas, cold and dust to which decorative plants must frequently be exposed. We grow them by the thousand, and offer a superb stock of grand plants.  C. circinalis. A handsome species \$10 00 to \$100 00



DÆMONOROPS PALEMBANICUS.

#### CYCAS, Continued.

- C. revoluta. (See illustration, page 57.) Often called the "Sago Palm" or Palm of Victory, and more largely grown than any of the other species It is rather difficult to describe sizes of Cycas, and in ordering it would be best to state price intended to pay, and we will choose the best plants . . . \$2 50 to \$100 00
- C. Riuminiana. A rare species . . . . 20 00 to 25 00
- C. Rumphii. Distinct and rare . . . . 25 00

**DESMONCUS.** Capital Palms from South America, armored with spines like the Calamus, but more robust in habit.

**D.** latifrons . . . . . . . . . . . . . . . 5 00 to 10 00

**DÆMONOROPS.** Very graceful Palms, much like Calamus.

25 00 **D.** periacanthus . . . . . . . . . . . . 5 00 to 10 00



KENTIA BELMORIANA.

<b>GEONOMA</b> princeps
G. Schottiana 6 00 to 1 50
HYOPHORBE. One of the most graceful Palms, with
golden leaf stems; among the best Palms in cultiva-
tion.
H. lutescens (Areca lutescens) \$1 50 to \$5 00
H. amaricaulis (aurea speciosa). A very
elegant and handsome species 5 00 to 10 00
H. Verschaffeltii (Areca) 2 50 to 10 00
KENTIA. All the Kentias are of very graceful and dec-
orative habit, of compact and well-furnished growth
of a most hardy, distinct character; they stand more
hardship than any other.
K. Baueri. A strong dwarf species \$2 50 to \$10 00
K. Belmoreana. Very largely grown,
and a splendid species. (See cut.) 3750 to 5 00
K. Canterburyana (Veitchii) 5 00 to 10 00
K. Lindeni 5 00 to 10 00
K. frutescens. Very distinct 5 00
K. MacArthurii 5 00 to 10 00
K. Wendlandiana 5200 to 10 00



PSEUDOPHŒNIX SARGENTII.

LEOPOLDINIA. Very much like Cocos Weddeliana,
with pinnated fronds; from the Amazon. Very rare
in collections.
<b>L</b> .5pulchra
<b>L.</b> pinaba 5 00
LATANIA. A small genus of handsome fan Palms,
from the Mauritius Islands.
L. borbonica. (See Livistonia Chinensis.)
L. rubra. A most distinct species, with
large palmated fronds, finely serrated,
and of a dark, often red-brown, color; a
beautiful show plant

LATANIA glaucop	hylla.	A	rare	and extra	fine	spe
cies, in character	much	like	the	preceding,	but	of a
larger and stronger	grow	th .		\$10 00		

L. Commersonii (Livistonia Commersonii).	
A highly valuable and very robust spe-	
cies of the Fan Palm; very rare and	
desirable	00
L. aurea. A distinct and showy form,	
with yellowish leaf stems 10	00
L. Loddigesii. A form like L. glauca-	
phylla, but of more dense habit; a very	
desirable plant 10	nn

	D
LICUALA. A class of dwarf but elegant Palms, of a	PHYTELEPAS macrocarpa. The Ivory plant; rare
conspicuous habit, with palmate fronds: make beautiful specimens for decorations.	in collections. Habit like that of Cycas, with fronds like ostrich feathers. \$5.
L. acutifida	
<b>L.</b> amplifrons 5 00	PSEUDOPHŒNIX Sargentii. A newly discovered
L. horrida 4 00	palm from the Keys of Florida, and representing an entirely new genus. It resembles somewhat <i>Phanix</i>
L. peltata	dactylifera, and is of handsome appearance. Very rare,
L. spinosa 6 00	as the trees seldom perfects seeds. See illustration,
•	page 60. \$10 to \$50.
MARTINEZIA. These are most remarkable and distinct showy Palms, with bi-pinnated fronds and pin-	• •
nules like a fish tail; most elegant, in either large	SABAL. The Sabal or Umbrella Palms are the most
or small specimens.	majestic forms, like Pritchardias, Latanias, Mauritias
M. caryotæfolia	and Coryphas, with very large leaves, but young plants with well established leaves can be used for minor lo-
M. erosa 5 00 to 20 00	calities. For Palm-house these species are indispen-
M. minor	sible.
M. Lindenii. Very fine species 6 00	S. Mauritæformis
M. globosa (Acrocomia) 5 00	S. princeps
MAURITIA aculatea. Very fine species from the	S. glaucescens 6 00
Orinoco river and Trinidad; a rare Palm. \$5 to \$10.	S. umbraculifera 5 00
	STEVENSONIA. See Phanicophorium.
MAXIMILIANA regia (Attalea amygdalina). A	
very striking and dense growing, hardy, and yet very graceful Palm; a rare species. \$10 to \$20.	<b>SYAGRUS</b> amara. This Palm much resembles <i>Cocos</i> nucifera in habit. §7.50.
MORENIA corallocarpa. A dwarf pinnated Palm of	THRINAX. The Thrinax Palms are all very choice
great beauty. Habit like Chamædorea; very rare in	decorative and noble plants, with long fronds and beau-
collections. \$10.	tifully formed umbrella-like leaves of fine color, some
MACROZAMIA corallipes	of a silvery or glaucous appearance beneath.
M. spiralis 5 00	T. argentea
Two most graceful Cycads, and indispensable for	T. elegans 5 00  T. elegantissima 7 50
any collection.	T. graminifolia 5 00
<b>OREODOXA</b> . The King Palm from Cuba. These are	T. parviflora
very lofty growing Palms, sometimes reaching over	T. radiata 5 00
100 feet in height.	TRITHRINAX. These Palms are in habit like the
0. regia	Thrinax, except that the form and division of the leaf
<b>O.</b> sancona 5 00 to 10 00	are different.
PHENICOPHORIUM sechellaraum (Stevensonia	T. aculeata
grandifolius). The celebrated Phœnix Palm; also	<b>T.</b> brasiliensis 5 00 to \$10 00
called the "Thief Palm." Certainly the grandest of	VERSCHAFFELTIA. We offer in this genus two
all the Palmæ. Our illustration shows its distinct and	Palms, very rare and of extreme beauty, with fronds
stately form very accurately. (See page 54.) Even	of a most conspicuous and remarkable form, of fine
small plants show this beautiful habit. A worthy and esteemed member of any collection. \$10 and upwards.	red-brown color.
	V. melanochætes
PRITCHARDIA. Palms of a majestic habit, with very	<b>V.</b> splendida
large and serrated leaves of palmate form. The finest	WALLICHIA. Dwarf, tufted Palms of great beauty
species for Palm-houses; the rarest of all being <i>P. grandis</i> .	and high decorative value.
P. aurea	W. caryotioides
P. Gaudichaudii 10 00	W. disticha. The African Oil Palm 10 00
P. grandis (Licuala grandis.) This is	W. porphyrocarpa 5 00
undoubtedly the rarest Palm in cultiva-	W. oblongifolia 5 00
tion, and is, we fully believe, the hand-	W. orania
somest of the dwarf growing sorts. It	ZAMIA. All Zamias are, like the Cycas, very orna-
is very compact, and of unusually im-	mental plants, of high value for decorative purposes;
posing character. It is hoped that more	their foliage is very attractive.
specimens may be obtained; at present there are but fourteen plants in culti-	Z. concinna
vation. We offer several beautiful	Z. furfuracea
specimens; price on application.	Z. integrifolia 5 00 to 20 00
	Z. muricata 5 00 to 20 00
P. Martii       10 00         P. macrocarpa       7 50	Z. pungens
P. pacifica	Z. Vroomi
	TARREST CONTRACTOR OF THE PROPERTY OF THE PROP



### IX.

## SPECIAL PALMS AND CYCADEAS.

For Out-door Decorations.

ALL THE SPECIES in the foregoing list, as well as the following Palms and Cycadeas, require for their successful cultivation an average temperature of 50 to 60 degrees; but when used as decorative plants for greenhouses, conservatories, winter gardens, or even for out-door decorations (for which they are specially adapted), they will endure without harm an occasional drop in the temperature to 40 degrees.

CHAMÆDOREA. Feathery, light and graceful palms, with fine green fronds, and very floriferous. The flowers are very fragrant, and develop into beautifully colored berries.

orea ocrines.		
C. Ernesti-Augusti.	New	
C. lunata	\$2 00 to \$5	00
C. montana	3 00 to 10	00
C. Sartorii	2 00 to 5	00
C. Schiedeana	2 50 to 5	00



LIVISTONIA CHINENSIS. (See page 64.)

**CHAMÆROPS.** All the Chamærops Palms are particularly hardy in the open air. No better decorative plants for lawns and in groups can be found.

C.	arborescer	ıs .							\$5	00		
C.	Fortunei (	excels	(a)						3	50	to	\$1

 C. humilis
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...

**COPERNICEA.** Excellent decorative palms, with large and broad leaves of handsome color.

Miraguania). Very effective; its leaves are dark green above and silvery underneath.


CORYPHA australis (Livistonia australis).

An excellent and hardy palm, of compact and robust habit. \$1.50 to \$10.

JUBÆA spectabilis. The Cocos Palm from Chili; is a very decorative, hardy and useful plant. §5 to §10.

**KENTIA** sapida (Areca sapida). A dwarf and compact hardy and useful palm. \$2 to \$7.50.

**LATANIA** borbonica. See Livistonia Chinensis, page 61.





PHŒNIX RUPICOLA.

known under both names—perhaps best under the latter. Probably the most widely distributed palm for decorative purposes: its shining green fanshaped foliage, resisting dust and gas, has made it most popular. Of free and rapid growth, and showing its fine and characteristic habit at an early stage, it is deservedly popular everywhere. We grow it in enormous quantities, and offer fine specimens in a wide range to sizes, at from \$2.50 to \$25: smaller plants, \$1 to \$2. See cut, page 63.

**PHŒNIX.** All the Phœnix are highly appreciated decorative plants, and valuable for florists' material.

- **P.** dactylifera. The true Date Palm . . \$2 50 to \$10 00 **P.** farinifera . . . . . . . . . . . . . 5 00 to 25 00
- **P. Senegalensis** . . . . . . . . . . . . . . . 5 00 to 25 00

**PHŒNIX sylvestris.** The Wine Palm . 2 00 to 10 00 per The above are the most luxuriant and rapid growing forms of the Date Palms.

- P. tenuis . . . . . . . . . . . . . . . . . 3 00 to 10 00 These are dwarf, graceful and compact growing.

PRITCHARDIA filifera (Brahea filifera); commonly called Washingtonia filifera. One of the hardiest palms from our south-western states, and there of great decorative value; it is, however, unsatisfactory in cultivation, and is therefore not recommended for greenhouse culture. \$1.50 to \$3.



PTYCHOSPERMA ALEXANDRÆ.

R. flabelliformis. A splendid Palm (See cut, page 62) . . . . . . . . . . . . . . . . \$2 50 to \$10 00

R. — intermedia. Resembles the above in every re

than P. filifera, but not of worth enough to recommend it.

spect, but that the leaves, instead of having rather a

#### Χ.

# RARE SPECIMENS OF PALMS, CYCADEAS AND TREE FERNS.

Plants of Extraordinary Size and Beauty.

HESE are all plants of perfect and symmetrical form, which have for years been grown at the Rose Hill Nurseries with great care. We offer them at prices which will be supplied on application, and describe them just as they are to-day. Those wishing superior specimens to grace any decorative point, will find this list of great value. The numbers are for convenience in writing for prices and information.

#### PALMS.

No. 1	Areca alba. 12 feet; grand specimen
1,0,1	" lutescens. 15 feet, three stems; fine specimen
3	" " 15 feet, two stems; fine specimen "
-	" " " " " " " " " " " " " " " " " " "
4	" Verschaffeltii. 9 feet, six leaves; fine specimen
5	Astrocarvum Mexicanum. 10 feet, twelve leaves; a beautiful specimen
6	Carvota sobolifera. 10 feet; exceedingly fine specimen
7	Caryota Sobolitera. 10 feet, exceedingly line specimen
8	" 8 feet; handsome plant
9	" 12 feet; splendid specimen
10	Chamærops humilis. 6 foot clean stem, 6 inches in diameter; over one hundred leaves; a
11	magnificent plant, the largest in the country; it is rarely that C. humilis forms a stem, and
	the only other plant of such size and beauty in cultivation is in Berlin
10	Chamærops stauracanthus. 8 feet, nine leaves; fine plant
12	Kentia Wendlandii. 15 feet, twelve leaves; the largest specimen in cultivation
13	"Belmoreana, "feet two specimens,
14-15	"Forsteriana, 6 feet
16 17	" 5 feet
18	Livistonia Chinensis (Latania borbonica). 12 feet, ten leaves
19-20	" " " " " " " " " " " " " " " " " " "
21	" " S feet, S leaves one specimens.
22	horrida. 5 feet, eight leaves; grand specimen
23	" rotundifolia. 8 feet, twelve leaves; largest known"
25 24	" 5 feet, twelve leaves: fine plant
25	Martinezia Lindenii. 10 feet; a beautiful plant
2f	Phonicophorium sechellarum. 10 feet; grand specimen. (See cut, page 54)
27	Phonix rupicola. 7 feet; beautiful plant
28	Pritchardia pacifica. 8 feet, eight leaves; handsome plant "
29	Ptychosperma Alexandræ (Kentia robusta). 16 feet, seven leaves; noble specimen
30	" " " 12 feet, elegant specimen "
31	Thrinax elegans. 12 feet; a grand specimen plant
32	" 10 feet, eleven leaves; beautiful plant
33	" elegantissima. 8 feet, eight leaves; very distinct
34	" argenteum. A very distinct and rather robust variety; 6 feet; fine "
35-36	Seaforthia elegans (Ptychosperma Cunninghami). 16 feet; A magnificent pair, with beau-
30 00	tiful straight stems; very handsome two specimens.
37-38	" 14 feet; elegant pair "
39-40	" 12 feet; elegant perfect plants
41-44	" 10 feet; elegant perfect plants four specimens.
45	Verschaffeltia melanochætes. 9 feet, six leaves. Probably the largest and handsomest spec-
	imen of this very rare species in cultivation under glass anywhere in the world one specimen.

#### CYCADS.

40	Cycas circinalis. This grand and most magnificent specimen stands twelve feet high, with
40	a clean trunk or stem two feet in circumference, having fifty fine fronds, each eight feet
	long; perfect in shape, and probably the finest if not the finest specimen in America one specimen
47	Cycas Lehmanii. Truly a noble plant of a most elegant and very distinct species. It is the
71	only specimen in this country as far as is known, and has a clear stem or trunk two feet
	high and a foot in diameter, with 56 perfect fronds. The plant has twelve feet spread; its leaves
	are of a beautiful arching and graceful character, and measure seven feet in length, with
	still another new growth of many more new fronds starting one specimen.
48	Cycas Rumphii. This, another grand specimen, is much like the foregoing, but of a different
	species; it is of beautiful compact habit, and its wide-spreading, handsome fronds are of a
	somewhat glossy rich green color. The plant has a two foot stem or trunk, and a ten foot
	spread, with 50 perfect fronds, each six feet in length; also the only specimen of its kind
	in the country, as far as is known
49-50	Cycas revoluta (commonly called the "Sago Palm"). Noble specimens, with stems fully
	six feet high, well proportioned, with upwards of 100 fronds—a magnificent pair two specimens.
51	Cycas revoluta. Beautiful specimen, with five foot stems, well proportioned, and with 40
	fronds, all perfect
52	Cycas revoluta. Splendid plant, four foot stem; of good shape, with upwards of 40 fronds, one specimen.
53-54	" Elegant specimens, three foot stems, in fine shape, with upwards of 40
	leaves; a magnificent pair
55	Cycas revoluta. Fine specimen, of three and one-half foot stem; a magnificent plant, with
56	splendid head of perfect leaves
57-58	"Grand specimens; a fine pair, with 2½ foot stems, and good heads two specimens.
59-62	" Magnificent specimens, with two foot stems, well proportioned four specimens.
63-72	" Very handsome specimens, with eighteen to twenty inch trunks, all with
	magnificent heads ten specimens.
	Cycas revoluta. Splendid half specimens, with trunks from one to one and one-half feet, all
	with perfect heads and a number of leaves
73	Dion edule. Grand specimen, with clear stem of three feet, and a perfect head of 10 fronds one specimen.
74-76	" Handsome specimens, with one foot stems and good heads three specimens.
77	Zamia Lindenii. A most magnificent specimen, with a two foot clear stem, and 14 elegant
m-2 m-0	fronds six to seven feet long
78-79	Zamia Roezli (true). Beautiful specimens, seven feet high, with seven perfect fronds and
80-81	strong trunks
30-31	gracefully curved leaves, about four feet high
	gractury current curves, about tour recordings.
	TREE FERNS.
82	Alsophila Australis. Handsome specimen, with stem of four feet, crowned with 8 large
3.2	perfect fronds of a charming rich green color; the plant has six feet spread one specimen.
83	Cyathea dealbata. Grand plant, with a seven foot stem and 15 fronds; this is a rare specimen.
84–85	" Smithii. Perfect pair of this grand species, with five foot stems, and upwards
01 00	of twenty fronds: very rare variety
86	Cibotium Schiedei. Very beautiful and graceful specimen, which is established upon a six
	foot high stem of Cyathea dealbata, with 12 fronds one specimen.
87	Cibotium regale. One grand specimen of this handsome variety, with rich light green fronds
	which strongly contrast with the golden yellow silk-like fur on the leaf stalks; the stem is
	three feet, and with a beautiful top
88	Cibotium princeps. Magnificent specimen of this noble and vigorous growing tree fern,
20.67	about six feet high and about the same spread, with many fine fronds one specimen.
89-90	Dicksonia Antarctica (Balantium). An excellent pair of this most valuable Australian spe-
01	cies, with straight and erect stems or trunks seven feet high, and with fine heads two specimens.
91	Dicksonia Antarctica. Very fine specimen of the foregoing, with four and one-half feet high straight stem, and with nine beautiful large new fronds; a perfect gem of a tree fern . one specimen.
	night straight stem, and with hime beautiful rarge new froncis; a perfect gem of a tree ferm . one specimen.

In addition to the above list of extraordinarily large and handsome specimens, we have many half and three-quarter specimens closely approaching and following the sizes mentioned and described above.

Prices for any of the specimens, together with further particulars in regard to the plants, handling, etc., promptly supplied on application. Please mention plants by the numbers in front of the names, for convenience in correspondence.



XI.

# FERNS AND SELAGINELLAS.

O COLLECTION of plants is complete without Ferns and Mosses. Their beauty, all of foliage, seems especially fitted to combine with all brilliant and lovely flowers and to supplement the majestic elegance of the Palnis and Cycads. A vast variety there is, too, among them, from the delicate, transparent emerald fronds of the finer Adiantums, to the bold and handsome foliage of the Nephrolepis and Pteris; or between the lovely Selaginellas, carpeting the ground, and the stately Tree Ferns, which fill the beholder with admiration.

The appreciation of Ferns has increased vastly of late years, and they are now extensively used for all decorative purposes, and in all elegant floral work. Our extensive and carefully grown stock affords ample opportunity for buyers to select, and we have arranged our catalogue into groups of those varieties suited for various temperatures, as with Orchids.

#### FOR STOVE OR HOT-HOUSE CULTIVATION.

These require a Temperature of not less than 60 to 70 degrees in Winter.

ADIANTUM. A large genus of handsome tropica	ıl a	nd
sub-tropical Ferns, commonly known as "Maiden-	hai	r",
ferns. Their value and beauty is well known, and	l th	ey
are appreciated the world over.		
A. æmulum	\$0	50
A. amabile		50
A. Moorei. A very fine species for growing in		
baskets, etc.		50
A. aneitense. New	1	00
A. Bauseii. New	1	00
A. dolabriforme. New; a very conspicuous form,		
with overhanging fronds; well suited for hang-		
ing baskets or brackets	1	00
A. bellum. Dwarf and compact		50
A. caudatum. A fine species for baskets		<b>5</b> 0
A. concinnum. Good for basket and table work		50
A. cuneatum. Certainly the best for all general		
purposes		25
A. curvatum		50
A. cardiochlœna. New; a very tall and robust		
growing species	1	00
A. Farleyense. One of the most beautiful varie-		
ties, and the queen of the Maiden-hair ferns; the		
pinnules are large but delicate \$1 00 to	2	50
A. Fergussonii. New; fine species from Ceylon	1	50
A. Flemingii. New	1	00
A. fovearum		75
A. fragrantissima		
A. Lindenii		$\tilde{i}$
A. macrophyllum. Very distinct and large		75
A. princeps. New; very graceful and fine	1	00
A. Peruvianum. Very tall and large leaved; an		
easy grown species of great beauty		50
A. rhodophyllum. One of the most beautiful		
new varieties, with reddish colored fronds		00
A. rubellum (See page 74)	1	00
A. Sanctæ Catherinæ. A robust growing and		
very useful species	\$0	25

ess than 60 to 70 degrees in Winter.
ADIANTUM speciosum. An excellent and beautiful
species of graceful habit
A. Seemanii
A. tetraphyllum. New; an exceedingly fine
species
A. trapeziforme. A very fine species, with ele-
gant fronds and large pinnæs
A. Victoriæ. A lovely Fern, of dwarf and com-
pact growth
A. Williamsii. New; a species with golden
fronds
AGLAOMCRPHA Meyeniana. A remarkable
fern from the Philippines; the so-called "Bear's
Paw." A new and rare species 1 50
ANEMIA. All Anemias are very interesting and beau-
tiful ferns for any collection.
A. adiantifolia. Rare \$1 00
A. collina
A. villosa
11. VIIIOSa · · · · · · · · · · · · · · · · · · ·
156
.530-66
The state of the s
SEXENCE TO SERVICE SERVICES




ADIANIUM FARLEYENSE.



DAVALLIA F	ENICU	LACEA.
------------	-------	--------

ASI IDIOM. An excernent and userut genus.	BLECHION. An attractive and valuable genus of
A. decurrens. A remarkable and conspicuous	stove ferns of distinct habit, being rather upright in
species ; robust	growth.
A. dilaceratum	B. Braziliense. A very fine and decorative variety for
A. Plumierii	sub-tropical gardening
	B. Braziliense var. corcovadense. Of
<b>ASPLENIUM.</b> A large and widely distributed genus.	compact and robust growth 50 to 1 00
including many varieties of beauty and value.	B. fraxineum (latifolium). A very fine conspic-
A. alatum. New; a very distinct and decorative	uous Fern of robust habit
fern	E. lanceolatum
<b>A.</b> auritum	CHEILANTHES elegans. This is the Lace Fern, and
A. Belangerii. Has finely divided fronds	is a very graceful species. \$1.
A. cicutarium. A really fine and decorative	DAVALLIA. The Davallias are among the best of our
species	decorative ferns, and possess marked peculiarities of
<b>A.</b> formosum 1 00	habit.
A. flagelliferum (longissimum). A very conspic-	D. fœniculacea. A new, rare and very fine Fern,
uous Fern: fronds very long, and of dark green	having fine divided and elegant fronds \$3 50
color: most useful for baskets	D. dissecta elegans 50
A. inæquale	D. elegans polydactyla
A. obtusilobum. A fine creeping species from	D. Fijiensis. A new and fine species, with lacy
the Fiji islands; excellent for hanging baskets. 50	and gracefully arching fronds 1 00
A. polymorphum. An excellent decorative spe-	D. solida. An exceedingly fine and graceful fern;
cies	one of the best for baskets, tables and jardinéries 1 00





SELAGINELLA VICTORIÆ, (See page 73.)

50

way, suspended, their peculiarities have full display. The shape of the odd foliage is shown in the accompanying illustrations; its color is a peculiar gray. The plants are of easy culture, and constantly producing new prothalliums or fronds; they are grand plants for house culture.

P. alcicorne. (See illustration) \$0 50 to \$1 00
<b>P.</b> — majus 1 50 to 3 00
<b>P. Æthiopica.</b> New 2 50 to 3 50
<b>P.</b> biforme 2 50 to 5 00
P. grande. (See illustration) 3 50 to 5 00
P. Hillii 5 00 to 10 00
<b>P.</b> Willinckii 5 00
PLEOCNEMA Leuziana. New; a noble Fern,
with graceful, finely divided arching fronds. \$1.
PLEOPELTIS fossa. A curious looking but at-

tractive species, with deeply cut fronds and narrow segments. \$2 to \$3. PLEURIDIUM crassifolium . . \$3 50 to \$5 00 P. crassinervium . . . . . . . . 3 50 to 5 00

Two very rare	and	consp	icuous	ferns	3.
POLYPODIUM.	A	very	large	and	valuable
genus. P. Catherinæ					80 50
P leienhigen					75

Three fine decorative species. P. vaccinifolium. A creeping species, with dark green and oval-shaped foliage .


PTERIS. This genus contains many of the most useful decorative species of ferns, and subsequent departments enumerate other fine varieties, some of exquisite beauty.

PTERIS asperio	auli	s.										\$0	75	
D Chiachmachtii	Λ 4	ine	and	l to	11	oros	wi	nο	F	201	rn	1	00	

P. tricolor. A very pretty species, with green, rosy and white variegated foliage . . . . \$0 50 to 1 00

RHIPIDOPTERIS peltata. A very conspicuous and remarkable dwarf species. \$1.50.

THAMNOPTERIS Australasica. A sort of Bird's . . \$1 00 to \$1 50 Nest Fern



PLATYCERIUM ALCICORNE.

THAMNOPTERIS, Continued.
T. nidus-avis. The genuine Bird's Nest
Fern
SELAGINELLA. Called "Club Moss." A large and
beautiful genus of plants, mostly of tropical origin.
Though not strictly mosses, they are very mossy in
appearance, and are usually classed and used with
ferns. The species here noted are for stove-house cul-
tivation.
S. alba spicata
S. Africana
S. atrovirides
S. canaliculata. New; a fine species of a scan-
dent habit 1 00
S. caulescens gracilis 1 00
S. cæsia. A choice creeping species
S. — arborea (arborescens). A very beautiful
climbing species from East Indies; of a peculiar
bluish-green color
S. emiliana. A new and fine species 1 00

SELAGINELLA erythropus 80	75
S. flagellifera. New and fine; has feathery fol-	
iage	00
S. Schottii. A good sort for baskets 80 25 to	50
S. gracilis. New and fine	00
S. grandis. A most beautiful and very distinct	
species of the Club Moss, and a desirable plant	
for any collection	50
S. inæqualifolia	50
S. lepidophylla	50
S. Lyallii	00
S. perelegans. A new and very ornamental Club	
Moss of dwarf habit; its pinkish colored stems	
and deep green foliage produce a fine contrast . 1	00
S. rubricaulis	ĩã
S. Victoriæ. (See cut, page 72)	75
<b>S.</b> — fol. variegata	00
These two forms are highly ornamental, and	
very beautiful; should not be missed in any col-	
lection.	




PLANT DECORATION WITHOUT CUT-FLOWERS.

#### XII.

# FERNS AND SELAGINELLAS FOR GREENHOUSE CULTURE.

These require a Temperature of from 40 to 50 degrees in Winter.

ACROSTICHUM aureum	ADIANTUM decorum. Of beautiful habit, with	
ADIANTUM. Of this lovely genus very many fine	large leaflets; a fine decorative species	50
species are suited for greenhouse culture, and some	A. gracillimum. Foliage minute, finely divided,	
varieties are largely grown for the cut fronds, which	and of an exquisite color; of a delicate and	
are productive of great elegance when tastefully used	misty appearance, and always admired. The	
in floral work and for personal wear.	finest form of the Adiantums. (See cut)	50
A. Æthiopicum	A. excisum multifidum. Elegant tassel-like fol-	
A. affine	iage	50
A. assimile. Of graceful habit, and fine for	A. formosum. Robust and tall growing	
basket work	A. Luddemannianum. A very striking form of	
A. Capillus-Veneris. The real Maiden-hair fern	A. Capillus-Veneris; the foliage is so disposed on	
of Great Britain, and a distinct and beautiful	the ends of the pinnules as to present a beauti-	
form	ful crested appearance	00
A var. grande. A form with large	A. Mariesii. New, rare and very handsome; one	
leaflets, and of robust growth; resembles a		50
miniature A. Farleyense	A. Neo-Caledoniæ. A new and fine species of	٠.
A. ciliatum (Edgworthii). Of peculiar beauty, in		50
the way of A. caudatum; on the ends of the pen-	A. palmatum. Very distinct, and of noble ap-	
dulous growth young plants are produced: an	pearance; the large pinnules produce a palm-	
excellent plant for baskets	like appearance which gives the plant a striking	
A. cuneatum. Probably more widely grown than	· · · · · · · · · · · · · · · · · · ·	00
any other Adiantum, especially for cutting; a	A. reniforme. A peculiar and distinct form 2	00
very excellent and beautiful species 25	A. rubellum. The fronds of this choice and	
A. — grandiceps. A crested form 50	beautiful fern are of a rich crimson tint when	
	young, changing to	
	light green, edged	
	pink, with age 1	. 00
	A. Veitchii, Fronds	
	reddish when	
	young; distinct	
	and elegant	50
	A. venustum.	
	Quite hardy in a	
	sheltered spot;	
	foliage delicately fringed 1	. 00
	Tringed	. 00
	A. Williamsii. The	
	fronds, while	
	young, are dusted	
	with a yellow pow-	
	der; a beautiful	
	species 1	. 00
	ANEMIA. A handso	me
	tropical American gen	
	A. Dregeana. Ar Fern, from Natal. S	
	o- googe	
" Califana a	A. villosa. Rare	=0
ADIANTUM GRACILLIMUM.	and distinct 1	. 50




GLEICHENIA DICARPA LONGIPINNATA.

ANGIOPTERIS evecta. A tall growing plant, effect-	ASPLENIUM palmatum (Hemionitis) \$1 00
ive for decorating; imposing and handsome. \$5.	A. umbrosum (Allantodea australe) 50
ASPIDIUM. The "Shield Ferns;" handsome and val-	A. viviparum. On the finely divided foliage of
uable forms.	this species young plants are produced in great
A. cristatum (Floridanum)	abundance
A. fragrans (Lastrea fragrans). A fragrant Fern 50	BLECHNUM. An attractive and upright growing
A. molle (violescens) 50	genus.
and more (transcents)	B. occidentale. From the West Indies and South
ASPLENIUM. A large and widely distributed genus,	America
including many species of great beauty and value.	B. serrulatum. A fine decorative species
<b>A.</b> affine	•
A. anisophyllum 2 00	CHEILANTHES. Elegant and ornamental ferns.
A. Belangerii. Remarkable for its finely divided	<b>C.</b> Alabamensis
foliage; a good house plant 50	<b>C.</b> Clevelandii. (New) 1 50
A. bulbiferum	C hirta
A. caudatum	C. tenuifolia
	C. tomentosa
	CYRTOMIUM. A fine genus, resembling Aspidium.
<b>A. Fabianum</b>	
A. fontanum. An extra fine species 1 00	C. caryotidium. Deep green fronds \$0 50
A. furcatum (præmorsum) 1 50	C. falcatum (Aspidium falcatum). One of the best
A. macrophyllum. A large and fine species for	hardy decorative species 50
decorative uses	C. Fortuneii. Much like the foregoing 50



LASTREA ARISTATA VARIEGATA, (See page 77.)

CYRTOMIUM, Continued.	GLEICHENIA. Very ornamental ferns, with finely
C. Juglandifolium. A robust and strong growing form,	divided fronds.
suitable for decorative uses	G. dicarpa. A beautiful species, of a peculiar and very
<b>CYSTOPTERIS</b> bulbifera. An elegant small growing Fern of much beauty: peculiar in forming bulblets in its foliage, which fall to the ground and become new plants. 35 to 50 cents.	neat appearance
DAVALLIA. An extensive and important genus, all with creeping rhizomes, by which peculiarity they can be recognized.  D. alata	beautiful and valuable decorative plant.  See cut, page 75
choicest species	
D. pyxidata. A fine dwarf and rather creeping species	GYMNOGRAMME hispida. Distinct and dwarf, with triangular and woolly foliage; rare in collections. \$1.  G. tartarea. A beautiful silver fern 80 50
<b>DENNSTÆDTIA</b> davallioides, var. Youngii. A very ornamental Fern of Davallia-like habit, with large but minutely divided fronds. §1.50.	HEMIONITIS palmata. Large foliage: useful for decorative purposes. \$1.  HYPOLEPIS. A small but distinct genus.
<ul> <li>DOODIA. A small genus of greenhouse ferns, dwarf in habit.</li> <li>D. amcena</li></ul>	H. amaurorachis. A fine Australian species . \$1 00 H. Bergiana. A rare, distinct and beautiful fern from Natal: in appearance much like a Cheilan- thes. Capital for baskets
fronds of a pinkish color; dwarf in habit, and a	H. distans. From New Zealand 50 H. renews. A tropical American species 50



MICROLEPIA HIRTA CRISTATA.

LASTREA. A genus of easy growing Ferns, with spe-	NEPHRODIUM. Valu
cies of great beauty; often classed with Nephrodium.	cultivation.
L. aristata variegata (Polystichum). This most beau-	N. molle. A well-know
tiful fern has a broad band of yellowish green color	varieties
running through the pinnules along the course of the	N. rupestris. Tall gro
rachis-very ornamental; the plant is also of a fine	N. Sangwelli. A new
bushy habit. (See cut, page 76.)	of fine habit
<b>L</b> . chrysoloba	NIPHOBALUS. Hand
<b>L</b> . dissecta	Polypodiums.
L. fragrans (Aspidium). A fine, dwarf, sweet-	N. lingua
scented Fern, rare in cultivation 1 00	N. corymbosa. Foliag
L. Richardsii multifida. Has beautiful crested	most beautiful
foliage; an elegant variety 1 00	N. — cristata. A dist
LOMARIA. An excellent and widely distributed genus,	crested Fern
with many species of great value for table decorations.	NOTHOCHLÆNA. I
L. alpina. A rare and pretty dwarf species \$1 00	ferns.
L. elongata	N. candida
L. lanceolata	N. Chilensis
L. procera. Long fronds; a fine species 1 00	N. dealbata
LYGODIUM. These are of climbing habit, and useful	N. lanuginosa
to florists in particular.	N. Newberryii. New
<b>L. Japonicum</b> (scandens)	ONYCHIUM Japonic
L. palmatum	ists. 25 cents.
MARATTIA. Very conspicuous and noble ferns, of imposing habit.	OSMUNDA Japonica
M. elegans	beautiful crested foliage
M. fraxinifolia (fraxinea) 2 50	PELLÆA. The chara
M. Haxinilona () rached)	is the distinct format
MICROLEPIA. Ferns with finely divided elegant	valuable for baskets.
fronds; by some classed with the Davallias.	P. andromedæfolia
M. hirta cristata. A most beautiful plant from the	P. aspera
South Sea Islands, and known as a very fine decorative	P. atropurpurea
Fern, indispensable to any collection. See cut. \$1 50	P. calomelanos
M. gracilis. A fine species	P. grandifolia

<b>NEPHRODIUM.</b> Valuable and desirable ferns, of easy cultivation.
N. molle. A well-known species, with many fine sub-
varieties
N. rupestris. Tall growing 1 00
N. Sangwelli. A new and very graceful species
of fine habit
NIPHOBALUS. Handsome plants on the order of the
Polypodiums.
N. lingua
N. corymbosa. Foliage peculiarly formed and
most beautiful
N. — cristata. A distinct and quite remarkable
crested Fern
NOTHOCHLÆNA. Distinct and fine dwarf growing
ferns.
N. candida
N. Chilensis
N. Chilensis         77           N. dealbata         75
N. lanuginosa
<b>N. Newberryii.</b> New
<b>ONYCHIUM Japonicum.</b> A most useful fern for florists. 25 cents.
OSMUNDA Japonica corymbifera. New, and has
beautiful crested foliage; of fine decorative habit. \$2.50.
PELLÆA. The characteristic of this valuable genus
is the distinct formation of its foliage: beautiful and
valuable for baskets.
P. andromedæfolia
<b>P.</b> aspera
P. atropurpurea
P. calomelanos
P. Calomeranos
P. grandifolia



PTERIS ARGYRÆA.

PELLÆA, Continued.	POLYSTICHUM Xiphioides. Remarkably long, nar
<b>P.</b> marginata	row and drooping fronds 1 5
<b>P.</b> ornithopus	PTERIS. A large genus of most valuable decorative
<b>P.</b> pulchella	ferns, including a very wide range in form, habit and
P. ternifolia (Platyloma). The foliage is beautifully	foliage. No collection is at all complete without
arranged in rosette form; of drooping and grace-	good representation of the Pteris ferns.
ful habit	P. arguta
PLATYCERIUM alcicorne. The beautiful Elk's Horn	P. — polydactyla. This, a new variety, and
Fern. See illustration and description, page 72. 50	the preceding are both beautiful and useful species
cents to \$1.	P. argyræa. A magnificent decorative Fern of
PLATYLOMA rotundifolia. Fine in character, and	robust, spreading and majestic habit, familiar
beautiful in baskets, jardiniéres, etc. 50 cents.	wherever plant decorations are used. A broad
POLYPODIUM. An indispensable genus of decorative	band of silvery white down the center of each
ferns, of easy and rapid growth, and including many	frond emphasizes its rich and distinct appear-
beautiful species.	ance, which is well shown by our cut on this
P. aureum. Has very fine and distinct foliage of	page
a bluish hue	P. Bauseii. A new, rare and fine species 2 50
P. Billardierii	P. cretica albo-lineata (variegata). An old but
P. coruseum       75         P. drepanum       75	very hardy and useful species, with a whitish
P. glaucum. Beautiful bluish foliage	stripe in the fronds; is useful and really indis-
P. rubescens	pensable
P. Schrederii	P. hastata. Of very hardy character, with jet-
	black stems and dark green foliage; of luxuriant growth, and very fine for cutting 23
<b>POLYSTICHUM.</b> A numerous genus with handsome foliage, rendering them very decorative; by many	P. Kingiana. On the order of P. tremula, and a
botanists classed with Aspidium.	tall growing species of much value
P. amabile	P. longifolia. Quite hardy, with very long fronds
<b>P.</b> capense	of a dark and glossy green \$1 00 to 1 50
P. denticulatum 1 00	P. nemoralis variegata. A fine and handsome
P. mucronatum	variegated form
P. polyblepharum 1 50	P. scaberula. A beautiful new Pteris, with
P. proliferum	creeping rhizomes; excellent for baskets and
P. setosum	tables
P. viviparum. A rare evergreen Fern, of lovely	P. semipinnata. A robust growing species which
spreading and drooping habit 1 75	is of much value in decorative arrangements 50

. . . . . . . 1 00

PTERIS, Continued.	SELAGINELLA Martensii (formosa)
P. serrulata angustata 80 25	S. sarmentosa (stolonifera)
P. — cristata	S. serpens
P. — fimbriata	S. stolonifera
The above three varieties of the old P. serrulata are	S. — fol. variegata
all very beautiful and valuable; they are of distinct	S. variabilis
and rather dwarf habit.	TODEA. Beautiful and very distinct Ferns, of a de-
P. tremula. Well-known and valuable 80 25	sirable character.
P. tremula crispa. A beautiful species, of much	T. Africana
value for house culture 50	<b>T.</b> barbara
P. umbrosa. An Australian species 1 00	T. superba. This, the "Filmy fern," is a re-
P. vittata nobilis. A new and fine form 1 50	markable species with long gracefully curved
COLORD TO THE STATE OF THE STAT	rich green fronds, having moon-like segments.
SCOLOPENDRIUM Krebsii. This and the following	Its lovely filmy appearance is entirely distinct
are of conspicuous form, with light green fronds \$0.50	from any other. It is an excellent species for
S. officinarum crispum 50	Wardian cases, and requires constant moisture . 2 50
SELAGINELLA. Many of the most beautiful "Club	
Mosses" are adapted to greenhouse cultivation. The	WOODSIA. A genus of small, tufted ferns of attrac-
varieties offered are all superior.	tive appearance.
S. apus (densa)	W. mollis. A pretty Mexican species \$0.75
S. Californica 50	W. Mexicana
S. cordata (cordifolia)	W. Oregana. Quite hardy 50
S. cuspidata (elongata) 50	WOODWARDIA. These, the "Chain Ferns," are of
S. denticulata	decorative value, and rather free in growth.
S. — Kraussiana	W. orientalis (Fortunei). A large growing species \$0 50
S. — fol. variegata	W. radicans. Of strong growth, reaching a large
S. involvens, fol. variegata	size, with long, drooping fronds; decorative and
S Janonica 50	very hardy 1 00



CYATHEA SMITHII. (See page 81.)



CYATHEA DEALBATA.

DICKSONIA ANTARCTICA. DICKSONIA SQUARROSA.

#### XIII.

### TREE FERNS.

ERNS are admittedly among the most beautiful and exquisite of nature's gems, and are universally admired; but the added grace and elegance of these wonderful tree forms is beyond description. They are of the greatest beauty and utility for all decorative purposes, and have a charm belonging to no other order of plants. No tropical greenhouse is complete without them.

Of these grand and imposing Tree Ferns, we are constantly importing fine healthy stems of all the leading varieties, as well as some new and rare species, all of which we offer at moderately low prices. We have also many large and extra large specimens of extreme beauty and in perfect condition, the prices of which can be had on application. For particulars as to varieties and sizes of these specimen Tree Ferns, see page 67.

ALSOPHILA. A magnificent genus, with handsome	CYATHEA Cunninghami .
upright trunks, and ample foliage of rather drooping	C. dealbata
habit.	C. Dregei
A. australis	C. medullaris
A. capensis 3 00 to 10 00	C. Smithii. See Hemithelia Smi
A. excelsa	DICKSONIA. This is perhaps
A. Youngii 5 00 to 10 00	genus of these grand plants.
	D. artarctica. See cut, page 80
ANGIOPTERIS. Of rapid and handsome growth; re-	D. fibrosa
quire plenty of water and room to grow; have short and scaly trunks.	D. squarrosa
A. evecta	_
A. longifolia 5 00 to 10 00	DIDYMOCHLÆNA lunulata conspicuous form from Africa.
A. macrophilla 5 00 to 10 00	7
A. pruinosa 5 00 to 10 00	DIPHENIA (Cyathea) arborea.
A. Verschaffeltii 5 00 to 10 00	to \$20.
ASPLENIUM decussatum. From the Polynesian and	HEMITHELIA Smithii. A b
Malaysian Islands. & to \$5.	from New Zealand. \$10 to \$20
BALANTIUM Karstenianum. A rare species from	LOMARIA. Tall growing sp
Trinidad. \$10.	and extensive genus; all of
BLECHNUM. Of peculiarly graceful habit, with broad	character.
and finely divided fronds.	L. attenuata
B. Braziliense	L. ciliata
B. corcovadense 1 50 to 5 00	L. cycadæfolia
	L. discolor
<b>BRAINEA</b> insignis. A very handsome and interesting greenhouse Tree Fern. §5 to \$10.	L. falcata
	L. gibba
CIBOTIUM. Among the best of the Tree Ferns.	L. intermedia
C. princeps (Cyathea)	L. Magellanica
C. regale	<b>L</b> . nuda
<b>C.</b> Schiedei 2 00 to 5 00	L. Zamioides
CYATHEA. A superb genus, showing marked peculi-	MARATTIA. Of majestic a
arities of form and habit.	short, rather scaly stems or tr
C. aurea	M. elegans
C. Burkei 10 00 to 20 00	M. fraxinifolia

C. dealbata       5 00 to 10 00         C. Dregei       10 00 to 20 00         C. medullaris       2 50 to 10 00         C. Smithii. See Hemithelia Smithii.
C. medullaris 2 50 to 10 00
C. medullaris 2 50 to 10 00
O. Dillioni. Dec Hemithette Emitate.
DICKSONIA. This is perhaps the most widely known
genus of these grand plants. All the species are fine.
D. artarctica. See cut, page 80 \$5 00 to \$20 00
<b>D.</b> fibrosa 10 00 to 20 00
D. Schmittii 10 00 to 20 00
<b>D.</b> squarrosa 5 00 to 10 00
DIDYMOCHLÆNA lunulata. A very rare, fine and
conspicuous form from Africa. \$5 to \$10.
DIPHENIA (Cyathea) arborea. A rare species. \$10
to \$20.
HEMITHELIA Smithii. A beautiful and rare form
from New Zealand. \$10 to \$20.
LOMARIA. Tall growing species of this valuable
and extensive genus; all of distinct and desirable
character.
<b>L.</b> attenuata
L. Boryana 10 00 to 20 00
L. ciliata 2 00 to 5 00
<b>L.</b> cycadæfolia 5 00 to 10 00
L. discolor 3 00 to 5 00
L. falcata
L. gibba
<b>L.</b> intermedia
L. Magellanica
L. nuda
L. Zamioides
MARATTIA. Of majestic and unique habit, with
short, rather scaly stems or trunks.
M. elegans
M. fraxinifolia 10 00 to 20 00

#### XIV.

### A SPECIAL COLLECTION OF FERNS

For Table Decorations, Baskets and Cutting.

N ORDER to facilitate and assist the selection of such Ferns and Selaginellas as are best adapted and really re liable for table jardinières, hanging baskets and for cutting purposes for the florist, either private or commercial, we have selected such species and varieties as we are positive, from long and ample personal experience, are best and will give entire satisfaction. As most of these varieties are described in the two preceding lists, we do not here repeat descriptions.

not here repeat descriptions.	
ADIANTUM Bausei	LOMARIA alpina \$0 50
A. Capillus-Veneris	<b>L.</b> ciliata
A. ciliatum 50	<b>L.</b> gibba
A. concinnum	<b>L.</b> — cristata
A. cuneatum. This is especially fine for cutting,	LYGODIUM Japonicum (scandens) 25
for which purpose it is largely grown	L. volubile
A. decorum	
A. dolabriforme 1 00	MICROLEPIA gracilis 50
A. Farleyense	M. hirta cristata 50
A. formosum	NEPHRODIUM molle
A. fragrantissima 1 00	
A. gracillimum	NEPHROLEPIS davallioides furcans 50
A. Luddemannianum 1 00	N. Duffii
<b>A.</b> lunulatum	N. exaltata
A. Oweni	N. furians
<b>A.</b> palmatum	<b>N.</b> pectinata
A. princeps	NOTHOCHLÆNA chrysophylla
A. rubellum	ONYCHIUM Japonicum
A. speciosum	
A. trapeziforme	PLATYLOMA rotundifolia 25
<b>A.</b> Williamsii	POLYSTICHUM aristatum (Lastrea) variegatum.
ASPIDIUM fragrans. Fine 1 00	\$1.
ASPLENIUM alatum 50	P. viviparum
A. fontanum 50	P. Xiphioides 1 00
A. longissimum (flagelliferum) 50	PTERIS argyræa
A. obtusilobum 50	P. cretica albo-lineata
A. Zeylanicum 50	P. serrulata cristata. Variety with crested
CHEILANTHES Clevelandii 1 00	foliage
C. elegans	
CYSTOPTERIS bulbifera	SELAGINELLA Africana 25
DAVALLIA canariensis	S. apus
D. hemiptera	S. aurea
D. Mooreana	S. Braziliensis
<b>D.</b> solida	S. denticulata 20
	<b>S.</b> grandis
GLEICHENIA dicarpa 1 00	S. involvens
GYMNOGRAMME aurea (chrysophylla) 25	S. Martensii variegata
<b>G.</b> decomposita 50	S. perelegans 50
<b>G. Peruviana</b>	S. serrulata
<b>G.</b> tartarea	S. — fol. var
HYPOLEPIS Bergiana. A beautiful South African	S. stolonifera
species. 50 cents.	S. triangularis
•	S. umbrosa
LASTREA aristata variegata	D. 410001100
<b>L.</b> prolifera	S. Walcewichill
L. Richardsii multifida 50	S. Willdenovii

#### XV.

# SELECT MARDY FERNS

For Out-door Cultivation.

HIS, another special collection, includes hardy Ferns, and has been selected with great care for out-door ferneries, rockeries and groups of plants for shady places and dark corners near the house, under trees or in ravines, where they can be planted and massed together with other hardy plants and shrubs, which thrive best in such shady places where nothing else does well. These varieties are, many of them, as beautiful as the expensive exotic forms.

ADIANTUM pedatum. The only entirely hardy Maid-	BLECHNUM spicant serratum 80 50
en's Hair Fern, and a beautiful variety. 25 cents.	B. — trinervis coronans. Upright in growth
ALLOSURUS acrostichoides. A beautiful spreading	with peculiar tufts on the ends of the fronds.
Fern	BOTRYCHIUM Lunaria. The "Moonwort." Pretty
A. crispa. Of upright and bushy habit 50	dwarf species. 50 cents.
ASPIDIUM. In this genus are several beautiful hardy	B. Virginianum. Valuable form, of stronger growth
species.	50 cents.
A. Nevadense	CETERACH officinarum (Gymnogramme Ceterach). The
A. Noveboracense	"Spleenwort," with a peculiar scaly appearance;
<b>A.</b> spinulosum	very fine species. 50 cents.
ASPLENIUM Adiantum nigrum. A peculiar dwarf	
form. 25 cents.	CYRTOMIUM falcatum. On the order of Aspidium
A. Germanicum. Dwarf and pretty 25	25 cents.
<b>A.</b> fontanum	C. Fortunei
A. nigrum	CYSTOPTERIS fragilis. This and the following are
A. trichomanes	"Bladder Ferns," and beautiful and graceful dwar:
A. ruta-muraria	species. 50 cents.
<b>A.</b> viride	C. montana
ATHYRIUM. A large genus, including many lovely	LASTREA decurrens (decursivo pinnata). A rather
and distinct forms.	tall growing form. 50 cents.
A. Filix-fœmina	L. dilatata. This, and its varieties are noble tall grow-
A. — apicale 1 00	ing ferns
A. — caudata	L. — digitata
A. — corymbiferum	L. — grandiceps
<b>A.</b> — Frisselliæ	L. Filix-mas. The "Male Fern;" an important and widely distributed species, including many varieties.
A. — grandiceps	L. Filix-mas Barnesii
All the above varieties of Athyrium Filix-famina are	L. — Bollandiæ
very beautiful, and have peculiar fronds.	L. — digitata Jonesii 1 00
•	L. — fluctuosa 1 00
A. Filix-fœmina plumosum	L. — grandiceps 1 00
A. — setigerum 50 to 1 00	L. — revolvens 1 00
A. — thyssanotum 50 to 1 00	L. Goldieanum
A. — todeoides 50 to 1 00	L. intermedium. Long fronds
A. — Vernoniæ 50 to 1 00	ONOCLEA sensibilis. A fine hardy native Fern 50
A. — Victoriæ 50 to 1 00	
The above are beautiful tall varieties.	<b>OSMUNDA.</b> A handsome and very peculiar genus, called often "Flowering Ferns."
A. Goringianum pictum. Foliage beautifully veined:	O. cinnamomea. Of beautiful habit \$0.50
an elegant species. 50 cents to \$1.	O. Claytoniana
	O. regalis. The "Royal Fern" of Great Britain,
<b>BLECHNUM</b> spicant (boreale). This and its varieties are among the very best hardy upright growing species.	and a magnificent tall growing form 50
B. — imbricatum	O. spectabilis
B. — ramosum	PELLÆA gracilis. Dwarf and pretty. 50 cents
- Iwinobull	2 million Statistics Division process. Of control

POLYPODIUM dryopteris. The "Oak Fern". \$0 50	SCOLOPENDRIUM vulgare Coolingii \$0 50
P. phegopteris. The "Beach Fern" 50	S. — crispum
P. vulgare cambricum 50	S. — cristulatum
<b>P.</b> — cristatum 50	STRUTHIOPTERIS Germanica. The "Ostrich
POLYSTICHUM acrostichoides (Aspidium acrostichi-	Fern;" a handsome species. 50 cents.
oides). 25 cents.	S. Pennsylvanicum
P. angulare plumosum	WOODSIA. A genus of small, much-tufted hardy ferns, including species of great beauty.
P. munitum. A fine hardy species from California	W. alpina (hyperborea)       \$0.50         W. ilvensis       25
PTERIS aquilina. Of strong growth. 25 cents.	W. obtusa       50         W. Oregana       50
SCOLOPENDRIUM vulgare. The "Hart's-tongue Fern" of Great Britain, and, with its varieties, a very	WOODWARDIA angustifolia. Of excellent decorative habit. 50 cents.
interesting and valuable species. 25 cents.	W. Fortuneii



#### XVI.

# SELECT DECORATIVE PLANTS.

Including Aroideæ or Cereceæ, Bromeliacæ, Pandaneæ, Musaceæ and Scitameneæ.

In this Department we have grouped, under three sub-departments, a selection of hot-house decorative plants of great beauty and value. In connection with the Palms, Ferns and Orchids, they serve to give brightness of color and richness of effect to many sub-tropical and tropical houses, and are, some of them, also very excellent for out-door summer adornments. In this, as in other departments, our tropical nurseries give us great advantages in growing the plants to perfection.

#### AROIDEAS OR CERACEAS.

This natural order contains many plants of extreme beauty—some are new and rare, and others of a most imposing and majestic habit. They are all fine decorative plants.

ALOCASIA. These beautiful stove decorative plants are of comparatively easy growth, and have all conspicuous and handsome foliage, beautifully marked and blotched.	ANTHURIUM Andreanum.       See special description         and cut, pages 5 and 6
<b>A.</b> cucullata	A. digitatum
A. gigantea	A. Ferrierense. See description, page 5 : 2 50 to 4 00
A. intermedia 2 00 to 3 00	A. Galeottii 1 00 to 2 00
A. Jenningsii 1 00 to 2 00	A. leuconeurum 1 50 to 3 00
<b>A. Lowii</b>	A. Lievensii
A. macrorhiza fol. var 50 to 1 00	A. lucidum 1 50 to 3 00
A. marginata 1 00 to 5 00	A. macrolabum 1 50 to 3 00
A. Marshallii	A. magnificum (grande) 1 50 to 3 00
A. metallica	A. regale
A. picta	A. Scherzerianum. A beautiful plant,
A. Portei	and unexcelled for conservatory decora- tion; the beautiful bright crimson spathe
A. reginæ 2 50 to 5 00	and the striking orange spadix last in per-
A. Sanderiana. A magnificent form. See	fection for months 50 to 1 00
cut, page 4	<b>A.</b> — <b>album.</b> White spathe 1 50 to 2 00
A. Thibautiana. See special description,	A. — Bennettii. See description, page 5 5 00 to 10 00
page 5	A. — Cypherii. See description, page 5.
A. tigrina 1 00 to 2 50	A. — giganteum 1 00 to 2 50
A. Veitchii	A. — maximum. Very large spathes.
A. Zebrina	See illustration, page 86 1 50 to 2 00
AMORPHOPHALLUS. A very curious and remarka-	A. — Rothschildianum. See descrip-
ble genus, with odd foliage and very large flowers form-	tion, page 5
ed like a Calla lily, but with the spadix greatly enlarged	A. — Wardii. Large and brilliant spathes 2 00 to 4 00
and prolonged; the flowers appear before the leaves.	A. — Williamsii
A. Campanulatus	
A. Rivieri	<b>CALADIUM.</b> The delicate beauty and varied tints of the Caladiums make them indispensable for all decor-
A. virosus	ative arrangements. No description can do justice to
	the extreme elegance of their leaves.
<b>ANTHURIUM.</b> A large genus of valuable plants, many of which are remarkably beautiful in both foliage and	C. argyrites. Small leaves, with silvery spots; of
flower. No stove house collection is complete without	dwarf growth, and makes elegant specimens for table
Anthuriums.	decorations



ANTHURIUM SCHERZERIANUM MAXIMUM. (See page 85.)

CALADIUM, Continued.  C. Baraquinii. Long leaves with deep red centers and green margins	COLOCASIA Carracasana         \$0 25           C. esculenta.         (Synonym of C. antiquorum)         25           C. euchlora         50           C. Javanica (Bataviensis)         50           C. mafaffa (marginata)         50           CURMERIA Wallisii (Homalomena)         Ornamental plants, with leaves which have a white border and are blotched with golden yellow.         \$1.75 to \$2.50.           DIEFFENBACHIA. A large genus of very beautiful and ornamental foliage plants, presenting a wide range of markings and blotchings in the handsomely formed leaves. Not of difficult culture, and essential in all decorative arrangements.           D. Amazonica         \$1 50 to \$2 50           D. Baraquiniana         1 00 to 2 00           D. Bausei.         See cut, page 87         1 00 to 2 00           D. Bowmanni         1 50 to 2 50           D. Chelsoni         1 50 to 2 50           D. eburnea         1 50 to 2 50           D. grandis         1 00 to 2 50           D. Leopoldii         2 00 to 3 50           D. magnifica         1 50 to 2 50           D. magnifica         1 50 to 2 50           D. princeps         1 50 to 2 50
C. antiquorum (Caladium esculentum). The well-	<b>D.</b> nobilis 1 50 to 3 00
ful green foliage reaches an enormous size 25  C. appendiculata nymphæfolium (Xanthosoma)  A fine Indian species 50	<b>D. Rex.</b> See cut and decription, page 9 . 3 50 to 5 00 <b>D. splendens</b> 1 00 to 2 00 <b>D. triumphans.</b> See description, page 9 3 50 to 5 00



HYBRID FANCY CALADIUMS. (See page 86.)

DIEFFENBACHIA, Continued.

D. Seguina picta       . \$0 75 to \$1 00         D. Weirii       . 75 to 1 00
HOMALOMENA. Ornamental shrubby foliage plants, with interesting leaves and flowers.
H. rubescens       . \$0 75 to \$1 00         H. Wendlandii       . 75 to 1 00
MASSOVIA cannæfolia (Spathiphyl-
lum, Pothos). A peculiar South Amer-
ican plant of decorative value, with
remarkable flowers. 75 cents to \$1.
NEPHTHYTIS picturata. See spec
ial description, page 10. 85.
PHILODENDRON. A genus of climb-
ing shrubs and small trees with large
leaves, from Tropical America.
P. bipinnatifidum. A short stemmed
species which will flourish in an inter-
mediate house \$3 00 to \$5 00
P. cannæfolium. An ex-
cellent species 1 50 to 2 50
P. crinipes 1 50 to 3 00
P. Fontaneii 2 50 to 5 00
P. giganteum (pinnatifi-
dum)
P. macrophyllum 1 00 to 1 50
P. nobile 2 50 to 5 00
P. pertusum (Monstera
deliciosa). A superb trop-
ical climber for a stove
house 1 00 to 3 00
P. quercifolium 1 00 to 3 00
P. Sellowii. Large and
deeply cut leaves 2 50 to 5 00
P. speciosum 2 50 to 5 00

PHYLLOTÆNIUM Lindeni (Xanthosoma). A show	У
variegated plant from New Grenada. \$1.50 to \$2.50.	
POTHOS. Tall climbing shrubs with many branche	s.
<b>P.</b> argenteus	)()
P. argyræa (Scindapsus) 50 to 1	
<b>P.</b> flexuosus	
P. longifolia	
P. pentaphylla	)()
P. violacea (Anthurium) 1 00 to 1	
REMUSATIA vivipara. A tuberous herb with hand	d-
some oblong leaves of large size. 75 cts. to \$1.50.	
SAUROMATUM guttatum. A tuberous rooted pe	ľ-
ennial from the Himalayas. 75 cents to \$1.	
SCINDAPSUS pinnatifidus. A fine climbing shrub	)ľ
plant, with handsome flowers and foliage. \$2 to \$3.	
SPATHIPHYLLUM cannæfolium. See Pothos ca	11-
næfolium. 75 cents to \$1.50.	
SYNGONIUM. A genus of fine climbing shrubs fro	m
SYNGONIUM. A genus of fine climbing shrubs fro South America. They are of easy and rapid growt	
	h.
South America. They are of easy and rapid growt	h. 00
South America. They are of easy and rapid growt S. aureo-maculatum	h. 00 50
South America.         They are of easy and rapid growt           S. aureo-maculatum         \$0.50 to \$1           S. Schottianum         75 to 1           S. tripartitum         75 to 1	h. 00 50
South America. They are of easy and rapid growt  S. aureo-maculatum	h. 00 50
South America. They are of easy and rapid growt  S. aureo-maculatum	h. 00 50 50 m
South America. They are of easy and rapid growt  S. aureo-maculatum .80 50 to 81  S. Schottianum .75 to 1  S. tripartitum .75 to 1  KANTHOSOMA. Free growing tropical plants fro South America and the West Indies.  K. atrovirens .80	h. 00 50 50 m
South America. They are of easy and rapid growt  S. aureo-maculatum	h. 00 50 50 m
South America. They are of easy and rapid growt  S. aureo-maculatum	h. 00 50 50 m 50
South America. They are of easy and rapid growt  S. aureo-maculatum .80 50 to 81  S. Schottianum .75 to 1  S. tripartitum .75 to 1  XANTHOSOMA. Free growing tropical plants fro South America and the West Indies.  X. atrovirens .80  X. belophyllum .  X. divaricata .  X. erubescens .  X. maculatum .	h. 50 50 50 m 50 50 50 50
South America. They are of easy and rapid growt  S. aureo-maculatum .80 50 to 81  S. Schottianum .75 to 1  S. tripartitum .75 to 1  XANTHOSOMA. Free growing tropical plants fro South America and the West Indies.  X. atrovirens .80  X. belophyllum .80  X. divaricata .80  X. erubescens .80  X. maculatum .80  X. nigrescens .80	h. 00 50 50 m 50 50 50 50 50
South America. They are of easy and rapid growt  S. aureo-maculatum .80 50 to \$1  S. Schottianum .75 to 1  S. tripartitum .75 to 1  XANTHOSOMA. Free growing tropical plants fro South America and the West Indies.  X. atrovirens .80  X. belophyllum	h. 50 50 50 m 50 50 50 50



DIEFFENBACHIA BAUSEI.

#### XVII.

# BROMELIADS.


HIS natural order includes many exquisite decorative plants of easy culture and great beauty. They require generally stove house temperature. The flowers are of rich colors and gorgeous appearance, and the foliage is often very ornamental. To this order belongs the Pineapple (Ananassa).

ACANTHOSTACHYUM strobilacea. From Brazil;
has red and yellow flowers, and long, narrow, thick
leaves, incurved and covered with white scurf. \$1.
ÆCHMEA. Very handsome stove plants with grace-
fully disposed strap-like leaves, and flowers in panicles
on erect scapes, of rich and brilliant colors. Si.
Æ. cœlestis
Æ. Luddemanniana
<b>E.</b> miniata
Æ. Regina-Amalia 1 00
Æ. spectabilis 1 00
Æ. Veitchii (Chevallieria) 1 00
ANANASSA. The genus to which belongs the Pineap-
ple; handsome strong plants of a very interesting
character.
A. Porteana fol. var. Leaves deep olive green, with
a broad band of pale yellow \$1 50 to \$5 00
A. sativa fol. var. A variegated form of
the ordinary Pineapple, and a very hand-
some plant; leaves beautifully striped
white, green, creamy yellow and a red
tinge
BILLBERGIA. Handsome plants, with elegant flow-
ers, borne on light panicles; of easy growth, and val-
uable for decorative purposes.
<b>B.</b> amœna
<b>B.</b> Baraquiniana 50 to 1 00
<b>B.</b> fasciata 1 00 to 2 00
<b>B.</b> gigantea 1 00 to 2 00
<b>B. L</b> eopoldii
<b>B. Liboniana</b>
B. melanocantha 1 00
<b>B.</b> pyramidalis
<b>B.</b> quadricolor
<b>B.</b> Quesneliana
<b>B.</b> rhodacyanea
<b>B.</b> splendida
<b>B.</b> vittata
<b>B.</b> zebrina
CARAGUATA. South American epiphytal plants, with
brilliant flowers.
C. cardinalis
CHEVALLIERIA Veitchii. See Æchmea Veitchii.

	CRYPTANTHUS. Interesting South American Brom-
ı	eliads, epiphytal in the wild state.
	C. bivittatus
	C. fucus
	C. Lacerdæ
	C. undulatus
	DYCKIA. A Brazilian genus of succulent plants, with
	very ornamental and elegant foliage. They require
	good drainage, and grow well with Agaves.
	<b>D.</b> rariflora
	<b>D.</b> recurvata 50 to 1 00
	D. regalis
	<b>D.</b> remotifiora
	ENCHOLIRION. A new and rare genus from Brazil;
	of upright habit, and with ornamental foliage.
	E. corallinum
	E. Jonghei
	E. roseum
	E. Saundersii
	E. spectabilis
	GUZMANNIA. Very handsome herbaceous stove
	plants on the order of the Tillandsias; the flowers are
	•
	very pretty, while the foliage is also quite ornamental.
	G. Devansayana
	G. fragrans (Canistrum eburneum) 1 00
	<b>G.</b> tricolor
	1



ANANASSA PORTEANA FOL. VAR.



VRIESIA SPLENDENS. (See page 90.)

<b>HECHTEA.</b> Pretty greenhouse shrubs, with small flowers and long, spiny recurved leaves.	MASSANGEA. This genus has exceptionally elegant leaves, marked and varied beautifully.
H. brevifolia       \$0.50         H. Ellemetii       50         H. Ghiesbreghtii       50	M. musaica (Tillandsia, Vresia)       \$2 50         M. tigrina       2 00
HOPLOPHYTUM. Handsome Brazilian genus, often included with Æchmea.	NIDULARIUM. Included by some with Karatas. All are beautiful South American Bromeliads, and valuable for decorative purposes.
H. calyculatum.       Bright yellow flowers: odd strapshaped leaves.       \$1 00         H. Lindeni       2 00	N. acanthocrates
<b>KARATAS Plumieri.</b> Very odd, with exceedingly long, spiny leaves: bears pink flowers and a peculiar	N. chrososticta       1 00         N. fulgens       1 00         N. — discolor       1 00
fruit. \$1. <b>LAMPROCOCCUS</b> (Puya). On the order of, and by many included under Æchmea.	N. maculatum       1 00         N. Meyendorfii       1 00         N. princeps       1 50
L. Altensteinii	N. sanguinolentum         1 00           N. spectabilis         1 00
L. maidifolius	N. striatum 1 00

PEPINIA. A genus often classed with Pitcairnea;	QUESN
Brazilian plants, with pretty red flowers and of at-	Q. Van
tractive habit.	
P. aphelandræflora	TILLA
P. punicea	cludes
PHOLIDOPHYLLUM. Similar in habit to Cryptan-	richly
thus.	varied
	portan
P. vivide	T. bivit
<b>P.</b> zonatum	T. brace
PITCAIRNIA. A large genus of South American	T. dian
herbs, including species with red, yellow or whitish	T. farir
flowers and very ornamental foliage	T. glau
P. Andreana	T. Lind
P. corallina	T. muse
P. Lindleyana	T. tesse
P. punicea	
<b>P.</b> splendens	TUSSA
P. tabulæformis 1 00 to 2 00	VRIES
PORTEA kermesina. Long, rigid leaves and peculiar	mous .
carmine flowers. \$1.	V. Bari
	V. brac
POURRETIA argentea. A South American Brome-	v
laid. \$1 to \$2.	V. Duva
PUYA. Resembling the Pitcairneas, with fine and	V. gutt
showy flowers.	V. helio
<b>P.</b> heterophylla	V. hiero
<b>P.</b> xanthocalyx	V. Mala
QUESNELIA. A small genus of herbaceous plants,	V. psitt
closely allied to Billbergia.	V. spler

ea;	QUESNELIA rufa \$1 00
at-	Q. Van Houttei 1 00
50	TILLANDSIA. This large and important genus in-
50	cludes very many handsome and peculiar forms, with
	richly colored flowers. Some have also beautifully
an-	varied leaves, and the genus, as a whole, is most im-
50	portant for stove house decoration.
50	T. bivittata
	<b>T.</b> bracteata
an	T. dianthoidea
ish	<b>T.</b> farinosa 50 to 1 00
00	<b>T.</b> glaucophylla
00	T. Lindeni vera 1 00
00	T. muscosa 2 00 to 3 50
50	T. tessellata 2 00 to 3 50
50	TUSSACIA nitida. Belonging to the Gesneraceæ.
00	VRIESIA. A superb genus, now included as synony-
iar	mous with Tillandsia. All the species are valuable.
	V. Barilleti
ne-	V. brachystachys 2 00 to 3 00
116-	V. — fol. var
nd	V. Duvaliana 2 00 to 3 50
ina	V. guttata
00	V. heliconioides 2 00 to 3 50
00	V. hieroglyphica
ts,	V. Malzinei       2 00         V. psittacina       1 00
,	V. splendens. See cut. page 89 1 00 to 2 00



TILLANDSIA BRACTEATA.

#### XVIII.

# PANDANADS, MUSACEAS AND SCITAMINEAS.

HESE three orders contain some of the most beautiful and desirable stove or hot-house plants for decorative and exhibition purposes. It should be noted that while all these, as well as the plants of the two preceding departments, are warm-house plants, it does not of necessity follow that they cannot be kept in an ordinary greenhouse. Nearly all of them may be housed and kept in a greenhouse temperature; of course they will not make much growth, but by the judicious use of water during winter, these plants may be kept in a perfect state until the temperature will, through the advance of the season, increase sufficiently to start them to grow. However, to grow them quickly and successfully, a congenial temperature of from 60 to 70 degrees, with a moist atmosphere, is necessary. They are all best grown in a compost of sods, fibre and leaf mould, with a liberal sprinkling of wellrotted manure and sand: they must also be so potted as to have perfect drainage.

ALPINIA. Fine perennial plants of an ornamental
habit, doing best in very rich soil. Their roots smell
and taste much like ginger.
A. nutans. Smooth lanceolate leaves; pink
flowers
A. vittata. A beautiful variegated form;
the white stripes in the leaves run off
with the veins 1 00 to 2 00
CALATHEA flavescens (Maranta). Resembles the
beautiful Marantas. 50 cents to \$1.
CIENKOWSKIA Kirkii. A beautiful plant from Zan-
zibar, bearing lovely fragrant rose-purple flowers. \$1.
COSTUS. Fine herbaceous perennials, bearing beauti-
ful spikes of flowers.
C. Malortieanus (elegans). Yellow and orange red
flowers
<b>C.</b> musaica
C. speciosus. White flowers 50
CURCUMA. Interesting stove herbaceous plants, bear-
ing spikes of bright flowers.
C. leucorhiza
C. Roscoeana
C. Zedoaria
GLOBBA. Pretty herbaceous perennials, bearing pe-
culiar yellow or pinkish flowers.
<b>G.</b> erecta
G. coccinea. A free-blooming species, of very
graceful habit
<b>G.</b> saltatoria
HEDYCHIUM. These handsome herbaceous plants are
from tropical Asia. They produce fine terminal spikes
of white, scarlet or yellow flowers, and are of orna-
mental habit.
H. albiflorum
H. coccineum
H. flavum
H. Gardnerianum
HELICONIA. Very ornamental foliage plants, allied
to the Musas, and of much value for decorating.

nave perfect drainage.
HELICONIA aureo-vittata. Has beautiful yellow
striped leaves
H. Bihai 1 00 to 2 00
H. Braziliensis 1 50 to 3 00
H. farinosa 1 00 to 2 00
H. metallica 2 00 to 3 50
H. psittacorum
H. Seemanni. A rare and very beautiful
species
H. triumphans
KÆMPFERIA. Beautiful foliage plants from China.
K. Galanga
K. Gilbertii. Margins of leaves bordered
by a broad band of white; very conspic-
uous
THE STATE OF THE S
WWW

HELICONIA ANGUSTIFOLIA.



MARANTA VEITCHII.

MARANTA. An extremely valuable genus of decorative perennial plants, remarkable for the richness and beauty of their varied and marked foliage. They are free in growth in the stove house, and largely used in decorative work.

M. Bac	hemmia	ana							\$0	50 1	to	\$1	00
M. con	spicua :									50 t	to	1	00
M. cori	ifolia .									50 t	to	1	00
M. fasc	iata								1	00 t	to	2	00
M. Ker	choviar	ıa .								50 t	to	1	00
M. Kui	nmeria:	na .								50 t	to	1	00
M. leuc	oneura									50 t	ю	1	00
M. Lin	denii .								1	00 t	to	1	50
M. maj	estica.									50 t	to	1	00
M. Mal	koyana								1	00 t	to	1	50
M. Mas	ssangea	na .							1	00 1	to	1	50
M. mus	saica								1	00 1	to	1	50
M. orn	ata pict	ta.							1	00 t	to	2	00
M. por	phyroca	ulis					٠.		1	00 1	to	2	00
M. Por	teana .									50 1	to	1	00
M. pri:	nceps .									50 t	to	1	00
M. reg	alis								1	00 1	to	2	00
M. rose	ea picta								1	00 1	to	2	00

MARANTA smaragdina \$1 00 t	o \$2 00
M. tubispatha 1 00	to 2 00
M. Vanderheckii 1 00 t	o 2 00
M. Veitchii. (See cut.) 1 00 t	o 2 50
M. Warscewiczii 1 00 t	o 2 50
M. Zebrina 50 t	o 1 00

MUSA. This, the Banana family, is not only very important for its widely distributed fruit, but of great value for decorative uses. The foliage is large, rich green, and of an impressive appearance. They grow freely and rapidly in our summers, and form magnificent objects on the lawn. All the species named here can be readily fruited in a warm greenhouse. For out-door summer decorations, the plants may be set out after warm weather begins, and should be freely watered.

M. Cavendishii (Sinensis). A superior fruiting variety, and of rather dwarf growth, requiring less heat than some others-consequently most valuable for greenhouse culture, although the


leaves are rather too tender for out, side de-	cora-
tions	\$2 50
M. coccinea. Very ornamental, with	
scarlet flowers 1 50 to	2 50
M. Dacca (palustris) 1 00 to	2 00
<b>M.</b> discolor 1 00 to	2 50
M. Ensete. The majestic Abyssin-	
ian Banana, and the best species	
for greenhouse cultivation or out-	
door decorations. Its rich, broad	
foliage is tougher than that of	
other varieties. See cut, page 93. 50 to	1 50
<b>M.</b> paradisiaca 1 00 to	2 00
<b>M.</b> rosacea 1 00 to	2 00
<b>M.</b> sanguinea 1 50 to	3 00
M. sapientum. This is the Ban-	
ana of commerce, of which such	

enormous quantities are grown in

M. superba. \$2.50 to \$5.

M. vittata. A beautiful variegated sort; one of the finest decorative plants. The foliage is richly striped and varied, and the plant has a most admirable habit of growth. See description and illustration, page 10. \$1.50 to

M. zebrina. other handsomely marked species, the leaves being varied with green and bronze. 75 c. to \$2.



MUSA CAVENDISHII.



MUSA ENSETE. (See page 92.)

PANDANUS. A large genus, of the greatest value for all decorative purposes. The species are all of a graceful recurved habit, and their glossy foliage renders them less liable to damage from exposure to the hardships usually undergone by decorative plants. They will be ornamental for many years without attaining unwieldly size, under ordinary conditions, and are among the best plants for dwelling houses.

P.	Desmetianus													. :	\$3	00
P.	furcatus. A	ra	re	and	l h	and	so	me	sp	eci	es	\$2	50	to	5	00
P.	graminifoliu	LS (	(F)	reyc	ine	tia)							50	to	1	00



PANDANUS UTILIS.

P. ornatus									2	50 to	5	00
P. reflexus									1	50 to	5	00

50 to 2 00

PHRYNIUM. Excellent decorative plants from the East Indies, Malayan Archipelago and Africa.

P. cylindricum.	See page 11		 . \$1	00 to \$2 00
P. leptostachya				50 to 1 00
P. Moritzianum.	See page 11		 . 1	00 to 2 00
P. setosum. See	page 11		 . 1	00 to 2 00
D maniamatum /	norm) Coo no	co 11		00 to 5 00

RAVENALA. Splendid palm-like plants, forming fine decorative objects.

**R.** Amazonica (very rare) . . . . . . . \$5 00 to \$10 00 **R.** Madasgascariensis. The ''Traveler's Tree." See description on page 11 and cut on page 12, which fully explains its popular name. A very interesting and imposing plant, with "the trunk of a palm, crested with the immense leaves of the banana, but in a two-ranked series." 3 50 to 7 50

STRELITZIA. Fine old plants, bearing magnificent flowers. Strelitzias are unequalled for stove-house decoration, and are always attractive.

STRELITZIA augusta. A noble plant \$2 50 to \$5 00 

S. Reginæ. (Bird of Paradise Lily, Queen Plant). The finest of the genus, and a magnificent plant, bearing very showy and peculiar flowers of orange and purple. A well-grown plant in bloom will always attract marked attention from its distinct appearance and really noble 

STROMANTHE sanguinea. An odd plant, bearing its clusters of leaves and flowers at the ends of long stems. 50 cents to \$1.



PANDANUS JAVANICUS. (See page 93.)

#### XIX.

# STOVE AND MOT-HOUSE PLANTS.

A General List, Including many Valuable Natural Orders.

ERE are included a large class of very handsome and valuable plants not hitherto mentioned. The larger portion of them are grown for the beauty of their foliage, and some of our most important decorative plants—such as Acalypha, Aralia, Croton, Dracæna, etc.—are embraced in this division. While all of these require for their rapid development of full beauty a hot-house temperature, yet many of the section will retain all their beauty, although making but little if any growth, in a very much lower temperature. They are thus available for outside decorations.

ACALYPHA. Ornamental-leaved plants, with foliage
of large size, handsomely blotched and marked.
A. Macafeeana
A. macrophylla
A. marginata. Very distinct 25 to 50
A. musaica
<b>A.</b> tricolor
ADELASTER Albo-venosa. A very fine foliage plant,
having large leaves of greenish purple color, with white
veins. \$1.
ÆSCHYNANTHUS. A genus of beautiful creeping
plants, with handsome flowers of agreeable fragrance,
and fine deep green leaves; worthy of extensive culti-
vation. The flowers are of odd but attractive form.
A. grandiflorus. Flowers deep crimson and
orange
A. Lobbianus. Rich scarlet flowers 25
A. pulcher. Bright scarlet
A. Roxburghii
ALLAMANDA. Exquisite climbing evergreen stove
plants, with large yellow flowers of various shades
and most booutiful form. Unsurpassed for training on
and most beautiful form. Unsurpassed for training on
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni \$0 50 A. grandiflora (Schottii) 50 A. Hendersoni. Orange yellow, with white spots in the throat; a grand sort. See cut, page 96 50 A. nobilis 50  APHELANDRA. Handsome evergreen shrubs of mostly an upright habit of growth, with shining leaves. The flowers are in spikes, well above the foliage, and mostly of brilliant shades of orange or scarlet.  A. aurantiaca Roezlii \$0 50 A. chrysops. New 2 50 A. fascinator 1 50 A. Louisiæ. New 5 00 A. Macedoana. New 5 00 A. Margaritæ 1 00 A. Porteana 1 00
and most beautiful form. Unsurpassed for training on the roof of stove-house, where their full beauty will develop.  A. Chelsoni

ARALIA. A large and important genus of foliage plants of great beauty and free growth. They are much used for decorative purposes, and the species are very handsome and available for such work.

A. Chabr	ierii														. 8	2	00
A. dactili	ifolia															2	50
A. elegan	tissin	na											ŝ1	00	to	2	00
A. farini	fera															2	00
A. filicife	olia .															2	00
A. Guilfo	ylei.	Se	е	cu	t								<b>8</b> 0	50	to	1	00
A. Humb	oldtii															2	00
A. Kerch	ovei															2	50
A. leptop	hylla												\$1	00	) to	2	00
A. longij	es .															3	50
A. monst	rosa												82	00	) to	3	00
A. nobili	s												2	00	) to	$\tilde{5}$	00
A. Osyan	ıа															1	50
A. peltat	a															1	00
A. platar	ıifolia	٠.														2	50
A. pulch:																	00
A. reticu	lata															1	00
A g																	00
A. rotun																	50
A. souch																	50
A. specta																-	00
A. Veitcl													\$1	00	) to	3	00
A. Victor	ria. 🖇	2 to	8	3.				1		· W	3						
								11	TO SE	1	12	Star .					

ARDISIA. Beautiful foliage and decorative plants with interesting fruit, which remains in perfection many months; it is white or bright searlet.

A. crenulata. Scarlet berries. 50 cents.

A. — fructu-albo.
White berries; a well known form. 50 cts.

A. Oliveri. Rose pink flowers, with white eye. §2.



ARALIA GUILFOYLEI.



ALLAMANDA HENDERSONII.

ARDISIA, Continued.	ARISTOLOCHIA galeata	\$1 00
A. picta. Dark velvety bronze-green foliage §3 00 A. polycephala. A fine new sort, with white flowers, followed by jet black berries; the	A. gigas  A. Goldieana. A magnificent climber with enormous flowers, greenish outside, yellow; with chocolate veins inside	
young leaves are crimson 3 00	A. labiosa	1 00
ARISTOLOCHIA. Remarkable climbing, flowering	A. ornithocephala. Singular flowers: "To	
and foliage plants of great interest and beauty. Of some varieties the flowers are both odd and beautiful. They are of rapid growth in the stove house.  A. barbata. Handsome evergreen species, with purple flowers	render any description at all lucid, this species may be said to have the head of a hawk and the beak of a heron, with the wattles of a Spanish fowl."  A. ridicula. A new species from Brazil, of the od-	1 00
A. Duchartrei 1 00	dest appearance in flower; they are really laugh-	
A. elegans. An elegant new species from Brazil, producing richly colored and spotted flowers,	able in their grotesqueness, having a peculiar monkey-like expression	\$2 50
free from any objectionable odor; a beauty.	tesque sort	1 00
See cut, page 98	A. trilobata	



ARALIA FILICIFOLIA. (See page 95.)

ARTOCARPUS. This genus, which includes the Bread-
fruit trees, so useful in the tropics, are majestic and
imposing foliage plants, with handsome leaves of large
size; a specimen of A. incisa has been seen in Hondu-
ras which had leaves two feet wide by three feet long.
A. Cannoni
A. incisa (grandis). The true Bread-fruit of the
South Sea Islands 5 00
A. integrifolia. An Indian species 1 50
ASTRAPÆA Wallichii. A grand plant, with large leaves and large pendent scarlet crimson flowers. \$2.
<b>BEGONIA.</b> To this very large genus, itself the basis of a natural order, belongs many of our most useful and valuable hot-house plants. No other genus of such ready growth includes at once so many species of beauty both in flower and foliage. Those offered below are all distinct and beautiful.
B. carolinæfolia. Singular palmate
leaves
B. dædalea. Pretty Bolivian species 75 to 1 00

ARTOCARPUS. This genus, which includes the Bread-	BEGONIA heracleifolia. Elegant bronzy green	pal-
fruit trees, so useful in the tropics, are majestic and	mate leaves and handsome rosy flowers . \$0 50 to	\$1 00
imposing foliage plants, with handsome leaves of large	B. imperialis. A fine foliage variety from	
size; a specimen of A. incisa has been seen in Hondu-	Mexico	1 00
ras which had leaves two feet wide by three feet long.	<b>B. La Peyrousei</b>	1 00
A. Cannoni	B. macrophylla	1 00
A. incisa (grandis). The true Bread-fruit of the	B. manicata aurea. Large and handsome	
South Sea Islands 5 00	leaves, beautifully blotched with golden	
A. integrifolia. An Indian species 1 50	yellow; a fine variety. (See cut, p. 99.) 30 to	50
_	B. metallica. A superior species, being	
ASTRAPÆA Wallichii. A grand plant, with large	possessed of very rich and handsome fol-	
leaves and large pendent scarlet crimson flowers. \$2.	iage, deeply ribbed, and of a peculiar lus-	
BEGONIA. To this very large genus, itself the basis	tre, as well as beautiful flowers 25 to	50
of a natural order, belongs many of our most useful	<b>B. Meyeri</b> 50 to	
and valuable hot-house plants. No other genus of such	The state of the s	1 00
	B. peltata. Has shield shaped leaves of	1 00
ready growth includes at once so many species of beauty	a silvery lustre	50
both in flower and foliage. Those offered below are	· ·	50
all distinct and beautiful.	B. rubra. One of the best flowering sorts,	
B. carolinæfolia. Singular palmate	and foliage also of elegant appearance	
leaves	and habit. Flowers light crimson 25 to	50
B. dædalea. Pretty Bolivian species 75 to 1 00	B. ricinifolia. Very large and deeply cut	
B. grandis. Very handsome	leaves 50 to	1 00

BEGONIA, Continued.	CECROPIA. Imposing plants, with large and beauti-
B. Rex. Of this species, which covers many va-	fully formed evergreen leaves, and soft wood; also
rieties of extreme rich-	known as "Snakewood."
ness and variety of foli-	C. palmata
age, we have a number of	C. peltata
distinct sorts. No de-	CENTROSOLENIA ænea. A very fine foliage plant
scription would do them	from South America. \$1.
justice. Including ail the	CHIRITA. Fine dwarf blue flowering plants like
newer introductions, 25	Gloxinias.
to 50 cents.	C. Moonii
B. sanguinea hybrida.	<b>C.</b> sinensis
75 cents to \$1.	
B. smaragdina. 25 to 50	CISSUS. Most beautiful climbing foliage plants for a
cents.	warm house. The leaves are mottled, spotted and
B. — nigra. 25 to 50 c.	striped with white, red, crimson and purple, and are
B. stigmosa. 75 cts. to	very rich in effect; an indispensable hot-house vine.
\$1.	C. Amazonica
B. tomentosa. 75 cts. to	C. argentea
\$1.	C. discolor. The familiar species 50
BERTOLONIA VAN HOUTTII. B. zebrina nova. 75 cts.	<b>C. Lindeni</b>
to \$1.	C. porphyrophylla
BERTOLONIA. The Bertolonias are exquisite foliage	CLERODENDRON. A valuable genus of ornamental
plants of dwarf habit, with leaves of beautiful colors,	plants, some of which are of a climbing habit; all are
elegantly marked. They are always admired.	beautiful and of great utility in hot-house decoration.
B. guttata punctatissima alba	C. Balfouri. Flowers scarlet and white \$0 25
B. — — rosea	C. fallax. An erect growing species 1 00
<b>B.</b> Houbeana. (New) 3 00	C. macrosiphon
B. Marchandii	C. speciosum. Climber; fine deep rose flowers . 1 00
<b>B.</b> Margaritacea 1 00	C. Thomsonæ. A beautiful climber, with very
<b>B.</b> marmorata	handsome scarlet and white flowers 25
B. Mirandæi	TI O
<b>B.</b> Ohlendorfei	
<b>B.</b> primulæflora	
B. pubescens	
<b>B. Rhodecheana.</b> (New)	
<b>B.</b> smaragdina 1 50	
B. Van Houttii	
<b>B.</b> vittata	
BIGNONIA. Splendid climbing plants, producing rich-	
ly colored and handsome flowers, usually in panicles.	
B. Lindleyi	
B. magnifica. Very handsome species, with flow-	THE REPORT OF THE PERSON OF TH
ers ranging from rich purplish crimson to mauve 1 50	1000000000000000000000000000000000000
<b>B.</b> Roezlii (villosa)	
<b>B.</b> regalis	
BOUGAINVILLEA. Grand climbing shrubs from	
the South Sea Islands. The foliage is luxuriant, while	
the inconspicuous flowers are surrounded by large and	
showy bracts of beautiful rose, crimson, scarlet and	
purple colors. Nothing finer for a warm greenhouse.	
<b>B.</b> fastuosa	
<b>B.</b> glabra	
<b>B.</b> lateritia	
B. speciosa	
<b>B.</b> spectabilis	
B. splendens	
<b>BROWNEA.</b> Majestic evergreen plants, with grand foliage and immense flowers of bright colors; most	
valuable and beautiful.	
<b>B.</b> erecta	
B. grandiceps. Flowers red, in dense spikes 5 00	
B. macrophylla. Orange scarlet flowers 5 00	ARISTOLOCHIA ELEGANS. (See page 96.)
2. Macorophysius Orango Souriot noncis 9 00	ARISTODOCHIA BEBUANO. (Oco page 90.)



BEGONIA MANICATA AUREA. (See page 97.)


flowers of the Amaryllis shape, and are very orna-
mental.
C. flava
C. incarnata
C. miniata
COCCOLOBA. Majestic and imposing plants from
the West Indies and South America, with very large
leaves; rare in collections.
C. corcovadensis
<b>C.</b> pubescens
COCHLIOSTEMA. Very handsome stove perennials,
with a graceful habit and delicate sweet blue flowers,
which are borne in cymes among the leaves, close to
the stalk. The foliage is also very attractive, being
rich deep green, varied and marked with purple and
red in the species. These plants are among the finest
introductions of recent years.

**COBURGIA** (Stenomesson). A fine bulbous plant from Mexico and Central America. They bear fine fragrant

3	COCHLIOSTEMA albo-lineatum	)
3	. Jacobianum	)
;	OMBRETUM. Fine evergreen climbing plants, mostly	,
	from South America, with brilliant flowers; valuable	,
	and handsome for stove-house planting, and worthy more attention.	
	. coccineum	)
3	grandiflorum	į
3	5. purpureum	,
3	. micropetalum	,
3	CORYNOSTYLIS Hybanthus albiflora. A very	
	fine climbing plant from Guiana, with large and pecu-	
	liar yellowish white flowers, which bear some resem-	

**CRINUM** nobile. A beautiful new Crinum, producing extremely large flowers, often seven to eight inches broad; very handsome and valuable for cutting. See page 7. \$5.

blance to a gigantic violet. \$2.



CROTON EVANSIANUM

35 to

50 to 1 00

CROTON or CODIÆUM. A magnificent genus, with an immense number of varieties so remarkably distinct, both in shape and color, that over one hundred sorts are well worthy of cultivation, many of which can be used for summer bedding or for decorating generally. Several varieties are remarkable for their large and beautiful colored leaves, while others again are distinguished by their gracefully drooping and very long foliage of all shades of color. In this list will be found only the very best sorts, which can be furnished in quantities at reasonable prices. We grow largely of these indispensable hot-house plants.

C. albicans. Broad leaves; dark green, variegated 

C. Andreanum. Of neat habit and free growth, with highly colored foliage . . . 50 to 1 00 C. augustifolium. Very narrow leaves,

green and yellow . . . . . . C. aucubæfolium. Green, yellow and crimson . . . . . . 35 to C. Baronne James de Rothschild. Long and handsome leaves, of olive green and yel-

low, changing to brilliant crimson . . . . . . . . . . . . . . . . . C. Baron Adolph Selliere. A vigorous new sort. See page 7 C. Beauty. New; lanceolate leaves; green, yellow and


bronze crimson . . . . . . . . 1 00 to 2 00 C. Burtonii. Green, marbled yellow . . . . . . . . . . . . . . . C. Bergmanni . . . . . . . .

C. Challenger (Imperator). Long leaves; mid-ribs at first creamy white suffused with red, deepening to bright carmine; one of the best.......

twisted . . . . \$0 50 to \$1 00 C. Cooperi. Yellow veins and blotches, changing to red . . . . . . . 35 to 3 50 C. cornutum. Very long leaves, mottled green and vellow . . . . . . . . 1 00 C. Countess . . . 50 to 1 00 C. Dayspring. Orange yellow, edged green, tinged red 50 to 1 00 C. decorus . . . . 50 to 1 00 C. Disræli. Leaves oddly shaped; golden ribs and veins ..... 50 to 1,00 C. elegantissimum. Narrow leaves, varied crimson, vellow and pink . 50 to 1,00 C. Eminens. New; broad leaves; green, marked white . . . 1 00 to 22 00 C. Evansianum. Trilobed leaves; richly varied and striped (see cut) . . . . . . . 50 to 1 00 50 to 1 00 50 to 1 00 C. fasciatum . . C. Flambeau. New; very bright and fine 5 50 C. formosum. Green, yellow and crimson 50 to 1 00 C. gloriosum (Prince of Wales). Has long and narrow drooping leaves; marking variable, but always beautiful . . . . . 1 00 to 1 50 C. Henryanum. Dark green, mottled golden yellow . . . . . . . . . . . . . . . . 50 to 1 00 C. heroicus. New; green, marked yellow in large blotches; flushed crimson . . . 1 00 to 2 00 C. illustris. Very oddly shaped trilobed

CROTON Chelsoni. Narrow

leaves, sometimes



CROTON GLORIOSUM (PRINCE OF WALES).

leaves; green, richly marked golden yel-



1.50

CROTON VOLUTUM.

leaves; crimson, green and cream



CROTON, Continued.	CROTON Williamsii. Undulated edges; leaves
C. spirale. Odd spiral leaves; rich colors \$0 50 to \$	magenta, crimson and yellow \$1
C. triumphans. Oblong leaves; deep green and crimson, changing to greenish bronze and rosy crimson	CURCULIGO. Very ornamental foliage plants, of a elegant palm-like habit. They form splendid decortive plants, and are fine for summer use out doors.  C. recurvata. Elegant dark green leaves
C. volutum. Leaves rolled or voluted; rich	flowers and rich carmine rose bracts. 50 cts.
golden veins 50 to	
C. Warrenii. Long and narrow leaves;	having beautiful flowers and decorative foliage.
dark green, mottled orange, yellow and	D. cupreata (discolor)
	1 00 <b>D.</b> metallica
C. Weismanni. Dark green leaves, with	<b>D.</b> musaica
golden blotches and golden veins	1 00 D. nigra picta 5



CURCULIGO RECURVATA STRIATA. (See page 102.)

DRACÆNA. (Including Cordyline and Aletris.) This
important genus of ornamental foliage plants is widely
distributed over the tropics. They are plants of great
and varied beauty of foliage, and are easily grown and
cared for. As decorative plants they are unexcelled
their elegant habit of growth, attractive variation of
color, and strong resisting powers against exposure
placing them in the front rank. Unlike many other
plants of similar habit, they are distinct and decora-
tive even when very young. We grow enormous quan-
tities annually, enjoying especial advantages in obtain-
ing propagating material from our own tropical nur-
series in Trinidad.
series in Triniuau.

Series in Trinique.		
D. albo-marginata. Leaves margined with		
white	\$2	50
D. amabilis. Long, rather broad leaves of bright		
glossy green, marked and suffused with pink and		
creamy white	1	00
D. Amboynensis (Aletris). Bronzy green, with		
distinct edging of rosy carmine; leaves grace-		
fully arched	1	00
D. Anerleyensis		

DRACÆNA arborea (Aletris). Dense sessile leaves,
long and tapering
D. aurantiaca
D. Australis. Oblong lanceolate leaves, with
many parallel veins; an elegant species and very
decorative
D. Balmoreana. Bronzy leaves, with white and
pinkish stripes
D. Baptisti. A distinct form, in which the stem
as well as the leaves is striped yellow and pink;
ground color green
<b>D. Bausei.</b> See page 8 1 50
D. bella. Small leaves; purplish, marked red; a
very pretty sort
D. Berheleyi
D. Braziliensis (Escholziana). A robust growing
species, with broad green foliage \$0 50 to 1 00
D. cannæfolia. Dark green foliage; of an
elegant habit
<b>D. Cantrelli</b>
<b>D.</b> Cassanovæ
D. Cassanovæ



DRACÆNA SCOTTII. (See p. 105.)


DRACÆNAS, Continued.
D. Chelsoni. The large leaves are of a glossy dark
green, almost black, becoming mottled, suffused and
edged with deep crimson with age; a splendid sort,
of bold and free growth
D. Cooperii. A beautiful form of D. terminalis;
its leaves are deep vinous red, gracefully re-
curved. A splendid decorative plant 30 50 to 1 00
D. Denisoni. Of dwarf habit, with deep
bronzy purple leaves
D. Draco. The true "Dragon's Tree," and a su-
perior decorative species. The glaucous green
leaves are especially fine when young 1 00
<b>D.</b> Elizabethæ
<b>D. Ernestii</b>

	DRACÆNA ferrea. Broad dark crim-
	son foliage \$0 50
	D. Fraseri. Broad and rather erect
	leaves, blackish purple in color,
	with a glaucous bloom and a mar-
	ginal stripe of deep rosy lake 1 00
	D. fragrans (Aletris). A superb
3	African species, with beautiful
	deep green leaves, lighter in the
_	young growth. Though having no
	variegations or markings in the
	foliage, this is one of the most ad-
-	mired decorative species, its ele-
_ \\	gant habit and extremely beautiful
	lively coloring giving it marked
•	value. It is of easy and rapid
	growth, and a superb plant for
	parlor adornment \$0 50 to 1 00
	D. — Massangeana.       See page 8       2 00         D. Frederici
	<b>D. Frederici</b> 1 00
	D. frutescens (Aletris) 1 00
	D. Goldieana. An exquisite and dis-
	tinct form See description and
	tinct form. See description and cut, page 8 \$1 50 to 2 00
	D
(美國制)	D. gracilis
	D. Guilfoylei. Long and narrow
Carlo	leaves, widest in the middle, and
	tapering; beautifully recurved,
	and varied with red, pink, white
	and green; an elegant species 1 00
	<b>D. Hendersonii</b>
	D. hybrida. Deep green, margined
	rose, changing with age to deep
	rose and creamy white in the young
A STATE OF THE PARTY OF THE PAR	leaves
A.	<b>D.</b> imperator 1 50
	D. imperialis. Leaves of deep green
	varied with crimson and pink, and
	of a peculiar metallic lustre over
	the whole; of fine, erect, arching
	habit
	D. indivisa. Long, tapering, pen-
>>	dentleaves of dark green. A beau-
- SLARIO	tiful decorative sort \$0 50 to 1 00
D. Fills	D. — Veitchii. The sheathing
22 (1	base and back of mid-rib are bright
	crimson
	D. — lineata (aureo-lineata.)
Broader lea	ives, stained pink
D. Knerkian	na (Aletris) 1 00 to 3 00
D. latifolia	(grandis). A Samoan species; deep
and bright	green, bordered white, edged rose 1 50
	A very desirable and distinct sort.
See page 8	
D maculata	80 50 to 1 00
D Wagger	eana (fragrans var.). See page 8 2 00
D. massang	Enact anching leaves assured
D. metallica	Erect, arching leaves, coppery
purple whe	n young, changing to dark purplish
bronze	
D. Mooreana	Long, beautifully undulated, deep
bronzy pur	ple leaves 1 00
	se
D. Mrs. Wil	ls 1 00

DRACÆNA, Continued.
D. nigro-rubra. Dark brown leaves with rosy crimso
centres; young leaves bright rosy crimson. A bol
and fine sort
D. nigrescens
D. porphyrophylla. Deep bronzy purple leaves,
under side glaucous; erect growing 1 0
D. Regina. A handsome species 1 0
D. Robinsoniana. Long, fine arched leaves;
ground color light green, striped bronze green
and brownish crimson 1 0
D. rubra (Charlswoodia). See D. Congesta 5
<b>D.</b> salmonea
D. Scottii. Deep green, crimson edged, lanceo-
late leaves; fine habit
D. terminalis. This fine old and extremely hand-
some species can be furnished in beautiful color
at all seasons in quantities at moderate prices;
it is an indispensable decorative and vase
plant
D. — alba. The genuine white terminalis, and a
superb variety.         See page 9          1 50 to 2 5           D. stricta grandis.         See page 9          2 6
D. stricta grandis. See page 9 2 0
D. umbraculifera. A very conspicuous and stout
dwarf species, with closely set recurved leaves,
giving it the appearance of a table top or um-
brella
<b>D.</b> vivicans
D. Warocquei
<b>D.</b> Wilsonii
<b>D.</b> Willsii
D. Youngi. Broad leaves: bright green when
young, streaked deep red and tinged rose, chang-
ing to bright bronze; of robust growth 10
See pages 8 and 9 for other beautiful Dra-
cænas.
ERANTHEMUM. Small decorative plants, with
fine colored leaves and peculiar flowers; very beau-
tiful.
E. albo-marginatum
<b>E.</b> igneum
E. nigrescens 50
E. sanguinolentum
<b>EUPHORBIA</b> . The species offered are all showy
blooming sorts, and very handsome and conspicu-
ous.
E. splendens (jacquiniæftora). Bright orange
scarlet, in long wreaths \$0 50
E. fulgens. A fine scarlet winter blooming spe-
cies; the thin and odd growth is thickly set
with stout thorns; the plant is sometimes called "Crown of Thorns"
called "Crown of Thorns" 50  E. pulcherrima. See Poinsettia pulcherrima.
<b>FAGRÆA</b> imperialis. A very imposing decorative plant, with large leaves. \$1.
FICUS. This, the fig family, contains besides the
fruiting forms, very many grand decorative species,
all of easy and luxuriant growth. They are partic-
ularly valuable for house decorations.
<b>F.</b> Amazonica

FICUS Cooperi. Dark green leaves a foot long . \$0 50
F. eburnea. Large and fine leaves of bright shin-
ing green, with pretty white mid-ribs and prin-
cipal veins; free growing and good 1 50
F. elastica. This, the well-known "Rubber
Tree," is certainly one of the best plants grown
for any decorative purpose. Its glossy, thick,
dark green leaves seem formed especially to re-
sist the dust and gas to which plants in dwel-
ling houses must be exposed. The plants are of
graceful habit, and the bright crimson leaf spathe
has fully the effect of a flower. The species is
of vigorous and robust growth, and is deservedly
highly esteemed
F. — fol. aurea var. A splendid new
decorative plant. See cut and description,
page 10
F. macrophylla. The "Moreton Bay Fig"
of Australia; has very large leaves 1 50 to 3 00
F. Moorei. A fine species 1 50 to 3 00
F. Parcelli. Has large serrated leaves of light green, blotched with white and dark
green; an elegant plant. See cut, p. 106. 50 to 1 00
FITTONIA. Elegant dwarf growing perennials, with
beautifully marked leaves.
F. argyroneura
F. gigantea
F. Pearcei
<b>FRANCISCEA</b> (Brunfelsia). Elegant winter blooming plants, with handsome sweet scented flowers.
F. confertiflora var
P. eximia. Very fine
F. hydrangæformis
. Hydrang atorinis





FICUS PARCELLI. (See page 105.)

FRANCISCEA, Continued.	HOYA. The "Wax Flowers" are ornamental flower
F. latifolia	ing plants, mostly of climbing habit, with very hand
F. Lindeniana	some and peculiar wax-like flowers.
GARDENIA. The species of this genus have beautiful flowers, mostly of the richest fragrance, for	H. bella
which they are highly prized.  G. citriodora	H. carnosa. The well-known form 5 H. — fol. var. Has variegated leaves 5
G. florida flore plena	H. imperialis
G. — fol. variegata       50 to 1 00         G. radicans fl. pl.       25 to 1 00	<b>IMPATIENS.</b> Of the Balsams we present the super ior species for pot culture. They are both valuable and handsome, flowering constantly.
G. Stanleyana	<ul> <li>I. Hawkerii. A fine new Impatiens, with very large and showy brownish red flowers, freely produced.</li> </ul>
plant on the order of the Aralias. \$1.50 to \$3.	beautiful plant. (See cut, page 107.) \$0 5
HIGGINSIA. Tropical American shrubs, with large and handsome foliage.	I. Sultani. A little gem, being continually covered with its pretty carmine magenta flowers,
<b>H.</b> Ghiesbreghtii (Campylobotrys)	which contrast beautifully with the shining green foliage

75 to 1 00



IMPATIENS HAWKERII. (See page 106.)

flowers remain a long time in perfection, and are on the order of Bouvardias; they are produced in enormous trusses of orange, crimson, scarlet and white. **I.** alba. White flowers . . . . . . . . . . . . . . \$0 50 to \$1 00 I. aurea. Golden flowers . . . . . . . . . 50 to 1 00 I. Bandhuca. Deep scarlet . . . . . . 50 to 1 00 I. Chelsoni. Orange salmon, shaded pink 50 to 1 00 I. coccinea grandiflora. Large flowers of 50 to 1 00 I. Colei. Pure white; a splendid species . 50 to 1 00 I. conspicua. Buff yellow flowers . . . . 50 to 1 00 50 to 1 00 I. crocea rutilans . . . . . . . . . . . . . . . . 50 to 1 00 I. Dixiana. Dark orange flowers . . . . I. Fraseri. Brilliant, flamed salmon . . . 75 to 1 00 I. illustris. Orange salmon . . . . . . . 50 to 1 00 L ornata. Bright orange salmon . . . . 50 to 1 00 50 to 1 00 I. profusa. Rosy salmon flowers, very 50 to 1 00 I. Prince of Orange . . . . . . . . . . . . . . . . 75 to 1 00 75 to 1 00 I. sanguinea. Crimson, shaded deep vio-50 to 1 00 I. venusta. Orange, changing to salmon

IXORA. Very handsome and elegant flowering ever-


green plants, especially adapted for stove house. The

•	IXORA Westii. Pale rose, changing
	to bright rose \$0 50 to \$1 00 <b>I. Williamsii.</b> Reddish
	salmon. (See cut, p. 108) \$0 75 to \$1 00
Z	<b>JACARANDA</b> mimosæfolia. An ornamental shrub, with fine Acacia-like
	foliage and panicles of blue flowers.
•	JASMINUM Sambac fl. pl. A well-
1/2	known plant, with beautiful double
1/6	white fragrant flowers, freely pro-
	duced. 25 to 50 cents.
11 1816	LASIANDRA macrantha. A beauti-
13/1/1/2	ful plant, bearing large deep violet purple flowers in winter; blooms best
	when of good size. 50 cents.
	LUCULIA. Very ornamental green-
	house shrubs with fragrant flowers
	and handsome leaves. The flowers
	are borne on terminal cymes, in the way of a Verbena.
	L. gratissima \$0 50 to \$1 00
	<b>L</b> . lanceolata 50 to 1 00
	L. speciosa 50 to 1 00 MEDINILLA. Beautiful evergreen
3	shrubs, producing profusely elegant
	flowers in terminal pendulous ra-
	cemes; require a moist and high tem-
	perature.
	M. Curtisii. White flow- ers \$0 50 to \$1 00
	M. magnifica. Rosy pink
	M. magnifica. Rosypink flowers 50 to 2 00
	M. magnifica. Rosypink flowers 50 to 2 00 MEYENIA erecta. A continuous
	M. magnifica. Rosypink flowers 50 to 2 00 MEYENIA erecta. A continuous blooming plant, producing fine blue
MUSSÆNDA.	M. magnifica. Rosypink flowers 50 to 2 00 MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.
	M. magnifica. Rosypink flowers 50 to 2 00 MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.
from tropical . M. erythrophy	M. magnifica. Rosypink flowers 50 to 2 00 MEYENIA erecta. A continuous blooming plant, producing fine blue flowers. Flowering plant for the stove house; Asia and Africa. \$2 00
from tropical M. erythrophy M. frondosa	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers. Flowering plant for the stove house; Asia and Africa.  11a
from tropical M. erythrophy M. frondosa PANAX. Dec	M. magnifica. Rosypink flowers 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  lla \$2 00 \$0 50 to \$1 00 orative plants of Aralia-like habit and
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  lla
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr	M. magnifica. Rosypink flowers 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  lla \$2 00 \$0 50 to \$1 00 orative plants of Aralia-like habit and
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr ble for green uses. P. crispatum.	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila \$2 00 \$0 50 to \$1 00 orative plants of Aralia-like habit and ee gowth; very ornamental and desirahouse or summer out-door decorative \$1 50 to \$3 00
from tropical M. erythrophy M. frondosa  PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  11a
from tropical M. erythrophy M. frondosa  PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. fruticosum	M. magnifica. Rosypink flowers 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila \$2 00 \$0 50 to \$1 00  orative plants of Aralia-like habit and ee gowth; very ornamental and desira- house or summer out-door decorative \$1 50 to \$3 00
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. fruticosum P. lepidum P. nitidum P. nitidum	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila . \$2 00 . \$0 50 to \$1 00  orative plants of Aralia-like habit and ee gowth; very ornamental and desira- house or summer out-door decorative . \$1 50 to \$3 00 . 1 50 to 3 00 . 1 50 to 2 50 . 1 50 to 2 50
from tropical M. erythrophy M. frondosa  PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. fruticosum P. lepidum P. nitidum P. nritidum P. ornatum	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. fruticosum P. lepidum P. nitidum P. ornatum P. plumatum	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. fruticosum P. lepidum P. nitidum P. ornatum P. plumatum P. Victoriæ (A	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. fruticosum P. lepidum P. nitidum P. ornatum P. plumatum P. Victoriæ (A PAULLINIA	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila \$2 00 \$0 50 to \$1 00  orative plants of Aralia-like habit and ee gowth; very ornamental and desira- house or summer out-door decorative \$1 50 to \$3 00 1 50 to 3 00
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. lepidum P. nitidum P. ornatum P. plumatum P. Victoriæ (A PAULLINIA climbing plant	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. fruticosum P. lepidum P. nitidum P. plumatum P. Victoriæ (A PAULLINIA climbing plant PAVETTA boo mental shrub	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. fissum P. fruticosum P. lepidum P. nitidum P. ornatum P. victoriæ (A PAULLINIA climbing plant PAVETTA bo mental shrub tinctly spotted	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. fissum P. fruticosum P. lepidum P. nitidum P. ornatum P. plumatum P. Victoriæ (A PAULLINIA climbing plant PAVETTA bo mental shrub tinctly spotted P. Natalensis	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. fruticosum P. lepidum P. nitidum P. ornatum P. plumatum P. Victoriæ (A PAULLINIA climbing plant PAVETTA bo mental shrub tinctly spottee P. Natalensis PHYLLANTH	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila
from tropical M. erythrophy M. frondosa PANAX. Dec moderately fr ble for green uses. P. crispatum P. fissum P. fruticosum P. lepidum P. nitidum P. ornatum P. plumatum P. Victoriæ (A PAULLINIA climbing plant PAVETTA bo mental shrub tinctly spottee P. Natalensis PHYLLANTH	M. magnifica. Rosypink flowers. 50 to 2 00  MEYENIA erecta. A continuous blooming plant, producing fine blue flowers.  Flowering plant for the stove house; Asia and Africa.  Ila



IXORA WILLIAMSI. (See page 107.)

POINCIANA (Casalpinia). The "Flower Fence."	POINSETTIA pulcherrima. Brilliant scarlet bracts
These are gorgeous flowering plants of great beauty.	at end of branches, sometimes a foot in width; most
P. pulcherrima. A West Indian prickly shrub, with	conspicuous and beautiful
orange yellow flowers of much beauty \$1 00	P. — alba. Creamy white bracts
P. regia. This species, from Madagascar, forms	P. — flore pleno. A form with a double series
a tree, and has superb bright scarlet flowers—a	of bracts, of a deep scarlet 1 00
splendid tree 1 00	PSYCHOTRIA leucantha. A fine flowering plant
POINSETTIA (Euphorbia). These are superb decora-	with beautiful large foliage. \$1.
tive plants, the beauty being in the highly colored	RHOPALA (Roupala). A genus of handsome decora-
bracts surrounding the small flowers; these are in per-	tive stove plants, mostly from South America.
fection about Christmas, and remain handsome for	R. carcovadensis (Pohlii)
many weeks.	R. Jonghei 1 50 to 3 00



SPHÆROGYNE LATIFOLIA.

RIVINA. Very pretty plants, bearing quantities of
bright red or orange berries, in racemes.
R. Braziliensis
<b>R.</b> humilis
<b>R. lævis</b>
RONDELETIA. Very floriferous and showy plants.
R. anomala
<b>R.</b> speciosa 50 to 1 00
RUELLIA. Very pretty free flowering plants, of easy growth; flowers of bright colors.  R. maculata argentea
RUSSELIA scoparia (juncea). A fine plant for bask-
ets, being of neat habit and delicate foliage, with showy
flowers. 35 to 50 cents.
nowers. 55 to 50 cents.
SANSEVIERA. Interesting plants from South Africa
and the East Indies; the foliage is attractive, and flow-
, ,
ers are pretty.
<b>S.</b> Guineensis
S. Zeylanica

SCIADOPHYLLUM. Fine foliage plants, with large	٤
and handsome leaves.	
S. fariniferum	)
S. pulchrum (Aralia) 2 00 to 5 00	
SOLANDRA grandiflora. An imposing plant, bear	
ing very large flowers nine to ten inches long. 75 cts.	
to \$1.	
SONERILA. Dwarf growing and beautiful greenhouse	
	7
plants, with silvery dotted and veined foliage.	
S. argentea	)
S. Hendersoni 50 to 1 00	)
S. marmorata 50 to 1 00	)
S. Margaritacea alba 50 to 1 00	)
S. picturata 50 to 1 00	,
SPHÆROGYNE (Tococa). Superb decorative plants	3
with wonderful foliage, elliptic in shape, and of ex-	-
treme beauty in both texture and coloring.	
S. imperialis	)
S. latifolia. See cut \$1 00 to 3 00	
STADMANIA amabilis. An imposing decorative	,
plant. \$2 to \$5.	

flowering plants from Africa and Madagascar.  S. polyantha. This species is very peculiar in the fact that one very large leaf is pressed on the surface of the ground, from the axil of which springs the upright flower stem	THEOPHRASTA.         Imposing and decorative plants from South America.           T. imperialis         \$3 00 to \$5 00           T. Jussæi         1 00 to 2 50           T. longifolia (Clavija)         1 00 to 2 50           T. latifolia         2 00 to 5 00           T. macrophylla         2 00 to 3 00           TORENIA Asiatica.         A beautiful plant, with delicate
ful flowering plant on the order of the Oleander, with handsome white double flowers. (See cut.) \$1.  TACCA cristata (Ataccia). A distinct Malayan plant. \$1.50 to \$3.  T. pinnatifida. The South Sea Arrowroot plant. \$1.50 to \$3.	blue and violet flowers, produced in profusion all through the summer. It is of creeping habit, and handsome for vases or baskets. 25 cents.  TRADESCANTIA discolor. Fine plant with purple leaves; an old and favorite plant. 25 to 50 cents.  T. Warscewiczii. A Dracæna-like plant, with fine
TERMINALIA. Handsome shrubs or trees, several of which are of economical value.  T. elegans	foliage



TABERNÆMONTANA CORONARIA FL. PL.

### XX.

# GENERAL LIST OF GREENHOUSE PLANTS.

HIS department includes a wide range of plants requiring only greenhouse temperature in winter—40 to 50 degrees at night—and consequently available for out-door planting in summer. Here will be found all the favorites of our summer gardens, common to the usual florists' catalogues, together with many just as easy of cultivation, and most beautiful, but not usually grown. Our stock is large and complete in all these classes.



ABUTILON, ECLIPSE.

ABUTILON. A class of showy flowering plants with
bell-shaped flowers, produced in profusion. They are
of good habit, and very decorative in any situation.
A. Boule de Niege. White flowers 80 2
A. Darwinii. Bright orange, darker veins 2
A. Eclipse. A fine new foliage Abutilon; the
leaves are richly marked with yellow and green;
of partly trailing habit
A. marmorophyllum. The choicest of the genus.
with soft velvety leaves, beautifully marmora-
ted with yellow and green 1 0
A. megapotamicum fol. var. Flowers pale yel-
low; foliage marbled
A. Prince of Orange
A. rosæflorum
A. roseum floribundum
A. Thompsoni. Richly variegated 2
A. Violet Queen
ACACIA. A large genus of flowering plants and trees
with exquisitely beautiful and delicate flowers, mostly
of yellow tints. In the following collection will be

found only the best kinds of useful sorts for cut flow-

ers as well as for decorative plants.

	00.
ACACIA argyrophylla	50
A. cordata	50
A. cultriformis	50
A. dealbata floribunda	50
A. Drummondi. Lovely pale lemon flowers;	
plant of dwarf habit 1	00
A. floribunda splendens	50
A. glauca	50
A. grandis	50
A. heterophylla	50
A. Hugelii	50
A. Latrobæi	50
A. lineata	25
A. melanoxylon	25
A. mollissima. One of the very best, with ele-	
gant flowers and foliage	50
A. ornata	50
A. paradoxa	50
A. pubescens. Very fine and showy, with yel-	
low flowers	50
A. Riceana	50
A. spectabilis	50
A. sphærocephala. A remarkable new Mexican	
species	50
	50
A. sinuatus (Stenocarpus Cunninghamii). A grand	
plant, with gorgeous orange colored flowers 1	50



ASPARAGUS PLUMOSUS. (See page 112.)



ARAUCARIA EXCELSA.

out-door decorations. \$1.50.
ASPARAGUS. To this genus, in addition to the form
used as a vegetable (A. officinalis), belong some of the
most beautiful and elegant foliage plants for cutting,
or for use in decorations as with smilax. They lend
grace and take away formality from baskets and vases
in which they are judiciously planted. The foliage,
when cut, is also much more enduring than any fern.
A. plumosus. A beautiful climber, with rather flat
foliage, finely divided
A. — nanus. An elegant dwarf form,
forming fine pot plants. See cut, p. 111. 1 00 to 2 00
A. tenuissimus. The most widely grown,
and a climber of extreme value. Its
lovely foliage has been described as "so
much emerald mist," yet it is of wire-like
strength and endurance when cut \$0 25 to \$0 75
A. virgatus. A fine feathery form 75 to 1 00
ARALIA. In addition to the species described on page

AMICIA Zygomeris. A fine Mexican plant, with pe-	ARALIA papyrifera (Fatsia). Half-
culiar foliage; excellent for sub-tropical planting or	hardy plant
out-door decorations. \$1.50.	A. quinquefolia. Excellent decorative
	plants, with superb foliage 1 50 to 5 00
ASPARAGUS. To this genus, in addition to the form	
used as a vegetable (A. officinalis), belong some of the	A. Sieboldii (Fatsia japonica) 50 to 2 50
most beautiful and elegant foliage plants for cutting,	A. — aurea reticulata 1 00 to 2 00
or for use in decorations as with smilax. They lend	A. — fol. albo-marginata 1 00 to 2 00
grace and take away formality from baskets and vases	A. trifoliata. A very decorative form . 1 00 to 2 00
in which they are judiciously planted. The foliage,	
when cut, is also much more enduring than any fern.	ARAUCARIA. A genus of noble evergreen plants
	of distinct habit, forming elegant decorative plants
A. plumosus. A beautiful climber, with rather flat	for the greenhouse.
foliage, finely divided \$0 75 to \$1 00	A. Bidwilli
A. — nanus. An elegant dwarf form,	A. Braziliensis. A superb South Amer-
forming fine pot plants. See cut, p. 111 . 1 00 to 2 00	ican species. Fine young plants from . 1 00 to 2 50
A. tenuissimus. The most widely grown,	- 01
and a climber of extreme value. Its	A. Cookii. Of peculiar habit 3 00 to 3 50
lovely foliage has been described as "so	A. Cunninghami 3 00 to 5 00
much emerald mist," yet it is of wire-like	A. — glauca. Silvery leaves; fine 5 00 to 8 00
	A. excelsa. This, the Norfolk Island Pine,
strength and endurance when cut \$0 25 to \$0 75	forms a most elegant decorative plant,
A. virgatus. A fine feathery form 75 to 1 00	with wide spreading branches and fine
ARALIA. In addition to the species described on page	foliage. See cut 2 00 to 5 00
95, we list here the following for greenhouse culture.	A. imbricata
A. crassifolia. A conspicuous species . \$1 00 to \$5 00	
A. crassitotia. A conspicuous species . \$1 00 to \$5 00	<b>A.</b> Rulei 2 50 to 5 00

AZALEA Indica. It is scarcely necessary to say anything in relation to these magnificent flowering shrubs, or dwarf trees, so well known and deservedly esteemed are they. Perhaps no other plants can afford such a brilliant display of lovely flowers with so little trouble. Many years of experience has taught us that dwarf standard or crown heads are decidedly the best form in which to grow Azaleas for this country, and we therefore offer only plants in that shape. The following limited collection embraces all the very best and most distinct sorts of both old and new varieties, and we can sell them by the dozen or hundreds at moderate prices.

GARDEN VARIETIES OF AZALEA INDICA.

A. Borsig. Pure white.

Alba speciosa plena. Fine double white.

Alice. Crimson; large flowers.

Amœna. Fine red; excellent form.

Antigone. Ivory white, blotched with violet.

Apollon. Brilliant red.

Argus. Light salmon red; semi-double.

Baronne de Vriere. Large white flowers, ribboned with light red.

Baron Killich von Horn. Deep rose violet.

Baron Nathaniel von Rothschild. Double purple vi-

Baron Edouard Ory. Orange.

Beauty Supreme. Fine large form and rosy color.

Bernhard Andrea. Double; bright rose.

Bernhard Andrea alba. Fine; pure white.

Bignoniæflora plena. Very double; rose.

Candidissima. Excellent; pure white.

Cassandra. White, pointed with red.

Chas. Darwin. Double white, pointed rose.

Ch. Encke. Rose, edged with violet.

Cocarde Orange. Fiery orange red.

Comte de Chambord. Very large; salmon rose.

Comtesse de Flandre. Striped salmon rose.

Concordia. Deep red; fine form.

Daphne. Semi-double; white, striped with red ribbons.

David Milne. Very large, undulated; white.

Deutsche Perle. Double white; good for bouquets; one of the very best.

Desdemona. Double; rosy white.

Distinction. Fine large rose flowers.

Dr. Liebig. Highly colored, rich crimson; large and full; very floriferous.

Duchess Adelaide de Nassau. Amaranth red, with vermilion orange; very large and finely formed.

Duchess de Flanders. A most beautiful variegated variety; very lively colors.

Duc de Nassau. Dark rose carmine.

Elise Lieber. White, striped with violet.

Flag of Truce. Very large; double white: very fine.

Gloire de Belgique. White, striped with carmine.

Grossfurstin Helene. Orange and deep brown spots. Gustave Guilmot. Striped flowers; good for forcing.

Harlequin. Striped and blotched with rose and violet. Hermine. Double white, with carmine ribbons.

Herman Seidel. Double; lively rose.

Hermosa. Double light rose.

Imperatrice des Indes. Very large salmon rose flow. ers, with undulated petals.

Jean Verschaffelt. Large deep orange flowers; rich and effective.

John Gould Veitch. Rose lilac, striped with saffron and crimson.

John Pope. Very large; salmon red.

Louise Pynaert. Best double white.

Le Flambeau. Very deep crimson.

Mad. Ambroise Verschaffelt. White, with rose and crimson.

Mad. Charles Van Eickhaute. A large and perfect double white flower.

Mad. Alex. Hardy. Very large; flesh colored orange and violet blotched.

Mad. Louise de Kerchove. Large white flowers, with orange blotches and flesh colored circles.

Mad. J. E. Plancheon. Large flowers of clear white, striped yellow.

Mad. L. Van Houtte. Fine large scarlet flowers, striped with white; extra fine.

Mad. Emma Eilers. Very large; double crimson rose. Mad. Van der Cruyssen. Very large; deep rose-a vivid and brilliant color, and in our judgement one of the best in cultivation.

Marshall P. Wilder. Double white, dotted and striped with lilac rose; a new color.

Marquis of Lorne. Orange, with yellow blotches.

Memoire de Louis Van Houtte. Very large brilliant rose flowers.

Meteor. Double bright rose.

Mrs. Wright. Fine red and white striped flower, like a carnation.

Narcissiflora flore pleno. Double white.

Oswald de Kerchove. Lively lake rose, with fiery blotch; splendid habit.

Pauline Mardner. Rose, double; a fine sort.

Pluto. The darkest and richest blood red large flowered

Princess Charlotte. Lively deep rose.

Punctulata. Creamy white, red spotted.

Roi de Beauties. Rose, edged with white. Roi de Holland. Fiery red, very free flowering.

Roi Leopold. Double orange.

Sacountala. Very floriferous; white flowers, double and large: fine market plant.

Senator Van Camp. Very large, double; lively carmine with deeper center.



AZALEA INDICA.



BOUVARDIA, ALFRED NEUNER.

#### AZALEA INDICA, Continued.

Souvenir de Arthur Veitch. A very large single flower of satiny salmon crimson, blotched deep red.

Souvenir de Francois Vervæne. White, striped rose. Souvenir de Prince Albert. A large and double light rose and variegated flower.

**Vesuvians.** Rose orange red, blotched white; very bright and distinct.

Price for strong plants, \$1 to \$2 each.

The above specially selected collection of the best sorts and of the most distinct colors, are supplied in plants, all of perfect shape, measuring from 1 to  $1\frac{1}{2}$  feet high, and their beautifully and symmetrically shaped heads about one foot in diameter, all set with buds in season. Per dozen, our selection, \$10; purchaser's selection, \$15; or 100 plants of this collection, \$75; 50 at 100 rate. Fine specimen plants, at prices according to sizes and varieties, always in stock.

**BANKSIA.** Evergreen greenhouse shrubs from Australia, with attractive foliage.

2	trana, with a	υL	ra	Ct	11	е	10	111	$_{\rm 1g}$	e.					
B.	Ericæfolia														\$1 00
В.	integrifolia														2 00
В.	verticillata														2 00
B.	speciosa .														3 00

BORONIA. Elegant flowering shrubs for greenhouse culture. The flowers are small, but very pretty and deliciously fragrant, usually pink-purplish or white, and very useful for cutting and bouquets.

			 ~ ~	-	1 ~	 •				
В	. Drummondi								\$1	00
В	elatior								1	75
В	. megastigma								1	00
В	. polygalæfolia	a							1	00
В	. serrulata								1	00
В	. tetrandra								1	00
B	vimines.								1	00

BOUVARDIA. One of our finest greenhouse evergreen plants, furnishing freely in winter handsomely formed corymbose heads of elegant flowers, most valuable for cutting, and indispensable in good floral work. The richness and variety of colors give them great value, and the recent double forms have further extended their use.

B. Alfred Neuner. Double; white of elegant form and habit.

R	Bridal	Wreath.	Delicate	pink.

- B. candidissima. White.
- B. Dazzler. Rich scarlet.
- B. Davisoni (Vreelandi). White; one of the
- B. elegans. Rich carmine, a superior sort.
- B. Hogarthii fl. pl. Double; scarlet.
- B. Lady Hyslop. Light pink.
- B. leiantha. Bright scarlet; very free.
- B. President Garfield. Double; reddish pink.
- B. Priory Beauty.
- B. rosea salmonea.
- B. rubis.
- B. Sanglorrain.
- B. splendens. Very bright and rich flowers.
- B. Triomph de Nancy.
- B. Victor Lemoine.
- B. Vreelandii. See B. Davisonii.

Any of the above, 25 to 50 cts. for good strong plants.

BREXIA. Showy and imposing plants, with grand foliage.

1	age.									
B.	chrysophylla								\$3	00
B.	Madagascariensis								3	00
B.	serrata								3	00

**BROWNEA.** Very handsome evergreen plants, bearing large and very showy flowers.

**BRUGMANSIA** (Datura). Fine and floriferous decorative plants, useful for lawns and sub-tropical gardening.

- **B. sanguinea.** Very handsome . . . . 75 to 100 **BUDDLEIA.** Shrubs bearing a profusion of distinct,
- oddly formed and beautiful flowers. **B. globosa.** Orange colored flowers . . . . . \$0 50 **B. Madagascariensis** . . . . . . . . . . 50

BURCHELLIA capensis. A plant with very dark green foliage and a profusion of orange red flowers. \$1.

**CAMELLIAS** (Camellia japonica and hybrida). Splendid evergreen shrubs or trees, with glossy foliage and flowers of great beauty and regularity of outline; varying from pure white to rich crimson scarlet. We cultivate and keep in stock all the leading sorts, principally those with imbricated flowers, of the most distinct colors, and furnish good strong plants with flower buds, at \$1 to \$2 each. Prices for larger quantities and for larger specimens on application.

CARMICHELIA Australis. A very interesting plant, with pea-like flowers in profusion. \$1.

CAROLINE	A (Pachira).	Noble	Central	American
plants, with	n beautiful folia	ige and	showy flo	wers.
C. insignis.	Pale red flowe	rs	\$2	00 to \$5 00

 C. insignis.
 Pale red flowers
 \$2 00 to \$5 00

 C. macrocarpa
 2 00 to 5 00

 C. princeps
 2 00 to 5 00

**CASUARINA**. Interesting and handsome evergreen trees, of rapid growth in the tropics, and now being planted in Key West and Cuba.

 C. equisetifolia.
 Used as a street tree in Cuba, and of much beauty and merit
 \$0.50 to \$1.50

 C. torulosa
 50 to 1.00

**CASSIA.** Cassias are beautiful floriferous shrubs of easy cultivation, and are excellent plants with fine foliage; useful for the decoration of greenhouses and conservatories. Flowers yellow in large panicles.

 C. corymbosa
 \$0.50

 C. floribunda
 50

 C. grandiflora
 50

 C. lævigata
 50

**CESTRUM** aurantiacum. A beautiful flowering shrub, with luxuriant foliage and orange flowers, in racemes, which appear late in autumn. 25 to 50 cents.

CHEIROSTEMON platanoides. The "Hand Tree" from Mexico, so called because of the peculiar resemblance of its flowers to a human hand; a fine plant, and very interesting. \$2.

CHORIZEMA. Very fine dwarf shrubs from New Holland, with beautiful flowers early in spring,

**CHRYSANTHEMUM.** In the last ten years a great deal of attention has been paid to the varieties of *C. Sinense*, and they have been developed to a wonderful degree of perfection and beauty. We now have a very wide range of form, color and size, from the little pompons, barely half an inch in diameter, to the superb Japanese sorts, whose fantastic petals extend over a width of six to eight inches. The colors include all

shades, from the purest snow white to deep rich crimson, from wonderful shades of yellow and chrome to a distinct purple; some are varied, and others again have the faces of their broad petals of one hue, while the backs are a lovely contrasting shade. Then there is a vast and unending variety of form-some have flowers of Camellia-like regularity, while others are like masses of narrow ribbons, thrown together regardlessly; the exquisite quilled and tubular forms are in sharpest contrast with the odd but beautiful anemoneflowered varieties. Indeed, descriptions fail to convey an adequate idea of the extreme beauty of these flowers. We refer readers to our special Chrysanthemum catalogue, sent on application, for a select list of the very best sorts of the day, which stand the critical test of the New York flower markets.

CISSUS Antarcticus. A very valuable climbing plant, with glossy cordate leaves; excellent for covering walls. The plant stands any rough treatment, and can be used like ivy in dark and shady places. 50 cents.

CITRUS. To this family belong the orange, lemon, lime, etc. We offer varieties which form very handsome dwarf ornamental trees, and fruit easily in a greenhouse temperature. Their rich green leaves, exquisitely fragrant flowers and attractive fruit commend them to those who admire flowers and ornamental trees.

C. Aurantium amarum. Sour orange . \$1 50 to \$2 50 C. — dulcis. The sweet orange . . . . 1 50 to 2 50 C. nobilis. The peculiar and very distinct


"Mandarin" orange . . . . . . . 2 00 to 4 00 C. Japonica. The "Kumquat;" bears

small fruits, which are eaten skin and all; very ornamental and desirable . . . . 50 to 1 00 C. Limetta. The sweet Lime; small, but

some ornamental tree' . . . . . . . . . . . . 1 00 to 1 50



A POT-GROWN CITRUS IN FRUIT.



NEW CHRYSANTHEMUM, MRS. ALPHEUS HARDY.

CITRUS, Continued.
C. medica. The Citron or Cedrat \$1 00 to \$2 50
C. — acida. The cultivated West Indian
Lime; a very valuable acid fruit 1 00 to 1 50
C. Sinensis (Tahitensis). A Chinese orange
with small flattened fruit 50 to 1 00 Several other fine new sorts from Japan and China,
ready to bear, \$3 to \$5.
CLETHRA arborea. The "Lily of the Valley Tree."
A splendid greenhouse tree. 75 cents.
C. — fol. variegata. Has variegated leaves. \$1.
CLEYERA Japonica. A very fine variegated plant from Japan. \$1.
-
CLIANTHUS Dampierii. A fine plant with curious
and richly-colored crimson and jet black flowers and
glaucous foliage. 50 cts. to \$1.  C. puniceus. A pretty New Zealand plant, with scarlet,
oddly shaped flowers. 50 cents.
COLLETIA Bictonensis. A very conspicuous and
fine flowering shrub from Chili. \$1.
COPROSMA Baueriana picturata. Another very
fine variegated plant from New Zealand; the leaves
are oddly blotched in varying forms. 50 cents.
CORREA. The Correas are beautiful flowering shrubs
from New Holland; they are fine flowers for bouquets,
and are of easy growth.
C. alba
C. cardinalis       1 00         C. Cavendishii       1 00
CORONILLA glauca fol. var. A charming little
plant, with fine yellow flowers. 25 cents.
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni
plant, with fine yellow flowers. 25 cents.           CRESCENTIA. Large, spreading greenhouse trees from Central America.           C. Lindeni
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00  C. macrophylla (Ferdinandusa) . 3 00  C. regalis . 3 00  CROWEA. The Croweas are first-class flowering plants.  The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection.
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00  C. macrophylla (Ferdinandusa) . 3 00  C. regalis 3 00  CROWEA. The Croweas are first-class flowering plants.  The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection.  C. elliptica
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00  C. macrophylla (Ferdinandusa) . 3 00  C. regalis 3 00  CROWEA. The Croweas are first-class flowering plants.  The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection.  C. elliptica \$1 00  C. macrantha (latifolia) 1 00  C. saligna 1 00  C. stricta 1 00
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00  C. macrophylla (Ferdinandusa) . 3 00  C. regalis . 3 00  CROWEA. The Croweas are first-class flowering plants.  The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection.  C. elliptica . \$1 00  C. macrantha (latifolia) . 1 00  C. saligna . 1 00  C. stricta . 1 00  DAPHNE indica alba (odora). An excellent florist's
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00  C. macrophylla (Ferdinandusa) . 3 00  C. regalis . 3 00  CROWEA. The Croweas are first-class flowering plants.  The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection.  C. elliptica . \$1 00  C. macrantha (latifolia) . 1 00  C. saligna . 1 00  C. stricta . 1 00  DAPHNE indica alba (odora). An excellent florist's plant for cut-flowers; the flowers are beautiful and
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00  C. macrophylla (Ferdinandusa) . 3 00  C. regalis . 3 00  CROWEA. The Croweas are first-class flowering plants.  The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection.  C. elliptica . \$1 00  C. macrantha (latifolia) . 1 00  C. saligna . 1 00  C. stricta . 1 00  DAPHNE indica alba (odora). An excellent florist's plant for cut-flowers; the flowers are beautiful and very fragrant and are always much admired. See cut.
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00 C. macrophylla (Ferdinandusa) . 3 00 C. regalis . 3 00 CROWEA. The Croweas are first-class flowering plants.  The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection.  C. elliptica . \$1 00 C. macrantha (latifolia) . 1 00 C. saligna . 1 00 C. stricta . 1 00 C. stricta . 1 00 DAPHNE indica alba (odora). An excellent florist's plant for cut-flowers; the flowers are beautiful and very fragrant and are always much admired. See cut. 50 cents.  D. — rubra . \$0 50 DIOSMA. Cape of Good Hope shrubs, with fragrant
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00 C. macrophylla (Ferdinandusa) . 3 00 C. regalis . 3 00 CROWEA. The Croweas are first-class flowering plants.  The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection.  C. elliptica . \$1 00 C. macrantha (latifolia) . 1 00 C. saligna . 1 00 C. stricta . 1 00 C. stricta . 1 00  DAPHNE indica alba (odora). An excellent florist's plant for cut-flowers; the flowers are beautiful and very fragrant and are always much admired. See cut. 50 cents.  D. — rubra . \$0 50  DIOSMA. Cape of Good Hope shrubs, with fragrant foliage and an abundance of flowers: of excellent
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00 C. macrophylla (Ferdinandusa) . 3 00 C. regalis . 3 00 CROWEA. The Croweas are first-class flowering plants.  The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection.  C. elliptica . \$1 00 C. macrantha (latifolia) . 1 00 C. saligna . 1 00 C. saligna . 1 00 C. stricta . 1 00  DAPHNE indica alba (odora). An excellent florist's plant for cut-flowers; the flowers are beautiful and very fragrant and are always much admired. See cut. 50 cents.  D. — rubra . \$0 50  DIOSMA. Cape of Good Hope shrubs, with fragrant foliage and an abundance of flowers: of excellent habit, and useful in greenhouse adornment.
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00 C. macrophylla (Ferdinandusa) . 3 00 C. regalis 3 00 CROWEA. The Croweas are first-class flowering plants.  The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection.  C. elliptica \$1 00 C. macrantha (latifolia) . 1 00 C. saligna 1 00 C. stricta 1 00 C. stricta 1 00 DAPHNE indica alba (odora). An excellent florist's plant for cut-flowers; the flowers are beautiful and very fragrant and are always much admired. See cut. 50 cents.  D. — rubra . \$0 50 DIOSMA. Cape of Good Hope shrubs, with fragrant foliage and an abundance of flowers: of excellent habit, and useful in greenhouse adornment.  D. ambigua . \$0 50 D. ciliata 50
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00 C. macrophylla (Ferdinandusa) . 3 00 C. regalis . 3 00 CROWEA. The Croweas are first-class flowering plants. The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection. C. elliptica . \$1 00 C. macrantha (latifolia) . 1 00 C. saligna . 1 00 C. stricta . 1 00 C. stricta . 1 00 DAPHNE indica alba (odora). An excellent florist's plant for cut-flowers; the flowers are beautiful and very fragrant and are always much admired. See cut. 50 cents.  D. — rubra . \$0 50 DIOSMA. Cape of Good Hope shrubs, with fragrant foliage and an abundance of flowers: of excellent habit, and useful in greenhouse adornment. D. ambigua . \$0 50 D. ciliata . 50 D. Echlomiana . 50
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00 C. macrophylla (Ferdinandusa) . 3 00 C. regalis . 3 00 CROWEA. The Croweas are first-class flowering plants.  The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection.  C. elliptica . \$1 00 C. macrantha (latifolia) . 1 00 C. saligna . 1 00 C. stricta . 1 00 C. stricta . 1 00 DAPHNE indica alba (odora). An excellent florist's plant for cut-flowers; the flowers are beautiful and very fragrant and are always much admired. See cut. 50 cents.  D. — rubra . \$0 50  DIOSMA. Cape of Good Hope shrubs, with fragrant foliage and an abundance of flowers: of excellent habit, and useful in greenhouse adornment.  D. ambigua . \$0 50 D. ciliata . 50 D. Echlomiana . 50 D. fragrans . 50
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni . \$3 00 C. macrophylla (Ferdinandusa) . 3 00 C. regalis . 3 00 CROWEA. The Croweas are first-class flowering plants. The flowers appear early in spring, and are delicate rose and pink. These plants should be in every collection. C. elliptica . \$1 00 C. macrantha (latifolia) . 1 00 C. saligna . 1 00 C. stricta . 1 00 C. stricta . 1 00 DAPHNE indica alba (odora). An excellent florist's plant for cut-flowers; the flowers are beautiful and very fragrant and are always much admired. See cut. 50 cents. D. — rubra . \$0 50 DIOSMA. Cape of Good Hope shrubs, with fragrant foliage and an abundance of flowers: of excellent habit, and useful in greenhouse adornment. D. ambigua . \$0 50 D. ciliata . 50 D. ciliata . 50 D. fragrans . 50 D. purpurea . 50
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni
plant, with fine yellow flowers. 25 cents.  CRESCENTIA. Large, spreading greenhouse trees from Central America.  C. Lindeni

**ERIOBOTRYA** (*Photinia*) japonica. Decorative plant, with large foliage and interesting flowers and fruit. 50 cents to \$1.

**ERIOSTEMON.** Charming Australian plants, with an abundance of white flowers early in the spring

abundance of v	. 11	IUC	. 1.	10	226	1 .	9 (	 . 10	1.	 CII	σþ	1 1.	112		
E. densiflorum														\$1	00
E. floribundum														1	00
E. linifolium .														1	00
E. myoporoides														1	00
E. ovatum														1	00
E. pulchellum .														1	00
E. scaber														1	00

**EUCALYPTUS.** A genus of Australian trees, called "Gum Trees," or "Fever Trees," and very largely found in the Australian forests. They form fine decorative plants in greenhouses, and are reputed to absorb malarial germs from the atmosphere; for this purpose they are largely planted where they are hardy.

**EUGENIA Australis.** A myrtle-like plant, with fine foliage and red berries. 50 cents.

E. Jambos. The "Rose Apple:" a beautiful evergreen tree or plant, with long and narrow, thick and shining foliage. 81.

PARFUGIUM grande (Ligularia Kompferi aureo-maculata). A splendid greenhouse plant, with large round glossy leaves, irregularly spotted and blotched yellow or white. The stems are thick and fleshy, and the tendency of the plant is to make a round bushy mass of most distinct and ornamental appearance. As a house plant this excels; few plants will flourish so well under indifferent conditions, or give better satisfaction. It is far more decorative than many newer plants which are sold at much higher prices, and is in every way worthy; will endure as much neglect as an Aspidistra. See cut. page 122. 50 cents to \$1.



DAPHNE INDICA ALBA

<b>GREVILLEA.</b> Beautiful greenhouse flowering plants with graceful foliage.	
G. Drummondii	
G. Manglesii	
G. robusta. The Australian "Silk Oak." and a	
most beautiful plant, with delicate fern-like fol-	
iage; forms a most attractive specimen for any	
decorative uses	
G. Thelemanniana (Preissi) 50	
HABROTHAMNUS (Cestrum). Very handsome bloom-	
ing plants: fine for conservatories.	ALK TO THE REPORT OF THE PARTY
<b>H.</b> aubletia	
H. corymbosus	
H. elegans. Of climbing habit; a fine plant with	
purplish red flowers	
H. fasciculatum       50         H. Huegelii       50	
H. Huegelii	
mental plant 50	
HELICHRYSUM. Charming little shrubs from South	
Africa, with silvery white foliage and large showy	
flowers in early spring. Excellent for bouquets, and	HYDRANGEA HORTENSIS ROSEA.
also valuable as "everlasting" flowers when dried.	
H. argenteum	HYDRANGEA hortensis Otaksa. A very desir-
H. grandiflorum	able Hydrangea, producing immense panicles of
<b>H.</b> purpureum	large, rosy carmine flowers; blooms when quite
H. speciosissimum	young and is a valued sort
H. spectabilis	H. — rosea. An elegant form, with large heads
HIBISCUS. Of this very extensive genus, we offer	of rosy red; a beauty. See cut
here only varieties of the species rosa-sinensis, which	H. — Thomas Hogg. The finest white variety,
are all very showy and brilliant flowering plants,	bearing enormous trusses of beautiful flowers; nearly hardy, and a superior sort; it is extensive-
growing and blooming freely in onr summers out-	ly grown for cutting and decorating by many
doors. They form magnificent specimens when liber-	florists
ally treated, and are especially valuable to give life and color to groups of tropical foliage plants.	H. Japonica Imperatrice
H. rosa-sinensis carneo pleno \$0 25 to \$0 50	H. nigro-picta. New; has black stems, and love-
H. — Cooperi. Beautiful variega-	ly deep red flowers; a grand sort 1 0
gated leaves, marked with white and pink,	H. paniculata grandiflora. The well-known
crimson and deep green; an elegant	hardy white sort. See hardy plants \$0 25 to 5
plant	H. stellata fimbriata. A new variety of distinct
H. — luteo pleno	habit. Has trusses of large size, with pure white
<b>H</b> . — puniceo	florets, having a crimson spot in center; the edge of the petals are remarkably cut, and it is an at-
H. — fulgens. A single flowering	tractive plant
sort of great beauty. See cut, p. 119 25 to 50	H. — rubra plena. A new and beautiful Hy-
HYDRANGEA. To this genus belong some of our	drangea, with double bracts of a rich rosy red.
most essential greenhouse blooming shrubs. They	The plant is of rapid and handsome growth, and
have all large terminal heads of flowers, varying from pure white to deep blue, crimson, rose, etc., and made	forms a beautiful specimen; hardy 1 0
up of numerous little florets, which are used to great	ILLICIUM. Fine greenhouse plants, with glossy fol
advantage by the floral worker. Well grown bloom-	age and beautiful fragrant flowers.
ing plants are extremely showy and ornamental, and	I. anisatum. Yellowish white flowers; a sacred tre
are peculiar in the long endurance of the flowers,	of the Japanese
which will often remain in full beauty for months.	I. floridanum. Fine deep red flowers 5
H. cyanoclada. A beautiful new species. Flow-	I. religiosum. See I. anisatum
ers very large, in fine panicles; rich deep rosy	IOCHROMA. Most floriferous South American shrubs
pink, shaded with satiny rose, on the order of	of great value and beauty for greenhouses and conser
that beautiful orchid, Phalænopsis Schillerianum . \$1 00	vatories.
<b>H.</b> hortensis. The old pink form, and one of the best for specimens; in soils containing iron the	I. coccinea
blooms are often blue. Almost hardy; can be	I. toneliana
kept outside with a little protection 25	I. Tubulosa
H. — cærulescens. Bright blue flowers	I. Warscewiczii



HIBISCUS ROSA-SINENSIS FULGENS. (See page 118.)

JASMINUM. Well-known nowering plants of elegant
habit, with deliciously fragrant flowers.
J. grandiflorum. White flowers. See cut, p. 120 \$0 50
J. — flore pleno. A double form 50
J. odoratissimum. A yellow flowering variety. 50
J. Reevesii. Flowers in winter, and hence valu-
able
<b>LAURUS Camphora.</b> A very fine plant, with large glossy leaves; an excellent ornamental plant. 75 cts.
LAVATERA arborea variegata. An excellent and
showy plant, with soft leaves, finely variegated. \$1.
LEUCOPHÆA candicans. A showy plant. 25 cts.
LEUCOPHYTA Brownii (Calocephalus). A handsome

plant, with silvery white foliage. 25 to 50 cents.

LIGULARIS Kæmpferi aureo-maculata (Farfugium grande). A fine dwarf foliage plant, with dark green shining leaves, spotted with yellow. 50 cents to \$1.

 LOMATIA. The Lomatias are elegant foliage plants from Australia and Chili.

 L Bidwill.
 \$1 00 to \$2 00

 L. elegans (elegantissima)
 2 00

 L. ferruginea. Of graceful habit
 1 00 to 2 00

 L. heterophylla
 1 00 to 2 00

 L. longifolia
 1 00 to 2 00

METROSIDEROS (Callistemon). Evergreen trees, mostly with handsome flowers, from the Pacific Islands. 50 cents to \$1.



JASMINUM GRANDIFLORUM.

METROSIDEROS, Continued. MONTAGNEA (Montanoa) heracleifolia. A most imposing plant for summer out door decorations, with large and deeply cut foliage. 50 cents to \$1. MYOPORUM crystallinum. A peculiar plant, with crystallized or frosted leaves. 75 cents to \$1. NANDINA domestica purpurea. From Japan. "A pretty little evergreen shrub, with decompound leaves and terminal panicles of white flowers; very sweet scented, followed by small red berries." \$1. PERIMENIUM discolor (Schistocarpus bicolor). A very imposing plant of bold character for out-door decoration in summer. 50 cents to \$1. PHORMIUM. The Flax Lily or New Zealand Flax. Excellent greenhouse plants of distinct habit. P. Cookianum (Colensoi) variegatum. Has elegantly P. tenax. A well-known form: has vellow or red flowers and dark green foliage, 50 to 1 00 P. — atro-purpureum. Elegant pur-75 to 2 50 P. — variegatum. Leaves striped yellow and white . . . . . . . . . . . . . . . . 1 00 to 2 50 P. - Veitchii. Has shorter leaves, handsomely striped . . . . . . . . . . . . . . . . . . 1 00 to 2 50 PITTOSPORUM Tobira (sinensis). A handsome, broad-leaved evergreen shrub, hardy and popular in our southern states; flowers white. 25 cents to \$1. POLYGALA. Fine sweet pea-like flowering plants, blooming early in spring. **P. mystifolia** . . . . . . . . . . . . . . . . . 50 to 1 00 50 to 1 00 50 to 1 00 R. — macrophylla aurea marginata 50 to 1 00 RHYNCHOSPERMUM (Trachelospermum) jasmin-

oides. A fine plant, bearing beautiful white sweet-

R. variegatum. A form with variegated leaves . \$0 35

scented flowers. 25 cents.

RHODODENDRON. This magnificent genus needs no description. The really beautiful flowers, of so many varying yet brilliant colors, and the handsome foliage combine to produce a fine decorative effect in any situation. We offer in this list species for greenhouse cultivation, mostly hybrids of R. arboreum, and the Himalayan varieties of R. ponticum. The collection is a fine one, and the plants we supply are not excelled by any.

**R.** albescens. Very large and fragrant white

flowers	\$2 00	to s	\$2 50
R. Ætaclarense. Lively red flowers; fine			
foliage			1 50
R. arboreum vernum. Fine scarlet red	1 00	to	3 00
R. — hybridum chrysolectum. Yel-			
low flowering, in several varieties	1 00	to	3 00
R. — Smithii. Deep scarlet red	1 00	to	3 00
R. Andersoni. (Himalaya)			
R. argenteum. (Sikkim species). White		00	0 00
flowers; large leaves, the underside sil-			
very white; fine habit			2 80
R. Assamicum. Very large milky white			~ 00
flowers and narrow lanceolate leaves	9 00	to	3 00
	≈ 00	LU	5 00
R. calophyllum. Large, white, funnel-shaped flowers	1 50	+	2 50
R. Campbellii. (Sikkim species.) Com-	1 90	ю	÷ 50
			0 =0
pact bouquet of brilliant red flowers			2 50
R. campanulatum. Lilac flowers, spot-			9.00
ted with purple; from Nepaul			2 00
R. ciliatum. White and rose; a florifer-			
ous and very elegant small species; an			- 00
excellent florist's plant			1 00
R. cinnamomeum. (Hybrid of arborea.)			
Dark red flowers; under surface of leaves			
brown	1 00	to	2 00
R. Countess of Derby. Pure white, large			
bell-shaped flowers; very fragrant			2 50
R. Countess of Haddington. Large			
blush white flowers	1 00	to	2 00
R. Dalhousiæ. (Assam species.) Large			
white flowers; fine foliage and excellent			
habit; one of the finest of this class of			
Rhododendrons			3 00
R. Daviesii. (Hybrid of Javanicum.) A			
very profuse flowering sort, with hand-			
some orange red flowers and fine foliage			2 50
R. Duchess of Connaught. Bright ver-			
milion red flowers, of great substance .			3 50
R. Duchess of Sutherland. Large,			
white, sweet-scented flowers; robust			
habit			3 50
R. Duchess of Teck. Buff yellow and			
scarlet flowers; very showy			2 50
R. Edgeworthii. (Himalayan species.)			
Large, cup-shaped, fragrant white flow-			
ers	2 00	to	3 00
010	2 00	20	00



DH	$\alpha$	DEN	DD	ON

RHODODENDRON, Continued.		
R. Edgeworthii grandiflorum (Hybrid). flowering new sort, with extremely large white flowers	_	
R. Emblem. Large heads of long tubed		
flowers of beautiful pink color		2 00
R. Falconeri. (Himalayan species.) Very		
fine flowering species, with large leaves;		
from Himalaya	2 00 to	3 00
R. formosum (Gibsoni). A Himalayan		
species, with delicate pink sweet-scented		
flowers		1 00
R. fragrantissimum. Pure white, shad-		
ed with rose; flowers fragrant	2 00 to	3 00
R. fulgens. (Hybrid of arboreum.) Rich		
fiery crimson flowers; compact habit	1 50 to	2 50
R. graveolens. (Hybrid of Assamicum.)		
White; a profuse flowering sort	1 50 to	2 50
R. Himalaicum. A species with trusses		
of bright carmine flowers	2°00 to	3 00
R. Hodsoni. Superb bouquet of deep rose		
flowers	2 50 to	3 00
R. jasminiflorum	1 50 to	200
R. Javanicum. Golden yellow; fine fol-		
iage; rare	2 50 to	5 00
R. Jean Verschaffelt. Cherry red and		
carmine, spotted with black; very fine .		2 00
R. Jenkinsii. Large, white, funnel-shaped		
flowers; fine for conservatories, making		
a handsome specimen	1 50 to	2 00
R. Lady Alice Fitzwilliam. Clusters		
of very large white flowers	1 50 to	2 00

	R. longifolium. (Bhotan species.) Has	
		\$2 50
	R. Mrs. James Shave. White, cup-	
	shaped flowers of great substance; of	
	compact and bushy habit \$1 50 to	2 00
	R. multiflorum 1 50 to	2 00
-	R. nilagericum. Species from Nepaul,	
1	with large trusses of blush colored	
-)	flowers 2 00 to	3 00
1	R. Nuttalli. (Bhotan species.) Col-	
	ossal white flowers, with yellow cen-	
	ter; very fine 2 50 to	5 00
	R. Pink Beauty. (Hybrid.) Pink	
	flowers	2 50
	R. præcox. A dwarf bushy sort, with	
	glossy myrtle-like leaves and an	
	abundance of showy rosy lilac flow-	
	ers, very early in spring or in late	
	winter. The flowers are large in	
	size; a very fine exhibition variety;	0 -0
	new	3 50
9	R. Prince of Wales. A fine sort	2 50
7	R. Princess Alexandra. With large white-tubed flowers; compact habit	0 =0
	R. Princess Alice. Dwarf, bushy sort, with	2 50
	clusters of bell-shaped white flowers	1 00
		1 50
	R. Princess Albert. Deep lake red R. Princess Helene. Large tubed pink flow-	1 50
	ers; dwarf bushy habit, very fine	1 00
	R. retusum. Species with orange tubular	1 00
	flowers	2 00
R.		2 00
	. Roseum odoratum. A hybrid from Azalea led-	
		2 50
R.	. Rosy Gem. Large trusses of tube-shaped	
1		2 00
R.		
R		2 00
Tu.	. Thibautiana. Species from Bhotan, with	2 00
]	. Thibautiana. Species from Bhotan, with bright red tubular flowers	2 00
R.	bright red tubular flowers	2 00
R.	bright red tubular flowers	2 00
R.	bright red tubular flowers Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented	2 00
R. R.	bright red tubular flowers  Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented  Victoria regina. White, spotted with crimson. virgatum candissimum. A large white win-	2 00 2 50 1 50
R. R.	bright red tubular flowers.  Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented.  Victoria regina. White, spotted with crimson.  virgatum candissimum. A large white winter flowering sort.	2 00
R. R. R. R.	bright red tubular flowers	2 00 2 50 1 50 2 50
R. R. R.	bright red tubular flowers	2 00 2 50 1 50 2 50 2 50
R. R. R. SI	bright red tubular flowers	2 00 2 50 1 50 2 50 2 50 Fine
R. R. R. SI	bright red tubular flowers.  Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented  Victoria regina. White, spotted with crimson. virgatum candissimum. A large white winter flowering sort.  Wightii. Species with clusters of bell-shaped golden yellow flowers; dwarf and neat  ERISSA fætida (Lycium) (Scrissa japonica var.). I greenhouse plants of dwarf habit, with small do	2 00 2 50 1 50 2 50 2 50 Fine
R. R. R. SI	bright red tubular flowers	2 00 2 50 1 50 2 50 2 50 Fine
R. R. SE	bright red tubular flowers Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented Victoria regina. White, spotted with crimson . virgatum candissimum. A large white winter flowering sort	2 00 2 50 1 50 2 50 2 50 2 50 Fine
R. R. SI	bright red tubular flowers  Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented  Victoria regina. White, spotted with crimson virgatum candissimum. A large white winter flowering sort  Wightii. Species with clusters of bell-shaped golden yellow flowers; dwarf and neat  ERISSA fætida (Lycium) (Scrissa japonica var.). I greenhouse plants of dwarf habit, with small downite flowers; good market plant. 35 cents.  INCLAIRIA (Liabum) discolor	2 00 2 50 1 50 2 50 2 50 2 50 Fine
R. R. SI	bright red tubular flowers Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented Victoria regina. White, spotted with crimson . virgatum candissimum. A large white winter flowering sort	2 00 2 50 1 50 2 50 2 50 2 50 Fine
R. R. R. SI	bright red tubular flowers.  Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented  Victoria regina. White, spotted with crimson virgatum candissimum. A large white winter flowering sort.  Wightii. Species with clusters of bell-shaped golden yellow flowers; dwarf and neat  ERISSA fætida (Lycium) (Scrissa japonica var.). I greenhouse plants of dwarf habit, with small dowhite flowers; good market plant. 35 cents.  INCLAIRIA (Liabum) discolor	2 00 2 50 1 50 2 50 2 50 2 50 Fine able 0 50
R. R. SI	bright red tubular flowers  Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented  Victoria regina. White, spotted with crimson. virgatum candissimum. A large white winter flowering sort  Wightii. Species with clusters of bell-shaped golden yellow flowers; dwarf and neat  ERISSA fœtida (Lycium) (Serissa japonica var.). I greenhouse plants of dwarf habit, with small downite flowers; good market plant. 35 cents.  INCLAIRIA (Liabum) discolor	2 00 2 50 1 50 2 50 2 50 2 50 2 50 7 ine 1 50 50 50 50
R. R. SE SE SE i	bright red tubular flowers	2 00 2 50 1 50 2 50 2 50 2 50 7 ine hble 0 50 50 50 50
R. R. SI SI S. SI S. SI S.	bright red tubular flowers	2 00 2 50 2 50 2 50 2 50 50 50 50 50 50 tuble
R. R. SI	bright red tubular flowers.  Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented.  Victoria regina. White, spotted with crimson. virgatum candissimum. A large white winter flowering sort.  Wightii. Species with clusters of bell-shaped golden yellow flowers; dwarf and neat.  ERISSA fœtida (Lycium) (Scrissa japonica var.). I greenhouse plants of dwarf habit, with small downite flowers; good market plant. 35 cents.  INCLAIRIA (Liabum) discolor	2 00 2 50 1 50 2 50 2 50 2 50 7 ine uble 0 50 50 overwish.
R. R. SI SI S. SI	bright red tubular flowers  Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented  Victoria regina. White, spotted with crimson virgatum candissimum. A large white winter flowering sort  Wightii. Species with clusters of bell-shaped golden yellow flowers; dwarf and neat  ERISSA fætida (Lycium) (Scrissa japonica var.). If greenhouse plants of dwarf habit, with small downite flowers; good market plant. 35 cents.  INCLAIRIA (Liabum) discolor	2 00 2 50 1 50 2 50 2 50 2 50 7 ine uble 0 50 50 overwish.
R. R. SI SI S. SI	bright red tubular flowers Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented	2 00 2 50 1 50 2 50 2 50 2 50 2 50 50 50 cow- nts. uble
R. R. SI	bright red tubular flowers.  Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented.  Victoria regina. White, spotted with crimson virgatum candissimum. A large white winter flowering sort.  Wighti. Species with clusters of bell-shaped golden yellow flowers; dwarf and neat.  ERISSA fætida (Lycium) (Scrissa japonica var.). I greenhouse plants of dwarf habit, with small downite flowers; good market plant. 35 cents.  INCLAIRIA (Liabum) discolor	2 00 2 50 1 50 2 50 2 50 2 50 2 50 50 50 50 cow- nts. uble 0 50 ser-
R. R. SI SI S. SI S.	bright red tubular flowers.  Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented.  Victoria regina. White, spotted with crimson. virgatum candissimum. A large white winter flowering sort.  Wightii. Species with clusters of bell-shaped golden yellow flowers; dwarf and neat.  ERISSA fætida (Lycium) (Scrissa japonica var.). I greenhouse plants of dwarf habit, with small downite flowers; good market plant. 35 cents.  INCLAIRIA (Liabum) discolor	2 00 2 50 1 50 2 50 2 50 2 50 2 50 50 50 50 50 50 50 50 50 50 50 50 50 5
R. R. SI	bright red tubular flowers.  Veitchianum. (From Moulmein.) Very fine white undulated flowers, sweet-scented.  Victoria regina. White, spotted with crimson virgatum candissimum. A large white winter flowering sort.  Wightii. Species with clusters of bell-shaped golden yellow flowers; dwarf and neat.  ERISSA fætida (Lycium) (Serissa japonica var.). I greenhouse plants of dwarf habit, with small downite flowers; good market plant. 35 cents.  INCLAIRIA (Liabum) discolor.  violacea. This and the preceding are imposing species for out-door decoration in summer.  PARMANNIA Africana. A beautiful, quick-gring arborescent shrub, with white flowers. 50 ce.  — flore pleno. A new and fine form, with dorflowers.  FADMANNIA. Handsome greenhouse and convatory plants, with large and beautiful foliage.  Australis.  & Ghiesbreghtii  Jonghei	2 00 2 50 1 50 2 50 2 50 2 50 2 50 50 50 50 50 50 50 50 50 50 50 50 50 5

SKIMMIA japonica var. A fine plant, with glossy
variegated leaves, fragrant flowers and a profusion of
red berries. 50 cents to \$1.
red berries. 50 cents to \$1.
STATICE. Fine dwarf flowering plants: excellent for
bouquet use.
S. arborescens. Blue flowers
S. brassicæfolia. Purple flowers 50
S. Halfordii. Large white flowers 50
STERCULIA platanifolia. The "Chinese Umbrella
Tree;" an interesting and handsome plant. \$1.
TASMANNIA (Drimys) aromatica. An evergreen
tree with pretty foliage, marked with transparent
dots. \$1.

TESTUDINARIA elephantipes. Known in its native habitat, South Africa, as "Elephant Foot," "Hot-

tentot Bread," "Tortoise Plant." Peculiar and most interesting; its odd formation of stem or base (giving the name) is surmounted by a graceful twining growth. \$1.50 to \$5.

TRIMOLIU	M	fr	ag	ra	ıns	š .	Fra	gı	rant	a	nd	l r	ar	e.		S	2.	
VERBESIN.	A.		Of		va.	lue	for		sub	-tr	or	ic	al		pla	ar	ıtir	ıg,
with large a	ınd	ľ	ich	f	olia	age												
V. alata																	\$0	50
V. gigantea																		50
V. Sartorii																		50

WITSENIA corymbosa. A beautiful and rare blue flowering plant from the Cape of Good Hope. \$2.



FARFUGIUM GRANDE. (See page 117.)

#### XXI.

# CLIMBING AND CREEPING PLANTS.

Including Hardy, Greenhouse and Hot-house Species.

VINES are indispensable in all decorative arrangements, and lend grace and beauty which cannot be supplied otherwise. Many have very handsome flowers, while others are attractive for their beautiful foliage. We include both hardy and tender species, and have distinguished them, for convenience, as follows:


(h) indicates plants which are hardy out doors.

(g) "plants needing greenhouse temperature.

(s) " plants for stove or hot-house.

h ACTINIDIA polygama. Pretty leaves and frag-
rant white flowers; fine for trellises or walls. 50 c.
h AKEBIA quinata. A fine Japanese climber, with
distinct foliage and odd brownish-purple flowers;
very fragrant. 25 cents.
ALLAMANDA. Fine stove climbers, with hand-
some flowers. See page 95.
8 A. cathartica
habit and short growth, but with large showy
flowers
8 A. Hendersonii
8 A. neriifolia
AMPELOPSIS. A genus of splendid hardy climbing
plants. They are all of superior value.
h A. quinquefolia. The Virginia Creeper; a very vig-
orous and rapid growing climber, with distinct five-
parted bright glossy green foliage. Unequalled for
rapidly covering any desired place \$0 50
h A. tricolor (Cissus heterophyllus). Has beauti-
fully varied foliage
h A. Veitchii (tricuspidata). A superb vine, and
constantly growing in esteem. The leaves are
of dark, rich green, very glossy, and disposed on established plants in an overlapping regu-
larity that is astonishing. In the fall, the foli-
age assumes tints of brilliancy, varying from
light scarlet to the deepest crimson. When
fairly established, the species is of rapid
growth, and its tendrils fasten the vine firmly
to any surface, clinging even to stone or brick.
See cut, page 124
ARISTOLOCHIA. See page 96.
8 A. Duchartrei
8 A. elegans
s A. galeata
8 A. gigas
8 A. ornithocephala 1 00
h A. Sipho. Known as "Dutchman's Pipe;"
bears odd yellowish brown flowers in the shape
of a pipe
h A. tomentosa. Hardy; purple flowers 25 to 50

BIGNONIA. Handsome free growing bl	looming
plants, bearing showy flowers.	
g B. Australis	. \$0 50
g B. Braziliensis	. 50
g B. capensis (Tecoma)	
g B. Chamberlaynii	
h B. grandiflora. Resembles B. radicans, but i	
flowers are much larger and of a deeper color	
g B. jasminoides (Tecoma)	
h B. radicans (Tecoma). Trumpet Vine; one of ou	
best hardy vines, bearing showy orange flower	rs 25
g B. venusta	. 50
BOUGAINVILLEA. See page 98.	
g B, Braziliensis	to \$1 00
g B. coccinea	to 1 00
g B. fastuosa 50	to 1 00
g B. glabra	to 1 00
g B. spectabilis 50	to 1 00
£.	
1 by les	1
	10.00
	100
	To the second
2000	
1000	
600	
500	
	e e
500	Sec.
	election of the second of the
500	Section of the sectio
	Section of the section
650	Section of the sectio



AMPELOPSIS VEITCHII. (See page 123.)

#### BOUGAINVILLEA, Continued.

- g BOUSSINGAULTIA baselloides. A luxuriant trailing plant, with handsome foliage. 25 cents.
- h **BRYONIA** alba. Tuberous rooted plants, producing fine foliage and odd fruit. 25 cents.
- h CALLISTEGIA pubescens fl. pl. 25 cents.
- g CAPSIDIUM filicifolium. A very handsome and well-known climber, with rich orange flowers. 25c.
- h CELASTRUS scandens. The "Staff Tree" or "Bitter-Sweet." A fine North American climber, producing pretty orange red berries in late fall, which are often preserved for winter decorations. 25 cts.
- g CHORIZEMA varium. Pretty flowers. 50 cents. CISSUS. See page 98.

8	C.	Amazonica											. \$0	50
g	C.	antarctica .												25
8	C.	discolor (man	m	or	ati	a)								50
8	C.	heterophyllu	s											50

h CLEMATIS. A fine collection of the best sorts; superb climbing plants with most beautiful flowers, varying greatly in form and color. See cut, page 125, which represents all the different types, such as Montana, patens, florida, graveolens, langinosa, viticella, Jackmanni, carulea-odorata and evecta. Strong plants of these different sections or types. 25 cts. to \$1.

#### CLERODENDRON. See page 98.

- g COBÆA scandens. A superb greenhouse climber, which will also grow freely out-doors in summer. It has handsome foliage and large bell-shaped dull purple flowers. The tendrils of this plant will affix themselves to almost any substance. 25 cents.
- s COMBRETUM purpureum. See page 99. 75 cents.
- h CUCUMIS (Cucurbita) perennis. A pretty climber, of the gourd family. 25 cents.
  - **DIOSCOREA.** A genus of very ornamental climbers of rapid growth, with handsome foliage.




CLEMATIS. (See page 124.)

DIOSCOREA, Continued.	* DIPLADENIA crassinoda
s D. discolor. Leaves finely mottled with several shades of green 50	* D. splendens       5         * D. urophylla       5
h <b>D. Japonica</b>	g ECCREMOCARPUS (Calampelis) scaber. An ele
s <b>D. multicolor metallica.</b> Beautifully varied foliage; bronze and copper 50	gant climber, with pretty foliage, flowers and fruit 50 cents.
<b>DIPLADENIA.</b> Most ornamental stove twining plants, with showy rose and purple flowers.	<b>ECHITES.</b> Fine evergreen twining South American shrubs.
* <b>D</b> . amabilis	g E. melaleuca
8 D. amœna	8 E. nutans. Beautiful blotched foliage . 50 to 1 00
* D, atropurpureum 50	g E. picta. With narrow and delicate foli-
<b>8 D. Brearleyana</b>	age 50 to 1 00

- TIACTITA bituminasa An amamantal training	
g FAGELIA bituminosa. An ornamental twining	
shrub, covered with peculiar hairs. 50 cents.	
FICUS stipulata (repens). A fine climber, with small	
glossy leaves; attaches itself to walls, and is also	
good for baskets. 25 cents.	
g F. — minima. A form of F. stipulata \$0 25	
g F. barbata. Dark green; leaves about three	
inches long; fine creeper 50	
g FUCHSIA procumbens. A pretty creeper from New	A
Zealand, with yellow and blue flowers, followed by	ı
very ornamental crimson berries. 25 cents.	ı
g GELSEMIUM sempervirens (nitidum). Twining	A
plant with fragrant deep yellow flowers and shining	J
foliage. 25 cents.	8
8 GLORIOSA superba. Ornamental plant, with pecu-	
liar and handsome red and orange flowers. \$1.	1
HEDERA Helix. The true Ivy, and among the most	ı
useful, permanent and valuable climbers grown.	ł
h H. algeriensis\$0 25	1
g H. Helix. In sorts, each	1
h H. — hibernica. In sorts, each	
h H. — Rægneriana	
g HENFREYA (Asystasia) scandens. A handsome	1
climber, with cream colored flowers. 50 cents.	1
HOYA. The Wax Plant; among the very best climb-	1
ers for conservatories, being rich in foliage and bear-	D
ing handsome flowers. See also page 106.	
8 H. bella	
8 H. carnosa fol. var.       50         8 H. cinnamomifolia       1 00	
o II immenialis	
8 H. imperialis	
HEXACENTRIS (Thunbergia) coccinea. A fine	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents. s H. mysorensis. A climber with yellow flowers. \$0.50	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents. 8 H. mysorensis. A climber with yellow flowers. 80 50 IPOMŒA. Elegant rapid-growing and free-blooming	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents. 8 H. mysorensis. A climber with yellow flowers. \$0.50 IPOMCIA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents. 8 H. mysorensis. A climber with yellow flowers. \$0.50 IPOMCIA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air. g I. ficifolia. Handsome foliage; purple flowers. \$0.25	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents. 8 H. mysorensis. A climber with yellow flowers. 80 50 IPOMEIA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air. g I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii 50	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents. 8 H. mysorensis. A climber with yellow flowers. \$0 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air. 9 I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii 50 g I. Horsfalliæ. Deep glossy rose color 1 00	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents. 8 H. mysorensis. A climber with yellow flowers. \$0 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air. 9 I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. \$0 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25 g. Hardingii 50 g. I. Horsfalliæ. Deep glossy rose color 1 00 g. I. Learii. Very bright blue flowers	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents. 8 H. mysorensis. A climber with yellow flowers. \$0 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air. 9 I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents. 8 H. mysorensis. A climber with yellow flowers. \$0 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air. 9 I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. 80 50 IPOMEA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  g I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii 50 g I. Horsfalliæ. Deep glossy rose color	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. \$0 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. \$0 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. \$0 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. \$0 50  IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25  9 I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. \$0 50  IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25  9 I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents. 8 H. mysorensis. A climber with yellow flowers. 80 50 IPOMEA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air. g I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents. 8 H. mysorensis. A climber with yellow flowers. 80 50 IPOMEA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air. g I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. 80 50 IPOMEA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25  9 I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. \$0 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. \$0 50  IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25  9 I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. \$0 50  IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  g I. ficifolia. Handsome foliage; purple flowers. \$0 25  g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. 80 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  g I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. 80 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. \$0 50  IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25  9 I. Hardingii	
HEXACENTRIS (Thunbergia) coccinea. A fine climber, with red and rosy orange flowers. 50 cents.  8 H. mysorensis. A climber with yellow flowers. 80 50 IPOMŒA. Elegant rapid-growing and free-blooming vines, valuable for summer planting in the open air.  9 I. ficifolia. Handsome foliage; purple flowers. \$0 25 g I. Hardingii	

LAPAGERIA. Most beautiful greenhouse climbing
shrubs, bearing lovely pendent, waxy flowers; very
popular in England.
L. rosea. Rich rosy crimson flowers \$1 50 to \$5 00
L. — alba. Pure white flowers 3 50 to 10 00
7 L. — alba. Pure white flowers 3 50 to 10 00 7 L. — superba. Brilliant crimson flow-
ers: very rich 2 50 to 7 50
LOPHOSPERMUM. Excellent summer blooming
climbers.
L. Hendersonii
7 L. — scandens
LYGODIUM. Belonging to this genus of ferns are
covered of excellent climbing behits the experience
several of excellent climbing habit; they grow freely,
and are useful for cutting.
7 L. palmatum
7 L. — scandens
MANDEVILLA suaveolens. A tall, South Ameri-
can climber, with large white fragrant flowers. 50c.
MANETTIA. Flowering climbers of beauty and value.
M. bicolor. The hot-house species; flowers bright
scarlet and yellow
M. cordifolia. A profuse flowering species;
scarlet flowers
MAURANDYA Barclayana. The well-known sum-
mer climber; a rapid growing and handsome vine.
25 cents.
MAXIMOWICZIA (Schizandra) chinensis. A
Chinese climber, with pale rose flowers, followed by
scarlet fruit, which remains long on the plant. 50 c.
MEDEOLA asparagoides. See Mysiphyllum aspara-
goides. 25 cents.
MENISPERMUM canadense. The "Moon Seed;"
has yellow flowers and large, handsome leaves. 20c.
MESEMBRYANTHUM cordifolium var. A beau-
tiful little trailing or creeping plant, with glistening
foliage: is largely used in summer bedding, as an
edging especially to succulent beds. 25 cents.
1 1

PASSIFLORA QUADRANGULARIS VAR. (See p. 127.)



PASSIFLORA CŒRULEA ALBA (CONSTANCE ELLIOTT).

y MIRANIA macrogiossa. Fine evergreen chimber.		
25 cents.		
g MIMOSA prostrata. A pretty trailing plant, with	l	
delicate foliage. 50 cents.	ш	
g MYRSIPHYLLUM (Medeola) asparagoides (Smilax).		
The well-known ornamental climber, now used in		
	Į.	
enormous quantities for all decorative work. Its	Ш	
glossy, dust-resisting foliage is beautiful. 25 cents.		
8 NYCTOCALOS Thomsoni. A fine night-flowering		
climber, with white blooms. 50 cents.		
g OTHONNA crassifolia. A beautiful trailing vine		
for baskets, with elegant fleshy leaves and yellow	u.	
star-like flowers. 25 cents.		
g PAROCHETUS communis. A handsome trailer, pro-		
ducing large and pretty blue flowers; known also as		
the "Shamrock Pea." 25 cents.		
PASSIFLORA. Superb climbing vines, with en-	0 4	
tirely distinct, handsome and attractive flowers, and		
mostly rich foliage. Should be in every collection.	1	
h P. alata. Very sweet-scented, purple crimson and		
white flowers		
g P. cœrulea. A lovely blue-flowered species, of		
fine habit; hardy if protected	,	
g P. — alba (Constance Elliott). One of the best	-	
flowering vines; it resembles the type in every-		
thing save that the lovely flowers are white.		
This species and the preceding are hardy, with		
slight protection. See cut		

a (constance debiott).
h PASSIFLORA incarnata. Hardy \$0 25
8 P. insignis (Tacsonia). A southern U. S. spec-
ies of beauty
s P. kermesina (Raddiana). Very richly colored
flowers
8 P. Loudoni
g P. Pfordtii
8 P. princeps (racemosa). Deep red or scarlet
flowers
growing species, with large leaves; white and
purple fragrant flowers
s P. — variegata. Foliage marked with blotch-
es of yellow, in irregular masses; flowers white
and purple, fragrant. One of the best species.
See cut, page 126 50
8 P. trifasciata. White and fragrant flowers, and
finely marked foliage 50
8 PAULLINIA thalictrifolia. A beautiful
climber with pale pink flowers; long and
handsome leaves. \$1.
s <b>P.</b> — argentea. See page 107 1 00
h PERIPLOCA græca. A desirable hardy climber,
bearing pretty silky flowers. 25 cents.
g <b>PHASEOLUS</b> Caracalla. The "Climbing Snail
Flower;" has odd purple and yellow flowers. 25
cents.



- g PHYSIANTHUS albens. The "White Bladder Flower," or "Cruel Plant,"—the latter because it is said to catch flies with its honey. A beautiful white-flowering climber, with distinct and attractive flowers. 25 cents.
- g **POLYGONUM rotundifolium.** A flowering climber. 25 cents.
- 8 POTHOS argyræa. Attractive flowers. See page 87. 50 cents to \$1.
- g PYLOGYNE (Zehneria) suavis. A fine climber with dotted foliage. 25 cents.
- $\epsilon$  QUISQUALIS indica. A fine creeper, with orange red, sweet-scented flowers.  $_{\circ}$  50 cents.
- red, sweet-scented flowers. 50 cents.

  g RHODOCHITON volubile. An elegant greenhouse climber, with handsome reddish flowers. 25 cents.
- RHYNCHOSPERMUM (Trachelospermum). See page 120
- g RUBUS Australis. A New Zealand climber, of the same genus as our raspberry, blackberry, etc.; has pink or whitish flowers. 50 cents.

- g SCHIZOPHRAGMA hydrangeoides. A tall climber, with flowers on the order of a Hydrangea. 25c. to \$1.
   SENECIO mikanoides fol. var. The variegated German Ivy; a valuable climber. 25 cents.
- h S. scandens. A hardy climbing plant . . . . . . \$0~25

- g SOLANUM jasminoides fol. var. A fine greenhouse twiner, with variegated leaves. 25 cents.
- g SOLLYA heterophylla. The Australian Bluebell Creeper: a pretty plant. 25 cents.
- 8 STEPHANOTIS floribunda. A grand old stove climber, producing exquisite white flowers, most deliciously scented; universally admired and sought after. See cut, page 128. 25 to 50 cents.
- g STIGMAPHYLLON ciliatum. The Golden Butterfly Vine of Brazil; a rapid climber, with pretty golden yellow flowers. 50 cents.
- TACSONIA. Splendid climbers, resembling Passion flowers in many particulars.
- g T. floribunda
   \$0 50

   g T. manicata.
   Scarlet flowers
   50

   g T. mollissima
   50
- g T. Van-Volxemii. Very showy scarlet flowers 5
- g TESTUDINARIA elephantipes. See page 122. \$1 to \$5.
- h THLADIANTHA dubia. A Himalayan climber with yellow flowers. 25 cents.
  - **THUNBERGIA.** A genus of valuable climbers, including many handsome species.

- s TORENIA asiatica. See page 110. 25 cents.
- **TRADESCANTIA.** Fine creeping plants; most excellent for baskets or vases, and also for growing on the surface of large pots containing specimen palms, etc. Being sub-aquatic, they will grow in a very moist place freely.
- g T. virides vittata. Green leaves
   \$0.25

   g T. Warscewiczii. See page 110
   50

   g T. zebrina multicolor. Varied foliage
   25
- **TROPÆOLUM.** Very elegant climbers for summer blooming; few more decorative and effective vines are grown.
- g T. Lobbianum, in var.
   \$0 25

   g T. majus fl. pl.
   25

   g T. pentaphyllum
   25
- g T. pentaphylium
   25

   h T. speciosum
   25

   g T. tricolorum (Jaratti)
   50
  - **VANILIA.** A genus of orchids, from which are obtained the vanilla beans of commerce; tall climbing plants.
- 8 V. aromatica
   \$1 50 to \$5 00

   8 V. planifolia
   1 50 to 5 00
- **WISTARIA.** A superb hardy climber, of rapid growth and bearing in spring magnificent racemes of rich flowers, almost covering the plant. Nothing can be finer for out-door planting. Flowers extremely fragrant. See cut, page 130.



## PLANTS OF PENDULENT HABIT

Especially Suitable for Vases, Baskets, Brackets, Etc.

ABUTILON megapotamicum. (Page 111) 80 25	CLIANTHUS magnificus	25
A. — variegata	C. — Dampieri	50
ADIANTUM caudatum. (Page 69) 50	CONVOLVULUS aureus superbus	25
ESCHYNANTHUS grandiflorus. (Page 95) . 25	C. Cneorum	25
A. — pulcher	C. mauritanicus	25
A. — Roxburghii	CRASSULA spathulata	25
AJUGA reptans var	EPIPHYLLUM Altensteinii	25
ANTHERICUM Californicum var 25	E. truncatum	25
<b>A.</b> vittata var	FICUS stipulata (repens)	25
ASPARAGUS plumosus. (Page 112) 25	FRAGARIA indica	25
<b>A.</b> procumbens	FUCHSIA procumbens	25
<b>A.</b> tenuissimus	•	
BEGONIA glaucophylla scandens. An exquisite	GAZANIA splendens	25
plant, with delicate salmon flowers. 25 cents.	GLECHOMA hederacea var	25
BRIDGESIA spicata. 25 cents.	HELIANTHEMUM fl. pl. In sorts, each	25
CHLOROPHYTUM Sternbergianum (Cordyline). 25c.	ISOLEPIS pygmæa (gracilis)	25

KLEINIA articulata	PLATYLOMA rotundifolia
K. spinulosa	PTERIS caudata 25
<b>K.</b> suspensa	RUSSELIA scoparia (juncea). Page 109 35
LANTANA delicatissima	SANTOLINA canescens 25
LINARIA Cymbalaria	SAXIFRAGA sarmentosa. A beautiful plant of
LINUM flavum	drooping habit. with round leaves, veined silvery, red
LYCOPODIUM denticulatum (Selaginella),	underneath. 25 cents.
and others (see page 73)	SEDUM carneum var
MESEMBRYANTHEMUM cordifolium var. 25	S. japonicum
M. — spectabile	S. Sieboldi
MYRSIPHYLLUM asparagoides (Smilax) 25	STENOTAPHRUM glabrum var 25
OTHONNA crassifolia. Page 135 25	THYMUS serpillifolius aureo var
OXALIS floribunda	T. — vulgaris argenteo var
	TRADESCANTIA viridis fol. var
	T. Warscewiczii
PAROCHETUS communis	T. Zebrina signata (tricolor)
PELARGONIUM peltatum. In several sorts.	TROPÆOLUM Lobbianum (minus) 25
each	T. — majus fl. pl
	VINCA minor. In sorts, each
PHLOX reptans	V. major. In sorts, each



WISTARIA. (See page 127.)

### XXII.

## AMARYLLIDEAS.

HIS large and important order of plants contains many of the most showy and brilliant greenhouse plants known. They are mostly bulbous, and free and satisfactory in bloom with but a minimum of attention. Some of the species are peculiarly adapted to house culture, thriving to perfection in an ordinary window, and presenting their brilliant flowers in winter and early spring. We have many rare species, and grow them to great perfection at our tropical nurseries in Trinidad. The beautiful new hybrids are fine for early forcing.

AGAPANTHUS umbellatus. A very fine blue flow-
ering plant of easy cultivation. 50 cents.
A albidus. A white flowering variety, with beau-
tiful blooms
AMARYLLIS. Including Hippeastrum. A superb
genus of gorgeous flowering bulbous plants, of the
greatest beauty and value for house culture. The
lovely and showy flowers are of great range of color,
and many of the hybrids are of such richness as to
make it almost impossible to do them justice. Our
tropical nurseries at Trinidad, give us superior oppor-
tunities for the rapid and perfect growth of Amaryllis.
A. aulica. The "Lily of the Palace." A species with
large and extremely handsome flowers of crimson, green
and purple
A platyvetæ. A very fine species, of the ut-
most elegance
A. Belladonna. A very ornamental species, with
gorgeous heads of flowers, ranging from white
to a purplish hue \$1 00 to \$3 00
A. graveana. Richly colored. See cut, p. 132
A. equestre. A grand old species
A. — major. A showy variety 50
<b>A.</b> — New varieties 50
A. formosissimma. See Sprekelia.
A. hybrida Empress of India. ) Two new and
A. — Thomas Speed.   rare hybrid
bulbs from the West Indies; fine bulbs, certain
to bloom immediately 1 00
A. Hybrids, English sorts. In finest quality 1 50
A. — Holland and Belgium varieties. Excel-
lent
A. — from Trinidad. Many fine varieties
grown in our own nurseries 1 00
A. Johnsoni. A well-known sort, with dull red
flowers, striped white; an abundant bloomer, and
especially fine for house culture \$0 75 to 1 50
A. pardinum. A splendid species; flowers rich
cream, dotted with crimson
A. — Hybrids. In several fine sorts 2 00
A. procera. Has blue flowers; from Brazil 5 00
A. reticulatum. Beautiful pink and white flow-
ers; leaves have white mid-ribs 1 50
A. — Hybrids. In fine sorts 2 00
A. robusta (Teltani). From South Brazil; a very
fine species

AMARYLLIS vittata. The typical species: flowers
clear white, with double red stripes in each segment;
a splendid sort
A. — Hybrids. The finest assortment 1 00
A. — Reginæ. Hybrids; fine bulbs 1 00
A. solandriflora. An elegant and distinct spe-
cies
A. — conspicua. The rosy flowering variety . 3 00
A. — New Hybrids. Very rich 2 50
BRUNSVIGIA. Very showy greenhouse bulbs from
the Cape of Good Hope. They have handsome red
flowers.
B. falcata. Peculiar sickle-shaped leaves 82 00

- B. falcata. Peculiar sickle-shaped leaves . . . . 82 00
  B. Josephineæ. Handsome scarlet flowers . . . 5 00
  CHLIDANTHUS fragrans. A species from South
- America, with fine yellow flowers of a sweet odor.

  CLINANTHUS lutens. A very fine yellow flowering

  Amaryllis-like plant of great beauty. It is very rare
  in collections. \$5.



NEW SEEDLING AMARYLLIS, EMPRESS OF INDIA AND THOMAS SPEED.



AMARYLLIS GRAVEANA. (See page 131.)

COBO.	TOGIA 1	mimigro	t. AS	01.01.1	rmar) ms	TLOIL Le	ru,
with	beautifu	l red fl	owers.	\$1.50			
CRIN	UM. A	genus	of mos	t admir	able gree	nhouse b	ul-
bous	plants.	They	have	lovely	lilv-like	flowers	of

CODITION OF A CALL OF A

house. See also pages 7 and 99.

C. amabile. A very beautiful rosy crimson flowering 

many colors, and are superior plants for the green-

C. Americanum. A large white flowering species 

ers, of white and green . . . . . . . . . . . . . . . . 2 50

CRINUM capense	Amaryllis longifolia). A
hardy species, req	uiring only light pro-
tection in winter;	flowers very beauti-
ful	

C. - variata alba. A sub-species with very large white flowers \$0 35 to 0 50

C. Moorei. A very beautiful new species, which is hardy with a little protection . . . . . . . . . . . . 1 50

EUCHARIS. The Amazonian Lily. Elegant greenhouse bulbs, producing several times during the year lovely white fragrant flowers of great beauty. We offer bulbs which can be guaranteed to flower promptly. They are now very popular for growing for cut-flowers.

E. Amazonica (grandiflora). The best 

E. candida. A lovely sort . . . . . E. Mastersii. A fine new species . . 1 00 E. Sanderiana. Another new Eu-

EURYCLES. Handsome bulbous plants, with large umbels of white flowers; from Australia

E. Australasica (Amboinensis). Broad leaves, white flowers . . . . . . . \$0 50

E. Cunninghamii. More dwarf in 

GRIFFINIA. Very ornamental bulbous plants from Brazil; the flowers are most beautiful.

G. Blumenavia. White flowers, streaked 

white flowers . . . . . . . . . . . . 1 00

HYMENOCALLIS adnata princeps. Beautiful in flower, which is of distinct form and handsome habit: the pure white blooms resemble a giant Trumpet Narcissus. \$1.50.

IMANTOPHYLLUM (Clivia) miniatum. Has wide-spreading foliage, and bears large umbels of very handsome deep orange flowers; blooms very early in spring. This species is now largely imported for forcing, which indicates its value. \$1.

 grandiflorum. A new variety, with larger flowers, of a deeper 

LYCORIS aurea. A rare bulb from China; the golden yellow, funnel-shaped flowers appear before the leaves, in November and December, and are about the size of Amaryllis Johnsonii. §2.

L. radiata (Nerine Japonica). Smaller in flower than the foregoing, and of a deep pink color . . . . \$1 50

ORNITHOGALUM. These plants are commonly called "Star of Bethlehem," and are widely grown.

O. arabicum. Very fine large white flowers, with a 

O. aureum. Yellow flowers, in large umbels: the 





of the finest flowering plants for florists' pur-

poses and cut flowers. The flowers are pure

white, very fragrant and last a long time . . . . 1 50

PHÆDRANASSA. Handsome plants, with very showy

P. fuchsioides 50
P. gloriosa 50
POLIANTHES tuberosa. The well known Tuberose.
See page 146.

SPREKELIA formosissima (Amaryllis formosissima).



VALLOTA PURPUREA.

The Jacobean Lily. Generally known as an Amaryllis and resembling them in most points. A beautiful blooming bulb from Mexico, with large and showy crimson or white flowers. Excellent for forcing, and of easy growth. 25 cents.

STERNBERGIA lutea (Amaryllis). The Winter Daffodil, or Yellow Star Flower. A very useful and pretty bulbous plant, producing fine yellow flowers in autumn. 25 cents.

VALLOTA purpurea. The Scarborough Lily; an Amaryllid with beautiful red flowers, produced in summer. 30 cents.

**ZEPHYRANTHES.** Pretty bulbous plants, often called Amaryllis. The species noted are all fine blooming plants of easy growth, and valuable both for summer bedding or for forcing.

 Z. Atamasco. White flowers
 80 25

 Z. candida. White flowers
 25

 Z. roseæ. Rose flowers
 25



#### XXIII.

## SUCCULENT PLANTS.

Including Agaves, Yuccas, Aloes, Echeverias, Euphorbias, Mesembryanthemums, Etc., together with a Select List of Cactuses.

 UCCULENT PLANTS are useful in many situations, both in-doors and in the garden or on the lawn. They are especially available for rockeries, and lend themselves to out-door bedding in sunny places in a most distinct and effective way. Nearly all of the Agaves and many of the Aloes, and others of robust habit, make handsome ornamental plants on lawns, or for decorating entrances, balconies, etc., affording a most admirable contrast to the tropical foliage plants, while the extreme beauty and regularity of "carpet" or "ribbon" beds wrought out with Echeverias as the principal factor is well known. Many of the Cactuses and Mesembryanthemums are noted for their brilliant and beautiful flowers, of great range of color and form, and often richly fragrant; while the strange and wonderful shapes and habits of the Euphorbias, Stapelias and Crassulas win for them much favor.


This class of plants is rapidly returning to public favor, and has the great merit of requiring a minimum of care and attention from the planter. We have, in addition to those here catalogued, many rare and curious specimens, which will be described and priced on application.

are of much value for decorating; in Mexico many	quire about the same treatment as should be given the		
species are of the greatest economical worth. The	Agaves, and like all plants of this class, stand any		
idea that it takes them one hundred years to flower,	amount of sunshine with but little moisture.		
is erroneous; the flower spike is produced at the ma-	A. albocincta. A beautiful species, with leaves ob-		
turity of the plant, whenever that may be.	scurely lined and spotted, and margined red or		
A. Americana. The ordinary form \$0 50 to \$1 00	white		
A. — variegata. Very desirable; the	A. arborescens. A tree-like form, with a		
foliage is beautifully margined with rich	dense rosette of glaucous green pointed		
yellow 1 00 to 10 00	leaves 50 to 2 00		
A. — luteo-striata. A striking form . 1 00 to 5 00	A. ciliata. A species of graceful habit . 50 to 3 00		
A. — medio-picta. In this the yellow	A. dichotoma. The "Quiver Tree;" a pe-		
stripes are in the centre of the leaf 1 00 to 10 00	culiar species, with a very stout stem or		
A. applanata. Most excellent decorative	trunk 1 00 to 5 00		
plant; the leaves are in a dense rosette	A. echinata		
form	A. maculata (Abyssinica). An excellent		
A. celsiana. A very beautiful Mexican	species with a stem 50 to 2 00		
species 1 00 to 5 00	A. mitræformis. Ascending lanceolate		
A. filifera. A short-leaved, dwarf Agave	leaves of light glaucous green, concave		
with peculiar thready formations at	on face and convex on back 50 to 2 00		
edges of leaves 1 00 to 5 00	A. saponaria. Leaves very distinctly		
A. Gilbeyi (Roezliana). Very fine 1 00 to 10 00	spotted and lined on the back 50 to 2 00		
A. Milleri argentea 1 00 to 5 00	A. serratula. Pale green leaves, faintly		
A. Salmiana aureo-marginatis. A very	marked, set with numerous small spines		
distinct gold-margined Agave 1 50 to 5 00	on the edges 50 to 2 00		
A. stricta. Has very narrow leaves. See	A. virens		
cut, page 135 1 00 to 5 00	A. vulgaris (Barbadensis). A very fine		
A. univittata. A fine species, with rigid	decorative species; it resembles an Agave		
leaves, having a broad pale band 1 00 to 5 00	Americana set on a stem a foot high 50 to 1 00		
A. Verschaffeltii, Glaucous leaves, of a	APICRA. A genus of succulent plants closely allied		
distinct character	to the Aloes. Several species, each, 25 cents to \$1.		
A. Victoriæ Regina. Has peculiar short			
and stiff leaves, oddly margined and	COTYLEDON. Elegant succulent plants, having hand-		
striped; a handsome little plant, and will	some flowers; very desirable.		
flower at an early age, affording a curi-	C. arboreum		
ous spectacle. (See p. 7; see cut, p. 135) 3 50 to 7 50	C. orbiculata		


AGAVE. Noble and massive plants, quite familiar as "Century Plants" in many parts of the country. They

A.	LOE.	Very	intere	esting and	curious ;	plants,	with th	iick
	and fle	shy l	eaves,	frequently	y in a re	sette.	They	re-
	quire a	bout	the sar	ne treatme	ent as sh	ould b	e given	the
	Agaves	s, and	llike	all plants	of this	class,	stand	any
	amoun	t of s	unshir	e with bu	t little m	oistur	e.	
A.	alboc	incta	1. A	beautiful	species,	with	leaves	ob-

A. albocincta. A beautiful species, with leaves	ob-
scurely lined and spotted, and margined red	or
white	5 00
A. arborescens. A tree-like form, with a	
dense rosette of glaucous green pointed	
leaves 50 to 5	00
A. ciliata. A species of graceful habit . 50 to 3	3 00
A. dichotoma. The "Quiver Tree;" a pe-	
culiar species, with a very stout stem or	
trunk 1 00 to 3	5 00
A. echinata	00
A. maculata (Abyssinica). An excellent	
species with a stem 50 to 5	00
A. mitræformis. Ascending lanceolate	
leaves of light glaucous green, concave	
on face and convex on back 50 to	00
A. saponaria. Leaves very distinctly	
spotted and lined on the back 50 to	00
A. serratula. Pale green leaves, faintly	
marked, set with numerous small spines	
on the edges 50 to	00
A. virens 50 to 2	00
A. vulgaris (Barbadensis). A very fine	
decorative species; it resembles an Agave	
Americana set on a stem a foot high 50 to 1	. 00
APICRA. A genus of succulent plants closely all	lied
to the Aloes. Several species, each, 25 cents to \$1.	



AGAVE STRICTA. (See page 134.)



ECHEVERIA (Cotyledon). This is one of the most important classes of succulent plants, and has received much notice of late years from the extensive use of some of the species in "carpet" and "mosaic" bedding, for which they are especially adapted-their dwarf character, regularity of form, real beauty, and habit of growth giving them a place occupied by no other plants. Some of the species are of taller habit, and bloom beautifully-in fact, the flowers of all are handsome, although it is not usual to allow them to form on the plants when used for bedding.

E. agavoides. A very fine and rare species, of Agave

20 50 to \$1 00

10rm	50 10 21 00
E. bracteata (Pachyphytum)	50 to 1 00
E. clavifolia. Club shaped leaves, incurv-	
ed; fine purple flowers	25 to 1 00
E. Desmetiana. A fine and rare species . 1	50 to 5 00
E. farinosa	25 to 1 00
E. grandiflora (gibbiflora). Of rather up-	
right growth; foliage flat	25 to 1 00
E. Hookeri (Diostemo)	50 to 1 00
E. metallica (gibbiflora metallica). A su-	
perb species for single plants or for cen-	
ters to beds; broad leaves, of a beautiful	
purplish metallic hue	50 to 1 00
E. rosea. A fine dwarf form for carpet	
bedding	25 to 75
E. scaphylla. Very fine	50 to 1 00
	0

EUPHORBIA. A very large genus of plants, distinguished by milky and intensely bitter sap. Some of the species are of a succulent nature, and very interesting in appearance, requiring very little attention. A brief list of these is given here. For flowering species, see page 105.

E. secunda and secunda glauca. Dwarf rosette form;


fine leaves. These two sorts are the most largely used,

with several others, for carpet or mosaic bedding in

combination with Alternantheras, etc. We can sup-

ply several sizes, at \$10 to \$20 per 100.

E. Caput-Medusæ. Singular formation . \$0 50 to \$5 00



AGAVE VICTORIÆ REGINA. (See page 134.)
EUPHORBIA globosa. A distinct and very fine spe.
cies
E. meloformis. A fine and interesting
plant, of odd and distinct appearance 1 00 to 5 00
E. triangularis. Tall in habit, the branch-
es in a regular candelabra-like form;
forms a superior decorative plant 50 to 1 00
E. — monstrosus. A distinct form of
the above 1 00 to 10 00
E. nervifolia variegata. A very showy
variety 1 00 to 5 00
Ten Distinct Varieties. Each 50 cents to \$3.
FOURCROYA (Furcraya). Elegant succulent plants,
much in the way of the Agaves; some of the species are
beautifully variegated.
F. Cubensis. Bright green leaves, very
rigid
F. Lindenii. A species with beautifully
variegated leaves; very showy 1 50 to 5 00

GASTERIA. Fine evergreen succulents, closely allied to the Aloes. Various sorts; each, 50 cents to \$1.

HAWORTHIA. A genus of small, very interesting and curious succulent plants, on the order of the Aloes. Several species; each, 50 cents to \$1.

KLEINIA. Handsome succulents; now included by some botanists under Senecio.

K. canescens. A very fine plant . . . . . \$0 50 to \$1 00 K. repens. Pretty blue green foliage . . 25 to 50 25 to 

MESEMBRYANTHEMUM. Succulent plants of great beauty in flower, and of most interesting and varied forms. Several large and showy flowering species; 25 to 50 cents.

Dwarf Species, of odd and conspicuous forms; 25 to 50 cents.

OTHONNA crassifolia. A beautiful little trailer for baskets, with elongated bead-like leaves and yellow star-shaped flowers; is often used as a graceful edging to mosaic beds. 25 cents each, \$1.75 per dozen, \$12 per



ZEALANICA.

ROCHEA falcata. A fine greenhouse succulent from South Africa, bearing handsome flowers. 35 cents to \$1.

SEDUM. A large and important class of succulents, of easy growth; several of the species are very useful for bedding.

- S. acre. Small leaves; a handsome and useful little plant for bedding. 25 cents.
- S. Japonicum var. Handsome, with yellow flowers. 25 cts. SANSEVIERA. Beautiful variegated plants, with finely marked foliage. See page 109.

SEMPERVIVUM. Thick fleshy plants, of peculiar character; fine for bedding.

S. arboreum atropurpureum. Blackish purple leaves; very effective in a sunny position, being so distinct in color. 25 cents to \$1.

SEMPLE VIVOIM atro-variegatum. Leaves green
and creamy white
S intus luteus. Leaves varied
with yellow
STAPELIA. Succulent plants with thick stems and no
leaves, much on the order of Cactuses; flowers star-
shaped, very large and showy. 25 to 50 cents.
YUCCA, Splendid plants, hardly succulent in their na-
ture, and yet of the same general appearance as the
Aloes. Their leaves are long, pointed and gracefully
disposed; the flowers, borne on a tall central spike,
are white, bell-shaped and very ornamental. The
Yuccas are ornamental anywhere.
Y. aloifolia. A fine and durable decora-
tive plant
Y. — variegata(tricolor). Leaves varied
white and rose color; a beautiful plant . 1 50 to 5 00
Y. filamentosa (flaccida). A well-known
and superior hardy form 50 to 2 50
Y. gloriosa. Makes a tree with a trunk of
four to six feet high; fine species 50 to 2 50
Y. — var. quadricolor 1 50 to 5 00
Y. recurva. A form of Y. gloriosa. Foli-
age finely varied 50 to 3 00

SPMDPD WINING atno manigentum I comes grown

## SELECT COLLECTION OF CACTUSES.

This generic term applies to many separate genera of succulent plants, including Cereus, Echinocactus, Echinocereus, Epiphyllum, Mammillaria, Opuntia, Phyllocactus, Pilocereus, Rhipsalis, etc. No description can do adequate justice to the wonderful forms and variations embraced within this class. Some of the genera are diminutive. with a silky sheen; others tower to a majestic height. Some are soft to the touch, as if wrapped in down, while others are beset with formidable spines. Beautiful flowers crown many species-variegated spines are the charm of some; delicate mathematical regularity distinguishes them, and yet in some cases the widest divergence of form. They are a natural order of surprises, and the true nature-lover cannot but be attracted and charmed the more as he comes into knowledge of Cacti. One feature they have in common—they require but little care and attention to succeed, and a collection of them is satisfactory while easy to care for. We have all the best sorts, and can supply specimens or whole collections to advantage.


In the culture of the plants it must be noted that the soil should be quite sandy, and that the drainage must be perfect. Water need be supplied but sparingly; most of the plants are able to endure its absence for weeks at a

time without any injury, except when growing rapidly and flowering, when water should be given several times a week.

The cut on this page shows a bed of Cactuses. Such a bed will present a most unique and attractive appearance, and require a minimum of attention if planted in a dry and sunny spot. Prices for sufficient plants for such beds will be given on application.

#### ANHALONIUM prismaticum.

A rare and handsome plant, of symmetrical shape, and a delicate pearl gray in color, the center covered with a dense woolly growth. It will live for a year without soil, uninjured. Flowers large, silvery white and pale yellow. \$1 to \$3.



CACTUSES USED FOR CARPET REDDING.

#### ANHALONIUM, Continued.

A. Williamsii. A distinct species, with a round, fis-




ANHALONIUM PRISMATICUM


sured crown; flowers pale rose. 50 c. to \$1.


CEREU A large and important genus of Cacti, of always upright and frequently slender growth. They reach even in cultivation a height of fifteen to twenty feet in some species, others being of very slow growth. The flow-

ers of the genus are wonderfully fine, some being richly fragrant. As a whole, this is one of the best and most easily grown sections in the Cactacæa.

- C. azureus. A species with distinctly blue stems, affording a remarkable contrast to the other species. 75 cents to \$1.50.
- C. colubrinus. A rapid, upright and handsome grower, bearing fine white flowers at night, and large orange colored fruits. It is also very useful as a stock for grafting other sorts upon when several feet high, thus forming very interesting objects. (See illustration of C. Aagelliformis, grafted.) 25 cents to \$1.
- C. flagelliformis. Popularly known as "Whip-cord" or "Rat-tail" Cactus, because of its slender drooping stems, reaching ultimately a length of bright rosy flowers are freely produced, and very attractive,










CEREUS GIGANTEUS.


ed on a tall-growing sort, a very pretty effect is produced, as may be seen in our illustration. Grafted plants, \$1 to \$2.50.

C. giganteus. The great columnar cactus, forming in its native clime imposing natural branched columus of 30 to 50 feet in height, the majestic form of which may be seen in the illustration. It is a most valuable decorative species, and will be found most admirable to use in contrast with palms, ferns, etc. \$3 to \$15.

- CEREUS grandiflorus. The well-known "Nightblooming Cereus," and a grand plant. It is of rapid growth, and produces its wonderfully beautiful flowers at night; they are of an indescribably rich fragrance, and always attract great attention. Any plant lover will be repaid for the little care required to properly grow this superb species. 50 cents to \$3.
- C. Jamacaru. A valuable species for contrast, and of upright growth. The stems are a light pubescent blue. 75 cents to \$1.
- C. monoclonus. A species from Florida, of tall and stout growth; stems lively green, round, ribbed, with small spines; bears very handsome white flowers. 50 cents to 8.
- C. speciosissimus. A very free-blooming sort, flowering even when only three inches high. The glossy and very handsome flowers are scarlet and purplish crimson, usually, and will last in good order several days when cut. 50 cents to \$2.
- C. variabilis. Of tall growth, with stout spines, sparsely set; bears very handsome white nocturnal flowers and large crimson fruit. 35 cents to \$5.
- ECHINOCACTUS. The "Hedgehog" Cactus is the colloquial name for this genus. They are mostly of a stout mass, often round, and of sturdy growth, making fine and attractive specimens. In some species, the thorns or spines are extremely large and strong, and often very ornamental from their varied colors.
- E. capricornis. A most distinct and peculiar plant. It is of considerable thickness, and resembles a bishop's hood. The surface is dark, covered with white dots, and crowned with spines; flowers large, yellow. We do not know of a more interesting plant for a collection. 50 cents to \$2.50.
- E. cylindraceus. Apparently only a mass of formidable white spines, interlaced over the whole plant. The appearance is well shown by our cut, and it is a beautiful and attractive species. 75 cents to \$3.
- E. horizonthalonis. A beautiful Mexican species, of oblong cylindrical shape, ridged, and the ridges set with clusters of rigid spines; gray in color, and bearing funnel-shaped purplish pink flowers: very attrac-




ECHINOCACTUS CYLINDRACEUS.



ECHINOCACTUS LONGEHAMATUS.

#### ECHINOCACTUS, Continued.

- **E. Longehamatus.** A species with long spines, bearing profusely large flowers. 50 cents to \$2.
- E. multicostatus. Another wonderful variation. The form is generally like a flattened ball, or a Mandarin orange, and the surface is ribbed with wavy and closely set ribs, upon which are curiously varying and handsome spines: a most desirable Cactus for any collection. 50 cents to \$5.
- E. Simpsonii. A perfectly hardy plant, bearing beautiful flowers and edible fruit, tasting much like gooseberries. The plant is easily grown, and is a cluster of thorny balls; the spines are also attractive in appearance. 50 cents to \$1.
- E. Texensis. Of symmetrical cushion-like form; bears beautifully fringed yellowish rose flowers, followed by ornamental bright red seed pods. 25 cents to \$1.50.



ECHINOCACTUS SIMPSONII.

- ECHINOCEREUS. This genus has mostly cylindrical
  - stems. of rather dwarf habit, which have longitudinal ridges, either straight or spiral, bearing handsomely colored spines. The flowers are rich in color and very beautiful, and quite lasting in character. The plants thrive in a cooler atmosphere than do most Cactuses.
- E. Berlandieri. An odd form. bearing large sweet-scented flowers of great beauty. 25 to 30 cents.
- E. candicans. A rare and remarkable species, the beauty of the spines being its distinguishing merit—they vary from cream color to deep blood red. It is a free bloomer. \$1 to \$5.
- E. chloranthus. Of oblong shape, producing yellowish green flowers. low down on the plant; spines red and white, and very pretty. 50 cents to \$1.50.
- E. enneacanthus. Branching stems of fresh green color: flowers reddish purple; spines short, yellow. 35 cents to \$1.



ECHINOCERUS PEC-TINATUS, GRAFTED.

- E. multiplex. This is a superior species, being distinct and handsome in form, and notable for its beautifully arranged spines. The flowers are rich and elegant in appearance, and of large size: the variety is one of the most satisfactory of all the Cactuses. 50 cts. to \$5.
- E. pectinatus. A superior blooming species, the flowers being produced in great profusion; they are of a beautiful purplish pink: the plant is dwarf and very ornamental, with harmless spines. One of the very best Cactuses grown. 50 cents to \$5.
- E. pectinatus, grafted. This species is handsome grafted on *Cereus grandiflora*; when so treated it makes rapid growth, and is very interesting Grafted plants, 75 cents to \$1.50.



ECHINOCEREUS MULTIPLEX.

- **ECHINOPSIS.** Of hardy constitution and free growth; this is a valued genus. There is much variety in the family; the flowers are always produced from the side of the plant, as in *E. Mulleri*, of which a cut is presented below.
- E. Mulleri. A very fine cactus; of rapid growth, blooming when only two years, old and bearing very hands ome double satiny pink flowers, freely scented, which remain open for a week. 60 cts. to \$3.
- Ten distinct varieties. We will send ten distinct varieties of Echinopsis for from \$3 to \$5, according to sizes of plants.




ECHINOPSIS MULLERI

**EPIPHYLLUM.** The "Crab Cactus." Handsome free-flowering plants, and especially valuable from their habit of winter blooming. They are of free and quick growth, and easily propagated. The flowers are very handsome.



MAMMILLARIA APPLANATA.

- E. truncatum. Best improved varieties of this species, with lovely crimson flowers. 50 cents to \$1.50.
- E. Russellianum. Of more slender growth, and blooms in May and June; flowers rosy crimson, freely produced. 50 cents to \$1.50.



MAMMILLARIA FULVISPINA



MAMMILLARIA LASIACANTHA.

- **MAMMILLARIA.** An important class, distinguished by great regularity and symmetrical formation. Some of them are most delicate and handsome, and all are attractive, bearing fine flowers and fruits.
- M. applanata. Blooms in early spring; is also covered with long bright red berries. 25 to 75 cents.
- M. bicolor. "The whole surface of this plant appears as if covered with a fine cobweb, owing to the numerous closely-set white hairs which form the outer series of spines." Should be kept in a case or under a bell glass to exclude dust; a very neat and handsome species. 75 cents to \$1.
- M. decipiens. A fine form, with many regular tubercles; of easy growth, and produces large yellow flowers. 25 to 50 cents.
- M. echinus. A striking plant of globular outline, with an unusually stout central spine; bears yellow flowers. 35 to 75 cents.
- M. fulvispina. The spines of this species are very beautiful, being ivory white at the base, turning to dark purple at the point. The handsome form is shown by the cut. 75 cents to \$1.50.
- M. Grahami. Of regular outline, with delicate spines, curving to the top of the plant; flowers rose colored, from June to August. 50 cts. to 81.
- M. lasiacantha. A lovely form, with innumerable pubescent spines: the illustration pictures it well. Flowers distinct and pretty.
- 25 cts. to 85.

  M. micromeris. "Called the 'Button Cactus' by some, because small single plants really resemble a finely silk embroidered button." A remarkable plant, hard to describe; it is of delicate texture, and very handsome. It also endures much hard ship without harm. 50 c. to 85.
- M. pectinata. A handsome plant of the greatest regularity, bearing a large and very beautiful yellow flower. 25 to 50 cents.



MAMMILLARIA PECTINATA.



PILOCEREUS SENILIS.

- MAMMILLARIA pusilla. Bright silvery spines, glistening in the sun; flowers yellowish white; a fine species. 25 cents.
- M. senilis. Like a ball of cotton, almost, being covered with delicate feathers, it seems. Must be kept covered to exclude dust: a lovely little gem. 50 cents to \$10
- M. Wildiana. A dwarf and handsome plant, with rose colored flowers, freely and often produced. 50 c. to \$1.
- PILOCEREUS senilis. The "Old Man" Cactus is a very odd and attractive plant. It is covered entirely with white hairs, which are pendulous, and envelop the stem. Remarkable, and always excites curiosity and admiration. 81 to \$10.
- PHYLLOCACTUS. A most distinct family, with flat stems almost like leaves, and bearing very handsome

- and richly colored flowers of enormous size. They stand much neglect, and are admired for their elegant flowers.
- Collection of best varieties, ten extra sorts. \$5 to \$10.
- **OPUNTIA.** A familiar genus, to which belong some especially fine and handsome forms. We have the best sorts in considerable variety, and can supply many not here named.
- O. microdasys. Of flat form, as shown in the cut, with lively green branches, beautifully spotted with tufts of golden yellow; a fine variety, and very distinct in contrast. 35 cents to \$1.50.

Ten Select Sorts, of distinct habit. 25 cents to \$1.



OPUNTIA MICRODASYS.

### COLLECTIONS OF CACTUSES.

We will select twelve distinct varieties, including the best species, for \$3, \$5 and \$10, according to size and varieties. To those desiring to form collections of greater extent, we will be pleased to supply lists of the best species, with prices. Cactuses for bedding will be supplied, also, at very moderate prices by the dozen or hundred.



MAMMILLARIA SENILIS.

## XXIV.

# BULBS AND TUBEROUS PLANTS.

ANY of our most desirable flowers are produced from bulbs or tuberous roots, and as a class they combine great beauty with easy culture. There are many hardy plants among them, and these are all transplanted with the greatest facility. Lilies, for instances, can be successfully lifted even when in full bud, and will grow on without serious check. The class, as a whole, can be heartily commended to all flower lovers.



TUBEROUS-ROOTED BEGONIA.

AMARYLLIS. A fine genus of greenhouse bulbs, with gorgeous blooms. See page 131.

**BEGONIA**, **Tuberous-Rooted**. These are plants of great beauty. They are of neat and compact habit, often with distinctly ornamental foliage, and bearing a profusion of most elegant flowers in varying colors. Though of tropical origin (the original species coming from the Andes of South America), they do excellently when bedded out in summer. We cannot too highly commend them to the flower-loving public.

Single Flowering, each, 20 cents; per dozen, \$2.25. Double Flowering, each, 40 cents; per dozen, \$4.

B. Rex varieties. See page 98. Each, 25 to 50 cents.

BOUSSINGAULTIA baselloides. A pretty half hardy tuberous plant, bearing clusters of small white flowers. 10 cents each; per dozen, \$1.

**CALADIUM, Hybrid Fancy.** (See page 86.) New and finest sorts from Rio Janeiro. Twelve sorts, named, \$5; six sorts, named, \$3; twelve sorts, unnamed, \$4; six sorts, unnamed, \$2.25.

**CALLA** (*Richardia*) athiopica. The Calla Lily. (See page 86.) Fine strong tubers. Each, 25 cents.

C. maculata. Spotted foliage. 25 cents.

CALOCHORTUS. The Mariposa Tulip; from California. An excellent class of pants for bedding purposes; their flowers are showy, and freely produced. Twelve fine sorts for §2.

**CANNA.** Plants most valuable both for foliage and flowers—the former of tropical richness, including all shades of green and bronze to deep crimson. The flowers in the newer varieties are extremely attractive and rich in coloring, and in combination with the superb foliage, make these plants unequalled for easily producing handsome decorative effects in the summer.

C. Ehemanni. A superb variety, having large flowers of a deep carmine, handsome both on the plant and when cut. Plant of medium height. (See cut, page 142.) 25 cents.

C. gladioliflora. Splendid flowers. 25 cents.

C. Noutoni. A beautiful French variety of very distinct character. 25 cents.

C. Premices de Nice. Foliage bright sea green; flow ers lemon yellow; very distinct and fine. 25 cents.

C. Hybrids. These are dwarf in habit, with rich flowers and superb foliage. Six varieties, 75 cents each.

CHIONODOXA. Fine hardy spring flowering bulbs.

C. Luciliæ. Flowers intense blue, shading to white in centre; blooms early and is very fine. 15 cents.

**C. Sardensis.** A new sort, the flowers of which are blue without the white shading. 20 cents.



CHIONODOXA LUCILIÆ.



CANNA EHEMANNI. (See page 141.)

**COLOCASIA.** Fine greenhouse bulbs, with very handsome foliage. See page 86.

CONVALLARIA majalis. The "Lily of the Valley." No words are necessary, either to describe or praise this lovely little spring-flowering bulb. All know it and love it. By the skill of the florists in forcing and retarding, the flowers are produced all the year. Strong pips, 50 cents per dozen.

CRINUM. Splendid flowering bulbs. See page 132. CROCUS. Very early hardy spring-blooming bulbs. often showing color before the snow is off. They are of dwarf habit, and most valuable in masses, giving a show of bloom so very early. All the colors, white, blue, purple, yellow, striped etc., 25 cents per doz., \$1 per 100; named varieties, 50 cents per doz., \$2 per 100.

**CYCLAMEN.** A grand genus of greenhouse plants, producing lovely flowers on strong stems, well above the pretty foliage. There are several species, but the most valuable is the one following, and its varieties.

C. persicum. A fine strain. Extra tubers, each, 25 cents; per dozen, \$2.50.

C. — giganteum. "Rose Hill strain." This strain, of our own selection, includes the very best forms yet produced. The flowers are of large size, the most perfect form, and disposed on the plant in a graceful fashion; the colors of the flowers range from pure white through all shades to deep and rich crimson. We know that no better strain exists, and we are confident that it will please all who try it. Plants have been fre-

quently exhibited and always take first prize. In assorted colors, each, 50 c.: six for \$2.50, twelve for \$4.



CLYCLAMEN PERSICUM GIGANTEUM.




GLADIOLUS HYBRIDS. (See page 144.)

DAHLIA. Well-known herbaceous tuberous-rooted plants. They are extremely ornamental, and serve to make gay our gardens for a long period. Their flowers, most brilliant and showy, are freely produced, and of a vast variety in color and shading. From deepest black purple to pure white, from the brightest scarlet to rosy blush, all the hues are found; and these again are striped and veined in some sorts most beautifully. The forms of the flowers are also of wonderful variety; the little pompons stand in marked contrast to the beautiful single varieties, while the odd cactus forms are most distinct from the regular double or "show" dahlias. The tubers can be wintered in a cool cellar. Our collection is the very best to be had. All Colors and Shades. Each, 25 cents; twelve varieties, named, \$2.50; twelve varieties, unnamed, \$2.

**EUCHARIS.** Beautiful white flowers. See page 132.

FREESIA. Greenhouse bulbs, producing a fine spike



of delicately beautiful and very fragrant flowers in winter.

F. Leichtlini. Yellow or cream edge. \$1 per doz.

F. refracta alba.

Pure white flowers. This species is very largely grown and forced. \$1 per dozen.

SINGLE DAHLIA.

FRITILLARIA.

The "Crown Imperial;" a

beautiful and stately hardy early spring flowering bulb. The stems are thrown a foot or two above the foliage, and are crowned with a cluster of showy flowers.

- **F.** imperialis. The familiar form; the flowers are brick red; but in sub-varieties other rich colors are found. 35 cents each.
- **F. meleagris.** The "Snake's Head" lilies; flowers spotted and checkered. 50 cents each.
- **GALANTHUS.** The Snowdrop; well-known hardy bulbs, flowering very early in spring. They have white flowers, and are highly esteemed.
- G. nivalis. Double and single forms. 25 cents per dozen.
- G. Elwesii. A large flowering variety. 50 cents per dozen.



DOUBLE DAHLIAS.



GLOXINIA.

- **GLADIOLUS.** No plant is more useful for making gay the garden than the Gladiolus forms. Planted at intervals, from May 1 on, they supply a brilliant display in late summer and fall. The tall spikes of flowers are very lasting when cut, and the colors include white, yellow, scarlet and all intermediate shades. The bulbs are not hardy, but can be readily lifted and kept over winter.
- G. Gandavensis hybridus. The innumerable varieties are from this species. Best bedding Gladiolus, in fine varieties, mixed, per dozen, \$1. Six fine named varieties for \$1.50; twelve fine unnamed varieties for \$2.
- G. Lemoine's Hybrids. Very distinct in shape and coloring, and hardy with a little protection.
- **GLOXINIA.** Superb summer blooming bulbs, with rich or velvety foliage, and flowers of extreme beauty, rivalling the best Orchids, and ranging in color from pure white through all shades to deep purple and crimson, spotted and marked. Elooming freely when other flowers are scarce, they are doubly valued either for decorations or cutting.
- **G.** (Sinningia) speciosa Hybrids. Excellent large flowering varieties in all shades of color, each, 25 cents. Six fine varieties for \$1.25; twelve fine varieties for \$2.
- **HELLEBORUS** niger. The "Christmas Rose." See Hardy Plants.
- **HYACINTH.** Best varieties in all colors. For description, see Bulb Catalogue. Best named varieties, \$1.50 to \$3 per dozen.
- **HYACINTHUS** candicans. A snow white summer flowering giant Hyacinth, growing three to four feet high: they flower in August, and are entirely hardy. 20 cents each.

- IRIS. These are among the best of our summer flowering plants, and many of the newer varieties are of the greatest beauty, their gorgeous blooms rivalling the finest Orchids in elegance of form and delicacy of texture. No garden is complete without an assortment of these splendid hardy plants. They continue in flower for quite a time, and are much admired for cutting as well as for out-door decorating. The only attention they require when planted out is division every three or four years, and replanting; they are perfectly hardy without protection.
- I. Germanica. The ordinary form; the improved varieties are very fine. Best named varieties, 25 cents each, \$2.50 per dozen; unnamed, 20 cents each, \$2 per dozen.
- I. iberica. A form of great elegance, somewhat on the order of I. Sustana, but smaller in growth, and entirely hardy. Will be found a most desirable flowering plant. 30 cents each.
- I. Kæmpferi. The Japanese Iris, and the finest of this fine genus. The flowers are of the richest appearance, in colors ranging from white to royal purple, with delicate markings and veinings. They are of quite different appearance from German Iris, being flatter and larger—some are as much as eight inches in diameter when grown in rich soil. A clump of these Iris makes a most distinct and handsome object in a mixed border or on the lawn. The foliage is also of neat and graceful habit, and no detriment after the flowers are gone. Best named varieties, each, 30 cents, \$3 per dozen.
- I. Susiana. The "Mourning Bride;" a distinct and remarkably beautiful Iris; the flowers are a wonderful mingling of white, black and lilac, in a manner entirely distinct from any other species. A most attractive plant when in full bloom.

IMANTOPHYLLUM (Clivea). See page 132.



IRIS GERMANICA.



LILIUM AURATUM.

**LILIUM.** This magnificent genus needs no commendation. Disputing with the rose the supremacy over the floral kingdom, the Lilies, in their majestic loveliness, claim admiration from all. We append a list of select and satisfactory sorts.

L. auratum. The Japan Golden-Banded Lily. Known everywhere as one of the finest of all plants. Its lovely flowers are white, spotted purple, and banded with delicate yellow; they are large, and of the richest fragrance. The strong bulbs we supply will give splendid results if planted in rich, well-drained soil-25 to 50 cents each, \$2.50 to \$4.50 per dozen,

- **LILIUM** auratum macranthum. Like the foregoing, but with larger petals. 25 to 50 cents.
- L. speciosum. The petals are banded with red; a very distinct variety. 50 cents.
- **L. Hybrids.** Some of the hybrids of this grand species are most distinctly colored and very beautiful; they are a great improvement. 50 cents to \$1.
- **L. Brownii.** Very large, trumpet shaped; pure white inside, tinged brownish purple outside; a superb sort. \$1 to \$1.50.
- **L. Canadense flavum.** A fine variety with bell-shaped yellow flowers. 25 cents.
- **L. candidum.** The well-known white garden lily; not excelled for beauty. Is extremely ornamental grown in masses, and is also very valuable for forcing. 10 cents each, \$1 per dozen.
- **L. Chalcedonicum.** Flowers bright scarlet, pendulous, and much recurved, borne on stems of two to three feet; a desirable species. 25 to 50 cents.
- **L.** concolor. Dazzling scarlet flowers on upright stems, with graceful foliage. 25 to 50 cents.
- **L. coridion.** Bright yellow flowers, scattered over with reddish brown spots. 50 cents.
- L. elegans. Large flowers of fine trumpet shape, bright scarlet, veined darker and lighter. There are many varieties of this species, and they vary in color and height—some are quite dwarf. They bloom very early, and are of great value for bedding, giving a mass of rich color early. 25 to 50 cents.
- L. excelsum (testaceum, Isabellinum). A stately plant, producing at the summit of a tall stem a cluster of handsome nodding flowers of a delicate light buff. 50 cents to \$1.
- L. Harrisii (longiforum eximium, floribundum). The Bermuda Easter Lily; now well known because it is largely forced by the florists in winter. Has magnificent large white trumpet-shaped flowers, produced in clusters at the top of the stems; flowers with great freedom, and is a grand greenhouse decorative plant; not fully hardy out-doors. We grow these lilies extensively in Bermuda, and are able to supply superior bulbs in any quantity. 25 to 50 cents each, \$2.50 to \$5 per dozen.
- **L. Humboldtii.** Golden yellow or orange flowers, spotted with purple; a fine Californian species. 50 cents.
- L. Krameri. A fine Japan species, with white, slightly reddish flowers, sweetscented. 30 cents.
- L. Leichtlini. A beautiful Japanese lily; flowers canary yellow, spotted with purplish red; of neat habit, and a very desirable species. 25 to 50 cents.
- L. longiflorum. Splendida white flowers, of long trumpet shape; a superb lily, which was largely forced before the advent of *L. Harrisii.* 25 cents each, \$2.50 per dozen.



LILIUM HUMBOLDTII.



#### LILIUM, Continued,

- L. martagon. The "Turk's Cap" Lily: flowers vary in color, but the type is dull purplish red, spotted freely with dark purple; a distinct and widely grown species. 20 cents each, \$2 per dozen.
- L. pardalinum. Scarlet flowers, with a lighter orange center and large purple spots; a very rich and handsome American species. 25 cents.
- L. Philadelphicum. Orange red. purple spotted flowers, produced in summer 10 cents.
- L. pulchellum. Of remarkable shape and rich scarlet color; a very effective variety. 25 cents.
- L. speciosum album. Pure white flowers, very sweet; a grand lily. 25 cents each, \$3.50 per dozen.
- L. monstrosum album. A large form. 25 cents each, \$2.50 per dozen.
- album præcox. A lovely and distinct pure white species, rose tinted on ends of petals; very fine. 35 cents.
- L. rubrum. Rose, spotted crimson. 25 cts. to \$2.
- L. roseum. White, spotted rose. 25 cts. to \$2.50.
- L. superbum. Of tall habit, with stately orange red thickly spotted flowers in a large panicle; a grand native species. 25 cents each, \$2 per dozen.
- L. tenuifolium. A lovely little Siberian species; the flowers are small, bright scarlet, shining, and produced in an elegant way on slender stems; a gem. 30 cents.
- L. tigrinum. Our grand Tiger lily would be deemed a prize if it were scarce; it is a showy and beautiful plant. 20 cents each, \$2 der dozen.
- L. fl. pl. A fine double form. 35 cents.
- L. umbellatum (Thunbergianum). These are superior for bedding purposes, being of dwarf habit and very free blooming. 25 cents each, \$2.50 per dozen.
- L. atrosanguineum. Fine dark flowering variety. 30 cents.

- LILIUM umbellatum citrinum. Rich yellow flowers, with black dots. 50 cents.
- L. fulgens. Beautiful red flowers. 30 cents.
- variegatum. Foliage beautifully variegated. \$2.50.
- L. Washingtonianum. A superb Californian species, with white flowers of rich fragrance. 40 cts. each, \$3.50 per dozen.
- MONTBRETIA. Valuable summer blooming bulbs, bearing spikes of handsome flowers.
- M. crocosmiflora. Flowers orange scarlet. 10 cents. M. Pottsii. Bright yellow and red. 10 cents.
- NARCISSUS. Including Jonquils, Daffodils, etc. For descriptions, see Bulb Catalogue. All the best varieties, \$1 to \$2 per dozen.
- N. Tazetta. The "Chinese Sacred Lily." A very easy blooming sort: can be flowered in any window. 25 cts.
- OXALIS. Pretty basket plants, with clover-like foliage and abundant flowers of white, pink and yellow. Best varieties, 25 cents per dozen.
- PÆONIA, Herbaceous. These are fine hardy shrubs, furnishing large and very handsome double flowers, from white to deepest crimson. Nothing is finer for the herbaceous border. Best named sorts, 50 cents each, \$5 per dozen: unnamed, 35 cents each, \$3.75 per dozen.
- FOLIANTHES tuberosa. This, the well-known Tuberose, is one of the best of our summer bulbs. The white, fragrant flowers are beautiful.
- Single Tuberose. The "Orange Flowered" variety. \$1 per doz.
- Excelsior Pearl. The finest strain of the double varieties, and a beautiful flower; of dwarf habit. \$1 per dozen.
- TIGRIDIA (Ferraria). Splendid summer blooming bulbs; the flowers are showy and freely produced.
- T. conchifiora. Dark yellow flowers. 10 cts.
- T. grandifiora alba. White flowers. 10 cts.
- TRITOMA uvaria grandiflora. A fine hardy bulbous plant, producing showy spikes of orange flowers. 25 cts.
- TULIPA. Double and single Tulips, in best sorts for forcing and bedding. See Bulb Catalogue. 50 cts. to \$1 doz.; \$3.50 to \$5 p. 100.
- ZEPHYRAN-THES atamasco rosea. cents each.



LILIUM HARRISII.

## XXV.

# AQUATIC PLANTS.

LANTS which grow in or near the water are receiving much attention now, and they are well worthy of it, for some of the most beautiful of all our flowers are aquatic in their nature. The exquisite water lilies, the stately lotos, the wonderful Victoria regia, serve with others to distinguish this class. It is not at all difficult,

in reality, to provide for them the necessary conditions. growing in an ordinary tub, with a minimum of attention constructed and lined with cement, in which all the fine a that a section of the tank can be warmed by a hot-water of any case the tub or tank must be so constructed as to affor low and others deeper water. We will construct and arra	or a brick tank of any desired dimensions can be readily aquatics will flourish. If contiguous to a greenhouse, so or steam pipe, the great <i>Victoria regia</i> can be flowered. In a several depths of water for the plants—some need shal-
ACORUS. Fine decorative plants for the water borders or in shallow water; they are hardy and have pretty flowers.	CYPERUS alternifolius. Useful for swampy places. See Grasses, page 151. 25 cents.  C. —— var. See Grasses, page 151. 75 cents.
A. Calamus. The root is the well-known Calamus or Sweet Flag; has yellow flowers	EURYALE Amazonica. A noble water lily, with very large thorny leaves and large and beautiful pink flowers. \$3.  E. forox. Like the foregoing, but the flowers are deen

APONOGETON distachyon. The "Water Hawthorn;" has pure white and fragrant flowers; suitable for in-door and out-door culture, being hardy; the leaves are also pretty.

A. Japonicus var. Variegated foliage; fine . . .

- ARISEMA. Very fine decorative and flowering plants for the borders of ponds or creeks; the flowers are somewhat like the Arums.
- A. doracontium ..... A. ringens (pracox). Flowers white and green;
- ANTHROPODIUM fimbriatum. A valuable decorative plant for margins, with light grayish green Dracæna-like leaves and white flowers. 50 cents.
- ASPIDISTRA lurida var. This plant is good everywhere, and will grow freely on the margins of ponds or small streams. Few plants of value are so available for all decorative uses. 50 cents to \$2.
- BUTOMUS umbellatus. The "Floating Rush;" bears fine large pink flowers, and is one of the best hardy swamp plants. 25 cents.
- A pretty little hardy aquatic, CALLA palustris. growing in swamps or shallow ponds. 25 cents.
- C. Æthiopica. The Calla Lily; see Richardia.
- C. albo-maculata. The spotted Calla; see Richardia.
- CALTHA palustris monstrosa plena. A fine hardy bog plant, bearing large golden double flowers. 25 cts.
- CERATOPTERIS thalictroides. The "Floating Stag-horn Fern." A very curious hot-house aquatic fern of much interest. 75 cents to \$1.

- E. ferox. Like the foregoing, but the flowers are deep violet. \$3.
- HOTTONIA palustris. The Water Violet; also a climbing plant. A handsome hardy aquatic for shallow ponds. The leaves grow under water; the flowers are lilac, with a yellow eye, on the order of the Primrose. 25 cents.
- HIBISCUS. Of this extensive genus there are several species which do well planted on borders of ponds, etc. They have beautiful foliage and attractive white, rosy and crimson flowers: not as well known as they should be for their real beauty.

H. coccineus	50
H. militaris	25
H. Moscheutos	25
IRIS pseudo-acorus var	50
I. fœtidissima var	50
Two excellent decorative water plants.	

- JUNCUS. Odd grass-like plants for bogs or marshy places.
- J. effusus aureo-striatus. Striped leaves, curiously J. zebrinus (Scirpus). A fine variegated plant . .
- LIMNOCHARIS Humboldtii (Plumieri). The pale yellow miniature Water Lily; a pretty stove aquatic. 50 cents.
- LIMNANTHEMUM (Villarsia) nymphæoides. A pretty little hardy aquatic, with yellow flowers and leaves somewhat like those of the water lily. 35 cts.
- MENYANTHES trifoliata. The "Bog Bean;" a very pretty flowering plant for wet places and near the water; flowers white and red.



A TANK PLANTED WITH WATER LILIES; GRASSES AND OTHER AQUATIC PLANTS IN THE BACKGROUND.

NELUMBIUM. Superb aquatic plants, growing to a considerable height from the surface of water: their flowers and foliage are both of great beauty, and they are indispensable in all fine aquatic planting—their habit gives them a valuable place for planting in backgrounds, while their own intrinsic elegance also evokes admiration.

M. luteum. The American yellow flowering Lotos: a splendid hardy plant, bearing large and fragrant yellow flowers in the way of double tulips: the leaves are large and of a peculiar bluish-green: very ornamental for aquarium planting, or on the borders of small lakes or ponds. \$1.

N. speciosum. The Water Lily of Hindoostan; the Egyptian Lotos Bean of Pythagorus. A magnificent aquatic, bearing immense double flowers of white and rose color, richly fragrant and very beautiful. They are held up on long stems above the very large umbrella-like leaves, and the unopened buds are of elegant appearance. The flowers are followed by an odd seed pod, resembling closely the rose of a watering pot, holes and all. This superb plant is one to delight any flower-lover, and, although not hardy, it may be readily flowered outside in the summer, in a tank or pond. \$1.50.

NUPHAR. Splendid aquatic plants of vigorous growth, with large leaves, which are held above the water an inch or so.

N. advena. The American yellow flowering Nuphar Water Lily; large and handsome flowers. 50 cents.

N. lutea. The European yellow flowering Nuphar Water Lily. Flowers smaller, with a brandy-like scent. \$1.

NYMPHÆA. This, the true Water Lily genus, is a most important aquatic class. All the species are beautiful in flower and distinct in foliage, and the blooms range from pure white to deep crimson and royal purple. The culture of these lilies is fascinating and by no means difficult; many of the most beautiful species are entirely hardy.

N. alba. The European white Water Lily. The flowers are not fragrant, and float on the surface; the leaves are borne up above the water. 50 cents.

N. cœrulea (stellata). A lovely Egyptian form, not hardy; the delicately scented flowers are blue, and freely produced through the summer. \$2.50.

N. dentata. An immense white flower—6 to 14 inches in diameter—of great beauty, and freely produced. From Sierre Leone. \$2.50.

N. Devoniensis. Large flowers of a brilliant rosy red; a superb sort, blooming nearly all summer; not hardy. \$1.50 to \$2.50.

N. flava. Canary yellow flowers of medium size; distinct leaves; nearly hardy. \$1.

N. Lotos. The true Egyptian Lotos; a grand species, with large red or white flowers; not hardy. \$3.

N. odorata. The well-known American white sweetscented Water Lily; perfectly hardy, and can easily be had in profusion in a tank, pond or on the borders of a slow running creek; one of the most beautiful species. 25 cents.

N. — rosea. The Cape Cod pink Water Lily; a lovely variety, with exquisite rosy flowers. \$2.50.

N. rubra. See N. Lotos. \$3.

N. scutifolia. Fine blue sweet-scented flowers; a beautiful species. \$2.50.



TRILLIUM GRANDIFLORUM. (See page 150.)

#### NYMPHÆA, Continued.

- N. Sturtevantii. A splendid and free-blooming American hybrid, with light rosy red flowers. §5.
- N. tuberosa. A fine hardy white species, with distinct leaves; is abundant in the western portions of the United States. 50 cents.
- N. Zanzibarensis. A superb Water Lily, with purple flowers; from East Africa; very beautiful and free flowering. §5.
- N. -- azurea. Lighter blue flowers. \$4.
- N. -- rosea. Rosy flowers; very fine. \$4.
- **ORONTIUM** aquaticum. A pretty American hardy aquatic plant. 25 cents.
- OUVIRANDRA fenestralis. The "Lace Plant," from Madagascar; a singular and beautiful aquatic plant, with peculiar foliage, which is finely divided, resembling lace or lattice-work; it grows just under the surface of the water, and is exceedingly desirable for aquariums. \$2.50.
- PANICUM variegatum. A pretty grass-like plant, useful for margins of ponds. 50 cents.
- P. virgatum. Hardy. 25 cents.
- **PAPYRUS** antiquorum. The Egyptian Paper Reed or Rush. A beautiful reedy aquatic plant, with very gracefully disposed pendent leaves at the top of long stems. Interesting and handsome. \$1.
- PELTANDRA virginica. The well-known "Arrow Arum;" a fine hardy plant for aquatic planting. 25 c.
- PISTIA Stratiotes. A very interesting small water plant of peculiar shape, called Water Lettuce, or Water Dock. It requires a warm place, in which it grows rapidly; leaves are wedge-shaped, light peagreen. 50 cents.

- PONTEDERIA cordata. A curious water plant, with sky blue flowers.
  - P. crassipes (Eichhornia). A useful hardy aquatic, native to North America. \$1.
  - PRIONIUM Palmita. The Palm Reed, from the Cape of Good Hope. A very beautiful and conspicuous decorative plant for marshes or ponds. \$1.50.
  - ROHDEA japonica var. A remarkable Japanese plant with white flowers; half hardy. 50 cents to \$1. RUMEX. The species noted are the great Water Docks; they are valuable swamp plants.
  - R. hydropiper
     \$0.25

     R. hydrolapathum
     25
- RICHARDIA. A well-known genus of elegant greenhouse bulbous plants, erroneously called Calla, which also flourish in low and moist situations, around fountains, on borders of tanks or streams, etc. Both the species are ornamental in any situation.
- R. Æthiopica (Africana). The Lily of the Nile; its beautiful white flower spathes are produced in winter and spring under ordinary circumstances, but in summer if grown as an aquatic. 25 cents to \$1.
- R. albo-maculata. A form with a greenish white spathe, smaller than R. .Ethiopica; the leaves are beautifully spotted with white; a most beautiful ornamental plant, of easy growth. 25 cents to \$1. See cut, p. 150.
- **SACITTARIA.** Fine white flowering water plants, with arrow-shaped leaves.
- SELINUM decipiens. A plant of great beauty, and of effective and decorative habit. \$1.
- **SENECIO** platanifolia. A free-growing plant for aquatic borders. 50 cents.



RICHARDIA ALBO-MACULATA,

SIMPLOCARPUS fœtidus. 25 cents.

STRATIOTES aloides. The Water Aloe or Water Soldier. A fine and most peculiar plant, resembling a pine-apple in foliage. Grows very rapidly, and should be planted sparingly, as it is apt to monopolize an aquatic tank unless restrained. 50 cents.

THALIA dealbata. A grand water plant from Florida, with canna-like leaves; bears small purple flowers.

TRILLIUM grandiflorum. The "Wake Robin." An excellent hardy plant with large white flowers; fine for the hardy border in a shady situation, but also does

very well and flowers freely in a sub-aquatic position. One of our best native flowering plants, and much admired. See cut, page 149. 25 to 50 cents.

TYPHA. The well-known "Bullrushes." Free-growing hardy marsh plants of much decorative value: no other plant, however rare, will give the same unique effect as this.

VALLISNERIA spiralis. A very interesting floating plant, much used in aquariums. 25 cents.

 VERBESINA.
 Fine decorative plants.
 See page 122.

 V. alata.
 \$0 50

 V. gigantea.
 50

**VERATRUM.** Very fine plants with large leaves and interesting flowers; hardy, and fine for marshy places.

VICTORIA regia. Truly the queen of water lilies. A magnificent and remarkable giant aquatic plant, needing a high temperature to develop its flowers, which are a foot or more in diameter, and very beautiful; the leaves are also enormous, being four to six feet in diameter, laying flat on the water, with peculiar turned-up margins; these gigantic leaves are sufficiently buoyant on the water as to support the weight of a child of eight or ten years. This grand plant may be flowered out-doors in summer by anyone who can provide a tank in which the water can be kept at 80 or 85 degrees. Plants, \$2; seeds, 25 cents each.

VILLARSIA nymphæoides. See Limnanthemum. 50 cents.

#### OUT-DOOR AQUATIC TANKS.

It should be noted that all those marsh plants or Aquatics which are hardy can be left out in the basin or tank, covered with leaves and litter, which preserves the plants as well as the tank or basin, in which no water should be left during winter. All those which are not hardy can be kept over winter in small tubs, in the greenhouse under the stages, or in some similar place where not much room is wasted with them, and they can be kept at a temperature above freezing.

## XXVI.

# ORNAMENTAL GRASSES.

Including Plants of Grass-Like Habit, Suitable for Out-Door Planting.

HESE are beautiful plants for judicious use in mingling with other decorative plants. They are all essentially graceful in habit, and will be of service in taking away the stiffness and formality of many otherwise handsome decorative plants. Many of the species are of much value for winter decorations in a dried form, in which condition they preserve a great share of their beauty.

ANDROPOGON. Very pretty hardy grasses of decorative habit.



Street !	11 157/
191	
/HA	
INK	M W
MM	MANY /
, INX	MANA
1 100	KININ/X/
THE WAY	WHY!
ANN	MANAVII,
W	WAY A II
MAN	
INN	
TIM	HANN LLA
MA	
JAN	WIN WY//
( NA	
I BINE	
/ JASA	WWW.
1/1/8	
X	
\ III	Walt Witt
11/3	MANINE

ERIANTHUS RAVENNÆ.

A.	formosus.			. \$0	50
Α,	giganteus				50
A.	Schimperi				50

- ARUNDO. These are very ornamental plants of a reedlike character. The stout stems have branching leaves from the ground up. They are not entirely hardy.
- A. conspicua. A rare and very handsome form, bearing silky white flowers, which are beautiful for months. 50 cents.
- A. Donax. The Great Reed: an elegant plant. 25 cents.
- versicolor. Smaller than above, with leaves ribboned with white; a splendid ornamental reed. 35 to 75 c. A. — Phragnitis. 25 cts.
- ARUNDINARIA falcata. A hardy grass with very delicate feathery foliage \$1.
- BAMBUSA. A large genus of well-known economical value in their native habitat. The species offered here are very handsome plants.
- B. aureo-striata. Forms elegant tufts or clumps; a fine Japanese variety. 50 c.
- B. Fortunei argenteo-vittata. Another dwarf Japanese species of great beauty. 25 cents.
- B. gracilis. A taller growing species. 50 cents.
- B. Metake. Fine variety. 50 cents.
- B. nigra (Phyllostachys nigra).
- B. viridi-striata. A slender and delicate species. 50 cts.

- BROMUS brizæformis. A hardy perennial grass of great beauty; especially fine for drying for winter decorations. 25 cents.
- CAREX. Excellent hardy grass-like plants of graceful
- C. acutifolia fol. var.
- CYPERUS. Very ornamental rush-like plants, which serve admirably also for aquatic planting. They make very handsome pot plants.
- C. alternifolius. Has straight stems, with the long narrow leaves radiating from their summits at right angles, drooping in an umbrella form; very fine . \$0 25
- C. variegatus. A beautiful variegated form. C. Natalensis . . . . . . . . .
- ELYMUS glaucifolius. A fine grass of bluish color. 25 cents.
- ERIANTHUS Ravennæ. A large growing and imposing grass, somewhat like the Pampas grass; of very fine habit, and produces long and handsome plumes, which are fine for winter use when dried. 50 cents.
- EULALIA. The most ornamental grasses known: they are beautiful in leaf and flower, and entirely hardy.
- E. Japonica striatis. Foliagestriped white in centre.
- E. zebrina. A very peculiar and handsome form, in which the variegation occurs in stripes across the leaves, instead of longitudinally, as in the preceding species. In habit both are alike elegant, and they are superb plants for clumps on the lawn, where they will have a chance to develop. 50 c.



BROMUS BRIZÆFORMIS.

GYNERIUM argenteum.	The true pampas grass. A
stately plant, bearing magn	ificent silvery white plumes
in fall; the latter are large	ely brought from California
in a dry state for winter of	ornaments. The plants are
hardy if protected slightly.	. See cut, page 156. 50 cts.
to \$1.	

**PANICUM.** The perennial millet grasses are very fine decorative plants of luxuriant growth.

accordance plants of fu	LAI	ur r	ап	ະຣ	10	* * *	UII				
P. maximum								 		\$0	50
P. palmifolium								 			25
P. sulcatum (plicatum)								 			25

PAPYRUS antiquorum. See Aquatic Plants, p. 147.

**PHALARIS** arundinacea var. An old but very useful ribbon grass; hardy and handsome. 25 cents.


**STIPA.** Grasses of elegant and graceful habit, with fine feathery flowers; valuable both for summer planting and for winter ornaments when dried.

**UNIOLA** latifolia. A very fine decorative grass; the spikelets are flat. 25 cents.



EULALIA JAPONICA ZEBRINA.





## XXVII.

# PLANTS FOR SUB-TROPICAL GROUPS.

Including those Suitable for Single Specimens on the Lawn.

ERE are included under one head a list of such plants as are most useful for sub-tropical planting and bedding on the lawn or pleasure ground. There are also included such species as form imposing specimens when planted alone—a method which is often pursued with very satisfactory results. As most of the plants here noted have been previously described, they are here simply named, with a due reference to the pages on which full descriptions may be found.

ABUTILON.         Fine flowering plants.         See page 111.           A. Thompsonii            80 25           A. venosum.         A showy plant for grouping          25
ACACIA Farnesiana. Two excellent trees for the lawn, with fine mimosa-like leaves and very fragrant flowers; perfectly hardy in this latitude. (For other Acacias, see page 111.) 50 cents to \$1.  A. Julibrissin \$ 50 to \$1 00
<b>ACALYPHA</b> . Very fine decorative plants, with brilliant colored large leaves, like the finest Coleus. (See page 95.)
A. macrophylla       \$0 25 to \$0 50         A. Macafeeana       25 to 50         A. marginata       25 to 50         A. tricolor       25 to 50
ACANTHUS. The leaves of this and the following species represent the acanthus on the capitals of the Corinthian columns.  A. mollis
<b>A.</b> spinosus
AGAVE.       Splendid decorative plants.       See page 134.         A. Americana       50 to 3 00         A. — fol. aureo var.       50 to 1 00         A. — striata       1 00 to 5 00         A. — intus luteus       1 50 to 5 00         A. — Millerni argenteo var.       1 00 to 5 00
<b>ALOCASIA.</b> See pages 5 and 85. The Alocasias ( <i>Colocasias</i> ) are gigantic forms of the fancy caladiums, and are most useful plants for sub-tropical groups during the summer season.
A. appendiculata       \$0 50 to \$1 00         A. carracasana       25 to 50         A. cuprea       50 to 1 00         A. gigantea       1 00 to 2 00         A. Javanicum (esculenta vera)       50 to 1 00         A. Jenningsi       1 00         A. macrorhiza var.       50 to 1 50         A. odorata (Caladium odoratum)       75 to 2 00         A. violacea (Xanthosoma)       50
<b>A.</b> — alba

ALOE. These species of Aloes are arborescent, and
therefore indispensable as solitary decorative plants
or for rockeries. See also page 134.
<b>A.</b> arborescens
A. cæsia 50 to 1 00
<b>A.</b> ciliaris
<b>A.</b> maculata 50 to 1 00
<b>A.</b> plicatile (furcata) 1 00 to 5 00
A. vulgaris (barbadensis) 50 to 1 00
AMARANTHUS. Several of this genus are splendid
decorative plants.
A. hypochondriacus (cruentus). The "Prince's Feath-
er;" beautiful deep crimson flowers \$0 25
A. salicifolius. A plant of most beautiful outline
when well grown; leaves richly colored 25
A. sanguineus. Fine blood red leaves 25
AMICIA Zygomeris. A very fine decorative plant of
an elegant habit. \$1.50.
AMORPHOPHALLUS Rivieri. See page 85. 50 cts.
ARALIA. See pages 95 and 112. Most excellent foliage
<b>ARALIA.</b> See pages 95 and 112. Most excellent foliage plants.
plants. <b>A.</b> leptophylla \$1 00 to \$2 00 <b>A.</b> papyrifera 50 to 2 00
plants.       81 00 to \$2 00         A. leptophylla       \$1 00 to \$2 00         A. papyrifera       50 to 2 00         A. pentaphylla       1 00 to 3 00
plants.       \$1 00 to \$2 00         A. leptophylla       \$5 0 to 2 00         A. papyrifera       50 to 2 00         A. pentaphylla       1 00 to 3 00         A. Sieboldii       50 to 2 00
plants.       A. leptophylla       \$1 00 to \$2 00         A. papyrifera       50 to 2 00         A. pentaphylla       1 00 to 3 00         A. Sieboldii       50 to 2 00         A. — aurea reticulata       1 00 to 2 00
plants.       \$1 00 to \$2 00         A. leptophylla       \$5 0 to 2 00         A. papyrifera       50 to 2 00         A. pentaphylla       1 00 to 3 00         A. Sieboldii       50 to 2 00
plants.       A. leptophylla       \$1 00 to \$2 00         A. papyrifera       50 to 2 00         A. pentaphylla       1 00 to 3 00         A. Sieboldii       50 to 2 00         A. — aurea reticulata       1 00 to 2 00         A. trifoliata       1 00 to 3 00         ARAUCARIA imbricata.       See page 112.         This is the
plants.       A. leptophylla       \$1 00 to \$2 00         A. papyrifera       50 to 2 00         A. pentaphylla       1 00 to 3 00         A. Sieboldii       50 to 2 00         A. — aurea reticulata       1 00 to 2 00         A. trifoliata       1 00 to 3 00
plants.       A. leptophylla       \$1 00 to \$2 00         A. papyrifera       50 to 2 00         A. pentaphylla       1 00 to 3 00         A. Sieboldii       50 to 2 00         A. — aurea reticulata       1 00 to 2 00         A. trifoliata       1 00 to 3 00         ARAUCARIA imbricata.       See page 112.         This is the
plants.  A. leptophylla
plants.  A. leptophylla
plants.  A. leptophylla . \$1 00 to \$2 00  A. papyrifera . 50 to 2 00  A. pentaphylla . 1 00 to 3 00  A. Sieboldii . 50 to 2 00  A. — aurea reticulata . 1 00 to 2 00  A. trifoliata . 1 00 to 3 00  ARAUCARIA imbricata. See page 112. This is the finest and most conspicuous form of the Araucarias for decorative purposes.  ARUNDO Donax var. A splendid and most decorative grass for the lawn. (See page 151.)  AUCUBA Japonica var. A splendid hardy evergreen
plants.  A. leptophylla

BAMBUSA. Very ornamental reed-like plants. See

 B. aurea (striatifolia)
 \$0 50 to \$1 00

 B. gracilis
 50 to 1 00

 B. Metake
 50 to 1 00

 B. nigra
 50 to 1 00

page 151.

<b>BEGONIA.</b> Begonias are most excellent for the subtropical bed or border, flowering freely under our summer suns. Those here offered are all of robust growth, with fine large leaves. (See also page 97.)
B. Caroliniæfolia. 75 cents to \$1.  B. heracleifolia (jatropæfolia). Rose flowers; large and handsome bronzy green leaves. 50 cents to \$1.
<b>B.</b> hernandiæfolia. A silvery appearing plant of much beauty and elegance in habit \$0 50 to \$1 00
<ul> <li>B. macrophylla. Large leaves 50 to 1 00</li> <li>B. palmata. Handsome palmate foliage . 50 to 1 00</li> <li>B. ricinifolia. Large and fine bronzy</li> </ul>
green leaves
BOCCONIA cordata. A handsome hardy herbaceous
plant, with large and showy blue-green leaves; of stately habit, and most desirable for sub-tropical work.
<b>BRACHYCHITON.</b> The Australian Flame Tree; fine leaves and large trusses of crimson flowers. (See also
page 7.) <b>B.</b> accrifolium
CALLA (Richardia) æthiopica. (See page 149). 25 to 50 cents.
C. albo-maculata
<b>CANNA.</b> These are especial valuable for sub-tropical planting, being rich in foliage and flower and of free growth. (See page 141.)
<b>C. Ehemanni.</b> A splendid variety, with richly colored and large flowers
C. gladioliflora. Has flowers of much the size and shape of a gladiolus
C. Noutonii
C. in variety. Several fine species for bedding, of
different colors of foliage, and distinct habit as to height
CENTAUREA. Splendid foliage plants for bedding or
massing; they produce a distinct white effect of a fine
character, and are largely grown for bedding, for which
their neat habit especially adapts them.
C. candidissima (Cineraria). Of beautiful habit, and makes a handsome specimen
C. Clementei
C. Clementei       25         C. Fenzlii       25         C. gymnocarpa.       The most largely used species,
C. gymnocarpa. The most largely used species, having elegant foliage
CESTRUM aurantiacum. With fine orange yellow flowers. (See page 115.) 25 cents.
CINERARIA. The white-leaved varieties of Ciner aria are superior bedding plants.
C. acanthifolia
C. maritima. Hardy; of great value on the sea
coast; it flourishes in the sand, where nothing
else will grow         25           C. platinifolia         25
CLEOME speciosissima. A very imposing plant, with

CLERODENDRON.	Elegant	ornamental	plants of
fine blooming habit;	most usefu	ıl for sub-troj	pical plant-
ing. For additional	varieties,	see page 98.	
C. Bethunianum			\$0 50
C follow			50

 C. fallax
 50

 C. fœtidum (Bungei)
 25

 C. fragrans (Volkameria)
 A beautiful species
 25

**COTYLEDON.** Succulent plants of much value for decorative planting; they bloom attractively, and are fine for dry places. See also page 156.

**CRYPTOMERIA** elegans. This and the following are conifers of a beautiful and graceful habit; they are available when used as solitary or specimen plants. 50 cents to \$1.

**CYPERUS.** Ornamental grass-like plants, suitable for sub-tropical groups, and especially for planting at edges of fountains, etc. See page 151.

 C. alternifolius
 80 25

 C. — var.
 75



CROTON MACULATUM.

DASYLIRION. Ornamental greenhouse evergreen plants, with graceful foliage and handsome flowers on tall spikes. They are admirable for sub-tropical gardening.  D. gracile. Fine white flowers	FERDINANDA eminens (Cosmophyllum, Podachænium, Zaluzania). An excellent decorative plant, with large and fragrant leaves. §1.  FICUS. Of this splendid genus (for complete list of which see page 105) there are several species which are especially valuable for out-door summer adorament.  F. Australis. Large and handsome leaves \$0.50 to \$1.00 ft. elastica. The best species 50 to 5.00 ft. — fol. aurea var. See page 10 2.50 to 5.00 ft. — macrophylla. Very large and handsome leaves 1.00 to 5.00 ft. Parcelli. Very large and finely blotched leaves. See cut, page 106 50 to 1.00 ft. POURCROYA. A fine class of decorative plants, on the order of the Agaves. See page 135.  FUNKIA. Beautiful hardy border plants, herbaceous
<b>DRACÆNA</b> . No plants are better for sub-tropical decorations than the Dracænas. See our complete list, pages 103 and 105. The most hardy species are <i>D. Draco</i> , <i>D. indivisa</i> and <i>D. frutescens</i> .	in character, bearing fine lily-like flowers; among the best for herbaceous planting.  F. grandiflora. Pure white flowers of fine fragrance
<b>ECHIUM.</b> Excellent and imposing decorative plants of rapid and easy growth, with large spikes of blue, violet and purple flowers.	F. Fortunei. Pretty pale lilac flowers 25 to 50 F. ovata marginata. Hashandsome margined leaves of green and white; forms
E. arboreum.       Of upright habit	an elegant hardy border plant
<ul> <li>ERYTHRINA. The Coral Trees. Very fine flowerering plants of imposing character, and most useful for decorative purposes on account of their brilliant blooms.</li> <li>E. crista-galli (laurifolia). Bright deep scarlet flowers in large terminal racemes 80 50 to \$1 00</li> <li>E. Humei. Of taller growth; flowers brilliant scarlet, fading to purple 50 to 1 00</li> </ul>	page 118. 50 cents to \$1. <b>GUNNERA scabra.</b> A decorative plant, with leaves of gigantic dimensions, requiring good protection in winter if kept in open ground. The leaves are very handsome, and the plant is superior for decorating large grounds. \$1 to \$3. <b>GYNERIUM.</b> The Pampas grass. Noble plants of great beauty, and with protection can be wintered
ECHEVERIA. A genus of succulent plants which are indispensable for rockeries and carpet bedding. See page 135.  E. agavoides	out-doors. The magnificent plumes produced in California are well shown in our illustration; see page 156. We will supply these dried for winter ornaments, at 50 cents to \$1.50 per pair.  G. argenteum
E. metallica	G. — fol. var. 50 to 1 00 HEDYCHIUM Gardnerianum. A canna-like plant, with dark green leaves and umbels of light yellow flowers. For other species, see page 91. 50 cents.
EULALIA.         The most ornamental grasses for the lawns. See page 151.           E. japonica variegata         80 25 to 80 50           E. — zebrina         50	<b>HELIANTHUS.</b> The Sun-Flowers are superb plants for summer adornment if rightly situated. Their stately beauty and gorgeous flowers would be far more admired if hard to obtain. The four species offered are of great decorative value.
EUPHORBIA. Tall-growing species of the cactus form They are excellent for rock work, or any dry and sunny situation. See also page; 135 also for the flowering sorts, page 105.  E. cereiformis	H. angustifolius. A fine species with small flowers and narrow, dark green, glossy leaves 80 25 H. multiflorus plenus. Beautiful double flowers of the size of a Dahlia; free-blooming, hardy and one of the finest perennials; the flowers are fine, also, for cutting
E. triangularis	H. orgyalis. A very graceful species, with narrow leaves and numerous small flowers; an elegant perennial plant



DRIED PLUMES OF GYNERIUM ARGENTEUM. (See page 155.)

HENEROCALLIS Awanso (futta) variegata. This	HIDRANGEA. The
is one of the most beautiful hardy perennial plants	to out-door decoration
grown. It has large double bronzy orange flowers,	tractive, and their
and handsome variegated foliage. 50 cents.	long in perfection.
HERACLEUM. Hardy perennial plants, with very	them. For detailed
large leaves and umbels of white flowers. Of impos-	H. hortensis tricolor
ing habit, somewhat like Gunnera scabra.	H. japonica var
H. persicum (giganteum)	H. Otaksa
H. platytæneum	H. paniculata grand
H. Leichtlinii	shrub of recent year
H. Hibiscus. See page 18.	fects on the lawn.
* **	terminal panicles
HUMEA elegans. This species is a most graceful dec-	IPOMOPSIS elegan
orative plant, with large leaves and showy flowers;	nial plant. 25 cents.
very fragrant. 25 to 50 cents.	JACARANDA mim
HIBISCUS. See page 10. Splendid flowering plants,	graceful foliage is t
unexcelled for summer blooming. See also page 118.	107. 50 cents to \$1.
H. californicus	JATROPHA. These
H. militaris	of tall growth.
H. Moscheutos	J. glauca
H ross sinensis in wars See page 118 SO 50 to 1 00	T mimosafolia

Η	IYDRANGEA. These shrubs are particularly adapted
	to out-door decoration. Their foliage is clean and at-
	tractive, and their splendid heads of flowers remain
	long in perfection. We cannot too highly commend
	them. For detailed descriptions, see page 118.

H. hortensis tricolor. Handsomely varied foliage \$0 50
<b>H.</b> japonica var
H. Otaksa
H. paniculata grandifiora. The finest hardy
shrub of recent years—a grand plant for rich ef-
fects on the lawn. Flowers white, in immense
terminal panicles

- POMOPSIS elegans. A very floriferous hardy biennial plant. 25 cents.
- JACARANDA mimiosæfolia. Most luxuriant and graceful foliage is the charm of this plant. See page 107. 50 cents to \$1.
- **JATROPHA.** These are conspicuous decorative plants of tall growth.

or tall growth.										
J. glauca							. \$0	50 to	\$1	00
J. mimosæfolia								50 to	1	00



HYDRANGEA PANICULATA GRANDIFLORA.

JUSTICIA.	Plants	of	gı	reat	be	eau	ty,	ma	aking	gа	fin	e d	is-
play even in	the sma	ılle	est	ga	rde	en.							
J. carnea sur	perba .								. \$0	25	to	81	00

LEUCADENDRON argenteum. The Silver Tree of the Cape of Good Hope, one of the handsomest small trees for the lawn; the leaves are a beautiful silvery white color. \$1.

**MAHONIA.** Plants with fine glossy foliage and yellow flowers, followed by clusters of black berries. Very hardy and ornamental; they become handsome individual specimens, and also are used sometimes for ornamental hedges.

MELIA azedarach compacta. A very graceful and fine plant, with Aralia-like habit, bearing umbels of fragrant light rosy flowers. In the south grows to a large size, and is called "Pride of China," "Chinaberry," etc. 50 cents.

MELIANTHUS major. This is a very fine Cape plant, with large divided leaves of a whitish green effect; very pleasing as a specimen plant. 50 cents to \$1.

MONTANOA bipinnatifida. See Uhdca, page 158.

NANDINA domestica purpurea. A most elegant decorative plant with stout and finely divided leaves. See page 120. 50 cents.

NICOTIANA. The tobacco family; all imposing plants, with fine flowers, and of easy cultivation.

N. glauca. Leaves and flowers glaucous and downy. 25c.

NICOTIANA grandifloro. Large flowers	25
<b>PHILODENDRON.</b> The Philodendrons are first-decorative plants, especially as specimens. See 87.	class page
P. bipinnatifidum       \$3 50 to s         P. giganteum       75 to         P. pertusum (Monstera deliciosa)       1 00 to         P. Sellowii       2 50 to	1 50 3 00
P. speciosum	5 00 lax:
exquisite plants for aquatic and other groups. See p. Cookianum (Colensoi) variegatum . \$1 00 to see p. tenax 50 to	\$2 50
P. — atropurpureum       75 to         P. — variegatum       1 00 to         P. — Veitchii       1 00 to	1 50
<b>PHRYNIUM.</b> Very showy tropical plants; tall robust. Valuable for sub-tropical gardens.	and
P. cylindricum       \$1 00 to \$5         P. leptostachyum       50 to         P. setosum       75 to	1 00
P. variegatum	apid
leaves. 25 to 50 cents.  RHEUM. Very fine plants for groups and for the la hardy and decorative. To this family belongs the	
mon Rhubarb.  R. Emodi. White flowers, handsome leaves	80 50
RHOPALA corcovadensis (Pohlii). A fine plant decorating sub-tropical groups; bears orange red fers. \$1 to \$2.	for
RICINUS. These are the most ornamental species the castor oil trees, and they form splendid ornameduring the summer. They are of rapid and growth.	ents
R. borboniensis R. enermis R. Gibsonii R. Obermanni	25 25 25
RUELLIA maculata. See page 109. An old friend beautiful effect in sub-tropical groups.  SALVIA. A genus of well-known flowering plants.	
most select species for large groups are given here  s. aurea. Yellow flowers  s. amabilis  s. ianthina. Large flowers of deep violet purple	э.
S. splendens. Bright scarlet flowers in much pro-	25
fusion	
SEMPERVIVUM. Very useful succulent plants. page 136.	See
S. arboreum       \$0 25 to \$         S. — variegatum       25 to         S. — nigrum       25 to	1 00

SENEC	O Ghiesbreghtii.	$\mathbf{A}$	robust	and	noble
plant.	50 cents to \$1.				

S. speciosa. Very large and fine flowers. 50 cents to \$1.

SINCLAIRIA (Liabum) discolor. A noble plant, of robust and vigorous habit; large heart-shaped rich green leaves, silvery white beneath. 50 cents to \$1

**SOLANUM.** The species noted below are plants of tall and vigorous habit, with splendid leaves and flowers.

S.	laciniatum .										\$0	50
S.	robustum											50
S.	Warscewiczi	i				•				٠		50

STERCULIA platanifolia. The Chinese Parasol; a handsome decorative small tree. \$1 to \$2.

**STRELITZIA.** Majestic and imposing plants, with very large Musa-like leaves. See page 94.

S.	augusta.							82	50 to	\$5	00	
	Reginæ.											


**SYLPHIUM** perfoliatum. A hardy perennial plant of tall and strong growth, with a profusion of light yellow flowers in the way of a daisy. 25 to 50 cents.

**TRITOMA.** Fine bulbous plants, throwing up tall spikes of blooms of brilliant colors; very showy. See page 146.

**T.** Ræperi (*Kniphofia*) . . . . . . . \$0 25 to \$0 50 **T.** uvaria grandiflora. The "Red-Hot Poker Plant" . . . . . . . 80 25 to \$0 50

**UHDEA** pinnatifida (Polymnia grandis, Montanoa bipinnatifida). A tall-growing shrub, with large and oddly cut leaves; of most distinct appearance, and a splendid plant for sub-tropical gardening. 50 cents to \$1.

w.	imper	ialis						٠					٠		٠				٠	٠	90
w.	latifol	ia .																			50
w.	urens																				50
w.	Vigier	ii .																			50
YU	CCA.	The	Υı	ıco	cas	s (	A	d٤	am	ı's	N	Te	ed	le	,)	aı	re	fi	rs	t-	class
d	ecorativ	ve pl	ant	s.	)	۲.	a	n	ju	sti	fo	lic	ι,	Y		fil	an	ne	nt	080	a, Y.
A	accida, s	are n	erf	ec	t.l s	7 1	าล	rd	v	in	t.	hi	S	cl.	in	18	te.	. :	an	Б	hear



YUCCA GLORIOSA.

long spikes of white, bell-shaped, lily-like flowers.

Dec page 150.
Y. aloifolia
Y. — var. bicolor 1 00 to 2 00
Y. angustifolia 50 to 2 00
Y. Draconis var. (quadricolor) 1 50 to 3 00
<b>Y.</b> filamentosa
Y. flaccida 50 to 1 00
Y. recurvata 50 to 1 00

For other fine decorative plants suitable for sub-tropical planting, such as Chamarops Fortunei, C. humilis, Latania (Livistonia) Borbonica, L. australis, Phanix dactylifera. P. reclinata, P. rupicola, Sabal minor, S. glaucophylla, S. palmetto, Brahea filamentosa, Rhapis flabelliformis, Zamia Mexicana, Dion edule and Cycas Revoluta, see Palms, page 55.

Also Musa Cavendishii, M. coccinea, M. rosacea, M. paradisiaca, M. superba, M. Ensete, M. vittata and M. Zebrina, see Hot-house Plants and Musaceas, pages 91 and 95.

We will be pleased to give the benefit of our experience to any one desiring to select plants from this section for any particular place.

## XXVIII.

# Roses.

E CAN SAY nothing new in praise of the rose—of what use is it to "gild refined gold?" Some flower-lovers have raised the question as to whether or not Orchids will supersede the Roses in public favor. Our position as the largest commercial growers of Orchids in America is well known—yet we would say to the question above. No! Orchids are worthy of all the love and admiration that can be given them, and they must increase in popularity; but their beauty is theirs alone, and they borrow none of the Rose's elements of loveliness. Twin children of Mother Nature, who shall say that one must be loved above another, when each has a beauty all its own!

Because of the great number of varieties now in cultivation, selections of Roses are often made with difficulty. With ample experience to guide us, we have made a careful selection of the best varieties in the various classes, and only enumerate those here which are worthy of general planting on their merits.

# HYBRID PERPETUAL OR REMONTANT ROSES.

(On their Own Roots.)

There is certainly no other class of roses which are as valuable for rose gardens as this class (Rosa Damascena hybrida), either in beauty of color, fragrance, durability, size of flowers, or variety. Altogether the general character and habit of this class, with few exceptions, excel all other roses or classes of roses. We desire to call the attention of all lovers of roses to the following very important facts: When purchasing and planting roses, the first question after the color is decided upon should be, "Are these roses on their own roots, or are they budded or grafted upon some wild stock?" Many hundreds, nay thousands of people have purchased and planted hardy roses with the expectation that these plants; though not giving a great many flowers the first season, would be much better the second and third years. So they should be, and would be if they were the right sort of plants; but it is a notorious fact that not ten per cent. of all the hybrid roses sold ever live more than one or two years, and most of them do not live the first year, giving no satisfaction whatever, because they are budded, or to use a horticultural expression, worked roses-not on their own but on a false bottom, and false they are. We make these statements from years of personal experience, and we feel it our duty to most vigorously and emphatically declare against budded or grafted roses. They are no good for this country; they will, as soon as planted, throw up their numerous suckers and sprouts from their false bottoms, and these wild suckers will grow rapidly and vigorously; meanwhile the top or good real rose will become weaker and more exhausted, and in a short time will be entirely gone, while the wild stock predominates; and many persons, even some gardeners, will not notice the gradual but sure destruction of the beautiful rose-bush that they thought they had. Hence our warfare against all roses which are not on their own roots. We cultivate upwards of a hundred sorts, including all the very best old and new varieties, and every rose we sell we are willing to guarantee to live and to give entire satisfaction.

It must be understood that this class of roses, the Hybrid Perpetual or Remontant class, is entirely hardy, but that they are not *constant* bloomers, with a few exceptions. They give one grand mass of bloom in early summer, and then scattered blooms all thro' the season, depending more or less upon the variety and its treatment.

- Abel Carriere. Rich velvety maroon; large, round imbricated form; a very fine rose; being one of the best of the deeper colored sorts.
- Alfred Colomb. Bright carmine red; large, and of fine form; a superb rose, richly fragrant.
- Anna Alexieff. Bright rose color; large and full; a free bloomer; of excellent habit, and one of the best for early forcing.
- Anne de Diesbach (Gloire de Paris). This capital variety is of a clear carmine color, large, full and cupped, and richly fragrant: of vigorous growth, and forces well; one of the very best roses, and always in demand.
- Auguste Mie. A grand old variety, of delicate deep rose, shaded carmine. Also a first-class forcing rose.

- Baron de Bonstetten. Rich velvety maroon; large, full and of excellent shape; a beautiful dark rose.
- Baronne Prevost. Pure rose; richly fragrant, very large and full, and of flat form; a free bloomer and robust grower.
- Baroness Rothschild. Delicate rose, tinted white; flowers very large and of cup form; distinct and beautiful, and of free blooming habit.
- Captain Christy. Light salmon flesh color, very distinct; large and fine form; a grand rose, free in bloom, and by some classed as a Hybrid Tea rose.
- **Duohess de Cambaceres.** Pale pink; flowers large and full.
- **Duke of Edinburgh.** Brilliant scarlet crimson flowers, shaded maroon: large and full.



BARONESS ROTHSCHILD. (TYPE OF THE LARGE HYBRID PERPETUAL ROSES.)

Fisher Holmes. Deep glowing crimson; large, full and of fine imbricated form; a superb rose, and sometimes called "an improved Gen. Jacqueminot."

Francois Levet. Cherry rose; finely shaped; a desirable variety.

General Jacqueminot. Brilliant crimson; a large and beautiful flower. Excellent for forcing purposes, as well as the most generally grown hardy rose. Years of endeavor have failed to produce a variety to supplant this old standard, first introduced in 1853.

General Washington. Bright reddish crimson; large, very full and of flattened form; a fine rose.

Heinrich Schultheis. A grand rose for the south; rich crimson, and very double.

John Hopper. Fine rosy crimson, back of the petals fine lilac; large and full, and one of the best roses.

Jules Margottin. Bright cherry red, full; a free bloomer and vigorous grower; one of the old standard sorts.

La France. One of the most beautiful constant-blooming Hybrid Perpetual roses; often classed with the Hybrid Teas. The flowers and buds are of immense size, and especially elegant form; a lovely shade of peach blossom, changing to rose; deliciously fragrant, with a scent all its own. It commences to bloom soon after planting out, and continues all summer, constantly offering its magnificent flowers. Also an excellent variety for greenhouse culture.



La Reine. Rosy pink, tinted lilac; very large and full, and blooms freely; though no more "the queen," this is yet an admirable rose.

Longfellow. Violet crimson; excellent form and habit.
Lord Raglan. A beautiful old rose; color scarlet crimson, with violet tinted edges.

Mabel Morrison. The finest white hybrid perpetual rose in cultivation; of robust growth and free blooming habit; the flowers are of a beautiful cupped form, and very double.

Mad. Alfred Rougemont. An old but very good white variety; hardy and vigorous.

Mad. Charles Wood. Reddish crimson, bright and clear; large and handsome flowers; very free flowering in habit, and especially fine for bedding in masses.

Mad. Eugene Verdier. Light silvery rose; of globular shape, and good in every way.

Mad. Gabriel Luizet. Very distinct clear pink; large and cup shaped flowers, quite fragrant; an excellent variety for early forcing or for planting out, and popular among rose lovers.

Mad. Hardy. White: large, and very full and fragrant; beautiful when in perfection.

Mad. Lacharme. Pure white, completely round flowers; a very floriferous rose.

Mad. Plantier. Not a Hybrid Perpetual rose, but hardy, and a superb white variety for general planting. See page 167.

Magna Charta. Bright pink flowers, large, full and globular. A fragrant rose; valuable for early forcing, and grand for out-door planting; can be relied upon as a standard sort.

Marie Baumann. Light crimson red, with white reflex; very large, and superb in every way.

Marshall P. Wilder. Cherry carmine; of fine shape, and an extra fine rose in every respect. Raised by the late H. B. Ellwanger, of Rochester, N. Y.

Merveille de Lyon. White, lightly tinted with rose peach; a grand full flower of splendid size and shape; of the habit of Baroness Rothschild.

Mrs. John Laing. An elegant new constant blooming hybrid perpetual rose, and one of the very finest; clear bright pink, exquisitely shaded. The buds are long and pointed; the flowers are extra large and full, and exceedingly sweet scented; valuable for open ground culture, and superior for early forcing.

**Pæonia.** A fine reddish crimson rose; large, full and free to bloom; a reliable old sort.

Paul Neyron. Deep rose; very large and full; by far the largest variety in cultivation; a free bloomer, very desirable as a garden rose, and valuable for forcing.

Prince Camille de Rohan. Dark crimson maroon; very rich and velvety, large and full; its buds are always admired for their deep color.

Puritan. A very large pure white everblooming rose, of distinct habit and character; petals beautifully imbricated, very regular, full and double, and delightfully perfumed, with a delicious magnolia-like scent: the flowers are borne in pretty wreaths of dark green foliage, as in Baroness Rothschild, forming in itself a regular bouquet. Has been proved to be highly valuable for greenhouse culture. A free grower and constant bloomer.

Queen of Queens. Pink, with blush edges; very large and of perfect form; a free bloomer during a whole season.

Reynolds Hole. Maroon, shaded crimson; well formed, with a distinct color.

Sultan of Zanzibar. Blackish maroon; petals edged with scarlet; globular flowers.

Triumphe de l'Exposition. Rich crimson: a good old variety.

Ulrich Brunner. Bright cherry red, very large and full; a strong grower, and an excellent variety for forcing.

Victor Hugo. Extra bright crimson red; beautiful shape. White Baroness. Purest white, large and full flowers.

The best autumnal flowering white rose; very distinct.

#### Price of any of the Above Collection, All on their Own Roots:

Strong two-year old, in dormant state (not started to grow), 50 cents each, \$5 per dozen.

Fine one-year old plants, dormant, 35 cents each, \$4 per dozen.

Extra strong two-year old pot-grown, which can be set out at any time and are also excellent for winter forcing (these are the plants which produce the large roses sold by the florists in winter), 75 cents to \$1 each, \$8 to \$10 per dozen, according to sort.

# STANDARD OR TREE ROSES.

This very interesting class of Roses (if we can call them a class) are none other than selected varieties of such as are best suited to be budded upon the common European wild rose, and are trained and cultivated for trees or standards; and while we are decidedly opposed to all low or dwarf budded roses, yet we advocate and recommend these beautiful rose-trees for several well-grounded reasons. They are handsome and majestic in appearance, either in a rose garden in the border, or even in some parts of the lawn. We have actually seen such Rose trees with a clear stem three and a half feet high and a crown four to five feet in diameter, in perfect shape, and with over fifteen hundred flowers and buds at one time-a rose garden upon a single tree! Another reason why we recommend them is that they do not crowd or shade any other plants growing near by or underneath them, and every wild growth or shoot which makes its appearance is easier detected than if on a low budded rose. In Europe no garden is complete without Standard or Tree Roses, but in this country they are rare, and though years ago they were introduced here, through lack of knowledge of their proper treatment and careful handling, few of our florists or gardeners have succeeded in bringing them to perfection. A score of excuses are urged as reasons why Standard or Tree Roses cannot be grown in this country successfully—yet there are a few places where they are cultivated to perfection, and by intelligently following our directions anyone can have success with them.

Mode of Treatment.—After importing these roses, we keep them here in the nursery, under careful treatment, for one year, in order to acclimate them and get them used to our climate, and when we deliver them to customers they are perfect in every way, with plenty of good, healthy, fine feeding roots and vigorous strong growth; they should then be planted into good heavy rich loam, at least two feet deep, with, of course, proper natural drainage; and they should be planted at least three to four inches deeper than we would plant any other rose or plant. Stake them carefully, well and firmly; this is very important, so that the wind cannot play with them and loosen their fine roots. The wood of the previous year's growth should be well cut back before they start growing in early spring, to keep the growth strong and vigorous. As soon as the pruning and staking is done, the stems should be wrapped and tied up in nice clean rye or wheat straw, from the ground to the crown. This can be done in a neat manner; the straw can be wet so it will be more pliable, and with four or five ties of raffia the thin covering or ferule of straw will keep the hot spring and summer sun from burning or scalding the stem while the crown is yet too small to afford it sufficient shade, the first two or three seasons. This ferule or band will also keep the hard bark of the stem moist and damp, and will be quite a protection from ice, sleet and severe cold winds in winter and the already hot sun in March and April. Instead of strawing the crowns or heads in winter with a lot of heavy material, we recommend a simple protection of common burlap, such as is used to pack furniture, which can easily be put around the crown, and either tied or sown together in a somewhat conical shape; this will not look bad in winter, when snow covers the ground. A good liberal mulching of coarse stable manure or litter is a capital protection to the roots during winter; this should, however, not be put on until after the first frost, say in November.

Price, for fine varieties, \$2 to \$3 each.

We offer only strong, perfectly acclimated trees which will give satisfaction if treated as above directed.

# MARDY RUNNING OR CLIMBING ROSES.

These are most beautiful for the adornment of pillars, trellises, arbors, or for covering porches or the ends of houses. In their blooming season, they are fairly covered with lovely flowers, and they are much valued by all discriminating planters of roses. Being perfectly hardy and of vigorous growth, their successful culture offers no obstacles even to the inexperienced.

Baltimore Belle. Light blush and rose; fine and double, though of small to medium size; the blooms are produced in clusters, and the growth, though rapid, is slender and graceful. It is one of the very best climbers.

Floribunda. Bright pink, changing to white; large clusters of flowers.

Gem of the Prairies (Rosa setigera). Rosy red flowers, occasionally blotched with white; large and flat flowers; of extra vigor and rapidity of growth.

Jeanne d'Arc. A perpetual blooming white flowering sort.

Mrs. Pierce. A beautiful blush white climber.

Queen of the Prairies. Rosy red, sometimes striped white; is fairly covered with flowers in early summer, and is one of the very best climbers for any purpose.

Rampant. Pure white, free bloomer.

Reine Marie Henriette. A deep carmine red Gloire de Dijon, possessing all the good properties of that fine and well known rose.

Setina. A climbing Hermosa, and in every way a counterpart of that grand pink favorite.

Wells' White (Madame d'Arblay). Pure white, flowering in very large clusters; very strong climber.

Price, 50 and 75 cents each. Extra large plants, \$1 each.



MOSS ROSE.

# Moss Roses.

The roses of this class (Rosa centifolia muscosa) bloom in June and July, and their exquisite beauty is known to all. While the open flowers are handsome, and the stately growth of the plants most elegant, it is the lovely mossy buds which give the class its distinctive value. The Moss Roses are exceedingly hardy and permanent in character, and stand much abuse: yet they well repay the careful culture they deserve.

**Blanche.** (Perpetual White.) White, very fine; double and mossy.

Blanche Simon. Pure white; very fine form and very mossy.

Comtesse de Murinais. A lovely white moss; flowers large, full and fragrant.

Cristata. Tender rose; the buds are surrounded by a mossy fringe and crest; most beautiful and fragrant.

Eugene Verdier. Beautiful crimson, large and full; flowers of good form; very vigorous.

**Glory of Mosses.** Beautiful rose; large, and of very fine form; a superior sort.

Henri Martin. Glossy pink; buds finely mossed.

James Veitch. Large red flowers, well mossed; free bloomer.

**Luxembourg.** Deep red, shaded with purple; a finely shaped rose of much value; heavily mossed.

Mad. Moreau. Large flowers of a beautiful deep red; very mossy and fine; a true perpetual, and a vigorous grower.

Perpetual White. A fine sort in bud; vigorous and fragrant.

**Princess Adelaide.** Bright pink, large and double; buds finely mossed and very fragrant.

Soupert et Notting. Very large, lively rose; of the true centifolia form, and an excellent and recommendable variety.

#### Price for Plants On Their Own Roots:

Strong two-year old, 75 cents each, \$7.50 per dozen; strong one-year old, 40 cents each, \$4 per dozen.

# TEA ROSES.

#### Including the so-called "Everblooming" Roses, and the Noisette Hybrids.

This large class contains the favorites which give us flowers every day in the year. The Tea Roses (Rosa indica odorata), and the Noisettes (Rosa moschata hybrida) include many superb flowers, and the constant efforts of hybridizers and growers of late years have given us a race of really everblooming roses which seem to combine every merit of color, form and fragrance. They are not hardy, but can easily be wintered over with protection; and even if frozen to the ground, will often spring up and grow freely when the genial breath of the south wind reaches them. Formerly no really red roses were in this class, that color being peculiar to the Hybrid Perpetuals; but we now

have several beautiful free-blooming roses of rich hues of crimson.

For forcing into bloom through the season when no flowers are produced by Mother Nature, the Teas are preeminent; they respond promptly to generous treatment, and attain superb beauty under glass. A view of our forcing houses in the winter is a charming sight.

The plants we offer are all strong and vigorous, on their own roots, and will give satisfaction for planting out or forcing.

- \*Aimee Vibert. (Noisette.) Pure white; blooms in clusters.
- \*Alphonse Karr. Purple, shaded with crimson, with bright center; large and full.
- \*American Beauty. Deep rich rose, large globular flowers, fine shape; a good rose for pot or forcing purposes, and of superb beauty. Not alone do its deep glowing color, its elegant imbricated form, its supporting foliage of rich green distinguish it—with all these it combines a peculiar and distinctive fragrance, hard to describe, yet most delightful to inhale. Not for many years has so fine a rose been offered, and it has attained deserved popularity.
- \*Antoine Mermet. Deep carmine rose, petals bordered with white, large and full flowers: fine.
- \*Bon Silene. One of the very best varieties for cut flowers; bright deep rose, delicately tinted deep red; a free grower and bloomer, and very sweet; while not very fine when open, it is beautiful in bud.
- Camoens. Beautiful deep pink, with a slight tinge of yellow at the base; large, full and of beautifully imbricated form.
- Catherine Mermet. Bright flesh color, changing to silvery pink, with long, large buds; flowers very large, full, and of beautiful form: decidedly one of the finest tea roses, and is grown and forced very extensively for its splendid buds.



PERLE DES JARDINS.



TYPE OF THE LOOSE-PETALLED TEA ROSES.

- \*Celine Forestier. Fine bright yellow, very fragrant; has fine foliage, and is an abundant bloomer.
- \*Comtesse de Nadaillac. Eeautiful flesh pink, turning to coppery yellow towards the base of the petals; very large, globular shaped; one of the best.
- Cornelia Cook. Large, exquisitely formed white flowers; a splendid rose when in perfection.
- \*Etoile de Lyon. Rich saffron yellow; large and full; blooms profusely, and is an attractive and valuable
- \*Gloire de Dijon. Buff, with orange center; fine foliage, and is of vigorous and rather climbing habit; nearly hardy, and one of the finest out-door roses.
- \*Isabella Sprunt. Canary yellow; very free flowering and useful for cutting purposes.
- \*La France. This superb rose is variously placed as a Hybrid Perpetual or a Hybrid Tea. We have described it as the former on page 160, but as it is really one of the finest everblooming roses, it is mentioned here. It probably combines more points of perfection than any other single variety, and no rose garden is complete without it.
- \*La Princess Vera. Pale flesh, with a coppery tint; large and well formed; a beautiful sort.
- Madame Cusin. Purplish rose, center slightly tinted with yellowish white; very fine and distinct, and has won much admiration in late years.
- Madame de Watteville. White, shaded carmine, bordered with rose: resembling a tulip. Vigorous, full and of fine form; a beautiful rose.

- \*Madame Etienne Levet. Beautiful cherry red, edged with yellow; large, full, and of fine form.
- \*Madame Eugene Verdier. Deep chamois; large and well formed; a first class variety.
- Madame Falcot. Deep golden apricot, very double; has fine foliage, and is most distinct.
- \*Madame Hoste. Bright clear light yellow; very large and full, and of perfect form in bud and open flower; a first-class rose, bound to come to the front.
- Marquis de Vivens. A shade of rich violet crimson with center and base of petals creamy yellow, tinted salmon; large and full flowers, very sweet, and a constant bloomer.
- Marechel Niel. (Noisette.) Bright golden yellow; very large, full and of perfect form, either in bud or open flower; richly fragrant. This magnificent rose is unquestionably the finest yellow rose known. It is of vigorous habit, with lovely deep green leaves.
- \*Marie Guillot. White, tinged with delicate yellow; an exquisitely formed rose, with most beautiful buds of large size; one of the finest tea roses.
- \*Marie Van Houtte. Flowers large and full; yellowish white, edged with rose; one of the most perfectly formed roses grown, and much admired.
- \*Meteor. Rich velvety crimson; a free flowering rose, good for forcing or bedding.
- Miss Ethel Brownlow. Bright salmon pink, shaded with yellow; flowers of great substance, and of perfect form. A distinct and very fine tea rose, of great lasting properties.
- \*Niphetos. Long white buds, tinged sometimes with pink; very free in growth and bloom under favorable circumstances.
- \*Papa Gontier. Rosy carmine buds of fine form and fragrance; excellent for forcing and cutting purposes. This is to all intents an improved and enlarged Bon Silene, and therefore a most valuable rose.
- Perle des Jardins. Straw color; large, full and perfect in form, and of most graceful habit. So far, it is the standard yellow rose of the country, and grown to a greater extent than any other. The foliage is heavy and rich, and while young is of a deep crimson.

- Pierre Guillot. (Bourbon.) Bright crimson; large, full and of perfect form; highly scented, and fine.
- \*Reine Marie Henriette. A deep carmine red Glorie de Dijon, possessing all the good properties of that fine and well known rose.
- \*Safrano. Salmon buff or apricot; a good and profuse bloomer and rapid grower; one of the best roses, and was formerly very largely forced.
- \*Sombreuil. A magnificent creamy white flower, especially beautiful when fully open; blooms in great clusters, with especially fine and fragrant foliage. It is in its greatest beauty in the fall.
- \*Souvenir d'un Ami. Deep rose; large and well shaped, and a choice sort; though old, it is not yet superseded.
- Souvenir d'Elise. Creamy white; one of the finest tea roses in cultivation.
- Souvenir de Wootton. A new American rose, named in honor of Wootton, the country place of Mr. Geo. W. Childs. It is a hybrid tea, of a rich deep red, and is claimed to be very fine and free in bloom when forced under glass.
- \*Souvenir de Madame Therese Levet. Deep red, shaded scarlet; very bright in color, with petals of great substance: free bloomer.
- Souvenir de la Malmaison. A splendid old Bourbon rose; introduced over forty-five years ago, it is still one of the best. Large, flat flowers, full and fragrant; clear flesh color, shaded fawn; a grand out-door rose.
- Sunset. A "sport" of *Perte des Jardins*. An excellent forcing rose of a deep apricot color; robust in habit, fine in bud, and one of the best roses in every way; will bloom freely in summer out-doors.
- The Bride. A white form of Catherine Mermet, and a counterpart of that lovely variety save in color; a most superior rose.
- William Allen Richardson. Beautiful orange yellow flowers; well formed, large and full.
- W. F. Bennett. Long deep crimson buds, of the form of Niphetos; very fragrant, and beautiful in every respect; of vigorous habit and free in bloom when forced, but not recommended for out-door culture.

Price for any of the varieties of the above everblooming class, on their own roots:

Strong vigorous plants, ready for blooming, 50 cents each, \$5 per dozen.

Thrifty young plants, not as large as the foregoing, 30 cents each, \$3 per dozen.

Those marked with an asterisk (\*) in the above collection, are also excellent for out-door blooming in summer.

# BOURBON AND BENGAL OR CHINA ROSES.

This class, including Rosa Bourbontana and R. indica, comprises varieties especially noted for their vigorous growth, free flowering habit, richness of color and easy cultivation. While some are quite hardy, all are nearly so, and require but a little protection. They are undoubtedly among the very best general garden roses.

- **Agrippina** (Queens Scarlet). (Bengal.) Vivid crimson; double, and of great substance; a lovely rose, especially in the fall; while the flowers are not large, they are of the greatest beauty, and the rose is very desirable.
- **Boule de Neige.** (Bengal.) Pure white and double, of very fine texture; called also "Ball of Snow," its translated name.
- **Bourbon Queen.** (Bourbon:) Buff rose, large and full; free bloomer.
- Catherine Guillot. (Bourbon.) Very bright carmine rose; free bloomer.
- Clara Sylvain. (Bengal.) Pure white; one of the best bedders, and an excellent rose; is often mistakenly classed with the tea roses.

**Crown Princess Victoria.** (Bourbon.) Fine sulphur white, perfect flowers; an excellent bedding rose.

**Dinsmore.** The flowers are large and perfectly double; rich crimson scarlet; very showy and handsome.

**Duchess of Edinburgh.** (Bengal.) Dark crimson; large and full flowers, of the true tea form and fragrance; very free bloomer.

**Ducher.** (Bengal.) Pure white, of fine form; the best of the white bedding roses.

**Hermosa.** (Bourbon.) A free flowering sort with fine rosy pink flowers; an excellent bedding rose, and worthy the reputation it has as always reliable; hardy, and cannot be excelled as a garden rose or for cemetery planting.

Leveson Gower. (Bourbon.) Deep rose; full and very large flowers.

Louis Margottin. (Bourbon.) Satinrose; a well formed flower: excellent for bedding.

Louis Phillipe. (Bengal.) Dark crimson, with white edged petals: full and globular form; very free in bloom, and pretty.

Madame Isaac Periere. (Bourbon.)
Rosy carmine flowers of enormous size,
and finely imbricated.

Mad. Plantier. A grand old Hybrid China rose, blooming in heavy clusters of pure white in the spring; one of the best hardy rose for competitive pull the property was a few competition.

roses for cemetery planting, and makes a superb rose hedge.

Mrs. Bosanquet. (Bourbon.) Delicate pale flesh color; large, double and a free bloomer.

Queen of Bedders. (Bourbon.) Beautiful deep crimson; excellent for bedding purposes; very beautiful in every respect.

Sir Joseph Paxton. Vivid pinkish rose; free flowering sort.

Souvenir de la Malmaison. See page 155.



Prices for plants on their own roots:

Strong two year old pot-grown plants, 50 cents each, \$5 per dozen: Thrifty young pot-grown plants, 30 cents each, \$3 per dozen.

# MINIATURE OR FAIRY ROSES.

Including the Polyantha Section.

These are very interesting and valuable, both from their own intrinsic beauty and their value as edgings for beds of larger growing varieties. The Polyantha roses (Rosa polyantha) are especially meritorious, being hardy, of vigorous though dwarf habit, and exceedingly beautiful in every way. Their flowers are very double, about the size of a twenty-five cent piece, and produced with extreme freedom.

Anna Marie de Montravel. Very small white flowers in great clusters; very floriferous, and of a delicious perfume; makes a superior edging for rose beds.

Lawrenceana Multiflora. Double pink; a very pretty and small rose.

Little Pet. Very double, white: profuse bloomer.

Mad. Cecile Brunner. Larger flowers than the average

Polyantha, of a rosy pink color.

Mignonette. Clear pink, passing to white, tinged pale rose; a lovely sort.

Miniature. Perhaps the smallest of all roses; the lovely little pink flowers are of the same form as the largest tea rose grown.

Paquerette. Small and very full flowers of pure white; a little beauty. (See cut, page 168.)

Perle d'Or. Coppery gold and salmon color.

Price:

Two year old plants, 50 cents each, \$5 per dozen; Thrifty young plants, 30 cents each, \$3 per dozen.

# OLD AND RARE ROSES,

Including the Sweet Brier, Austrian and Banksian Roses, etc.

All the forms here described are beautiful, and worthy of cultivation, although in the search for novelty in color and form some of them have been overlooked. We have much pleasure in again directing attention to them, knowing all true flower-lovers will find themselves rewarded in cultivating these old favorites.

**AUSTRIAN BRIER ROSES** (Rosa lutca). A distinct class, of great hardiness, in which are found the only really hardy yellow roses known. They are thorny, with a slight sweet-brier fragrance.

Single Yellow. Large deep golden yellow flowers.
Single Red. Very showy, with bright scarlet flowers of velvety texture.

Harrisonii. Pretty double flowers of rich yellow, produced very early; a valuable variety.

Persian Yellow. A variety familiar in "old fashioned" gardens; slender but hardy in growth, bearing a profusion of semi-double rich yellow flowers; very fine and rare.

EGLANTINE or TRUE SWEET BRIER (Rosa rubiginosa). The true English Sweet Brier; a lovely sort, with delicate lpink single flowers, beautiful but fleeting. The foliage and growth is extremely fragrant, and this is the great charm of the variety.

MICROPHYLLA ROSE (Rosa microphylla). An old favorite, with shining bright green foliage. The double white form has beautiful creamy white flowers of a delicious fragrance.

BANKSIAN ROSES (Rosa Banksiar). These species are not hardy, but are very fine for growing in greenhouses or conservatories, where their climbing habit renders them especially available for covering walls. The flowers are double and fragrant, and freely produced.

White Banksia. White flowers in clusters, very double and sweet.

Yellow Banksia. Fine deep yellow flowers, richly perfumed and double.

RUGOSA ROSES (Rosa rugosa). A Japanese form, now attracting much attention. The flowers are large, single and handsome; the plant is entirely hardy, with elegant foliage, much wrinkled and of great substance—it alone would make the species valuable. We cannot too strongly recommend the planting of this hardy species.

Red. The original form; large red single flowers, followed by showy scarlet fruits.

White (R. rugosa alba). A variety with very beautiful large white flowers all through the summer.

#### Price:

Strong well-established plants, 50 cents each, \$5 per dozen.

SELECTIONS OF ROSES.—We will be happy to make selections of suitable varieties for any specified purpose either for forcing, bedding, planting out, etc. A long experience gives us that invaluable knowledge necessary to the proper selection of varieties.



MINIATURE OR FAIRY ROSE.

## XXIX.

# HARDY PERENNIAL AND HERBACEOUS PLANTS.

Including Alpine Plants and those suited for Rock-work and Borders.

OR YEARS this section of plants was neglected in the craze for bedding plants, "mosaic work," and other ornamental work of far greater expense and less permanence, and many of the younger generation of horticulturists have grown up in entire ignorance of some of our most beautiful perennials. Latterly, however, the tide has been turning, and we are glad to note an increasing interest in these hardy plants. They give us varied forms and flowers, from earliest spring to latest autumn, and are ever greeting us with beauty all the more welcome because somewhat fleeting. They have the vast advantage of needing little or no attention after a proper planting, and continue in beauty for an indefinite period.

These perennials and herbaceous plants are available for beds and borders, for rockeries and wild gardens, as well as for completing the outlines of shrubberies, or making clumps on the backgrounds of lawns. The following list contains only the very best sorts, such as have been thoroughly tested and proved most satisfactory.

**ACANTHUS.** Stately and ornamental perennials of vigorous growth, with most beautiful foliage. They are best in rich soil and a sunny situation.

- ACHILLEA. Pretty plants for borders or alpine planting; all flower profusely.A. millefolia rubra. Red flowers; grows about

- **ACONITUM.** Monkshood; very ornamental perennial plants with handsome flowers; of rather tall habit, and useful in borders.

- ADONIS vernalis. A very early flowering dwarf plant; flowers very large, yellow; a fine rock plant, which should not be disturbed often. 25 cents.

- ACANTHUS. Stately and ornamental perennials of vigorous growth, with most beautiful foliage. They leaves and purple flowers. 25 cents.
  - **ALLIUM.** Elegant hardy bulbous plants with neat flowers.
  - A. moly (luteum). An old favorite; bright yellow flowers, dwarf habit; beautiful in masses . . . . . . \$0.25



ACHILLEA P. GRANDIFLORA, "LA PERLE."



ALLIUM NEAPOLITANUM.

ALLIUM, Continued.
A. Neapolitanum. Very pretty white flowers in
early summer; a fine species
A. pulchellum
ALTHÆA rosea fl. pl. The Hollyhock; one of our
finest herbaceous plants. The later strains present
flowers of rose-like fineness, in rich and delicate col-
ors. They are exceedingly decorative. Carter's excel-
lent strain of double flowering Hollyhocks, in mixed
colors, \$2.50 per doz.; selected named sorts, \$5 per doz.
ALYSSUM saxatile. A dwarf and neat yellow flower-
ing perennial. 20 cents.
AMSONIA latifolia. Pretty herbaceous perennial,
with pale blue flowers in summer. 25 cents.
ANCHUSA italica. Beautiful blue flowers; a contin-
uous bloomer. 25 cents.
ANEMONE. The Windflower; all beautiful and orna-
mental perennials, bearing lovely flowers in great
profusion: they are exceedingly handsome and desir-
able.
A. japonica. Rosy carmine flowers of large size, pro-
duced in autumn
A. — alba (Honorine Jobert). Lovely pure white
flowers, produced from August to November; a
most elegant plant
A. narcissiflora. Very pretty flowers of variable
color, on long stalks above the foliage 25
A. Pennsylvanica (dichotoma). White flowers,
tinged red in May
A. Pulsatilla. A beautiful species, with large
flowers, produced in spring, and deeply cut foli-
age
ANTHERICUM. The hardy species are fine border
plants, with lily-like flowers.
A. Liliago. The St. Bernard's Lily; pure white flow-
ers
A. Liliastrum. Larger flowers, white and fra-
grant, on long spikes
AQUILEGIA. The Columbine; splendid hardy plants,
with ornamental foliage and very beautiful flowers;
among the best hardy perennials, and of very easy
culture.
A. canadensis. Flowers scarlet and yellow \$0 25
A. chrysantha. Splendid yellow flowers; one of
the finest of all perennials
A. cœrulea. Light blue and white flowers 25

AQUILEGIA glandulosa. Remarkable flowers of
large size, of bright lilac blue and white 80 25
A. vulgaris fl. pl. Double white flowers 25
ARABIS. Useful and pretty dwarf white flowering
plants for rock work.
A. alpina argenteo-variegata. Leaves marked with
white
A. lucida variegata. Flowers white: leaves
broadly edged with yellow: a very effective and
useful plant
ARENARIA. Very pretty little alpine plant with
evergreen leaves, bearing many flowers early in summer.
A. balearica. White flowers; small shining leaves \$0.25
A. grandiflora. White flowers
A. macrophylla
ARMERIA. Interesting alpine perennials of dwarf
habit: excellent for borders, rock-work or edging.
A. alpina
A. vulgaris (maritima). Pink or rosy red flow-
ers; a pretty white-leaved species
A. — alba
ARTEMISIA Stelleriana. A pretty dwarf plant with
silvery white leaves; very useful for borders or edg-
ings. 25 cents.
ASCLEPIAS tuberosa. An erect, branched shrub,
with large umbels of brilliant orange flowers of great
substance; very showy. 25 cents.
<b>ASTER.</b> The Michaelmas Daisy: desirable herbaceous perennial, with pretty daisy-like flowers. We offer
only the best selected sorts, worthy of extensive plant
ing.
A. alpinus. Of dwarf, stout habit; bright purple
flowers
A. Amellus (bessarabicus). Beautiful deep pur-
ple flowers
A. Novæ-Angliæ. Of tall and robust habit, with
purple flowers
A. ptarmicoides



CAMPANULA carpathica. Blue flowers C. — alba. A fine white form . . . . . . . . . . C. glomerata. Bluish violet or white flowers in terminal heads; handsome ......

C. latifolia macrantha. Purplish blue flowers . C. nobilis. Flowers drooping, reddish violet or C. persicifolia fl. pl. Fine double flowers, of var-C. — albo-pleno. Double white . . . . . . . C. speciosa. Very pretty small flowers . . . . . C. trachelium fl. pl. Slightly drooping flowers . C. turbinata C. Van Houttei. Dark blue bell shaped pendulous flowers; a splendid sort . . . . . . . . . .

COREOPSIS. Very showy herbaceous plants, having

C. auriculata. Yellow and rich brown . . . . . . \$0 25 C. lanceolata. Large bright yellow flowers . . . 25

handsome flowers in summer and are perennials.

C. rosea. Rose red petals and yellow disc . . . .

also some annual species. These here described have

25



plant, blooming in summer; very pretty. 25 cents.

CAMPANULA. Bell flowers; Canterbury Bells. A

very large genus of flowering plants of much decora

tive importance. They are of easy culture and great

beauty in flower, and deserve more attention than

they have been receiving of late.

ASTILBE JAPONICA.	CARDAMINE pratensis fl. pl. The double Cuckoo Flower; a fine herbaceous shrub, bearing pale purple and white flowers. 25 cents.  CATANANCHE cœrulea. A pretty free-growing plant with blue flowers, which are desirable for cutting. 25 cents.
ASTILBE. Including several exquisitely beautiful plants for the herbaceous border.  A. japonica (Spirca japonica). One of the finest white flowering hardy plants, bearing lovely racemose panicles of feathery flowers in May; it is very largely forced by florists for its elegant flowers. The foliage	CENTAUREA. Very fine flowering and foliage plants; for the latter forms, which are superior for summer bedding, see page 154.  C. dealbata. Fine rosy flowers; dwarf habit 80 25 C. montana. Large and handsome blue flowers 25 C. rhuthenica. Pale yellow flowers
is also very ornamental 80 25 to 80 50  A. rivularis. Fine yellowish white flowers: excellent for a damp situation 25  AUBRIETIA. Very dwarf blue flowering evergreen plants for rockwork and borders.  A. deltoidea. Purple flowers in early spring 80 25  A. græca. Light purple	CERASTIUM. These are creeping plants with fine silvery leaves, and are useful for rock work.  C. Biebersteinii. White flowers
BAPTISIA australis. A very fine blue flowering plant with peculiar foliage. 50 cents.  BOLTONIA glastifolia. A tall growing, large yellow flowering plant, useful in shrubberies. 25 cents.	C. Lyoni. Fine purple flowers 80 25 C. Torreyi. Showy scarlet flowering plant 25 CLEMATIS. To this magnificent genus of mostly climbing plants belong some interesting erect growing
BUPHTHALMUM. Showy perennial plants, in habit resembling the Boltonia.  B. cordifolium. Yellow flowers	species, of much value for the herbaceous border. For the climbing sorts, see page 124.  C. erecta (recta). Pretty white, sweet-scented flowers
creeping or trailing habit.  C. involucrata. Crimson flowers, nearly two inches across	arranged with the leaves
plant from the Rocky Mountains with flowers like a tulip, of a light lilac color. 25 cents.  CALTHA palustris fl. pl. Large double golden flowers; a showy plant, best in a moist place. 25 cts.  CAMASSIA esculenta. A blue flowering bulbous	widely grown German form



CONVALLARIA MAJALIS.

<b>CORYDALIS.</b> Fine flowering perennials, blooming in spring.
C. lutea. Yellow flowers
<b>CRUCIANELLA stylosa.</b> A pink flowering and creeping plant, excellent for rockeries. 25 cents.
<b>DELPHINIUM</b> . The Larkspur; including some very showy and useful bedding plants of easy culture and great decorative value.
D. Cashmirianum. Flowers of a distinct pale blue color
<ul><li>D. elatum (exaltatum). Blue or white; very pretty</li><li>D. formosum. An elegant species, with sky-blue</li></ul>
flowers, shaded to indigo
<b>D. puniceum</b>
<b>DESMODIUM penduliflorum.</b> A remarkably fine flowering plant for the hardy border. 30 cents.
<b>DIANTHUS.</b> The Pink. Included in this well-known and valuable genus are many hardy forms which are very valuable for the border, providing flowers of rich colors, and often of exquisite fragrance. Those here noted are fine for rockeries also.
D. barbatus fl. pl. The old favorite, "Sweet William." The double form is of rich and varied colors \$0.25
<ul><li>D. hybridus mulei. (Mule pink)</li></ul>
ers very pretty, of many colors
colored flowers          25 <b>D. sylvestris</b>

of flowers of much elegance.
D. integrifolium. Deep rosy crimson flowers in early
summer
D. Jeffreyi. Pink or rose flowers, yellow toward
the base
D. Meadia. Very handsome; called Shooting Star
in the western states
DORONICUM. The Leopard's Bane; dwarf early
flowering perennials with showy flowers.
D. Austriacum. Yellow flowers of good size \$0 50
D. Caucasicum. Yellow flowers, two inches across 50
D. Pardalianches. Flowers in clusters of three
to five
DRACOCEPHALUM Ruyschianum. The Dragon's
Head; showy perennial herb, flowering in June; flow-
ers purplish; delights in a cool situation.
ECHINACEA. Very ornamental herbaceous perenni-
als, useful for borders in a warm and sunny situation.
E. purpurea (Rudbeckia). Large reddish purple flow-
ers in summer
E. — intermedia. Slightly differing from above 25
<b>EPIMEDIUM.</b> Fine plants for the border and rocker-
FIRE FIRE FIRE PLANTS FOR THE DOUGHT AND POCKET-
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white
ies, with pinnated leaves and peculiar rosy or white


DICTAMNUS. The "Gas Plant:" pretty herbs of one to two feet high, with showy flowers; the whole plant is strongly lemon-scented, especially when rubbed. **D.** albus. Fine white flowers . . . . . . . . . . \$0 35 DIELYTRA (Dicentra). The "Bleeding Heart." A very ornamental class of early spring flowering herbaceous plants, most valuable for the hardy border.

D. spectabilis. Lovely pink and white flowers, in a DIGITALIS purpurea. The Foxglove; a beautiful plant, growing from three to five feet high, with a long spike of beautiful purple flowers. 25 cents. DODECATHEON. The American Cowslip; beautiful herbaceous perennial plants, especially for rockeries or borders. Of dwarf habit, with a rather tall spike

Both foliage and flowers are elegant.

EPIMEDIUM, Continued.	GLADIOL
E. alpinum rubrum. A showy plant, with crimson	iolus, of g
flowers	G. byzantii
E. colchinum	G. Colville
E. pinnatum. Yellow flowers 25	ple marks:
ERIGERON. The "Star Wort;" pretty Aster-like	G. commun
perennials; useful for the hardy border.	new creep
<b>E.</b> aurantiacus. Golden yellow flowers, about two inches across	lent for ed
<b>E.</b> autumnale	GYPSOPH
E. macranthum superbum	borders an
E. speciosus. Violet and yellow flowers 25	G. cerastion G. panicula
<b>ERYNGIUM.</b> Distinct and handsome herbaceous border plants, doing best in a rather sandy soil.	ous, June
<b>E.</b> alpinum. Odd blue flowers in summer \$0.25	and is a ve
E. amethystinum. Handsome amethyst-colored	G. repens.
flowers in July and August	HELENIU
EUPATORIUM. In this large genus are some valua-	ders or ba
ble plants for the hardy border.  E. Fraseri	H, autumn
E. purpureum. Purplish flowers in autumn 25	to six feet  H. Hoopesi
EUPHORBIA. An extensive genus, including a great	grows two
variety of forms. The species here noted are hardy	HELIANT
flowering plants.  E. corollata. A profuse bloomer; white flowers . \$0 25	evergreen H. macrant
<b>E.</b> myrsinitis. Of a creeping habit; good plant	H. maximu
for rock work, with yellow flowers	H. vulgare
FUNKIA. The "Plantain Lilies" are excellent bor-	H. — fl. p
der plants, and are always satisfactory. The foliage	did plants,
is rich and handsome, and the flowers also are very fine. See also page 155.	and border
F. japonica (grandiflora). Large and beautiful fragrant	see page 1
white flowers	H. angustii
F. Fortunei. Pale lilac flowers in July 25	H. multiflo
F. lancifolia cœrulea. Pretty bluish lilac flowers in summer	H. orgyalis
ers in summer	
F. Sieboldiana. A showy form, with large leaves,	
and flowers of white, tinged lilac	
<b>GAURA Lindheimeri.</b> A profuse white flowering plant from Texas; one of the most elegant border	-
plants. 25 cents.	,
GENTIANA. The Gentian; very fine blue flowering	
alpine plants of dwarf habit, with dark green glossy	a
leaves; must not be disturbed at the roots too much-	
let them alone after planting.  G. acaulis. A stemless species; very large blue flow-	
ers; a showy plant 80 25	All S
G. Andrewsii. Blue flowers; of more upright	
habit	
G. cruciata. Pale blue flowers	ar
<b>GERANIUM.</b> These are not the plants commonly called Geraniums, which are properly Pelargoniums,	Files
but fine hardy herbaceous perennials.	
G. ibericum. Large and showy blue flowers in summer	
and autumn	13
G. pratense fl. pl. Large blue flowers, double 25	E
<b>GEUM coccineum.</b> Has brilliant scarlet flowers; of	

GLADIOLUS. These are quite hardy species of glad	
iolus, of great beauty and very floriferous habit. For	
the tender hybrids, see page 144.	
G. byzantinus. Pretty red flowers in June \$0 2	ŏ
G. Colvillei. Bright red flowers, with pale pur-	
ple marks; blooms in July	õ
G. communis. Rose and white flowers in summer 2	5
GLECHOMA hederacea (Nepeta Glechoma) var. A fine	е
new creeping plant, with variegated foliage: is excel	
lent for edgings and for rock work. 50 cents.	
GYPSOPHILA. Plants of great beauty; excellent for	ľ
borders and rock work, being of graceful habit.	
G. cerastioides. White flowers, in May \$0 2	ŏ
G. paniculata. Small white flowers, very numer-	
ous, June to August; grows about two feet high,	
and is a very graceful plant	ŏ
G. repens. A pretty creeper, with white or rose-	
colored flowers	
<b>HELENIUM</b> . Large yellow flowering plants for bor	
ders or backgrounds, being of strong growth.	
H. autumnale. Yellow flowers in autumn; plant four	
to six feet high, of fine effect	5
H. Hoopesii. Bright orange flowers, in summer;	
grows two to three feet high	
HELIANTHEMUM. The "Sun Rose;" very nea	
evergreen creepers, with miniature rose-like flowers	
H. macranthum	
H. maximum fl. pl	
H. vulgare mutabile. Rose color to white 2	
H. — fl. pl. A fine double form	
did plants, and very useful for backgrounds in group	
and borders. For descriptions of the following species	
see page 155.	,
H. angustifolius	~
H. Maximilianus	
H. multiflorus fl. pl	
H. orgyalis	
	1
A mmm	
None	



HELLEBORUS NIGER.

<b>HELLEBORUS.</b> The ancient Hellebore; all fine flow-	LATHYRUS. The perennial Sweet Peas; fine running
ering perennial plants of rather dwarf growth. H.	plants, with large flowers; beautiful and of easy growth.
niger and its varieties are known as "Christmas Roses,"	L. latifolius. The Everlasting Pea; has rose-colored
from the facility with which they produce their showy	flowers in August
flowers in mid-winter, with slight protection. Nearly	-
all the species have very glossy and handsome leaves.	
H. atrorubens. Deep purple flowers in March \$0.50	LEONTOPODIUM alpinum. The famed Edelweiss
H. caucasicus. Pale green flowers, very glossy	of the Alps; excellent for rock work, and of easy cul-
	tivation. The flowers, produced in June and July, are
leaves	white and woolly; very peculiar. 25 cents.
H. colchicus. Deep bright purple flowers, Janu-	LIATRIS. American plants of great beauty, with
ary to March 50	light purple flowers; the plants are of a graceful grass-
H. niger. Flowers in winter when protected by	like habit.
glass, without artificial heat; pure white and	L. elegans. Blooms in summer and autumn \$0 25
very pretty; several varieties. See cut, page 173 25	
H. olympicus. Purplish flowers in spring 50	
H. orientalis. Large rose-colored flowers, very	L. spicata. Flowers in September 25
early	LOBELIA. The hardy Lobelias are splendid plants for
H. viridis. Bright green flowers in spring 50	the herbaceous garden, having brilliant flowers on up-
HEMEROCALLIS. The Day Lilies; among the fin-	right stems.
est flowering plants, and of easy culture. They are	L. cardinalis. The Cardinal Flower; one of the choicest
	American plants; very stately and handsome, flower-
very nearly related to the Funkias, and should not be	ing in July and August
omitted from any planting of herbaceous perennials.	L. fulgens (Queen Victoria). Beautiful bright
H. flava. Flowers orange yellow, very fragrant, pro-	scarlet flowers
duced in summer	L. hybrida, in several fine varieties, each 30
H. Kwanso (fulva) var. See page 156 50	-
H. Middendorfii. Deep golden yellow flowers in	LOTUS corniculatus fl. pl. The Bird's Foot Trefoil; a
summer	prostrate and spreading plant, with neat green leaves,
H. rutilans fl. pl. Orange yellow flowers 25	and clusters of bright yellow flowers; a handsome
<b>HEPATICA</b> (Anemone Hepatica). Liver Wort. Charm-	plant. 25 cents.
ing early spring flowering plants, very like the Ane-	LYCHNIS chalcedonica fl. pl. A fine plant, with
mones. They are indispensable to the hardy border.	deep vermilion double flowers, borne on an upright
H. angulosa	stem. 50 cents.
<b>H.</b> tricolor	LYSIMACHIA Nummularia aurea. This is an im-
<b>H.</b> — coerulea	proved form of the old Money Wort, with fine yellow-
H. — rubra	spotted leaves; a fine creeping plant. 25 cents.
HESPERIS. Pretty erect herbaceous plants of desir-	LYTHRUM Salicaria roseum. A handsome peren-
able character; known widely as Rocket. The species	nial, growing best in a moist place; flowers rosy pur-
noted are double flowering and sweet-scented.	ple. 25 cents.
H. matronalis flore albo-pleno. Very ornamental	MERTENSIA. Showy flowering plants of easy cul-
plant, flowering in summer	ture and distinct habit.
H. — flore rubro-pleno. A form with red flow-	M. paniculata. Purplish blue flowers in July \$0 25
ers	M. Sibirica. Very pretty; blue flowers from May
	1
IBERIS sempervirens. The hardy evergreen Candy-	to July
tuft; a splendid white flowering perennial of low	b" - 0000
growth. 20 cents.	MIMULUS. The Monkey
IRIS. The following collection of these splendid plants	Flowers are useful for
contains only the very best sorts, all of distinct and	borders and groups;
bright colors. See also page 144 for a select list.	they are of dwarf habit.
I. cristata. Pale lilac and deep yellow, in May . \$0 25	Flowers are scarlet or
I. florentina. Fragrant flowers of white, laven-	dark crimson.
der and yellow, in May	M. atroroseus 80 25
I. Germanica, in finest sorts. See page 144 25	a Victor
I. iberica. See page 144	M. cardinalis. Erect
I. Kæmpferi. In choicest sorts, both double and	growing; large red flow-
single flowers. (A special list of named varieties	ers. 25 cents.
sent on application. See page 144 30	MONARDA didyma.
I. pumila. Splendid dwarf form; very valuable	One of the finest hardy
for edgings; in ten distinct and fine sorts, each . 25	flowering plants; has
I. sambucina. Flowers strongly scented like	fragrant foliage and
elder, yellow and purple	bright scarlet flowers
I. Sibirica. Lilac blue and violet; blooms in May	
and June	170m July to September. MYOSOTIS PALUSTRIS 25 cents. GRANDIFLORA,
	- OKANDIL DOKA,



P.EONIA, DOUBLE.

MYOSOTIS.	The For	get-r	ne-not;	exquis	ite litt	le per
ennial plants,	gracing	any	situatio	on with	their	starry
flowers.						

M. alpestris.	Flowers	blue	, w	ith	sn	ıal	l y	ell	ow	is	h	еу	e;
fragrant in t	he evenin	g .									. :	\$0	25

M. dissitifiora.	Larger	neep blue	nowers,	very
early in spring				2
	210			

M. palustris grandiflora.	Alar	ge.	-flc	77	eı	ir	ıg	fo	rn	a	
of the true "Forget-me-n	ot"										25

NIEREMBERGIA rivularis. A very dwarf but large flowering plant of great value for borders and rockeries; does best in a moist and partly shady situation. 25 cents.

**OMPHALODES verna.** A deep blue flowering Forget-me not; very pretty and fine; blooms in early spring. 25 cents.

**OROBUS vernus.** Has attractive purplish blue flowers early in spring. A valuable plant, of dwarf habit. 25 cents.

**PACHYSANDRA** procumbens. A rare prostrate plant from the Alleghenies; has fine evergreen leaves, and light purple and white flowers. 25 cents.

PARDANTHUS chinensis. The "Blackberry Lily;" a perennial with iris-like foliage and spotted orange colored flowers; blooms in June. 25 cents.

**PÆONIA.** Splendid herbaceous perennials, with large and very showy flowers. They are of easy and handsome growth, and decidedly among the best hardy plants. Our collection of pænies contains many beautiful varieties of the latest introduction.

Twelve fine named varieties, 50 cents to \$1 each.

- P. Brownii. Blooms in May; dull red flowers . . \$0 35
- P. officinalis. In fine French varieties . . 25 to 75
- P. tenuifolia fl. pl. A variety with double flowers of the richest deep crimson, like a "Jacque" rose, and finely cut foliage; a splendid plant . . 5

PAPAVER.	The Poppy; the species noted are beauti-
ful flowering	plants, most valuable and ornamental for
the hardy box	rder.

P. alpinum. Yellow flowers	S()	25
P. bracteatum. The Oriental poppy, producing		
very large flowers of a brilliant flery crimson,		
with block blotches		0=

**PENTSTEMON.** Handsome plants, with bold showy flowers, white, purple, scarlet, crimson and blue: they are of great beauty and value, and flower all through the summer.

25
25
25
25
25
25
25
25
25
25
25

**PETASITES vulgaris** (*Tussilago*). A curious plant, with large leaves and rosy purple flowers; excellent for wet or moist places. 25 cents.



PLATYCODON GRANDIFLORUM.



PHLOX DECUSSATA HYBRIDS

PHALARIS arundinacea var. The white Ribbon Grass; a very effective plant in borders, as it breaks the formality often caused by a profusion of symmetrical plants. 25 cents.

**PHLOX.** Splendid perennial plants, with beautiful flowers. Some species are creeping and prostrate plants, with pink, purple and white flowers, useful for rock work and banks, while others form some of the finest upright perennials we have. The improvement in the flowers of this section has been wonderful of late years, and they are now of bright and rich colors.

P. decussata and paniculata Hybrids. A fine assortment of the best French varieties. 25 cents each, \$2.50 per dozen.

**P.** subulata. The Moss Pink; beautiful dwarf sort 25 **P.** — nivalis. A white flowering form . . . . 25

P. suffruticosa. Another fine species, the hybrids of which are most beautiful. The early flowering French varieties, each, 25 cents; per dozen, \$2.50.

**PLATYCODON.** Most elegant hardy perennial plants of fine habit, with lovely bell-shaped flowers; excellent as border plants, and splendid for cutting.

P. grandiflorum (Wahlenbergia). Large beautiful blue flowers . . . . . 80 35
P. — album. A white flowering

**PODOPHYLLUM Emodi.** A May Apple, bearing red fruit; an interesting plant. 35 cents.

**POLYGALA** chamæbuxus. A finedwarf box-like plant, with yellowish and pink flowers; excellent for rock work. 35 cts.

POTENTILLA hybrida. Handsome perennials. An assortment of the best English and French single and double varieties, with large and showy flowers. Per dozen, with names, \$2.50.

**PRIMULA.** The alpine and garden primulas are very useful plants for borders, small flower beds and rockeries.

P. amœna. Fine deep rose flowers, with a white center; a beautiful sort . . \$0.25

25

25

25

P. acaulis fl. pl. Six various sorts \$1.50. The double primrose of England . . . . . . . . . . . . . . . .

P. obconica. A species which is now attracting much attention. It bears constantly clusters of pretty lilac white and pink shaded flowers \$0.25 to

pretty lilac white and pink shaded flowers \$0 25 to 50 **P. veris.** The Cowslip: in sorts . . . . . . . . 25



PENSTEMON. (See page 175.)

<b>PULMONARIA.</b> The Lungwort; very pretty plants for rockeries and small flower beds, with spotted	SEDUM populifolium. Neat white or pinkish flowers
leaves.	S. pulchellum. Rosy purple flowers
P. angustifolia. Grows about a foot high; leaves	S. roseum (Rhodiola)
prettily spotted, and flowers pink and blue, in	S. Sieboldii
spring	S. speciosum (Fabaria)
P. officinalis. Pretty flowers, red and violet 25	S. Telephium (atropurpureum). White, pink spot-
RANUNCULUS. Fine border plants, with glossy flow-	ted flowers
ers; they are of easy growth and very pretty.	SEMPERVIVUM. Beautiful plants for covering
R. aconitifolius fl. pl. Very pretty white double flow-	rock work, and well adapted for edgings of beds, rib
ers in May and June; handsome foliage \$0 25	bon and carpet gardening. They have succulent foli
R. acris fl. pl. The double form of the Butter-	age. See also pages 136 and 157.
cup; shining yellow flowers	S. arachnoideum
R. bulbosus fl. pl. Golden double flowers in spring and early summer	S. Californicum
R. repens fl. pl. A creeping form	S. fimbriatum
RHEUM. Herbaceous plants, with bold and large	S. globiferum
leaves and imposing flower stalks; very decorative.	S. montanum
<b>R. Emodi.</b> See page 157	S. tectorum violaceum
R. palmatum. See page 157 50	S. tomentosum
•	
<b>RHEXIA</b> virginica. Neat foliage and rosy purple flowers in late summer. A very pretty plant, of rather	<b>SENECIO.</b> Showy plants with large flowers, of easing growth. For other species, not hardy, see pages 128
dwarf habit. 25 cents.	149 and 158.
RUDBECKIA. The Ox-Eye Daisies; showy border	S. Doronicum. Large yellow flowers in summer \$0.2
plants, with large flowers in late summer and fall.	S. japonicus
R. hirta. Yellow flowers; plant bristly \$0.25	S. macrophyllus
<b>R.</b> laciniata	S. pulcher. Purple and yellow
R. speciosa. Very large orange-colored flowers . 25	SILENE. The perennial species are free-flowering a
SALVIA azurea grandiflora. A showy species, with	pine plants, suitable for rock work.
beautiful deep blue flowers in dense spikes \$0 25	S. alpestris. Shining white flowers, May to July \$0.2
S. patens. Fine blue; half hardy 25	S. maritima fl. pl. White flowers
SAPONARIA officinalis fl. pl. An old but valuable	S, Schafta. Purple flowers, June to October; a
plant, with rosy double flowers during the summer	pretty dwarf plant
season. 25 cents.	SILPHIUM. Showy, tall-growing plants, suitable fo
SAXIFRAGA. Elegant border or rock plants, with	large groups and for planting amongst shrubberies.
fine glossy or whitish foliage and large white, rosy or	S. laciniatum. The Compass plant; so-called becaus
pink flowers; very valuable for herbaceous planting.	the leaves are said to present their faces uniformly
S. Aizoon. Cream colored flowers in June \$0 25	north and south on the plains where they grow . \$0 3
S. cordifolia. Large red flowers in spring 25	S. perfoliatum
S. crassifolia. Red flowers, fleshy leaves 25 S. Hastii. White and purple flowers in May 25	S. terebinthinaceum
S. ligulata. Blooms in spring; pale red 25	S. ternatum
S. longifolia vera. Very pretty white flowers in	SOLDANELLA alpina. A pretty alpine plant, with
summer	small round glossy leaves and drooping purple bel
S. pyramidalis (Cotyledon). Very pretty and dis-	flowers. 35 cts.
tinct white flowers	SOLIDAGO. The famed Golden Rod; now being agi
<b>S.</b> speciosa	tated as a candidate for the honor of being called our
<b>S.</b> umbrosa	national flower. Their yellow flowers, in gracefu
SCABIOSA caucasica. A useful plant for borders	shape, are known everywhere, and much admired, and
and rockeries; large pale blue flowers, June to August.	they do finely when naturalized in the border. The
25 cents.	various species extend the time of flowering.
SEDUM. Dwarf-growing rock plants, with interesting	S. ambigua       \$0.25         S. arguta fol. var.       25
succulent foliage, and yellow, white, or pink flowers.	S. Drummondii. Flower heads small; blooms in
See also pages 130 and 136.	summer
S. acre aureum. Very' pretty golden tipped	S. elongata
leaves	S. rigida. Large flower heads, in September 25
	SPIGELIA Marilandica. A beautiful plant of gay ap
S. anacampseros. Violet flowers	pearance, with fine tubular scarlet flowers, yellow in
S. glaucum. Flowers white; leaves whitish	side; blooms in July, and grows twelve to eighteen
G. T Vallandament of	inches high 95 cents

<ul><li>SPIRÆA. Excellent hardy decorative plants for groups and borders, blooming finely and profusely.</li><li>S. Aruncus. Whitish flowers, in slender spikes</li></ul>
in June
heads of white flowers
herbaceous perennial
S. venusta (lobata) Deep peach blossom flowers; a fine plant
<b>STATICE.</b> Suitable plants for beds and rockeries; the flowers are also fine for cutting.
S. Gmelini
STACHYS lanata. Fine plant, with soft silvery white foliage, suitable for edging of large beds and for rockeries; a pretty perennial. 25 cents.
STOKESIA cyanea. With large blue aster-like flowers; a first class perennial plant, blooming in August. 30 cents.
<b>SYMPHYTUM.</b> Perennial foliage plants of extreme beauty, with large light or deep yellow variegated showy leaves.
S. asperrimum aurea variegata. Leaves bordered yellow; grows three to four feet high \$0 35  S. officinale sulphurea. Finely variegated leaves; plant grows one to three feet high 35
THALICTRUM. Fine foliage plants for groups, beds
and rockeries.       80 25         T. adiantifolium. Fern-like foliage
<b>TRADESCANTIA.</b> Showy herbaceous plants, blcoming freely throughout the summer; not so widely grown as they deserve.
T. rubra       80 25         T. violacea       25         T. Virginica alba. Fine white flowers       25
TRICYRTIS hirta nigra. An orchid-like flower of a peculiar dark color, produced in May. 25 cents.
TROLLIUS. Showy and desirable erect border plants, with large globular flowers and handsome foliage.  T. Asiaticus. Dark yellow flowers
T. Japonicus fl. pl. A double form

TUSSILAGO Farfara variegata. A dwarf showy
plant, with variegated leaves. 25 cents.
T. fragrans. Produces light purple flowers deliciously
scented. 50 cents.
UVULARIA grandiflora. A pretty plant, with yel-
low tube-shaped flowers; excellent for borders. 25 c.
VERONICA. Free flowering plants, with blue, white
and purple flowers; suitable for borders, beds and rock
work, growing and blooming easily.
V. amethystina (paniculata). Blue flowers, in
June
V. alpina. Blue and violet flowers in May 25
V. candida. White flowers
V. gentianoides var. Large blue flowers; fine
variegated foliage
V. grandis
V. prostrata (Tenerium). Light blue flowers; of
prostrate habit
V. saxatilis. Very pretty blue flowers 25
V. spicata var. Bright blue flowers in July and
August
VINCA. The hardy Periwinkles are fine creeping plants
for edgings, ribbon and rock work; they grow freely,
and are very pretty.
V. minor alba. This and the following sorts are all fine in bloom; white flowers
V. — var. Pretty variegated leaves
VIOLA. Lovely flowering plants, well-known and al-
ways admired. The best hardy species are here noted.



## COLLECTIONS OF HERBACEOUS PLANTS.

We have, for the convenience of such of our patrons as are not accustomed to making proper selections for themselves to produce certain desired effects, made up the following collections of such standard varieties as we know from ample experience are best suited for the various situations for which they are required. We can assure satisfaction to the purchaser of any of these collections.

#### COLLECTION I.

#### A Popular and General Selection of One Hundred Distinct Sorts,

Embracing all the best-known old and new varieties of these beautiful plants, and including spring, summer and autumn flowering species, of various heights, habits and colors,

The whole collection	of 100 plants, ac	cording to s	ize		 	 	 	 \$15 00 to	\$20 00
Half collections, 50	plants				 	 	 	 9 00 to	11 00
Quarter collections,	25 plants				 	 	 	 5 00 to	6 00
12 plants selected fr	om the above coll	ection, in 12	varieti	es .	 	 			3 00

#### COLLECTION II.

#### Varieties Best Suited for Planting on the Margin of Shrubberies.

50 distinct varieties, nearly all of strong and robust habit		00
25 plants of 25 varieties		50
12 plants distinct varieties	9	50

#### COLLECTION III.

#### For Dry and Sunny Situations.

50 plar	nts of	50 v	arieties														 			87	5	0 to	81	0 (	00
25	66	25	4.6														 	 		4	5	0 to	)	6	00
12	4.4	12	44																 					2 :	50

### COLLECTION IV.

#### For Rock-work in Elevated and Sunny Situations.

50 pla	nts ir	a 50 v	arieties																	\$9	00	) to	\$1	2	00	
25	4.6	25	4.6																	5	00	) to	)	6	50	
12	4.4	12	66												 	 								3	00	

### COLLECTION V.

### For Wet or Moist Places.

50 pla	ants in	n 50 v	rarieties															 		. 3	89	00	) to	3	12	00	
25	6.6	25	44															 			5	00	0 to	)	6	50	
19	6.6	19	4.6																						3	-00	

#### COLLECTION VI.

### Ornamental and Variegated Foliage Plants.

50	plants of	50 9	sorts										 					. `.			\$9	0	0 to	81	2	00	
25	44	25	4.4										 								õ	0	0 to	)	6	50	
12	44	12	4.4																						3	00	

### COLLECTION VII.

### American or Native Plants.

Few countries can boast of so rich a collection of really beautiful wild plants as ours. We make this collection a specialty.

100 pl	ants of	100	distinct	varieties														. \$1:	2	00 to	\$1.	5 0	0
50	6.6	50	4.4	66														. ′	7	00 to		5 0	10
25	4.6	25	4.4	6.6															1	00 to		5 0	10
12	6.6	12	4.6	4.6																	5	2 5	50

## DWARF-GROWING SHRUBS.

Both Deciduous and Evergreen, which can be planted effectively with Herbaceous Plants to attain the best effects of Landscape Art.

AMYGDALUS. The flowering Almonds are beautiful early spring blooming shrubs, of two to three feet in height. Their double flowers completely cover the plant.  A. prunifolius fl. pl. Pink flowers \$0 50 to \$0 75 A. — fl. albo pl. White flowers 50 to 75	<ul> <li>CORNUS. The Dogwood; fine shrubs, bearing handsome flowers.</li> <li>C. Canadensis. Purplish white flowers in May . \$0.25</li> <li>C. mascula (mas) variegata. A superior variegated shrub, the leaves being beautifully marked with creamy white and red</li></ul>
<b>ANDROMEDA.</b> Beautiful dwarf shrubs, attractive in habit and flower.	<b>COTONEASTER</b> buxifolia. Evergreen leaves; large white flowers in May; grows three to four feet high. For other sorts, see page 183. 35 cents.
A. arborea. Broad leaves; long panicles of fragrant white flowers	<b>DAPHNE Cneorum.</b> A low growing or trailing shrub, bearing in April and September bright pink sweet-scented flowers; leaves evergreen. 25 to 50 cents.
cate bells of lily of the valley-like flowers	<b>DEUTZIA.</b> These are splendid flowering shrubs of easy culture and fine habit, and cannot be spared from any garden.
AUCUBA japonica. The "Japan Gold Dust Tree." Beautiful evergreen shrub, with broad shining leaves, spotted with yellow. There are male and female forms, of varied beauty. Finest sorts, male and female, each, 50 cents to \$1.	<ul> <li>D. gracilis. Bears lovely small white flowers very early on long and graceful branches; is often forced into bloom in winter. 25 to 50 cts.</li> <li>D. crenata flore-plena. Beautiful double rosy white flowers in June; one of the finest shrubs. 25 to 50c.</li> </ul>
AZALEA. The hardy Azaleas are superb shrubs for	EPIGALA repens. 25 cents.
the lawn or border, presenting masses of beautiful	ERICA carnea. A hardy Heath, with fine pale red
blossoms. For complete list of the tender or green-	flowers in early spring. 35 cents.
house species, see page 113.	<b>EUONYMUS</b> . These are splendid evergreen shrubs,
A. calendulacea. Yellow, red, orange and copper-colored	with rich and shining foliage. They are of upright and symmetrical habit.
flowers in May; a most beautiful plant . \$0 25 to \$0 50 <b>A. mollis.</b> Downy flowers of great bril-	E. angustifolius. Beautiful golden and green
liancy; finest varieties 50 to 1 00	foliage
A. nudiflora. Clustered flowers 25 to 50	E. japonica var. Finely variegated leaves 35
A. pontica. An important section, con-	E. radicans var. A smaller but highly ornamen-
taining many beautiful sorts. Finest	tal form
Ghent varieties 50 to 1 00  A. viscosa. Sweet-scented flowers in July 25 to 50	<b>GAULTHERIA</b> procumbens. The creeping Wintergreen or Tea berry; a pretty creeping plant. 25 cents.
	GENISTA. Very pretty shrubs, growing two to four
<b>BERBERIS</b> vulgaris atropurpureum. The purple-leaved Barberry; a most ornamental shrub and ex-	feet high, and blooming freely.
tremely valuable for contrasting with other shrubbery;	G. flagellata
of fine compact habit. 35 cents.	G. tinctoria fl. pl. Double flowers 50
BUXUS arborescens. The well-known Tree Box; of	HYDRANGEA. The Hydrangeas are among the finest
slow growth, but very ornamental and permanent. 50	shrubs for any purpose. The flowers are showy, and remain long in perfection; they are of ready growth,
cents to \$1.	and increase in beauty from year to year. For de-
B. — var. A form with variegated leaves. 50 cents to \$1.	scriptions and additional varieties, see pages 118 and 156.
<b>CARAGANA</b> jubata. A very ornamental shrub of free growth. 50 cents.	H. Cyanoclada. A fine form. See page 118 \$0 50 H. hortensis. The old true blue
CEANOTHUS Americanus. The New Jersey Tea; a	H. — tricolor
handsome shrub, bearing small white flowers in June	H. — Otaksa. Rosy pink
and July. 25 cents.	H. paniculata grandiflora
CORCHORUS (Kerrea). Small trees or shrubs of an	H. quercifolia. A notable variety, remarkable for
ornamental character.	its large leaves, which resemble those of the Oak,
C. japonica fl. pl. Double flowers	and are downy beneath; the flowers are borne in August, and are cream colored \$0 50 to 75
Val. variogatoa romago	

HYDRANGEA, Continued.
H. stellata fimbriata. New
H. — rosea. A fine form. See page 118 50
HYPERICUM. Very handsome deciduous shrubs,
with yellow flowers.
H. calycinum. Blooms in summer
H. prolificum. Very distinct foliage \$0 25 to 50
Large and very decorative plants of most of these
varieties, symmetrical in shape, with many flower heads,
are supplied in season; prices on application.
ILEX Aquifolium. The English Holly is a beautiful
evergreen shrub with glossy leaves, bearing bright
scarlet berries. In finest sorts, 75 cents to \$2.50.
I. opaca. The American Holly; leaves a lighter
green
KALMIA latifolia. The American Laurel; a superb
evergreen shrub, bearing heads of rose to white flowers
of exquisite beauty. 50 to 75 cents.

**LEDUM.** Ornamental dwarf hardy evergreen shrubs; succeed best in a cool place.

of a notable fragrance. 25 cents.

LAVANDULA spica (vera). The well-known Laven-

der; a fine small shrub, with blue flowers and leaves,

- LIGUSTRUM italicum (sempervirens). A handsome species of Privet; forms a symmetrical shrub. 35 cts.
- LONICERA brachypoda aurea. Honeysuckle: a fine twining or creeping plant, with beautifully striped and netted foliage, and the characteristic fragrant flowers of the honeysuckle. 25 cents.
- **MAHONIA.** The Mahonias are very handsome evergreen shrubs, with holly-like leaves.
- M. aquifolia.
   Dark green and brown leaves; yellow flowers, followed by shining black berries \$0.25 to \$0.50

   M. Bealei
   50

   M. Darwinii
   50

   M. japonica
   50
- **MESPILUS** pyracantha. A fine hardy small tree, of distinct appearance. 35 cents.
- **MENZIESIA** polifolia. A shrub on the order of a heath, bearing handsome flowers. 50 cents.

- **PÆONIA** arborea. The Tree Pæony is a superb shrub, and forms a most elegant decorative object in any situation. The immense flowers are beautiful, and the foliage is also handsome; the plants bloom in spring, and are about two feet high when grown. In finest original Japanese sorts, each, §1 to §2.
- **POTENTILLA fruticosa.** A pretty free-blooming shrub, with round yellow flowers in summer; grows two to four feet high. 50 cents.
- **RHODODENDRON.** The hardy Rhododendrons are among the finest of all flowering plants. See page 192; for the greenhouse varieties, see page 120.
- RHODORA Canadensis. A beautiful American shrub, blooming very early in spring; somewhat on the order of the Rhododendrons, the flowers being of rosy purple to white. 50 cents to \$1.
- **SALVIA** officinalis quadricolor. A handsome variegated form of the common sage. 25 cents.
- **SHEPHERDIA** argentea. A handsome shrub or small tree, with silvery leaves; bears yellow flowers in April, followed by edible scarlet berries. 50 cents.
- **SKIMMIA Japonica.** A splendid evergreen shrub of about three feet in height, bearing deliciously scented white flowers in early spring, succeeded by bright scarlet berries; makes a fine appearance. 50 cents to \$1.
- **SPARTIUM junceum.** A shrub with rush-like foliage of ornamental habit, but chiefly prized for its abundance of showy and fragrant yellow flowers from July to September. 25 to 50 cents.
- SPIRÆA Thunbergii. A fine white flowering Spiræa of handsome habit. For other species, see pages 11 and 186. 25 to 50 cents.
- **TRIPHASIA** aurantiaca. A shrub with pretty flowers and fruits. 50 cents to \$1.
- VACCINIUM uliginosum. An ornamental species of the Blueberry; grows best in a moist place. 35 cents.
- **VERONICA Traversii.** A fine shrub from New Zea land, bearing in summer a profusion of white flowers. 50 to 75 cents.
- XANTHORHIZA apiifolia. A rather dwarf shrub, bearing small dark purple flowers in March and April. 25 cents.

## XXX.

## DECIDUOUS TREES AND SHRUBS.

A General List, containing a Careful Selection of the best Ornamental Trees and Shrubs.

HE importance of this department is obvious. No pleasure grounds or rural homes, however modest, are considered complete without ornamental trees or plants of a hardy and permanent character. Too often the effect of planting is measurably destroyed by the use of inferior or unsuitable species. Where grounds of any extent are to be planted, the advice of a competent landscape gardener will be found to be fully worth its cost.

Trees and shrubs of an ornamental character, properly selected and suitably planted, unquestionably increase very largely the actual value of any property, as well as add to the comfort and pleasure of those who occupy the premises.

trees. They are regular in outline, of vigorous growth,
free from diseases, and of wide adaptability.
A. Colchicum rubrum. The young leaves are crimson;
tree of compact, roundish habit \$1 00
A. dasycarpum. The Silver Maple; of value where
very rapid growth is required \$0 50 to 1 00
A. — Wierii laciniatum. A very beautiful cut-
leaved form, with a distinct and graceful
habit. See cut, p. 193 \$0 75 to 1 50
nabit. See cut, p. 195
A. Ginnala. A handsome dwarf Maple from Si-
beria; the leaves are finely colored in autumn 2 00
A. platanoides. The Norway Maple; a superb or-
namental tree of very symmetrical habit . \$0 75 to 1 50
A. — laciniatum. The Cut-leaved Norway Ma-
ple; a rare and curious form 1 00
A. pseudo-platanus. The Sycamore Maple; much
resembles the Norway 1 00
A. — purpurea. A form with handsome leaves,
purple underneath; a very effective tree 1 00
A. — tricolor. Foliage distinctly marked pink,
yellow and green; a very beautiful variety 2 00
A. — Woerlei. A beautiful golden-leaved va-
riety; valuable in contrasting 2 00
A. rubrum. The Red Maple or Red Bud. The
blossoms are deep red before the leaves in spring;
in fall the leaves change to brilliant scarlet; a fine
and symmetrical tree \$0 50 to 1 00
A. saccharinum. The Sugar Maple; a well-
known and handsome tree of elegant and
round-headed form 50 to 1 00
ÆSCULUS. The Horse-Chestnut; splendid decorative
and shade trees, combining rich foliage with very beau-
tiful flowers and conspicuously elegant habit. One
great merit is the quickness with which their foliage is
perfected in the spring.
E. Hippocastanum. The well-known white-flowering
Horse-Chestnut
<b>産.</b> — alba flore-pleno. Fine double white flow-
ers; bears no nuts 1 00
ers; bears no nuts
Æ. — aurea. With yellow variegated leaves 1 00
Æ. — purpureum. Leaves purple in spring 1 00

ACER. A well-known and valuable genus of ornamental

ÆSCULUS Hippocastanum rubicunda. Beau-
tiful red flowers; a superb tree\$1 00
Æ. laciniatum. The Cut-leaved Horse-Chestnut . 1 00
Æ. macrostachya. Dwarf; this species is a very
fine flowering shrub of elegant growth, with fine
and deeply cut leaves, and flowers in large spikes;
a most ornamental species for gardens, parks and
cemeteries
ALNUS. The Alder; some of the forms are most beau-
tiful and elegant.
A. glutinosa laciniata imperialis. A beautiful tree,
with deeply cut leaves
A. aurea. Fine golden yellow foliage 150
A. rubra-nervia (purpurea). Broad foliage, of a
reddish purple color
AMYGDALUS persica. The beautiful ornamental
forms of the Peach; three fine species.
A. — flore albo-plena. Fine double white
flowers
A. — rubra-pleno. Rosy pink flowers 1 00
A. — foliis atropurpurea. A small tree, with
deep red foliage; very pretty 1 00
ARALIA. The hardy forms are very conspicuous and
ornamental small trees, with large bipinnated foliage
and thorny stems.
<b>A. Japonica</b> (canescens)
-
BERBERIS vulgaris purpurea. The Purple-leaved
Berberry. A very fine shrub, growing three to five feet high, with richly colored foliage and fruit; an ef-
fective plant. 50 cents.
BETULA. The Birch; superior ornamental trees, with

beautiful silvery bark, graceful branches and distinct

B. alba pendula laciniata. The very ornamental Cutleaved Weeping Birch; a beautiful tree, forming a superb ornament for any lawn . . . . . . \$1 00 to \$1 50
B. — atropurpurea. Deep purple foliage 1 00 to 1 50
BUDDLEIA Lindleyana. A fine blooming shrub, growing to a height of six feet; flowers purplish red in

foliage; hardy and vigorous.

September. 50 cents.



CHION	ANTHUS	VIRGINICA.
-------	--------	------------

CALYCANTHUS floridus. The deep purple-flower-
ing Allspice or Sweet-Scented Shrub; a very fine and
popular plant; the buds are notably fragrant. 50 cts.
CARAGANA. The Siberian Pea Trees are very fine
of dwarf habit, with conspicuous leaves.
C. Altagana. Yellow flowers, April to
July
C. Chamlagu. Yellow and red flowers 50 to 1 00
C. jubata. White and red flowers 50 to 1 00
C. spinosa (ferox). Yellow flowers; the
plant is thorny, and forms a very defen-
sive hedge 50 to 1 00
CATALPA. Very rapid growing trees, of upright and
handsome habit, with broad and large leaves, and
showy, fragrant flowers.
C. Bungei. A dwarf form from China, with large and
glossy foliage
C. Kæmpferi, Of rapid growth, with deep glossy
green leaves and cream colored fragrant flowers . 1 00
C. speciosa. A fine form, of wonderfully rapid
growth; very hardy and valuable
CERASUS. Several of the ornamental Cherry trees are
fine for decorative planting, bearing beautiful flowers.
C. avium ranunculiflora pl. Large and fine white
flowers
C. compacta nana. A dwarf-growing and large
double flowering cherry; pink, red and white va-
rieties. Excellent specimens, each \$2 00 to \$3 00
CERCIS. The Judas Tree, or Red Bud; very ornamen-
tal trees with handsome flowers.
C. Canadensis. A beautiful native flowering tree of
low growth
cies of late introduction from Japan \$1 00 to 3 00
CHIONANTHUS Virginica. The White Fringe Tree.
A very fine and ornamental native small tree or shrub
of fine roundish form, with glossy leaves and pure
white flowers in May or June; beautiful on the lawn.
white nowers in May or June; beautiful on the lawn.
50 cents to \$1.

	CLADRASTIS tinctoria (Virgilea lutea). An elegant
	round-headed tree, with handsome foliage and sweet-
	scented flowers in June; a splendid native tree. \$1.
	<b>CORCHORUS</b> ( <i>Kerrea</i> ) <b>Japonica fl. pl.</b> A very fine shrub, with double golden yellow flowers. The bright
	green bark gives, in winter, a fine contrast to the red-
	barked Cornus alba and white-barked Lonicera tartarica, if grouped together. 25 to 50 cents.
	CORNUS. The Dogwood; very handsome shrubs or
	small trees, bearing fine flowers.
	C. alba. Has red bark
	C. mas fol. variegata. Very ornamental variety 50
	C. pendula. Weeping Dogwood. A most graceful,
	dwarf-growing, pendulous tree \$2 00 to \$3 50
	C. rubra grandiflora. The Red Flowering Dog-
	wood
	C. sanguinea fol. variegata. Finely variegated
	foliage
	CORYLUS avellana atropurpurea. A fine ornamen-
	tal shrub. 50 cents to \$1.
	COTONEASTER. Hardy shrubs or small trees of
	handsome character and easy cultivation; their in-
-	tensely scarlet fruits are very ornamental in winter.
1	C. uva-ursi. Large foliage
	C. Simonsii. A fine variety
9	CRATEGUS. The Hawthorn: splendid flowering
	trees, with attractive foliage The beautiful double
	flowers are like little roses, and these plants are to be
)	highly recommended.
)	C. Oxyacantha flore-pleno alba. White
)	double flowers
	C. — bicolor flore-pleno
	C. — rubro-pleno
)	
	CYDONIA Japonica (Pyrus Japonica). A beautiful
1	shrub, with glossy leaves and splendid bright scarlet flowers in early spring. The shrub is of a bushy char-
	acter, and forms a most ornamental hedge, as well as
	superb single specimens. There are several forms, in-
'	cluding white and blush flowering varieties; we have
1	all the leading sorts. 50 cents to \$1.
	CYTISUS. Beautiful lawn trees or shrubs, bearing at-
5	tractive flowers.
	CIGCUITO II O
	C. austriacus canitatus. A dwarf and large flowering
	C. austriacus capitatus. A dwarf and large flowering species; vellow flowers
	species; yellow flowers
)	species; yellow flowers
	species; yellow flowers \$0 50  C. Laburnum. The Golden Chain; so called from its lovely racemes of clear yellow flowers . \$0 50 to 1 00  C. nigricans 50 to 1 00  C. purpureus 50 to 1 00
) ) )	species; yellow flowers
) ) )	species; yellow flowers \$0 50  C. Laburnum. The Golden Chain; so called from its lovely racemes of clear yellow flowers . \$0 50 to 1 00  C. nigricans 50 to 1 00  C. purpureus 50 to 1 00
; ; ; ))	species; yellow flowers \$0 50  C. Laburnum. The Golden Chain; so called from its lovely racemes of clear yellow flowers . \$0 50 to 1 00  C. nigricans 50 to 1 00  C. purpureus 50 to 1 00  C. trifoliatus. This and the two preceding are fine shrubs 50 to 1 00
	species; yellow flowers
	species; yellow flowers \$0 50  C. Laburnum. The Golden Chain; so called from its lovely racemes of clear yellow flowers . \$0 50 to 1 00  C. nigricans 50 to 1 00  C. purpureus 50 to 1 00  C. trifoliatus. This and the two preceding are fine shrubs 50 to 1 00  DAPHNE Mezereum. A very showy little shrub, bearing pretty red flowers in spring. 50 cents.
	species; yellow flowers



EXOCHORDA GRANDIFLORA.

**DIMORPHANTHUS Mandschuricus.** The Parasol Tree; is like *Aralia Japonica* in habit, with exceedingly large foliage, much divided; a most distinct and handsome small tree. \$1.

**ELEAGNUS** argentea. The Bohemian Olive. A very ornamental tall shrub or small tree, with fine silvery foliage and very fragrant blossoms. 50 cents to \$1.

**EUONYMUS Europæus atropurpureus.** An extra fine shrub for park planting and for cemeteries; evergreen, with purple foliage. See also page 192. 50 cts.

EXOCHORDA grandiflora. One of the finest white-flowering shrubs grown: bears large white flowers in May, and is ornamental at all times. A rare and very desirable shrub. 50 cents to \$1.

**FAGUS.** The Beech. Noble trees with rich and glossy foliage; the species here offered are all very ornamental and desirable.

F. sylvatica asplenifolia. The Fern-leaved Beech; a form with delicately divided foliage . . . . . . \$1 00

FORSYTHIA. These, called "Golden Bells," are very early flowering shrubs of much value, bearing a great profusion of bright yellow flowers before the leaves appear; they are really the first of the season.

F. Fortunei. Of upright growth

= · = of table of apright growth
P. Sieboldii. A fine new species from Japan 50
F. suspensa. A fine species with slender and
drooping vine-like branches; useful for cover-
ing walls, trellises, etc
F. viridissimma. The well-known form 25
FRAXINUS. The Ash family has many trees of beauty and value within it, a selection of which we offer.
<b>F.</b> Americana juglandifolia. The Walnut-leaved Ash; handsome large foliage
F. excelsior aurea. The Golden-barked Euro-
pean Ash; a remarkably conspicuous tree in win-
ter, with its oddly twisted yellow branches 1 00
F. — heterophylla variegata. The variegated
cut-leaved Ash
F. — myrtifolia. With myrtle-like leaves 1 00

F. Ornus var. The flowering European Ash... 50
GENISTA tinctoria fl. pl. A very fine double flowering dwarf shrub. 50 cents.

**GLEDITSCHIA** triacanthos variegatus. The Honey Locust, with variegated leaves; a beautiful shrub or small tree. \$1.

GYMNOCLADUS canadensis. The Kentucky Coffee Tree; one of the finest ornamental trees for parks, gardens and cemeteries; has feathery foliage, of a bluish green color. 50 cents.

**HALESIA.** The Silver Bell; large growing shrubs or small trees, with an abundance of snowy white bell-shaved flowers.

H.	diptera .										. \$0	50
H.	tetraptera											50

HIBISCUS Syriacus. The Althæa or Rose of Sharon. Single and double flowering sorts. Late summer flowering shrubs of great beauty. Useful for ornamental hedges, or may be grown into fine large shrubs or small trees; by judicious pruning, they can be made to take any form. 25 to 50 cents.

HIPPOPHÆ rhamnoides. A remarkably ornamental shrub with narrow silvery leaves and red berries. 50 cents.

HYDRANGEA. This genus has already been fully treated (see pages 118, 156 and 180), but is here mentioned to remark that it furnishes some of the most ornamental flowering plants known, of the utmost value in any hardy planting.

H. hortensis	\$0 50
H. japonica var. Fine variegated leaves	50
H. — Otaksa 25 to	50
H. paniculata grandiflora 50 to	1 00
H. quercifolia. Oak-leaved Hydrangea. A robust	
species with conspicuous foliage; fine for parks	
and cemeteries, or large grounds \$0 50 to	80 75



MAGNOLIA CONSPICUA SOULANGEANA.

KELREUTERIA paniculata. A conspicuous and
fine ornamental small tree from Japan; is round-
headed, and bears showy golden yellow flowers in
July; the leaves are a rich yellow in autumn. 50 cts.

**LIGUSTRUM.** The Privet; a fine hardy shrub of dense habit, and very ornamental; some of the forms are largely used for hedges. We offer four fine distinct sorts.

L. japonicum var. A fine species	50
L. macrophylla	50
L. ovalifolium. The California Privet; elegant	
for hedges	25
L. vulgare variegatum	50

**LIQUIDAMBAR styraciflua.** The American Sweet Gum. It is of great beauty, with rich and shining green leaves, star-shaped, becoming deep purplish crimson in the autumn; of perfect and symmetrical shape, and a superior native tree. 50 cents to \$1.

LIRIODENDRON tulipifera panache. A variegated-leaved form of the magnificent Tulip Tree, itself one of the noblest objects; this species has beautifully margined broad leaves. \$1.50.

**LONICERA** fragrantissima. A quick and large growing Honeysuckle, with white very fragrant flowers, and almost evergreen foliage. 50 cents.

ers, and almost evergreen foliage. 50 cents.

L. Ledebourii. Fine red flowers in May . . . . 80 50

L. Tartarica. Another fine standard Honeysuckle 25

MAGNOLIA. These superb shrubs and trees occupy a justly high position for their fine form and lovely flowers. The flowering species are the best and largest flowering varieties, of dwarf habit, and are therefore suitable for any location. They require care in transplanting, but when once established are of great hardiness.

M. Campbellii. Pale rose inside, crimson outside; very handsome, but not entirely hardy . . . . \$1 00 to \$3 00 M. conspicua (Yulan). Fine fragrant flowers of pure waxy white . . . . . . . 1 00 to 3 00

EMOTH OF THERES.
MAGNOLIA conspicua Soulangeana. Large pur-
plish flowers
M. Halleana (stellata). An exceedingly
dwarf and compact growing form, with
beautiful fine white semi-double flowers,
very early in spring 2 00 to 3 00
M. Lennei. Fine light purple flowers 1 00 to 3 00
M. Norbertiana. Flowers reddish pur-
ple; a plant of vigorous and regular
habit 1 00 to 3 00
M. glauca. The lovely Sweet Bay or
Swamp Laurel; white fragrant flowers. 1 00
M. purpurea. A good dwarf purple flow-
ering sort of great hardiness 1 00 to 2 00
M. Thompsoniana. Very large creamy
white flowers of delightful fragrance,
blooming a long time; a splendid sort 2 00 to 3 00
M. tripetala. Of large and robust habit,
with noble foliage glaucous underneath;
bears large white sweet-scented flowers . 1 00 to 3 00
MICHIEL B. Eller
NEGUNDO. The Ash-leaved Maple, or Box Elder; a
rapid growing and handsome tree. The forms below
noted have distinct foliage.
N. fraxinifolium. The Box Elder. 75 cts. to \$1.
N. — var. A fine dwarf tree, with fine white striped
and silvery foliage
N. — violacea. A good contrast to the forego-
ing, having purple bark and darker leaves 1 00
PAULOWNIA imperialis. An excellent large flow-
ering tree from Japan. It has large entire leaves,
somewhat like the Catalpa; its flowers are profuse, in
large upright panicles, of a delicate lilac or purplish
hue, and richly fragrant; a fine and very rapid grow-
ing ornamental tree. 50 cents to \$1.
PAVIA flava. Yellow-flowering Ohio Buckeye, or
Horse-chestnut; a fine native tree, of excellent habit.
50 cents to \$1.
PHILADELPHUS. The Mock Orange; fine and pro-
fuse flowering shrubs of robust but compact habit,
producing exquisite white flowers in spring.
P. coronarius. The true Mock Orange, blooming early, with a delicate orange fragrance \$0 25 to \$0 50
P. grandiflorus. Larger flowers; later,
and without scent 0 25 to 0 50
P. Gordonianus. Very late in flower 25 to 50
<b>POPULUS.</b> The Poplars are generally rapid growing
trees of ornamental habit.
P. alba. The true Silver Poplar, or Abele: very rapid

in growth, and of spreading habit  $\,$  . . . \$0 50 to \$1 00

Poplar; a fine sort with glossy leaves . . 1 00 to 2 00

a splendid contrast to the silver varieties 1 00 to 1 50

1.00

75 to 1 00

75 to 1 00

P. balsamifera. A rapid-growing and

handsome shade tree; the young growth

and buds are scented . . . . . . . . .

P. — Bolleana. The Pyramidal Silver

P. Carolina. The Carolina Poplar is of

rapid growth, with splendid shining

leaves; a grand tree for large grounds or

P. Canadensis Van Geertii. The Golden

Poplar; has fine yellow foliage and makes

POTENTILLA fruticosa. An ornamental dwarf and	QUERCUS pedunculata aureo-variegata. Golden
profuse yellow flowering shrub of dense habit. 50 cts.	variegated leaves
PRUNUS. This genus includes some of the very finest	Q. — concordia. Beautiful bright yellow foli-
small trees or shrubs, both for bloom and beauty.	age; a grand species
They are all early spring flowering, and cover them-	Q. — nigra. Purple, changing to dark green . 1 00
selves with beautiful flowers. They are perfectly	Q. Robur. The English Oak, or Royal Oak; a well-known English tree
hardy, and of fine decorative habit.  P. Pissardii. A purple-leaved form, and one of the	RHUS. The Sumach; elegant shrubs of very distinct
most effective hardy dwarf trees or shrubs. The	and ornamental habit.
young leaves are bright crimson, changing to dark and	R. Cotinus. The Smoke Tree, Purple Fringe or Vene-
rich purple with age; the plant is of splendid compact	tian Sumach. A most ornamental and distinct species:
habit, and exceedingly ornamental; none of the purple- leaved trees or shrubs excel it §0 50 to §1 00	the curious mist-like flowers cover the plant during summer, and give it a fine effect \$0 50 to \$1 00
P. Planterii pleno. A sort with large double fra-	R. glabra laciniata. The Cut-leaved Sumach;
grant flowers	the foliage is very deeply cut, and much resem-
P. Sinensis (Amygdalus prunifolia) flore albo-	bles fern leaves: it is dark green above, whitish
pleno. A double flowering Almond of much	beneath, and turns a rich red in autumn . \$0 50 to 1 00
beauty	<b>RIBES.</b> The ornamental varieties of the Currant are very beautiful shrubs, flowering in spring.
flowers 50 to 1 00	R. aureum. Yellow flowers; shining leaves \$0 50
P. triloba (Amygdalopsis Lindleyi). A very	R. Gordonianum. Yellow and crimson flowers
beautiful shrub or small tree, with ele-	in May
gant rosy double flowers; of fine habit, and much admired 50 to 100	R. sanguineum fl. pl. Lovely double crimson flowers in July; a fine shrub 1 00
PYRUS. To this genus belong the Pear and Apple, and	ROBINIA hispida. This is the beautiful Rose Acacia
there are some very ornamental species included.	or Moss Locust; bears elegant clusters of pink flowers
P. malus spectabilis albo-pl. The Chinese Double	in June, and later. 50 cents to \$1.
White-flowering Crab. Fine white fragrant flowers	RUBUS spectabilis. A very fine large rosy flowering
in May	shrub of rapid growth. 50 cents.
mental small tree; the double rose-col-	<b>SALISBURIA</b> adiantifolia. The Maiden Hair Tree or Gingko. A most elegant ornamental tree, with
ored fragrant flowers are nearly two	very handsome deep green foliage, shaped like the
inches across; flowers in May 50 to 1 00	Maiden Hair ferns. It is hardy, upright and regular
PYRUS-SORBUS. The Mountain Ash; well-known	in habit, and make a splendid appearance anywhere, growing freely and rapidly. \$1 to \$2.
and very ornamental trees.	SAMBUCUS. The Elder. Showy large shrubs, hand-
P. Americana. The American Mountain Ash: of rather coarse growth; bears large clusters of light red ber-	some in flowers, foliage and fruit.
ries	S. nigra aurea. The Golden Elder; a very ornamen-
P. aucuparia. The European Mountain	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0.50
<b>P.</b> aucuparia. The European Mountain Ash; a splendid tree, forming a compact	<ul> <li>S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0 50</li> <li>S. nigra argentea. The Silver Variegated Elder; 50</li> </ul>
<b>P.</b> aucuparia. The European Mountain Ash: a splendid tree, forming a compact and regular head, covered from July until	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0 50 S. nigra argentea. The Silver Variegated Elder; 50 S. — heterophylla 50
<b>P.</b> aucuparia. The European Mountain Ash; a splendid tree, forming a compact	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0 50 S. nigra argentea. The Silver Variegated Elder; 50 S. — heterophylla 50 S. — laciniata. With fern-like foliage; handsome 50
P. aucuparia. The European Mountain Ash: a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0 50 S. nigra argentea. The Silver Variegated Elder; 50 S. — heterophylla 50
P. aucuparia. The European Mountain Ash; a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters 1 00 to 2 00  QUERCUS. The Oak trees, when they attain a fair size are elegant and picturesque objects.	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0 50 S. nigra argentea. The Silver Variegated Elder; 50 S. — heterophylla 50 S. — laciniata. With fern-like foliage; handsome 50 SPIRÆA. An important genus of elegant low growing shrubs, widely grown, and giving a great variety of flowers over a period of three months. No garden
P. aucuparia. The European Mountain Ash: a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters 1 00 to 2 00  QUERCUS. The Oak trees, when they attain a fair size are elegant and picturesque objects.  Q. alba. The American White Oak; a fine park tree,	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0 50 S. nigra argentea. The Silver Variegated Elder; 50 S. — heterophylla 50 S. — laciniata. With fern-like foliage; handsome 50 SPIRÆA. An important genus of elegant low growing shrubs, widely grown, and giving a great variety of flowers over a period of three months. No garden is complete without these fine shrubs.
P. aucuparia. The European Mountain Ash: a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters 1 00 to 2 00  QUERCUS. The Oak trees, when they attain a fair size are elegant and picturesque objects. Q. alba. The American White Oak; a fine park tree, growing to a large size, with noble foliage 81 00	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0 50 S. nigra argentea. The Silver Variegated Elder; 50 S. — heterophylla 50 S. — laciniata. With fern-like foliage; handsome 50 SPIRÆA. An important genus of elegant low growing shrubs, widely grown, and giving a great variety of flowers over a period of three months. No garden
P. aucuparia. The European Mountain Ash; a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters 100 to 200  QUERCUS. The Oak trees, when they attain a fair size are elegant and picturesque objects.  Q. alba. The American White Oak; a fine park tree, growing to a large size, with noble foliage 80 50 to 100  Q. Cerris. The Turkey Oak; a handsome European species	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage. \$0.50 S. nigra argentea. The Silver Variegated Elder; 50 S. — heterophylla 50 S. — laciniata. With fern-like foliage; handsome 50 SPIRÆA. An important genus of elegant low growing shrubs, widely grown, and giving a great variety of flowers over a period of three months. No garden is complete without these fine shrubs. S. ariæfolia. Greenish white flowers in July; of dense and bushy habit 80 25 to 80 50 S. bella. A very fine pink flowering spe-
P. aucuparia. The European Mountain Ash; a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters 1 00 to 2 00  QUERCUS. The Oak trees, when they attain a fair size are elegant and picturesque objects.  Q. alba. The American White Oak; a fine park tree, growing to a large size, with noble foliage 81 00  Q. Cerris. The Turkey Oak; a handsome Euro- pean species	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0 50 S. nigra argentea. The Silver Variegated Elder; 50 S. — heterophylla 50 S. — laciniata. With fern-like foliage; handsome 50 SPIRÆA. An important genus of elegant low growing shrubs, widely grown, and giving a great variety of flowers over a period of three months. No garden is complete without these fine shrubs. S. ariæfolia. Greenish white flowers in July; of dense and bushy habit 80 25 to 80 50 S. bella. A very fine pink flowering species of dwarf habit; blooms in July and
P. aucuparia. The European Mountain Ash; a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters 1 00 to 2 00  QUERCUS. The Oak trees, when they attain a fair size are elegant and picturesque objects. Q. alba. The American White Oak; a fine park tree, growing to a large size, with noble foliage 80 50 to 1 00  Q. — variegata. Ornamental variegated foliage	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0 50 S. nigra argentea. The Silver Variegated Elder; 50 S. — heterophylla 50 S. — laciniata. With fern-like foliage; handsome 50 SPIRÆA. An important genus of elegant low growing shrubs, widely grown, and giving a great variety of flowers over a period of three months. No garden is complete without these fine shrubs.  S. ariæfolia. Greenish white flowers in July; of dense and bushy habit 80 25 to 80 50 S. bella. A very fine pink flowering species of dwarf habit; blooms in July and August
P. aucuparia. The European Mountain Ash; a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters 1 00 to 2 00  QUERCUS. The Oak trees, when they attain a fair size are elegant and picturesque objects.  Q. alba. The American White Oak; a fine park tree, growing to a large size, with noble foliage 81 00  Q. Cerris. The Turkey Oak; a handsome Euro- pean species	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0 50 S. nigra argentea. The Silver Variegated Elder; 50 S. — heterophylla 50 S. — laciniata. With fern-like foliage; handsome 50 SPIRÆA. An important genus of elegant low growing shrubs, widely grown, and giving a great variety of flowers over a period of three months. No garden is complete without these fine shrubs. S. ariæfolia. Greenish white flowers in July; of dense and bushy habit 80 25 to 80 50 S. bella. A very fine pink flowering species of dwarf habit; blooms in July and
P. aucuparia. The European Mountain Ash; a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage. \$0.50  S. nigra argentea. The Silver Variegated Elder; 50  S. — heterophylla 50  S. — laciniata. With fern-like foliage; handsome 50  SPIRÆA. An important genus of elegant low growing shrubs, widely grown, and giving a great variety of flowers over a period of three months. No garden is complete without these fine shrubs.  S. ariæfolia. Greenish white flowers in July; of dense and bushy habit
P. aucuparia. The European Mountain Ash; a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters 1 00 to 2 00  QUERCUS. The Oak trees, when they attain a fair size are elegant and picturesque objects.  Q. alba. The American White Oak; a fine park tree, growing to a large size, with noble foliage 80 00  Q. Cerris. The Turkey Oak; a handsome Euro- pean species	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage . \$0 50  S. nigra argentea. The Silver Variegated Elder; 50  S. — heterophylla 50  S. — laciniata. With fern-like foliage; handsome 50  SPIRÆA. An important genus of elegant low growing shrubs, widely grown, and giving a great variety of flowers over a period of three months. No garden is complete without these fine shrubs.  S. ariæfolia. Greenish white flowers in July; of dense and bushy habit 80 25 to 80 50  S. bella. A very fine pink flowering species of dwarf habit; blooms in July and August
P. aucuparia. The European Mountain Ash; a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage. \$0.50  S. nigra argentea. The Silver Variegated Elder; 50  S. — heterophylla 50  S. — laciniata. With fern-like foliage; handsome 50  SPIRÆA. An important genus of elegant low growing shrubs, widely grown, and giving a great variety of flowers over a period of three months. No garden is complete without these fine shrubs.  S. ariæfolia. Greenish white flowers in July; of dense and bushy habit
P. aucuparia. The European Mountain Ash; a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage. \$0.50  S. nigra argentea. The Silver Variegated Elder; 50  S. — heterophylla
P. aucuparia. The European Mountain Ash; a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters 1 00 to 2 00  QUERCUS. The Oak trees, when they attain a fair size are elegant and picturesque objects.  Q. alba. The American White Oak; a fine park tree, growing to a large size, with noble foliage 81 00  Q. Cerris. The Turkey Oak; a handsome Euro- pean species	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage. \$0.50  S. nigra argentea. The Silver Variegated Elder; 50  S. — heterophylla 50  S. — laciniata. With fern-like foliage; handsome 50  SPIRÆA. An important genus of elegant low growing shrubs, widely grown, and giving a great variety of flowers over a period of three months. No garden is complete without these fine shrubs.  S. ariæfolia. Greenish white flowers in July; of dense and bushy habit
P. aucuparia. The European Mountain Ash; a splendid tree, forming a compact and regular head, covered from July until frost with bright red berries in large clusters	S. nigra aurea. The Golden Elder; a very ornamental shrub, with beautiful golden yellow foliage. \$0.50  S. nigra argentea. The Silver Variegated Elder; 50  S. — heterophylla



VIBURNUM OPULUS,

	T. Ca
SPIRÆA, Continued.	T. Eu
S. sorbifolia. White flowers in panicles, July and Au-	fine
gust	ULM
S. Thunbergii. A very neat and beauti-	inva
ful white and early flowering species; of	
dwarf and attractive habit, and very ef-	U. An
fective; graceful foliage	and
SYMPHORICARPUS racemosus. The Snowberry:	U. car
a well-known shrub, bearing small pink flowers, fol-	erec
lowed by large white berries which hang on the plant	beau
well into winter. 25 cents.	U
SYRINGA. The Lilacs are well known shrubs of in-	Eng
estimable value; their lovely blossoms, produced in	U. mo
spring, are admired by all, and the forcing of the flow-	spre
ers in winter now brings their delicate perfume to us	VIBU
at a time when it is most grateful. We offer the best	shru
sorts, extending materially the time of blooming, and	V. der
have also fine plants especially prepared for forcing,	plan
concerning which correspondence is invited.	V. La
S. Chinensis. Of rather dwarf habit, bearing intense	umb
violet flowers in May 80 25 to \$0 50	V. Op
S. Emodi. White or purplish flowers in	Rose
May: a distinct species 50 to 1 00	duci
S. — fol. var. An exceedingly fine new	spri
variety, with large variegated leaves 50 to 1 00	V. pli
S. Japonica. A handsome Japanese spe-	cies
cies; creamy white flowers in summer . 50 to 1 00	Its :
S. Josikæa. Of tree-like growth, with	thar
dark, shining leaves; purple flowers in	uabl
June; extends the season, and is very fine 50 to 1 00	iage
S. Persica. Small foliage and bright flow-	for
ers. Several fine sorts; different colors 25 to 1 00	WEIG
S. vulgaris. The well-known and familiar	mos
form, with bluish purple or lilac flowers 25 to 50	man
S. — alba. The lovely white form 35 to 50	fron
S. — Charles X. Of rapid growth with,	with
shining leaves and large finely colored	ern
flowers; splendid for forcing 35 to 1 00	W. ar
S. — Marley. Excellent for forcing:	pink
large panicles of delicate rosy flowers . 75 to 1 00	w
targe painteres of deficate 1050 flowers . To to 1 00	•••

SYRINGA vulgaris Marley Rouge. Very large dark
red flowers, coming a light lavender when forced; a
free blooming and elegant sort. 75 cts. to \$1.
TAMARIX. Very distinct small trees, having leaves
so small and close to the branches as to make them re-
semble an evergreen. These afford a superior contrast on the lawn.
T. Africana. Of irregular growth; the entire tree
clothed in spring with delicate pink flowers, followed
by green leaves; handsome and unique. \$0.25 to \$0.50
T. gallica. A conspicuous shrub, with
small narrow heath-like leaves and pale
purple flowers
T. Japonica. Of dwarf and compact habit, with
very fine and grace foliage and rosy flowers
TILIA. The Linden or Lime Tree. Beautiful and
stately trees, valuable alike for ornament or shade.
T. Americana. The American Linden or Basswood: a
fine tree, with large leaves: forms a round and sym-
metrical head
T. argentea. The White or Silver Lime
Tree
T. Europæa. The European Linden. A
fine pyramidal tree of large size 50 to 1 00
ULMUS. The Elm; well-known and beautiful trees,
invaluable either for shade or ornamental purposes.
U. Americana. A grand American tree, of spreading
and drooping habit \$1 00 to \$2 00
U. campestris. The English Elm; an
erect and lofty tree of rapid growth:
beautiful
U. — microphylla. The Myrtle-leaf
English Elm tree: very distinct and fine 1 00 to 2 00
U. montana. The Scotch Elm. A fine spreading tree of rapid growth
operating the control of the control
VIBURNUM. The Snowball or Arrow Wood; fine tall
shrubs of profuse blooming habit and free growth.
V. dentatum. The Arrow Wood. A fine shrub for park planting; blooms in June
V. Lantana. A fine species with large leaves and
umbels of white flowers in May and June 50
V. Opulus sterilis. The Snowball or Guelder
Rose. A well-known and superior shrub, pro-
ducing its great clusters of flowers in
spring
V. plicatum. An extra fine Japanese spe-
cies of the Snowball, blooming in June.  Its flowers are white and more delicate
than the preceding, and it is a most val-
uable variety, having very ornamental fol-
iage of leathery texture: also excellent
for forcing
WEIGELIA (Dierrilla). The Weigelias are among the
most valuable flowering shrubs in cultivation. Like
many other of our finest plants, they were introduced
from Japan. They are vigorous and handsome shrubs.
with beautiful flowers, profusely produced. The mod-
ern improved varieties leave little to be desired.
W. amabilis (grandiflora). Of robust habit, with dark
pink flowers; blooms in autumn \$0 35 to \$0 75



WEIGELIA CANDIDA.

By permission, "The American Garden."

WEIGELIA, Continued.	WEIGELIA floribunda. The profuse
W. amabilis fol. variegata. Leaves varied with yel-	flowering Weigelia
low; a splendid shrub for contrasting \$0 35 to \$0 75	W. candida. A splendid new shrub. pro-
W. — Grænewigenii. Rose flowers,	ducing its pure white flowers in June, but
streaked red	continuing to flower all summer: of ro-
W Isoline. White flowers, with a	bust growth, and a grand sort in every
yellow throat	way. The flowers are fine for cutting . 50 to 75
W Van Houttei. An extra fine sort,	W. purpurea. Has dark red flowers 25 to 50
with carmine red corolla 50	W. rosea. The well-known rose colored
W. arborea grandiflora. A very robust	Weigelia; an excellent flowering shrub,
and ornamental kind, having large flow-	of fine habit
ers of sulphur or pale white, changing	W. — nana variegata. A very dwarf
to pale rose	kind, with distinct variegated leaves 25 to 50

### XXXI.

## EVERGREEN TREES AND PLANTS.

VERGREENS are indispensable for all proper landscape effects. Aside from the fact that they give the only attainable coloring to the garden in winter, they are, when judiciously used, very ornamental in all situations. The varied hues of the foliage give an opportunity for many fine decorative effects. For hedges or wind-breaks, nothing can equal the evergreens of quick growth. In addition to the Conifers, there are in this section many other fine plants with persistent evergreen foliage.


Our list is select, including only the finest sorts, which are of assured value for ornamental and utilitarian planting, and perfectly hardy in this climate, except for a few which are best adapted for the southern states.

## CONIFEROUS EVERGREEN TREES AND SHRUBS.

ABIES. The Spruce and Hemlock family; mostly trees of imposing habit and rapid growth. A. alba. The White Spruce: a fine tree with silvery gray foliage and of handsome pyramidal habit; reaches A. - cœrulea. A small growing variety with bluish green foliage . . . . . . . 75 to 1 50 A. - aurea. The foliage of this Spruce is well marked with golden yellow . . . 1 00 to 2 00 A. (Picea) balsamea. The Balsam Fir; a handsome pyramidal tree . . . . . . 50 to 1 00 A. Canadensis. The Hemlock Spruce: a most graceful and beautiful tree; useful as a lawn tree, and especially fine for hedging: dark, drooping foliage . . . . . 50 to 1 00 A. Engelmanni glauca. A fine and interesting species from the Rocky Mountains, with silvery foliage . . . . . . . 1 00 to 2 00 A. excelsa. The Norway Spruce: a magnificent and stately tree, of lofty pyramidal growth, rapidly pushing up under any circumstances. It is very ornamental, and forms a splendid hedge or windbreak in a short time . . . . . . . . . 50 to 1 00 - Clanbrasiliana. A very dense, dwarf and slow-growing form . . . . . 50 to 1 00 A. Gregoriana. Dwarf, compact, hemi spherical form, very dense; one of the best dwarf evergreens ever introduced . 1 00 to 2 00 A. nigra. The American Black Spruce. 75 to 1 25 A. orientalis. The Eastern or Crimean Spruce: the habit of this Spruce is very distinct. The branches are shorter, denser and the leaves smaller, than those 75 to 1 25 Blue Spruce; a splendid evergreen for contrasting, and most conspicuous on the lawn, as its foliage is a decided blue or sage color; it is hardy and of symmetrical habit . . . . . . . . . . . . . . . . . . 1 50 to 2 50

**CEDRUS.** The true Cedars of the Eastern hemisphere. Magnificent and stately trees of a wide spreading and distinct habit. Not hardy all over America, but will grow freely in a dry situation in the southern states.

C. Atlantica. The Atlas or African Silver Cedar: this species is the best of the genus . . . . . §0 75 to §1 00



ABIES ALBA

——————————————————————————————————————	
CEDRUS, Continued.	LIBOCEDRUS. Handsome conifers, of ornamenta
C. Deodara. The Deodar or Himalayan Cedar; a mag-	habit.
nificent tree, and hardy in cold countries \$0 75 to \$1 50	L. decurrens. A handsome,
C. Libani. The true Cedar of Lebanon;	distinct, erect and compact
a most durable tree for parks, with dark	growing tree of columnar hab-
green leaves and spreading branches 50 to 1 00	it; from California, and not
	entirely hardy in the north-
CEPHALOTAXUS. The Cluster-flowered Yew; fine	ern states \$0 50 to \$1 00
and distinct Conifers.	L. chilensis. A
C. drupacea. A fine, compact, hardy little tree, with	very fine tender
broad shining foliage	evergreen with
C. Fortunii. This is the finest of the	silvery foliage;
genus and has slender branches and long	densely branch-
leaves. Both species are indispensable	ed and conical . 50 to 1 00
for gardens parks and cemeteries 50 to 1 00	PICEA. The Silver Fir. This
CRYPTOMERIA elegans. A dwarf tree or shrub of	genus is confused with Abies,
a dense and elegant habit, with closely placed leaves	and by some authorities is in-
which become bronzy crimson in autumn; not hardy	cluded with that family.
everywhere	Some of our finest evergreens
C. Japonica. The Japan Cedar Tree; a	are here mentioned.
very attractive tree, of much beauty,	P. amabilis. The Lovely Fir:
growing rapidly to a great height 50 to 1 00	a graceful species. Foliage
	glaucous blue . \$1 00 to \$2 50  P.Fraseriana
<b>CUPRESSUS.</b> The Cypress; distinct and very hand-	(Hudsoniana)
some trees, with fine foliage.	nana. A very
C. Lawsoniana. Has elegant drooping branches, and	dwarf variety,
slender feathery leaflets. This Cypress is one of the	of dense and
best and most useful evergreens for the lawn, park or	compact habit;
cemetery. Excellent for massing in groups, as well as for hedges. We have in our stock several fine varie-	most beautiful . 1 00 to 2 50
ties with variegated leaves of dwarf compact or pyra-	P. grandis. The
midal growth	great Califor-
C. macrocarpa. The Monterey Cypress;	nian Fir; of no-
not quite hardy here, but is in the South-	ble appearance . 1 00 to 2 50
ern states. A beautiful tree, of rapid	P. lasiocarpa. A
growth, and useful for indoor decoration	beautiful and
in this climate 50 to 1 50	rapid growing
C. Nutkaensis. A very hardy evergreen	Fir; the young
tree of pyramidal habit, with glossy	branches are
green foliage, having a bluish tinge 50 to 1 00	bright yellow . 1 00 to 2 50
C. sempervirens. The Oriental Cypress;	P. nobilis. The
is a fine indoor decorative evergreen;	Noble Fir of California; of ma-
useful plant for florists' purposes 50 to 1 00	jestic appear-
JUNIPERUS. The Junipers are all well known and	ance and sym-
beautiful evergreens of a very distinct habit.	metrical
J. communis. The common Juniper; a fine small tree	growth; foliage
of compact habit \$0 25 to \$0 50	rich bluish
J. — Hibernica. The Irish Juniper;	green 1 00 to 2 50
forms a column of deep green foliage,	P. Nordmann-
being of upright and conical habit; a	iana. The
fine decorative species 50 to 1 00	Crimean Silver
J. prostrata (repens). A very fine creep-	Fir, and a noble IRISH JUNIPER.
ing variety; useful to cover rocks 50 to 1 00	form; it is symmetrical and vigorous,
J. Sabina. The Savin Juniper; a dwarf	and its massive foliage is dark green
and spreading species, of value for rock-	above and glaucous below \$0 75 to \$1 50
work 50 to 75	P. pectinata. The European Silver Fir;
J. squamata. Another creeping variety;	has spreading horizontal branches and
from the Himalayas	broad silvery foliage; fine 50 to 1 25
J. Virginiana. The American Red Cedar;	P. Pichta. The Siberian Silver Fir; of
a beautiful tree, making a fine hedge 25 to 1 00	medium size, compact and conical 75 to 1 50
J. — glauca. A very fine glaucous variety; of compact and handsome habit 50 to 1 00	P. Pinsapo. The Spanish Silver Fir; a
iety; of compact and handsome habit 50 to 1 00	very conspicuous fir, densely branched . 1 00 to 2 00

PINUS. The Pines are of the greatest value for either	SEQUOIA gigantea. The Mammoth Tree of Califor-
useful or decorative planting, and present a wonderful	nia. A fine elegant tree of Cypress-like appearance:
variety in foliage and habit. They are extremely	well adapted for cemeteries and small gardens, as they
hardy and vigorous.	are of slow and neat growth, and very interesting. 75
P. Austriaca. The Austrian or Black Pine; a robust	cents to \$1.50.
growing pine, with long dark green needles; a most	TAXUS. The Yew; very popular evergreens in England but not always bands in all land but not always bands in all land.
useful tree for planting in the vicinity of towns and in	land, but not always hardy in all localities. They are of elegant habit.
city parks	T. adpressa. The Japan Yew: a very fine compact
Stone Pine. A fine evergreen tree of	shrub, with dense feathery branchlets . \$0.75 to \$1.50
compact and pyramidal growth 1 00 to 2 50	T. baccata. The English Yew. Densely
P. excelsa. The Lofty Bhotan Pine; a	branched, and susceptible of being trim-
very noble spreading tree, with graceful	med into almost any shape. This is the
drooping silvery foliage	species so largely used in the "topiary
P. Laricio. The Corsican Pine: resem-	work," once so popular in England 50 to 1 00
bles the Austrian Pine, but is more compact, and of upright habit	T. — aurea. The Golden Yew. A very striking and handsome species 1 00 to 1 50
P. pumilio (Mughus). The Dwarf Moun-	T. — Dovastoni. The Weeping Yew; a
tain Pine; of a very compact and dwarf	very striking variety 1 50 to 2 50
growth; useful for covering rocks or to	T. — elegantissima. Resembles aurea;
be planted in cemeteries	of fine straw color, and very hardy 1 00 to 2 00
P. Pinaster (Maritima). The Cluster	T. — erecta. Erect growing, of pyra-
Pine; suitable for seaside planting in	midal habit
sandy soil; very hardy and durable 75 to 1 50	T. — ericoides. A sort with fine heath- like foliage: of slender, erect habit 50 to 1 00
P. resinosa. A most distinct native pine, in the way of P. Laricio 50 to 1 50	T. — fastigiata. The Irish Yew; with
P. rubra. The Michigan Pine: one of our	very dark green foliage, upright habit 75 to 1 50
most noble native pines, with long glossy	THUYOPSIS dolobrata variegata. A fine dwarf
needles, and distinct and exquisite red	evergreen, with very fine foliage. 75 cents to \$1.50.
colored bark; a beautiful variety 50 to 150	THUYA. The Arbor Vitæ: among our most essential
P. strobus. The American White Pine.	evergreens; they are of beautiful habit and easy
A very valuable tree for parks; of rapid growth and very durable; is easily trans-	growth, and thrive in almost any situation.
planted, and grows in any soil	T. Occidentalis. The American Arbor Vitæ or White
P. — nanus compacta. Is a very dwarf	Cedar; of rapid and vigorous growth, with beautiful
and compact variety of the preceding 75 to 1 50	green foliage in flat branchlets; some of its varieties are well adapted for hedges, shelter and ornamental
P. sylvestris. The Scotch Pine; one of	planting. This species has been badly treated, in that
the very best for parks for massing out:	it was discarded for hedge and shelter plantings, be
silvery green foliage 50 to 1 00	cause some of its varieties are not as hardy as the or-
RETINOSPORA (Chamæcyparis). The Japan Cy-	iginal species. No evergreens are hardier than the
press. Very handsome evergreen trees or shrubs,	species here recommended for hedging . \$0 25 to \$0 50
with delicate foliage of various hues. Some of the	T. — compacta. Parsons' Arbor Vitæ;
species are not entirely hardy; they make elegant dec-	a dwarf species of compact and symmetrical habit 50 to 1 00
orative plants when grown in pots.	T. — globosa. Forms a dense round
R. filifera. With long drooping graceful branches; dwarf, and of irregular habit; hardy \$0.75 to \$1.50	head; very fine 50 to 1 00
R. leptoclada. A dwarf glaucous pyra-	T. — Hoveyi. Hovey's Golden Arbor
midal or conical little tree	Vitæ. Of dwarf and very pretty habit,
R. obtusa nana. A fine little tree, with	globular in outline; foliage a light yel-
spreading branches 50 to 1 00	lowish green 50 to 1 00
R. plumosa. One of the finest Retinos-	T. — Siberica. Exceedingly hardy, and of compact growth, with dark green fol-
poras; of an elegant habit and compact	iage; holds its color all winter, and is
growth 50 to 1 00 <b>R.</b> — aurea. The Golden Japan Cy-	fine either for the lawn or hedging 25 to 75
press: branches tipped with clear yellow,	T. — Tom Thumb. A remarkably dwarf
an extremely ornamental plant 50 to 1 00	species of compact and elegant habit 50 to 1 50
R. squarrosa. A very ornamental small	T. Orientalis (Biota). The Chinese Arbor Vitæ. This
tree 50 to 1 00	species includes a number of very fine ornamental
SCIADOPITYS verticillata. The Umbrella or Para-	evergreens of many distinct varieties, both in form and habit of growth as well as in the various shades of
sol Tree. A very conspicuous evergreen, with whorled	color. We keep in stock and recommend all such sorts
leaves and horizontal branches: very rare, but quite	as we are certain will do well. Price, 50 cents to \$1.50,
hardy; of slow growth. \$1 to \$2.50.	according to variety and size.

## EVERGREEN SHRUBS AND AMERICAN PLANTS.

	- All IIIII O.
<b>ANDROMEDA.</b> The Andromedas are fine evergreen dwarf shrubs of compact growth, with an abundance of white flowers; they are specially well adapted for	<b>ILEX Aquifolium.</b> The English Holly. We have a fine collection of all leading varieties; fine specimens, with berries, in good condition, \$2.50, \$5 and \$10.
gardens and shrubberies. See page 180. The flowers of some of the species resemble those of the Lily of the Valley.	<b>KALMIA</b> latifolia. American Laurel. See page 181. Cultivated and transplanted plants, per dozen, \$5 to \$9; each, 50 cents to \$1.
A. Arborea. A tree-like shrub of great beauty, with large foliage and charmingly sweet-scented flowers of a clear white color	LEDUM. The Ledums are dwarf evergreen plants, and useful for small gardens. They require peat soil.  L. latifolium
A. calyculata       50         A. Catesbæi       50         A. floribunda       \$0 50 to 1 00	L. palustris
A. Japonica	L. italicum (ovalifolium, or Californicum) 80 50 L. Japonicum tricolor. Has fine shining
A. polifolia	leaves, with beautiful variegation \$0 75 to 1 50  L. latifolium robustum. A very fine large leaved evergreen, with panicles of white flavore.
We have a large stock of the finest original Japanese varieties. They are very valuable and of great beauty. The pretty and shining foliage is disposed on symmetrical plants. 50 cents to \$1.50.	white flowers
<b>AZALEA</b> obtusifolia ( $Am\alpha na$ ). A very pretty plant of dwarf habit, with a profusion of rosy purple flow-	RHODORA canadensis (Rhododendron). See page 181. A very neat plant. 75 cents to \$1.
ers; perfectly hardy. 50 cents to \$1. <b>BUXUS</b> sempervirens (arborea). The Box Trees are excellent for hedges, groups, or as single species in parks and gardens, as well as for cemeteries; in several fine varieties. 50 cents to \$1.50.	<b>RHODOENDRON.</b> The most important evergreen plants grown, aside from the Coniferæ. The foliage is handsome, but the lovely flowers are the chief charm. The hardy varieties are here listed; for a complete assortment of the greenhouse species, see page 120.
COTONEASTER. The Cotoneasters are dwarf trailing shrubs from the Himalayan mountains, with round thick leaves, and are very useful for covering banks,	R. Catawbiense. R. hybridum. R. maximum.
rocks or stumps of trees.       80 50 to \$1 50         C. buxifolia       50 to 1 50         C. microphylla       50 to 1 50         C. thymifolia       50 to 1 50	<b>R.</b> ponticum. We keep a fine assortment of the best varieties of the hybrids of <i>R. Catawhiense</i> and varieties of <i>R. maximum</i> , all of which constitute our best sorts, thoroughly hardy for out-door planting in this climate.
C. rotundifolia 50 to 1 50 CRATÆGUS Pyracantha. The Fire Thorn. A very fine plant for sheltered places, with dark green leaves	We can furnish fine plants of all shades of color with buds, from \$1 upwards. R. ponticum and its varieties and hybrids are not quite hardy in exposed places, and
and orange red berries; well adapted for hedges or clumps where not too much exposed to high winds. 50 cents to \$1.	are therefore not recommended except for the more southern or sheltered localities. They are very hand- some, and worth caring for and covering. If protected they will winter almost anywhere, even in our severe
DAPHNE. The Garland Flower. The Daphnes are dwarf, showy shrubs of great beauty.  D. Cneorum. The finest species \$0 50 to \$1 00  D. laureola 50 to 1 00	climate. Plants with buds, \$1 and upwards.  R. ferrugineum. The true Alpine Rose; beautiful scarlet flowers, spotted with yellow \$0 50 to \$1 00
D. Mezereum	R. fimbriatum        50 to 1 00         R. Chæmæcistus        50 to 1 00         R. hirsutum       The above four sorts are
row green leaves. 25 to 50 cents.  E. Japonicus. The Japanese Spindle Tree. The Japanese Euonymus are evergreens, and differ much from	the Alpine Roses; they are of very low and dense growth, and with fine trusses of rosy or pink flowers; excellent for
all other kinds. They are of an upright and compact growth, with fine glossy leaves. We offer a fine collec- tion of original Japanese forms with variegated foli-	rock work and for outlines of Rhododendron plantings; perfectly hardy 50 to 100
age. 25 cents to \$1, according to size and variety.  E. radicans fol. var. Is like E. angustifolia, a trailing	<b>SKIMMIA</b> japonica. A beautiful dwarf evergreen plant, with a profusion of white very fragrant flowers.

shrub, and excellent for dwarf hedges and edgings.

25 to 50 cents.

plant, with a profusion of white very fragrant flowers. and bearing an abundance of scarlet red berries. Re-

quires slight covering during winter. 50 cents to \$1.

## XXXII.

## TREES AND SHRUBS OF SPECIAL EFFECT.

OR THE convenience of those not fully acquainted with the special merits of many of our ornamental trees and plants, we have arranged three lists, covering—1st. Weeping or Pendulous Trees; 2d. Trees of Pyramidal or Conical Habit; 3d. Flowering Trees and Shrubs Cultivated for Dwarf Standard Forms. In these sub-departments will be found a careful selection of superior varieties, such as will give general satisfaction.

## WEEPING OR PENDULOUS TREES.

ACER dasycarpum Wierii laciniatum. Wier's Cut-
leaved Weeping Maple. A beautiful form, of a dis-
tinct pendulous habit, with beautifully cut foliage.
The growth is free, and the leaves are not subject to
insect attacks; this species is altogether one of
the best lawn trees. 75 cts. to \$1.50.
AMYGDALUS persica pendula. The Weeping
Peach. A pretty blooming tree. \$1.
BETULA. The Birches are superb ornamental
trees, and the weeping forms among the best. All
have silvery-white foliage.
B. alba atropurpurea pendula. The Purple-Leaved
Weeping Birch; a fine new weeping tree; of ex-
ccllent effect \$2 00
B. — pendula laciniata. The Cut-
Leaved Weeping Birch; a most ele-
gant and graceful tree \$1 00 to 1 50
B. — Youngii. Grafted on stems
of about six feet, this is a superb
weeping tree 1 00 to 3 00
CARAGANA arborescens pendula. A weeping
· ·
CORNUS florida pendula. The American Weep-
ing Dogwood. A fine tree, the foliage being pretty
and flowers handsome
FAGUS sylvatica pendula. The Weeping Beech;
a beautiful and picturesque tree; on a straight stem
the branches are twisted irregularly; of most ele-
gant appearance when covered with foliage. A
very desirable tree. \$1 to \$2.
FRAXINUS. Fine and robust weeping trees.
F. excelsior pendula. The Weeping European
Ash; rapid growing tree
F. — aurea pendula. The Weeping Golden-
barked Ash; very handsome and peculiarly
conspicuous in winter 1 00

spicuous tree. \$2.50.

Weeping Cherry; very fine; new a	and rare \$2 00
	1 00
P. Maheleb pendula	1 00
A 30 A 11 ×	
	4.
	A STATE OF THE STA
	BARAN A
	State of the state
The second secon	
Comment of the second	
	WIND
	S. Balland
	C Mary war
<b>"元祖是不过是这个人</b> "	William Service
	The state of the s
THE WAY TO SEE THE SECOND SECO	Mark Allen
<b>一种,一种一种一种一种一种一种一种一种一种一种一种一种一种一种一种一种一种一种</b>	The second second
	The West of the Total
	The state of the s
三进海外 为身体 1000	
	Sand Survey Survey
	Service Control
	The Contract of the Contract o
	A 1
	A Village
CUT CANED APPLE	
*	The second secon
	A Blance
	phila
Section of the sectio	

PRUNUS avium pendulum. The Double-flowering

PYRUS malus prunifolia pendula. A Weeping	SALIX Caprea pendula. The Kilmarnock Weeping
Crab	Willow. A beautiful weeping tree
P. Sorbus aucuparia. The Weeping Mountain	S. Nigra pendula. American Weeping Willow . 1 00
Ash; an elegant and desirable lawn tree of rapid	SOPHORA japonica pendula. A most beautiful pen-
growth	dulous tree, of lovely habit; ornamental even in win-
OHERCHE Several varieties of the Cales are of non	ter, from the peculiar disposition of its slender branch-
<b>QUERCUS.</b> Several varieties of the Oaks are of pendulent habit.	es. \$1.50 to \$2.50.
	SYRINGA ligustrina pendula. A new Weeping Li-
Q. Ægilops pendula. A form with very fine foliage, and of free growth	lac from China; very fine and floriferous. \$2.50.
Q. Robur pendula. The European Weeping Oak 2 00	TILIA Americana pendula. The American Weeping
Q. rubra pendula. The American Weeping Red	Linden. \$1.
Oak	T. Europæa alba pendula. The European White-leaved
	Weeping Linden; a magnificent tree, with large
ROBINIA. The Weeping Locusts have the charac-	leaves and slender, drooping shoots of the utmost ele-
teristic fine flowers of the genus.	gance. \$1.
R. Pseud-acacia monophylla pendula. A drooping	ULMUS Americana. The American White or Weep-
form of the Locust, with but one leaflet on a single	ing Elm. A noble drooping tree. \$1 to \$1.50.
stem	U. campestris pendula
R. — — pendula vera 1 50	U. — glabra
SALIX. The Willow; probably the various forms of this	The European Weeping Elms.
genus are the best known of all weeping trees. They	
are mostly of very hardy character and easy growth,	U. fulva pendula. The Weeping Slippery Elms.
	Of luxuriant growth and graceful habit; the
and highly recommendable.	growth is at first upright, bending later grace-
S. Babylonica. The common Weeping Willow; were	fully to the ground
it not so common, it would be highly prized, as it is a	U. Montana pendula. The Camperdown Weep-
most effective tree in the landscape \$0 50 to \$1 00	ing Elm; a remarkably handsome drooping tree
S. — annularis. The leaves are twisted back,	of robust growth, with very dark green and
so as to form a sort of ring 1 00	glossy foliage. Fine grafted trees \$1 50 to \$2 00

## TREES OF PYRAMIDAL OR CONICAL SHAPE.

These are trees which naturally assume a handsome conical or fastigiate form without training. They are useful in well-considered landscape gardening.

- ACER pseudo-platanus Woerlei. The Conical Sycamore Maple; a handsome tree with yellowish foliage;
- A. sacharrinum columnare. (New.) A remarkable form of the Sugar Maple; very erect, and in shape like the pyramidal poplar . . . . . . . . . . . . 2 50 ALNUS. There are several conspicuous forms of the
- A. cordifolia. A large and distinct round-headed tree;
- BETULA alba fastigiata. A very elegant Birch, of pyramidal habit, with silvery bark. \$1.
- CUPRESSUS sempervirens. A fine Cypress; tender in our climate, but well adapted for more southern
- C. Lawsoniana erecta viridis. A hardy and
- midal Beech: a tree of elegant habit. \$1 to \$2.50.
- FRAXINUS excelsior aurea. A very fine and ornamental variety of the European Ash, with bright yellow bark. \$1 to \$1.50.
- GYMNOCLADUS Canadensis. The Kentucky Coffee Tree; of rapid and upright growth, with feathery foliage. 50 cents to \$1.
- JUNIPERUS. The Irish Junipers are especially fine and regular in form, and very ornamental.

- JUNIPERUS communis Hibernica. The Irish Juniper; a splendid pyramidal hardy ever-
- J. — Suecica. The Swedish Juniper . . 50 to 1 00
- LIRIODENDRON tulipiferum pyramidale. pyramidal form of the Tulip Tree. \$2.50.
- POPULUS. Among the Poplars are several notably fine fastigiate forms.
- P. alba Bolleana. A fine sort with glossy foliage, silvery underneath; of upright and hand-
- P. Carolina. A fine tree of conical habit and rapid growth, with splendid shining

P. fastigiata. The magnificent Lombardy Poplar; of upright, spire-like shape, forming a column of rich green of the ultimate height of 75 to 125 feet . . . . . 75 to 1 00

75 to 1 00

- QUERCUS pedunculata fastigiata. The Pyramidal Oak; a noble object. \$1.50.
- ROBINIA Pseudo-acacia fastigiata. The Pyramidal Locust. \$1 to \$1.50.
- SALISBURIA adiantifolia fastigiata. An excellentand remarkable pyramidal form of the Ginko or Maiden Hair tree. 83.

SAMBUCUS pyramidalis. The pyramidal form of the Elder tree; very fine. \$1.

TILIA Europæa pyramidalis. The fine Pyramidal or Red-twigged Linden; a rapid growing tree with reddish shoots. \$1.50.

ULMUS. Several very distinct and ornamental forms. U. campestris stricta. The Red English Elm; of fine - tortuosa. Wood peculiarly twisted; fine and handsome . . . . . . . . . . . . . . . . . 1 00

## SMALL TREES CULTIVATED FOR DWARF STANDARD FORMS.

ACER polymorphum japonicum. The Japan Maples.
This beautiful class of new and very handsome plants
is not enough cultivated in our gardens. They are of
great beauty in form, and their coloring is something
wonderfully rich. They must be seen in order to form
the least idea of their remarkable and varied charming
effect. In some the foliage is deeply cut, leaving only
a skeleton of a leaf; in others the rich hues of autumn
foliage are constant the season through. All are hardy
and of dwarf character, averaging two to four feet in
height. Strong established plants of the choicest
sorts, \$1 to \$2.50, according to variety.
ÆSCULUS macrostachya. A very free flowering
Dwarf Horse-chestnut. \$1.
Dwall Horse-chesthut. 61.

AMYGDALUS. The Almond; fine small trees, with handsome double flowers.

A. communis fl. pl.									\$1	00
A. persica fl. pl									1	00
A. — alba fl. pl.									1	00

ARALIA Japonica. A handsome shrub, flowering in 

ARONIA floribunda (Crataegus maura). A small tree, bearing white flowers in May, followed by scarlet fruit.

BERBERIS vulgaris atropurpurea. The Purple Barberry; a handsome shrub. \$1. BETULA alba purpurea. The Purple Birch; an extra

fine tree, of delicate beauty. 75 cents to \$1.50. CARAGANA jubata and spinosa. Two very fine

ornamental varieties of the Siberian Pea Tree. Each \$1. CATALPA Bungei. A handsome dwarf Catalpa,

with large and glossy foliage. \$1. COTONEASTER buxifolia and microphylla. Beautiful small growing evergreen shrubs. Each, \$1.

CRATÆGUS Oxyacantha fl. pl. The Double-flowering Hawthorns are among the most satisfactory ornamental trees in cultivation. Their beautiful forms of standard and half standard specimens, with a profusion of showy flowers of all colors, and their clean rich foliage, give them a charming effect. \$1 to \$2 each.

CYTISUS Laburnum.	The	Golden	Chain	; has fine
racemes of yellow flov	vers .		\$0	50 to \$1 00
C. — atropurpurea.	Purple	e flower	s .	1 00
C. nigricans. Yellow	flowers			1 00
C. purpurea. A fine sh	rub			1 00

EXOCHORDA grandiflora. A beautiful white flowing shrub. See page 184. 50 cents to \$1.

HIPPOPHÆ rhamnoides. A fine and effective shrub with grayish green leaves and white branches in winter; bears bright orange berries. 50 cents to \$1.

HIBISCUS variegata. The Althea; white and green foliage and maroon-colored flowers. \$1 to \$1.50.

HYDRANGEA paniculata grandiflora. Standard forms of this grand species, \$1 to \$2.

NEGUNDO fraxinifolia fol. var. The variegated Box Elder, or Ash-leaved Maple; handsome tree. \$1.

PRUNUS triloba. A fine flowering shrub. \$1. See

RHUS glabra laciniata. A shrub of much delicacy of foliage. 50 cents. See page 186.

ROBINIA hispida. The large Red-flowering Locust or Acacia; very handsome as a lawn tree. \$1.

R. pseudo-acacia inermis globula. This kind forms extra fine round heads. \$1.

SAMBUCUS. The Elder; fine and showy shrubs, ornamental in flower, fruit and foliage.

S. nigra aurea. The Golden Elder . . . . . . . . . \$0 50 

 S. — argentea
 ...
 50

 S. — laciniata.
 Elegantly cut foliage
 ...
 50

SYRINGA vulgaris flore albo. These sorts of the Lilac form fine small shrubs. 50 cents. 

VIBURNUM. The Snowball; especially suited for dwarf tree forms.

V. dendatum lantanum . . . . . . . . . . . \$1 00 to \$2 00 V. Opulus . . . . . . . . . . . . . . . . . . 1 00 to 2 00

and afterward red berries . . . . . . . 1 50 to 2 00

V. plicatum . . . . . . . . . . . . 1 00 to 2 00 V. nana compacta. A very dense-growing form, with Hydrangea-like flowers

Large and full grown trees of Maples, Elms, Oaks, Lindens, Beech, Birch, Tulip, Sycamore, Locust, Horse-chestnut, Ash, various evergreens, etc., suitable for producing immediate effect as shade and line trees, which have been often transplanted and are in the best possible condition, are furnished at lowest market prices.

All shrubs and trees herein mentioned will be furnished in large quantities at specially low rates, and we earnestly request those having charge of the planting in parks, large grounds, cemeteries, etc., to correspond for anything they may require.

## XXXIII.

## SELECT FRUIT TREES AND PLANTS.

Including Choice Varieties for Ordinary Garden and Field Culture, Grape Vines for Forcing, and a Select Assortment of Tropical Fruits.

E OFFER in this department a very careful selection of Fruits for all purposes, including in addition to Grape Vines for hot and cold vineries a brief list of such Tropical Fruits as may readily be grown in a greenhouse or in our southern states. The selection of ordinary domestic fruits is the cream from the innumerable list of varieties now offered, often so confusing to the intending purchaser; we include here no mere duplications under new names, but only the best and most distinct of each class, which may be relied on to give satisfaction.

HARDY FRUIT TREES.

APPLES. 25 to 75 cents each, \$2.50 to \$6 per dozen, according to size and sorts.

Varieties. Summer. Early Harvest, Keswick Codlin, Nyack Pippin, Red Astrachan, Sweet Bough, Tetofsky.

Autumn. Alexander, Duchess of Oldenburgh, Fall Pippin, Fall Orange, Gravenstein, Maiden's Blush, Orange Pippin, Porter, Stump.

Winter. Baldwin, Ben Davis, Rhode Island Greening, Grimes' Golden, Hubbardston Nonesuch, King, Lady, Lankford Seedling, Monmouth Pippin, Northern Spy, Roxbury Russet, Smith's Cider, Stark, Talman's Sweet, Wealthy, Willow Twig, Wine Sap, York Imperial.

CRAB APPLES. 35 cents to \$1 each, \$3 to \$7.50 per dozen, according to size and variety.

PEARS. Standard, 75 cents to \$1 each; extra size



DWARF PEAR TREES.

trees, \$1 to \$2 each. Dwarf, 50 cents to \$1 each; extra size trees, \$1 to \$2.50 each.

Varieties. \*Bartlett, \*Beurre d'Anjou, \*Buffum, \*Clapp's Favorite, \*Duchess d'Angouleme, \*Flemish Beauty, \*Howell, Keiffer, \*Lawrence, Le Conte, \*Louise Bonne de Jersey, Manning's Elizabeth, Seckel, Sheldon, Vicar of Winkfield.

Those with an asterisk (\*) we can supply both as Dwarfs and Standard.

Apply for special prices on large quantities of any of the fruit trees and plants.

APRICOTS. Standard Varieties, 35 to 50 cents each, \$3 to \$5 per dozen. Imported Russian Varieties, first class, 50 to 75 cents each, \$5 to \$7.50 per dozen.

**PEACHES.** First class, extra strong, 50 to 75 cts. each, \$5 to \$7.50 per dozen.

Varieties. Peach varieties will be selected with reference to the locality in which they are to be used; but any standard sorts can be supplied.

CHERRIES. Sour and sweet, first class, 50 cents to \$1 each, \$5 to \$9 per dozen.

**Hearts and Bigarreaus.** Black Eagle, Black Tartarian, Coe's Transparent, Downer's Late, Gov. Wood, Napoleon, Yellow Spanish.

**Dukes and Morellos.** Belle de Choisy, Dyehouse, Early Richmond, Empress Eugenie, English Morello, Late Duke, Louis Phillippe, May Duke, Montmorency Ordinaire, Olivet, Reine Hortense.

**PLUMS.** Standard varieties, 50 cents to \$1 each, \$5 to \$9 per dozen. Extra strong trees, \$1 to \$1.50.

Varieties. Bradshaw, Coe's Golden Drop, General Hand, German Prune, Green Gage, Imperial Gage, Lombard, McLaughlin, Monroe Egg, Quackenboss, Reine Claude, Richland, Smith's Orleans, Washington, Yellow Egg.

QUINCES. Angers, first class, 35 to 50 cents each, \$3.50 to \$5 per dozen; Apple or Orange, Champion, first class, 40 to 60 cents each, \$3.50 to \$5 per dozen; Apple or Orange, Champion, extra, 60 cents each, \$5 per dozen; Meech's Prolific, Rea's Mammoth, first class, 75 cents each, \$7.50 per dozen.

NECTARINES. First class, 40 to 45 cents each, \$3.50 to \$5 per dozen.

Varieties. Downton, Early Newington, Early Violet, Hardwick, New White, Stanwick.

MULBERRIES. Downing's Everbearing, 50 to 75 cents each; Russian, select varieties, 35 to 50 cts. each, \$3.50 to \$5 per dozen.

NUTS-

Almond. Hard and Soft Shell, first class, 50 to 75 cts. each, \$4 to \$7.50 per dozen.

**Filbert.** English, 50 to 75 cts. each, \$4 to \$7.50 per doz. Kentish Cob, 50 to 75 cts. each, \$4 to \$7.50 per dozen.

Chestnuts. Spanish, 3 to 4 feet, 75 cents to \$1.50 each, \$6 to \$12 per dozen.

Japan Giant, \$1 to \$2 each, \$10 to \$15 per dozen.

Numbo, 3 to 5 feet. \$1 to \$2 each.

NUTS, Continued.

Chestnuts. American, 3 to 4 feet, 35 to 50 cents each, \$3.50 to \$5 per dozen.

**Hickories.** Pecan, 3 to 4 feet, 50 to 75 cents each, \$5 to \$7.50 per dozen.

Walnuts. English, 3 to 4 feet, 75 cents to \$1.50 each, \$7.50 to \$15 per dozen.

Butternut, 5 to 7 feet, 60 cents to \$1 each, \$6 to \$10 per dozen.

Black, 5 to 7 feet, 50 to 75 cents each, \$5 to \$7.50 per dozen.

## GRAPE VINES AND SMALL FRUITS.

We offer in the following list of Small Fruits only the best varieties. The plants are all first class, and we pack them in the best and lightest manner possible.

We cannot accept orders for Small Fruits or Nursery Stock that amounts to less than One Dollar.

#### STRAWBERRIES-

Standard Varieties. Bubach, Belmont, Champion, Chas. Downing, Crescent Seedling, Glendale, Henderson, Jessie, James Vick, Jersey Queen, Kentucky, Lennig's White, May King, Manchester. Miner's Prolific, Parry, Summit, Sharpless, Triomphe de Grand, Wilson. 50 to 75 cts. per dozen, \$2.50 to \$3.50 per 100.

New Varieties. Warfield No. 2, Bomba, Logan, Pearl, Gold, Louise, Haverland, Gandy's Prize, Jewel, Monmouth. \$1 per doz.. \$4 per 100.

### RASPBERRIES-

Varieties. Brandywine, Cuthbert, Gregg, Hansell, Hopkins, Ohio, Shaffer's Colossal, Souhegan, Turner. 75 cents to §1.50 per doz., §4 to §6 per 100.

### BLACKBERRIES-

Varieties. Crystal White, Taylor's Prolific, Early Harvest, Kittatinny, Lawton, Snyder, Wilson's Early, Lucretia Dewberry, Wilson Junior. 75 cts. to \$1 per doz., \$3 to \$5 per 100.

### GOOSEBERRIES-

Varieties. Industry, two years, 50 cents each, \$5 per dozen: Downing, two years, \$1.50 per doz.; Smith's Improved, two years, \$1.50 per dozen; Houghton, two years, \$1 per dozen.

### CURRANTS-

Varieties. Cherry, Versailles, Red Dutch, Victoria, Black Naples, Lee's Prolific, White Grape, Fay's Prolific. 20 to 25 cents each, \$1.50 to \$2.50 per dozen, \$8 to \$15 per 100.

**HARDY GRAPE VINES.** Of the very many varieties now in cultivation, we offer only a short list of the very best, such as we know from personal experience are the most satisfactory, in a large portion of the country.

Varieties. Concord (black, medium), Catawba (reddish, late), Delaware (deep amber, early), Hartford Prolific (black, early), Iona (deep red. late), Roger's Hybrids, Ives' Seedling (black, very early), Martha (white, early), Moore's Early (black, very early), Prentiss (light green, late), Pocklington (light gree, medium), Brighton (light red, late). Niagara (golden yellow, medium). Two and three year old vines of the above, 50 to 75 cents each, \$5 to \$7.50 per dozen. Special prices for large quantities given on application.

For Foreign Grape Vines for vineries, both cold and hot, see special list.

## FOREIGN GRAPE VINES.

For Hot and Cold Graperies.

We are making a specialty of Grape Vines for Vineries, and supply fine and healthy two-year old plants, guaranteed free from disease, of the best selected sorts.

Black Barbarossa. Berries round, very large; a very | late sort; best suited for hot vinery. \\$2.

Black Frontignan. Berries below medium size, flesh rich and juicy; a very reliable sort. \$2.

Black Hamburg. Berries roundish oval, very large; juicy and rich; the most popular and most reliable sort in cultivation. \$2.

Black Prince. Berries roundish oval, juicy and rich; bunches long and tapering; best for cold vineries. \$2.

Black St. Peter. Black. Very fine dark variety, good free grower; best for hot vinery. \$2.

Cannon Hall Muscat. Berries very large, roundish oval; juicy and rich; best for hot vinery. \$2.

Calabrian Raisin. Berries large, round and juicy; a first-class white grape; late. §2.

Chasselas de Fontainebleau. Eerries round and large, very juicy and sweet: a good sort for cold vinery. \$2.

Duchess of Buccleugh. Berries round and golden; good bearer; a very excellent grape. §2.

Golden Queen (Pearson's White). Bunch large and well shouldered; berries large, oblong; said to be the best late keeping white grape in cultivation; of strong and vigorous habit. §2.

Gros Colman. Berries round and extra large, of peculiar flavor; very large bunches of vigorous habit; a very handsome grape. \$2.

**Gros Maroc.** Berries large, ovate, dark plum color; flesh firm and juicy; bunches medium, and set freely. §2.

- Lady Downes' Seedling. Black. Large and handsome berries, above medium size; bunch medium, long tapering, always well set; flesh firm, sweet and richly flavored; a good keeper, and one of the best late sorts. \$2.
- Mrs. Pince (Black Muscat). Bunch large and tapering, well shouldered and handsome; berries medium and oval; flesh firm, rich and sweet, with true Muscat flavor; a late grape, and an excellent keeper; best for hot vinery. §2.
- Muscat Hamburg or Black Muscat. Berries very large, roundish oval; flesh melting, juicy and rich; a most delicious grape, with a distinct Muscat flavor; a valuable mid-season variety; best suited for hot vinery. \$2.
- Muscat of Alexandria. Greenish yellow, golden when fully ripened. Bunches large and shouldered, long-tapered; berries large and oval; flesh firm, rich and sugary, with a delicious Muscat flavor; very prolific, and requires high temperature; a very valuable and well-known grape, ripening late; best for hot vinery. \$2.
- Madresfield Court. Black Muscat. Bunch large and well shouldered; berries large, oblong, with a fine delicate bloom; flesh melting, juicy and rich, with a strong Muscat flavor: a valuable variety, of robust habit. §2.
- Prince Albert. Berries large, in a fine bunch; rich, juicy and highly flavored; a very fine grape, and best suited for hot vinery. §2.

- Royal Muscadine. Berries round, of a pale amber when ripe: flesh firm, juicy and very pleasant: a very good grape of the sweet-water type, sometimes called White Chasselas: suitable for cold vinery. \$2.
- Royal Ascot. Bunches large; berries firm, jet black and very juicy, with a piquant plum-like flavor; best for hot graperies. \$2.
- Santa Cruz. White; large berries, large bunch; a vigorous grower, and a very good sort. §2.
- Trentham Black. Berries oval, large, very juicy and rich; a great bearer and a very good sort; best for cold vinery. \$2.
- White Frontignan. Bunch medium; berries round and thickly set; flesh rich and juicy, of a distinct Muscat flavor; an excellent mid-season variety; best for hot vinery. \$2.
- White Nice. Large bunch, good cropper, and a free growing sort; very sweet and juicy; ripens late; best for hot vinery. §2.
- White Tokay. Bunch large, compact and well shouldered; berries large and ovate; flesh tender, rich and juicy, of rich flavor; good keeper and vigorous grower; a well-known and valuable grape; best for hot vinery. §2.
- White Sweetwater. Bunch medium; a well-known variety. 82.
- White Syrian. Berries oval, good size; bunches very large; best for hot vinery. \$2.
- Wilmot's Hamburg. Berries jet black, much in the way of the old and popular Black Hamburg. \$2.

One year old vines of the above varieties may be had at prices one-third less than for two year old.

Special prices for large quantities will be given on application. All our vines are guaranteed true to not be supported by the content of the co

Special prices for large quantities will be given on application. All our vines are guaranteed true to name and variety.

## TROPICAL AND SEMI-TROPICAL FRUITS.

Suitable for Greenhouse Culture in the North, or for Open-air Culture in the South.

Fruits from the tropics are very interesting, and often most novel and delicious in taste. Those here named may be grown and made to bear in the greenhouse, or in some of our southern states and parts of California—in fact, in any locality where the winter temperature does not fall below 45 degrees. They should all have good culture in rich soil, and during their growing season be supplied with plenty of moisture; after their growth is made, less moisture will cause them to ripen their wood, and often to bloom and set fruit.

Those having private conservatories will find in this list an endless source of pleasure and enjoyment if the fruits here noted are carefully grown.

- ACHRAS sapota (Sapota mammosa). The Sapodilla or Naseberry. A richly flavored fruit, somewhat of a pear taste; tree spreading, with fine glossy leaves. 50 cents each.
- ÆGLE marmelos. The Elephant Apple, Maredoo, or Bengal Quince. An odd fruit; tree has trifoliate leaves. §1.50 each.
- ANACARDIUM Occidentale. The Cashew Nut; a curious fruit. 81 each.
- ANANASSA sativa. The Pineapple: this well-known fruit is often "forced" with good results. We furnish several select varieties.
- **Green-leaved Sugar-loaf Pine.** Fruit large; flesh deep yellow, and very rich. 50 cents.
- Red Spanish Pine. Short fruit, yellow when ripe; the ordinary Pineapple of commerce. 25 to 50 cents.

- Porto Rico Pine. Very large fruit, of most delicious flavor. \$1.50 each.
  - $\ensuremath{ \mathbb{Z}}^m$  Prices for large quantities of Pineapples furnished on application.
  - For ornamental-leaved varieties, see page 88.
- ANONA cherimolia. The Cherimoya or Jamaica Apple. A beautiful and delicious fruit; grown freely at Key West. 50 cents each.
- A. glabra. The Pond Apple, or wild Custard Apple of south Florida. Tree very ornamental; fruit handsome and fragrant. 50 cents each.
- A. muricata. The Sour-sop. Has fine glossy foliage; fruit large, green and prickly, containing a delicious pulp, from which a cooling drink is made. 50 cts. each.
- A. squamosa. A delicious fruit, largely grown in south Florida; yellowish green when ripe. 50 cents each.

- **ARTOCARPUS** incisa. The Bread Fruit Tree. A famous tree of the South Sea Islands. §5 each.
- A. integrifolia. The Jack Fruit of India. An important fruit in its native clime. \$2 each.
- **ARICA** papaya. The Papaw, or Melon Papaw. A remarkable fruit, said to be capable of making tough beef tender! 25 to 50 cents each.
- CARISSA Arduina. An evergreen shrub, producing fragrant white flowers and delicious red fruits, about the size of a cherry; an elegant plant for greenhouse culture. \$1 each.
- CHRYSOPHYLLUM cainito. The Star Apple. A very pretty fruit, about the size of a small apple, purple in color, and ripening in spring: very good. \$1 each.
- CICCA disticha. The Otaheite Gooseberry. A beautiful and very ornamental tree, with graceful pinnate leaves, and clustered racemes of waxy white berries; these are of an acid taste, and useful for culinary purposes. 50 cents.
- CITRUS. The Orange, Lemon, Lime, Kumquat, Citron, etc. All the Citrus fruits make splendid pot plants if well grown, and are ornamental in both foliage and fruit. We grow a select assortment of varieties. For prices, see pages 115 and 116.
- COCOS nucifera. The Cocoanut Palm. See page 57.
  COFFEA Arabica. The true Coffee Plant. A very ornamental and interesting plant, bearing white fragrant flowers. 50 cents each.
- **ERIOBOTRYA Japonica.** The Loquat or Japan Medlar. One of the most valuable fruits of the southern states, and often seen in the New York markets. It is about the size of a plum, yellow, and of delicious taste; the tree is a very handsome broad-leaved evergreen. 35 to 50 cents each.
- **EUGENIA Jambos.** The Rose Apple or Jamrosade. A fine evergreen tree, with thick and narrow, long and shining leaves; of handsome and bushy habit, with creamy white flowers in late summer, followed by pretty fruit on the order of a large crab apple; this is of a fine apricot flavor, and is rose-scented. §1 each.
- **E. Micheli.** The Cayenne Cherry or Pitanga. Has fine cherry-like fruit. 75 cents each.
- **FICUS** carica. It is not so generally known as it should be that the fig is almost hardy in the larger portion of our country, and can be grown with good results outdoors if slightly protected in winter. They also make fine pot plants, and bear freely in a cool greenhouse. We offer a select assortment of the best sorts, including all colors of fruit, at 50 cents to \$1 each.
- **LUCUMA** mammosa (Achras mammosa). The Marmalade Tree. Bears large oval fruits, containing a soft and palatable pulp, of saffron color. \$1 each.
- MALPIGHIA glabra. The Barbadoes Cherry. A beautiful evergreen tree bearing a pleasant acid fruit, resembling the Surinam Cherry. 50 cents each.
- MAMMEA Americana. The Mammee Apple, or St. Domingo Apricot. This fruit is round and large, containing a juicy yellow pulp of delicious flavor. The tree is tall, with shining oval leaves. 75 cents each.

- MANGIFERA Indica. The Mango. A most important fruit in the tropics. It is now in free bearing in Florida, and is there much esteemed. The tree is of very rapid growth, and of a fine round-headed form, We add a list of approved varieties.
- Common or Turpentine Mango. The ordinary large sort, with a red cheek. 50 cents each.
- Yellow Mango. Smaller than above; clear yellow. \$1.

  Manga. A form from Cuba; very highly flavored. \$1.
- Apricot Mango. Tastes like a fine apricot; a splendid sort. \$1 each.
- Apple Mango. Large, and shaped somewhat like an apple; of good quality. \$1 each.
- **MELICOCCA** bijuga. The Spanish Lime. A tree with very odd foliage, bearing yellow, plum-like fruits of a grape-like taste. 50 cents each.
- MONSTERA deliciosa (Philodendron pertusum). The Ceriman of Trinidad. A most beautiful climber for the hot-house, with very large, curiously perforated foliage; the fruits are peculiar in shape, and delicious in flavor. \$1 to \$3.
- MUSA. The Banana is one of our most essential ornamental foliage plants, but it may also be readily fruited in a proper conservatory. The varieties most suited for this purpose are noted below; for ornamental sorts see page 92.
- M. Cavendishii (Sinensis). Of comparatively dwarf habit, and most valuable for fruiting in the north; robust in growth, and produces enormous bunches of excellent fruit. §1 to §2.50.
- M. sapientum. The ordinary Banana of commerce. \$1 to \$2.50.
- M. orientum. The Cuban Lady-Finger or Golden Early Banana. A very delicious fruit: thin skin. \$1 to \$2.50.
- **OPUNTIA Ficus Indica.** The Indian Fig. A cactus, bearing fine fruits, eaten raw or used for preserves. The plant is very ornamental. 50 cents to \$1.
- **PASSIFLORA** edulis. The Granadilla. A fine climbing plant with glossy foliage, bearing a purplish fruit of the size of an egg. 75 cents to \$1.
  - For ornamental Passifloras, see page 127.
- PERSEA gratissima. The Avocado or Alligator Pear.

  Bears large purplish fruits, eaten with salt and pepper,
  and in great esteem in its native habitat. \$1 each.
- **PHŒNIX** dactylifera. The true Date Palm; a well-known and most ornamental palm, growing into beauty constantly. See page 64. \$2.50 to \$10.
- **PSIDIUM Cattleyanum.** The Cattley or Strawberry Guava. A fruit now assuming much importance in Florida. The fruit is about the size of a Damson plum, clear claret color, and has an attractive strawberry flavor; the tree or shrub is of fine appearance, with shining leaves. Select sorts, 50 cents to \$1 each.
- P. Guaiava. The ordinary Guava: an essential fruit in the south; valuable for preserving, and of much commercial importance. Select sorts, 50 cts. to \$1 each.
- **PUNICA** granatum. The Pomegranate is well known and is an easily grown and very desirable fruit. The plant forms a fine small tree, and the flowers are very showy and handsome. We can supply select sorts, at 50 cents to \$1 each.

- SPONDIAS lutea. The Hog Plum of the West Indies. Fruit plum-like, scarlet color, pleasant flavor. 50 cents to \$1.
- **SOLANUM Guatemalense.** The Pepino or Melon Shrub. Has been widely sold throughout the country by unscrupulous dealers for out-door fruiting. It will grow and bloom outside, but will not set fruit. The plant is pretty, and the fruit is the size of an egg, colored yellow and streaked violet; it resembles a muskmelon in flavor. 25 to 50 cents each.
- **S.** betaceum (Cyphomandra betacea). The Tree Tomato of Jamaica. A fine shrubby plant of ornamental appearance, bearing fragrant flowers and tomato-like fruit of medium size; very useful. 75 cents each.
- **TAMARINDUS Indica.** The Tamarind. A beautiful tree, with delicate foliage and small blossoms; the subsequent pods enclose a pleasant acid pulp, which has many uses, being available for preserving or for making cooling drinks. An interesting and valuable tree. 50 to 75 cents each.
- **TERMINALIA Catappa.** The tropical Almond. A beautiful and interesting tree, with edible seeds, miscalled almonds. \$1 each.
- **ZIZYPHUS** jujuba. The Jujube. A wholesome and desirable fruit from India; very much grown in China. A thorny tree, of interesting habit and growth. 75 cents each.

## COLLECTIONS OF TROPICAL FRUITS.

We will send 12 plants, all distinct, our selection, for \$5; or 25 plants, our selection, for \$9.

## PALM LEAVES.

We can furnish Palm leaves, either fresh or dried for interior decorations, of tropical Palms, ten different kinds, 25 cents to \$1.50 each, \$2.50 to \$15 per dozen, \$15 to \$75 per 100.



PSIDIUM CATTLEYANUM.

## XXXIV.

## SUPPLIES AND REQUISITES.

Including Many Articles Essential in Gardens and Greenhouses.

E HAVE arranged to supply our customers with the many essentials required in garden and greenhouse work, some of which are not readily accessible, or cannot well be procured of proper quality for the purpose intended. Orchid growers, especially, will find our peat, moss, cylinders, cribs, rafts, etc., the very best for the purpose, and of moderate price.

## MATERIAL FOR ORCHID CULTURE.

(Also for Nepenthes and Sarracenias.)

RAFTS, CYLINDERS and CRIBS. Made of Red PEAT, FIBROUS, of best quality. The proper article Cedar and Chestnut wood, put together with copper

WI	re ar	1d	b:	ra	SS	n	aı	ls.													
Crib	s.								R	ed	C	ea	lai	r.						Рe	r doz.
4	inch																				\$2 00
5	6.6																				2 25
6	44																				2 50
7	6.4																				2 75
S	64																				3 00
9	+ 6																				3 50
10	+ 4																				3 75
11	4.6																				4 20
12	4.4																				4 50
Raf	ts—																	•			
7	inch																				1 50
S	44																				2 00
9	6.																				2 25
10	4.4																				2 40
11	6.6																				2 60
12	4.6																				2 80
14	44																				3 00
16	6.4																				3 25
Cyli	nder	rs-	_																		Each
82	(12 in	ne	he	s																	\$1 00
102	14	4.0																			1 25
123	:18	6.0																			1 50
142	24	6.6																			2 00
~	as mi										,		C	~	,						

The same sizes made of Chestnut at prices one-

Special prices for large quantities.

COPPER WIRES, three sizes, per lb., 35, 50 and 60 cts.

for growing most orchids is our fibrous peat, which is really the fine wire-like roots of hard-wooded vegetation, combined with a proportion of decomposed leaves and roots. The fibrous part is separated from the finer decomposed material by drying and shaking the large clumps or cakes as received, and is really the very best thing in which to grow orchids, affording proper support and perfect drainage. In practice, it is used with about one-fourth dry sphagnum moss, chopped up with it and thoroughly mixed. The finer portion of the peat, as shaken out, is a very good material, when mixed with good loam, in which to grow palms, ferns and all stove plants. Our fibrous peat for orchid culture we claim is of superior quality; nowhere else have we found peat to equal it. It is of lasting quality, and does not rot or decay quickly, as is generally the case with peat which is taken from wet, marshy places-our peat is taken from upland beds, and therefore will last three times as long, and will not sour. Anyone familiar with the appearance of the healthy stock throughout all the orchid houses at Rose Hill, well knows that the quality of peat and the best quality of live sphagnum moss contribute considerable to the general good result. Fibrous peat, per bag, \$2; per barrel, \$2.50: prices for larger quantities on application.

LIVE SPHAGNUM MOSS. First quality, short variety, upland grown. \$2.50 per barrel; second quality. long variety, swamp growth, \$2 per barrel.

Dead or Dry. Excellent for mixing with peat for potting material, and also good for packing, \$1.50 per barrel. Prices for larger quantities on application.

#### POTTING MATERIAL.

Suitable for Palms, Stove Plants, Ferns and New Holland Plants; also for Rhododendrons and Azaleas for Pot or Out-door Culture.

hair-like state; the best thing for perfect drainage in flower pots or tubs. Per bbl., \$2.50; smaller quantities in proportion.

COCOANUT FIBRE. The real article, in the fine FINE PEAT, not fibrous. Per bag, \$1.50; per bbl., \$2. LEAF MOULD. Per bag, \$1; per bbl., \$1.50.

PEAT and LEAF MOULD MIXED. Per bag, \$1.50; per bbl., \$2.

## FERTILIZERS AND LAWN SEED

We offer here some pure natural fertilizers—there is nothing like the genuine article for plants. Can be used with great satisfaction on most all plants in this catalogue, either in liquid form, or mixed with the soil,

- PURE GROUND BONE-MEAL. Coarse or Fine, for | LAWN FERTILIZER. Siebrecht & Wadley's Spemixing with soil for potting, or for planting out roses, either in the greenhouse or out of doors; also essential for grape borders, in proportions of one to fifty.
- Coarse Ground Bone, in about 200-pound barrels, \$2.75 per 100 pounds, \$42 per ton.
- Fine Ground Bone, in barrels of about 200 pounds, \$2.75 per 100 pounds, \$42 per ton.
- PURE SHEEP MANURE. The best natural manure in the market is compressed sheep manure. It comes in cakes; these are soaked in water, and the liquid is the best and purest for fertilizing. Per bag of 100 lbs., \$2.50; per ton, \$30.
- cial Brand. Odorless; a little can be used all through the season: tested by leading agricultural chemists; will produce richer lawns than any other used. Per 100 pounds, \$2, about 220 lbs. to the barrel; \$37.50 per
- LAWN GRASS SEED. Our Standard Mixture, composed of several of the very best varieties of grasses; the best for general use. \$4 per bushel.
- Our Special Mixture, for specially wet, dry, or shady situations. §5 per bushel.
- Special prices for large quantities of any of the above.

## INSECTICIDES.

Things which will prevent your plants being infested with insects; use in time, and avoid damage.

- TOBACCO JUICE, Chemically prepared with other ingredients. Will keep roses, chrysanthemums, carnations, bouvardias, and also orchids, palms, foliage and many other plants, free from the green and black aphis. the rose bug, red spider, and green worm, known as the "spanner:" also mealy bug, scale, etc. Should be applied with a syringe three or four times in succession where the least sign is shown of their appearance; is diluted with water. Quart bottles, 50 cents: per gallon, \$1.50, in one to five gallon cans. Full directions given with each bottle or can.
- TOBACCO DUST. This is a splendid insecticide for general use, and the best article for dusting vegetable plants, such as melons, cucumbers, etc. Per lb., 8 cts.; 10 lb. pkg., 60 cts.; 100 lbs. §5.
- TOBACCO SOAP (Rose Brand). Makes an excellent wash for plants and trees infested with green fly, lice and eggs of insects. Dissolve two ounces in a gallon of water. 1/2 lb. tins, 25 cents.
- SIEBRECHT'S TOBACCO POWDER-Chemically Prepared. This is the only article used with effect for destroying thrips which infest orchards. In can isters, 50 cts. each.
- TOBACCO STEMS FOR FUMIGATING. Clean and free from rubbish. In bales of 100 lbs., \$1.50 each; about 500-pound bales, \$6.
- FIR TREE OIL. This new insect destroyer has proved to be one of the most reliable for red spider, green fly, mealy bug, caterpillars, slugs, blight, etc. Dilute with water and apply with ordinary or bellows syringe, or by dipping the plants in. Price, 1/2 pint bottle, 50 cts.; pint, 75 cts.; qt., \$1.50; ½ gal., \$2.75; gal., \$5, with full directions.

- AUSTRALIAN GARDEN WASH. Can be used with perfect safety on the most delicate plants, and will prove invaluable to florists and gardeners, both for cleansing and fertilizing plants. As a destroyer of insect life it has no equal. Price per pint, 50 cts.; quart, 80 cts.; half gal., \$1.50; gal., \$2.50.
- WHALE OIL SOAP. Makes an excellent wash for trees and plants; kills insects and eggs on the bark. Per lb., 12 cents; 5 lbs., 50 cents; 25 lbs. and over, 8 cents per lb.
- HELLEBORE. Powdered White Hellebore for rose slugs, currant worms, etc. Dust on with gun or bellows while the foliage is moist. Price, 30 cts. per lb.
- SULPHUR-Flour of Sulphur. This is a staple article for greenhouse use; mixed with linseed oil and painted on the pipes it has been found a sure cure for mildew. It should be mixed to the consistency of a thick paste and applied with a brush. In packages of 5 and 10 lbs., 30 and 50 cts. each.
- SLUG SHOT. Destroys all insects injurious to house and garden plants, shrubs, trees, vines, potatoes, melons, cabbage, currants, and vegetables and fruits of all kinds. Equals Paris green where used liberally, without the danger from poison. Prices: 5 lb. pkt., 30 cts.; 10 lb., 50 cts.; per bbl, of 235 lbs., 4 cts. per lb.
- HAMMOND'S GRAPE DUST. A preparation to kill the destructive mildew that strikes the grape vine, affecting fruit and stems in unfavorable seasons. Also for like use upon any other plants or trees affected with mold, mildew or rust mites, and for any use where a fumigator or antiseptic is required, either in greenhouses or the open air. 5 lb. pkt., 35 cts.; kegs of 100 lbs., \$5.



RUSTIC PAGODA.



RUSTIC ARM-CHAIR.

## MISCELLANEOUS REQUISITES.

ARTISTIC and MASSIVE RUSTIC WORK, of all descriptions. Summer-houses, arbors, bridges, bathing and well houses, gateways, lawn pagodas, settees, chairs and tables, rustic stands, vases, tubs, etc. Send for Rustic Catalogue for prices and further information.

**RAFFIA.** The best thing for tying; every fibre of it can be used. 30 cents per lb.

**SMALL** and **SOFT SPONGES**, for washing plants, \$3 to \$5 per dozen.

HORTICULTURAL BOOKS AND VALUABLE PUBLICATIONS. We add a brief list of books which will be found most valuable for the horticulturist's library.

The Illustrated Dictionary of Gardening.—A practical Encyclopedia of Horticulture, for Gardeners and Botanists. By G. Nicholson and able assistants, Completed in eight volumes, including supplement. A unique and exhaustive work, in which the practical information and botanical classification have been brought down to present date. The number and beauty of its illustrations are without a parallel in any book of gardening, being over 2,000 in number. 8 vols. Cloth, \$24.

Choice Stove and Greenhouse Plants.—By Benj. S. Williams, F. R. H. S. With description of upward of 1,100 species and varieties. Instructions for their cultivation and mode of management. Illustrated with colored frontispiece and numerous splendid illustratrations. 686 pages, 2 vols., 12mo, cloth. Price, \$5.

The Rose.—A treatise on the cultivation, history, family characteristics, etc., of the various groups of roses, with accurate descriptions of the varieties now generally grown. By H. B. Ellwanger. 298 pages, 16mo, cloth. Price, \$1.25.

Parsons on the Rose.—New and revised edition. A treatise on the propagation, culture and history of the rose. Illustrated. By Samuel B. Parsons. Cloth, 12mo. Price, \$1.

Practical Camellia Culture.—A treatise on the propagation and culture of the Camellia Japonica. By Robert J. Halliday. Illustrated with five colored plates and fifty wood engravings. 12mo, 141 pages, cloth. Price, §2.

Practical Azalea Culture.—A treatise on the propagagation and culture of Azalea Indica. By Robert J. Halliday. Illustrated, 110 pages, 12mo, cloth. Price &2.

Subtropical Garden; or Beauty of Form in the Flower Garden. By W. Robinson, F. L. S. Beautifully illustrated. 241 pages, 12mo, cloth. Price, \$3.75.

Bulbs. By Edward Sprague Rand, Jr. A treatise on hardy and tender bulbs and tubers. 369 pages, 12mo, cloth. Price \$2.50.

The Propagation of Plants.—By Andrew S. Fuller. Illustrated with numerous engravings. An eminently practical and useful work. Describing the processes of hybridizing and crossing species and varieties, and also the many different modes by which cultivated plants may be propagated and multiplied. Including succulent and hard wooded-plants, trees and shrubs. Cloth, 12mo. Price, \$1.50.


Handbook of Plants.—By Peter Henderson. A concise and practical horticultural handbook. 410 pages. Price, §3.

Ornamental Gardening for Americans.—A treatise on beautifying homes, rural districts and cemeteries. A practical work at a moderate price, with numerous illustrations, and instructions so plain that they may be readily followed. By Elias A. Long. Illustrated. Cloth, 13mo. Price, \$2.

Book of Evergreens.—By Josiah Hoopes. A practical treatise on the coniferæ or cone-bearing plants. Handsomely illustrated. 435 pages, 12mo, cloth. Price, §3.

Any of the above books sent postpaid on receipt of price; we can also supply any other horticultural books desired.

Books on orchid culture can be supplied; correspond in reference to them when wanted. We also receive subscriptions for any American or foreign Horticultural publications at publisher's rates.



SIEBRECHT'S PATENT GREENHOUSE SHADING.

SIEBRECHT & WADLEY'S PATENT GREEN-HOUSE SHADING. The most satisfactory shading ever used; never gets out of order; lasts as long as a good greenhouse.

How it is Made and Operated.—The shading is made of slats, which are of the best clear wood; it is arranged in sections of either  $6\frac{1}{2}$  or 8 feet wide, but can be made of any width and length to suit size of roof. These slats are fastened together very substantially with galvanized wire bands and rings. The chain-like fastenings are from 16 to 18 inches apart, each section of shading having a roller attached to the lower end, the other end being fastened to the ridge of

the house or highest point to be shaded, and where, by means of a pulley and line, it is easily rolled up and down at whatever distance desired. It can be operated inside or outside of the house. It will protect your glass from hail storms, and your plants from the intense heat in summer, and from severe cold in winter; does not get out of order; does not destroy paint, putty or glass, as is the case with the old-fashioned method of white-wash or paint. It gives your house an even and cooling shade, and a neat appearance. It can be rolled up and down at will, which is a great advantage, especially when the short, dark days come and only little shading is needed. Estimates given on application.

## ALPHABETICAL INDEX.

Page	Page	Page				
Agaves	Grape Vines 197	Pitcher Plants 46				
Amaryllideas	Grasses, Ornamental 151	Lhododendrons				
Aquatic Plants 147	Greenhouse Plants 111	Roses 159-168				
Aroideas	Hardy Perennial and Herbaceous	Bourbon or Bengal 166				
Azaleas	Plants 169-179	Climbing 162				
Bromeliads 88	Herbaceous Plants 169	Hybrid Perpetual 159				
Bulbs and Tuberous Plants 141	Hot-house Plants 95	Miniature 167				
Cactuses 136-140	Insecticides 202	Moss				
Camellias	Lawn Grass Seed 202	Old and Rare 168				
Chrysanthemums 115	Lilies 145	Tea 164				
Citrus Fruits	Musaceas 91	Tree or Standard 162				
Climbing and Creeping Plants . 123	Nepenthes 51	Scitamineas 91				
Collection of Herbaceous Plants 179	New and Rare Plants 5-12	Selaginellas				
Crotons 100-102	Orchids 13-48	Small Fruits 197				
Deciduous Trees and Shrubs 182-188	Cool House 44	Stove Plants 95				
Decorative Plants	East Indian 25	Sub-Tropical Groups (Plants for) 153				
Dieffenbachias 86	Intermediate 32	Succulent Plants 134				
Dracænas 103-105	New and Rare 14	Supplies and Requisites 201				
Evergreen Trees and Plants 189	Open Ground 48	Trees for Special Effect 193				
Ferns 69	Palms	Tree Ferns 81				
Fertilizers 202	Pandanads 91	Water Lilies 198				
Fruit Trees	Perennial Plants 169	I				

## COMPLETE INDEX.

Page	Page	Page	Page
Abies 189	Agrostemma 169	Anthropodium 147	Asplenium . 70.75,81,82,83
Abutilon 111,129,153	Ajuga 129	Anthurium 5.85	Aster
Acacalis 25	Akebia 123	Aphelandra 7,95	Astilbe 171
Acacia 111,153	Allamanda 95,123	Apicra	Astrapæa 97
Acalypha 95,153	Allium 169	Aplectrum 48	Astrocanyum 55.66
Acanthophœnix 55	Allosurus 83	Aponogeton 147	Athyrium 83
Acanthostachyum 88	Alnus 182,194	Apples 196	Attalea 55
Acanthus 153,169	Alocasia 5.85,153	Apples, Crab 196	Aubrietia 171
Acer 182,194,195	Aloe 134.153	Apricots 196	Aucuba 153,180,192
Aceras 48	Alpinia 91	Aquatic Plants 147	Azalea . 7,113,114,180,192
Achillea 169	Alsophila 67.81	Aquatic Tanks (Out-	Bactris 55
Achras 198	Althæa 170	door) 150	Balantium 81
Acineta 32	Alyssum	Aquilegia 170	Bambusa 151,153
Aconitum	Amaranthus 153	Arabis 170	Banksia
Acorus 147	Amaryllideas 131	Aralia . 95,112,153,182,195	Baptisia 171
Acrocomia	Amaryllis 131,141	Araucaria 112,153	Batemannia 14.25
Acropera 32	Amicia 112,153	Ardisia 95	Begonia . 97,127,141,154
Acrostichum	Amorphophallus . 85,153	Areca 55,63,66	Berber's 180,182,195
Actinidia	Ampelopsis	Arenaria	Bertolonia 98
Ada 32	Amsonia	Arenga 55	Betula 182,194,195
Adelaster 95	Amygdalus 180,182,195	Arethusa 48	Bignonia 98,123,192
Adenophora 169			Bilbergia 88
Adiantum . 69,74,82,83,129	Anacardium 198	Arica	Blackberries 197
	Ananassa 7,88,198	Aristolochia 7,96,123	
Adonis	Anchusa	Arisæma 147	Blechnum 70,75,81,83
Æchmea	Andromeda 180,192	Armeria 170	Blet'a 48
Ægle 198	Andropogon	Aronia	Bocconia
Aërides 14,25	Anemia 69,74	Artemisia	Bollea 14.95
Æschynanthus 95,129	Anemone	Artocarpus 97,199	Boltonia 171
Æsculus 182,195	Angiopteris	Arundinaria	Borassus 55
Agapanthus	Angræcum 14.25	Arundo 151.153	Botrychium 83
Agave 7,134,153	Anguloa 14.32	Asclepias	Bougainvillea 98.123
Aglaomorpha 69	Anhalonium 136	Asparagus 112,129	Boussingaultia 124,141
Aglaonema 5	Anona	Aspidistra	Bouvardia 114
Agnostus 111	Anthericum 129,170	Aspidium 70.75,82,83	Brachychiton 7,154

Page	Page	Paga	Page
Brahea 55	Chionodoxa 141	Cyclamen 142 Cyclantneas or Cyca-	Page Eryngium 173 Erythrina 155 Eucalyptus 10,117,155 Eucharis 182,143 Eugenia 117,199 Eulalia 151,155 Euconymus 180,184,192 Eupatorium 173 Euphorbia 9 105 135 155 173
Brainea 81	Chirita 98	Cyclantileas or Cyca-	Erythrina 155
Brassavola 32	Chironia 115	deas	Eucalyptus 10.117.155
Brassia 32	Chlidanthus 131 Chlorophytum 129 Chorizema 115,124	deas	Eucharis 132,143
Brexia	Chlorophytum 129	Cylinders 201	Eugenia 117.199
Bridgesia 129	Chorizema 115.124	Cylinders 201 Cymbidium 16,27	Eulalia 151,155
Bromus	Chrysanthemum 115	Cyperus 147,151,154	Euonymus 180,184,192
Bromus	Chrysophyllum 199	Cypripedium . 17,29,34.48	Eupatorium 173
Brownea 98.114	Chysis 34	Crytomium 75.83	Euphorbia 9,105,135,155,173
Brownea 98,114 Brugmansia 114	Cibotium 67,81	Cyrtopodium 29,35	Euryale
Brunsvigia	Cicca 199	Cyrtosperma 8	Eurycles 10,132
Bryonia 124	Cienkowskia 91	Cystopteris 76,53	Euterpe 59
Buddleia 114.182	Cineraria 151	Cystisus 183,195	Evergreen Trees and
Bryonia 124 Buddleia 114,182 Bulbs and Tuberous	Cissus 98,113,124 Citrus 115,199 Cladrastis 183 Clematis 124,171	Cytochilum 35	Plants 189 Evergreen Shrubs and
Plants	Citrus	Dahlia 143	Evergreen Shrubs and
Buphthalmum 171	Cladrastis 183	Dahlia 143 Dæmonorops 58 Dalechampia 102	American Plants 192
Burchellia	Clematis 124,171	Dalechampia 102	Exochorda 184,195
Burlingtonia	Cleome 154 Clerodendron . 98,124,154 Clethra	Daphne	Fagelia . 126 Fagræa . 105 Fagus . 184,194 Farfugium . 117
Butomus 147	Clerodendron . 98,124,154	Dasylirion 155	Fagræa 105
Buxus 180,192	Clethra	Darlingtonia 53	Fagus 184,194
Cactuses (Select Collec-	Cleyera	Datura 155	Farfugium 117
tion) 136	Clianthus 117 Climbing and Creeping	Davallia 70,76,82	rerumanda
Caladium 85,141	Climbing and Creeping	Davidsonia 9	Ferns and Selaginellas 69
Calamus	Plants 123	Davidsonia 9 Deciduous Trees and	Ferns and Selaginellas
Calanthe 15,25	Clinanthus 131	_ Shrubs 182	for Greenhouse 74
Calathea 91	Cobæa	Delphinium 172	Ferns for Stove or Hot-
Calla 86,141,147,154	Coburgia 99,132	Dendrobium 19,29,35	house Cultivation 69
Callistegia 124	Coccoloba 99	Shrubs       . 182         Delphinium       . 172         Dendrobium       . 19,29,35         Dendrochilum       . 30	Fertilizers and Lawn
Calanthe 15,25 Calathea 91 Calla . 86,141,147,154 Callistegia 124 Callistegia 127 Calochortus 141,171 Calopogon 48 Caltha 147,171 Calycanthus 183 Calypso 48 Camassia 177	Cochliostema S,99	Dennstædtia 10	Seed 202 Ficus 10,105,126,129,155,199
Calochortus 141,171	Cocos 57,199	Desmodium 172	Ficus 10,105,126,129,155,199
Calopogon 48	Cœlia 34 Cœlogyne 16,34	Desmoncus 58	Foreign Grape Vines . 197
Caltha 147,171	Coelogyne 16,34	Deutzia 180,183	Forsythia 184
Calycanthus 183	Coffea 199	Dianthus 172	Fittonia
Calypso 48	Collection of Cactuses 140	Dichorisandra 102	Fragaria 129 Franciscea 105
		Dicksonia	Franciscoa 105
Camellias	Collection of Herbac-	Dictamnus	Fraxinus 184,194
Componels	eous Plants 179	Didymochlæna 81	Freesia 143
Campanula	Collection of Tropical Fruits 200	Dieffenbachia 9,86	Fritillaria 143
Canna	Cologosia S6 140	Dielytra 172 Digitalis 172 Dimorphanthus	Fuchsia 126 129
Capsidium	Colocasia	Digitalis	Fuchsia 126,129 Funkia 155,173
Caragana 100,100,100	Coniferous Evergreen	Dunorphanthus 184	Galanthus 143
Caraguata	Trees and Shrubs 189	Dion 59,67	Galeandra 30
Carey	Convallaria 142,171	Dionæa       58         Dioscorea       124         Diosma       117	Gardenia 106
Caricea 199	Convolvulus 190	Dioscorea	Gasteria
Carex       151         Carissa       199         Carludovica       57	Copernicea	Diphonia S1	Gastonia 106
Carmichelia	Conner Wires 201	Diphenia	Gaultheria 180
Carolinea	Coprosma	Diplazium	Gaura 173
Caryota 57,66	Corchorus	Disa 44	Gazania
Cassia	Coreopsis 171	Dodecatheon 172	Gelsemium 126
Casuarina	Cornus 180,183	Doodia	General List of Green-
Catalpa	Coronilla 117	Doronicum 172	house Plants 111
Catananene 171	Correa	Doronicum 172 Dracæna 8,103-105,155	Genista 180,184
Catasetum 15 27 33	Corvanthes	Dracocephalum 172	Gentiana 173
Cattleva 15.33.44	Corydalus 172	Drynaria 71	Geonoma 59
Catasetum . 15,27,33 Cattleya . 15,33,44 Ceanothus . 180	Corylus 183	Dwarf Growing Shrubs 180	Geranium 173
Cecropia 95	Corynostylis 99	Dyckia 88,135	Geum 173
Cedrus 189	Corynostylis 99 Corypha 63	Eccremocarpus 125	Gladiolus 144 173
Celastrus	Costus 91	Echeveria 10,135.155 Echinacea 172	Glechoma 129,173
Centaurea 154,171 Centradenia 115 Centrosolenia 98 Cephalotaxus 190	Cotoneaster 180,183,192,195	Echinacea 172	Glechoma . 129,173 Gleditschia . 184 Gleichenia . 71,76,82 Globba . 91
Centradenia 115	Cotyledon 134.154	Echinocactus 137,138	Gleichenia 71,76,82
Centrosolenia 98	Crassula 129	Echinocereus 138	Globba 91
Cephalotaxus 190	Cratægus 183,192,195	Echinopsis 138	Gloriosa 126
Cephalotus 53	Crescentia 117	Echites 125	Gloxinia 144
Cerastium 171	Crinum 7,99,132,142	Echium 155 Elæagnus 184	Gongora 37
Cerasus 183	Crescentia	Elæagnus 184	Goniophlebium 71
Ceratopteris 147	Croton	Elymus	Goniopteris
Ceratozamia 57 Cercis 183	Crowea	Encephalartos 59	Gooseberries 197
Cercis	Crucianella 172	Encholirion 88	Grammatophyllum 30
Cereus	Cryptanthus SS	Entelia	Grape Vines and Small
Cestrum	Cryptomeria 154,190 Cucumis	Epigala 180	Fruits 197
Ceterach	Cupressus 190,194	Epimedium 172	Grevillea
Chamædorea 57,63	Curculian 109	Epipactis 48	Griffinia 115,133
Champerons 63 66	Curculigo 102 Curcuma 91	Epiphyllum 129,139	Cunnona 155
Cheilanthes 70.75.82	Curmeria 8.86	Eranthemum 105	(÷uzmannia SS
Chamærops       63.66         Cheilanthes       70,75.82         Cheirostemon       115	Currants 197	Erianthus	Gymnadenia 48
Chelone	Cyanophyllum 102	Erica 180	Gymnocladus 184 194
Cherries 196	Cyathea 67.81	Erigeron 173	Gymnogramme . 71.76.82
Chevallieria 88	Cycads 67	Eriobotrya 117.199	Gymnadenia 48 Gymnocladus 184,194 Gymnogramme 71,76,82 Gynerium 152,155
Chionanthus 183	Cycas 57,67	Eriostemon 117	Gypsophila 173

Page	Dogo	Da	Page
Tabanama 18	Page   Lavandula   181   Lavatera   119,157   Ledum   181,192   Leontopodium   174   Leocophæa   119   Leocophæa   119	Page	Persea . 199 Perimenium . 120 Periploca . 127 Peristeria . 22,41 Pescatorea . 30 Petasites . 175 Phædranassa . 133 Phoise . 41
Habenaria 48 Habrothamnus	Lavanuula	Mimulus	Donim on item
Habrotnamnus 110	Lavatera 119,157	Monarda	Perimentum 120
Halesia 184	Ledum 181,192	Monstera 199	Periploca
Hardy Perennial and	Leontopodium 174	Montagnea 120	Peristeria 22,41
Herbaceous Plants . 169 Hardy Fruit Trees 196	Leopoldinia 60	Montagnea       120         Montanoa       157         Montbretia       146	Pescatorea 30
Hardy Fruit Trees 196	Leucadendron 157	Montbretia 146	Petasites 175
	Leucophæa 119	Morenia 61	Phædranassa 133
Haworthia 135	Leucophyta 119	Mormodes 39	Phajus 41
Hechtea 89	Liatris 174	Mulherries 196	Phalænopsis 22.30
Hedera 126	Libocedmis 190	Musa 10 92 199	Phalaris 152.176
Hedychium 91.155	Licuala 61	Museanda 107	Phaseolus 127
Hardy Grape Vines . 194 Haworthia . 135 Hechtea . 89 Hedera . 126 Hedychium . 91,155 Helenium . 173 Helleborus . 144,174 Helianthemum . 129,173 Helianthus . 155,173 Helianthus . 155,173	Licularie 110	Montoretia 146  Morenia 61  Mormodes 39  Mulberries 196  Musa 10,92,199  Mussænda 107  Myoporum 120  Myosetis 175	Philadelphus 185
Hollohomis 144 174	Tiguatis	Myssortia 175	Philadendron 11 87 157
Helienthomum 190 179	Tiliam 145 146	MIYOSOUS	Dhlass 11 120 176
TI-lianthemum . 155,179	Lillum 145,140	Myrsiphyllum . 127,130	Phonical basis
Helianthus 133,173	Limnocharis 146	Nandina 120,157	Phœnicophorium 61,66
Heliconia 10,91 Helichrysum 118 Hemerocallis 156,174 Hemionitis 76 Hemithelia 81 Hemithelia 198	Leucophæa 119 Leucophyta 119 Liatris 174 Libocedrus 190 Licuala 61 Ligularis 119 Ligustrum 181,185,192 Lilium 145,146 Limnocharis 147 Limnanthemum 147 Linaria 130 Linum 130	Narcissus 146	Phoenix 64,66,199
Helichrysum 118	Linaria 130	Nectarines 196	Pholidophyllum 90
Hemerocallis 156,174	Linum 130	Negundo 185,195	Phormium 120,157
Hemionitis 76	Liparis 48	Nelumbium 148	Phyllanthus 107
Hemithelia 81	Liquidambar 185	Nepenthes 49	Phyllocactus 140
Henfreya 126	Linum . 130 Liparis . 48 Liquidambar . 185 Liriodendron . 185,194 Listoria	Nephrodium 77.82	Phyllotænium 10.87
Hepatica 174	Listeria 48	Nephrolepis	Phrynium 10.93,157
Heracleum 156	Livistonia 64 66	Nenhthytis 10.87	Physianthus 128
Hesperis 174	Lobelia 174	New Rare and De-	Phytelenas 61
Hexacentris 196	Lomaria 77 81 69	Myoporum         120           Myosotis         . 175           Myrsiphyllum         . 127,130           Nandina         . 120,157           Narcissus         . 146           Nectarines         . 196           Nelumbium         . 148           Nepenthes         . 49           Nephrodium         . 77,82           Nephrolepis         . 71,82           New, Rare and Desirable Plants         . 5-12           New, Rare and Valuable Orchids         . 14-54	Pices 100
Hibicone 10 118	Lomatia (1,01,02	Strable Plants 5-12	Dilegarous 1.10
147 156 184 105	Lomatia	New, Rare and Valu-	Pilocereus
Higginsis 100,104,195	Lonicera 127,181,185	able Orchids 14–54 Nicotiana 157 Nidularium 10,89	Phedranassa 133 Phajus 41 Phalemopsis 22,30 Phalaris 152,176 Phaseolus 127 Philadelphus 185 Philodendron 11,87,157 Phlox 11,130,176 Phenicophorium 61,66 Phenix 64,66,199 Pholidophyllum 90 Phormium 120,157 Phyllanthus 107 Phyllocactus 140 Phyllotaenium 10,87 Phrynium 10,93,157 Physianthus 128 Phytelepas 61 Picea 190 Pilocereus 140 Pilumna 41
Higginsia 100	Lophospermum 126	Micotiana 157	Pinus 191
Hippopnæ 184,195	Lotus 174	Nidularium 10,89	Pistia
Hemionitis   76     Hemionitis   76     Hemionitis   81     Henfreya   126     Hepatica   174     Heracleum   156     Hesperis   174     Hexacentris   126     Hibiscus   10,118     Higginsia   106     Hippophæ   184,195     Homalomena   87     Honlophytum   89     Hottonia   147     Houlletia   37     Hoya   106,126     Humea   156     Hyacinth   144     Hyarinthus   144     Hydrangea   118,156     Hymenocallis   180,184,195     Hymenocallis   132     Hymenodium   71     Hyophorbe   59     Hypericum   181     Hypolepis   76,82     Deris   174     Ilex   181,192     Illicium   118     Imantophyllum   144     Impatiens   106     Insecticides   202	Luculia 107	Nidularium         10,89           Nierembergia         175           Niphobalus         77           Nothochlæna         71,77,82           Nuphar         148           Nuts         197           Nyctocalos         127           Nymphæa         148,149           Odontoglossum         20,39,45           Omphalodes         175           Orobus         175           Oncidium         21,39,47           Onocidium         77,82           Ophrys         48           Opuntia         140,199           Orchids         13           Orchis         48           Oreodoxa         61	Pilumna       41         Pinus       191         Pistia       149         Pitcairinia       90
Hoplophytum 89	Lucuma 199	Niphobalus	Pitcher, Plants, etc 49
Hottonia 147	Lycaste 20,37,44	Nothochlæna . 71,77,82	Pittosporum 120
Houlletia 37	Lychnis 174	Nuphar 148	Pitcher, Plants, etc 49 Pittosporum 120 Plants for Sub-Tropical
Hoya 106,126	Lycopodium 130	Nuts	Groups 153
Humea	Lycoris 10 132	Nuctocalos 197	Platycerium 71.78
Hyacinth 144	Lygodium 77 89 196	Nymphma 148 140	Platycodon 176
Hyancinthus 144	Lysimachia 174	Odontogloscum 90 30 45	Platyloma 78 89 130
Hydrangea 118 156	Tythmim 174	Omnhaladas 172	Plaine 41
180 184 195	Moorogamio 61	Ompharodes 175	Please on one 79
Humanagallia 199	Macrozamia 61	Orobus	Plants for Sub-Tropical         Groups       . 153         Platycerium       .71,78         Platycodon       . 176         Platyloma       .78,82,120         Pleione       .41         Pleoconema       .72         Pleopeltis       .72         Pleuridium       .72         Plums       .196
Hemonodium 71	Magnolia 185	Oncidium 21,39,47	Pleopeltis
Hymenodium	Manonia 157,181	Onoclea 83	Pleuridium     72       Plums     196       Podophyllum     176       Pogonia     48       Poinciana     108       Poinsettia     108       Poliyala     120,176       Polygonum     128,157       Polpodium     72,78,84       Polystichum     78,82,84
Hyopnorde 59	Malpighia 199	Onychium 77,82	Plums 196
Hypericum 181	Mammea 199	Ophrys 48	Podophyllum 176
Hypolepis 76,82	Mammillaria 139,140	Opuntia 140,199	Pogonia 48
Iberis 174	Mandevilla 126	Orchids 13	Poinciana 108
Ilex 181,192	Manettia 126	Orchis 48	Poinsettia 108
Illicium	Mangifera 199	Oreodoxa 61	Polianthes 133.146
Imantophyllum 144	Maranta 02	Ornamental Grasses . 151	Polygala 120 176
Impatiens 106	Martinezia 61 66	Ornithogalum 139	Polygonum 198 157
Insecticides	Morettie 77 C1	Onentium 140	Polyadium 79 78 84
Introductory 3	Mondovallia	Oronounda 77 C2	Polyotichum 76 89 81
Iochroma 118	Masuevania 41	Oshunda	Pantadonia 149
Inomosa 196	Massangea 89	Othonna 121,150,155	Pontederia
Inomoneie 156	Massovia 87	Ouvirandra	Populus 155,154
Inic 144 147 174	Material for Orchid	Oxalis 150,146	Portea
Teologie 100	Liquidambar 185 Liriodendron 185,194 Listeria 48 Livistonia 64,66 Lobelia 1,74 Lomaria 77,81,82 Lomatia 127,181,185 Lophospermum 126 Lotus 174 Luculia 107 Luculia 107 Luculia 107 Luculia 107 Luculia 1,199 Lycaste 20,37,44 Lychnis 174 Lycopodium 130 Lycoris 10,132 Lygodium 77,82,126 Lysimachia 174 Lythrum 174 Macrozamia 61 Magnolia 185 Mahonia 157,181 Malpighia 199 Mammea 199 Mammea 199 Mammea 199 Mammea 199 Mammillaria 126 Mangifera 199 Maranta 92 Martinezia 61,66 Marattia 77,81 Masoevallia 44 Massangea 89 Massovia 87 Material for Orchid Culture 201 Mauritia 166 Maritia 176 Mauritia 176 Mauritia 176 Mauritia 177 Macrozamia 61,66 Marattia 77,81 Massovia 87 Material 61,66 Marattia 77,81 Massovia 87 Material 61,66 Marattia 77,81 Massovia 87 Material for Orchid Culture 201 Mauritia 166	Pachysandra 175	Potentilla 176,181,186
Twores	Maurandya 126	Pæonia 146,175,181	Potnos 11.87,128
Toggranda 10~176	Mauritia 61	Palms 55,66	Potting Material for
Toominum 107 110 106	Maxillaria 20,37,45	Panax S,11,107	Stove Plants, Palms,
Jasminum 107,119,126	Maurandya 126 Mauritia 61 Maxillaria 20,37,45 Maximiliana 61 Maximowiczia 126 Madeala 126	Pancratium 133	Ferns, etc 201
Jatropha 156	Maximowiczia 126	Pandanads, Musaceas	Pourretia 90
Jubæa 63	Medeola 126	and Scitamineas 91	Primula 176
Juneus 147	Medeola   126   Medinilla   107   Melia   157   Melianthus   157   Melianthus   157   Melianthus   157   Melianthus   157   Melianthus   158   169	Ornamental Grasses         .151           Ornithogalum         .182           Orontium         .449           Osmunda         .77,83           Othonna         .127,130,135           Ouvirandra         .144           Oxalis         .130,146           Pachysandra         .175           Pæonia         .146,175,181           Palms         .55,66           Panax         .S11,107           Pancratium         .133           Pandanads, Musaceas         .91           Pandanus         .93	Prionium 149
Juniperus 190,194	Melia 157	Panicum 149,152	Pritchardia 61,64,66
Justicia 157	Melianthus 157	Panaver	Prunus 186,195
Kæmpferia 91	Melicocca 199	Panhinia 30	Pseudonhænix 61
Kalmia 181,192	Menispermum 196	Panyrus 149 152	Psidium 199
Karatis	Monyonthes 147	Dandonthue 175	Psychotria 108
Kennedya 126	Mongiogia 191	Poposhotus 197 130	Ptonic 72 78 82 84 130
Kentia 59.63.66	Mortonsia	Passiflara 10 197 100	Dtychosnerma (5.66)
Kleinia 130 135	Westellsia	Daullinia 107 107	Dulmononio 177
Kœlreuteria 185	Melicocca   199   Menispermum   126   Menyanthes   147   Menziesia   181   Mertensia   174   Wesembryanthemum   126   120   125   125	Paulimia 101,121	Punice 100
Labisia 10	130,135	Paulowilla 185	Dunna
Lælia 10.27 11	Mesospiniaium 45	Pavetta 104	Pulve
Illicium	130,135  Mesospinidium . 45  Mespilus . 181  Metrosideros . 119	and Scitamineas 91 Pandanus 93 Panicum 149,152 Papaver 175 Paphinia 30 Papyrus 149,152 Pardanthus 175 Parochetus 127,130 Passiflora 10,127,190 Paullinia 107,127 Paulownia 185 Pavetta 107 Pavia 185 Peaches 196 Pears 196	Polygonum 128,157 Polygodium 72,78,84 Polystichum 78,82,84 Pontederia 149 Populus 185,194 Portea 90 Potentilla 176,151,186 Pothos 11,87,128 Potting Material for Stove Plants, Palms, Ferns, etc. 201 Pourretia 90 Primula 176 Prionium 149 Pritchardia 61,64,66 Prunus 186,195 Pseudophœnix 61 Psidium 199 Psychotria 108 Pteris 72,78,82,84,130 Ptychosperma 65,66 Pulmonaria 177 Punica 199 Puye 90 Pylogyne 125 Pyrus 186,194 Pyrus-Sorbus 186
Lamprococcus 89	Metrosideros 119	Peaches 196	Pyrus 186,194
Lantalia	Meyenia 107	Pears 196	Pyrus-Sorbus 186 Quercus 186.194
Lapageria 126	Microlepia	Peat 201	Ouercus 186 194
Lasiandra 107	Mikania 127	Pelargonium 130	Quesnelia 90
Lastrea 77.82,83	Miltonia 20,39	Pears     196       Peat     201       Pelargonium     130       Pellæa     7,83       Pellæa     140	Quesnella 90
Latania 60,63	Mimosa 127	Peltrandra 149	Quinces 196
Lasiandra 120 Lasiandra 107 Lastrea 77.82,83 Latania 60,63 Lathyrus 174	Meyenia 107 Microlepia 77,82 Mikania 127 Miltonia 20,33 Mimosa 127 Miscellaneous Requis	Pentstemon 175	Quisqualis 128
Laurus 119	ites 203	Peltrandra       . 149         Pentstemon       . 175         Pepini       . 0	Ranuncu'us 177

Domo	D	. D	T)
Page	Page	Page	Page
Rare and Desirable	Satyrium 48	Stadmannia 109,121	Tree Ferns 81
Plants 5	Sauromatum 87	Stanhopea 41,42	Trees of Pyramidal or
Rare Specimens of	Saxifraga 130,177	Stapelia 136	Conical Shape 194
Palms, Cycadeas, etc. 66	Scabiosa 177	Statice 122,178	Trichocentrum 42
Raspberries 197		Stenotaphrum 130	
	Schiftocarpus 157		Trichopilia 43
Ravenala 11,94	Schismatoglottis 11	Stephanotis 128	Tricyrtis 178
Ravenia 65	Schizophragma 128	Sterculia 122,158	Trillium 150
Remusatia 87	Schomburgkia 41	Sternbergia 133	Trimolium 122
Retinospora 191	Sciadophyllum 109	Stevensonia 61	Triphasia 181
Rhapis 65	Sciadopitys 191	Stigmaphyllon 128	Trithrinax 61
Rheum 157,177	Scindapsus 87	Stipa 152	Tritoma 146,158
	Garlen and defense		
Rhexia 177	Scolopendrium 79,84	Stokesia 178	Trollius
Rhipidopteris 72	Scuticaria 41	Stove and Hot-house	Tropæolum 128,130
Rhodochiton 128	Seaforthia 65.66	Plants 95	Tropical and Semi-Trop
Rhododendron 120,181,192	Sedum 130,136,177	Stratiotes 150	ical Fruits 198
Rhodora 181,192	Selaginella 73,79—82	Strawberries 197	Tulipa 146
Rhopala 108,157	Selinum 149	Strelitzia 94,158	Tussacia 90
Rhus 186,195			
	Select Collection of Cac-	Streptocarpus 110	Tussilago 178
Rhynchospermum 120,128	tuses 136	Stromanthe 94	Typha 150
Ribes 186	Select Decorative	Struthiopteris 84	Undea 158
Richardia 149	Plants	Succulent Plants 134	Ulmus 187,194,195
Ricinus 157	Select Hardy Ferns 83	Supplies and Requisites 201	Uniola 152
Rivina 109	Sempervivum . 136,157,177	Syagrus 61	Urtica
Robinia 186,194,195			
	Senecio 128,149,158,177	Sylphium 158	Uvularia 178
Rochea	Sequoia 191	Symphoricarpus 187	Vaccinium 181
Rohdea 120,149	Serapias 48	Symphytum 178	Vallisneria 150
Rondeletia 109	Serissa 121	Syngonium 87	Vallota 133
Roses 159-168	Shepherdia 181	Syringa 187,194,195	Vanda 23,31,43
Bourbon and Ben-	Silene 177	Tabernæmontana 110	Vanilla 128
gal or China 166	Silphium 177	Tacca 110	Veratrum 150
			Veratium 100
Hardy Running or	Simplocarpus 150	Tacsonia	Verbesina 122,150
Climbing 162	Sinclairia 121,158	Tamarix	Veronica 178,181
Hybrid Perpetual	Skimmia 122,181,192	Tamarindus 200	Verschaffeltia 61.66
or Remontant . 159	Small Trees Cultivated	Tasmannia 122	Viburnum 122,187,195
Miniature or	for Dwarf Standard	Taxus 191	Victoria 150
Fairy 167	Forms 195	Terminalia 110,200	Villarsia 150
Moss 163	Sobralia 41	Testudinaria 122,128	Vinca 130.178
Old and Rare 168	Solandra 109		Viola 178
		Thalietrum 178	
Standard or Tree 162	Solanum 128,158,199	Thalia 150	Vresia 11,90
Tea 164—166	Soldanella 177	Thamnopteris 72	Wallichia 61
Rubus 128,186	Solidago 177	Theophrasta 110	Warm-house or East In-
Rudbeckia 177	Sollya 128	Thladiantha 128	dia Orchids 25
Ruellia 109,157	Sonerila 109	Thrinax 61	Washingtonia 65
Rumex 149	Sophora 194	Thunbergia 128	Weigelia 187
		Thunia 42	Wigandia 158
Russelia 109,130	Sophronites 41		
Sabal 61,65	Sparmannia 11,121	Thuya	Wistaria 128
Saccolabium 23,31	Spartium 181	Thuyopsis 191	Witsenia 122
Sagittaria 149	Spathiphyllum 87	Thymus 130	Woodsia 79,84
Salisburia 186,194	Sphærogyne 109	Tigridia 146	Woodwardia 79.84
Salix 194	Spigelia 177	Tilia 187,194,195	Xanthorhiza 181
Salvia 157,177,181	Spiræa 11,178,181,186	Tillandsia 11,90	Xanthosoma 87
	Spiranthes 48	Tipularia 48	Yucca 136,158
Sambucus 186,195			
Sanseviera 109,136	Sphagnum Moss 201	Todea	Zamia 61
Santolina 130	Spondia 200	Torenia 110,128	Zizyphus 200
Saponaria 177	Sprekelia 133	Tradescantia 110	Zephyranthes 133,146
Sarracenia 53	Stachys 178	128,130,178	Zygopetalum 24.43



## CUT-FLOWER

AND

## DECORATIVE DEPARTMENT,

409 Pifth Avenue, New York City.



OR TWENTY-TWO years we have carried on a first-class floral establishment, during which time we have furnished floral decorations for many notable events, supplying our patrons (who are for the greater part of the old New York families and customers of long standing) with the choicest and best, which through years of experience and constant study of the art of horticulture we have been successful in producing. As our connection with the Rose Hill Nurseries gives us unusual facilities for such floral productions, our work in this line cannot be surpassed in the metropolis. Our stock of all the choicest varieties of plants for the production of cut-flowers, together with our immense collection of rare plants, palms, cycads, tree ferns and orchids, enables us to carry out orders of any magnitude with the greatest ease and with more satisfaction to our friends than can be given by those lacking the facilities.

Orders by mail or wire receive our prompt and most intelligent consideration, and are filled to the best interest of our patrons.

## OUT-OF-TOWN DEPARTMENT.

We make a specialty of decorations out of the city. We have specially trained and experienced men who are artists in this line, and who are constantly getting up new designs and arrangements for decorations. Careful attention is always given to orders for out-of-town work, and satisfactory results can be assured.

## OUR PLANT-FURNISHING DEPARTMENT.

Some few years ago we introduced the Parisian plan of furnishing palms and decorative plants for conservatories, halls, drawing and dining rooms, etc., by the week, month or season, and it has worked with unparalleled success. Of course with our great stock of palms and decorative plants—which is of such magnitude that it must be seen in order to be appreciated, we are enabled to supply any demand, and at the most reasonable prices.

We are always prepared to furnish plans, estimates and specifications for any work appertaining to the floral business.

Siebrecht & Wadley,

409 Pifth Avenue, Corner Phirty-Seventh Street, New York.

# Rose Mill Nurseries, 1889-90.



## SIEBRECHT & WADLEY,

NEW ROCHELLE, N. Y.

Retail Out-Flower and Decorating Departments, 409 Fifth Ave., cor. 37th St., New York.

