

192

0.3  
S  
Font

# Bulletin of the Fisheries Research Board of Canada

DFO - Library / MPO - Bibliothèque



12039469




## Catalogue and Synopsis of *Caligus*, A Genus of Copepoda (Crustacea) Parasitic on Fishes

L. Margolis

Z. Kabata

R. R. Parker



Fish  
Can  
SH  
223  
B8213  
no. 192  
JC

BULLETIN 192

Ottawa 1975



Environment  
Canada

Environnement  
Canada

Fisheries and  
Marine Service

Service des pêches  
et des sciences de la mer

**CATALOGUE AND SYNOPSIS OF *CALIGUS*,**  
**A GENUS OF COPEPODA (CRUSTACEA)**  
**PARASITIC ON FISHES**

Bulletins are designed to interpret current knowledge in scientific fields pertinent to Canadian fisheries and aquatic environments. Recent numbers in this series are listed at the back of this Bulletin.

The *Journal of the Fisheries Research Board of Canada* is published in annual volumes of monthly issues and *Miscellaneous Special Publications* are issued periodically. These series are for sale by Information Canada, Ottawa K1A 0S9. Remittances must be in advance, payable in Canadian funds to the order of the Receiver General of Canada.

Les bulletins sont conçus dans le but d'évaluer et d'interpréter les connaissances actuelles dans les domaines scientifiques qui se rapportent aux pêches et à l'environnement aquatique du Canada. On trouvera une liste des récents bulletins à la fin de la présente publication.

Le *Journal of the Fisheries Research Board of Canada* est publié en volumes annuels de douze numéros, et les *Publications diverses spéciales* sont publiées périodiquement. Ces publications sont en vente à la librairie d'Information Canada, Ottawa K1A 0S9. Les remises, payables d'avance en monnaie canadienne, doivent être faites à l'ordre du Receveur général du Canada.

---

*Editor and/Rédacteur et  
Director of Scientific Information  
Directeur de l'information scientifique*

J. C. STEVENSON, PH.D.

*Deputy Editor  
Sous-rédacteur*

J. WATSON, PH.D.

*Assistant Editor  
Rédacteur adjoint*

JOHANNA M. REINHART, M.SC.

*Production-Documentation*

J. CAMP  
G. J. NEVILLE  
MONA SMITH, B.H.SC.

Department of the Environment  
Fisheries and Marine Service  
Office of the Editor  
116 Lisgar Street, Ottawa, Canada

*Ministère de l'Environnement  
Service des pêches et des sciences de la mer  
Bureau du directeur de la publication  
116, rue Lisgar, Ottawa, Canada*

K1A 0H3

BULLETIN 192

Catalogue and Synopsis of *Caligus*,  
A Genus of Copepoda (Crustacea)  
Parasitic on Fishes

L. Margolis  
Z. Kabata  
R. R. Parker<sup>1</sup>

*Department of the Environment  
Fisheries and Marine Service  
Pacific Biological Station  
Nanaimo, B.C. V9R 5K6*

DEPARTMENT OF THE ENVIRONMENT  
FISHERIES AND MARINE SERVICE

*Ottawa 1975*

<sup>1</sup> Present address (R.R.P.); C.S.I.R.O. Cronulla, N.S.W., Australia.

SH  
223  
B 8213  
No. 192

©  
Crown Copyrights reserved

Available by mail from Information Canada, Ottawa K1A 0S9  
and at the following Information Canada bookshops:

HALIFAX  
1683 Barrington Street  
MONTREAL  
640 St. Catherine Street West  
OTTAWA  
171 Slater Street  
TORONTO  
221 Yonge Street  
WINNIPEG  
393 Portage Avenue  
VANCOUVER  
800 Granville Street

or through your bookseller

A deposit copy of this publication is also available  
for reference in public libraries across Canada.

Canada: \$5.00  
Other countries: \$6.00

Catalogue No. Fs 94-192

*Price subject to change without notice*  
Information Canada  
Ottawa 1975

©  
Droits de la Couronne réservés

En vente par la poste à Information Canada, Ottawa K1A 0S9  
et dans les librairies d'Information Canada  
dont voici les adresses:

HALIFAX  
1683, rue Barrington  
MONTRÉAL  
640 ouest, rue Ste-Catherine  
OTTAWA  
171, rue Slater  
TORONTO  
221, rue Yonge  
WINNIPEG  
393, avenue Portage  
VANCOUVER  
800, rue Granville  
ou chez votre libraire

Un exemplaire de cette publication a été déposé, pour référence,  
dans les bibliothèques publiques par tout le Canada.

Canada: \$5.00  
Autres pays: \$6.00

N° de catalogue Fs 94-192

*Prix sujet à changement sans avis préalable*  
Information Canada  
Ottawa 1975

# ***Contents***

vi Abstract/Résumé

1 Introduction

3 Descriptors in Catalogue Entries

3 Abbreviations of Names of Institutions Storing Type Material

7 Catalogue

86 Synopsis

95 List of Species Transferred to Other Genera

96 List of Junior Synonyms

97 List of *Nomina Nuda*, *Species Inquirendae*, and Rejected Names

98 List of Misspellings

99 Acknowledgments

100 References

## **Abstract**

MARGOLIS, L., Z. KABATA, AND R. R. PARKER. 1975. Catalogue and synopsis of *Caligus*, a genus of Copepoda (Crustacea) parasitic on fishes. Bull. Fish. Res. Board Can. 192: 117 p.

This book is a detailed source of literature information on the parasitic copepod genus *Caligus*. The catalogue gives in capsule form the contents of all publications known to us on members of this genus. In all, 315 nominal species of *Caligus* are catalogued. The synopsis gives information on synonymy and distribution for 208 species of *Caligus* currently ranked as valid. When deemed necessary, comments on published records, validity of species, and hosts are provided. The synopsis is followed by four lists: species transferred to other genera; junior synonyms; *nomina nuda*, *species inquirendae*, and rejected names; and misspellings. The work concludes with a comprehensive bibliography.

---

## **Résumé**

MARGOLIS, L., Z. KABATA, AND R. R. PARKER. 1975. Catalogue and synopsis of *Caligus*, a genus of Copepoda (Crustacea) parasitic on fishes. Bull. Fish. Res. Board Can. 192: 117 p.

Le présent travail constitue une source détaillée de renseignements extraits de la littérature sur les copépodes parasites du genre *Caligus*. Dans la section catalogue, nous résumons succinctement toutes les publications que nous connaissons sur les membres de ce genre. En tout, 315 espèces nominales de *Caligus* y sont inscrites. Dans le synopsis, nous traitons de la synonymie et de la distribution de 208 espèces de *Caligus* présentement reconnues comme valides. Nous présentons au besoin des commentaires sur les signalements publiés, la validité des espèces et les hôtes. Le synopsis est suivi de quatre listes: espèces transférées à d'autres genres; synonymes juniors; *nomina nuda*, *species inquirendae* et noms rejettés; fautes d'orthographe. Une bibliographie détaillée complète le travail.

## Introduction

*Caligus* Müller, 1785, is the most abundant genus of Copepoda parasitic on fishes. Since its foundation in the late 18th century more than 300 species have been assigned to it, validly or otherwise. It is not an exaggeration to say that hardly any part of the world's oceans is without some species of *Caligus* living on the outer surfaces, within buccal cavities, or on the gills of their host fishes. Occasionally, they can be found penetrating the lower reaches of rivers. One species has become widespread in the freshwater habitats of Eurasia. Some, at least, cause a good deal of damage to their fish hosts by their feeding activities. Fishes harbouring *Caligus* belong to very diverse groups, from the primitive elasmobranchs to highly advanced teleosts. Some hosts are commercially important, so the ravages of these small crustacean parasites have economic repercussions.

It is not surprising, therefore, that almost from the time of its original description the genus *Caligus* has been a subject of interest for investigators of many countries. The voluminous literature that has accumulated as the result of this interest is ample testimony of its extent.

Understandably, the early contributions to this literature were of much lower standard than those of more recent vintage. The technological means for investigations were limited and the body of knowledge small. Many errors were committed and remained embedded in the literature to confound those who sought information and to be echoed repeatedly by successive generations of scientists. A prime example of an irremediable error is the name *Caligus* itself. Meaning "blind," it was applied to the genus in the belief that its members were devoid of eyes, an obvious contradiction of the truth.

Much valuable data has never become readily accessible to the student of *Caligus* because many papers were published in

obscure journals and/or languages that are not widely known. Far from all publications have titles that make their content obvious to the searcher. A good deal of effort might be spent trying to locate and perhaps to translate a paper only to find that it is of little or no relevance with respect to *Caligus*. On the other hand, it is only too easy to miss a significant paper because the title belies its importance. Frequently information is tucked away in general compendia apparently irrelevant to a scientist following a narrow trail.

The net result of the foregoing is a first-class taxonomic muddle. In view of the obvious importance of *Caligus* (both as an object of scholarly research and an economically detrimental agent) this situation is clearly unacceptable. It cannot be dealt with, however, in a piecemeal fashion. A comprehensive and thorough review of the genus is required and concentration of the scattered information on *Caligus* in a single, readily available source is the first step. This catalogue is intended to be such a source. The authors have extracted information from all references to nominal species of *Caligus* collected in more than 10 years of search. It is difficult to claim that none escaped their attention, that the catalogue is absolutely complete. It is hoped, however, that no reference of major importance has been overlooked. References to *Caligus* sp., without specific name, are left out. Also omitted are general references to the genus, when no species is mentioned by name.

Each reference quoted in the catalogue was read and extracted by at least one of the authors. The catalogue is based on the nominal species of *Caligus*, and information grouped in chronological order for each species individually. Following *C. curtus*, the type species of the genus, all species are arranged in alphabetical order. The authors do not superimpose their own views on those expressed by the scientists they quote. They

simply record in capsule form information given in each catalogued reference. This should be remembered particularly with regard to the scientific names of fish hosts. With numerous complicated changes, which have occurred in fish taxonomy during the last century or so, many fish species were known under different names at different times and in various localities. Their synonymy is often greatly confused and is strictly a matter for a specialist. Under the circumstances, the authors of this catalogue adopted the expedient of recording the names of the fish hosts as given in each reference, with few necessary exceptions. When only the vernacular names were given, recent Latin binomina were added whenever possible. It is hoped that workers interested in any particular region will be sufficiently familiar with the local fish fauna to determine the identity of the fish referred to in each catalogued paper dealing with that region.

How to use the catalogue is best illustrated by examples. (Descriptors are listed at the end of the *Introduction*.) The first example is also the first entry in the catalogue (*Caligus curtus*).

1785 Müller, O. F. Nom. nov. Descr. ♀, syn.; *Gadus merlangus*; Danish waters. Comp. with *C. productus*. p. 130-132, 133; pl. XXI(fig. 1, 2). Dep. type material unknown.

This entry shows that O. F. Müller (1785) proposed a new name for a previously known species and described the female. The name was *Caligus curtus*. He gave its synonymy. Müller himself found the species on *Gadus merlangus* in Danish waters and compared it with *Caligus productus*. This was recorded on pages 130-132 and 133. In addition, drawings were published on Plate XXI, figures 1 and 2. The authors have no information on the present whereabouts of the material on which Müller had based his species. (This information is given, whenever possible, with each new species reference. In some instances it has not been included in the reference itself, but is from the authors' own

sources. Its inclusion was considered vital, as most serious workers would wish to consult the original material in any comparative studies.)

The second example is from *Caligus elongatus* Nordmann, 1832.

1969 Parker. Hist., descr. ♀ ♂, hosts, distr., syn. *C. kroyerii*, *C. rissoanus*, *C. rapax* of Baird, 1850 (*partim*), of Stp. and Lütk., 1861 and later authors, *C. lumpi*, *C. gurnardi* Krøyer (*partim*), *C. trachypteri*, *C. latifrons*, *C. rabidus*, *C. arcticus* new syns. p. 1013-1035; fig. 1-22.

Parker (1969) gave an historical review of the species and its synonymy. He described both the male and female and included lists of hosts and distribution of the species, based on previous records. He did not report any new finds or host affiliations. He was the first to establish that several taxa (named in the catalogue entry) not previously recognized as synonyms of *C. elongatus* should be relegated to synonymy with it. This information was given on pages 1013-1035; 22 figures were included.

To find the full bibliographical reference to these two records, readers should turn to the end of this publication, where the references are arranged in alphabetical order.

The catalogue is followed by a synopsis of the genus. Unlike the catalogue, it lists only species of currently undisputed validity. Information for each species is comprised of its synonymy, if any, and distribution range, compiled from recorded data. To some species the authors appended comments, which represent their own views or add their own personal knowledge. No host lists are given. Taxonomic difficulties alluded to above render such lists unprofitable. Much work would have to be expended on topics not directly related to *Caligus* to produce useful host lists. Basic information on host affinities can be found in the catalogue.

Following the synopsis are lists of species transferred from the genus, of junior synonyms, of *nomina nuda* and *species inquirendae*, and of misspelled specific names.

## Descriptors in Catalogue Entries

- Anat. — Anatomy (descriptions of internal structures).
- Comp. with — Compared with (comparison between species under which they are listed and other taxon mentioned by name).
- Descr. — Description (morphological description). Usually followed by a symbol denoting the sex described.
- Distr. — Distribution (account of distribution based on earlier records).
- Hist. — History (historical review of the species).
- Hosts — List of hosts compiled from previous records.
- Key — Key to several species of *Caligus*.
- L.h. — Life history (information on at least one developmental stage, either in text or in figures).
- List. — Listed (a listing of the species by name, usually in faunal lists).
- Ment. — Mentioned (species has been mentioned in connection with another topic).
- N. comb. — New combination.
- New syn. — New synonym. Indicates that the taxon to which it applies was relegated for the first time to synonymy with the species under which reference is listed.
- Path. — Pathology (information on harmful effects of *Caligus* on fish hosts).
- Physiol. — Physiology (some physiological information).
- Syn. — Synonymy (at least partial synonymy of the species or, when used following a species name, indicates that the name is listed as a synonym of the species under which the reference is listed).

## Abbreviations of Names of Institutions Storing Type Material

- Australian Mus., Sydney — Australian Museum, Sydney, New South Wales
- Br. Mus. (Nat. Hist.) — British Museum (Natural History), London
- Fish. Dept., Colombo, Ceylon — Fisheries Department, Colombo, Ceylon
- Indian Mus. Zool. Survey India, Calcutta — Indian Museum of the Zoological Survey of India, Calcutta
- Indian Mus., Calcutta — Indian Museum, Calcutta
- Inst. Oceanogr. U. Sao Paulo — Instituto Oceanografico, Universidade de Sao Paulo
- Inst. Roy. Sc. Nat. Belgique — Institut Royal des Sciences Naturelles de Belgique
- Marine Biol. Lab., Trivandrum, India — Marine Biological Laboratory, Trivandrum, India
- Mie Prefectural U., Tsu, Japan — Mie Prefectural University, Tsu, Japan
- Mus. Central Marine Fish. Res. Inst., Mandapam Camp, South India — Museum of the Central Marine Fisheries Research Institute, Mandapam Camp, South India
- Mus. Comp. Zool. Harvard U. — Museum of Comparative Zoology, Harvard University

Mus. Océanogr., Monaco	— Musée Océanographique de Monaco
Mus. Congo Belge, Tervuren	— Muséum du Congo Belge, Tervuren (currently Musée Royal de l'Afrique Centrale, Tervuren)
Mus. Natl. Hist. Nat., Paris	— Muséum National d'Histoire Naturelle, Paris
Mus. Nat. Hist., Stockholm	— Museum of Natural History, Stockholm
Mus. Roy. Hist. Nat., Brussels	— Musée Royale d'Histoire Naturelle, Bruxelles
Mus. Zool. Comp. Estacion Biol. Marina, Concepción, Chile	— Museo de Zoología Comparativa, Estación de Biología Marina, Concepción, Chile
Mus. Zool. R. Univ., Genova	— Museo di Zoologia e Anatomia Comparata della Royal Università di Genova
Mus. Civ. Stor. Nat., Genova	— Museo Civico di Storia Naturale di Genova
Natl. Mus. Nat. Sc., Canada	— National Museum of Natural Sciences of Canada
Naturhist. Mus., Vienna	— Naturhistorisches Museum, Wien
Riksmus., Stockholm	— Naturhistoriska Riksmuseet, Stockholm
South African Mus.	— South African Museum
State Mus. Windhoek	— State Museum, Windhoek
TINRO, Vladivostok	— Tikhookeanskii Nauchno-Issledovatelski Institut Rybnogo Khozyaystva i Okeanografi (Pacific Research Institute of Fisheries and Oceanography)
Übersee Mus., Bremen	— Übersee Museum, Bremen
USNM	— United States National Museum, Smithsonian Institution, Washington, D.C.
U. Southern California	— University of Southern California
Zool. Dept. Victoria U., Wellington, N.Z.	— Zoology Department, Victoria University, Wellington, New Zealand
Zool. Inst. Akad. Nauk SSSR, Leningrad	— Zoologicheskii Institut Akademii Nauk SSSR (Zoological Institute of the Academy of Sciences of the USSR)
Zool. Mus. Humboldt U., Berlin	— Zoologisches Museum der Humboldt-Universität zu Berlin
Zool. Mus. U. Copenhagen	— Universitetets Zoologiske Museum, Köbenhavn
Zool. Mus. U. Uppsala	— Zoological Museum of the University of Uppsala

# **CATALOGUE**



## Catalogue

<i>Caligus curtus</i> Müller, 1785 (Type species)	1847	Frey and Leuckart. List. Comp. with <i>C. leptochilus</i> . p. 158, 165.
1785 Müller, O. F. Nom. nov. Descr. ♀, syn.; <i>Gadus merlangus</i> ; Danish waters. Comp. with <i>C. productus</i> . p. 130–132, 133; pl. XXI(fig. 1, 2). Dep. type material unknown.	1847	Thompson. W. <i>Raia maculata</i> ; Belfast Bay. p. 247, 249.
1794 Abildgaard. Ment. p. 49, 54.	1850	Baird. Ment. p. 267.
1798 Cuvier. Brief descr. p. 453–454.	1855	van Beneden. Ment. <i>C. curtus</i> of Krøyer, 1837 syn. of <i>C. elegans</i> . p. 92.
1802 Bosc. List. p. 198.	1856	Cuvier. List. p. 447.
1802 Latreille. List. Vol. 3, p. 15; Vol. 4, p. 372, pl. 31.	1861	Gosse. List. p. 125.
1814 Leach. Syn. of <i>C. piscinus</i> . p. 388.		Thompson, W. List. p. 410.
1815 Tilesius. Descr. Varieties on salmon from Kamchatka and on <i>Coryphaena</i> and <i>Squalus</i> from Brazil. p. 356–358, 363; pl. VIII(fig. 1, 2).	1861	van Beneden. <i>Gadus callarias</i> , <i>Gadus aeglefinus</i> ; Belgium. <i>C. curtus</i> of Krøyer, 1837 syn. of <i>C. elegans</i> . p. 147.
1816 Leach. List. as type of genus. p. 405.		Steenstrup and Lütken. Brief descr. ♀ ♂, syn., key. Comp. with <i>C. lacustris</i> .
1817 Cuvier. Descr. <i>Monoculus piscinus</i> syn. p. 63–64.	1863–64	<i>C. elegans</i> , ? <i>C. diaphanus</i> of Baird, 1850, <i>C. americanus</i> new syns. p. 353, 356, 370, 429; pl. I(fig. 2*).
1818 Lamarck. Syn. of <i>C. piscinus</i> . p. 141.		Krøyer. Descr. ♀ ♂, l.h. Comp. with <i>C. lumpi</i> , <i>C. aeglefini</i> , <i>C. fallax</i> . p. 109, 110, 111, 114, 148, 163, 164, 165, 166, 167, 169, 180–181, 415; pl. VII(fig. 3e).
1819 Leach. Ment. p. 536.		Nordmann. List. p. 463, 468.
1824 Johnston. Ment. p. 294.	1864	Desmarest. Syn. of <i>C. piscinus</i> . p. 340.
1825 Desmarest. Identical with Leach (1814).	1866–79	Latreille. Syn. of <i>C. piscinus</i> . p. 197.
1829 Latreille. Identical with Leach (1814).	1868	Bosc. List. p. 64.
1830 Nordmann. Identical with Leach (1814).	1869	Leach. Identical with Leach (1814).
1832 Nordmann. Identical with Leach (1814).		Leach. Syn. of <i>C. piscinus</i> . p. 226.
1832 Nordmann. Identical with Leach (1814).		Nordmann. Ident. <i>C. biscuspis</i> new syn. p. 24, 137–138.
1835 Burmeister. List. Intergenera comp. of mouth tubes. p. 279 (footnote), 331.	1871	Burmeister. List. Intergenera comp. of mouth tubes. p. 279 (footnote), 331.
1836 Cuvier. Identical with Latreille (1829). p. 251.	1873	Cuvier. Identical with Latreille (1829). p. 251.
1837 Edwards. Identical with Latreille (1829). p. 262.	1874	Edwards. Identical with Latreille (1829). p. 262.
1837 Krøyer. Hist., descr. ♀ ♂, anat., l.h., syn.; <i>Gadus callarias</i> , <i>Gadus aeglefinus</i> ; Denmark. <i>C. mülleri</i> new syn. p. 201, 619–622, 628; pl. VI(fig. 2a–m).	1880	Krøyer. Hist., descr. ♀ ♂, anat., l.h., syn.; <i>Gadus callarias</i> , <i>Gadus aeglefinus</i> ; Denmark. <i>C. mülleri</i> new syn. p. 201, 619–622, 628; pl. VI(fig. 2a–m).
1838 Krøyer. Ment., brief descr., key. p. 11, 17, 18, 19, 28, 29, 152, 156.	1885	Miers. Cod; North Sea. p. 71.
1838–40 Krøyer. Ment.; <i>Gadus morhua</i> ; Denmark. p. 606.	1889	Rathbun, R. <i>Gadus morhua</i> , <i>Phycis tenuis</i> , <i>Raia laevis</i> ?; Atlantic coast of United States. p. 486.
1840 Edwards. List. <i>C. curtus</i> of Krøyer, 1837 and of Desmarest, 1825 nec <i>C. curtus</i> Müller. p. 451.	1890	Dalla Torre. List. p. 86.
1843 Rathke. Descr., anat.; <i>Gadus molva</i> ; Isle of Griepe. p. 98–102.	1893	Malard. List. p. 90.
1843–45 Krøyer. Ment.; <i>Gadus morhua</i> , <i>Gadus aeglefinus</i> , <i>Lota molva</i> ; Denmark. p. 40, 60, 166.	1894	Thompson, I. C. Cod, plaice; Liverpool Bay. p. 38, 48; pl. XXVII(fig. 3).
1847 Erichson. List. p. 210.	1895	Timm. <i>Gadus morhua</i> ; North Sea. p. 396.
	1896a	Thompson, I. C. Identical with Thompson (1893). p. 118; pl. XXVII (fig. 3).
	1896b	Bassett-Smith. Ment. p. 9.
	1896	Bassett-Smith. Cod; Plymouth. p. 157.
		Olsson. List. p. 502.

- 1898a Brian. *Lichia amia*; Genoa. p. 208, 226; pl. I(fig. 2). Dep. Mus. Zool. R. Univ. Genova.
- 1898b Brian. Identical with Brian (1898a). p. 6, 24.
- 1898c Brian. Fig. 2 [p. 171].
- 1899 Bassett-Smith. Hosts, syn. p. 447.
- 1899a Brian. List. p. 4, 10.
- 1899b Brian. List. p. 4, 10.
- 1899c Brian. List. p. 10.
- 1900 Brian. List. p. 206.
- 1900 Scott, T. Several *Gadus* spp., *Merluccius vulgaris*, *Molva molva*, *Brosnius brosme*, *Pleuronectes platessa*, *Raia batis*, *Raia oxyrhynchus*; coast of Scotland. p. 148, 182; pl. V(fig. 8-12).
- 1901a Scott, T. List. p. 356.
- 1901b Scott, T. Ment. p. 144.
- 1901 Whiteaves. List. p. 216.
- 1902-03 Wesenburg-Lund. Comp. with *C. lacustris*. p. 278.
- 1903 Scourfield. List. Doubted freshwater occurrence. p. 540.
- 1904 Gadd. Syn. Comp. with *C. lacustris*. p. 16.
- 1904 Scott, A. Cod, ling, hake, plaice, and others; Irish Sea. p. 118.
- 1905a Brian. Comp. with *C. remora*. p. 564.
- 1905 Norman. List. p. 41.
- 1905 Pearson. List. p. 24.
- 1905 Rathbun, M. J. List. p. 90, appendix p. 8.
- 1905 Wilson. Hist., descr. ♀ ♂, l.h., syn., key; *Gadus morhua*, *Melanogrammus aeglefinus*, *Urophycis tenuis*, *Hippoglossus hippoglossus*, *Pollachius virens*, *Raia laevis*; New England (USA) coast. *C. aeglefini*, *C. rissonianus* [*lapsus for rissoanus*] new syns. p. 480, 481, 482, 500, 501, 502, 515, 516, 517, 518, 522, 523, 529, 555, 557, 571, 578-582, 637, 670; pl. X(fig. 112-124); text fig. 8, 24, 28. Dep. USNM.
- 1906 Brian. Hosts, distr., syn.; *Mugil cephalus*; Mediterranean. p. 35-38, 41, 124, 177, 181.
- 1906 Norman and T. Scott. List. p. 205, 206.
- 1906 Scott, T. Syn. p. 366-367.
- 1908a Brian. Ment. p. 97.
- 1908a Wilson. Ment.; *Mugil cephalus*; Beaufort, North Carolina (USA). p. 598, 599, 619, 625.
- 1913 Guiart. *Gadus pollachius*; Baie de Concarneau (France). p. 6.
- 1913 Scott, T., and A. Scott. Descr. ♀ ♂. Comp. with *C. brevicaudatus*. Vol. 1, p. 30, 45-46, 57; Vol. 2, pl. XXIV(fig. 1, 2), XXV(fig. 7-9).
- 1913 Stephensen. Torskefisk [cod] and other fishes; Greenland. p. 345.
- 1913 Sumner et al. Local hosts, distr. p. 641.
- 1914a Brian. *Gadus aeglefinus*; Atlantic coast of Canada. p. 2. Dep. Mus. Oceanogr., Monaco.
- 1915 Stock, V. Cod, tomcod, haddock, hake, pollock; Bay of Fundy, Atlantic coast of Canada. p. 69-71.
- 1918 Jorgensen. *Gadus morrhua*; North Sea. Comp. with *C. rapax*. p. 66-67; fig. 1-3 of unnumbered second plate.
- 1920a Wilson. Cod, haddock; Greenland. p. 12.
- 1923 Hansen. *Gadus* sp., *Gadus callarias*, *Gadus aeglefinus*, *Molva byrkelange*, *Hippoglossus vulgaris*; Greenland, Iceland, Faeroes. p. 28-29.
- 1924 Johnstone et al. List. p. 19.
- 1924 Leigh-Sharpe and Perkins. *Gadus virens*, *Gadus morrhua*; Iceland. p. 289.
- 1926 Leigh-Sharpe. *Gadus morrhua*, *Gadus minutus*; Plymouth. p. 384.
- 1928 Russell and Yonge. Figured. pl. 81 (fig. 3).
- 1929 Brian. Syn. Same host and locality records as Brian (1914a). p. 3-4.
- 1929 Scott, A. List. p. 88.
- 1929 Stephensen. Distr., syn.; *Gadus callarias*, *Molva byrkelange*; Faroes. p. 1, 7, 13.
- 1930 Bere. *Melanogrammus aeglefinus*, *Gadus callarias*, *Pollachius virens*, *Microgadus tomcod*; New Brunswick (Canada). p. 423.
- 1931 Argilas. Ment. Comp. with *C. pageti*. p. 100, 101.
- 1931a Brian. Ment. p. 119.
- 1932 Bazikalova. *Gadus callarias*, *Gadus aeglefinus*; Murmansk (USSR). p. 147.
- 1932a Wilson. Descr. ♀ ♂, hosts, distr. p. 398-400; fig. 245a, b.
- 1933a Leigh-Sharpe. List. p. 110.
- 1934 Pesta. Descr. ♀ ♂, distr. p. 18-19, 20; fig. 9, 10.
- 1935 Brian. Ment. *C. curtus* of Brian, 1898, 1899 syn. of *C. lichiae*. *C. curtus* of Brian, 1906 syn. of *C. minimus* var. *mugilis*. p. 164, 167, 171.
- 1936 Markevich. *Gadus callarias*, *Gadus aeglefinus*; Barents Sea. p. 43.

1936	van Oorde-de Lint and Schuurmans Stekhoven. Brief descr., hosts, distr. Comp. with <i>C. rapax</i> , <i>C. minimus</i> , <i>C. belones</i> . p. 128–129, 187–189; fig. 89a, b.	1956	Markevich. Descr. ♀ ♂, hosts, distr.; <i>Hippoglossus hippoglossus</i> . p. 9, 112, 120–122; fig. 62.
1936	Schuurmans Stekhoven. <i>Rhombus maximus</i> ; Belgium. p. 7.	1957	Yeatman. Ment. p. 346, 351.
1936c	Wilson. Plankton; Bermuda. p. 89, 93.	1958	Dogiel et al. Ment. p. 65, 74–75.
1936	Yamaguti. Ment. p. 4.	1959	Ronald. Flatfish hosts. p. 19, 25, 36, 54.
1937	Markewitch [Markevich]. Ment. p. 38, 82.	1960	Stuardo and Fagetti. Ment. p. 197.
1939	Redeke. Ment. p. 199.	1961	Noble, E. R., and G. A. Noble. Ment. p. 675.
1940	Legendre. Ment. p. 284.	1961	Dogiel et al. English transl. of Dogiel et al. (1958). p. 58, 66–67, 68.
1940	Stephensen. <i>Gadus callarias</i> , <i>Gadus aeglefinus</i> , <i>Gadus virens</i> , <i>Hippoglossus vulgaris</i> , <i>Molva vulgaris</i> ; Iceland. p. 1, 3, 20.	1962	Bresciani and Lützen. List. p. 405.
1943b	Heegaard. Hosts, distr.; Adriatic Sea (no host given). p. 8–9. Dep. Riksmus., Stockholm.	1962	Dogiel. Ment. p. 235, 236.
1945	Heegaard. <i>Rhombus maximus</i> ; Sweden. p. 5. Dep. Zool. Mus. U. Uppsala.	1962	Heegaard. Ment. p. 164.
1946	Dawes. Ment. p. 121.	1962	Bocquet and J. H. Stock. Ment. p. 290.
1947	Dawes. Ment. p. 55.	1963	Dogiel. German transl. of Dogiel (1962). p. 260, 261.
1947	Heegaard. Anat., l.h. p. 11, 14, 21, 29, 31–97, 99, 100, 101, 105, 110, 174, 204, 205, 232; pl. 1(fig. 1–7), 2(fig. 8–15), 3(fig. 16–20), 4(fig. 21–31), 5(fig. 32–35), 20(fig. 151–153), 21(fig. 154–155), 22(fig. 156–157), 26(fig. 201); text fig. 3.	1963	Heegaard. Ment. p. 316; fig. 2.
1947	Gurney. Anat. p. 495, 498.	1963	Lewis. Ment. p. 201, 217, 240.
1948	Dollfus. Ment. p. 23.	1963	Polyansky and Kulemina. <i>Gadus morhua</i> ; Barents Sea. p. 15, 16–17.
1948	Lang. Ment. p. 30, 34.	1963	Yamaguti. Hosts, distr. p. 48; pl. 60(fig. 1a–j).
1949	Heller, A. F. <i>Gadus callarias</i> ; Baie de Chaleur (New Brunswick, Canada). p. 257.	1964	Dogiel. English transl. of Dogiel (1962). p. 246–247.
1949	Ferris and Henry. Nervous system. p. 115–120; fig. 66, 67.	1964	Kirtisinghe. Brief descr. ♀ ♂; <i>Pristipomoides typus</i> ; Ceylon. p. 62–63, 127; fig. 49, 50.
1950b	Gnanamuthu. Comp. with <i>C. scabiei</i> . p. 115.	1964	Noble, E. R., and G. A. Noble. Ment. p. 609.
1951	Lang. Descr. sternal furca. p. 499–501; fig. 1.	1966b	Lewis. Ment. p. 7.
1953	Dollfus. Descr. ♀ ♂, hosts, distr., syn. <i>C. fallax</i> considered a teratological specimen of <i>C. curtus</i> . p. 44, 45, 49, 327–332; fig. 222–227.	1966	O'Riordan. Cod, skate; Irish waters. p. 372.
1954	Schäperclaus. List. p. 211, 212; fig. 91a, b.	1966	Polyansky. English transl. of Polyansky (1955). p. 91, 95, 100, 101, 102, 114, 118, 119, 120, 122, 138, table 22.
1954i	Shiino. Comp. with <i>C. glandifer</i> . p. 156.	1967	Pillai. Brief descr., hosts, distr. p. 1587, 1588, 1673; fig. 62.
1955	Polyansky. Distr.; <i>Pollachius virens</i> , <i>Melanogrammus aeglefinus</i> , <i>Gadus morhua</i> <i>morhua</i> , <i>Molva molva</i> ; Barents Sea. p. 100, 101, 105, 111, 112, 113, 130, 133, 135, 136, 138, table 22, 156.	1968	Davis. Ment. p. 346.
1956	Carvalho. Comp. with <i>C. oligoplitisi</i> . p. 17.	1968	Dienske. List. p. 53.
1956	Dawes. Identical with Dawes (1946).	1968b	Parker. List. p. 366.
		1968	Parker et al. Hist., descr. ♀ ♂, hosts, distr., syn. p. 1923–1969; fig. 1–108.
		1969	Hamond. <i>Gadus</i> sp.; North Sea. p. 229.
		1969	Holthuis. List. p. viii.
		1969	Izawa. Comp. with <i>C. centrodonti</i> , <i>C. pageti</i> , <i>C. rapax</i> , and <i>C. spinosus</i> . p. 153, 154, 155.
		1969	Lewis. Ment. p. 67.
		1969	Parker. Ment., syn. Comp. with <i>C. elongatus</i> . p. 1014, 1015, 1018, 1020, 1032.
		1970	Brunel. <i>Gadus morhua</i> ; Gulf of St. Lawrence (Canada). p. 28.

- 1970 Kabata. Descr. mouth parts. p. 24–26; fig. 22–23.
- 1971 Blacker. List. p. 3:8.
- 1971 Kabata and Hewitt. Ment. p. 1144, 1145; fig. 1.
- 1971 Noble, E. R., and G. A. Noble. Ment. p. 515.
- 1971 Reimer et al. List. p. 91.
- 1972a Kabata. Comp. with *C. clemensi*. p. 1591, 1592.
- 1959 Shen and Li. N. sp. Descr. ♀; plankton?; Tsingtao (China). p. 18–19; pl. III(fig. 30–41a). Dep. type material unknown.
- 1963 Yamaguti. List. p. 48; pl. 53(fig. 1a–d).
- 1964c Hewitt. Comp. with *C. buechlerae*. p. 129.

### *C. abbreviatus* Krøyer, 1863

- 1863–64 Krøyer. N. sp. Descr. ♀ ♂; *Labrus bergylta*?; Bergen (Norway). p. 135–138, 174–175, 413; pl. III(fig. 3a–h). Types dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 765, 802.
- 1869 Olsson. List. p. 7.
- 1898a Bassett-Smith. Comp. with *C. parvus*. p. 5.
- 1899 Bassett-Smith. List. p. 446.
- 1900 Stebbing. Comp. with *C. nautili*. p. 668, 669.
- 1905b Scott, T. Descr. ♀, l.h., syn.; *Labrus bergylta*; Scottish waters. Probably syn. of *C. centrodonti*. p. 109; pl. V(fig. 1–6).
- 1905 Wilson. Key. p. 558.
- 1913 Wilson. Ment. p. 216, 220.
- 1913 Scott, T., and A. Scott. Ment. Syn. of *C. centrodonti*. p. 50, 52.
- 1940 Osmanov. Brief descr. ♀; *Crenilabrus pavo*, *Crenilabrus ocellatus*, *Labrus* sp.; Black Sea. p. 247–248, 259.
- 1955b Reshetnikova. List. as *C. abbreviatus* [sic]. p. 120.
- 1956 Markevich. Ment. Syn. of *C. centrodonti*. p. 6, 123, 124.
- 1963 Yamaguti. Syn. of *C. centrodonti*. p. 48.
- 1968b Parker. List. p. 363.

### *C. acutus* Kirtisinghe, 1964

- 1964 Kirtisinghe. Nom. nov. for *C. affinis* of Kurian, 1961. Brief descr. ♀; undetermined flatfish, *Gaterin lineatus*; Ceylon. p. 66; fig. 58–67. Dep. type material unknown.
- 1967 Pillai. Brief descr., hosts, distr. p. 1587, 1588, 1672; fig. 63.
- 1971 Pillai. Syn. of *C. savala*. p. 164, 166.

### *C. aduncus* Shen and Li, 1959

- 1959 Shen and Li. N. sp. Descr. ♀; plankton?; Tsingtao (China). p. 18–19; pl. III(fig. 30–41a). Dep. type material unknown.
- 1963 Yamaguti. List. p. 48; pl. 53(fig. 1a–d).
- 1964c Hewitt. Comp. with *C. buechlerae*. p. 129.

### *C. aeglefini* Krøyer, 1863

- 1863–64 Krøyer. N. sp. Descr. ♀ ♂; *Gadus aeglefinus*, *Raja radiata*; Denmark. Comp. with *C. curtus*. p. 163–165, 169, 181–182, 415; pl. VII(fig. 3a–f). Types dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 762, 802.
- 1869 Olsson. List. p. 7.
- 1899 Bassett-Smith. List. p. 447.
- 1905 Wilson. Syn. of *C. curtus*. p. 555.
- 1913 Scott, T., and A. Scott. Syn. of *C. curtus*. p. 45.
- 1923 Hansen. Syn. of *C. curtus*. p. 28.
- 1929 Brian. Syn. of *C. curtus*. p. 3.
- 1945 Heegaard. Syn. of *C. curtus*. p. 5.
- 1947 Heegaard. Syn. of *C. curtus*. p. 31.
- 1953 Dollfus. Syn. of *C. curtus*. p. 328.
- 1956 Markevich. Syn. of *C. curtus*. p. 120.
- 1963 Yamaguti. List. independently and also as syn. of *C. curtus*. p. 48; pl. 53(fig. 2a–c).
- 1964 Kirtisinghe. Syn. of *C. curtus*. p. 62.
- 1968b Parker. List. p. 363.
- 1968 Parker et al. Syn. of *C. curtus*. p. 1923.

### *C. aesopus* Wilson, 1920

- 1920b Wilson. N. sp. Descr. ♀; scombrid, probably *Seriola pervana*; Juan Fernandez Is. p. 72–74; pl. 3(fig. 8–10), 4(fig. 11–13). Types dep. Mus. Natl. Hist., Stockholm.
- 1921 Wilson. Identical with Wilson (1920b).
- 1961 Fagetti and Stuardo. Ment. p. 6.
- 1961 Stuardo and Fagetti. Ment. p. 57, 77, 80.
- 1963 Hewitt. Descr. ♀ ♂; *Seriola grandis*; New Zealand. p. 61, 71–78, 114; fig. 4(1–8), 5(1–6). Dep. Zool. Dept. Victoria U., Wellington, N.Z.
- 1963 Yamaguti. List. p. 49; pl. 53(fig. 3a–e).
- 1972 Hewitt and Hine. List. p. 97, 108.

**C. affinis** Heller, 1866

- 1866 Heller, C. N. sp. Descr. ♀ ♂; *Umbrina cirrhosa*; Adriatic Sea. p. 751, 752–753. Dep. type material unknown.
- 1866–79 Gerstaecker. List. p. 769, 804.
- 1880 Richiardi. List. p. 148.
- 1880 Stossich. List. p. 254–255.
- 1880 Valle. *Umbrina cirrhosa*; Adriatic Sea. p. 57, 85.
- 1885 Carus. Brief descr. ♀ ♂. p. 357.
- 1900 Graeffe. List. p. 11.
- 1905 Wilson. Ment., key. p. 555, 560.
- 1906 Brian. List. p. 45, 128, 130, 180, 181.
- 1914b Brian. *Umbrina cirrhosa*; Ligurian Sea (Mediterranean). p. 134.
- 1935 Brian. Descr. ♀, host, distr. p. 152, 153, 193–195, 207; fig. XV(1–4).
- 1939 Brian. *Sphyraena* sp.; Cabinda Bay (Atlantic coast of Africa). p. 178–179; fig. I. Dep. Mus. Congo Belge, Tervuren, No. 21618, 21619.
- 1955a Barnard. List. p. 311.
- 1963 Yamaguti. Hosts, distr. p. 49.
- 1964 Kirtisinghe. Ment. p. 66.
- 1967 Silas and Ummerkutty. Ment. p. 961.
- 1968b Parker. List. p. 364.

**C. affinis** Kurian, 1961

- 1961 Kurian. N. sp. Descr. ♀; *Euthynnus affinis*; Kerala (India). p. 71–72; fig. 37–45. Types dep. Indian Mus. Zool. Survey, Calcutta.
- 1964 Kirtisinghe. Syn. of *C. acutus*. p. 66.
- 1967 Pillai. Syn. of *C. acutus*. p. 1588.
- 1967 Silas and Ummerkutty. Descr. ♀, host, distr. p. 957, 961, 980, 992; fig. 44(16–24).
- 1971 Pillai. Syn. of *C. savala*. p. 164, 166.

**C. afurcatus** Wilson, 1913

- 1913 Wilson. N. sp. Descr. ♀; *Sparisoma viride*; Jamaica. p. 215–217, 274; pl. 30 (fig. 102–106), 32 (fig. 136–138). Types dep. USNM; holotype No. 43518, paratypes No. 42259.
- 1941 Capart. Ment. p. 173.
- 1949 Thomsen. Referred to *Metacaligus* n. subgen. p. 6, 7.
- 1963 Yamaguti. List. p. 47, 49; pl. 53 (fig. 4).

**C. alaihi** Lewis, 1968

- 1968 Lewis. N. sp. Descr. ♀ ♂; *Holocentrus sammara*; Eniwetok Atoll (South Pacific). p. 64–71; fig. 26a–g, 27a–f, 28a–h. Types dep. USNM; holotype ♀ No. 120766, allotype ♂ No. 120767.

**C. alalongae** Krøyer, 1863

- 1863–64 Krøyer. N. sp. Descr. ♂; *Thynnus alalonga*; locality unknown. p. 129–131, 172–173, 413; pl. IV (fig. 6a–c). Types dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List from Mediterranean. p. 767, 804.
- 1885 Carus. Brief descr. p. 358.
- 1899 Bassett-Smith. List. p. 449.
- 1905 Wilson. Ment., key. *C. carangis* new syn. p. 497, 555, 559.
- 1906 Brian. List. p. 37, 128, 179, 181.
- 1935 Brian. List. p. 153, 204, 207.
- 1937 Kirtisinghe. Descr. ♀ ♂; *Caranx kalla*, *Caranx* spp.; Ceylon. *C. carangis* syn. p. 435–437, 439; fig. 1–14.
- 1940 Legendre. Ment. p. 284.
- 1952 Dollfus. List. p. 44.
- 1953 Capart. *Mobula rochebrunei*; Gorée (Sénégal, Africa); *Thynnus alalonga*; South Atlantic. *C. alalongae* of Kirtisinghe, 1937 not conspecific with Krøyer's species. p. 648, 654.
- 1954 Yamaguti. Descr. ♀ ♂; *Elagatis* sp., *Caranx* sp.; Macassar (Celebes). p. 379–381, 397; pl. II (fig. 19), III (fig. 21).
- 1959 Capart. Descr. ♀; *Thunnus obesus*; Mossamédès (west coast southern Africa). p. 59, 62, 78–79; fig. 12a–e. Hypotypes [sic] (♀) dep. Inst. Roy. Sc. Nat. Belgique, I.G. No. 16808.
- 1959c Shiino. Comp. *C. alalongae* of Kirtisinghe, 1937 with *C. klawei*. Kirtisinghe's *alalongae* apparently not conspecific with Krøyer's. p. 356.
- 1961 Pillai. *C. alalongae* of Kirtisinghe, 1937 syn. of *C. confusus*, nec *C. alalongae* Krøyer. Comp. *C. alalongae* of Kirtisinghe with *C. constrictus*. p. 94–95, 104.
- 1962b Nunes-Ruivo. List. p. 4, 16.
- 1963 Yamaguti. Hosts, distr. p. 49; pl. 59 (fig. 2a, b).
- 1964 Kirtisinghe. *C. alalongae* of Kirtisinghe, 1937 and of Yamaguti, 1954 syn. of *C. confusus*. p. 68.

- 1967 Pillai. Identical with Kirtisinghe (1964). p. 1580.
- 1967 Silas and Ummerkutty. Hosts, distr. Syn. *C. alalongae* of Kirtisinghe, 1937. p. 877, 880, 903, 947, 957, 961–962.
- 1968 Kabata. *C. alalongae* of Kirtisinghe, 1937 (*nec Krøyer*) syn. of *C. confusus*. p. 9.
- 1968 Lewis. *C. alalongae* of Kirtisinghe, 1937 (*nec Krøyer*) and of Yamaguti, 1954 syn. of *C. confusus*. p. 53.
- 1968b Parker. List. p. 364.
- C. alatus* Heegaard, 1943**
- 1943b Heegaard. N. sp. Descr. ♀ ♂; l.h.; *Canthidermis*, probably *C. maculatus*; West Indies. p. 1, 14–20, 35; fig. 32–55. Types dep. Riksmus., Stockholm, No. 295.
- 1954e Shiino. Comp. with *C. brevis*. p. 183.
- 1955a Shiino. Comp. with *C. punctatus*. p. 139, 140.
- 1957 Shen. Comp. with *C. laticorpus*. p. 355, 370.
- 1959c Shiino. Comp. with *C. klawei*. p. 356.
- 1959 Yamaguti and Yamasu. Comp. with *C. canthidermis*. p. 112–114.
- 1962 Heegaard. Comp. with *C. lucidus*. p. 160.
- 1963 Yamaguti. List. p. 49; pl. 57(fig. 1a–d).
- 1964c Hewitt. Comp. with *C. buechlerae*. p. 129.
- C. aliuncus* Wilson, 1905**
- 1905 Wilson. N. sp. Descr. ♀, key; free swimming; locality unknown. p. 479, 492, 495, 514, 556, 576–577, 670; pl. IX(fig. 103–111). Types dep. USNM; holotype ♀ No. 42036.
- 1933 Gurney. Ment. p. 328.
- 1934 Gurney. Ment. p. 191.
- 1936b Wilson. Descr. ♀; *Euthynnus alleteratus*; Dry Tortugas (Florida, USA). p. 330. Dep. USNM, No. 64044.
- 1937a Wilson. Descr. ♂; *Seriola dorsalis*, *Gymnosarda pelamis*; Galapagos Is. p. 27–28, 30; pl. 3(fig. 4a–e). Paratype ♂ dep. USNM, No. 69865.
- 1943b Heegaard. Comp. with *C. elongatus* n. sp. p. 11.
- 1948 Bonnet. *Euthynnus alleteratus*; Hawaii. p. 7.
- 1949 Heegaard. Syn. of *C. coryphaenae*. p. 241, 242.
- 1952 Shiino. Comp. with *C. tesserifer*. p. 92.
- 1953b Causey. *Rachycentron canadus*, *Caranx hippos*; Gulf of Mexico (Texas, USA). p. 8.
- 1954b Shiino. Comp. with *C. latigenitalis*. p. 24.
- 1959b Shiino. Syn. of *C. coryphaenae*. p. 2, 25, 32.
- 1959 Capart. Syn. of *C. coryphaenae*. p. 81.
- 1961 Kurian. Comp. with *C. coryphaenae*. p. 69, 70.
- 1962a Nunes-Ruivo. Syn. of *C. coryphaenae*. p. 70.
- 1963a Pillai. Syn. of *C. coryphaenae*. p. 513, 514, 516–518, 522.
- 1963 Ho. Syn. of *C. coryphaenae*. p. 82.
- 1963 Yamaguti. Hosts, distr. Syn. of *C. coryphaenae*. p. 49, 51; pl. 52(fig. 2).
- 1964 Kirtisinghe. Syn. of *C. coryphaenae*. p. 51, 52.
- 1966 Kabata and Gusev. Syn. of *C. coryphaenae*. p. 159.
- 1967 Lewis. Syn. of *C. coryphaenae*. p. 101.
- 1967 Silas and Ummerkutty. Syn. of *C. coryphaenae*. p. 884, 886, 965.
- C. alolaris* of Silas and Ummerkutty, 1967**
- 1967 Silas and Ummerkutty. *Lapsus* for *C. alveolaris*. p. 957.
- C. alveolaris* Heegaard, 1962**
- 1962 Heegaard. N. sp. Descr. ♀ ♂; *Euthynnus alliteratus*; North Queensland. p. 156–157, 197; fig. 37–44. Types dep. Australian Mus., Sydney.
- 1964 Kirtisinghe. Syn. of *C. coryphaenae*. p. 51.
- 1965 Kabata. List. p. 109.
- 1966 Kabata and Gusev. Syn. of *C. coryphaenae*. p. 159.
- 1967 Pillai. Syn. of *C. euthynus*. p. 1574.
- 1967 Silas and Ummerkutty. List. as *C. alolaris*, descr. ♀ ♂, host, distr. p. 957, 962, 992; fig. 39(1–9).

**C. amblygenitalis** Pillai, 1961

- 1961 Pillai. N. sp. Descr. ♀; *Euthynmus affinis*; South India. p. 98–100; fig. 7A–J. Types dep. Marine Biol. Lab., Trivandrum, India.
- 1965a Shiino. Comp. with *C. longiabdominis*. p. 396, 397.
- 1967 Pillai. Brief descr., hosts, distr. p. 1580, 1672; fig. 43.
- 1967 Silas and Ummerkutty. Descr. ♀, host, distr. p. 957, 962–963, 992; fig. 40(36–45).

**C. americanus** Pickering and Dana, 1838

- 1838 Pickering and Dana. N. sp. Descr. ♀ ♂, anat.; cod; New York coast. p. 225–266; pl. III–V (fig. 1–25). Dep. type material unknown.
- 1840 Edwards. Descr., key. p. 451–452.
- 1844 DeKay. List. p. 58.
- 1853 Dana. Ment. p. 1354, 1355.
- 1854 Cuvier. Ment. p. 447.
- 1855 Dana. pl. 93(fig. 1a–w).
- 1861 Steenstrup and Lütken. Syn. of *C. curtus*. p. 353.
- 1864 Nordmann. Ment. p. 463.
- 1866–79 Gerstaecker. List. p. 762.
- 1868 Chernyavsky. Ment. p. 56.
- 1869 Olsson. Syn. of *C. curtus*. p. 6.
- 1873 Verrill. Syn. of *C. curtus*. p. 575.
- 1874 Verrill and Smith. Identical with Verrill (1873). p. 281.
- 1883 Gissler. Ment. p. 885, 887.
- 1885 Rathbun, R. Syn. of *C. curtus*. p. 486.
- 1890 Malard. List. p. 89.
- 1896 Olsson. Syn. of *C. curtus*. p. 502.
- 1899 Bassett-Smith. Syn. of *C. curtus*. p. 447.
- 1901 Whiteaves. Syn. of *C. curtus*. p. 216.
- 1905 Rathbun, M. Syn. of *C. curtus*. p. 90.
- 1905 Pearson. Syn. of *C. curtus*. p. 24.
- 1905 Wilson. Syn. of *C. curtus*. p. 482, 555, 578, 581.
- 1906 Brian. Ment. Syn. of *C. curtus*. p. 35, 36.
- 1929 Brian. Syn. of *C. curtus*. p. 3.
- 1953 Dollfus. Syn. of *C. curtus*. p. 328.
- 1956 Markevich. Syn. of *C. curtus*. p. 120.
- 1963 Yamaguti. Syn. of *C. curtus*. p. 48.
- 1968b Parker. List. p. 363.
- 1968 Parker et al. Syn. of *C. curtus*. p. 1923, 1925, 1929.

**C. amplifurcatus** Pearse, 1953

- 1953a Pearse. See *C. amplifurcatus*.
- 1959d Shiino. Ment. p. 285.
- 1967 Lewis. Ment. p. 145.

**C. amplifurcus** Pearse, 1953

- 1953a Pearse. N. sp. Descr. ♀ ♂; *Caranx crysos*; Florida. p. 199–201; fig. 29–35. Types dep. USNM, No. 93710. “*C. amplifurcatus*” was used in caption of figures.
- 1959d Shiino. Descr. ♂; *Caranx lugubrius*; Pacific off Mexico. p. 280–285; fig. 7a–j, 8a–f.
- 1963 Kubota and Takakuwa. *Caranx delicatissimus*; Japan. p. 116, 117, 123; fig. 1C', 1C'', 2A', 2A''.
- 1963 Yamaguti. Hosts, distr. p. 49.
- 1967 Lewis. New syn. of *C. longipedis*. p. 145, 148, 150.

**C. angustatus** Krøyer, 1863

- 1863–64 Krøyer. N. sp. Descr. ♀; cod, haddock; Denmark. p. 158–162, 179–180, 415; pl. VII(fig. 2a–d). Types dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 762, 802.
- 1869 Olsson. List. p. 10.
- 1899 Bassett-Smith. List. p. 453.
- 1905 Wilson. Ment., key. p. 492, 558.
- 1940 Stephensen. List. p. 20.
- 1963 Yamaguti. List. p. 49; pl. 54(fig. 3a, b).
- 1968b Parker. List. p. 365.

**C. annularis** Yamaguti, 1954

- 1954 Yamaguti. N. sp. Descr. ♀; *Otolithes* sp., *Caranx* sp.; Celebes. p. 385–386, 397; pl. IV(fig. 33, 34). Dep. type material unknown.
- 1963 Yamaguti. Hosts, distr.; *Hapalogenys mucronatus*; Inland Sea of Japan. p. 49; pl. 59(fig. 5a, b).
- 1967 Pillai. Brief descr., hosts, distr. p. 1581, 1673; fig. 47.
- 1968a Pillai. Descr. ♀; *Otolithus maculatus*; Trivandrum (India). p. 126–128; fig. 3A–K.

- C. (*Pseudocaligus*) *apodus*** (Brian, 1924)  
Brian, 1935
- 1924 Brian. N. sp. (as *Pseudocaligus apodus*). Descr. ♀; *Mugil* sp., *Eugaleus galeus*; Mauritania. p. 390–391; fig. 31, 32. Dep. type material unknown.
- 1935 Brian. *Pseudocaligus* reduced to subgenus of *Caligus*. Descr. ♀ ♂; *Mugil cephalus*; Genoa (Italy). p. 152, 153, 195–201; fig. XVI(1–13), XVII(14–25), XVIII(26, 27). Captions for figures all bear name *Pseudocaligus apodus*.
- 1959 Capart. Brief. descr. as *Pseudocaligus*; *Mugil cephalus*, Luanda (West Africa); *Mugil* sp., Monaco. p. 88–89; fig. 19.
- 1962b Nunes-Ruivo. List. as *Pseudocaligus*. p. 6, 16.
- 1963 Yamaguti. List. as *Pseudocaligus*. p. 66; pl. 81(fig. 4a, b).
- 1931b Brian. Syn. of *C. pageti*. p. 157.
- 1931 Argilas. Syn. of *C. pageti*. p. 95.
- 1935 Brian. Syn. of *C. pageti*. p. 171.
- 1953 Dollfus. Syn. of *C. pageti*. p. 332.
- 1963 Yamaguti. List. p. 49.
- 1971b Hewitt. Ment. p. 160.
- C. *arii*** Bassett-Smith, 1898
- 1898b Bassett-Smith. N. sp. Descr. ♀ ♂; *Arius acutirostris*; Ceylon. p. 82–83; pl. IV(fig. 1–1d). Types dep. Br. Mus. (Nat. Hist.), No. 98.12.2.9.
- 1899 Bassett-Smith. List. p. 452.
- 1905 Wilson. Key. p. 560.
- 1928a Wilson. Ment. p. 192.
- 1948 Barnard. Brief descr.; *Arius dussumieri*; mouth of Zambezi River (Mozambique, Africa). p. 244.
- 1955a Barnard. Descr. ♀, hosts, distr., key. p. 244, 248–249, 309; fig. 10a, b.
- 1955b Barnard. Key. p. 100.
- 1959b Shiino. Comp. with *C. quadratus*. p. 26.
- 1963b Pillai. Descr. ♀; *Pseudarius jatius*; India. p. 71–73, 92; fig. 3A–Q.
- 1963 Yamaguti. Hosts, distr. p. 49.
- 1964 Kirtisinghe. Brief descr. ♀. *C. arii* of Barnard, 1948 syn. of *C. dakari* van Beneden. p. 58–60, 126.
- 1967 Pillai. Brief descr., host, distr. *C. arii* of Barnard, 1948 syn. of *C. dakari*. p. 1575, 1586, 1673; fig. 31.
- 1968b Parker. List. p. 365.
- 1970 Pillai. Comp. with *Lepeophtheirus longipalpus*, *Hermiltius longicornis*. p. 267.
- 1971 Pillai. Descr. ♀ from Bassett-Smith's (1898b) collection. p. 154–156; fig. 24–34. Dep. Br. Mus. (Nat. Hist.), syntype No. 98.12.2.9.
- C. *arcticus*** Brandes, 1956
- 1956 Brandes. N. sp. Descr. ♀; *Trachypterus arcticus*; Iceland (63°15'N, 22°55'W). p. 171–181; pl. I(fig. 5), II(fig. 1–11). Types dep. Übersee Mus., Bremen, No. VII - 2447.
- 1963 Yamaguti. List. p. 49; pl. 58(fig. 3a, b).
- 1969 Parker. Syn. of *C. elongatus* Nordmann. p. 1025, 1026, 1029.
- 1928a Wilson. N. sp. Descr. ♀ ♂; *Arius caelatus*; Thailand. p. 191–192; pl. 13(fig. 1–10). Types dep. USNM, No. 59769.
- 1950 Suvatti. List. p. 127.
- 1963 Yamaguti. List. p. 49.
- C. *argilasi*** Brian, 1931
- 1931a Brian. N. sp. Descr. ♀ ♂; *Mugil auratus*; Mediterranean (Algeria). p. 119–120; pl. I(fig. 1–9). Dep. type material unknown.
- C. *asperimanus*** Pearse, 1951
- 1951 Pearse. N. sp. Descr. ♀; *Lutianus analis* (host name appears in handwriting in our separate of Pearse's paper);

- verified by USNM); Bimini (Bahamas). p. 344-346; fig. 68a-g. Types dep. USNM; ♀ No. 88563, ♂ No. 88562. Yamaguti. List. p. 49; pl. 52(fig. 1a-d).
- 1963 Kabata. Comp. with *C. novocaledonicus*. p. 8.
- C. asymmetricus* Pillai in Kabata, 1965**
- 1965 Kabata. Nom. nov. for *C. thynni* Pillai, 1963. Descr. ♀; *Euthynnus alleteratus*; Queensland. p. 109-112, 120, 126; fig. 1B, 1D, 1E. Dep. Br. Mus. (Nat. Hist.), No. 1965.4.7.3.
- 1967 Lewis. Descr. ♀ ♂, hosts, distr., syn.; *Euthynnus yaito*; Hawaii. p. 131-138, 192; fig. 49a-i, 50a-g, 51a-f.
- 1967 Pillai. Brief descr., hosts, distr. p. 1574-1575, 1672; fig. 30.
- 1968 Lewis. Descr. ♀ ♂; *Grammatocynus bilineatus*, *Sarda orientalis*; Eniwetok Atoll (South Pacific). p. 51-52.
- C. atromaculatus* Wilson, 1913**
- 1913 Wilson. N. sp. Descr. ♀; *Teuthis hepatus*; Jamaica. p. 214-215, 273; pl. 29(fig. 92-98). Holotype dep. USNM, No. 42348.
- 1954e Shiino. Comp. with *C. brevis*. p. 183.
- 1963 Yamaguti. List. p. 49; pl. 58(fig. 1).
- C. auxisi* Pillai, 1963**
- 1963b Pillai. N. sp. Descr. ♀ ♂; *Auxis thazard*; Trivandrum (India). p. 85-87; fig. 12A-T. Holotype ♀, allotype ♂ dep. Indian Mus. Zool. Survey India, Calcutta.
- 1967 Pillai. Brief descr., host, distr. p. 1578, 1671; fig. 37.
- 1967 Silas and Ummerkutty. Brief descr. ♀ ♂, host, distr. p. 957, 963, 992; fig. 38(1-20).
- C. (Lepeophtheirus) bagri* Dana, 1852**
- 1852 Dana. N. sp. Descr. ♀ ♂; *Bagrus* sp.; Rio de Janeiro (Brazil). *Lepeophtheirus* regarded as subgenus of *Caligus*. p. 57. Dep. type material unknown.
- 1853 Dana. *Lepeophtheirus* recognized as independent genus, with species becoming *Lepeophtheirus bagri*. p. 1348, 1357, 1358.
- 1968b Parker. List. p. 363.
- C. balistae* Steenstrup and Lütken, 1861**
- 1861 Steenstrup and Lütken. N. sp. Descr. ♀ ♂; *Balistes* sp.; West Indies. p. 354, 356-357, 428, 429; pl. I(fig. 1). Types dep. Zool. Mus. U. Copenhagen.
- 1866-79 Gerstaecker. List. p. 759.
- 1876 Richters. Comp. with *C. lacustris*. p. 245.
- 1899 Bassett-Smith. List. p. 448.
- 1905a Brian. Ment. p. 564.
- 1905 Wilson. Descr. ♀, key; *Balistes* sp.; West Indies. p. 557, 558, 601-602, 670; pl. XV(fig. 172-177).
- 1910 Brady. *Orcynus thynnus*; Cape Verde (North Atlantic). p. 502, 504, 588. (Misspelled *C. calistae*.)
- 1910 Gadd. Ment. p. 5, 7.
- 1913 Wilson. List., ment. p. 208, 216.
- 1914a Brian. *Monocanthus* sp.; Sargasso Sea (39°59'N, 56°25'W). p. 2.
- 1922b Wilson. *Balistes* sp.; Australian coast. p. 2.
- 1929 Brian. Descr. ♀ ♂; *Monocanthus* sp.; Sargasso Sea. p. 4-5; pl. II (fig. 1, 2), IV(fig. 8-10), V(fig. 15-17).
- 1932a Wilson. Descr. ♀ ♂, hosts, distr., key; *Aluterus scriptus*; off coast of Rhode Island (USA). p. 398-400; fig. 246a, b.
- 1937a Wilson. Unidentified fish; Galapagos Is. p. 24, 30; pl. 3(fig. 1).
- 1941 Capart. Comp. with *C. hemiconiati* and *C. lolligunculae*. p. 175, 177.
- 1950a Gnanamuthu. Ment. Comp. with *C. polycanthis*. p. 159, 165, 166.
- 1954a Shiino. Comp. with *C. calotomi*. p. 19.
- 1954e Shiino. Comp. with *C. brevis*. p. 183.
- 1955a Shiino. Comp. with *C. punctatus*. p. 139, 140.
- 1959d Shiino. Ment. p. 293.
- 1963 Yamaguti. List. p. 49; pl. 54(fig. 4a, b). (Also list. as *C. calistae*. p. 50.)
- 1966 Kabata and Gusev. Comp. with *C. sensilis*. p. 161.
- 1968b Parker. List. p. 366.

**C. belones** Krøyer, 1863

- 1863–64 Krøyer. N. sp. Descr. ♀; *Belone bellone* ("hornfish"); Denmark. p. 155–157, 178–179, 414; pl. VII(fig. 1a–e). Types dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 802.
- 1869 Olsson. Descr. ♀ ♂; *Belone vulgaris*; Skagerrack. p. 7–8.
- 1899 Bassett-Smith. List.; ? *Raja batis*. p. 449.
- 1905 Wilson. Descr. ♀, key; *Coryphaena equisetis*; probably Woods Hole (Mass., USA). p. 558, 586–587, 670; pl. XII(fig. 135–139). Dep. USNM.
- 1905 Rathbun, M. J. List. p. 91, appendix p. 8.
- 1908a Wilson. List. p. 625.
- 1913 Sumner et al. Local hosts, distr. p. 641.
- 1932a Wilson. Descr. ♀ ♂, distr., key. p. 398, 405; fig. 252a, b.
- 1936 van Oorde-de Lint and Schuurmans Stekhoven. Brief descr. ♀ ♂, hosts, distr. Comp. with *C. curtus*, *C. minimus*, *C. rapax*. p. 129, 131, 186; fig. 92A, B.
- 1940 Stephensen. List. p. 20.
- 1952 Shiino. Comp. with *C. tesserifer*. p. 91–92.
- 1954 Schäperclaus. List. p. 212.
- 1954a Shiino. Comp. with *C. calotomi*. p. 19.
- 1956 Markevich. Brief descr. ♀, hosts, distr., key. p. 112, 117–118; fig. 61(1).
- 1958 Delamare Deboutteville and Nunes-Ruivo. Brief descr. ♀; *Belone bellone*; Mediterranean coast of France. *C. belones* of Wilson, 1905 renamed *C. wilsoni*. p. 217–220; fig. 3a–e.
- 1959d Shiino. Comp. with *C. tenuicaudatus*. p. 277.
- 1961 Pillai. Comp. with *C. malabaricus*. p. 109.
- 1963 Yamaguti. Hosts, distr. *C. belones* of Wilson, 1905 syn. of *C. wilsoni*. p. 49, 62; pl. 54(fig. 1a–c).
- 1968b Parker. List. p. 365.
- 1970 Cressey and Collette. Brief descr. ♀, hosts, distr.; *Belone belone*; Elbe R. (Germany); *Platybelone argalus*; Gulf of Mexico, Caribbean Sea, and Annabon, St. Helena, and Ascension Is. p. 347, 349, 376, 377, 397, 399, 406; fig. 117.

**C. (Sciaenophilus) benedeni** Bassett-Smith, 1898

- 1898a Bassett-Smith. N. sp. Descr. ♀; *Sciaena diacanthus*; Bombay (India). p. 9–10, 16; pl. IV(fig. 3–3d). Dep. type material unknown.
- 1903 Thompson, I.C., and A. Scott. *Sciaena diacanthus*; Ceylon. Omits subgeneric allocation. p. 294.
- 1941 Capart. *Johnius hololepidotus*; Mauritania. The allocation of this species to subgenus *Sciaenophilus* is not considered acceptable. p. 171, 172–173.
- 1947 Gnanamuthu. Comp. with *C. sciaenae*. p. 48.
- 1959 Capart. Descr. ♀; *Sciaena angolensis*, *Sciaena aquila*, *Umbrina validus*; Elephant Bay, Tiger Bay, Pointa do Dandé (west coast southern Africa). p. 59, 62, 79–81; fig. 13a–d.
- 1962a Nunes-Ruivo. *Umbrina ronchus*; Angola. p. 69, 71–72, 75; fig. 1a–e.
- 1962b Nunes-Ruivo. List. p. 4, 19, 20.
- 1963 Yamaguti. Syn. of *Sciaenophilus benedeni*. p. 66.
- 1964 Kirtisinghe. Hosts, distr. p. 64–65, 127.
- 1966 Kabata and Gusev. Syn. of *S. benedeni*. p. 163.
- 1967 Pillai. Syn. of *S. benedeni*. p. 1600.
- 1968b Parker. List. p. 363.
- C. bengoensis** Scott, 1894
- 1894 Scott, T. N.sp. prov. Descr.; plankton; Gulf of Guinea (west coast of Africa). p. 130; pl. 14(fig. 20). Dep. type material unknown.
- 1899 Bassett-Smith. Syn. of *C. coryphaenae*. p. 451.
- 1905 Wilson. Syn. of *C. coryphaenae*. p. 555.
- 1906 Brian. Syn. of *C. coryphaenae*. p. 44.
- 1912 Brian. Syn. of *C. coryphaenae*. p. 7.
- 1935 Brian. Syn. of *C. coryphaenae*. p. 202.
- 1949 Heegaard. Syn. of *C. coryphaenae*. p. 240, 242.
- 1955a Barnard. Syn. of *C. coryphaenae*. p. 246.
- 1959 Capart. Not syn. of *C. coryphaenae*. p. 81.
- 1959b Shiino. Ment. p. 24.
- 1963a Pillai. Ment. p. 516, 522.
- 1963 Yamaguti. Syn. of *C. coryphaenae*. p. 51.
- 1964 Kirtisinghe. Syn. of *C. coryphaenae*. p. 51.

1966	Kabata and Gusev. Syn. of <i>C. coryphaenae</i> . p. 159.	<b><i>C. bicolor</i></b> (Leach, 1816) Lamarck, 1818
1967	Lewis. Syn. of <i>C. coryphaenae</i> . p. 101.	1818 Lamarck. Nom. nov. for <i>Pandarus bicolor</i> . <i>Pandarus boscii</i> Leach, 1816, questionably listed as a variety of <i>C. bicolor</i> . p. 142.
1967	Silas and Ummerkutty. Syn. of <i>C. coryphaenae</i> . p. 884.	
1968b	Parker. List. p. 363.	1850 Baird. Syn. of <i>P. bicolor</i> and of <i>P. boscii</i> . p. 288, 289.
		1850 White. Syn. of <i>P. bicolor</i> and of <i>P. boscii</i> . p. 123.
		1851a van Beneden. Syn. of <i>P. bicolor</i> . p. 94.
		1905 Wilson. Syn. of <i>P. bicolor</i> . p. 555.
		1906 Brian. Syn. of <i>P. bicolor</i> . p. 55.
		1907 Wilson. Syn. of <i>P. bicolor</i> . p. 400.
		1956 Markevich. Syn. of <i>P. bicolor</i> . p. 146.
		1962 Heegaard. Syn. of <i>P. bicolor</i> . p. 177.
1955	Causey. <i>Lobotes surinamensis</i> ; Port Aransas (Texas). p. 4.	1967a Cressey. Syn. of <i>P. bicolor</i> . p. 5, 21.
1960	Causey. <i>Paralabrax maculatofasciatus</i> , <i>Kyphosus sectatrix</i> ; Pacific and Gulf of Mexico coasts of Mexico (Mazatlán, Sinaloa, Veracruz). p. 328.	1967 Hewitt. Syn. of <i>P. bicolor</i> . p. 239.
1963	Yamaguti. Syn. of <i>Sciaenophilus bennetti</i> . p. 66; pl. 85(fig. 3).	1968b Parker. List. p. 362.
		1969 Parker. List. p. 1020.
		<b><i>C. bicuspisidatus</i></b> Nordmann, 1832
1936a	Wilson. N. sp. Descr. ♀ ♂, l.h.; <i>Beryx decadactylus</i> ; Havana (Cuba). p. 107–110; fig. 1–9. Types dep. Mus. Comp. Zool. Harvard U. (holotype ♂, paratype ♀ No. 8972) and USNM (paratype ♀ and ♂ No. 69836).	1832 Nordmann. N. sp. Descr. ♂; host unknown; locality unknown. p. 17–22, 28–30. Types dep. Zool. Mus. Humboldt U., Berlin. Later in the same paper, p. 137–138, Nordmann declared <i>C. bicuspisidatus</i> a syn. of <i>C. curtus</i> .
1963	Yamaguti. List. p. 50.	1835 Burmeister. List. p. 331.
		1837 Krøyer. Syn. of <i>C. curtus</i> . p. 201, 622.
		1840 Edwards. List. p. 454.
		1843 Rathke. Syn. of <i>C. curtus</i> . p. 98.
		1861 Steenstrup and Lütken. <i>C. tricuspidatus</i> [ <i>lapsus</i> for <i>C. bicuspisidatus</i> ] syn. of <i>C. curtus</i> . p. 353.
		1869 Olsson. Syn. of <i>C. curtus</i> . p. 6.
		1896 Olsson. Syn. of <i>C. curtus</i> . p. 502.
		1899 Bassett-Smith. Syn. of <i>C. curtus</i> . p. 447.
		1904 Gadd. Syn. of <i>C. curtus</i> . p. 16.
		1905 Pearson. Syn. of <i>C. curtus</i> . p. 24.
		1905 Wilson. Syn. of <i>C. curtus</i> . p. 555, 578.
		1906 Brian. Ment. Syn. of <i>C. curtus</i> . p. 35, 36.
1929	Brian. Identical with Brian (1914a). p. 5–7; pl. II(fig. 5, 6), IV(fig. 1–7).	1913 Scott, T., and A. Scott. Syn. of <i>C. curtus</i> . p. 45.
1960	Belloc. List. p. 22.	1929 Brian. Syn. of <i>C. curtus</i> . p. 3.
1963	Yamaguti. List. p. 50.	1945 Heegaard. Syn. of <i>C. curtus</i> . p. 5.
1965a	Shiino. Comp. with <i>C. serratus</i> . p. 403.	1947 Heegaard. Syn. of <i>C. curtus</i> . p. 31.
1966	Kabata and Gusev. Comp. with <i>C. sensilis</i> . p. 161.	1953 Dollfus. Syn. of <i>C. curtus</i> . p. 328.
		1956 Markevich. Syn. of <i>C. curtus</i> . p. 120.
		1963 Yamaguti. Syn. of <i>C. curtus</i> . p. 48.
		1964 Kirtisinghe. Syn. of <i>C. curtus</i> . p. 62.
		1968b Parker. List. p. 363.
		1968 Parker et al. Syn. of <i>C. curtus</i> . p. 1923, 1925.
		1969 Parker. Syn. of <i>C. curtus</i> . p. 1020, 1032.
		<b><i>C. biarticulatus</i></b> Brian, 1914
1914a	Brian. <i>Lapsus</i> for <i>C. biaculeatus</i> . p. 14.	

<b>C. bicycletus</b> Heegaard, 1945		1960a	Shiino. Comp. with <i>C. laticaudus</i> . p. 485.
1945 Heegaard. N. sp. Descr. ♀ and juv. ♂; <i>Cardus</i> sp.; Java. p. 1-5; fig. 1-15. Types dep. Zool. Mus. U. Uppsala.		1960c	Shiino. Comp. with <i>Caligus</i> sp. p. 546.
1954b Shiino. Comp. with <i>C. latigenitalis</i> . p. 24.		1963	Yamaguti. List. p. 50; pl. 54(fig. 5a, b).
1959c Shiino. Comp. with <i>C. klawei</i> . p. 356.		1965	Kabata. <i>Mugil cephalus</i> ; Heron Is. (Queensland). p. 109, 111, 112, 126; fig. 1A. Dep. Br. Mus. (Nat. Hist.), No. 1965.4.7.4.
1961 Pillai. Comp. with <i>C. djedabae</i> . Possible syn. of <i>C. djedabae</i> . p. 96.		1967	Pillai. Syn. of <i>C. platytarsis</i> . p. 1594.
1963 Yamaguti. List. p. 50.		1971	Pillai. Syn. of <i>C. platytarsis</i> . p. 152, 154.
<b>C. bifurcatus</b> Pearse, 1953			
1953a Pearse. N. sp. Descr. ♀ ♂; <i>Echeneis naucrates</i> ; Alligator Harbor (Florida, USA). p. 196-198; fig. 18-28. Types dep. USNM; ♂ and ♀, No. 93713.		1905	Wilson. N. sp. Descr. ♀ ♂, anat., l.h., key; <i>Gymnosarda pelamis</i> ; Woods Hole (Mass., USA). p. 479, 488, 500, 501, 504, 506, 507, 508, 513, 514, 516, 524, 525, 534, 537, 538, 539, 541, 542, 543, 544, 556, 558, 560, 589-594, 598, 604, 605, 670; text fig. 5, 6d, 12-15, 29, 30, 35, 37, 38, 40-45; pl. XIII(fig. 150-153). Types dep. USNM, No. 6035, 41975.
<b>C. bifurcus</b> Shen, 1958		1905	Rathbun, M. J. List. p. 89, appendix p. 8.
1958 Shen. N. sp. Descr. ♀; <i>Lateolabrax japonicus</i> ; Liaoning Province (China). p. 136-137, 142; pl. V(fig. 54-63). Dep. type material unknown.		1908a	Wilson. List. p. 625.
1963 Yamaguti. Syn. of <i>C. curtus</i> . p. 48.		1913	Sumner et al. Local hosts, distr. p. 641.
1968 Parker et al. Not accepted as syn. of <i>C. curtus</i> . p. 1924, 1925.		1924	Brian. <i>Cybium</i> sp.; Mauritania (West Africa). Comp. with <i>C. mauritanicus</i> . p. 374, 383, 423, 426.
<b>C. biserioidentatus</b> Shen, 1957		1932a	Wilson. Descr. ♀ ♂, key. p. 398, 399, 407-408; fig. 255a, b.
1957 Shen. N. sp. Descr. ♀ ♂; <i>Cybium commersoni</i> ; Hainan Is. (China). p. 352, 363-364, 369, 374-375; pl. IX(fig. 114-133). Dep. type material unknown.		1934	Gurney. Ment. p. 178, 180, 195.
1963 Yamaguti. List. p. 50; pl. 54(fig. 2).		1935	Brian. Descr. ♀, distr.; <i>Pelamys sarda</i> ; Genoa (Italy). p. 152, 153, 188-191; fig. XIV(1-9).
<b>C. (Subcaligus) bocki</b> Heegaard, 1943		1936	Bere. <i>Pomatomus saltatrix</i> , <i>Scomberomorus maculatus</i> , <i>Lutianus griseus</i> , <i>Mugil cephalus</i> , <i>Oligoplites saurus</i> , <i>Scomberomorus cavalla</i> ; Gulf of Mexico (Florida). p. 582.
1943a Heegaard. N. sp. Descr. ♀ ♂; <i>Eulamia memisorha</i> ; Gilbert Islands (South Pacific). p. 1-4; fig. 1-11. Dep. type material unknown.		1936	van Oorde-de Lint and Schuurmans Stekhoven. Metanauplius figured. p. 85; fig. 19B.
1963 Yamaguti. List. p. 50; pl. 56(fig. 2a-e).		1936	Yamaguti. Brief descr. ♀ ♂; <i>Euthynnus pelamys</i> ; Yaidu (Seduoka Prefecture, Japan). Comp. with <i>C. katuwo</i> . p. 8-9, 19, 20; pl. V(fig. 69-71), VI(fig. 72-85).
<b>C. bombayensis</b> Rangnekar, 1955		1937	Goulliart. Ment. p. 318.
1955 Rangnekar, M. P. N. sp. Descr. ♀ ♂; <i>Mugil cephalus</i> ; Bombay (India). p. 55-59; fig. 1-16. Types dep. Indian Mus. Zool. Survey India, Calcutta.		1937a	Wilson. <i>Cratinus agassizi</i> ; Galapagos Islands: <i>Lutianus novemfasciatus</i> ; Tanguilla (Pacific coast of Mexico). p. 24.
		1937b	Wilson. <i>Sarda</i> sp. (probably <i>chilensis</i> ), <i>Sardx velox</i> ; Panama Bay (Pacific coast of Panama). p. 424.
		1940	Legendre. Ment. p. 284.
		1947	Heegaard. Ment. p. 43, 59, 62, 75, 99.

- 1948 Gnanamuthu. Comp. with *C. savala*. p. 594-595.
- 1949 Thomsen. Comp. chalimus stages with *C. (Metacaligus) uruguayensis*. p. 8-10.
- 1951 Carvalho. Brief descr. ♀; *Katsuwonous pelamis*; Alcatrazes Is. (Sao Paulo State, Brazil). p. 136-137.
- 1951 Gusev. Comp. with *C. macarovi*. p. 408, 410.
- 1951 Pearse. Comp. with *C. asperimanus* and *C. spinosurculus*. p. 346, 348.
- 1953a Causey. Hosts; *Gymnosarda alleterata*; Grand Isle (Louisiana). p. 4, 13.
- 1953b Causey. *Sarda sarda*; Gulf of Mexico (Texas). p. 8.
- 1954d Shiino. Ment. Comp. with ♂ of *C. katuwo*. p. 246, 248.
- 1955b Barnard. ♂ questionably identified, key; *Sarda sarda*; False Bay (South Africa). p. 8, 100.
- 1955a Reshetnikova. Descr. ♀ ♂; *Sarda sarda*; Black Sea. p. 97, 101-103; fig. 5.
- 1955b Reshetnikova. List. p. 120.
- 1956 Markevich. Descr. ♀ ♂, distr., key. Comp. with *C. macarovi*. p. 6, 112, 115, 124, 125; fig. 64(3, 4).
- 1956 Nunes-Ruivo. *Katsuwonous pelamis*; Baia Farta (Angola). Comp. with *C. katuwo*. p. 10, 12, 17; pl. II(fig. a).
- 1956 Fukui. List. p. 47.
- 1957 Fukui. List. p. 56.
- 1957 Kozikowska. Ment. p. 239.
- 1959 Capart. Comp. with *C. pelamydis*. p. 83.
- 1959a Shiino. *C. kuroshio* nom. nov. for *C. bonito* of Yamaguti, 1936, nec *C. bonito* Wilson. Comp. *C. bonito* Wilson with *C. kuroshio*. p. 51, 56.
- 1959b Shiino. Comp. with *C. quadratus*. p. 26.
- 1960 Causey. *Sarda chiliensis*, chalimus (probably *C. bonito*) from *Lutjanus* sp.; Pacific coast of Mexico. p. 328.
- 1960b Shiino. Hosts, distr.; *Sarda chilensis*; California. p. 527-528; fig. 1a, b.
- 1961 Pillai. Comp. with *C. malabaricus*. p. 109.
- 1962b Nunes-Ruivo. List. p. 4, 17.
- 1963b Pillai. Comp. with *C. kuroshio*. p. 80-81, 87.
- 1963 Shiino. *Katsuwonous pelamis*, *Euthynnus lineatus*; Pacific coast of Mexico. p. 336.
- 1963 Yamaguti. Hosts, distr. p. 50, 55; pl. 56(fig. 3).
- 1964 Lewis. Comp. with *C. kala*. p. 148, 149.
- 1965 Hwa. Ment. p. 48.
- 1965 Kabata. Comp. with *C. kuroshio*. *C. bonito* of Yamaguti, 1936 syn. of *C. kuroshio*. p. 120.
- 1965a Shiino. *C. bonito* of Yamaguti, 1936 syn. of *C. kuroshio*. p. 417.
- 1967 Lewis. Descr. ♀, hosts, distr.; *Katsuwonous pelamis*; Hawaii. *C. kuroshio* possible new syn. p. 124-131, 138, 191; fig. 46a-e, 47a-f, 48a-f.
- 1967 Silas and Ummerkutty. Descr. ♀ ♂, hosts, distr.; *Sarda orientalis*; South India. *C. bonito* of Yamaguti, 1936 syn. of *C. kuroshio*. p. 877, 880, 881-883, 889, 895, 903, 945, 946, 947, 963, 967; fig. 1(1-10).
- 1967 Thomas. Comp. with *C. krishnai*. p. 139-140.
- 1968 Lewis. *Sarda orientalis*; Eniwetok Atoll (South Pacific). p. 51.
- 1969 Izawa. Ment. p. 154.
- 1971 Pillai. Descr. ♀ ♂ cotypes [syntypes] from Norman collection in British Museum. *C. kuroshio* new syn. p. 161-164; fig. 63-80. Dep. Br. Mus. (Nat. Hist.), No. 1911.11.8.47989.991.
- C. borealis* Olsson, 1877**
- 1877 Olsson. N. sp. Descr. ♀ ♂; *Thymallus vulgaris*; Jemtland (Sweden). Comp. with *C. lacustris*. p. 77-79, 88; pl. IV(fig. 2-4). Dep. type material unknown.
- 1904 Gadd. Ment. p. 20.
- 1905 Wilson. Key. p. 557.
- 1956 Markevich. Syn. of *C. lacustris*. p. 113.
- 1963 Yamaguti. List. p. 50.
- 1967 Grabda, J. Syn. of *C. lacustris*. p. 10.
- 1968b Parker. List. p. 363.
- 1971 Grabda, J. Syn. of *C. lacustris*. p. 115.
- C. branchialis* Malm in Steenstrup and Lütken, 1861**
- 1861 Steenstrup and Lütken. N. sp. Descr. ♀; *Rhombus maximus*; Sweden. p. 353, 355, 362-363, 429; pl. II(fig. 3). Dep. type material unknown.
- 1864 Claus. Anat. p. 365-369, 382; pl. XXXIII(fig. 3-7), XXXIV(fig. 8, 9).
- 1866-79 Gerstaecker. List. p. 763.
- 1869 Olsson. Syn. of *Lepeophtheirus branchialis*. p. 12.
- 1889 Dalla Torre. List. p. 86.
- 1899 Bassett-Smith. Syn. of *L. branchialis*. p. 456.
- 1904 Gadd. Syn. of *L. branchialis*. p. 19.

- 1905 Wilson. Syn. of *Lepeophtheirus thompsoni*. p. 516, 555, 619, 623.  
 1906 Brian. Syn. of *L. thompsoni*. p. 46, 47.  
 1906 Gadd. Comp. with *C. dentatus*. p. 2, 5, 9.  
 1906 Norman and T. Scott. Syn. of *L. thompsoni*. p. 209.  
 1910 Gadd. Ment. p. 3.  
 1913 Scott, T., and A. Scott. Syn. of *L. thompsoni*. p. 69.  
 1923 Hansen. Syn. of *L. thompsoni*. p. 32.  
 1934 Pesta. Syn. of *L. thompsoni*. p. 26.  
 1954g Shiino. Considered a *Lepeophtheirus*. p. 149.  
 1956 Markevich. Syn. of *L. thompsoni*. p. 133.  
 1963 Yamaguti. Syn. of *L. thompsoni*. p. 77.  
 1968b Parker. List. p. 363.

#### *C. brevicaudatus* Scott, 1901

- 1901 Scott, A. N. sp. Descr. ♀; *Trigla gurnardus*; Irish Sea. p. 349, 353; pl. II(fig. 7-10). Dep. type material unknown.  
 1904 Scott, A. List. p. 118.  
 1905 Wilson. Key. p. 558.  
 1913 Scott, T., and A. Scott. Descr. ♀; *Trigla gurnardus*, *Trigla lucerna*; Irish Sea. p. 30, 56-57; pl. VI(fig. 3), VIII(fig. 10, 11), XLVIII(fig. 6).  
 1929 Scott, A. *Trigla gurnardus*, *Trigla hirundo*; Irish Sea. p. 90.  
 1933a Leigh-Sharpe. List. p. 112.  
 1936 van Oorde-de Lint and Schuurmans Stekhoven. Brief descr. ♀, hosts, distr. Comp. with *C. centrodonti*, *C. gurnardi*, *C. diaphanus*, *C. zei*, *C. labracis*. p. 133-134, 190; fig. 95.  
 1941 Capart. Comp. with *C. loligunculae*. p. 177.  
 1954 Schäperclaus. List. p. 212.  
 1954a Shiino. Comp. with *C. calotomi*. p. 19.  
 1954i Shiino. Comp. with *C. glandifer*. p. 156.  
 1955b Barnard. Key; *Trigla capensis*; Table Bay (South Africa). p. 8, 100.  
 1956 Markevich. Descr. ♀, hosts, distr., key; Barents Sea. p. 112, 118-119; fig. 61(2).  
 1956 Reichenbach-Klinke. *Trigla hirundo*; Gulf of Naples. p. 116, 123. *Peristedion cataphractum* as host on p. 123 is an obvious *lapsus*.  
 1963 Yamaguti. List. p. 50; pl. 58(fig. 4).  
 1965 Parker. Ment. p. 102.  
 1968b Parker. Ment. p. 362.

#### *C. brevicaudus* Pillai, 1963

- 1963b Pillai. N. sp. Descr. ♀ ♂; *Caranx* sp.; Trivandrum (India). p. 77, 83-85; fig. 11A-R. Types dep. Indian Mus. Zool. Survey India, Calcutta; holotype ♀, allotype ♂.  
 1967 Pillai. Brief descr., host, distr. p. 1589, 1671; fig. 66.  
 1968a Pillai. Comp. with *C. platurus*. p. 128, 129.

#### *C. brevipedes* Bassett-Smith, 1896

- 1896a Bassett-Smith. N. sp. Descr. ♀; *Motella tricirrata*; Plymouth (England). p. 11-12; pl. III(fig. 1). Dep. type material unknown.  
 1896b Bassett-Smith. List. p. 157.  
 1899 Bassett-Smith. List. p. 447.  
 1901 Scott, A. *Onus tricirratus*; Irish Sea. Transferred to *Pseudocaligus* n. gen. as *P. brevipedes* [sic]. p. 350; pl. II(fig. 1-6).  
 1902 Scott, T. Syn. of *P. brevipedes*. p. 291.  
 1905b Scott, T. Syn. of *P. brevipedes*. p. 110.  
 1906 Wilson. Syn. of *P. brevipedes*. p. 555.  
 1906 Norman and T. Scott. Syn. of *P. brevipes* [sic]. p. 207.  
 1906 Scott, T. Syn. of *P. brevipedes*. p. 367.  
 1913 Guiart. *Motella tricirrata*; Baie de Concarneau (France). p. 6.  
 1913 Scott, T., and A. Scott. Syn. of *P. brevipedes* [sic]. p. 61.  
 1956 Markevich. Syn. of *P. brevipedes* [sic]. p. 129.  
 1963 Yamaguti. Syn. of *P. brevipedes* [sic]. p. 65.  
 1968b Parker. List. p. 363.

#### *C. brevis* Shiino, 1954

- 1954e Shiino. N. sp. Descr. ♀ ♂; *Pseudolabrus japonicus*, *Duyamaeria flagellifera*, *Halichoeres poecilopterus*; Japan. p. 178-183; fig. 1A-N, 2A-I. Types dep. Mie Prefectural U., Tsu, Japan.  
 1954g Shiino. Comp. with *C. triangularis*. p. 149.  
 1963 Hewitt. Descr. ♀ ♂; *Pseudolabrus pittensis*, *Pseudolabrus miles*, *Pseudolabrus celadotus*; New Zealand. p. 61, 65-71, 90, 91, 114; fig. 2(1-8), 3(1-6).  
 1963 Yamaguti. List. p. 50; pl. 56(fig. 1a, b).  
 1964c Hewitt. Comp. with *C. buechlerae*. p. 129.  
 1972 Hewitt and Hine. List. p. 83, 94, 108.

- C. brevisoris** Shen, 1957
- 1957 Shen. N. sp. Descr. ♀; *Cybium commersoni*; Hainan Is. (China). p. 351, 357, 369, 371–372; pl. IV(fig. 49–60). Dep. type material unknown.
- 1961 Pillai. Descr. ♀ ♂; *Indocybium guttatum*; Vizhingom (India). p. 87–89; fig. 1A–R.
- 1963 Yamaguti. List. p. 50; pl. 56(fig. 4).
- 1964 Kirtisinghe. *C. brevisoris* of Pillai, 1961 (nec Shen) syn. of *Caligus cybii*. p. 58.
- 1965a Shiino. Comp. with *C. pelamydis*. p. 414.
- 1967 Pillai. *C. brevisoris* of Pillai, 1961 syn. of *C. cybii*. p. 1578.
- 1967 Silas and Ummerkutty. Indian record discussed. p. 957, 964–965, 992; fig. 40(1–18).
- 1971 Pillai. *C. brevisoris* of Pillai, 1961 syn. of *C. cybii*. p. 156, 158.
- C. buechlerae** Hewitt, 1964
- 1964c Hewitt. N. sp. as *C. büchlerae*. Descr. ♀ ♂; *Trypterygion* sp.; New Zealand. p. 123–130; fig. 1(1–10), 2(10–14). Dep. type material unknown.
- 1972 Hewitt and Hine. Spelling of *büchlerae* corrected to *buechlerae*. p. 99, 108.
- C. calistae** Steenstrup and Lütken in Brady, 1910
- See *C. balistae*.
- C. calotomi** Shiino, 1954
- 1954a Shiino. N. sp. Descr. ♀; *Calotomus japonicus*; Japan. p. 16–19; fig. 1, 2A–P. Holotype dep. Mie Prefectural U. Tsu, Japan.
- 1957 Shen. Comp. with *C. communis*. p. 354.
- 1963 Yamaguti. List. p. 50; pl. 58(fig. 5).
- 1964c Hewitt. Comp. with *C. buechlerae*. p. 129.
- 1968b Parker. Ment. p. 362.
- C. canthidermis** Yamaguti and Yamasu, 1959
- 1959 Yamaguti and Yamasu. N. sp. Descr. ♀; *Canthidermis maculatus*; Inland Sea (Japan). p. 112–114, 150; pl. VII(fig. 124–135). Dep. type material unknown.
- 1963 Yamaguti. List. p. 50; pl. 59(fig. 1).
- 1966 Ho. Syn. of *C. polycanthi*. p. 163, 170, 171, 177.
- C. carangis** Krøyer, 1863
- 1863–64 Krøyer. N. sp. Descr. ♀; *Caranx* sp.; East Indies. p. 143–145, 176, 414; pl. V(fig. 2a–e). Types dep. Zool. Mus. U. Copenhagen.
- 1865 Heller. Comp. with *C. tenax*. p. 173.
- 1866–79 Gerstaecker. List. p. 767, 795.
- 1898c Bassett-Smith. *Caranx melampigus*; Aden. Comp. with *C. tenax*. p. 357, 360, 364. ♀ ♂ dep. Br. Mus. (Nat. Hist.).
- 1899 Bassett-Smith. List. p. 449.
- 1905 Wilson. Syn. of *C. alalongae*. p. 555.
- 1937 Kirtisinghe. Syn. of *C. alalongae*. p. 439.
- 1963 Yamaguti. List. p. 50; pl. 55(fig. 1).
- 1968 Kabata. Comp. with *C. novocaledonicus*. p. 8.
- 1968b Parker. List. p. 363.
- C. caudatus** Krøyer, 1838
- 1838 Krøyer. Nom. prov. Syn. of *C. diaphanus*. p. 16.
- C. centrodonti** Baird, 1850
- 1850 Baird. N. sp. Descr. ♀ ♂; *Pagellus centrodonti*; Dublin (Ireland). p. 272–273; pl. XXXII(fig. 6, 7). Dep. type material unknown.
- 1850 White. List. p. 119.
- 1855 Gosse. List. p. 125.
- 1857 White. Brief descr. ♀ ♂. p. 314.
- 1863 Krøyer. Comp. with *C. abbreviatus*. p. 138.
- 1866–79 Gerstaecker. List. p. 768, 802.
- 1899 Bassett-Smith. List. p. 447.
- 1900 Stebbing. Ment. p. 668.
- 1905 Norman. List. p. 41.
- 1905 Pearson. List. p. 24.
- 1905b Scott, T. Possibly senior. syn. of *C. abbreviatus* Krøyer. p. 109.
- 1905 Wilson. Descr. ♀ ♂, key; *Pagellus centrodontus*; England. p. 480, 557, 558, 652–655, 672; pl. XXVII(fig. 333–344). Dep. USNM, No. 8105.
- 1906 Norman and T. Scott. List. p. 206.
- 1913 Scott, T., and A. Scott. Descr. ♀ ♂; *Pagellus centrodontus*; Dublin (Ireland), Plymouth (England), Moray Firth

- (Scotland). *C. abbreviatus* new syn. p. 30, 50–52; pl. V(fig. 1–3), XVIII(fig. 1–3).
- 1926 Leigh-Sharpe. List. p. 384.
- 1933a Leigh-Sharpe. List. p. 111.
- 1934 Gurney. L.h.; *Labrus bergylta*; Plymouth (England). p. 178–191; fig. 1, 2, 4, 6, 8, 9, 10, 11, 14, 15, 16.
- 1936 van Oorde-de Lint and Schuurmans Stekhoven. Brief descr. ♀ ♂, hosts, distr. Comp. with *C. gurnardi*, *C. brevicaudatus*, *C. pelamydis*, *C. diaphanus*, *C. zei*, *C. labracis*. p. 131–132, 134, 191–193; fig. 93A, B.
- 1940 Stephensen. List. p. 20.
- 1943b Heegaard. *Sebastes marinus*, *Pagellus centrodonus*; Cornwall (England). p. 8. Dep. Riksmus., Stockholm, No. 221.
- 1946 Dawes. Ment. p. 121.
- 1947 Heegaard. Ment. p. 56.
- 1948 Dollfus. Ment. p. 23.
- 1950b Delamare Deboutteville. Ment. p. 362.
- 1952 Kurian. Ment. p. 13.
- 1954 Schäperclaus. List. p. 212.
- 1954a Shiino. Comp. with *C. calotomi*. p. 19.
- 1956 Dawes. Identical with Dawes (1946).
- 1956 Markevich. Descr. ♀ ♂, hosts, distr., key. *C. abbreviatus* of Osmanov, 1940 syn. of *C. centrodoni*. p. 112, 123–125; fig. 64(1, 2).
- 1957 Kozikowska. Ment. p. 239.
- 1963 Yamaguti. Hosts, distr., syn. p. 48, 50; pl. 57(fig. 2a, b).
- 1964a Hewitt. Men'. p. 157.
- 1965 Hwa. Ment. p. 49.
- 1968b Parker. List. p. 366.
- 1969 Izawa. Comp. with *C. curtus*, *C. pageti*, *C. rapax*, and *C. spinosus*. p. 153, 154, 155.
- 1972a Kabata. Comp. with *C. clemensi*. p. 1591, 1592.
- 1923 Wilson. Chalimus larvae; *Chilodactylus variegatus*; Junin (Chile). p. 5.
- 1963 Yamaguti. Hosts, distr. p. 51; pl. 55(fig. 2a–d).
- 1968b Parker. List. p. 366.
- C. chelifer* Wilson, 1905**
- 1905 Wilson. N. sp. Descr. ♀; key, menhaden (*Brevoortia tyrannus*), swordfish (*Xiphias gladius* ?), *Trichiurus lepturus*; Massachusetts (USA). p. 479, 558, 582–585, 589, 670; pl. XI(fig. 125–134). Holotype dep. USNM, No. 6079.
- 1905 Rathbun, M. J. List. p. 91, appendix p. 8.
- 1908a Wilson. *Trichiurus lepturus*; North Carolina (USA). p. 626.
- 1913 Sumner et al. Local hosts, distr. p. 641.
- 1924 Brian. In plankton; Baie du Repos (Mauritania). p. 374, 426.
- 1926 Oakley. Comp. with *C. zei*. p. 404, 407.
- 1932a Wilson. Descr. ♀, hosts, distr., key. p. 398, 404–405; fig. 251a, b.
- 1949 Redkar, P. G. Rangnekar, and Murti. Comp. with *C. furcisetifer*. p. 43.
- 1955 Westman and Nigrelli. List. p. 153.
- 1956 Brandes. Comp. with *C. macarovi*, *C. orientalis*, *C. latifrons*, *C. schistonyx*, *C. arcticus*. p. 173–175, 178; pl. I(fig. 3).
- 1957 Shen. Comp. with *C. hilseae*. p. 360.
- 1963 Yamaguti. List. p. 51; pl. 60(fig. 3).
- 1967 Silas and Ummekutty. Brief descr. ♀, hosts, distr. p. 877, 883–884, 892, 903, 948; fig. 2(10–19).
- 1972b Kabata. Descr. ♀ ♂; *Cynoscion nebulosus*, undetermined species of clupeids and engraulids, free swimming; Miami (Florida). p. 389–398; fig. 1–23.
- 1972 Kroger and Guthrie. *Brevoortia tyrannus*; Connecticut R. (USA). p. 559.

### ***C. cheilodactyli* Krøyer, 1863**

- 1863–64 Krøyer. N. sp. Descr. ♀ ♂, l.h.; *Cheilodactylus* sp.; Valparaiso (Chile). p. 111, 126–129, 172, 413; pl. IV(fig. 5a–d). Types dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 768.
- 1899 Bassett-Smith. List. p. 449.
- 1905 Wilson. Key. p. 557, 559.
- 1922b Wilson. Unknown host; Morocco. p. 106.

### ***C. chiloscyllii* Pillai, 1967**

- 1967 Pillai. Nom. nov. for *C. minutus* Pillai, 1963. Brief descr., host, distr. p. 1590–1591, 1671; fig. 71.

### ***C. chorinemii* Kollar in Krøyer, 1863**

- 1863–64 Krøyer. N. sp. Descr. ♀; *Chorinemus saliens*; Brazil. p. 141–143, 175–176, 413; pl. V(1a–h). Holotype dep. Zool. Mus. U. Copenhagen.

- 1865 Heller. Descr. ♂, distr.; *Chorinemus saliens*; Brazil. p. 174–175, 262, 266; pl. 15(fig. 4, 4a, 4b). ♀ ♂ dep. Naturhist. Mus., Vienna.
- 1866–79 Gerstaecker. List. p. 767, 797.
- 1899 Bassett-Smith. List. p. 451.
- 1902 Poche. Ment. p. 18.
- 1905 Wilson. Ment., key. p. 497, 559, 560, 561.
- 1937a Wilson. Descr. young ♀; unidentified fish; Galapagos Is.: *Seriola dorsalis*; Costa Rica, Columbia. p. 24–25, 30. ♀ ♂ dep. U. Southern California.
- 1954 Yamaguti. Comp. with *C. paxillifer*. p. 385.
- 1963 Yamaguti. List., hosts, distr. p. 51; pl. 55(fig. 5a–c).
- 1968b Parker. List. p. 365.
- C. communis* Shen, 1957**
- 1957 Shen. N. sp. Descr. ♀ ♂; *Mugil cephalus*, free swimming; Chefoo (China). p. 351, 352–354, 369–370; pl. I(fig. 1–20). Dep. type material unknown.
- Shen and Li. Comp. with *C. aduncus*. p. 19.
- Yin. ♀, nec ♂, considered identical with *C. orientalis*, and *C. communis* listed as syn. of *C. orientalis*. p. 41, 42.
- 1962 Yamaguti. List. p. 51; pl. 55(fig. 3).
- 1963 Hewitt. Comp. with *C. buechlerae*. p. 129.
- 1964c Hwa. Syn. of *C. orientalis* (♂ and ♀). p. 56.
- C. confusus* Pillai, 1961**
- 1961 Pillai. Nom. nov. for *C. alalongae* of Kirtisinghe, 1937, for *C. constrictus* of Wilson, 1937, and for *C. constrictus* of Shiino, 1959. Brief descr. ♀ ♂; *Caranx sansun*; South India. p. 104; fig. 10A–P.
- 1963b Pillai. Comp. with *C. cordyla*. p. 83.
- 1964 Kirtisinghe. Descr. ♀ ♂, hosts, distr.; Carangidae; Ceylon. p. 68–69, 127; fig. 70, 71.
- 1967 Pillai. Brief descr., hosts, distr., syn. *C. alalongae* of Yamaguti, 1954 new syn. p. 1580, 1671; fig. 44.
- 1968 Kabata. Hist.; *Caranx* sp.; New Caledonia. p. 9, 10; fig. 3F.
- 1968 Lewis. Descr. ♀, hosts, distr., syn.; *Caranx melampygus*; Eniwetok Atoll (Pacific Ocean). p. 53–59; fig. 22a–i, 23a–g.
- 1969 Lewis et al. *Elagatis bipinnulatus*; Indian Ocean (8°35'S, 69°55'E). p. 426, 432.
- 1970 Pillai. Comp. with *C. cordyla*, *C. platurus*. p. 267.
- C. constrictus* Heller, 1865**
- 1865 Heller. N. sp. Descr. ♂; *Stromateus* sp.; Indian Ocean. p. 175–176, 262, 265; pl. XV(fig. 5, 5a, 5b). Dep. type specimen unknown.
- 1866–79 Gerstaecker. List. p. 767, 795.
- 1898b Bassett-Smith. Comp. with ♂ *C. cossackii*. p. 86.

- 1899 Bassett-Smith. List. as questionable syn. of *C. cossackii*. p. 451.
- 1905 Wilson. Key. p. 560.
- 1937a Wilson. Descr. ♀; *Caranx hippos*; Panama (Pacific coast) and Ecuador; *Elagatis bipinnulatus*; Panama. p. 25–26, 30; pl. 3(fig. 3a–i). One ♀ dep. USNM, No. 69866.
- 1937b Wilson. Descr. of variations from previously described ♀; *Caranx hippos*, *Coryphaena hippurus*; Panama (Pacific coast). p. 428.
- 1950a Rangnekar, P. G., and Murti. Comp. with *C. unguidentatus*. p. 25.
- 1956 Kirtisinghe. Descr. ♀ ♂; *Alectis indicus*; Ceylon. p. 14–15; fig. 1–4.
- 1959d Shiino. Hist., descr. ♀; ? *Seriola* sp.; Pacific coast of Colombia (6°30'N, 77°53'W). p. 285–290; fig. 9A–J, 10A–G. Shiino notes his specimen identical with ♀ *C. constrictus* of Wilson, 1937 and different from ♀ *C. constrictus* of Kirtisinghe, 1956.
- 1960 Causey. *Caranx hippos*; Pacific coast of Mexico. p. 328.
- 1961 Pillai. Hist., syn.; *Carangoides malabaricus*; South India. Comp. with *C. alalongae* of Kirtisinghe, 1937 (= *C. confusus*). *C. constrictus* of Wilson, 1937 and of Shiino, 1959 not conspecific with *C. constrictus* Heller and renamed *C. confusus* nom. nov. *Midias carangis* Rangnekar, 1956 new syn. p. 93–96, 104; fig. 3A–S.
- 1963 Kubota and Takakuwa. Ment. p. 116.
- 1963 Yamaguti. Hosts, distr. p. 51; pl. 57(fig. 3a–d).
- 1964 Kirtisinghe. Brief descr. ♀ ♂, hosts, distr. p. 54–55, 68, 127; fig. 27, 28.
- 1964 Lewis. Comp. *C. constrictus* of Wilson, 1937 with *C. randalli* and *C. ligatus*. p. 141, 157–163, 171; fig. 6(c, g, m).
- 1965c Shiino. Comp. *C. constrictus* of Wilson, 1937 and Shiino, 1959 with *Lepeophtheirus orbicularis*. p. 453.
- 1967 Pillai. Brief descr., Indian hosts, distr., syn. p. 1580, 1585–1586, 1670, 1671; fig. 58.
- 1968 Kabata. *C. constrictus* of Wilson, 1937 and Shiino, 1959 syn. of *C. confusus*. p. 9, 10.
- 1968 Lewis. *C. constrictus* of Wilson, 1937 and Shiino, 1959 syn. of *C. confusus*. p. 54, 59.
- 1968b Parker. List. p. 365.
- C. cordiventris* Shiino, 1952**
- 1952 Shiino. N. sp. Descr. ♀; *Xesurus scalprum*; Japan. p. 92–95; fig. 6 A–J. Types dep. Mie Prefectural U., Tsu, Japan.
- 1954a Shiino. Comp. with *C. calotomi*. p. 19.
- 1954e Shiino. Comp. with *C. brevis*. p. 183.
- 1955b Shiino. Descr. ♀ ♂; *Xesurus scalprum*; Japan. p. 65–67; fig. A–I. Dep. Mie Prefectural U., Tsu, Japan.
- 1957 Fukui. List. p. 56.
- 1957 Shen. Comp. with *C. communis*. p. 354, 370.
- 1959d Shiino. Ment. p. 293.
- 1961 Pillai. Comp. with *C. priacanthi*. p. 107.
- 1963b Pillai. Comp. with *C. thynnii* Pillai. p. 90.
- 1963 Yamaguti. List. p. 51.
- 1965 Kabata. Ment. p. 111.
- 1968a Pillai. Comp. with *C. tylosuri*. p. 133.
- C. cordyla* Pillai, 1963**
- 1963b Pillai. N. sp. Descr. ♀ ♂; *Megalaspis cordyla*; South India. p. 77, 82–83, 85; fig. 10A–T. Types dep. Indian Mus. Zool. Survey India, Calcutta.
- 1967 Pillai. Brief descr., host, distr. p. 1588–1589, 1672; fig. 65.
- 1968a Pillai. Comp. with *C. platurus*. p. 128.
- 1970 Pillai. Comp. with *C. confusus*, *C. platurus*. p. 267.
- C. cornutus* Heegaard, 1962**
- 1962 Heegaard. N. sp. Descr. ♀ ♂; *Sphyraena jello* (?), *Sphyraena* sp.; North Queensland. p. 164–165, 197; fig. 92–98. Dep. type material unknown.
- 1964 Kirtisinghe. Considered a species of *Midias*. p. 72.
- 1965 Kabata. List. p. 109.
- 1967 Pillai. Brief descr., hosts, distr. *C. spinosus* of Pillai, 1963 new syn. p. 1584, 1674; fig. 54.
- 1968a Pillai. Hist., syn. p. 130–131; fig. 5A–H.

<b>C. coryphaenae</b> Steenstrup and Lütken, 1861		1955b	Barnard. Key; shark; Table Bay (South Africa). p. 8, 99.
1861 Steenstrup and Lütken. N. sp. Descr. ♀ ♂; <i>Coryphaena</i> sp.; North Atlantic Ocean (30°N, 38°W and 20.5°N, 22°W). p. 352, 354, 360–362, 429; pl. IV(fig. 7). Types dep. Zool. Mus. U. Copenhagen.		1956	Fukui. List. p. 47.
1866–79 Gerstaecker. List. p. 766.		1957	Fukui. List. p. 56.
1877 Olsson. Comp. with <i>C. borealis</i> . p. 78.		1959	Capart. Syn.; <i>Coryphaena hippurus</i> ; Southwest Africa (3°S, 10°E). <i>C. aliuncus</i> syn.; <i>C. coryphaenae</i> of Brian, 1935 nec <i>C. coryphaenae</i> St. and Lütk.; <i>C. coryphaenae</i> of Yamaguti, 1936 syn. of <i>C. productus</i> Dana, 1854; <i>C. bengoeensis</i> Scott, 1894 nec syn. of <i>C. coryphaenae</i> . p. 59, 61, 81, 84.
1880 Richiardi. <i>Coryphaena hippurus</i> ; Italy. p. 148.		1959b	Shiino. Hist., descr. ♀ ♂, hosts, distr., syn.; <i>Katsuwonus pelamis</i> , <i>Coryphaena hippurus</i> ; Japan; <i>Euthynnus lineatus</i> , <i>Katsuwonus</i> sp., <i>Coryphaena hippurus</i> ; Pacific coast of Mexico and Central America; <i>Neothunnus albacora</i> ; Indian Ocean. <i>C. aliuncus</i> , ? <i>C. elongatus</i> Heegaard, 1943, <i>C. tesserifer</i> considered as syns.; <i>C. thynnii</i> not recognized as syn.; no commitment re syn. of <i>C. bengoeensis</i> and <i>C. scutatus</i> ; <i>C. coryphaenae</i> of Yamaguti, 1936 syn. of <i>C. quadratus</i> . p. 1–8, 22–25; fig. 1A–J, 2A–I.
1880 Stosich. List. p. 255.		1959d	Shiino. Descr. juv. questionably assigned to this species; <i>Polydactylus opercularis</i> ; Pacific coast of Mexico (21°26'N, 106°06'W). p. 267, 294–297; fig. 12A–K.
1880 Valle. <i>Coryphaena pelagica</i> ; Adriatic Sea. p. 58, 87.		1959e	Shiino. <i>Isurus glaucus</i> ; <i>Thunnus thynnus</i> ; <i>Euthynnus yaito</i> ; Mie Prefecture (Japan). p. 334. Dep. Mie Prefectural U., Tsu, Japan.
1885 Carus. Brief descr. ♀ ♂, hosts, distr. p. 358.		1960a	Shiino. <i>Coryphaena hippurus</i> ; Shima (Japan). p. 471–472.
1899 Bassett-Smith. <i>Coryphaena</i> sp.; East Indies. <i>C. bengoeensis</i> , ? <i>C. thynnii</i> , ? <i>C. scutatus</i> new syns. p. 451.		1961	Kurian. Descr. ♀ ♂; <i>Euthynnus affinis</i> , <i>Katsuwonus pelamis</i> ; Kerala (India). Comp. with <i>C. euthynus</i> and <i>C. tesserifer</i> . p. 66–67, 68–70; fig. 16–24.
1899a Brian. Hosts, distr.; <i>Coryphaena hippurus</i> ; Elba Is. (Italy). p. 4, 10.		1962	Heegaard. Comp. with <i>C. alveolaris</i> p. 157.
1899b Brian. Identical with Brian (1899a).		1962a	Nunes-Ruivo. <i>Parathunnus obesus</i> ; Angola. p. 69, 70–71.
1899c Brian. List. p. 10.		1962b	Nunes-Ruivo. List. p. 4, 16.
1900 Brian. List. p. 206.		1963	Ho. Descr. ♀ ♂, hosts, distr.; <i>Coryphaena hippurus</i> ; Formosa. p. 82–84, 96; fig. 4, 5.
1900 Graeffe. List. p. 44.		1963a	Pillai. Descr. ♀ ♂, hosts, distr., syn. Comp. with <i>C. euthynus</i> . <i>C. thynnii</i> , <i>C. aliuncus</i> , <i>C. elongatus</i> Heegaard, 1943, <i>C. tesserifer</i> considered as syns.; no commitment re syn. of <i>C. bengoeensis</i> and <i>C. scutatus</i> ; <i>C. coryphaenae</i> of Brian, 1935 and Barnard, 1955 probable syns.
1903 Brian. <i>Coryphaena hippurus</i> ; Elba Is. (Italy). p. 7.			
1905 Wilson. Ment., key. Comp. with <i>C. aliuncus</i> . p. 492, 555, 556, 559, 577.			
1906 Brian. Hist., hosts, distr., syn. p. 44–45, 125, 128, 130, 176, 181.			
1908a Brian. <i>Coryphaena hippurus</i> ; Atlantic Ocean (31.5°N, 42.5°W). p. 2.			
1910 Gadd. Comp. with <i>C. glacialis</i> . p. 2, 7.			
1912 Brian. Hosts, distr., syn. p. 7.			
1923 Wilson. Hosts, distr.; <i>Squalius acanthias</i> ; East Africa. p. 5.			
1935 Brian. Hosts, distr. p. 152, 202–204, 206; fig. XIX(1, 2, 9), XX(3–8).			
1936 Yamaguti. Descr. ♀; <i>Coryphaena hippurus</i> ; Pacific (? near Japan). p. 5–6, 19; pl. IV(fig. 40–54).			
1937b Wilson. <i>Sarda</i> sp.; Pacific coast Panama. p. 424.			
1949 Heegaard. Hist., hosts, distr., syn.; <i>Coryphaena hippurus</i> ; Pacific Ocean (200 miles south of Panama). <i>C. aliuncus</i> new syn. p. 240–244; fig. 6–10.			
1950 Wilson. Plankton; Easter Is. (Pacific). p. 178.			
1952 Pearse. <i>Coryphaena hippurus</i> ; Texas coast. p. 15.			
1954c Shiino. Comp. <i>C. coryphaenae</i> of Yamaguti, 1936 with <i>C. quadratus</i> . p. 29.			
1955a Barnard. Brief descr. ♀ ♂, hosts, distr., key. p. 244–246; fig. 8a–d.			

- of *C. euthynus*; *C. coryphaenae* of Yamaguti, 1936 syn. of *C. quadratus*. p. 513–522; fig. 1A–J.
- 1963 Shiino. *Coryphaena hippurus*; Hawaii and Ecuador. p. 336–337; fig. 1.
- 1963 Yamaguti. Hosts, distr. p. 49, 51, 59; pl. 59(fig. 3a–c).
- 1964 Kirtisinghe. Brief descr. ♀ ♂, hosts, distr.; *Katsuwonus pelamis*, Carangidae sp.; Ceylon. p. 50–52, 127; fig. 10–21.
- 1965 Kabata. Ment. p. 109.
- 1965a Shiino. *Thunnus obesus*, *Echeneis* sp., *Acanthocybium solanderi*; eastern equatorial Pacific Ocean. p. 418.
- 1965d Shiino. Deser. ♀ ♂, hosts, distr. p. 497; unnumbered figure.
- 1966 Kabata and Gusev. Hosts, distr.; *Sphaerooides inermis*; Volcano Islands (northwestern Pacific Ocean). *C. coryphaenae* of Yamaguti, 1936 syn. of *C. quadratus*. p. 156, 157, 159–161, 167.
- 1967 Lewis. Deser. ♀ ♂, hosts, distr., syn.; *Katsuwonus pelamis*, *Euthynnus yaito*, *Coryphaena hippurus*, plankton; Hawaii. *C. bengoensis*, *C. aliuncus*, *C. elongatus* Heegaard, 1943, *C. tesserifer* considered as syns.; *C. scutatus* possible syn.; *C. coryphaenae* of Brian, 1935, Yamaguti, 1936, Barnard, 1955 not identical with *C. coryphaenae* St. and Lütk. p. 1, 91, 101–109, 130, 190, 191, 192; fig. 37a–i, 38a–f, 39a–f.
- 1967 Pillai. Brief descr., hosts, distr. p. 1574, 1672; fig. 28.
- 1967 Silas and Ummekutty. Deser. ♀ ♂, hosts, distr., syn.; *C. bengoensis*, *C. aliuncus*, *C. tesserifer* regarded as syns.; *C. scutatus*, *C. elongatus* Heegaard, 1943 possible syns. p. 877, 884–886, 897, 903, 945–946, 947, 957, 965, 992; fig. 3(1–14).
- 1968 Lewis. *Euthynnus yaito*, *Sarda orientalis*, *Grammatorecyrus bilineatus*, *Caranx melampygus* ?, *Katsuwonus pelamis*; Eniwetok Atoll (South Pacific). Comp. with *C. laticaudus*. p. 50, 71.
- 1968b Parker. List. p. 363.
- 1969 Lewis. Ment. p. 65.
- 1969 Lewis et al. *Neothunnus macropterus*, *Parathunnus sibi*, *Katsuwonus pelamis*, *Coryphaena hippurus*, *Elagatis bipinnulatus*; Indian Ocean. p. 422, 423.
- 1971 Kabata and Hewitt. Ment. p. 1150.
- 1971 Pillai. Comp. with *C. infestans*. p. 160.
- 1972 Heegaard. Free swimming; North Atlantic, East China Sea, South China Sea, Indian Ocean, Sea of Java. p. 295–296.
- C. cossackii* Bassett-Smith, 1898**
- 1898b Bassett-Smith. N. sp. Descr. ♀ ♂; *Chrysophrys sarba*; Persian Gulf and Colombo (Ceylon). p. 85–86; pl. IV(fig. 3–3f). Types dep. Br. Mus. (Nat. Hist.).
- 1899 Bassett-Smith. List. p. 451.
- 1905 Wilson. Key. p. 560.
- 1943b Heegaard. Descr. ♀; *Sparus berda*; Madagascar. p. 1, 5–8, 35; fig. 12A–C.
- 1947 Gurney. Ment. p. 494.
- 1947 Heegaard. Ment. p. 77, 85, 205.
- 1950a Rangnekar, P. G., and Murti. Comp. with *C. unguidentatus*. p. 25.
- 1954c Shiino. Comp. with *C. quadratus*. p. 29.
- 1954h Shiino. Comp. with *C. fulvipurpureus*. p. 152–153.
- 1955a Barnard. Brief descr. ♀ ♂, hosts, distr., key. p. 244, 248; fig. 8e–f.
- 1955b Barnard. Key. p. 100.
- 1957 Shen. Comp. with *C. brevisoris*. p. 357, 371.
- 1959 Rangnekar, P. G., and Murti. Descr. ♀ ♂, hosts, distr.; *Scomberoides tala*; Bombay (India). p. 78–81; fig. a–n.
- 1963b Pillai. *C. cossacki* of Rangnekar and Murti, 1959 syn. of *C. epinepheli*. p. 75, 76.
- 1963 Yamaguti. Hosts, distr. p. 51.
- 1964 Kirtisinghe. Brief descr. ♀ ♂, hosts, distr. *C. indicus* new syn.; *C. cossackii* of Rangnekar and Murti, 1959 syn. of *C. epinepheli*. p. 57, 127.
- 1965 Kabata. *C. cossacki* of Rangnekar and Murti, 1959 syn. of *C. epinepheli*. p. 112.
- 1967 Pillai. Brief descr., hosts, distr. p. 1590, 1594–95, 1670, 1674; fig. 81.
- 1967 Silas and Ummekutty. Ment. p. 892.
- 1968 Kabata. Comp. with *C. novocaledonicus*. p. 8.
- 1968b Parker. List. p. 365.
- C. costatus* Shen and Li, 1959**
- 1959 Shen and Li. N. sp. Descr. ♀; free swimming; Tsingtao Harbor (China). p. 17–18; pl. II(fig. 17–29). Dep. type material unknown.
- 1963 Yamaguti. List. p. 51; pl. 55(fig. 4a–d).
- C. crassus* Abildgaard, 1794**
- 1794 Abildgaard. N. sp. Descr. ♀; shark; Helgoland. p. 49–51, 54; pl. V(fig. 1–3). Dep. type material unknown.

- 1837 Krøyer. Syn. of *Anthosoma smithii*. p. 295.  
 1861 Steenstrup and Lütken. Syn. of *Anthosoma crassum*. p. 397.  
 1873 Verrill. Syn. of *A. crassum*. p. 577.  
 1874 Verrill and Smith. Identical with Verrill (1873). p. 283.  
 1880 Valle. Syn. of *A. crassum*. p. 62, 64.  
 1890 Thomson, G. M. Syn. of *A. crassum*. p. 365.  
 1899 Bassett-Smith. Syn. of *A. crassum*. p. 468.  
 1905 Rathbun. Syn. of *A. crassum*. p. 97.  
 1905b Scott, T. Syn. of *A. crassum*. p. 112.  
 1905 Wilson. Syn. of *A. crassum*. p. 555.  
 1906 Brian. Syn. of *A. crassum*. p. 62.  
 1906 Norman and T. Scott. Syn. of *A. crassum*. p. 214.  
 1913 Scott, T., and A. Scott. Syn. of *A. crassum*. p. 108.  
 1922a Wilson. Syn. of *A. crassum*. p. 2, 22, 23.  
 1944 Brian. Syn. of *A. crassum*. p. 208.  
 1956 Markevich. Syn. of *A. crassum*. p. 159.  
 1962 Heegaard. Syn. of *A. crassum*. p. 181.  
 1963 Yamaguti. List. Syn. of *A. crassum*. p. 51, 144.  
 1966a Lewis. Syn. of *A. crassum*. p. 66.  
 1968 Hewitt. Syn. of *A. crassum*. p. 23.  
 1968b Parker. List. p. 362.

### *C. cristata* Gould, 1841

- 1841 Gould. Nom. prov. Brief descr.; *Lamna punctata*; Massachusetts (USA). p. 340–341. Dep. type material unknown.  
 1844 De Kay. List. as *C. cristatus*. p. 58.  
 1968b Parker. List. under “*nominata nuda* or *species inquirenda*.” p. 364.

### *C. cuniculus* Gnanamuthu, 1950

- 1950b Gnanamuthu. N. sp. Descr. ♀ ♂; *Trichurus haumela*; Madras (India). p. 113–114; fig. 1–16. Holotype ♀, allotype ♂ dep. Indian Mus. Zool. Survey India, Calcutta.  
 1959 Shen and Li. Comp. with *C. undulatus*. p. 17.  
 1963b Pillai. Descr. ♀ ♂; *Trichiurus savala*; Trivandrum (India). p. 77–79; fig. 7A–M.  
 1963 Yamaguti. List. p. 51; pl. 58(fig. 2a–g).  
 1967 Pillai. Brief descr., host, distr. *C. cuniculus* of Pillai, 1963 not identical with *C. cuniculus* Gnanamuthu. p. 1583, 1591, 1675; fig. 73.

- 1968a Pillai. *C. cuniculus* of Pillai, 1963 syn. of *C. longicervicus*. p. 125–126.

### *C. cybii* Bassett-Smith, 1898

- 1898a Bassett-Smith. N. sp. Descr. ♀; *Cybum lineolatum*; Bombay (India). p. 6, 16; pl. II(fig. 3). Type dep. Br. Mus. (Nat. Hist.).  
 1899 Bassett-Smith. List. p. 452.  
 1905 Wilson. Key. p. 558, 560.  
 1941 Capart. Comp. with *C. hemiconiati*. p. 175.  
 1950b Rangnekar, P. G., and Murti. Comp. with *C. unguidentatus*. p. 24–25.  
 1963 Yamaguti. List. p. 51.  
 1964 Kirtisinghe. Descr. ♀ ♂, hosts, distr.; *Cybum commersoni*; Ceylon. *C. brevisorisoris* of Pillai, 1961 new syn. p. 58, 127.  
 1967 Pillai. Brief descr., hosts, distr. p. 1578, 1671, 1672; fig. 38.  
 1967 Silas and Ummekutty. List. p. 877, 886, 903, 947.  
 1968b Parker. List. p. 365.  
 1971 Pillai. Descr. ♀ from Bassett-Smith's (1898a) collection. p. 156–158; fig. 35–47. Dep. Br. Mus. (Nat. Hist.), syntypes No. 98.4.20.3.

### *C. dakari* van Beneden, 1892

- 1892 van Beneden. N. sp. Descr. ♀; host unknown; Bay of Dakar (West Africa). p. 243–245, 261; pl. I(fig. 1–4). Types dep. at Louvain, Belgium destroyed during World War II.  
 1899 Bassett-Smith. List. p. 450.  
 1903 Thompson, I. C., and A. Scott. *Arius venosus*; Ceylon. p. 293, 294.  
 1905 Wilson. Key. p. 561.  
 1924 Brian. Possible syn. of *C. mauritanicus*. p. 380, 382.  
 1953 Capart. Ment. p. 653.  
 1959 Capart. Ment. p. 85.  
 1963 Yamaguti. List. p. 51.  
 1964 Kirtisinghe. Descr. ♀ ♂, hosts, distr.; *Arius* sp.; Colombo (Ceylon). *C. arii* of Barnard, 1955 new syn. p. 60, 126; fig. 36, 37.  
 1967 Pillai. Hosts, distr. Comp. with *C. artii*. p. 1586, 1670; fig. 61.  
 1968b Parker. List. p. 364.

<b><i>C. dasyaticus</i> Rangnekar, 1957</b>		1910	Gadd. Ment. p. 2.
1957 Rangnekar, M. P. N. sp. Descr. ♀; <i>Dasyaticus uarnac</i> ; Bombay (India). p. 16–18; fig. 1a–m. Dep. type material unknown.		1933	Markevich. Syn. of <i>C. lacustris</i> . p. 10, 12.
1960a Shiino. Descr. ♀ ♂; <i>Dasyatis akajeii</i> ; Japan. p. 473–476; fig. 2A–L.		1937	Markevich. Syn. of <i>C. lacustris</i> . p. 38, 52, 83, 161, 192.
1963 Yamaguti. Hosts, distr. p. 52.		1938	Dogiel and Bykhovsky. Syn. of <i>C. lacustris</i> . p. 108.
1967 Kabata. Descr. ♂, hosts, distr.; <i>Amphotistius kuhlii</i> ; Queensland (Australia). p. 563–565, 570; fig. 1A–E.		1939	Redeke. Does not accept as syn. of <i>C. lacustris</i> . p. 200–201.
1967 Pillai. Brief descr., hosts, distr. p. 1581, 1583, 1671, 1673; fig. 49.		1949	Shen. Comp. with <i>C. fronsuganinus</i> . p. 140.
1968 Kabata. Comp with <i>C. novocaledonicus</i> . p. 3.		1954	Kaj. Questions syn. of <i>C. dentatus</i> with <i>C. lacustris</i> . p. 45.
1968b Pillai. Descr. ♀ ♂; <i>Pristis</i> sp.; Trivandrum (South India). p. 9–11, 35; fig. 1A–K.		1954g	Shiino. Comp with <i>C. triangularis</i> . p. 148–149.
<b><i>C. debueni</i> Stuardo and Fagetti, 1960</b>		1956	Markevich. Hist. Syn. of <i>C. lacustris</i> . p. 7, 8, 113–114.
1960 Stuardo and Fagetti. N. sp. Brief descr. ♀ ♂; <i>Merluccius gayi gayi</i> ; Valparaiso Bay (Chile). p. 197–200. Dep. types (see Stuardo and Fagetti, 1961).		1957	Kozikowska. Syn. of <i>C. lacustris</i> . p. 237, 248.
1961 Fagetti and Stuardo. Ment. p. 5.		1963	Yamaguti. Syn. of <i>C. lacustris</i> . p. 52.
1961 Stuardo and Fagetti. Descr. (designated n. sp.) ♀ ♂. p. 56, 60–65, 77, 80; pl. I(fig. 1–4), II(fig. 1–8). Types dep. Mus. Zool. Comp. Estación Biol. Marina, Concepción, Chile; “holotype” ♂ ♀ No. 3004, paratypes No. 3004a.		1964	Heegaard. Ment. p. 320.
1963 Yamaguti. List. p. 52.		1967	Grabda, J. Syn. of <i>C. lacustris</i> . p. 10.
1968b Parker. Ment. p. 362.		1967	Silas and Ummerkutty. Ment. p. 969.
		1971	Grabda, J. Syn. of <i>C. lacustris</i> . p. 115.
<b><i>C. dentatus</i> Heegaard, 1962</b>			
1924 Brian. N. sp. Descr. ♀; <i>Cantharus lineatus</i> ; Mauritania. p. 378, 422, 427; fig. 13, 14. Holotype dep. Mus. Natl. Hist. Nat., Paris.		1962	Heegaard. N. sp. Descr. ♀; <i>Scomberomorus niphonius</i> ; Torres Strait (Australia). p. 160, 197; fig. 62–67. Holotype dep. Australian Mus., Sydney.
1927 Gurney. Plankton; Port Taufiq (Red Sea). p. 482; fig. 121A, B.		1964	Heegaard. Renamed as <i>C. microdonthus</i> . p. 319–320.
1963 Yamaguti. List. p. 52.		1967	Lewis. Comp. with <i>C. productus</i> . p. 124.
		1967	Silas and Ummerkutty. Syn. of <i>C. microdonthus</i> . Comp. with <i>C. proboscidatus</i> . p. 957, 969, 973.
<b><i>C. deformis</i> Brian, 1924</b>			
1924 Brian. N. sp. Descr. ♀; <i>Cantharus lineatus</i> ; Mauritania. p. 378, 422, 427; fig. 13, 14. Holotype dep. Mus. Natl. Hist. Nat., Paris.		1832	Nordmann. N. sp. Descr. ♀ ♂; <i>Trigla hirundo</i> ; locality unknown. p. 26–28, 29, 31; figures were not published. Types dep. Zool. Mus. Humboldt U., Berlin, No. 938.
1927 Gurney. Plankton; Port Taufiq (Red Sea). p. 482; fig. 121A, B.		1835	Burmeister. List. p. 331.
1963 Yamaguti. List. p. 52.		1837	Krøyer. Descr. ♀; <i>Trigla gurnardus</i> ; northern Kattegat (Denmark). p. 201, 612, 623–625, 628; pl. VI(fig. 5a–h).
<b><i>C. dentatus</i> Gadd, 1906</b>		1838	Krøyer. Descr. ♂; host unknown; northern Kattegat (Denmark). p. 15–19, 152, 156; pl. I(fig. 3–3d).
1906 Gadd. N. sp. Descr. ♀ ♂; <i>Cyprinus carpio</i> ; Caspian Sea. p. 1–9; fig. 1–9. Dep. type material unknown.		1838–40	Krøyer. List. p. 100.
1908 Meisner. Vicinity of Volga Biological Station. p. 50.		1840	Edwards. Brief descr., key. p. 452.

1843	Rathke. <i>Trigla gurnardus</i> ; Norway (North Sea). p. 102.	1899c	Brian. Hosts, distr.; <i>Trigla corax</i> ; Elba Is. (Italy). p. 2, 10.
1847	Erichson. List. p. 210.	1900	Brian. Identical with Brian (1899c). p. 198, 206.
1847	Thompson, W. <i>Trigla hirundo</i> , <i>Trigla pini</i> , <i>Pagellus centrodontus</i> , <i>Scomber scombrus</i> , <i>Caranx trachurus</i> , <i>Merlangus carbonarius</i> , <i>Merluccius vulgaris</i> , <i>Lota molva</i> , <i>Platessa vulgaris</i> , <i>Pleuronectes maximus</i> ; Belfast (Ireland). p. 247, 249.	1900	Graeffe. List. p. 43.
1850	Baird. Descr. ♂ based on W. Thompson's (1847) collections. p. 269–270, 278; pl. XXXII(fig. 1).	1900	Scott, T. Descr. ♀ ♂, syn.; <i>Trigla gurnardus</i> , <i>Trigla hirundo</i> , <i>Trigla lineata</i> ; Scottish waters. C. isonyx of Scott, 1891 new syn. <i>C. diaphanus</i> of Baird, 1850 syn. of <i>C. curtus</i> . p. 148, 149–150; pl. V(fig. 20–25).
1850	White. List. p. 119.	1900	Thompson, I. C., and A. Scott. Cod [ <i>Gadus morhua</i> ]; Liverpool Bay (England). p. 143.
1855	Gosse. List. p. 125; fig. 209.	1901a	Scott, T. List. p. 356.
1856	Thompson, W. Identical with W. Thompson (1847). p. 409.	1901b	Scott, T. Comp. with <i>C. scombri</i> (for <i>C. scomberi</i> Bassett-Smith). p. 124.
1857	White. List. p. 313.	1902	Scott, T. Ment. p. 291.
1861	van Beneden. <i>Trigla</i> sp.; Belgium. p. 148.	1903	Brian. <i>Pagellus acarne</i> , <i>Pagellus mormyrus</i> ; Elba Is. (Italy). p. 7.
1861	Steenstrup and Lütken. <i>C. diaphanus</i> of Baird, 1850 tentative syn. of <i>C. curtus</i> . p. 353. Ment. p. 359.	1903	Thompson, I. C., and A. Scott. <i>Therapon puta</i> ; Ceylon. p. 293.
1863–64	Krøyer. Descr. ♀; <i>Trigla gurnardus</i> , <i>Trigla hirundo</i> ; Denmark. p. 153–155, 160, 177–178, 415; pl. VII(fig. 5a–e).	1904	Scott, A. Common gurnard [ <i>Trigla gurnardus</i> ] and yellow gurnard [ <i>Trigla hirundo</i> ]; Irish Sea. p. 118.
1864	Nordmann. Ment. p. 463.	1905	Norman. List. p. 41.
1865	Heller. Comp. with <i>C. vexator</i> . p. 166.	1905	Pearson. List. <i>C. diaphanus</i> of Baird, 1840 [sic] syn. of <i>C. curtus</i> . p. 24, 25.
1866	Heller. Descr.; <i>Trigla lineata</i> , <i>Trigla corax</i> ; Adriatic Sea. p. 751, 752.	1905b	Scott, T. Comp. with <i>Lepeophtheirus sturionis</i> Krøyer. p. 110.
1866–79	Gerstaeker. List. p. 763, 764, 767, 768, 770, 773, 802.	1905	Wilson, Ment., key. <i>C. diaphanus</i> of Baird, 1850 syn. of <i>C. curtus</i> . p. 496, 497, 555, 556, 560, 564, 578.
1868	Chernyavsky. Ment. p. 56.	1906	Brian. Hosts, distr.; <i>Trigla lineata</i> , <i>Pagellus mormyrus</i> , <i>Trigla corax</i> ; Elba Is. and Naples (Italy). <i>C. diaphanus</i> of Baird, 1850 syn. of <i>C. curtus</i> . p. 35, 43–44, 125, 126, 128, 130, 178–181.
1869	Olsson. Brief descr. ♀; <i>Trigla gurnardus</i> ; Skagerrack Sea. p. 10.	1906	Norman and T. Scott. List. <i>C. diaphanus</i> of Baird, 1850 syn. of <i>C. curtus</i> . p. 205, 206.
1871	van Beneden. <i>Trigla gurnardus</i> , <i>Trigla hirundo</i> ; Belgium. p. 30, 31.	1906	Scott, T. <i>Trigla gurnardus</i> ; River Forth estuary (Scotland). C. isonyx of Scott, 1891 syn. <i>C. diaphanus</i> of Baird, 1850 syn. of <i>C. curtus</i> . p. 366, 367.
1880	Richiardi. <i>Pagellus mormyrus</i> , <i>Pagellus erythrinus</i> , <i>Trigla cuculus</i> , <i>Trigla corax</i> , <i>Trigla milvus</i> , <i>Trigla lineata</i> , <i>Platessa passer</i> ; Italy. p. 148.	1913	Guiart. <i>Belone vulgaris</i> ; Concarneau (France). p. 6.
1880	Stossich. List. p. 255.	1913	Scott, T., and A. Scott. Descr. ♀ ♂, hosts, distr. Comp. with <i>C. labracis</i> . C. isonyx of Scott, 1891 syn. <i>C. diaphanus</i> of Baird, 1850 syn. of <i>C. curtus</i> . p. 30, 45, 53, 60–61; pl. XVII(fig. 1), XVIII(fig. 6, 7), XLVIII(fig. 7).
1880	Valle. <i>Trigla lineata</i> , <i>Trigla corax</i> , <i>Trigla aspera</i> , <i>Trigla lyra</i> ; Adriatic Sea p. 58, 86.	1913	Stephensen. <i>C. diaphanus</i> of Baird, 1850 syn. of <i>C. curtus</i> . p. 345.
1885	Carus. Brief descr., hosts, distr. p. 357.		
1890	Malard. List. p. 78, 79.		
1891	Scott, T. List. p. 304–305.		
1896a	Bassett-Smith. Ment. Comp. with <i>C. scomberi</i> . p. 9, 11.		
1896b	Bassett-Smith. <i>Trigla hirundo</i> , <i>Trigla cuculus</i> ; Plymouth (England). p. 156.		
1897	Scott, T. Coalfish [ <i>Gadus virens</i> ]; Loch Fyne (Scotland). p. 155.		
1899	Bassett-Smith. List. Not <i>C. diaphanus</i> of Edwards, 1840, or Baird, 1850. p. 447, 452.	1913	

- 1922b Wilson. *Trigla corax*; St. Vaast de la Hougue (France). p. 106.
- 1923 Monod. *Pagellus mormyrus*; Monaco. p. 3.
- 1924 Brian. *Trigla lineata*, *Trigla lucerna*, *Solea vulgaris*; Mauritania. *C. torpedinis* possible syn. p. 376-377, 424, 427.
- 1926 Leigh-Sharpe. List. p. 384.
- 1927 Cuénot. *Trigla lucerna*; Arcachon (France). p. 288.
- 1928b Wilson. Comp. with *C. lunatus*. p. 6-7.
- 1929 Brian. *C. diaphanus* of Baird, 1850 syn. of *C. curtus*. p. 3.
- 1929 Scott, A. Hosts in Irish Sea. p. 88-89.
- 1933a Leigh-Sharpe. List. p. 112.
- 1934 Gurney. Ment. p. 178, 191; fig. 17.
- 1935 Brian. Descr. ♀, hosts, distr. p. 152, 153, 176-179, 191, 207; fig. X(1-8).
- 1935 Schuurmans Stekhoven. *Trigla gurnardus*; Belgian coast. p. 4.
- 1936 van Oorde-de Lint and Schuurmans Stekhoven. Brief descr. ♀ ♂, hosts, distr. Comp. with *C. centrodonti*, *C. gurnardi*, *C. brevicaudatus*, *C. pelamydus*, *C. zei*, and *C. labracis*. p. 133, 134, 190, 191; fig. 97.
- 1936 Schuurmans Stekhoven. Plankton; Belgian coast. p. 7.
- 1937b Wilson. *Caranx hippos*; Panama Bay (Pacific coast of Panama). p. 424.
- 1939 Yamaguti. Comp. with *C. tanago*. p. 448-449.
- 1940 Stephensen. List. p. 20.
- 1941 Capart. Comp. with *C. pagri*. p. 179.
- 1945 Heegaard. *C. diaphanus* of Baird, 1850 syn. of *C. curtus*. p. 5.
- 1947 Heegaard. L.h.; *Trigla gurnardus*; Gullmar Fiord (Sweden). *Caligus diaphanus* of Baird, 1850 syn. of *C. curtus*. p. 31, 34, 51, 73, 101-103, 232; pl. VII(fig. 50-54).
- 1950a Delamare Deboutteville. *Trigla lucerna*; Banyuls (Mediterranean coast of France). p. 305.
- 1950a Rangnekar, P. G., and Murti. Comp. with *C. unguidentatus*. p. 25.
- 1953 Dollfus. *C. diaphanus* of Baird, 1850 syn. of *C. curtus*. p. 328.
- 1954 Schäperclaus. List. p. 212.
- 1956 Markevich. *C. diaphanus* of Baird, 1850 syn. of *C. curtus*. p. 120.
- 1957 Shen. Comp. with *C. brevisoris*. p. 357, 371.
- 1958 Delamare Deboutteville and Nunes-Ruivo. *Trigla lineata*, *Trigla lucerna*; Banyuls (Mediterranean coast of France). Comp. with *C. pagelli*. p. 220-223; fig. 4a-f.
- 1959 Ronald. List. p. 19, 40, 55.
- 1960 Krishnaswamy. Physiol. p. 689-691.
- 1961 Vaissière. Anat. of eye; *Trigla corax*; Algeria. p. 7, 72, 73, 113; fig. 29.
- 1962 Bresciani and Lützen. List. p. 405.
- 1963 Yamaguti. Hosts, distr. p. 48, 52; pl. 61(fig. 1a-c).
- 1964 Kirtisinghe. Descr. ♀ ♂, hosts, distr.; *Lates calcarifer*; Colombo (Ceylon). *C. multispinosus* of Pillai, 1961 new syn.; *C. diaphanus* of Baird, 1850 syn. of *C. curtus*. p. 56-57, 62, 126, 127; fig. 31.
- 1965 Parker. Ment. p. 94, 102.
- 1966 Pillai. Brief descr., hosts, distr. Does not accept *C. multispinosus* of Pillai, 1961 as syn. of *C. diaphanus*. p. 1585, 1586, 1671, 1672; fig. 60.
- 1967 Parker. List. p. 365.
- 1968 Parker et al. Ment. *C. diaphanus* of Baird, 1850 syn. of *C. curtus*. p. 1923, 1924, 1942.
- 1969 Hamond. *Trigla gurnardus*; North Sea. p. 229.
- 1969 Parker. Ment. Comp. with *C. elongatus*. p. 1020, 1032.
- 1971 Kabata and Hewitt. Ment. p. 1143.
- C. dieuzeidei** Brian, 1932
- 1932 Brian. N. sp. Descr. ♀ ♂; *Diplodus sagus*; Castiglione (Algeria). p. 47-57; fig. 1-16. Dep. type material unknown.
- 1935 Brian. Descr. ♀ ♂. p. 152, 153, 173-176, 207; fig. IX(1-14).
- 1954f Shiino. Descr. ♀ ♂; *Sparus macrocephalus*; Momotori (Mie Prefecture, Japan). p. 268-272; fig. 1A-H, 2A-I.
- 1959e Shiino. *Teuthis fuscescens*; Toba (Mie Prefecture, Japan). p. 336.
- 1963 Yamaguti. Hosts, distr. p. 52.
- C. djedabae** Rangnekar, 1956
- 1956 Rangnekar, M. P. N. sp. Descr. ♀; *Atule djedaba*; Bombay (India). p. 42-45; fig. a-k. Dep. type material unknown.
- 1961 Pillai. *Selar kalla*; Trivandrum (India). Possible syn. of *C. bicycletus*. p. 96; fig. 5A-6M.

1963	Yamaguti. List. p. 52; pl. 64(fig. 4).	1899	Bassett-Smith. Questionable syn. of <i>C. curtus</i> . p. 447.
1967	Pillai. Brief descr., host, distr. p. 1585, 1674; fig. 56.	1905	Norman. List. p. 41.
		1905	Pearson. Questionable syn. of <i>C. curtus</i> . p. 24.
		1905	Wilson. Syn. of <i>C. curtus</i> . p. 555, 578.
		1906	Brian. Ment. Questionable syn. of <i>C. curtus</i> . p. 35, 36.
1894	Scott, T. N. sp. Descr. ♀; plankton; Loanda Harbour (Gulf of Guinea). p. 130; pl. XIV(fig. 22). Dep. type material unknown.	1953	Dollfus. Syn. of <i>C. curtus</i> . p. 328, 330.
1899	Bassett-Smith. List. p. 450.	1956	Markevich. Syn. of <i>C. curtus</i> . p. 120.
1905	Wilson. Ment., key. p. 496, 557, 558.	1963	Yamaguti. List. Questionable syn. of <i>C. curtus</i> . p. 48, 52.
1934b	Leigh-Sharpe. Descr. ♀ ♂; host and locality unknown. p. 19–21, 26; fig. 17, 18.	1968b	Parker. List. p. 363.
1936	Leigh-Sharpe. Comp. with <i>C. rabidus</i> . p. 413.	1968	Parker et al. Syn. of <i>C. curtus</i> . p. 1923, 1925, 1929.
1948	Gnanamuthu. Comp. with <i>C. savala</i> . p. 595.		
1963	Yamaguti. List. p. 52.		
1968b	Parker. List. p. 365.		
<b><i>C. dubius</i> Scott, 1894</b>			
1957	Rangnekar, M. P. N. sp. Descr. ♀; <i>Dussumieria acuta</i> ; Bombay (India). p. 18–20; fig. 2a–j. Dep. type material unknown.	1957	Shen. N. sp. Descr. ♀; <i>Eleutheronemus tetracactylum</i> ; Kwanghai (Kwangtung Province, China). p. 351, 358–359, 369, 372; pl. VI(fig. 74–85). [Note: captions to pl. III and VI have been interchanged.] Dep. type material unknown.
1963	Yamaguti. List. p. 52.	1963	Yamaguti. List. p. 52. Yamaguti's pl. 61(fig. 2) reportedly <i>C. eleutheronemi</i> is actually <i>C. multispinosus</i> .
1964	Kirtisinghe. Comp. with <i>C. clavatus</i> . p. 64.	1967	Pillai. Ment. p. 1585.
1968b	Pillai. Syn. of <i>Pseudopetalus dussumieri</i> (Rangnekar, 1957) n. comb. p. 13.		
<b><i>C. dussumieri</i> Rangnekar, 1957</b>			
1957	Rangnekar, M. P. N. sp. Descr. ♀; <i>Dussumieria acuta</i> ; Bombay (India). p. 18–20; fig. 2a–j. Dep. type material unknown.		
1963	Yamaguti. List. p. 52.		
1964	Kirtisinghe. Comp. with <i>C. clavatus</i> . p. 64.		
1968b	Pillai. Syn. of <i>Pseudopetalus dussumieri</i> (Rangnekar, 1957) n. comb. p. 13.		
<b><i>C. elegans</i> van Beneden, 1851</b>			
1851a	van Beneden. N. sp. Descr. ♀ ♂; <i>Gadus morrhua</i> ; Belgium. <i>C. curtus</i> of Krøyer (1837, 1838) syn. p. 88, 91–93, 128. Dep. type material unknown.	1835	Burmeister. List. p. 331.
1851b	van Beneden. List. p. 290.	1837	Krøyer. List. p. 201.
1861	van Beneden. List. p. 147.	1840	Edwards. Key. p. 454.
1861	Steenstrup and Lütken. Syn. of <i>C. curtus</i> . p. 353.	1843	Rathke. Ment. p. 102.
1866–79	Gerstaecker. List. p. 762, 802.	1854	Cuvier. Ment. p. 447, footnote.
1869	Olsson. Syn. of <i>C. curtus</i> . p. 6.	1861	Steenstrup and Lütken. Questionable syn. of <i>C. rapax</i> . p. 359.
1871	van Beneden. List. p. 56, 91; pl. I(fig. 2).	1863	Krøyer. Does not accept as syn. of <i>C. rapax</i> . p. 147.
1876	van Beneden. Unnumbered fig. p. 73.	1899	Bassett-Smith. Syn. of <i>C. rapax</i> . p. 448.
1890	Malard. List. p. 89.	1904	Gadd. Questionable syn. of <i>C. rapax</i> . p. 17.
1896b	Bassett-Smith. <i>Gadus morrhua</i> ; Plymouth (England). p. 156.	1905	Pearson. Syn. of <i>C. rapax</i> . p. 24.
1896	Olsson. Syn. of <i>C. curtus</i> . p. 502.	1905	Wilson. Syn. of <i>C. rapax</i> . p. 555, 568.
		1908b	Brian. Syn. of <i>C. rapax</i> . p. 97.
		1912	Brian. Syn. of <i>C. rapax</i> . p. 5.
		1913	Scott, T., and A. Scott. Syn. of <i>C. rapax</i> . p. 48.
		1935	Brian. Syn. of <i>C. rapax</i> . p. 153.
<b><i>C. elongatus</i> Nordmann, 1832</b>			
1832	Nordmann. N. sp. Descr. ♀; host unknown; probably southern seas. p. 23, 24–25, 29; plate containing figures was not published. Types dep. Zool. Mus. Humboldt U., Berlin.		

- 1946 Dollfus. Syn. of *C. rapax*. p. 72.
- 1947 Heegaard. Ment. Syn. of *C. rapax*. p. 74, 96.
- 1953 Dollfus. Syn. of *C. rapax*. p. 332.
- 1956 Markevich. Syn. of *C. rapax*. p. 126.
- 1962 Heegaard. Syn. of *C. rapax*. p. 156.
- 1963 Yamaguti. List. p. 52.
- 1967 Parker and Margolis. Do not accept as syn. of *C. rapax*. p. 93–96.
- 1967 Silas and Ummekutty. Syn. of *C. rapax*. p. 898.
- 1968b Parker. List. p. 365.
- 1969 Parker. Hist., descr. ♀ ♂, hosts, distr., syn. *C. kroyerii*, *C. rissoanus*, *C. rapax* of Baird, 1850 (*partim*), of St. and Lütke, 1861 and later authors, *C. lumpi*, *C. gurnardi* Krøyer (*partim*), *C. trachypteri*, *C. latifrons*, *C. rabidus*, *C. arcticus* new syns. p. 1013–1035; fig. 1–22.
- 1970 Dollfus. *Gadus callarias*; Hebrides Is. (59°N, 7°W). p. 47.
- 1971 Dollfus. Identical with Dollfus (1970). p. 47.
- 1971b Hewitt. *Eubalichthys moaicus*; New South Wales (Australia). p. 145, 163; fig. 73–78.
- C. elongatus* Heegaard, 1943**
- 1943b Heegaard. N. sp. Descr. ♀ ♂; host unknown; ? eastern Atlantic. p. 1, 11–14; fig. 21–31. Types dep. Riksmus., Stockholm.
- 1955a Barnard. Key. p. 244, 245.
- 1955b Barnard. Key. p. 99.
- 1959b Shiino. Questionable syn. of *C. coryphaenae*. p. 2, 25, 32.
- 1959d Shiino. Comp. with *C. coryphaenae* (?). juv. Questionable syn. of *C. coryphaenae*. p. 297.
- 1963 Ho. Syn. of *C. coryphaenae*. p. 82.
- 1963a Pillai. Syn. of *C. coryphaenae*. p. 513, 514, 516, 518, 522.
- 1963 Yamaguti. Homonym of “*C. elongatus* Edwards, 1840 (? Nordmann, 1832).” p. 52.
- 1964 Kirtisinghe. Syn. of *C. coryphaenae*. p. 51.
- 1966 Kabata and Gusev. Syn. of *C. coryphaenae*. p. 159.
- 1967 Lewis. Syn. of *C. coryphaenae*. p. 101.
- 1967 Silas and Ummekutty. Syn. of *C. coryphaenae*. p. 884.
- 1969 Parker. Not identical with *C. elongatus* Nordmann, 1832. p. 1026.
- C. engraulidis* Barnard, 1948**
- 1948 Barnard. N. sp. Descr. ♀; *Engraulis (Anchoviella) holodon*; Algoa Bay (South Africa). p. 244–245; fig. 3. Dep. type material unknown.
- 1955a Barnard. Descr. ♀. p. 245, 249; fig. 10c, d.
- 1955b Barnard. Key. p. 100.
- 1957 Barnard. Comp. with *C. hottentotus*. p. 11.
- 1963 Yamaguti. List. p. 52; pl. 63(fig. 1a–c).
- C. enormous* Wilson, 1913**
- 1913 Wilson. N. sp. Descr. ♀ ♂; *Sparisoma viride*; Jamaica. p. 216–219, 274; pl. 31(fig. 116–126). Types dep. USNM; holotype ♀ No. 43593, paratypes No. 42263.
- 1949 Thomsen. Placed in *Metacaligus* n. subg. p. 6, 7.
- 1963 Yamaguti. List. p. 52; pl. 62(fig. 1a, b).
- 1967 Lewis. Ment. p. 91.
- C. epidemicus* Hewitt, 1971**
- 1971b Hewitt. Descr. ♀ ♂, l.h.; *Mylio butcheri*, *Mugil cephalus*, *Alorichetta forsteri*, *Liza argentea*, *Myxus elongans*; lower Mitchell R. (Australia). p. 145–163; fig. 1–72. Types dep. Australian Mus., Sydney; [holo] type No. P17622, paratypes No. P17623.
- C. epinepheli* Yamaguti, 1936**
- 1936 Yamaguti. N. sp. Descr. ♀; *Epinephelus septemfasciatus*; Kuki (Mie Prefecture, Japan); *Epinephelus akaara*; Tarumi (Inland Sea, Japan). p. 4–5, 8, 18–19; pl. III(fig. 27–39). Dep. type material unknown.
- 1939 Yamaguti. Comp. with *C. pagrosomi*. p. 445.
- 1952 Shiino. Descr. ♀ ♂; *Sparus macrocephalus*; Momotori (Mie Prefecture, Japan). p. 79–84; fig. 1A–E, 2A–I.
- 1954b Shiino. Ment. p. 21.
- 1954f Shiino. Ment. p. 268.
- 1956 Fukui. List. p. 47.
- 1957 Fukui. List. p. 57.
- 1959 Yamaguti and Yamasu. Comp. with *C. fugu*. p. 116.

- 1961 Kurian. Comp. with *C. affinis*. p. 72.
- 1963b Pillai. Comp. with descriptions of Yamaguti (1936) and Shiino (1952); *Chorinemus tala*; Trivandrum (India). *Caligus cossacki* of Rangnekar and Murti, 1959 new syn. p. 75–76, 89; fig. 5A–Q.
- 1963 Yamaguti. Hosts in Japan. p. 53; pl. 69(fig. 3a–c).
- 1964 Kirtisinghe. Brief descr. ♀ ♂, hosts, distr.; *Chorinemus* sp.; Hikkaduwa (Ceylon). p. 57, 127; fig. 32.
- 1964a Rangnekar, P. G., and Murti. Descr. ♀; *Drepane punctata*; Bombay (India). Comp. with *C. mutabilis*. p. 87–89; fig. 2a–k.
- 1965 Kabata. Hosts, distr.; *Epinephelus merra*; Heron Island (Queensland). p. 109, 112–114, 126; fig. 2C.
- 1967 Pillai. Brief descr., hosts, distr., syn. p. 1590, 1671; fig. 69.
- 1968 Kabata. Comp. with *C. novocaledonicus*. p. 8.
- 1968 Lewis. Ment. p. 70.
- 1968a Pillai. Comp. with *C. annularis*. p. 128.
- C. euthynus* Kurian, 1961**
- 1961 Kurian. N. sp. Descr. ♀ ♂; *Euthynnus affinis*; Kerala (India). p. 63–68; fig. 1–15. Holotype ♀ dep. Indian Mus. Zool. Survey India, Calcutta.
- 1963a Pillai. Differentiates from *C. coryphaenae*; *Euthynnus affinis*; Trivandrum (India). p. 513, 519–522; fig. 4A–N.
- 1964 Kirtisinghe. Syn. of *C. coryphaenae*. p. 51.
- 1967 Pillai. Hosts, distr., syn. Comp. with *C. coryphaenae* St. and Lütk., *C. alveolaris* Heegaard, 1962, *C. coryphaenae* of Kirtisinghe, 1964 (*partim*) new syns. p. 1574, 1672; fig. 29.
- 1967 Silas and Ummerkutty. Descr. host, locality (as *C. euthynnus*). p. 957, 965–966, 992; fig. 44(1–15).
- 1954b Shiino. Comp. with *C. latigenitalis*. p. 24.
- 1963 Yamaguti. List. p. 53; pl. 62(fig. 3).
- C. exilis* in Wilson, 1905**
- 1905 Wilson. Ment. p. 514.
- 1963 Yamaguti. List. p. 53.
- C. fallax* Krøyer, 1863**
- 1863–64 Krøyer. N. sp. Descr.; *Gadus morrhua*; Hellebaek (Denmark). Possibly teratological specimen. p. 166–169, 182, 421; pl. XVII(fig. 3a–i). Holotype dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 762, 802.
- 1869 Olsson. Key. p. 5, 7.
- 1899 Bassett-Smith. List. p. 451. (Krøyer's specimen considered ♀).
- 1905 Wilson. Ment., key. p. 496, 556.
- 1908a Wilson. Ment. p. 619.
- 1953 Dollfus. Considered a teratological specimen of *C. curtus*. p. 327.
- 1963 Yamaguti. List. p. 53; pl. 64(fig. 3).
- 1968b Parker. List. p. 363.
- 1968 Parker et al. Syn. of *C. curtus*. p. 1923.
- C. fissus* Richiardi, 1880**
- 1880 Richiardi. N. sp. No descr.; *Box salpa*; Italy. p. 148. Dep. type material unknown.
- 1885 Carus. List. p. 359.
- 1898a Brian. Descr. *C. fissus*?; *Box salpa*; Genoa (Italy). p. 209, 224, 226; pl. I(fig. 3).
- 1898b Brian. Identical with Brian (1898a). p. 7, 22, 24; pl. I(fig. 3).
- 1902 Poche. List. p. 10.
- 1905 Wilson. Ment. p. 556.
- 1906 Brian. Syn. of *C. ligusticus*. p. 41.
- 1963 Yamaguti. List. p. 53.
- 1968b Parker. List. under "nomina nuda or species inquirendae." p. 364.
- C. eventilis* Leigh-Sharpe, 1934**
- 1934b Leigh-Sharpe. N. sp. Descr. ♀; unidentified pomacentrid; Anchorage Salomakië Is. (Moluccan Archipelago). p. 21–22; fig. 19. Dep. type material unknown.
- C. fistulariae* Yamaguti, 1936**
- 1936 Yamaguti. N. sp. Descr. ♀; *Fistularia petimba*; Nagasaki (Japan). p. 3–4, 18; pl. II(fig. 14–26). Dep. type material unknown.
- 1954i Shiino. Comp. with *C. glandifer*. p. 156.

- 1956 Fukui. List. p. 47.
- 1957 Fukui. List. p. 57.
- 1959c Shiino. Comp. with *C. klawei*. p. 355, 356.
- 1963 Yamaguti. List. p. 53; pl. 69(fig. 1a-d).
- 1964 Shiino. Descr. ♀ ♂; *Fistularia villosa*; Ooshima Strait (Japan). p. 243-249, 254; fig. 1A-J, 2A-H.
- C. flexispina* Lewis, 1964**
- 1964 Lewis. N. sp. Descr. ♀ ♂; *Acanthurus triostegus sandvicensis*; Oahu (Hawaii). p. 149-156; fig. 4a-o, 5a-f. Types dep. USNM; holotype ♀ No. 105103, allotype ♂ No. 105104.
- 1967 Lewis. *Aulostomus chinensis*, unidentified labrid; Hawaii. p. 169-170, 190, 191.
- C. formicoides* Redkar, Rangnekar and Murti, 1949**
- 1949 Redkar, Rangnekar, P. G., and Murti. N. sp. Descr. ♀ ♂; *Dussumieriella acuta*; Bombay (India). p. 36-39; pl. 1(fig. 1-11). Dep. type material unknown.
- 1950b Rangnekar, P. G., and Murti. Syn. of *Parapetalus formicoides*. p. 43-53.
- 1962 Pillai. Syn. of *Pseudopetalus formicoides*. p. 297.
- 1963 Yamaguti. Syn. of *Parapetalus formicoides*. p. 65.
- 1967 Pillai. Syn. of *Pseudopetalus formicoides*. p. 1597.
- C. fortis* Kabata, 1965**
- 1965 Kabata. N. sp. Descr. ♀; *Carangooides emburyi*; Green Island (Queensland). p. 109, 110, 114-119, 125, 126; fig. 3A-L, 4A-L. Types dep. Br. Mus. (Nat. Hist.); holotype No. 1965.4.7.1, paratypes No. 1965.4.7.2.
- 1968 Parker et al. Ment. p. 1923.
- C. fronsuganinus* (Shen, 1940) Shen, 1949**
- 1949 Shen. N. comb. for *Pargulus fronsuganinus*. Descr. ♂ (originally identified as ♀); host unknown; Kunming (Yunnan, China; fresh water). p. 141-145, 147-148; pl. XII(fig. a-k). Dep. type material unknown.
- 1957 Shen. Ment. p. 351, 369.
- C. fugu* Yamaguti and Yamasu, 1959**
- 1959 Yamaguti and Yamasu. N. sp. Descr. ♀ ♂; *Sphaerooides rubripes*, *Sphaerooides alboplumbeus*, *Sphaerooides niphobles*, *Sphaerooides pardalis*; Inland Sea (Japan). p. 114-116, 150; pl. VII(fig. 136-152). Dep. type material unknown.
- 1963 Yamaguti. List. p. 53; pl. 74(fig. 1a, b).
- C. fulvipurpureus* Shiino, 1954**
- 1954h Shiino. N. sp. Descr. ♀ ♂; *Cololabis saira*; Owase (Mie Prefecture, Japan). p. 150-153; fig. 1A-M. Types dep. Mie Prefectural U., Tsu, Japan.
- 1956 Shiino. Descr. ♀ ♂. p. 233, 237-239; fig. 3A-M.
- 1959c Shiino. Syn. of *C. macarovi*. p. 356.
- 1959d Shiino. Syn. of *C. macarovi*. p. 277.
- 1963 Yamaguti. Syn. of *C. macarovi*. p. 53, 56; pl. 64(fig. 1a, b).
- 1964 Nishimura. Syn. of *C. macarovi*. p. 295.
- 1965a Shiino. Syn. of *C. macarovi*. p. 396.
- 1967 Silas and Ummerkutty. Syn. of *C. macarovi*. p. 891, 892.
- 1972 Kazachenko et al. As *C. fulvipurpurens*, syn. of *C. macarovi*. p. 224.
- C. furcisetifer* Redkar, Rangnekar and Murti, 1949**
- 1949 Redkar, Rangnekar, P. G., and Murti. N. sp. Descr. ♀ ♂; *Sphyraena blachii*; Bombay (India). p. 40-43; pl. 2(fig. 12-24). Dep. type material unknown.
- 1963 Yamaguti. List. p. 53.
- 1967 Pillai. Brief descr., host, distr. p. 1592, 1674; fig. 77.
- C. gayi* Nicolet, 1849**
- 1849 Nicolet. N. sp. Descr.; unidentified fish; Chile. p. 301; pl. 3(fig. 12). Dep. type material unknown.
- 1905 Wilson. Ment., key. p. 556, 557, 652.
- 1961 Stuardo and Fagetti. Hist., list. p. 55-56, 77.
- 1963 Yamaguti. List. p. 53.
- 1968b Parker. List. under "nomina nuda or species inquirendae." p. 364.

- C. germoi** Pearse, 1951
- 1951 Pearse. N. sp. Descr. ♀; *Germo alalunga*; Bimini (Bahamas). p. 347–349; fig. 69d. Holotype dep. USNM, No. 88569.
- 1963 Yamaguti. List. p. 53; pl. 70(fig. 4).
- 1967 Silas and Ummerkutty. Descr. ♀, host, distr. p. 877, 886–888, 903, 947; fig. 4.
- 1871 van Beneden. List. p. 72, 74, 91; pl. I(fig. 1).
- 1880 Richiardi. *Rhombus laevis*, *Rhombus maximus*; Italy. p. 148.
- 1885 Carus. Syn. of *Lepeophtheirus gracilis*. p. 359.
- 1890 Malard. List. p. 95, 96.
- 1898b Brian. Syn. of *L. gracilis*. p. 8.
- 1900 Graeffe. Syn. of *L. gracilis*. p. 44.
- 1904 Gadd. Syn. of *L. branchialis*. p. 19, 20.
- 1905 Wilson. Syn. of *Lepeophtheirus thompsoni*. p. 555, 619, 623, 657.
- 1906 Brian. Questionable syn. of *L. thompsoni*. p. 46.
- 1906 Norman and T. Scott. Syn. of *L. thompsoni*. p. 209.
- 1913 Scott, T., and A. Scott. Syn. of *L. thompsoni*. p. 69.
- 1956 Markevich. Syn. of *L. thompsoni*. p. 133.
- 1963 Yamaguti. Syn. of *L. thompsoni*. p. 77.
- 1968b Parker. List. p. 363.
- C. glacialis** Gadd, 1910
- 1910 Gadd. N. sp. Descr. ♀ ♂; host unknown; Arctic. p. 1–8; unnumbered plate with 15 unnumbered fig. Types dep. U. Helsingfors.
- 1956 Markevich. Descr. ♀ ♂. p. 118–120; fig. 61(4, 5).
- 1963 Yamaguti. List. p. 53; pl. 66(fig. 2a, b).
- C. glandifer** Shiino, 1954
- 1954i Shiino. N. sp. Descr. ♀; *Zenopsis nebulosa*; Owase (Mie Prefecture, Japan). p. 154–156; fig. 1A–F. Types dep. Mie Prefectural U., Tsu, Japan.
- 1956 Shiino. Descr. ♀. p. 233, 239–241.
- 1959c Shiino. Comp. with *C. klawei*. p. 355, 356.
- 1961 Pillai. Comp. with *C. amblygenitalis*. p. 100.
- 1963 Yamaguti. List. p. 53; pl. 64(fig. 5).
- 1967 Silas and Ummerkutty. Comp. with *C. amblygenitalis*. p. 963.
- 1852 Dana. N. sp. Descr. ♀; *Serranus* sp.; Rio de Janeiro (Brazil). p. 56. Dep. type material unknown.
- 1853 Dana. Descr. ♀. p. 1356.
- 1855 Dana. pl. 94(fig. 5a–d).
- 1866–79 Gerstaecker. List. p. 771, 779.
- 1905 Wilson. Key. p. 557.
- 1963 Yamaguti. List. p. 53; pl. 61(fig. 5).
- 1968b Parker. List. under “*nomina nuda or species inquirendae*.” p. 364.
- C. gracilis** van Beneden, 1851
- 1851a van Beneden. N. sp. Descr. ♀, l.h.; *Pleuronectes rhombus*; turbot [*Pleuronectes maximus*]; Belgium. *C. piscinus* of Guérin-Méneville, 1829–1843 syn. p. 88–91, 128; pl. 2(fig. 1–7). Dep. type material unknown.
- 1851b van Beneden. List. p. 290.
- 1861 van Beneden. List. p. 147.
- 1861 Steenstrup and Lütken. Syn. of *C. branchialis*. p. 355, 362.
- 1864 Claus. Syn. of *C. branchialis*. p. 365.
- 1864 Nordmann. Ment. p. 469.
- 1866–79 Gerstaecker. List. p. 763, 764, 802.
- 1869 Olsson. Possible syn. of *Lepeophtheirus branchialis*. p. 12–13.
- C. grandiabdominalis** Yamaguti, 1954
- 1954 Yamaguti. N. sp. Descr. ♀; *Caesio kuning*; Macassar (Celebes). p. 378, 381–383, 397; pl. III(fig. 22–25). Dep. type material unknown.
- 1963 Yamaguti. List. p. 53; pl. 59(fig. 4a, b).
- C. guerini** Guiart, 1913
- 1913 Guiart. N. sp. Descr. ♀; host unknown; Iles de Glénans (France). p. 5–6; fig. 2. Dep. type material unknown.
- 1963 Yamaguti. List. p. 53.

**C. gurnardi Krøyer, 1863**

- 1863–64 Krøyer. N. sp. Descr. ♀ ♂; *Trigla gurnardus*; Agger Canal (Denmark). p. 111, 115, 146, 150–154, 177, 412; pl. II(fig. 3a–g). Types dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 770, 802.
- 1869 Olsson. Var. of *C. rapax* of Steenstrup and Lütken, 1861. p. 8.
- 1889 Lönnberg. Ment. Misspelled as *C. gurrardi*. p. 148.
- 1894 Timm. List. as variety of *C. rapax*. p. 396.
- 1896b Bassett-Smith. *Trigla cuculus*; Plymouth (England). p. 157.
- 1898a Brian. *Clupea sinta*; Genoa (Italy). p. 209, 224, 226; pl. I(fig. 1, 1a).
- 1898b Brian. Identical with Brian (1898a). p. 7, 22, 24; pl. I(fig. 1, 1a).
- 1899 Bassett-Smith. List. p. 448.
- 1900 Thompson, I. C., and A. Scott. In dredge; Isle of Man (Irish Sea). p. 143.
- 1904 Gadd. Ment. as subspecies of *C. rapax*. p. 18, 19.
- 1904 Scott, A. List. p. 118.
- 1905 Wilson. Key. Comp. with *C. mutabilis*. p. 556, 557, 559, 575.
- 1906 Brian. *C. gurnardi* of Brian, 1898 syn. of *C. minimus*. p. 37.
- 1906 Norman and T. Scott. *Trigla cuculus* [?]; Falmouth (England). p. 206.
- 1908b Wilson. *Oncorhynchus tschawytscha*, *Hydrolagus colliei*; California (USA). p. 439, 476, 477. Dep. USNM, No. 38562, 38579.
- 1912 Brian. Ment. p. 6.
- 1913 Scott, T., and A. Scott. Descr. ♀ ♂, hosts, distr. p. 30, 52–53; pl. VIII(fig. 1, 2).
- 1920 Fraser, C. M. *Salmo gairdneri*, *Oncorhynchus keta*, *Sebastodes* sp., *Clupea pallasi*; British Columbia (Canada). p. 45, 49.
- 1926 Leigh-Sharpe. List. p. 384.
- 1929 Scott, A. List. for Irish Sea; yellow gurnard [*Trigla cuculus*]; Smith's Knoll (North Sea). p. 89, 90.
- 1933a Leigh-Sharpe. List. p. 112.
- 1934 Pesta. Brief descr. ♀ ♂, distr. p. 21; fig. 13.
- 1936 van Oorde-de Lint and Schuurmans Stekhoven. Brief descr. ♀ ♂, hosts, distr. Comp. with *C. centrodoniti*, *C. brevicaudatus*, *C. pelamydis*, *C. diaphanus*, *C. zei*, and *C. labracis*. p. 132–134, 190, 191; fig. 94A, B.
- 1940 Stephensen. List. p. 20.
- 1943b Heegaard. Hosts, distr. p. 5.
- 1950a Rangnekar, P. G., and Murti. Comp. with *C. unguidentatus*. p. 24.
- 1954 Schäperclaus. List. p. 212; fig. 92.
- 1956 Markevich. Descr. ♀ ♂, hosts, distr., key. p. 113, 120; fig. 61(6).
- 1963 Yamaguti. Hosts, distr. p. 53; pl. 63(fig. 2a, b).
- 1964 Parker and Margolis. *C. gurnardi* of Fraser, 1920, nec *C. gurnardi* of Wilson, 1908, syn. of *C. clemensi*. p. 873, 874, 888.
- 1965 Parker. Hist., descr. ♀ ♂, hosts, distr., syn. *C. nanus* new syn.; *C. gurnardi* of Wilson, 1908 and *C. gurnardi* of Fraser, 1920 nec *C. gurnardi* Krøyer. p. 93–103; fig. 1–10.
- 1967 Parker and Margolis. Ment. Comp. with *C. rapax*. p. 92–93, 94, 95, 96, 97, 98.
- 1968b Parker. List. p. 365.
- 1968 Parker et al. Ment. p. 1942.
- 1969 Hamond. List. p. 229.
- 1969 Parker. Ment. *C. gurnardi* Krøyer, 1863 partim syn. of *C. elongatus*. p. 1024, 1025, 1026, 1030.
- 1971 Shih et al. *C. gurnardi* of Fraser, 1920 incorrectly identified. p. 157.

**C. haemulonis Krøyer, 1863**

- 1863–64 Krøyer. N. sp. Descr. ♀ ♂; *Haemulon elegans*; Danish West Indies. p. 122–124, 170–171, 413; pl. IV(fig. 3a–d). Types dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 768, 797.
- 1899 Bassett-Smith. List. p. 448.
- 1905 Wilson. Descr. ♀ ♂, key. p. 493, 495, 506, 558, 559, 606–607, 670; pl. XV(fig. 180–183).
- 1908a Wilson. Descr. ♀ ♂; *Centropristes striatus*, *Hexanemichthys felis*, *Felicichthys marinus*; Altantic coast USA. p. 594–597, 624, 625, 627; pl. XLIX(fig. 1–14). Dep. USNM, No. 32813, 32815, 32816.
- 1913 Wilson. List. p. 208.
- 1936 Bere. *Pogonias cromis*, *Galeichthys felis*, *Bagre marina*, *Stoasodon narinari*, *Chætodipterus faber*; (Lemon Bay) Florida. p. 582.
- 1950b Gnanamuthu. Comp. with *C. longicer-*  
*vicis*. p. 116.

- 1952 Pearse. *Pogonias cromis*, *Bagre marina*, *Galeichthys felis*, *Archosargus probatocephalus*, *Chaetodipterus faber*, *Sciaenops ocellatus*; Gulf of Mexico (Texas coast). p. 15. (misspelled *C. haemuronis*.)
- 1953a Causey. Hosts; *Caranx cryos*, *Sciaenops ocellata*; Grand Isle (Louisiana). p. 4-5, 13.
- 1953b Causey. *Galeichthys felis*, *Sciaenops ocellata*; Port Aransas (Texas). p. 8.
- 1954 Yamaguti. Comp. with *C. paxillifer*. p. 383-385.
- 1955 Causey. *Rachycentron canadus*, *Galeichthys felis*, *Bagre marina*, *Pogonias cromis*; Gulf of Mexico (Louisiana, Mississippi, Texas). p. 4.
- 1957 Shen. Comp. with *C. biseriodentatus*. p. 364.
- 1960 Causey. ? *Bagre marinus* (bandera); Veracruz (Mexico). p. 328.
- 1963 Yamaguti. Hosts, distr. p. 53-54; pl. 66(fig. 4a-c).
- 1968b Parker. List. p. 364.
- C. hemiconiati* Capart, 1941**
- 1941 Capart. N. sp. Descr. ♀; *Hemiconiatus guttifer*; Gambia (West Africa). p. 171, 173-175, 194; fig. 1A-E. Holotype dep. Mus. Roy. Hist. Nat., Brussels, No. 10910.
- C. heptapus* Otto, 1821**
- 1821 Otto. N. sp. Descr. ♀ ♂; *Squalus griseus*; Nice (France). p. 15. According to Nordmann (1832), 3 ♀ (types) dep. Roy. Mus., Berlin [may now be at Humboldt Mus., Berlin].
- 1832 Nordmann. Renamed *Binoculus sexsetaceus*. p. 32.
- 1835 Burmeister. Ment. Syn. of *Dinematura sexsetacea*. p. 285, 331.
- 1837 Krøyer. Syn. of *D. sexsetacea*. p. 202.
- 1861 Steenstrup and Lütken. Ment. p. 373.
- 1905 Wilson. Ment. p. 556.
- 1907 Wilson. Ment. p. 376.
- 1943 Dollfus. Syn. of *Demoleus heptapus*. p. 1, 2, 3.
- 1963 Yamaguti. List. p. 54.
- 1966a Lewis. Syn. of *D. heptapus*. p. 111.
- 1967a Cressey. Syn. of *D. heptapus* (spelled *heptatus*). p. 46.
- 1968b Parker. List. p. 362.
- 1969 Parker. Ment. p. 1020.
- C. hamatus* Heegaard, 1955**
- 1955 Heegaard. N. sp. Descr. ♂; free swimming; Bonny River (tropical West Africa). p. 41-44; fig. 1-7. Dep. type material unknown.
- C. hamruri* Pillai, 1964**
- 1964 Pillai. N. sp. Descr. ♀; *Priacanthus hamrur*; Trivandrum (India). p. 61-63, 82; fig. 1-13. Types dep. Indian Mus. Zool. Survey India, Calcutta.
- 1967 Pillai. Brief descr., host, locality. p. 1575, 1673; fig. 31.
- C. heckelii* Kollar in Krøyer, 1863**
- 1863 Krøyer. Syn. of *Lepeophtheirus heckelii*. p. 184. (*C. heckelii* Kollar, a museum name.)
- 1899 Bassett-Smith. Syn. of *Anuretes heckelii*. p. 457.
- 1905 Wilson. Syn. of *A. heckelii*. p. 649.
- 1955 Causey. *Lapsus* for *A. heckelii*. p. 4.
- 1968b Parker. List. p. 363.
- C. hilsae* Shen, 1957**
- 1957 Shen. N. sp. Descr. ♀; *Hilsa reevesii*; Kwangtung Province (China). p. 351, 359-361, 369, 372-373; pl. VII(fig. 86-97). Dep. type material unknown.
- 1963 Yamaguti. List. p. 54; pl. 65(fig. 4).
- 1967 Pillai. Brief descr., hosts, distr. p. 1584, 1672; fig. 52.
- 1967 Pillai and Lal Mohan. Descr. ♀ ♂; *Hilsa toli*; Kutch (Arabian Sea). One ♂ dep. Indian Mus. Zool. Survey India, Calcutta.
- C. hippoglossi* Krøyer, 1837**
- 1837 Krøyer. N. nom. for *Binoculus piscinus* of Fabricius. Descr. ♀; *Pleuronectes hippoglossus*; Kattegat (Denmark), Greenland. p. 625-628; pl. VI(fig. 3A, 3B, 3a-3i, 3k, 3k\*, 3k\*\*, 3ℓ, 3ℓ\*, 3ℓ\*\*, 3m, 3m\*, 3m\*\*, 3o, 3p, 3q, 3v). Dep. type material unknown.

- 1838 Krøyer. Ment. p. 18, 19, 152.
- 1840 Edwards. Descr. ♀, key. *C. curtus* of Desmarest, 1825 syn. of "Calige du Flétan" [*C. hippoglossi*]. p. 451, 456–457.
- 1843–45 Krøyer. List. p. 404.
- 1843 Rathke. *Pleuronectes hippoglossus*; Norway. p. 102.
- 1847 Erichson. Ment. p. 210.
- 1847 Thompson, W. Ment. p. 247.
- 1850 Baird. Syn. of *Lepeophtheirus hippoglossi*. p. 276.
- 1850 White. Syn. of *L. hippoglossi*. p. 121.
- 1851a van Beneden. Descr. ♂; *Hippoglossus hippoglossus* and other pleuronectids; Belgium. p. 88, 93–94, 128.
- 1851b van Beneden. List. p. 290.
- 1856 Thompson, W. Identical with W. Thompson (1847).
- 1861 van Beneden. List. p. 147.
- 1861 Steenstrup and Lütken. Key. p. 355.
- 1864 Nordmann. Ment. p. 463, 469.
- 1868 Chernyavsky. Ment. p. 56.
- 1869 Olsson. Syn. of *L. hippoglossi*. p. 11.
- 1871 van Beneden. List. p. 79.
- 1890 Malard. List. p. 93.
- 1894 Timm. Syn. of *L. hippoglossi*. p. 397.
- 1899 Bassett-Smith. Syn. of *L. hippoglossi*. p. 454.
- 1900 Scott, T. Syn. of *L. hippoglossi*. p. 151.
- 1905 Rathbun. Syn. of *L. hippoglossi*. p. 92.
- 1905 Wilson. Syn. of *L. hippoglossi*. p. 555, 625.
- 1913 Scott, T., and A. Scott. Syn. of *L. hippoglossi*. p. 67.
- 1913 Stephensen. Syn. of *L. hippoglossi*. p. 345.
- 1920a Wilson. Syn. of *L. hippoglossi*. p. 12.
- 1923 Hansen. Syn. of *L. hippoglossi*. p. 30.
- 1932a Wilson. Syn. of *L. hippoglossi*. p. 412.
- 1956 Markevich. Syn. of *L. hippoglossi*. p. 135.
- 1963 Yamaguti. Syn. of *L. hippoglossi*. p. 74.
- 1968b Parker. List. p. 362.
- 1905 Wilson. Ment., key. p. 497, 508, 558, 559, 560.
- 1912 Wilson. Syn. of *Parapetalus hirsutus*. p. 239.
- 1948 Gnanamuthu. Comp. ♂ with *C. bonito* and *C. savala*. p. 595.
- 1950 Kirtisinghe. Ment. p. 77.
- 1950b Rangnekar, P. G., and Murti. Ment. p. 43.
- 1957 Shen. Descr. ♀; *Eleutheronemus tetradactylum*; Kwangtung Province (China). p. 352, 361–363, 369, 373–374; pl. VIII(fig. 98–113).
- 1962 Pillai. Syn. of *P. hirsutus*. p. 288.
- 1963 Yamaguti. List. p. 54; pl. 63(fig. 5), pl. 83(fig. 4a–c).
- 1964 Kirtisinghe. Syn. of *P. hirsutus*. p. 69.
- 1967 Pillai. Syn. of *P. hirsutus*. p. 1596.
- 1968b Parker. List. p. 363.
- C. hobsoni** Cressey, 1969
- 1969 Cressey. N. sp. Descr. ♀ ♂; *Chromis punctipinnis*, *Hypsypops rubicunda*, *Rhaeocochilus toxotes*, *Medialuna californiensis*; La Jolla (California). p. 431–434; fig. 1–17. Types dep. USNM; holotype ♀ No. 123336, allotype ♂ No. 123337, paratypes ♀ ♂ No. 123338.
- C. hoplognathi** Yamaguti and Yamasu, 1959
- 1959 Yamaguti and Yamasu. N. sp. Descr. ♀; *Hoplognathus fasciata*; Inland Sea (Japan). p. 116–118, 152; pl. VIII(fig. 153–164). Dep. type material unknown.
- 1960a Shiino. Comp. with *C. laticaudus*. p. 485.
- 1963 Yamaguti. List. p. 54; pl. 74(fig. 3).
- 1965a Shiino. Comp. with *C. pectinatus*. p. 408.
- C. hottentotus** Barnard, 1957
- 1957 Barnard. N. sp. Descr. ♀; *Pachymetopon blochii*; Table Bay (South Africa). p. 11. Dep. type material unknown.
- C. hyalinae** Heegaard, 1966
- 1966 Heegaard. N. sp. Descr. ♀ ♂; plankton; Rockport (Texas). p. 187–190; fig. 1–8. Dep. type material unknown.
- C. hippuris** Heller in Norman, 1905
- 1905 Norman. List. p. 41.
- C. hirsutus** Bassett-Smith, 1898
- 1898a Bassett-Smith. N. sp. Descr. ♀ ♂; *Polydactylus tetradactylus*; Bombay (India). p. 6–7, 16; pl. III(fig. 1a–d, 2). Types dep. Brit. Mus. (Nat. Hist.).
- 1898b Bassett-Smith. Ment. p. 78.
- 1899 Bassett-Smith. List. p. 450.

### *C. hyalinus* Chernyavsky, 1868

- 1868 Chernyavsky. N. sp. Descr. ♂; free swimming; Black Sea. p. 56–57; pl. VIII(fig. 45, 46). Dep. type material unknown.
- 1872 Ulyanin. L.h.; *Crenilabrus ocellatus*, *Crenilabrus griseus*; Black Sea. p. 61–64; fig. 1–19.
- 1905 Wilson. Ment. p. 556.
- 1937 Markevich. Ment. p. 38, 82.
- 1955b Reshetnikova. List. p. 121.
- 1956 Markevich. Descr. ♂, key. p. 5, 6, 112, 118; fig. 61(3).
- 1963 Yamaguti. List. p. 54; pl. 68(fig. 3).
- 1968b Parker. List. p. 366.

### *C. imbricatus* Risso, 1816

- 1816 Risso. N. sp. Descr. ♀; “Squale feroce”; Nice (France). p. 160, 162; pl. III(fig. 13). Dep. type material unknown.
- 1818 Lamarck. List. p. 142.
- 1819 Leach. Syn. of *Anthosoma smithii*. p. 353.
- 1825 Desmarest. Descr. p. 427.
- 1829 Latreille. Assigned to *Anthosoma*. p. 198.
- 1835 Burmeister. Syn. of *A. smithii*. p. 328.
- 1836 Cuvier. Identical with Latreille (1829). p. 252.
- 1837 Edwards. Identical with Latreille (1829). p. 264.
- 1850 Baird. Syn. of *A. smithii*. p. 299.
- 1850 White. Syn. of *A. smithii*. p. 125.
- 1880 Valle. Syn. of *Anthosoma crassum*. p. 62.
- 1898a Brian. Ment. p. 205.
- 1898b Brian. Identical with Brian (1898a). p. 3.
- 1899 Bassett-Smith. Syn. of *A. crassum*. p. 468.
- 1905 Wilson. Belongs to *Anthosoma*. p. 555.
- 1906 Brian. Syn. of *A. crassum*. p. 62.
- 1906 Norman and T. Scott. Syn. of *A. crassum*. p. 214.
- 1913 Scott, T., and A. Scott. Syn. of *A. crassum*. p. 108.
- 1922a Wilson. Hist. Syn. of *A. crassum*. p. 2, 3, 22, 23.
- 1955c Shiino. Syn. of *A. crassum*. p. 50.
- 1956 Markevich. Syn. of *A. crassum*. p. 159.
- 1963 Yamaguti. List. Syn. of *A. crassum*. p. 54, 144.
- 1966b Lewis. Syn. of *A. crassum*. p. 66.
- 1968b Parker. List. p. 362.
- 1969 Parker. Ment. p. 1020.

### *C. indicus* Pillai, 1961

- 1961 Pillai. N. sp. Descr. ♀ ♂; *Trachinotus blochi*; Vizhingom (India). p. 102–103; fig. 9A–V. Types dep. Marine Biol. Lab., Trivandrum, India.
- 1963b Pillai. Comp. with *C. auxisi*. p. 87.
- 1964 Kirtisinghe. Syn. of *C. cossackii*. p. 57.
- 1967 Pillai. Brief descr., host, distr. p. 1578–1579, 1675; fig. 39.
- 1967 Silas and Ummerkutty. Comp. with *C. auxisi*. p. 963.

### *C. infestans* Heller, 1865

- 1865 Heller. N. sp. Descr. ♀ ♂; *Scomber* sp.; Indian Ocean (Java). p. 167–169, 261, 265; pl. XIV(fig. 3, 4). Dep. type material unknown.
- 1866–79 Gerstaecker. List. p. 767, 795.
- 1898c Bassett-Smith. *Cybium commersonii*; Indian Ocean (Aden). Comp. with *C. longipedis*. p. 360.
- 1899 Bassett-Smith. Hosts, distr. p. 451.
- 1905b Brian. Comp. with *C. trachypteri*. p. 4.
- 1905 Wilson. Key. p. 557, 558.
- 1956 Nunes-Ruivo and Fourmanoir. Descr. ♀; *Cybium commersonii*; Madagascar. p. 69–71; fig. 1a–d.
- 1963 Yamaguti. List. p. 54; pl. 61(fig. 4a–d).
- 1964 Kirtisinghe. Descr. ♀ ♂, hosts, distr.; *Cybium commersonii*; Mullaitivu and Pandura (Ceylon). *C. sphyraenae*, *C. maculatus* new syns. p. 52, 53, 127; fig. 22–24.
- 1965 Kabata. Measurements ♀ ♂, hosts, distr.; *Euthynnus alleteratus*, *Scomberomorus commersonii*; Queensland. p. 109, 119, 120, 126; fig. 2A, B.
- 1967 Pillai. Brief descr., hosts, distr. p. 1586, 1671, 1674; fig. 59.
- 1967 Silas and Ummerkutty. Brief descr. ♀ ♂, host, distr. p. 877, 888–889, 903, 946; fig. 5(1–6).
- 1968b Parker. List. p. 365.
- 1971 Pillai. Descr. ♀ from Bassett-Smith's (1898c) collection. p. 158–160; fig. 48–62. Dep. Br. Mus. (Nat. Hist.) No. 98.12.2.6.

### *C. irritans* Heller, 1865

- 1865 Heller. N. sp. Descr. ♀ ♂; *Serranus*; Brazil. p. 177–179, 262, 266; pl. XV(fig. 7–7i, 8–8d). Dep. type material unknown.

- 1866-79 Gerstaecker. List. p. 771, 797.
- 1898a Bassett-Smith. Comp. with *C. phipsoni*. p. 7, 8.
- 1898c Bassett-Smith. Comp. with *C. robustus*. p. 362.
- 1899 Bassett-Smith. *Caranx* sp.; East Indies. p. 452.
- 1905 Wilson. Ment., key. Comp. with *C. mutabilis*. p. 493, 497, 556, 560, 575.
- 1911 Wilson. *Neomaenix aya*; Jamaica. p. 5.
- 1912 Wilson. Comp. with *C. phipsoni*. p. 238-239.
- 1913 Wilson. Descr. ♀ ♂; *Neomaenix aya*; Jamaica. Comp. with *C. robustus*. p. 210-212, 214, 273; pl. 25(fig. 62), pl. 27(fig. 71-80).
- 1924a Wilson. "Large-eyed blue fish"; Galapagos Is. p. 211, 213.
- 1936b Wilson. *Lutianus griseus*; Dry Tortugas (Florida). p. 330.
- 1950a Rangnekar, P. G., and Murti. Comp. with *C. unguidentatus*. p. 25-26.
- 1963 Yamaguti. Hosts, distr. p. 54; pl. 61(fig. 6a-g).
- 1968b Parker. List. p. 365.
- 1971 Pillai. A wrongly labelled *C. infestans* in Br. Mus. (Nat. Hist.). p. 160.
- C. isonyx*** Steenstrup and Lütken, 1861
- 1861 Steenstrup and Lütken. N. sp. Descr. ♀; *Sphyraena barracuda*; West Indies. p. 354, 356, 358-359, 429; pl. III(fig. 5). Holotype dep. Zool. Mus. U. Copenhagen.
- 1866 Heller. Comp. with *C. diaphanus*. p. 752.
- 1866-79 Gerstaecker. List. p. 770, 797.
- 1891 Scott, T. *Trigla gurnardus*; Firth of Forth (Scotland). p. 310.
- 1898b Bassett-Smith. Comp. with *C. platytarsis*. p. 84.
- 1899 Bassett-Smith. List. p. 450.
- 1900 Scott, T. *C. isonyx* of Scott, 1891 syn. of *C. diaphanus*. p. 149.
- 1905 Wilson. Descr. ♀, key. p. 557, 561, 602-603, 671; pl. XV(fig. 184-186).
- 1906 Brian. Comp. with *C. lichiae*. p. 38.
- 1906 Gadd. Comp. with *C. dentatus*. p. 4.
- 1906 Scott, T. *C. isonyx* of Scott, 1891 syn. of *C. diaphanus*. p. 367.
- 1907 Wilson. Ment. p. 393.
- 1910 Gadd. Comp. with *C. glacialis*. p. 6.
- 1913 Scott, T., and A. Scott. *C. isonyx* of Scott, 1891 syn. of *C. diaphanus*. p. 60.
- 1913 Wilson. List. p. 208.
- 1920b Wilson. Ment. p. 73.
- 1921 Wilson. Identical with Wilson (1920b).
- 1928b Wilson. Comp. with *C. lunatus*. p. 6, 7.
- 1937a Wilson. *Cypselurus callopterus*; Charles Is. (Galapagos Is.). p. 26-27.
- 1951 Pearse. Comp. with *C. spinosurculus*. p. 348.
- 1954g Shiino. Comp. with *C. triangularis*. p. 148, 149.
- 1955 Rangnekar, M. P. Comp. with *C. bombayensis*. p. 58.
- 1963b Pillai. Comp. with *C. thynni* Pillai, 1963. p. 90.
- 1963 Yamaguti. List. p. 52, 54; pl. 65(fig. 2).
- 1965 Kabata. Comp. with *C. asymmetricus*, *C. bombayensis*. p. 111, 112.
- 1967 Silas and Ummekutty. Comp. with *C. thynni* Pillai, 1963. p. 974.
- 1968b Parker. List. p. 365.
- C. japonicus*** Gussev in Isakova-Keo, 1952
- 1952 Isakova-Keo. N. sp. *Leuciscus brandti*, *Hyporhamphus* sp., *Sebastodes* sp., *Hexagrammus* sp., *Limanda* sp.; Peter the Great Bay (Japan Sea coast of USSR). p. 234.
- 1963 Yamaguti. List. p. 54.
- 1966 Margolis and Parker. Syn. of *C. orientalis*. p. 311.
- C. kala*** Lewis, 1964
- 1964 Lewis. N. sp. Descr. ♂; *Naso hexacanthus*; Oahu (Hawaii). p. 142-149; fig. 2a-k. Holotype ♂ dep. USNM, No. 105106.
- 1967 Lewis. Descr. ♀ ♂; *Dascyllus albisella*, *Saurida gracilis*, *Pomacentrus jenkinsi*; Oahu (Hawaii). p. 159-163, 190, 191; fig. 60a-h, 61a-e. Dep. USNM, No. 112927, 112928, 112929, 112930, 112931, 112932.
- C. kalumai*** Lewis, 1964
- 1964 Lewis. N. sp. Descr. ♀; *Acanthurus guttatus*; Oahu (Hawaii). p. 171-178; fig. 10a-g. Holotype ♀ dep. USNM, No. 105109.
- 1967 Lewis. List. p. 170, 191.
- 1968 Lewis. Comp. with *C. pseudokalumai*. p. 62, 64.

### *C. kanagurta* Pillai, 1961

- 1961 Pillai. N. sp. Descr. ♀; *Rastrelliger kanagurta*; Trivandrum (India). p. 100–101; fig. 8A–Q. Types dep. Marine Biol. Lab., Trivandrum, India.
- 1967 Lewis. Comp. with *C. pelamys*. p. 144.
- 1967 Pillai. Brief descr., host, distr. p. 1581, 1674; fig. 46.
- 1967 Silas and Ummerkutty. Descr. ♀, host, distr. p. 957, 966–967, 992; fig. 40(19–35).

### *C. kapuhili* Lewis, 1967

- 1967 Lewis. N. sp. Descr. ♀ ♂; *Chaetodon miliaris*, *Chaetodon fremblii*, unknown chaetodontid; Oahu (Hawaii). p. 152–159, 191; fig. 57a–h, 58a–f, 59a–e. Types dep. USNM; holotype ♀ No. 112918, allotype ♂ No. 112919, paratypes No. 112920, 112921, 112922, 112923, 112924, 112925, 112926.
- 1968 Lewis. *Chaetodon auriga*, *Chaetodon lunula*; Eniwetok Atoll (Pacific). p. 53.

### *C. katuwo* Yamaguti, 1936

- 1936 Yamaguti. N. sp. Descr. ♀; *Euthynnus pelamys*; Pacific Ocean near Japan. p. 6–8, 19; pl. IV(fig. 55), V(fig. 56–58). Dep. type material unknown.
- 1954d Shiino. Descr. ♂ abnormal ♀; *Euthynnus pelamys*; Pacific Ocean near Japan. p. 246–249; fig. A–M. Dep. Mie Prefectural U., Tsu, Japan.
- 1956 Fukui. List. p. 48.
- 1956 Nunes-Ruivo. *Neothunnus albacora*; Angola. Comp. with *C. bonito*. p. 10, 12, 17; pl. I(fig. b); II(fig. b).
- 1957 Fukui. List. p. 57.
- 1959 Capart. Comp. with *C. alalongae*. p. 79.
- 1959b Shiino. Syn. of *C. productus* Dana. p. 1, 14, 27–29, 32.
- 1963 Yamaguti. Hosts, distr. Syn. of *C. productus* Dana. p. 54, 58; pl. 71(fig. 4a–c).
- 1964 Kirtisinghe. Syn. of *C. productus* Dana. p. 53.
- 1965a Shiino. Syn. of *C. productus* Dana. p. 414.
- 1967 Lewis. Syn. of *C. productus* Dana. p. 116.
- 1967 Silas and Ummerkutty. Syn. of *C. productus* Dana. p. 877, 895.

### *C. klawei* Shiino, 1959

- 1959c Shiino. N. sp. Descr. ♀; *Engraulis mordax*; California. p. 351–356; fig. 2A–G, 3A–F. Types dep. Mie Prefectural U., Tsu, Japan.
- 1961 Pillai. Comp. with *C. amblygenitalis*. p. 100.
- 1963 Yamaguti. List. p. 54.
- 1967 Silas and Ummerkutty. Comp. with *C. amblygenitalis*. p. 963.

### *C. krishnai* Thomas, 1967

- 1967 Thomas. N. sp. Descr. ♀ ♂; *Euthynnus affinis affinis*; Calicut (South India). *C. kuroshio* of Pillai, 1963 syn. p. 137–140. Types dep. Mus. Central Marine Fish. Res. Inst., Mandapam Camp, South India; holotype ♀ CMFRI No. 92, allotype ♂ CMFRI No. 93.

### *C. kroeyeri* Edwards, 1840

- 1840 Edwards. N. sp. Descr. ♀, key; *Diodon* sp.; locality unknown. p. 452. Types dep. Mus. Natl. Hist. Nat., Paris.
- 1861 Steenstrup and Lütken. Ment. p. 357.
- 1866–79 Gerstaecker. List. p. 759.
- 1899 Bassett-Smith. List. p. 448.
- 1905 Wilson. Ment. p. 555.
- 1963 Yamaguti. List. p. 54.
- 1968b Parker. List. p. 365.
- 1969 Parker. Syn. of *C. elongatus*. p. 1025, 1026, 1031.

### *C. kuroshio* Shiino, 1959

- 1959a Shiino. N. sp. Descr. ♀ ♂; *Katsuwonus pelamis*, *Thunnus thynnus*; Pacific Ocean near Japan. *C. bonito* of Yamaguti, 1936 syn. p. 51–57; fig. 1A–O, 2A–J. Holotype ♀, allotype ♂, paratypes dep. Mie Prefectural U., Tsu, Japan.
- 1961 Pillai. Comp. with *C. malabaricus*. p. 109.
- 1963b Pillai. *Euthynnus affinis*; Trivandrum (India). Comp. with *C. auxisi*. p. 80–81, 87, 90; fig. 9A–S.
- 1963 Yamaguti. List. p. 55; pl. 71(fig. 3a, b).
- 1964 Lewis. Comp. with *C. kala*. p. 148–149.
- 1965 Kabata. Measurements ♀ ♂, hosts, distr.; *Euthynnus alleteratus*; Queensland. p. 109, 110, 120, 126; fig. 2D, E.

1965a	Shiino. Measurements ♀; <i>Katsuwonus pelamis</i> ; eastern equatorial Pacific. p. 417–418.	1956	Dawes. Identical with Dawes (1946).
1967	Lewis. Comp. with <i>C. quadratus</i> . Possible syn. of <i>C. bonito</i> . p. 114, 116, 124, 130, 138.	1957	Kozikowska. Ment. p. 239.
1967	Pillai. Brief descr., host in India, distr. p. 1580, 1672; fig. 45.	1963	Yamaguti. List. p. 55.
1967	Silas and Ummerkutty. Brief descr. ♀ ♂, hosts, distr., syn. Comp. with <i>C. auxisi</i> . p. 877, 882, 889–890, 903, 945, 947, 957, 963, 967, 974, 992; fig. 6(1–16), 42(12–16).	1965	Hwa. Ment. p. 49.
1967	Thomas. Comp. with <i>C. krishnai</i> . <i>C. kuroshio</i> of Pillai, 1963 syn. of <i>C. krishnai</i> . p. 137, 139–140.	1965a	Shiino. Comp. with <i>C. pectinatus</i> . p. 408.
1971	Pillai. Syn. of <i>C. bonito</i> . p. 161, 162, 163, 164.	1969	Izawa. Ment. p. 154.
<b><i>C. lacustris</i> Steenstrup and Lütken, 1861</b>			
		1861	Steenstrup and Lütken. N. sp. Descr. ♀, key; pike [ <i>Esox lucius</i> ], perch [ <i>Perca fluviatilis</i> ], roach [ <i>Rutilus rutilus</i> ]; Lake Fuur, Lake Tiistrup (Denmark). p. 354–356, 429; pl. I(fig. 2). Types dep. Zool. Mus. U. Copenhagen?
		1866–79	Gerstaecker. List. p. 760, 761, 771, 805.
		1876	Richters. Descr. ♂; perch; Bille R. (Germany). Comp. with <i>C. balistae</i> . p. 244–245.
		1877	Olsson. Comp. with <i>C. borealis</i> . p. 77–78.
		1899	Bassett-Smith. List. p. 448.
		1903	Wesenberg-Lund. Pike, perch, roach, bleak [ <i>Alburnus alburnus</i> ], rudd [ <i>Scardinius erythrophthalmus</i> ]; Lake Fuur (Denmark). Comp. with <i>C. curtus</i> . p. 277–279.
		1904	Gadd. Descr. ♀ ♂, l.h.; <i>Abramus björkna</i> , <i>Leuciscus idus</i> , <i>Leuciscus phoxinus</i> , <i>Leuciscus rutilus</i> , <i>Gasterosteus aculeatus</i> , <i>Gasterosteus pungitius</i> ; Lake Lojo (Finland). Comp. with <i>C. curtus</i> . p. 15–17, 20, 49, 51, 59; pl. I(fig. 26–30).
		1904	Wesenberg-Lund. Free swimming; Lake Fuur (Denmark). p. 203.
		1905	Wilson. Key. p. 559.
		1906	Brian. Syn. of <i>C. curtus</i> ? p. 35, 36.
		1906	Gadd. Comp. with <i>C. dentatus</i> . p. 5, 9.
		1906	Hofer. List. p. 180; fig. 113.
		1909	Neresheimer. Hosts. Comp. with <i>C. rapax</i> . p. 74; fig. 320.
		1910	Gadd. Comp. with <i>C. glacialis</i> . p. 4.
		1916	Alm. Free swimming; Hjälmaren Lake (Sweden). p. 17–18; fig. 3a–c.
		1931	Markevich. <i>Cyprinus carpio</i> , <i>Barbus brachycephalus</i> , <i>Rutilus rutilus</i> , <i>Leuciscus idus</i> , <i>Aspius erythrostomus</i> , <i>Scardinius erythrophthalmus</i> , <i>Alburnus chalcooides</i> , <i>Silurus glanis</i> , <i>Perca fluviatilis</i> , <i>Lucioperca lucioperca</i> ; brackish water, Aral Sea. p. 122–124.
		1931	Monod and Vladykov. Hosts. p. 217, 221.
1902	Scott, T. N. sp. Descr. ♀ ♂; <i>Labrus mixtus</i> , <i>Labrus maculatus</i> ; Firth of Clyde (Scotland), Irish Sea. p. 291; pl. XIII(fig. 26–29). Types dep. Brit. Mus. (Nat. Hist.).		
1903	Bassett-Smith. List. p. 108.		
1904	Scott, A. List. p. 118.		
1905	Norman. List. p. 41.		
1905	Wilson. Key. p. 557.		
1913	Scott, T., and A. Scott. Descr. ♀ ♂. p. 30, 33, 54; pl. V(fig. 4, 5), XVIII(fig. 4, 5).		
1929	Scott, A. List. p. 90.		
1933a	Leigh-Sharpe. List. p. 111.		
1933b	Leigh-Sharpe. List. p. 113.		
1934	Gurney. L.h.; <i>Labrus bergylta</i> ; Plymouth (England). p. 178, 180–190; fig. 3, 7, 12.		
1936	van Oorde-de Lint and Schuurmans Stekhoven. List. Comp. with <i>C. diaphanus</i> , <i>C. zei</i> , <i>C. centrodonti</i> , <i>C. gurnardi</i> , <i>C. brevicaudatus</i> , and <i>C. pelamydis</i> . p. 135, 191, 193; fig. 98.		
1946	Dawes. Ment. p. 121.		
1952	Kurian. Ment. p. 13, 14.		
1954	Schäperclaus. List. p. 212.		
1954a	Shiino. Comp. with <i>C. calotomi</i> . p. 19.		
1954b	Shiino. Comp. with <i>C. latigenitalis</i> . p. 24.		
1955	Kurian. Comp. with <i>C. pelagicus</i> . p. 105, 106.		
1955b	Barnard. Key. <i>Clinus superciliosus</i> ; Table Bay (South Africa). p. 8, 100.		

1933	Markevich. <i>Caspialosa kessleri</i> , <i>Caspialosa brashnikovi</i> , <i>Caspialosa saposhnikovi</i> , <i>Cyprinus carpio</i> , <i>Rutilus rutilus</i> , <i>Rutilus frisii</i> , <i>Chalcalburnus chalcooides</i> , <i>Perca fluviatilis</i> , <i>Acipenser gildenstädti</i> , <i>Acipenserstellatus</i> , <i>Aramis brama</i> , <i>Aramis sapa</i> , <i>Vimba vimba</i> , <i>Silurus glanis</i> , <i>Esox lucius</i> , <i>Atherina pontica</i> , <i>Lucioperca lucioperca</i> ; Caspian Sea. <i>C. dentatus</i> new syn. p. 10-13; fig. 4-6.	1949	Bykhovskaya-Pavlovskaya. Distr. on <i>Perca fluviatilis</i> in USSR. p. 319-321, 324, 334, 335.
1934	Dogiel and Bykhovsky. <i>Aspius aspius</i> , <i>Barbus brachycephalus</i> , <i>Chalcalburnus chalcooides</i> , <i>Cyprinus carpio</i> , <i>Leuciscus idus</i> , <i>Lucioperca lucioperca</i> , <i>Perca fluviatilis</i> , <i>Rutilus rutilus</i> , <i>Scardinius erythrophthalmus</i> , <i>Silurus glanis</i> ; Aral Sea. p. 319, 320, 321, 342, 343, 344, 345.	1949	Shen. Hosts, distr. Comp. with <i>C. fronsuganinus</i> . p. 140, 147.
1934	Pesta. Descr. p. 19; fig. 11.	1951	Markevich. Brief descr. ♀, distr.; Dnieper R. (Ukr.S.S.R.). p. 304-305; fig. 246.
1934	Markevich. Brief descr. ♀; <i>Vimba vimba</i> , <i>Coregonus albula</i> , <i>Alburnus alburnus</i> ; Gulf of Neva, Lake Ladoga, Lake Siverskaya (USSR). p. 78.	1952	Isakova-Keo. Ment. p. 236.
1937	Fujita. List. p. 114; fig. 91(2).	1952	Wesenberg-Lund. Brief descr. ♀, l.h.; pike; Denmark. p. 167-168; pl. XXVI(fig. 2-4).
1937	Markevich. Brief descr. ♀, distr. <i>C. dentatus</i> syn. of <i>C. lacustris</i> . p. 19, 24, 38, 49, 51, 52, 82-83, 160, 191, 193; fig. 8.	1954	Dyk. List. p. 181.
1937	Wagler. Brief descr. ♀, hosts in central Europe. p. 176-177; fig. 535.	1954	Kaj. Descr. juv., hosts, distr.; <i>Alburnus alburnus</i> ; Lake Gorzyn (Poland). p. 45-48; fig. 1.
1938	Dogiel and Bykhovsky. <i>Acipenser gildenstädti</i> , <i>A. stellatus</i> , <i>Caspialosa saposhnikovi</i> , <i>C. brashnikovi</i> , <i>C. kessleri</i> , <i>Rutilus rutilus caspicus</i> , <i>R. fristii kutum</i> , <i>Chalcalburnus chalcooides</i> , <i>Aramis brama</i> , <i>A. sapa</i> , <i>Vimba vimba persa</i> , <i>Cyprinus carpio</i> , <i>Silurus glanis</i> , <i>Esox lucius</i> , <i>Perca fluviatilis</i> , <i>Lucioperca lucioperca</i> , <i>Atherina pontica caspica</i> ; Caspian Sea. <i>C. dentatus</i> syn. of <i>C. lacustris</i> . p. 107-108, 117, 139, 147.	1955	Schäperclaus. List. p. 213; fig. 93.
1939	Bykhova. <i>Perca fluviatilis</i> ; Lake Charkhal (USSR). p. 41.	1954a	Shiino. Comp. with <i>C. calotomi</i> . p. 19.
1939	Redeke. Hist., descr. ♂; from stomach contents of perch, carp [ <i>Cyprinus carpio</i> ?], <i>Acerina cernua</i> , on <i>Gasterosteus aculeatus</i> , <i>Blicca björkna</i> ; Ijssel Sea, Hoornsche Hop (Netherlands). Denies syn. with <i>C. dentatus</i> . p. 193-202; fig. 1, 2a-c, 3a, b.	1955	Goreglyad. Ment. p. 203.
1940	Petrushevsky. <i>Aramis brama</i> , <i>Coregonus albula</i> ; Onega Lake (USSR). p. 156, 157, 162, 168, 169.	1955	Ruting and Stock, T. H. Hosts, distr.; <i>Leuciscus rutilus</i> ; Amsterdam canals (Netherlands). p. 84-86; unnumbered fig.
1945a	Dogiel. List. p. 6.	1955	Polyansky. Ment. p. 100.
1945b	Dogiel. Sturgeon; Caspian Sea. p. 19.	1956	van Duijn. Figured. p. 68; fig. 4.
1947	Heegaard. Ment. p. 24.	1956a	Grabda, J. <i>Aramis brama</i> ; Vistula R. (Poland). p. 161-162.
		1956b	Grabda, J. <i>Aramis brama</i> ; Wegorzeckie, Goldapiwo, and Kortowskie lakes, Vistula and Łysica rivers, and Baltic Sea (Poland). p. 223, 224-225.
		1956	Kozicka. Unnamed host; Lake Goldapiwo (Poland). p. 208.
		1956	Kozikowska. Unnamed host; mouth of Odra R. p. 249, 250.
		1956	Markevich. Descr. ♀ ♂, distr., key. <i>C. borealis</i> new syn. p. 6, 7, 8, 9, 112, 113-114; fig. 57(1, 2).
		1957	Barysheva and Bauer. <i>Coregonus albula</i> , <i>Coregonus lavaretus</i> , <i>Leuciscus leuciscus</i> ; Lake Ladoga (USSR). p. 197, 201, 202, 205, 218.
		1957	Bauer and Nikolskaya. <i>Coregonus lavaretus</i> ; Lake Ladoga (USSR). p. 228, 233.
		1957	Kozikowska. Hosts, distr., l.h. p. 237-248, 266; fig. 3a, b, 4a-e, 5, 6a-c, 7a-e, 8, 9a, b, 10, 11.
		1957	Lyaiman. Hosts. p. 194.
		1957	Nagibina. List. p. 140, 143.
		1957	Petrushevsky. <i>Alosa brashnikovi</i> , <i>Alosa saposhnikovi</i> , <i>Alosa kessleri</i> ; Black Sea, Caspian Sea. p. 311, 312.
		1958	Getsevichyute. <i>Lucioperca lucioperca</i> , <i>Pleuronectes flesus</i> ; Kurshu Marios Bay (Baltic Sea). p. 119, 131, 133.

1958	Osmanov. <i>Cyprinus carpio</i> , <i>Rutilus rutilus</i> ; Aral Sea. p. 75, 77.	1962	Grabda, J. Distr. in Poland; <i>Aramis brama</i> , <i>Gasterosteus aculeatus</i> ; mouth of Vistula R. p. 276, 277, 278, 280–281, 283, 284, 285.
1958	Shulman. Ment. p. 208.		
1959	Grabda, E., and J. Grabda. Hosts, distr. in Poland; <i>Rutilus rutilus</i> , <i>Aramis brama</i> , <i>Alburnus alburnus</i> , <i>Rhodeus sericeus amarus</i> ; Kortowskie and Swiete lakes, mouth of Vistula R., Baltic Sea (Poland). p. 182, 186.	1962	Koval. Asp [ <i>Aspius aspius</i> ], white bream [ <i>Blicca bjoerkna</i> ]; Dnieper R. (Ukr. S.S.R.). p. 103.
1959	Kamenev. Carp; Azov Sea (USSR). p. 159.	1963	Dogiel. German transl. of Dogiel (1962). p. 193.
1959	Markevich. Ment. p. 669, 670.	1963	Kamenev. English transl. of Kamenev (1959). p. 166.
1959	Osmanov. Carp; Aral Sea. p. 196.	1963	Markevich. English transl. of Markevich (1951). p. 306, 307; fig. 246.
1960	Schwarz. Larval stages in plankton; brackish water at Rügen Is. and Darss Peninsula (E. Germany). p. 298, 299; fig. 6.	1963	Markov et al. List. p. 116.
1961	Barysheva and Bauer. English transl. of Barysheva and Bauer (1957). p. 194, 197, 199, 202, 214.	1963	Mikailov. As <i>Caligys lacustris</i> . Carp; Kura R. (Azerbaijan, USSR). p. 154.
1961	Bauer and Nikolskaya. English transl. of Bauer and Nikolskaya (1957). p. 225, 230.	1963	Osmanov. English transl. of Osmanov (1959). p. 207.
1961	Chaplina and Antsishkina. <i>Atherina mochon pontica</i> ; small rivers north of Azov Sea (USSR). p. 247, 248.	1963	Yamaguti. Hosts, distr. p. 55; pl. 67(2a, b).
1961	Grabda, J. <i>Gasterosteus aculeatus</i> , mouth of Vistula R. (Poland). p. 179, 180, 181.	1964	Bykhovskaya-Pavlovskaya et al. English transl. of Bykhovskaya-Pavlovskaya et al. (1961). p. 768, 820, 821, 825, 826, 828, 829, 830, 832, 833, 834, 838, 839, 840, 842, 843, 847, 849, 852, 853, 854; fig. 1578A–C.
1961	Koval. As <i>C. licustris</i> . Rudd [ <i>Scardinius erythrophthalmus</i> ]; Dnieper R. (Ukr. S.S.R.). p. 85.	1964	Dogiel. English transl. of Dogiel (1962). p. 181.
1961	Kozikowska. Six unnamed hosts; Gdańsk Bay (Poland). p. 183, 184, 185.	1964	Razmashkin. <i>Coregonus lavaretus maraenoides</i> ; Lake Chudskoe (USSR). p. 164, 167.
1961	Nagibina. English transl. of Nagibina (1957). p. 136, 139.	1965	Bogdanova and Nikolskaya. Bleak [ <i>Alburnus alburnus</i> ], roach [ <i>Rutilus rutilus</i> ]; Volga R. (USSR). p. 104.
1961a	Osmanov. <i>Barbus brachyphallus</i> ; Aral Sea. p. 3, 6, 15.	1965	Iskov. <i>Aramis brama</i> ; culture ponds (Ukr.S.S.R.). p. 223.
1961b	Osmanov. <i>Barbus brachyphallus</i> ; Aral Sea. p. 35, 39, 40, 42, 43, 44, 45, 50.	1965	Kozikowska. <i>Rutilus rutilus</i> , <i>Scardinius erythrophthalmus</i> , <i>Gasterosteus aculeatus</i> , <i>Lucioperca lucioperca</i> , <i>Perca fluviatilis</i> ; Polish coast of Baltic Sea. p. 98, 100, 101.
1961	Petrushhevsky. English transl. of Petrushhevsky (1957). p. 306, 307.	1965	Krasilnikova. Ide [ <i>Leuciscus idus</i> ], chub [ <i>Leuciscus cephalus</i> ], pike [ <i>Esox lucius</i> ], asp [ <i>Aspius aspius</i> ]; Don R. (Ukr.S.S.R.). p. 284, 286, 287.
1961	Shulman. <i>Esox lucius</i> ; Lake Syam (USSR). p. 181, 185.	1965	Osmanov. <i>Pseudoscaphirhynchus kaufmanni</i> ; Uzbekistan (USSR). p. 168.
1961	Shulman. English transl. of Shulman (1958). p. 204.	1965	Puidak. <i>Vimba vimba</i> ; Estonia (Baltic Sea). p. 555.
1962	Bykhovskaya-Pavlovskaya et al. Brief descr. ♀ ♂, distr., hosts in USSR. p. 650, 652, 692, 693, 696, 697, 699, 700, 701, 703, 704, 705, 709, 710, 711, 712, 713, 717, 719, 722, 723; fig. 1578A–C.	1965	Reichenbach-Klinke and Elkan. Ment. p. 111; fig. 97.
1962	Dogiel. Ment. p. 172.	1965	Reshetnikova. Roach [ <i>Rutilus rutilus</i> ], European pike-perch [ <i>Lucioperca lucioperca</i> ]; Don R. (Ukr.S.S.R.). p. 212.
1962	Ekimova. <i>Coregonus sardinella</i> ; Pechora R. (USSR). p. 546, 547.		

- 1966 Agapova. Brief descr. ♀ ♂, hosts, distr. in USSR, syn. p. 232; fig. 67(4).
- 1966 Reichenbach-Klinke. List. p. 232; pl. 259(fig. 2).
- 1966 Sukhenko. *Cyprinus carpio*, *Leuciscus idus*; Konka R. (Ukr.S.S.R.). p. 70, 72, 73, 74.
- 1967 Dudich. List. p. 27, 48.
- 1967 van Duijn. Figured. p. 96; fig. 39(4).
- 1967 Grabda, J. Hosts, distr. in Poland. p. 10.
- 1967 Markov et al. List. p. 109.
- 1967 Sukhenko. Unnamed hosts, Dnieper R. (Ukr.S.S.R.). p. 503.
- 1968b Parker. Ment. Comp. with *C. longicaudatus*. p. 360, 362.
- 1968c Parker. Recommends suppressing *C. appendiculatus* in favour of *C. lacustris*. p. 105–106.
- 1968 Parker et al. Ment. p. 1923.
- 1969 Dontsov and Kosareva. List. p. 294, 295.
- 1969 Shulman and Chernysheva. List. p. 210.
- 1970 Kabata. Ment. p. 104.
- 1970 Lawler. List. p. 307.
- 1971 Grabda, J. Hosts, distr. p. 115, 137, 149, 163, 172, 196, 203, 256.
- 1971 ICZN. Placed on Official List of Specific Names in Zoology with Name No. 2429. p. 220.
- 1971 Osmanov. Descr. ♀ ♂, distr.; *Acipenser nudiventris*, *Rutilus rutilus aralensis*, *Leuciscus idus oxianus*, *Pseudoscaphirhynchus kaufmanni*, *Esox lucius*, *Scardinius erythrophthalmus*, *Ctenopharyngodon idella*, *Aspius aspius taeniatus*, *Barbus capito conocephalus*, *B. brachycephalus*, *Chalcaburnus chalcooides aralensis*, *Abramis brama orientalis*, *A. sapa bergi*, *Pelecus cultratus*, *Cyprinus carpio*, *Silurus glanis*, *Lucioperca lucioperca*, *Perca fluviatilis*, and *Aristichthys nobilis*; Uzbekistan (USSR). p. 6, 13, 238, 247, 248, 250, 257, 262, 268, 271, 275, 279, 283, 293, 298, 303, 304, 305, 306, 312, 313, 322, 332, 336, 343, 356, 357, 358, 378, 385, 387, 390, 415, 416, 485.
- 1972 Banina and Isakov. *Gasterosteus aculeatus*; Neva R. (USSR). p. 188.
- 1972 Lopukhina and Strelkov. *Osmerus eperlanus*, *Leuciscus idus*; Lake Verkhnee Vrevo (USSR). p. 7, 12.
- C. lagocephali* Pillai, 1961**
- 1961 Pillai. N. sp. Descr. ♀; *Lagocephalus inermis*; Vizhingom (India). p. 107–109; fig. 12A–Q. Types dep. Marine Biol. Lab. Trivandrum.
- 1967 Pillai. Brief descr., host, distr. p. 1576, 1682; fig. 34.
- C. lalandei* Barnard, 1948**
- 1948 Barnard. N. sp. Descr. ♀ ♂; *Seriola lalandei*; Kalk Bay (South Africa). p. 243–244; fig. 2. Dep. type material unknown.
- 1955a Barnard. Descr. ♀ ♂, key. p. 244, 246–247; fig. 9a–c.
- 1955b Barnard. Key. p. 99.
- 1963 Yamaguti. List. p. 55; pl. 65(fig. 3a–c).
- C. laticaudus* Shiino, 1960**
- 1960a Shiino. N. sp. Descr. ♀; *Pagrosomus major*; Hamazima (Japan). p. 482–487; fig. 5A–F, 6A–F. Holotype ♀ dep. Mie Prefectural U., Tsu, Japan.
- 1961 Pillai. Descr. ♀ ♂; *Polynemus heptadactylus*, *Rhabdosargus sarba*; Trivandrum (India). p. 91–93; fig. 3A–S. Dep. Marine Biol. Lab., Trivandrum, India.
- 1963 Yamaguti. List. p. 55; pl. 68(fig. 4).
- 1967 Lewis. Comp. with *C. kapuhili*. p. 158–159.
- 1967 Pillai. Brief descr., hosts, distr. p. 1579, 1673, 1674; fig. 40.
- 1968 Lewis. Descr. ♀, hosts, distr.; *Acanthurus olivaceus*; Eniwetok Atoll (Pacific Ocean). p. 71–75; fig. 29a–i, 30a–g.
- C. laticorpus* Shen, 1957**
- 1957 Shen. N. sp. Descr. ♀ ♂; plankton; estuary of Yellow R. (China). p. 351, 354–355, 369, 370; pl. II(fig. 21–36). Dep. type material unknown.
- 1962 Yin. Syn. of *C. orientalis*. p. 41, 42.
- 1963 Yamaguti. List. p. 55; pl. 61(fig. 3).
- 1965 Hwa. Ment. p. 56.

**C. latifrons** Wilson, 1905

- 1905 Wilson. N. sp. Descr. ♀, key; host ?; Woods Hole area (USA) (see Wilson, 1937a). p. 479, 514, 559, 587–589, 670; pl. XII (fig. 140–149). Holotype dep. USNM, No. 42035.
- 1914a Brian. Comp. with *C. biaculeatus*. p. 4, 6.
- 1926 Oakley. Comp. with *C. zei*. p. 404.
- 1929 Brian. Comp. with *C. biaculeatus*. p. 6.
- 1937a Wilson. *Cypselurus callopterus*; Charles Is. (Galapagos Is.). p. 27.
- 1950 Wilson. Plankton; Japanese waters, Philippine Is. p. 178–179.
- 1952 Shiino. Comp. with *C. tesserifer*. p. 91.
- 1954b Shiino. Comp. with *C. latigenitalis*. p. 24.
- 1956 Brandes. Comp. with *C. chelifer*, *C. macarovi*, *C. orientalis*, *C. schistonyx*, and *C. arcticus*. p. 172, 173, 175, 178.
- 1960 Causey. *Sphaeroides annulatus*; Guaymas (Pacific coast, Mexico). p. 329.
- 1963 Yamaguti. List. p. 55; pl. 66 (fig. 1).
- 1965a Shiino. Comp. with *C. pectinatus*. p. 408.
- 1969 Parker. Syn. of *C. elongatus* Nordmann, 1832. p. 1025, 1026.

**C. latigenitalis** Shiino, 1954

- 1954b Shiino. N. sp. Descr. ♀; *Sparus macrocephalus*; Momotori (Japan). p. 21–25; fig. A–M. Holotype dep. Mie Prefectural U., Tsu, Japan.
- 1954f Shiino. Ment. p. 268.
- 1957 Shen. Comp. with *C. laticorpus*. p. 355.
- 1958 Shen. Comp. with *C. bifurcus*. p. 137, 142.
- 1960a Shiino. Descr. ♀; *Mustelus manazo*, *Rhinobatos schlegelii*; Hamazima (Japan). p. 472–473; fig. 1.
- 1963 Yamaguti. Hosts, distr. p. 55; pl. 60 (fig. 2).
- 1964c Hewitt. Comp. with *C. buechlerae*. p. 129.
- 1965a Shiino. Comp. with *C. pectinatus*. p. 408.

**C. lepeophtheropsis** Pillai, 1967

- 1967 Pillai. N. sp. Brief descr.; *Pristis* sp.; Kerala (India). p. 1584, 1673; fig. 53.

1968b Pillai. Descr. ♀; *Pristis* sp.; Trivandrum (South India). p. 11–13, 35; fig. 2A–K. Holotype dep. Indian Mus. Zool. Survey India, Calcutta.

**C. lepidopi** Richiardi, 1880

- 1880 Richiardi. N. sp. No descr.; *Lepidopus caudatus*; Italy. p. 148. Dep. type material unknown.
- 1885 Carus. List. p. 359.
- 1902 Poche. List. p. 10.
- 1905 Wilson. Ment. p. 556.
- 1906 Brian. List. p. 46, 128, 176, 181.
- 1935 Brian. List. p. 153, 206, 207.
- 1963 Yamaguti. List. p. 55.
- 1968b Parker. List. under "nomina nuda or species inquirendae." p. 364.

**C. leptochilus** Leuckart in Frey and Leuckart, 1847

- 1847 Frey and Leuckart. N. sp. Descr. ♀; host ?; Helgoland (Germany). p. 158, 165. Dep. type material unknown.
- 1861 Steenstrup and Lütken. Questionable syn. of *C. rapax*. p. 359.
- 1863 Krøyer. Denies syn. of *C. rapax*. p. 147.
- 1864 Nordmann. Questionable syn. of *C. rapax*. p. 468.
- 1866–79 Gerstaecker. List. p. 762, 802.
- 1889 Dalla Torre. List. p. 86.
- 1899 Bassett-Smith. Syn. of *C. rapax*. p. 448.
- 1904 Gadd. Syn. of *C. rapax*. p. 17.
- 1905 Pearson. Syn. of *C. rapax*. p. 24.
- 1905 Wilson. Syn. of *C. rapax*. p. 555, 568.
- 1908b Brian. Syn. of *C. rapax*. p. 97.
- 1912 Brian. Syn. of *C. rapax*. p. 5.
- 1934 Pesta. Syn. of *C. rapax*. p. 19.
- 1935 Brian. Syn. of *C. rapax*. p. 153.
- 1953 Dollfus. Syn. of *C. rapax*. p. 332.
- 1956 Markevich. Syn. of *C. rapax*. p. 126.
- 1963 Yamaguti. Syn. of *C. rapax*. p. 59.
- 1967 Parker and Margolis. Syn. p. 94–96, 98.
- 1967 Silas and Ummerkutty. Syn. of *C. rapax*. p. 898.
- 1968b Parker. List. p. 363.
- 1969 Parker. Not determined if syn. of *C. elongatus* Nordmann, 1832. p. 1025, 1026.

### *C. lessonius* Risso, 1826

- 1826 Risso. N. sp. Descr. ♂; gray dogfish [*Hexanchus griseus*]; Mediterranean (France). p. 134-135. Dep. type material unknown.
- 1885 Carus. Descr. as *C. lessonianus*. p. 359.
- 1905 Wilson. List. as *C. lessonianus*. p. 556.
- 1906 Brian. List. p. 37, 124, 177.
- 1935 Brian. List. as *C. lessonianus*. p. 153, 205, 207.
- 1963 Yamaguti. List. as *C. lessonianus*. p. 55.
- 1968b Parker. List. as transferred to another genus. p. 360, 362.
- 1969 Parker. List. as transferred to another genus. p. 1020.

### *C. lichiae* Brian, 1906

- 1906 Brian. N. sp. for *C. curtus* of Brian, 1898, 1899; descr. ♀ ♂; *Lichia amia*; Genoa and Elba Is. (Italy). p. 36-41, 124, 125, 176, 185, 186; pl. XIV(fig. 1-14), pl. XVI(fig. 8-11). Dep. type material unknown.
- 1935 Brian. Descr. ♀ (previously described ♂ probably young ♀); host and localities as in Brian (1906). p. 152, 153, 167-171, 207; fig. VII(1-14).
- 1954g Shiino. Comp. with *C. triangularis*. p. 148, 149.
- 1960a Shiino. Ment. p. 482.
- 1963 Yamaguti. List. p. 55; pl. 64(fig. 6).
- 1968 Parker et al. Ment. p. 1924.

### *C. ligatus* Lewis, 1964

- 1964 Lewis. N. sp. Descr. ♀ ♂; *Acanthurus dussumieri*, *Naso hexacanthus*; Oahu (Hawaii). p. 164-171; fig. 8a-g, 9a-d. Types dep. USNM; holotype ♂ No. 105107, paratype ♀ No. 105108.
- 1967 Lewis. Descr. ♀ ♂, hosts, distr.; *Dascyllus albisella*, *Aulostomus chinensis*, *Holocentrus xantherythrus*, *Pranesus insularum*; Oahu (Hawaii). p. 163-169, 190, 191; fig. 62a-h, 63a-h, 64a-f. Specimens from *D. albisella* dep. USNM, No. 112933.
- 1968 Kabata. Comp. with *C. novocalledonicus*. p. 8.
- 1968 Lewis. Hosts, distr.; *Holocentrus spinifer*; Eniwetok Atoll (Pacific Ocean). p. 52-53. Dep. USNM, No. 120764.

### *C. ligusticus* Brian, 1906

- 1906 Brian. N. sp. Descr. ♂; *Box salpa*, *Sargus rondeletii*; Genoa and Elba Is. (Italy). *C. fissus* questionable syn. p. 41-42, 124, 125, 175, 178, 186; pl. XV(fig. 1-8). Dep. type material unknown.
- 1924 Brian. *Sargus rondeletii*, *Sargus* sp., *Pagellus mormyrus*; Mauritania. Comp. with *C. vexator*. p. 377, 423, 427; fig. 12.
- 1935 Brian. Descr. ♀ (previously described ♂ proved to be a young ♀), hosts, distr.; *Pagellus mormyrus*, *Pagellus bogaraveo*; Genoa. Comp. with *C. vexator*. p. 152, 153, 179-183, 191, 206, 207; fig. XI(1-15).
- 1960a Shiino. Comp. with *C. laticaudus*. p. 485, 487.
- 1963 Yamaguti. Hosts, distr. p. 55; pl. 67(fig. 1a-h).

### *C. lobatus* Wilson, 1935

- 1935a Wilson. N. sp. Descr. ♀ ♂; *Naucrates ductor*; Atlantic (N of Puerto Rico). p. 1-3, 9; pl. I(fig. 1-10). Types dep. USNM; holotype ♀ No. 64059, para-types No. 64060.
- 1959b Shiino. Syn. of *C. productus* Dana. p. 14, 31, 32.
- 1963 Yamaguti. List. p. 55.
- 1964 Kirtisinghe. Syn. of *C. productus* Dana. p. 53.
- 1967 Lewis. Syn. of *C. productus* Dana. p. 116, 124.
- 1967 Silas and Ummerkutty. Syn. of *C. productus* Dana. p. 877, 895.

### *C. lolligunculae* Capart, 1941

- 1941 Capart. N. sp. Descr. ♀ ♂; *Lolliguncula mercatoris* [*Cephalopoda*]; Senegal. p. 171, 175-177, 194; fig. 2A-G. Types dep. Mus. Roy. Hist. Nat. Brussels, No. 11553.

### *C. longiabdominus* Shiino, 1965

- 1965a Shiino. N. sp. Descr. ♀ ♂; flying fish; Pacific (off Costa Rica). p. 391-397; fig. 1A-J, 2A-D. Types dep. Mie Prefectural U., Tsu, Japan.

**C. longicaudatus** Brady, 1899

- |       |  |       |  |
|-------|--|-------|--|
| 1899  | Brady. N. sp. Descr. ♀; free swimming; Port Chalmers (New Zealand). p. 49, 53; pl. XII(fig. 26). Holotype dep. Br. Mus. (Nat. Hist.), No. 1951.8.10.141. | 1905  | Wilson. Syn. of <i>C. trichiuri</i> . p. 555.  |
| 1904  | Chilton and Thomson. List. p. 273.   | 1959  | Capart. Ment. as <i>C. longicaudatus</i> . Does not accept as syn. of <i>C. trichiuri</i> . p. 87. |
| 1963  | Hewitt. Renamed <i>C. vicarius</i> . p. 61, 62, 64, 114.   | 1959b | Shiino. As <i>C. longicaudatus</i> comp. with <i>C. quadratus</i> . p. 26.                         |
| 1966  | Cleugh. Rejected <i>C. vicarius</i> as new name for <i>C. longicaudatus</i> Brady. p. 771-772.   | 1963  | Hewitt. Ment. as <i>C. longicaudatus</i> . p. 64.  |
| 1968b | Parker. Descr. ♂ from type (not ♀), syn. p. 355-368.   | 1963b | Pillai. Descr. ♀ ♂; <i>Chirocentrus dorab</i> ; Trivandrum (India). p. 70-71; fig. 2A-Q.           |
| 1968  | Parker et al. Ment. p. 1942, 1945.   | 1963  | Yamaguti. Hosts, distr. p. 55.   |
| 1972  | Hewitt and Hine. List. p. 100. 108.  | 1964  | Kirtisinghe. Descr. ♀; <i>Chirocentrus dorab</i> ; Colombo market (Ceylon). p. 59; fig. 35.        |
|       |  | 1966  | Cleugh. Ment. p. 771.  |
|       |  | 1967  | Pillai. Brief descr., host, distr. p. 1591, 1671; fig. 72.   |
|       |  | 1968b | Parker. List. p. 363.  |

**C. longicaudatus** Marukawa, 1927

- |       |  |       |   |
|-------|--|-------|---|
| 1927  | Marukawa. N. sp. Descr. ♀ ♂; sword fishes [ <i>Makaira mitsukurii</i> and <i>Xiphias gladius</i> ]; Japan. p. 1243; fig. 2396(1, 2). Dep. type material unknown. | 1950b | Gnanamuthu. N. sp. Descr. ♀ ♂; <i>Trichiurus haumela</i> , <i>Irona</i> sp.; Madras (India). p. 115-116; fig. 31-46. Holotype ♀ and allotype ♂ dep. Indian Mus. Zool. Survey India, Calcutta. |
| 1947  | Marukawa. Identical with Marukawa (1927). p. 927; fig. 2654.   | 1963  | Yamaguti. List. p. 55; pl. 63(fig. 3a-f).   |
| 1954j | Shiino. Syn. of <i>Gloipotes longicaudatus</i> . p. 273, 276-277.  | 1964  | Kirtisinghe. Descr. ♀; <i>Trichiurus savalla</i> ; Hikkaduwa (Ceylon). p. 65-66; fig. 57.   |
| 1959e | Shiino. Syn. of <i>G. longicaudatus</i> . p. 348.  | 1964  | Lewis. Comp. with <i>C. ligatus</i> . p. 171.   |
| 1962  | Heegaard. Syn. of <i>G. longicaudatus</i> . p. 174.  | 1967  | Pillai. Brief descr., hosts, distr. <i>C. cunicephalus</i> of Pillai, 1963 new syn. p. 1583, 1675; fig. 50.   |
| 1963  | Ho. Syn. of <i>G. longicaudatus</i> . p. 87.   | 1968  | Kabata. Comp. with <i>C. novocaledonicus</i> . p. 8.  |
| 1964b | Hewitt. Syn. of <i>Gloipotes huttoni</i> . p. 86.  | 1968a | Pillai. Syn. <i>Trichiurus savala</i> ; Trivandrum (South India). p. 125-126; fig. 2A-G.  |
| 1964  | Kirtisinghe. Syn. of <i>G. longicaudatus</i> . p. 87.  |       |   |
| 1965b | Shiino. Syn. of <i>G. huttoni</i> . p. 421.  |       |   |
| 1966  | Cleugh. Ment. p. 771-772.  |       |   |
| 1967b | Cressey. Syn. of <i>G. huttoni</i> . p. 6.   |       |   |
| 1967  | Lewis. Syn. of <i>G. huttoni</i> . p. 57.  |       |   |
| 1967  | Silas and Ummerkutty. Syn. of <i>G. longicaudatus</i> . p. 919.  |       |   |

**C. longicaudus** Bassett-Smith, 1898

- |       |  |      |  |
|-------|--|------|--|
| 1898a | Bassett-Smith. N. sp. Descr. ♀ ♂; <i>Trichiurus haumela</i> , <i>Chirocentrus dorab</i> ; Bombay Harbour (India). p. 8-9; pl. IV(fig. 1, 2). Types dep. Br. Mus. (Nat. Hist.). | 1899 | Bassett-Smith. List. as <i>C. longipes</i> [ <i>lapsus</i> ?]. p. 452. |
| 1899  | Bassett-Smith. Syn. of <i>C. trichiuri</i> . p. 453.   | 1905 | Wilson. Ment., key, as <i>C. longipes</i> . p. 508, 556.               |
|       |  | 1963 | Yamaguti. List. p. 56.   |

**C. longicervicis** Gnanamuthu, 1950

- |       |   |
|-------|---|
| 1950b | Gnanamuthu. N. sp. Descr. ♀ ♂; <i>Trichiurus haumela</i> , <i>Irona</i> sp.; Madras (India). p. 115-116; fig. 31-46. Holotype ♀ and allotype ♂ dep. Indian Mus. Zool. Survey India, Calcutta. |
| 1963  | Yamaguti. List. p. 55; pl. 63(fig. 3a-f).   |
| 1964  | Kirtisinghe. Descr. ♀; <i>Trichiurus savalla</i> ; Hikkaduwa (Ceylon). p. 65-66; fig. 57.   |
| 1964  | Lewis. Comp. with <i>C. ligatus</i> . p. 171.   |
| 1967  | Pillai. Brief descr., hosts, distr. <i>C. cunicephalus</i> of Pillai, 1963 new syn. p. 1583, 1675; fig. 50.   |
| 1968  | Kabata. Comp. with <i>C. novocaledonicus</i> . p. 8.  |
| 1968a | Pillai. Syn. <i>Trichiurus savala</i> ; Trivandrum (South India). p. 125-126; fig. 2A-G.  |

**C. longipedis** Bassett-Smith, 1898

- |       |  |
|-------|--|
| 1898c | Bassett-Smith. N. sp. Descr. ♀ ♂; <i>Caranx melanphigus</i> ; Aden. p. 358-361, 371; pl. X(fig. 2a-e, 3a-c). Dep. type material unknown. |
| 1899  | Bassett-Smith. List. as <i>C. longipes</i> [ <i>lapsus</i> ?]. p. 452.   |
| 1905  | Wilson. Ment., key, as <i>C. longipes</i> . p. 508, 556.   |
| 1963  | Yamaguti. List. p. 56.   |

1967	Lewis. Descr. ♀ ♂, hosts, distr., syn.; <i>Caranx melampygus</i> ; Oahu (Hawaii). <i>C. amplifurcus</i> Pearse and <i>C. lucidus</i> Heegaard new syn. p. 144–152, 190; fig. 54a–i, 55a–i, 56a–f. Dep. USNM, No. 112915, 112916.	1912	Brian. Ment. p. 6.
1968b	Parker. Comp. with <i>C. longicaudatus</i> Brady. p. 362.	1923	Hansen. Syn. of <i>C. rapax</i> . p. 29.
		1934	Pesta. Ment. Syn. of <i>C. rapax</i> . p. 19, 21.
		1953	Dollfus. Syn. of <i>C. rapax</i> . p. 332.
		1963	Yamaguti. List. Syn. of <i>C. rapax</i> . p. 56; pl. 63(fig. 4).
		1967	Parker and Margolis. Hist., syn. p. 94–97.
		1967	Silas and Ummerkutty. <i>C. lumpy</i> [sic] syn. of <i>C. rapax</i> . p. 898.
		1968b	Parker. List. p. 363.
		1969	Parker. New syn. of <i>C. elongatus</i> Nordmann, 1832. p. 1026, 1031.
<b><i>C. longipes</i> Bassett-Smith, 1899</b>		<b><i>C. lunatus</i> Wilson, 1928</b>	
1899	Bassett-Smith. <i>Lapsus</i> for <i>C. longipedis</i> . p. 452.	1928b	Wilson. N. sp. Descr. ♀ ♂; <i>Seriola aurovittata</i> ; Red Sea. p. 4–7, 16; pl. 1(fig. 7–12), 2(fig. 13–17). Types dep. Riksmus., Stockholm.
1905	Wilson. <i>Lapsus</i> for <i>C. longipedis</i> . p. 508, 556.	1936	Yamaguti. Comp. with <i>C. seriolae</i> . p. 3.
1967	Lewis. Ment. p. 144.	1937a	Wilson. <i>Seriola dorsalis</i> ; Bahia Honda (Panama). p. 27, 30; pl. 3(fig. 5).
<b><i>C. longirostris</i> Heegaard, 1962</b>		1939	Yamaguti. Comp. with <i>C. spinosus</i> . p. 447.
1962	Heegaard. N. sp. Descr. ♀ ♂; <i>Physiculus barbatus</i> , <i>Platycephalus bassensis</i> ; Tasmania. p. 167–168, 197, 198; fig. 106–115. Dep. type material unknown.	1955b	Barnard. Key. <i>Seriola lalandei</i> ; False Bay (South Africa). p. 8, 99.
1965	Kabata. List. p. 109.	1960a	Shiino. Comp. with <i>C. spinosus</i> . p. 482.
<b><i>C. lucidus</i> Heegaard, 1962</b>		1963	Yamaguti. List. p. 56.
1962	Heegaard. N. sp. Descr. ♀ ♂; <i>Cantherhines ayraudi</i> ; New South Wales. p. 158–160, 197; fig. 54–61. Dep. type material unknown.	<b><i>C. macarovi</i> Gussev, 1951</b>	
1965	Kabata. List. p. 109.	1951	Gussev. N. sp. Descr. ♀ (♂fig. only); <i>Auxis maru</i> , <i>Spherooides rubripes</i> , <i>Cololabis saira</i> , <i>Osmerus eperlanus</i> ; Sea of Japan. p. 408–411; fig. 8(1–3), 9(1–12). Types dep. Zool. Inst. Akad. Nauk SSSR, Leningrad.
1967	Lewis. Syn. of <i>C. longipedis</i> . p. 145, 150.	1956	Brandes. Comp. with <i>C. arcticus</i> . p. 171, 173, 174, 178; pl. I(fig. 4).
<b><i>C. lumpi</i> Krøyer, 1863</b>		1956	Markevich. Descr. ♀, hosts, distr., key. p. 112, 114, 115; fig. 58(1–3).
1861	Steenstrup and Lütken. Ment. p. 359.	1959c	Shiino. Comp. with <i>C. klawei</i> . <i>C. fulvipurpureus</i> new syn. p. 355, 356.
1863	Krøyer. N. sp. Descr. ♀; <i>Cyclopterus lumpus</i> ; Nymindegab and Kattegat (Denmark), Iceland. p. 146–150, 177; pl. II(fig. 2a–f). Types dep. Zool. Mus. U. Copenhagen.	1959d	Shiino. Descr. ♀; <i>Euthynnus lineatus</i> ; Bay of Magdalena (Mexico). p. 277–280; fig. 5A–H, 6A–F.
1866–79	Gerstaecker. List. p. 766, 802.	1960d	Shiino. Descr. ♀ ♂; <i>Cololabis saira</i> ; Japan, Kamchatka (USSR). p. 138; pl. 69(fig. 2a, b).
1869	Olsson. Var. of <i>C. rapax</i> of Steenstrup and Lütken, 1861. p. 8.	1962	Bykhovskaya-Pavlovskaya et al. Ment. p. 650.
1889	Lönnberg. Ment. p. 148.		
1894	Timm. Var. of <i>C. rapax</i> . p. 396.		
1896	Olsson. Syn. of <i>C. rapax</i> . p. 503.		
1899	Bassett-Smith. List. p. 449.		
1904	Gadd. Ment. p. 18, 19.		
1905	Wilson. Key. p. 557, 559.		

- 1962 Hotta. Path.; *Cololabis saira*; Japan. p. 50–56; fig. 2.
- 1963 Yamaguti. Hosts, distr. p. 56; pl. 66(fig. 3a, b).
- 1964 Bykhovskaya-Pavlovskaya et al. English transl. of Bykhovskaya-Pavlovskaya et al. (1962). p. 768.
- 1964 Nishimura. Path.; *Cololabis saira*; Japan. p. 295–305; pl. XVII(fig. 2, 3).
- 1965a Shiino. Comp. with *C. longiabdominis*. p. 396–397.
- 1967 Silas and Ummerkutty. Descr. ♀ ♂, hosts, distr., syn. p. 877, 891–892, 903, 945; fig. 7(1–14).
- 1969 Sokolovsky. *Cololabis saira*; eastern and western North Pacific Ocean. p. 206, 208.
- 1970 Baeva. *Cololabis saira*; southern Kurile Is. (USSR), Japan, Oregon (USA). p. 3, 4.
- 1970 Kabata. Path. p. 68–69.
- 1972 Heegaard. Descr. ♂; free swimming; off San Francisco (USA). p. 295, 296–299; fig. 1–12.
- 1972 Kazachenko et al. Host, distr.; *Cololabis saira*; northwestern Pacific Ocean. Comp. with *C. thrysitae*. p. 224, 227.
- C. macrurus* Heller, 1865**
- 1865 Heller. N. sp. Descr. ♀; *Labotes erato*; Java. p. 170–172, 261, 265, 271; pl. XV(fig. 2). Dep. type material unknown.
- 1866–79 Gerstaecker. List. p. 768, 795.
- 1905 Wilson. Ment., key. p. 497, 559.
- 1957 Humes. Comp. with genus *Sciaenophilus*. p. 202.
- 1963 Yamaguti. Syn. of *Sciaenophilus macrurus*. p. 66.
- 1968b Parker. List. p. 363.
- 1965 Kabata. Syn. of *C. infestans*. p. 109, 119.
- 1967 Pillai. Syn. of *C. infestans*. p. 1586.
- 1967 Silas and Ummerkutty. Descr. ♀ ♂, hosts, distr. p. 957, 967–969, 992, 993; fig. 39(10–18).
- 1971 Pillai. Syn. of *C. infestans*. p. 158.
- C. malabaricus* Pillai, 1961**
- 1961 Pillai. N. sp. Descr. ♀; *Tylosurus crocodilus*; Trivandrum (India). p. 109; fig. 13A–P. Types dep. Marine Biol. Lab., Trivandrum, India.
- 1967 Pillai. Brief descr., host, distr. p. 1579, 1675; fig. 41.
- 1970 Cressey and Collette. Hosts, distr.; *Ablennes hians*; Torres Strait (northern Australia). p. 347, 376, 377, 407; fig. 118.

***C. mauritanicus* Brian, 1924**

- 1924 Brian. N. sp. Descr. ♀ ♂; *Sciaena aquila*, *Lichia amia*; var. *minuscula* from *Diagramma mediterraneum*, *Arius heudeloti*, *Pagrus* sp., *Corvina nigra*, *Lichia vadigo*, *Dentex* sp.; var. *temnodonitis* from *Temnodon saltator*; Mauritania. p. 380–389, 422, 423, 424, 427; fig. 15–27, 28a–c, 29, 30, 68, 69. Types dep. Mus. Natl. Hist. Nat., Paris.
- 1939 Brian. *Cynoglossus* sp.; var. *minuscula* from *Caranx* sp.; east coast Africa. p. 177–178.
- 1953 Capart. *Apsilus fuscus*; Gorée (Senegal). p. 648, 653.
- 1955a Barnard. List. p. 309, 310.
- 1955b Barnard. Key. *Pomatomus saltator*; False Bay (South Africa). p. 8, 100.
- 1959 Capart. Brief descr. var. *minuscula*; *Caranx angolensis*, *Corvina cameronensis*, *Dentex filosus*, *Dentex* sp., *Plectorhynchus mediterraneus*, *Pagrus pagrus*, *Polydactylus quadrifilis*, *Trachurus trachurus*, *Trigla lyra*, *Umbrina* sp.; Angola. Comp. with *C. pseudoprodutus*. p. 59, 61, 62, 82–83, 85.
- 1959 Ronald. List. p. 51, 55.
- 1962b Nunes-Ruivo. List. p. 4–5, 16, 17, 18, 19, 20, 21.
- 1963 Yamaguti. Hosts, distr. p. 56.
- C. maculatus* Heegaard, 1962**
- 1962 Heegaard. N. sp. Descr. ♀ ♂; *Scomberomorus queenslandicus*, *Scomberomorus commersonii*; Queensland. p. 157, 158, 172, 197; fig. 45–53. Types dep. Australian Mus., Sydney.
- 1964 Kirtisinghe. Syn. of *C. infestans*. p. 52.

<b><i>C. mebachii</i></b> Marukawa, 1927		1855	Gosse. List. as <i>C. minutus</i> . p. 125.
1927 Marukawa. N. sp. Descr. ♀ ♂; mebachi tuna [ <i>Parathunnus sibi</i> ]; Japan. p. 1243; fig. 2395(1, 2). Dep. type material unknown.		1856	Thompson, W. Identical with Thompson (1847). p. 409.
1947 Marukawa. Identical with Marukawa (1927). p. 926; fig. 2653.		1863	Krøyer. As <i>C. minutus</i> , comp. with <i>C. angustatus</i> . p. 160.
		1865	Heller. Descr. ♀ ♂ as <i>C. minutus</i> (syn. <i>C. minimus</i> ); <i>Labrax lupus</i> ; Mediterranean and Adriatic Sea. p. 163–165, 261, 266; pl. XIV(fig. 1, 1a–l).
		1866	Heller. As <i>C. minutus</i> (syn. <i>C. minimus</i> ), key. p. 751.
		1866–79	Gerstaecker. List. p. 771, 804.
		1880	Richiardi. List. as <i>C. minutus</i> . p. 148.
		1880	Stossich. List. as <i>C. minutus</i> (syn. <i>C. minimus</i> ). p. 255.
		1880	Valle. List. as <i>C. minutus</i> (syn. <i>C. minimus</i> ). p. 58, 85.
		1885	Carus. Brief descr. ♀ ♂ as <i>C. minutus</i> (syn. <i>C. minimus</i> ). p. 358.
		1890	Malard. List. as <i>C. minutus</i> . p. 76.
		1896b	Bassett-Smith. <i>Labrax lupus</i> ; Plymouth. p. 156–157.
		1898a	Brian. As <i>C. minutus</i> (syn. <i>C. minimus</i> ). Hosts, distr.; <i>Labrax lupus</i> ; Genoa. p. 208, 225, 226.
		1898b	Brian. Identical with Brian (1898a). p. 6, 23, 24.
		1898c	Brian. As <i>C. minutus</i> . p. 171; fig. 9.
		1899	Bassett-Smith. List. p. 447.
		1899c	Brian. As <i>C. minutus</i> ; <i>Labrax lupus</i> ; Portoferraio (Italy). p. 2, 10.
		1900	Brian. Identical with Brian (1899c). p. 198, 205.
		1900	Graeffe. As <i>C. minutus</i> (syn. <i>C. minimus</i> ); <i>Labrax lupus</i> ; Gulf of Trieste. p. 44.
		1901	Scott, A. <i>Labrax lupus</i> ; Barrow Channel (Irish Sea). p. 349; pl. I(fig. 1–8).
		1904	Scott, A. List. p. 118.
		1905b	Brian. As <i>C. minutus</i> , comp. with <i>C. trachypteri</i> . p. 4.
		1905	Norman. List. p. 41.
		1905	Pearson. List. p. 24.
		1905b	Scott, T. <i>Labrax lupus</i> ; Firth of Forth (Scotland). p. 109.
		1905	Wilson. Key. p. 557, 559.
		1906	Brian. Host, distr. <i>C. gurnardi</i> of Brian, 1898a new syn. p. 36–38, 124, 125, 128, 130, 176.
		1906	Norman and T. Scott. List. p. 205.
		1906	Scott, T. List. p. 367.
		1910	Plenk. Anat. of maxillary gland. p. 31, 39–43.
		1913	Guiart. <i>Labrax lupus</i> ; Concarneau (France). p. 6.
1837 Krøyer. List. as <i>C. minutus</i> . p. 201.			
1840 Edwards. Key, descr. as <i>C. minutus</i> ; "Bars" [ <i>Morone labrax</i> ]; British coast. p. 450.			
1847 Frey and Leuckart. As <i>C. minutus</i> , comp. with <i>C. leptochilus</i> . p. 165.			
1847 Thompson, W. As <i>C. minutus</i> ; halibut; Belfast (Ireland). p. 247, 249.			
1850 Baird. Comp. with <i>C. rapax</i> . p. 271.			

- 1913 Scott, T., and A. Scott. Descr. ♀ ♂, hosts, distr. p. 30, 46–48; pl. IV(fig. 1, 2); XXV(fig. 11–16).
- 1926 Leigh-Sharpe. List. p. 384.
- 1929 Scott, A. *Labrax lupus*; Caernarvon Bay (Irish Sea). p. 88.
- 1931 Argilas. As *C. minutus*, comp. with *C. pageti*. p. 98, 100, 101; pl. I(fig. 14).
- 1931a Brian. Comp. with *C. argilasi*. p. 119, 120; pl. I(fig. 14).
- 1933a Leigh-Sharpe. List. p. 111.
- 1935 Brian. Descr. ♀ ♂; *Pagellus centrodontus*, *Umbrina cirrhosa*; var. *mugilis* on *Mugil cephalus*; Genoa, Portoferaio (Italy). p. 152, 153, 158–167, 171, 206, 207; fig. III(1–6), IV(7–12), V(1–6), VI.
- 1936 van Oorde-de Lint and Schuurmans Stekhoven. Comp. with *C. curtus*, *C. rapax*, and *C. belones*. p. 129, 191; fig. 90A, B.
- 1937 Goulliart. List. as *C. minutus*. p. 323, 355.
- 1943b Heegaard. Hosts, distr.; *Morone labrax* or *Pagellus centrodontus*; Sussex (England). p. 8.
- 1946 Dawes. Ment. p. 121.
- 1950a Delamare Deboutteville. *Labrax lupus*; Banyuls (Mediterranean, France). p. 306.
- 1950b Delamare Deboutteville. List. p. 362.
- 1953 Dollfus. *C. curtus* of Brian, 1906 new syn. p. 329.
- 1954a Shiino. Comp. with *C. calotomi*. p. 19.
- 1954e Shiino. Comp. with *C. brevis*. p. 183.
- 1954i Shiino. Comp. with *C. glandifer*. p. 156.
- 1956 Dawes. Identical with Dawes (1946).
- 1956 Markevich. Descr. ♀ ♂, hosts, distr., key. p. 112, 124–125; fig. 64(5, 6).
- 1959c Shiino. Comp. with *C. klawei*. p. 356.
- 1960c Shiino. Comp. with *Caligus* sp. ♂. p. 546.
- 1961 Baer and Euzet. *Labrax lupus*; Sète (France). p. 249, 254; fig. 151, 160.
- 1963 Yamaguti. Hosts, distr. p. 56; pl. 65(fig. 1a–c).
- 1964 Kirtisinghe. Comp. with *C. platurus*. p. 61.
- 1968b Parker. List. p. 366. As *C. minutus* Krøyer. p. 363.
- 1968 Parker et al. Ment. p. 1924.
- 1969 Hamond. *Morone labrax*; North Sea. p. 229.
- 1969 Parker. Comp. with *C. elongatus* Nordmann. p. 1020.
- C. minutus* Otto; Krøyer; Nordmann; Edwards**
- See *C. minimus* Otto, 1821.
- C. minutus* Pillai, 1963**
- 1963b Pillai. N. sp. Descr. ♀; *Chiloscyllium indicum*; Trivandrum (India). p. 87–89; fig. 13A–K. Holotype dep. Indian Mus. Zool. Survey India, Calcutta.
- 1967 Pillai. Syn. of *C. chiloscyllii* nom. nov. p. 1590.
- C. mirabilis* Leigh-Sharpe, 1934**
- 1934b Leigh-Sharpe. N. sp. Descr. ♀; *Balistes flavomarginatus*; Kapul Is. (Philippines). p. 22–25; fig. 20. Dep. type material unknown.
- 1959d Shiino. Comp. with unidentified *Caligus* ♂. p. 293.
- 1963 Yamaguti. List. p. 56; pl. 62(fig. 4).
- C. molvae* (Leach, 1819) Edwards, 1837**
- 1837 Edwards. *Caligus molvae* n. comb. for *Risculus molvae* Leach, 1819. pl. 77(fig. 3) and caption.
- 1905 Wilson. *C. molvae* Latreille, 1825 [sic] syn. of *Lepeophtheirus molvae*. p. 555.
- 1963 Yamaguti. List. as “*C. molvae* Latreille, 1825, in Wilson (1905, p. 555).” p. 56.
- 1968b Parker. List. p. 362.
- 1969 Parker. List. p. 1020.
- C. monacanthi* Krøyer, 1863**
- 1863–64 Krøyer. N. sp. Descr. ♂; *Monacanthus* sp.; West Indies. p. 133–134, 173–174, 413; pl. III(fig. 2a–e). Holotype dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 759, 797.
- 1898b Bassett-Smith. Comp. with *C. arii*. p. 82.
- 1899 Bassett-Smith. List. p. 450.
- 1905 Wilson. Key. Syn. (?) of ♀ *C. productus* Dana. p. 497, 560, 607–608.
- 1913 Wilson. Syn. (?) of *C. productus* Dana. p. 220.
- 1929 Brian. Ment. p. 4.

1937b	Wilson. Descr. ♀ ♂; <i>Sarda</i> sp.; Panama Bay. Not syn. of <i>C. productus</i> . p. 424-426; fig. 6-19. One ♀, 1 ♂ dep. USNM, No. 69867.	1832	Nordmann. Descr. ♀; <i>Gadus callarias</i> , <i>Gadus aeglefinus</i> . Possible syn. of <i>C. curtus</i> . p. 17, 23-24, 26, 29, 31, 138.
1959b	Shiino. Syn. of <i>C. productus</i> Dana; ♀ <i>C. monacanthi</i> of Wilson, 1937 syn. of <i>C. productus</i> Dana; ♂ <i>C. monacanthi</i> of Wilson, 1937 syn. of <i>C. quadratus</i> . p. 8, 14, 30-32.	1835	Burmeister. List. p. 331.
1963	Yamaguti. List. Syn. p. 56, 58, 59.	1836	Cuvier. Identical with Latreille (1829). p. 251.
1964	Kirtisinghe. Syn. of <i>C. productus</i> Dana. p. 53.	1837	Edwards. Identical with Latreille (1829). p. 262.
1966	Kabata and Gussev. <i>C. monacanthi</i> of Wilson, 1937 syn. of <i>C. quadratus</i> . p. 157.	1837	Krøyer. Syn. of <i>C. curtus</i> . p. 201, 622.
1967	Lewis. <i>C. monacanthi</i> Krøyer and ♀ and ♂ of Wilson, 1937 syn. of <i>C. productus</i> Dana. p. 116, 124.	1840	Edwards. Comp. with <i>C. minutus</i> . p. 450-451.
1967	Silas and Ummekutty. <i>C. monacanthi</i> Krøyer, 1863, <i>C. monacanthi</i> ♀ of Wilson, 1937 syns. of <i>C. productus</i> Dana; <i>C. monacanthi</i> ♂ of Wilson, 1937 syn. of <i>C. quadratus</i> . p. 877, 895, 897.	1843	Rathke. Syn. of <i>C. curtus</i> . p. 98.
1968b	Parker. List. p. 363.	1850	Baird. Descr. ♀ ♂; cod, brill, plaice, <i>Merlangus pollachius</i> , <i>Merlangus vulgaris</i> , <i>Rhombus vulgaris</i> , <i>Gadus aeglefinus</i> , <i>Mugil chelo</i> ; Belfast: <i>Coregonus pollan</i> ; Lough Neagh. p. 271-272, 278, 279; pl. XXXII(fig. 4, 5).
		1850	White. List. p. 119.
		1855	Gosse. List. p. 125.
		1856	Thompson, W. List. p. 409, 410.
		1857	White. Brief descr. ♀ ♂. p. 313.
		1861	Steenstrup and Lütken. Syn. of <i>C. curtus</i> . p. 353.
		1863	Wood. Ment. p. 639, 640; fig. B.
		1866-79	Gerstaeker. List. p. 761, 762, 763, 764, 769, 773, 802.
		1869	Olsson. Syn. of <i>C. curtus</i> . p. 6.
		1873	Verrill. Syn. of <i>C. curtus</i> . p. 575.
		1874	Verrill and Smith. Identical with Verrill (1873). p. 281.
1963	Yamaguti. List. p. 56; pl. 70(fig. 3).	1886	Thompson, I. C. <i>Cyclopterus lumpus</i> , thornback [ <i>Raja clavata</i> ]; Liverpool Bay (Irish Sea). p. 207.
		1891	Scott, T. Unspecified host; Firth of Forth. p. 305.
1970	Kensley. N. sp. Descr. ♀; free swimming; South West Africa. p. 167-172; fig. 1a-f, 2a-h. Types dep. South African Mus. (holotype No. A12708, one paratype No. A12709) and State Mus. Windhoek (one paratype No. N.C.220).	1894	Timm. Syn. of <i>C. curtus</i> . p. 396.
		1896a	Bassett-Smith. Ment. p. 9.
		1896b	Bassett-Smith. <i>Trigla gurnardus</i> , poor-cod [ <i>Gadus minutus</i> ]; Plymouth. p. 157.
		1896	Olsson. Syn. of <i>C. curtus</i> . p. 502.
		1899	Bassett-Smith. Syn. of <i>C. curtus</i> . p. 447.
		1900	Scott, T. Syn. of <i>C. curtus</i> . p. 148.
		1903	Scourfield. Syn. of <i>C. curtus</i> . p. 540.
		1904	Gadd. Syn. of <i>C. curtus</i> . p. 16.
		1905	Pearson. Syn. of <i>C. curtus</i> . p. 24.
		1905	Wilson. Syn. of <i>C. curtus</i> . p. 555, 578.
		1906	Brian. Syn. of <i>C. curtus</i> . p. 35, 36.
		1906	Norman and T. Scott. Syn. of <i>C. curtus</i> . p. 205.
1819	Leach. List. p. 536.	1906	Scott, T. Syn. of <i>C. curtus</i> . p. 366.
1824	Johnston. Descr. ♀ ♂; cod; Scotland. p. 292-294; pl. VII(fig. 12-14).	1913	Scott, T., and A. Scott. Syn. of <i>C. curtus</i> . p. 45.
1825	Desmarest. Comp. with <i>C. piscinus</i> . p. 342; pl. 50(fig. 4-4e).	1913	Stephenson. Syn. of <i>C. curtus</i> . p. 345.
1829	Latreille. List. p. 197.	1929	Brian. Syn. of <i>C. curtus</i> . p. 3.

- 1945 Heegaard. Syn. of *C. curtus*. p. 5.
- 1947 Heegaard. Syn. of *C. curtus*. p. 31.
- 1953 Dollfus. Syn. of *C. curtus*. p. 328.
- 1956 Markevich. Syn. of *C. curtus*. p. 120.
- 1963 Yamaguti. Syn. of *C. curtus*. p. 48.
- 1964 Kirtisinghe. Syn. of *C. curtus*. p. 62.
- 1968b Parker. List. p. 363.
- 1968 Parker et al. Syn. of *C. curtus*. p. 1923, 1925, 1929.
- 1969 Parker. Syn. of *C. curtus*. p. 1020.
- 1913 pl. VIII(fig. 90–102). Types dep. USNM, No. 6155.
- 1914a Sumner et al. Local hosts, distr. p. 641.
- 1924 Brian. Comp. with *C. biaculeatus*. p. 6.
- 1929 Brian. Comp. with *C. mauritanicus*. p. 383.
- 1929 Brian. Identical with Brian (1914a). p. 7.
- 1932a Wilson. Brief descr. ♀ ♂, key. p. 398, 406; fig. 253.
- 1936 Bere. *Narcine brasiliensis*, *Trachinotus carolinus*; Gulf of Mexico. p. 582.
- 1936 Yamaguti. Comp. with *C. epinepheli*. p. 4.
- 1937a Wilson. *Scomberomorus maculatus*; Pacific coast of Mexico. p. 27.
- 1941 Capart. Comp. with *C. hemiconiati*. p. 175.
- 1948 Pearse. *Sciaenops ocellatus*; Beaufort (North Carolina). p. 127.
- 1952 Pearse. Comp. with *C. sciaenops*. p. 19.
- 1955 Causey. *Trachinotus carolinus*; Port Aransas (Texas). p. 4.
- 1959b Shiino. Comp. with *C. quadratus*. p. 27.
- 1959 Yamaguti and Yamasu. Comp. with *C. hoplognathi*. p. 118.
- 1960 Causey. *Balistes* sp., *Calamus brachysomus*, *Centropomus* sp. *Chaetodipterus zonatus*, *Euthynnus pelamis*, *Menticirrhus undulatus*, *Mugil cephalus*, *Paralabrax clathratus*, *Paralabrax maculatofasciatus*, *Paralabrax nebulifer*, *Sarda chiliensis*, *Scomberomorus sierra*, *Selene oerstedii*; Gulf of California and Pacific coast of Mexico. p. 329.
- 1961 Pillai. Comp. with *C. indicus*. p. 103.
- 1963 Yamaguti. Hosts, distr. p. 57; pl. 68(fig. 2a, b).
- 1964 Kirtisinghe. Ment. p. 57.
- 1965a Shiino. Ment. p. 403.
- 1967 Silas and Ummerkutty. Descr. ♀ ♂, hosts, distr. p. 877, 892–893, 903, 945, 946, 947; fig. 8(1–13).
- C. multispinosus* Shen, 1957**
- 1957 Shen. N. sp. Descr. ♀ ; *Stromateoides argentus*; Kwangtung (China). Comp. with *C. nibae*. p. 351, 355–357, 369, 370–371, 372; pl. III(fig. 37–48). Dep. type material unknown.
- 1961 Pillai. Descr. ♀ ♂ ; *Pampus argenteus*; Trivandrum (South India). p. 89–91; fig. 2A–T.
- 1963 Yamaguti. List. p. 57; pl. 66(fig. 5).
- 1964 Kirtisinghe. *C. multispinosus* of Pillai, 1961 syn. of *C. diaphanus*. p. 56.
- 1967 Pillai. Brief descr., distr. *C. multispinosus* of Pillai, 1961 not syn. of *C. diaphanus*. p. 1585, 1673; fig. 57.
- 1967 Silas and Ummerkutty. Ment. p. 967.
- C. muraenae* Shiino, 1960**
- 1960a Shiino. *Lapsus* for *Lepeophtheirus muraenae* n. sp. fig. 7, 8.
- C. murrayanus* Scott, 1894**
- 1894 Scott, T. N. sp. Descr. ♀ ; plankton; Loanda Harbour (Gulf of Guinea). p. 129–130; pl. XIV(fig. 19). Dep. type material unknown.
- 1899 Bassett-Smith. List. p. 450.
- 1905 Wilson. Ment., key. p. 493, 561.
- 1963 Yamaguti. List. p. 57.
- 1968b Parker. List. p. 365.
- 1961 Pillai. Comp. with *C. indicus*. p. 103.
- 1963 Yamaguti. Hosts, distr. p. 57; pl. 68(fig. 2a, b).
- 1964 Kirtisinghe. Ment. p. 57.
- 1965a Shiino. Ment. p. 403.
- 1967 Silas and Ummerkutty. Descr. ♀ ♂, hosts, distr. p. 877, 892–893, 903, 945, 946, 947; fig. 8(1–13).
- C. nanus* Krøyer, 1863**
- 1863–64 Krøyer. N. sp. Descr. ♀ ♂ ; cod, haddock; Hornbaek (Denmark). p. 160–163, 180, 412; pl. II(fig. 4a–h). Types dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 762, 802, 1309; pl. X(fig. 3).
- 1869 Olsson. List. p. 10.

1888	Leidy. <i>Lutjanus blackfordi</i> ; Florida. Possibly <i>C. nanus</i> . p. 138-139.	1856	Thompson, W. <i>Orthagoriscus mola</i> ; coast of Antrim (Northern Ireland). <i>C. nordmanni</i> of Thompson (1847) syn. of <i>C. mulleri</i> . p. 410.
1899	Bassett-Smith. List. p. 447.	1865	Heller. Syn. of <i>L. nordmanni</i> . p. 180.
1905	Wilson. Ment., key. p. 508, 557, 559.	1880	Stossich. Syn. of <i>L. nordmanni</i> . p. 256.
1963	Yamaguti. List. p. 57; pl. 64(fig. 2a, b). [ <i>Belone vulgaris</i> from the Atlantic is listed as a host; source of this record is unknown.]	1880	Valle. Syn. of <i>L. nordmanni</i> . p. 59.
1965	Parker. Syn. of <i>C. gurnardi</i> . p. 96, 97, 102.	1885	Carus. Syn. of <i>L. nordmanni</i> . p. 359.
1968b	Parker. List. p. 363.	1890	Malard. Syn. of <i>L. nordmanni</i> . p. 100.
		1899	Bassett-Smith. Syn. of <i>L. nordmanni</i> . p. 454.
		1900	Graeffe. Syn. of <i>L. nordmanni</i> . p. 44.
		1900	Scott, T. Syn. of <i>L. nordmanni</i> . p. 151.
	<b>C. nautili</b> Willey, 1896	1905	Rathbun, M. J. Syn. of <i>L. nordmannii</i> . p. 91.
1896	Willey. N. sp. No descr. or figures. <i>Nautilus</i> sp.; New Guinea. p. 145. Dep. type material unknown.	1905	Pearson. Syn. of <i>L. nordmanni</i> . p. 26.
1900	Stebbing. Syn. of <i>Anchicaligus nautili</i> (Willey) n. comb. p. 668, 670.	1905	Wilson. Syn. of <i>L. nordmannii</i> . p. 555, 623.
1968b	Parker. List. p. 363.	1906	Brian. Syn. of <i>L. nordmanni</i> . p. 47.
		1912	Brian. Syn. of <i>L. nordmanni</i> . p. 7.
		1913	Scott, T., and A. Scott. Syn. of <i>L. nordmanni</i> . p. 66.
		1932a	Wilson. Syn. of <i>L. nordmannii</i> . p. 411.
	<b>C. nengai</b> Rangnekar, Rangnekar and Murti, 1953	1956	Markevich. Syn. of <i>L. nordmanni</i> . p. 137.
1953	Rangnekar, M. P., P. G. Rangnekar, and Murti. N. sp. Descr. ♀; <i>Arius nenga</i> ; Bombay. p. 47-52; fig. 1-13. Types dep. Indian Mus. Zool. Survey India, Calcutta.	1957	Shiino. Syn. of <i>L. nordmanni</i> . p. 359.
1963	Yamaguti. List. p. 57.	1958	Stuardo. Syn. of <i>L. nordmannii</i> . p. 5, 7.
		1961	Stuardo and Fagetti. Syn. of <i>L. nordmannii</i> . p. 55.
		1968b	Parker. List. p. 363.
		1971a	Hewitt. Syn. of <i>L. nordmanni</i> . p. 323, 329.
	<b>C. nibeae</b> Shen, 1957		
1957	Shen. N. sp. Descr. ♀; <i>Nibea diacanthus</i> ; Kwanghai (China). p. 351, 358, 369, 372; pl. V(fig. 61-73). Dep. type material unknown.	1968	Kabata. N. sp. Descr. ♀ ♂; <i>Lethrinus miniatus</i> ; New Caledonia. p. 1-9; fig. 1A-J, 2A-J, 3A-E. Types dep. Br. Mus. (Nat. Hist.); holotype ♀ No. 1966.4.28.1, allotype ♂ No. 1966.4.28.2, paratype ♂ No. 1966.4.28.3.
1963	Yamaguti. Syn. of <i>Sciaenophilus nibeae</i> (Shen) n. comb. p. 66.		
	<b>C. nordmannii</b> Edwards, 1837		
1837	Edwards. N. sp. pl. 77(fig. 1-1g) and captions. Types dep. Mus. Natl. Hist. Nat., Paris.	1794	Abildgaard. N. sp. Descr. ♀; sturgeon; locality not stated. p. 49, 52-54; pl. V(fig. 4-11). Dep. type material unknown.
1840	Edwards. Descr. ♀; mole ( <i>Mola mola</i> ); Nice (France). p. 455.	1837	Krøyer. Syn. of <i>Dichestium sturionis</i> . p. 303.
1847	Thompson, W. <i>Gadus morrhua</i> ; Belfast (Northern Ireland). p. 248, 249.	1840	Edwards. Syn. of <i>D. sturionis</i> . p. 485.
1850	Baird. Syn. of <i>Lepeophtheirus nordmannii</i> (Edwards) n. comb. p. 275.	1851a	van Beneden. Syn. of <i>D. sturionis</i> . p. 96.
1850	White. Syn. of <i>L. nordmannii</i> . p. 120.	1880	Valle. Syn. of <i>D. sturionis</i> . p. 64.
		1890	Malard. Syn. of <i>D. sturionis</i> . p. 75.

- 1905 Wilson. Syn. of *Dichelestium oblongum*. p. 555.
- 1906 Brian. Syn. of *D. sturionis*. p. 67.
- 1906 Norman and T. Scott. Syn. of *D. oblongum*. p. 215.
- 1913 Scott, T., and A. Scott. Syn. of *D. oblongum*. p. 106.
- 1922a Wilson. Syn. of *D. oblongum*. p. 2, 3, 86.
- 1932a Wilson. Syn. of *D. oblongum*. p. 478.
- 1937 Markevich. Syn. of *D. oblongum*. p. 89.
- 1956 Markevich. Syn. of *D. oblongum*. p. 156.
- 1968b Parker. List. p. 362.
- 1969 Parker. List. p. 1020.
- C. obovatus** Heegaard, 1962
- 1962 Heegaard. N. sp. Descr. ♂; *Scomberomorus queenslandicus*, *Scomberomorus commersoni*; N. Queensland. p. 166–167, 197; fig. 91–105. Types dep. Australian Mus., Sydney.
- 1965 Kabata. List. p. 109.
- 1967 Silas and Ummerkutty. Brief descr. ♂, host, distr. p. 957, 972, 973, 992, 993; fig. 43(1–7).
- C. obscurus** Baird in Bassett-Smith, 1896
- 1896a Bassett-Smith. Figured “*Caligus obscurus* Baird.” p. 16; pl. IV(fig. 2).
- 1899 Bassett-Smith. Syn. of *Lepeophtheirus obscurus* Baird, 1850. p. 456.
- 1900 Scott, T. Syn. of *L. obscurus*. p. 153.
- 1905 Pearson. Syn. of *L. obscurus*. p. 25.
- 1905 Wilson. Probably syn. of *Lepeophtheirus thompsoni*. p. 555, 615.
- 1906 Norman and T. Scott. Nec *L. obscurus* Baird, 1850; possibly syn. of *Lepeophtheirus appendiculatus* Krøyer. p. 208.
- 1913 Scott, T., and A. Scott. Identical with Norman and Scott (1906).
- 1959b Shiino. Comp. with *C. quadratus*. p. 26.
- 1968b Parker. List. p. 363.
- C. oligoplitisi** Carvalho, 1956
- 1956 Carvalho. N. sp. Descr. ♀; *Oligoplitis saliens*; Pereque R. (Brazil). p. 15–19; fig. 1–15. Types dep. Inst. Oceanogr., U. São Paulo.
- 1960a Shiino. Comp. with *C. laticaudus*. p. 485, 486.
- C. olsoni** Pearse, 1953
- 1953b Pearse. N. sp. Descr. ♀ ♂; *Leuresthes tenuis*; California (USA). p. 332–333; fig. 1–16. Types dep. USNM; ♀ No. 93733, ♂ No. 93734.
- 1963 Yamaguti. List. p. 57; pl. 72(fig. 1a–g).
- 1972 Olson. *Leuresthes tenuis*; southern California (USA), Baja California (Mexico). p. 1201.
- C. orientalis** Gussev, 1951
- 1951 Gussev. N. sp. Descr. ♀ ♂; *Mugil so-iuy*, *Limanda aspera*, *Hyporhamphus sajori*, *Hexagrammus octogrammus*, *Sebastodes tacanowskii*, *Leuciscus brandti*; Putyatin Is. and Khanton Bay (USSR Far East). p. 395, 411–414; fig. 10(1–12), 11(1–12). Types dep. Zool. Inst. Akad. Nauk SSSR, Leningrad.
- 1956 Brandes. Comp. with *C. arcticus*. p. 172, 173, 174, 179; pl. I(fig. 1).
- 1956 Markevich. Descr. ♀ ♂, hosts, distr. p. 112, 115–116; fig. 59(1, 2).
- 1959d Shiino. Comp. with *C. rugosus*. p. 272.
- 1959e Shiino. Comp. with *C. punctatus*. p. 336.
- 1962 Bykhovskaya-Pavlovskaya et al. Ment. p. 650.
- 1962 Yin. Hosts, distr.; *Mugil so-iug*; lower reaches Liao R. (China). *C. laticorpus*, *C. communis* (♀ only) new syns. p. 41, 42; fig. 6A, B.
- 1963 Yamaguti. Hosts, distr. p. 57; pl. 68(fig. 1a, b).
- 1964 Bykhovskaya-Pavlovskaya et al. English transl. of Bykhovskaya-Pavlovskaya et al. (1962). p. 768.
- 1964c Hewitt. Comp. with *C. buechlerae*. p. 129.
- 1965 Hwa. Descr. ♀ ♂, l.h., hosts, distr., syn.; *Tilapia mossambica*; fish ponds of Amoy Fishery Res. Inst. (China). *C. communis* ♂ new syn. p. 48–58; text fig. 1, 2; pl. I(fig. 1–19), II(fig. 20–25), III(fig. 26–57), IV(fig. 58–87).
- 1965 Kabata. Comp. with *C. willungae*. p. 123.
- 1966 Margolis and Parker. *C. japonicus* new syn. p. 311.
- 1968 Kabata. Comp. with *C. novocaledonicus*. p. 3.
- 1972a Kabata. Comp. with *C. clemensi*. p. 1591, 1592.

### *C. ornatus* Edwards, 1840

- 1840 Edwards. N. sp. Descr. ♀; host unknown; Valparaiso (Chile). p. 455. Types dep. Mus. Natl. Hist. Nat., Paris.
- 1849 Nicolet. Brief descr. p. 301.
- 1899 Bassett-Smith. Syn. of *Lepeophtheirus ornatus* (Edwards, 1840) n. comb. p. 455.
- 1905 Wilson. "C. ornatus Nordmann, 1832" syn. of *L. ornatus*. p. 555.
- 1958 Stuardo. Syn. of *Lepeophtheirus nordmannii*. p. 5, 6, 7.
- 1961 Stuardo and Fagetti. Syn. of *L. nordmannii*. p. 55.
- 1963 Yamaguti. List. as *C. ornatus* Nordmann, 1832 in Wilson, 1905. p. 57.
- 1968b Parker. List. p. 363.
- 1971a Hewitt. Syn. of *L. nordmannii*. p. 323, 329.

### *C. pacificus* Gissler, 1883

- 1883 Gissler. N. sp. Descr. ♀; salmon; Puget Sound (Washington, USA). p. 885–887; fig. 1–10. Dep. type material unknown.
- 1902 Poche. List. p. 11.
- 1903 Bassett-Smith. List. p. 108.
- 1905 Wilson. Syn. of *Lepeophtheirus pacificus* (Gissler) n. comb. p. 555, 642.
- 1968b Parker. List. p. 363.

### *C. pagelli* Delamare Deboutteville and Nunes-Ruivo, 1958

- 1958 Delamare Deboutteville and Nunes-Ruivo. N. sp. Descr. ♀, *Pagellus erythrinus*; Mediterranean coast of France. p. 220–223; fig. 5a–f. Dep. type material unknown.

- 1963 Yamaguti. List. p. 57.

- 1964 Larrañeta. List. p. 140.

### *C. pageti* Russell, 1925

- 1925 Russell. N. sp. Descr. ♀ ♂; *Mugil capito*; Egypt. p. 611–618; pl. XXXIII (fig. 1–10), XXXIV(11–18), XXXV(19–26). Dep. type material unknown.
- 1927 Gurney. Ment. p. 482.
- 1931 Argilas. Descr. ♀ ♂, l.h.; *Mugil auratus*; Algeria. p. 95–106; pl. I (fig. 1–13), text fig. 1–7.
- 1931b Brian. *C. argilasi* new syn. p. 157.
- 1934 Gurney. Ment. p. 178, 180.
- 1935 Brian. Descr. ♀ ♂, hosts, distr., syn. p. 152, 153, 171–173; fig. VIII(1–9).
- 1947 Heegaard. Ment. p. 28, 43, 99.
- 1949 Kurian. Comp. with *C. pterois*. p. 194.
- 1952 Kurian. Comp. with *C. russellii* and *C. rufimaculatus*. p. 4–6, 13.
- 1953 Dollfus. Ment. p. 332.
- 1959d Shiino. Comp. with *C. rugosus*. p. 272.
- 1963 Yamaguti. List., syn. p. 49, 57.
- 1964a Hewitt. Ment. p. 157.
- 1966 Sindermann. Ment. p. 59.
- 1969 Izawa. Comp. with *C. centrodoniti*, *C. curtus*, *C. rapax* and *C. spinosus*. p. 153, 154.
- 1970 Sindermann. Ment. p. 314.
- 1971b Hewitt. Comp. with *C. epidemicus*. p. 160.
- 1971 Raibaut et al. *Mugil cephalus*, *Mugil (Liza) auratus*, *Mugil (Liza) labrosus*, *Mugil (Liza) ramada*; Mediterranean Sea (coast of Tunisia). p. 172.

**C. pagri** Capart, 1941

- 1941 Capart. N. sp. Descr. ♀; *Pagrus ehrenbergii*, *Sparus aurata*; Gambia and south of Garnet Head (west coast of Africa). p. 171, 178-180, 194; fig. 3A-E. Types dep. Mus. Roy. Hist. Nat., Brussels, No. I.G. 10910.

**C. pagrosomi** Yamaguti, 1939

- 1939 Yamaguti. N. sp. Descr. ♀; *Pagrosomus unicolor*; Tarumi (Japan). p. 445, 483; pl. XIV(fig. 1-3). Dep. type material unknown.  
1956 Fukui. List. p. 48.  
1957 Fukui. List. p. 57.  
1963 Yamaguti. List. p. 57; pl. 71(fig. 1a-c).  
1968 Kabata. Comp. with *C. novocaledonicus*. p. 8.  
1968 Lewis. Comp. with *C. alaihi*. p. 70.

**C. paradoxus** Otto, 1828

- 1828 Otto. N. sp. Descr. ♀ ♂; *Squalus griseus*; Nice. p. 352-354; pl. XXII(fig. 5, 6). Dep. type material unknown.  
1835 Burmeister. Syn. of *Dinematura sexsetacea*. p. 285, 331.  
1837 Krøyer. Syn. of *D. sexsetacea*. p. 202.  
1840 Edwards. Possibly a member of *Nogagus*. p. 460.  
1853 Gerstaecker. Syn. of *Nogagus productus*. p. 61, 64.  
1861 Steenstrup and Lütken. Hist., syn. p. 373, 377.  
1865 Heller. Syn. of *Demoleus paradoxus* (Otto) n. comb. p. 199, 200.  
1885 Carus. Syn. of *D. paradoxus*. p. 361.  
1899 Bassett-Smith. Syn. of *D. paradoxus*. p. 460.  
1905 Pearson. Syn. of *D. paradoxus*. p. 26.  
1905 Wilson. Syn. of *D. paradoxus*. p. 555.  
1906 Brian. Syn. of *D. paradoxus*. p. 50.  
1907 Wilson. ♂ syn. of *D. paradoxus*. p. 349, 376, 379, 441, 446, 457.  
1913 Scott, T., and A. Scott. Syn. of *D. paradoxus*. p. 79.  
1943 Dollfus. Hist. Syn. of *Demoleus heptapus*. p. 1, 2, 3, 6.  
1966a Lewis. Syn. of *D. heptapus*. p. 111.  
1967a Cressey. Syn. of *D. heptatus* [sic]. p. 46.  
1968b Parker. List. p. 362.  
1969 Parker. List. p. 1020.

**C. parvus** Bassett-Smith, 1898

- 1898a Bassett-Smith. N. sp. Descr. ♀ ♂; *Tetronotus oblongus*; Bombay (India). p. 5, 15; pl. II(fig. 1, 2). Types dep. Br. Mus. (Nat. Hist.).  
1899 Bassett-Smith. List. p. 446.  
1905 Wilson. Key. p. 557, 558, 559.  
1924a Wilson. Grouper; Conway Bay (Galapagos Is.). p. 211.  
1948 Barnard. Comp. with *C. tetrodontus*. p. 246.  
1954b Shiino. Comp. with *C. latigenitalis*. p. 24.  
1954e Shiino. Comp. with *C. brevis*. p. 183.  
1954i Shiino. Comp. with *C. glandifer*. p. 156.  
1955a Barnard. Comp. with *C. tetrodontus*. p. 250.  
1963 Yamaguti. Hosts, distr. p. 57.  
1964b Rangnekar, P. G., and Murti. Syn. of *Pseudocaligus parvus* (Bassett-Smith) n. comb. p. 43.  
1967 Pillai. Brief descr., hosts, Indian distr. p. 1592-1594, 1674, 1675; fig. 78.  
1968b Parker. List. p. 363.  
1971 Pillai. Syn. of *P. parvus*. p. 166.

**C. patulus** Wilson, 1937

- 1937b Wilson. N. sp. Descr. ♀; *Chanos* sp.; Panama Bay. p. 426-427; fig. 1-19. Holotype dep. USNM, No. 69869.  
1954a Shiino. Comp. with *C. calotomi*. p. 19.  
1954b Shiino. Comp. with *C. latigenitalis*. p. 24.  
1963 Yamaguti. List. p. 57; pl. 77(fig. 4a-e).

**C. pauliani** Nunes-Ruivo and Fourmanoir, 1956

- 1956 Nunes-Ruivo and Fourmanoir. N. sp. Descr. ♂; *Sphyraena commersonii*; Madagascar. p. 73-74; fig. 4a-c. Dep. type material unknown.  
1963 Yamaguti. List. p. 57; pl. 75(fig. 2).

**C. paxillifer** Yamaguti, 1954

- 1954 Yamaguti. N. sp. Descr. ♀; *Chorinemus moadetta*; Celebes. p. 378, 383-386, 397; pl. III(fig. 26, 27), IV(fig. 28-32). Dep. type material unknown.  
1963 Yamaguti. List. p. 57; pl. 74(fig. 4a-c).  
1968a Pillai. Comp. with *C. annularis*. p. 128.

*C. pectinatus* Shiino, 1965

- 1965a Shiino. N. sp. Descr. ♀; *Eopsetta jordani*; San Diego (California, USA). p. 403–408; fig. 5A–F, 6A–H. Dep. type material unknown.

*C. pectoralis* (Müller, 1788) Krøyer, 1837

- 1837 Krøyer. N. comb. fig. caption, p. 628; pl. VI(fig. 4A, 4B(a–e), 4C).
- 1838 Krøyer. Descr. ♀ ♂; *Platessa flesus*, *Rhombus maximus*; Denmark. p. 8–11, 15, 18, 19, 30.
- 1840 Edwards. Brief descr. ♀ ♂, hosts. p. 454–455.
- 1843–45 Krøyer. List. p. 275, 444.
- 1847 Frey and Leuckart. List. p. 158.
- 1847 Thompson, W. *Platessa flesus*, *Platessa limanda*, *Solea vulgaris*, *Scomber scombrus*, *Zeus faber*, *Conger vulgaris*; Belfast (Northern Ireland). p. 247–248, 249.
- 1850 Baird. Syn. of *Lepeophtheirus pectoralis*. p. 275.
- 1850 White. Syn. of *L. pectoralis*. p. 120.
- 1853 Dana. Comp. with *Lepeophtheirus bagri*. p. 1358.
- 1856 Thompson, W. Identical with W. Thompson (1847). p. 410.
- 1861 Steenstrup and Lütken. Brief descr. Comp. with *C. branchialis*. p. 355, 362, 363.
- 1864 Claus. Anat. p. 365–369, 382; pl. XXXIII(fig. 1, 2).
- 1880 Valle. Syn. of *Lepeophtheirus pectoralis*. p. 59.
- 1885 Carus. Syn. of *L. pectoralis*. p. 359.
- 1889 Dalla Torre. List. p. 86.
- 1899 Bassett-Smith. Syn. of *L. pectoralis*. p. 454.
- 1900 Graeffe. Syn. of *L. pectoralis*. p. 44.
- 1905 Pearson. Syn. of *L. pectoralis*. p. 25.
- 1905 Wilson. Syn. of *L. pectoralis*. p. 555.
- 1906 Brian. Syn. of *L. pectoralis*. p. 47.
- 1913 Scott, T., and A. Scott. Syn. of *L. pectoralis*. p. 64.
- 1923 Hansen. Syn. of *L. pectoralis*. p. 30.
- 1947 Heegaard. Syn. of *L. pectoralis*. p. 103.
- 1956 Markevich. Syn. of *L. pectoralis*. p. 135.
- 1968b Parker. List. p. 362.

*C. pelagicus* Kurian, 1955

- 1955 Kurian. N. sp. Descr. ♀ ♂; plankton; Kayamkulam (India). p. 103–107; fig. 1–18. Types dep. Indian Mus. Zool. Survey India, Calcutta.
- 1965a Shiino. Comp. with *C. pectinatus*. p. 408.
- 1967 Pillai. Brief descr. p. 1595; fig. 82.
- C. pelamydis* Krøyer, 1863
- 1863–64 Krøyer. N. sp. Descr. ♀; *Pelamys sarda*. p. 124–126, 171, 413; pl. IV(fig. 4a–g). Types dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 767, 804.
- 1880 Richiardi. *Pelamys sarda*, *Scomber scomber*; Italy. p. 148.
- 1882 Valle. *Pelamys sarda*; Adriatic. p. 245.
- 1885 Carus. Brief descr. ♀, hosts, distr. p. 357–358.
- 1899 Bassett-Smith. List. p. 452.
- 1899c Brian. Hosts, distr.; *Pelamys sarda*; Portoferraio (Italy). p. 2, 9.
- 1900 Brian. Identical with Brian (1899c). p. 198, 205.
- 1900 Graeffe. List. p. 44.
- 1905 Rathbun, M. J. *Scomber scomber*; Massachusetts (USA). p. 91, appendix p. 8.
- 1905 Wilson. Hist., descr. ♀, key; *Gymnosarda pelamys*; USA (? Atlantic). Comp. with *C. thynnii*. p. 480, 497, 514, 559, 560, 594–597, 604, 605, 670.
- 1906 Brian. Hosts, distr. p. 43, 125, 128, 130, 178, 181.
- 1906 Norman and T. Scott. *Scomber scombrus*; Plymouth (England). *C. scomberi* new syn. p. 206.
- 1907 Wilson. Ment. p. 393.
- 1910 Brady. Unknown host; Simon's Bay (South Africa). p. 502, 504, 588, 589; fig. LXIX(2).
- 1910 Stebbing. List. p. 558.
- 1913 Guiart. *Pelamys sarda*; Bay of Concarneau (France). p. 7.
- 1913 Scott, T., and A. Scott. Descr. ♀ ♂, hosts, distr., syn. p. 30, 57–59; pl. VII(fig. 2, 3), IX(fig. 1–5), LXXI(fig. 14).
- 1913 Sumner et al. Local hosts, distr. p. 641.
- 1923 Monod. *Scomber scomber*; Guilvinec (France). p. 2–3.
- 1926 Leigh-Sharp. List. p. 384.

1929	Scott, A. Mackerel; Walney, Caernarvon Bay, Cardigan Bay (Wales). p. 89–90.	1959	Capart. Hosts, distr. off Africa; <i>Pomatomus saltatrix</i> ; Tiger Bay (West Africa). Comp. with <i>C. alalongae</i> . p. 59, 62, 78, 83; fig. 15a, b.
1932a	Wilson. Brief descr. ♀, distr., key; <i>Gymnosarda pelamis</i> ; Woods Hole (USA). p. 398, 406–407; fig. 254a, b.	1959b	Shiino. Comp. with <i>C. coryphaenae</i> . p. 26.
1933a	Leigh-Sharpe. List. p. 111.	1959	Stock. <i>Brama raii</i> ; North Sea. p. 43.
1934a	Leigh-Sharpe. <i>Pelamys sarda</i> ; St. Austell Bay (England). p. 112.	1960	Causey. <i>Scomberomorus cavalla</i> ; Vera-cruz (Mexico). p. 329.
1935	Brian. Descr. ♀, hosts, distr., syn. p. 152, 153, 183–188, 207; fig. XII(1–8), XIII(9–11).	1961	Noble, E. R., and G. A. Noble. fig. VII-15.
1936	van Orde-de Lint and Schuurmans Stekhoven. Brief descr. ♀ ♂, hosts, distr.; comp. with <i>C. centrodonti</i> , <i>C. gurnardi</i> , <i>C. brevicaudatus</i> , <i>C. diaphanus</i> , <i>C. zei</i> , and <i>C. labracis</i> . p. 133, 134, 192; fig. 96.	1962b	Nunes-Ruivo. List. p. 5, 17.
1936	Yamaguti. Comp. with <i>C. seriolae</i> . p. 3.	1963	Hewitt. Descr. ♀, syn.; <i>Thyrsites atun</i> ; Cape Turakerae (New Zealand). p. 61, 78–83, 114; fig. 6(1–10).
1937	Goulliart. <i>Scomber scombrus</i> ; Wimereaux (France). p. 323, 325.	1965a	Yamaguti. Hosts, distr. p. 58; pl. 78(fig. 6a–c).
1940	Legendre. Ment. p. 284.		Noble, E. R., and G. A. Noble. fig. XVI-13.
1943b	Heegaard. Distr.; <i>Pelamys sarda</i> ; Mediterranean. p. 5. Dep. Riksmus., Stockholm, No. 6153.	1967	Shiino. Descr. ♀ ♂; <i>Trachurus symmetricus</i> ; San Diego (California). p. 408–414; fig. 7A–M, 8A–K.
1950a	Rangnekar, P. G., and Murti. Comp. with <i>C. unguidentatus</i> . p. 24.	1967	Lewis. Descr. ♀, hosts, distr., syn.; <i>Euthynnus yaito</i> ; Hawaii. p. 138–144, 192; fig. 52a–k, 53a–g.
1953a	Causey. <i>Pogonias cromis</i> , <i>Scomberomorus cavalla</i> ; Grand Isle (Louisiana). Comp. with <i>C. bennetti</i> . p. 4, 5, 13.	1968b	Silas and Ummerkutty. Brief descr. ♀ ♂, hosts, distr. p. 877, 894–895, 903, 945, 946; fig. 9(1–11).
1953b	Causey. <i>Pogonias cromis</i> , <i>Scomberomorus cavalla</i> , <i>Sarda sarda</i> ; Texas coast. p. 10.	1969	Parker. List. p. 365.
1953a	Pearse. Comp. with <i>C. amplifurcus</i> . p. 201.	1972	Hamond. <i>Scomber scombrus</i> ; North Sea. p. 229.
1954	Schäperclaus. List. p. 212.	1972	Hewitt and Hine. List. p. 98, 108.
1955a	Barnard. Brief descr. ♀, hosts, distr., key. p. 244, 245–246.		Kazachenko et al. As <i>C. pelamidis</i> . Hosts, distr.; <i>Scomber diego</i> , <i>Thyrsites atun</i> , <i>Seriolella maculata</i> ; Baja California (Mexico), Bass Strait (Australia), west coast of New Zealand. Comp. with <i>C. thyrsitae</i> . p. 224–225, 227.
1955b	Barnard. Key. <i>Thyrsites atun</i> , <i>Trigla capensis</i> ; False and Table bays (South Africa). p. 8, 99.		
1955	Causey. <i>Scomberomorus cavalla</i> ; Vera-cruz (Mexico) and Port Aransas (Texas); <i>Scomberomorus maculatus</i> , <i>Pogonias cromis</i> ; Port Aransas (Texas). p. 4–5.		
1955a	Reshetnikova. Brief descr. ♀, hosts, distr.; <i>Sarda sarda</i> ; Black Sea. p. 97, 102–103; fig. 6.	1880	<i>C. petersii</i> Richiardi, 1880
1955b	Reshetnikova. List. p. 121.	1880	Richiardi. N. sp. No descr.; <i>Carcharias lamia</i> ; Italy. p. 148. Dep. type material unknown.
1956	Markevich. Brief descr. ♀ ♂, hosts, distr., syn., key. p. 6, 112, 125, 126; fig. 7.	1885	Carus. List. p. 359.
1956	Nunes-Ruivo. Hosts, distr.; <i>Sarda sarda</i> ; Baia Farta and Region of Luanda (Angola). p. 10–11, 12; fig. 1a.	1902	Poche. List. p. 10.
		1905	Wilson. List. p. 556.
		1906	Brian. List. p. 46, 128, 175, 181.
		1935	Brian. List. p. 153, 206.
		1963	Yamaguti. List. p. 58.
		1968b	Parker. List. under “ <i>nomina nuda</i> or <i>species inquirendae</i> .” p. 364.

**C. pharaonis** Nordmann, 1832

- 1832 Nordmann. N. sp. Descr. ♀ ; *Chryso-phrys (Chaetodon) bifasciatus*; Red Sea. p. 28–29, 138. Types dep. Zool. Mus. Humboldt U., Berlin, No. 919.
- 1835 Burmeister. List. p. 331.
- 1837 Krøyer. List. p. 201.
- 1840 Edwards. Brief descr. ♀ ; *Chaetodon*; Red Sea. p. 453–454.
- 1866–79 Gerstaecker. List. (Locality incorrectly cited as Mediterranean.) p. 768, 804.
- 1885 Carus. Brief descr. ♀. p. 357.
- 1905 Wilson. Key. Syn. of *Lepeophtheirus pharaonis* (Nordmann, 1832) n. comb. p. 555, 560.
- 1906 Brian. List. p. 45, 128, 181.
- 1935 Brian. List. p. 153, 205.
- 1957 Humes. Ment. p. 202.
- 1963 Yamaguti. Syn. of *L. pharaonis*. p. 76.
- 1965 Humes. Syn. of *Sciaenophilus pharaonis* (Nordmann, 1832) n. comb. p. 1009.
- 1968b Parker. List. p. 362.
- 1969 Parker. Syn. of *S. pharaonis*. p. 1020.

**C. phipsoni** Bassett-Smith, 1898

- 1898a Bassett-Smith. N. sp. Descr. ♀ ♂ ; *Cybium guttatum*; Bombay (India). p. 7–8, 16; pl. III(fig. 3, 4). Types dep. Br. Mus. (Nat. Hist.).
- 1899 Bassett-Smith. List. p. 449.
- 1905 Wilson. Key. p. 558, 559, 561.
- 1912 Wilson. *Polynemus tetradactylus*; Java. Comp. with *C. irritans*. p. 238–239; pl. 32(fig. 22), 33(fig. 23–27). Dep. USNM, No. 42304.
- 1923 Wilson. *Plectropoma cyanostigma*; Sydney (Australia). p. 5.
- 1954g Shiino. Comp. with *C. triangularis*. p. 148, 149.
- 1963b Pillai. Brief descr. ♀ ♂ ; *Polynemus plebeius*; Trivandrum (India). p. 68–69; fig. 1A–L.
- 1963 Yamaguti. Hosts, distr. p. 58; pl. 78(fig. 1a–d).
- 1967 Pillai. Brief descr. p. 1589, 1673; fig. 67.
- 1968 Kabata. Comp. with *C. novocaledonicus*. p. 8.
- 1968b Parker. List. p. 365.

**C. piscinus** (Linné, 1761) Linné, 1788

- 1788 Linné. N. comb. List., syn. *C. arctus* [*lapsus* for *C. curtus*] new syn. p. 3007.
- 1814 Leach. Brief descr., syn. *C. curtus* syn. p. 388.
- 1818 Lamarck. List., syn. Incorrectly cites Latreille (1802) as having used the name *C. piscinus*. p. 141.
- 1818 Say. Cod; Atlantic coast USA. p. 437.
- 1825 Desmarest. Descr. p. 340–342.
- 1829 Latreille. *C. curtus* and *Monoculus piscinus* syn. p. 197.
- 1829–43 Guérin Méneville. pl. 35(fig. 2a–f).
- 1830 Leach. Identical with Leach (1814).
- 1832 Leach. List. p. 226.
- 1832 Nordmann. Ment. p. 24.
- 1835 Burmeister. List. p. 284, 331.
- 1836 Cuvier. Identical with Latreille (1829). p. 251.
- 1837 Edwards. Identical with Latreille (1829). p. 262.
- 1837 Krøyer. A composite species, in part syn. of *C. curtus*. p. 201, 622.
- 1840 Edwards. Ment. p. 456.
- 1841 Gould. Cod and other deep-water fishes; Massachusetts (USA). p. 340.
- 1842 Goodsir. L.h. p. 192; pl. III(fig. 19–24).
- 1844 DeKay. List. p. 58.
- 1850 White. Br. Mus. specimens of *C. diaphanus* labelled *C. piscinus*. p. 119.
- 1851a van Beneden. *C. piscinus* of Guérin Méneville syn. of *C. gracilis*. p. 90.
- 1854 Cuvier. List. p. 446, 447, 674; fig. 25, 25a, 25b.
- 1873 Verrill. *C. piscinus* of Gould probably syn. of *C. curtus*. p. 575.
- 1874 Verrill and Smith. Identical with Verrill (1873). p. 281.
- 1885 Carus. *C. piscinus* of Guérin Méneville syn. of *Lepeophtheirus gracilis*. p. 359.
- 1890 Malard. *C. piscinus* of Guérin Méneville syn. of *L. gracilis*. p. 95.
- 1898a Brian. *C. piscinus* of Guérin Méneville syn. of *L. gracilis*. p. 8.
- 1900 Graeffe. *C. piscinus* of Guérin Méneville syn. of *L. gracilis*. p. 44.
- 1901 Whiteaves. *C. piscinus* of Gould, 1841 probably a syn. of *C. curtus*. p. 216.
- 1905 Wilson. List. p. 555.
- 1906 Brian. *C. piscinus* of Guérin Méneville syn. of *Lepeophtheirus thompsoni*. p. 46.
- 1934 Pesta. *C. piscinus* of Edwards, 1840 syn. of *L. thompsoni*. p. 26.

- 1963 Yamaguti. *C. piscinus* of Guérin Méneville syn. of *L. thompsoni*. p. 77.
- 1968b Parker. List. p. 362, 363.
- 1968 Parker et al. In part syn. of *C. curtus*. p. 1923.
- 1969 Holthuis. *C. piscinus* of Say, 1818 syn. of *C. curtus*. p. viii.
- 1969 Parker. List. p. 1020.
- 1971 Pillai. Descr. ♀ from Bassett-Smith's (1898b) collection. p. 152-154; fig. 9-23. Dep. Br. Mus. (Nat. Hist.), No. 98.12.2.
- C. polycanthi* Gnanamuthu, 1950**
- 1949 Gnanamuthu. Ment. p. 194.
- 1950a Gnanamuthu. N. sp. Descr. ♀ ♂, l.h.; *Balistes maculatus*; Madras (India). p. 159-170; fig. 1a, b, 2a-e, 3a-e, 4a-h, 5a-h, 6. Types dep. Indian Mus. Zool. Survey India, Calcutta.
- 1950b Gnanamuthu. Ment. p. 114.
- 1954h Shiino. Comp. with *C. fulvipurpureus*. p. 152-153.
- 1959c Shiino. Comp. with *C. klawei*. p. 355, 356.
- 1959d Shiino. Comp. with *C. rugosus*. p. 272, 293.
- 1959e Shiino. Descr. ♀ ♂; *Balistes fuscus*; Toba (Japan) and Indian Ocean: *Echeneis* sp.; Bay of Bengal (India). p. 338-342; fig. 2A-G, 3A-K.
- 1963 Yamaguti. Hosts, distr. p. 58.
- 1966 Kabata and Gussev. Comp. with *C. sensilis*. p. 161.
- 1966 Ho. Descr. ♂ chalimus ♀, hosts, distr.; *Aleuterus scriptus*; Keelung (Formosa). *C. canthidermis* new syn. p. 163-171, 177; fig. 1-19.
- 1967 Daniel and Rao. *Canthidermis maculatus*; Indian Ocean. p. 582-583.
- 1967 Pillai. Brief descr., host, distr. p. 1591, 1671; fig. 74.
- 1967 Silas and Ummerkutty. Ment. p. 892.
- 1968 Parker et al. Ment. p. 1942.
- C. platessae* van Beneden, 1871**
- 1871 van Beneden. N. sp. No descr. *Platessa vulgaris*; coast of Belgium. p. 75.
- 1890 Malard. List. p. 93.
- 1905 Wilson. List. p. 556.
- 1963 Yamaguti. List. p. 58.
- 1968b Parker. List. under "nomina nuda or species inquirendae." p. 364.
- C. platurus* Kirtisinghe, 1964**
- 1964 Kirtisinghe. N. sp. Descr. ♀ ♂; *Caranx* sp., *Caranx melampygus*; Hikkaduwa (Ceylon). p. 61-62, 127; fig. 38-48. Types dep. Fish. Dept., Colombo, Ceylon.
- 1967 Pillai. Brief descr., hosts, distr. p. 1581, 1671; fig. 48.
- 1968 Pillai. Descr. ♀; *Caranx* sp.; Trivandrum (India). p. 128-129; fig. 4A-J.
- 1970 Pillai. Comp. with *C. confusus* and *C. cordyla*. p. 267.
- C. platytarsis* Bassett-Smith, 1898**
- 1898b Bassett-Smith. N. sp. Descr. ♀; *Mugil* sp.; Muscat (Persian Gulf). p. 83-85; pl. IV(fig. 2-2e). Types dep. Br. Mus. (Nat. Hist.).
- 1899 Bassett-Smith. List. as *C. platytarsi*. p. 450.
- 1905 Wilson. Ment., key, as *C. platytarsi*. p. 504, 508, 560.
- 1955 Rangnekar, M. P. As *C. platytarsis* comp. with *C. bombayensis*. p. 58.
- 1963 Yamaguti. List. p. 58.
- 1965 Kabata. As *C. platytarsis* comp. with *C. bombayensis*. p. 112.
- 1967 Pillai. Brief descr., hosts, distr. Comp. with *C. rotundigenitalis*. *C. bombayensis* new syn. p. 1592, 1594, 1672, 1673; fig. 79.
- 1968b Parker. List. p. 365.
- C. praetextus* Bere, 1936**
- 1936 Bere. N. sp. Descr. ♀ ♂, l.h.; *Reniceps tiburo*, *Raja eglanteria*, *Amphotistius say*, *Pteroplataea maculura*, *Stoasodon narinari*, *Galeichthys felis*, *Mugil curema*, *Centropomus undecimalis*, *Lutianus synagris*, *Orthopristis chrysopterus*, *Lagodon rhomboides*, *Bairdiella chrysura*, *Menticirrhus americanus*, *Eugerres plumieri*, *Chaetodipterus faber*, *Echeneis naucrates*; Gulf of Mexico. p. 583-586; pl. 3(fig. 36-70), 4(fig. 71-76). Types dep. USNM, No. 69861 (1 ♀, 1 ♂).
- 1952 Pearse. *Galeichthys felis*, *Lutianus griseus*; Texas coast. Comp. with *C. sciænops*. p. 15, 19.

1953a	Causey. Hosts [after Bere (1936) with some alterations in Latin names]; <i>Caranx hippos</i> ; Grand Isle (Louisiana). p. 5-6.	1788	Linné. List. p. 3007.
1953b	Causey. <i>Galeichthys felis</i> , <i>Lagodon rhombooides</i> , <i>Cynoscion nebulosus</i> ; Texas coast. p. 10.	1794	Abildgaard. List. p. 49, 54.
1953a	Pearse. <i>Dasyatis sabina</i> , <i>Mugil cephalus</i> ; Alligator Harbor (Florida). p. 201.	1802	Bosc. List. <i>Monoculus salmonneus</i> syn. p. 198.
1954g	Shiino. Comp. with <i>C. triangularis</i> . p. 148, 149.	1802	Latreille. List. p. 15, 372; pl. XXXI (fig. 2).
1955	Causey. <i>Bagre marina</i> ; Port Aransas (Texas). p. 5.	1814	Leach. Brief descr.; cod. p. 388.
1957	Rangnekar, M. P. Comp. with <i>C. dasyatus</i> . p. 18.	1815	Tileius. Dscr. ♀. Syn. of <i>C. curtus</i> . p. 358, 359-365; pl. VIII (fig. 3, 4).
1963	Yamaguti. Hosts, distr. <i>Chrysophrys aurata</i> from Genoa apparently an erroneous listing. p. 58; pl. 73 (fig. 2a, b).	1816	Risso. Dscr.; grey dogfish; Nice (France). p. 161-162.
1964	Lewis. Comp. with <i>C. ligatus</i> . p. 171.	1818	Lamarck. List. p. 141-142.
1965a	Shiino. Comp. with <i>C. pectinatus</i> . p. 408.	1821	Otto. <i>C. productus</i> of Risso, 1816 possible syn. of <i>C. heptapus</i> . p. 15.
		1824	Johnston. Ment. p. 294.
		1825	Desmarest. Not a <i>Caligus</i> . p. 342-343.
		1829	Latreille. Assigned to <i>Dinemoura</i> n. gen. p. 198.
		1830	Bosc. List. p. 64, 388.
		1830	Leach. Identical with Leach (1814). p. 388.
		1832	Leach. Identical with Leach (1814). p. 226.
		1832	Nordmann. Syn. of <i>Binoculus productus</i> . p. 38.
1961	Pillai. N. sp. Descr. ♀; <i>Priacanthus hamrur</i> ; Trivandrum (India). p. 104-107; fig. 11A-P. Type material dep. Marine Biol. Lab., Trivandrum, India.	1835	Burmeister. Hist. Syn. of <i>Dinematura producta</i> . p. 284-285, 294, 331.
1964	Pillai. Comp. with <i>C. hamruri</i> . p. 63.	1836	Cuvier. Identical with Latreille (1829). p. 251.
1967	Pillai. Brief descr., host, distr. p. 1575-1576, 1673; fig. 33.	1837	Edwards. Identical with Latreille (1829). p. 263.
		1838	Krøyer. Hist. Accepts as type of <i>Dinematura</i> . p. 46-48.
		1840	Edwards. Belongs to <i>Dinemoura</i> . p. 465.
		1843-45	Krøyer. Müller's (1785) <i>C. productus</i> from salmon considered to be <i>C. salmonis</i> . p. 580.
1962	Heegaard. N. sp. Descr. ♂; <i>Scomberomorus queenslandicus</i> , <i>Scomberomorus commerson</i> ; North Queensland. Comp. with <i>C. obovatus</i> . p. 161, 166, 167; fig. 68-74. Spelled <i>probosci</i> on p. 197. Types dep. Australian Mus., Sydney.	1850	Baird. Ment. p. 267.
		1853	Gerstaecker. Syn. of <i>Nogagus productus</i> . p. 61, 64, 68.
1965	Kabata. List. p. 109.	1854	Cuvier. Belongs to <i>Dinemoura</i> . p. 447.
1967	Silas and Ummerkutty. Descr. ♂, hosts, distr. p. 957, 972-973, 992, 993; fig. 41(7-13).	1856	Thompson, W. Unspecified host; North of Ireland, Belfast Bay (Ireland). p. 409.
		1861	Steenstrup and Lütken. Syn. of <i>Dinematura producta</i> . p. 358, 370, 372, 373, 374.
		1865	Heller. Ment. p. 200.
1785	Müller. N. sp. Descr. ♀; <i>Squalus</i> sp., salmon; locality not specified (? Denmark). "Hemorlaus" and <i>Binoculus salmonneus</i> syn. p. 132-134; pl. XXI (fig. 3, 4). Dep. type material unknown.	1885	Carus. Syn. of <i>Dinematura producta</i> . p. 361.
		1890	Malard. Syn. of <i>Dinematura producta</i> . p. 64.
		1898a	Brian. Ment. p. 205.
		1898b	Brian. Identical with Brian (1898a). p. 3.

1899	Bassett-Smith. ?Syn. of <i>Demoleus paradoxus</i> ; syn. of <i>Dinematura producta</i> . p. 460, 463.	1889	Lönnberg. Unspecified host; Balearic Is. (Mediterranean Sea). p. 149, 157. Dep. Upsala Zool. Mus.
1900	Scott, T. Syn. of <i>Dinematura producta</i> . p. 156.	1898a	Bassett-Smith. Comp. with <i>C. longicaudus</i> . p. 8.
1901b	Scott, T. Syn. of <i>Dinematura producta</i> . p. 124.	1898b	Bassett-Smith. Comp. with <i>C. cossackii</i> . p. 85.
1905	Pearson. Questionable syn. of <i>Demoleus paradoxus</i> . p. 26.	1898a	Brian. <i>Chrysophrys aurata</i> ; Genoa (Italy). p. 208-209, 225. Dep. Mus. Zool. R. Univ. Genova.
1906	Brian. Syn. of <i>Dinematura producta</i> . p. 52.	1898b	Brian. Identical with Brian (1898a). p. 6-7, 23.
1907	Wilson. Syn. of <i>Dinematura producta</i> . p. 374, 375, 376, 380, 381, 382, 441.	1899	Bassett-Smith. <i>Coryphaena, Balistes</i> ; West Indies. p. 452. [Source of records unknown.]
1913	Scott, T., and A. Scott. Syn. of <i>Dinemoura producta</i> . p. 86.	1904	Chilton and Thomson. Unspecified host; New Zealand. p. 273.
1943	Dollfus. Not identical with <i>Demoleus heptapus</i> . p. 1, 3, 6, 8.	1905	Wilson. Descr. ♀ ♂, hosts, distr., key. <i>C. scomбри</i> [sic] Bassett-Smith new syn. Comp. with <i>C. bonito</i> . p. 480, 497, 506, 555, 560, 594, 597-601, 604, 605, 607, 670; pl. XIV(fig. 162-170).
1944	Brian. Syn. of <i>Dinematura producta</i> . p. 202.	1906	Brian. Brief descr. ♀, hosts, distr. p. 42, 124, 175, 181.
1945	Heegaard. Syn. of <i>Dinematura producta</i> . p. 15.	1910	Gadd. Comp. with <i>C. glacialis</i> . p. 5, 7.
1947	Heegaard. Syn. of <i>Dinematura producta</i> . p. 21.	1913	Wilson. Hosts, distr. in West Indies. p. 208, 220. [Some earlier records cited incorrectly.]
1956	Markevich. Syn. of <i>Dinematura producta</i> . p. 149.	1924	Brian. Comp. with <i>C. mauritanicus</i> . p. 382.
1962	Heegaard. Syn. of <i>Dinematura producta</i> . p. 177.	1926	Leigh-Sharpe. <i>Scomber scombrus</i> ; Plymouth. <i>C. scomberi</i> new syn. p. 384.
1963	Yamaguti. Syn. of <i>Dinemoura producta</i> . Synonymy, hosts, and localities cited pertain to <i>C. productus</i> Dana, 1852, <i>nec C. productus</i> Müller, 1785.	1929	Brian. Ment. p. 4.
1968b	Parker. List. p. 362.	1933a	Leigh-Sharpe. List. p. 111.
1969	Parker. Ment. p. 1018, 1020.	1935	Brian. List. Comp. with <i>C. affinis</i> . Record (Brian, 1898a) from <i>Chrysophrys aurata</i> considered doubtful. p. 152, 194, 195, 204, 206.
<b>C. productus</b> Dana, 1852		1935b	Wilson. Free swimming; Newport (California). p. 777.
1852	Dana. N. sp. Descr. ♀; <i>Thymnus pelanys</i> ; Atlantic Ocean (27°N, 19°30'W). p. 56. Type material lost.	1936	Yamaguti. Comp. with <i>C. katuwo</i> . p. 8.
1853	Dana. Descr. ♀. p. 1354-1355.	1940	Legendre. Ment. p. 284.
1855	Dana. pl. 94(fig. 4a, b).	1952	Pearse. <i>Scomberomorus cavalla</i> , <i>Elops saurus</i> , <i>Sarda sarda</i> , <i>Coryphaena hippurus</i> ; Texas. p. 15.
1861	Steenstrup and Lütken. Descr. ♀; "barracuda"; Atlantic Ocean (30°N, 76°W). Recognizes homonym of <i>C. productus</i> Müller, 1785. p. 352, 354, 357-358, 360, 429; pl. III(fig. 6).	1953a	Causey. Hosts; <i>Coryphaena hippurus</i> , <i>Scomberomorus cavalla</i> ; Grand Isle (Louisiana). Comp. with <i>C. bennetti</i> . p. 4, 6, 13.
1863-64	Krøyer. Descr. ♀ ♂; <i>Coryphaena</i> ; Atlantic Ocean (20°N). p. 138-141, 175, 413; pl. III(fig. 4a-i).	1953b	Causey. <i>Scomberomorus maculatus</i> ; Texas coast. p. 10.
1866	Heller. Comp. with <i>C. diaphanus</i> . p. 752, 753.	1955	Causey. <i>Coryphaena hippurus</i> , <i>Pogonias cromis</i> ; Mississippi. p. 5.
1866-79	Gerstaecker. List. p. 767, 800.		
1883	Gissler. Ment. p. 886.		
1885	Rathbun, R. <i>Coryphaena</i> sp.; Atlantic Ocean (38°19'26"N, 68°20'20"W). p. 487.		

- 1959 Capart. Brief descr. ♀ ♂; *Coryphaena hippurus*; west coast Africa (3°02'S, 9°53'E). *C. coryphaenae* of Yamaguti, 1936 new syn. *C. productus* of Wilson, 1905 and *C. productus* of Krøyer, 1863, *partim*, syn. of *C. pseudopproductus*. p. 59, 61, 81, 83-84; fig. 16a-e.
- 1959b Shiino. Descr. ♀ ♂, hosts, distr., syn.; *Katsuwonus pelamis*, *Coryphaena hippurus*; Hamajima (Japan): *Axius thazard*, *Neothunnus albacora*, *Coryphaena hippurus*; eastern Pacific Ocean (18°24'N - 24°55'N, 104°38'W - 113°18'W). *C. katuwo*, *C. lobatus*, *C. monacanthi*, *C. monacanthi* ♀ of Wilson, 1937 new syns. *C. productus* ♀ of Wilson, 1905 syn. of *C. quadratus*. p. 1, 2, 8, 14-20, 26, 27-31, 32; fig. 6A-K, 7A-I, 8A-D.
- 1959d Shiino. L.h. *Polydactylus (Polynemus) opercularis*; eastern Pacific Ocean (21°26'N, 106°06'W). p. 267, 293, 297-300; fig. 13A-H.
- 1959e Shiino. *Neothunnus albacora*, *Katsuwonus pelamis*, *Thunnus thynnus*; Owase, Tsu, Hamajima (Japan). p. 334-335.
- 1960 Causey. *Calamus brachysomus*, *Centropomus* sp., *Coryphaena* sp., *Coryphaena hippurus*, *Katsuwonus vagans*, *Lutianus* sp., *Paralabrax clathratus*, *Paralabrax maculatofasciatus*, *Scomberomorus sierra*, *Seriola dorsalis*, *Sphyraena argentea*, *Verruculus polylepis*; unidentified sea bass, free swimming; Gulf of California and Pacific coast of Mexico. p. 329.
- 1960a Shiino. *Katsuwonus pelamis*; Hamajima (Japan). p. 471.
- 1963 Hewitt. Doubts the occurrence of this species in New Zealand. p. 61, 62, 65, 114.
- 1963 Shiino. Brief descr. ♀ ♂; *Katsuwonus* sp.; Pacific Ocean (0°12'N, 80°27'W). p. 335-336.
- 1963 Yamaguti. Syn. Confuses with *C. productus* Müller, 1785. p. 54, 56, 58, 59; pl. 73(fig. 3a-g).
- 1964 Kirtisinghe. Brief descr. ♀ ♂, hosts, distr., syn. p. 53-54, 127; fig. 25, 26.
- 1965a Shiino. L.h. *Katsuwonus pelamis*, eastern Pacific Ocean. p. 414-417; fig. 9A-L.
- 1966 Kabata and Gusev. *C. productus* of Wilson, 1905 syn. of *C. quadratus*. p. 157.
- 1967 Lewis. Descr. ♀ ♂, hosts, distr., syn.; *Katsuwonus pelamis*, *Neothunnus macrourus*, *Axius thazard*, *Euthynnus yaito*; Hawaii. Comp. with *C. bonito* and *C. quadratus*. *C. productus* of Rathbun, 1884 and of Wilson, 1905 syns. of *C. quadratus*. p. 93, 109, 116-124, 131, 191, 192; fig. 43a-h, 44a-g, 45a-g.
- 1967 Pillai. Brief descr., hosts, distr. p. 1583, 1671, 1672; fig. 51.
- 1967 Silas and Ummerkutty. Descr. ♀ ♂, hosts, distr., syn. *C. productus* ♀ of Wilson, 1905 syn. of *C. quadratus*. Measurements comp. with those of other *Caligus* species from scombroid fishes. p. 877, 895-897, 898, 903, 945, 946, 947; fig. 10(1-17).
- 1968 Lewis. *Sarda orientalis*; Eniwetok Atoll (Pacific Ocean). p. 50-51.
- 1968b Parker. List. p. 364.
- 1971 Baudin Laurencin. *Thunnus albacares*; Gulf of Guinea. p. 13.
- 1971 Kabata and Hewitt. Ment. p. 1146.
- 1972 Heegaard. Free swimming; Caribbean Sea, Pacific coast of Central America, North Pacific Ocean, Andaman Sea, coast of Brazil. p. 296.
- 1972 Hewitt and Hine. List. p. 87, 108.
- C. pseudokalumai** Lewis, 1968
- 1968 Lewis. N. sp. Descr. ♀; *Gymnosarda nuda*; Eniwetok Atoll (Pacific Ocean). p. 59-64; fig. 24a-i, 25a-g. Holotype dep. USNM, No. 120765.
- C. pseudopproductus** Capart, 1959
- 1959 Capart. Nom. nov. for *C. productus* of Wilson, 1905 and *C. productus* Krøyer, 1863, *partim*. Brief descr. ♀ ♂; *Coryphaena hippurus*; Ambriz (southwest coast of Africa). p. 59, 61, 84, 85; fig. 17a-g.
- 1962b Nunes-Ruivo. List. p. 5, 17.
- C. pterois** Kurian, 1949
- 1949 Kurian. N. sp. Descr. ♀ ♂, l.h.; *Pterois russelli*; India. p. 193-194. Dep. type material unknown.
- 1963 Yamaguti. List. p. 59.
- 1968b Parker. Ment. p. 362.

- C. punctatus** Shiino, 1955
- 1955a Shiino. N. sp. Descr. ♀ ♂; *Triborodon hakonensis*, *Triakis scyllium*, *Spherooides vermicularis*, *Acanthogobius flavimanus*, *Liza menada*; Matusima Bay (Japan). p. 135-140; fig. 1A, B, 2A-J, 3A-F. Dep. type material unknown.
- 1957 Fukui. List. p. 57.
- 1957 Shen. Comp. with *C. communis*. p. 354.
- 1959d Shiino. Comp. with *C. rugosus*. p. 272.
- 1959e Shiino. *Leuciscus hakonensis*; Asamushi (Japan). p. 336.
- 1963b Pillai. Comp. with *C. russellii*. p. 80.
- 1963 Yamaguti. Hosts, distr. p. 59; pl. 76 (fig. 4a, b).
- 1964c Hewitt. Comp. with *C. buechlerae*. p. 129.
- 1964 Lewis. Comp. with *C. kalumai*. p. 177, 178.
- 1966 Kabata and Gusev. Hosts, distr., syn.; *Coryphaena hippurus*; western Pacific (vicinity of Ryukyu Is.). p. 156, 157, 159, 164; fig. 3, 4.
- 1967 Lewis. Descr. ♀ ♂, hosts, distr., syn.; *Coryphaena hippurus*; Hawaii. Comp. with *C. longipedis*. *C. productus* of Rathbun, 1884 new syn.; *C. monacanthi* ♂ of Wilson nec syn. *C. quadratus*. p. 109-116, 124, 131, 150, 190; fig. 40a-i, 41a-j, 42a-f.
- 1967 Pillai. Brief descr., host, distr. p. 1576, 1578, 1671; fig. 36.
- 1967 Silas and Ummekutty. Descr. ♀ ♂, hosts, distr., syn. p. 877, 886, 897-898, 903, 945, 947; fig. 11(1-15).
- 1969 Lewis et al. *Coryphaena hippurus*, *Coryphaena equisetis*; Indian Ocean. p. 423-424, 425, 432; fig. 6.
- C. quadratus** Shiino, 1954
- 1954c Shiino. N. sp. Descr. ♀; *Neothynnus macropterus*; Simakatu (Mie Prefecture, Japan). p. 26-29; fig. A-K. Holotype dep. Mie Prefectural U., Tsu, Japan.
- 1957 Shen. Comp. with *C. communis* and *C. multispinosus*. p. 354, 356, 371.
- 1959b Shiino. Descr. ♀ ♂, hosts, distr., syn.; *Coryphaena hippurus*, *Neothunnus albacora* (= *N. macropterus*), *Histiophorus orientalis*; Hamajima and Shimakatsu (Japan). *C. productus* ♀ of Wilson, 1905, *C. monacanthi* ♂ of Wilson, 1937, *C. coryphaenae* of Yamaguti, 1936 new syns. p. 1, 8-14, 25, 26, 27, 28, 30, 31, 32; fig. 3A-K, 4A-I, 5A-G.
- 1959d Shiino. Comp. with *C. tenuicaudatus*. p. 277.
- 1959e Shiino. *Coryphaena hippurus*; Sado Is. (Sea of Japan) and Hamajima (Japan); *Katsuwonus pelamis*; Tsu (Japan). p. 335.
- 1960a Shiino. *Rhinobatos schlegelii*; Hamazima (Japan). p. 472.
- 1963a Pillai. *C. coryphaenae* of Yamaguti, 1936 syn. of *C. quadratus*. p. 518, 522.
- 1963b Pillai. Comp. with *C. longicaudus*. p. 71.
- 1963 Yamaguti. Hosts, distr., syn. p. 59; pl. 75 (fig. 4).
- 1964 Lewis. Comp. with *C. ligatus*. p. 171.
- 1964 Pillai. *Coryphaena hippurus*; Trivandrum and Vizhingom (India). p. 61.
- 1966 Cleugh. Ment. p. 771.
- 1962 Heegaard. N. sp. Descr. ♀; *Scomberomorus commerson*; Torres Strait (Australia). p. 162, 197 (as *C. cinctabdominalis*); fig. 75-82. Holotype and paratypes dep. Australian Mus., Sydney.
- 1965 Kabata. List. p. 109.
- 1967 Silas and Ummekutty. Brief descr. ♀, host, distr. p. 957, 973, 992; fig. 41(14-21).
- C. quinqueabdominalis** Heegaard, 1962
- 1936 Leigh-Sharpe. N. sp. Descr. ♀; *Alopias vulpinus*; Brighton (England). p. 410-413; fig. 1, 2. Holotype dep. Br. Mus. (Nat. Hist.).
- 1949 Redkar, P. G., Rangnekar, and Murti. Comp. with *C. furcifer*. p. 43.
- 1950a Rangnekar, P. G., and Murti. Comp. with *C. unguidentatus*. p. 25.
- 1963 Yamaguti. List. p. 59.
- 1969 Parker. Syn. of *C. elongatus* Nordmann, 1832. p. 1026, 1027.
- C. rabidus** Leigh-Sharpe, 1936
- 1936 Leigh-Sharpe. N. sp. Descr. ♀; *Alopias vulpinus*; Brighton (England). p. 410-413; fig. 1, 2. Holotype dep. Br. Mus. (Nat. Hist.).
- 1949 Redkar, P. G., Rangnekar, and Murti. Comp. with *C. furcifer*. p. 43.
- 1950a Rangnekar, P. G., and Murti. Comp. with *C. unguidentatus*. p. 25.
- 1963 Yamaguti. List. p. 59.
- 1969 Parker. Syn. of *C. elongatus* Nordmann, 1832. p. 1026, 1027.
- C. randalli** Lewis, 1964
- 1964 Lewis. N. sp. Descr. ♀; *Acanthurus triostegus sandvicensis*; Oahu (Hawaii). p. 156-164; fig. 6a, b, d-f, h-l, n-q, 7a-d. Holotype dep. USNM, No. 105102.
- 1967 Lewis. List. p. 170, 191.

<i>C. raniceps</i> Heegaard, 1943			
1943b	Heegaard. N. sp. Descr. ♂; Bay of Bengal. p. 1, 9–11; fig. 13–20. Types dep. Riksmus., Stockholm, No. 227.	1874	M'Intosh. Cod and free swimming; St. Andrews (Scotland). p. 262.
1950b	Gnanamuthu. Comp. with <i>C. cunicaphalus</i> . p. 114.	1874	Verrill and Smith. Identical with Verrill (1873). p. 158, 163, 165, 281.
1963	Yamaguti. List. p. 59; pl. 70(fig. 1a–d).	1885	Rathbun, R. List. p. 487.
		1886	Thompson, I. C. Sapphirine gurnard; Liverpool Bay (Irish Sea). p. 207.
		1889	Lönnberg. Free swimming; Bohuslän (Sweden). p. 148, 157.
		1889	Thompson, I. C. Free swimming; Liverpool Bay (Irish Sea). p. 182.
1840	Edwards. N. sp. Descr. ♀; dogfish; locality unknown. p. 453; pl. 38(fig. 9). Types dep. Mus. Natl. Hist. Nat., Paris.	1891	Herdman. Free swimming; west coast of Ireland. p. 192, 195.
1850	Baird. Descr. ♀ ♂; <i>Trigla hirundo</i> , <i>Trigla pini</i> , <i>Trigla gurnardus</i> , <i>Zeus faber</i> , <i>Platessa limanda</i> , <i>Rhombus vulgaris</i> , <i>Merlangus vulgaris</i> ; Belfast Bay; trout, <i>Coregonus pollan</i> ; Lough Neagh (northern Ireland). p. 270–271; pl. XXXII(fig. 2, 3).	1891	Scott, T. Cod, saith, pollack, lump-sucker, and free swimming; Firth of Forth (Scotland). p. 305.
1850	White. List. p. 119.	1893	Thompson, I. C. Cod and other fishes, free swimming; Liverpool Bay (Irish Sea). p. 37–38, 48; pl. XXVII(fig. 4).
1855	Gosse. List. p. 125.	1894	Timm. Cod and free swimming; North Sea. p. 380, 396.
1856	Thompson, W. List. p. 410.	1895	Thompson, I. C. Identical with Thompson, I. C. (1893). p. 117–118.
1857	White. Brief descr., hosts, distr. p. 313.	1896a	Bassett-Smith. Ment. p. 9.
1861	Steenstrup and Lütken. Descr. ♀ ♂, syn.; shark; Atlantic; <i>Gadus morhua</i> ; Hebrides Is. (Scotland), Sweden: <i>Cyclopterus lumpus</i> , <i>Trigla</i> spp.; Oslo-fjord. <i>C. elongatus</i> Nordmann, 1832, <i>C. leptochilus</i> may be syns. p. 354, 359–360, 429; pl. II(fig. 4).	1896b	Bassett-Smith. <i>Salmo trutta</i> , <i>Gadus morhua</i> , <i>Mugil capito</i> ; Plymouth (England). p. 156.
1863	Krøyer. Hist., syn. <i>C. rapax</i> of Baird, 1850 and of Steenstrup and Lütken, 1861 are composite species, not including <i>C. rapax</i> Edwards. <i>C. leptochilus</i> nec syn. of <i>C. rapax</i> Edwards. p. 145–147, 154, 160.	1896	Olsson. Syn.; <i>Chimaera monstrosa</i> ; Skagerrack. <i>C. rapax</i> of Baird, 1850, and of Steenstrup and Lütken, 1861, syn. of <i>C. rapax</i> Edwards. <i>C. lumper</i> new syn. p. 502, 503.
1864	Nordmann. <i>C. leptochilus</i> questionable syn. of <i>C. rapax</i> . p. 468.	1897	Scott, T. Coal-fish; Loch Fyne (Scotland). p. 155.
1866–79	Gerstaecker. Hosts, distr. p. 731, 757, 760, 761, 763, 764, 767, 770, 773, 802.	1897	Thompson, I. C. Free swimming; west coast of Ireland. p. 130.
1866	Heller. Comp. with <i>C. diaphanus</i> . p. 752.	1898a	Brian. Hosts, distr.; <i>Mugil cephalus</i> , <i>Lichia amia</i> ; Genoa. p. 206, 208, 215, 225, 226; pl. II(fig. 6). Dep. Mus. Zool. R. Univ., Genoa.
1869	Olsson. Brief descr. ♀ ♂ of “ <i>C. rapax</i> (Edw.?) Stp. Ltk.”; <i>Trigla gurnardus</i> , <i>Acanthias vulgaris</i> , <i>Raja batis</i> , <i>Molva vulgaris</i> , <i>Chimaera monstrosa</i> , <i>Gadus virens</i> , <i>Gadus morrhua</i> ; Skagerrack; <i>Gadus melanostomus</i> ; Bergen. <i>C. gurnardi</i> , <i>C. lumper</i> var. of <i>C. rapax</i> . p. 8–10.	1898b	Brian. Identical with Brian (1898a). p. 4, 6, 13, 23, 24; pl. II(fig. 6).
1873	Verrill. <i>Trygon centoura</i> and free swimming; Vineyard Sound and Woods Hole (Atlantic coast, USA). p. 452, 457, 459, 575.	1898c	Brian. p. 171; fig. 7.
		1898	Scott, T. Free swimming; Firth of Forth (Scotland). p. 177, 190, 210.
		1899	Bassett-Smith. Hosts, syn. <i>C. elongatus</i> , <i>C. leptochilus</i> syns. p. 448.
		1899c	Brian. <i>Mugil cephalus</i> ; Portoferraio (Italy). p. 2, 9.
		1900	Brian. Identical with Brian (1899c). p. 198, 205.
		1900	Scott, T. <i>Raia batis</i> ; Scotland. p. 148–149; pl. V(fig. 13–19).
		1900	Thompson, I. C. Free swimming; Valencia Harbour (Ireland). p. 739, 743.

- 1901a Scott, T. List. p. 356.
- 1902a Brian. Ment. p. 41.
- 1902b Brian. Identical with Brian (1902a). p. 12.
- 1903 Scourfield. List. p. 540.
- 1904 Gadd. Descr. ♀ ♂, hosts, syn.; free swimming; Åland Is. (Baltic Sea). p. 17-19, 20, 51.
- 1904 Scott, A. List. p. 118.
- 1905b Brian. Comp. with *C. trachypteri*. p. 4.
- 1905 Norman. List. p. 41.
- 1905 Pearson. Hosts, distr. Ireland. p. 24-25.
- 1905 Rathbun, M. J. Sand shark, spiny dogfish, skate, big skate, barndoor skate, peaked-nosed skate, sting ray, sharp-nosed sturgeon, blunt-nosed sturgeon, long-nosed sturgeon, alewife, shad, sand launce, mackerel, cutlass fish, swordfish, rudderfish, crevalle, striped bass, scup, sculpin, lumpfish, remora, whiting, cod, pollock, haddock, hake, codling, flounder, four-spotted flounder, and free swimming; New England States (USA). p. 89-90, appendix p. 8.
- 1905a Scott, T. Free swimming; North Sea. p. 228.
- 1905 Wilson. Descr. ♀ ♂, anat., physiol., l.h., syn., key; *Pseudopleuronectes americanus*, *Paralichthys oblongus*, *Gadus morhua*, *Melanogrammus aeglefinus*, *Pollachius virens*, *Urophycis chuss*, *Urophycis tenuis*, *Cyclopterus lumpus*, *Scomber scombrus*, *Stenotomus chrysops*, *Roccus lineatus*, *Clupea vernalis*, *Acipenser sturio*, *Acipenser brevirostrum*, *Dasyatis centrura*, *Raia laevis*, *Raia ocellata*, *Raia erinacea*, *Squalus acanthias*, sculpins, *Menticirrhus saxatilis*, *Alosa sapidissima*, *Xiphias gladius*, *Kyphosus sectatrix*, *Carcharias littoralis*, *Renora remora*, *Caranx cryos*, *Trichiurus lepturus*, *Ammodytes americanus*, *Monacanthus* sp., free swimming; Atlantic coast USA.<sup>2</sup> Comp. with *C. mutabilis*, *C. curtus*, *C. latifrons*. p. 480, 484, 488, 489, 495, 500, 501, 502, 503, 506, 508, 511, 514, 516, 517, 520, 526, 527, 535, 536, 537, 538, 545, 546, 549, 550, 555, 556, 559, 568-573, 575, 581, 582, 583, 584, 585, 588, 589, 622, 637, 669; text fig. 3, 7, 9, 10, 18, 22, 23, 26, 32, 36, 46, 47, 48, 49, 50; pl. VII(fig. 79-89).
- 1906 Brian. *C. rapax* of Brian, 1898a, b, 1900 syn. of *C. curtus*. p. 35, 38.
- 1906 Evans. *Orthagoriscus mola*; North Berwick (Scotland). p. 57.
- 1906 Hofer. Brief descr. p. 144, 180-181; fig. 114.
- 1906 Norman and T. Scott. List. p. 206.
- 1906 Scott, T. List. p. 367.
- 1906 Wilson. Comp. with *Trebius exilis*, *Dissonus spinifer*. p. 194, 195, 200.
- 1907 Wilson. Shark; Atlantic coast USA. p. 326.
- 1908a Brian. *Raia* sp.; 47°46'N, 5°40'W (Bay of Biscay). p. 2.
- 1908b Brian. Hosts, distr., syn.; *Orthagoriscus mola*, *Syngnathus phlegon*; Mediterranean (Genoa and Monaco). p. 96-98.
- 1908a Wilson. *Trichiurus lepturus*; Beaufort (North Carolina, USA). Comp. with *C. haemulonis*, *Tuxophorus caligodes*. p. 595, 597, 619, 626.
- 1909 Neresheimer. Brief descr. ♀. p. 74; fig. 318-319.
- 1912 Brian. Hosts, distr., syn.; *Siphonostoma rotundatum*; Calvi (Corsica). p. 2, 5-6, 51, 53; pl. VI(fig. 1a-k, 2, 3, 4, 4a).
- 1913 Scott, T., and A. Scott. Descr. ♀ ♂, distr. p. 5, 26, 30, 46, 48-50, 58; pl. IV(fig. 3-8), VI(fig. 1, 2).
- 1913 Sumner et al. Local hosts, distr. p. 641.
- 1913 Wilson. Ment. p. 210.
- 1914 Scott, T. Ment. p. 377.
- 1915 Stock, V. *Zoarces anguillaris*, cod, haddock, hake, pollock, flounder, conger eel, skate, lump sucker; Bay of Fundy (Atlantic coast Canada). p. 69, 70, 71.
- 1918 Jorgensen. Comp. with *C. curtus*. p. 66, 67.
- 1923 Hansen. Hosts, distr.; *Cyclopterus lumpus*, *Hippoglossus vulgaris*, free swimming; Iceland: *Gymnacanthus tricuspidatus*; East Greenland: *Gadus callarias*; Faeroe Is. p. 29-30.
- 1924 Leigh-Sharpe and Perkins. *Hippoglossus vulgaris*, *Gadus virens*, *Gadus morhua*; Iceland. p. 289.
- 1924 Plehn. Ment. p. 338; fig. 22.
- 1924b Wilson. *Prionotus striatus*; Woods Hole (USA). p. 11. Dep. USNM, No. 54105.
- 1926 Leigh-Sharpe. Hosts at Plymouth; *Gobius* sp.; Plymouth. p. 384.
- 1929 Brian. Ment. p. 3.
- 1929 Scott, A. Cod; *Raia blanda*, *Raia batis*, *Raia clavata*, yellow gurnard; Irish Sea. p. 89.

<sup>2</sup> Many scientific names of hosts listed by Wilson (1905) apparently referred to fishes mentioned in the vernacular by M. J. Rathbun (1905).

1929	Stephensen. Distr.; <i>Gadus callarias</i> ; Faeroe Is. p. 7-8, 13.	1938	Zandt. <i>Coregonus lavaretus</i> ; Torneålf (Sweden); <i>Coregonus</i> sp.; Lake Ladoga (Finland). p. 689, 690.
1930	Bere. <i>Melanogrammus aeglefinus</i> , <i>Microgadus tomcod</i> , <i>Gadus callarias</i> , <i>Pollachius virens</i> , <i>Raja laevis</i> , <i>Clupea harengus</i> , <i>Urophycis tenuis</i> ; Passamaquoddy region (Atlantic coast Canada). p. 423.	1939	Jespersen. Distr.; host not specified; Scoresby Sund (East Greenland). p. 51, 59.
1931	Argilas. Ment. p. 100.	1940	Redeke. Ment. p. 194.
1932	Brian. Comp. with <i>C. dieuzeidei</i> . p. 47, 49, 50, 51; fig. 17-20.	1943	Stephensen. <i>Cyclopterus lumpus</i> , <i>Hippoglossus vulgaris</i> , <i>Gadus callarias</i> , <i>Gadus virens</i> ; Iceland. p. 3, 20.
1932a	Wilson. Brief descr. ♀ ♂, hosts, distr. p. 398, 399; fig. 250a, b.	1943	Fujita. Brief descr. p. 127, 128, 200; fig. 50.
1933a	Leigh-Sharpe. Hosts in British waters. p. 109, 110, 111.	1943b	Heegaard. Distr.; host unknown; Scotland. p. 8. Dep. Riksmus., Stockholm, No. 223.
1933b	Leigh-Sharpe. Free swimming; Plymouth (England). p. 115.	1943	Stephensen. List. p. 1, 12-13, 22.
1933	Russell. Ment. p. 552.	1946	Dawes. Ment. p. 121.
1934	Gurney. Ment. p. 178.	1946	Dollfus. List. p. 72.
1934	Markevich. Ment. p. 78.	1947	Heegaard. L.h., syn.; cod; Gullmar Fjord (Sweden). Comp. with <i>Lepeophtheirus pectoralis</i> . p. 23, 26, 28, 33, 34, 38, 77, 85, 96-101, 105, 205, 232; pl. 5(fig. 36-42), 6(43-49).
1934	Pesta. Brief descr. ♀ ♂, hosts in German waters, distr. p. 19-21; fig. 12.	1949	Ferris and Henry. Ment. p. 116.
1935	Brian. Descr. ♀ ♂, syn.; <i>Syngnathus phlegon</i> , <i>Orthagoriscus mola</i> , free swimming; Mediterranean. p. 152, 153-158, 174, 175, 176, 201, 207; fig. 1(1-12), 2(13, 14). Dep. Mus. Oceanogr., Monaco.	1949	Shen. Comp. with <i>C. fronsuganinus</i> . p. 140-141, 147.
1935	Schuurmans Stekhoven. <i>Pleuronectes flesus</i> ; North Sea (Belgian coast). p. 4. Dep. Mus. Roy. Hist. Nat., Brussels.	1949	Thomsen. <i>Astyanax</i> (?) sp.; Uruguay. p. 2, 3; pl. I(fig. 1-17).
1936	Bere. <i>Orthopristis chrysopterus</i> ; Gulf of Mexico. p. 582.	1950	Wilson. Free swimming; Gulf of Mexico. p. 179.
1936	Guibé. Descr. ♀ ♂; <i>Cyclopterus lumpus</i> ; Baie de Seine (France). p. 20-22.	1951	Baer. fig. 53A, B, 54A, B (p. 48).
1936	van Oorde-de Lint and Schuurmans Stekhoven. Brief descr. ♀ ♂, l.h., hosts, distr. Comp. with <i>C. curtus</i> , <i>C. minutus</i> , <i>C. belones</i> , <i>C. centrodonti</i> , <i>C. gurnardi</i> , <i>C. brevicaudatus</i> , <i>C. pelamydis</i> , <i>C. zei</i> , <i>C. labracis</i> . p. 85, 129-131, 132, 134, 184-189, 192; fig. 19A, C-E, 91A-C.	1952	Isakova-Keo. Ment. p. 236.
1936	Schuurmans Stekhoven. <i>Cyclopterus lumpus</i> , <i>Gobius minutus</i> , <i>Clupea sprattus</i> , <i>Gadus merlangus</i> , <i>Clupea</i> sp.; North Sea (Belgian coast). p. 4-7. Dep. Mus. Roy. Hist. Nat., Brussels.	1953b	Kurian. Ment. p. 8.
1937	Fujita. List., l.h. p. 48, 111-112, 113, 114; fig. 89(1, 2).	1953	Causey. <i>Scomberomorus maculatus</i> , <i>Scomberomorus cavalla</i> , <i>Caranx hippos</i> , <i>Prionotus</i> sp.; Texas coast. p. 10.
1937	Goulliart. <i>Pleuronectes flesus</i> ; Wimereux (France). p. 323, 355.	1954	Dollfus. Descr. ♀ ♂, hosts, distr. p. 49, 327, 332-336; fig. 228-235.
1937	Markevich. Ment. p. 82.	1954	Kaj. Ment. p. 46.
1937	Wagler. Brief descr. ♀ ♂. p. 176; fig. 533, 534a-c.	1954	Schäperclaus. List. p. 207, 211, 212; fig. 91A.
1938	Tremblay and Lapointe. <i>Hippoglossus hippoglossus</i> ; St. Lawrence R. estuary. p. 100.	1954b	Shiino. Comp. with <i>C. latigenitalis</i> . p. 24.
		1954h	Shiino. Comp. with <i>C. fulvipurpureus</i> . p. 152-153.
		1955b	Barnard. Key; <i>Merluccius capensis</i> , <i>Trachurus trachurus</i> ; Table Bay (South Africa). p. 8, 100.
		1955	Goreglyad. <i>Vimba vimba</i> ; USSR. p. 203.
		1956	Cameron. Brief descr., l.h. p. 154-156; fig. 63A, B, 64.
		1956	Carvalho. Comp. with <i>C. oligoplitis</i> . p. 17.
		1956	Dawes. Identical with Dawes (1946).

- 1956 Dollfus. Distr.; *Clupea harengus*; Scotland. p. 64.
- 1956 Markevich. Descr. ♀ ♂, hosts, distr., syn., key. p. 9, 113, 126–128; fig. 65.
- 1956 Nunes-Ruivo and Fourmanoir. Comp. with *C. sphyraenae* and *C. pauliani*. p. 73, 74.
- 1957 Kozikowska. Ment. p. 239.
- 1958 Nunes-Ruivo. Ment. p. 182.
- 1959 Ronald. List. p. 21, 25, 32, 34, 36, 37, 40, 55.
- 1959 Shulman. List. p. 186.
- 1960 Legaré and Maclellan. Free swimming; Atlantic coast Canada. p. 418, 434.
- 1960 Stuardo and Fagetti. Ment. p. 197.
- 1961 Neresheimer. Identical with Neresheimer (1909).
- 1962 Bresciani and Lützen. List. p. 405.
- 1962 Bykhovskaya-Pavlovskaya et al. *Hucho taimen*, *Pleuronectes flesus*, *Mugil ramada*, *Mugil labrosus*, *Acipenser sturio*; ? USSR [source of these records not clear]. p. 650, 692, 727.
- 1962 Fraser, J. H. fig. 19(9) (p. 69).
- 1962 Heegaard. *Raia* sp.; Tasmania. p. 156. Dep. Australian Mus., Sydney, No. E.6792.
- 1962a Nunes-Ruivo. Ment. p. 71.
- 1963 Heegaard. fig. 1 (p. 315).
- 1963 Yamaguti. Hosts, distr., syn. *C. rapax* of Brian, 1898, 1899 syn. of *C. curtus*. p. 48, 52, 56, 59; pl. 72 (fig. 3a–e).
- 1964 Bykhovskaya-Pavlovskaya et al. English transl. of Bykhovskaya-Pavlovskaya et al. (1962). p. 768, 820, 857.
- 1964a Hewitt. Ment. p. 157.
- 1964 Parker and Margolis. Comp. with *C. clemensi*. p. 888.
- 1965 Hwa. Ment. p. 48.
- 1965 Kabata. Unidentified elasmobranch; south Australian waters. p. 109, 120–121, 126; fig. 1F. Dep. U. Adelaide.
- 1965 Parker. Comp. with *C. gurnardi*. p. 93, 97, 102.
- 1965 Reichenbach-Klinke and Elkan. Ment. p. 111.
- 1965 Shields and Stein. L.h.; *Menidia menidia*, *Fundulus majalis*, *Strongylura marinas*; ? east coast USA. p. 51.
- 1965a Shiino. Comp. with *C. pectinatus*. p. 408.
- 1966 O'Riordan. *Gadus virens*; west coast of Ireland. p. 371.
- 1966 Reichenbach-Klinke. List. p. 233.
- 1967 Parker and Margolis. Hist., descr. lectotype ♀, syn. *C. rapax* of Baird, 1850 and later authors not identical with *C. rapax* Edwards. *C. elongatus* Nordmann, 1832, *C. leptochilus* not syns. of *C. rapax* Edwards. p. 87–101; fig. 1–8.
- 1967 Rosenthal. Path.; *Clupea harengus*; North Sea. p. 10, 14.
- 1967 Shields. L.h. p. 68–69.
- 1967 Silas and Ummerkutty. Brief descr. ♀ ♂, hosts, distr., syn. p. 877, 892, 898–899, 903, 946, 947, 948, 957, 973–974; fig. 2(1–9).
- 1968b Parker. List. p. 365.
- 1969 Izawa. Comp. with *C. centrodonti*, *C. curtus*, *C. pageti*, and *C. spinosus*. p. 153, 154.
- 1969 Parker. *C. rapax* of Baird, 1850 and later authors syn. of *C. elongatus* Nordmann, 1832. p. 1013, 1014, 1020–1022, 1024–1031.
- 1970 Mann. List. p. 178–180; fig. 2.
- 1970 Sindermann. Ment. p. 317.
- 1971 Baer. fig. 2.13a–d (p. 43).
- 1971b Hewitt. Syn. of *C. elongatus* Nordmann, 1832. p. 163.
- 1971 Reimer et al. List. p. 91.
- 1971 Shih et al. List. p. 57.
- ### *C. rectus* Pearse, 1952
- 1952 Pearse. N. sp. Descr. ♀; *Caranx hippos*; Texas coast. p. 15–16; fig. 38–44. Holotype dep. USNM, No. 92665.
- 1963 Yamaguti. List. p. 59; pl. 75 (fig. 3).
- 1968 Kabata. Comp. with *C. novocaledonicus*. p. 8.
- ### *C. regalis* Leigh-Sharpe, 1930
- 1930 Leigh-Sharpe. N. sp. Descr. ♀ ♂; *Euthynnus yaito*; North of Misoöl (New Guinea). p. 5–7; pl. II (fig. 2), III (fig. 1, 2), IV (fig. 1). Dep. type material unknown.
- 1963 Yamaguti. List. p. 59. [Locality incorrectly cited as Japan.]
- 1967 Silas and Ummerkutty. Descr. ♀ ♂, host, distr. p. 877, 899–900, 903, 945; fig. 12(1–11).

<b>C. remorae</b> Brian, 1905		1924	Brian. As "C. robustus Wilson." <i>Caranx</i> sp. (? <i>C. hippos</i> ), <i>Solea vulgaris</i> [? <i>lapsus</i> ]; Mauritania. p. 376, 422, 423, 426.
1905a Brian. N. sp. Descr. ♀ ♂; <i>Remora</i> sp.; Red Sea. p. 564-567; fig. 1-9. Types dep. Mus. Civ. Stor. Nat., Genova.		1936	Bere. <i>Paratractus crysos</i> , <i>Caranx hippos</i> ; Gulf of Mexico. p. 582.
1906 Gadd. Comp. with <i>C. dentatus</i> . p. 1, 9.		1953b	Causey. <i>Caranx hippos</i> , <i>Chloroscombrus chrysurus</i> ; Texas coast. p. 10.
1927 Gurney. Ment. p. 482.		1956	Carvalho. Comp. with <i>C. oligoplitisi</i> . p. 19.
1933 Markevich. Ment. p. 10.		1956	Rangnekar, M. P. Comp. with <i>C. djedabae</i> . p. 45.
1941 Capart. Possible syn. of <i>Tuxophorus caligodes</i> Wilson, 1908. p. 184.		1959	Capart. Comp. with <i>C. alalongae</i> . p. 78.
1954a Shiino. Comp. with <i>C. calotomi</i> . p. 19.		1960a	Shiino. Comp. with <i>C. laticaudus</i> . p. 485, 486.
1955a Shiino. Comp. with <i>C. punctatus</i> . p. 139.		1963b	Pillai. Brief descr. ♀ ♂; <i>Caranx sansun</i> , <i>Caranx melanampygus</i> ; Trivandrum (India). p. 73-74; fig. 4A-U.
1959 Capart. Syn. of <i>Tuxophorus caligodes</i> . p. 96.		1963	Yamaguti. Hosts, distr. p. 59; pl. 81(fig. 2).
1963 Yamaguti. List. p. 59. [Locality incorrectly cited as Mediterranean.]		1964	Kirtisinghe. Brief descr. ♀ ♂, hosts, distr.; <i>Caranx melanampygus</i> ; Colombo (Ceylon). Names of Bassett-Smith's (1898) hosts have been altered to <i>Neothynnus macropterus</i> , <i>Selar mate</i> , <i>Atule djedeba</i> , and <i>Megalaspis cordyli</i> . p. 55-56, 127; fig. 29, 30.
1840 Edwards. N. sp. Descr. ♀; unidentified fish; Nice (France). p. 452. Dep. type material Mus. Natl. Hist. Nat., Paris.		1967	Pillai. Brief descr., hosts in India, distr. p. 1589-1590, 1671; fig. 68.
1846 Verany. List. p. 88.		1968b	Parker. List. p. 365.
1885 Carus. Brief descr. ♀. p. 357.			
1898a Brian. List. p. 205.			
1898b Brian. Identical with Brian (1898a). p. 3.			
1905 Wilson. <i>C. rissonianus</i> [sic] syn. of <i>C. curtus</i> . p. 555.			
1906 Brian. List. p. 37, 124, 181.			
1935 Brian. List. p. 153, 204.			
1963 Yamaguti. List. p. 59.			
1968b Parker. List. p. 365.			
1968 Parker et al. Ment. p. 1923.			
1969 Parker. Syn. of <i>C. elongatus</i> Nordmann, 1832. p. 1025, 1026.		1913	Stephensen. <i>C. robustus</i> Krøyer <i>lapsus</i> for <i>Lepeophtheirus robustus</i> . p. 346.
<b>C. rissoanus</b> Edwards, 1840			
<b>C. robustus</b> Bassett-Smith, 1898			
1933 Yu. N. sp. Descr. ♀; <i>Lutjanus malabaricus</i> ; Chefoo (China). p. 117, 118-120, 136; pl. I(fig. 1-7), II(fig. 1-4).			
1936 Yamaguti. Comp. with <i>C. seriola</i> . p. 3.			
1949 Shen. Ment. p. 139.			
1957 Shen. Ment. p. 351, 369.			
1959 Rangnekar, M. P. Descr. ♀, hosts, distr.; <i>Caranx speciosus</i> ; Bombay (India). p. 43-46; fig. 1a-m.			
1963 Yamaguti. List. p. 59; pl. 77(fig. 2a-e).			
1967 Pillai. Brief descr., hosts, distr. p. 1592, 1671, 1672; fig. 76.			

- C. rufimaculatus** Wilson, 1905
- 1905 Rathbun, M. J. List. p. 89, appendix p. 8.
- 1905 Wilson. N. sp. Descr. ♀ ♂, key; *Fundulus majalis*, *Fundulus heteroclitus*, *Mugil cephalus*, free swimming; Woods Hole (USA). p. 497, 556, 557, 561–564; pl. V(fig. 51–64). Types dep. USNM.
- 1906 Wilson. Comp. with *Trebius exilis*. p. 194.
- 1908a Wilson. *Fundulus heteroclitus*; Beaufort (North Carolina). p. 625.
- 1913 Guiart. Comp. with *C. guerini*. p. 5.
- 1913 Sumner et al. Local hosts, distr. p. 641.
- 1914a Brian. Comp. with *C. biaculeatus*. p. 4.
- 1929 Brian. Comp. with *C. biaculeatus*. p. 6.
- 1932 Brian. Comp. with *C. dieuzeidei*. p. 47.
- 1932a Wilson. Brief descr. ♀ ♂, key. p. 399, 402–403; fig. 249a, b.
- 1935 Brian. Comp. with *C. dieuzeidei*. p. 176.
- 1936 Bere. *Pomatomus saltatrix*, *Mugil* sp., *Oligoplites saurus*, ? *Mobula hypostoma*, *Stoasodon narinari*, *Chaetodipterus faber*, *Strongylura*, sp., *Rhinobatos lentiginosus*, *Eucinostomus pseudogula*, free swimming; Gulf of Mexico. p. 582–583, 590.
- 1949 Kurian. Comp. with *C. pterois*. p. 194.
- 1952 Kurian. Comp. with *C. russellii*. p. 3, 4, 5, 6, 17.
- 1960c Shiino. Comp. with *Caligus* sp. p. 546.
- 1961 Stuardo and Fagetti. Comp. with *C. debueni*. p. 65.
- 1963 Yamaguti. Hosts, distr. p. 59–60; pl. 81(fig. 1a–d).
- 1965a Shiino. Comp. with *C. pectinatus*. p. 408.
- 1969 Parker. *C. rapax* of Wilson, 1905 from *Trichiurus lepturus*, Woods Hole (USA) redetermined as *C. rufimaculatus*. p. 1026.
- 1941 Capart. Descr. ♀; *Paracentropristis scriba*; Senegal. p. 171, 173, 182–183, 194.
- 1949 Thomsen. Placed in *Metacaligus* n. subgen. p. 6, 7.
- 1952 Pearse. Comp. with *C. ventrosetosus*. p. 22.
- 1953a Pearse. Comp. with *C. setosus*. p. 203.
- 1959 Capart *C. rufus* of Capart, 1941 syn. of *C. trichiuri*. p. 85, 87.
- 1963 Yamaguti. List. p. 47, 60; pl. 76(fig. 3).
- 1965a Shiino. Comp. with *C. pectinatus*. p. 408.
- C. rugosus** Shiino, 1959
- 1959d Shiino. N. sp. Descr. ♀; "Costa Rica-nischer Gelbfisch" (*Seriola* sp. ?); eastern Pacific (6°20'N, 77°53'W). p. 267–272; fig. 1A–I, 2A–F. Dep. type material unknown.
- 1963 Kubota and Takakuwa. Ment. p. 116.
- 1963 Yamaguti. List. p. 60.
- 1967 Lewis. Comp. with *C. longipedis*. p. 152.
- C. russellii** Kurian, 1952
- 1952 Kurian. N. sp. Descr. ♀ ♂, anat., l.h.; *Pterois russellii*; Trivandrum (India). p. 1–21; pl. I, II(fig. 2–15a), III(fig. 16–31). Dep. type material unknown.
- 1955 Kurian. *Pterois russellii*; Quilon (India). Comp. with *C. pelagicus*. p. 103, 105, 106, 107.
- 1963b Pillai. Brief descr.; *Pterois russellii*, *Pterois miles*; Trivandrum (India). p. 79–80; fig. 8A–P.
- 1967 Pillai. Brief descr., hosts, distr. p. 1579, 1673; fig. 42.
- C. solaris?** J. V. Thompson in W. Thompson, 1856
- 1856 Thompson, W. No descr.; host unknown; south of Ireland. p. 409.
- C. salmonis** Krøyer, 1837
- 1837 Krøyer. N. sp. Ment. p. 616, 622. Fig. caption. p. 628; pl. VI(fig. 7a–e).
- 1838 Krøyer. Descr. ♀ ♂; Atlantic salmon; Denmark. p. 13–15, 18, 19, 152, 156.

1840	Edwards. Brief descr. p. 455–456.	1967	Pillai. Brief descr., host, distr. p. 1583, 1592, 1675; fig. 75.
1843–45	Krøyer. Ment. Müller's (1785) <i>C. productus</i> from salmon considered to be <i>C. salmonis</i> . p. 566, 580.	1971	Kabata and Hewitt. Ment. p. 1143.
1861	Steenstrup and Lütken. Brief descr. ♀ ♂. <i>C. vespa</i> , <i>Lepeophtheirus strömi</i> , <i>Binoculus salmoneus</i> syns. p. 355, 372.	1971	Pillai. Descr. ♀ ♂ from Gnanamuthu's (1948) collection. p. 164–166; fig. 81–101. Dep. Br. Mus. (Nat. Hist.), cotypes [syntypes] No. 1950.2.3.1.
1873	Verrill. Syn. of <i>Lepeophtheirus salmonis</i> . p. 662.		
1874	Verrill and Smith. Syn. of <i>L. salmonis</i> . p. 368.		
1894	Timm. Syn. of <i>L. salmonis</i> . p. 396.	1950b	Gnanamuthu. N. sp. Descr. ♀; <i>Trichiurus haumela</i> ; Madras (India). p. 114–115; pl. II(fig. 17–30). Holotype dep. Indian Mus., Calcutta.
1899	Bassett-Smith. Syn. of <i>L. stromi</i> [sic]. p. 455.		Yamaguti. List. p. 60; pl. 79(fig. 4a–d).
1905	Pearson. Syn. of <i>L. stromii</i> . p. 26.		Pillai. Brief descr. ♀, host, distr. p. 1583, 1594, 1675; fig. 80.
1905	Rathbun, M. J. Syn. of <i>L. salmonis</i> . p. 92.	1963	
1905	Wilson. Syn. of <i>L. salmonis</i> . p. 555, 640.	1967	
1906	Hofer. Syn. of <i>L. stromii</i> . p. 181.		
1906	Norman and T. Scott. Syn. of <i>L. salmonis</i> . p. 209.		
1906	Scott, T. Syn. of <i>L. salmonis</i> . p. 369.	1905	Rathbun, M. J. List. p. 89, appendix p. 8.
1913	Scott, T., and A. Scott. Syn. of <i>L. salmonis</i> . p. 71.	1905	Wilson. N. sp. Descr. ♀ ♂, key; <i>Brevoortia tyrannus</i> , <i>Pomatomus saltatrix</i> ; Atlantic coast of USA. p. 479, 504, 514, 556, 557, 564–568, 584, 589, 669; pl. VI(fig. 65–78). Types dep. USNM; No. 6038, 6052, 6060, 6070, 6071, 6095, 6098, 6099, 6100, 6101, 6150, 6151, 6157, 8111.
1920	Fraser. Syn. of <i>L. salmonis</i> . p. 58.	1913	Sumner et al. Local hosts, distr. p. 641.
1933	Gurney. Syn. of <i>L. salmonis</i> . p. 329.	1914a	Brian. Comp. (as <i>C. schistonix</i> ) with <i>C. biaculeatus</i> . p. 4, 6.
1937	Markevich. Syn. of <i>L. salmonis</i> . p. 84.	1926	Oakley. Ment. p. 404.
1947	Heegaard. Syn. of <i>L. salmonis</i> . p. 21.	1929	Brian. Comp. (as <i>C. schistonix</i> ) with <i>C. biaculeatus</i> . p. 6.
1956	Markevich. Syn. of <i>L. salmonis</i> . p. 131.	1932a	Wilson. Brief descr. ♀ ♂, key, hosts, distr. p. 398, 399, 401–402; fig. 248a, b.
1959e	Shiino. Syn. of <i>L. salmonis</i> . p. 348.	1932b	Wilson. <i>Brevoortia tyrannus</i> , free swimming; Chesapeake Bay (USA). p. 51.
1968b	Parker. List. p. 363.	1947	Pearse. <i>Strongylura acus</i> , free swimming; Beaufort (North Carolina). p. 9.
1972	Kazachenko et al. Syn. of <i>L. salmonis</i> . p. 228.	1950b	Gnanamuthu. Comp. with <i>C. cuniculus</i> . p. 114.
		1953a	Pearse. <i>Lepisosteus osseus</i> , <i>Mugil cephalus</i> ; Alligator Harbor (Florida). p. 201.
		1953b	Pearse. Comp. with <i>C. olsoni</i> . p. 333.
		1954e	Shiino. Comp. with <i>C. brevis</i> . p. 183.
		1955a	Shiino. Comp. with <i>C. punctatus</i> . p. 139, 140.
		1955	Westman and Nigrelli. List. p. 152.
<b><i>C. sarda</i> Pearse, 1952</b>			
1952	Pearse. N. sp. Descr. ♀ ♂; <i>Sarda sarda</i> ; Texas coast. p. 17–18; fig. 45–48. Types dep. USNM, No. 92667.		
1963	Yamaguti. List. p. 60; pl. 76(fig. 1a–c).		
<b><i>C. savala</i> Gnanamuthu, 1948</b>			
1948	Gnanamuthu. N. sp. Descr. ♀ ♂, anat., physiol., l.h.; <i>Trichiurus savala</i> ; Madras (India). p. 591–606; fig. 1a–g, 2a, b, 3a–d, 4a, b, 5–8. Dep. type material unknown.	1947	
1950b	Gnanamuthu. Comp. with <i>C. cuniculus</i> . p. 114.	1950b	
1950a	Rangnekar, P. G., and Murti. Comp. with <i>C. unquidens</i> . p. 21, 25.	1953a	
1963	Yamaguti. List. p. 60.	1953b	
		1954e	
		1955a	
		1955	

- 1956 Brandes. Comp. with *C. arcticus*. p. 171, 173, 175, 178; pl. I(fig. 2). 1905 Norman. List. as *C. scombri* [sic] Bassett-Smith. p. 41.
- 1963 Yamaguti. Hosts distr. p. 60; pl. 77(fig. 1a, b). 1905 Pearson. *C. scombri* J. V. Thompson probably nec *C. scomberi*. p. 25.
- 1965a Shiino. Comp. with *C. pectinatus*. p. 408. 1905 Wilson. Ment. as *C. scombri* [Bassett-Smith]. As *C. scombri* Bassett-Smith, syn. of *C. productus* [Dana]. Comp. with *C. pelamydis*. p. 497, 555, 596-597.
- 1970 Cressey and Collette. List. (host *Strongylura acus* = *Tylosurus acus*). p. 406. 1906 Norman and T. Scott. *C. scombri* and *C. scombri* [Bassett-Smith] syn. of *C. pelamydis*. p. 206.
- C. sciaenae* Gnanamuthu, 1947**
- 1947 Gnanamuthu. N. sp. Descr. immature ♀ [?]; *Sciaena glauca*; Madras(India). p. 43-49; fig. 1-12. Dep. type material unknown. 1906 Scott, A. Brief descr. ♀; mackerel [*Scomber scombrus*]; Irish Sea. p. 196-197; pl. VI(fig. 1-7).
- 1950b Gnanamuthu. List. (as *C. sciaena*). p. 114. 1910 Brady. Ment. p. 589.
- 1950a Rangnekar, P. G., and Murti. Comp. with *C. unguidentatus*. p. 25. 1913 Guiart. As *C. scombri* Bassett-Smith (Scott emend.); *Scomber scombrus*, *Pelamys sarda*; Bay of Concarneau (France). p. 6-7.
- 1963 Yamaguti. List. p. 60. 1913 Scott, T., and A. Scott. Syn. of *C. pelamydis*. p. 57.
- 1967 Pillai. Brief descr., hosts, distr.; *Johnius dussumieri*; India. [Source of record unknown.] p. 1590, 1672, 1674; fig. 70. 1923 Monod. Syn. of *C. pelamydis*. p. 2, 3.
- C. sciaenops* Pearse, 1952**
- 1952 Pearse. N. sp. Descr. ♀ ♂; *Sciaenops ocellatus*, *Cynoscion nebulosus*, *Cynoscion nothus*; Texas coast. p. 18-19; fig. 49-59. Types dep. USNM; ♀ No. 92668, ♂ No. 92669. 1935 Brian. Syn. of *C. pelamydis*. p. 183, 187.
- 1955 Causey. *Leiostomus xanthurus*; Port Aransas (Texas). p. 5. 1936 Yamaguti. Comp. (as *C. scombri* Bassett-Smith) with *C. seriola*. p. 3.
- 1963 Yamaguti. Hosts, distr. p. 60, pl. 78(fig. 4). 1943 Fujita. List. p. 188.
- C. scomberi* Bassett-Smith, 1896**
- 1896a Bassett-Smith. N. sp. Descr. ♀; *Scomber scomber*; Plymouth (England). p. 11, 16; pl. III(fig. 2). Types dep. Br. Mus. (Nat. Hist.). 1947 Heegaard. Ment. p. 22.
- 1896b Bassett-Smith. List. p. 156. 1956 Markevich. Syn. of *C. pelamydis*. p. 126.
- 1899 Bassett-Smith. List. p. 450. 1956 Nunes-Ruivo. Syn. of *C. pelamydis*. p. 10.
- 1901b Scott, T. Brief descr. as *C. scombri* [sic] Bassett-Smith; *Scomber scombrus*; Aberdeen (Scotland). p. 124, 151; pl. V I(fig. 9, 10). 1956 Shiino. Comp. with *C. quadratus*. ?Syn. of *C. pelamydis*. p. 26.
- 1902 Poche. States specific name should be *sombri*. p. 14. 1963 Hewitt. A; *C. scromberi*, syn. of *C. pelamydis*. p. 78.
- 1904 Scott, A. Mackerel [*Scomber scombrus*]; Irish Sea. p. 118. 1963 Yamaguti. As *C. scombri*, syn. of *C. pelamydis*. As *C. scombri* Bassett-Smith, hosts, distr. p. 58, 60.
- 1967 Lewis. *C. scombri* and *C. scombri* [Bassett-Smith] syn. of *C. pelamydis*. p. 139, 144.
- 1967 Silas and Ummerkutty. Syn. of *C. pelamydis*. p. 894, 895.
- 1968b Parker. List. p. 363.
- 1972 Kazachenko et al. Syn. of *C. pelamydis*. p. 224.
- C. scombri* (Burmeister, 1835) Müller, 1852**
- 1835 Burmeister. N. sp. Descr. of chalimus stage (as *Chalimus scombri*); *Scomber scomber*; Helgoland (Germany). p. 294-298, 333-334; pl. XXIII(fig. 13-18). Dep. type material unknown.

- 1837 Krøyer. List. (as *Chalimus scomбри*). p. 200.
- 1847 Frey and Leuckart. Comp. (as *Chalimus scomбри*) with chalimus of *C. curtus*. p. 166.
- 1852 Müller, F. Comp. with *C. appendiculatus*. p. 91.
- 1855 Gosse. List. (as *Chalimus scomбри*). p. 124; fig. 207.
- 1889 Dalla Torre. List. p. 86.
- C. scomбри*** J. V. Thompson in W. Thompson, 1856
- 1856 Thompson, W. No descr.; host unknown; south of Ireland. p. 409.
- 1905 Pearson. List. p. 25.
- 1968b Parker. List. (as *C. scrombri*) under "nomina nuda or species inquirendae." p. 364.
- C. scutatus*** Edwards, 1840
- 1840 Edwards. N. sp. Descr. ♀; host unknown; Indian seas. p. 453. Dep. type material unknown.
- 1861 Steenstrup and Lütken. Comp. with *C. coryphaenae*. p. 362.
- 1866-79 Gerstaecker. List. p. 795.
- 1899 Bassett-Smith. Possible syn. of *C. coryphaenae*. p. 451.
- 1905 Wilson. Syn. of *C. coryphaenae*. p. 555.
- 1906 Brian. Possible syn. of *C. coryphaenae*. p. 44.
- 1912 Brian. Possible syn. of *C. coryphaenae*. p. 7.
- 1935 Brian. Possible syn. of *C. coryphaenae*. p. 202.
- 1949 Heegaard. Possible syn. of *C. coryphaenae*. p. 240, 241.
- 1959b Shiino. Ment. p. 23, 24, 32.
- 1963a Pillai. Ment. p. 516, 522.
- 1963 Yamaguti. List. Syn. of *C. coryphaenae*. p. 51, 60.
- 1967 Lewis. Possible syn. of *C. coryphaenae*. p. 101, 107, 109.
- 1967 Silas and Ummerkutty. Possible syn. of *C. coryphaenae*. p. 84.
- 1968b Parker. List. under "nomina nuda or species inquirendae." p. 364.
- C. sensilis*** Kabata and Gusev, 1966
- 1966 Kabata and Gusev. N. sp. Descr. ♀ ♂; *Sphaeroides inermis*; north-western Pacific Ocean. p. 156, 159, 161-163, 167, 205; fig. 5-15. Types dep. Zool. Inst. Akad. Nauk SSSR, Leningrad.
- 1968 Kabata. Comp. with *C. novocaledonicus*. p. 3.
- 1968 Parker et al. Ment. p. 1945.
- C. sensorius*** Heegaard, 1962
- 1962 Heegaard. N. sp. Descr. ♀ ♂; *Iso rhothophilus*; Port Jackson (New South Wales); *Australuzza novaehollandiae*; Esperance Bay (Western Australia). p. 163-164, 197; fig. 83-91. Types dep. Australian Mus., Sydney; No. G.5218 (includes holotype), P.8928, P.5726.
- 1965 Kabata. List. p. 109.
- C. seriolae*** Yamaguti, 1936
- 1936 Yamaguti. N. sp. Descr. ♀; *Seriola quinqueradiata*; Inland Sea (Japan). p. 2-3, 18; pl. I (fig. 1-13). Dep. type material unknown.
- 1948 Barnard. Comp. with *C. lalandei*. p. 244.
- 1955a Barnard. Comp. with *C. lalandei*. p. 247.
- 1956 Fukui. List. (as *C. seriolae*). p. 48.
- 1956 Markevich. Descr. ♀, host, distr., key. p. 112, 116-117; fig. 60.
- 1957 Fukui. List. p. 57.
- 1957 Shen. Comp. with *C. multispinosus*. p. 356-357.
- 1959e Shiino. Descr. ♀; *Lateolabrax japonicus*; Owase (Japan). p. 336-337; fig. 1A, B.
- 1960a Shiino. Comp. with *C. laticaudus*. p. 485.
- 1963 Yamaguti. Hosts, distr. p. 60; pl. 69 (fig. 2a-c).
- 1965a Shiino. Comp. with *C. pelamydis*. p. 414.
- C. serrani*** Richiardi, 1880
- 1880 Richiardi. N. sp. No descr.; *Serranus gigas*; Italy. p. 148. Dep. type material unknown.

- 1885 Carus. List. p. 359.
- 1902 Poche. List. p. 10.
- 1905 Wilson. List. p. 556.
- 1906 Brian. List. p. 45, 128, 179, 181.
- 1935 Brian. List. p. 153, 206, 207.
- 1963 Yamaguti. List. p. 60.
- 1968b Parker. List. under "nomina nuda or species inquirendae." p. 364.
- C. serratus** Shiino, 1965
- 1965a Shiino. N. sp. Descr. ♀ ♂; *Atherinopsis californiensis*; La Jolla (California). p. 397-403, 407; fig. 3A-J, 4A-I. Holotype ♀, allotype ♂, paratypes dep. Mie Prefectural U., Tsu, Japan, No. 586.
- C. setosus** Pearse, 1953
- 1953a Pearse. N. sp. Descr. ♀ ♂; *Galeichthys felis*, *Menticirrhus littoralis*, *Bagre marina*; Alligator Harbor (Florida). p. 201-203; fig. 36-39. Types (♀ ♂) dep. USNM, No. 93712.
- 1955 Causey. *Galeichthys felis*; Port Aransas (Texas). p. 5.
- 1963 Yamaguti. List. p. 60.
- C. smaris** Richiardi, 1880
- 1880 Richiardi. N. sp. No descr.; *Smaris vulgaris*; Italy. p. 148. Dep. type material unknown.
- 1902 Poche. List. p. 10.
- 1905 Wilson. List. p. 556.
- 1963 Yamaguti. List. p. 60.
- 1968b Parker. List. under "nomina nuda or species inquirendae." p. 364.
- C. smithii** (Leach, 1816) Lamarck, 1818
- 1818 Lamarck. N. comb. for *Anthosoma smithii*. p. 142.
- 1850 Baird. Syn. of *A. smithii*. p. 299.
- 1850 White. Syn. of *A. smithii*. p. 125.
- 1880 Valle. Syn. of *Anthosoma crassum*. p. 62.
- 1905 Wilson. Syn. of *A. [crassum]*. p. 555.
- 1906 Brian. Syn. of *A. crassum*. p. 62.
- 1922a Wilson. Ment. p. 3.
- 1966 Lewis. Syn. of *A. crassum*. p. 66.
- 1968b Parker. List. p. 362.
- 1969 Parker. List. p. 1020.
- C. sphyraenae** Nunes-Ruivo and Fourmanoir, 1956
- 1956 Nunes-Ruivo and Fourmanoir. N. sp. Descr. ♀ ♂; *Sphyraena commersonii*; Nosy-Be (Madagascar). p. 71, 72-73; fig. 2a-f, 3a, b. Dep. type material unknown.
- 1963 Yamaguti. List. p. 60; pl. 75(fig. 5).
- 1964 Kirtisinghe. Syn. of *C. infestans*. p. 52, 53.
- 1964 Lewis. Comp. with *C. ligatus*. p. 171.
- 1967 Pillai. Syn. of *C. infestans*. p. 1586.
- C. sphyraeni** Pillai, 1963
- 1963b Pillai. N. sp. Descr. ♀; *Sphyraena jello*, *Sphyraena acutipinnis*; Trivandrum (South India). p. 90-92; fig. 15A-N. Holotype ♀ dep. Indian Mus., Calcutta.
- 1967 Pillai. Syn. of *C. clavatus*. p. 1576.
- C. spinosurculus** Pearse, 1951
- 1951 Pearse. N. sp. Descr. ♀; *Caranx barthoemaei*, *Caranx hippos*, *Epinephelus adscensionis*; Bimini (Bahamas). p. 346-348; fig. 69a-c. Holotype ♀ dep. USNM, No. 88566.
- 1960a Shiino. Comp. with *C. spinosus*. p. 482.
- 1963 Yamaguti. List. p. 60; pl. 70(fig. 2).
- C. spinosus** Yamaguti, 1939
- 1939 Yamaguti. N. sp. Descr. ♀; *Seriola quinqueradiata*; Tarumi (Japan). p. 445-447, 483; pl. XIV(fig. 4-8). Dep. type material unknown.
- Fukui. List. p. 48.
- 1956 Markevich. Descr. ♀, host, distr., key. p. 112, 122; fig. 63(1).
- 1957 Fukui. List. p. 57.
- 1960a Shiino. Descr. ♀ ♂; *Seriola aureovittata*; Simakatu (Japan). p. 476-482; fig. 3A-N, 4A-H.
- 1960 Yamaguti and Yamasu. Descr. ♂; *Seriola quinquefasciatus*; Tarumi (Japan). p. 146-148; pl. XI(fig. 29-39).
- 1963 Kubota and Takakuwa. Ment. p. 116.
- 1963b Pillai. Brief descr. ♀; *Sphyraena obtusata*; Trivandrum (South India). p. 76-77, 83; fig. 6A-K.

- 1963 Yamaguti. List. p. 60; pl. 74(fig. 4a-c).
- 1967 Pillai. *C. spinosus* of Pillai, 1963 syn. of *C. cornutus*. p. 1584.
- 1968a Pillai. Comp. with *C. platurus*. *C. spinosus* of Pillai, 1963 syn. of *C. cornutus*. p. 128, 130.
- 1969 Izawa. Descr. ♀ ♂, l.h.; *Seriola quinqueradiata*; Kuki Bay (Kii Peninsula, Japan). p. 127-157; fig. 1-3, 4A-H, 5A-E, 6A, B, 7A-J, 8A-C, 9A-K, 10A-K, 11A-N, 12A-L, 13A-E, 14A-I, 15A-C, 16A-F, 17A-I, 18A-C, 19A-G, 20A-F.
- 1970 Plate. Effectively treated with Masoten. p. 259.
- 1972a Kabata. Comp. with *C. clemensi*. p. 1592.
- C. stromatei* Krøyer, 1863**
- 1863-64 Krøyer. N. sp. Descr. ♀ ♂; *Stromateus* (?*rhomboides*); Indian Ocean. p. 117-120, 169-170, 413; pl. IV(fig. 1a-f). Types dep. Zool. Mus. U. Copenhagen.
- 1866-79 Gerstaeker. List. p. 767, 795; pl. X(fig. 1, 2).
- 1899 Bassett-Smith. List. p. 449.
- 1902 Thompson, I. C. p. 364(caption); fig. 5.
- 1905 Wilson. Ment., key. p. 497, 556, 560.
- 1907 Wilson. Ment. p. 393.
- 1963 Yamaguti. List. p. 60; pl. 78(fig. 2a-d).
- 1968b Parker. List. p. 365.
- C. stromii* Baird, 1847**
- 1847 Baird. N. sp. Descr. ♀ ♂; salmon [*Salmo salar*]; Berwick (UK). Identical with "Laxe luus" of Ström, 1762. p. 259-260. Dep. type material unknown.
- 1848 Baird. Identical with Baird (1847). p. 396-397.
- 1850 Baird. Syn. of *Lepeophtheirus stromii*. p. 274.
- 1850 White. Syn. of *L. stroemii*. p. 120.
- 1856 Thompson, W. *Salmo trutta*, *Salmo eriox*, *Salmo salar*; Ireland. p. 409-410.
- 1864 Nordmann. Ment. p. 468.
- 1871 van Beneden. *Salmo salar*; Belgium. p. 69.
- 1890 Malard. List. p. 97.
- 1900 Scott, T. Syn. of *L. stromi*. p. 152.
- 1905 Pearson. Syn. of *L. stromii*. p. 26.
- 1905 Wilson. Syn. of *Lepeophtheirus salmonis*. p. 555, 640, 642.
- 1906 Norman and T. Scott. Syn. of *L. salmonis*. p. 209.
- 1906 Scott, T. Syn. of *L. salmonis*. p. 369.
- 1963 Yamaguti. Syn. of *L. salmonis*. p. 77.
- 1968b Parker. List. p. 363.
- C. sturionis* Krøyer, 1837**
- 1837 Krøyer. Ment. p. 616. Fig. caption. p. 628; pl. VI(fig. 6a-d). Dep. type material unknown.
- 1838 Krøyer. N. sp. Descr. ♀; sturgeon; Aalbaek (Denmark). p. 11-13, 18, 19, 152, 156.
- 1840 Edwards. Brief descr. p. 457.
- 1847 Thompson, W. *Trigla hirundo*, *Trigla pini*; Belfast Bay (Ireland). p. 248, 249.
- 1850 White. Streaked gurnard; Great Britain. p. 120.
- 1851a van Beneden. Comp. with *C. piscinus*. p. 90.
- 1852-53 Krøyer. Ment. p. 777.
- 1856 Thompson, W. Identical with W. Thompson (1847). p. 410.
- 1861 Steenstrup and Lütken. Brief descr. p. 355.
- 1890 Malard. List. p. 75.
- 1905 Pearson. Syn. of *Lepeophtheirus sturionis*. p. 26.
- 1905 Wilson. Syn. of *L. sturionis*. p. 555.
- 1913 Scott, T., and A. Scott. Syn. of *L. sturionis*. p. 74.
- 1937 Markevich. Syn. of *L. sturionis*. p. 86.
- 1956 Markevich. Syn. of *L. sturionis*. p. 133.
- 1963 Yamaguti. Hosts, distr. p. 61; pl. 72(fig. 2).
- 1968b Parker. List. p. 363.
- C. suffuscus* Wilson, 1913**
- 1913 Wilson. N. sp. Descr. ♀; *Scarus caeruleus*; Jamaica. p. 219-220, 274; pl. 30(fig. 107-115). Holotype dep. USNM, No. 42267.
- 1936b Wilson. *Calamus bajonado*, *Lachnolaimus maximus*, *Acanthurus caeruleus*; Dry Tortugas (Florida). p. 330.
- 1952 Pearse. Comp. with *C. ventrosetosus*. p. 22.

- 1954i Shiino. Comp. with *C. glandifer*. p. 156.
- 1963 Yamaguti. Hosts, distr. p. 61; pl. 81(fig. 3).
- C. tanago* Yamaguti, 1939**
- 1939 Yamaguti. N. sp. Descr. ♀; *Ditrema temmincki*, *Lateolabrax japonicus*; Tarami (Japan). p. 447-449, 484; pl. XIV(fig. 9-11), XV(fig. 12, 13). Dep. type material unknown.
- 1954b Shiino. Comp. with *C. latigenitalis*. p. 24.
- 1956 Fukui. List. p. 48.
- 1956 Markevich. Descr. ♀, hosts, distr., key. p. 112, 122-123.
- 1956 Rangnekar, M. P. Comp. with *C. djedabae*. p. 45.
- 1957 Fukui. List. p. 57.
- 1959 Shen and Li. Comp. with *C. costatus*. p. 18.
- 1963 Yamaguti. List. p. 61; fig. 2a-c.
- 1965a Shiino. Comp. with *C. pelamydis*. p. 414.
- C. tenax* Heller, 1865**
- 1865 Heller. N. sp. Descr. ♀; *Caranx carangus*; Brazil. p. 172-173; pl. XV(fig. 3-3d). Dep. type material unknown.
- 1866-79 Gerstaecker. List. p. 767, 797.
- 1898c Bassett-Smith. Descr. ♂; *Caranx* spp.; Trincomalee and Colombo (Ceylon), Muscat and Aden (Persian Gulf); *Caranx melampygus*; Aden. p. 357, 358, 359, 363-364, 372; pl. XI(fig. 3, 3a).
- 1899 Bassett-Smith. *Lobotes erate*; Java. p. 448.
- 1905 Wilson. Key. p. 561.
- 1911 Wilson. *Caranx hippos*, *Caranx chrysos*; Jamaica. p. 20.
- 1913 Wilson. Descr. ♀ ♂, hosts (*C. carangus* = *C. hippos*), distr. p. 208-210, 273; pl. 26(fig. 63-70), 29(fig. 99-101). Dep. USNM, No. 42301, 42341.
- 1936 Yamaguti. Comp. with *C. fistulariae*. p. 4.
- 1937 Kirtisinghe. Descr. ♀ ♂; *Caranx* sp.; Ceylon. *C. tenax* ♂ of Bassett-Smith, 1898 possible syn. of *C. alalongae*. p. 435, 437-439; fig. 15-29.
- 1950a Rangnekar, P. G., and Murti. Comp. with *C. unguidentatus*. p. 24.
- 1952 Pearse. Comp. with *C. sciaenops*. p. 19.
- 1953b Causey. *Caranx hippos*; Texas coast. p. 10.
- 1956 Rangnekar, M. P. Comp. with *C. djedabae*. p. 45.
- 1960a Shiino. Comp. with *C. spinosus*. p. 482.
- 1963 Yamaguti. Hosts, distr. p. 61; pl. 77(fig. 3), 79(fig. 6a-d).
- 1964 Kirtisinghe. Brief descr. ♀ ♂, hosts, distr. p. 67, 129; fig. 68, 69.
- 1967 Pillai. Brief descr., hosts, distr. p. 1588, 1671; fig. 64. [On p. 1588, *C. hippos* and *C. crytos* listed as hosts; on p. 1671 hosts cited as *C. hippos* and *C. sexfasciatus*.]
- 1968b Parker. List. p. 365.
- C. tenuicaudatus* Shiino, 1959**
- 1959d Shiino. N. sp. Descr. ♀; *Seriola dorsalis*; Baja California (Mexico). p. 272-277; fig. 3A-H, 4A-F. Types dep. Mie Prefectural U., Tsu, Japan.
- 1963 Kubota and Takakuwa. Ment. p. 116.
- 1963 Yamaguti. List. p. 61.
- C. tenuifurcatus* Wilson, 1937**
- 1937b Wilson. N. sp. Descr. ♀ ♂; *Nemastiseus pectoralis*; Panama Bay. p. 428-429, 430; fig. 26-32. Types dep. USNM, No. 69874.
- 1963 Yamaguti. List. p. 61; pl. 80(fig. 1a-f).
- C. (Sciaenophilus) tenuis* (van Beneden, 1852)<sup>3</sup>**
- 1866-79 Gerstaecker. List. p. 768, 802.
- 1896b Bassett-Smith. *Sciaena umbra*; Plymouth (England). p. 156.
- 1959 Capart. Ment. p. 80.

<sup>3</sup> This species was originally described by van Beneden (1852) as *Sciaenophilus tenuis* n. gen., n. sp. Heller (1865), in his Latin key to Caligidae (p. 160), appended to the genus *Caligus* a footnote stating: "Das Genus *Sciaenophilus* v. Bened. ist hier mit *Caligus* wieder vereinigt." Gerstaecker (1866-79) apparently was the first author to use the name *Caligus (Sciaenophilus) tenuis*.

*C. teres* Wilson, 1905

- 1905 Wilson. N. sp. Descr. ♀ ♂, key; *Callorhynchus* sp. and undetermined ray; Lota (Chile). p. 479, 508, 515, 556, 557, 649–652, 672; pl. XXVI(fig. 322–332). Types dep. USNM.
- 1914a Brian. Comp. with *C. biaculeatus*. p. 4, 6.
- 1929 Brian. Comp. with *C. biaculeatus*. p. 6, 7.
- 1944 Nicholls. Comp. with *Caligus* sp. p. 59–60; fig. 28.
- 1954a Shiino. Comp. with *C. calotomi*. p. 19.
- 1961 Fagetti and Stuardo. Descr. ♀ ♂; *Callorhynchus callorhynchus*; Valparaiso and Gulf of Arauco (Chile). p. 5, 6–10, 11; pl. I(fig. 1–8), II(fig. 1–10).
- 1961 Stuardo and Fagetti. List. p. 56, 77.
- 1963 Yamaguti. List. p. 61; pl. 80(fig. 2a, b).
- 1965a Shiino. Comp. with *C. serratus*. p. 403.

*C. tessellifer* Shiino, 1952

- 1952 Shiino. N. sp. Descr. ♀ ♂; *Katsuwonus vagans*; Izu Peninsula (Japan). p. 89–92; fig. 5A–M. Types dep. Mie Prefectural U., Tsu, Japan.
- 1954d Shiino. Comp. with *C. katuwo*. p. 246, 248.
- 1957 Fukui. List. p. 57.
- 1959b Shiino. Syn. of *C. coryphaenae*. p. 2, 7, 24, 25, 32.
- 1961 Kurian. Comp. with *C. euthynus* and *C. coryphaenae*. Questions syn. of *C. coryphaenae*. p. 63, 64, 66, 67, 69, 70.
- 1963 Ho. Syn. of *C. coryphaenae*. p. 82.
- 1963a Pillai. Syn. of *C. coryphaenae*. p. 513, 514, 516, 522.
- 1963 Yamaguti. List. as *C. tessellifer*. p. 61.
- 1964 Kirtisinghe. Syn. of *C. coryphaenae*. p. 51.
- 1966 Kabata and Gusev. Syn. of *C. coryphaenae*. p. 159.
- 1967 Lewis. Syn. of *C. coryphaenae*. p. 101.
- 1967 Silas and Ummerkutty. Syn. of *C. coryphaenae*. p. 877, 884, 886. Cites Kurian's doubts about this syn. p. 965.

*C. tetrodontis* Barnard, 1948

- 1948 Barnard. N. sp. Descr. ♀ ♂; *Tetronotus hypselogeneion*; Port Elizabeth (South Africa). p. 245–247; fig. 4. Types dep. South African Mus.
- 1955a Barnard. Brief descr. ♀ ♂, key. p. 245, 247, 250; fig. 9d–f.
- 1955b Barnard. Key. p. 100.
- 1963 Yamaguti. List. p. 61; pl. 78(fig. 5a–d).
- 1968b Parker. Ment. p. 362.
- C. thymni* Dana, 1852<sup>4</sup>
- 1852 Dana. N. sp. Brief descr. ♀ ♂; *Thynnus pelamys*; Atlantic (27°N, 19°30'W). p. 56. Dep. type material unknown.
- 1853 Dana. Descr. ♀ ♂. p. 1353.
- 1855 Dana. pl. 94(fig. 3a–c).
- 1861 Steenstrup and Lütken. Ment. Comp. with *C. coryphaenae*. p. 352, 360, 362.
- 1866–79 Gerstaecker. List. p. 767.
- 1894 Scott, T. Plankton; Gulf of Guinea. p. 129.
- 1899 Bassett-Smith. Questionable syn. of *C. coryphaenae*. p. 451.
- 1905 Wilson. Descr. ♀ ♂, key; *Gymnosarda pelamys* (= *Thynnus pelamys*); Atlantic. p. 480, 556, 558, 601, 603–605, 670; pl. XV(fig. 178, 179).
- 1906 Brian. Questionable syn. of *C. coryphaenae*. p. 44.
- 1910 Brady. ? *Balistes* sp.; Ascension Is. p. 502, 504, 588–589; fig. LXIX(1).
- 1912 Brian. Ment. p. 7.
- 1914 Scott, T. Free swimming; Falkland Is. p. 377, 379; pl. XVI(fig. 13, 14).
- 1924b Wilson. *Xyphias gladius*; Woods Hole (USA). p. 11. Dep. USNM, No. 54103.
- 1935 Brian. Questionable syn. of *C. coryphaenae*. p. 202.
- 1940 Legendre. Ment. p. 284.
- 1950 Wilson. Free swimming. Mindanao (Philippine Is.). p. 179; pl. 22(fig. 317).
- 1959b Shiino. Comp. with *C. coryphaenae*. p. 23, 24.
- 1963 Hewitt. Ment. p. 65.
- 1963a Pillai. Syn. of *C. coryphaenae*. p. 513, 514, 516, 518, 519, 522.

<sup>4</sup> Steenstrup and Lütken (1861) emended the spelling to *C. thynnii*, which was adopted by most subsequent authors.

- 1963 Yamaguti. Hosts, distr. p. 61; pl. 73(fig. 1a-c).
- 1967 Lewis. Declares *C. thymni* to be incorrect original spelling requiring emendment to *C. thynnii*. p. 131, 132. [*C. thymnus* on p. 132 *lapsus* for *C. thynnii*.]
- 1967 Silas and Ummerkutty. Descr. ♀ ♂, hosts, distr. p. 877, 900-901, 903, 945, 974; fig. 13(1-5).
- 1968b Parker. List. p. 365.
- 1880 Richiardi. N. sp. No descr.; *Trachinus draco*; Italy. p. 148. Dep. type material unknown.
- 1885 Carus. List. p. 359.
- 1902 Poche. List. p. 10.
- 1906 Brian. List. p. 45, 128, 179, 181.
- 1935 Brian. List. p. 153, 205, 207.
- 1963 Yamaguti. List. p. 61.
- 1968b Parker. List. under "nomina nuda or species inquirendae." p. 364.

### *C. thynnii* Pillai, 1963

- 1963b Pillai. N. sp. Descr. ♀; *Euthynnus affinis*; Trivandrum (India). p. 89-90; fig. 14A-K. Holotype dep. Indian Mus., Calcutta.
- 1965 Kabata. Syn. of *C. asymmetricus*. p. 110.
- 1967 Lewis. Syn. of *C. asymmetricus*. p. 131, 132.
- 1967 Pillai. Syn. of *C. asymmetricus*. p. 1574.
- 1967 Silas and Ummerkutty. Descr. ♀, host, distr. p. 957, 974, 992; fig. 42(1-11).

### *C. thyrsitae* Kazachenko, Korotaeva and Kurochkin, 1972

- 1972 Kazachenko et al. N. sp. Descr. ♀; *Thyrsites atun*; Great Australian Bight. p. 225-227; fig. 1a-h, 2a-h. Holotype dep. TINRO, Vladivostok.

### *C. torpedinis* Heller, 1865

- 1865 Heller. N. sp. Descr. ♀; *Torpedo* sp.; Indian Ocean. p. 176-177; pl. XV(fig. 6, 6a). Dep. type material unknown.
- 1866-79 Gerstaecker. List. p. 757, 795.
- 1899 Bassett-Smith. List. p. 451.
- 1905 Wilson. Key. p. 560.
- 1924 Brian. Comp. with *C. diaphanus*. p. 377.
- 1960a Shiino. Comp. with *C. laticaudus*. p. 485, 487.
- 1963 Yamaguti. List. p. 61; pl. 79(fig. 2a, b).
- 1964 Kirtisinghe. Misquotes Brian (1924) in stating *C. torpedinis* probably syn. of *C. diaphanus*. p. 57.
- 1968b Parker. List. p. 365.

### *C. trachini* Richiardi, 1880

- 1880 Richiardi. N. sp. No descr.; *Trachinus draco*; Italy. p. 148. Dep. type material unknown.
- 1885 Carus. List. p. 359.
- 1902 Poche. List. p. 10.
- 1906 Brian. List. p. 45, 128, 179, 181.
- 1935 Brian. List. p. 153, 205, 207.
- 1963 Yamaguti. List. p. 61.
- 1968b Parker. List. under "nomina nuda or species inquirendae." p. 364.

### *C. trachuri* Richiardi, 1880

- 1880 Richiardi. N. sp. No descr.; *Trachurus trachurus*; Italy. p. 148. Dep. type material unknown.
- 1885 Carus. List. p. 359.
- 1890 Malard. List. p. 82.
- 1902 Poche. List. p. 10.
- 1905 Wilson. List. p. 556.
- 1906 Brian. List. p. 45, 128, 179, 181.
- 1935 Brian. List. p. 153, 205, 207.
- 1963 Yamaguti. List. p. 61.
- 1968b Parker. List. under "nomina nuda or species inquirendae." p. 364.

### *C. trachynoti* Heller, 1865

- 1865 Heller. N. sp. Descr. ♀ ♂; *Trachynotus* sp.; Brazil. p. 169-170; pl. XV(fig. 1, 1a). Dep. type material unknown.
- 1866-79 Gerstaecker. List. p. 767, 797.
- 1899 Bassett-Smith. List. p. 449.
- 1905 Wilson. Key. p. 561.
- 1959 Capart. Comp. with *C. pseudopodus*. p. 85.
- 1961 Pillai. As *C. trachynoti*, comp. with *C. indicus*. p. 102.
- 1963 Yamaguti. List. p. 61; pl. 78(fig. 3).
- 1968b Parker. List. p. 365.

### *C. trachypteri* Kollar in Krøyer, 1863

- 1863-64 Krøyer. N. sp. Descr. ♀; *Trachypterus* sp.; Sicilian Sea [Mediterranean]. p. 131-132, 173, 413; pl. III(fig. 1a-f). Holotype dep. Zool. Mus. U. Copenhagen.
- 1866-79 Gerstaecker. List. p. 766, 804.
- 1885 Carus. Brief descr. ♀. p. 358.
- 1899 Bassett-Smith. List. p. 449.

- 1905b Brian. Descr. ♀; host unknown; Gulf of Naples. p. 2, 3–6, 9, 11; pl. 3(fig. 1–7).
- 1905 Wilson. Ment., key. p. 497, 559.
- 1906 Brian. Host, distr. p. 37, 126, 127, 179, 181.
- 1935 Brian. Host, distr. p. 152, 201, 207.
- 1956 Brandes. Comp. with *C. arcticus*. p. 176.
- 1963 Yamaguti. List. p. 61; pl. 79(fig. 5).
- 1965a Shiino. Comp. with *C. pectinatus*. p. 408.
- 1968b Parker. List. p. 365.
- 1969 Parker. Syn. of *C. elongatus* Nordmann. p. 1025, 1026, 1029.
- C. triangularis* Shiino, 1954**
- 1954g Shiino. N. sp. Descr. ♀ ♂; *Halichoeres poecilopterus*; Hamajima (Mie Prefecture, Japan). p. 146–149; fig. 1A–K. Holotype ♀, allotype ♂, paratypes dep. Mie Prefectural U., Tsu, Japan.
- 1956 Shiino. Descr. ♀ ♂. p. 233–236; fig. 1A–K, 2A–C.
- 1961 Kurian. Comp. with *C. affinis*. p. 71.
- 1963b Pillai. Comp. with *C. thynni* Pillai, 1963. p. 90.
- 1963 Yamaguti. List. p. 61; pl. 79(fig. 1a, b).
- 1965 Kabata. Ment. p. 111.
- 1967 Silas and Ummerkutty. Comp. with *C. thynni* Pillai, 1963. p. 974.
- 1968 Kabata. Comp. with *C. novocaledonicus*. p. 8.
- C. trichiuri* Krøyer, 1863**
- 1863–64 Krøyer. N. sp. Descr. ♂; *Trichiurus haumala*; Indian Ocean. p. 120–122, 170, 413; pl. IV(fig. 2a–f). Holotype dep. Zool. Mus. U. Copenhagen.
- 1866–79 Gerstaecker. List. p. 766, 795.
- 1898a Bassett-Smith. Comp. with *C. longicaudus*. p. 8. [Misspelled *C. trichiura*].
- 1899 Bassett-Smith. Hosts, distr. *C. longicaudus* new syn. p. 453.
- 1905 Wilson. Syn., key. p. 555, 558, 559.
- 1948 Gnanamuthu. Comp. with *C. savala*. p. 595.
- 1959 Capart. Descr. ♀ ♂, syn.; *Trichiurus lepturus*; west coast of Africa (5°50'S, 11°50'E). *C. rufus* of Capart, 1941 new syn. *C. longicaudatus* Bassett-Smith [*lapsus* for *C. longicaudus*] nec syn. of *C. trichiuri*. p. 59, 62, 85–87.
- 1962b Nunes-Ruivo. List. p. 5, 17.
- 1963 Yamaguti. List. p. 61.
- 1966 Cleugh. Ment. p. 771.
- 1968b Parker. List. p. 364.
- C. tricuspidatus* Nordmann in Steenstrup and Lütken, 1861**
- 1861 Steenstrup and Lütken. Syn. of *C. curtus*. [*Lapsus* for *C. bicuspis*]. p. 353.
- C. tripedalis* Heegaard, 1972**
- 1972 Heegaard. N. sp. Descr. ♀ ♂; free swimming; New Zealand. p. 299–303; fig. 13–31. Types presumably dep. Zool. Mus. U. Copenhagen.
- C. tylosuri* (Rangnekar, 1956) Pillai, 1961**
- 1961 Pillai. N. comb. for *Tuxophorus tylosuri*. *Tylosurus crocodilus*; Vizhinjam (India). p. 96–98; fig. 6A–L.
- 1967 Pillai. Brief descr., hosts, distr. p. 1585, 1671, 1675; fig. 55.
- 1968a Pillai. *Chorinemus lysan*; Trivandrum (India). p. 132–133; fig. 6A–E.
- 1970 Cressey and Collette. Brief descr. ♀ ♂, hosts, distr.; *Tylosurus crocodilus*; Philippines and North Borneo; *Tylosurus acus melanotus*; Philippines, Sea of Japan; *Tylosurus acus pacificus*; Gulf of California. p. 347, 376, 377, 404, 405, 407; fig. 113–116.
- 1970 Pillai. Comp. with *Tuxophorus wilsoni* and *Lepeophtheirus spinifer*. p. 267.
- C. undulatus* Shen and Li, 1959**
- 1959 Shen and Li. N. sp. Descr. ♀ ♂; free swimming; Tsingtao Harbour (China). p. 16–17; pl. I(fig. 1–16). Dep. type material unknown.
- 1963 Yamaguti. List. p. 61; pl. 80(fig. 3a–i).
- 1967 Pillai. Brief descr., distr. p. 1595; fig. 83.
- 1968a Pillai. Descr. ♂; free swimming; Mandapam (South India). p. 123–124; fig. 1A–L.

- C. unguidentatus** Rangnekar and Murti, 1950
- 1950a Rangnekar, P. G., and Murti. N. sp. Descr. ♀ ♂; *Clupea toli*; locality not stated, presumably Bombay (India). p. 21–28; pl. 1(fig. 1–13). Dep. type material unknown.
  - 1963 Yamaguti. List. p. 61.
- C. (Metacaligus) uruguayensis** Thomsen, 1949
- 1949 Thomsen. N. sp. Descr. ♀ ♂, l.h., key; *Trichiurus lepturus*; Rio de la Plata (Uruguay). p. 3–6, 7; pl. II(fig. 1–25), III(fig. 1–21). Dep. type material unknown.
  - 1954i Shiino. Comp. with *C. glandifer*. p. 156.
  - 1963 Yamaguti. List.; designated as type of subgenus *Metacaligus*. p. 47, 62; pl. 75(fig. 1a–d).
  - 1968 Pillai. Comp. with *C. longicervicus*. p. 126.
- C. validus** Pearse, 1952
- 1952 Pearse. N. sp. Descr. ♀; *Caranx chrysos*; Texas coast. p. 20–21; fig. 60–69. Holotype dep. USNM, No. 92671.
  - 1963 Yamaguti. List. p. 62; pl. 76(fig. 2a–e).
- C. ventrosetosus** Pearse, 1952
- 1952 Pearse. N. sp. Descr. ♀; *Brevoortia gunteri*; Texas coast. p. 21–22; fig. 70–75. Holotype dep. USNM, No. 92670.
  - 1963 Yamaguti. List. p. 62; pl. 82(fig. 1).
- C. vespa** Edwards, 1840
- 1840 Edwards. N. sp. Descr. ♀; salmon [*Salmo salar*]; locality not stated. p. 456. Types dep. Mus. Natl. Hist. Nat., Paris.
  - 1847 Thompson, W. *Salmo trutta*, *Salmo eriox*, *Salmo salar*; Northern Ireland. p. 248.
  - 1847 Baird. Comp. with *C. strömi*. p. 259, 260.
- 1848 Baird. Identical with Baird (1847). p. 396, 397.
  - 1850 Baird. Syn. of *Lepeophtheirus stromii*. p. 274.
  - 1850 White. *C. vespa* of Thompson, 1847 (not Edwards) syn. of *L. stroemii*. p. 120.
  - 1856 Thompson, W. Identical with W. Thompson (1847). p. 409–410.
  - 1861 Steenstrup and Lütken. Syn. of *C. salmonis*. p. 355.
  - 1866–79 Gerstaecker. List. p. 761.
  - 1874 Smith. Syn. of *L. salmonis*. p. 662.
  - 1899 Bassett-Smith. As *C. vesper*, questionable syn. of *L. stromii*. p. 455.
  - 1905 Pearson. As *C. vesper*, questionable syn. of *L. stromii*. p. 26.
  - 1905 Wilson. Syn. of *L. salmonis*. p. 555, 640.
  - 1906 Hofer. Syn. of *L. stromii*. p. 181.
  - 1933 Gurney. Syn. of *L. salmonis*. p. 329.
  - 1937 Markevich. Syn. of *L. salmonis*. p. 84.
  - 1956 Markevich. Syn. of *L. salmonis*. p. 131.
  - 1960b Shiino. Syn. of *L. salmonis*. p. 532.
  - 1963 Yamaguti. Syn. of *L. salmonis*. p. 77.
  - 1968b Parker. List. p. 363.
  - 1972 Kazachenko et al. Syn. of *L. salmonis*. p. 228.
- C. vexator** Heller, 1865
- 1865 Heller. N. sp. Descr. ♀; *Dentex vulgaris*; Mediterranean and Adriatic seas. p. 165–167; pl. XIV(fig. 2–2c). Dep. type material unknown.
  - 1866–79 Gerstaecker. List. p. 768, 804.
  - 1866 Heller. List. Key. p. 751, 753.
  - 1877 Olsson. Comp. with *C. borealis*. p. 78.
  - 1880 Richiardi. *Dentex vulgaris*, *Dentex gibbosus*, *Pagrus vulgaris*; Italy. p. 148.
  - 1880 Stossich. List. p. 256.
  - 1880 Valle. *Dentex vulgaris*; Adriatic Sea. p. 58, 84.
  - 1885 Carus. Brief descr. ♀; hosts, distr. p. 359.
  - 1898a Brian. Hosts, distr.; *Dentex vulgaris*; Genoa (Italy). p. 209, 225, 226; pl. II(fig. 9).
  - 1898b Brian. Identical with Brian (1898a). p. 7, 23, 24; pl. II(fig. 9).
  - 1899 Bassett-Smith. List. p. 450.
  - 1899c Brian. *Pagrus vulgaris*; Portoferraio (Italy). p. 2, 10.

- 1900 Brian. Identical with Brian (1899c). p. 198, 206.
- 1900 Graeffe. *Dentex vulgaris*; Gulf of Trieste. p. 44.
- 1903 Brian. *Dentex vulgaris*; Portoferraio (Italy). p. 7.
- 1905 Norman. List. p. 41.
- 1905 Wilson. Ment. Key. p. 497, 558.
- 1906 Brian. Hosts, distr. p. 44, 124, 125, 128, 130, 176, 178, 181.
- 1923 Monod. *Dentex vulgaris*; Monaco. p. 3.
- 1924 Brian. *Dentex filosus*; Mauritania. Comp. with *C. ligusticus*. p. 375, 376, 377, 423; fig. 12.
- 1935 Brian. Descr. ♀; hosts, distr. p. 152, 153, 191–193, 207.
- 1950a Delamare Deboutteville. Hosts, distr.; *Dentex vulgaris*; Banyuls (France). p. 306. [*Dentex globosus* apparently *lapsus* for *D. gibbosus* in host list.]
- 1953 Capart. *Dentex canariensis*, *Dentex filosus*; Goreé (Sénégal). p. 648, 653–654. [Incorrectly cites Delamare Deboutteville's (1950) host records.]
- 1959 Capart. Brief descr.; *Chaetodon hoeffleri*, *Dentex* sp., *Latilus semifasciatus*, *Parapristipoma macrops*, *Polydactylus quadrifilis*, *Scyris alexandrinus*; west coast of Africa. p. 59, 61, 62, 87–88; fig. 18a–c.
- 1962b Nunes-Ruivo. List. p. 5, 16, 19, 20.
- 1963 Yamaguti. Hosts, distr. p. 62; pl. 79(fig. 3a–d).
- 1968b Parker. List. p. 365.
- C. vicarius** Hewitt, 1963
- 1963 Hewitt. Nom. nov. for *C. longicaudatus* Brady, 1901. Descr. ♂. p. 61, 64–65, 114; fig. 1.
- 1966 Cleugh. Syn. of *C. longicaudatus* Brady, 1901. p. 771.
- C. willungae** Kabata, 1965
- 1965 Kabata. N. sp. Descr. ♀; undetermined elasmobranch; Port Willunga (South Australia). p. 109, 110, 121–126; fig. 5A–K, 6A–J. Holotype dep. U. Adelaide.
- 1968 Kabata. Comp. with *C. novocaledonicus*. p. 3.
- 1968 Parker et al. Ment. p. 1942.
- C. wilsoni** Delamare Deboutteville and Nunes-Ruivo, 1958
- 1958 Delamare Deboutteville and Nunes-Ruivo. Nom. nov. for *C. belones* of Wilson, 1905. p. 219–220.
- 1963 Yamaguti. List. p. 62.
- 1970 Cressey and Collette. Ment. p. 376.
- C. yamaguti** in Carvalho, 1956
- 1956 Carvalho. Comp. with *C. oligoplitisi*. p. 17. [*C. yamaguti* apparently a *lapsus* for one of the *Caligus* species described by Yamaguti.]
- C. zei** Norman and Scott, 1906
- 1905 Norman. List. p. 41.
- 1906 Norman and T. Scott. N. sp. Descr. ♀ ♂; *Zeus faber*; Polperro (UK). p. 206–207; pl. XXII(fig. 1–8). Dep. type material unknown.
- 1907 Scott, A. John Dory [*Zeus faber*]; New Quay Head (Irish Sea). p. 193; pl. I(fig. 1–8).
- 1913 Scott, T., and A. Scott. Descr. ♀ ♂, distr.; *Zeus faber*; Puffin Island and Luce Bay (Irish Sea). p. 26, 30, 54–56; pl. VII(fig. 1), VIII(fig. 3–9).
- 1922a Wilson. *Zeus faber*; English Channel (France). p. 2.
- 1926 Leigh-Sharpe. *Zeus faber*; Plymouth (England). p. 384.
- 1926 Oakley. Hist., descr. ♀ ♂; *Zeus faber*; Plymouth (England). p. 402–409; fig. 1, 2A–G, 3a–f, 4A–G.
- 1929 Scott, A. Distr.; *Zeus faber*; Irish Sea. p. 90–91.
- 1933a Leigh-Sharpe. List. p. 112.
- 1936 Leigh-Sharpe. Comp. with *C. rabidus*. p. 413.
- 1936 van Oorde-de Lint and Schuurmans Stekhoven. Brief descr. ♀ ♂, host, distr. p. 78, 90, 135, 191; fig. 8, 24C.
- 1949 Redkar, P. G., Rangnekar and Murti. Comp. with *C. furcisetifer*. p. 42, 43.
- 1954 Schäperclaus. List. p. 212.
- 1954b Shiino. Comp. with *C. latigenitalis*. p. 24.
- 1954i Shiino. Comp. with *C. glandifer*. p. 156.
- 1955b Barnard. Key; *Thysites atun*; False Bay (South Africa). p. 8, 100.

- |       |   |      |   |
|-------|---|------|---|
| 1955a | Shiino. Comp. with <i>C. punctatus</i> .<br>p. 139, 140.                                      | 1967 | Lewis. Ment. p. 91.   |
| 1959c | Shiino. Comp. with <i>C. klawei</i> . p. 356.   | 1968 | Parker et al. Ment. p. 1942.  |
| 1963  | Yamaguti. List. p. 62; pl. 82(fig. 2a-d).   | 1969 | Hamond. <i>Zeus faber</i> ; North Sea.<br>p. 230.   |
| 1965a | Shiino. Comp. with <i>C. pectinatus</i> .<br>p. 408.  |      |   |
| 1966  | O'Riordan. Unspecified host; Long Is.<br>Sound and Bantry Bay (Ireland). p. 371,<br>372, 377. | 1966 | <b>C. zeugopteri</b> Rao, 1951<br>Humphrey and Segal. <i>Lapsus</i> for<br><i>Gloipotes zeugopteri</i> . p. 11. |

## **SYNOPSIS**

## Synopsis

*C. curtus* Müller, 1785

Syn.: *C. piscinus* (Linné, 1761) partim

*C. mülleri* Leach, 1816

*C. bicuspis* Nordmann, 1832

*C. americanus* Pickering and Dana, 1838

*C. diaphanus* of Baird, 1850

*C. elegans* van Beneden, 1851

*C. aeglefini* Krøyer, 1863

*C. fallax* Krøyer, 1863

nec *C. curtus* of Tilesius, 1815; of Brian, 1898 and 1906; Kirtisinghe, 1964

Distr.: Arctic-Boreal region of Atlantic Ocean and contiguous waters (see Fig. 1, Parker et al. 1968).

Remarks: (From Parker et al. 1968)

*Caligus curtus* is essentially a parasite of the external surfaces of marine gadids, particularly *Gadus morhua*, but it has been reported from a variety of other marine fishes, including elasmobranchs . . . The report by Baird (1850) of its occurrence [as *C. mülleri*] in the freshwater fish *Coregonus pollan* in Lough Neagh (Northern Ireland) is, indeed, suspect; the validity of this identification was first questioned by Scourfield (1903). It is not unlikely that some of the records . . . [of *C. curtus*] may be based on misidentifications but in the absence of accompanying descriptions or figures, critical judgement is not possible. . . . In this regard we draw special attention to Wilson's (1908, 1936) records from *Mugil cephalus* at Beaufort, North Carolina, and from plankton at Bermuda, because they are outside the established range for *C. curtus*. We have been unable to locate Wilson's specimens, and consequently these records could not be verified.

The Arctic-Boreal region of the Atlantic Ocean and contiguous waters . . . includes the natural range of this species. Several reports of the species occurring outside this region cannot be accepted at face value. For example, Tilesius (1815) claimed to have taken varieties of *C. curtus* from salmon in the Pacific waters off Kamchatka, USSR, and from *Coryphaena hippurus* and *Squalus* sp. from the Brazilian coast. The species taken from salmon must have been *Lepeophtheirus salmonis* (Krøyer, 1837), the common and only caligid occurring on both Pacific and Atlantic salmons . . . The identity of the Brazilian material will never be known with certainty but it is worth

noting that the more recent records of *Caligus* species from *Coryphaena* species do not include *C. curtus*. Kirtisinghe (1964) reported this species from *Pristipomoides typus* from Ceylon, but it is clear from his figures that the identification is an error. The general shape and body proportions are sufficiently different from *C. curtus* to exclude these Indian Ocean specimens from this species. Heegaard (1945) included the Indian Ocean in the distributional range of *C. curtus*, but the source of this information eludes the present authors.

The reports by Brian (1898a, b, 1906) of the occurrence of *C. curtus* on *Lichia amia* and *Mugil cephalus* from Mediterranean waters in the vicinity of Italy were subsequently corrected by him. His material from *L. amia* was described (Brian 1906) as a new species, *C. lichiae*, and the material from *M. cephalus* eventually formed the basis of his (Brian 1935) new variety *C. minimus* var. *mugilis*. Evidently, no valid records of *C. curtus* from the Mediterranean region exist in Brian's publications. Heegaard (1943) reported this species from the Adriatic Sea (the host was not stated) on the basis of material preserved in the Riksmuseum, Stockholm; neither description nor figures were presented. Through the courtesy of Dr Roy Oleröd of the Riksmuseum, Stockholm, the material (one female) identified by Heegaard was made available to us, and its specific identity was confirmed. However, from the accompanying labels we could not corroborate that the specimen came from the Adriatic Sea, and Dr Oleröd's investigation of the Museum's records showed that the specimen was obtained from Hamburg in 1869 and that its alleged Adriatic origin is unsupported. A number of authors (e.g. Wilson 1932a; Pesta 1934; Polyansky 1955; Markevich 1956; Yamaguti 1963) have included the Mediterranean as part of the range of *C. curtus*. However, there is no evidence to support the occurrence of *C. curtus* in this sea.

The basis for Markevich's (1956) inclusion of the Baltic Sea in his summary of the distribution of *C. curtus* is unknown to us. We are unaware of any other reports of this species from the Baltic, and it is not clear if Markevich's citation is based on previously unpublished information.

Yamaguti's (1963) relegation of *C. bifurcatus* Shen, 1958, to the synonymy of *C. curtus*, thereby extending the range of *C. curtus* into Pacific waters, cannot be accepted. From Shen's (1958) description and figures it is clear that there are a number of differences (e.g. the armature of the 1st and 4th thoracopods) between *C. bifurcatus* and *C. curtus*.

*C. aduncus* Shen and Li, 1959  
Distr.: China.

*C. aesopus* Wilson, 1920  
Distr.: South Pacific (Juan Fernandez Is. and New Zealand).

*C. affinis* Heller, 1866  
Distr.: Adriatic and Mediterranean seas, Atlantic coast of Africa.

*C. afurcatus* Wilson, 1913  
Distr.: Jamaica.  
Remarks: This species has not been found since its original description.

*C. alaihi* Lewis, 1968  
Distr.: South Pacific.

*C. alalongae* Krøyer, 1863  
Syn.: nec *C. alalongae* of Kirtisinghe, 1937; Yamaguti, 1954  
Distr.: Atlantic coast of Africa.  
Remarks: Gerstaecker (1866-79) lists this species from the Mediterranean. The source of this record is unknown to us; the only prior record is that by Krøyer (1863-64), in which the locality is not given.

*C. alatus* Heegaard, 1943  
Distr.: West Indies.

*C. amblygenitalis* Pillai, 1961  
Distr.: South India.

*C. angustatus* Krøyer, 1863  
Distr.: Denmark.  
Remarks: This species has not been found subsequent to its original description by Krøyer (1863-64), although other *Caligus* species have been repeatedly collected from gadid hosts in northern European waters. The validity of the species is thus open to question.

*C. annularis* Yamaguti, 1954  
Distr.: Indo-Pacific from India to Sea of Japan.

*C. arii* Bassett-Smith, 1898  
Syn.: nec *C. arii* of Barnard, 1948  
Distr.: India, Ceylon.

*C. ariicolus* Wilson, 1928  
Distr.: Thailand.

*C. asperimanus* Pearse, 1951  
Distr.: Bahamas.

*C. assymetricus* Pillai in Kabata, 1965  
Syn.: *C. thynni* Pillai, 1963  
Distr.: Indian Ocean, Pacific from Australia to Hawaii.

*C. atramaculatus* Wilson, 1913  
Distr.: Jamaica.  
Remarks: This species has not been found since its original description.

*C. auxisi* Pillai, 1963  
Distr.: India.

*C. balistae* Steenstrup and Lütken, 1861  
Distr.: Atlantic and Pacific oceans.

*C. belones* Krøyer, 1863  
Syn.: nec *C. belones* of Wilson, 1905  
Distr.: European waters from Denmark to Mediterranean Sea.  
Remarks: Bassett-Smith's (1899) record from *Raja batis* is unusual as all other records are from *Belone bellone*.

*C. berychis* Wilson, 1936  
Distr.: Cuba.

*C. biculeatus* Brian, 1914  
Distr.: North Atlantic Ocean.  
Remarks: This species has not been reported since its original description.

*C. bicycletus* Heegaard, 1945  
Distr.: Java.  
Remarks: According to Pillai (1961) this species may be a synonym of *C. djedabae*.

*C. bifurcatus* Pearse, 1953  
Distr.: Florida.

*C. bifurcus* Shen, 1958  
Distr.: China.  
Remarks: Yamaguti's (1963) relegation of this species to synonymy of *C. curtus* was rejected by Parker et al. (1968).

*C. biseriodentatus* Shen, 1957  
Distr.: China.

- C. bocki* Heegaard, 1943  
 Distr.: South Pacific.  
 Remarks: Heegaard (1943) created a new subgenus, *Subcaligus*, for this species.
- C. bonito* Wilson, 1905  
 Syn.: *C. kuroshio* Shiino, 1959  
 Distr.: Atlantic, Pacific, and Indian oceans; Black and Mediterranean seas.  
 Remarks: *C. kuroshio*, proposed by Shiino (1959a) for *C. bonito* of Yamaguti, 1936, is not accepted as a distinct species.
- C. brevicaudatus* Scott, 1901  
 Distr.: Western Atlantic from British Isles to South Africa; Barents and Mediterranean seas.
- C. brevicaudus* Pillai, 1963  
 Distr.: India.
- C. brevis* Shiino, 1964  
 Distr.: Japan and New Zealand.
- C. brevisoris* Shen, 1957  
 Syn.: nec *C. brevisoris* of Pillai, 1961  
 Distr.: China.
- C. buechlerae* Hewitt, 1964  
 Distr.: New Zealand.
- C. calotomi* Shiino, 1954  
 Distr.: Japan.
- C. carangis* Krøyer, 1863  
 Distr.: Indian Ocean.  
 Remarks: This species has been reported only once, by Bassett-Smith (1898c), since its original description. Wilson (1905) and Kirtisinghe (1937) regarded this species as a synonym of *C. alalongae*.
- C. centrodonti* Baird, 1850  
 Syn.: *C. abbreviatus* Krøyer, 1863  
 Distr.: British waters; Norway; Black Sea.  
 Remarks: The Black Sea record is based on Osmanov's (1940) identification of specimens as *C. abbreviatus*. As noted by Markevich (1956) Osmanov's specimens were smaller than typical *C. centrodonti* from the British Isles.
- C. cheilodactyli* Krøyer, 1863  
 Distr.: Chile; Morocco.  
 Remarks: Wilson's (1922b) record from Morocco requires confirmation.
- C. chelifer* Wilson, 1905  
 Distr.: East coast USA; west coast Africa.  
 Remarks: The west African (Mauritania) record was a free-swimming male reported by Brian (1924). His identification is doubtful.
- C. chiloscyllii* Pillai, 1967  
 Syn.: *C. minutus* Pillai, 1963  
 nec *C. minutus* auctores [*lapsus* for *C. minimus* Otto, 1821]  
 Distr.: India.
- C. chorinemi* Kollar in Krøyer, 1863  
 Distr.: Tropical Pacific and Atlantic coasts of the Americas.
- C. clavatus* Kirtisinghe, 1964  
 Syn.: *C. sphyræni* Pillai, 1963  
 Distr.: Ceylon; India.
- C. clemensi* Parker and Margolis, 1964  
 Syn.: *C. gurnardi* of Fraser, 1920  
 Distr.: Pacific coast of Canada.
- C. confusus* Pillai, 1961  
 Syn.: *C. alalongae* of Kirtisinghe, 1937 and Yamaguti, 1954  
*C. constrictus* of Wilson, 1937 and Shiino, 1959  
 Distr.: Equatorial and southern Pacific and Indian Ocean.
- C. constrictus* Heller, 1865  
 Syn.: *Midias carangis* Rangnekar, 1956  
 nec *C. constrictus* of Wilson, 1937 and Shiino, 1959  
 Distr.: Indian Ocean.  
 Remarks: Causey (1960) reported this species from the Pacific coast of Mexico. Other records from this general region (Wilson 1937; Shiino 1959) proved to be based on misidentified specimens of *C. confusus*. The identity of Causey's specimens needs to be reexamined.
- C. cordiventralis* Shiino, 1952  
 Distr.: Japan.
- C. cordylo* Pillai, 1963  
 Distr.: South India.
- C. cornutus* Heegaard, 1962  
 Syn.: *C. spinosus* of Pillai, 1963  
 Distr.: India; Australia.
- C. coryphaenae* Steenstrup and Lütken, 1861  
 Syn.: ?*C. scutatus* Edwards, 1840  
*C. thymni* Dana, 1852

- C. bengoensis* Scott, 1894  
*C. aliuncus* Wilson, 1905  
*C. elongatus* Heegaard, 1943  
*C. tesserifer* Shiino, 1952  
*nec C. coryphaenae* of Brian, 1935; Yamaguti, 1936; Barnard, 1955  
Distr.: Ubiquitous on Scombridae.  
Remarks: Capart (1959) did not accept *C. bengoensis* as a synonym and Shiino (1959b) rejected the synonymy of *C. thymni* with *C. coryphaenae*.
- C. cossackii* Bassett-Smith, 1898  
Syn.: *C. indicus* Pillai, 1961  
*nec C. cossackii* of Rangnekar and Murti, 1959  
Distr.: Indian Ocean.
- C. costatus* Shen and Li, 1959  
Distr.: China.
- C. cunicephalus* Gnanamuthu, 1950  
Syn.: *nec C. cunicephalus* of Pillai, 1963  
Distr.: India.
- C. cybii* Bassett-Smith, 1898  
Syn.: *C. brevisoris* of Pillai, 1961  
Distr.: India, Ceylon.
- C. dakari* van Beneden, 1892  
Distr.: West Africa, Ceylon.  
Remarks: Brian (1924) considered *C. dakari* a possible synonym of *C. mauritanicus* and Kirtisinghe (1964) regarded *C. arii* of Barnard, 1955 as a synonym of *C. dakari*.
- C. dasyatus* Rangnekar, 1957  
Distr.: India, Australia, Japan.
- C. debueni* Stuardo and Fagetti, 1960  
Distr.: Chile.
- C. deformis* Brian, 1924  
Distr.: Mauritania, Red Sea.
- C. diaphanus* Nordmann, 1832  
Syn.: *C. isonyx* of Scott, 1891  
*nec C. diaphanus* of Baird, 1850  
Distr.: European waters from Scandinavia to Adriatic Sea; north and west Africa, Pacific coast of Panama, Ceylon.  
Remarks: Bassett-Smith (1899) considered *C. diaphanus* of Edwards, 1840 not conspecific with this species. Brian (1924) stated that *C. torpedinis* could be synonymous with *C. diaphanus*, but the former species is insufficiently known to be compared in detail. Kirtisinghe (1964) regarded *C. multi-spinosus* of Pillai, 1961 as identical with *C. diaphanus* but Pillai (1967) did not agree with his opinion.
- C. dieuzeidei* Brian, 1932  
Distr.: Algeria, Japan.
- C. djedabae* Rangnekar, 1956  
Distr.: India.  
Remarks: Pillai (1961) suggested this species might be a synonym of *C. bicycletus*.
- C. dubius* Scott, 1894  
Distr.: West Africa.
- C. eleutheronemi* Shen, 1957  
Distr.: China.
- C. elongatus* Nordmann, 1832  
Syn.: *C. kroyerii* Edwards, 1840  
*C. rissoanus* Edwards, 1840  
*C. rapax* of Baird, 1850 (*partim*); of Steenstrup and Lütken, 1861; and later authors  
*C. lunpi* Krøyer, 1863  
*C. gurnardi* Krøyer, 1863 (*partim*)  
*C. trachypteri* Kollar in Krøyer, 1863  
*C. latifrons* Wilson, 1905  
*C. rabidus* Leigh-Sharpe, 1936  
*C. arcticus* Brandes, 1956  
*nec C. elongatus* Heegaard, 1943  
Distr.: Continental shelf of North Atlantic from Gulf of Mexico to Bay of Biscay (France); North, Baltic, and Mediterranean seas, South Atlantic (coast of Uruguay), South Australia.  
Remarks: Prior to Parker (1969) numerous records of this species occurred under the name "*C. rapax*." The distribution reported above is based on Parker's (1969) reevaluation of the identity of these so-called "*C. rapax*." Records and listings of "*C. rapax*" outside the above range (e.g. Markevich (1956) for Far-eastern seas of the USSR and Barents Sea; various reports from freshwater fishes) could not be verified as referring to *C. elongatus*.  
*Caligus leptochilus* Frey and Leuckart, 1847 has been considered by some authors to be synonymous with *C. rapax* of Baird, 1850 (i.e. *C. elongatus*), but this synonymy could not be definitely established (see Parker 1969).
- C. engraulidis* Barnard, 1948  
Distr.: South Africa.
- C. enormis* Wilson, 1913  
Distr.: Jamaica.  
Remarks: This species has not been reported since its original description.

- C. epidemicus* Hewitt, 1971  
Distr.: Australia.
- C. epinepheli* Yamaguti, 1936  
Syn.: *C. cossackii* of Rangnekar and Murti, 1959  
Distr.: Indo-Australian region, Japan.
- C. euthynus* Kurian, 1961  
Syn.: *C. alveolaris* Heegaard, 1962  
*C. coryphaenae* of Kirtisinghe, 1964, *partim*  
Distr.: India, Australia.
- C. eventilis* Leigh-Sharpe, 1934  
Distr.: Molucca (Indian Ocean).
- C. fistulariae* Yamaguti, 1936  
Distr.: Japan.
- C. flexispina* Lewis, 1964  
Distr.: Hawaii.
- C. fortis* Kabata, 1965  
Distr.: Australia.
- C. fronsuganinus* (Shen, 1940) Shen, 1949  
Syn.: *Pargulus fronsuganinus* Shen, 1940  
Distr.: China.
- C. fugu* Yamaguti and Yamasu, 1959  
Distr.: Japan.
- C. furcisetifer* Redkar, Rangnekar and Murti, 1949  
Distr.: India.
- C. germai* Pearse, 1951  
Distr.: Bahamas.
- C. glacialis* Gadd, 1910  
Distr.: Arctic Ocean.  
Remarks: This species has not been recorded since first described.
- C. glandifer* Shiino, 1954  
Distr.: Japan.
- C. grandiabdominalis* Yamaguti, 1954  
Distr.: Celebes.
- C. guerini* Guiart, 1913  
Distr.: France.  
Remarks: This species has not been recorded since first described..
- C. gurnardi* Krøyer, 1863  
Syn.: *C. nanus* Krøyer, 1863  
*nec C. gurnardi* of Brian, 1898; of Wilson, 1908; of Fraser, 1920  
Distr.: Danish and British waters.  
Remarks: The type material described as *C. gurnardi* consisted of two species, *C. gurnardi* and *C. elongatus* (see Parker 1965, 1969).
- C. haemulonis* Krøyer, 1863  
Distr.: Caribbean Sea, Atlantic coast of USA, Gulf of Mexico.
- C. hamatus* Heegaard, 1955  
Distr.: West Africa.
- C. hamruri* Pillai, 1964  
Distr.: India.
- C. hemiconiati* Capart, 1941  
Distr.: West Africa.
- C. hilsae* Shen, 1957  
Distr.: China, Arabian Sea.
- C. hobsoni* Cressey, 1969  
Distr.: California.
- C. hoplognathi* Yamaguti and Yamasu, 1959  
Distr.: Japan.
- C. hottentotus* Barnard, 1957  
Distr.: South Africa.
- C. hyalinae* Heegaard, 1966  
Distr.: Texas coast.
- C. hyalinus* Chernyavsky, 1868  
Distr.: Black Sea.
- C. infestans* Heller, 1865  
Syn.: *C. maculatus* Heegaard, 1962  
*C. sphyrænae* Nunes-Ruivo and Fourmanoir, 1956  
Distr.: Indo-Australian region.
- C. irritans* Heller, 1865  
Distr.: Tropical Atlantic and Pacific regions of the Americas, East Indies.
- C. isonyx* Steenstrup and Lütken, 1861  
Syn.: *nec C. isonyx* of Scott, 1891  
Distr.: Tropical Atlantic and Pacific regions of the Americas.
- C. kala* Lewis, 1964  
Distr.: Hawaii.
- C. kalumai* Lewis, 1964  
Distr.: Hawaii.
- C. kanagurta* Pillai, 1961  
Distr.: India.
- C. kapuhili* Lewis, 1967  
Distr.: Hawaii, Eniwetok Atoll.
- C. klawei* Shiino, 1959  
Distr.: California.
- C. krishnai* Thomas, 1967  
Syn.: *C. kuroshio* of Pillai, 1963  
Distr.: South India.

- C. labracis* Scott, 1902  
 Distr.: British waters, Atlantic coast of South Africa.
- C. lacustris* Steenstrup and Lütken, 1861  
 Syn.: *C. appendiculatus* Müller, 1852  
*C. borealis* Olsson, 1877  
*C. dentatus* Gadd, 1906  
 Distr.: European and USSR fresh waters and coastal brackish waters.  
 Remarks: This is a common parasite of freshwater fishes in Europe, especially in the central and eastern regions. Its occurrence in the Caspian, Azov, Aral, Black, and Baltic seas indicates that it can tolerate brackish waters.  
 Zandt's (1938) record of "*C. rapax*" from Lake Ladoga likely refers to this species.
- C. appendiculatus* has been suppressed by the International Commission on Zoological Nomenclature (1971) in favour of *C. lacustris* for the reasons presented by Parker (1968a).
- C. lagocephali* Pillai, 1961  
 Distr.: India.
- C. lalandei* Barnard, 1948  
 Distr.: South Africa.
- C. laticaudus* Shiino, 1960  
 Distr.: Japan, India, Eniwetok Atoll.
- C. latigenitalis* Shiino, 1954  
 Distr.: Japan.
- C. lepeophtheropsis* Pillai, 1967  
 Distr.: India.
- C. leptochilus* Leuckart in Frey and Leuckart, 1847  
 Distr.: Helgoland (Germany).  
 Remarks: This species is known from a single record. Authors referring to it subsequently considered it a synonym of "*C. rapax*." Exceptions to this opinion are Krøyer (1863) and Parker (1969). The latter pointed out some differences between *C. leptochilus* and *C. elongatus* Nordmann, 1832 and concluded that no definite decision can be reached on this subject without consulting Frey and Leuckart's specimens. These are no longer extant.
- C. lichiae* Brian, 1906  
 Syn.: *C. curtus* of Brian, 1898, 1899  
 Distr.: Italy.
- C. ligatus* Lewis, 1964  
 Distr.: Hawaii, Eniwetok Atoll.
- C. ligusticus* Brian, 1906  
 Distr.: Italy, Mauritania.
- C. lolligunculae* Capart, 1941  
 Distr.: West African coast.
- C. longiabdominis* Shiino, 1965  
 Distr.: Pacific coast of Central America.
- C. longicaudatus* Brady, 1899  
 Syn.: *C. vicarius* Hewitt, 1963  
 Distr.: New Zealand.
- C. longicaudus* Bassett-Smith, 1898  
 Distr.: India, Ceylon.  
 Remarks: The discoverer (Bassett-Smith 1899) expressed doubts as to the validity of his recent description, suggesting that this species might be synonymous with *C. trichiuri*. His suggestion was rejected by Capart (1959), in spite of its previous acceptance by Wilson (1905).
- C. longicervicis* Gnanamuthu, 1950  
 Syn.: *C. cunicephalus* of Pillai, 1963  
 Distr.: India.
- C. longipedis* Bassett-Smith, 1898  
 Syn.: *C. amplifurcus* Pearse, 1953  
*C. lucidus* Heegaard, 1962  
 Distr.: Indian and Pacific oceans.
- C. longirostris* Heegaard, 1962  
 Distr.: Tasmania (Australia).
- C. lunatus* Wilson, 1928  
 Distr.: Red Sea, Panama, South Africa.
- C. macarovi* Gussev, 1951  
 Syn.: *C. fulvipurpureus* Shiino, 1954  
 Distr.: Asian and American continental shelf of North Pacific.
- C. malabaricus* Pillai, 1961  
 Distr.: India, northern Australia.
- C. mauritanicus* Brian, 1924  
 Distr.: East and west coasts of Africa.  
 Remarks: This species appears to be widespread on many teleost species off the coasts of Africa. Its broad distribution is accompanied by a broad range of morphological variability. Capart (1959) recognized a distinct variety, *C. mauritanicus* var. *minuscula*.
- C. mebachii* Marukawa, 1927  
 Distr.: Japan.
- C. mercatoris* Capart, 1941  
 Distr.: West coast of Africa.

- C. microdontus* Heegaard, 1964  
 Syn.: *C. dentatus* Heegaard, 1962  
 Distr.: Australia.  
 Remarks: The original description of this species (Heegaard 1962) was published under the name *C. dentatus*, preoccupied by a species of Gadd (1906), itself a synonym of *C. lacustris*.
- C. minimus* Otto, 1821  
 Syn.: *C. gurnardi* of Brian, 1898a  
*C. curtus* of Brian, 1906  
*C. minutus* auctores (*nec* Pillai, 1963)  
 Distr.: British waters, North Sea, European coasts from northern France to the Adriatic Sea.  
 Remarks: Nordmann (1832) commented on the unsuitability of the specific name, remarking that smaller species are likely to be found and that the name *C. minutus* would be more appropriate. Recognizing the priority of the original name, however, he reluctantly accepted it, only to use *C. minutus* in his description, probably as a *lapsus*. The incorrect name was subsequently used by many authors.
- C. mirabilis* Leigh-Sharpe, 1934  
 Distr.: Philippines.
- C. mordax* Leigh-Sharpe, 1934  
 Distr.: Unknown.  
 Remarks: The description of this species did not give either its host or the locality of the find. There are no subsequent records.
- C. mortis* Kensley, 1970  
 Distr.: South West Africa.  
 Remarks: This species is known only from free-swimming specimens.
- C. multispinosus* Shen, 1957  
 Distr.: China, India.  
 Remarks: For a controversy as to the identity of the specimens identified as *C. multispinosus* in the Indian waters, see remarks on *C. diaphanus*.
- C. murrayanus* Scott, 1894  
 Distr.: West coast of Africa.  
 Remarks: The validity of this species may be open to question. It has not been recorded since its original description (from plankton) and its type material cannot be located.
- C. mutabilis* Wilson, 1905  
 Distr.: Atlantic and Pacific coast of the USA, Gulf of Mexico, Pacific coast of Mexico.
- C. nengai* Rangnekar, Rangnekar and Murti, 1953  
 Distr.: India.
- C. novocaledonicus* Kabata, 1968  
 Distr.: New Caledonia.
- C. obovatus* Heegaard, 1962  
 Distr.: Australia.
- C. oligoplitisi* Carvalho, 1956  
 Distr.: Brazil.
- C. olsoni* Pearse, 1953  
 Distr.: California.
- C. orientalis* Gussev, 1951  
 Syn.: *C. japonicus* Gussev, in Isakova-Keo, 1952  
 Distr.: Far-eastern seas of the USSR, Sea of Japan, China.
- C. oviceps* Shiino, 1952  
 Distr.: Japan.
- C. pagelli* Delamare Deboutteville and Nunes-Ruivo, 1958  
 Distr.: Mediterranean coast of France.
- C. pageti* Russel, 1925  
 Syn.: *C. argilasi* Brian, 1931  
 Distr.: Mediterranean.
- C. pagri* Capart, 1941  
 Distr.: West coast of Africa.
- C. pagrosomi* Yamaguti, 1939  
 Distr.: Japan.
- C. patulus* Wilson, 1937  
 Distr.: Panama Bay.
- C. pauliani* Nunes-Ruivo and Fourmanoir, 1956  
 Distr.: Madagascar.
- C. paxillifer* Yamaguti, 1954  
 Distr.: Celebes.
- C. pectinatus* Shiino, 1965  
 Distr.: California.
- C. pelagicus* Kurian, 1955  
 Distr.: India.
- C. pelamydis* Krøyer, 1863  
 Syn.: *C. scomberi* Bassett-Smith, 1896  
 Distr.: Atlantic and Pacific oceans, Mediterranean.
- C. phipsoni* Bassett-Smith, 1898  
 Distr.: India, Australia.
- C. platurus* Kirtisinghe, 1964  
 Distr.: India, Ceylon.

- C. platytarsis* Bassett-Smith, 1898  
 Syn.: *C. bombayensis* Rangnekar, 1955  
 Distr.: Persian Gulf, India.
- C. polycanthi* Gnanamuthu, 1950  
 Syn.: *C. canthidermis* Yamaguti and Yamasu, 1959  
 Distr.: Japan, Formosa, Indian Ocean.
- C. praetextus* Bere, 1936  
 Distr.: Gulf of Mexico, Atlantic coast of USA.  
 Remarks: Yamaguti (1963), apparently in error, listed this species as occurring in Italian waters.
- C. priacanthi* Pillai, 1961  
 Distr.: India.
- C. proboscidatus* Heegaard, 1962  
 Distr.: Australia.
- C. productus* Dana, 1852  
 Syn.: *C. monacanthi* Krøyer, 1863  
*C. lobatus* Wilson, 1935  
*C. katuwo* Yamaguti, 1936  
*nec C. productus* of Krøyer, 1863; Rathbun, 1884; Wilson, 1905 (*partim*)  
 Distr.: Atlantic and Pacific oceans, Mediterranean.  
 Remarks: This species has many features in common with some other species of *Caligus* parasitic on scombrid fishes. Its taxonomy has suffered as the result of misidentifications and inaccurate descriptions. Confusion was compounded by the fact that its name is a homonym of another species described by Müller (1785) as *Caligus productus*, though subsequently transferred from the genus. Hence, erroneous host and locality listings appear in the literature (Yamaguti 1963). Wilson (1905), followed by Leigh-Sharpe (1926), considered *C. scomberi* Bassett-Smith, 1896, to be synonymous with this species. Although not adequately described, that species fits better with the description of *C. pelamydis* and was recognized as its synonym by Norman and Scott (1906). Capart (1959) relegated to synonymy with *C. productus* Yamaguti's (1936) record of *C. coryphaenae*, not accepted as a synonym by Shiino (1959b).
- C. pseudokalumai* Lewis, 1968  
 Distr.: Eniwetok Atoll (Pacific).
- C. pseudoprodutus* Capart, 1959  
 Syn.: *C. productus* of Krøyer, 1863; Wilson, 1905 (*partim*)  
 Distr.: Southwest coast of Africa.
- C. pterois* Kurian, 1949  
 Distr.: India.
- C. punctatus* Shiino, 1955  
 Distr.: Japan.
- C. quadratus* Shiino, 1954  
 Syn.: *C. productus* of Rathbun, 1884; ♂ of Wilson, 1905  
*C. coryphaenae* of Yamaguti, 1936  
 Distr.: Japan, Hawaii, Indian Ocean.  
 Remarks: Shiino (1959b) considered the male of *C. monacanthi* described by Wilson (1937) was also identical with this species, an opinion rejected by Lewis (1967).
- C. quinqueabdominalis* Heegaard, 1962  
 Distr.: Australia.
- C. randalli* Lewis, 1964  
 Distr.: Hawaii.
- C. raniceps* Heegaard, 1943  
 Distr.: Bay of Bengal.
- C. rectus* Pearse, 1952  
 Distr.: Texas coast of the USA.
- C. regalis* Leigh-Sharpe, 1930  
 Distr.: New Guinea.
- C. robustus* Bassett-Smith, 1898  
 Distr.: Indian Ocean, Mauritania, West Indies, Gulf of Mexico.
- C. rotundigenitalis* Yu, 1933  
 Distr.: China, India.
- C. rufimaculatus* Wilson, 1905  
 Syn.: *C. rapax* of Wilson, 1905  
 Distr.: Atlantic coast of the USA.
- C. rufus* Wilson, 1908  
 Syn.: *nec C. rufus* of Capart, 1959  
 Distr.: Atlantic coast of the USA.
- C. rugosus* Shiino, 1959  
 Distr.: Eastern North Pacific.
- C. russellii* Kurian, 1952  
 Distr.: India.
- C. sarda* Pearse, 1952  
 Distr.: Texas coast of the USA.
- C. savala* Gnanamuthu, 1948  
 Distr.: India.
- C. scabiei* Gnanamuthu, 1950  
 Distr.: India.
- C. schistonyx* Wilson, 1905  
 Distr.: Atlantic coast of the USA.

- C. sciaenae* Gnanamuthu, 1947  
Distr.: India.
- C. sciaenops* Pearse, 1952  
Distr.: Texas coast of the USA.
- C. sensilis* Kabata and Gusev, 1966  
Distr.: Northwestern Pacific Ocean.
- C. sensorius* Heegaard, 1962  
Distr.: Australia.
- C. seriola* Yamaguti, 1936  
Distr.: Japan.
- C. serratus* Shiino, 1965  
Distr.: California.
- C. setosus* Pearse, 1953  
Distr.: Atlantic coast of southern USA, Texas.
- C. spinosurculus* Pearse, 1951  
Distr.: Bahamas (Atlantic).
- C. spinosus* Yamaguti, 1939  
Syn.: nec *C. spinosus* of Pillai, 1963  
Distr.: India.
- C. stromatei* Krøyer, 1863  
Distr.: Indian Ocean.  
Remarks: This species has not been seen since its original description by Krøyer (1863–64), although the region of its origin was fairly well covered by subsequent investigators.
- C. suffuscus* Wilson, 1913  
Distr.: Jamaica, Florida.
- C. tanago* Yamaguti, 1939  
Distr.: Japan.  
Remarks: In all likelihood this species is rather rare, as it has been found on only one occasion in spite of fairly intensive study of its region. The original description is clear and detailed and the possibility of misidentification not very likely.
- C. tenax* Heller, 1865  
Distr.: Atlantic and Indian oceans, Indonesia.
- C. tenuicaudatus* Shiino, 1959  
Distr.: California.
- C. tenuifurcatus* Wilson, 1937  
Distr.: Panama Bay.
- C. teres* Wilson, 1905  
Distr.: Chile.
- C. tetrodontis* Barnard, 1948  
Distr.: South Africa.
- C. thysitae* Kazachenko, Korotaeva, and Kurochkin, 1972  
Distr.: Great Australian Bight.
- C. torpedinis* Heller, 1865  
Distr.: Indian Ocean.  
Remarks: Not seen since its original description, this species is of doubtful validity.
- C. trachynoti* Heller, 1865  
Distr.: Brazil.  
Remarks: As for preceding species.
- C. triangularis* Shiino, 1954  
Distr.: Japan.
- C. trichiuri* Krøyer, 1863  
Syn.: *C. rufus* of Capart, 1941  
Distr.: Indian Ocean, west coast of Africa.  
Remarks: For discussion of relationship with *C. longicaudus* see remarks on that species.
- C. tripedalis* Heegaard, 1972  
Distr.: New Zealand.
- C. tylosuri* (Rangnekar, 1956) Pillai, 1961  
Syn.: *Tuxophorus tylosuri* Rangnekar, 1956  
Distr.: India, North Pacific.
- C. undulatus* Shen and Li, 1959  
Distr.: China, India.
- C. unguidentatus* Rangnekar and Murti, 1950  
Distr.: India.  
Remarks: The describers did not specify the locality where this copepod was found. It is inferred from the identity of its host and the region where the authors are known to have worked.
- C. (Metacaligus) uruguayensis* Thomsen, 1949  
Distr.: Uruguay.
- C. validus* Pearse, 1952  
Distr.: Texas coast of the USA.
- C. ventrosetosus* Pearse, 1952  
Distr.: Texas coast of the USA.
- C. vexator* Heller, 1865  
Distr.: Mediterranean and Adriatic seas, west coast of Africa.
- C. willungae* Kabata, 1965  
Distr.: Australia.
- C. wilsoni* Delamare Deboutteville and Nunes-Ruivo, 1958  
Syn.: *C. belones* of Wilson, 1905  
Distr.: Atlantic coast of the USA.
- C. zei* Norman and Scott, 1906  
Distr.: British waters, South Africa.  
Remarks: Barnard's (1955b) record of this species is unusual, both as to the host and the locality. A possibility of misidentification should be considered.

## List of Species Transferred to Other Genera

ORIGINAL NAME	TRANSFERRED TO
<i>C. apodus</i>	<i>Pseudocaligus</i>
<i>C. bagri</i>	<i>Lepeophtheirus</i>
<i>C. benedeni</i>	<i>Sciaenophilus</i>
<i>C. bennetti</i>	<i>Sciaenophilus</i>
<i>C. bicolor</i>	<i>Pandarus</i>
<i>C. branchialis</i>	<i>Lepeophtheirus</i>
<i>C. brevipedis</i>	<i>Pseudocaligus</i>
<i>C. crassus</i>	<i>Anthosoma</i>
<i>C. dussumieri</i>	<i>Pseudopetalus</i>
<i>C. formicoides</i>	<i>Pseudopetalus</i>
<i>C. gracilis</i> van Beneden, 1851	<i>Lepeophtheirus</i>
<i>C. heckelii</i>	<i>Anuretes</i>
<i>C. heptapus</i>	<i>Demoleus</i>
<i>C. hippoglossi</i>	<i>Lepeophtheirus</i>
<i>C. hirsutus</i>	<i>Parapetalus</i>
<i>C. imbricatus</i>	<i>Anthosoma</i>
<i>C. lessonius</i>	?
<i>C. longicaudatus</i> Marukawa, 1927	<i>Gloiopotes</i>
<i>C. macrurus</i>	<i>Sciaenophilus</i>
<i>C. molvae</i>	<i>Lepeophtheirus</i>
<i>C. muraenae</i>	<i>Lepeophtheirus</i>
<i>C. nautili</i>	<i>Anchicaligus</i>
<i>C. nibae</i>	<i>Sciaenophilus</i>
<i>C. nordmannii</i>	<i>Lepeophtheirus</i>
<i>C. oblongus</i>	<i>Dichelesthium</i>
<i>C. obscurus</i>	<i>Lepeophtheirus</i>
<i>C. ornatus</i>	<i>Lepeophtheirus</i>
<i>C. pacificus</i>	<i>Lepeophtheirus</i>
<i>C. paradoxus</i>	<i>Demoleus</i>
<i>C. parvus</i>	<i>Pseudocaligus</i>
<i>C. pectoralis</i>	<i>Lepeophtheirus</i>
<i>C. pharaonis</i>	<i>Sciaenophilus</i>
<i>C. productus</i> Müller, 1785	<i>Dinemoura</i>
<i>C. remorae</i>	<i>Tuxophorus</i>
<i>C. robustus</i> Krøyer in Stephensen, 1913	<i>Lepeophtheirus</i>
<i>C. salmonis</i>	<i>Lepeophtheirus</i>
<i>C. smithi</i>	<i>Anthosoma</i>
<i>C. stromii</i>	<i>Lepeophtheirus</i>
<i>C. sturionis</i>	<i>Lepeophtheirus</i>
<i>C. (Sciaenophilus) tenuis</i>	<i>Sciaenophilus</i>
<i>C. vespa</i>	<i>Lepeophtheirus</i>

## List of Junior Synonyms

### JUNIOR SYNONYM

*C. abbreviatus*  
*C. acutus*  
*C. aeglefini*  
*C. affinis* Kurian, 1961  
*C. aliuncus*  
*C. alveolaris*  
*C. americanus*  
*C. amplifurcus*  
*C. arcticus*  
*C. argilasi*  
*C. bengoensis*  
*C. bicuspis*  
*C. bombayensis*  
*C. borealis*  
*C. canthidermis*  
*C. caudatus*  
*C. communis*  
*C. dentatus* Gadd, 1906  
*C. dentatus* Heegaard, 1962  
*C. elegans*  
*C. elongatus* Heegaard, 1943  
*C. fallax*  
*C. fulvipurpureus*  
*C. indicus*  
*C. japonicus*  
*C. katuwo*  
*C. kroeyeri*  
*C. kuroshio*  
*C. laticorpus*  
*C. latifrons*  
*C. lobatus*  
*C. lucidus*  
*C. lumpi*  
*C. maculatus*  
*C. minutus* auctores (*nec* Pillai, 1963)  
*C. minutus* Pillai, 1963  
*C. monacanthi*  
*C. mülleri*  
*C. nanus*  
*C. rabidus*  
*C. rapax*  
*C. rissoanus*  
*C. scomberi*

### SENIOR SYNONYM

*C. centrodonti*  
*C. savala*  
*C. curtus*  
*C. savala*  
*C. coryphaenae*  
*C. euthynus*  
*C. curtus*  
*C. longipedis*  
*C. elongatus* Nordmann, 1832  
*C. pageti*  
*C. coryphaenae*  
*C. curtus*  
*C. platytarsis*  
*C. lacustris*  
*C. polycanthis*  
*C. diaphanus*  
*C. orientalis*  
*C. lacustris*  
*C. microdonthus*  
*C. curtus*  
*C. coryphaenae*  
*C. curtus*  
*C. macarovi*  
*C. cossackii*  
*C. orientalis*  
*C. productus* Dana, 1852  
*C. elongatus* Nordmann, 1832  
*C. bonito*  
*C. orientalis*  
*C. elongatus* Nordmann, 1832  
*C. productus* Dana, 1852  
*C. longipedis*  
*C. elongatus* Nordmann, 1832  
*C. infestans*  
*C. minimus*  
*C. chiloscyllii*  
*C. productus* Dana, 1852  
*C. curtus*  
*C. gurnardi*  
*C. elongatus* Nordmann, 1832  
*C. elongatus* Nordmann, 1832  
*C. elongatus* Nordmann, 1832  
*C. pelamydis*

<i>C. sphyraenae</i>	<i>C. infestans</i>
<i>C. sphyraeni</i>	<i>C. clavatus</i>
<i>C. tesserifer</i>	<i>C. coryphaenae</i>
<i>C. thymni</i>	<i>C. coryphaenae</i>
<i>C. thynni</i> Pillai, 1963	<i>C. asymmetricus</i>
<i>C. trachypteri</i>	<i>C. elongatus</i> Nordmann, 1832
<i>C. vicarius</i>	<i>C. longicaudatus</i> Brady, 1899

### List of *Nomina Nuda, Species Inquirendae,* and Rejected Names

<i>C. appendiculatus</i> <sup>1</sup>	<i>C. platessae</i>
<i>C. cristata</i>	<i>C. scalaris</i>
<i>C. exilis</i>	<i>C. scombri</i> J. V. Thompson in W. Thompson, 1856
<i>C. fisus</i>	<i>C. scutatus</i>
<i>C. gayi</i>	<i>C. serrani</i>
<i>C. gracilis</i> Dana, 1852 <sup>2</sup>	<i>C. smaris</i>
<i>C. hippuris</i>	<i>C. trachini</i>
<i>C. lepidopi</i>	<i>C. trachuri</i>
<i>C. micropus</i>	<i>C. yamaguti</i>
<i>C. petersi</i>	

<sup>1</sup> Suppressed in favor of *C. lacustris*.

<sup>2</sup> Homonym of *C. gracilis* van Beneden, 1851.

## List of Misspellings

### INCORRECT SPELLING

*C. abbreviatus*  
*C. alolaris*  
*C. amplifurcatus*  
*C. arctus*  
*C. biarticulatus*  
*C. büchlerae*  
*C. calistae*  
*C. cincabdominalis*  
*C. euthynnus*  
*C. fulvipurpurens*  
*C. gurrardi*  
*C. heptatus*  
*C. lessonianus*  
*C. licustris*  
*C. longicaudatus* Bassett-Smith, 1898  
*C. longipes*  
*C. lumpy*  
*C. pelamidis*  
*C. platytarsus*  
*C. probosci*  
*C. schistonix*  
*C. scombri*  
*C. tessellifer*  
*C. thynni* Dana, 1852  
*C. trachinoti*  
*C. tricuspidatus*

### CORRECT SPELLING

*C. abbreviatus*  
*C. alveolaris*  
*C. amplifurcus*  
*C. curtus*  
*C. biaculeatus*  
*C. buechlerae*  
*C. balistae*  
*C. quinqueabdominalis*  
*C. euthynus*  
*C. fulvipurpureus*  
*C. gurnardi*  
*C. heptapus*  
*C. lessonius*  
*C. lacustris*  
*C. longicaudus*  
*C. longipedis*  
*C. lumpi*  
*C. pelamydis*  
*C. platytarsis*  
*C. proboscidatus*  
*C. schistonyx*  
*C. scomberi*  
*C. tesserifer*  
*C. thymni*  
*C. trachynoti*  
*C. bicuspis*

## Acknowledgments

During the lengthy search for material, the authors were fortunate to be assisted by many colleagues from various countries. In the early stages of preparation, much time and effort were expended gathering and classifying information used in this project by Mr T. R. Cleugh, formerly of the Pacific Biological Station, Nanaimo. Sterling service was rendered by the library staff of this Station: Mrs S. Dixon, Mrs D. Littlewood, Mrs E. Wardropper, and Miss E. Young. Help in obtaining literature and pertinent information, either on sources or on the whereabouts of type material of various species of *Caligus*, was given by Dr A. Kh. Akhmerov, Helminthological Laboratory of the Academy of Sciences of the USSR, Moscow; Mrs P. D. Barker, British Museum, London; Dr O. N. Bauer, Institute of Freshwater Fisheries (GosNIORKh), Leningrad; Dr T. E. Bowman, Smithsonian Institution, Washington, D.C.; Dr C. H. Brandes, Übersee-Museum, Bremen; Dr A. Capart, Institut Royal des Sciences Naturelles, Bruxelles; Dr R. Cressey, Smithsonian Institution, Washington, D.C.; Dr C. Delamare Deboutteville, Laboratoire d'Écologie Générale, Brunoy; Dr R. Ph. Dollfus, Muséum National d'Histoire Naturelle, Paris; Mr E. R. S. Fifoot, University

Library, Edinburgh; Dr J. Forest, Muséum National d'Histoire Naturelle, Paris; Dr H. E. Gruner, Zoologisches Museum, Humboldt-Universität, Berlin; Dr A. V. Gusev, Zoological Institute of the Academy of Sciences of the USSR, Leningrad; Dr J. P. Harding, British Museum, London; Dr G. C. Hewitt, Victoria University, Wellington, New Zealand; Dr A. G. Humes, Marine Biological Laboratory, Woods Hole, USA; Dr Satoru and Shunya Kamegai, Meguro Parasitological Museum, Tokyo; Dr A. G. Lewis, Institute of Oceanography, University of British Columbia, Vancouver; Dr R. J. Lincoln, British Museum, London; Dr T. Monod, Muséum National d'Histoire Naturelle, Paris; Mr H. McCall, Marine Laboratory, Aberdeen; Dr P. A. Orkin, University of Aberdeen, Scotland; Dr N. K. Pillai, Marine Biological Laboratory, Trivandrum, India; Dr S. M. Shiino, Shima Marineland, Mie Prefecture, Japan; Mr W. A. Smith, British Museum, London; Dr T. Wolff, Universitetets Zoologiske Museum, Copenhagen; Dr J. C. Yaldwyn, The Australian Museum, Sydney. To all of them, as well as to those whose names might have been inadvertently omitted, the authors are deeply grateful.

## References

- ABILDGAARD, P. C. 1794. Beskrivelse af tvende nye insekter henherende under den Linneiske slægt *Monoculus*, og den Müllerske slægt *Caligus*. Skr. Naturh. Selsk. Kbh. 3(2): 46–54.
- AGAPOVA, A. I. 1966. Parazity ryb vodoemov Kazakhstana [Parasites of fishes of Kazakhstan]. Izd. Nauk Kaz. SSR. Alma-Ata. USSR. 342 p.
- ALM, G. 1916. Faunistische und biologische Untersuchungen im See Hjälmmaren. Ark. Zool. 10(18): 1–47.
- ARAI, H. P. 1969. Preliminary report on the parasites of certain marine fishes of British Columbia. J. Fish. Res. Board Can. 26: 2319–2337.
- ARGILAS, A. 1931. Un copépode parasite de *Mugil auratus* Risso, nouveau pour l'Algérie: *Caligus pageti* Russel. Bull. Trav. Stn. Aquic. Pêche Castiglione 1930(2): 94–106.
- BAER, J. G. 1951. Ecology of animal parasites. Univ. Illinois Press, Urbana, Ill. 224 p.
1971. Animal parasites. Weidenfeld and Nicolson, London. 256 p.
- BAER, J. G., and L. EUZET. 1961. Classe des monogenes. Monogenoidea Bychowsky, p. 243–325. In P.-P. Grassé [ed.] Traité de Zoologie. Vol. IV. Pt. 1. Masson et Cie., Paris.
- BAEVA, O. M. 1970. Nekotorye osobennosti zaražennosti parazitami tikhookeanskoy sayry — *Cololabis saira*, p. 3–5. In V. A. Vodyanitsky [ed.] Voprosy morskoy parazitologii [Problems in marine parasitology]. Izd. Naukova Dumka, Kiev, USSR.
- BAIRD, W. 1847. Additions to the list of Entomosstraca found within the limits of the Berwickshire Naturalists' Club — with a description of the *Caligus stromii*. Hist. Berwicksh. Nat. Club 2: 259–260.
1848. Description of the *Caligus stromii*. Ann. Mag. Nat. Hist., Ser. 2, 1: 396–397.
1850. The natural history of the British Entomosstraca. Ray Society, London. viii + 364 p.
- BANINA, N. N., AND L. S. ISAKOV. 1972. Opyt ekologicheskogo analiza parazitofauny kolyushek [An attempt at ecological analysis of the parasite fauna of sticklebacks]. Izv. Gos. Nauchno-Issled. Inst. Ozern. Rech. Rybn. Khoz. 80: 89–113.
- BARNARD, K. H. 1948. New records and descriptions of new species of parasitic Copepoda from South Africa. Ann. Mag. Nat. Hist., Ser. 12, 1: 242–254.
- 1955a. South African parasitic Copepoda. Ann. S. Afr. Mus. 41: 223–312.
- 1955b. Additions to the fauna-list of South African Crustacea and Pycnogonida. Ann. S. Afr. Mus. 43: 1–107.
1957. Additions to the fauna-list of South African Crustacea. Ann. Mag. Nat. Hist., Ser. 12, 10: 1–12.
- BARYSHEVA, A. F., AND O. N. BAUER. 1957. Parazity ryb Ladozhskogo ozyra [Parasites of fishes of Lake Ladoga]. Izv. Vses. Nauchno-Issled. Inst. Ozern. Rech. Rybn. Khoz. 42: 175–226.
1961. Fish parasites of Lake Ladoga. In G. K. Petrushevsky [ed.] Parasites and diseases of fish. Bull. All-Union Sci. Res. Inst. Freshwater Fish. 42: 171–223. (Transl. from Russian by J. I. Lengy et al., Israel Program for Sci. Transl., Jerusalem, No. 105)
- BASSETT-SMITH, P. W. 1896a. Notes on the parasitic Copepoda of fish obtained at Plymouth, with descriptions of new species. Ann. Mag. Nat. Hist., Ser. 6, 18: 8–16.
- 1896b. A list of the parasitic Copepoda of fish obtained at Plymouth. J. Mar. Biol. Assoc. U.K. New Ser. 4: 155–163.
- 1898a. Some new parasitic copepods found on fish at Bombay. Ann. Mag. Nat. Hist., Ser. 7, 1: 1–17.
- 1898b. Further new parasitic copepods found on fish in the Indo-tropical region. Ann. Mag. Nat. Hist., Ser. 7, 2: 77–98.
- 1898c. Some new or rare parasitic copepods found on fish in the Indo-tropic region. Ann. Mag. Nat. Hist., Ser. 7, 2: 357–372.
1899. A systematic description of parasitic Copepoda found on fishes, with an enumeration of the known species. Proc. Zool. Soc. Lond. 1899(2): 438–507.
1903. On new parasitic Copepoda from Zanzibar and East Africa, collected by Mr. Cyril Crossland, B.A., B.Sc. Proc. Zool. Soc. Lond. 1903(1): 104–109.
- BAUDIN LAURENCIN, F. 1971. Crustacés et helminthes parasites de l'albacore (*Thunnus albacares*) du Golfe de Guinée — note préliminaire. Doc. Sci. Centre Rech. Océanogr. Abidjan 2: 11–30.
- BAUER, O. N., AND N. P. NIKOLSKAYA. 1957. Dynamika parazitofauny Ladozhskogo siga i ee epizootologicheskoe znachenie [Dynamics of the parasite fauna of Ladoga whitefish and its epizootiological importance]. Izv. Vses. Nauchno-Issled. Inst. Ozern. Rech. Rybn. Khoz. 42: 227–242.
1961. Dynamics of the parasitofauna of the whitefish *Coregonus lavaretus* from Lake Ladoga and its epizootic importance. In G. K. Petrushevsky [ed.] Parasites and diseases of fish. Bull. All-Union Sci. Res. Inst. Freshwater Fish. 42: 224–238. (Transl. from Russian by J. I. Lengy et al., Israel Program for Sci. Transl., Jerusalem, No. 105)
- BAZIKALOVA, A. YA. 1932. Materialy po parazitologii murmanskih ryb [Data on the parasitology of Murmansk fishes], p. 136–153. In S. Ya. Mittelman [ed.] Sb. Nauchno-prom. Rab. Murman. Snabtekhizdat, Moscow and Leningrad.

- BELLOC, G. 1960. Catalogue des types de copépodes du Musée océanographique de Monaco. Bull. Inst. Océanogr. (Monaco) 1176: 1-24.
- BENEDEN, G.-J. [P.-J.] VAN. 1851a. Recherches sur quelques crustacés inférieurs. Ann. Sci. Nat. Zool., Ser. 3, 16: 71-131.
- 1851b. Note sur un crustacé parasite nouveau, avec l'énumération des espèces de cette classe qu'on observe sur les poissons du littoral de Belgique. Bull. Acad. R. Belg. Cl. Sci. 18: 286-290.
- BENEDEN, P.-J. VAN. 1852. Note sur quelques parasites d'un poisson rare sur nos côtes (le maigre d'Europe, *Sciaena aquila*, Cuv.). Bull. Acad. R. Belg. Cl. Sci. 19: 98-109.
1861. Recherches sur les crustacés du littoral de Belgique. Mem. Acad. R. Sci. Lett. Belg. 33: 1-174.
1871. Les poissons des côtes de Belgique, leurs parasites et leurs commensaux. Mem. Acad. R. Sci. Lett. Belg. 38: i-xx, 1-100.
1876. Animal parasites and messmates. Henry S. King & Co., London. 274 p.
1892. Quelques nouveaux caligidés de la côte d'Afrique et de l'archipel des Açores. Bull. Acad. R. Belg. Cl. Sci., Ser. 3, 24: 241-262.
- BERE, R. 1930. The parasitic copepods of the fish of the Passamaquoddy region. Contrib. Can. Biol. Fish. New Ser. 5: 423-430.
1936. Parasitic copepods from Gulf of Mexico fish. Am. Midl. Nat. 17: 577-625.
- BLACKER, R. W. 1971. Synopsis of biological data on haddock *Melanogrammus aeglefinus* (Linnaeus) 1758. FAO Fish. Synop. 84: i-v, 1:1-8.
- BOCQUET, C., AND J. H. STOCK. 1963. Some recent trends in work on parasitic copepods. Oceanogr. Mar. Biol. Annu. Rev. 1: 289-300.
- BOGDANOVA, E. A., AND N. P. NIKOLSKAYA. 1965. Parazitofauna ryb Volgi do zaregulirovaniya stoka [Parasite fauna of fishes of the Volga prior to its flow regulation]. Izv. Gos. Nauchno-Issled. Inst. Ozern. Rech. Rybn. Khoz. 60: 5-110.
- BONNET, D. 1948. Some parasitic copepods from Hawaiian fishes. Proc. Hawaii. Acad. Sci. 23: 7.
- BOSC, L. A. G. 1802. Histoire naturelle des crustacés, contenant leur description et leurs mœurs; avec figures dessinées d'après nature. Vol. 2. Deterville, Paris. 296 p.
1830. Manuel de l'histoire naturelle des crustacés, contenant leur description et leurs mœurs; avec figures dessinées d'après nature. 2nd ed. Vol. 2. Roret, Paris. 306 p.
- BRADY, G. S. 1899. On the marine Copepoda of New Zealand. Trans. Zool. Soc. Lond. 15: 31-54.
1910. Die Marinen Copepoden der Deutschen Südpolar-Expedition 1901-1903. Über die Copepoden der Stämme Harpacticoida, Cyclopoida, Notodelphyoida und Caligoida. Dt. Südpol.-Exped. 11, Zool. 3: 497-593.
- BRANDES, C. H. 1956. *Caligus arcticus* n.sp., ein parasitischer Copepode auf *Trachipterus arcticus* Brünnich. Veröff. Inst. Meeresforsch. Bremerhaven 4: 171-181.
- BRESCIANI, J., AND J. LÜTZEN. 1962. Parasitic copepods from the west coast of Sweden including some new or little known species. Vidensk. Medd. Dan. Naturhist. Foren. Kbh. 124: 367-408.
- BRIAN, A. 1898a. Catalogo di copepodi parassiti dei pesci della Liguria. Atti Soc. Ligust. Sci. Nat. Geogr. 9: 203-229.
- 1898b. Catalogo di copepodi parassiti dei pesci della Liguria. Boll. Mus. Zool. Anat. Comp. R. Univ. Genova 61: 1-27. (Reissued in same year as part of Vol. 3.)
- 1898c. Les crustacés parasites des poissons de la Ligurie. Cosmos, Paris 38: 170-172.
- 1899a. Di alcuni crostacei parassiti dei pesci dell'Isola d'Elba. Atti Soc. Ligust. Sci. Nat. Geogr. 10: 3-10.
- 1899b. Di alcuni crostacei parassiti dei pesci dell'Isola d'Elba. Boll. Mus. Zool. Anat. Comp. R. Univ. Genova 70: 1-10. (Reissued in 1901 as part of Vol. 4.)
- 1899c. Crostacei parassiti dei pesci dell'Isola d'Elba. (II. Contribuzione). Boll. Mus. Zool. Anat. Comp. R. Univ. Genova 85: 1-11. (Reissued in 1901 as part of Vol. 4.)
1900. Crostacei parassiti dei pesci dell'Isola d'Elba. (II. Contribuzione). Atti Soc. Ligust. Sci. Nat. Geogr. 10: 197-207.
- 1902a. Note su alcuni crostacei parassiti dei pesci del Mediterraneo. Atti Soc. Ligust. Sci. Nat. Geogr. 13: 30-45.
- 1902b. Note su alcuni crostacei parassiti dei pesci del Mediterraneo. Boll. Mus. Zool. Anat. Comp. R. Univ. Genova 115: 1-10. (Reissued in 1905 as part of Vol. 5.)
1903. Sui copepodi parassiti di pesci marini dell'Isola d'Elba. 4a nota. Boll. Mus. Zool. Anat. Comp. R. Univ. Genova 121: 1-8.
- 1905a. Nouveau copépode parasite. Arch. Parasit. 9: 564-567.
- 1905b. Sui copepodi raccolti nel golfo di Napoli da Oronzio G. ed Achille Costa. Annuař. R. Mus. Zool. R. Univ. Napoli New Ser. 1(24): 1-11.
1906. Copepodi parassiti dei pesci d'Italia. Genoa, Ital. 190 p.
- 1908a. Note préliminaire sur les copépodes parasites des poissons provenant des compagnes scientifiques de S.A.S. le Prince Albert 1er de Monaco ou déposés dans les collections du Musée Océanographique. Bull. Inst. Océanogr. (Monaco) 110: 1-19.
- 1908b. La presenza del *Caligus rapax* (copepode parassita) nel Mediterraneo. Boll. Nat. 28: 96-98.

1912. Copépodes parasites des poissons et des Echinides provenant des campagnes scientifiques de S.A.S. le Prince Albert 1er de Monaco. Résult. Camp. Scient. Prince Albert I 38: 1-58.
- 1914a. Copépodes parasites provenant des récentes campagnes scientifiques de S.A.S. le Prince Albert Ier de Monaco ou déposés dans les collections du Musée Océanographique. Bull. Inst. Océanogr. (Monaco) 286: 1-14.
- 1914b. Nuove aggiunte al catalogo dei copepodi parassiti dei pesci viventi nel Mare Ligustico. Atti Soc. Ligust. Sci. Nat. Geogr. 25: 133-137.
1924. Parasitologia Mauritanica. Matériels pour la faune parasitologique en Mauritanie. Arthropoda (1<sup>re</sup> partie). Copepoda. Bull. Com. Étud. Hist. Scient. Afr. Occid. Fr. 1924: 365-427.
1929. Copépodes parasites de poissons et d'annélide provenant des campagnes scientifiques de S.A.S. le Prince Albert 1er de Monaco. Résult. Camp. Scient. Prince Albert I 76: 1-31.
- 1931a. Description d'une nouvelle espèce de *Caligus* (copépode parasite) de la Méditerranée. Bull. Soc. Hist. Nat. Afr. Nord 22: 119-120.
- 1931b. Sur la synonymie du *Caligus argilasi* Brian (1931) avec le *Caligus pageti* Russel (1925). Bull. Soc. Hist. Nat. Afr. Nord 22: 157.
1932. Description d'une espèce nouvelle de *Caligus* (*Caligus dieuzeidei*) du *Diplodus sargus* L. Sur quelques copépodes parasites d'Algérie. Bull. Trav. Stn. Aquic. Pêche Castiglione 1931(2): 46-60.
1935. I *Caligus* parassiti dei pesci del Mediterraneo (copepodi). Ann. Mus. Civ. Stor. Nat. 'Giacomo Doria' 57: 152-211.
1939. Copépodes parasites recueillis par M. E. Darteville à l'embouchure du fleuve Congo. Rev. Zool. Bot. Afr. 32: 176-198.
1944. Copepodos parásitos de peces y cetaceos del Museo Argentino de Ciencias Naturales. An. Mus. Cien. Nat. Argent. 41: 193-220.
- BRUNEL, P. 1970. Catalogue d'invertébrés benthiques du golfe Saint-Laurent recueillis de 1951 à 1966 par la Station de Biologie marine de Grande-Rivière. Trav. Pêch. Qué. 32: 1-55.
- BURMEISTER, H. 1835. Beschreibung einiger neuen oder weniger bekannten Schmarotzerkrebse, nebst allgemeinen Betrachtungen über die Gruppe, welcher sie angehören. Nova Acta Leopold. 17: 269-336.
- BYKHOVSKAYA-PAVLOVSKAYA, I. E. 1949. Parazito-fauna okunya (*Perca fluviatilis* L.) i vliyanie nekotorykh ekologicheskikh faktorov na ee izmeneniya [The parasite fauna of perch (*Perca fluviatilis* L.) and the influence of some ecological factors on its change]. Izv. Akad. Nauk SSSR Ser. Biol. 3: 316-339.
- BYKHOVSKAYA-PAVLOVSKAYA, I. E., ET AL. 1962. Opredelitel parazitov presnovodnykh ryb SSSR [Key to the parasites of freshwater fishes of the USSR]. Izd. Akad. Nauk SSSR, Moscow and Leningrad, 776 p.
1964. Key to parasites of freshwater fish of the USSR. 919 p. (Transl. from Russian by A. Birron and Z. S. Cole, Israel Program for Sci. Transl., Jerusalem, No. 1136)
- BYKOVA, E. G. 1939. K poznaniyu parazitofauny promyslovykh ryb oz. Charkhal [Contribution to the knowledge of the parasite fauna of commercial fishes of Lake Charkhal]. Uchen. Zap. Leningr. Gos. Univ. Ser. Biol. Nauk 11: 33-43.
- CAMERON, T. W. M. 1956. Parasites and parasitism. Methuen & Co., London, and John Wiley and Sons, New York, N.Y. 322 p.
- CAPART, A. 1941. Résultats scientifique des croisières du navire-école Belge "Mercator." Vol. III. 5. Copepoda parasitica. Mém. Mus. R. Hist. Nat. Belg., Ser. 2, 21: 171-197.
1953. Quelques copépodes parasites de poissons marins de la région de Dakar. Bull. Inst. Fr. Afr. Noire 15: 647-671.
1959. Copépodes parasites. Result. Scient. Expédi. Océanogr. Belg. Eaux Côt. Afr. Atlant. Sud (1948-1949), 3(5): 55-126.
- CARUS, J. V. 1885. Prodromus faunae mediterraneae. Vol. 1. Coelenterata, Echinodermata, Vermes, Arthropoda. E. Schweizerbart, Stuttgart, Ger. xi + 524 p.
- CARVALHO, J. DE PAIVA. 1951. Notas sobre alguns copépodos parásitos de peixes marítimos da costa do estado de São Paulo. Bol. Inst. Oceanogr. São Paulo, Brazil 2: 135-144.
1956. *Caligus oligoplitis* sp.n. copepodo parásito del "zapatero" *Oligoplitis saliens* (Bloch). Neotropica 2: 15-19.
- CAUSEY, D. 1953a. Parasitic Copepoda from Grand Isle, Louisiana. Occas. Pap. Mar. Lab. La. State Univ. 7: 1-18.
- 1953b. Parasitic Copepoda of Texas coastal fishes. Publ. Inst. Mar. Sci. Univ. Tex. 3: 6-16.
1955. Parasitic Copepoda from Gulf of Mexico fish. Occas. Pap. Mar. Lab. La. State Univ. 9: 1-19.
1960. Parasitic Copepoda from Mexican coastal fishes. Bull. Mar. Sci. Gulf Caribb. 10: 323-337.
- CHAPLINA, O. M., AND L. M. ANTSISHKINA. 1961. Materiali do parazitofauni rib malikh rizokh pivnichnogo Priazovya [Data on the parasite fauna of fishes in small rivers of the northern Azov area]. Dopov. Akad. Nauk Ukr. RSR 1961, 2: 247-250.
- CHERNYAVSKY, V. 1868. Materialy dlya sravnitelnoy zoografii Ponta, dolzhenstvuyushche posluzhit osnovanem dlya "genealogii rakoobraznykh" [Data on comparative zoogeography of the Pontic region, which are intended to serve as

- a basis for genealogy of Crustacea]. Tr. Pervogo. Sezda Russk. Estestvoispyt. St. Petersb., Otd. Zool. p. 19–136.
- CHILTON, C., AND G. M. THOMSON. 1904. Crustacea, p. 247–275. In F. W. Hutton [ed.] Index faunae Novae Zealandiae. Dulau and Co., London.
- CLAUS, C. 1864. Beiträge zur Kenntniß der Schmarotzerkrebsen. Z. Wiss. Zool. 14: 365–383.
- CLEUGH, T. R. 1966. *Caligus vicarius* Hewitt, 1966 (Caligidae: Copepoda), an invalid name. Can. J. Zool. 44: 771–772.
- CRESSEY, R. 1967. Revision of the family Pandaridae (Copepoda; Caligoida). Proc. U.S. Natl. Mus. 121(3570): 1–133.
- CRESSEY, R. F. 1967. Genus *Glolopotes* and a new species with notes on host specificity and intraspecific variation (Copepoda; Caligoida). Proc. U.S. Natl. Mus. 122(3600): 1–22.
1969. Five new parasitic copepods from California inshore fish. Proc. Biol. Soc. Wash. 82: 409–428.
- CRESSEY, R. F., AND B. B. COLLETTE. 1970. Copepods and needlefishes: a study in host-parasite relationships. U.S. Fish Wildl. Serv. Fish. Bull. 68: 347–432.
- CUÉNOT, L. C. 1927. Contributions à la faune du Bassin d'Arcachon. IX. Revue générale de la faune et bibliographie. Bull. Stn. Biol. Arcachon. 24: 229–308.
- CUVIER, G. 1798. Tableau élémentaire de l'histoire naturelle des animaux. Baudoin, Paris. 710 p.
1817. Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée. Vol. III. Déterville, Paris. 653 p.
1836. Le règne animal. Troisième édition. Vol. 2. Louis Hauman et Cie., Bruxelles, Belg. 494 p.
1854. The animal kingdom, arranged according to its organization. W. S. Orr and Co., London. 718 p.
- DALLA TORRE, K. W. VON. 1889. Die Fauna von Helgoland. Zool. Jahrb. Syst. Suppl. 2: 1–99.
- DANA, J. D. 1852. Conspectus crustaceorum quae in orbis terrarum circumnavigatione Carolo Wilkes e classe reipublicae faederatae duce. Pars II. Proc. Am. Acad. Art Sci. 2: 9–61.
1853. Crustacea. United States Exploring Expedition during the years 1838–42 under the command of Charles Wilkes, U.S.N. 13: 686–1618.
1855. Atlas. Crustacea. United States Exploring Expedition during the years 1838–42 under the command of Charles Wilkes, U.S.N. (Plates for Dana 1853)
- DANIEL, A., AND K. V. RAMA RAO. 1967. Parasitic copepods, *Caligus polycanthi* Gnanamuthu infesting a balistid fish, from south-eastern Indian Ocean. Curr. Sci. (Bangalore) 36: 582–583.
- DAVIS, C. C. 1968. Mechanisms of hatching in aquatic invertebrate eggs. Oceanogr. Mar. Biol. Annu. Rev. 6: 325–376.
- DAWES, B. 1946. The Trematoda with special reference to British and other European forms. University Press, Cambridge, U.K. 644 p. (Reprinted 1956)
1947. The Trematoda of British fishes. Ray Society, London. 364 p.
1956. See Dawes (1946).
- DE KAY, J. E. 1844. Zoology of New-York, or the New-York fauna. Pt. VI. Crustacea. Carroll & Cook, Albany, N.Y. 70 p.
- DELAMARE DEBOUTTEVILLE, C. 1950a. Copépodes parasites des poissons de Banyuls (1<sup>re</sup> Série). Vie Milieu 1: 305–309.
- 1950b. *Udonella caligororum* Johnston (1835), trématode monogénétique, phorétique du copépode *Caligus minimus* Otto. Vie Milieu 1: 362–363.
- DELAMARE DEBOUTTEVILLE, C., AND L. NUNES-RUIVO. 1958. Copépodes parasites des poissons Méditerranéens (4<sup>e</sup> Série). Vie Milieu 9: 215–235.
- DESMAREST, A. G. 1825. Considerations générales sur la classe des crustacés, et description des espèces de ces animaux, qui vivent dans la mer, sur les côtes, ou dans les eaux douces de la France. F. G. Levraud, Paris. 446 p.
- DIENSKA, H. 1968. A survey of the metazoan parasites of the rabbit-fish, *Chimaera monstrosa* L. (Holocephali). Neth. J. Sea Res. 4: 32–58.
- DOGIEL, V. A. 1945a. Vliyanie preryvistogo rasprostraneniya khozyaina na ego parazitofaunu. Sravnenie parazitofauny kazakhstanskogo i dalnevostochnogo sozhanov [Influence of discontinuous distribution of the host on its parasite fauna. Comparison of the parasite fauna of carp from Kazakhstan and the Far East]. Izv. Akad. Nauk Kaz. SSR Ser. Zool. 4: 5–8.
- 1945b. Analiz parazitofauny osetrovych i otsenka ee patogenennogo znachenija [Analysis of the parasite fauna of acipenserids and assessment of its pathogenic importance]. Izv. Akad. Nauk Kaz. SSR Ser. Zool. 4: 9–19.
1962. Obschaya parazitologiya [General parasitology]. Revised by Yu. I. Polyansky and E. M. Kheisin. Izd. Leningrad Univ., Leningrad, USSR. 464 p.
1963. Allgemeine Parasitologie. Parasitol. Schriftenr. 16: 1–523. (Transl. from Russian by A. Peters and G. Peters.)
1964. General parasitology. Oliver and Boyd, Edinburgh and London. 516 p. (Transl. from Russian by Z. Kabata.)
- DOGIEL, V. A., AND B. E. BYKHOVSKY. 1934. Fauna parazitov ryb Aralskogo morya [Parasite fauna of fishes of the Aral Sea]. Parazitol. Sb. 4: 241–346.

1938. Parazity ryb Kaspiiskogo morya [Parasites of fishes of the Caspian Sea]. Tr. Kom. Kompleks. Izuch. Kasp. Morya 7: 1-151. (In Russian, English summary)
- DOGIEL, V. A., G. K. PETRUSHEVSKY, AND YU. I. POLYANSKY. [ed.] 1958. Osnovnye problemy parazitologii ryb [Basic problems in parasitology of fishes]. Izd. Leningrad Univ., Leningrad, USSR. 364 p.
- DOGIEL, V. A., G. K. PETRUSHEVSKY, and YU. I. POLYANSKI. [ed.] 1961. Parasitology of fishes. Oliver and Boyd, Edinburgh and London. 384 p. (Transl. from Russian by Z. Kabata.)
- DOLLFUS, R. PH. 1943. Sur un copépode (gen. *Demoleus* C. Heller) parasite d'*Hexanchus*. Bull. Inst. Océanogr. Monaco 851: 1-10.
1946. Essai de catalogue des parasites poisson-lune *Mola mola* (L. 1758) et autres Molidae. Ann. Soc. Sci. Nat. Charente-Marit. New Ser. 3: 70-76.
1948. Epizoiques (animaux et végétaux) sur les copépodes parasites. Feuill. Nat. New Ser. 3: 23-27.
1952. Parasites du *Germo alalunga* (J. F. Gmelin 1788). J. Cons. Perma. Int. Explor. Mer 18: 42-44.
1953. Aperçu général sur l'histoire naturelle des parasites animaux de la morue Atlantico-Arctique *Gadus callarias* L. (= *morrhua* L.) et leur distribution géographique. Encycl. Biol. 43: 1-426.
1956. Liste des parasites animaux du hareng de l'Atlantique Nord et de la Baltique. J. Cons. Perma. Int. Explor. Mer 22: 58-65.
1970. Variation chez *Caligus elongatus* Al. von Nordmann 1832. Proc. 2nd Int. Congr. Parasitol. Pt. 4. p. 47.
1971. Variation chez *Caligus elongatus* Al. von Nordmann 1832. J. Parasitol. 57(4, Sect. 2, Pt. 1): 47.
- DONTSOV, YU. S., AND N. A. KOSAREVA. 1969. Parazitofauna chastikovykh ryb vodoemov Volgogradskoy oblasti [Parasite fauna of the common fishes in the waters of the Volgograd district], p. 221-305. In G. S. Markov [ed.] Paraziticheskie zhivotnye Volgogradskoy oblasti [Parasitic animals of the Volgograd district]. Volgograd Ped. Inst., Volgograd, USSR.
- DUDICH, E. 1967. Systematisches Verzeichnis der Tierwelt der Donau mit einer zusammenfassenden Erläuterung, p. 4-69. In E. Liepolt [ed.] Limnol. Donau 3.
- DUIJN, C. VAN. 1956. Diseases of fishes. Water Life, London. 174 p.
1967. Diseases of fishes. 2nd ed. Iliffe Books, Ltd., London. 309 p.
- DYK, V. 1954. Nemoci našich ryb. Naklad. Československé Akad. Věd. Prague. 392 p.
- EDWARDS, H. M. 1837. Les crustacés, p. 1-278. In G. Cuvier, Le règne animal. [Edition des Disciples]. Pt. 8. Fortim, Masson et Cie, Paris. (Reprinted in 1849)
1840. Histoire naturelle des crustacés, comprenant l'anatomie, la physiologie et la classification de ces animaux. Vol. 3. Roret, Paris. 605 p.
- EKIMOVA, I. V. 1962. Materialy po parazitofaune ryb r. Pechori [Data on the parasite fauna of fishes of the Pechora R.]. Vopr. Ikhtiol. 2(old series no. 24): 542-546.
- ERICHSON, W. F. 1847. Entomology, p. 116-211. In Reports on zoology for 1843, 1844. Ray Society, London.
- EVANS, W. 1906. *Laemargus muricatus*, Kröy., on a sunfish captured in the Firth of Forth. Ann. Scot. Nat. Hist. 57: 57.
- FABRICIUS, O. 1780. Fauna Groenlandica. Hafniae et Lipsiae. XVI. 452 p.
- FAGETTI, E., AND J. STUARDO. 1961. Copépodos parásitos chilenos III. Redescripción de *Caligus teres* Wilson y nueva localidad para la especie Japonesa *Trebis akajeii* Shiino. Gayana Zool. Ser. No. 3: 1-14.
- FERRIS, G. F., and L. M. HENRY. 1949. The nervous system and the problem of homology in certain Crustacea (Crustacea: Copepoda: Caligidae). Microentomology 14: 114-120.
- FRASER, C. M. 1920. Copepods parasitic on fish from the Vancouver Island region. Trans. R. Soc. Can. (Sect. 5, Ser. 3) 13: 45-67.
- FRASER, J. H. 1962. Nature adrift, the story of marine plankton. G. T. Foulis and Co., London. 178 p.
- FREY, H., AND R. LEUCKART. 1847. Beiträge zur Kenntniß wirbelloser Thiere mit besonderer Berücksichtigung der Fauna des Norddeutschen Meeres. F. Vieweg und Sohn, Braunschweig, Ger. 170 p.
- FUJITA, T. 1937. [Diseases of fishes.] Koseikaku, Tokyo. 304 p. (In Japanese)
1943. [Diseases of fish and shellfish.] Koa Nippon Book Co., Tokyo. 227 p. (In Japanese)
- FUKUI, T. 1956. [On some Japanese parasitic copepods.] Kantō Gakuin Tanki Daigaku, Tan Dai Ronsō [Collected Papers, Kantō Acad. Junior College] 8: 46-56. (In Japanese)
1957. [A list of Japanese parasitic copepods with a short note on some materials obtained at Kanazawa-Hakkei (Yokohama).] Yokohama Daigaku Ronsō [Shizen Kagaku Keiretsu] [Collected Papers, Yokohama Univ., 8 (Nat. Hist. Ser.)] 1: 55-73. (In Japanese)
- GADD, P. 1904. Parasit — copepoder i Finland. Acta Soc. Fauna Flora Fenn. 26(8): 1-60.
1906. En ny parasit — copepod från Kaspiska havet. Ark. Zool. 3(15): 1-9.
1910. En ny parasit — copepod från Ishafvet. Öfvers. Fin. Vetensk. Soc. Förh. 52, Afd. A 6: 1-8.

- GERSTAECKER, A. 1853. Ueber eine neue und eine weniger bekannte Siphonostomae-Gattung. Arch. Naturgesch. 19: 58–70.
- 1866–1879. Die Klassen und Ordnungen der Arthropoden. In H. G. Bronn [ed.] Die Klassen und Ordnungen des Thierreichs. Vol. 5. Pt. 1, Crustacea (1st half). C. F. Winter, Leipzig und Heidelberg, Ger. 1320 p.
- GETSEVICHYUTE, S. Yu. 1958. Parazitofauna ryb zaliva Kurshyu Maryos [Parasite fauna of fishes of Kurshyu Maryos Bay]. Liet. TSR Moksij Akad. Darb. 3: 101–137.
- GISSLER, C. G. 1883. A new parasitic copepod crustacean. Am. Nat. 17: 885–887.
- GNANAMUTHU, C. P. 1947. *Caligus sciaenae* n. sp. parasitic on *Sciaena glauca* from Madras. Proc. Indian Acad. Sci., Sect. B, 25: 43–49.
1948. Notes on the anatomy and physiology of *Caligus savala*, n. sp., a parasitic copepod from Madras plankton. Proc. Zool. Soc. Lond. 118: 591–606.
1949. Sex differences in four genera of copepods parasitic on Indian fishes. Proc. 35th Indian Sci. Congr. (1948) Pt. III, P. 194.
- 1950a. Sex differences in the chalimus and adult forms of *Caligus polycanthi* sp. nov. (Crustacea: Copepoda) parasitic on *Balistes maculatus* from Madras. Rec. Indian Mus. (Calcutta) 47 (1949): 159–170.
- 1950b. Three new copepod parasites of the ribbon fish from South India. J. Parasitol. 36: 113–119.
- GOODSIR, H. D. S. 1842. On a new genus, and on six new species of Crustacea, with observations on the development of the egg, and on the metamorphoses of *Caligus*, *Carcinus* and *Pagurus*. Edinb. New Phil. J. 33: 174–192.
- GOREGLYAD, KH. S. 1955. Bolezni i vrediteli ryb [Diseases and pests of fish]. Gos. Izd. Selskokhoz. Lit., Moscow. 285 p.
- GOSSE, P. H. 1855. A manual of marine zoology for the British Isles. Pt. I. J. van Voorst Co., London. 203 p.
- GUILLART, M. 1937. Recherches sur les copépodes parasites (biologie, spermatogénèse et ovogénèse). Trav. Stn. Zool. Wimereux 12: 308–457.
- GOULD, A. A. 1841. Report on the Invertebrata of Massachusetts, comprising the Mollusca, Crustacea, Annelida, and Radiata. Cambridge, Mass. 373 p.
- GRABDA, E., AND J. GRABDA. 1959. Materiały do znajomości pasożytniczych widłonogów (Copepoda parasitica) Polski. Fragm. Faun. (Warsaw) 8: 181–190.
- GRABDA, J. 1956a. Występowanie *Caligus lacustris* Stp. et Lütk. w Polsce. Pol. Arch. Hydrobiol. 3: 161–162.
- 1956b. Uwagi na temat badań nad pasożytniczymi widłonogami Polski. Wiad. Parazytol. 2: 223–226.
1961. Pasożytnicze widłonogi — Copepoda parasitica ryb Zalewu Wiślanego. Wiad. Parazytol. 7(2, suppl.): 179–181. (In Polish and English).
1962. Pasożytnicze widłonogi (Copepoda parasitica) ryb Zalewu Wiślanego. Pr. Morsk. Inst. Ryb, Gdyni 11A: 275–286.
1967. Widłonogi pasożytnicze (Copepoda parasitica) i tarczenice (Branchiura). Kat. Fauny Pol. 12(5): 1–27.
1971. Katalog fauny pasożytniczej Polski. Część II. Pasożty Krągloustych i ryb. Państwowe Wyd. Nauk., Warszawa and Wrocław, Pol. 304 p.
- GRAEFFE, E. 1900. Übersicht der Fauna des Golfs von Triest nebst Notizen über Vorkommen, Lebensweise, Erscheinungs- und Laichzeit der einzelnen Arten. V. Crustacea. Arb. Zool. Inst. Univ. Wien 13: 33–80.
- GUÉRIN MÉNEVILLE, F. E. 1829–1843. Iconographie du règne animal de G. Cuvier. Crustacés. J. B. Baillière, Paris and London.
- GUIART, J. 1913. Crustacés commensaux et parasites de la baie de Concarneau. Bull. Inst. Océanogr. (Monaco) 264: 1–11.
- GUIBÉ, J. 1936. Remarques sur *Caligus rapax* Milne Edwards, copépode parasite de poissons, recueilli sur *Cyclopterus lumpus* L. Bull. Soc. Linn. Normandie, Sér. 8, 8: 20–22.
- GURNEY, R. 1927. Report on Crustacea: Copepoda (littoral and semi-parasitic). Trans. Zool. Soc. Lond. 22: 451–577.
1933. British fresh-water Copepoda. Vol. III. Ray Society, London. xxix + 384 p.
1934. The development of certain parasitic Copepoda of the families Caligidæ and Clavellidæ. Proc. Zool. Soc. Lond. (1934): 177–217.
1947. Some remarks on the morphology of the Copepoda. Ann. Mag. Nat. Hist., Ser. 11, 14: 493–500.
- GUSEV, A. V. 1951. Paraziticheskie Copepoda s nekotorykh morskikh ryb [Parasitic Copepoda of some marine fishes]. Parazitol. Sb. 13: 394–463.
- HAMOND, R. 1969. The copepods parasitic on Norfolk marine fishes. Trans. Norfolk Norwich Nat. Soc. 21: 229–234.
- HANSEN, H. J. 1923. Crustacea Copepoda II. Copepoda parasita and hemiparasita. Dan. Ingolf-Exped. 3(7): 1–92.
- HEEGAARD, P. 1943a. Some new caligidæ from the Gilbert Islands. Ark. Zool. 34A(16): 1–12.
- 1943b. Parasitic copepods mainly from tropical and antarctic seas. Ark. Zool. 34A(18): 1–37.
1945. Some parasitic copepods from fishes in the Uppsala University collections. Ark. Zool. 35A(18): 1–27.
1947. Contributions to the phylogeny of the arthropods. Copepoda. Spolia Zool. Mus. Haun. 8: 1–236.

1949. Notes on parasitic copepods. Vidensk. Medd. Dan. Naturhist. Foren. Kbh. 111: 235-245.
1955. Parasitic copepods from Tropical West Africa. Atl. Rep. 3: 41-56.
1962. Parasitic Copepoda from Australian waters. Rec. Aust. Mus. Syd. 25: 149-233.
1963. Proposed homology in the spawning apparatus of the decapods and the copepods. Vidensk. Medd. Dan. Naturhist. Foren. Kbh. 125: 311-320.
1964. New names for *Caligus dentatus* and *Hatschekia elongata*. Crustaceana 6: 319-320.
1966. Parasitic copepods from Texas. Vidensk. Medd. Dan. Naturhist. Foren. Kbh. 129: 187-197.
1972. Caliginae and Euryphorinae of the Dana Expedition (Crustacea, Copepoda, Caligidae). Steenstrupia 2: 295-317.
- HELLER, A. F. 1949. Parasites of cod and other marine fish from the Baie de Chaleur region. Can. J. Res. Sect. D. 27: 243-264.
- HELLER, C. 1865. Crustaceen. Reise der Österreichenischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859. Zool. Theil. 2(3): 1-280.
1866. Carcinologische Beiträge zur Fauna des Adriatischen Meeres. Verh. Zool.-Bot. Ges. Wien 16: 723-760.
- HERDMAN, W. A. 1891. The biological results of the cruise of the S. Y. "Argo" round the west coast of Ireland in August, 1890. Trans. Liverpool Biol. Soc. 5: 181-212.
- HEWITT, G. C. 1963. Some New Zealand parasitic Copepoda of the family Caligidae. Trans. R. Soc. N.Z. Zool. 4: 61-115.
- 1964a. The postchalinus development of *Lepeophtheirus polyprioni* Hewitt, 1963 (Copepoda: Caligidae). Trans. R. Soc. N.Z. Zool. 4: 157-159.
- 1964b. A redescription of *Gloiopterus huttoni* (Thomson, 1889), with a key to the species of the genus. Trans. R. Soc. N.Z. Zool. 5: 85-96.
- 1964c. A new species of *Caligus* (Copepoda) on a species of *Tripterygion* from New Zealand. Trans. R. Soc. N.Z. Zool. 5: 123-130.
1967. Some New Zealand parasitic Copepoda of the family Pandaridae. N.Z. J. Mar. Freshwater Res. 1: 180-264.
1968. Some New Zealand parasitic Copepoda of the family Anthosomidae. Zool. Publ. Victoria Univ. Wellington 47: 1-31.
- 1971a. Species of *Lepeophtheirus* (Copepoda, Caligidae) recorded from the ocean sunfish (*Mola mola*) and their implications for the caligid genus *Dentigryps*. J. Fish. Res. Board Can. 28: 323-334.
- 1971b. Two species of *Caligus* (Copepoda, Caligidae) from Australian waters, with a description of some developmental stages. Pac. Sci. 25: 145-164.
- HEWITT, G. C., AND P. M. HINE. 1972. Checklist of parasites of New Zealand fishes and of their hosts. N.Z. J. Mar. Freshwater Res. 6: 69-114.
- HO, J.-S. 1963. On five species of Formosan parasitic copepods belonging to the suborder Caligoida. Crustaceana 5: 81-98.
1966. Three species of Formosan copepods parasitic on fishes. Crustaceana 11: 163-177.
- HOFER, B. 1906. Handbuch der Fischkrankheiten. E. Schweizerbart Verlag., Stuttgart, Ger. 359 p.
- HOLTHUIS, L. B. 1969. Thomas Say as a carcinologist, p. v-xv. (Introduction to reprint of "An account of the Crustacea of the United States" by Thomas Say). J. Cramer, Lehre, Ger.
- HOTTA, H. 1962. The parasitism of saury (*Cololabis saira*) infected with parasitic Copepoda, *Caligus macarovi* Gussev, during fishing season in 1961. Bull. Tohoku Reg. Fish. Res. Lab. 21: 50-56.
- HUMES, A. G. 1957. Two new caligid copepods from Egyptian fishes. J. Parasitol. 43: 201-208.
1965. *Sciaenophilus inopinus* Humes, 1957, a synonym of *Sciaenophilus pharaonis* (Nordmann, 1832) comb. n. (Copepoda: Caligidae). J. Parasitol. 51: 1009-1010.
- HUMPHREY, J. M., AND D. B. SEGAL. 1966. Index-catalogue of medical and veterinary zoology. Suppl. 15. Parasite-subject catalogue. Parasites: Arthropoda, Merozoa, Coelenterata, Mollusca, and Annelida. U.S. Gov. Print. Off., Washington, D.C. 88 p.
- HWA, T.-K. 1965. Studies on the life history of a fish-louse (*Caligus orientalis* Gussev). Acta Zool. Sin. 17: 48-58. (In Chinese, English summary)
- INTERNATIONAL COMMISSION ON ZOOLOGICAL NOMENCLATURE (ICZN). 1971. Opinion 943. *Caligus appendiculatus* F. Müller, 1852 (Crustacea, Copepoda): suppressed under the plenary powers. Bull. Zool. Nomencl. 27: 220-221.
- ISAKOVA-KEO, M. M. 1952. Parazitofauna ugaya (*Leuciscus brandti*) i ee osobennosti [Parasite fauna of *Leuciscus brandti* and its characteristic features]. Uch. Zap. Leningr. Gos. Univ. Ser. Biol. Nauk. No. 141, 28: 230-237.
- ISKOV, M. P. 1965. Parazity leshcha i serebryanogo karasya iz prudov Vasilevskogo nerestovo-vyrastnogo rybnogo khozyaistva Kakhovskogo vodokranilishcha [Parasites of the bream and goldfish from ponds of the Vasilev fish farm of the Kakhov reservoir]. Probl. Parazitol. (Kiev) 1965: 220-225.
- IZAWA, K. 1969. Life history of *Caligus spinosus* Yamaguti, 1939 obtained from cultured yellow tail, *Seriola quinqueradiata* T. & S. (Crustacea: Caligidae). Rep. Fac. Fish. Prefect. Univ. Mie 6: 127-157.
- JESPERSEN, P. 1939. The zoology of East Greenland. Copepods. Medd. Grønl. 121(3): 1-66.

- JOHNSTON, G. 1824. Notice respecting the genus *Caligus* of Leach. Edinb. Phil. J. 10: 292–294.
- JOHNSTONE, J., A. SCOTT, AND W. C. SMITH. 1924. Report on: I. The Irish Sea cod fishery. II. The cod as food fish. III. Parasites and diseases of the cod. Fish. Invest. Lond., Ser. 2, 6(7): 1–27.
- JORGENSEN, O. M. 1918. Faunistic notes: *Nematoscelis megalops* Sars; *Caligus curtus* Müller. Rep. Dove Mar. Lab. New Ser. 7: 65–67.
- KABATA, Z. 1965. Copepoda parasitic on Australian fishes. IV. Genus *Caligus* (Caligidae). Ann. Mag. Nat. Hist., Ser. 13, 8: 109–126.
1967. Copepoda parasitic on Australian fishes. VI. Some caligoid species. Ann. Mag. Nat. Hist., Ser. 13, 9: 563–570.
1968. Two species of *Caligus* (Caligidae) from New Caledonia. Crustaceana, Suppl. 1 (Studies on Copepoda): 1–10.
1970. Crustacea as enemies of fishes. In S. F. Snieszko and H. R. Axelrod [ed.] Diseases of fishes. Book 1. T. F. H. Publications, Inc., Jersey City, N. J. 171 p.
- 1972a. Developmental stages of *Caligus clemensi* (Copepoda: Caligidae). J. Fish. Res. Board Can. 29: 1571–1593.
- 1972b. *Caligus chelifer* Wilson, 1905 (Copepoda: Caligidae), with a description of the male. Proc. Biol. Soc. Wash. 85: 389–398.
- KABATA, Z., AND A. V. GUSEV. 1966. Parasitic Copepoda of fishes from the collection of the Zoological Institute in Leningrad. J. Linn. Soc. Lond. Zool. 46: 155–207.
- KABATA, Z., AND G. C. HEWITT. 1971. Locomotory mechanisms in Caligidae (Crustacea: Copepoda). J. Fish. Res. Board Can. 28: 1143–1151.
- KAJ, J. 1954. *Caligus lacustris* Stp. et Ltk. Materiały do znajomości pasożytniczych widłonogów Polski. Pol. Arch. Hydrobiol. 1 (1953): 45–48.
- KAMENEV, V. P. 1959. Parazitofauna glavnichikh promyslovikh ryb priazovskikh limanov [Parasite fauna of the principal commercial fishes of the Azov limans]. Tr. Soveshch. Ikhtiol. Kom. Akad. Nauk SSSR 9: 158–162.
1963. Parasitofauna of the most important commercial fish of the Azov limans. In Proceedings of the conference on fish diseases. Acad. Sci. USSR, Ichthyol. Comm., Conf. Proc. 9: 164–169. (Transl. from Russian by A. Mercado, Israel Program for Sci. Transl., Jerusalem, No. 620)
- KAZACHENKO, V. N., V. D. KOROTAEVA, AND YU. V. KUROCHKIN. 1972. Paraziticheskie rakoobraznye nekotorykh ryb Tikhogo okeana [Parasitic copepods of some fishes from the Pacific Ocean]. Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 81: 224–238.
- KENSLEY, B. 1970. A new species of *Caligus* from South West Africa (Copepoda, Caligidae). Crustaceana 18: 167–172.
- KIRTISINGHE, P. 1937. Parasitic copepods of fish from Ceylon. II. Parasitology 29: 435–452.
1950. Parasitic copepods of fish from Ceylon. III. Parasitology 40: 77–86.
1956. Parasitic copepods of fish from Ceylon IV. Parasitology 46: 14–21.
1964. A review of the parasitic copepods of fish recorded from Ceylon, with description of additional forms. Bull. Fish. Res. Stn. Ceylon 17: 45–132.
- KOVAL, V. P. 1961. Paraziti rib Dniprovskego limanu [Parasites of fishes of the Dnieper "liman"]. Visn. Kiyv. Univ. Ser. Biol. No. 4, 2: 81–86.
1962. Parazitofauna rib delti Dnipro [Parasite fauna of fishes from the Dnieper delta]. Visn. Kiyv. Univ. Ser. Biol. No. 5, 1: 98–103.
- KOZICKA, J. 1956. Paszozyty ryb jeziora Gołdapiwo. Wiad. Parazytol. 2(5, suppl.): 207–208.
- KOZIKOWSKA, Z. 1956. Skorupiaki (Crustacea) paszozyty ryb wód ujściowych Odry. Wiad. Parazytol. 2(5, suppl.): 249–250.
1957. Skorupiaki paszozytnicze (Crustacea parasitica) Polski. Część I. Paszozyty ryb wód ujściowych Odry. Zool. Pol. 8: 217–270. (French summary)
1961. Crustacea parasitica Polski. II. Wyniki analizy ryb zatoki Gdańskiej wraz z Zatoką Pucką. Wiad. Parazytol. 7(2, suppl.): 183–185. (Polish and English)
- KOZIKOWSKA, Z. (S.). 1965. Crustacés, parasites des poissons de la Pologne. III. Résultats des explorations sur les poissons de la côte méridionale de la mer Baltique. Pol. Arch. Hydrobiol. 13: 97–104.
- KRASILNIKOVA, N. I. 1965. O paraziticheskikh rakoobraznykh verkhnego Dona [On the parasitic crustaceans of the upper Don]. Probl. Parazitol. (Kiev) 1965: 283–288.
- KRISHNASWAMY, S. 1960. On the toleration of anaerobic conditions by *Caligus diaphanus* Nordmann. J. Mar. Biol. Assoc. U.K. 39: 689–691.
- KROGER, R. L., AND J. F. GUTHRIE. 1972. Occurrence of the parasitic branchiuran *Argulus alosae* on dying Atlantic menhaden, *Brevoortia tyrannus*, in the Connecticut River. Trans. Am. Fish. Soc. 101: 559–560.
- KRØYER, H. 1837. Om snyltekrebsene, isaer med hensyn til den danske fauna. Naturhist. Tidsskr. 1: 172–208, 252–304, 476–505, 605–628.
1838. Om snyltekrebsene, isaer med hensyn til den danske fauna. Naturhist. Tidsskr. 2: 8–52, 131–157.
- 1838–1840. Danmarks Fiske. Vol. 1. Kjøbenhavn. CII + 616 p.
- 1843–1845. Danmarks Fiske. Vol. 2. Kjøbenhavn. 644 p.
- 1852–1853. Danmarks Fiske. Vol. 3. Kjøbenhavn. 1279 p.

1863. Bidrag til kundskab om snyltekreb-sene. *Naturhist. Tidsskr.*, Ser. 3, 2: 75–320.
1864. Bidrag til kundskab om snylterkreb-sene (slutning). *Naturhist. Tidsskr.*, Ser. 3, 2: 321–426.
- KUBOTA, S. S., AND M. TAKAKUWA. 1963. Studies on the diseases of marine culture fishes. I. General description and preliminary discussion of fish diseases at Mie Prefecture. *J. Fac. Fish. Prefect. Univ. Mie* 6: 107–124.
- KURIAN, C. V. 1949. Observations on a copepod (*Caligus pterois* sp. nov.) parasitic on scorpion fish *Pterois russellii* (van Hass). *Proc. 35th Indian Sci. Congr.* (1948) Pt. III: 193–194.
- KURIAN [KURIEN], C. V. 1952. Bionomics structure and development of *Caligus russellii*, sp. nov., parasitic copepod on the scorpion fish *Pterois russellii* (van Hass). *Bull. Cent. Res. Inst. Univ. Travancore, Ser. C, Nat. Sci.* 1: 1–21.
- KURIAN, C. V. 1955. Parasitic copepods of Travancore—Cochin. *Bull. Cent. Res. Inst. Univ. Travancore, Ser. C, Nat. Sci.* 4: 103–116.
1961. Parasitic copepods of fishes from Kerala—No. 3. *Bull. Cent. Res. Inst. Univ. Kerala, Nat. Sci.* 8: 63–77.
- LAMARCK, J. B. P. DE. 1818. *Histoire naturelle des animaux sans vertèbres*. Vol. 5. Deterville et Verdier, Paris. 612 p.
- LANG, K. 1948. Copepoda "Notodelphyoidea" from the Swedish west-coast with an outline on the systematics of the copepods. *Ark. Zool.* 40A(14): 1–36.
1951. On the nature of the so-called sternal furca in the Caligidae. *Ark. Zool.* 2nd Ser. 1: 499–502.
- LARRAÑETA, M. G. 1964. Sobre la biología de *Pagellus erythrinus* (L.) especialmente del de las Costas de Castellón. *Invest. Pesq.* 27: 121–146.
- LATREILLE, P. A. 1802. *Histoire naturelle, générale et particulière des crustacés et des insectes*. F. Dufart, Paris. Vol. 3, 468 p.; Vol. 4, 387 p.
1829. Crustacés, arachnides et partie des insectes. In G. Cuvier [ed.] *Le règne animal. Nouvelle* [2nd] *édition*. Vol. IV. Deterville et Crochard, Paris. xxvii + 584 p.
- LAWLER, G. H. 1970. Parasites of coregonid fishes, p. 279–309. In C. C. Lindsey and C. S. Woods [ed.] *Biology of coregonid fishes*. Univ. Manitoba Press, Winnipeg, Man.
- LEACH, W. E. 1814. Crustaceology, p. 383–437. In D. Brewster [ed.] *The Edinburgh Encyclopaedia*. Vol. 7. Pt. 2.
1816. Annulosa, p. 401–453. In Supplement to the fourth, fifth, and sixth editions of the *Encyclopaedia Britannica*. Vol. 1.
1819. Entomostracés, Entomostraca, (Crust.), p. 524–543. In F. G. Levrault [ed.] *Dictionnaire des sciences naturelles*. Vol. 14. Le Normant, Paris.
1830. Crustaceology, p. 383–437. In D. Brewster [ed.] *The Edinburgh Encyclopaedia*. Vol. 7. Pt. 2. (Reprint of original 1814 edition)
1832. Crustaceology, p. 221–277. In D. Brewster [ed.] *The Edinburgh Encyclopaedia*. The first American edition. Vol. 7. J. and E. Parker, Philadelphia, Pa.
- LEGARÉ, J. E. H., AND D. C. MACLELLAN. 1960. A qualitative and quantitative study of the plankton of the Quoddy region in 1957 and 1958 with special reference to the food of the herring. *J. Fish. Res. Board Can* 17: 409–448.
- LEGENDRE, R. 1940. La faune pélagique de l'Atlantique au large du Golfe de Gascogne, recueillie dans des estomacs de germons. Troisième Partie. Invertébrés (céphalopodes exclus). Parasites du germon. *Ann. Inst. Océanogr. (Monaco)* New Ser. 20: 127–310.
- LEIDY, J. 1888. A crustacean parasite of the red snapper. *Proc. Acad. Nat. Sci. Phila.* 40: 138–139.
- LEIGH-SHARPE, W. H. 1926. A list of parasitic Copepoda found at Plymouth with a note on the bulla of *Clavella devastatrix*. *Parasitology* 18: 384–386.
1930. Parasitic Copepoda. In V. van Straelen [ed.] *Résultats scientifiques du voyage aux Indes Orientales Néerlandaises de LL. AA. RR. le Prince et la Princesse Léopold de Belgique*. Mém. Mus. R. Hist. Nat. Belg. 3(2): 1–11.
- 1933a. A list of British fishes with their characteristic parasitic Copepoda. *Parasitology* 25: 109–112.
- 1933b. A second list of parasitic Copepoda of Plymouth with a description of three new species. *Parasitology* 25: 113–118.
- 1934a. A third list of parasitic Copepoda of Plymouth with notes. *Parasitology* 26: 112–113.
- 1934b. The Copepoda of the Siboga expedition. Pt. II. Commensal and parasitic Copepoda. *Siboga Exped.* 29b: 1–43.
1936. Some rare and new parasitic Copepoda, etc., from Brighton and elsewhere. *Parasitology* 28: 410–413.
- LEIGH-SHARPE, W. H., AND M. G. L. PERKINS. 1924. Some parasitic Copepoda from Iceland. With an account of *Peniculus clavatus*, the conjunctive tubes of *Chondracanthus nodosus* and the males of *Clavella dubia*. *Parasitology* 16: 289–295.
- LEWIS, A. G. 1963. Life history of the caligid copepod *Lepeophtheirus dissimilatus* Wilson, 1905. (Crustacea: Caligoida) *Pac. Sci.* 17: 195–242.
1964. Caligid copepods (Crustacea) of the Hawaiian Islands: parasitic on fishes of the family Acanthuridae. *Proc. U.S. Natl. Mus.* 115: 137–244.
- 1966a. Copepod crustaceans parasitic on elasmobranch fishes of the Hawaiian Islands. *Proc. U.S. Natl. Mus.* 118: 57–154.
- 1966b. The sternal furca of caligid copepods. *Crustaceana* 10: 7–14.

1967. Copepod crustaceans parasitic on teleost fishes of the Hawaiian Islands. Proc. U.S. Natl. Mus. 121(3574): 1-204.
1968. Copepod crustaceans parasitic on fishes of Eniwetok Atoll. Proc. U.S. Natl. Mus. 125(3656): 1-78.
1969. A discussion of the maxillae of the "Caligoidea" (Copepoda). Crustaceana 16: 65-77.
- LEWIS, A. G., J. DEAN AND E. GILFILLAN III. 1969. Taxonomy and host associations of some parasitic copepods (Crustacea) from pelagic teleost fishes. Pac. Sci. 23: 414-437.
- LINNÉ, C. 1788. Systema naturae. 13th ed. J. F. Gmelin [ed.] Vol. 1, Pt. 5, G. E. Beer, Lipsiae.
- LÖNNBERG, E. 1889. Bidrag till kännedomen om fritt levande caligidér. Biol. Fören. Förh. (Stockholm) 1: 148-158.
- LOPUKHINA, A. M., AND YU. A. STRELKOV. 1972. Ekologicheskii analiz parazitofauny vzroslykh promyslovykh ryb ozera Verkhnee Vrevo [Ecological analysis of the parasite fauna of adult commercial fish from Lake Upper Vrevo]. Izv. Gos. Nauchno-Issled. Inst. Ozern. Rech. Rybn. Khoz. 80: 5-25.
- LYAIMAN, E. M. 1957. Bolezni ryb [Diseases of fish]. Pishchepromizdat, Moscow. 259 p.
- MALARD, A. E. 1890. Catalogue des poissons des côtes de la Manche dans les environs de Saint-Vaast. Bull. Soc. Philomath. Paris, Sér. 8, 2: 60-101.
- MANN, H. 1970. Copepoda and Isopoda as parasites of marine fishes, p. 177-189. In S. F. Snieszko [ed.] A symposium on diseases of fishes and shellfishes. Am. Fish. Soc., Washington, D.C.
- MARGOLIS, L., AND R. R. PARKER. 1966. *Caligus japonicus* Gussev in Isakova-Keo, 1952, a synonym of *Caligus orientalis* Gussev, 1951 (Copepoda, Caligidae). Crustaceana 10: 311.
- MARKEVICH [MARKEWITSCH], A. P. 1931. Parasitische Copepoden und Branchiuren des Aralsees, nebst systematischen Bemerkungen über die Gattung *Ergasilus* Nordmann. Zool. Anz. 96: 121-143.
1933. Les crustacés parasites des poissons de la Mer Caspienne. Bull. Inst. Océanogr. (Monaco) 638: 1-27.
1934. Parazitarnye zabolrevaniya ryb i borba s nimi [Parasitic diseases of fish and their control]. KOIZ, Leningrad and Moscow. 100 p.
- MARKEVICH, A. P. 1936. Ekspeditsiya na Barentsove more v litiu 1936 r [Expedition to the Barents Sea in the summer of 1936]. Visti Akad. Nauk Ukr. RSR. No. 10: 31-44 (numbers refer to columns, not pages).
- MARKEVICH [MARKEWITSCH], A. P. 1937. Copepoda parasitica prisnikh vod SRSR [Copepoda parasitica of fresh waters of the Ukr. SSR]. Akad. Nauk Ukr. SSR, Kiev, USSR. 224 p. (In Ukrainian with Russian and German summaries)
- MARKEVICH, A. P. 1951. Parazitofauna presnovodnykh ryb Ukrainskoi SSR [Parasite fauna of freshwater fishes of the Ukrainian SSR]. Izd. Akad. Nauk Ukr. SSR, Kiev, USSR. 376 p.
1956. Paraziticheskie veslonogie ryb SSSR [Parasitic copepods of fishes of the USSR]. Izd. Akad. Nauk Ukr. SSR, Kiev, USSR. 259 p.
- MARKEVICH [MARKEWITSCH], A. P. 1959. Parasitic copepods of fishes in the U.S.S.R. and the peculiarities of their distribution, p. 669-671. In H. R. Hewer and N. D. Riley [ed.] Proc. 15th Int. Congr. Zool. Publ. Congress, London.
- MARKEVICH, A. P. 1963. Parasitic fauna of freshwater fish of the Ukrainian S.S.R. 388 p. (Transl. from Russian by N. Rafael, Israel Program for Sci. Transl., Jerusalem, No. 844)
- MARKOV, G. S., V. Z. TRUSOV, AND V. P. IVANOV. 1967. Rasprostranenie nekotorykh parazitov atsipenzerid v severnom Kaspii [Distribution of some parasites of acipenserids in the north Caspian]. Sb. Nauchn. Rab. Volgogr. Pedagog. Inst. 2: 108-117.
- MARKOV, G. S., V. Z. TRUSOV, AND A. V. RESHETNIKOVA. 1963. Vliyanie nerestovych migratsii na parazitofaunu volzhskoi sevryugi (*Acipenser stellatus* Pallas) [Influence of the spawning migration on the parasite fauna of Volga sturgeon (*Acipenser stellatus* Pallas)], p. 115-118. In N. P. Shikhobalova et al. [ed.] Gel'minty cheloveka, zhivotnykh i rastenii i bor'ba s nimi. K 85-letiyu Akademika K. I. Skrjabina [Helminths of man, animals and plants and their control. On the 85th jubilee of Academician K. I. Skrjabin]. Izd. Akad. Nauk, Moscow.
- MARUKAWA, H. 1927. [Parasitic copepods], p. 1242-1244. In S. Uchida [ed.] Illustrated encyclopaedia of the fauna of Japan. Hokuryukan and Co., Ltd., Tokyo. (In Japanese)
- 1947<sup>1</sup>. *Caligus mebachii* Marukawa and *Caligus longicaudatus* Marukawa, p. 926-927. In S. Uchida [ed.] Revised edition of illustrated encyclopaedia of the fauna of Japan, exclusive of insects. Hokuryukan Co., Ltd., Tokyo. (In Japanese)
- MEISNER, V. I. 1908. Otchet o deyatel'nosti Volzhskoi biologicheskoi stantsii za 1907 g [Report on the work of the Volga Biological Station for 1907]. Rab. Volzh. Biol. Sta. 3(4): 1-104.
- MIERS, E. J. 1880. On a small collection of Crustacea made by Edward Whymper, Esq., chiefly in the N. Greenland seas; with an appendix on additional species collected by the late British Arctic Expedition. J. Linn. Soc. Lond. Zool. 15: 59-73.

<sup>1</sup> Starting in 1949, there were a number of reprintings of the revised edition of this encyclopaedia.

- MIKAILOV, T. K. 1963. Parazity promyslovych ryb r. Kury [Parasites of commercial fishes of the Kura R.] Mater. Nauch. Sess. Gelmint. Respubl. Zakavkaz. Vopr. Gelmintof. Borby Gelmintoz. Cheloveka, Selskokhoz. Zhiv. Rast., Tbilisi, USSR. p. 147-154.
- M'INTOSH, W. C. 1874. On the invertebrate marine fauna and fishes of St. Andrews. Ann. Mag. Nat. Hist., Ser. 4, 14: 258-274.
- MONOD, T. 1923. Notes carcinologiques. (Parasites et commensaux). Bull. Inst. Océanogr. (Monaco) 427: 1-23.
- MONOD, T., AND V. VLADYKOV. 1931. Sur quelques copépodes parasites provenant de la Russie Sous-Carpathique (Tchécoslovaquie). Ann. Parasitol. Hum. Comp. 9: 202-224.
- MÜLLER, F. 1852. Eine Beobachtung über die Beziehung der Gattungen *Caligus* und *Chalimus*. Arch. Naturgesch. 18: 91-92.
- MÜLLER, O. F. 1785. Entomostraca, seu Insecta testacea quae in aquis Daniae et Norvegiae resperit. F. W. Thiele, Leipzig and Copenhagen. 136 p.
- NAGIBINA, L. F. 1957. Parazitofauna ryb "Novogo Vygozera" [Parasite fauna of fish of "Novoe Vygozero"]. Izv. Vses. Nauchno-Issled. Inst. Ozern. Rechn. Rybn. Khoz. 42: 132-145.
1961. Parasitofauna of fish of "Novoe Vygozero" (New Vygozero Lake). In G. K. Petrushevsky [ed.] Parasites and diseases of fish. Bull. All-Union Sci. Res. Inst. Freshwater Fish. 42: 127-140. (Transl. from Russian by J. I. Lengy et al., Israel Program for Sci. Transl. Jerusalem, No. 105)
- NERESHEIMER, E. R. 1909. Copepoda, Ruderfusskrebsen, 2 Teil. Die parasitischen Copepoden. In A. Brauer. Die Süßwasserfauna Deutschlands, 11: 70-84. Gustav Fischer, Jena, Ger. (Reprinted 1961, J. Cramer, Weinheim)
- NICHOLLS, A. G. 1944-1947. Littoral Copepoda from South Australia. II. Calanoida, Cyclopoida, Notodelphyoida, Monstrilloida and Caligoidea. Rec. South Aust. Mus. (Adelaide) 8: 1-62.
- NICOLET, H. 1849. In C. Gay [ed.] Historia fisica y política de Chile. Zoología (Paris). Tomo tercero. 547 p.
- NISHIMURA, S. 1964. Preliminary note on the so-called "Iouse-bit" saury in the Japan Sea. Publ. Seto Mar. Biol. Lab. 12: 295-306.
- NOBLE, E. R., AND G. A. NOBLE. 1961. Parasitology. The biology of animal parasites. Lea and Febiger, Philadelphia, Pa. 767 p. (2nd ed. 1964, 724 p.; 3rd ed. 1971, 617 p.)
1964. See Noble and Noble (1961).
1971. See Noble and Noble (1961).
- NORDMANN, A. von. 1832. Mikrographische Beiträge zur Naturgeschichte der wirbellosen Thiere. Heft 2. G. Reimer, Berlin, Ger. i-xviii, 1-150.
1864. Neue Beiträge zur Kenntniss parasitischer Copepoden. Bull. Soc. Imp. Nat. Moscou 37: 461-520.
- NORMAN, A. M. 1905. Museum Normanianum, or a Catalogue of the Invertebrata of the Arctic and North Atlantic temperate ocean and Palaearctic region. III. Crustacea. 2nd ed. Durham. 47 p.
- NORMAN, A. M., AND T. SCOTT. 1906. The Crustacea of Devon and Cornwall. W. Wesley and Son, London. 232 p.
- NUNES-RUIVO, L. 1956. Copépodes parasitas de peixes dos mares de Angola. An. Junta Invest. Ultramar. 9: 8-44.
1958. Copépodes parasitas de peixes. Naturalia (Lisb.) 7: 176-191.
- 1962a. Copépodes parasites de poissons des côtes d'Angola (2ème série). Mem. Junta Invest. Ultramar., Ser. 2, 33: 65-86.
- 1962b. Copépodes parasitas de peixes das costas de Angola (Lista faunística). Notas Mimeogr. Cent. Biol. Pisc. 33: 1-28.
- NUNES-RUIVO, L., AND P. FOURMANOIR. 1956. Copépodes parasites de poissons de Madagascar. Mém. Inst. Sci. Madagascar, Sér. A, 10: 69-80.
- OAKLEY, C. L. 1926. *Caligus zei* Norman and T. Scott 1906 (Crustacea: Copepoda), with a revision of the appendages. Parasitology 18: 402-409.
- OLSON, A. C. 1972. *Argulus melanostictus* and other parasitic crustaceans on the California grunion, *Leuresthes tenuis* (Osteichthyes: Atherinidae). J. Parasitol. 58: 1201-1204.
- OLSSON, P. 1869. Prodromus faunae copepodorum parasitantium Scandinaviae. Acta Univ. Lund. 5: 1-49.
1877. Om parasitiska copepoder i Jemtland. Öfvers. K. VetenskAkad. Förh. 34: 75-88.
1896. Sur *Chimaera monstrosa* et ses parasites. Mem. Soc. Zool. Fr. 9: 499-512.
- ORDE-DE LINT, G. M. VAN, AND J. H. SCHUURMANS STEKHVEN. 1936. Copepoda parasitica. Tierwelt N.-u. Ostsee 31: 73-197.
- O'Riordan, C. E. 1966. Parasitic copepods in the collections of the National Museum of Ireland. Proc. R. Ir. Acad. Sect. B 64: 371-378.
- OSMANOV, S.O.(V.). 1940. Materialy k parazitofaune ryb Chernogo morya [Data on the parasite fauna of fishes of the Black Sea]. Uch. Zap. Leningr. Gos. Pedagog. Inst. Im. A. I. Gertseva 30: 187-265.
- OSMANOV, S. O. 1958. Parazitofauna i parazitarnye bolezni ryb Aralskogo morya [Parasite fauna and parasitic diseases of fishes of the Aral Sea]. Uzb. Biol. Zh. 2: 71-78.
1959. Parazitofauna i parazitarnye bolezni ryb Aralskogo morya [Parasite fauna and parasitic diseases of fishes of the Aral Sea]. Tr. Soveshch. Ikhtiol. Kom. Akad. Nauk SSSR 9: 192-197.
- 1961a. Parasitofauna aralskogo usacha. Soobshchenie pervoe [Parasite fauna of the Aral barbel. First report]. Vestn. Karakalp. Fil. Akad. Nauk Uzb. SSR 1(3): 3-15.

- 1961b. Parasitofauna aralskogo usacha. Soobshchenie vtoroe [Parasite fauna of the Aral barbel. Second report]. Vestn. Karakalp. Fil. Akad. Nauk Uzb. SSR 2(4): 32–52.
1963. Parasitofauna and parasitic diseases of fish of the Aral Sea. In Proceedings of the conference on fish diseases. Acad. Sci. USSR Ichthyol. Comm. Conf. Proc. 9: 203–209. (Transl. from Russian by A. Mercado, Israel Program for Sci. Transl., Jerusalem, No. 620)
1965. Vliyanie obrazza zhizni bolshogo amudarinskogo lopatonoza (*Pseudoscaphirhynchus kaufmanni*) na ego gelmintofaunu [Influence of the mode of life of the greater shovelnose sturgeon on its helminth fauna]. Mater. Nauchn. Konf. Vses. Obshch. Gelmint. 1965: 168–170.
1971. Parazity ryb Uzbekistana [Parasites of fishes of Uzbekistan]. Izd. "FAN" Uzbek. SSR, Tashkent, USSR. 532 p.
- OTTO, A. W. 1821. Conspectus animalium quorundam maritimorum nondum editorum. Pars prior. Typis Universitatis, Bratislava, Czech. 20 p.
1828. Beschreibung einiger neuen, in den Jahren 1818 und 1819 im mittelländischen Meere gefundener Crustaceen. Verh. K. Leopold.-Carol. Akad. Naturf. 14: 331–354.
- PARKER, R. R. 1965. A review and redescription of *Caligus gurnardi* Krøyer, 1863 (Copepoda, Caligidae). Crustaceana 9: 93–103.
- 1968a. *Caligus appendiculatus* F. Müller, 1852 (Crustacea: Copepoda): a request for suppression under the plenary powers. Bull. Zool. Nomencl. 25: 105–106.
- 1968b. *Caligus longicaudatus* Brady, 1899 (Caligidae: Copepoda). Bull. Br. Mus. (Nat. Hist.) Zool. 15: 353–368.
1969. Validity of the binomen *Caligus elongatus* for a common parasitic copepod formerly misidentified with *Caligus rapax*. J. Fish. Res. Board Can. 26: 1013–1035.
- PARKER, R. R., Z. KABATA, L. MARGOLIS, AND M. D. DEAN. 1968. A review and description of *Caligus curtus* Müller, 1785 (Caligidae: Copepoda), type species of its genus. J. Fish. Res. Board Can. 25: 1923–1969.
- PARKER, R. R., AND L. MARGOLIS. 1964. A new species of parasitic copepod, *Caligus clemensi* sp. nov. (Caligidae: Caligidae), from pelagic fishes in the coastal waters of British Columbia. J. Fish. Res. Board Can. 21: 873–889.
1967. A redescription of the syntypes of *Caligus rapax* H. Milne Edwards, 1840 (Copepoda, Caligidae) and the misuse of this name since 1850. Crustaceana 12: 87–101.
- PEARSE, A. S. 1947. Parasitic copepods from Beaufort, North Carolina. J. Elisha Mitchell Sci. Soc. 63: 1–16.
1948. A second report on parasitic copepods collected at Beaufort, N.C. J. Elisha Mitchell Sci. Soc. 64: 127–131.
1951. Parasitic Crustacea from Bimini, Bahamas. Proc. U.S. Natl. Mus. 101: 341–372.
1952. Parasitic Crustacea from the Texas coast. Publ. Inst. Mar. Sci. Univ. Tex. 2(2): 5–42.
- 1953a. Parasitic crustaceans from Alligator Harbor, Florida. J. Fla. Acad. Sci. 15: 187–243. (Pt. 4, Dec. 1952 issue, publ. April 11, 1953)
- 1953b. A new copepod parasitic from the grunion. J. Parasitol. 39: 332–333.
- PEARSON, J. 1905. A list of the marine Copepoda of Ireland. Pt. I. Littoral forms and fish parasites. Sci. Invest. Fish. Branch Ire. 1904 (3): 1–30.
- PESTA, O. 1934. Krebstiere oder Crustacea. I. Ruderfüßer (Copepoda). Tierwelt Dtl. 29: 1–68.
- PETRUSHEVSKY, G. K. 1940. Materialy po parazitologii ryb Karelii. 2. Parazity ryb Onezhskogo ozera [Data on the parasitology of fishes of Karelia. 2. Parasites of fishes of Lake Onega]. Uch. Zap. Leningr. Gos. Pedagog. Inst. Im. A. I. Gertsena 30: 133–184. (English summary)
1957. Parazitofauna seldevykh ryb Chernogo morya [The parasite fauna of clupeids from the Black Sea]. Izv. Vses. Nauchno-Issled. Inst. Ozern. Rechn. Rybn. Khoz. 42: 304–314.
1961. The parasitofauna of the shads from the Black Sea. In G. K. Petrushevsky [ed.] Parasites and diseases of fish. Bull. All-Union Sci. Res. Inst. Freshwater Fish. 42: 299–309. (Transl. from Russian by J. I. Lengy et al., Israel Program for Sci. Transl., Jerusalem, No. 105)
- PICKERING, C., AND J. D. DANA. 1838. Description of a crustaceous animal, belonging to the genus *Caligus* — *C. americanus*. Am. J. Sci. 34: 225–266.
- PILLAI, N. K. 1961. Copepods parasitic on South Indian fishes. Pt. 1. Caligidae. Bull. Cent. Res. Inst. Univ. Kerala Ser. C. (Nat. Hist.) 8: 87–130.
1962. A revision of the genera *Parapetalus* Steenstrup and Lütken and *Pseudopetalus* nov. Crustaceana 3: 285–303.
- 1963a. Observations on the synonymy of *Caligus coryphaenae* Stp. & Luk. Ann. Mag. Nat. Hist., Ser. 13, 5: 513–522.
- 1963b. Copepods parasitic on South Indian fishes — family Caligidae. J. Mar. Biol. Assoc. India 5: 68–96.
1964. A miscellaneous collection of copepods parasitic on South Indian fishes. J. Mar. Biol. Assoc. India 6: 61–83.
1967. Copepods parasitic on Indian marine fishes — a review. Proc. Symp. Crustacea, Mandapam Camp, India. Pt. 5. p. 1556–1680.
- 1968a. Notes on copepods parasitic on South Indian marine fishes. J. Mar. Biol. Assoc. India 8: 123–140.
- 1968b. Additions to the copepod parasites of South Indian fishes. Parasitology 58: 9–36.

1970. A few examples showing the effect of hosts on the morphological characters of copepod parasites. *J. Parasitol.* 56(4, Sect. 2, Pt. 1) 267.
1971. Notes on some copepod parasites in the collection of the British Museum (N.H.), London. *J. Mar. Biol. Assoc. India* 11: 149–174.
- PILLAI, N. K., AND R. S. LAL MOHAN. 1967. Description of the male of *Caligus hilsae* Shen (Copepoda, Caligidae). *Crustaceana* 13: 45–50.
- PLATE, G. 1970. Masoten für die Bekämpfung von Ektoparasiten bei Fischen. *Arch. Fischereiwiss.* 21: 258–267.
- PLEHN, M. 1924. Praktikum der Fischkrankheiten. E. Schweizerbart Verlag., Stuttgart, Ger. 479 p.
- PLENK, J. 1910. Zur Kenntnis der Anatomie und Histologie der Maxillardrüse bei Copepoden. *Arb. Zool. Inst. Univ. Wien* 19: 29–56.
- POCHE, F. 1902. Bemerkungen zu der Arbeit des Herrn Basset-Smith: A systematic description of parasitic Copepoda found on fishes, with an enumeration of the known species. *Zool. Anz.* 26: 8–20.
- POLYANSKY, YU. I. 1955. Materialy po parazitologii ryb severnykh morei SSSR. Parazity ryb Barentsova morya [Data on the parasitology of fishes of northern seas of the USSR. Parasites of fishes of the Barents Sea]. Tr. Zool. Inst. Leningr. 19: 1–170.
1966. Parasites of the fish of the Barents Sea. 158 p. (Transl. from Russian by S. P. Egnuss and Z. S. Cole, Israel Program for Sci. Transl., Jerusalem, No. 1655)
- POLYANSKY, YU. I., AND I. V. KULEMINA. 1963. O parazitofaune molodi treski v Barentsevom more [On the parasite fauna of young cod in the Barents Sea]. *Vestn. Leningr. Univ. Ser. Biol.* 3: 12–21. (English summary)
- PUIDAK, U. 1965. Mõningate eesti rannaveekalade tabandumisest parasitidega. *Eesti NSV Tead. Akad. Toim. Biol.* 14: 552–557. (English and Russian summaries)
- RAIBAUT, A., O. K. BEN-HASSINE, AND K. MAAMOURI. 1971. Copépodes parasites des poissons de Tunisie (première série). *Bull. Inst. Océanogr. Pêche, Salammbô* 2: 169–197.
- RANGNEKAR, M. P. 1955. *Caligus bombayensis* sp. nov., a copepod parasitic on *Mugil cephalus* Linn. *J. Univ. Bombay* 24: 55–59.
1956. Parasitic copepods from the marine fishes of Bombay. *J. Univ. Bombay* 24: 42–65.
1957. *Caligus dasyaticus* sp. nov. and *Caligus dussumieri* sp. nov. (Copepoda) parasitic on Bombay fishes. *J. Univ. Bombay* 25: 16–22.
1959. Parasitic copepods from fishes of the western coast of India with description of one new and redescription of four known species. *J. Univ. Bombay* 28: 43–58.
- RANGNEKAR, P. G., AND N. N. MURTI. 1950a. A new caligid copepod parasitic on the fish *Clupea toli*. *J. Univ. Bombay* 18: 21–28.
- 1950b. A note on the transfer of *Caligus formicoides* to the genus *Parapetalus*. *J. Univ. Bombay* 19: 43–53.
1959. *Caligus cossackii* Bassett-Smith, a copepod parasitic on a marine fish at Bombay. *J. Univ. Bombay* 28: 78–81.
- 1964a. *Bomolochus decapteri* Yamaguti and *Caligus epinepheli* Yamaguti: copepods parasitic on fishes of Bombay. *J. Univ. Bombay* 31: 84–90.
- 1964b. Some remarks on the transfer of *Caligus parvus* Bassett-Smith to the genus *Pseudocaligus*: a copepod parasite of a puffer *Tetronotus oblongus* Schn. *J. Biol. Sci.* 7: 42–44.
- RANGNEKAR, M. P., P. G. RANGNEKAR, AND N. N. MURTI. 1953. A new species of *Caligus* (Copepoda) from the fish *Arius nenga* Ham. *Buch. J. Univ. Bombay* 22: 47–52.
- RATHBUN, M. J. 1905. Fauna of New England. 5. List of the Crustacea. *Occas. Pap. Boston Soc. Nat. Hist.* 7: 1–117.
- RATHBUN, R. 1885. Annotated list of the described species of parasitic Copepoda (Siphonostoma) from American waters contained in the United States National Museum. *Proc. U.S. Natl. Mus.* 7: 483–492.
- RATHKE, H. 1843. Beiträge zur Fauna Norwegens. *Nova Acta Acad. Caesar. Leopold. Carol.* 20: 1–264.
- RAZMASHKIN, D. A. 1964. K voprosu o parazitofaune chudskogo sigma [On the parasite fauna of the Chudskoy whitefish]. *Sb. Rab. Leningr. Vet. Inst.* 25: 163–168.
- REDEKE, H. C. 1939. Das Männchen von *Caligus lacustris* Stp. et Ltk. *Int. Rev. Ges. Hydrobiol. Hydrogr.* 38: 193–202.
- REDKAR, M. V., P. G. RANGNEKAR, AND N. MURTI. 1949. Four new species of parasitic copepods from the marine fishes of Bombay. *J. Univ. Bombay* 18: 36–50.
- REICHENBACH-KLINKE, H. H. 1956. Vorläufige Mitteilung über die Parasiten der Fische des Golfe von Neapel. *Publ. Stn. Zool. Napoli* 30: 115–126.
1966. Krankheiten und Schädigungen der Fische. G. Fischer Verlag, Stuttgart, Ger. 389 p.
- REICHENBACH-KLINKE, H., AND E. ELKAN. 1965. The principal diseases of lower vertebrates. Academic Press, Inc., London and New York. 600 p.
- REIMER, L. W., B. RÖSSLER, I. ROSENTHAL, AND C. SCHURIG. 1971. Zur Klärung der Möglichkeit der wirtschaftlichen Nutzung von *Micromesistius poutassou* (Risso) der Fanggebiete westlich von Irland und nordwestlich von Island in Abhängigkeit seines Parasitierungsgrades. *Wiss. Z. Pädag. Inst. Güstrow* 9: 87–92.

- RESHETNIKOVA, A. V. 1955a. K poznaniyu parazitofauny pelamidy (*Sarda sarda* Bloch.) Chernogo morya [Contribution to the knowledge of the parasite fauna of the bonito (*Sarda sarda* Bloch.) of the Black Sea]. Tr. Karadag. Biol. Sta. 13: 97–104.
- 1955b. K izucheniyu parazitofauny ryb Chernogo morya [On the study of the parasite fauna of fishes of the Black Sea]. Tr. Karadag. Biol. Sta. 13: 105–121.
1965. Parazitofauna i zabolevaniya ryb Tsimlyanskogo vodokhranilishcha [Parasite fauna and diseases of fish in the Tsimlyansk Reservoir]. Tr. Volgogr. Otd. GosNIORKh. 1: 201–214.
- RICCIARDI, S. 1880. Contribuzione alla fauna d'Italia. I. Catalogo sistematico di crostacei che vivono sul corpo di animali acquatici. Catalogo degli Espositioni e delle cosa Esposte, Esposizione internazionale di Pesca in Berlino. p. 147–152.
- RICHTERS, F. 1876. *Caligus lacustris* Stp. u. Ltk. ♂. Verh. Ver. Naturw. Unterh. Hamb. 2: 244–245.
- RISSO, A. 1816. Histoire naturelle des crustacés des environs de Nice. Librairie Grecque-Latine-Allemande, Paris, Fr. 175 p.
1826. Histoire naturelle des principales productions de l'Europe méridionale et particulièrement de celles des environs de Nice et des Alpes Maritimes. Vol. 5. F.-G. Levraud, Paris. p. 402.
- RONALD, K. 1959. A check list of the metazoan parasites of the Heterosomata. Contrib. Dep. Fish. Que. 67: 1–152.
- ROSENTHAL, H. 1967. Parasites in larvae of the herring (*Clupea harengus* L.) fed with wild plankton. Mar. Biol. 1: 10–15.
- RUSSELL, F. S. 1925. A new species of *Caligus* from Egypt, *Caligus pageti*, sp. n. Ann. Mag. Nat. Hist., Ser. 9, 15: 611–618.
1933. On the occurrence of young stages of Caligidae on pelagic young fish in the Plymouth area. J. Mar. Biol. Assoc. U.K. 18: 551–553.
- RUSSELL, F. S., AND C. M. YONGE. 1928. The seas, our knowledge of life in the sea and how it is gained. F. Warne and Co. Ltd., London and New York. 379 p. (2nd ed. publ. 1936, repr. 1944, 1947; 3rd revised ed. 376 p., publ. 1963)
- RUTING, J., AND J. H. STOCK. 1955. Zeldzame visparasiet uit Amsterdamse stadsgracht. Natura (Amst.) 52: 84–86.
- SAY, T. 1818. An account of the Crustacea of the United States. (Concluded.) J. Acad. Nat. Sci. Phila., Ser. 1, 1: 423–458.
- SCHÄPERCLAUS, W. 1954. Fischkrankheiten. Akademie-Verlag, Berlin, Ger. 708 p.
- SCHUURMANS STEKHOVEN, J. H. 1935. Copepoda parasitica from the Belgian coast. Bull. Mus. R. Hist. Nat. Belg. 11(7): 1–13.
1936. Copepoda parasitica from the Belgian coast. II. (Included some habitats in the North-Sea). Mém. Mus. R. Hist. Nat. Belg. 74: 1–20.
- SCHWARZ, S. 1960. Zur Crustaceenfauna der Brackwassergebiete Rügen und des Darss. Hydrobiologia 16: 293–300.
- SCOTT, A. 1901. Some additions to the fauna of Liverpool Bay, collected May 1st, 1900, to April 30th, 1901. Trans. Liverpool Biol. Soc. 15: 342–353.
1904. Some parasites found on fishes in the Irish Sea. Trans. Liverpool Biol. Soc. 18: 113–125.
1906. Faunistic notes. Trans. Liverpool Biol. Soc. 20: 191–201.
1907. Faunistic notes. Trans. Liverpool Biol. Soc. 21: 191–198.
1929. The copepod parasites of Irish Sea fishes. Proc. Trans. Liverpool Biol. Soc. 43: 81–119.
- SCOTT, T. 1891. Additions to the fauna of the Firth of Forth. Pt. III. Rep. Fish. Board Scotl. 9: 300–310.
1894. Report on Entomostraca from the Gulf of Guinea, collected by John Rattray, B.Sc. Trans. Linn. Soc. Lond., Ser. 2, 6: 1–161.
1897. The marine fishes and invertebrates of Loch Fyne. Rep. Fish. Board Scotl. 15 (Pt. 3): 107–174.
1898. On the distribution of pelagic invertebrate fauna of the Firth of Forth and its vicinity during the seven years from 1889 to 1895, both inclusive. Rep. Fish. Board Scotl. 16(Pt. 3): 153–210.
1900. Notes on some crustacean parasites of fishes. Rep. Fish. Board Scotl. 18(Pt. 3): 144–188.
- 1901a. Land, fresh-water and marine Crustacea, p. 328–358. In British Association handbook on the natural history of Glasgow and the west of Scotland.
- 1901b. Notes on some parasites of fishes. Rep. Fish. Board Scotl. 19(Pt. 3): 120–153.
1902. Notes on some parasites of fishes. Rep. Fish. Board Scotl. 20(Pt. 3): 288–303.
- 1905a. Observations on Crustacea collected during the hydrographic cruises, 1902–1903. Rep. Fish. Hydrogr. Invest. N. Sea 1902–1903: 217–257.
- 1905b. Observations on some parasites of fishes new or rare in Scottish waters. Rep. Fish. Board Scotl. 23(Pt. 3): 108–119.
1906. A catalogue of land, fresh-water, and marine Crustacea found in the basin of the River Forth and its estuary. Pt. II. The Ostracoda, Copepoda, and Cirripedia. Proc. R. Physiogr. Soc. Edinb. 16: 267–386.
1914. Remarks on some Copepoda from the Falkland Islands collected by Mr. Rupert Vallentin, F.L.S. Ann. Mag. Nat. Hist., Ser. 8, 13: 369–379.

- SCOTT, T., AND A. SCOTT. 1913. The British parasitic Copepoda. Vol. I, II. Ray Society, London. 256 p., 72 pl.
- SCOURFIELD, D. J. 1903. Synopsis of the known species of British fresh-water Entomostraca. Pt. II. Copepoda. J. Quekett Microsc. Club, Ser. 2, 8: 531-544.
- SHEN, C.-J. 1949. Redescription of a freshwater parasitic copepod of the family Caligidae from Kunming, Yunnan. Contrib. Inst. Zool. Natl. Acad. Peiping 5: 139-148.
1957. Parasitic copepods from fishes of China. II. Caligoida, Caligidae(1). Acta Zool. Sin. 9: 351-377. (In Chinese and English)
1958. Parasitic copepods from fishes of China. III. Caligoida, Caligidae(2). Acta Zool. Sin. 10: 131-150. (In Chinese and English)
- SHEN, C.-J., AND H.-L. LI. 1959. Parasitic copepods from fishes of China. IV. Caligoida, Caligidae(3). Acta Zool. Sin. 11: 16-23.
- SHIELDS, R. J. 1967. Frontal filament formation in larval parasitic copepods. Trans. Am. Microsc. Soc. 86: 68-69.
- SHIELDS, R. J., AND P. C. STEIN. 1965. Studies on the life cycles of two species of copepods parasitic on marine fishes. J. Parasitol. 51(suppl.): 51.
- SHIH, C.-T., A. J. G. FIGUEIRA, AND E. H. GRAINGER. 1971. A synopsis of Canadian marine zooplankton. Bull. Fish. Res. Board Can. 176: 264 p.
- SHIINO, S. M. 1952. Copepods parasitic on Japanese fishes. 1. On the species of *Caligus* and *Lepeophtheirus*. Rep. Fac. Fish. Prefect. Univ. Mie 1: 79-113.
- 1954a. On the new copepod *Caligus calotomi* n. sp., parasitic on the fish, *Calotomus japonicus* (C. & V.). Bull. Jap. Soc. Sci. Fish. 20: 16-20.
- 1954b. On *Caligus latigenitalis* n. sp., a copepod parasitic on the fish, *Sparus macrocephalus* (Basilewsky). Bull. Jap. Soc. Sci. Fish. 20: 21-25.
- 1954c. Note on *Caligus quadratus* n. sp., a copepod parasitic on the fish, *Neothynnus macropterus* (T. and S.). Bull. Jap. Soc. Sci. Fish. 20: 26-29.
- 1954d. [On the male form of the copepod, *Caligus katuwo* Yamaguti, parasitic on the Japanese bonito *Euthynnus pelamys* (L.)] Zool. Mag. (Tokyo) 63: 246-249. (In Japanese, English summary)
- 1954e. Note on a new parasitic copepod, *Caligus brevis* n. sp. Bull. Jap. Soc. Sci. Fish. 20: 178-183.
- 1954f. Record on *Caligus dieuzeidei* Brian newly found in Japan. Bull. Jap. Soc. Sci. Fish. 20: 268-272.
- 1954g. On *Caligus triangularis* n. sp., a copepod parasitic on *Halichoeres poecilopterus* (T. & S.). Annot. Zool. Jap. 27: 146-149.
- 1954h. A new fish-louse on the mackerel-pike. Annot. Zool. Jap. 27: 150-153.
- 1954i. A new fish-louse found on *Zenopsis nebulosa* (T. & S.). Annot. Zool. Jap. 27: 154-156.
- 1954j. Copepods parasitic on Japanese fishes. 4. The family Euryphoridae. Rep. Fac. Fish. Prefect. Univ. Mie 1: 273-290.
- 1955a. A new piscicola copepod belonging to the genus *Caligus* from Matusima Bay. Bull. Biogeogr. Soc. Jap. 16-19: 135-140.
- 1955b. [On the male of *Caligus cordiventris* Shiino.] Zool. Mag. (Tokyo) 64: 65-67. (In Japanese, English summary)
- 1955c. Copepods parasitic on Japanese fishes. 8. The Anthosomidae. Rep. Fac. Fish. Prefect. Univ. Mie 2: 50-69.
1956. Copepods parasitic on Japanese fishes. 10. The redescription of three species of *Caligus*. Rep. Fac. Fish. Prefect. Univ. Mie 2: 233-241.
1957. Copepods parasitic on Japanese fishes. 13. Parasitic copepods collected off Kesennuma, Miyagi Prefecture. Rep. Fac. Fish. Prefect. Univ. Mie 2: 359-375.
- 1959a. Neuer artname fur Japanische exemplare von *Caligus bonito*. Bull. Biogeogr. Soc. Jap. 20: 51-57.
- 1959b. Revision der auf Goldmakrels, *Coryphaena hippurus* L., schmarotzenden Caligidenarten. Annu. Rep. Prefect. Univ. Mie Sect. 2 Nat. Sci. 3: 1-34.
- 1959c. On a new species of *Caligus* (Copepoda parasitica) from the coast of California. Pac. Sci. 13: 351-356.
- 1959d. Ostpazifische parasitierende Copepoden. Rep. Fac. Fish. Prefect. Univ. Mie 3: 267-333.
- 1959e. Sammlung der parasitischen Copepoden in der Präfektur-universität von Mie. Rep. Fac. Fish. Prefect. Univ. Mie 3: 334-374.
- 1960a. Copepods parasitic on the fishes collected on the coast of Province Shima, Japan. Rep. Fac. Fish. Prefect. Univ. Mie 3: 471-500.
- 1960b. Parasitic copepods of fishes from the eastern Pacific. Rep. Fac. Fish. Prefect. Univ. Mie 3: 527-541.
- 1960c. Copepods parasitic on remoras from the Bay of Bengal. Rep. Fac. Fish. Prefect. Univ. Mie 3: 542-552.
- 1960d. [Arthropoda, Crustacea, Copepoda, III], p. 138. In K. Okado [ed.] Encyclopaedia zoologica illustrated in colours. Vol. IV Hokuryukan Publishing Co. Ltd., Tokyo. (In Japanese)
1963. Parasitic copepods of the eastern Pacific fishes. 1. Records of the known species. Rep. Fac. Fish. Prefect. Univ. Mie 4: 335-347.
1964. Results of Amami Expedition. 6. Parasitic Copepoda. Rep. Fac. Fish. Prefect. Univ. Mie 5: 243-255.
- 1965a. Parasitic copepods of the eastern Pacific fishes. 5. *Caligus*. Rep. Fac. Fish. Prefect. Univ. Mie 5: 391-420.

- 1965b. Parasitic copepods of the eastern Pacific fishes. 6. Euryphoridae. Rep. Fac. Fish. Prefect. Univ. Mie 5: 421–433.
- 1965c. Parasitic copepods of the eastern Pacific fishes. 8. *Lepeophtheirus*. Rep. Fac. Fish. Prefect. Univ. Mie 5: 441–454.
- 1965d. *Caligus coryphaenae* Steenstrup et Lütken, p. 497. In T. Uchida [ed.] New illustrated encyclopedia of the fauna of Japan. Vol. 2. Hokuryukan Publishing Co. Ltd., Tokyo. (In Japanese)
- SHULMAN, R. E., AND N. B. CHERNYSHEVA. 1969. Obshchiy analiz parazitofauny ryb ozera Seliger [General review of the parasite fauna of fishes of Lake Seliger], p. 200–222. In Yu. I. Polyansky [ed.] Ekologo-parazitologicheskie issledovaniya na ozere Seliger [Studies in ecological parasitology on Lake Seliger]. Izd. Leningr. Univ., Leningrad, USSR.
- SHULMAN, S. S. 1958. Zoogeograficheskii analiz parazitov presnovodnykh ryb Sovetskogo Soyuza [Zoogeographical analysis of the parasites of freshwater fishes of the Soviet Union], p. 184–230. In V. A. Dogiel, G. K. Petrushevsky, and Yu. I. Polyansky [ed.] Osnovnye problemy parazitologii ryb. Izd. Leningr. Univ., Leningrad, USSR.
1959. Parazity ryb vostochnoy chasti Baltiyskogo morya [Parasites of fishes of the eastern part of the Baltic Sea]. Tr. Soveshch. Ikhtiol. Kom. Akad. Nauk SSSR 9: 184–187.
- 1961a. Parazitofauna ryb syamozerskoi gruppi ozer [Parasite fauna of fishes of the Lake Syam group of lakes]. Tr. Syamozersk. Kompleks. Eksped. 2: 173–244.
- 1961b. Zoogeography of parasites of USSR freshwater fishes, p. 180–229. In V. A. Dogiel, G. K. Petrushevsky, and Yu. I. Polyanski [ed.] Parasitology of fishes. Oliver and Boyd, Edinburgh and London. (Transl. from Russian by Z. Kabata)
- SILAS, E. G., AND A. N. P. UMMERKUTTY. 1967. Parasites of scombrid fishes. Pt. II. Parasitic Copepoda. Proc. Symp. Scombrid Fishes, Mandapam Camp, India. Pt. III. p. 876–993.
- SINDELMANN, C. J. 1966. Diseases of marine fishes. Adv. Mar. Biol. 4: 1–89.
1970. Principal diseases of marine fish and shellfish. Academic Press, Inc., New York and London. 369 p.
- SMITH, S. I. 1874. The Crustacea of the fresh waters of the United States. Rep. U.S. Comm. Fish. for 1872–73, Pt. II. p. 637–665.
- SOKOLOVSKY, A. S. 1969. K voprosu o stadakh sairy v Tikhom okeane [On the problem of stocks of saury in the Pacific]. Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 68: 203–208.
- STEBBING, T. R. R. 1900. On Crustacea brought by Dr Willey from the South Seas, p. 605–690. In A. Willey's Zool. Results, Pt. 5. Cambridge Univ. Press, Cambridge, U.K.
1910. General catalogue of South African Crustacea. Ann. S. Afr. Mus. 6: 281–593.
- STEENSTRUP, J. J. S., AND C. F. LÜTKEN. 1861. Bidrag til kundskab om det aabne havs snyltrekrebs og lernaeer samt om nogle andre nye eller hidtil kun ufulstaendigt kjendte parasitiske copepoder. K. Danske Vidensk. Selsk. Skr., Ser. 5, 5: 341–432.
- STEPHENSON, K. 1913. Grønlands krebsdyr og pycnogonider. (Conspectus crustaceorum et pycnogonidorum Groenlandiae). Medd. Grønl. 22: 1–479.
1929. Marine parasitic, semiparasitic, and non-pelagic Crustacea Copepoda. Zool. Faroes 2 (Pt. I, Sect. 30): 1–18.
1940. Parasitic and semiparasitic Copepoda. Zool. Iceland 3(34): 1–24.
1943. The zoology of East Greenland. Marine Ostracoda, parasitic and semi-parasitic Copepoda and Cirripedia. Medd. Grønl. 121(9): 1–24.
- STOCK, J. H. 1959. New host and distribution records of parasitic Copepoda. Bull. Aquat. Biol. 1: 43.
- STOCK, V. 1915. On some of the parasitic copepods of the Bay of Fundy fish. Contrib. Can. Biol. Fish. 1911–1914 (Fasc. I): 69–71.
- STOSSICH, M. 1880. Prospetto della fauna del Mare Adriatico. Parte 3. Classe 5. Crustacea. Boll. Soc. Adriat. Sci. Nat. 6: 178–271.
- STUARDO, J. 1958. *Lepeophtheirus ornatus* (Milne Edwards), a synonym of *L. nordmannii* (Milne Edwards) [Copepoda: Caligidae]. Årbok Univ. Bergen Mat-Naturvitensk. Ser. 8: 1–11.
- STUARDO, J., AND E. FAGETTI. 1960. Copepodos parasitos chilenos II. Estudio preliminar de los copépodos parásitos de *Merluccius gayi* gayi en la Bahía de Valparaíso. Rev. Biol. Mar. 10: 195–200.
1961. Notas carcinológicas. Copepodos parasitos chilenos. I. Una lista de las especies conocidas y descripción de tres especies nuevas. Rev. Chil. Hist. Nat. 55: 55–83.
- SUKHENKO, G. E. 1966. O nekotorykh osobennostyakh rasprostraneniya paraziticheskikh rakoobraznykh v prudakh Ukrayiny [On some features of the distribution of parasitic crustaceans in ponds of the Ukraine]. Probl. Parazitol. (Kiev) 1966: 69–74.
1967. Paraziticheskie rakoobraznye r. Dnepr [Parasitic crustaceans of the Dnieper R.]. Probl. Parazitol. (Kiev) 1967: 503–505.
- SUMNER, F. B., R. C. OSBORN, AND L. J. COLE. 1913. A biological survey of the waters of Woods Hole and vicinity. Sect. 3. A catalogue of the marine fauna of Woods Hole and vicinity. U.S. Bur. Fish. Bull. 31: 545–794.
- SUVATTI, C. 1950. Fauna of Thailand. Dep. Fish., Thailand. 1100 p.

- THOMAS, M. M. 1967. A new parasitic copepod, *Caligus krishnai*, from the mackerel tuna *Euthynnus affinis affinis* (Cantor). J. Mar. Biol. Assoc. India 9: 137-140.
- THOMPSON, I. C. 1886. Report on the Copepoda of the L.M.B.C. district. Rep. Fauna Liverpool Bay (L.M.B.C. Rep.) No. 1. p. 201-208.
1889. Third report on the Copepoda of Liverpool Bay (the L.M.B.C. district). Proc. Liverpool Biol. Soc. 3: 181-191.
1893. Revised report on the Copepoda of Liverpool Bay. Trans. Liverpool Biol. Soc. 7: 1-56.
1895. Revised report on the Copepoda of Liverpool Bay. Rep. Fauna Liverpool Bay (L.M.B.C. Rep.) No. 4. p. 81-136.
1897. Further report upon the free-swimming Copepoda of the west coast of Ireland. Trans. Liverpool Biol. Soc. 11: 127-131.
1900. Report on the free-swimming Copepoda (1895-98), p. 737-744. In E. T. Browne et al. [ed.] Fauna and flora of Valencia Harbour, on the west coast of Ireland. Proc. R. Ir. Acad. Ser. 3, 5.
1902. The place of the Copepoda in nature. Yn Lioar Manninagh. 3: 621-624.
- THOMPSON, I. C., AND A. SCOTT. 1900. Some recent additions to the Copepoda of Liverpool Bay. Trans. Liverpool Biol. Soc. 14: 139-144.
1903. Report on the Copepoda collected by Professor Herdman, at Ceylon, in 1902. Rep. Gov. Ceylon Pearl Oyster Fish. Gulf Manaar. Pt. 1. Suppl. Rep. 7. p. 1-307.
- THOMPSON, W. 1847. Additions to the fauna of Ireland. Ann. Mag. Nat. Hist., Ser. 1, 20: 237-250.
1856. The natural history of Ireland. Vol. IV. H. G. Bohn, London. 516 p.
- THOMSEN, R. 1949. Copépodos parásitos de los peces marinos del Uruguay. Comun. Zool. Mus. Hist. Nat. Montev. 3(54): 1-41.
- THOMSON, G. M. 1890. Parasitic Copepoda of New Zealand, with descriptions of new species. Trans. Proc. N.Z. Inst. 22(1889): 353-376.
- TİLESİUS, W. D. 1815. De cancris camtschaticis, oniscis, entomostracis et cancellis marinis microscopicis noctilucentibus. Mém. Acad. Imp. Sci. St. Pétersb. (Zap. Imp. Akad. Nauk) 5: 331-405.
- TIMM, R. 1894. Copepoden und Cladoceren. Wiss. Meeresunters. New Ser. 1: 363-404.
- TREMBLAY, J. L., AND C. LAPOINTE. 1938. Quelques copépodes parasites des poissons de l'estuaire de St. Laurent. Ann. ACFAS 4: 100.
- UCHIDA, T. [ed.]. 1972. [Fundamental classification of animals.] Nakayama Publishing Co., Ltd., Tokyo. 1411 p. (In Japanese)
- ULYANIN, V. N. 1872. O razvitiï *Caligus hyalinus* [On the development of *Caligus hyalinus*]. Izv. Imp. Obshch. Lyub. Estest. Antrop. Etnogr. Imp. Mosk. Univ. 9: 61-64.
- VAISIÈRE, R. 1961. Morphologie et histologie comparées des yeux des crustacés copépodes. Arch. Zool. Exp. Gen. 100: 1-125.
- VALLE, A. 1880. Crostacei parassiti dei pesci del Mare Adriatico. Boll. Soc. Adriat. Sci. Nat. 6: 55-90.
1882. Aggiunte ai "Crostacei parassiti dei pesci del Mare Adriatico." Boll. Soc. Adriat. Sci. Nat. 7: 245-247.
- VERANY, J. B. 1846. Invertebrata, p. 81-110. In M. Spinola [ed.] Descrizione di Genova e del Genovesato. Vol. 2. Tipografia Ferrando, Genova, It.
- VERRILL, A. E. 1873. Report upon the invertebrate animals of Vineyard Sound and the adjacent waters, with an account of the physical characters of the region. Rep. U.S. Comm. Fish. for 1871-72. Pt. I. p. 295-778.
- VERRILL, A. E., AND S. I. SMITH. 1874. Report upon the invertebrate animals of Vineyard Sound and the adjacent waters, with an account of the physical characters of the region. Washington. 484 p. (Separate printing of Verrill [1873].)
- WAGLER, E. 1937. Crustacea, Krebstiere, p. 3-224. In P. Brohmmer, P. Ehrmann, and G. Ulmer [ed.] Die Tierwelt Mitteleuropas, 2(2a). Verlag Von Quelle and Meyer, Leipzig, Ger.
- WESENBERG-LUND, C. 1903. Sur l'existence d'une faune relicte dans le lac de Furesö. Overs. K. Danske Vidensk. Selsk. Forh. 1902(6): 257-303.
1904. Studier over de Danske sjøers plankton. Specielle del. I. Tekst. Dansk Ferskvands-Biologisk Lab. Op. 5: 1-223 + 1-44. (English résumé)
- WESENBERG-LUND, C. J. 1952. De danske sjøers og dammes dyriske plankton. Munksgaard, Copenhagen. viii + 182 p.
- WESTMAN, J. R., AND R. F. NIGRELLI. 1955. Preliminary studies of menhaden and their mass mortalities in Long Island and New Jersey waters. N.Y. Fish Game J. 2: 142-153.
- WHITE, A. 1850. List of the specimens of British animals in the collection of the British Museum. Pt. IV. Crustacea. British Museum, London. 141 p.
1857. A popular history of British Crustacea. Lovell Reeve, London. 358 p.
- WHITEAVES, J. F. 1901. Catalogue of the marine Invertebrates of eastern Canada. Geol. Surv. Can. No. 772, p. 1-271.
- WILLEY, A. 1896. Letters from New Guinea on *Nautilus* and some other organisms. Q. J. Microsc. Sci. 39: 145-180.
- WILSON, C. B. 1905. North American parasitic copepods belonging to the family Caligidae. Pt. I. The Caliginae. Proc. U.S. Natl. Mus. 28: 479-672.

1906. Report on some parasitic Copepoda collected by Professor Herdman, at Ceylon, in 1902. Rep. Gov. Ceylon Pearl Oyster Fish. Gulf Manaar. Pt. 1. Suppl. Rep. 34. p.189-210.
1907. North American parasitic copepods belonging to the family Caligidae. Part 3, 4. A revision of the Pandarinae and Cecropinae. Proc. U.S. Natl. Mus. 33: 323-490.
- 1908a. North American parasitic copepods: new genera and species of Caliginae. Proc. U.S. Natl. Mus. 33: 593-627.
- 1908b. North American parasitic copepods: a list of those found upon the fishes of the Pacific Coast, with descriptions of new genera and species. Proc. U.S. Natl. Mus. 35: 431-481.
1911. Jamaica fish and their parasites. Johns Hopkins Univ. Circ. New Ser. No. 2: 16-23.
1912. Descriptions of new species of parasitic copepods in the collections of the United States National Museum. Proc. U.S. Natl. Mus. 42: 233-243.
1913. Crustacean parasites of West Indian fishes and land crabs, with descriptions of new genera and species. Proc. U.S. Natl. Mus. 44: 189-277.
- 1920a. Report on the parasitic Copepoda collected during the Canadian Arctic Expedition, 1913-1918. Rep. Can. Arct. Exped. 7. Pt. L. p. 1-16.
- 1920b. Preprint of Wilson (1921).
1921. Report on the parasitic Copepoda collected during the survey of the Juan Fernandez Islands, 1916-1917, p. 69-74. In C. Skottsberg [ed.] The natural history of Juan Fernandez and Easter Island. Vol. 3, Zoology. Almqvist and Wiksell, Uppsala, Sweden.
- 1922a. North American parasitic copepods belonging to the family Dicheelesthiidae. Proc. U.S. Natl. Mus. 60(2400): 1-100.
- 1922b. Parasitic copepods in the collection of the Zoological Museum, Kristiana. Nytt Mag. Naturvidensk. 60: 105-111.
1923. Parasitic copepods in the collection of the Riksmuseum at Stockholm. Ark. Zool. 15(3): 1-15.
- 1924a. Parasitic copepods from the Williams Galapagos Expedition. Zoologica (N.Y.) 5: 211-217.
- 1924b. New North American parasitic copepods, new hosts, and notes on copepod nomenclature. Proc. U.S. Natl. Mus. 64(2507): 1-22.
- 1928a. A new species of parasitic copepod (*Caligus*) from a Siamese catfish. J. Siam. Soc. Nat. Hist. Suppl. 7: 191-192.
- 1928b. Parasitic copepods from the White Nile and the Red Sea. Results Swedish Zool. Exped. Egypt and White Nile. 5(26B): 1-17.
- 1932a. The copepods of the Woods Hole region Massachusetts. U.S. Natl. Mus. Bull. 158: 635 p.
- 1932b. The copepod crustaceans of Chesapeake Bay. Proc. U.S. Natl. Mus. 80(2915): 1-54.
- 1935a. New parasitic copepods. Smithson. Misc. Collect. 91(19): 1-9.
- 1935b. Parasitic copepods from the Pacific Coast. Am. Midl. Nat. 16: 776-797.
- 1936a. Two new parasitic copepods from Cuban fish. Mem. Soc. Cubana Hist. Nat. 10: 107-112.
- 1936b. Parasitic copepods from the Dry Tortugas. Pap. Tortugas Lab. 29: 327-347.
- 1936c. Plankton of the Bermuda Oceanographic Expeditions. IV. Notes on Copepoda. Zoologica (N.Y.) 21: 89-93.
- 1937a. Parasitic copepods taken during the third Hancock Expedition to the Galapagos Islands. Allan Hancock Pacif. Exped. 2(4): 23-30.
- 1937b. Some parasitic copepods from Panama Bay. J. Wash. Acad. Sci. 27: 423-431.
1950. Copepods gathered by the U.S. Fisheries steamer "Albatross" from 1887-1909, chiefly in the Pacific Ocean. U.S. Natl. Mus. Bull. 100(Vol. 14, Pt. 4): 141-441.
- Wood, J. G. 1863. The illustrated natural history. Vol. 3. George Routledge and Sons, London. 810 p.
- YAMAGUTI, S. 1936. Parasitic copepods from fishes of Japan. Pt. 2. Caligoida, I. Publ. by author, Japan. 22 p.
1939. Parasitic copepods from fishes of Japan. Pt. 5. Caligoida, III. Volumen Jubilare Pro Prof. Sadao Yoshida 2: 443-487.
1954. Parasitic copepods from fishes of Celebes and Borneo. Publ. Seto Mar. Biol. Lab. 3: 375-398.
1963. Parasitic Copepoda and Branchiura of fishes. Interscience Publishers, New York, London, and Sydney. 1104 p.
- YAMAGUTI, S., AND T. YAMASU. 1959. Parasitic copepods from fishes of Japan with descriptions of 26 new species and remarks on two known species. J. Biol. Okayama Univ. 5: 89-165.
1960. New parasitic copepods from Japanese fishes. Publ. Seto Mar. Biol. Lab. 8: 141-152.
- YEATMAN, H. C. 1957. A redescription of two parasitic copepods from Bermuda. J. Wash. Acad. Sci. 47: 346-353.
- YIN, W.-Y. 1962. Parasitic copepods and Branchiura of freshwater fishes from north-east China and Inner Mongolia. Acta Hydrobiol. Sin. 1: 31-46. (In Chinese, English summary)
- Yu, S.-C. 1933. Chinese parasitic copepods collected by H. W. Wu, with descriptions of new genera and species. Bull. Fan. Mem. Inst. Biol. 4: 117-138.
- ZANDT, F. 1938. Die Einwanderung der Coregonen in ihre heutigen Wohnbezirke. Arch. Hydrobiol. 33: 688-699.

## Recent Bulletins/Récents Bulletins

- 183 Russian-English dictionary for students of fisheries and aquatic biology  
W. E. RICKER  
(1973, 428 p., cat. no. Fs 94-183; *Canada: \$7.00, Other countries/Autres pays: \$8.40*)
- 184 Freshwater fishes of Canada  
W. B. SCOTT AND E. J. CROSSMAN  
(1973, 966 p., cat. no. Fs 94-184; *Canada: \$9.75, Other countries/Autres pays: \$11.70*)
- 185 Benthic errant polychaetes of British Columbia and Washington  
CARL BANSE AND KATHARINE D. HOBSON  
(1974, 111 p., cat. no. Fs 94-185; *Canada: \$4.50, Other countries/Autres pays: \$5.40*)
- 186 The capelin (*Mallotus villosus*): biology, distribution, exploitation, utilization, and composition  
P. M. JANGAARD  
(1974, 70 p., cat. no. Fs 94-186; *Canada: \$3.00, Other countries/Autres pays: \$3.60*)
- 187 The lobster fishery of the Maritime Provinces: economic effects of regulations  
A. GORDON DEWOLF  
(1974, 59 p., cat. no. Fs 94-187; *Canada: \$3.00, Other countries/Autres pays: \$3.60*)
- 188 Aquaculture in Canada — the practice and the promise  
H. R. MACCRIMMON, J. E. STEWART, AND J. R. BRETT  
(1974, 84 p., cat. no. Fs 94-188; *Canada: \$3.75, Other countries/Autres pays: \$4.50*)
- 189 Treatment of fish processing plant wastewater  
F. G. CLAGGETT AND J. WONG  
(1974, 18 p., cat. no. Fs 94-189; *Canada: \$2.00, Other countries/Autres pays: \$2.40*)
- 190 Hydrodynamics and energetics of fish propulsion  
PAUL W. WEBB  
(1975, 159 p., cat. no. Fs 94-190; *Canada: \$5.00, Other countries/Autres pays: \$6.00*)
- 191 Computations and interpretation of biological statistics of fish populations  
W. E. RICKER  
(1975, 382 p., cat. no. Fs 94-191; *Canada: \$8.00, Other countries/Autres pays: \$9.60*)

---

To obtain the publications listed above, at the prices indicated, write to:

Information Canada  
171 Slater Street  
Ottawa, Canada K1A 0S9

Please make cheques and money orders payable to the Receiver General of Canada. Advance payment is required.

On peut se procurer les publications ci-dessus, au prix indiqué, en s'adressant directement à:

Information Canada  
171, rue Slater  
Ottawa, Canada K1A 0S9

Payables à l'avance. Faire les chèques et les mandats payables à l'ordre du Receveur général du Canada.



Fisheries and Environment  
Canada

Pêches et Environnement  
Canada

0016961E

BULLETIN OF THE FISHERIES  
RESEARCH BOARD OF CANADA.