

# WMSDB - Worldwide Mollusc Species Data Base

---



## Family: MYTILIDAE

---

**Class: BIVALVIA****--- Clade: PTERIOMORPHIA-MYTILOIDEA****----- Family: MYTILIDAE** Rafinesque, 1815 (Sea)

- Alphabetic order - when **first name** is in bold the species has images  
Taxa=1415, Genus=52, Subgenus=6, Species=435, Subspecies=32, Synonyms=889, Images=268

---

- abbotti, [\*\*Crenella abbotti\*\*](#) C.O. Van Regteren Altena, 1968
- abbotti, Leiosolenus abbotti H.N. Lowe, 1935 - syn of: [\*\*Leiosolenus spatirosus\*\*](#) (P.P. Carpenter, 1857)
- abbotti, Lithophaga abbotti H.N. Lowe, 1935 - syn of: [\*\*Leiosolenus spatirosus\*\*](#) (P.P. Carpenter, 1857)
- abbreviatus, Mytilus abbreviatus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Mytilus edulis\*\*](#) C. Linnaeus, 1758
- abscondita, Modiolus abscondita A. Aradas, 1847 - syn of: [\*\*Lioberus agglutinans\*\*](#) (F.J. Cantraine, 1835)
- abscondita, Amygdalum abscondita A. Aradas, 1847 - syn of: [\*\*Lioberus agglutinans\*\*](#) (F.J. Cantraine, 1835)
- abyssicola, [\*\*Benthomodiolus abyssicola\*\*](#) (J. Knudsen, 1970)
- abyssorum, [\*\*Dacrydium abyssorum\*\*](#) J.A. Allen, 1998
- achatinus, Mytilus achatinus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Perna perna\*\*](#) (C. Linnaeus, 1758)
- acrocyrtus, [\*\*Mytilus galloprovincialis acrocyrtus\*\*](#) É.A.A. Locard, 1889
- acutirostris, Perna acutirostris R.W. Dunker, 1869 - syn of: [\*\*Isognomon nucleus\*\*](#) (J.B.P.A. Lamarck, 1819)
- adamsiana, [\*\*Crenella adamsiana\*\*](#) J.C. Melville & R. Standen, 1907
- adamsianus, [\*\*Brachidontes adamsianus\*\*](#) (R.W. Dunker, 1857)
- adamsianus, Mytilus adamsianus R.W. Dunker, 1857 - syn of: [\*\*Brachidontes adamsianus\*\*](#) (R.W. Dunker, 1857)
- adolphi, Musculusadolphi R.W. Dunker, 1871 - syn of: [\*\*Musculus nanus\*\*](#) (R.W. Dunker, 1857)
- adriatica, [\*\*Gibbomodiola adriatica\*\*](#) (J.B.P.A. Lamarck, 1819)
- adriatica, Modiolus adriatica J.B.P.A. Lamarck, 1819 - syn of: [\*\*Gibbomodiola adriatica\*\*](#) (J.B.P.A. Lamarck, 1819)
- adriatica brachyterus, [\*\*Gibbomodiola adriatica brachyterus\*\*](#) É.A.A. Locard, 1888
- adriaticus, Modiolus adriaticus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Gibbomodiola adriatica\*\*](#) (J.B.P.A. Lamarck, 1819)
- adriaticus ovalis, Modiolus adriaticus ovalis G.B. Sowerby, 1859 - syn of: [\*\*Gibbomodiola adriatica\*\*](#) (J.B.P.A. Lamarck, 1819)
- aduloides, [\*\*Bathymodiolus aduloides\*\*](#) J. Hashimoto & T.A. Okutani, 1994
- aequatorialis, Brachidontes aequatorialis A.A. Olson, 1961 - syn of: [\*\*Brachidontes semilaevis\*\*](#) (K.T. Menke, 1848)
- afer, Mytilus afer J.F. Gmelin, 1791 - syn of: [\*\*Perna perna\*\*](#) (C. Linnaeus, 1758)
- africana, Gregariella africana P. Bartsch, 1915 - syn of: [\*\*Gregariella difficilis\*\*](#) (G.P. Deshayes in L. Maillard, 1863)
- africana, Musculus africana P. Bartsch, 1915 - syn of: [\*\*Gregariella difficilis\*\*](#) (G.P. Deshayes in L. Maillard, 1863)
- africana mauretanica, Perna africana mauretanica P.M. Pallary, 1900 - syn of: [\*\*Perna perna\*\*](#) (C. Linnaeus, 1758)
- africana tingitana, Perna africana tingitana P.M. Pallary, 1900 - syn of: [\*\*Perna perna\*\*](#) (C. Linnaeus, 1758)
- agglutinans, [\*\*Lioberus agglutinans\*\*](#) (F.J. Cantraine, 1835)
- agglutinans, Modiolus agglutinans F.J. Cantraine, 1835 - syn of: [\*\*Lioberus agglutinans\*\*](#) (F.J. Cantraine, 1835)
- agripetus, Modiolus agripetus T. Iredale, 1939 - syn of: [\*\*Modiolus auriculatus\*\*](#) (C.F.F. von Krauss, 1848)
- alacorvi, Mytilus alacorvi L.W. Dilwyn, 1817 - syn of: [\*\*Electroma alacorvi\*\*](#) (L.W. Dilwyn, 1817)
- albanyana, Musculus albanyana W.H. Turton, 1932 - syn of: [\*\*Gregariella difficilis\*\*](#) (G.P. Deshayes in L. Maillard, 1863)
- albanyana, Gregariella albanyana W.H. Turton, 1932 - syn of: [\*\*Gregariella difficilis\*\*](#) (G.P. Deshayes in L. Maillard, 1863)
- albicosta, [\*\*Gibbomodiola albicosta\*\*](#) (J.B.P.A. Lamarck, 1819)
- albicostatus, Modiolus albicostatus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Gibbomodiola albicosta\*\*](#) (J.B.P.A. Lamarck, 1819)
- albicostus, Modiolus albicostus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Gibbomodiola albicosta\*\*](#) (J.B.P.A. Lamarck, 1819)
- albidum, [\*\*Dacrydium albidum\*\*](#) J.P.L. Pelseneer, 1903
- albus, Choromytilus albus J.I. Molina, 1782 - syn of: [\*\*Choromytilus chorus\*\*](#) (J.I. Molina, 1782)
- albus, Mytilus albus Siemaschko, 1848 - syn of: [\*\*Dreissena bugensis\*\*](#) N.I. Andrusov, 1897
- alfredensis, Crenella alfredensis P. Bartsch, 1915 - syn of: [\*\*Solamen striatissima\*\*](#) (G.B. III Sowerby, 1904)
- alganus, [\*\*Musculus alganus\*\*](#) C.F. Laseron, 1956
- algosus, [\*\*Semimytilus algosus\*\*](#) (A.A. Gould, 1850)
- ambiguus, Mytilus ambiguus L.W. Dilwyn, 1817 - syn of: [\*\*Rocellaria dubia\*\*](#) (T. Pennant, 1777)
- americanum, [\*\*Amygdalum americanum\*\*](#) T. Soot-Ryen, 1955
- americanus, [\*\*Modiolus americanus\*\*](#) (W.E. Leach, 1815)
- americanus, Mytilus americanus C.A. Récluz, 1858 - syn of: [\*\*Mytilopsis leucophaeata\*\*](#) (T.A. Conrad, 1831)
- americanus, Mytilus americanus D'Orbigny, 1846 - syn of: [\*\*Aulacomya atra\*\*](#) (J.I. Molina, 1782)
- americanus, Mytilus americanus L.A. Reeve, 1858 - syn of: [\*\*Mytilopsis leucophaeata\*\*](#) (T.A. Conrad, 1831)
- americanus pseudotulipus, [\*\*Modiolus americanus pseudotulipus\*\*](#) A.A. Olson, 1961
- anatinus, Mytilus anatinus C. Linnaeus, 1758 - syn of: [\*\*Anodonta anatina\*\*](#) (C. Linnaeus, 1758)
- anatinus, Mytilus anatinus R. Sheppard, 1821 - syn of: [\*\*Anodonta cygnea\*\*](#) (C. Linnaeus, 1758)
- anatinus, Mytilus anatinus T. Sturm, 1803 - syn of: [\*\*Anodonta cygnea\*\*](#) (C. Linnaeus, 1758)
- andersoni, [\*\*Ciboticola andersoni\*\*](#) (E.C. Von Martens, 1887)
- angasi, Modiolus angasi S. Clessin, 1889 - syn of: [\*\*Xenostrobus inconstans\*\*](#) (R.W. Dunker, 1856)
- angulare, [\*\*Dacrydium angulare\*\*](#) K.W. Ockelmann, 1983
- angulatus, Mytilus angulatus W. Williamson, 1834 - syn of: [\*\*Mytilus edulis\*\*](#) C. Linnaeus, 1758
- angusta, Musculus angusta S. Clessin, 1890 - syn of: [\*\*Arcuatula perfragilis\*\*](#) (R.W. Dunker, 1857)

- **angustanus**, *Mytilus angustanus* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Mytilus planulatus\*\*\*](#) J.B.P.A. Lamarck, 1819
- **angustanus**, *Mytilus angustanus* L.A. Reeve, 1858 - syn of: [\*\*\*Semimytilus algosus\*\*\*](#) (A.A. Gould, 1850)
- **angustatus**, [\*\*\*Modiolus barbatus angustatus\*\*\*](#) R.A. Philippi, 1836
- **angustior**, *Musculus angustior* E. Klein - syn of: [\*\*\*Anodonta cygnea\*\*\*](#) (C. Linnaeus, 1758)
- **annandalei**, *Brachidontes annandalei* H.B. Preston, 1911 - syn of: [\*\*\*Brachidontes striatulus\*\*\*](#) (S.C.T. Hanley, 1843)
- **anomiooides**, *Perna anomiooides* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon australica\*\*\*](#) (L.A. Reeve, 1858)
- **anoxicolum**, [\*\*\*Amygdalum anoxicolum\*\*\*](#) P.G. Oliver, 2001
- **antarcticus**, [\*\*\*Bathymodiolus antarcticus\*\*\*](#) S.B. Johnson & R.C. Vrijenhoek, 2013
- **anteumbonatus**, [\*\*\*Bathymodiolus anteumbonatus\*\*\*](#) R. von Cosel & A.W. Janssen, 2008
- **antillarum**, [\*\*\*Lithophaga antillarum\*\*\*](#) (D'Orbigny, 1853)
- **antillarum**, *Modiola antillarum* R.A. Philippi, 1847 - syn of: [\*\*\*Lithophaga nigra\*\*\*](#) (D'Orbigny, 1853)
- **aoteanus**, [\*\*\*Mytilus edulis aoteanus\*\*\*](#) A.W.B. Powell, 1958
- **appendiculata**, *Modiolus appendiculata* R.A. Philippi, 1846 - syn of: [\*\*\*Leiosolenus appendiculatus\*\*\*](#) (R.A. Philippi, 1846)
- **appendiculatus**, [\*\*\*Leiosolenus appendiculatus\*\*\*](#) (R.A. Philippi, 1846)
- **aquarius**, *Musculus aquarius* A.W. Grabau & S.G. King, 1928 - syn of: [\*\*\*Arcuatula senhousia\*\*\*](#) (W.H. Benson in T.E. Cantor, 1842)
- **aquila**, *Perna aquila* S. Clessin, 1890 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **arabicus**, *Brachidontes arabicus* F.P. Jousseaume in É. Lamy, 1919 - syn of: [\*\*\*Brachidontes pharaonis\*\*\*](#) (P. Fischer, 1870)
- **arata**, [\*\*\*Jolya arata\*\*\*](#) (R.W. Dunker, 1857)
- **arborescens**, *Modiolus arborescens* L.W. Dilwyn, 1817 - syn of: [\*\*\*Amygdalum dendriticum\*\*\*](#) J.K. Megerle Von Mühlfeld, 1811
- **area nalivkini**, *Mytilus arca nalivkini* A.V. Ali-Zade, 1961 - syn of: [\*\*\*Dreissena polymorpha\*\*\*](#) (P.S. Pallas, 1771)
- **arciformis**, *Modiolus arciformis* W.H. Dall, 1909 - syn of: [\*\*\*Mytella charruana\*\*\*](#) (D'Orbigny, 1842)
- **arctica**, *Crenella arctica* W.E. Leach in A. Ross, 1819 - syn of: [\*\*\*Arvella faba\*\*\*](#) (O.F. Müller, 1776)
- **arcuata**, *Gregariella arcuata* A.A. Gould, 1861 - syn of: [\*\*\*Gregariella barbata\*\*\*](#) (L.A. Reeve, 1858)
- **arcuata**, *Musculus arcuata* A.A. Gould, 1861 - syn of: [\*\*\*Gregariella barbata\*\*\*](#) (L.A. Reeve, 1858)
- **arcuata**, *Botula arcuata* H. Dufo, 1840 - syn of: [\*\*\*Botula cinnamomea\*\*\*](#) (J.F. Gmelin, 1791)
- **arcuatis**, [\*\*\*Adipicola arcuatis\*\*\*](#) R.K. Dell, 1995
- **arcuatula**, [\*\*\*Arcuatula arcuatula\*\*\*](#) (S.C.T. Hanley, 1843)
- **arcuatulus**, *Modiolus arcuatulus* S.C.T. Hanley, 1843 - syn of: [\*\*\*Arcuatula arcuatula\*\*\*](#) (S.C.T. Hanley, 1843)
- **arcuatus**, *Brachidontes arcuatus* S. Clessin, 1887 - syn of: [\*\*\*Brachidontes granulatus\*\*\*](#) S.C.T. Hanley, 1843
- **arenalis**, *Modiolus arenalis* K.T. Menke, 1830 - syn of: [\*\*\*Musculus lateralis\*\*\*](#) (T. Say, 1822)
- **arenalis**, *Musculus arenalis* K.T. Menke, 1830 - syn of: [\*\*\*Musculus lateralis\*\*\*](#) (T. Say, 1822)
- **arenaria**, [\*\*\*Rhomboidella prideauxi arenaria\*\*\*](#) A. Martin, 1872
- **arenaria**, [\*\*\*Crenella arenaria\*\*\*](#) T.A. de M. Monterosato, 1875 ex A. Martin MS
- **areolatus**, [\*\*\*Modiolus areolatus\*\*\*](#) (A.A. Gould, 1850)
- **areolatus**, *Mytilus areolatus* A.A. Gould, 1850 - syn of: [\*\*\*Modiolus areolatus\*\*\*](#) (A.A. Gould, 1850)
- **areolatus cottoni**, [\*\*\*Modiolus areolatus cottoni\*\*\*](#) C.F. Laseron, 1956
- **argentea**, *Musculus argentea* L.A. Reeve, 1858 - syn of: [\*\*\*Gregariella coralliophaga\*\*\*](#) (J.F. Gmelin, 1791)
- **argenteus**, [\*\*\*Idas argenteus\*\*\*](#) J.G. Jeffreys, 1876
- **argenteus**, *Lithodomus argenteus* L.A. Reeve, 1858 - syn of: [\*\*\*Gregariella coralliophaga\*\*\*](#) (J.F. Gmelin, 1791)
- **argenteus lamellosus**, *Idas argenteus lamellosus* A.E. Verrill, 1882 - syn of: [\*\*\*Idas lamellosus\*\*\*](#) A.E. Verrill, 1882
- **argillacea**, *Perna argillacea* A.A. Gould, 1850 - syn of: [\*\*\*Isognomon ephippium\*\*\*](#) (C. Linnaeus, 1758)
- **aristata**, [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dilwyn, 1817)
- **aristatus gracilior**, *Lithophaga aristatus gracilior* P.P. Carpenter, 1857 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dilwyn, 1817)
- **aristatus tumidior**, *Lithophaga aristatus tumidior* P.P. Carpenter, 1857 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dilwyn, 1817)
- **arquatilis**, *Idas arquatilis* R.K. Dell, 1995 - syn of: [\*\*\*Adipicola arcuatis\*\*\*](#) R.K. Dell, 1995
- **asperula**, *Rhomboidella asperula* S.V. Wood, 1856 - syn of: [\*\*\*Rhomboidella prideaux\*\*\*](#) (W.E. Leach, 1815)
- **ater**, *Mytilus ater* J. Zelebor in R.W. Dunker & J. Zelebor, 1866 - syn of: [\*\*\*Limnoperna pulex\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **ater**, *Aulacomya ater* J.I. Molina, 1782 - syn of: [\*\*\*Aulacomya atra\*\*\*](#) (J.I. Molina, 1782)
- **ater**, *Mytilus ater* J.I. Molina, 1782 - syn of: [\*\*\*Aulacomya atra\*\*\*](#) (J.I. Molina, 1782)
- **aterrima**, *Modiolus aterrima* W.H. Dall, 1871 - syn of: [\*\*\*Xenostrobus atratus\*\*\*](#) (C.E. Lischke, 1871)
- **atra**, [\*\*\*Aulacomya atra\*\*\*](#) (J.I. Molina, 1782)
- **atra crenata**, [\*\*\*Aulacomya atra crenata\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **atra maoriana**, *Aulacomya atra maoriana* T. Iredale, 1915 - syn of: [\*\*\*Aulacomya maoriana\*\*\*](#) T. Iredale, 1915
- **atratus**, [\*\*\*Xenostrobus atratus\*\*\*](#) (C.E. Lischke, 1871)
- **atropurpureus**, *Musculus atropurpureus* R.W. Dunker, 1857 - syn of: [\*\*\*Musculus niger\*\*\*](#) (J.E. Gray, 1824)
- **attenuata**, [\*\*\*Solamen attenuata\*\*\*](#) (G.P. Deshayes, 1836)
- **attenuata**, *Perna attenuata* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **attenuatus rogersi**, *Lithophaga attenuatus rogersi* S.S. Berry, 1957 - syn of: [\*\*\*Solamen attenuata\*\*\*](#) (G.P. Deshayes, 1836)
- **aurantius**, [\*\*\*Modiolus aurantius\*\*\*](#) (F.P. Jousseaume in É. Lamy, 1919)
- **auriculatus**, [\*\*\*Modiolus auriculatus\*\*\*](#) (C.F.F. von Krauss, 1848)
- **auriculatus aurantius**, *Modiolus auriculatus aurantius* F.P. Jousseaume in É. Lamy, 1919 - syn of: [\*\*\*Modiolus auriculatus\*\*\*](#) (C.F.F. von Krauss, 1848)
- **aurum**, [\*\*\*Modiolus aurum\*\*\*](#) O. Ruiz, 1979
- **australica**, *Perna australica* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon australica\*\*\*](#) (L.A. Reeve, 1858)
- **australis**, [\*\*\*Gregariella australis\*\*\*](#) (E.C. Von Martens, 1880)
- **australis**, [\*\*\*Perna australis\*\*\*](#) (J.E. Gray, 1826)

- **australis**, *Septifer australis* C.F. Laseron, 1956 - syn of: [\*\*\*Septifer cumingii\*\*\*](#) C.A. Récluz, 1849
- **australis**, [\*\*\*Brachidontes australis\*\*\*](#) E.C. Von Martens, 1879
- **aviarius**, [\*\*\*Musculus aviarius\*\*\*](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **avicular**, *Mytilus avicular* H.S. Holton, 1802 - Syn of: [\*\*\*Pteria avicula\*\*\*](#) H.S. Holton, 1802
- **avicularis**, *Perna avicularis* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **azoricus**, [\*\*\*Bathymodiolus azoricus\*\*\*](#) R. von Cosel & T. Comtet, 1999
- **bakeri**, [\*\*\*Gregariella bakeri\*\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **balani**, *Xenostrobus balani* (K.W. Ockelmann, 1983) - syn of: [\*\*\*Xenostrobus balani\*\*\*](#) (K.W. Ockelmann, 1983)
- **balani**, [\*\*\*Xenostrobus balani\*\*\*](#) (K.W. Ockelmann, 1983)
- **balani**, *Limnoperna balani* K.W. Ockelmann, 1983 - syn of: [\*\*\*Xenostrobus balani\*\*\*](#) (K.W. Ockelmann, 1983)
- **baldi**, *Mytilaster baldi* ♂. Brusina, 1865 - syn of: [\*\*\*Mytilaster lineatus\*\*\*](#) (J.F. Gmelin, 1791)
- **balgimi**, [\*\*\*Dacrydium balgimi\*\*\*](#) C. Salas & S. Gofas, 1997
- **balli**, *Modiolus balli* T. Brown, 1844 - syn of: [\*\*\*Lioberus agglutinans\*\*\*](#) (F.J. Cantraine, 1835)
- **ballii**, *Amygdalum ballii* T. Brown, 1844 - syn of: [\*\*\*Lioberus agglutinans\*\*\*](#) (F.J. Cantraine, 1835)
- **ballii**, *Modiolus ballii* T. Brown, 1844 - syn of: [\*\*\*Lioberus agglutinans\*\*\*](#) (F.J. Cantraine, 1835)
- **barbata**, [\*\*\*Gregariella barbata\*\*\*](#) (L.A. Reeve, 1858)
- **barbata**, *Musculus barbata* G.F. Angas, 1868 - syn of: [\*\*\*Gregariella barbata\*\*\*](#) (L.A. Reeve, 1858)
- **barbata brevis**, *Modiolus barbata brevis* P.M. Pallery, 1900 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbata brunnea**, *Modiolus barbata brunnea* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1890 - Syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbata curvata**, *Modiolus barbata curvata* É.A.A. Locard, 1888 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbata elongata**, *Modiolus barbata elongata* P.M. Pallery, 1912 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbata ferruginea**, *Modiolus barbata ferruginea* É.A.A. Locard, 1888 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbata fusca**, *Modiolus barbata fusca* É.A.A. Locard, 1888 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbata luteola**, *Modiolus barbata luteola* É.A.A. Locard, 1888 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbata major**, *Modiolus barbata major* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1890 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbata rosea**, *Modiolus barbata rosea* É.A.A. Locard, 1888 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbata rubra**, *Modiolus barbata rubra* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1890 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbata scabra**, *Modiolus barbata scabra* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1890 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbata subnigra**, *Modiolus barbata subnigra* É.A.A. Locard, 1888 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbatella**, *Gregariella barbatella* F.J. Cantraine, 1835 - syn of: [\*\*\*Gregariella petagnae\*\*\*](#) (A. Scacchi, 1832)
- **barbatus**, [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barbatus angustatus**, [\*\*\*Modiolus barbatus angustatus\*\*\*](#) R.A. Philippi, 1836
- **barbatus dilatatus**, [\*\*\*Modiolus barbatus dilatatus\*\*\*](#) R.A. Philippi, 1836
- **barbatus oblonga**, *Mytilus barbatus oblonga* J.G. Jeffreys, 1864 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **barnardi**, *Lithophaga barnardi* P.H. Boshoff, 1965 - syn of: [\*\*\*Leiosolenus lima\*\*\*](#) (É. Lamy, 1919)
- **beddomei**, *Amygdalum beddomei* T. Iredale, 1924 - syn of: [\*\*\*Amygdalum striatum\*\*\*](#) (F.W. Hutton, 1873)
- **bellardiana**, *Modiolus bellardiana* C.M. Tapparone-Canevari, 1874 - syn of: [\*\*\*Arcuatula senhousia\*\*\*](#) (W.H. Benson in T.E. Cantor, 1842)
- **bellardiana**, *Musculus bellardiana* C.M. Tapparone-Canevari, 1874 - syn of: [\*\*\*Arcuatula senhousia\*\*\*](#) (W.H. Benson in T.E. Cantor, 1842)
- **biceps**, *Brachidontes biceps* K.T. Menke, 1848 - syn of: [\*\*\*Brachidontes exustus\*\*\*](#) (C. Linnaeus, 1758)
- **bicolor**, *Perna bicolor* C.B. Adams, 1845 - syn of: [\*\*\*Isognomon bicolor\*\*\*](#) (C.B. Adams, 1845)
- **bicolor**, *Modiola bicolor* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Mytella guyanensis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **bicolor**, *Mytella bicolor* J.G. Bruguère, 1792 - syn of: [\*\*\*Mytella guyanensis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **bicolor**, *Mytella bicolor* J.G. Bruguère, 1792 - syn of: [\*\*\*Mytella guyanensis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **bidentipes**, *Lichomolus bidentipes* T.H. Ho, 1980 - syn of: [\*\*\*Septifer virgatus\*\*\*](#) (A.F.A.H. Wiegmann, 1837)
- **biexcavatus**, *Lithodomus biexcavatus* L.A. Reeve, 1857 - syn of: [\*\*\*Leiosolenus appendiculatus\*\*\*](#) (R.A. Philippi, 1846)
- **bifurcatus**, [\*\*\*Septifer bifurcatus\*\*\*](#) (T.A. Conrad, 1837)
- **bifurcatus**, *Mytilus bifurcatus* T.A. Conrad, 1837 - syn of: [\*\*\*Septifer bifurcatus\*\*\*](#) (T.A. Conrad, 1837)
- **bifurcatus obsoletus**, *Septifer bifurcatus obsoletus* W.H. Dall, 1916 - syn of: [\*\*\*Septifer bifurcatus\*\*\*](#) (T.A. Conrad, 1837)
- **bilocularis**, [\*\*\*Septifer bilocularis\*\*\*](#) (C. Linnaeus, 1758)
- **bilocularis forskali**, [\*\*\*Septifer bilocularis forskali\*\*\*](#) R.W. Dunker, 1855
- **bilocularis pilosus**, [\*\*\*Septifer bilocularis pilosus\*\*\*](#) L.A. Reeve, 1830
- **bipenniferus**, *Myoforceps bipenniferus* R.J.L. Guppy, 1877 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dilwyn, 1817)
- **bipinnifera**, *Lithophaga bipinnifera* R.J.L. Guppy, 1877 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dilwyn, 1817)
- **biradiata**, [\*\*\*Gibbomodiola biradiata\*\*\*](#) (S.C.T. Hanley, 1843)
- **bisculpturatus**, *Septifer bisculpturatus* K.H. Barnard, 1964 - syn of: [\*\*\*Septifer ramulosus\*\*\*](#) (J.M.R.M. Viader, 1951)
- **bisulcatus**, *Lithodomus bisulcatus* A.V.M.D. D'Orbigny, 1853 - syn of: [\*\*\*Leiosolenus appendiculatus\*\*\*](#) (R.A. Philippi, 1846)
- **blakeanus**, [\*\*\*Brachidontes blakeanus\*\*\*](#) (J.C. Melvill & R. Standen, 1914)
- **blondeli**, *Mytilaster blondeli* T.A. de M. Monterosato, 1872 - syn of: [\*\*\*Mytilaster minimus\*\*\*](#) (G.S. Pol, 1795)
- **boeckii**, *Brachidontes boeckii* O.A.L. Mörch, 1874 - syn of: [\*\*\*Brachidontes granulatus\*\*\*](#) S.C.T. Hanley, 1843
- **boeckii**, *Mytilus boeckii* O.A.L. Mörch, 1874 - syn of: [\*\*\*Brachidontes granulatus\*\*\*](#) S.C.T. Hanley, 1843
- **boomerang**, [\*\*\*Bathymodiolus boomerang\*\*\*](#) R. von Cosel & K. Olu, 1998
- **borealis**, *Mytilus borealis* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Mytilus edulis\*\*\*](#) C. Linnaeus, 1758
- **brachyterus**, [\*\*\*Gibbomodiola adriatica brachyterus\*\*\*](#) É.A.A. Locard, 1888
- **brasiliensis**, *Modiola brasiliensis* J.E. Gray, 1825 - syn of: [\*\*\*Mytella guyanensis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **brasiliensis**, *Mytella brasiliensis* J.E. Gray, 1825 - syn of: [\*\*\*Mytella guyanensis\*\*\*](#) (J.B.P.A. Lamarck, 1819)

- **brasiliensis mutabilis**, *Modiola brasiliensis mutabilis* P.P. Carpenter, 1857 - syn of: [\*\*\*Mytella guyanensis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- brevior, [\*\*\*Bathymodiolus brevior\*\*\*](#)
- brooksi, [\*\*\*Bathymodiolus brooksi\*\*\*](#)
- **bryanae**, *Septifer bryanae* H.A. Pilsbry, 1921 - syn of: [\*\*\*Septifer cumingi\*\*\*](#) Recluz, 1849
- bulla, [\*\*\*Solamen bulla\*\*\*](#) (R.W. Dunker, 1857)
- **caerulus**, *Choromytilus caerulus* J.I. Molina, 1782 - syn of: [\*\*\*Choromytilus chorus\*\*\*](#) (J.I. Molina, 1782)
- calceatus, [\*\*\*Musculus calceatus\*\*\*](#) (J.C. McMill & R. Stander, 1907)
- calcifer, [\*\*\*Lithophaga calcifer\*\*\*](#) T. Iredale, 1939
- **californianus**, [\*\*\*Mytilus californianus\*\*\*](#) T.A. Conrad, 1837
- **californicus**, *Mytilus californicus* S. Clessin, 1887 - syn of: [\*\*\*Mytilus zonarius\*\*\*](#) J.B.P.A. Lamarck, 1819
- **californiensis**, [\*\*\*Adula californiensis\*\*\*](#) (R.A. Philippi, 1847)
- **californiensis**, *Modiolus californiensis* R.A. Philippi, 1847 - syn of: [\*\*\*Adula californiensis\*\*\*](#) (R.A. Philippi, 1847)
- **californiensis chosenica**, *Adula californiensis chosenica* T. Habe & K. Itô, 1965 - syn of: [\*\*\*Adula schmidti\*\*\*](#) (L. von Schrenck, 1867)
- **californiensis nipponica**, *Adula californiensis nipponica* T. Habe, 1955 - syn of: [\*\*\*Adula schmidti\*\*\*](#) (L. von Schrenck, 1867)
- **calyculatus**, *Lithophagus calyculatus* P.P. Carpenter, 1857 - syn of: [\*\*\*Lithophaga mucronata\*\*\*](#) (R.A. Philippi, 1846)
- **cambodjensis**, *Modiola cambodjensis* S. Clessin, 1889 - syn of: [\*\*\*Limnoperna fortunei\*\*\*](#) (R.W. Dunker, 1857)
- **canaliculatus**, *Mytilus canaliculatus* J.E. Gray in J.K.E. Dieffenbach, 1843 - syn of: [\*\*\*Perna canaliculus\*\*\*](#) (J.F. Gmelin, 1791)
- **canaliculus**, [\*\*\*Perna canaliculus\*\*\*](#) (J.F. Gmelin, 1791)
- canaliculus, *Mytilus canaliculus* W.H. Dall, 1876 - syn of: [\*\*\*Mytilus desolationis\*\*\*](#) É. Lamy, 1936
- canalifera, [\*\*\*Lithophaga canalifera\*\*\*](#) (S.C.T. Hanley, 1843)
- **canalis**, *Mytilus canalis* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Mytilus zonarius\*\*\*](#) J.B.P.A. Lamarck, 1819
- **canariensis**, [\*\*\*Rhomboidea canariensis\*\*\*](#) (N.H. Odhner, 1932)
- **canina**, *Perna canina* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **capax**, [\*\*\*Modiolus capax\*\*\*](#) T.A. Conrad, 1837
- **capensis**, [\*\*\*Arcuatula capensis\*\*\*](#) (C.F.F. von Krauss, 1848)
- **capensis**, [\*\*\*Aulacomya capensis\*\*\*](#) (R.W. Dunker, 1846)
- **capensis**, [\*\*\*Rhomboidea capensis\*\*\*](#) K.H.J. Thiele & S.G.A. Jaeckel, 1931
- **caperata**, [\*\*\*Lithophaga caperata\*\*\*](#) (R.A. Philippi, 1849)
- **cardiiformis**, *Crenella cardiiformis* G.B. Sowerby, 1844 - syn of: [\*\*\*Spinospella acuticostata\*\*\*](#) (R.A. Philippi, 1844)
- **caribaea**, *Lithophaga caribaea* R.A. Philippi, 1847 - syn of: [\*\*\*Lithophaga nigra\*\*\*](#) (D'Orbigny, 1853)
- **carmenae**, [\*\*\*Leiosolenus carmenae\*\*\*](#) (R. von Cosel, 1995)
- **carolinensis**, *Mytilus carolinensis* T.A. Conrad, 1837 - syn of: [\*\*\*Ischadium recurvum\*\*\*](#) (C.S. Rafinesque, 1820)
- carpenteri, [\*\*\*Modiolus carpenteri\*\*\*](#) T. Soot-Ryen, 1963
- **carvalhoi**, [\*\*\*Modiolus carvalhoi\*\*\*](#) M.A. Klappenbach, 1966
- casta, [\*\*\*Arvella casta\*\*\*](#) A. Adams, 1862
- **castaneus**, [\*\*\*Lioberus castaneus\*\*\*](#) (T. Say, 1822)
- **castaneus**, *Mytilus castaneus* J. Lightfoot, 1786 - syn of: [\*\*\*Arenifodiens vagina\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **castaneus**, *Leiosolenus castaneus* L.A. Reeve, 1857 - syn of: [\*\*\*Leiosolenus spatirosus\*\*\*](#) (P.P. Carpenter, 1857)
- **castaneus**, *Mytilus castaneus* W. Wood, 1828 - syn of: [\*\*\*Arenifodiens vagina\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **caudata**, *Perna caudata* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon legumen\*\*\*](#) (J.F. Gmelin, 1791)
- **caudatus**, *Myoforceps caudatus* J.E. Gray in P.P. King, 1827 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dillwyn, 1817)
- **caudigera**, *Myoforceps caudigera* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dillwyn, 1817)
- **caudiva**, [\*\*\*Crenella caudiva\*\*\*](#) A.A. Olson, 1961
- **cavernosa**, *Lithophaga cavernosa* R.W. Dunker, 1882 - syn of: [\*\*\*Lithophaga plumula\*\*\*](#) (S.C.T. Hanley, 1843)
- **cavolini**, *Modiolus cavolini* A. Scacchi, 1833 - syn of: [\*\*\*Gibbomodiola adriatica\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **cavolini**, *Mytilus cavolini* A. Scacchi, 1833 - syn of: [\*\*\*Gibbomodiola adriatica\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **cecillii**, [\*\*\*Modiolus cecillii\*\*\*](#) (R.A. Philippi, 1847)
- celator, *Brachidontes celator* H.B. Preston, 1911 - syn of: [\*\*\*Brachidontes striatulus\*\*\*](#) (S.C.T. Hanley, 1843)
- **charpentieri**, *Brachidontes charpentieri* R.W. Dunker, 1853 - syn of: [\*\*\*Brachidontes puniceus\*\*\*](#) (J.F. Gmelin, 1791)
- **charruana**, [\*\*\*Mytella charruana\*\*\*](#) (D'Orbigny, 1842)
- **chemnitziana**, *Perna chemnitziana* D'Orbigny, 1853 - syn of: [\*\*\*Isognomon bicolor\*\*\*](#) (C.B. Adams, 1845)
- **chemnitzii**, *Mytilus chemnitzii* A.E.J. Féussac, 1835 - syn of: [\*\*\*Dreissena polymorpha\*\*\*](#) (P.S. Pallas, 1771)
- **chemnitzii**, *Modiola chemnitzii* V.L.V. Potiez & A. Michaud, 1844 - syn of: [\*\*\*Brachidontes modiolus\*\*\*](#) (C. Linnaeus, 1767)
- **chenuanus**, *Mytilus chenuanus* D'Orbigny, 1846 - syn of: [\*\*\*Gregariella chenui\*\*\*](#) (C.A. Récluz, 1842)
- **chenuanus**, *Gregariella chenuanus* D'Orbigny, 1846 - syn of: [\*\*\*Gregariella chenui\*\*\*](#) (C.A. Récluz, 1842)
- **chenui**, [\*\*\*Gregariella chenui\*\*\*](#) (C.A. Récluz, 1842)
- **chenui**, *Mytilus chenui* C.A. Récluz, 1842 - syn of: [\*\*\*Gregariella chenui\*\*\*](#) (C.A. Récluz, 1842)
- **childressi**, [\*\*\*Bathymodiolus childressi\*\*\*](#) D.L. Gustafson, 1999
- **chilensis**, *Mytilus chilensis* (L.H. Hupé, 1854) - syn of: [\*\*\*Mytilus edulis chilensis\*\*\*](#) (L.H. Hupé, 1854)
- **chilensis**, [\*\*\*Mytilus edulis chilensis\*\*\*](#) (L.H. Hupé, 1854)
- **chilkaensis**, *Brachidontes chilkaensis* H.B. Preston, 1911 - syn of: [\*\*\*Brachidontes undulatus\*\*\*](#) (R.W. Dunker, 1857)
- **chinensis**, *Musculus chinensis* F.R. Bernard, Y.Y. Cai & F. Morton, 1993 - syn of: [\*\*\*Musculus coenobitus\*\*\*](#) (L.L. Vaillant, 1865)
- **chorus**, [\*\*\*Choromytilus chorus\*\*\*](#) (J.I. Molina, 1782)
- **chorus**, *Mytilus chorus* J.I. Molina, 1782 - syn of: [\*\*\*Choromytilus chorus\*\*\*](#) (J.I. Molina, 1782)
- **cicercula**, *Crenella cicercula* H.P.C. Möller, 1842 - syn of: [\*\*\*Crenella decussata\*\*\*](#) (G. Montagu, 1808)

- **cicercula**, Modiolus cicercula H.P.C. Møller, 1842 - syn of: [\*\*Crenella decussata\*\*](#) (G. Montagu, 1808)
- **cinnamomea**, [\*\*Botula cinnamomea\*\*](#) (J.F. Gmelin, 1791)
- **cinnamomea**, Modiolus cinnamomea J.B.P.A. Lamarck, 1819 - syn of: [\*\*Botula cinnamomea\*\*](#) (J.F. Gmelin, 1791)
- **cinnamominus**, Lithophaga cinnamominus J.H. Chemnitz, 1785 - syn of: [\*\*Botula cinnamomea\*\*](#) (J.F. Gmelin, 1791)
- **cinnamominus**, Mytilus cinnamominus J.H. Chemnitz, 1785 - syn of: [\*\*Botula cinnamomea\*\*](#) (J.F. Gmelin, 1791)
- **cinnamonea**, Lithophaga cinnamonea J.B.P.A. Lamarck, 1819 - syn of: [\*\*Botula cinnamomea\*\*](#) (J.F. Gmelin, 1791)
- **citrinus**, Brachidontes citrinus P.F. Röding, 1798 - syn of: [\*\*Brachidontes modiolus\*\*](#) (C. Linnaeus, 1767)
- **citrinus**, Mytilus citrinus P.F. Röding, 1798 - syn of: [\*\*Brachidontes modiolus\*\*](#) (C. Linnaeus, 1767)
- **clava**, Geukensia clava O.A.L. Mörch, 1853 - syn of: [\*\*Geukensia demissa\*\*](#) (L.W. Dillwyn, 1817)
- **clava**, Brachidontes clava O.A.L. Mörch, 1853 - Syn of: [\*\*Geukensia demissa\*\*](#) (L.W. Dillwyn, 1817)
- **coarctata**, [\*\*Gregariella coarctata\*\*](#) (P.P. Carpenter, 1857)
- **cochinensis**, Brachidontes cochinchensis H.B. Preston, 1909 - syn of: [\*\*Brachidontes striatulus\*\*](#) (S.C.T. Hanley, 1843)
- **cochleatus**, Mytilus cochleatus J. Kickx, 1835 - syn of: [\*\*Mytilopsis leucophaeata\*\*](#) (T.A. Conrad, 1831)
- **coenobitus**, [\*\*Musculus coenobitus\*\*](#) (L.L. Vaillant, 1865)
- **coenobitus**, Mytilus coenobitus L.L. Vaillant, 1865 - syn of: [\*\*Musculus coenobitus\*\*](#) (L.L. Vaillant, 1865)
- **columbianum**, [\*\*Solamen columbianum\*\*](#) (W.H. Dall, 1897)
- **comdigera**, [\*\*Lithophaga comdigera\*\*](#) D'Orbigny, 1847
- **communis**, Lithophaga communis J.K. Megerle Von Mühlfeld, 1811 - syn of: [\*\*Lithophaga lithophaga\*\*](#) (C. Linnaeus, 1758)
- **compressula**, Modiola compressula E.C. Von Martens & K.H.J. Thiele, 1908 - syn of: [\*\*Brachidontes pharaonis\*\*](#) (P. Fischer, 1870)
- **compressus**, Mytilus compressus L.A. Reeve, 1858 - syn of: [\*\*Choromytilus chorus\*\*](#) (J.I. Molina, 1782)
- **compressus**, Choromytilus compressus L.A. Reeve, 1858 - syn of: [\*\*Choromytilus chorus\*\*](#) (J.I. Molina, 1782)
- **comptus**, [\*\*Modiolus comptus\*\*](#) (G.B. III Sowerby, 1915)
- **concava**, Rhomboidella concava B.C. Cotton, 1931 - syn of: [\*\*Rhomboidella rhyllensis\*\*](#) (J.H. Gatliff & C.J. Gabriel, 1912)
- **concava**, [\*\*Urumella concava\*\*](#) I. Hayami & T. Kase, 1993
- **concavocrusta**, Leiosolenus concavocrusta F.P. Jousseaume in É. Lamy, 1919 - syn of: [\*\*Leiosolenus tripartitus\*\*](#) (F.P. Jousseaume, 1894)
- **concinnus**, [\*\*Musculus concinnus\*\*](#) (R.W. Dunker, 1857)
- **confusa**, Perna confusa G.F. Angas, 1871 - syn of: [\*\*Xenostrobus securis\*\*](#) (J.B.P.A. Lamarck, 1819)
- **confusus**, Mytilaster confusus L.W. Dillwyn, 1817 - syn of: [\*\*Mytilaster lineatus\*\*](#) (J.F. Gmelin, 1791)
- **coppingeri**, [\*\*Idas coppingeri\*\*](#) (E.A. Smith, 1885)
- **coralliophaga**, [\*\*Gregariella coralliophaga\*\*](#) (J.F. Gmelin, 1791)
- **coralliophaga**, Mytilus coralliophaga J.F. Gmelin, 1791 - syn of: [\*\*Gregariella coralliophaga\*\*](#) (J.F. Gmelin, 1791)
- **coralliophaga opifex**, [\*\*Gregariella coralliophaga opifex\*\*](#) (T. Say, 1825)
- **cornea**, [\*\*Arvella cornea\*\*](#) A. Adams, 1862
- **corneus**, Mytilus corneus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Mytilus planulatus\*\*](#) J.B.P.A. Lamarck, 1819
- **corrugatus**, Mytilus corrugatus W. Stimpson, 1851 - syn of: [\*\*Musculus glacialis\*\*](#) (W. Leche, 1883)
- **corrugatus**, Musculus corrugatus W. Stimpson, 1851 - syn of: [\*\*Musculus glacialis\*\*](#) (W. Leche, 1883)
- **corrugatus glacialis**, Musculus corrugatus glacialis W. Leche, 1883 - syn of: [\*\*Musculus glacialis\*\*](#) (W. Leche, 1883)
- **coruscus**, [\*\*Mytilus coruscus\*\*](#) A.A. Gould, 1861
- **costellata**, Perna costellata T.A. Conrad, 1837 - Syn of: [\*\*Isognomon perna\*\*](#) (C. Linnaeus, 1767)
- **costulata**, Modiolus costulata R.A. Philippi, 1836 - syn of: [\*\*Gregariella petagnae\*\*](#) (A. Scacchi, 1832)
- **costulatus**, [\*\*Musculus costulatus\*\*](#) (A. Risso, 1826)
- **cottoni**, [\*\*Modiolus areolatus cottoni\*\*](#) C.F. Laseron, 1956
- **crassitesta**, Mytilus crassitesta C.E. Lischke, 1868 - syn of: [\*\*Mytilus coruscus\*\*](#) A.A. Gould, 1861
- **crassus**, Mytilus crassus J.E. Tenison-Woods, 1877 - syn of: [\*\*Limnoperna pulex\*\*](#) (J.B.P.A. Lamarck, 1819)
- **crassus**, Septifer crassus R.W. Dunker, 1853 - syn of: [\*\*Septifer virgatus\*\*](#) (A.F.A.H. Wiegmann, 1837)
- **crebricostatus**, [\*\*Brachidontes crebricostatus\*\*](#) T.A. Conrad, 1837
- **crebristriatus**, [\*\*Brachidontes crebristriatus\*\*](#) (T.A. Conrad, 1837)
- **crebristriatus**, Mytilus crebristriatus T.A. Conrad, 1837 - syn of: [\*\*Brachidontes crebristriatus\*\*](#) (T.A. Conrad, 1837)
- **crebristriatus maritima**, Mytilus crebristriatus maritima H.A. Plisby, 1921 - syn of: [\*\*Brachidontes crebristriatus\*\*](#) (T.A. Conrad, 1837)
- **crenata**, [\*\*Aulacomya atra crenata\*\*](#) (J.B.P.A. Lamarck, 1819)
- **crenatus**, Mytilus crenatus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Aulacomya atra\*\*](#) (J.I. Molina, 1782)
- **crenulata**, Lithophaga crenulata R.W. Dunker, 1849 - syn of: [\*\*Lithophaga nigra\*\*](#) (D'Orbigny, 1853)
- **crispus**, Mytilaster crispus F.J. Cantraine, 1835 - syn of: [\*\*Mytilaster lineatus\*\*](#) (J.F. Gmelin, 1791)
- **cristagalli**, Mytilus cristagalli C. Linnaeus, 1758 - syn of: [\*\*Lopha cristagalli\*\*](#) (C. Linnaeus, 1758)
- **cristiani**, [\*\*Idas cristianii\*\*](#) F.L. Giusti, P. Mietto & C. Sbrana, 2012
- **crocea**, [\*\*Arvella crocea\*\*](#) A. Adams, 1862
- **crypto**, [\*\*Adipicola crypto\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **cubitus**, Mytilus cubitus T. Say, 1822 - syn of: [\*\*Brachidontes modiolus\*\*](#) (C. Linnaeus, 1767)
- **cultellus**, Modiola cultellus G.P. Deshayes, 1839 - syn of: [\*\*Musculus svecicus\*\*](#) (O. Fabricius, 1788)
- **cumingi**, [\*\*Septifer cumingii\*\*](#) Recluz, 1849
- **cumingiana**, Lithophaga cumingiana L.A. Reeve, 1858 - syn of: [\*\*Lithophaga peruviana\*\*](#) (D'Orbigny, 1846)
- **cumingianus**, [\*\*Musculus cumingianus\*\*](#) (L.A. Reeve, 1857)
- **cumingii**, [\*\*Septifer cumingii\*\*](#) C.A. Récluz, 1849
- **cumingii**, Perna cumingii L.A. Reeve, 1858 - syn of: [\*\*Isognomon ephippium\*\*](#) (C. Linnaeus, 1758)
- **cuneata**, Modiolaria cuneata A.A. Gould, 1861 - syn of: [\*\*Musculus coenobitus\*\*](#) (L.L. Vaillant, 1865)

- *cuneata*, *Musculus cuneata* J.G. Jeffreys, 1880 - syn of: [\*\*\*Gregariella fischeri\*\*\*](#) (E.A. Smith, 1885)
- *cuneatus*, *Musculus cuneatus* A.A. Gould, 1861 - syn of: [\*\*\*Musculus coenobitus\*\*\*](#) (L.L. Vaillant, 1865)
- *cuneiformis*, *Mytilus cuneiformis* L.A. Reeve, 1857 - syn of: [\*\*\*Semimytilus algosus\*\*\*](#) (A.A. Gould, 1850)
- *cuneiformis*, *Botula cuneiformis* R. Tate, 1892 - syn of: [\*\*\*Botula tatei\*\*\*](#) M. Huber, 2010
- *cuneiformis*, *Modiolus cuneiformis* S.C.T. Hanley, 1843 - syn of: [\*\*\*Jolya elongata\*\*\*](#) (W.J. Swanson, 1821)
- *cuprea*, *Modiola cuprea* J.G. Jeffreys, 1859 - syn of: [\*\*\*Lissarca miliaris\*\*\*](#) (R.A. Philippi, 1845)
- *cupreus*, [\*\*\*Musculus cupreus\*\*\*](#) (A.A. Gould, 1861)
- *curta*, [\*\*\*Lithophaga curta\*\*\*](#) C.E. Lischke, 1874
- *curtus*, *Mytilus curtus* T. Pennant, 1777 - syn of: [\*\*\*Modiolus modiolus\*\*\*](#) (C. Linnaeus, 1758)
- *curvatus*, *Mytilus curvatus* R.W. Dunker, 1857 - syn of: [\*\*\*Brachidontes mutabilis\*\*\*](#) (A.A. Gould, 1861)
- *curviroster*, *Myoforceps curviroster* J.S. Schröter, 1787 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dillwyn, 1817)
- *curviroster*, *Mytilus curviroster* J.S. Schröter, 1787 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dillwyn, 1817)
- *curvirostratus*, *Mytilus curvirostratus* E.M. Da Costa, 1778 - syn of: [\*\*\*Modiolus modiolus\*\*\*](#) (C. Linnaeus, 1758)
- *curvirostrus*, *Modiolus curvirostrus* E.M. Da Costa, 1778 - syn of: [\*\*\*Modiolus modiolus\*\*\*](#) (C. Linnaeus, 1758)
- *cygneus*, *Mytilus cygneus* C. Linnaeus, 1758 - syn of: [\*\*\*Anodonta cygnea\*\*\*](#) (C. Linnaeus, 1758)
- *cylindraceus*, *Mytilaster cylindraceus* A. Marion, 1887 - syn of: [\*\*\*Mytilaster marioni\*\*\*](#) (É.A.A. Locard, 1889)
- *cylindraceus*, *Mytilaster cylindraceus* E. Réquien, 1848 - syn of: [\*\*\*Mytilaster minimus\*\*\*](#) (G.S. Poli, 1795)
- *cylindraceus*, *Mytilus cylindraceus* E. Réquien, 1848 - syn of: [\*\*\*Mytilaster minimus\*\*\*](#) (G.S. Poli, 1795)
- *cylindrica*, [\*\*\*Lithophaga cylindrica\*\*\*](#) (C.F.F. von Krauss, 1848)
- *cylindrica*, *Modiolus cylindrica* C.F.F. von Krauss, 1848 - syn of: [\*\*\*Lithophaga cylindrica\*\*\*](#) (C.F.F. von Krauss, 1848)
- *cylindricus*, *Modiolus cylindricus* C.F.F. von Krauss, 1848 - syn of: [\*\*\*Lithophaga cylindrica\*\*\*](#) (C.F.F. von Krauss, 1848)
- *cylindricus*, [\*\*\*Idas cylindricus\*\*\*](#) J. Pelorce & J. Poutiers, 2009
- *cyclista*, [\*\*\*Botula cylista\*\*\*](#) S.S. Berry, 1959
- *cymbula*, *Modiolus cymbula* H.B. Preston, 1908 - syn of: [\*\*\*Modiolus auriculatus\*\*\*](#) (C.F.F. von Krauss, 1848)
- *dactyliformis*, *Mytilus dactyliformis* L.H. Hupé in C. Gay, 1854 - syn of: [\*\*\*Semimytilus algosus\*\*\*](#) (A.A. Gould, 1850)
- *dactylus*, *Lithophaga dactylus* G.B. I Sowerby, 1824 - syn of: [\*\*\*Lithophaga lithophaga\*\*\*](#) (C. Linnaeus, 1758)
- *dactylus*, *Lithophaga dactylus* G.L.C.F.D. Cuvier, 1816 - syn of: [\*\*\*Lithophaga lithophaga\*\*\*](#) (C. Linnaeus, 1758)
- *dactylus*, *Perna dactylus* J.B.G.M. Bory De Saint-Vincent, 1827 - Syn of: [\*\*\*Isognomon legumen\*\*\*](#) (J.F. Gmelin, 1791)
- *dahabensis*, *Leiosolenus dahabensis* K.H. Kleemann, 2008 - syn of: [\*\*\*Lithophaga dahabensis\*\*\*](#) K.H. Kleemann, 2008
- *dahabensis*, [\*\*\*Lithophaga dahabensis\*\*\*](#) K.H. Kleemann, 2008
- *dalli*, [\*\*\*Idas dalli\*\*\*](#) E.A. Smith, 1885
- *dalmasi*, *Idas dalmasi* P. Dautzenberg & H. Fischer, 1897 - syn of: [\*\*\*Adipicola pelagica\*\*\*](#) (E. Forbes in S. Woodward, 1854)
- *darwinianus*, [\*\*\*Brachidontes darwinianus\*\*\*](#) (D'Orbigny, 1842)
- *dauvini*, [\*\*\*Dacrydium dauvini\*\*\*](#) C. Salas & S. Gofas, 1997
- *decorata*, [\*\*\*Vilasina decorata\*\*\*](#) (C.B. Adams, 1862)
- *decussata*, [\*\*\*Crenella decussata\*\*\*](#) (G. Montagu, 1808)
- *decussata laticostata*, *Crenella decussata laticostata* O.A. Scarlato, 1960 - syn of: [\*\*\*Crenella decussata\*\*\*](#) (G. Montagu, 1808)
- *decussatus*, *Mytilus decussatus* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Aulacomya atra\*\*\*](#) (J.I. Molina, 1782)
- *delicatula*, *Crenella delicatula* M. Yokoyama, 1926 - syn of: [\*\*\*Crenella decussata\*\*\*](#) (G. Montagu, 1808)
- *delinificus*, *Modiolus delinificus* T. Iredale, 1924 - syn of: [\*\*\*Gibbomodiola albicosta\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- *demissa*, [\*\*\*Geukensia demissa\*\*\*](#) (L.W. Dillwyn, 1817)
- *demissa granosissima*, *Geukensia demissa granosissima* G.B. III Sowerby, 1914 - syn of: [\*\*\*Geukensia granosissima\*\*\*](#) (G.B. III Sowerby, 1914)
- *demissus*, *Geukensia demissus* L.W. Dillwyn, 1817 - syn of: [\*\*\*Geukensia demissa\*\*\*](#) (L.W. Dillwyn, 1817)
- *dendriticum*, [\*\*\*Amygdalum dendriticum\*\*\*](#) J.K. Megerle Von Mühlfeld, 1811
- *denhami*, *Idas denhami* H. Adams & A. Adams, 1854 - syn of: [\*\*\*Adipicola pelagica\*\*\*](#) (E. Forbes in S. Woodward, 1854)
- *denticulata*, [\*\*\*Gregariella denticulata\*\*\*](#) (W.H. Dall, 1871)
- *denticulata*, *Modiolaria denticulata* W.H. Dall, 1871 - syn of: [\*\*\*Gregariella denticulata\*\*\*](#) (W.H. Dall, 1871)
- *dentifera*, *Perna dentifera* C.F.F. von Krauss, 1848 - syn of: [\*\*\*Isognomon nucleus\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- *depressa*, *Limnoperna depressa* R.A.M. Brandt & P. Temcharoen, 1971 - syn of: [\*\*\*Limnoperna fortunei\*\*\*](#) (R.W. Dunker, 1857)
- *desolationis*, [\*\*\*Mytilus desolationis\*\*\*](#) É. Lamy, 1936
- *diaphana*, *Solamen diaphana* W.H. Dall, 1907 - syn of: [\*\*\*Solamen spectabilis\*\*\*](#) (A. Adams, 1862)
- *dichroa*, *Lithophaga dichroa* T. Iredale, 1939 - syn of: [\*\*\*Leiosolenus nasuta\*\*\*](#) (R.A. Philippi, 1846)
- *diegensis*, [\*\*\*Adula diegensis\*\*\*](#) (W.H. Dall, 1911)
- *diegensis*, [\*\*\*Mytilus edulis diegensis\*\*\*](#) W.R. Coe, 1945
- *difficilis*, [\*\*\*Gregariella difficilis\*\*\*](#) (G.P. Deshayes in L. Maillard, 1863)
- *difficilis*, [\*\*\*Modiolus modiolus difficilis\*\*\*](#) (J.T. Kuroda & T. Habe, 1950)
- *difficilis*, *Musculus difficilis* G.P. Deshayes in L. Maillard, 1863 - syn of: [\*\*\*Gregariella difficilis\*\*\*](#) (G.P. Deshayes in L. Maillard, 1863)
- *difficilis*, *Modiolus difficilis* J.T. Kuroda & T. Habe, 1950 - syn of: [\*\*\*Modiolus modiolus difficilis\*\*\*](#) (J.T. Kuroda & T. Habe, 1950)
- *dilatatus*, *Mytilus dilatatus* J.E. Gray, 1825 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- *dilatatus*, [\*\*\*Modiolus barbatus dilatatus\*\*\*](#) R.A. Philippi, 1836
- *diluculum*, *Mytilus diluculum* O.A.L. Mörch, 1874 - syn of: [\*\*\*Aulacomya atra\*\*\*](#) (J.I. Molina, 1782)
- *directus*, *Modiolus directus* W.H. Dall, 1909 - syn of: [\*\*\*Modiolus rectus\*\*\*](#) (T.A. Conrad, 1837)
- *discolor*, *Modiolus discolor* A. Scacchi, 1833 - syn of: [\*\*\*Gibbomodiola adriatica\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- *discors*, [\*\*\*Musculus discors\*\*\*](#) (C. Linnaeus, 1767)
- *discors angustior*, *Musculus discors angustior* J.G. Jeffreys, 1864 - syn of: [\*\*\*Musculus discors\*\*\*](#) (C. Linnaeus, 1767)

- **discors arcticus**, *Musculus discors arcticus* O. Fabricius, 1788 - syn of: [\*\*Musculus discors\*\*](#) (C. Linnaeus, 1767)
- **discors australis**, *Musculus discors australis* O. Fabricius, 1788 - syn of: [\*\*Musculus impactus\*\*](#) (J. Hermann, 1782)
- **discors australis**, *Mytilus discors australis* O. Fabricius, 1788 - syn of: [\*\*Musculus impactus\*\*](#) (J. Hermann, 1782)
- **discors semilaevis**, *Musculus discors semilaevis* J.G. Jeffreys, 1864 - syn of: [\*\*Musculus discors\*\*](#) (C. Linnaeus, 1767)
- **discors svecicus**, *Mytilus discors svecicus* O. Fabricius, 1788 - syn of: [\*\*Musculus svecicus\*\*](#) (O. Fabricius, 1788)
- **discrepans**, *Mytilus discrepans* G. Montagu, 1803 - syn of: [\*\*Musculus discors\*\*](#) (C. Linnaeus, 1767)
- **discrepans**, *Modiola discrepans* J.B.P.A. Lamarck, 1819 - syn of: [\*\*Musculus subpictus\*\*](#) (F.J. Cantraine, 1835)
- **divaricalx**, *Leiosolenus divaricalx* T. Iredale, 1939 - syn of: [\*\*Lithophaga plumula\*\*](#) (S.C.T. Hanley, 1843)
- **divaricata**, [\*\*Crenella divaricata\*\*](#) (D'Orbigny, 1853)
- **divaricata**, *Crenella divaricata* M. Yokoyama, 1922 - syn of: [\*\*Crenella decussata\*\*](#) (G. Montagu, 1808)
- **divaricata**, *Modiola divaricata* R.A. Philippi, 1847 - syn of: [\*\*Gregariella coralliophaga\*\*](#) (J.F. Gmelin, 1791)
- **dixonae**, [\*\*Leiosolenus dixonae\*\*](#) (P.H. Scott, 1986)
- **dollfusi**, [\*\*Solamen dollfusi\*\*](#) (P. Dautzenberg, 1910)
- **domingensis**, [\*\*Brachidontes domingensis\*\*](#) (J.B.P.A. Lamarck, 1819)
- **dubia**, [\*\*Adipicola dubia\*\*](#) (B. Prashad, 1932)
- **dubius**, *Mytilus dubius* J.F. Gmelin, 1791 - syn of: [\*\*Mutela dubia\*\*](#) J.F. Gmelin, 1793
- **dunkeri**, *Mytilus dunkeri* G.F. Angas, 1867 - syn of: [\*\*Mytilus planulatus\*\*](#) J.B.P.A. Lamarck, 1819
- **dunkeri**, *Mytilus dunkeri* L.A. Reeve, 1857 - syn of: [\*\*Crenomytilus grayanus\*\*](#) (R.W. Dunker, 1853)
- **dunkeri**, [\*\*Brachidontes dunkeri\*\*](#) M. Huber, 2015
- **durus**, *Mytilus durus* J. Lightfoot, 1786 - syn of: [\*\*Perna canaliculus\*\*](#) (J.F. Gmelin, 1791)
- **ecuadoriana**, *Crenella ecuadoriana* H.A. Plisby & A.A. Olson, 1941 - syn of: [\*\*Crenella decussata\*\*](#) (G. Montagu, 1808)
- **edisonensis**, [\*\*Bathymodiolus edisonensis\*\*](#) R. von Cosel & A.W. Janssen, 2008
- **eduliformis**, *Mytilus eduliformis* D'Orbigny, 1842 - syn of: [\*\*Mytilus edulis platensis\*\*](#) D'Orbigny, 1846
- **edulis**, [\*\*Mytilus edulis\*\*](#) C. Linnaeus, 1758
- **edulis aoteanus**, [\*\*Mytilus edulis aoteanus\*\*](#) A.W.B. Powell, 1958
- **edulis chilensis**, [\*\*Mytilus edulis chilensis\*\*](#) (L.H. Hupé, 1854)
- **edulis declivis**, *Mytilus edulis declivis* A. Petrov, 1982 - syn of: [\*\*Mytilus trossulus\*\*](#) A.A. Gould, 1850
- **edulis diegensis**, [\*\*Mytilus edulis diegensis\*\*](#) W.R. Coe, 1945
- **edulis galloprovincialis**, *Mytilus edulis galloprovincialis* J.B.P.A. Lamarck, 1819 - syn of: [\*\*Mytilus galloprovincialis\*\*](#) J.B.P.A. Lamarck, 1819
- **edulis giganteus**, *Mytilus edulis giganteus* A. Nordmann, 1862 - syn of: [\*\*Mytilus zonarius\*\*](#) J.B.P.A. Lamarck, 1819
- **edulis kussakini**, *Mytilus edulis kussakini* O.A. Scarlato & Y.I. Starobogatov, 1979 - syn of: [\*\*Mytilus trossulus\*\*](#) A.A. Gould, 1850
- **edulis latissimus**, *Mytilus edulis latissimus* P.P. Carpenter, 1857 - syn of: [\*\*Mytilus trossulus\*\*](#) A.A. Gould, 1850
- **edulis modiolaeformis**, [\*\*Mytilus edulis modiolaeformis\*\*](#)
- **edulis normalis**, *Mytilus edulis normalis* P.P. Carpenter, 1857 - syn of: [\*\*Mytilus trossulus\*\*](#) A.A. Gould, 1850
- **edulis obesus**, [\*\*Mytilus edulis obesus\*\*](#)
- **edulis planulatus**, *Mytilus edulis planulatus* J.B.P.A. Lamarck, 1819 - syn of: [\*\*Mytilus planulatus\*\*](#) J.B.P.A. Lamarck, 1819
- **edulis platensis**, [\*\*Mytilus edulis platensis\*\*](#) A.V.M.D. D'Orbigny, 1842
- **edulis platensis**, [\*\*Mytilus edulis platensis\*\*](#) D'Orbigny, 1846
- **edulis pusillus**, *Mytilus edulis pusillus* W. Macgillivray, 1843 - syn of: [\*\*Mytilus edulis\*\*](#) C. Linnaeus, 1758
- **edulis spathulinus**, [\*\*Mytilus edulis spathulinus\*\*](#) É.A.A. Locard, 1889
- **edulis uncinnatus**, [\*\*Mytilus edulis uncinnatus\*\*](#)
- **edulis zhirmunskii**, *Mytilus edulis zhirmunskii* O.A. Scarlato & Y.I. Starobogatov, 1979 - syn of: [\*\*Mytilus galloprovincialis\*\*](#) J.B.P.A. Lamarck, 1819
- **edulis zhurmunksi**, *Mytilus edulis zhurmunksi* O.A. Scarlato & Y.I. Starobogatov, 1979 - syn of: [\*\*Mytilus galloprovincialis\*\*](#) J.B.P.A. Lamarck, 1819
- **ehrenbergi**, [\*\*Gregariella ehrenbergi\*\*](#) (A. Issel, 1869)
- **eilatensis**, [\*\*Fungiacava eilatensis\*\*](#)
- **eiseni**, [\*\*Modiolus eiseni\*\*](#) A.M. Strong & L.G. Hertlein, 1937
- **elegans**, [\*\*Arcuatula elegans\*\*](#) (J.E. Gray, 1828)
- **elegans**, *Mytilus elegans* T. Brown, 1827 - syn of: [\*\*Mytilus edulis\*\*](#) C. Linnaeus, 1758
- **elegantulum**, [\*\*Dacrydium elegantulum\*\*](#) T. Soot-Ryen, 1955
- **elegantulum hendersoni**, *Dacrydium elegantulum hendersoni* C. Salas & S. Gofas, 1997 - syn of: [\*\*Dacrydium hendersoni\*\*](#) C. Salas & S. Gofas, 1997
- **elliptica**, *Modiolus elliptica* H.C. Lea, 1842 - syn of: [\*\*Musculus lateralis\*\*](#) (T. Say, 1822)
- **elliptica**, *Musculus elliptica* H.C. Lea, 1842 - syn of: [\*\*Musculus lateralis\*\*](#) (T. Say, 1822)
- **elliptica**, *Crenella elliptica* T. Brown, 1827 - syn of: [\*\*Crenella decussata\*\*](#) (G. Montagu, 1808)
- **elongata**, [\*\*Jolya elongata\*\*](#) (W.J. Swainson, 1821)
- **elongata**, *Modiola elongata* S.C.T. Hanley, 1843 - syn of: [\*\*Jolya rhomboidea\*\*](#) (L.A. Reeve, 1857)
- **elongatus**, [\*\*Mytilus elongatus\*\*](#) J.H. Chemnitz in J.S. Schröter, 1788
- **elongatus**, [\*\*Bathymodiolus elongatus\*\*](#)
- **elongatus**, *Modiolus elongatus* W.J. Swainson, 1821 - syn of: [\*\*Jolya elongata\*\*](#) (W.J. Swainson, 1821)
- **emarginatus**, [\*\*Brachidontes emarginatus\*\*](#) C.F.F. von Krauss, 1848
- **emarginatus**, *Modiolus emarginatus* W.H. Benson, 1858 - syn of: [\*\*Brachidontes striatulus\*\*](#) (S.C.T. Hanley, 1843)
- **emarginatus eudeli**, *Brachidontes emarginatus eudeli* F.P. Jousseaume in É. Lamy, 1929 - syn of: [\*\*Brachidontes striatulus\*\*](#) (S.C.T. Hanley, 1843)
- **emmae**, [\*\*Idas emmae\*\*](#) F.L. Giusti, P. Metto & C. Sbrana, 2012
- **ephippium**, *Perna ephippium* L.A. Reeve, 1858 - syn of: [\*\*Isognomon alatus\*\*](#) (J.F. Gmelin, 1791)
- **erebus**, [\*\*Benthomodiolus erebus\*\*](#) P.G. Oliver, 2015
- **eremita**, *Perna eremita* A.A. Gould, 1850 - syn of: [\*\*Isognomon perna\*\*](#) (C. Linnaeus, 1767)

- **erimiticus**, [\*\*\*Leiosolenus erimiticus\*\*\*](#)
- **erosus**, Mytilus erosus J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Brachidontes erosus\*\*\*](#) J.B.P.A. Lamarck, 1819
- **erosus**, [\*\*\*Brachidontes erosus\*\*\*](#) J.B.P.A. Lamarck, 1819
- **esmeraldensis**, Brachidontes esmeraldensis A.A. Olsson, 1961 - syn of: [\*\*\*Brachidontes playasensis\*\*\*](#) (H.A. Pilsbry & A.A. Olsson, 1935)
- **europea**, Modiola europea H.C. Weinkauff, 1868 - syn of: [\*\*\*Musculus subpictus\*\*\*](#) (F.J. Cantraine, 1835)
- **evansi**, [\*\*\*Brachidontes evansi\*\*\*](#) (E.A. Smith, 1903)
- **excavata**, Myoforceps excavata L. de Folin & L. de Folin & J.P.L. Périer, 1867 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dilwyn, 1817)
- **excisus**, [\*\*\*Septifer excisus\*\*\*](#) (A.F.A.H. Wiegmann, 1837)
- **exiguus**, Brachidontes exiguus R.W. Dunker, 1875 - syn of: [\*\*\*Mytilaster solisianus\*\*\*](#) (D'Orbigny, 1842)
- **exiguus**, Mytilus exiguus R.W. Dunker, 1875 - syn of: [\*\*\*Mytilaster solisianus\*\*\*](#) (D'Orbigny, 1842)
- **exilis**, Brachidontes exilis R.A. Philippi, 1847 - syn of: [\*\*\*Perumytilus purpuratus\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **exustus**, [\*\*\*Brachidontes exustus\*\*\*](#) (C. Linnaeus, 1758)
- **faba**, [\*\*\*Arvella faba\*\*\*](#) (O.F. Müller, 1776)
- **faba**, Mytilus faba O.F. Müller, 1776 - syn of: [\*\*\*Arvella faba\*\*\*](#) (O.F. Müller, 1776)
- **faba olivaceofulva**, Musculus faba olivaceofulva O.A.L. Mörch, 1871 - syn of: [\*\*\*Arvella faba\*\*\*](#) (O.F. Müller, 1776)
- **fabale**, [\*\*\*Dacrydium fabale\*\*\*](#) C. Hedley, 1904
- **falcatooides**, [\*\*\*Adula falcatooides\*\*\*](#) T. Habe, 1955
- **falcatus**, Mytilus falcatus D'Orbigny, 1846 - syn of: [\*\*\*Mytella charruana\*\*\*](#) (D'Orbigny, 1842)
- **fasciola**, Lithophaga fasciola W.H. Dal, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Lithophaga mucronata\*\*\*](#) (R.A. Philippi, 1846)
- **fauroti**, Lithophaga fauroti F.P. Jousseaume, 1888 - syn of: [\*\*\*Leiosolenus malaccana\*\*\*](#) (L.A. Reeve, 1857)
- **favannii**, Botula favannii V.L.V. Potiez & A. Michaud, 1844 - syn of: [\*\*\*Botula cinnamomea\*\*\*](#) (J.F. Gmelin, 1791)
- **femoralis**, Perna femoralis J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **ficoides**, [\*\*\*Modiolus ficoides\*\*\*](#) O. Macsotay & B. Campos, 2001
- **ficus**, Mytilus ficus W.H. Dal, 1909 - syn of: [\*\*\*Mytilus trossulus\*\*\*](#) A.A. Gould, 1850
- **filatovae**, Musculus filatovae O.A. Scarlato, 1955 - syn of: [\*\*\*Musculus discors\*\*\*](#) (C. Linnaeus, 1767)
- **filiferum**, [\*\*\*Dacrydium filiferum\*\*\*](#) C. Salas & S. Gofas, 1997
- **filippi**, [\*\*\*Idas filippi\*\*\*](#) F.L. Giusti, P. Mietto & C. Sbrana, 2012
- **fimbriata**, Perna fimbriata L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **fischeri**, [\*\*\*Gregariella fischeri\*\*\*](#) (E.A. Smith, 1885)
- **fischeri**, Musculus fischeri E.A. Smith, 1885 - syn of: [\*\*\*Gregariella fischeri\*\*\*](#) (E.A. Smith, 1885)
- **fischerianus**, Mytilus fischerianus C.M. Tapparone-Canevari, 1874 - syn of: [\*\*\*Mytilus edulis chilensis\*\*\*](#) (L.H. Hupé, 1854)
- **fisheri**, [\*\*\*Tamu fisheri\*\*\*](#)
- **flabellatus**, Modiolus flabellatus A.A. Gould, 1850 - syn of: [\*\*\*Modiolus rectus\*\*\*](#) (T.A. Conrad, 1837)
- **flabellatus**, Mytilus flabellatus A.A. Gould, 1850 - syn of: [\*\*\*Modiolus rectus\*\*\*](#) (T.A. Conrad, 1837)
- **flava**, Perna flava S. Clessin, 1890 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **flavidus**, [\*\*\*Modiolatus flavidus\*\*\*](#) (R.W. Dunker, 1857)
- **flavidus**, Modiolus flavidus R.W. Dunker, 1857 - syn of: [\*\*\*Modiolatus flavidus\*\*\*](#) (R.W. Dunker, 1857)
- **flavus**, Mytilus flavus G.S. Poli, 1795 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- **floridus**, [\*\*\*Modiolus floridus\*\*\*](#) R.W. Dunker
- **fluviatilis**, Musculus fluviatilis E. Klein - syn of: [\*\*\*Anodonta cygnea\*\*\*](#) (C. Linnaeus, 1758)
- **fluviatilis**, Modiolus fluviatilis F.W. Hutton, 1878 - syn of: [\*\*\*Xenostrobus securis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **fluvius**, Mytilus fluvius J.E. Gray, 1825 - syn of: [\*\*\*Dreissena polymorpha\*\*\*](#) (P.S. Pallas, 1771)
- **folium**, Mytilus folium C. Linnaeus, 1758 - syn of: [\*\*\*Dendostrea folium\*\*\*](#) (C. Linnaeus, 1758)
- **fontaineanus**, Mytilus fontaineanus D'Orbigny, 1842 - syn of: [\*\*\*Gregariella chenui\*\*\*](#) (C.A. Récluz, 1842)
- **fontaineanus**, Gregariella fontaineanus D'Orbigny, 1842 - syn of: [\*\*\*Gregariella chenui\*\*\*](#) (C.A. Récluz, 1842)
- **forficatus**, Myoforceps forficatus E. Ravenel, 1861 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dilwyn, 1817)
- **fornicata**, Modiolus fornicata P.P. Carpenter, 1864 - syn of: [\*\*\*Modiolus carpenteri\*\*\*](#) T. Soot-Ryen, 1963
- **forskali**, [\*\*\*Septifer bilocularis forskali\*\*\*](#) R.W. Dunker, 1855
- **fortunei**, [\*\*\*Limnoperna fortunei\*\*\*](#) (R.W. Dunker, 1857)
- **fortunei**, Modiolus fortunei R.W. Dunker, 1857 - syn of: [\*\*\*Limnoperna fortunei\*\*\*](#) (R.W. Dunker, 1857)
- **fortunei kikuchii**, Limnoperna fortunei kikuchii T. Habe, 1981 - syn of: [\*\*\*Xenostrobus securis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **fragilis**, Crenella fragilis A.E. Verrill, 1885 - syn of: [\*\*\*Solamen glandula\*\*\*](#) (J.G. Totten, 1834)
- **frons**, Mytilus frons C. Linnaeus, 1758 - syn of: [\*\*\*Dendostrea frons\*\*\*](#) (C. Linnaeus, 1758)
- **fulgida**, Modiolus fulgida H. Adams, 1870 - syn of: [\*\*\*Lioberus ligneus\*\*\*](#) (L.A. Reeve, 1858)
- **fulgida**, Perna fulgida H. Adams, 1870 - syn of: [\*\*\*Lioberus ligneus\*\*\*](#) (L.A. Reeve, 1858)
- **furcillata**, Septifer furcillata A.A. Gould, 1861 - syn of: [\*\*\*Septifer cumingii\*\*\*](#) C.A. Récluz, 1849
- **fusca**, [\*\*\*Botula fusca\*\*\*](#) (J.F. Gmelin, 1791)
- **gallicus**, [\*\*\*Modiolus gallicus\*\*\*](#) (P. Dautzenberg, 1895)
- **galloprovincialis**, [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- **galloprovincialis acrocyrtus**, [\*\*\*Mytilus galloprovincialis acrocyrtus\*\*\*](#) É.A. Locard, 1889
- **galloprovincialis angustata**, Mytilus galloprovincialis angustata R.A. Philippi, 1836 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- **galloprovincialis eduliformis**, Mytilus galloprovincialis eduliformis T.A. de M. Monterosato, 1891 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- **galloprovincialis falcata**, Mytilus galloprovincialis falcata T.A. de M. Monterosato, 1884 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819

- **galloprovincialis frequens**, *Mytilus galloprovincialis frequens* K.O. Mäschewitsch, 1906 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- galloprovincialis glocinus, [\*\*\*Mytilus galloprovincialis glocinus\*\*\*](#) É.A.A. Locard, 1889
- **galloprovincialis herculea**, *Mytilus galloprovincialis herculea* T.A. de M. Monterosato, 1884 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- **galloprovincialis latissima**, *Mytilus galloprovincialis latissima* T.A. de M. Monterosato, 1884 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- galloprovincialis pelecinus, [\*\*\*Mytilus galloprovincialis pelecinus\*\*\*](#) É.A.A. Locard, 1889
- galloprovincialis petasunculinus, [\*\*\*Mytilus galloprovincialis petasunculinus\*\*\*](#) É.A.A. Locard, 1889
- galloprovincialis radiatus, [\*\*\*Mytilus galloprovincialis radiatus\*\*\*](#) R.A. Philippi, 1836
- **galloprovincialis trepida**, *Mytilus galloprovincialis trepida* K.O. Mäschewitsch, 1906 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- galloprovincialis trigonus, [\*\*\*Mytilus galloprovincialis trigonus\*\*\*](#) É.A.A. Locard, 1889
- **galloprovincialis uncinata**, *Mytilus galloprovincialis uncinata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1889 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- geikotsucola, [\*\*\*Benthomodiolus geikotsucola\*\*\*](#) T.A. Okutani & K. Miyazaki, 2007
- gemma, [\*\*\*Crenella gemma\*\*\*](#) A.A. Olsson & J.T.L. McGinty, 1958
- ghisottii, [\*\*\*Idas ghisottii\*\*\*](#) A. Warén & F. Carrozza, 1990
- **gibba**, *Crenella gibba* H. Adams, 1871 - syn of: [\*\*\*Rhomboidella vaillanti\*\*\*](#) (A. Isseel, 1869)
- **gibba**, *Solamen gibba* H. Adams, 1871 - syn of: [\*\*\*Rhomboidella vaillanti\*\*\*](#) (A. Isseel, 1869)
- **gibberula**, *Modiolus gibberula* F. Caillaud, 1865 - syn of: [\*\*\*Gregariella semigranata\*\*\*](#) (L.A. Reeve, 1858)
- **gibberula**, *Gregariella gibberula* F. Caillaud, 1865 - syn of: [\*\*\*Gregariella semigranata\*\*\*](#) (L.A. Reeve, 1858)
- **gibbsianus**, *Modiolus gibbsianus* W.E. Leach in J.E. Gray, 1852 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **gibbsii**, *Modiolus gibbsii* W.E. Leach, 1815 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **gigantea**, *Modiola gigantea* S. Clessin, 1889 - syn of: [\*\*\*Modiolus modiolus\*\*\*](#) (C. Linnaeus, 1758)
- **glaberrima**, [\*\*\*Arcuatula glaberrima\*\*\*](#) (R.W. Dunker, 1857)
- **glaberrima**, *Modiolus glaberrima* R.W. Dunker, 1857 - syn of: [\*\*\*Arcuatula glaberrima\*\*\*](#) (R.W. Dunker, 1857)
- **glacialis**, [\*\*\*Musculus glacialis\*\*\*](#) (W. Leche, 1883)
- **gladius**, [\*\*\*Gigantidas gladius\*\*\*](#) R. von Cosel & B.A. Marshal, 2003
- **glandula**, [\*\*\*Solamen glandula\*\*\*](#) (J.G. Totten, 1834)
- **glandula**, *Modiolus glandula* J.G. Totten, 1834 - syn of: [\*\*\*Solamen glandula\*\*\*](#) (J.G. Totten, 1834)
- **glocinus**, [\*\*\*Mytilus galloprovincialis glocinus\*\*\*](#) É.A.A. Locard, 1889
- **glomeratus**, *Mytilus glomeratus* A.A. Gould, 1851 - syn of: [\*\*\*Mytilus trossulus\*\*\*](#) A.A. Gould, 1850
- **gloriosense**, [\*\*\*Dacrydium gloriosense\*\*\*](#) J. Poutiers, 1989
- **gossei**, *Lithodomus gossei* L.A. Reeve, 1858 - syn of: [\*\*\*Gregariella coralliphaga\*\*\*](#) (J.F. Gmelin, 1791)
- **gracilicaudus**, *Modiolicola gracilicaudus* Avdeev, 1977 - syn of: [\*\*\*Mytilus coruscus\*\*\*](#) A.A. Gould, 1861
- **gracilis**, *Lithophaga gracilis* R.A. Philippi, 1847 - syn of: [\*\*\*Lithophaga teres\*\*\*](#) (R.A. Philippi, 1846)
- **grandis**, *Modiola grandis* R.A. Philippi, 1844 - syn of: [\*\*\*Modiolus modiolus\*\*\*](#) (C. Linnaeus, 1758)
- **granoliratus**, [\*\*\*Brachidontes granoliratus\*\*\*](#) (G.B. III Sowerby, 1909)
- **granosissima**, [\*\*\*Geukensia granosissima\*\*\*](#) (G.B. III Sowerby, 1914)
- **granulatus**, [\*\*\*Brachidontes granulatus\*\*\*](#) S.C.T. Hanley, 1843
- **granulatus**, *Mytilus granulatus* S.C.T. Hanley, 1843 - syn of: [\*\*\*Brachidontes granulatus\*\*\*](#) S.C.T. Hanley, 1843
- **grayanus**, [\*\*\*Crenomytilus grayanus\*\*\*](#) (R.W. Dunker, 1853)
- **grisea**, *Vilasina grisea* W.H. Dall, 1907 - syn of: [\*\*\*Vilasina seminuda\*\*\*](#) (W.H. Dall, 1897)
- **gruneri**, [\*\*\*Adula gruneri\*\*\*](#) (R.A. Philippi, 1851)
- **gruneri**, *Modiolus gruneri* R.A. Philippi, 1851 - syn of: [\*\*\*Adula gruneri\*\*\*](#) (R.A. Philippi, 1851)
- **grunerianus**, *Mytilus grunerianus* R.W. Dunker, 1853 - syn of: [\*\*\*Mytilus edulis\*\*\*](#) C. Linnaeus, 1758
- **gubernaculum**, [\*\*\*Modiolus gubernaculum\*\*\*](#) (R.W. Dunker, 1856)
- **guyanaensis**, *Mytella guyanaensis* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Mytella guyanensis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **guyanensis**, [\*\*\*Mytella guyanensis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **hagenii**, *Mytilus hagenii* C.E. von Baer, 1825 - syn of: [\*\*\*Dreissena polymorpha\*\*\*](#) (P.S. Pallas, 1771)
- **hamatus**, *Mytilus hamatus* T. Say, 1822 - syn of: [\*\*\*Ischadium recurvum\*\*\*](#) (C.S. Rafinesque, 1820)
- **hancocki**, [\*\*\*Leiosolenus hancocki\*\*\*](#) (T. Soot-Ryen, 1955)
- hanleyana, *Lithophaga hanleyana* (L.A. Reeve, 1857) - syn of: [\*\*\*Lithophaga hanleyana\*\*\*](#) (L.A. Reeve, 1857)
- hanleyana, [\*\*\*Lithophaga hanleyana\*\*\*](#) (L.A. Reeve, 1857)
- hanleyana, *Leiosolenus hanleyana* T. Iredale, 1939 - syn of: [\*\*\*Lithophaga hanleyana\*\*\*](#) (L.A. Reeve, 1857)
- **hanleyi**, [\*\*\*Modiolatus hanleyi\*\*\*](#) (R.W. Dunker, 1882)
- **harmandi**, [\*\*\*Sinomytilus harmandi\*\*\*](#) (A. de Rochebrune, 1881)
- **hastasia**, [\*\*\*Lithophaga hastasia\*\*\*](#) A.A. Olsson, 1961
- **hawaia**, *Lithophaga hawaia* W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Rhomboidella obesa\*\*\*](#) K.W. Ockelmann, 1983
- **hawaiensis**, [\*\*\*Botula hawaiensis\*\*\*](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **hawaiensis**, *Perna hawaiensis* W.H. Pease, 1871 - syn of: [\*\*\*Isognomon californicum\*\*\*](#) (T.A. Conrad, 1837)
- heckerae, [\*\*\*Bathymodiolus heckerae\*\*\*](#)
- hedleyi, [\*\*\*Dacrydium hedleyi\*\*\*](#) J.A. Allen, 1998
- hendersoni, [\*\*\*Dacrydium hendersoni\*\*\*](#) C. Salas & S. Gofas, 1997
- **hepaticus**, *Modiolus hepaticus* A.A. Gould, 1850 - syn of: [\*\*\*Modiolus auriculatus\*\*\*](#) (C.F.F. von Krauss, 1848)
- **herrmannseni**, *Septifer herrmannseni* R.W. Dunker, 1853 - syn of: [\*\*\*Septifer virgatus\*\*\*](#) (A.F.A.H. Wiegmann, 1837)

- **hesperianus**, *Mytilus hesperianus* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- **hiranoi**, [\*\*\*Idas hiranoi\*\*\*](#) J.T. Kuroda, 1933
- **hirsuta**, [\*\*\*Trichomya hirsuta\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **hirtus**, [\*\*\*Bathymodiolus hirtus\*\*\*](#) T.A. Okutani, K. Fujikura & T. Sasaki, 2004
- **hirundo**, *Mytilus hirundo* C. Linnaeus, 1758 - syn of: [\*\*\*Pteria hirundo\*\*\*](#) (C. Linnaeus, 1758)
- **horikoshii**, [\*\*\*Gigantidas horikoshii\*\*\*](#) J. Hashimoto & T. Yamane, 2005
- **horrida**, *Stavelia horrida* R.W. Dunker, 1857 - syn of: [\*\*\*Stavelia subdistorta\*\*\*](#) (C.A. Récluz, 1852)
- **hupeanus**, *Mytilus hupeanus* A. de Rochebrune & J.F. Mabille, 1889 - syn of: [\*\*\*Mytilus edulis platensis\*\*\*](#) D'Orbigny, 1846
- **hyalinum**, [\*\*\*Dacrydium hyalinum\*\*\*](#) (T.A. de M. Monterosato, 1875)
- **hyotis**, *Mytilus hyotis* C. Linnaeus, 1758 - syn of: [\*\*\*Hyotissa hyotis\*\*\*](#) (C. Linnaeus, 1758)
- **imberbis**, *Modiolula imberbis* ♀. Brusina, 1866 - syn of: [\*\*\*Modiolula phaseolina\*\*\*](#) (R.A. Philippi, 1844)
- **imbricata**, *Perna imbricata* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon ephippium\*\*\*](#) (C. Linnaeus, 1758)
- **impactus**, [\*\*\*Musculus impactus\*\*\*](#) (J. Hermann, 1782)
- **impactus**, *Mytilus impactus* J. Hermann, 1782 - syn of: [\*\*\*Musculus impactus\*\*\*](#) (J. Hermann, 1782)
- **impressa**, *Musculus impressa* W.H. Dall, 1907 - syn of: [\*\*\*Musculus discors\*\*\*](#) (C. Linnaeus, 1767)
- **imus**, [\*\*\*Musculus imus\*\*\*](#) (P. Bartsch, 1915)
- **inaequalis**, *Leiosolenus inaequalis* F.P. Jousseaume in É. Lamy, 1919 - syn of: [\*\*\*Leiosolenus tripartitus\*\*\*](#) (F.P. Jousseaume, 1894)
- **inca**, *Lithophaga inca* D'Orbigny, 1846 - syn of: [\*\*\*Solamen attenuata\*\*\*](#) (G.P. Deshayes, 1836)
- **inconstans**, *Limnoperna inconstans* (R.W. Dunker, 1856) - syn of: [\*\*\*Xenostrobus inconstans\*\*\*](#) (R.W. Dunker, 1856)
- **inconstans**, [\*\*\*Xenostrobus inconstans\*\*\*](#) (R.W. Dunker, 1856)
- **incurva**, *Lithophaga incurva* W.M. Gabb, 1861 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dilwyn, 1817)
- **incurvatus**, *Musculus incurvatus* O.A. Scarlato, 1960 - syn of: [\*\*\*Musculus discors\*\*\*](#) (C. Linnaeus, 1767)
- **incurvatus**, *Modiolus incurvatus* T. Pennant, 1777 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **indica**, *Idas indica* E.A. Smith, 1904 - syn of: [\*\*\*Idas indicus\*\*\*](#) Kuriakose & H.B. Nair, 1976
- **indicu**, [\*\*\*Idas indicus\*\*\*](#) Kuriakose & H.B. Nair, 1976
- **inflata**, *Crenella inflata* P.P. Carpenter, 1864 - syn of: [\*\*\*Crenella decussata\*\*\*](#) (G. Montagu, 1808)
- **inflatus**, *Lithophaga inflatus* E. Réquier, 1848 - syn of: [\*\*\*Lithophaga lithophaga\*\*\*](#) (C. Linnaeus, 1758)
- **inflatus**, *Lithophaga inflatus* E. Réquier, 1848 - syn of: [\*\*\*Lithophaga lithophaga\*\*\*](#) (C. Linnaeus, 1758)
- **inflatus**, *Musculus inflatus* K.H.J. Thiele, 1930 - syn of: [\*\*\*Musculus impactus\*\*\*](#) (J. Hermann, 1782)
- **infumatus**, *Mytilus infumatus* A. de Rochebrune & J.F. Mabille, 1889 - syn of: [\*\*\*Mytilus edulis platensis\*\*\*](#) D'Orbigny, 1846
- **insolatus**, [\*\*\*Vulcanidas insolatus\*\*\*](#) R. von Cosel & B.A. Marshall, 2010
- **irisans**, *Perna irisans* F.P. Jousseaume, 1888 - syn of: [\*\*\*Perna perna\*\*\*](#) (C. Linnaeus, 1758)
- **isognomon**, *Perna isognomon* C. Linnaeus, 1758 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **isognomon brachyptera**, *Perna isognomon brachyptera* E.C. Von Martens, 1894 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **isognomon obliqua**, *Perna isognomon obliqua* E.C. Von Martens, 1894 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **isogona**, *Perna isogona* L.A.G. d'A. Bosc, 1801 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **iwaotakii**, [\*\*\*Adipicola iwaotakii\*\*\*](#) (T. Habe, 1958)
- **jaclinae**, [\*\*\*Idas jaclinae\*\*\*](#) F.L. Giusti, P. Mietto & C. Sbrana, 2012
- **janeirensis**, *Brachidontes janeirensis* R.W. Dunker & J. Zelebor, 1866 - syn of: [\*\*\*Mytilaster solisianus\*\*\*](#) (D'Orbigny, 1842)
- **janeirensis**, *Mytilus janeirensis* R.W. Dunker & J. Zelebor, 1866 - syn of: [\*\*\*Mytilaster solisianus\*\*\*](#) (D'Orbigny, 1842)
- **japonica**, [\*\*\*Arcuatula japonica\*\*\*](#) (R.W. Dunker, 1857)
- **japonica**, [\*\*\*Arvella japonica\*\*\*](#) (W.H. Dall, 1897)
- **japonica**, *Modiolus japonica* É. Lamy, 1936 - syn of: [\*\*\*Arcuatula japonica\*\*\*](#) (R.W. Dunker, 1857)
- **japonica**, *Modiola japonica* L.A. Reeve, 1857 - syn of: [\*\*\*Arcuatula japonica\*\*\*](#) (R.W. Dunker, 1857)
- **japonica**, *Modiolus japonica* R.W. Dunker, 1857 - syn of: [\*\*\*Arcuatula japonica\*\*\*](#) (R.W. Dunker, 1857)
- **japonica**, *Crenella japonica* W.H. Dall, 1897 - syn of: [\*\*\*Arvella japonica\*\*\*](#) (W.H. Dall, 1897)
- **japonicus**, [\*\*\*Idas japonicus\*\*\*](#) (T. Habe, 1976)
- **japonicus**, [\*\*\*Bathymodiolus japonicus\*\*\*](#) J. Hashimoto & T.A. Okutani, 1994
- **japonicus**, *Brachidontes japonicus* R.W. Dunker, 1857 - syn of: [\*\*\*Arcuatula japonica\*\*\*](#) (R.W. Dunker, 1857)
- **japonicus**, *Musculus japonicus* R.W. Dunker, 1857 - syn of: [\*\*\*Arcuatula japonica\*\*\*](#) (R.W. Dunker, 1857)
- **japonicus**, *Brachidontes japonicus* Tchang-Si & al., 1960 - syn of: [\*\*\*Arcuatula japonica\*\*\*](#) (R.W. Dunker, 1857)
- **jeffreysii**, *Myoforceps jeffreysii* R.W. Dunker, 1880 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dilwyn, 1817)
- **jenkinsi**, *Brachidontes jenkinsi* H.B. Preston, 1910 - syn of: [\*\*\*Brachidontes striatulus\*\*\*](#) (S.C.T. Hanley, 1843)
- **karachiensis**, *Brachydontes karachiensis* J.C. Melvill & R. Standen, 1907 - syn of: [\*\*\*Brachidontes pharaonis\*\*\*](#) (P. Fischer, 1870)
- **keenae**, [\*\*\*Septifer keenae\*\*\*](#) S. Nomura, 1936
- **keeni**, *Septifer keeni* S. Nomura, 1936 - syn of: [\*\*\*Septifer keenae\*\*\*](#) S. Nomura, 1936
- **kerguelensis**, *Mytilus kerguelensis* E.A. Smith, 1885 - syn of: [\*\*\*Philobrya kerquelensis\*\*\*](#) (E.A. Smith, 1885)
- **kerguelensis**, *Mytilus kerguelensis* E.M. Fletcher, 1938 - syn of: [\*\*\*Mytilus desolationis\*\*\*](#) É. Lamy, 1936
- **kleemanni**, [\*\*\*Adula kleemannii\*\*\*](#) M. Huber, 2010
- **kleemanni**, [\*\*\*Botula kleemannii\*\*\*](#) P.H. Valentich-Scott, 2008
- **knudseni**, [\*\*\*Dacrydium knudseni\*\*\*](#) J.A. Allen, 1998
- **koeni**, [\*\*\*Septifer koeni\*\*\*](#) S. Nomura
- **koreanus**, [\*\*\*Musculus koreanus\*\*\*](#) K.W. Ockelmann, 1983
- **kraussii**, *Septifer kraussii* H.C. Küster, 1841 - syn of: [\*\*\*Septifer bilocularis\*\*\*](#) (C. Linnaeus, 1758)
- **kuehnelti**, [\*\*\*Leiosolenus kuehnelti\*\*\*](#) (K.H. Kleemann, 1977)

- **kurilensis**, [\*\*\*Modiolus kurilensis\*\*\*](#) F.R. Bernard, 1983
- **kuroharai**, [\*\*\*Exosiperna kuroharai\*\*\*](#) T. Habe, 1961
- **lacunatus**, *Mytilus lacunatus* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Mytilus planulatus\*\*\*](#) J.B.P.A. Lamarck, 1819
- **lacustre**, [\*\*\*Musculus lacustre\*\*\*](#) H.P.C. Møller
- **lacustris**, *Mytilaster lacustris* A. da Costa, 1839 - syn of: [\*\*\*Mytilaster minimus\*\*\*](#) (G.S. Poli, 1795)
- **lacustris**, *Modiola lacustris* E.C. Von Martens, 1875 - syn of: [\*\*\*Limnoperna fortunei\*\*\*](#) (R.W. Dunker, 1857)
- **laevigata**, [\*\*\*Leiosolenus laevigata\*\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **laevigatus**, [\*\*\*Musculus laevigatus\*\*\*](#) (J.E. Gray, 1824)
- **laevis**, *Modiolula laevis* F. Danilo & G.B. Sandri, 1856 - syn of: [\*\*\*Modiolula phaseolina\*\*\*](#) (R.A. Philippi, 1844)
- **laevis**, *Musculus laevis* H.H. Beck in A. Robert, 1838 - syn of: [\*\*\*Musculus discors\*\*\*](#) (C. Linnaeus, 1767)
- **lamarcki**, [\*\*\*Mytilaster lineatus lamarcki\*\*\*](#)
- **lamarckiana**, *Modiolus lamarckiana* É.A.A. Locard, 1886 - syn of: [\*\*\*Gibbomodiola adriatica\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **lamarckiana**, *Perna lamarckiana* S. Clessin, 1890 - syn of: [\*\*\*Isognomon ephippium\*\*\*](#) (C. Linnaeus, 1758)
- **lamarckii**, *Mytilaster lamarckii* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1890 - syn of: [\*\*\*Mytilaster lineatus\*\*\*](#) (J.F. Gmelin, 1791)
- **lamellosus**, [\*\*\*Idas lamellosus\*\*\*](#) A.E. Verrill, 1882
- **laniger**, *Lithophaga laniger* L.A. Reeve, 1858 - syn of: [\*\*\*Gregariella barbata\*\*\*](#) (L.A. Reeve, 1858)
- **laniger**, *Gregariella laniger* L.A. Reeve, 1858 - syn of: [\*\*\*Gregariella barbata\*\*\*](#) (L.A. Reeve, 1858)
- **lateralis**, [\*\*\*Musculus lateralis\*\*\*](#) (T. Say, 1822)
- **lateralis**, *Mytilus lateralis* T. Say, 1822 - syn of: [\*\*\*Musculus lateralis\*\*\*](#) (T. Say, 1822)
- **laticostata**, *Perna laticostata* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon legumen\*\*\*](#) (J.F. Gmelin, 1791)
- **latissimus**, *Mytilus latissimus* S. Clessin, 1887 - syn of: [\*\*\*Crenomytilus grayanus\*\*\*](#) (R.W. Dunker, 1853)
- **latus**, *Mytilus latus* A. Nordmann, 1862 - syn of: [\*\*\*Mytilus coruscus\*\*\*](#) A.A. Gould, 1861
- **latus**, *Musculus latus* E. Klein - syn of: [\*\*\*Anodonta cygnea\*\*\*](#) (C. Linnaeus, 1758)
- **latus**, *Mytilus latus* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Choromytilus chorus\*\*\*](#) (J.I. Molina, 1782)
- **latus**, *Choromytilus latus* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Choromytilus chorus\*\*\*](#) (J.I. Molina, 1782)
- **latus**, *Mytilus latus* L.W. Dillwyn, 1817 - syn of: [\*\*\*Perna canaliculus\*\*\*](#) (J.F. Gmelin, 1791)
- **lavalleanus**, *Brachidontes lavalleanus* D'Orbigny in R. de la Sagra, 1853 - syn of: [\*\*\*Brachidontes exustus\*\*\*](#) (C. Linnaeus, 1758)
- **laysana**, *Botula laysana* W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Botula hawaiensis\*\*\*](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **laysanus**, *Musculus laysanus* W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Musculus avarius\*\*\*](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **leanum**, [\*\*\*Solamen leanum\*\*\*](#) (W.H. Dall, 1897)
- **lebourae**, *Musculus lebourae* K.M. White, 1949 - syn of: [\*\*\*Musculus strigatus\*\*\*](#) (S.C.T. Hanley, 1843)
- **lemeslei**, *Limnoperna lemeslei* A. de Rochebrune, 1882 - syn of: [\*\*\*Limnoperna fortunei\*\*\*](#) (R.W. Dunker, 1857)
- **lentiginosa**, *Perna lentiginosa* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon legumen\*\*\*](#) (J.F. Gmelin, 1791)
- **lepidia**, *Brachidontes lepidia* R.A. Philippi, 1893 - syn of: [\*\*\*Brachidontes rodriguezi\*\*\*](#) (D'Orbigny, 1842)
- **lepteces**, [\*\*\*Lithophaga lepteces\*\*\*](#) Z.R. Wang, 1997
- **lessepsiana**, [\*\*\*Lithophaga lesssepsiana\*\*\*](#) (L.L. Vaillant, 1865)
- **letourneuxi**, [\*\*\*Jolya letourneuxi\*\*\*](#) J.R. Bourguignat, 1877
- **leucoguttatum**, [\*\*\*Dacrydium leucoguttatum\*\*\*](#) J. van der Linden & R.G. Moolenbeek, 2004
- **leucophaeatus**, *Mytilus leucophaeatus* T.A. Conrad, 1831 - syn of: [\*\*\*Mytilopsis leucophaeata\*\*\*](#) (T.A. Conrad, 1831)
- **leucophaeta**, *Mytilus leucophaeta* T.A. Conrad, 1831 - syn of: [\*\*\*Mytilopsis leucophaeata\*\*\*](#) (T.A. Conrad, 1831)
- **leucosticta**, [\*\*\*Arcuatula leucosticta\*\*\*](#) (E.C. Von Martens, 1897)
- **levigatus**, *Leiosolenus levigatus* J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*\*Leiosolenus laevigata\*\*\*](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **liburnicus**, *Mytilaster liburnicus* ♀. Brusina, 1870 - syn of: [\*\*\*Mytilaster minimus\*\*\*](#) (G.S. Poli, 1795)
- **linea**, *Modiolus linea* L.A. Reeve, 1858 - syn of: [\*\*\*Lioberus agglutinans\*\*\*](#) (F.J. Cantraine, 1835)
- **ligneus**, [\*\*\*Lioberus ligneus\*\*\*](#) (L.A. Reeve, 1858)
- **ligneus**, *Modiolus ligneus* L.A. Reeve, 1858 - syn of: [\*\*\*Lioberus ligneus\*\*\*](#) (L.A. Reeve, 1858)
- **lignocola**, [\*\*\*Benthomodiolus lignocola\*\*\*](#) R.K. Dell, 1987
- **lima**, [\*\*\*Leiosolenus lima\*\*\*](#) (É. Lamy, 1919)
- **limoides**, *Perna limoides* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon perna\*\*\*](#) (C. Linnaeus, 1767)
- **lineatus**, [\*\*\*Mytilaster lineatus\*\*\*](#) (J.F. Gmelin, 1791)
- **lineatus lamarcki**, [\*\*\*Mytilaster lineatus lamarcki\*\*\*](#)
- **lineatus minorsolida**, *Mytilus lineatus minorsolida* T.A. de M. Monterosato, 1875 - syn of: [\*\*\*Mytilaster lineatus\*\*\*](#) (J.F. Gmelin, 1791)
- **lineum**, [\*\*\*Amygdalum lineum\*\*\*](#) C. Hedley, 1906
- **linguaeformis**, *Perna linguaeformis* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon legumen\*\*\*](#) (J.F. Gmelin, 1791)
- **linnaei**, *Perna linnaei* R.W. Dunker, 1869 - syn of: [\*\*\*Isognomon perna\*\*\*](#) (C. Linnaeus, 1767)
- **lischkei**, [\*\*\*Leiosolenus lischkei\*\*\*](#) M. Huber, 2010
- **listeri**, *Perna listeri* S.C.T. Hanley, 1843 - syn of: [\*\*\*Isognomon radiatus\*\*\*](#) (H.E. Anton, 1838)
- **lithoglypha**, *Lithophaga lithoglypha* S. Clessin, 1890 - syn of: [\*\*\*Lithophaga teres\*\*\*](#) (R.A. Philippi, 1846)
- **lithophaga**, [\*\*\*Lithophaga lithophaga\*\*\*](#) (C. Linnaeus, 1758)
- **lithophagus minor**, *Lithophaga lithophagus minor* P.M. Pallary, 1900 - syn of: [\*\*\*Lithophaga lithophaga\*\*\*](#) (C. Linnaeus, 1758)
- **lithophagus striatus**, *Myoforceps lithophagus striatus* J. de C. Sowerby, 1807 - syn of: [\*\*\*Lithophaga aristata\*\*\*](#) (L.W. Dillwyn, 1817)
- **lithura**, [\*\*\*Lithophaga lithura\*\*\*](#) H.A. Pilsbry, 1905
- **lobata**, *Perna lobata* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon nucleus\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **lobbeckeana**, *Lithophaga lobbeckeana* R.W. Dunker, 1882 - syn of: [\*\*\*Lithophaga plumula\*\*\*](#) (S.C.T. Hanley, 1843)
- **longissima**, [\*\*\*Adipicola longissima\*\*\*](#) (K.H.J. Thiele & S.G.A. Jaeckel, 1931)

- **lulat**, [\*\*Modiolus lulat\*\*](#) (P. Dautzenberg, 1891)
- **lunata**, [\*\*Ciboticola lunata\*\*](#) (C. Hedley, 1902)
- **lutea**, [\*\*Amygdalum lutea\*\*](#) P. Fischer, 1882 - syn of: [\*\*Amygdalum politum\*\*](#)
- **lythophagus**, [\*\*Mytilus lythophagus\*\*](#) C.U.A. von Sals-Marschins, 1793 - syn of: [\*\*Lithophaga lithophaga\*\*](#) (C. Linnaeus, 1758)
- **macdonaldi**, [\*\*Idas macdonaldi\*\*](#)
- **magellanica**, [\*\*Perna magellanica\*\*](#) A. Retzius, 1788 - syn of: [\*\*Perna perna\*\*](#) (C. Linnaeus, 1758)
- **magellanica**, [\*\*Aulacomya magellanica\*\*](#) J.H. Chemnitz, 1785 - syn of: [\*\*Aulacomya atra\*\*](#) (J.I. Molina, 1782)
- **magellanica**, [\*\*Crenella magellanica\*\*](#) K. Linse, 2002
- **magellanica**, [\*\*Modiolus magellanica\*\*](#) L.A. Reeve, 1857 - syn of: [\*\*Brachidontes exustus\*\*](#) (C. Linnaeus, 1758)
- **magellanica regia**, [\*\*Aulacomya magellanica regia\*\*](#) A.W.B. Powell, 1957 - syn of: [\*\*Aulacomya regia\*\*](#) A.W.B. Powell, 1957
- **magellanicus**, [\*\*Mytilus magellanicus\*\*](#) H.H. Suter, 1913 - syn of: [\*\*Aulacomya maoriana\*\*](#) T. Iredale, 1915
- **magellanicus curvatus**, [\*\*Mytilus magellanicus curvatus\*\*](#) W. Stempell, 1899 - syn of: [\*\*Aulacomya atra\*\*](#) (J.I. Molina, 1782)
- **malaccana**, [\*\*Leiosolenus malaccana\*\*](#) (L.A. Reeve, 1857)
- **malaccana**, [\*\*Rhomboidella malaccana\*\*](#) K.W. Ockelmann, 1983
- **malayana**, [\*\*Modiola malayana\*\*](#) R.A. Philippi, 1847 - syn of: [\*\*Lithophaga teres\*\*](#) (R.A. Philippi, 1846)
- **manchurica**, [\*\*Arvella manchurica\*\*](#) O.A. Scarlato, 1960 - syn of: [\*\*Arvella manshurica\*\*](#) P. Bartsch in O.A. Scarlato, 1960
- **mangle**, [\*\*Xenostrobus mangle\*\*](#) (K.W. Ockelmann, 1983) - syn of: [\*\*Xenostrobus mangle\*\*](#) (K.W. Ockelmann, 1983)
- **mangle**, [\*\*Xenostrobus mangle\*\*](#) (K.W. Ockelmann, 1983)
- **mangle**, [\*\*Limnoperna mangle\*\*](#) K.W. Ockelmann, 1983 - syn of: [\*\*Xenostrobus mangle\*\*](#) (K.W. Ockelmann, 1983)
- **manshurica**, [\*\*Arvella manshurica\*\*](#) P. Bartsch in O.A. Scarlato, 1960
- **manusensis**, [\*\*Bathymodiolus manusensis\*\*](#) J. Hashimoto & Furuta, 2007
- **maoriana**, [\*\*Aulacomya maoriana\*\*](#) T. Iredale, 1915
- **maorianus**, [\*\*Aulacomya maorianus\*\*](#) T. Iredale, 1915 - syn of: [\*\*Aulacomya maoriana\*\*](#) T. Iredale, 1915
- **maorianus**, [\*\*Mytilus maorianus\*\*](#) T. Iredale, 1915 - syn of: [\*\*Aulacomya maoriana\*\*](#) T. Iredale, 1915
- **maracaibensis**, [\*\*Mytella maracaibensis\*\*](#) I. Beauperthuy, 1967
- **margaritaceus**, [\*\*Modiolus margaritaceus\*\*](#) (S. Nomura & K.M. Hatai, 1940)
- **margaritiferus**, [\*\*Mytilus marginatus\*\*](#) C. Linnaeus, 1758 - syn of: [\*\*Pinctada margaritifera\*\*](#) (C. Linnaeus, 1758)
- **marionensis**, [\*\*Crenella marionensis\*\*](#) E.A. Smith, 1885
- **marioni**, [\*\*Mytilaster marioni\*\*](#) (É.A.A. Locard, 1889)
- **marisindicus**, [\*\*Bathymodiolus marisindicus\*\*](#) J. Hashimoto, 2001
- **maritimus**, [\*\*Brachidontes maritimus\*\*](#) (H.A. Pilsbry, 1921)
- **marmoratus**, [\*\*Musculus marmoratus\*\*](#) E. Forbes, 1838 - syn of: [\*\*Musculus subpictus\*\*](#) (F.J. Cantraine, 1835)
- **marmoratus**, [\*\*Mytilus marmoratus\*\*](#) E. Forbes, 1838 - syn of: [\*\*Musculus subpictus\*\*](#) (F.J. Cantraine, 1835)
- **marsupium**, [\*\*Perna marsupium\*\*](#) J.B.P.A. Lamarck, 1819 - syn of: [\*\*Isognomon perna\*\*](#) (C. Linnaeus, 1767)
- **martensi**, [\*\*Brachidontes martensi\*\*](#) H.F.A. von Ihering, 1897 - syn of: [\*\*Brachidontes rodriquezii\*\*](#) (D'Orbigny, 1842)
- **martensi**, [\*\*Mytilus martensi\*\*](#) M. von Neumayr, 1898 - syn of: [\*\*Limnoperna fortunei\*\*](#) (R.W. Dunker, 1857)
- **martini**, [\*\*Modiolus martini\*\*](#) M.M. Schepman, 1891
- **martorelli**, [\*\*Jolya martorelli\*\*](#) (J.G. Hidalgo, 1878)
- **martorelli**, [\*\*Modiolus martorelli\*\*](#) J.G. Hidalgo, 1878 - syn of: [\*\*Jolya martorelli\*\*](#) (J.G. Hidalgo, 1878)
- **matris**, [\*\*Modiolus matris\*\*](#) H.A. Pilsbry, 1921
- **matrix**, [\*\*Modiolus matrix\*\*](#) H.A. Pilsbry, 1921 - syn of: [\*\*Modiolus matris\*\*](#) H.A. Pilsbry, 1921
- **mauritanicus**, [\*\*Bathymodiolus mauritanicus\*\*](#) R. von Cosel, 2002
- **maxima**, [\*\*Mytilus maxima\*\*](#) J.S. Schröter, 1779 - syn of: [\*\*Anodonta cygnea\*\*](#) (C. Linnaeus, 1758)
- **megas**, [\*\*Solamen megas\*\*](#) (W.H. Dal, 1902)
- **megas**, [\*\*Crenella megas\*\*](#) W.H. Dal, 1902 - syn of: [\*\*Solamen megas\*\*](#) (W.H. Dal, 1902)
- **meleagridis**, [\*\*Mytilus meleagridis\*\*](#) J.G. Bruguière, 1792 - syn of: [\*\*Electroma alacorvi\*\*](#) (L.W. Dilwyn, 1817)
- **menkeanus**, [\*\*Brachidontes menkeanus\*\*](#) R.A. Philippi, 1847 - syn of: [\*\*Brachidontes erosus\*\*](#) J.B.P.A. Lamarck, 1819
- **menkeanus**, [\*\*Mytilus menkeanus\*\*](#) R.A. Philippi, 1847 - syn of: [\*\*Brachidontes erosus\*\*](#) J.B.P.A. Lamarck, 1819
- **meridionalis**, [\*\*Choromytilus meridionalis\*\*](#) (C.F.F. von Krauss, 1848)
- **metcalfei**, [\*\*Modiolus metcalfei\*\*](#) S.C.T. Hanley, 1843 - syn of: [\*\*Modiolus modulaides\*\*](#) (P.F. Röding, 1798)
- **microptera**, [\*\*Modiola microptera\*\*](#) G.P. Deshayes, 1836 - syn of: [\*\*Modiolus modulaides\*\*](#) (P.F. Röding, 1798)
- **minganensis**, [\*\*Mytilus minganensis\*\*](#) J.W. Mighels, 1844 - syn of: [\*\*Mytilus edulis\*\*](#) C. Linnaeus, 1758
- **minimum**, [\*\*Dacrydium minimum\*\*](#) T.A. Okutani & Izumidate, 1992
- **minimus**, [\*\*Mytilaster minimus\*\*](#) (G.S. Poli, 1795)
- **minimus pallida**, [\*\*Mytilus minimus pallida\*\*](#) M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1890 - syn of: [\*\*Mytilaster minimus\*\*](#) (G.S. Poli, 1795)
- **minimus squalidermis**, [\*\*Mytilaster minimus squalidermis\*\*](#) F. Danilo & G.B. Sandri, 1856 - syn of: [\*\*Mytilaster lineatus\*\*](#) (J.F. Gmelin, 1791)
- **minuta**, [\*\*Mytilus minuta\*\*](#) E.A. Smith, 1898 - syn of: [\*\*Adacnarca trapezina\*\*](#) (F. Bernard, 1897)
- **minuta**, [\*\*Crenella minuta\*\*](#) K.H.J. Thiele & S.G.A. Jaeckel, 1931
- **minutus**, [\*\*Mytilaster minutus\*\*](#) É.A.A. Locard, 1889 - syn of: [\*\*Mytilaster minimus\*\*](#) (G.S. Poli, 1795)
- **minutus**, [\*\*Musculus minutus\*\*](#) O.A. Scarlato, 1960
- **mirandus**, [\*\*Musculus mirandus\*\*](#) E.A. Smith, 1884
- **modiolaeformis**, [\*\*Idas modiolaeformis\*\*](#) (R. Sturany, 1896)
- **modiolaeformis**, [\*\*Mytilus edulis modiolaeformis\*\*](#)
- **modioliforme**, [\*\*Dacrydium modioliforme\*\*](#) K.H.J. Thiele, 1912
- **modiolus**, [\*\*Modiolus modiolus\*\*](#) (C. Linnaeus, 1758)

- **modiolus**, [\*\*Brachidontes modiolus\*\*](#) (C. Linnaeus, 1767)
- **modiolus difficilis**, [\*\*Modiolus modiolus difficilis\*\*](#) (J.T. Kuroda & T. Habe, 1950)
- **modiolus kurilensis**, Modiolus modiolus kurilensis F.R. Bernard, 1983 - syn of: [\*\*Modiolus kurilensis\*\*](#) F.R. Bernard, 1983
- **modiolus minor**, Modiolus modiolus minor F. Caillaud, 1865 - syn of: [\*\*Modiolus gallicus\*\*](#) (P. Dautzenberg, 1895)
- **modiolus minor**, Modiolus modiolus minor F. Caillaud, 1865 - syn of: [\*\*Modiolus gallicus\*\*](#) (P. Dautzenberg, 1895)
- **modiolus ovata**, Modiolus modiolus ovata J.G. Jeffreys, 1864 - syn of: [\*\*Modiolus modiolus\*\*](#) (C. Linnaeus, 1758)
- **modulaides**, [\*\*Modiolus modulaides\*\*](#) (P.F. Röding, 1798)
- **modulaides**, Musculus modulaides P.F. Röding, 1798 - syn of: [\*\*Modiolus modulaides\*\*](#) (P.F. Röding, 1798)
- **modulus**, Musculus modulus P.F. Röding, 1798 - syn of: [\*\*Modiolus modiolus\*\*](#) (C. Linnaeus, 1758)
- **molina**, Modiolula molina C.A. Fleming, 1959 - Syn of: [\*\*Modiolula phaseolina\*\*](#) (R.A. Philippi, 1844)
- **molokaius**, Musculus molokaius W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*Musculus aviarius\*\*](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **morrisi**, Brachidontes morrisi R.W. Dunker, 1857 - syn of: [\*\*Brachidontes puniceus\*\*](#) (J.F. Gmelin, 1791)
- **morrisoni**, [\*\*Sinomytilus morrisoni\*\*](#) R.A.M. Brandt, 1974
- **mucronata**, [\*\*Lithophaga mucronata\*\*](#) (R.A. Philippi, 1846)
- **mulleri**, Mytilus mulleri S. Clessin, 1887 - syn of: [\*\*Brachidontes darwinianus\*\*](#) (D'Orbigny, 1842)
- **multiformis**, Mytilus multiformis P.P. Carpenter, 1857 - syn of: [\*\*Brachidontes semilaevis\*\*](#) (K.T. Menke, 1848)
- **multiformis houstonius**, Brachidontes multiformis houstonius P. Bartsch & H.A. Rehder, 1939 - syn of: [\*\*Brachidontes puntarenensis\*\*](#) (H.A. Pilsbry & H.N. Lowe, 1932)
- **multistriata**, [\*\*Gregariella multistriata\*\*](#) (E.A. Smith, 1872)
- **mundahuensis**, Mytilus mundahuensis E. Duarte, 1926 - Syn of: [\*\*Mytella charruana\*\*](#) (D'Orbigny, 1842)
- **mutabilis**, [\*\*Brachidontes mutabilis\*\*](#) (A.A. Gould, 1861)
- **mutabilis**, Mytilus mutabilis A.A. Gould, 1861 - syn of: [\*\*Brachidontes mutabilis\*\*](#) (A.A. Gould, 1861)
- **mytiloides**, Modiolus mytiloides É.A.A. Locard, 1888 - syn of: [\*\*Modiolus barbatus\*\*](#) (C. Linnaeus, 1758)
- **mytuloides**, Lithophaga mytuloides P.F. Röding, 1798 - syn of: [\*\*Lithophaga lithophaga\*\*](#) (C. Linnaeus, 1758)
- **nana**, Perna nana A.A. Gould, 1850 - syn of: [\*\*Isognomon nucleus\*\*](#) (J.B.P.A. Lamarck, 1819)
- **nanulus**, [\*\*Musculus nanulus\*\*](#) K.H.J. Thiele, 1930
- **nanus**, [\*\*Musculus nanus\*\*](#) (R.W. Dunker, 1857)
- **nasuta**, [\*\*Leiosolenus nasuta\*\*](#) (R.A. Philippi, 1846)
- **nasuta**, Lithophaga nasuta R.W. Dunker, 1882 - syn of: [\*\*Leiosolenus lima\*\*](#) (É. Lamy, 1919)
- **nebulosa**, Limnoperna nebulosa J.E. Tenison-Woods, 1876 - syn of: [\*\*Xenostrobus inconstans\*\*](#) (R.W. Dunker, 1856)
- **neglectus**, [\*\*Modiolatus neglectus\*\*](#) (T. Soot-Ryen, 1955)
- **neglectus**, Musculus neglectus J.T. Kuroda, 1941 - syn of: [\*\*Musculus cupreus\*\*](#) (A.A. Gould, 1861)
- **neozelanicus**, Modiolus neozelanicus T. Iredale, 1915 - syn of: [\*\*Limnoperna pulex\*\*](#) (J.B.P.A. Lamarck, 1819)
- **newcombi**, [\*\*Amygdalum newcombi\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **nexa**, Modiola nexa A.A. Gould, 1841 - syn of: [\*\*Musculus svecicus\*\*](#) (O. Fabricius, 1788)
- **nicklesi**, [\*\*Modiolus nicklesi\*\*](#) K.W. Ockelmann, 1983
- **nicobaricus**, Septifer nicobaricus P.F. Röding, 1798 - syn of: [\*\*Septifer bilocularis\*\*](#) (C. Linnaeus, 1758)
- **nicobaricus**, Mytilus nicobaricus P.F. Röding, 1798 - syn of: [\*\*Septifer bilocularis\*\*](#) (C. Linnaeus, 1758)
- **niger**, [\*\*Musculus niger\*\*](#) (J.E. Gray, 1824)
- **niger**, [\*\*Brachidontes niger\*\*](#) (J.F. Gmelin, 1791)
- **niger**, Lithodomus niger D'Orbigny, 1853 - syn of: [\*\*Lithophaga nigra\*\*](#) (D'Orbigny, 1853)
- **niger obesus**, Musculus niger obesus W.H. Dall, 1916 - syn of: [\*\*Musculus svecicus\*\*](#) (O. Fabricius, 1788)
- **niger protractus**, Musculus niger protractus W.H. Dall, 1916 - syn of: [\*\*Musculus svecicus\*\*](#) (O. Fabricius, 1788)
- **nigeriensis**, [\*\*Modiolatus nigeriensis\*\*](#) (M. Nicklés, 1955)
- **nigra**, [\*\*Lithophaga nigra\*\*](#) (D'Orbigny, 1853)
- **nigra**, Musculus nigra J.E. Gray, 1824 - syn of: [\*\*Musculus niger\*\*](#) (J.E. Gray, 1824)
- **nigra bullata**, Modiola nigra bullata K.M. Derjugin, 1928 - syn of: [\*\*Musculus svecicus\*\*](#) (O. Fabricius, 1788)
- **nigra bullata**, Musculus nigra bullata K.M. Derjugin, 1928 - syn of: [\*\*Musculus svecicus\*\*](#) (O. Fabricius, 1788)
- **nipponica**, Adula nipponica T. Habe, 1955 - syn of: [\*\*Adula schmidti\*\*](#) (L. von Schrenck, 1867)
- **nipponicum**, [\*\*Dacrydium nipponicum\*\*](#) T.A. Okutani, 1975
- **nipponicus**, [\*\*Modiolus nipponicus\*\*](#) (K. Oyama, 1950)
- **nipponicus**, [\*\*Musculus nipponicus\*\*](#) T.A. Okutani, 2005 ex Kuroda MS
- **nitens**, Modiolus nitens A.A. Gould & P.P. Carpenter, 1857 - syn of: [\*\*Xenostrobus securis\*\*](#) (J.B.P.A. Lamarck, 1819)
- **nitens**, Mytilus nitens K.T. Menke, 1848 - syn of: [\*\*Limnoperna pulex\*\*](#) (J.B.P.A. Lamarck, 1819)
- **nitidus**, [\*\*Modiolatus nitidus\*\*](#) (L.A. Reeve, 1857)
- **nonuranus**, Modiolus nonuranus H.A. Pilsbry & A.A. Olsson, 1935 - syn of: [\*\*Semimytilus algosus\*\*](#) (A.A. Gould, 1850)
- **notatus**, Mytilus notatus J.E. De Kay, 1843 - syn of: [\*\*Mytilus edulis\*\*](#) C. Linnaeus, 1758
- **novaezeelandiae**, Musculus novaezeelandiae P.F. Röding, 1798 - syn of: [\*\*Musculus impactus\*\*](#) (J. Hermann, 1782)
- **novohollandiae**, Perna novohollandiae S. Clessin, 1890 - syn of: [\*\*Isognomon isognomum\*\*](#) C. Linnaeus, 1758
- **nubilis**, [\*\*Gregariella nubilis\*\*](#) (T. Iredale, 1937)
- **nucleus**, Perna nucleus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Isognomon nucleus\*\*](#) (J.B.P.A. Lamarck, 1819)
- **oahuus**, Musculus oahuus W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*Musculus aviarius\*\*](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **obermulleri**, [\*\*Gregariella obermulleri\*\*](#) (E. Fischer-Piette & M. Nicklés, 1946)
- **obesa**, [\*\*Lithophaga obesa\*\*](#) (R.A. Philippi, 1847)
- **obesa**, [\*\*Rhomboidella obesa\*\*](#) K.W. Ockelmann, 1983

- obesus, [\*\*\*Mytilus edulis obesus\*\*\*](#)
- **obesus suspecta**, Lithophaga obesus suspecta T. Iredale, 1939 - syn of: [\*\*\*Rhomboidella obesa\*\*\*](#) K.W. Ockelmann, 1983
- **oblongus**, Mytilus oblongus S. Clessin, 1887 - syn of: [\*\*\*Aulacomya atra\*\*\*](#) (J.I. Molina, 1782)
- **obscurus**, Mytilus obscurus R.W. Dunker, 1857 - syn of: [\*\*\*Mytilus planulatus\*\*\*](#) J.B.P.A. Lamarck, 1819
- occidentale, [\*\*\*Dacrydium occidentale\*\*\*](#) E.A. Smith, 1885
- **ockelmani**, Dacrydium ockelmani Mattson & A. Warén, 1977 - syn of: [\*\*\*Dacrydium ockelmanni\*\*\*](#) Mattson & A. Warén, 1977
- **ockelmanni**, [\*\*\*Dacrydium ockelmanni\*\*\*](#) Mattson & A. Warén, 1977
- **olivaceus**, Musculus olivaceus W.H. Dall, 1916 - syn of: [\*\*\*Musculus discors\*\*\*](#) (C. Linnaeus, 1767)
- **opus**, Perna opalus J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Perna viridis\*\*\*](#) (C. Linnaeus, 1758)
- **opifex**, [\*\*\*Gregariella coralliophaga opifex\*\*\*](#) (T. Say, 1825)
- **opifex**, Modiolus opifex T. Say, 1825 - syn of: [\*\*\*Gregariella coralliophaga opifex\*\*\*](#) (T. Say, 1825)
- **orbicularis**, Mytilus orbicularis P.M. Pillary, 1903 - syn of: [\*\*\*Mytilus galloprovincialis\*\*\*](#) J.B.P.A. Lamarck, 1819
- **orbignyanus**, Mytilus orbignyanus L.H. Hupé in C. Gay, 1854 - syn of: [\*\*\*Aulacomya atra\*\*\*](#) (J.I. Molina, 1782)
- **osseocola**, [\*\*\*Adipicola osseocola\*\*\*](#) R.K. Dell, 1987
- **ostentatus**, Modiolus ostentatus T. Iredale, 1939 - syn of: [\*\*\*Jolya rhomboidea\*\*\*](#) (L.A. Reeve, 1857)
- **ostentus**, Modiolus ostentus T. Iredale, 1939 - syn of: [\*\*\*Jolya rhomboidea\*\*\*](#) (L.A. Reeve, 1857)
- **otteri**, Gregariella otteri T. Iredale, 1939 - syn of: [\*\*\*Gregariella coralliophaga\*\*\*](#) (J.F. Gmelin, 1791)
- **ovalis**, Modiolus ovalis G.B. Sowerby, 1859 - syn of: [\*\*\*Gibbomodiola adriatica\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **ovalis**, Brachidontes ovalis J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Perumytilus purpuratus\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **ovata**, Brachidontes ovata S. Clessin, 1889 - syn of: [\*\*\*Perumytilus purpuratus\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **oyamai**, [\*\*\*Modiolatus oyamai\*\*\*](#) (T. Habe, 1981)
- **pacifica**, [\*\*\*Adipicola pacifica\*\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **pacifica**, Idas pacifica W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Adipicola pacifica\*\*\*](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **pacificum**, [\*\*\*Dacrydium pacificum\*\*\*](#) W.H. Dall, 1916
- **pacificus**, [\*\*\*Modiolatus pacificus\*\*\*](#) (A.A. Olsson, 1961)
- **paeteliana**, Modiola paeteliana S. Clessin, 1887 - syn of: [\*\*\*Brachidontes modiolus\*\*\*](#) (C. Linnaeus, 1767)
- **paetelianus**, Mytilus paetelianus S. Clessin, 1887 - syn of: [\*\*\*Mytilus planulatus\*\*\*](#) J.B.P.A. Lamarck, 1819
- **pailolus**, Musculus pailolus W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Musculus aviarius\*\*\*](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **pallidulum**, [\*\*\*Amygdalum pallidulum\*\*\*](#) (W.H. Dall, 1916)
- **palliopunctatus**, [\*\*\*Choromytilus palliopunctatus\*\*\*](#) (P.P. Carpenter, 1857)
- **panamense**, [\*\*\*Dacrydium panamense\*\*\*](#) J. Knudsen, 1970
- **panhai**, [\*\*\*Musculus panhai\*\*\*](#) R.G. Moolenbeek, 2009
- **papuana**, Modiola papuana J.B.P.A. Lamarck, 1801 - syn of: [\*\*\*Modiolus modiolus\*\*\*](#) (C. Linnaeus, 1758)
- **papuanus**, Modiolus papuanus P.F. Röding, 1798 - syn of: [\*\*\*Modiolus americanus\*\*\*](#) (W.E. Leach, 1815)
- **papuanus**, Musculus papuanus P.F. Röding, 1798 - syn of: [\*\*\*Modiolus americanus\*\*\*](#) (W.E. Leach, 1815)
- **papyria**, [\*\*\*Arcuatula papyria\*\*\*](#) (T.A. Conrad, 1846)
- **papyria**, Modiolus papyria T.A. Conrad, 1846 - syn of: [\*\*\*Arcuatula papyria\*\*\*](#) (T.A. Conrad, 1846)
- **paraplumula**, [\*\*\*Lithophaga paraplumula\*\*\*](#) K.H. Kleemann & P. Maestrati, 2012
- **paraplumula**, Leiosolenus paraplumula K.H. Kleemann & P. Maestrati, 2012 - syn of: [\*\*\*Lithophaga paraplumula\*\*\*](#) K.H. Kleemann & P. Maestrati, 2012
- **parapurpurea**, [\*\*\*Lithophaga parapurpurea\*\*\*](#) K.H. Kleemann, 2008
- **parapurpurea**, Leiosolenus parapurpurea K.H. Kleemann, 2008 - syn of: [\*\*\*Lithophaga parapurpurea\*\*\*](#) K.H. Kleemann, 2008
- **parasitica**, Modiola parasitica G.P. Deshayes in L. Maillard, 1863 - syn of: [\*\*\*Adula kleemannii\*\*\*](#) M. Huber, 2010
- **partumetum**, [\*\*\*Musculus partumetum\*\*\*](#) unknown
- **patagonica**, Lithophaga patagonica D'Orbigny, 1846 - syn of: [\*\*\*Leiosolenus patagonicus\*\*\*](#) (D'Orbigny, 1842)
- **patagonica**, Modiola patagonica S.C.T. Hanley, 1843 - syn of: [\*\*\*Modiolus patagonicus\*\*\*](#) (D'Orbigny, 1842)
- **patagonicus**, [\*\*\*Modiolus patagonicus\*\*\*](#) (D'Orbigny, 1842)
- **patagonicus**, [\*\*\*Leiosolenus patagonicus\*\*\*](#) (D'Orbigny, 1842)
- **patagonicus**, Mytilus patagonicus D'Orbigny, 1842 - syn of: [\*\*\*Modiolus patagonicus\*\*\*](#) (D'Orbigny, 1842)
- **patagonicus**, Mytilus patagonicus S. Clessin, 1887 - syn of: [\*\*\*Semimytilus algosus\*\*\*](#) (A.A. Gould, 1850)
- **patagonicus dalli**, Leiosolenus patagonicus dalli H.F.A. von Ihering, 1907 - syn of: [\*\*\*Leiosolenus patagonicus\*\*\*](#) (D'Orbigny, 1842)
- **patagonicus kelseyi**, Leiosolenus patagonicus kelseyi L.G. Hertlein & A.M. Strong, 1946 - syn of: [\*\*\*Lithophaga plumula\*\*\*](#) (S.C.T. Hanley, 1843)
- **patibulum**, Perna patibulum L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon isognomon\*\*\*](#) C. Linnaeus, 1758
- **paulae**, Mytilodonta paulae G.S. Coen, 1935 - Syn of: [\*\*\*Mytilaster marioni\*\*\*](#) (É.A.A. Locard, 1889)
- **paulucciae**, Crenella paulucciae J.C.H. Crosse, 1863 - syn of: [\*\*\*Musculus nanus\*\*\*](#) (R.W. Dunker, 1857)
- **paulucciae**, Musculus paulucciae J.C.H. Crosse, 1863 - syn of: [\*\*\*Musculus nanus\*\*\*](#) (R.W. Dunker, 1857)
- **peasei**, [\*\*\*Amygdalum peasei\*\*\*](#) (W. Newcomb, 1870)
- **peasei**, Modiolus peasei W. Newcomb, 1870 - syn of: [\*\*\*Amygdalum peasei\*\*\*](#) (W. Newcomb, 1870)
- **pectinata**, Perna pectinata L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon nucleus\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **pectinula**, [\*\*\*Arvella pectinula\*\*\*](#) (A.A. Gould, 1841)
- **pedroanus**, Mytilus pedroanus T.A. Conrad, 1855 - syn of: [\*\*\*Mytilus trossulus\*\*\*](#) A.A. Gould, 1850
- **pelagica**, [\*\*\*Adipicola pelagica\*\*\*](#) (E. Forbes in S. Woodward, 1854)
- **pelagica**, Modiolus pelagica S. Woodward, 1854 - syn of: [\*\*\*Adipicola pelagica\*\*\*](#) (E. Forbes in S. Woodward, 1854)
- **pelecinus**, [\*\*\*Mytilus galloprovincialis pelecinus\*\*\*](#) É.A.A. Locard, 1889
- **pellucida**, [\*\*\*Crenella pellucida\*\*\*](#) (J.G. Jeffreys, 1859)
- **pellucidus**, Mytilus pellucidus T. Pennant, 1777 - syn of: [\*\*\*Mytilus edulis\*\*\*](#) C. Linnaeus, 1758

- **pelseneeri**, [\*\*Dacrydium pelseneeri\*\*](#) C. Hedley, 1906
- **penelegans**, Modiolus penelegans T. Iredale, 1939 - syn of: [\*\*Modiolus modulaides\*\*](#) (P.F. Röding, 1798)
- **penetectus**, [\*\*Modiolus penetectus\*\*](#) (J.C. Verco, 1907)
- **perfragilis**, [\*\*Arcuatula perfragilis\*\*](#) (R.W. Dunker, 1857)
- **perfragilis**, Modiolus perfragilis R.W. Dunker, 1857 - syn of: [\*\*Arcuatula perfragilis\*\*](#) (R.W. Dunker, 1857)
- **perfragilis**, Musculus perfragilis R.W. Dunker, 1857 - syn of: [\*\*Arcuatula perfragilis\*\*](#) (R.W. Dunker, 1857)
- **perna**, [\*\*Perna perna\*\*](#) (C. Linnaeus, 1758)
- **perna picta**, [\*\*Perna perna picta\*\*](#) I. von Born, 1780
- **peronianus**, [\*\*Modiolus peronianus\*\*](#) C.F. Laseron, 1956
- **persica**, Crenella persica E.A. Smith, 1906 - syn of: [\*\*Solamen persicum\*\*](#) J.F. Gmelin, 1791
- **persicum**, [\*\*Solamen persicum\*\*](#) J.F. Gmelin, 1791
- **perstriata**, [\*\*Rhomboidella perstriata\*\*](#) (C. Hedley, 1906)
- **peruviana**, [\*\*Lithophaga peruviana\*\*](#) (D'Orbigny, 1846)
- **perviridis**, Mytilus perviridis H.S. Holton, 1802 - syn of: [\*\*Mytilopsis adamsi\*\*](#) J.P.E. Morrison, 1946
- **pessulatus**, Lithophaga pessulatus L.A. Reeve, 1857 - syn of: [\*\*Lithophaga plumula\*\*](#) (S.C.T. Hanley, 1843)
- **petagnae**, [\*\*Gregariella petagnae\*\*](#) (A. Scacchi, 1832)
- **petagnae**, Modiolus petagnae L.A. Reeve, 1857 - syn of: [\*\*Arcuatula papyria\*\*](#) (T.A. Conrad, 1846)
- **petagnae rietensis**, Modiolus petagnae rietensis W.H. Turton, 1932 - syn of: [\*\*Gregariella petagnae\*\*](#) (A. Scacchi, 1832)
- **petagnae simplicifilis**, [\*\*Gregariella petagnae simplicifilis\*\*](#) K.H. Barnard, 1964
- **petasunculinus**, [\*\*Mytilus galloprovincialis petasunculinus\*\*](#) É.A.A. Locard, 1889
- **pharaonis**, [\*\*Brachidontes pharaonis\*\*](#) (P. Fischer, 1870)
- **phaseolina**, [\*\*Modiolula phaseolina\*\*](#) (R.A. Philippi, 1844)
- **phaseolina brachytera**, Modiolus phaseolina brachytera É.A.A. Locard, 1888 - syn of: [\*\*Modiolula phaseolina\*\*](#) (R.A. Philippi, 1844)
- **phaseolina lamarckiana**, Modiolus phaseolina lamarckiana É.A.A. Locard, 1888 - syn of: [\*\*Modiolula phaseolina\*\*](#) (R.A. Philippi, 1844)
- **phaseolina strangulata**, Modiolus phaseolina strangulata É.A.A. Locard, 1888 - syn of: [\*\*Modiolula phaseolina\*\*](#) (R.A. Philippi, 1844)
- **phaseolinus**, Modiolula phaseolinus R.A. Philippi, 1844 - syn of: [\*\*Modiolula phaseolina\*\*](#) (R.A. Philippi, 1844)
- **phenax**, [\*\*Musculus phenax\*\*](#) W.H. Dall, 1915
- **philippiana**, Brachidontes philippiana K.T. Menke, 1848 - syn of: [\*\*Brachidontes erosus\*\*](#) J.B.P.A. Lamarck, 1819
- **philippinarum**, [\*\*Modiolus philippinarum\*\*](#) (S.C.T. Hanley, 1843)
- **pholadis**, Mytilus pholadis C. Linnaeus, 1771 - syn of: [\*\*Hiatella arctica\*\*](#) (C. Linnaeus, 1767)
- **picta**, [\*\*Perna perna picta\*\*](#) I. von Born, 1780
- **picta**, Modiola picta J.B.P.A. Lamarck, 1819 - syn of: [\*\*Amygdalum dendriticum\*\*](#) J.K. Megerle Von Mühlfeld, 1811
- **pillula**, [\*\*Vilasina pillula\*\*](#) P. Bartsch in O.A. Scarlato, 1960
- **pilosus**, [\*\*Septifer bilocularis pilosus\*\*](#) L.A. Reeve, 1830
- **planata**, Mytella planata J.R. le B. Tomlin, 1928 - syn of: [\*\*Mytella speciosa\*\*](#) (L.A. Reeve, 1857)
- **planatus**, Modiolus planatus J.R. le B. Tomlin, 1928 - syn of: [\*\*Mytella speciosa\*\*](#) (L.A. Reeve, 1857)
- **planorbis**, Perna planorbis H. Dufo, 1840 - syn of: [\*\*Isognomon nucleus\*\*](#) (J.B.P.A. Lamarck, 1819)
- **planulata**, Perna planulata S. Clessin, 1890 - syn of: [\*\*Isognomon isognomum\*\*](#) C. Linnaeus, 1758
- **planulatus**, [\*\*Mytilus planulatus\*\*](#) J.B.P.A. Lamarck, 1819
- **platensis**, [\*\*Mytilus edulis platensis\*\*](#) A.V.M.D. D'Orbigny, 1842
- **platensis**, [\*\*Mytilus edulis platensis\*\*](#) D'Orbigny, 1846
- **platensis**, Mytilus platensis D'Orbigny, 1846 - syn of: [\*\*Mytilus edulis platensis\*\*](#) D'Orbigny, 1846
- **platensis**, Lithophagus platensis R.A. Philippi, 1893 - syn of: [\*\*Leiosolenus patagonicus\*\*](#) (D'Orbigny, 1842)
- **platifrons**, [\*\*Bathymodiolus platifrons\*\*](#) J. Hashimoto & T.A. Okutani, 1994
- **playasensis**, [\*\*Brachidontes playasensis\*\*](#) (H.A. Pilsbry & A.A. Olsson, 1935)
- **plicatula**, Geukensia plicatula J.B.P.A. Lamarck, 1819 - syn of: [\*\*Geukensia demissa\*\*](#) (L.W. Dillwyn, 1817)
- **plicatus**, [\*\*Modiolatus plicatus\*\*](#) (J.F. Gmelin, 1791)
- **plicatus**, Mytilus plicatus J.F. Gmelin, 1791 - syn of: [\*\*Modiolatus plicatus\*\*](#) (J.F. Gmelin, 1791)
- **plumescens**, [\*\*Modiolus plumescens\*\*](#) (R.W. Dunker, 1868)
- **plumeum**, Amygdalum plumeum J.T. Kuroda & T. Habe in J.T. Kuroda & al., 1971 - syn of: [\*\*Amygdalum peasei\*\*](#) (W. Newcomb, 1870)
- **plumula**, [\*\*Lithophaga plumula\*\*](#) (S.C.T. Hanley, 1843)
- **plumula**, Diberus plumula S.C.T. Hanley, 1843 - syn of: [\*\*Lithophaga plumula\*\*](#) (S.C.T. Hanley, 1843)
- **plumula**, Modiolus plumula S.C.T. Hanley, 1843 - syn of: [\*\*Lithophaga plumula\*\*](#) (S.C.T. Hanley, 1843)
- **plumula gracilior**, Lithodomus plumula gracilior P.P. Carpenter, 1857 - syn of: [\*\*Lithophaga plumula\*\*](#) (S.C.T. Hanley, 1843)
- **plumula tumidior**, Lithodomus plumula tumidior P.P. Carpenter, 1857 - syn of: [\*\*Lithophaga plumula\*\*](#) (S.C.T. Hanley, 1843)
- **poliana**, Modiola poliana R.A. Philippi, 1844 - syn of: [\*\*Musculus subpictus\*\*](#) (F.J. Cantraine, 1835)
- **politum**, [\*\*Amygdalum politum\*\*](#)
- **polymorphus**, Mytilus polymorphus P.S. Palas, 1771 - syn of: [\*\*Dreissena polymorpha\*\*](#) (P.S. Palas, 1771)
- **polymorphus fluvialis**, Mytilus polymorphus fluvialis P.S. Palas, 1771 - syn of: [\*\*Dreissena polymorpha\*\*](#) (P.S. Palas, 1771)
- **polyodontus**, Mytilus polyodontus J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*Brachidontes erosus\*\*](#) J.B.P.A. Lamarck, 1819
- **polyodontus**, Brachidontes polyodontus J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [\*\*Brachidontes erosus\*\*](#) J.B.P.A. Lamarck, 1819
- **pontica**, Midicola pontica Sovinsky, 1884 - syn of: [\*\*Choromytilus chorus\*\*](#) (J.I. Molina, 1782)
- **praecellens**, Solamen praecellens J.C. Melvill & R. Standen, 1907 - syn of: [\*\*Rhomboidella vaillanti\*\*](#) (A. Issel, 1869)
- **praecellens**, Crenella praecellens J.C. Melvill & R. Standen, 1907 - syn of: [\*\*Rhomboidella vaillanti\*\*](#) (A. Issel, 1869)
- **praecisus**, Mytilus praecisus G. Montagu, 1803 - syn of: [\*\*Hiatella arctica\*\*](#) (C. Linnaeus, 1767)

- prideaux, [\*\*Rhomboidella prideaux\*\*](#) (W.E. Leach, 1815)
- prideauxi, [\*\*Rhomboidella prideauxi\*\*](#) (W.E. Leach, 1815)
- prideauxi arenaria, [\*\*Rhomboidella prideauxi arenaria\*\*](#) A. Martin, 1872
- prideauxiana, Modiolus prideauxiana T. Brown, 1827 - syn of: [\*\*Rhomboidella prideauxi\*\*](#) (W.E. Leach, 1815)
- proclivis, Modiolus proclivis T. Iredale, 1939 - syn of: [\*\*Modiolus rumphii\*\*](#) (R.A. Philippi, 1847)
- projecta, [\*\*Adipicola projecta\*\*](#) (J.C. Verco, 1908)
- projectans, Lithodomus projectans R. Tate, 1892 - syn of: [\*\*Botula cinnamomea\*\*](#) (J.F. Gmelin, 1791)
- protractus, [\*\*Musculus protractus\*\*](#) W.H. Dall, 1916
- pseudobarbatus, Modiolus pseudobarbatus K.W. Ockelmann, 1983 - syn of: [\*\*Modiolus carvalhoi\*\*](#) M.A. Klappenbach, 1966
- pseudocapensis, [\*\*Semimytilus pseudocapensis\*\*](#) (É. Lamy, 1931)
- pseudopillula, Vilasina pseudopillula I.N.V. Ivanova in O.A. Scarlato, 1981 - syn of: [\*\*Vilasina seminuda\*\*](#) (W.H. Dall, 1897)
- pseudorecurvus, Brachidontes pseudorecurvus G.W. Nowell-Usticke, 1969 - syn of: [\*\*Brachidontes modiolus\*\*](#) (C. Linnaeus, 1767)
- pseudotulipus, [\*\*Modiolus americanus pseudotulipus\*\*](#) A.A. Olsson, 1961
- pseudovernicosa, Vilasina pseudovernicosa I.N.V. Ivanova in O.A. Scarlato, 1981 - syn of: [\*\*Vilasina vernicosa\*\*](#) (A.T. von Middendorff, 1849)
- pterota, Modiolus pterota É.A.A. Locard, 1888 - syn of: [\*\*Modiolus barbatus\*\*](#) (C. Linnaeus, 1758)
- pulcher, [\*\*Leiosolenus pulcher\*\*](#) (F.P. Jousseaume, 1919)
- pulcher, Septifer pulcher Z.R. Wang, 1983 - syn of: [\*\*Septifer cumingii\*\*](#) C.A. Récluz, 1849
- pulchra, Leiosolenus pulchra F.P. Jousseaume, 1919 - syn of: [\*\*Lithophaga pulchra\*\*](#) F.P. Jousseaume, 1919
- pulchra, [\*\*Lithophaga pulchra\*\*](#) F.P. Jousseaume, 1919
- pulex, [\*\*Limnoperna pulex\*\*](#) (J.B.P.A. Lamarck, 1819)
- pulex, Modiolus pulex H.C. Lea, 1842 - syn of: [\*\*Arcuatula papyria\*\*](#) (T.A. Conrad, 1846)
- pulvillus, [\*\*Modiolatus pulvillus\*\*](#) (T. Iredale, 1939)
- punctata, [\*\*Lithophaga punctata\*\*](#) K.H. Kleemann & B.W. Hoeksema, 2002
- puniceus, [\*\*Brachidontes puniceus\*\*](#) (J.F. Gmelin, 1791)
- puntarenensis, [\*\*Brachidontes puntarenensis\*\*](#) (H.A. Pilsbry & H.N. Lowe, 1932)
- pura, [\*\*Crenella pura\*\*](#) E.A. Smith, 1890
- purpurascens, Septifer purpurascens W.H. Benson in T.E. Cantor, 1842 - syn of: [\*\*Septifer virgatus\*\*](#) (A.F.A.H. Wiegmann, 1837)
- purpuratus, [\*\*Perumytilus purpuratus\*\*](#) (J.B.P.A. Lamarck, 1819)
- purpuratus, Brachidontes purpuratus (J.B.P.A. Lamarck, 1819) - syn of: [\*\*Perumytilus purpuratus\*\*](#) (J.B.P.A. Lamarck, 1819)
- purpurea, [\*\*Lithophaga purpurea\*\*](#) K.H. Kleemann, 1980
- pusio, [\*\*Musculus pusio\*\*](#) (C.B. Adams, 1862)
- puteoserpentis, [\*\*Bathymodiolus puteoserpentis\*\*](#)
- pygmaeus, [\*\*Musculus pygmaeus\*\*](#) P.W. Glynn, 1964
- pyriformis, Mytilus pyriformis A.A. Gould, 1850 - syn of: [\*\*Aulacomya atra\*\*](#) (J.I. Molina, 1782)
- quadrangularis, Perna quadrangularis L.A. Reeve, 1858 - syn of: [\*\*Isognomon nucleus\*\*](#) (J.B.P.A. Lamarck, 1819)
- quadrula, Musculus quadrula A.A. Gould, 1861 - syn of: [\*\*Musculus cupreus\*\*](#) (A.A. Gould, 1861)
- radians, [\*\*Rhomboidella radians\*\*](#) (H.H. Suter, 1908)
- radians, Dacrydium radians H.H. Suter, 1908 - syn of: [\*\*Rhomboidella radians\*\*](#) (H.H. Suter, 1908)
- radiata, Modiola radiata T. Brown, 1827 - syn of: [\*\*Gibbomodiola adriatica\*\*](#) (J.B.P.A. Lamarck, 1819)
- radiatus, Perna radiatus H.E. Anton, 1838 - syn of: [\*\*Isognomon radiatus\*\*](#) (H.E. Anton, 1838)
- radiatus, [\*\*Mytilus galloprovincialis radiatus\*\*](#) R.A. Philippi, 1836
- ramosa, Brachidontes ramosa S. Clessin, 1889 - syn of: [\*\*Brachidontes subramosus\*\*](#) (S.C.T. Hanley, 1843)
- ramulosus, [\*\*Septifer ramulosus\*\*](#) (J.M.R.M. Viader, 1951)
- recens, [\*\*Solamen recens\*\*](#) (R. Tate, 1897)
- rectus, [\*\*Modiolus rectus\*\*](#) (T.A. Conrad, 1837)
- recurvum, [\*\*Ischadium recurvum\*\*](#) (C.S. Rafinesque, 1820)
- reeveana, Perna reeveana S. Clessin, 1890 - syn of: [\*\*Isognomon ephippium\*\*](#) (C. Linnaeus, 1758)
- reevei, Volsella reevei G.F. Angas, 1867 - syn of: [\*\*Mytella charruana\*\*](#) (D'Orbigny, 1842)
- regia, [\*\*Aulacomya regia\*\*](#) A.W.B. Powell, 1957
- relata, [\*\*Exosiperna relata\*\*](#) T. Iredale, 1929
- reticulata, Lithophaga reticulata R.W. Dunker, 1882 - syn of: [\*\*Leiosolenus malaccana\*\*](#) (L.A. Reeve, 1857)
- retusus, Mytilus retusus J.B.P.A. Lamarck, 1819 - syn of: [\*\*Mytilus edulis\*\*](#) C. Linnaeus, 1758
- retusus acrocyrtta, Mytilus retusus acrocyrtta É.A.A. Locard, 1889 - syn of: [\*\*Mytilus edulis\*\*](#) C. Linnaeus, 1758
- rex, Solamen rex T. Iredale, 1924 - syn of: [\*\*Solamen spectabilis\*\*](#) (A. Adams, 1862)
- rhombea, Rhomboidella rhombea Berkeley, 1827 - syn of: [\*\*Rhomboidella prideaux\*\*](#) (W.E. Leach, 1815)
- rhomboidea, [\*\*Jolya rhomboidea\*\*](#) (L.A. Reeve, 1857)
- rhomboidea, Modiolus rhomboidea L.A. Reeve, 1857 - syn of: [\*\*Jolya rhomboidea\*\*](#) (L.A. Reeve, 1857)
- rhomboidea sirahensis, [\*\*Jolya rhomboidea sirahensis\*\*](#) (F.P. Jousseaume, 1891)
- rhyllensis, [\*\*Rhomboidella rhyllensis\*\*](#) (J.H. Gatiff & C.J. Gabriel, 1912)
- rhyllensis, Musculus rhyllensis J.H. Gatiff & C.J. Gabriel, 1912 - syn of: [\*\*Rhomboidella rhyllensis\*\*](#) (J.H. Gatiff & C.J. Gabriel, 1912)
- robusta, [\*\*Lithophaga robusta\*\*](#) F.P. Jousseaume in É. Lamy, 1919
- rodriguesensis, [\*\*Rhomboidella rodriguesensis\*\*](#) P.G. Oliver & A.M. Holmes, 2004
- rodriguezii, [\*\*Brachidontes rodriguezii\*\*](#) (D'Orbigny, 1842)
- rollei, Perna rollei S. Clessin, 1890 - syn of: [\*\*Isognomon isognomum\*\*](#) C. Linnaeus, 1758
- ropan, Mytilus ropan G.P. Deshayes, 1836 - syn of: [\*\*Lithophaga aristata\*\*](#) (L.W. Dilwyn, 1817)

- **roseus**, *Mytilus roseus* J.F. Gmelin, 1791 - syn of: [\*\*Hyotissa mcgintyi\*\*](#) (H.W. Harry, 1985)
- **rostratus**, [\*\*Brachidontes rostratus\*\*](#) (R.W. Dunker, 1857)
- **rostriferum**, [\*\*Dacrydium rostriferum\*\*](#) F.R. Bernard, 1978
- **rostriformis**, *Mytilus rostriformis* G.P. Deshayes, 1838 - syn of: [\*\*Dreissena rostriformis\*\*](#) (G.P. Deshayes, 1838)
- **rotundata**, *Vilasina rotundata* W.H. Dall, 1916 - syn of: [\*\*Vilasina seminuda\*\*](#) (W.H. Dall, 1897)
- **rotundata**, *Crenella rotundata* W.H. Dall, 1916 - syn of: [\*\*Vilasina seminuda\*\*](#) (W.H. Dall, 1897)
- **ruber**, *Modiolus ruber* C. Linnaeus, 1758 - syn of: [\*\*Modiolus barbatus\*\*](#) (C. Linnaeus, 1758)
- **rudis**, *Perna rudis* L.A. Reeve, 1858 - syn of: [\*\*Isognomon isognomum\*\*](#) C. Linnaeus, 1758
- **rudis**, [\*\*Septifer rudis\*\*](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **rufa**, *Musculus rufa* G.S. Coen, 1929 - syn of: [\*\*Musculus costulatus\*\*](#) (A. Risso, 1826)
- **rufanensis**, *Modiolus rufanensis* W.H. Turton, 1932 - syn of: [\*\*Modiolus auriculatus\*\*](#) (C.F.F. von Krauss, 1848)
- **rufolineatus**, [\*\*Septifer rufolineatus\*\*](#) (E.A. Smith, 1911)
- **rugiferus**, *Leiosolenus rugiferus* L.A. Reeve, 1857 - syn of: [\*\*Leiosolenus spatus\*\*](#) (P.P. Carpenter, 1857)
- **rugosus**, *Mytilus rugosus* C. Linnaeus, 1767 - syn of: [\*\*Hiatella arctica\*\*](#) (C. Linnaeus, 1767)
- **rumphii**, [\*\*Modiolus rumphii\*\*](#) (R.A. Philippi, 1847)
- **rupella**, *Perna rupella* H. Dufo, 1840 - syn of: [\*\*Isognomon nucleus\*\*](#) (J.B.P.A. Lamarck, 1819)
- **saccosericata**, *Solamen saccosericata* T. Habe, 1951 - syn of: [\*\*Solamen spectabilis\*\*](#) (A. Adams, 1862)
- **sacculifer**, [\*\*Modiolus sacculifer\*\*](#) (S.S. Berry, 1953)
- **sadoensis**, *Lichomolgus sadoensis* T.H. Ho, 1980 - syn of: [\*\*Septifer virgatus\*\*](#) (A.F.A.H. Wiegmann, 1837)
- **sagittatum**, [\*\*Amygdalum sagittatum\*\*](#) (H.A. Rehder, 1935)
- **sagittatus**, *Mytilus sagittatus* G.S. Poli, 1795 - Syn of: [\*\*Mytilus galloprovincialis\*\*](#) J.B.P.A. Lamarck, 1819
- **salvadoricus**, [\*\*Liberus salvadoricus\*\*](#) (L.G. Hertlein & A.M. Strong, 1946)
- **sambasensis**, [\*\*Xenostrobus sambasensis\*\*](#) (P. Dautzenberg, 1903)
- **sambasensis**, *Limnoperna sambasensis* (P. Dautzenberg, 1903) - syn of: [\*\*Xenostrobus sambasensis\*\*](#) (P. Dautzenberg, 1903)
- **samoensis**, *Perna samoensis* W. Baird in G.A. Brenchley, 1873 - syn of: [\*\*Isognomon perna\*\*](#) (C. Linnaeus, 1767)
- **sandalina**, *Gregariella sandalina* T.A. de M. Monterosato, 1872 - syn of: [\*\*Gregariella semigranata\*\*](#) (L.A. Reeve, 1858)
- **sandersi**, [\*\*Dacrydium sandersi\*\*](#) J.A. Allen, 1998
- **scaber**, *Mytilaster scaber* I. Krynicki, 1837 - syn of: [\*\*Mytilaster lineatus\*\*](#) (J.F. Gmelin, 1791)
- **scapha**, [\*\*Exosiperna scapha\*\*](#) (J.C. Verco, 1908)
- **schmidtii**, [\*\*Adula schmidtii\*\*](#) (L. von Schrenck, 1867)
- **schmidtii**, *Modiolus schmidtii* L. von Schrenck, 1867 - syn of: [\*\*Adula schmidtii\*\*](#) (L. von Schrenck, 1867)
- **sculptilis**, [\*\*Arvella sculptilis\*\*](#) A. Adams, 1862
- **sculptus**, [\*\*Brachidontes sculptus\*\*](#) (T. Iredale, 1939)
- **sculptus**, *Trichomya sculptus* T. Iredale, 1939 - syn of: [\*\*Brachidontes sculptus\*\*](#) (T. Iredale, 1939)
- **securiformis**, [\*\*Bathymodiolus securiformis\*\*](#) T.A. Okutani, K. Fujikura & T. Sasaki, 2004
- **securis**, *Limnoperna securis* (J.B.P.A. Lamarck, 1819) - syn of: [\*\*Xenostrobus securis\*\*](#) (J.B.P.A. Lamarck, 1819)
- **securis**, [\*\*Xenostrobus securis\*\*](#) (J.B.P.A. Lamarck, 1819)
- **semen**, *Modiolus semen* J.B.P.A. Lamarck, 1819 - syn of: [\*\*Gregariella coralliophaga\*\*](#) (J.F. Gmelin, 1791)
- **semen**, *Gregariella semen* J.B.P.A. Lamarck, 1819 - syn of: [\*\*Gregariella coralliophaga\*\*](#) (J.F. Gmelin, 1791)
- **semicostata**, *Geukensia semicostata* T.A. Conrad, 1837 - syn of: [\*\*Geukensia demissa\*\*](#) (L.W. Dillwyn, 1817)
- **semifusca**, *Modiola semifusca* G.B. Sowerby, 1825 - syn of: [\*\*Mytella guyanensis\*\*](#) (J.B.P.A. Lamarck, 1819)
- **semifucus**, *Modiolus semifucus* J.B.P.A. Lamarck - syn of: [\*\*Modiolus auriculatus\*\*](#) (C.F.F. von Krauss, 1848)
- **semigranata**, [\*\*Gregariella semigranata\*\*](#) (L.A. Reeve, 1858)
- **semilaevis**, [\*\*Brachidontes semilaevis\*\*](#) (K.T. Menke, 1848)
- **semilaevis**, *Modiolus semilaevis* K.T. Menke, 1848 - syn of: [\*\*Brachidontes semilaevis\*\*](#) (K.T. Menke, 1848)
- **seminuda**, [\*\*Vilasina seminuda\*\*](#) (W.H. Dall, 1897)
- **seminuda**, *Modiolaria seminuda* W.H. Dall, 1897 - syn of: [\*\*Vilasina seminuda\*\*](#) (W.H. Dall, 1897)
- **semiradiatus**, [\*\*Musculus semiradiatus\*\*](#) (J.C. Verco, 1908)
- **semistriatus**, *Brachidontes semistriatus* C.F.F. von Krauss, 1848 - syn of: [\*\*Brachidontes pharaonis\*\*](#) (P. Fischer, 1870)
- **semivestita**, *Modiolus semivestita* R.W. Dunker, 1871 - syn of: [\*\*Xenostrobus inconstans\*\*](#) (R.W. Dunker, 1856)
- **senegalensis**, *Brachidontes senegalensis* J.B.P.A. Lamarck, 1819 - syn of: [\*\*Brachidontes puniceus\*\*](#) (J.F. Gmelin, 1791)
- **senhousei**, *Musculus senhousei* W.H. Benson, 1842 - syn of: [\*\*Arcuatula senhousia\*\*](#) (W.H. Benson in T.E. Cantor, 1842)
- **senhousia**, [\*\*Arcuatula senhousia\*\*](#) (W.H. Benson in T.E. Cantor, 1842)
- **senhousia**, *Modiolus senhousia* W.H. Benson in T.E. Cantor, 1842 - syn of: [\*\*Arcuatula senhousia\*\*](#) (W.H. Benson in T.E. Cantor, 1842)
- **senhousia**, *Musculus senhousia* W.H. Benson in T.E. Cantor, 1842 - syn of: [\*\*Arcuatula senhousia\*\*](#) (W.H. Benson in T.E. Cantor, 1842)
- **septemdierum**, [\*\*Bathymodiolus septemdierum\*\*](#) J. Hashimoto & T.A. Okutani, 1994
- **septentrionalis**, *Mytilus septentrionalis* S. Clessin, 1887 - Syn of: [\*\*Mytilus trossulus\*\*](#) A.A. Gould, 1850
- **septulifer**, *Septifer septulifer* K.T. Menke, 1830 - syn of: [\*\*Septifer bilocularis\*\*](#) (C. Linnaeus, 1758)
- **setiger**, [\*\*Brachidontes setiger\*\*](#) (R.W. Dunker, 1857)
- **setigera**, *Modiolus setigera* R.W. Dunker, 1857 - syn of: [\*\*Brachidontes setiger\*\*](#) (R.W. Dunker, 1857)
- **siamensis**, [\*\*Limnoperna siamensis\*\*](#) P.M.A. Morelet, 1866
- **siamensis**, *Septifer siamensis* S. Clessin, 1886 - syn of: [\*\*Septifer excisus\*\*](#) (A.F.A.H. Wiegmann, 1837)
- **sibogae**, *Solamen sibogae* B. Prashad, 1932 - syn of: [\*\*Solamen spectabilis\*\*](#) (A. Adams, 1862)
- **silicula**, *Modiola silicula* J.B.P.A. Lamarck, 1819 - syn of: [\*\*Botula cinnamomea\*\*](#) (J.F. Gmelin, 1791)
- **silicula infra**, *Botula silicula infra* T. Iredale, 1939 - syn of: [\*\*Botula cinnamomea\*\*](#) (J.F. Gmelin, 1791)

- **similis**, *Mytilus similis* S. Clessin, 1887 - syn of: [\*\*Semimytilus algosus\*\*](#) (A.A. Gould, 1850)
- simplex, [\*\*Lithophaga simplex\*\*](#) T. Iredale, 1939
- simplex, *Leiosolenus simplex* T. Iredale, 1939 - syn of: [\*\*Lithophaga simplex\*\*](#) T. Iredale, 1939
- **simplicifilis**, [\*\*Gregariella petagnaee simplicifilis\*\*](#) K.H. Barnard, 1964
- **simpsoni**, [\*\*Idas simpsoni\*\*](#) (J.T. Marshall, 1900)
- **sinensis**, *Hormomyia sinensis* Z.R. Wang, 1983 - syn of: [\*\*Brachidontes mutabilis\*\*](#) (A.A. Gould, 1861)
- **sinica**, [\*\*Vilasina sinica\*\*](#) (Z.R. Wang & Z. Qi, 1984)
- **sinuatus**, *Mytilus sinuatus* L.A. Reeve, 1857 - syn of: [\*\*Mytella charruana\*\*](#) (D'Orbigny, 1842)
- **sinuosa**, [\*\*Mytella sinuosa\*\*](#) (P.P. King, 1831)
- **sinuosa**, *Modiola sinuosa* P.P. King & W.J. Broderip, 1832 - syn of: [\*\*Mytella guyanensis\*\*](#) (J.B.P.A. Lamarck, 1819)
- **sirahensis**, [\*\*Jolya rhomboidea sirahensis\*\*](#) (F.P. Jousseaume, 1891)
- **sirahensis**, *Modiolus sirahensis* F.P. Jousseaume, 1891 - syn of: [\*\*Jolya rhomboidea sirahensis\*\*](#) (F.P. Jousseaume, 1891)
- **skomma**, [\*\*Crenella skomma\*\*](#) (R.A. McLean & J.S. Schwengel, 1944)
- **smaragdinus**, *Perna smaragdinus* J.F. Gmelin, 1791 - syn of: [\*\*Perna viridis\*\*](#) (C. Linnaeus, 1758)
- **solen**, *Mytilus solen* C.U.A. von Salis-Marschlins, 1793 - syn of: [\*\*Solemya togata\*\*](#) (G.S. Pol, 1791)
- **soleniformis**, [\*\*Adula soleniformis\*\*](#) (D'Orbigny, 1842)
- **soleniformis**, *Mytilus soleniformis* D'Orbigny, 1842 - syn of: [\*\*Adula soleniformis\*\*](#) (D'Orbigny, 1842)
- **soleniformis**, *Modiola soleniformis* A.A. Olsson, 1961 - syn of: [\*\*Adula soleniformis\*\*](#) (D'Orbigny, 1842)
- **solidus**, [\*\*Mytilaster solidus\*\*](#) T.A. de M. Monterosato, 1883
- **solisianus**, [\*\*Mytilaster solisianus\*\*](#) (D'Orbigny, 1842)
- **solisianus**, *Mytilus solisianus* D'Orbigny, 1842 - syn of: [\*\*Mytilaster solisianus\*\*](#) (D'Orbigny, 1842)
- **solitarius**, *Mytilus solitarius* W. Williamson, 1834 - syn of: [\*\*Mytilus edulis\*\*](#) C. Linnaeus, 1758
- **soyoae**, [\*\*Amygdalum soyoae\*\*](#) T. Habe, 1958
- **spathulata**, *Perna spathulata* L.A. Reeve, 1858 - syn of: [\*\*Isognomon ephippium\*\*](#) (C. Linnaeus, 1758)
- **spathulinus**, [\*\*Mytilus edulis spathulinus\*\*](#) É.A.A. Locard, 1889
- **spatiosus**, [\*\*Leiosolenus spatiosus\*\*](#) (P.P. Carpenter, 1857)
- **spatula**, *Mytilus spatula* K.T. Menke, 1848 - syn of: [\*\*Modiolus capax\*\*](#) T.A. Conrad, 1837
- **spatula**, *Modiolus spatula* K.T. Menke, 1848 - syn of: [\*\*Modiolus capax\*\*](#) T.A. Conrad, 1837
- **speciosa**, [\*\*Mytella speciosa\*\*](#) (L.A. Reeve, 1857)
- **spectabilis**, [\*\*Solamen spectabilis\*\*](#) (A. Adams, 1862)
- **spectabilis**, *Crenella spectabilis* A. Adams, 1862 - syn of: [\*\*Solamen spectabilis\*\*](#) (A. Adams, 1862)
- **speculum**, [\*\*Dacrydium speculum\*\*](#) J. Poutiers, 1989
- **spengleri**, *Perna spengleri* H. Lyngé, 1909 - syn of: [\*\*Isognomon legumen\*\*](#) (J.F. Gmelin, 1791)
- **splendens**, *Modiolus splendens* R.W. Dunker, 1857 - syn of: [\*\*Modiolus capax\*\*](#) T.A. Conrad, 1837
- **splendens**, *Mytilus splendens* R.W. Dunker, 1857 - syn of: [\*\*Modiolus capax\*\*](#) T.A. Conrad, 1837
- **splendida**, [\*\*Gregariella splendida\*\*](#) (L.A. Reeve, 1858)
- **splendida**, *Modiolus splendida* R.W. Dunker, 1857 - syn of: [\*\*Lioberus castaneus\*\*](#) (T. Say, 1822)
- **squamosus**, [\*\*Modiolus squamosus\*\*](#) I. Beauperthuy, 1967
- **stagnalis**, *Mytilus stagnalis* J.F. Gmelin, 1791 - Syn of: [\*\*Anodonta cygnea\*\*](#) (C. Linnaeus, 1758)
- **stalderi**, *Musculus stalderi* K. Martin, 1914 - syn of: [\*\*Musculus svecicus\*\*](#) (O. Fabricius, 1788)
- **stalderi**, *Modiolus stalderi* K. Martin, 1914 - syn of: [\*\*Musculus svecicus\*\*](#) (O. Fabricius, 1788)
- **stearnsii**, *Mytilus stearnsii* H.A. Plisby & W.J. Raymond, 1898 - syn of: [\*\*Brachidontes adamsianus\*\*](#) (R.W. Dunker, 1857)
- **stearnsii**, *Brachidontes stearnsii* H.A. Plisby & W.J. Raymond, 1898 - syn of: [\*\*Brachidontes adamsianus\*\*](#) (R.W. Dunker, 1857)
- **straminea**, [\*\*Lithophaga straminea\*\*](#) (L.A. Reeve, 1857)
- **stramineus**, *Lithodomus stramineus* L.A. Reeve, 1857 - syn of: [\*\*Lithophaga caperata\*\*](#) (R.A. Philippi, 1849)
- **strangulata**, *Modiola strangulata* É.A.A. Locard, 1886 - syn of: [\*\*Gibbomodiola adriatica\*\*](#) (J.B.P.A. Lamarck, 1819)
- **striatissima**, [\*\*Solamen striatissima\*\*](#) (G.B. III Sowerby, 1904)
- **striatissima**, *Crenella striatissima* G.B. III Sowerby, 1904 - syn of: [\*\*Solamen striatissima\*\*](#) (G.B. III Sowerby, 1904)
- **striatula**, *Modiolus striatula* E.C. Von Martens, 1873 - syn of: [\*\*Brachidontes subramosus\*\*](#) (S.C.T. Hanley, 1843)
- **striatula**, *Modiolaria striatula* H.H. Beck in A. Robert, 1838 - syn of: [\*\*Musculus svecicus\*\*](#) (O. Fabricius, 1788)
- **striatulus**, [\*\*Brachidontes striatulus\*\*](#) (S.C.T. Hanley, 1843)
- **striatum**, [\*\*Amygdalum striatum\*\*](#) (F.W. Hutton, 1873)
- **striatus**, *Mytilus striatus* D.W. Barnes, 1823 - syn of: [\*\*Ischadium recurvum\*\*](#) (C.S. Rafinesque, 1820)
- **striatus**, *Lithophaga striatus* F.W. Hutton, 1873 - syn of: [\*\*Amygdalum striatum\*\*](#) (F.W. Hutton, 1873)
- **strigata**, *Modiola strigata* L.A. Reeve, 1857 - syn of: [\*\*Mytella charruana\*\*](#) (D'Orbigny, 1842)
- **strigatus**, [\*\*Musculus strigatus\*\*](#) (S.C.T. Hanley, 1843)
- **strigatus**, *Mytilus strigatus* S.C.T. Hanley, 1843 - syn of: [\*\*Mytella charruana\*\*](#) (D'Orbigny, 1842)
- **stultorum**, [\*\*Modiolus stultorum\*\*](#) (F.P. Jousseaume, 1893)
- **stylina**, *Adula stylina* P.P. Carpenter, 1864 - syn of: [\*\*Adula californiensis\*\*](#) (R.A. Philippi, 1847)
- **subattenuata**, *Leiosolenus subattenuata* K.H. Kleemann & P. Maestrati, 2012 - syn of: [\*\*Lithophaga subattenuata\*\*](#) K.H. Kleemann & P. Maestrati, 2012
- **subattenuata**, [\*\*Lithophaga subattenuata\*\*](#) K.H. Kleemann & P. Maestrati, 2012
- **subclavata**, *Gregariella subclavata* I. Libassi, 1859 - syn of: [\*\*Gregariella semigranata\*\*](#) (L.A. Reeve, 1858)
- **subdistorta**, [\*\*Stavelia subdistorta\*\*](#) (C.A. Récluz, 1852)
- **subdistorta**, *Mytilus subdistorta* C.A. Récluz, 1852 - syn of: [\*\*Stavelia subdistorta\*\*](#) (C.A. Récluz, 1852)
- **subfuscata**, *Modiola subfuscata* S. Clessin, 1887 - syn of: [\*\*Mytella guyanensis\*\*](#) (J.B.P.A. Lamarck, 1819)

- **subpictus**, [\*\*Musculus subpictus\*\*](#) (F.J. Cantraine, 1835)
- **subpictus**, Modiolus subpictus F.J. Cantraine, 1835 - syn of: [\*\*Musculus subpictus\*\*](#) (F.J. Cantraine, 1835)
- **subpurpurea**, Volsella subpurpurea R.W. Dunker, 1857 - syn of: [\*\*Arcuatula tristis\*\*](#) (R.W. Dunker, 1857)
- **subramosa**, Modiolus subramosa S.C.T. Hanley, 1843 - syn of: [\*\*Brachidontes subramosus\*\*](#) (S.C.T. Hanley, 1843)
- **subramosus**, [\*\*Brachidontes subramosus\*\*](#) (S.C.T. Hanley, 1843)
- **subrugosa**, Modiola subrugosa A.W. Grabau & S.G. King, 1928 - syn of: [\*\*Jolya rhomboidea\*\*](#) (L.A. Reeve, 1857)
- **subsaxatilis**, Mytilus subsaxatilis W. Williamson, 1834 - syn of: [\*\*Mytilus edulis\*\*](#) C. Linnaeus, 1758
- **substriata**, Musculus substriata J.E. Gray, 1824 - syn of: [\*\*Musculus discors\*\*](#) (C. Linnaeus, 1767)
- **subsulcatus**, [\*\*Brachidontes subsulcatus\*\*](#) (R.W. Dunker, 1857)
- **subsulcatus**, Modiolus subsulcatus L.A. Reeve, 1857 - syn of: [\*\*Brachidontes setiger\*\*](#) (R.W. Dunker, 1857)
- **subtriangularis**, Septifer subtriangularis W.H. Turton, 1932 - syn of: [\*\*Septifer bilocularis\*\*](#) (C. Linnaeus, 1758)
- **subula**, Lithophaga subula L.A. Reeve, 1857 - syn of: [\*\*Lithophaga plumula\*\*](#) (S.C.T. Hanley, 1843)
- **succineus**, Mytilus succineus F. Danilo & G.B. Sandri, 1856 - syn of: [\*\*Mytilus galloprovincialis\*\*](#) J.B.P.A. Lamarck, 1819
- **sulcata**, Modiolus sulcata J.B.P.A. Lamarck, 1819 - syn of: [\*\*Brachidontes modiolus\*\*](#) (C. Linnaeus, 1767)
- **sulcata**, Perna sulcata J.B.P.A. Lamarck, 1819 - syn of: [\*\*Isognomon perna\*\*](#) (C. Linnaeus, 1767)
- **sulcatus**, Gregariella sulcatus A. Risso, 1826 - syn of: [\*\*Gregariella petagnaiae\*\*](#) (A. Scacchi, 1832)
- **supoti**, Limnoperna supoti R.A.M. Brandt, 1974 - syn of: [\*\*Limnoperna fortunei\*\*](#) (R.W. Dunker, 1857)
- **svecicus**, [\*\*Musculus svecicus\*\*](#) (O. Fabricius, 1788)
- **swinhoei**, [\*\*Sinomytilus swinhoei\*\*](#) (H. Adams, 1870)
- **taiwanensis**, [\*\*Bathymodiolus taiwanensis\*\*](#) R. von Cosel, 2008
- **tamurai**, Crenella tamurai T. Habe, 1955 - syn of: [\*\*Solamen columbianum\*\*](#) (W.H. Dall, 1897)
- **tamurai**, Solamen tamurai T. Habe, 1955 - syn of: [\*\*Solamen columbianum\*\*](#) (W.H. Dall, 1897)
- **tangaroa**, [\*\*Bathymodiolus tangaroa\*\*](#) R. von Cosel & B.A. Marshall, 2003
- tangaroa tuerkayi, [\*\*Bathymodiolus tangaroa tuerkayi\*\*](#) R. von Cosel & A.W. Janssen, 2008
- taprobanensis, Brachidontes taprobanensis H.B. Preston, 1915 - syn of: [\*\*Brachidontes striatulus\*\*](#) (S.C.T. Hanley, 1843)
- **tasmanicus**, Mytilus tasmanicus J.E. Tenison-Woods, 1875 - syn of: [\*\*Mytilus planulatus\*\*](#) J.B.P.A. Lamarck, 1819
- **tatei**, [\*\*Botula tatei\*\*](#) M. Huber, 2010
- **taylori**, [\*\*Musculus taylori\*\*](#) (W.H. Dall, 1897)
- **tenebrosus**, Mytilus tenebrosus L.A. Reeve, 1858 - syn of: [\*\*Mytilopsis leucophaeata\*\*](#) (T.A. Conrad, 1831)
- **tenerrima**, Modiolus tenerrima E.A. Smith, 1904 - syn of: [\*\*Arcuatula capensis\*\*](#) (C.F.F. von Krauss, 1848)
- **tenuiaratus**, Mytilus tenuiaratus P.P. Carpenter, 1857 - syn of: [\*\*Choromytilus palliopunctatus\*\*](#) (P.P. Carpenter, 1857)
- **tenuiaratus**, Choromytilus tenuiaratus P.P. Carpenter, 1857 - syn of: [\*\*Choromytilus palliopunctatus\*\*](#) (P.P. Carpenter, 1857)
- **tenuistriatus**, [\*\*Brachidontes tenuistriatus\*\*](#) (R.W. Dunker, 1853)
- **tenuistriatus laevis**, Mytilus tenuistriatus laevis P. Dautzenberg, 1912 - syn of: [\*\*Brachidontes tenuistriatus\*\*](#) (R.W. Dunker, 1853)
- **tenuistriatus laevis**, Brachidontes tenuistriatus laevis P. Dautzenberg, 1912 - syn of: [\*\*Brachidontes tenuistriatus\*\*](#) (R.W. Dunker, 1853)
- **teres**, [\*\*Lithophaga teres\*\*](#) (R.A. Philippi, 1846)
- **teres annectans**, Lithophaga teres annectans T. Iredale, 1939 - syn of: [\*\*Lithophaga teres\*\*](#) (R.A. Philippi, 1846)
- **thalia**, Modiolus thalia W.H. Turton, 1932 - syn of: [\*\*Arcuatula capensis\*\*](#) (C.F.F. von Krauss, 1848)
- **thermophilus**, [\*\*Bathymodiolus thermophilus\*\*](#) Kenk & B.R. Wilson, 1985
- **thorsoni**, Modiolus thorsoni K.W. Ockelmann, 1983 - syn of: [\*\*Modiolus lulat\*\*](#) (P. Dautzenberg, 1891)
- **torta**, Stavelia torta L.A. Reeve, 1857 - syn of: [\*\*Stavelia subdistorta\*\*](#) (C.A. Récluz, 1852)
- **torta**, Stavelia torta R.W. Dunker, 1856 - syn of: [\*\*Stavelia subdistorta\*\*](#) (C.A. Récluz, 1852)
- **tortus**, Mytilus tortus L.A. Reeve, 1857 - syn of: [\*\*Stavelia subdistorta\*\*](#) (C.A. Récluz, 1852)
- **torva**, Perna torva A.A. Gould, 1850 - syn of: [\*\*Isognomon legumen\*\*](#) (J.F. Gmelin, 1791)
- **townsendi**, Lithophaga townsendi J.C. Melvill & R. Standen, 1907 - syn of: [\*\*Leiosolenus tripartitus\*\*](#) (F.P. Jousseaume, 1894)
- **townsendi**, Leiosolenus townsendi J.C. Melvill & R. Standen, 1907 - syn of: [\*\*Leiosolenus tripartitus\*\*](#) (F.P. Jousseaume, 1894)
- **traillii**, [\*\*Modiolus traillii\*\*](#) (L.A. Reeve, 1857)
- **tranquebarensis**, Perna tranquebarensis W.E. Leach, 1815 - syn of: [\*\*Isognomon isognomum\*\*](#) C. Linnaeus, 1758
- **translucida**, Musculus translucida W.M. Gabb, 1881 - syn of: [\*\*Musculus lateralis\*\*](#) (T. Say, 1822)
- **trapesina**, Modiolus trapesina J.B.P.A. Lamarck, 1819 - syn of: [\*\*Gaimardia trapesina\*\*](#) (J.B.P.A. Lamarck, 1819)
- **trautwineana**, Septifer trautwineana G.W. Tryon, 1866 - syn of: [\*\*Mytilopsis trautwineana\*\*](#) (G.W. Tryon, 1866)
- **triangulum**, Modiola triangulum F.C.L. Koch in R.A. Philippi, 1847 - syn of: [\*\*Modiolus modulaoides\*\*](#) (P.F. Röding, 1798)
- **trigonus**, [\*\*Mytilus galloprovincialis trigonus\*\*](#) É.A.A. Locard, 1889
- **tripartitus**, [\*\*Leiosolenus tripartitus\*\*](#) (F.P. Jousseaume, 1894)
- **tristis**, [\*\*Arcuatula tristis\*\*](#) (R.W. Dunker, 1857)
- **tristis**, Modiolus tristis R.W. Dunker, 1857 - syn of: [\*\*Arcuatula tristis\*\*](#) (R.W. Dunker, 1857)
- **troschelii**, Septifer troschelii R.W. Dunker, 1853 - syn of: [\*\*Septifer excisus\*\*](#) (A.F.A.H. Wiegmann, 1837)
- **trossulus**, [\*\*Mytilus trossulus\*\*](#) A.A. Gould, 1850
- **truncata**, [\*\*Zelithophaga truncata\*\*](#) (J.E. Gray, 1843)
- **tuerkayi**, [\*\*Bathymodiolus tangaroa tuerkayi\*\*](#) R. von Cosel & A.W. Janssen, 2008
- **tulipa**, Modiolus tulipa J.B.P.A. Lamarck, 1819 - Syn of: [\*\*Modiolus americanus\*\*](#) (W.E. Leach, 1815)
- **tulipa nigra**, Modiolus tulipa nigra W.W. Calkins, 1878 - syn of: [\*\*Modiolus americanus\*\*](#) (W.E. Leach, 1815)
- **tumbezensis**, [\*\*Modiolus tumbezensis\*\*](#) H.A. Plisby & A.A. Olson, 1935
- **tumida**, Musculus tumida S.C.T. Hanley, 1843 - syn of: [\*\*Musculus subpictus\*\*](#) (F.J. Cantraine, 1835)
- **tumida**, Modiolus tumida S.C.T. Hanley, 1843 - syn of: [\*\*Musculus subpictus\*\*](#) (F.J. Cantraine, 1835)

- **ulmus**, *Musculus ulmus* T. Iredale, 1936 - syn of: [\*\*\*Musculus cumingianus\*\*\*](#) (L.A. Reeve, 1857)
- **umbilicatus**, *Mytilus umbilicatus* T. Pennant, 1777 - syn of: [\*\*\*Modiolus modiolus\*\*\*](#) (C. Linnaeus, 1758)
- **umbonata**, *Mytella umbonata* H.E. Anton, 1838 - syn of: [\*\*\*Mytella guyanensis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **umbonata**, *Mytilus umbonata* H.E. Anton, 1838 - syn of: [\*\*\*Mytella guyanensis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **uncinnatus**, [\*\*\*Mytilus edulis uncinnatus\*\*\*](#)
- **undulatus**, [\*\*\*Brachidontes undulatus\*\*\*](#) (R.W. Dunker, 1857)
- **undulatus**, *Modiolus undulatus* R.W. Dunker, 1857 - syn of: [\*\*\*Brachidontes undulatus\*\*\*](#) (R.W. Dunker, 1857)
- **undulatus crassicostata**, *Modiolus undulatus crassicostata* H.B. Preston, 1914 - syn of: [\*\*\*Brachidontes undulatus\*\*\*](#) (R.W. Dunker, 1857)
- **unguiculatus**, *Mytilus unguiculatus* A. Valenciennes, 1858 - syn of: [\*\*\*Crenomytilus grayanus\*\*\*](#) (R.W. Dunker, 1853)
- **angularis**, *Mytilus angularis* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Mytilus planulatus\*\*\*](#) J.B.P.A. Lamarck, 1819
- **ungulatus**, *Mytilus ungulatus* A. Valenciennes in A.von Humboldt, 1821 - syn of: [\*\*\*Mytilus edulis chilensis\*\*\*](#) (L.H. Hupé, 1854)
- **ungulatus**, *Mytilus ungulatus* C. Linnaeus, 1758 - syn of: [\*\*\*Mytilus edulis\*\*\*](#) C. Linnaeus, 1758
- **ungulatus**, *Choromytilus ungulatus* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Choromytilus chorus\*\*\*](#) (J.I. Molina, 1782)
- **ungulatus**, *Mytilus ungulatus* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Choromytilus chorus\*\*\*](#) (J.I. Molina, 1782)
- **ungulina**, *Mytilus unculina* L. Philipsson, 1788 - syn of: [\*\*\*Mytilus edulis\*\*\*](#) C. Linnaeus, 1758
- **ustulatus**, [\*\*\*Brachidontes ustulatus\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **vagina**, [\*\*\*Arenifodiens vagina\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **vagina**, *Modiolus vagina* J.B.P.A. Lamarck - syn of: [\*\*\*Arenifodiens vagina\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **vagina suaviter**, *Modiolus vagina suaviter* T. Iredale, 1939 - syn of: [\*\*\*Arenifodiens vagina\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **vaillanti**, [\*\*\*Rhomboidella vaillanti\*\*\*](#) (A. Issel, 1869)
- **vaillanti**, *Crenella vaillanti* A. Issel, 1869 - syn of: [\*\*\*Rhomboidella vaillanti\*\*\*](#) (A. Issel, 1869)
- **variabilis**, [\*\*\*Brachidontes variabilis\*\*\*](#) (C.F.F. von Krauss, 1848)
- **variabilis**, *Mytilus variabilis* G. Fischer von Waldheim, 1807 - syn of: [\*\*\*Mytilus edulis\*\*\*](#) C. Linnaeus, 1758
- **variabilis semistriata**, *Brachidontes variabilis semistriata* C.F.F. von Krauss, 1848 - syn of: [\*\*\*Brachidontes ustulatus\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **variabilis striata**, *Brachidontes variabilis striata* P. Bartsch, 1915 - syn of: [\*\*\*Brachidontes ustulatus\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **varicosus**, [\*\*\*Musculus varicosus\*\*\*](#) (A.A. Gould, 1844)
- **variegata**, [\*\*\*Arcuatula variegata\*\*\*](#) (W.H. Benson, 1856)
- **variegata**, *Modiola variegata* W.H. Benson, 1856 - syn of: [\*\*\*Arcuatula variegata\*\*\*](#) (W.H. Benson, 1856)
- **variegatus**, *Mytilus variegatus* P.F. Röding, 1798 - syn of: [\*\*\*Perna perna\*\*\*](#) (C. Linnaeus, 1758)
- **vaughani**, *Septifer vaughani* W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [\*\*\*Septifer excisus\*\*\*](#) (A.F.A.H. Wiegmann, 1837)
- **ventrosa**, *Lithophaga ventrosa* R.W. Dunker, 1882 - syn of: [\*\*\*Lithophaga teres\*\*\*](#) (R.A. Philippi, 1846)
- **verdensis**, [\*\*\*Modiolus verdensis\*\*\*](#) R. von Cosel, 1995
- **verncosa**, [\*\*\*Vilasina vernicosa\*\*\*](#) (A.T. von Middendorff, 1849)
- **vernicosus**, *Vilasina vernicosus* A.T. von Middendorff, 1849 - syn of: [\*\*\*Vilasina vernicosa\*\*\*](#) (A.T. von Middendorff, 1849)
- **vernicosus**, *Musculus vernicosus* A.T. von Middendorff, 1849 - syn of: [\*\*\*Vilasina vernicosa\*\*\*](#) (A.T. von Middendorff, 1849)
- **versicolor**, *Mytilus versicolor* J.F. Gmelin, 1791 - syn of: [\*\*\*Perna perna\*\*\*](#) (C. Linnaeus, 1758)
- **vespertilio**, *Perna vespertilio* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **vestita**, *Modiolus vestita* R.A. Philippi, 1844 - syn of: [\*\*\*Lioberus agglutinans\*\*\*](#) (F.J. Cantraine, 1835)
- **vestita**, *Amygdalum vestita* R.A. Philippi, 1844 - syn of: [\*\*\*Lioberus agglutinans\*\*\*](#) (F.J. Cantraine, 1835)
- **vexillum**, *Modiolus vexillum* L.A. Reeve, 1857 - syn of: [\*\*\*Xenostrobus securis\*\*\*](#) (J.B.P.A. Lamarck, 1819)
- **viator**, [\*\*\*Musculus viator\*\*\*](#) (D'Orbigny, 1842)
- **victoriae**, [\*\*\*Modiolatus victoriae\*\*\*](#) (G.B. Pritchard & J.H. Gatliff, 1903)
- **vignoni**, [\*\*\*Gregariella vignoni\*\*\*](#) (S.A.A. Petit De La Saussaye, 1862)
- **villlosa**, *Modiolus villlosa* G.D. Nardo, 1847 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **villosa**, *Modiolus villosa* G.D. Nardo, 1847 - syn of: [\*\*\*Modiolus barbatus\*\*\*](#) (C. Linnaeus, 1758)
- **virgata**, *Septifer virgata* A.F.A.H. Wiegmann, 1837 - syn of: [\*\*\*Septifer virgatus\*\*\*](#) (A.F.A.H. Wiegmann, 1837)
- **virgatus**, [\*\*\*Septifer virgatus\*\*\*](#) (A.F.A.H. Wiegmann, 1837)
- **virgiliae**, [\*\*\*Brachidontes virgiliae\*\*\*](#) (K.H. Barnard, 1964)
- **viridis**, [\*\*\*Perna viridis\*\*\*](#) (C. Linnaeus, 1758)
- **viridulus**, [\*\*\*Musculus viridulus\*\*\*](#) (C.B. Adams, 1871)
- **vitrea**, *Mytilus vitrea* H.P.C. Møller, 1842 - syn of: [\*\*\*Dacrydium vitreum\*\*\*](#) (H.P.C. Møller, 1842)
- **vitrea**, *Perna vitrea* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon californicum\*\*\*](#) (T.A. Conrad, 1837)
- **vitreum**, [\*\*\*Dacrydium vitreum\*\*\*](#) (H.P.C. Møller, 1842)
- **vitreus**, *Mytilus vitreus* H.P.C. Møller, 1842 - syn of: [\*\*\*Dacrydium vitreum\*\*\*](#) (H.P.C. Møller, 1842)
- **viviparum**, [\*\*\*Dacrydium viviparum\*\*\*](#) K.W. Ockelmann, 1983
- **volgae**, *Mytilus volgae* J.H. Chemnitz, 1795 - syn of: [\*\*\*Dreissena polymorpha\*\*\*](#) (P.S. Pallas, 1771)
- **volgensis**, *Mytilus volgensis* J.E. Gray, 1825 - syn of: [\*\*\*Dreissena polymorpha\*\*\*](#) (P.S. Pallas, 1771)
- **vulgaris**, *Mytilus vulgaris* E.M. Da Costa, 1778 - syn of: [\*\*\*Mytilus edulis\*\*\*](#) C. Linnaeus, 1758
- **vulgaris**, *Modiola vulgaris* J. Fleming, 1828 - syn of: [\*\*\*Modiolus modiolus\*\*\*](#) (C. Linnaeus, 1758)
- **vulsella**, *Perna vulsella* L.A. Reeve, 1858 - syn of: [\*\*\*Isognomon isognomum\*\*\*](#) C. Linnaeus, 1758
- **vulsella b**, *Perna vulsella b* J.B.P.A. Lamarck, 1819 - syn of: [\*\*\*Isognomon radiatus\*\*\*](#) (H.E. Anton, 1838)
- **vultuosa**, *Modiolus vultuosa* F.P. Jousseaume in É. Lamy, 1919 - syn of: [\*\*\*Gibbomodiola biradiata\*\*\*](#) (S.C.T. Hanley, 1843)
- **wareni**, [\*\*\*Dacrydium wareni\*\*\*](#) C. Salas & S. Gofas, 1997
- **washingtonia**, *Idas washingtonia* F.R. Bernard, 1978 - syn of: [\*\*\*Idas washingtonius\*\*\*](#) (F.R. Bernard, 1978)
- **washingtonius**, [\*\*\*Idas washingtonianus\*\*\*](#) (F.R. Bernard, 1978)

- **watosoni**, Amygdalum watosoni T. Iredale, 1924 - syn of: [\*\*Amygdalum watsoni\*\*](#) (E.A. Smith, 1885)
  - **watsoni**, [\*\*Amygdalum watsoni\*\*](#) (E.A. Smith, 1885)
  - **wiegmannii**, Septifer wiegmannii H.C. Küster, 1841 - syn of: [\*\*Septifer bilocularis\*\*](#) (C. Linnaeus, 1758)
  - **xishaensis**, Septifer xishaensis Z.R. Wang, 1983 - syn of: [\*\*Septifer rudis\*\*](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
  - **yacobi**, Lithophaga yacobi F.P. Jousseaume in É. Lamy, 1919 - syn of: [\*\*Rhomboidella obesa\*\*](#) K.W. Ockelmann, 1983
  - **yokoyamai**, Crenella yokoyamai S. Nomura, 1932 - syn of: [\*\*Crenella decussata\*\*](#) (G. Montagu, 1808)
  - zebra, Modiolus zebra H.B. Preston, 1908 - syn of: [\*\*Modiolus gubernaculum\*\*](#) (R.W. Dunker, 1856)
  - zebra, [\*\*Dacrydium zebra\*\*](#) I. Hayami & T. Kase, 1993
  - **zellensis**, Mytilus zellensis J.F. Gmelin, 1791 - syn of: [\*\*Anodonta cygnea\*\*](#) (C. Linnaeus, 1758)
  - **zeteiki**, [\*\*Septifer zeteiki\*\*](#) L.G. Hertlein & A.M. Strong, 1946
  - **ziczac**, Mytilus ziczac H.E. Anton, 1838 - syn of: [\*\*Musculus impactus\*\*](#) (J. Hermann, 1782)
  - **ziczac**, Musculus ziczac H.E. Anton, 1838 - syn of: [\*\*Musculus impactus\*\*](#) (J. Hermann, 1782)
  - **zitteliana**, Lithophaga zitteliana R.W. Dunker, 1882 - syn of: [\*\*Lithophaga straminea\*\*](#) (L.A. Reeve, 1857)
  - **zizyphina**, Amygdalum zizyphina A. Caruana Gatto, 1867 - syn of: [\*\*Lioberus agglutinans\*\*](#) (F.J. Cantraine, 1835)
  - **zizyphina**, Modiolus zizyphina A. Caruana Gatto, 1867 - syn of: [\*\*Lioberus agglutinans\*\*](#) (F.J. Cantraine, 1835)
  - **zonarius**, [\*\*Mytilus zonarius\*\*](#) J.B.P.A. Lamarck, 1819
-

Class: BIVALVIA

--- Clade: PTERIOMORPHIA-MYTILOIDEA

----- Family: MYTILIDAE Rafinesque, 1815

Habitat= Sea, Taxonomic order

Taxa=1415, Genus=52, Subgenus=6, Species=435, Subspecies=32, Synonyms=889, Images=268



Genus: **Adipicola** P. Dautzenberg, 1927 (9 SP, 6 IMG)



5343351452  
**Adipicola**  
**arcuatilis**

R.K. Dell, 1995

Chatham Rise, New Zealand  
20,5 mm



**synonyms:**

- *Idas arquatilis* R.K. Dell, 1995



5341650005  
**Adipicola**  
**crypta**

(W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938)

East China Sea  
19 mm



7042000002  
**Adipicola**  
**dubia**

(B. Prashad, 1932)


No Georeferenced data available



5341650020  
**Adipicola**  
**iwaotakii**

(T. Habe, 1958)



East China Sea  
24 mm



5343350800  
**Adipicola**  
**longissima**

(K.H.J. Thiele & S.G.A. Jaeckel, 1931)



Japan



7042000003  
**Adipicola**  
**osseocola**

R.K. Dell, 1987



New Zealand



5341650030  
**Adipicola**  
**pacifica**

(W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938)

East China Sea  
9,9 mm



**synonyms:**



- *Idas pacifica* W.H. Dall, P. Bartsch & H.A. Rehder, 1938



5343350808  
**Adipicola  
pelagica**

(E. Forbes in S. Woodward, 1854)

Azores  
15 mm



**synonyms:**

- Idas dalmasi P. Dautzenberg & H. Fischer, 1897
- Gaimardia pelagica E. Forbes in S. Woodward, 1854

- Idas denhami H. Adams & A. Adams, 1854
- Modiolus pelagica S. Woodward, 1854



5343351531  
**Adipicola  
projecta**

(J.C. Verco, 1908)

No Georeferenced data available


SubFamily: ARCUATULINAE - **Genus: Arcuatula** F.P. Jousseaume in É. Lamy, 1919 (syn: Musculista - 11 SP, 7 IMG)



5341100010  
**Arcuatula  
arcuata**

(S.C.T. Hanley, 1843)

Singapore  
16,3 mm



**synonyms:**


- Modiolus arcuatus S.C.T. Hanley, 1843



5341100030  
**Arcuatula  
capensis**

(C.F.F. von Krauss, 1848)

Algoa Bay, South Africa  
52 mm



**synonyms:**


- Modiolus tenerima E.A. Smith, 1904
- Modiolus thala W.H. Turton, 1932



5341104035  
**Arcuatula  
elegans**

(J.E. Gray, 1828)


West Africa, Gambia



5341100050  
**Arcuatula  
glaberrima**

(R.W. Dunker, 1857)

Port Jackson  
24 mm



**synonyms:**


- Modiolus glaberrima R.W. Dunker, 1857



5342500060  
**Arcuatula  
japonica**

(R.W. Dunker, 1857)

Japan, Kochi



**synonyms:**

- Modiolus japonica R.W. Dunker, 1857
- Modiola japonica L.A. Reeve, 1857
- Brachidontes japonicus R.W. Dunker, 1857

- Modiolus japonica É. Lamy, 1936
- Musculus japonicus R.W. Dunker, 1857
- Brachidontes japonicus Tchang-Si & al., 1960

**no  
IMAGES  
available**

704200005  
**Arcuatula  
leucosticta**

(E.C. Von Martens, 1897)

No Georeferenced data available



5341350020  
**Arcuatula  
papyria**

(T.A. Conrad, 1846)  
Brasil, Sao Paulo



**synonyms:**

- Modiolus papyria T.A. Conrad, 1846
- Modiolus pulex H.C. Lea, 1842

- Modiolus petagnae L.A. Reeve, 1857



5343351032  
**Arcuatula  
perfragilis**

(R.W. Dunker, 1857)  
Hawaii  
20 mm



**synonyms:**


- Musculus angusta S. Clessin, 1890
- Musculus perfragilis R.W. Dunker, 1857

- Modiolus perfragilis R.W. Dunker, 1857



5342500115  
**Arcuatula  
senhouseia**

(W.H. Benson in T.E. Cantor, 1842)  
Italy, Sardinia Island  
22 mm



**synonyms:**

- Musculus aquarius A.W. Grabau & S.G. King, 1928
- Musculus bellardiana C.M. Tapparone-Caneffri, 1874
- Musculus senhousei W.H. Benson, 1842

- Modiolus bellardiana C.M. Tapparone-Caneffri, 1874
- Musculus senhousei W.H. Benson, 1842
- Modiolus senhousei W.H. Benson in T.E. Cantor, 1842

**no  
IMAGES  
available**

704200006  
**Arcuatula  
tristis**

(R.W. Dunker, 1857)

No Georeferenced data available

**synonyms:**

- Volsella subpurpurea R.W. Dunker, 1857

- Modiolus tristis R.W. Dunker, 1857

**no  
IMAGES  
available**

7196000046  
**Arcuatula  
variegata**

(W.H. Benson, 1856)

No Georeferenced data available

**synonyms:**


- Modiola variegata W.H. Benson, 1856

SubFamily: ARCUATULINAE - Genus: Arenifodiens B.R. Wilson, 2006 (1 SP, 1 IMG)



5341104030  
**Arenifodiens  
vagina**

(J.B.P.A. Lamarck, 1819)  
Dingo Beach, Australia  
92 mm



**synonyms:**

- Mytilus castaneus W. Wood, 1828
- Mytilus castaneus J. Lightfoot, 1786
- Modiolus vagina suaviter T. Iredale, 1939


- Modiolus vagina J.B.P.A. Lamarck

SubFamily: ARCUATULINAE - Genus: **Aulacomya** O.A.L. Mörch, 1853 (4 SP, 3 IMG)



5340200000  
**Aulacomya**  
**atra**

(J.I. Molina, 1782)  
Argentina, Chubut  
115 mm



**synonyms:**



- *Mytilus americanus* D'Orbigny, 1846
- *Mytilus ater* J.I. Molina, 1782
- *Mytilus crenatus* J.B.P.A. Lamarck, 1819
- *Mytilus diluculum* O.A.L. Mörch, 1874
- *Mytilus magellanicus curvatus* W. Stimpell, 1899
- *Mytilus orbignyanus* L.H. Hupé in C. Gay, 1854

- *Aulacomya ater* J.I. Molina, 1782
- *Mytilus decussatus* J.B.P.A. Lamarck, 1819
- *Aulacomya magellanica* J.H. Chemnitz, 1785
- *Mytilus oblongus* S. Clessin, 1887
- *Mytilus pyriformis* A.A. Gould, 1850



5340200005  
**Aulacomya**  
**atra**  
**crenata**

(J.B.P.A. Lamarck, 1819)  
South Africa, Cape  
76,2 mm



7196000008  
**Aulacomya**  
**capensis**


(R.W. Dunker, 1846)

No Georeferenced data available



5343350232  
**Aulacomya**  
**maoriana**

T. Iredale, 1915  
New Zealand, Wellington  
42 mm



**synonyms:**

- *Aulacomya atra maoriana* T. Iredale, 1915
- *Mytilus maorianus* T. Iredale, 1915

- *Mytilus magellanicus* H.H. Suter, 1913
- *Aulacomya maorianus* T. Iredale, 1915



7042000008  
**Aulacomya**  
**regia**

A.W.B. Powell, 1957

No Georeferenced data available

**synonyms:**

- *Aulacomya magellanica regia* A.W.B. Powell, 1957

SubFamily: ARCUATULINAE - Genus: **Brachidontes** W.J. Swainson, 1840 (syn: Brachydontes, Brachyodon, Brachyodontes, Branchydonta, Branchydontes, Hormomyia, Austromytilus, Scolomytilus - 35 SP, 22 IMG)



5340250000  
**Brachidontes**  
**adamsianus**

(R.W. Dunker, 1857)  
California  
16 mm



**synonyms:**


- *Mytilus adamsianus* R.W. Dunker, 1857
- *Mytilus stearnsii* H.A. Pilsby & W.J. Raymond, 1898

- *Brachidontes stearnsii* H.A. Pilsby & W.J. Raymond, 1898






5343350256  
**Brachidontes**  
**australis**

E.C. Von Martens, 1879  
New South Wales





7042000017  
**Brachidontes blakeanus**  
(J.C. Melvill & R. Standen, 1914)  
Argentina, Peninsula Valdes  
11,9 mm




5343350272  
**Brachidontes crebriostatus**  
T.A. Conrad, 1837  
Indo-Pacific

No Georeferenced data available



5343351503  
**Brachidontes crebriostriatus**  
(T.A. Conrad, 1837)  
Oahu, Hawaii



**synonyms:**

- *Mytilus crebriostriatus* T.A. Conrad, 1837

- *Mytilus crebriostriatus maritima* H.A. Pilsbry, 1921



5343351513  
**Brachidontes darwinianus**  
(D'Orbigny, 1842)  
Montevideo, Uruguay  
24,1 mm





**synonyms:**

- *Mytilus mulleri* S. Clessin, 1887




5340250005  
**Brachidontes domingensis**  
(J.B.P.A. Lamarck, 1819)  
Bahamas  
17 mm



7196000042  
**Brachidontes dunkeri**  
M. Huber, 2015

No Georeferenced data available



5340254005  
**Brachidontes emarginatus**  
C.F.F. von Krauss, 1848

No Georeferenced data available



5340250010  
**Brachidontes erosus**  
J.B.P.A. Lamarck, 1819  
Philippines, Pandanan Island  
40 mm



**synonyms:**


- *Mytilus erosus* J.B.P.A. Lamarck, 1819
- *Mytilus menkeanus* R.A. Philippi, 1847
- *Brachidontes philippiana* K.T. Menke, 1848
- *Brachidontes polyodontus* J.R.C. Quoy & J.P. Gaimard, 1835

- *Brachidontes menkeanus* R.A. Philippi, 1847
- *Mytilus polyodontus* J.R.C. Quoy & J.P. Gaimard, 1835



7042000018  
**Brachidontes evansi**

(E.A. Smith, 1903)  
Thailand



5340250015  
**Brachidontes exustus**

(C. Linnaeus, 1758)  
Brasil, Alagoas  
31,5 mm



**synonyms:**

- *Brachidontes biceps* K.T. Menke, 1848
- *Brachidontes lavaleanus* D'Orbigny in R. de la Sagra, 1853

- *Modiolus magellanicus* L.A. Reeve, 1857



7042000019  
**Brachidontes granularis**


(G.B. III Sowerby, 1909)

No Georeferenced data available



5340250020  
**Brachidontes granulatus**

S.C.T. Hanley, 1843  
Chile, Iquique  
12,8 mm



**synonyms:**


- *Brachidontes arcuatus* S. Clessin, 1887
- *Brachidontes boeckii* O.A.L. Mörcz, 1874

- *Mytilus boeckii* O.A.L. Mörcz, 1874
- *Mytilus granulatus* S.C.T. Hanley, 1843



5343351504  
**Brachidontes maritimus**

(H.A. Plötz, 1921)  
French Polynesia



5343351476  
**Brachidontes modiolus**

(C. Linnaeus, 1767)  
Cuba  
36,7 mm



**synonyms:**


- *Modiola chemnitzi* V.L.V. Potiez & A. Michaud, 1844
- *Mytilus citrinus* P.F. Röding, 1798
- *Arca modiolus* C. Linnaeus, 1767
- *Brachidontes pseudorecurvus* G.W. Nowell-Usticke, 1969

- *Brachidontes citrinus* P.F. Röding, 1798
- *Mytilus cubitus* T. Say, 1822
- *Modiola paetellana* S. Clessin, 1887
- *Modiolus sulcata* J.B.P.A. Lamarck, 1819



5340404000  
**Brachidontes mutabilis**

(A.A. Gould, 1861)  
Japan, Tanegashima Island  
9,7 mm



**synonyms:**

- *Mytilus curvatus* R.W. Dunker, 1857
- *Hormomyia sinensis* Z.R. Wang, 1983

- *Mytilus mutabilis* A.A. Gould, 1861

**no  
IMAGES  
available**

7196000012  
**Brachidontes  
niger**

(J.F. Gmelin, 1791)


No Georeferenced data available



5340250030  
**Brachidontes  
pharaonis**

(P. Fischer, 1870)

Italy, Messina  
28 mm



**synonyms:**

- Brachidontes arabicus F.P. Jousseaume in É. Lamy, 1919
- Modiola compressula E.C. Von Martens & K.H.J. Thiele, 1908
- Brachidontes semistrigatus C.F.F. von Krauss, 1848

- Brachydontes karachiensis J.C. Melvill & R. Standen, 1907



5343350280  
**Brachidontes  
playasensis**

(H.A. Pilsbry & A.A. Olsson, 1935)

Ecuador  
66 mm



**synonyms:**



- Brachidontes esmeraldensis A.A. Olsson, 1961



5340250035  
**Brachidontes  
puniceus**

(J.F. Gmelin, 1791)

Cape Verde  
35,1 mm



**synonyms:**

- Brachidontes charpentieri R.W. Dunker, 1853
- Brachidontes senegalensis J.B.P.A. Lamarck, 1819



- Brachidontes morrisi R.W. Dunker, 1857



5343350288  
**Brachidontes  
punctarenensis**

(H.A. Pilsbry & H.N. Lowe, 1932)

Galápagos Islands  
18 mm



**synonyms:**

- Brachidontes multiformis houstonius P. Bartsch & H.A. Rehder, 1939



5340250045  
**Brachidontes  
rodiguezii**

(D'Orbigny, 1842)

Uruguay, La Palma  
37 mm



**synonyms:**

- Brachidontes lepida R.A. Philippi, 1893



- Brachidontes martensi H.F.A. von Ihering, 1897



5340254000  
**Brachidontes  
rostratus**

(R.W. Dunker, 1857)


Australia, Victoria  
42 mm





5343351468  
**Brachidontes**  
**sculptus**

(T. Iredale, 1939)  
Lady Musgrave Island, Australia  
31,2 mm





**synonyms:**

- *Trichomya sculptus* T. Iredale, 1939



5340250050  
**Brachidontes**  
**semilaevis**

(K.T. Menke, 1848)  
Panama  
9 mm



**synonyms:**


- *Brachidontes aequatorialis* A.A. Olsson, 1961
- *Mytilus multiformis* P.P. Carpenter, 1857

- *Modiolus semilaevis* K.T. Menke, 1848



5343350296  
**Brachidontes**  
**setiger**

(R.W. Dunker, 1857)  
South China Sea  
16,8 mm



**synonyms:**


- *Modiolus setiger* R.W. Dunker, 1857

- *Modiolus subsulcatus* L.A. Reeve, 1857



5343350312  
**Brachidontes**  
**striatulus**

(S.C.T. Hanley, 1843)  
Fiji Islands



**synonyms:**


- *Brachidontes annandalei* H.B. Preston, 1911
- *Brachidontes cochinensis* H.B. Preston, 1909
- *Brachidontes emarginatus eudeli* F.P. Jousseaume in É. Lamy, 1929
- *Brachidontes taprobanensis* H.B. Preston, 1915

- *Brachidontes celator* H.B. Preston, 1911
- *Modiolus emarginatus* W.H. Benson, 1858
- *Brachidontes jenkinsi* H.B. Preston, 1910



5343350320  
**Brachidontes**  
**subramosus**

(S.C.T. Hanley, 1843)  
Tasmania



**synonyms:**

- *Brachidontes ramosa* S. Clessin, 1889
- *Modiolus striatula* E.C. Von Martens, 1873


- *Modiolus subramosa* S.C.T. Hanley, 1843



7196000013  
**Brachidontes**  
**subsulcatus**


(R.W. Dunker, 1857)

No Georeferenced data available



7042000020  
**Brachidontes**  
**tenuistriatus**

(R.W. Dunker, 1853)  
Congo



**synonyms:**

- *Mytilus tenuistriatus laevis* P. Dautzenberg, 1912

- *Brachidontes tenuistriatus laevis* P. Dautzenberg, 1912

no  
IMAGES  
available

5343351527  
**Brachidontes**  
undulatus

(R.W. Dunker, 1857)

No Georeferenced data available

**synonyms:**

- *Brachidontes chilensis* H.B. Preston, 1911
- *Modiolus undulatus crassicostata* H.B. Preston, 1914


- *Modiolus undulatus* R.W. Dunker, 1857



5343350336  
**Brachidontes**  
ustulatus

(J.B.P.A. Lamarck, 1819)

Fremantle, Australia  
30 mm



**synonyms:**

- *Brachidontes variabilis semistriata* C.F.F. von Krauss, 1848
- *Brachidontes variabilis striata* P. Bartsch, 1915

no  
IMAGES  
available

7196000044  
**Brachidontes**  
variabilis

(Krauss, 1848)


No Georeferenced data available



5340250065  
**Brachidontes**  
virgiliae

(K.H. Barnard, 1964)

South Africa, Natal  
13,8 mm





SubFamily: BATHYMODIOLINAE - Genus: **Bathymodiolus** Kenk & B.R. Wilson, 1985 (23 SP, 12 IMG)



5343351492  
**Bathymodiolus**  
adlooides

J. Hashimoto & T.A. Okutani, 1994


Japan  
75 mm



5343351525  
**Bathymodiolus**  
antarcticus

S.B. Johnson & R.C. Vrijenhoek, 2013

East Pacific Rise 37S  
40,8 mm



no  
IMAGES  
available

7042000009  
**Bathymodiolus**  
anteumbonatus

R. von Cosel & A.W. Janssen, 2008


No Georeferenced data available



5343351509  
**Bathymodiolus**  
azoricus

R. von Cosel & T. Comtet, 1999

Azores  
80 mm



no  
IMAGES  
available

5343351510  
Bathymodiolus  
boomerang

R. von Cosel & K. Olu, 1998

No Georeferenced data available

no  
IMAGES  
available

5341854010  
Bathymodiolus  
brevior

R. von Cosel, B. Métivier,  
& J. Hashimoto, 1994


No Georeferenced data available

no  
IMAGES  
available

5343351511  
Bathymodiolus  
brooksi

R.G. Gustafson, R.D. Turner, R.A. Lutz,  
& R.C. Vrijenhoek, 1998


Florida



5343351424  
Bathymodiolus  
childressi

D.L. Gustafson, 1999

Louisiana  
74 mm



no  
IMAGES  
available

7042000010  
Bathymodiolus  
edisonensis

R. von Cosel & A.W. Janssen, 2008

No Georeferenced data available



7196000009  
Bathymodiolus  
elongatus

R. von Cosel, B. Métivier,  
& J. Hashimoto, 1994


No Georeferenced data available



5343351512  
Bathymodiolus  
heckerae

R.D. Turner, R.G. Gustafson, R.A. Lutz,  
& R.C. Vrijenhoek, 1998


Florida



5343351496  
Bathymodiolus  
hirtus

T.A. Okutani, K. Fujikura,  
& T. Sasaki, 2004



Japan



no  
IMAGES  
available

7196000010  
**Bathymodiolus japonicus**

J. Hashimoto & T.A. Okutani, 1994  
Japan



no  
IMAGES  
available

7042000011  
**Bathymodiolus manusensis**

J. Hashimoto & Furuta, 2007

No Georeferenced data available

no  
IMAGES  
available

5341854020  
**Bathymodiolus marisindicus**

J. Hashimoto, 2001

No Georeferenced data available



5341850000  
**Bathymodiolus mauritanicus**

R. von Cosel, 2002



Mauritania  
91,9 mm



5343351432  
**Bathymodiolus platifrons**

J. Hashimoto & T.A. Okutani, 1994


Japan  
77,5 mm



5341854005  
**Bathymodiolus puteoserpentis**

R. von Cosel, B. Métivier,  
& J. Hashimoto, 1994


Mauritania, Nouakchott



5343351484  
**Bathymodiolus securiformis**

T.A. Okutani, K. Fujikura,  
& T. Sasaki, 2004

Yaeyama Islands, Japan



5343351488  
**Bathymodiolus septemdierum**

J. Hashimoto & T.A. Okutani, 1994

Ogasawara Islands, Japan



no  
IMAGES  
available

7042000012  
**Bathymodiolus**  
*taiwanensis*


R. von Cosel, 2008

No Georeferenced data available



5341854025  
**Bathymodiolus**  
*tangaroa*

R. von Cosel & B.A. Marshall, 2003  
Chatham Islands, New Zealand



no  
IMAGES  
available

7196000028  
**Bathymodiolus**  
*tangaroa*  
*tuerkayi*


R. von Cosel & A.W. Janssen, 2008

No Georeferenced data available



5343351456  
**Bathymodiolus**  
*thermophilus*

Kenk & B.R. Wilson, 1985  
East Pacific Rise  
40 mm



SubFamily: BATHYMODIOLINAE - Genus: **Benthomodiolus** R.K. Dell, 1987 (4 SP, 2 IMG)

no  
IMAGES  
available

5343350520  
**Benthomodiolus**  
*abyssicola*

(J. Knudsen, 1970)  
Bay of Panama




no  
IMAGES  
available

7196000041  
**Benthomodiolus**  
*erebus*

Oliver, 2015


No Georeferenced data available



7042000013  
**Benthomodiolus**  
*geikotsucola*

T.A. Okutani & K. Miyazaki, 2007

No Georeferenced data available




SubFamily: BATHYMODIOLINAE - Genus: **Gigantidas** R. von Cosel & B.A. Marshall, 2003 (syn: Gigantidus - 2 SP, 1 IMG)




5343351508  
**Gigantidas**  
*gladius*

R. von Cosel & B.A. Marshall, 2003  
Kermadec Trench  
168 mm




5343351507  
**Gigantidas**  
*horikoshii*

J. Hashimoto & T. Yamane, 2005  
Japan, Kaikata Seamount



SubFamily: BATHYMODIOLINAE - Genus: **Tamu** D.L. Gustafson, H. Turner, R.A. Lutz & R.C. Vrijenhoek, 1998 (1 SP, 0 IMG)



5343351506  
**Tamu**  
*fisheri*

R.G. Gustafson, R.D. Turner, R.A. Lutz,  
& R.C. Vrijenhoek, 1998  
USA, Louisiana





SubFamily: BRACHIDONTINAE - Genus: **Choromytilus** T. Soot-Ryen, 1952 (3 SP, 3 IMG)



5340350000  
**Choromytilus**  
*chorus*

(J.I. Molina, 1782)  
Chile, Ancud  
115,2 mm




**synonyms:**

- *Choromytilus albus* J.I. Molina, 1782
- *Choromytilus caeruleus* J.I. Molina, 1782
- *Choromytilus compressus* L.A. Reeve, 1858
- *Choromytilus latus* J.B.P.A. Lamarck, 1819
- *Micidola pontica* Sovinsky, 1884
- *Choromytilus unguilatus* J.B.P.A. Lamarck, 1819
- *Mytilus chorus* J.I. Molina, 1782
- *Mytilus compressus* L.A. Reeve, 1858
- *Mytilus latus* J.B.P.A. Lamarck, 1819
- *Mytilus ungulatus* J.B.P.A. Lamarck, 1819




5340000030  
**Choromytilus**  
*meridionalis*

(C.F.F. von Krauss, 1848)  
South Africa, Cape  
115,4 mm



5343350344  
**Choromytilus**  
*palliopunctatus*

(P.P. Carpenter, 1857)  
Panama West  
20 mm



**synonyms:**


- *Mytilus tenuiaratus* P.P. Carpenter, 1857
- *Choromytilus tenuiaratus* P.P. Carpenter, 1857

SubFamily: CRENELLINAE - Genus: **Arvella** P. Bartsch in O.A. Scarlato, 1960 (8 SP, 3 IMG)




5343350904  
**Arvella**  
*casta*

A. Adams, 1862  
Japan







5343350912  
***Arvelia  
cornea***  
A. Adams, 1862  
Japan



5343350920  
***Arvelia  
crocea***  
A. Adams, 1862  
Japan



5342100015  
***Arvelia  
faba***  
(O.F. Müller, 1776)  
Greenland  
10 mm




**synonyms:**

- *Crenela arctica* W.E. Leach in A. Ross, 1819
- *Mytilus faba* O.F. Müller, 1776

- *Musculus faba olivaceofulva* O.A.L. Mörch, 1871



7196000007  
***Arvelia  
japonica***  
(W.H. Dall, 1897)  
North Japan Sea



**synonyms:**

- *Crenella japonica* W.H. Dall, 1897



7042000007  
***Arvelia  
manshurica***  
P. Bartsch in O.A. Scarlato, 1960



No Georeferenced data available

**synonyms:**


- *Arvelia manchurica* O.A. Scarlato, 1960



5342100035  
***Arvelia  
pectinula***  
(A.A. Gould, 1841)  
Georges Bank



5343350936  
***Arvelia  
sculptilis***  
A. Adams, 1862  
Japan



SubFamily: CRENELLINAE - **Genus: Crenella** T. Brown, 1827 (syn: Crenelodon, Myoparo, Nucubocardia, Stalgmium, Hippagus - 13 SP, 4 IMG)



5343351514  
***Crenella  
abbotti***  
C.O. Van Regteren Altena, 1968

No Georeferenced data available

no  
IMAGES  
available

5343351562  
**Crenella**  
*adamsiana*


J.C. Melvill & R. Standen, 1907

No Georeferenced data available



5342100000  
**Crenella**  
*arenaria*

T.A. de M. Monterosato  
1875 ex A. Martin MS  
Italy, Sicilia, Calabria  
1,4 mm



no  
IMAGES  
available

5343350848  
**Crenella**  
*caudiva*

A.A. Olsson, 1961  
Ecuador



5342100005  
**Crenella**  
*decussata*

(G. Montagu, 1808)  
Iceland  
3 mm





**synonyms:**

- *Modiolus cicerula* H.P.C. Möller, 1842
- *Crenella decussata laticostata* O.A. Scarlato, 1960
- *Crenella divaricata* M. Yokoyama, 1922
- *Crenella elliptica* T. Brown, 1827
- *Crenella yokoyamai* S. Nomura, 1932
- *Crenella cicercula* H.P.C. Möller, 1842
- *Crenella delicatula* M. Yokoyama, 1926
- *Crenella ecuadoriana* H.A. Pilsbry & A.A. Olsson, 1941
- *Crenella inflata* P.P. Carpenter, 1864



5342100010  
**Crenella**  
*divaricata*

(D'Orbigny, 1853)  
Argentina, Chubut  
3 mm



no  
IMAGES  
available

5343351515  
**Crenella**  
*gemma*

A.A. Olsson & J.T.L. McGinty, 1958  
Panama, Bocas del Toro




no  
IMAGES  
available

7042000077  
**Crenella**  
*magellanica*

K. Linse, 2002

No Georeferenced data available



7042000022  
**Crenella**  
*marionensis*

E.A. Smith, 1885

No Georeferenced data available

no  
IMAGES  
available

7196000029  
**Crenella**  
**minuta**

K.H.J. Thiele & S.G.A. Jaeckel, 1931

No Georeferenced data available



5342100040  
**Crenella**  
**pellucida**

(J.G. Jeffreys, 1859)  
Lanzarote, Canary Islands  
0,8 mm



**synonyms:**

- Limopsis pellucida J.G. Jeffreys, 1859

no  
IMAGES  
available

7042000023  
**Crenella**  
**pura**

E.A. Smith, 1890

No Georeferenced data available



5342100050  
**Crenella**  
**skomma**

(R.A. Mclean & J.S. Schwengel, 1944)  
Florida




SubFamily: CRENELLINAE - **Genus: Exosiperna** T. Iredale, 1929 (3 SP, 0 IMG)

no  
IMAGES  
available

5343351104  
**Exosiperna**  
**kuroharai**

T. Habe, 1961  
Japan



no  
IMAGES  
available

7042000032  
**Exosiperna**  
**relata**



T. Iredale, 1929

No Georeferenced data available



5343351160  
**Exosiperna**  
**scapha**

(J.C. Verco, 1908)  
South Australia



SubFamily: CRENELLINAE - **Genus: Gregariella** T.A. de M. Monterosato, 1884 (syn: Botulina, Tibialectus, Trichomusculus, Propetius - 17 SP, 7 IMG)

no  
IMAGES  
available

7042000078  
**Gregariella**  
**australis**

(E.C. Von Martens, 1880)

No Georeferenced data available

**no  
IMAGES  
available**

5343351505  
***Gregariella bakeri***

(W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938)

French Polynesia



**no  
IMAGES  
available**

5343351563  
***Gregariella barbata***

(L.A. Reeve, 1858)

Tasmania



**synonyms:**

- *Musculus arcuata* A.A. Gould, 1861
- *Musculus barbata* G.F. Angas, 1868
- *Gregariella laniger* L.A. Reeve, 1858

- *Gregariella arcuata* A.A. Gould, 1861
- *Lithophaga langeri* L.A. Reeve, 1858

**no  
IMAGES  
available**

5342300010  
***Gregariella chenui***

(C.A. Récluz, 1842)

Galapagos



**synonyms:**

- *Mytilus chenuanus* D'Orbigny, 1846
- *Gregariella chenuanus* D'Orbigny, 1846
- *Mytilus fontaineanus* D'Orbigny, 1842

- *Mytilus chenui* C.A. Récluz, 1842
- *Gregariella fontaineanus* D'Orbigny, 1842

**no  
IMAGES  
available**

5342300015  
***Gregariella coarctata***

(P.P. Carpenter, 1857)



Mexico, Mazatlan



5342300020  
***Gregariella coraliphaga***

(J.F. Gmelin, 1791)

Wakayama, Japan



**synonyms:**

- *Musculus argentea* L.A. Reeve, 1858
- *Mytilus coraliphaga* J.F. Gmelin, 1791
- *Lithodomus gossei* L.A. Reeve, 1858
- *Modiolus semen* J.B.P.A. Lamarck, 1819



- *Lithodomus argenteus* L.A. Reeve, 1858
- *Modiola divaricata* R.A. Philippi, 1847
- *Gregariella otteri* T. Iredale, 1939
- *Gregariella semen* J.B.P.A. Lamarck, 1819



5342300025  
***Gregariella opifex***

(T. Say, 1825)

Italy, Galipoli  
12,2 mm



**synonyms:**

- *Modiolus opifex* T. Say, 1825



5343350944  
***Gregariella denticulata***

(W.H. Dall, 1871)

Mexico, Acapulco



**synonyms:**


- *Modiolaria denticulata* W.H. Dall, 1871



534230000  
**Gregariella**  
**difficilis**

(G.P. Deshayes in L. Maillard, 1863)

South Africa  
13,7 mm



**synonyms:**

- *Musculus africana* P. Bartsch, 1915
- *Musculus albanyana* W.H. Turton, 1932
- *Musculus difficilis* G.P. Deshayes in L. Maillard, 1863

- *Gregariella africana* P. Bartsch, 1915
- *Gregariella albanyana* W.H. Turton, 1932



5343351528  
**Gregariella**  
**ehrenbergi**

(A. Issel, 1869)

No Georeferenced data available



5343350952  
**Gregariella**  
**fischeri**

(E.A. Smith, 1885)

Cosmopolitan

No Georeferenced data available

**synonyms:**

- *Musculus cuneata* J.G. Jeffreys, 1880
- *Musculus fischeri* É.A.A. Locard, 1898

- *Musculus fischeri* E.A. Smith, 1885



7042000035  
**Gregariella**  
**multistriata**

(E.A. Smith, 1872)


No Georeferenced data available



5343351543  
**Gregariella**  
**nubilis**

(T. Iredale, 1937)

No Georeferenced data available



7042000036  
**Gregariella**  
**obermulleri**

(E. Fischer-Piette & M. Nicklés, 1946)


No Georeferenced data available



5342300030  
**Gregariella**  
**petagnae**

(A. Scacchi, 1832)

Italy, Naples  
13 mm



**synonyms:**

- *Gregariella barbatella* F.J. Cantraine, 1835
- *Modiolus petagnae* Riétensis W.H. Turton, 1932


- *Modiolus costulata* R.A. Philippi, 1836
- *Gregariella sulcatus* A. Risso, 1826



5343351480  
**Gregariella**  
**petagnae**  
**simplicifilis**

K.H. Barnard, 1964

Swakopmund, Namibia  
10,9 mm







5342300035

**Gregariella  
semigranata**

(L.A. Reeve, 1858)

Almeria, Spain  
8 mm**synonyms:**

- Modiolus gibberula F. Caillaud, 1865
- Gregariella sandalina T.A. de M. Monterosato, 1872

- Gregariella gibberula F. Caillaud, 1865
- Gregariella subclavata I. Libassi, 1859




5343350824

**Gregariella  
splendida**

(L.A. Reeve, 1858)


New South Wales



7042000037

**Gregariella  
vignoni**

(S.A.A. Petit De La Saussaye, 1862)


**No Georeferenced data available**SubFamily: CRENELLINAE - **Genus: Musculus** P.F. Röding, 1798 (syn: Lanistina, Lanistria, Modiolacea, Modilaria, Modularia - 36 SP, 21 IMG)

5343351555

**Musculus  
aliganus**

C.F. Laseron, 1956


Tasmania



5343350968

**Musculus  
aviarius**W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938

Hawaii, Oahu

**synonyms:**

- Musculus laysanus W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- Musculus oahuensis W.H. Dall, P. Bartsch & H.A. Rehder, 1938

- Musculus molokaiensis W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- Musculus paillus W.H. Dall, P. Bartsch & H.A. Rehder, 1938



7042000059

**Musculus  
calceatus**



(J.C. Melville &amp; R. Standen, 1907)

**No Georeferenced data available**

5342500135

**Musculus  
coenobitus**

(L.L. Vaillant, 1865)

Darwin, Australia  
27,8 mm**synonyms:**

- Musculus chinensis F.R. Bernard, Y.Y. Cai & F. Morton, 1993
- Modolaria cuneata A.A. Gould, 1861
- Musculus cuneatus A.A. Gould, 1861

- Mytilus coenobitus L.L. Vaillant, 1865
- Lanistina cuneata A.A. Gould, 1861

**no  
IMAGES  
available**


7042000060  
**Musculus  
concinnus**  
(R.W. Dunker, 1857)

No Georeferenced data available



534250005  
**Musculus  
costulatus**

(A. Riso, 1826)  
Girona, Spain  
10 mm




**synonyms:**

- *Musculus rufa* G.S. Coen, 1929



534250015  
**Musculus  
cumingianus**

(L.A. Reeve, 1857)  
South Africa, Durban Bay  
20,4 mm




**synonyms:**

- *Musculus ulmus* T. Iredale, 1936



534250025  
**Musculus  
cupreus**

(A.A. Gould, 1861)  
East China Sea  
9,9 mm




**synonyms:**

- *Musculus neglectus* J.T. Kuroda, 1941
- *Musculus quadrula* A.A. Gould, 1861



534250030  
**Musculus  
discors**

(C. Linnaeus, 1767)  
France, Brittany  
10,5 mm



**synonyms:**


- *Musculus discors angustior* J.G. Jeffreys, 1864
- *Musculus discors arcticus* O. Fabricius, 1788
- *Mytilus discrepans* G. Montagu, 1803
- *Musculus impressa* W.H. Dal, 1907
- *Musculus laevis* H.H. Beck in A. Robert, 1838
- *Musculus substrata* J.E. Gray, 1824

- *Musculus discors semilaevis* J.G. Jeffreys, 1864
- *Musculus flatovae* O.A. Scarlato, 1955
- *Musculus incurvatus* O.A. Scarlato, 1960
- *Musculus olivaceus* W.H. Dal, 1916



534250035  
**Musculus  
glacialis**

(W. Leche, 1883)  
Norway, Kongsfjorden



**synonyms:**


- *Mytilus corrugatus* W. Stimpson, 1851
- *Musculus corrugatus* W. Stimpson, 1851

- *Musculus corrugatus glacialis* W. Leche, 1883



534250045  
**Musculus  
impactus**

(J. Hermann, 1782)  
New Zealand, Auckland  
24 mm



**synonyms:**


- *Mytilus discors australis* O. Fabricius, 1788
- *Modolarca impacta* J. Hermann, 1782
- *Musculus inflatus* K.H.J. Thiele, 1930
- *Mytilus ziczac* H.E. Anton, 1838

- *Musculus discors australis* O. Fabricius, 1788
- *Mytilus impactus* J. Hermann, 1782
- *Musculus novaezeelandiae* P.F. Roding, 1798
- *Musculus ziczac* H.E. Anton, 1838






5342500055  
**Musculus imus**

(P. Bartsch, 1915)  
South Africa, Transkei  
5 mm



5343351417  
**Musculus koreanus**

K.W. Ockelmann, 1983  
Yellow Sea  
21 mm



5342500065  
**Musculus lacustre**


H.P.C. Møller

No Georeferenced data available




5342500070  
**Musculus laevigatus**

(J.E. Gray, 1824)  
Iceland  
19,1 mm



5342500075  
**Musculus lateralis**


(T. Say, 1822)  
Florida  
6 mm



**synonyms:**

- *Modiolus arenalis* K.T. Menke, 1830
- *Modiolus elliptica* H.C. Lea, 1842
- *Mytilus lateralis* T. Say, 1822

- *Musculus arenalis* K.T. Menke, 1830
- *Musculus elliptica* H.C. Lea, 1842
- *Musculus translucida* W.M. Gabb, 1881



7196000040  
**Musculus minutus**



O.A. Scarlato, 1960

No Georeferenced data available





5343351000  
**Musculus mirandus**

E.A. Smith, 1884  
Australia, Mast Head Island  
6,2 mm




5343351542  
**Musculus nanulus**

K.H.J. Thiele, 1930  
Western Australia





5342500085  
**Musculus manus**  
(R.W. Dunker, 1857)  
South Australia  
21 mm





**synonyms:**

- *Musculus adolphi* R.W. Dunker, 1871
- *Musculus paulucciae* J.C.H. Crosse, 1863

- *Crenella paulucciae* J.C.H. Crosse, 1863




5342500090  
**Musculus niger**  
(J.E. Gray, 1824)  
North Sea  
43,8 mm



**synonyms:**

- *Musculus atropurpureus* R.W. Dunker, 1857
- *Musculus nigra* J.E. Gray, 1824





7196000022  
**Musculus nipponicus**  
T.A. Okutani, 2005 ex Kuroda MS

No Georeferenced data available




7042000061  
**Musculus panhai**  
R.G. Moolenbeek, 2009  
Indonesia, Jakarta  
13,4 mm





5342500100  
**Musculus partumetum**  
unknown

No Georeferenced data available



5342500105  
**Musculus phenax**  
W.H. Dall, 1915  
Alaska





5343351048  
**Musculus protractus**  
W.H. Dall, 1916  
America

No Georeferenced data available



5343351056  
**Musculus pusio**  
(C.B. Adams, 1862)  
Alaska



no  
IMAGES  
available

5342500110  
**Musculus**  
**pygmaeus**

P.W. Glynn, 1964  
America

No Georeferenced data available

no  
IMAGES  
available

5343351557  
**Musculus**  
**semiradiatus**


(J.C. Verco, 1908)

No Georeferenced data available



5340550010  
**Musculus**  
**strigatus**

(S.C.T. Hanley, 1843)  
Philippines, Davao  
28.4 mm




**synonyms:**

- *Musculus lebourae* K.M. White, 1949



5343351416  
**Musculus**  
**subpictus**

(F.J. Cantraine, 1835)  
Italy, Viareggio  
21 mm



**synonyms:**


- *Gaimardia discors* Auct. non C. Linnaeus, 1767
- *Modiola europea* H.C. Weinkauff, 1868
- *Mytilus marmoratus* E. Forbes, 1838
- *Modiolarca subpicta* F.J. Cantraine, 1835
- *Musculus tumida* S.C.T. Hanley, 1843
- *Modiolarca tumida* S.C.T. Hanley, 1843

- *Modiola discrepans* J.B.P.A. Lamarck, 1819
- *Musculus marmoratus* E. Forbes, 1838
- *Modiola polana* R.A. Philippi, 1844
- *Modiolus subpictus* F.J. Cantraine, 1835
- *Modiolus tumida* S.C.T. Hanley, 1843



7042000062  
**Musculus**  
**svecicus**


(O. Fabricius, 1788)  
Nunivak Island, Alaska



**synonyms:**

- *Modiola cutellus* G.P. Deshayes, 1839
- *Mytilus discors svecicus* O. Fabricius, 1788
- *Musculus niger obesus* W.H. Dall, 1916
- *Musculus nigra bullata* K.M. Derjugin, 1928
- *Modiolus stalderi* K. Martin, 1914
- *Modiolaria striatula* H.H. Beck in A. Robert, 1838


- *Modiola nexa* A.A. Gould, 1841
- *Musculus niger protractus* W.H. Dall, 1916
- *Modiola nigra bulata* K.M. Derjugin, 1928
- *Musculus stalderi* K. Martin, 1914



5342500120  
**Musculus**  
**taylori**


(W.H. Dall, 1897)  
America

No Georeferenced data available



5343351544  
**Musculus**  
**varicosus**

(A.A. Gould, 1844)  
Myanmar





5342500125  
**Musculus viator**  
(D'Orbigny, 1842)  
Uruguay  
9,4 mm




5342500130  
**Musculus viridulus**  
(C.B. Adams, 1871)  
South Africa, Natal  
9,3 mm



SubFamily: CRENELLINAE - **Genus: Solamen** T. Iredale, 1924 (syn: Megacrenella - 11 SP, 7 IMG)



5343000005  
**Solamen attenuata**  
(G.P. Deshayes, 1836)  
Panama West  
96 mm



**synonyms:**

- *Lithophaga attenuatus rogersi* S.S. Berry, 1957
- *Lithophaga inca* D'Orbigny, 1846




7042000074  
**Solamen bulla**  
(R.W. Dunker, 1857)

No Georeferenced data available



5342350000  
**Solamen columbianum**  
(W.H. Dall, 1897)  
Washington  
8,9 mm




**synonyms:**


- *Crenela tamurai* T. Habe, 1955
- *Solamen tamurai* T. Habe, 1955



5343350072  
**Solamen dollfusi**  
(P. Dautzenberg, 1910)  
West Sahara  
4 mm



5342100025  
**Solamen glandula**  
(J.G. Totten, 1834)  
Massachusetts  
10 mm



**synonyms:**

- *Crenella fragilis* A.E. Verrill, 1885
- *Modolus glandula* J.G. Totten, 1834

**no  
IMAGES  
available**

5342100030  
**Solamen  
leanum**

(W.H. Dall, 1897)  
America

No Georeferenced data available



5342850005  
**Solamen  
megas**

(W.H. Dall, 1902)  
Gulf of Panama



**synonyms:**

- Crenella megas W.H. Dall, 1902

**no  
IMAGES  
available**

5342100055  
**Solamen  
persicum**

J.F. Gmelin, 1791

No Georeferenced data available

**synonyms:**

- Crenella persica E.A. Smith, 1902

**no  
IMAGES  
available**



5343351128  
**Solamen  
recens**

(R. Tate, 1897)  
South Australia



5343351168  
**Solamen  
spectabilis**

(A. Adams, 1862)  
Japan, Aichi  
30 mm



**synonyms:**


- Solamen diaphana W.H. Dall, 1907
- Solamen rex T. Iredale, 1924
- Solamen sibogae B. Prashad, 1932

- Solamen saccosericata T. Habe, 1951
- Crenella spectabilis A. Adams, 1862



7042000075  
**Solamen  
striatissima**

(G.B. III Sowerby, 1904)  
Port Alfred, South Africa



**synonyms:**

- Crenella alfredensis P. Bartsch, 1915


- Crenella striatissima G.B. III Sowerby, 1904

SubFamily: CRENELLINAE - Genus: **Vilasina** P. Bartsch, 1960 (5 SP, 3 IMG)

**no  
IMAGES  
available**

5343350984  
**Vilasina  
decorata**



(C.B. Adams, 1862)  
Hokkaido





5343351040  
**Vilasina  
pillula**

P. Bartsch in O.A. Scarlato, 1960  
Hokkaido



5342700000  
**Vilasina  
seminuda**

(W.H. Dall, 1897)  
Aleutian Islands, Unalaska Island



**synonyms:**

- *Vilasina grisea* W.H. Dall, 1907
- *Crenella rotundata* W.H. Dall, 1916
- *Modiolaria seminuda* W.H. Dall, 1897

- *Vilasina pseudopillula* I.N.V. Ivanova in O.A. Scarlato, 1981
- *Vilasina rotundata* W.H. Dall, 1916



5342350010  
**Vilasina  
sinica**


(Z.R. Wang & Z. Qi, 1984)  
China

No Georeferenced data available



5342700005  
**Vilasina  
vernicosa**

(A.T. von Middendorff, 1849)  
Alaska, Kuiu Island  
5,5 mm



**synonyms:**

- *Vilasina pseudovernicosa* I.N.V. Ivanova in O.A. Scarlato, 1981
- *Vilasina vernicosus* A.T. von Middendorff, 1849

- *Musculus vernicosus* A.T. von Middendorff, 1849

SubFamily: DACRYDIINAE - Genus: **Gibbomodiola** F. Sacco, 1898 (3 SP, 2 IMG)



5341100000  
**Gibbomodiola  
adriatica**

(J.B.P.A. Lamarck, 1819)  
Tarragona, Spain  
32 mm



**synonyms:**

- *Modiolus adriatica* J.B.P.A. Lamarck, 1819
- *Modiolus adriaticus ovalis* G.B. Sowerby, 1859
- *Modiolus cavolini* A. Scacchi, 1833
- *Modiolus lamarciana* É.A.A. Locard, 1886
- *Modiola radiata* T. Brown, 1827

- *Modiolus adriaticus* J.B.P.A. Lamarck, 1819
- *Mytilus cavolini* A. Scacchi, 1833
- *Modiolus discolor* A. Scacchi, 1833
- *Modiolus ovalis* G.B. Sowerby, 1859
- *Modiola strangulata* É.A.A. Locard, 1886



no  
IMAGES  
available

to be checked

5343350528  
**Gibbomodiola  
adriatica  
brachyterus**  
É.A.A. Locard, 1888


Europe

No Georeferenced data available



5343350560  
**Gibbomodiola  
albicosta**

(J.B.P.A. Lamarck, 1819)  
Australia, Victoria  
103 mm



**synonyms:**

- *Modiolus albicostatus* J.B.P.A. Lamarck, 1819
- *Modiolus delinificus* T. Iredale, 1924

- *Modiolus albicostus* J.B.P.A. Lamarck, 1819

**no  
IMAGES  
available**

7042000033  
**Gibbomodiola  
biradiata**

(S.C.T. Hanley, 1843)

No Georeferenced data available

**synonyms:**


- *Modiolus vultuosa* F.P. Jousseaume in É. Lamy, 1919

SubFamily: DACRYDIINAE - **Genus: Ischadium** A.J. Jukes-Browne, 1905 (1 SP, 1 IMG)



5340450000  
**Ischadium  
recurvum**  
(C.S. Rafinesque, 1820)

Texas, USA  
74,2 mm



**synonyms:**

- *Mytilus carolinensis* T.A. Conrad, 1837
- *Mytilus striatus* D.W. Barnes, 1823



- *Mytilus hamatus* T. Say, 1822

SubFamily: DACRYDIINAE - **Genus: Limnoperna** A. de Rochebrune, 1882 (syn: *Xenostrobus*, *Vignadula* - 9 SP, 6 IMG)



5342054000  
**Limnoperna  
striatus**  
(C.E. Lischke, 1871)

Japan  
101 mm




**synonyms:**

- *Modiolus aterrima* W.H. Dall, 1871



5342054005  
**Limnoperna  
balani**  
(K.W. Ockelmann, 1983)

Thailand, Phuket



**synonyms:**



- *Xenostrobus balani* (K.W. Ockelmann, 1983)

- *Limnoperna balani* K.W. Ockelmann, 1983



5340500000  
**Limnoperna  
fortunei**  
(R.W. Dunker, 1857)

Laos  
27 mm



**synonyms:**


- *Modiola cambodjensis* S. Clessin, 1889
- *Modiolus fortunei* R.W. Dunker, 1857
- *Limnoperna lerneslei* A. de Rochebrune, 1882
- *Dreissena siamensis* P.M.A. Morelet, 1866

- *Limnoperna depressa* R.A.M. Brandt & P. Temcharoen, 1971
- *Modiola lacustris* E.C. Von Martens, 1875
- *Mytilus martensi* M. von Neumayr, 1898
- *Limnoperna supotii* R.A.M. Brandt, 1974



5342054010  
**Limnoperna  
inconstans**  
(R.W. Dunker, 1856)

South Australia  
27,1 mm



**synonyms:**


- *Modiolus angasi* S. Clessin, 1889
- *Limnoperna nebubla* J.E. Tenison-Woods, 1876

- *Limnoperna inconstans* (R.W. Dunker, 1856)
- *Modiolus semivestita* R.W. Dunker, 1871

**no  
IMAGES  
available**

7042000043  
[Limnoperna  
mangle](#)

(K.W. Ockelmann, 1983)  
Perak, Malaysia



**synonyms:**


- Xenostrobus mangle (K.W. Ockelmann, 1983)

- Limnoperna mangle K.W. Ockelmann, 1983



5342050000  
[Limnoperna  
pulex](#)

(J.B.P.A. Lamarck, 1819)  
South Australia  
17 mm



**synonyms:**

- Mytilus ater J. Zelebor in R.W. Dunker & J. Zelebor, 1866
- Modiolus neozelandicus T. Iredale, 1915

- Mytilus crassus J.E. Tenison-Woods, 1877
- Mytilus nitens K.T. Menke, 1848

**no  
IMAGES  
available**

7042000044  
[Limnoperna  
sambasensis](#)

(P. Dautzenberg, 1903)

No Georeferenced data available



**synonyms:**

- Limnoperna sambasensis (P. Dautzenberg, 1903)



5342050005  
[Limnoperna  
securis](#)

(J.B.P.A. Lamarck, 1819)  
Italy, Po river  
32 mm



**synonyms:**


- Perna confusa G.F. Angas, 1871
- Modiolus fluvialis F.W. Hutton, 1878
- Modiolus nitens A.A. Gould & P.P. Carpenter, 1857
- Modiolus vexillum L.A. Reeve, 1857

- Limnoperna fortunei kikuchi T. Habe, 1981
- Limnoperna securis (J.B.P.A. Lamarck, 1819)



5343350376  
[Limnoperna  
siamensis](#)

P.M.A. Morelet, 1866  
Thailand  
20,14 mm




SubFamily: LITHOPHAGINAE - Genus: **Adula** H. Adams & A. Adams, 1857 (7 SP, 4 IMG)



5343150000  
[Adula  
californiensis](#)

(R.A. Philippi, 1847)  
Colombia  
25 mm





**synonyms:**

- Modiolus californiensis R.A. Philippi, 1847
- Adula stylinia P.P. Carpenter, 1864



5343150005  
[Adula  
diegensis](#)

(W.H. Dall, 1911)  
Humboldt Bay, California  
50 mm






5343351360  
**Adula**  
**falcatooides**

T. Habe, 1955

Japan  
64 mm



5343150010  
**Adula**  
**grunerii**

(R.A. Philippi, 1851)

No Georeferenced data available

**synonyms:**

- Modiolus grunerii R.A. Philippi, 1851



7042000004  
**Adula**  
**kleemannii**

M. Huber, 2010

No Georeferenced data available

**synonyms:**



- Modiola parasitica G.P. Deshayes in L. Maillard, 1863



5343150015  
**Adula**  
**schmidtii**


(L. von Schrenck, 1867)

Chiba, Japan  
19 mm



**synonyms:**

- Adula californiensis chosenica T. Habe & K. Itô, 1965
- Adula californiensis nipponica T. Habe, 1955
- Modiolus schmidtii L. von Schrenck, 1867
- Adula niponica T. Habe, 1955



5343351376  
**Adula**  
**soleniformis**

(D'Orbigny, 1842)

Pacific

No Georeferenced data available

**synonyms:**

- Mytilus soleniformis D'Orbigny, 1842
- Adula soleniformis panamensis A.A. Olsson, 1961



SubFamily: LITHOPHAGINAE - Genus: **Lithophaga** P.F. Röding, 1798 (syn: Dactylus, Lithodoma, Lithodomus, Lithotormus, Tamarindiformis, Lithophagus, Stumpiella - 30 SP, 14 IMG)



5343000000  
**Lithophaga**  
**antillarum**

(D'Orbigny, 1853)


Virgin Islands  
68 mm



5343350000  
**Lithophaga**  
**aristata**

(L.W. Dillwyn, 1817)

Malaga  
34 mm



**synonyms:**

- Lithophaga aristatus gracilis P.P. Carpenter, 1857
- Lithophaga tumidus P.P. Carpenter, 1857
- Lithophaga bipinnifera R.J.L. Guppy, 1877
- Myoforceps caudigera J.B.P.A. Lamarck, 1819
- Myoforceps curviroster J.S. Schröter, 1787
- Myoforceps forficatus E. Ravenel, 1861
- Myoforceps jeffreysii R.W. Dunker, 1880
- Myoforceps bipenniferus R.J.L. Guppy, 1877
- Myoforceps caudatus J.E. Gray in P.P. King, 1827
- Mytilus curviroster J.S. Schröter, 1787
- Myoforceps excavata L. de Folin in L. de Folin & J.P.L. Périer, 1867
- Lithophaga incurva W.M. Gabb, 1861
- Myoforceps lithophagus striatus J. de C. Sowerby, 1807



5343351192  
**Lithophaga calcifer**



T. Iredale, 1939  
Indian Ocean

No Georeferenced data available



7042000001  
**Lithophaga canalifera**

(S.C.T. Hanley, 1843)  
Japan, Wakayama



7042000045  
**Lithophaga caperata**

(R.A. Philippi, 1849)

No Georeferenced data available

**synonyms:**

- *Lithodomus stramineus* L.A. Reeve, 1857





5343000015  
**Lithophaga comdigera**

D'Orbigny, 1847  
Argentina, Peninsula Valdes  
26 mm



5343351224  
**Lithophaga curta**

C.E. Lischke, 1874  
Philippines, Caubian Island  
60,8 mm



5343350600  
**Lithophaga cylindrica**

(C.F.F. von Krauss, 1848)  
Indian Ocean

No Georeferenced data available

**synonyms:**

- *Modiolus cylindrica* C.F.F. von Krauss, 1848

- *Modiolus cylindricus* C.F.F. von Krauss, 1848



7042000046  
**Lithophaga dahabensis**

K.H. Kleemann, 2008

No Georeferenced data available

**synonyms:**

- *Leiosolenus dahabensis* K.H. Kleemann, 2008



5343004010  
**Lithophaga hanleyana**

(L.A. Reeve, 1857)  
Red Sea



**synonyms:**

- *Lithophaga hanleyana* (L.A. Reeve, 1857)
- *Leiosolenus hanleyana* T. Iredale, 1939



5343351248  
***Lithophaga hastasia***

A.A. Olsson, 1961  
Ecuador  
59 mm



7196000020  
***Lithophaga lepteces***

Z.R. Wang, 1997  
China, Fujian Province




5343254000  
***Lithophaga lessepsiana***

(L.L. Vaillant, 1865)  
Red Sea




5343000020  
***Lithophaga lithophaga***

(C. Linnaeus, 1758)  
Evia Island, Greece  
54 mm


**synonyms:**

- *Lithophaga communis* J.K. Megerle Von Mühlfeld, 1811
- *Lithophaga dactylus* G.L.C.F.D. Cuvier, 1816
- *Lithophaga inflatus* E. Réquien, 1848
- *Lithophaga lithophagus minor* P.M. Pallary, 1900
- *Lithophaga mytiloides* P.F. Röding, 1798
- *Lithophaga dactylus* G.B. I Sowerby, 1824
- *Lithophaga inflatus* E. Réquien, 1848
- *Mytilus lythophagus* C.U.A. von Sals-Marschins, 1793





5343351264  
***Lithophaga lithura***

H.A. Plisbry, 1905  
Japan



5343004020  
***Lithophaga mucronata***

(R.A. Philippi, 1846)  
Philippines  
23,1 mm


**synonyms:**

- *Lithophagus calyculus* P.P. Carpenter, 1857
- *Lithophaga fasciola* W.H. Dall, P. Bartsch & H.A. Rehder, 1938



5343000030  
***Lithophaga nigra***

(D'Orbigny, 1853)  
Grenada  
32,3 mm

**synonyms:**

- *Modiola antillarum* R.A. Philippi, 1847
- *Lithophaga caribaea* R.A. Philippi, 1847
- *Lithodomus niger* D'Orbigny, 1853
- *Lithophaga crenulata* R.W. Dunker, 1849

no  
IMAGES  
available

7196000043  
**Lithophaga  
obesa**

(Philippi, 1847)

No Georeferenced data available



7196000034  
**Lithophaga  
paraplumula**

K.H. Kleemann & P. Maestrati, 2012

New Caledonia, Lifou  
14,2 mm



**synonyms:**

- Leiosolenus paraplumula K.H. Kleemann & P. Maestrati, 2012

no  
IMAGES  
available

7042000048  
**Lithophaga  
parapurpurea**

K.H. Kleemann, 2008

No Georeferenced data available

**synonyms:**



- Leiosolenus parapurpurea K.H. Kleemann, 2008

no  
IMAGES  
available

5343351288  
**Lithophaga  
peruviana**

(D'Orbigny, 1846)

Chile, Iquique



**synonyms:**


- Lithophaga cumingiana L.A. Reeve, 1858



5343000040  
**Lithophaga  
plumula**

(S.C.T. Hanley, 1843)

Bahamas  
58 mm



**synonyms:**

- Lithophaga cavernosa R.W. Dunker, 1882
- Lithophaga lobbeckeana R.W. Dunker, 1882
- Lithophaga pessulatus L.A. Reeve, 1857
- Diberus plumula S.C.T. Hanley, 1843
- Lithodomus plumula tumidior P.P. Carpenter, 1857


- Leisolenus divaricata T. Iredale, 1939
- Leisolenus patagonicus kelseyi L.G. Hertlein & A.M. Strong, 1946
- Modiolus plumula S.C.T. Hanley, 1843
- Lithodomus plumula gracilior P.P. Carpenter, 1857
- Lithophaga subula L.A. Reeve, 1857

no  
IMAGES  
available

5343351384  
**Lithophaga  
pulchra**

F.P. Jousseaume, 1919

Red Sea



**synonyms:**

- Leisolenus pulchra F.P. Jousseaume, 1919

no  
IMAGES  
available

5343351533  
**Lithophaga  
punctata**

K.H. Kleemann & B.W. Hoeksema, 2002

No Georeferenced data available

no  
IMAGES  
available

5343004025  
**Lithophaga**  
**purpurea**

K.H. Kleemann, 1980

No Georeferenced data available

no  
IMAGES  
available

5343351304  
**Lithophaga**  
**robusta**

F.P. Jousseaume in É. Lamy, 1919

Red Sea



no  
IMAGES  
available

7196000018  
**Lithophaga**  
**simplex**

T. Iredale, 1939

No Georeferenced data available

**synonyms:**

- Leiosolenus simplex T. Iredale, 1939



5343351328  
**Lithophaga**  
**straminea**

(L.A. Reeve, 1857)  
Costa Rica  
83,7 mm



**synonyms:**

- Lithophaga zitteliana R.W. Dunker, 1882



7196000035  
**Lithophaga**  
**subattenuata**

K.H. Kleemann & P. Maestrati, 2012  
Balicasag Island, Philippines  
13 mm




**synonyms:**

- Leiosolenus subattenuata K.H. Kleemann & P. Maestrati, 2012



5343000050  
**Lithophaga**  
**teres**

(R.A. Philippi, 1846)  
Philippines, Caltuban Island  
62,8 mm



**synonyms:**

- Dactylus erythraeensis F.P. Jousseaume, 1888
- Lithophaga lithoglypha S. Clessin, 1890
- Lithophaga teres annectans T. Iredale, 1939

- Lithophaga gracilis R.A. Philippi, 1847
- Modiola malayana R.A. Philippi, 1847
- Lithophaga ventrosa R.W. Dunker, 1882

SubFamily: LITHOPHAGINAE - Subgenus: **Lithophaga (Leiosolenus)** P.P. Carpenter, 1857 (syn: Myapalmula, Labis, Myoforceps - 15 SP, 7 IMG)



5343000010  
**Leiosolenus**  
**appendiculatus**

(R.A. Philippi, 1846)  
Bahamas  
25 mm



**synonyms:**

- Modiolus appendiculata R.A. Philippi, 1846
- Lithodomus bisulcatus A.V.M.D. D'Orbigny, 1853

- Lithodomus biexcavatus L.A. Reeve, 1857

no  
IMAGES  
available

7042000040  
**Leiosolenus**  
**carmenae**

(R. von Cosel, 1995)

No Georeferenced data available

no  
IMAGES  
available

7042000041  
**Leiosolenus**  
**dixonae**



(P.H. Scott, 1986)

No Georeferenced data available



5343004000  
**Leiosolenus**  
**erimiticus**

(J.T. Kuroda,  
& T. Habe in J.T. Kuroda & al., 1971)  
Japan, Wakayama




5343351240  
**Leiosolenus**  
**hancocki**

(T. Soot-Ryen, 1955)  
Galapagos




5343351532  
**Leiosolenus**  
**kuehnelti**

(K.H. Kleemann, 1977)  
Queensland



5343351564  
**Leiosolenus**  
**laevigata**

(J.R.C. Quoy & J.P. Gaimard, 1835)  
Galapagos



**synonyms:**

- *Leiosolenus levigatus* J.R.C. Quoy & J.P. Gaimard, 1835



5343004005  
**Leiosolenus**  
**lima**

(É. Lamy, 1919)  
Philippines, Malapascua Island  
57,6 mm



**synonyms:**

- *Lithophaga barnardi* P.H. Boshoff, 1965

- *Lithophaga nasuta* R.W. Dunker, 1882



7042000042  
**Leiosolenus**  
**lischkei**



M. Huber, 2010

No Georeferenced data available



5343004015  
**Leiosolenus**  
**malaccana**

(L.A. Reeve, 1857)  
Philippines, Leyte Island  
10,1 mm



**synonyms:**


- Lithophaga fauroti F.P. Jousseaume, 1888

- Lithophaga reticulata R.W. Dunker, 1882



5343000025  
**Leiosolenus**  
**nasuta**

(R.A. Philippi, 1846)  
South Africa, Natal  
22,8 mm



**synonyms:**

- Lithophaga dichroa T. Iredale, 1939



5343351472  
**Leiosolenus**  
**patagonicus**

(D'Orbigny, 1842)  
Argentina, Peninsula Valdes  
40 mm



**synonyms:**

- Lithophaga patagonica D'Orbigny, 1846
- Leiosolenus patagonicus dallii H.F.A. von Ihering, 1907

- Lithophagus platensis R.A. Philippi, 1893



5343350480  
**Leiosolenus**  
**pulcher**


(F.P. Jousseaume, 1919)  
China

No Georeferenced data available



5343351392  
**Leiosolenus**  
**spatirosus**

(P.P. Carpenter, 1857)  
Gobernadora Island, Panama  
46 mm



**synonyms:**

- Lithophaga abbotti H.N. Lowe, 1935
- Leiosolenus castaneus L.A. Reeve, 1857

- Leiosolenus abbotti H.N. Lowe, 1935
- Leiosolenus rugiferus L.A. Reeve, 1857



5343351400  
**Leiosolenus**  
**tripartitus**

(F.P. Jousseaume, 1894)  
Red Sea



**synonyms:**

- Leiosolenus concavocrusta F.P. Jousseaume in É. Lamy, 1919
- Oliva tenuis F.P. Jousseaume in É. Lamy, 1919
- Leiosolenus townsendi J.C. Melvill & R. Standen, 1907



- Leiosolenus inaequalis F.P. Jousseaume in É. Lamy, 1919
- Lithophaga townsendi J.C. Melvill & R. Standen, 1907

SubFamily: LITHOPHAGINAE - Genus: **Zelithophaga** H.J. Finlay, 1926 (1 SP, 1 IMG)



5343000055  
**Zelithophaga**  
**truncata**

(J.E. Gray, 1843)  
New Zealand, Auckland  
50 mm




SubFamily: MODIOLINAE - Genus: **Amygdalum** J.K. Megerle Von Mühlfeld, 1811 (syn: Amigdalum, Modiola - 12 SP, 9 IMG)




5341354000  
**Amygdalum americanum**

T. Soot-Ryen, 1955  
Cebaco Island, Panama




5341354010  
**Amygdalum anoxicolum**

P.G. Oliver, 2001  
East China Sea  
58 mm



5341350010  
**Amygdalum dendriticum**

J.K. Megerle Von Mühlfeld, 1811  
Brasil, Ceará



**synonyms:**

- Modiolus arborescens L.W. Dillwyn, 1817
- Modiola picta J.B.P.A. Lamarck, 1819




5343350728  
**Amygdalum lineum**

C. Hedley, 1906  
Tasmania



5341354015  
**Amygdalum newcombi**

(W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938)  
Hawaii



5341350015  
**Amygdalum pallidulum**



(W.H. Dall, 1916)  
West America

No Georeferenced data available



5341354005  
**Amygdalum peasei**

(W. Newcomb, 1870)  
Wakayama, Japan  
12 mm



**synonyms:**

- Modiolus peasei W. Newcomb, 1870
- Amygdalum plumatum J.T. Kuroda & T. Habe in J.T. Kuroda & al., 1971



5341350025  
**Amygdalum politum**

(A.E. Verrill,  
& S. Smith in A.E. Verrill, 1880)  
Morocco  
51 mm



**synonyms:**



- Amygdalum lutea P. Fischer, 1882



5341350030  
**Amygdalum sagittatum**  
(H.A. Rehder, 1935)  
Trinidad  
25 mm



5343351418  
**Amygdalum soyoae**  
T. Habe, 1958  
Philippines, Mactan Island  
16 mm



5341350005  
**Amygdalum striatum**  
(F.W. Hutton, 1873)  
Australia, Albany  
23,6 mm



**synonyms:**

- *Amygdalum beddomei* T. Iredale, 1924

- *Lithophaga striatus* F.W. Hutton, 1873



5341350035  
**Amygdalum watsoni**  
(E.A. Smith, 1885)  
Fukushima, Japan  
42 mm




**synonyms:**

- *Amygdalum watsoni* T. Iredale, 1924

SubFamily: MODIOLINAE - **Genus: Botula** O.A.L. Mörch, 1853 (syn: Botulopa - 6 SP, 3 IMG)



5343350744  
**Botula cinnamomea**  
(J.F. Gmelin, 1791)  
Gulf of Aqaba  
23 mm



**synonyms:**

- *Botula arcuata* H. Dufo, 1840
- *Modiolus cinnamomea* J.B.P.A. Lamarck, 1819
- *Lithophaga cinnamominus* J.H. Chemnitz, 1785
- *Botula favannii* V.L.V. Potiez & A. Michaud, 1844
- *Modiola silicula* J.B.P.A. Lamarck, 1819

- *Mytilus cinnamominus* J.H. Chemnitz, 1785
- *Lithophaga cinnamomea* J.B.P.A. Lamarck, 1819
- *Lithodomus projectans* R. Tate, 1892
- *Botula silicula* infra T. Iredale, 1939




5343350752  
**Botula cylista**  
S.S. Berry, 1959  
West America

No Georeferenced data available



5341450000  
**Botula fusca**  
(J.F. Gmelin, 1791)  
Florida, Monroe County  
12 mm






7196000011  
**Botula**  
**hawaiensis**

W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938

Hawai, Molokai



**synonyms:**

- *Botula laysana* W.H. Dall, P. Bartsch & H.A. Rehder, 1938



7042000047  
**Botula**  
**kleemanni**


P.H. Valentich-Scott, 2008

No Georeferenced data available



7042000016  
**Botula**  
**tatei**

M. Huber, 2010  
Western Australia



**synonyms:**

- *Botula cuneiformis* R. Tate, 1892

SubFamily: MODIOLINAE - **Genus: Ciboticola** T. Iredale, 1939 (2 SP, 1 IMG)



7042000021  
**Ciboticola**  
**andersoni**


(E.C. Von Martens, 1887)

No Georeferenced data available




5343350472  
**Ciboticola**  
**lunata**

(C. Hedley, 1902)  
Keppel Bay, Australia  
25 mm




SubFamily: MODIOLINAE - **Genus: Fungiacava** N.I. Goreau, T. Soot-Ryen & C.M. Yonge, 1969 (1 SP, 1 IMG)



5343350832  
**Fungiacava**  
**elatensis**

N.I. Goreau, N.I. Goreau, A. Neumann,  
& C.M. Yonge, 1968

Elat, Israel





SubFamily: MODIOLINAE - **Genus: Geukensia** L. van de Poel, 1959 (2 SP, 2 IMG)



5341600000  
**Geukensia**  
**demissa**

(L.W. Dillwyn, 1817)  
California  
67 mm



**synonyms:**

- *Brachidontes clava* O.A.L. Mörch, 1853
- *Geukensia demissus* L.W. Dillwyn, 1817
- *Geukensia semicostata* T.A. Conrad, 1837

- *Geukensia clava* O.A.L. Mörch, 1853
- *Geukensia plicatula* J.B.P.A. Lamarck, 1819



534160005  
**Geukensia**  
**granosissima**  
(G.B. III Sowerby, 1914)  
Texas, USA  
99 mm




**synonyms:**

- *Geukensia demissa* *granosissima* G.B. III Sowerby, 1914


SubFamily: MODIOLINAE - **Genus: Idas** T. Iredale, 1939 (syn: *Habepegris*, *Idasola*, *Miridas*, *Myrina*, *Myrinopsis*, *Terua* - 17 SP, 10 IMG)




5341650000  
**Idas**  
**argenteus**  
J.G. Jeffreys, 1876  
Massachusetts



5343351550  
**Idas**  
**coppereri**  
(E.A. Smith, 1885)  
Coral Sea



7196000030  
**Idas**  
**cristianae**  
F.L. Giusti, P. Mietto & C. Sbrana, 2012  
Elba Island, Italy  
7 mm



7196000015  
**Idas**  
**cylindricus**  
J. Pelorce & J. Poutiers, 2009  
Golfe du Lion, France



5343350032  
**Idas**  
**dalli**  
E.A. Smith, 1885  
Atlantic


No Georeferenced data available



7196000031  
**Idas**  
**emmae**  
F.L. Giusti, P. Mietto & C. Sbrana, 2012  
Elba Island, Italy  
9,8 mm




7196000032  
**Idas**  
**filippoi**  
F.L. Giusti, P. Mietto & C. Sbrana, 2012  
Elba Island, Italy  
6,1 mm






5341650010  
***Idas***  
***ghisottii***  
A. Warén & F. Carozza, 1990  
Mediterranean Sea  
6 mm



5341650015  
***Idas***  
***hiranoi***  
J.T. Kuroda, 1933  
East China Sea  
9,4 mm



5343351545  
***Idas***  
***indicus***  
Kuriakose & H.B. Nair, 1976

No Georeferenced data available

**synonyms:**


- *Idas indica* E.A. Smith, 1904



7196000033  
***Idas***  
***jaclinae***  
F.L. Giusti, P. Mietto & C. Sbrana, 2012  
Elba Island, Italy  
8,2 mm



7196000016  
***Idas***  
***japonicus***  
(T. Habe, 1976)  
East China Sea  
11,1 mm




5343351521  
***Idas***  
***lamellosus***  
A.E. Verrill, 1882


No Georeferenced data available

**synonyms:**


- *Idas argenteus lamellosus* A.E. Verrill, 1882



5343351522  
***Idas***  
***macdonaldi***  
R.G. Gustafson, R.D. Turner, R.A. Lutz,  
& R.C. Vrijenhoek, 1998  
USA, Louisiana




5341650025  
***Idas***  
***modiolaeformis***  
(R. Sturany, 1896)  
Gorgona Island, Italy  
10 mm






5341650035  
***Idas simpsoni***  
(J.T. Marshall, 1900)  
Barcelona, Spain  
14 mm



7042000038  
***Idas washingtonianus***  
(F.R. Bernard, 1978)  
New Zealand





**synonyms:**

- *Idas washingtonia* F.R. Bernard, 1978


SubFamily: MODIOLINAE - **Genus: Jolya** J.R. Bourguignat, 1877 (syn: Modiolusia - 5 SP, 5 IMG)



5341104000  
***Jolya arata***  
(R.W. Dunker, 1857)  
Japan, Oshima Island



5341104050  
***Jolya elongata***  
(W.J. Swainson, 1821)  
East China Sea  
31 mm



**synonyms:**

- *Modiolus cuneiformis* S.C.T. Hanley, 1843
- *Modiolus elongatus* W.J. Swainson, 1821



7042000039  
***Jolya letourneuxi***  
J.R. Bourguignat, 1877

No Georeferenced data available



5341100070  
***Jolya martorelli***  
(J.G. Hidalgo, 1878)  
Spain  
49 mm




**synonyms:**

- *Modiolus martorelli* J.G. Hidalgo, 1878



5343351460  
***Jolya rhomboidea***  
(L.A. Reeve, 1857)  
Australia, Dingo Beach  
86,5 mm




**synonyms:**

- *Modiola elongata* S.C.T. Hanley, 1843
- *Modiolus ostentus* T. Iredale, 1939
- *Modiola subrugosa* A.W. Grabau & S.G. King, 1928

- *Modiolus ostentatus* T. Iredale, 1939
- *Modiolus rhomboidea* L.A. Reeve, 1857



5341100115  
**Jolya**  
**rhomboidea**  
**sirahensis**  
(F.P. Jousseaume, 1891)  
South Africa, Natal  
43 mm





**synonyms:**

- Modiolus sirahensis F.P. Jousseaume, 1891

SubFamily: MODIOLINAE - **Genus: Lioberus** W.H. Dall, 1898 (syn: Fulgida - 4 SP, 3 IMG)



5341350000  
**Liberus**  
**agglutinans**  
(F.J. Cantraine, 1835)  
Spain  
38 mm





**synonyms:**

- Modiolus abscondita A. Aradas, 1847
- Modiolus agglutinans F.J. Cantraine, 1835
- Modiolus ballii T. Brown, 1844
- Modiolus lignea L.A. Reeve, 1858
- Amygdalum vestita R.A. Philippi, 1844
- Amygdalum zizyphina A. Caruana Gatto, 1867

- Amygdalum abscondita A. Aradas, 1847
- Modiolus ballii T. Brown, 1844
- Amygdalum ballii T. Brown, 1844
- Modiolus vestita R.A. Philippi, 1844
- Modiolus zizyphina A. Caruana Gatto, 1867



5341700000  
**Liberus**  
**castaneus**  
(T. Say, 1822)  
Florida  
15,9 mm




**synonyms:**

- Modiolus splendida R.W. Dunker, 1857



5341100055  
**Liberus**  
**ligneus**  
(L.A. Reeve, 1858)  
South Africa, Jeffreys Bay  
16 mm



**synonyms:**

- Perna fulgida H. Adams, 1870
- Modiolus ligneus L.A. Reeve, 1858

- Modiolus fulgida H. Adams, 1870




5343350816  
**Liberus**  
**salvadoricus**  
(L.G. Hertlein & A.M. Strong, 1946)  
West America

No Georeferenced data available

SubFamily: MODIOLINAE - **Genus: Modiolatus** F.P. Jousseaume, 1893 (10 SP, 4 IMG)



5341100045  
**Modiolatus**  
**flavidus**  
(R.W. Dunker, 1857)  
South Africa, Natal, Richards Bay  
42 mm




**synonyms:**

- Modiolus flavidus R.W. Dunker, 1857




5343350616  
**Modiolatus**  
**hanleyi**  
(R.W. Dunker, 1882)  
Australia, Dingo Beach  
74,7 mm



no  
IMAGES  
available

5341100085  
***Modiolatus neglectus***  
(T. Soot-Ryen, 1955)  
Japan





no  
IMAGES  
available

7042000049  
***Modiolatus nigeriensis***  
(M. Nicklés, 1955)



No Georeferenced data available

no  
IMAGES  
available

5343350672  
***Modiolatus nitidus***  
(L.A. Reeve, 1857)  
Japan, Osaka



5341104020  
***Modiolatus oyamai***  
(T. Habe, 1981)  
Tsubaki, Japan



no  
IMAGES  
available

7196000038  
***Modiolatus pacificus***  
(A.A. Olsson, 1961)

No Georeferenced data available

no  
IMAGES  
available

5341104065  
***Modiolatus plicatus***  
(J.F. Gmelin, 1791)  
China


No Georeferenced data available

**synonyms:**



- *Mytilus plicatus* J.F. Gmelin, 1791

no  
IMAGES  
available

5343351554  
***Modiolatus pulvillus***  
(T. Iredale, 1939)  
Queensland



5343351464  
***Modiolatus victoriae***  
(G.B. Pritchard & J.H. Gatliff, 1903)  
South Australia  
27,6 mm






534175000  
**Modiolula**  
**phaseolina**

(R.A. Philippi, 1844)

Iceland  
12 mm



**synonyms:**

- *Modiolula imberbis* ♀. Brusina, 1866
- *Modiolula laevis* F. Danilo & G.B. Sandri, 1856
- *Modiolus phaseolina brachytera* É.A.A. Locard, 1888
- *Modiolus phaseolina strangulata* É.A.A. Locard, 1888

- *Modiolula molina* C.A. Fleming, 1959
- *Modiolus phaseolina lamarciana* É.A.A. Locard, 1888
- *Modiolula phaseolinus* R.A. Philippi, 1844


SubFamily: MODIOLINAE - Genus: **Modiolus** J.B.P.A. Lamarck, 1799 (syn: Eumodiolus, Lamya, Modiola, Modiolina, Modiolites, Nudiola, Volsella - 38 SP, 31 IMG)



534110005  
**Modiolus**  
**americanus**

(W.E. Leach, 1815)

Bahamas  
74 mm



**synonyms:**


- *Musculus papuanus* P.F. Röding, 1798
- *Modiolus tulipa* J.B.P.A. Lamarck, 1819

- *Modiolus papuanus* P.F. Röding, 1798
- *Modiolus tulipa nigra* W.W. Calkins, 1878



5343351566  
**Modiolus**  
**americanus**  
**pseudotulipus**  
A.A. Olsson, 1961



Ecuador  
61 mm



5341104005  
**Modiolus**  
**areolatus**

(A.A. Gould, 1850)

South Australia  
61 mm






**synonyms:**

- *Mytilus areolatus* A.A. Gould, 1850



5343350592  
**Modiolus**  
**areolatus**  
**cottoni**  
C.F. Laseron, 1956

South Australia  
90,9 mm



5343351538  
**Modiolus**  
**aurantius**  
(F.P. Jousseaume in É. Lamy, 1919)


No Georeferenced data available



5341100015  
**Modiolus**  
**auriculatus**

(C.F.F. von Krauss, 1848)

Fiji Islands  
42 mm



**synonyms:**

- *Modiolus agricetus* T. Iredale, 1939
- *Modiolus auriculatus aurantius* F.P. Jousseaume in É. Lamy, 1919
- *Modiolus hepaticus* A.A. Gould, 1850
- *Modiolus semifuscus* J.B.P.A. Lamarck

- *Modiolus cymbula* H.B. Preston, 1908
- *Modiolus rufanensis* W.H. Turton, 1932

no  
IMAGES  
available

7042000050  
**Modiolus**  
**aurum**

O. Ruiz, 1979

No Georeferenced data available



5341100020  
**Modiolus**  
**barbatus**

(C. Linnaeus, 1758)

Spain  
41 mm



**synonyms:**

- *Modiolus barbata brevis* P.M. Palary, 1900
- *Modiolus barbata brunnea* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1890
- *Modiolus barbata elongata* P.M. Palary, 1912
- *Modiolus barbata fusca* É.A.A. Locard, 1888
- *Modiolus barbata major* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1890
- *Modiolus barbata rubra* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1890
- *Modiolus barbata subnigra* É.A.A. Locard, 1888
- *Modiolus gibbsianus* W.E. Leach in J.E. Gray, 1852
- *Modiolus incurvatus* T. Pennant, 1777
- *Modiolus pterota* É.A.A. Locard, 1888
- *Modiolus villosa* G.D. Nardo, 1847
- *Modiolus barbata curvata* É.A.A. Locard, 1888
- *Modiolus barbata ferruginea* É.A.A. Locard, 1888
- *Modiolus barbata luteola* É.A.A. Locard, 1888
- *Modiolus barbata rosea* É.A.A. Locard, 1888
- *Modiolus barbata scabra* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1890
- *Mytilus barbatus oblonga* J.G. Jeffreys, 1864
- *Modiolus gibbsii* W.E. Leach, 1815
- *Modiolus mytiloides* É.A.A. Locard, 1888
- *Modiolus ruber* C. Linnaeus, 1758
- *Modiolus villosa* G.D. Nardo, 1847



5343350568  
**Modiolus**  
**barbatus**  
**angustatus**

R.A. Philippi, 1836


Malaga, Spain  
44 mm



5343350576  
**Modiolus**  
**barbatus**  
**dilatatus**

R.A. Philippi, 1836

Evia Island, Greece  
43,68 mm



5341100025  
**Modiolus**  
**capax**

T.A. Conrad, 1837

Mexico  
55 mm



**synonyms:**

- *Mytilus spatula* K.T. Menke, 1848
- *Mytilus splendens* R.W. Dunker, 1857
- *Modiolus spatula* K.T. Menke, 1848
- *Modiolus splendens* R.W. Dunker, 1857

no  
IMAGES  
available

5341100035  
**Modiolus**  
**carpenteri**

T. Soot-Ryen, 1963

America

No Georeferenced data available

**synonyms:**


- *Modiolus fornicate* P.P. Carpenter, 1864



5343350584  
**Modiolus**  
**carvalhoi**

M.A. Klappenbach, 1966

Rio Grande do Norte, Brasil  
7 mm





**synonyms:**


- *Modiolus pseudobarbatus* K.W. Ockelmann, 1983

7196000021  
**Modiolus****cecillii**

(R.A. Philippi, 1847)

South China Sea  
63,6 mm5341104070  
**Modiolus****comptus**

(G.B. III Sowerby, 1815)

Solomons Islands, Guadalcanal Island  
52 mm5341100040  
**Modiolus****eiseni**

A.M. Strong &amp; L.G. Hertlein, 1937

Ecuador  
92,5 mm5343351523  
**Modiolus****ficooides**

O. Macsotay &amp; B. Campos, 2001


Venezuela, Margarita Island

7042000051  
**Modiolus****floridus**

R.W. Dunker

**No Georeferenced data available**5343351501  
**Modiolus****gallicus**

(P. Dautzenberg, 1895)

La Rochelle, France  
52 mm**synonyms:**

- *Modiolus modiolus minor* F. Caillaud, 1865

- *Modiolus modiolus minor* F. Caillaud, 1865

7042000053  
**Modiolus****gubernaculum**



(R.W. Dunker, 1856)

**No Georeferenced data available****synonyms:**

- *Modiolus zebra* H.B. Preston, 1908

5343350624  
**Modiolus****kurilensis**

F.R. Bernard, 1983



Yellow Sea  
107 mm**synonyms:**

- *Modiolus modiolus kurilensis* F.R. Bernard, 1983



5341100060  
**Modiolus lulat**  
(P. Dautzenberg, 1891)

Spain  
55 mm




**synonyms:**

- *Modiolus thorsoni* K.W. Ockelmann, 1983




5341100065  
**Modiolus margaritaceus**  
(S. Nomura & K.M. Hatai, 1940)

Japan, Ishikawa  
8,8 mm




5343350640  
**Modiolus martini**  
M.M. Schepman, 1891  
Japan



5341104055  
**Modiolus matris**  
H.A. Pilsbry, 1921

Oahu, Hawaii  
7,7 mm




**synonyms:**

- *Modiolus matrix* H.A. Pilsbry, 1921



5341100075  
**Modiolus modiolus**  
(C. Linnaeus, 1758)

North Sea  
135 mm



**synonyms:**



- *Mytilus curtus* T. Pennant, 1770
- *Modiolus curvirostrus* E.M. Da Costa, 1778
- *Modiola grandis* R.A. Philippi, 1844
- *Musculus modulus* P.F. Röding, 1798
- *Mytilus umbilicatus* T. Pennant, 1777

- *Mytilus curvirostratus* E.M. Da Costa, 1778
- *Modiola gigantea* S. Clessin, 1889
- *Modiolus modiolus ovata* J.G. Jeffreys, 1864
- *Modiola papuana* J.B.P.A. Lamarck, 1801
- *Modiola vulgaris* J. Fleming, 1828



5343350608  
**Modiolus modiolus difficilis**  
(J.T. Kuroda & T. Habe, 1950)

Alaska  
104,6 mm



**synonyms:**

- *Modiolus difficilis* J.T. Kuroda & T. Habe, 1950



5341104015  
**Modiolus modulaides**  
(P.F. Röding, 1798)

Taiwan Strait  
72 mm



**synonyms:**

- *Modiolus metcalfei* S.C.T. Hanley, 1843
- *Modiola microptera* G.P. Deshayes, 1836
- *Modiolus penelegans* T. Iredale, 1939

- *Musculus modulaides* P.F. Röding, 1798
- *Modiola triangulum* F.C.L. Koch in R.A. Philippi, 1847

**no  
IMAGES  
available**

7042000055  
**Modiolus  
nicklesi**

K.W. Ockelmann, 1983

No Georeferenced data available




5341100090  
**Modiolus  
nipponicus**

(K. Oyama, 1950)  
East China Sea  
9 mm



5341100095  
**Modiolus  
patagonicus**

(D'Orbigny, 1842)  
Argentina, Santa Cruz  
42,9 mm



**synonyms:**



● *Modiola patagonica* S.C.T. Hanley, 1843

● *Mytilus patagonicus* D'Orbigny, 1842




5341050000  
**Modiolus  
penetratus**

(J.C. Verco, 1907)  
Australia, Albany  
20,6 mm





5343351552  
**Modiolus  
peronianus**

C.F. Laseron, 1956  
Singapore




5341104060  
**Modiolus  
philippinarum**

(S.C.T. Hanley, 1843)  
Philippines, Pandan Island  
116 mm





7042000056  
**Modiolus  
plumescens**

(R.W. Dunker, 1868)  
Fiji Islands



5341100105  
**Modiolus  
rectus**

(T.A. Conrad, 1837)  
California  
118 mm




**synonyms:**

● *Modiolus directus* W.H. Dall, 1909  
● *Modiolus flabellatus* A.A. Gould, 1850

● *Mytilus flabellatus* A.A. Gould, 1850



7042000057  
**Modiolus rumphii**  
(R.A. Philippi, 1847)  
Cape Capricorn, Australia  
79 mm



**synonyms:**

- *Modiolus proctivis* T. Iredale, 1939




5341100110  
**Modiolus sacculifer**  
(S.S. Berry, 1953)

No Georeferenced data available




5341100120  
**Modiolus squamosus**  
I. Beauperthuy, 1967



Florida  
38,7 mm




5343350704  
**Modiolus stultorum**  
(F.P. Jousseaume, 1893)  
Guinea Bissau  
44 mm



5343350712  
**Modiolus traillii**  
(L.A. Reeve, 1857)  
Florida



5343350408  
**Modiolus tumbezensis**  
H.A. Pilsby & A.A. Olsson, 1935  
Ecuador  
43,7 mm



7042000058  
**Modiolus verdensis**  
R. von Cosel, 1995

No Georeferenced data available

SubFamily: MUSCULINAE - **Genus: Mytella** T. Soot-Ryen, 1955 (5 SP, 4 IMG)



5343350392  
**Mytella charruana**  
(D'Orbigny, 1842)  
Ecuador  
75,6 mm



**synonyms:**

- *Modiolus arciformis* W.H. Dall, 1909
- *Mytilus mundahuensis* E. Duarte, 1926
- *Mytilus sinuatus* L.A. Reeve, 1857
- *Mytilus strigatus* S.C.T. Hanley, 1843

- *Mytilus falcatus* D'Orbigny, 1846
- *Volsella reevei* G.F. Angas, 1867
- *Modiola striata* L.A. Reeve, 1857



5340550005  
**Mytella**  
**guyanensis**

(J.B.P.A. Lamarck, 1819)


Costa Rica  
60 mm



**synonyms:**

- *Mytella bicolor* J.G. Bruguère, 1792
- *Mytella bicolor* J.G. Bruguère, 1792
- *Mytella brasiliensis* J.E. Gray, 1825
- *Modiola brasiliensis* *mutabilis* P.P. Carpenter, 1857
- *Modiola semifusca* G.B. Sowerby, 1825
- *Modiola subfuscata* S. Clessin, 1887
- *Mytella umbonata* H.E. Anton, 1838

- *Modiola bicolor* J.B.P.A. Lamarck, 1819
- *Modiola brasiliensis* J.E. Gray, 1825
- *Mytella guyanaensis* J.B.P.A. Lamarck, 1819
- *Modiola sinuosa* P.P. King & W.J. Broderip, 1832
- *Mytilus umbonata* H.E. Anton, 1838



5343351524  
**Mytella**  
**maracaibensis**

I. Beauperthuy, 1967

No Georeferenced data available



5343351567  
**Mytella**  
**sinuosa**

(P.P. King, 1831)

Ecuador  
56,5 mm



5343350400  
**Mytella**  
**speciosa**

(L.A. Reeve, 1857)

Panama West  
85 mm



**synonyms:**

- *Mytella planata* J.R. le B. Tomlin, 1928
- *Modiolus planatus* J.R. le B. Tomlin, 1928


SubFamily: MUSCULINAE - Genus: **Mytilaster** T.A. de M. Monterosato, 1884 (syn: Mytilidonta - 5 SP, 5 IMG)



5340600000  
**Mytilaster**  
**lineatus**

(J.F. Gmelin, 1791)

Croatia  
15 mm



**synonyms:**

- *Mytilaster baldi* ♀. Brusina, 1865
- *Mytilaster confusus* L.W. Dillwyn, 1817
- *Mytilaster lamarckii* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1890
- *Mytilaster minimus squalidemis* F. Danilo & G.B. Sandri, 1856



- *Mytilaster crispus* F.J. Cantraine, 1835
- *Mytilus lineatus minorsolda* T.A. de M. Monterosato, 1875
- *Mytilaster scaber* I. Krynicki, 1837



5343350416  
**Mytilaster**  
**lineatus**  
**lamarcki**

M.E.J. Bucquoy, P. Dautzenberg,  
& G.F. Dollfus, 1890

Mediterranean Sea



5340600055  
**Mytilaster**  
**marioni**

(É.A.A. Locard, 1889)

Italy, Siracusa  
13,4 mm




**synonyms:**

- *Mytilaster cylindraceus* A. Marion, 1887

- *Mytilodonta paulae* G.S. Coen, 1935



5340600010  
***Mytilaster minimus***  
(G.S. Poli, 1795)  
Canary Islands  
10 mm

**synonyms:**

- *Mytilaster blondeli* T.A. de M. Monterosato, 1872
- *Mytilaster cylindraceus* E. Réquier, 1848
- *Mytilaster iburnicus* Brusina, 1870
- *Mytilaster minutus* É.A.A. Locard, 1889



- *Mytilus cylindraceus* E. Réquier, 1848
- *Mytilaster lacustris* A. da Costa, 1839
- *Mytilus minimus palida* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1890



5340600015  
***Mytilaster solidus***  
T.A. de M. Monterosato, 1883  
Italy, Siracusa  
13,8 mm



5343350304  
***Mytilaster solisianus***  
(D'Orbigny, 1842)  
Brasil, Santa Catarina  
16 mm


**synonyms:**

- *Mytilus exiguis* R.W. Dunker, 1875
- *Brachidontes exiguis* R.W. Dunker, 1875
- *Brachidontes janeirensis* R.W. Dunker & J. Zelebor, 1866

- *Mytilus janeirensis* R.W. Dunker & J. Zelebor, 1866
- *Mytilus solisianus* D'Orbigny, 1842

SubFamily: MYTILINAE - Genus: **Crenomytilus** T. Soot-Ryen, 1955 (syn: *Mytiloconcha* - 1 SP, 1 IMG)

5343350208  
***Crenomytilus grayanus***  
(R.W. Dunker, 1853)  
Vladivostok, Russia  
119 mm


**synonyms:**

- *Mytilus dunkeri* L.A. Reeve, 1857
- *Mytilus unguiculatus* A. Valenciennes, 1858

- *Mytilus latissimus* S. Clessin, 1887


SubFamily: MYTILINAE - Subgenus: **Mytilus (Dacrydium)** O.M. Torell, 1859 (syn: *Quendreda* - 29 SP, 11 IMG)

5343351502  
***Dacrydium abyssorum***  
J.A. Allen, 1998  
West Spain  
3,7 mm




5343350760  
***Dacrydium albidum***  
J.P.L. Pelseneer, 1903  
Antarctica

No Georeferenced data available



7042000024  
***Dacrydium angulare***  
K.W. Ockelmann, 1983  
South Africa



no  
IMAGES  
available

7042000025  
**Dacrydium  
balgimi**

C. Salas & S. Gofas, 1997

No Georeferenced data available

no  
IMAGES  
available

7042000026  
**Dacrydium  
dauvini**

C. Salas & S. Gofas, 1997

No Georeferenced data available

no  
IMAGES  
available

5341500000  
**Dacrydium  
elegatum**


T. Soot-Ryen, 1955  
Galápagos Islands



no  
IMAGES  
available

5343351546  
**Dacrydium  
fabale**

C. Hedley, 1904  
Tasmania



no  
IMAGES  
available

7042000027  
**Dacrydium  
filiferum**

C. Salas & S. Gofas, 1997

No Georeferenced data available

no  
IMAGES  
available

5341500030  
**Dacrydium  
gloriosense**

J. Poutiers, 1989

No Georeferenced data available

no  
IMAGES  
available

5343351516  
**Dacrydium  
hedleyi**

J.A. Allen, 1998

No Georeferenced data available

no  
IMAGES  
available

5341500005  
**Dacrydium  
hendersoni**

C. Salas & S. Gofas, 1997  
Gulf of Mexico




**synonyms:**

- *Dacrydium elegantulum hendersoni* C. Salas & S. Gofas, 1997



5341500010  
**Dacrydium**  
**hyalinum**  
(T.A. de M. Monterosato, 1875)  
Lanzarote, Canary Islands  
3,5 mm



5343351517  
**Dacrydium**  
**knudseni**  
J.A. Allen, 1998


No Georeferenced data available



5343351518  
**Dacrydium**  
**leucoguttatum**  
J. van der Linden,  
& R.G. Moolenbeek, 2004  
Suriname  
1,9 mm



7042000079  
**Dacrydium**  
**minimum**  
T.A. Okutani & Izumidate, 1992  
Philippines, Malapascua Island  
2,9 mm



7042000028  
**Dacrydium**  
**modioliforme**  
K.H.J. Thiele, 1912  
Antarctica

No Georeferenced data available





7196000014  
**Dacrydium**  
**nipponicum**  
T.A. Okutani, 1975

No Georeferenced data available



5343350768  
**Dacrydium**  
**occidentale**  
E.A. Smith, 1885  
Azores



5341500015  
**Dacrydium**  
**ockelmanni**  
Mattson & A. Warén, 1977  
Hatton Bank, 700 m depth  
3,5 mm



**synonyms:**



- *Dacrydium ockelmani* Mattson & A. Warén, 1977



5341500020  
**Dacrydium pacificum**

W.H. Dall, 1916

Washington  
3,5 mm



5343350776  
**Dacrydium panamense**

J. Knudsen, 1970



Bay of Panama



5343350784  
**Dacrydium pelseneeri**

C. Hedley, 1906

New Zealand, Great Barrier Island



7042000029  
**Dacrydium rostriferum**

F.R. Bernard, 1978

No Georeferenced data available



5343351519  
**Dacrydium sandersi**

J.A. Allen, 1998

No Georeferenced data available



5341500035  
**Dacrydium speculum**

J. Poutiers, 1989


No Georeferenced data available



5341500025  
**Dacrydium vitreum**

(H.P.C. Møller, 1842)

Aleutian Islands, Unalaska Island



**synonyms:**


- *Mytilus vitrea* H.P.C. Møller, 1842
- *Mytilus vitreus* H.P.C. Møller, 1842



7042000030  
**Dacrydium viviparum**

K.W. Ockelmann, 1983

Azores  
4 mm





5343351520  
**Dacrydium wareni**

C. Salas & S. Gofas, 1997  
Rockall trough, Ireland  
4 mm



7042000031  
**Dacrydium zebra**

I. Hayami & T. Kase, 1993



No Georeferenced data available

SubFamily: MYTILINAE - Genus: **Mytilus** C. Linnaeus, 1758 (syn: Caltriche, Caltricoderma, Eumytilus, Mythus, Mytilarius, Mytilas, Mytilites, Crassimytilus - 9 SP, 12 IMG)





5340000000  
**Mytilus californianus**

T.A. Conrad, 1837  
California  
56 mm



5340004000  
**Mytilus coruscus**

A.A. Gould, 1861  
Yellow Sea  
165 mm



**synonyms:**



- *Mytilus crassitesta* C.E. Lischke, 1868
- *Modiolcola gracilicaudus* Avdeev, 1977

- *Mytilus latus* A. Nordmann, 1862



7042000065  
**Mytilus desolationis**

É. Lamy, 1936  
Kerguelen Islands



**synonyms:**


- *Mytilus canaliculus* W.H. Dall, 1876

- *Mytilus kerguelensis* E.M. Fletcher, 1938



5340000055  
**Mytilus edulis**

C. Linnaeus, 1758  
France, Quiberon  
44,5 mm



**synonyms:**


- *Mytilus abbreviatus* J.B.P.A. Lamarck, 1819
- *Mytilus borealis* J.B.P.A. Lamarck, 1819
- *Mytilus elegans* T. Brown, 1827
- *Mytilus minganensis* J.W. Mighels, 1844
- *Mytilus pelliculus* T. Pennant, 1777
- *Mytilus retusus acrocyrta* É.A.A. Locard, 1889
- *Mytilus subsaxatilis* W. Williamson, 1834
- *Mytilus unguilina* L. Philipsson, 1788
- *Mytilus vulgaris* E.M. Da Costa, 1778

- *Mytilus angulatus* W. Williamson, 1834
- *Mytilus edulis pusillus* W. Macgillivray, 1843
- *Mytilus grunerianus* R.W. Dunker, 1853
- *Mytilus notatus* J.E. De Kay, 1843
- *Mytilus retusus* J.B.P.A. Lamarck, 1819
- *Mytilus solarius* W. Williamson, 1834
- *Mytilus ungulatus* C. Linnaeus, 1758
- *Mytilus variabilis* G. Fischer von Waldheim, 1807



5343350056  
**Mytilus edulis aoteanus**


A.W.B. Powell, 1958  
New Zealand  
62 mm





5343351448  
**Mytilus**  
**edulis**  
**chilensis**  
(L.H. Hupé, 1854)

Tierra del Fuego  
185 mm



**synonyms:**


- *Mytilus chilensis* (L.H. Hupé, 1854)
- *Mytilus fischerianus* C.M. Tapparone-Caneiri, 1874

- *Mytilus unguilatus* A. Valenciennes in A.von Humboldt, 1821



5343350064  
**Mytilus**  
**edulis**  
**diegensis**  
W.R. Coe, 1945

California  
37 mm



5343350080  
**Mytilus**  
**edulis**  
**modiolaeformis**  
M.E.J. Bucquoy, P. Dautzenberg,  
& G.F. Dollfus, 1889

No Georeferenced data available



5343350088  
**Mytilus**  
**edulis**  
**obesus**  
M.E.J. Bucquoy, P. Dautzenberg,  
& G.F. Dollfus, 1889


Europe

No Georeferenced data available



5340000020  
**Mytilus**  
**edulis**  
**platensis**  
D'Orbigny, 1846


Argentina, Chubut  
92 mm



**synonyms:**

- *Mytilus eduliformis* D'Orbigny, 1842
- *Mytilus infumatus* A. de Rochebrune & J.F. Mabille, 1889

- *Mytilus hupeanus* A. de Rochebrune & J.F. Mabille, 1889
- *Mytilus platensis* D'Orbigny, 1846



7196000047  
**Mytilus**  
**edulis**  
**platensis**  
A.V.M.D. D'Orbigny, 1842

No Georeferenced data available



5343350112  
**Mytilus**  
**edulis**  
**spathulinus**  
É.A.A. Locard, 1889

Europe

No Georeferenced data available



5343350120  
**Mytilus**  
**edulis**  
**uncinnatus**  
M.E.J. Bucquoy, P. Dautzenberg,  
& G.F. Dollfus, 1889


Europe

No Georeferenced data available

no  
IMAGES  
available

7196000024  
***Mytilus***  
***elongatus***

J.H. Chemnitz in J.S. Schröter, 1788  
Algeria



5340000025  
***Mytilus***  
***galloprovincialis***

J.B.P.A. Lamarck, 1819  
Spain, Malaga  
90 mm



**synonyms:**

- *Mytilus dilatatus* J.E. Gray, 1825
- *Mytilus edulis zhirmunskii* O.A. Scarlato & Y.I. Starobogatov, 1979
- *Mytilus flavus* G.S. Poli, 1795
- *Mytilus galloprovincialis eduliformis* T.A. de M. Monterosato, 1891
- *Mytilus galloprovincialis frequens* K.O. Milaschewitsch, 1906
- *Mytilus galloprovincialis latissima* T.A. de M. Monterosato, 1884
- *Mytilus galloprovincialis uncinata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1889
- *Mytilus orbicularis* P.M. Pillary, 1903
- *Mytilus succineus* F. Danib & G.B. Sandri, 1856

- *Mytilus edulis galloprovincialis* J.B.P.A. Lamarck, 1819
- *Mytilus edulis zhurmunki* O.A. Scarlato & Y.I. Starobogatov, 1979
- *Mytilus galloprovincialis angustata* R.A. Philippi, 1836
- *Mytilus galloprovincialis fakata* T.A. de M. Monterosato, 1884
- *Mytilus galloprovincialis herculea* T.A. de M. Monterosato, 1884
- *Mytilus galloprovincialis trepida* K.O. Milaschewitsch, 1906
- *Mytilus hesperianus* J.B.P.A. Lamarck, 1819
- *Mytilus sagittatus* G.S. Poli, 1795

no  
IMAGES  
available

5343350128  
***Mytilus***  
***galloprovincialis***  
***acrocyrthus***  
É.A.A. Locard, 1889

Europe

No Georeferenced data available

to be checked

no  
IMAGES  
available

5343350152  
***Mytilus***  
***galloprovincialis***  
***glocinus***  
É.A.A. Locard, 1889

Europe

No Georeferenced data available

to be checked

no  
IMAGES  
available

5343350176  
***Mytilus***  
***galloprovincialis***  
***pelecinus***  
É.A.A. Locard, 1889

Europe

No Georeferenced data available

to be checked

no  
IMAGES  
available

5343350184  
***Mytilus***  
***galloprovincialis***  
***petasunculinus***  
É.A.A. Locard, 1889

Europe


No Georeferenced data available

to be checked



5343350192  
***Mytilus***  
***galloprovincialis***  
***radiatus***  
R.A. Philippi, 1836

Marmara sea, Turkey  
69,87 mm



no  
IMAGES  
available

5343350200  
***Mytilus***  
***galloprovincialis***  
***trigonus***  
É.A.A. Locard, 1889

Europe


No Georeferenced data available

to be checked



5343350096  
***Mytilus***  
***planulatus***

J.B.P.A. Lamarck, 1819  
South Australia  
83 mm



**synonyms:**


- *Mytilus angustanus* J.B.P.A. Lamarck, 1819
- *Mytilus comeus* J.B.P.A. Lamarck, 1819
- *Mytilus edulis planulatus* J.B.P.A. Lamarck, 1819
- *Mytilus obscurus* R.W. Dunker, 1857
- *Mytilus tasmanicus* J.E. Tenison-Woods, 1875

- *Mytilus dunkeri* G.F. Angas, 1867
- *Mytilus lacunatus* J.B.P.A. Lamarck, 1819
- *Mytilus paetelanus* S. Clessin, 1887
- *Mytilus ungularis* J.B.P.A. Lamarck, 1819



5340000040  
***Mytilus***  
***trossulus***

A.A. Gould, 1850  
Lithuania, Klaipeda  
25 mm



**synonyms:**

- *Mytilus edulis declivis* A. Petrov, 1982
- *Mytilus edulis latissimus* P.P. Carpenter, 1857
- *Mytilus ficus* W.H. Dall, 1909
- *Mytilus pedraeanus* T.A. Conrad, 1855

- *Mytilus edulis kussakini* O.A. Scarlato & Y.I. Starobogatov, 1979
- *Mytilus edulis normals* P.P. Carpenter, 1857
- *Mytilus glomeratus* A.A. Gould, 1851
- *Mytilus septentrionalis* S. Clessin, 1887



5343351419  
***Mytilus***  
***zonarius***

J.B.P.A. Lamarck, 1819  
San Diego, California  
114 mm



**synonyms:**

- *Mytilus californicus* S. Clessin, 1887
- *Mytilus edulis giganteus* A. Nordmann, 1862


- *Mytilus canalis* J.B.P.A. Lamarck, 1819

SubFamily: MYTILINAE - Genus: **Perna** L. Philipsson, 1788 (syn: Chbromya, Mytiloconcha, Pernites - 4 SP, 4 IMG)




5343351558  
***Perna***  
***australis***

(J.E. Gray, 1826)  
Singapore



5340700000  
***Perna***  
***canaliculus***

(J.F. Gmelin, 1791)  
New Zealand, Auckland  
143,5 mm



**synonyms:**


- *Mytilus canaliculatus* J.E. Gray in J.K.E. Dieffenbach, 1843
- *Mytilus durus* J. Lightfoot, 1786

- *Mytilus latus* L.W. Dilwyn, 1817



5340700005  
***Perna***  
***perna***

(C. Linnaeus, 1758)  
South Africa, Durban Bay  
150 mm



**synonyms:**

- *Mytilus achatinus* J.B.P.A. Lamarck, 1819
- *Perna africana mauretanica* P.M. Pallary, 1900
- *Perna irisans* F.P. Jousseaume, 1888
- *Mya perna Linnaeus, 1758*
- *Mytilus versicolor* J.F. Gmelin, 1791

- *Mytilus afer* J.F. Gmelin, 1791
- *Perna africana tingitana* P.M. Pallary, 1900
- *Perna magellanica* A. Retzius, 1788
- *Mytilus variegatus* P.F. Röding, 1798



5340700010  
**Perna perna picta**  
I. von Born, 1780  
Malaga, Spain  
86,5 mm



5340700015  
**Perna viridis**  
(C. Linnaeus, 1758)  
Taiwan Strait  
88 mm




**synonyms:**

- *Perna opalus* J.B.P.A. Lamarck, 1819
- *Perna smaragdinus* J.F. Gmelin, 1791

SubFamily: MYTILINAE - Genus: **Perumytilus** A.A. Olsson, 1961 (1 SP, 1 IMG)



5340250040  
**Perumytilus purpuratus**  
(J.B.P.A. Lamarck, 1819)  
Argentina, Santa Cruz  
34,1 mm



**synonyms:**


- *Brachidontes exilis* R.A. Philippi, 1847
- *Brachidontes ovalis* J.B.P.A. Lamarck, 1819
- *Brachidontes purpuratus* (J.B.P.A. Lamarck, 1819)

- *Brachidontes ovata* S. Clessin, 1889

SubFamily: MYTILINAE - Genus: **Rhomboidella** T.A. de M. Monterosato, 1884 (11 SP, 5 IMG)




5343350840  
**Rhomboidella canariensis**  
(N.H. Odner, 1932)  
Canary Islands  
3 mm





7196000026  
**Rhomboidella capensis**  
K.H.J. Thiele & S.G.A. Jaeckel, 1931


No Georeferenced data available



7196000027  
**Rhomboidella malaccana**  
K.W. Ockelmann, 1983  
Queensland



5343000035  
**Rhomboidella obesa**  
K.W. Ockelmann, 1983  
South Africa, Natal  
35,3 mm



**synonyms:**


- *Lithophaga hawaii* W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- *Lithophaga obesus suspecta* T. Iredale, 1939

- *Lithophaga yacobi* F.P. Jousseaume in É. Lamy, 1919

**no  
IMAGES  
available**

5343351556  
**Rhomboidella  
perstriata**

(C. Hedley, 1906)  
Australia, Mast Head Island



5342750000  
**Rhomboidella  
prideaux**

(W.E. Leach, 1815)  
Canary Islands  
2,3 mm



**synonyms:**

- Rhomboidella asperula S.V. Wood, 1856

- Rhomboidella rhombea Berkeley, 1827



5343351120  
**Rhomboidella  
prideauxxi**

(W.E. Leach, 1815)  
Portugal, Faro  
3 mm



**synonyms:**

- Modiolus prideauxiana T. Brown, 1827


**no  
IMAGES  
available**

**to be checked**

5343351112  
**Rhomboidella  
prideauxxi  
arenaria**

A. Martin, 1872  
Europe

No Georeferenced data available



5343350880  
**Rhomboidella  
radians**

(H.H. Suter, 1908)  
New Zealand, Bay of Plenty



**synonyms:**

- Dacrydium radians H.H. Suter, 1908



7042000069  
**Rhomboidella  
rhyllensis**

(J.H. Gatliff & C.J. Gabriel, 1912)

No Georeferenced data available

**synonyms:**

- Rhomboidella concava B.C. Cotton, 1931

- Musculus rhyllensis J.H. Gatliff & C.J. Gabriel, 1912



7042000070  
**Rhomboidella  
rodriguesensis**


P.G. Oliver & A.M. Holmes, 2004

No Georeferenced data available



5343351176  
**Rhomboidella  
vaillanti**

(A. Issel, 1869)  
Sri Lanka  
9 mm



**synonyms:**


- *Crenella gibba* H. Adams, 1871
- *Crenella praecellens* J.C. Melvill & R. Standen, 1907
- *Crenella vaillanti* A. Issel, 1869

- *Solenia gibba* H. Adams, 1871
- *Solenia praecellens* J.C. Melvill & R. Standen, 1907

SubFamily: MYTILINAE - Genus: **Semimytilus** T. Soot-Ryen, 1955 (2 SP, 2 IMG)

5340854000  
**Semimytilus  
algosus**

(A.A. Gould, 1850)  
Chile, Antofagasta  
26 mm

**synonyms:**


- *Mytilus angustanus* L.A. Reeve, 1858
- *Mytilus cuneiformis* L.A. Reeve, 1857
- *Modiolus nonuranus* H.A. Pilsbry & A.A. Olsson, 1935
- *Mytilus similis* S. Clessin, 1887

- *Mytilus dactyliformis* L.H. Hupé in C. Gay, 1854
- *Mytilus patagonicus* S. Clessin, 1887




5343351500  
**Semimytilus  
pseudocapensis**

(É. Lamy, 1931)  
Namibia  
61 mm

SubFamily: MYTILINAE - Genus: **Septifer** C.A. Récluz, 1848 (syn: Mytilsepta - 11 SP, 12 IMG)

5340900000  
**Septifer  
bifurcatus**

(T.A. Conrad, 1837)  
San Diego, California  
30 mm

**synonyms:**


- *Mytilus bifurcatus* T.A. Conrad, 1837
- *Septifer bifurcatus obsoletus* W.H. Dall, 1916

- *Mytilus nicobaricus* P.F. Röding, 1798
- *Septifer septifer* K.T. Menke, 1830
- *Dreissena wiegmannii* H.C. Küster, 1841



5340900005  
**Septifer  
bilocularis**

(C. Linnaeus, 1758)  
Fiji Islands  
31 mm

**synonyms:**



- *Dreissena kraussii* H.C. Küster, 1841
- *Septifer kraussii* H.C. Küster, 1841
- *Septifer nicobaricus* P.F. Röding, 1798
- *Septifer subtriangularis* W.H. Turton, 1932
- *Septifer wiegmannii* H.C. Küster, 1841

- *Mytilus nicobaricus* P.F. Röding, 1798
- *Septifer septifer* K.T. Menke, 1830
- *Dreissena wiegmannii* H.C. Küster, 1841





5343350456  
**Septifer  
bilocularis  
forskali**  
R.W. Dunker, 1855

Tasucu, Turkey  
8 mm



5340900010  
**Septifer  
bilocularis  
pilosus**  
L.A. Reeve, 1830

Wakayama, Japan  
25,5 mm







5340900020

**Septifer  
cumingi**

Recluz, 1849

Oahu, Hawaii  
4,18 mm**synonyms:**



- *Septifer bryanae* H.A. Pilsbry, 1921



7042000081

**Septifer  
cumingii**

C.A. Récluz, 1849

Iskenderun, Turkey  
11,24 mm**synonyms:**

- *Septifer australis* C.F. Laseron, 1956
- *Septifer pulcher* Z.R. Wang, 1983

- *Septifer furcillata* A.A. Gould, 1861



5340900025

**Septifer  
excisus**

(A.F.A.H. Wiegmann, 1837)

Philippines, Palawan Island  
24 mm**synonyms:**

- *Dreissena excisus* A.F.A.H. Wiegmann, 1837
- *Dreissena siamensis* S. Clessin, 1886
- *Septifer troscheli* R.W. Dunker, 1853

- *Septifer siamensis* S. Clessin, 1886
- *Septifer vaughani* W.H. Dall, P. Bartsch & H.A. Rehder, 1938




5340904000

**Septifer  
keenae**

S. Nomura, 1936

Japan, Kotoga beach

**synonyms:**

- *Septifer keeni* S. Nomura, 1936



5343350464

**Septifer  
koeni**


S. Nomura

**No Georeferenced data available**

5340900015

**Septifer  
ramulosus**


(J.M.R.M. Vader, 1951)

South Africa, Natal, Durban Bay  
8,8 mm**synonyms:**

- *Septifer bisculturatus* K.H. Barnard, 1964



5340900030

**Septifer  
rudis**W.H. Dall, P. Bartsch,  
& H.A. Rehder, 1938Hawaii  
6,5 mm**synonyms:**

- *Septifer xishaensis* Z.R. Wang, 1983

no  
IMAGES  
available

5343351530  
**Septifer**  
**rufolineatus**

(E.A. Smith, 1911)



No Georeferenced data available



5340904005  
**Septifer**  
**virgatus**

(A.F.A.H. Wiegmann, 1837)

Japan, Tanegashima Island  
61 mm



**synonyms:**

- Lichomolgus bidentipes T.H. Ho, 1980
- Septifer crassus R.W. Dunker, 1853
- Septifer purpurascentis W.H. Benson in T.E. Cantor, 1842
- Dreissena virgata A.F.A.H. Wiegmann, 1837

- Septifer hermannseni R.W. Dunker, 1853
- Lichomolgus sadoensis T.H. Ho, 1980
- Septifer virgata A.F.A.H. Wiegmann, 1837



5343350496  
**Septifer**  
**zeteki**

L.G. Hertlein & A.M. Strong, 1946

Ecuador  
8,3 mm





SubFamily: SEPTIFERINAE - Genus: **Sinomytilus** K.H.J. Thiele, 1934 (3 SP, 1 IMG)



7042000071  
**Sinomytilus**  
**harmandi**

(A. de Rochebrune, 1881)  
Laos, Khong Island, Mekong river



**synonyms:**

- Dreissena crosseana L.J. Morlet, 1885
- Dreissena massiei L.J. Morlet, 1892

- Dreissena harmandi A. de Rochebrune, 1881

no  
IMAGES  
available

7042000072  
**Sinomytilus**  
**morrisoni**

R.A.M. Brandt, 1974

No Georeferenced data available



7042000073  
**Sinomytilus**  
**swinhonis**

(H. Adams, 1870)

No Georeferenced data available

**synonyms:**



- Dreissena swinhonis H. Adams, 1870

SubFamily: SEPTIFERINAE - Genus: **Stavelia** J.E. Gray, 1858 (1 SP, 1 IMG)



5341000000  
**Stavelia**  
**subdistorta**

(C.A. Récluz, 1852)  
Philippines, Mactan Island  
143 mm



**synonyms:**


- Stavelia horrida R.W. Dunker, 1857
- Stavelia torta L.A. Reeve, 1857
- Mytilus tortus L.A. Reeve, 1857

- Mytilus subdistorta C.A. Récluz, 1852
- Stavelia torta R.W. Dunker, 1857


SubFamily: SEPTIFERINAE - **Genus: Trichomya** H.F.A. von Ihering, 1900 (syn: Dentimodiolus - 1 SP, 1 IMG)



5341050005  
**Trichomya**  
**hirsuta**  
(J.B.P.A. Lamarck, 1819)  
South Australia  
73 mm



SubFamily: SEPTIFERINAE - **Genus: Urumella** I. Hayami & T. Kase, 1993 (1 SP, 0 IMG)




7196000045  
**Urumella**  
**concava**  
Hayami & Kase, 1993

No Georeferenced data available


SubFamily: SEPTIFERINAE - **Genus: Vulcanidas** R. von Cosel & B.A. Marshall, 2010 (1 SP, 1 IMG)



7042000076  
**Vulcanidas**  
**insolatus**  
R. von Cosel & B.A. Marshall, 2010  
Macau Island



# Family: MYTILIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at  
<http://www.bagniiggia.it/WMSD/FamilyMap/MYTILIDAEmap.htm>

please note that this is not the complete coverage of this family  
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 340 from a total of 467