

## Family: NASSARIIDAE

---

**Class: GASTROPODA**

--- Taxon Tree: CAENOGASTROPODA-NEOGASTROPODA-BUCCINOIDEA

----- Family: **NASSARIIDAE** Iredale, 1916 (Sea)

- Alphabetic order - when **first name** is in bold the species has images  
DB counters=2403, Genus=46, Subgenus=12, Species=1001, Subspecies=56, Synonyms=1287, Images=789

- **abbreviata**, *[Demoulia abbreviata](#)* (Gmelin, 1791)
- **abnormis**, *[Nassa abnormis](#)* Coen, 1914 - syn of: *[Nassarius nitidus](#)* (Jeffreys, 1867)
- **absconditus**, *[Nassarius absconditus](#)* Gil, 2015
- **abyssicola**, *[Nassa abyssicola](#)* Adams, 1852 - syn of: *[Nassarius concinnus](#)* (Powys, 1835)
- **abyssiculus**, *[Nassarius abyssiculus](#)* (Adams, 1852)
- **abyssinica**, *[Nassa abyssinica](#)* Marrat, 1877 † - syn of: *[Tritia sinusigera](#)* (Adams, 1852) (**FOSSIL**)
- **acapulcana**, *[Hindsia acapulcana](#)* Pisbry & Lowe, 1932 - syn of: *[Trajana perideris](#)* (Dal, 1910)
- **achatina**, *[Bullia achatina](#)* Lamarck, 1816 - syn of: *[Bullia digitalis](#)* (Dilwyn, 1817)
- **acies**, *[Keepingia acies](#)* (Watelet, 1850) † (**FOSSIL**)
- **acinosa**, *[Nassa acinosa](#)* Gould, 1850 - syn of: *[Nassarius gruneri](#)* (Dunker, 1846)
- **aclimus**, *[Nassarius aclimus](#)* Melvill, 1918 - syn of: *[Nassarius delicatus](#)* (Adams, 1852)
- **acmeleuca**, *[Nassaria acmeleuca](#)* Lee, MS
- **acolus**, *[Nanarius parapristus acolus](#)* Woodring (**FOSSIL**)
- **acolus**, *[Cymatophos acolus](#)* Woodring, 1964 † (**FOSSIL**)
- **acteon**, *[Nassarius acteon](#)* MacNeil, 1960 † (**FOSSIL**)
- **acuminata**, *[Nassaria acuminata](#)* (Reeve, 1844)
- **acuminata**, *[Nassa acuminata](#)* Marrat, 1880 - syn of: *[Nassarius acuminatus](#)* (Marrat, 1880)
- **acuminata bitubercularis**, *[Nassaria acuminata bitubercularis](#)* (Adams, 1851) - syn of: *[Nassaria bitubercularis](#)* (Adams, 1851)
- **acuminatus**, *[Nassarius acuminatus](#)* (Marrat, 1880)
- **acuminatus**, *[Phos acuminatus](#)* Martin, 1879 † (**FOSSIL**)
- **acutangula**, *[Nassa acutangula](#)* Marrat, 1877 - syn of: *[Nassarius mendicus](#)* (Gould, 1850)
- **acuticostus**, *[Nassarius acuticostus](#)* (Montrouzier in Souverbie & Montrouzier, 1864)
- **acutidentata**, *[Nassa acutidentata](#)* Smith, 1879 - syn of: *[Nassarius multigranosus](#)* (Dunker, 1847)
- **acutior**, *[Nassa acutior](#)* Coen, 1933 - syn of: *[Nassarius nitidus](#)* (Jeffreys, 1867)
- **acutispira**, *[Nassaria acutispira](#)* Sowerby, 1913 - syn of: *[Nassaria acutispirata](#)* (Sowerby, 1913)
- **acutispirata**, *[Nassaria acutispirata](#)* (Sowerby, 1913)
- **acutispirata obesiformis**, *[Nassaria acutispirata obesiformis](#)* Yokoyama, 1920
- **acutispiratus**, *[Microfusus acutispiratus](#)* Sowerby, 1913 - syn of: *[Nassaria acutispirata](#)* (Sowerby, 1913)
- **acus**, *[Nassarius acutus](#)* Say, 1822
- **acypha**, *[Nassarius acypha](#)* Von Martens, 1887 - syn of: *[Nassarius pullus](#)* (Linnaeus, 1758)
- **adami**, *[Nassarius adami](#)* Arthur & Fernandes, 1989
- **adamsi**, *[Nassaria adamsi](#)* Kuroda, 1961
- **adamsiana**, *[Nassa adamsiana](#)* Marrat, 1880 - syn of: *[Nassarius albescens](#)* (Dunker, 1846)
- **adelus**, *[Phos adelus](#)* Schwengel, 1942 - syn of: *[Parviphos adelus](#)* (Schwengel, 1942)
- **adriatica**, *[Nassa adriatica](#)* Coen, 1933 † - syn of: *[Tritia mutabilis](#)* (Linnaeus, 1758) † (**FOSSIL**)
- **aegyptiaca**, *[Nassa aegyptiaca](#)* Fischer, 1880 - syn of: *[Nassarius nitidus](#)* (Jeffreys, 1867)
- **aenigmatica**, *[Nassa aenigmatica](#)* Turton, 1932 - syn of: *[Nassarius vinctus](#)* (Marrat, 1877)
- **aepynota**, *[Bullia aepynota](#)* Bartsch, 1915 - syn of: *[Bullia diluta](#)* (Krauss, 1848)
- **aequistriatum**, *[Dorsanum aequistriatum](#)* Dolfus, 1889 † (**FOSSIL**)
- **aethiopicus**, *[Nassarius aethiopicus](#)* (Marrat, 1873)
- **affinis**, *[Nassarius affinis](#)* (Böttger, 1883) † (**FOSSIL**)
- **afra**, *[Nassa afra](#)* Philippi, 1851 - syn of: *[Nassarius coronulus](#)* (Adams, 1852)
- **agapeta**, *[Nassa agapeta](#)* Watson, 1882 - syn of: *[Nassarius agapetus](#)* (Watson, 1882)
- **agapetus**, *[Nassarius agapetus](#)* (Watson, 1882)
- **aikeni**, *[Bullia aikeni](#)* Kilburn, 1978
- **alabamiensis**, *[Monoptygma alabamiensis](#)* Lea, 1833 † (**FOSSIL**)
- **alabaster**, *[Phos alabaster](#)* Fraussen, 2003 - syn of: *[Antillophos alabastrum](#)* (Fraussen, 2003)
- **alabasteroides**, *[Nassarius alabasteroides](#)* Kool, 2009
- **alabastrum**, *[Antillophos alabastrum](#)* (Fraussen, 2003)
- **alba**, *[Phrontis alba](#)* (Say, 1826)
- **alba**, *[Nassaria alba](#)* Adams & Adams, 1858 - syn of: *[Nassaria pusilla](#)* (Röding, 1798)
- **albanyana**, *[Nassa albanyana](#)* Turton, 1932 - syn of: *[Nassarius capensis](#)* (Dunker, 1846)
- **albanyana**, *[Bullia albanyana](#)* Turton, 1932 - syn of: *[Bullia diluta](#)* (Krauss, 1848)
- **albescens**, *[Nassarius albescens](#)* (Dunker, 1846)
- **albescens**, *[Nassa albescens](#)* Dunker, 1846 - syn of: *[Nassarius albescens](#)* (Dunker, 1846)
- **albescens**, *[Nassarius albescens](#)* Dunker, 1846 - syn of: *[Nassarius albescens](#)* (Dunker, 1846)
- **albescens fenestratus**, *[Nassarius albescens fenestratus](#)* Marrat, 1877 - syn of: *[Nassarius fenistratus](#)* (Marrat, 1877)
- **albescens gemmuliferus**, *[Nassarius albescens gemmuliferus](#)* Adams, 1852 - syn of: *[Nassarius gemmuliferus](#)* (Adams, 1852)
- **albinus**, *[Nassarius albinus](#)* (Thiele, 1930)
- **albipunctata**, *[Nassa albipunctata](#)* Reeve, 1853 - syn of: *[Phrontis versicolor](#)* (Adams, 1852)
- **albomaculatus**, *[Nassarius albomaculatus](#)* Rehder, 1980
- **albus nanus**, *[Nassarius albus nanus](#)* Nowell-Usticke, 1959 - syn of: *[Phrontis karinae](#)* (Nowell-Usticke, 1971)
- **alcimus**, *[Phrontis alcimus](#)* Melvill, 1918 - syn of: *[Nassarius delicatus](#)* (Adams, 1852)
- **aldrovandii**, *[Nassarius aldrovandii](#)* (Belardi, 1882) † (**FOSSIL**)
- **alexandrina**, *[Nassarius alexandrina](#)* Palay, 1917 † - syn of: *[Tritia cuvierii](#)* (Payaudeau, 1826) † (**FOSSIL**)
- **alfredensis**, *[Bullia alfredensis](#)* Bartsch, 1915
- **alfuricus**, *[Nassarius alfuricus](#)* (Fischer in Wanner, 1927)
- **alfuricus**, *[Zeuxis alfuricus](#)* (Fischer, 1927) - syn of: *[Nassarius alfuricus](#)* (Fischer in Wanner, 1927)
- **algida**, *[Nassa algida](#)* Reeve, 1853 - syn of: *[Nassarius algidus](#)* (Reeve, 1853)

- **algida**, *Nassa algida* Smith, 1901 - syn of: [\*\*\*Nassarius fenwicki\*\*\*](#) Kilburn, 1972
- **algida chlora**, *Nassa algida chlora* Watson, 1886 - syn of: [\*\*\*Nassarius algidus\*\*\*](#) (Reeve, 1853)
- **algida chlora**, *Zeuxis algida chlora* Watson, 1886 - syn of: [\*\*\*Nassarius algidus\*\*\*](#) (Reeve, 1853)
- **algidus**, [\*\*\*Nassarius algidus\*\*\*](#) (Reeve, 1853)
- **almo**, *Bullia almo* Bartsch, 1915 - syn of: [\*\*\*Bullia digitalis\*\*\*](#) (Dillwyn, 1817)
- **altile**, *Buccinanops altile* Conrad, 1832 † - syn of: [\*\*\*Bullia altilis\*\*\*](#) (Conrad, 1832) † (**FOSSIL**)
- **altilis**, [\*\*\*Bullia altilis\*\*\*](#) (Conrad, 1832) † (**FOSSIL**)
- **amaldiformis**, [\*\*\*Cylلنina amaldiformis\*\*\*](#) Landau & al., 2009 † (**FOSSIL**)
- **ambiguus**, *Nassarius ambiguus* Pulteney, 1799 - syn of: [\*\*\*Phrontis antillarum\*\*\*](#) (D'Orbigny, 1847)
- **amboynensis**, *Nassaria amboynensis* Watson, 1881 - syn of: [\*\*\*Nassaria acuminata\*\*\*](#) (Reeve, 1844)
- **amboynensis**, *Nassaria amboynensis* Watson, 1881 - syn of: [\*\*\*Nassaria acuminata\*\*\*](#) (Reeve, 1844)
- **amoenus**, *Phos amoenus* Schwengel, 1950 - syn of: [\*\*\*Engina egregia\*\*\*](#) (Reeve, 1844)
- **ampullacea**, *Bullia ampullacea* Middendorff, 1848 - syn of: [\*\*\*Volutarpa ampullacea\*\*\*](#) (Middendorff, 1848)
- **amycliformis**, [\*\*\*Nassarius amycliformis\*\*\*](#) (Shuto, 1969) † (**FOSSIL**)
- **analogica**, *Nassa analogica* Sowerby, 1903 - syn of: [\*\*\*Nassarius vinctus\*\*\*](#) (Marrat, 1877)
- **analogicus**, *Nassarius analogicus* Sowerby, 1903 - syn of: [\*\*\*Nassarius vinctus\*\*\*](#) (Marrat, 1877)
- **ancillaeformis**, [\*\*\*Bullia ancillaeformis\*\*\*](#) Smith, 1906
- **ancillariaeforme**, [\*\*\*Cylلنina ancillariaeforme\*\*\*](#) (Grateloup, 1834) † (**FOSSIL**)
- **angicostata**, *Hindsia angicostata* Pease, 1860 - syn of: [\*\*\*Engina farinosa\*\*\*](#) (Gould, 1850)
- **angolensis**, [\*\*\*Nassarius angolensis\*\*\*](#) (Odhner, 1923)
- **angriensis**, *Nassarius angriensis* (Melvill & Standen, 1901) - syn of: [\*\*\*Nassarius bellus angriensis\*\*\*](#) (Melvill & Standen, 1901)
- **angriensis**, [\*\*\*Nassarius bellus angriensis\*\*\*](#) Melvill & Standen
- **angsana**, [\*\*\*Cyllene angسانا\*\*\*](#) Martin, 1921 † (**FOSSIL**)
- **angulatus**, *Phos angulatus* Sowerby, 1880 - syn of: [\*\*\*Phos senticosus\*\*\*](#) (Linnaeus, 1758)
- **angulicostis**, *Nassa angulicostis* Pilbry & Lowe, 1932 - syn of: [\*\*\*Nassarius nodicinctus\*\*\*](#) Adams, 1852
- **angulicostis**, *Nassarius angulicostis* Pilbry & Lowe, 1932 - syn of: [\*\*\*Nassarius nodicinctus\*\*\*](#) Adams, 1852
- **anguliferus**, [\*\*\*Nassarius anguliferus\*\*\*](#) (Adams, 1852)
- **angulosa**, [\*\*\*Northia angulosa\*\*\*](#) Jousseaume, 1898
- **anisonema**, [\*\*\*Nassarius anisonema\*\*\*](#) Gardner, 1944 † (**FOSSIL**)
- **annelifera**, *Nassa annelifera* Cernohorsky, 1984 - syn of: [\*\*\*Phrontis alba\*\*\*](#) (Say, 1826)
- **annelifera**, *Nassa annelifera* Reeve, 1853 - syn of: [\*\*\*Phrontis alba\*\*\*](#) (Say, 1826)
- **annellifera**, *Nassa annellifera* Reeve, 1853 - syn of: [\*\*\*Phrontis alba\*\*\*](#) (Say, 1826)
- **annulata**, [\*\*\*Bullia annulata\*\*\*](#) (Lamarck, 1816)
- **anomalus**, [\*\*\*Nassarius anomalus\*\*\*](#) (Harmer, 1914) † (**FOSSIL**)
- **antarctohimaleos**, [\*\*\*Sudonassarius antarctohimaleos\*\*\*](#) Stilwell & Zinsmeister, 1992 † (**FOSSIL**)
- **anthracina**, *Nassa anthracina* Garrett, 1873 - syn of: [\*\*\*Nassarius moestus\*\*\*](#) (Hinds, 1844)
- **antillarum**, [\*\*\*Phrontis antillarum\*\*\*](#) (D'Orbigny, 1847)
- **antillarum**, *Nassa antillarum* D'Orbigny, 1843 - syn of: [\*\*\*Phrontis vibex\*\*\*](#) (Say, 1822)
- **antillarum**, *Antillophos antillarum* Petit De La Saussaye, 1853 - syn of: [\*\*\*Antillophos candeanus\*\*\*](#) (D'Orbigny, 1842)
- **antiquata**, *Nassa antiquata* Watson, 1897 - syn of: [\*\*\*Nassarius recidivus\*\*\*](#) (Von Martens, 1876)
- **antiquita**, *Nassa antiquita* Watson, 1897 - syn of: [\*\*\*Nassarius recidivus\*\*\*](#) (Von Martens, 1876)
- **aoteanus**, [\*\*\*Nassarius aoteanus\*\*\*](#) Finlay, 1926
- **approximata**, *Nassa approximata* Pease, 1868 - syn of: [\*\*\*Nassarius olivaceus\*\*\*](#) (Bruguière, 1789)
- **aquense**, *Dorsanum aquense* Grateloup, 1847 † - syn of: [\*\*\*Cyllene baccata\*\*\*](#) (Basterot, 1825) † (**FOSSIL**)
- **aquense gracilis**, *Dorsanum aquense gracilis* Peyrot, 1927 † - syn of: [\*\*\*Cyllene baccata\*\*\*](#) (Basterot, 1825) † (**FOSSIL**)
- **aquense pertinax**, *Dorsanum aquense pertinax* Peyrot, 1927 † - syn of: [\*\*\*Cyllene baccata\*\*\*](#) (Basterot, 1825) † (**FOSSIL**)
- **aquitanicus**, [\*\*\*Nassarius aquitanicus\*\*\*](#) Mayer, 1858 † (**FOSSIL**)
- **aracanensis**, *Nassa aracanensis* Smith, 1899 † - syn of: [\*\*\*Tritia sinusigera\*\*\*](#) (Adams, 1852) (**FOSSIL**)
- **aracanensis**, *Nassarius aracanensis* Smith, 1899 † - syn of: [\*\*\*Tritia sinusigera\*\*\*](#) (Adams, 1852) (**FOSSIL**)
- **arata**, [\*\*\*Ilyanassa arata\*\*\*](#) (Say, 1824) † (**FOSSIL**)
- **arcadioi**, [\*\*\*Nassarius arcadioi\*\*\*](#) Rolán & Hernández, 2005
- **arcularia**, [\*\*\*Nassarius arcularia\*\*\*](#) (Linnaeus, 1758)
- **arcularia**, *Nassa arcularia* Lamarck, 1816 - syn of: [\*\*\*Nassarius arcularia\*\*\*](#) (Linnaeus, 1758)
- **arcularia**, *Nassa arcularia* Linnaeus, 1758 - syn of: [\*\*\*Nassarius arcularia\*\*\*](#) (Linnaeus, 1758)
- **arcularia plicatus**, [\*\*\*Nassarius arcularia plicatus\*\*\*](#) (Röding, 1798)
- **arcularia spiracancellata**, *Nassa arcularia spiracancellata* Lamarck, 1816 - syn of: [\*\*\*Nassarius arcularia plicatus\*\*\*](#) (Röding, 1798)
- **arcus**, [\*\*\*Nassarius arcus\*\*\*](#) (Cernohorsky, 1991)
- **arcus**, *Zeuxis arcus* Cernohorsky, 1991 - syn of: [\*\*\*Nassarius arcus\*\*\*](#) (Cernohorsky, 1991)
- **argentata**, *Nassarius argentata* Marrat, 1877 - syn of: [\*\*\*Nassarius argenteus\*\*\*](#) (Marrat, 1877)
- **argentea**, *Nassa argentea* Marrat, 1877 - syn of: [\*\*\*Nassarius argenteus\*\*\*](#) (Marrat, 1877)
- **argentea multicostata**, *Nassa argentea multicostata* Maltzan, 1884 - syn of: [\*\*\*Nassarius argenteus\*\*\*](#) (Marrat, 1877)
- **argentea multilobata**, *Nassa argentea multilobata* Maltzan, 1884 - syn of: [\*\*\*Nassarius argenteus\*\*\*](#) (Marrat, 1877)
- **argenteus**, [\*\*\*Nassarius argenteus\*\*\*](#) (Marrat, 1877)
- **ariel**, [\*\*\*Neoteron ariel\*\*\*](#) Pilbry & Lowe, 1932
- **ariel**, *Nassa ariel* Preston, 1910 - syn of: [\*\*\*Nassarius fretorum\*\*\*](#) (Melvill & Standen, 1899)
- **armaillatus**, *Antillophos armaillatus* Fraussen & Poppe, 2005 - syn of: [\*\*\*Antillophos armillatus\*\*\*](#) Fraussen & Poppe, 2005
- **armata**, [\*\*\*Pseudocominella armata\*\*\*](#) (Sowerby & Dixon, 1850) † (**FOSSIL**)
- **armata**, *Bullia armata* Gray, 1839 - syn of: [\*\*\*Buccinanops monilifer\*\*\*](#) (Kiener, 1834)
- **armillatus**, [\*\*\*Antillophos armillatus\*\*\*](#) Fraussen & Poppe, 2005
- **armuella**, [\*\*\*Uzita armuella\*\*\*](#) Olson, 1942 † (**FOSSIL**)
- **articulatus**, [\*\*\*Metaphos articulatus\*\*\*](#) (Hinds, 1844)
- **aspera**, [\*\*\*Nassaria aspera\*\*\*](#) (Kuroda, 1961)
- **asperula**, [\*\*\*Nassarius asperula\*\*\*](#) (Brocchi, 1814) † (**FOSSIL**)

- **asterizans**, Cyclope asterizans Montfort, 1810 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **atlantideus**, [\*\*Nassarius atlantideus\*\*](#) Adam & Knudsen, 1984
- **astrata**, Nassaria astrata Smith, 1881 - syn of: [\*\*Pareuthria powelli\*\*](#) Cernohorsky, 1977
- **auberti**, Nassa auberti Abrard, 1946 - syn of: [\*\*Nassarius novaezelandiae\*\*](#) (Reeve, 1854)
- **auritula**, Nassaria auritula Link, 1807 - syn of: [\*\*Gemophos auritulus\*\*](#) (Link, 1807)
- **australis**, Nassa australis Adams, 1853 - syn of: [\*\*Nassarius clarus\*\*](#) (Marrat, 1877)
- **australis**, Nassarius australis Adams, 1853 - syn of: [\*\*Nassarius clarus\*\*](#) (Marrat, 1877)
- **auversiensis**, [\*\*Keepingia auversiensis\*\*](#) (Deshayes, 1865) † (FOSSIL)
- **avitensis**, Hinia avitensis Peyrot, 1925 † - syn of: [\*\*Dorsanum lineolatum\*\*](#) (Grateloup, 1834) † (FOSSIL)
- **azorica**, Nassarius azorica Dautzenberg, 1889 - syn of: [\*\*Nassarius recidivus\*\*](#) (Von Martens, 1876)
- **azorica fuscoviolacea**, Nassarius azorica fuscoviolacea Palary, 1900 - syn of: [\*\*Nassarius recidivus\*\*](#) (Von Martens, 1876)
- **babylonica**, Nassa babylonica Watson, 1882 - syn of: [\*\*Nassarius babylonicus\*\*](#) (Watson, 1882)
- **babylonica**, Nassarius babylonica Watson, 1882 - syn of: [\*\*Nassarius babylonicus\*\*](#) (Watson, 1882)
- **babylonicus**, [\*\*Nassarius babylonicus\*\*](#) (Watson, 1882)
- **baccata**, [\*\*Cyllene baccata\*\*](#) (Basterot, 1825) † (FOSSIL)
- **badensis**, [\*\*Nassarius badensis\*\*](#) (Partsch, 1852) † (FOSSIL)
- **badia**, Nassa badia Adams, 1852 - syn of: [\*\*Nassarius olivaceus\*\*](#) (Bruguère, 1789)
- **badia**, Nassaria badia Link, 1807 - syn of: [\*\*Pollia fumosus\*\*](#) (Dilwyn, 1817)
- **baguenai**, Nassa baguenai Giner Mari, 1934 - syn of: [\*\*Nassarius albescens\*\*](#) (Dunker, 1846)
- **bahamasensis**, Antillophos bahamasensis Petuch, 2002 - syn of: [\*\*Antillophos bahamensis\*\*](#) Petuch, 2002
- **bahamensis**, [\*\*Antillophos bahamensis\*\*](#) Petuch, 2002
- **bailyi**, [\*\*Nassarius bailyi\*\*](#) (Pilsbry & Lowe, 1932)
- **balteata**, Nassa balteata Lischke, 1869 - syn of: [\*\*Nassarius sufflatus\*\*](#) (Gould, 1860)
- **balteata**, Hima balteata Pease, 1869 † - syn of: [\*\*Reticunassa paupera\*\*](#) (Gould, 1850) † (FOSSIL)
- **balteata**, Nassa balteata Pease, 1869 † - syn of: [\*\*Reticunassa paupera\*\*](#) (Gould, 1850) † (FOSSIL)
- **balteata**, [\*\*Bullia pura balteata\*\*](#) Sowerby
- **balteatus**, Nassarius balteatus Lischke, 1868 - syn of: [\*\*Nassarius sufflatus\*\*](#) (Gould, 1860)
- **balteatus**, Nassarius balteatus Pease, 1869 - syn of: [\*\*Nassarius sufflatus\*\*](#) (Gould, 1860)
- **bantamensis**, Cyllene bantamensis Oostingh, 1939 † - syn of: [\*\*Cyllene pulchella\*\*](#) Adams & Reeve, 1850 (FOSSIL)
- **baranoanus**, [\*\*Gordanops baranoanus\*\*](#) (Anderson, 1929) † (FOSSIL)
- **baranoanus**, Phos baranoanus Anderson, 1929 † - syn of: [\*\*Gordanops baranoanus\*\*](#) (Anderson, 1929) † (FOSSIL)
- **barbarossai**, [\*\*Nassarius barbarossai\*\*](#) Landau & al., 2013 † (FOSSIL)
- **barsdelli**, [\*\*Nassarius barsdelli\*\*](#) Ladd, 1976
- **basteroti**, [\*\*Nassarius basteroti\*\*](#) Michelotti, 1847 † (FOSSIL)
- **basteroti vasconiensis**, [\*\*Nassarius basteroti vasconiensis\*\*](#) Peyrot, 1924 † (FOSSIL)
- **bathyketes**, [\*\*Antillophos bathyketes\*\*](#) (Watson, 1882)
- **bayeri**, [\*\*Antillophos bayeri\*\*](#) Petuch, 1987
- **bearnensis**, [\*\*Nassarius bearnensis\*\*](#) Peyrot, 1924 † (FOSSIL)
- **beata**, Nassa beata Gould, 1860 † - syn of: [\*\*Tritia sinusigera\*\*](#) (Adams, 1852) (FOSSIL)
- **beauii**, [\*\*Antillophos beauii\*\*](#) (Fischer & Bernardi, 1857)
- **beberkiranus**, [\*\*Nassarius beberkiranus\*\*](#) (Martin & Icke, 1906) † (FOSSIL)
- **beccarii**, Nassa beccarii Bisacchi, 1930 - syn of: [\*\*Nassarius crebricostatus\*\*](#) (Schepman, 1911)
- **belangeri**, Dorsanum belangeri Kiener, 1834 - syn of: [\*\*Bullia tranquebarica\*\*](#) (Röding, 1798)
- **bella**, Nassa bella Marrat, 1877 - syn of: [\*\*Nassarius bellus\*\*](#) (Marrat, 1877)
- **bellangeri**, Bullia bellangeri Kiener, 1834 - syn of: [\*\*Bullia tranquebarica\*\*](#) (Röding, 1798)
- **bellula**, Nassa bellula Adams, 1852 - syn of: [\*\*Nassarius bellulus\*\*](#) (Adams, 1852)
- **bellulus**, [\*\*Nassarius bellulus\*\*](#) (Adams, 1852)
- **bellus**, [\*\*Nassarius bellus\*\*](#) (Marrat, 1877)
- **bellus angriensis**, [\*\*Nassarius bellus angriensis\*\*](#) (Melvill & Standen, 1901)
- **berniceae**, [\*\*Nassarius berniceae\*\*](#) Willan & Beechey, 2015
- **berthae**, [\*\*Nassarius berthae\*\*](#) Maury, 1910 † (FOSSIL)
- **beteyensis**, [\*\*Cymatophos beteyensis\*\*](#) (Olsson, 1922) † (FOSSIL)
- **beureumensis**, [\*\*Nassarius beureumensis\*\*](#) Oostingh, 1933 † (FOSSIL)
- **beyrichi**, [\*\*Nassarius beyrichi\*\*](#) (Mayer, 1873) † (FOSSIL)
- **bicallosa**, Nassa bicallosa Smith, 1876 - syn of: [\*\*Nassarius bicallosus\*\*](#) (Smith, 1876)
- **bicallosus**, [\*\*Nassarius bicallosus\*\*](#) (Smith, 1876)
- **bicolor**, Nassa bicolor Rousseau, 1854 - syn of: [\*\*Nassarius albescens\*\*](#) (Dunker, 1846)
- **bicolorata**, Nassa bicolorata Coen, 1933 - syn of: [\*\*Nassarius nitidus\*\*](#) (Jeffreys, 1867)
- **bicorona**, [\*\*Thanetinassa bicorona\*\*](#) (Meleville, 1843) † (FOSSIL)
- **bidentata**, [\*\*Tritia bidentata\*\*](#) (Emmons, 1858) † (FOSSIL)
- **biendongensis**, [\*\*Nassarius biendongensis\*\*](#) Kool, 2003
- **bifaria**, Nassa bifaria Baird, 1873 - syn of: [\*\*Nassarius bifarius\*\*](#) (Baird, 1873)
- **bifarius**, [\*\*Nassarius bifarius\*\*](#) (Baird, 1873)
- **bilineata**, [\*\*Keepingia bilineata\*\*](#) (Garvie, 1996) † (FOSSIL)
- **bilineata**, Colwellia bilineata Garvie, 1996 † - syn of: [\*\*Keepingia bilineata\*\*](#) (Garvie, 1996) † (FOSSIL)
- **bimaculosa immersa**, Nassa bimaculosa immersa Marrat, 1880 - syn of: [\*\*Nassarius camelus\*\*](#) (Von Martens, 1897)
- **bimaculosus**, [\*\*Nassarius bimaculosus\*\*](#) (Adams, 1852)
- **binomata**, Nassa binomata Pilsbry, 1895 - syn of: [\*\*Nassarius sufflatus\*\*](#) (Gould, 1860)
- **binominata**, Nassa binominata Pilsbry, 1895 - syn of: [\*\*Nassarius sufflatus\*\*](#) (Gould, 1860)
- **birmanica**, [\*\*Nassaria birmanica\*\*](#) Vredenburg, 1921 † (FOSSIL)
- **bitubercularis**, [\*\*Nassaria bitubercularis\*\*](#) (Adams, 1851)
- **blainvillei**, [\*\*Phos blainvillei\*\*](#) Deshayes, 1832
- **bocholtensis**, [\*\*Nassarius bocholtensis\*\*](#) (Beyrich, 1854) † (FOSSIL)

- bodjongensis, *Nassarius bodjongensis* Oostingh, 1939 - syn of: [\*\*\*Nassarius nobilis\*\*\*](#) (Thiele, 1925)
- bohemicum, [\*\*\*Nassarius boemicum\*\*\*](#) (Hoernes & Aulinger, 1882) † (**FOSSIL**)
- bolangoi, [\*\*\*Nassarius bolangoi\*\*\*](#) (Ladd, 1976) † (**FOSSIL**)
- bolli, [\*\*\*Keepingia bolli\*\*\*](#) (Beyrich, 1854) † (**FOSSIL**)
- bombax, [\*\*\*Nassaria bombax\*\*\*](#) Cernohorsky, 1981
- bonellii, [\*\*\*Nassarius bonellii\*\*\*](#) (Sismanova, 1847) † (**FOSSIL**)
- bonneti, Hebra bonneti Cossmann, 1901 † - syn of: [\*\*\*Reticunassa festiva\*\*\*](#) (Powys, 1835) † (**FOSSIL**)
- bonneti kachhensis, Hebra bonneti kachhensis Vredenburg, 1925 † - syn of: [\*\*\*Reticunassa festiva\*\*\*](#) (Powys, 1835) † (**FOSSIL**)
- borneensis, [\*\*\*Antillophos borneensis\*\*\*](#) (Sowerby, 1859)
- boucheti, [\*\*\*Antillophos boucheti\*\*\*](#) (Fraussen, 2003)
- boucheti, [\*\*\*Nassarius boucheti\*\*\*](#) Kool, 2004
- bouillei, [\*\*\*Nassarius bouillei\*\*\*](#) Degrange-Touzin, 1894 † (**FOSSIL**)
- bouneti, Hebra bouneti Cossmann, 1901 † - syn of: [\*\*\*Reticunassa festiva\*\*\*](#) (Powys, 1835) † (**FOSSIL**)
- bouneti kachhensis, Hebra bouneti kachhensis Vredenburg, 1925 † - syn of: [\*\*\*Reticunassa festiva\*\*\*](#) (Powys, 1835) † (**FOSSIL**)
- bourbonensis, [\*\*\*Nassarius bourbonensis\*\*\*](#) Kool, 2015
- bourguignati, *Nassa bourguignati* Locard, 1887 - syn of: [\*\*\*Tritia reticulata\*\*\*](#) (Linnaeus, 1758)
- brassica, *Alectriion brassica* Maury, 1925 † - syn of: [\*\*\*Nassarius trinitatensis\*\*\*](#) Jung, 1969 † (**FOSSIL**)
- brassoensis, *Alectriion brassoensis* Mansfield, 1925 † - syn of: [\*\*\*Nassarius trinitatensis\*\*\*](#) Jung, 1969 † (**FOSSIL**)
- brebioni, [\*\*\*Nassarius brebioni\*\*\*](#) Van Dingena, Ceulemans & al., 2015 † (**FOSSIL**)
- bretzi, [\*\*\*Keepingia bretzi\*\*\*](#) (Weaver, 1912) † (**FOSSIL**)
- bretzi, *Colwellia bretzi* Weaver, 1912 † - syn of: [\*\*\*Keepingia bretzi\*\*\*](#) (Weaver, 1912) † (**FOSSIL**)
- brevis, *Nassaria brevis* Gabb, 1873 † - syn of: [\*\*\*Hesperiasteria corrugata\*\*\*](#) (Gabb, 1873) † (**FOSSIL**)
- brigittae, [\*\*\*Antillophos brigittae\*\*\*](#) Stahlschmidt & Fraussen, 2009
- bronni, *Nassarius bronni* Philippi, 1849 - syn of: [\*\*\*Nassarius coronatus\*\*\*](#) (Bruguère, 1789)
- brunneostomus, [\*\*\*Nassarius brunneostomus\*\*\*](#) (Stearns, 1893)
- brunni, *Alectriion brunni* Adam & Knudsen, 1964 - syn of: [\*\*\*Nassarius bruuni\*\*\*](#) Adam & Knudsen, 1984
- bruuni, [\*\*\*Nassarius bruuni\*\*\*](#) Adam & Knudsen, 1984
- brychia, *Nassa brychia* Watson, 1882 † - syn of: [\*\*\*Tritia frigens\*\*\*](#) (Von Martens, 1878) † (**FOSSIL**)
- brychia decorata, *Nassa brychia decorata* Locard, 1897 † - syn of: [\*\*\*Tritia frigens\*\*\*](#) (Von Martens, 1878) † (**FOSSIL**)
- brychia major, *Nassa brychia major* Locard, 1897 † - syn of: [\*\*\*Tritia frigens\*\*\*](#) (Von Martens, 1878) † (**FOSSIL**)
- brychia minor, *Nassa brychia minor* Locard, 1897 † - syn of: [\*\*\*Tritia frigens\*\*\*](#) (Von Martens, 1878) † (**FOSSIL**)
- brychius, *Nassarius brychius* Watson, 1882 † - syn of: [\*\*\*Tritia frigens\*\*\*](#) (Von Martens, 1878) † (**FOSSIL**)
- buccinula, *Bullia buccinula* Deshayes, 1859 - syn of: [\*\*\*Bullia turrita\*\*\*](#) Gray, 1839
- bucculenta, *Nassa bucculenta* Marrat, 1880 - syn of: [\*\*\*Nassarius comptus\*\*\*](#) (Adams, 1852)
- buchivacoensis, *Phos buchivacoensis* Hodson, 1931 † - syn of: [\*\*\*Cymatophos veatchi\*\*\*](#) (Olsson, 1922) † (**FOSSIL**)
- bucquoyi, *Nassa bucquoyi* Locard, 1887 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- bullata, *Nassa bullata* Marrat, 1877 - syn of: [\*\*\*Nassarius acuticostus\*\*\*](#) (Montrouzier in Souverbie & Montrouzier, 1864)
- bullbrooki, [\*\*\*Phos bullbrookii\*\*\*](#) Mansfield, 1925 † (**FOSSIL**)
- burchardi, [\*\*\*Tritia burchardi\*\*\*](#) (Philippi, 1849) † (**FOSSIL**)
- burchardi, *Nassa burchardi* Philippi, 1849 † - syn of: [\*\*\*Tritia burchardi\*\*\*](#) (Philippi, 1849) † (**FOSSIL**)
- caboverdensis, [\*\*\*Tritia caboverdensis\*\*\*](#) (Rolán, 1984) † (**FOSSIL**)
- cabrierensis, [\*\*\*Nassarius cabrierensis\*\*\*](#) (Fischer & Tournouer, 1873)
- cabrierensis, *Nassa cabrierensis* Fontannes, 1878 - syn of: [\*\*\*Nassarius cabrierensis\*\*\*](#) (Fischer & Tournouer, 1873)
- cabrierensis italicus, [\*\*\*Nassarius cabrierensis italicus\*\*\*](#) (Mayer, 1876)
- cabrierensis ovoideus, *Nassarius cabrierensis ovoideus* Locard, 1886 † - syn of: [\*\*\*Tritia ovoidea\*\*\*](#) (Locard, 1886) † (**FOSSIL**)
- cadeei, [\*\*\*Nassarius cadeei\*\*\*](#) Kool, 2006
- caelata, [\*\*\*Tritia caelata\*\*\*](#) Adams, 1852 † (**FOSSIL**)
- caelata, *Arcularia caelata* Hedley, 1915 - syn of: [\*\*\*Nassarius idyllius\*\*\*](#) (Melvill & Standen, 1901)
- caelata torresiana, *Arcularia caelata torresiana* Hedley, 1915 - syn of: [\*\*\*Nassarius idyllius\*\*\*](#) (Melvill & Standen, 1901)
- caelatus, *Nassarius caelatus* Auct. non Adams, 1852 - syn of: [\*\*\*Nassarius multivocus\*\*\*](#) Kool, 2008
- caelatus danitensis, *Nassarius caelatus danitensis* Makiyama, 1927 - syn of: [\*\*\*Tritia casta\*\*\*](#) (Gould, 1850)
- caelatus verbeeki, *Zeuxis caelatus verbeeki* Martin, 1895 † - syn of: [\*\*\*Tritia casta\*\*\*](#) (Gould, 1850) (**FOSSIL**)
- caelolineatus, [\*\*\*Nassarius caelolineatus\*\*\*](#) Nesbit & Pitt, 1986
- californiana, *Nassa californiana* Arnold, 1903 - syn of: [\*\*\*Nassarius delosi\*\*\*](#) (Woodring, 1946)
- californianus, [\*\*\*Demondia californianus\*\*\*](#) (Conrad, 1856) † (**FOSSIL**)
- callomoni, [\*\*\*Nassaria callomoni\*\*\*](#) Poppe, Tagaro & Fraussen, 2008
- callosa, [\*\*\*Bullia callosa\*\*\*](#) (Wood, 1828)
- callosa, *Nassa callosa* Adams, 1852 - syn of: [\*\*\*Nassarius fraudulentus\*\*\*](#) (Marat, 1877)
- callosa communis, *Nassa callosa communis* Pallary, 1919 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- callosa compacta, *Nassa callosa compacta* Pallary, 1919 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- callosa depressa, *Nassa callosa depressa* Pallary, 1919 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- callosa discoidea, *Nassa callosa discoidea* Pallary, 1919 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- callosa elongata, *Nassa callosa elongata* Pallary, 1919 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- callosa gibba, *Nassa callosa gibba* Pallary, 1919 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- callosa globulosa, *Nassa callosa globulosa* Pallary, 1919 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- callosa kamieschensis, *Nassa callosa kamieschensis* Pallary, 1919 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- callosa lactescens, *Nassa callosa lactescens* Pallary, 1919 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- callosa platystoma, *Nassa callosa platystoma* Pallary, 1919 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- callosa sulcata, *Bullia callosa sulcata* Sowerby, 1889 - syn of: [\*\*\*Bullia callosa\*\*\*](#) (Wood, 1828)
- callospira, [\*\*\*Nassarius callospira\*\*\*](#) (Adams, 1852)
- callospira, *Nassa callospira* Adams, 1852 - syn of: [\*\*\*Nassarius callospira\*\*\*](#) (Adams, 1852)
- callosus, *Nassarius callosus* Adams, 1877 - syn of: [\*\*\*Nassarius fraudulentus\*\*\*](#) (Marat, 1877)
- camelus, [\*\*\*Nassarius camelus\*\*\*](#) (Von Martens, 1897)

- **camelus**, *Nassa camelus* Von Martens, 1897 - syn of: [\*\*\*Nassarius camelus\*\*\*](#) (Von Martens, 1897)
- **canaliculata**, [\*\*\*Zeuxis canaliculata\*\*\*](#) (Lamarck, 1822)
- **canaliculata**, *Nassa canaliculata* Koperberg, 1931 † - syn of: [\*\*\*Tritia siquijorensis\*\*\*](#) (Adams, 1852) † (**FOSSIL**)
- **canaliculata teschi**, *Zeuxis canaliculata teschi* Koperberg, 1931 † - syn of: [\*\*\*Tritia siquijorensis\*\*\*](#) (Adams, 1852) † (**FOSSIL**)
- **canaliculatus**, *Nassarius canaliculatus* Lamarck, 1822 † - syn of: [\*\*\*Tritia siquijorensis\*\*\*](#) (Adams, 1852) † (**FOSSIL**)
- **cancellata**, *Nassa cancellata* Adams, 1852 - syn of: [\*\*\*Nassarius jonasii\*\*\*](#) (Dunker, 1846)
- **cancellata**, *Nassa cancellata* Mörch, 1853 - syn of: [\*\*\*Tritia reticulata\*\*\*](#) (Linnaeus, 1758)
- **cancellata**, *Nassa cancellata* Von Martens, 1870 - syn of: [\*\*\*Tritia reticulata\*\*\*](#) (Linnaeus, 1758)
- **candeanus**, [\*\*\*Antillophos candeanus\*\*\*](#) (D'Orbigny, 1842)
- **candei**, [\*\*\*Antillophos candei\*\*\*](#) (D'Orbigny, 1842)
- **candei gatunensis**, [\*\*\*Antillophos candei gatunensis\*\*\*](#) (Toula, 1909) † (**FOSSIL**)
- **candens**, [\*\*\*Nassarius candens\*\*\*](#) (Hinds, 1844)
- **candens**, *Nassa candens* Hinds, 1844 - syn of: [\*\*\*Nassarius candens\*\*\*](#) (Hinds, 1844)
- **candida**, *Nassarius candida* Coen, 1937 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- **candidissima**, [\*\*\*Phrontis candidissima\*\*\*](#) (Adams, 1845)
- **canescens**, *Nassa canescens* Adams, 1852 - syn of: [\*\*\*Phrontis pagoda\*\*\*](#) (Reeve, 1844)
- **canescens**, *Nassa canescens* Adams, 1852 - syn of: [\*\*\*Phrontis pagoda\*\*\*](#) (Reeve, 1844)
- **capensis**, [\*\*\*Nassarius capensis\*\*\*](#) (Dunker, 1846)
- **capensis**, *Bullia capensis* Euthyme, 1885 - syn of: [\*\*\*Bullia digitalis\*\*\*](#) (Dilwyn, 1817)
- **capillaris**, [\*\*\*Nassarius capillaris\*\*\*](#) (Watson, 1882)
- **cara**, *Nassa cara* Plsby & Olsönn, 1941 - syn of: [\*\*\*Nassarius gemmulus\*\*\*](#) (Adams, 1852)
- **caribbensis**, [\*\*\*Metaphos caribbensis\*\*\*](#) Landau, Da Silva & Heitz, 2016 † (**FOSSIL**)
- **carinata**, *Cyclope carinata* Coen, 1933 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- **carinata**, *Nassa carinata* Turton, 1932 - syn of: [\*\*\*Nassarius quantulus\*\*\*](#) (Gould, 1860)
- **casta**, [\*\*\*Tritia casta\*\*\*](#) (Gould, 1850)
- **casta**, *Nassa casta* Gould, 1850 - syn of: [\*\*\*Tritia casta\*\*\*](#) (Gould, 1850)
- **castus**, *Nassarius castus* Auct. non Gould, 1850 - syn of: [\*\*\*Nassarius multivocus\*\*\*](#) Kool, 2008
- **castus vitiensis**, *Nassarius castus* vitiensis Hombron & Jacquinot, 1848 † - syn of: [\*\*\*Nassarius vitiensis\*\*\*](#) (Hombron & Jacquinot, 1848) † (**FOSSIL**)
- **catallus**, [\*\*\*Nassarius catallus\*\*\*](#) (Dall, 1908)
- **cataphracta**, [\*\*\*Bullia cataphracta\*\*\*](#) Kilburn, 1978
- **cautleyi**, [\*\*\*Zeuxis cautleyi\*\*\*](#) (d'Archiac & Haime, 1854) † (**FOSSIL**)
- **cebuensis**, *Nassa cebuensis* Sowerby, 1901 - syn of: [\*\*\*Nassarius pupinooides\*\*\*](#) (Reeve, 1853)
- **celebensis**, [\*\*\*Nassarius celebensis\*\*\*](#) (Schepman, 1907)
- **celebensis mantjeuriensis**, *Nassarius celebensis* mantjeuriensis Oostingh, 1939 - syn of: [\*\*\*Nassarius teretiusculus\*\*\*](#) (Adams, 1852)
- **cercadensis**, [\*\*\*Tritia cercadensis\*\*\*](#) (Maury, 1917) † (**FOSSIL**)
- **ceritensis**, *Nassa ceritensis* Arnold, 1903 - syn of: [\*\*\*Nassarius cerritensis\*\*\*](#) (Arnold, 1903)
- **cernohorskyi**, [\*\*\*Cyllene cernohorskyi\*\*\*](#) Fernandes & Röhl, 1992
- **cernohorskyi**, [\*\*\*Nassarius cernohorskyi\*\*\*](#) Kool, 2005
- **ceroplasta**, [\*\*\*Bullia ceroplasta\*\*\*](#) Melvill, 1898
- **cerotina**, *Nassa cerotina* Adams, 1852 - syn of: [\*\*\*Nassarius capensis\*\*\*](#) (Dunker, 1846)
- **cerritensis**, [\*\*\*Nassarius cerritensis\*\*\*](#) (Arnold, 1903)
- **chazaliei**, [\*\*\*Antillophos chazaliei\*\*\*](#) (Dautzenberg, 1900)
- **chelonia**, *Phos chelonia* Dall, 1917 - syn of: [\*\*\*Metaphos laevigatus\*\*\*](#) (Adams, 1851)
- **chiereghinii**, [\*\*\*Nassarius chiereghinii\*\*\*](#) (Belardi, 1882) † (**FOSSIL**)
- **chipolana**, [\*\*\*Pallacera chipolana\*\*\*](#) (Dall, 1896) † (**FOSSIL**)
- **chipolanus**, *Phos chipolanus* Dall, 1896 † - syn of: [\*\*\*Pallacera chipolana\*\*\*](#) (Dall, 1896) † (**FOSSIL**)
- **chira**, [\*\*\*Tritaria chira\*\*\*](#) Olsson, 1931 † (**FOSSIL**)
- **chitanii**, [\*\*\*Bullia chitanii\*\*\*](#) Yokoyama, 1926 † (**FOSSIL**)
- **chlorus**, *Nassarius chlorus* Watson, 1886 - syn of: [\*\*\*Nassarius algidus\*\*\*](#) (Reeve, 1853)
- **chowanensis**, [\*\*\*Nassarius chowanensis\*\*\*](#) Gardner, 1943 † (**FOSSIL**)
- **cinctlis**, [\*\*\*Tritia cinctlis\*\*\*](#) Gardner, 1944 † (**FOSSIL**)
- **cinctella**, *Nassa cinctella* Gould, 1850 - syn of: [\*\*\*Nassarius cinctellus\*\*\*](#) (Gould, 1850)
- **cinctellus**, [\*\*\*Nassarius cinctellus\*\*\*](#) (Adams, 1852)
- **cinctellus**, [\*\*\*Nassarius cinctellus\*\*\*](#) (Gould, 1850)
- **cinerea**, *Bullia cinerea* Preston, 1906 - syn of: [\*\*\*Nassarius dorsatus\*\*\*](#) (Röding, 1798)
- **cingenda**, *Nassa cingenda* Marrat, 1880 † - syn of: [\*\*\*Tritia siquijorensis\*\*\*](#) (Adams, 1852) † (**FOSSIL**)
- **cinisculus**, *Nassa cinisculus* Reeve, 1853 - syn of: [\*\*\*Phrontis vibex\*\*\*](#) (Say, 1822)
- **cinnamomea**, *Nassa cinnamomea* Adams, 1852 - syn of: [\*\*\*Nassarius cinnamomeus\*\*\*](#) (Adams, 1852)
- **cinnamomeus**, [\*\*\*Nassarius cinnamomeus\*\*\*](#) (Adams, 1852)
- **circumcincta**, *Nassa circumcincta* Adams, 1852 - syn of: [\*\*\*Nassarius circumcinctus\*\*\*](#) (Adams, 1852)
- **circumeineta lactea**, *Nassarius circumcincta lactea* Pallary, 1912 - syn of: [\*\*\*Nassarius circumcinctus\*\*\*](#) (Adams, 1852)
- **circumeinetus**, [\*\*\*Nassarius circumcinctus\*\*\*](#) (Adams, 1852)
- **circumtexta**, *Nassa circumtexta* Von Martens, 1903 - syn of: [\*\*\*Nassarius vinctus\*\*\*](#) (Marrat, 1877)
- **circumtextus**, *Nassarius circumtextus* Von Martens, 1903 - syn of: [\*\*\*Nassarius vinctus\*\*\*](#) (Marrat, 1877)
- **clara**, *Nassa clara* Marrat, 1877 - syn of: [\*\*\*Nassarius clarus\*\*\*](#) (Marrat, 1877)
- **clarki**, [\*\*\*Phos crassus clarki\*\*\*](#) Smith
- **clarus**, [\*\*\*Nassarius clarus\*\*\*](#) (Marrat, 1877)
- **clathrata**, *Nassa clathrata* Lamarck, 1816 - syn of: [\*\*\*Nassarius conoidalis\*\*\*](#) (Deshayes, 1832)
- **clathratula**, *Nassa clathratula* Adams, 1852 - syn of: [\*\*\*Phrontis alba\*\*\*](#) (Say, 1826)
- **clathratus**, [\*\*\*Nassarius clathratus\*\*\*](#) (Born, 1778) † (**FOSSIL**)
- **clathratus**, *Antillophos clathratus* Kiener, 1840 - syn of: [\*\*\*Peristernia clathrata\*\*\*](#) (Valenciennes, 1840)
- **clathratus**, *Nassarius clathratus* Lamarck, 1822 - syn of: [\*\*\*Nassarius conoidalis\*\*\*](#) (Deshayes, 1832)
- **clodiensis**, *Nassa clodiensis* Coen, 1933 - syn of: [\*\*\*Nassarius nitidus\*\*\*](#) (Jeffreys, 1867)

- coalingensis, [\*Caesia coalingensis\*](#) Arnold, 1909 † (**FOSSIL**)
- cochlidium, [\*Buccinanops cochlidium\*](#) (Dillwyn, 1817)
- cochlidium gradatum, [\*Buccinanops cochlidium gradatum\*](#) Deshayes, 1844
- cockburnensis, [\*Nassarius cockburnensis\*](#) Kool & Dekker, 2006
- cocodilensis, [\*Cymatophos cocodilensis\*](#) (Hodson, 1831) † (**FOSSIL**)
- cocosensis, [\*Metaphos cocosensis\*](#) (Dal, 1896)
- collaria, Nassa collaria Adams, 1852 - syn of: [\*Nassarius scabriuscuslus\*](#) (Powys, 1835)
- collarius, [\*Nassarius collarius\*](#) (Adams, 1852)
- collaticia, Alectron collaticia Melvill & Standen, 1901 † - syn of: [\*Tritia sinusigera\*](#) (Adams, 1852) (**FOSSIL**)
- columbellata, Nassaria columbellata Dall, 1889 - syn of: [\*Metulella columbellata\*](#) (Dall, 1889)
- columbinus, [\*Nassarius columbinus\*](#) Van Dingen, Ceulemans & al., 2015 † (**FOSSIL**)
- compacta, [\*Phrontis compacta\*](#) (Angas, 1865)
- compacta, Amyclina compacta Nordsieck, 1968 † - syn of: [\*Tritia corniculum\*](#) (Oliv, 1792) † (**FOSSIL**)
- compacta benthalis, Reticunassa compacta benthalis Gabriel, 1962 - syn of: [\*Nassarius mobilis\*](#) (Hedley & May, 1908)
- companyoi, [\*Nassarius companyoi\*](#) (Fontanars, 1879) † (**FOSSIL**)
- compertus, [\*Nassarius compertus\*](#) Fernández-Garcés, Espinosa & Rolán, 1990
- complanata, [\*Phrontis complanata\*](#) (Powys, 1835)
- complanata, Nassa complanata Powys, 1835 - syn of: [\*Phrontis complanata\*](#) (Powys, 1835)
- complanata major, [\*Phrontis complanata major\*](#) (Stearns, 1894)
- compta, Nassa compta Adams, 1852 - syn of: [\*Nassarius comptus\*](#) (Adams, 1852)
- comptus, [\*Nassarius comptus\*](#) (Adams, 1852)
- comptus excellens, Nassarius comptus excellens Kuroda & Habe, 1961 - syn of: [\*Nassarius excellens\*](#) (Kuroda & Habe, 1961)
- comptus tateyamensis, Nassarius comptus tateyamensis Kuroda, 1929 - syn of: [\*Nassarius tateyamensis\*](#) Kuroda, 1929
- comtessei, Nassarius comtessei Iredale, 1929 - syn of: [\*Nassarius conoidalis\*](#) (Deshayes, 1832)
- comtessei, Nassa comtessei Iredale, 1929 - syn of: [\*Nassarius conoidalis\*](#) (Deshayes, 1832)
- conarus, [\*Nanarius parapristus conarus\*](#) Woodring (**FOSSIL**)
- concentrica, Nassa concentrica Marat, 1874 - syn of: [\*Nassarius concinnus\*](#) (Powys, 1835)
- concinna, [\*Cyllene concinna\*](#) Adams, 1851
- concinna, Nassa concinna Powys, 1835 - syn of: [\*Nassarius concinnus\*](#) (Powys, 1835)
- concinna, Nassarius concinna Powys, 1835 - syn of: [\*Nassarius concinnus\*](#) (Powys, 1835)
- concinna minor, Nassa concinna minor Schepman, 1907 - syn of: [\*Nassarius concinnus\*](#) (Powys, 1835)
- concinnus, [\*Nassarius concinnus\*](#) (Powys, 1835)
- concinnus, Zeuxis concinnus Powys, 1835 - syn of: [\*Nassarius concinnus\*](#) (Powys, 1835)
- concinus, Zeuxis concinus Powys, 1835 - syn of: [\*Nassarius concinnus\*](#) (Powys, 1835)
- concinus, Nassarius concinus Powys, 1835 - syn of: [\*Nassarius concinnus\*](#) (Powys, 1835)
- conglobata, [\*Demoulia conglobata\*](#) (Brocchi, 1814) † (**FOSSIL**)
- conglobata, Demoulia conglobata Brébon, 1964 † - syn of: [\*Demoulia pupa\*](#) (Brocchi, 1814) † (**FOSSIL**)
- congrua, [\*Nassarius congrua\*](#) (Yokoyama, 1926) † (**FOSSIL**)
- conoidalis, [\*Nassarius conoidalis\*](#) (Deshayes, 1832)
- conoidalis labordei, Nassarius conoidalis labordei Jousseau, 1929 - syn of: [\*Nassarius labordei\*](#) Jousseau in Giner Mari, 1929
- consensa, Nassa consensa Ravelen, 1861 - syn of: [\*Nassarius consensus\*](#) Ravelen, 1861
- consensa, Alectron consensa Ravelen, 1861 - syn of: [\*Nassarius consensus\*](#) Ravelen, 1861
- consensa harveyensis, Alectron consensa harveyensis Mansfield, 1930 - syn of: [\*Nassarius consensus\*](#) Ravelen, 1861
- consensa leonensis, Alectron consensa leonensis Mansfield, 1930 - syn of: [\*Nassarius consensus\*](#) Ravelen, 1861
- consensus, [\*Nassarius consensus\*](#) Ravelen, 1861
- consociata, [\*Tritia consociata\*](#) (Wood, 1848) † (**FOSSIL**)
- conspersa, [\*Tritia conspersa\*](#) (Philippi, 1849) † (**FOSSIL**)
- conspersa undulata, Amycla conspersa undulata Dautzenberg, 1890 † - syn of: [\*Tritia pfeifferi\*](#) (Philippi, 1844) † (**FOSSIL**)
- cooperi, Nassa cooperi Forbes, 1852 - syn of: [\*Nassarius mendicus\*](#) (Gould, 1850)
- coppingeri, [\*Nassarius coppingeri\*](#) (Smith, 1881)
- coppingeri miser, Nassarius coppingeri miser Dall, 1908 - syn of: [\*Nassarius miser\*](#) (Dall, 1908)
- coralligenus, [\*Nassarius coralligenus\*](#) (Pillary, 1900)
- corbis, [\*Ilyanassa corbis\*](#) Olsson, 1967 † (**FOSSIL**)
- coriolis, [\*Nassarius coriolis\*](#) Kool, 2009
- cornelliana, [\*Nassaria cornelliana\*](#) Olsson, 1914 † (**FOSSIL**)
- cornelianus, [\*Nassarius cornelianus\*](#) Olsson, 1916 † (**FOSSIL**)
- corniculata, Amycla corniculata Locard, 1886 † - syn of: [\*Tritia corniculum\*](#) (Oliv, 1792) † (**FOSSIL**)
- corniculum, [\*Tritia corniculum\*](#) (Oliv, 1792) † (**FOSSIL**)
- corniculum albomaculata, Nassarius corniculum albomaculata Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*Tritia corniculum\*](#) (Oliv, 1792) † (**FOSSIL**)
- corniculum atrata, Nassarius corniculum atrata Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*Tritia corniculum\*](#) (Oliv, 1792) † (**FOSSIL**)
- corniculum aurea, Nassarius corniculum aurea Pillary, 1900 † - syn of: [\*Tritia corniculum\*](#) (Oliv, 1792) † (**FOSSIL**)
- corniculum carneola, Nassarius corniculum carneola Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*Tritia corniculum\*](#) (Oliv, 1792) † (**FOSSIL**)
- corniculum fasciolatus, [\*Tritia corniculum fasciolatus\*](#) Hirase, 1936 † (**FOSSIL**)
- corniculum flava, [\*Tritia corniculum flava\*](#) (Marat, 1877) † (**FOSSIL**)
- corniculum flavida, Nassarius corniculum flavida Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*Tritia corniculum\*](#) (Oliv, 1792) † (**FOSSIL**)
- corniculum lineolata, Nassarius corniculum lineolata Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*Tritia corniculum\*](#) (Oliv, 1792) † (**FOSSIL**)
- corniculum minor, Nassarius corniculum minor Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*Tritia corniculum\*](#) (Oliv, 1792) † (**FOSSIL**)
- corniculum punctulata, Nassarius corniculum punctulata Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*Tritia corniculum\*](#) (Oliv, 1792) † (**FOSSIL**)
- corollaria, [\*Nassaria corollaria\*](#) Fraussen, 2006
- coromandelica, [\*Nassaria coromandelica\*](#) Smith, 1894
- coronata, Nassa coronata Bruguère, 1798 - syn of: [\*Nassarius coronatus\*](#) (Bruguère, 1789)
- coronata, Nassa coronata Nobre, 1884 - syn of: [\*Tritia reticulata\*](#) (Linnaeus, 1758)

- **coronata**, Arcularia coronata Smith, 1915 - syn of: [\*\*Nassarius aoteanus\*\*](#) Finlay, 1926
- **coronata minor**, Nassa coronata minor Dautzenberg, 1923 - syn of: [\*\*Nassarius coronatus\*\*](#) (Bruguère, 1789)
- **coronatus**, [\*\*Nassarius coronatus\*\*](#) (Bruguère, 1789)
- coronatus fasciolatus, [\*\*Nassarius coronatus fasciolatus\*\*](#) (Gronovius, 1781)
- **coronatus philippensis**, Nassarius coronatus philippensis Shuto, 1969 - syn of: [\*\*Nassarius bicallosus\*\*](#) (Smith, 1876)
- **coronula**, Nassa coronula Adams, 1852 - syn of: [\*\*Nassarius coronulus\*\*](#) (Adams, 1852)
- **coronulus**, [\*\*Nassarius coronulus\*\*](#) (Adams, 1852)
- **corpulenta**, Nassa corpulenta Adams, 1852 - syn of: [\*\*Phrontis nassiformis\*\*](#) (Lesson, 1842)
- **corrugata**, Nassa corrugata Adams, 1852 - syn of: [\*\*Nassarius perpinguis\*\*](#) (Hinds, 1844)
- **corrugatus**, [\*\*Nassarius corrugatus\*\*](#) (Brocchi, 1814) † (FOSSIL)
- **corrupta**, Nassa corrupta Locard & Caziot, 1900 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **corticata**, [\*\*Hebra corticata\*\*](#) (Adams, 1852)
- **corticata lirata**, [\*\*Hebra corticata lirata\*\*](#) (Marrat, 1874)
- **corticata nigra**, Hebra corticata nigra Hombron & Jacquinot, 1854 - syn of: [\*\*Hebra nigra\*\*](#) Hombron & Jacquinot, 1854
- **cossottii**, Nassarius cossottii Bozzetti, 2006 - syn of: [\*\*Nassarius irus\*\*](#) (Von Martens, 1880)
- **costaricensis**, [\*\*Antillophos moorei costaricensis\*\*](#) Olson (FOSSIL)
- **costata**, [\*\*Pallacera costata\*\*](#) (Gabb, 1873) † (FOSSIL)
- **costata**, Nassa costata Adams, 1852 - syn of: [\*\*Tritia casta\*\*](#) (Gould, 1850)
- **costata**, Aciculina costata Adams, 1853 - syn of: [\*\*Nassarius labiatus\*\*](#) (Adams, 1853)
- **costatus**, Phos costatus Gabb, 1873 † - syn of: [\*\*Pallacera costata\*\*](#) (Gabb, 1873) † (FOSSIL)
- **costellifera**, Nassa costellifera Adams, 1853 - syn of: [\*\*Nassarius margaritifer\*\*](#) (Dunker, 1847)
- **costulata**, Nassa costulata Brocchi, 1814 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **costulata**, Nassarius costulata Brocchi, 1814 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **costulata**, Nassa costulata Renier, 1804 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **costulata atra**, Nassa costulata atra Brusina, 1869 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **costulata castanea**, Nassa costulata castanea Brusina, 1869 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **costulata costata**, Nassa costulata costata Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **costulata erythrea**, Nassa costulata erythrea Issel, 1869 † - syn of: [\*\*Reticunassa paupera\*\*](#) (Gould, 1850) † (FOSSIL)
- **costulata flava**, Nassa costulata flava Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **costulata lanceolata**, Nassa costulata lanceolata Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **costulata pulcherrima**, Nassa costulata pulcherrima Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **costulata turgida**, Nassa costulata turgida Bucquoy, Dautzenberg & Dolfus, 1882 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **costulata zonata**, Nassa costulata zonata Brusina, 1869 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **costulatus**, Nassarius costulatus Payraudeau, 1826 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (FOSSIL)
- **coturnix**, Nassa coturnix Dunker, 1853 - syn of: [\*\*Nassarius limnaeiformis\*\*](#) (Dunker, 1847)
- **crassa**, Demoulia crassa Adams, 1853 - syn of: [\*\*Demoulia obtusata\*\*](#) (Link, 1807)
- **crassa**, Nassa crassa Philippi, 1849 - syn of: [\*\*Nassarius semisulcatus\*\*](#) (Hombron & Jacquinot, 1848)
- **crassigranosus**, [\*\*Nassarius crassigranosus\*\*](#) (Tate, 1888) † (FOSSIL)
- **crassispiralis**, [\*\*Nassarius tumidus crassispiralis\*\*](#) Voorthuysen (FOSSIL)
- **crassiuscula**, [\*\*Nassaria crassiuscula\*\*](#) (Bellardi, 1882) † (FOSSIL)
- **crassus**, [\*\*Phos crassus\*\*](#) Hinds, 1843
- **crassus**, Nassarius crassus Philippi, 1849 - syn of: [\*\*Nassarius semisulcatus\*\*](#) (Hombron & Jacquinot, 1848)
- **crassus**, Phrontis crassus Philippi, 1849 - syn of: [\*\*Nassarius semisulcatus\*\*](#) (Hombron & Jacquinot, 1848)
- **crassus clarki**, [\*\*Phos crassus clarki\*\*](#) (Smith, 1944)
- **crawfordi**, [\*\*Nassarius kochianus crawfordi\*\*](#) Sowerby
- **crawfordi**, Hima crawfordi Sowerby, 1892 - syn of: [\*\*Nassarius kochianus\*\*](#) (Dunker, 1846)
- **crebresulcatus**, [\*\*Nassarius crebresulcatus\*\*](#) (Bellardi, 1882) † (FOSSIL)
- **crebricostata**, Nassa crebricostata Schepman, 1911 - syn of: [\*\*Nassarius crebricostatus\*\*](#) (Schepman, 1911)
- **crebricostatus**, [\*\*Nassarius crebricostatus\*\*](#) (Schepman, 1911)
- **crebricostatus dilemensis**, Nassarius crebricostatus dilemensis Oostingh, 1939 † - syn of: [\*\*Nassarius idyllius\*\*](#) (Melvill & Standen, 1901) (FOSSIL)
- **crebricostulatus**, [\*\*Nassarius crebricostulatus\*\*](#) (Bellardi, 1882) † (FOSSIL)
- **crebrilineata**, Nassa crebrilineata Rousseau, 1854 - syn of: [\*\*Nassarius concinnus\*\*](#) (Powys, 1835)
- **crebristriata**, Nassa crebristriata Carpenter, 1857 - syn of: [\*\*Phrontis versicolor\*\*](#) (Adams, 1852)
- **cremata**, Nassa cremata Hinds, 1844 - syn of: [\*\*Nassarius crematus\*\*](#) Hinds, 1844
- **crematus**, [\*\*Nassarius crematus\*\*](#) Hinds, 1844
- **crenata**, Nassa crenata Hinds, 1844 - syn of: [\*\*Nassarius crematus\*\*](#) Hinds, 1844
- **crenata scutulata**, Nassa crenata scutulata Gérard Mari, 1934 - syn of: [\*\*Nassarius crematus\*\*](#) Hinds, 1844
- **crenatula**, Nassa crenatula Bruguère, 1789 - syn of: [\*\*Nassarius crenulatus\*\*](#) (Bruguère, 1792)
- **crenellifera**, Nassa crenellifera Adams, 1852 † - syn of: [\*\*Tritia siquijorensis\*\*](#) (Adams, 1852) † (FOSSIL)
- **crenelliferus**, Nassarius crenelliferus Adams, 1853 - syn of: [\*\*Nassarius margaritifer\*\*](#) (Dunker, 1847)
- **crenolirata**, Nassa crenolirata Adams, 1852 † - syn of: [\*\*Tritia siquijorensis\*\*](#) (Adams, 1852) † (FOSSIL)
- **crenoliratus**, [\*\*Nassarius crenoliratus\*\*](#) (Adams, 1852)
- **crenulata**, Nassa crenulata Lamarck, 1816 - syn of: [\*\*Nassarius scalaris\*\*](#) (Adams, 1852)
- **crenulatus**, [\*\*Nassarius crenulatus\*\*](#) (Bruguère, 1792)
- **crenulicostata**, [\*\*Reticunassa crenulicostata\*\*](#) (Shuto, 1969) † (FOSSIL)
- **cretacea**, [\*\*Keepingia cretacea\*\*](#) (Gabb, 1864) † (FOSSIL)
- **cretacea**, Colwellia cretacea Gabb, 1864 † - syn of: [\*\*Keepingia cretacea\*\*](#) (Gabb, 1864) † (FOSSIL)
- **cribaria**, Nassa cribaria Marrat, 1877 - syn of: [\*\*Nassarius concinnus\*\*](#) (Powys, 1835)
- **crispata**, Nassa crispata Marrat, 1877 - syn of: [\*\*Nassarius arcularia plicatus\*\*](#) (Röding, 1798)
- **croseana**, [\*\*Bullia croseana\*\*](#) Tapparone-Carelli, 1882
- **crosei**, [\*\*Nassarius crosei\*\*](#) Mayer, 1862) † (FOSSIL)
- **crosei**, Nassa crosei Maltzan, 1884 - syn of: [\*\*Nassarius dakarensis\*\*](#) (Fischer-Piette & Nicklés, 1946)
- **cumingiana**, [\*\*Bullia cumingiana\*\*](#) Dunker, 1857

- *cumingii*, *Nassa cumingii* Adams, 1852 - syn of: [\*\*\*Nassarius conoidalis\*\*\*](#) (Deshayes, 1832)
- *cumingii*, *Nassarius cumingii* Adams, 1870 - syn of: [\*\*\*Nassarius conoidalis\*\*\*](#) (Deshayes, 1832)
- *cumingii*, [\*\*\*Phos cumingii\*\*\*](#) Reeve, 1846
- *curta*, *Hebra curta* Gould, 1850 - syn of: [\*\*\*Hebra horrida\*\*\*](#) (Dunker, 1847)
- *cuspidatum*, [\*\*\*Phos cuspidatum\*\*\*](#) Martin, 1879 † (**FOSSIL**)
- *cussottii*, *Nassarius cussottii* Bozzetti, 2006 - syn of: [\*\*\*Nassarius irus\*\*\*](#) (Von Martens, 1880)
- *cuvieri pulcherrima*, *Nassa cuvieri pulcherrima* Bucquoy, Dautzenberg & Dolffus, 1882 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *cuvieri tenuicosta*, *Nassa cuvieri tenuicosta* Bucquoy, Dautzenberg & Dolffus, 1882 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *cuvieri turgida*, *Nassa cuvieri turgida* Bucquoy, Dautzenberg & Dolffus, 1882 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *cuvieri varicosa*, *Nassa cuvieri varicosa* Bucquoy, Dautzenberg & Dolffus, 1882 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *cuvieri*, [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *cuvieri*, *Nassa cuvierii* Payraudeau, 1826 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *cyanostoma*, [\*\*\*Phos cyanostoma\*\*\*](#) Adams, 1851
- *cyanostomus*, *Phos cyanostomus* Adams, 1850 - syn of: [\*\*\*Phos cyanostoma\*\*\*](#) Adams, 1851
- *daciae*, [\*\*\*Nassarius daciae\*\*\*](#) (Hoernes & Aulinger, 1882) † (**FOSSIL**)
- *dakarensis*, [\*\*\*Nassarius dakarensis\*\*\*](#) (Fischer-Piette & Nicklés, 1946)
- *dasynema*, [\*\*\*Tritia dasynema\*\*\*](#) Gardner, 1944 † (**FOSSIL**)
- *dautzembergi*, *Nassa dautzembergi* Giner Mari, 1928 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *dautzenbergi*, *Nassa dautzenbergi* De Gregorio, 1885 † - syn of: [\*\*\*Tritia corniculum\*\*\*](#) (Olivi, 1792) † (**FOSSIL**)
- *dealbata*, *Nassa dealbata* Adams, 1853 - syn of: [\*\*\*Nassarius pyrrhus\*\*\*](#) (Menke, 1843)
- *decussatus*, [\*\*\*Phos decussatus\*\*\*](#) (Koenen, 1872)
- *dedonderi*, [\*\*\*Antilophos dedonderi\*\*\*](#) Fraussen & Poppe, 2005
- *deforgesii*, [\*\*\*Phos deforgesii\*\*\*](#) Fraussen, 2003
- *deformis*, [\*\*\*Buccinanops deformis\*\*\*](#) (King & Broderip, 1832)
- *deformis*, *Nassarius deformis* Coen, 1933 † - syn of: [\*\*\*Tritia mutabilis\*\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- *degrangei*, [\*\*\*Nassarius degrangei\*\*\*](#) Peyrot, 1924 † (**FOSSIL**)
- *dejanira*, [\*\*\*Metaphos dejanira\*\*\*](#) (Dal, 1919)
- *dekkeri*, [\*\*\*Nassarius dekkeri\*\*\*](#) Kool, 2001
- *delicata*, *Nassa delicata* Reeve, 1854 - syn of: [\*\*\*Tritia incrassata\*\*\*](#) (Ström, 1768)
- *delicatus*, [\*\*\*Nassarius delicatus\*\*\*](#) (Adams, 1852)
- *delosi*, [\*\*\*Nassarius delosi\*\*\*](#) (Woodring, 1946)
- *delosi*, *Nassa delosi* Woodring, 1946 - syn of: [\*\*\*Nassarius delosi\*\*\*](#) (Woodring, 1946)
- *demissus*, [\*\*\*Nassarius demissus\*\*\*](#) (Yokoyama, 1923) † (**FOSSIL**)
- *denegablis*, *Nassa denegablis* Preston, 1914 - syn of: [\*\*\*Nassarius subconstrictus\*\*\*](#) (Sowerby, 1899)
- *denselineata*, [\*\*\*Tritia denselineata\*\*\*](#) (Nagao, 1928) † (**FOSSIL**)
- *densigranata*, *Nassa densigranata* Reeve, 1854 - syn of: [\*\*\*Nassarius splendidulus\*\*\*](#) Dunker, 1846
- *densigranata*, *Nassarius densigranata* Reeve, 1854 - syn of: [\*\*\*Nassarius splendidulus\*\*\*](#) Dunker, 1846
- *denticulata*, [\*\*\*Tritia denticulata\*\*\*](#) (Adams, 1852) † (**FOSSIL**)
- *dentifer*, [\*\*\*Nassarius dentifer\*\*\*](#) (Powys, 1835)
- *dentifera*, *Nassa dentifera* Powys, 1835 - syn of: [\*\*\*Nassarius dentifer\*\*\*](#) (Powys, 1835)
- *deprinsi*, [\*\*\*Antilophos deprinsi\*\*\*](#) Fraussen & Poppe, 2005
- *dermestina*, [\*\*\*Reticunassa paupera dermestina\*\*\*](#) Gould (**FOSSIL**)
- *dermestina*, *Nassarius dermestina* Gould, 1860 † - syn of: [\*\*\*Reticunassa paupera dermestina\*\*\*](#) (Gould, 1860) † (**FOSSIL**)
- *dermestina*, *Nassa dermestina* Gould, 1860 † - syn of: [\*\*\*Reticunassa paupera dermestina\*\*\*](#) (Gould, 1860) † (**FOSSIL**)
- *deserta*, [\*\*\*Pseudocominella deserta\*\*\*](#) (Solander, 1766) † (**FOSSIL**)
- *deshayesiana*, *Nassa deshayesiana* Issel, 1866 - syn of: [\*\*\*Nassarius deshayesianus\*\*\*](#) (Issel, 1866)
- *deshayesianus*, [\*\*\*Nassarius deshayesianus\*\*\*](#) (Issel, 1866)
- *deshayesii*, [\*\*\*Nassarius deshayesii\*\*\*](#) (Hombron & Jacquinot, 1848)
- *deshayesii*, *Nassa deshayesii* Drouët, 1858 - syn of: [\*\*\*Tritia incrassata\*\*\*](#) (Ström, 1768)
- *deshayesii*, *Nassa deshayesii* Rousseau, 1854 - syn of: [\*\*\*Nassarius livescens\*\*\*](#) (Philippi, 1849)
- *designata*, *Nassarius designata* Reeve, 1854 - syn of: [\*\*\*Nassarius splendidulus\*\*\*](#) Dunker, 1846
- *desmoulioides*, [\*\*\*Nassarius desmoulioides\*\*\*](#) (Sowerby, 1903)
- *desmoulioides*, *Nassa desmoulioides* Sowerby, 1903 - syn of: [\*\*\*Nassarius desmoulioides\*\*\*](#) (Sowerby, 1903)
- *desnoyersi*, [\*\*\*Cyllene desnoyersi\*\*\*](#) (Basterot, 1825) † (**FOSSIL**)
- *desnoyersi aquitanica*, *Cyllene desnoyersi aquitanica* Tournouér, 1875 † - syn of: [\*\*\*Cyllene desnoyersi\*\*\*](#) (Basterot, 1825) † (**FOSSIL**)
- *desnoyersi bisinuata*, *Cyllene desnoyersi bisinuata* Tournouér, 1875 † - syn of: [\*\*\*Cyllene desnoyersi\*\*\*](#) (Basterot, 1825) † (**FOSSIL**)
- *desnoyersi lamarcki*, *Cyllene desnoyersi lamarcki* Cernohorsky, 1975 - syn of: [\*\*\*Cyllene lamarcki\*\*\*](#) Cernohorsky, 1975
- *desorii*, [\*\*\*Keepingia desorii\*\*\*](#) (Deshayes, 1865) † (**FOSSIL**)
- *dictyola*, [\*\*\*Antilophos dictyola\*\*\*](#) (Gardner, 1944) † (**FOSSIL**)
- *dictyola*, *Nassarius dictyola* Gardner, 1944 † - syn of: [\*\*\*Antilophos dictyola\*\*\*](#) (Gardner, 1944) † (**FOSSIL**)
- *digitalis*, [\*\*\*Bullia digitalis\*\*\*](#) (Dilwyn, 1817)
- *dijki*, [\*\*\*Philindophos dijki\*\*\*](#) (Martin, 1884) † (**FOSSIL**)
- *dijki*, [\*\*\*Nassarius dijki\*\*\*](#) (Martin, 1895)
- *dijki*, *Nassa dijki* Martin, 1895 - syn of: [\*\*\*Nassarius dijki\*\*\*](#) (Martin, 1895)
- *dijki*, *Nassa dijki* Martin, 1895 - syn of: [\*\*\*Nassarius dijki\*\*\*](#) (Martin, 1895)
- *diluta*, [\*\*\*Bullia diluta\*\*\*](#) (Krauss, 1848)
- *diluta*, *Cyclonassa diluta* Coen, 1933 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- *diluta*, *Nassa diluta* Smith, 1899 - syn of: [\*\*\*Nassarius dilutus\*\*\*](#) (Smith, 1899)
- *diluta mediolaevis*, *Bullia diluta mediolaevis* Von Martens, 1874 - syn of: [\*\*\*Bullia alfredensis\*\*\*](#) Bartsch, 1915
- *dilutus*, [\*\*\*Nassarius dilutus\*\*\*](#) (Smith, 1899)
- *diminutivus*, [\*\*\*Nassarius diminutivus\*\*\*](#) (Philippi, 1887) † (**FOSSIL**)
- *dimorpha*, *Nassa dimorpha* Cossmann, 1903 - syn of: [\*\*\*Nassarius olivaceus\*\*\*](#) (Bruguière, 1789)
- *dimorphoides*, [\*\*\*Amyclina dimorphoides\*\*\*](#) Oostingh, 1935 † (**FOSSIL**)

- **dipsacoides**, *Nassarius dipsacoides* Hedley, 1907 † - syn of: [\*\*Tritia ephamilla\*\*](#) (Watson, 1882) † (**FOSSIL**)
- **dispar**, *Nassarius dispar* Adams, 1852 - syn of: [\*\*Nassarius graphiterus\*\*](#) (Hombron & Jacquinot, 1848)
- **dispar**, *Nassa dispar* Adams, 1852 - syn of: [\*\*Nassarius graphiterus\*\*](#) (Hombron & Jacquinot, 1848)
- **disparilis**, [\*\*Nassarius disparilis\*\*](#) (Smith, 1903)
- **dissimilis**, *Nassa dissimilis* Watson, 1882 † - syn of: [\*\*Tritia ephamilla\*\*](#) (Watson, 1882) † (**FOSSIL**)
- **distorta**, *Nassa distorta* Adams, 1852 - syn of: [\*\*Nassarius distortus\*\*](#) (Adams, 1852)
- **distortus**, [\*\*Nassarius distortus\*\*](#) (Adams, 1852)
- **distortus lachrymosus**, [\*\*Nassarius distortus lachrymosus\*\*](#) Reeve, 1853
- **dollfusi**, [\*\*Nassarius dollfusi\*\*](#) (Harmer, 1914) † (**FOSSIL**)
- **dominula**, *Nassa dominula* Tapparone-Carelli, 1874 - syn of: [\*\*Nassarius multigranosus\*\*](#) (Dunker, 1847)
- **donavania**, *Cyclope donavania* Riso, 1826 - syn of: [\*\*Cyclope pellucida\*\*](#) Riso, 1826
- **donovani**, *Cyclope donovani* Riso, 1826 - syn of: [\*\*Cyclope pellucida\*\*](#) Riso, 1826
- **donovania**, *Cyclope donovania* Riso, 1826 - syn of: [\*\*Cyclope pellucida\*\*](#) Riso, 1826
- **donovania**, *Nana donovania* Riso, 1826 - syn of: [\*\*Cyclope pellucida\*\*](#) Riso, 1826
- **dorri**, [\*\*Nassodonta dorri\*\*](#) (Wattebled, 1886)
- **dorsata**, *Nassa dorsata* Röding, 1798 - syn of: [\*\*Nassarius dorsatus\*\*](#) (Röding, 1798)
- **dorsatus**, [\*\*Nassarius dorsatus\*\*](#) (Röding, 1798)
- **dorsatus**, *Zeuxis dorsatus* Röding, 1798 - syn of: [\*\*Nassarius dorsatus\*\*](#) (Röding, 1798)
- **dorsuosa**, *Nassa dorsuosa* Adams, 1852 - syn of: [\*\*Nassarius pullus\*\*](#) (Linnaeus, 1758)
- **dorsuosus**, [\*\*Nassarius dorsuosus\*\*](#) (Adams, 1852)
- **duartei**, [\*\*Buccinanops duartei\*\*](#) Klappenbach, 1961
- **dubium**, [\*\*Dorsanum dubium\*\*](#) Peyrot, 1924 † (**FOSSIL**)
- **dujardini**, [\*\*Nassarius dujardini\*\*](#) (Deshayes, 1844) † (**FOSSIL**)
- **dujardini edlaueri**, [\*\*Nassarius dujardini edlaueri\*\*](#) (BeerBisticky, 1957) † (**FOSSIL**)
- **dulcis**, *Bullia dulcis* Sowerby, 1921 - syn of: [\*\*Bulla digitalis\*\*](#) (Dillwyn, 1817)
- **dumalis**, [\*\*Phos dumalis\*\*](#) (Philippi, 1851)
- **duplicatum**, [\*\*Dorsanum duplicatum\*\*](#) (Sowerby, 1829) † (**FOSSIL**)
- **durianoides**, [\*\*Antillophos durianoides\*\*](#) Fraussen & Poppe, 2005
- **duvergieri**, [\*\*Nassarius duvergieri\*\*](#) Peyrot, 1924 † (**FOSSIL**)
- **ebenacea**, *Nassa ebenacea* Gennari, 1866 † - syn of: [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- **echinata**, *Nassa echinata* Adams, 1852 - syn of: [\*\*Nassarius echinatus\*\*](#) (Adams, 1852)
- **echinatus**, [\*\*Nassarius echinatus\*\*](#) (Adams, 1852)
- **ecstilba**, *Nassa ecstilba* Melvill & Standen, 1896 - syn of: [\*\*Nassarius ecstilbus\*\*](#) (Melvill & Standen, 1896)
- **ecstilbus**, [\*\*Nassarius ecstilbus\*\*](#) (Melvill & Standen, 1896)
- **ectyphus**, [\*\*Calophos ectyphus\*\*](#) Woodring, 1964 † (**FOSSIL**)
- **ecuadoriana**, [\*\*Tritaria ecuadoriana\*\*](#) Plisby & Olson, 1941 † (**FOSSIL**)
- **edentata**, [\*\*Tritia fortecostata edentata\*\*](#) Baldi (**FOSSIL**)
- **edlaueri**, [\*\*Nassarius dujardini edlaueri\*\*](#) BeerBisticky (**FOSSIL**)
- **edwardsi**, *Nassa edwardsi* Fischer, 1882 - syn of: [\*\*Nassarius turulosus\*\*](#) (Riso, 1826)
- **elata**, *Nassa elata* Gould, 1845 - syn of: [\*\*Nassarius elatus\*\*](#) (Gould, 1845)
- **elatus**, [\*\*Nassarius elatus\*\*](#) (Gould, 1845)
- **elegans**, [\*\*Antillophos elegans\*\*](#) (Guppy, 1866)
- **elegans**, *Phos elegans* (Guppy, 1866) - syn of: [\*\*Antillophos elegans\*\*](#) (Guppy, 1866)
- **elegans**, [\*\*Tritia elegans\*\*](#) (Sowerby, 1824) † (**FOSSIL**)
- **elegans**, *Nassa elegans* Kiener, 1834 - syn of: [\*\*Nassarius comptus\*\*](#) (Adams, 1852)
- **elegans fulgorans**, *Alectriion elegans fulgorans* Schepman, 1911 - syn of: [\*\*Nassarius javanus\*\*](#) (Schepman, 1891)
- **elegantissimus**, [\*\*Antillophos elegantissimus\*\*](#) (Hayashi & Habe, 1965)
- **elegantissimus**, [\*\*Nassarius elegantissimus\*\*](#) Shuto, 1969
- **elegantula**, *Nassa elegantula* Schepman, 1911 - syn of: [\*\*Nassarius acuminatus\*\*](#) (Marrat, 1880)
- **ellana**, *Nassarius ellana* Iredale, 1936 † - syn of: [\*\*Tritia burchardi\*\*](#) (Philippi, 1849) † (**FOSSIL**)
- **ellana**, *Parcanassa ellana* Iredale, 1936 † - syn of: [\*\*Tritia burchardi\*\*](#) (Philippi, 1849) † (**FOSSIL**)
- **elongata**, *Nassa elongata* Bucquoy, Dautzenberg & Dolfus, 1882 - syn of: [\*\*Tritia incrassata\*\*](#) (Strøm, 1768)
- **elongata**, *Nassarius elongata* Locard, 1886 † - syn of: [\*\*Tritia corniculum\*\*](#) (Olivi, 1792) † (**FOSSIL**)
- **elongata**, *Nassa elongata* Marrat, 1874 - syn of: [\*\*Tritia casta\*\*](#) (Gould, 1850)
- **elongatula**, *Nassa elongatula* Locard, 1886 † - syn of: [\*\*Tritia pygmaea\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- **elongatus**, [\*\*Antillophos elongatus\*\*](#) Landau, Da Silva & Heitz, 2016 † (**FOSSIL**)
- **emarginata**, *Aciculina emarginata* Deshayes, 1861 † - syn of: [\*\*Murchisonella emarginata\*\*](#) (Deshayes, 1861) † (**FOSSIL**)
- **emilyae**, [\*\*Nassarius emilyae\*\*](#) Moolenbeek & Dekker, 1994
- **emilyae**, [\*\*Trajana emilyae\*\*](#) Petuch, 1994 † (**FOSSIL**)
- **emilyae somaliensis**, [\*\*Nassarius emilyae somaliensis\*\*](#) Moolenbeek & Dekker, 1994
- **emilyokesae**, [\*\*Neoteron emilyokesae\*\*](#) Landau & Marques da Silva, 2010 † (**FOSSIL**)
- **encaustica**, *Nassa encaustica* Brusina, 1869 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- **eniwetokensis**, [\*\*Nassarius eniwetokensis\*\*](#) Ladd, 1977 † (**FOSSIL**)
- **ennurensis**, *Nassa ennurensis* Preston, 1919 - syn of: [\*\*Nassarius orissaensis\*\*](#) (Preston, 1914)
- **ennurensis depauperata**, *Nassa ennurensis depauperata* Annandale & Prashad, 1919 - syn of: [\*\*Nassarius orissaensis\*\*](#) (Preston, 1914)
- **enzoi**, [\*\*Nassarius enzoi\*\*](#) Bozzetti, 2007
- **ephamilla**, [\*\*Tritia ephamilla\*\*](#) (Watson, 1882) † (**FOSSIL**)
- **ephamillos**, *Cryptonassarius ephamillos* Hedley, 1907 † - syn of: [\*\*Tritia ephamilla\*\*](#) (Watson, 1882) † (**FOSSIL**)
- **eranea**, *Alectriion eranea* Melvill & Standen, 1901 - syn of: [\*\*Nassarius obesus\*\*](#) (Nevill & Nevill, 1875)
- **erecta**, *Nassa erecta* Turton, 1932 - syn of: [\*\*Nassarius capensis\*\*](#) (Dunker, 1846)
- **erectus**, [\*\*Engoniophos erectus\*\*](#) (Guppy, 1874) † (**FOSSIL**)
- **erentoezae**, [\*\*Nassarius erentoezae\*\*](#) Landau & al., 2013 † (**FOSSIL**)
- **erunalae**, [\*\*Nassarius erunalae\*\*](#) Landau & al., 2013 † (**FOSSIL**)

- erymnus, [\*\*\*Cymatophos veatchi erymnus\*\*\*](#) Woodring (**FOSSIL**)
- erythraea, [\*\*\*Tritia erythraea\*\*\*](#) (IsSEL, 1869) † (**FOSSIL**)
- erytreus, Nassarius erythreus (IsSEL, 1869) † - syn of: [\*\*\*Tritia erythraea\*\*\*](#) (IsSEL, 1869) † (**FOSSIL**)
- esmeraldensis, [\*\*\*Gordanops esmeraldensis\*\*\*](#) Olson, 1964 † (**FOSSIL**)
- estrellensis, [\*\*\*Antillophos estrellensis\*\*\*](#) (Olsson, 1922) † (**FOSSIL**)
- eucomista, Nassarius eucomista Melvill & Standen, 1897 - syn of: [\*\*\*Nassarius crematus\*\*\*](#) Hinds, 1844
- eucosmia, Nassarius eucosmia Turton, 1932 - syn of: [\*\*\*Nassarius kochianus\*\*\*](#) (Dunker, 1846)
- euglypta, Nassarius euglypta Sowerby, 1914 - syn of: [\*\*\*Nassarius euglyptus\*\*\*](#) (Sowerby, 1914)
- euglyptus, [\*\*\*Nassarius euglyptus\*\*\*](#) (Sowerby, 1914)
- europaea, [\*\*\*Nassaria europaea\*\*\*](#) Lozouet, 2015
- eurostus, [\*\*\*Nassarius eurostus\*\*\*](#) (Fontannes, 1879) † (**FOSSIL**)
- eusulcatus, [\*\*\*Nassarius eusulcatus\*\*\*](#) (Sowerby, 1902)
- ectacta, Nassarius ectacta Locard, 1887 † - syn of: [\*\*\*Tritia pygmaea\*\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- evanescens, [\*\*\*Dorsanum evanescens\*\*\*](#) Peyrot, 1925 † (**FOSSIL**)
- evergladesensis, [\*\*\*Scalanassa evergladesensis\*\*\*](#) Petuch, 1994 † (**FOSSIL**)
- exarscus, Nassarius exarscus Dal, 1908 - syn of: [\*\*\*Nassarius exsarcus\*\*\*](#) (Dal, 1908)
- excellens, [\*\*\*Nassarius excellens\*\*\*](#) (Kuroda & Habe, 1961)
- exigua, Nassarius exigua Hombron & Jacquinot, 1848 - syn of: [\*\*\*Hebra oberwimmeri\*\*\*](#) (Preston, 1907)
- exilis, [\*\*\*Nassarius exilis\*\*\*](#) (Powys, 1835)
- eximia, Nassarius eximia Adams, 1872 - syn of: [\*\*\*Nassarius eximius\*\*\*](#) (Adams, 1872)
- eximia, Nassarius eximia Adams, 1872 - syn of: [\*\*\*Nassarius eximius\*\*\*](#) (Adams, 1872)
- eximius, [\*\*\*Nassarius eximius\*\*\*](#) (Adams, 1872)
- exquisita, [\*\*\*Nassaria exquisita\*\*\*](#) Fraussen & Poppe, 2007
- exsarcus, [\*\*\*Nassarius exsarcus\*\*\*](#) (Dal, 1908)
- extincteliratus, [\*\*\*Nassarius extincteliratus\*\*\*](#) (Fischer, 1927) † (**FOSSIL**)
- exulatus, [\*\*\*Nassarius exulatus\*\*\*](#) (Smith, 1911)
- facki, [\*\*\*Nassarius facki\*\*\*](#) (Koenen, 1872) † (**FOSSIL**)
- falconeri, [\*\*\*Nassarius falconeri\*\*\*](#) d'Archiac & Haime, 1850 † (**FOSSIL**)
- falsus, [\*\*\*Nassarius falsus\*\*\*](#) (Casey, 1903) † (**FOSSIL**)
- fargoi, Nassarius fargoi Olson & Harbison, 1953 - syn of: [\*\*\*Nassarius consensus\*\*\*](#) Ravenel, 1861
- fasciata, Nassarius fasciata Chemnitz, 1780 - syn of: [\*\*\*Nassarius stolatus\*\*\*](#) (Gmelin, 1791)
- fasciata, Cyclonassa fasciata Coen, 1933 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- fasciata, Nassarius fasciata Lamarck, 1822 - Syn of: [\*\*\*Nassarius pyrrhus\*\*\*](#) (Menke, 1843)
- fasciata, Nassarius fasciata Mörch, 1852 - syn of: [\*\*\*Nassarius stolatus\*\*\*](#) (Gmelin, 1791)
- fasciatus, [\*\*\*Antillophos fasciatus\*\*\*](#) (Adams, 1853)
- fasciolatus, Phos fasciolatus Dall, 1896 † - syn of: [\*\*\*Pallacera quadelupensis\*\*\*](#) (Petit, 1852) † (**FOSSIL**)
- fasciolatus, [\*\*\*Nassarius coronatus fasciolatus\*\*\*](#) Gronovius
- fasciolatus, [\*\*\*Tritia corniculum fasciolatus\*\*\*](#) Hirase (**FOSSIL**)
- fenestratus, Nassarius fenestratus Marrat, 1877 - syn of: [\*\*\*Nassarius fenistratus\*\*\*](#) (Marrat, 1877)
- fenestratus gestroi, Nassarius fenestratus gestroi Bisacchi, 1930 - syn of: [\*\*\*Nassarius fenistratus\*\*\*](#) (Marrat, 1877)
- fenistratus, [\*\*\*Nassarius fenistratus\*\*\*](#) (Marrat, 1877)
- fennemai, [\*\*\*Nassarius fennemai\*\*\*](#) Oostingh, 1939 † (**FOSSIL**)
- fenwicki, [\*\*\*Nassarius fenwicki\*\*\*](#) Kilburn, 1972
- ferruginea, Nassarius ferruginea Marrat, 1880 - syn of: [\*\*\*Nassarius reeveanus\*\*\*](#) (Dunker, 1847)
- ferrusaci alexandrina, Nassarius ferrusaci alexandrina Pallary, 1912 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- ferussaci, Nassarius ferussaci Auct. non Payraudeau, 0 † - syn of: [\*\*\*Tritia caboverdensis\*\*\*](#) (Rolán, 1984) † (**FOSSIL**)
- ferussaci alexandrina, Nassarius ferussaci alexandrina Pallary, 1912 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- ferussaci arcuata, Nassarius ferussaci arcuata Pallary, 1904 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- ferussaci claudoni, Nassarius ferussaci claudoni Pallary, 1906 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- ferussaci exigua, Nassarius ferussaci exigua Pallary, 1904 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- ferussaci pallaryi, Nassarius ferussaci pallaryi Koch, 1906 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- festiva, [\*\*\*Reticunassa festiva\*\*\*](#) (Powys, 1835) † (**FOSSIL**)
- festiva, Nassarius festiva Powys, 1835 † - syn of: [\*\*\*Reticunassa festiva\*\*\*](#) (Powys, 1835) † (**FOSSIL**)
- festiva, Nassarius festiva Powys, 1835 † - syn of: [\*\*\*Reticunassa festiva\*\*\*](#) (Powys, 1835) † (**FOSSIL**)
- fibula, [\*\*\*Nassaria fibula\*\*\*](#) Fraussen & Stahlschmidt, 2008
- ficaratiensis, [\*\*\*Nassarius ficaratiensis\*\*\*](#) (Monterosato, 1891) † (**FOSSIL**)
- fictilis, [\*\*\*Antillophos fictilis\*\*\*](#) Maury, 1934 † (**FOSSIL**)
- fida, Nassarius fida Reeve, 1853 - syn of: [\*\*\*Nassarius fidus\*\*\*](#) (Reeve, 1853)
- fidus, [\*\*\*Nassarius fidus\*\*\*](#) (Reeve, 1853)
- filmerae, [\*\*\*Nassarius filmerae\*\*\*](#) Sowerby, 1900
- filosa, Nassarius filosa Adams, 1852 - syn of: [\*\*\*Nassarius reeveanus\*\*\*](#) (Dunker, 1847)
- filosus, [\*\*\*Nassarius filosus\*\*\*](#) (Reeve, 1853)
- fischeri, Nassarius fischeri Dautzenberg, 1912 - syn of: [\*\*\*Nassarius fuscescens\*\*\*](#) (Dautzenberg, 1912)
- fischeri fuscescens, Nassarius fischeri fuscescens Dautzenberg, 1912 - syn of: [\*\*\*Nassarius fuscescens\*\*\*](#) (Dautzenberg, 1912)
- fissilabris, [\*\*\*Nassarius fissilabris\*\*\*](#) (Adams, 1852)
- fissilabris, Nassarius fissilabris Adams, 1852 - syn of: [\*\*\*Nassarius fissilabris\*\*\*](#) (Adams, 1852)
- flammulata, Nassarius flammulata Preston, 1909 - syn of: [\*\*\*Nassarius gayi\*\*\*](#) Kiener, 1835
- flammulata, Alectryon flammulata Schepman, 1911 - syn of: [\*\*\*Nassarius comptus\*\*\*](#) (Adams, 1852)
- flava, [\*\*\*Tritia corniculum flava\*\*\*](#) Marrat (**FOSSIL**)
- flexuosa, [\*\*\*Keepingia flexuosa\*\*\*](#) (Edwards, 1886) † (**FOSSIL**)
- flexuosa, Colwellia flexuosa Edwards, 1886 † - syn of: [\*\*\*Keepingia flexuosa\*\*\*](#) (Edwards, 1886) † (**FOSSIL**)
- flindersi, Nassarius flindersi Cotton & Godfrey, 1938 † - syn of: [\*\*\*Tritia ephamilla\*\*\*](#) (Watson, 1882) † (**FOSSIL**)
- floridana, [\*\*\*Globinassa floridana\*\*\*](#) Smith, 1936 † (**FOSSIL**)

- *floridanus*, [\*\*Phos sloani floridanus\*\*](#) Mansfield (**FOSSIL**)
- *floridensis*, Uzita floridensis Olson & Harbison, 1953 - syn of: [\*\*Phrontis alba\*\*](#) (Say, 1826)
- *fontainei*, Nassa fontainei D'Orbigny, 1841 - syn of: [\*\*Nassarius exilis\*\*](#) (Powys, 1835)
- *fontanei*, Nassa fontanei D'Orbigny, 1841 - syn of: [\*\*Nassarius exilis\*\*](#) (Powys, 1835)
- *formosus*, [\*\*Nassarius formosus\*\*](#) (Turton, 1932)
- *fortecostata*, [\*\*Tritia fortecostata\*\*](#) (Baldi, 1966) † (**FOSSIL**)
- *fortecostata edentata*, [\*\*Tritia fortecostata edentata\*\*](#) (Baldi, 1966) † (**FOSSIL**)
- *fossae*, [\*\*Nassarius fossae\*\*](#) (Preston, 1915)
- *fossata*, [\*\*Nassaria fossata\*\*](#) Kira, 1955
- *fossatus*, [\*\*Nassarius fossatus\*\*](#) (Gould, 1850)
- *foveolata*, Nassa foveolata Dunker, 1847 - syn of: [\*\*Nassarius foveolatus\*\*](#) (Dunker, 1847)
- *foveolatus*, [\*\*Nassarius foveolatus\*\*](#) (Dunker, 1847)
- *fragum*, Nassa fragum Hombron & Jacquinot, 1848 - syn of: [\*\*Nassarius gruneri\*\*](#) (Dunker, 1846)
- *fraterculus*, [\*\*Nassarius fraterculus\*\*](#) (Dunker, 1860)
- *fraterculus hiradoensis*, [\*\*Nassarius fraterculus hiradoensis\*\*](#) Pilsbry, 1904
- *fraterculus hizenensis*, [\*\*Nassarius fraterculus hizenensis\*\*](#) Pilsbry, 1904
- *fraterculus hypolius*, [\*\*Nassarius fraterculus hypolius\*\*](#) (Pilsbry, 1895)
- *fraudator*, [\*\*Nassarius fraudator\*\*](#) Cernohorsky, 1980
- *fraudulenta*, Nassa fraudulenta Marrat, 1877 - syn of: [\*\*Nassarius fraudulentus\*\*](#) (Marrat, 1877)
- *fraudulentus*, [\*\*Nassarius fraudulentus\*\*](#) (Marrat, 1877)
- *frauuseni*, [\*\*Tomlinia frauuseni\*\*](#) Thach, 2014
- *frederici*, [\*\*Nassarius frederici\*\*](#) (Melvill & Standen, 1901)
- *freemani*, [\*\*Antillophos freemani\*\*](#) Petuch, 2002
- *fretensis*, Nassa fretensis Perkins, 1869 - syn of: [\*\*Phrontis vibex\*\*](#) (Say, 1822)
- *fretorum*, [\*\*Nassarius fretorum\*\*](#) (Melvill & Standen, 1899)
- *fretorum*, Nassa fretorum Melvill & Standen, 1899 - syn of: [\*\*Nassarius fretorum\*\*](#) (Melvill & Standen, 1899)
- *frigens*, [\*\*Tritia frigens\*\*](#) (Von Martens, 1878) † (**FOSSIL**)
- *frigens*, Nassa frigens Von Martens, 1878 † - syn of: [\*\*Tritia frigens\*\*](#) (Von Martens, 1878) † (**FOSSIL**)
- *frigens malacitana*, Hinia frigens malacitana Maldonado Quiles, 1973 - syn of: [\*\*Nassarius wolffi\*\*](#) (Knudsen, 1956)
- *fufanus*, [\*\*Nassarius fufanus\*\*](#) (Fischer, 1927) † (**FOSSIL**)
- *fulleri*, Nassarius fulleri MacNeil, 1960 - Syn of: [\*\*Nassarius livescens\*\*](#) (Philippi, 1849)
- *fulva*, Nassarius fulva Ghisotti, 1986 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *furreri*, [\*\*Glyptophos furreri\*\*](#) Landau, Da Silva & Heitz, 2016 † (**FOSSIL**)
- *fusca*, Bullia fusca Craven, 1882 - syn of: [\*\*Naytia granulosa\*\*](#) (Lamarck, 1822)
- *fusca*, Nassa fusca Hombron & Jacquinot, 1848 - syn of: [\*\*Nassarius olivaceus\*\*](#) (Bruguère, 1789)
- *fusca*, Nassa fusca Rousseau, 1855 - syn of: [\*\*Nassarius olivaceus\*\*](#) (Bruguère, 1789)
- *fuscata*, [\*\*Cyllene fuscata\*\*](#) Adams, 1851
- *fuscata*, Nassa fuscata Adams, 1852 - syn of: [\*\*Nassarius stimpsonianus\*\*](#) (Adams, 1852)
- *fuscescens*, [\*\*Nassarius fuscescens\*\*](#) (Dautzenberg, 1912)
- *fuscoalba*, Nassa fuscoalba Turton, 1932 - syn of: [\*\*Nassarius kochianus\*\*](#) (Dunker, 1846)
- *fuscolineatus*, [\*\*Nassarius fuscolineatus\*\*](#) (Smith, 1875)
- *fuscolineatus*, Cryptonassarius fuscolineatus (Smith, 1875) - syn of: [\*\*Nassarius fuscolineatus\*\*](#) (Smith, 1875)
- *fucus*, Bullia fucus Gray, 1843 - syn of: [\*\*Hastula hectica\*\*](#) (Linnaeus, 1758)
- *fusiformis*, Hindsia fusiformis Martin, 1883 † - syn of: [\*\*Cantharus fusiformis\*\*](#) (Martin, 1883) † (**FOSSIL**)
- *fusiformis*, Nassaria fusiformis Sowerby, 1859 - syn of: [\*\*Nassaria pusilla\*\*](#) (Röding, 1798)
- *fusoides*, [\*\*Phos fusoides\*\*](#) (Adams, 1852)
- *gabbi*, [\*\*Phos gabbi\*\*](#) Dal, 1896 † (**FOSSIL**)
- *galerus*, [\*\*Cymatophos galerus\*\*](#) Pilsbry & Olson, 1941 † (**FOSSIL**)
- *gallandiana*, Nassa gallandiana Fischer, 1862 - syn of: [\*\*Nassarius elatus\*\*](#) (Gould, 1845)
- *gallandiana albida*, Nassa gallandiana albida Locard, 1887 - syn of: [\*\*Nassarius elatus\*\*](#) (Gould, 1845)
- *gallandiana monochroma*, Nassa gallandiana monochroma Locard, 1887 - syn of: [\*\*Nassarius elatus\*\*](#) (Gould, 1845)
- *gallegosi*, [\*\*Nassarius gallegosi\*\*](#) Strong & Hertlein, 1937
- *gangetica*, Phrontis gangetica Preston, 1904 - syn of: [\*\*Nassarius subconstrictus\*\*](#) (Sowerby, 1899)
- *gardnerae*, [\*\*Nanarius gardnerae\*\*](#) Landau, Da Silva & Heitz, 2016 † (**FOSSIL**)
- *garuda*, [\*\*Nassarius garuda\*\*](#) Kool, 2007
- *gatunensis*, [\*\*Antillophos candei gatunensis\*\*](#) Toula (**FOSSIL**)
- *gatunensis*, Antillophos gatunensis Toula, 1909 - syn of: [\*\*Antillophos candei gatunensis\*\*](#) (Toula, 1909) †
- *gaudens*, [\*\*Metaphos gaudens\*\*](#) (Hinds, 1844)
- *gaudiosa*, Nassa gaudiosa Hinds, 1844 - syn of: [\*\*Nassarius gaudiosus\*\*](#) (Hinds, 1844)
- *gaudiosus*, [\*\*Nassarius gaudiosus\*\*](#) (Hinds, 1844)
- *gaudiosus algidus*, Nassarius gaudiosus algidus Reeve, 1853 - syn of: [\*\*Nassarius algidus\*\*](#) (Reeve, 1853)
- *gaudiosus zonalis*, Nassarius gaudiosus zonalis Adams, 1852 - syn of: [\*\*Nassarius reeveanus zonalis\*\*](#) (Adams, 1852)
- *gayae*, [\*\*Nassarius gayae\*\*](#) Ernáral-Erentöz, 1958 † (**FOSSIL**)
- *gayi*, [\*\*Nassarius gayi\*\*](#) Kener, 1835
- *gemmulatus*, Phos gemmulatus Kilburn, 2000 - syn of: [\*\*Antillophos gemmulifer\*\*](#) (Kilburn, 2000)
- *gemmulatus*, Nassarius gemmulatus Lamarck, 1822 - syn of: [\*\*Nassarius conoidalis\*\*](#) (Deshayes, 1832)
- *gemmulatus variegata*, Nassarius gemmulatus variegata Adams, 1852 - syn of: [\*\*Nassarius conoidalis\*\*](#) (Deshayes, 1832)
- *gemmulatus verrucosa*, Nassarius gemmulatus verrucosa Adams, 1852 - syn of: [\*\*Nassarius conoidalis\*\*](#) (Deshayes, 1832)
- *gemmulifer*, [\*\*Antillophos gemmulifer\*\*](#) (Kilburn, 2000)
- *gemmuliferus*, [\*\*Nassarius gemmuliferus\*\*](#) (Adams, 1852)
- *gemmulosa*, Nassa gemmulosa Adams, 1852 - syn of: [\*\*Nassarius gemmulosa\*\*](#) (Adams, 1852)
- *gemmulosus*, [\*\*Nassarius gemmulosus\*\*](#) (Adams, 1852)
- *gendinganensis*, Hindsia gendinganensis Martin, 1899 - syn of: [\*\*Nassaria acuminata\*\*](#) (Reeve, 1844)

- **gendryi**, [\*\*Nassarius gendryi\*\*](#) Van Dingenen, Ceulemans & al., 2015 † ([FOSSIL](#))
- **geniculata**, *Nassa geniculata* Adams, 1852 - syn of: [\*\*Nassarius cinctellus\*\*](#) (Gould, 1850)
- **gerstenbrandti**, *Nassarius gerstenbrandti* Preston, 1908 - syn of: [\*\*Nassarius ecstibus\*\*](#) (Melvill & Standen, 1896)
- **gerstenbrandti**, *Nassa gerstenbrandti* Preston, 1908 - syn of: [\*\*Nassarius ecstibus\*\*](#) (Melvill & Standen, 1896)
- **gibba**, *Nassa gibba* Gray, 1850 † - syn of: [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † ([FOSSIL](#))
- **gibberula**, *Nassa gibberula* Marrat, 1877 † - syn of: [\*\*Tritia corniculum\*\*](#) (Olivi, 1792) † ([FOSSIL](#))
- **gibbosula**, *Nassa gibbosula* Linnaeus, 1758 - syn of: [\*\*Nassarius gibbosulus\*\*](#) (Linnaeus, 1758)
- **gibbosula minor**, *Nassarius gibbosula minor* Pallary, 1912 - syn of: [\*\*Nassarius gibbosulus\*\*](#) (Linnaeus, 1758)
- **gibbosula obscura**, *Nassarius gibbosula obscura* Pallary, 1912 - syn of: [\*\*Nassarius gibbosulus\*\*](#) (Linnaeus, 1758)
- **gibbosula syriaca**, *Nassa gibbosula syriaca* Puton, 1856 - syn of: [\*\*Nassarius gibbosulus\*\*](#) (Linnaeus, 1758)
- **gibbosuloideus**, *Nassarius gibbosuloideus* Habe & Kosuge, 1966 - syn of: [\*\*Nassarius globosus gibbosuloideus\*\*](#) (Quoy & Gaimard, 1833)
- **gibbosuloideus**, [\*\*Nassarius globosus gibbosuloideus\*\*](#) Quoy & Gaimard
- **gibbosulus**, [\*\*Nassarius gibbosulus\*\*](#) (Linnaeus, 1758)
- **gibbulosus obscura**, *Nassarius gibbulosus obscura* Pallary, 1913 - syn of: [\*\*Nassarius gibbosulus\*\*](#) (Linnaeus, 1758)
- **gibsii**, *Nassa gibbsii* Cooper, 1859 - syn of: [\*\*Nassarius mendicus\*\*](#) (Gould, 1850)
- **gigantulus**, [\*\*Nassarius gigantulus\*\*](#) Bonelli, 1840 † ([FOSSIL](#))
- **gilii**, [\*\*Nassarius gili\*\*](#) Landau & al., 2013 † ([FOSSIL](#))
- **girondica**, [\*\*Nassarius girondica\*\*](#) Peyrot, 1924 † ([FOSSIL](#))
- **glabella**, *Nassa glabella* Marrat, 1877 - syn of: [\*\*Nassarius bicallosus\*\*](#) (Smith, 1876)
- **glabrata**, *Cyllene glabrata* Adams, 1851 - syn of: [\*\*Cyllene pulchella\*\*](#) Adams & Reeve, 1850
- **glabrata**, *Nassa glabrata* Adams, 1853 - syn of: [\*\*Nassarius vittatus\*\*](#) (Adams, 1853)
- **glabratus**, [\*\*Nassarius glabratus\*\*](#) (Sowerby, 1842)
- **glabrus**, [\*\*Nassarius glabrus\*\*](#) Zhang & Zhang, 2014
- **gladysiae**, [\*\*Phos gladysiae\*\*](#) Melvill & Standen, 1901
- **glagahensis**, [\*\*Zeuxis glagahensis\*\*](#) (Oostingh, 1935) † ([FOSSIL](#))
- **glans**, [\*\*Nassarius glans\*\*](#) (Linnaeus, 1758)
- **glans**, *Demoulia glans* Röding, 1798 - syn of: [\*\*Demoulia abbreviata\*\*](#) (Gmelin, 1791)
- **glans fenwicki**, *Nassarius glans fenwicki* Kilburn, 1972 - syn of: [\*\*Nassarius fenwicki\*\*](#) Kilburn, 1972
- **glans nipponeensis**, [\*\*Nassarius glans nipponeensis\*\*](#) Kuroda & Habe, 1971
- **glans particeps**, [\*\*Nassarius glans particeps\*\*](#) (Hedley, 1915)
- **glans suturae**, [\*\*Nassarius glans suturae\*\*](#) Lamarck, 1822
- **glareosus**, [\*\*Cymatophos glareosus\*\*](#) Jung, 1971 † ([FOSSIL](#))
- **glaуca**, *Nassa glauca* Adams, 1852 - syn of: [\*\*Phrontis versicolor\*\*](#) (Adams, 1852)
- **globosa**, *Nassa globosa* Quoy & Gaimard, 1833 - syn of: [\*\*Nassarius globosus gibbosuloideus\*\*](#) (Quoy & Gaimard, 1833)
- **globosa**, *Nassarius globosa* Quoy & Gaimard, 1833 - syn of: [\*\*Nassarius globosus gibbosuloideus\*\*](#) (Quoy & Gaimard, 1833)
- **globosa**, *Nassa globosa* Sowerby, 1825 - syn of: [\*\*Demoulia abbreviata\*\*](#) (Gmelin, 1791)
- **globosus**, [\*\*Nassarius globosus\*\*](#) (Quoy & Gaimard, 1833)
- **globosus gibbosuloideus**, [\*\*Nassarius globosus gibbosuloideus\*\*](#) (Quoy & Gaimard, 1833)
- **globulina**, *Nassa globulina* Locard, 1886 † - syn of: [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † ([FOSSIL](#))
- **globulosus**, [\*\*Buccinanops globulosus\*\*](#) (Kiener, 1834)
- **glomus**, *Nassa glomus* Monterosato, 1890 - syn of: [\*\*Nassarius recidivus\*\*](#) (Von Martens, 1876)
- **glyptus**, [\*\*Engoniophos glyptus\*\*](#) Gardner, 1944 † ([FOSSIL](#))
- **golfoyaquensis**, [\*\*Calophos golfoyaquensis\*\*](#) (Maury, 1917) † ([FOSSIL](#))
- **goniopleura**, [\*\*Nassarius goniopleura\*\*](#) (Dall, 1908)
- **goreensis**, [\*\*Tritia goreensis\*\*](#) (Maltzan, 1884) † ([FOSSIL](#))
- **gossardii**, [\*\*Keepingia gossardii\*\*](#) (Nyst, 1836) † ([FOSSIL](#))
- **gracilenta**, [\*\*Cyllene gracilenta\*\*](#) (Yokoyama, 1928) † ([FOSSIL](#))
- **gracilis**, *Nassa gracilis* Pease, 1868 - syn of: [\*\*Nassarius pullus\*\*](#) (Linnaeus, 1758)
- **gracilis**, [\*\*Nassaria gracilis\*\*](#) Sowerby, 1902
- **gracilis**, *Bullia gracilis* Turton, 1932 - syn of: [\*\*Bullia pura\*\*](#) Melvill, 1885
- **gradata**, *Bullia gradata* Deshayes, 1844 - syn of: [\*\*Buccinanops cochlidium\*\*](#) (Dilwyn, 1817)
- **gradata pampeana**, *Bullia gradata pampeana* Ihering, 1907 - syn of: [\*\*Buccinanops cochlidium\*\*](#) (Dilwyn, 1817)
- **gradatum**, [\*\*Dorsanum gradatum\*\*](#) Cossmann & Peyrot, 1901 † ([FOSSIL](#))
- **gradatum**, [\*\*Buccinanops cochlidium gradatum\*\*](#) Deshayes
- **gradatum**, *Buccinanops gradatum* Deshayes, 1844 - Syn of: [\*\*Buccinanops cochlidium gradatum\*\*](#) Deshayes, 1844
- **grammatus**, [\*\*Caesia grammatus\*\*](#) Dall, 1917 † ([FOSSIL](#))
- **grana**, [\*\*Tritia grana\*\*](#) (Lamarck, 1822) † ([FOSSIL](#))
- **granifer**, *Nassarius granifer* Kiener, 1834 - syn of: [\*\*Nassarius graniferus\*\*](#) (Kiener, 1834)
- **granifera**, [\*\*Ilyanassa granifera\*\*](#) Conrad, 1868 † ([FOSSIL](#))
- **granifera**, *Nassa granifera* Kiener, 1834 - syn of: [\*\*Nassarius graniferus\*\*](#) (Kiener, 1834)
- **graniferus**, [\*\*Nassarius graniferus\*\*](#) (Kiener, 1834)
- **graniformis**, *Nassa graniformis* Locard, 1886 † - syn of: [\*\*Tritia grana\*\*](#) (Lamarck, 1822) † ([FOSSIL](#))
- **granosa**, [\*\*Nassaria granosa\*\*](#) Sowerby, 1840 † ([FOSSIL](#))
- **granosocostata**, *Nassa granosocostata* Schepman, 1911 - syn of: [\*\*Nassarius livescens\*\*](#) (Philippi, 1849)
- **granulatus**, [\*\*Nassarius granulatus\*\*](#) J. de C. Sowerby, 1815 † ([FOSSIL](#))
- **granulifera**, *Nassarius granulifera* Kiener, 1834 - syn of: [\*\*Nassarius graniferus\*\*](#) (Kiener, 1834)
- **granulosa**, [\*\*Naytia granulosa\*\*](#) (Lamarck, 1822)
- **granulosa**, *Bullia granulosa* Lamarck, 1822 - syn of: [\*\*Naytia granulosa\*\*](#) (Lamarck, 1822)
- **granulosa**, *Nassa granulosa* Marrat, 1880 - syn of: [\*\*Nassarius splendidulus\*\*](#) Dunker, 1846
- **granum elongata**, *Nassa granum elongata* Pallary, 1900 † - syn of: [\*\*Tritia grana\*\*](#) (Lamarck, 1822) † ([FOSSIL](#))
- **granum flammulata**, *Nassarius granum flammulata* Nordsieck, 1972 - syn of: [\*\*Nassarius circumcinctus\*\*](#) (Adams, 1852)
- **granum lutea**, *Nassa granum lutea* Pallary, 1920 † - syn of: [\*\*Tritia grana\*\*](#) (Lamarck, 1822) † ([FOSSIL](#))

- **granum varicosa**, *Nassa granum varicosa* Pallary, 1900 † - syn of: [\*\*Tritia grana\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- **graphitera**, *Nassa graphitera* Beck, 1877 - syn of: [\*\*Nassarius gaudiosus\*\*](#) (Hinds, 1844)
- **graphitera**, *Nassa graphitera* Hombron & Jacquinot, 1848 - syn of: [\*\*Nassarius graphiterus\*\*](#) (Hombron & Jacquinot, 1848)
- **graphitera**, *Nassa graphitera* Rousseau, 1854 - syn of: [\*\*Nassarius graphiterus\*\*](#) (Hombron & Jacquinot, 1848)
- **graphiterus**, [\*\*Nassarius graphiterus\*\*](#) (Hombron & Jacquinot, 1848)
- **grapta**, [\*\*Nassarius grapta\*\*](#) (Gardner, 1936) † (**FOSSIL**)
- **grateloupianus**, [\*\*Antillophos grateloupianus\*\*](#) (Petit De La Saussaye, 1853)
- **gravelyi**, *Nassodonta gravelyi* Preston, 1916 - syn of: [\*\*Nassodonta insignis\*\*](#) (Adams, 1867)
- **grayi**, [\*\*Cyllene grayi\*\*](#) Reeve, 1846
- **grayi**, *Bullia grayi* Reeve, 1846 - syn of: [\*\*Bullia mauritiana\*\*](#) Gray, 1839
- **gregaria**, *Nassa gregaria* Grabau & King, 1928 - syn of: [\*\*Nassarius gregarius\*\*](#) (Grabau & King, 1928)
- **gregarius**, [\*\*Nassarius gregarius\*\*](#) (Grabau & King, 1928)
- **gregsoni**, [\*\*Phos gregsoni\*\*](#) Tate, 1888 † (**FOSSIL**)
- **grimaldii**, *Hindsia grimaldii* Dautzenberg, 1889 - syn of: [\*\*Pisanianura grimaldii\*\*](#) (Dautzenberg, 1899)
- **grueti**, *Nassarius grueti* Brébion, 1964 † - syn of: [\*\*Nassarius poteriensis\*\*](#) Van Dingenen, Ceulemans & al., 2015 † (**FOSSIL**)
- **gruneri**, [\*\*Nassarius gruneri\*\*](#) (Dunker, 1846)
- **gruneri**, *Nassa gruneri* Dunker, 1846 - syn of: [\*\*Nassarius gruneri\*\*](#) (Dunker, 1846)
- **gruveli**, [\*\*Bullia gruveli\*\*](#) (Dautzenberg, 1910)
- **gruveli**, [\*\*Nassarius gruveli\*\*](#) Adam & Knudsen, 1984
- **gruveli**, *Dorsanum gruveli* Dautzenberg, 1910 - syn of: [\*\*Bullia gruveli\*\*](#) (Dautzenberg, 1910)
- **guadalupensis**, *Engoniophos guadalupensis* Petit De La Saussaye, 1852 - syn of: [\*\*Engoniophos unicinctus\*\*](#) (Say, 1826)
- **guadalupensis**, *Pallacera guadalupensis* Petit De La Saussaye, 1852 - syn of: [\*\*Engoniophos unicinctus\*\*](#) (Say, 1826)
- **guadelupensis**, [\*\*Pallacera guadelupensis\*\*](#) (Petit, 1852) † (**FOSSIL**)
- **guadelupensis**, *Engoniophos guadelupensis* Petit De La Saussaye, 1852 - syn of: [\*\*Engoniophos unicinctus\*\*](#) (Say, 1826)
- **guaymasensis**, [\*\*Nassarius guaymasensis\*\*](#) (Pilsby & Lowe, 1932)
- **guernei**, *Nassa guernei* Locard, 1886 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- **guppyi**, [\*\*Phos guppyi\*\*](#) Gabb, 1873 † (**FOSSIL**)
- **gurabensis**, [\*\*Tritia gurabensis\*\*](#) (Maury, 1917) † (**FOSSIL**)
- **gwatkiniatus**, *Nassarius gwatkiniatus* Melvill, 1918 - syn of: [\*\*Nassarius perpinguis\*\*](#) (Hinds, 1844)
- **gyroscopoides**, [\*\*Nassaria gyroscopoides\*\*](#) Fraussen & Poppe, 2007
- **haldemani**, [\*\*Nassarius haldemani\*\*](#) (Dunker, 1847)
- **hanleyana**, *Nassa hanleyana* Marrat, 1880 - syn of: [\*\*Nassarius catallus\*\*](#) (Dall, 1908)
- **hanraveni**, [\*\*Nassarius hanraveni\*\*](#) Kool & Dekker, 2006
- **hansenae**, [\*\*Nassarius hansenae\*\*](#) Kool, 1996
- **harpularia**, [\*\*Nassarius harpularia\*\*](#) (Marrat, 1877)
- **harpularia**, *Nassa harpularia* Marrat, 1877 - syn of: [\*\*Nassarius harpularia\*\*](#) (Marrat, 1877)
- **harpuloides**, [\*\*Ilyanassa harpuloides\*\*](#) (Conrad, 1844) † (**FOSSIL**)
- **harrisii**, [\*\*Nassarius harrisii\*\*](#) (Maury, 1910) † (**FOSSIL**)
- **harryleei**, [\*\*Nassarius harryleei\*\*](#) Garcia, 2001
- **hastilis**, [\*\*Antillophos hastilis\*\*](#) Fraussen & Poppe, 2005
- **haughti**, [\*\*Phos haughti\*\*](#) Marks, 1951 † (**FOSSIL**)
- **hawleyi**, *Nassarius hawleyi* Iredale, 1936 - syn of: [\*\*Nassarius splendidulus\*\*](#) Dunker, 1846
- **hayashii**, *Zeuxis hayashii* Habe, 1961 - syn of: [\*\*Nassarius subtranslucidus\*\*](#) (Smith, 1903)
- **hayashii**, *Nassarius hayashii* Habe, 1964 - syn of: [\*\*Nassarius subtranslucidus\*\*](#) (Smith, 1903)
- **helleri**, [\*\*Nassarius helleri\*\*](#) (Giner Mari, 1929)
- **helleri**, *Nassarius helleri* Giner Mari, 1929 - syn of: [\*\*Nassarius helleri\*\*](#) (Giner Mari, 1929)
- **helvetica**, *Nassa helvetica* Peyrot, 1925 † - syn of: [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- **hemipolitus**, [\*\*Nassarius hemipolitus\*\*](#) Nomura & Zirbo, 1935 † (**FOSSIL**)
- **hepatica**, *Nassa hepatica* Montagu, 1803 - syn of: [\*\*Nassarius nitidus\*\*](#) (Jeffreys, 1867)
- **hepaticus**, [\*\*Zeuxis hepaticus\*\*](#) (Pulteney, 1799)
- **herosae**, [\*\*Nassarius herosae\*\*](#) Kool, 2005
- **hevesensis**, [\*\*Phos hevesensis\*\*](#) Baldi, 1966 † (**FOSSIL**)
- **hey nemanni**, [\*\*Tritia hey nemanni\*\*](#) (Maltzan, 1884) † (**FOSSIL**)
- **hilberi**, [\*\*Nassarius hilberi\*\*](#) (Hoernes & Aulinger, 1882) † (**FOSSIL**)
- **hillae**, [\*\*Nassaria hillae\*\*](#) Nordsieck, 1968
- **himeroesa**, *Nassarius himeroesa* Melvill & Stander, 1903 - syn of: [\*\*Nassarius himeroessa\*\*](#) (Melvill & Stander, 1903)
- **himeroessa**, [\*\*Nassarius himeroessa\*\*](#) (Melvill & Stander, 1903)
- **hiradoensis**, [\*\*Nassarius fraterculus hiradoensis\*\*](#) Pilsby
- **hiradoensis**, *Nassarius hiradoensis* Pilsby, 1904 - syn of: [\*\*Nassarius fraterculus hiradoensis\*\*](#) Pilsby, 1904
- **hirasei**, [\*\*Antillophos hirasei\*\*](#) (Sowerby, 1913)
- **hirasei**, [\*\*Nassarius hirasei\*\*](#) Kuroda & Habe, 1952
- **hirtus**, [\*\*Nassarius hirtus\*\*](#) (Kiener, 1834)
- **hispada**, *Nassa hispada* Adams, 1852 - syn of: [\*\*Nassarius gruneri\*\*](#) (Dunker, 1846)
- **hispida**, *Nassa hispida* Adams, 1852 - syn of: [\*\*Nassarius gruneri\*\*](#) (Dunker, 1846)
- **hispida**, *Nassarius hispida* Adams, 1852 - syn of: [\*\*Nassarius gruneri\*\*](#) (Dunker, 1846)
- **hizenensis**, [\*\*Nassarius fraterculus hizenensis\*\*](#) Pilsby
- **hodsoni**, [\*\*Cymatophos hodsoni\*\*](#) (Olsson, 1932) † (**FOSSIL**)
- **hoernesi**, [\*\*Phos hoernesi\*\*](#) Semper, 1861 † (**FOSSIL**)
- **hongoensis**, [\*\*Nassarius hongoensis\*\*](#) Itoigawa, 1955 † (**FOSSIL**)
- **horrida**, [\*\*Hebra horrida\*\*](#) (Dunker, 1847)
- **horridus**, *Nassarius horridus* Dunker, 1847 - syn of: [\*\*Hebra horrida\*\*](#) (Dunker, 1847)
- **hotessieri**, *Nassarius hotessieri* D'Orbigny, 1847 - syn of: [\*\*Phrontis hotessieriana\*\*](#) (D'Orbigny, 1842)
- **hotessieriana**, [\*\*Phrontis hotessieriana\*\*](#) (D'Orbigny, 1842)

- *hotessieriana*, *Nassa hotessieriana* D'Orbigny, 1842 - syn of: [\*\*\*Phrontis hotessieriana\*\*\*](#) (D'Orbigny, 1842)
- *houbricki*, [\*\*\*Nassarius houbricki\*\*\*](#) Kool & Galindo, 2014
- *howardae*, [\*\*\*Nassarius howardae\*\*\*](#) Chace, 1958
- *hugokooli*, [\*\*\*Nassarius hugokooli\*\*\*](#) Thach, 2016
- *humeratus*, [\*\*\*Nassarius humeratus\*\*\*](#) Yang & Zhang, 2011
- *humerosa*, [\*\*\*Keepingia humerosa\*\*\*](#) (Garvie, 2013) † (**FOSSIL**)
- *humerosa*, *Colwellia humerosa* Garvie, 2013 † - syn of: [\*\*\*Keepingia humerosa\*\*\*](#) (Garvie, 2013) † (**FOSSIL**)
- *hungarica*, [\*\*\*Bullia hungarica\*\*\*](#) Gábor, 1936 † (**FOSSIL**)
- *hylus*, [\*\*\*Nassarius hylus\*\*\*](#) Olsson, 1964 † (**FOSSIL**)
- *hypolius*, [\*\*\*Nassarius fraterculus hypolius\*\*\*](#) Pilslby
- *iberoclathratus*, [\*\*\*Nassarius iberoclathratus\*\*\*](#) Landau, Da Silva & Gil, 2009 † (**FOSSIL**)
- *idyllia*, *Nassa idyllia* Melvill & Standen, 1901 - syn of: [\*\*\*Nassarius idyllius\*\*\*](#) (Melvill & Standen, 1901)
- *idyllium*, [\*\*\*Antillophos idyllium\*\*\*](#) Fraussen & Poppe, 2005
- *idyllius*, [\*\*\*Nassarius idyllius\*\*\*](#) (Melvill & Standen, 1901)
- *immersa*, *Arcularia immersa* Schepman, 1911 - syn of: [\*\*\*Nassarius camelus\*\*\*](#) (Von Martens, 1897)
- *inaequicostatus*, [\*\*\*Nassarius inaequicostatus\*\*\*](#) (Bellardi, 1882) † (**FOSSIL**)
- *incerta*, [\*\*\*Nassaria incerta\*\*\*](#) (L. C. King, 1933) † (**FOSSIL**)
- *incisa*, [\*\*\*Nassaria incisa\*\*\*](#) Fraussen, 2006
- *incognita*, *Nassa incognita* Thiele, 1925 - syn of: [\*\*\*Tritia casta\*\*\*](#) (Gould, 1850)
- *incommodans*, [\*\*\*Nassarius incommodans\*\*\*](#) Peyrot, 1924 † (**FOSSIL**)
- *incongruus*, [\*\*\*Nassarius incongruus\*\*\*](#) Otuka, 1937 † (**FOSSIL**)
- *inconstans*, [\*\*\*Nassarius inconstans\*\*\*](#) (Hoernes & Auringer, 1882) † (**FOSSIL**)
- *incrassata*, [\*\*\*Tritia incrassata\*\*\*](#) (Strøm, 1768)
- *incrassata*, *Nassa incrassata* Sowerby, 1900 - syn of: [\*\*\*Nassarius kochianus\*\*\*](#) (Dunker, 1846)
- *incrassata*, *Nassarius incrassata* Strøm, 1768 - syn of: [\*\*\*Tritia incrassata\*\*\*](#) (Strøm, 1768)
- *incrassata elongata*, *Nassa incrassata elongata* Bucquoy, Dautzenberg & Dollfus, 1882 - syn of: [\*\*\*Tritia incrassata\*\*\*](#) (Strøm, 1768)
- *incrassata major*, *Nassa incrassata major* Jeffreys, 1867 - syn of: [\*\*\*Tritia incrassata\*\*\*](#) (Strøm, 1768)
- *incrassata minor*, *Nassa incrassata minor* Jeffreys, 1867 - syn of: [\*\*\*Tritia incrassata\*\*\*](#) (Strøm, 1768)
- *incrassata simulans*, *Nassa incrassata simulans* Jeffreys, 1867 - Syn of: [\*\*\*Tritia incrassata\*\*\*](#) (Strøm, 1768)
- *incrassata varicosa*, *Nassa incrassata varicosa* Bucquoy, Dautzenberg & Dollfus, 1882 - syn of: [\*\*\*Tritia incrassata\*\*\*](#) (Strøm, 1768)
- *incrassatus*, [\*\*\*Nassarius incrassatus\*\*\*](#) (Müller, 1766) † (**FOSSIL**)
- *incrassatus*, *Nassarius incrassatus* Strøm, 1768 - syn of: [\*\*\*Tritia incrassata\*\*\*](#) (Strøm, 1768)
- *incrassatus senegalensis*, *Nassarius incrassatus senegalensis* Maltzan, 1884 † - syn of: [\*\*\*Tritia senegalensis\*\*\*](#) (Maltzan, 1884) † (**FOSSIL**)
- *indusindica*, [\*\*\*Bullia indusindica\*\*\*](#) Melvill, 1898
- *inflata*, *Nassa inflata* Locard & Caziot, 1900 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- *inflata*, *Amycla inflata* Locard, 1892 † - syn of: [\*\*\*Tritia corniculum\*\*\*](#) (Olivi, 1792) † (**FOSSIL**)
- *inflata*, *Nassarius inflata* Riss, 1826 - Syn of: [\*\*\*Aspa marginata\*\*\*](#) (Gmelin, 1791)
- *infralaevis*, [\*\*\*Tritia infralaevis\*\*\*](#) (Fischer, 1927) † (**FOSSIL**)
- *innocens*, *Nassa innocens* Thiele, 1925 - syn of: [\*\*\*Nassarius himeroessa\*\*\*](#) (Melvill & Standen, 1903)
- *inornatus*, [\*\*\*Calophos inornatus\*\*\*](#) (Gabb, 1881) † (**FOSSIL**)
- *insculpta*, *Nassa insculpta* Carpenter, 1864 - syn of: [\*\*\*Nassarius insculptus\*\*\*](#) (Carpenter, 1864)
- *insculptus*, [\*\*\*Nassarius insculptus\*\*\*](#) (Carpenter, 1864)
- *insculptus eupleura*, *Nassarius insculptus eupleura* Dall, 1917 - syn of: [\*\*\*Nassarius insculptus\*\*\*](#) (Carpenter, 1864)
- *insculptus gordanus*, *Nassarius insculptus gordanus* Hertlein & Strong, 1951 - syn of: [\*\*\*Nassarius insculptus\*\*\*](#) (Carpenter, 1864)
- *insignis*, [\*\*\*Nassodonta insignis\*\*\*](#) (Adams, 1867)
- *insignis*, *Nassarius insignis* Adams, 1867 - syn of: [\*\*\*Nassodonta insignis\*\*\*](#) (Adams, 1867)
- *insulindicus*, *Nassarius insulindicus* Oostingh, 1939 - syn of: [\*\*\*Nassarius nobilis\*\*\*](#) (Thiele, 1925)
- *insulindicus bodjogensis*, *Nassarius insulindicus bodjogensis* Oostingh, 1939 - syn of: [\*\*\*Nassarius nobilis\*\*\*](#) (Thiele, 1925)
- *intacta*, [\*\*\*Nassaria intacta\*\*\*](#) Fraussen, 2006
- *intactus*, [\*\*\*Antillophos intactus\*\*\*](#) Fraussen & Poppe, 2005
- *intastriata*, *Nassa intastriata* Conrad, 1855 - syn of: [\*\*\*Nassarius perpinguis\*\*\*](#) (Hinds, 1844)
- *integra*, [\*\*\*Bulliopsis integra\*\*\*](#) (Conrad, 1842) † (**FOSSIL**)
- *integra*, [\*\*\*Bulliopsis integra\*\*\*](#) Meek, 1864 † (**FOSSIL**)
- *interjecta*, *Nassa interjecta* Locard, 1886 - syn of: [\*\*\*Tritia incrassata\*\*\*](#) (Strøm, 1768)
- *interlirata*, *Nassa interlirata* Smith, 1876 - syn of: [\*\*\*Nassarius interliratus\*\*\*](#) (Smith, 1876)
- *interliratus*, [\*\*\*Nassarius interliratus\*\*\*](#) (Smith, 1876)
- *intermedia*, *Nassa intermedia* Dunker, 1866 - syn of: [\*\*\*Nassarius glans\*\*\*](#) (Linnaeus, 1758)
- *interstincta*, *Nassa interstincta* Marrat, 1878 - syn of: [\*\*\*Nassarius elatus\*\*\*](#) (Gould, 1845)
- *iodes*, [\*\*\*Nassarius iodes\*\*\*](#) (Dall, 1917)
- *iris*, *Nassarius iris* Von Martens, 1880 - syn of: [\*\*\*Nassarius irus\*\*\*](#) (Von Martens, 1880)
- *irregularis*, *Nassarius irregularis* Locard, 1892 - syn of: [\*\*\*Nassarius gibbosulus\*\*\*](#) (Linnaeus, 1758)
- *irrorata*, [\*\*\*Ilyanassa irrorata\*\*\*](#) (Conrad, 1863) † (**FOSSIL**)
- *irus*, [\*\*\*Nassarius irus\*\*\*](#) (Von Martens, 1880)
- *isabellei*, *Nassa isabellei* Reeve, 1853 - syn of: [\*\*\*Nassarius gemmuliferus\*\*\*](#) (Adams, 1852)
- *ischnus*, [\*\*\*Nassarius ischnus\*\*\*](#) (Melvill, 1899)
- *ischnus brunneofasciata*, *Nassarius ischnus brunneofasciata* Melvill, 1899 - syn of: [\*\*\*Nassarius ischnus\*\*\*](#) (Melvill, 1899)
- *isogramma*, [\*\*\*Ilyanassa isogramma\*\*\*](#) Dall, 1892 † (**FOSSIL**)
- *isomera*, *Nassa isomera* Locard, 1886 - Syn of: [\*\*\*Tritia reticulata\*\*\*](#) (Linnaeus, 1758)
- *isseli*, *Zeuxis isseli* Bisacchi, 1930 - syn of: [\*\*\*Nassarius haldemani\*\*\*](#) (Dunker, 1847)
- *italica*, *Nassa italica* Issel, 1869 - syn of: [\*\*\*Cyclope neritea\*\*\*](#) (Linnaeus, 1758)
- *italica*, *Nassa italica* Mayer, 1876 - syn of: [\*\*\*Nassarius cabrierensis italicus\*\*\*](#) (Mayer, 1876)
- *italicus*, [\*\*\*Nassarius cabrierensis italicus\*\*\*](#) Mayer
- *jacksonensis*, [\*\*\*Tritaria jacksonensis\*\*\*](#) , † (**FOSSIL**)

- *jacksonensis*, *Nassa jacksonensis* Quoy & Gaimard, 0 † - syn of: [\*Tritia ephamilla\*](#) (Watson, 1882) † (**FOSSIL**)
- *jacksonianus*, [\*Nassarius jacksonianus\*](#) (Quoy & Gaimard, 1833)
- *jactabundus*, [\*Nassarius jactabundus\*](#) (Melvill, 1906)
- *janschloegli*, [\*Nassarius janschloegli\*](#) Harzhauser & al., 2011 † (**FOSSIL**)
- *japonica*, *Caesia japonica* Adams, 1852 - syn of: [\*Nassarius praematuratus\*](#) (Kuroda & Habe, 1960)
- *japonica*, *Desmoulea japonica* Adams, 1853 - syn of: [\*Nassarius sufflatus\*](#) (Gould, 1860)
- *japonica*, *Nassa japonica* Lischke, 1868 - syn of: [\*Nassarius sufflatus\*](#) (Gould, 1860)
- *javana*, [\*Nassaria javana\*](#) Martin, 1879 † (**FOSSIL**)
- *javana*, *Nassa javana* Schepman, 1891 - syn of: [\*Nassarius javanus\*](#) (Schepman, 1891)
- *javanum*, [\*Dorsanum javanum\*](#) Martin, 1931 † (**FOSSIL**)
- *javanus*, [\*Nassarius javanus\*](#) (Schepman, 1891)
- *jeanmartini*, [\*Nassarius jeanmartini\*](#) Kool & Dekker, 2006
- *johni*, [\*Nassarius johni\*](#) (Monterosato, 1889)
- *johni dakarensis*, *Nassa johni dakarensis* Fischer-Piette & Nicklés, 1946 - syn of: [\*Nassarius dakarensis\*](#) (Fischer-Piette & Nicklés, 1946)
- *johnsoni*, [\*Ilyanassa johnsoni\*](#) Dall, 1892 † (**FOSSIL**)
- *jonasii*, [\*Nassarius jonasii\*](#) (Dunker, 1846)
- *jonasii*, *Nassa jonasii* Dunker, 1846 - syn of: [\*Nassarius jonasii\*](#) (Dunker, 1846)
- *jonasii*, *Parcanassa jonasii* Dunker, 1846 - syn of: [\*Nassarius jonasii\*](#) (Dunker, 1846)
- *jonasii*, *Arcularia jonasii* Dunker, 1846 - syn of: [\*Nassarius jonasii\*](#) (Dunker, 1846)
- *jonkeri*, *Hebra jonkeri* Martin, 1883 - syn of: [\*Nassarius gruneri\*](#) (Dunker, 1846)
- *jousseamei*, *Nassa jousseamei* Locard, 1886 - syn of: [\*Tritia incrassata\*](#) (Strøm, 1768)
- *jousseamei*, *Nassa jousseamei* Locard, 1886 - syn of: [\*Tritia incrassata\*](#) (Strøm, 1768)
- *jucunda*, *Nassa jucunda* Preston, 1908 - syn of: [\*Nassarius disparilis\*](#) (Smith, 1903)
- *jucunda*, [\*Bullia jucunda\*](#) Turton, 1932
- *jucundus*, *Nassarius jucundus* Preston, 1908 - syn of: [\*Nassarius disparilis\*](#) (Smith, 1903)
- *juliae*, *Nassarius juliae* Ghisotti, 1986 † - Syn of: [\*Tritia cuvierii\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *junghuhni*, [\*Nassarius junghuhni\*](#) (Martin, 1895) † (**FOSSIL**)
- *kaicherae*, [\*Nassarius kaicherae\*](#) De Jong & Coomans, 1988
- *kamiesch*, *Cyclope kamiesch* Chenu, 1859 - syn of: [\*Cyclope neritea\*](#) (Linnaeus, 1758)
- *kamischienensis* *atra*, *Cyclope kamischienensis atra* Milaschewitsch, 1916 - syn of: [\*Cyclope neritea\*](#) (Linnaeus, 1758)
- *kamischienensis* *exigua*, *Cyclope kamischienensis exigua* Milaschewitsch, 1916 - syn of: [\*Cyclope neritea\*](#) (Linnaeus, 1758)
- *kampeni*, *Nassa kampeni* Koperberg, 1931 - syn of: [\*Nassarius crebriostatus\*](#) (Schepman, 1911)
- *kampyla*, *Nassaria kampyla* Watson, 1885 - syn of: [\*Sassia kampyla\*](#) Watson, 1885
- *karinae*, [\*Phrontis karinae\*](#) (Nowell-Usticke, 1971)
- *karoroensis*, [\*Tritia karoroensis\*](#) (Maxwell, 1988) † (**FOSSIL**)
- *keenii*, *Nassa keenii* Marrat, 1877 - syn of: [\*Nassarius livescens\*](#) (Philippi, 1849)
- *kempi*, *Nassa kempi* Preston, 1916 - syn of: [\*Nassarius agapetus\*](#) (Watson, 1882)
- *kempi*, *Nassarius kempi* Preston, 1916 - syn of: [\*Nassarius agapetus\*](#) (Watson, 1882)
- *kieneri*, *Nassarius kieneri* Anton, 1838 - syn of: [\*Nassarius graphiterus\*](#) (Hombron & Jacquinot, 1848)
- *kieneri*, *Nassarius kieneri* Deshayes, 1863 - syn of: [\*Nassarius livescens\*](#) (Philippi, 1849)
- *kieneri*, *Nassa kieneri* Deshayes, 1863 - syn of: [\*Nassarius bourbonensis\*](#) Kool, 2015
- *kiiensis*, [\*Nassarius kiiensis\*](#) Kira, 1954
- *kirai*, [\*Nassaria magnifica kirai\*](#) Habe
- *kochianus*, [\*Nassarius kochianus\*](#) (Dunker, 1846)
- *kochianus crawfordi*, [\*Nassarius kochianus crawfordi\*](#) Sowerby, 1892
- *kometubus*, [\*Nassarius kometubus\*](#) Otuka, 1934 † (**FOSSIL**)
- *kondangensis*, [\*Nassarius kondangensis\*](#) (Oostingh, 1939) † (**FOSSIL**)
- *kooli*, [\*Nassarius kooli\*](#) Dekker & Dekkers, 2009
- *korytnicensis*, [\*Nassarius korytnicensis\*](#) (Baluk, 1995) † (**FOSSIL**)
- *kraussi*, *Nassa kraussi* Turton, 1932 - syn of: [\*Nassarius capensis\*](#) (Dunker, 1846)
- *kraussi*, *Bullia kraussi* Turton, 1932 - syn of: [\*Bullia pura\*](#) Melvill, 1885
- *kraussiana*, *Nassa kraussiana* Dunker, 1846 - syn of: [\*Nassarius kraussianus\*](#) (Dunker, 1846)
- *kraussianum*, *Nassa kraussianum* Dunker, 1846 - syn of: [\*Nassarius kraussianus\*](#) (Dunker, 1846)
- *kraussianus*, [\*Nassarius kraussianus\*](#) (Dunker, 1846)
- *kruizingai*, [\*Nassarius kruizingai\*](#) Oostingh, 1939 † (**FOSSIL**)
- *kueneni*, *Hinia kueneni* Koperberg, 1931 - syn of: [\*Nassarius crematus\*](#) Hinds, 1844
- *kuesteri*, *Nassa kuesteri* Krauss, 1848 - syn of: [\*Nassarius kraussianus\*](#) (Dunker, 1846)
- *kugleri*, [\*Nassarius kugleri\*](#) Landau, Da Silva & Heitz, 2016 † (**FOSSIL**)
- *kurodai*, *Hinia kurodai* Makiyama, 1927 - syn of: [\*Nassarius crematus\*](#) Hinds, 1844
- *kurodai*, *Nassa kurodai* Tomlin, 1932 - syn of: [\*Nassarius sufflatus\*](#) (Gould, 1860)
- *kurodai*, *Demoulia kurodai* Tomlin, 1932 - syn of: [\*Nassarius sufflatus\*](#) (Gould, 1860)
- *kurrachensis*, [\*Bullia kurrachensis\*](#) Angas, 1877
- *labecula*, *Nassa labecula* Adams, 1852 † - syn of: [\*Tritia burchardi\*](#) (Philippi, 1849) † (**FOSSIL**)
- *labiatus*, *Cryptonassarius labiatus* (Adams, 1853) - syn of: [\*Nassarius labiatus\*](#) (Adams, 1853)
- *labiatus*, [\*Nassarius labiatus\*](#) (Adams, 1853)
- *labida*, *Nassa labida* Reeve, 1854 - syn of: [\*Nassarius foveolatus\*](#) (Dunker, 1847)
- *labiosa*, [\*Amyclina labiosa\*](#) (J. de C. Sowerby, 1824) † (**FOSSIL**)
- *labordei*, [\*Nassarius laborei\*](#) Jousseaume in Giner Mari, 1929
- *lachrymosa*, *Nassa lachrymosa* Reeve, 1853 - syn of: [\*Nassarius distortus\*](#) (Adams, 1852)
- *lachrymosus*, [\*Nassarius distortus lachrymosus\*](#) Reeve
- *lacryma*, [\*Nassarius lacryma\*](#) Bellardi, 1882 † (**FOSSIL**)
- *lactea*, [\*Cylene lactea\*](#) Adams & Angas, 1864
- *lactea*, *Nassa lactea* Marrat, 1880 - syn of: [\*Tritia casta\*](#) (Gould, 1850)

- **lactea royana**, Cyllene lactea royana (Iredale, 1924) - syn of: [\*\*Cyllene royana\*\*](#) (Iredale, 1924)
- **laevigata**, Nassa laevigata Marrat, 1877 - syn of: [\*\*Nassarius bicallousus\*\*](#) (Smith, 1876)
- **laevigatus**, [\*\*Metaphos laevigatus\*\*](#) (Adams, 1851)
- **laevior**, Nassaria laevior Smith, 1899 - syn of: [\*\*Nassaria pusilla\*\*](#) (Röding, 1798)
- **laevis**, [\*\*Antillophos laevis\*\*](#) (Kuroda & Habe in Habe, 1961)
- **laevis**, Phos laevis Kuroda & Habe, 1961 - syn of: [\*\*Antillophos laevis\*\*](#) (Kuroda & Habe in Habe, 1961)
- **laevis**, Nassa laevis Mörch, 1852 - syn of: [\*\*Nassarius dorsatus\*\*](#) (Röding, 1798)
- **laevissima**, [\*\*Bullia laevissima\*\*](#) (Gmelin, 1791)
- **lagunitensis**, Dorsanum lagunitensis Woods, 1922 † - syn of: [\*\*Nassa lagunitensis\*\*](#) (Woods, 1922) † (**FOSSIL**)
- **lamarcki**, [\*\*Cyllene lamarcki\*\*](#) Cernohorsky, 1975
- **lamarckii**, Buccinanops lamarckii Kiener, 1834 - syn of: [\*\*Buccinanops cochlidium\*\*](#) (Dilwyn, 1817)
- **lamellilabrus**, [\*\*Nassarius lamellilabrus\*\*](#) (Nyst, 1835) † (**FOSSIL**)
- **landesi**, [\*\*Antillophos landesi\*\*](#) Marks, 1951 † (**FOSSIL**)
- **landreauensis**, [\*\*Nassarius landreauensis\*\*](#) Van Dingenen, Ceulemans & al., 2015 † (**FOSSIL**)
- **laqueorata**, [\*\*Trajana laqueorata\*\*](#) (Spieker, 1922) † (**FOSSIL**)
- **larandicus**, [\*\*Nassarius larandicus\*\*](#) Landau & al., 2013 † (**FOSSIL**)
- **lata**, [\*\*Keepingia lata\*\*](#) (Deshayes, 1865) † (**FOSSIL**)
- **lathraia**, Nassa lathraia Sturany, 1900 - syn of: [\*\*Nassarius mundus\*\*](#) (Sturany, 1900)
- **latirugatus**, [\*\*Phos latirugatus\*\*](#) Spieker, 1922 † (**FOSSIL**)
- **lauta**, Nassa lauta Marrat, 1880 - syn of: [\*\*Nassarius stimpsonianus\*\*](#) (Adams, 1852)
- **lavanonoensis**, [\*\*Nassarius lavanonoensis\*\*](#) Bozzetti, 2006
- **lawsonorum**, [\*\*Nassarius lawsonorum\*\*](#) Kübun, 2000
- **lecadrei**, Nassa lecadrei de Folin, 1867 - syn of: [\*\*Phrontis versicolor\*\*](#) (Adams, 1852)
- **lentiginosa**, Zeuxis lentiginosa Adams, 1852 - syn of: [\*\*Nassarius reeveanus\*\*](#) (Dunker, 1847)
- **lentiginosa**, Nassa lentiginosa Adams, 1852 - syn of: [\*\*Nassarius reeveanus\*\*](#) (Dunker, 1847)
- **lentiginosa punctata**, Zeuxis lentiginosa punctata Adams, 1852 - syn of: [\*\*Nassarius reeveanus\*\*](#) (Dunker, 1847)
- **lentiginosus**, Nassarius lentiginosus Adams, 1852 - syn of: [\*\*Nassarius reeveanus\*\*](#) (Dunker, 1847)
- **lentiginosus**, Zeuxis lentiginosus Adams, 1852 - syn of: [\*\*Nassarius reeveanus\*\*](#) (Dunker, 1847)
- **leptospira**, Nassa leptospira Adams, 1852 - syn of: [\*\*Nassarius bellulus\*\*](#) (Adams, 1852)
- **leptus**, [\*\*Leptarius leptus\*\*](#) Woodring, 1964 † (**FOSSIL**)
- **levis**, [\*\*Nassarius levis\*\*](#) Abbate & Cavallari, 2013
- **levukensis**, Nassa levukensis Watson, 1882 - syn of: [\*\*Tritia casta\*\*](#) (Gould, 1850)
- **liberiensis**, [\*\*Nassarius liberiensis\*\*](#) (Knudsen, 1956)
- **lilacina**, Nassa lilacina Gould, 1852 - syn of: [\*\*Nassarius gaudiosus\*\*](#) (Hinds, 1844)
- **lima**, [\*\*Nassarius lima\*\*](#) (Dilwyn, 1817)
- **limacinus**, [\*\*Nassarius limacinus\*\*](#) (Dall, 1917)
- **limata**, Nassa limata Chemnitz, 1795 - syn of: [\*\*Nassarius lima\*\*](#) (Dilwyn, 1817)
- **limata**, [\*\*Nassarius limata\*\*](#) Deshayes, 1844
- **limata**, Nassa limata Philippi, 1836 - syn of: [\*\*Nassarius lima\*\*](#) (Dilwyn, 1817)
- **limata conferta**, Nassa limata conferta Von Martens, 1876 † - syn of: [\*\*Tritia denticulata\*\*](#) (Adams, 1852) † (**FOSSIL**)
- **limata paucicostata**, Nassa limata paucicostata Prête, 1883 - syn of: [\*\*Nassarius lima\*\*](#) (Dilwyn, 1817)
- **limata robusta**, Nassa limata robusta Monterosato, 1890 - syn of: [\*\*Nassarius lima\*\*](#) (Dilwyn, 1817)
- **limatus**, Nassarius limatus Philippi, 1836 - syn of: [\*\*Nassarius lima\*\*](#) (Dilwyn, 1817)
- **limicola**, Nassa limicola Von Martens, 1870 - syn of: [\*\*Tritia reticulata\*\*](#) (Linnaeus, 1758)
- **limnaeiformis**, [\*\*Nassarius limnaeiformis\*\*](#) (Dunker, 1847)
- **limnaeiformis**, Nassarius limnaeiformis Dunker, 1847 - syn of: [\*\*Nassarius limnaeiformis\*\*](#) (Dunker, 1847)
- **lincolnensis**, [\*\*Demondia lincolnensis\*\*](#) (Anderson & Martin, 1914) † (**FOSSIL**)
- **lindae**, [\*\*Cymatophos lindae\*\*](#) Petuch, 1991 † (**FOSSIL**)
- **lineolata**, Uzita lineolata Grateloup, 1834 † - syn of: [\*\*Dorsanum lineolatum\*\*](#) (Grateloup, 1834) † (**FOSSIL**)
- **lineolata peracuta**, Uzita lineolata peracuta Peyrot, 1925 † - syn of: [\*\*Dorsanum lineolatum\*\*](#) (Grateloup, 1834) † (**FOSSIL**)
- **lineolatum**, [\*\*Dorsanum lineolatum\*\*](#) (Grateloup, 1834) † (**FOSSIL**)
- **lirata**, Nassa lirata Dunker, 1860 † - syn of: [\*\*Reticunassa festiva\*\*](#) (Powys, 1835) † (**FOSSIL**)
- **lirata**, [\*\*Hebra corticata lirata\*\*](#) Marrat
- **lirella**, Nassa lirella Reeve, 1853 - syn of: [\*\*Nassarius pauperatus\*\*](#) (Lamarck, 1822)
- **lischkei**, [\*\*Nassaria magnifica lischkei\*\*](#) Kuroda in Makiyama
- **litoralis**, [\*\*Bullia litoralis\*\*](#) Oostingh, 1933 † (**FOSSIL**)
- **liui**, [\*\*Antillophos liui\*\*](#) Zhang & Zhang, 2014
- **livescens**, [\*\*Nassarius livescens\*\*](#) (Philippi, 1849)
- **livescens**, Nassa livescens Philippi, 1849 - syn of: [\*\*Nassarius livescens\*\*](#) (Philippi, 1849)
- **livida**, Nassa livida Gray in King, 1827 - syn of: [\*\*Nassarius dorsatus\*\*](#) (Röding, 1798)
- **livida**, Bullia livida Reeve, 1846 - syn of: [\*\*Bullia vittata\*\*](#) (Linnaeus, 1767)
- **lochi**, [\*\*Nassarius lochi\*\*](#) Kool, 1996
- **locklini**, [\*\*Nassarius locklini\*\*](#) Olsson & Harbison, 1953 † (**FOSSIL**)
- **lofasi**, Panormella lofasi Costa, 1840 - syn of: [\*\*Cyclope pellucida\*\*](#) Risso, 1826
- **longoastensis**, [\*\*Nassarius longoastensis\*\*](#) (Sacco, 1890) † (**FOSSIL**)
- **lopodusae**, Nassarius lopodusae Ghisotti, 1986 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- **losquemadica**, [\*\*Nassarius losquemadica\*\*](#) Maury, 1917 † (**FOSSIL**)
- **louisi**, [\*\*Nassarius louisi\*\*](#) (Pallary, 1912)
- **lucenensis**, [\*\*Cylلنina lucenensis\*\*](#) Landau & Marquet, 1999 † (**FOSSIL**)
- **lucida**, Neritula lucida Adams & Angas, 1864 - syn of: [\*\*Callomphala lucida\*\*](#) (Adams & Angas, 1864)
- **lucida**, Zeuxis lucida Gould, 1850 - syn of: [\*\*Nassarius graphiterus\*\*](#) (Hombron & Jacquinot, 1848)
- **luctuosa**, Nassa luctuosa Adams, 1852 - syn of: [\*\*Nassarius reeveanus luctuosus\*\*](#) (Adams, 1852)
- **luctuosus**, [\*\*Nassarius reeveanus luctuosus\*\*](#) Adams

- *lucubratonis*, [\*Antillophos lucubratonis\*](#) Fraussen & Poppe, 2005
- *lugubris*, [\*Cylleene lugubris\*](#) Adams & Reeve, 1850
- *lurida*, *Zeuxis lurida* Gould, 1850 - syn of: [\*Nassarius graphiterus\*](#) (Hombron & Jacquinot, 1848)
- *lurida*, *Nassa lurida* Gould, 1850 - syn of: [\*Nassarius graphiterus\*](#) (Hombron & Jacquinot, 1848)
- *luridus*, *Nassarius luridus* Gould, 1850 - syn of: [\*Nassarius graphiterus\*](#) (Hombron & Jacquinot, 1848)
- *luteolus*, [\*Nassarius luteolus\*](#) (Smith, 1879)
- *luteostoma*, [\*Phrontis luteostoma\*](#) (Broderip & Sowerby, 1829)
- *luteostoma*, *Nassa luteostoma* Broderip & Sowerby, 1829 - syn of: [\*Phrontis luteostoma\*](#) (Broderip & Sowerby, 1829)
- *luteostoma*, *Amycla luteostoma* Coen, 1933 † - syn of: [\*Tritia corniculum\*](#) (Olivi, 1792) † (**FOSSIL**)
- *lutescens*, *Nassa lutescens* Réquier, 1848 - syn of: [\*Cyclope neritea\*](#) (Linnaeus, 1758)
- *lymneoides*, [\*Monoptygma lymneoides\*](#) (Conrad, 1833) † (**FOSSIL**)
- *lyraecostatus*, [\*Phos lyraecostatus\*](#) Tenison-Woods, 1876 † (**FOSSIL**)
- *lyraeformis*, *Nassa lyraeformis* Marrat, 1880 - syn of: [\*Nassarius livescens\*](#) (Philippi, 1849)
- *lyrata*, *Cylleene lyrata* Lamarck, 1822 - syn of: [\*Cylleene lamarcki\*](#) Cernohorsky, 1975
- *lyrata*, *Nassaria lyrata* Link, 1807 - syn of: [\*Nassaria pusilla\*](#) (Röding, 1798)
- *mabillei*, *Nassa mabillei* Locard, 1887 † - syn of: [\*Tritia cuvierii\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *maccauslandi*, [\*Nassarius maccauslandi\*](#) Cernohorsky, 1984
- *macilentus*, [\*Nassarius macilentus\*](#) (Casey, 1903) † (**FOSSIL**)
- *macrocephalus*, [\*Nassarius macrocephalus\*](#) (Schepman, 1911)
- *macrocephalus greyanus*, *Zeuxis macrocephalus greyanus* Shuto, 1969 † - syn of: [\*Tritia sinusigera\*](#) (Adams, 1852) (**FOSSIL**)
- *macrodon*, [\*Nassarius macrodon\*](#) (Brön, 1831) † (**FOSSIL**)
- *macrodon recidivus*, *Nassarius macrodon recidivus* Von Martens, 1876 - syn of: [\*Nassarius recidivus\*](#) (Von Martens, 1876)
- *maculata*, *Nassa maculata* Adams, 1853 - syn of: [\*Nassarius vittatus\*](#) (Adams, 1853)
- *madeirensis*, *Nassa madeirensis* Reeve, 1854 † - syn of: [\*Tritia cuvierii\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *madiunensis*, [\*Nassarius madiunensis\*](#) (Martin, 1895) † (**FOSSIL**)
- *madseni*, *Nassa madseni* Knudsen, 1956 - syn of: [\*Nassarius pumilio\*](#) (Smith, 1872)
- *madurensis*, [\*Nassarius madurensis\*](#) Kool, 2013
- *magna*, *Bullia magna* Haughton, 1932 - syn of: [\*Bullia annulata\*](#) (Lamarck, 1816)
- *magnifica*, [\*Nassaria magnifica\*](#) Lischke, 1871
- *magnifica kirai*, [\*Nassaria magnifica kirai\*](#) Habe, 1961
- *magnifica lischkei*, [\*Nassaria magnifica lischkei\*](#) (Kuroda in Makiyama, 1927)
- *major*, [\*Phrontis complanata major\*](#) Stearns
- *makiyamai*, [\*Antillophos makiyamai\*](#) (Kuroda, 1961)
- *maldivensis*, *Nassa maldivensis* Smith, 1903 † - syn of: [\*Tritia casta\*](#) (Gould, 1850) (**FOSSIL**)
- *mamillata*, *Nassa mamillata* Preston, 1907 † - syn of: [\*Reticunassa paupera dermestina\*](#) (Gould, 1860) † (**FOSSIL**)
- *mamillata*, *Nassa mamillata* Riso, 1826 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- *mamillata gratiosa*, *Nassa mamillata gratiosa* Monterosato, 1912 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- *mamillata lacunaris*, *Nassa mamillata lacunaris* Monterosato, 1912 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- *mamillata propria*, *Nassa mamillata propria* Monterosato, 1912 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- *mamillata syracusana*, *Nassa mamillata syracusana* Monterosato, 1912 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- *mamillata tenuisculpta*, *Nassa mamillata tenuisculpta* Monterosato, 1912 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- *mamillata tiesenhausenii*, *Nassa mamillata tiesenhausenii* Monterosato, 1912 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- *mamillata tricolor*, *Nassa mamillata tricolor* Monterosato, 1912 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- *mamillata valentina*, *Nassa mamillata valentina* Monterosato, 1912 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- *mamillifera*, *Nassarius mamillifera* Melvill, 1897 - syn of: [\*Nassarius mammilliferus\*](#) (Melvill, 1897)
- *mammillata*, [\*Tritia reticulata mammillata\*](#) Riso
- *mammillifera*, *Nassarius mammillifera* Melvill, 1897 - syn of: [\*Nassarius mammilliferus\*](#) (Melvill, 1897)
- *mammillifera hindarabica*, *Nassarius mammillifera hindarabica* Melvill & Standen, 1901 - syn of: [\*Nassarius mammilliferus\*](#) (Melvill, 1897)
- *mammilliferus*, [\*Nassarius mammilliferus\*](#) (Melvill, 1897)
- *mancietensis*, [\*Nassarius mancietensis\*](#) Peyrot, 1924 † (**FOSSIL**)
- *mandirensis*, [\*Nassarius mandirensis\*](#) Oostingh, 1939 † (**FOSSIL**)
- *mangelioides*, *Nassa mangelioides* Reeve, 1853 - syn of: [\*Nassarius jonasii\*](#) (Dunker, 1846)
- *mangkalihatensis*, [\*Nassarius mangkalihatensis\*](#) Beets, 1941 † (**FOSSIL**)
- *maracaibensis*, [\*Pallacera maracaibensis\*](#) (Weisbord, 1929) † (**FOSSIL**)
- *margaritifer*, [\*Nassarius margaritifer\*](#) (Dunker, 1847)
- *margaritifer*, *Nassa margaritifer* Dunker, 1847 - syn of: [\*Nassarius margaritifer\*](#) (Dunker, 1847)
- *margaritifer*, *Zeuxis margaritifer* Dunker, 1847 - syn of: [\*Nassarius margaritifer\*](#) (Dunker, 1847)
- *margaritifer*, *Nassarius margaritifer* Quoy & Gaimard, 1833 - syn of: [\*Nassarius margaritifer\*](#) (Dunker, 1847)
- *margaritifera*, *Nassarius margaritifera* Dunker, 1847 - syn of: [\*Nassarius margaritifer\*](#) (Dunker, 1847)
- *margaritifera*, *Nassa margaritifera* Dunker, 1847 - syn of: [\*Nassarius margaritifer\*](#) (Dunker, 1847)
- *margaritifera*, *Nassa margaritifera* Reeve, 1853 - syn of: [\*Nassarius livescens\*](#) (Philippi, 1849)
- *margaritiferus*, *Zeuxis margaritiferus* Dunker, 1847 - syn of: [\*Nassarius margaritifer\*](#) (Dunker, 1847)
- *margaritiferus costellifera*, *Nassarius margaritiferus costellifera* Adams, 1853 - syn of: [\*Nassarius margaritifer\*](#) (Dunker, 1847)
- *marginulata*, *Nassa marginulata* Reeve, 1853 - syn of: [\*Nassarius livescens\*](#) (Philippi, 1849)
- *marmorea*, *Nassa marmorea* Adams, 1852 - syn of: [\*Nassarius marmoreus\*](#) (Adams, 1852)
- *marmoreus*, [\*Nassarius marmoreus\*](#) (Adams, 1852)
- *marquesa*, *Nassarius marquesa* Gaskoin, 1851 - syn of: [\*Metanachis marquesa\*](#) (Gaskoin, 1851)
- *marrati*, *Nassarius marrati* Smith, 1876 - syn of: [\*Nassarius reeveanus\*](#) (Dunker, 1847)
- *marshallensis*, *Nassarius marshallensis* Ladd, 1977 - syn of: [\*Nassarius celebensis\*](#) (Schepman, 1907)
- *martae*, [\*Nassarius martae\*](#) Van Dingenen, Ceulemans & al, 2015 † (**FOSSIL**)
- *martensi*, *Nassa martensi* Thiele, 1925 - syn of: [\*Nassarius crematus\*](#) Hinds, 1844
- *marthae*, [\*Ilyanassa marthae\*](#) Olsson, 1967 † (**FOSSIL**)
- *martinelli*, [\*Nassarius martinelli\*](#) Gil, 1992 † (**FOSSIL**)

- *martinezii*, [\*\*\*Nassarius martinezii\*\*\*](#) Kool & Galindo, 2014
- *martinii*, [\*\*\*Bullia martinii\*\*\*](#) Gray, 1843
- *marylandica*, [\*\*\*Ilyanassa marylandica\*\*\*](#) (Martin, 1904) † (**FOSSIL**)
- *marylandica*, [\*\*\*Bulliopsis marylandica\*\*\*](#) Conrad, 1862 † (**FOSSIL**)
- *mauritiana*, [\*\*\*Bullia mauritiana\*\*\*](#) Gray, 1839
- *mayeri*, [\*\*\*Nassarius mayeri\*\*\*](#) (Bellardi, 1882) † (**FOSSIL**)
- *mediolaevis*, *Bullia mediolaevis* Von Martens, 1874 - syn of: [\*\*\*Bullia diluta\*\*\*](#) (Krauss, 1848)
- *mediterranea*, *Nassa mediterranea* Risso, 1826 † - syn of: [\*\*\*Tritia mutabilis\*\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- *mediterraneus*, *Nassarius mediterraneus* Milaschewitsch, 1909 - syn of: [\*\*\*Tritia reticulata\*\*\*](#) (Linnaeus, 1758)
- *megalocallus*, [\*\*\*Nassarius megalocallus\*\*\*](#) Adam & Knudsen, 1984
- *mekranicus*, [\*\*\*Nassarius mekranicus\*\*\*](#) (Vredenburg, 1925) † (**FOSSIL**)
- *melaleuca*, *Bullia melaleuca* Melvill, 1904 - syn of: [\*\*\*Bullia melanoides\*\*\*](#) (Deshayes, 1832)
- *melanioides*, *Nassa melanioides* Reeve, 1853 - syn of: [\*\*\*Nassarius olivaceus\*\*\*](#) (Bruguère, 1789)
- *melanoides*, [\*\*\*Bullia melanoides\*\*\*](#) (Deshayes, 1832)
- *melanoides strenaria*, [\*\*\*Bullia melanoides strenaria\*\*\*](#) (Deshayes, 1832)
- *melianoides*, *Nassa melianoides* Reeve, 1853 - syn of: [\*\*\*Nassarius olivaceus\*\*\*](#) (Bruguère, 1789)
- *melvilli*, [\*\*\*Bullia pura melvilli\*\*\*](#) Melvill
- *mendica*, *Nassa mendica* Gould, 1850 - syn of: [\*\*\*Nassarius mendicus\*\*\*](#) (Gould, 1850)
- *mendicus*, [\*\*\*Nassarius mendicus\*\*\*](#) (Gould, 1850)
- *mendicus indisputabilis*, *Nassarius mendicus indisputabilis* Oldroyd, 1927 - syn of: [\*\*\*Nassarius mendicus\*\*\*](#) (Gould, 1850)
- *merenda*, [\*\*\*Nassarius merenda\*\*\*](#) Olson, 1922 † (**FOSSIL**)
- *mergregia*, [\*\*\*Nassaria mergregia\*\*\*](#) (Reeve, 1844)
- *merlei*, [\*\*\*Nassarius merlei\*\*\*](#) Van Dingenen, Ceulemans & al., 2015 † (**FOSSIL**)
- *meta*, [\*\*\*Keepingia nodulina meta\*\*\*](#) Garvie (**FOSSIL**)
- *metuloides*, [\*\*\*Antillophos metuloides\*\*\*](#) (Dall, 1896)
- *mexicanus*, [\*\*\*Antillophos mexicanus\*\*\*](#) (Bose, 1906) † (**FOSSIL**)
- *micans*, *Zeuxis micans* Adams, 1852 - syn of: [\*\*\*Nassarius unicolor\*\*\*](#) (Hombron & Jacquinot, 1848)
- *microstoma*, *Nassa microstoma* Pease, 1860 † - syn of: [\*\*\*Reticunassa paupera\*\*\*](#) (Gould, 1850) † (**FOSSIL**)
- *miculus*, [\*\*\*Antillophos miculus\*\*\*](#) Fraussen & Poppe, 2005
- *miga*, [\*\*\*Tritia miga\*\*\*](#) (Bruguère, 1789) † (**FOSSIL**)
- *migliorinii*, [\*\*\*Cyclope migliorinii\*\*\*](#) Bevilàqua, 1928 † (**FOSSIL**)
- *minoensis*, *Nassarius minoenensis* Itoigawa, 1960 - syn of: [\*\*\*Tritia casta\*\*\*](#) (Gould, 1850)
- *minor*, *Nassa minor* Marrat, 1877 - syn of: [\*\*\*Nassarius pumilio\*\*\*](#) (Smith, 1872)
- *minor*, *Nassa minor* Marshall, 1893 - syn of: [\*\*\*Tritia reticulata\*\*\*](#) (Linnaeus, 1758)
- *minusculus*, [\*\*\*Metaphos minusculus\*\*\*](#) (Dall, 1917)
- *minuta*, *Nassaria minuta* Röding, 1798 - syn of: [\*\*\*Nassaria pusilla\*\*\*](#) (Röding, 1798)
- *minutala*, *Nassa minutala* Thiele, 1930 - syn of: [\*\*\*Nassarius celebensis\*\*\*](#) (Schepman, 1907)
- *minutula*, *Nassa minutula* Thiele, 1930 - syn of: [\*\*\*Nassarius celebensis\*\*\*](#) (Schepman, 1907)
- *minutulus*, *Nassarius minutulus* Thiele, 1930 - syn of: [\*\*\*Nassarius celebensis\*\*\*](#) (Schepman, 1907)
- *minutus*, [\*\*\*Antillophos minutus\*\*\*](#) (Schepman, 1911)
- *miocenica*, [\*\*\*Northia northiae miocenica\*\*\*](#) Olson (**FOSSIL**)
- *miqueli*, [\*\*\*Nassarius miqueli\*\*\*](#) Peyrot, 1903 † (**FOSSIL**)
- *mirabilis*, [\*\*\*Nassarius mirabilis\*\*\*](#) Bozzetti, 2007
- *miran*, [\*\*\*Dorsanum miran\*\*\*](#) (Bruguère, 1789)
- *miran*, *Bullia miran* Bruguère, 1789 - syn of: [\*\*\*Dorsanum miran\*\*\*](#) (Bruguère, 1789)
- *miran*, *Dorsanum miran* Bruguère, 1789 - syn of: [\*\*\*Dorsanum miran\*\*\*](#) (Bruguère, 1789)
- *mirepicta*, [\*\*\*Bullia mirepicta\*\*\*](#) Bozzetti, 2007
- *miriamae*, [\*\*\*Nassaria miriamae\*\*\*](#) (Dell, 1967)
- *mirostoma*, *Nassarius mirostoma* Pease, 1860 † - syn of: [\*\*\*Reticunassa paupera dermestina\*\*\*](#) (Gould, 1860) † (**FOSSIL**)
- *miser*, [\*\*\*Nassarius miser\*\*\*](#) (Dall, 1908)
- *miser*, *Nassa miser* Dall, 1908 - syn of: [\*\*\*Nassarius miser\*\*\*](#) (Dall, 1908)
- *miser iniqua*, *Nassa miser iniqua* Stewart, 1940 - syn of: [\*\*\*Nassarius copperingeri\*\*\*](#) (Smith, 1881)
- *mississippiensis*, [\*\*\*Tritaria mississippiensis\*\*\*](#) (Conrad, 1848) † (**FOSSIL**)
- *mitralis*, *Nassa mitralis* Adams, 1852 - syn of: [\*\*\*Nassarius olivaceus\*\*\*](#) (Bruguère, 1789)
- *mitralis*, *Nassarius mitralis* Adams, 1852 - syn of: [\*\*\*Nassarius olivaceus\*\*\*](#) (Bruguère, 1789)
- *mitrella*, *Nassa mitrella* De Gregorio, 1885 † - syn of: [\*\*\*Tritia corniculum\*\*\*](#) (Olivi, 1792) † (**FOSSIL**)
- *miyazakiensis*, *Nassarius miyazakiensis* Shuto, 1962 † - syn of: [\*\*\*Tritia casta\*\*\*](#) (Gould, 1850) (**FOSSIL**)
- *mobilis*, [\*\*\*Nassarius mobilis\*\*\*](#) (Hedley & May, 1908)
- *mobilis costata*, *Arcularia mobilis costata* Hedley & May, 1908 - syn of: [\*\*\*Nassarius mobilis\*\*\*](#) (Hedley & May, 1908)
- *mobilis plankta*, *Reticunassa mobilis plankta* Iredale, 1936 - syn of: [\*\*\*Nassarius mobilis\*\*\*](#) (Hedley & May, 1908)
- *modestus*, *Nassarius modestus* Milaschewitsch, 1909 - syn of: [\*\*\*Nassarius nitidus\*\*\*](#) (Jeffreys, 1867)
- *moestus*, [\*\*\*Nassarius moestus\*\*\*](#) (Hinds, 1844)
- *moestus brunneostomus*, *Nassarius moestus brunneostomus* Stearns, 1893 - syn of: [\*\*\*Nassarius brunneostomus\*\*\*](#) (Stearns, 1893)
- *monachus*, [\*\*\*Antillophos monachus\*\*\*](#) Woordring, 1964 † (**FOSSIL**)
- *monensis*, [\*\*\*Nassarius monensis\*\*\*](#) (Forbes) † (**FOSSIL**)
- *monile*, *Nassa monile* Kiener, 1834 - syn of: [\*\*\*Nassarius distortus\*\*\*](#) (Adams, 1852)
- *monilifer*, [\*\*\*Buccinanops monilifer\*\*\*](#) (Kiener, 1834)
- *monilifer*, *Buccinanops monilifer* Kiener, 1834 - syn of: [\*\*\*Buccinanops monilifer\*\*\*](#) (Kiener, 1834)
- *monilifera*, *Nassa monilifera* Coen, 1933 - syn of: [\*\*\*Nassarius nitidus\*\*\*](#) (Jeffreys, 1867)
- *moniliferum*, *Dorsanum moniliferum* Kiener, 1834 - syn of: [\*\*\*Buccinanops monilifer\*\*\*](#) (Kiener, 1834)
- *monilis*, *Nassarius monilis* Kiener, 1834 - syn of: [\*\*\*Nassarius distortus\*\*\*](#) (Adams, 1852)
- *monsecourorum*, [\*\*\*Antillophos monsecourorum\*\*\*](#) Fraussen & Poppe, 2005
- *monterosatoi*, *Amycla monterosatoi* Locard, 1886 † - syn of: [\*\*\*Tritia corniculum\*\*\*](#) (Olivi, 1792) † (**FOSSIL**)

- moolenbeeki, [\*\*Nassarius moolenbeeki\*\*](#) Kool, 1995
- moorei, [\*\*Antillophos moorei\*\*](#) (Guppy, 1866) † (**FOSSIL**)
- moorei costaricensis, [\*\*Antillophos moorei costaricensis\*\*](#) (Olsson, 1922) † (**FOSSIL**)
- moosai, [\*\*Nassaria moosai\*\*](#) Fraussen, 2006
- moranianus, [\*\*Caesia moriananus\*\*](#) Martin, 1914 † (**FOSSIL**)
- mordica, *Nassaria mordica* Hedley, 1909 - syn of: [\*\*Orania fischeriana\*\*](#) (Tapparone-Carelli, 1882)
- morleti, *Nassa morleti* Crosse, 1867 - syn of: [\*\*Nassarius fossatus\*\*](#) (Gould, 1850)
- mozambicensis, [\*\*Bullia mozambicensis\*\*](#) Smith, 1878
- mucronata, *Nassa mucronata* Adams, 1852 - syn of: [\*\*Nassarius gaudiosus\*\*](#) (Hinds, 1844)
- mucronata, *Cyclope mucronata* Locard, 1887 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- muelleri, [\*\*Nassarius muelleri\*\*](#) (Maltzan, 1884)
- muiri, *Nassa muiri* Barnard, 1959 - syn of: [\*\*Nassarius quantulus\*\*](#) (Gould, 1860)
- muiri, *Nassarius muiri* Barnard, 1959 - syn of: [\*\*Nassarius quantulus\*\*](#) (Gould, 1860)
- mukulensis, *Nassa mukulensis* Smith, 1903 - syn of: [\*\*Tritia casta\*\*](#) (Gould, 1850)
- mulachi, *Nassaria mulachi* Strelbel, 1905 - syn of: [\*\*Pareuthria michaelensi\*\*](#) (Strelbel, 1905)
- mulleri, *Nassarius mulleri* Maltzan, 1884 - syn of: [\*\*Nassarius muelleri\*\*](#) (Maltzan, 1884)
- multicostatus, [\*\*Nassarius multicostatus\*\*](#) (Adams, 1852)
- multigrana, *Nassa multigrana* Dunker, 1852 - syn of: [\*\*Nassarius multigranosus\*\*](#) (Dunker, 1847)
- multigranosus, [\*\*Nassarius multigranosus\*\*](#) (Dunker, 1847)
- multigranosus, *Zeuxis multigranosus* Habe, 1960 - syn of: [\*\*Nassarius multigranosus\*\*](#) (Dunker, 1847)
- multiplicata, *Nassa multiplicata* Schepman, 1907 - syn of: [\*\*Nassarius multicostatus\*\*](#) (Adams, 1852)
- multiplicata, *Nassaria multiplicata* Sowerby, 1859 - syn of: [\*\*Nassaria pusilla\*\*](#) (Röding, 1798)
- multipunctatus, [\*\*Nassarius multipunctatus\*\*](#) (Schepman, 1911)
- multivocus, [\*\*Nassarius multivocus\*\*](#) Kool, 2008
- munda, *Nassa munda* Sturany, 1900 - syn of: [\*\*Nassarius idyllius\*\*](#) (Melville & Standen, 1901)
- mundus, [\*\*Nassarius mundus\*\*](#) (Sturany, 1900)
- munieriana, *Nassa munieriana* Crosse, 1864 - syn of: [\*\*Nassarius nigellus\*\*](#) (Reeve, 1854)
- muricata, *Nassa muricata* Quoy & Gaimard, 1833 - syn of: [\*\*Hebra horrida\*\*](#) (Dunker, 1847)
- muricata, *Hebra muricata* Quoy & Gaimard, 1833 - syn of: [\*\*Hebra horrida\*\*](#) (Dunker, 1847)
- muricata horrida, *Nassa muricata horrida* Dunker, 1847 - syn of: [\*\*Hebra horrida\*\*](#) (Dunker, 1847)
- muriculatus, [\*\*Phos muriculatus\*\*](#) Gould in Sowerby, 1859
- musiva, *Nassa musiva* Gould, 1850 - syn of: [\*\*Nassarius limnaeiformis\*\*](#) (Dunker, 1847)
- musivus, [\*\*Nassarius musivus\*\*](#) Brocchi, 1814 † (**FOSSIL**)
- mustelina, *Nassa mustelina* Gould, 1860 - syn of: [\*\*Nassarius reeveanus\*\*](#) (Dunker, 1847)
- mutabilis, [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- mutabilis, *Nassa mutabilis* Adams, 1870 - syn of: [\*\*Nassarius sufflatus\*\*](#) (Gould, 1860)
- mutabilis, *Nassa mutabilis* Linnaeus, 1758 † - syn of: [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- mutabilis companyoi, *Nassa mutabilis companyoi* Fontannes, 1879 † - syn of: [\*\*Nassarius companyoi\*\*](#) (Fontannes, 1879) † (**FOSSIL**)
- mutabilis curta, *Nassa mutabilis curta* Palary, 1904 † - syn of: [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- mutabilis fulva, *Nassa mutabilis fulva* Palary, 1900 † - syn of: [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- mutabilis minor, *Nassa mutabilis minor* Palary, 1900 † - syn of: [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- mutabilis minuscula, *Nassa mutabilis minuscula* Palary, 1900 † - syn of: [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- mutabilis minuscularia, *Nassa mutabilis minuscularia* Palary, 1904 † - syn of: [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- mutabilis procera, *Nassa mutabilis procera* Palary, 1906 † - syn of: [\*\*Tritia mutabilis\*\*](#) (Linnaeus, 1758) † (**FOSSIL**)
- myristicata, [\*\*Pallacera myristicata\*\*](#) (Hinds, 1844) † (**FOSSIL**)
- myristicatus, [\*\*Nassarius myristicatus\*\*](#) (Hinds, 1844)
- nakayamai, [\*\*Nassarius nakayamai\*\*](#) (Habe, 1958)
- nakayamai, *Zeuxis nakayamai* Habe, 1958 - syn of: [\*\*Nassarius nakayamai\*\*](#) (Habe, 1958)
- nana, *Nassarius nana* Adams, 1852 - syn of: [\*\*Nassarius bellulus\*\*](#) (Adams, 1852)
- nana, *Nassa nana* Adams, 1852 - syn of: [\*\*Nassarius bellulus\*\*](#) (Adams, 1852)
- nana, *Neritula nana* Locard, 1886 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- nana mucronata, *Cyclope nana mucronata* Locard, 1887 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- nanhaiensis, [\*\*Nassarius nanhaiensis\*\*](#) (Zhang, 2013)
- nanhaiensis, *Zeuxis nanhaiensis* Zhang, 2013 - syn of: [\*\*Nassarius nanhaiensis\*\*](#) (Zhang, 2013)
- nanna, [\*\*Nassarius nanna\*\*](#) Gardner, 1944 † (**FOSSIL**)
- manus, [\*\*Calophos manus\*\*](#) Petuch, 1994 † (**FOSSIL**)
- narica, [\*\*Nassaria nivea narica\*\*](#) Vredenburg
- nassariformis, *Nassarius nassariformis* Lesson, 1842 - syn of: [\*\*Phrontis nassiformis\*\*](#) (Lesson, 1842)
- nassiformis, [\*\*Phrontis nassiformis\*\*](#) (Lesson, 1842)
- nassiformis, *Nassarius nassiformis* Lesson, 1842 - syn of: [\*\*Phrontis nassiformis\*\*](#) (Lesson, 1842)
- nassooides, *Nassaria nassooides* Griffith & Pidgeon, 1834 - syn of: [\*\*Nassaria acuminata\*\*](#) (Reeve, 1844)
- natalensis, [\*\*Bullia natalensis\*\*](#) (Krauss, 1848)
- natalensis, [\*\*Nassarius natalensis\*\*](#) (Smith, 1903)
- nataliae, [\*\*Demoulia ventricosa nataliae\*\*](#) Kilburn
- naucratoros, [\*\*Antillophos naucratoros\*\*](#) (Watson, 1882)
- neacolubrinus, [\*\*Nassaria neacolubrinus\*\*](#) Noetling, 1901 † (**FOSSIL**)
- neastriatula, [\*\*Nassaria neastriatula\*\*](#) Noetling, 1901 † (**FOSSIL**)
- nebulonis, [\*\*Nassaria nebulonis\*\*](#) Fraussen, Dharma & Stahlschmidt, 2009
- necopinatus, *Radulphus necopinatus* Finlay, 1930 - syn of: [\*\*Cominella necopinata\*\*](#) (Finlay, 1930)
- neogenensis, [\*\*Uzita neogenensis\*\*](#) (Gardner & Aldrich, 1919) † (**FOSSIL**)
- neoproducta, [\*\*Reticunassa neoproducta\*\*](#) (Kool & Dekker, 2007) † (**FOSSIL**)
- nerita, *Cyclope nerita* Linnaeus, 1758 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- neritea, [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)

- **neritea**, *Nassa neritea* Linnaeus, 1758 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea**, *Nana neritea* Linnaeus, 1758 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea albida**, *Nassa neritea albida* Réquier, 1848 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea callosa**, *Cyclope neritea callosa* Pallary, 1912 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea communis**, *Cyclope neritea communis* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea compacta**, *Cyclope neritea compacta* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea depressa**, *Cyclope neritea depressa* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea discoidea**, *Cyclope neritea discoidea* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea elongata**, *Cyclope neritea elongata* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea gibba**, *Cyclope neritea gibba* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea globulosa**, *Cyclope neritea globulosa* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea inflata**, *Cyclope neritea inflata* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea kamieschensis**, *Cyclope neritea kamieschensis* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea lactescens**, *Cyclope neritea lactescens* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea lutescens**, *Nassa neritea lutescens* Réquier, 1848 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea major**, *Nassa neritea major* Réquier, 1848 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea media**, *Nassa neritea media* Réquier, 1848 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea minima**, *Nassa neritea minima* Réquier, 1848 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea minuta**, *Cyclope neritea minuta* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea mucronata**, *Cyclope neritea mucronata* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea platystoma**, *Cyclope neritea platystoma* Pallary, 1919 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **neritea westerlundi**, [\*\*Cyclope neritea westerlundi\*\*](#) Brusina, 1900
- **meritoidea**, *Cyclope meritoidea* Risso, 1826 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **meritoides**, *Nassa meritoides* Lamarck, 1816 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **nevilliana**, *Nassa nevilliana* Preston, 1906 - syn of: [\*\*Nassarius gayi\*\*](#) Kiener, 1835
- **ngawianus**, [\*\*Nassarius ngawianus\*\*](#) (Martin, 1895) † (**FOSSIL**)
- **nigella**, *Nassa nigella* Reeve, 1854 - syn of: [\*\*Nassarius nigellus\*\*](#) (Reeve, 1854)
- **nigellus**, [\*\*Nassarius nigellus\*\*](#) (Reeve, 1854)
- **nigellus nuttalli**, *Nassarius nigellus nuttalli* Ludbrook, 1978 † - syn of: [\*\*Nassarius nuttalli\*\*](#) (Ludbrook, 1978) † (**FOSSIL**)
- **nigra**, [\*\*Hebra nigra\*\*](#) Hombron & Jacquinot, 1854
- **nigra**, *Nassa nigra* Rousseau, 1854 - syn of: [\*\*Hebra nigra\*\*](#) Hombron & Jacquinot, 1854
- **nigrolabrus**, [\*\*Nassarius nigrolabrus\*\*](#) (Verri, 1880)
- **nigrolineatum**, *Phos nigrolineatum* Habe, 1961 - syn of: [\*\*Antillophos nigroliratus\*\*](#) (Habe, 1961)
- **nigroliratus**, [\*\*Antillophos nigroliratus\*\*](#) (Habe, 1961)
- **nippomensis**, [\*\*Nassarius glans nippomensis\*\*](#) Kuroda & Habe
- **nitens**, [\*\*Antillophos nitens\*\*](#) (Sowerby, 1901)
- **nitida**, *Nassa nitida* Jeffreys, 1867 - syn of: [\*\*Nassarius nitidus\*\*](#) (Jeffreys, 1867)
- **nitida**, [\*\*Bullia nitida\*\*](#) Sowerby, 1895
- **nitidula**, *Nassa nitidula* Marrat, 1880 - syn of: [\*\*Nassarius dorsatus\*\*](#) (Röding, 1798)
- **nitidus**, [\*\*Nassarius nitidus\*\*](#) (Jeffreys, 1867)
- **nivea**, [\*\*Nassaria nivea\*\*](#) (Gmelin, 1790)
- **nivea**, *Nassa nivea* Adams, 1852 - syn of: [\*\*Nassarius niveus\*\*](#) (Adams, 1852)
- **nivea bhagothorensis**, *Nassaria nivea bhagothorensis* Vredenburg, 1925 † - syn of: [\*\*Nassaria tambaccana\*\*](#) Martin, 1884 † (**FOSSIL**)
- **nivea narica**, [\*\*Nassaria nivea narica\*\*](#) Vredenburg, 1925
- **niveus**, [\*\*Nassarius niveus\*\*](#) (Adams, 1852)
- **niveus scopularicus**, [\*\*Nassarius niveus scopularicus\*\*](#) Barnard, 1958
- **nivosa**, *Nassa nivosa* Marrat, 1877 - syn of: [\*\*Nassarius splendidulus\*\*](#) Dunker, 1846
- **nobilis**, [\*\*Nassarius nobilis\*\*](#) (Thiele, 1925)
- **nodata**, *Nassa nodata* Hinds, 1844 † - syn of: [\*\*Reticunassa festiva\*\*](#) (Powys, 1835) † (**FOSSIL**)
- **nodicinctus**, [\*\*Nassarius nodicinctus\*\*](#) Adams, 1852
- **nodicostatus**, [\*\*Nassarius nodicostatus\*\*](#) (Adams, 1852)
- **nodicostatus**, [\*\*Phos nodicostatus\*\*](#) Adams, 1851
- **nodifer**, [\*\*Nassarius nodifer\*\*](#) (Powys, 1835)
- **nodifera**, *Nassa nodifera* Powys, 1835 - syn of: [\*\*Nassarius nodifer\*\*](#) (Powys, 1835)
- **nodifera**, *Nassarius nodifera* Powys, 1835 - syn of: [\*\*Nassarius nodifer\*\*](#) (Powys, 1835)
- **nodiferus**, *Nassarius nodiferus* Powys, 1835 - syn of: [\*\*Nassarius nodifer\*\*](#) (Powys, 1835)
- **nodosocostatum**, [\*\*Dorsanum nodosocostatum\*\*](#) Hilber, 1879 † (**FOSSIL**)
- **nodulina**, [\*\*Keepingia nodulina\*\*](#) (Garvie, 2013) † (**FOSSIL**)
- **nodulina**, *Colwellia nodulina* Garvie, 2013 † - syn of: [\*\*Keepingia nodulina\*\*](#) (Garvie, 2013) † (**FOSSIL**)
- **nodulina meta**, [\*\*Keepingia nodulina meta\*\*](#) (Garvie, 2013) † (**FOSSIL**)
- **nodulosa**, *Nassa nodulosa* Marrat, 1873 - syn of: [\*\*Nassarius nodulosus\*\*](#) (Marrat, 1873)
- **nodulosus**, [\*\*Nassarius nodulosus\*\*](#) (Marrat, 1873)
- **noguchii**, [\*\*Nassarius noguchii\*\*](#) (Habe, 1958)
- **noguchii**, *Zeuxis noguchii* Habe, 1958 - syn of: [\*\*Nassarius noguchii\*\*](#) (Habe, 1958)
- **northiae**, [\*\*Northia northiae\*\*](#) (Gray in Griffith & Pidgeon, 1833)
- **northiae miocenica**, [\*\*Northia northiae miocenica\*\*](#) Olsson, 1922 † (**FOSSIL**)
- **notatus**, [\*\*Engoniophos notatus\*\*](#) (Sowerby, 1859)
- **notoensis**, [\*\*Nassarius notoensis\*\*](#) Masuda, 1956 † (**FOSSIL**)
- **novaehollandiae**, [\*\*Nassarius novaehollandiae\*\*](#) Reeve, 1845
- **novaezelandia**, *Nassarius novaezelandia* Reeve, 1854 - syn of: [\*\*Nassarius novaezelandiae\*\*](#) (Reeve, 1854)
- **novaezelandiae**, [\*\*Nassarius novaezelandiae\*\*](#) (Reeve, 1854)
- **novaezelandiae**, *Nassa novaezelandiae* Reeve, 1854 - syn of: [\*\*Nassarius novaezelandiae\*\*](#) (Reeve, 1854)
- **nuceus**, [\*\*Nassarius nuceus\*\*](#) (Pease, 1869)

- nucleolus, [Nassarius nucleolus](#) (Philippi, 1846)
- nucleolus, Nassa nucleolus Reeve, 1854 - syn of: [Phrontis versicolor](#) (Adams, 1852)
- nuttalli, [Nassarius nuttalli](#) (Ludbrook, 1978) † (**FOSSIL**)
- nuttalli, [Bullia nuttalli](#) Kiburn, 1978
- oberwimmeri, [Hebra oberwimmeri](#) (Preston, 1907)
- oberwimmeri, Nassa oberwimmeri Preston, 1907 - syn of: [Hebra oberwimmeri](#) (Preston, 1907)
- obesa ceylonica, Nassa obesa ceylonica Nevill & Nevill, 1875 - syn of: [Nassarius obesus](#) (Nevill & Nevill, 1875)
- obesiformis, [Nassaria acutispirata obesiformis](#) Yokoyama
- obesus, [Nassarius obesus](#) (Nevill & Nevill, 1875)
- obliqua, Nassa obliqua Hombron & Jacquinot, 1853 - syn of: [Nassarius graniferus](#) (Kiener, 1834)
- obliqua, [Cyllene obliqua](#) Kiener, 1849
- obliqua, Nassa obliqua Pease, 1865 - syn of: [Nassarius oneratus](#) (Deshayes, 1863)
- obliqua, Nassa obliqua Rousseau, 1854 - syn of: [Nassarius oneratus](#) (Deshayes, 1863)
- obliquatus, [Nassarius obliquatus](#) (Brocchi, 1814) † (**FOSSIL**)
- oblita, Nassa oblita Bellardi, 1882 † - syn of: [Nassarius oblitus](#) Bellardi, 1882 † (**FOSSIL**)
- oblitus, [Nassarius oblitus](#) Bellardi, 1882 † (**FOSSIL**)
- oblonga, Nassa oblonga Marrat, 1877 - syn of: [Nassarius livescens](#) (Philippi, 1849)
- oblonga, Nassa oblonga Mörch, 1852 - syn of: [Tritia reticulata](#) (Linnaeus, 1758)
- oblonga, Nassa oblonga Mörch, 1853 - syn of: [Tritia reticulata](#) (Linnaeus, 1758)
- oblonga, Cyllene oblonga Schepman, 1911 - syn of: [Cyllene pulchella](#) Adams & Reeve, 1850
- obockensis, Nassa obockensis Jousseaume, 1888 - syn of: [Nassarius deshayesianus](#) (Isseel, 1866)
- obockensis, Phrontis obockensis Jousseaume, 1888 - syn of: [Nassarius deshayesianus](#) (Isseel, 1866)
- obsoleta, [Tritia obsoleta](#) (Say, 1822) † (**FOSSIL**)
- obsoleta, Nassa obsoleta Say, 1822 † - syn of: [Tritia obsoleta](#) (Say, 1822) † (**FOSSIL**)
- obsoletus, Nassarius obsoletus Say, 1822 † - syn of: [Tritia obsoleta](#) (Say, 1822) † (**FOSSIL**)
- obsoletus, Microfusus obsoletus Talmadge, 1971 - syn of: [Exilioidea rectirostris](#) (Carpenter, 1864)
- obtusa, Nassa obtusa Marrat, 1880 - syn of: [Demoulia ventricosa](#) (Lamarck, 1816)
- obtusata, [Demoulia obtusata](#) (Link, 1807)
- obtusata, Nassa obtusata Adams, 1852 - syn of: [Phrontis alba](#) (Say, 1826)
- obvelatus, Nassarius obvelatus Deshayes, 1834 - syn of: [Nassarius arcularia](#) (Linnaeus, 1758)
- occidentalis, [Nassarius turbinellus occidentalis](#) Peyrot (**FOSSIL**)
- ocellatus, [Nassarius ocellatus](#) Kool & Galindo, 2014
- okinavia, [Nassaria okinavia](#) (Mac Neil, 1960)
- olivacea, Nassa olivacea Bruguière, 1789 - syn of: [Nassarius olivaceus](#) (Bruguière, 1789)
- olivacea, Zeuxis olivacea Bruguière, 1789 - syn of: [Nassarius olivaceus](#) (Bruguière, 1789)
- olivaceus, [Nassarius olivaceus](#) (Bruguière, 1789)
- olivaceus, Zeuxis olivaceus Bruguière, 1789 - syn of: [Nassarius olivaceus](#) (Bruguière, 1789)
- olivaceus, Zeuxis olivaceus Marrat, 1877 - syn of: [Nassarius olivaceus](#) (Bruguière, 1789)
- olomea, [Nassarius olomea](#) Kay, 1979
- olssoni, [Globinassa olssoni](#) Petuch, 1994 † (**FOSSIL**)
- omuensis, [Nassarius omuensis](#) (Noda, 1980) † (**FOSSIL**)
- onchodes, [Nassarius onchodes](#) (Dall, 1917)
- onerata, Nassa onerata Deshayes, 1863 - syn of: [Nassarius oneratus](#) (Deshayes, 1863)
- oneratus, [Nassarius oneratus](#) (Deshayes, 1863)
- opimus, [Antillophos opimus](#) Fraussen & Poppe, 2005
- optata, Nassa optata Gould, 1860 - syn of: [Nassarius nigellus](#) (Reeve, 1854)
- optimus, [Nassarius optimus](#) (Sowerby, 1903)
- optimus, Antillophos optimus Fraussen & Poppe, 2005 - syn of: [Antillophos opimus](#) Fraussen & Poppe, 2005
- orbiculata, Nassa orbiculata Adams, 1852 - syn of: [Nassarius kraussianus](#) (Dunker, 1846)
- ordinaria, Nassa ordinaria Turton, 1932 - syn of: [Nassarius capensis](#) (Dunker, 1846)
- oriens, Nassa oriens Marrat, 1880 - syn of: [Tritia casta](#) (Gould, 1850)
- orientalis, [Cyllene orientalis](#) Adams, 1851
- orissaensis, [Nassarius orissaensis](#) (Preston, 1914)
- orissaensis ennurensis, Nassa orissaensis ennurensis Preston, 1916 - syn of: [Nassarius orissaensis](#) (Preston, 1914)
- ornata, Nassa ornata Kiener, 1834 - syn of: [Nassarius stolatus](#) (Gmelin, 1791)
- ornatus, Nassarius ornatus Kiener, 1834 - syn of: [Nassarius stolatus](#) (Gmelin, 1791)
- orthezensis, [Nassarius orthezensis](#) Tournouer, 1876 † (**FOSSIL**)
- osculata, [Bullia osculata](#) (Sowerby, 1900)
- osseum, [Bullia osseum](#) (Menke, 1829)
- othaeitense, Bullia othaeitense Bruguière, 1789 - syn of: [Bullia othaeitensis](#) (Bruguière, 1789)
- othaeitensis, [Bullia othaeitensis](#) (Bruguière, 1789)
- ovata, [Bulliopsis ovata](#) Conrad, 1862 † (**FOSSIL**)
- ovoidea, [Tritia ovoidea](#) (Locard, 1886) † (**FOSSIL**)
- ovoidea, Nassarius ovoidea Schepman, 1911 - syn of: [Nassarius idyllius](#) (Melvill & Standen, 1901)
- ovoidea, Aciculina ovoidea Schepman, 1911 - syn of: [Nassarius idyllius](#) (Melvill & Standen, 1901)
- ovoidea brevis, Alectriion ovoidea brevis Schepman, 1911 † - syn of: [Tritia sinusigera](#) (Adams, 1852) (**FOSSIL**)
- ovoidea brevis, Nassarius ovoidea brevis Schepman, 1911 † - syn of: [Tritia sinusigera](#) (Adams, 1852) (**FOSSIL**)
- ovulina, [Cyllene vulgatissima ovulina](#) Peyrot (**FOSSIL**)
- ovum, [Nassarius ovum](#) Martin, 1879 † (**FOSSIL**)
- owenii, [Cyllene owenii](#) Gray in Griffith & Pidgeon, 1834
- oxia, [Nassarius oxia](#) Gardner, 1944 † (**FOSSIL**)
- oxyglyptus, [Antillophos oxyglyptus](#) (Dall & Simpson, 1901)
- oyglyptus, Antillophos oyglyptus Dall & Simpson, 1901 - syn of: [Antillophos oxyglyptus](#) (Dall & Simpson, 1901)

- **pacaudi**, [\*Nassarius pacaudi\*](#) Van Dingenen, Ceulemans & al., 2015 † (**FOSSIL**)
- **pachychilus**, [\*Nassarius pachychilus\*](#) (Matzan, 1884)
- **pagoda**, [\*Phrontis pagoda\*](#) (Reeve, 1844)
- **pagoda**, *Nassa pagoda* Reeve, 1844 - syn of: [\*Phrontis pagoda\*](#) (Reeve, 1844)
- **pagoda acuta**, *Nassa pagoda acuta* Carpenter, 1857 - syn of: [\*Phrontis pagoda\*](#) (Reeve, 1844)
- **palatina**, [\*Nassarius pupaeformis palatina\*](#) Strausz (**FOSSIL**)
- **palembangensis**, *Hindsia palembangensis* Haanstra & Spiker, 1932 - syn of: [\*Nassaria acuminata\*](#) (Reeve, 1844)
- **pallida**, *Cyllene pallida* Adams, 1851 - syn of: [\*Cyllene grayi\*](#) Reeve, 1846
- **pallida**, *Nassa pallida* Powys, 1835 - syn of: [\*Engoniophos unicinctus\*](#) (Say, 1826)
- **pallidula**, *Zeuxis pallidula* Adams, 1852 - syn of: [\*Nassarius unicolor\*](#) (Hombron & Jacquinot, 1848)
- **palmbeachensis**, [\*Ilyanassa palmbeachensis\*](#) Petuch, 1994 † (**FOSSIL**)
- **palumbis**, [\*Nassarius palumbis\*](#) Van Dingenen, Ceulemans & al., 2015 † (**FOSSIL**)
- **panamensis**, *Nassa panamensis* Adams, 1852 - syn of: [\*Nassarius exilis\*](#) (Powys, 1835)
- **papillosa**, *Nassa papillosa* Linnaeus, 1758 - syn of: [\*Nassarius papillosus\*](#) (Linnaeus, 1758)
- **papillosa**, *Nassarius papillosa* Linnaeus, 1758 - syn of: [\*Nassarius papillosus\*](#) (Linnaeus, 1758)
- **papillosa seminuda**, *Nassarius papillosa seminuda* Dautzenberg, 1929 - syn of: [\*Nassarius papillosus\*](#) (Linnaeus, 1758)
- **papillosa seminuda**, *Alectriion papillosa seminuda* Dautzenberg, 1929 - syn of: [\*Nassarius papillosus\*](#) (Linnaeus, 1758)
- **papillosus**, [\*Nassarius papillosus\*](#) (Linnaeus, 1758)
- **paraguanensis**, [\*Cymatophos paraguanensis\*](#) (Hodson, 1931) † (**FOSSIL**)
- **parapristus**, [\*Nanarius parapristus\*](#) (Gardner, 1944) † (**FOSSIL**)
- **parapristus acolus**, [\*Nanarius parapristus acolus\*](#) Woodring, 1964 † (**FOSSIL**)
- **parapristus conarus**, [\*Nanarius parapristus conarus\*](#) Woodring, 1964 † (**FOSSIL**)
- **parcipictus**, [\*Nassarius parcipictus\*](#) Adam & Knudsen, 1984
- **pardalis**, [\*Nassaria pardalis\*](#) Noetling, 1895 † (**FOSSIL**)
- **parinense**, [\*Dorsanum parinense\*](#) Olsson, 1928 † (**FOSSIL**)
- **particeps**, [\*Nassarius glans particeps\*](#) Hedley
- **particeps**, *Nassa particeps* Hedley, 1915 - syn of: [\*Nassarius glans particeps\*](#) (Hedley, 1915)
- **parva**, *Nassa parva* Marrat, 1880 - syn of: [\*Nassarius cinctellus\*](#) (Gould, 1850)
- **parvula**, [\*Cyllene parvula\*](#) Bozzetti, 2014
- **pascaleae**, [\*Nassarius pascaleae\*](#) Landau & al., 2013 † (**FOSSIL**)
- **pasirensis**, *Hebra pasirensis* Oostingh, 1939 † - syn of: [\*Nassarius ovum\*](#) Martin, 1879 † (**FOSSIL**)
- **patnuttalli**, [\*Nassarius patnuttalli\*](#) Landau, Silva & Gil, 2010
- **patricius**, [\*Nassarius patricius\*](#) (Thiele, 1925)
- **patula**, [\*Bullia patula\*](#) Deshayes, 1835 † (**FOSSIL**)
- **paucicostatus**, [\*Nassarius paucicostatus\*](#) (Marrat, 1877)
- **paulucciana**, [\*Cyllene paulucciana\*](#) (d'Ancona, 1864) † (**FOSSIL**)
- **paulucciana**, [\*Cyllenina paulucciana\*](#) (De Stefani & Pantanelli, 1879) † (**FOSSIL**)
- **paupera**, [\*Reticunassa paupera\*](#) (Gould, 1850) † (**FOSSIL**)
- **paupera**, *Nassa paupera* Gould, 1850 † - syn of: [\*Reticunassa paupera\*](#) (Gould, 1850) † (**FOSSIL**)
- **paupera**, *Nassarius paupera* Gould, 1850 † - syn of: [\*Reticunassa paupera\*](#) (Gould, 1850) † (**FOSSIL**)
- **paupera dermestina**, [\*Reticunassa paupera dermestina\*](#) (Gould, 1860) † (**FOSSIL**)
- **pauperata**, *Nassa pauperata* Lamarck, 1822 - syn of: [\*Nassarius pauperatus\*](#) (Lamarck, 1822)
- **pauperatus**, [\*Nassarius pauperatus\*](#) (Lamarck, 1822)
- **pauperatus pilata**, *Nassarius pauperatus pilata* Hedley, 1915 † - syn of: [\*Reticunassa paupera\*](#) (Gould, 1850) † (**FOSSIL**)
- **pauperus**, *Nassarius pauperus* Gould, 1850 † - syn of: [\*Reticunassa paupera\*](#) (Gould, 1850) † (**FOSSIL**)
- **pauperus producta**, *Nassarius pauperus producta* Sowerby, 1897 † - syn of: [\*Reticunassa neoproducta\*](#) (Kool & Dekker, 2007) † (**FOSSIL**)
- **paytensis**, [\*Buccinanops paytensis\*](#) (Kiener, 1834)
- **pedanus**, *Phos pedanus* Gardner, 1944 † - syn of: [\*Pallacera costata\*](#) (Gabb, 1873) † (**FOSSIL**)
- **pelicatus**, *Nassarius pelicatus* Adams, 1854 - syn of: [\*Nassarius turbineus\*](#) (Gould, 1845)
- **pellucida**, [\*Cyclope pellucida\*](#) Röss, 1826
- **pellucida**, *Bullia pellucida* Turton, 1832 - syn of: [\*Annulobalcis pellucida\*](#) (Turton, 1832)
- **peralta**, [\*Ilyanassa peralta\*](#) (Conrad, 1868) † (**FOSSIL**)
- **percrassa**, *Nassa percrassa* Giner Mari, 1934 - syn of: [\*Nassarius semisulcatus\*](#) (Hombron & Jacquinot, 1848)
- **perdominus**, [\*Nassarius perdominus\*](#) Nomura & Zinbo, 1935 † (**FOSSIL**)
- **perideris**, [\*Trajana perideris\*](#) (Dall, 1910)
- **peritrema**, *Nassa peritrema* Tenison-Woods, 1880 - syn of: [\*Nassarius nigellus\*](#) (Reeve, 1854)
- **perlata**, *Nassa perlata* Marrat, 1880 - syn of: [\*Nassarius graniferus\*](#) (Kiener, 1834)
- **perlata**, [\*Nassaria perlata\*](#) Poppe & Fraussen, 2004
- **perligera**, *Nassa perligera* Thiele, 1925 - syn of: [\*Nassarius bellus\*](#) (Marrat, 1877)
- **perlucida**, [\*Bullia perlucida\*](#) Bozzetti, 2014
- **pernitidus**, [\*Nassarius pernitidus\*](#) (Dall, 1889)
- **perpinguis**, [\*Nassarius perpinguis\*](#) (Hinds, 1844)
- **perpinguis**, *Nassa perpinguis* Hinds, 1844 - syn of: [\*Nassarius perpinguis\*](#) (Hinds, 1844)
- **perpinguis bifasciata**, *Nassa perpinguis bifasciata* Berry, 1908 - syn of: [\*Nassarius perpinguis\*](#) (Hinds, 1844)
- **perryi**, [\*Bullia perryi\*](#) Jay, 1855
- **persica**, [\*Bullia persica\*](#) Smith, 1878
- **persicus**, [\*Nassarius persicus\*](#) (Von Martens, 1874)
- **persicus**, *Nassarius persicus* Cox, 1936 - syn of: [\*Nassarius delicatus\*](#) (Adams, 1852)
- **pfefferi**, *Nassa pfefferi* Philippi, 1844 † - syn of: [\*Tritia pfeifferi\*](#) (Philippi, 1844) † (**FOSSIL**)
- **pfeifferi**, [\*Tritia pfeifferi\*](#) (Philippi, 1844) † (**FOSSIL**)
- **phasianella**, *Nassarius phasianella* Ghisotti, 1986 † - syn of: [\*Tritia cuvierii\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- **phoenicensis**, *Nassa phoenicensis* Preston, 1916 † - syn of: [\*Tritia sinusigera\*](#) (Adams, 1852) (**FOSSIL**)

- *phoenicensis*, *Nassarius phoenicensis* Preston, 1916 † - syn of: [\*Tritia sinusigera\*](#) (Adams, 1852) (**FOSSIL**)
- *picta*, *Nassa picta* Dunker, 1846 - syn of: [\*Nassarius sufflatus\*](#) (Gould, 1860)
- *picta*, *Zeuxis picta* Dunker, 1846 - syn of: [\*Nassarius sufflatus\*](#) (Gould, 1860)
- *picta marmorea*, *Zeuxis picta marmorea* Adams, 1852 - syn of: [\*Nassarius marmoreus\*](#) (Adams, 1852)
- *picturata*, *Nassa picturata* Marrat, 1880 - syn of: [\*Phrontis versicolor\*](#) (Adams, 1852)
- *pictus*, *Nassarius pictus* Dunker, 1846 - syn of: [\*Nassarius sufflatus\*](#) (Gould, 1860)
- *pilata*, *Nassa pilata* Hedley, 1915 † - syn of: [\*Reticunassa paupera\*](#) (Gould, 1850) † (**FOSSIL**)
- *pilsbryi*, [\*Cymatophos pilsbryi\*](#) Kuroda & Habe, 1952 † (**FOSSIL**)
- *pinguis*, *Demoulia pinguis* Adams, 1853 - syn of: [\*Demoulia obtusata\*](#) (Link, 1807)
- *pinguis*, *Nassa pinguis* Adams, 1853 - syn of: [\*Demoulia obtusata\*](#) (Link, 1807)
- *pirabica*, [\*Antillophos pirabica\*](#) Maury, 1934 † (**FOSSIL**)
- *plainei*, [\*Nassarius plainei\*](#) Van Dingenen, Ceulemans & al., 2015 † (**FOSSIL**)
- *planicostata*, *Nassa planicostata* Adams, 1852 - syn of: [\*Nassarius foveolatus\*](#) (Dunker, 1847)
- *planocostata*, *Nassa planocostata* Adams, 1852 - syn of: [\*Nassarius foveolatus\*](#) (Dunker, 1847)
- *planocostatus*, *Nassarius planocostatus* Adams, 1852 - syn of: [\*Nassarius foveolatus\*](#) (Dunker, 1847)
- *plebecula*, *Nassa plebecula* Gould, 1860 † - syn of: [\*Reticunassa paupera\*](#) (Gould, 1850) † (**FOSSIL**)
- *plebeculus*, *Nassarius plebeculus* Gould, 1860 † - syn of: [\*Reticunassa paupera dermestina\*](#) (Gould, 1860) † (**FOSSIL**)
- *plebejus*, [\*Nassarius plebejus\*](#) (Thiele, 1925)
- *plicata*, *Bullia plicata* Redfield, 1848 - syn of: [\*Bullia vittata\*](#) (Linnaeus, 1767)
- *plicatella*, *Nassa plicatella* Adams, 1852 - syn of: [\*Nassarius niveus\*](#) (Adams, 1852)
- *plicatellus*, *Nassarius plicatellus* Adams, 1852 - syn of: [\*Nassarius niveus\*](#) (Adams, 1852)
- *plicatilis*, [\*Calophos plicatilis\*](#) (Bose, 1906) † (**FOSSIL**)
- *plicatum*, [\*Dorsanum plicatum\*](#) (Grateleur, 1847) † (**FOSSIL**)
- *plicatus*, [\*Nassarius arcularia plicatus\*](#) Röding
- *plicosa*, *Nassa plicosa* Dunker, 1846 - syn of: [\*Nassarius speciosus\*](#) (Adams, 1852)
- *plicosus*, *Nassarius plicosus* Dunker, 1846 - syn of: [\*Nassarius speciosus\*](#) (Adams, 1852)
- *pliomagna*, [\*Nassarius pliomagna\*](#) (Sacco, 1904) † (**FOSSIL**)
- *plumbea*, *Bullia plumbea* Melvill, 1904 - syn of: [\*Bullia melanoides\*](#) (Deshayes, 1832)
- *plumbea*, *Cyllene plumbea* Sowerby, 1859 - syn of: [\*Cyllene fusca\*](#) Adams, 1851
- *poecilsticta*, *Nassa poecilsticta* Smith, 1904 - syn of: [\*Nassarius kochianus\*](#) (Dunker, 1846)
- *poecilostoma*, *Nassa poecilostoma* Smith, 1904 - syn of: [\*Nassarius kochianus\*](#) (Dunker, 1846)
- *poelsensis*, [\*Nassarius toulai poelsensis\*](#) Aulinger (**FOSSIL**)
- *poirieri*, *Nassa poirieri* Locard, 1887 - syn of: [\*Tritia reticulata\*](#) (Linnaeus, 1758)
- *polignaci*, *Nassarius polignaci* Lamy, 1923 - syn of: [\*Nassarius pumilio\*](#) (Smith, 1872)
- *polistes*, *Alectron polistes* Dal, 1917 - syn of: [\*Nassarius catallus\*](#) (Dal, 1908)
- *politata*, *Nassa polita* Marrat, 1880 - syn of: [\*Nassarius comptus\*](#) (Adams, 1852)
- *politum*, *Dorsanum politum* Lamarck, 1822 - syn of: [\*Dorsanum miran\*](#) (Bruguère, 1789)
- *polychroma*, *Hebra polychroma* Melvill, 1898 - syn of: [\*Nassarius nodulosus\*](#) (Marrat, 1873)
- *polygonata*, [\*Phrontis polygonata\*](#) (Lamarck, 1822)
- *polygonata*, *Nassa polygonata* Reeve, 1853 - syn of: [\*Phrontis nassiformis\*](#) (Lesson, 1842)
- *polygonum hoernesii*, *Phos polygonum hoernesii* Semper, 1861 † - syn of: [\*Phos hoernesii\*](#) Semper, 1861 † (**FOSSIL**)
- *polygonus*, [\*Phos polygonus\*](#) (Brocchi, 1814) † (**FOSSIL**)
- *ponderosa*, *Nassa ponderosa* Reeve, 1854 - syn of: [\*Demoulia obtusata\*](#) (Link, 1807)
- *porcinum*, [\*Paranassa porcinum\*](#) (Say, 1824) † (**FOSSIL**)
- *poteriensis*, [\*Nassarius poteriensis\*](#) Van Dingenen, Ceulemans & al., 2015 † (**FOSSIL**)
- *poupini*, [\*Nassarius pouponi\*](#) Cernohorsky, 1992
- *praeambiguus*, [\*Tritia praeambiguus\*](#) (Brown & Plsby, 1913) † (**FOSSIL**)
- *praecallosa*, *Nassa praecallosa* Marrat, 1877 - syn of: [\*Nassarius splendidulus\*](#) Dunker, 1846
- *praecedens*, [\*Nassarius precedens\*](#) (Bellardi, 1882) † (**FOSSIL**)
- *praeinflatus*, [\*Nassarius praeinflatus\*](#) (Chavan, 1940) † (**FOSSIL**)
- *praelonga*, *Nassa praelonga* Monterosato, 1891 - syn of: [\*Nassarius lima\*](#) (Dilwyn, 1817)
- *praematuratus*, [\*Nassarius praematuratus\*](#) (Kuroda & Habe, 1960)
- *praematuratus*, *Cryptonassarius praematuratus* Adams, 1852 - syn of: [\*Nassarius praematuratus\*](#) (Kuroda & Habe, 1960)
- *prefestivus*, *Nassarius prefestivus* MacNeil, 1960 † - syn of: [\*Reticunassa festiva\*](#) (Powys, 1835) † (**FOSSIL**)
- *pretiosa*, [\*Cyllene pretiosa\*](#) Vredenburg, 1923 † (**FOSSIL**)
- *prianganensis*, [\*Nassarius prianganensis\*](#) Van Regteren Altena & Beets, 1945 † (**FOSSIL**)
- *priscardi*, [\*Nassarius priscardi\*](#) Bozzetti, 2006
- *prismatica*, *Nassa prismatica* Brocchi, 1814 † - syn of: [\*Nassarius prismaticus\*](#) Brocchi, 1814 † (**FOSSIL**)
- *pristis*, [\*Northia pristis\*](#) (Deshayes, 1844)
- *pristus*, [\*Nanarius pristus\*](#) (Gardner, 1944) † (**FOSSIL**)
- *problematica*, [\*Nassaria problematica\*](#) (Iredale, 1936)
- *producta*, *Nassa producta* Sowerby, 1897 † - syn of: [\*Reticunassa neoproducta\*](#) (Kool & Dekker, 2007) † (**FOSSIL**)
- *prolongata*, *Nassa prolongata* Turton, 1932 - syn of: [\*Nassarius capensis\*](#) (Dunker, 1846)
- *propinqua*, [\*Tritia propinqua\*](#) (Sowerby, 1824) † (**FOSSIL**)
- *protrusidens*, [\*Nassarius protrusidens\*](#) (Melvill, 1918)
- *provecta*, [\*Bullia provecta\*](#) Beets, 1942 † (**FOSSIL**)
- *provulgata*, *Nassa provulgata* Fischer, 1891 - syn of: [\*Nassarius livescens\*](#) (Philippi, 1849)
- *proxima*, *Nassa proxima* Adams, 1852 - syn of: [\*Phrontis versicolor\*](#) (Adams, 1852)
- *prysmaticus*, [\*Nassarius prysmaticus\*](#) Brocchi, 1814 † (**FOSSIL**)
- *pseudoconcinna*, *Nassa pseudoconcinna* Smith, 1895 - syn of: [\*Nassarius pseudoconcinnus\*](#) (Smith, 1895)
- *pseudoconcinnus*, [\*Nassarius pseudoconcinnus\*](#) (Smith, 1895)
- *pseudodemissus*, [\*Nassarius pseudodemissus\*](#) Nomura & Zinbo, 1935 † (**FOSSIL**)
- *pseudomundus*, *Alectron pseudomundus* Oostingh, 1935 - syn of: [\*Nassarius concinnus\*](#) (Powys, 1835)

- pseudopoecilostictus, [\*\*Nassarius pseudopoecilostictus\*\*](#) Adam & Knudsen, 1984
- pseudoserratus, [\*\*Nassarius pseudoserratus\*\*](#) Adam & Gilbert, 1976 † (**FOSSIL**)
- pseudoserrulus, [\*\*Nassarius pseudoserrulus\*\*](#) Landau & al., 2013 † (**FOSSIL**)
- psila, [\*\*Nassarius psila\*\*](#) (Watson, 1882)
- psila, Nassa psila Watson, 1882 - syn of: [\*\*Nassarius psila\*\*](#) (Watson, 1882)
- pulchella, [\*\*Cyllene pulchella\*\*](#) Adams & Reeve, 1850
- pulchella, Nassa pulchella Adams, 1852 - syn of: [\*\*Nassarius capensis\*\*](#) (Dunker, 1846)
- pulchella, Nassarius pulchella Ghisotti, 1986 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- pulchella, [\*\*Bullia pulchella\*\*](#) Turton, 1932
- pulchra, Demoulia pulchra Gray, 1838 - syn of: [\*\*Demoulia obtusata\*\*](#) (Link, 1807)
- pulla minor, Nassa pulla minor Smith, 1912 - syn of: [\*\*Nassarius arcularia plicatus\*\*](#) (Röding, 1798)
- pullus, [\*\*Nassarius pullus\*\*](#) (Linnaeus, 1758)
- pullus, Nassarius pullus Habe & Kosuge, 1966 - syn of: [\*\*Nassarius arcularia\*\*](#) (Linnaeus, 1758)
- pulvinaris, [\*\*Nassarius pulvinaris\*\*](#) (Von Martens, 1881)
- pumilio, [\*\*Nassarius pumilio\*\*](#) (Smith, 1872)
- pumilio, Nassa pumilio Smith, 1872 - syn of: [\*\*Nassarius pumilio\*\*](#) (Smith, 1872)
- punctata, Nassa punctata Adams, 1852 - syn of: [\*\*Nassarius reeveanus\*\*](#) (Dunker, 1847)
- punctatus, [\*\*Nassarius reeveanus punctatus\*\*](#) Adams
- punctiferus, [\*\*Nassarius punctiferus\*\*](#) Degrange-Touzin, 1894 † (**FOSSIL**)
- puntablacoensis, [\*\*Nassarius puntablacoensis\*\*](#) Pilsbry & Olsson, 1941 † (**FOSSIL**)
- pupa, [\*\*Demoulia pupa\*\*](#) (Brocchi, 1814) † (**FOSSIL**)
- pupa, Nassarius pupa Okutani, 1968 - syn of: [\*\*Nassarius dilutus\*\*](#) (Smith, 1899)
- pupaeformis, [\*\*Nassarius pupaeformis\*\*](#) Hoernes & Auinger, 1882 † (**FOSSIL**)
- pupaeformis palatina, [\*\*Nassarius pupaeformis palatina\*\*](#) (Strausz, 1954) † (**FOSSIL**)
- pupinoides, [\*\*Nassarius pupinoides\*\*](#) (Reeve, 1853)
- pupinoides, Nassa pupinoides Reeve, 1853 - syn of: [\*\*Nassarius pupinoides\*\*](#) (Reeve, 1853)
- pura, Nassa pura Marat, 1877 - syn of: [\*\*Phrontis alba\*\*](#) (Say, 1826)
- pura, [\*\*Bullia pura\*\*](#) Melvill, 1885
- pura balteata, [\*\*Bullia pura balteata\*\*](#) Sowerby, 1921
- pura melvilli, [\*\*Bullia pura melvilli\*\*](#) Melvill, 1885
- pusilla, [\*\*Nassaria pusilla\*\*](#) (Röding, 1798)
- pusio, Nassa pusio Adams, 1852 - syn of: [\*\*Nassarius fretorum\*\*](#) (Melvill & Standen, 1899)
- pusio, Nassarius pusio Adams, 1852 - syn of: [\*\*Nassarius fretorum\*\*](#) (Melvill & Standen, 1899)
- pustulosa, Bullia pustulosa Sowerby, 1894 - syn of: [\*\*Bullia mozambicensis\*\*](#) Smith, 1878
- pygmaea, [\*\*Tritia pygmaea\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- pygmaea, Nassarius pygmaea Lamarck, 1822 † - syn of: [\*\*Tritia pygmaea\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- pygmaea, Nassa pygmaea Lamarck, 1822 † - syn of: [\*\*Tritia pygmaea\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- pygmaea elongata, Nassarius pygmaea elongata Bucquoy, Dautzenberg & Dolffus, 1882 † - syn of: [\*\*Tritia pygmaea\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- pygmaea elongata, Nassa pygmaea elongata Bucquoy, Dautzenberg & Dolffus, 1882 † - syn of: [\*\*Tritia pygmaea\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- pygmaea evaricosa, Nassarius pygmaea evaricosa Bucquoy, Dautzenberg & Dolffus, 1882 † - syn of: [\*\*Tritia pygmaea\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- pygmaea evaricosa, Nassa pygmaea evaricosa Bucquoy, Dautzenberg & Dolffus, 1882 † - syn of: [\*\*Tritia pygmaea\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- pyladeum, [\*\*Antillophos pyladeum\*\*](#) (Kato, 1995)
- pyramidalis, [\*\*Nassarius pyramidalis\*\*](#) (Adams, 1853)
- pyramidalis, Nassa pyramidalis Adams, 1853 - syn of: [\*\*Nassarius pyramidalis\*\*](#) (Adams, 1853)
- pyramidalis affinis, Nassa pyramidalis affinis Turton, 1932 - syn of: [\*\*Nassarius pyramidalis\*\*](#) (Adams, 1853)
- pyramidalis filmerae, Nassarius pyramidalis filmerae Sowerby, 1900 - syn of: [\*\*Nassarius filmerae\*\*](#) Sowerby, 1900
- pyramidalis punctilineata, Nassa pyramidalis punctilineata Turton, 1932 - syn of: [\*\*Nassarius pyramidalis\*\*](#) (Adams, 1853)
- pyramidalis rufanensis, Nassa pyramidalis rufanensis Turton, 1933 - syn of: [\*\*Nassarius pyramidalis\*\*](#) (Adams, 1853)
- pyrenaicus, [\*\*Nassarius pyrenaicus\*\*](#) (Fontannes, 1879) † (**FOSSIL**)
- pyrrhus, [\*\*Nassarius pyrrhus\*\*](#) (Menke, 1843)
- pyta, [\*\*Trajana pyta\*\*](#) Gardner, 1948 † (**FOSSIL**)
- quadrasi, [\*\*Nassarius quadrasi\*\*](#) (Hidalgo, 1904)
- quadrasi alba, Nassa quadrasi alba Hidalgo, 1904 - syn of: [\*\*Nassarius echinatus\*\*](#) (Adams, 1852)
- quadrata, [\*\*Bulliopsis quadrata\*\*](#) (Conrad, 1830) † (**FOSSIL**)
- quadrata, Nassa quadrata Marat, 1880 - syn of: [\*\*Nassarius crematus\*\*](#) Hinds, 1844
- quadridentatus, [\*\*Nassarius quadridentatus\*\*](#) Mansfield, 1930
- quantillus, Nassarius quantillus Gould, 1860 - syn of: [\*\*Nassarius quantulus\*\*](#) (Gould, 1860)
- quantula, Nassa quantula Gould, 1860 - syn of: [\*\*Nassarius quantulus\*\*](#) (Gould, 1860)
- quantulus, [\*\*Nassarius quantulus\*\*](#) (Gould, 1860)
- quericina, Nassa quericina Marat, 1877 † - syn of: [\*\*Tritia corniculum\*\*](#) (Olivi, 1792) † (**FOSSIL**)
- quinquecostata, Nassa quinquecostata Marat, 1880 - syn of: [\*\*Phrontis alba\*\*](#) (Say, 1826)
- quoyi alba, Nassa quoyi alba Hombron & Jacquinot, 1848 - syn of: [\*\*Nassarius margaritifer\*\*](#) (Dunker, 1847)
- quoyii, Nassa quoyii Hombron & Jacquinot, 1848 - syn of: [\*\*Nassarius margaritifer\*\*](#) (Dunker, 1847)
- quoyii, Nassa quoyii Rousseau, 1854 - syn of: [\*\*Nassarius margaritifer\*\*](#) (Dunker, 1847)
- quoyii, Bullia quoyii Swainson, 1840 - syn of: [\*\*Bullia digitalis\*\*](#) (Dilwyn, 1817)
- radians, [\*\*Nassarius radians\*\*](#) Kool & Galindo, 2014
- rainbowae, [\*\*Nassarius rainbowae\*\*](#) Gili, 2015
- rajaensis, Nassa rajaensis Martin, 1895 - syn of: [\*\*Nassarius conoidalis\*\*](#) (Deshayes, 1832)
- ranida, Nassa ranida Adams, 1852 - syn of: [\*\*Nassarius crematus\*\*](#) Hinds, 1844
- ranunculus, [\*\*Nassarius ranunculus\*\*](#) Olsson, 1922 † (**FOSSIL**)
- rapulum, [\*\*Tomlinia rapulum\*\*](#) (Reeve, 1846)
- raricostata, Amycla raricostata Locard, 1886 † - syn of: [\*\*Tritia corniculum\*\*](#) (Olivi, 1792) † (**FOSSIL**)
- ravida, Nassa ravida Adams, 1852 - syn of: [\*\*Nassarius splendidulus\*\*](#) Dunker, 1846

- ravidus, [\*Nassarius stigmarius ravidus\*](#) Reeve
- recidivus, [\*Nassarius recidivus\*](#) (Von Martens, 1876)
- recta, [\*Tritia recta\*](#) (Dolfus & Dautzenberg, 1886) † (**FOSSIL**)
- recticostatus, [\*Nassarius recticostatus\*](#) (Bellardi, 1882) † (**FOSSIL**)
- recurva, *Nassaria recurva* Sowerby, 1859 - syn of: [\*Nassaria acuminata\*](#) (Reeve, 1844)
- reductus, [\*Nassarius reductus\*](#) Vermeij & Wesselingh, 2002 † (**FOSSIL**)
- reeveanus, [\*Nassarius reeveanus\*](#) (Dunker, 1847)
- reeveanus bizonalis, *Nassarius reeveanus bizonalis* Adams, 1852 - syn of: [\*Nassarius reeveanus zonalis\*](#) (Adams, 1852)
- reeveanus luctuosus, [\*Nassarius reeveanus luctuosus\*](#) (Adams, 1852)
- reeveanus punctatus, [\*Nassarius reeveanus punctatus\*](#) (Adams, 1852)
- reeveanus velatus, [\*Nassarius reeveanus velatus\*](#) Gould, 1850
- reeveanus zonalis, [\*Nassarius reeveanus zonalis\*](#) (Adams, 1852)
- reevei, *Nassa reevei* Adams, 1852 - syn of: [\*Nassarius fossatus\*](#) (Gould, 1850)
- rehderi, [\*Nassarius rehderi\*](#) Cernohorsky, 1980
- reicosa, *Nassa reicosa* Adams, 1852 - syn of: [\*Nassarius albescens\*](#) (Dunker, 1846)
- renovata, *Nassa renovata* Monterosato, 1878 † - syn of: [\*Tritia denticulata\*](#) (Adams, 1852) † (**FOSSIL**)
- repititi, [\*Nassarius repititi\*](#) Olsson, 1964 † (**FOSSIL**)
- restitutianus, [\*Nassarius restitutianus\*](#) (Fontanelles, 1879) † (**FOSSIL**)
- retecosa, *Nassa retecosa* Adams, 1852 - syn of: [\*Nassarius albescens\*](#) (Dunker, 1846)
- retecosus, [\*Antillophos retecosus\*](#) (Hinds, 1844)
- reticosa, [\*Tritia reticosa\*](#) (J. de C. Sowerby, 1815) † (**FOSSIL**)
- reticosa, *Nassa reticosa* Sowerby, 1815 † - syn of: [\*Tritia reticosa\*](#) (J. de C. Sowerby, 1815) † (**FOSSIL**)
- reticulata, [\*Tritia reticulata\*](#) (Linnaeus, 1758)
- reticulata curta, *Nassa reticulata curta* Bucquoy, Dautzenberg & Dolfus, 1882 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- reticulata depicta, *Nassa reticulata depicta* Bucquoy, Dautzenberg & Dolfus, 1882 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- reticulata mammillata, [\*Tritia reticulata mammillata\*](#) (Risso, 1826)
- reticulata mediterranea, *Nassa reticulata mediterranea* Milaschewitsch, 1909 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- reticulata modesta, *Nassa reticulata modesta* Milaschewitsch, 1909 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- reticulata pontica, *Nassa reticulata pontica* Kobelt, 1878 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- reticulata rosea, *Nassa reticulata rosea* Bucquoy, Dautzenberg & Dolfus, 1882 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- reticulata viridincta, *Hinia reticulata viridincta* Dautzenberg & Fischer, 1925 - syn of: [\*Tritia reticulata\*](#) (Linnaeus, 1758)
- reticulatus mammillatus, *Nassarius reticulatus mammillatus* Risso, 1826 - syn of: [\*Tritia reticulata mammillata\*](#) (Risso, 1826)
- retusa, *Demoulia retusa* Lamarck, 1822 - syn of: [\*Demoulia ventricosa\*](#) (Lamarck, 1816)
- retusa, *Nassa retusa* Lamarck, 1822 - syn of: [\*Demoulia ventricosa\*](#) (Lamarck, 1816)
- reunionensis, [\*Nassarius reunionensis\*](#) Cernohorsky, 1988
- reussi, [\*Nassarius reussi\*](#) (Martin, 1880) † (**FOSSIL**)
- rhinetes, [\*Nassarius rhinetes\*](#) Berry, 1953
- rhodostoma, [\*Bullia rhodostoma\*](#) Reeve, 1847
- richeri, [\*Nassarius richeri\*](#) Cernohorsky, 1992
- rickardi, *Nassaria rickardi* Ladd, 1977 - syn of: [\*Nassaria acuminata\*](#) (Reeve, 1844)
- rideli, [\*Nassarius rideli\*](#) Dolfus, 1889 † (**FOSSIL**)
- rietensis, *Bullia rietensis* Turton, 1932 - syn of: [\*Bullia diluta\*](#) (Krauss, 1848)
- ringens, *Demoulia ringens* Adams, 1855 - syn of: [\*Nassarius conoidalis\*](#) (Deshayes, 1832)
- ringens, *Nassa ringens* Reeve, 1854 - syn of: [\*Nassarius conoidalis\*](#) (Deshayes, 1832)
- robusta, *Nassa robusta* Monterosato, 1890 - syn of: [\*Nassarius lima\*](#) (Dilwyn, 1817)
- robustus, [\*Nassarius robustus\*](#) (Monterosato, 1890)
- rochebrunei, *Nassa rochebrunei* Locard, 1887 - syn of: [\*Nassarius nitidus\*](#) (Jeffreys, 1867)
- rogersi, [\*Bullia rogersi\*](#) Smythe & Chatfield, 1981
- rohri, [\*Calophos rohri\*](#) (Rutsch, 1942) † (**FOSSIL**)
- roissyi, [\*Nassarius roissyi\*](#) (Deshayes, 1832)
- rosacea, *Nassa rosacea* Reeve, 1854 - syn of: [\*Tritia incrassata\*](#) (Ström, 1768)
- rosea, *Nassaria rosea* Hombron & Jacquinot, 1854 - syn of: [\*Pareuthria powelli\*](#) Cernohorsky, 1977
- roseae, [\*Globinassa roseae\*](#) Petuch, 1991 † (**FOSSIL**)
- roseatus, [\*Antillophos roseatus\*](#) (Hinds, 1844)
- rostharsi, [\*Nassarius rostharsi\*](#) (Partsch, 1870) † (**FOSSIL**)
- rosthorni, [\*Nassarius rosthorni\*](#) (Partsch, 1856) † (**FOSSIL**)
- rotunda, [\*Reticunassa rotunda\*](#) (Melvill & Standen, 1896) † (**FOSSIL**)
- rotundicostata, *Nassa rotundicostata* Marrat, 1877 - syn of: [\*Nassarius concinnus\*](#) (Powys, 1835)
- royana, [\*Cyllene royana\*](#) (Iredale, 1924)
- rubricata, *Nassa rubricata* Gould, 1850 - syn of: [\*Nassarius gayi\*](#) Kiener, 1835
- rubrolineata, [\*Cyllene rubrolineata\*](#) Sowerby, 1870
- rubusindicus, [\*Nassarius rubusindicus\*](#) Oostingh, 1939 † (**FOSSIL**)
- rufoocincta, *Nassa rufoocincta* Adams, 1852 - syn of: [\*Phrontis versicolor\*](#) (Adams, 1852)
- rufoinctus, [\*Antillophos rufoinctus\*](#) (Adams, 1851)
- rufolineata, *Nassa rufolineata* Marrat, 1880 - syn of: [\*Phrontis nassiformis\*](#) (Lesson, 1842)
- rufula, *Nassa rufula* Kiener, 1834 - syn of: [\*Nassarius glans particeps\*](#) (Hedley, 1915)
- rufus, [\*Nassarius rufus\*](#) (Dunker, 1847)
- ruidum, [\*Dorsanum ruidum\*](#) Peyrot, 1924 † (**FOSSIL**)
- rumphii, *Nassa rumphii* Hombron & Jacquinot, 1838 - syn of: [\*Nassarius arcularia plicatus\*](#) (Röding, 1798)
- rutilans, *Nassa rutilans* Reeve, 1853 - syn of: [\*Nassarius dorsatus\*](#) (Röding, 1798)
- rutschi, [\*Antillophos rutschi\*](#) Olson, 1942 † (**FOSSIL**)
- sacyi, [\*Nassarius sacyi\*](#) Peyrot, 1924 † (**FOSSIL**)
- sadurnii, *Nassarius sadurnii* Bot, 1972 - syn of: [\*Nassarius wolffi\*](#) (Knudsen, 1956)

- *sadurnii*, *Nassa sadurnii* Bot, 1972 - syn of: [\*Nassarius wolffi\*](#) (Knudsen, 1956)
- *salbriacensis*, [\*Nassarius salbriacensis\*](#) Peyrot, 1924 † (**FOSSIL**)
- *salina*, [\*Nassarius salina\*](#) Olsson, 1928 † (**FOSSIL**)
- *salinensis*, [\*Nassarius salinensis\*](#) Tournouer, 1876 † (**FOSSIL**)
- *samaranga*, [\*Nassaria samaranga\*](#) Martin, 1884
- *samiae*, [\*Nassarius samiae\*](#) Kool, 2006
- *sanctaehelenae*, [\*Nassarius sanctaehelenae\*](#) (Adams, 1852)
- *sanzaiana*, [\*Nassaria sanzaiana\*](#) Shuto, 1962
- *saucatsensis*, [\*Nassarius saucatsensis\*](#) Peyrot, 1924 † (**FOSSIL**)
- *saxatilis*, *Nassa saxatilis* Brusina, 1870 - Syn of: [\*Tritia incrassata\*](#) (Strøm, 1768)
- *scabriuscus*, [\*Nassarius scabriuscus\*](#) (Powys, 1835)
- *scalariformis*, *Nassarius scalariformis* Mörch, 1852 - syn of: [\*Nassarius arcularia\*](#) (Linnaeus, 1758)
- *scalarina*, *Nassa scalarina* Marrat, 1877 - syn of: [\*Nassarius frederici\*](#) (Melvill & Standen, 1901)
- *scalaris*, [\*Nassarius scalaris\*](#) (Adams, 1852)
- *scalaris*, [\*Nassarius scalaris\*](#) (Borsom, 1825) † (**FOSSIL**)
- *scalaris*, *Zeuxis scalaris* Adams, 1852 - syn of: [\*Nassarius scalaris\*](#) (Adams, 1852)
- *scalaris*, *Nassa scalaris* Adams, 1852 - syn of: [\*Nassarius scalaris\*](#) (Adams, 1852)
- *scalaris*, *Bullia scalaris* Turton, 1932 - syn of: [\*Bullia pura\*](#) Melvill, 1885
- *scalaroides*, [\*Phos scalaroides\*](#) Adams, 1851
- *scalaspira*, [\*Scalanassa scalaspira\*](#) Conrad, 1868 † - syn of: [\*Scalanassa scalaspira\*](#) (Conrad, 1868) † (**FOSSIL**)
- *scalatum*, [\*Dorsanum scalatum\*](#) Helpelin, 1891 † (**FOSSIL**)
- *scaldisanus*, [\*Nassarius scaldisanus\*](#) Adam & Gilbert, 1976 † (**FOSSIL**)
- *schepmani*, *Alectron schepmani* Koperberg, 1931 † - syn of: [\*Nassarius idyllius\*](#) (Melvill & Standen, 1901) (**FOSSIL**)
- *schizophaga*, [\*Ilyanassa schizophaga\*](#) (Dall, 1892) † (**FOSSIL**)
- *schizophaga*, *Globinassa schizophaga* Dall, 1892 † - syn of: [\*Ilyanassa schizophaga\*](#) (Dall, 1892) † (**FOSSIL**)
- *schizophaga*, [\*Nassarius schizophaga\*](#) Dall, 1892 † (**FOSSIL**)
- *schlotheimi*, [\*Nassarius schlotheimi\*](#) Beyrich, 1854 † (**FOSSIL**)
- *schmidtii*, [\*Engoniophos schmidtii\*](#) Landau, Da Silva & Heitz, 2016 † (**FOSSIL**)
- *schoenni*, [\*Nassarius schoenni\*](#) (Hoernes & Aulinger, 1882) † (**FOSSIL**)
- *schroeckingeri*, [\*Nassarius schroeckingeri\*](#) (Hoernes & Aulinger, 1882) † (**FOSSIL**)
- *schroederi*, [\*Nassarius schroederi\*](#) (Kautsky, 1925) † (**FOSSIL**)
- *scissurata penitida*, *Nassa scissurata penitida* Dall, 1889 - syn of: [\*Nassarius scissuratus\*](#) (Dall, 1889)
- *scissurata pernitida*, *Nassa scissurata pernitida* Dall, 1889 - syn of: [\*Nassarius pernitidus\*](#) (Dall, 1889)
- *scissuratus*, [\*Nassarius scissuratus\*](#) (Dall, 1889)
- *scitamentus*, [\*Antillophos citamentus\*](#) Fraussen & Poppe, 2005
- *scitula*, *Bullia scitula* Turton, 1932 - syn of: [\*Bullia diluta\*](#) (Krauss, 1848)
- *scopularca*, *Nassa scopularca* Barnard, 1959 - syn of: [\*Nassarius niveus\*](#) (Adams, 1852)
- *scopularcus*, [\*Nassarius niveus scopularcus\*](#) Barnard
- *sculpta*, *Nassa sculpta* Marrat, 1877 - syn of: [\*Hebra corticata\*](#) (Adams, 1852)
- *sculptilis*, [\*Phos sculptilis\*](#) Watson, 1886
- *seclusa*, *Nassa seclusa* Fischer, 1891 - syn of: [\*Nassarius livescens\*](#) (Philippi, 1849)
- *seclusus*, [\*Nassarius seclusus\*](#) Fischer, 1891 † (**FOSSIL**)
- *secluza*, *Nassa secluza* Fischer, 1891 - syn of: [\*Nassarius livescens\*](#) (Philippi, 1849)
- *secluzus*, *Nassarius secluzus* Fischer, 1891 - syn of: [\*Nassarius livescens\*](#) (Philippi, 1849)
- *seguinensis*, [\*Tritia seguinensis\*](#) Garvie, 2013 † (**FOSSIL**)
- *semicostata*, *Nassa semicostata* Locard, 1887 † - syn of: [\*Tritia cuvierii\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *semicostata*, [\*Pseudocominella semicostata\*](#) Nuttall & Cooper, 1973 † (**FOSSIL**)
- *semicostatus*, [\*Cymatophos semicostatus\*](#) (Gabb, 1873) † (**FOSSIL**)
- *semiflammea*, *Bullia semiflammea* Reeve, 1846 - syn of: [\*Bullia digitalis\*](#) (Dilwyn, 1817)
- *semigranosa*, *Nassa semigranosa* Dunker, 1846 - syn of: [\*Nassarius nigellus\*](#) (Reeve, 1854)
- *seminodosa*, *Alectron seminodosa* Adams, 1852 - syn of: [\*Nassarius hirtus\*](#) (Kener, 1834)
- *semiplicata*, [\*Bullia semiplicata\*](#) (Gray, 1833)
- *semiplicata*, *Nassa semiplicata* Adams, 1853 - syn of: [\*Nassarius fraterculus\*](#) (Dunker, 1860)
- *semiplicata hiradoensis*, *Nassa semiplicata hiradoensis* Pilsbry, 1904 - syn of: [\*Nassarius fraterculus\*](#) (Dunker, 1860)
- *semiplicata hizenensis*, *Nassa semiplicata hizenensis* Pilsbry, 1904 - syn of: [\*Nassarius fraterculus\*](#) (Dunker, 1860)
- *semiplicatoides*, *Zeuxis semiplicatoides* Zhang & You, 2007 - syn of: [\*Nassarius foveolatus\*](#) (Dunker, 1847)
- *semiplicatus*, *Zeuxis semiplicatus* Adams, 1852 - syn of: [\*Nassarius sinarus\*](#) (Philippi, 1851)
- *semiplicatus*, *Nassarius semiplicatus* Adams, 1852 - syn of: [\*Nassarius sinarus\*](#) (Philippi, 1851)
- *semistriata azorica*, *Nassa semistriata azorica* Dautzenberg, 1889 - syn of: [\*Nassarius recidivus\*](#) (Von Martens, 1876)
- *semistriata bulliaeformis*, *Nassa semistriata bulliaeformis* Kobelt, 1878 - syn of: [\*Nassarius recidivus\*](#) (Von Martens, 1876)
- *semistriata cabrierensis*, *Nassa semistriata cabrierensis* Fischer & Tournouer, 1873 - syn of: [\*Nassarius cabrierensis\*](#) (Fischer & Tournouer, 1873)
- *semistriata cornea*, *Nassa semistriata cornea* Locard, 1887 † - syn of: [\*Tritia ovoidea\*](#) (Locard, 1886) † (**FOSSIL**)
- *semistriata costulata*, *Nassa semistriata costulata* Locard, 1887 † - syn of: [\*Tritia ovoidea\*](#) (Locard, 1886) † (**FOSSIL**)
- *semistriata curta*, *Nassa semistriata curta* Locard, 1887 † - syn of: [\*Tritia ovoidea\*](#) (Locard, 1886) † (**FOSSIL**)
- *semistriata recidiva*, *Nassa semistriata recidiva* Von Martens, 1876 - syn of: [\*Nassarius recidivus\*](#) (Von Martens, 1876)
- *semistriatus*, [\*Nassarius semistriatus\*](#) (Brocchi, 1814) † (**FOSSIL**)
- *semisulcata*, *Nassa semisulcata* Dunker, 1867 - syn of: [\*Nassarius gaudiosus\*](#) (Hinds, 1844)
- *semisulcata*, *Nassa semisulcata* Hombron & Jacquinot, 1848 - syn of: [\*Nassarius semisulcatus\*](#) (Hombron & Jacquinot, 1848)
- *semisulcatus*, [\*Nassarius semisulcatus\*](#) (Hombron & Jacquinot, 1848)
- *semiusta*, *Bullia semiusta* Reeve, 1846 - syn of: [\*Bullia digitalis\*](#) (Dilwyn, 1817)
- *sendersi*, [\*Bullia sendersi\*](#) Kilburn, 1978
- *senegalensis*, [\*Tritia senegalensis\*](#) (Maltzan, 1884) † (**FOSSIL**)

- *senegalensis*, *Nassa senegalensis* Maltzan, 1884 † - syn of: [\*\*Tritia senegalensis\*\*](#) (Maltzan, 1884) † (**FOSSIL**)
- *senticosus*, [\*\*Phos senticosus\*\*](#) (Linnaeus, 1758)
- *separabilis*, [\*\*Tritia separabilis\*\*](#) (Laws, 1939) † (**FOSSIL**)
- *seranus*, [\*\*Phos seranus\*\*](#) Fischer in Wanner, 1927
- *serotina*, *Nassa serotina* Adams, 1852 - syn of: [\*\*Nassarius capensis\*\*](#) (Dunker, 1846)
- *serrata*, *Northia serrata* Dufresney, 0 - syn of: [\*\*Northia pristis\*\*](#) (Deshayes, 1844)
- *serraticosta*, [\*\*Nassarius serratostoma\*\*](#) (Bronn, 1831) † (**FOSSIL**)
- *serratus*, [\*\*Nassarius serratus\*\*](#) (Brocchi, 1814) † (**FOSSIL**)
- *sertula*, *Zeuxis sertula* Adams, 1852 - syn of: [\*\*Nassarius haldemani\*\*](#) (Dunker, 1847)
- *sertula*, *Nassa sertula* Adams, 1852 - syn of: [\*\*Nassarius haldemani\*\*](#) (Dunker, 1847)
- *sertulus*, *Nassarius sertulus* Adams, 1852 - syn of: [\*\*Nassarius haldemani\*\*](#) (Dunker, 1847)
- *servaini*, *Nassa servaini* Locard, 1887 - syn of: [\*\*Nassarius nitidus\*\*](#) (Jeffreys, 1867)
- *sesarma*, *Nassa sesarma* Marrat, 1877 † - syn of: [\*\*Tritia heynemannii\*\*](#) (Maltzan, 1884) † (**FOSSIL**)
- *sesarmus*, *Nassarius sesarmus* Marrat, 1877 † - syn of: [\*\*Tritia heynemannii\*\*](#) (Maltzan, 1884) † (**FOSSIL**)
- *sexdentata*, [\*\*Ilyanassa sexdentata\*\*](#) (Conrad, 1843) † (**FOSSIL**)
- *shacklefordi*, [\*\*Nassarius shacklefordi\*\*](#) (Melvill & Standen, 1896)
- *shaskyi*, [\*\*Nassarius shaskyi\*\*](#) McLean, 1970
- *shawi*, *Nassa shawi* Preston, 1909 - syn of: [\*\*Nassarius obesus\*\*](#) (Nevill & Nevill, 1875)
- *sibogae*, [\*\*Cyllene sibogae\*\*](#) Schepman, 1911
- *signata*, *Nassarius signata* Ghisotti, 1986 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- *signatus*, [\*\*Nassarius signatus\*\*](#) (Dunker, 1847)
- *silvardi*, [\*\*Reticunassa silvardi\*\*](#) (Kool & Dekker, 2006) † (**FOSSIL**)
- *similis*, [\*\*Bullia similis\*\*](#) Sowerby, 1897
- *simizui*, [\*\*Nassarius simizui\*\*](#) Otuka, 1934 † (**FOSSIL**)
- *simoni*, [\*\*Reticunassa simoni\*\*](#) (Kool & Dekker, 2007) † (**FOSSIL**)
- *simplex*, *Austronassaria simplex* Læsøen, 1956 - syn of: [\*\*Nassarius jonasii\*\*](#) (Dunker, 1846)
- *simplex*, [\*\*Bullia simplex\*\*](#) Martin, 1879 † (**FOSSIL**)
- *simplex*, *Nassa simplex* Smith, 1880 - syn of: [\*\*Nassarius tango\*\*](#) Scarabino, 2004
- *sinarus*, [\*\*Nassarius sinarus\*\*](#) (Philippi, 1851)
- *sinensis*, *Nassa sinensis* Marrat, 1877 - syn of: [\*\*Tritia casta\*\*](#) (Gould, 1850)
- *sinensis*, *Nassarius sinensis* Marrat, 1877 - syn of: [\*\*Tritia casta\*\*](#) (Gould, 1850)
- *sinensis*, *Nassaria sinensis* Sowerby, 1859 - syn of: [\*\*Nassaria acuminata\*\*](#) (Reeve, 1844)
- *sinusigera*, [\*\*Tritia sinusigera\*\*](#) (Adams, 1852)
- *sinusigera*, *Nassarius sinusigera* Adams, 1852 † - syn of: [\*\*Tritia sinusigera\*\*](#) (Adams, 1852) (**FOSSIL**)
- *sinusigera*, *Nassa sinusigera* Adams, 1852 † - syn of: [\*\*Tritia sinusigera\*\*](#) (Adams, 1852) (**FOSSIL**)
- *sinusigera cernica*, *Niotha sinusigera cernica* Nevill & Nevill, 1874 † - syn of: [\*\*Tritia sinusigera\*\*](#) (Adams, 1852) (**FOSSIL**)
- *sinusigerus albinus*, *Nassarius sinusigerus albinus* (Thiele, 1930) - syn of: [\*\*Nassarius albinus\*\*](#) (Thiele, 1930)
- *siquijorensis*, [\*\*Tritia siquijorensis\*\*](#) (Adams, 1852) † (**FOSSIL**)
- *siquijorensis*, *Nassarius siquijorensis* Adams, 1852 † - syn of: [\*\*Tritia siquijorensis\*\*](#) (Adams, 1852) † (**FOSSIL**)
- *siquijorensis hirasei*, *Nassarius siquijorensis hirasei* Kuroda & Habe, 1952 - syn of: [\*\*Nassarius hirasei\*\*](#) Kuroda & Habe, 1952
- *siquijorensis marinuensis*, *Nassa siquijorensis marinuensis* Koperberg, 1931 † - syn of: [\*\*Tritia siquijorensis\*\*](#) (Adams, 1852) † (**FOSSIL**)
- *siquijorensis timorensis*, *Nassa siquijorensis timorensis* Koperberg, 1931 † - syn of: [\*\*Tritia siquijorensis\*\*](#) (Adams, 1852) † (**FOSSIL**)
- *sismondi*, [\*\*Cyllene sismondi\*\*](#) (Bellardi, 1882) † (**FOSSIL**)
- *sistroidea*, *Nassarius sistroidea* Nevill & Nevill, 1874 - syn of: [\*\*Hebra subspinosa\*\*](#) (Lamarck, 1822)
- *sistroidea*, *Nassa sistroidea* Nevill & Nevill, 1874 - syn of: [\*\*Hebra subspinosa\*\*](#) (Lamarck, 1822)
- *sistroidea*, *Hebra sistroidea* Nevill & Nevill, 1874 - syn of: [\*\*Hebra subspinosa\*\*](#) (Lamarck, 1822)
- *siva*, *Phrontis siva* Preston, 1904 - syn of: [\*\*Nassarius jacksonianus\*\*](#) (Quoy & Gaimard, 1833)
- *skoogi*, [\*\*Adinopsis skoogi\*\*](#) Odhner, 1923 † (**FOSSIL**)
- *sloani*, [\*\*Phos sloani\*\*](#) Gardner & Aldrich, 1919 † (**FOSSIL**)
- *sloani floridanus*, [\*\*Phos sloani floridanus\*\*](#) Mansfield, 1930 † (**FOSSIL**)
- *smithi*, [\*\*Antillophos smithi\*\*](#) (Watson, 1886)
- *smithi*, *Nassa smithi* Marrat, 1877 - syn of: [\*\*Nassarius concinnus\*\*](#) (Powys, 1835)
- *smithi*, [\*\*Cyllene smithi\*\*](#) Martin, 1884 † (**FOSSIL**)
- *smithiana*, [\*\*Uzita smithiana\*\*](#) (Olson, 1916) † (**FOSSIL**)
- *smitsorum*, [\*\*Nassarius smitsorum\*\*](#) Kool, 1990
- *smytheae*, [\*\*Bullia smytheae\*\*](#) Moolenbeek & Dekker, 1994
- *socialis*, [\*\*Tritia socialis\*\*](#) (Hutton, 1886) † (**FOSSIL**)
- *solida*, *Nassa solida* Hidalgo, 1904 - syn of: [\*\*Hebra corticata\*\*](#) (Adams, 1852)
- *solida*, [\*\*Nassaria solida\*\*](#) Kuroda & Habe, 1961
- *solidula*, [\*\*Pallacera solidula\*\*](#) (Guppy, 1866) † (**FOSSIL**)
- *solidulus*, [\*\*Nassarius solidulus\*\*](#) (Bellardi, 1882) † (**FOSSIL**)
- *solidus*, [\*\*Nassarius solidus\*\*](#) (Bell, 1898) † (**FOSSIL**)
- *solidus coxi*, *Nassarius solidus coxi* Brébon, 1964 † - syn of: [\*\*Nassarius solidus\*\*](#) (Bell, 1898) † (**FOSSIL**)
- *solitarius*, [\*\*Nassarius solitarius\*\*](#) Dollfus, 1889 † (**FOSSIL**)
- *soluta*, *Bullia soluta* Turton, 1932 - syn of: [\*\*Bullia digitalis\*\*](#) (Dilwyn, 1817)
- *somaliensis*, [\*\*Nassarius emilyae somaliensis\*\*](#) Moolenbeek & Dekker
- *sondeiana*, *Eione sondeiana* Martin, 1895 - syn of: [\*\*Nassarius pullus\*\*](#) (Linnaeus, 1758)
- *sopora*, [\*\*Nassarius sopora\*\*](#) Plisby & Harbison, 1933 † (**FOSSIL**)
- *sordida*, *Nassa sordida* Adams, 1852 - syn of: [\*\*Nassarius livescens\*\*](#) (Philippi, 1849)
- *sordidus*, *Nassarius sordidus* Adams, 1852 - syn of: [\*\*Nassarius livescens\*\*](#) (Philippi, 1849)
- *soror*, *Nassa soror* Giner Mari, 1929 - syn of: [\*\*Nassarius helleri\*\*](#) (Giner Mari, 1929)
- *sororcula*, [\*\*Nassarius sororcula\*\*](#) Peyrot, 1924 † (**FOSSIL**)
- *sowerbyi*, *Bullia sowerbyi* Turton, 1932 - syn of: [\*\*Bullia laevissima\*\*](#) (Gmelin, 1791)

- **sparta**, *Nassa sparta* Marrat, 1877 † - syn of: [\*\*\*Tritia corniculum\*\*\*](#) (Olivi, 1792) † (**FOSSIL**)
- **speciosus**, [\*\*\*Nassarius speciosus\*\*\*](#) (Adams, 1852)
- **spectabilis**, [\*\*\*Nassarius spectabilis\*\*\*](#) (Nyst, 1845) † (**FOSSIL**)
- **spectabilis vandewouweri**, [\*\*\*Nassarius spectabilis vandewouweri\*\*\*](#) (Gilbert, 1959) † (**FOSSIL**)
- **spectrum**, *Bulla spectrum* Turton, 1932 - syn of: [\*\*\*Bulla diluta\*\*\*](#) (Krauss, 1848)
- **sperlingensis**, [\*\*\*Nassarius sperlingensis\*\*\*](#) Adam & Gilbert, 1976 † (**FOSSIL**)
- **spinicostatus**, *Phos spinicostatus* Adams, 1851 - syn of: [\*\*\*Phos blainvillei\*\*\*](#) Deshayes, 1832
- **spinigera**, [\*\*\*Nassaria spinigera\*\*\*](#) (Hayashi & Habe, 1965)
- **spiraliscabrus**, [\*\*\*Nassarius spiraliscabrus\*\*\*](#) (Chapman & Gabriel, 1914) † (**FOSSIL**)
- **spirata**, *Nassa spirata* Adams, 1852 - syn of: [\*\*\*Nassarius spiratus\*\*\*](#) (Adams, 1852)
- **spiratus**, [\*\*\*Nassarius spiratus\*\*\*](#) (Adams, 1852)
- **splendidula**, *Nassarius splendidula* Dunker, 1846 - syn of: [\*\*\*Nassarius splendidulus\*\*\*](#) Dunker, 1846
- **splendidulus**, [\*\*\*Nassarius splendidulus\*\*\*](#) Dunker, 1846
- **sporadica**, *Nassa sporadica* Sturany, 1900 - syn of: [\*\*\*Nassarius mundus\*\*\*](#) (Sturany, 1900)
- **springvaleensis**, *Phos springvaleensis* Rutsch, 1942 † - syn of: [\*\*\*Calophos plicatilis\*\*\*](#) (Bose, 1906) † (**FOSSIL**)
- **spurca**, *Nassa spurca* Gould, 1860 - syn of: [\*\*\*Nassarius multigranosus\*\*\*](#) (Dunker, 1847)
- **squalidum**, [\*\*\*Buccinanops squalidum\*\*\*](#) (King & Broderip, 1832)
- **steehuisi**, *Aciculina steehuisi* Oostingh, 1939 - syn of: [\*\*\*Nassarius vittatus\*\*\*](#) (Adams, 1853)
- **steenhuisi**, *Nassarius steenhuisi* Oostingh, 1939 - syn of: [\*\*\*Nassarius vittatus\*\*\*](#) (Adams, 1853)
- **steindachneri**, *Nassa steindachneri* Sturany, 1900 - syn of: [\*\*\*Nassarius thaumasius\*\*\*](#) (Sturany, 1900)
- **stigmaria**, *Nassa stigmaria* Adams, 1852 - syn of: [\*\*\*Nassarius stigmarius\*\*\*](#) (Adams, 1852)
- **stigmarius**, [\*\*\*Nassarius stigmarius\*\*\*](#) (Adams, 1852)
- **stigmarius ravidus**, [\*\*\*Nassarius stigmarius ravidus\*\*\*](#) Reeve, 1853
- **stimpsonianus**, [\*\*\*Nassarius stimpsonianus\*\*\*](#) (Adams, 1852)
- **stiphra**, *Nassa stiphra* Sturany, 1900 - syn of: [\*\*\*Nassarius agapetus\*\*\*](#) (Watson, 1882)
- **stolata**, *Nassa stolata* Gmelin, 1791 - syn of: [\*\*\*Nassarius stolatus\*\*\*](#) (Gmelin, 1791)
- **stolatus**, [\*\*\*Nassarius stolatus\*\*\*](#) (Gmelin, 1791)
- **stoliczkana**, *Nassa stoliczkana* Nevill & Nevill, 1874 - syn of: [\*\*\*Nassarius nodifer\*\*\*](#) (Powys, 1835)
- **stolida**, *Nassa stolida* Adams, 1852 - syn of: [\*\*\*Nassarius nodifer\*\*\*](#) (Powys, 1835)
- **strenaria**, [\*\*\*Bulla melanoides strenaria\*\*\*](#) Deshayes
- **strenaria melaleuca**, *Bulla strenaria melaleuca* Melvill, 1904 - syn of: [\*\*\*Bulla melanoides\*\*\*](#) (Deshayes, 1832)
- **strenaria plumbea**, *Bulla strenaria plumbea* Melvill, 1904 - syn of: [\*\*\*Bulla melanoides\*\*\*](#) (Deshayes, 1832)
- **striata**, *Cyllene striata* Adams, 1851 - syn of: [\*\*\*Cyllene pulchella\*\*\*](#) Adams & Reeve, 1850
- **striata**, *Nassa striata* Adams, 1853 - syn of: [\*\*\*Nassarius pupinoides\*\*\*](#) (Reeve, 1853)
- **striata cebuensis**, *Nassa striata cebuensis* Sowerby, 1901 - syn of: [\*\*\*Nassarius pupinoides\*\*\*](#) (Reeve, 1853)
- **striatulus**, [\*\*\*Nassarius striatulus\*\*\*](#) (Eichwald, 1829) † (**FOSSIL**)
- **striatus**, [\*\*\*Nassarius striatus\*\*\*](#) (Adams, 1852)
- **sturmii**, *Nassa sturmii* Reeve, 1853 - syn of: [\*\*\*Nassarius natalensis\*\*\*](#) (Smith, 1903)
- **sturtiana**, *Nassa sturtiana* Melvill & Standen, 1901 - syn of: [\*\*\*Nassarius pseudoconcinnus\*\*\*](#) (Smith, 1895)
- **styriacus**, [\*\*\*Nassarius styriacus\*\*\*](#) (Auringer, 1879) † (**FOSSIL**)
- **subbalteatus**, *Zeuxis subbalteatus* MacNeil, 1960 - syn of: [\*\*\*Nassarius sufflatus\*\*\*](#) (Gould, 1860)
- **subconstricta**, *Nassa subconstricta* Sowerby, 1899 - syn of: [\*\*\*Nassarius subconstrictus\*\*\*](#) (Sowerby, 1899)
- **subconstrictus**, [\*\*\*Nassarius subconstrictus\*\*\*](#) (Sowerby, 1899)
- **subcopiosus**, [\*\*\*Nassarius subcopiosus\*\*\*](#) (Ludbrook, 1958) † (**FOSSIL**)
- **subcostulata**, *Nassa subcostulata* Locard, 1886 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- **subcylindrica**, [\*\*\*Bulliopsis subcylindrica\*\*\*](#) Conrad, 1866 † (**FOSSIL**)
- **subecostatus**, [\*\*\*Nassarius subecostatus\*\*\*](#) Belardi, 1887 † (**FOSSIL**)
- **sublirellus**, [\*\*\*Nassarius sublirellus\*\*\*](#) Tate, 1888 † (**FOSSIL**)
- **subobesus**, [\*\*\*Nassarius subobesus\*\*\*](#) Degrange & Touzin, 1894 † (**FOSSIL**)
- **subpolitum**, [\*\*\*Dorsanum subpolitum\*\*\*](#) (D'Orbigny, 1852) † (**FOSSIL**)
- **subpolitum vasconiensis**, [\*\*\*Dorsanum subpolitum vasconiensis\*\*\*](#) Peyrot, 1924 † (**FOSSIL**)
- **subsemicostatus**, [\*\*\*Cymatophos subsemicostatus\*\*\*](#) (Brown & Pilsby, 1911) † (**FOSSIL**)
- **subspinosa**, [\*\*\*Hebra subspinosa\*\*\*](#) (Lamarck, 1822)
- **subspinosa**, *Nassa subspinosa* Lamarck, 1822 - syn of: [\*\*\*Hebra subspinosa\*\*\*](#) (Lamarck, 1822)
- **subspinosa**, *Hebra subspinosa* Lamarck, 1822 - syn of: [\*\*\*Hebra subspinosa\*\*\*](#) (Lamarck, 1822)
- **subspinosus**, *Hebra subspinosus* Lamarck, 1822 - syn of: [\*\*\*Hebra subspinosa\*\*\*](#) (Lamarck, 1822)
- **substramineus**, [\*\*\*Nassarius substramineus\*\*\*](#) (Gratebup, 1834) † (**FOSSIL**)
- **subtessellatus**, [\*\*\*Nassarius subtessellatus\*\*\*](#) Peyrot, 1924 † (**FOSSIL**)
- **subtranslucida**, *Nassa subtranslucida* Smith, 1903 - syn of: [\*\*\*Nassarius subtranslucidus\*\*\*](#) (Smith, 1903)
- **subtranslucidus**, [\*\*\*Nassarius subtranslucidus\*\*\*](#) (Smith, 1903)
- **subtranslucidus translucidus**, [\*\*\*Nassarius subtranslucidus translucidus\*\*\*](#) (Smith, 1895)
- **subumbilicata**, [\*\*\*Cyllene subumbilicata\*\*\*](#) (Belardi, 1882) † (**FOSSIL**)
- **subventricosa**, *Bulla subventricosa* Turton, 1932 - syn of: [\*\*\*Bulla diluta\*\*\*](#) (Krauss, 1848)
- **subventricosus**, [\*\*\*Nassarius subventricosus\*\*\*](#) (Peyrot, 1924) † (**FOSSIL**)
- **succincta**, *Nassa succincta* Adams, 1852 - syn of: [\*\*\*Nassarius succinctus\*\*\*](#) (Adams, 1852)
- **succinctus**, *Nassa succinctus* Adams, 1852 - syn of: [\*\*\*Nassarius succinctus\*\*\*](#) (Adams, 1852)
- **sufflata**, *Nassa sufflata* Gould, 1860 - syn of: [\*\*\*Nassarius sufflatus\*\*\*](#) (Gould, 1860)
- **sufflatus**, [\*\*\*Nassarius sufflatus\*\*\*](#) (Gould, 1860)
- **sufflatus**, *Nassarius sufflatus* Gould, 1860 - syn of: [\*\*\*Nassarius sufflatus\*\*\*](#) (Gould, 1860)
- **sulcata**, [\*\*\*Cyllene sulcata\*\*\*](#) Adams & Adams, 1854
- **sulcata**, *Bulla sulcata* Reeve, 1846 - syn of: [\*\*\*Bulla digitalis\*\*\*](#) (Dilwyn, 1817)
- **sulcata**, *Eione sulcata* Risso, 1826 † - syn of: [\*\*\*Tritia cuvierii\*\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)

- *sulcatus*, [\*Nassarius sulcatus\*](#) (Kautsky, 1925) † (**FOSSIL**)
- *sulcifera*, *Nassa sulcifera* Adams, 1852 - syn of: [\*Nassarius arcularia plicatus\*](#) (Röding, 1798)
- *sumatranus*, [\*Nassarius sumatranus\*](#) (Thiele, 1925)
- *sundaica*, [\*Bullia sundaica\*](#) Oostingh, 1939 † (**FOSSIL**)
- *sundaicus*, [\*Nassarius sundaicus\*](#) Oostingh, 1939 † (**FOSSIL**)
- *suturae*, [\*Nassarius glans suturae\*](#) Lamarck
- *suturalis*, *Hindsia suturalis* Adams, 1855 - syn of: [\*Nassaria acuminata\*](#) (Reeve, 1844)
- *suturalis*, *Nassa suturalis* Lamarck, 1822 - syn of: [\*Nassarius glans\*](#) (Linnaeus, 1758)
- *suturalis*, *Nassarius suturalis* Lamarck, 1822 - syn of: [\*Nassarius glans\*](#) (Linnaeus, 1758)
- *suturalis*, *Nassa suturalis* Reeve, 1853 - syn of: [\*Nassarius glans particeps\*](#) (Hedley, 1915)
- *suturalis dunkeri*, *Nassa suturalis dunkeri* Suter, 1908 - syn of: [\*Nassarius glans\*](#) (Linnaeus, 1758)
- *swearingeni*, [\*Tritia swearingeni\*](#) (Petuch & Myers, 2014) † (**FOSSIL**)
- *syltensis*, [\*Nassarius syltensis\*](#) (Beyrich, 1854) † (**FOSSIL**)
- *syrticus*, [\*Nassarius syrticus\*](#) Peyrot, 1924 † (**FOSSIL**)
- *tabescens*, [\*Nassarius tabescens\*](#) (Marrat, 1880)
- *tadjallii*, [\*Nassarius tadjallii\*](#) Moolenbeek, 2007
- *taenia*, *Nassa taenia* Gmelin, 1791 - syn of: [\*Nassarius olivaceus\*](#) (Bruguère, 1789)
- *taenia*, *Zeuxis taenia* Gmelin, 1791 - syn of: [\*Nassarius olivaceus\*](#) (Bruguère, 1789)
- *taenia badia*, *Zeuxis taenia badia* Adams, 1852 - syn of: [\*Nassarius olivaceus\*](#) (Bruguère, 1789)
- *taenia mitralis*, *Nassa taenia mitralis* Adams, 1852 - syn of: [\*Nassarius olivaceus\*](#) (Bruguère, 1789)
- *taeniolatus*, [\*Nassarius taeniolatus\*](#) Philippi, 1845
- *taenius*, *Nassarius taenius* Gmelin, 1791 - syn of: [\*Nassarius olivaceus\*](#) (Bruguère, 1789)
- *taggartorum*, *Nassarius taggartorum* Kuroda, 1960 † - syn of: [\*Reticunassa paupera\*](#) (Gould, 1850) † (**FOSSIL**)
- *tahitensis*, [\*Bullia tahitensis\*](#) (Gmelin, 1791)
- *talahabensis*, [\*Nassarius talahabensis\*](#) (Martin, 1921) † (**FOSSIL**)
- *tambacanus*, [\*Nassarius tambacanus\*](#) (Martin, 1884) † (**FOSSIL**)
- *tambaccana*, [\*Nassaria tambaccana\*](#) Martin, 1884 † (**FOSSIL**)
- *tamsiana*, [\*Bullia tamsiana\*](#) Dunker, 1853
- *tangaroai*, [\*Nassarius tangaroai\*](#) Koel, 2006
- *tango*, [\*Nassarius tango\*](#) Scarabino, 2004
- *tardicrescens*, [\*Phos tardicrescens\*](#) Tate, 1888 † (**FOSSIL**)
- *tarentina*, *Cyclope tarentina* Parenzan, 1970 - syn of: [\*Cyclope neritea\*](#) (Linnaeus, 1758)
- *tarta*, [\*Nassaria tarta\*](#) Fraussen, 2006
- *tasmanica*, *Nassa tasmanica* Tenison-Woods, 1876 - syn of: [\*Nassarius nigellus\*](#) (Reeve, 1854)
- *tatei*, [\*Nassarius tatei\*](#) Tenison-Woods, 1878 † (**FOSSIL**)
- *tatei socialis*, *Nassarius tatei socialis* Hutton, 1886 † - syn of: [\*Tritia socialis\*](#) (Hutton, 1886) † (**FOSSIL**)
- *tateyamensis*, [\*Nassarius tateyamensis\*](#) Kuroda, 1929
- *tchangsi*, *Hima tchangsi* Yen, 1936 - syn of: [\*Nassarius gregarius\*](#) (Grabau & King, 1928)
- *tegula*, *Nassa tegula* Reeve, 1853 - syn of: [\*Nassarius striatus\*](#) (Adams, 1852)
- *tegulata nodulifera*, *Nassa tegulata nodulifera* Carpenter, 1857 - syn of: [\*Phrontis luteostoma\*](#) (Broderip & Sowerby, 1829)
- *tejonensis*, [\*Keepingia tejonensis\*](#) (Dickerson, 1915) † (**FOSSIL**)
- *tejonensis*, *Colwellia tejonensis* Dickerson, 1915 † - syn of: [\*Keepingia tejonensis\*](#) (Dickerson, 1915) † (**FOSSIL**)
- *telleri*, [\*Nassarius telleri\*](#) (Hoernes & Aulinger, 1882) † (**FOSSIL**)
- *temperatus*, [\*Phos temperatus\*](#) Fraussen & Poppe, 2005
- *tenella*, *Nassa tenella* Reeve, 1854 - syn of: [\*Tritia incrassata\*](#) (Strøm, 1768)
- *tenuis*, [\*Bullia tenuis\*](#) Reeve, 1846
- *tenuis*, *Nassa tenuis* Smith, 1875 - syn of: [\*Nassarius praematuratus\*](#) (Kuroda & Habe, 1960)
- *tenuistriata*, *Bullia tenuistriata* Tomlin, 1920 - syn of: [\*Bullia pura\*](#) Melvill, 1885
- *tenuistriatus*, [\*Nassarius tenuistriatus\*](#) (Beyrich, 1854) † (**FOSSIL**)
- *terebraformis*, [\*Bullia terebraformis\*](#) (Dautzenberg, 1912)
- *terebratula*, [\*Tritaria terebratula\*](#) (Olsson, 1928) † (**FOSSIL**)
- *terebratula*, *Alectron terebratula* Olsson, 1928 † - syn of: [\*Tritaria terebratula\*](#) (Olsson, 1928) † (**FOSSIL**)
- *terebroides*, *Nassa terebroides* Reeve, 1853 - syn of: [\*Nassarius labiatus\*](#) (Adams, 1853)
- *teres*, [\*Nassaria teres\*](#) Von Martens, 1902
- *teretiuscula*, *Zeuxis teretiuscula* Adams, 1852 - syn of: [\*Nassarius teretiusculus\*](#) (Adams, 1852)
- *teretiusculus*, [\*Nassarius teretiusculus\*](#) (Adams, 1852)
- *termesoides*, [\*Nassaria termesoides\*](#) Fraussen, 2006
- *terryi*, [\*Uzita terryi\*](#) Olson, 1942 † (**FOSSIL**)
- *tersus*, [\*Nassarius tersus\*](#) (Bellardi, 1882) † (**FOSSIL**)
- *teschi*, *Hindsia teschi* Fischer, 1927 - syn of: [\*Nassaria acuminata\*](#) (Reeve, 1844)
- *textilis*, [\*Phos textilis\*](#) Adams, 1851
- *textum*, [\*Phos textum\*](#) (Gmelin, 1791)
- *textum cyanostoma*, *Phos textum cyanostoma* Adams, 1851 - syn of: [\*Phos cyanostoma\*](#) Adams, 1851
- *thachi*, [\*Nassarius thachi\*](#) Dekker, 2004
- *thalassomeli*, [\*Nassaria thalassomeli\*](#) Fraussen & Poppe, 2007
- *thaumasia*, *Nassa thaumasia* Sturany, 1900 - syn of: [\*Tritia casta\*](#) (Gould, 1850)
- *thaumasius*, [\*Nassarius thaumasius\*](#) (Sturany, 1900)
- *thayerae*, [\*Phos thayerae\*](#) Smith, 1936 † (**FOSSIL**)
- *thersites*, *Nassarius thersites* Bruguère, 1789 - syn of: [\*Nassarius pullus\*](#) (Linnaeus, 1758)
- *thersites*, *Nassa thersites* Bruguère, 1789 - syn of: [\*Nassarius pullus\*](#) (Linnaeus, 1758)
- *thersites acypha*, *Nassa thersites acypha* Von Martens, 1886 - syn of: [\*Nassarius pullus\*](#) (Linnaeus, 1758)
- *thersites bimaculosa*, *Nassarius thersites bimaculosa* Adams, 1852 - syn of: [\*Nassarius bimaculosus\*](#) (Adams, 1852)
- *thersites irus*, *Nassa thersites irus* Von Martens, 1880 - syn of: [\*Nassarius irus\*](#) (Von Martens, 1880)

- **thesaura**, *Nassaria thesaura* Fraussen & Poppe, 2007
- **thetis**, *Bullia thetis* Turton, 1932 - syn of: *Bullia pura* Melvill, 1885
- **thielei**, *Nassarius thielei* Olson, 1964 † (**FOSSIL**)
- **tiarula**, *Nassarius tiarula* (Kiener, 1841)
- **tiarula**, *Phrontis tiarula* Dautzenberg, 1929 - syn of: *Hebra corticata* (Adams, 1852)
- **tiarula**, *Nassa tiarula* Kiener, 1841 - syn of: *Nassarius tiarula* (Kiener, 1841)
- **tiarula**, *Phrontis tiarula* Sturany, 1904 - syn of: *Nassarius delicatus* (Adams, 1852)
- **tindalli**, *Nassarius tindalli* Melvill, 1906 - syn of: *Nassarius frederici* (Melvill & Standen, 1901)
- **tinei**, *Tritia tinei* (Maravigna, 1840) † (**FOSSIL**)
- **tingitana**, *Tritia tingitana* (Pallary, 1901) † (**FOSSIL**)
- **tingitana articulata**, *Nassa tingitana articulata* Pallary, 1920 † - syn of: *Tritia tingitana* (Pallary, 1901) † (**FOSSIL**)
- **tingitina**, *Nassa tingitina* Pallary, 1901 † - syn of: *Tritia tingitana* (Pallary, 1901) † (**FOSSIL**)
- **tjemoroensis**, *Hindsia tjemoroensis* Martin, 1899 - syn of: *Nassaria acuminata* (Reeve, 1844)
- **torresianus**, *Nassarius torresianus* Hedley, 1915 - syn of: *Nassarius idyllius* (Melvill & Standen, 1901)
- **toulai**, *Nassarius toulai* Hüber, 1879 † (**FOSSIL**)
- **toulai poelsensis**, *Nassarius toulai poelsensis* Auinger † (**FOSSIL**)
- **townsendi**, *Nassarius townsendi* (Dall, 1880)
- **townsendi**, *Nassarius townsendi* Melvill, 1897 - syn of: *Nassarius frederici* (Melvill & Standen, 1901)
- **townsendi**, *Bullia townsendi* Melvill, 1912
- **tranquebarica**, *Bullia tranquebarica* (Röding, 1798)
- **transitens**, *Nassarius transitens* Belardj, 1882 † (**FOSSIL**)
- **translucidus**, *Nassarius subtranslucidus translucidus* Smith
- **translucidus**, *Nassarius translucidus* Smith, 1895 - syn of: *Nassarius subtranslucidus translucidus* (Smith, 1895)
- **tribakus**, *Pallacera tribakus* (Gardner, 1944) † (**FOSSIL**)
- **trifasciata**, *Nassa trifasciata* Adams, 1853 - syn of: *Nassarius vinctus* (Marrat, 1877)
- **trifasciata**, *Tritia trifasciata* Adams, 1853 - syn of: *Nassarius vinctus* (Marrat, 1877)
- **trifasciata**, *Nassa trifasciata* Gmelin, 1791 - syn of: *Nassarius dorsatus* (Röding, 1798)
- **trifasciata**, *Nassa trifasciata* Mac Andrew, 1856 † - syn of: *Tritia ovoidea* (Locard, 1886) † (**FOSSIL**)
- **trifasciata**, *Bullia trifasciata* Smith, 1904
- **trifasciatus**, *Nassarius trifasciatus* Adams, 1853 - syn of: *Nassarius elatus* (Gould, 1845)
- **tringa**, *Nassa tringa* Souverbie, 1864 † - syn of: *Reticunassa paupera* (Gould, 1850) † (**FOSSIL**)
- **trinitatensis**, *Nassarius trinitatensis* Jung, 1969 † (**FOSSIL**)
- **trinitatensis**, *Phos trinitatensis* Mansfield, 1925 † (**FOSSIL**)
- **trinodosa**, *Nassa trinodosa* Smith, 1876 - syn of: *Hebra corticata* (Adams, 1852)
- **tristis**, *Nassarius tristis* Preston, 1908 - syn of: *Nassarius moestus* (Hinds, 1844)
- **tritoniformis**, *Nassarius tritoniformis* (Kiener, 1841)
- **trivittata**, *Tritia trivittata* (Say, 1822) † (**FOSSIL**)
- **trivittata**, *Nassa trivittata* Say, 1822 † - syn of: *Tritia trivittata* (Say, 1822) † (**FOSSIL**)
- **trivittata**, *Ilyanassa trivittata* Say, 1822 † - syn of: *Tritia trivittata* (Say, 1822) † (**FOSSIL**)
- **trivittatoides**, *Nassarius trivittatoides* Whitfield, 1894 † (**FOSSIL**)
- **troendleorum**, *Nassarius troendleorum* Černohorský, 1980
- **truncata**, *Bullia truncata* Reeve, 1846 - syn of: *Adinus truncatus* (Reeve, 1846)
- **truncatus**, *Adinus truncatus* (Reeve, 1846)
- **tryoni**, *Nassa tryoni* Crosse, 1869 - syn of: *Demoulia obtusata* (Link, 1807)
- **tschudii**, *Nassa tschudii* Troschel, 1852 - syn of: *Nassarius dentifer* (Powys, 1835)
- **tsokobuntodis**, *Antillophos tsokobuntodis* Fraussen & Poppe, 2005
- **tuberaensis**, *Cymatophos tuberaensis* (Anderson, 1929) † (**FOSSIL**)
- **tuberculatus**, *Phos tuberculatus* Tate, 1888 † (**FOSSIL**)
- **tuberosa**, *Nassarius tuberosa* Carpenter, 1865 - syn of: *Mitrella tuberosa* (Carpenter, 1865)
- **tumida**, *Whitecliffia tumida* Nuttal & Cooper, 1973 † (**FOSSIL**)
- **tumidus**, *Nassarius tumidus* (Eichwald, 1830) † (**FOSSIL**)
- **tumidus crassispiralis**, *Nassarius tumidus crassispiralis* Voorthuysen, 1944 † (**FOSSIL**)
- **tunetoyensis**, *Nassarius tunetoyensis* Nomura & Hatai, 1936 † (**FOSSIL**)
- **turbacoensis**, *Cymatophos turbacoensis* (Anderson, 1929) † (**FOSSIL**)
- **turbanata**, *Hindsia turbanata* Kuroda, 1961 - syn of: *Nassaria solidula* Kuroda & Habe, 1961
- **turbanellus**, *Nassarius turbanellus* (Brocchi, 1814) † (**FOSSIL**)
- **turbanellus occidentalis**, *Nassarius turbanellus occidentalis* Peyrot, 1924 † (**FOSSIL**)
- **turbineus**, *Nassarius turbineus* (Gould, 1845)
- **turgida compacta**, *Nassa turgida compacta* Pallary, 1912 † - syn of: *Tritia cuvierii* (Payraudeau, 1826) † (**FOSSIL**)
- **turonensis**, *Nassarius turonensis* (Deshayes, 1844) † (**FOSSIL**)
- **turpis**, *Nassarius turpis* Van Dingenen, Ceulemans & al., 2015 † (**FOSSIL**)
- **turrifera**, *Nassa turrifera* Smith, 1895 - syn of: *Nassarius babylonicus* (Watson, 1882)
- **turrita**, *Demoulia turrita* (Borsig, 1820) † (**FOSSIL**)
- **turrita**, *Bullia turrita* Gray, 1839
- **turrita**, *Nassaria turrita* Sowerby, 1859 - syn of: *Nassaria pusilla* (Röding, 1798)
- **tourritus**, *Phos tourritus* Adams, 1857
- **turulosus**, *Nassarius turulosus* (Risso, 1826)
- **umbilicata**, *Nassa umbilicata* Coen, 1933 † - syn of: *Tritia mutabilis* (Linnaeus, 1758) † (**FOSSIL**)
- **undata**, *Nassa undata* Marrat, 1877 - syn of: *Nassarius perpinguis* (Hinds, 1844)
- **unicincta**, *Nassa unicincta* Say, 1826 - syn of: *Engoniophos unicinctus* (Say, 1826)
- **unicinctus**, *Engoniophos unicinctus* (Say, 1826)
- **unicinctus**, *Phos unicinctus* Say, 1826 - syn of: *Engoniophos unicinctus* (Say, 1826)
- **unicolor**, *Nassarius unicolor* (Hombron & Jacquinot, 1848)

- **unicolor**, *Zeuxis unicolor* Hombron & Jacquinot, 1848 - syn of: [\*\*Nassarius unicolor\*\*](#) (Hombron & Jacquinot, 1848)
- **unicolor**, *Nassa unicolor* Smith, 1884 - syn of: [\*\*Nassarius dorsatus\*\*](#) (Röding, 1798)
- **unicolorata**, *Nassa unicolorata* Reeve, 1853 - syn of: [\*\*Nassarius dorsatus\*\*](#) (Röding, 1798)
- **unicoloris**, *Zeuxis unicoloris* Kiener, 1834 - syn of: [\*\*Nassarius unicolor\*\*](#) (Hombron & Jacquinot, 1848)
- **unicolorus**, *Nassarius unicolorus* Kiener, 1834 - syn of: [\*\*Nassarius unicolor\*\*](#) (Hombron & Jacquinot, 1848)
- **unifasciata**, [\*\*Tritia unifasciata\*\*](#) (Kiener, 1834) † (**FOSSIL**)
- **unifasciata**, *Nassa unifasciata* Paolucci, 1871 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **unimaculata**, [\*\*Cyllene unimaculata\*\*](#) Adams, 1855
- **uruguayensis**, [\*\*Buccinanops uruguayensis\*\*](#) (Pilsbry, 1897)
- **usquamaris**, [\*\*Antillophos usquamaris\*\*](#) Fraussen, 2005
- **valida**, *Bullia valida* Dunker, 1852 - syn of: [\*\*Pusionella valida\*\*](#) (Dunker, 1852)
- **valliculata**, *Nassa valliculata* Locard, 1886 - syn of: [\*\*Tritia incrassata\*\*](#) (Strøm, 1768)
- **vandeberghi**, *Phos vandeberghi* Fraussen & Poppe, 2005 - syn of: [\*\*Phos vandenberghi\*\*](#) Fraussen & Poppe, 2005
- **vandenberghi**, [\*\*Phos vandenberghi\*\*](#) Fraussen & Poppe, 2005
- **vandervlerki**, [\*\*Nassarius vandervlerki\*\*](#) Oostingh, 1939 † (**FOSSIL**)
- **vandewouweri**, [\*\*Nassarius spectabilis vandewouweri\*\*](#) Gilbert (**FOSSIL**)
- **vanesi**, [\*\*Nassarius vanesi\*\*](#) Oostingh, 1935 † (**FOSSIL**)
- **vanessae**, [\*\*Nassarius vanessae\*\*](#) Bozzetti, 2014
- **vangemerti**, [\*\*Nassarius vangemerti\*\*](#) Moolenbeek, 2010
- **vanpeli**, [\*\*Nassarius vanpeli\*\*](#) Kool, 2005
- **vanuatuensis**, [\*\*Nassarius vanuatuensis\*\*](#) Kool & Galindo, 2014
- **varians**, *Cyllene varians* Cossmann, 1903 - syn of: [\*\*Cyllene fuscata\*\*](#) Adams, 1851
- **varians**, *Cyllene varians* Cossmann, 1903 - syn of: [\*\*Cyllene fuscata\*\*](#) Adams, 1851
- **varians**, *Phos varians* Sowerby, 1866 - syn of: [\*\*Phos textum\*\*](#) (Gmelin, 1791)
- **varicifera**, *Varicinassa varicifera* Adams, 1852 - syn of: [\*\*Nassarius variciferus\*\*](#) (Adams, 1852)
- **varicifera**, *Nassa varicifera* Adams, 1852 - syn of: [\*\*Nassarius variciferus\*\*](#) (Adams, 1852)
- **varicifera**, *Hindsia varicifera* Adams, 1855 - syn of: [\*\*Nassaria acuminata\*\*](#) (Reeve, 1844)
- **varicifera fraterminor**, *Zeuxis varicifera fraterminor* Pilsbry, 1895 - syn of: [\*\*Nassarius fuscolineatus\*\*](#) (Smith, 1875)
- **variciferus**, [\*\*Nassarius variciferus\*\*](#) (Adams, 1852)
- **variciferus**, *Zeuxis variciferus* Adams, 1852 - syn of: [\*\*Nassarius variciferus\*\*](#) (Adams, 1852)
- **varicosa**, *Nassa varicosa* Bucquoy, Dautzenberg & Dolfus, 1882 - syn of: [\*\*Tritia incrassata\*\*](#) (Strøm, 1768)
- **varicosa**, [\*\*Nassaria varicosa\*\*](#) Zhang & Zhang, 2014
- **varicosa paucicostata**, *Hinia varicosa paucicostata* Nordsieck, 1973 † - syn of: [\*\*Tritia pygmaea\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- **varicosecostatus**, [\*\*Nassarius varicosecostatus\*\*](#) (Fischer, 1927)
- **varicosus**, [\*\*Antillophos varicosus\*\*](#) (Gould, 1849)
- **varicosus**, *Nassarius varicosus* Turton, 1825 † - syn of: [\*\*Tritia pygmaea\*\*](#) (Lamarck, 1822) † (**FOSSIL**)
- **variegata**, *Nassa variegata* Adams, 1852 - syn of: [\*\*Nassarius conoidalis\*\*](#) (Deshayes, 1832)
- **vasconiensis**, [\*\*Dorsanum subpolitum vasconiensis\*\*](#) Peyrot (**FOSSIL**)
- **vasconiensis**, [\*\*Nassarius basteroti vasconiensis\*\*](#) Peyrot (**FOSSIL**)
- **vaucheri**, [\*\*Nassarius vaucheri\*\*](#) (Pallary, 1906)
- **vaucheri minor**, *Nassa vaucheri minor* Pallary, 1920 - syn of: [\*\*Nassarius vaucheri\*\*](#) (Pallary, 1906)
- **vaughani**, [\*\*Phos vaughani\*\*](#) Mansfield, 1930 † (**FOSSIL**)
- **vaughani**, [\*\*Nassarius vaughani\*\*](#) McNeil, 1984 † (**FOSSIL**)
- **vayssierei**, *Cyclonassa vayssierei* Pallary, 1903 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **vayssierei**, *Nassa vayssierei* Pallary, 1903 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **veatchi**, [\*\*Cymatophos veatchi\*\*](#) (Olsson, 1922) † (**FOSSIL**)
- **veatchi erymnus**, [\*\*Cymatophos veatchi erymnus\*\*](#) Woodring, 1964 † (**FOSSIL**)
- **velatus**, [\*\*Nassarius reeveanus velatus\*\*](#) Gould
- **velatus**, *Nassarius velatus* Gould, 1850 - syn of: [\*\*Nassarius reeveanus velatus\*\*](#) Gould, 1850
- **velvetosus**, [\*\*Nassarius velvetosus\*\*](#) Kool & Galindo, 2014
- **venemai**, [\*\*Nassarius venemai\*\*](#) (Koperberg, 1931) † (**FOSSIL**)
- **veneris**, [\*\*Dorsanum veneris\*\*](#) (Faujas, 1817) † (**FOSSIL**)
- **veneris evanescens**, *Dorsanum veneris evanescens* Peyrot, 1925 † - syn of: [\*\*Dorsanum evanescens\*\*](#) Peyrot, 1925 † (**FOSSIL**)
- **ventricosa**, [\*\*Demoulia ventricosa\*\*](#) (Lamarck, 1816)
- **ventricosa**, *Nassa ventricosa* Lamarck, 1816 - syn of: [\*\*Demoulia ventricosa\*\*](#) (Lamarck, 1816)
- **ventricosa nataliae**, [\*\*Demoulia ventricosa nataliae\*\*](#) Kilburn, 1972
- **venusta**, *Nassa venusta* Dunker, 1847 - syn of: [\*\*Nassarius venustus\*\*](#) (Dunker, 1847)
- **venusta**, *Nassarius venusta* Dunker, 1847 - syn of: [\*\*Nassarius venustus\*\*](#) (Dunker, 1847)
- **venustus**, [\*\*Nassarius venustus\*\*](#) (Dunker, 1847)
- **veracruzana**, [\*\*Trajana veracruzana\*\*](#) Vokes, 1969 † (**FOSSIL**)
- **veraguensis**, [\*\*Antillophos veraguensis\*\*](#) (Hinds, 1843)
- **verbeeki**, *Hinia verbeeki* Martin, 1895 † - syn of: [\*\*Tritia casta\*\*](#) (Gould, 1850) (**FOSSIL**)
- **verbeeki fekuensis**, *Nassarius verbeeki fekuensis* Koperberg, 1931 † - syn of: [\*\*Tritia casta\*\*](#) (Gould, 1850) (**FOSSIL**)
- **verbeeki fischeri**, *Nassarius verbeeki fischeri* Koperberg, 1931 † - syn of: [\*\*Tritia casta\*\*](#) (Gould, 1850) (**FOSSIL**)
- **verbinneni**, [\*\*Antillophos verbinneni\*\*](#) Fraussen, 2009
- **verconis**, *Nassarius verconis* Cotton & Godfrey, 1932 - syn of: [\*\*Nassarius mobilis\*\*](#) (Hedley & May, 1908)
- **vermeiji**, [\*\*Nassaria vermeiji\*\*](#) Fraussen & Stahlschmidt, 2015
- **verniciata**, *Cyclonassa verniciata* Coen, 1933 - syn of: [\*\*Cyclope neritea\*\*](#) (Linnaeus, 1758)
- **verruculum**, [\*\*Antillophos verruculum\*\*](#) Watters, 2009
- **verrucosa**, *Nassa verrucosa* Adams, 1852 - syn of: [\*\*Nassarius conoidalis\*\*](#) (Deshayes, 1832)
- **versicolor**, [\*\*Phrontis versicolor\*\*](#) (Adams, 1852)
- **versicolor hooveri**, *Nassa versicolor hooveri* Arnold, 1903 - syn of: [\*\*Phrontis versicolor\*\*](#) (Adams, 1852)
- **versicolor striatula**, *Nassa versicolor striatula* Adams, 1852 - syn of: [\*\*Phrontis versicolor\*\*](#) (Adams, 1852)

- **vibex**, [\*\*Phrontis vibex\*\*](#) (Say, 1822)
- **vibex**, *Nassa vibex* Reeve, 1853 - syn of: [\*\*Hebra corticata\*\*](#) (Adams, 1852)
- **vibex**, *Nassa vibex* Say, 1822 - syn of: [\*\*Phrontis vibex\*\*](#) (Say, 1822)
- **vibex polygonatus**, *Nassarius vibex polygonatus* Lamarck, 1822 - syn of: [\*\*Phrontis polygonata\*\*](#) (Lamarck, 1822)
- **vicaryi**, [\*\*Tritia vicaryi\*\*](#) (d'Archiac, 1850) † (**FOSSIL**)
- **vicksburgensis**, [\*\*Phos vicksburgensis\*\*](#) (Aldrich, 1885) † (**FOSSIL**)
- **victorianus**, *Nassarius victorianus* Iredale, 1915 - syn of: [\*\*Nassarius pyrrhus\*\*](#) (Menke, 1843)
- **victus**, *Nassarius victus* Marat, 1877 - syn of: [\*\*Nassarius vinctus\*\*](#) (Marat, 1877)
- **vidalensis**, [\*\*Nassarius vidalensis\*\*](#) (Barnard, 1959)
- **vincta**, *Nassa vincta* Marat, 1877 - syn of: [\*\*Nassarius vinctus\*\*](#) (Marat, 1877)
- **vinctus**, [\*\*Nassarius vinctus\*\*](#) (Marat, 1877)
- **vindobonensis**, [\*\*Nassarius vindobonensis\*\*](#) (Mayer, 1860) † (**FOSSIL**)
- **virgatus**, [\*\*Phos virgatus\*\*](#) Hinds, 1844
- **virginiae**, [\*\*Antillophos virginiae\*\*](#) (Schwengel, 1942)
- **visayensis**, [\*\*Nassaria visayensis\*\*](#) Fraussen & Poppe, 2007
- **vitiensis**, [\*\*Nassarius vitiensis\*\*](#) (Hombron & Jacquinot, 1848) † (**FOSSIL**)
- **vitrea**, *Nassarius vitrea* Coen, 1914 † - syn of: [\*\*Tritia cuvierii\*\*](#) (Payraudeau, 1826) † (**FOSSIL**)
- **vitrea**, *Bullia vitrea* Reeve, 1846 - syn of: [\*\*Dorsanum miran\*\*](#) (Bruguière, 1789)
- **vittata**, [\*\*Bulla vittata\*\*](#) (Linnaeus, 1767)
- **vittata**, *Nassa vittata* Adams, 1853 - syn of: [\*\*Nassarius vittatus\*\*](#) (Adams, 1853)
- **vittata**, *Nassarius vittata* Adams, 1853 - syn of: [\*\*Nassarius vittatus\*\*](#) (Adams, 1853)
- **vittatus**, [\*\*Nassarius vittatus\*\*](#) (Adams, 1853)
- **vittatus**, *Buccinanops vittatus* Linnaeus, 1767 - syn of: [\*\*Bulla vittata\*\*](#) (Linnaeus, 1767)
- **voluptabilis**, *Niotha voluptabilis* Jousseaume, 1894 - syn of: [\*\*Nassarius concinnus\*\*](#) (Powys, 1835)
- **vredenburgi**, [\*\*Cyllene vredenburgi\*\*](#) Gupta, 1930 † (**FOSSIL**)
- **vulgatissima**, [\*\*Cyllene vulgatissima\*\*](#) Peyrot, 1924 † (**FOSSIL**)
- **vulgatissima ovulina**, [\*\*Cyllene vulgatissima ovulina\*\*](#) Peyrot, 1924 † (**FOSSIL**)
- **vulgatissimus**, [\*\*Nassarius vulgatissimus\*\*](#) (Mayer, 1860) † (**FOSSIL**)
- **waldorfensis**, *Nassa waldorfensis* Arnold, 1907 † - syn of: [\*\*Demondia californianus\*\*](#) (Conrad, 1856) † (**FOSSIL**)
- **wallacei**, [\*\*Nassaria wallacei\*\*](#) Fraussen, 2006
- **waltonensis**, [\*\*Tritia waltonensis\*\*](#) Gardner, 1936 † (**FOSSIL**)
- **wanneri**, [\*\*Nassaria wanneri\*\*](#) (Tesch in Wanner, 1915)
- **wanneri visayensis**, *Nassaria wanneri visayensis* Fraussen & Poppe, 2007 - syn of: [\*\*Nassaria visayensis\*\*](#) Fraussen & Poppe, 2007
- **watsoni**, *Nassa watsoni* Kobelt, 1883 † - syn of: [\*\*Tritia pfeifferi\*\*](#) (Philippi, 1844) † (**FOSSIL**)
- **webbei**, [\*\*Nassarius webbei\*\*](#) (Petit De La Saussaye, 1850)
- **websteri**, [\*\*Tritia websteri\*\*](#) (Petuch & Sargent, 2012) † (**FOSSIL**)
- **westerlundi**, [\*\*Cyclope neritea westerlundi\*\*](#) Brusina
- **weyersi**, *Nassarius weyersi* Craven, 1882 - syn of: [\*\*Nassarius pumilio\*\*](#) (Smith, 1872)
- **weyersi**, *Nassa weyersi* Craven, 1883 - syn of: [\*\*Nassarius pumilio\*\*](#) (Smith, 1872)
- **wheeleri**, [\*\*Trajana wheeleri\*\*](#) (Pilsbry & Olsson, 1941) † (**FOSSIL**)
- **whiteheadae**, [\*\*Nassarius whiteheadae\*\*](#) Cernohorsky, 1984
- **whitmorei**, [\*\*Nassaria whitmorei\*\*](#) MacNeil, 1961
- **wilmingtonensis**, [\*\*Ilyanassa wilmingtonensis\*\*](#) Gardner, 1943 † (**FOSSIL**)
- **wilsoni**, [\*\*Nassarius wilsoni\*\*](#) (Adams, 1852)
- **wilsoni**, [\*\*Calophos wilsoni\*\*](#) Allmon, 1990 † (**FOSSIL**)
- **wilsoni**, [\*\*Tritia wilsoni\*\*](#) Ludbrook, 1978 † (**FOSSIL**)
- **wolffi**, [\*\*Nassarius wolffi\*\*](#) (Knudsen, 1956)
- **wolffi**, *Nassa wolffi* Knudsen, 1956 - syn of: [\*\*Nassarius wolffi\*\*](#) (Knudsen, 1956)
- **woodringi**, [\*\*Nerva woodringi\*\*](#) Vokes, 1969 † (**FOSSIL**)
- **woodwardi**, *Nassa woodwardi* Forbes, 1852 - syn of: [\*\*Nassarius mendicus\*\*](#) (Gould, 1850)
- **xanthostoma**, *Nassa xanthostoma* Gray, 1839 - syn of: [\*\*Phrontis luteostoma\*\*](#) (Broderip & Sowerby, 1829)
- **xesta**, *Nassa xesta* Sturany, 1900 - syn of: [\*\*Nassarius thaumasius\*\*](#) (Sturany, 1900)
- **zailensis**, *Nassa zailensis* Sowerby, 1894 - syn of: [\*\*Nassarius deshayesianus\*\*](#) (Issel, 1866)
- **zailensis andamanica**, *Nassa zailensis andamanica* Melvill & Sykes, 1898 - syn of: [\*\*Nassarius deshayesianus\*\*](#) (Issel, 1866)
- **zambakidisi**, [\*\*Nassarius zambakidisi\*\*](#) Nofroni & Savona, 1987
- **zanzibarensis**, [\*\*Nassarius zanzibarensis\*\*](#) Kool & Dekker, 2007
- **zbyszewskii**, [\*\*Demoulia zbyszewskii\*\*](#) Landau & al., 2009 † (**FOSSIL**)
- **zenobia**, *Bullia zenobia* Turton, 1932 - syn of: [\*\*Bulla diluta\*\*](#) (Krauss, 1848)
- **zonalis**, [\*\*Nassarius reeveanus zonalis\*\*](#) Adams
- **zonalis**, *Zeuxis zonalis* Kra, 1954 - syn of: [\*\*Nassarius reeveanus\*\*](#) (Dunker, 1847)

Class: GASTROPODA  
Class: GASTROPODA

----- Family: NASSARIIDAE Iredale, 1916

Habitat= Sea, Taxonomic order  
Taxa=2403, Genus=46, Subgenus=12, Species=1001, Subspecies=56, Synonyms=1287, Images=789

Genus: Adinopsis Odhner, 1923 (1 SP, 1 IMG)



1950001140  
**Adinopsis**  
**skoogi**

N.H. Odhner, 1923 †  
**(FOSSIL)**

Angola  
31 mm




Genus: Amyclina Iredale, 1918 † (2 SP, 1 IMG)



5971104497  
**Amyclina**  
**dimorphoides**

C.H. Oostingh, 1935 †  
**(FOSSIL)**



Indonesia, Jawa Tengah, Brebes



5971104496  
**Amyclina**  
**labiosa**

J. de C. Sowerby, 1824 †  
**(FOSSIL)**

Belgium  
21 mm





Genus: Gordianops Olson, 1964 † (2 SP, 0 IMG)



5971104513  
**Gordianops**  
**baranoanus**

(Anderson, 1929 †)  
**(FOSSIL)**

Colombia, Barano



**synonyms:**


- Phos baranoanus Anderson, 1929 †



5971104514  
**Gordianops**  
**esmeraldensis**

A.A. Olson, 1964 †  
**(FOSSIL)**

Ecuador, Esmeraldas, Muisne





Genus: Leptarius Woodring, 1964 † (1 SP, 1 IMG)



5971104536  
**Leptarius**  
**leptus**

W.P. Woodring, 1964 †  
**(FOSSIL)**

Panama, Colón




Genus: Pallacera Woodring, 1964 † (7 SP, 4 IMG)



5971104606  
**Pallacera**  
**chipolana**

(W.H. Dall, 1896 †)  
**(FOSSIL)**

United States, Florida, Calhoun




**synonyms:**

- Phos chipolanus W.H. Dall, 1896 †



5971104607  
**Pallacera**  
**costata**  
(W.M. Gabb, 1873 †)  
**(FOSSIL)**  
Florida  
18 mm




**synonyms:**

- *Phos costatus* W.M. Gabb, 1873 †

- *Phos pedanus* J. Gardner, 1944 †



5971104608  
**Pallacera**  
**guadelupensis**  
(R.E. Petit, 1852 †)  
**(FOSSIL)**  
Dominican Republic  
26 mm




**synonyms:**

- *Phos fasciolatus* W.H. Dall, 1896 †



6452000193  
**Pallacera**  
**maracaibensis**  
(N.E. Weisbord, 1929 †)  
**(FOSSIL)**  
Venezuela, Paraguana Peninsula  
41 mm



Fossil  
only

5971104609  
**Pallacera**  
**myristicata**  
(R.B. Hinds, 1844 †)  
**(FOSSIL)**

No Georeferenced data available


Fossil  
only

8038000523  
**Pallacera**  
**solidula**  
(R.J.L. Guppy, 1866 †)  
**(FOSSIL)**  
Italy, Calabria

No Georeferenced data available

Fossil  
only

5971104611  
**Pallacera**  
**trikubasi**  
(Gardner, 1944 †)  
**(FOSSIL)**  
USA, Florida, Okaloosa



**Genus: Sudonassarius** Stiwell & Zinsmeister, 1992 † (1 SP, 0 IMG)

Fossil  
only


5971104612  
**Sudonassarius**  
**antarctohimalaeos**  
J.D. Stiwell,  
& Zinsmeister, 1992 †  
**(FOSSIL)**  
Antarctica, Seymour Island



**Genus: Globinassa** Dal, 1892 †† (3 SP, 3 IMG)



6452000063  
**Globinassa**  
**floridana**  
M. Smith, 1936 †  
**(FOSSIL)**  
Florida



6452000202  
**Globinassa**  
**olssonii**  
E.J. Petuch, 1994 †  
**(FOSSIL)**  
Florida, Palm Beach County  
15 mm







6452000089  
**Globinassa**  
**roseae**

E.J. Petuch, 1991 †  
**(FOSSIL)**

Florida  
25 mm



**Genus: Scalanassa** E.J. Petuch, 1994 † (2 SP, 1 IMG)



6452000200  
**Scalanassa**  
**evergladesensis**

E.J. Petuch, 1994 †  
**(FOSSIL)**

Florida, Palm Beach County  
15,7 mm



5971104532  
**Scalanassa**  
**scalaspira**

(T.A. Conrad, 1868 †)  
**(FOSSIL)**

USA, North Carolina, Bladen



**synonyms:**

- Ilyanassa scalaspira T.A. Conrad, 1868 †


SubFamily: BUCCINANOPSINAE - **Genus: Buccinanops** D'Orbigny, 1841 (8 SP, 9 IMG)



1951350000  
**Buccinanops**  
**cochlidium**

(L.W. Dillwyn, 1817)

Argentina, Rio Negro Province  
93,4 mm



**synonyms:**

- Buccinum cochlidium L.W. Dillwyn, 1817
- Bullia gradata pampeana H.F.A. von Ihering, 1907
- Buccinum lamarckii L.C. Kiener, 1834


- Bullia gradata G.P. Deshayes, 1844
- Buccinanops lamarckii L.C. Kiener, 1834



1951350020  
**Buccinanops**  
**cochlidium**  
**gradatum**

G.P. Deshayes, 1844

Uruguay  
76,5 mm



**synonyms:**

- Buccinum cochlidium L.C. Kiener, 1834
- Buccinanops gradatum G.P. Deshayes, 1844


- Buccinum gradatum G.P. Deshayes, 1844



1951350005  
**Buccinanops**  
**deformis**

(P.P. King & W.J. Broderip, 1832)

South China Sea  
23 mm



1951350010  
**Buccinanops**  
**duartei**

M.A. Klappenbach, 1961


Uruguay  
36 mm



1951350015  
**Buccinanops**  
**globulosus**

(L.C. Kiener, 1834)

Uruguay  
49 mm



**synonyms:**

- Buccinum ampullaceum G.P. Deshayes, 1844
- Buccinum globosum L.C. Kiener, 1834

- Buccinum globulosum L.C. Kiener, 1834



1951350030  
**Buccinanops**  
**monilifer**

(L.C. Kiener, 1834)  
Brazil, Guarapari  
83 mm



**synonyms:**

- *Bulla armata* J.E. Gray, 1839
- *Buccinanops monilifer* L.C. Kiener, 1834

• *Dorsanum moniliferum* L.C. Kiener, 1834



1951900020  
**Buccinanops**  
**paytensis**

(L.C. Kiener, 1834)  
Argentina, Tierra del Fuego  
47 mm



**synonyms:**



- *Buccinum citrinum* L.A. Reeve, 1846
- *Buccinum squaldum* P.P. King & W.J. Broderip, 1832

• *Buccinum paytense* L.C. Kiener, 1834




1951350035  
**Buccinanops**  
**squalidum**

(P.P. King & W.J. Broderip, 1832)  
Argentina, Tierra del Fuego  
44 mm



1951350040  
**Buccinanops**  
**uruguayensis**

(H.A. Pilsbry, 1897)  
Uruguay  
54 mm




SubFamily: BUCCININAE - **Subgenus: Trajana (Nerva)** Vokes, 1969 † (1 SP, 0 IMG)



Fossil  
only

5971104605  
**Nerva**  
**woodringi**

E.H. Vokes, 1969 †  
(FOSSIL)  
Panama, Colón



SubFamily: BULLIINAE - **Genus: Adinus** A. Adams & H. Adams, 1853 (1 SP, 0 IMG)



no  
IMAGES  
available

1951902480  
**Adinus**  
**truncatus**

(L.A. Reeve, 1846)

No Georeferenced data available

**synonyms:**


- *Bulla truncata* L.A. Reeve, 1846

SubFamily: BULLIINAE - **Genus: Bullia** J.E. Gray in E. Griffith & E. Pidgeon, 1834 (syn: *Bullana*, *Leiodomus*, *Pseudostrombus*, *Pseudostrombus* - 55 SP, 38 IMG)




1951900030  
**Bullia**  
**aikenii**

R.N. Kiburn, 1978  
Mozambique  
11 mm



1951300000  
**Bullia**  
**alfredensis**

P. Bartsch, 1915  
Kenya, Kikambala  
22,9 mm



**synonyms:**

- *Bulla diluta mediolaevis* E.C. Von Martens, 1874



5971104503  
**Bullia**  
**altis**  
(T.A. Conrad, 1832 †)  
**(FOSSIL)**  
USA, Texas  
41 mm




**synonyms:**

- Buccinanops altis T.A. Conrad, 1832 †
- Ancilla altis T.A. Conrad, 1832 †


- Anolax gigantea I. Lea, 1833 †



1951300005  
**Bullia**  
**ancillaformis**  
E.A. Smith, 1906  
South Africa, Xora  
21 mm



1951300010  
**Bullia**  
**annulata**  
(J.B.P.A. Lamarck, 1816)  
South Africa, False Bay  
45,3 mm



**synonyms:**

- Buccinum annulatum J.B.P.A. Lamarck, 1816

- Bullia magna S.H. Haughton, 1932



1951300015  
**Bullia**  
**callosa**  
(W. Wood, 1828)  
Angola  
36 mm



**synonyms:**

- Bullia callosa sulcata G.B. III Sowerby, 1889



- Buccinum calosum W. Wood, 1828



1951900060  
**Bullia**  
**cataphracta**  
R.N. Kilburn, 1978  
Mozambique, Inhambane  
35 mm



1951900070  
**Bullia**  
**ceroplasta**  
J.C. Melvill, 1898  
Arabian Gulf



8038000347  
**Bullia**  
**chitamii**  
Yokoyama, 1926 †  
**(FOSSIL)**

No Georeferenced data available





1951902400  
**Bullia**  
**crosseana**  
C.M. Tapparone-Caneffri, 1882

No Georeferenced data available




1951900080  
**Bullia**  
**cumingiana**  
R.W. Dunker, 1857  
Arabian Gulf





1951300020  
**Bullia**  
**digitalis**  
(L.W. Dillwyn, 1817)  
South Africa  
46 mm




**synonyms:**

- *Bulla achatina* J.B.P.A. Lamarck, 1816
- *Bulla almo* P. Bartsch, 1915
- *Buccinum digitale* L.W. Dillwyn, 1817
- *Buccinum elongatum* H.E. Anton, 1838
- *Bulla quoyi* W.J. Swainson, 1840
- *Bulla semiusta* L.A. Reeve, 1846
- *Bulla sulcata* L.A. Reeve, 1846

- *Buccinum achatinum* J.B.P.A. Lamarck, 1816
- *Bulla capensis* F.M. Euthyme, 1885
- *Bulla dulcis* G.B. Sowerby, 1921
- *Buccinum quoyi* W.J. Swainson, 1840
- *Bulla semiflamea* L.A. Reeve, 1846
- *Bulla soluta* W.H. Turton, 1932



1951300025  
**Bullia**  
**diluta**  
(C.F.F. von Krauss, 1848)  
South Africa  
31,5 mm





**synonyms:**

- *Bulla aepynota* P. Bartsch, 1915
- *Bulla albanyana* W.H. Turton, 1932
- *Bulla riensis* W.H. Turton, 1932
- *Bulla spectrum* W.H. Turton, 1932
- *Bulla zenobia* W.H. Turton, 1932

- *Bulla mediolaevis* E.C. Von Martens, 1874
- *Bulla scitula* W.H. Turton, 1932
- *Bulla subventricosa* W.H. Turton, 1932



1951902420  
**Bullia**  
**gruveli**  
(P. Dautzenberg, 1910)  
West Africa





**synonyms:**


- *Dorsanum gruveli* P. Dautzenberg, 1910



5971104506  
**Bullia**  
**hungarica**  
Gábor, 1936 †  
**(FOSSIL)**  
Hungary, Bükk  
28 mm



1951900090  
**Bullia**  
**indusindica**  
J.C. Melville, 1898  
India, Trivandrum  
18,4 mm





5296000006  
**Bullia**  
**jucunda**  
W.H. Turton, 1932


No Georeferenced data available



1951300035  
**Bullia**  
**kurraensis**  
G.F. Angas, 1877  
Pakistan, Karachi  
32 mm



1951300040  
**Bullia**  
**laevissima**  
(J.F. Gmelin, 1791)  
South Africa, False Bay  
46 mm



**synonyms:**

- *Buccinum laevigatum* J.B.P.A. Lamarck, 1816
- *Bulla sowerbyi* W.H. Turton, 1932

- *Buccinum laevissimum* J.F. Gmelin, 1791

**Fossil  
only**

8038000348  
**Bullia  
litoralis**

C.H. Oostingh, 1933 †  
(FOSSIL)

No Georeferenced data available

**no  
IMAGES  
available**

to be checked



5296000008  
**Bullia  
martinii**

J.E. Gray, 1843

No Georeferenced data available



**synonyms:**

- *Bulla grayi* L.A. Reeve, 1846



1951300055  
**Bullia  
mauritiana**

J.E. Gray, 1839

Oman, Masirah Island  
32,5 mm



**synonyms:**

- *Bulla melaleuca* J.C. Melvill, 1904
- *Bulla plumbea* J.C. Melvill, 1904
- *Bulla strenaria plumbea* J.C. Melvill, 1904

- *Buccinum melanoides* G.P. Deshayes, 1832
- *Bulla strenaria melaleuca* J.C. Melvill, 1904



1951900110  
**Bullia  
melanoides**

(G.P. Deshayes, 1832)


India, Tamil Nadu  
29 mm



1951300115  
**Bullia  
strenaria**

(G.P. Deshayes, 1832)


India, Trivandrum  
26,3 mm



1951902581  
**Bullia  
mirepicta**

L. Bozzetti, 2007


Madagascar, Tolagnaro  
11,2 mm



1951300065  
**Bullia  
mozambicensis**

E.A. Smith, 1878

Park Rynie, Natal, South Africa  
36 mm



**synonyms:**


- *Bulla pustulosa* G.B. III Sowerby, 1894



1951300070  
**Bullia  
natalensis**

(C.F.F. von Krauss, 1848)

South Africa, Park Rynie  
63,4 mm




**synonyms:**

- *Buccinum natalense* C.F.F. von Krauss, 1848

**no  
IMAGES  
available**

1951901350  
**Bullia  
nitida**  
G.B. III Sowerby, 1895  
Pakistan



**no  
IMAGES  
available**

6452000207  
**Bullia  
nuttalli**  
R.N. Kilburn, 1978  
Mozambique



1951300075  
**Bullia  
osculata**  
(G.B. III Sowerby, 1900)  
South Africa, Port Alfred  
17 mm



**synonyms:**

- Ancilla osculata G.B. III Sowerby, 1900

**no  
IMAGES  
available**



529600009  
**Bullia  
osseum**  
(K.T. Menke, 1829)

No Georeferenced data available

**to be checked**

**no  
IMAGES  
available**

1951902450  
**Bullia  
othaeitensis**  
(J.G. Bruguière, 1789)  
Arabian Gulf




**synonyms:**


- Buccinum australe othaeitense J.H. Chemnitz, 1788
- Bullia othaeitensis J.G. Bruguière, 1789
- Buccinum tahitense J.F. Gmelin, 1791
- Buccinum otahetense L.W. Dillwyn, 1817
- Buccinum othaeitense J.G. Bruguière, 1789



6452000066  
**Bullia  
patula**  
G.P. Deshayes, 1835 †  
(FOSSIL)  
France, Paris Basin  
33 mm



5338000058  
**Bullia  
perlucida**  
L. Bozzetti, 2014  
South Africa, Transkei  
19 mm



**no  
IMAGES  
available**

5296000010  
**Bullia  
perryi**  
J.C. Jay, 1855

No Georeferenced data available

**to be checked**

**no  
IMAGES  
available**

1951901360  
**Bullia  
persica**  
E.A. Smith, 1878  
Horn of Africa



**Fossil  
only**

8038000349  
**Bullia  
provecta**

C. Beets, 1942 †  
(FOSSIL)

No Georeferenced data available

**no  
IMAGES  
available**

to be checked



5296000080  
**Bullia  
pulchella**


W.H. Turton, 1932

No Georeferenced data available

**synonyms:**

- *Bulla gracilis* W.H. Turton, 1932
- *Bulla kraussi* W.H. Turton, 1932
- *Bulla tenuistrigata* J.R. le B. Tomlin, 1920


- *Bulla scalaris* W.H. Turton, 1932
- *Bulla thetis* W.H. Turton, 1932



1951300085  
**Bullia  
pura  
balteata**

G.B. III Sowerby, 1921


South Africa  
24 mm



1951902460  
**Bullia  
pura  
melvilli**

J.C. Melville, 1885


South Africa



1951300090  
**Bullia  
rhodostoma**

L.A. Reeve, 1847


South Africa, False Bay  
45 mm



1951300095  
**Bullia  
rogersi**

K.R. Smythe,  
& J.E. Chatfield, 1981


Oman, Masirah Island  
11,7 mm



1951300100  
**Bullia  
semiplicata**

(J.E. Gray, 1833)



Oman  
21 mm



1951300105  
**Bullia  
sendersi**

R.N. Kilburn, 1978


Kenya, Mombasa  
31 mm





1951300110  
**Bullia**  
**similis**


G.B. III Sowerby, 1897  
Park Rynie, Natal, South Africa



## Fossil only

5971104499  
**Bullia**  
**simplex**

Martin, 1879 †  
(FOSSIL)  
Indonesia, Junghuhn



1951900140  
**Bullia**  
**smytheae**

R.G. Moolenbeek & H. Dekker, 1994  
Oman  
12,8 mm



## Fossil only

8038000350  
**Bullia**  
**sundaica**


C.H. Oostingh, 1939 †  
(FOSSIL)

No Georeferenced data available



1951300120  
**Bullia**  
**tahitensis**

(J.F. Gmelin, 1791)  
Tahiti, Arue  
39,7 mm



## no IMAGES available

5296000013  
**Bullia**  
**tamsiana**

R.W. Dunker, 1853

No Georeferenced data available




1951300045  
**Bullia**  
**tenuis**

L.A. Reeve, 1846  
South Africa, Natal, Durban Bay  
18,5 mm



1951300130  
**Bullia**  
**terebraformis**


(P. Dautzenberg, 1912)  
Congo, Pointe Noire  
25,7 mm



## no IMAGES available


1951900150  
**Bullia**  
**townsendi**

J.C. Melvill, 1912  
Galapagos





1951300135  
**Bullia**  
**tranquebarica**  
(P.F. Röding, 1798)  
India, Trivandrum  
22 mm




**synonyms:**

- Dorsanum belangeri L.C. Kiener, 1834
- Bullia belangeri L.C. Kiener, 1834
- Terebra ineobata G.B. Sowerby, 1825



- Buccinum belangeri L.C. Kiener, 1834
- Terebra ineolata G.B. Sowerby, 1825
- Plotia tranquebarica P.F. Röding, 1798



1951300140  
**Bullia**  
**trifasciata**  
E.A. Smith, 1904  
South Africa, Jeffreys Bay  
40 mm



1951300145  
**Bullia**  
**turrita**  
J.E. Gray, 1839  
Ivory coast, Abidjan  
24,8 mm




**synonyms:**

- Bullia buccinula G.P. Deshayes, 1859

- Terebra buccinulum G.P. Deshayes, 1859



1951300150  
**Bullia**  
**vittata**  
(C. Linnaeus, 1767)  
India, Cuddalore  
50 mm



**synonyms:**

- Ancilla alba G. Perry, 1811
- Bullia livida L.A. Reeve, 1846
- Eburna monilis H.C.F. Schumacher, 1817
- Buccinum vittatum C. Linnaeus, 1767

- Terebra buccinoidea H.M.D. de Blainville, 1824
- Eols minor J.G. Dalzell, 1853
- Bullia pilicata J.H. Redfield, 1848
- Buccinanops vittatus C. Linnaeus, 1767



SubFamily: BULLIINAE - Subgenus: **Bullia (Bulliopsis)** Conrad, 1862 † (6 SP, 6 IMG)




8038000831  
**Bulliopsis**  
**integra**  
(T.A. Conrad, 1842 †)  
**(FOSSIL)**  
Maryland, St. Marys County  
18 mm





5971104515  
**Bulliopsis**  
**integra**  
F.B. Meek, 1864 †  
**(FOSSIL)**  
USA, Maryland




5971104516  
**Bulliopsis**  
**marylandica**  
T.A. Conrad, 1862 †  
**(FOSSIL)**  
Maryland, St. Marys County  
29 mm





8038000833  
**Bulliopsis**  
**ovata**  
T.A. Conrad, 1862 †  
**(FOSSIL)**  
Maryland, St. Marys County





5971104517  
**Bulliopsis quadrata**  
(T.A. Conrad, 1830 †)  
**(FOSSIL)**  
USA, Maryland, Dorchester  
23 mm




8038000832  
**Bulliopsis subcylindrica**  
(T.A. Conrad, 1866 †)  
**(FOSSIL)**  
Maryland, St. Marys County  
21 mm



SubFamily: BULLIINAE - Genus: **Ilyanassa** W. Stimpson, 1865 (syn: Paranassa - 14 SP, 4 IMG)

Fossil only

5971104524  
**Ilyanassa arata**  
(T. Say, 1824 †)  
**(FOSSIL)**  
USA, Florida, Collier



Fossil only

5971104525  
**Ilyanassa corbis**  
(A.A. Olson, 1967 †)  
**(FOSSIL)**  
USA, Florida, Collier



Fossil only

5971104526  
**Ilyanassa granifera**  
(T.A. Conrad, 1868 †)  
**(FOSSIL)**  
USA, North Carolina



Fossil only

5971104527  
**Ilyanassa harpuloides**  
(T.A. Conrad, 1844 †)  
**(FOSSIL)**  
USA, North Carolina, Duplin




Fossil only

5971104528  
**Ilyanassa irrorata**  
(T.A. Conrad, 1863 †)  
**(FOSSIL)**  
USA, North Carolina, Bladen




Fossil only

5971104529  
**Ilyanassa isogramma**  
(W.H. Dall, 1892 †)  
**(FOSSIL)**  
USA, North Carolina, Bladen



Fossil only

5971104530  
**Ilyanassa johnsoni**  
(W.H. Dall, 1892 †)  
**(FOSSIL)**  
USA, North Carolina, Bladen







5971104531  
**Ilyanassa**  
**marthae**

A.A. Olson, 1967 †  
**(FOSSIL)**

Florida  
28 mm



8038000834  
**Ilyanassa**  
**marylandica**

(Martin, 1904 †)  
**(FOSSIL)**

Maryland, St. Marys County  
14 mm



6452000203  
**Ilyanassa**  
**palmbeachensis**

E.J. Petuch, 1994 †  
**(FOSSIL)**


Florida, Palm Beach County  
18,3 mm



5971105547  
**Ilyanassa**  
**peralta**

(T.A. Conrad, 1868 †)  
**(FOSSIL)**

USA, Maryland  
23 mm



**synonyms:**

- *Tritaria peralta* T.A. Conrad, 1868 †

Fossil  
only

5971104533  
**Ilyanassa**  
**schizophyga**

(W.H. Dall, 1892 †)  
**(FOSSIL)**

USA, North Carolina



**synonyms:**

- *Globinassa schizophyga* W.H. Dall, 1892 †

Fossil  
only

5971104534  
**Ilyanassa**  
**sexdentata**

(T.A. Conrad, 1843 †)  
**(FOSSIL)**

USA, North Carolina, Bladen



Fossil  
only

5971104535  
**Ilyanassa**  
**wilmingtonensis**

Gardner, 1943 †  
**(FOSSIL)**

United States, North Carolina,  
New Hanover



SubFamily: BULLIINAE - Subgenus: **Ilyanassa (Paranassa)** Conrad, 1868 † (1 SP, 0 IMG)

Fossil  
only

5971104523  
**Paranassa**  
**porcinum**

(T. Say, 1824 †)  
**(FOSSIL)**

No Georeferenced data available


SubFamily: BULLIINAE - Genus: **Thanetinassa** Nuttall & J. Cooper, 1973 † (1 SP, 1 IMG)






6452000195  
**Thanetinassa**  
**bicorona**

(Meleville, 1843 †)  
**(FOSSIL)**

France, Paris Basin




Fossil only	<p>8038000351 <b>Cyllene</b> <i>angsanana</i></p> <p>K. Martin, 1921 † <b>(FOSSIL)</b></p> <p>No Georeferenced data available</p>		<p>6452000068 <b>Cyllene</b> <i>baccata</i></p> <p>(B. de Basterot, 1825 †) <b>(FOSSIL)</b></p> <p>France, Aquitaine 35 mm</p>	 
<p><b>synonyms:</b></p> <ul style="list-style-type: none"><li>• Dorsanum aquense J.P.S. Gratebup, 1847 †</li><li>• Dorsanum aquense perthax M.A. Peyrot, 1927 †</li><li>• Buccinum baccatum aquensis J.P.S. Gratebup, 1847 †</li><li>• Dorsanum aquense gracilis M.A. Peyrot, 1927 †</li><li>• Buccinum baccatum B. de Basterot, 1825 †</li></ul>				
Fossil only	<p>1951902645 <b>Cyllene</b> <i>cernohorskkyi</i></p> <p>F. Fernandes &amp; E. Rolán, 1992</p>		 	
<p><b>synonyms:</b></p> <ul style="list-style-type: none"><li>• Buccinum cernohorskkyi B. de Basterot, 1825 †</li><li>• Cyllene cernohorskkyi</li></ul>				
Fossil only	<p>1950850000 <b>Cyllene</b> <i>concinna</i></p> <p>A. Adams, 1851</p> <p>Japan, Tanegashima Island 18 mm</p>		 	
<p><b>synonyms:</b></p> <ul style="list-style-type: none"><li>• Buccinum desnoyersi B. de Basterot, 1825 †</li><li>• Cyllene desnoyersi aquitanica J.R. Tournouér, 1875 †</li><li>• Cyllene desnoyersi bisinuata J.R. Tournouér, 1875 †</li></ul>				
Fossil only	<p>8038000521 <b>Cyllene</b> <i>desnoyersi</i></p> <p>(B. de Basterot, 1825 †) <b>(FOSSIL)</b></p> <p>France, Aquitaine 12 mm</p>		 	
<p><b>synonyms:</b></p> <ul style="list-style-type: none"><li>• Cyllene plumbea G.B. II Sowerby, 1859</li><li>• Cyllene varians A.E.M. Cossmann, 1903</li><li>• Cyllene varians A.E.M. Cossmann, 1903</li></ul>				
Fossil only	<p>1950850010 <b>Cyllene</b> <i>fuscata</i></p> <p>Adams, 1851</p> <p>Singapore 9 mm</p>		 	
<p><b>synonyms:</b></p> <ul style="list-style-type: none"><li>• Cyllene varians A.E.M. Cossmann, 1903</li></ul>				
Fossil only	<p>8038000352 <b>Cyllene</b> <i>gracilenta</i></p> <p>(M. Yokoyama, 1928 †) <b>(FOSSIL)</b></p> <p>Taiwan</p>		 	
<p><b>synonyms:</b></p> <ul style="list-style-type: none"><li>• Semicassis gracilenta M. Yokoyama, 1928 †</li></ul>				
Fossil only	<p>1950850020 <b>Cyllene</b> <i>grayi</i></p> <p>L.A. Reeve, 1846</p> <p>Somalia, Mogadiscio 17,4 mm</p>		 	
<p><b>synonyms:</b></p> <ul style="list-style-type: none"><li>• Buccinum guilaini S.A.A. Petit De La Saussaye, 1850</li><li>• Cyllene palida A. Adams, 1851</li></ul>				



1950850060  
**Cyllene**  
**lactea**

A. Adams & G.F. Angas, 1864  
Australia, Sydney  
15 mm



1951900170  
**Cyllene**  
**lamarcki**

W.O. Cernohorsky, 1975  
Senegal, Dakar  
15 mm



**synonyms:**


- Cyllene desnoyersi lamarcki W.O. Cernohorsky, 1975
- Buccinum lyratum J.B.P.A. Lamarck, 1822

- Cyllene lyrata J.B.P.A. Lamarck, 1822




1951902360  
**Cyllene**  
**lugubris**

A. Adams & L.A. Reeve, 1850  
Senegal, Dakar





1950850035  
**Cyllene**  
**obliqua**

L.C. Kiener, 1849  
Congo, Pointe Noire  
11,7 mm




1950850065  
**Cyllene**  
**orientalis**

A. Adams, 1851  
Malaysia





1950850040  
**Cyllene**  
**owenii**

J.E. Gray in E. Griffith,  
& E. Pidgeon, 1834  
Angola  
15,5 mm





5338000060  
**Cyllene**  
**parvula**

L. Bozzetti, 2014  
Madagascar, Lavanono  
12,4 mm





8038000520  
**Cyllene**  
**paulucciana**

(C. d'Ancona, 1864 †)  
**(FOSSIL)**  
Italy, Piemonte



5971104518  
**Cyllene**  
**pretiosa**


E.W. Vredenburg, 1923 †  
**(FOSSIL)**  
Myanmar, Magway, Thayetmyo





1950850045  
**Cyllene pulchella**

A. Adams & L.A. Reeve, 1850  
Myanmar  
17 mm



**synonyms:**



- *Cyllene bantamensis* C.H. Oostingh, 1939 †
- *Cyllene glabrata* A. Adams, 1851
- *Cyllene striata* A. Adams, 1851

- *Cyllene oblonga* M.M. Schepman, 1911



1950850070  
**Cyllene royanana**

(T. Iredale, 1924)  
Australia, Victoria  
15 mm




**synonyms:**

- *Cyllene lactea royanana* (T. Iredale, 1924)





1950850050  
**Cyllene rubrolineata**

G.B. II Sowerby, 1870  
China, Zhejiang  
15 mm





1950850075  
**Cyllene sibogae**

M.M. Schepman, 1911  
Philippines, Negros Island  
6,8 mm



6452000069  
**Cyllene sismondai**  
(L.M.D. Belardi, 1882 †)  
**(FOSSIL)**

Italy, Piemonte  
11 mm



**Fossil  
only**

8038000353  
**Cyllene smithi**



K. Martin, 1884 †  
**(FOSSIL)**

No Georeferenced data available





6452000070  
**Cyllene subumbilicata**

(L.M.D. Belardi, 1882 †)  
**(FOSSIL)**  
Italy, Lombardia Region  
33 mm



1950850055  
**Cyllene sulcata**



H. Adams & A. Adams, 1854  
Australia, Port Hedland  
13,5 mm



**no  
IMAGES  
available**

1951900180  
**Cyllene unimaculata**

A. Adams, 1855  
Northern Territory



**Fossil  
only**

8038000354  
**Cylleme  
vredenburgi**

G.P. Gupta, 1930 †  
**(FOSSIL)**

No Georeferenced data available



6452000072  
**Cylleme  
vulgatissima**

M.A. Peyrot, 1924 †  
**(FOSSIL)**

France, Aquitaine  
15 mm



6452000071  
**Cylleme  
vulgatissima  
ovulina**

M.A. Peyrot, 1924 †  
**(FOSSIL)**

France, Aquitaine  
16 mm



SubFamily: CYLLENINAE - Genus: **Nassaria** J.H.F. Link, 1807 (syn: Hindsia, Microfusus - 54 SP, 42 IMG)




1926504055  
**Nassaria  
acmeleuca**

Y.C. Lee, MS  
Taiwan  
27 mm



1926500000  
**Nassaria  
acuminata**

(L.A. Reeve, 1844)  
Philippines, Aliguay Island  
39 mm



**synonyms:**



- Triton acuminatus L.A. Reeve, 1881
- Nassaria amboynensis R.B. Watson, 1881
- Hindsia gendinganensis K. Martin, 1899
- Hindsia palembangensis Haanstra & Spiker, 1932
- Nassaria recurva G.B. II Sowerby, 1859
- Nassaria rickardi H.S. Ladd, 1977
- Hindsia suturalis A. Adams, 1855
- Hindsia tjemoroensis K. Martin, 1899

- Nassaria amboynensis R.B. Watson, 1881
- Cantharus erythrostomus E.W. Vredenburg, 1925
- Nassaria nassoides E. Griffith & E. Pidgeon, 1834
- Fusus politus H.M.D. de Blainville, 1829
- Cymatium rickardi H.S. Ladd, 1977
- Nassaria sinensis G.B. II Sowerby, 1859
- Hindsia teschi H. Fischer in J. Wanner, 1927
- Hindsia varicifera A. Adams, 1855



1926500010  
**Nassaria  
acutispirata**

(G.B. III Sowerby, 1913)  
Japan, Mikawa bay  
46 mm



**synonyms:**

- Siphonalia acuminata A. Adams, 1863
- Microfusus acutispiratus G.B. III Sowerby, 1913


- Nassaria acutispira G.B. III Sowerby, 1913
- Eosipho pygmaeus T. Shikama & S. Hayashi in T. Shikama, 1977



1927858230  
**Nassaria  
acutispirata  
obesiformis**

M. Yokoyama, 1920


Japan, Iwate



1927858240  
**Nassaria  
adamsoni**


J.T. Kuroda, 1961

Taiwan  
40 mm






1926504000  
**Nassaria aspera**  
(J.T. Kuroda, 1961)  
Japan  
27 mm




## Fossil only

5971105541  
**Nassaria birmanica**  
(E.W. Vredenburg, 1921 †)  
Myanmar, Magway



1926500005  
**Nassaria bitubercularis**  
(A. Adams, 1851)  
Philippines, Aliguay Island  
35 mm





### **synonyms:**

- *Nassaria acuminata bitubercularis* (A. Adams, 1851)



1926504030  
**Nassaria bomrax**  
(W.O. Cernohorsky, 1981)  
Queensland, Australia  
18 mm



1927859119  
**Nassaria callomoni**  
(G.T. Poppe, S.P. Tagaro,  
& K. Fraussen, 2008)  
Philippines, Balut Island




## Fossil only

5971105546  
**Nassaria cornelliana**  
(A.A. Olson, 1914 †)  
(FOSSIL)

No Georeferenced data available





1960700686  
**Nassaria corollaria**  
(K. Fraussen, 2006)  
Indonesia, Tanimbar Islands  
26,6 mm



1926500020  
**Nassaria coronadelica**  
(E.A. Smith, 1894)  
Somalia  
48 mm



6452000104  
**Nassaria crassiuscula**  
(L.M.D. Belardi, 1882 †)  
(FOSSIL)  
Spain, Málaga  
9 mm



**no  
IMAGES  
available**

8038000116  
**Nassaria  
europaea**


P. Lozouet, 2015

No Georeferenced data available




1922750010  
**Nassaria  
exquisita**

K. Fraussen & G.T. Poppe, 2007  
Philippines, Balicasag Island  
36,2 mm




5288000045  
**Nassaria  
fibula**

K. Fraussen,  
& P. Stahlschmidt, 2008  
China, Zhejiang  
23,1 mm





1926504050  
**Nassaria  
fossata**

T. Kira, 1955  
California, San Pedro  
36 mm



1926500025  
**Nassaria  
gracilis**


G.B. III Sowerby, 1902  
South China Sea  
37 mm



**Fossil  
only**



5971105198  
**Nassaria  
granosa**

Sowerby, 1840 †  
**(FOSSIL)**  
Pakistan



1927859051  
**Nassaria  
gyroscopoides**

K. Fraussen & G.T. Poppe, 2007  
China, Zhejiang  
34 mm



**no  
IMAGES  
available**

8038000913  
**Nassaria  
hillae**

F. Nordsieck, 1968

No Georeferenced data available

**Fossil  
only**



8038000204  
**Nassaria  
incerta**

(L. C. King, 1933 †)  
**(FOSSIL)**

No Georeferenced data available



5288000061  
**Nassaria incisa**  
K. Fraussen, 2006  
Indonesia, Tanimbar Islands  
39,5 mm




5347000079  
**Nassaria intacta**  
K. Fraussen, 2006

No Georeferenced data available



5971105542  
**Nassaria javana**  
K. Martin, 1879 †  
(FOSSIL)  
India, Meghalaya



**synonyms:**


- *Charonia javana* K. Martin, 1879 †





1926500030  
**Nassaria magnifica**  
C.E. Lischke, 1871  
Taiwan  
48 mm




1927853010  
**Nassaria magnifica kirai**  
T. Habe, 1961  
China, Zhejiang  
50 mm





1926504010  
**Nassaria magnifica lischkei**  
(J.T. Kuroda in J. Makiyama 1927)  
Japan





1927853020  
**Nassaria mergregia**  
(L.A. Reeve, 1844)  
Mauritius  
15 mm



5324000030  
**Nassaria miriamae**  
(R.K. Dell, 1967)  
New Zealand



1960700687  
**Nassaria moosai**  
K. Fraussen, 2006  
Indonesia, Tanimbar Islands  
33,4 mm





**Fossil  
only**

5971105543  
**Nassaria  
neacolubrinus**  
Noetling, 1901 †  
(FOSSIL)


No Georeferenced data available

**Fossil  
only**


5971105200  
**Nassaria  
neastriatula**  
Noetling, 1901 †  
(FOSSIL)  
Myanmar



5288000046  
**Nassaria  
nebulonis**  
K. Fraussen, B. Dharma,  
& P. Stahlshmidt, 2009  
Java, Pangandaran  
21,9 mm




1926504015  
**Nassaria  
nivea**  
(J.F. Gmelin, 1790)  
Marshall Islands, Kwajalein Atoll



**no  
IMAGES  
available**

5971105544  
**Nassaria  
nivea  
narica**  
E.W. Vredenburg, 1925  
Pakistan





**no  
IMAGES  
available**

5288000047  
**Nassaria  
okinavia**  
(Mac Neil, 1960)


No Georeferenced data available

**Fossil  
only**


5971105201  
**Nassaria  
pardalis**  
Noetling, 1895 †  
(FOSSIL)  
Myanmar, Magway



1926500040  
**Nassaria  
perlata**  
G.T. Poppe & K. Fraussen, 2004  
Philippines, Aliguay Island  
27 mm




1926500045  
**Nassaria  
problematica**  
(T. Iredale, 1936)  
New Caledonia  
34 mm





1926500050  
**Nassaria pusilla**  
(P.F. Röding, 1798)  
Brunei  
40,5 mm




**synonyms:**

- *Nassaria aba* H. Adams & A. Adams, 1858
- *Nassaria laevior* E.A. Smith, 1899
- *Nassaria minuta* P.F. Röding, 1798
- *Buccinum niveum* J.F. Gmelin, 1791
- *Nassaria turrita* G.B. II Sowerby, 1859

- *Nassaria fusiformis* G.B. II Sowerby, 1859
- *Nassaria lyra* J.H.F. Link, 1807
- *Nassaria multiplicata* G.B. II Sowerby, 1859
- *Neptunea pusilla* P.F. Röding, 1798




1926500055  
**Nassaria samaranga**  
K. Martin, 1884  
South Africa, Natal, Durban Bay  
23 mm





to be checked

1927858290  
**Nassaria sanzaiana**

T. Shuto, 1962  
Japan



1927855960  
**Nassaria solida**  
J.T. Kuroda & T. Habe, 1961  
Canada, Quebec, Cap-des-Rosiers  
40 mm




**synonyms:**

- *Hindsia turbinata* J.T. Kuroda, 1961



1926500060  
**Nassaria spinigera**  
(S. Hayashi & T. Habe, 1965)  
Philippines, Bohol Island  
54 mm



5971105545  
**Nassaria tambaccana**

Martin, 1884 †  
(FOSSIL)



No Georeferenced data available

**synonyms:**

- *Nassaria nivea bhagothorensis* E.W. Vredenburg, 1925 †





1960700688  
**Nassaria tarta**  
K. Fraussen, 2006  
Indonesia, Tanimbar Islands  
37,7 mm



1926504035  
**Nassaria teres**  
E.C. Von Martens, 1902  
Andaman & Nicobar Islands  
34 mm




1960700689  
**Nassaria termesoides**  
K. Fraussen, 2006  
Indonesia, Tanimbar Islands  
30,6 mm








1927859059  
**Nassaria**  
**thalassomeli**  
K. Fraussen & G.T. Poppe, 2007  
Philippines, Taikud Island  
33 mm





1926500070  
**Nassaria**  
**thesaura**  
K. Fraussen & G.T. Poppe, 2007  
Philippines, Balut Island  
50 mm




5971104454  
**Nassaria**  
**varicosa**  
S.Q. Zhang & S.P. Zhang, 2014  
China, Zhejiang  
30,6 mm





5971104451  
**Nassaria**  
**vermeiji**  
K. Fraussen,  
& P. Stahlschmidt, 2015  
Guam  
29 mm





1927859123  
**Nassaria**  
**visayensis**  
K. Fraussen & G.T. Poppe, 2007  
South China Sea  
39 mm





1960700690  
**Nassaria**  
**wallacei**  
K. Fraussen, 2006  
Indonesia, Kai Island  
58,1 mm



1926500075  
**Nassaria**  
**wanneri**  
J.J. Tesch in J. Wanner, 1915  
Philippines, Bohol Island  
42,2 mm




1927858310  
**Nassaria**  
**whitmorei**  
F.S. MacNeil, 1961  
Japan



SubFamily: CYLLENINAE - Genus: **Tomlinia** A.J. Peile, 1937 (2 SP, 2 IMG)



5347000105  
**Tomlinia**  
**frauseni**  
N.N. Thach, 2014  
Vietnam, Nha Trang





1927854950  
**Tomlinia**  
**rapulum**  
(L.A. Reeve, 1846)  
Singapore  
36 mm




**synonyms:**

- *Macron rapulum* (L.A. Reeve, 1846)

SubFamily: CYLLENINAE - **Genus: Trajana** J.A. Gardner, 1948 (6 SP, 3 IMG)



8016001740  
**Trajana**  
**emilyae**  
E.J. Petuch, 1994 †  
**(FOSSIL)**  
Florida  
17 mm



597110554  
**Trajana**  
**laqueorata**  
(E.M. Spiker, 1922 †)  
**(FOSSIL)**  
Peru, Payta




**synonyms:**

- *Murex laqueoratus* E.M. Spiker, 1922 †



1926850000  
**Trajana**  
**perideris**  
(W.H. Dall, 1910)  
Panama, Chiriquí Bay  
22 mm



**synonyms:**

- *Hindsia acapulcana* H.A. Pilsbry & H.N. Lowe, 1932

- *Triton nassoides* L.A. Reeve, 1844




1927854960  
**Trajana**  
**pyta**  
Gardner, 1948 †  
**(FOSSIL)**  
Florida, Sarasota County  
25 mm



5971105555  
**Trajana**  
**veracruzana**  
E.H. Vokes, 1969 †  
**(FOSSIL)**  
Mexico, Vera Cruz





5971105556  
**Trajana**  
**wheeleri**  
(H.A. Pilsbry,  
& A.M. Olsson, 1941 †)  
**(FOSSIL)**  
Ecuador



SubFamily: DORSANINAE - **Genus: Cyllenna** Bellardi, 1882 † (4 SP, 3 IMG)




5971104519  
**Cyllenna**  
**amaldaformis**  
B.M. Landau & al., 2009 †  
**(FOSSIL)**  
Gibraltar





5971104520  
**Cyllenia  
ancillariaeformis**  
(J.P.S. Gratebou, 1834 †)  
**(FOSSIL)**

France, Aquitaine




5971104521  
**Cyllenia  
lucensis**  
B.M. Landau & R. Marquet, 1999 †  
**(FOSSIL)**

Spain, Malaga  
24 mm



5971104522  
**Cyllenia  
paulucciana**  
(C. De Stefani,  
& D. Pantanelli, 1879 †)  
**(FOSSIL)**

Hungary, Borsodbóta  
23 mm





SubFamily: DORSANINAE - Genus: **Dorsanum** J.E. Gray, 1847 (syn: *Duplicata* - 15 SP, 13 IMG)




6452000077  
**Dorsanum  
aequistriatum**  
G.F. Dolfini, 1889 †  
**(FOSSIL)**

France, Aquitaine  
14 mm




6452000079  
**Dorsanum  
dubium**  
M.A. Peyrot, 1924 †  
**(FOSSIL)**

France, Aquitaine  
18 mm




6452000080  
**Dorsanum  
duplicatum**  
(Sowerby, 1829 †)  
**(FOSSIL)**

Bulgaria  
14 mm





6452000087  
**Dorsanum  
evanescens**  
M.A. Peyrot, 1925 †  
**(FOSSIL)**

France, Aquitaine  
51 mm



6452000081  
**Dorsanum  
gradatum**  
A.E.M. Cossmann,  
& M.A. Peyrot, 1901 †  
**(FOSSIL)**

France, Aquitaine  
10 mm




Fossil  
only

8038000484  
**Dorsanum  
javanum**  
K. Martin, 1931 †  
**(FOSSIL)**

No Georeferenced data available



1951900100  
**Dorsanum**  
**lineolatum**  
(J.P.S. Gratebou, 1834 †)  
**(FOSSIL)**  
France, Aquitaine  
20 mm




**synonyms:**

- *Hinia avitensis* M.A. Peyrot, 1925 †
- *Buccinum eolus* A.V.M.D. D'Orbigny, 1852 †
- *Uzita lineolata* peracuta M.A. Peyrot, 1925 †

- *Uzita lineolata* J.P.S. Gratebou, 1834 †
- *Buccinum lineolatum* J.P.S. Gratebou, 1834 †



1951300060  
**Dorsanum**  
**miran**  
(J.G. Bruguère, 1789)  
Guinea Bissau  
26 mm




**synonyms:**

- *Dorsanum miran* J.G. Bruguère, 1789
- *Buccinum miran* J.G. Bruguère, 1789
- *Buccinum politum* J.B.P.A. Lamarck, 1822

- *Bulla miran* J.G. Bruguère, 1789
- *Dorsanum politum* J.B.P.A. Lamarck, 1822
- *Bulla vitrea* L.A. Reeve, 1846




6452000082  
**Dorsanum**  
**nodosostatum**  
Hüber, 1879 †  
**(FOSSIL)**  
Hungary, Borsodbóta  
9 mm




**Fossil  
only**

5971104493  
**Dorsanum**  
**parinense**  
A.A. Olsson, 1928 †  
**(FOSSIL)**  
Peru, Piura, Talara



6452000083  
**Dorsanum**  
**plicatum**  
(J.P.S. Gratebou, 1847 †)  
**(FOSSIL)**  
France, Aquitaine  
11 mm




**synonyms:**

- *Buccinum plicatum* J.P.S. Gratebou, 1847 †

- *Buccinum politum plicatum* J.P.S. Gratebou, 1847 †




6452000084  
**Dorsanum**  
**ruidum**  
M.A. Peyrot, 1924 †  
**(FOSSIL)**  
France, Aquitaine  
19 mm




**Fossil  
only**


5971104495  
**Dorsanum**  
**scalatum**  
A. Helprin, 1891 †  
**(FOSSIL)**  
United States, Texas, Burleson



6452000085  
**Dorsanum**  
**subpolitum**  
(A.V.M.D. D'Orbigny, 1852 †)  
**(FOSSIL)**  
France, Aquitaine  
21 mm



6452000086  
**Dorsanum**  
**subpolitum**  
**vasconiensis**  
M.A. Peyrot, 1924 †  
**(FOSSIL)**  
France, Aquitaine  
11 mm





6452000088



**Dorsanum  
veneris**

(Faujas, 1817 †)

**(FOSSIL)**

France, Aquitaine

42 mm



SubFamily: DORSANINAE - **Genus: Keepingia** Nuttall & J. Cooper, 1973 † (syn: Desorinassa, Colwellia, Desorinassa, Desorinassa - 13 SP, 9 IMG)

6452000074  
**Keepingia  
acies**

(A. Watelet, 1850 †)

**(FOSSIL)**

France, Paris Basin

18 mm


6452000067  
**Keepingia  
auversiensis**

(G.P. Deshayes, 1865 †)

**(FOSSIL)**

France, Paris Basin

21 mm

8038000620  
**Keepingia  
bilineata**

(Garvie, 1996 †)

**(FOSSIL)**

USA, Texas

**synonyms:**

- Colwellia bilineata Garvie, 1996 †



6452000090  
**Keepingia  
bollii**

(A.H.E. Beyrich, 1854 †)

**(FOSSIL)**

Germany, Mecklenburg

20 mm

8038000623  
**Keepingia  
bretzi**

(C.S. Weaver, 1912 †)

**(FOSSIL)**

USA, California

**synonyms:**

- Colwellia bretzi C.S. Weaver, 1912 †

8038000621  
**Keepingia  
cretacea**

(W.M. Gabb, 1864 †)

**(FOSSIL)**

USA, California

**synonyms:**

- Colwellia cretacea W.M. Gabb, 1864 †


6452000075  
**Keepingia  
desorii**

(G.P. Deshayes, 1865 †)

**(FOSSIL)**

France, Paris Basin

27 mm



## Fossil only

8038000619  
**Keepingia flexuosa**

(F.E. Edwards, 1886 †)  
**(FOSSIL)**

UK, Isle of Wight



### synonyms:


- *Colwellia flexuosa* F.E. Edwards, 1886 †



5971104542  
**Keepingia gossardii**

(P. Nyst, 1836 †)  
**(FOSSIL)**

Germany, Rheinland-Pfalz



### synonyms:


- *Buccinum thierensi* J.A.H. Bosquet, 1859 †



6452000208  
**Keepingia humerosa**

(Garvie, 2013 †)  
**(FOSSIL)**

Texas, Bastrop County  
19,6 mm



### synonyms:

- *Colwellia humerosa* Garvie, 2013 †



6452000076  
**Keepingia lata**

(G.P. Deshayes, 1865 †)  
**(FOSSIL)**


France, Paris Basin  
22 mm



6452000209  
**Keepingia nodulina**


(Garvie, 2013 †)  
**(FOSSIL)**

Texas, Bastrop County  
9 mm



### synonyms:


- *Colwellia nodulina* Garvie, 2013 †



8038000624  
**Keepingia nodulina meta**

(Garvie, 2013 †)  
**(FOSSIL)**

Texas, Bastrop County  
7,6 mm



## Fossil only

8038000622  
**Keepingia tejonensis**

(R.E. Dickerson, 1915 †)  
**(FOSSIL)**

USA, California



### synonyms:

- *Colwellia tejonensis* R.E. Dickerson, 1915 †


SubFamily: DORSANINAE - Genus: **Monoptygma** Lea, 1833 † (2 SP, 0 IMG)

## Fossil only

8038000355  
**Monoptygma alabamiensis**

I. Lea, 1833 †  
**(FOSSIL)**

Alabama



# Fossil only

8038000356  
***Monoptygma***  
***lymneoides***  
 (T.A. Conrad, 1833 †)  
**(FOSSIL)**

No Georeferenced data available


SubFamily: DORSINAE - Genus: **Pseudocominella** Nuttall & J. Cooper, 1973 † (3 SP, 3 IMG)



8038000592  
***Pseudocominella***  
***armata***

(Sowerby & G. Dixon, 1850 †)  
**(FOSSIL)**



France, Paris Basin



6452000194  
***Pseudocominella***  
***deserta***

(D.C. Solander, 1766 †)  
**(FOSSIL)**


Ukraine



8038000744  
***Pseudocominella***  
***semicostata***

T.R. Nuttall & J. Cooper, 1973 †  
**(FOSSIL)**

UK, Isle of Wight




SubFamily: DORSINAE - Genus: **Whitecliffia** Nuttall & J. Cooper, 1973 † (1 SP, 0 IMG)

# Fossil only

8038000823  
***Whitecliffia***  
***tumida***

Nuttall & Cooper, 1973 †  
**(FOSSIL)**

UK, Isle of Wight



SubFamily: NASSARIINAE - Genus: **Cyclope** A. Riso, 1826 (syn: Cencus, Cycbcyrtia, Cyclonassa, Cyclops, Nannia, Neritula, Panormella, Proneritula - 3 SP, 4 IMG)



5971104537  
***Cyclope***  
***migliorinii***

Beviläqua, 1928 †  
**(FOSSIL)**


Spain, Malaga  
 18 mm



1950800010  
***Cyclope***  
***neritea***

(C. Linnaeus, 1758)

Italy, Messina  
 12 mm



### synonyms:


- Cyclope asterizans P.D. Montfort, 1810
- Nassa callosa compacta P.M. Pillary, 1919
- Nassa callosa discoidea P.M. Pillary, 1919
- Nassa callosa gibba P.M. Pillary, 1919
- Nassa callosa kameschensis P.M. Pillary, 1919
- Nassa callosa platystoma P.M. Pillary, 1919
- Cydonassa diluta G.S. Coen, 1933
- Nassa inflata É.A.A. Locard & E. Cazier, 1900
- Cyclope kamiesch J.C. Chen, 1859
- Cyclope kamieschensis exigua K.O. Mäschewitsch, 1916
- Cyclope mucronata É.A.A. Locard, 1887
- Cyclope nana mucronata É.A.A. Locard, 1887
- Nassa neritea C. Linnaeus, 1758
- Nassa neritea albida E. Réquier, 1848
- Cyclope neritea communis P.M. Pillary, 1919
- Cyclope neritea depressa P.M. Pillary, 1919
- Cyclope neritea elongata P.M. Pillary, 1919
- Cyclope neritea globulosa P.M. Pillary, 1919
- Cyclope neritea kameschensis P.M. Pillary, 1919
- Nassa neritea lutescens E. Réquier, 1848
- Nassa neritea media E. Réquier, 1848
- Cyclope neritea minuta P.M. Pillary, 1919
- Cyclope neritea platystoma P.M. Pillary, 1919
- Cyclope neritoidea A. Riso, 1826
- Cyclope tarentina P. Parenzan, 1970

- Nassa callosa communis P.M. Pillary, 1919
- Nassa callosa depressa P.M. Pillary, 1919
- Nassa callosa elongata P.M. Pillary, 1919
- Nassa callosa globulosa P.M. Pillary, 1919
- Nassa callosa lactescens P.M. Pillary, 1919
- Cyclope carinata G.S. Coen, 1933
- Cydonassa fasciata G.S. Coen, 1933
- Nassa italica A. Issel, 1869
- Cyclope kamieschensis atra K.O. Mäschewitsch, 1916
- Nassa lutescens E. Réquier, 1848
- Neritula nana É.A.A. Locard, 1886
- Cyclope nerita C. Linnaeus, 1758
- Nassa neritea C. Linnaeus, 1758
- Cyclope neritea callosa P.M. Pillary, 1919
- Cyclope neritea compacta P.M. Pillary, 1919
- Cyclope neritea discoidea P.M. Pillary, 1919
- Cyclope neritea gibba P.M. Pillary, 1919
- Cyclope neritea inflata P.M. Pillary, 1919
- Cyclope neritea lactescens P.M. Pillary, 1919
- Nassa neritea major E. Réquier, 1848
- Nassa neritea minima E. Réquier, 1848
- Cyclope neritea mucronata P.M. Pillary, 1919
- Buccinum neritum C. Linnaeus, 1758
- Nassa neritoides J.B.P.A. Lamarck, 1816
- Nassa unifasciata L. Paolucci, 1871



- *Nanina unifasciata* A. Rissó, 1826
- *Cyclonassa vayssierei* P.M. Pallary, 1903



533800003  
***Cyclope neritea***  
**westerlundii**  
◆ Brusina, 1900  
Turkey, Trabzon  
11 mm



1950800000  
***Cyclope***  
***pellucida***  
A. Rissó, 1826  
Turkey, Bozcaada Island  
14,2 mm



**synonyms:**


- *Cyclope donavania* A. Rissó, 1826
- *Nana donavania* A. Rissó, 1826
- *Panomela lofasi* O.G. Costa, 1840

- *Cyclope donovani* A. Rissó, 1826
- *Cyclope donavania* A. Rissó, 1826

SubFamily: NASSARIINAE - Genus: **Demoulia** J.E. Gray, 1838 (syn: Desmoulea, Desmoulnisia, Streptorhaga - 7 SP, 7 IMG)



1950750000  
***Demoulia***  
***abbreviata***  
(J.F. Gmelin, 1791)  
Angola  
36,5 mm




**synonyms:**

- *Buccinum abbreviatum* J.F. Gmelin, 1791
- *Buccinum cassideum* G.B. Sowerby, 1825
- *Demoulia glans* P.F. Röding, 1798


- *Cassis glans* P.F. Röding, 1798
- *Nassa globosa* G.B. Sowerby, 1825



5971104538  
***Demoulia***  
***conglobata***  
(G.B. Brocchi, 1814 †)  
**(FOSSIL)**  
Italy, Emilia  
35 mm



1950750005  
***Demoulia***  
***obtusata***  
(J.H.F. Link, 1807)  
Senegal, Dakar  
24 mm





**synonyms:**

- *Demoulia crassa* A. Adams, 1853
- *Demoulia pinguis* A. Adams, 1853
- *Demoulia pulchra* J.E. Gray, 1838

- *Nassa pinguis* A. Adams, 1853
- *Nassa ponderosa* L.A. Reeve, 1854
- *Nassa tryoni* J.C.H. Crosse, 1869



5971104539  
***Demoulia***  
***pupa***  
(G.B. Brocchi, 1814 †)  
**(FOSSIL)**  
France, Normandy  
46,9 mm




**synonyms:**


- *Demoulia conglobata* Brébion, 1964 †



6452000073  
***Demoulia***  
***turrita***  
(S. Borson, 1820 †)  
**(FOSSIL)**  
Spain, Andalusia  
37 mm



1951900190  
***Demoulia***  
***ventricosa***  
(J.B.P.A. Lamarck, 1816)  
Namibia  
23 mm



**synonyms:**

- *Cassis globulus* K.T. Menke, 1829
- *Nassa obtusa* F.P. Murrat, 1880
- *Demoulia retusa* J.B.P.A. Lamarck, 1822
- *Nassa ventricosa* J.B.P.A. Lamarck, 1822
- *Nassa retusa* J.B.P.A. Lamarck, 1822
- *Buccinum retusum* J.B.P.A. Lamarck, 1822



1950750025  
***Demoulia***  
***ventricosa***  
***nataliae***  
R.N. Kilburn, 1972

Angola  
27 mm



**Fossil  
only**

5971104541  
***Demoulia***  
***zbyzewskii***  
B.M. Landau & al., 2009 †  
(FOSSIL)



No Georeferenced data available

SubFamily: NASSARIINAE - Genus: **Hebra** H. Adams & A. Adams, 1853 (syn: Scabronassa - 5 SP, 6 IMG)



1950700000  
***Hebra***  
***corticata***

(A. Adams, 1852)  
Philippines, Sulu Sea  
15,3 mm

**synonyms:**



- *Nassa sculpta* F.P. Murrat, 1877
- *Nassa solda* J.G. Hidago, 1904
- *Nassa trinodosa* E.A. Smith, 1876

- *Phrontis tiarula* P. Dautzenberg, 1929
- *Nassa vibex* L.A. Reeve, 1853




1951902621  
***Hebra***  
***corticata***  
***lirata***

(F.P. Murrat, 1874)  
Philippines, Sulu Sea  
13,5 mm



1950700005  
***Hebra***  
***horrida***

(R.W. Dunker, 1847)  
Singapore  
15 mm

**synonyms:**

- *Hebra curta* A.A. Gould, 1850
- *Nassarius horridus* R.W. Dunker, 1847
- *Nassa muricata* J.R.C. Quoy & J.P. Gaimard, 1833
- *Buccinum muricatum* J.R.C. Quoy & J.P. Gaimard, 1833

- *Buccinum horridum* R.W. Dunker, 1847
- *Hebra muricata* J.R.C. Quoy & J.P. Gaimard, 1833
- *Nassa muricata horrida* R.W. Dunker, 1847
- *Buccinum scabrum* R.W. Dunker, 1846



5338000061  
***Hebra***  
***nigra***

J.B. Hombron,  
& C.H. Jacquinot, 1854  
Solomon Islands

**synonyms:**


- *Hebra corticata nigra* J.B. Hombron & C.H. Jacquinot, 1854

- *Nassa nigra* C. Rousseau, 1854



1950000860  
***Hebra***  
***oberwimmeri***

(H.B. Preston, 1907)  
Solomon Islands  
14,6 mm

**synonyms:**

- *Nassa exigua* J.B. Hombron & C.H. Jacquinot, 1848

- *Nassa oberwimmeri* H.B. Preston, 1907



1950001180  
**Hebra**  
**subspinosa**  
(J.B.P.A. Lamarck, 1822)  
Philippines, Samar Island  
12 mm



**synonyms:**


- *Nassarius sistroides* G. Nevill & H. Nevill, 1874
- *Nassa sistroides* G. Nevill & H. Nevill, 1874
- *Hebra subspinosa* J.B.P.A. Lamarck, 1822
- *Hebra subspinosa* J.B.P.A. Lamarck, 1822

- *Hebra sistroides* G. Nevill & H. Nevill, 1874
- *Nassa subspinosa* J.B.P.A. Lamarck, 1822
- *Buccinum subspinosum* J.B.P.A. Lamarck, 1822



SubFamily: NASSARIINAE - **Genus: Nassarius** Duméril, 1805 (syn: Amycla, Amycina, Arcularia, Arcula, Austronassaria, Eione, Fackia, Gussonea, Hannonia, Miohinia, Mirua, Nassemuna, Nassius, Naytopsis, Notha, Nothis, Parcanassa, Pilicircularia, Reticulularia, Sphaeronassa, Tarazeuxis, Tavaniotha, Telasco, Aculina, Alectrión, Alanna, Caesia, Palacera, Profundinassa, Pygmæonassa, Arcularia, Notha, Varcinassa, Zeuxis, Bathynassa, Profundinassa, Psilarius - 515 SP, 433 IMG)



5338000062  
**Nassarius**  
**absconditus**  
C. Gi, 2015  
Philippines, Liban  
14 mm



1951902585  
**Nassarius**  
**abyssiculus**  
(C.B. Adams, 1852)  
Tuamotu  
9 mm




8038000357  
**Nassarius**  
**acteon**  
F.S. MacNeil, 1960 †  
(FOSSIL)

No Georeferenced data available



1950650005  
**Nassarius**  
**acuminatus**  
(F.P. Marrat, 1880)  
Philippines, Liban  
25 mm





**synonyms:**

- *Nassa acuminata* F.P. Marrat, 1880
- *Nassa elegantula* M.M. Schepman, 1911



1950000005  
**Nassarius**  
**acuticostus**  
(R.P. Montrouzier in S.M. Souverbie,  
& R.P. Montrouzier, 1864)  
Indonesia, Sulawesi  
17,8 mm



**synonyms:**


- *Nassa bullata* F.P. Marrat, 1877
- *Buccinum pauperatum* J.R.C. Quoy & J.P. Gaimard, 1833



1950000015  
**Nassarius**  
**acutus**  
T. Say, 1822  
Florida, Cape San Blas  
12 mm



5296000022  
**Nassarius**  
**adami**  
A. Arthur & F. Fernandes, 1989  
Angola  
9,4 mm



**no  
IMAGES  
available**

**to be checked**


8038000914  
***Nassarius  
aethiopicus***  
(F.P. Murrat, 1873)

No Georeferenced data available




8038000539  
***Nassarius  
affinis***  
(O. Böttger, 1883 †)  
**(FOSSIL)**

Indonesia, West Java



1950000020  
***Nassarius  
agapetus***  
(R.B. Watson, 1882)  
Philippines, Olongo Island  
7 mm



**synonyms:**

- *Nassa agapeta* R.B. Watson, 1882
- *Nassarius kempfi* H.B. Preston, 1916
- *Nassa stiphra* R. Sturany, 1900



- *Nassa kempfi* H.B. Preston, 1916



5296000023  
***Nassarius  
alabasteroides***

H.H. Kool, 2009



New Caledonia,  
Chesterfield Islands  
24,7 mm



1950000025  
***Nassarius  
albescens***

(R.W. Dunker, 1846)

Ascension Island  
13 mm



**synonyms:**

- *Nassa adamsiana* F.P. Murrat, 1880
- *Nassa albescens* R.W. Dunker, 1846
- *Buccinum albescens* R.W. Dunker, 1846
- *Nassa bicolor* C. Rousseau, 1854
- *Nassa retecosa* A. Adams, 1852


- *Nassarius albescens* R.W. Dunker, 1846
- *Nassa baguenai* J. Giner Mari, 1934
- *Nassa reicosa* A. Adams, 1852



1951901190  
***Nassarius  
albinus***

(K.H.J. Thiele, 1930)

Philippines, Cebu  
9,2 mm



**synonyms:**



- *Nassarius sinusigerus albinus* (K.H.J. Thiele, 1930)



1950000040  
***Nassarius  
albomaculatus***



H.A. Rehder, 1980

Mozambique  
12,5 mm




6452000091  
***Nassarius  
aldrovandii***  
(L.M.D. Belardij, 1882 †)  
**(FOSSIL)**

Romania, Deva  
9 mm





1950650010  
**Nassarius**  
**alfuricus**  
(H. Fischer in J. Wanner, 1927)  
Philippines, Olongo Island  
10 mm



**synonyms:**

- *Zeuxis alfuricus* (H. Fischer in J. Wanner, 1927)



1950000050  
**Nassarius**  
**algidus**  
(L.A. Reeve, 1853)  
Australia, Queensland  
19 mm



**synonyms:**

- *Nassa algida* L.A. Reeve, 1853
- *Zeuxis algida chlorula* R.B. Watson, 1886
- *Nassarius chlorus* R.B. Watson, 1886

- *Nassa algida chlorula* R.B. Watson, 1886
- *Nassarius gaudiosus* L.A. Reeve, 1853



8038000359  
**Nassarius**  
**amyctiformis**  
(T. Shuto, 1969 †)  
**(FOSSIL)**

No Georeferenced data available





1951901450  
**Nassarius**  
**angolensis**  
(N.H. Odhner, 1923)  
Angola  
16 mm





1951901470  
**Nassarius**  
**anguliferus**  
(A. Adams, 1852)  
Ecuador  
11 mm





6452000092  
**Nassarius**  
**anisonema**  
Gardner, 1944 †  
**(FOSSIL)**  
Florida  
6 mm



8038000360  
**Nassarius**  
**anomalus**  
(F.W. Harmer, 1914 †)  
**(FOSSIL)**  
France, Normandy  
15,1 mm



1951900210  
**Nassarius**  
**aoteanus**  
H.J. Finlay, 1926  
New Zealand, Plenty Bay  
24 mm




**synonyms:**

- *Arcularia coronata* E.A. Smith, 1915



8038000995  
**Nassarius**  
**aquitanicus**  
C. Mayer, 1858 †  
**(FOSSIL)**  
France, Aquitaine  
10 mm






1950000065  
**Nassarius**  
**arcadioi**

E. Rolán & J.M. Hernández, 2005



Angola  
21,2 mm



1950000070  
**Nassarius**  
**arcularia**

(C. Linnaeus, 1758)

Fiji Islands  
25 mm



**synonyms:**


- *Nassa arcularia* C. Linnaeus, 1758
- *Buccinum arcularia* C. Linnaeus, 1758
- *Nassa arcularia* J.B.P.A. Lamarck, 1816
- *Nassarius pulus* T. Habe & S. Kosuge, 1966

- *Distorsio arcularia* P.F. Röding, 1798
- *Nassarius obvelatus* G.P. Deshayes, 1834
- *Nassarius scalariformis* O.A.L. Mörch, 1852



1950000080  
**Nassarius**  
**arcularia**  
**plicatus**  
(P.F. Röding, 1798)

Oman  
29,7 mm



**synonyms:**


- *Nassa arcularia spiracancellata* J.B.P.A. Lamarck, 1816
- *Buccinum obvelatum* G.P. Deshayes in E.S.J.L. de Laborde & M. Linant, 1834
- *Nassa pulla minor* E.A. Smith, 1912
- *Nassa rumpfii* J.B. Hombron & C.H. Jacquinot, 1838

- *Nassa crista* F.P. Mairat, 1877
- *Distorsio plicata* P.F. Röding, 1798
- *Buccinum rumpfii* G.P. Deshayes, 1844
- *Nassa sulcifera* A. Adams, 1852



1950650015  
**Nassarius**  
**arcus**

(W.O. Cernohorsky, 1991)  
New Caledonia, Grand Passage




**synonyms:**

- *Zeuxis arcus* W.O. Cernohorsky, 1991



1950000085  
**Nassarius**  
**argenteus**

(F.P. Mairat, 1877)  
West Africa  
5,5 mm



**synonyms:**



- *Nassarius argentata* F.P. Mairat, 1877
- *Nassa argentea* F.P. Mairat, 1877
- *Nassa argentea multicostata* H. von Maltzan, 1844

- *Nassa argentea multicostata* H. von Maltzan, 1884




6452000093  
**Nassarius**  
**asperula**  
(G.B. Brocchi, 1814 †)  
(FOSSIL)

Italy, Emilia  
12 mm





1950000090  
**Nassarius**  
**atlanticus**

W. Adam & J. Knudsen, 1984  
West Sahara  
11,6 mm



1950000095  
**Nassarius**  
**babylonicus**

(R.B. Watson, 1882)  
China, Zhejiang  
11 mm




**synonyms:**

- *Nassa babylonica* R.B. Watson, 1882
- *Nassarius babylonica* R.B. Watson, 1882

- *Nassa turrifera* E.A. Smith, 1895



6452000094  
**Nassarius**  
**badensis**  
(P. Partsch in R. Hoernes  
1852 †)  
**(FOSSIL)**  
Hungary, Börzsöny  
11 mm




1950000100  
**Nassarius**  
**bailyi**  
(H.A. Pilsby & H.N. Lowe, 1932)  
Mexico, Nayarit  
13,8 mm




8038000645  
**Nassarius**  
**barbarossai**  
B.M. Landau & al., 2013 †  
**(FOSSIL)**  
Turkey



1950650020  
**Nassarius**  
**barsdelli**  
H.S. Ladd, 1976  
Japan  
13,3 mm




6452000095  
**Nassarius**  
**basterotii**  
O.G. Michelotti, 1847 †  
**(FOSSIL)**  
France, Aquitaine  
13 mm



6452000096  
**Nassarius**  
**basterotii**  
**vasconiensis**  
M.A. Peyrot, 1924 †  
**(FOSSIL)**  
France, Aquitaine  
14 mm



6452000097  
**Nassarius**  
**bearnensis**  
M.A. Peyrot, 1924 †  
**(FOSSIL)**  
Turkey, Karaman  
15 mm



8038000083  
**Nassarius**  
**bebekirianus**  
(K. Martin & Icke, 1906 †)  
**(FOSSIL)**

No Georeferenced data available



1950000105  
**Nassarius**  
**bellulus**  
(A. Adams, 1852)  
Okinawa  
15,3 mm




**synonyms:**  
• *Nassa bellula* A. Adams, 1852  
• *Nassa nana* A. Adams, 1852

- *Nassa leptospira* A. Adams, 1852
- *Nassarius nana* A. Adams, 1852



1950000110  
**Nassarius  
bellus**  
(F.P. Mørat, 1877)  
Philippines, Mactan Island  
12,1 mm




**synonyms:**

- *Nassa bella* F.P. Mørat, 1877



1950000046  
**Nassarius  
bellus  
angriensis**  
(J.C. Melvill & R. Standen, 1901)  
Sri Lanka  
12,2 mm




**synonyms:**


- *Nassarius angriasensis* (J.C. Melvill & R. Standen, 1901)



8038000120  
**Nassarius  
berniceae**  
R.C. Willan & Beechey, 2015  
Kermadecs, Raoul Island  
15,8 mm



6452000196  
**Nassarius  
berthiae**  
C.J. Maury, 1910 †  
**(FOSSIL)**  
Florida



Fossil  
only


8038000361  
**Nassarius  
beureumensis**

C.H. Oostingh, 1933 †  
**(FOSSIL)**

No Georeferenced data available





6452000098  
**Nassarius  
beyrichii**  
(C. Mayer, 1873 †)  
**(FOSSIL)**  
France, Aquitaine  
18 mm



1950000115  
**Nassarius  
bicallosus**

(E.A. Smith, 1876)  
Australia, Cape York  
30 mm




**synonyms:**

- *Nassa bicallosa* E.A. Smith, 1876
- *Nassarius coronatus philippensis* T. Shuto, 1969
- *Nassa laevigata* F.P. Mørat, 1877



- *Nassa glabella* F.P. Mørat, 1877



1950004150  
**Nassarius  
biundongensis**  
H.H. Koo, 2003  
Singapore  
11,5 mm



1951901530  
**Nassarius  
bifarius**  
(W. Baird, 1873)  
Malaysia, Borneo  
16,5 mm




**synonyms:**

- *Nassa bifaria* W. Baird, 1873




1950000120  
***Nassarius bimaculosus***  
(A. Adams, 1852)  
Philippines, Samar Island  
16,5 mm

**synonyms:**



- *Nassarius therstes* *bimaculosa* A. Adams, 1852



6452000099  
***Nassarius boholiensis***  
(A.H.E. Beyrich, 1854 †)  
**(FOSSIL)**  
Denmark  
12 mm



6452000100  
***Nassarius boemicum***  
(R. Hoernes & Aulinger, 1882 †)  
**(FOSSIL)**  
Romania, Deva  
12 mm





Fossil  
only

8038000362  
***Nassarius bolangoi***  
(H.S. Ladd, 1976 †)  
**(FOSSIL)**


No Georeferenced data available




6452000101  
***Nassarius bonellii***  
(E. Sismonda, 1847 †)  
**(FOSSIL)**  
Italy, Emilia  
29 mm





1950004155  
***Nassarius bouchei***  
H.H. Kool, 2004  
Coral Sea, Chesterfield Plateau  
10,5 mm



6452000102  
***Nassarius bouilliei***  
Degrange-Touzin, 1894 †  
**(FOSSIL)**  
France, Aquitaine  
17 mm




5338000063  
***Nassarius bourbonensis***  
H.H. Kool, 2015  
Réunion  
14 mm

**synonyms:**

- *Nassa kieneri* G.P. Deshayes, 1863



8038000121  
***Nassarius brebioni***  
F. Van Dingenen, L. Ceulemans,  
& al., 2015 †  
**(FOSSIL)**  
France, Loire  
17 mm





1951900800  
**Nassarius**  
**brunneostomus**  
(R.E.C. Steams, 1893)

Mexico, Sonora  
15 mm




**synonyms:**

- *Nassarius moestus brunneostomus* R.E.C. Steams, 1893



1951901550  
**Nassarius**  
**bruuni**

W. Adam & J. Knudsen, 1984  
West Africa  
12 mm



**synonyms:**

- *Alecrion bruuni* W. Adam & J. Knudsen, 1984



1950000135  
**Nassarius**  
**cabrierensis**

(P. Fischer & R. Tournouer, 1873)  
Spain, Galicia  
13 mm



**synonyms:**


- *Nassa cabrierensis* C.F. Fontannes, 1878

- *Nassa semistriata cabrierensis* P. Fischer & R. Tournouer, 1873



5971104586  
**Nassarius**  
**italicus**

(C. Mayer, 1876)  
Spain, Barcelona  
17,4 mm



**synonyms:**


- *Nassa italicica* C. Mayer, 1876

- *Buccinum italicum* C. Mayer, 1876





5338000048  
**Nassarius**  
**cadeei**

H.H. Kool, 2006  
Indonesia, Madura Island  
20,5 mm




1951900280  
**Nassarius**  
**caelolineatus**

E.C. Nesbitt & W.D. Pitt, 1986  
Galapagos  
12 mm



1950000150  
**Nassarius**  
**callospira**

(A. Adams, 1852)  
Mozambique, Bazaruto Island  
10 mm




**synonyms:**

- *Nassa callospira* A. Adams, 1852



1950000155  
**Nassarius**  
**camelus**

(E.C. Von Martens, 1897)  
Indonesia, Timor  
12,4 mm



**synonyms:**



- *Nassa bimaculosa immersa* F.P. Marray, 1880
- *Nassa camelus* E.C. Von Martens, 1897

- *Arcularia immersa* M.M. Schepman, 1911



1950000160  
**Nassarius**  
**candens**

(R.B. Hinds, 1844)  
Papua New Guinea  
11,4 mm



**synonyms:**

- Nassa candens R.B. Hinds, 1844



1950000165  
**Nassarius**  
**capensis**

(R.W. Dunker, 1846)  
South Africa, Cape Agulhas  
16 mm



**synonyms:**

- Nassa albanyana W.H. Turton, 1932
- Nassa cerotina A. Adams, 1852
- Nassa kraussi W.H. Turton, 1932
- Nassa prolongata W.H. Turton, 1932
- Nassa serotina A. Adams, 1852

- Nassa erecta W.H. Turton, 1932
- Nassa ordinaria W.H. Turton, 1932
- Nassa pulchella A. Adams, 1852




1951900310  
**Nassarius**  
**capillaris**

(R.B. Watson, 1882)  
Tobago Island  
8,6 mm



1950000175  
**Nassarius**  
**catalinus**

(W.H. Dall, 1908)  
Galápagos  
19,5 mm




**synonyms:**

- Nassa hanleyana F.P. M'Natt, 1880
- Alecrotis polistes W.H. Dall, 1917



1950000180  
**Nassarius**  
**celebensis**

(M.M. Schepman, 1907)  
Australia, Port Hedland  
8 mm



**synonyms:**


- Nassarius marshallensis H.S. Ladd, 1977
- Nassa minutula K.H.J. Thiele, 1930
- Nassarius minutulus K.H.J. Thiele, 1930

- Nassa minutula K.H.J. Thiele, 1930



5338000080  
**Nassarius**  
**cernohorskyi**

H.H. Kool, 2005  
Marquesas Islands  
8,7 mm



1950000185  
**Nassarius**  
**cerritensis**

(R. Arnold, 1903)  
Costa Rica  
19,8 mm



**synonyms:**

- Nassa cerritensis R. Arnold, 1903

Fossil  
only

8038000363  
**Nassarius**  
**chiereghinii**

(L.M.D. Bellardi, 1882 †)  
(FOSSIL)

No Georeferenced data available

## Fossil only

5971104587  
**Nassarius  
chowanensis**

Gardner, 1943 †  
**(FOSSIL)**

USA, North Carolina, Pamlico



1950000190  
**Nassarius  
cinctellus**


(A. Adams, 1852)  
Philippines, Olongo Island  
7,8 mm



**no  
IMAGES  
available**

5338000087  
**Nassarius  
cinctellus**

(A.A. Gould, 1850)  
New Caledonia



**synonyms:**


- *Nassa cinctella* A.A. Gould, 1850
- *Nassa parva* F.P. Mørat, 1880

- *Nassa geniculata* A. Adams, 1852



1950000195  
**Nassarius  
cinnamomeus**

(A. Adams, 1852)  
Philippines, Mactan Island  
26 mm




**synonyms:**

- *Nassa cinnamomea* A. Adams, 1852



1950000200  
**Nassarius  
circumcinctus**

(A. Adams, 1852)  
Greece, Mytilene  
19 mm



**synonyms:**


- *Nassa circumcincta* A. Adams, 1852
- *Nassarius granum flammulata* F. Nordsieck, 1972

- *Nassarius circumcincta lactea* P.M. Pallary, 1912



1950000205  
**Nassarius  
clarus**

(F.P. Mørat, 1877)  
Exmouth, West Australia  
18 mm



**synonyms:**


- *Nassarius australis* A. Adams, 1853
- *Nassa australis* A. Adams, 1853

- *Nassa clara* F.P. Mørat, 1877




8038000358  
**Nassarius  
clathratus**

(I. von Born, 1778 †)  
**(FOSSIL)**  
Italy, Piemonte



1951902593  
**Nassarius  
cockburnensis**

H.H. Kool & H. Dekker, 2006  
Australia, Fremantle  
9,4 mm






1950000215  
**Nassarius**  
**collarius**

(C.B. Adams, 1852)

Panama



12 mm



8038000122  
**Nassarius**  
**columbinus**

F. Van Dingenen, L. Ceulemans,  
& al. 2015 †  
**(FOSSIL)**

France, Bretagne  
10,3 mm



6452000061  
**Nassarius**  
**companyoi**

(C.F. Fontannes, 1879 †)  
**(FOSSIL)**

Spain, Malaga  
45 mm



**synonyms:**

- Nassa mutabilis companyoi C.F. Fontannes, 1879 †



1951900360  
**Nassarius**  
**compertus**

R. Fernández-Garcés, J. Espinosa,  
& E. Rolán, 1990

Cuba

4,22 mm




1950000230  
**Nassarius**  
**comptus**

(A. Adams, 1852)

La Reunion Island

26 mm



**synonyms:**

- Nassa bucculenta F.P. Murrat, 1880
- Nassa compta A. Adams, 1852
- Nassa elegans L.C. Kiener, 1834
- Nassa polita F.P. Murrat, 1880

- Buccinum elegans L.C. Kiener, 1834
- Alectryon flammulata M.M. Schepman, 1911





1950000235  
**Nassarius**  
**concinnus**

(W.L. Powys, 1835)

Philippines, Aliguay Island

28 mm



**synonyms:**

- Nassa abyssicola A. Adams, 1852
- Nassa concentrica F.P. Murrat, 1874
- Nassarius concinna W.L. Powys, 1835
- Zeuxis concinnum W.L. Powys, 1835
- Nassarius concinus W.L. Powys, 1835
- Nassaria cribaria F.P. Murrat, 1877
- Nassia rotundicostata F.P. Murrat, 1877
- Niota voluptabilis F.P. Jousseaume, 1894

- Nassia concinna W.L. Powys, 1835
- Nassia concinna minor M.M. Schepman, 1907
- Zeuxis concinus W.L. Powys, 1835
- Nassia crebrilineata C. Rousseau, 1854
- Alectron pseudomundus C.H. Oostingh, 1935
- Nassia smithi F.P. Murrat, 1877



8038000364  
**Nassarius**  
**congrua**

(Yokoyama, 1926 †)  
**(FOSSIL)**

No Georeferenced data available





1950000240  
**Nassarius**  
**conoidalis**

(G.P. Deshayes, 1832)

Australia, Dingo Beach

26 mm



**synonyms:**

- Nassa clathrata J.B.P.A. Lamarck, 1816
- Buccinum clathratum W. Wood, 1825
- Nassa comtessei T. Iredale, 1929
- Buccinum conoidale G.P. Deshayes in Belanger, 1832
- Nassarius cumingii A. Adams, 1870

- Nassarius clathratus J.B.P.A. Lamarck, 1822
- Nassarius comtessei T. Iredale, 1929
- Nassa cumingii A. Adams, 1852
- Nassarius gemmatus J.B.P.A. Lamarck, 1822


- *Nassarius gemmulus variegata* A. Adams, 1852
- *Nassa rajaensis* K. Martin, 1895
- *Nassa ringens* L.A. Reeve, 1854
- *Nassa verrucosa* A. Adams, 1852

- *Nassarius gemmulus verrucosa* A. Adams, 1852
- *Demouila ringens* A. Adams, 1855
- *Nassa variegata* A. Adams, 1852



5296000029  
***Nassarius***  
***consensus***

E. Ravenel, 1861  
Brazil, Guarapari  
8,3 mm



**synonyms:**


- *Nassa consensa* E. Ravenel, 1861
- *Aleciona consensa* E. Ravenel, 1861
- *Aleciona consensa leonensis* W.C. Mansfield, 1930

- *Aleciona consensa harveyensis* W.C. Mansfield, 1930
- *Nassarius fargoi* A.A. Olson & A. Harbison, 1953



1950000250  
***Nassarius***  
***coppingeri***

(E.A. Smith, 1881)  
Argentina, Tierra del Fuego  
9 mm




**synonyms:**

- *Nassa miser inqua* C.C. Stewart, 1940




1950000255  
***Nassarius***  
***coralligenus***

(P.M. Palary, 1900)  
Spain  
7 mm




1951902690  
***Nassarius***  
***coriolis***

H.H. Kool, 2009  
Philippines, Cebu  
29,4 mm





6452000197  
***Nassarius***  
***cornelianus***

A.A. Olson, 1916 †  
**(FOSSIL)**  
Florida, Leon County



195000265  
***Nassarius***  
***coronatus***

(J.G. Bruguère, 1789)  
Philippines, Caltuban Island  
31,2 mm



**synonyms:**

- *Nassarius bronni* R.A. Philippi, 1849
- *Buccinum bronni* R.A. Philippi, 1849
- *Nassa coronata minor* P. Dautzenberg, 1923

- *Nassa coronata* J.G. Bruguère, 1798
- *Buccinum coronatum* J.G. Bruguère, 1789



1951900400  
***Nassarius***  
***coronatus***  
***fasciolatus***


(J.F. Gronovius, 1781)

No Georeferenced data available



195000270  
***Nassarius***  
***coronulus***

(A. Adams, 1852)  
Madagascar, Tulear  
12 mm





**synonyms:**

- *Nassa afra* R.A. Philippi, 1851
- *Nassa coronula* A. Adams, 1852

- *Buccinum afrum* R.A. Philippi, 1851




8038000485  
**Nassarius**  
**corrugatus**  
(G.B. Brocchi, 1814 †)  
**(FOSSIL)**  
France, Normandy  
9,9 mm



Fossil  
only

8038000365  
**Nassarius**  
**crassigranosus**  
(R. Tate, 1888 †)  
**(FOSSIL)**



No Georeferenced data available



8038000366  
**Nassarius**  
**crebreseculatus**  
(L.M.D. Belardi, 1882 †)  
**(FOSSIL)**  
France, Bretagne  
11,5 mm



1950000280  
**Nassarius**  
**crebricostatus**  
(M.M. Schepman, 1911)  
La Reunion Island  
13 mm



**synonyms:**

- Nassa beccarii J. Bisacchi, 1930
- Nassa crebricostata M.M. Schepman, 1911



- Nassa kampeni E.J. Koperberg, 1931



6452000105  
**Nassarius**  
**crebricostulatus**  
(L.M.D. Belardi, 1882 †)  
**(FOSSIL)**  
Hungary, Borsodbóta  
9 mm



1950000285  
**Nassarius**  
**crenatus**  
R.B. Hinds, 1844  
Japan, Kochi  
31 mm



**synonyms:**

- Nassa crenata R.B. Hinds, 1844
- Nassa crenata scutulata J. Giner Mari, 1934
- Hinia kueneni E.J. Koperberg, 1931
- Nassa martensi K.H.J. Thiele, 1925
- Nassa ranida A. Adams, 1852


- Nassa crenata R.B. Hinds, 1844
- Nassa eucomista J.C. Melvill & R. Standen, 1897
- Hinia kurodai J. Makiyama, 1927
- Nassa quadrata F.P. Marray, 1880



1950000290  
**Nassarius**  
**crenoliratus**  
(A. Adams, 1852)  
Philippines, Palawan Island  
11 mm



1951900430  
**Nassarius**  
**crenulatus**  
(J.G. Bruguère, 1792)  
Taiwan  
32 mm




**synonyms:**

- Nassa crenatula J.G. Bruguère, 1792





6452000106  
**Nassarius**  
**crossei**

(C. Mayer, 1862 †)  
**(FOSSIL)**  
France, Aquitaine  
10 mm




6452000107  
**Nassarius**  
**daciae**

(R. Hoernes & Aulinger, 1882 †)  
**(FOSSIL)**  
Romania, Deva  
11 mm



5338000073  
**Nassarius**  
**dakarensis**

(E. Fischer-Piette,  
& M. Nicklés, 1946)  
Senegal, Dakar  
5,6 mm



**synonyms:**



- Nassa crossei H. von Maltzan, 1884

- Nassa johni dakarensis E. Fischer-Piette & M. Nicklés, 1946




6452000108  
**Nassarius**  
**degrangei**

M.A. Peyrot, 1924 †  
**(FOSSIL)**  
France, Aquitaine  
9 mm




1950004095  
**Nassarius**  
**dekkeri**

H.H. Kool, 2001  
Red Sea  
10 mm



1950000305  
**Nassarius**  
**delicatus**

(A. Adams, 1852)  
Mozambique, Nacala Bay  
11,4 mm



**synonyms:**


- Nassarius acclimus J.C. Melvill, 1918
- Nassarius persicus Cox, 1936

- Phrontis alcimus J.C. Melvill, 1918
- Phrontis taurula R. Sturany, 1904



1950000310  
**Nassarius**  
**delosi**

(W.P. Woodring, 1946)  
California, Los Angeles  
26,8 mm



**synonyms:**

- Nassa californiana R. Arnold, 1903

- Nassa delosi W.P. Woodring, 1946



8038000367  
**Nassarius**  
**demissus**

(Yokoyama, 1923 †)  
**(FOSSIL)**

No Georeferenced data available



1950000320  
**Nassarius**  
**dentifer**

(W.L. Powys, 1835)  
Peru, Lima  
17,9 mm



**synonyms:**



- *Nassa dentifera* W.L. Pows, 1835
- *Buccinum unidentatum* H.C. Küster, 1858

- *Nassa tschudii* F.H. Troschel, 1852



1950000325  
***Nassarius***  
***deshayesianus***

(A. Issel, 1866)  
Oman, Muscat  
14,8 mm


**synonyms:**

- *Nassa deshayesianus* A. Issel, 1866
- *Phrontis obocensis* F.P. Jousseaume, 1888
- *Nassa zalensis* G.B. Sowerby, 1894




5338000055  
***Nassarius***  
***deshayesi***

(J.B. Hombron,  
& C.H. Jacquinot, 1848)  
South China Sea  
25 mm



1950000330  
***Nassarius***  
***desmoulioides***

(G.B. III Sowerby, 1903)  
South Africa, Agulhas Bank  
25,2 mm



**synonyms:**

- *Nassa desmoulioides* G.B. III Sowerby, 1903



1950650030  
***Nassarius***  
***dijiki***

(K. Martin, 1895)  
French Polynesia, Topati



**synonyms:**

- *Nassa dijiki* K. Martin, 1895
- *Nassa dijski* K. Martin, 1895



1951901380  
***Nassarius***  
***dilutus***

(E.A. Smith, 1899)  
Mozambique Channel


**synonyms:**

- *Nassa diluta* E.A. Smith, 1899
- *Nassarius pupa* T.A. Okutani, 1968




8038000973  
***Nassarius***  
***diminutivus***

(R.A. Philippi, 1887 †)  
**(FOSSIL)**  
Chile, Navidad Formation  
4 mm



1950000335  
***Nassarius***  
***disparilis***

(E.A. Smith, 1903)  
Philippines, Mactan Island  
5 mm


**synonyms:**

- *Nassa jucunda* H.B. Preston, 1908
- *Nassarius jucundus* H.B. Preston, 1908



1950000340  
***Nassarius***  
***distortus***

(A. Adams, 1852)  
Madagascar, Tulear  
22,4 mm



**synonyms:**

- *Nassa distorta* A. Adams, 1852
- *Nassa lachrymosa* L.A. Reeve, 1853
- *Nassa monile* L.C. Kiener, 1834
- *Buccinum monile* L.C. Kiener, 1834
- *Nassarius monilis* L.C. Kiener, 1834



1951901660  
***Nassarius***  
***distortus***  
***lachrymosus***  
L.A. Reeve, 1853



Pacific

No Georeferenced data available





6452000110  
***Nassarius***  
***dollfusi***  
(F.W. Harmer, 1914 †)  
**(FOSSIL)**

Belgium  
17 mm



1950000345  
***Nassarius***  
***dorsatus***  
(P.F. Röding, 1798)  
Australia, Port Hedland  
26,7 mm

**synonyms:**

- *Bulla cinerea* H.B. Preston, 1906
- *Buccinum dorsatum* P.F. Röding, 1798
- *Buccinum laeve sinuatum* J.H. Chemnitz, 1780
- *Nassa livida* J.E. Gray in P.P. King, 1827
- *Buccinum nitidulum* G.L.C.F.D. Cuvier, 1830
- *Nassa trifasciata* J.F. Gmelin, 1791
- *Nassa unicolor* E.A. Smith, 1884
- *Buccinum unicolorum* L.C. Kiener, 1834
- *Nassa dorsata* P.F. Röding, 1798
- *Zeuxis dorsatus* P.F. Röding, 1798
- *Nassa laevis* O.A.L. Mörch, 1852
- *Nassa nitidula* F.P. Marrat, 1880
- *Nassa rutians* L.A. Reeve, 1853
- *Buccinum trifasciatum* J.F. Gmelin, 1791
- *Nassa unicolorata* L.A. Reeve, 1853





1950000350  
***Nassarius***  
***dorsosus***  
(C.B. Adams, 1852)  
Philippines, Mactan Island  
15,5 mm





6452000111  
***Nassarius***  
***dujardini***  
(G.P. Deshayes, 1844 †)  
**(FOSSIL)**

Poland  
15 mm





6452000112  
***Nassarius***  
***dujardini***  
***edlaueri***  
(BeerBistricky, 1957 †)  
**(FOSSIL)**

Hungary, Borsodbóta  
9 mm





6452000113  
***Nassarius***  
***duvergieri***  
M.A. Peyrot, 1924 †  
**(FOSSIL)**

France, Aquitaine  
13 mm



1950000355  
***Nassarius***  
***echinatus***  
(A. Adams, 1852)  
Philippines, Samar Island  
13 mm

**synonyms:**

- *Nassa echinata* A. Adams, 1852
- *Nassa quadrasia alba* J.G. Hidalgo, 1904



1950004100  
**Nassarius**  
**ecstibus**  
(J.C. Melvill & R. Standen, 1896)  
Philippines, Negros Island  
17,7 mm



**synonyms:**

- *Nassa ecstiba* J.C. Melvill & R. Standen, 1896
- *Nassarius gerstenbrandti* H.B. Preston, 1908

- *Nassa gerstenbrandti* H.B. Preston, 1908



1950000365  
**Nassarius**  
**elatus**  
(A.A. Gould, 1845)  
Ivory coast, Abidjan  
13 mm



**synonyms:**

- *Columbella buchholzi* E.C. Von Martens, 1881
- *Nassa gallardiana* P. Fischer, 1862
- *Nassa gallardiana monochroma* É.A.A. Locard, 1887
- *Nassarius trifasciatus* A. Adams, 1853

- *Nassa elata* A.A. Gould, 1845
- *Nassa gallardiana albida* É.A.A. Locard, 1887
- *Nassa interstincta* F.P. Marray, 1878





1950000370  
**Nassarius**  
**elegantissimus**  
T. Shuto, 1969  
Philippines, Mactan Island  
18,5 mm



1951900460  
**Nassarius**  
**emilyae**  
R.G. Moolenbeek & H. Dekker, 1994  
Oman  
10,6 mm



1951900470  
**Nassarius**  
**emilyae**  
R.G. Moolenbeek & H. Dekker, 1994  
Somalia




8038000368  
**Nassarius**  
**eniwetokensis**  
H.S. Ladd, 1977 †  
(FOSSIL)



No Georeferenced data available





1951902577  
**Nassarius**  
**enzoi**  
L. Bozzetti, 2007  
Madagascar, Lavanono  
9,1 mm



8038000658  
**Nassarius**  
**erentoezae**  
B.M. Landau & al., 2013 †  
(FOSSIL)  
Turkey



8038000659  
**Nassarius**  
**erunalaee**  
B.M. Landau & al., 2013 †  
(FOSSIL)  
Turkey





5338000075  
**Nassarius**  
**euglyptus**  
(G.B. III Sowerby, 1914)  
Philippines, Liban  
13,4 mm



**synonyms:**



- Nassa euglypta G.B. III Sowerby, 1914




6452000065  
**Nassarius**  
**eurostus**  
(C.F. Fontannes, 1879 †)  
**(FOSSIL)**  
Spain, Andalusia  
42 mm



1950000380  
**Nassarius**  
**eusulcatus**  
(G.B. III Sowerby, 1902)  
Mozambique  
23 mm



1950650000  
**Nassarius**  
**excellens**  
(J.T. Kuroda & T. Habe, 1961)  
Philippines, Aliguay Island  
25 mm





**synonyms:**

- Nassarius comptus excellens J.T. Kuroda & T. Habe, 1961



1950000390  
**Nassarius**  
**exilis**  
(W.L. Powys, 1835)  
Panama  
15,9 mm





**synonyms:**

- Nassa fontainei D'Orbigny, 1841
- Nassa fontanei D'Orbigny, 1841

- Nassa panamensis C.B. Adams, 1852



1950000395  
**Nassarius**  
**eximius**  
(H. Adams, 1872)  
Philippines, Olongo Island  
6 mm



**synonyms:**

- Trochus badius W. Wood, 1828
- Nassa eximia H. Adams, 1872

- Nassarius eximia H. Adams, 1872



1951900480  
**Nassarius**  
**exsarcus**  
(W.H. Dall, 1908)  
Galapagos  
3,5 mm



**synonyms:**

- Nassarius exarscus W.H. Dall, 1908



Fossil  
only

8038000369  
**Nassarius**  
**extincteliratus**  
(Fischer in J. Wanner, 1927 †)  
**(FOSSIL)**


No Georeferenced data available




1950004140  
**Nassarius**  
**exulatus**  
(E.A. Smith, 1911)  
Egypt  
20,4 mm




6452000115  
**Nassarius**  
**facki**  
(A. von Koenen, 1872 †)  
**(FOSSIL)**  
Netherlands  
18 mm




5971104491  
**Nassarius**  
**falconeri**  
d'Archiac & Haime, 1850 †  
**(FOSSIL)**  
Pakistan, Sind, Karachi



6452000116  
**Nassarius**  
**falsus**  
(T.L. Casey, 1903 †)  
**(FOSSIL)**  
USA, Mississippi  
17 mm



1950000030  
**Nassarius**  
**fenestratus**  
(F.P. Mørat, 1877)  
Kuwait  
16,6 mm




8038000370  
**Nassarius**  
**fennemai**  
C.H. Oostingh, 1939 †  
**(FOSSIL)**

No Georeferenced data available



1951900590  
**Nassarius**  
**fenwicki**  
R.N. Kilburn, 1972  
South Africa, Natal  
27 mm




8038000371  
**Nassarius**  
**ficariensis**  
(T.A. de M. Monterosato, 1891 †)  
**(FOSSIL)**

No Georeferenced data available



1950004025  
**Nassarius**  
**fidus**  
(L.A. Reeve, 1853)  
Okinawa  
25 mm




**synonyms:**

- Nassa algida E.A. Smith, 1901
- Nassarius glans fenwicki R.N. Kilburn, 1972



1950001025  
**Nassarius**  
**filmerae**  
G.B. III Sowerby, 1900  
South Africa, Natal  
14,8 mm




**synonyms:**

- *Nassarius pyramidalis filmerae* G.B. III Sowerby, 1900



1950000420  
**Nassarius**  
**filosus**  
(L.A. Reeve, 1853)  
South Africa, Natal, Durban Bay  
20,2 mm



1950000430  
**Nassarius**  
**fissilabris**  
(A. Adams, 1852)  
Oman  
19,7 mm




**synonyms:**



- *Nassa fissilabris* A. Adams, 1852





1950000435  
**Nassarius**  
**formosus**  
(W.H. Turton, 1932)  
Park Rynie, Natal, South Africa  
7 mm



1951900510  
**Nassarius**  
**fossae**  
(H.B. Preston, 1915)  
India, Cuddalore



1950000440  
**Nassarius**  
**fossatus**  
(A.A. Gould, 1850)  
California, San Diego County  
37 mm




**synonyms:**

- *Buccinum fossatum* A.A. Gould, 1850
- *Nassa reevei* A. Adams, 1852

- *Nassa morleti* J.C.H. Crosse, 1867



1951900520  
**Nassarius**  
**foveolatus**  
(R.W. Dunker, 1847)  
Mabaya  
14,3 mm




**synonyms:**

- *Nassa foveolata* R.W. Dunker, 1847
- *Buccinum foveolatum* R.W. Dunker, 1847
- *Nassa planicostata* A. Adams, 1852
- *Nassarius planicostatus* A. Adams, 1852

- *Nassa labida* L.A. Reeve, 1854
- *Nassa planicostata* A. Adams, 1852
- *Zeuxis semiplicatoides* S.P. Zhang & Z. You, 2007



1950000445  
**Nassarius**  
**fraterculus**  
(R.W. Dunker, 1860)  
Canada, British Columbia  
17 mm



**synonyms:**



- *Nassa semiplicata* C.B. Adams, 1853
- *Nassa semiplicata hizoenensis* H.A. Plsby, 1904

- *Nassa semiplicata hiradoensis* H.A. Plsby, 1904



1951901770  
**Nassarius  
fraterculus  
hiradoensis**  
H.A. Pilsbry, 1904

Yellow Sea  
15 mm





**synonyms:**

- *Nassarius hiradoensis* H.A. Pilsbry, 1904




1951901780  
**Nassarius  
fraterculus  
hizenensis**  
H.A. Pilsbry, 1904

Japan



1951900530  
**Nassarius  
fraterculus  
hypolius**  
(H.A. Pilsbry, 1895)

Hokkaido  
10 mm




1950000455  
**Nassarius  
fraudator**  
W.O. Cernohorsky, 1980

Australia, Gulf of Carpentaria  
13,6 mm



1950004115  
**Nassarius  
fraudulentus**  
(F.P. Mairat, 1877)

Philippines, Mindanao  
6,1 mm



**synonyms:**



- *Nassa callosa* A. Adams, 1852
- *Nassa fraudulenta* F.P. Mairat, 1877

- *Nassarius callosus* A. Adams, 1877



195000460  
**Nassarius  
frederici**  
(J.C. Melvill & R. Standen, 1901)

Malaysia  
15,9 mm



**synonyms:**


- *Nassa scalarina* F.P. Mairat, 1877
- *Nassarius tindali* J.C. Melvill, 1906

- *Nassarius townsendi* J.C. Melvill, 1897



1950004105  
**Nassarius  
fretorum**  
(J.C. Melvill & R. Standen, 1899)

South Africa, Natal, Durban Bay  
25 mm



**synonyms:**

- *Nassa ariel* H.B. Preston, 1910
- *Nassarius pusio* A. Adams, 1852

- *Nassa fretorum* J.C. Melvill & R. Standen, 1899
- *Nassa pusio* A. Adams, 1852



8038000372  
**Nassarius  
fufanus**  
(Fischer in J. Wanner, 1927 †)  
(FOSSIL)

No Georeferenced data available



1951901800  
**Nassarius fuscescens**  
(P. Dautzenberg, 1912)  
Angola  
13 mm




**synonyms:**

- *Nassa Fischeri* P. Dautzenberg, 1912

- *Nassarius fischeri fuscescens* P. Dautzenberg, 1912



1950000470  
**Nassarius fuscolineatus**  
(E.A. Smith, 1875)  
Japan  
16 mm



**synonyms:**

- *Cryptonassarius fuscolineatus* (E.A. Smith, 1875)



- *Zeuxis varicifera fraterminor* H.A. Pilsbry, 1895





1950000475  
**Nassarius gallegosi**  
(A.M. Strong & L.G. Hertlein, 1937)  
Bay of Panama  
25 mm



5296000039  
**Nassarius garuda**  
(H.H. Kool, 2007)  
Indonesia, Tanimbar Islands  
20,7 mm



1950000480  
**Nassarius gaudiosus**  
(R.B. Hinds, 1844)  
Mauritius  
19 mm





**synonyms:**

- *Nassa gaudiosa* R.B. Hinds, 1844
- *Nassa ilicina* A.A. Gould, 1852
- *Buccinum semiplicatum* R.W. Dunker, 1853


- *Nassa graphtera* H.H. Beck in F.P. Murrat, 1877
- *Nassa mucronata* A. Adams, 1852
- *Nassa semisulcata* R.W. Dunker, 1867



6452000118  
**Nassarius gayeae**  
(Erüna-Erentöz, 1958 †  
**(FOSSIL)**)  
Turkey, Karaman  
13 mm




1950000485  
**Nassarius gayi**  
(L.C. Kiener, 1835)  
Chile, Coquimbo  
14 mm




**synonyms:**

- *Nassa flammulata* H.B. Preston, 1909
- *Nassa nevillana* H.B. Preston, 1906
- *Buccinum taeniolatum* R.A. Philippi, 1845

- *Buccinum gayi* L.C. Kiener, 1834
- *Nassa rubricata* A.A. Gould, 1850



5338000078  
**Nassarius gemmuliferus**  
(A. Adams, 1852)  
South Africa, Transkei  
13 mm



**synonyms:**

- *Nassarius albescens gemmuliferus* A. Adams, 1852
- *Nassa isabellei* L.A. Reeve, 1853




1950000490  
**Nassarius**  
**gemmaulus**

(C.B. Adams, 1852)  
Ecuador, Manabi  
5,3 mm




**synonyms:**

- *Nassa cara* H.A. Pilsbry & A.A. Olsson, 1941
- *Nassa gemmulus* C.B. Adams, 1852





8038000123  
**Nassarius**  
**gendryi**

F. Van Dingenen, L. Ceulemans,  
& al., 2015 †  
**(FOSSIL)**  
France, Normandy  
27,4 mm



5296000040  
**Nassarius**  
**gibbosulus**

(C. Linnaeus, 1758)  
Israel, Haifa  
18 mm



**synonyms:**


- *Cassis callosa* P.F. Röding, 1798
- *Cassis callosus* P.F. Röding, 1798
- *Nassarius gibbosula* minor P.M. Pillary, 1912
- *Nassa gibbosula* syriaca E. Puton, 1856
- *Buccinum gibbosulum* C. Linnaeus, 1758
- *Nassarius irregularis* É.A.A. Locard, 1892

- *Nassa gibbosula* C. Linnaeus, 1758
- *Nassarius gibbosula obscura* P.M. Pillary, 1912
- *Buccinum gibbosulum* C. Linnaeus, 1758
- *Nassarius gibbosulus obscura* P.M. Pillary, 1913



5971104588  
**Nassarius**  
**gigantulus**



G. Bonelli in O.G. Michelotti  
1840 †  
**(FOSSIL)**  
Spain, Málaga  
21 mm



**Fossil only**


8038000665  
**Nassarius**  
**gilli**

B.M. Landau & al., 2013 †  
**(FOSSIL)**  
Turkey




6452000199  
**Nassarius**  
**girondica**

M.A. Peynot, 1924 †  
**(FOSSIL)**  
France, Aquitaine  
13 mm



1950000505  
**Nassarius**  
**glabratus**

(G.B. II Sowerby, 1842)  
Senegal, Dakar  
13 mm




**synonyms:**

- *Strombus glabratus* G.B. II Sowerby, 1842
- *Buccinum obliquum* L.C. Kiener, 1841



5338000065  
**Nassarius**  
**glabrus**

J.L. Zhang & S.P. Zhang, 2014  
South China Sea  
18,7 mm





1950000510  
**Nassarius**  
**glans**

(C. Linnaeus, 1758)  
South China Sea  
35,8 mm



**synonyms:**


- *Nassa intermedia* R.W. Dunker, 1866
- *Buccinum lineatum* P.F. Röding, 1798
- *Nassarius suturalis* J.B.P.A. Lamarck, 1822

- *Nassa suturalis* J.B.P.A. Lamarck, 1822
- *Nassa suturalis dunkeri* H.H. Suter, 1908




1950000515  
**Nassarius**  
**glans**  
**nipponeensis**

J.T. Kuroda & T. Habe, 1971  
Japan, Nagashima  
36,4 mm



1950000520  
**Nassarius**  
**glans**  
**particeps**

(C. Hedley, 1915)  
Australia, Broome  
18,5 mm



**synonyms:**


- *Nassa particeps* C. Hedley, 1915
- *Nassa suturalis* L.A. Reeve, 1853

- *Nassa rufula* L.C. Kiener, 1834




1951901870  
**Nassarius**  
**glans**  
**suturæ**

J.B.P.A. Lamarck, 1822  
Japan



1950000525  
**Nassarius**  
**globosus**

(J.R.C. Quoy,  
& J.P. Gaimard, 1833)  
Argentina, San Antonio Este  
57 mm



**synonyms:**


- *Buccinum clathratum* L.C. Kiener, 1834
- *Polygireulma globosa* J.R.C. Quoy & J.P. Gaimard, 1833

- *Buccinum globosum* J.R.C. Quoy & J.P. Gaimard, 1833



1951900570  
**Nassarius**  
**globosus**  
**gibbosuloides**

(J.R.C. Quoy,  
& J.P. Gaimard, 1833)  
Vanuatu Island, New Hebrides  
10 mm



**synonyms:**

- *Nassarius gibbosuloides* T. Habe & S. Kosuge, 1966
- *Nassarius globosa* J.R.C. Quoy & J.P. Gaimard, 1833

- *Nassa globosa* J.R.C. Quoy & J.P. Gaimard, 1833





1951900600  
**Nassarius**  
**goniopleura**

(W.H. Dall, 1908)  
Galapagos



1950000535  
**Nassarius**  
**graniferus**

(L.C. Kiener, 1834)  
Cook Islands  
17 mm




**synonyms:**

- *Nassarius granifer* L.C. Kiener, 1834
- *Nassa granifera* L.C. Kiener, 1834
- *Buccinum graniferum* L.C. Kiener, 1834
- *Nassa obliqua* J.B. Hombron & C.H. Jacquinot, 1853
- *Buccinum verrucosum* J.G. Bruguère, 1789


- *Plicularia granifera* L.C. Kiener, 1834
- *Nassarius granulifera* L.C. Kiener, 1834
- *Nassa perlata* F.P. Marat, 1880
- *Buccinum verrucosum* J.G. Bruguère, 1798



5971104589  
**Nassarius**  
**granularis**  
J. de C. Sowerby, 1815 †  
**(FOSSIL)**  
Great Britain, Essex  
13 mm



1950000685  
**Nassarius**  
**graphiterus**  
(J.B. Hombron,  
& C.H. Jacquinot, 1848)  
Philippines, Masbate Island  
22 mm




**synonyms:**

- Nassa dispar A. Adams, 1852
- Nassa graphitera J.B. Hombron & C.H. Jacquinot, 1848
- Nassarius kieneri H.E. Anton, 1838
- Nassa lurida A.A. Gould, 1850
- Nassarius luridus A.A. Gould, 1850


- Nassarius dispar A. Adams, 1852
- Nassa graphitera C. Rousseau, 1854
- Zeuxis lucida A.A. Gould, 1850
- Zeuxis lurida A.A. Gould, 1850



6452000120  
**Nassarius**  
**grata**  
(Gardner, 1936 †)  
**(FOSSIL)**  
Florida  
6 mm



1951902657  
**Nassarius**  
**gregarius**  
(A.W. Grabau & S.G. King, 1928)  
China, Zhejiang  
7,1 mm




**synonyms:**

- Nassa gregaria A.W. Grabau & S.G. King, 1928
- Hima tchangsi T.C. Yen, 1936



1950000545  
**Nassarius**  
**gruneri**  
(R.W. Dunker, 1846)  
Philippines, Olongo Island  
19,1 mm



**synonyms:**

- Nassa acinosa A.A. Gould, 1850
- Nassa fragum J.B. Hombron & C.H. Jacquinot, 1848
- Buccinum gruneri R.W. Dunker, 1846
- Nassarius hispida A. Adams, 1852
- Hebra jonkeri K. Martin, 1883

- Nassa gruneri R.W. Dunker, 1846
- Nassa hispida A. Adams, 1852
- Nassa hispida A. Adams, 1852





1951901880  
**Nassarius**  
**gruvelli**  
W. Adam & J. Knudsen, 1984  
Cameroon



1950000550  
**Nassarius**  
**guaymasensis**  
(H.A. Pilsbry & H.N. Lowe, 1932)  
Mexico, Guaymas Sonora  
17 mm



1950650040  
**Nassarius**  
**haldemani**  
(R.W. Dunker, 1847)  
Philippines, Bohol Island  
28,4 mm




**synonyms:**

- Buccinum haldemanni R.W. Dunker, 1847
- Zeuxis issel J. Bisacchi, 1930
- Nassa sertula A. Adams, 1852


- Zeuxis sertula A. Adams, 1852
- Nassarius sertulus A. Adams, 1852




1951902597  
**Nassarius  
hanravensis**  
H.H. Kool & H. Dekker, 2006  
Borneo, Sarawak  
6 mm



1951900620  
**Nassarius  
hanseneae**  
H.H. Kool, 1996  
Queensland



5338000076  
**Nassarius  
harpularia**  
(F.P. Murrat, 1877)  
Singapore




**synonyms:**


- *Nassa harpularia* F.P. Murrat, 1877





6452000121  
**Nassarius  
harrisii**  
(C.J. Maury, 1910 †)  
(FOSSIL)  
Florida  
5 mm



1951900630  
**Nassarius  
harryae**  
E.F. Garcia, 2001  
Panama, Gulf of Chiriquí  
3,8 mm



1950000555  
**Nassarius  
helleri**  
(J. Giner Mari, 1929)  
Mozambique  
16,2 mm



**synonyms:**

- *Nassarius helleri* J. Giner Mari, 1929
- *Nassa soror* J. Giner Mari, 1929




8038000373  
**Nassarius  
hemipolitus**  
S. Nomura & N. Zinbo, 1935 †  
(FOSSIL)



No Georeferenced data available



1951902692  
**Nassarius  
herosae**  
H.H. Kool, 2005  
New Caledonia  
8 mm



6452000122  
**Nassarius  
hilberi**  
(R. Hoernes & Aulinger, 1882 †)  
(FOSSIL)  
Romania, Deva  
14 mm






1950000565  
**Nassarius  
himoessa**

(J.C. Melvill & R. Stander, 1903)

Oman, Muscat  
5,8 mm



**synonyms:**


- *Nassarius himeroesa* J.C. Melvill & Stander, 1903
- *Nassa innocens* K.H.J. Thiele, 1925



1951901910  
**Nassarius  
hirasei**

J.T. Kuroda & T. Habe, 1952

China, Zhejiang  
21 mm



**synonyms:**


- *Nassarius siquijorensis hirasei* J.T. Kuroda & T. Habe, 1952



1950000570  
**Nassarius  
hirtus**

(L.C. Kiener, 1834)

Singapore  
25,8 mm



**synonyms:**

- *Buccinum hirtum* L.C. Kiener, 1834

- *Alectron seminodosa* C.B. Adams, 1852

**Fossil  
only**

8038000374  
**Nassarius  
hongoensis**

Itoigawa, 1955 †  
(FOSSIL)


No Georeferenced data available



5338000066  
**Nassarius  
houbricki**

H.H. Kool & J. Galindo, 2014


Solomon Islands  
22,7 mm



1950000580  
**Nassarius  
howardae**

E.P. Chace, 1958

Mexico, San Felipe  
23,1 mm





**no  
IMAGES  
available**

8038000896  
**Nassarius  
hugokooli**

N.N. Thach, 2016



Vietnam



5338000052  
**Nassarius  
humerus**

J. Yang & S.P. Zhang, 2011

China, Bo Sea  
16,2 mm



**Fossil  
only**

5971104590  
**Nassarius  
hylus**

A.A. Olson, 1964 †  
(FOSSIL)

Ecuador, Manabi



## Fossil only

8038000375  
**Nassarius**  
**iberocathartus**



B.M. Landau, F. Da Silva,  
& C. Giil, 2009 †  
(FOSSIL)

No Georeferenced data available

no  
IMAGES  
available

1950650045  
**Nassarius**  
**idyllius**

(J.C. Melvill & R. Standen, 1901)  
Torres Strait



**synonyms:**

- Arcularia caelata C. Hedley, 1915
- Nassarius crebricostatus dilemensis C.H. Oostingh, 1939 †
- Nassia munda R. Sturany, 1900
- Acculina ovoidea M.M. Schepman, 1911
- Nassarius torresianus C. Hedley, 1915


- Arcularia caelata torresiana C. Hedley, 1915
- Nassa idyllia J.C. Melvill & R. Standen, 1901
- Nassarius ovoidea M.M. Schepman, 1911
- Alectron schepmani E.J. Koperberg, 1931 †



6452000123  
**Nassarius**  
**inaequicostatus**

(L.M.D. Bellardi, 1882 †)  
(FOSSIL)

Turkey, Karaman  
22 mm



6452000124  
**Nassarius**  
**incommodans**

M.A. Peyrot, 1924 †  
(FOSSIL)

France, Aquitaine  
16 mm



8038000376  
**Nassarius**  
**incongruus**

Y. Otuka, 1937 †  
(FOSSIL)



No Georeferenced data available



6452000125  
**Nassarius**  
**inconstans**

(R. Hoernes & M. Auinger, 1882 †)  
(FOSSIL)

Hungary, Borsodbóta  
9 mm



6452000126  
**Nassarius**  
**incrassatus**

(Muller, 1766 †)  
(FOSSIL)


Turkey, Karaman  
18 mm



1950000590  
**Nassarius**  
**insculptus**

(P.P. Carpenter, 1864)

South Africa, Algoa Bay  
18 mm



**synonyms:**

- Odostomia insculpta P.P. Carpenter, 1864
- Nassa insculpta P.P. Carpenter, 1864
- Nassarius insculptus gordanus L.G. Herlein & A.M. Strong, 1951

- Nassarius insculptus eupleura W.H. Dall, 1917



5338000077  
**Nassarius**  
**interliratus**

(E.A. Smith, 1876)

Indonesia, Irian  
6,4 mm



**synonyms:**


- *Nassa interirata* E.A. Smith, 1876



1950000595  
***Nassarius iodae***  
(W.H. Dall, 1917)  
Mexico, Baja California  
11,7 mm



1950004175  
***Nassarius irus***  
(E.C. Von Martens, 1880)  
Madagascar, Vianibe  
19,2 mm



**synonyms:**

- *Nassarius cossottii* L. Bozzetti, 2006
- *Nassarius iris* E.C. Von Martens, 1880

- *Nassarius cussotti* L. Bozzetti, 2006
- *Nassa thersites* *irus* E.C. Von Martens, 1880



1950004080  
***Nassarius ischnus***  
(J.C. Melvill, 1899)  
Arabian Gulf

**synonyms:**

- *Nassarius ischnus brunneofasciata* J.C. Melvill, 1899



1950000605  
***Nassarius jacksonianus***  
(J.R.C. Quoy & J.P. Gaimard, 1833)  
Thailand, Phuket  
13,7 mm



**synonyms:**

- *Buccinum jacksonianum* J.R.C. Quoy & J.P. Gaimard, 1833
- *Buccinum polygonatum* C.B. Adams, 1852



- *Phrontis siva* H.B. Preston, 1904




1950000610  
***Nassarius jactabundus***  
(J.C. Melvill, 1906)  
Kuwait  
15 mm



5971104591  
***Nassarius janschloegli***  
M. Harzhauser & al., 2011 †  
(FOSSIL)  
Slovakia, Trnavské Mýto



1950000620  
***Nassarius javanus***  
(M.M. Schepman, 1891)  
Kuwait  
22,3 mm



**synonyms:**

- *Alecion elegans fulgorans* M.M. Schepman, 1911

- *Nassa javana* M.M. Schepman, 1891



1951902601  
***Nassarius jeanmartini***  
H.H. Kool & H. Dekker, 2006  
La Réunion Island  
11 mm






1950000625  
**Nassarius**  
**johnni**  
(T.A. de M. Monterosato, 1889)  
Morocco, cap Cantis  
7 mm



5338000043  
**Nassarius**  
**jonasii**  
(R.W. Dunker, 1846)  
Australia, Noosa




**synonyms:**

- *Nassa cancelata* A. Adams, 1852
- *Ancularia jonasii* R.W. Dunker, 1846
- *Nassa jonasii* R.W. Dunker, 1846
- *Austronassaria simplex* C.F. Laseron, 1956



- *Parcanassa jonasii* R.W. Dunker, 1846
- *Buccinum jonasii* R.W. Dunker, 1846
- *Nassa mangelioides* L.A. Reeve, 1853





8038000044  
**Nassarius**  
**junguhnu**  
(K. Martin, 1895 †)  
**(FOSSIL)**  
Indonesia, Junghuhn




1951900700  
**Nassarius**  
**kaicherae**  
D. De Jong & H.E. Coomans, 1988  
Curaçao Island



5338000079  
**Nassarius**  
**kiiensis**  
T. Kira, 1954  
Japan, Ki  
21,7 mm



1950000635  
**Nassarius**  
**kochianus**  
(R.W. Dunker, 1846)  
South Africa, Cape Agulhas  
12,5 mm




**synonyms:**

- *Hima crawfordi* G.B. Sowerby, 1892
- *Nassa eucosmia* W.H. Turton, 1932
- *Nassa incrassata* G.B. Sowerby, 1900
- *Nassa poecilostoma* E.A. Smith, 1904
- *Buccinum signatum* R.W. Dunker, 1846

- *Nassa fuscoalba* W.H. Turton, 1932
- *Nassa poecilostoma* E.A. Smith, 1904
- *Buccinum regulare* H.C. Küster, 1858



1951900720  
**Nassarius**  
**kochianus**  
**crawfordi**  
G.B. III Sowerby, 1892  
South Africa, Cape Agulhas  
10 mm



8038000377  
**Nassarius**  
**kometubus**  
Y. Otuka, 1934 †  
**(FOSSIL)**

No Georeferenced data available


## Fossil only

8038000378  
**Nassarius**  
**kondangensis**  
(C.H. Oostingh, 1939 †)  
**(FOSSIL)**



No Georeferenced data available




5296000047  
**Nassarius**  
**kooli**  
H. Dekker & A.M. Dekkers, 2009  
Philippines, Aliguay Island  
24,2 mm



6452000127  
**Nassarius**  
**korytnicensis**  
(W. Baluk, 1995 †)  
**(FOSSIL)**  
Poland  
13 mm



1950000640  
**Nassarius**  
**kraussianus**  
(R.W. Dunker, 1846)  
South Africa, Algoa Bay  
9,4 mm



### **synonyms:**

- *Nassa kraussiana* R.W. Dunker, 1846
- *Nassa kraussianum* R.W. Dunker, 1846
- *Nassa kuesteri* C.F.F. von Krauss, 1848

- *Buccinum kraussianum* R.W. Dunker, 1846
- *Nassa orbiculata* A. Adams, 1852


## Fossil only

8038000379  
**Nassarius**  
**kruizingai**  
C.H. Oostingh, 1939 †  
**(FOSSIL)**

No Georeferenced data available



8038000674  
**Nassarius**  
**kugleri**  
B.M. Landau, F. Da Silva,  
& S.M. Heitz, 2016 †  
**(FOSSIL)**  
Venezuela



1950000645  
**Nassarius**  
**labiatus**  
(A. Adams, 1853)  
Philippines, Balicasag Island  
5,1 mm



### **synonyms:**

- *Acicula costata* A. Adams, 1853
- *Nassa terebrodes* L.A. Reeve, 1853

- *Cryptonassarius labiatus* (A. Adams, 1853)



1951900390  
**Nassarius**  
**labordei**  
F.P. Jousseaume in J. Giner Mari  
1929  
Mozambique, Bazaruto Island  
25 mm



### **synonyms:**

- *Nassarius conoidalis* labordei F.P. Jousseaume in J. Giner Mari, 1929






6452000128  
**Nassarius**  
**lacryma**  
L.M.D. Bellardi, 1882 †  
**(FOSSIL)**  
France, Aquitaine  
11 mm







6452000129  
**Nassarius**  
**lamelliferus**  
(P. Nyst, 1833 †)  
**(FOSSIL)**  
Belgium  
16 mm




8038000124  
**Nassarius**  
**landreauensis**  
F. Van Dingenen, L. Ceulemans,  
& al., 2015 †  
**(FOSSIL)**  
France, Bretagne  
12,3 mm




8038000676  
**Nassarius**  
**tarandicus**  
B.M. Landau & al., 2013 †  
**(FOSSIL)**  
Turkey





1951902569  
**Nassarius**  
**lavanonoensis**  
L. Bozzetti, 2006  
Madagascar, Lavanono  
14,1 mm




1951900730  
**Nassarius**  
**lawsonorum**  
R.N. Kilburn, 2000  
South Africa  
11,6 mm



5338000047  
**Nassarius**  
**levius**  
D. Abbate & D.C. Cavallari, 2013  
Brazil, Ceará  
15 mm



1951900750  
**Nassarius**  
**liberiensis**  
(J. Knudsen, 1956)  
West Africa, Gambia  
6 mm



1950000650  
**Nassarius**  
**lima**  
(L.W. Dillwyn, 1817)  
Italy, Cannizzaro  
10 mm



**synonyms:**

- Buccinum lima L.W. Dillwyn, 1817
- Nassa limata J.H. Chemnitz, 1795
- Nassa limata robusta T.A. de M. Monterosato, 1890
- Nassarius limatus R.A. Philippi, 1836
- Nassa robusta T.A. de M. Monterosato, 1890

- Nassa limata R.A. Philippi, 1836
- Nassa limata paucicostata Prêtre, 1883
- Buccinum limatum R.A. Philippi, 1836
- Nassa praelonga T.A. de M. Monterosato, 1891
- Buccinum scalariforme L.C. Kiener, 1834




1950000655  
**Nassarius**  
**limacinus**  
(W.H. Dall, 1917)  
Costa Rica  
6 mm






1950000660  
**Nassarius**  
**limata**  
G.P. Deshayes, 1844  
Italy, Grado  
38 mm



1950000665  
**Nassarius**  
**limnaeiformis**  
(R.W. Dunker, 1847)  
Indonesia, West Java  
18 mm




**synonyms:**

- Buccinum coturnix R.W. Dunker, 1853
- Buccinum limnaeiforme R.W. Dunker, 1847
- Nassa musiva A.A. Gould, 1850

- Nassa coturnix R.W. Dunker, 1853
- Nassarius limnaeiformis R.W. Dunker, 1847



1950000670  
**Nassarius**  
**livescens**  
(R.A. Philippi, 1849)  
Madagascar, Tulear  
16,9 mm





**synonyms:**

- Nassa deshayesi C. Rousseau, 1854
- Nassarius fulleri F.S. MacNeil, 1960
- Nassa keenii F.P. Mørat, 1877
- Buccinum livescens R.A. Philippi, 1849
- Nassa lyraformis F.P. Mørat, 1880
- Nassa marginulata L.A. Reeve, 1853
- Nassa provulgata P. Fischer, 1891
- Nassa seculza P. Fischer, 1891
- Nassa sordida A. Adams, 1852


- Nassa granosocostata M.M. Schepman, 1911
- Nassarius kieri G.P. Deshayes, 1863
- Nassa livescens R.A. Philippi, 1849
- Nassa margaritifera L.A. Reeve, 1853
- Nassa oblonga F.P. Mørat, 1877
- Nassa seclusa P. Fischer, 1891
- Nassarius secluzus P. Fischer, 1891
- Nassarius sordidus A. Adams, 1852




1950000675  
**Nassarius**  
**lochi**  
H.H. Kool, 1996  
China, Zhejiang  
27 mm



6452000130  
**Nassarius**  
**locklini**  
A.A. Olson & A. Harbison, 1953 †  
**(FOSSIL)**  
Florida  
14 mm





6452000131  
**Nassarius**  
**longoastensis**  
(F. Sacco, 1890 †)  
**(FOSSIL)**  
Italy, Tuscany  
22 mm



5971104543  
**Nassarius**  
**losquemadica**  
C.J. Maury, 1917 †  
**(FOSSIL)**  
Costa Rica




1950000680  
**Nassarius**  
**louisi**  
(P.M. Palary, 1912)  
Cyprus  
7 mm







5338000054  
**Nassarius**  
**luteolus**  
(E.A. Smith, 1879)  
Japan, Goto Islands  
7,2 mm



1950004135  
**Nassarius**  
**maccauslandi**  
W.O. Cernohorsky, 1984  
Fiji Islands  
5 mm




6452000132  
**Nassarius**  
**macilentus**  
(T.L. Casey, 1903 †)  
**(FOSSIL)**  
USA, Mississippi  
11 mm





195000695  
**Nassarius**  
**macrocephalus**  
(M.M. Schepman, 1911)  
Philippines, Siquijor  
6,1 mm




8038000461  
**Nassarius**  
**macrodon**  
(H.G. Bronn, 1831 †)  
**(FOSSIL)**  
France, Languedoc-Roussillon  
10,3 mm




8038000380  
**Nassarius**  
**madiunensis**  
(K. Martin, 1895 †)  
**(FOSSIL)**  
Indonesia, Java



5338000049  
**Nassarius**  
**madurensis**  
H.H. Kool, 2013  
Indonesia, Madura Island  
12,8 mm



195000710  
**Nassarius**  
**mammilliferus**  
(J.C. Melvill, 1897)  
Oman, Muscat  
9,7 mm





**synonyms:**

- *Nassarius mammillifera* J.C. Melvill, 1897
- *Nassarius mammillifera hindarabica* J.C. Melvill & R. Standen, 1901

- *Nassarius mammillifera* J.C. Melvill, 1897



6452000133  
**Nassarius**  
**manciensis**  
M.A. Peyrot, 1924 †  
**(FOSSIL)**  
France, Aquitaine  
10 mm



**Fossil  
only**

8038000381  
**Nassarius  
mandirensis**

C.H. Oostingh, 1939 †  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8038000086  
**Nassarius  
mangkalihatensis**

C. Beets, 1941 †  
**(FOSSIL)**

No Georeferenced data available



1950000715  
**Nassarius  
margaritifer**

(R.W. Dunker, 1847)

Kenya  
25,1 mm



**synonyms:**

- Nassa costellifera A. Adams, 1853
- Nassarius crenelliferus A. Adams, 1853
- Nassa margaritifer R.W. Dunker, 1847
- Nassa margaritifera R.W. Dunker, 1847
- Buccinum margaritiferum R.W. Dunker, 1847
- Nassarius margaritiferus costellifera A. Adams, 1853
- Nassa quoyii J.B. Hombron & C.H. Jacquinot, 1848
- Buccinum reticulatum J.R.C. Quoy & J.P. Gaimard, 1833


- Zeuxis margaritifer R.W. Dunker, 1847
- Nassarius margaritifer J.R.C. Quoy & J.P. Gaimard, 1833
- Nassarius margaritifera R.W. Dunker, 1847
- Zeuxis margaritiferus R.W. Dunker, 1847
- Nassa quoyiaba J.B. Hombron & C.H. Jacquinot, 1848
- Nassa quoyii C. Rousseau, 1854



1950000720  
**Nassarius  
marmoreus**


(A. Adams, 1852)

Oman, Masirah Island  
25,4 mm



**synonyms:**



- Nassa marmorea A. Adams, 1852
- Zeuxis picta marmorea A. Adams, 1852



8038000125  
**Nassarius  
martae**

F. Van Dingenen, L. Ceulemans,  
& al., 2015 †  
**(FOSSIL)**

France, Normandy  
10,3 mm



**Fossil  
only**

8038000382  
**Nassarius  
martinelli**

C. Gili, 1992 †  
**(FOSSIL)**


No Georeferenced data available



5338000067  
**Nassarius  
martinezii**

H.H. Kool & J. Galindo, 2014


New Caledonia  
18,9 mm



6452000134  
**Nassarius  
mayeri**

(L.M.D. Belardi, 1882 †)  
**(FOSSIL)**


Italy, Tuscany  
13 mm





1950000725  
**Nassarius**  
**megalocallus**


W. Adam & J. Knudsen, 1984  
West Sahara  
8 mm



5971104492  
**Nassarius**  
**mekranicus**

(E.W. Vredenburg, 1925 †)  
**(FOSSIL)**

Pakistan, Baluchistan, Makran



1950000730  
**Nassarius**  
**mendicus**

(A.A. Gould, 1850)

USA, Washington

16 mm



**synonyms:**

- Nassa acutangula F.P. Murrat, 1877
- Nassa cooperi E. Forbes, 1852
- Nassa mendica A.A. Gould, 1850
- Nassa woodwardi E. Forbes, 1852

- Nassa gibsi J.G. Cooper, 1859
- Nassarius mendicus indisputabilis I.M. Oldroyd, 1927



5971104544  
**Nassarius**  
**merenda**

A.A. Olson, 1922 †  
**(FOSSIL)**

Costa Rica

8 mm




8038000126  
**Nassarius**  
**merlei**

F. Van Dingenen, L. Ceulemans,  
& al., 2015 †  
**(FOSSIL)**

France, Bretagne

30,2 mm




6452000135  
**Nassarius**  
**miqueli**

M.A. Peyrot, 1903 †  
**(FOSSIL)**

France, Aquitaine

18 mm




1951902695  
**Nassarius**  
**mirabilis**

L. Bozzetti, 2007

Madagascar, Lavanono

10,5 mm




1950000755  
**Nassarius**  
**miser**

(W.H. Dall, 1908)

Bay of Panama

12,5 mm



**synonyms:**

- Nassarius coppereri miser W.H. Dall, 1908
- Nassa miser W.H. Dall, 1908





1950004085  
**Nassarius**  
**mobilis**

(C. Hedley & W.L. May, 1908)

Australia, Bass Strait

8 mm



**synonyms:**


- *Reticunassa compacta* benthais C.J. Gabriel, 1962
- *Arcularia mobilis costata* C. Hedley & W.L. May, 1908
- *Nassarius verconis* B.C. Cotton & F.C. Godfrey, 1932

- *Reticunassa mobilis* plankta T. Iredale, 1936



1950000765  
***Nassarius***  
***moestus***

(R.B. Hinds, 1844)  
Mexico, Sonora  
15 mm



**synonyms:**

- *Nassa anthracina* A. Garrett, 1873
- *Nassarius tristis* H.B. Preston, 1908




8038000790  
***Nassarius***  
***monensis***

(Forbes) †  
**(FOSSIL)**  
England, Isle of Man




1951900810  
***Nassarius***  
***moolenbeeki***

H.H. Kool, 1995  
Vanuatu Island, New Hebrides  
10,6 mm



1950000770  
***Nassarius***  
***muelleri***

(H. von Maltzan, 1884)  
Congo, Pointe Noire  
17,7 mm



**synonyms:**

- *Nassarius mulleri* H. von Maltzan, 1884



1950000780  
***Nassarius***  
***multicostatus***

(A. Adams, 1852)  
Papua New Guinea  
14 mm


**synonyms:**

- *Nassa multiplicata* M.M. Schepman, 1907



1950000785  
***Nassarius***  
***multigranosus***

(R.W. Dunker, 1847)  
Philippines, Cebu  
16 mm

**synonyms:**



- *Nassa acutidentata* E.A. Smith, 1879
- *Nassa dominula* C.M. Tapparone-Caneffri, 1874
- *Buccinum multigranum* R.W. Dunker, 1847
- *Nassa spurca* A.A. Gould, 1860

- *Nassa multigrana* R.W. Dunker, 1852
- *Zeixis multigranosus* T. Habe, 1960




1950000790  
***Nassarius***  
***multipunctatus***

(M.M. Schepman, 1911)  
Philippines, Aliguay Island  
22 mm



1951902698  
***Nassarius***  
***multivocus***

H.H. Kool, 2008  
China, Zhejiang  
19,9 mm

**synonyms:**

- *Nassarius caelatus* Auct. non A. Adams, 1852
- *Nassarius castus* Auct. non A.A. Gould, 1850



5338000035

***Nassarius  
mundus***

(R. Sturany, 1900)

Egypt, Sinai

**synonyms:**


- *Nassa lathraia* R. Sturany, 1900
- *Nassa sporadica* R. Sturany, 1900



8038000582

***Nassarius  
musivus***G.B. Brocchi, 1814 †  
**(FOSSIL)**

Italy, Emilia



1950000805

***Nassarius  
myristicatus***


(R.B. Hinds, 1844)

Panama, Gobernadora Island  
23,3 mm

1951900840

***Nassarius  
nakayamai***

(T. Habe, 1958)

China, Zhejiang  
12,3 mm**synonyms:**


- *Zeuxis nakayamai* T. Habe, 1958



5338000053

***Nassarius  
nanhaiensis***

(S.P. Zhang, 2013)

South China Sea  
22,2 mm**synonyms:**



- *Zeuxis nanhaiensis* S.P. Zhang, 2013



6452000198

***Nassarius  
nanna***J. Gardner, 1944 †  
**(FOSSIL)**



Florida



1950000815

***Nassarius  
natalensis***

(E.A. Smith, 1903)

Madagascar, Diego Suarez  
16,5 mm**synonyms:**

- *Nassa sturnii* L.A. Reeve, 1853




8038000383

***Nassarius  
ngawianus***(K. Martin, 1895 †)  
**(FOSSIL)****No Georeferenced data available**

1950000820

***Nassarius  
nigellus***

(L.A. Reeve, 1854)

Australia, Dingo Beach  
16,5 mm

**synonyms:**

- *Nassa munieriana* J.C.H. Crosse, 1864
- *Nassa optata* A.A. Gould, 1860
- *Nassa semigranosa* R.W. Dunker, 1846
- *Nassa tasmanica* J.E. Tenison-Woods, 1876

- *Nassa nigella* L.A. Reeve, 1854
- *Nassa peritrema* J.E. Tenison-Woods, 1880
- *Buccinum semigranosum* R.W. Dunker, 1846



1950000825  
***Nassarius***  
***nigrolabrus***

(A.E. Verrill, 1880)  
America

No Georeferenced data available



1950000830  
***Nassarius***  
***nitidus***

(J.G. Jeffreys, 1867)  
Portugal  
31 mm

**synonyms:**


- *Nassa abnormis* G.S. Coen, 1914
- *Nassa acutior* G.S. Coen, 1933
- *Nassa bicolorata* G.S. Coen, 1933
- *Nassa hepatica* G. Montagu, 1803
- *Planaxis mammilla* A. Riso, 1826
- *Nassa mammilla gratiosa* T.A. de M. Monterosato, 1912
- *Nassa mammilla propria* T.A. de M. Monterosato, 1912
- *Nassa mammilla tenuisculpta* T.A. de M. Monterosato, 1912
- *Nassa mammilla tricolor* T.A. de M. Monterosato, 1912
- *Nassarius modestus* K.O. Mäschewitsch, 1909
- *Buccinum nasulum* C.U.A. von Salis-Marschlins, 1793
- *Nassa reticulata curta* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882
- *Nassa reticulata mediterranea* K.O. Mäschewitsch, 1909
- *Nassa reticulata pontica* W. Kobelt, 1878
- *Nassa rochebrunei* É.A.A. Locard, 1887

- *Nassa aegyptiaca* P. Fischer in E. Vassel, 1880
- *Nassa clodiensis* G.S. Coen, 1933
- *Buccinum hepaticum* G. Montagu, 1803
- *Nassa mammilla* A. Riso, 1826
- *Nassa mammilla lacunaris* T.A. de M. Monterosato, 1912
- *Nassa mammilla syracusana* T.A. de M. Monterosato, 1912
- *Nassa mammilla tiesenhausenii* T.A. de M. Monterosato, 1912
- *Nassa mammilla valentina* T.A. de M. Monterosato, 1912
- *Nassa monifera* G.S. Coen, 1933
- *Nassa nitida* J.G. Jeffreys, 1867
- *Nassa reticulata depicta* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882
- *Nassa reticulata modesta* K.O. Mäschewitsch, 1909
- *Nassa reticulata rosea* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882
- *Nassa servani* É.A.A. Locard, 1887



1950000965  
***Nassarius***  
***niveus***

(A. Adams, 1852)  
Ivory coast, Abidjan  
23,4 mm

**synonyms:**


- *Nassa nivea* A. Adams, 1852
- *Nassarius plicatellus* A. Adams, 1852

- *Nassa plicatella* A. Adams, 1852
- *Nassa scopularca* K.H. Barnard, 1959




1950000970  
***Nassarius***  
***niveus***  
***scopularcus***

K.H. Barnard, 1958  
South Africa, Cape  
18,6 mm



1951900870  
***Nassarius***  
***nobilis***

(K.H.J. Thiele, 1925)  
Indonesia

**synonyms:**



- *Nassarius bodjonganensis* C.H. Oostingh, 1939
- *Nassarius insulindicus bodjonganensis* C.H. Oostingh, 1939

- *Nassarius insulindicus* C.H. Oostingh, 1939



1950000055  
***Nassarius***  
***nodicostatus***

Adams, 1852  
Bay of Panama  
15 mm

**synonyms:**

- *Nassa angulicostis* H.A. Pilsbry & Lowe, 1932
- *Nassarius angulicostis* H.A. Pilsbry & H.N. Lowe, 1932




8038000081  
***Nassarius***  
***nodicostatus***

(A. Adams, 1852)

No Georeferenced data available



1950000840  
**Nassarius  
nodifer**  
(W.L. Powys, 1835)  
South China Sea  
32 mm



**synonyms:**

- *Nassa nodifera* W.L. Powys, 1835
- *Nassarius nodifera* W.L. Powys, 1835
- *Nassa stoliczkanai* G. Nevill & H. Nevill, 1874

- *Nassarius nodiferus* W.L. Powys, 1835
- *Nassa stolidia* A. Adams, 1852



1950000845  
**Nassarius  
nodulosus**  
(F.P. Mairat, 1873)  
Somalia, Mogadiscio  
13,2 mm



**synonyms:**

- *Nassa nodulosa* F.P. Mairat, 1873

- *Hebra polychroma* J.C. Melvill, 1898



1950000850  
**Nassarius  
noguchii**  
(T. Habe, 1958)  
Philippines, Aliguay Island  
13,9 mm



**synonyms:**

- *Zeuxis noguchi* T. Habe, 1958





8038000384  
**Nassarius  
notoensis**  
O. Masuda, 1956 †  
(FOSSIL)

No Georeferenced data available



1951900880  
**Nassarius  
novaehollandiae**  
L.A. Reeve, 1845  
Réunion  
16,9 mm



1950000855  
**Nassarius  
novaezelandiae**  
(L.A. Reeve, 1854)  
Indonesia, Aru  
14,6 mm




**synonyms:**

- *Nassa auberti* R. Abrard, 1946
- *Nassarius novaezelandiae* L.A. Reeve, 1854

- *Nassa novaezelandiae* L.A. Reeve, 1854



1951900890  
**Nassarius  
nuceus**  
(W.H. Pease, 1869)  
Micronesia, Caroline Islands



1951900900  
**Nassarius  
nucleolus**  
(R.A. Philippi, 1846)  
Ecuador  
14 mm



**synonyms:**

- *Buccinum nucleolus* R.A. Philippi, 1846



1951900120  
**Nassarius  
nuttalli**  
(N.H. Ludbrook, 1978 †)  
**(FOSSIL)**  
Spain, Andalusia  
37 mm



**synonyms:**

- *Nassarius nigellus nuttalli* N.H. Ludbrook, 1978 †



1951900190  
**Nassarius  
obesus**  
(G. Nevill & H. Nevill, 1875)  
Sri Lanka





**synonyms:**

- *Alecion eranea* J.C. Melvill & R. Standen, 1901
- *Nassa shawi* H.B. Preston, 1909



- *Nassa obesa ceylonica* G. Nevill & H. Nevill, 1875



6452000137  
**Nassarius  
obliquatus**  
(G.B. Brocchi, 1814 †)  
**(FOSSIL)**  
Italy, Lombardia Region  
41 mm



6452000139  
**Nassarius  
oblitus**  
L.M.D. Bellardi, 1882 †  
**(FOSSIL)**  
France, Aquitaine  
14 mm





**synonyms:**



- *Nassa obliterata* L.M.D. Bellardi, 1882 †



5338000068  
**Nassarius  
ocellatus**  
H.H. Kool & J. Galindo, 2014  
Philippines, Panglao Island  
5,7 mm



1950000870  
**Nassarius  
olivaceus**  
(J.G. Bruguière, 1789)  
Philippines, Bohol  
42 mm





**synonyms:**

- *Nassa approximata* W.H. Pease, 1868
- *Nassa dimorpha* A.E.M. Cossmann, 1903
- *Nassa fusca* C. Rousseau, 1855
- *Nassa melanoides* L.A. Reeve, 1853
- *Nassa mitrals* A. Adams, 1852
- *Zeuxis olvacea* J.G. Bruguière, 1789
- *Zeuxis olvaceus* F.P. Marat, 1877
- *Zeuxis taenia* J.F. Gmelin, 1791
- *Zeuxis taenia badia* A. Adams, 1852
- *Nassarius taeniatus* J.F. Gmelin, 1791

- *Nassa badia* A. Adams, 1852
- *Nassa fusca* J.B. Hombron & C.H. Jacquinot, 1848
- *Nassa melanoides* L.A. Reeve, 1853
- *Nassarius mitrals* A. Adams, 1852
- *Nassa olvacea* J.G. Bruguière, 1789
- *Buccinum olvaceum* J.G. Bruguière, 1789
- *Zeuxis olvaceus* J.G. Bruguière, 1789
- *Nassa taenia* J.F. Gmelin, 1791
- *Nassa taenia mitrals* A. Adams, 1852
- *Buccinum taenius* J.F. Gmelin, 1791



1950000875  
**Nassarius  
olomea**  
E.A. Kay, 1979  
Hawaii, Oahu  
15 mm



Fossil  
only

8038000385  
**Nassarius  
omouensis**  
(H. Noda, 1990 †)  
**(FOSSIL)**


No Georeferenced data available



1950000880  
**Nassarius**  
**onchodes**  
(W.H. Dall, 1917)  
Costa Rica  
4 mm



1950000885  
**Nassarius**  
**oneratus**  
(G.P. Deshayes, 1863)  
Guam  
16 mm




**synonyms:**

- *Nassa obliqua* W.H. Pease, 1865
- *Nassa onerata* G.P. Deshayes, 1863


- *Nassa obliqua* C. Rousseau, 1854



1950000890  
**Nassarius**  
**optimus**  
(G.B. III Sowerby, 1903)  
Indonesia, West Java  
28 mm



1951900920  
**Nassarius**  
**orissaensis**  
(H.B. Preston, 1914)  
Bay of Bengal





**synonyms:**

- *Nassa ennurensis* H.B. Preston, 1919
- *Nassa ennurensis depauperata* T.N. Annandale & B. Prashad, 1919



- *Nassa orissaensis ennurensis* H.B. Preston, 1916



6452000140  
**Nassarius**  
**orthezenensis**  
R. Tournouer, 1876 †  
**(FOSSIL)**  
France, Aquitaine  
17 mm



5971104547  
**Nassarius**  
**ovum**  
Martin, 1879 †  
**(FOSSIL)**  
Indonesia




**synonyms:**



- *Hebra pasiensis* C.H. Oostingh, 1939 †




6452000141  
**Nassarius**  
**oxia**  
Gardner, 1944 †  
**(FOSSIL)**  
Florida  
5 mm




8038000127  
**Nassarius**  
**pacaudi**  
F. Van Dingenen, L. Ceulemans,  
& al., 2015 †  
**(FOSSIL)**  
France, Bretagne  
8,8 mm




1950000900  
**Nassarius**  
**pachychilus**  
(H. von Maltzan, 1884)  
Congo, Pointe Noire  
15,7 mm





8038000128  
**Nassarius**  
**palumbis**  
F. Van Dingenen, L. Ceulemans,  
& al., 2015 †  
**(FOSSIL)**  
France, Bretagne  
8,2 mm



1950000910  
**Nassarius**  
**papillosus**  
(C. Linnaeus, 1758)  
Philippines, Cebu  
42 mm



5338000083  
**Nassarius**  
**parcipictus**  
W. Adam & J. Knudsen, 1984


No Georeferenced data available

Fossil  
only


8038000687  
**Nassarius**  
**pascaleae**  
B.M. Landau & al., 2013 †  
**(FOSSIL)**  
Turkey



6452000060  
**Nassarius**  
**patnuttalli**  
B.M. Landau, C.M. da Silva,  
& C. Gili, 2010  
Spain, Huelva  
26 mm




1951900950  
**Nassarius**  
**patrickius**  
(K.H.J. Thiele, 1925)  
Indonesia



1951900960  
**Nassarius**  
**paucicostatus**  
(F.P. Marray, 1877)  
South China Sea  
15 mm



1950000925  
**Nassarius**  
**pauperatus**  
(J.B.P.A. Lamarck, 1822)  
Australia, Albany  
15 mm



- Nassa lirella L.A. Reeve, 1853 ex H.H. Beck MS
- Buccinum pauperatum J.B.P.A. Lamarck, 1822

8038000386  
**Nassarius**  
**perdominulus**  
S. Nomura & N. Zirbo, 1935 †  
**(FOSSIL)**


No Georeferenced data available

Fossil  
only



1951900990  
**Nassarius  
pernitidus**  
(W.H. Dall, 1889)

Barbados  
9 mm



**synonyms:**

- *Nassa scissurata permida* W.H. Dall, 1889



1950000940  
**Nassarius  
perpinguis**

(R.B. Hinds, 1844)  
California, San Pedro  
14 mm



**synonyms:**

- *Nassa corrugata* A. Adams, 1852
- *Nassarius gwatinianus* J.C. Melvill, 1918
- *Nassa perpinguis* R.B. Hinds, 1844
- *Nassa undata* F.P. Murrat, 1877

- *Nassa intastriata* T.A. Conrad, 1855
- *Nassa perpinguis bifasciata* S.S. Berry, 1908





1950000945  
**Nassarius  
persicus**

(E.C. Von Martens, 1874)  
Oman, Masirah Island  
17,7 mm




8038000129  
**Nassarius  
plainei**  
F. Van Dingenen, L. Ceulemans,  
& al., 2015 †  
(FOSSIL)

France, Bretagne  
14,5 mm




1950000955  
**Nassarius  
plebejus**  
(K.H.J. Thiele, 1925)

South Africa, Jeffreys Bay  
10 mm




6452000143  
**Nassarius  
pliomagna**  
(F. Sacco, 1904 †)  
(FOSSIL)

Spain, Málaga  
41 mm



8038000130  
**Nassarius  
poteriensis**  
F. Van Dingenen, L. Ceulemans,  
& al., 2015 †  
(FOSSIL)

France, Bretagne





**synonyms:**

- *Nassarius grueti Brébion*, 1964 †




1950650055  
**Nassarius  
pouponi**

W.O. Cernohorsky, 1992  
French Polynesia, Makemo Atoll  
23 mm



6452000144  
**Nassarius  
praecedens**  
(L.M.D. Belardi, 1882 †)  
(FOSSIL)

Italy, Tuscany  
35 mm







6452000145  
**Nassarius**  
**praenflatus**  
(A.L. Chavan, 1940 †)  
**(FOSSIL)**

Spain, Andalusia  
38 mm



1950000615  
**Nassarius**  
**praeinflatus**  
(J.T. Kuroda & T. Habe, 1960)  
Japan, Hyogo  
13,9 mm



**synonyms:**

- *Cæsia japonica* A. Adams, 1852
- *Nassa tenuis* E.A. Smith, 1875

- *Cryptonassarius praeinflatus* A. Adams, 1852




8038000387  
**Nassarius**  
**prianganensis**  
C.O. Van Registeren Altena,  
& C. Beets, 1945 †  
**(FOSSIL)**


No Georeferenced data available




1951902573  
**Nassarius**  
**priascardi**  
L. Bozzetti, 2006  
Madagascar, Lavanono  
15,7 mm



1950000985  
**Nassarius**  
**protrusdens**  
(J.C. Melvill, 1918)  
China, Zhejiang  
18 mm



5971104595  
**Nassarius**  
**prismaticus**  
G.B. Brocchi, 1814 †  
**(FOSSIL)**  
Italy, Piemonte  
34 mm




**synonyms:**

- *Nassa prismaticus* G.B. Brocchi, 1814 †



1950000990  
**Nassarius**  
**pseudoconcininus**  
(E.A. Smith, 1895)  
Philippines, Aliguay Island  
8,7 mm



**synonyms:**

- *Nassa pseudoconcinna* E.A. Smith, 1895

- *Nassa sturtiana* J.C. Melvill & R. Standen, 1901





8038000388  
**Nassarius**  
**pseudodermis**  
S. Nomura & N. Zinbo, 1935 †  
**(FOSSIL)**

No Georeferenced data available



1951902110  
**Nassarius**  
**pseudopoeциolostictus**  
W. Adam & J. Knudsen, 1984  
West Africa





Fossil  
only

8038000389  
**Nassarius**  
pseudoserratus  
W. Adam & M. Gilbert, 1976 †  
(FOSSIL)

No Georeferenced data available


Fossil  
only

8038000692  
**Nassarius**  
pseudoserrulus  
B.M. Landau & al., 2013 †  
(FOSSIL)  
Turkey



no  
IMAGES  
available

5296000002  
**Nassarius**  
psila  
(R.B. Watson, 1882)  
Queensland




**synonyms:**

- Nassa psila R.B. Watson, 1882



1950000995  
**Nassarius**  
pullus  
(C. Linnaeus, 1758)  
Australia, Lakes Entrance  
21 mm



**synonyms:**

- Nassarius acypha E.C. Von Martens, 1887
- Nassus dorsuosa A. Adams, 1852
- Eone sondeiana K. Martin, 1895
- Nassia thersites J.G. Bruguère, 1789
- Nassia thersites acypha E.C. Von Martens, 1886


- Nassa gracilis W.H. Pease, 1868
- Nassarius thersites J.G. Bruguère, 1789
- Buccinum thersites J.G. Bruguère, 1789



1950001000  
**Nassarius**  
pulvinaris  
(E.C. Von Martens, 1881)  
Philippines, Mactan Island  
22,6 mm



1950001005  
**Nassarius**  
pumilio  
(E.A. Smith, 1872)  
Congo, Pointe Noire  
4 mm





**synonyms:**

- Nassa madseni J. Knudsen, 1956
- Nassa minor F.P. Marrat, 1877
- Nassa pumilio E.A. Smith, 1872
- Nassa weyersi A. Craven, 1883

- Nassarius polignaci É. Lamy, 1923
- Nassarius weyersi A. Craven, 1882



6452000146  
**Nassarius**  
punctiferus  
Degrange-Touzin, 1894 †  
(FOSSIL)  
France, Aquitaine  
18 mm



Fossil  
only

5971104550  
**Nassarius**  
puntablacoensis  
H.A. Plisby  
& A.A. Olson, 1941 †  
(FOSSIL)  
Costa Rica



**Fossil  
only**

6452000205  
**Nassarius  
pupaeformis**


R. Hoernes & M. Auinger 1882 †  
**(FOSSIL)**

No Georeferenced data available




6452000147  
**Nassarius  
pupaeformis  
palatina**  
(Strausz, 1954 †)  
**(FOSSIL)**

Hungary, Közép-Dunántúl  
10 mm



1950001010  
**Nassarius  
pupinooides**

(L.A. Reeve, 1853)  
Philippines, Aliguay Island  
12,3 mm



**synonyms:**


- *Nassa cebuensis* G.B. III Sowerby, 1901
- *Nassa pupinooides* L.A. Reeve, 1853
- *Nassa striata cebuensis* G.B. III Sowerby, 1901

- *Nassa striata* A. Adams, 1853



1951901040  
**Nassarius  
pyramidalis**

(A. Adams, 1853)  
South Africa, Algoa Bay  
19 mm



**synonyms:**


- *Nassa pyramidalis* A. Adams, 1853
- *Nassa pyramidalis affinis* W.H. Turton, 1932
- *Nassa pyramidalis rufanensis* W.H. Turton, 1933

- *Nassa pyramidalis punctilineata* W.H. Turton, 1932




6452000148  
**Nassarius  
pyrenaicus**  
(C.F. Fontannes, 1879 †)  
**(FOSSIL)**

Spain, Málaga  
14 mm



1950001030  
**Nassarius  
pyrrhus**

(K.T. Menke, 1843)  
Australia, Albany  
19 mm



**synonyms:**


- *Nassa deabata* A. Adams, 1853
- *Nassa fasciata* J.B.P.A. Lamarck, 1822
- *Buccinum jacksonianum* L.C. Kiener, 1834
- *Nassarius victorianus* T. Iredale, 1915

- *Buccinum fasciatum* J.B.P.A. Lamarck, 1822
- *Buccinum pyrnum* K.T. Menke, 1843




1950001035  
**Nassarius  
quadrasi**

(J.G. Hidalgo, 1904)  
Okinawa  
14,7 mm




6452000199  
**Nassarius  
quadridentatus**

W.C. Mansfield, 1930  
Florida, Leon County





1950001040  
**Nassarius**  
**quantulus**  
(A.A. Gould, 1860)  
South Africa, Cape Agulhas  
9,9 mm




**synonyms:**

- *Nassa carinata* W.H. Turton, 1932
- *Buccinum kochianum* R.W. Dunker, 1858
- *Nassa muiri* K.H. Barnard, 1959
- *Nassa quantula* A.A. Gould, 1860


- *Nassarius muiri* K.H. Barnard, 1959
- *Nassarius quantulus* A.A. Gould, 1860




5338000069  
**Nassarius**  
**radians**  
H.H. Kool & J. Galindo, 2014  
Vanuatu Island, New Hebrides  
19,1 mm





5338000064  
**Nassarius**  
**rainbowae**  
C. Gi, 2015  
Philippines, Liban  
15 mm



5971104545  
**Nassarius**  
**ranunculus**  
A.A. Olsson, 1922 †  
(FOSSIL)  
Costa Rica  
10 mm



1950000705  
**Nassarius**  
**recidivus**  
(E.C. Von Martens, 1876)  
Spain, Malaga  
15,2 mm




**synonyms:**

- *Nassa antiquata* R.B. Watson, 1897
- *Nassa antiquata* R.B. Watson, 1897
- *Nassarius azorica fuscoviacea* P.M. Pallary, 1900
- *Nassarius macrodon* *recidivus* E.C. Von Martens, 1876
- *Nassa semistriata bulliformis* W. Kobelt, 1878



- *Nassarius azorica* P. Dautzenberg, 1889
- *Nassa glomus* T.A. de M. Monterosato, 1890
- *Nassa semistriata azorica* P. Dautzenberg, 1889
- *Nassa semistriata recidiva* E.C. Von Martens, 1876




6452000149  
**Nassarius**  
**reticostatus**  
(L.M.D. Belardi, 1882 †)  
(FOSSIL)  
Turkey, Karaman  
7 mm



5971104596  
**Nassarius**  
**reductus**  
G.J. Vermeij & Wesselingh, 2002 †  
(FOSSIL)  
Colombia, Rio Cotoche



1950001045  
**Nassarius**  
**reeveanus**  
(R.W. Dunker, 1847)  
Ryukyu Islands  
24 mm



**synonyms:**

- *Nassa ferruginea* F.P. Mairat, 1880
- *Zeuxis lentiginosa* A. Adams, 1852
- *Zeuxis lentiginosa punctata* A. Adams, 1852
- *Nassarius lentiginosus* A. Adams, 1852
- *Nassa mustelina* A.A. Gould, 1860
- *Buccinum reeveanum* R.W. Dunker, 1846

- *Nassa fibosa* A. Adams, 1852
- *Nassa lentiginosa* A. Adams, 1852
- *Zeuxis lentiginosus* A. Adams, 1852
- *Nassarius marrati* E.A. Smith, 1876
- *Nassa punctata* A. Adams, 1852
- *Zeuxis zonalis* T. Kira, 1954




1951902625  
**Nassarius**  
**reeveanus**  
**luctuosus**  
(A. Adams, 1852)  
Philippines, Masbate Island  
19,4 mm



**synonyms:**


- *Nassa luctuosa* A. Adams, 1852



1951901070  
**Nassarius**  
**reeveanus**  
**punctatus**  
(A. Adams, 1852)  
Philippines  
16 mm



1950001275  
**Nassarius**  
**reeveanus**  
**velatus**  
A.A. Gould, 1850  
Philippines, Mactan Island  
19,3 mm




**synonyms:**

- *Nassarius velatus* A.A. Gould, 1850



1951901060  
**Nassarius**  
**reeveanus**  
**zonalis**  
(A. Adams, 1852)  
Philippines, Bohol Island  
14,2 mm




**synonyms:**

- *Nassarius gaudiosus zonalis* A. Adams, 1852

- *Nassarius reeveanus bizonalis* A. Adams, 1852



1951901090  
**Nassarius**  
**rehderi**  
W.O. Cernohorsky, 1980  
French Polynesia, Tahiti  
7,58 mm





Fossil  
only

5971104597  
**Nassarius**  
**repititi**  
A.A. Olson, 1964 †  
(FOSSIL)



No Georeferenced data available



6452000151  
**Nassarius**  
**restitutianus**  
(C.F. Fontannes, 1879 †)  
(FOSSIL)  
Hungary, Börzsöny  
14 mm



1950650060  
**Nassarius**  
**reunionensis**  
W.O. Cernohorsky, 1988  
Réunion  
23 mm



Fossil  
only

8038000390  
**Nassarius**  
**reussi**  
(K. Martin, 1880 †)  
(FOSSIL)


No Georeferenced data available




1950001070  
**Nassarius**  
**rhinetus**  
S.S. Berry, 1953  
California, Eureka  
21 mm




1950650065  
**Nassarius**  
**richeri**  
W.O. Cernohorsky, 1992  
New Caledonia, Poindimié



6452000152  
**Nassarius**  
**rideli**  
G.F. Dolfus, 1889 †  
**(FOSSIL)**  
France, Aquitaine  
18 mm





1951902699  
**Nassarius**  
**robustus**  
(T.A. de M. Monterosato, 1890)  
Italy, Chioggia  
35 mm




1951901130  
**Nassarius**  
**roissyi**  
(G.P. Deshayes, 1832)  
Indian Ocean  
15,1 mm


No Georeferenced data available



6452000153  
**Nassarius**  
**rostharsi**  
(P. Partsch in R. Hoernes  
1870 †)  
**(FOSSIL)**  
Poland  
22 mm



6452000154  
**Nassarius**  
**rosthorni**  
(P. Partsch, 1856 †)  
**(FOSSIL)**  
Hungary, Bükköny  
11 mm



8038000391  
**Nassarius**  
**rubusindicus**  
C.H. Oostingh, 1939 †  
**(FOSSIL)**


No Georeferenced data available



5338000045  
**Nassarius**  
**rufus**  
(R.W. Dunker, 1847)  
Oman  
25,7 mm



6452000155  
**Nassarius**  
**sacyi**  
M.A. Peyrot, 1924 †  
**(FOSSIL)**  
France, Aquitaine  
13 mm




6452000156  
**Nassarius**  
**salaciensis**  
M.A. Peyrot, 1924 †  
**(FOSSIL)**  
France, Aquitaine  
11 mm




5971104598  
**Nassarius**  
**salina**  
A.A. Olson, 1928 †  
**(FOSSIL)**  
Peru, Piura, Talara




6452000157  
**Nassarius**  
**salinensis**  
R. Tournouer, 1876 †  
**(FOSSIL)**  
France, Aquitaine  
20 mm





1951902702  
**Nassarius**  
**samiae**  
H.H. Kool, 2006  
Philippines, Mactan Island  
21,9 mm



1950001080  
**Nassarius**  
**sanctaeheleneae**  
(A. Adams, 1852)  
Saint Helena  
8 mm



6452000158  
**Nassarius**  
**saucatensis**  
M.A. Peyrot, 1924 †  
**(FOSSIL)**  
Turkey, Karaman  
15 mm



1950001085  
**Nassarius**  
**scabriusculus**  
(W.L. Powys, 1835)  
Ecuador  
18,4 mm



**synonyms:**

- *Nassa collaris* C.B. Adams, 1852



1950001090  
**Nassarius**  
**scalaris**  
(A. Adams, 1852)  
Taiwan Strait  
31,5 mm




**synonyms:**

- *Nassa crenulata* J.B.P.A. Lamarck, 1816
- *Nassa scalaris* A. Adams, 1852



- *Zeuxis scalaris* A. Adams, 1852
- *Buccinum turris* W. Wood, 1825



6452000159  
**Nassarius scalaris**  
(S. Borson, 1825 †)  
**(FOSSIL)**  
Italy, Piemonte  
28 mm




6452000160  
**Nassarius scaldianus**  
W. Adam & M. Gilbert, 1976 †  
**(FOSSIL)**  
Belgium  
18 mm





5971104599  
**Nassarius schizophysa**  
W.H. Dall, 1892 †  
**(FOSSIL)**  
USA, North Carolina





6452000162  
**Nassarius schlotheimi**  
A.H.E. Beyrich, 1854 †  
**(FOSSIL)**  
Denmark  
10 mm




6452000163  
**Nassarius schoenii**  
(R. Hoernes & Aullinger, 1882 †)  
**(FOSSIL)**  
Poland  
15 mm



6452000164  
**Nassarius Schroeckingeri**  
(R. Hoernes & Aullinger, 1882 †)  
**(FOSSIL)**  
Romania, Deva  
13 mm



6452000165  
**Nassarius Schroederi**  
(F. Kautsky, 1925 †)  
**(FOSSIL)**  
Netherlands  
5 mm



1950001095  
**Nassarius scissuratus**  
(W.H. Dall, 1889)  
Uruguay  
10,4 mm




**synonyms:**

- *Nassa scissurata penitida* W.H. Dall, 1889




5971104565  
**Nassarius seclusus**  
Fischer, 1891 †  
**(FOSSIL)**  
Indonesia, Jawa Tengah





645200062  
**Nassarius**  
**semistriatus**  
(G.B. Brocchi, 1814 †)  
**(FOSSIL)**  
Italy, Liguria  
18 mm




**synonyms:**

- Buccinum semistriatum G.B. Brocchi, 1814 †
- Buccinum semistriatum mihi G.B. Brocchi, 1814 †



1950001100  
**Nassarius**  
**semisulcatus**  
(J.B. Hombron,  
& C.H. Jacquinot, 1848)  
Philippines, Masbate Island  
15 mm




**synonyms:**

- Nassa crassa R.A. Philippi, 1849
- Buccinum crassum R.A. Philippi, 1849
- Nassarius crassus R.A. Philippi, 1849
- Nassa semisulcata J.B. Hombron & C.H. Jacquinot, 1848



- Phrontis crassus R.A. Philippi, 1849
- Nassa percossa J. Giner Marí, 1934




6452000166  
**Nassarius**  
**serraticosta**  
(H.G. Bronn, 1831 †)  
**(FOSSIL)**  
Hungary, Borsodbóta  
11 mm




6452000167  
**Nassarius**  
**serratulus**  
(G.B. Brocchi, 1814 †)  
**(FOSSIL)**  
Italy, Emilia  
33 mm




1950001110  
**Nassarius**  
**shacklefordi**  
(J.C. Melvill & R. Standen, 1896)  
China, Zhejiang  
14 mm



1950001115  
**Nassarius**  
**shaskyi**  
J.H. McLean, 1970  
Mexico, Acapulco  
22 mm



1950001120  
**Nassarius**  
**signatus**  
(R.W. Dunker, 1847)  
South Africa, Jeffreys Bay  
13,2 mm



**synonyms:**

- Buccinum signatum R.W. Dunker, 1847





8038000392  
**Nassarius**  
**simizui**  
Y. Otuka, 1934 †  
**(FOSSIL)**

No Georeferenced data available



1951901180  
**Nassarius**  
**sinarus**  
(R.A. Philippi, 1851)  
Malaysia



**synonyms:**


- *Nassarius semiplicatus* A. Adams, 1852
- *Buccinum sinarum* R.A. Philippi, 1851

- *Zeuxis semiplicatus* A. Adams, 1852




1951901230  
***Nassarius smitsorum***

H.H. Kool, 1990  
Indonesia, Irian  
15 mm



5971104610  
***Nassarius solidulus***

(L.M.D. Belardi, 1882 †)  
**(FOSSIL)**  
Italy, Calabria  
25 mm



8038000393  
***Nassarius solidus***

(A. Bell, 1898 †)  
**(FOSSIL)**  
France, Bretagne  
25,1 mm


**synonyms:**

- *Nassarius solidus coxi* Brébion, 1964 †



6452000168  
***Nassarius solitarius***

G.F. Dollfus, 1889 †  
**(FOSSIL)**  
France, Aquitaine  
14 mm



Fossil  
only

5971104601  
***Nassarius sopora***



H.A. Pilsbry,  
& A. Harbison, 1933 †  
**(FOSSIL)**

No Georeferenced data available




6452000169  
***Nassarius sororcula***

M.A. Peyrot, 1924 †  
**(FOSSIL)**  
France, Aquitaine  
7 mm



1950001150  
***Nassarius speciosus***

(A. Adams, 1852)  
South Africa, False Bay  
22,6 mm

**synonyms:**

- *Nassa picosa* R.W. Dunker, 1846
- *Nassarius picosum* R.W. Dunker, 1846


- *Buccinum picosum* R.W. Dunker, 1846

Fossil  
only

8038000394  
***Nassarius spectabilis***



(P. Nyst, 1845 †)  
**(FOSSIL)**

No Georeferenced data available



8038000395  
***Nassarius spectabilis vandewouweri***

(M. Gilbert, 1959 †)  
**(FOSSIL)**  
France, Bretagne  
20 mm



**Fossil  
only**

8038000396  
**Nassarius  
sperlingensis**

W. Adam & M. Gilbert, 1976 †  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8038000397  
**Nassarius  
spiraliscabrus**


(A.C. Chapman,  
& C.J. Gabriel, 1914 †)  
**(FOSSIL)**

No Georeferenced data available



1950001155  
**Nassarius  
spiratus**

(A. Adams, 1852)  
New Zealand, Matapouri  
20 mm




**synonyms:**

- Nassa spirata A. Adams, 1852



1950001160  
**Nassarius  
splendidulus**

R.W. Dunker, 1846  
Philippines, Aliguay Island  
17,5 mm



**synonyms:**


- Nassarius densigranata L.A. Reeve, 1854
- Nassarius desigranata L.A. Reeve, 1854
- Nassarius hawleyi T. Iredale, 1936
- Nassa praecallosa F.P. Marrat, 1877
- Nassarius splendidula R.W. Dunker, 1846

- Nassa densigranata L.A. Reeve, 1854
- Nassa granulosa F.P. Marrat, 1880
- Nassa nivea F.P. Marrat, 1877
- Nassa ravida A. Adams, 1852
- Buccinum splendidulum R.W. Dunker, 1846



1950001165  
**Nassarius  
stigmarius**

(A. Adams, 1852)  
New Caledonia  
13,3 mm




**synonyms:**

- Nassa stigmaria A. Adams, 1852




1950001170  
**Nassarius  
stigmatus  
ravidus**

L.A. Reeve, 1853  
Japan, Cape Ashizira  
13,3 mm



1951902210  
**Nassarius  
stimpsonianus**

(A. Adams, 1852)  
Panama  
14,9 mm



**synonyms:**


- Nassa fuscata A. Adams, 1852
- Nassa lauta F.P. Marrat, 1880

- Buccinum stimpsonianum A. Adams, 1852



1950001175  
**Nassarius  
stolatus**

(J.F. Gmelin, 1791)  
India, Madras  
21 mm



**synonyms:**

- Distorsio communis P.F. Röding, 1798
- Nassa fasciata J.H. Chemnitz, 1780
- Buccinum ornatum L.C. Kiener, 1834
- Nassa stolata J.F. Gmelin, 1791

- Nassa fasciata O.A.L. Möhr, 1852
- Nassa ornata L.C. Kiener, 1834
- Nassarius ornatus L.C. Kiener, 1834
- Buccinum stolatum J.F. Gmelin, 1791

## Fossil only

8038000501  
**Nassarius**  
**striatulus**

(K.E.I. von Eichwald, 1829 †)  
**(FOSSIL)**

No Georeferenced data available



1950001200  
**Nassarius**  
**striatus**

(C.B. Adams, 1852)  
California, Long Beach  
16,3 mm





**synonyms:**

- Nassa tegula L.A. Reeve, 1853



6452000170  
**Nassarius**  
**styriacus**


(M. Auinger, 1879 †)  
**(FOSSIL)**  
Hungary, Borsodbóta  
9 mm



## no IMAGES available

1951901250  
**Nassarius**  
**subconstrictus**

(G.B. III Sowerby, 1899)  
India, Cuddalore



**synonyms:**



- Nassa denegabilis H.B. Preston, 1914
- Phrontis gangetica H.B. Preston, 1904

- Nassa subconstricta G.B. III Sowerby, 1899




6452000171  
**Nassarius**  
**subcopiosus**

(N.H. Ludbrook, 1958 †)  
**(FOSSIL)**  
Australia, Madura  
8 mm



6452000172  
**Nassarius**  
**subcostatus**

(L.M.D. Belardi, 1887 †)  
**(FOSSIL)**  
France, Aquitaine  
11 mm



## Fossil only

8038000398  
**Nassarius**  
**sublirellus**


(R. Tate, 1888 †)  
**(FOSSIL)**

No Georeferenced data available



6452000174  
**Nassarius**  
**subbesus**

Degrance & Touzin, 1894 †  
**(FOSSIL)**  
France, Aquitaine  
11 mm




6452000175  
**Nassarius**  
**substramineus**

(J.P.S. Gratebup, 1834 †)  
**(FOSSIL)**  
France, Aquitaine  
14 mm







6452000176  
**Nassarius**  
**subtessellatus**  
M.A. Peyrot, 1924 †  
**(FOSSIL)**  
France, Aquitaine  
10 mm



1950001185  
**Nassarius**  
**subtranslucidus**  
(E.A. Smith, 1903)  
Japan, Wakayama  
12 mm




**synonyms:**

- *Zeuxis hayashi* T. Habe, 1961
- *Nassa subtranslucidus* E.A. Smith, 1903

- *Nassarius hayashi* T. Habe, 1964



1951901260  
**Nassarius**  
**subtranslucidus**  
**translucidus**  
(E.A. Smith, 1895)  
Philippines



**synonyms:**


- *Nassarius translucidus* E.A. Smith, 1895



8038000583  
**Nassarius**  
**subventricosus**  
(M.A. Peyrot, 1924 †)  
**(FOSSIL)**  
France, Aquitaine



1950004075  
**Nassarius**  
**succinctus**  
(A. Adams, 1852)  
Japan, Nagasaki  
20 mm



**synonyms:**

- *Nassa succincta* A. Adams, 1852

- *Zeuxis succinctus* A. Adams, 1852



1950001190  
**Nassarius**  
**sufflatus**  
(A.A. Gould, 1860)  
Taiwan Strait  
34,4 mm



**synonyms:**

- *Nassa balteata* C.E. Lischke, 1869
- *Nassarius bateatus* C.E. Lischke, 1868
- *Nassa binominata* H.A. Plsby, 1895
- *Nassa japonica* C.E. Lischke, 1868
- *Demoula kurodai* J.R. le B. Tomlin, 1932
- *Zeuxis picta* R.W. Dunker, 1846
- *Buccinum pictum* R.W. Dunker, 1846
- *Zeuxis subbateatus* F.S. MacNeil, 1960
- *Nassarius sufflatus* A.A. Gould, 1860


- *Nassarius balteatus* W.H. Pease, 1869
- *Nassa binomata* H.A. Plsby, 1895
- *Desmoulea japonica* A. Adams, 1853
- *Nassa kurodai* J.R. le B. Tomlin, 1932
- *Nassa mutabilis* A. Adams, 1870
- *Nassa picta* R.W. Dunker, 1846
- *Nassarius pictus* R.W. Dunker, 1846
- *Nassa sufflata* A.A. Gould, 1860



6452000177  
**Nassarius**  
**sulcatus**  
(F. Kautsky, 1925 †)  
**(FOSSIL)**  
Netherlands  
6 mm



1951901270  
**Nassarius**  
**sumatranaus**  
(K.H.J. Thiele, 1925)  
Indonesia, Sumatra



**Fossil  
only**

8038000399  
**Nassarius**  
**sundaicus**

C.H. Oostingh, 1939 †  
**(FOSSIL)**


No Georeferenced data available



6452000178  
**Nassarius**  
**syltensis**

(A.H.E. Beyrich, 1854 †)  
**(FOSSIL)**

Denmark  
7 mm



6452000179  
**Nassarius**  
**syrticus**

M.A. Peyrot, 1924 †  
**(FOSSIL)**


France, Aquitaine  
8 mm



1950650070  
**Nassarius**  
**tabescens**

(F.P. Mairat, 1880)


Tahiti, Arue  
5 mm



5296000066  
**Nassarius**  
**tadjallii**

R.G. Moolenbeek, 2007

United Arab Emirates, Abu Dhabi  
25,4 mm



1950001195  
**Nassarius**  
**taeniolatus**

R.A. Philippi, 1845

Mexico, Sonora  
8 mm



**Fossil  
only**

8038000400  
**Nassarius**  
**talahabensis**

(K. Martin, 1921 †)  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**

8038000401  
**Nassarius**  
**tambacanus**

(K. Martin, 1884 †)  
**(FOSSIL)**


No Georeferenced data available



1951902693  
**Nassarius**  
**tangaroai**

H.H. Kool, 2006

Marquesas Islands  
16,7 mm



**no  
IMAGES  
available**

5296000069  
**Nassarius  
tango**

F. Scarabinio, 2004  
Uruguay, La Palma



**synonyms:**


- *Nassa simplex* E.A. Smith, 1880

**Fossil  
only**

5971104614  
**Nassarius  
tatei**



J.E. Tenison-Woods, 1878 †  
**(FOSSIL)**

Australa, Victoria,  
S. Grampians Bal



1951902250  
**Nassarius  
tateyamensis**

J.T. Kuroda, 1929  
Japan, Wakayama  
20 mm



**synonyms:**



- *Nassarius comptus tateyamensis* J.T. Kuroda, 1929



6452000180  
**Nassarius  
telleri**

(R. Hoernes & Aulinger, 1882 †)  
**(FOSSIL)**

Romania, Deva  
8 mm



8038000584  
**Nassarius  
tenuistriatus**

(A.H.E. Beyrich, 1854 †)  
**(FOSSIL)**


Netherlands



1950001205  
**Nassarius  
teretiusculus**

(A. Adams, 1852)

Singapore  
11,6 mm



**synonyms:**



- *Nassarius celebensis mantjeuiensis* C.H. Oostingh, 1939
- *Zeuxis teretiuscula* A. Adams, 1852



6452000181  
**Nassarius  
tersus**

(L.M.D. Belardi, 1882 †)  
**(FOSSIL)**


Italy, Lombardia Region  
18 mm



1951902589  
**Nassarius  
thachii**

H. Dekker, 2004

Vietnam, Nha Trang  
35,4 mm





**no  
IMAGES  
available**

1951901280  
**Nassarius  
thaumasius**

(R. Sturany, 1900)

Red Sea




**synonyms:**

- *Nassa steindachneri* R. Sturany, 1900
- *Nassa xesta* R. Sturany, 1900




**synonyms:**

- *Buccinum tiarula* L.C. Kiener, 1841
- *Nassa tiarula* L.C. Kiener, 1841



**synonyms:**

- *Alectron brassica* C.J. Maury, 1925 †
- *Alectron brassoensis* W.C. Mansfield, 1925 †


	<p><b>1950001235</b> <b><i>Nassarius tritoniformis</i></b> (L.C. Kiener, 1841) Ivory coast, Abidjan 23,2 mm</p>	
---	---	--

**synonyms:**


- *Buccinum tritoniformis* L.C. Kiener, 1841

## Fossil only


5971104604  
**Nassarius**  
**trivittatoides**  
R.P. Whitfield, 1894 †  
**(FOSSIL)**  
USA, Delaware Bay



1950001245  
**Nassarius**  
**troendleorum**  
W.O. Cernohorsky, 1980  
Indonesia, Sulawesi  
25,7 mm



6452000184  
**Nassarius**  
**tumidus**  
(K.E.I. von Eichwald, 1830 †)  
**(FOSSIL)**  
Italy, Piemonte  
12 mm



6452000185  
**Nassarius**  
**tumidus**  
**crassispiralis**  
Voorhuisen, 1944 †  
**(FOSSIL)**  
Netherlands  
22 mm




## Fossil only

8038000402  
**Nassarius**  
**tunetoyensis**  
S. Nomura & K.M. Hatai, 1936 †  
**(FOSSIL)**

No Georeferenced data available



6452000187  
**Nassarius**  
**turbinellus**  
(G.B. Brocchi, 1814 †)  
**(FOSSIL)**  
Denmark  
10 mm



6452000186  
**Nassarius**  
**turbinellus**  
**occidentalis**  
M.A. Peyrot, 1924 †  
**(FOSSIL)**  
France, Aquitaine  
9 mm



1950004170  
**Nassarius**  
**turbineus**  
(A.A. Gould, 1845)  
Liberia  
23 mm





**synonyms:**

- *Nassarius pelcatus* A. Adams, 1854





6452000188  
**Nassarius**  
**turonensis**  
(G.P. Deshayes, 1844 †)  
**(FOSSIL)**  
France, Aquitaine  
11 mm






8038000131  
**Nassarius**  
**turpis**

F. Van Dingenen, L. Ceulemans,  
& al., 2015 †  
**(FOSSIL)**  
France, Bretagne  
4,6 mm



1950001250  
**Nassarius**  
**turulosus**

(A. Risso, 1826)  
France, Corse Island  
12 mm




**synonyms:**

- Nassa edwardsi P. Fischer, 1882
- Planaxis turulosa A. Risso, 1826



1951901310  
**Nassarius**  
**unicolor**

(J.B. Hombron,  
& C.H. Jacquinot, 1848)  
Indonesia, Aru



**synonyms:**

- Zeuxis micans A. Adams, 1852
- Zeuxis pallidula A. Adams, 1852
- Zeuxis unicoloris L.C. Kiener, 1834

- Zeuxis unicolor J.B. Hombron & C.H. Jacquinot, 1848
- Nassarius unicolorus L.C. Kiener, 1834

**Fossil  
only**

8038000403  
**Nassarius**  
**vandervlerki**



C.H. Oostingh, 1939 †  
**(FOSSIL)**

No Georeferenced data available

**Fossil  
only**


5971104549  
**Nassarius**  
**vanesi**

C.H. Oostingh, 1935 †  
**(FOSSIL)**  
Indonesia




5338000059  
**Nassarius**  
**vanessae**

L. Bozzetti, 2014  
Madagascar, Lavanono  
13 mm





5338000050  
**Nassarius**  
**vangemerti**

R.G. Moolenbeek, 2010  
Oman, Dhofar  
9 mm




1951902701  
**Nassarius**  
**vanpelti**

H.H. Kooi, 2005  
New Caledonia, Grand Passage



5338000071  
**Nassarius**  
**vanuatuensis**



H.H. Kooi & J. Galindo, 2014  
Vanuatu Island, New Hebrides  
6,5 mm





1951902290  
**Nassarius**  
**variciferus**

(A. Adams, 1852)  
Yellow Sea  
32 mm



**synonyms:**

- *Varicinassa varicifera* A. Adams, 1852
- *Zeuxis variciferus* A. Adams, 1852

- *Nassa varicifera* A. Adams, 1852



8038000085  
**Nassarius**  
**varicosecostatus**

(Fischer in J. Wanner, 1927)

No Georeferenced data available



1950001270  
**Nassarius**  
**vaucheri**

(P.M. Palary, 1906)  
Spain, Cadiz  
13 mm




**synonyms:**

- *Chauvetia vaucheri* P.M. Palary, 1906
- *Nassa vaucheri minor* P.M. Palary, 1920




6452000189  
**Nassarius**  
**vaughani**

McNeil, 1984 †  
(FOSSIL)  
USA, Mississippi  
7 mm



5338000072  
**Nassarius**  
**velvetosus**

H.H. Kool & J. Galindo, 2014  
Vanuatu Island, New Hebrides  
22 mm



8038000404  
**Nassarius**  
**venemai**


(E.J. Koperberg, 1931 †)  
(FOSSIL)

No Georeferenced data available



1950001280  
**Nassarius**  
**venustus**

(R.W. Dunker, 1847)  
Indonesia, Timor  
21 mm



**synonyms:**


- *Nassarius venusta* R.W. Dunker, 1847
- *Nassa venusta* R.W. Dunker, 1847

- *Buccinum venustus* R.W. Dunker, 1847




1950001300  
**Nassarius**  
**vidalensis**

(K.H. Barnard, 1959)  
China, Zhejiang  
28,7 mm



1950001305  
**Nassarius**  
**vincetus**

(F.P. Mairat, 1877)  
South Africa, Algoa Bay  
19 mm



**synonyms:**

- *Nassa aenigmatica* W.H. Turton, 1932
- *Nassarius analogicus* G.B. III Sowerby, 1903
- *Nassarius circumtextus* E.C. Von Martens, 1903
- *Tritia trifasciata* A. Adams, 1853
- *Nassa vincta* F.P. Murrat, 1877


- *Nassa analogica* G.B. III Sowerby, 1903
- *Nassa circumtexta* E.C. Von Martens, 1903
- *Nassa trifasciata* A. Adams, 1853
- *Nassarius vinctus* F.P. Murrat, 1877



6452000190  
***Nassarius***  
***vindobonensis***

(C. Mayer, 1860 †)  
**(FOSSIL)**

Hungary, Borsodbóta  
7 mm



1950001310  
***Nassarius***  
***vitiensis***

(J.B. Hombron,  
& C.H. Jacquinot, 1848 †)  
**(FOSSIL)**

South Africa, Durban  
26,1 mm

**synonyms:**

- *Nassarius castus* *vitiensis* J.B. Hombron & C.H. Jacquinot, 1848 †



1950001315  
***Nassarius***  
***vittatus***

(A. Adams, 1853)

Marquesas Islands  
10,1 mm

**synonyms:**

- *Nassa glabrata* A. Adams, 1853
- *Acuclina steehuysi* C.H. Oostingh, 1939
- *Nassa vittata* A. Adams, 1853



- *Nassa maculata* A. Adams, 1853
- *Nassarius steenhuysi* C.H. Oostingh, 1939
- *Nassarius vittata* A. Adams, 1853



6452000191  
***Nassarius***  
***vulgarissimus***

(C. Mayer, 1860 †)  
**(FOSSIL)**


Hungary, Börzsöny  
10 mm



1951901330  
***Nassarius***  
***webbei***

(S.A.A. Petit De La Saussaye  
1850)

Senegal, Dakar  
17 mm

**synonyms:**


- *Buccinum webbei* S.A.A. Petit De La Saussaye, 1850



1950001320  
***Nassarius***  
***whiteheadae***

W.O. Cemohorsky, 1984



Australia, Dingo Beach  
10,1 mm



1950001325  
***Nassarius***  
***wilsoni***

(C.B. Adams, 1852)


Bay of Panama  
8 mm



1950001330  
***Nassarius***  
***wolffi***

(J. Knudsen, 1956)

Senegal, Dakar  
40 mm

**synonyms:**

- *Hinia frigens malacitana* Maldonado Quiles, 1973
- *Nassarius sadurnii* Bot, 1972
- *Nassa wolffi* J. Knudsen, 1956

- *Nassa sadurnii* Bot, 1972



1950001335  
**Nassarius**  
**zambakidisi**

I. Nofroni & S. Savona, 1987

Cyprus  
7,4 mm



1951902677  
**Nassarius**  
**zanzibarensis**

H.H. Kool & H. Dekker, 2007

Zanzibar Island  
6,7 mm



SubFamily: NASSARIINAE - Subgenus: **Nassarius (Caesia)** Adams & Adams, 1853 † (syn: Demondia, Schizopyga, Zaphon, Demondia - 3 SP, 1 IMG)

Fossil  
only

5971104552  
**Caesia**  
**coalingensis**

R. Arnold, 1909 †  
(FOSSIL)

No Georeferenced data available



5971104553  
**Caesia**  
**grammatus**

W.H. Dall, 1917 †  
(FOSSIL)

USA, California



Fossil  
only

5971104554  
**Caesia**  
**moranianus**

Martin, 1914 †  
(FOSSIL)

No Georeferenced data available


SubFamily: NASSARIINAE - Subgenus: **Nassarius (Nanarius)** Woodring, 1964 † (3 SP, 1 IMG)

Fossil  
only

8038000663  
**Nanarius**  
**gardnerae**

B.M. Landau, F. Da Silva,  
& S.M. Hetz, 2016 †  
(FOSSIL)


Venezuela



6452000142  
**Nanarius**  
**parapristus**

(Gardner 1944 †)  
(FOSSIL)

Panama, Colón  
2 mm



Fossil  
only

5971104562  
**Nanarius**  
**parapristus**  
**acolus**

W.P. Woodring, 1964 †  
(FOSSIL)

No Georeferenced data available

Fossil  
only

5971104561  
**Nanarius**  
**parapristus**  
**conarus**

W.P. Woodring, 1964 †  
(FOSSIL)

No Georeferenced data available

## Fossil only

5971104563  
**Nanarius**  
**pristus**

(Gardner, 1944 †)  
**(FOSSIL)**

USA, Florida, Walton




SubFamily: NASSARIINAE - **Genus: Nassodonta** H. Adams, 1867 (2 SP, 1 IMG)



1950300000  
**Nassodonta**  
**dorri**

(G.E.J. Wattebled, 1886)

Vietnam, Nah Trang  
15,4 mm



**synonyms:**


- Canda dorri G.E.J. Wattebled, 1886

no  
IMAGES  
available

1950300005  
**Nassodonta**  
**insignis**

(H. Adams, 1867)

India, Cuddalore



**synonyms:**

- Nassodonta gravelyi H.B. Preston, 1916

- Nassarius insignis H. Adams, 1867

SubFamily: NASSARIINAE - **Genus: Naytia** H. Adams & A. Adams, 1853 (1 SP, 1 IMG)



1951300030  
**Naytia**  
**granulosa**

(J.B.P.A. Lamarck, 1822)

Angola

30 mm



**synonyms:**

- Bullia fusca A. Craven, 1882
- Terebra granulosa J.B.P.A. Lamarck, 1822

- Bullia granulosa J.B.P.A. Lamarck, 1822

SubFamily: NASSARIINAE - **Genus: Phrontis** H. Adams & A. Adams, 1853 (13 SP, 11 IMG)




1950000045  
**Phrontis**  
**alba**

(T. Say, 1826)

Brazil, Pernambuco

13 mm



**synonyms:**

- Nassa annellifera L.A. Reeve, 1853
- Nassa annellifera W.O. Cemohorsky, 1984
- Nassa clathratula A. Adams, 1852
- Nassa obtusata A. Adams, 1852
- Nassa quinquecostata F.P. Murrat, 1880

- Nassa annellifera L.A. Reeve, 1853
- Uzita floridensis A.A. Olsson & A. Harbison, 1953
- Nassa pura F.P. Murrat, 1877



1950000060  
**Phrontis**  
**antillarum**

(A.V.M.D. D'Orbigny, 1847)

Panama East

11 mm



**synonyms:**

- Buccinum ambiguum R. Pulteney, 1799
- Nassarius ambiguus R. Pulteney, 1799



5338000085  
**Phrontis**  
**candidissima**

(C.B. Adams, 1845)

No Georeferenced data available

**synonyms:**

- Buccinum candidissimum C.B. Adams, 1845

**no  
IMAGES  
available**

8038000082  
***Phrontis compacta***

(G.F. Angas, 1865)

No Georeferenced data available



1950000225  
***Phrontis complanata***

(W.L. Powys, 1835)

Costa Rica  
10 mm



**synonyms:**

- *Nassa complanata* W.L. Powys, 1835

- *Buccinum gemma* R.A. Philippi, 1849

**no  
IMAGES  
available**

1951900370  
***Phrontis complanata major***

(R.E.C. Stearns, 1894)


No Georeferenced data available



1950000575  
***Phrontis hotessieriana***

(A.V.M.D. D'Orbigny, 1842)

Florida, Tampa  
10 mm



**synonyms:**

- *Nassarius hotessieri* D'Orbigny, 1842


- *Nassa hotessieriana* D'Orbigny, 1842



1951900710  
***Phrontis kariniae***

(G.W. Nowell-Usticke, 1971)

Curacao Island  
10,3 mm



**synonyms:**


- *Nassarius albus nanus* G.W. Nowell-Usticke, 1959



1950000690  
***Phrontis luteostoma***

(W.J. Broderip,  
& G.B. I Sowerby, 1829)

Panama, Las Perlas Islands  
22,1 mm



**synonyms:**

- *Nassa luteostoma* W.J. Broderip & G.B. I Sowerby, 1829
- *Nassa tegulata nodulifera* P.P. Carpenter, 1857


- *Nassa xanthostoma* J.E. Gray, 1839



1950000275  
***Phrontis nassiformis***

(R.P. Lesson, 1842)

Panama  
16,8 mm



**synonyms:**

- *Nassa corpulenta* C.B. Adams, 1852
- *Nassarius nassiformis* R.P. Lesson, 1842
- *Nassa polygonata* L.A. Reeve, 1853


- *Nassarius nassiformis* R.P. Lesson, 1842
- *Cancularia nassiformis* R.P. Lesson, 1842
- *Nassa rufolineata* F.P. Murrat, 1880



1950000905  
***Phrontis pagoda***

(L.A. Reeve, 1844)

Panama  
28 mm



**synonyms:**


- *Nassa canescens* C.B. Adams, 1852
- *Buccinum decussatum* L.C. Kiener, 1841
- *Nassa pagoda acuta* P.P. Carpenter, 1857

- *Nassa canescens* C.B. Adams, 1852
- *Nassa pagoda* L.A. Reeve, 1844
- *Charonia pagodus* L.A. Reeve, 1844



1950000975  
**Phrontis**  
**polygonata**  
(J.B.P.A. Lamarck, 1822)

Martinique  
17,1 mm




**synonyms:**

- *Nassarius vibex polygonatus* J.B.P.A. Lamarck, 1822



1950001285  
**Phrontis**  
**versicolor**

(C.B. Adams, 1852)  
Panama  
26 mm



**synonyms:**

- *Nassa albipunctata* L.A. Reeve, 1853
- *Nassa crebristriata* P.P. Carpenter, 1857
- *Borsonella hooveri* R. Arnold, 1903
- *Nassa nucleolus* L.A. Reeve, 1854
- *Nassa proxima* A. Adams, 1852
- *Nassa versicolor hooveri* R. Arnold, 1903

- *Nassa glauca* A. Adams, 1852
- *Nassa lecadrei* L. de Folin, 1867
- *Nassa picturata* F.P. Murrat, 1880
- *Nassa rufoincta* A. Adams, 1852
- *Nassa versicolor striatula* A. Adams, 1852



1950001290  
**Phrontis**  
**vibex**

(T. Say, 1822)  
Brazil, Salvador Bahia  
16 mm



**synonyms:**

- *Nassa antilarum* A.V.M.D. D'Orbigny in R. de la Sagra, 1843
- *Nassa cinclus* L.A. Reeve, 1853
- *Buccinum polygonatum* J.B.P.A. Lamarck, 1822



- *Buccinum antilarum* R.A. Philippi, 1849
- *Nassa fretensis* B.F. Perkins, 1869
- *Nassa vibex* T. Say, 1822

SubFamily: NASSARIINAE - Genus: **Reticunassa** Iredale, 1936 (7 SP, 8 IMG)





1950000295  
**Reticunassa**  
**crenulicostata**

(T. Shuto, 1969 †)  
**(FOSSIL)**  
Philippines, Olongo Island  
6 mm



1950000410  
**Reticunassa**  
**festiva**

(W.L. Powys, 1835 †)  
**(FOSSIL)**  
China, Bo Sea  
18 mm



**synonyms:**


- *Hebra bonneti* A.E.M. Cossmann, 1901 †
- *Hebra bouneti* A.E.M. Cossmann, 1901 †
- *Hina festiva* W.L. Powys, 1835 †
- *Nassarius festiva* W.L. Powys, 1835 †
- *Nassa nodata* R.B. Hinds, 1844 †

- *Hebra bonneti kachhensis* E.W. Vredenburg, 1925 †
- *Hebra bouneti kachhensis* E.W. Vredenburg, 1925 †
- *Nassa festiva* W.L. Powys, 1835 †
- *Nassa lirata* R.W. Dunker, 1860 †
- *Nassarius prefestivus* F.S. MacNeil, 1960 †



1950000047  
**Reticunassa**  
**neopunctata**

(H.H. Kool & H. Dekker, 2007 †)  
**(FOSSIL)**  
South Africa, Natal, Durban Bay  
11,4 mm



**synonyms:**



- *Nassarius pauperus producta* G.B. III Sowerby, 1897 †

- *Nassa producta* G.B. III Sowerby, 1897 †



1950000930  
**Reticunassa**  
**paupera**

(A.A. Gould, 1850 †)  
**(FOSSIL)**  
Philippines, Camotes Island  
11,3 mm



**synonyms:**

- *Nassa balteata* W.H. Pease, 1869 †
- *Nassa costulata erythrea* A. Isse, 1869 †
- *Nassa paupera* A.A. Gould, 1850 †
- *Nassarius pauperatus plata* C. Hedley, 1915 †
- *Nassa plata* C. Hedley, 1915 †
- *Nassarius taggartorum* J.T. Kuroda, 1960 †

- *Hima balteata* W.H. Pease, 1869 †
- *Nassa microstoma* W.H. Pease, 1860 †
- *Nassarius paupera* A.A. Gould, 1850 †
- *Nassarius pauperus* A.A. Gould, 1850 †
- *Nassa plebecula* A.A. Gould, 1860 †
- *Nassa tringa* S.M. Souverbe, 1864 †



1951900440  
**Reticunassa**  
**paupillata**  
**dermestina** †  
(A.A. Gould, 1860 †)  
**(FOSSIL)**  
Taiwan Strait  
7 mm





**synonyms:**

- *Nassa dermestina* A.A. Gould, 1860 †
- *Nassa mamillata* H.B. Preston, 1907 †
- *Nassarius plebeclius* A.A. Gould, 1860 †


- *Nassarius dermestina* A.A. Gould, 1860 †
- *Nassarius mirostoma* W.H. Pease, 1860 †




1951902641  
**Reticunassa**  
**rotunda**  
(J.C. Melvill,  
& R. Standen, 1896 †)  
**(FOSSIL)**  
Indonesia, Kalimantan  
6,1 mm



1951902565  
**Reticunassa**  
**silvardi**  
(H.H. Kool & H. Dekker, 2006 †)  
**(FOSSIL)**  
New Caledonia, Touho Channel  
7,44 mm





1951902669  
**Reticunassa**  
**simoni**  
(H.H. Kool & H. Dekker, 2007 †)  
**(FOSSIL)**  
Madagascar, Tulear  
6,8 mm





SubFamily: NASSARIINAE - Genus: **Tritia** Riso, 1826 (syn: Mirua, Cryptonassarius, Hima, Hinia, Schizopyga, Tritonella, Uzita - 51 SP, 45 IMG)



5971104578  
**Tritia**  
**bidentata**  
(E. Emmons, 1858 †)  
**(FOSSIL)**  
Florida  
8 mm



1950000130  
**Tritia**  
**burchardi**  
(R.A. Philippi, 1849 †)  
**(FOSSIL)**  
South Australia  
12 mm




**synonyms:**

- *Nassa burchardi* R.A. Philippi, 1849 †
- *Nassarius ellana* T. Iredale, 1936 †
- *Nassa labecula* A. Adams, 1852 †

- *Parcanassa ellana* T. Iredale, 1936 †



1951900260  
**Tritia**  
**caboverdensis**  
(E. Rolán, 1984 †)  
**(FOSSIL)**  
Cape Verde  
16 mm





**synonyms:**

- *Nassarius ferussaci* Auct. non B.C.M. Payraudeau †




5338000081  
**Tritia**  
**caelata**  
(A. Adams, 1852 †)  
**(FOSSIL)**  
Borneo, Sarawak  
15,1 mm





1950000170  
**Tritia casta**

(A.A. Gould, 1850)  
Fiji Islands, Viti Levu  
12,2 mm



**synonyms:**


- *Nassarius caelatus danitensis* J. Makiyama, 1927
- *Nassa casta* A.A. Gould, 1850
- *Nassa elongata* F.P. Murrat, 1874
- *Nassa lactea* F.P. Murrat, 1880
- *Nassa maldivensis* E.A. Smith, 1903 †
- *Nassarius miyazakensis* T. Shuto, 1962 †
- *Nassa oriens* F.P. Murrat, 1880
- *Nassa sinensis* F.P. Murrat, 1877
- *Hinia verbeekii* K. Martin, 1895 †
- *Nassarius verbeekii* Fischer E.J. Koperberg, 1931 †

- *Zeuxis caelatus verbeekii* K. Martin, 1895 †
- *Nassa costata* A. Adams, 1852
- *Nassa incognita* K.H.J. Thiele, 1925
- *Nassa levukensis* R.B. Watson, 1882
- *Nassarius mihoenensis* Itojawa, 1960
- *Nassa mukulensis* E.A. Smith, 1903
- *Nassarius sinensis* F.P. Murrat, 1877
- *Nassa thaumasia* R. Sturany, 1900
- *Nassarius verbeekii fekuensis* E.J. Koperberg, 1931 †




5971104570  
**Tritia cercadensis**

(C.J. Maury, 1917 †)  
**(FOSSIL)**  
Dominican Republic  
5 mm





5971104571  
**Tritia cinctilis**

Gardner, 1944 †  
**(FOSSIL)**  
Florida  
7 mm




5971104567  
**Tritia consociata**

(Wood, 1848 †)  
**(FOSSIL)**  
Belgium  
19 mm




1951902605  
**Tritia conspersa**

(R.A. Philippi, 1849 †)  
**(FOSSIL)**  
Canary Islands  
13 mm



1950000260  
**Tritia corniculum**

(A.G. Olivi, 1792 †)  
**(FOSSIL)**  
Croatia, Istria  
14,8 mm



**synonyms:**

- *Buccinum calmeillei* B.C.M. Payraudeau, 1827 †
- *Amycinus compacta* F. Nordsieck, 1968 †
- *Buccinum corniculum* A.G. Olivi, 1792 †
- *Nassarius corniculum* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882 †
- *Nassarius corniculum carneola* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882 †
- *Nassarius corniculum lineolata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882 †
- *Nassarius corniculum punctulata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882 †
- *Buccinum decolatum* R.A. Philippi, 1844 †
- *Planaxis discrepans* A. Risso, 1826 †
- *Buccinum fasciatum* J.B.P.A. Lamarck, 1822 †
- *Amycia inflata* É.A.A. Locard, 1892 †
- *Nassa mitrella* A. De Gregorio, 1885 †
- *Buccinum oblongum* M. Sassi, 1827 †
- *Buccinum pulmum* Ant. Bivona-Bernardi, 1832 †
- *Planaxis raricosta* A. Risso, 1826 †
- *Buccinum semplicatum* A. da Costa, 1829 †
- *Planaxis trifasciata* A. Risso, 1826 †

- *Amycla corniculata* É.A.A. Locard, 1886 †
- *Nassarius corniculum albomaculata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882 †
- *Nassarius corniculum aurea* P.M. Pallary, 1900 †
- *Nassarius corniculum flavidia* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882 †
- *Nassarius corniculum minor* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882 †
- *Nassa dautzenbergi* A. De Gregorio, 1885 †
- *Buccinum dermestoides* B.C.M. Payraudeau, 1826 †
- *Nassarius elongata* É.A.A. Locard, 1886 †
- *Nassa gibberula* F.P. Murrat, 1877 †
- *Amycla luteostoma* G.S. Coen, 1933 †
- *Amycla monterosatoi* É.A.A. Locard, 1886 †
- *Planaxis olivacea* A. Risso, 1826 †
- *Nassa quernea* F.P. Murrat, 1877 †
- *Amycla raricosta* É.A.A. Locard, 1886 †
- *Nassa sparta* F.P. Murrat, 1877 †





5338000038  
**Tritia corniculum fasciolatus**

Y. Hirase, 1936 †  
**(FOSSIL)**  
Canary Islands, Lanzarote  
15 mm





5338000042  
**Tritia**  
**corniculum**  
**flava**  
(P.P. Marrat, 1877 †)  
**(FOSSIL)**  
Slovenia  
15 mm



1950000300  
**Tritia**  
**cuvieri**  
(B.C.M. Payraudeau, 1826 †)  
**(FOSSIL)**  
Spain, Malaga  
18 mm




**synonyms:**

- *Nassarius alexandrina* P.M. Pallery, 1917 †
- *Planaxis beudantiana* A. Riso, 1826 †
- *Nassarius candida* G.S. Coen, 1937 †
- *Nassa costulata* G.B. Brocchi, 1814 †
- *Hinea costulata* S.A. Renier, 1804 †
- *Nassa costulata atra* ♀. Brusina, 1869 †
- *Nassa costulata costata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882 †
- *Nassa costulata lanceolata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882 †
- *Nassa costulata turgida* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882 †
- *Buccinum costulatum* S.A. Renier, 1804 †
- *Nassa cuvieri pulcherrima* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882 †
- *Nassa cuvieri turgida* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882 †
- *Buccinum cuvieri* B.C.M. Payraudeau, 1826 †
- *Nassa dautzenbergi* J. Giner Mari, 1928 †
- *Planaxis donatiana* B.C.M. Payraudeau, 1826 †
- *Planaxis encaustica* ♀. Brusina, 1869 †
- *Buccinum ferussaci* B.C.M. Payraudeau, 1826 †
- *Nassa ferussaci arcuata* P.M. Pallery, 1904 †
- *Nassa ferussaci exigua* P.M. Pallery, 1904 †
- *Planaxis fitchellana* A. Riso, 1826 †
- *Nassarius fulva* F. Ghisotti, 1986 ex Monterosato ms †
- *Nassarius juliae* F. Ghisotti, 1986 ex Monterosato ms †
- *Nassarius lopadusae* F. Ghisotti, 1986 ex Monterosato ms †
- *Nassa mabillei* É.A.A. Locard, 1887 †
- *Planaxis mollana* A. Riso, 1826 †
- *Nassarius pulchella* F. Ghisotti, 1986 ex Monterosato ms †
- *Nassa semicostata* É.A.A. Locard, 1887 †
- *Nassa subcostulata* É.A.A. Locard, 1886 †
- *Eione sulcata* A. Riso, 1826 †
- *Buccinum tessulatum* J.F. Gmelin, 1791 †
- *Buccinum variable* R.A. Philippi, 1836 †
- *Nassarius vitrea* G.S. Coen, 1914 ex Monterosato ms †

- *Nassa bucquoyi* É.A.A. Locard, 1887 †
- *Nassa corrupta* É.A.A. Locard & E. Caziot, 1900 ex Monterosato †
- *Nassarius costulata* G.B. Brocchi, 1814 †
- *Nassa costulata* S.A. Renier, 1804 †
- *Nassa costulata castanea* ♀. Brusina, 1869 †
- *Nassa costulata flavida* G.B. Brocchi, 1814 †
- *Nassa costulata pulcherrima* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882 †
- *Nassa costulata zonata* ♀. Brusina, 1869 †
- *Nassarius costulatus* B.C.M. Payraudeau, 1826 †
- *Nassa cuvieri tenuicosta* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882 †
- *Nassa cuvieri varicosus* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882 †
- *Nassa cuvieri* B.C.M. Payraudeau, 1826 †
- *Planaxis donatiana* A. Riso, 1826 †
- *Buccinum elegans* A. da Costa, 1829 †
- *Nassa ferrussaci alexandrina* P.M. Pallery, 1912 †
- *Nassa ferussaci* P.M. Pallery, 1912 †
- *Nassa ferussaci claudoni* P.M. Pallery, 1906 †
- *Nassa ferussaci pallaryi* F.C.L. Koch in P.M. Pallery, 1906 †
- *Buccinum flexuosum* A. da Costa, 1829 †
- *Nassa guernei* É.A.A. Locard, 1886 †
- *Planaxis lineolata* A. Riso, 1826 †
- *Planaxis loques* A. Riso, 1826 †
- *Nassa madeirensis* L.A. Reeve, 1854 †
- *Nassarius phasianella* F. Ghisotti, 1986 ex Monterosato ms †
- *Planaxis riparia* A. Riso, 1826 †
- *Nassarius signata* F. Ghisotti, 1986 ex Monterosato ms †
- *Buccinum subdaphanum* Ant. Bivona-Bernardi, 1832 †
- *Planaxis tenuis* A. Riso, 1826 †
- *Nassa turgida compacta* P.M. Pallery, 1912 †
- *Buccinum variable media* R.A. Philippi, 1836 †



5971104572  
**Tritia**  
**dasynema**  
Gardner, 1944 †  
**(FOSSIL)**  
Florida  
3 mm



Fossil  
only

8038000079  
**Tritia**  
**denselineata**  
(T. Nagao, 1928 †)  
**(FOSSIL)**

No Georeferenced data available



1950000315  
**Tritia**  
**denticulata**  
(A. Adams, 1852 †)  
**(FOSSIL)**  
Canary Islands  
32 mm




**synonyms:**

- *Nassa limata conferta* E.C. Von Martens, 1876 †
- *Nassa renovata* T.A. de M. Monterosato, 1878 †


Fossil  
only

5971104568  
**Tritia**  
**elegans**  
(Sowerby, 1824 †)  
**(FOSSIL)**  
UK, England, Suffolk





1950000375  
**Tritia ephamilla**  
(R.B. Watson, 1882 †)  
**(FOSSIL)**  
Tasmania  
13,2 mm





**synonyms:**

- *Nassarius dipsacoides* C. Hedley, 1907 †
- *Nassa dissimilis* R.B. Watson, 1882 †
- *Nassarius flindersi* B.C. Cotton & F.C. Godfrey, 1938 †

- *Cryptonassarius ephamillus* C. Hedley, 1907 †
- *Nassa jacksonensis* J.R.C. Quoy & J.P. Gaimard †



1951902653  
**Tritia erythraea**  
(A. Issel, 1869 †)  
**(FOSSIL)**  
Egypt  
9 mm



**synonyms:**

- *Nassarius erythreus* (A. Issel, 1869 †)

Fossil only


6452000206  
**Tritia fortecostata**  
(Baldi, 1966 †)  
**(FOSSIL)**

No Georeferenced data available



6452000117  
**Tritia fortecostata edentata**  
(Baldi, 1966 †)  
**(FOSSIL)**

Hungary, Bükk  
8 mm



1950000465  
**Tritia frigens**  
(E.C. Von Martens, 1878 †)  
**(FOSSIL)**  
Congo, Pointe Noire  
14,8 mm



**synonyms:**


- *Nassa brychia* R.B. Watson, 1882 †
- *Nassa brychia decorata* É.A.A. Locard, 1897 †
- *Nassa brychia minor* É.A.A. Locard, 1897 †
- *Nassa frigens* E.C. Von Martens, 1878 †

- *Nassa brychia major* É.A.A. Locard, 1897 †
- *Nassarius brychius* R.B. Watson, 1882 †




1950000530  
**Tritia goreensis**  
(H. von Matzan, 1884 †)  
**(FOSSIL)**

West Sahara  
10,9 mm



1950000540  
**Tritia grana**  
(J.B.P.A. Lamarck, 1822 †)  
**(FOSSIL)**

Spain, Malaga  
11,8 mm



**synonyms:**


- *Nassa graniformis* É.A.A. Locard, 1886 †
- *Buccinum granum* J.B.P.A. Lamarck, 1822 †
- *Nassa granum lutea* P.M. Pallary, 1920 †
- *Planaxis laevigata* A. Rissø, 1826 †

- *Nassa granum elongata* P.M. Pallary, 1900 †
- *Nassa granum varicosa* P.M. Pallary, 1900 †




597110453  
**Tritia gurabensis**  
(C.J. Maury, 1917 †)  
**(FOSSIL)**

Dominican Republic  
11 mm





1950000560  
**Tritia**  
**heynemani**  
(H. von Moltzan, 1884 †)  
**(FOSSIL)**  
West Sahara  
10 mm




**synonyms:**

- *Nassa sesarma* F.P. Mairat, 1877 †
- *Nassarius sesarmus* F.P. Mairat, 1877 †



1950000585  
**Tritia**  
**incrassata**  
(H. Ström, 1768)  
Spain  
13,9 mm



**synonyms:**

- *Planaxis affinis* A. Rissö, 1826
- *Buccinum ascanias* J.G. Bruguière, 1789
- *Nassa delicata* L.A. Reeve, 1854
- *Planaxis desmarestiana* A. Rissö, 1826
- *Nassa elongata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882
- *Nassa incrassata elongata* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882
- *Nassa incrassata minor* J.G. Jeffreys, 1867
- *Nassa incrassata varicosa* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882
- *Nassarius incrassatus* H. Ström, 1768
- *Nassa jousseaumei* É.A.A. Locard, 1886
- *Buccinum lacedepii* B.C.M. Payraudeau, 1826
- *Buccinum minutum* T. Pennant, 1777
- *Planaxis rosacea* A. Rissö, 1826
- *Nassa tenella* L.A. Reeve, 1854
- *Nassa varicosa* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1882

- *Buccinum coccineum* J.B.P.A. Lamarck, 1822
- *Nassa deshayesi* H. Drouët, 1858
- *Buccinum discors* A. Rissö, 1826
- *Nassarius incrassata* H. Ström, 1768
- *Nassa incrassata major* J.G. Jeffreys, 1867
- *Nassa incrassata simulans* J.G. Jeffreys, 1867
- *Buccinum incrassatum* H. Ström, 1768
- *Nassa interjecta* É.A.A. Locard, 1886
- *Nassa jousseaumei* É.A.A. Locard, 1886
- *Buccinum macula* G. Montagu, 1803
- *Nassa rosacea* L.A. Reeve, 1854
- *Nassa saxatilis* ♂ Brusina, 1870
- *Nassa valliculata* É.A.A. Locard, 1886

Fossil  
only

8038000078  
**Tritia**  
**infralaevis**  
(Fischer in J. Wanner, 1927 †)  
**(FOSSIL)**

No Georeferenced data available


Fossil  
only

8038000080  
**Tritia**  
**karoroensis**  
(P.A. Maxwell, 1988 †)  
**(FOSSIL)**

No Georeferenced data available



1950000745  
**Tritia**  
**miga**  
(J.G. Bruguière, 1789 †)  
**(FOSSIL)**  
Senegal, Dakar  
17,4 mm





**synonyms:**

- *Buccinum iga* J.G. Bruguière, 1789 †



1950000800  
**Tritia**  
**mutabilis**  
(C. Linnaeus, 1758 †)  
**(FOSSIL)**  
Algeria  
24,6 mm




**synonyms:**

- *Nassa adriatica* G.S. Coen, 1933 †
- *Nassa ebenacea* Gennari, 1866 †
- *Buccinum folosum* W. Wood, 1818 †
- *Buccinum gibbum* J.G. Bruguière, 1789 †
- *Nassa helvetica* M.A. Peyrot, 1925 †
- *Buccinum jaspideum* J.H.F. Link, 1807 †
- *Nassa mutabilis* C. Linnaeus, 1758 †
- *Nassa mutabilis curta* P.M. Pillary, 1904 †
- *Nassa mutabilis minor* P.M. Pillary, 1900 †
- *Nassa mutabilis minuscula* P.M. Pillary, 1904 †
- *Buccinum rufulum* L.C. Kiener, 1834 †

- *Nassarius deformis* G.S. Coen, 1933 †
- *Buccinum folorum* J.F. Gmelin, 1791 †
- *Nassa gibba* J.E. Gray, 1850 †
- *Nassa globulina* É.A.A. Locard, 1886 †
- *Buccinum infatum* J.B.P.A. Lamarck, 1822 †
- *Nassa mediterranea* A. Rissö, 1826 †
- *Buccinum mutabile* C. Linnaeus, 1758 †
- *Nassa mutabilis fulva* P.M. Pillary, 1900 †
- *Nassa mutabilis minuscula* P.M. Pillary, 1900 †
- *Nassa mutabilis procera* P.M. Pillary, 1906 †
- *Nassa umbilicata* G.S. Coen, 1933 †



1951900000  
**Tritia**  
**obsoleta**  
(T. Say, 1822 †)  
**(FOSSIL)**  
Florida  
22,5 mm




**synonyms:**

- *Buccinum noveboracensis* W. Wood, 1828 †
- *Nassarius obsoletus* T. Say, 1822 †

- *Nassa obsoleta* T. Say, 1822 †
- *Buccinum oliviforme* L.C. Kiener, 1834 †



1950000895  
**Tritia  
ovoidea**  
(É.A.A. Locard, 1886 †)  
**(FOSSIL)**  
Spain, Almería  
20 mm


**synonyms:**

- *Nassarius cabriensis* ovoideus É.A.A. Locard, 1886 †
- *Nassa semistriata* costulata É.A.A. Locard, 1887 †
- *Nassa trifasciata* Mac Andrew, 1856 †

- *Nassa semistriata* cornea É.A.A. Locard, 1887 †
- *Nassa semistriata* curta É.A.A. Locard, 1887 †



1950000950  
**Tritia  
pfeifferi**  
(R.A. Philippi, 1844 †)  
**(FOSSIL)**  
Canary Islands  
12,2 mm

**synonyms:**

- *Amycla conspersa* undulata P. Dautzenberg, 1890 †
- *Buccinum conspersum* R.A. Philippi, 1848 †
- *Nassa pfeifferi* R.A. Philippi, 1844 †
- *Nassa watsoni* W. Kobelt, 1883 †



- *Buccinum glaberrimum* J.F. Gmelin, 1791 †
- *Buccinum pfeifferi* R.A. Philippi, 1844 †




5971104574  
**Tritia  
praearciguum**  
(J. Brown & H.A. Pilsbry, 1913 †)  
**(FOSSIL)**  
Panama, Colón  
12 mm



5971104558  
**Tritia  
propinquua**  
(Sowerby, 1824 †)  
**(FOSSIL)**  
Belgium  
17 mm



1950001015  
**Tritia  
pygmaea**  
(J.B.P.A. Lamarck, 1822 †)  
**(FOSSIL)**  
Italy, Naples  
10 mm


**synonyms:**

- *Nassa elongatula* É.A.A. Locard, 1886 †
- *Nassa eutacta* É.A.A. Locard, 1887 †
- *Nassarius pygmaea* J.B.P.A. Lamarck, 1822 †
- *Nassa pygmaea* elongata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882 †
- *Nassa pygmaea* evaricosa M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882 †
- *Buccinum tritonum* H.M.D. de Blainville, 1826 †
- *Hinia varicosa* paucicostata F. Nordsieck, 1973 †


- *Nassa pygmaea* J.B.P.A. Lamarck, 1822 †
- *Ranella pygmaea* J.B.P.A. Lamarck, 1822 †
- *Nassarius pygmaea* elongata M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882 †
- *Nassarius pygmaea* evaricosa M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1882 †
- *Tritonia varicosa* W. Turton, 1825 †
- *Nassarius varicosus* W. Turton, 1825 †



8038000077  
**Tritia  
recta**  
(G.F. Dollfus,  
& P. Dautzenberg, 1886 †)  
**(FOSSIL)**  
France, Bretagne





5971104575  
**Tritia  
reticulata**  
(J. de C. Sowerby, 1815 †)  
**(FOSSIL)**  
Belgium  
45 mm

**synonyms:**

- *Nassa reticulata* Sowerby, 1815 †



1950001060  
**Tritia**  
**reticulata**  
(C. Linnaeus, 1758)  
France, Boulogne-sur-mer  
24 mm




**synonyms:**

- Buccinum anglicum P.F. Röding, 1798
- Nassa bourguignati É.A.A. Locard, 1887
- Nassa cancellata O.A.L. Mörch, 1853
- Nassa coronata A. Nobre, 1884
- Nassa limicola E.C. Von Martens, 1870
- Nassarius mediterraneus K.O. Mäschewitsch, 1909
- Nassa oblonga O.A.L. Mörch, 1852
- Nassa poirieri É.A.A. Locard, 1887
- Nassa reticulata virgincta P. Dautzenberg & H. Fischer, 1925

- Nassa cancellata E.C. Von Martens, 1870
- Buccinum chrysostomum P.F. Röding, 1798
- Nassa isomera É.A.A. Locard, 1886
- Buccinum marginatum J.B.P.A. Lamarck, 1822
- Nassa minor W.B. Marshall, 1893
- Nassa oblonga O.A.L. Mörch, 1853
- Buccinum porcatum P.F. Röding, 1798
- Buccinum vulgatum J.F. Gmelin, 1791



1951901110  
**Tritia**  
**reticulata**  
**mammillata**  
(A. Risso, 1826)  
Italy, Palermo  
24 mm




**synonyms:**

- Nassarius reticulatus mammillatus A. Risso, 1826



1951901150  
**Tritia**  
**senegalensis**  
(H. von Maltzan, 1884 †)  
**(FOSSIL)**  
Senegal, Dakar  
12 mm



**synonyms:**

- Nassarius incrassatus senegalensis H. von Maltzan, 1884 †
- Nassa senegalensis H. von Maltzan, 1884 †


Fossil  
only

8038000076  
**Tritia**  
**separabilis**  
(C.R. Laws, 1939 †)  
**(FOSSIL)**

No Georeferenced data available



1951901200  
**Tritia**  
**sinuigera**  
(A. Adams, 1852)  
Philippines, Olongo Island  
18,1 mm



**synonyms:**

- Nassa abyssinica F.P. Murrat, 1877 †
- Nassarius aracanensis E.A. Smith, 1899 †
- Nassa beata A.A. Gould, 1860 †
- Zeuxis macrocephalus greyanus T. Shuto, 1969 †
- Alectron ovoidea brevis M.M. Schepman, 1911 †
- Nassa phoenicensis H.B. Preston, 1916 †
- Nassa sinusigera A. Adams, 1852 †
- Nassarius sinusigera A. Adams, 1852 †

- Nassa aracanensis E.A. Smith, 1899 †
- Alectron colatice J.C. Melvill & R. Standen, 1901 †
- Nassarius ovoidea brevis M.M. Schepman, 1911 †
- Nassarius phoenicensis H.B. Preston, 1916 †
- Nassa sinusigera A. Adams, 1852 †
- Notha sinusigera cernica G. Nevill & H. Nevill, 1874 †



1950001135  
**Tritia**  
**siquijorensis**  
(A. Adams, 1852 †)  
**(FOSSIL)**  
Bahamas  
32 mm



**synonyms:**

- Nassa canaliculata E.J. Koperberg, 1931 †
- Buccinum canaliculatum J.B.P.A. Lamarck, 1822 †
- Nassa cingenda F.P. Murrat, 1880 †
- Nassa crenolirata A. Adams, 1852 †
- Nassa siquijorensis E.J. Koperberg, 1931 †

- Zeuxis canaliculata teschi E.J. Koperberg, 1931 †
- Nassarius canaliculatus J.B.P.A. Lamarck, 1822 †
- Nassa crenifera A. Adams, 1852 †
- Nassarius siquijorensis A. Adams, 1852 †
- Nassa siquijorensis timorensis E.J. Koperberg, 1931 †

Fossil  
only

8038000075  
**Tritia**  
**socialis**  
(F.W. Hutton, 1886 †)  
**(FOSSIL)**

No Georeferenced data available

**synonyms:**

- Nassarius tatei socialis F.W. Hutton, 1886 †

## Fossil only

5338000070  
**Tritia**  
swearingeni

(E.J. Petuch,  
& R.F. Myers, 2014 †)  
**(FOSSIL)**


Florida Keys



1950001215  
**Tritia**  
tinei

(C. Maravigna, 1840 †)  
**(FOSSIL)**

Italy, Messina  
12 mm



### synonyms:

- Buccinum gussonii P. Calcaro, 1845 †
- Buccinum tinei C. Maravigna, 1840 †



1950001220  
**Tritia**  
tingitana

(P.M. Pallary, 1901 †)  
**(FOSSIL)**

Spain  
9 mm



### synonyms:


- Nassa tingitana articulata P.M. Pallary, 1920 †
- Nassa tingitana P.M. Pallary, 1901 †



1950001240  
**Tritia**  
trivittata

(T. Say, 1822 †)  
**(FOSSIL)**

USA, Delaware Bay  
17 mm



### synonyms:


- Ilyanassa trivittata T. Say, 1822 †
- Nassa trivittata T. Say, 1822 †



5338000084  
**Tritia**  
unifasciata

(L.C. Kiener, 1834 †)  
**(FOSSIL)**

Greece, Zakynthos Island  
12 mm



## Fossil only

5971104557  
**Tritia**  
vicaryi

(d'Archiac, 1850 †)  
**(FOSSIL)**


Pakistan, Sind, Karachi



5971104577  
**Tritia**  
waltonensis

Gardner, 1936 †  
**(FOSSIL)**

Florida  
12 mm




## Fossil only

5338000051  
**Tritia**  
websteri

(E.J. Petuch,  
& D.M. Sargent, 2012 †)  
**(FOSSIL)**


Florida Keys



6452000192  
**Tritia**  
wilsoni


N.H. Ludbrook, 1978 †  
**(FOSSIL)**

West Australia, Northampton  
17 mm





1925504020  
**Antillophos**  
**alabastrum**  
(K. Fraussen, 2003)  
New Caledonia  
32,6 mm




**synonyms:**

- *Phos alabaster* K. Fraussen, 2003



1925850000  
**Antillophos**  
**armillatus**  
(K. Fraussen & G.T. Poppe, 2005)  
Philippines, Aliguay Island  
17,5 mm




**synonyms:**

- *Antillophos armillatus* K. Fraussen & G.T. Poppe, 2005



1927850370  
**Antillophos**  
**bahamensis**  
(E.J. Petuch, 2002)  
Bahamas  
18,9 mm




**synonyms:**

- *Antillophos bahamasensis* E.J. Petuch, 2002




1927850380  
**Antillophos**  
**bathyketes**  
(R.B. Watson, 1882)  
Philippines  
16,2 mm




1925850095  
**Antillophos**  
**bayeri**  
(E.J. Petuch, 1987)  
Antigua Island  
23 mm




1925850005  
**Antillophos**  
**beauui**  
(P. Fischer,  
& A.C. Bernardi, 1857)  
Cuba  
23 mm



1925850010  
**Antillophos**  
**borneensis**  
(G.B. II Sowerby, 1859)  
Philippines, Aliguay Island  
21,5 mm





1925504025  
**Antillophos**  
**bouchei**  
(K. Fraussen, 2003)  
New Caledonia  
24 mm





1927859187  
**Antillophos  
brigitteae**

P. Stahlschmidt,  
& K. Fraussen, 2009  
Philippines, Aliguay Island  
21,3 mm



1925850015  
**Antillophos  
candeaus**

(A.V.M.D. D'Orbigny, 1842)  
Venezuela  
24 mm



**synonyms:**


- *Antillophos antillarum* S.A.A. Petit De La Saussaye, 1853

- *Cancellaria candeana* D'Orbigny, 1842




1925850020  
**Antillophos  
candei**

(A.V.M.D. D'Orbigny, 1842)  
Madagascar  
12 mm



5971105115  
**Antillophos  
candei  
gatunensis**  
(F. Toul, 1909 †)  
**(FOSSIL)**

Panama, Colón  
28 mm



**synonyms:**

- *Antillophos gatunensis* F. Toul, 1909





1927850390  
**Antillophos  
chazaliei**

(P. Dautzenberg, 1900)  
Venezuela  
10 mm





1925850025  
**Antillophos  
dedonderi**

K. Fraussen & G.T. Poppe, 2005  
Philippines, Aliguay Island  
24 mm



1927850410  
**Antillophos  
deprinsi**



K. Fraussen & G.T. Poppe, 2005  
Philippines, Aliguay Island  
28 mm



6452000109  
**Antillophos  
dictyola**

(J. Gardner, 1944 †)  
**(FOSSIL)**

Florida





**synonyms:**

- *Nassarius dictyola* J. Gardner, 1944 †




1925850030  
**Antillophos  
durianoides**

K. Fraussen & G.T. Poppe, 2005  
Philippines, Aliguay Island  
17 mm





1927855860  
**Antillophos elegans**  
(R.J.L. Guppy, 1866)  
Colombia  
20 mm




**synonyms:**

- *Phos elegans* (R.J.L. Guppy, 1866)



1927850420  
**Antillophos elegantissimus**  
(S. Hayashi & T. Habe, 1965)  
China, Zhejiang  
33 mm



**Fossil only**

8038000642  
**Antillophos elongatus**  
(B.M. Landau, F. Da Silva,  
& S.M. Helz, 2016 †  
**(FOSSIL)**)  
Venezuela, Paraguana Peninsula



5971105118  
**Antillophos estrellensis**  
(A.A. Olsson, 1922 †)  
**(FOSSIL)**  
Costa Rica  
21 mm




**no  
IMAGES  
available**

5288000068  
**Antillophos fasciatus**  
(C.B. Adams, 1853)

No Georeferenced data available


**Fossil only**

5971105119  
**Antillophos fisticulus**  
(C.J. Maury, 1934 †)  
**(FOSSIL)**  
Brazil, Rio Pirabas




**no  
IMAGES  
available**

1927850430  
**Antillophos freemani**  
E.J. Petuch, 2002  
Bimini Island



1925850035  
**Antillophos gemmularis**  
(R.N. Kilburn, 2000)  
Mozambique, Zavora  
36 mm




**synonyms:**

- *Phos gemmularius* R.N. Kilburn, 2000




1925500030  
**Antillophos grateloupianus**  
(S.A.A. Petit De La Saussaye  
1853)  
Guinea Bissau  
26 mm







1925850040  
**Antillophos hastilis**  
K. Fraussen & G.T. Poppe, 2005  
Philippines, Aliguay Island  
13 mm




1925400005  
**Antillophos hirasei**  
(G.B. III Sowerby, 1913)  
China, Zhejiang  
31 mm





1925850045  
**Antillophos idyllium**  
K. Fraussen & G.T. Poppe, 2005  
Philippines, Aliguay Island  
20,1 mm




1925850050  
**Antillophos intactus**  
K. Fraussen & G.T. Poppe, 2005  
Philippines, Aliguay Island  
21,3 mm




1925850055  
**Antillophos laevis**  
(J.T. Kuroda,  
& T. Habe in T. Habe, 1961)  
China, Zhejiang  
23,3 mm




5971105121  
**Antillophos landesi**  
E.S. Marks, 1951 †  
**(FOSSIL)**  
Venezuela, Paraguana Peninsula  
16 mm




5971104443  
**Antillophos liui**  
S.Q. Zhang & S.P. Zhang, 2014  
China, Zhejiang



1925850060  
**Antillophos lucubratonis**  
K. Fraussen & G.T. Poppe, 2005  
Philippines, Aliguay Island  
13 mm



1925850065  
**Antillophos makiyamai**  
(J.T. Kuroda, 1961)  
China, Zhejiang  
28 mm



**no  
IMAGES  
available**

to be checked

1927850450  
**Antillophos  
metuloides**

(W.H. Dall, 1896)

No Georeferenced data available



5971105110  
**Antillophos  
mexicanus**

(Bose, 1906 †)  
**(FOSSIL)**

Panama, Colón  
30 mm



1927850460  
**Antillophos  
miculus**

K. Fraussen & G.T. Poppe, 2005  
Philippines, Aliguay Island  
12 mm



**no  
IMAGES  
available**

1927850470  
**Antillophos  
minutus**

(M.M. Schepman, 1911)

No Georeferenced data available

**Fossil  
only**

5971105111  
**Antillophos  
monachus**


W.P. Woodring, 1964 †  
**(FOSSIL)**

Panama, Colón



1927850480  
**Antillophos  
monsecourorum**

K. Fraussen & G.T. Poppe, 2005  
China, Zhejiang  
19 mm



5971105112  
**Antillophos  
moorei**

(R.J.L. Guppy, 1866 †)  
**(FOSSIL)**

Dominican Republic  
37 mm



5971105113  
**Antillophos  
moorei  
costaricensis**


(A.A. Olson, 1922 †)  
**(FOSSIL)**

Costa Rica  
26 mm




1925504010  
**Antillophos  
naucratoros**

(R.B. Watson, 1882)  
Australia, Lady Elliot Island  
30 mm





1925850070  
**Antillophos nigroliratus**  
(T. Habe, 1961)  
Philippines, Aliguay Island  
23,2 mm





**synonyms:**


- *Phos nigrolineatum* T. Habe, 1961



1925850075  
**Antillophos nitens**  
(G.B. III Sowerby, 1901)  
Philippines, Bohol Island  
10,5 mm



1925850080  
**Antillophos opimus**  
K. Fraussen & G.T. Poppe, 2005  
Philippines, Olongo Island  
15 mm



**synonyms:**

- *Antillophos optimus* K. Fraussen & G.T. Poppe, 2005



1927858652  
**Antillophos oxyglyptus**  
(W.H. Dall & C.T. Simpson, 1901)  
Panama East  
16,1 mm



**synonyms:**

- *Antillophos oxyglyptus* W.H. Dall & C.T. Simpson, 1901





5971105120  
**Antillophos pirabica**  
C.J. Maury, 1934 †  
(FOSSIL)

No Georeferenced data available



1925850085  
**Antillophos pyladeum**  
(S. Kato, 1995)  
Philippines, Aliguay Island  
14 mm




1927850510  
**Antillophos reticulatus**  
(R.B. Hinds, 1844)



No Georeferenced data available



1925850090  
**Antillophos roseatus**  
(R.B. Hinds, 1844)  
Mozambique, Nacala Bay  
35 mm



1927850520  
**Antillophos rufocinctus**  
(A. Adams, 1851)  
Philippines, Aliguay Island  
14,2 mm



## Fossil only

5971105114  
**Antilophos  
rutschi**

A.A. Olson, 1942 †  
**(FOSSIL)**  
Costa Rica



1927850530  
**Antilophos  
scitamentus**

K. Fraussen & G.T. Poppe, 2005  
Philippines, Cagayan  
14,1 mm





1921850015  
**Antilophos  
smithi**

(R.B. Watson, 1886)  
Brazil, Pernambuco  
13 mm





1927850540  
**Antilophos  
tsokobuntodis**

K. Fraussen & G.T. Poppe, 2005  
Philippines, Aliguay Island  
22 mm




1922004025  
**Antilophos  
usquamarius**

K. Fraussen, 2005  
Mascarenes Islands,  
Saya de Maha Bank  
24,6 mm



1925504000  
**Antilophos  
varicosus**

(A.A. Gould, 1849)  
China, Zhejiang  
32 mm




1925500065  
**Antilophos  
veraguensis**

(R.B. Hinds, 1843)  
Gulf of Panama  
31 mm




1960700732  
**Antilophos  
verbinneni**

K. Fraussen, 2009  
Philippines, Mactan Island  
15,6 mm



5288000008  
**Antilophos  
verriculum**


G.T. Watters, 2009  
Colombia, Santa Marta





1960700629  
**Antilophos**  
**virginiae**

(J.S. Schwengel, 1942)  
Florida, Venice  
21,4 mm




SubFamily: PHOTINAЕ - Genus: **Calophos** Woodring, 1964 † (7 SP, 4 IMG)



5971104507  
**Calophos**  
**ectypus**

W.P. Woodring, 1964 †  
**(FOSSIL)**

Panama, Colón



5971104508  
**Calophos**  
**golfoyaquensis**

(C.J. Maury, 1917 †)  
**(FOSSIL)**

Dominican Republic, Valverde



5971104509  
**Calophos**  
**inornatus**

(W.M. Gabb, 1881 †)  
**(FOSSIL)**


No Georeferenced data available



6452000201  
**Calophos**  
**nanus**

E.J. Petuch, 1994 †  
**(FOSSIL)**


Florida, Sarasota County  
13,5 mm



5971104510  
**Calophos**  
**plicatilis**

(Bose, 1906 †)  
**(FOSSIL)**

Florida  
51 mm



5971104511  
**Calophos**  
**rohri**

(R.F. Rutsch, 1942 †)  
**(FOSSIL)**



No Georeferenced data available



5971104512  
**Calophos**  
**wilsoni**

W. Almon, 1990 †  
**(FOSSIL)**

Florida



SubFamily: PHOTINAЕ - Genus: **Glyptophos** Landau, da Siva & Heitz, 2016 † (1 SP, 0 IMG)




8038000716  
**Glyptophos**  
**furreri**

B.M. Landau, F. Da Siva,  
& S.M. Heitz, 2016 †  
**(FOSSIL)**

Venezuela, Paraguaná Peninsula





**Fossil  
only**

5971105234

**Phos  
bullbrookii**

W.C. Mansfield, 1925 †  
**(FOSSIL)**

No Georeferenced data available



1925500010  
**Phos  
crassus**

R.B. Hinds, 1843  
Panama  
39 mm



1927854010  
**Phos  
crassus  
clarki**

(M. Smith, 1944)  
Peru  
49 mm



1925500015  
**Phos  
cumingii**


L.A. Reeve, 1846  
Ecuador  
75 mm



**Fossil  
only**



5971105231  
**Phos  
cuspidatum**

Martin, 1879 †  
**(FOSSIL)**  
Florida





1925500020  
**Phos  
cyanostoma**

A. Adams, 1851  
Philippines, Olongo Island  
21 mm





6438000020  
**Phos  
decussatus**

(A. von Koenen, 1872 )  
Germany, North Westfalia  
20 mm




1925504030  
**Phos  
deforgesii**

K. Fraussen, 2003  
Coral Sea, Chesterfield Plateau  
12,7 mm



1960700440  
**Phos  
dumalis**


(R.A. Philippi, 1851)  
Marquesas Islands  
15 mm



**synonyms:**  
• Phos cyanostomus A. Adams, 1850  
• Phos textum cyanostoma A. Adams, 1851



1927859055  
**Phos**  
**fusoides**  
(C.B. Adams, 1852)  
Panama  
38 mm




**synonyms:**

- Fusinus porticus W.H. Dall, 1915



5971105235  
**Phos**  
**gabbii**  
W.H. Dall, 1896 †  
**(FOSSIL)**  
Dominican Republic  
28 mm




1927859103  
**Phos**  
**gladysiae**  
J.C. Melvill & R. Standen, 1901


No Georeferenced data available




5971105236  
**Phos**  
**gregsoni**  
R. Tate, 1888 †  
**(FOSSIL)**  
Australia, Lakes Entrance





5971105237  
**Phos**  
**guppyi**  
W.M. Gabb, 1873 †  
**(FOSSIL)**  
Dominican Republic





5971105238  
**Phos**  
**haughti**  
E.S. Marks, 1951 †  
**(FOSSIL)**  
Ecuador



6438000104  
**Phos**  
**hevesensis**  
Baldi, 1966 †  
**(FOSSIL)**  
Hungary, Bükk  
8 mm



5971105239  
**Phos**  
**hoernesi**  
C.G. Semper, 1861 †  
**(FOSSIL)**  
Romania, Deva  
24 mm




**synonyms:**

- Phos polygonum hoernesi C.G. Semper, 1861 †




5971105240  
**Phos**  
**latirugatus**  
E.M. Speiker, 1922 †  
**(FOSSIL)**  
Peru, Tumbes






5971105241  
**Phos**  
**lyraecostatus**  
J.E. Tenison-Woods, 1876 †  
**(FOSSIL)**  
Tasmania  
19 mm



1927854050  
**Phos**  
**muriculatus**  
A.A. Gould in G.B. II Sowerby  
1859  
South China Sea  
44 mm



1925500040  
**Phos**  
**nodicostatus**  
A. Adams, 1851  
South Africa, Natal  
14,9 mm




6438000007  
**Phos**  
**polygonus**  
(G.B. Brocchi, 1814 †)  
**(FOSSIL)**  
Italy, Liguria  
27 mm




**no  
IMAGES  
available**

to be checked


8016001822  
**Phos**  
**scalaroides**  
A. Adams, 1851  
Western Australia





1927854080  
**Phos**  
**sculptilis**  
R.B. Watson, 1886  
Australia, Mackay  
21 mm




1925500045  
**Phos**  
**senticosus**  
(C. Linnaeus, 1758)  
China, Zhejiang  
42 mm



1927854090  
**Phos**  
**seranus**  
H. Fischer in J. Wanner, 1927  
Philippines, Aliguay Island  
13,7 mm



5971105242  
**Phos**  
**sloani**  
J. Gardner & T.H. Aldrich, 1919 †  
**(FOSSIL)**  
Florida




**synonyms:**

- *Phos angustus* G.B. II Sowerby, 1880
- *Cancellaria senticosa* C. Linnaeus, 1758

- *Murex senticosus* C. Linnaeus, 1758




5971105243  
**Phos**  
**sloani**  
**floridanus** †  
(FOSSIL)  
W.C. Mansfield, 1930 †  
Florida



Fossil  
only


5971105244  
**Phos**  
**tardicrescens**  
R. Tate, 1888 †  
(FOSSIL)  
Australia, Victoria,  
S. Grampians Bl.





1927854110  
**Phos**  
**temperatus**  
K. Fraussen & G.T. Poppe, 2005  
Philippines, Olongo Island  
9 mm



1925500050  
**Phos**  
**textilis**  
A. Adams, 1851  
Philippines, Caltuban Island  
13 mm



1925500055  
**Phos**  
**textum**  
(J.F. Gmelin, 1791)  
Philippines, Bohol Island  
22 mm



**synonyms:**

- Buccinum cancellatum J.R.C. Quoy & J.P. Gaimard, 1833
- Phos varians G.B. II Sowerby, 1866

- Buccinum diaphanum P.F. Röding, 1798


Fossil  
only

5971105245  
**Phos**  
**thayerae**  
Smith, 1936 †  
(FOSSIL)

No Georeferenced data available

Fossil  
only

5971105246  
**Phos**  
**trinitatensis**  
W.C. Mansfield, 1925 †  
(FOSSIL)  
Trinidad and Tobago



Fossil  
only

5971105247  
**Phos**  
**tuberculatus**  
R. Tate, 1888 †  
(FOSSIL)

No Georeferenced data available




1925500060  
**Phos**  
**turritus**  
A. Adams, 1857  
Panama, Isla del Coco  
16 mm





1927854120  
**Phos**  
**vanderberghi**  
K. Fraussen & G.T. Poppe, 2005  
Philippines, Olongo Island  
9 mm




**synonyms:**


- *Phos vandeberghi* K. Fraussen & G.T. Poppe, 2005





5971105248  
**Phos**  
**vaughani**  
W.C. Mansfield, 1930 †  
**(FOSSIL)**  
Florida



6438000106  
**Phos**  
**vicksburgensis**  
(T.H. Aldrich, 1885 †)  
**(FOSSIL)**  
USA, Mississippi  
16 mm



1960700476  
**Phos**  
**virgatus**  
R.B. Hinds, 1844  
India, Cuddalore



SubFamily: PHOTINAЕ - Subgenus: **Phos (Cymatophos)** H.A. Pilsbry & A.A. Olsson, 1941 (14 SP, 5 IMG)

Fossil only

5971105179  
**Cymatophos**  
**acolus**  
W.P. Woodring, 1964 †  
**(FOSSIL)**


No Georeferenced data available

Fossil only

5971105180  
**Cymatophos**  
**betevensis**  
(A.A. Olsson, 1922 †)  
**(FOSSIL)**  
Costa Rica




6438000062  
**Cymatophos**  
**cocodilensis**  
(F. Hodson, 1831 †)  
**(FOSSIL)**  
Venezuela, Paraguana Peninsula  
42 mm




Fossil only

5971105182  
**Cymatophos**  
**galerus**  
H.A. Pilsbry,  
& A.A. Olsson, 1941 †  
**(FOSSIL)**  
Ecuador, Manabi, Sucre



Fossil only

5971105183  
**Cymatophos**  
**glareosus**  
P.O. Jung, 1971 †  
**(FOSSIL)**  
Grenada




**Fossil  
only**

5971105184  
**Cymatophos  
hodsoni**

(A.A. Olson, 1932 †)  
**(FOSSIL)**


Peru, Machala



6438000014  
**Cymatophos  
lindae**

E.J. Petuch, 1991 †  
**(FOSSIL)**

Florida, Sarasota County  
52 mm





**Fossil  
only**

5971105185  
**Cymatophos  
paraguaniensis**

(F. Hodson, 1931 †)  
**(FOSSIL)**

Venezuela, Paraguaña Peninsula  
32 mm



6438000063  
**Cymatophos  
pilsbryi**

Kuroda & T. Habe, 1952 †  
**(FOSSIL)**

Florida  
40 mm



**Fossil  
only**

5971105186  
**Cymatophos  
semicostatus**

(W.M. Gabb, 1873 †)  
**(FOSSIL)**


No Georeferenced data available

**Fossil  
only**

5971105187  
**Cymatophos  
subsemicostatus**

(J. Brown & H.A. Plisby, 1911 †)  
**(FOSSIL)**

Costa Rica




**Fossil  
only**

5971105188  
**Cymatophos  
tuberaensis**

(Anderson, 1929 †)  
**(FOSSIL)**

Colombia, Tuberá Mtn





**Fossil  
only**

5971105189  
**Cymatophos  
turbacoensis**

(Anderson, 1929 †)  
**(FOSSIL)**

Colombia



5971105190  
**Cymatophos  
veatchi**

(A.A. Olson, 1922 †)  
**(FOSSIL)**

Costa Rica



**synonyms:**

- *Phos buchivacoensis* F. Hodson, 1931 †

Fossil  
only

5971105191  
**Cymatophos**  
**veatchi**  
**erymnus**  
W.P. Woodring, 1964 †  
(FOSSIL)

No Georeferenced data available


SubFamily: PHOTINAE - Subgenus: Phos (Engoniophos) W.P. Woodring, 1928 (5 SP, 3 IMG)

Fossil  
only

5971105540  
**Engoniophos**  
**erectus**  
(R.J.L. Guppy, 1874 †)  
(FOSSIL)  
Jamaica



8016001819  
**Engoniophos**  
**glyptus**  
Gardner, 1944 †  
(FOSSIL)  
Florida  
18 mm



1927852330  
**Engoniophos**  
**notatus**  
(G.B. II Sowerby, 1859)  
Venezuela  
12,7 mm




Fossil  
only

8038000697  
**Engoniophos**  
**schmidti**  
B.M. Landau, F. Da Silva,  
& S.M. Heitz, 2016 †  
(FOSSIL)  
Venezuela



1925600000  
**Engoniophos**  
**unicinctus**  
(T. Say, 1826)  
Venezuela  
19,5 mm



**synonyms:**


- Engoniophos guadalupensis S.A.A. Petit De La Saussaye, 1852
- Pallacera guadalupensis S.A.A. Petit De La Saussaye, 1852
- Nassa pallida W.L. Powys, 1835
- Nassa unicincta T. Say, 1826

- Engoniophos guadelupensis S.A.A. Petit De La Saussaye, 1852
- Strongylocera textilina O.A.L. Mörch, 1852
- Phos unicinctus T. Say, 1826

SubFamily: PHOTINAE - Subgenus: Phos (Metaphos) A.A. Olsson, 1964 (7 SP, 5 IMG)




1925500000  
**Metaphos**  
**articulatus**  
(R.B. Hinds, 1844)  
Panama  
30 mm




Fossil  
only

8038000652  
**Metaphos**  
**caribbensis**  
B.M. Landau, F. Da Silva,  
& S.M. Heitz, 2016 †  
(FOSSIL)  
Venezuela






1927854000  
**Metaphos**  
**cocosensis**  
(W.H. Dall, 1896)  
Cocos Island





1925500025  
**Metaphos**  
**dejanira**  
(W.H. Dall, 1919)  
Bay of Panama  
36,9 mm



1927854020  
**Metaphos**  
**gaudens**  
(R.B. Hinds, 1844)  
Panama  
14 mm



1927854030  
**Metaphos**  
**laevigatus**  
(A. Adams, 1851)  
Galapagos



**synonyms:**

- *Phos chelonia* W.H. Dall, 1917




1925500035  
**Metaphos**  
**minusculus**  
(W.H. Dall, 1917)  
Mexico, Puerto Escondido  
25 mm



SubFamily: PHOTINAE - Subgenus: **Phos (Philindophos)** Shuto, 1969 † (1 SP, 1 IMG)




8038001045  
**Philindophos**  
**dijiki**  
(K. Martin, 1884 †)  
**(FOSSIL)**  
Central Java, Indonesia




SubFamily: PHOTINAE - Genus: **Tritiaria** Conrad, 1865 † (6 SP, 2 IMG)





5971105548  
**Tritiaria**  
**chira**  
A.A. Olsson, 1931 †  
**(FOSSIL)**  
Piura, Peru



5971105549  
**Tritiaria**  
**ecuadoriana**  
H.A. Plisby,  
& A.A. Olsson, 1941 †  
**(FOSSIL)**  
Costa Rica




5971105550  
**Tritiaria**  
**jacksonensis**  
†  
**(FOSSIL)**  
USA, Louisiana, Caldwell





6452000136  
**Tritiaria**  
**mississippiensis**  
(T.A. Conrad, 1848 †)  
**(FOSSIL)**  
USA, Mississippi  
11 mm




**synonyms:**

- *Buccinum mississippiensis* T.A. Conrad, 1848 †



8038000036  
**Tritiaria**  
**seguinensis**  
Garvie, 2013 †  
**(FOSSIL)**  
Texas, Bastrop County  
5 mm



Fossil  
only


5971105551  
**Tritiaria**  
**terebratula**  
(A.A. Olsson, 1928 †)  
**(FOSSIL)**  
Peru, Piura, Talara



**synonyms:**

- *Alectron terebratula* A.A. Olsson, 1928 †

# Family: NASSARIIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at  
<http://www.bagniliggia.it/WMSD/FamilyMap/NASSARIIDAEmap.htm>

please note that this is not the complete coverage of this family  
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 940 from a total of 1057