

# WMSDB - Worldwide Mollusc Species Data Base

---



## Family: STROMBIDAE

---

Author: Claudio Galli - [claudio@bagniliggia.it](mailto:claudio@bagniliggia.it) (updated 08/set/2015)

---

**Class: GASTROPODA****--- Clade: CAENOAGASTROPODA-HYPSOGASTROPODA-LITTORINIMORPHA-STROMBOIDEA****----- Family: STROMBIDAE**

Rafinesque, 1815 (Sea)

- Alphabetic order - when **first name** is in bold the species has images

Taxa=455, Genus=23, Subgenus=0, Species=91, Subspecies=45, Synonyms=295, Images=135

- **abbotti**, [Dolomena abbotti](#) A.M. Dekkers & V. Liverani, 2011
- **accipiter**, *Tricornis accipiter* L.W. Dilwyn, 1817 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **accipiter**, *Strombus accipiter* L.W. Dilwyn, 1817 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **accipitrina**, *Lambis accipitrina* P.F. Röding, 1798 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **accipitrina**, *Tricornis accipitrina* P.F. Röding, 1798 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **aculeatus**, *Lambis aculeatus* G. Perry, 1811 - syn of: [Lambis crocata](#) (J.H.F. Link, 1807)
- **acutus**, *Euprotomus acutus* G. Perry, 1811 - syn of: [Euprotomus vomer](#) (P.F. Röding, 1798)
- **adamii**, [Lambis lambis adamii](#) L. Bozzetti & T. Cossignani, 2003
- **adansoni**, *Strombus adansoni* J.L.M. Defrance, 1827 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **adansoni**, *Lentigo adansoni* J.L.M. Defrance, 1827 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **adusta**, *Euprotomus adusta* L.W. Dilwyn, 1817 - syn of: [Euprotomus aratrum](#) (P.F. Röding, 1798)
- **adustus**, *Strombus adustus* W.J. Swainson in L.A. Reeve, 1851 - syn of: [Lentigo pipus](#) (P.F. Röding, 1798)
- **afrobellatus**, [Terestrombus terebellatus afrobellatus](#) (R.T. Abbott, 1960)
- **afrobellatus**, *Terestrombus afrobellatus* R.T. Abbott, 1960 - syn of: [Terestrombus terebellatus afrobellatus](#) (R.T. Abbott, 1960)
- **alata**, *Lambis alata* H.C.F. Schumacher, 1817 - syn of: [Sinustrombus latissimus](#) (C. Linnaeus, 1758)
- **alatus**, *Tricornis alatus* H.C.F. Schumacher, 1817 - syn of: [Sinustrombus latissimus](#) (C. Linnaeus, 1758)
- **alatus**, [Strombus alatus](#) J.F. Gmelin, 1791
- **albus**, [Gibberulus gibberulus albus](#) (O.A.L. Mörch, 1850)
- **anatellus**, *Canarium anatellus* P.L. Duclos in J.C. Chenu, 1844 - syn of: [Canarium urceus](#) (C. Linnaeus, 1758)
- **apicatus**, [Doxander vittatus apicatus](#) (L.M. Man in't Veld & J.S. Visser, 1993)
- **arachnoides**, [Lambis arachnoides](#) T. Shikama, 1971
- **aratrum**, [Euprotomus aratrum](#) (P.F. Röding, 1798)
- **aratrum chrysostomus**, *Euprotomus aratrum chrysostomus* (J.T. Kuroda, 1942) - syn of: [Euprotomus chrysostomus](#) (J.T. Kuroda, 1942)
- **aratrum melanostomus**, [Euprotomus aratrum melanostomus](#) G.B. I Sowerby, 1825
- **arenensis**, [Persististrombus latus arenensis](#) F.R. Bernard, 1982
- **arthriticus**, [Harpago arthriticus](#) (P.F. Röding, 1798)
- **ater**, *Strombus ater* C. Linnaeus, 1758 - syn of: [Faunus ater](#) (C. Linnaeus, 1758)
- **athenius**, [Dolomena variabilis athenius](#) P.L. Duclos, 1844
- **aurantia**, *Lambis aurantia* J.B.P.A. Lamarck, 1822 - syn of: [Lambis crocata](#) (J.H.F. Link, 1807)
- **aurantiacum**, *Lambis aurantiacum* G.B. I Sowerby, 1825 - syn of: [Lambis crocata](#) (J.H.F. Link, 1807)
- **auratus**, *Strombus auratus* J.J.N.A. Spalowsky, 1795 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **auratus**, *Lentigo auratus* J.J.N.A. Spalowsky, 1795 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **aurisdianae**, [Euprotomus aurisdianae](#) (C. Linnaeus, 1758)
- **aurisdianae**, *Euprotomus aurisdianae* P.F. Röding, 1798 - syn of: [Euprotomus aratrum](#) (P.F. Röding, 1798)
- **aurora**, [Euprotomus aurora](#) G.C. Kronenberg, 2002
- **australis**, *Strombus australis* G.B. II Sowerby, 1842 - syn of: [Euprotomus iredalei](#) (R.T. Abbott, 1960)
- **australis**, *Doxander australis* J.S. Schröter, 1805 - syn of: [Doxander vittatus apicatus](#) (L.M. Man in't Veld & J.S. Visser, 1993)
- **belutschiensis**, *Strombus belutschiensis* J.C. Melvil, 1898 - syn of: [Conomurex persicus](#) W.J. Swainson, 1821
- **bengalina**, *Lambis bengalina* J.P.S. Grateloup, 1840 - syn of: [Lambis truncata](#) (J. Lightfoot, 1786)
- **betuleti**, [Canarium betuleti](#) (G.C. Kronenberg, 1991)
- **bituberculatus**, *Strombus bituberculatus* J.B.P.A. Lamarck, 1822 - syn of: [Lobatus raninus](#) (J.F. Gmelin, 1791)
- **boholensis**, [Barneystrombus boholensis](#) H. Mühlhäusser, 1981
- **bryonia**, *Lambis bryonia* J.F. Gmelin, 1791 - syn of: [Lambis truncata](#) (J. Lightfoot, 1786)
- **bubo**, *Lentigo bubo* J.B.P.A. Lamarck, 1822 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **bubonius**, *Strombus bubonius* J.B.P.A. Lamarck, 1822 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **bubonius**, *Lentigo bubonius* J.B.P.A. Lamarck, 1822 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **bulbulus**, *Strombus bulbulus* G.B. II Sowerby, 1842 - syn of: [Terestrombus fragilis](#) (P.F. Röding, 1798)
- **bulbulus**, *Canarium bulbulus* G.B. II Sowerby, 1842 - syn of: [Terestrombus fragilis](#) (P.F. Röding, 1798)
- **bullae**, [Euprotomus bullae](#) (P.F. Röding, 1798)
- **bullae**, *Strombus bullae* P.F. Röding, 1798 - syn of: [Euprotomus bullae](#) (P.F. Röding, 1798)
- **buris**, *Euprotomus buris* P.F. Röding, 1798 - syn of: [Euprotomus aurisdianae](#) (C. Linnaeus, 1758)
- **camelus**, *Lambis camelus* J.E. Gray in P.P. King, 1826 - syn of: [Lambis lambis](#) (C. Linnaeus, 1758)
- **campbelli**, [Doxander campbelli](#) (E. Griffith & E. Pidgeon, 1834)
- **campbelli**, *Strombus campbelli* E. Griffith & E. Pidgeon, 1834 - syn of: [Doxander campbelli](#) (E. Griffith & E. Pidgeon, 1834)
- **canalicularis**, *Strombus canalicularis* P.F. Röding, 1798 - syn of: [Clavus canalicularis](#) (P.F. Röding, 1798)
- **canaliculatus**, *Strombus canaliculatus* L.A. Burry, 1949 - syn of: [Lobatus gigas](#) (C. Linnaeus, 1758)
- **canarium**, [Laevistrombus canarium](#) (C. Linnaeus, 1758)

- **canarium guidoi**, [Laevistrombus canarium guidoi](#) (L.M. Man in't Veld & K. De Turck, 1998)
- **canarium isabella**, [Laevistrombus canarium isabella](#) J.B.P.A. Lamarck, 1810 - syn of: [Laevistrombus turturella isabella](#) (J.B.P.A. Lamarck, 1810)
- **carminatus**, [Strombus carminatus](#) P.F. Röding, 1798 - syn of: [Rhinoclavis fasciata](#) (J.G. Bruguière, 1792)
- **carnaria**, [Lentigo carnaria](#) P.F. Röding, 1798 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **carnea**, [Lambis carnea](#) P.F. Röding, 1798 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **carnea**, [Lentigo carnea](#) P.F. Röding, 1798 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **cerea**, [Lambis cerea](#) P.F. Röding, 1798 - syn of: [Lambis lambis](#) (C. Linnaeus, 1758)
- **chemnitzii**, [Euprotomus chemnitzii](#) L. Pfeffer, 1840 - syn of: [Euprotomus vomer](#) (P.F. Röding, 1798)
- **chiragra**, [Harpago chiragra](#) (C. Linnaeus, 1758)
- **chiragra**, [Strombus chiragra](#) C. Linnaeus, 1758 - syn of: [Harpago chiragra](#) (C. Linnaeus, 1758)
- **chiragra**, [Lambis chiragra](#) C. Linnaeus, 1758 - syn of: [Harpago chiragra](#) (C. Linnaeus, 1758)
- **chiragra arthritica**, [Lambis chiragra arthritica](#) P.F. Röding, 1798 - syn of: [Harpago arthriticus](#) (P.F. Röding, 1798)
- **chiragra rugosa**, [Harpago chiragra rugosa](#) (G.B. Sowerby, 1842)
- **chrysostomus**, [Euprotomus chrysostomus](#) (J.T. Kuroda, 1942)
- **citrinus**, [Canarium mutabilis citrinus](#) A. D'Attilio, 1980
- **clavus**, [Strombus clavus](#) C. Linnaeus, 1771 - syn of: [Tibia fusus](#) (C. Linnaeus, 1758)
- **columba**, [Dolomena columba](#) J.B.P.A. Lamarck, 1822
- **coniformis**, [Conomurex coniformis](#) (G.B. I Sowerby, 1842)
- **cornutus**, [Strombus cornutus](#) G. Perry, 1811 - syn of: [Strombus pugilis](#) C. Linnaeus, 1758
- **coronatus**, [Strombus coronatus](#) P.F. Röding, 1798 - syn of: [Pseudovertagus aluco](#) (C. Linnaeus, 1758)
- **corrugatus**, [Canarium corrugatus](#) A. Adams & L.A. Reeve, 1850 - syn of: [Canarium labiatum](#) (P.F. Röding, 1798)
- **cortezianus**, [Persististrombus granulatus cortezianus](#) J.W. Durham, 1962
- **costatus**, [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **costatus**, [Strombus costatus](#) J.F. Gmelin, 1791 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **costatus aguayoi**, [Strombus costatus aguayoi](#) M.L. Jaume & Valle, 1947 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **costatus griffini**, [Strombus costatus griffini](#) E.J. Petuch, 1994 † - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **costatus spectabilis**, [Lobatus costatus spectabilis](#) A.H. Verrill, 1950
- **costosomuricatus**, [Strombus costosomuricatus](#) O.A.L. Mörch, 1852 - syn of: [Lobatus raninus](#) (J.F. Gmelin, 1791)
- **costosomuricatus**, [Lobatus costosomuricatus](#) O.A.L. Mörch, 1852 - syn of: [Lobatus raninus](#) (J.F. Gmelin, 1791)
- **crassilabrum**, [Canarium crassilabrum](#) H.E. Anton, 1838 - syn of: [Canarium erythrinum](#) L.W. Dilwyn, 1817
- **crenatus**, [Tricornis crenatus](#) G.B. I Sowerby, 1825 - syn of: [Lobatus galeatus](#) (W.J. Swainson, 1823)
- **cristatus**, [Tricornis cristatus](#) J.B.P.A. Lamarck, 1822 - syn of: [Sinustrombus sinuatus](#) (J. Lightfoot, 1786)
- **cristatus**, [Strombus cristatus](#) J.B.P.A. Lamarck, 1822 - syn of: [Sinustrombus sinuatus](#) (J. Lightfoot, 1786)
- **cristinae**, [Lambis cristinae](#) L. Bozzetti, 1999
- **crocata**, [Lambis crocata](#) (J.H.F. Link, 1807)
- **crocata pilsbryi**, [Lambis crocata pilsbryi](#) R.T. Abbott, 1961 - syn of: [Lambis pilsbryi](#) R.T. Abbott, 1961
- **crocea**, [Lambis crocea](#) L.A. Reeve, 1842 - syn of: [Ophioglossolambis digitata](#) (G. Perry, 1811)
- **curruca**, [Tricornis curruca](#) P.F. Röding, 1798 - syn of: [Tricornis tricornis](#) (J. Lightfoot, 1786)
- **cylindricus**, [Conomurex cylindricus](#) W.J. Swainson, 1821 - syn of: [Conomurex decorus](#) (P.F. Röding, 1798)
- **davilae**, [Lambis davilae](#) P.F. Röding, 1798 - syn of: [Lambis truncata](#) (J. Lightfoot, 1786)
- **decorus**, [Conomurex decorus](#) (P.F. Röding, 1798)
- **decorus**, [Strombus decorus](#) P.F. Röding, 1798 - syn of: [Conomurex decorus](#) (P.F. Röding, 1798)
- **decorus coniformis**, [Conomurex decorus coniformis](#) (G.B. I Sowerby, 1842) - syn of: [Conomurex coniformis](#) (G.B. I Sowerby, 1842)
- **decorus masirensis**, [Conomurex decorus masirensis](#) R.G. Moolenbeek & H. Dekker, 1993
- **decorus persicus**, [Conomurex decorus persicus](#) W.J. Swainson, 1821 - syn of: [Conomurex persicus](#) W.J. Swainson, 1821
- **decorus raybaudi**, [Strombus decorus raybaudi](#) K. Nicolay & E. Romagna-Manoja, 1983 - syn of: [Conomurex persicus](#) W.J. Swainson, 1821
- **decorus raybaudii**, [Conomurex decorus raybaudii](#) K. Nicolay & E. Romagna-Manoja, 1983
- **deformis**, [Strombus deformis](#) J.E. Gray in E. Griffith & E. Pidgeon, 1834 - syn of: [Dolomena plicata](#) (P.F. Röding, 1798)
- **dehelensis**, [Conomurex fasciatus dehelensis](#) Ostini & Rigoletti, 1983
- **dentatus**, [Tridentarius dentatus](#) (C. Linnaeus, 1758)
- **depauperatus**, [Canarium maculatus depauperatus](#) (P. Dautzenberg & J.L. Bouge, 1933)
- **digitata**, [Ophioglossolambis digitata](#) (G. Perry, 1811)
- **digitatus**, [Strombus digitatus](#) G. Perry, 1811 - syn of: [Ophioglossolambis digitata](#) (G. Perry, 1811)
- **dilatata**, [Dolomena dilatata](#) (W.J. Swainson, 1821)
- **dilatata orosminus**, [Dolomena dilatata orosminus](#) P.L. Duclos, 1844
- **dilatata swainsoni**, [Dolomena dilatata swainsoni](#) L.A. Reeve, 1850 - syn of: [Dolomena swainsoni](#) (L.A. Reeve, 1850)
- **dilatatus**, [Lentigo dilatatus](#) J.B.P.A. Lamarck, 1822 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **dilatatus**, [Strombus dilatatus](#) J.B.P.A. Lamarck, 1822 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **divergens**, [Strombus divergens](#) G. Perry, 1811 - syn of: [Harpago arthriticus](#) (P.F. Röding, 1798)
- **donnelyi**, [Euprotomus donnelyi](#) T. Iredale, 1931 - syn of: [Euprotomus vomer](#) (P.F. Röding, 1798)
- **dubius**, [Strombus dubius](#) G.B. II Sowerby, 1842 - syn of: [Parametaria dupontii](#) (L.C. Kiener, 1846)
- **dubius**, [Canarium dubius](#) W.J. Swainson, 1823 - syn of: [Terestrombus fragilis](#) (P.F. Röding, 1798)
- **dubius**, [Strombus dubius](#) W.J. Swainson, 1823 - syn of: [Terestrombus fragilis](#) (P.F. Röding, 1798)
- **elatus**, [Strombus elatus](#) H.E. Anton, 1838 - syn of: [Doxander vittatus](#) (C. Linnaeus, 1758)
- **elatus**, [Doxander elatus](#) H.E. Anton, 1839 - syn of: [Doxander vittatus](#) (C. Linnaeus, 1758)



- **elegans**, [Conomurex fasciatus elegans](#) E. Romagna-Manoja, 1973
- **elegans**, *Canarium elegans* G.B. I Sowerby, 1842 - syn of: [Canarium erythrinus elegans](#) G.B. I Sowerby, 1842
- **elegans**, [Canarium erythrinus elegans](#) G.B. I Sowerby, 1842
- **elegans**, *Strombus elegans* G.B. II Sowerby, 1842 - syn of: [Canarium erythrinum](#) L.W. Dillwyn, 1817
- **elongata**, *Lambis elongata* W.J. Swainson, 1841 - syn of: [Ophioglossolambis digitata](#) (G. Perry, 1811)
- **entropi**, [Doxander vittatus entropi](#) (L.M. Man in't Veld & J.S. Visser, 1993)
- **epidromis**, [Labiostrombus epidromis](#) (C. Linnaeus, 1758)
- **epimellus**, *Canarium epimellus* P.L. Duclos in J.C. Chenu, 1844 - syn of: [Canarium mutabile](#) W.J. Swainson, 1821
- **erythraeensis**, [Tricornis tricornis erythraeensis](#) E. Romagna-Manoja, 1977
- **erythrinum**, [Canarium erythrinum](#) L.W. Dillwyn, 1817
- **erythrinus**, *Strombus erythrinus* L.W. Dillwyn, 1817 - syn of: [Canarium erythrinum](#) L.W. Dillwyn, 1817
- **erythrinus elegans**, [Canarium erythrinus elegans](#) G.B. I Sowerby, 1842
- **erythrinus rugosus**, *Canarium erythrinus rugosus* G.B. I Sowerby, 1825 - syn of: [Canarium rugosum](#) (G.B. I Sowerby, 1825)
- **expansus**, *Atrombus expansus* G.W. Tryon, 1885 - syn of: [Labiostrombus epidromis](#) (C. Linnaeus, 1758)
- **exustus**, *Strombus exustus* W.J. Swainson, 1822 - syn of: [Lentigo pipus](#) (P.F. Röding, 1798)
- **exutus**, *Strombus exutus* W.J. Swainson, 1822 - syn of: [Lentigo pipus](#) (P.F. Röding, 1798)
- **fasciatus**, [Conomurex fasciatus](#) (I. von Born, 1778)
- **fasciatus**, *Strombus fasciatus* I. von Born, 1778 - syn of: [Conomurex fasciatus](#) (I. von Born, 1778)
- **fasciatus**, *Strombus fasciatus* J.F. Gmelin, 1791 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **fasciatus**, *Lentigo fasciatus* J.F. Gmelin, 1791 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **fasciatus dehelensis**, [Conomurex fasciatus dehelensis](#) Ostini & Rigoletti, 1983
- **fasciatus elegans**, [Conomurex fasciatus elegans](#) E. Romagna-Manoja, 1973
- **fetus**, *Lobatus fetus* P.O. Jung & S.M. Heitz, 2001 - syn of: [Lobatus raninus](#) (J.F. Gmelin, 1791)
- **flammeus**, *Canarium flammeus* J.H.F. Link, 1807 - syn of: [Canarium mutabile](#) W.J. Swainson, 1821
- **floridus**, *Canarium floridus* J.B.P.A. Lamarck, 1818 - syn of: [Canarium mutabile](#) W.J. Swainson, 1821
- **floridus depauperata**, *Canarium floridus depauperata* P. Dautzenberg & J.L. Bouge, 1933 - syn of: [Canarium maculatum](#) G.B. I Sowerby, 1842
- **flosculosus**, *Canarium flosculosus* O.A.L. Mörch, 1852 - syn of: [Canarium mutabile](#) W.J. Swainson, 1821
- **fragilis**, [Terestrombus fragilis](#) (P.F. Röding, 1798)
- **fusiforme**, [Canarium fusiforme](#) G.B. I Sowerby, 1842
- **galea**, *Tricornis galea* W. Wood, 1825 - syn of: [Lobatus galeatus](#) (W.J. Swainson, 1823)
- **galea**, *Strombus galea* W. Wood, 1828 - syn of: [Lobatus galeatus](#) (W.J. Swainson, 1823)
- **galeatus**, [Lobatus galeatus](#) (W.J. Swainson, 1823)
- **galeatus**, *Strombus galeatus* W.J. Swainson, 1823 - syn of: [Lobatus galeatus](#) (W.J. Swainson, 1823)
- **gallus**, [Lobatus gallus](#) (C. Linnaeus, 1758)
- **gallus**, *Strombus gallus* C. Linnaeus, 1758 - syn of: [Lobatus gallus](#) (C. Linnaeus, 1758)
- **gibberulus**, [Gibberulus gibberulus](#) (C. Linnaeus, 1758)
- **gibberulus albus**, [Gibberulus gibberulus albus](#) (O.A.L. Mörch, 1850)
- **gibberulus albus**, *Strombus gibberulus albus* O.A.L. Mörch, 1850 - syn of: [Gibberulus gibberulus albus](#) (O.A.L. Mörch, 1850)
- **gibberulus gibbosus**, [Gibberulus gibberulus gibbosus](#) P.F. Röding, 1798
- **gibberulus rhodostomus**, *Gibberulus gibberulus rhodostomus* E.C. Von Martens, 1869 - syn of: [Gibberulus gibberulus albus](#) (O.A.L. Mörch, 1850)
- **gibberulus rhodostomus**, *Strombus gibberulus rhodostomus* E.C. Von Martens, 1869 - syn of: [Gibberulus gibberulus albus](#) (O.A.L. Mörch, 1850)
- **gibbosa**, *Gibberulus gibbosa* P.F. Röding, 1798 - syn of: [Gibberulus gibberulus gibbosus](#) P.F. Röding, 1798
- **gibbosus**, [Gibberulus gibberulus gibbosus](#) P.F. Röding, 1798
- **gibbus**, *Laevistrombus gibbus* A. Issel & C.M. Tapparone-Canefri, 1876 - syn of: [Laevistrombus canarium](#) (C. Linnaeus, 1758)
- **gigas**, [Lobatus gigas](#) (C. Linnaeus, 1758)
- **gigas**, *Strombus gigas* C. Linnaeus, 1758 - syn of: [Lobatus gigas](#) (C. Linnaeus, 1758)
- **gigas pahayokee**, *Strombus gigas pahayokee* E.J. Petuch, 1994 - syn of: [Lobatus gigas](#) (C. Linnaeus, 1758)
- **gigas verrilli**, [Lobatus gigas verrilli](#) (J.T.L. McGinty, 1955)
- **glabratus**, *Strombus glabratus* G.B. II Sowerby, 1842 - syn of: [Nassarius glabratus](#) (G.B. II Sowerby, 1842)
- **goliath**, [Lobatus goliath](#) (J.S. Schröter, 1805)
- **goliath**, *Strombus goliath* J.S. Schröter, 1805 - syn of: [Lobatus goliath](#) (J.S. Schröter, 1805)
- **gracilior**, [Strombus gracilior](#) G.B. I Sowerby, 1825
- **granulatus**, [Persististrombus granulatus](#) (W.J. Swainson, 1822)
- **granulatus acutus**, *Strombus granulatus acutus* J.W. Durham, 1950 - syn of: [Persististrombus granulatus](#) (W.J. Swainson, 1822)
- **granulatus cortezianus**, [Persististrombus granulatus cortezianus](#) J.W. Durham, 1962
- **guidoi**, [Laevistrombus canarium guidoi](#) (L.M. Man in't Veld & K. De Turck, 1998)
- **guttatus**, *Strombus guttatus* L.A. Reeve, 1843 - syn of: [Euprotomus bulla](#) (P.F. Röding, 1798)
- **haemastoma**, [Canarium haemastoma](#) (G.B. II Sowerby, 1842)
- **haemastoma scalariformis**, [Canarium haemastoma scalariformis](#) P.L. Duclos, 1833
- **haemostoma**, *Canarium haemostoma* G.B. II Sowerby, 1842 - syn of: [Canarium haemastoma](#) (G.B. II Sowerby, 1842)
- **harpago**, *Lambis harpago* P.F. Röding, 1798 - syn of: [Harpago chiragra](#) (C. Linnaeus, 1758)
- **hawaiensis**, [Euprotomus hawaiensis](#) (H.A. Pilsbry, 1917)
- **hellii**, [Canarium hellii](#) (L.C. Kiener, 1843)
- **hellii**, *Strombus hellii* L.C. Kiener, 1843 - syn of: [Canarium hellii](#) (L.C. Kiener, 1843)

- **hermaphrodita**, *Lambis hermaphrodita* P.F. Röding, 1798 - syn of: [Lambis lambis](#) (C. Linnaeus, 1758)
- **hickeyi**, *Labiostrombus hickeyi* R.C. Willan, 2000 - syn of: [Dolomena hickeyi](#) R.C. Willan, 2000
- **hickeyi**, [Dolomena hickeyi](#) R.C. Willan, 2000
- **hirasei**, [Euprotomus vomer hirasei](#) J.T. Kuroda, 1942
- **horridus**, *Tricornis horridus* M. Smith, 1940 - syn of: [Lobatus gigas](#) (C. Linnaeus, 1758)
- **incisum**, [Canarium urceus incisum](#) (W. Wood, 1828)
- **indecoratus**, [Tricornis tricornis indecoratus](#) F.Jr. Lorenz & V. Wiese, 1990
- **indomaris**, [Lambis scorpius indomaris](#) R.T. Abbott, 1961
- **indomaris**, *Lambis indomaris* R.T. Abbott, 1961 - syn of: [Lambis scorpius indomaris](#) R.T. Abbott, 1961
- **inermis**, *Tricornis inermis* W.J. Swainson, 1822 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **inermis**, *Strombus inermis* W.J. Swainson, 1822 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **integer**, *Tricornis integer* W.J. Swainson, 1823 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **integer**, *Strombus integer* W.J. Swainson, 1823 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **iredalei**, [Euprotomus iredalei](#) (R.T. Abbott, 1960)
- **isabella**, [Laevistrombus turturella isabella](#) (J.B.P.A. Lamarck, 1810)
- **ismarius**, *Strombus ismarius* P.L. Duclos in J.C. Chenu, 1844 - syn of: [Conomurex persicus](#) W.J. Swainson, 1821
- **japonicus**, [Doxander japonicus](#) L.A. Reeve, 1851
- **jeffersonia**, *Tricornis jeffersonia* T.H. Van Hyning, 1945 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **jeffersonia**, *Strombus jeffersonia* T.H. Van Hyning, 1945 - syn of: [Lobatus costatus](#) (J.F. Gmelin, 1791)
- **kermadecensis**, [Euprotomus vomer kermadecensis](#) L. Bozzetti, 2009
- **kieneri**, *Dolomena kieneri* A. Issel & C.M. Tapparone-Canefri, 1876 - syn of: [Dolomena plicata siboldi](#) G.B. I Sowerby, 1842
- **kiwi**, [Euprotomus kiwi](#) L. Bozzetti & D.M. Sargent, 2011
- **kleckhamae**, [Barneystrombus kleckhamae](#) (W.O. Cernohorsky, 1971)
- **kleckhamae boholensis**, *Barneystrombus kleckhamae boholensis* H. Mühlhäusser, 1981 - syn of: [Barneystrombus boholensis](#) H. Mühlhäusser, 1981
- **klineorum**, [Canarium klineorum](#) R.T. Abbott, 1960
- **kochii**, *Pterocera kochii* C. Freyer, 1855 - syn of: [Harpago chiragra](#) (C. Linnaeus, 1758)
- **labiata**, *Lambis labiata* P.F. Röding, 1798 - syn of: [Canarium labiatum](#) (P.F. Röding, 1798)
- **labiatum**, [Canarium labiatum](#) (P.F. Röding, 1798)
- **labiatus olydius**, *Canarium labiatus olydius* P.L. Duclos, 1844 - syn of: [Canarium olydium](#) (P.L. Duclos, 1844)
- **labiosa**, [Dolomena labiosa](#) (W. Wood, 1828)
- **labiosa teschi**, [Dolomena labiosa teschi](#) W. Wood, 1828
- **laciniata**, *Lambis laciniata* P.F. Röding, 1798 - syn of: [Lambis lambis](#) (C. Linnaeus, 1758)
- **laciniatus**, *Strombus laciniatus* L.W. Dillwyn, 1817 - syn of: [Sinustrombus sinuatus](#) (J. Lightfoot, 1786)
- **laevilabris**, *Conomurex laevilabris* K.T. Menke, 1828 - syn of: [Conomurex decorus](#) (P.F. Röding, 1798)
- **laevis**, *Strombus laevis* G. Perry, 1811 - syn of: [Euprotomus bulla](#) (P.F. Röding, 1798)
- **lamareckii**, *Euprotomus lamareckii* J.E. Gray, 1842 - syn of: [Euprotomus aurisdianae](#) (C. Linnaeus, 1758)
- **lambis**, [Lambis lambis](#) (C. Linnaeus, 1758)
- **lambis adamii**, [Lambis lambis adamii](#) L. Bozzetti & T. Cossignani, 2003
- **lamboides**, *Lambis lamboides* P.F. Röding, 1798 - syn of: [Lambis lambis](#) (C. Linnaeus, 1758)
- **latissimus**, [Sinustrombus latissimus](#) (C. Linnaeus, 1758)
- **latissimus**, *Strombus latissimus* C. Linnaeus, 1758 - syn of: [Sinustrombus latissimus](#) (C. Linnaeus, 1758)
- **latus**, [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **latus**, *Strombus latus* J.F. Gmelin, 1791 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **latus arenensis**, [Persististrombus latus arenensis](#) F.R. Bernard, 1982
- **latus minima**, *Strombus latus minima* F.R. Bernard, 1984 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **latus portgentilensis**, [Persististrombus latus portgentilensis](#) F.R. Bernard, 1982
- **lentiginosus**, [Lentigo lentiginosus](#) (C. Linnaeus, 1758)
- **lentiginosus**, *Strombus lentiginosus* C. Linnaeus, 1758 - syn of: [Lentigo lentiginosus](#) (C. Linnaeus, 1758)
- **lineolatus**, *Strombus lineolatus* W. Wood, 1828 - syn of: [Hemisinus lineolatus](#) (W. Wood, 1828)
- **listeri**, [Mirabilistrombus listeri](#) (T. Gray, 1852)
- **litratus**, *Dolomena litratus* K.T. Menke, 1829 - syn of: [Dolomena variabilis](#) (W.J. Swainson, 1820)
- **litratus**, *Strombus litratus* K.T. Menke, 1829 - syn of: [Dolomena variabilis](#) (W.J. Swainson, 1820)
- **lobata**, *Lambis lobata* P.F. Röding, 1798 - syn of: [Lambis lambis](#) (C. Linnaeus, 1758)
- **lobatus**, *Tricornis lobatus* P.F. Röding, 1798 - syn of: [Sinustrombus sinuatus](#) (J. Lightfoot, 1786)
- **lobatus**, *Strombus lobatus* W.J. Swainson, 1823 - syn of: [Lobatus raninus](#) (J.F. Gmelin, 1791)
- **lucifer**, *Tricornis lucifer* C. Linnaeus, 1758 - syn of: [Lobatus gigas](#) (C. Linnaeus, 1758)
- **luguanus**, *Conomurex luguanus* J.F.W. Herbst, 1788 - syn of: [Conomurex luhuanus](#) (C. Linnaeus, 1758)
- **luhuanus**, [Conomurex luhuanus](#) (C. Linnaeus, 1758)
- **lutruanus**, *Conomurex lutruanus* L.W. Dillwyn, 1823 - syn of: [Conomurex decorus](#) (P.F. Röding, 1798)
- **maculata**, *Lambis maculata* P.F. Röding, 1798 - syn of: [Lambis lambis](#) (C. Linnaeus, 1758)
- **maculatum**, [Canarium maculatum](#) G.B. I Sowerby, 1842
- **maculatus**, *Strombus maculatus* G.B. I Sowerby, 1842 - syn of: [Canarium maculatum](#) G.B. I Sowerby, 1842
- **maculatus depauperatus**, [Canarium maculatus depauperatus](#) (P. Dautzenberg & J.L. Bouge, 1933)
- **magolecciai**, *Strombus magolecciai* O. Macsotay & B. Campos, 2001 - syn of: [Lobatus raninus](#) (J.F. Gmelin, 1791)

- **malekulensis**, *Strombus malekulensis* R. Abrard, 1946 - syn of: [Dolomena plicata](#) (P.F. Röding, 1798)
- **marginatus**, [Margistrombus marginatus](#) (C. Linnaeus, 1758)
- **marginatus**, *Strombus marginatus* C. Linnaeus, 1758 - syn of: [Margistrombus marginatus](#) (C. Linnaeus, 1758)
- **marginatus robustus**, *Margistrombus marginatus robustus* G.B. III Sowerby, 1874 - syn of: [Margistrombus robustus](#) G.B. III Sowerby, 1874
- **marginatus septimus**, *Margistrombus marginatus septimus* P.L. Duclos, 1844 - syn of: [Margistrombus septimus](#) P.L. Duclos, 1844
- **marginatus sowerbyorum**, [Margistrombus marginatus sowerbyorum](#) J.S. Visser & L.M. Man in't Veld, 2005
- **marginatus succinctus**, *Margistrombus marginatus succinctus* C. Linnaeus, 1767 - syn of: [Margistrombus succinctus](#) C. Linnaeus, 1767
- **masirensis**, [Conomurex decorus masirensis](#) R.G. Moolenbeek & H. Dekker, 1993
- **mauritianus**, *Conomurex mauritianus* J.B.P.A. Lamarck, 1822 - syn of: [Conomurex decorus](#) (P.F. Röding, 1798)
- **mauritianus**, *Strombus mauritianus* J.B.P.A. Lamarck, 1822 - syn of: [Conomurex decorus](#) (P.F. Röding, 1798)
- **mediterraneus**, *Strombus mediterraneus* P.L. Duclos, 1844 - syn of: [Persististrombus latus](#) (J.F. Gmelin, 1791)
- **melanostomus**, [Euprotomus aratum melanostomus](#) G.B. I Sowerby, 1825
- **microunceus**, [Canarium microunceus](#) T. Kira, 1959
- **millepeda**, [Lambis millepeda](#) (C. Linnaeus, 1758)
- **millipeda**, *Lambis millipeda* C. Linnaeus, 1758 - syn of: [Lambis millepeda](#) (C. Linnaeus, 1758)
- **minima**, [Dolomena minima](#) (C. Linnaeus, 1771)
- **minimus minor**, *Strombus minimus minor* R. Abrard, 1946 - syn of: [Dolomena pulchella](#) L.A. Reeve, 1851
- **mirabilis**, *Strombus mirabilis* G.B. II Sowerby, 1870 - syn of: [Mirabilistrombus listeri](#) (T. Gray, 1852)
- **multipes**, *Lambis multipes* G.B. Sowerby, 1842 - syn of: [Ophioglossolambis violacea](#) (W.J. Swainson, 1821)
- **mutabile**, [Canarium mutabile](#) W.J. Swainson, 1821
- **mutabilis citrinus**, [Canarium mutabilis citrinus](#) A. D'Attilio, 1980
- **mutabilis ochroglottis**, *Canarium mutabilis ochroglottis* R.T. Abbott, 1960 - syn of: [Canarium ochroglottis](#) R.T. Abbott, 1960
- **mutabilis rufescens**, [Canarium mutabilis rufescens](#) G. Prella, 2006
- **mutabilis zebriolatus**, [Canarium mutabilis zebriolatus](#) W. Adam & E.H.J. Lebus, 1938
- **nanus**, [Lobatus raninus nanus](#) B.R. Bales, 1938
- **nicaraguensis**, [Strombus pugilis nicaraguensis](#) W.H. Fluck, 1915
- **nigricans**, *Strombus nigricans* G. Perry, 1811 - syn of: [Harpago arthriticus](#) (P.F. Röding, 1798)
- **nodosa**, *Pterocera nodosa* J.B.P.A. Lamarck, 1816 - syn of: [Lambis scorpius](#) (C. Linnaeus, 1758)
- **norwegicus**, *Strombus norwegicus* J.F. Gmelin, 1791 - syn of: [Volutopsius norwegicus](#) (J.F. Gmelin, 1791)
- **novaezelandiae**, *Strombus novaezelandiae* L.A. Reeve, 1842 - syn of: [Euprotomus vomer](#) (P.F. Röding, 1798)
- **novaezelandiae**, *Euprotomus novaezelandiae* L.A. Reeve, 1842 - syn of: [Euprotomus vomer](#) (P.F. Röding, 1798)
- **novemdactylis**, *Lambis novemdactylis* G.P. Deshayes, 1843 - syn of: [Ophioglossolambis digitata](#) (G. Perry, 1811)
- **ochroglottis**, *Canarium ochroglottis* (R.T. Abbott, 1960) - syn of: [Canarium ochroglottis](#) R.T. Abbott, 1960
- **ochroglottis**, [Canarium ochroglottis](#) R.T. Abbott, 1960
- **ochroglottis betuleti**, *Canarium ochroglottis betuleti* G.C. Kronenberg, 1991 - syn of: [Canarium betuleti](#) (G.C. Kronenberg, 1991)
- **oldi**, [Tricornis oldi](#) (W.K. Emerson, 1965)
- **olydium**, [Canarium olydium](#) (P.L. Duclos, 1844)
- **olydius**, *Strombus olydius* P.L. Duclos, 1844 - syn of: [Canarium olydium](#) (P.L. Duclos, 1844)
- **orientalis**, *Strombus orientalis* P.L. Duclos in J.C. Chenu, 1844 - syn of: [Tricornis tricornis](#) (J. Lightfoot, 1786)
- **orosminus**, [Dolomena dilatata orosminus](#) P.L. Duclos, 1844
- **orrae**, [Canarium urceus orrae](#) R.T. Abbott, 1960
- **otiolium**, *Canarium otiolium* T. Iredale, 1931 - syn of: [Canarium labiatum](#) (P.F. Röding, 1798)
- **pacificus**, *Euprotomus pacificus* W.J. Swainson, 1821 - syn of: [Euprotomus vomer](#) (P.F. Röding, 1798)
- **palmatius**, *Tricornis palmatius* G. Fischer von Waldheim, 1807 - syn of: [Sinustrombus sinuatus](#) (J. Lightfoot, 1786)
- **papilio**, *Strombus papilio* J.H. Chemnitz in L.W. Dilwyn, 1817 - syn of: [Lentigo pipus](#) (P.F. Röding, 1798)
- **persicus**, *Strombus persicus* W.J. Swainson, 1821 - syn of: [Conomurex persicus](#) W.J. Swainson, 1821
- **persicus**, [Conomurex persicus](#) W.J. Swainson, 1821
- **pertinax**, *Strombus pertinax* P.L. Duclos in J.C. Chenu, 1844 - syn of: [Tricornis tricornis](#) (J. Lightfoot, 1786)
- **peruvianus**, [Lobatus peruvianus](#) (W.J. Swainson, 1823)
- **pespelecani**, *Strombus pespelecani* C. Linnaeus, 1758 - syn of: [Aporrhais pespelicani](#) (C. Linnaeus, 1758)
- **pictus**, *Tricornis pictus* P.F. Röding, 1798 - syn of: [Sinustrombus latissimus](#) (C. Linnaeus, 1758)
- **pilsbryi**, [Lambis pilsbryi](#) R.T. Abbott, 1961
- **pipus**, [Lentigo pipus](#) (P.F. Röding, 1798)
- **pipus**, *Strombus pipus* P.F. Röding, 1798 - syn of: [Lentigo pipus](#) (P.F. Röding, 1798)
- **plicata**, [Dolomena plicata](#) (P.F. Röding, 1798)
- **plicata columba**, *Dolomena plicata columba* J.B.P.A. Lamarck, 1822 - syn of: [Dolomena columba](#) J.B.P.A. Lamarck, 1822
- **plicata pulchella**, *Dolomena plicata pulchella* L.A. Reeve, 1851 - syn of: [Dolomena pulchella](#) L.A. Reeve, 1851
- **plicata sibbaldi**, [Dolomena plicata sibbaldi](#) G.B. I Sowerby, 1842
- **plicata yerburyi**, [Dolomena plicata yerburyi](#) (E.A. Smith, 1891)
- **plicatus**, *Canarium plicatus* J.B.P.A. Lamarck, 1816 - syn of: [Canarium labiatum](#) (P.F. Röding, 1798)
- **plicatus**, *Strombus plicatus* J.B.P.A. Lamarck, 1816 - syn of: [Canarium labiatum](#) (P.F. Röding, 1798)
- **plicatus**, *Strombus plicatus* P.F. Röding, 1798 - syn of: [Dolomena plicata](#) (P.F. Röding, 1798)
- **plicatus columba**, *Strombus plicatus columba* J.B.P.A. Lamarck, 1822 - syn of: [Dolomena columba](#) J.B.P.A. Lamarck, 1822
- **ponderosus**, *Tricornis ponderosus* R.A. Philippi, 1842 - syn of: [Thersistrombus thersites](#) (W.J. Swainson, 1823)
- **portgentilensis**, [Persististrombus latus portgentilensis](#) F.R. Bernard, 1982

- **praeranus**, *Lobatus praeranus* G.C. Kronenberg & H. Dekker, 2000 - syn of: [Lobatus raninus](#) (J.F. Gmelin, 1791)
- **pseudoscorpio**, *Lambis pseudoscorpio* J.B.P.A. Lamarck, 1822 - syn of: [Lambis robusta](#) (W.J. Swainson, 1821)
- **pugilis**, [Strombus pugilis](#) C. Linnaeus, 1758
- **pugilis nicaraguensis**, [Strombus pugilis nicaraguensis](#) W.H. Fluck, 1915
- **pugilis peculiaris**, *Strombus pugilis peculiaris* M. Smith, 1940 - syn of: [Strombus pugilis](#) C. Linnaeus, 1758
- **pugilis sloani**, [Strombus pugilis sloani](#) W.E. Leach, 1814
- **pugilis worki**, [Strombus pugilis worki](#) E.J. Petuch, 1993
- **pulchella**, *Dolomena pulchella* L.A. Reeve, 1851 - syn of: [Dolomena pulchella](#) L.A. Reeve, 1851
- **pulchella**, [Dolomena pulchella](#) L.A. Reeve, 1851
- **pulchellus**, *Strombus pulchellus* L.A. Reeve, 1851 - syn of: [Dolomena pulchella](#) L.A. Reeve, 1851
- **pusillus**, *Conomurex pusillus* H.E. Anton, 1839 - syn of: [Conomurex luhuanus](#) (C. Linnaeus, 1758)
- **pyrulatus**, *Strombus pyrulatus* J.B.P.A. Lamarck, 1822 - syn of: [Strombus alatus](#) J.F. Gmelin, 1791
- **quadratus**, *Strombus quadratus* G. Perry, 1811 - syn of: [Lobatus raninus](#) (J.F. Gmelin, 1791)
- **radians**, *Strombus radians* P.L. Duclos in J.C. Chenu, 1844 - syn of: [Canarium erythrinum](#) L.W. Dilwyn, 1817
- **radians**, *Canarium radians* P.L. Duclos in J.C. Chenu, 1844 - syn of: [Canarium erythrinum](#) L.W. Dilwyn, 1817
- **radix**, *Lambis radix* P.F. Röding, 1798 - syn of: [Lambis truncata](#) (J. Lightfoot, 1786)
- **rana**, *Lentigo rana* P.F. Röding, 1798 - syn of: [Lentigo lentiginosus](#) (C. Linnaeus, 1758)
- **raninus**, [Lobatus raninus](#) (J.F. Gmelin, 1791)
- **raninus**, *Strombus raninus* J.F. Gmelin, 1791 - syn of: [Lobatus raninus](#) (J.F. Gmelin, 1791)
- **raninus**, *Tricornis raninus* J.F. Gmelin, 1791 - syn of: [Lobatus raninus](#) (J.F. Gmelin, 1791)
- **raninus nanus**, [Lobatus raninus nanus](#) B.R. Bales, 1938
- **raybaudii**, [Conomurex decorus raybaudii](#) K. Nicolay & E. Romagna-Manoja, 1983
- **reticulata**, *Lambis reticulata* J.H.F. Link, 1807 - syn of: [Canarium labiatum](#) (P.F. Röding, 1798)
- **reticulatus**, *Canarium reticulatus* J.H.F. Link, 1807 - syn of: [Canarium urceus](#) (C. Linnaeus, 1758)
- **reticulatus**, *Strombus reticulatus* J.K. Megerle Von Mühlfeld, 1824 - syn of: [Rissoina bruguieri](#) (B.C.M. Payraudeau, 1826)
- **robusta**, [Lambis robusta](#) (W.J. Swainson, 1821)
- **robustus**, [Margistrombus robustus](#) G.B. III Sowerby, 1874
- **robustus**, *Strombus robustus* G.B. III Sowerby, 1875 - syn of: [Margistrombus robustus](#) G.B. III Sowerby, 1874
- **rubicundus**, *Canarium rubicundus* G. Perry, 1811 - syn of: [Canarium erythrinum](#) L.W. Dilwyn, 1817
- **rufescens**, [Canarium mutabilis rufescens](#) G. Prell, 2006
- **rugosa**, [Harpago chiragra rugosa](#) (G.B. Sowerby, 1842)
- **rugosum**, [Canarium rugosum](#) (G.B. I Sowerby, 1825)
- **rugosus**, *Strombus rugosus* W. Wood, 1828 - syn of: [Clypeomorus brevis](#) (J.R.C. Quoy & J.P. Gaimard, 1834)
- **ruppelli**, *Strombus ruppelli* L.A. Reeve, 1850 - syn of: [Canarium erythrinum](#) L.W. Dilwyn, 1817
- **ruppelli**, *Canarium ruppelli* L.A. Reeve, 1850 - syn of: [Canarium erythrinum](#) L.W. Dilwyn, 1817
- **samar**, *Canarium samar* L.W. Dilwyn, 1817 - syn of: [Tridentarius dentatus](#) (C. Linnaeus, 1758)
- **samar**, *Strombus samar* L.W. Dilwyn, 1817 - syn of: [Tridentarius dentatus](#) (C. Linnaeus, 1758)
- **samarensis**, *Canarium samarensis* L.A. Reeve, 1851 - syn of: [Tridentarius dentatus](#) (C. Linnaeus, 1758)
- **samarensis**, *Strombus samarensis* L.A. Reeve, 1851 - syn of: [Tridentarius dentatus](#) (C. Linnaeus, 1758)
- **samba**, *Tricornis samba* W.J. Clench, 1937 - syn of: [Lobatus gigas](#) (C. Linnaeus, 1758)
- **scalariformis**, [Canarium haemastoma scalariformis](#) P.L. Duclos, 1833
- **scalariformis**, *Canarium scalariformis* P.L. Duclos, 1833 - syn of: [Canarium haemastoma scalariformis](#) P.L. Duclos, 1833
- **scorpius**, [Lambis scorpius](#) (C. Linnaeus, 1758)
- **scorpius indomaris**, [Lambis scorpius indomaris](#) R.T. Abbott, 1961
- **sebae**, [Lambis truncata sebae](#) (L.C. Kiener, 1843)
- **septimus**, [Margistrombus septimus](#) P.L. Duclos, 1844
- **septimus**, *Margistrombus septimus* P.L. Duclos, 1844 - syn of: [Margistrombus septimus](#) P.L. Duclos, 1844
- **septimus**, *Strombus septimus* P.L. Duclos, 1844 - syn of: [Margistrombus septimus](#) P.L. Duclos, 1844
- **sibbaldi**, [Dolomena plicata sibbaldi](#) G.B. I Sowerby, 1842
- **simanoki**, [Margistrombus simanoki](#) V. Liverani, 2013
- **sinuatus**, [Sinustrombus sinuatus](#) (J. Lightfoot, 1786)
- **sinuatus**, *Strombus sinuatus* G. Perry, 1811 - syn of: [Lambis scorpius indomaris](#) R.T. Abbott, 1961
- **sinuatus**, *Strombus sinuatus* J. Lightfoot, 1786 - syn of: [Sinustrombus sinuatus](#) (J. Lightfoot, 1786)
- **sloani**, [Strombus pugilis sloani](#) W.E. Leach, 1814
- **solitaris**, *Tricornis solitaris* G. Perry, 1811 - syn of: [Lobatus gallus](#) (C. Linnaeus, 1758)
- **solitaris**, *Strombus solitaris* G. Perry, 1811 - syn of: [Lobatus gallus](#) (C. Linnaeus, 1758)
- **sowerbyi**, [Lambis truncata sowerbyi](#) (O.A.L. Mörch, 1872)
- **sowerbyi**, *Lambis sowerbyi* O.A.L. Mörch, 1872 - syn of: [Lambis truncata sowerbyi](#) (O.A.L. Mörch, 1872)
- **sowerbyorum**, [Margistrombus marginatus sowerbyorum](#) J.S. Visser & L.M. Man in't Veld, 2005
- **spectabilis**, [Lobatus costatus spectabilis](#) A.H. Verrill, 1950
- **stiva**, *Euprotomus stiva* P.F. Röding, 1798 - syn of: [Euprotomus aurisdianae](#) (C. Linnaeus, 1758)
- **striatogranosus**, *Euprotomus striatogranosus* E.C. Von Martens in K.A. Möbius, 1880 - syn of: [Euprotomus aurisdianae](#) (C. Linnaeus, 1758)
- **succinctus**, [Margistrombus succinctus](#) C. Linnaeus, 1767
- **sulcatus**, *Strombus sulcatus* G. Fischer von Waldheim, 1807 - syn of: [Lobatus raninus](#) (J.F. Gmelin, 1791)
- **sulcatus**, *Strombus sulcatus* H.S. Holton, 1802 - syn of: [Doxander vittatus](#) (C. Linnaeus, 1758)



- **sulcatus**, *Doxander sulcatus* H.S. Holton, 1802 - syn of: **[Doxander vittatus](#)** (C. Linnaeus, 1758)
- **swainsoni**, **[Dolomena swainsoni](#)** (L.A. Reeve, 1850)
- **taeniatus**, *Laevistrombus taeniatus* J.R.C. Quoy & J.P. Gaimard, 1834 - syn of: **[Laevistrombus canarium](#)** (C. Linnaeus, 1758)
- **tankervillei**, *Dolomena tankervillei* W.J. Swainson, 1823 - syn of: **[Dolomena columba](#)** J.B.P.A. Lamarck, 1822
- **tankervillei**, *Strombus tankervillei* W.J. Swainson, 1823 - syn of: **[Dolomena columba](#)** J.B.P.A. Lamarck, 1822
- **taurus**, **[Sinustrombus taurus](#)** (L.A. Reeve, 1857)
- **tautiranus**, *Strombus tautiranus* A. Curtis, 1938 - syn of: **[Lambis robusta](#)** (W.J. Swainson, 1821)
- **terebellatus**, **[Terestrombus terebellatus](#)** (G.B. I Sowerby, 1842)
- **terebellatus**, *Strombus terebellatus* G.B. I Sowerby, 1842 - syn of: **[Terestrombus terebellatus](#)** (G.B. I Sowerby, 1842)
- **terebellatus afrobellatus**, **[Terestrombus terebellatus afrobellatus](#)** (R.T. Abbott, 1960)
- **teschi**, **[Dolomena labiosa teschi](#)** W. Wood, 1828
- **thersites**, **[Thersistrombus thersites](#)** (W.J. Swainson, 1823)
- **thersites**, *Strombus thersites* W.J. Swainson, 1823 - syn of: **[Thersistrombus thersites](#)** (W.J. Swainson, 1823)
- **tricornis**, **[Tricornis tricornis](#)** (J. Lightfoot, 1786)
- **tricornis erythraeensis**, **[Tricornis tricornis erythraeensis](#)** E. Romagna-Manoja, 1977
- **tricornis indecoratus**, **[Tricornis tricornis indecoratus](#)** F.Jr. Lorenz & V. Wiese, 1990
- **tridentatum**, *Canarium tridentatum* J.F. Gmelin, 1791 - syn of: **[Tridentarius dentatus](#)** (C. Linnaeus, 1758)
- **tridentatus**, *Strombus tridentatus* J.F. Gmelin, 1791 - syn of: **[Tridentarius dentatus](#)** (C. Linnaeus, 1758)
- **troglydites**, *Strombus troglydites* J.B.P.A. Lamarck, 1822 - syn of: **[Dolomena minima](#)** (C. Linnaeus, 1771)
- **truncata**, **[Lambis truncata](#)** (J. Lightfoot, 1786)
- **truncata sebae**, **[Lambis truncata sebae](#)** (L.C. Kiener, 1843)
- **truncata sowerbyi**, **[Lambis truncata sowerbyi](#)** (O.A.L. Mörch, 1872)
- **tuberculatus**, *Strombus tuberculatus* I. von Born, 1778 - syn of: **[Batillaria sordida](#)** (J.F. Gmelin, 1791)
- **turturella**, **[Laevistrombus turturella](#)** (P.F. Röding, 1798)
- **turturella isabella**, **[Laevistrombus turturella isabella](#)** (J.B.P.A. Lamarck, 1810)
- **undulata**, *Lambis undulata* P.F. Röding, 1798 - syn of: **[Harpago chiragra](#)** (C. Linnaeus, 1758)
- **undulatus**, *Strombus undulatus* H.C. Küster, 1845 - syn of: **[Strombus alatus](#)** J.F. Gmelin, 1791
- **unicornis**, *Strombus unicornis* L.W. Dilwyn, 1817 - syn of: **[Tibia fusus](#)** (C. Linnaeus, 1758)
- **urceus**, **[Canarium urceus](#)** (C. Linnaeus, 1758)
- **urceus incisum**, **[Canarium urceus incisum](#)** (W. Wood, 1828)
- **urceus orrae**, **[Canarium urceus orrae](#)** R.T. Abbott, 1960
- **urceus ustulatus**, **[Canarium urceus ustulatus](#)** (H.C.F. Schumacher, 1817)
- **ustulatus**, **[Canarium urceus ustulatus](#)** (H.C.F. Schumacher, 1817)
- **ustulatus**, *Canarium ustulatus* H. Dodge, 1946 - syn of: **[Canarium urceus](#)** (C. Linnaeus, 1758)
- **vanikorensis**, *Strombus vanikorensis* J.R.C. Quoy & J.P. Gaimard, 1834 - syn of: **[Laevistrombus canarium](#)** (C. Linnaeus, 1758)
- **variabilis**, **[Dolomena variabilis](#)** (W.J. Swainson, 1820)
- **variabilis**, *Dolomena variabilis* E. Romagna-Manoja, 1980 - syn of: **[Dolomena variabilis athenius](#)** P.L. Duclos, 1844
- **variabilis**, *Strombus variabilis* W.J. Swainson, 1820 - syn of: **[Dolomena variabilis](#)** (W.J. Swainson, 1820)
- **variabilis athenius**, **[Dolomena variabilis athenius](#)** P.L. Duclos, 1844
- **variabilis palauensis**, *Dolomena variabilis palauensis* E. Romagna-Manoja, 1974 - syn of: **[Dolomena variabilis](#)** (W.J. Swainson, 1820)
- **velum**, *Lambis velum* P.F. Röding, 1798 - syn of: **[Lobatus gallus](#)** (C. Linnaeus, 1758)
- **velum**, *Tricornis velum* P.F. Röding, 1798 - syn of: **[Lobatus gallus](#)** (C. Linnaeus, 1758)
- **verrilli**, **[Lobatus gigas verrilli](#)** (J.T.L. McGinty, 1955)
- **vexillum**, *Strombus vexillum* J.F. Gmelin, 1791 - syn of: **[Vexilla vexillum](#)** (J.F. Gmelin, 1791)
- **violacea**, **[Ophioglossolambis violacea](#)** (W.J. Swainson, 1821)
- **violacea**, *Lambis violacea* W.J. Swainson, 1821 - syn of: **[Ophioglossolambis violacea](#)** (W.J. Swainson, 1821)
- **vittatus**, **[Doxander vittatus](#)** (C. Linnaeus, 1758)
- **vittatus**, *Strombus vittatus* C. Linnaeus, 1758 - syn of: **[Doxander vittatus](#)** (C. Linnaeus, 1758)
- **vittatus apicatus**, **[Doxander vittatus apicatus](#)** (L.M. Man in't Veld & J.S. Visser, 1993)
- **vittatus apicatus**, *Strombus vittatus apicatus* L.M. Man in't Veld & J.S. Visser, 1993 - syn of: **[Doxander vittatus apicatus](#)** (L.M. Man in't Veld & J.S. Visser, 1993)
- **vittatus australis**, *Doxander vittatus australis* J.S. Schröter, 1805 - syn of: **[Doxander vittatus](#)** (C. Linnaeus, 1758)
- **vittatus campbelli**, *Doxander vittatus campbelli* (E. Griffith & E. Pidgeon, 1834) - syn of: **[Doxander campbelli](#)** (E. Griffith & E. Pidgeon, 1834)
- **vittatus entropi**, **[Doxander vittatus entropi](#)** (L.M. Man in't Veld & J.S. Visser, 1993)
- **vittatus japonicus**, *Doxander vittatus japonicus* L.A. Reeve, 1851 - syn of: **[Doxander japonicus](#)** L.A. Reeve, 1851
- **vittatus turritus**, *Doxander vittatus turritus* J.B.P.A. Lamarck, 1822 - syn of: **[Doxander vittatus apicatus](#)** (L.M. Man in't Veld & J.S. Visser, 1993)
- **vomer**, **[Euprotomus vomer](#)** (P.F. Röding, 1798)
- **vomer**, *Strombus vomer* P.F. Röding, 1798 - syn of: **[Euprotomus vomer](#)** (P.F. Röding, 1798)
- **vomer hawaiiensis**, *Euprotomus vomer hawaiiensis* (H.A. Pilsbry, 1917) - syn of: **[Euprotomus hawaiiensis](#)** (H.A. Pilsbry, 1917)
- **vomer hirasei**, **[Euprotomus vomer hirasei](#)** J.T. Kuroda, 1942
- **vomer iredalei**, *Euprotomus vomer iredalei* (R.T. Abbott, 1960) - syn of: **[Euprotomus iredalei](#)** (R.T. Abbott, 1960)
- **vomer kermadecensis**, **[Euprotomus vomer kermadecensis](#)** L. Bozzetti, 2009
- **wheelwrighti**, *Lambis wheelwrighti* C. Greene, 1978 - syn of: **[Lambis arachnoides](#)** T. Shikama, 1971
- **wienekei**, **[Dolomena wienekei](#)** Wiersma & D. Monsecour, 2012
- **wilsoni**, *Strombus wilsoni* R.T. Abbott, 1967 - syn of: **[Canarium wilsonorum](#)** (R.T. Abbott, 1967)



- **wilsoni**, *Canarium wilsoni* R.T. Abbott, 1967 - syn of: **[Canarium wilsonorum](#)** (R.T. Abbott, 1967)
  - **wilsonorum**, **[Canarium wilsonorum](#)** (R.T. Abbott, 1967)
  - **wilsonorum**, *Strombus wilsonorum* E.J. Petuch, 1994 † - syn of: **[Lobatus raninus](#)** (J.F. Gmelin, 1791)
  - **worki**, **[Strombus pugilis worki](#)** E.J. Petuch, 1993
  - **yerburyi**, **[Dolomena plicata yerburyi](#)** (E.A. Smith, 1891)
  - **zebriolatus**, **[Canarium mutabilis zebriolatus](#)** W. Adam & E.H.J. Lebus, 1938
  - **zelandiae**, *Euprotomus zelandiae* J.E. Gray, 1826 - syn of: **[Euprotomus vomer](#)** (P.F. Röding, 1798)
  - **zonatus**, *Strombus zonatus* W. Wood, 1828 - syn of: **[Cerithium zonatum](#)** (W. Wood, 1828)
-

Class: GASTROPODA

--- Clade: CAENOGASTROPODA-HYPSOGASTROPODA-LITTORINIMORPHA-STROMBOIDEA

----- Family: **STROMBIDAE** Rafinesque, 1815

Habitat= Sea, Taxonomic order



Taxa=455, Genus=23, Subgenus=0, Species=91, Subspecies=45, Synonyms=295, Images=135

Genus: **Barneystrombus** T.J. Blackwood, 2009 (2 SP, 2 IMG)



1460000270  
**Barneystrombus  
bohollensis**

H. Mühlhäusser, 1981  
Philippines, Bohol Island  
65 mm




**synonyms:**

- Barneystrombus kleckhamae bohollensis H. Mühlhäusser, 1981



1450004025  
**Barneystrombus  
kleckhamae**

(W.O. Cernohorsky, 1971)  
Bohol, Philippines  
60 mm




Genus: **Canarium** H.C.F. Schumacher, 1817 (syn: Oostrombus, Strombidea, Fusistrombus, Hawaiistrombus - 15 SP, 24 IMG)



5238000002  
**Canarium  
betuleti**

(G.C. Kronenberg, 1991)  
Sri Lanka  
20 mm



**synonyms:**

- Canarium ochroglottis betuleti G.C. Kronenberg, 1991



1450000080  
**Canarium  
erythrinum**

L.W. Dillwyn, 1817  
Philippines, Cebu  
35,5 mm



**synonyms:**

- Canarium crassilabrum H.E. Anton, 1838
- Strombus erythrinus L.W. Dillwyn, 1817
- Canarium radians P.L. Duclos in J.C. Chenu, 1844
- Strombus ruppelli L.A. Reeve, 1850
- Strombus elegans G.B. II Sowerby, 1842
- Strombus radians P.L. Duclos in J.C. Chenu, 1844
- Canarium rubicundus G. Perry, 1811
- Canarium ruppelli L.A. Reeve, 1850



1460000100  
**Canarium  
erythrinum  
elegans**

G.B. I Sowerby, 1842  
New Caledonia  
29 mm



**synonyms:**

- Canarium elegans G.B. I Sowerby, 1842




1450000095  
**Canarium  
fusiforme**

G.B. I Sowerby, 1842  
Israel  
35 mm





1450004020  
**Canarium  
 haemastoma**  
 (G.B. II Sowerby, 1842)  
 Marshall Islands, Kwajalein Atoll  
 19 mm




**synonyms:**

- *Canarium haemostoma* G.B. II Sowerby, 1842



1460001050  
**Canarium  
 haemastoma  
 scalariformis**  
 P.L. Duclos, 1833  
 Guam  
 18 mm





**synonyms:**

- *Canarium scalariformis* P.L. Duclos, 1833



1450000155  
**Canarium  
 hellii**  
 (L.C. Kiener, 1843)  
 Hawaii  
 13 mm





**synonyms:**


- *Strombus hellii* L.C. Kiener, 1843



1450000170  
**Canarium  
 klineorum**  
 R.T. Abbott, 1960  
 Sri Lanka  
 31 mm



1450000175  
**Canarium  
 labiatum**  
 (P.F. Röding, 1798)  
 Philippines, Samar Island  
 43,6 mm



**synonyms:**

- *Canarium corrugatus* A. Adams & L.A. Reeve, 1850
- *Canarium otium* T. Iredale, 1931
- *Strombus plicatus* J.B.P.A. Lamarck, 1816
- *Lambis labiata* P.F. Röding, 1798
- *Canarium plicatus* J.B.P.A. Lamarck, 1816
- *Lambis reticulata* J.H.F. Link, 1807



1450000215  
**Canarium  
 maculatum**  
 G.B. I Sowerby, 1842  
 Hawaii  
 31 mm





**synonyms:**

- *Canarium floridus depauperata* P. Dautzenberg & J.L. Bouge, 1933
- *Strombus maculatus* G.B. I Sowerby, 1842





1450004035  
**Canarium  
 maculatum  
 depauperatus**  
 (P. Dautzenberg & J.L. Bouge, 1933)  
 Easter Island  
 24 mm









1450000240  
**Canarium microunceus**  
T. Kira, 1959  
Philippines, Masbate Island  
20 mm



1450000250  
**Canarium mutabile**  
W.J. Swainson, 1821  
Philippines, Mactan Island  
36,3 mm





**synonyms:**


- *Canarium epimellus* P.L. Duclos in J.C. Chenu, 1844
- *Canarium floridus* J.B.P.A. Lamarck, 1818
- *Canarium flammeus* J.H.F. Link, 1807
- *Canarium fuscus* O.A.L. Mörch, 1852



1460000120  
**Canarium mutabilis citrinus**  
A. D'Attilio, 1980  
Madagascar  
33 mm




1460001046  
**Canarium mutabilis rufescens**  
G. Prelle, 2006  
Fort Dauphin, Madagascar  
31 mm



1450000255  
**Canarium mutabilis zebriolatus**  
W. Adam & E.H.J. Leleup, 1938  
Philippines, Samar Island  
37,8 mm



1460000870  
**Canarium ochroglottis**  
R.T. Abbott, 1960  
Tahiti  
34,5 mm



**synonyms:**

- *Canarium mutabilis ochroglottis* R.T. Abbott, 1960
- *Canarium ochroglottis* (R.T. Abbott, 1960)



5238000005  
**Canarium olydium**  
(P.L. Duclos, 1844)  
Nacala Bay, Mozambique  
32 mm




**synonyms:**

- *Canarium labiatum olydium* P.L. Duclos, 1844
- *Strombus olydium* P.L. Duclos, 1844



1450000320  
**Canarium rugosum**  
(G.B. I Sowerby, 1825)  
Tonga Islands  
29 mm



**synonyms:**

- *Canarium erythrinus rugosus* G.B. I Sowerby, 1825



1450000360  
**Canarium urceus**  
(C. Linnaeus, 1758)  
Philippines, Palawan Island  
53,6 mm





**synonyms:**


- *Canarium anatelus* P.L. Ducos in J.C. Chenu, 1844
- *Canarium reticulatus* J.H.F. Link, 1807
- *Canarium ustulatus* H. Dodge, 1946



1450000365  
**Canarium incisum**  
(W. Wood, 1828)  
Philippines, Masbate Island  
49 mm




1450000370  
**Canarium orrae**  
R.T. Abbott, 1960  
Australia, Port Hedland  
50,5 mm



1450000375  
**Canarium ustulatus**  
(H.C.F. Schumacher, 1817)  
Taiwan  
58 mm



1450000410  
**Canarium wilsonorum**  
(R.T. Abbott, 1967)  
Philippines, Olango Island  
28 mm



**synonyms:**

- *Canarium wilsoni* R.T. Abbott, 1967
- *Strombus wilsoni* R.T. Abbott, 1967

**Genus: Conomurex** P. Fischer, 1884 ex Bayle MS (5 SP, 9 IMG)



1460000220  
**Conomurex conformis**  
(G.B. I Sowerby, 1842)  
Oman, Masrah Island  
40 mm





**synonyms:**

- *Conomurex decorus conformis* (G.B. I Sowerby, 1842)



1450000045  
**Conomurex decorus**  
(P.F. Röding, 1798)  
Mauritius  
55 mm




**synonyms:**

- *Conomurex cylindricus* W.J. Swainson, 1821
- *Strombus decorus* P.F. Röding, 1798
- *Conomurex lutruanus* L.W. Dilwyn, 1823
- *Strombus mauritanus* J.B.P.A. Lamarck, 1822
- *Conomurex laevibris* K.T. Menke, 1828
- *Conomurex mauritanus* J.B.P.A. Lamarck, 1822







1460000210  
**Conomurex decorus masirensis**  
 R.G. Moolenbeek & H. Dekker, 1993  
 Oman, Masirah Island  
 40 mm



1460000200  
**Conomurex decorus raybaudii**  
 K. Nicolay & E. Romagna-Manoja, 1983  
 Greece, Rhodos  
 47 mm



1450000085  
**Conomurex fasciatus**  
 (I. von Born, 1778)  
 Ethiopia, Dahlak Archipelago  
 52,5 mm



**synonyms:**

- *Strombus fasciatus* I. von Born, 1778



1460000560  
**Conomurex fasciatus dehelensis**  
 Ostini & Rigoletti, 1983  
 Red Sea  
 41 mm



1460000550  
**Conomurex fasciatus elegans**  
 E. Romagna-Manoja, 1973  
 Sudan  
 39 mm



1450000210  
**Conomurex luhuanus**  
 (C. Linnaeus, 1758)  
 Philippines, Bohol Island  
 47 mm




**synonyms:**

- *Conomurex luhuanus* J.F.W. Herbst, 1788
- *Conomurex pusillus* H.E. Anton, 1839



1450000050  
**Conomurex persicus**  
 W.J. Swainson, 1821  
 Greece, Rhodos  
 58 mm



**synonyms:**

- *Strombus belutschensis* J.C. MeVill, 1898
- *Strombus decorus raybaudii* K. Nicolay & E. Romagna-Manoja, 1983
- *Strombus persicus* W.J. Swainson, 1821
- *Conomurex decorus persicus* W.J. Swainson, 1821
- *Strombus ismaricus* P.L. Duclos in J.C. Chenu, 1844

**Genus: Dolomena** T. Iredale, 1931 (syn: *Ministrombus* - 11 SP, 15 IMG)







523800001  
**Dolomena**  
**abbotti**

A.M. Dekkers & V. Liverani, 2011

Malaysia, Borneo  
35,9 mm



1450000290  
**Dolomena**  
**columba**

J.B.P.A. Lamarck, 1822

Mozambique, Nacala Bay  
58,8 mm



**synonyms:**



- *Dolomena plicata columba* J.B.P.A. Lamarck, 1822
- *Strombus plicatus columba* J.B.P.A. Lamarck, 1822
- *Dolomena tankervillei* W.J. Swainson, 1823
- *Strombus tankervillei* W.J. Swainson, 1823



1450000065  
**Dolomena**  
**dilatata**

(W.J. Swainson, 1821)


Australia, Townsville  
58,2 mm



1450000070  
**Dolomena**  
**dilatata**  
**orosminus**

P.L. Duclos, 1844


Philippines, Mactan Island  
49,9 mm



1450004095  
**Dolomena**  
**hickeyi**

R.C. Willan, 2000

Philippines, Bohol Island  
54,8 mm



**synonyms:**


- *Labiostrombus hickeyi* R.C. Willan, 2000



1450000185  
**Dolomena**  
**labiosa**

(W. Wood, 1828)


Madagascar, Tulear  
59,8 mm



1450004030  
**Dolomena**  
**labiosa**  
**teschi**

W. Wood, 1828

Andaman Sea of Thailand



1450000245  
**Dolomena**  
**minima**

(C. Linnaeus, 1771)

Philippines, Palawan Island  
38 mm




**synonyms:**

- *Strombus troglodytes* J.B.P.A. Lamarck, 1822



1450000285  
**Dolomena plicata**  
 (P.F. Röding, 1798)  
 Somalia  
 35,7 mm



**synonyms:**

- *Strombus deformis* J.E. Gray in E. Griffith & E. Pidgeon, 1834
- *Strombus malekulensis* R. Abrard, 1946

- *Strombus plicatus* P.F. Röding, 1798



1450000300  
**Dolomena plicata sibbaldi**  
 G.B. I Sowerby, 1842  
 Madras, India  
 33 mm



**synonyms:**

- *Dolomena kieneri* A. Issel & C.M. Tapparone-Canefri, 1876




5238000013  
**Dolomena plicata yerburyi**  
 (E.A. Smith, 1891)

No Georeferenced data available



1450000295  
**Dolomena pulchella**  
 L.A. Reeve, 1851  
 Philippines, Balicasag Island  
 37,6 mm




**synonyms:**

- *Strombus minimus minor* R. Abrard, 1946
- *Dolomena plicata pulchella* L.A. Reeve, 1851
- *Strombus pulchellus* L.A. Reeve, 1851

- *Dolomena pulchella* L.A. Reeve, 1851



14500004070  
**Dolomena swainsoni**  
 (L.A. Reeve, 1850)  
 Vietnam, Nah Trang  
 71 mm



**synonyms:**

- *Dolomena dilatata swainsoni* L.A. Reeve, 1850



1450000380  
**Dolomena variabilis**  
 (W.J. Swainson, 1820)  
 Philippines, Palawan Island  
 44 mm



**synonyms:**

- *Dolomena lituratus* K.T. Menke, 1829
- *Strombus variabilis* W.J. Swainson, 1820

- *Strombus lituratus* K.T. Menke, 1829
- *Dolomena variabilis palauensis* E. Romagna-Manoja, 1974



1450000385  
**Dolomena variabilis athenius**  
 P.L. Duclos, 1844  
 Philippines, Balut Island  
 35 mm



**synonyms:**


- *Dolomena variabilis* E. Romagna-Manoja, 1980





5238000009  
**Dolomena  
wienekei**

Wiersma & D. Monsecour, 2012  
Papua New Guinea  
35 mm




**Genus: Doxander** T. Iredale, 1931 (3 SP, 5 IMG)



1450000025  
**Doxander  
campbelli**

(E. Griffith & E. Pidgeon, 1834)  
Australia, Port Hedland  
48,7 mm



**synonyms:**



- Strombus campbelli E. Griffith & E. Pidgeon, 1834
- Alaba sulcata R.B. Watson, 1886

- Doxander vittatus campbelli (E. Griffith & E. Pidgeon, 1834)



1450000055  
**Doxander  
japonicus**

L.A. Reeve, 1851  
Japan, Aichi  
55 mm




**synonyms:**

- Doxander vittatus japonicus L.A. Reeve, 1851



1450000390  
**Doxander  
vittatus**

(C. Linnaeus, 1758)  
Andaman Sea of Thailand  
94 mm



**synonyms:**


- Strombus elatus H.E. Anton, 1838
- Doxander elatus H.E. Anton, 1839
- Doxander sulcatus H.S. Holton, 1802
- Doxander vittatus australis J.S. Schröter, 1805

- Strombus sulcatus H.S. Holton, 1802
- Strombus vittatus C. Linnaeus, 1758



1450000395  
**Doxander  
vittatus  
apicatus**

(L.M. Man in't Veld & J.S. Visser, 1993)  
Tioman Island, Malaysia



**synonyms:**


- Doxander australis J.S. Schröter, 1805
- Strombus vittatus apicatus L.M. Man in't Veld & J.S. Visser, 1993

- Doxander vittatus turritus J.B.P.A. Lamarck, 1822



1450000400  
**Doxander  
vittatus  
entropi**

(L.M. Man in't Veld & J.S. Visser, 1993)  
Philippines  
73 mm




**Genus: Euprotomus** T.N. Gill, 1870 (syn: Monodactylus - 9 SP, 12 IMG)



1450000005  
**Euprotomus  
atratum**

(P.F. Röding, 1798)  
Thailand, Phuket  
85,7 mm



**synonyms:**

- Euprotomus adusta L.W. Dilwyn, 1817



- Euprotomus aurisdianae P.F. Röding, 1798







1460000400  
**Euprotomus  
aratrum  
melanostomus**  
G.B. I Sowerby, 1825

Vietnam  
82 mm



1450000010  
**Euprotomus  
aurisdianae**  
(C. Linnaeus, 1758)  
Philippines, Bohol Island  
51 mm




**synonyms:**

- Euprotomus buris P.F. Röding, 1798
- Euprotomus stiva P.F. Röding, 1798


- Euprotomus lamarckii J.E. Gray, 1842
- Euprotomus striatigranulosus E.C. Von Martens in K.A. Möbius, 1880



1450000015  
**Euprotomus  
aurora**  
G.C. Kronenberg, 2002  
Madagascar, Tulcar  
70 mm



1450000020  
**Euprotomus  
bulla**  
(P.F. Röding, 1798)  
Philippines, Masbate Island  
46,3 mm



**synonyms:**

- Strombus bulla P.F. Röding, 1798
- Strombus laevis G. Perry, 1811

- Strombus guttatus L.A. Reeve, 1843



1450004000  
**Euprotomus  
chrysostomus**  
(J.T. Kuroda, 1942)  
Philippines, Mindanao  
86 mm



**synonyms:**

- Euprotomus aratrum chrysostomus (J.T. Kuroda, 1942)



1460000910  
**Euprotomus  
hawaiiensis**  
(H.A. Pilsbry, 1917)  
Hawaii  
72 mm



**synonyms:**

- Euprotomus vomer hawaiiensis (H.A. Pilsbry, 1917)



1450000160  
**Euprotomus  
iredalei**  
(R.T. Abbott, 1960)  
West Australia, Dampier Archipelago  
67,5 mm



**synonyms:**



- Strombus australis G.B. II Sowerby, 1842
- Euprotomus vomer iredalei (R.T. Abbott, 1960)



5238000006  
**Euprotomus  
kiwi**

L. Bozzetti & D.M. Sargent, 2011


Raoul Island  
91,5 mm



1450000405  
**Euprotomus  
vomer**

(P.F. Röding, 1798)

Japan, Okinawa  
97,4 mm



**synonyms:**


- Euprotomus acutus G. Perry, 1811
- Euprotomus chemnitzii L. Pfeiffer, 1840
- Strombus novaezelandiae L.A. Reeve, 1842
- Euprotomus pacificus W.J. Swanson, 1821
- Euprotomus zelandiae J.E. Gray, 1826
- Euprotomus donnellyi T. Iredale, 1931
- Euprotomus novaezelandiae L.A. Reeve, 1842
- Strombus vomer P.F. Röding, 1798



1460000920  
**Euprotomus  
vomer  
hirasei**


J.T. Kuroda, 1942

Japan  
54,8 mm



1460001077  
**Euprotomus  
vomer  
kermadecensis**  
L. Bozzetti, 2009

Kermadecs, Raoul Island



**Genus: Gibberulus** F.P. Jousseume, 1888 (1 SP, 3 IMG)



1450000105  
**Gibberulus  
gibberulus**

(C. Linnaeus, 1758)


Philippines, Samar Island  
51 mm



1450000110  
**Gibberulus  
gibberulus  
albus**

(O.A.L. Mörch, 1850)

Egypt, Sinai Peninsula  
52 mm



**synonyms:**

- Strombus gibberulus albus O.A.L. Mörch, 1850
- Strombus gibberulus rhodostomus E.C. Von Martens, 1869
- Gibberulus gibberulus rhodostomus E.C. Von Martens, 1869



1450000115  
**Gibberulus  
gibberulus  
gibbosus**

P.F. Röding, 1798

Philippines, Negros Island  
40 mm



**synonyms:**



- Gibberulus gibbosa P.F. Röding, 1798

**Genus: Harpago** O.A.L. Mörch, 1852 (2 SP, 3 IMG)





1450500010  
**Harpago arthriticus**  
 (P.F. Röding, 1798)  
 Philippines, Palawan Island  
 120 mm




**synonyms:**

- Lambis chiragra arthritica P.F. Röding, 1798
- Strombus divergens G. Perry, 1811

- Strombus nigricans G. Perry, 1811



1450500005  
**Harpago chiragra**  
 (C. Linnaeus, 1758)  
 Philippines, Palawan Island  
 136 mm



**synonyms:**

- Strombus chiragra C. Linnaeus, 1758
- Lambis harpago P.F. Röding, 1798
- Lambis undulata P.F. Röding, 1798

- Lambis chiragra C. Linnaeus, 1758
- Pterocera kochii C. Freyer, 1855




1460000950  
**Harpago chiragra rugosa**  
 (G.B. Sowerby, 1842)  
 Philippines, Olango Island  
 180 mm



**Genus: Labiostrombus** C.H. Oostingh, 1925 (syn: Gallinula - 1 SP, 1 IMG)



1450000075  
**Labiostrombus epidromis**  
 (C. Linnaeus, 1758)  
 Thailand, Phuket  
 88,5 mm





**synonyms:**

- Atrombus expansus G.W. Tryon, 1885

**Genus: Laevistrombus** T. Kira, 1955 (2 SP, 4 IMG)



1450000030  
**Laevistrombus canarium**  
 (C. Linnaeus, 1758)  
 Philippines, Bohol Island  
 55 mm




**synonyms:**

- Laevistrombus gibbus A. Issel & C.M. Tapparone-Canefri, 1876
- Strombus vanikorensis J.R.C. Quoy & J.P. Gaimard, 1834


- Laevistrombus taeniatus J.R.C. Quoy & J.P. Gaimard, 1834



1450000145  
**Laevistrombus canarium guidoi**  
 (L.M. Man in't Veld & K. De Turck, 1998)  
 New Hebrides, Vanuatu Island  
 82,1 mm





1450000355  
**Laevistrombus turturella**  
 (P.F. Röding, 1798)  
 Philippines, Masbate Island  
 65,3 mm







1450004060  
**Laevistrombus  
 turturella  
 isabella**  
 (J.B.P.A. Lamarck, 1810)  
 Singapore  
 62 mm




**synonyms:**

- *Laevistrombus canarium isabella* J.B.P.A. Lamarck, 1810

**Genus: Lambis** P.F. Röding, 1798 (syn: *Digitator*, *Heptadactylus*, *Pterocera*, *Pteroceras*, *Pteroceres*, *Pterocerus*, *Millepes* - 9 SP, 13 IMG)



1450500000  
**Lambis  
 arachnoides**  
 T. Shikama, 1971  
 Philippines, Olango Island  
 235 mm




**synonyms:**


- *Lambis wheelwrighti* C. Greene, 1978



1460000500  
**Lambis  
 cristinae**  
 L. Bozzetti, 1999  
 Philippines, Palawan Island  
 144 mm



1450500020  
**Lambis  
 crocata**  
 (J.H.F. Link, 1807)  
 Philippines, Bohol Island  
 111 mm




**synonyms:**

- *Lambis aculeatus* G. Perry, 1811
- *Lambis aurantia* J.B.P.A. Lamarck, 1822
- *Lambis aurantiacum* G.B. I Sowerby, 1825



1450500035  
**Lambis  
 lambis**  
 (C. Linnaeus, 1758)  
 Olango Island, Philippines  
 146 mm




**synonyms:**

- *Lambis camelus* J.E. Gray in P.P. King, 1826
- *Lambis hermaphrodita* P.F. Röding, 1798
- *Lambis lamboides* P.F. Röding, 1798
- *Lambis maculata* P.F. Röding, 1798
- *Lambis cerea* P.F. Röding, 1798
- *Lambis laciniata* P.F. Röding, 1798
- *Lambis lbata* P.F. Röding, 1798



1450500040  
**Lambis  
 lambis  
 adamii**  
 L. Bozzetti & T. Cossignani, 2003  
 Philippines, Balut Island  
 37 mm



1450500045  
**Lambis  
 millepeda**  
 (C. Linnaeus, 1758)  
 Philippines, Camotes Island  
 143 mm





**synonyms:**

- *Lambis millepeda* C. Linnaeus, 1758



1450500025  
**Lambis**  
**pilsbryi**

R.T. Abbott, 1961  
Marquesas Islands, Nuku Hiva  
158 mm





**synonyms:**

- Lambis crocata pilsbryi R.T. Abbott, 1961



1450500050  
**Lambis**  
**robusta**

(W.J. Swainson, 1821)  
Tahiti  
133,1 mm




**synonyms:**

- Lambis pseudoscorpio J.B.P.A. Lamarck, 1822
- Strombus tauritanus A. Curtiss, 1938



1450500055  
**Lambis**  
**scorpius**

(C. Linnaeus, 1758)  
Madagascar, Tular  
133,4 mm




**synonyms:**

- Pterocera nodosa J.B.P.A. Lamarck, 1816



1450500060  
**Lambis**  
**scorpius**  
**indomaris**

R.T. Abbott, 1961  
Thailand, Phuket  
133 mm



**synonyms:**

- Lambis indomaris R.T. Abbott, 1961
- Strombus sinuatus G. Perry, 1811



1450500065  
**Lambis**  
**truncata**

(J. Lightfoot, 1786)  
Philippines, Palawan Island  
315 mm




**synonyms:**

- Lambis bengalina J.P.S. Grateloup, 1840
- Lambis davilae P.F. Röding, 1798
- Lambis bryonia J.F. Gmelin, 1791
- Lambis radix P.F. Röding, 1798




1460000540  
**Lambis**  
**truncata**  
**sebae**

(L.C. Kiener, 1843)  
West Java, Indonesia  
280 mm



5238000011  
**Lambis**  
**truncata**  
**sowerbyi**

(O.A.L. Mörch, 1872)  
Philippines, Palawan Island  
280 mm



**synonyms:**



- Lambis sowerbyi O.A.L. Mörch, 1872

**Genus: Lentigo** F.P. Jousseaume, 1886 (2 SP, 2 IMG)





1450400000  
**Lentigo  
 lentiginosus**  
 (C. Linnaeus, 1758)  
 Philippines, Bohol Island  
 66 mm




**synonyms:**

- *Strombus lentiginosus* C. Linnaeus, 1758
- *Lentigo rana* P.F. Röding, 1798



1450000280  
**Lentigo  
 pipus**  
 (P.F. Röding, 1798)  
 Philippines, Bohol Island  
 54 mm




**synonyms:**

- *Strombus adustus* W.J. Swainson in L.A. Reeve, 1851
- *Strombus exustus* W.J. Swainson, 1822
- *Strombus papilio* J.H. Chemnitz in L.W. Dillwyn, 1817
- *Strombus exutus* W.J. Swainson, 1822
- *Strombus pipus* P.F. Röding, 1798

**Genus: Lobatus** W.J. Swainson, 1837 (syn: *Aliger*, *Eustrombus*, *Titanostrombus*, *Macrostrombus*, *Latiolais* - 7 SP, 10 IMG)



1450000040  
**Lobatus  
 costatus**  
 (J.F. Gmelin, 1791)  
 Brasil, Fortaleza  
 153 mm



**synonyms:**

- *Strombus accipiter* L.W. Dillwyn, 1817
- *Lambis accipitrina* P.F. Röding, 1798
- *Strombus costatus* J.F. Gmelin, 1791
- *Strombus costatus griffini* E.J. Petuch, 1994 †
- *Tricornis inermis* W.J. Swainson, 1822
- *Tricornis integer* W.J. Swainson, 1823
- *Tricornis jeffersonia* T.H. Van Hyning, 1945
- *Tricornis accipiter* L.W. Dillwyn, 1817
- *Tricornis accipitrina* P.F. Röding, 1798
- *Strombus costatus aguayoi* M.L. Jaume & Vale, 1947
- *Strombus inermis* W.J. Swainson, 1822
- *Strombus integer* W.J. Swainson, 1823
- *Strombus jeffersonia* T.H. Van Hyning, 1945



1460000650  
**Lobatus  
 costatus  
 spectabilis**  
 A.H. Verrill, 1950  
 Recife, Brasil  
 162 mm



1460000660  
**Lobatus  
 galeatus**  
 (W.J. Swainson, 1823)  
 Costa Rica  
 230 mm



**synonyms:**

- *Tricornis crenatus* G.B. I Sowerby, 1825
- *Strombus galea* W. Wood, 1828
- *Strombus galeatus* W.J. Swainson, 1823
- *Tricornis galea* W. Wood, 1825



1450000100  
**Lobatus  
 gallus**  
 (C. Linnaeus, 1758)  
 Cuba  
 125 mm




**synonyms:**

- *Strombus gallus* C. Linnaeus, 1758
- *Tricornis solitarius* G. Perry, 1811
- *Lambis velum* P.F. Röding, 1798
- *Strombus solitarius* G. Perry, 1811
- *Tricornis velum* P.F. Röding, 1798





1450000125  
**Lobatus gigas**  
 (C. Linnaeus, 1758)  
 Bahamas  
 235 mm




**synonyms:**

- *Strombus canaliculatus* L.A. Burry, 1949
- *Strombus gigas pahayokee* E.J. Petuch, 1994
- *Tricomis lucifer* C. Linnaeus, 1758
- *Strombus gigas* C. Linnaeus, 1758
- *Tricomis horridus* M. Smith, 1940
- *Tricomis samba* W.J. Clench, 1937



5238000010  
**Lobatus gigas verrilli**  
 (J.T.L. McGinty, 1955)  
 Florida



1450000130  
**Lobatus goliath**  
 (J.S. Schröter, 1805)  
 Brasil, Recife  
 318 mm



**synonyms:**

- *Strombus goliath* J.S. Schröter, 1805



1450000275  
**Lobatus peruvianus**  
 (W.J. Swainson, 1823)  
 Tumbes, Peru  
 215 mm



1450000315  
**Lobatus raninus**  
 (J.F. Gmelin, 1791)  
 Puerto Rico  
 96 mm



**synonyms:**

- *Strombus bituberculatus* J.B.P.A. Lamarck, 1822
- *Strombus costosomuricatus* O.A.L. Mörch, 1852
- *Lobatus fetus* P.O. Jung & S.M. Heitz, 2001
- *Strombus magolectai* O. Macsotay & B. Campos, 2001
- *Strombus quadratus* G. Perry, 1811
- *Strombus raninus* J.F. Gmelin, 1791
- *Strombus wilsonorum* E.J. Petuch, 1994 †
- *Lobatus costosomuricatus* O.A.L. Mörch, 1852
- *Strombus lobatus* W.J. Swainson, 1823
- *Lobatus praeeraninus* G.C. Kronenberg & H. Dekker, 2000
- *Tricomis raninus* J.F. Gmelin, 1791
- *Strombus sulcatus* G. Fischer von Walckheim, 1807





1460000720  
**Lobatus raninus nanus**  
 B.R. Bales, 1938  
 Los Roques, Venezuela  
 50 mm



**Genus: Margistrombus** K. Bandel, 2007 (syn: Neodiatlabrum - 5 SP, 6 IMG)



1450000220  
**Margistrombus marginatus**  
 (C. Linnaeus, 1758)  
 South China Sea  
 51 mm





**synonyms:**


- *Strombus marginatus* C. Linnaeus, 1758



1450000230  
**Margistrombus marginatus sowerbyorum**  
 J.S. Visser & L.M. Man in't Veld, 2005  
 Thailand, Pattani  
 44,3 mm



1450004040  
**Margistrombus robustus**  
 G.B. III Sowerby, 1874  
 Brunei  
 33,8 mm





**synonyms:**

- Margistrombus marginatus robustus G.B. III Sowerby, 1874

- Strombus robustus G.B. III Sowerby, 1875



1450000225  
**Margistrombus septimus**  
 P.L. Duclos, 1844  
 Malaysia  
 50,2 mm



**synonyms:**

- Margistrombus marginatus septimus P.L. Duclos, 1844
- Margistrombus septimus P.L. Duclos, 1844


- Strombus septimus P.L. Duclos, 1844



5238000008  
**Margistrombus simanoki**  
 V. Liverani, 2013  
 Indonesia, Tapaktuan  
 53,6 mm



1450000235  
**Margistrombus succinctus**  
 C. Linnaeus, 1767  
 India, Madras  
 57 mm




**synonyms:**

- Margistrombus marginatus succinctus C. Linnaeus, 1767

**Genus: Mirabilistrombus** G.C. Kronenberg, 1999 (1 SP, 1 IMG)



1450000205  
**Mirabilistrombus listeri**  
 (T. Gray, 1852)  
 Thailand, Phuket  
 120 mm



**synonyms:**

- Strombus mirabilis G.B. II Sowerby, 1870

**Genus: Persististrombus** G.C. Kronenberg & Y.C. Lee, 2007 (syn: Afristrombus, Thetystrombus - 2 SP, 5 IMG)



1450000140  
**Persististrombus granulatus**  
 (W.J. Swainson, 1822)  
 El Salvador  
 46,1 mm




**synonyms:**

- Strombus granulatus acutus J.W. Durham, 1950 †






1460000570  
**Persististrombus  
 granulatus  
 cortezianus**  
 J.W. Durham, 1962  
 Isla San Pedro, Mexico  
 85 mm



1450000195  
**Persististrombus  
 latus**  
 (J.F. Gmelin, 1791)  
 Cape Verde  
 123,5 mm



**synonyms:**

- *Strombus adansonii* J.L.M. DeFrance, 1827
- *Strombus auratus* J.J.N.A. Spalowsky, 1795
- *Lentigo bubo* J.B.P.A. Lamarck, 1822
- *Lentigo bubonius* J.B.P.A. Lamarck, 1822
- *Lambis carnea* P.F. Röding, 1798
- *Strombus dilatatus* J.B.P.A. Lamarck, 1822
- *Strombus fasciatus* J.F. Gmelin, 1791
- *Strombus latus* J.F. Gmelin, 1791
- *Strombus mediterraneus* P.L. Duclos, 1844


- *Lentigo adansonii* J.L.M. DeFrance, 1827
- *Lentigo auratus* J.J.N.A. Spalowsky, 1795
- *Strombus bubonius* J.B.P.A. Lamarck, 1822
- *Lentigo carnaria* P.F. Röding, 1798
- *Lentigo carnea* P.F. Röding, 1798
- *Lentigo dilatatus* J.B.P.A. Lamarck, 1822
- *Lentigo fasciatus* J.F. Gmelin, 1791
- *Strombus latus minima* F.R. Bernard, 1984



1450000200  
**Persististrombus  
 latus  
 arenensis**  
 F.R. Bernard, 1982  
 Congo, Pointe Noire  
 90,5 mm




1460000580  
**Persististrombus  
 latus  
 portgentilensis**  
 F.R. Bernard, 1982  
 Cape Verde  
 107 mm



**Genus: Sinustrombus** K. Bandel, 2007 (syn: Latissistrombus - 3 SP, 3 IMG)



1450000190  
**Sinustrombus  
 latissimus**  
 (C. Linnaeus, 1758)  
 Philippines, Bohol Island  
 94 mm




**synonyms:**

- *Lambis alata* H.C.F. Schumacher, 1817
- *Tricornis alatus* H.C.F. Schumacher, 1817
- *Tricornis pictus* P.F. Röding, 1798

- *Strombus latissimus* C. Linnaeus, 1758



1450000325  
**Sinustrombus  
 sinuatus**  
 (J. Lightfoot, 1786)  
 Philippines, Bohol Island  
 110 mm




**synonyms:**

- *Strombus cristatus* J.B.P.A. Lamarck, 1822
- *Tricornis cristatus* J.B.P.A. Lamarck, 1822
- *Tricornis lobatus* P.F. Röding, 1798
- *Strombus sinuatus* J. Lightfoot, 1786

- *Strombus laciniatus* L.W. Dillwyn, 1817
- *Tricornis palmatus* G. Fischer von Waldheim, 1807



1450000330  
**Sinustrombus  
 taurus**  
 (L.A. Reeve, 1857)  
 Marshall Islands, Kwajalein Atoll  
 105,6 mm






**Genus: Strombus** C. Linnaeus, 1758 (syn: Strombela - 3 SP, 6 IMG)



1450000000  
**Strombus  
alatus**

J.F. Gmelin, 1791

Florida  
99,1 mm



**synonyms:**

- Strombus pyrolatus J.B.P.A. Lamarck, 1822
- Strombus undulatus H.C. Küster, 1845



1450000135  
**Strombus  
gracilior**

G.B. I Sowerby, 1825



Baja California  
69,6 mm



1450000305  
**Strombus  
pugilis**

C. Linnaeus, 1758

Florida  
86 mm



**synonyms:**

- Drilla actinocyca W.H. Dall & C.T. Simpson, 1901
- Strombus cornutus G. Pery, 1811
- Tectus striata P.F. Röding, 1798
- Strombus pugilis peculiaris M. Smith, 1940



1460001034  
**Strombus  
pugilis  
nicaraguensis**

W.H. Fluck, 1915

Venezuela, Margarita Island  
95 mm



1460001076  
**Strombus  
pugilis  
sloani**

W.E. Leach, 1814


Barbados  
97,8 mm



1450000310  
**Strombus  
pugilis  
worki**

E.J. Petuch, 1993

Guarapari, Brasil  
89 mm



**Genus: Terestrombus** G.C. Kronenberg & G.J. Vermeij, 2002 (2 SP, 3 IMG)



1450000090  
**Terestrombus  
fragilis**

(P.F. Röding, 1798)

Philippines, Olango Island  
44,1 mm





**synonyms:**

- Canarium bulbulus G.B. II Sowerby, 1842
- Strombus bulbulus G.B. II Sowerby, 1842
- Canarium dubius W.J. Swainson, 1823
- Strombus dubius W.J. Swainson, 1823



1450000335  
**Terestrombus terebellatus**  
 (G.B. I Sowerby, 1842)  
 Philippines, Bohol island  
 44,9 mm



**synonyms:**

- Strombus terebellatus G.B. I Sowerby, 1842



1450000340  
**Terestrombus terebellatus afrobellatus**  
 (R.T. Abbott, 1960)  
 Kenya  
 39,9 mm




**synonyms:**

- Terestrombus afrobellatus R.T. Abbott, 1960

**Genus: Thersistrombus** K. Bandel, 2007 (1 SP, 1 IMG)



1450000345  
**Thersistrombus thersites**  
 (W.J. Swainson, 1823)  
 New Caledonia  
 134 mm




**synonyms:**

- Tricornis ponderosus R.A. Philippi, 1842
- Strombus thersites W.J. Swainson, 1823

**Genus: Tricornis** F.P. Jousseume, 1886 (2 SP, 4 IMG)



1450000265  
**Tricornis oldi**  
 (W.K. Emerson, 1965)  
 Somalia, Berbera  
 119 mm



1450000350  
**Tricornis tricornis**  
 (J. Lightfoot, 1786)  
 Red Sea  
 90 mm




**synonyms:**

- Tricornis curruca P.F. Röding, 1798
- Strombus orientalis P.L. Duclos in J.C. Chenu, 1844

- Strombus perthax P.L. Duclos in J.C. Chenu, 1844



1460000750  
**Tricornis tricornis erythraeensis**  
 E. Romagna-Manoja, 1977  
 Red Sea, Egypt  
 119 mm



1460000740  
**Tricornis tricornis indecoratus**  
 F.Jr. Lorenz & V. Wiese, 1990  
 Somalia, Red Sea





**Genus: Tridentarius** G.C. Kronenberg & G.J. Vermeij, 2002 (1 SP, 1 IMG)





145000055  
**Tridentarius  
dentatus**  
(C. Linnaeus, 1758)  
Philippines, Olango Island  
50 mm




**synonyms:**

- *Canarium samar* L.W. Dilwyn, 1817
- *Canarium samarensis* L.A. Reeve, 1851
- *Canarium tridentatum* J.F. Gmelin, 1791
- *Strombus samar* L.W. Dilwyn, 1817
- *Strombus samarensis* L.A. Reeve, 1851
- *Strombus tridentatus* J.F. Gmelin, 1791

**Genus: Ophioglossolambis** A.M. Dekkers, 2012 (2 SP, 2 IMG)



1450500030  
**Ophioglossolambis  
digitata**  
(G. Perry, 1811)  
Mozambique, Bazaruto Island  
182 mm





**synonyms:**

- *Lambis crocea* L.A. Reeve, 1842
- *Lambis elongata* W.J. Swainson, 1841
- *Strombus digitatus* G. Perry, 1811
- *Lambis novemdactylis* G.P. Deshayes, 1843



1450500070  
**Ophioglossolambis  
violacea**  
(W.J. Swainson, 1821)  
Mauritius  
123 mm




**synonyms:**

- *Lambis multipes* G.B. Sowerby, 1842
- *Lambis violacea* W.J. Swainson, 1821

---

## Family: STROMBIDAE

---



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at  
<http://www.bagniliggia.it/WMSD/FamilyMap/STROMBIDAEmap.htm>

please note that this is not the complete coverage of this family  
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now  
the total number of georeferenced species in this map is: 135 from a total of 136