United States Department of Interior
Bureau of Ocean Energy Management, Regulation and Enforcement
Biostratigraphic Chart of the Gulf of Mexico Offshore Region, Jurassic to Quaternary

BOEMRE

Recent through Oligocene

Time (mya) (not to scale)	System	Subsystem	Series	Stage	Foraminiferal planktic & benthic regional and local markers	Calcareous nannoplanktic regional and local markers	BOEMRE CHRONOZONE
	Quaternary		Holocene		Globorotalia inflata		
			Pleistocene – Upper	Ionian	Globorotalia flexuosa Sangamon fauna	Emiliania huxleyi (base of acme) Pontosphaera indooceanica Gephyrocapsa oceanica flood Gephyrocapsa caribbeanica flood	PLU
0.20			Pleistocene – Middle	Ionian	Globorotalia truncatulinoides coiling change, right-to-left Trimosina "A"	Helicosphaera inversa Pseudoemiliania lacunosa "A" Pseudoemiliania lacunosa "B" Gephyrocapsa caribbeanica increase Gephyrocapsa omega Gephyrocapsa parallela Pseudoemiliania ovata	PLM
0.78			Pleistocene – Lower	Calabrian	Stilostomella antillea Globorotalia incisa Sphaeroidinella dehiscens acme "A" Trimosina "A" acme Angulogerina magna Hyalinea balthica / Trimosina "B" Globorotalia tosaensis tosaensis Sphaeroidinella dehiscens acme "B" Angulogerina "B" Uvigerina hispida	Pseudoemiliania lacunosa "C" acme Gephyrocapsa aperta acme Scyphosphaera pulcherima, Gephyrocapsa caribbeanica (large) Helicosphaera sellii Lithostromation perdurum Calcidiscus macintyrei	PLL
1.77	Tertiary	Neogene	Pliocene – Upper	Gelasian	Globorotalia crassula acme, Globorotalia praehirsuta Cristellaria "S" Globorotalia menardii coiling change, left-to-right Globorotalia exilis Globorotalia miocenica Globorotalia pertenuis Bolivina imporcata / "P" Lenticulina 1 Textularia crassisepta / "P"	Discoaster brouweri, Calcidiscus macintyrei increase Discoaster brouweri "A" Discoaster pentaradiatus Discoaster surculus	PU
2.60				Piacenzian	Ceratobulimina pacifica Cassidulina laevigata carinata acme / "L" Haplophragmoides emaciatum Saracenaria "H" Globorotalia multicamerata Globoquadrina altispira = Valvulineria "H" Cyclammina sp. Arenaceous fauna Cibicides grosseperforatus Sphaeroidinellopsis seminulina Textularia 1	Discoaster asymmetricus Cycloperfolithus carlae, Discoaster tamalis	
3.58			Pliocene – Lower	Zanclian	Buccella (Eponides) hannai acme Cibicides marsi Globorotalia margaritae Uvigerina rustica Globigerina druryi / nepenthes "B" Globigerina nepenthes Buliminella 1 Siphotextularia jugosa / "J" Sigmoilina "P" / cf. schlumbergeri Sphaeroidinellopsis multilobata Globigerinoides mitra Globorotalia plesiotumida acme	Sphenolithus abies Reticulofenestra pseudoumbilica, Discoaster intercalcaris, Dictyococcites antarcticus Pseudosphenolithus abies "B" acme Sphenolithus abies "B" Amaurolithus tricorniculatus Ceratolithus acutus Discoaster quintatus	PL
5.32			Miocene – Upper	Messinian	Globorotalia menardii coiling change, right-to-left Globorotalia margaritae primitiva Globorotalia juanai Textularia "X" Textularia tatumi Bolivina denticulata	Discoaster quinqueramus Discoaster berggrenii Reticulofenestra rotaria Discoaster berggrenii "A"	MUU
7.12				Tortonian	Textularia 6 Bigenerina irregularis / 6 Globorotalia acostaensis coiling change, right-to-left Planulina renzi Reophax davepopei, Robulus "E" Bigenerina floridana / "A" Cristellaria "K" Melonis pompilioides increase Cibicides trincherasensis Uvigerina carapitana Amphistegina "E" Cyclammina 3 Globorotalia lenguaensis, Bolivina thalmanni Discorbis 12 Bigenerina "B" Eponides mansfieldi Textularia "G" Globoquadrina dehiscens Robulus 15 Textularia "L" Cibicides inflata Cibicides carstensi, Bigenerina 2 Globorotalia mayeri Globorotalia siakensis Uvigerina 3, Cibicides carstensi increase	Discoaster neohamatus Discoaster loeblichii Minylithus convallis Catinaster mexicanus Discoaster bellus, Discoaster calcaris Discoaster prepentaradiatus Discoaster prepentaradiatus increase Discoaster bollii, Catinaster calyculus Discoaster hamatus Catinaster coalitus Discoaster exilis Helicosphaera walbersdorfensis Coccolithus miopelagicus	MLU
11.20			Miocene – Middle	Serravallian	Globorotalia fohsi robusta Robulus 5 / 55 Textularia "W" Globorotalia fohsi lobata Globorotalia fohsi praefohsi Globorotalia fohsi fohsi Globorotalia peripheroacuta Bigenerina humblei Gyroidina miocenica Globorotalia peripheroronda Cristellaria "I" Praeorbulina glomerosa Cibicides opima	Discoaster kugleri Discoaster kugleri acme Calcidiscus premacintyrei Cyclicargolithus floridanus Discoaster sanmiguelensis Sphenolithus heteromorphus Discoaster petaliformis Sphenolithus heteromorphus acme	MUM MMM
14.80				Langhian	Robulus 53 Amphistegina "B" Globorotalia siakensis coiling change, left-to-right Globigerinatella insueta Robulus "L" / 43 Cibicides 38	Helicosphaera ampliaperta Discoaster deflandrei acme Discoaster calculosus	MLM
16.40			Miocene – Lower	Burdigalian	Camerina 1, Robulus 54B = Cristellaria 54 Saracenaria sp. / "D" Gyroidina "K" / 9 / 4 Catapsydrax stainforthi Catapsydrax dissimilis, Robulus chambersi, Discorbis bolivarensis / "B", Cristellaria "A" Marginulina ascensionensis / "A" Globigerina binaensis Gyroidina 8 Siphogenerina fredsmithi	Sphenolithus belemnos Reticulofenestra gartneri Sphenolithus disbelemnos Orthorhabdus serratus Triquetrorhabdulus carinatus, Triquetrorhabdulus challengeri Discoaster calculosus increase	MUL MML
20.52				Aquitanian	Siphonina davisi Planulina palmerae Globigerinoides primordius Lenticulina hanseni Lenticulina jeffersonensis, Cristellaria "R", Globorotalia kugleri, Globigerina angulisuturalis	Discoaster saundersi Sphenolithus dissimilis Cyclicargolithus abisectus Helicosphaera recta	MLL
23.80		Paleogene	Oligocene – Upper	Chattian	Robulus "A" Discorbis gravelli Globigerina ciperoensis ciperoensis Heterostegina texana Cibicides jeffersonensis Bolivina perca Marginulina idiomorpha Marginulina vaginata Marginulina howei Camerina "A" Miogypsinoides "A" Cibicides hazzardi Globorotalia opima nana Globorotalia opima opima Cristellaria "H" Marginulina texana Bolivina mexicana	Dictyococcites bisectus Sphenolithus delphix, Ericsonia fenestrata Zyghrablithus bijugatus Sphenolithus ciperoensis Sphenolithus distentus	OU
28.50			Oligocene – Lower	Rupelian	Nonion struma Nodosaria blanpiedi Discorbis "D" Chiloguembelina cubensis Textularia mississippiensis seligi Anomalina bilateralis Globigerina ampliapertura Spiroplectammina mississippiensis Globorotalia increbescens Textularia warreni Pseudohastigerina micra Loxostoma "B" Cibicides pippeni Cibicides mississippiensis	Sphenolithus predistentus Helicosphaera compacta Sphenolithus pseudoradians, Reticulofenestra hampdenensis Reticulofenestra umbilica Reticulofenestra hillae Ericsonia formosa Ericsonia subdisticha Discoaster nodifer Ismolithus recurvus	OL
33.70							

Eocene through Jurassic

Time (mya) (not to scale)	System	Subsystem	Series	Stage	Planktic & benthic foraminifera & ostracod (O) regional and local markers	Calcareous nannoplanktic regional and local markers	BOEMRE CHRONOZONE
33.70	Tertiary	Paleogene	Eocene – Upper	Priabonian	Globorotalia cerroazulensis cocoaensis, Hantkenina alabamensis Textularia hockleyensis Globorotalia cerroazulensis pomeroli Textularia dibollensis Globigerinatheka tropicalis / mexicana Globigerinatheka semiinvoluta Camerina moodybranchensis, Camerina jacksonensis	Discoaster saipanensis, Micrantholithus altus Discoaster barbadiensis Chiasmolithus consuetus Cribrocentrum reticulatum Sphenolithus obtusus	EU
37.00			Eocene – Middle	Bartonian	Nonionella cockfieldensis Truncorotaloides rohri Discorbis yeguaensis Eponides yeguaensis Nodosaria mexicana Ceratobulimina eximia Morozovella lehneri Eponides guayabalensis Globorotalia bullbrooki Truncorotaloides topilensis Clavulinoides guayabalensis Operculinoides sabinensis Orbulinoides beckmanni Subbotina frontosa Acarinina broedermanni	Micrantholithus procerus, Chiasmolithus grandis, Pemma papillatum Pemma basquensis Pemma stradneri Pemma balium Sphenolithus radians Chiasmolithus solitus Chiasmolithus gigas	EM
41.30				Lutetian	Cyclammina caneriverensis Discocyclina advena Morozovella aragonensis Haplocytheridea stenzeli (O)	Discoaster sublodoensis, Sphenolithus spiniger Rhabdosphaera inflata Discoaster lodoensis	
49.00			Eocene – Lower	Ypresian	Acarinina soldadoensis Morozovella quetra Acarinina angulosa Morozovella rex / subbotinae Morozovella formosa formosa Globorotalia wilcoxensis Morozovella acuta	Chiasmolithus californicus Tribrachiatus orthostylus Toweius crassus Tribrachiatus contortus Discoaster multiradiatus	EL
54.50			Paleocene – Upper	Thanetian	Morozovella velascoensis Cytheridea sabinensis (O) Discorbis washburni Planulorotalites pseudomenardii Morozovella angulata Planulorotalites pusilla pusilla Planulorotalites compressa Vaginulina longiforma, Subbotina pseudobulloides Morozovella uncinata	Fasciculithus tympaniformis Heliolithus kleinpellii Heliolithus reidelii Toweius eminens Chiasmolithus bidens Discoaster diastypus	LU
57.90				Selandian	Vaginulina midwayana, Globorotalia inconstans		
60.90			Paleocene – Lower	Danian	Globorotalia trinidadensis Globoconusa daubjergensis Robulus pseudocostata Globigerina eugubina	Cruciplacolithus edwardsii Markalius inversus astroporus	LL
65.00	Cretaceous		Cretaceous – Upper	Maastrichtian	Abathomphalus mayaroensis Globotruncana contusa Gansserina gansseri Rosita fornicata Globotruncana ventricosa Globotruncana lapparenti	Micula decussata Micula prinsii FAD Micula murus FAD Watznaueria barnesae FAD Nephrolithus frequens FAD Reinhardites levis Tetralithus trifidus Tranolithus phacelosus Aspidolithus parcus constrictus	KUU
71.30				Campanian	Globotruncana calcarata Globorotalites micheliniana Globotruncana elevata Archaeoglobigerina bosquensis Stensioina exsculpta exsculpta Marginotruncana marginata Marginotruncana coronata Whiteinella baltica Planoglobulina taylorana	Reinhardites anthophorus "A" Eiffellithus eximius Aspidolithus parcus parcus Reinhardites anthophorus "B" Lithastrinus grillii Bukryaster hayi Broinsonia enormis Marthasterites furcatus	
83.50				Santonian	Dicarinella asymetrica Whiteinella inornata Marginotruncana sinuosa Hedbergella delrioensis Stensioina granulata granulata Dicarinella concavata, Marginotruncana renzi	Eprolithus floralis Zeugrhabdotus noeliae Lithastrinus moratus	
85.80				Coniacian	Dicarinella imbricata Whiteinella paradubia Hedbergella amabilis	Quadrum gartneri Stoverius achylosus	
89.00				Turonian	Dicarinella hagni Planulina eaglefordensis Helvetoglobotruncana helvetica Praeglobotruncana stephani, Helvetoglobotruncana praehelvetica	Chiastozygus platyrhethum Parhabdolithus achlyostaurion Calculites axosuturalis Parhabdolithus asper	KLU
93.50				Cenomanian	Globigerinelloides bentonensis Rotalipora cushmani Rotalipora greenhornensis Rotalipora appenninica Rotalipora reicheli Lenticulina gaultina, Fossocytheridea lenoirensis (O), Favusella washitensis Textularia rioensis Rotalipora gandolfii	Microstaurus chiastius Axopodorhabdus albianus Lithraphidites acutus Lithraphidites pseudoquatratus Coriollithon kennedyi	
98.90			Cretaceous – Lower	Albian	Planomalina buxtorfi Rotalipora ticinensis Ticinella roberti Cythereis fredericksburgensis (O), Cyth. brevis (O) Cytheridea goodlandensis (O), C. oliverensis (O) Biticinella breggiensis Ammobaculites goodlandensis Dictyoconus walnutensis Eocytheropteron trinitiensis (O) Orbitolina texana Rehacythereis ? aff. R. glabrella (O)	Hayesites albiensis Braarudosphaera africana Braarudosphaera hockwoldensis Prediscosphaera columnata Crucicribrum anglicum Rucinolithus irregularis	KUL KML
112.20				Aptian	Ticinella bejaouaensis Planomalina cheniourensis Epistomina sp. Globigerinelloides algerianus Globigerinelloides blowi Schackoina cabri Globuligerina hoteriva Hedbergella sigali Choffatella decipiens	Eprolithus antiquus Conusphaera mexicana, Micrantholithus obtusus Nannoconus kamptneri Micrantholithus hoschulzii Nannoconus steinmanni Conusphaera rothii	KLL
121.00				Barremian	Schuleridea lacustris (O) Clavihedbergella eocretacea	Nannoconus colomii Nannoconus abundans Calcicalathina oblongata Lithraphidites bollii	
127.00				Hauter.		Speetonia colligata Cruciellipsis cuvillieri	
132.00				Valang.	Everticyclammina virginulina Schuleridea acuminata (O)	Tubodiscus verenae Rucinolithus wisei Diadorhombus rectus Micrantholithus speetonensis	
137.00				Berriasian	Hutsonia vulgaris / callahani (O) Pentaschuleridea pentagonalis (O)	Polycostella senaria Polycostella beckmanni	
144.20	Jurassic		Jurassic – Upper	Tithonian	Gallaecytheridea postrotunda (O) Buccicrenata italica increase Eoguttulina amygdalina, Epistomina uhligi Epistomina stellacostata	Hexalithus noelae	JU
150.70				Kimmer.	Epistomina mosquensis Alveosepta jaccardi	Stephanolithion bigotii bigotii Stephanolithion bigotii maximum	
154.10				Oxfordian	Globuligerina oxfordiana Lenticulina quenstedti Paalzowella feifeli	Discorhabdus jungii Stephanolithion speciosum	
159.40			Jurassic – Middle	Callovian	Reinholdella crebra Epistomina regularis Epistomina coronata	Stephanolithion hexum Watznaueria crucicentralis	JM
164.40							

BOEMRE Gulf of Mexico Resource Evaluation
Robert B. Witrock (504) 736-2718 or 1-800-200-GULF
http://www.gomr.boemre.gov/homepg/whatsnew/speeches/PPDM-2002.html

For public release May 1, 2003



Bathymetric Zonation

Code	Zone	Depth Range in meters
1	Transitional – Inner Shelf	0 – 20
2	Middle Shelf	20 – 100
3	Outer Shelf	100 – 200
4	Upper Slope	200 – 500
5	Middle Slope	500 – 1000
6	Lower Slope	1000 – 2000
7	Abyssal	>2000

LEGEND

All foraminiferal markers are extinction points (LADs) unless otherwise indicated.
(O) indicates an ostracode species.
The calcareous nannoplanktic markers are mainly coccolith species LADs. Dinoflagellates and palynomorphs (pollen) are occasionally used.
LAD: **L**ast **A**ppearance **D**atum
FAD: **F**irst **A**ppearance **D**atum
Species LADs separated by a virgule (the diagonal mark "/") indicates either synonymous species or synchronous species.
Species LADs separated by "=" indicates synchronous species.
Two or more species LADs separated by a comma indicate synchronous species LADs.
(for example, Discoaster bollii, Catinaster calyculus are two separate but time-equivalent coccolith extinction points).
BOEMRE Chronozone: A body of rock formed during the same time span, bounded by biostratigraphic or correlative seismic markers.

References used for Mesozoic and Cenozoic age determination and stratigraphic units

Armentrout, J. M., 1996, High resolution sequence biostratigraphy: examples from the Gulf of Mexico Plio-Pleistocene, in J. A. Howell and J. F. Aitken, eds., High-resolution sequence stratigraphy: innovations and applications: Geological Society Special Publication 104, p. 65-86.

Ascoli, P., 1984, Epistominid biostratigraphy across the Jurassic-Cretaceous boundary on the northwestern Atlantic shelf: Benthos 83, International Symposium on Benthic Foraminifera, Pau, p. 27-34.

Ascoli, P., C. W. Poag, and J. Remane, 1984, Microfossil zonation across the Jurassic-Cretaceous boundary on the Atlantic margin of North America, in G. E. Westermann, ed., Jurassic-Cretaceous biochronology and paleogeography of North America: Geological Association of Canada Special Paper 27, p. 31-48.

Bergen, J. A., and P. J. Sikora, 1999, Microfossil diachronism in southern Norwegian North Sea chalks: Valhall and Hod fields, in R. W. Jones and M. D. Simmons, eds., Biostratigraphy in production and development geology: Geological Society Special Publication 152, p. 85-111.

Berggren, W. A., D. V. Kent, C. C. Swisher III, and M.-P. Aubry, 1995, A revised Cenozoic geochronology and chronostratigraphy, in W. A. Berggren, D. V. Kent, M.-P. Aubry, and J. Hardenbol, eds., Geochronology, time scales and global stratigraphic correlation: Society of Economic Paleontologists and Mineralogists Special Publication 54, p. 129-212.

Bolli, H. M., J. B. Saunders, and K. Perch-Nielsen, eds., 1985, Plankton stratigraphy, volume 1: planktic foraminifera, calcareous nannofossils and calpionellids: Cambridge, Cambridge University Press, 509 p.

Bolli, H. M., J.-P. Beckmann, and J. B. Saunders, 1994, Benthic foraminiferal biostratigraphy of the south Caribbean region: Cambridge, Cambridge University Press, 408 p.

Bralower, T. J., R. M. Leckie, W. V. Sliter, and H. R. Thierstein, 1995, An integrated Cretaceous microfossil biostratigraphy, in W. A. Berggren, D. V. Kent, M.-P. Aubry, and J. Hardenbol, eds., Geochronology, time scales and global stratigraphic correlation: Society of Economic Paleontologists and Mineralogists Special Publication 54, p. 65-79.

Breard, S. Q., M. Nault, and A. D. Callender, 1994, Biostratigraphy and paleoecologic tolerances of Oligocene Paleocene foraminiferal assemblages of the Gulf Coast basin: Gulf Coast Association of Geological Societies Transactions, v. 44, p. 111-116.

Breard, S. Q., A. D. Callender, and M. Nault, 1997, Application of bathyal foraminiferal events to the Neogene through Pleistocene biostratigraphic framework of the Gulf of Mexico basin: Gulf Coast Association of Geological Societies Transactions, v. 47, p. 66-73.

Breard, S. Q., A. D. Callender, and M. Nault, 2000, Gulf of Mexico basin Late Tertiary deep-water biostratigraphic zonation: relationship to standard shelf foraminiferal and calcareous nannofossil marker terminology: Gulf Coast Section Society of Economic Paleontologists and Mineralogists Foundation Twentieth Annual Research Conference Deep-water Reservoirs of the World, December 3-6, 2000, Houston.

Brenchley, P. J., and D. A. T. Harper, 1998, Palaeoecology: ecosystems, environments and evolution: London, Chapman and Hall, 402 p.

Catalano, R. E., E. Di Stefano, A. Sulli, F. P. Vitale, S. Infuso, and P. R. Vail, 1998, Sequences and system tracts calibrated by high-resolution bio-chronostratigraphy: the central Mediterranean Plio-Pleistocene record, in P.-C. de Graciansky, J. Hardenbol, T. Jacquin, and P. R. Vail, eds., Mesozoic and Cenozoic sequence stratigraphy of European basins: Society of Economic Paleontologists and Mineralogists Special Publication 60, p. 155-177.

Frizzell, D. L., 1954, Handbook of Cretaceous foraminifera of Texas: Bureau of Economic Geology Report of Investigations 22, 232 p.

Gradstein, F. M., 1976, Biostratigraphy and biogeography of Jurassic Grand Banks foraminifera: Maritime Sediments Special Publication, v. 1B, p. 557-583.

Gradstein, F. M., F. P. Agterberg, and M. A. D'Iorio, 1990, Time in quantitative stratigraphy, in T. A. Cross, ed., Quantitative dynamic stratigraphy, p. 519-542.

Gradstein, F. M., F. P. Agterberg, J. G. Ogg, J. Hardenbol, P. van Veen, J. Thierry, and Z. Huang, 1995, A Triassic, Jurassic and Cretaceous time scale, in W. A. Berggren, D. V. Kent, M.-P. Aubry, and J. Hardenbol, eds., Geochronology, time scales and global stratigraphic correlation: Society of Economic Paleontologists and Mineralogists Special Publication 54, p. 95-126.

Jones, R. W., 1996, Micropalaeontology in petroleum exploration: Oxford, Oxford University Press, 432 p.

Jones, R. W., and M. D. Simmons, eds., 1999, Biostratigraphy in production and development geology, Geological Society of London Special Publication 152, 318 p.

Lawless, P. N., R. H. Fillon, and R. G. Litton III, 1997, Gulf of Mexico Cenozoic biostratigraphic, lithostratigraphic, and sequence stratigraphic event chronology: Gulf Coast Association of Geological Societies Transactions, v. 47, p. 271-282.

Lord, A. R., ed., 1982, A stratigraphic index of calcareous nannofossils: Chichester, British Micropalaeontological Society, 192 p.

Picou, E. B., Jr., B. F. Perkins, N. C. Rosen, and M. J. Nault, eds., 1999, Gulf of Mexico basin biostratigraphic index microfossils - a geoscientist's guide: foraminifers and nannofossils, parts I and II, Oligocene through Pleistocene foraminifers: Gulf Coast Society of Economic Paleontologists and Mineralogists Foundation, 215 p., 3 charts, 2 tables of synonyms (Text and CD-ROM).

Prothero, D. R., 2001, Magnetostratigraphic tests of sequence stratigraphic correlations from the southern California Paleogene, Journal of Sedimentary Research, v. 71, p. 526-536.

Simmons, M. D., W. D. Berggren, R. O. Koshkarly, B. J. O'Neill, R. W. Scott, and W. Ziegler, 1997, Biostratigraphy and geochronology in the 21st century: Paleontology in the 21st century, an International Senckenberg Conference and Workshop, reports and recommendations. http://www.nhm.ac.uk/hosted_sites//paleonet/paleo21/biostrat.html

Stainforth, R. M., J. L. Lamb, H. Luterbacher, J. H. Beard, and R. M. Jeffords, 1975, Cenozoic planktonic foraminiferal zonation and characteristics of index forms: University of Kansas Paleontological Institute, Article 62, 162 p.

Styzen, M. J., 1996, Late Cenozoic chronostratigraphy of the Gulf of Mexico: Gulf Coast Society of Economic Paleontologists and Mineralogists Foundation, chart, 2 sheets.

Total Biostratigraphic Services, 1994, Miocene/Oligocene biostratigraphic chart (Gulf of Mexico): Total Biostratigraphic Services, Inc., New Orleans.

Waterman, A. S., 1999, Biostratigraphic chart, Gulf of Mexico Neogene (version 9909): Paleo-Data, Inc., New Orleans.

Wood, L. J., 2000, Chronostratigraphy and tectonostratigraphy of the Columbus basin, eastern offshore Trinidad: American Association of Petroleum Geologists Bulletin, v. 84, p. 1905-1928.

References to this chart should be as follows:
Witrock, R. B., L. D. Nixon, P. J. Post, and K. M. Ross, 2003, Biostratigraphic chart of the Gulf of Mexico offshore region, Jurassic to Quaternary, U. S. Department of the Interior, Bureau of Ocean Energy Management, Regulation and Enforcement, New Orleans.