

THE
ENTOMOLOGIST'S RECORD
AND JOURNAL OF VARIATION

A publication of The Amateur Entomologists' Society



Contents and Special Index Volume 128 (2016)

Edited by C. W. Plant

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 267430

Annual subscription for individual subscribers for 2016 is £25.
For institutional and overseas rates please visit the website at www.entrecord.com

Editor

C.W. PLANT, B.Sc., F.R.E.S., F.B.N.A.
14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone: 01279 507697 E-mail: cpauk1@ntlworld.com

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
ALL OTHER MATTERS (subscriptions, change of address, late or non-arrivals, back issues –
e-mail registrar@amentsoc.org or write to PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue; if in doubt, ask the Editor. We positively encourage the use of colour photographs of insects and their habitats but their inclusion must enhance the text or serve some other useful purpose. We encourage the use of colour in the interpretation of graphs, charts etc. All images must be sent as individual separate files; please send high resolution files – do not reduce file size for ease of e-mailing. Images embedded (pasted into) word processor files cannot be used.

All papers are subject to peer-review and may be returned for changes prior to acceptance. Shorter communications and Notes are normally reviewed by the Editor but may also be sent for external review before acceptance; to reduce both cost and delay required changes to these are usually made by the Editor.

We now issue Pdf files in place of paper reprints. These are sent automatically to the first named author of Papers. Authors of Notes may request a Pdf of their contribution. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

Data Protection Act, 1998

Subscribers' names, address, AES publications subscribed to and, where provided, e-mail addresses and telephone numbers, are stored on a computer database for the sole purpose of administering the publication and distribution of this journal. The information may be accessed by or sent to elected AES council members for AES business purposes, but will be used solely for the purposes of managing AES membership subscriptions and administering the Society. It will not be divulged to any third party without your permission except where the Society is legally obliged to do so. By subscribing to the *Entomologist's Record and Journal of Variation* you agree to these data storage conditions. If you object to us storing these data please let us know.

The Entomologist's record is now printed in full colour, enabling us to accept a wider range of illustrative and interpretative material. This development has been made possible by a generous bequest by the late Andy Callow.

CONTENTS

Compiled by Colin W. Plant & Andrew Smith

1: PEER-REVIEWED PAPERS

A

A new species of Eucalyptus Psyllid *Ctenarytaina spatulata* Taylor, 1997 (Hemiptera: Aphalaridae: Spondyliaspidae) recorded from Great Britain. *Alexander F. C. Greenslade*, 265-267

A new species of metallic-green *Coleophora* (Hübner, 1822) (Lepidoptera: Coleophoridae) from Cyprus. *Ian Barton*, 167-171

A rare Irish Caddisfly *Ctynus insolutus* McLachlan, 1878 (Trichoptera: Polycentropodidae) discovered at Belle Lake, County Waterford. *James P. O'Connor and Mary O'Connor*, 259-263

Addenda and amendments to *A Checklist of the Lepidoptera of the British Isles* on account of subsequently published data. *David J. L. Agassiz, S. D. Bevan and R. J. Heckford*, 94-98

Agrochola luteo-grisea (Warren, 1911) new for Bulgaria and Serbia and *Dryobotodes servadeii* Parenzan, 1982 (Lepidoptera: Noctuidae) new for Serbia with taxonomic notes on *Dryobotodes servadeii* and *Dryobotodes monochroma* (Esper, [1790]). *Stoyan Beshkov*, 245-256

C

Contributions to knowledge of the life cycle of *Epiorna abessynica* (Koch, 1865) (Lep.: Zygaenidae). *Jiří Klír*, 112-120

Corrigenda to *Checklist of the Lepidoptera of the British Isles*. *David J. L. Agassiz, S. D. Bevan and R. J. Heckford*, 50-55

G

Grapholita pallifrontana (Lienig & Zeller) (Lep.: Tortricidae) colonies found on Cotswold roadside verges. *G. H. J. Meredith*, 23-27

H

Hypena lividalis (Hübner, 1790) (Lep.: Erebidae) new to the Britain. *Ron Waters*, 7-10

I

(The) immigration of Lepidoptera to the British Isles in 2012. *Sean P. Clancy*, 173-209

Infurcitinea teriolella (Amsel, 1954) (Lep.: Tineidae) new to Britain. *Rachel Terry*, 1-6

M

Mecyna balcanica sp. nov., a closely related species to *Mecyna flavalis* ([Denis & Schiffermüller]. 1775) and *M. lutealis* (Duponchel, 1833) (Pyraloidea, Crambidae, Spilomelinae). *František Slamka & Colin W. Plant*, 137-145

Microlepidoptera Review of 2015. *J. R. Langmaid and M. R. Young*, 279-307

Monmouthshire surveys for *Agonopterix atomella* ([D. & S.], 1775) (Lep.: Depressariidae), with a brief update on its status in England. *Mark Parsons and George Tordoff*, 86-88

Morphological difference between upperside and underside leaf-mining larvae of *Phyllocnistis unipunctella* (Stephens, 1834) (Lep.: Gracillariidae) and its changing phenology. *Martin P. Jordan, John R. Langmaid and Camiel Doorenweerd*, 121-127

O

Oegoconia novimundi (Busck, 1915) (Lep.: Autostichidae) new to Britain. *Rachel Terry*, 57-62

On the early stages of *Prays peregrina* Agassiz, 2007 (Lep.: Praydidae). *Colin W. Plant*, 311-317

P

Parornix atripalpella Wahlstöm, 1979, (Lep.: Gracillariidae) new to Britain from Dungeness – an overlooked resident species? *Mark Hammond*, 11-17

Pempeliella bulgarica sp. nov.: A new species closely related to *Pempeliella sororiella* (Zeller, 1839) (Pyraloidea, Pyralidae, Phycitinae) and some new synonymies. *František Slamka and Colin W. Plant*, 99-111

Phyllonorycter apparella (Herrich-Schaffer, 1855) (Lep.: Gracillariidae) new to the British Isles from Fair Isle. *Nick J. Riddiford and Mark R. Young*, 19-22

Pine-tree Lappet *Dendrolimus pini* (L.) (Lep.: Lasiocampidae) in Scotland: the evidence for a relict indigenous population versus recent introduction. *Roy Leverton*, 63-85

R

Re-examination and revision of Zeller's original concept of *Phycita metzneri* (Zeller, 1846) and description of *Phycita cryptica* sp. nov. (Lepidoptera, Pyraloidea, Pyralidae, Phycitinae). *Colin W. Plant and František Slamka*, 28-40

Rudimentary temperature experiments conducted on the pupae of *Argynnis aglaja* (L.) (Lep.: Nymphalidae). *J. C. Weir*, 230-237

S

Searching and finding: prey and foodplants. *R. J. D. Tilley*, 129-133

Slate Flash *Rapala manea schistacea* (Moore, 1879) (Lep.: Lycaenidae): the confused identity of a supposed adventive species in Britain. *R. J. Heckford and S. D. Beavan*, 156-166

T

The immigration of Lepidoptera to the British Isles in 2012. *Sean P. Clancy*, 173-209

V

Vitula edmandsii (Packard, [1865]) (Lep.: Pyralidae): discovery of the first breeding population in the British Isles. *T. J. Tams*, 269-274

2: NOTES

A

A puzzle – seeking a solution. *Graham Wenman and Catherine Wellings*, 224

An unexpected contortion of a Satellite *Eupsilia transversa* (Hufn.) (Lep.: Noctuidae). *Ben Sale*, 318

An unknown species of pyralid moth from Northamptonshire. *David Manning*, 274-275

B

Beautiful Plume *Amblyptilia acanthadactyla* (Hübner, [1813]) (Lep.: Pterophoridae). *Mark Hammond*, 210-211

Brown Hairstreak *Thecla betulae* (L.) (Lep.: Lycaenidae) use of alternative foodplant in Britain. *Dave Wilton*, 41-42

C

Cornifrons ulceratalis Lederer, 1858 (Lep.: Crambidae), a migrant new to Ireland. *Tony Bryant*, 210

D

Dewick's Plusia *Macdunnoughia confusa* (Stephens) (Lep.: Noctuidae) recorded in Huntingdonshire. *Barry Dickerson*, 42-43

E

- Emperor Moth *Saturnia pavonia* (L.) (Lep.: Saturniidae) assembling experiment. *Roy Leverton*, 237-238
- Essex Y *Cornutiplusia circumflexa* L. (Lep.: Noctuidae). *Peter A. B. Smith*, 213-215

F

- (The) first record of *Bactra lacteana* Caradja (Lep.: Tortricidae) for Suffolk and the east of England. *Paul Kitchener*, 17-18
- First record of Ni Moth *Trichoplusia ni* (Hübner) (Lep.: Noctuidae) at Wanstead in south-west Essex. *Tim Harris*, 49

L

- Large Thorn *Ennomos autumnaria* (Werneb.) probably resident at Tydd St Mary, Lincolnshire. *Paul Waring*, 309-310
- (The) larva of Bloxworth Snout *Hypena obsitalis* (Hübner, [1813]) (Lep.: Erebidiae) in late November 2011 – a late and belated record. *Miss S. D. Beavan and R. J. Heckford*, 128
- Larval population density of Marsh Moth *Athetis pallustris* (Hübner) (Lep.: Noctuidae) doubled in 2015 at Saltfleetby-Theddlethorpe Dunes NNR, Lincolnshire. *Paul Waring*, 44-48
- Lunar Hornet Moth *Sesia bembeciformis* (Hübner, [1806]) (Lep.: Sesiidae). *Mark Hammond*, 216

M

- Macro-moths flying unusually late in Yorkshire in 2015. *Charles Fletcher*, 307-309
- Microloxia herbaria* (Hübner, 1813) (Lep.: Geometridae): Britain's second example. *Chris Stott and Robert Homan*, 221-224
- Musotima nitidalis* (Walker, [1866]) (Lep.: Crambidae): New for Hertfordshire, VC21, from two sites. *Graeme J. Smith*, 276-277

O

- Observations on the behaviour of *Hipparchia fidia* (L.) (Lep.: Satyridae) from Majorca, Balearic Islands. *J. C. Weir*, 263-264
- On predation of cocoons of the Emperor Moth *Saturnia pavonia* (L.) (Lep.: Saturniidae). *Paul Waring*, 6

P

- Possible cryptic resemblance of male *Hepialus humuli* (L.) to grass inflorescences. *J. C. Weir*, 226-227
- Prays peregrina* Agassiz – the enigmatic adventive (Lep.: Praydidae). *David Agassiz and Roger Kiddie*, 134-136

R

- Recent identifications of notable microlepidoptera from Jersey, Channel Islands. *Roger Long*, 88-89

S

- Samia cynthia* (Drury, 1773) (Lep.: Saturniidae) in Italy in October 2015. *Christopher A. Young*, 120
- Sharp-angled Peacock *Macaria alternata* ((D.& S.) (Lep.: Geometridae) – a new macro-moth for Hertfordshire. *Liz Goodyear and Helen Bantock*, 277-278
- Small Dark-yellow Underwing *Coranarta cordigera* (Thunberg) (Noctuidae) and other notable Lepidoptera on an Angus estate. *James Common and Nick A. Littlewood*, 211-212
- Some interesting Microlepidoptera records from Cambridgeshire VC29. *Ian Barton*, 146-149

Some interesting moths in Hertfordshire and Middlesex during July and August 2016. *Ben Sale, Graeme J. Smith and Colin W. Plant*, 239-243

Spilostethus pandurus (Scopoli, 1763) (Hem.: Lygaeidae) recorded for the first time in the wild on Britain. *Jovita F. Kaunang*, 152-153

Stigmella roborella (ID.&S.), *S. sakhalinella* Puplesis (Nepticulidae) and *Phalonidia curvistrigana* (Stainton) (Tortricidae) – three Lepidoptera species new to Ireland. *K. G. M. Bond*, 48-49

T

The first record of *Bactra lacteana* Caradja (Lep.: Tortricidae) for Suffolk and the east of England. *Paul Kitchener*, 17-18

The larva of Bloxworth Snout *Hypena obsitalis* (Hübner, [1813]) (Lep.: Erebidae) in late November 2011 – a late and belated record. *Miss S. D. Beavan and R. J. Heckford*, 128

The twelve days of christmas: a personal account of the extraordinary immigration of moths in December 2015. *Alec S. Harmer*, 149-151

Two and half Northumberland moth encounters. *Tom Tams*, 228-229

U

(An) unknown species of pyralid moth from Northamptonshire. *David Manning*, 274-275

Unusual form of the Heart and Dart *Agrotis exclamationis* (L.) (Lep.: Noctuidae). *Dafydd Lewis*, 225

V

Variation in the Common White Wave *Cabera pusaria* (L.) (Lep.: Geometridae) including a Scottish example of the form *heyeraria* Herrich-Schäffer and notes on the male genitalia of the species. *John T. Knowler and E. Geoffrey Hancock*, 90-93

W

White-spotted Pinion *Cosmia diffinis* (L.) in Lincolnshire. *Paul Waring*, 319-320

Y

Yellow V Moth *Oinophila v-flava* (Haworth, 1828) (Lep.: Tineidae). *Mark Hammond*, 215-216

3: SUBSCRIBERS' NOTICES AND ANNOUNCEMENTS

Atlas Approaches. *Zoë Randle*, 153-155

Dissection Group Website, 62

Micro-moths and the National Moth Recording Scheme. *Zoe Randle*, 209

Cover picture appeal, 238

4: BOOK REVIEWS

The bees in your backyard: A guide to North America's bees, 172

A catalogue and atlas of the caddisflies (Trichoptera) of Ireland, 244

British Moths: A photographic guide to the moths of Britain and Ireland, 55-56

Call of nature: The secret life of dung, 320-321

The geometrid moths of Europe, volume 5: Ennominae I, 171-172

Lepidoptera of Continental Portugal: A fully revised list, 219-220

The lives of Lepidopterists, 268

Moth, 321-322

Moths, myths and Mosquitoes. The eccentric life of Harrison G. Dyar Jr, 257
The sting of the wild, 258
Soldierflies, their allies and Conopidae, 322-323

5: OBITUARIES

Christopher John LUCKENS, 219

6: ADDENDA & CORRIGENDA

Corrigenda, 324

7: CONTRIBUTORS

Page number entries **in bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in *italic type*.

Agassiz, David J. L., **50-55; 94-98**; 134-136
Bantock, Helen,277-278
Barton, Ian,146-149; **167-171**
Beavan, S. D., **50-55; 94-98**; 128; **156-166**
Beshkov, Stoyan,**245-256**
Bond, K. G. M.,48-49
Bryant, Tony,210
Clancy, Sean P.,**173-209**
Common, James,211-212
Dickerson, Barry,42-43
Doorenweerd, Camiel,**121-127**
Fletcher, Charles,307-309
Goodyear, Liz,277-278
Greenslade, Alexander F. C.,**265-267**
Hammond, Mark,**11-17**; 210-211;
215-216; 216;
Hancock, E. Geoffrey,90-93
Harmer, Alec S.,149-151
Harris, Tim,49
Heckford, R. J., **50-55; 94-98**; 128; **156-166**
Homan, Robert,221-224
Jordan, Martin P.,**121-127**
Kaunang, Jovita F.,152-153
Kiddie, Roger,134-136
Kitchener, Paul,17-18
Klír, Jiří,**112-120**
Knowler, John T.,90-93
Langmaid, John R.,**121-127; 279-307**
Leverton, Roy,**63-85**; 237-238

Lewis, Dafydd,225
Littlewood, Nick A.,211-212
Long, Roger,88-89
Manning, David,274-275
Meredith, G. H. J.,**23-27**
O'Connor, James P.,**259-263**
O'Connor, Mary,**259-263**
Parsons, Mark,**86-88**
Plant, Colin W., ...**28-40; 99-III; 137-145**;
239-243; **311-317**
Riddiford, Nick J.,**19-22**
Sale, Ben,318; 239-243
Slanka, František, **28-40; 99-III; 137-145**
Smith, Graeme J.,239-243; 276-277
Smith, Peter A. B.,213-215
Stott, Chris,221-224
Tams, T. J.,**269-274**
Tams, Tom,228-229
Terry, Rachel,**1-6; 57-62**
Tilley, R. J. D.,**129-133**
Tordoff, George,**86-88**
Waring, Paul, . 6; 44-48; 309-310; 319-320
Waters, Ron,**7-10**
Weir, J. C.,226-227; **230-237**; 263-264
Wellings, Catherine,224
Wenman, Graham,224
Wilton, Dave,41-42
Young, Christopher A.,120
Young, Mark R.,**19-22; 279-307**

SPECIAL INDEX

Compiled by Catherine Wellings & Graham Wenman

Newly described taxa are indicated in **bold** type.

Taxa new to, or newly recognised in, the British Isles and mentioned first in this volume are denoted by an asterisk.

	Page	Page	
LEPIDOPTERA			
<i>abessynica</i> (Koch), <i>Epiorna</i>	112-120	<i>alpinella</i> (Hübner), <i>Platytes</i>	178
<i>abietaria</i> (Goeze), <i>Eupithecia</i>	183	<i>alpinella</i> Stainton, <i>Elachista</i>	297
<i>abietella</i> ([D. & S.]), <i>Dioryctria</i>	304	<i>alstromeriana</i> , <i>Agonopterix</i>	149
<i>absoluta</i> (Meyrick), <i>Tuta</i>	294	<i>alternata</i> (D. & S.), <i>Macaria</i>	277-278
<i>acanthadactyla</i> (Hübner), <i>Amblyptilia</i>	210-211	<i>ambiguella</i> (Hübner), <i>Eupoecilia</i>	177
<i>aceris</i> (Frey), <i>Stigmella</i>	283	<i>amplana</i> (Hübner), <i>Cydia</i> 173, 196-197, 205	
<i>acroxantha</i> (Meyr.), <i>Tachystola</i>	292	<i>anachoreta</i> (D. & S.), <i>Clostera</i>	186
<i>acuminatella</i> (Sirc.), <i>Scrobipalpa</i>	294	<i>anatipennella</i> (Hübner), <i>Coleophora</i>	296
<i>acuta</i> (Walk.), <i>Chrysodeixis</i>	151	<i>ancipitella</i> (La Harpe) , <i>Scoparia</i>	306
<i>acutellus</i> (Evers.), <i>Sclerocona</i>	179	<i>angulifasciella</i> (Stainton), <i>Ectoedemia</i>	49
<i>adelphella</i> (F. v. R.), <i>Sciota</i>	181	<i>angustea</i> (Curtis), <i>Eudonia</i>	306
<i>adjectella</i> H-S., <i>Coleophora</i>	295	<i>angustella</i> (Zeller), <i>Nephopterix</i>	181
<i>adscitella</i> (Stainton), <i>Elachista</i>	297	<i>annularia</i> (Fabricius), <i>Cyclophora</i> 240, 242	
<i>adustella</i> Wals., <i>Blastobasis</i>	298	<i>anomala</i> (Haworth), <i>Stilbia</i>	308
<i>aegeria</i> (L.), <i>Pararge</i>	120	<i>anthyllidella</i> (Hübner), <i>Aproaerema</i>	293
<i>aemulana</i> (Schäg.), <i>Eucosma</i>	307	<i>antiopa</i> (L.), <i>Nymphalis</i>	182
<i>aerata</i> (P. & M.), <i>Dichrorampha</i>	303	<i>antiqua</i> (L.), <i>Orgyia</i>	309
<i>aerealis</i> (Hübner), <i>Pyrausta</i>	173, 178	<i>apparella</i> (H.-S.)*, <i>Phyllonorycter</i>	19-22, 280, 289
<i>aeriferana</i> (H-S.), <i>Ptycholomoides</i>	299	<i>arceuthina</i> Zeller, <i>Argyresthia</i>	291
<i>aerigula</i> (Hübner), <i>Nola</i>	188	<i>arcuatella</i> (H.-S.), <i>Ectoedemia</i>	285
<i>aestimaria</i> (Hübner), <i>Chiasmia</i>	173, 184	<i>arearuptata</i> Sitovski ab. <i>nulvata</i>	228-229
<i>affinis</i> (Haworth), <i>Bryotropha</i>	294	<i>argentimaculella</i> (Stainton), <i>Infurcitinea</i>	287
<i>aglaja</i> (L.), <i>Argynnis</i>	182, 230-237	<i>argyropeza</i> (Zeller), <i>Ectoedemia</i>	285
<i>alacella</i> (Zeller), <i>Dichomeris</i>	293	<i>armeniaca</i> Staudinger, <i>Praestilbia</i>	256
<i>albicomella</i> , <i>Infurcitinea</i>	5	<i>armigera</i> (Hübner), <i>Helicoverpa</i> ..150, 151,	
<i>albicosta</i> (Haworth), <i>Coleophora</i>	296	203-204, 206, 309	
<i>albicostella</i> Amsel, <i>Pempelia</i>	107, 110	<i>artemiscolella</i> (Scott), <i>Coleophora</i>	296
<i>albidella</i> ([D. & S.]), <i>Coleophora</i>	296	<i>asella</i> (D. & S.), <i>Heterogenea</i>	149
<i>albimacula</i> (Borkhausen), <i>Hadena</i>	12	<i>asinalis</i> (Hübner), <i>Mecyna</i>	305
<i>albipuncta</i> (D. & S.), <i>Mythimna</i> .9, 12, 188		<i>asseclana</i> ([D. & S.]), <i>Cnephasia</i>	87, 300
<i>albipunctata</i> (Hufn.), <i>Cyclophora</i>	17	<i>assectella</i> (Zeller), <i>Acrolepiopsis</i>	177
<i>albula</i> (D. & S.), <i>Meganola</i>	42, 187	<i>assimilella</i> (Zeller), <i>Stigmella</i>	284
<i>albulata</i> (D. & S.), <i>Perizoma</i>	224	<i>atalanta</i> (L.), <i>Vanessa</i>	151, 198-199
<i>albulata</i> (Hufn.), <i>Asthena</i>	308	<i>atomella</i> (D. & S.), <i>Agonopterix</i>	86-88
<i>alburnella</i> (Zeller), <i>Carpatolechia</i>	295	<i>atricapitella</i> (Haworth), <i>Stigmella</i>	284
<i>alchymista</i> (D. & S.), <i>Catephia</i> 195, 242, 243		<i>atricollis</i> (Stainton), <i>Ectoedemia</i>	285
<i>alcyonipennella</i> (Kollar), <i>Coleophora</i>	296	<i>atricomella</i> Stainton, <i>Elachista</i>	297
<i>aleramica</i> Baldizzone & Stübner, <i>Coleophora</i>	167, 170	<i>atripalpella</i> Wahlström*, <i>Parornix</i>	11-17, 279, 288
<i>algae</i> (Fabricius), <i>Cryphia</i>	9,18, 42, 190	<i>atriplicis</i> (L.), <i>Trachea</i>	190
<i>algira</i> (L.), <i>Dysgonia</i>	195	<i>atropos</i> (L.), <i>Acherontia</i>	184, 206
<i>alpina</i> (Curtis), <i>Eudonia</i>	212, 306	<i>atropunctana</i> (Zett.), <i>Hedya</i>	301

<i>aurana</i> (Fabricius), <i>Pammene</i>	304
<i>aurantia</i> Reuss ab. of <i>aglaia</i> (L.), <i>Argymnis</i>	230-237
<i>aureatella</i> (Scop.), <i>Micropterix</i>	282
<i>aurinia</i> (Rottemburg), <i>Euphydryas</i> 129-133	
<i>aurita</i> (Raz.), <i>Pammene</i>	304
<i>auroguttella</i> (Steph.), <i>Euspilateryx</i>	288
<i>autumnaria</i> (Werneb.), <i>Ennomos</i>	184, 309-310
<i>autumnitella</i> Curtis, <i>Acrolepia</i>	291
<i>badia</i> (Hodges), <i>Anatrachyntis</i>	177
<i>badiipennella</i> (Dup.), <i>Coleophora</i>	295
<i>balcanica</i> Slamka & Plant sp. nov.,	
<i>Mecyna</i>	137-145
<i>basistrigalis</i> Knaggs, <i>Scoparia</i>	242, 243
<i>batavus</i> ssp. <i>dispar</i> , <i>Lycaena</i>	218
<i>beatricella</i> (Wals.), <i>Aethes</i>	300
<i>bechsteinella</i> (Bechs. & Scharf.), <i>Bucculatrix</i>	288
<i>bembeciformis</i> (Hübner), <i>Sesia</i>	216
<i>berbera</i> (Fletcher), <i>Amphipyra</i>	309
<i>betulae</i> (L.), <i>Thecla</i>	41-42
<i>betulicola</i> (Stainton), <i>Stigmella</i>	283
<i>betulina</i> (Zeller), <i>Proutia</i>	287
<i>bicuspis</i> (Bork.), <i>Furcula</i>	214
<i>bifasciana</i> (Haworth), <i>Piniphila</i>	301
<i>bifractella</i> (Dup.), <i>Apodia</i>	294
<i>bigella</i> (Zeller), <i>Euzophera</i>	174, 181
<i>bigramma</i> (Hübner), <i>Agrotis</i>	188
<i>biloba</i> (Steph.), <i>Megalographa</i>	174, 194
<i>bimaculata</i> (Fabricius), <i>Lomographa</i>	308, 320
<i>binaevella</i> (Hübner), <i>Phycitodes</i>	304
<i>binderella</i> (Kollar), <i>Coleophora</i>	295
<i>biriviata</i> (Hübner), <i>Xanthorhoe</i>	243
<i>biselata</i> (Hufn.), <i>Idaea</i>	228
<i>bistriatella</i> (Hulst), <i>Apomyelois</i>	280, 304
<i>bisulcella</i> (Dup.), <i>Elachista</i>	239, 241
<i>biviella</i> (Zeller), <i>Vitula</i>	305
<i>boeticus</i> (L.), <i>Lampides</i>	161, 181
<i>boeticus</i> (L.), <i>Cosmolyce</i>	157
<i>boeticus</i> (L.), <i>Lampides</i>	157
<i>boreella</i> (Dougl.), <i>Brytropa</i>	293
<i>bractea</i> (D. & S.), <i>Autographa</i>	308
<i>bractella</i> (L.), <i>Oecophora</i>	292
<i>bradleyi</i> Riedl, <i>Mompha</i>	149, 298
<i>brassicae</i> (L.), <i>Pieris</i>	181
<i>britanniodactyla</i> (Gregson), <i>Capperia</i>	299
<i>brumata</i> (L.), <i>Operophtera</i>	151
<i>brunnichana</i> (L.), <i>Epinotia</i>	301
<i>buettneri</i> (Her.), <i>Sedina</i>	191

<i>bulgarica</i> Slamka & Plant sp. nov.,	
<i>Pempeliella</i>	99-111
<i>caesiata</i> ([D. & S.]), <i>Entephria</i>	308
<i>caesiella</i> (Hübner), <i>Swammerdamia</i>	290
<i>caespitiella</i> Zeller, <i>Coleophora</i>	147
<i>c-album</i> (L.), <i>Polygonia</i>	151
<i>calthella</i> (Linn.), <i>Micropterix</i>	282
<i>candidula</i> (D. & S.), <i>Pseudeustrotia</i>	173, 193
<i>caniola</i> (Hübner), <i>Eilema</i>	187
<i>caprimulgella</i> (Stainton), <i>Triaxomasia</i>	287
<i>captans</i> , <i>Infurcitinea</i>	5
<i>caradjai</i> Popescu-Gorj & Căpușe, <i>Oegoconia</i>	57-62
<i>cararia</i> (Hübner), <i>Stegania</i>	205
<i>cardui</i> (L.), <i>Vanessa</i>	151, 199
<i>carphodactyla</i> (Hübner), <i>Hellinsia</i>	299
<i>castanea</i> (Esper), <i>Xestia</i>	308
<i>catalaunalis</i> (Dup.), <i>Antigastra</i>	179
<i>catharticella</i> (Stainton), <i>Stigmella</i>	283
<i>centifoliella</i> (Zeller), <i>Stigmella</i>	284
<i>centrago</i> (Haworth), <i>Atethmia</i>	309
<i>cerussella</i> ([D. & S.]), <i>Platytes</i>	11
<i>chalcites</i> (Esp.), <i>Chrysodeixis</i>	193
<i>chlorosata</i> (Scop.), <i>Petrophora</i>	308
<i>chrysolepidella</i> (Zeller), <i>Paracrania</i>	282
<i>cicatricella</i> (Hübner), <i>Haimbachia</i>	178
<i>cicatricella</i> (Zett.), <i>Eriocrania</i>	283
<i>cidarella</i> Zeller, <i>Bucculatrix</i>	288
<i>cinereana</i> (Haworth), <i>Epinotia</i>	302
<i>cinereopunctella</i> (Haworth), <i>Elachista</i>	297
<i>circumflexa</i> L., <i>Cornutiplusia</i>	213-215
<i>citrella</i> Stainton, <i>Phyllocnistis</i>	176
<i>citri</i> (Mill.), <i>Prays</i>	136, 206, 313
<i>clathrata</i> (L.), <i>Chiasmia</i>	184, 308
<i>claustrella</i> (Bruand), <i>Bacotia</i>	287
<i>clavipalpis</i> (Scop.), <i>Caradrina</i>	309
<i>chypeiferella</i> Hofm., <i>Coleophora</i>	149
<i>c-nigrum</i> (L.), <i>Xestia</i>	42
<i>cohaesa</i> (H.-S.), <i>Xestia</i>	256
<i>compositella</i> (Fabricius), <i>Grapholita</i>	303
<i>compta</i> ([D. & S.]), <i>Hadena</i>	307
<i>confusa</i> (Steph.), <i>Macdunnoughia</i>	42-43, 194
<i>confifera</i> (Ratz.), <i>Cydia</i>	303
<i>consimilana</i> (Hübner), <i>Clepsis</i>	300
<i>consortella</i> Stainton, <i>Elachista</i>	297
<i>conturbatella</i> (Hübner), <i>Mompha</i>	297
<i>convolvuli</i> (L.), <i>Agrius</i>	201
<i>convolvuli</i> (L.), <i>Herse</i>	149
<i>conyzae</i> Zeller, <i>Coleophora</i>	147
<i>coracina</i> (Esper), <i>Glacies</i>	211

<i>cordigera</i> (Thunberg), <i>Coronarta</i>	211
<i>coronatella</i> Guenée, <i>Phycita</i>	28, 37, 38
<i>coryli</i> (Nic.), <i>Phyllonorycter</i>	289
<i>costaestrigalis</i> (Stephens), <i>Schrankia</i>	309
<i>costipunctana</i> (Haworth), <i>Epiblema</i>	302
<i>crataegella</i> (Klim), <i>Stigmella</i>	284
<i>crataegella</i> (L.), <i>Scythropia</i>	291
<i>cristana</i> ([D. & S.]), <i>Acleris</i>	300
<i>croceago</i> (D. & S.), <i>Jodia</i>	210
<i>croceus</i> (Geoff.), <i>Colias</i>	198
<i>crocicapitella</i> (Clemens), <i>Monopis</i>	287
<i>croesella</i> (Scop.), <i>Adela</i>	286
<i>cryptica</i> Plant & Slamka sp.nov.,	
<i>Phycita</i>	31-39
<i>culcata</i> (Hufn.), <i>Catarhoe</i>	183
<i>culcupipenella</i> (Hübner), <i>Caloptilia</i>	146
<i>cuneatella</i> (Dougl.), <i>Gelechia</i>	294
<i>cupressata</i> (Geyer), <i>Thera</i>	49
<i>cupressella</i> Walsingham,	
<i>Argyresthia</i>	147, 291
<i>curvatula</i> (Borkh.), <i>Drepana</i>	182
<i>curvistrigana</i> Stainton,	
<i>Phalonidia</i>	48-49, 280, 300
<i>cynthia</i> (Drury), <i>Samia</i>	120
<i>cypr</i> Barton sp.nov., <i>Coleophora</i> .167-171	
<i>deauratella</i> (H.-S.), <i>Oegoconia</i>	60
<i>decentella</i> (H.-S.), <i>Ectoedemia</i>	285
<i>defoliaria</i> (Cl.), <i>Erannis</i>	151
<i>degeerella</i> (L.), <i>Nemophora</i>	286
<i>degeneraria</i> (Hübner), <i>Idaea</i>	183
<i>delunella</i> (Stainton), <i>Eudonia</i>	306
<i>dentalis</i> ([D. & S.]), <i>Cynaeda</i>	12
<i>dentella</i> (Zeller), <i>Phaulernis</i>	299
<i>dentosella</i> Ragonot, <i>Vitula</i>	273
<i>despicata</i> (Scop.), <i>Pyrausta</i>	212, 305
<i>devoniella</i> (Stainton), <i>Parornix</i>	13, 288
<i>didyma</i> (Esper), <i>Mesapamea</i>	308
<i>diffinis</i> (L.), <i>Cosmia</i>	319-320
<i>dilectella</i> Zeller, <i>Argyresthia</i>	291
<i>dimidiata</i> (Hufn.), <i>Idaea</i>	308
<i>dispar</i> (L.), <i>Lymantria</i>	186
<i>distinctaria</i> H.-S., <i>Eupithecia</i>	308
<i>domestica</i> (Haworth), <i>Bryotropia</i>	293
<i>dubitella</i> (H.-S.), <i>Phyllonorycter</i>	289
<i>duplicella</i> (Goeze), <i>Narycia</i>	286
<i>edmandsii</i> (Packard), <i>Vitula</i>	269-274, 304
<i>effractella</i> Zeller, <i>Eccopisa</i>	304
<i>ekebladella</i> (Bjerk.), <i>Tischeria</i>	286
<i>electa</i> (View.), <i>Catocala</i>	205
<i>elongaria</i> (Rambur), <i>Idaea</i>	183
<i>emarginata</i> (L.), <i>Idaea</i>	308

<i>emberizaepenella</i> (Bouché),	
<i>Phyllonorycter</i>	289
<i>emortualis</i> (D. & S.), <i>Trisateles</i>	149, 195
<i>epilobiella</i> , <i>Mompha</i>	149
<i>epomidion</i> (Haworth), <i>Apamea</i>	308
<i>equitella</i> (Scop), <i>Glyphipterix</i>	290
<i>eremita</i> (Fabricius), <i>Dryobotodes</i>	309
<i>eremita</i> , <i>Dryobotodes</i>	255
<i>erythrocephala</i> (D. & S.), <i>Conistra</i>	190
<i>euphorbiae</i> (L.), <i>Hyles</i>	184
<i>exclamationis</i> (L.), <i>Agrotis</i>	225
<i>exigua</i> (Hübner), <i>Spodoptera</i>	150, 151, 191
<i>exsiccata</i> (Led.), <i>Tathorhynchus</i>	151
<i>exsoleta</i> (L.), <i>Xylena</i>	189
<i>extimalis</i> (Scop.), <i>Evergestis</i>	178, 305
<i>extrema</i> (Hübner), <i>Chortodes</i>	190
<i>fagiglandana</i> (Zeller), <i>Cydia</i>	303
<i>falconipennella</i> (Hübner), <i>Caloptilia</i>	288
<i>falsella</i> ([D. & S.]), <i>Catoptria</i>	306
<i>fasciapennella</i> (Stainton),	
<i>Kessleria</i>	280, 290
<i>fasciaria</i> (L.), <i>Hylaea</i>	308
<i>fasciella</i> (Fabricius), <i>Nemophora</i>	286
<i>ferchaultella</i> (Stephens), <i>Luffia</i>	287
<i>ferrugalis</i> (Hübner),	
<i>Udea</i>	18, 150, 151, 195, 197, 240
<i>fidia</i> (L.), <i>Hipparchia</i>	263-264
<i>filipendulae</i> (L.), <i>Zygaena</i>	149, 211-212
<i>finitimella</i> (Zeller), <i>Parornix</i>	16
<i>firmata</i> (Hübner), <i>Pennithera</i>	150, 151
<i>flammea</i> (Esp.), <i>Trigonophora</i>	189
<i>flammea</i> D. & S., <i>Panolis</i>	84
<i>flammeolaria</i> (Hufn.), <i>Hydrelia</i>	307
<i>flavalis</i> ([D. & S.]), <i>Mecyna</i>	137-145, 179
<i>flavescens</i> Tutt ab. of <i>aglaja</i> (L.),	
<i>Argynnis</i>	230, 235
<i>flaviciliana</i> (Westw.), <i>Cochylis</i>	301
<i>flavifrontella</i> ([D. & S.]), <i>Agnoea</i>	292
<i>fluxa</i> (Hübner), <i>Photedes</i>	190-191
<i>foenella</i> (L.), <i>Epiblema</i>	302
<i>formicaeformis</i> (Esper), <i>Synanthedon</i>	307
<i>forsterella</i> (Fabricius), <i>Glyphipterix</i>	290
<i>fovealis</i> Zeller, <i>Duponchelia</i>	179, 305
<i>frangitella</i> (Goeze), <i>Bucculatrix</i>	287
<i>fraternana</i> (Haworth), <i>Epinotia</i>	302
<i>fraxinella</i> (Bjerkander), <i>Prays</i>	136, 313
<i>fraxini</i> (L.), <i>Catocala</i>	194-195
<i>friesei</i> Svensson, <i>Oncerostoma</i>	290
<i>frischella</i> (L.), <i>Coleophora</i>	167, 295
<i>froelichiella</i> (Zeller), <i>Phyllonorycter</i>	289
<i>fucosa paludis</i> (Tutt), <i>Amphipoea</i>	42
<i>fugitivella</i> (Zeller), <i>Carpatolechta</i>	295

<i>fulvata</i> (Forster), <i>Cidaria</i>	228-229
<i>fulvimitrella</i> (Sod.), <i>Triaxomera</i>	287
<i>fumatella</i> (Dougl.), <i>Chionodes</i>	294
<i>fusca</i> (Haworth), <i>Pyla</i>	304
<i>fuscalis</i> (D. & S.), <i>Anania</i>	305
<i>fuscantaria</i> (Haworth), <i>Ennomos</i>	17, 309
<i>fuscata</i> (Tengst.), <i>Lampronia</i>	286
<i>galbanella</i> (Zeller), <i>Brytrophra</i>	293
<i>galbulipennella</i> Zeller, <i>Coleophora</i>	11
<i>gallii</i> (Rott.), <i>Hyles</i>	184-185
<i>gamma</i> (L.), <i>Autographa</i>	12, 151, 195 204-205, 213, 240
<i>geminipuncta</i> (Haw.), <i>Archanara</i>	17
<i>gentianaeanana</i> (Hübner), <i>Endothenia</i>	301
<i>gibbosella</i> (Zeller), <i>Psoricoptera</i>	294
<i>gigantella</i> (D. & S.), <i>Schoenobius</i>	306
<i>gilvago</i> (D. & S.), <i>Xanthia</i>	190
<i>gilvata</i> (Fabricius), <i>Uresiphita</i>	305
<i>glaucolella</i> Wood, <i>Coleophora</i>	296
<i>glaucinella</i> Zeller, <i>Argyresthia</i>	291
<i>glutinosae</i> (Stainton), <i>Stigmella</i>	283
<i>gorganus</i> (Fruhs.), ssp. <i>of machaon</i> , <i>Papilio</i>	181, 205
<i>grandaevana</i> (L. & Z.), <i>Epiblema</i>	146, 148-149, 302
<i>grandipennis</i> (Haworth), <i>Scythris</i>	298
<i>gratiosa</i> (Staudinger), <i>Agrochola</i>	256
<i>griseata</i> (D. & S.), <i>Lithostege</i>	184
<i>gryphipennella</i> (Hübner), <i>Coleophora</i> ..	295
<i>gularis</i> (Zeller), <i>Paralipsa</i>	304
<i>hamellus</i> (Thunberg), <i>Crambus</i>	240
<i>hammoniella</i> (Sorh.), <i>Heliozela</i>	285
<i>hastata</i> (L.), <i>Rheumaptera</i>	308
<i>hastiana</i> (L.), <i>Acleris</i>	300
<i>hemerobiella</i> (Scop.), <i>Coleophora</i>	296
<i>hepariella</i> Stainton, <i>Zelleria</i>	290
<i>hebaria</i> (Hübner), <i>Microloxia</i>	221-224
<i>heringella</i> (Mariani), <i>Ectoedemia</i>	285
<i>hexadactyla</i> L., <i>Alucita</i>	149, 299
<i>heyeraria</i> form <i>pusaria</i> (L.)	90-93
<i>hieronella</i> Zeller, <i>Coleophora</i>	167, 170
<i>hornigi</i> (Staud.), <i>Monochroa</i>	294
<i>hospes</i> (Frey.), <i>Proxenus</i>	192
<i>hostis</i> Triberti, <i>Phyllonorycter</i>	289
<i>humuli</i> (L.), <i>Hepialus</i>	226-227
<i>hyperici</i> (D. & S.), <i>Actinotia</i>	174, 190
<i>ibipennella</i> Zeller, <i>Coleophora</i>	296
<i>ignorata</i> (Kuzn.), <i>Pammene</i>	303
<i>illutana</i> (H.-S.), <i>Cydia</i>	303
<i>imella</i> (Hübner), <i>Monopis</i>	287
<i>incerta</i> (Hufn.), <i>Orthostia</i>	309
<i>incongruella</i> (Stainton), <i>Amphisbatis</i> ..	292

<i>innotata</i> (Hufn.), <i>Eupithecia</i>	308
<i>inopiana</i> (Haworth), <i>Phtheochroa</i>	300
<i>internana</i> (Guen.), <i>Grapholita</i>	303
<i>interrogationis</i> (L.), <i>Syngrapha</i>	206
<i>intimella</i> (Zeller), <i>Ectoedemia</i>	285
<i>ipsilon</i> (Hufn.), <i>Agrotis</i>	18, 151, 195, 202
<i>iranella</i> (Zeller), <i>Pempelia</i>	110
<i>isidis</i> (Zeller), <i>Ceutholopha</i>	173, 181
<i>italica</i> Baldizzone, <i>Metalampra</i>	177, 292
<i>joannisi</i> Le Marchand, <i>Phyllonorycter</i>	280, 289
<i>josephinae</i> (Toll), <i>Agnoea</i>	292
<i>jucundella</i> Mann, <i>Pempelia</i>	100-110
<i>juncicolella</i> (Stainton), <i>Coleophora</i>	295
<i>junctella</i> (Dougl.), <i>Caryocolum</i>	295
<i>jungella</i> (Clerck), <i>Grapholita</i>	303
<i>junoniella</i> (Zeller), <i>Phyllonorycter</i>	289
<i>jurassicella</i> (Frey), <i>Mompha</i>	298
<i>juventina</i> (Stoll), <i>Callopietria</i>	174, 190
<i>klimeschi</i> Roesler, <i>Pempelia</i>	110
<i>kochiella</i> (Goeze), <i>Acleris</i>	280, 300
<i>koenigi</i> (Capuse), <i>Nemapogon</i>	280, 287
<i>kruegeri</i> Turati, <i>Phycita</i>	33, 38
<i>kuehniella</i> Zeller, <i>Ephestia</i>	305
<i>labrynthella</i> , <i>Phyllocnistis</i>	125-126
<i>lacteana</i> Caradja, <i>Bactra</i>	17-18, 301
<i>lacteella</i> (Steph.), <i>Mompha</i>	298
<i>lacticolella</i> Rebel, <i>Blastobasis</i>	298
<i>laichartingella</i> (Goeze), <i>Diplodoma</i>	286
<i>lambdella</i> (Don.), <i>Batia</i>	292
<i>lancealis</i> (D. & S.), <i>Anania</i>	305
<i>langiella</i> (Hübner), <i>Mompha</i>	298
<i>lantanella</i> (Schr.), <i>Phyllonorycter</i>	289
<i>lappella</i> (L.), <i>Metzneria</i>	294
<i>lapponica</i> (Wocke), <i>Stigmella</i>	283
<i>laricana</i> (Hein.), <i>Spilonota</i>	301
<i>lassella</i> Staud., <i>Coleophora</i>	296
<i>latefasciata</i> , <i>Dysstroma</i>	228-229
<i>lathamella</i> (Fletcher), <i>Chrysoclista</i>	297
<i>lautella</i> (Zeller), <i>Phyllonorycter</i>	147, 289
<i>leguminana</i> (Lienig & Zeller), <i>Cydia</i>	280, 303
<i>lemnata</i> (L.), <i>Cataclysta</i>	306
<i>lentiginosella</i> (Zeller), <i>Mirificarma</i>	294
<i>leucapennella</i> (Steph.), <i>Caloptilia</i>	288
<i>leucogaster</i> (Frey.), <i>Ochropleura</i>	188
<i>leucographella</i> (Zeller), <i>Phyllonorycter</i> ..	289
<i>leucostigma</i> (Hübner), <i>Celaena</i>	17
<i>leucotreta</i> (Meyr.), <i>Crypophibia</i>	240, 241
<i>leucotreta</i> , (Meyr.), <i>Thaumantotibia</i>	240, 241
<i>lientigianus</i> (Zeller), <i>Hellinsia</i>	299
<i>ligustri</i> (D. & S.), <i>Craniophora</i>	17, 307

<i>ligustri</i> L., <i>Sphinx</i>	308
<i>limbella</i> (Fabricius), <i>Scythris</i>	298
<i>lineatella</i> Zeller, <i>Anarsia</i>	177, 239, 293
<i>lineola</i> (Curt.), <i>Eudonia</i>	306
<i>lipsiella</i> (ID. & S.), <i>Diurnea</i>	292
<i>literana</i> (L.), <i>Acleris</i>	300
<i>lithargyrinella</i> Zeller, <i>Coleophora</i>	296
<i>litoralis</i> (Curtis), <i>Mythimna</i>	309
<i>littoralis</i> (Westwood & Humphreys), <i>Lobesia</i>	149
<i>litura</i> (L.), <i>Agrochola</i>	245-248, 250-251
<i>liturosa</i> (Haworth), <i>Agonopterix</i>	292
<i>lividalis</i> (Hübner)*, <i>Hypena</i>	7-10
<i>livornica</i> (Esp.), <i>Hyles</i>	151, 185-186, 205
<i>lixella</i> (Zeller), <i>Coleophora</i>	296
<i>lobarzewski</i> (Nowicki), <i>Grapholita</i>	303
<i>logiana</i> (Cl.), <i>Acleris</i>	300
<i>longana</i> (Haworth), <i>Cnephasia</i>	300
<i>loreyi</i> (Dup.), <i>Mythimna</i>	189
<i>louisella</i> (Sirc.), <i>Ectoedemia</i>	285
<i>lucens</i> (Frey.), <i>Amphipoea</i>	191, 206
<i>lucida</i> (Hufn.), <i>Acontia</i>	193
<i>luculella</i> (Hübner), <i>Teleiodes</i>	295
<i>lunaedactyla</i> (Haworth), <i>Marasmarcha</i>	299
<i>lunaris</i> (D. & S.), <i>Minucia</i>	195
<i>lunularia</i> (Hübner), <i>Selenia</i>	184
<i>lurideola</i> (Zincken), <i>Eilema</i>	308
<i>luscinaepennella</i> (Treit.), <i>Coleophora</i>	295
<i>lutarea</i> (Haworth), <i>Coleophora</i>	295
<i>lutatella</i> (H-S.), <i>Helcystogramma</i>	88-89
<i>lutealis</i> (Duponchel), <i>Mecyna</i>	137-145
<i>luteella</i> (Stainton), <i>Stigmella</i>	283
<i>luteoigrisea</i> (Warren), <i>Agrochola</i>	245-247, 250-251
<i>lutosa</i> (Hübner), <i>Rhizedra</i>	42
<i>lutulentella</i> (Zeller), <i>Monochroa</i>	294
<i>luzulina</i> (Moore), <i>Rapala</i>	161
<i>machaon</i> (L.), <i>Papilio</i>	181, 205
<i>macilentia</i> (Hübner), <i>Agrochola</i>	309
<i>magdalenae</i> (Klim.), <i>Stigmella</i>	284
<i>malella</i> (Stainton), <i>Stigmella</i>	283
<i>malifoliella</i> (Costa), <i>Leucoptera</i>	291
<i>manea schistacea</i> (Moore), <i>Rapala</i>	156-166
<i>mansuetella</i> (Zeller), <i>Micropterix</i>	282
<i>margaritella</i> (ID. & S.), <i>Catoptria</i>	306
<i>marilella</i> Guenée, <i>Phycis</i>	106, 110
<i>maroccanella</i> Amsel, <i>Blastobasis</i>	280, 298
<i>mayrella</i> (Hübner), <i>Coleophora</i>	167, 296
<i>melania</i> Var. <i>pusaria</i> (L.), <i>Cabera</i>	91
<i>melanopa</i> (Thunberg), <i>Anarta</i>	211
<i>meliella</i> (Mann), <i>Phycita</i>	31- 39
<i>meridionalis</i> , <i>Agrochola</i>	246

<i>metallica</i> (Poda), <i>Nemophora</i>	146
<i>metzneri</i> (Zeller), <i>Nemophortyx</i>	28-40
<i>metzneri</i> (Zeller), <i>Phycita</i>	28-40
<i>metzneriana</i> (Treits.), <i>Eucosma</i>	146, 148-149, 302
<i>micalis</i> (Mann), <i>Tebenna</i>	176, 299
<i>micella</i> (ID. & S.), <i>Argolamprotes</i>	294
<i>microdactyla</i> (Hübner), <i>Adaina</i>	299
<i>millieridactyla</i> (Bruand), <i>Stenopitilia</i>	299
<i>minima</i> Roesler, <i>Pempelia</i>	110
<i>minima</i> (Haworth), <i>Photedes</i>	308
<i>minimella</i> (ID. & S.), <i>Nemophora</i>	286
<i>minimella</i> (Zett.), <i>Ectoedemia</i>	285
<i>miniosa</i> (D. & S.), <i>Orthosia</i>	188
<i>ministrana</i> (L.), <i>Eulia</i>	300
<i>minutana</i> (Hübner), <i>Gypsonoma</i>	239
<i>miscella</i> (ID. & S.), <i>Mompha</i>	298
<i>molliculana</i> Zeller, <i>Cochylis</i>	301
<i>monachella</i> (Hübner), <i>Monopis</i>	17
<i>monochroma</i> (Esper), <i>Dryobotodes</i>	248-249, 252-256
<i>monodactyla</i> (L.), <i>Emmelina</i>	299
<i>morosa</i> (Zeller), <i>Lampronia</i>	286
<i>mucronella</i> (Scop), <i>Ypsolopha</i>	290
<i>multifidella</i> , <i>Moitrelia</i>	106
<i>murana</i> (Curt.), <i>Eudonia</i>	306
<i>muscerda</i> (Hufn.), <i>Pelosia</i>	18m 186-187
<i>muscosella</i> Zeller, <i>Gelechia</i>	239, 241, 294
<i>myllerana</i> (Fabricius), <i>Prochoreutis</i>	299
<i>myrtillana</i> (H. & W.), <i>Rhopobota</i>	301
<i>myrtillella</i> (Stainton), <i>Stigmella</i>	284
<i>myrtilli</i> (L.), <i>Anarta</i>	212
<i>napi</i> (L.), <i>Pieris</i>	238
<i>nebulella</i> (D. & S.), <i>Homoeosoma</i>	181
<i>nemoralis</i> (Scop.), <i>Agrotera</i>	180, 305
<i>ni</i> (Hübner), <i>Trichoplusia</i>	49, 193
<i>nicellii</i> (Stainton), <i>Phyllonorycter</i>	289
<i>nigra</i> (Haworth), <i>Gelechia</i>	239
<i>nigrescentella</i> (Logan), <i>Phyllonorycter</i>	289
<i>nigricana</i> (Fabricius), <i>Cydia</i>	303
<i>nigricostana</i> (Haworth), <i>Endothenia</i>	280, 301
<i>nitidalis</i> (Walk.), <i>Musotima</i>	178, 276-277, 306
<i>noctuella</i> (D. & S.), <i>Nomophila</i>	18, 150, 151, 195, 198
<i>novimundi</i> (Busck), <i>Oegoconia</i>	280, 291
<i>nubigera</i> (H-S.), <i>Heliothis</i>	151, 192
<i>nubilalis</i> (Hübner), <i>Ostrinia</i>	179
<i>nylandriella</i> (Tengst.), <i>Stigmella</i>	284
<i>obelisca</i> (Tutt), <i>Euxoa</i>	188
<i>obliquella</i> (Stainton), <i>Elachista</i>	297

oblitella (Dup.), *Ancylosis*181
oblongana (Haworth), *Endothenia*301
obscurana (Steph.), *Pammene*304
obsitalis (Hübner), *Hypena*128
obsoletella (F. v. R.), *Scrobipalpa*294
obstipata (Fabricius), *Orthonama*200
occulta (L.), *Eurois*188
occultella (L.), *Ectoedemia*285
ocellana (ID. & S.), *Spilonota*301
ocellaris (Borkh.), *Xanthia*190
ocellea (Haworth), *Euchromius*150, 151
ochraceella (Curt.), *Mompha*298
ochrata (Scop.), *Idaea*183
ohridella Deschka & Dimic,
Cameraria280, 290
oleae (Bernard), *Prays*136, 177, 313
oleastrella (Mill.), *Zelleria*290
olivalis (ID. & S.), *Udea*305
omoscopa (Meyrick), *Opogona*89
ononaria (Fuessl.), *Aplasta*182
Ophiuche9
oppressana (Treits.), *Gypsonoma*302
orichalcea (Frey.), *Thysanoptusia*194
orichalcea Stainton, *Cosmopterix*293
ostrina (Hübner), *Eublemma*193
ostrinalis (Hübner), *Pyrausta*305
otidipennella (Hübner), *Coleophora*296
palealis (ID. & S.), *Sitochroa*179
pallescentella (Stainton), *Tinea*287
pallida (Hufn.), *Evergestis*305
pallifrontana (L. & Z.), *Enarmonia*23-27
pallifrontana (L. & Z.), *Grapholita*23-27
pallustris (Hübner), *Athetis*44-48
paludella (Hübner), *Calamotropha*306
paludis (Tutt), f. of *fucosa*, *Amphipoea*42
paradoxa (Frey), *Stigmella*284
parenthesella (L.), *Ypsolopa*290
paripennella Zell., *Coleophora*297
parva (Hübner), *Eublemma*193
parvulana (Wilkinson), *Eucosma*302
pasiana (Hübner), *Cnephasia*300
pastorella (Zeller), *Phyllonorycter*289
pauperana (Dup.), *Phaneta*302
pavonia (L.), *Saturnia*6, 237-238
pectinataria (Knoch), *Colostygia*309
pectinea Haworth, *Incurvaria*286
pellionella L., *Tinea*287
peltigera (D. & S.), *Heliolithis*12, 192
pennella (ID. & S.), *Coleophora*296
pentadactyla (L.), *Pterophorus*299
pentaziana (Thunberg & Becklin), *Eana*300
peregrina Agassiz, *Prays*134-136, 311-317

perieresalis (Walk.), *Diplopseustis*179
perlella (Scop.), *Crambus*306
perlucidalis (Hübner), *Anania*305
perplexa (ID. & S.), *Hadena*11
phasianipennella (Hübner), *Calybites*288
phragmitella (Hübner), *Chilo*306
picaepennis (Haworth), *Scythris*298
pimpipellae Zell., *Depressaria*292
pinastri (L.), *Hyloicus*17
pini (L.), *Dendrolimus*63-85, 205
pinaria (L.), *Bupalus*308
pinivorana (L. & Z.), *Rhyacionia*303
plantaginis (L.), *Parasemia*212
plebejana (Zeller), *Crociosema*302
plexippus (L.), *Danaus*182
plumbagana (Treits.), *Dichrorampha*303
plumigeralis (Hübner), *Pechipogo*195
poae Stainton, *Elachista*280, 297
polychloros (L.), *Nymphalis*182
polychromella (Rebel), *Syncopacma*150,
151, 280, 293
polygrammata (Borkh.), *Costaconvexa*183
polyodon (Clerck), *Actinotia*190
populetorum (Zeller), *Caloptilia*288
populi (L.), *Poecilocampa*151
populiella Chambers, *Phyllocnistis*124
postvittana (Walker), *Epiphyas*7, 49, 300
potatoria (L.), *Euthrix*17
potentillella (Zeller), *Scythris*298, 307
poteriella (Zeller), *Phycita*28-40
poterii (Stainton), *Stigmella*284
praecox (L.), *Actebia*188
prasinana (L.), *Pseudoips*309
proboscidalis (L.), *Hypena*7
processionea (L.), *Thaumetopoea*173, 186
pronuba (L.), *Noctua*188
proximella (Hübner), *Carpatolechia*295
prunalis (ID. & S.), *Udea*305
pruniana (Hübner), *Hedya*301
prunifoliella (Hübner), *Lyonetia*291
pulchella (L.), *Utetheisa*151, 187, 205
pulchellata Stephens, *Eupithecia*11
pulchrimella Chambers, *Cosmopterix*293
pulveralis (Hübner), *Psammotis*179
pulverosella (Stainton), *Bohemannia*284
punctalis (Fabricius), *Synaphe*11, 305
punctidactyla (Haworth), *Amblyptilia*299
pupillaria (Hübner), *Cyclophora*182,
242, 243
purdeyi (Durrant), *Clavigesta*302
purpurina (D. & S.), *Eublemma*193

<i>purpurobrunnescens</i> ab. of <i>firmata</i>	
Hübner, <i>Pennithera</i>	150, 151
<i>pusaria</i> (L.), <i>Cabera</i>	90-93
<i>pygmaeana</i> (Hübner), <i>Epinotia</i>	302
<i>pyralella</i> (ID. & S.), <i>Scoparia</i>	11
<i>pyramidea</i> (L.), <i>Amphipyra</i>	308
<i>pyrrhulipennella</i> Zeller, <i>Coleophora</i>	296
<i>quadra</i> (L.), <i>Lithosia</i>	187
<i>quadrillella</i> (Goeze), <i>Ethmia</i>	177
<i>quadrinaculella</i> (Boh.), <i>Bohemannia</i>	284
<i>quadrripuncta</i> (Haworth),	
<i>Oegoconia</i>	60, 291
<i>quadrupunctaria</i> (Poda), <i>Euplagia</i>	187
<i>quinquella</i> (Bedell), <i>Ectoedemia</i>	280, 285
<i>rajella</i> (L.), <i>Phyllonorycter</i>	289
<i>raptricula</i> (D. & S.), <i>Cryphia</i>	190
<i>ratzeburgiana</i> (Saxesen), <i>Zeiraphera</i>	302
<i>recurvalis</i> (Fabricius),	
<i>Spoladea</i>	179, 240, 241
<i>regiana</i> (Zeller), <i>Pammene</i>	304
<i>regiella</i> (H.-S.), <i>Stigmella</i>	284
<i>repandaria</i> (Hufn.), <i>Epione</i>	309
<i>resplendella</i> (Stainton), <i>Heliozela</i>	285
<i>rhamniiella</i> (Zeller), <i>Sorhagenia</i>	293
<i>rhediella</i> (Clerck), <i>Pammene</i>	304
<i>rhombana</i> (ID. & S.), <i>Acleris</i>	300
<i>rivulana</i> (Scop.), <i>Celypha</i>	301
<i>rivularis</i> (Fabricius), <i>Sideridis</i>	309
<i>roborella</i> (Johansson), <i>Stigmella</i>	48-49, 284
<i>roborella</i> Zeller, <i>Phycita</i>	31-35
<i>roboris</i> (Zeller), <i>Phyllonorycter</i>	288
<i>rorrella</i> (Hübner), <i>Yponomeuta</i>	176
<i>rubiginosana</i> (H.-S.), <i>Epinotia</i>	302
<i>rubivora</i> (Wocke), <i>Ectoedemia</i>	285
<i>rufescens</i> (Haworth),	
<i>Helcystogramma</i>	88, 293
<i>ruficapitella</i> (Haworth), <i>Stigmella</i>	284
<i>ruficeps</i> (Hein.), <i>Prays</i>	136
<i>ruficiliaria</i> (H.-S.), <i>Cyclophora</i>	183, 243
<i>rufifasciata</i> (Haworth),	
<i>Gymnoscelis</i>	49, 150, 151
<i>rufimitrella</i> (Scop.), <i>Cauchas</i>	286
<i>rusticata</i> (D. & S.), <i>Idaea</i>	183
<i>sacrarata</i> (L.), <i>Rhodometra</i>	7, 199-200
<i>sagitella</i> (Bjerk.), <i>Phyllonorycter</i>	19, 21,
	146, 147
<i>sakhalinella</i> Puplesis,	
<i>Stigmella</i>	48-49, 280, 283
<i>salicella</i> (Hb.), <i>Dasystoma</i>	292
<i>saligna</i> (Zeller), <i>Phyllocnistis</i>	121
<i>salopiella</i> (Stainton), <i>Eriocrania</i>	283
<i>samadensis</i> (Pfaff.), <i>Scrobipalpa</i>	294

<i>samiatella</i> (Zeller), <i>Stigmella</i>	284
<i>sangii</i> (Wood), <i>Eriocrania</i>	283
<i>satireiella</i> Millière, <i>Pempelia</i>	99-111
<i>saucia</i> (Hübner), <i>Peridroma</i>	150, 151,
	202-203
<i>saxicolella</i> (Dup.), <i>Coleophora</i>	147
<i>schalleriana</i> (L.), <i>Acleris</i>	300
<i>schistacea</i> (Moore), <i>Aphnaeus</i>	156-166
<i>schistacea</i> (Moore), <i>Deudorix</i>	157, 162
<i>schistacea</i> (Moore), <i>Rapala</i>	156-166
<i>schoenicolella</i> (Boyd), <i>Glyphipterix</i>	290
<i>scopariella</i> (Zeller), <i>Phyllonorycter</i>	289
<i>scotica aglaja</i> (L.), <i>Argynnis</i>	230-237
<i>scotinella</i> H.-S., <i>Gelechia</i>	294
<i>secalis</i> (L.), <i>Mesapamea</i>	308
<i>sedella</i> Treits., <i>Yponomeuta</i>	290
<i>segetum</i> (D. & S.), <i>Agrotis</i>	7, 151
<i>semele</i> (L.), <i>Hipparchia</i>	264
<i>semifascia</i> (Haworth), <i>Caloptilia</i>	147
<i>semifusca</i> (Haworth), <i>Argyresthia</i>	291
<i>semipurpurella</i> (Steph.), <i>Eriocrania</i>	283
<i>semirubella</i> (Scop.), <i>Oncocera</i>	304
<i>senecionana</i> (Hübner), <i>Clepsis</i>	300
<i>senectella</i> (Zeller), <i>Bryotropha</i>	294
<i>septembrella</i> (Stainton), <i>Ectoedemia</i>	285
<i>sequella</i> (Clerck), <i>Ypsolopha</i>	290
<i>sericopeza</i> (Zeller), <i>Ectoedemia</i>	285
<i>serpentina</i> (Treits.), <i>Polymixis</i>	256
<i>serratella</i> (L.), <i>Coleophora</i>	295
<i>serricornis</i> (Stainton), <i>Elachista</i>	297
<i>servadeii</i> Parenzan, <i>Dryobotodes</i>	247-249,
	252-256
<i>sexpunctella</i> (Fabricius), <i>Prolita</i>	294
<i>siccifolia</i> Stainton, <i>Coleophora</i>	295
<i>signatana</i> (Dougl.), <i>Epinotia</i>	301
<i>signatella</i> (Hübner), <i>Symmoca</i>	280, 291
<i>silvella</i> (Hübner), <i>Crambus</i>	306
<i>similella</i> (Hübner), <i>Denisia</i>	292
<i>similella</i> (Zinck.), <i>Elegia</i>	181, 304
<i>simplicella</i> Hein., <i>Dioryctria</i>	17
<i>simulans</i> (Hübner), <i>Rhyacia</i>	188
<i>sinapis</i> (L.), <i>Leptidea</i>	234
<i>sinuella</i> (Fabricius), <i>Homoeosoma</i>	280, 304
<i>siterata</i> (Hufn.), <i>Chloroclysta</i>	7, 49
<i>sodaliana</i> (Haworth), <i>Phtheochroa</i>	300
<i>solandriana</i> (L.), <i>Epinotia</i>	301
<i>solitariella</i> Zeller, <i>Coleophora</i>	297
<i>sorbi</i> (Frey), <i>Phyllonorycter</i>	288
<i>sordidatella</i> Tengst., <i>Depressaria</i>	293
<i>sororulella</i> Ragonot, <i>Pempelia</i>	99-111
<i>sororiata</i> Prout, <i>Carsia</i>	308
<i>sororiella</i> (Zeller), <i>Pempeliella</i>	99-111

<i>speciosa</i> (Frey), <i>Stigmella</i>	284	<i>torquillella</i> (Zeller), <i>Deltaornix</i>	13
<i>spinosissimae</i> (Waters), <i>Stigmella</i>	284	<i>torquillella</i> (Zeller), <i>Parornix</i>	13, 288
<i>splendana</i> (Hübner), <i>Cydia</i>	177, 303	<i>torrenti</i> Agenjo, <i>Phycita</i>	28, 31-39
<i>splendens</i> (Hübner), <i>Lacanobia</i>	188	<i>transversa</i> (Hufn.), <i>Eupsilia</i>	318
<i>splendidulana</i> (Guen.), <i>Pammene</i>	303	<i>trifasciata</i> Stdgr., <i>Argyresthia</i>	291
<i>sponsa</i> (L.), <i>Catocala</i>	195	<i>trifasciata</i> (Haworth), <i>Phyllonorycter</i> ..	289
<i>stellata</i> (Stainton), <i>Elachista</i>	297	<i>trifolii</i> (Hufn.), <i>Discestra</i>	188
<i>stellatarum</i> (L.), <i>Macroglossum</i> ...	120, 195, 201-202, 205	<i>trigeminella</i> Fuchs, <i>Coleophora</i>	295
<i>sternipennella</i> (Zett.), <i>Coleophora</i> ..	147, 296	<i>trigonella</i> (L.), <i>Epinotia</i>	301
<i>sticticalis</i> (L.), <i>Loxostege</i>	178	<i>trigrammica</i> (Hufn.), <i>Charanyca</i>	46
<i>stigmatella</i> (Fabricius), <i>Caloptilia</i>	288	<i>trimaculana</i> (Haworth), <i>Notocelia</i>	302
<i>stigmatica</i> (Esper), <i>Xestia</i>	308	<i>trimaculana</i> (Haworth), <i>Stigmella</i>	284
<i>straminea</i> (Tr.), <i>Mythimna</i>	17	<i>tringipennella</i> (Fabricius), <i>Aspilapteryx</i> ..	288
<i>strigana</i> (Fabricius), <i>Lathronympha</i>	303	<i>tripoliana</i> (Barr.), <i>Eucosma</i>	302
<i>strigata</i> , <i>Phycita</i>	31-39	<i>triquetrella</i> (Hübner), <i>Dahlica</i>	286
<i>strigilis</i> (L.), <i>Oligia</i>	308	<i>tristata</i> (L.), <i>Epirrhoe</i>	212, 308
<i>strobilella</i> (L.), <i>Cydia</i>	303	<i>tritophus</i> (D. & S.), <i>Notodonta</i>	173, 186
<i>sturnipennella</i> (Tr.), <i>Mompha</i>	26	<i>truncata</i> (Hufn.), <i>Dysstroma</i>	229
<i>suasa</i> (D. & S.), <i>Lacanobia</i>	17	<i>truncicolella</i> (Stainton), <i>Eudonia</i>	306
<i>suavis</i> (Butler), <i>Pseudocoremia</i>	184	<i>tumidana</i> (D. & S.), <i>Acrobasis</i>	180
<i>subbimaculella</i> (Haworth), <i>Ectoedemia</i> ..	285	<i>turbidana</i> (Hübner), <i>Apotomis</i>	301
<i>subbistrigella</i> (Haworth), <i>Mompha</i>	149, 298	<i>turbidella</i> (Zeller), <i>Ectoedemia</i>	285
<i>subfasciella</i> (Steph.), <i>Cedestis</i>	290	<i>ulceratalis</i> Lederer, <i>Cornifrons</i>	150, 151, 210, 280, 305
<i>subnigrella</i> (Dougl.), <i>Elachista</i>	297	<i>ulicicolella</i> (Stainton), <i>Phyllonorycter</i> ..	289
<i>subpurpurella</i> (Haworth), <i>Eriocrania</i> ..	292	<i>uliginosalis</i> (Stephens), <i>Udea</i>	212
<i>suffusella</i> (Dougl.), <i>Monochroa</i>	294	<i>uliginosellus</i> Zeller, <i>Crambus</i>	306
<i>sulphurella</i> (Fabricius), <i>Esperia</i>	292	<i>ulmella</i> Zeller, <i>Bucculatrix</i>	288
<i>superstes</i> (Ochs.), <i>Hoplodrina</i>	191	<i>alnifoliae</i> Hering, <i>Bucculatrix</i>	89, 288
<i>suspectana</i> (L. & Z.), <i>Pammene</i>	303	<i>ulmifoliella</i> (Hübner), <i>Phyllonorycter</i> ..	289
<i>sylvestrana</i> (Curtis), <i>Clavigesta</i>	302	<i>umbratica</i> (L.), <i>Cucullia</i>	307
<i>sylvestrella</i> (Ratz.), <i>Dioryctria</i>	181	<i>uncella</i> (D. & S.), <i>Ancyliis</i>	301
<i>sylvina</i> (L.), <i>Triodia</i>	308	<i>undalis</i> (Fabricius), <i>Hellula</i>	150, 151
<i>syringella</i> (Fabricius), <i>Gracillaria</i>	288	<i>undulata</i> (L.), <i>Hydria</i>	308
<i>tabaniformis</i> (Rott.), <i>Paranthrene</i>	215	<i>unguicella</i> (L.), <i>Ancyliis</i>	301
<i>tamesis</i> Waters, <i>Coleophora</i>	296	<i>unicolella</i> Staudinger, <i>Ephestia</i>	305
<i>tenebrosa</i> (Esper), <i>Dryobotodes</i>	189	<i>unimaculella</i> (Zett.), <i>Eriocrania</i>	282
<i>tengstromi</i> (Kaila <i>et al</i>), <i>Elachista</i>	297	<i>unipuncta</i> (Haworth), <i>Mythimna</i>	189
<i>tentaculella</i> (Hübner), <i>Ancylolomia</i>	306	<i>unipunctella</i> (Steph.), <i>Phyllocnistis</i>	121-127, 290
<i>teriolella</i> (Amsel)*, <i>Infurcitinea</i>	1-6, 279, 287	<i>unitana</i> (Hübner), <i>Aphelia</i>	300
<i>terminella</i> (H. & W.), <i>Mompha</i>	298	<i>ustella</i> (Clerck), <i>Ypsolopa</i>	290
<i>terrella</i> [(D. & S.)], <i>Bryotropha</i>	293	<i>vaccinii</i> (L.), <i>Conistra</i>	151
<i>tetralunaria</i> (Hufn.), <i>Selenia</i>	308	<i>vancouverana</i> McDunnough, <i>Dichrorampha</i>	303
<i>tetraquetra</i> (Haworth), <i>Epinotia</i>	301	<i>variata</i> (Clemens), <i>Nemapogon</i>	146
<i>therinella</i> Tengst., <i>Coleophora</i>	147, 296	<i>variicornis</i> Zeller, <i>Coleophora</i>	167, 170
<i>thoracella</i> (Thunberg), <i>Bucculatrix</i>	288	<i>varuna</i> , <i>Deudorix</i>	161
<i>thulensis</i> Newman ssp. of <i>humuli</i> (L.), <i>Hepialus</i>	227	<i>venustula</i> (Hübner), <i>Elaphria</i>	43
<i>tiliae</i> (Frey), <i>Stigmella</i>	283	<i>verellus</i> (Zinck.), <i>Catoptria</i>	240, 306
<i>timoleon</i> Stoll, <i>Iraota</i>	161	<i>verhuella</i> Braund, <i>Psychoides</i>	287
		<i>versurella</i> (Zeller), <i>Coleophora</i>	147

<i>vestianella</i> (L.), <i>Coleophora</i>	147
<i>vestigialis</i> (Hufn.), <i>Agrotis</i>	17
<i>vetusta</i> (Hübner), <i>Xylena</i>	189
<i>v-flava</i> (Haworth), <i>Oinophila</i> ..	176, 215-216
<i>viretata</i> (Hubn.), <i>Acasis</i>	308
<i>virgata</i> (Hufn.), <i>Phibalapteryx</i>	43
<i>viridis</i> (Druce), <i>Antichloris</i>	187
<i>viscariella</i> (Stainton), <i>Caryocolum</i>	295
<i>vitellina</i> (Hübner), <i>Mythimna</i>	203
<i>virata</i> (Fabricius), <i>Maruca</i>	179
<i>vitrealis</i> (Rossi), <i>Palpita</i>	179-180, 205
<i>vittata</i> (Borkhausen), <i>Orthonama</i> ..	307, 308
<i>vittata</i> (Woll.), <i>Blastobasis</i>	298
<i>weaverella</i> (Scott), <i>Monopis</i>	287
<i>weaveri</i> (Stainton), <i>Ectoedemia</i>	285
<i>weirana</i> (Dougl.), <i>Strophedra</i>	304
<i>xylostella</i> (L.), <i>Plutella</i>	18, 150, 151, 195, 196, 240
<i>zenonides</i> Nilsson, Svendsen & Fibiger	
ssp. of <i>servadeii</i> , <i>Dryobotodes</i>	255
<i>zoegana</i> (L.), <i>Agapeta</i>	11

HETEROPTERA

<i>Spilostethus pandurus</i> (Scop)	152-153
<i>Corizus hyoscyami</i> (L.)	152
<i>Spilostethus furcula</i> (H.-S.)	152
<i>Spilostethus saxatilis</i> (Scop.)	152
<i>Lygaeus equestris</i> (L.)	152

HOMOPTERA

<i>Ctenarytaina spatula</i> Taylor	265-267
--	---------

HYMENOPTERA

<i>Formica rufa</i> L	83
<i>Aleiodes dendrolini</i> (Matsumura) =	
<i>Aleiodes esenbeckii</i> (Hartig)	83
<i>Telenomus tetratomus</i> Kieffer,	83
<i>Aleiodes esenbeckii</i> (Hartig)	83
<i>Trichogramma</i> spp.	83
<i>Sphex flavipennis</i>	129-133
<i>Crematogaster scutellaris</i> (Olivier)	164
<i>Crematogaster</i> spp.	164
<i>Bombus hortorum</i> (L.)	269, 271

ORTHOPTERA

<i>Locusta migratoria</i> (L.)	22
--------------------------------------	----

TRICHOPTERA

<i>Cyrnus insolutus</i> McLachan	259-263
--	---------