

# **Material Safety Data Sheet**

Ethylene

### In Case of Emergency: Chemtrec 800-424-9300

## **Section 1: Product and Company Identification**

Gas and Supply 125 Thruway Park Broussard, LA 70518 877-441-7311 Fax: 337-839-8235 www.gasandsupply.com

### Product Code: Ethylene

Chemical Substance	Chemical Family	Trade Names
ETHYLENE	hydrocarbons, aliphatic	ACETENE; ETHENE; ETHYLENE, COMPRESSED GAS; OLEFIANT GAS; BICARBURETTED HYDROGEN; UN 1962; C2H4

## **Section 2: Hazards Identification**

Description	Main Health Hazard
Colorless, sweet odor Flammable gas. May cause flash fire. May polymerize. Containers may rupture or explode.	Central nervous system depression, difficulty breathing, asphyxiant

### Likely Routes of Exposure:

Inhalation	Ingestion	Еуе	Skin	Health Effects	Target Organs	Medical Condition Aggravated by -
Nausea, vomiting, symptoms of drunkenness, bluish skin color, suffocation, convulsions, coma	Not likely route of exposure.	Frostbite, blurred vision	Blisters, frostbite	Central nervous system depression, difficulty breathing, asphyxiant	Respiratory system, central nervous system	Not available

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

## Section 3: Composition/Information on Ingredients



## **Section 4: First Aid Measures**

Skin Contact	Eye Contact	Ingestion	Inhalation	Note to
	-	_		Physicians

Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41- 46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.	Contact with liquid: Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.	Do not induce vomiting. Seek immediate medical attention. Check for frostbite. Thaw frostbite slowly with lukewarm water. Avoid mouth-to-mouth contact by using a mouth shield or guard to perform artificial respiration.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

## Section 5: Fire Fighting Measures

Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Carbon dioxide, regular dry chemical Large fires: Flood with fine water spray.	Carbon monoxide, carbon dioxide and toxic and irritating fumes	<ul> <li>Any self-contained breathing apparatus with a full facepiece.</li> <li>Any self-contained breathing apparatus with a full facepiece.</li> </ul>

## **Section 6: Accidental Release Measures**

Personal Precautions	Environmental Precautions	Methods for Containment
Keep unnecessary people away, isolate hazard area and deny entry. Do not touch spilled material. Ventilate closed spaces before entering.	Avoid heat, flames, sparks and other sources of ignition.	Stop leak if possible without personal risk. Reduce vapors with water spray. Remove sources of ignition.
Methods for Cleanup		Other Information

Avoid ignition sources. Evacuate area, contact emergency personnel. Use fine water spray. None

## Section 7: Handling and Storage

Handling	Storage
Store and handle in accordance with all current regulations and standards. Protect from physical	Avoid heat, flames, sparks and other
damage. Store in a cool, dry place. Store in a well-ventilated area. Subject to storage regulations:	sources of ignition. Grounding and
U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.	bonding required.

## **Section 8: Exposure Controls/Personal Protection**

Exposure Guidelines

TLV-TWA: 200ppm Carcinogenicity Designation A4 (ACGIH)

### **Engineering Controls**

No specific controls are needed.		
Eye Protection	Skin Protection	<b>Respiratory Protection</b>
For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles. Contact lenses should not	For the gas: Protective clothing is not required. For the liquid: Wear	Any self-contained breathing apparatus with
be worn. Provide an emergency eye wash fountain and quick drench	appropriate protective, cold insulating	a full facepiece.
shower in the immediate work area.	clothing.	

**General Hygiene considerations** 

Avoid breathing vapor or mist

Avoid contact with eyes and skin

Wash thoroughly after handling and before eating or drinking

## Section 9: Physical and Chemical Properties

Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Gas	Colorless	Colorless	N/A	Compressed gas	Sweet odor	Sweet taste

Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
Approximately -212.8 F (-136 C) (CC); extremely flammable gas	Not available	281.84 (log = 2.45) (estimated from water solubility)	842 F (450 C)	0.36	0.027

Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity
-155 F (-104 C)	-272 F (- 169 C)	760 mmHg @ -104 C	0.978 @ 0 C; 0.969 @ 21.1 C (air = 1)	Not applicable	0.226	Not applicable	Wide range of reported values: 17 to 959 ppm. Acceptable values are: 270 ppm (310 mg/m3) (detection); 418 ppm (480 mg/m3) (recognition)	Not applicable	LIQUEFIED GAS: 0.16 mPa.s (0.16 centipoise) @ -100 C (18); 0.07 mPa.s (0.07 centipoise) @ 0 C

Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
28.05	C-H2-C-H2	1.261 g/L @ 0 C	Not available	100%	1	Soluble: Alcohol, ether, acetone, benzene

## Section 10: Stability and Reactivity

Stabilty	Conditions to Avoid	Incompatible Materials			
May polymerize. Avoid storage and use above room temperature.	May polymerize. Avoid storage and use above room temperature.	Acids, metal salts, halogens, halo carbons, oxidizing materials, metals, peroxides, chlorine, aluminum chloride, nitrogen dioxide or ozone, copper, 5A molecular sieves			
Hazardous Decomposition Products Possibility of Hazardous Reactions					

**Carbon monoxide, carbon dioxide, hydrocarbons** Polymerizes with evolution of heat. Store in a cool, dry place.

## Section 11: Toxicology Information

### **Acute Effects**

Oral LD50		Dermal LD50		Inhalation	
LC50 (inhalation, mouse) = 96 pph		Not avai	lable	Nausea, vomiting, symptoms of drunkenness, bluish skin colo coma	r, suffocation, convulsions,
Eye Irritation	Skin Irri	tation	Sensi	itization	
Frostbite, blurred vision Blisters, frostbite Cer		Centr	al nervous system depression, difficulty breathing, asphyxiant		

#### **Chronic Effects**

Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
IARC: Human Inadequate Evidence, Animal Inadequate Evidence, Group 3; ACGIH: A4 -Not Classifiable as a Human Carcinogen	Not available	Not available	No data

Gas and Supply Generated by the MSDS Manager from AsteRisk, LLC. All Rights Reserved

### **Fate and Transport**

Ecotoxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Fish toxicity: 22000-25000 ug/L 1 day(s) LC100 (Mortality) Orangespotted sunfish (Lepomis humilis) Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Lemon = 0.025-0.05; epinasty Other toxicity: Tomato = 0.04-0.1 ppm/3-48 hours; leaf epinasty.	Relatively non-persistent in the environment. Moderately volatile from water.	Accumulates very little in the bodies of living organisms.	Leaches through the soil or the sediment at a slow rate.

### **Section 13: Disposal Considerations**

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

## **Section 14: Transportation Information**

#### U.S. DOT 49 CFR 172.101

Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Ethylene	UN1962	2.1	Not applicable	2.1	Forbidden	150 kg	N/A

### Canadian Transportation of Dangerous Goods

Shipping NameUN NumberClassPacking Group / Risk GroupEthylene, compressedUN19622.1Not applicable

## Section 15: Regulatory Information

#### **U.S. Regulations**

CERCLA Sections	SARA 355.30	SARA 355.40
Not regulated.	Not regulated.	Not regulated.

SARA 370.21

Acute	Chronic	Fire	Reactive	Sudden Release
Yes	No	Yes	Yes	Yes

SARA 372.65 ETHYLENE

OSHA Process Safety Not regulated.

State RegulationsCA Proposition 65Not regulated.

Canadian Regulations WHMIS Classification A, B1, D2B

National Inventory Status						
US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)				
Listed on inventory.	Not listed.	Listed on inventory.				

## **Section 16: Other Information**

NFPA Rating

HEALTH=4 FIRE=4 REACTIVITY=2

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard