

Enteral nutrition safely






In the beginning, there was a patient...

The CAIR LGL commitment:

- Customized solutions tailored to healthcare practices and various patient populations,
- >>>> The passion for innovation and commitment to improve quality of care,
- >>>> The history of men and women who cultivate the taste for new challenges.



CAIR LGL, the key partner

CAIR LGL, know-how and expertise

With a complete range of devices for secure administration:

- » in infusion with NEUTRACLEAR®,
- ≫ in chemotherapy with CHEMO-DRIVE,
- » and today in nutrition with NUTRICAIR[®] Enteral.

Tubing Misconnections: a global healthcare burden



SERIOUS AND UNDERREPORTED^(1,2,4)

Can lead to serious adverse patient safety events resulting in life-altering injury or death⁽⁴⁾.

MAIN CONTRIBUTING FACTOR: PHYSICAL COMPATIBILITY⁽³⁾

- » Compatible tubing between unrelated delivery systems⁽⁴⁾,

RECOMMENDATIONS FROM CLINICAL EXPERTS IN NUTRITION

- >>>> Specific and dedicated enteral connector^(2,3,5),
- >>>> Unique enteral connector for all patient subpopulations : infants, prematures, adults^(5,7),
- >>> Non-interconnectable and reverse connector⁽⁶⁾.



Need for an effective and global enteral-only solution

NUTRICAIR® ENTERAL with ENFit[®]

The new CAIR LGL's answer to improve and secure healthcare practices



THE RANGE

SAFE

NUTRICAIR[®] ENTERAL MEETS LATEST INTERNATIONAL REQUIREMENTS FOR SAFETY, defined by ISO commission.



NUTRICAIR[®] ENTERAL with ENFit satisfies the criteria for safe and non-interconnectable connectors from ISO 80369-1 standard.





NUTRICAIR® ENTERAL INTEGRATES THE CAIR LGL KNOW-HOW, REQUIREMENTS AND EXPERTISE IN SAFE ENTERAL NUTRITION

>>>> Well-known experience in safe enteral systems,


>>> Knowledge of user needs and healthcare practices.

A COMPLETE NUTRICAIR[®] ENTERAL RANGE FROM PREPARATION TO DELIVERY









NUTRICAIR[®] ENTERAL secures your feeding practices for all your patients.

SIMPLE AND INTUITIVE

EASILY RECOGNIZABLE AND IDENTIFIABLE

- \gg A specific CAIR LGL design,
- >>> A color-code for each tube French size
- $\mathbin{\sc {s}}$ French sizes clearly marked on the tubes.





Soft curves and rounded design, adapted to the patients as well as healthcare practitioners' needs.

AN ERGONOMIC CONNECTOR, FOR OPTIMIZED HANDLING

A design with gripping zones facilitating screwing and unscrewing,
A suitable shape and size, in compliance with ISO requirements.



NUTRICAIR® ENTERAL with ENFit®

The combination of CAIR LGL skills and expertise, serving new ISO requirements, to offer you with a complete, safe and tailored range to your healthcare's practices and needs.

The new range NUTRICAIR® ENTERAL with ENFit®

NUTRICAIR® ENTERAL FEEDING TUBES - NEONATOLOGY/PEDIATRICS

Transparent tube with 2 radio-opaque stripes, numerical markings every centimeters (from 5 to 75 cm), closed rounded tip, 2 lateral distal openings, ENFit male connector with screwed cap.

<u>A</u>	PVC – F	lecommended du	ration of use: 24h	to 48h Max.	
REFERENCE		CAP TETHER COLOR-CODE		INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE04P	4	Purple	40	40	640
NCE104P	4	Purple	125	40	640
NCE05P	5	Light grey	50	40	640
NCE105P	5	Light grey	125	40	640
NCE06P	6	Light green	50	40	640
NCE106P	6	Light green	125	40	640
NCE08P	8	Blue	50	40	640
NCE108P	8	Blue	125	40	640
NCE10P	10	Dark grey	50	40	640
NCE110P	10	Dark grey	125	40	640



PU – Recommended duration of use: 45 days Max. NCE04PU 4 Purple 40 40 640 NCE104PU 4 Purple 125 40 640 NCE05PU 5 50 40 640 Light Grey NCE105PU 5 Light Grey 125 40 640 NCE06PU 6 Light Green 50 40 640 NCE106PU 6 Light Green 125 40 640 NCE306PU 6 Light Green 40 640 110 NCE08PU 8 Blue 50 40 640 NCE108PU 8 Blue 125 40 640 NCE308PU 8 Blue 40 640 110 NCE10PU 10 Dark grey 50 40 640 NCE110PU 10 Dark grey 125 40 640 NCE310PU 10 Dark grey 110 40 640 NCE312PU 12 White 110 40 640

Sterile, single use, medical devices, class IIa or IIb.

No Latex - DEHP (DOP), BBP, DBP, DIBP and DHP are not part of composition of our products.

The residual levels of these substances conforms to REACH regulation (< 0,1% w/w). For more information please refer to the technical sheet of each product category/reference. Manufactured by CAIR LGL.



Transparent tube with 2 radio-opaque stripes, markings every centimeter, numerical marking every 5 centimeter, closed rounded tip, 4 lateral distal openings, ENFit male connector with screw cap and colored tether per French size.

NUTRICAIR [®] Enteral Naso-gastric tubes, Levin type							
REFERENCE	Ch/Fr	CAP STRIPE COLOR CODE	LENGHT (cm)	INNER BOX QUANTITY	OUTER BOX QUANTITY		
NCE106AU	6	Light Green	110	20	320		
NCE506AU	6	Light Green	130	20	320		
NCE108AU	8	Blue	110	20	320		
NCE508AU	8	Blue	130	20	320		
NCE110AU	10	Dark Grey	110	20	320		
NCE510AU	10	Dark Grey	130	20	320		
NCE112AU	12	White	110	20	320		
NCE512AU	12	White	130	20	320		
NCE114AU	14	Dark Green	110	20	320		
NCE514AU	14	Dark Green	130	20	320		
NCE116AU	16	Orange	110	20	320		
NCE516AU	16	Orange	130	20	320		
NCE118AU	18	Red	110	20	320		
NCE518AU	18	Red	130	20	320		
NCE120AU	20	Yellow	110	20	320		
NCE520AU	20	Yellow	130	20	320		

	NUTRICAIR [®] Enteral Naso-gastric tubes, Levin type with guide-wire								
REFERENCE	Ch/Fr	CAP STRIPE COLOR CODE	LENGHT (cm)	INNER BOX QUANTITY	OUTER BOX QUANTITY				
NCE106G	6	Light Green	110	20	320				
NCE506G	6	Light Green	130	20	320				
NCE108G	8	Blue	110	20	320				
NCE508G	8	Blue	130	20	320				
NCE110G	10	Dark Grey	110	20	320				
NCE510G	10	Dark Grey	130	20	320				
NCE112G	12	White	110	20	320				
NCE512G	12	White	130	20	320				
NCE114G	14	Dark Green	110	20	320				
NCE514G	14	Dark Green	130	20	320				
NCE116G	16	Orange	110	20	320				
NCE516G	16	Orange	130	20	320				

REFERENCE	Ch/Fr	CAP STRIPE COLOR CODE	LENGHT (cm)	WEIGHT (g)	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE206AU	6	Light Green	110	1,1	20	320
NCE208AU	8	Blue	110	1,1	20	320
NCE210AU	10	Dark Grey	110	1,7	20	320
NCE212AU	12	White	110	2,8	20	320
NCE214AU	14	Dark Green	110	4,0	20	320

	NUTRICAIR [®] Enteral Naso-duodenal tube with weight and guide-wire							
REFERENCE	Ch/Fr	CAP STRIPE COLOR CODE	LENGHT (cm)	WEIGHT (g)	INNER BOX QUANTITY	OUTER BOX QUANTITY		
NCE206G	6	Light Green	110	1,1	20	320		
NCE208G	8	Blue	110	1,1	20	320		
NCE210G	10	Dark Grey	110	1,7	20	320		
NCE212G	12	White	110	2,8	20	320		
NCE214G	14	Dark Green	110	4,0	20	320		

	NUTRICAIR [®] Enteral Naso-jenunal tubes with weight and guide-wire							
REFERENCE	Ch/Fr	CAP STRIPE COLOR CODE	LENGHT (cm)	WEIGHT (g)	INNER BOX QUANTITY	OUTER BOX QUANTITY		
NCE306G	6	Light Green	130	2,8	20	320		
NCE308G	8	Blue	130	2,8	20	320		
NCE310G	10	Dark Grey	130	4,0	20	320		
NCE312G	12	White	130	4,0	20	320		
NCE314G	14	Dark Green	130	4,8	20	320		

	or feeding tubes			
REFERENCE	Ch/Fr	LENGHT (cm)	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE100GU	6 à 18	110	20	320
NCE300GU	6 à 18	130	20	320

Sterile, single use, medical devices, class IIa or IIb. No Latex - DEHP (DOP), BBP, DBP, DIBP and DHP are not part of composition of our products. The residual levels of these substances conforms to REACH regulation (< 0,1% w/w). For more information please refer to the technical sheet of each product category/reference. Manufactured by CAIR LGL.

NUTRICAIR® ENTERAL SYRINGES

Clear, purple plunger, dual marking for the 5 ml, 10 ml, 20 ml and 50/60 ml, ENFit female tip.



NUTRICAIR [®] Ente	eral Syringes		.	
REFERENCE	VOLUME (ml)	TIP POSITION	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE01SE	1	centric	50	800
NCE02SE	2.5	centric	50	800
NCE05SE	5	centric	50	800
NCE10SE	10	eccentric	50	800
NCE20SE	20	eccentric	50	400
NCE50SE	50/60	eccentric	50	200

NUTRICAIR[®] Enteral Syringe caps

REFERENCE	DESCRIPTION	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE201C	Screwed cap for ENFit tip syringe x1 unit	200	3200
NCE208C	Screwed cap for ENFit tip syringe x8 units	480	7680

NUTRICAIR[®] Enteral Syringe kits

Syringes et accessories for enteral medication and feeding preparation.

REFERENCE	SYRINGES UNITS	CAPACITY VOLUME (ml)	SAMPLING DEVICE	EXTENSION SET LENGTH (cm)	CAPS UNITS	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE5208SEK	8	50/60	L = 25 cm; Ø 2,15 mm L = 25 cm; Ø 4,5 mm		8	4	16
NCE5206SEK	6	50/60	L = 25 cm; Ø 2,15 mm		6	4	16
NCE2208SEK	8	20	L = 25 cm; Ø 2,15 mm L = 25 cm; Ø 4,5 mm		8	4	16
NCE5000SEK	1	50/60		x 1 unit, 150 cm	1	4	16
NCE52066SEK	6	50/60	L = 25 cm; Ø 2,15 mm	x 6 units, 150 cm	6	4	16
NCE05158SEK	8	5	L = 15 cm; Ø 2,15 mm		8	15	60
REFERENCE	E DESCRIPTION					INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE000SEK	Empty kit					4	16

For any specific kit request, please contact your CAIR LGL sales representative.



NUTRICAIR® Enteral Sampling devices for medication, milk and other enteral solutions

Sampling straw, ENFit male tip.

REFERENCE	DIMENSIONS	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE05S	5 cm	150	2400
NCE10S	10 cm	150	1200
NCE15S	15 cm	150	1200
NCE20S	L = 25cm; Ø 2,15 mm	100	800
NCE25S	L = 25cm; Ø 4,5 mm	100	800



NUTRICA	IR [®] Enteral Bottle caps for drug sampling		
REFERENCE	DESCRIPTION	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE20C	Vial cap Ø 20 mm	40	640
NCE100C	Stepped cap Ø 11 to 21 mm	100	1600
NCE302C	Screw cap Ø 28 mm	50	800

NUTRICA with air fil	NUTRICAIR [®] Enteral Vented caps for enteral syringes, with air filter for enteral feeding per gravity				
REFERENCE	DESCRIPTION	INNER BOX QUANTITY	OUTER BOX QUANTITY		
NCE115C	Vented cap for 5 and 10 ml ENFit syringe bodies	100	1600		
NCE152C	Vented cap for 20 and 50 ml ENFit syringe bodies	100	1600		



NUTRICAIR[®] Enteral Transition adapters for enteral feeding

REFERENCE	DESCRIPTION	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE100A	Soft funnel with cap - ENFit female	150	2400
NCE101A	Soft wide funnel with cap - ENFit female	100	1600
NCE102A	TNL male - ENFit male	100	1600
NCE103A	ENFit female - TNL female	100	1600
NCE104A	ENFit male - stepped connector	100	1600
NCE400A	ENFit male - stepped connector (Ø 1,6 mm; L = 30 cm)	75	600

Sterile, single use, medical devices, class IIa or IIb. No Latex - DEHP (DOP), BBP, DBP, DIBP and DHP are not part of composition of our products. The residual levels of these substances conforms to REACH regulation (< 0,1% w/w).

For more information please refer to the technical sheet of each product category/reference. Manufactured by CAIR LGL.



NUTRICA	IR [®] Enteral adapter for enteral hydration		
REFERENCE	DESCRIPTION	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE200A	Screw cap for water bottle with ENPlus port for ENPl cross spike/administration sets	us 25	400

NUTRICAIR[®] Enteral Extension sets



ENFit male - ENFit female with cap.

REFERENCE	DESCRIPTION	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE1215E	Ø 1,6 mm; L = 150 cm	50	400
NCE1315E	Ø 3 mm; L = 150 cm	25	400



NUTRICA	IR [®] Enteral Stopcock			0 0
REFERENCE		DESCRIPTION	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE300R	3-ways: 2 E	NFit males, 1 ENFit female	50	800



NUTRICAI	R [®] Enteral Y port adapters		
REFERENCE	DESCRIPTION	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE100Y	2 ENFit males and 1 female ENFit	100	1600
NCE101Y	1 ENFit male, 1 wide funnel and 1 stepped connector	50	800
NCE102Y	1 ENFit male, 1 funnel and 1 stepped connector	50	640
NCE200Y	2 ENFit males, 1 TNL female funnel and 1 stepped connector	25	100



Per gravity

Administration sets with ENPlus cross spike for ENPlus feeding reservoirs and ENFit female distal port.

REFERENCE	DESCRIPTION	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE9011N	With ENFit male tip for medication/flushing	60	240
NCE9011YHN	For ENPlus feeding reservoir and water bottle With ENFit male tip for medication/flushing	40	160
NCE9012H	For water bottle	25	100
NCE9012N		60	240



Per enteral pumps

Administration sets per pumps with ENPlus cross spike for ENPlus feeding reservoirs and ENFit female distal port.

REFERENCE	PUMP	FOR WATER BOTTLE	INNER BOX QUANTITY	OUTER BOX QUANTITY
NCE4002N	Compat, NESTLE/NOVARTIS		60	240
NCE6002N	Vial mini 1000/2000, FRESENIUS VIAL		60	240
NCE6002YHN	Vial mini 1000/2000, FRESENIUS VIAL	Y access for ENPlus feeding reservoir and bottle of water, with ENFit male port for medication/flushing	40	160
NCE7002N	P7000, NESTLE		60	240
NCE7002YHN	P7000, NESTLE	Y access for ENPlus feeding reservoir, and bottle of water, with ENFit male port for medication/flushing	40	160
NCE7045YHN	P7000, NESTLE	Y access for ENPlus feeding reservoir and bottle of water, with ENFit male port for medication/flushing	25	100
NCE7802N	Flocare 800, NUTRICIA		60	240

Sterile, single use, medical devices, class IIa or IIb. No Latex - DEHP (DOP), BBP, DBP, DIBP and DHP are not part of composition of our products. The residual levels of these substances conforms to REACH regulation (< 0,1% w/w). For more information please refer to the technical sheet of each product category/reference. Manufactured by CAIR LGL.



NUTRICAIR® ENTERAL

- 1• The Joint Commission, Managing risk during transition to new ISO tubing connector standards Issue 53, August 20, 2014.
- 2• Advisor Live, New standards for medical tubing connectors: Are you ready? August 20, 2014.
- 3• Peggi Guenter, Rodney W. Hicks and Debora Simmons, Enteral Feeding Misconnections: An Update, Nutr Clin Pract 2009; 24; 325.
- 4• Peggi Guenter, New enteral connectors: raising awareness, Nutr Clin Pract Oct. 2014, Vol 29 Number 5, 612-614.
- 5• Rodney Hicks, Laura N. Provan, Preventing tubing misconnections: a practical view, Safes Practices in patient care, 2007.
- 6• ISO/TC 210/JWG 4 N 52, PG3 Summary Statement from ISO 80369-3 Clinical Group, Work Completed from June August 2011.
- 7• ISO/TC 210/JWG 4 N 50, PG 3 report December 2011, ISO 80369 Joint Working Group 4 meeting, Swindon, UK December 13 15 2011.
- 8• NF EN ISO 80369-1 Août 2011.
- 9• PR NF EN ISO 80369-3 Novembre 2014.



RN6 Parc tertiaire de Bois Dieu - 1, allée des Chevreuils - 69380 Lissieu Tél. +33 (0) 4 78 43 77 44 www.cairlgl.fr

Export Department

Tel. +33 (0) 4 78 43 77 44 export@cairlgl.fr