

LICHENES MINUS COGNITI EXSICCATI

published by

National Science Museum, Tokyo

edited by

Hiroyuki KASHIWADANI

Fasc. XIV (Nos. 326–350)

March 25, 2007

326. *Calicium glaucellum* ACH.
Meth. Lich. 97. 1803.
Japan. Honshu. Prov. Shinano (Pref. Nagano): Mt. Takamiishi, Yatsugatake Mts. On weathered bark (*Abies veitchii*); elevation 2100 m. August 4, 1958.
Coll.: S. KUROKAWA, no. 58316 Det.: L. TIBELL
327. *Calicium salicinum* PERS.
Ann. Bot. 1: 20. 1794.
Japan. Honshu. Prov. Echigo (Pref. Niigata): On trail from Akayu Hot Spring to Motohashi, Mt. Naeba. August 18, 1957.
Coll.: S. KUROKAWA, no. 57211 Det.: L. TIBELL
328. *Cladonia dissimilis* (ASAHINA) ASAHINA
Lich. Japan 1: 190. 1950.
Japan. Honshu. Prov. Echigo (Pref. Niigata): Mt. Iide, en route from Mt. Mikuni to the summit of Mt. Iide. Among mosses on soil; elevation about 1850 m. July 31, 1971.
Coll.: H. KASHIWADANI, no. 48120 Det.: H. KASHIWADANI
329. *Cladonia pycnoclada* (PERS.) LEIGHT.
Ann. Mag. Nat. Hist. sér. 3, 19:122. 1867.
Chile. Llanquihue: Foot of Volcan Osorno, north of Ensenada. On ground with mosses in *Nothofagus forest*; elevation about 100 m. November 6, 1981.
Coll.: H. KASHIWADANI, no. 17117 Det.: H. KASHIWADANI
330. *Cladonia squamosa* var. *subsquamosa* (NYL. ex LEIGHT.) VAIN.
Medd. Soc. Fauna Fl. Fenn. 6: 113. 1881.
Chile. Aisén: Parque Nacional de Rio Simpson, along route 245. On decayed wood; elevation about 200 m. November 24, 1981.
Coll.: H. KASHIWADANI, no. 18218 Det.: H. KASHIWADANI
331. *Fuscidea verruciformis* Mas. INOUE
Hikobia Supl. 1: 171. 1981.
Japan. Hokkaido. Prov. Kushiro: Furebetsu Bokke, N slope of Mt. Furebetsu, Akan-cho, Akan-gun. On twigs of *Pinus pumila*; elevation about 780 m. September 9, 1995.
Coll.: H. KASHIWADANI, no. 43100 Det.: H. KASHIWADANI
332. *Graphis cognata* Müll. ARG.
Nuovo. Giorn. Bot. Ital. 24: 200. 1892.
Japan. Kyushu. Prov. Bungo (Pref. Ohita): Mt. Kuroiwa, Kokonoe-cho, Kusu-gun. On twigs of *Hydrangea paniculata*; elevation 1520 m. October 22, 2002.

- Coll.: H. Kashiwadani (no. 45055), Y. UMEZU & K. UMEZU Det.: H. KASHIWADANI
333. *Lecanora polytropa* (EHRH.) RABENH.
 Deutsch. Krypt.-Fl. 2: 37. 1845.
 Japan. Hokkaido. Prov. Ishikari: Beside the trail between Bohgakudai and Fukiage Spa (43°26'N, 142°39'E). On rocks; elevation about 1090 m. August 10, 2006.
 Coll.: A. SHIMIZU, no. 3101-3135 Det.: A. SHIMIZU
334. *Lobaria retigera* (BORY) TREV.
 Lich. Venet. 75. 1869.
 Japan. Honshu. Prov. Shinano (Pref. Nagano): On trail from Akadake-Kohsen Lodge to Minoto Lodge, Yatsugatake Mts., Chino-shi. On rock; elevation about 2000 m. August 11, 1988.
 Coll.: H. SHIBUICHI (8560) & K. YOSHIDA Det.: H. SHIBUICHI
335. *Nadvornikia solediata* R. C. HARRIS
 Some Florida Lichens 90. 1990.
 Cambodia. Prov. Siem Reap: Ta Nei temple, Angkor Wats complex, Siem Reap (13°27'N, 103°53'E). On bark of *Tetrameles nudiflora*; elevation about 30 m. July 20, 2006.
 Coll.: H. KASHIWADANI (no. 47872) & K. H. MOON Det.: H. KASHIWADANI
336. *Parmelia fertilis* Müll.ARG.
 Flora 70: 316. 1887.
 Japan. Hokkaido. Prov. Nemuro: Hashirikotan, Bekkai-cho, Notsuke-gun. On bark of *Quercus dentata*; elevation about 10 m. July 25, 2003.
 Coll.: H. KASHIWADANI, no. 45831 Det.: H. KASHIWADANI
337. *Pilophorus nigricaulis* M. SATO
 J. Jpn. Bot. 16: 173. 1940.
 Japan. Honshu. Prov. Shinano (Pref. Nagano): Mt. Sannosawa-dake, Kisokomagadake Mts., Kami-ina-gun. On rocks (granite); elevation about 2800 m. October 23, 2002.
 Coll.: H. SHIBUICHI, 10142 Det.: H. SHIBUICHI
338. *Psora rubiformella* (ZAHLEBR.) GOTTH. SCHNEID.
 Bibl. Lichenol. 13: 12. 1980.
 Japan. Kyushu. Prov. Bungo (Pref. Ohita): Kakisaka, Yabakei-cho, Shimoge-gun. On rock along stream; elevation 110 m. October 24, 2002.
 Coll.: H. KASHIWADANI (no. 45023), Y. UMEZU & K. UMEZU Det.: H. KASHIWADANI
339. *Ramalina almquistii* VAIN.
 Ark. Bot. 8: 17. 1909.
 Japan. Honshu. Prov. Mutsu (Pref. Aomori): Mt. Ido-dake, Hakkoda Mts. On rock; elevation about 1500 m. August 17, 1986.
 Coll.: H. KASHIWADANI, no. 43102 Det.: H. KASHIWADANI
 (Divaricatic acid race)
340. *Ramalina conduplicans* VAIN.
 Ann. Soc. zool.-bot. Fenn. 1: 35. 1921.
 Formosa (Taiwan). Prov. Hualien: Mt. Nan-Fu-Ta-San. On bark; elevation 2400–2600 m. January 20, 1964.
 Coll.: S. KUROKAWA, no. 1048 Det.: S. KUROKAWA
 (Homosekikaic acid aggr. race)

341. *Ramalina hossei* VAIN.
Ann. Soc. zool.-bot. Fenn. 1: 35. 1921.
Formosa (Taiwan). Prov. Hualien: Mt. Nan-Fu-Ta-San. On bark; elevation 1500–2400 m.
January 19, 1964.
Coll.: S. KUROKAWA, no. 941 Det.: H. KASHIWADANI
(Divaricatic acid race)
342. *Ramalina hossei* VAIN.
Ann. Soc. zool.-bot. Fenn. 1: 35. 1921.
Taiwan. Nantou Co.: Along route 820, Hohuanshan Mts., Jen-Ai Hsiang (24°17'N,
120°31'E). On rock; elevation about 2590 m. March 9, 2003.
Coll.: H. KASHIWADANI, no. 45534 Det.: H. KASHIWADANI
(Divaricatic acid race)
343. *Ramalina incana* KASHIW. ISOTYPE
in H. Inoue (ed.), Stud. Crypt. South. Peru. 135. 1987.
Peru. Dept. Puno. Prov. Puno: Around Laguna Umayo, Sillustani, about 20 km NW of
Puno; in open dry place with Cacti. On rock; elevation about 3900 m. September 26, 1984.
Coll.: H. KASHIWADANI, no. 22203 Det.: H. KASHIWADANI
344. *Ramalina kurokawae* KASHIW.
Bull. Natn. Sci. Mus., Tokyo, Ser. B, 22: 55. 1996.
Japan. Kyushu. Prov. Bungo (Pref. Ohita): Tennenji, Bungotakada-city. On rock (tuff); ele-
vation 200 m. October 21, 2002.
Coll.: H. KASHIWADANI (no. 45032) & Y. Umezu Det.: H. KASHIWADANI
345. *Ramalina nervulosa* (Müll.ARG.) des ABBAYES
Bull. Inst. Fr. Afr. Noire 14: 25. 1952.
Japan. Bonin Island: Mt. Mikazuki, Chichi-jima Island. On bark; elevation about 200 m.
December 26, 1970.
Coll.: T. NAKANO s.n. Det.: H. KASHIWADANI
(Homosekikaic acid aggr. race)
346. *Ramalina nervulosa* (Müll.ARG.) des ABBAYES
Bull. Inst. Fr. Afr. Noire 14: 25. 1952.
Japan. Bonin Island: Mt. Mikazuki, Chichi-jima Island. On bark; elevation about 200 m.
August 8, 1977.
Coll.: S. KUROKAWA, no. 77106 b Det.: H. KASHIWADANI
(Homosekikaic acid aggr. race)
347. *Ramalina pacifica* ASAHINA
J. Jpn. Bot. 15: 213. 1939.
Japan. Bonin Islands. Hahajima Island: En route between Oki-mura and Cape Minami-
zaki. Elevation about 10 m. August 3, 1977.
Coll.: S. KUROKAWA, no. 77019 Det.: H. KASHIWADANI
348. *Ramalina sinensis* JATTA
Nuov. Giorn. Bot. Ital. nov. ser. 9: 462. 1902.
CHINA. Prov. Sichuan (四川). Pref. Aba (阿坝州) Songpan County (松潘县): ca. 20 km E of
Chuanxi Temple (川西寺) (32°45'N, 103°39'E). On bark of *Picea* sp.; elevation about 3300 m.
October 8, 1999.
Coll.: K.H. MOON, 5013 Det.: H. KASHIWADANI

349. *Rocella decipiens* DARB.
Monogra. Roccell. Bibl. Bot. 9:49. 1898.
Mexico. Baja California: Isla Cedros, N-end, top of ridge, on S side of road to mine
(28°27'N, 115°14'W). On rock; elevation 360 m. March 19, 1994.
Coll.: H. KASHIWADANI, no. 47563 Det.: H. KASHIWADANI
350. *Stereocaulon ramulosum* (Sw.) RAUSCHEL
Nomencl. Bot. 3: 328. 1797.
New Zealand. North Island Manawatu Region: Palmerston North. On ground; elevation
about 200 m. October 13, 1971.
Coll. M. TOGASHI, s.n. Det.: Y. ASAHINA