

Annotated Checklist of Deep-sea Fishes of the Sea of Japan

Gento Shinohara¹, Masanori Nakae¹, Yuji Ueda²,
Shigeaki Kojima³ and Keiichi Matsuura¹

¹ Department of Zoology, National Museum of Nature and Science,
4-1-1 Amakubo, Tsukuba-shi, Ibaraki, 305-0005 Japan
E-mail: s-gento@kahaku.go.jp

² Japan Sea National Fisheries Research Institute,
1-5939-22 Suido-cho, Chuou-ku, Niigata-shi, Niigata, 951-8121 Japan

³ Graduate School of Frontier Sciences, the University of Tokyo,
1-5-1 Kashiwanoha, Kashiwa-shi, Chiba, 277-8563 Japan

Abstract: A list of deep-sea fishes from the Sea of Japan is presented on the basis of a literature survey and specimens mainly collected in the years 2009–2013. A total of 363 species belonging to 104 families of 29 orders of deep-sea fishes is listed with remarks on the literature surveys and/or specimens.

Key words: deep-water fishes, fish fauna, distribution, Sea of Japan, voucher specimens.

Introduction

The Sea of Japan is one of the major marginal seas in the western North Pacific Ocean, which is characterized by having a deep-sea floor, extending to 3,800 m depth. The sea is semi-enclosed, connecting to the adjacent major seas via the Tatar (10 m depth), Soya (60 m depth), Tsugaru (140 m depth), Tsushima (120 m depth) and Korea straits (140 m depth) and also the very narrow Kanmon Strait (46 m depth) between Kyushu and Honshu to the Seto Inland Sea (Fig. 1). In addition, it has unique hydrographic features. The surface layer is affected by the warm Tsushima Current, a branch of the Kuroshio Current, from the south and the cold Liman Current from the north. In depths below 200–300 m, temperatures year-around remain at 1°C or less and are much colder than other seas around Japan and the adjacent areas (Nishimura, 1974: table 14). This cold deep water mass (0.1–0.3°C) with low salinity (34.0–34.1‰) and high dissolved oxygen content (5–6 mL/L) is called the Japan Sea Proper Water, which originates in the northwestern part of the sea and results from extensive cooling of the surface water during winter (Oba *et al.*, 1991).

The Sea of Japan is the newest marginal sea around Japan. Geological studies of the Sea of Japan revealed that the origin of the sea was a rift-valley on the eastern edge of the Asian Continent around 250 million years ago with the sea floor expanding until 15 million years ago (e.g., Taira, 1990). A number of environmental changes took place in the Sea of Japan during the last 85,000 years (Oba *et al.*, 1991: fig. 7). For instance, during the last glacial period (27,000–17,000 years ago), the sea was completely isolated from its neighboring seas by a lowering of the sea level. The surface layer of the sea was also covered by a massive influx of freshwater from the Asian Continent; the development of stratification caused severe anoxic conditions that extir-

pated many deep-sea organisms (e.g., Tada *et al.*, 1999), except for small fractions of their populations (Gorbarenko and Sounthon, 2000; Itaki *et al.*, 2004).

The environmental changes and geological history in the Sea of Japan have created a unique deep-sea fish fauna. It is characterized by both low species diversity and relatively few endemic species (Okiyama, 1974). The low species diversity may reflect the short period of time for colonization (Tyler, 2002). In addition, there are only a few oceanic deep-sea fishes recorded from the sea (Nishimura, 1964; Okiyama, 1974; Honma, 1987). The endemic fishes comprise cold-adapted eurybathic species. Nishimura (1974: table 3) indicated 7 endemic deep-sea species/subspecies inhabited the Sea of Japan with their sister groups residing in the Sea of Okhotsk and the Bering Sea.

There are several studies on fish faunas in local areas associated with or in the Sea of Japan, e.g., Katayama (1940) for Toyama Bay, Mori (1956a) for the Oki Islands and Honma and Kitami (1967, 1970, 1980, 1995) for Sado Island. Russian researchers including G. U. Lindberg and his colleagues published a series of books on the fish fauna (e.g., Lindberg and Legeza, 1959, 1965; Lindberg, and Krasyukova, 1969, 1975). Recently, Shinohara *et al.* (2011) reported 160 species belonging to 18 families of 21 orders of deep-sea fishes from the Sea of Japan, based on the voucher specimens deposited in the following universities and museums: Hokkaido University Museum, Hakodate; Kochi University, Kochi; Kyoto University, Maizuru; Osaka Museum of Natural History, Osaka; National Museum of Nature and Science, Tsukuba; U.S. National Museum of Natural History, Washington D.C.; Zoological Institute of Russian Academy of Sciences, Saint Petersburg.

In the following pages, a total of 363 species belonging to 104 families of 29 orders of the deep-sea fishes are listed with remarks on the basis of literature surveys and/or specimens mainly collected in the years 2009–2013.

Materials and Methods

Collection data of specimens captured by the R/V *Soyo-maru* of the Fisheries Research Agency (FRA), R/V *Tansei-maru* of the Japan Agency for Marine-Earth Science and Technology (JAMSTEC) and T/V *Tanshu-maru* of Kasumi High School are shown in Fig. 1 and Table 1. The specimens are deposited in the National Museum of Nature and Science, Tsukuba (NSMT-P) and Kyoto University (FAKU). Specimens deposited in the Sado Marine Experimental Station, Niigata University (SMBS) were also examined (Fig. 2). Numbers of specimens are indicated in parentheses following station numbers and/or SMBS numbers.

Systematic arrangement of taxa follows Nelson (2006). Author(s) and year of each scientific name follows the Catalog of Fishes on the website of the California Academy of Sciences, USA (<http://research.calacademy.org/redirect?url=http://researcharchive.calacademy.org/research/Ichthyology/catalog/fishcatmain.asp>).

We examined the following publications including deep-sea fishes occurring below 200 m depth; Keys to the Fishes and Fish-like Animals of Japan (Okada and Matsubara, 1938); Fish Morphology and Hierarchy (Matsubara, 1955); The Fishes of the Japanese Archipelago, 2nd Edition (Masuda *et al.*, 1988); The Fishes of Northern Japan (Amaoka *et al.*, 1995); Fishes of Japan with Pictorial Keys to the Species (Nakabo, 1993a, 2000a, 2002a, 2013a). In addition to these major literature resources, revisional papers for taxonomic groups were examined to obtain information on distribution of deep-sea fishes in the Sea of Japan (e.g., Toyoshima, 1985; Kido, 1988a; Kanayama, 1991). In our literature survey, we recorded localities given with significant




Fig. 1. Study areas and collection localities in the Sea of Japan. Star, stations of R/V *Soyo-maru*; squares, R/V *Tansei-maru*; circles, T/V *Tanshu-maru*.

accuracy (e.g., San'in District, Toyama Bay) but excluded general locality records such as "around Japan." In our research the Sea of Japan is delineated by the Tatar Strait in north and the Tsushima and Korean straits in south.

Table 1. Trawl and baited trap stations of the R/Vs *Soyo-maru* and *Tansei-maru* and the T/S *Tanshu-maru* in 2009–2013. BT, beam trawl; OT, otter trawl.

Station no.	Date	Gear	Position in	Position out	Depth (m)
<i>R/V Soyo-maru</i>					
SO10-C4-B4	19 July 2010	BT	39°59.20'N, 135°57.80'E	39°58.60'N, 135°57.10'E	1371–1371
<i>R/V Tansei-maru</i>					
KT-10-08-R1	23 May 2010	BT	45°36.25'N, 140°54.73'E	45°35.66'N, 140°54.09'E	178–190
KT-10-08-R2	23 May 2010	BT	45°27.25'N, 140°20.90'E	45°26.15'N, 140°21.94'E	402–393
KT-10-08-T1	21 May 2010	BT	40°53.90'N, 140°00.04'E	40°53.28'N, 139°58.62'E	350–315
KT-11-09-E2	29 May 2011	BT	41°50.26'N, 139°34.03'E	41°48.70'N, 139°34.18'E	388–538
KT-11-09-K4	2 June 2011	BT	35°59.92'N, 134°20.58'E	35°59.61'N, 134°18.82'E	611–613
KT-11-09-M1	27 May 2011	BT	44°43.78'N, 140°05.79'E	44°43.12'N, 140°05.44'E	152–166
KT-11-09-M5	28 May 2011	BT	44°31.41'N, 139°47.13'E	44°29.91'N, 139°47.96'E	1035–1080
KT-11-09-M6	28 May 2011	BT	44°16.68'N, 139°36.85'E	44°14.25'N, 139°37.25'E	1461–1421
KT-11-09-N1	1 June 2011	BT	37°54.59'N, 136°56.92'E	37°54.51'N, 136°58.43'E	162–157
KT-11-09-N2	1 June 2011	BT	37°57.06'N, 136°56.60'E	37°57.04'N, 136°58.23'E	203–203
KT-11-09-N3	1 June 2011	BT	38°03.25'N, 136°53.39'E	38°03.82'N, 136°55.13'E	403–414
KT-11-09-N4	1 June 2011	BT	38°08.04'N, 136°49.64'E	38°09.00'N, 136°51.20'E	617–604
KT-11-09-T1	31 May 2011	BT	37°28.45'N, 137°28.15'E	37°29.16'N, 137°27.86'E	160–173
KT-11-09-T2	31 May 2011	BT	37°28.77'N, 137°29.07'E	37°29.53'N, 137°28.63'E	207–258
KT-11-09-T3	31 May 2011	BT	37°29.18'N, 137°33.25'E	37°29.35'N, 137°31.96'E	383–443
KT-11-09-T5	1 June 2011	BT	37°18.45'N, 137°31.77'E	37°18.66'N, 137°32.85'E	794–790
KT-11-09-T6	1 June 2011	BT	37°28.29'N, 137°45.89'E	37°26.70'N, 137°44.59'E	1488–1564
<i>T/V Tanshu-maru</i>					
TS09-T001	9 May 2009	OT	35°43.56'N, 131°06.41'E	35°42.96'N, 131°04.81'E	227–224
TS09-T002	10 May 2009	OT	35°49.86'N, 131°28.63'E	35°50.10'N, 131°26.81'E	248–248
TS09-T004	10 May 2009	OT	35°51.03'N, 131°34.58'E	35°51.09'N, 131°34.19'E	280–279
TS09-T006	9 May 2009	OT	35°53.59'N, 131°28.46'E	35°53.50'N, 131°26.62'E	342–329
TS09-T007	10 May 2009	OT	35°53.46'N, 131°33.78'E	35°53.32'N, 131°34.55'E	339–339
TS09-T008	11 May 2009	OT	35°37.75'N, 132°04.41'E	35°37.79'N, 132°06.24'E	208–208
TS09-T010	12 May 2009	OT	35°46.53'N, 132°02.23'E	35°46.28'N, 132°04.04'E	281–281
TS09-T011	9 May 2009	OT	35°27.85'N, 130°38.87'E	35°28.90'N, 130°40.18'E	208–211
TS09-T012	11 May 2009	OT	35°43.46'N, 132°05.83'E	35°43.34'N, 132°07.66'E	251–251
TS09-T013	9 May 2009	OT	35°34.34'N, 130°53.43'E	35°34.21'N, 130°51.75'E	225–223
TS09-T016	12 May 2009	OT	35°46.11'N, 132°13.33'E	35°46.42'N, 132°15.13'E	280–280
TS09-T017	12 May 2009	OT	35°39.83'N, 132°16.68'E	35°40.62'N, 132°18.22'E	209–211
TS09-T018	12 May 2009	OT	35°43.21'N, 132°17.38'E	35°44.03'N, 132°18.92'E	234–236
TS09-T020	13 May 2009	OT	35°45.09'N, 132°24.13'E	35°46.19'N, 132°25.36'E	215–215
TS09-T023	13 May 2009	OT	35°50.38'N, 132°23.92'E	35°50.70'N, 132°24.22'E	272–270
TS09-T025	13 May 2009	OT	35°49.09'N, 132°29.16'E	35°50.23'N, 132°31.15'E	230–230
TS09-T027	13 May 2009	OT	35°54.57'N, 132°26.46'E	35°55.88'N, 132°27.32'E	280–280
TS09-T029	12 May 2009	OT	35°48.05'N, 132°09.98'E	35°48.13'N, 132°11.82'E	321–321
TS09-T032	11 May 2009	OT	35°53.68'N, 131°54.22'E	35°53.63'N, 131°52.99'E	417–408
TS09-T033	11 May 2009	OT	35°51.91'N, 132°08.59'E	35°51.75'N, 132°10.42'E	441–439
TS09-T034	14 May 2009	OT	35°53.75'N, 132°32.75'E	35°55.16'N, 132°33.35'E	210–210
TS09-T035	14 May 2009	OT	36°01.72'N, 132°38.20'E	36°00.47'N, 132°37.37'E	210–211
TS09-T036	15 May 2009	OT	36°05.85'N, 132°40.07'E	36°04.82'N, 132°38.73'E	230–234
TS09-T037	15 May 2009	OT	36°08.98'N, 132°45.82'E	36°07.92'N, 132°44.52'E	206–205
TS09-T038	16 May 2009	OT	36°17.98'N, 132°43.84'E	36°19.45'N, 132°44.22'E	269–269
TS09-T039	16 May 2009	OT	36°19.53'N, 132°47.79'E	36°21.00'N, 132°48.10'E	219–218
TS09-T047	1 June 2009	OT	36°08.90'N, 133°46.83'E	36°07.75'N, 133°47.49'E	207–207
TS09-T049	2 June 2009	OT	36°09.18'N, 133°54.64'E	36°07.75'N, 133°55.16'E	247–247
TS09-T050	2 June 2009	OT	36°00.76'N, 133°54.48'E	35°59.29'N, 133°54.81'E	231–231
TS09-T053	14 May 2009	OT	36°00.39'N, 132°27.55'E	36°01.37'N, 132°28.49'E	349–350

Table 1. (continued).

Station no.	Date	Gear	Position in	Position out	Depth (m)
TS09-T054	15 May 2009	OT	36°19.75'N, 132°42.06'E	36°21.23'N, 132°42.38'E	318–322
TS09-T056	1 June 2009	OT	36°17.05'N, 133°53.20'E	36°15.74'N, 133°53.96'E	358–352
TS09-T057	15 May 2009	OT	36°16.94'N, 132°38.50'E	36°18.42'N, 132°38.77'E	441–434
TS09-T086	3 June 2009	OT	35°56.27'N, 134°33.87'E	35°56.75'N, 134°35.41'E	275–274
TS09-T087	3 June 2009	OT	35°51.52'N, 134°43.40'E	35°51.67'N, 134°45.23'E	225–225
TS09-T088	3 June 2009	OT	35°49.20'N, 134°51.89'E	35°49.25'N, 134°52.56'E	200–200
TS09-T093	3 June 2009	OT	35°58.52'N, 134°27.70'E	35°58.98'N, 134°29.47'E	328–330
TS09-T099	5 June 2009	OT	36°02.18'N, 135°12.16'E	36°02.19'N, 135°14.01'E	283–284
TS09-T101	31 May 2009	OT	35°58.93'N, 135°30.16'E	35°58.24'N, 135°31.82'E	251–250
TS09-T102	30 May 2009	OT	35°53.27'N, 135°48.27'E	35°53.02'N, 135°47.72'E	242–242
TS09-T105	31 May 2009	OT	36°06.43'N, 135°43.39'E	36°05.13'N, 135°42.46'E	292–291
TS09-T106	30 May 2009	OT	36°01.78'N, 135°42.77'E	36°01.22'N, 135°44.51'E	272–271
TS09-T107	30 May 2009	OT	36°09.30'N, 135°54.87'E	36°08.43'N, 135°54.91'E	202–201
TS09-T110	6 June 2009	OT	36°10.82'N, 135°25.63'E	36°11.33'N, 135°23.88'E	351–351
TS09-T115	6 June 2009	OT	36°15.29'N, 135°30.95'E	36°15.67'N, 135°29.16'E	451–452
TS09-T117	7 June 2009	OT	36°32.51'N, 136°08.82'E	36°33.73'N, 136°09.53'E	230–230
TS09-T141	14 June 2009	OT	36°00.52'N, 132°33.20'E	36°01.75'N, 132°34.25'E	250–251
TS10-OW01	21 Aug. 2010	BT	35°40.31'N, 132°20.29'E	35°40.48'N, 132°20.66'E	201–201
TS10-OW04	21 Aug. 2010	BT	35°53.21'N, 132°13.76'E	35°53.29'N, 132°14.26'E	504–502
TS10-OW09	28 Aug. 2010	BT	35°59.00'N, 132°12.55'E	35°59.15'N, 132°13.20'E	1000–1011
TS10-OW10	28 Aug. 2010	BT	36°01.13'N, 132°13.71'E	36°01.06'N, 132°14.28'E	1104–1104
TS10-OW12	27 Aug. 2010	BT	36°09.98'N, 132°11.67'E	36°10.26'N, 132°12.21'E	1296–1300
TS10-OW13	27 Aug. 2010	BT	36°13.23'N, 132°08.69'E	36°13.20'N, 132°09.29'E	1408–1394
TS10-OW18	26 Aug. 2010	BT	36°36.78'N, 131°39.63'E	36°37.18'N, 131°40.07'E	1895–1894
TS10-YA05	29 Aug. 2010	BT	39°40.16'N, 136°01.81'E	39°40.57'N, 136°01.44'E	1002–1010

Asterisks ahead of scientific names indicate records found in the publications with no voucher specimens. The species records found in the following publications are supported by their voucher specimens: Balushkin and Prirodina, 2008 (deposited in Zoological Institute, Saint Petersburg: ZIN); Balushkin *et al.*, 2011 (ZIN); Kawase and Kai, 2012 (Natural History Museum and Institute, Chiba); Matsuura *et al.*, 2009 (National Museum of Nature and Science, Tsukuba: NSMT-P); Nambu and Kido, 1990; Nambu *et al.*, 1991, 1992, 1993 (Toyama Science Museum); Sheiko and Fedorov, 2010 (ZIN); Sideleva *et al.*, 2006a, b (ZIN); Shinohara *et al.*, 2011 (see Introduction); Suzuki *et al.*, 2000 (Osaka Museum of Natural History, Osaka); Uozu Aquarium, 1997 (Uozu Aquarium, Uozu); Voronina and Volkova, 2003 (ZIN).

Species List

Order Myxiniformes
Family Myxinidae

Eptatretus atami (Dean, 1904) [Japanese name: Kuro-nuta-unagi]

Paramyxine atami: Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1959; Honma, 1962; Takegawa and Morino, 1970; Tsuda, 1990; Uozu Aquarium, 1997.

Eptatretus atami: Nakabo and Kai, 2013.

Eptatretus burgeri (Girard, 1855) [Japanese name: Nuta-unagi]

Eptatretus burgeri: Mori, 1928; Mori and Uchida, 1934; Okada and Matsubara, 1938; Kato, 1956; Mori, 1956a; Takegawa and Morino, 1970; Tsuda, 1990; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Nakabo and Kai, 2013.




Fig. 2. Fishes deposited in the Sado Marine Biological Station, Niigata University (SMBS). A–B, dorsal and ventral views of *Bathyraja bergi*, 217 mm TL, off Tassha, Sado Island, 13 May 1959; C, *Beryx decadactylus*, 185 mm SL, Ryotsu Bay, Sado Island, 4 February 1988; D, *Scorpaena neglecta*, 204 mm SL, off Tassha, Sado Island; E, *Icelus toyamensis*, 88 mm SL, Hyōtan-se Shallow, off Sado Island, 20 September 1957; F, *Cookeolus japonicus*, 148–198 mm SL, off Tassha, Sado Island, 13 June 1954; G, *Pterycombus petersii*, 200 mm SL, Tassha, Sado Island, 10 April 1989; H, *Histiopterus typus*, 74 mm SL, off Himetsu, Sado Island, 4 March 1991; I, a glass jar and *Plectranthias kelloggi azumanus*, 92 mm SL (2 specimens), off Aikawa, Sado Island, 23 September 1994.

Eptatretus bürgeri: Katayama, 1940.

Eptatretus okinoseanus (Dean, 1904) [Japanese name: Murasaki-nuta-unagi]

Eptatretus okinoseanus: Katayama, 1940; Tsuda, 1990; Shinohara *et al.*, 2011; Nakabo and

Kai, 2013.

Order Chimaeriformes
Family Chimaeridae

Chimaera phantasma Jordan and Snyder, 1900 [Japanese name: Ginzame]

Chimaera phantasma: Mori and Uchida, 1934; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1959; Shinohara *et al.*, 2011; Honma, 2013; Nakabo *et al.*, 2013a.

****Hydrolagus barbouri*** (Garman, 1908) [Japanese name: Kokonohoshi-ginzame]

Chimaera barbouri: Honma, 1952.

Bathyalopex barbouri: Kato, 1956.

Hydrolagus barbouri: Lindberg and Legeza, 1959; Honma, 2013; Nakabo *et al.*, 2013a.

****Hydrolagus mitsukurii*** (Jordan and Snyder, 1904) [Japanese name: Aka-ginzame]

Chimaera mitsukurii: Honma, 1952.

Phas nichthys mitsukurii [*sic*]: Kato, 1956.

Hydrolagus mitsukurii: Lindberg and Legeza, 1959; Honma, 2013; Nakabo *et al.*, 2013a.

****Hydrolagus ogilbyi*** (Waite, 1898) [Japanese name: Ginzame-damashi]

Hydrolagus ogilbyi: Kato, 1956.

Order Lamniformes
Family Mitsukurinidae

****Mitsukurina owstoni*** Jordan, 1898 [Japanese name: Mitsukurizame]

Mitsukurina owstoni: Katayama, 1940; Aonuma *et al.*, 2013.

Scapanorhynchus owstoni: Kato, 1956; Tsuda, 1990.

Family Lamnidae

Isurus oxyrinchus Rainesque, 1810 [Japanese name: Aozame]

Isuropsis glauca: Mori and Uchida, 1934; Honma, 1952.

Isrus glauca: Mori, 1952.

Isurus glaucus: Kato, 1956; Mori, 1956a; Honma, 1956b; Lindberg and Legeza, 1959; Honma, 1963; Tsuda, 1990.

Isurus oxyrinchus: Honma and Kitami, 1978; Uozu Aquarium, 1997; Sokolovskaya *et al.*, 1998; Honma *et al.*, 2011; Honma, 2013; Yoshino *et al.*, 2013a.

Lamna ditropis Hubbs and Follett, 1947 [Japanese name: Nezumizame]

Lamna cornubica: Katayama, 1940; Honma, 1952, 1963.

Lamna ditropis: Kato, 1956; Lindberg and Legeza, 1959; Ueno, 1971; Honma and Kitami, 1978; Honma, 1991a; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Honma, 2013; Yoshino *et al.*, 2013a.

Lamma ditropis [*sic*]: Tsuda, 1990.

Family Alopiidae

****Alopias pelagicus*** Nakamura, 1935 [Japanese name: Nitari]

Alopias pelagicus: Honma, 1952; Mori, 1952; Kato, 1956; Lindberg and Legeza, 1959; Honma, 1963; Takegawa and Morino, 1970; Honma and Kitami, 1978; Kobayashi *et al.*, 2006; Honma, 2013.

Alopias vulpes: Mori and Uchida, 1934.

Alopias vulpinus: Ueno, 1971.

****Alopias vulpinus*** (Bonnaterre, 1788) [Japanese name: Ma-onaga]

Alopias unlpinus [*sic*]: Tsuda, 1990.

Alopias vulpinus: Maeda and Tsutsui, 2003; Honma, 2013; Yoshino *et al.*, 2013b.

Order Carcharhiniformes

Family Scyliorhinidae

Cephaloscyllium umbratile Jordan and Fowler, 1903 [Japanese name: Nanukazame]

Cephaloscyllium umbratile: Mori and Uchida, 1934; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1959; Nakaya, 1975; Tsuda, 1990; Honma, 1991a; Uozu Aquarium, 1997; Shinohara *et al.*, 2011; Yoshino *et al.*, 2013a.

Cephaloscyllium isbaellum [*sic*]: Suzuki *et al.*, 2000.

****Galeus eastmani*** (Jordan and Snyder, 1904) [Japanese name: Yamorizame]

Galeus eastmani: Kato, 1956; Tsuda, 1990.

Halaelurus buergeri (Müller and Henle, 1838) [Japanese name: Nagasaki-torazame]

Halaelurus bürgeri: Nakaya, 1975.

Halaelurus buergeri: Maeda and Tsutsui, 2003; Yoshino *et al.*, 2013a.

Scyliorhinus torazame (Tanaka, 1908) [Japanese name: Torazame]

Catulus torazame: Mori and Uchida, 1934; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952.

Scylliorhinus torazame [*sic*]: Mori, 1952.

Scyliorhinus torazame: Honma, 1955b; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1959; Honma, 1963; Ueno, 1971; Nakaya, 1975; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Yoshino and Aonuma, 2000, 2002; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Yoshino *et al.*, 2013a.

Scyliorhinus torazame [*sic*]: Suzuki *et al.*, 2000.

SMBS uncatalogued (1).

Family Triakididae

****Mustelus griseus*** Pietschmann, 1908 [Japanese name: Shirozame]

Cynias griseus: Mori and Uchida, 1934; Mori, 1952.

Mustelus griseus: Honma, 1955c; Honma, 1956b; Kato, 1956; Lindberg and Legeza, 1959; Honma, 1963; Tsuda, 1990; Aonuma *et al.*, 2013; Honma, 2013.

Mustelus manazo Bleeker, 1854 [Japanese name: Hoshizame]

Cynias manazo: Mori, 1928; Mori and Uchida, 1934; Mori, 1952.

Mustelus manazo: Snyder, 1912; Honma, 1952; Mori, 1952; Honma, 1955b; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1959; Honma, 1963; Takegawa and Morino, 1970; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Aonuma *et al.*, 2013; Honma, 2013.

Family Carcarhinidae

****Carcharhinus plumbeus*** (Nardo, 1827) [Japanese name: Mejirozame]

Carcharhinus gangeticus: Kato, 1956; Ueno, 1971; Tsuda, 1990.

Carcharhinus plumbeus: Maeda and Tsutsui, 2003; Kobayashi *et al.*, 2006; Aonuma *et al.*, 2013; Honma, 2013.

****Rhizoprionodon acutus*** (Rüppell, 1837) [Japanese name: Hiragashira]

Scoliodon walbeeumi: Kato, 1956.

Rhizoprionodon acutus: Honma *et al.*, 1990; Tsuda, 1990; Honma, 1991a; Aonuma *et al.*, 2013; Honma, 2013.

Order Hexanchiformes

Family Hexanchinidae

Heptranchias perlo (Bonnaterre, 1788) [Japanese name: Edo-aburazame]

Heptranchias perlo: Honma, 1952; Mori, 1952; Honma, 1954; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1959; Honma, 1963; Honma and Kitami, 1978; Tsuda, 1990; Shinohara *et al.*, 2011; Hatooka *et al.*, 2013a; Honma, 2013.

****Hexanchus griseus*** (Bonnaterre, 1788) [Japanese name: Kagurazame]

Hexanchus griseus: Tsuda, 1990; Honma *et al.*, 2011, 2012; Honma, 2013.

Order Squaliformes

Family Somniosidae

****Somniosus (Somniosus) pacificus*** Bigelow and Schroeder, 1944 [Japanese name: Ondenzame]

Somniosus pacificus: Ueno, 1971; Maeda and Tsutsui, 2003.

Somniosus (Somniosus) pacificus: Hatooka *et al.*, 2013a.

Family Squalidae

Squalus acanthias Linnaeus, 1758 [Japanese name: Abura-tsunozame]

Squalus suckleyi: Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Katayama, 1952; Ouchi, 1963.

Squalus (Acanthias) suckeryi: Mori, 1952.

Squalus acanthias: Matsubara, 1955; Honma, 1956b; Kato, 1956; Mori, 1956a; Honma, 1963; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Hatooka *et al.*, 2013c; Honma, 2013.

Squalus acanthias acanthias: Lindberg and Legeza, 1959.

****Squalus brevirostris*** Tanaka, 1917 [Japanese name: Tsumari-tsunozame]

Squalus brevirostris: Mori, 1928; Mori and Uchida, 1934; Mori, 1952.

****Squalus japonicus*** Ishikawa, 1908 [Japanese name: Togari-tsunozame]

Squalus japonicus: Mori, 1928; Mori and Uchida, 1934; Mori, 1952.

Squalus mitsukurii Jordan and Snyder, 1903 [Japanese name: Futo-tsunozame]

Squalus mitsukurii: Mori, 1928; Mori and Uchida, 1934; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1959; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Hatooka *et al.*, 2013c; Honma, 2013.

Squalus mitsukuri: Tsuda, 1990.

Order Squatiniformes
Family Squatinidae

Squatina japonica Bleeker, 1858 [Japanese name: Kasuzame]

Squatina japonica: Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Honma, 1956b; Lindberg and Legeza, 1959; Honma, 1963; Takegawa and Morino, 1970; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Sokolovskaya *et al.*, 1998; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Kobayashi *et al.*, 2006; Hatooka *et al.*, 2013c; Honma, 2013.

Squatina nebulosa Regan, 1906 [Japanese name: Korozame]

Squatina nebulosa: Katayama, 1940; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Tsuda, 1990; Matsuura *et al.*, 2009; Hatooka *et al.*, 2013c; Honma, 2013.

Order Pristiophoriformes
Family Pristiophoridae

****Pristiophorus japonicus*** Günther, 1870 [Japanese name: Nokogirizame]

Pristiophorus japonicus: Mori and Uchida, 1934; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1959; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990; Maeda and Tsutsui, 2003; Hatooka *et al.*, 2013a; Honma, 2013.

Order Rhinobatiformes
Family Rhinobatidae

Rhinobatos hynnicephalus Richardson, 1846 [Japanese name: Komon-sakatazame]

Rhinobatos hynnicephalus: Takegawa and Morino, 1970; Honma *et al.*, 1972; Tsuda, 1990; Uozu Aquarium, 1997; Honma, 2013.

Rhinobatos schlegelii Muller and Henle, 1841 [Japanese name: Sakatazame]

Rhinobatos schlegelii: Mori, 1928; Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1959; Takegawa and Morino, 1970.

Rhinobatos schlegelii: Tsuda, 1990; Matsuura *et al.*, 2009; Hatooka *et al.*, 2013c.

Rhinobatos granulates: Honma, 2013.

Order Rajiformes
Family Torpedinidae

Narke japonica (Temminck and Schlegel, 1850) [Japanese name: Shibire-ei]

Narke japonica: Mori, 1952; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1959; Takegawa and Morino, 1970; Tsuda, 1990; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011.

****Torpedo tokionis*** (Tanaka, 1908) [Japanese name: Yamato-shibire-ei]

Torpedo tokionis: Tsuda, 1990; Hatooka *et al.*, 2013a.

Family Rajidae

****Bathyraja aleutica*** (Gilbert, 1896) [Japanese name: Aryūshan-kasube]

Bathyraja aleutica: Maeda and Tsutsui, 2003.

Bathyraja bergi Dolganov, 1983 [Japanese name: Soko-gangi-ei] (Fig. 2AB)

Breviraja isotrachys: Honma, 1955d; Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma,

1963; Ouchi, 1963; Takegawa and Morino, 1970; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990; Hatooka and Yamada, 1993; Hatooka *et al.*, 2000, 2002.

Breviraja (Bathyraja) isotrachys: Ishiyama, 1967.

Bathyraja bergi: Dolganov, 1985; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Hatooka *et al.*, 2013b; Honma, 2013.

TS09-T035 (1), SMBS uncatalogued (1).

Bathyraja smirnovi (Soldatov and Pavlenko, 1915) [Japanese name: Dobu-kasube]

Raja smirnovi: Soldatov and Pavlenko, 1915 (original description).

Breviraja smirnovi: Honma, 1955a; Matsubara, 1955; Kato, 1956; Mori, 1956a, c; Lindberg and Legeza, 1959; Ouchi, 1963; Ueno, 1971; Tsuda, 1990; Honma, 2013.

Breviraya (Arctoraja) smirnovi: Ishiyama, 1967.

Breviraja smirnovi ankasube: Honma and Kitami, 1978.

Bathyraja smirnovi: Takegawa and Morino, 1970; Ogata *et al.*, 1973; Nakaya and Shirai, 1992; Nambu *et al.*, 1992; Hatooka and Yamada, 1993; Uozu Aquarium, 1997; Hatooka *et al.*, 2000, 2002; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Hatooka *et al.*, 2013b.

TS09-T006 (2).

Dipturus kwangtungensis (Chu, 1960) [Japanese name: Gangi-ei]

Raja kenojei: Mori and Uchida, 1934; Katayama, 1940; Hikita, 1950; Honma, 1952; Mori, 1952; Honma, 1955b; Kato, 1956; Mori, 1956a; Honma, 1963; Takegawa and Morino, 1970; Ueno, 1971; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990.

Dipturus kwangtungensis: Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Hatooka *et al.*, 2013b; Honma, 2013.

****Dipturus macrocauda*** (Ishiyama, 1955) [Japanese name: Kitsune-kasube]

Dipturus macrocauda: Hatooka *et al.*, 2013b.

Family Urolophidae

Urolophus aurantiacus Müller and Henle, 1941 [Japanese name: Hirata-ei]

Urolophus fuscus: Honma, 1955c; Kato, 1956.

Urolophus aurantiacus: Mori, 1956a; Honma, 1963; Lindberg and Legeza, 1959; Takegawa and Morino, 1970; Honma and Kitami, 1978; Tsuda, 1990; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Honma, 2013; Yamaguchi *et al.*, 2013a.

Family Dasyatidae

Dasyatis akajei (Müller and Henle, 1841) [Japanese name: Aka-ei]

Dasyatis akajei: Mori, 1928; Mori and Uchida, 1934; Mori, 1952; Honma, 1955b; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1959; Honma, 1963; Takegawa and Morino, 1970; Ueno, 1971; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Matsuura *et al.*, 2009; Honma, 2013; Yamaguchi *et al.*, 2013b.

Order Albuliformes

Family Albulidae

Pterothrissus gissu Hilgendorf, 1877 [Japanese name: Gisu]

Pterothrissus gissu: Tanaka, 1928; Katayama, 1940; Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma, 1963; Lindberg and Legeza, 1965; Takegawa and Morino, 1970; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990; Aizawa, 1993; Uozu Aquarium, 1997; Aizawa, 2000, 2002; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Aizawa and Doiuchi, 2013; Honma, 2013.

Pterothissus gissu [sic]: Honma, 1952.

Order Anguilliformes
Family Synaphobranchidae

**Dysomma anguillare* Barnard, 1923 [Japanese name: Asaba-hora-anago]

Dysomma anguillare: Hatooka, 2013.

**Meadia abyssalis* (Kamohara, 1938) [Japanese name: Hirejiro-anago]

Meadia abyssalis: Hatooka, 2013.

Family Ophichthidae

Echelus uropterus (Temminck and Schlegel, 1846) [Japanese name: Hire-anago]

Echelus uropterus: Honma, 1962, 1963; Lindberg and Legeza, 1965; Honma and Kitami, 1978; Tsuda, 1990; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

SMBS uncatalogued (1).

**Ophichthus urolophus* (Temminck and Schlegel, 1847) [Japanese name: Suso-umihebi]

Ophichthus urolophus: Katayama, 1940; Kato, 1956; Mori, 1952, 1956a; Tsuda, 1990; Hatooka, 2013; Honma, 2013.

Ophichthys urolophus: Lindberg and Legeza, 1965.

Ophisurus macrorhynchus Bleeker, 1852 [Japanese name: Dainan-umihebi]

Ophisurus macrorhynchus: Katayama, 1940; Honma, 1952; Mori, 1952; Kato, 1956; Honma, 1963; Mori, 1956a; Lindberg and Legeza, 1965; Takegawa and Morino, 1970; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

**Pisodonophis cancrivorus* (Richardson, 1848) [Japanese name: Minami-umihabi]

Pisodonophis cancrivorus: Hatooka, 2013.

Scolecenchelys fuscovenus McCosker, Ide and Endo, 2012 [Japanese name: Tsumaguro-suso-umihebi]

Scolecenchelys fuscovenus: McCosker *et al.*, 2012 (original description); Honma, 2013.

Family Congridae

**Ariosoma major* (Asano, 1958) [Japanese name: Ō-shiro-anago]

Arisoma majus [sic]: Hatooka, 2013.

Ariosoma meeki (Jordan and Snyder, 1900) [Japanese name: Goten-anago]

Anago anago: Tsuda, 1990.

Ariosoma meeki: Matsuura *et al.*, 2009; Hatooka, 2013; Honma, 2013.

**Ariosoma shiroanago* (Asano, 1958) [Japanese name: Shiro-anago]

Ariosoma shiroanago shiroanago: Asano, 1958; Lindberg and Legeza, 1965; Asano, 1988; Hatooka, 1993.

Alloconger shiroanago: Tsuda, 1990.

Ariosoma shiroanago: Hatooka, 2013.

Conger myriaster (Brevoort, 1856) [Japanese name: Ma-anago]

Astroconger myriaster: Kato, 1956.

Conger myriaster: Ueno, 1971; Tsuda, 1990; Maeda and Tsutsui, 2003; Honma, 2013.

TS09-T001 (1), TS09-T034 (1), TS09-T101 (1).

Remarks. This species occurs at depths shallower than 100 m (Hatooka, 2013) but our specimens were collected at 200–251 m depth. Shinohara and Matsuura (1997) reported this species can be collected below 380 m depth in Suruga Bay, Japan.

****Congriscus megastomus*** (Günther, 1877) [Japanese name: Oki-anago]

Congriscus megastomus: Hatooka, 2013.

****Gnathophis ginanago*** (Asano, 1958) [Japanese name: Nise-gin-anago]

Gnathophis ginanago: Hatooka, 2013.

Gnathophis nystromi nystromi (Jordan and Snyder, 1901) [Japanese name: Gin-anago]

Rhynchocymba nystromi: Katayama, 1940; Kato, 1956.

Arisoma nystromi: Honma, 1952.

Rhynchocymba nyströmi: Mori, 1952, 1956a.

Rhynchocymba nystromi nystromi: Honma, 1956b, 1963; Lindberg and Legeza, 1965; Takegawa and Morino, 1970; Honma and Kitami, 1978.

Rhynchocymba nystromi subsp.: Honma, 1977.

Gnathophis nystromi: Honma, 1990.

Gnathophis nystromi nystromi: Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Honma, 2013.

Gnathophis heterognathos: Hatooka, 2013.

SMBS uncatalogued (1).

Order Argentiniiformes

Family Argentinidae

****Argentina kagoshimae*** Jordan and Snyder, 1902 [Japanese name: Kagoshima-nigisu]

Argentina elongata kagoshimae: Lindberg and Legeza, 1965.

Argentina kagoshimae: Horikawa, 1997; Hatooka, 2013.

Glossanodon semifasciatus (Kishinouye, 1904) [Japanese name: Nigisu]

Argentina semifasciata: Kishinouye, 1904a (original description), b; Katayama, 1940; Matsubara, 1943a; Mori, 1952; Honma, 1952; Kato, 1956; Mori, 1956a; Honma, 1963; Ouchi, 1963; Lindberg and Legeza, 1965; Honma, 1977; Honma and Kitami, 1978.

Glossanodon semifasciatus: Honma and Kitami, 1967; Takegawa and Morino, 1970; Honma and Kitami, 1980; Hatooka, 1993; Suzuki *et al.*, 2000; Hatooka, 2000, 2002; Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

Order Stomiiformes

Family Sternopytchidae

Maurolicus japonicus Ishikawa, 1915 [Japanese name: Kyūri-eso]

Maurolicus pennanti: Mori and Uchida, 1934.

Maurolicus japonicus: Katayama, 1940; Honma, 1952; Matsubara, 1955; Kato, 1956; Lindberg and Legeza, 1965; Ogata *et al.*, 1973; Mori, 1956a; Honma, 1963; Takegawa and Morino, 1970; Tsuda, 1990; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011;

Aizawa and Doiuchi, 2013; Honma, 2013.

Maurolicus pennanti japonicus: Honma, 1968.

Maurolicus muelleri: Honma and Kitami, 1978; Fujii, 1988; Tsuda, 1990; Aizawa, 1993; Amaoka *et al.*, 1995; Uozu Aquarium, 1997; Sokolovskaya *et al.*, 1998.

Maurolicus japoicus: Aizawa, 1997.

TS09-T101 (5), TS10-OW18 (3).

****Sternopyx diaphana*** Hermann, 1781 [Japanese name: Mune-eso]

Sternopyx diaphana: Maeda and Tsutsui, 2003; Aizawa and Doiuchi, 2013.

Order Ateleopodiformes

Family Ateleopodidae

Ateleopus japonicus Bleeker, 1854 [Japanese name: Shachiburi]

Ateleopus japonicus: Kato, 1956; Lindberg and Legeza, 1965; Takegawa and Morino, 1970; Tsuda, 1990; Amaoka and Kobayashi, 2003; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Honma, 2013.

Ateleopus purpureus: Mori, 1956a.

Ateleopus purpureus Tanaka, 1990 [Japanese name: Murasaki-shachiburi]

Ateleopus purpureus: Kato, 1956; Tsuda, 1990; Suzuki *et al.*, 2000; Kobayashi *et al.*, 2006; Aizawa and Doiuchi, 2013.

Order Aulopiformes

Family Aulopodidae

Aulopus japonicus Günther, 1877 [Japanese name: Hime]

Hime japonica: Mori, 1952; Katayama, 1940; Honma, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma, 1963; Lindberg and Legeza, 1965; Takegawa and Morino, 1970; Honma, 1977; Honma and Kitami, 1978.

Aulopus japonicus: Tsuda, 1990; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Honma, 2013.

SMBS uncatalogued (2).

Family Chlorophthalmidae

Chlorophthalmus albatrossis Jordan and Starks, 1904 [Japanese name: Aome-eso]

Chlorophthalmus albatrossis: Katayama, 1940; Kato, 1956; Lindberg and Legeza, 1965; Tsuda, 1990; Shinohara *et al.*, 2011; Honma, 2013.

Chlorophthalmus albatrossis [*sic*]: Mori, 1956a.

Chlorophthalmus albatrossis albatrossis: Honma *et al.*, 1972.

Family Paralepididae

Lestidium prolixum Harry, 1953 [Japanese name: Namehadaka]

Lestidium prolixum: Suzuki *et al.*, 2000; Shinohara *et al.*, 2011.

Order Myctophiformes
Family Myctophidae

****Diaphus watasei*** Jordan and Starks, 1904 [Japanese name: Hadaka-iwashi]

Diaphus coeruleus: Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1965.

Diaphus watasei: Tsuda, 1990.

****Myctophum asperum*** Richardson, 1845 [Japanese name: Ara-hadaka]

Myctophum asperum: Mori, 1952.

****Myctophum nitidulum*** Garman, 1899 [Japanese name: Susuki-hadaka]

Myctophum affine: Mori, 1952.

****Notoscopelus japonicus*** (Tanaka, 1908) [Japanese name: Ōkuchi-iwashi]

Notoscopelus elongatus: Kato, 1956; Mori, 1956a.

Notoscopelus japonicus: Tsuda, 1990; Nakabo, 1993b, 2000b, 2002b; Nakabo and Kai, 2013.

Order Lampridiformes
Family Veliferidae

Velifer hypselopterus Bleeker, 1879 [Japanese name: Kusa-aji]

Velifer hypselopterus: Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1965; Fujii, 1988; Tsuda, 1990; Honma, 1991a; Aizawa, 1993, 2000, 2002; Shinohara *et al.*, 2011; Aizawa and Doiuchi, 2013; Honma, 2013.

Family Lampridae

Lampris guttatus (Brünnich 1788) [Japanese name: Akamanbō]

Lampris regia: Katayama, 1940; Honma, 1952; Tsuda, 1990.

Lampris regius: Honma, 1955b; Kato, 1956; Mori, 1956a; Honma, 1963; Lindberg and Legeza, 1965; Honma and Kitami, 1978.

Lampris guttatus: Fujii, 1988; Aizawa, 1993; Amaoka *et al.*, 1995; Uozu Aquarium, 1997; Aizawa, 2000, 2002; Kitagawa *et al.*, 2008; Aizawa and Doiuchi, 2013; Honma, 2013.

Family Lophotidae

****Eumecichthys fiski*** (Günther, 1890) [Japanese name: Tengunotachi]

Eumecichthys fiski: Matsubara, 1955; Mori, 1956a; Tsuda, 1990; Amaoka *et al.*, 1995; Honma *et al.*, 1995; Hayashi, 2000, 2002, 2013.

Eumethichthys fiski: Kamohara, 1942; Kato, 1956; Lindberg and Legeza, 1965; Fujii, 1988.

Eumethichthys fiskii: Hayashi, 1993.

Eumecichthys fiskii: Honma, 2013.

Lophotus capellei Temminck and Schlegel, 1845 [Japanese name: Akanamada]

Lophotes capellei [*sic*]: Tsuda, 1990.

Lophotus capellei: Honma and Kitami, 1980; Honma and Mizusawa, 1981; Fujii, 1988; Amaoka *et al.*, 1995; Hayashi, 1993; Uozu Aquarium, 1997; Hayashi, 2000, 2002; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Hayashi, 2013; Honma, 2013.

Family Trachipteridae

Desmodema polystictum (Ogilby, 1898) [Japanese name: Furisode-uo]

Trachipterus misakiensis: Matsubara, 1955; Kato, 1956; Mori, 1956a.

Trachypterus misakiensis: Lindberg and Legeza, 1965.

Desmodema polystictum: Fujii, 1988; Tsuda, 1990; Hayashi, 1993; Amaoka *et al.*, 1995; Tsuda, 1990; Hayashi, 2000, 2002; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Hayashi and Senou, 2013.

Trachipterus ishikawai Jordan and Snyder, 1901 [Japanese name: Sakegashira]

Trachipterus sp.: Mori, 1952.

Trachipterus ishikawai: Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma, 1962, 1963, 1968; Takegawa and Morino, 1970; Ueno, 1971; Honma, 1977.

Trachipterus ishikawai: Honma and Kitami, 1967, 1978; Fujii, 1988; Tsuda, 1990; Uozu Aquarium, 1997; Hayashi, 1993; Amaoka *et al.*, 1995; Hayashi, 2000, 2002; Maeda and Tsutsui, 2003; Kobayashi *et al.*, 2006; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Hayashi and Senou, 2013; Honma, 2013.

Trachypterus ishikawai: Lindberg and Legeza, 1965.

TS09-T023 (1), TS09-T086 (1).

Trachipterus trachypterus (Gmelin, 1789) [Japanese name: Tengaihata]

Trachipterus iris: Matsubara, 1955; Kato, 1956; Mori, 1956a; Tsuda, 1990.

Trachypterus iris: Lindberg and Legeza, 1965.

Trachipterus trachypterus: Fujii, 1988; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011.

Zu cristatus (Bonelli, 1820) [Japanese name: Yuki-furisodeuo]

Trachypterus ijimae: Katayama, 1940.

Trachipterus ijimae: Honma, 1952.

Trachipterus ijimai: Matsubara, 1955; Kato, 1956; Mori, 1956a; Takegawa and Morino, 1970.

Trachypterus ijimai: Lindberg and Legeza, 1965.

Zu cristatus: Tsuda, 1990; Amaoka *et al.*, 1995; Hayashi, 1993; Uozu Aquarium, 1997; Hayashi, 2000, 2002; Maeda and Tsutsui, 2003; Kobayashi *et al.*, 2006; Hayashi and Senou, 2013; Honma, 2013.

SMBS uncatalogued (1).

Family Regalecidae

Regalecus russellii (Shaw, 1803) [Japanese name: Ryūgūnotsukai]

Regalecus russellii: Okada and Matsubara, 1938; Honma, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a, b; Honma, 1963; Honma and Kitami, 1967; Lindberg and Legeza, 1965; Ueno, 1971; Honma and Kitami, 1978; Fujii, 1988; Tsuda, 1990; Hayashi, 1993, 2000, 2002; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Hayashi, 2013; Honma, 2013.

Regalecus russelli: Takegawa and Morino, 1970.

Order Polymixiniiformes

Family Polymixiniidae

****Polymixia japonica*** Günther, 1877 [Japanese name: Ginmedai]

Polymixia japonica: Tsuda, 1990.

Order Ophidiiformes
Family Ophidiidae

Hoplobrotula armata (Temminck and Schlegel, 1846) [Japanese name: Yoroi-itachi-uo]

Hoplobrotula armata: Katayama, 1940; Honma, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Takegawa and Morino, 1970; Lindberg and Krasyukova, 1975; Tsuda, 1990; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Neobythites sivicola (Jordan and Snyder, 1901) [Japanese name: Shio-itachi-uo]

Watasea sivicola: Katayama, 1940; Honma, 1952; Mori, 1952.

Neobythites sivicolus: Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma, 1963; Takegawa and Morino, 1970; Lindberg and Krasyukova, 1975; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Honma, 2013.

Neobythites sivicola: Uozu Aquarium, 1997; Machida, 1988; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

****Ophidion asiro*** (Jordan and Fowler, 1902) [Japanese name: Ashiro]

Otopholidium asiro: Mori, 1956a; Kato, 1956; Fowler, 1958; Lindberg and Krasyukova, 1975.

Ophidion asiro: Tsuda, 1990; Nakabo and Kai, 2013.

****Sirembo imberbis*** (Temminck and Schlegel, 1846) [Japanese name: Umidojō]

Sirembo imberbis: Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Fowler, 1958; Lindberg and Krasyukova, 1975; Tsuda, 1990; Honma, 2013; Nakabo and Kai, 2013.

Order Gadiformes
Family Moridae

Lotella phycis (Temminck and Schlegel, 1846) [Japanese name: Iso-ainame]

Lotella phycis: Honma, 1952; Mori, 1952; Kato, 1956; Lindberg and Legeza, 1965; Tsuda, 1990; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Honma, 2013.

Physiculus japonicus Hilgendorf, 1881 [Japanese name: Chigodara]

Physiculus japonicus: Katayama, 1940; Honma, 1952; Kato, 1956; Lindberg and Legeza, 1965; Tsuda, 1990; Suzuki *et al.*, 2000; Balushkin and Prirodina, 2008; Shinohara *et al.*, 2011; Honma, 2013.

Family Macrouridae

****Abyssicola macrochir*** (Günther, 1877) [Japanese name: Tenaga-dara]

Abyssicola macrochir: Honma *et al.*, 2008; Honma, 2013.

****Coelorhynchus japonicus*** (Temminck and Schlegel, 1846) [Japanese name: Tōjin]

Coelorhynchus japonicus: Katayama, 1940; Mori, 1952, Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1965; Tsuda, 1990; Nakabo and Kai, 2013.

Coelorhynchus multispinulosus Katayama, 1942 [Japanese name: Yari-hige]

Coelorhynchus multispinulosus: Matsubara, 1955; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1965; Okamura, 1970; Honma and Kitami, 1978; Honma *et al.*, 1972; Tsuda, 1990; Shinohara *et al.*, 2011.

Coelorinchus multispinosus: Nakabo, 1993b; Okamura, 1997; Nakabo, 2000b, 2002b; Honma, 2013; Nakabo and Kai, 2013.

**Coelorinchus parallelus* (Günther, 1877) [Japanese name: Soroi-hige]

Coelorinchus parallelus: Kato, 1956; Lindberg and Legeza, 1965; Tsuda, 1990.

Family Bregmacerotidae

**Bregmaceros japonicus* Tanaka, 1908 [Japanese name: Sai-uo]

Bregmaceros japonicus: Tanaka, 1913a; Jordan and Hubbs, 1925; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Lindberg and Legeza, 1965; Honma, 1968; Honma and Kitami, 1978; Tsuda, 1990.

Bregmaceros nectabanus Whitley, 1941 [Japanese name: Toyama-sai-uo]

Bregmaceros nectabanus: Masuda *et al.*, 1986; Tsuda, 1990; Nakabo, 1993b; Uozu Aquarium, 1997; Nakabo, 2000b; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Bregmaceros neonectabanus Masuda, Ozawa and Tabeta, 1986 [Japanese name: Kurohara-sai-uo]

Bregmaceros neonectabanus: Masuda *et al.*, 1986 (original description); Nakabo, 1993b, 2000b, 2002b.

Family Gadidae

Gadus macrocephalus Tilesius, 1810 [Japanese name: Madara]

Gadus macrocephalus: Snyder, 1912; Mori, 1928; Mori and Uchida, 1934; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma, 1957b, 1963; Ouchi, 1963; Ueno, 1971; Ogata *et al.*, 1973; Honma and Kitami, 1978; Tsuda, 1990; Endo, 1997; Sokolovskaya *et al.*, 1998; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Balushkin and Prirodina, 2008; Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Honma, 2013.

Gadus morhua macrocephalus: Lindberg and Legeza, 1965; Adrianov and Kussakin, 1998.

KT-11-09-T1 (1), TS09-T011 (1), TS09-T038 (1).

Theragra chelcogramma (Pallas, 1814) [Japanese name: Suketō-dara]

Theragra chelcogramma: Mori, 1928; Mori and Uchida, 1934; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Katayama, 1952; Mori, 1952; Honma, 1955b; Matsubara, 1955; Kato, 1956; Mori, 1956a, c; Honma, 1963; Ouchi, 1963; Lindberg and Legeza, 1965; Ueno, 1971; Ogata *et al.*, 1973; Honma and Kitami, 1978; Honma and Kitami, 1978; Okamura, 1988; Tsuda, 1990; Nambu *et al.*, 1992; Nakabo, 1993b; Endo, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Balushkin and Prirodina, 2008; Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

KT-10-08-R2 (2), SMBS uncatalogued (2).

Order Lophiiformes

Family Lophiidae

Lophiomus setigerus (Vahl, 1797) [Japanese name: Ankō]

Lophiomus setigerus: Mori, 1928; Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Honma, 1963; Ueno, 1971; Honma and Kitami, 1978; Honma and Kitami, 1978; Tsuda, 1990; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Honma, 2013; Yamada and Yagishita, 2013.

Lophius litulon (Jordan, 1902) [Japanese name: Ki-ankō]

Lophius litulon: Snyder, 1912; Mori, 1928; Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Honma, 1963; Honma and Kitami, 1967; Ueno, 1971; Honma and Kitami, 1978; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Honma, 2013; Yamada and Yagishita, 2013.

TS09-T001 (1), TS09-T008 (1), TS09-T035 (1), TS09-T050 (1), TS09-T102 (1), SMBS uncatalogued (2).

Family Chaunacidae

****Chaunax abei*** Le Danois, 1978 [Japanese name: Midori-fusa-ankō]

Chaunax fimbriatus: Katayama, 1940; Matsubara, 1955; Kato, 1956; Masuda *et al.*, 1975; Tsuda, 1990.

Chaunax abei: Lindberg *et al.*, 1997; Yamada and Yagishita, 2013.

Family Ogcoccephalidae

Halieutaea stellata (Vahl, 1797) [Japanese name: Akagutsu]

Halieutaea stellata: Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Honma and Kitami, 1978; Tsuda, 1990; Suzuki *et al.*, 2000; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Honma, 2013; Yamada and Yagishita, 2013.

****Malthopsis lutea*** Alcock, 1891 [Japanese name: Furyū-uo]

Malthopsis lutea: Mori, 1952; Kato, 1956; Mori, 1956a; Tsuda, 1990; Yamada, 2002.

Malthopsis kobayashii: Yamada and Yagishita, 2013.

Family Ceratiidae

****Cryptopsaras couesi*** Gill 1883 [Japanese name: Mitsukuri-enaga-chōchin-ankō]

Cryptopsaras couesi: Okada and Matsubara, 1938; Matsubara, 1955.

Cryptopsaras coues [*sic*]: Tsuda, 1990.

Cryptopsaras couesii: Nakabo, 1993b, 2000b, 2002b.

Family Himantolophidae

Himantolophus sagamius (Tanaka, 1918) [Japanese name: Chōchin-ankō]

Himantolophus groenlandicus: Maeda and Tsutsui, 2003.

Order Beryciformes

Family Berycidae

Beryx decadactylus Cuvier, 1829 [Japanese name: Nan'yō-kinme] (Fig. 2C)

Beryx decadactylus: Mori, 1952; Lindberg and Legeza, 1965; Honma *et al.*, 1990; Honma, 1991a; Uozu Aquarium, 1997; Honma, 2013.

SMBS uncatalogued (4).

Beryx splendens Lowe 1834 [Japanese name: Kinmedai]

Beryx splendens: Katayama, 1940; Honma, 1952; Kato, 1956; Lindberg and Legeza, 1965; Tsuda, 1990; Uozu Aquarium, 1997; Kitagawa *et al.*, 2008; Honma, 2013.

Order Zeiformes
Family Zeidae

****Zenion japonicum*** Kamohara, 1934 [Japanese name: Soko-matōdai]

Zenion japonicum: Katayama, 1940; Kato, 1956; Lindberg and Legeza, 1965; Tsuda, 1990.

Zenopsis nebulosa (Temminck and Schlegel, 1845) [Japanese name: Kagamidai]

Zenopsis nebulosa: Mori and Uchida, 1934; Katayama, 1940; Mori, 1952; Kato, 1956; Mori, 1956a; Honma, 1962, 1963; Honma and Kitami, 1967; Lindberg and Legeza, 1965; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990; Uozu Aquarium, 1997; Sokolovskaya *et al.*, 1998; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Zeus nebulosa: Honma, 1977.

TS09-T006 (1).

Zeus faber Linnaeus, 1758 [Japanese name: Matōdai]

Zeus japonicus: Mori, 1928; Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Honma, 1955b; Kato, 1956; Mori, 1956a; Honma, 1963; Lindberg and Legeza, 1965; Takegawa and Morino, 1970; Ueno, 1971; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990.

Zeus faber: Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

SMBS uncatalogued (1).

Family Grammicolepididae

****Xenolepidichthys dalgleishi*** Gilchrist, 1922 [Japanese name: Hishi-matōdai]

Xenolepidichthys dalgleishi: Tsuda, 1990.

Order Gasterosteiformes
Family Macroramphosidae

****Macroramphosus japonicus*** (Günther, 1861) [Japanese name: Daikoku-sagifue]

Macroramphosus japonicas [*sic*]: Honma, 2013

Macroramphosus japonicus: Senou, 2013.

Macroramphosus scolopax (Linnaeus, 1758) [Japanese name: Sagifue]

Macroramphosus sagifue: Katayama, 1940; Honma, 1952.

Macrorhamphosus scolopax: Kato, 1956; Mori, 1956a; Takegawa and Morino, 1970; Tsuda, 1990; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Kitagawa *et al.*, 2008; Honma, 2013; Senou, 2013.

Order Scorpaeniformes
Family Scorpaenidae

Helicolenus avius Abe and Eschmeyer, 1972 [Japanese name: Oki-kasago]

Helicolenus avius: Shinohara *et al.*, 2011.

Helicolenus hilgendorfi (Döderlein, 1884) [Japanese name: Yume-kasago]

Helicolenus hilgendorfi: Matsubara, 1943b, 1955; Mori, 1956a; Takegawa and Morino, 1970; Tsuda, 1990; Amaoka *et al.*, 1995; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Helicolenus dactylopterus: Mori, 1952.

TS09-T036 (1), TS09-T037 (1), TS09-T056 (1).

Hozukius emblemarius (Jordan and Starks, 1904) [Japanese name: Hōzuki]

Hozukius emblemarius: Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

****Pontinus macrocephalus*** (Sauvage, 1882) [Japanese name: Hiodoshi]

Pontinus macrocephalus: Takegawa and Morino, 1970; Nakabo and Kai, 2013.

Scorpaena neglecta Temminck and Schlegel, 1843 [Japanese name: Izu-kasago] (Fig. 2D)

Scorpaena izensis: Kato, 1956; Takegawa and Morino, 1970; Tsuda, 1990.

Scorpaena neglecta: Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Honma, 2013; Nakabo and Kai, 2013.

SMBS uncatalogued (2).

****Scorpaena onaria*** Jordan and Snyder, 1900 [Japanese name: Fusa-kasago]

Scorpaena neglecta: Kato, 1956.

Scorpaena neglecta neglecta: Takegawa and Morino, 1970; Tsuda, 1990.

Scorpaena onaria: Nakabo, 1993b; Honma, 2013; Nakabo and Kai, 2013.

Sebastes baramenuke (Wakiya, 1917) [Japanese name: Bara-menuke]

Sebastes baramenuke: Matsubara, 1943b (original description); Tomiyama and Abe, 1958; Honma *et al.*, 1984; Lindberg and Krasyukova, 1987; Tsuda, 1990; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Sebastes (Acutomentum) baramenuke: Mori, 1952.

SMBS uncatalogued (1).

Sebastes glaucus Hilgendorf, 1880 [Japanese name: Kuro-menuke]

Sebastodes glaucus: Soldatov and Lindberg, 1930; Katayama, 1940.

Sebastodes glaucus: Katayama, 1940.

Sebastes glaucus: Kato, 1956; Ueno, 1971; Kanayama and Kitagawa, 1983; Lindberg and Krasyukova, 1987; Amaoka, 1988; Tsuda, 1990; Nakabo, 1993b; Ishida, 1997; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Sebastes itinus (Jordan and Starks, 1904) [Japanese name: Yanagi-mebaru]

Sebastes itinus: Honma, 1955d; Kato, 1956; Tsuda, 1990; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Sebastes matsubarae Hilgendorf, 1880 [Japanese name: Akōdai]

Sebastodes matsubarae: Hilgendorf, 1880 (original description); Katayama, 1940.

Sebastes matsubarae: Matsubara, 1943b; Honma, 1952; Tomiyama and Abe, 1958; Uozu Aquarium, 1997; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Sebastes matsubarai: Kato, 1956; Mori, 1956a; Lindberg and Krasyukova, 1987; Tsuda, 1990.

Sebastes owstoni (Jordan and Thompson, 1914) [Japanese name: Hatsume]

Sebastodes ruber: Pavlenko, 1910 (original description); Soldatov and Lindberg, 1930.

Sebastodes owstoni: Mori and Uchida, 1934; Hikita, 1950.

Sebastes owstoni: Okada and Matsubara, 1938; Katayama, 1940; Matsubara, 1943b; Honma, 1952; Katayama, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma, 1963; Ouchi, 1963; Honma and Kitami, 1970; Takegawa and Morino, 1970; Ueno, 1971; Ogata *et al.*, 1973; Honma, 1977; Honma and Kitami, 1978; Kanayama and Kitagawa, 1983; Lindberg and Krasyukova, 1987; Amaoka, 1988; Tsuda, 1990; Nambu *et al.*, 1992; Nakabo, 1993b; Amaoka *et al.*, 1995; Ishida, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b; Suzuki

et al., 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Matsuura *et al.* 2009; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Sebastes (Hatsumeus) owstoni: Mori, 1952.

TS09-T018 (1), TS09-T034 (1), TS09-T037 (2) TS09-T039 (2), TS09-T101 (1), TS09-T102 (1).

Sebastes steindachneri Hilgendorf, 1880 [Japanese name: Yanaginomai]

Sebastes steindachneri: Hilgendorf, 1880 (original description); Honma, 1952; Kato, 1956; Ouchi, 1963; Ueno, 1971; Amaoka, 1988; Tsuda, 1990; Nakabo, 1993b; Amaoka *et al.*, 1995; Ishida, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Matsuura *et al.* 2009; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Sebastodes steindachneri: Soldatov and Lindberg, 1930.

Sebastiscus albofasciatus (Lacepède, 1802) [Japanese name: Ayame-kasago]

Sebastiscus albofasciatus: Kato, 1956; Takegawa and Morino, 1970; Shimizu, 1988; Tsuda, 1990; Nakabo, 1993b; Ishida, 1997; Nakabo, 2000b, Suzuki *et al.*, 2000; Nakabo, 2002b; Honma, 2013; Nakabo and Kai, 2013.

****Sebastolobus macrochir*** (Günther, 1877) [Japanese name: Kichiji]

Sebastolobus macrochir: Mori, 1952; Honma, 1952; Kato, 1956; Mori, 1956a; Tsuda, 1990; Sokolovskaya *et al.*, 1998; Honma, 2013; Nakabo and Kai, 2013.

Setarches longimanus (Alcock, 1894) [Japanese name: Aka-kasago]

Setarches longimanus: Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Family Triglidae

Chelidonichthys spinosus (McClelland, 1843) [Japanese name: Hōbō]

Chelidonichthys kumu: Snyder, 1912; Mori, 1928; Matsubara and Hiyama, 1932; Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Honma, 1955b; Kato, 1956; Mori, 1956a; Honma, 1963; Takegawa and Morino, 1970; Honma, 1977; Honma and Kitami, 1978; Sokolovskaya *et al.*, 1998.

Chelidonichthys kum [*sic*]: Ueno, 1971.

Chelidonichthys spinosus: Tsuda, 1990; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Honma, 2013; Yamada and Yagishita, 2013.

Trigla (Chelidonichthys) kumu: Adrianov and Kussakin, 1998.

SMBS uncatalogued (1).

Lepidotrigla abyssalis Jordan and Starks, 1902 [Japanese name: Soko-kanagashira]

Lepidotrigla abyssalis: Katayama, 1940; Honoma, 1952; Kato, 1956; Mori, 1956a; Takegawa and Morino, 1970; Tsuda, 1990; Suzuki *et al.*, 2000; Matsuura *et al.* 2009; Shinohara *et al.*, 2011; Honma, 2013; Yamada and Yagishita, 2013.

SMBS uncatalogued (1).

Lepidotrigla guentheri Hilgendorf, 1879 [Japanese name: Kanado]

Lepidotrigla guentheri: Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Kato, 1956; Honma, 1963, 1977; Honma and Kitami, 1978.

Lepidotrigla guentheri: Mori, 1952, 1956a; Tomiyama and Abe, 1958; Lindberg and Krasyukova, 1987; Tsuda, 1990; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011.

Lepidotrigla microptera Günther, 1873 [Japanese name: Kanagashira]

Lepidotrigla strauchi: Snyder, 1912.

Lepidotrigla microptera: Katayama, 1940; Hikita, 1950; Honma, 1952; Mori, 1952; Honma, 1956b; Kato, 1956; Mori, 1956a; Honma, 1963; Takegawa and Morino, 1970; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Matsuura *et al.* 2009; Shinohara *et al.*, 2011; Honma, 2013; Yamada and Yagishita, 2013.

SMBS uncatalogued (1).

Peristedion orientale Temminck and Schlegel, 1843 [Japanese name: Kihōbō]

Peristedion orientale: Mori, 1928; Mori and Uchida, 1934; Katayama, 1940; Mori, 1952; Kato, 1956; Honma *et al.*, 1972; Tsuda, 1990; Matsuura *et al.* 2009; Shinohara *et al.*, 2011; Honma, 2013; Yamada and Yagishita, 2013.

****Satyrichthys rieffeli*** (Kaup, 1859) [Japanese name: Iso-kihōbō]

Satyrichthys rieffeli: Kato, 1956; Tsuda, 1990.

****Scalicus amiscus*** (Jordan and Starks, 1904) [Japanese name: Hige-kihōbō]

Satyrichthys amiscus: Tsuda, 1990.

Family Hoplichthyidae

****Hoplichthys filamentosus*** Matsubara and Ochiai, 1950 [Japanese name: Ito-harigochi]

Hoplichthys filamentosus: Nakabo and Kai, 2013.

****Hoplichthys gilberti*** Jordan and Richardson, 1908 [Japanese name: Soko-harigochi]

Hoplichthys gilberti: Nakabo and Kai, 2013.

****Hoplichthys langsdorffii*** Cuvier, 1829 [Japanese name: Natsu-harigochi]

Hoplichthys langsdorffii: Matsubara and Ochiai, 1950; Kato, 1956; Mori, 1956a; Takegawa and Morino, 1970; Tsuda, 1990.

****Hoplichthys regani*** Jordan, 1908 [Japanese name: Harigochi]

Hoplichthys regani: Kato, 1956; Mori, 1956a; Takegawa and Morino, 1970; Tsuda, 1990.

Family Bembridae

Bembras japonicus Cuvier, 1829 [Japanese name: Akagochi]

Bembras japonica: Mori, 1956a.

Bembras japonicus: Katayama, 1940; Kato, 1956; Lindberg and Krasyukova, 1987; Tsuda, 1990; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Parabembras curtus (Temminck and Schlegel, 1843) [Japanese name: Ubagochi]

Parabembras curtus: Mori, 1928; Takegawa and Morino, 1970; Tsuda, 1990; Nakabo and Kai, 2013.

Parabembras curta: Shinohara *et al.*, 2011.

Family Dactylopteridae

****Dactyloptena orientalis*** Cuvier, 1829 [Japanese name: Semihōbō]

Dactyloptena orientalis: Kato, 1956; Ueno, 1971; Honma, 2013; Tsuda, 1990.

Daicocus peterseni (Nyström, 1887) [Japanese name: Hoshi-semihōbō]

Daicocus peterseni: Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Honma, 1956b; Kato, 1956; Honma, 1963; Takegawa and Morino, 1970; Honma and Kitami, 1978; Lindberg *et al.*, 1997; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Matsuura *et al.*, 2009; Honma, 2013; Nakabo and Doiuchi, 2013.

Family Anolopomatidae

**Anolopoma fimbria* (Pallas, 1814) [Japanese name: Gindara]

Anolopoma fimbria: Maeda and Tsutsui, 2003.

**Erilepis zonifer* (Lockington, 1880) [Japanese name: Aburabōzu]

Erilepis zonifer: Nakabo and Kai, 2013.

Family Ereuniidae

Marukawichthys ambulator Sakamoto, 1931 [Japanese name: Marukawa-kajika]

Marukawichthys ambulator: Sakamoto, 1931 (original description); Katayama, 1940; Honma, 1955a, c; Matsubara, 1955; Watanabe, 1960; Honma, 1963; Takegawa and Morino, 1970; Lindberg and Krasyukova, 1975; Honma and Kitami, 1978; Yabe, 1988; Tsuda, 1990; Nakabo, 1993b; Uozu Aquarium, 1997; Nakabo, 2000b, 2002b; Sideleva *et al.*, 2006a; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Marukawichthys ambulator [*sic*]: Kato, 1956.

Marukawichthys ambulatory [*sic*]: Honma, 2013.

Family Cottidae

Alcichthys elongatus (Steindachner, 1881) [Japanese name: Niji-kajika]

Alcichthys alcicornis: Kato, 1956; Watanabe, 1960; Ouchi, 1963; Tsuda, 1990; Amaoka *et al.*, 1995; Yabe, 1997.

Alcichthys okiensis: Kato, 1956; Mori, 1956d (original description).

Alcichthys elongatus: Maeda and Tsutsui, 2003; Sideleva *et al.*, 2006a; Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Honma, 2013; Nakabo and Kai, 2013.

Artemiellus aporusus Soldatov, 1922 [Japanese name: Madara-okikajika]

Artemiellus aporusus: Okada and Matsubara, 1938; Sideleva *et al.*, 2006b; Nakabo and Kai, 2013.

**Artemiellus camchaticus* Gilbert and Burke, 1912 [Japanese name: Kamuchakka-kajika]

Artemiellus camchaticus: Okada and Matsubara, 1938; Nakabo and Kai, 2013.

Artemiellus dydymovi Soldatov, 1915 [Japanese name: Kobu-okikajika]

Artemiellus dydymovi: Okada and Matsubara, 1938; Ueno, 1971; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Nakabo and Kai, 2013.

Artemiellus dydymovi dydymovi: Ouchi, 1963; Yabe, 1988; Tsuda, 1990; Amaoka *et al.*, 1995; Sideleva *et al.*, 2006b; Honma, 2013.

TS09-T008 (2).

Artemiellus fuscimentus Nelson, 1986 [Japanese name: Nodoguro-okikajika]

Artemiellus fuscimentus: Nakabo, 1993b, 2000b, 2002b; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

TS09-T047 (3), TS09-T049 (1), TS09-T088 (1).

Artemiellus ochotensis Gilbert and Burke, 1912 [Japanese name: Ohōtsuku-kajika]

Artemiellus ochotensis: Okada and Matsubara, 1938; Ueno, 1971; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Sideleva *et al.*, 2006b; Nakabo and Kai, 2013.

Cottiusculus gonez Jordan and Starks, 1904 [Japanese name: Oki-himekajika]

Cottiusculus gonez: Okada and Matsubara, 1938; Mori, 1952; Matsubara, 1955; Kato, 1956;

Watanabe, 1960; Takegawa and Morino, 1970; Ueno, 1971; Honma, 1977; Honma and Kitami, 1978; Yabe, 1988; Nakabo, 1993b; Amaoka *et al.*, 1995; Yabe, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Sideleva *et al.*, 2006b; Honma, 2013; Nakabo and Kai, 2013.

Cottiusculus gonez gonez: Tsuda, 1990.

KT-11-09-N2 (3), KT-11-09-T6 (1).

Cottiusculus nihonkaiensis Kai and Nakabo, 2009 [Japanese name: Nihon-kin-kajika]

Cottiusculus schmidti (not of Jordan and Starks, 1904): Kato, 1956; Watanabe, 1960; Ouchi, 1963; Ueno, 1971; Yabe, 1988; Tsuda, 1990; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008.

Cottiusculus schmidtii (not of Jordan and Starks, 1904): Amaoka *et al.*, 1995 (in part).

Cottiusculus nihonkaiensis: Kai and Nakabo, 2009 (original description); Honma, 2013.

TS09-T088 (1), TS09-T107 (76), SMBS uncatalogued (2).

Enophrys diceraus (Pallas, 1787) [Japanese name: Oni-kajika]

Ceratocottus namiyæ: Snyder, 1912.

Ceratocottus namiyei: Okada and Matsubara, 1938.

Ceratocottus diceraus namiyei: Kato, 1956.

Ceratocottus diceraus: Watanabe, 1960.

Enophrys diceraus: Ueno, 1971; Tsuda, 1990; Amaoka *et al.*, 1995; Yabe, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Sideleva *et al.*, 2006a; Kitagawa *et al.*, 2008; Nakabo and Kai, 2013.

Enophrys diceratus [*sic*]: Honma, 2013.

Gymnophanths detrisus Gilbert and Burke, 1912 [Japanese name: Sebiro-kajika]

Gymnophanths detrisus: Okada and Matsubara, 1938; Matsubara, 1955; Ueno, 1971; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Sideleva *et al.*, 2006a; Nakabo and Kai, 2013.

****Gymnophanths galeatus*** Bean, 1881 [Japanese name: Chikame-kajika]

Gymnophanths galeatus: Nakabo and Kai, 2013.

Gymnophanths herzensteini Jordan and Starks, 1904 [Japanese name: Tsumaguro-kajika]

Gymnophanths herzensteini: Snyder, 1912; Hikita, 1950; Kato, 1956; Watanabe, 1960; Ouchi, 1963; Ueno, 1971; Yabe, 1988; Tsuda, 1990; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Sideleva *et al.*, 2006a; Kitagawa *et al.*, 2008; Honma, 2013.

Gymnophanths intermedius (Temminck and Schlegel, 1843) [Japanese name: Ai-kajika]

Gymnophanths ventralis: Mori, 1928; Okada and Matsubara, 1938; Mori, 1952; Matsubara, 1955; Kato, 1956; Ueno, 1971; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990.

Gymnophanths intermedius: Mori and Uchida, 1934; Watanabe, 1960; Nakabo, 1993b; Amaoka *et al.*, 1995; Uozu Aquarium, 1997; Yabe, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Sideleva *et al.*, 2006a; Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Honma, 2013; Nakabo and Kai, 2013.

Gymnophanths pistilliger (Pallas, 1814) [Japanese name: Hage-kajika]

Gymnophanths pistilliger: Matsubara, 1955; Kato, 1956; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990; Nakabo, 1993b; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Sideleva *et al.*, 2006a; Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Honma, 2013; Nakabo and Kai, 2013.

Hemilepidotus giberti Jordan and Starks, 1904 [Japanese name: Yokosujikajika]

Hemilepidotus gilberti: Okada and Matsubara, 1938; Ueno, 1971; Tsuda, 1990; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Sideleva *et al.*, 2006a; Nakabo and Kai, 2013.

****Hemilepidotus papilio*** (Bean, 1880) [Japanese name: Kujaku-kajika]

Melletes pacificus: Ueno, 1971.

Hemilepidotus papilio: Nakabo and Kai, 2013.

Icelus cataphractus (Pavlenko, 1910) [Japanese name: Kōrikajika]

Icelus spiniger cataphractus: Kato, 1956; Mori, 1956a; Honma, 1963; Ouchi, 1963; Takegawa and Morino, 1970; Honma, 1977; Honma and Kitami, 1978; Lindberg and Krasyukova, 1987; Adrianov and Kussakin, 1998; Sideleva *et al.*, 2006a.

Icelus spiniger: Katayama, 1940; Hikita, 1950; Honma, 1952; Mori, 1952; Kato, 1956; Oshima, 1957; Watanabe, 1960; Ouchi, 1963; Ueno, 1971; Tsuda, 1990.

Icelus cataphract [sic]: Ueno, 1971.

Icelus cataphractus: Nakabo, 1993b; Amaoka *et al.*, 1995; Yabe, 1997; Sokolovskaya *et al.*, 1998; Suzuki *et al.*, 2000; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

KT-10-08-R1 (20).

Icelus gilberti Taranetz, 1936 [Japanese name: Daruma-kōrikajika]

Icelus gilberti: Taranetz, 1936 (original description); Ueno, 1971; Yabe, 1988; Sokolovskaya *et al.*, 1998; Sideleva *et al.*, 2006a.

Icelus rastrinoides Taranetz, 1936 [Japanese name: Nise-matsu-kajika]

Icelus rastrinoides: Taranetz, 1936 (original description); Matsubara, 1955; Ueno, 1971; Sokolovskaya *et al.*, 1998; Siderleva *et al.*, 2006a.

Icelus stenosomus Andriashov, 1937 [Japanese name: Yase-kōri-kajika]

Icelus uncinalis: Okada and Matsubara, 1938; Mori, 1952; Ueno, 1971.

Icelus uncinalis stenosomus: Kato, 1956; Honma, 1957a, 1963a; Ouchi, 1963; Honma and Kitami, 1970, 1978; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Sideleva *et al.*, 2006a.

Icelus stenosomus: Nakabo, 1993b; Murai *et al.*, 1994; Nakabo, 2000b, 2002b; Honma, 2013; Nakabo and Kai, 2013.

Icelus toyamensis (Matsubara and Iwai, 1951) [Japanese name: Tomi-kajika] (Fig. 4E)

Ricuzenius (Alloricuzenius) toyamensis: Matsubara and Iwai, 1951a; Watanabe, 1960.

Ricuzenius toyamensis: Matsubara, 1955; Honma, 1957a, 1963; Ouchi, 1963; Honma, 1977; Honma and Kitami, 1978; Lindberg and Krasyukova, 1987; Yabe, 1988; Tsuda, 1990; Uozu Aquarium, 1997; Sideleva *et al.*, 2006a.

Icelus toyamensis: Nakabo, 1993b, 2000b, 2002b; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

SMBS uncatalogued (1).

Myoxocephalus jaok (Cuvier, 1829) [Japanese name: Oku-kajika]

Myoxocephalus edomius: Kato, 1956.

Myoxocephalus jaok: Watanabe, 1960; Yabe, 1988; Tsuda, 1990; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Sideleva *et al.*, 2006a; Kitagawa *et al.*, 2008; Honma, 2013; Nakabo and Kai, 2013.

****Myoxocephalus niger*** (Bean, 1881) [Japanese name: Ke-kajika]

Myoxocephalus niger: Watanabe, 1960; Ueno, 1971; Yabe, 1988; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998.

Myoxocephalus polyacanthocephalus (Pallas, 1814) [Japanese name: Toge-kajika]

Myoxocephalus polyacanthocephalus: Snyder, 1912; Watanabe, 1960; Ueno, 1971; Yabe, 1988; Tsuda, 1990; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Sideleva *et al.*, 2006a; Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Honma, 2013; Nakabo and Kai, 2013.

Ainocottus ensiger: Hikita, 1950; Kato, 1956; Ueno, 1971; Tsuda, 1990.

****Ricuzenius pinetorum*** Jordan and Starks, 1904 [Japanese name: Matsu-kajika]

Ricuzenius pinetorum: Watanabe, 1960; Ueno, 1971; Yabe, 1988; Tsuda, 1990; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Honma, 2013; Nakabo and Kai, 2013.

Stelgidistrum stejnegeri Jordan and Gilbert, 1898 [Japanese name: Ottosei-kajika]

Stelgidistrum stejnegeri: Okada and Matsubara, 1938; Ueno, 1971; Nakabo and Kai, 2013.

Stelgidistrum steinegeri [*sic*]: Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Sideleva *et al.*, 2006a.

Taurocottus bergii Soldatov and Pavlenko, 1915 [Japanese name: Kiri-kajika]

Taurocottus bergii: Okada and Matsubara, 1938; Ueno, 1971; Yabe, 1988; Amaoka *et al.*, 1995; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Sideleva *et al.*, 2006a.

Taurocottus bergii: Nakabo and Kai, 2013.

KT-10-08-R1 (3).

Triglops jordani (Jordan and Starks, 1904) [Japanese name: Karafuto-kajika]

Triglops jordani: Okada and Matsubara, 1938; Matsubara, 1955; Ueno, 1971; Lindberg and Krasyukova, 1987; Tsuda, 1990; Pietsch, 1993; Nakabo, 1993b; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Sideleva *et al.*, 2006a; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Triglops pingelii Reinhardt, 1837 [Japanese name: Hokkyoku-kajika]

Triglops beani: Okada and Matsubara, 1938; Honma, 1952; Mori, 1952; Ueno, 1971; Tsuda, 1990.

Triglops pingelii beani: Matsubara, 1955; Honma, 1963.

Triglops pingeli beani: Kato, 1956; Honma and Kitami, 1978.

Triglops pingeli: Lindberg and Krasyukova, 1987; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Pietsch, 1993; Nakabo, 1993b.

Triglops pingelii: Sideleva *et al.*, 2006a; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Triglops pingelii pingelii: Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003.

Triglops pingeli pingeli: Honma, 2013.

Triglops scepticus Gilbert, 1896 [Japanese name: Nirami-kajika]

Triglops scepticus: Okada and Matsubara, 1938; Honma, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a, c; Honma, 1963; Ouchi, 1963; Takegawa and Morino, 1970; Ueno, 1971; Ogata *et al.*, 1973; Honma, 1977; Honma and Kitami, 1978; Lindberg and Krasyukova, 1987; Tsuda, 1990; Nambu *et al.*, 1992; Pietsch, 1993; Nakabo, 1993b; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Sideleva *et al.*, 2006a; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Triglops uchidai: Watanabe, 1960.

KT-10-08-R1 (15), SMBS uncatalogued (2).

Family Hemitripteridae

Hemitripterus villosus (Pallas, 1814) [Japanese name: Kemushi-kajika]

Hemitripterus villosus: Okada and Matsubara, 1938; Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma, 1963; Honma and Kitami, 1970; Takegawa and Morino, 1970; Ueno, 1971; Honma, 1977; Honma and Kitami, 1978; Nakabo, 1993b; Amaoka *et al.*, 1995; Uozu Aquarium, 1997; Yabe, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Mecklenburg, 2003; Sideleva *et al.*, 2006b; Kitagawa *et al.*, 2008; Matsuura *et al.*, 2009; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Hemitripterus (americanus) villosus: Tsuda, 1990.

Nautichthys pribilovius (Jordan and Gilbert, 1898) [Japanese name: Okoze-kajika]

Nautichthys oculofasciatus: Okada and Matsubara, 1938; Matsubara, 1955; Ueno, 1971.

Nautichthys pribilovius: Adrianov and Kussakin, 1998; Maeda and Tsutsui, 2003; Mecklenburg, 2003; Balanov *et al.*, 2006; Sideleva *et al.*, 2006a; Nakabo and Kai, 2013.

Family Agonidae

Anoplagonus occidentalis Lindberg, 1950 [Japanese name: Nise-name-tokubire]

Anoplagonus occidentalis: Ueno, 1971; Kanayama and Maruyama, 1979; Kanayama, 1991; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Kitagawa *et al.*, 2008; Sheiko and Fedorov, 2010; Honma, 2013; Nakabo and Kai, 2013.

****Aspidophoroides monopterygius*** (Bloch, 1786) [Japanese name: Tate-tokubire]

Aspidophoroides bartoni: Ueno, 1971; Tsuda, 1990; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998.

Aspidophoroides monopterygius: Kanayama, 1991; Nakabo, 1993b; Amaoka *et al.*, 1995; Kitagawa *et al.*, 2008; Maeda and Tsutsui, 2003.

Freemanichthys thompsoni (Jordan and Gilbert, 1898) [Japanese name: Yase-tokubire]

Podothecus thompsoni: Mori, 1928; Mori and Uchida, 1934; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Ouchi, 1963; Ueno, 1971; Lindberg and Krasyukova, 1987; Tsuda, 1990; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998.

Freemanichthys thompsoni: Kanayama, 1991; Nakabo, 1993b; Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Sheiko and Fedorov, 2010; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Freemanichthys thompsoni [sic]: Honma, 2013.

KT-10-08-R1 (2).

Hypsagonus quadricornis (Valenciennes, 1829) [Japanese name: Tsuno-shachi-uo]

Hypsagonus quadricornis corniger: Taranetz, 1933.

Hypsagonus quadricornis: Honma, 1955d; Kato, 1956; Honma, 1963; Ueno, 1971; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Kanayama, 1991; Nakabo, 1993b; Sheiko, 1993; Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

****Leptagonus frenatus*** (Gilbert, 1896) [Japanese name: Yase-tengu-tokubire]

Sarritor frenatus: Kato, 1956.

Leptagonus frenatus: Oshima, 1957; Kanayama, 1991; Nakabo, 1993b; Amaoka *et al.*, 1995;

Nakabo, 2000b, 2002b; Nakabo and Kai, 2013.

Leptogonus frenatus [sic]: Honma, 2013.

Leptagonus leptorhynchus (Gilbert, 1896) [Japanese name: Tengu-tokubire]

Sarritor leptorhynchus knipowitschi: Lindberg and Andriashov, 1937; Honma, 1963; Takegawa and Morino, 1970; Lindberg and Krasyukova, 1987.

Sarritor leptorhynchus: Katayama, 1940; Honma, 1952; Kato, 1956; Oshima, 1957; Mori, 1956a; Ouchi, 1963; Ueno, 1971; Uozu Aquarium, 1997.

Sarritor leptorhynchus [sic]: Katayama, 1952.

Sarritor leptorhynchus leptorhynchus: Matsubara, 1955; Honma, 1977; Tsuda, 1990.

Leptagonus leptorhynchus: Kanayama, 1991; Nakabo, 1993b; Amaoka *et al.*, 1995; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008; Sheiko and Fedorov, 2010; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Sarritor knipowitschi: Ueno, 1971; Sheiko and Fedorov, 2010.

Leptogonus leptorhynchus [sic]: Honma, 2013.

TS09-T117 (3).

****Occella iburia*** (Jordan and Starks, 1904) [Japanese name: Saburō]

Occa iburia: Kato, 1956; Tsuda, 1990; Honma, 2013.

Occella kuronumai (Freeman, 1951) [Japanese name: Shirō]

Occa kuronumai: Freeman, 1951 (original description); Honma and Kitami, 1970; Honma *et al.*, 1972; Honma and Kitami, 1978; Tsuda, 1990.

Occella kuronumai: Kanayama, 1991; Nakabo, 1993b; Uozu Aquarium, 1997; Nakabo, 2000b, 2002b; Sheiko and Fedorov, 2010; Nakabo and Kai, 2013.

Percis japonica (Pallas, 1769) [Japanese name: Inugochi]

Percis japonica: Tanaka, 1927; Mori, 1928; Mori and Uchida, 1934; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Honma, 1963; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990; Maeda and Tsutsui, 2003; Sheiko and Fedorov, 2010; Nakabo and Kai, 2013.

Percis japonicus: Kanayama, 1991; Nakabo, 1993b; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Honma, 2013.

Podothecus sachi (Jordan and Snyder, 1901) [Japanese name: Tokubire]

Podothecus xystes: Snyder, 1911 (original description); Okada and Matsubara, 1938; Kato, 1956.

Podothecus sachi: Hikita, 1950; Kato, 1956; Ueno, 1971; Tsuda, 1990; Kanayama, 1991; Nakabo, 1993b; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Sheiko and Fedorov, 2010; Honma, 2013; Nakabo and Kai, 2013.

SMBS uncatalogued (2).

Podothecus sturioides (Guichenot, 1869) [Japanese name: Same-tokubire]

Podothecus gilberti: Kato, 1956; Ueno, 1971; Adrianov and Kussakin, 1998.

Podothecus sturioides: Nakabo, 1993b; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Sheiko and Fedorov, 2010; Honma, 2013; Nakabo and Kai, 2013.

Podothecus veterinus Jordan and Starks, 1895 [Japanese name: Onaga-tokubire]

Podothecus veterinus: Kanayama, 1991; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Sheiko and Fedorov, 2010.

Tilesina gibbosa Schmidt, 1904 [Japanese name: Oni-shachi-uo]

Tilesina gibbosa: Okada and Matsubara, 1938; Kato, 1956; Ueno, 1971; Tsuda, 1990; Kanayama, 1991; Nakabo, 1993b; Amaoka *et al.*, 1995; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Sheiko and Fedorov, 2010; Honma, 2013; Nakabo and Kai, 2013.

Tilesina hubbsi: Freeman, 1951 (original description).

Family Psychrolutidae

Dasycottus setiger Bean, 1890 [Japanese name: Ganko]

Dasycottus setiger: Jordan and Evermann, 1898; Snyder, 1912; Soldatov and Lindberg, 1930; Schmidt, 1950; Oshima, 1957; Watanabe, 1960; Ueno, 1971; Yabe, 1988; Lindberg and Krasyukova, 1987; Tsuda, 1990; Nakabo, 1993b; Amaoka *et al.*, 1995; Yabe, 1997; Sokolovskaya *et al.*, 1998; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Dasycottus japonicus: Tanaka, 1914b; Okada and Matsubara, 1938; Katayama, 1940; Hikita, 1950; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma, 1963; Ouchi, 1963; Honma and Kitami, 1970; Ueno, 1971; Ogata *et al.*, 1973; Honma, 1977; Honma and Kitami, 1978; Lindberg and Krasyukova, 1987.

Dasycottus sp.: Mori, 1952.

Dasycottus uchidai: Mori, 1955 (original description); Kato, 1956; Mori, 1956a, c; Takegawa and Morino, 1970.

Dasycottus longidorosalis [sic]: Kato, 1956.

Dasycottus longipinnis: Mori, 1956a (original description).

TS09-T001 (3), TS09-T056 (1).

****Eurymen gyrinus*** Gilbert and Burke, 1912 [Japanese name: Yagishiri-kajika]

Eurymen bassargini: Soldatov and Lindberg, 1930 (original description); Okada and Matsubara, 1938, 1955; Watanabe, 1960; Adrianov and Kussakin, 1998.

Eurymen gyrinus: Okada and Matsubara, 1938; Yabe, 1988; Nakabo, 1993b; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Nakabo and Kai, 2013.

Gilbertidia ochotensis: Watanabe, 1960.

Eurymen gurinus [sic]: Ueno, 1971.

Malacocottus gibber Sakamoto, 1930 [Japanese name: Yamato-kobushi-kajika]

Malacocottus gibber: Sakamoto, 1930 (original description); Okada and Matsubara, 1938; Katayama, 1940; Matsubara, 1955; Honma, 1955d; Kato, 1956; Mori, 1956a; Watanabe, 1960; Honma, 1963; Ouchi, 1963; Takegawa and Morino, 1970; Ueno, 1971; Ogata *et al.*, 1973; Honma and Kitami, 1978; Tsuda, 1990; Nambu *et al.*, 1992; Nakabo, 1993b; Shinohara *et al.*, 1992; Amaoka *et al.*, 1995; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

KT-11-09-T1 (1), TS09-T004 (1), TS09-T006 (2), TS09-T007 (1), TS09-T056 (1), SMBS uncatalogued (3).

****Malacocottus zonurus*** Bean, 1890 [Japanese name: Kobushi-kajika]

Malacocottus zonurus: Matsubara, 1955; Tsuda, 1990; Nakabo, 1993b; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo and Kai, 2013.

Malacocottus zonurus microphthalmus: Mori, 1956c.

Psychrolutes paradoxus Günther, 1861 [Japanese name: Uranai-kajika]

Psychrolutes paradoxus: Mori, 1952; Matsubara, 1955; Honma, 1957a, 1963; Takegawa and Morino, 1970; Ueno, 1971; Honma, 1977; Honma and Kitami, 1978; Yabe, 1988; Tsuda, 1990; Nakabo, 1993b; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

TS09-T117 (3).

Family Cyclopteridae

Aptocyclus ventricosus (Pallas, 1769) [Japanese name: Hotei-uo]

Cyclopterichthys ventricosus: Katayama, 1940; Hikita, 1950; Honma, 1952; Oshima, 1957.

Aptocyclus ventricosus: Mori and Uchida, 1934; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma, 1957b, 1963; Takegawa and Morino, 1970; Ueno, 1970, 1971; Ogata *et al.*, 1973; Honma, 1977; Honma and Kitami, 1978; Lindberg and Krasyukova, 1987; Tsuda, 1990; Nambu *et al.*, 1992; Nakabo, 1993b; Kido and Shinohara, 1996; Amaoka *et al.*, 1995; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Pelagoclycus vitiazi: Ueno, 1970; Lindberg and Krasyukova, 1987; Kido, 1988b; Nakabo, 1993b.

TS09-T032 (1), TS09-T115 (1), SMBS uncatalogued (1).

**Cyclopterus bergi* Popov, 1929 [Japanese name: Kobu-fūsen-uo]

Cyclopterus bergi: Ueno, 1970, 1971; Kido, 1988b; Nakabo, 1993b; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Nakabo and Kai, 2013.

**Cyclopteropsis lindbergi* Soldatov, 1930 [Japanese name: Name-fūsen-uo]

Cyclopteropsis lindbergi: Ueno, 1970, 1971; Kido, 1988b; Tsuda, 1990; Nakabo, 1993b; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Honma, 2013; Nakabo and Kai, 2013.

Eumicrotremus birulai Popov, 1925 [Japanese name: Konpeitō]

Cyclolampus asperrimus: Tanaka, 1912 (original description); Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara, 1955; Oshima, 1957; Ouchi, 1963; Takegawa and Morino, 1970; Honma, 1977.

Cyclolampus osperrimum [sic]: Kato, 1956.

Cyclolampus birulai: Kato, 1956; Oshima, 1957.

Eumicrotremus birulai: Honma, 1963; Ueno, 1970, 1971; Honma and Kitami, 1978; Kido, 1988b; Nakabo, 1993b; Amaoka *et al.*, 1995; Kido, 1997; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Euprotomicrus birulai [sic]: Ogata *et al.*, 1973.

Eumicrotremus birlai [sic]: Honma, 2013.

TS09-T001 (2), TS09-T006 (18), TS09-T010 (15), TS09-T010 (15), TS09-T012 (14), TS09-T102 (1), TS09-T106 (3), SMBS uncatalogued (1).

**Eumicrotremus pacificus* Schmidt, 1904 [Japanese name: Fūsen-uo]

Eumicrotremus pacificus: Kato, 1956; Ueno, 1970, 1971; Tsuda, 1990; Amaoka *et al.*, 1995; Nakabo, 1993b; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Nakabo and Kai, 2013.

**Eumicrotremus taranetzi* Perminov, 1936 [Japanese name: Name-dango]

Eumicrotremus taranetzi: Ueno, 1970; Kido, 1988b; Amaoka *et al.*, 1995; Nakabo, 1993b, 2000b, 2002b; Kitagawa *et al.*, 2008; Nakabo and Kai, 2013.

Family Liparidae

Careproctus acanthodes Gilbert and Burke, 1912 [Japanese name: Toge-bikunin]

Careproctus acanthodes: Okada and Matsubara, 1938; Ueno, 1971; Kido, 1988b; Sokolovskaya *et al.*, 1998; Chernova *et al.*, 2004; Shinohara *et al.*, 2011.

Careproctus batialis Popov, 1933 [Japanese name: Dattan-bukunin]

Careproctus batialis: Popov, 1933 (original description); Ueno, 1971; Pitruk, 1991; Chernova, 1998; Sokolovskaya *et al.*, 1998; Chernova *et al.*, 2004.

Careproctus colletti Gilbert, 1896 [Japanese name: Arasuka-bikunin]

Careproctus colletti: Okada and Matsubara, 1938; Honma, 1952; Kato, 1956; Mori, 1956a; Lindberg and Krasyukova, 1987; Kido, 1988a, 1988b; Nambu and Kido, 1990; Tsuda, 1990; Nakabo, 1993b; Amaoka *et al.*, 1995; Kido, 1997; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Chernova *et al.*, 2004; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Careproctus puniceus: Mori, 1955 (original description); Kato, 1956; Takegawa and Morino, 1970.

Careproctus entomelas: Mori, 1956a; Tsuda, 1990.

KT-11-09-M6 (1).

Careproctus entargyreus Gilbert and Burke, 1912 [Japanese name: Sokoshiro]

Careproctus entargyreus: Ueno, 1971; Kido, 1988b; Chernova *et al.*, 2004; Shinohara *et al.*, 2011.

Careproctus entomelas Gilbert and Burke, 1912 [Japanese name: Sokoguro]

Careproctus entomelas: Burke, 1930; Okada and Matsubara, 1938; Kato, 1956; Kido, 1988b; Tsuda, 1990; Chernova *et al.*, 2004; Shinohara *et al.*, 2011.

****Careproctus furcatus*** Mori, 1956 [Japanese name: Oki-bikunin]

Careproctus furcatus: Kato, 1956; Mori, 1956d (original description, type lost); Chernova *et al.*, 2004.

Careproctus notosaikaiensis Kai, Ikeguchi and Nakabo, 2011 [Japanese name: Noto-saikai-bikunin] (Fig. 4A)

Careproctus notosaikaiensis: Kai *et al.*, 2011 (original description); Nakabo and Kai, 2013.

Careproctus rastrinus Gilbert and Burke, 1912 [Japanese name: Sake-bikunin]

Careproctus pellucidus: Hikita, 1950; Katayama, 1952; Kato, 1956; Oshima, 1957; Takegawa and Morino, 1970; Ueno, 1971; Tsuda, 1990; Chernova *et al.*, 2004.

Careproctus rastrinus: Kato, 1956; Ueno, 1971; Lindberg and Krasyukova, 1987; Kido, 1988a; Tsuda, 1990; Nakabo, 1993b; Amaoka *et al.*, 1995; Kido, 1997; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Chernova *et al.*, 2004; Kitagawa *et al.*, 2008.

Careproctus rastrinus species complex: Honma, 2013; Nakabo and Kai, 2013.

****Careproctus rhodomelas*** Gilbert and Burke, 1912 [Japanese name: Bara-bikunin]

Careproctus rhodomelas: Kato, 1956; Tsuda, 1990.

****Careproctus roseofuscus*** Gilbert and Burke, 1912 [Japanese name: Tobi-bikunin]

Careproctus roseofuscus: Maeda and Tsutsui, 2003.

****Careproctus segaliensis*** Gilbert and Burke, 1912 [Japanese name: Karafuto-bikunin]

Careproctus segaliensis: Katayama, 1940; Matsubara, 1955; Kato, 1956; Takegawa and Morino, 1970; Ueno, 1971; Lindberg and Krasyukova, 1987; Tsuda, 1990; Chernova *et al.*, 2004.
Careproctus sinensis Gilbert and Burke, 1912 [Japanese name: Sekichiku-bikunin]

Careproctus sinensis: Gilbert and Burke, 1912 (original description); Burke, 1930; Okada and Matsubara, 1938; Honma, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Oshima, 1957; Ouchi, 1963; Takegawa and Morino, 1970; Lindberg and Krasyukova, 1987; Kido, 1988a, 1988b; Nambu and Kido, 1990; Tsuda, 1990; Nakabo, 1993b, 2000b, 2002b; Chernova *et al.*, 2004; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Careproctus trachysoma Gilbert and Burke, 1912 [Japanese name: Zara-bikunin]

Careproctus trachysoma: Gilbert and Burke, 1912 (original description); Burke, 1930; Okada and Matsubara, 1938; Honma, 1952; Matsubara, 1955; Kato, 1956; Honma, 1963; Ueno, 1971; Honma and Kitami, 1978; Lindberg and Krasyukova, 1987; Kido, 1988a, b; Nambu and Kido, 1990; Tsuda, 1990; Nambu *et al.*, 1992; Nakabo, 1993b; Amaoka *et al.*, 1995; Kido, 1997; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Chernova *et al.*, 2004; Shinohara *et al.*, 2011.

Careproctus rastrinus species complex: Nakabo and Kai, 2013.

KT-11-09-K4 (1), KT-11-09-N4 (2), KT-11-09-T3 (1), KT-11-09-T5 (1), TS09-T004 (2), TS09-T006 (1), TS09-T016 (2), TS09-T032 (2).

Crystallias matsushima Jordan and Snyder, 1902 [Japanese name: Abachan]

Crystallias matsushima: Burke, 1930; Okada and Matsubara, 1938; Katayama, 1940; Hikita, 1950; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara, 1955; Mori, 1956a; Oshima, 1957; Kato, 1956; Honma, 1963; Ouchi, 1963; Honma and Kitami, 1970; Takegawa and Morino, 1970; Ueno, 1971; Honma, 1977; Honma and Kitami, 1978; Kido, 1988b; Tsuda, 1990; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Chernova *et al.*, 2004.

Crystallias kamoae: Kato, 1956; Oshima, 1957 (original description).

Crystallichthys matsushima: Kido, 1988a; Nambu and Kido, 1990; Nakabo, 1993b; Amaoka *et al.*, 1995; Kido, 1997; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

KT-11-09-E2 (1), KT-11-09-T2 (3). TS09-T37 (3), TS09-T088 (4).

Liparis frenatus (Gilbert and Burke, 1912) [Japanese name: Kanten-bikunin]

Cyclogaster frenatus: Gilbert and Burke, 1912 (original description).

Liparis frenatus: Okada and Matsubara, 1938; Ueno, 1971; Lindberg and Krasyukova, 1987; Kido, 1988a, b; Nambu and Kido, 1990; Tsuda, 1990; Nakabo, 1993b; Amaoka *et al.*, 1995; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Chernova *et al.*, 2004; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Liparis ingens (Gilbert and Burke, 1912) [Japanese name: Kōrai-bikunin]

Cyclogaster ingens: Gilbert and Burke, 1912 (original description).

Liparis ingens: Burke, 1930; Mori, 1952; Kato, 1956; Kido, 1988b; Tsuda, 1990; Adrianov and Kussakin, 1998; Shinohara *et al.*, 2011.

Liparis latifrons Schmidt, 1950 [Japanese name: Bōzu-kusa-uo]

Liparis latifrons meridionalis: Lindberg and Krasyukova, 1987; Chernova, 1998.

Liparis latifrons: Kido, 1988b; Nakabo, 1993b; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Chernova *et al.*, 2004; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Liparis ochotensis Schmidt, 1904 [Japanese name: Isago-bikunin]

Liparis ochotensis: Mori, 1956c; Ueno, 1971; Lindberg and Krasyukova, 1987; Kido, 1988a;

Nambu and Kido, 1990; Uozu Aquarium, 1997; Nambu *et al.*, 1992; Nakabo, 1993b; Amaoka *et al.*, 1995; Kido, 1997; Adrianov and Kussakin, 1998; Chernova, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Chernova *et al.*, 2004; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Nakabo and Kai, 2013.

Liparis rhodosoma: Takegawa and Morino, 1970; Ueno, 1971.

Liparis niger: Ogata *et al.*, 1973; Adrianov and Kussakin, 1998.

TS09-T006 (1), TS09-T032 (1).

Liparis tanakae (Gilbert and Burke, 1912) [Japanese name: Kusa-uo]

Cyclogaster tanakae: Tanaka, 1914a.

Liparis tanakai: Okada and Matsubara, 1938; Kato, 1956; Ouchi, 1963; Ueno, 1971; Kido, 1988a; Nambu and Kido, 1990; Machida *et al.*, 1991; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Honma, 2013.

Liparis tanakae: Okada and Matsubara, 1938; Tsuda, 1990; Chernova *et al.*, 2004; Kobayashi *et al.*, 2006; Nakabo and Kai, 2013.

TS09-T039 (1).

Liparis tessellatus (Gilbert and Burke, 1912) [Japanese name: Bikunin]

Liparis tessellatus: Burke, 1930; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara and Iwai, 1954; Kato, 1956; Mori, 1956a, c; Honma, 1963; Takegawa and Morino, 1970; Ueno, 1971; Honma and Kitami, 1978; Lindberg and Krasyukova, 1987; Kido, 1988a, b; Nambu and Kido, 1990; Tsuda, 1990; Nakabo, 1993b; Amaoka *et al.*, 1995; Kido, 1997; Sokolovskaya *et al.*, 1998; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Chernova *et al.*, 2004; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Kai, 2013.

Liparis brevicaudus: Mori, 1956c (original description).

KT-11-09-N1 (1), KT-11-09-T1 (1), TS09-T001 (1), TS09-T006 (7), TS09-T013 (3), TS09-T046 (2), TS09-T049 (1), TS09-T101 (2), TS09-T102 (1), TS09-T105 (1), TS09-T106 (1).

Order Perciformes
Family Acropomatidae

****Acropoma japonicum*** Günther, 1859 [Japanese name: Hotarujako]

Acropoma japonicum: Mori, 1952; Katayama, 1960; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970.

Doderleinia berycoides (Hilgendorf, 1878) [Japanese name: Akamutsu]

Doderleinia berycoides: Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Katayama, 1960; Takegawa and Morino, 1970.

Doderleinia berycoides: Katayama, 1960; Lindberg and Krasyukova, 1969; Tsuda, 1990; Hatooka, 1993; Mochizuki, 1997; Hatooka, 2000, 2002; Kobayashi *et al.*, 2006; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

****Malakichthys griseus*** Döderlein, 1883 [Japanese name: Ōme-hata]

Malakichthys griseus: Honma, 1952; Kato, 1956; Mori, 1956a; Katayama, 1960; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970; Tsuda, 1990; Hatooka, 1993; Mochizuki, 1997; Hatooka, 2000, 2002, 2013; Honma, 2013.

****Malakichthys wakiyae*** Jordan and Hubbs, 1925 [Japanese name: Wakiya-hata]

Malakichthys wakiyai: Katayama, 1960; Lindberg and Krasyukova, 1969.

Malakichthys wakiyae: Hatooka, 2013.

Synagrops japonicus (Döderlein, 1883) [Japanese name: Sumikui-uo]

Synagrops japonicus: Mori, 1952, 1956a; Katayama, 1960; Takegawa and Morino, 1970; Tsuda, 1990; Suzuki *et al.*, 2000; Hatooka, 2002; Shinohara *et al.*, 2011; Hatooka, 2013.

Synayrops japonicus [*sic*]: Kato, 1956.

Family Polyprionidae

Stereolepis doederleini Lindberg and Krasyukova, 1969 [Japanese name: Ōkuchi-ishinagi]

Stereolepis ischinagi: Snyder, 1912; Mori, 1928; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Katayama, 1960; Honma, 1963; Takegawa and Morino, 1970; Ueno, 1971.

Stereolepis doederleini: Lindberg and Krasyukova, 1969 (original description); Tsuda, 1990; Hatooka, 1993; Amaoka *et al.*, 1995; Uozu Aquarium, 1997; Sokolovskaya *et al.*, 1998; Hatooka, 2000; Suzuki *et al.*, 2000; Hatooka, 2002; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Hatooka and Kai, 2013.

Stereolepis ishinagi [*sic*]: Honma and Kitami, 1978.

Stereolepis döderleini: Honma, 2013.

****Stereolepis gigas*** Ayres, 1859 [Japanese name: Kokuchi-ishinagi]

Stereolepis gigas: Lindberg and Krasyukova, 1969; Hatooka, 1993; Sokolovskaya *et al.*, 1998; Hatooka, 2000, 2002; Hatooka and Kai, 2013.

Family Serranidae

Caprodon schlegelii (Günther, 1859) [Japanese name: Aka-isaki]

Caprodon schlegeli: Kato, 1956; Mori, 1956a; Katayama, 1960; Lindberg and Krasyukova, 1969.

Caprodon schlegelii: Mori, 1952; Tsuda, 1990; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Senou, 2013.

****Chelidoperca hirundinacea*** (Valenciennes, 1831) [Japanese name: Himekodai]

Chelidoperca undinacea: Uchida and Mori, 1934.

Chelidoperca hirundinacea: Mori, 1952; Kato, 1956; Mori, 1956a; Katayama, 1960; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970; Tsuda, 1990; Senou, 2013.

Epinephelus septemfasciatus (Thunberg, 1793) [Japanese name: Mahata]

Epinephelus septemfasciatus: Mori, 1928; Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Honma, 1955b; Kato, 1956; Mori, 1956a; Katayama, 1960; Honma, 1963; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970; Ueno, 1971; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Senou, 2013.

SMBS uncatalogued (1).

Niphon spinosus Cuvier, 1828 [Japanese name: Ara]

Niphon spinosus: Cuvier and Valenciennes, 1828 (original description); Mori and Uchida, 1934; Katayama, 1940; Kato, 1956; Mori, 1956a; Katayama, 1960; Honma, 1963; Takegawa and Morino, 1970; Honma and Kitami, 1978; Tsuda, 1990; Uozu Aquarium, 1997; Honma, 2013; Senou, 2013.

Niphon spinosus [*laspus calami*]: Shinohara *et al.*, 2011.

Plectranthias kelloggi azumanus (Jordan and Richardson, 1910) [Japanese name: Azuma-hana-dai] (Fig. 2I)

Zallanthias azumanus: Tanaka, 1919; Katayama, 1940; Honma, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Katayama, 1960; Lindberg and Krasyukova, 1969; Tsuda, 1990.

Plectranthias kelloggi azumanus: Uozu Aquarium, 1997; Senou, 2013; Honma, 2013.
SMBS uncatalogued (2).

Family Callanthidae

Callanthias japonicus Franz, 1910 [Japanese name: Shikishima-hanadai]

Percanthias japonicus: Kato, 1956; Mori, 1956a; Takegawa and Morino, 1970; Honma and Kitami, 1978.

Callanthias japonicus: Katayama, 1960; Lindberg and Krasyukova, 1969; Honma and Kitami, 1970; Honma *et al.*, 1972; Tsuda, 1990; Senou, 1993, 1997; Uozu Aquarium, 1997; Senou, 2000; Suzuki *et al.*, 2000; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Honma, 2013; Senou, 2013.

SMBS uncatalogued (1).

Family Banjosidae

****Banjos banjos*** (Richardson, 1846) [Japanese name: Chōsen-bakama]

Banjos banjos: Mori, 1952; Kato, 1956; Mori, 1956a; Lindberg and Krasyukova, 1969; Honma *et al.*, 2002; Hatooka, 2013; Honma, 2013.

Family Priacanthidae

Cookeolus japonicus (Cuvier, 1829) [Japanese name: Chikame-kintoki] (Fig. 2F)

Priacanthus japonicus: Mori and Uchida, 1934.

Priacanthus boops: Katayama, 1940; Honma, 1952; Mori, 1952; Honma, 1955b; Kato, 1956; Mori, 1956a; Honma, 1963; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990.

Cookeolus boops: Uozu Aquarium, 1997.

Cookeolus japonicus: Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Hayashi, 2013; Honma, 2013.

SMBS uncatalogued (2).

Priacanthus macracanthus Cuvier, 1829 [Japanese name: Kintokidai]

Priacanthus macracanthus: Mori and Uchida, 1934; Honma, 1952; Mori, 1952; Kato, 1956; Lindberg and Krasyukova, 1969; Honma and Kitami, 1970, 1978; Tsuda, 1990; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Suzuki *et al.*, 2000; Hayashi, 2002; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Hayashi, 2013; Honma, 2013.

Pristigenys niphonia (Cuvier, 1829) [Japanese name: Kurumadai]

Pseudopriacanthus niphonius: Katayama, 1940; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Lindberg and Krasyukova, 1969.

Pristigenys niphonia: Tsuda, 1990; Uozu Aquarium, 1997; Hayashi, 2013; Honma, 2013.

Family Malacanthidae

****Branchiostegus auratus*** (Kishinouye, 1907) [Japanese name: Ki-amadai]

Branchiostegus auratus: Mori, 1952, 1956a; Tsuda, 1990; Aizawa and Doiuchi, 2013.

Branchiostegus japonicus auratus: Kato, 1956; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970.

Branchiostegus japonicus (Houttuyn, 1782) [Japanese name: Aka-amadai]

Branchiostegus japonicus: Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Honma, 1977; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Kobayashi *et al.*, 2006; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Aizawa and Doiuchi, 2013.

Branchiostegus japonicus japonicus: Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970.

Branchiostegus japonicas [sic]: Honma, 2013.

Family Scombridae

Scombrops boops (Houttuyn, 1782) [Japanese name: Mutsu]

Scombrops boops: Katayama, 1940; Honma, 1952; Kato, 1956; Mori, 1956a; Lindberg and Krasyukova, 1969; Honma and Kitami, 1970; Takegawa and Morino, 1970; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Hayashi, 2013; Honma, 2013.

SMBS uncatalogued (1).

Family Bramidae

Brama dussumieri Cuvier, 1831 [Japanese name: Hime-shimagatsuo]

Brama dussumieri: Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Honma *et al.*, 2012; Hatooka and Kai, 2013; Honma, 2013.

SMBS uncatalogued (1).

Brama japonica Hilgendorf, 1878 [Japanese name: Shimagatsuo]

Brama raii: Katayama, 1940; Mori, 1952; Honma and Mizusawa, 1966; Lindberg and Krasyukova, 1969; Tsuda, 1990.

Lepidotus brama: Kato, 1956; Mori, 1956a; Takegawa and Morino, 1970.

Brama japonica: Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Hatooka and Kai, 2013; Honma, 2013.

Pteraclis aesticola (Jordan and Snyder, 1901) [Japanese name: Benten-uo]

Bentenia aesticola: Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a.

Pteraclis velifera: Lindberg and Krasyukova, 1969.

Pteraclis aesticola: Hatooka, 1993, 2000, 2002; Shinohara *et al.*, 2011; Hatooka and Kai, 2013.

Pterycombus petersii (Hilgendorf, 1878) [Japanese name: Ryūgūnohime] (Fig. 2G)

Centropholis petersi: Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma and Mizusawa, 1966; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970; Ueno, 1971; Tsuda, 1990.

Pterycombus petersii: Honma, 1991a, b; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Kobayashi *et al.*, 2006; Hatooka and Kai, 2013; Honma, 2013.

Pterycombus petersi [*lapsus calami*]: Shinohara *et al.*, 2011.

SMBS uncatalogued (3).

****Taractes asper*** Lowe, 1843 [Japanese name: Manzai-uo]

Taractes platycephalus: Mori, 1952; Honma, 1962, 1963; Lindberg and Krasyukova, 1969; Honma and Kitami, 1978; Tsuda, 1990.

Taractes asper: Hatooka, 1993, 2000, 2002; Maeda and Tsutsui, 2003; Hatooka and Kai,

2013; Honma, 2013.

Taractes rubescens (Jordan and Evermann, 1887) [Japanese name: Tsurugi-echiopia]

Steunegeria rubescens: Honma, 1963; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970; Honma and Kitami, 1978.

Taractes rubescens: Honma and Mizusawa, 1966; Tsuda, 1990; Uozu Aquarium, 1997; Hatooka and Kai, 2013; Honma, 2013.

***Taractichthys steindachneri** (Döderlein, 1883) [Japanese name: Hirejiro-manzai-uo]

Taractichthys steindachneri: Honma, 1963; Honma and Mizusawa, 1966; Tsuda, 1990; Hatooka, 1993, 2000; Kobayashi *et al.*, 2006; Hatooka and Kai, 2013; Honma, 2013.

Taractichthys longipinnis: Honma and Mizusawa, 1966; Lindberg and Krasyukova, 1969; Honma and Kitami, 1978; Tsuda, 1990.

Family Caristiidae

Caristius macropus (Bellotti, 1903) [Japanese name: Yaegisu]

Elephenor macropus: Ueno, 1971.

Platyberyx macropus: Hatooka, 2000, 2002; Shinohara *et al.*, 2011.

Caristius macropus: Hatooka, 2013.

Family Emmelichthyidae

Emmelichthys strusakeri Heemstra and Randall, 1977 [Japanese name: Rōsoku-chibiki]

Emmelichthys strusakeri: Hatooka, 1993, 2000; Honma *et al.*, 2000; Suzuki *et al.*, 2000; Hatooka, 2002; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Hatooka and Hagiwara, 2013; Honma, 2013.

Erythrocles microceps Miyahara and Okamura, 1998 [Japanese name: Hichibiki]

Erythrocles microceps: Hatooka, 2000; Suzuki *et al.*, 2000; Hatooka, 2002; Shinohara *et al.*, 2011; Hatooka and Hagiwara, 2013.

SMBS uncatalogued (2).

Erythrocles schlegelii (Richardson, 1846) [Japanese name: Hachibiki]

Erythrocles schlegelii: Mori and Uchida, 1934; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Honma, 1963; Honma and Kitami, 1967; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970; Honma, 1977; Honma and Kitami, 1978.

Erythrocles schlegelii: Uozu Aquarium, 1997; Hatooka, 2002; Suzuki *et al.*, 2000; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Hatooka and Hagiwara, 2013; Honma, 2013.

SMBS uncatalogued (1).

Family Lutjanidae

***Etelis coruscans** Valenciennes, 1862 [Japanese name: Hamadai]

Etelis carbunculus: Mori, 1952.

Family Sparidae

Dentex hypselosomus Bleeker, 1854 [Japanese name: Kidai]

Taius tumifrons: Tanaka, 1915; Mori, 1928; Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Kato, 1956.

Dentex tumifrons: Mori, 1956a; Lindberg and Krasyukova, 1969; Tsuda, 1990; Uozu Aquar-

ium, 1997; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Honma, 2013.

Dentex hypselosomus: Hayashi and Hagiwara, 2013.

**Evynnis cardinalis* (Lacepède, 1802) [Japanese name: Hirekodai]

Evynnis cardinalis: Mori, 1928; Mori and Uchida, 1934; Mori, 1952; Kato, 1956; Mori, 1956a; Lindberg and Krasyukova, 1969; Tsuda, 1990; Hayashi and Hagiwara, 2013.

Family Glaukosomatidae

**Glaukosoma hebraicum* Richardson, 1845 [Japanese name: Aobadai]

Glaukosoma hebraicum: Kato, 1956; Mori, 1956a; Tsuda, 1990; Hayashi and Hagiwara, 2013.

Family Pentacerotidae

Eviotas acutirostris (Temminck and Schlegel, 1844) [Japanese name: Tengudai]

Eviotas acutirostris: Mori, 1952; Lindberg and Krasyukova, 1969; Tsuda, 1990; Honma, 1991a; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Hatooka and Yagishita, 2013.

Histiopterus typus Temminck and Schlegel, 1844 [Japanese name: Kawabisha] (Fig. 2H)

Histiopterus typus: Katayama, 1940; Kato, 1956; Mori, 1956a; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970; Tsuda, 1990; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Hatooka and Yagishita, 2013; Honma, 2013.

SMBS uncatalogued (1).

**Pentaceros japonicus* Steindachner, 1883 [Japanese name: Tsubodai]

Quinquarius japonicus: Kato, 1956.

Pentaceros japonicus: Tsuda, 1990; Kitagawa *et al.*, 2008; Hatooka and Yagishita, 2013; Honma, 2013.

Family Zoarcidae

Bilabria ornata (Soldatov, 1922) [Japanese name: Usa-genge]

Lycenchelys ornatus: Soldatov, 1922 (original description).

Bilabria ornata: Tarantzev, 1937; Schmidt, 1950; Fowler, 1958; Ueno, 1971; Lindberg and Krasyukova, 1975; Hatooka, 2002.

Bothrocara hollandi (Jordan and Hubbs, 1925) [Japanese name: Noro-genge]

Allolepis hollandi: Jordan and Hubbs, 1925 (original description); Okada and Matsubara, 1938; Katayama, 1940, 1949; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Fowler, 1958; Honma, 1963; Ouchi, 1963; Takegawa and Morino, 1970; Ueno, 1971; Ogata *et al.*, 1973; Lindberg and Krasyukova, 1975; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Nambu *et al.*, 1992; Hatooka, 1993; Nambu *et al.*, 1993; Amakawa *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Suzuki *et al.*, 2000; Balanov and Solomatov, 2008; Balushkin *et al.*, 2011.

Lycogramma crystallonota: Popov, 1933 (original description).

Allolepis nazumii: Mori, 1956c (original description).

Allolepis nazumi: Fowler, 1958; Lindberg and Krasyukova, 1975.

Bothrocara hollandi: Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Anderson and Fedorov, 2004; Balanov and Solomatov, 2008; Anderson *et al.*, 2009; Shinohara *et al.*, 2011;

Hatooka, 2013; Honma, 2013.

Bothrocara holladi [sic]: Kitagawa *et al.*, 2008.

SO10-C4-B4 (1), KT-10-08-R4 (1), KT-10-08-R6 (1), KT-11-09-M5 (3), TS09-T001 (1), TS09-T004 (10), TS09-T006 (1), TS09-T010 (3), TS09-T049 (1), TS09-T053 (1), TS09-T102 (2), TS09-T106 (11), TS10-OW09 (11), TS10-OW10 (2), TS10-OW12 (2), TS10-OW13 (1), TS10-OW18 (4), TS10-YA05 (7).

Bothrocara tanakae (Jordan and Hubbs, 1925) [Japanese name: Kanten-genge]

Zestichthys tanakae: Hikita, 1950; Oshima, 1957; Lindberg and Krasyukova, 1975; Tsuda, 1990.

Zestichthys tanakai: Kato, 1956; Ueno, 1971; Hatooka, 1993.

Bothrocara tanakae: Hatooka, 2000, 2002; Shinohara *et al.*, 2011; Hatooka, 2013.

****Bothrocara zestum*** Jordan and Fowler, 1902 [Japanese name: Shiro-genge]

Lycogramma zestum: Katayama, 1940; Lindberg and Krasyukova, 1975.

Lycogramma zesta [sic]: Ueno, 1971.

Lycogramma zosta [sic]: Tsuda, 1990.

Davidijordania lacertina (Pavlenko, 1910) [Japanese name: Naga-sarasagaji]

Davidijordania lacertina: Matsubara, 1955; Fowler, 1958; Lindberg and Krasyukova, 1975; Hatooka, 1993; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Hatooka, 2000, 2002; Anderson and Fedorov, 2004; Balanov *et al.*, 2006; Balanov and Solomatov, 2008; Shinohara and Kim, 2009; Balushkin *et al.*, 2011.

Davidijordania poecilimon (Jordan and Fowler, 1902) [Japanese name: Sarasagaji]

Davidijordania poecilimon: Taranetz, 1937; Okada and Matsubara, 1938; Katayama, 1940, 1949; Honma, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Fowler, 1958; Honma, 1963; Takegawa and Morino, 1970; Lindberg and Krasyukova, 1975; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Hatooka, 1993; Nambu *et al.*, 1993; Amaoka *et al.*, 1995; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Anderson and Fedorov, 2004; Kitagawa *et al.*, 2008; Balushkin *et al.*, 2011.

Davidijordania spilota: Fowler, 1943 (original description), 1958.

Davidijordani poecilimon [*lapsus calami*]: Shinohara *et al.*, 2011.

KT-11-09-N1 (1), TS09-T107 (2), SMBS uncatalogued (2).

Derjuginia japonica (Katayama, 1943) [Japanese name: Nirami-genge]

Gengea japonica: Katayama, 1943 (original description), 1949, 1952; Honma, 1955a, e; Matsubara, 1955; Kato, 1956; Mori, 1956a; Fowler, 1958; Honma, 1963; Ouchi, 1963; Takegawa and Morino, 1970; Lindberg and Krasyukova, 1975; Tsuda, 1990; Uozu Aquarium, 1997.

Derjuginia japonica: Toyoshima, 1981; Hatooka, 1993, 2000, 2002; Maeda and Tsutsui, 2003; Balushkin *et al.*, 2011; Shinohara *et al.*, 2011.

Gymnelopsis ochotensis: Anderson and Fedorov, 2004; Hatooka, 2013; Honma, 2013.

TS09-T099 (2), TS09-T106 (3), TS09-T141 (2).

Krusensterniella maculata Andriashev, 1938 [Japanese name: Ai-haregaji] (Fig. 4B)

Krusensterniella maculata: Andriashev, 1938 (original description); Matsubara, 1955; Fowler, 1958; Ueno, 1971; Lindberg and Krasyukova, 1975; Hatooka, 1993; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Anderson and Fedorov, 2004; Balushkin *et al.*, 2011; Hatooka, 2013.

KT-11-09-M1 (1).

****Krusensterniella notabilis*** Schmidt, 1904 [Japanese name: Haregaji]

Krusensterniella notabilis: Anderson and Fedorov, 2004.

**Lycodes brevipes* Bean, 1890 [Japanese name: Ashibosogenge]

Lycodes brevipes: Ueno, 1971.

Lycodes brevipes ochotensis: Lindberg and Krasyukova, 1975.

**Lycodes brunneofasciatus* Suvorov, 1935 [Japanese name: Harasaji-genge]

Lycodes brunneofasciatus: Hatooka, 1993, 2000, 2002, 2013.

**Lycodes caudimaculatus* Matsubara, 1936 [Japanese name: Irezumigaji]

Lycodes caudimaculatus: Tekegawa and Morino, 1970; Lindberg and Krasyukova, 1975; Tsuda, 1990.

Lycodes japonicus Matsubara and Iwai, 1951 [Japanese name: Ashinaga-genge]

Lycodes japonicus: Matsubara and Iwai, 1951b (original description); Matsubara, 1955; Honma, 1956a; Kato, 1956; Honma, 1957a; Oshima, 1957; Honma, 1963; Ogata *et al.*, 1973; Lindberg and Krasyukova, 1975; Honma and Kitami, 1978; Toyoshima, 1984; Toyoshima, 1985; Nambu *et al.*, 1992; Tsuda, 1990; Hatooka, 1993; Nambu *et al.*, 1993; Uozu Aquarium, 1997; Hatooka, 2000, 2002; Anderson and Fedorov, 2004; Balanov and Solomatov, 2008; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

TS09-T033 (3), TS09-T53 (1), TS09-T053 (1), TS09-T057 (2), TS09-T110 (5), TS10-OW04 (4).

**Lycodes macrolepis* Taranetz and Andriashhev, 1935 [Japanese name: Yokoshima-gaji]

Lycodes macrolepis: Katayama, 1949; Matsubara and Iwai, 1951b; Katayama, 1952; Matsubara, 1955; Mori, 1956a, c; Honma, 1957a; Oshima, 1957; Fowler, 1958; Honma, 1963; Ouchi, 1963; Lindberg and Krasyukova, 1975; Honma and Kitami, 1978; Tsuda, 1990; Hatooka, 1993, 2000, 2002.

Lycodes matsubarai Toyoshima, 1985 [Japanese name: Matsubara-genge]

Lycodes yamatoi: Toyoshima, 1985 (original description); Hatooka, 1993, 2000, 2002; Maeda and Tsutsui, 2003; Anderson and Fedorov, 2004; Balanov and Kukhlevsky, 2011; Balushkin *et al.*, 2011; Shinohara *et al.*, 2011; Honma, 2013.

Lycodes matsubarai: Nambu *et al.*, 1992; Hatooka, 1993, 2000, 2002; Nazarkin and Shinohara, 2012; Hatooka, 2013; Honma, 2013.

KT-11-09- K3 (1), TS09-T004 (3), TS09-T006 (2), TS09-T013 (2), TS09-T141 (1).

Lycodes nakamurae (Tanaka, 1914) [Japanese name: Kuro-genge]

Furcimanus nakamurae: Tanaka, 1914b (original description); Jordan and Hubbs, 1925; Okada and Matsubara, 1938; Katayama, 1940, 1949; Honma, 1952; Mori, 1952; Katayama, 1952; Mori, 1956a; Oshima, 1957.

Lycodes diapterus nakamurae: Lindberg, 1947; Tsuda, 1990.

Lycodes nakumurai: Matsubara, 1955; Kato, 1956; Honma and Sugihara, 1963; Ouchi, 1963; Takegawa and Morino, 1970; Ogata *et al.*, 1973; Honma, 1977; Toyoshima, 1985, 1988; Nambu *et al.*, 1992; Hatooka, 1993; Nambu *et al.*, 1993; Amaoka *et al.*, 1995; Sokolovskaya *et al.*, 1998; Hatooka, 2000; Suzuki *et al.*, 2000; Hatooka, 2002; Maeda and Tsutsui, 2003; Balanov and Solomatov, 2008; Shinohara *et al.*, 2011; Honma, 2013.

Furcimanus nakumurai: Mori, 1956c.

Lycodes diapterus nakumurai: Honma, 1963; Lindberg and Krasyukova, 1975; Honma and Kitami, 1978.

Lycodes nakamurae: Ueno, 1971; Anderson and Fedorov, 2004; Balanov and Solomatov, 2008; Hatooka, 2013.

KT-11-09-N3 (2), TS09-T027 (6), TS09-T029 (2), TS09-T054 (2), TS09-T056 (2), TS09-

T086 (1), TS09-T099 (1), TS09-T101 (2), TS09-T102 (3), SMBS uncatalogued (3).

Lycodes nishimurai Shinohara and Shirai, 2005 [Japanese name: Orochi-genge] (Fig. 4C)

Lycodes nishimurai: Shinohara and Shirai, 2005 (original description); Balushkin *et al.*, 2011; Shinohara *et al.*, 2011; Hatooka, 2013.

TS09-T007 (1), TS09-T033 (6), TS09-T053 (1), TS09-T057 (2).

Lycodes palearis fasciatus (Schmidt, 1904)

Lycodes palearis fasciatus: Taranetz, 1937; Lindberg and Krasyukova, 1975; Sokolovskaya *et al.*, 1998; Shinohara *et al.*, 2011.

Lycodes fasciatus: Fowler, 1958.

Lycodes paucilepidotus Toyoshima, 1985 [Japanese name: Hage-mayugaji]

Lycodes paucilepidotus: Toyoshima, 1985 (original description); Hatooka, 1993; Amaoka *et al.*, 1995; Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Hatooka, 2013.

****Lycodes schmidti*** Gratzianov, 1907

Lycodes palearis schmidti: Lindberg and Krasyukova, 1975; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998.

Lycodes schmidti: Anderson and Fedorov, 2004.

Lycodes sigmatoides Lindberg and Krasyukova, 1975 [Japanese name: Esuji-gaji]

Lycodes schmidti: Kato, 1956; Ueno, 1971.

Lycodes sigmatoides: Lindberg and Krasyukova, 1975 (original description); Tsuda, 1990; Anderson and Fedorov, 2004; Shinohara *et al.*, 2011; Hatooka, 2013.

Lycodes sygmatoides [sic]: Sokolovskaya *et al.*, 1998.

****Lycodes soldatovi*** Taranetz and Andriashev, 1935 [Japanese name: Kuro-gaji]

Lycodes soldatovi: Kato, 1956; Ouchi, 1963; Lindberg and Krasyukova, 1975.

Remarks. Hatooka (2013) mentioned the occurrence from Sado Island with a question mark.

Lycodes tanakae Jordan and Thompson, 1914 [Japanese name: Tanaka-genge]

Lycodes tanakae: Jordan and Thompson, 1914 (original description); Okada and Matsubara, 1938; Katayama, 1940, 1949; Honma, 1952; Katayama, 1952; Mori, 1952; Fowler, 1958; Lindberg and Krasyukova, 1975; Tsuda, 1990; Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Anderson and Fedorov, 2004; Balanov and Solomatov, 2008; Balushkin *et al.*, 2011; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

Lycodes tanakai: Katayama, 1949; Matsubara and Iwai, 1951b; Matsubara, 1955; Kato, 1956; Mori, 1956a, c; Honma, 1963; Ouchi, 1963; Honma and Sugihara, 1963; Takegawa and Morino, 1970; Ueno, 1971; Ogata *et al.*, 1973; Honma, 1977; Honma and Kitami, 1978; Toyoshima, 1985; Hatooka, 1993; Nambu *et al.*, 1993; Amaoka *et al.*, 1995; Koyanagi, 1997; Uozu Aquarium, 1997; Sokolovskaya *et al.*, 1998; Suzuki *et al.*, 2000.

TS09-T002 (2), TS09-T004 (1), TS09-T006 (1), TS09-T013 (3), TS09-T049 (1), TS09-T102 (6), TS09-T106 (2), TS09-T141 (1).

****Lycodes uschakovi*** Popov, 1931 [Japanese name: Kawari-genge]

Lycodes uschakovi: Lindberg and Krasyukova, 1975; Toyoshima, 1985, 1988; Hatooka, 1993; Sokolovskaya *et al.*, 1998; Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Anderson and Fedorov, 2004; Hatooka, 2013.

****Lycodes ygreknottatus*** Schmidt, 1950 [Japanese name: Wajji-genge]

Lycodes ygreknottatus: Ueno, 1971; Hatooka, 2013.

Lycozoarces regani Popov, 1933 [Japanese name: Sedaka-genge]

Lycozoarces hubbsi: Matsubara, 1955; Fowler, 1958; Ueno, 1971.

Lycozoarces regani: Popov, 1933 (original description); Lindberg and Krasyukova, 1975;



Fig. 3. Zoarcid specimens of *Petroschmidtia teraoi* (Katayama, 1943) reported as "Sadoinagenge, *Lycodes sadoensis* Matsubara and Honma (MS)" in Honma (1963), SMBS uncatalogued, 126, 127, 140 and 103 mm SL (from top to bottom).

Hatooka, 1993; Amaoka *et al.*, 1995; Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Anderson and Fedorov, 2004; Balushkin *et al.*, 2011; Hatooka, 2013.

**Petroschmidtia albonotata* Tarantzev and Andriashev, 1934 [Japanese name: Hanagenge]

Petroschmidtia albonotata: Ueno, 1971.

Petroschmidtia teraoi (Katayama, 1943) [Japanese name: Hina-genge]

Lycodes teraoi: Katayama, 1943 (original description), 1949; Matsubara and Iwai, 1951b; Katayama, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Fowler, 1958; Takegawa and Morino, 1970; Lindberg and Krasyukova, 1975; Toyoshima, 1985; Tsuda, 1990; Hatooka, 1993, 2000, 2002; Anderson and Fedorov, 2004; Shinohara *et al.*, 2011; Hatooka, 2013.

Lycodes sp.: Kato, 1956; Honma, 1963; Ouchi, 1963; Honma, 1977.

Lycodes sadonesis [*nomen nudum*]: Honma and Kitami, 1978.

Lycodes sadoensis: Toyoshima and Honma, 1980 (original description); Honma *et al.*, 1984; Toyoshima, 1985; Hatooka, 1993, 2000, 2002; Anderson and Fedorov, 2004; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

TS09-T001 (1), TS09-T012 (2), TS09-T013 (3), TS09-T017 (1), TS09-T018 (6), TS09-T020 (20), TS09-T034 (2), TS09-T038 (1), TS09-T039 (22), TS09-T054 (1), TS09-T087 (3), TS09-T099 (1), TS10-OW01 (2), SMBS uncatalogued (4).

Remarks. Generic position and synonymies of the species follow Nazarkin *et al.* (2014). The type specimens of *Lycodes sadoensis* were collected not from off Sado Island but off Noto Peninsula (Toyoshima and Honma, 1980). Specimens collected off Sado Island and named as Sado-hinagenge in Japanese (Honma, 1963) are deposited in SMBS (Fig. 3).

Petroschmidtia toyamensis Katayama, 1941 [Japanese name: Ago-genge]

Petroschmidtia toyamensis: Katayama, 1941 (original description); Katayama, 1943, 1949; Matsubara and Iwai, 1951b; Katayama, 1952; Honma, 1955c; Matsubara, 1955; Kato, 1956; Mori, 1956a; Oshima, 1957; Fowler, 1958; Honma, 1963; Honma and Sugihara, 1963; Takegawa and Morino, 1970; Ogata *et al.*, 1973; Lindberg and Krasyukova, 1975; Honma and Kitami, 1978; Toyoshima, 1985; Tsuda, 1990; Hatooka, 1993; Nambu *et al.*, 1993; Amaoka *et al.*, 1995; Koyanagi, 1997; Uozu Aquarium, 1997; Hatooka, 2000; Suzuki *et al.*, 2000; Hatooka, 2002; Maeda and Tsutsui, 2003; Anderson and Fedorov, 2004; Shinohara *et al.*, 2011; Honma, 2013.

Petreoschmidtia toyamaensis [sic]: Ueno, 1971.

Lycodes toyamensis: Balanov and Solomatov, 2008; Hatooka, 2013.

KT-11-09-K4 (2), TS09-T033 (1), TS09-T106 (1).

Family Stichaeidae

****Acantholumpenus mackayi*** (Gilbert, 1896) [Japanese name: Nuime-gaji]

Lumpenus fowleri: Kato, 1956; Fowler, 1958.

Acantholumpenus mackayi: Ueno, 1971; Tsuda, 1990; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Mecklenburg and Sheiko, 2004.

Anisarchus macrops (Matsubara and Ochiai, 1952) [Japanese name: Medama-ginpo]

Lumpenus macrops: Matsubara and Ochiai, 1952 (original description); Matsubara, 1955; Honma, 1955a, e; Kato, 1956; Tomiyama and Abe, 1958; Honma, 1963, 1977; Honma and Kitami, 1978.

Anisarchus macrops: Lindberg and Krasyukova, 1975; Tsuda, 1990; Hatooka, 1993; Amaoka *et al.*, 1995; Miki, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Hatooka, 2000, 2002; Mecklenburg and Sheiko, 2004; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

KT-10-08-R1 (7), TS09-T117 (4).

Anisarchus medius (Reinhardt, 1837) [Japanese name: Nise-medama-ginpo]

Anisarchus medius: Matsubara, 1955; Lindberg and Krasyukova, 1975; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Mecklenburg and Sheiko, 2004; Yamanaka and Yabe, 2012.

Bryozonichthys lysimus (Jordan and Snyder, 1902) [Japanese name: Fusakake-ginpo]

Bryozonichthys lysimus: Nambu *et al.*, 1992; Hatooka, 1993; Amaoka *et al.*, 1995; Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Mecklenburg and Sheiko, 2004; Hatooka, 2013.

****Leptoclinus maculatus*** (Fries, 1838) [Japanese name: Yase-ginpo]

Leptoclinus maculatus: Ueno, 1971; Mecklenburg and Sheiko, 2004; Hatooka, 2013.

Lumpenella longirostris (Evermann and Goldsborough, 1907) [Japanese name: Nezumi-ginpo]

Lumpenella longirostris: Soldatov and Lindberg, 1930; Taranetz, 1937; Schmidt, 1950; Ueno, 1971; Lindberg and Krasyukova, 1975; Nambu *et al.*, 1992; Hatooka, 1993; Amaoka *et al.*, 1995; Uozu Aquarium, 1997; Sokolovskaya *et al.*, 1998; Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Mecklenburg and Sheiko, 2004; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

Lumpenella nigricans: Honma, 1955a, e; Matsubara, 1955; Kato, 1956; Honma, 1963; Honma and Kitami, 1978; Tsuda, 1990.

Lumpenopsis triocellata (Matsubara, 1943) [Japanese name: Mitsuboshi-ginpo]

Leptoclinus triocellatus: Matsubara, 1943a (original description).

Lumpenopsis triocellatus: Honma, 1963; Lindberg and Krasyukova, 1975; Honma and Kitami, 1978; Tsuda, 1990; Hatooka, 1993; Miki, 1997; Hatooka, 2000, 2002; Mecklenburg and Sheiko, 2004; Hatooka, 2013; Honma, 2013.

Lumpenus sagitta Wilimovsky, 1956 [Japanese name: Unagi-gaji]

Lumpenus anguillaris: Tanaka, 1913b; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Fowler, 1958.

Lumpenus gracilis: Matsubara, 1955; Kato, 1956; Honma, 1963.

Lumpenus sagitta: Ueno, 1971; Lindberg and Krasyukova, 1975; Honma and Kitami, 1978; Tsuda, 1990; Hatooka, 1993; Amaoka *et al.*, 1995; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Hatooka, 2000, 2002; Mecklenburg and Sheiko, 2004; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

****Stichaeopsis epallax*** (Jordan and Snyder, 1902) [Japanese name: Ame-gaji]

Stichaeopsis epallax: Kato, 1956; Fowler, 1958; Ueno, 1971; Tsuda, 1990; Hatooka, 1993; Amaoka *et al.*, 1995; Miki, 1997; Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Mecklenburg and Sheiko, 2004; Hatooka, 2013; Honma, 2013.

Stichaeus grigorjewi Herzenstein, 1890 [Japanese name: Nagaduka]

Stichaeus elongatus: Sakamoto, 1930 (original description); Okada and Matsubara, 1938; Oshima, 1957.

Dinogunnellus grigorjewi: Mori and Uchida, 1934; Okada and Matsubara, 1938; Katayama, 1940; Hikita, 1950; Honma, 1952; Katayama, 1952; Mori, 1952.

Stichaeus grigorjewi: Honma, 1955b; Matsubara, 1955; Kato, 1956; Mori, 1956a; Fowler, 1958; Honma, 1963; Ouchi, 1963; Takegawa and Morino, 1970; Ueno, 1971; Lindberg and Krasyukova, 1975; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Hatooka, 1993; Amaoka *et al.*, 1995; Miki, 1997; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Hatooka, 2000, 2002; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Mecklenburg and Sheiko, 2004; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

Stichaeus nozawae Jordan and Snyder, 1902 [Japanese name: Tauegaji]

Stichaeus nozawae: Jordan and Snyder, 1902 (original description).

Stichaeus nozawae: Okada and Matsubara, 1938; Oshima, 1957; Fowler, 1958; Honma, 1963; Lindberg and Krasyukova, 1975; Tsuda, 1990; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Mecklenburg and Sheiko, 2004; Hatooka, 2013.

Stichaeus nozawai: Matsubara, 1955; Kato, 1956; Ouchi, 1963; Ueno, 1971; Honma and Kitami, 1978; Hatooka, 1993; Amaoka *et al.*, 1995; Miki, 1997; Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Honma, 2013.

Xenolumpenus longipterus Shinohara and Yabe, 2009 [Japanese name: Furisode-gaji] (Fig. 4D)

Xenolumpenus longipterus: Shinohara and Yabe, 2009 (original description); Hatooka, 2013.

Family Cryptacanthodidae

Cryptacanthodes bergi Lindberg, 1930 [Japanese name: Hadaka-ōkami-uo]

Cryptacanthodes bergi: Soldatov and Lindberg, 1930; Matsubara, 1955; Kato, 1956; Honma, 1957a; Fowler, 1958; Honma, 1963; Takegawa and Morino, 1970; Ueno, 1971; Lindberg and




Fig. 4. Freshly dead specimens of four species endemic to the Sea of Japan. A, *Careproctus notosaikaiensis*, FAKU 135383, 160 mm SL, off Noto Peninsula; B, *Krusensterniella maculata*, NSMT-P 106556, 80 mm SL, Musashi Bank; C, *Lycodes nishimurai*, NSMT-P 67246, 275 mm SL, Yamato Bank; D, *Xenolumpenus longipterus*, NSMT-P 69644, holotype, 115 mm SL, near Okushiri Island.

Kras'yukova, 1975; Honma and Kitami, 1978; Tsuda, 1990; Hatooka, 1993; Amaoka *et al.*, 1995; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Hatooka, 2000, 2002; Maeda and Tsutsui, 2003; Hatooka, 2013; Honma, 2013.

Cryptacanthocephoides bergi [*lapsus calami*]: Shinohara *et al.*, 2011.

SMBS uncatalogued (2).

Family Champsodontidae

Champsodon snyderi Franz, 1910 [Japanese name: Wanigisu]

Champsodon snyderi: Katayama, 1940; Honma, 1955d; Kato, 1956; Mori, 1956a; Honma,

1963; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970; Honma and Kitami, 1978; Tsuda, 1990; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Hatooka and Hagiwara, 2013; Honma, 2013.

Family Trichodontidae

Arctoscopus japonicus (Steindachner, 1881) [Japanese name: Hatahata]

Arctoscopus japonicus: Mori, 1928; Mori and Uchida, 1934; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Katayama, 1952; Kato, 1956; Mori, 1956a, c; Honma, 1963; Ouchi, 1963; Honma, 1968; Lindberg and Krasyukova, 1969; Honma and Kitami, 1970; Takegawa and Morino, 1970; Ueno, 1971; Ogata *et al.*, 1973; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Nambu *et al.*, 1992; Hatooka, 1993; Amaoka *et al.*, 1995; Amaoka, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Hatooka, 2000; Suzuki *et al.*, 2000; Hatooka, 2002; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Hatooka, 2013; Honma, 2013.

KT-11-09-M1 (2), TS09-T004 (28).

Family Uranoscopidae

Uranoscopus japonicus Houttuyn, 1782 [Japanese name: Mishima-okoze]

Uranoscopus japonicus: Mori, 1928; Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Honma, 1955b; Kato, 1956; Mori, 1956a; Honma, 1963; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970; Honma and Kitami, 1978; Tsuda, 1990; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Honma, 2013; Yamada and Yagishita, 2013.

SMBS uncatalogued (3).

Xenocephalus elongatus (Temminck and Schlegel, 1843) [Japanese name: Ao-mishima]

Gnathagnus elongata: Mori, 1928.

Gnathagnus elongatus: Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Honma, 1963; Lindberg and Krasyukova, 1969; Takegawa and Morino, 1970; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990.

Zenocephalus elongatus [*sic*]: Suzuki *et al.*, 2000.

Xenocephalus elongatus: Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Yamada and Yagishita, 2013.

SMBS uncatalogued (1).

Family Callionymidae

****Foetorepus altivelis*** (Temminck and Schlegel, 1845) [Japanese name: Beni-teguri]

Callionymus altivelis: Mori, 1952.

Synchiropus altivelis: Kato, 1956; Mori, 1956a; Lindberg and Krasyukova, 1975; Tsuda, 1990.

Family Gempylidae

****Gempylus serpens*** Cuvier, 1829 [Japanese name: Kurotachi-kamasu]

Gempylus serpens: Tsuda, 1990; Nakabo and Doiuchi, 2013.

Nealotus triplus Johnson, 1865 [Japanese name: Fūrai-kamasu]

Nealotus triplus: Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Honma *et al.*, 2012; Honma,

2013; Nakabo and Doiuchi, 2013.

TS09-T017 (1), TS09-T038 (1), TS09-T093 (1).

**Promethichthys prometheus* (Cuvier, 1832) [Japanese name: Kuroshibi-kamasu]

Promethichthys prometheus: Kato, 1956; Mori, 1956a; Lindberg and Krasyukova, 1975; Tsuda, 1990; Nakabo and Doiuchi, 2013.

Rexea prometheoides (Bleeker, 1856) [Japanese name: Kagokamasu]

Rexea prometheoides: Mori, 1952; Honma *et al.*, 1990; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Ruvettus pretiosus Cocco, 1833 [Japanese name: Baramutsu]

Ruvettus pretiosus: Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Nakabo and Doiuchi, 2013.

Thyrsitoides marleyi Fowler, 1929 [Japanese name: Nagatachi-kamasu]

Thyrsitoides marleyi: Honma *et al.*, 1990; Tsuda, 1990; Uozu Aquarium, 1997; Honma, 2013; Nakabo and Doiuchi, 2013.

Family Luvaridae

**Luvarus imperialis* Rafinesque, 1810 [Japanese name: Ama-shiira]

Luvarus imperialis: Ueno, 1971; Maeda and Tsutsui, 2003.

Family Trichiuridae

**Assurger anzac* (Alexander, 1917) [Japanese name: Nagayume-tachimodoki]

Assurger anzac: Kobayashi *et al.*, 2006; Nakabo and Doiuchi, 2013.

**Benthodesmus tenius* (Günther, 1877) [Japanese name: Tachimodoki]

Lepidopus tenuis: Honma, 1952.

Benthodesmus tenius: Ueno, 1971; Lindberg and Krasyukova, 1975; Tsuda, 1990; Maeda and Tsutsui, 2003; Honma, 2013; Nakabo and Doiuchi, 2013.

**Eupleurogrammus* sp. [Japanese name: Oshiroidachi]

Eupleurogrammus muticus [*sic*]: Tsuda, 1990.

**Evoxymetopon taeniatus* Gill, 1863 [Japanese name: Yume-tachimodoki]

Evoxymetopon taeniatus: Mori, 1952; Honma *et al.*, 1984; Tsuda, 1990; Honma, 2013; Nakabo and Doiuchi, 2013.

Trichiurus japonicus Temminck and Schlegel, 1844 [Japanese name: Tachi-uo]

Trichiurus haumela: Katayama, 1940; Honma, 1952; Mori, 1952.

Trichiurus lepturus: Honma, 1956b; Kato, 1956; Mori, 1956a; Honma, 1963; Takegawa and Morino, 1970; Ueno, 1971; Lindberg and Krasyukova, 1975; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998.

Trichiurus japonicus: Mori and Uchida, 1934; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

SMBS uncatalogued (2).

Family Centrolophidae

Hyperoglyphe japonica (Döderlein, 1884) [Japanese name: Medai]

Ocycrius japonicus: Honma, 1952; Mori, 1952; Kato, 1956; Mori, 1956a; Honma, 1963; Honma and Kitami, 1970; Takegawa and Morino, 1970; Ueno, 1971; Honma, 1977; Honma and Kitami, 1978.

Hyperoglyphe japonica: Lindberg and Krasyukova, 1975; Tsuda, 1990; Amaoka *et al.*, 1995; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

TS09-T006 (4), TS09-T013 (1), TS09-T105 (1), TS09-T141 (2), SMBS uncatalogued (1).

Icichthys lockingtoni Jordan and Gilbert, 1880 [Japanese name: Kuro-medai]

Icichthys lockingtoni: Nakabo and Doiuchi, 2013.

Remarks. According to Nakabo and Doiuchi (2013), the occurrence can be confirmed from San'in District, based on FAKU 58768 and 58769.

Psenopsis anomala (Temminck and Schlegel, 1844) [Japanese name: Ibodai]

Psenopsis anomala: Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Kato, 1956; Mori, 1956a; Honma, 1963; Honma and Kitami, 1970; Takegawa and Morino, 1970; Lindberg and Krasyukova, 1975; Honma, 1977; Honma and Kitami, 1978; Tsuda, 1990; Nakabo, 1993b; Amaoka *et al.*, 1995; Okamura, 1997; Uozu Aquarium, 1997; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Psenopsis anomale [sic]: Ueno, 1971.

****Psenopsis shojimai*** Ochiai and Mori, 1965 [Japanese name: Nise-ibodai]

Psenopsis shojimai: Nakabo, 1993b; Nakabo and Doiuchi, 2013.

Family Nomeidae

****Cubiceps whiteleggi*** (Waite, 1894) [Japanese name: Bōzu-kon'nyaku]

Cubiceps squamiceps: Honma, 1995; Kobayashi *et al.*, 2006; Honma, 2013.

Cubiceps whiteleggi: Nakabo and Doiuchi, 2013.

Psenes cyanophrys Valenciennes, 1833 [Japanese name: Suji-hanabira-uo]

Psenes cyanophrys: Nakabo, 1993b; Okamura, 1997; Nakabo, 2000b, 2002b; Nakabo and Doiuchi, 2013.

Remarks. According to Nakabo and Doiuchi (2013), the occurrence can be confirmed from Wakasa Bay, based on FAKU 53317, 53318, 53278 and 54787.

Nameus gronovii (Gmelin, 1789) [Japanese name: Eboshidai]

Nameus gronovii: Tsuda, 1990; Suzuki *et al.*, 2000; Nakabo and Doiuchi, 2013.

Psenes pellucidus Lütken, 1880 [Japanese name: Hanabira-uo]

Icticus ischanus: Katayama, 1940.

Icticus pellucidus: Kato, 1956; Mori, 1956a; Takegawa and Morino, 1970.

Psenes pellucidus: Lindberg and Krasyukova, 1975; Honma *et al.*, 1984; Tsuda, 1990; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Kobayashi *et al.*, 2006; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

TS09-T141 (1).

Psenes arafurensis Günther, 1889 [Japanese name: Kurage-uo]

Psenes arafurensis: Nakabo, 1993b; Okamura, 1997; Nakabo and Doiuchi, 2013.

Remarks. According to Nakabo and Doiuchi (2013), the occurrence can be confirmed from the western Sea of Japan, based on deposited in the Seikai National Fisheries Research Institute.

Family Ariommatidae

****Ariomma indicum*** (Day, 1871) [Japanese name: Maru-ibodai]

Ariomma indica: Nakabo, 1993b; Okamura, 1997; Nakabo, 2000b; Nakabo and Doiuchi,

2013.

**Ariomma luridum* Jordan and Snyder, 1904 [Japanese name: Ōme-medai]

Ariomma lurida: Takegawa and Morino, 1970; Ueno, 1971.

Ariomma luridum: Maeda and Tsutsui, 2003; Nakabo and Doiuchi, 2013.

Family Tetragonuridae

**Tetragonurus cuvieri* Risso, 1810 [Japanese name: Doku-uuroko-ibodai]

Tetragonurus cuvieri: Nakabo and Doiuchi, 2013.

Family Caproidae

**Antigonia capros* Lowe, 1843 [Japanese name: Hishidai]

Antigonia capros: Katayama, 1940; Mori, 1952; Kato, 1956; Mori, 1956a; Tsuda, 1990; Nakabo and Kai, 2013.

Order Pleuronectiformes

Family Citharidae

Citharoides macrolepidotus Hubbs, 1915 [Japanese name: Koke-birame]

Citharoides macrolepidotus: Mori, 1952; Matsubara, 1955; Mori, 1956a; Amaoka, 1988; Tsuda, 1990; Nambu *et al.*, 1991; Lindberg and Fedorov, 1993; Nakabo, 1993b, 2000b, 2002b; Voronina and Volkova, 2003; Shinohara *et al.*, 2011; Nakabo and Doiuchi, 2013.

Family Paralichthyidae

Paralichthys olivaceus (Temminck and Schlegel, 1846) [Japanese name: Hirame]

Paralichthys olivaceus: Snyder, 1912; Kato, 1956; Ueno, 1971; Tsuda, 1990; Nakabo, 1993b; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; Nakabo and Doiuchi, 2013; Honma, 2013.

Pseudorhombus pentophthalmus Günther, 1862 [Japanese name: Tama-ganzō-birame]

Pseudorhombus pentophthalmus [*sic*]: Ueno, 1971.

Pseudorhombus pentophthalmus: Kato, 1956; Tsuda, 1990; Nambu *et al.*, 1991; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; Honma, 2013.

Family Bothidae

**Engyprosopon maldivensis* (Regan, 1908) [Japanese name: Tenaga-darumagarei]

Engyprosopon maldivensis: Nakabo and Doiuchi, 2013.

**Japonolaeops dentatus* Amaoka, 1969 [Japanese name: Hina-darumagarei]

Japonolaeops dentatus: Nakabo and Doiuchi, 2013.

Laeops kitaharae (Smith and Pope, 1906) [Japanese name: Yarigarei]

Laeops lanceolata: Mori, 1952; Honma, 1962; Ochiai and Amaoka, 1962; Honma, 1963; Takegawa and Morino, 1970; Honma and Kitami, 1978; Tsuda, 1990; Nakabo and Doiuchi, 2013.

Laeops kitaharai: Mori, 1956a; Kato, 1956; Tsuda, 1990.

Laeops kitaharae: Amaoka, 1988; Nambu *et al.*, 1991; Lindberg and Fedorov, 1993; Nakabo, 1993b; Amaoka, 1997; Nakabo, 2000b, 2002b; Honma, 2013; Nakabo and Doiuchi, 2013.

Family Pleuronectidae

Acanthopsetta nadeshnyi Schmidt, 1904 [Japanese name: Urokome-garei]

Acanthopsetta nadeshnyi: Mori and Uchida, 1934; Okada and Matsubara, 1938; Mori, 1952; Honma, 1955d; Matsubara, 1955; Kato, 1956; Mori, 1956a, c; Honma, 1963; Ouchi, 1963; Takegawa and Morino, 1970; Honma and Kitami, 1978; Sakamoto, 1988; Tsuda, 1990; Nambu *et al.*, 1991, 1992; Lindberg and Fedorov, 1993; Nakabo, 1993b; Amaoka *et al.*, 1995; Sakamoto, 1997; Uozu Aquarium, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; Evseenko, 2004; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Acanthopsetta nadeshnyi [sic]: Katayama, 1952.

Acanthopsetta nadeshny [sic]: Ueno, 1971.

KT-10-08-R1 (2), KT-10-08-R2 (3), KT-10-08-T1 (1), SMBS uncatalogued (1).

****Atheresthes evermanni*** Jordan and Starks, 1904 [Japanese name: Abura-garei]

Atheresthes evermanni: Katayama, 1940; Honma, 1952; Kato, 1956; Honma, 1963; Ouchi, 1963; Ueno, 1971; Honma and Kitami, 1978; Sakamoto, 1988; Tsuda, 1990; Lindberg and Fedorov, 1993; Nakabo, 1993b; Amaoka *et al.*, 1995; Sakamoto, 1997; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Honma, 2013; Nakabo and Doiuchi, 2013.

Clidoderma asperrimum (Temminck and Schlegel, 1846) [Japanese name: Same-garei]

Clidoderma asperrimum: Snyder, 1912; Mori, 1928; Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Katayama, 1952; Kato, 1956; Mori, 1952, 1956a; Ueno, 1971; Tsuda, 1990; Lindberg and Fedorov, 1993; Sakamoto, 1997; Adrianov and Kussakin, 1998; Adrianov and Kussakin, 1998; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; Ivankova, 2007; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Dexistes rikuzenius Jordan and Starks, 1904 [Japanese name: Migi-garei]

Dexistes rikuzenius: Mori and Uchida, 1934; Mori, 1952; Honma, 1955c; Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma, 1963; Honma and Kitami, 1978; Honma and Kitami, 1978; Tsuda, 1990; Nambu *et al.*, 1991; Lindberg and Fedorov, 1993; Sakamoto, 1997; Uozu Aquarium, 1997; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Eopsetta grigorjewi (Herzenstein, 1890) [Japanese name: Mushi-garei]

Xystrias grigorjewi: Mori, 1928; Mori and Uchida, 1934; Katayama, 1940; Honma, 1952; Mori, 1952, 1956a.

Eopsetta grigorjewi: Honma, 1955b; Kato, 1956; Matsubara, 1963; Takegawa and Morino, 1970; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990; Nambu *et al.*, 1991; Lindberg and Fedorov, 1993; Nakabo, 1993b; Amaoka *et al.*, 1995; Sakamoto, 1997; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Eopsetta grigorjewi [sic]: Sokolovskaya *et al.*, 1998.

SMBS uncatalogued (1).

Glyptocephalus stelleri (Schmidt, 1904) [Japanese name: Hireguro]

Glyptocephalus sasæ: Snyder, 1912.

Microstomus hireguro: Tanaka, 1917.

Tanakius hireguro: Mori and Uchida, 1934.

Glyptocephalus stelleri: Katayama, 1940; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a, 1956c; Honma, 1963; Ouchi, 1963; Honma and

Kitami, 1970; Ueno, 1971; Ogata *et al.*, 1973; Honma, 1977; Honma and Kitami, 1978; Sakamoto, 1988; Tsuda, 1990; Nambu *et al.*, 1991, 1992; Nakabo, 1993b; Amaoka *et al.*, 1995; Sakamoto, 1997; Adrianov and Kussakin, 1998; Adrianov and Kussakin, 1998; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; ; Evseenko, 2004; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

KT-11-09-N3 (3), KT-11-09-T1 (1), TS09-T004 (1), TS09-T011 (1), TS09-T102 (5), TS09-T107 (7), SMBS uncatalogued (1).

Hippoglossoides dubius Schmidt, 1904 [Japanese name: Aka-garei]

Hippoglossoides katakuræ: Snyder, 1912.

Hippoglossoides dubius: Snyder, 1912; Mori and Uchida, 1934; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a, c; Honma, 1963; Ouchi, 1963; Takegawa and Morino, 1970; Ueno, 1971; Ogata *et al.*, 1973; Honma and Kitami, 1978; Sakamoto, 1988; Tsuda, 1990; Nambu *et al.*, 1991; Nambu *et al.*, 1992; Amaoka *et al.*, 1995; Sakamoto, 1997; Sokolovskaya *et al.*, 1998; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; ; Evseenko, 2004; Kitagawa *et al.*, 2008; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Cynopsetta dubia: Tanaka, 1913b; Katayama, 1952.

Hippoglossoides (Hippoglossoides) dubius: Lindberg and Fedorov, 1993; Adrianov and Kussakin, 1998.

SMBS uncatalogued (1).

Hippoglossoides elassodon Jordan and Gilbert, 1881 [Japanese name: Uma-garei]

Hippoglossoides elassodon: Kato, 1956; Mori, 1956a; Ueno, 1971; Tsuda, 1990; Nambu *et al.*, 1991; Amaoka *et al.*, 1995; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; Shinohara *et al.*, 2011; Nakabo and Doiuchi, 2013.

Hippoglossoides (Hippoglossoides) elassodon: Lindberg and Fedorov, 1993.

Hippoglossoides pinetorum (Jordan and Starks, 1904) [Japanese name: Sōhachi]

Cleisthenes herzensteini: Mori, 1928; Mori and Uchida, 1934; Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Mori, 1952, 1956a; Ueno, 1971; Voronina and Volkova, 2003.

Cleithenes pinetorum: Okada and Matsubara, 1938; Kato, 1956; Takegawa and Morino, 1970; Amaoka *et al.*, 1995; Voronina and Volkova, 2003.

Protopsetta herzensteini: Katayama, 1952.

Cleithenes pinetorum herzensteini: Matsubara, 1955; Kato, 1956; Honma, 1963; Ouchi, 1963; Honma and Kitami, 1978; Tsuda, 1990.

Hippoglossoides pinetorum: Nambu *et al.*, 1991; Sakamoto, 1997; Nakabo, 1993b, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Hippoglossoides (Cleithenes) herzensteini: Lindberg and Fedorov, 1993; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998.

TS09-T011 (1).

Hippoglossus stenolepis Schmidt, 1904 [Japanese name: Ohyō]

Hippoglossus stenolepis: Okada and Matsubara, 1938; Katayama, 1940; Honma, 1952; Kato, 1956; Ueno, 1971; Tsuda, 1990; Nakabo, 1993b; Sakamoto, 1997; Uozu Aquarium, 1997; Sokolovskaya *et al.*, 1998; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Hippoglossus hippoglossus stereolepis: Adrianov and Kussakin, 1998.

Microstomus achne (Jordan and Starks, 1904) [Japanese name: Baba-garei]

Microstomus achne: Okada and Matsubara, 1938; Honma, 1952; Mori, 1952; Matsubara, 1955; Kato, 1956; Mori, 1956a; Honma and Kitami, 1970; Ueno, 1971; Honma and Kitami, 1978; Honma and Kitami, 1978; Sakamoto, 1988; Tsuda, 1990; Lindberg and Fedorov, 1993; Nakabo, 1993b; Amaoka *et al.*, 1995; Sakamoto, 1997; Adrianov and Kussakin, 1998; Adrianov and Kussakin, 1998; Nakabo, 2000b; Suzuki *et al.*, 2000; Nakabo, 2002b; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Pleuronectes asper Pallas, 1814 [Japanese name: Kogane-garei]

Limanda asper: Tsuda, 1990; Voronina and Volkova, 2003.

Pleuronectes (Limanda) asper: Lindberg and Fedorov, 1993; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998.

Pleuronectes asper: Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Nakabo and Doiuchi, 2013.

Pleuronectes bilineatus (Ayres, 1855) [Japanese name: Shumushu-garei]

Lepidopsetta bilineata: Okada and Matsubara, 1938; Ouchi, 1963.

Pleuronectes bilineata: Honma, 1952; Matsubara, 1955.

Pleuronectes bilineatus: Sakamoto, 1988; Tsuda, 1990; Nambu *et al.*, 1991; Nakabo, 1993b; Amaoka *et al.*, 1995; Sakamoto, 1997; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Pleuronectes quadrifasciatus Pallas, 1814 [Japanese name: Tsuno-garei]

Pleuronectes quadrifasciatus: Sakamoto, 1988; Nambu *et al.*, 1991; Nakabo, 1993b; Sakamoto, 1997; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; Shinohara *et al.*, 2011; Honma, 2013; Nakabo and Doiuchi, 2013.

Pleuronectes pallasi: Tsuda, 1990.

Pleuronectes (Pleuronectes) quadrifasciatus: Lindberg and Fedorov, 1993; Adrianov and Kussakin, 1998.

***Pleuronectes sakhaliensis** (Hubbs, 1915) [Japanese name: Karafuto-garei]

Limanda korigarei: Ueno, 1971.

Pleuronectes sakhalensis: Nakabo and Doiuchi, 2013.

***Reinhardtius hippoglossoides** (Walbaum, 1792) [Japanese name: Karasu-garei]

Reinhardtius matsuurai: Kato, 1956.

Reinhardtius matsuurae: Mori, 1956a.

Reinhardtius hippoglossoides: Ueno, 1971; Sakamoto, 1988; Tsuda, 1990; Nakabo, 1993b; Nambu *et al.*, 1991; Amaoka *et al.*, 1995; Sakamoto, 1997; Nakabo, 2000b, 2002b; Maeda and Tsutsui, 2003; Kitagawa *et al.*, 2008; Honma, 2013; Nakabo and Doiuchi, 2013.

Reinhardtius hippoglossoides natsuurae: Lindberg and Fedorov, 1993.

Tanakius kitaharae (Jordan and Starks, 1904) [Japanese name: Yanagi-mushigarei]

Tanakius kitaharae: Katayama, 1940; Honma, 1952; Katayama, 1952; Mori, 1952; Matsubara, 1955; Lindberg and Fedorov, 1993; Nakabo and Doiuchi, 2013.

Tanakius kitaharae: Kato, 1956; Mori, 1956a; Ouchi, 1963; Honma and Kitami, 1970; Ueno, 1971; Honma and Kitami, 1978; Tsuda, 1990; Nambu *et al.*, 1991; Suzuki *et al.*, 2000; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; Shinohara *et al.*, 2011; Honma, 2013.

SMBS uncatalogued (1).

Verasper moseri Jordan and Gilbert, 1898 [Japanese name: Matsukawa]

Verasper moseri: Kato, 1956; Ueno, 1971; Sakamoto, 1988; Tsuda, 1990; Amaoka *et al.*, 1995; Sakamoto, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and

Tsutsui, 2003; Kitagawa *et al.*, 2008; Voronina and Volkova, 2003.

Verasper variegatus (Temminck and Schlegel, 1846) [Japanese name: Hoshi-garei]

Verasper variegatus: Kato, 1956; Ueno, 1971; Sakamoto, 1988; Tsuda, 1990; Sakamoto, 1997; Adrianov and Kussakin, 1998; Sokolovskaya *et al.*, 1998; Maeda and Tsutsui, 2003; Voronina and Volkova, 2003; Kitagawa *et al.*, 2008; Honma, 2013; Nakabo and Doiuchi, 2013.

Family Poecilopsettidae

Poecilopsetta plinthus (Jordan and Starks, 1904) [Japanese name: Kawara-garei]

Poecilopsetta plinthus: Honma and Mizusawa, 1966; Honma and Kitami, 1978; Sakamoto, 1988; Lindberg and Fedorov, 1993; Tsuda, 1990; Nambu *et al.*, 1991; Suzuki *et al.*, 2000; Voronina and Volkova, 2003; Shinohara *et al.*, 2011; Nakabo and Doiuchi, 2013.

Poecilopsetta pinthus [*sic*]: Honma, 2013.

Family Samaridae

****Samariscus latus*** Matsubara and Takamuki, 1951 [Japanese name: Tsumari-tsukinowa-garei]

Samariscus latus: Sakamoto, 1988, 1997; Nakabo and Doiuchi, 2013.

Family Cynoglossidae

****Cynoglossus ochiaii*** Yokogawa, Endo and Sakaji, 2008 [Japanese name: Oki-genko]

Cynoglossus ochiaii: Yamada and Yagishita, 2013.

****Sympodus orientalis*** (Bleeker, 1879) [Japanese name: Azuma-garei]

Sympodus orientalis: Okada and Matsubara, 1938; Yamada and Yagishita, 2013.

Order Tetraodontiformes

Family Triacanthodidae

****Macrorhamphosodes uradoi*** (Kamohara, 1933) [Japanese name: Fue-kawamuki]

Macrorhamphodes uradoi: Hayashi and Hagiwara, 2013.

Triacanthodes anomalus (Temminck and Schlegel, 1850) [Japanese name: Beni-kawamuki]

Triacanthodes anomalus anomalus: Honma and Mizusawa, 1966.

Triacanthodes anomalus: Katayama, 1940; Kato, 1956; Takegawa and Morino, 1970; Tsuda, 1990; Lindberg *et al.*, 1997; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Hayashi and Hagiwara, 2013; Honma, 2013.

Family Monacanthidae

Thamnaconus hypargyreus (Cope, 1871) [Japanese name: Sarasa-hagi]

Canthrrinus tessellatus: Honma, 1952.

Cantherines tessellatus: Mori, 1952.

Novodon tessellatus [*sic*]: Kato, 1956.

Navodon tessellatus: Honma and Kitami, 1970; Honma and Chiba, 1978; Honma and Kitami, 1978; Tsuda, 1990.

Thamnaconus hypargyreus: Suzuki *et al.*, 2000; Hayashi and Hagiwara, 2013; Honma, 2013.

TS09-T107 (2).

Family Ostraciidae

Kentrocapros aculeatus (Houttuyn, 1782) [Japanese name: Itomaki-fugu]

Kentrocapros aculeatus: Mori and Uchida, 1934; Kato, 1956; Mori, 1956a; Takegawa and Morino, 1970; Honma and Chiba, 1978; Tsuda, 1990; Lindberg *et al.*, 1997; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Shinohara *et al.*, 2011; Hayashi and Hagiwara, 2013; Honma, 2013.

Aracana aculeata: Katayama, 1940; Honma, 1952; Mori, 1952.

Family Triodontidae

Triodon macropterus Lesson, 1831 [Japanese name: Uchiwa-fugu]

Triodon bursarius: Katayama, 1940; Mori, 1952; Kato, 1956.

Triodon macropterus: Tsuda, 1990; Lindberg *et al.*, 1997; Uozu Aquarium, 1997; Nakabo and Doiuchi, 2013.

Family Tetraodontidae

Sphoeroides pachygaster (Müller and Troschel, 1848) [Japanese name: Yorito-fugu]

Liosaccus cutaneus [sic]: Matsubara, 1955.

Liosaccus cutaneus: Honma and Kitami, 1970; Honma *et al.*, 1972; Honma and Chiba, 1978; Honma and Kitami, 1978; Tsuda, 1990.

Liosarcus pachygaster: Honma, 1991a.

Sphoeroides pachygaster: Lindberg *et al.*, 1997; Uozu Aquarium, 1997; Suzuki *et al.*, 2000; Kobayashi *et al.*, 2006; Shinohara *et al.*, 2011; Honma, 2013; Yamada and Yagishita, 2013.

SMBS uncatalogued (1).

General Remarks

In summary, a total of 363 species in 104 families and 29 orders was included in our list. Compared to deep-sea fishes of Suruga Bay (Shinohara and Matsuura, 1997: 483 spp.), Tosa Bay (Shinohara *et al.*, 2001: 599 spp.), the Ryukyu Islands (Shinohara *et al.*, 2005: 644 spp.) and the Pacific coast off Tohoku District (Shinohara *et al.*, 2009: 496 spp.), the species diversity of deep-sea fishes is clearly lower in the Sea of Japan. Although the limited diversity of deep-sea fishes is possibly due to several factors, the extremely small number of oceanic deep-sea fishes has also contributed to the depauperate deep-sea fish fauna (*e.g.*, Shinohara *et al.*, 2011).

Our list revealed that relatively speciose families in the Sea of Japan are Cottidae (30 spp.), Zoarcidae (29 spp.), Liparidae (20 spp.), Pleuronectidae (19 spp.), Scorpaenidae (15 spp.), Agonidae (13 spp.) and Stichaeidae (12 spp.). The five most speciose families include about 30% of the entire species in the list. According to Shinohara and Matsuura (1997) and Shinohara *et al.* (2001, 2005, 2009), the Sea of Japan is thought to be unique in having the highest number of species in the Cottidae (30 vs. 9 in Pacific off Tohoku, 0 in Ryukyu Islands, 4 in Tosa Bay and 5 in Suruga Bay), Zoarcidae (29 vs. 20, 1, 4 and 2), Liparidae (20 vs. 14, 3, 2 and 3), Pleuronectidae (19 vs. 14, 8, 14 and 7) and Stichaeidae (12 vs. 5, 0, 1 and 2). The unique fauna of the Sea of Japan also includes 9 endemic species (Figs. 2, 4), *i.e.*, *Icelus toyamensis* (Cottidae), *Occella kuronumai* (Agonidae), *Careproctus acanthodes*, *C. entargyneus*, *C. entomelas* and *C. noto-saikaiensis* (Liparidae), *Krusensterniella maculata* and *Lycodes nishimurai* (Zoarcidae) and *Xenolumpenus longipterus* (Stichaeidae).

Acknowledgments

We express our thanks to captains and all officers and crews of the R/Vs *Soyo-maru* (FRA) and *Tansei-maru* (JAMSTEC), T/V *Tanshu-maru* (Kasumi High School), Ken Fujimoto, Takanobu Kinoshita, Kunihiro Fujiwara and Ikuko Yosho (FRA), Masanori Okanishi (Kyoto University), Junko Inoue and Kei Sakuma (the University of Tokyo) and Tsunemi Kubodera, Toshiaki Kuramochi and Toshihiko Fujita (NSMT) for their support in collecting specimens. Special thanks go to Satoshi Awata (Niigata University) for giving us an opportunity to examine SMBS specimens, Yoshiaki Kai (FAKU) for permission to use a color photograph of *Careproctus noto-saikaiensis* (Fig. 4A) and Kenta Suda (Okabe Co., Ltd) for literature on the hexanchnid sharks. Edward Murdy (George Washington University) kindly reviewed the manuscript.

References

- Adrianov, A. V. and O. G. Kussakin, 1998. A Check-list of Biota of the Peter the Great Bay, the Sea of Japan. 350 pp. Dalnauka, Vladivostok. (In Russian with English summary.)
- Aizawa, M., 1993. Pterothriidae, Sternopychidae, Lampridae, Veliferidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, pp. 155, 269–275, 431–432, 1247–1248, 1267–1268, 1284–1285. Tokai University Press, Tokyo. (In Japanese.)
- Aizawa, M., 1997. Sternopychidae. In: Okamura O. and K. Amaoka (eds.), *Sea Fishes of Japan*, p. 106. Yama-kei Publishers, Tokyo. (In Japanese.)
- Aizawa, M., 2000. Pterothriidae, Sternopychidae, Veliferidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, 2nd Edition, pp. 189, 311–317, 401, 1451, 1478, 1491. Tokai University Press, Tokyo. (In Japanese.)
- Aizawa, M., 2002. Pterothriidae, Sternopychidae, Veliferidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, English Edition, pp. 189, 311–317, 401, 1450, 1475–1476, 1488–1489. Tokai University Press, Tokyo.
- Aizawa M. and R. Doiuchi, 2013. Pterothriidae, Sternopychidae, Ateleopodidae, Lampridae, Veliferidae, Branchiostegidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, 3rd Edition, pp. 236, 374–380, 410–411, 474–475, 867–868, 1781, 1836–1838, 1845–1846, 1864, 1897. Tokai University Press, Hadano. (In Japanese.)
- Amaoka, K., 1988. Family Scorpaenidae (in part), family Citharidae, family Paralichthyidae, family Bothidae. In: Mauda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago*, 2nd Edition (English Text), pp. 309–328, 346–350. Tokai University Press, Tokyo.
- Amaoka, K., 1997. Trichodontidae, Bothidae. In: Okamura O. and K. Amaoka (eds.), *Sea Fishes of Japan*, pp. 548, 668–669. Yama-kei Publishers, Tokyo. (In Japanese.)
- Amaoka, K. and T. Kobayashi, 2003. Two large postlarvae of *Ateleopus japonicus* (Osteichthyes: Ateleopodiformes: Ateleopodidae) collected from Senzaki Bay and Hagi Bay, Yamaguchi, Japan. *Species Diversity*, **8**: 107–117.
- Amaoka, K., K. Nakaya and M. Yabe, 1995. The Fishes of Northern Japan. 390 pp. Kita-nihon Kaiyo Center, Sapporo. (In Japanese.)
- Anderson, M. E and V. V. Fedorov, 2004. Family Zoarcidae Swainson 1839 eelpouts. *California Academy of Sciences Annotated Checklists of Fishes*, (34): 1–58.
- Anderson, M. E., D. E. Stevenson and G. Shinohara, 2009. Systematic review of the genus *Bothrocara* Bean 1890 (Teleostei: Zoarcidae). *Ichthyological Research*, **56**: 172–194.
- Andriashov, A. P., 1938. Review of the genus *Krusensterniella* of the eelpout family [Krusensterniella Schmidt (Pisces: Zoarcidae)] with the description of a new species from the Sea of Japan. *Vestnik Dal'nevostocnogo Filiala Akademii Nauk SSSR*, **32**: 117–121. (In Russian.)
- Antonenko, D. V., P. V. Kalchugin, D. V. Izmyatinskii and L. N. Kim, 2003. On the occurrence of cold-water species of fish, rare for Peter the Great Bay (the Sea of Japan). *Journal of Ichthyology*, **43**: 50–53.
- Aonuma, Y., A. Yamaguchi, N. Yagishita and T. Yoshino, 2013. Mitsukurinidae, Triakididae, Carcarhinidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, 3rd Edition, pp. 155, 169–176, 1758, 1761–1762. Tokai University Press, Hadano. (In Japanese.)

- Asano, H., 1958. Studies on the conger eels of Japan. I. Description of two new subspecies referable to the genus *Alloconger*. *Dobutsugaku Zasshi*, **67**: 191–196. (In Japanese with English summary.)
- Asano, H., 1988. Family Congridae. In: Mauda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago, 2nd Edition (English Text)*, pp. 27–29. Tokai University Press, Tokyo.
- Balanov, A. A. and A. D. Kukhlevsky, 2011. Variation of coloration in *Lycodes yamatoi* Toyoshima, 1985 (Pisces: Zoarcidae) in the northern Sea of Japan. *Biologiya Morya*, **37**: 447–454. (In Russian with English abstract.)
- Balanov, A. A. and S. F. Solomatov, 2008. Species composition and distribution of Zoarcidae in the northern part of the Sea of Okhotsk from the data of trawl surveys. *Journal of Ichthyology*, **48**: 14–28.
- Balanov, A. A., D. V. Antonenko and D. V. Izmyatinsky, 2006. New records of rare fish species for Peter the Great Bay, Sea of Japan. *Russian Journal of Marine Biology*, **32**: 255–258.
- Balushkin, A. V. and V. P. Prirodina, 2008. Catalogue of specimens in the collection of the Zoological Institute, Russian Academy of Sciences. Osteichthyes, Gadiformes. *Explorations of the Fauna of the Seas*, **62**: 1–172. (In Russian with English summary.)
- Balushkin, A. V., B. A. Sheiko and V. V. Fedorov, 2011. Catalog of the archival collection of the Zoological Institute, Russian Academy of Sciences: Class Osteichthyes (bony fishes), order Perciformes, family Zoarcidae. *Journal of Ichthyology*, **51**: 950–1034.
- Burke, V., 1930. Revision of the fishes of the family Liparidae. *United States National Museum Bulletin*, **150**: i–xii + 1–204.
- Chernova, N. V., 1998. Catalogue of the type specimens of snailfish (Liparidae, Scorpaeiformes) in the Zoological Institute of the Russian Academy of Sciences. *Journal of Ichthyology*, **38**: 730–746.
- Chernova, N. V., D. L. Stein and A. P. Andriashev, 2004. Family Liparidae Scopoli 1777 snailfishes. *California Academy of Sciences Annotated Checklists of Fishes*, (31): 1–72.
- Cuvier, G. and A. Valenciennes, 1828. Histoire naturelle des poissons. Tome second. Livre Troisième. *Des poissons de la famille des perches, ou des percoïdes*, **2**: i–xxi + 1–2 + 1–490, pls. 9–40.
- Endo, H., 1997. Gadidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan*, pp. 132–133. Yama-kei Publishers, Tokyo. (In Japanese.)
- Evseenko, S. A., 2004. Family Pleuronectidae Cuvier 1816 righteye flounders. *California Academy of Sciences Annotated Checklists of Fishes*, (37): 1–37.
- Dolganov, V. N., 1985. New species of skates of the family Rajidae from the northwestern Pacific Ocean. *Voprosy Ikhtiologi, 25*: 415–425. (In Russian.)
- Fowler, H. W., 1943 Contributions to the biology of the Philippine Archipelago and adjacent regions. Descriptions and figures of new fishes obtained in Philippine seas and adjacent waters by the United States Bureau of Fisheries Steamer "Albatross." *Smithsonian Institution United States National Museum Bulletin* **100**, **14** (pt 2): i–iii + 53–91.
- Fowler, H. W., 1958. A synopsis of the fishes of China. Part VIII. The blennioid and related fishes. *Quarterly Journal of the Taiwan Museum (Taipei)*, **11**: 147–339.
- Freeman, H. W., 1951. Two new agonid fishes from the Sea of Japan. *Stanford Ichthyological Bulletin*, **4**: 22–26.
- Fujii, E., 1988. Family Gonostomatidae, order Lampriformes. In: Mauda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago, 2nd Edition (English Text)*, pp. 44–47, 116–117. Tokai University Press, Tokyo.
- Gilbert, C. H. and C. V. Burke, 1912. New cyclogasterid fishes from Japan. *Proceedings of the United States National Museum*, **42**: 351–380, pls. 41–48.
- Gorbarenko, S. A. and J. R. Southon, 2000. Detailed Japan Sea paleoceanography during the last 25 kyr: Constraints from AMS dating and $\delta^{18}\text{O}$ of planktonic foraminifera. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **156**: 177–193.
- Hatooka, K., 1993. Congridae, Argentinidae, Percichthyidae, Bramidae, Emmelichthyidae, Zoarcidae, Stichaeidae, Cryptacanthodidae, Trichodontidae. In: Nakabo, T. (ed.): *Fishes of Japan with Pictorial Keys to the Species*, pp. 186–192, 241–242, 594–599, 710–713, 715, 898–913, 915–923, 930, 1254, 1263, 1305, 1321–1322, 1343–1347. Tokai University Press, Tokyo. (In Japanese.)
- Hatooka, K., 2000. Argentinidae, Polyprionidae, Acropomatidae, Bramidae, Caristiidae, Emmelichthyidae, Zoarcidae, Stichaeidae, Cryptacanthodidae, Trichodontidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species 2nd Edition*, pp. 283, 684–687, 813–818, 1028–1044, 1046–1054, 1058, 1472, 1538, 1559–1560, 1590–1595. Tokai University Press, Tokyo. (In Japanese.)
- Hatooka, K., 2002. Argentinidae, Polyprionidae, Acropomatidae, Bramidae, Caristiidae, Emmelichthyidae, Zoarcidae,

- Stichaeidae, Cryptacanthodidae, Trichodontidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, English Edition*, pp. 283, 684–687, 813–818, 1028–1044, 1046–1054, 1058, 1470, 1531–1532, 1551–1553, 1581–1585. Tokai University Press, Tokyo.
- Hatooka, K., 2013. Synaphobranchidae, Ophichthidae, Congridae, Argentinidae, Acropomatidae, Banjosidae, Caristiidae, Tricodontidae, Zoarcidae, Stichaeidae, Cryptacanthodidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 262–277, 279–287, 343, 750–753, 819, 910, 1156, 1220–1237, 1239–1252, 1792–1806, 1826, 1958–1959, 1976–1977, 1999–2000, 2060, 2076–2086. Tokai University Press, Hadano. (In Japanese.)
- Hatooka, K. and K. Hagiwara, 2013. Emmelichthyidae, Champsodontidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 911–912, 1272–1273, 2000–2001, 2094. Tokai University Press, Hadano. (In Japanese.)
- Hatooka, K. and U. Yamada, 1993. Rajidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, pp. 132–140, 1244. Tokai University Press, Tokyo. (In Japanese.)
- Hatooka, K., U. Yamada and M. Aizawa 2000. Rajidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 2nd Edition*, pp. 164–174, 1446–1448. Tokai University Press, Tokyo. (In Japanese.)
- Hatooka, K., U. Yamada and M. Aizawa, 2002. Rajidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, English Edition*, pp. 164–174, 1446–1447. Tokai University Press, Tokyo.
- Hatooka, K. and Y. Kai, 2013. Polypriionidae, Bramidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 749, 905–909, 1958, 1998–1999. Tokai University Press, Hadano. (In Japanese.)
- Hatooka, K. and N. Yagishita, 2013. Pentacerotidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 1016–1017, 2029. Tokai University Press, Hadano. (In Japanese.)
- Hatooka, K., N. Yagishita and A. Yamaguchi, 2013a. Hexanchidae, Pristiophoridae, Somniosidae, Torpedinidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 180, 186–187, 198, 203, 1763, 1765, 1768, 1770–1771. Tokai University Press, Hadano. (In Japanese.)
- Hatooka, K., U. Yamada, M. Aizawa, A. Yamaguchi and N. Yagishita, 2013b. Rajidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 205–216, 1771–1773. Tokai University Press, Hadano. (In Japanese.)
- Hatooka, K., A. Yamaguchi and N. Yagishita, 2013c. Squalidae, Squatinidae, Rhinobatidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 194–197, 201, 1767–1770. Tokai University Press, Hadano. (In Japanese.)
- Hayashi, M., 1993. Lophotidae, Trachipteridae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, pp. 433–436, 1285. Tokai University Press, Tokyo. (In Japanese.)
- Hayashi, M., 2000. Lophotidae, Trachipteridae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 2nd Edition*, pp. 403–406, 1942. Tokai University Press, Tokyo. (In Japanese.)
- Hayashi, M., 2002. Lophotidae, Trachipteridae, Priacanthidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, English Edition*, pp. 403–406, 746–749, 1489, 1543. Tokai University Press, Tokyo.
- Hayashi, M., 2013. Lophotidae, Regalecidae, Berycidae, Priacanthidae, Scombridae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 476, 480, 577–578, 822–825, 1864–1866, 1897, 1978–1979, 1988–1989. Tokai University Press, Hadano. (In Japanese.)
- Hayashi, M. and H. Senou, 2013. Trachipteridae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 477–479, 1865–1866. Tokai University Press, Hadano. (In Japanese.)
- Hayashi, M. and K. Hagiwara, 2013. Sparidae, Glaukosomatidae, Triacanthidae, Monacanthidae, Aracanidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 985, 1699–1701, 1712–1722, 2021, 2234–2238. Tokai University Press, Hadano. (In Japanese.)
- Hikita, T., 1950. Hokusei-maru Sokobiki Chousa no sai Saishu seru Gyorui Sonota (Fishes and Others Collected by Bottom Trawls of Hokusei-maru). *Hokubu Nihonkai Shinkai Gyoden Houkoku*, (1950): 111–112. (In Japanese.)
- Hilgendorf, F. M., 1880. Uebersicht über die japanischen *Sebastes*-Arten. *Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin*, **1880**: 166–172.
- Honma, Y., 1952. A list of the fishes collected in the Province of Echigo, including Sado Island. *Japanese Journal of Ichthyology*, **2–3**: 138–145, 220–229. (In Japanese with English summary.)
- Honma, Y., 1954. On the rare bottom-fishes found in the vicinity of Province Echigo and Sado Island of the Japan Sea. I. *Journal of the Faculty of Science, Niigata University, Series II*, **2**: 5–9.
- Honma, Y., 1955a. On the rare bottom-fishes found in the vicinity of Province Echigo and Sado Island of the Japan Sea. II. *Journal of the Faculty of Science, Niigata University, Series II*, **2**: 45–48.

- Honma, Y., 1955b. A list of the fishes found in the vicinity of Sado Marine Biological Station. *Journal of the Faculty of Science, Niigata University Series II*, **2**: 49–60.
- Honma, Y., 1955c. Further additions to "A list of the fishes collected in the Province of Echigo, including Sado Island" (I). *Japanese Journal of Ichthyology*, **4**: 212–217. (In Japanese with English summary.)
- Honma, Y., 1955d. Further additions to "A list of the fishes collected in the Province of Echigo, including Sado Island" (II). *Japanese Journal of Ichthyology*, **4**: 218–222. (In Japanese with English summary.)
- Honma, Y., 1955e. Further additions to "A list of the fishes collected in the Province of Echigo, including Sado Island" (III). *Japanese Journal of Ichthyology*, **4**: 223–228. (In Japanese with English summary.)
- Honma, Y., 1956a. Further additions to "A list of the fishes collected in the Province of Echigo, including Sado Island" (IV). *Japanese Journal of Ichthyology*, **5**: 59–60.
- Honma, Y., 1956b. A list of the fishes found in the vicinity of Sado Marine Biological Station. II. *Journal of the Faculty of Science, Niigata University, Series II*, **2**: 79–87.
- Honma, Y., 1957a. On the rare bottom-fishes found in the vicinity of Province Echigo and Sado Island of the Japan Sea. III. *Journal of the Faculty of Science, Niigata University, Series II Biology, Geology and Mineralogy*, **2**: 103–109.
- Honma, Y., 1957b. A list of the fishes found in the vicinity of Sado Marine Biological Station. III. *Journal of the Faculty of Science, Niigata University, Series II Biology, Geology and Mineralogy*, **2**: 111–116.
- Honma, Y., 1962. Further additions to "A list of the fishes collected in the Province of Echigo, including Sado Island" (VII). *Japanese Journal of Ichthyology*, **9**: 127–134. (In Japanese with English summary.)
- Honma, Y., 1963. Fish-fauna (Agnatha, Chondrichthyes, Osteichthyes) of Sado Island, Sea of Japan. *Publications from the Sado Museum*, (5): 12–32.
- Honma, Y., 1968. A preliminary list of some marine animals from the seashore of Niigata City, faced on the Japan Sea. *Science Reports of Niigata University, Series D (Biology)*, (5): 25–45.
- Honma, Y., 1973. A record of the young King-of-Herring, *Trachipterus iris*, from Tsuruga Bay, the Japan Sea. *Annual Report of the Sado Marine Biological Station, Niigata University*, (3): 1–10.
- Honma, Y., 1977. A list of the fishes obtained from Sado Strait, whose specimens are deposited in the Matsugasaki Middle School, Sado Island of the Japan Sea. *Niigataken Seibutsu Kyouiku Kenkyukaishi*, (12): 31–38. (In Japanese with English abstract.)
- Honma, Y., 1987. Nihonkai no Naritachi kara Saguru Gyoruiso no Tokucho (Characteristics of ichthyofauna, explored by the Japan Sea formation). *Proceedings of the Japanese Society of Systematic Zoology*, (36): 65–66. (In Japanese.)
- Honma, Y., 1991a. A list of fishes found in the Vicinity of Sado Marine Biological Station–VII. *Report of the Sado Marine Biological Station, Niigata University*, (21): 11–35.
- Honma, Y., 1991b. Honpō ni okeru Ryūgūnohime no Saihokiroku. *Niigataken Seibutsu Kyouiku Kenkyukaishi*, **26**: 23–25. (In Japanese.)
- Honma, Y., 1995. Further additions to "A list of the fishes collected in the Province of Echigo including Sado Island" (XIII). *UO*, (43): 11–28.
- Honma, Y., 2013. The revised list of the fishes of Niigata Prefecture, Sea of Japan. *Kashiwazaki City Museum*, (27): 65–106. (In Japanese with English abstract.)
- Honma, Y., A. Aoyagi, H. Itano, Y. Nakamura, K. Minowa, T. Kitami and H. Yabe, 1997. Further additions to "A list of the fishes collected in the Province of Echigo including Sado Island" (XIV). *Kashiwazaki City Museum*, (11): 95–112. (In Japanese with English abstract.)
- Honma, Y. and A. Chiba, 1978. A revised list of the plectognath fishes (order Tetraodontiformes) from the waters adjacent to Niigata and Sado Island in the Japan Sea. *Niigataken Seibutsukyouiku Kenkyukaishi*, (13): 41–49. (In Japanese.)
- Honma, Y. and T. Kitami, 1967. A list of the fishes found in the Vicinity of Sado Marine Biological Station IV. *Science Reports of Niigata University, Series D (Biology)*, **4**: 59–74.
- Honma, Y. and T. Kitami, 1970. A list of fishes found in the Vicinity of Sado Marine Biological Station–V. *Science Reports of Niigata University, Series D (Biology)*, (7): 63–86.
- Honma, Y. and T. Kitami, 1978. Fauna and flora in the waters adjacent to the Sado Marine Biological Station, Niigata University. *Report of the Sado Marine Biological Station*, (8): 7–81.
- Honma, Y. and T. Kitami, 1980. A list of the fishes found in the Vicinity of Sado Marine Biological Station–VI. *Annual Report of the Sado Marine Biological Station, Niigata University*, (10): 27–48.
- Honma, Y. and T. Kitami, 1995. Fauna and flora in the waters adjacent to the Sado Marine Biological Station, Niigata University: Supplement 2. *Report of the Sado Marine Biological Station, Niigata University*, (25): 13–30.
- Honma, Y., K. Minowa, Y. Nakamura and A. Aoyagi, 2011. A revision of the stranding and netting records of the large

- sharks in and off the coast of Niigata (the Province of Echigo) and Sado Island, Sea of Japan. *Kashiwazaki City Museum*, (25): 103–108. (In Japanese with English abstract.)
- Honma, Y. and R. Mizusawa, 1966. Futher additions to "A List of the Fishes collected in the Province of Echigo, including Sado Island" (VIII). *Japanese Journal of Ichthyology*, **14**: 53–61. (In Japanese with English summary.)
- Honma, Y. and R. Mizusawa, 1981. Itoigawa Kaigan ni Hyouchakushita Akanamada (Shinkotsurui, Kyutairui)—Sumi no Toshutsu wo Megutte (A specimen of Crestfish washed ashore from Itoigawa Beach with comments on the spurt of ink). *Niigataken Seibusutsukyōzai Kenkyūkaishi*, (16): 21–28. (In Japanese.)
- Honma, Y., R. Mizusawa and M. Okiyama, 1972. Further additions to "A List of Fishes collected in the Province of Echigo, including Sado Island" (IX). *Bulletin of the Biogeographical Society of Japan*, **28**: 47–57.
- Honma, Y., R. Mizusawa, S. Suzuki and N. Okada, 1984. Further additions to "A list of the fishes collected in the Province of Echigo, including Sado Island" (XI). *UO*, (34): 1–36. (In Japanese with English abstract.)
- Honma, Y. and Y. Nakamura, 2010. The first record of a bluntnose sixgill shark *Hexanchus griseus* caught off the coast of Itoigawa, Niigata Prefecture, Sea of Japan. *Report of Japanese Society for Elasmobranch Studies*, (46): 28–30. (In Japanese.)
- Honma, Y., Y. Nakamura, A. Aoyagi, T. Nomura, T. Yamaura, Y. Yasunaga, S. Ito and K. Minowa, 2012. Further additions to "A list of the fishes collected in the Province of Echigo including Sado Island" (XIX). *Kashiwazaki City Museum*, (26): 65–80. (In Japanese with English abstract.)
- Honma, Y., Y. Nakamura, A. Aoyagi, T. Shoji, R. Honma and N. Inoue, 2008. Further additions to "A list of the fishes collected in the Province of Echigo including Sado Island" (XVIII). *Kashiwazaki City Museum*, (22): 65–74. (In Japanese with English abstract.)
- Honma, Y., Y. Nakamura, H. Takeshima, K. Minowa and S. Matsumoto, 2000. Further additions to "A list of the fishes collected in the Province of Echigo including Sado Island" (XV). *Kashiwazaki City Museum*, (14): 51–60. (In Japanese with English abstract.)
- Honma, Y., Y. Nakamura, N. Tsuruta, N. Inoue and R. Honma, 2002. Further additions to "A list of the fishes collected in the Province of Echigo including Sado Island" (XVI). *Kashiwazaki City Museum*, (16): 87–98. (In Japanese with English abstract.)
- Honma, Y., M. Sato and R. Mizusawa, 1990. Further additions to "A list of the fishes collected in the Province of Echigo including Sado Island" (XII). *UO*, (39): 15–30. (In Japanese with English abstract.)
- Horikawa, H., 1997. Argentinidae. In: Okamura O. and K. Amaoka (eds.), *Sea Fishes of Japan*, p. 96. Yama-kei Publishers, Tokyo. (In Japanese.)
- Ishida, M., 1997. Scorpaenidae. In: Okamura O. and K. Amaoka (eds.), *Sea Fishes of Japan*, pp. 189–209. Yama-kei Publishers, Tokyo. (In Japanese.)
- Ishiyama, R., 1967. Fauna Japonica Rajidae (Pisces). vi + 82 pp., 32 pls. Tokyo Electrical Engineering College Press, Tokyo.
- Itaki, T., K. Ikebara, I. Motoyama and S. Hasegawa, 2004. Abrupt ventilation changes in the Japan Sea over the last 30 ky: Evidence from deep-dwelling radiolarians. *Palaeography, Palaeoclimatology, Palaeoecology*, **208**: 263–278.
- Jordan, D. S. and C. L. Hubbs, 1925. Record of fishes obtained by David Starr Jordan in Japan, 1922. *Memoirs of the Carnegie Museum*, **10**: 93–346, pls. 5–12.
- Jordan, D. S. and J. O. Snyder, 1902. A review of the blennoid fishes of Japan. *Proceedings of the United States National Museum*, **25**: 441–504.
- Kai, Y. and T. Nakabo, 2009. Taxonomic review of the genus *Cottiusculus* (Cottoidei: Cottidae) with description of a new species from the Sea of Japan. *Ichthyological Research*, **56**: 213–226.
- Kai, Y., S. Ikeguchi and T. Nakabo, 2011. A new species of the genus *Careproctus* (Liparidae) from the Sea of Japan. *Ichthyological Research*, **58**: 350–354.
- Kamohara, T., 1942. Yamaguchi-ken Hagi-shi karano Tengunotachi (Unicorn Crestfish collected from Hagi City, Yamaguchi Prefecture). *Botany and Zoology Theoretical and Applied*, **10**: 683–684. (In Japanese.)
- Kanayama, T., 1991. Taxonomy and phylogeny of the family Agonidae (Pisces: Scorpaeniformes). *Memoirs of the Faculty of Fisheries, Hokkaido University*, **38**: 1–199.
- Kanayama, T., 1997. Agonidae. In: Okamura O. and K. Amaoka (eds.), *Sea Fishes of Japan*. pp. 238–240. Yama-kei Publishers, Tokyo. (In Japanese.)
- Kanayama, T. and D. Kitagawa, 1983. Iwate no Gyorui II. Soi, Menuke-rui (Fishes of Iwate II. Rockfishes). *Iwate-suishi Gyokan*, **57**: 1–47. (In Japanese.)
- Kanayama, T. and S. Maruyama, 1979. Agonid fishes, *Anoplagonus occidentalis* and *Bothragonus occidentalis*, from Japanese waters. *Japanese Journal of Ichthyology*, **25**: 278–282.

- Katayama, M., 1940. A catalogue of the fishes of Toyama Bay. *Toyama Hakubutsu Gakkaishi*, (3): 1–28. (In Japanese.)
- Katayama, M., 1941. A new ophidioid fish from Toyama Bay. *Dobutsugaku Zasshi*, **53**: 593–594.
- Katayama, M., 1943. On two new ophidioid fishes from Japan Sea. *Annotationes Zoologicae Japonenses*, **22**: 101–104.
- Katayama, M., 1949. On the fishes of Zoarcidae found in Japan Sea. *Collecting and Breeding*, **11**: 73–78. (In Japanese.)
- Katayama, M., 1952. Record of the fishes of northern Japan obtained off Tajima. *Yamaguchi Daigaku Kyouiku Gakubu Kenkyu Ronsou*, **2**: 1–7. (In Japanese with English summary.)
- Katayama, M., 1960. Fauna Japonica Serranidae (Pisces). viii + 186 pp + 86 pls. Tokyo News Service, Tokyo.
- Kato, G., 1956. Nihonkai Kaisan Gyorui Mokuroku (A List of Marine Fishes of the Sea of Japan). *Bulletin of the Japan Sea Regional Fisheries Research Laboratory*, (4): 310–331 + table 1. (In Japanese.)
- Kawase, H. and Y. Kai, 2012. Fishes collected from Wakasa Bay, Japan. *Journal of Natural History Museum and Institute, Chiba*, **12**: 37–42. (In Japanese with English abstract.)
- Kobayashi, T., S. Hori, H. Doi and M. Kawano, 2006. Noteworthy phenomena on the marine organisms in the coastal region of Yamaguchi Prefecture, southeastern Japan Sea. *Bulletin of Yamaguchi Prefectural Fisheries Research Center*, (4): 19–56. (In Japanese with English abstract.)
- Kido, K., 1988a. Phylogeny of the family Liparidae, with the taxonomy of the species found around Japan. *Memoirs of the Faculty of Fisheries, Hokkaido University*, **35**: 125–256.
- Kido, K., 1988b. Family Cyclopreidae, family Liparidae. In: Mauda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago, 2nd Edition (English Text)*, pp. 336–341. Tokai University Press, Tokyo.
- Kido, K., 1997. Cyclopteridae, Liparidae, In: Okamura O. and K. Amaoka (eds.), *Sea Fishes of Japan*, pp. 242–245. Yama-kei Publishers, Tokyo. (In Japanese.)
- Kido, K. and G. Shinohara, 1996. *Pelagocyclops vitiazi* Lindberg & Legeza, 1955, a junior synonym of *Aptocyclus ventricosus* (Pallas, 1769) (Scorpaeniformes: Cyclopteridae). *Ichthyological Research*, **43**: 175–177.
- Kishinouye, K., 1904a. Nigisu. *Dobutsugaku Zasshi*, **16**: 110. (In Japanese.)
- Kishinouye, K., 1904b. Futatabi Nigisu ni Tsuite (The Nigisu again). *Dobutsugaku Zasshi*, **16**: 197–198. (In Japanese.)
- Kitagawa, D., H. Imamura, T. Goto, Y. Ishito, K. Fujiwara and Y. Ueda, 2008. Field Guide of the Fishes from the Tohoku District, North-eastern Waters of Japan. xvii + 140 pp. Tokai University Press, Hadano.
- Kobayashi, T., S. Hori, H. Doi and M. Kawano, 2006. Noteworthy phenomena on the marine organisms in the coastal region of Yamaguchi Prefecture, southwestern Japan Sea. *Bulletin of Yamaguchi Prefectural Fisheries Research Center*, (4): 19–56. (In Japanese with English abstract.)
- Koyanagi, M., 1997. Zoarcidae. In: Okamura O. and K. Amaoka (eds.), *Sea Fishes of Japan*, pp. 536–538. Yama-kei Publishers, Tokyo. (In Japanese.)
- Lindberg G. U. and V. V. Fedorov, 1993. Fishes of the Sea of Japan and the Adjacent Areas of the Sea of Okhotsk and the Yellow Sea, Part 6: Teleostomi Osteichthyes Actinopterygii XXXI. Pleuronectiformes (CXXV. Fam. Psettidae—Fam. Cynoglossidae). 272 pp. Nauka, Saint Petersburg. (In Russian.)
- Lindberg, G. U. and Z. V. Krasyukova, 1969. Fishes of the Sea of Japan and the Adjacent Areas of the Sea of Okhotsk and the Yellow Sea, Part 3: Percoidei (XC. Serranidae—CXLIV. Champsodontidae). 480 pp. Nauka SSSR, Leningrad. (In Russian.)
- Lindberg G. U. and M. I. Legeza, 1959. Fishes of the Sea of Japan and the Adjacent Areas of the Sea of Okhotsk and the Yellow Sea, Part 1: Amphiobi Petromyzones Myxini Elasmobranchii Holocephali. 208 pp. Izdatel'stvo Akademii Nauk SSSR, Moscow. (In Russian.)
- Lindberg G. U. and M. I. Legeza, 1965. Fishes of the Sea of Japan and the Adjacent Areas of the Sea of Okhotsk and the Yellow Sea, Part 2: Teleostomi XII. Acipenseriformes—XXVIII. Polynemiformes. 392 pp. Izdatel'stvo Akademii Nauk SSSR, Moscow. (In Russian.)
- Lindberg, G. U. and Z. V. Krasyukova, 1975. Fishes of the Sea of Japan and the Adjacent Areas of the Sea of Okhotsk and the Yellow Sea, Part 4: Teleostomi XXIX. Perciformes 2. Blennioidei—13. Gobioidei (CXLV. Fam. Anarhichidae—CLXXV. Fam. Periophthamidae). 463 pp. Nauka SSSR, Leningrad. (In Russian.)
- Lindberg, G. U. and Z. V. Krasyukova, 1987. Fishes of the Sea of Japan and the Adjacent Areas of the Sea of Okhotsk and the Yellow Sea, Part 5: Scorpaeniformes. 526 pp. Nauka SSSR, Leningrad. (In Russian.)
- Lindberg G. U., V. V. Fedorov and Z. V. Krasyukova, 1997. Fishes of the Sea of Japan and the Adjacent Areas of the Sea of Okhotsk and the Yellow Sea, Part 7: Teleostomi Osteichthyes. Actinopterygii. XXXII. Dactylopteriformes—XXXVII. (CCII. Fam. Dactylopteridae—CCXIX. Fam. Pegasidae). 350 pp. Hydrometeoizdat, Saint Petersburg. (In Russian.)
- Masuda, H., C. Araga and T. Yoshino, 1975. Coastal fishes of southern Japan. 378 pp. Tokai University Press, Tokyo. (In

- Japanese and English.)
- Machida, Y., 1988. Family Ophidiidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago, 2nd Edition (English Text)*, pp. 99–101. Tokai University Press, Tokyo.
- Machida, Y., T. Yamakawa and J. Naito, 1991. Notes on the snailfish *Liparis tanakae* (Liparidae) in the Sato Inland Sea and the adjacent waters. *Japanese Journal of Benthology*, (40): 1–10. (In Japanese with English abstract.)
- Maeda, K. and D. Tsutsui, 2003. A list of fishes from Hokkaido. In: Ueda, K., K. Maeda, H. Shimada and T. Takami (eds.), *Fisheries and Aquatic Life in Hokkaido*, pp. 481–504. Hokkaido Shinbunsha, Sapporo. (In Japanese.)
- Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), 1988. The Fishes of the Japanese Archipelago, 2nd Edition (English Text). xx + 466 pp. Tokai University Press, Tokyo.
- Masuda, S., T. Ozawa and O. Tabeta, 1986. *Bregmaceros neonectabenus*, a new species of the family Bregrmacerotidae, Gadiformes. *Japanese Journal of Ichthyology*, 32: 392–399.
- Matsubara, K., 1943a. Ichthyological annotations from the depth of the sea of Japan, I–VII. *Journal of the Shigenkagaku Kenkyusyo*, 1: 37–81, pl. 1.
- Matsubara, K., 1943b. Studies on the scorpaenoid fishes of Japan (II). *Transactions Sigenkagaku Kenkyusyo*, (2): 171–486, pls. 1–4.
- Matsubara, K., 1955. Fish Morphology and Hierarchy, Parts I–III. Ishizaki Shoten, Tokyo. (In Japanese.)
- Matsubara, K. and Y. Hiyama, 1932. A review of Triglidae, a family of mail-cheeked fishes, found in the waters around Japan. *Journal of the Imperial Fisheries Institute*, 28: 3–67.
- Matsubara, K. and T. Iwai, 1951a. A new cottiid fish found in Toyama Bay. *Miscellaneous Reports of the Institute for Natural Resources*, (19–21): 86–93.
- Matsubara, K. and T. Iwai, 1951b. *Lycodes japonicus*, a new ophidioid fish from Toyama Bay. *Japanese Journal of Ichthyology*, 1: 368–375.
- Matsubara, K. and T. Iwai, 1954. Some remarks on the family Liparidae, with descriptions of three new species and two interesting ones of the genus *Liparis*. *Reports of the Faculty of Fisheries, Prefectural University of Mie*, 1: 425–441.
- Matsubara, K. and A. Ochiai, 1950. Studies on Hoplichthyidae, a family of mail-cheeked fishes, found in Japan and its adjacent waters III. *Japanese Journal of Ichthyology*, 1: 145–156. (In Japanese with English summary.)
- Matsubara, K. and A. Ochiai, 1952. Two new blennioid fishes from Japan. *Japanese Journal of Ichthyology*, 2: 206–213.
- Matsuura, K., G. Shinohara and M. Nakae, 2009. Historical fish specimens collected from the Tohoku District by the Saito Ho-on Kai Museum of Natural History. *Bulletin of the National Museum of Nature and Science, Series A (Zoology)*, 35: 9–54.
- McCosker, J. E., S. Ide and H. Endo, 2012. Three new species of ophichthid eels (Anguilliformes: Ophichthidae) from Japan. *Bulletin of the National Museum of Nature and Science, Series A (Zoology)* Supplement 6: 1–16.
- Mecklenburg, C. W., 2003. Family Hemitripteridae Gill 1872 sea ravens or sailfin sculpins. *California Academy of Sciences Annotated Checklists of Fishes*, (5): 1–6.
- Mecklenburg, C. W. and B. A. Sheiko, 2004. Family Stichaeidae Gill 1864 pricklebacks. *California Academy of Sciences Annotated Checklists of Fishes*, (35): 1–36.
- Miki, T., 1997. Stichaeidae. In: Okamura, O. and K. Amaoka (eds.), *Sea Fishes of Japan*, pp. 539–545. Yama-kei Publishers, Tokyo. (In Japanese.)
- Mochizuki, K., 1997. Percichthyidae. In: Okamura O. and K. Amaoka (eds.), *Sea Fishes of Japan*, p. 249. Yama-kei Publishers, Tokyo. (In Japanese.)
- Mori, T., 1928. A catalogue of the fishes of Korea. *Journal of the Pan-Pacific Research Institution*, 3: 3–8.
- Mori, T., 1952. Check list of the fishes of Korea. *Memoirs of the Hyogo University of Agriculture*, 1: i + 1–228.
- Mori, T., 1955. On the two new deep-sea fishes found off Kyogasaki, Kyoto Prefecture, the southern Japan Sea. *Science Report of the Hyogo University of Agriculture*, 2: 1–4.
- Mori, T., 1956a. Fishes of San-in District including Oki Islands and its adjacent waters (southern Japan Sea). *Memoirs of the Hyogo University of Agriculture*, Biological Series No. 2, 2: 1–62. (In Japanese.)
- Mori, T., 1956b. Note on a rare fish *Regalecus ressellii* (Shaw), Regalecidae, from southern Japan Sea. *Science Reports of the Hyogo University of Agriculture*, 2: 33–36. (In Japanese with English summary.)
- Mori, T., 1956c. On the bottom-fishes of the Yamato Bank in the central Japan Sea, with description of two new species. *Science Reports of the Hyogo University of Agriculture*, 2: 29–32.
- Mori, T., 1956d. Description of three new species of fishes from Oki Island in the southern Japan Sea. *Japanese Journal of Ichthyology*, 5: 15–18.
- Mori, T. and K. Uchida, 1934. Hotei Chousensan Gyorui Mokuroku (Revised and expanded edition of check list of the

- fishes of Korea). *Chosen Hakubutsugaku Zasshi*, (19): 1–23. (In Japanese.)
- Murai, T., T. Nakabo and T. Kinosita, 1994. A record of the cottid fish, *Icelus stenosomus* from southern Sea of Japan. *Japanese Journal of Ichthyology*, **41**: 343–346.
- Nakabo, T. (ed.), 1993a. Fishes of Japan with Pictorial Keys to the Species. xxxiv + 1474 pp. Tokai University Press, Tokyo. (In Japanese.)
- Nakabo, T., 1993b. Myctophidae, Gadidae, Bregmacerotidae, Macrouridae, Ophidiidae, Ceratidae, Scorpaenidae, Ereuniidae, Hemitripteridae, Cottidae, Psychrolutidae, Agonidae, Cyclopteridae, Liparidae, Centrolophidae, Nomeidae, Ariommataidae, Tetragonuridae, Citharidae, Paralichthyidae, Bothidae, Pleuronectidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, pp. 324–344, 350–378, 399, 491–518, 546–590, 1151, 1153–1157, 1162–1185, 1234–1277, 1280, 1295–1298, 1300–1304, 1371–1374. Tokai University Press, Tokyo. (In Japanese.)
- Nakabo, T. (ed.), 2000a. Fishes of Japan with Pictorial Keys to the Species, 2nd Edition. lvi + 1748 pp. Tokai University Press, Tokyo. (In Japanese.)
- Nakabo, T. 2000b. Myctophidae, Gadidae, Macrouridae, Ophidiidae, Ceratidae, Scorpaenidae, Ereuniidae, Hemitripteridae, Cottidae, Psychrolutidae, Agonidae, Cyclopteridae, Liparidae, Nomeidae, Citharidae, Bothidae, Pleuronectidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 2nd Edition*, pp. 378–399, 414–444, 468, 565–595, 626–677, 963–967, 1354, 1358–1379, 1490–1491, 1494–1495, 1499, 1524–1528, 1531–1537, 1580–1581, 1636–1638. Tokai University Press, Tokyo. (In Japanese.)
- Nakabo, T. (ed.), 2002a. Fishes of Japan with Pictorial Keys to the Species, English Edition. lxi + 1749 pp. Tokai University Press, Tokyo.
- Nakabo, T., 2002b. Myctophidae, Gadidae, Bregmacerotidae, Macrouridae, Ophidiidae, Ceratiidae, Scorpaenidae, Ereuniidae, Hemitripteridae, Cottidae, Psychrolutidae, Agonidae, Cyclopteridae, Liparidae, Centrolophidae, Nomeidae, Citharidae, Bothidae, Pleuronectidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, English Edition*, pp. 378–399, 414–444, 468, 565–595, 626–677, 960, 963, 1354, 1358–1379, 1487–1488, 1490–1492, 1496, 1519–1522, 1525–1530, 1570–1572, 1627–1629. Tokai University Press, Tokyo.
- Nakabo, T. (ed.), 2013. Fishes of Japan with Pictorial Keys to the Species, 3rd Edition. I +xxxii + xvi + 2428 pp. Tokai University Press, Hadano. (In Japanese.)
- Nakabo, T. and Y. Kai, 2013. Myxinidae, Aulopidae, Chlorophthalmidae, Paralepididae, Myctophidae, Ophidiidae, Moridae, Gadidae, Bregmacerotidae, Macrouridae, Zeidae, Sebastidae, Sebastolobidae, Scorpaenidae, Parabembridae, Bembridae, Hoplichthyidae, Ereuniidae, Cottidae, Hemitripteridae, Psychrolutidae, Agonidae, Cyclopteridae, Liparidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 141–143, 412, 429–430, 439–443, 446–473, 482–486, 489–512, 514–524, 600, 668–705, 718–719, 732–733, 1152, 1157, 1159–1204, 1751–1753, 1848–1849, 1853–1854, 1857–1864, 1867–1868, 1870–1880, 1901–1902, 1933–1946, 1950–1953, 2059–2072. Tokai University Press, Hadano. (In Japanese.)
- Nakabo, T. and R. Doiuchi, 2013. Dactylopteridae, Centrolophidae, Nomeidae, Ariommataidae, Tetragonuridae, Gemyliidae, Trichiuridae, Citharidae, Paralichthyidae, Bothidae, Pleuronectidae, Poecilopsettidae, Samaridae, Triodontidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 741–742, 1078, 1081, 1084–1085, 1640–1647, 1658–1674, 1675–1686, 1727, 1955–1956, 2039, 2041–2043, 2221–2224, 2226–2227, 2229–2231, 2239. Tokai University Press, Hadano. (In Japanese.)
- Nakabo, T., N. Yagishita and A. Yamaguchi, 2013a. Chimaeridae. In: Nakabo, T. (ed.): *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 146–149, 1755. Tokai University Press, Hadano. (In Japanese.)
- Nakaya, K., 1975. Taxonomy, comparative anatomy and phylogeny of Japanese catsharks, Scyliorhinidae. *Memoirs of the Faculty of Fisheries, Hokkaido University*, **23**: 1–94.
- Nakaya, K. and S. Shirai, 1992. Fauna and zoogeography of deep-benthic chondrichthyan fishes around the Japanese Archipelago. *Japanese Journal of Ichthyology*, **39**: 37–48.
- Nambu, H. and K. Kido, 1990. Fauna of family Liparidae of Toyama Bay, the Japan Sea. *Bulletin of the Toyama Science Museum*, (13): 107–111. (In Japanese with English abstract.)
- Nambu, H., K. Kido, K. Nashida, M. Yabe and T. Minami, 1992. Records of fishes from Yamato Bank, the Japan Sea. *Bulletin of the Toyama Science Museum*, (15): 69–74. (In Japanese with English abstract.)
- Nambu, H., K. Kido and M. Yabe, 1993. Records of zoarcid fishes from Toyama Bay, the Japan Sea. *Bulletin of the Toyama Science Museum*, (16): 43–45. (In Japanese with English abstract.)
- Nambu, H., M. Yabe and K. Kido, 1991. Records of pleuronectiform fishes from Toyama Bay, the Japan Sea. *Bulletin of the Toyama Science Museum*, (14): 63–72. (In Japanese with English abstract.)
- Nazarkin, M. V. and G. Shinohara, 2012. Taxonomy of *Lycodes matsubarai* Toyoshima, 1985 and *Lycodes yamatoi* Toyoshima, 1985 (Perciformes, Zoarcidae). *Bulletin of National Museum of Nature and Science, Series A (Zoology)*,

38: 33–47.

- Nazarkin, M. V., G. Shinohara and S. M. Shirai, 2014. Phylogeny and taxonomy of *Petroschmidtia teraoi* (Katayama 1943) (Osteichthyes: Perciformes: Zoarcidae). *Zootaxa* (in press).
- Nelson, J. S., 2006. Fishes of the World, 4th Edition. John Wiley & Sons, Inc., Hoboken.
- Nishimura, S., 1964. Origin of the Japan Sea as viewed from the evolution and distribution of marine fauna Part I. *Earth Science*, **73**: 18–27. (In Japanese with English abstract.)
- Nishimura, S., 1974. Nihonkai no Seiritsu (Formation of the Japan Sea). 228 pp. Tsukiji Shokan, Tokyo. (In Japanese.)
- Oba, T., M. Kato, H. Kitazato, I. Koizumi, A. Omura, T. Saka and T. Takayama, 1991. Paleoenvironmental changes in the Japan Sea during the last 85,000 years. *Paleoceanography*, **6**: 499–401.
- Ochiai A. and K. Amaoka, 1962. Review of the Japanese flatfishes of the genus *Samariscus*, with the description of a new species from Tonking Bay. *Annals and Magazine of Natural History* (Series 13), **5**: 83–91.
- Okada, Y. and K. Matsubara, 1938. Keys to the Fishes and Fish-like Animals of Japan. xl + 584 pp. Sanseido, Tokyo. (In Japanese.)
- Okamura, O., 1970. Fauna Japonica Macrourina (Pisces). vi + 216 pp. + 44 pls. Academic Press of Japan, Tokyo.
- Okamura, O., 1988. Family Gadidae. In: Mauda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago, 2nd Edition (English Text)*, p. 92. Tokai University Press, Tokyo.
- Okamura, O., 1997. Macrouridae, Centrolophidae, Nomeidae, Ariommataidae. In: Okamura O. and K. Amaoka (eds.), *Sea Fishes of Japan*, pp. 124–129, 662–663. Yama-kei Publishers, Tokyo. (In Japanese.)
- Oshima, M., 1957. Notes on the bottom-fishes obratined at offshores of Niigata and Yamagata prefectures, with descriptions of five new species. *Japanese Journal of Ichthyology*, **6**: 1–8.
- Okiyama, M., 1971. Early life history of the gonostomatid fish, *Maurolicus muelleri* (GMELIN), in the Japan Sea. *Bulletin of the Japan Sea Regional Fisheries Research Laboratory*, (23): 21–53. (In Japanese with English abstract.)
- Okiyama, M., 1974. Nihonkai Kaiiki no Seibutsugaku Tokusei: Seibutsusō no Tokuchō (Biological characters of the Japan Sea and its fauna). In: the Japanese Society of Fisheries Science (ed.), Tsushima Danryū–Kaiyō Kōzō to Gyogyō (Suisangaku Shirīzu 5), pp. 42–55. Koseisha Koseikaku, Tokyo. (In Japanese.)
- Okiyama, M., 2004. Deepest demersal fish community in the Sea of Japan: A review. *Contributions from the Biological Laboratory, Kyoto University*, **29**: 409–429.
- Ogata, T., M. Okiyama and Y. Tanino, 1973. Diagnoses of the animal populations in the depths of the Japan Sea, chiefly based on the trawling experiments by the R/V Kaiyo-Maru. *Bulletin of the Japan Sea Regional Fisheries Research Laboratory*, (24): 21–51. (In Japanese with English abstract.)
- Oshima, M., 1957. Notes on the bottom-fishes obtained at off-shores of Niigata ad Yamagata prefectures, with descriptions of five new species. *Japanese Journal of Ichthyology*, **6**: 1–8.
- Ouchi, A., 1963. The bottom fish-fauna on the Hyotan and Mukoze Banks in the northern Japan Sea. *Bulletin of Japan Sea Regional Fisheries Research Laboratory*, (11): 129–132. (In Japanese.)
- Pavlenko, M. N., 1910. Fishes of Peter the Great Bay. *Trudy Obsh Estv Imp Kazan Univ*, **42**: 1–95, pls 1–10. (In Russian.)
- Pietsch, T. W., 1993. Systematics and istribution of cottid fishes of the genus *Triglops* Reinhardt (Teleostei: Scorpaeniformes). *Zoological Journal of the Linnean Society*, **109**: 335–393.
- Pitruk, D. L., 1991. Morphological characteristics of *Careproctus batialis* Popov (Pisces, Liparidae) with redescription of type series. *Proceedings of the Zoological Institute, Leningrad*, **235**: 50–57. (In Russina with English summary.)
- Popov, A. M., 1933. On the Ichthyofauna of the Sea of Japan. *Issled Morey SSSR, Leningrad*, (19): 139–155. (In Russian with German summary.)
- Sakai, K., K. Yamamoto, K. Tokutake, T. Okamoto and H. Matsumura, 1991. Sea fishes collected from the coast of Ishikawa Prefecture, the Sea of Japan. *Journal of Japanese Association of Zoological Gardens and Aquarium*, **33**: 5–16. (In Japanese with English summary.)
- Sakamoto, K., 1930. Two new species of fishes from the Japan Sea. *Journal of the Imperial Fisheries Institute*, **26**: 15–19.
- Sakamoto, K., 1931. Type of a new family of mailed-cheek fish from the Japan Sea, *Marukawichthys ambulator*, n. g. n. sp. *Journal of the Imperial Fisheries Institute*, **26**: 53–56.
- Sakamoto, K., 1988. Family Pleuronectidae. In: Mauda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago, 2nd Edition (English Text)*, pp. 351–354. Tokai University Press, Tokyo.
- Sakamoto, K., 1997. Pleuronectidae. In: Okamura O. and K. Amaoka (eds.), *Sea Fishes of Japan*, pp. 672–678. Yama-kei Publishers, Tokyo. (In Japanese.)
- Schmidt, P. Yu., 1950. Ryby Okhotskogo Morya (Fishes of the Sea of Okhotsk). 370 pp. + 20 pls. Izdatel'stvo Akademii Nauk SSSR, Moscow. (In Russian.)

- Senou, H., 1993. Callanthiidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species*, pp. 633, 1312. Tokai University Press, Tokyo. (In Japanese.)
- Senou, H., 1997. Callanthiidae. In: Okamura O. and K. Amaoka (eds.): *Sea Fishes of Japan*, pp. 280–281. Yama-kei Publishers, Tokyo. (In Japanese.)
- Senou, H., 2000. Serranidae, Callanthiidae. In: Nakabo, T. (ed.): *Fishes of Japan with Pictorial Keys to the Species, 2nd Edition*, pp. 690–732, 1539–1548. Tokai University Press, Tokyo. (In Japanese.)
- Senou, H., 2013. Macroramphosidae, Serranidae, Callanthiidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 611, 757–803, 1907–1908, 1960–1972. Tokai University Press, Hadano. (In Japanese.)
- Sheiko, B. A., 1993. A catalogue of fishes of the family Agonidae S.L. [sensu lato] (Scorpaeniformes: Cottoidei). In: Investigations on taxonomy and morphology of fishes. *Trudy Zoologicheskogo Instituta, Akademii Nauk SSSR*, **235**: 65–95. (In Russian with English summary.)
- Sheiko, B. A. and V. V. Fedorov, 2010. Catalogue of specimens in the collection of the Zoological Institute, Russian Academy of Sciences. Osteichthyes. Perciformes. Agonidae. *Explorations of the Fauna of the Seas*, **63**: 1–118. (In Russian with English summary.)
- Shimizu, T., 1988. Family Scorpaenidae (in part). In: Mauda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago, 2nd Edition (English Text)*, pp. 309–328. Tokai University Press, Tokyo.
- Shinohara, G. and I.-S. Kim, 2009. Taxonomic notes on the rare eelpout, *Davidijordania lacertina* (Perciformes, Zoarcidae). *Bulletin of the National Museum of Nature and Science, Series A (Zoology)*, **35**: 227–232.
- Shinohara, G. and K. Matsuura, 1997. Annotated checklist of deep-water fishes from Suruga Bay, Japan. *National Science Museum Monographs*, (12): 269–318, pls. 1–2.
- Shinohara, G. and S. M. Shirai, 2005. *Lycodes nishimurai*, a new deep-sea eelpout (Teleostei: Zoarcidae) from the Sea of Japan. *Ichthyological Research*, **52**: 171–175.
- Shinohara, G. and M. Yabe, 2009. A new genus and species of prickleback (Perciformes: Stichaeidae) from Japan. *Ichthyological Research*, **56**: 394–399.
- Shinohara, G., H. Endo and K. Matsuura, 1996. Deepwater fishes collected from the Pacific coast of northern Honshu, Japan. *Memoirs of the National Science Museum*, (29): 153–185.
- Shinohara, G., H. Endo, K. Matsuura, Y. Machida and H. Honda, 2001. Annotated checklist of deepwater fishes from Tosa Bay, Japan. In: Fujita, T., H. Saito and M. Takeda (eds.), Deep-sea Fanna and Pollutants in Tosa Bay. *National Science Museum Monographs*, (20): 283–343.
- Shinohara, G., Y. Narimatsu, T. Hattori, M. Ito, Y. Takata and K. Matsuura, 2009. Annotated checklist of deep-sea fishes from the Pacific coast off Tohoku District, Japan. In: Fujita, T. (ed.), Deep-sea Fanna and Pollutants off Pacific Coast of Northern Japan. *National Museum of Nature and Science Monographs*, (39): 683–735.
- Shinohara, G., T. Sato, Y. Aonuma, H. Horikawa, K. Matsuura, T. Nakabo and K. Sato, 2005. Annotated checklist of deep-sea fishes from the waters around the Ryukyu Islands, Japan. In: Hasegawa, K., G. Shinohara and M. Takeda (eds.), Deep-sea Fanna and Pollutants in Nansei Islands. *National Science Museum Monographs*, (29): 383–452.
- Shinohara, G., S. M. Shirai, M. Nazarkin and M. Yabe, 2011. Preliminary list of the deep-sea fishes of the Sea of Japan. *Bulletin of the National Museum of Nature and Science, Series A (Zoology)*, **37**: 35–62.
- Shinohara, G., M. Yabe, K. Amaoka and T. Meguro, 1992. A psychrolutid, *Malacocottus gibber*; collected from the mesopelagic zone of the Sea of Japan, with comments on its intraspecific variation. *Japanese Journal of Ichthyology*, **38**: 419–424.
- Snyder, J. O., 1911. Descriptions of new genera and species of fishes from Japan and the Riu Kiu Islands. *Proceedings of the United States National Museum*, **40**: 525–549.
- Snyder, J. O., 1912. Japanese shore fishes collected by the United States Bureau of Fisheries Steamer "Albatross" Expedition of 1906. *Proceedings of the United States National Museum*, **42**: 399–450, pls. 51–61.
- Sokolovskaya, T. G., A. S. Sokolovsky and E. I. Sobolevsky, 1998. A list of fishes of the Peter the Great Bay (the Sea of Japan). *Journal of Ichthyology*, **38**: 1–11.
- Soldatov, V. K., 1922. On a new genus and three new species of Zoarcidae. *Ezhegodnik Zoologicheskogo Muzeya Rossiskoi Akademii Nauk*, **23**: 160–163.
- Soldatov, V. K. and G. U. Lindberg, 1930. A review of the fishes of the seas of the Far East. *Izvestia Tikhookeanskogo Nauchnogo Instituta Rybnogo Khoziaistva*, **5**: i–xlvii + 1–576, pls. 1–15. (In Russian with English summary and descriptions for new taxa.)
- Soldatov, V. K. and M. N. Pavlenko, 1915. Description of a new species of family Rajidae from Peter the Great Bay and from Okhotsk Sea. *Ezhegodnik Zoologicheskogo Muzeya Imperatorskoy Akademii Nauk*, **20**: 162–163, pl. 5.

- Sideleva, V. G., A. V. Neylov, E. P. Voronina and G. A. Volkova, 2006a. Catalogue of specimens in the collection of the Zoological Institute, Russian Academy of Sciences. Osteichthyes, Scorpaeniformes, Cottoidei. Part I. *Explorations of the Fauna of the Seas*, **55**: 1–223. (In Russian with English summary.)
- Sideleva, V. G., A. V. Neylov, E. P. Voronina and G. A. Volkova, 2006b. Catalogue of specimens in the collection of the Zoological Institute, Russian Academy of Sciences. Osteichthyes, Scorpaeniformes, Cottoidei. Part II. *Explorations of the Fauna of the Seas*, **57**: 225–349. (In Russian with English summary.)
- Suzuki, T., M. Hosokawa and K. Hatooka, 2000. Catalogue of the fishes of Hyogo Prefecture, based on the specimens collected by Toshiyuki Suzuki. *Special Publication from Osaka Museum of Natural History*, **32**: 1–143. (In Japanese.)
- Tada, R., T. Irino and I. Koizumi, 1999. Land-ocean linkages over orbital and millennial timescales recorded in late Quaternary sediments of the Japan Sea. *Paleoceanography*, **14**: 236–247.
- Taira, A., 1990. Nihon Rettō no Tanjō (Birth of the Japanese Archipelago). vii + x + 227 pp. Iwanami Shoten, Tokyo. (In Japanese.)
- Takegawa, Y. and H. Morino, 1970. Fishes from Wakasa Bay, Japan Sea. *Publications of Seto Marine Biological Laboratory*, **17**: 373–392.
- Tanaka, S., 1912. Figures and descriptions of the fishes of Japan, including Riukiu Islands, Bonin Islands, Formosa, Kurile Islands, Korea and southern Sakhalin. *Nihonsan Gyorui Zusetsu*, **5**: 71–86, pls. 21–25. (In Japanese and English.)
- Tanaka, S., 1913a. Figures and descriptions of the fishes of Japan, including Riukiu Islands, Bonin Islands, Formosa, Kurile Islands, Korea and southern Sakhalin. *Nihonsan Gyorui Zusetsu*, **11**: 187–198, pls. 51–55. (In Japanese and English.)
- Tanaka, S., 1913b. Figures and descriptions of the fishes of Japan, including Riukiu Islands, Bonin Islands, Formosa, Kurile Islands, Korea and southern Sakhalin. *Nihonsan Gyorui Zusetsu*, **12**: 199–214, pls. 56–60. (In Japanese and English.)
- Tanaka, S., 1914a. Figures and descriptions of the fishes of Japan, including Riukiu Islands, Bonin Islands, Formosa, Kurile Islands, Korea and southern Sakhalin. *Nihonsan Gyorui Zusetsu*, **17**: 279–294, pls. 81–85. (In Japanese and English.)
- Tanaka, S., 1914. Figures and descriptions of the fishes of Japan, including Riukiu Islands, Bonin Islands, Formosa, Kurile Islands, Korea and southern Sakhalin. *Nihonsan Gyorui Zusetsu*, **18**: 295–318, pls. 86–90. (In Japanese and English.)
- Tanaka, S., 1915. Figures and descriptions of the fishes of Japan, including Riukiu Islands, Bonin Islands, Formosa, Kurile Islands, Korea and southern Sakhalin. *Nihonsan Gyorui Zusetsu*, **21**: 371–382, pls. 101–105. (In Japanese and English.)
- Tanaka, S., 1917. Figures and descriptions of the fishes of Japan, including Riukiu Islands, Bonin Islands, Formosa, Kurile Islands, Korea and southern Sakhalin. *Nihonsan Gyorui Zusetsu*, **25**: 441–454, pls. 121–125. (In Japanese and English.)
- Tanaka, S., 1919. Figures and descriptions of the fishes of Japan, including Riukiu Islands, Bonin Islands, Formosa, Kurile Islands, Korea and southern Sakhalin. *Nihonsan Gyorui Zusetsu*, **30**: 539–557, pls. 140–141. (In Japanese and English.)
- Tanaka, S., 1927. Figures and descriptions of the fishes of Japan, including Riukiu Islands, Bonin Islands, Formosa, Kurile Islands, Korea and southern Sakhalin. *Nihonsan Gyorui Zusetsu*, **40**: 757–784, pls. 167–169. (In Japanese and English.)
- Tanaka, S., 1928. Figures and descriptions of the fishes of Japan, including Riukiu Islands, Bonin Islands, Formosa, Kurile Islands, Korea and southern Sakhalin. *Nihonsan Gyorui Zusetsu*, **44**: 757–784, pls. 178–180. (In Japanese and English.)
- Taranetz, A. Ya., 1936. Description of three new species of the genus *Icelus* Kröyer (Pisces, Cottidae) from the Sea of Japan and from Okhotsk Sea. *Doklady Akademii Nauk SSSR*, **4**: 149–152. (In Russian.)
- Tomiyama, I. and T. Abe, 1958. Figures and descriptions of the fishes of Japan (A contribution of Dr. Shigeho Tanaka's work). *Nihonsan Gyorui Zusetsu*, **59**: 1221–1247, pls. 236–238. (In Japanese and English.)
- Toyoshima, M., 1981. Revision of the eelpout genus *Derjuginia*. *Japanese Journal of Ichthyology*, **28**: 254–258.
- Toyoshima, M., 1985. Taxonomy of the subfamily Lycodinae (family Zoarcidae) in Japan and adjacent waters. *Memoirs of the Faculty of Fisheries, Hokkaido University*, **32**: 131–243.
- Toyoshima, M., 1988. Family Zoarcidae. In: Masuda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of Japanese Archipelago*, 2nd Edition (English Text), pp. 291–295. Tokai University Press, Tokyo.

- Toyoshima, M. and Y. Honma, 1980. Description of a new zoarcid fish, *Lycodes sadoensis*, from the Sea of Japan. *Japanese Journal of Ichthyology*, **27**: 48–50.
- Tsuda, T., 1990. Genshoku Nihonkai Gyorui Zukan (Colored Illustrations of the Fishes of the Sea of Japan). Katsura Shobo, Toyama. (In Japanese.)
- Tyler, P. A., 2002. Deep-sea Eukaryote ecology of the semi-isolated basins off Japan. *Journal of Oceanography*, **58**: 333–341.
- Ueno, T., 1970. Fauna Japonica Cyclopteridae (Pisces). vi + 233 pp. Academic Press of Japan, Tokyo.
- Ueno, T., 1971. List of marine fishes from the waters of Hokkaido and its adjacent regions. *Scientific Reports of the Hokkaido Experimental Station*, (13): 61–102. (In Japanese and English summary.)
- Uozu Aquarium, 1997. Toyamawan-san Gyorui-risuto oyobi Toyamawan-san Kishogyorui no Saishu-kiroku (List of Fishes of Toyama Bay and Collection Records from Rare Fishes of Toyama Bay). 79 pp.+ 8 pls. Uozu Aquarium, Uozu. (In Japanese.)
- Voronina, E. P. and G. A. Volkova, 2003. Catalogue of specimens in the collection of the Zoological Institute, Russian Academy of Sciences. Osteichthyes, Pleuronectiformes. *Explorations of the Fauna of the Seas*, **55**: 1–198. (In Russian with English summary.)
- Watanabe, M., 1960. Fauna Japonica Cottidae (Pisces). vii + 218 pp. + 40 pls. Tokyo Electrical Engineering College Press, Tokyo.
- Yabe, M., 1988. Family Ereuniidae, family Cottidae, family Psychrolutidae. In: Mauda, H., K. Amaoka, C. Araga, T. Uyeno and T. Yoshino (eds.), *The Fishes of the Japanese Archipelago, 2nd Edition (English Text)*, pp. 323–331. Tokai University Press, Tokyo.
- Yabe, M., 1997. Cottidae, Hemiripteridae, Psychrolutidae. In: Okamura O. and K. Amaoka (eds.), *Sea Fishes of Japan*, pp. 226–237, 241. Yama-kei Publishers, Tokyo. (In Japanese.)
- Yamada, U., 2002. Ogocephalidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, English Edition*, pp. 460–466, 1495–1496. Tokai University Press, Hadano. (In Japanese.)
- Yamada, U. and N. Yagishita, 2013. Lophiidae, Chaunacidae, Ogocephalidae, Triglidae, Peristediidae, Uranoscopidae, Cynoglossidae, Tetraodontidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 534–536, 543–551, 720–731, 1277–1279, 1693–1698, 1728–1742, 1883, 1885–1887, 1951–1952, 2096–2097, 2233–2234, 2239–2241. Tokai University Press, Hadano. (In Japanese.)
- Yamaguchi, A., N. Yagishita, Y. Aonuma and T. Yoshino, 2013a. Urolophidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 219, 1774–1775. Tokai University Press, Hadano. (In Japanese.)
- Yamaguchi, A., Y. Aonuma, N. Yagishita and T. Yoshino, 2013b. Dasyatidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 220–226, 1775–1776. Tokai University Press, Hadano. (In Japanese.)
- Yamanaka, T. and M. Yabe, 2012. The records of a stichaeid fish, *Anisarchus mediuss*, from Japan. *Japanese Journal of Ichthyology*, **59**: 69–74. (In Japanese with English abstract.)
- Yoshino, T. and Y. Aonuma, 2000. Carcarhinidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 2nd Edition*, pp. 135–139, 1443. Tokai University Press, Tokyo. (In Japanese.)
- Yoshino, T., Y. Aonuma, N. Yagishita and A. Yamaguchi, 2013a. Lamnidae, Scyliorhinidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 160, 162–166, 1759–1760. Tokai University Press, Hadano. (In Japanese.)
- Yoshino, T., Y. Aonuma, H. Senou, N. Yagishita and A. Yamaguchi, 2013b. Alopiidae. In: Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species, 3rd Edition*, pp. 161, 1759. Tokai University Press, Hadano. (In Japanese.)