

KENWOOD

JVC KENWOOD Corporation follows a policy of continuous advancement in technical development. For this reason information contained in this catalogue and specifications may be changed without notice.

All screen pictures in the catalogue are simulated.
iPods, iPhones, Android smartphones or any other accessories shown in this catalogue are not supplied, and must be purchased separately.

The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.
The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by JVC KENWOOD Corporation is under license. Other trademarks and trade names are those of their respective owners.

"Made for iPod", and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, or iPhone may affect wireless performance. iPhone, iPod, iPod classic, iPod nano, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Lightning is a trademark of Apple Inc.

Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance.

Apple CarPlay is a trademark of Apple Inc.

Android, Android Auto, Google Play and other marks are trademarks of Google Inc.

"Hi-Res Audio" logo is a registered trademark of Japan Audio Society.

SPOTIFY and the Spotify logo are among the registered trademarks of Spotify AB.


Waze and Waze logo are registered trademarks of Google Inc.

WebLink™ is a trademark of Abalta Technologies, Inc.

YouTube logo are registered trademarks of Google Inc.

DivX®, DivX Certified® and associated logos are trademarks of DivX, LLC and are used under license.

The "AAC" logo is a trademark of Dolby Laboratories.

 The product with this logo is conformed to High-Resolution Audio standard defined by Japan Audio Society. This logo is used under license from Japan Audio Society.

JVC KENWOOD ASIA HEADQUARTERS

1 ANG MO KIO STREET 63, SINGAPORE 569110

Products introduced in this catalogue may not be available in some regions.
Contact your local KENWOOD Electronics dealers for availability and/or details.



For Singapore



For India

Singapore: <http://www.kenwood.com/sg/>

Malaysia: <http://www.kenwood.com/my/>

Thailand: <http://www.kenwood.com/th/>

Australia: <http://www.kenwood.com/au/>

China: <http://www.kenwood.com/cn/>

India: <http://www.kenwood.com/india/>

For Support and Technical Information please visit www.kenwood.com/cs/ce

The HD Era Begins.

1280 x 720
Screen resolution

Premium Mobile Entertainment Systems 2018



HD 1280 x 720
Screen resolution

Introducing HD Display, "All in One" AV Receivers

9

DDX9018S



DDX918WS



AV Receivers with Waze Nav-App Solution

7

DDX7018BT




DDX718WBT



AV Receiver with Advanced Bluetooth®

4

DDX418BT



DMX - Smartphone Centric Receivers.
Waze Nav-App Solution (Non DVD Models)

7

DMX7018BT



DMX718WBT



High-end AV Navigation with HD Display

9

DNX9180S



Guidance by **Garmin**.

Equipped with the industry leading Garmin navigation software, offering a variety of display options to make your driving easy such as Photo Real Junction View and Lane Assist.

Entry-class "All in One" AV Navigation

5

DNX5180S



9

Series

DDX9018S/918WS and DNX9180S


HD Display

The most colorful, beautiful display KENWOOD ever.



1280 x 720

Screen resolution



30%

Brighter LCD
compared to 2017 DDX9



Wider Color

20%

Wider Viewing Angle
compared to 2017 DDX9

Audiophile Grade Sound

Playable "Hi-Res Audio" music files.
192kHz / 32bit over Sampling DSP.



Hi-Res Audio, short for High-Resolution Audio, is high-quality sound that far exceeds CD standards. With increased expressive power, the delicate details from the ultra-high to low frequencies can be reproduced. You'll experience the deep impression as if you were in a concert hall.



13

Band EQ



Time Alignment

3-way

X'over Mode

5.0v

3 Preouts

9


Series

DDX9018S/918WS and DNX9180S

All in One
The Ultimate Integration.


Apple CarPlay™ via USB

CarPlay gives iPhone users an incredibly intuitive way to make calls, use Maps, listen to music and access messages with just a word or a touch. Some features, applications, and services are not available in all areas. For details, see: www.apple.com/ios/feature-availability/#applecarplay-applecarplay



Android Auto™ via USB

Android Auto is a simpler way to use your phone in the car. Connect your phone to the 9 series and use Google Maps, Waze, etc. Some features, applications, and services are not available in all areas. For details, see: www.android.com/auto/



Smartphone Air Mirroring over Wi-Fi

A groundbreaking solution for seamlessly displaying your smartphone apps on a 9 series screen without cables or a network connection.



Advanced Bluetooth

- 5 Music Mix, Hi-Quality Music streaming x 5 devices
Up to 5 smartphones can be connected to the same time. You can easily switch the devices head unit at the from your phone.
- 2 2-Phone Hands Free Calling Ready
KENWOOD Bluetooth models automatically switch 2 phones for incoming calls. Also include better the paired quality reception using the Wideband Speech Hands-free Profile 1.7.

Powerful Dual USB

Video Codec	Playable up to	Music Codec	Playable up to
MPEG4	1920 x 1080	FLAC	192kHz / 24bit
H.264	1920 x 1080	WAV	192kHz / 24bit
MKV	1920 x 1080	DSD	11.2MHz / 1bit
WMV	1920 x 1080		

USB Video Output to Rear Monitor

Charge your phone

Max 1.5A quick charge for selected Android™
1.0A charge for iPhone

All for a safer drive
Advanced Camera / Sensing Solutions.

HD 2D/ 3D AVM Linkage

1280 x 720 Camera Resolution
2-way touch communication with High Definition Around View Monitoring System made by Whetron, a Taiwan manufacturer.



Dash-camera Linkage - DRV-N520 -

2-way communication with DRV-N520.
DRV-N520 is equipped with simplified ADAS, Advanced Driver Assistance System.



Lane Departure Warning Forward Collision Warning Compact Design

2 Camera Inputs include rear camera guideline.

Direct OEM Steering Remote See page 15 RGB Interface DDX only

5



Guidance by Garmin.

Equipped with the industry leading Garmin navigation software, offering a variety of display options to make your driving easy such as Photo Real Junction View and Lane Assist.

DNX5180S

AV Navigation with 6.8inch WVGA Clear-coated Resistive Display

All in One, The Ultimate Integration.



Apple CarPlay Compatible via USB



Android Auto Compatible via USB



Waze Nav-App Solution via USB

The free "WebLink™ for KENWOOD" app needs to be downloaded. Some features, applications and services are not available in all areas.

Dash-camera Linkage - DRV-N520 -

2-way communication with DRV-N520. Simplified ADAS, Advanced Driver Assistance System.



2 Camera Inputs



include rear camera guideline.

Direct OEM Steering Remote See page 15

Advanced Bluetooth



2-Phone Hands Free Calling Ready

KENWOOD Bluetooth models automatically switch the paired 2 phones for incoming calls.



AAC - High Quality Music Streaming for iPhone
Advanced Audio Coding

Spotify - Full Control



Ability to control content from the Spotify app on iPhone and Android devices as a dedicated source on the receivers. Spotify works over Bluetooth for Android devices and Bluetooth or USB cable for iPhone.

Powerful Dual USB

Video Codec	Playable up to	Music Codec	Playable up to
MPEG4	1920 x 1080	FLAC	192kHz / 24bit
H.264	1920 x 1080	WAV	192kHz / 24bit
MKV	1920 x 1080	DSD	11.2MHz / 1bit
WMV	1920 x 1080		
USB Video	Output to Rear Monitor		

Charge your phone

Max 1.5A quick charge for selected Android
1.0A charge for iPhone



Playable "High-Resolution Audio" files

192kHz / 32bit over Sampling DSP, 13-Band Graphic EQ
Digital Time Alignment / 4.0V 3 Preouts / 3-way X'over Setting
All sound adjustment features to meet your high expectations

Lineup Comparison

	DDX9018S	DDX918WS	DNX9180S	DNX5180S	
Built-in Garmin Navigation Engine	No	No	Yes	Yes	
Display	Size / Resolution	6.8inch 1280 x 720	6.8inch 1280 x 720	6.8inch 1280 x 720	6.8inch 800 x 480
	Display Type	Capacitive	Capacitive	Capacitive	Clear-coated Resistive
Smartphone Integration	Built-in Wi-Fi	Yes	Yes	Yes	No
	Apple CarPlay	Yes, via USB	Yes, via USB	Yes, via USB	Yes, via USB
	Android Auto	Yes, via USB	Yes, via USB	Yes, via USB	Yes, via USB
	Smartphone Mirroring	Yes, via Wi-Fi	Yes, via Wi-Fi	Yes, via Wi-Fi	Not Compatible
	Waze Nav-App Solution, WebLink™	Not Compatible	Not Compatible	Not Compatible	Yes, via USB
	Bluetooth Hands Free	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free
	Bluetooth Music Streaming	A2DP x 5 devices	A2DP x 5 devices	A2DP x 5 devices	Yes
	Spotify	Full Control	Full Control	Full Control	Full Control
	USB Port	x 2	x 2	x 2	x 2
	USB Video Format	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV
USB Music Format	FLAC / DSD / MP3 / WMA / AAC / WAV	FLAC / DSD / MP3 / WMA / AAC / WAV	FLAC / DSD / MP3 / WMA / AAC / WAV	FLAC / DSD / MP3 / WMA / AAC / WAV	
Audio	High-Resolution Audio	Yes	Yes	Yes	Yes
	13-Band EQ / Time Alignment	Yes	Yes	Yes	Yes
	Audio Preout	5.0V / 3 Preouts	5.0V / 3 Preouts	5.0V / 3 Preouts	4.0V / 3 Preouts
Peripheral Connectivity	Whetron HD AVM Linkage	Yes	Yes	Yes	Not Compatible
	DRV-N520 Linkage	Yes	Yes	Yes	Yes
	Camera Input / AV In / Video Out	x 2 / x 1 / x 1	x 2 / x 1 / x 1	x 2 / x 1 / x 1	x 2 / x 1 / x 1
	Direct OEM Steering Remote	Yes	Yes	Yes	Yes
	RGB Input	Yes	Yes	No	No

*Whetron HD AVM Linkage and DRV-N520 Linkage will not function simultaneously.

7 Series

KENWOOD meets **Waze**. 




DMX - For customers who do not play back DVDs / CDs while driving.

DMX7018BT

AV Receiver with 7.0inch WVGA Superfine View Display



200mm Wide **DMX718WBT**
AV Receiver with 7.0inch WVGA Capacitive Display

Enjoy YouTube via WebLink™ app. 



DVD Version DDX7018BT

AV Receiver with 7.0inch WVGA Superfine View Display



200mm Wide **DDX718WBT**
AV Receiver with 7.0inch WVGA Capacitive Display

7 series Key Features - Powerful USB Solution -



Waze, Nav-App Solution via USB
Waze is a community-based traffic and navigation app. DMX/DDX7 series bring the Waze functionality on a larger display.



DMX is equipped with "Dual" USB.

Video Codec	Playable up to
MPEG4	1920 x 1080
H.264	1920 x 1080
MKV	1920 x 1080
WMV	640 x 480

USB Video Output to Rear Monitor



DDX is equipped with a single USB.

Music Codec	Playable up to
FLAC	96kHz / 24bit
WAV	96kHz / 24bit




How to use
Step-1 Simply download the free "WebLink™ for KENWOOD" app.
Step-2 Simply connect your smartphone via USB.
No need any accessories. You can enjoy "YouTube" via the WebLink™ app.
Some features, applications, and services are not available in all areas.

Spotify – Full Control

works over Bluetooth for Android and Bluetooth or USB cable for iPhone.

Advanced Bluetooth

2 2-Phone Hands Free Calling Ready
Automatically switch the paired 2 phones for incoming calls.

 AAC - High Quality Music Streaming for iPhone
Advanced Audio Coding

Superfine View

DMX / DDX7018BT (180mm)
7.0inch WVGA 800 x 480 Superfine View Display
Cost-efficient Hi-Contrast Display

Hi-Quality Sound

13-Band EQ
Digital Time Alignment
High Voltage 4.0V 3 Preouts
3-way X'over Mode
All sound adjustment features to meet your high expectations

Capacitive Display

DMX / DDX718WBT (200mm)
7.0inch WVGA 800 x 480 Capacitive Touch Display

2 Camera Inputs

include rear camera guideline.

Direct OEM Steering Remote

See page 15

RGB Interface

for 3rd Party's Navigation Unit

4



DDX418BT
AV Receiver with 6.2inch WVGA Clear-coated Resistive Display



Advanced Bluetooth

5 Music Mix, Hi-Quality Music streaming x 5 devices
Up to 5 smartphones can be connected to the head unit at the same time. You can easily switch the devices from your phone.

2 2-Phone Hands Free Calling Ready
KENWOOD Bluetooth models automatically switch the paired 2 phones for incoming calls. Also include better quality reception using the Wideband Speech Hands-free Profile 1.6.

KENWOOD Remote App Compatible
You can change AV sources or adjust audio settings like "13-Band EQ" or "Digital Time Alignment" from your iPhone or Android smartphone. Available for both iOS and Android.

Powerful USB

Video Codec	Playable up to	Music Codec	Playable up to
MPEG1	720 x 576	FLAC	96kHz / 24bit
MPEG2	720 x 576	WAV	44.1kHz / 24bit
DivX®	720 x 576		

USB Video Output to Rear Monitor

Charge your phone
Max 1.5A quick charge for selected Android, 1.0A charge for iPhone.

Spotify – Full Control

Ability to control Spotify content from a DDX screen.
Works over Bluetooth for Android, Bluetooth or USB cable for iPhone.

Hi-Quality Audio

Equipped with precision 13-band graphic equalizer and digital time alignment, DDX418BT can be tuned to suit nearly any sonic taste and listener position.

13 Band EQ
Time Alignment
4.0v 3 Preouts


Hi-Contrast Display

6.2inch WVGA 800 x 480
Clear-coated Resistive Display
Viewing Angle Adjustment Function

2 Camera Inputs
include rear camera guideline.

Direct OEM Steering Remote See page 15
RGB Interface for 3rd Party's Navigation Unit


Drive Assist Camera Solutions.



DRV-N520 Full HD 1920x1080
Dash Camera with Simplified ADAS solution
2-way communication with compatible KENWOOD high-end models.




Records high-resolution smooth videos at Full HD (1920 x 1080) while keeping the file size small with H.264 technology.
HDR (High Dynamic Range) avoids underexposing or overexposing the image.
Parking Mode : Built-in G-Sensor & Automatic Recording Function.
Mounting bracket and dedicated connection cable are included.
Camera dimensions (W x H x D): 79mm x 22mm x 48mm



CMOS-320
Multi-view Camera with 1/3.6inch Color CMOS Sensor
Waterproof design / Effective 330,000pixels
Flexible mounting bracket and RCA video cable are included.
Camera dimensions (W x H x D): 23.4mm x 23.4mm x 26.1mm
Weight: 23g (Camera only)



Wide View Ultra Wide View Overhead View Corner View




Whetron HD 2D / 3D AVM System
High Definition Around View Monitoring System
2-way communication with compatible KENWOOD high-end models.



Effective Picture Quality : 1280 x 720 HD Quality
Mounting bracket, dedicated connection cable and ECU are included.

Whetron, a Taiwan manufacturer was established in 1982 with a vision to become the leading supplier of automobile electronic parts for major car manufacturers around the world.



CMOS-130
Rear View Camera with 1/4inch Color CMOS Sensor
Waterproof design / Effective 380,000pixels
Flexible mounting bracket is included.
Camera dimensions (W x H x D): 23.4mm x 23.4mm x 23.9mm
Weight: 21g (Camera only)




CMOS-130 picture image

	DDX7018BT	DDX718WBT	DMX7018BT	DMX718WBT	DDX418BT	DDX1035	
DVD / CD Player	Yes	Yes	No	No	Yes	Yes	
Display	Size / Resolution	7.0inch 800 x 480	7.0inch 800 x 480	7.0inch 800 x 480	7.0inch 800 x 480	6.2inch 800 x 480	
	Display Type	Superfine Resistive	Capacitive	Superfine Resistive	Capacitive	Clear-coated Resistive	Resistive
Smartphone Integration	Apple CarPlay	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible	
	Android Auto	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible	
	Smartphone Mirroring	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible	
	Waze Nav-App Solution, WebLink™	Yes, via USB	Yes, via USB	Yes, via USB	Yes, via USB	Not Compatible	Not Compatible
	Bluetooth Hands Free	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free	No
Bluetooth Music Streaming	Yes	Yes	Yes	Yes	A2DP x 5 devices	No	
Spotify	Full Control	Full Control	Full Control	Full Control	Full Control	Not Compatible	
USB	USB Port	x 1	x 1	x 2	x 2	x 1	
	USB Video Format	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2, 4 / H.264 / MKV / WMV	MPEG1, 2 / DivX®	MPEG1, 2, 4
	USB Music Format	FLAC / MP3 / WMA / AAC / WAV	FLAC / MP3 / WMA / AAC / WAV	FLAC / MP3 / WMA / AAC / WAV	FLAC / MP3 / WMA / AAC / WAV	FLAC / MP3 / WMA / AAC / WAV	MP3 / WMA
Audio	High-Resolution Audio	No	No	No	No	No	
	13-Band EQ / Time Alignment	Yes	Yes	Yes	Yes	Yes	3-Band EQ / -
	Audio Preout	4.0V / 3 Preouts	4.0V / 3 Preouts	4.0V / 3 Preouts	4.0V / 3 Preouts	4.0V / 3 Preouts	2.0V / 3 Preouts
Peripheral Connectivity	Whetron HD AVM Linkage	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible
	DRV-N520 Linkage	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible
	Camera Input / AV In / Video Out	x 2 / x 1 / x 1	x 2 / x 1 / x 1	x 2 / x 1 / x 1	x 2 / x 1 / x 1	x 2 / x 1 / x 1	x 1 / x 1 / x 1
	Direct OEM Steering Remote	Yes	Yes	Yes	Yes	Yes	No
	RGB Input	Yes	Yes	Yes	Yes	Yes	No



DDX1035
6.2inch WVGA 800 x 480 LCD Display
Resistive Display AV Receiver




Front USB with 1.0A Charging
2.0V 3 Preouts

Convenient Direct OEM Steering Remote Control – Connector Information for Japanese and Korean Vehicles

TOYOTA (20P)	TOYOTA (28P)	TOYOTA (26P)	TOYOTA (10P+6P)	HONDA (20P-B)	HONDA (20P-A)
Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray
HONDA (24P)	NISSAN (16P-A)	NISSAN (20P)	NISSAN (16P-B)	MAZDA (24P)	MAZDA (24P)
Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray
SUBARU (20P)	SUBARU (8P)	SUZUKI (20P)	ISUZU (16P)	HYUNDAI / KIA (24P-A)	HYUNDAI / KIA (24P-B)
Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	Input 1 : Green Input 2 : NC ST REMOTE GND : Gray


*Location of Steering Remote Connector

If the vehicle is equipped with an OEM steering remote controller, the steering remote connector is commonly located in the console.




*How to view Steering Remote Connector

All steering wheel remote controls to the left are vehicle side connectors and drawn from the side. (view indicated by arrow)



*Steering Remote Cable (included in the unit)



- 1) Look for a steering remote connector that is the same shape as in the image to the left in the console.
- 2) Connect 'Input 1', 'Input 2' and 'ST REMOTE GND' to the pins shown in matching colors on the above list of connectors.

The information for each vehicle above was investigated by JVCKENWOOD Asia Headquarters, and may not cover all of the connector types. Please contact your local KENWOOD Electronics dealers for details.

Audio

Advanced Solutions.

Bluetooth Solutions.
Digital Media Receiver
KMM-BT304



USB / CD Receiver
KDC-BT620U



Equipped with Direct OEM Steering Remote Interface
Dual Din, USB / CD Receiver
DPX-5100BT



Advanced Bluetooth



- 5 Music Mix, Hi-Quality Music streaming x 5 devices
Up to 5 smartphones can be connected to the head unit at the same time. You can easily switch the devices from your phone.
- 2 2-Phone Hands Free Calling Ready
KENWOOD Bluetooth models automatically switch the paired 2 phones for incoming calls. Also include better quality reception using the Wideband Speech Hands-free Profile 1.6.
- 1 KENWOOD Remote App Compatible
You can change sources or adjust audio settings like "13-Band EQ" or "Digital Time Alignment" from your iPhone or Android. Available for both iOS and Android.

Spotify – Full Control

Works over Bluetooth for Android, Bluetooth or USB for iPhone.

Bluetooth models comparison	KMM-BT304	KDC-BT620U	DPX-5100BT
Built-in Bluetooth	Yes	Yes	Yes
USB Port	x 1	x 1	x 1
Playable Music Format	FLAC / WAV / AAC / MP3 / WMA	FLAC / WAV / AAC / MP3 / WMA	FLAC / WAV / AAC / MP3 / WMA
Audio Preout	4.0V 3 Preouts	4.0V 3 Preouts	4.0V 3 Preouts
EQ / Time Alignment	13-Band EQ / Time Alignment	13-Band EQ / Time Alignment	13-Band EQ / Time Alignment
Key Illumination Color	Multi-color	Multi-color	Multi-color
Remote Controller	Included	Included	Included
Direct OEM Steering Remote Function	No	No	Yes, compatible

Entry Digital Media Receivers
KMM-104



KMM-204



Entry USB / CD Receivers
KDC-120U



KDC-1030U



KDC-220UI



Designed for Ease to Use



Direct audio control button allows you to access quickly to the sound tuning menu.



VA - Vertical Alignment LCD display secures higher visibility during day-time drive.

Entry models comparison	KMM-104	KMM-204	KDC-120U	KDC-1030U	KDC-220UI
USB Port	x 1	x 1	x 1	x 1	x 1
Playable Music Format	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA
Audio Preout	2.5V 1 Preout	2.5V 2 Preouts	2.5V 2 Preouts	2.5V 1 Preout	2.5V 2 Preouts
EQ Band	3-Band EQ Auto EQ Sync with Volume Level	3-Band EQ Auto EQ Sync with Volume Level	3-Band EQ Auto EQ Sync with Volume Level	3-Band EQ Auto EQ Sync with Volume Level	3-Band EQ Auto EQ Sync with Volume Level
Key Illumination Color	Red	Red	Multi-color	Red	Multi-color
Remote Controller	Included	Included	Included	Included	Included

Flagship

X Series. Audiophile Grade.

Hi-Res Audio Certified.




With more information to play with, High-Resolution Audio tends to boast greater detail and texture, you'll hear every song in all its detailed glory – just as the artist intended – for sound that's more engaging, dynamic and lifelike.

More detail, more clarity.


KENWOOD understands the true value and potential of Hi-Res Audio, which is why we've developed Hi-Res Audio certified products for KENWOOD loyal customers who want to listen to music in the best sound quality.



XH901-5
Hi-Res Audio Certified
D-Class 5ch Amplifier



High Density Construction
to achieve best sounding and have one of the smallest footprints in this class.




Cooling Fan
allows the amplifier to operate at comfortable temperature levels even under the most stressful conditions.

17cm Glass Fiber Cone

Optimized Equalizer Shape

KFC-XS1703
Hi-Res Audio Certified
17cm Component Speaker



Optimized Magnetic Circuit
with Aluminum Short-ring



Rigid Aluminum Die-cast Frame
reduces needless vibration.

Neodymium Magnet
with Cavity Architecture
enhances mid-bass performance.

25mm Soft Dome Type Tweeter
Swivel Application


High Density
Square Voice Coil



Hi-Grade Film Condenser
improves higher frequency performance.



KFC-WPS1000F
Shallow Application
25cm Subwoofer



Rigid Carbon-Glass Fiber Honeycomb Cone
Durable Rubber Surround
Aluminum Die-cast Basket
Super Linear Spider
Silver-plated Push Terminal

Stress-free Spider
delivers smooth and strong bass sound
with long-lasting reliability.

Large Magnet and Optimized Yoke
reproduces deep low frequencies.

Amplifier Tech-Spec	XH901-5	XH401-4
	 	 
Maximum Power Handling	1800W	1000W
RMS Power at 4ohms	60W x 4ch + 400W	75W x 4ch
RMS Power at 2ohms	75W x 4ch + 600W	100W x 4ch
Bridged at 4ohms	150W x 2ch + 400W	200W x 2ch
Frequency Response	20Hz - 50kHz	20Hz - 50kHz
High Pass Filter	50Hz - 200Hz, -12dB/oct	50Hz - 200Hz, -12dB/oct (Low Range) 2.5kHz - 10kHz, -12dB/oct (High Range)
Low Pass Filter	50Hz - 200Hz, -24dB/oct	50Hz - 200Hz, -12dB/oct (Low Range) 2.5kHz - 10kHz, -12dB/oct (High Range)
Speaker Level Input	Yes	Yes
Signal to Noise Ratio	100dB	100dB
Dimensions W x D x H (mm)	260 x 169 x 51	220 x 169 x 35

Speaker Tech-Spec	KFC-XS1703	KFC-X694	KFC-X174
	 		
Peak Input Power	180W	300W	240W
RMS Input Power	45W	130W	80W
Size	17cm Component	6 x 9inch 2Way	17cm 2Way
Tweeter Design	Soft Dome	Soft Dome	Soft Dome
Tweeter Magnet Composition	Neodymium	Neodymium	Neodymium
Woofer Magnet Composition	Neodymium	Ferrite	Ferrite
Nominal Impedance	4ohms	3ohms	4ohms
Frequency Response	25Hz - 48kHz (-10dB)	51Hz - 20kHz	69Hz - 21kHz
Sensitivity (dB/W at 1m)	83dB	89dB	88dB
Mounting Depth	57.7mm	85mm	56mm

Subwoofer Tech-Spec	KFC-WPS1200F	KFC-WPS1000F	KFC-XW800F
			
Peak Input Power	1400W	1000W	600W
RMS Input Power	350W	250W	150W
Size	30cm Shallow Type	25cm Shallow Type	20cm Shallow Type
Tweeter Design	—	—	—
Tweeter Magnet Composition	—	—	—
Woofer Magnet Composition	Ferrite	Ferrite	Ferrite
Nominal Impedance	4ohms	4ohms	4ohms
Frequency Response	30Hz - 700Hz	35Hz - 800Hz	40Hz - 500Hz
Sensitivity (dB/W at 1m)	91dB	90dB	78dB
Mounting Depth	100mm	85mm	70mm

PS Series. Technologies for Pure Performance.

Technologies for Pure Performance.

KAC-PS704EX
AB-Class, 70W x 4ch
Hi-Performance Amplifier



KFC-PS170C
17cm Component Speaker

Swivel Type 25mm Soft Dome Tweeter
Able to adjust the direction after installation.

Audiophile grade External Network Box
using hi-quality crossover film capacitors and inductors.
Tweeter High Pass Filter : -12dB/oct.

KFC-HQ718
Sold over 1.2 million pairs
Legendary 7 x 10inch Speaker



Amplifier Tech-Spec	KAC-PS704EX	KAC-PS404	KAC-PS702EX	KAC-PS917D
Maximum Output Power	1000W	550W	500W	2000W
RMS Power at 4ohms	70W x 4ch	40W x 4ch	70W x 2ch	500W
RMS Power at 2ohms	100W x 4ch	60W x 4ch	85W x 2ch	1000W
Bridged at 4ohms	200W x 2ch	130W x 2ch	170W x 1ch	—
Frequency Response	20Hz - 50kHz	20Hz - 50kHz	20Hz - 50kHz	20Hz - 200Hz
High Pass Filter	80Hz, -12dB/oct	80Hz, -12dB/oct	—	—
Low Pass Filter	50Hz - 200Hz, -24dB/oct	50Hz - 200Hz, -24dB/oct	80Hz, -18dB/oct	50Hz - 200Hz, -24dB/oct
Speaker Level Input	Yes	Yes	Yes	Yes
Signal to Noise Ratio	100dB	100dB	100dB	100dB
Dimensions W x D x H (mm)	335 x 204 x 56	335 x 204 x 56	230 x 167 x 56	335 x 192 x 56

Speaker & Sub. Tech-Spec	KFC-PS170C	KFC-PS6995EX / 6995 / 6985 / 6975	KFC-PS1695 / 1395 / 1095	KFC-PS3016W / 2516W	KFC-MW3000	KFC-W3010	KFC-HQ718
Peak Input Power	400W	700W / 650W / 600W / 550W	320W / 320W / 220W	2000W / 1300W	1200W	1000W	320W
RMS Input Power	80W	130W / 125W / 115W / 105W	75W / 40W / 40W	400W / 300W	300W	200W	80W
Size	17cm Component	6 x 9inch 5Way / 5Way / 4Way / 3Way	16cm / 13cm / 10cm 3Way	30cm / 25cm Subwoofer	30cm Subwoofer	30cm Subwoofer	7 x 10inch 3Way
Tweeter Design	Soft Dome	PET Balanced Dome	Water Resistant Cone	—	—	—	PEI Balanced Dome
Tweeter Magnet Composition	Neodymium	Ferrite	Ferrite	—	—	—	Ferrite
Woofer Magnet Composition	Ferrite	Ferrite	Ferrite	Ferrite	Ferrite	Ferrite	Ferrite
Nominal Impedance	4ohms	4ohms	4ohms	4ohms	4ohms	4ohms	4ohms
Frequency Response	58Hz - 22kHz	58Hz / 60Hz / 63Hz / 63Hz - 20kHz	75Hz / 110Hz / 110Hz - 20kHz	32Hz - 300Hz	36Hz - 300Hz	25Hz - 800Hz	22Hz - 33kHz
Sensitivity (dB/W at 1m)	86dB	88dB	88dB / 85dB / 85dB	84dB / 81dB	85dB	93dB	93dB
Mounting Depth	56mm	83.5mm / 78mm / 78mm / 78mm	46.5mm / 46mm / 43mm	131.6mm / 116.3mm	147mm	135mm	82mm

S Series. Stage

Stage - Wide Range Hi-Quality Sound

If you want to replace your factory speakers with a discreet installation, the KENWOOD new S series speakers are ideal for their ease of installation with wide range high quality sound which we call "stage sounding".

KFC-S1676EX
16cm 2Way Stage Sound Speaker




Woofer Magnet
KFC-S1676EX $\phi 85 \times t12$
KFC-M1634A $\phi 70 \times t12$

KFC-S6976EX
6 x 9inch 3Way Stage Sound Speaker




Woofer Magnet
KFC-S6976EX $\phi 90 \times t12$
KFC-M6934A $\phi 80 \times t15$



Sound Field Enhancer
enhances 5kHz and upper frequencies and reproduces life-like "stage" sounding.




Bigger Magnet Circuit
creates enough power to drive woofer cones and reproduce high-density sound.



Shallow Depth
Easy to replace your factory speakers with a discreet installation.

P250W Powered Sub.

KSC-PSW8
8inch / 20cm
All in One Powered Subwoofer



Speaker Tech-Spec	KFC-S1676EX	KFC-S6976EX	KFC-S1666 / 1366 / 1066	KFC-S6966	KFC-S1656G / 1356G / 1056G	KFC-S1656 / 1056
Peak Input Power	330W	500W	300W / 260W / 220W	400W	300W / 260W / 220W	300W / 220W
RMS Input Power	60W	80W	30W / 30W / 21W	45W	30W / 30W / 21W	30W / 21W
Size	16cm 2Way	6 x 9inch 3Way	16cm / 13cm / 10cm 2Way	6 x 9inch 3Way	16cm / 13cm / 10cm Dual Cone	16cm / 10cm Dual Cone
Tweeter Design	Balanced Dome	Cone (Mid Range)	Balanced Dome	Cone (Mid Range)	—	—
Tweeter Magnet Composition	Neodymium	Ferrite	Neodymium	Ferrite	—	—
Woofer Magnet Composition	Ferrite $\phi 85 \times t12$	Ferrite $\phi 90 \times t12$	Ferrite $\phi 80 \times t10 / \phi 70 \times t10 / \phi 70 \times t10$	Ferrite $\phi 80 \times t10$	Ferrite $\phi 80 \times t10 / \phi 70 \times t10 / \phi 70 \times t10$	Ferrite $\phi 80 \times t10 / \phi 70 \times t10$
Nominal Impedance	4ohms	4ohms	4ohms	4ohms	4ohms	4ohms
Frequency Response	80Hz - 22kHz	44Hz - 18kHz	40Hz / 45Hz / 50Hz - 22kHz	35Hz - 20kHz	40Hz / 45Hz / 50Hz - 18kHz	40Hz / 50Hz - 18kHz
Sensitivity (dB/W at 1m)	87dB	87dB	90dB / 89dB / 88dB	91dB	90dB / 89dB / 88dB	90dB / 88dB
Mounting Depth	46.7mm	79.3mm	43.2mm / 43.7mm / 43mm	76.8mm	43mm / 43.5mm / 43mm	43mm

Powered Sub. Tech-Spec	KSC-PSW8
Maximum Output Power	250W
RMS Power Handling	150W
Size	20cm
Low Pass Filter	50Hz - 125Hz, -12dB/oct
Gain Control	Yes (On Remote)
Phase Control	0° / 180° (On Remote)
Speaker Level Input	Yes
RCA Input	Yes
Signal Sensing Turn On	Yes
Dimensions W x D x H (mm)	350 x 240 x 75