

Western Australia

Plant Diseases Act 1914

## **Plant Diseases Regulations 1989**



## Plant Diseases Regulations 1989

---

### CONTENTS

---

#### **Part 1 — Preliminary**

1.	Citation	1
2.	Commencement	1
3.	Terms used in these regulations	1

#### **Part 2 — Entry requirements**

3A.	Quality assurance system	3
3B.	Bringing plants into the State	3
4.	Potential carriers — conditions for entry	4
4A.	Potential carriers — entry for experimental purposes	4
4B.	Potential carriers — entry for processing or export	5
5.	Entry of propagating material	5
6A.	Entry and keeping of diseases	5
6.	Inspection	6
7.	Requirements of inspection	7
8.	Containers	8
9.	Inspection and disinfection fees	8
10.	Quarantine notice	9

#### **Part 3 — Inspection of conveyances**

11.	Warning signs	10
12.	Driver to stop	10
13.	Damage to signs	10
14.	Movement under quarantine notice	11

15.	Person in charge of conveyance or consignment may be requested to provide access, unload goods, etc.	11
<b>Part 4 — Intrastate controls</b>		
<b>Division 1A — Prescribed diseases under section 10 of the Act</b>		
15A.	Prescribed diseases for the purposes of section 10 of the Act	13
<b>Division 1 — Measures to eradicate disease or lessen the risk of the spread of disease</b>		
16.	Treatment of certain plants etc.	13
17A.	Potatoes	14
17AA.	Potatoes — Shire of Esperance	16
17B.	Banana plants ( <i>Musa</i> spp.) — banana aphid, banana weevil borer, Panama wilt	17
17C.	Banana plants ( <i>Musa</i> spp.) — Panama disease tropical race 4	17
17D.	Western flower thrips — ( <i>Frankliniella occidentalis</i> )	18
17E.	Palm plants and cut palm foliage — palm leaf beetle	19
17F.	Citrus fruit and stone fruit — Mediterranean fruit fly	20
<b>Division 2 — Control of diseases to which section 11 or 12 of the Act applies</b>		
<b>Subdivision 1 — Control of fruit fly</b>		
18.	Fruit fly	21
<b>Subdivision 2 — Control of potato cyst nematode</b>		
19.	Potato cyst nematode	23
19A.	Washers, graders, packers, processors, distributors	24
<b>Subdivision 3 — Control of apple scab</b>		
19B.	Apple scab	25
19C.	Transporters, packers, distributors	26
19D.	Control of nursery stock	27
19DA.	Control of apple tissue culture	27
<b>Subdivision 4 — Control of codling moth</b>		
19E.	Codling moth	29
19F.	Transporters, packers, distributors	30

---

<b>Part 4A — Private inspection and treatment premises</b>		
<b>Division 1 — Prescribed standards (s. 22B(1))</b>		
19H.	Premises for inspection of imported potential carriers	31
19I.	Premises for treatment of potential carriers	31
19J.	Premises for cleaning of potential carriers	32
19K.	Premises where potential carriers are handled for experimental or laboratory purposes	32
19L.	Premises registered as a propagation house for tissue cultured apple/grape plants	33
19M.	Premises for quarantine clearance	33
<b>Division 2 — Manner of conduct in relation to registered premises (s. 22B(1)(b))</b>		
19N.	Conduct in relation to registered premises	34
<b>Division 3 — Application for registration (s. 22B(2))</b>		
19O.	Form of application for registration	35
19P.	Prescribed application fee	36
<b>Part 5 — General</b>		
20A.	Requisition under section 14 of the Act	37
20B.	Infringement notices	37

**Schedule 1**

**Part A — Potential carriers — plants**

**Part AA — Potential  
carriers — other than plants**

**Part B — Conditions**

**Schedule 2 — Fees**

**Schedule 3**

**Schedule 4**

**Treatment**

**Part 1**

**Fruit fly baiting**

**Part 2**

**Cover spraying with dimethoate or  
fenthion**

**Part 3**

**Cover spraying with trichlorfon**

**Schedule 4A**

**Potato cyst nematode**

**Part 1 — Steps and measures to  
eradicate and prevent the spread  
of potato cyst nematode under  
section 11 of the Act**

1.	Disinfestation	129
2.	Solanaceous crops prohibited	129
3.	Potato crops other than approved varieties prohibited	129
4.	Fork testing	129

5.	Harvesting etc.	129
6.	Crops shall be certified	130
7.	Machinery etc. shall be cleaned	130
8.	Machinery etc. shall be certified	130
9.	Crops other than potatoes	131
10.	Associated orchards	131

**Part 2 — Steps and measures to control, eradicate and prevent the spread of potato cyst nematode under section 12 of the Act**

1.	Term used in this Part	131
2.	Potato crops other than approved varieties prohibited	131
3.	Fork testing	131
4.	Delivery and decontamination	132
5.	Crops shall be certified	132
6.	Movement of machinery etc. prohibited unless certified	132
7.	Conditions applying to associated orchards	132

**Part 3 — Steps and measures to be taken by persons referred to in regulation 19A to eradicate or reduce the spread of the disease**

1.	Packing, washing, etc.	133
2.	Distribution	133

**Schedule 4B**

**Apple scab**

**Part 1 — Steps and measures to eradicate and prevent the spread of apple scab under section 11 of the Act**

1.	Notice of appearance of apple scab	135
----	------------------------------------	-----

2.	Fungicide to be applied immediately	135
3.	Removal of infected material	135
4.	Programme for initial fungicide treatment	136
5.	Spring fungicide programme	136
6.	Additional programmes	136
7.	Records	136
8.	Crops shall be certified	137
9.	Irrigation	137

**Part 2 — Steps and measures to control, eradicate and prevent the spread of apple scab under section 12 of the Act**

1.	“Infested area” defined	137
2.	Fungicide treatment	138
3.	Records	138
4.	Crops shall be certified	138
5.	Irrigation	139

**Part 3 — Steps and measures to be taken by persons referred to in regulation 19C to eradicate or reduce the spread of the disease**

1.	Trucks, containers etc. to be cleaned	139
2.	Equipment to be cleaned	139
3.	Disposal of potentially infected material	140
4.	Distribution	140

**Part 4 — Steps and measures by persons referred to in regulation 19D to eradicate or reduce the spread of the disease**

1.	Nursery stock	140
----	---------------	-----

**Schedule 4C****Codling moth****Part 1 — Steps and measures to eradicate and prevent the spread of codling moth under section 11 of the Act**

1.	Notice of appearance of codling moth	141
2.	Removal of infected material	141
3.	Programme following initial detection of codling moth	141
4.	Spring/Summer programme	142
5.	Additional programmes	142
6.	Records	142
7.	Crops shall be certified	143

**Part 2 — Steps and measures to control, eradicate and prevent the spread of codling moth under section 12 of the Act**

8.	“Infested area” defined	143
9.	Treatments	144
10.	Records	145
11.	Crops shall be certified	145

**Part 3 — Steps and measures to be taken by persons referred to in regulation 19F to eradicate or reduce the spread of the disease**

12.	Trucks, containers etc. to be cleaned	146
13.	Equipment to be cleaned	146
14.	Disposal of potentially infected material	146
15.	Distribution	146

**Schedule 5 — Non-native plants that  
may be brought into the State**

**Schedule 7**

**Prescribed diseases under section 10  
of the Act**

**Schedule 8**

**Schedule 9 — Genera within the  
Poaceae (Gramineae) family**

**Schedule 10 — Asteraceae  
(Compositae)**

**Schedule 11 — Prohibited diseases**

**Division 1 — Bacteria**

**Division 2 — Chromista**

**Division 3 — Fungi**

**Division 4 — Nemata**

**Division 5 — Plantae**

**Division 6 — Protozoa**

**Division 7 — Virus**

**Notes**

Compilation table

625

## Plant Diseases Regulations 1989

### Part 1 — Preliminary

**1. Citation**

These regulations may be cited as the *Plant Diseases Regulations 1989*<sup>1</sup>.

**2. Commencement**

These regulations shall come into operation on 1 July 1989.

**3. Terms used in these regulations**

In these regulations unless the contrary intention appears —  
***accredited*** means that the Director General of Agriculture has accepted verification from an officer of the Department of Agriculture in the exporting State or Territory that —

- (a) the exporter is equipped to carry out the relevant treatment and the exporter's staff are trained in the correct techniques of treatment and maintain records of treatment;
- (b) the area of origin is certified as being free from specified diseases; or
- (c) approved quarantine protocols have been carried out;

***approved*** means approved by the Director General;

***certification*** means verification in writing —

- (a) of treatment of potential carriers; or

- (b) of conditions under which plants were grown; or
- (c) that a potential carrier or an area was inspected and found free of specified diseases,

supplied by —

- (d) the Department of Agriculture in the State or Territory in which the plants originated; or
- (e) a person nominated under a quality assurance system approved by the Director General,

and *certified* has a corresponding meaning;

*Code of Practice* means the publication entitled “the Code of Practice for the Management of Queensland Fruit Fly” endorsed by the Standing Committee on Agriculture and Resource Management in May 1993;

*Director General* means the Director General of Agriculture or a person authorised by him;

*immediately* means within the time taken to travel to the nearest inspection point by the shortest route;

*importer* means the owner, consignee, agent, carrier or any other person concerned in the importation of a potential carrier into Western Australia;

*inspection point* means an inspection point referred to in regulation 6;

*quality assurance system* means a quality assurance system approved by the Director General under regulation 3A;

*specified diseases* means those diseases relevant to the potential carrier and nominated by the Director General.

[Regulation 3 amended in Gazette 4 Jun 1993 p. 2796;  
7 Jun 1996 p. 2373.]

## **Part 2 — Entry requirements**

### **3A. Quality assurance system**

Subject to these regulations a person may move plants into the State or out of any specified part of the State under a quality assurance system approved by the Director General.

*[Regulation 3A inserted in Gazette 4 Jun 1993 p. 2797.]*

### **3B. Bringing plants into the State**

(1) A person shall not bring into the State any plant unless —

(a) the plant is —

- (i) native to the State; or
- (ii) listed in Schedule 5;

or

(b) the Director General has approved the bringing of that plant into the State and the person complies with any conditions imposed by the Director General.

Penalty: \$5 000.

(2) Nothing in this regulation affects the application of regulation 4 if the plant is also referred to in Schedule 1.

(3) The fact that a plant brought into the State is native to the State or listed in Schedule 5 does not affect the liability of the person bringing that plant into the State if by doing so the person also brings into the State a plant that is neither native to the State nor listed in Schedule 5.

(4) Subregulation (3) applies even if inspection, testing or laboratory analysis at the time the plant was brought into the State did not reveal that the plant was contaminated with a plant that was neither native to the State nor listed in Schedule 5.

*[Regulation 3B inserted in Gazette 6 Jan 1998 p. 48; amended in Gazette 17 Sep 2010 p. 4418.]*

**4. Potential carriers — conditions for entry**

- (1) The conditions under which a potential carrier, referred to in Schedule 1 Part A column 1, shall be allowed into the State are referred to by number in columns 2 to 5, opposite the name of the potential carrier to which those conditions apply and are set out numerically in Schedule 1 Part B.
- (1a) The conditions under which a potential carrier, referred to in Schedule 1 Part AA column 1, shall be allowed into the State are referred to by number in column 2, opposite the name of the potential carrier to which those conditions apply and are set out numerically in Schedule 1 Part B.
- (2) Subject to regulation 4A a person who brings into the State a potential carrier in contravention of the conditions applicable to that potential carrier set out in Schedule 1 commits an offence.  
Penalty: \$5 000.

*[Regulation 4 amended in Gazette 18 Sep 1992 p. 4668;  
2 Jul 1993 p. 3253; 17 Sep 1993 p. 5038.]*

**4A. Potential carriers — entry for experimental purposes**

- (1) Notwithstanding regulation 4 the Director General may approve the entry into the State of otherwise prohibited or restricted potential carriers for experimental purposes.
- (2) An approval given for the purposes of subregulation (1) may specify —
  - (a) the period during which the approval is to have effect; and
  - (b) such conditions relating to the entry of the potential carrier as the Director General thinks fit.

*[Regulation 4A inserted in Gazette 17 Sep 1993 p. 5039;  
amended in Gazette 14 Jan 1997 p. 380-1.]*

**4B. Potential carriers — entry for processing or export**

- (1) Notwithstanding regulation 4, the Minister may approve the entry into the State of an otherwise prohibited or restricted potential carrier for the purpose of processing or export from the State.
- (2) An approval given for the purposes of subregulation (1) may specify —
  - (a) the period during which the approval is to have effect; and
  - (b) such conditions relating to the entry of the potential carrier as the Minister thinks fit.

*[Regulation 4B inserted in Gazette 14 Jan 1997 p. 381.]*

**5. Entry of propagating material**

For experimental purposes or the introduction of new genetic material otherwise prohibited the Director General may approve the entry of propagating material and such material shall be grown in post entry quarantine, screened and found free of specified diseases prior to release.

**6A. Entry and keeping of diseases**

A person must not —

- (a) bring into the State; or
- (b) possess within the State,

a disease listed in Schedule 11 unless the Director General has approved of the person doing so and the person complies with any conditions imposed by the Director General.

Penalty: a fine of \$5 000.

*[Regulation 6A inserted in Gazette 30 Mar 2010 p. 1255.]*

**6. Inspection**

- (1) Subject to subregulations (6) and (8), a person who brings any potential carrier listed in Schedule 1 into the State shall present that potential carrier, immediately upon entry into the State, for inspection by an inspector at an inspection point.
- (2) A person who fails to comply with subregulation (1) commits an offence.  
Penalty: \$5 000.
- (3) Inspection points referred to in subregulation (1) are at the following places —
  - (a) the Port of Fremantle;
  - (b) Perth Airport;
  - (c) the Department of Agriculture<sup>2</sup> Checkpoint on the Eyre Highway at the Western Australian/South Australian border;
  - (d) the Department of Agriculture<sup>2</sup> at Kalgoorlie;
  - (e) the Department of Agriculture<sup>2</sup> Checkpoint at Kununurra;
  - (f) the East Perth Rail Terminal;
  - (g) the Kalgoorlie Rail Terminal;
  - (h) the Kewdale rail freight yards;
  - (i) the Kalgoorlie rail freight yards;
  - [(j) deleted]*
  - (k) Kalgoorlie Airport;
  - (l) Broome Airport; and
  - (m) Kununurra Airport.
- (4) The driver of a conveyance shall on reaching an inspection point referred to in subregulation (3)(c) or (e) stop the conveyance and keep it stationary until permitted by an inspector to proceed.

- (5) A person who fails to comply with subregulation (4) commits an offence.

Penalty: \$5 000.

- (6) Subregulation (1) does not apply to a person who brings a cargo container or truck into the State if that person lodges with an inspector at a place referred to in subregulation (3) —

- (a) a notice in a form approved by the Director General; or
- (b) any other document that satisfies the inspector as to the contents of the cargo container or truck,

and the inspector advises that person that the inspector does not wish to inspect the cargo container or truck.

- (7) A notice referred to in subregulation (6) must —

- (a) specify any cargo container or truck which the person has brought into the State;
- (b) contain the information required by the form; and
- (c) be signed in the manner specified in the form.

- (8) Subregulation (1) does not apply in relation to a potential carrier that is brought into the State by post if, as soon as is practicable after its entry into the State, the potential carrier is presented for inspection by an inspector at —

- (a) the Australia Post Depot, Pilbara St, Welshpool; or
- (b) the offices of Agriculture Western Australia <sup>2</sup>,  
Baron-Hay Court, South Perth.

*[Regulation 6 amended in Gazette 2 Jul 1993 p. 3253;  
14 Jan 1997 p. 379; 6 Jan 1998 p. 49; 4 Jun 1999 p. 2268;  
4 Feb 2000 p. 420.]*

## **7. Requirements of inspection**

- (1) The importer shall be responsible for unpacking any potential carrier and for preparing it for inspection to the satisfaction of the Director General.

- (2) A person shall not unpack a potential carrier or remove a potential carrier from an inspection point without the permission of an inspector.

Penalty: \$5 000.

- (3) Any potential carrier which has been given a clearance by an inspector shall be removed as soon as practicable unless otherwise approved.

*[Regulation 7 amended in Gazette 2 Jul 1993 p. 3253.]*

## **8. Containers**

- (1) The owner of imported fruit, vegetable, seed or plants shall ensure that they are transported in new or approved containers bearing the details specified in subregulation (2).

Penalty: \$5 000.

- (2) All containers referred to in subregulation (1) shall have details of the commodity type, the commodity producer, packer or agent and the district of production printed on an external surface in letters not less than 5 mm in height.

*[Regulation 8 amended in Gazette 2 Jul 1993 p. 3253.]*

## **9. Inspection and disinfection fees**

- (1) The importer of any potential carrier including rock, mineral and soil, shall pay inspection fees (or where interstate certification requires assessment, documentation assessment fees) and disinfection fees set out in Schedule 2 but fees are not payable in respect of Items (excluding used vehicles) consigned privately for other than commercial purposes.

- (2) The importer of any plant that is subjected to laboratory analysis to ascertain whether it contains any plants that are neither native to the State nor listed in Schedule 5, shall pay an analysis fee as set out in Schedule 2.

- (3) The Director General may waive the fee imposed by subregulation (2) if the plant is being imported for other than commercial purposes.

*[Regulation 9 amended in Gazette 6 Jan 1998 p. 47 and 49; 8 Jun 2001 p. 2923; 17 Sep 2010 p. 4418.]*

**10. Quarantine notice**

A quarantine notice shall be in the form of Form 1 in Schedule 3.

### **Part 3 — Inspection of conveyances**

**11.      Warning signs**

- (1) For the purposes of section 13(1)(b) of the Act a warning sign may be erected beside any road to give notice to a person driving on that road of the presence of any inspector.
- (2) A warning sign that is erected beside a road under subregulation (1) has the effect of an order, given by an inspector, to any person driving a conveyance on that road towards that warning sign to reduce the speed of that conveyance or to stop the conveyance according to the directions given by that sign.
- (3) The driver of a conveyance shall on reaching a warning sign obey and carry out the directions given by that sign, and upon stopping the conveyance shall keep it stationary until permitted by an inspector to proceed.

Penalty: \$5 000.

*[Regulation 11 amended in Gazette 22 Jul 1993 p. 3253;  
14 Jan 1997 p. 379.]*

**12.      Driver to stop**

The driver of a conveyance ordered by an inspector to stop, whether at or near a warning sign or by spoken word or recognized hand signal shall carry out that order and keep the conveyance stationary until permitted by the inspector to proceed.

Penalty: \$5 000.

*[Regulation 12 amended in Gazette 2 Jul 1993 p. 3254.]*

**13.      Damage to signs**

A person shall not wilfully or negligently damage or interfere with, or remove or obliterate, any warning sign erected or maintained or placed near a road pursuant to these regulations.

Penalty: \$5 000.

*[Regulation 13 amended in Gazette 2 Jul 1993 p. 3254.]*

**14. Movement under quarantine notice**

- (1) A notice under section 23 of the Act, directing that a conveyance, vessel or consignment be taken, under quarantine, to a specified place shall be in the form of Form 1 in Schedule 3.
- (2) Where a notice is issued to a person under section 23 of the Act requiring that person to take a conveyance, vessel or consignment under quarantine, to a specified place, the person shall take the conveyance, vessel or consignment directly to the specified place, *in toto*.  
Penalty: \$5 000.
- (3) Where a conveyance, vessel or consignment is detained at a place pursuant to section 23 of the Act, a person shall not remove it from that place without the permission of an inspector.  
Penalty: \$5 000.

*[Regulation 14 inserted in Gazette 2 Jul 1993 p. 3254; amended in Gazette 20 Aug 1996 p. 4053; 3 Oct 1997 p. 5513.]*

**15. Person in charge of conveyance or consignment may be requested to provide access, unload goods, etc.**

- (1) An inspector may, in order to facilitate the inspection or search of a conveyance or consignment under section 13 or 23 of the Act, request the person in charge of the conveyance or consignment —
  - (a) to open or otherwise provide access to the conveyance or consignment;
  - (b) to unload any goods or things from the conveyance or forming part of the consignment; or
  - (c) to open any package or container in or on the conveyance or forming part of the consignment,to the satisfaction of the inspector.

**r. 15**

---

- (2) If a person fails to comply with a request under subregulation (1) —
- (a) the inspector may do the thing requested or cause it to be done; and
  - (b) any costs incurred under paragraph (a) may be recovered by the Director General in a court of competent jurisdiction up to an amount of \$5 000.

*[Regulation 15 inserted in Gazette 14 Jan 1997 p. 379-80.]*

## **Part 4 — Intrastate controls**

*[Heading inserted in Gazette 25 May 1990 p. 2376.]*

### **Division 1A — Prescribed diseases under section 10 of the Act**

*[Heading inserted in Gazette 24 Jun 1994 p. 2842.]*

#### **15A. Prescribed diseases for the purposes of section 10 of the Act**

The diseases or classes or groups of diseases specified in Schedule 7 are prescribed for the purposes of section 10 of the Act.

*[Regulation 15A inserted in Gazette 24 Jun 1994 p. 2842.]*

### **Division 1 — Measures to eradicate disease or lessen the risk of the spread of disease**

*[Heading inserted in Gazette 25 May 1990 p. 2376.]*

#### **16. Treatment of certain plants etc.**

(1) In order to —

- (a) prevent disease from being introduced into specified portions of the State;
- (b) eradicate a specified disease; or
- (c) lessen the risk of the spread of a specified disease,

a person shall comply with the treatment of plants, fruit, coverings, goods, conveyances, vessels or other things and the controls on specified diseases, set out in this Division.

(2) A person who fails to comply with the treatment or controls referred to in subregulation (1) commits an offence.

Penalty: \$5 000.

*[Regulation 16 inserted in Gazette 25 May 1990 p. 2376.]*

*[17. Deleted in Gazette 4 Mar 1997 p. 1353.]*

**Plant Diseases Regulations 1989**

**Part 4** Intrastate controls

**Division 1** Measures to eradicate disease or lessen the risk of the spread of disease

**r. 17A**

---

**17A. Potatoes**

- (1) Unless the contrary intention appears —
- (a) in this regulation and in Schedule 4A Part 3 —  
*metropolitan area* shall have the same meaning as “metropolitan region” under the *Metropolitan Region Town Planning Scheme Act 1959*<sup>3</sup>; and
- (b) in this regulation —  
*Perth Statistical Division* means the area set out in Map 3 of the Australian Bureau of Statistics publication ‘Crops and Pastures Western Australian Season 1986-1987’ published in March 1988, but does not include an area defined in a notice under section 12 of the Act in which the disease potato cyst nematode is the subject of the notice;  
*potato growing region* means —
- (a) the Shires of Gingin, Jerramungup and Ravensthorpe; and
- (b) that portion of the State described in Schedule 1 Part B condition 14(3)(b).
- (2) Subject to subregulation (5) a person who grows potatoes in the Perth Statistical Division —
- (a) shall ensure that all potato crops are fork tested for potato cyst nematode at the crop maturity stage as specified by an inspector;
- (b) shall obtain a certificate from an inspector in the form of Form 2A in Schedule 3 certifying that the potatoes have been treated in accordance with this regulation; and
- (c) shall not move any machinery, farm equipment, bulk bins, bags or other containers from the Perth Statistical Division to any other part of the State until he receives a certificate issued by an inspector in the form of Form 4 in Schedule 3 verifying that the machinery, farm

equipment, bulk bins, bags or other containers have been cleaned and are free from soil contamination.

- (3) Subject to subregulation (5) a person who washes, grades, packs, stores, processes or otherwise treats potatoes grown in the Perth Statistical Division shall —
- (a) not take delivery of any potatoes unless the potatoes are accompanied by Form 2A issued in accordance with subregulation (2)(b);
  - (b) ensure that trucks, containers and any other form of conveyance or potential carrier which has been in contact with the potatoes do not leave the premises until all soil and potato material has been removed;
  - (c) clean soil and potato material from packing, processing and other equipment which has been in contact with the potatoes curing packing or processing; and
  - (d) deep bury the soil and potato material removed under paragraphs (b) and (c).
- (4) Subject to subregulation (5) a person who distributes or sells potatoes grown in the Perth Statistical Division —
- (a) shall ensure the potatoes are washed clean of any soil before distribution or sale;
  - (b) shall not distribute or sell the potatoes to any potato growing region of the State outside the Perth Statistical Division;
  - (c) may distribute or sell clean washed waste potatoes for stock feed in the metropolitan area in approved quantities at distribution points nominated by an inspector.
- (5) An inspector may, by notice, upon receipt of a written request from a person referred to in subregulation (2), (3) or (4) exempt the person from any or all of the treatment or controls referred to in subregulation (2), (3) or (4).

**Plant Diseases Regulations 1989**

**Part 4** Intrastate controls

**Division 1** Measures to eradicate disease or lessen the risk of the spread of disease

**r. 17AA**

---

- (6) For the purposes of regulation 16(1) —
- (a) Perth Statistical Division is a specified portion of the State; and
  - (b) potato cyst nematode (*Globodera rostochiensis*) is a specified disease.
- (7) A person who takes imported potatoes into —
- (a) the Shire of Gingin, Jerramungup or Ravensthorpe; or
  - (b) that portion of the State described in Schedule 1 Part B condition 14(3)(b),

commits an offence.

*[Regulation 17A inserted in Gazette 25 May 1990 p. 2376-7; amended in Gazette 24 Jan 2003 p. 142; (correction to reprint in Gazette 30 Jun 2006 p. 2363).]*

**17AA. Potatoes — Shire of Esperance**

- (1) In this regulation —
- Perth Statistical Division** has the same meaning as it has in regulation 17A(1)(b).
- (2) A person who takes potatoes from another part of the State into the Shire of Esperance other than —
- (a) minitubers, tissue cultured or plantlets or potatoes, other than potatoes referred to in paragraph (b), that are grown under conditions approved by the Director General; or
  - (b) ware potatoes grown in this State other than those grown in the Perth Statistical Division,

commits an offence.

- (3) A person who takes into the Shire of Esperance —
- (a) machinery, farm equipment, bulk bins or containers, other than bags, that have been used in relation to potatoes or that have been on a property on which potatoes are or have been grown; or

- (b) a vehicle used to transport livestock that has been on a property on which potatoes are or have been grown,

unless accompanied by a certificate issued by an inspector that it is free from plant material and soil commits an offence.

- (4) A person who takes bags —
- (a) that have been used in relation to potatoes; or
- (b) that have been on a property on which potatoes are or have been grown,

into the Shire of Esperance commits an offence.

*[Regulation 17AA inserted in Gazette 24 Jan 2003 p. 142-3.]*

**17B. Banana plants (*Musa* spp.) — banana aphid, banana weevil borer, Panama wilt**

- (1) In this regulation —

***Carnarvon quarantine area*** means the area within 50 kilometres of the Carnarvon Post Office;

***Kununurra quarantine area*** means the area within 50 kilometres of the Kununurra Post Office.

- (2) A person shall not remove any part of a banana plant (except fruit) or soil from the Carnarvon quarantine area or the Kununurra quarantine area except in accordance with approved conditions.
- (3) For the purposes of regulation 16(1) banana aphid, banana weevil borer and Panama wilt are specified diseases.

*[Regulation 17B inserted in Gazette 6 Jan 1998 p. 49-50.]*

**17C. Banana plants (*Musa* spp.) — Panama disease tropical race 4**

- (1) In this regulation —

***quarantine area*** means —

- (a) the area within 50 kilometres of the Broome Post Office;

**Plant Diseases Regulations 1989**

**Part 4** Intrastate controls

**Division 1** Measures to eradicate disease or lessen the risk of the spread of disease

**r. 17D**

---

- (b) the area within 50 kilometres of the Carnarvon Post Office; or
  - (c) the area within 50 kilometres of the Kununurra Post Office.
- (2) This regulation applies to a covering that contains banana fruit grown or packed within 50 kilometres of a known outbreak of Panama disease tropical race 4 (*Fusarium oxysporum* f. sp. *cubense*).
- (3) A person shall not take or send a covering to which this regulation applies into a quarantine area from another part of the State, unless the covering is stamped in accordance with subregulation (5).
- (4) A person shall not take delivery, in a quarantine area, of a covering to which this regulation applies from another part of the State, unless the covering is stamped in accordance with subregulation (5).
- (5) The covering is to be stamped in an approved manner to indicate that the covering and its contents have been inspected by an inspector and found to be free of soil and plant debris.
- (6) For the purposes of regulation 16(1) —
- (a) a quarantine area is a specified portion of the State; and
  - (b) Panama disease tropical race 4 (*Fusarium oxysporum* f. sp. *cubense*) is a specified disease.

[Regulation 17C inserted in Gazette 8 Jan 2002 p. 31-2.]

**17D. Western flower thrips — (*Frankliniella occidentalis*)**

- (1) A grower who detects western flower thrips on his property must, as soon as practicable —
- (a) apply a control spray treatment to the infested crops; and
  - (b) maintain a monitoring programme,
- approved by the Director General.

*[(2) deleted]*

- (3) A person must not remove cut flowers from an area within a 50 km radius of an outbreak of western flower thrips unless the flowers —
- (a) have been treated as approved by the Director General; or
  - (b) have been inspected by an authorised inspector and found to be free from western flower thrips; or
  - (c) are from a property which has been declared to be free from western flower thrips by the Director General; or
  - (d) are from a property on which a spraying and monitoring programme approved by the Director General has been applied.

*[(4) deleted]*

- (5) For the purposes of regulation 16(1) western flower thrips is a specified disease.

*[Regulation 17D inserted in Gazette 1 Oct 1993 p. 5343;  
amended in Gazette 20 Aug 1996 p. 4053.]*

**17E. Palm plants and cut palm foliage — palm leaf beetle**

- (1) A person shall not remove palm plants or cut palm foliage from an area in Western Australia that is infested with palm leaf beetle to any other part of Western Australia unless the palm plants or cut palm foliage comply with the requirements of subregulation (2).
- (2) Palm plants and cut palm foliage comply with this subregulation if —
- (a) a Department of Agriculture<sup>2</sup> officer has certified —
    - (i) in the case of palm plants, that the throat and spear of each plant has been sprayed with a solution of carbaryl at a concentration of not less

**Plant Diseases Regulations 1989**

**Part 4** Intrastate controls

**Division 1** Measures to eradicate disease or lessen the risk of the spread of disease

**r. 17F**

---

than 0.1% active ingredient, together with a commercial wetting agent —

- (I) between 7 and 9 days prior to removal from the area; and
  - (II) within 24 hours prior to removal from the area;
- (ii) in the case of cut palm foliage, that the foliage has been cover sprayed to the point of run-off with a solution of carbaryl at a concentration of not less than 0.1% active ingredient, together with a commercial wetting agent within 24 hours prior to removal from the area;
- or
- (b) the palm plants or cut palm foliage come from an approved nursery that carries out the appropriate treatments set out in paragraph (a)(i) or (a)(ii).
- (3) For the purposes of regulation 16(1) infestation with palm leaf beetle is a specified disease.

*[Regulation 17E inserted in Gazette 24 Jun 1994 p. 2840-41; amended in Gazette 20 Aug 1996 p. 4053.]*

**17F. Citrus fruit and stone fruit — Mediterranean fruit fly**

- (1) In this regulation —
- Ord River Irrigation Area*** means that portion of the State that is north of latitude 17°S and east of longitude 127°E.
- (2) A person who takes citrus fruit or stone fruit into the Ord River Irrigation Area from another part of the State during the period beginning on 1 April and ending on 30 November in any year unless the fruit is certified —
- (a) as being from a part of the State that is free from Mediterranean fruit fly (*Ceratitis capitata*); or

(b) as having been disinfested in an approved manner, commits an offence.

Penalty: \$5 000.

(3) For the purposes of regulation 16(1) —

(a) the Ord River Irrigation Area is a specified portion of the State; and

(b) Mediterranean fruit fly (*Ceratitis capitata*) is a specified disease.

*[Regulation 17F inserted in Gazette 23 Mar 1999 p. 1259-60; amended in Gazette 11 Aug 2000 p. 4692; 8 Jun 2001 p. 2921-2; 8 Jan 2002 p. 32.]*

## **Division 2 — Control of diseases to which section 11 or 12 of the Act applies**

*[Heading inserted in Gazette 25 May 1990 p. 2377; amended in Gazette 21 Feb 1997 p. 1166.]*

### **Subdivision 1 — Control of fruit fly**

*[Heading inserted in Gazette 25 May 1990 p. 2377.]*

## **18. Fruit fly**

- (1) In this subdivision unless the contrary intention appears — **fruit fly** means fruit fly *Ceratitis capitata* or *Bactrocera tryoni*; **the disease** means the disease known as fruit fly.
- (2) Section 11 of the Act applies to the disease.
- (3) The measures to be adopted in relation to the disease —
- (a) for the purposes of section 11 of the Act; and

**Plant Diseases Regulations 1989**

**Part 4** Intrastate controls

**Division 2** Control of diseases to which section 11 or 12 of the Act applies

**r. 18**

---

- (b) under section 12 of the Act when fruit fly is the disease to which a notice relates,

shall be treatment applied in accordance with subregulations (4) to (8).

- (4) Treatment in accordance with Part 1, 2 or 3 of Schedule 4 shall be applied to every fruit tree, and to every fruit vine, having fruit thereon in the orchard concerned.
- (5) All infected fruit shall be picked from each fruit tree and all fallen fruit shall be gathered from the ground, in the orchard concerned —
- (a) in the case of apricots, feijoas, figs, guavas, loquats, nectarines, peaches, pears, persimmons, plums and quinces, at least once in every 24 hours; and
- (b) in the case of fruits other than apples and fruits referred to in paragraph (a), at least once in every 3 days,

and subject to subregulation (8) destroyed by boiling, burning or some other method approved by a person authorised by the Director General.

- (6) Whenever treatment is applied in accordance with subregulation (8) or Part 2 of Schedule 4 to any fruit by spraying it with a liquid mixture containing dimethoate or fenthion, a person shall not pick or gather for consumption or for sale any of the fruit so sprayed within 7 days of that spraying.
- (7) Whenever treatment is applied in accordance with Part 3 of Schedule 4 to any fruit tree or fruit vine having fruit thereon by spraying it with a liquid mixture containing trichlorfon, a person shall not pick or gather for consumption or for sale any fruit from that fruit tree within 2 days of that spraying.
- (8) Instead of gathering fallen fruit and destroying it a person may cover spray fallen fruit, other than citrus fruit or fruit found to be infected with the disease, with a 0.08% active ingredient

water mixture of fenthion so that the fallen fruit is completely wetted.

*[Regulation 18 inserted in Gazette 25 May 1990 p. 2377-8.]*

**Subdivision 2 — Control of potato cyst nematode**

*[Heading inserted in Gazette 25 May 1990 p. 2378.]*

**19. Potato cyst nematode**

- (1) In this subdivision and Schedule 4A unless the contrary intention appears —

***associated orchard*** means any other orchard operated by the occupier of an orchard referred to in subregulation (3);

***orchard*** means any land used for the growing or cultivating of potatoes;

***the disease*** means the disease known as potato cyst nematode (*Globodera rostochiensis*).

- (2) Section 11 of the Act applies to the disease.
- (3) The occupier of an orchard where the disease exists or appears to exist shall take and adopt the steps and measures specified in Schedule 4A Part 1 or cause those steps and measures to be taken and adopted.
- (4) An occupier referred to in subregulation (3) who fails to comply with Schedule 4A Part 1 commits an offence unless the non-compliance is authorised by an exemption under subregulation (10).  
Penalty: \$5 000.
- (5) The occupier of an orchard referred to in subregulation (3) who operates an associated orchard shall comply with the steps and measures specified in Schedule 4A Part 1, clause 10 in order to prevent the spread of the disease.
- (6) An occupier referred to in subregulation (5) who fails to comply with Schedule 4A Part 1, clause 10 commits an offence unless

**Plant Diseases Regulations 1989**

**Part 4** Intrastate controls

**Division 2** Control of diseases to which section 11 or 12 of the Act applies

**r. 19A**

---

the non-compliance is authorised by an exemption under subregulation (10).

Penalty: \$5 000.

(7) Where the disease is the subject of a notice under section 12 of the Act the owner or occupier of an orchard in an area defined in the notice shall take and adopt the steps and measures specified in Schedule 4A Part 2 or cause those steps and measures to be taken and adopted.

(8) Subregulation (7) has effect whether or not the disease exists or appears to exist in the orchard.

(9) An owner or occupier referred to in subregulation (7) who fails to comply with Schedule 4A Part 2 commits an offence unless the non-compliance is authorised by an exemption under subregulation (10).

Penalty: \$5 000.

(10) An inspector may by notice upon receipt of a written request from an owner or occupier exempt the owner or occupier from any or all of the steps and measures specified in Schedule 4A Part 1 or 2.

*[Regulation 19 inserted in Gazette 25 May 1990 p. 2378.]*

**19A. Washers, graders, packers, processors, distributors**

(1) Subject to subregulation (2) a person who washes, grades, packs, stores, processes, distributes or otherwise treats potatoes grown by the owner or occupier of an orchard to which this subdivision applies shall comply with Schedule 4A Part 3.

(2) An inspector may by notice upon receipt of a written request from a person referred to in subregulation (1) exempt the person from complying with all or any of the steps and measures specified in Schedule 4A Part 3.

- (3) A person referred to in subregulation (1) who fails to comply with subregulation (1) commits an offence unless the non-compliance is authorised by an exemption under subregulation (2).

Penalty: \$5 000.

*[Regulation 19A inserted in Gazette 25 May 1990 p. 2378-9; amended in Gazette 20 Aug 1996 p. 4053.]*

### **Subdivision 3 — Control of apple scab**

*[Heading inserted in Gazette 25 May 1990 p. 2379.]*

#### **19B. Apple scab**

- (1) In this subdivision and Schedule 4B unless the contrary intention appears —

**orchard** means any land used for the growing or cultivating of apples;

**the disease** means the disease known as apple scab (*Venturia inaequalis*).

- (2) Section 11 of the Act applies to the disease.
- (3) The occupier of an orchard where the disease exists or appears to exist shall take and adopt the steps and measures specified in Schedule 4B Part 1 or cause those steps and measures to be taken and adopted.
- (4) An occupier referred to in subregulation (3) who fails to comply with Schedule 4B Part 1 commits an offence unless the non-compliance is authorised by an exemption under subregulation (8).  
Penalty: \$5 000.
- (5) Where the disease is the subject of a notice under section 12 of the Act and an orchard is in an area defined in the notice the owner or occupier of the orchard shall take and adopt the steps and measures specified in Schedule 4B Part 2 or cause those steps and measures to be taken and adopted.

**Plant Diseases Regulations 1989**

**Part 4** Intrastate controls

**Division 2** Control of diseases to which section 11 or 12 of the Act applies

**r. 19C**

---

- (6) Subregulation (5) has effect whether or not the disease exists or appears to exist in the orchard.
- (7) An owner or occupier referred to in subregulation (5) who fails to comply with Schedule 4B Part 2 commits an offence unless the non-compliance is authorised by an exemption under subregulation (8).  
Penalty: \$5 000.
- (8) An inspector may by notice upon receipt of a written request from an owner or occupier exempt the owner or occupier from any or all of the steps and measures specified in Schedule 4B Parts 1 and 2.

*[Regulation 19B inserted in Gazette 25 May 1990 p. 2379; amended in Gazette 20 Aug 1996 p. 4054.]*

**19C. Transporters, packers, distributors**

- (1) Subject to subregulation (2) a person who transports, packs, stores, distributes or otherwise handles any apples grown by the owner or occupier of an orchard to which this subdivision applies shall comply with the steps and measures specified in Schedule 4B Part 3.
- (2) An inspector may by notice, upon receipt of a written request from a person referred to in subregulation (1) exempt the person from complying with all or any of the steps and measures specified in Schedule 4B Part 3.
- (3) A person referred to in subregulation (1) who fails to comply with Schedule 4B Part 3 commits an offence unless the non-compliance is authorised by an exemption under subregulation (2).

Penalty: \$5 000.

*[Regulation 19C inserted in Gazette 25 May 1990 p. 2379; amended in Gazette 20 Aug 1996 p. 4054.]*

**19D. Control of nursery stock**

- (1) Subject to subregulation (2) a person who receives apple trees from a nursery on an orchard to which this subdivision applies shall comply with the steps and measures specified in Schedule 4B Part 4.
- (2) An inspector may by notice upon receipt of a written request from a person referred to in subregulation (1) exempt the person from complying with all or any of the steps and measures specified in Schedule 4B Part 4.
- (3) A person referred to in subregulation (1) who fails to comply with Schedule 4B Part 4 commits an offence unless the non-compliance is authorised by an exemption under subregulation (2).

Penalty: \$5 000.

*[Regulation 19D inserted in Gazette 25 May 1990 p. 2379.]*

**19DA. Control of apple tissue culture**

- (1) In this regulation and in Schedule 1 —  
***apple tissue culture*** means pieces of tissue from apple plants growing in nutritive fluids.
- (2) Immediately following arrival in the State, the containers of apple tissue culture shall be examined by a plant pathologist who shall ensure that the apple tissue culture is free from —
  - (a) apple scab;
  - (b) contaminant micro-organisms; and
  - (c) discolouration or necrotic tissue.
- (3) If apple scab is detected in a container the plant pathologist shall destroy the entire consignment.
- (4) If any contamination, discolouration or necrotic tissue is discovered in a container that container shall be destroyed.

**Plant Diseases Regulations 1989**

**Part 4** Intrastate controls

**Division 2** Control of diseases to which section 11 or 12 of the Act applies

**r. 19DA**

---

- (5) Where no contamination is detected and there are no symptoms of disease the apple tissue culture may be moved, under quarantine, to an approved propagation house for deflasking, weaning and continued growth.
- (6) The plantlets must be kept in the approved propagation house in humid conditions (95% humidity or more) for the first 10 days and inspected by a plant pathologist —
  - (a) between 0 and 10 days; and
  - (b) between 20 and 30 days,after removal from the container.
- (7) If following inspection under subregulation (6)(a) and (b) the plantlets are free of apple scab the consignment may be released from quarantine.
- (8) If following inspection under subregulation (6)(a) and (b) apple scab is detected the plant pathologist shall destroy the entire consignment.
- (9) The costs of inspection and testing under this regulation shall be the responsibility of the importer.
- (10) For the purposes of subregulation (5) the Director General will approve a propagation house where he or she is satisfied that —
  - (a) the premises have the facilities to —
    - (i) keep the imported material separate from other apple material; and
    - (ii) ensure limited access to other than nominated staff;and
  - (b) the staff will —
    - (i) undertake not to apply any fungicide with activity against apple scab; and

- (ii) keep records of names and addresses of the purchasers of imported material.

*[Regulation 19DA inserted in Gazette 17 Sep 1993 p. 5039-40.]*

**Subdivision 4 — Control of codling moth**

*[Heading inserted in Gazette 5 Mar 1993 p. 1438.]*

**19E. Codling moth**

- (1) In this subdivision and Schedule 4C unless the contrary intention appears —
- fruit* means any fruit that may host codling moth;
- orchard* means any land used for the growing or cultivating or handling of fruit that may host codling moth;
- the disease* means the disease known as codling moth (*Cydia pomonella*).
- (2) Section 11 of the Act applies to the disease.
- (3) The occupier of an orchard where the disease exists or appears to exist shall take and adopt the steps and measures specified in Schedule 4C Part 1 or cause those steps and measures to be taken and adopted.
- (4) An occupier referred to in subregulation (3) who fails to comply with Schedule 4C Part 1 commits an offence unless the non-compliance is authorised by an exemption under subregulation (8).
- Penalty: \$5 000.
- (5) Where the disease is the subject of a notice under section 12 of the Act and a orchard is in an area defined in the notice the owner or occupier of the orchard shall take and adopt the steps and measures specified in Schedule 4C Part 2 or cause those steps and measures to be taken and adopted.
- (6) Subregulation (5) has effect whether or not the disease exists or appears to exist in the orchard.

**Plant Diseases Regulations 1989**

**Part 4** Intrastate controls

**Division 2** Control of diseases to which section 11 or 12 of the Act applies

**r. 19F**

---

- (7) An owner or occupier referred to in subregulation (5) who fails to comply with Schedule 4C Part 2 commits an offence unless the non-compliance is authorised by an exemption under subregulation (8).

Penalty: \$5 000.

- (8) An inspector may by notice exempt an owner or occupier from any or all of the steps and measures specified in Schedule 4C Parts 1 and 2.

*[Regulation 19E inserted in Gazette 5 Mar 1993 p. 1438-9; amended in Gazette 20 Aug 1996 p. 4054.]*

**19F. Transporters, packers, distributors**

- (1) Subject to subregulation (2) a person who transports, packs, stores, distributes or otherwise handles any fruit grown by the owner or occupier of an orchard to which this subdivision applies shall comply with the steps and measures specified in Schedule 4C Part 3.

- (2) An inspector may by notice exempt a person from complying with all or any of the steps and measures specified in Schedule 4C Part 3.

- (3) A person referred to in subregulation (1) who fails to comply with Schedule 4C Part 3 commits an offence unless the non-compliance is authorised by an exemption under subregulation (2).

Penalty: \$5 000.

*[Regulation 19F inserted in Gazette 5 Mar 1993 p. 1439.]*

*[Heading deleted in Gazette 4 Feb 2000 p. 420.]*

*[19FA. Deleted in Gazette 9 Mar 1999 p. 1145.]*

*[Division 3 deleted in Gazette 30 Dec 2004 p. 6899.]*

## **Part 4A — Private inspection and treatment premises**

*[Heading inserted in Gazette 30 Sep 1994 p. 4950.]*

### **Division 1 — Prescribed standards (s. 22B(1))**

*[Heading inserted in Gazette 30 Sep 1994 p. 4950.]*

#### **19H. Premises for inspection of imported potential carriers**

For the purposes of section 22B(1)(a) of the Act, premises for the inspection of imported potential carriers must have —

- (a) a secure quarantine area of a size approved as suitable for the type and volume of the imports to be stored;
- (b) a weather-proof inspection area with natural or artificial light of not less than 600 lux intensity; and
- (c) a white topped inspection bench of a size approved as suitable for the type and nature of the imports to be inspected.

*[Regulation 19H inserted in Gazette 30 Sep 1994 p. 4950.]*

#### **19I. Premises for treatment of potential carriers**

For the purposes of section 22B(1)(a) of the Act, premises for the treatment of any potential carriers must have —

- (a) for fumigation —
  - (i) approved facilities and equipment to maintain and monitor gas at the appropriate concentrations;
  - (ii) approved chemical heating facilities;
  - (iii) approved fans to disperse and circulate any chemicals; and
  - (iv) a secure quarantine area;
- (b) for spraying —
  - (i) approved spraying and safety equipment; and

**Plant Diseases Regulations 1989**

**Part 4A** Private inspection and treatment premises

**Division 1** Prescribed standards (s. 22B(1))

**r. 19J**

---

- (ii) a secure quarantine area;
- and
- (c) for disinfection treatments —
  - (i) if the disinfection treatment is cold disinfection, approved facilities which are adequate to keep the temperature within the required range, and approved temperature monitoring equipment;
  - (ii) for all types of disinfection treatments, facilities and equipment approved as suitable for the type of treatment carried out; and
  - (iii) a secure quarantine area.

*[Regulation 19I inserted in Gazette 30 Sep 1994 p. 4950-1.]*

**19J. Premises for cleaning of potential carriers**

For the purposes of section 22B(1)(a) of the Act, premises for carrying out the cleaning of any potential carriers must have —

- (a) a secure quarantine and cleaning area of a size approved as suitable for the cleaning to be carried out, which is constructed of concrete or bitumen and which drains to an approved sump; and
- (b) an approved sump which is free draining to a below ground holding tank and is connected to deep sewerage, a leach drain or a secure settling pond.

*[Regulation 19J inserted in Gazette 30 Sep 1994 p. 4951.]*

**19K. Premises where potential carriers are handled for experimental or laboratory purposes**

For the purposes of section 22B(1)(a) of the Act, premises where potential carriers are handled for experimental or laboratory purposes must have —

- (a) approved facilities to dispose of residues and discarded containers; and

- (b) a secure quarantine and testing area.

*[Regulation 19K inserted in Gazette 30 Sep 1994 p. 4951.]*

**19L. Premises registered as a propagation house for tissue cultured apple/grape plants**

- (1) For the purposes of section 22B(1)(a) of the Act, premises registered as a propagation house for tissue cultured apple/grape plants must have —
  - (a) secure quarantine facilities allowing apple/grape plants to be kept separate from other apple/grape material;
  - (b) for grape plants, facilities to maintain the humidity in which the grape plants are kept.
- (2) For the purposes of section 22B(1)(b) of the Act, the person in whose name the propagation house is registered shall ensure —
  - (a) that a register recording the names and addresses of purchasers of imported apple or grape plants is established and maintained; and
  - (b) that grape plants are kept or stored in an atmosphere of at least 95% humidity.

*[Regulation 19L inserted in Gazette 30 Sep 1994 p. 4951.]*

**19M. Premises for quarantine clearance**

- (1) For the purposes of section 22B(1)(a) of the Act, premises for the disposal of waste potential carriers, and for the quarantine clearance of passengers and crew, arriving in Western Australia by air, sea, rail or road must have —
  - (a) an approved quarantine area and white topped bench for the inspection of baggage, with lighting of not less than 600 lux intensity;
  - (b) signs of an approved type and number to advise persons that they are subject to quarantine restrictions; and
  - (c) approved facilities for the disposal of waste potential carriers.

**Plant Diseases Regulations 1989**

**Part 4A** Private inspection and treatment premises

**Division 2** Manner of conduct in relation to registered premises (s. 22B(1)(b))

**r. 19N**

---

- (2) For the purposes of section 22B(1)(b) of the Act, the person in whose name the quarantine premises are registered shall ensure that, prior to arrival, advice is given to persons who are about to enter Western Australia that those persons are subject to Western Australia's quarantine laws, and that their baggage and other possessions may be subject to inspection when they arrive in Western Australia.

*[Regulation 19M inserted in Gazette 30 Sep 1994 p. 4951-2.]*

**Division 2 — Manner of conduct in relation to registered premises (s. 22B(1)(b))**

*[Heading inserted in Gazette 30 Sep 1994 p. 4952.]*

**19N. Conduct in relation to registered premises**

For the purposes of section 22B(1)(b) of the Act, the person in whose name private treatment and inspection premises are registered shall ensure that, in relation to those registered premises —

- (a) the public does not have access to inspection and quarantine areas without permission of the registered person or nominated staff members;
- (b) access to a propagation house is restricted to nominated staff members;
- (c) a person is nominated to control the inspection or quarantine area, or both, and that the nominated person is an approved person;
- (d) potential carriers under quarantine are physically separated from other goods;
- (e) any instructions issued by an inspector are complied with as soon as is practicable;
- (f) the Director General is notified immediately, in writing, of any changes in ownership of, or planned modifications to, the premises;

- (g) accurate records are kept of quarantined potential carriers which have come into, been treated, etc. at or left, the premises;
- (h) staff receive training of an approved type;
- (i) staff are appropriately licensed to use fumigants or treatments which are in fact used, and facilities for the use of those fumigants or treatments are, where necessary under any other written law, approved for those purposes by the appropriate authorities; and
- (j) fungicides with activity against apple scab or downy mildew are not applied in a propagation house, and shall give a written undertaking not to apply any such fungicide in any propagation house registered in that person's name.

*[Regulation 19N inserted in Gazette 30 Sep 1994 p. 4952.]*

**Division 3 — Application for registration (s. 22B(2))**

*[Heading inserted in Gazette 30 Sep 1994 p. 4952.]*

**190. Form of application for registration**

For the purposes of section 22B(2)(a) of the Act, an application for registration of private inspection and treatment premises must include the following prescribed details, to be completed by the owner or occupier —

- (a) the name of the applicant;
- (b) the address and the postal address of the premises;
- (c) the telephone number and facsimile number of the premises;
- (d) the functions for which the registration is sought;
- (e) the proposed imports;
- (f) the name of a person who is to be nominated as responsible for the operation of the quarantine area or the inspection area, or both;

**Plant Diseases Regulations 1989**

**Part 4A** Private inspection and treatment premises

**Division 3** Application for registration (s. 22B(2))

**r. 19P**

---

- (g) acknowledgment by the applicant that —
  - (i) it is understood that if registration is granted, it is subject to the prescribed standards and prescribed manner of conduct being met for the duration of the registration, and that an inspector may at any time during the registration period inspect the premises to ensure that the standards and manner of conduct are being met and maintained; and
  - (ii) the Director General may cancel the registration if the standards and manner of conduct are not being met and maintained;

and

- (h) the signature of the applicant and the date of the application.

*[Regulation 19O inserted in Gazette 30 Sep 1994 p. 4952-3.]*

**19P. Prescribed application fee**

- (1) For the purposes of section 22B(2)(b) of the Act and subject to subregulation (2), the annual fee for —
  - (a) an application for registration of private treatment and inspection premises is \$220.00; and
  - (b) an application to renew an existing registration of private treatment and inspection premises is \$220.00.
- (2) If private treatment and inspection premises which are the subject of an application for registration are already registered by the Australian Quarantine and Inspection Service of the Commonwealth for the purposes of similar overseas quarantine functions, the application fee in subregulation (1)(a) is \$55.00.

*[Regulation 19P inserted in Gazette 30 Sep 1994 p. 4953; amended in Gazette 31 May 2005 p. 2398-9; 16 Jun 2006 p. 2117; 15 Jun 2007 p. 2756-7; 20 May 2008 p. 1940; 26 Jun 2009 p. 2606; 30 Jun 2010 p. 3117-18.]*

## **Part 5 — General**

[20. Deleted in Gazette 6 Jan 1998 p. 50.]

### **20A. Requisition under section 14 of the Act**

A requisition under section 14 of the Act shall be in the form of Form 8 in Schedule 3.

*[Regulation 20A inserted in Gazette 25 May 1990 p. 2379.]*

### **20B. Infringement notices**

- (1) The offences described in Schedule 8 are prescribed for the purposes of section 35 of the Act and the amount appearing in the final column of that Schedule, directly opposite an offence, is the prescribed penalty in respect of that offence, if dealt with under that section.
- (2) Form No. 10 in Schedule 3 is prescribed, under section 35(3) of the Act, as the form of an infringement notice.
- (3) Form No. 11 in Schedule 3 is prescribed, under section 35(7) of the Act, as the form of a notice of withdrawal of an infringement notice.

*[Regulation 20B inserted in Gazette 30 Sep 1994 p. 4953.]*

[21. Omitted under the Reprints Act 1984 s. 7(4)(f).]

**Plant Diseases Regulations 1989**

**Schedule 1**

**Part A** Potential carriers — plants

---

**Schedule 1**

[Regulations 4, 6 and 19DA(1)]

[Heading inserted in Gazette 20 Aug 1996 p. 4054.]

In Part A potential carriers (plants) are listed alphabetically in column 1 and further divided into plants or parts thereof, cuttings, budwood, seed, fruit, vegetables and products in columns 2, 3, 4 and 5 respectively.

The conditions of entry into the State for each potential carrier are listed numerically adjacent to the potential carrier in the relevant columns.

In Part AA potential carriers (other than plants) are listed alphabetically in column 1.

The conditions of entry into the State for each potential carrier are listed numerically adjacent to the potential carrier in column 2.

Alternative conditions are separated by a slash.

In Part B full details of the conditions of entry are listed numerically.

[Preamble inserted in Gazette 18 Sep 1992 p. 4668-9.]

**Part A — Potential carriers — plants**

[Heading inserted in Gazette 7 Jun 1996 p. 2373.]

<b>Column 1</b> <b>Potential carrier</b>	<b>Column 2</b> <b>Plants or parts thereof</b>	<b>Column 3</b> <b>Cuttings, budwood</b>	<b>Column 4</b> <b>Seed</b>	<b>Column 5</b> <b>Fruit, vegetables and products</b>
Abiu.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Acerola.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Almond.....	13, 17, 18, 27, 29, 41, 45, 52, 55	18, 29, 41, 52, 55	16	41, 52, 55
<i>Amelanchier</i> spp. (Juneberry, Serviceberry).....	see Berries			
<i>Annona</i> spp. and <i>Annona</i> sp. hybrids.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	11, 4/7/9C, 41, 52, 55
Apple.....	1	1	16	1
Apple tissue culture.....	49	—	—	—

Column 1 Potential carrier	Column 2 Plants or parts thereof	Column 3 Cuttings, budwood	Column 4 Seed	Column 5 Fruit, vegetables and products
Apricot.....	13, 17, 18, 27, 29, 41, 45, 52, 55	18, 29, 41, 52, 55	16	1, 31, 31A
Aquatic plants.....	21	21	—	—
Artichoke.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	41, 52, 55
Asparagus.....	13, 17, 27, 29, 45, 55	—	16	55
Asteraceae (Compositae) see Schedule 10, including chickory, endives, hawk's beard, hawkweed, nipplewort, hawkbit, tobacco, petunia, figwort and speedwell	13, 17, 27, 29, 41, 45, 52, 55, 58	29, 41, 52, 55, 58	16	41, 52, 55, 58
<i>Atalantia</i> spp. ....	13, 17, 27, 29, 41, 45, 51, 52	29, 41, 51, 52	16	41, 51, 52
Avocado.....	13, 17, 27, 29, 41, 45, 46, 52, 55	29, 41, 46, 52, 55	16	4/4B/9C, 41, 46, 52, 55
Babaco .....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9A/9C, 41, 52, 55
Babiana (baboon flower, baboon root) .....	13, 17, 27, 29, 41, 45, 52, 53, 55	29, 41, 52, 53, 55	16	—
Banana .....	1/24	1/24	—	4/5/9A/9D, 52, 55
Beans.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	41, 52, 55
Beetroot.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	—
Berries.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9E, 41, 52, 55
Blackberry.....	see Berries			
Black sapote.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/7/9A/9C, 41, 52, 55
Brazil cherry.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55

**Plant Diseases Regulations 1989**

**Schedule 1**

**Part A** Potential carriers — plants

<b>Column 1</b> <b>Potential carrier</b>	<b>Column 2</b> <b>Plants or parts thereof</b>	<b>Column 3</b> <b>Cuttings, budwood</b>	<b>Column 4</b> <b>Seed</b>	<b>Column 5</b> <b>Fruit, vegetables and products</b>
Breadfruit.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9E, 41, 52, 55
Broccoli.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	41, 52, 55
Brussel sprouts.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	41, 52, 55
Bulbs.....	13, 17, 27, 45	—	—	—
Cabbage.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	41, 52, 55
Caimito (Star apple) .....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/4A/9C, 41, 52, 55
Cape gooseberry...	see Berries			
Capsicum.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/7/9C, 41, 52, 55
Capulin.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9E, 41, 52, 55
Carambola.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/4A/9C, 41, 52, 55
Carrots.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	—
Cashew apple.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Casimiroa (White sapote) .....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/7/9C, 41, 52, 55
Cauliflower.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	41, 52, 55
Cherimoya.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Cherry.....	13, 17, 18, 27, 29, 41, 45, 52, 55	18, 29, 41, 52, 55	16	1, 26, 31A
Chilli.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/7/9C, 41, 52, 55
Chinese cabbage...	13, 17, 27, 29, 41, 45, 52, 55	—	16	41, 52, 55
Chinese gooseberry.....	see Kiwi fruit			
Chives.....	13, 17, 27, 29, 35, 41, 45, 55	—	16	35, 41, 55
Choko.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	41, 52, 55

Column 1 Potential carrier	Column 2 Plants or parts thereof	Column 3 Cuttings, budwood	Column 4 Seed	Column 5 Fruit, vegetables and products
Chrysanthemums (for planting) ....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	—
Chrysanthemums (cut flowers) .....	—	41, 52, 55	—	—
Citron.....	see Citrus			
Citrus (other than Mandarin).....	13, 17, 27, 29, 41, 45, 50A, 51, 52, 55	29, 41, 50A, 51, 52, 55	16	4D/7/9C, 41, 51, 52, 55
<i>Clausena lansium</i>	13, 17, 27, 29, 41, 45, 51, 52	29, 41, 51, 52	16	4/9K, 41, 51, 52
Coconut.....	13, 17, 27, 29, 39, 45, 55	39A, 55	—	55
Coffee berry.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9J, 41, 52, 55
Corms .....	13, 17, 27, 45	—	—	—
Corn .....	see Maize			
<i>Cotoneaster</i> spp....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	41, 52, 55
Cotton.....	13, 17, 27, 29, 41, 45, 47, 52, 55	—	16, 37	41, 55
Cowpea.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16, 48	—
<i>Crataegus</i> spp. (Hawthorn).....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	41, 52, 55
Crocus.....	13, 17, 27, 29, 41, 45, 52, 53, 55	29, 41, 52, 53, 55	16	—
<i>Crocosmia aurea</i> (Planchon) .....	13, 17, 27, 29, 41, 45, 52, 53, 55	29, 41, 52, 53, 55	16	—
Cucumber.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/7/9G, 41, 52, 55
Cumquat .....	see Citrus			
Custard apple.....	see <i>Annona</i> spp. and <i>Annona</i> sp. hybrids			

**Plant Diseases Regulations 1989**

**Schedule 1**

**Part A** Potential carriers — plants

<b>Column 1</b>	<b>Column 2</b>	<b>Column 3</b>	<b>Column 4</b>	<b>Column 5</b>
<b>Potential carrier</b>	<b>Plants or parts thereof</b>	<b>Cuttings, budwood</b>	<b>Seed</b>	<b>Fruit, vegetables and products</b>
Cut flowers and foliage (not specified elsewhere) .....	—	28, 41, 52, 55	—	—
<i>Cydonia</i> spp. (Quince).....	13, 17, 18, 27, 29, 41, 45, 52, 55	18, 29, 41, 52, 55	16	1

<b>Column 1</b>	<b>Column 2</b>	<b>Column 3</b>	<b>Column 4</b>	<b>Column 5</b>
<b>Potential carrier</b>	<b>Plants or parts thereof</b>	<b>Cuttings, budwood</b>	<b>Seed</b>	<b>Fruit, vegetables and products</b>
Date.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Douglas fir.....	3, 13, 17, 27, 29, 45, 55	3, 29, 55	16	55
Durian.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9/9C, 41, 52, 55
Egg fruit.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/9J, 41, 52, 55
Elms .....	13, 17, 27, 29, 38, 41, 45, 52, 55	29, 38, 41, 52, 55	16	—
<i>Eriobotrya</i> spp. (Loquat) .....	1	1	16	1
<i>Eugenia</i> .....	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/9F, 41, 52, 55
European larch.....	3, 13, 17, 27, 29, 45, 55	3, 29, 55	16	55
Feijoa.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
<i>Feronia</i> spp. ....	13, 17, 27, 29, 41, 45, 51, 52	29, 41, 51, 52	16	41, 51, 52
<i>Feroniella lucida</i>	13, 17, 27, 29, 41, 45, 51, 52	29, 41, 51, 52	16	41, 51, 52
Fig.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Firethorn.....	see <i>Pyracantha</i> spp.			
Fortunella.....	see Citrus			
Fruit (not specified elsewhere) .....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9F, 41, 52, 55

Column 1 Potential carrier	Column 2 Plants or parts thereof	Column 3 Cuttings, budwood	Column 4 Seed	Column 5 Fruit, vegetables and products
Fruit trees.....	see Plants			
Garlic.....	13, 17, 27, 29, 35, 41, 45, 55	—	16	35
Gaylussacia spp. (Huckleberries)	13, 17, 27, 29, 41, 45, 52, 55, 57	29, 41, 52, 55, 57	16	4/9E, 41, 52, 55, 57
Ginger.....	13, 17, 27, 29, 45, 52, 55	—	16	—
Gladiolus.....	13, 17, 27, 29, 41, 45, 52, 53, 55	29, 41, 52, 53, 55	16	—
Granadilla.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9H, 41, 52, 55
Grapefruit.....	see Citrus			
Grape .....	1, 44	1	1	1
Grumichama.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Guava.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9I, 41, 52, 55
Hawthorn.....	see <i>Crataegus</i> spp.			
Hay .....	27, 33	—	—	—
Heliconia .....	13, 17, 27, 29, 41, 45, 52, 55	41, 52, 55	16	—
<i>Hesperethusa crenulata</i> .....	13, 17, 27, 29, 41, 45, 51, 52	29, 41, 51, 52	16	41, 51, 52
Hibiscus.....	13, 17, 27, 29, 41, 45, 47, 52, 55	29, 41, 47, 52, 55	16	—
Honeydew.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9G, 41, 52, 55
Hugeria spp. ....	13, 17, 27, 29, 41, 45, 52, 55, 57	29, 41, 52, 55, 57	16	57
Jaboticaba.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9/9C, 41, 52, 55
Jackfruit .....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9/9C, 41, 52, 55
Juneberry.....	see <i>Amelanchier</i> spp.			
Kiwifruit.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Kumquat.....	see Kumquat			
Leek.....	13, 17, 27, 29, 35, 41, 45, 55	—	16	35, 41, 55
Leucothoe spp. ....	13, 17, 27, 29, 41, 45, 52, 55, 57	29, 41, 52, 55, 57	16	41, 52, 55, 57
Lemon .....	see Citrus			

**Plant Diseases Regulations 1989**

**Schedule 1**

**Part A** Potential carriers — plants

<b>Column 1</b> <b>Potential carrier</b>	<b>Column 2</b> <b>Plants or parts thereof</b>	<b>Column 3</b> <b>Cuttings, budwood</b>	<b>Column 4</b> <b>Seed</b>	<b>Column 5</b> <b>Fruit, vegetables and products</b>
Lettuce .....	13, 17, 27, 29, 41, 45, 52, 55, 58	—	16	41, 52, 55, 58
Lime .....	see Citrus			
<i>Limonia acidissima</i> .....	13, 17, 27, 29, 41, 45, 51, 52	29, 41, 51, 52	16	41, 51, 52
Loganberry.....	see Berries			
Longan .....	13, 17, 27, 29, 41, 45, 55	29, 41, 55	16	4/4A/9/9C, 41, 55
Loquat.....	see <i>Eriobotrya</i> spp.			
Lucerne.....	1	1	1, 16, 20	—
Lupin.....			16	—
Lychee.....	13, 17, 27, 29, 45, 55	29, 55	16	4/4A/7/9/9C, 55
Lyonia spp. ....	13, 17, 27, 29, 41, 45, 52, 55, 57	29, 41, 52, 55, 57	16	41, 52, 55, 57

<b>Column 1</b> <b>Potential carrier</b>	<b>Column 2</b> <b>Plants or parts thereof</b>	<b>Column 3</b> <b>Cuttings, budwood</b>	<b>Column 4</b> <b>Seed</b>	<b>Column 5</b> <b>Fruit, vegetables and products</b>
Maize.....	1	1	16, 19, 28	—
Malay apple.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9E, 41, 52, 55
Mandarin.....	13, 17, 27, 29, 41, 45, 50A, 51, 52, 55	29, 41, 50A, 51, 52, 55	16	4/7/9C, 41, 51, 52, 55
Mango.....	13, 17, 27, 29, 41, 45, 52, 55, 56	29, 41, 52, 55, 56	12, 16	4/4B/7/9B/9E, 12, 41, 52, 55
Mangostein.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9A/9C, 41, 52, 55
Medlar.....	see <i>Mespilus</i> spp.			
Melons (other than Honeydew and Rockmelon)	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/9J, 41, 52, 55
Menziesia spp. ....	13, 17, 27, 29, 41, 45, 52, 55, 57	13, 17, 27, 29, 41, 45, 52, 55, 57	16	41, 52, 55, 57
<i>Mespilus</i> spp. (Medlar).....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	41, 52, 55

**Plant Diseases Regulations 1989**

**Schedule 1**

Potential carriers — plants

**Part A**

<b>Column 1</b>	<b>Column 2</b>	<b>Column 3</b>	<b>Column 4</b>	<b>Column 5</b>
<b>Potential carrier</b>	<b>Plants or parts thereof</b>	<b>Cuttings, budwood</b>	<b>Seed</b>	<b>Fruit, vegetables and products</b>
Miracle fruit.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9E, 41, 52, 55
Monstera.....	13, 17, 27, 29, 45, 52, 55	29, 52, 55	16	4/9J, 52, 55
Mountain ash.....	see <i>Sorbus</i> spp.			
Mulberry.....	see Berries			
Mungbean.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16, 48	—
Nectarine.....	13, 17, 18, 27, 29, 41, 45, 52, 55	18, 29, 41, 52, 55	16	1, 31A
Nuts (not specified elsewhere) .....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	41, 52, 55
Okra.....	13, 17, 27, 29, 41, 45, 47, 52, 55	29, 41, 47, 52, 55	16	4/9J, 41, 47, 52, 55
Olive.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9J, 41, 52, 55
Onions (also see spring onion) ....	13, 17, 27, 29, 35, 41, 45, 55	—	16	35
Orange.....	see Citrus			
Oxycoccus spp. ....	13, 17, 27, 29, 41, 45, 52, 55, 57	29, 41, 52, 55, 57	16	41, 52, 55, 57
Palms.....	13, 17, 27, 29, 39, 45, 55	29, 39A, 55	16	—
Papaya.....	see Pawpaw			
<i>Paramignya monophylla</i> .....	13, 17, 27, 29, 41, 45, 51, 52	29, 41, 51, 52	16	41, 51, 52
Parsnips.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	—
Passionfruit.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/4A/9H, 41, 52, 55
Pawpaw.....	13, 17, 27, 29, 40, 45, 52, 55	29, 40, 52, 55	16	4/4C/9A/9D, 40, 52, 55
Pea.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	41, 52, 55
Peach.....	13, 17, 18, 27, 29, 41, 45, 52, 55	18, 29, 41, 52, 55	16	1, 31A
Peanut.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	—
Pear.....	see <i>Pyrus</i> spp.			
Pepino.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55

**Plant Diseases Regulations 1989**

**Schedule 1**

**Part A** Potential carriers — plants

<b>Column 1</b> <b>Potential carrier</b>	<b>Column 2</b> <b>Plants or parts thereof</b>	<b>Column 3</b> <b>Cuttings, budwood</b>	<b>Column 4</b> <b>Seed</b>	<b>Column 5</b> <b>Fruit, vegetables and products</b>
Pernettya spp. ....	13, 17, 27, 29, 41, 45, 52, 55, 57	29, 41, 52, 55, 57	16	41, 52, 55, 57
Persimmon.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Pieris spp. ....	13, 17, 27, 29, 41, 45, 52, 55, 57	29, 41, 52, 55, 57	16	41, 52, 55, 57
Pineapple.....	13, 17, 27, 29, 45, 55	29, 55	16	55
Pinus.....	3, 13, 17, 27, 29, 45, 55	3, 29, 55	16	55
Plants (not specified elsewhere) .....	13, 17, 27, 28, 29, 41, 45, 52, 55	28, 29, 41, 52, 55	16	—
Plum.....	13, 17, 18, 27, 29, 41, 45, 52, 55	18, 29, 41, 52, 55	16	1, 31A
Poaceae (Gramineae) (genera specified in Schedule 9) .....	13, 17, 27, 28, 29, 41, 45, 52, 55	28, 29, 41, 52, 55	16	—
Pomegranate.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9/9C, 41, 52, 55
Poncirus.....	see Citrus			
Poplar.....	13, 17, 27, 29, 36, 41, 45, 52, 55	29, 36, 41, 52, 55	16	—
Potato (seed) .....	1, 13, 14, 17, 27, 29, 41, 45, 52, 55	—	—	1, 14, 17
Potato (Ware) .....	—	—	—	1, 14
Prickly Pear.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Pummelo.....	see Citrus			
Pumpkin.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/8A/9J, 41, 52, 55
<i>Pyracantha</i> spp. (Firethorn).....	1	1	16	1
<i>Pyrus</i> spp. (Pear)..	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	1
Quince.....	see <i>Cydonia</i> spp.			

Column 1 Potential carrier	Column 2 Plants or parts thereof	Column 3 Cuttings, budwood	Column 4 Seed	Column 5 Fruit, vegetables and products
Radish.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	—
Rambutan.....	13, 17, 27, 29, 45, 55	29, 55	16	4/4A/7/9/9C, 55
Raspberry.....	see Berries			
Red raspberry.....	see <i>Rubus ideus</i>			
Rhododendron spp. (Azalea) ....	13, 17, 27, 29, 41, 45, 52, 55, 57	29, 41, 52, 55, 57	16	41, 52, 55, 57
Rhubarb.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	41, 52, 55
Ribes spp. (Currants) including Ribes alpinum, Ribes aureum, Ribes nigrum (blackcurrant), Ribes rubrum (red currant) and Ribes uva crisa (gooseberry)	13, 17, 27, 29, 41, 45, 52, 55, 58	29, 41, 52, 55, 58	16	4/9E, 41, 52, 55
Rice.....	13, 17, 27, 29, 45, 52, 55	—	16, 22	22
Rockmelon.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/9G/9J, 41, 52, 55
Rollinia.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
<i>Rubus</i> hybrids.....	see Berries			
<i>Rubus ideus</i> (Red raspberry).....	see Berries			
Santol.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/7/9C, 41, 52, 55
Sapodilla.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Sapote.....	see Black sapote and Casimiroa			
Seed not specified elsewhere .....	—	—	16	—
Serviceberry.....	see <i>Amelanchier</i> spp.			
Shallots.....	13, 17, 27, 29, 35, 41, 45, 55	—	16	41, 35, 55

**Plant Diseases Regulations 1989**

**Schedule 1**

**Part A** Potential carriers — plants

<b>Column 1</b>	<b>Column 2</b>	<b>Column 3</b>	<b>Column 4</b>	<b>Column 5</b>
<b>Potential carrier</b>	<b>Plants or parts thereof</b>	<b>Cuttings, budwood</b>	<b>Seed</b>	<b>Fruit, vegetables and products</b>
<i>Sorbus</i> spp.				
(Mountain ash)..	1	1	16	1
Sorghum.....	1	1	16, 23, 23A	—
Soursop.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Soybean.....	1	1	16, 25	—
Spring onion.....	13, 17, 27, 29, 35, 41, 45, 55	—	16	41, 35, 55
Squash.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/7/9G, 41, 52, 55
Star apple.....	see Caimito			
Stonefruit not specified elsewhere .....	13, 17, 18, 27, 29, 41, 45, 52, 55	18, 29, 41, 52, 55	16	1
<i>Stransvaesia</i> spp...	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	41, 52, 55
Straw and straw packing.....	see Hay			
Strawberry.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/8/9E, 41, 52, 55
Sugar cane.....	13, 15, 17, 27, 29, 45, 52, 55	15, 29, 52, 55	15, 16	15, 52, 55
Super sweet.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9F, 41, 52, 55
Swedes.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	—
Sweetcorn.....	see Maize			
Sweet potatoes.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	—
Sweetsop (Sugar apple) .....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
<i>Swinglea</i> spp. ....	13, 17, 27, 29, 41, 45, 51, 52	29, 41, 51, 52	16	41, 51, 52

<b>Column 1</b>	<b>Column 2</b>	<b>Column 3</b>	<b>Column 4</b>	<b>Column 5</b>
<b>Potential carrier</b>	<b>Plants or parts thereof</b>	<b>Cuttings, budwood</b>	<b>Seed</b>	<b>Fruit, vegetables and products</b>
Tahiti lime.....	13, 17, 27, 29, 41, 45, 50A, 51, 52, 55	29, 41, 50A, 51, 52, 55	16	4/7/9A/9E, 29, 41, 51, 52, 55

Column 1 Potential carrier	Column 2 Plants or parts thereof	Column 3 Cuttings, budwood	Column 4 Seed	Column 5 Fruit, vegetables and products
Tamarillo.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Tamaruis.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9E, 41, 52, 55
Tangelo.....	see Citrus			
Taros.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	—
Thornless blackberry.....	see <i>Rubus</i> hybrids			
Tissue cultured plants.....	see Plants			
Tomato.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/9H, 41, 52, 55
Trees.....	see Plants			
Tritonia.....	13, 17, 27, 29, 41, 45, 52, 53, 55	29, 41, 52, 53, 55	16	—
Tsuga spp. (Hemlock)	13, 17, 27, 29, 41, 45, 52, 55, 57	29, 41, 52, 55, 57	16	55, 57
Turnips.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	—
Vaccinium spp. (Blueberries and Cranberries)	13, 17, 27, 29, 41, 45, 52, 55, 57	29, 41, 52, 55, 57	16	4/9E, 41, 52, 55, 57
Vegetables (not specified elsewhere) .....	13, 17, 27, 28, 29, 41, 45, 52, 55	28, 29, 41, 52, 55	16	41, 52, 55
<i>Vitis</i> spp. ....	see Grapes			
Walnut.....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	10, 16	10
Watercress.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	41, 52, 55
Watermelon.....	see Melons			
Watsonia.....	13, 17, 27, 29, 41, 45, 52, 53, 55	29, 41, 52, 53, 55	16	—
Wax jambu (Rose apple) .....	13, 17, 27, 29, 41, 45, 52, 55	29, 41, 52, 55	16	4/9C, 41, 52, 55
Yams.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	—
Zucchini.....	13, 17, 27, 29, 41, 45, 52, 55	—	16	4/7/9G, 41, 52, 55

[Part A inserted in Gazette 7 Jun 1996 p. 2373-83; amended in Gazette 14 Jan 1997 p. 381-2 and 383; 4 Mar 1997 p. 1353;

**Plant Diseases Regulations 1989**

**Schedule 1**

**Part AA** Potential carriers — other than plants

---

*6 Jan 1998 p. 50-2; 19 Aug 1998 p. 4475-6; 9 Mar 1999 p. 1145; 23 Mar 1999 p. 1260-2; 22 Jun 1999 p. 2669; 4 Feb 2000 p. 420; 29 Sep 2000 p. 5534-5; 6 Jan 2001 p. 113; 13 Feb 2001 p. 866; 19 Apr 2002 p. 2077; 11 Feb 2003 p. 409; 31 Oct 2003 p. 4554-5; 16 Jan 2004 p. 193; 21 Sep 2004 p. 4108-9; 17 May 2005 p. 2105-6 and 2131-2; 16 Dec 2005 p. 6074; 7 Feb 2006 p. 615; 21 Apr 2006 p. 1571-2; 6 Mar 2007 p. 725-6; 17 Sep 2010 p. 4419.]*

**Part AA — Potential carriers — other than plants**

*[Heading inserted in Gazette 18 Sep 1992 p. 4670.]*

<u>Column 1</u> Potential Carrier	<u>Column 2</u> Conditions for Entry
Agricultural machinery .....	27, 42, 57
Animals .....	42
Animal skins/coats .....	42
Apple machinery or equipment (used) .....	50
Cargo containers .....	27
Containers .....	27
Fruit, vegetable and plant containers (used) other than potato containers .....	59
Grape machinery/equipment (used) .....	60
Landscaping material .....	27
Live fish .....	42, 43
Machinery .....	27
Mushroom — growing medium .....	32
Potato containers (used) .....	6A, 27
Potato machinery or equipment (used) .....	6, 27
Soil .....	2, 27
Trucks .....	-
Used vehicles transported by commercial carriers .....	-

*[Part AA inserted in Gazette 18 Sep 1992 p. 4670; amended in Gazette 6 Jan 1998 p. 47; 4 Jun 1999 p. 2268; 4 Feb 2000 p. 420-1; 31 Oct 2003 p. 4555; 16 Jan 2004 p. 193; 23 Jan 2004 p. 305; 17 May 2005 p. 2132; 21 Apr 2006 p. 1572.]*

**Part B — Conditions**

*[Heading inserted in Gazette 20 Aug 1996 p. 4054.]*

- 
1. (1) Unless specifically dealt with elsewhere, entry not allowed under any conditions
- Apple: fruit and plants — apple scab (*Venturia inaequalis*), codling moth (*Cydia pomonella*).
- Banana: plants other than tissue culture — bunchy top virus.
- Eribotrya* spp. (Loquat): fruit and plants — apple scab (*Venturia inaequalis*).
- Grape: fruit, seed, plants — downy mildew (*Plasmopara viticola*), grape phylloxera (*Daktulosphaira vitifoliae*).
- Lucerne: plants — bacterial wilt (*Clavibacter (Corynebacterium) michiganense* subsp. *insidiosum*).
- Lucerne: seed other than seed from South Australia — bacterial wilt (*Clavibacter (Corynebacterium) michiganense* subsp. *insidiosum*).
- Maize: plants — boil smut (*Ustilago maydis*).
- Pear: fruit — codling moth (*Cydia pomonella*).
- Potatoes: from Victoria (other than tissue cultured and minitubers).
- Pyracantha* spp. (Firethorn): fruit and plants — apple scab (*Venturia inaequalis*).
- Quince: fruit — codling moth (*Cydia pomonella*).
- Sorbus* spp. (Mountain ash): fruit and plants — apple scab (*Venturia inaequalis*).
- Sorghum: plants — sorghum midge (*Contarinia sorghicola*), ergot (*Claviceps* spp.).
- Soybean: plants — black leaf blight (*Arkoala nigra*), stem rot (*Phytophthora megasperma* f. sp. *glycinea*).
- Stonefruit: fresh fruit other than —
- (a) apricot fruit (*Prunus armeniaca*) grown in South Australia, Tasmania or South Island New Zealand; and

- (b) cherry fruit (*Prunus avium*) grown in South Australia, Tasmania or New Zealand; and
- (c) peach fruit (*Prunus persica*) grown in South Island New Zealand; and
- (d) plum fruit (*Prunus salicina* or *Prunus domestica*) grown in South Island New Zealand; and
- (e) nectarine fruit (*Prunus persica* var. *nucipersica*) grown in South Island New Zealand,

general diseases and individual pests.

- (2) For the purposes of subclause (1) —

**minituber** means potatoes which are grown under conditions approved by the Director General.

*[Item 1 amended in Gazette 26 Jan 1990 p. 649; 18 Sep 1992 p. 4670-1; 20 Aug 1996 p. 4054; 14 Jan 1997 p. 383; 4 Mar 1997 p. 1354; 4 Feb 2000 p. 421; 16 Jan 2004 p. 194; 16 Dec 2005 p. 6074; 7 Feb 2006 p. 616; 21 Apr 2006 p. 1572; 6 Mar 2007 p. 726.]*

2. Soil — general diseases

Entry not allowed unless soil —

- (a) comprises mining and scientific samples for laboratory purposes at premises approved by the Director General; or
- (b) complies with condition 13.

3. Douglas fir (*Pseudotsuga menziesii*), European larch (*Larix decidua*), and *Pinus* (*Pinus* spp.) plants, cuttings, foliage and cut flowers — *Dothistroma* needle blight (*Dothistroma septospora*)

To be certified as grown in a State or Territory where *Dothistroma* needle blight is not known to occur.

*[Item 3 amended in Gazette 20 Aug 1996 p. 4054.]*

4. Fruit — fruit fly (*B. tryoni*, *B. cucumis*, *B. musae*, *B. frauenfeldi*, *B. neohumeralis*, *B. papayae* and *B. philippinensis*)

- (1) Subject to subitems (2) and (3), from all States and Territories —
- (a) to be certified as —

- (i) having been immersed in a dip containing 400 mg/L of dimethoate or fenthion for 1 minute;
- (ii) having been flooded as part of a single layer of produce with 400 mg/L of dimethoate or fenthion at ambient temperature in a high volume application of at least 16 L/m<sup>2</sup> per minute for at least 10 seconds and as having remained wet for at least 1 minute before drying; or
- (iii) having been fumigated with methyl bromide for 2 hours at one of the following rates —
  - 24 g/m<sup>3</sup> at 26° — 31.9°C
  - 32 g/m<sup>3</sup> at 21° — 25.9°C
  - 40 g/m<sup>3</sup> at 15° — 20.9°C
  - 48 g/m<sup>3</sup> at 10° — 14.9°C;

or

- (b) to be certified as having been treated at a temperature within a range specified in the first column of the following Table for the number of days corresponding to that temperature range specified in the second column of that Table.

**Table**

0°C ± 0.5°C	14 days
1°C ± 0.5°C	16 days
2°C ± 0.5°C	18 days
3°C ± 0.5°C	20 days

- (2) Subitem (1) does not apply to pumpkins which are the cultivars butternut, Jarrahdale or Ken's special of the species *Cucurbita moschata* or the cultivars of the delica type of the species *Cucurbita maxima*.
- (3) From areas infested with *B. papayae* or *B. philippinensis*, strawberry, mango, capsicum and hermaphroditic varieties of pawpaw to be certified as —
  - (a) having been fumigated with methyl bromide for 2 hours at one of the following rates —
    - 24 g/m<sup>3</sup> at 26° — 31.9°C
    - 32 g/m<sup>3</sup> at 21° — 25.9°C
    - 40 g/m<sup>3</sup> at 15° — 20.9°C

48 g/m<sup>3</sup> at 10° — 14.9°C;

or

- (b) having been treated at a temperature within a range specified in the first column of the following Table for the number of days corresponding to that temperature range specified in the second column of that Table.

**Table**

0°C ± 0.5°C	14 days
1°C ± 0.5°C	16 days
2°C ± 0.5°C	18 days
3°C ± 0.5°C	20 days

- (4) In addition, if the treatment in subitem (3)(a) is used for hermaphroditic varieties of pawpaw from Queensland and the Northern Territory, to be certified that the fruit was not more than 25% coloured at the time it was harvested.

*[Item 4 inserted in Gazette 7 Jun 1996 p. 2383-4; amended in Gazette 14 Jan 1997 p. 382; 4 Mar 1997 p. 1354; 19 Aug 1998 p. 4476-7; 22 Jun 1999 p. 2670; 21 Apr 2006 p. 1573.]*

- 4A. Caimito, carambola, longan, lychee, passionfruit, rambutan and star apple — fruit fly (*B. tryoni*, *B. cucumis*, *B. neohumeralis*, *B. papayae* and *B. philippinensis*)

To be certified as —

- (a) having been immersed in a dip containing 400 mg/L of dimethoate or fenthion for at least 10 seconds; and  
(b) having remained wet for at least 1 minute before drying.

*[Item 4A inserted in Gazette 14 Jan 1997 p. 382; amended in Gazette 19 Aug 1998 p. 4477; 22 Jun 1999 p. 2670.]*

- 4B. Avocado and mango — fruit fly (*B. tryoni*, *B. frauenfeldi*, *B. neohumeralis*, *B. papayae* and *B. philippinensis*)

To be certified as —

- (a) in relation to avocado —  
(i) having been sprayed after harvest with 400 mg/L of fenthion at a rate of 0.6 L/m<sup>2</sup> per minute for at least

10 seconds, after the fruit has been completely wetted; and

- (ii) having remained wet for at least 1 minute before drying;

or

- (b) in relation to mango —

- (i) having been sprayed after harvest with 400 mg/L of fenthion at a rate of 0.6 L/m<sup>2</sup> per minute for at least 10 seconds, after the fruit has been completely wetted;
- (ii) having remained wet for at least 1 minute before drying.

*[Item 4B inserted in Gazette 14 Jan 1997 p. 382; amended in Gazette 19 Aug 1998 p. 4477; 22 Jun 1999 p. 2670; 8 Jun 2001 p. 2922; 17 Jul 2001 p. 3635.]*

- 4C. Pawpaw — fruit fly (*B. tryoni*, *B. cucumis*, *B. musae*, *B. frauenfeldi*, *B. neohumeralis*, *B. papayae* and *B. philippinensis*)

To be certified —

- (a) as treated in a temperature forced air facility for a period of not less than 3½ hours and until the seed cavity temperature reaches 47.2°C as monitored in the heaviest fruit; and
- (b) that the fruit is not soft, overripe, damaged or decayed.

*[Item 4C inserted in Gazette 19 Aug 1998 p. 4478; amended in Gazette 22 Jun 1999 p. 2670.]*

- 4D. Citrus — fruit fly (*B. tryoni*, *B. cucumis*, *B. musae*, *B. frauenfeldi*, *B. neohumeralis*, *B. papayae* and *B. philippinensis*)

From all States and Territories —

- (a) to be certified as —
  - (i) having been immersed in a dip containing 400 mg/L of fenthion for 1 minute;
  - (ii) having been flooded as part of a single layer of produce with 400 mg/L of fenthion at ambient temperature in a high volume application of at least 16 L/m<sup>2</sup> per minute for at least 10 seconds and as

**Plant Diseases Regulations 1989**

**Schedule 1**

**Part B**                      **Conditions**

---

having remained wet for at least 1 minute before drying; or

- (iii) having been fumigated with methyl bromide for 2 hours at one of the following rates —

24 g/m<sup>3</sup> at 26° — 31.9°C  
32 g/m<sup>3</sup> at 21° — 25.9°C  
40 g/m<sup>3</sup> at 15° — 20.9°C  
48 g/m<sup>3</sup> at 10° — 14.9°C;

or

- (b) fruit other than lemon to be certified as having been treated at a temperature within a range specified in the first column of the following Table for the number of days corresponding to that temperature range specified in the second column of that Table;

**Table**

0°C ± 0.5°C	14 days
1°C ± 0.5°C	16 days
2°C ± 0.5°C	18 days
3°C ± 0.5°C	20 days

- (c) lemon to be certified as having been treated at a temperature within a range specified in the first column of the following Table for the number of days corresponding to that temperature range specified in the second column of that Table.

**Table**

1°C ± 0.5°C	16 days
2°C ± 0.5°C	18 days
3°C ± 0.5°C	20 days

*[Item 4D inserted in Gazette 19 Apr 2002 p. 2078; amended in Gazette 21 Apr 2006 p. 1573.]*

5. Banana fruit — fruit fly (*B. tryoni*, *B. musae*, *B. neohumeralis*, *B. papayae* and *B. philippinensis*)

To be certified as fumigated with ethylene di-bromide for 2 hours under conditions specified in the Code of Practice —

- (a) at a rate of 16 gm/m<sup>3</sup> (7.4 ml/m<sup>3</sup>) at a temperature of not less than 13°C and not more than 20°C; or
- (b) at a rate of 12 gm/m<sup>3</sup> (5.5 ml/m<sup>3</sup>) at a temperature of 20.1°C or above,

but commercial consignments will be permitted to enter Western Australia subject to immediate fumigation under Department of Agriculture<sup>2</sup> supervision.

*[Item 5 inserted in Gazette 7 Jun 1996 p. 2384; amended in Gazette 19 Aug 1998 p. 4478; 22 Jun 1999 p. 2670.]*

6. Potato machinery or equipment (used) — bacterial wilt (*Pseudomonas solanacearum*) and spindle tuber viroid

To be certified as —

- (a) originating from a property which has been free from bacterial wilt and potato spindle tuber viroid for the preceding 5 years;
- (b) not having been used on any other property during the preceding 3 years;
- (c) not having been associated with potatoes grown within 20 km of a known outbreak of bacterial wilt detected within the last 5 years; and
- (d) having been cleaned under the supervision of an officer of the Department of Agriculture in the originating State or Territory.

*[Item 6 amended in Gazette 4 Feb 2000 p. 421.]*

- 6A. Potato containers (used)

Entry into the State is prohibited except with the prior approval of the Director General.

*[Item 6A inserted in Gazette 4 Feb 2000 p. 421.]*

7. Black sapote, capsicum, casimiroa, chilli, citrus, cucumber, custard apple, lychee, mango, rambutan, santol, squash, Tahiti lime and

zucchini — fruit fly (*B. tryoni*, *B. cucumis*, *B. musae*, *B. frauenfeldi* and *B. neohumeralis*)

To be certified as fumigated with ethylene di-bromide for 2 hours under conditions specified in the Code of Practice at one of the rates set out in the relevant Table below.

**Table 1 — Black sapote, casimiroa, custard apple, lychee, mango, rambutan and santol**

33.5 gm/m <sup>3</sup> (15.2 ml/m <sup>3</sup> )	at	10°C to 11°C
31.5 gm/m <sup>3</sup> (14.3 ml/m <sup>3</sup> )	at	11.1°C to 13.5°C
27.5 gm/m <sup>3</sup> (12.4 ml/m <sup>3</sup> )	at	13.6°C to 15.5°C
24.5 gm/m <sup>3</sup> (11.2 ml/m <sup>3</sup> )	at	15.6°C to 17.5°C
22 gm/m <sup>3</sup> (10.2 ml/m <sup>3</sup> )	at	17.6°C to 19.5°C
20 gm/m <sup>3</sup> (9.2 ml/m <sup>3</sup> )	at	19.6°C to 21.5°C
19 gm/m <sup>3</sup> (8.7 ml/m <sup>3</sup> )	at	21.6°C and above

**Table 2 — Capsicum and chilli**

37 gm/m <sup>3</sup> (16.6 ml/m <sup>3</sup> )	at	10°C to 11°C
35 gm/m <sup>3</sup> (15.5 ml/m <sup>3</sup> )	at	11.1°C to 13.5°C
30 gm/m <sup>3</sup> (13.3 ml/m <sup>3</sup> )	at	13.6°C to 15.5°C
27 gm/m <sup>3</sup> (12.2 ml/m <sup>3</sup> )	at	15.6°C to 17.5°C
24 gm/m <sup>3</sup> (11 ml/m <sup>3</sup> )	at	17.6°C to 19.5°C
22 gm/m <sup>3</sup> (10 ml/m <sup>3</sup> )	at	19.6°C to 21.5°C
21 gm/m <sup>3</sup> (9.7 ml/m <sup>3</sup> )	at	21.6°C and above

**Table 3 — Citrus and Tahiti lime**

32 gm/m <sup>3</sup> (14.7 ml/m <sup>3</sup> )	at	10°C to 11°C
30 gm/m <sup>3</sup> (13.8 ml/m <sup>3</sup> )	at	11.1°C to 13.5°C
26 gm/m <sup>3</sup> (12 ml/m <sup>3</sup> )	at	13.6°C to 15.5°C
23.5 gm/m <sup>3</sup> (10.8 ml/m <sup>3</sup> )	at	15.6°C to 17.5°C
21 gm/m <sup>3</sup> (9.7 ml/m <sup>3</sup> )	at	17.6°C to 19.5°C
19 gm/m <sup>3</sup> (8.7 ml/m <sup>3</sup> )	at	19.6°C to 21.5°C
18 gm/m <sup>3</sup> (8.3 ml/m <sup>3</sup> )	at	21.6°C and above

**Table 4 — Cucumber, squash and zucchini**

---

20 gm/m <sup>3</sup> (9.3 ml/m <sup>3</sup> )	at	10°C to 11°C
19 gm/m <sup>3</sup> (8.7 ml/m <sup>3</sup> )	at	11.1°C to 13.5°C
16.5 gm/m <sup>3</sup> (7.5 ml/m <sup>3</sup> )	at	13.6°C to 15.5°C
15 gm/m <sup>3</sup> (6.8 ml/m <sup>3</sup> )	at	15.6°C to 17.5°C
13.5 gm/m <sup>3</sup> (6.1 ml/m <sup>3</sup> )	at	17.6°C to 19.5°C
12 gm/m <sup>3</sup> (5.5 ml/m <sup>3</sup> )	at	19.6°C to 21.5°C
11.5 gm/m <sup>3</sup> (5.2 ml/m <sup>3</sup> )	at	21.6°C and above

[Item 7 inserted in Gazette 7 Jun 1996 p. 2384-5; amended in Gazette 22 Jun 1999 p. 2670.]

8. Strawberry — fruit fly (*B. tryoni*)

To be certified as having been pre-harvest treated in accordance with the Code of Practice under a quality assurance system.

[Item 8 inserted in Gazette 7 Jun 1996 p. 2385.]

8A. Pumpkin — fruit fly (*B. papayae* and *B. philippinensis*)

The cultivars of the species *Cucurbita moschata* other than butternut and the cultivars of the species *Cucurbita maxima* other than the cultivars of the delica type to be certified as being mature with firm unbroken skin and stems that are dry, intact and short.

[Item 8A inserted in Gazette 19 Aug 1998 p. 4478.]

9. Durian, jaboticaba, jackfruit, longan, lychee, pomegranate and rambutan — fruit fly (*B. tryoni* and *B. neohumeralis*)

- (1) To be certified that each individual fruit has been inspected and has unbroken skin.
- (2) In addition rambutan fruit to be certified as not over ripe.

[Item 9 inserted in Gazette 14 Jan 1997 p. 382; amended in Gazette 22 Jun 1999 p. 2670.]

9A. Babaco, banana, black sapote, mangostein, pawpaw and Tahiti lime — fruit fly (*B. tryoni*, *B. neohumeralis* and *B. musae*)

- (1) To be —
  - (a) certified as having been harvested in a green mature condition; or
  - (b) in a green mature condition on arrival in Western Australia.

(2) In addition banana fruit from areas infested with fruit fly (*B. musae*) to be certified as having been produced under a quality assurance system.

(3) In subitem (1) —

**green mature condition** means —

(a) in relation to babaco or pawpaw, that the colouring of the fruit is not more than one quarter yellow;

(b) in relation to Tahiti lime, that the fruit has no yellow colouring;

(ba) in relation to banana of the cavendish variety, that the fruit —

(i) is green and has no yellow colouring;

(ii) is hard; and

(iii) in relation to a single banana or a banana outside the whorl of a hand cluster which is not a wing banana or a distorted banana, has a transverse diameter that does not exceed 42 mm at a point which is a distance of one third of the length of the fruit from its flower end;

(c) in relation to black sapote, that the fruit has no black colouring; and

(d) in relation to mangostein, that the fruit has no purplish black colouring.

*[Item 9A inserted in Gazette 7 Jun 1996 p. 2385-6; amended in Gazette 19 Aug 1998 p. 4478; 22 Jun 1999 p. 2670.]*

9B. Mango — fruit fly (*B. tryoni*, *B. neohumeralis* and *B. frauenfeldi*)

(1) To be certified as having been heated in high humidity air or hot water so that the flesh temperature of the fruit was maintained at a minimum of 46.5°C for 20 minutes or 47°C for 15 minutes before the fruit was cooled in air or water.

(2) In measuring flesh temperature for the purposes of subitem (1) the number and location of temperature probes are to be in accordance with the specifications issued by the manufacturer of the heat disinfestation unit.

*[Item 9B inserted in Gazette 7 Jun 1996 p. 2386; amended in Gazette 19 Aug 1998 p. 4478; 22 Jun 1999 p. 2670.]*

- 
- 9C. Fruit (other than fruit referred to in items 9D to 9K) — fruit fly (*B. tryoni*, *B. neohumeralis*, *B. papayae* and *B. philippinensis*)
- (1) From all States and Territories (other than Tasmania) to be certified as from an area free from fruit fly (*B. tryoni*) in accordance with the Code of Practice.
  - (2) From Queensland, New South Wales and the Australian Capital Territory to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. neohumeralis*) for the preceding 12 months.
  - (3) From Queensland to be certified as grown on a property —
    - (a) situated not less than 50 km from a place where *B. papayae* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
    - (b) situated not less than 15 km from a place where *B. papayae* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of Queensland is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
    - (c) if the property is within a quarantine area for *B. papayae* defined by the quarantine authority of Queensland, the property is not less than 30 km from a place where *B. papayae* has been discovered and the distance between discovery points is not more than 1.2 km.
  - (4) From the Northern Territory to be certified as grown on a property —
    - (a) situated not less than 50 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
    - (b) not less than 15 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of the Northern Territory is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or

- (c) if the property is within a quarantine area for *B. philippinensis* defined by the quarantine authority of the Northern Territory, the property is not less than 30 km from a place where *B. philippinensis* has been discovered and the distance between discovery points is not more than 1.2 km.

*[Item 9C inserted in Gazette 7 Jun 1996 p. 2386; amended in Gazette 19 Aug 1998 p. 4479; 22 Jun 1999 p. 2670; 21 Apr 2006 p. 1573.]*

9D. Banana and pawpaw — fruit fly (*B. tryoni*, *B. neohumeralis*, *B. musae*, *B. papayae* and *B. philippinensis*)

- (1) From all States and Territories (other than Tasmania) to be certified as from an area free from fruit fly (*B. tryoni*) in accordance with the Code of Practice.
- (2) From Queensland, New South Wales and the Australian Capital Territory to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. neohumeralis*) for the preceding 12 months.
- (3) From Queensland to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. musae*) for the preceding 12 months.
- (4) From Queensland to be certified as grown on a property —
  - (a) situated not less than 50 km from a place where *B. papayae* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
  - (b) situated not less than 15 km from a place where *B. papayae* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of Queensland is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
  - (c) if the property is within a quarantine area for *B. papayae* defined by the quarantine authority of Queensland, the property is not less than 30 km from a place where *B. papayae* has been discovered and the distance between discovery points is not more than 1.2 km.

- (5) From the Northern Territory to be certified as grown on a property —
- (a) situated not less than 50 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
  - (b) not less than 15 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of the Northern Territory is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
  - (c) if the property is within a quarantine area for *B. philippinensis* defined by the quarantine authority of the Northern Territory, the property is not less than 30 km from a place where *B. philippinensis* has been discovered and the distance between discovery points is not more than 1.2 km.

[Item 9D inserted in Gazette 7 Jun 1996 p. 2386; amended in Gazette 19 Aug 1998 p. 4479-80; 22 Jun 1999 p. 2670.]

- 9E. Berries, breadfruit, capulin, malay apple, mango, miracle fruit, strawberry, Tahiti lime and tamaruis — fruit fly (*B. tryoni*, *B. neohumeralis*, *B. frauenfeldi*, *B. papayae* and *B. philippinensis*)
- (1) From all States and Territories (other than Tasmania) to be certified as from an area free from fruit fly (*B. tryoni*) in accordance with the Code of Practice.
  - (2) From Queensland, New South Wales and the Australian Capital Territory to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. neohumeralis*) for the preceding 12 months.
  - (3) From Queensland to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. frauenfeldi*) for the preceding 12 months.
  - (4) From Queensland to be certified as grown on a property —
    - (a) situated not less than 50 km from a place where *B. papayae* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;

- (b) situated not less than 15 km from a place where *B. papayae* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of Queensland is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
  - (c) if the property is within a quarantine area for *B. papayae* defined by the quarantine authority of Queensland, the property is not less than 30 km from a place where *B. papayae* has been discovered and the distance between discovery points is not more than 1.2 km.
- (5) From the Northern Territory to be certified as grown on a property —
- (a) situated not less than 50 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
  - (b) not less than 15 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of the Northern Territory is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
  - (c) if the property is within a quarantine area for *B. philippinensis* defined by the quarantine authority of the Northern Territory, the property is not less than 30 km from a place where *B. philippinensis* has been discovered and the distance between discovery points is not more than 1.2 km.

*[Item 9E inserted in Gazette 7 Jun 1996 p. 2386-7; amended in Gazette 19 Aug 1998 p. 4480-1; 22 Jun 1999 p. 2670.]*

- 9F. Eugena, fruit (not specified elsewhere in Part A) and super sweet — fruit fly (*B. tryoni*, *B. neohumeralis*, *B. cucumis*, *B. frauenfeldi*, *B. papayae* and *B. philippinensis*)
- (1) From all States and Territories (other than Tasmania) to be certified as from an area free from fruit fly (*B. tryoni*) in accordance with the Code of Practice.

- 
- (2) From Queensland, New South Wales and the Australian Capital Territory to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. neohumeralis* and *B. cucumis*) for the preceding 12 months.
- (3) From Queensland to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. frauenfeldi*) for the preceding 12 months.
- (4) This item does not apply to fruit (not specified elsewhere in Part A) if the Director General determines that the fruit is not a potential carrier of fruit fly.
- (5) From Queensland to be certified as grown on a property —
- (a) situated not less than 50 km from a place where *B. papayae* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
  - (b) situated not less than 15 km from a place where *B. papayae* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of Queensland is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined;  
or
  - (c) if the property is within a quarantine area for *B. papayae* defined by the quarantine authority of Queensland, the property is not less than 30 km from a place where *B. papayae* has been discovered and the distance between discovery points is not more than 1.2 km.
- (6) From the Northern Territory to be certified as grown on a property —
- (a) situated not less than 50 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
  - (b) not less than 15 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of the Northern Territory is not more than 1.2 km

and a trapping grid allows the limits of the outbreak to be defined; or

- (c) if the property is within a quarantine area for *B. philippinensis* defined by the quarantine authority of the Northern Territory, the property is not less than 30 km from a place where *B. philippinensis* has been discovered and the distance between discovery points is not more than 1.2 km.

*[Item 9F inserted in Gazette 7 Jun 1996 p. 2387; amended in Gazette 19 Aug 1998 p. 4481-2; 22 Jun 1999 p. 2670.]*

- 9G. Cucumber, honeydew, rockmelon, squash and zucchini — fruit fly (*B. cucumis*, *B. papayae* and *B. philippinensis*)
- (1) From Queensland, New South Wales and the Australian Capital Territory to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. cucumis*) for the preceding 12 months.
  - (2) From Queensland to be certified as grown on a property —
    - (a) situated not less than 50 km from a place where *B. papayae* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
    - (b) situated not less than 15 km from a place where *B. papayae* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of Queensland is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
    - (c) if the property is within a quarantine area for *B. papayae* defined by the quarantine authority of Queensland, the property is not less than 30 km from a place where *B. papayae* has been discovered and the distance between discovery points is not more than 1.2 km.
  - (3) From the Northern Territory to be certified as grown on a property —
    - (a) situated not less than 50 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;

- (b) not less than 15 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of the Northern Territory is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
- (c) if the property is within a quarantine area for *B. philippinensis* defined by the quarantine authority of the Northern Territory, the property is not less than 30 km from a place where *B. philippinensis* has been discovered and the distance between discovery points is not more than 1.2 km.

[Item 9G inserted in Gazette 7 Jun 1996 p. 2387; amended in Gazette 19 Aug 1998 p. 4482-3.]

- 9H. Granadilla, passionfruit and tomato — fruit fly (*B. tryoni*, *B. neohumeralis*, *B. cucumis*, *B. papayae* and *B. philippinensis*)
- (1) From all States and Territories (other than Tasmania) to be certified as from an area free from fruit fly (*B. tryoni*) in accordance with the Code of Practice.
  - (2) From Queensland, New South Wales and the Australian Capital Territory to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. neohumeralis* and *B. cucumis*) for the preceding 12 months.
  - (3) From Queensland to be certified as grown on a property —
    - (a) situated not less than 50 km from a place where *B. papayae* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
    - (b) situated not less than 15 km from a place where *B. papayae* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of Queensland is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
    - (c) if the property is within a quarantine area for *B. papayae* defined by the quarantine authority of Queensland, the property is not less than 30 km from a place where

*B. papayae* has been discovered and the distance between discovery points is not more than 1.2 km.

- (4) From the Northern Territory to be certified as grown on a property —
- (a) situated not less than 50 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
  - (b) not less than 15 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of the Northern Territory is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
  - (c) if the property is within a quarantine area for *B. philippinensis* defined by the quarantine authority of the Northern Territory, the property is not less than 30 km from a place where *B. philippinensis* has been discovered and the distance between discovery points is not more than 1.2 km.

*[Item 9H inserted in Gazette 7 Jun 1996 p. 2387; amended in Gazette 19 Aug 1998 p. 4483-4; 22 Jun 1999 p. 2670.]*

- 9I. Guava — fruit fly (*B. tryoni*, *B. neohumeralis*, *B. musae*, *B. frauenfeldi*, *B. papayae* and *B. philippinensis*)
- (1) From all States and Territories (other than Tasmania) to be certified as from an area free from fruit fly (*B. tryoni*) in accordance with the Code of Practice.
  - (2) From Queensland, New South Wales and the Australian Capital Territory to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. neohumeralis*) for the preceding 12 months.
  - (3) From Queensland to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. musae* and *B. frauenfeldi*) for the preceding 12 months.

- 
- (4) From Queensland to be certified as grown on a property —
- (a) situated not less than 50 km from a place where *B. papayae* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
  - (b) situated not less than 15 km from a place where *B. papayae* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of Queensland is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
  - (c) if the property is within a quarantine area for *B. papayae* defined by the quarantine authority of Queensland, the property is not less than 30 km from a place where *B. papayae* has been discovered and the distance between discovery points is not more than 1.2 km.
- (5) From the Northern Territory to be certified as grown on a property —
- (a) situated not less than 50 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
  - (b) not less than 15 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of the Northern Territory is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
  - (c) if the property is within a quarantine area for *B. philippinensis* defined by the quarantine authority of the Northern Territory, the property is not less than 30 km from a place where *B. philippinensis* has been discovered and the distance between discovery points is not more than 1.2 km.

[Item 9I inserted in Gazette 7 Jun 1996 p. 2387-8; amended in Gazette 19 Aug 1998 p. 4484-5; 22 Jun 1999 p. 2670.]

- 9J.        Coffee berry, egg fruit, melons, monstera, okra, olive, pumpkin and rockmelon — fruit fly (*B. papayae* and *B. philippinensis*)
- (1) From Queensland to be certified as grown on a property —
- (a) situated not less than 50 km from a place where *B. papayae* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
  - (b) situated not less than 15 km from a place where *B. papayae* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of Queensland is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
  - (c) if the property is within a quarantine area for *B. papayae* defined by the quarantine authority of Queensland, the property is not less than 30 km from a place where *B. papayae* has been discovered and the distance between discovery points is not more than 1.2 km.
- (2) From the Northern Territory to be certified as grown on a property —
- (a) situated not less than 50 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points is more than 1.2 km or a trapping grid does not allow the limits of the outbreak to be defined;
  - (b) not less than 15 km from a place where *B. philippinensis* has been discovered, if the distance between discovery points situated outside a quarantine area defined by the quarantine authority of the Northern Territory is not more than 1.2 km and a trapping grid allows the limits of the outbreak to be defined; or
  - (c) if the property is within a quarantine area for *B. philippinensis* defined by the quarantine authority of the Northern Territory, the property is not less than 30 km from a place where *B. philippinensis* has been discovered and the distance between discovery points is not more than 1.2 km.

- (3) For pumpkins this condition applies to cultivars of the species *Cucurbita moschata* other than the cultivars butternut, Jarrahdale and Ken's special and cultivars of the species *Cucurbita maxima* other than the cultivars of the delica type.

[Item 9J inserted in Gazette 19 Aug 1998 p. 4485-6.]

9K. *Clausena lansium* — fruit fly (*B. tryoni* and *B. neohumeralis*)

- (1) From all States and Territories (other than Tasmania) to be certified as from an area free from fruit fly (*B. tryoni*) in accordance with the Code of Practice.
- (2) From Queensland, New South Wales and the Australian Capital Territory to be certified that the property of origin and the area within a 50 km radius of the property of origin have been free from fruit fly (*B. neohumeralis*) for the preceding 12 months.

[Item 9K inserted in Gazette 21 Apr 2006 p. 1573.]

10. Walnut fruit — codling moth (*Cydia pomonella*) and European red mite (*Panonychus ulmi*)

To be certified as fumigated with methyl bromide at 32 g/m<sup>3</sup> at 20°C for 24 hours.

11. *Annona* spp. and *Annona* sp. hybrids — fruit fly (*B. tryoni*, *B. neohumeralis*, *B. papayae* and *B. philippinensis*)

To be certified as having been pre-harvest treated, each individual fruit inspected and found free from broken skin, and graded and packed under a quality assurance system approved by the Director General.

[Item 11 inserted in Gazette 22 Jun 1999 p. 2670.]

12. Mango fruit and seed — mango seed weevil (*Sternochaetus mangiferae*)

To —

- (a) be certified as grown in a State or Territory where mango seed weevil is not known to occur; or
- (b) comply with the conditions and sampling procedures set out in the protocol entitled "Property Freedom Protocol for

Mango Seed Weevil (MSW)” dated 1 May 2000 as approved by the Minister.

*[Item 12 amended in Gazette 28 Oct 1994 p. 5463; 30 Jun 2000 p. 3400.]*

13.      Plants — general diseases

Free from soil unless from a nursery approved to treat soil by one of the methods —

- (a)    steam pasteurisation at 60°C for 30 minutes;
- (b)    fumigation with methyl bromide at 0.5 kg/m<sup>3</sup> for 24 hours on an impervious floor with the material to be fumigated being not more than 300 mm deep;
- (c)    fumigation with methyl bromide at 0.6 kg/m<sup>3</sup> for 72 hours on an impervious floor with the material to be fumigated not more than 660 mm deep;
- (d)    fumigation with dazomet.

14.      All potatoes (seed and ware — including potatoes for processing) from all States and Territories (other than Victoria)

- (1)    Subject to subclauses (2), (3), (4), (5) and (6) to be certified —
  - (a)    as grown in a district where potato spindle tuber viroid is not known to occur;
  - (b)    that the State or Territory of origin has bacterial wilt as a notifiable disease (i.e. a legislative requirement for growers to report to the Department of Agriculture<sup>2</sup>, any occurrence of the disease);
  - (c)    as grown and packed on a property situated at least 20 km from a known outbreak of the disease bacterial wilt detected within the last 5 years (area freedom is to be based on annual random surveys by the Department, of 10% of the area of potato crops growing within the 20 km area and inspections are to be conducted by examining plants along every tenth row within 6 weeks of crop senescence or slashing or spraying off);
  - (d)    that any property within 20 km on which bacterial wilt has been found, has been kept free from potatoes or other solanaceous crops for 5 years;

- (e) that they were not, unless otherwise approved by the Director General, harvested, cleaned, washed, graded or packed with equipment or in premises with or in which potatoes, grown within 20 km of a known outbreak of the disease bacterial wilt detected within the last 5 years, have been handled;
- (f) that they have been packed in clean new packages or placed in bulk containers cleaned of soil and plant material and treated immediately before filling by thoroughly spraying with a 1% formaldehyde or sodium hypochlorite (1% available chlorine);
- (g) that harvested potatoes have been inspected and found to be free from —
  - (i) bacterial wilt (*Pseudomonas solanacearum*); and
  - (ii) Irish blight (*Phytophthora infestans*);
- (h) as from a crop which has been fork tested on a 10 row x 10 m grid and that potato cyst nematode was not detected, or, if approved by the Director General in Western Australia, soil sampled on a 3 m grid and that potato cyst nematode was not detected; and
  - (i) as —
    - (i) grown in accordance with a protocol approved by the Director General in relation to precautions against potato cyst nematode; or
    - (ii) washed and free from soil and then dipped in sodium hypochlorite in the State of origin; or
    - (iii) if approved by the Director General in Western Australia —
      - (I) brushed in the State of origin and the soil from brushings tested and confirmed to be free from potato cyst nematode; and
      - (II) transported direct to an approved quarantine holding area in Western Australia prior to treatment; and
      - (III) washed and then dipped in sodium hypochlorite at rates approved by the Director General in Western Australia; and

(IV) all packages/bags used in transport are disposed of or treated, as directed by an inspector;

and

- (j) that procedures for fork testing, soil sampling and sodium hypochlorite treatment are as approved by the Director General in Western Australia.
- (2) Tissue cultured and minituber potatoes are exempt from special conditions outlined in clause (1)(h) and (i).

For the purposes of this subclause —

***minituber*** means potatoes which are grown under conditions approved by the Director General.

- (3) All imported potatoes are prohibited entry into —
- (a) the Shires of Esperance, Gingin, Jerramungup and Ravensthorpe; and
- (b) that portion of the State comprising the area bounded by a line starting from a point on the sea coast situated west from the south-west corner of Mandurah townsite and extending south-easterly to the south corner of Coolup townsite; thence south-southeasterly to the southernmost corner of Collie townsite; thence in a general south-easterly direction passing through the north-east corner of Dinninup at Cape Riche; thence south-westerly, westerly, north-westerly and northerly along the said sea coast to the starting point; excluding however, that portion of such area comprised within a radius of 16 km from the Collie Railway Station.

Seed potatoes

- (4) Potatoes imported as seed must also be certified as produced under an approved pathogen testing scheme. (To be approved, the scheme must include 2 crop inspections during growing season for bacterial wilt.)

Ware potatoes

- (5) Potatoes imported as ware must also be —
- (a) certified as having been inspected and found free from bacterial wilt during the growing season by examining plants

along every tenth row within 6 weeks of crop senescence or slashing or spraying off; and

(b) labelled “not for planting”.

(6) The Director General may, upon receipt of a written request —

(a) vary any of the conditions referred to in; or

(b) exempt a person or class of persons from complying with,

subclause (1), (3), (4) or (5).

*[Item 14 inserted in Gazette 18 Sep 1992 p. 4671-3; amended in Gazette 20 Aug 1996 p. 4055; 6 Jan 1998 p. 52; 19 Aug 1998 p. 4665; 24 Jan 2003 p. 143.]*

15. Sugar cane — ratoon stunting virus and sugar cane Fiji disease

Sugar cane plants or parts of plants are prohibited from entering Western Australia from other parts of Australia without the prior approval of the Director General.

*[Item 15 amended in Gazette 16 Jan 2004 p. 194.]*

16. Seed

All seed imported into Western Australia must not contain seeds of any plant that is neither native to the State nor listed in Schedule 5.

*[Item 16 amended in Gazette 6 Jan 1998 p. 52; 17 Sep 2010 p. 4419.]*

17. Plants — grape phylloxera (*Daktulosphaira vitifolii*)

(1) From South Australia, Tasmania and the Northern Territory — must be identified as grown in that State or Territory.

(2) From all other States and Territories —

(a) to be accompanied by a declaration made by the grower before a Justice of the Peace or before an officer of the Department of Agriculture in the State or Territory of origin that —

(i) the tree or plant has been grown at a greater distance than 45 metres from any grape vine or root thereof; and

**Plant Diseases Regulations 1989**

**Schedule 1**

**Part B**                      Conditions

---

- (ii) no Phylloxera exists or has existed in a nursery or garden in which the tree or plant has been growing;
  - or
  - (b) grown in a nursery approved by the Western Australian Department of Agriculture<sup>2</sup>.
- (3) These conditions do not apply to —
- (a) aseptic cultures of plant material grown on agar in sealed flasks (i.e. tissue culture); or
  - (b) epiphytic plants (eg. staghorns and elkhorns) provided they are observed to be grown free from soil.

*[Item 17 amended in Gazette 21 Apr 2006 p. 1574.]*

18. Almond, quince and stonefruit plants, cuttings and budwood — brown rot (*Monilinia (Sclerotinia) fructicola* and *M. laxa*)

- (1) To be certified as dipped or thoroughly sprayed in an aqueous solution of benomyl at a strength of not less than 0.1% active ingredient in a manner so as to immerse all portions other than the root.
- (2) To be free from dead growth and accompanied by a declaration made by the grower before a Justice of the Peace or before an officer of the Department of Agriculture in the State or Territory of origin that they have not borne any flowers.

*[Item 18 amended in Gazette 20 Aug 1996 p. 4055; 6 Jan 1998 p. 53.]*

19. Maize, corn and sweetcorn seed for planting — boil smut (*Ustilago maydis*)

To be certified that —

- (a) the seed is from an area which is free from boil smut; or
- (b) the seed has been treated with —
  - (i) 2-(thiocyano-methyl-thio) benzothiazole (TCMTB) at the rate of 32 millilitres/100 kilograms of seed; or
  - (ii) Vitavax 200FF® at the rate of 500 millilitres/100 kilograms of seed.

*[Item 19 amended in Gazette 26 Jan 1990 p. 649; 30 Dec 1994 p. 7216.]*

20. Lucerne seed — bacterial wilt (*Clavibacter (corynebacterium) michiganense* subsp. *insidiosum*)

From South Australia, to be certified by an officer of the Department of Primary Industries and Resources South Australia, as being grown on a property —

- (a) that has been inspected and found free from bacterial wilt; or
- (b) that has been PCR (polymerase chain reaction) tested and found free from bacterial wilt.

[Item 20 amended in Gazette 16 Jan 2004 p. 194.]

21. Aquatic plants — American rib fluked snail (*Pseudosuccinea columella*)

- (1) To be free from fresh water snail.
- (2) To be treated on arrival in a solution of 2 ppm copper for 24 hours then held for 6 days followed by inspection or to be certified to have been —
  - (a) treated in a solution of 2 ppm copper for 24 hours then held for 6 days; and
  - (b) followed by inspection and found to be free from fresh water snail.

[Item 21 amended in Gazette 20 Aug 1996 p. 4055; 9 Mar 1999 p. 1145-6.]

22. Rice — warehouse beetle (*Trogoderma variabile*)

- (1) To be certified that —
  - (a) the rice was produced and packed in an area which is free from the pest warehouse beetle; or
  - (b) the rice and associated bulk containers including pallets, crates and bins have, within 5 days prior to dispatch, been fumigated with methyl bromide at the rate of 48 g/m<sup>3</sup> at 20°C for 24 hours and any associated railway wagons have been treated within 3 days prior to loading with either Reldan, Alfacron or Actellic at a rate of 1 gram active ingredients per sq. metre.

- (2) This condition does not apply to milled rice.

*[Item 22 amended in Gazette 16 May 1995 p. 1839.]*

23. Sorghum seed — sorghum midge (*Contarinia sorghicola*)

- (1) Sorghum seed is to be —

- (a) certified as fumigated with phosphine in a sealed enclosure at 1.5 g/m<sup>3</sup> —

(i) for 7 days at above 25°C; or

(ii) for 10 days at 15°C — 25°C;

or

- (b) certified as fumigated with methyl bromide for 2 hours in a sealed enclosure at one of the following rates —

(i) 24 g/m<sup>3</sup> at 26°C — 31.9°C;

(ii) 32 g/m<sup>3</sup> at 21°C — 25.9°C;

(iii) 40 g/m<sup>3</sup> at 15°C — 20.9°C;

(iv) 48 g/m<sup>3</sup> at 10°C — 14.9°C.

- (2) Sorghum seed is to contain less than 1% by weight of chaff consisting of vegetative parts of plants other than seed or seed fragments.

*[Item 23 inserted in Gazette 21 Sep 2004 p. 4107.]*

- 23A. Sorghum seed — ergot (*Claviceps* spp.)

Seed for sowing is to be certified as —

- (a) dipped in a solution of 2% available chlorine for 5 minutes;  
or

- (b) dusted with Thiram at the rate of 200 g/100 kg of seed.

*[Item 23A inserted in Gazette 21 Sep 2004 p. 4107.]*

24. Banana plants (in tissue culture) — bunchy top virus and Panama disease (*Fusarium oxysporum* f. sp. *cubense*)

Banana plants in tissue culture only are permitted provided they are certified as produced under an approved scheme from tested mother stock certified free of bunchy top virus and Panama disease.

25. Soybean seed for planting — black leaf blight (*Arkoola nigra*), stem rot (*Phytophthora megasperma* f. sp. *glycinea*)

To be certified as —

- (a) grown in an area where black leaf blight has not been recorded; and
- (b) treated with 35% metalaxyl at the rate of 300 grams/100 kilograms of seed.

[Item 25 amended in Gazette 20 Aug 1996 p. 4055.]

26. Cherry fruit (*Prunus avium*) — General diseases

- (1) In this item —

**AQIS** means the Australian Quarantine and Inspection Service of the Commonwealth;

**cherry fruit** means fresh fruit of *Prunus avium*;

**FPE Appendix 2** means Appendix 2 to Part A of the document entitled *Final Policy Extension for the Importation of Cherry Fruit (Prunus avium) from Tasmania into Western Australia* and dated 22 December 2003;

**IRA** means the Import Risk Analysis entitled *Categorisation of Pests of Stone Fruit from Eastern Australia — Final State Import Risk Analysis of Cherry Fruit (Prunus avium) from South Australia into Western Australia*. (21 September 2001);

**relevant department** means —

- (a) for South Australia, the Department of Primary Industries and Resources South Australia; and
  - (b) for Tasmania, the Department of Primary Industries, Water and Environment.
- (2) For cherry fruit grown in South Australia or Tasmania entry is not allowed except in accordance with subitems (3) to (7).
- (3) Cherry fruit grown in South Australia or Tasmania to be certified as from an orchard and packed in a packing house registered in accordance with the IRA.

**Plant Diseases Regulations 1989**

**Schedule 1**

**Part B**                      Conditions

---

- (4) Cherry fruit grown in South Australia or Tasmania to be accompanied by certification stating —
- (a) the name, address and registration number of —
    - (i) the orchard on which the cherry fruit was grown; and
    - (ii) the packing house in which it was packed;and
  - (b) that the orchard and the packing house are registered by the relevant department for growing or packing cherry fruit, as the case may be, that may be exported to Western Australia.
- (5) Cherry fruit grown in South Australia or Tasmania to be —
- (a) transported in containers with —
    - (i) the registration number or the name of the producer of the cherry fruit and the address of the property on which it was grown; and
    - (ii) the registration number or the name of the packer of the cherry fruit and the address of the property on which it was packed,printed on an external surface in letters not less than 5 mm in height;
  - (b) packed in clean new packaging; and
  - (c) substantially free from leaves, soil and other plant debris, other than a peduncle or pedicel.
- (6) Cherry fruit grown in South Australia or Tasmania to be inspected on arrival in Western Australia in accordance with the sampling procedures set out in FPE Appendix 2 and found to be free from the pests specified in the IRA.
- (7) Cherry fruit grown in South Australia or Tasmania —
- (a) to be certified as described in Schedule 1 Part B item 4(1)(a) or (b); or
  - (b) to be certified as from an area free from fruit fly (*B. tryoni*) in accordance with the Code of Practice.

*[Item 26 inserted in Gazette 11 Feb 2003 p. 409-11; amended in Gazette 16 Jan 2004 p. 194; 18 May 2004 p. 1563-4; 16 Dec 2005 p. 6075; 6 Mar 2007 p. 726.]*

27. Red Imported Fire Ant (*Solenopsis invicta*)
- (1) In this item —
- landscaping materials** includes a non-liquid mixture of organic or inorganic material in which plants may grow, soils, potting mixtures and mulches;
- RIFA** means Red Imported Fire Ant (*Solenopsis invicta*).
- (2) For plants with soil or planting medium attached originating from a property that has never been infested with Red Imported Fire Ant but that is less than 5 km from a property infested with RIFA to be certified that the originating property has been inspected in the preceding 3 months and found to be free from RIFA.
- (3) For plants with soil or planting medium attached originating from a property that has been infested with RIFA to be certified that —
- the infestation was destroyed by injecting or drenching all nests with a solution of 0.2 g/L chlorpyrifos;
  - the property has been treated at least 4 times with baits registered under the Agvet Code of the jurisdiction in which the property is situated for the treatment of RIFA according to the recommendations of the bait's manufacturer with the period between each application of the bait being not less than 1 month and not more than 2 months; and
  - the property has been inspected at least monthly for the preceding 3 months and found to be free from RIFA.
- (4) For a plant with soil or planting medium attached originating from a property that has been infested or is less than 5 km from a property that has been infested with RIFA to be certified that —
- if the plant with soil or planting medium attached is in a container with a capacity of 5 L or less, they have been —
    - treated by immersing all of the container and root ball in a solution containing at least 40 ml of a 500 g/L chlorpyrifos concentrate per 100 L of water and a commercial wetting agent used at the manufacturer's recommended rate or drenched by saturating the medium to at least 20% of the volume in that solution;

- (ii) isolated in a secure area, kept not less than 5 m from plants not treated in accordance with this item and marked as treated against RIFA for export to Western Australia; and
    - (iii) consigned to Western Australia within 48 hours of the treatment;
  - or
  - (b) the soil or planting medium —
    - (i) has been mixed with a registered granular insecticide before planting at a rate of 8.4 kg of granules per cubic metre of soil or planting medium;
    - (ii) the granules contain 2 g/kg of bifenthrin; and
    - (iii) the mixture of soil or planting medium and granules was made not more than 3 months before the plants were consigned to Western Australia.
- (5) For landscaping material originating from a property that has been infested or is less than 5 km from a property infested with RIFA to be certified —
- (a) that the originating property has been inspected in the preceding 3 months and found to be free from RIFA; and
  - (b) either —
    - (i) that —
      - (I) the material was fumigated with methyl bromide at the rate of 48 g/m<sup>3</sup> at 21°C for 24 hours;
      - (II) the material was not more than 300 mm deep during the fumigation;
      - (III) the fumigation was monitored and gas concentration at the end of the fumigation was not less than 15 g/m<sup>3</sup>;
      - (IV) the material was stored, handled and consigned after treatment in a manner so as to prevent infestation with RIFA; and
      - (V) the material was consigned to Western Australia within 48 hours of fumigation;

(ii) that —

- (I) the material was heat treated to a core temperature of at least 70°C for at least 5 minutes;
- (II) the material was stored, handled and consigned after treatment in a manner so as to prevent infestation with RIFA; and
- (III) the material was consigned to Western Australia within 48 hours of treatment;

or

(iii) that —

- (I) the material has been mixed with a registered granular insecticide at a rate of 8.4 kg of granules per cubic metre of landscaping material;
- (II) the granules contain 2 g/kg of bifenthrin; and
- (III) the mixture of landscaping material and granules was made not more than 3 months before the landscaping material was consigned to Western Australia.

(6) For hay or straw originating from a property that has been infested or is less than 5 km from a property infested with RIFA to be certified that —

- (a) the originating property has been inspected in the preceding 3 months and found to be free from RIFA;
- (b) the hay or straw was fumigated with methyl bromide at the rate of 48 g/m<sup>3</sup> at 21°C for 24 hours;
- (c) the fumigation was monitored and gas concentration at the end of the fumigation was not less than 15 g/m<sup>3</sup>;
- (d) the hay or straw was stored, handled and consigned after treatment in a manner so as to prevent infestation with RIFA; and
- (e) the hay or straw was consigned within 48 hours of fumigation.

- (7) For machinery or containers from a place less than 5 km from a property infested with RIFA to be certified by the Department of Agriculture in the State or Territory in which the machinery or containers originated as having been inspected and found to be free from RIFA.
- (8) For plants with soil or planting medium attached, landscaping material or hay or straw originating from a property 5 km or more from a property infested with RIFA —
  - (a) to be certified by the Department of Agriculture in the State or Territory in which the plants, landscaping material or hay or straw originated as originating from a property that is more than 5 km from any known infestation of RIFA; or
  - (b) to be accompanied by a declaration by the person exporting the plants, landscaping material or hay or straw to Western Australia that it originates from a property that has been accredited by an authorised officer of the Department of Agriculture of the State or Territory in which it originates as being more than 5 km from any known infestation of RIFA.
- (9) For plants, landscaping material or hay or straw, machinery or containers to be certified or verified in writing as having been produced, treated, stored, handled, consigned or inspected and found to be free from RIFA in accordance with a protocol approved by the Director General.
- (10) Subitems (3), (4), (5) and (6) do not apply if subitem (9) applies.
- (11) On arrival in Western Australia plants with soil or planting medium attached originating from a property less than 5 km from a property infested with RIFA to be inspected by an inspector for RIFA and found to be free from RIFA after each container is tapped sharply at least 3 times.

*[Item 27 inserted in Gazette 31 Oct 2003 p. 4556-9.]*

- 28. Poaceae (Gramineae) — wheat streak mosaic virus
  - (1) In this item —  
**WSMV** means wheat streak mosaic virus.
  - (2) Subitems (4) and (5) apply to the genera of Poaceae (Gramineae) plants specified in Schedule 9.

- (3) Subitem (6) applies to *Zea mays* seed.
  - (4) From a State or Territory in which WSMV is known to occur —
    - (a) to be certified by an officer of the Department of Agriculture in the State or Territory in which the plants originated or a person nominated under a quality assurance system that the plants have been ELISA (enzyme linked immuno-sorbent assay) or PCR (polymerase chain reaction) tested and found free from WSMV; or
    - (b) to be ELISA (enzyme linked immuno-sorbent assay) or PCR (polymerase chain reaction) tested on arrival in Western Australia and found free from WSMV.
  - (5) From a State or Territory in which WSMV is known to occur to be certified, as defined in regulation 3, as having been treated —
    - (a) with abamectin applied at the rate of 50 ml per 100 L of water;
    - (b) with propargite applied at the rate of 100 gm per 100 L of water; or
    - (c) with an approved miticide at an approved rate.
  - (6) From a State or Territory in which WSMV is known to occur, entry into this State is prohibited except with the prior approval of the Director General.  
*[Item 28 inserted in Gazette 21 Sep 2004 p. 4109.]*
29. Plants (tissue culture exempt) — general diseases
- (1) To be fumigated or thoroughly sprayed to run off, pre or post entry, with one of the treatments set out in subitem (4) appropriate to the particular plants.
  - (2) Pre-entry treatments to be certified or from an approved nursery.
  - (3) Consignments from approved nurseries to be accompanied by a declaration made by an official of the approved nursery specifying the treatment effected and that it has been applied within 3 days prior to export.

- (4) The required treatments are as follows —
- (a) for ferns, bromeliads, cacti, orchids, epiphytes, dracaenas, hoyas and cuttings/seedlings of carnation, chrysanthemum, gypsophila —
    - (i) 6 ml diazinon (80% active ingredient) and commercial wetting agent (at double the manufacturer's recommended rate) to 10 L of water; or
    - (ii) 10 ml methomyl (as Lannate L 22.5% active ingredient) and commercial wetting agent (at double the manufacturer's recommended rate) to 10 L of water;
  - (b) for maidenhair ferns — 6 ml diazinon (80% active ingredient) to 10 L of water;
  - (c) for orchids in flower or bud — dichlorvos (as Insectigas D 5% active ingredient) at 0.67 g/m<sup>3</sup>;
  - (d) for african violets — thiodan (35% active ingredient) at 19 ml to 10 L of water;
  - (e) all other plants —
    - (i) 6 ml diazinon (80% active ingredient) and 120 ml white petroleum oil to 10 L of water; or
    - (ii) fumigation with methyl bromide at the following rates for 2 hours —
      - 56 g/m<sup>3</sup> at 5° — 10°C
      - 48 g/m<sup>3</sup> at 11° — 15°C
      - 40 g/m<sup>3</sup> at 16° — 20°C
      - 32 g/m<sup>3</sup> at 21° — 25°C
      - 24 g/m<sup>3</sup> at 26° — 30°C
      - 16 g/m<sup>3</sup> at 31°C and above;
- and
- (f) such other treatments as are approved by the Director General.

*[Item 29 amended in Gazette 18 Sep 1992 p. 4673; 20 Aug 1996 p. 4055.]*

*[30. Deleted in Gazette 7 Jun 1996 p. 2388.]*

- 
31. Apricot fruit (fresh fruit of *Prunus armeniaca*) — Oriental fruit moth (*Grapholita molesta*), general diseases.
- (1) In this item —
- apricot fruit** means fresh fruit of *Prunus armeniaca*;
- AQIS** has the same meaning as in item 26;
- FPE** means Part A and Part B of the document entitled *Final Policy Extension Fresh Apricot (Prunus armeniaca) Fruit Imported from South Australia and Tasmania into Western Australia* completed by the Department of Agriculture<sup>2</sup> in December 2003 as amended from time to time;
- fruit fly** means —
- (a) *Bactrocera kraussi* (Krauss' fruit fly);
  - (b) *Bactrocera mayi*;
  - (c) *Bactrocera melas*;
  - (d) *Bactrocera neohumeralis* (Lesser Queensland fruit fly); or
  - (e) *Bactrocera tryoni* (Queensland fruit fly);
- oriental fruit moth** means *Grapholita molesta*;
- relevant department** has the same meaning as in item 26.
- [(2) *deleted*]
- (3) For apricot fruit grown in South Australia or Tasmania entry is not allowed except in accordance with subitems (4) to (9).
- (4) Apricot fruit grown in South Australia or Tasmania to be certified as from a property and packed in a packing house registered in accordance with the FPE.
- (5) Apricot fruit grown in South Australia or Tasmania to be accompanied by certification stating —
- (a) the name, address and registration number of —
    - (i) the property on which the apricot fruit was grown;
- and

- (ii) the packing house in which it was packed;
- and
- (b) that the property and packing house have been registered by the relevant department for export to Western Australia in accordance with the FPE,

and displaying the following words on the certification —

“

THE PROPERTY AND PACKING HOUSE HAVE  
BEEN REGISTERED FOR EXPORT TO WESTERN  
AUSTRALIA IN ACCORDANCE WITH THE FPE

”.

- (6) Apricot fruit grown in South Australia or Tasmania to be —
  - (a) transported in containers with —
    - (i) the registration number or the name of the producer of the apricot fruit and the address of the property on which it was grown; and
    - (ii) the registration number or the name of the packer of the apricot fruit and the address of the property on which it was packed,printed on the external surface in letters not less than 5 mm in height;
  - (b) packed in clean new packaging; and
  - (c) substantially free from leaves, soil and other plant debris, other than a peduncle or pedicel.
- (7) Apricot fruit grown in South Australia or Tasmania to be inspected on arrival in Western Australia in accordance with the sampling procedures set out in the FPE Appendix 3.

- (8) Apricot fruit grown in South Australia and Tasmania to be certified as —
- (a) grown on a property which is declared to be an area of low pest prevalence for oriental fruit moth in accordance with the FPE,

and displaying the following words on the certification —

“

GROWN ON A PROPERTY WHICH IS  
DECLARED TO BE AN AREA OF LOW PEST  
PREVALENCE FOR ORIENTAL FRUIT MOTH  
IN ACCORDANCE WITH THE FPE

”; or

- (b) fumigated with methyl bromide in accordance with AQIS Quarantine Treatments Aspects and Procedures Version 1.0 and specifying —
- (i) the name of the fumigation facility;
- (ii) the date of fumigation;
- (iii) the rate of methyl bromide used, being the initial dosage ( $\text{g}/\text{m}^3$ );
- (iv) concentration time (CT) product of methyl bromide achieved by the fumigation ( $\text{ghr}/\text{m}^3$ );
- (v) duration of fumigation (hours);
- (vi) ambient air temperature during fumigation ( $^{\circ}\text{C}$ ); and
- (vii) minimum apricot pulp temperature during fumigation ( $^{\circ}\text{C}$ ),

and displaying the following words on the certification —

“

FUMIGATED IN ACCORDANCE WITH AQIS  
QUARANTINE TREATMENTS ASPECTS AND  
PROCEDURES

”.

- (9) Apricot fruit grown in South Australia or Tasmania to be certified as —
- (a) fumigated in accordance with item 31(8)(b); or
  - (b) from an area free from fruit fly in accordance with the Code of Practice or as approved by the Director General,

and displaying the following words on the certification —

“

FROM AN AREA FREE FROM FRUIT FLY IN  
ACCORDANCE WITH THE CODE OF PRACTICE

”.

[(10) *deleted*]

- (11) The Department of Agriculture<sup>2</sup> is to make available —
- (a) a summary of the FPE from its website at [www.agric.wa.gov.au](http://www.agric.wa.gov.au); and
  - (b) a current version of the FPE from the offices of the Department of Agriculture<sup>2</sup> at Baron-Hay Court, South Perth.

*[Item 31 inserted in Gazette 16 Dec 2005 p. 6075-8; amended in Gazette 6 Mar 2007 p. 726-7.]*

31A. Stonefruit grown in New Zealand

- (1) In this item —
- cherry fruit** means fresh fruit of *Prunus avium*;
- stonefruit** means fresh fruit of —
- (a) apricot (*Prunus armeniaca*); or
  - (b) nectarine (*Prunus persica* var. *nucipersica*); or
  - (c) peach (*Prunus persica*); or
  - (d) plum (*Prunus domestic* or *Prunus salicina*).
- (2) For cherry fruit grown in New Zealand entry is not allowed except in accordance with —
- (a) requirements considered by the Director General to be equivalent to those specified in item 26(3) to (6); and

- (b) any further requirements specified by the Director General.
- (3) For stonefruit grown in South Island New Zealand entry is not allowed except in accordance with —
  - (a) requirements considered by the Director General to be equivalent to those specified in item 31(4) to (8); and
  - (b) any further requirements specified by the Director General.

*[Item 31A inserted in Gazette 6 Mar 2007 p. 727.]*
- 32. Mushroom growing medium (*Verticillium fungicola*)
  - (1) Sterilized growing medium accepted from approved nurseries provided it is certified as prepared and sterilized in isolation from mushroom growing areas.
  - (2) Sterilization can be either steam pasteurization at 60°C for 30 minutes or fumigation with methyl bromide at 0.5 kg/m<sup>3</sup> for 24 hours on an impervious floor with the material to be fumigated being not more than 300 mm deep.
- 33. Hay, straw and straw packing — prohibited and restricted seeds
  - (1) Subject to subitem (2), to be certified free from all plants that are neither native to the State nor listed in Schedule 5.
  - (2) For packing, may be accepted with the prior approval of the Director General and subject to supervised destruction at discharge.

*[Item 33 amended in Gazette 6 Jan 1998 p. 53; 17 Sep 2010 p. 4419.]*
- [34. Deleted in Gazette 7 Jun 1996 p. 2388.]*
- 35. Onions, garlic, leek, chives, spring onions and shallots — onion rust (*Puccinia allii*), white rot (*Sclerotium cepivorum*), American onion smut (*Urocystis cepulae*)
  - (1) To be certified as inspected and found to be free from —
    - (a) onion rust (*Puccinia allii*);
    - (b) white rot (*Sclerotium cepivorum*); and
    - (c) American onion smut (*Urocystis cepulae*).

- (2) From South Australia also to be certified as from a crop which has been inspected by an officer of the Department of Primary Industries and Resources South Australia and found free from the disease American Onion Smut.

*[Item 35 amended in Gazette 19 Aug 1998 p. 4665; 16 Jan 2004 p. 194.]*

36. Poplar plants and cuttings — marssonina leaf spot (*Marssonina brunnea* and *Marssonina castagnei*), white poplar (*Populus alba*)

To be certified as grown in a State or Territory where *Marssonina brunnea* and *Marssonina castagnei* are not known to occur.

Other poplars

To be certified as grown in a State or Territory where *Marssonina brunnea* is not known to occur.

*[Item 36 inserted in Gazette 26 Jan 1990 p. 649.]*

37. Cotton seed — verticillium wilts (*Verticillium dahliae* and *V. alboatrum*)

To be certified as having been acid delinted to the satisfaction of an inspector.

*[Item 37 inserted in Gazette 4 May 1990 p. 2129.]*

38. Elms (*Ulmus* spp.) imported from other States and Territories

- (1) Subject to subitem (2), to be certified as being —
- (a) from an area where elm leaf beetle (*Pyrrhalta luteola*) is not known to occur; or
  - (b) cover sprayed to the point of run-off with a solution of carbaryl at not less than 0.1% active ingredient.
- (2) This condition does not apply to aseptic cultures of plant material grown on agar in sealed flasks (i.e. tissue culture).

*[Item 38 inserted in Gazette 17 Aug 1990 p. 4067; amended in Gazette 19 Aug 1998 p. 4665; 13 Feb 2001 p. 866; 21 Sep 2004 p. 4119-20.]*

- 
39. Palm plants other than cut palm foliage (family *Palmae*) — palm leaf beetle (*Brontispa longissima*)
- (1) Subject to subitem (2), when imported from other States and Territories to be certified as —
- (a) being from an area where palm leaf beetle (*Brontispa longissima*) is not known to occur; or
  - (b) having the throat and spear of each palm sprayed with a solution of carbaryl at a concentration of not less than 0.1% active ingredient together with a commercial wetting agent —
    - (i) at between 7 to 9 days before export; and
    - (ii) within 24 hours before export.
- (2) This condition does not apply to aseptic cultures of plant material grown on agar in sealed flasks (i.e. tissue culture).
- [Item 39 inserted in Gazette 17 Aug 1990 p. 4067; amended in Gazette 18 Sep 1992 p. 4674; 17 Sep 1993 p. 5041; 19 Aug 1998 p. 4665; 21 Sep 2004 p. 4120.]*
- 39A. Cut palm foliage (family *Palmae*) — palm leaf beetle (*Brontispa longissima*)
- When imported from another State or Territory to be certified as —
- (a) having been grown and packed in an area where palm leaf beetle (*Brontispa longissima*) is not known to occur; or
  - (b) having been cover sprayed to the point of run-off with a solution of carbaryl at a concentration of not less than 0.1% active ingredient together with a commercial wetting agent within 24 hours before export.
- [Item 39A inserted in Gazette 18 Sep 1992 p. 4674; amended in Gazette 17 Sep 1993 p. 5041.]*
40. Pawpaw plants or fruit — imported from other States or Territories
- To be certified as —
- (a) not being from a State or Territory where the pawpaw disease black spot (*Asperisporium caricae*) is known to occur; and

- (b) not being from a State or Territory where the pawpaw disease “ringspot virus type P” is known to occur.

*[Item 40 inserted in Gazette 18 Sep 1992 p. 4674; amended in Gazette 19 Aug 1998 p. 4665.]*

41. Cut flowers and foliage, fruit, plants and vegetables — melon thrips (*Thrips palmi*)

- (1) Subject to subitem (2), the entry of any plant or part of a plant, other than seeds, underground parts and dried or processed plant material of species of the *Dicotyledons* and families *Orchidaceae*, *Amaryllidaceae*, *Alliaceae* and *Poaceae* of the *Monocotyledons* is prohibited from any area within 100 km of an outbreak of melon thrips, unless certified as —

- (a) grown and packed in an area free from melon thrips established by an approved trapping and inspection programme; or
- (b) grown and packed on a property free from melon thrips established by an approved trapping and inspection programme; or
- (c) in the case of approved plants, approved vegetables, cut flowers or fruit, inspected at the approved sampling rate and found to be free from melon thrips; or
- (d) fumigated with methyl bromide for 2 hours at one of the following rates —
- 56 g/m<sup>3</sup> at 5° — 10°C  
48 g/m<sup>3</sup> at 11° — 15°C  
40 g/m<sup>3</sup> at 16° — 20°C  
32 g/m<sup>3</sup> at 21° — 25°C  
24 g/m<sup>3</sup> at 26° — 30°C  
16 g/m<sup>3</sup> at 31° and above; or
- [(e) deleted]*
- (f) when post harvest, treated in an approved manner.

- (2) This condition does not apply to aseptic cultures of plant material grown on agar in sealed flasks (i.e. tissue culture).

*[Item 41 inserted in Gazette 1 Oct 1993 p. 5344; amended in Gazette 28 Oct 1994 p. 5462; 14 Jan 1997 p. 382; 21 Sep 2004 p. 4120.]*

- 
42. Agricultural machinery, animals, animal skins/coats, live fish

Shall be free from the seeds of all plants that are neither native to the State nor listed in Schedule 5.

*[Item 42 inserted in Gazette 18 Sep 1992 p. 4675; amended in Gazette 6 Jan 1998 p. 53; 16 Jan 2004 p. 194; 17 Sep 2010 p. 4419.]*

43. Live fish

Shall be free from aquatic snails and all plants that are neither native to the State nor listed in Schedule 5.

*[Item 43 inserted in Gazette 18 Sep 1992 p. 4675; amended in Gazette 6 Jan 1998 p. 53; 16 Jan 2004 p. 194; 17 Sep 2010 p. 4419.]*

44. Tissue cultured grapevines — downy mildew (*Plasmopara viticola*)

Tissue cultured grapevines imported from any other State or Territory —

- (a) shall be on a growth medium free of antibiotics and fungicides held in a transparent sealed sterile container and kept in the container until placed in quarantine at an approved propagation house;
- (b) shall be accompanied by a certificate that —
  - (i) the tissue cultured grapevine was produced in an approved laboratory;
  - (ii) the source of the tissue cultured grapevine was free from downy mildew at the time the grapevine material was taken;
  - (iii) the tissue was initiated by the fragmented shoot apex culture technique;
  - (iv) the culture was held at the laboratory in which it was grown in the sealed container in which it was exported for a period of 21 days immediately before dispatch under the following conditions namely —
    - (I) the temperature was not less than 26°C and not more than 27°C;
    - (II) a 15 hour photo period and a 9 hour dark period alternated;

- (III) light in the area in which the tissue was held was produced by cool white fluorescent tubes which provided  $50\mu\text{Em}^{-2}\text{s}^{-1}$  at the culture level;
- (v) the tissue cultured grapevine was inspected by an officer of the Department of Agriculture (or corresponding department) of the exporting State or Territory and found to be free from downy mildew and other contaminant micro-organisms;
- (vi) the tissue cultured grapevine when inspected under subparagraph (v) had at least one fully expanded leaf per plantlet;
- (c) on arrival in Western Australia, tissue cultured grapevine found to be free from disease after inspection by an authorised officer of the Department of Agriculture<sup>2</sup> shall be sent to an approved propagation house where it may be removed from the growth media;
- (d) not less than 20 days but not more than 30 days after being sent to an approved propagation house, the tissue cultured grapevine shall be inspected by an authorised officer of the Department of Agriculture<sup>2</sup> to ensure it is free from disease;
- (e) all costs and expenses incurred in the inspection and quarantine of the tissue cultured grapevine under this clause shall be paid by the importer.

*[Item 44 inserted in Gazette 18 Sep 1992 p. 4675-7; amended in Gazette 19 Aug 1998 p. 4665.]*

45.      Bulbs, potted plants, trees — potato cyst nematode

Bulbs, potted plants and trees imported from other States and Territories where potato cyst nematode exists or within 20 km of an outbreak of potato cyst nematode shall be accredited in accordance with the following conditions.

- (1) In relation to bulbs —
  - (a) that —
    - (i) *Solanaceous* crops have not been grown on the property of origin for a 10 year period; or

- (ii) the soil has been fumigated at the manufacturer's recommended rate with —
  - (I) methyl bromide; or
  - (II) a pesticide registered as a soil fumigant by the relevant authority in the State or Territory where the bulbs were grown,where a *Solanaceous* crop has been grown on the property not less than 5 years, preceding the commencement of accreditation;

and

- (b) that the bulbs are cleaned and graded prior to sale.

- (2) In relation to potted plants —

- (a) that plants are grown —

- (i) in containers using a soil-less mix; or
- (ii) in a soil mix which has been obtained from an area more than 20 km from an outbreak of potato cyst nematode and that the soil has been —
  - (I) fumigated with methyl bromide at the rate of 600 g per cubic metre for 24 hours where the mix is up to 300 mm deep and 72 hours where the mix is up to 600 mm deep; or
  - (II) steam air pasteurized at 60°C for 30 minutes (timed from when the mix has reached 60°C);

and

- (b) that containers are not in contact with the soil.

- (3) In relation to trees —

- (a) that —

- (i) cropping records have been inspected and demonstrate that *Solanaceous* crops have not been grown on the property of origin for a period of 10 years preceding the commencement of accreditation; or

- (ii) the soil has been fumigated at the manufacturer's recommended rate with —
  - (I) methyl bromide; or
  - (II) a pesticide registered as a soil fumigant by the relevant authority in the State or Territory where the bulbs were grown, where a *Solanaceous* crop has been grown on the property not less than 5 years preceding the commencement of accreditation;

and

- (b) that trees are bare rooted and practically free of soil.

- (4) In relation to bulbs, potted plants and trees —

- (a) that the property on which the bulbs, potted plants or trees, as the case may be, are grown does not share machinery with —
  - (i) a potato grower; or
  - (ii) other property, not being an accredited property, which is situated within 20 km of an outbreak of potato cyst nematode;

and

- (b) that the property on which the bulbs, potted plants or trees, as the case may be, are grown is not exposed to —
  - (i) the same irrigation source as a property; or
  - (ii) run-off from a property,where potato cyst nematode has been found.

*[Item 45 inserted in Gazette 18 Sep 1992 p. 4677-9.]*

- 46. Avocado plants and fruit — cercospora leaf spot (*Pseudocercospora purpurea* synonym *Cercospora purpurea*)

To be certified as being —

- (a) from an area where the disease cercospora leaf spot has not been detected; and
- (b) packed in premises which do not and have not previously handled avocado fruit or plants from an infected area; or

- (c) from a State or Territory where cercospora leaf spot (*Pseudocercospora purpurea* synonym *Cercospora purpurea*) has not been recorded.

[Item 46 inserted in Gazette 5 Mar 1993 p. 1435.]

47. (*Malvaceae*) Cotton, hibiscus and okra plants — *Eriophyes hibisci* Nalepa — known as hibiscus erineum mite or leaf crumpling mite

- (1) Subject to subitem (2), entry into Western Australia of plants and parts of plants of the family *Malvaceae* is prohibited unless certified as —

- (a) from an area which has been inspected and found free from hibiscus erineum mite; or  
 (b) fumigated with methyl bromide at one of the following rates for a period of 2 hours —

56 g/m<sup>3</sup> at 5° — 10°C;  
 48 g/m<sup>3</sup> at 11° — 15°C;  
 40 g/m<sup>3</sup> at 16° — 20°C;  
 32 g/m<sup>3</sup> at 21° — 25°C;  
 24 g/m<sup>3</sup> at 26° — 30°C;  
 16 g/m<sup>3</sup> at 31° and above; or

- (c) from a State or Territory where hibiscus erineum mite has not been recorded.

- (2) This condition does not apply to aseptic cultures of plant material grown on agar in sealed flasks (i.e. tissue culture).

[Item 47 inserted in Gazette 5 Mar 1993 p. 1435-6; amended in Gazette 21 Sep 2004 p. 4120.]

48. Cowpea (*Vigna unguiculata* ssp. *unguiculata*) and mungbean seed (*Vigna radiata*) for planting — tan spot (*Curtobacterium flaccumfaciens*)

Entry into Western Australia is prohibited unless certified as —

- (a) grown in an area where tan spot is not known to occur; or  
 (b) from a State or Territory where tan spot has not been recorded.

[Item 48 inserted in Gazette 5 Mar 1993 p. 1436; amended in Gazette 20 Aug 1996 p. 4055.]

49.        Apple tissue culture — apple scab (*Venturia inaequalis*)

Entry into Western Australia of apple tissue culture is permitted where the exporting State or Territory complies with the following conditions.

- (1) The tissue culture laboratory must be approved.
- (2) The mother plants must be free from apple scab.
- (3) The apple tissue culture must be packed in transparent sealed sterile containers.
- (4) The growth media must be free from antibiotics and fungicides.
- (5) Prior to dispatch to Western Australia the apple tissue culture must be kept for 6 weeks at 20°C.
- (6) The apple tissue culture must be inspected prior to dispatch and certified free from —
  - (a) apple scab;
  - (b) contaminant micro-organisms; and
  - (c) discolouration or necrotic tissue.

Following entry into Western Australia apple tissue culture must be dealt with in accordance with regulation 19DA.

*[Item 49 inserted in Gazette 17 Sep 1993 p. 5041; amended in Gazette 19 Aug 1998 p. 4665.]*

50.        Apple machinery or equipment (used) — apple scab (*Venturia inaequalis*)

Entry into Western Australia is prohibited unless the machinery or equipment —

- (a) has been treated with an approved biocide; and
- (b) does not contain any porous part that, in the opinion of an inspector —
  - (i) is capable of carrying apple scab (*Venturia inaequalis*); and
  - (ii) cannot be effectively treated with an approved biocide.

*[Item 50 inserted in Gazette 23 Jan 2004 p. 305-6.]*

- 
- 50A. Citrus, fortunella and poncirus plants — orange stem pitting strain of the citrus tristeza virus

Entry of plants, cuttings and budwood from other States and Territories is permitted if certified as being from a State or Territory where the orange stem pitting strain of the disease citrus tristeza virus has not been recorded.

*[Item 50A, formerly item 50, inserted in Gazette 28 Oct 1994 p. 5462; amended in Gazette 11 Nov 1994 p. 5689.]*

51. Plants — citrus canker (*Xanthomonas axonopodis* pv. *citri*)

- (1) In this item —

**PQA** means the pest quarantine area declared under section 131F of the *Plant Protection Regulation 2002* of Queensland.

- (2) Plants (other than seed) from Queensland grown inside the PQA are prohibited entry into the State.
- (3) Plants (other than fruit and seed) from Queensland packed inside the PQA are prohibited entry into the State.
- (4) Fruit (other than seed) from Queensland grown outside the PQA and packed inside the PQA to be certified as —
- (a) grown in an area free from citrus canker; and
  - (b) packed in a packing house approved by the Department of Primary Industries, Queensland.
- (5) Plants (other than seed) from Queensland grown and packed outside the PQA to be certified as grown and packed in an area free from citrus canker.

*[Item 51 inserted in Gazette 21 Apr 2006 p. 1574.]*

52. Plants, fruit and vegetables — silver leaf white fly (*Bemisia argentifolii*)

- (1) Subject to subitem (2), the entry of any plant other than —
- (aa) fruit, seeds, underground parts or dried or processed plant material; or

- (ab) plants of species of the families *Agavaceae*, *Amaryllidaceae*, *Arecaceae*, *Bromeliaceae*, *Cyathaceae*, *Cyadaceae*, *Cyperaceae*, *Iridaceae*, *Liliaceae*, *Marantaceae*, *Orchidaceae*, *Sapindaceae*, *Theaceae*, Conifers and Ferns,

is prohibited from any area within 500 km of an outbreak of *Bemisia argentifolii* unless certified as —

- (a) grown and packed in an area free from *Bemisia argentifolii* established by an approved trapping and inspection programme; or
- (b) grown and packed on a property free from *Bemisia argentifolii* established by an approved trapping and inspection programme; or
- (c) in the case of approved plant material inspected at an approved rate and found to be free from *Bemisia argentifolii*;  
or
- (d) fumigated with methyl bromide for 2 hours at one of the following rates —
- 56 g/m<sup>3</sup> at 5° — 10°C  
 48 g/m<sup>3</sup> at 11° — 15°C  
 40 g/m<sup>3</sup> at 16° — 20°C  
 32 g/m<sup>3</sup> at 21° — 25°C  
 24 g/m<sup>3</sup> at 26° — 30°C  
 16 g/m<sup>3</sup> at 31°C and above; or
- (e) fumigated with ethylene di-bromide for 2 hours at one of the following rates —

Flesh temperature (degrees C)	Rates	
	Grams	mls
10° to 11°	32.0	14.7
11.1° to 13.5°	30.0	13.8
13.6° to 15.5°	26.0	12.0
15.6° to 17.5°	23.5	10.8
17.6° to 19.5°	21.0	9.7
19.6° to 21.5°	19.0	8.7
more than 21.6°	18.0	8.3

or

- (f) when post harvest, treated in an approved manner.

- (2) This condition does not apply to aseptic cultures of plant material grown on agar in sealed flasks (i.e. tissue culture).

*[Item 52 inserted in Gazette 2 Feb 1996 p. 404; amended in Gazette 6 Jan 1998 p. 53; 19 Aug 1998 p. 4486; 21 Sep 2004 p. 4120-1.]*

53. Plants and cut flowers (except corms free from trash) of babiana (baboon flower, baboon root), crocos, *crocosmia aurea* (planchon), gladiolus, tritonia and watsonia — gladiolus rust (*Uromyces transversalis*)

To be certified as grown in an area where the disease gladiolus rust has not been detected.

*[Item 53 inserted in Gazette 4 Mar 1997 p. 1355; amended in Gazette 19 Aug 1998 p. 4666.]*

*[54. Deleted in Gazette 4 Feb 2000 p. 421.]*

55. Plants (other than dried plants, seeds and underground parts) — spiraling whitefly (*Aleurodicus dispersus*)

- (1) Subject to subitem (2), entry into the State is prohibited from areas which are infested (as defined by quarantine service of the exporting State or Territory) with spiraling whitefly, unless entry is approved by the Director General.

- (2) This condition does not apply to aseptic cultures of plant material grown on agar in sealed flasks (i.e. tissue culture).

*[Item 55 inserted in Gazette 6 Jan 1998 p. 53; amended in Gazette 21 Sep 2004 p. 4121.]*

56. Mango (*Mangifera idica*) plants and cuttings — mango leafhoppers (*Idioscopus niveosparsus* and *Idioscopus clypealis*)

Plants and cuttings from a State or Territory where mango leafhoppers *Idioscopus niveosparsus* or *Idioscopus clypealis* exist are not to enter the State unless —

- (1) certified by an officer from the exporting State or Territory's quarantine authority as follows:
- (a) grown more than 80 km from known infestations of *Idioscopus niveosparsus* or *Idioscopus clypealis*; and

- (b) all mango plants in the exporting nursery have been inspected and neither *Idioscopus niveosparsus* nor *Idioscopus clypealis* were detected; and
- (c) the mango plants in the consignment have been inspected and neither *Idioscopus niveosparsus* nor *Idioscopus clypealis* were detected,

or

- (2) if from an area within 80 km of an outbreak of either of the mango leafhoppers *Idioscopus niveosparsus* or *Idioscopus clypealis*, the mango plants or cuttings are fumigated with methyl bromide at 32g/m<sup>3</sup> for 2 hours at 21° to 25°C, followed by growth in post-inspection quarantine for 3 months.

During post-entry quarantine, the material is to be inspected and found free of those mango leafhoppers by at least 3 monthly inspections. If either of the mango leafhoppers are found, the material is to be re-exported or destroyed.

This condition does not apply to aseptic cultures of plant material grown on agar in sealed flasks (i.e. tissue culture).

[Item 56 inserted in Gazette 5 Jan 2001 p. 113-14; amended in Gazette 21 Sep 2004 p. 4121.]

57. Prevention of Blueberry Rust (*Pucciniastrum vaccinii*)

(1) Application

This procedure applies to —

- (a) the potential carriers of the disease Blueberry Rust (*Pucciniastrum vaccinii*) listed in item 2 that have been grown, packed or used within 200 km of a detection of Blueberry Rust; and
- (b) any agricultural equipment that has been used in association with those listed potential carriers.

(2) Potential carriers of Blueberry Rust

- (a) Plants, parts of plants and dried plant material (other than seed and dried fruit) of —
  - (i) *Vaccinium* spp. (Blueberries and Cranberries);

- (ii) *Gaylussacia* spp. (Huckleberries);
- (iii) *Tsuga* spp. (Hemlock);
- (iv) *Rhododendron* spp. (Azalea);
- (v) *Lyonia* spp.;
- (vi) *Menziesia* spp.;
- (vii) *Pernettya* spp.;
- (viii) *Hugeria* spp.;
- (ix) *Leucothoe* spp.;
- (x) *Oxycoccus* spp.; and
- (xi) *Pieris* spp.,

are potential carriers of Blueberry Rust.

- (b) Any agricultural equipment that has been used in association with those listed potential carriers is also a potential carrier of Blueberry Rust.

- (3) Potential carriers prohibited, subject to conditions

Potential carriers of the disease Blueberry Rust (*Pucciniastrum vaccinii*) listed in subitem (2) that have been grown, packed or used within 200 km of the detection of Blueberry Rust cannot be brought into Western Australia unless they comply with the conditions in subitems (4), (5) and (6).

- (4) Conditions — Fruit

Potential carriers comprising fresh fruit may be brought into Western Australia if an officer from the exporting State or Territory's quarantine authority has certified the following in relation to that fruit —

- (a) that the plants of origin have been inspected no more than 14 days before the fruit is harvested and that no Blueberry Rust was detected;
- (b) that the crop has been sprayed within 14 days of harvest with a fungicide, registered for the treatment of Blueberry Rust, as per the label recommendation, together with the name of the fungicide used, and the date on which it was applied;

- (c) that each consignment is free from soil and plant debris and in new packages;
- (d) that each container bears the name and address of the property where the fruit was grown and the name and address of the pack-house where the fruit was packed.

(5) Conditions — Agricultural equipment

Potential carriers comprising agricultural equipment may be brought into Western Australia if an officer from the exporting State or Territory's quarantine authority has certified the following in relation to that equipment —

- (a) that the equipment is free from soil and plant debris;
- (b) that the equipment is identified with the locality where it was last used;
- (c) that the equipment has been —
  - (i) steam cleaned;
  - (ii) treated with a solution containing not less than 100 ppm available chlorine, used as a spray rinse or dump treatment; or
  - (iii) treated in a manner approved by the Quarantine Plant Pathologist, Department of Agriculture<sup>2</sup>, Western Australia.

(6) Conditions — Plants

- (a) Potential carriers comprising plants may be brought into Western Australia if the entry is approved by the Director General of Agriculture, Western Australia.
- (b) Plants that have entered Western Australia under subitem (1) are to be grown in post-entry quarantine, screened and cannot be released unless they are found to be free of Blueberry Rust.
- (c) If Blueberry Rust is detected on plants growing in post-entry quarantine, the plants must be destroyed in a manner approved by an Inspector.

*[Item 57 inserted in Gazette 17 May 2005 p. 2132-4.]*

58. Prevention of Lettuce Aphid (*Nasonovia ribisnigri*)

Quarantine Conditions for Lettuce Aphid Hosts Imported into Western Australia

## (1) Interpretation

In this procedure —

**cut flowers and foliage** means any part of a host plant, excluding fruit and nursery stock, not used for human consumption;

**fruit** means a part of a plant that could or does contain a seed and includes the peduncle (the stalk of the fruit cluster) and pedicel (the stalk of a single fruit);

**head lettuce** means any lettuce (*Lactuca sativa*) or part thereof attached at the leaf base where the inner leaves cannot be 100% inspected;

**head vegetable** means any leaf vegetable attached at the leaf base where the inner leaves cannot be 100% inspected;

**lettuce aphid** means *Nasonovia ribisnigri*;

**loose leaf lettuce** means any lettuce leaf (*Lactuca sativa*) not attached at the leaf base and where all leaves can be 100% inspected;

**loose leaf vegetable** means any vegetable leaf not attached at the leaf base and where all leaves can be 100% inspected;

**nursery stock** means any potted or bare rooted primary or secondary host plant and any cuttings or any above ground part used for vegetative propagation, but does not include plant tissue culture or seed;

**PRA** means the Final State Pest Risk Analysis: Lettuce Aphid (*Nasonovia ribisnigri*) Into Western Australia via Host Fruit, Vegetables, Nursery Stock, Cut Flowers and Foliage;

**primary host plants** means the winter hosts of the lettuce aphid sexual form and includes *Ribes* spp. (currants), specifically *Ribes alpinum*, *Ribes aureum*, *Ribes nigrum* (blackcurrant), *Ribes rubrum* (red currant) and *Ribes uva-crispa* (gooseberry);

**secondary host plants** means hosts of the lettuce aphid asexual form and includes liguliferous and latex *Asteraceae* (*Compositae*) (set out in Schedule 10), including *Cichorium* spp. (chicory), *Cichorium endivia* (endives), *Cichorium intybus* (chicory), *Crepis* spp. (hawk's

beard), *Hieracium* spp. (hawkweed), *Lactuca* spp., *Lactuca sativa* (lettuce), *Lapsana* spp. (nipplewort), *Leontodon taxacacoides* (hawkbit), *Nicotiana* spp. (tobacco), *Petunia* spp. (petunia), *Scrophularia* spp. (figwort) and *Veronica* spp. (speedwell).

- (2) Head lettuce and other head vegetables from secondary host plants are prohibited entry into Western Australia except under the following condition.

Must be certified and endorsed with the following information —

- (a) the name and address of the property on which the consignment was grown;
- (b) the name and address of the packing house;
- (c) that it was grown and packed within a State or Territory where lettuce aphid is known not to occur or in accordance with approved conditions.

- (3) Primary host plants and secondary host plants and parts thereof (including vegetables but not fruit or below ground parts of plants) are prohibited entry into Western Australia unless certified and endorsed with the following information —

- (a) the name and address of the property on which the consignment was grown;
- (b) the name and address of the packing house.

Entry of those primary host plants, secondary host plants or parts thereof must not occur unless the following conditions are satisfied —

- (a) they are certified and endorsed as being “Grown and packed within a State or Territory where lettuce aphid is known not to occur”; or
- (b) if they are from a State or Territory where lettuce aphid is known to occur —
  - (i) for loose leaf lettuce and other loose leaf vegetables — they must be processed as approved by the Director General of Agriculture Western Australia, and certified as such;
  - (ii) for secondary host plants including nursery stock, cut flowers and foliage, and cuttings — they must be

treated within 7 days of export with Imidacloprid 200g/L at a rate of 25ml/100L water or 300ml/ha, mixed and applied to meet the specification in the permit or on the label, and certified as such;

- (iii) for primary host plants and secondary host plants — they must be fumigated with methyl bromide at 32g/m<sup>3</sup> at 21°C for 2 hours in accordance with “AQIS Quarantine Treatments Aspects and Procedures Version 1.0.” and be certified and endorsed with the following details —
- (I) the name of the fumigation facility;
  - (II) the date of fumigation;
  - (III) the rate of methyl bromide used, that is initial dosage (g/m<sup>3</sup>);
  - (IV) the concentration time (CT) product of methyl bromide achieved by the fumigation (ghr/m<sup>3</sup>);
  - (V) the duration of fumigation (hours);
  - (VI) the ambient air temperature during fumigation (°C);
  - (VII) the minimum core temperature during fumigation (°C).

- (4) Containers must be endorsed with the name and address or registration number of the property on which the consignment was grown.

*[Item 58 inserted in Gazette 17 May 2005 p. 2106-10; amended in Gazette 16 Jun 2006 p. 2110.]*

59. Fruit, vegetable and plant containers (used) other than potato containers — general diseases

- (1) To be constructed in an approved manner using approved material.
- (2) To be certified as having been —
  - (a) cleaned of all soil and plant material; and
  - (b) treated in an approved manner.

*[Item 59 inserted in Gazette 21 Apr 2006 p. 1574.]*

**Plant Diseases Regulations 1989**

**Schedule 1**

**Part B**                      Conditions

---

60.            Grape machinery or equipment (used) — grape  
                 phylloxera (*Daktulosphaira vitifolii*)

Entry into the State is prohibited except with the prior approval of the  
Director General.

*[Item 60 inserted in Gazette 21 Apr 2006 p. 1574.]*

**Schedule 2 — Fees**

[r. 9]

[Heading inserted in Gazette 26 Jun 2009 p. 2606.]

Item	Description	Fee (\$)
1.	General inspection inside normal or shift hours (a) at an inspection point (per 15 minute unit) (i) other than nursery stock ..... 42.00 (ii) nursery stock ..... 43.00 (b) away from an inspection point (i) other than nursery stock (per 15 minute unit within 2 hours from the commencement of the inspection) ..... 53.00 (ii) nursery stock (per 15 minute unit within 2 hours from the commencement of the inspection) ..... 54.00 plus (iii) for each additional contiguous 15 minute unit beyond 2 hours for the rest of the working period ..... 42.00 plus (iv) an additional service charge when the inspection is more than 50 km away from an inspection point ..... 129.00	
2.	General inspection contiguous with normal or shift hours (a) at an inspection point (per 15 minute unit) .....	54.50

**Plant Diseases Regulations 1989**

**Schedule 2 Fees**

Item	Description	Fee (\$)
	(b) away from an inspection point  (i) per 15 minute unit within 2 hours from the commencement of the inspection .....  (ii) for each additional contiguous 15 minute unit beyond 2 hours for the rest of the working period .....  plus an additional service charge when the inspection is more than 50 km away from an inspection point .....	  72.00  54.50  162.00
3.	Call out, inspection and travel outside normal or shift hours  (a) at an inspection point  (i) for the first 2 hours (minimum fee) .....  (ii) for each additional 15 minute unit .....  (b) away from an inspection point  (i) for the first 2 hours (minimum fee) .....  (ii) for each additional 15 minutes .....  plus an additional service charge when the inspection is more than 50 km away from an inspection point .....	  405.00  63.00  550.00  81.00  162.00
4.	Documentation assessment fee .....	26.00
5.	Laboratory analysis of plants .....	72.00

*[Schedule 2 inserted in Gazette 26 Jun 2009 p. 2606-8; amended in Gazette 30 Jun 2010 p. 3118-19.]*

**Schedule 3**

[Regulations 10, 14, 17A, 20A and 20B  
and Schedules 4A, 4B and 4C]

[Heading amended in Gazette 20 Aug 1996 p. 4056.]

**Form 1**

[r. 10 and 14]

*Plant Diseases Act 1914*

**ORDER INTO QUARANTINE NOTICE**

To: the owner or person in charge of a conveyance, vessel or consignment		
Name: .....		
Address: .....		
Description of item	Conveyance	Container/ trailer No.
	ETA:	
<b>Inspector's directions</b>		
You are directed to cause the above items —		
* (a) to be placed under quarantine at; or		
* (b) to be taken under quarantine to,		
.....		
(location of premises)		
(*Delete that which is not applicable)		

**Plant Diseases Regulations 1989**  
**Schedule 3**

<p>In order to be inspected, and if necessary treated, under section 23 of the <i>Plant Diseases Act 1914</i>.</p> <p>The quarantined items will be held at that place until released by an inspector.</p> <p>Inspector contact details: .....</p>
<p>Further directions — (e.g. detention, treatment, movement details):</p>

<p>Consignee/Agent/Freight forwarder details</p>	<p>Acknowledgment of direction into quarantine (if applicable)</p>
<p>Name: .....</p> <p>Address: .....</p> <p>.....</p> <p>.....</p>	<p>Signature: .....</p> <p>Printed name: .....</p> <p>Date: .....</p>
<p>Issuing quarantine inspector</p>	<p>Release from quarantine</p>
<p>Signature: .....</p> <p>Printed name: .....</p> <p>Date: .....</p>	<p>Signature: .....</p> <p>Printed name: .....</p> <p>Date: .....</p>
<p><b>WARNING:</b> Failing to comply with this notice is an offence the penalties for which are set out in section 34 of the Act.</p>	

*[Form 1 inserted in Gazette 11 Feb 2003 p. 407-8.]*

*[Form 2 deleted in Gazette 3 Oct 1997 p. 5513.]*

---

**Form 2A**

[Regulation 17A]

*Plant Diseases Act 1914*

**POTATO CROPS SITUATED WITHIN THE  
PERTH STATISTICAL DIVISION**

TO: —

1. ....  
Name and address of occupier of orchard  
of .....  
the occupier of the orchard situate at
2. ....  
.....
3. I have inspected the orchard and certify that you have complied with regulation 17A(2).
4. I require the following steps to be taken — \* .....  
.....  
.....

.....  
Inspector

.....  
Date

\* Delete where applicable.

*[Form 2A inserted in Gazette 25 May 1990 p. 2380; amended in  
Gazette 20 Aug 1996 p. 4056.]*

**Form 3**

[Schedule 4A Parts 1 and 3]

*Plant Diseases Act 1914*

**MOVEMENT OF POTATO CROPS FROM  
INFECTED ORCHARDS**

TO:

1. ....  
Name and address of occupier of orchard  
of .....  
the occupier of the orchard situate at
2. ....  
.....
3. Potato cyst nematode, a disease under section 11 of the Act is a disease which exists or appears to exist in the orchard identified in item 2.
4. I have inspected the orchard and certify that you have complied with Schedule 4A Part 1 Clause 4.
5. I nominate .....  
of .....  
as the processing establishment to which the potato crop shall be delivered.
6. I require the following steps to be taken — \* .....  
.....  
.....

.....  
Inspector

.....  
Date

\* Delete where applicable.

*[Form 3 inserted in Gazette 25 May 1990 p. 2380; amended in  
Gazette 20 Aug 1996 p. 4056.]*

---

**Form 4**

[Regulation 17A and  
Schedule 4A Part 1]

*Plant Diseases Act 1914*

**MOVEMENT OF MACHINERY**

TO:

1. ....  
Name and address of occupier of orchard  
the occupier of the orchard situate at
2. ....  
.....
3. I have inspected the machinery \*, vehicle \*, farm equipment \*, bulk bins \*,  
and footwear \* on the orchard identified in item 2 and certify that the  
machinery \*, vehicles \*, farm equipment \*, bulk bins \* and footwear \* have  
been cleaned in accordance with regulation 17A(2)(c) or Schedule 4A  
Part 1 Clause 7 as the case may be and are free from soil contamination.

.....  
Inspector

.....  
Date

\* Delete where applicable.

*[Form 4 inserted in Gazette 25 May 1990 p. 2381; amended in  
Gazette 20 Aug 1996 p. 4057.]*

**Form 5**

[Schedule 4A Parts 2 and 3]

*Plant Diseases Act 1914*

**MOVEMENT OF POTATO CROPS FROM  
INFESTED AREAS**

TO:

1. ....  
Name and address of owner or occupier  
the owner or occupier of the orchard situate at
2. ....  
.....
3. I have inspected the orchard identified in item 2, being an orchard within  
the infested area as defined in a notice under section 12 of the Act, and  
certify that you have complied with Schedule 4A Part 2 Clause 3.
4. I nominate .....  
of .....  
as the processing establishment\* or merchant\* to which the potato crop  
shall be delivered.
5. I require the following steps to be taken — \* .....  
.....  
.....

.....  
Inspector

.....  
Date

\* Delete where applicable.

*[Form 5 inserted in Gazette 25 May 1990 p. 2381; amended in  
Gazette 20 Aug 1996 p. 4057.]*

**Form 6**

[Schedule 4A Part 2]

*Plant Diseases Act 1914*

**MOVEMENT OF MACHINERY WITHIN  
THE INFESTED AREA OR FROM THE  
INFESTED AREA**

TO:

1. ....  
Name and address of owner or occupier  
the owner or occupier of the orchard situate at
2. ....  
.....
3. I have inspected the machinery \*, vehicles \*, farm equipment \*, bulk bins \*  
and footwear \* on the orchard identified in item 2 and certify that the  
machinery \*, vehicles \*, farm equipment \*, bulk bins \* and footwear \* are free  
from soil contamination.

.....  
Inspector

.....  
Date

\* Delete where applicable.

*[Form 6 inserted in Gazette 25 May 1990 p. 2381-2; amended in  
Gazette 20 Aug 1996 p. 4057.]*

**Form 7**

[Schedule 4B Parts 1 and 2]

*Plant Diseases Act 1914*

**MOVEMENT OF APPLE CROPS FROM ANY  
ORCHARD WITHIN THE INFESTED AREA**

TO:

1. ....  
Name and address of owner or occupier  
the owner or occupier of the orchard situate at
2. ....  
.....
3. I have inspected the orchard identified in item 2, being an orchard within  
the infested area as defined in a notice under section 12 of the Act and I  
authorise the harvesting of the apple crop \* and the removal of apple  
material \* and nursery trees \* on the following conditions.  
.....
4. I nominate.....  
as the packing and processing establishment to which the apples shall be  
delivered.
5. I nominate.....  
as the area(s) in which the apples shall be distributed.
6. The trucks, containers and any other form of conveyance shall be cleaned  
by  
.....  
.....
7. All waste apple material and leaves shall be  
.....  
.....

.....  
Inspector  
.....

Date

\* Delete where applicable.

*[Form 7 inserted in Gazette 25 May 1990 p. 2382; amended in  
Gazette 20 Aug 1996 p. 4057.]*

**Form 8**

[Section 14 and Regulation 20A]

*Plant Diseases Act 1914*

**REQUISITION**

(No. ....)

TO:

.....  
\*(owner/occupier)

I, ..... an inspector appointed under the *Plant Diseases Act 1914*, am satisfied that the disease ..... exists on the orchard, land or premises owned and/or occupied \* by you, and situate at

.....  
.....

\* Delete where applicable.

Under section 14 of the *Plant Diseases Act 1914*, I require you to do whatever is necessary to eradicate the disease from the orchard, land or premises, and to prevent the spread thereof and in particular to take the steps specified on the back of this requisition.

A copy of section 14 of the *Plant Diseases Act 1914* is set out below.

.....  
Inspector

.....  
Date

---

**Section 14 of the *Plant Diseases Act 1914***

**Steps taken by an inspector when orchard infected**

14. (1) Whenever an inspector is satisfied that disease exists on any orchard, land, or premises he may by requisition to the owner and occupier or either of them require them or him to do whatever is necessary in order to eradicate such disease from such orchard, land, or premises and to prevent the spread thereof and the requisition may specify any particular steps which the inspector requires to be taken.

- (2) Such requisition may name a time by which the doing of anything thereby required shall be commenced and a time within which it shall be completed.
- (3) The owner and occupier, jointly or severally, or the owner or occupier, as the case may be, shall be responsible for due compliance with the requisition, and shall do everything thereby required to be done.  
Penalty: \$5 000.
- (4) In case of any default in compliance with the terms of the requisition, any inspector may do or cause to be done all such things as may be necessary in order to carry the terms of the requisition completely into effect, and the expenses incurred in and about so doing shall be recoverable from the person or persons guilty of the default.

[REVERSE OF FORM]

Steps to be taken by owner and/or occupier\* .

\* Delete where applicable.

*[Form 8 inserted in Gazette 25 May 1990 p. 2382-3; amended in Gazette 20 Aug 1996 p. 4058.]*

**Form 9**

[Schedule 4C Parts 1 and 2]

*Plant Diseases Act 1914*

**MOVEMENT OF FRUIT CROPS THAT MAY  
HOST CODLING MOTH OR OTHER  
POTENTIAL CARRIERS FROM  
ANY ORCHARD WITHIN  
THE INFESTED AREA**

To:

1. ....  
(Name and address of owner or occupier)  
the owner or occupier of the orchard situated at
2. ....  
.....
3. I have inspected the orchard identified in item 2, being an orchard within the infested area as defined in a notice under section 12 of the Act and I authorise the harvesting of fruit that may host codling moth \* and the removal of such fruit \* and potential carriers \* on the following conditions: —  
.....  
.....
4. I nominate .....  
as the packing and processing establishment to which the fruit or potential carrier shall be delivered.
5. I nominate .....  
as the area(s) in which the fruit or potential carrier shall be distributed.
6. The trucks, containers and any other form of conveyance shall be cleaned by .....
7. All waste fruit, plant material, larvae and pupae shall be  
.....  
.....

.....  
Inspector  
..... 20.....

\* Delete where applicable.

*[Form 9 inserted in Gazette 5 Mar 1993 p. 1439-40; amended in Gazette 20 Aug 1996 p. 4058.]*

**Form 10**

[Section 35(3),  
Regulation 20B(2)]

*Plant Diseases Act 1914*

**INFRINGEMENT NOTICE**

Given by .....  
(Authorised Person)

on ..... 20.....  
(Date)

No .....

1. To ..... (name)  
of ..... (address)
2. It is alleged that at about ..... am/pm on the .....  
day of ..... 20....., you committed an offence against  
section / regulation ..... in that you  
.....  
.....
3. If you do not wish to have a complaint of the alleged offence heard and  
determined by a court, you may pay the modified penalty of \$ .....  
within 28 days after the giving of this notice.
4. Payment may be made by either posting, or personally giving, this form  
and the amount of the modified penalty specified in item 3 to the Finance  
Officer, Western Australian Quarantine and Inspection Service at the  
address or place specified on the reverse side of this form.

.....  
(Signature of Authorised Person)

*[Form 10 inserted in Gazette 30 Sep 1994 p. 4954; amended in  
Gazette 30 May 2006 p. 1966.]*

**Form 11**

[Section 35(7),  
Regulation 20B(3)]

*Plant Diseases Act 1914*

**WITHDRAWAL OF INFRINGEMENT NOTICE**

To ..... (name)  
of ..... (address)  
Infringement Notice No ..... given to you on the ..... day  
of ..... 20..... for the alleged contravention of  
section / regulation ..... is hereby withdrawn.

.....  
Authorised Person  
.....20.....  
(Date)

*[Form 11 inserted in Gazette 30 Sep 1994 p. 4954.]*

## **Schedule 4**

[Regulation 18]

### **Treatment**

*[Heading amended in Gazette 20 Aug 1996 p. 4058.]*

#### **Part 1**

##### **Fruit fly baiting**

1. A person applying treatment in accordance with this Part to fruit trees or fruit vines shall do so by applying in accordance with item 2 by means of a hand syringe or spray pump or some other method approved by an inspector fruit fly bait made in accordance with item 3 to the fruit trees or fruit vines.
2. A person applying fruit fly bait shall —
  - (a) in respect of each such application use not less than 4.5 litres of that bait —
    - (i) for every 40 fruit trees; or
    - (ii) for every 100 fruit vines,  
or part thereof required to be treated in such a way that each fruit tree or fruit vine is thoroughly treated; and
  - (b) during the period commencing 6 weeks before the ripening of the fruits on the fruit trees or fruit vines, as the case requires, and ending 2 weeks after all those fruits have been picked, or have fallen, therefrom do so at intervals of not more than 7 days commencing with the first day of that period.
3. Fruit fly bait shall for the purposes of item 1 be made by mixing —
  - (a) 14 grams of sodium fluosilicate and 0.5 kilograms of sugar with 9 litres of water;
  - (b) 7 millilitres of 500 grams/litre of maldison emulsion and 7 millilitres of protein hydrolysate of yeast with 1 litre of water;

- (c) 7 millilitres of 500 grams/litre of maldison emulsion and 50 grams of sugar with 1 litre of water; or
- (d) 7 millilitres of 625 grams/litre of trichlorfon liquid and 7 millilitres of protein hydrolysate of yeast with 1 litre of water.

*[Part 1 amended in Gazette 20 Aug 1996 p. 4058.]*

## **Part 2**

### **Cover spraying with dimethoate or fenthion**

1. A person applying treatment in accordance with this Part to fruit trees or fruit vines, other than grape vines, having fruit thereon shall do so by cover spraying them in accordance with item 2 by means of a spray pump —
  - (a) in the case of fruit other than early apricots, peaches and figs, with a 0.03% active ingredient water mixture of dimethoate; or
  - (b) in the case of any fruit, with a 0.04% active ingredient water mixture of fenthion.
2. A person cover spraying in accordance with item 1 shall —
  - (a) spray the fruit trees or fruit vines concerned so that all foliage and fruit are thoroughly wetted; and
  - (b) during the period commencing 3 weeks before the ripening of the first fruit on the fruit trees or fruit vines concerned and ending when the last fruit thereon has been picked or has fallen from those fruit trees or fruit vines, spray those fruit trees or fruit vines at intervals of not more than 3 weeks commencing with the first day of that period.

## **Part 3**

### **Cover spraying with trichlorfon**

1. A person applying treatment in accordance with this Part to —
  - (a) fruit trees, other than citrus trees; or

**Plant Diseases Regulations 1989**

**Schedule 4** Treatment

**Part 3** Cover spraying with trichlorfon

---

(b) fruit vines, other than grape vines,

having fruit thereon shall do so by cover spraying them in accordance with item 2 by means of a spray pump with a 0.06% active ingredient water mixture of trichlorfon.

2. A person cover spraying in accordance with item 1 shall —

(a) spray the fruit trees or fruit vines concerned so that all foliage and fruit are thoroughly wetted; and

(b) during the period commencing 3 weeks before the ripening of the first fruit on the fruit trees or fruit vines concerned and ending when the last fruit thereon has been picked or has fallen from those fruit trees or fruit vines, spray those fruit trees or fruit vines at intervals of not more than 7 days commencing with the first day of that period.

## Schedule 4A

[Regulation 19]

### Potato cyst nematode

*[Heading inserted in Gazette 25 May 1990 p. 2383.]*

#### **Part 1 — Steps and measures to eradicate and prevent the spread of potato cyst nematode under section 11 of the Act**

*[Heading inserted in Gazette 25 May 1990 p. 2383.]*

**1. Disinfestation**

The occupier shall disinfest the infested orchard in the manner approved by the Director General.

*[Clause 1 inserted in Gazette 25 May 1990 p. 2383.]*

**2. Solanaceous crops prohibited**

Subject to clause 3 after disinfestation an occupier shall not grow solanaceous crops other than potatoes in the orchard until further notice in writing from the Director General.

*[Clause 2 inserted in Gazette 25 May 1990 p. 2383.]*

**3. Potato crops other than approved varieties prohibited**

The occupier shall not grow potato crops other than those varieties approved by the Director General.

*[Clause 3 inserted in Gazette 25 May 1990 p. 2383.]*

**4. Fork testing**

The occupier shall ensure that potato crops are fork tested at the crop maturity stage, as specified by an inspector.

*[Clause 4 inserted in Gazette 25 May 1990 p. 2383.]*

**5. Harvesting etc.**

The occupier shall —

**Plant Diseases Regulations 1989**

**Schedule 4A** Potato cyst nematode

**Part 1** Steps and measures to eradicate and prevent the spread of potato cyst nematode under section 11 of the Act

**cl. 6**

---

- (a) harvest the potato crop as directed by an inspector; and
- (b) transport the potato crop in plastic lined bins to a processing establishment nominated by an inspector.

*[Clause 5 inserted in Gazette 25 May 1990 p. 2383.]*

**6. Crops shall be certified**

- (1) The occupier shall not move any potatoes from the orchard until he receives a certificate issued by an inspector in the form of Form 3 in Schedule 3.
- (2) A certificate referred to in subclause (1) shall —
  - (a) certify that the crop has been treated in accordance with clause 4;
  - (b) nominate the processing establishment to which the crop shall be delivered; and
  - (c) specify any other steps which the inspector may require to be taken.

*[Clause 6 inserted in Gazette 25 May 1990 p. 2383-4.]*

**7. Machinery etc. shall be cleaned**

The occupier shall clean all machinery, vehicles and farm equipment (including bulk bins and footwear) on an approved hard surface area under the supervision of an inspector.

*[Clause 7 inserted in Gazette 25 May 1990 p. 2384.]*

**8. Machinery etc. shall be certified**

The occupier shall not move any machinery, vehicles or farm equipment (including bulk bins and footwear) until he receives a certificate, issued by an inspector, in the form of Form 4 in Schedule 3 verifying that the machinery, vehicles or farm equipment (including bulk bins and footwear) have been cleaned in accordance with clause 7 and are free from soil contamination.

*[Clause 8 inserted in Gazette 25 May 1990 p. 2384.]*

**9. Crops other than potatoes**

An occupier who grows crops other than potatoes in the orchard, may dispose of those crops where, before being removed from the orchard, they have been trimmed and are free from soil.

*[Clause 9 inserted in Gazette 25 May 1990 p. 2384.]*

**10. Associated orchards**

The occupier of an orchard referred to in regulation 19(5) shall —

- (a) not grow potato crops other than those varieties approved by the Director General; and
- (b) comply with clauses 4, 6 and 8.

*[Clause 10 inserted in Gazette 25 May 1990 p. 2384.]*

**Part 2 — Steps and measures to control, eradicate and prevent the spread of potato cyst nematode under section 12 of the Act**

*[Heading inserted in Gazette 25 May 1990 p. 2384.]*

**1. Term used in this Part**

In this Part unless the contrary intention appears —

***infested area*** means the area defined in the notice referred to in regulation 19(7).

*[Clause 1 inserted in Gazette 25 May 1990 p. 2384.]*

**2. Potato crops other than approved varieties prohibited**

The owner or occupier of an orchard within the infested area shall not grow potato crops other than those varieties approved by the Director General.

*[Clause 2 inserted in Gazette 25 May 1990 p. 2384.]*

**3. Fork testing**

The owner or occupier shall ensure that potato crops are fork tested at the crop maturity stage, as specified by an inspector.

*[Clause 3 inserted in Gazette 25 May 1990 p. 2384.]*

**Plant Diseases Regulations 1989**

**Schedule 4A** Potato cyst nematode

**Part 2** Steps and measures to control, eradicate and prevent the spread of potato cyst nematode under section 12 of the Act

**cl. 4**

---

**4. Delivery and decontamination**

The owner or occupier shall deliver the potato crop to a processor or merchant nominated by an inspector.

*[Clause 4 inserted in Gazette 25 May 1990 p. 2384.]*

**5. Crops shall be certified**

(1) The owner or occupier shall not move any potatoes from the orchard until he receives a certificate issued by an inspector in the form of Form 5 in Schedule 3.

(2) A certificate referred to in subclause (1) shall —

- (a) certify that the crop has been treated in accordance with clause 3;
- (b) nominate the processing establishment to which the crop shall be delivered; and
- (c) specify any other steps which the inspector may require to be taken.

*[Clause 5 inserted in Gazette 25 May 1990 p. 2384.]*

**6. Movement of machinery etc. prohibited unless certified**

The owner or occupier shall not move any machinery, vehicles or farm equipment (including bulk bins and footwear) from orchard to orchard or out of the infested area until he receives a certificate in the form of Form 6 in Schedule 3 verifying that the machinery, vehicles or farm equipment (including bulk bins and footwear) are free from soil contamination.

*[Clause 6 inserted in Gazette 25 May 1990 p. 2384.]*

**7. Conditions applying to associated orchards**

(1) The owner or occupier of an orchard within the infested area who also operates an orchard outside the infested area shall —

- (a) subject to subclause (2) —
  - (i) plant approved varieties of potatoes; or
  - (ii) adopt a 4 year rotation with a pre-plant nematicide for the disease;

and

- (b) comply with clauses 3, 4, 5 and 6.
- (2) Notwithstanding subclause (1)(a) an owner or occupier may, in the year 1990, plant a variety of potato which is susceptible to potato cyst nematode provided that a pre-plant nematicide approved by the Director General is used before planting.

*[Clause 7 inserted in Gazette 25 May 1990 p. 2384-5.]*

[Regulation 19A]

**Part 3 — Steps and measures to be taken by persons referred to in regulation 19A to eradicate or reduce the spread of the disease**

*[Heading inserted in Gazette 25 May 1990 p. 2385.]*

**1. Packing, washing, etc.**

A person referred to in regulation 19A shall —

- (a) not take delivery of any potatoes unless the potatoes are accompanied by Form 3 issued in accordance with Part 1 Clause 6(1) or Form 5 issued in accordance with Part 2 Clause 5 as the case may be;
- (b) ensure that trucks, containers and any other form of conveyance or potential carrier which has been in contact with the potatoes do not leave the premises until all soil and potato material has been removed;
- (c) clean soil and potato material from packing, processing and other equipment which has been in contact with the potatoes during packing or processing; and
- (d) deep bury the soil and potato material removed under paragraphs (b) and (c).

*[Clause 1 inserted in Gazette 25 May 1990 p. 2385.]*

**2. Distribution**

- (1) For the purposes of this clause unless the contrary intention appears —

**Plant Diseases Regulations 1989**

**Schedule 4A** Potato cyst nematode

**Part 3** Steps and measures to be taken by persons referred to in regulation 19A to eradicate or reduce the spread of the disease

**cl. 2**

---

*Perth Statistical Division* means the area set out in Map 3 of the Australian Bureau of Statistics publication “Crops and Pastures Western Australian Season 1986-1987” published in March 1988.

- (2) A person referred to in regulation 19A who distributes or sells potatoes grown in an orchard referred to in regulation 19A(1) —
- (a) may only distribute clean washed potatoes;
  - (b) shall not distribute or sell potatoes to any potato growing region of the State outside the Perth Statistical Division; and
  - (c) may distribute or sell clean washed waste potatoes for stock feed in the Metropolitan Area in approved quantities at distribution points nominated by an inspector.

*[Clause 2 inserted in Gazette 25 May 1990 p. 2385.]*

## **Schedule 4B**

[Regulation 19B]

### **Apple scab**

*[Heading inserted in Gazette 25 May 1990 p. 2385.]*

#### **Part 1 — Steps and measures to eradicate and prevent the spread of apple scab under section 11 of the Act**

*[Heading inserted in Gazette 25 May 1990 p. 2385.]*

##### **1. Notice of appearance of apple scab**

The occupier of an orchard shall as soon as practicable notify an inspector, at the district office nearest to the orchard, of the appearance of apple scab in the orchard.

*[Clause 1 inserted in Gazette 25 May 1990 p. 2385.]*

##### **2. Fungicide to be applied immediately**

Immediately after giving notice under clause 1, the occupier shall apply an approved fungicide mixture to all apple trees within 25 metres of an infected tree.

*[Clause 2 inserted in Gazette 25 May 1990 p. 2385.]*

##### **3. Removal of infected material**

Under the supervision and direction of an inspector the occupier shall —

- (a) remove all infected material (including fallen leaves, fruit and trees where necessary);
- (b) dispose of the infected material by deep burial or burning;  
and
- (c) remove any tree material, infected or otherwise, so as to ensure full penetration of spray to the point of runoff.

*[Clause 3 inserted in Gazette 25 May 1990 p. 2385.]*

**Plant Diseases Regulations 1989**

**Schedule 4B** Apple scab

**Part 1** Steps and measures to eradicate and prevent the spread of apple scab under section 11 of the Act

**cl. 4**

---

**4. Programme for initial fungicide treatment**

The occupier shall —

- (a) until harvest, apply an approved fungicide spray programme to all apple trees within 25 metres of an infected tree or a site from which an infected tree has been removed;
- (b) after harvest but before leaf fall spray all the apple trees in the orchard with an approved treatment as directed by an inspector;
- (c) after leaf fall collect and deep bury or bury all fallen leaves and fruit within 25 metres of an infected tree or the site from which an infected tree has been removed; and
- (d) in late July, apply an approved fungicide spray to the leaf litter on the orchard floor.

*[Clause 4 inserted in Gazette 25 May 1990 p. 2386.]*

**5. Spring fungicide programme**

The occupier shall apply an approved fungicide programme in spring to all apple trees in the orchard.

*[Clause 5 inserted in Gazette 25 May 1990 p. 2386.]*

**6. Additional programmes**

The occupier shall undertake any further approved fungicide programmes as directed by an inspector.

*[Clause 6 inserted in Gazette 25 May 1990 p. 2386.]*

**7. Records**

The occupier shall —

- (a) maintain an up to date record specifying —
    - (i) dates on which sprays were applied;
    - (ii) volumes applied;
    - (iii) amounts and names of fungicides used; and
    - (iv) the area sprayed;
- and

- (b) produce the record referred to in paragraph (a) for inspection when requested by an inspector.

*[Clause 7 inserted in Gazette 25 May 1990 p. 2386.]*

**8. Crops shall be certified**

- (1) The occupier of an orchard referred to in regulation 19B(3) shall not harvest any apples or remove any apple material or nursery trees from the orchard until he receives a certificate issued by an inspector in the form of Form 7 in Schedule 3.
- (2) A certificate referred to in subclause (1) shall —
- (a) nominate the packing or processing establishment to which the apples shall be delivered;
  - (b) nominate the areas to which apples may be distributed; and
  - (c) specify the manner in which —
    - (i) trucks, containers and all other forms of conveyance and potential carriers shall be cleansed; and
    - (ii) the waste apple material and leaves shall be destroyed.

*[Clause 8 inserted in Gazette 25 May 1990 p. 2386.]*

**9. Irrigation**

The occupier of an orchard shall not irrigate the orchard by an overhead sprinkler system or any other form of overhead irrigation.

*[Clause 9 inserted in Gazette 25 May 1990 p. 2386.]*

**Part 2 — Steps and measures to control, eradicate and prevent the spread of apple scab under section 12 of the Act**

*[Heading inserted in Gazette 25 May 1990 p. 2386.]*

**1. “Infested area” defined**

In this Part and in Part 3 unless the contrary intention appears — *infested area* means the area defined in the notice referred to in regulation 19B(5).

*[Clause 1 inserted in Gazette 25 May 1990 p. 2386.]*

**Plant Diseases Regulations 1989**

**Schedule 4B** Apple scab

**Part 2** Steps and measures to control, eradicate and prevent the spread of apple scab under section 12 of the Act

**cl. 2**

---

**2. Fungicide treatment**

The owner or occupier of an orchard in the infested area in which apple scab does not exist or does not appear to exist shall —

- (a) after harvest but before leaf fall spray all the apple trees in the orchard with an approved treatment;
- (b) in late July, apply an approved fungicide to the leaf litter on the orchard floor;
- (c) in Spring, apply an approved fungicide programme to all apple trees in the orchard; and
- (d) undertake any further approved fungicide programmes as directed by an inspector.

*[Clause 2 inserted in Gazette 25 May 1990 p. 2386.]*

**3. Records**

The owner or occupier shall —

- (a) maintain an up to date record specifying —
  - (i) dates on which sprays were applied;
  - (ii) volumes applied;
  - (iii) amounts and names of fungicides used; and
  - (iv) the area sprayed;and
- (b) produce the record referred to in paragraph (a) for inspection when requested by an inspector.

*[Clause 3 inserted in Gazette 25 May 1990 p. 2387.]*

**4. Crops shall be certified**

- (1) The owner or occupier shall not harvest any apples or remove any apple material or nursery trees from an orchard in the infested area until he receives a certificate issued by an inspector in the form of Form 7 in Schedule 3.
- (2) A certificate referred to in subclause (1) shall —
  - (a) nominate the packing or processing establishment to which the apples shall be delivered;

- (b) nominate the areas to which apples may be distributed; and
- (c) specify the manner in which —
  - (i) trucks, containers and all other forms of conveyance and potential carriers shall be cleansed; and
  - (ii) the waste apple material and leaves shall be destroyed.

*[Clause 4 inserted in Gazette 25 May 1990 p. 2387.]*

**5. Irrigation**

The owner or occupier of an orchard shall not irrigate the orchard by an overhead sprinkler system or any other form of overhead irrigation.

*[Clause 5 inserted in Gazette 25 May 1990 p. 2387.]*

[Regulation 19C]

**Part 3 — Steps and measures to be taken by persons referred to in regulation 19C to eradicate or reduce the spread of the disease**

*[Heading inserted in Gazette 25 May 1990 p. 2387.]*

**1. Trucks, containers etc. to be cleaned**

Packers and processors shall ensure that —

- (a) trucks, containers or any other form of conveyance in which apples from an orchard referred to in regulation 19B are transported to packing or processing establishments; and
- (b) any other potential carrier which has been in contact with the apples,

are cleaned of all leaves and apple material before leaving the premises.

*[Clause 1 inserted in Gazette 25 May 1990 p. 2387; amended in Gazette 20 Aug 1996 p. 4058.]*

**2. Equipment to be cleaned**

Packers and processors shall ensure that all packing and processing equipment which has been in contact with apples during processing or packing, shall be cleaned of all leaves and apple material.

*[Clause 2 inserted in Gazette 25 May 1990 p. 2387.]*

**Plant Diseases Regulations 1989**

**Schedule 4B** Apple scab

**Part 4** Steps and measures by persons referred to in regulation 19D to eradicate or reduce the spread of the disease

**cl. 3**

---

**3. Disposal of potentially infected material**

Packers and processors shall ensure that all leaf and waste apple material removed in accordance with clauses 1 and 2 shall be —

- (a) deep buried; or
- (b) burnt.

*[Clause 3 inserted in Gazette 25 May 1990 p. 2387.]*

**4. Distribution**

A person who distributes apples from an orchard referred to in regulation 19B shall only distribute apples to areas nominated by an inspector.

*[Clause 4 inserted in Gazette 25 May 1990 p. 2387.]*

[Regulation 19D]

**Part 4 — Steps and measures by persons referred to in regulation 19D to eradicate or reduce the spread of the disease**

*[Heading inserted in Gazette 25 May 1990 p. 2387.]*

**1. Nursery stock**

A person who receives apple trees referred to in regulation 19D(1) shall —

- (a) after planting the tree, cut back the leader and laterals by 15 cm;
- (b) burn or deep bury any prunings or other material removed under paragraph (a);
- (c) apply an approved fungicide programme to the trees; and
- (d) maintain records in accordance with Part 2 Clause 3.

*[Clause 1 inserted in Gazette 25 May 1990 p. 2387.]*

## **Schedule 4C**

[Regulations 19E and 19F]

### **Codling moth**

*[Heading inserted in Gazette 5 Mar 1993 p. 1440.]*

#### **Part 1 — Steps and measures to eradicate and prevent the spread of codling moth under section 11 of the Act**

*[Heading inserted in Gazette 5 Mar 1993 p. 1440.]*

##### **1. Notice of appearance of codling moth**

The occupier of an orchard shall as soon as practicable notify an inspector, at the district office nearest to the orchard, of the appearance of codling moth in the orchard.

*[Clause 1 inserted in Gazette 5 Mar 1993 p. 1440.]*

##### **2. Removal of infected material**

Under the supervision and direction of an inspector the occupier shall —

- (a) remove all infected and potentially infected material (including fruit, fallen fruit and trees where necessary);
- (b) dispose of the infected and potentially infected material by deep burial or burning; and
- (c) remove any tree material, infected or otherwise, so as to ensure full penetration of spray to the point of runoff and to allow inspection of any remaining fruit and dispose of that material by deep burial or burning.

*[Clause 2 inserted in Gazette 5 Mar 1993 p. 1440.]*

##### **3. Programme following initial detection of codling moth**

The occupier shall —

- (a) until harvest, apply an approved insecticide spray programme to all pome fruit trees bearing fruit;

**Plant Diseases Regulations 1989**

**Schedule 4C** Codling moth

**Part 1** Steps and measures to eradicate and prevent the spread of codling moth under section 11 of the Act

**cl. 4**

---

- (b) where directed and to the satisfaction of an inspector —
  - (i) with an approved implement, scrape outer bark from the trunk and branches of pome fruit trees from ground level to a height of 0.25 m above the crotch of the tree to remove over wintering larvae and pupae sites;
  - (ii) dispose of all scrapings by deep burial or burning;
  - (iii) kill any larvae or pupae on site; and
  - (iv) staple an approved corrugated cardboard band to the trunk;
- (c) every 3 weeks collect and deep bury or burn all fallen fruit; and
- (d) in May/June or after harvest for later maturing varieties, inspect bands and kill any larvae or pupae on site.

*[Clause 3 inserted in Gazette 5 Mar 1993 p. 1441.]*

**4. Spring/Summer programme**

- (1) The occupier shall —
  - (a) apply an approved insecticide spray programme to all pome fruit trees in the orchard until harvest; or
  - (b) strip all fruit from unsprayed pome fruit trees in November and destroy such fruit by burning or deep burial.
- (2) The occupier shall renew bands on pome fruit trees in January.

*[Clause 4 inserted in Gazette 5 Mar 1993 p. 1441.]*

**5. Additional programmes**

The occupier shall undertake any further approved programmes as directed by an inspector.

*[Clause 5 inserted in Gazette 5 Mar 1993 p. 1441.]*

**6. Records**

The occupier shall —

- (a) maintain an up to date record specifying the —
  - (i) dates on which any sprays were applied;

- (ii) volumes applied;
- (iii) amounts and names of insecticides used; and
- (iv) area sprayed;

and

- (b) produce the record referred to in paragraph (a) for inspection when requested by an inspector.

*[Clause 6 inserted in Gazette 5 Mar 1993 p. 1441.]*

**7. Crops shall be certified**

- (1) The occupier of an orchard referred to in regulation 19E(3) shall not harvest any fruit or remove any fruit or other potential carrier from the orchard until he receives a certificate issued by an inspector in the form of Form 9 in Schedule 3.
- (2) A certificate referred to in subclause (1) shall —
  - (a) nominate the packing or processing establishment to which the fruit or potential carrier shall be delivered;
  - (b) nominate the areas to which the fruit or potential carrier may be distributed; and
  - (c) specify the manner in which —
    - (i) trucks, containers and all other forms of conveyance and potential carriers shall be cleansed; and
    - (ii) the waste fruit, plant material, larvae and pupae shall be destroyed.

*[Clause 7 inserted in Gazette 5 Mar 1993 p. 1442.]*

**Part 2 — Steps and measures to control, eradicate and prevent the spread of codling moth under section 12 of the Act**

*[Heading inserted in Gazette 5 Mar 1993 p. 1442.]*

**8. “Infested area” defined**

In this Part and in Part 3 unless the contrary intention appears —

***infested area*** means the area defined in the notice referred to in regulation 19E(5).

*[Clause 8 inserted in Gazette 5 Mar 1993 p. 1442.]*

**9. Treatments**

The owner or occupier of an orchard in the infested area in which codling moth does not exist or does not appear to exist shall —

- (a) under the supervision and direction of an inspector —
  - (i) remove all infected and potentially infected material (including fruit, fallen fruit and trees where necessary);
  - (ii) dispose of the infected and potentially infected material by deep burial or burning; and
  - (iii) remove any tree material, infected or otherwise, so as to ensure full penetration of spray to the point of runoff and to allow inspection of any remaining fruit and dispose of that material by deep burial or burning;
- (b) until harvest, apply an approved insecticide spray programme to pome fruit trees bearing fruit, or strip all fruit from unsprayed pome fruit trees in November and destroy that fruit by burning or deep burial;
- (c) where directed and to the satisfaction of an inspector —
  - (i) with an approved implement, scrape outer bark from the trunk and branches of pome fruit trees from ground level to a height of 0.25 m above the crotch of the tree to remove over wintering larvae and pupae sites;
  - (ii) dispose of all scrapings by deep burial or burning;
  - (iii) kill any larvae or pupae on site; and
  - (iv) staple an approved corrugated cardboard band to the trunk;
- (d) every 3 weeks collect and deep bury or burn all fallen fruit;
- (e) in May/June or after harvest for later maturing varieties, inspect bands and kill any larvae or pupae on site;
- (f) renew bands on pome fruit trees in January; and
- (g) undertake any further approved programmes as directed by an inspector.

*[Clause 9 inserted in Gazette 5 Mar 1993 p. 1442-3.]*

**10. Records**

The owner or occupier shall —

- (a) maintain an up to date record specifying the —
  - (i) dates on which any sprays were applied;
  - (ii) volumes applied;
  - (iii) amounts and names of insecticides used; and
  - (iv) area sprayed;and
- (b) produce the record referred to in paragraph (a) for inspection when requested by an inspector.

*[Clause 10 inserted in Gazette 5 Mar 1993 p. 1443.]*

**11. Crops shall be certified**

- (1) The owner or occupier shall not harvest any fruit or remove any fruit or other potential carrier from the orchard until he receives a certificate issued by an inspector in the form of Form 9 in Schedule 3.
- (2) A certificate referred to in subclause (1) shall —
  - (a) nominate the packing or processing establishment to which the fruit or potential carrier shall be delivered;
  - (b) nominate the areas to which the fruit or potential carrier may be distributed; and
  - (c) specify the manner in which —
    - (i) trucks, containers and all other forms of conveyance and potential carriers shall be cleansed; and
    - (ii) the waste fruit, plant material, larvae and pupae shall be destroyed.

*[Clause 11 inserted in Gazette 5 Mar 1993 p. 1443.]*

**Plant Diseases Regulations 1989**

**Schedule 4C** Codling moth

**Part 3** Steps and measures to be taken by persons referred to in regulation 19F to eradicate or reduce the spread of the disease

cl. 12

---

**Part 3 — Steps and measures to be taken by persons referred to in regulation 19F to eradicate or reduce the spread of the disease**

*[Heading inserted in Gazette 5 Mar 1993 p. 1444.]*

**12. Trucks, containers etc. to be cleaned**

Packers and processors shall ensure that —

- (a) trucks, containers or any other form of conveyance in which fruit from an orchard referred to in regulation 19E is transported to packing or processing establishments; and
- (b) any other potential carrier which has been in contact with the fruit,

shall be cleaned of all fruit, plant material, larvae and pupae before leaving the premises.

*[Clause 12 inserted in Gazette 5 Mar 1993 p. 1444.]*

**13. Equipment to be cleaned**

Packers and processors shall ensure that all processing equipment which has been in contact with fruit during processing or packing, shall be cleaned of all fruit, plant material, larvae and pupae.

*[Clause 13 inserted in Gazette 5 Mar 1993 p. 1444.]*

**14. Disposal of potentially infected material**

Packers and processors shall ensure that all fruit, plant material, larvae and pupae removed in accordance with clauses 12 and 13 shall be —

- (a) deep buried; or
- (b) burnt.

*[Clause 14 inserted in Gazette 5 Mar 1993 p. 1444.]*

**15. Distribution**

A person who distributes fruit or potential carriers from an orchard referred to in regulation 19E shall only distribute fruit or potential carriers to areas nominated by an inspector.

*[Clause 15 inserted in Gazette 5 Mar 1993 p. 1444.]*

**Schedule 5 — Non-native plants that may be brought into the State**

[r. 3B]

*[Heading inserted in Gazette 17 Sep 2010 p. 4420.]*

Abarema brachystachya	Abarema cochliacarpos	Abarema muelleriana
Abarema sapindoides	Abelia engleriana	Abelia floribunda
Abelia x grandiflora	Abelia x grandiflora x parvifolia	Abelia longituba
Abelia parvifolia	Abelia x rupestris	Abelia serrata
Abelia spathulata	Abelia triflora	Abelia uniflora
Abeliophyllum distichum	Abelmoschus esculentus	Abelmoschus manihot
Abies alba	Abies amabilis	Abies balsamea
Abies borisii-regis	Abies bracteata	Abies cilicica
Abies concolor	Abies delavayi	Abies douglasii
Abies fargesii	Abies firma	Abies forrestii
Abies fraseri	Abies guatemalensis	Abies holophylla
Abies homolepis	Abies kawakamii	Abies koreana
Abies lasiocarpa	Abies magnifica	Abies mariesii
Abies nebrodensis	Abies nordmanniana	Abies numidica
Abies pindrow	Abies pinsapo	Abies procera
Abies recurvata	Abies religiosa	Abies sachalinensis
Abies sibirica	Abies spectabilis	Abies squamata
Abies veitchii	Abobra tenuifolia	Abroma augusta
Abroma augustum	Abroma fastuosa	Abroma mollis
Abronia nana	Abronia umbellata	Abrophyllum ornans
Abrotanella forsteroides	Abrus canescens	Abrus schimperi
Absolmsia spartiodes	Abutilon andrewsianum	Abutilon arboreum
Abutilon bedfordianum	Abutilon calliphyllum	Abutilon carneum
Abutilon darwinii	Abutilon elegans	Abutilon eremitopetalum
Abutilon exstipulare	Abutilon grandiflorum	Abutilon grandifolium

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Abutilon x hybridum</i>	<i>Abutilon incanum</i>	<i>Abutilon insigne</i>
<i>Abutilon megapotamicum</i>	<i>Abutilon menziesii</i>	<i>Abutilon micropetalum</i>
<i>Abutilon x milleri</i>	<i>Abutilon palmeri</i>	<i>Abutilon peruvianum</i>
<i>Abutilon pictum</i>	<i>Abutilon regnellii</i>	<i>Abutilon sachetianum</i>
<i>Abutilon sellowianum</i>	<i>Abutilon x suntense</i>	<i>Abutilon theophrasti</i>
<i>Abutilon tubulosum</i>	<i>Abutilon venosum</i>	<i>Abutilon vexillarium</i>
<i>Acacia abbreviata</i>	<i>Acacia acinacea</i>	<i>Acacia acrionastes</i>
<i>Acacia aculeatissima</i>	<i>Acacia adunca</i>	<i>Acacia albizioides</i>
<i>Acacia alcockii</i>	<i>Acacia alleniana</i>	<i>Acacia alpina</i>
<i>Acacia amentifera</i>	<i>Acacia ammobia</i>	<i>Acacia ammophila</i>
<i>Acacia amoena</i>	<i>Acacia angusta</i>	<i>Acacia aprepta</i>
<i>Acacia araneosa</i>	<i>Acacia argyrodendron</i>	<i>Acacia argyrophylla</i>
<i>Acacia armillata</i>	<i>Acacia asparagoides</i>	<i>Acacia aspera</i>
<i>Acacia attenuata</i>	<i>Acacia aulacocarpa</i>	<i>Acacia auriculiformis</i>
<i>Acacia ausfeldii</i>	<i>Acacia axillaris</i>	<i>Acacia baeuerlenii</i>
<i>Acacia baileyana</i>	<i>Acacia bakeri</i>	<i>Acacia bancroftii</i>
<i>Acacia barattensis</i>	<i>Acacia barringtonensis</i>	<i>Acacia baueri</i>

<i>Acacia beckleri</i>	<i>Acacia betchei</i>	<i>Acacia binervata</i>
<i>Acacia binervia</i>	<i>Acacia blakei</i>	<i>Acacia blayana</i>
<i>Acacia boormanii</i>	<i>Acacia brachybotrya</i>	<i>Acacia brachycarpa</i>
<i>Acacia brassii</i>	<i>Acacia brownei</i>	<i>Acacia brownii</i>
<i>Acacia brunioides</i>	<i>Acacia bulgaensis</i>	<i>Acacia burbidgeae</i>
<i>Acacia burrowii</i>	<i>Acacia buxifolia</i>	<i>Acacia bynoeana</i>
<i>Acacia caerulescens</i>	<i>Acacia caesiella</i>	<i>Acacia calamifolia</i>
<i>Acacia calantha</i>	<i>Acacia calyculata</i>	<i>Acacia cambagei</i>
<i>Acacia cana</i>	<i>Acacia cangaiensis</i>	<i>Acacia cardiophylla</i>
<i>Acacia carnei</i>	<i>Acacia caroleae</i>	<i>Acacia chalkeri</i>
<i>Acacia cheelii</i>	<i>Acacia chinchillensis</i>	<i>Acacia chisholmii</i>
<i>Acacia chrysotricha</i>	<i>Acacia cincinnata</i>	<i>Acacia clunies-rossiae</i>

Acacia cognata	Acacia complanata	Acacia concurrens
Acacia conferta	Acacia confluens	Acacia conjunctifolia
Acacia conspersa	Acacia constablei	Acacia continua
Acacia costiniana	Acacia courtii	Acacia covenyi
Acacia crassa	Acacia crassicarpa	Acacia cretacea
Acacia cretacea x leptocarpa	Acacia cretata	Acacia crombiei
Acacia cultriformis	Acacia curranii	Acacia dallachiana
Acacia dawsonii	Acacia dealbata	Acacia deanei
Acacia debilis	Acacia decora	Acacia decurrens
Acacia desmondii	Acacia deuteroneura	Acacia dietrichiana
Acacia difformis	Acacia dimidiata	Acacia diphylla
Acacia disparrima	Acacia dodonaefolia	Acacia dolichophylla
Acacia doratoxylon	Acacia dorothea	Acacia echinula
Acacia elata	Acacia elongata	Acacia ensifolia
Acacia enterocarpa	Acacia eremophiloides	Acacia euthycarpa
Acacia everistii	Acacia excelsa	Acacia falcata
Acacia falciformis	Acacia farinosa	Acacia fasciculifera
Acacia filicifolia	Acacia fimbriata	Acacia fimbriata x pravissima
Acacia flavescens	Acacia fleckeri	Acacia flexifolia
Acacia flocktoniae	Acacia floribunda	Acacia floydii
Acacia forsythii	Acacia frigescens	Acacia fulva
Acacia furfuracea	Acacia genistifolia	Acacia georgensis
Acacia georginae	Acacia gillii	Acacia gittinsii
Acacia gladiiformis	Acacia glandulicarpa	Acacia glaucocarpa
Acacia gnidium	Acacia gordonii	Acacia gracilentia
Acacia gracilifolia	Acacia grandifolia	Acacia granitica
Acacia x grayana	Acacia gunnii	Acacia guymeri
Acacia halliana	Acacia hamiltoniana	Acacia handonis
Acacia harpophylla	Acacia havilandii	Acacia helicophylla

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Acacia heterochroa</i>	<i>Acacia hispidula</i>	<i>Acacia hockingsii</i>
<i>Acacia holotricha</i>	<i>Acacia homaloclada</i>	<i>Acacia howittii</i>
<i>Acacia hubbardiana</i>	<i>Acacia hyaloneura</i>	<i>Acacia hylonoma</i>
<i>Acacia imbricata</i>	<i>Acacia implexa</i>	<i>Acacia ingramii</i>
<i>Acacia irrorata</i>	<i>Acacia islana</i>	<i>Acacia iteaphylla</i>
<i>Acacia ixiophylla</i>	<i>Acacia ixodes</i>	<i>Acacia jackesiana</i>
<i>Acacia johnsonii</i>	<i>Acacia jonesii</i>	<i>Acacia jucunda</i>
<i>Acacia julifera</i>	<i>Acacia juncifolia</i>	<i>Acacia jutsonii</i>
<i>Acacia kettlewelliae</i>	<i>Acacia kettlewelliae x pravissima</i>	<i>Acacia kybeanensis</i>
<i>Acacia kydrensis</i>	<i>Acacia lanigera</i>	<i>Acacia latescens</i>
<i>Acacia latisepala</i>	<i>Acacia latzii</i>	<i>Acacia lauta</i>
<i>Acacia lazaridis</i>	<i>Acacia legnota</i>	<i>Acacia leichhardtii</i>
<i>Acacia leiocalyx</i>	<i>Acacia leiophylla</i>	<i>Acacia leprosa</i>
<i>Acacia leptoclada</i>	<i>Acacia leptoloba</i>	<i>Acacia leptostachya</i>
<i>Acacia leuoclada</i>	<i>Acacia linarioides</i>	<i>Acacia linearifolia</i>
<i>Acacia lineata</i>	<i>Acacia linifolia</i>	<i>Acacia loderi</i>
<i>Acacia longifolia</i>	<i>Acacia longipedunculata</i>	<i>Acacia longispicata</i>
<i>Acacia longissima</i>	<i>Acacia loroloba</i>	<i>Acacia lucasii</i>
<i>Acacia lunata</i>	<i>Acacia mabellae</i>	<i>Acacia macnuttiana</i>
<i>Acacia macradenia</i>	<i>Acacia maidenii</i>	<i>Acacia malloclada</i>
<i>Acacia mangium</i>	<i>Acacia maranoensis</i>	<i>Acacia mcnuttiana</i>
<i>Acacia mearnsii</i>	<i>Acacia meiosperma</i>	<i>Acacia melanoxydon</i>
<i>Acacia melvillei</i>	<i>Acacia menzelii</i>	<i>Acacia microcarpa</i>
<i>Acacia microcephala</i>	<i>Acacia microsperma</i>	<i>Acacia mimula</i>
<i>Acacia mitchellii</i>	<i>Acacia mollifolia</i>	<i>Acacia mollissima</i>
<i>Acacia montana</i>	<i>Acacia mucronata</i>	<i>Acacia muelleriana</i>
<i>Acacia multilineata</i>	<i>Acacia murrumboensis</i>	<i>Acacia nanodealbata</i>
<i>Acacia nematophylla</i>	<i>Acacia neriifolia</i>	<i>Acacia nesophila</i>
<i>Acacia normalis</i>	<i>Acacia notabilis</i>	<i>Acacia numerosa</i>

Acacia obliquinervia	Acacia obtusata	Acacia obtusifolia
Acacia oligophleba	Acacia olsenii	Acacia omalophylla
Acacia ommatosperma	Acacia oncinocarpa	Acacia oraria
Acacia oreades	Acacia orites	Acacia oshanesii
Acacia oxycedrus	Acacia pallidifolia	Acacia paradoxa
Acacia parramattensis	Acacia parvipinnula	Acacia pataczekii
Acacia pendula	Acacia penninervis	Acacia perangusta
Acacia petraea	Acacia peuce	Acacia phasmoides
Acacia phlebophylla	Acacia pickardii	Acacia pilligaensis
Acacia pilosa	Acacia pinguifolia	Acacia podalyriifolia
Acacia polifolia	Acacia polyadenia	Acacia polybotrya
Acacia polystachya	Acacia porcata	Acacia praelongata
Acacia praetermissa	Acacia pravissima	Acacia producta
Acacia prominens	Acacia proxima	Acacia pruinosa
Acacia ptychoclada	Acacia pubescens	Acacia pubicosta
Acacia pubifolia	Acacia pubirhachis	Acacia purpureapetala
Acacia pustula	Acacia pycnantha	Acacia pycnostachya
Acacia quadrilateralis	Acacia quornensis	Acacia racospermoides
Acacia ramiflora	Acacia ramosissima	Acacia resinicostata
Acacia retinodes	Acacia rhetinocarpa	Acacia rhigiophylla
Acacia rhodoxylon	Acacia riceana	Acacia rivalis
Acacia robiniae	Acacia rothii	Acacia rubida
Acacia rupicola	Acacia ruppii	Acacia saliciformis
Acacia salicina	Acacia saxicola	Acacia schinoides
Acacia semiaurea	Acacia semibinervia	Acacia semilunata
Acacia semirigida	Acacia sericiflora	Acacia sessiliceps
Acacia shirleyi	Acacia siculiformis	Acacia silvestris
Acacia simsii	Acacia solandri	Acacia spania
Acacia sparsiflora	Acacia spectabilis	Acacia spilleriana
Acacia spinescens	Acacia storyi	Acacia stowardii

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Acacia striatifolia</i>	<i>Acacia stricta</i>	<i>Acacia suaveolens</i>
<i>Acacia subglauca</i>	<i>Acacia sublanata</i>	<i>Acacia subporosa</i>
<i>Acacia subternata</i>	<i>Acacia subtilinervis</i>	<i>Acacia subulata</i>
<i>Acacia sutherlandii</i>	<i>Acacia tarculensis</i>	<i>Acacia tenuinervis</i>
<i>Acacia tenuior</i>	<i>Acacia tephрина</i>	<i>Acacia terminalis</i>
<i>Acacia tessellata</i>	<i>Acacia tindaleae</i>	<i>Acacia tindaleae x semilunata</i>
<i>Acacia torringtonensis</i>	<i>Acacia torulosa</i>	<i>Acacia trachyphloia</i>
<i>Acacia trinervata</i>	<i>Acacia trineura</i>	<i>Acacia triptera</i>
<i>Acacia triquetra</i>	<i>Acacia tropica</i>	<i>Acacia ulicifolia</i>
<i>Acacia umbellata</i>	<i>Acacia uncifera</i>	<i>Acacia uncinata</i>
<i>Acacia undoolyana</i>	<i>Acacia venulosa</i>	<i>Acacia verniciflua</i>
<i>Acacia verticillata</i>	<i>Acacia vestita</i>	<i>Acacia viscidula</i>
<i>Acacia wardellii</i>	<i>Acacia wattsiana</i>	<i>Acacia whibleyana</i>
<i>Acacia whitei</i>	<i>Acacia wilhelmiana</i>	<i>Acacia williamsonii</i>
<i>Acacia yirrkallensis</i>	<i>Acaciella curassavica</i>	<i>Acaena adscendens</i>
<i>Acaena affinis</i>	<i>Acaena anserinifolia</i>	<i>Acaena buchananii</i>
<i>Acaena caesiglaucа</i>	<i>Acaena echinata</i>	<i>Acaena fissistipula</i>
<i>Acaena glabra</i>	<i>Acaena hirsutula</i>	<i>Acaena lucida</i>
<i>Acaena microphylla</i>	<i>Acaena minor</i>	<i>Acaena montana</i>
<i>Acaena novae-zelandiae</i>	<i>Acaena ovina</i>	<i>Acaena profundeincisa</i>
<i>Acaena saccaticupula</i>	<i>Acalypha capensis</i>	<i>Acalypha chamaedrifolia</i>
<i>Acalypha compacta</i>	<i>Acalypha godseffiana</i>	<i>Acalypha hamiltoniana</i>
<i>Acalypha hispida</i>	<i>Acalypha lyonsii</i>	<i>Acalypha nemorum</i>
<i>Acalypha pendula</i>	<i>Acalypha reptans</i>	<i>Acalypha spiciflora</i>
<i>Acalypha wilkesiana</i>	<i>Acampe</i> spp.	<i>Acanthephippium splendidum</i>
<i>Acanthephippium striatum</i>	<i>Acanthephippium sylhetense</i>	<i>Acanthocalycium spiniflorum</i>
<i>Acanthocalyx nepalensis</i>	<i>Acanthocereus brasiliensis</i>	<i>Acanthocereus undulosus</i>
<i>Acantholimon caesareum</i>	<i>Acantholimon calvertii</i>	<i>Acantholimon jarmilae</i>

Acantholimon venustum	Acanthophoenix crinita	Acanthophoenix rubra
Acanthorhipsalis monacantha	Acanthospermum hispidum	Acanthostachys pitcairnioides
Acanthostachys strobilacea	Acanthus caroli-alexandri	Acanthus dioscoridis
Acanthus eminens	Acanthus hirsutus	Acanthus hungaricus

Acanthus longifolius	Acanthus mollis	Acanthus polystachyus
Acanthus spinosissimus	Acanthus spinosus	Acanthus syriacus
Acca sellowiana	Acer aidzuense	Acer albo-purpurascens
Acer argutum	Acer buergerianum	Acer campbellii
Acer campestre	Acer capillipes	Acer cappadocicum
Acer carpinifolium	Acer caudatifolium	Acer caudatum
Acer circinatum	Acer cissifolium	Acer x conspicuum
Acer cordatum	Acer craibianum	Acer davidii
Acer decandrum	Acer diabolicum	Acer x dieckii
Acer distylum	Acer elegantulum	Acer erianthum
Acer fabri	Acer x freemanii	Acer glabrum
Acer griseum	Acer heldreichii	Acer henryi
Acer heptalobum	Acer japonicum	Acer kawakamii
Acer laevigatum	Acer longipes	Acer macrophyllum
Acer mandshuricum	Acer maximowiczianum	Acer micranthum
Acer negundo	Acer obtusifolium	Acer olivaceum
Acer oliverianum	Acer palmatum	Acer paxii
Acer pectinatum	Acer pensylvanicum	Acer pentaphyllum
Acer pentaphyllum x oblongum	Acer platanoides	Acer pseudo-sieboldianum
Acer pseudoplatanus	Acer pubescens	Acer pubinerve
Acer rubescens	Acer rubrum	Acer rufinerve
Acer saccharum	Acer sempervirens	Acer shirasawanum
Acer sieboldianum	Acer sikkimense	Acer stachyophyllum
Acer tataricum	Acer tegmentosum	Acer triflorum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Acer truncatum</i>	<i>Acer truncatum</i> x <i>platanoides</i>	<i>Acer velutinum</i>
<i>Aceratium ferrugineum</i>	<i>Acetosa sagittata</i>	<i>Acetosella vulgaris</i>
<i>Achillea aegyptiaca</i>	<i>Achillea ageratifolia</i>	<i>Achillea ageratum</i>
<i>Achillea clavennae</i>	<i>Achillea clavennae</i> x <i>clypeolata</i>	<i>Achillea clypeolata</i>
<i>Achillea clypeolata</i> x <i>filipendulina</i>	<i>Achillea coarctata</i>	<i>Achillea decolorans</i>
<i>Achillea erba-rotta</i>	<i>Achillea eupatorium</i>	<i>Achillea filipendulina</i>
<i>Achillea fraasii</i>	<i>Achillea grandiflora</i>	<i>Achillea</i> x <i>lewisii</i>
<i>Achillea lingulata</i>	<i>Achillea macrocephala</i>	<i>Achillea macrophylla</i>
<i>Achillea millefolium</i>	<i>Achillea millefolium</i> x <i>taygetea</i>	<i>Achillea nana</i>
<i>Achillea odorata</i>	<i>Achillea ptarmica</i>	<i>Achillea</i> x <i>taygetea</i>
<i>Achillea tomentosa</i>	<i>Achillea umbellata</i>	<i>Achimenes erecta</i>
<i>Achimenes grandiflora</i>	<i>Achimenes heterophylla</i>	<i>Achimenes longiflora</i>
<i>Achimenes magnifica</i>	<i>Achimenes mexicana</i>	<i>Achimenes patens</i>
<i>Achimenes skinneri</i>	<i>Achlys triphylla</i>	<i>Achnatherum coronatum</i>
<i>Achnatherum hymenoides</i>	<i>Achnatherum lettermanii</i>	<i>Achnatherum lobatum</i>
<i>Achnatherum robustum</i>	<i>Achyranthes arborescens</i>	<i>Achyranthes japonica</i>
<i>Achyranthes splendens</i>	<i>Acianthus</i> spp.	<i>Acineta</i> spp.
<i>Acinos alpinus</i>	<i>Acinos arvensis</i>	<i>Acioa edulis</i>
<i>Aciotis rubricaulis</i>	<i>Aciphylla aurea</i>	<i>Aciphylla aurea</i> x <i>horrida</i>
<i>Aciphylla colensoi</i>	<i>Aciphylla congesta</i>	<i>Aciphylla crenulata</i>
<i>Aciphylla dieffenbachii</i>	<i>Aciphylla dobsonii</i>	<i>Aciphylla glacialis</i>
<i>Aciphylla gracilis</i>	<i>Aciphylla hectori</i>	<i>Aciphylla horrida</i>
<i>Aciphylla monroi</i>	<i>Aciphylla montana</i>	<i>Aciphylla pinnatifida</i>
<i>Aciphylla procumbens</i>	<i>Aciphylla scott-thomsonii</i>	<i>Aciphylla simplex</i>
<i>Aciphylla simplicifolia</i>	<i>Aciphylla squarrosa</i>	<i>Aciphylla subflabellata</i>
<i>Acis autumnalis</i>	<i>Acis longifolia</i>	<i>Acis nicaeensis</i>
<i>Acis rosea</i>	<i>Acis tingitana</i>	<i>Acis trichophyllum</i>
<i>Acis valentina</i>	<i>Ackama paniculata</i>	<i>Ackama rosifolia</i>

<i>Acmadenia heterophylla</i>	<i>Acmella oleracea</i>	<i>Acmena australis</i>
<i>Acmena brachyandra</i>	<i>Acmena divaricata</i>	<i>Acmena graveolens</i>
<i>Acmena hemilampra</i>	<i>Acmena ingens</i>	<i>Acmena mackinnoniana</i>
<i>Acmena macrocarpa</i>	<i>Acmena resa</i>	<i>Acmena smithii</i>
<i>Acmenosperma claviflorum</i>	<i>Acmenosperma pringlei</i>	<i>Acropyle pancheri</i>
<i>Acropyle sahniana</i>	<i>Acnistus arborescens</i>	<i>Acnistus breviflorus</i>
<i>Acnistus parviflorus</i>	<i>Acoelorrhaphe wrightii</i>	<i>Aconitum alboviolaceum</i>
<i>Aconitum anthora</i>	<i>Aconitum corsicum</i>	<i>Aconitum delphiniifolium</i>
<i>Aconitum hemsleyanum</i>	<i>Aconitum lycoctonum</i>	<i>Aconitum nagarum</i>
<i>Aconitum napellus</i>	<i>Aconitum orientale</i>	<i>Aconitum x stoerkianum</i>
<i>Aconitum wardii</i>	<i>Aconogonon campanulatum</i>	<i>Aconogonon rumicifolium</i>
<i>Acorus calamus</i>	<i>Acorus gramineus</i>	<i>Acradenia euodiiformis</i>
<i>Acradenia frankliniae</i>	<i>Acridocarpus austro-caledonicus</i>	<i>Acridocarpus natalitius</i>
<i>Acridocarpus smeathmanni</i>	<i>Acriopsis indica</i>	<i>Acriopsis javanica</i>
<i>Acriopsis ridleyi</i>	<i>Acrisione cymosa</i>	<i>Acrocarpus fraxinifolius</i>
<i>Acrocladium auriculatum</i>	<i>Acrocomia aculeata</i>	<i>Acrocomia armentalis</i>
<i>Acrocomia hassleri</i>	<i>Acrodon bellidiflorus</i>	<i>Acronychia acidula</i>
<i>Acronychia acronychioides</i>	<i>Acronychia acuminata</i>	<i>Acronychia baeuerlenii</i>
<i>Acronychia chooreechillum</i>	<i>Acronychia imperforata</i>	<i>Acronychia laevis</i>
<i>Acronychia littoralis</i>	<i>Acronychia oblongifolia</i>	<i>Acronychia octandra</i>
<i>Acronychia pauciflora</i>	<i>Acronychia pubescens</i>	<i>Acronychia wilcoxiana</i>
<i>Acrophorus stipellatus</i>	<i>Acrophyllum australe</i>	<i>Acrotriche aggregata</i>
<i>Acrotriche depressa</i>	<i>Acrotriche fasciculiflora</i>	<i>Acrotriche leucocarpa</i>
<i>Acrotriche prostrata</i>	<i>Acrotriche serrulata</i>	<i>Actaea arizonica</i>
<i>Actaea asiatica</i>	<i>Actaea biternata</i>	<i>Actaea brachycarpa</i>

<i>Actaea cimicifuga</i>	<i>Actaea dahurica</i>	<i>Actaea elata</i>
<i>Actaea heracleifolia</i>	<i>Actaea laciniata</i>	<i>Actaea mairei</i>
<i>Actaea podocarpa</i>	<i>Actaea racemosa</i>	<i>Actaea rubifolia</i>
<i>Actaea simplex</i>	<i>Actephila lindleyi</i>	<i>Actinidia arguta</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Actinidia arguta</i> x <i>kolomikta</i>	<i>Actinidia arguta</i> x <i>melanandra</i>	<i>Actinidia callosa</i>
<i>Actinidia chinensis</i>	<i>Actinidia chrysantha</i>	<i>Actinidia chrysantha</i> x <i>deliciosa</i>
<i>Actinidia deliciosa</i>	<i>Actinidia eriantha</i>	<i>Actinidia hemsleyana</i>
<i>Actinidia kolomikta</i>	<i>Actinidia lanceolata</i>	<i>Actinidia latifolia</i>
<i>Actinidia macrosperma</i>	<i>Actinidia melanandra</i>	<i>Actinidia rubricaulis</i>
<i>Actinidia rufa</i>	<i>Actinidia valvata</i>	<i>Actinodaphne confertiflora</i>
<i>Actinokentia divaricata</i>	<i>Actinokentia huerlimannii</i>	<i>Actinorhysis calapparia</i>
<i>Actinorhysis poamau</i>	<i>Actinotus bellidioides</i>	<i>Actinotus forsythii</i>
<i>Actinotus helianthi</i>	<i>Actinotus minor</i>	<i>Actinotus suffocata</i>
Ada spp.	<i>Adansonia digitata</i>	<i>Adansonia grandidieri</i>
<i>Adansonia madagascariensis</i>	<i>Adansonia perrieri</i>	<i>Adansonia rubrostipa</i>
<i>Adansonia suarezensis</i>	<i>Adansonia za</i>	<i>Adenandra fragrans</i>
<i>Adenandra marginata</i>	<i>Adenandra uniflora</i>	<i>Adenantha abrosperma</i>
<i>Adenantha pavonina</i>	<i>Adenanthos cuneatus</i> x <i>cunninghamii</i>	<i>Adenanthos</i> x <i>cunninghamii</i>
<i>Adenanthos macropodianus</i>	<i>Adenanthos terminalis</i>	<i>Adenia cissampeloides</i>
<i>Adenia epigea</i>	<i>Adenia firingalavensis</i>	<i>Adenia fruticosa</i>
<i>Adenia glauca</i>	<i>Adenia globosa</i>	<i>Adenia goetzei</i>
<i>Adenia isaloensis</i>	<i>Adenia keramanthus</i>	<i>Adenia monadelpha</i>
<i>Adenia olaboensis</i>	<i>Adenia repanda</i>	<i>Adenia spinosa</i>
<i>Adenia subsessilifolia</i>	<i>Adenia venenata</i>	<i>Adenium arabicum</i>
<i>Adenium boehmianum</i>	<i>Adenium multiflorum</i>	<i>Adenium obesum</i>
<i>Adenium oleifolium</i>	<i>Adenocalymma comosum</i>	<i>Adenocalymma marginatum</i>
<i>Adenocarpus complicatus</i>	<i>Adenocarpus foliolosus</i>	<i>Adenocarpus telonensis</i>
<i>Adenocarpus viscosus</i>	<i>Adenochilus nortonii</i>	<i>Adenodolichos punctatus</i>
<i>Adenoncos papuana</i>	<i>Adenophora bulleyana</i>	<i>Adenophora divaricata</i>
<i>Adenophora forrestii</i>	<i>Adenophora himalayana</i>	<i>Adenophora jasionifolia</i>
<i>Adenophora khasiana</i>	<i>Adenophora lamarkii</i>	<i>Adenophora latifolia</i>

<i>Adenophora leptosepala</i>	<i>Adenophora lilifolia</i>	<i>Adenophora morrisonensis</i>
<i>Adenophora nikoensis</i>	<i>Adenophora pereskiifolia</i>	<i>Adenophora remotiflora</i>
<i>Adenophora stricta</i>	<i>Adenophora takedai</i>	<i>Adenophora taquetii</i>
<i>Adenophora tashiroi</i>	<i>Adenophora thunbergiana</i>	<i>Adenophora triphylla</i>
<i>Adenorandia kalbreyeri</i>	<i>Adenostemma perrottetii</i>	<i>Adenostemma viscosum</i>
<i>Adenostyles briquetii</i>	<i>Adesmia araucana</i>	<i>Adesmia argentea</i>
<i>Adesmia bicolor</i>	<i>Adesmia boronioides</i>	<i>Adesmia conferta</i>
<i>Adesmia denticulata</i>	<i>Adesmia filifolia</i>	<i>Adesmia incana</i>
<i>Adesmia latifolia</i>	<i>Adesmia laxa</i>	<i>Adesmia loudonia</i>
<i>Adesmia microphylla</i>	<i>Adesmia mucronata</i>	<i>Adesmia muricata</i>
<i>Adesmia pearcei</i>	<i>Adesmia phylloidea</i>	<i>Adesmia punctata</i>
<i>Adesmia reclinata</i>	<i>Adesmia retusa</i>	<i>Adesmia tenella</i>
<i>Adesmia viscida</i>	<i>Adiantum aleuticum</i>	<i>Adiantum andicola</i>
<i>Adiantum bellum</i>	<i>Adiantum brasiliense</i>	<i>Adiantum caudatum</i>
<i>Adiantum chilense</i>	<i>Adiantum colpodes</i>	<i>Adiantum cultratum</i>
<i>Adiantum cunninghamii</i>	<i>Adiantum curvatum</i>	<i>Adiantum deflectens</i>
<i>Adiantum diaphanum</i>	<i>Adiantum dolosum</i>	<i>Adiantum excisum</i>
<i>Adiantum flabellulatum</i>	<i>Adiantum formosum</i>	<i>Adiantum fulvum</i>
<i>Adiantum henslovianum</i>	<i>Adiantum lindeni</i>	<i>Adiantum macrophyllum</i>
<i>Adiantum microsorum</i>	<i>Adiantum nebulosum</i>	<i>Adiantum pedatum</i>
<i>Adiantum pentadactylon</i>	<i>Adiantum peruvianum</i>	<i>Adiantum platyphyllum</i>
<i>Adiantum polyphyllum</i>	<i>Adiantum pubescens</i>	<i>Adiantum pulverulentum</i>
<i>Adiantum pyramidale</i>	<i>Adiantum raddianum</i>	<i>Adiantum reniforme</i>
<i>Adiantum rubellum</i>	<i>Adiantum silvaticum</i>	<i>Adiantum tenerum</i>
<i>Adiantum tetraphyllum</i>	<i>Adiantum trapeziforme</i>	<i>Adiantum venustum</i>
<i>Adinandra bockiana</i>	<i>Adinandra millettii</i>	<i>Adinobotrys atropurpureus</i>
<i>Adlumia fungosa</i>	<i>Adolphia californica</i>	<i>Adonanthe cyllenea</i>
<i>Adonanthe pyrenaica</i>	<i>Adonidia merrillii</i>	<i>Adonis aestivalis</i>
<i>Adonis amurensis</i>	<i>Adonis brevistyla</i>	<i>Adonis chrysocyathus</i>
<i>Adonis davidii</i>	<i>Adonis microcarpa</i>	<i>Adonis pyrenaica</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Adriana glabrata</i>	<i>Adriana hookeri</i>	<i>Adriana klotzschii</i>
<i>Adriana tomentosa</i>	<i>Adromischus alstonii</i>	<i>Adromischus alveolatus</i>
<i>Adromischus antidorcatus</i>	<i>Adromischus bicolor</i>	<i>Adromischus caryophyllaceus</i>
<i>Adromischus cooperi</i>	<i>Adromischus cristatus</i>	<i>Adromischus diabolicus</i>
<i>Adromischus fallax</i>	<i>Adromischus filicaulis</i>	<i>Adromischus hemisphaericus</i>
<i>Adromischus inamoenus</i>	<i>Adromischus leucophyllus</i>	<i>Adromischus leucothrix</i>
<i>Adromischus liebenbergii</i>	<i>Adromischus maculatus</i>	<i>Adromischus mammillaris</i>
<i>Adromischus marianae</i>	<i>Adromischus marianiae</i>	<i>Adromischus montium-klinghardtii</i>
<i>Adromischus nanus</i>	<i>Adromischus phillipsiae</i>	<i>Adromischus poellnitzianus</i>
<i>Adromischus rhombifolius</i>	<i>Adromischus roaneanus</i>	<i>Adromischus schuldianus</i>
<i>Adromischus sphenophyllus</i>	<i>Adromischus subdistichus</i>	<i>Adromischus subviridis</i>
<i>Adromischus triflorus</i>	<i>Adromischus trigynus</i>	<i>Adromischus umbraticola</i>
<i>Aechmea aciculosa</i>	<i>Aechmea aculeatosepala</i>	<i>Aechmea agavifolia</i>
<i>Aechmea alba</i>	<i>Aechmea angustifolia</i>	<i>Aechmea apocalyptica</i>
<i>Aechmea aquilega</i>	<i>Aechmea araneosa</i>	<i>Aechmea bahiana</i>
<i>Aechmea biflora</i>	<i>Aechmea blanchetiana</i>	<i>Aechmea blumenavii</i>
<i>Aechmea brachystachys</i>	<i>Aechmea bracteata</i>	<i>Aechmea brevicollis</i>
<i>Aechmea bromeliifolia</i>	<i>Aechmea caesia</i>	<i>Aechmea callichroma</i>
<i>Aechmea calyculata</i>	<i>Aechmea candida</i>	<i>Aechmea cariocae</i>
<i>Aechmea carvalhoi</i>	<i>Aechmea castelnavii</i>	<i>Aechmea caudata</i>
<i>Aechmea chantinii</i>	<i>Aechmea chlorophylla</i>	<i>Aechmea coelestis</i>
<i>Aechmea contracta</i>	<i>Aechmea correia-arauji</i>	<i>Aechmea cucullata</i>
<i>Aechmea cylindrata</i>	<i>Aechmea dealbata</i>	<i>Aechmea dichlamydea</i>
<i>Aechmea discordiae</i>	<i>Aechmea distichantha</i>	<i>Aechmea drakeana</i>
<i>Aechmea eurycorymbus</i>	<i>Aechmea farinosa</i>	<i>Aechmea fasciata</i>
<i>Aechmea fendleri</i>	<i>Aechmea filicaulis</i>	<i>Aechmea flavo-rosea</i>
<i>Aechmea fosteriana</i>	<i>Aechmea fraseri</i>	<i>Aechmea fulgens</i>

<i>Aechmea gamosepala</i>	<i>Aechmea gigantea</i>	<i>Aechmea glaziovii</i>
<i>Aechmea gracilis</i>	<i>Aechmea haltonii</i>	<i>Aechmea x hybrid</i>
<i>Aechmea immersa</i>	<i>Aechmea kertesziae</i>	<i>Aechmea kuntzeana</i>
<i>Aechmea lamarchei</i>	<i>Aechmea lasserii</i>	<i>Aechmea leucolepis</i>
<i>Aechmea lindenbergii</i>	<i>Aechmea lueddemanniana</i>	<i>Aechmea macrochlamys</i>
<i>Aechmea maculata</i>	<i>Aechmea magdalena</i>	<i>Aechmea manzanaresiana</i>
<i>Aechmea maria-reginae</i>	<i>Aechmea mcvaughii</i>	<i>Aechmea melinonii</i>
<i>Aechmea mertensii</i>	<i>Aechmea mexicana</i>	<i>Aechmea miniata</i>
<i>Aechmea mulfordii</i>	<i>Aechmea nallyi</i>	<i>Aechmea napoensis</i>
<i>Aechmea nidularioides</i>	<i>Aechmea nudicaulis</i>	<i>Aechmea orlandiana</i>
<i>Aechmea ornata</i>	<i>Aechmea pallida</i>	<i>Aechmea pectinata</i>
<i>Aechmea penduliflora</i>	<i>Aechmea perforata</i>	<i>Aechmea phanerophlebia</i>
<i>Aechmea pimentii-velosoi</i>	<i>Aechmea pineliana</i>	<i>Aechmea polyantha</i>
<i>Aechmea pubescens</i>	<i>Aechmea purpureo-rosea</i>	<i>Aechmea pyramidalis</i>
<i>Aechmea racinae</i>	<i>Aechmea ramosa</i>	<i>Aechmea recurvata</i>
<i>Aechmea romeroi</i>	<i>Aechmea serrata</i>	<i>Aechmea spectabilis</i>
<i>Aechmea sphaerocephala</i>	<i>Aechmea tayoensis</i>	<i>Aechmea tessmannii</i>
<i>Aechmea tillandsioides</i>	<i>Aechmea tinctoria</i>	<i>Aechmea triangularis</i>
<i>Aechmea tricolor</i>	<i>Aechmea triticina</i>	<i>Aechmea veitchii</i>
<i>Aechmea victoriana</i>	<i>Aechmea warasii</i>	<i>Aechmea weilbachii</i>
<i>Aechmea winkleri</i>	<i>Aechmea wittmackiana</i>	<i>Aechmea zebrina</i>
<i>Aegle marmelos</i>	<i>Aeglopsis chevalieri</i>	<i>Aeonium arboreum</i>
<i>Aeonium balsamiferum</i>	<i>Aeonium burchardii</i>	<i>Aeonium canariense</i>
<i>Aeonium castello-paivae</i>	<i>Aeonium ciliatum</i>	<i>Aeonium dodrantale</i>
<i>Aeonium x domesticum</i>	<i>Aeonium frutescens</i>	<i>Aeonium glutinosum</i>
<i>Aeonium gomerense</i>	<i>Aeonium haworthii</i>	<i>Aeonium hierrense</i>
<i>Aeonium holochrysum</i>	<i>Aeonium lancerottense</i>	<i>Aeonium leucoblepharum</i>
<i>Aeonium lindleyi</i>	<i>Aeonium nobile</i>	<i>Aeonium rubrolineatum</i>
<i>Aeonium saundersii</i>	<i>Aeonium sedifolium</i>	<i>Aeonium simsii</i>
<i>Aeonium smithii</i>	<i>Aeonium spathulatum</i>	<i>Aeonium subplanum</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Aeonium tabuliforme</i>	<i>Aeonium tortuosum</i>	<i>Aeonium valverdense</i>
<i>Aeonium virgineum</i>	<i>Aerangis</i> spp.	<i>Aeranthus</i> spp.
<i>Aerides</i> spp.	<i>Aerva javanica</i>	<i>Aerva sanguinolenta</i>
<i>Aeschynanthus acuminatus</i>	<i>Aeschynanthus andersonii</i>	<i>Aeschynanthus boschianus</i>
<i>Aeschynanthus bracteatus</i>	<i>Aeschynanthus buxifolius</i>	<i>Aeschynanthus ellipticus</i>
<i>Aeschynanthus elmeri</i>	<i>Aeschynanthus evrardii</i>	<i>Aeschynanthus fulgens</i>
<i>Aeschynanthus garrettii</i>	<i>Aeschynanthus hildebrandii</i>	<i>Aeschynanthus javanica</i>
<i>Aeschynanthus lineatus</i>	<i>Aeschynanthus lobbiana</i>	<i>Aeschynanthus longicaulis</i>
<i>Aeschynanthus longiflora</i>	<i>Aeschynanthus longiflorus</i>	<i>Aeschynanthus magnificus</i>
<i>Aeschynanthus micrantha</i>	<i>Aeschynanthus mimetes</i>	<i>Aeschynanthus nummularius</i>
<i>Aeschynanthus obconicus</i>	<i>Aeschynanthus parasiticus</i>	<i>Aeschynanthus parviflorus</i>
<i>Aeschynanthus parvifolia</i>	<i>Aeschynanthus pulcher</i>	<i>Aeschynanthus radicans</i>
<i>Aeschynanthus speciosus</i>	<i>Aeschynanthus</i> x <i>splendidus</i>	<i>Aeschynanthus stenosepalus</i>
<i>Aeschynanthus tengchungensis</i>	<i>Aeschynanthus tenuis</i>	<i>Aeschynanthus tricolor</i>
<i>Aeschynanthus volubilis</i>	<i>Aeschynanthus zebrinus</i>	<i>Aeschynomene abyssinica</i>
<i>Aeschynomene americana</i>	<i>Aeschynomene brasiliana</i>	<i>Aeschynomene brevipes</i>
<i>Aeschynomene ciliata</i>	<i>Aeschynomene deamii</i>	<i>Aeschynomene elegans</i>
<i>Aeschynomene falcata</i>	<i>Aeschynomene fascicularis</i>	<i>Aeschynomene fluitans</i>
<i>Aeschynomene fluminensis</i>	<i>Aeschynomene fulgida</i>	<i>Aeschynomene micrantha</i>
<i>Aeschynomene mollicula</i>	<i>Aeschynomene nivea</i>	<i>Aeschynomene nodulosa</i>
<i>Aeschynomene parviflora</i>	<i>Aeschynomene pinetorum</i>	<i>Aeschynomene scabra</i>
<i>Aeschynomene uniflora</i>	<i>Aeschynomene villosa</i>	<i>Aeschynomene viscidula</i>
<i>Aesculus californica</i>	<i>Aesculus</i> x <i>carnea</i>	<i>Aesculus chinensis</i>
<i>Aesculus hippocastanum</i>	<i>Aesculus hippocastanum</i> x <i>carnea</i>	<i>Aesculus</i> x <i>hybrida</i>
<i>Aesculus indica</i>	<i>Aesculus</i> x <i>mutabilis</i>	<i>Aesculus</i> x <i>neglecta</i>
<i>Aesculus woerlitzensis</i>	<i>Aethionema armenum</i>	<i>Aethionema coridifolium</i>
<i>Aethionema glaucinum</i>	<i>Aethionema grandiflorum</i>	<i>Aethionema kotschyi</i>
<i>Aethionema oppositifolium</i>	<i>Aethionema pulchellum</i>	<i>Aethionema rotundifolium</i>

<i>Aethionema saxatile</i>	<i>Aethionema saxatilis</i>	<i>Aethionema stylosum</i>
<i>Aethionema x warleyense</i>	<i>Aethionema warleyense</i>	<i>Aextoxicon punctatum</i>
<i>Afgekia sericea</i>	<i>Aframomum angustifolium</i>	<i>Aframomum daniellii</i>
<i>Aframomum melegueta</i>	<i>Aframomum sceptrum</i>	<i>Aframomum strobilaceum</i>
<i>Afrocarpus dawei</i>	<i>Afrocarpus falcatus</i>	<i>Afrocarpus gracilior</i>
<i>Afrocarpus mannii</i>	<i>Afrocarpus usambarensis</i>	<i>Afzelia africana</i>
<i>Afzelia quanzensis</i>	<i>Afzelia xylocarpa</i>	<i>Agalmyla parasitica</i>
<i>Agalmyla staminea</i>	<i>Aganisia spp.</i>	<i>Agapanthus africanus</i>
<i>Agapanthus campanulatus</i>	<i>Agapanthus caulescens</i>	<i>Agapanthus coddii</i>
<i>Agapanthus comptonii</i>	<i>Agapanthus inapertus</i>	<i>Agapanthus nutans</i>
<i>Agapanthus pendulus</i>	<i>Agapanthus praecox</i>	<i>Agapanthus walshii</i>
<i>Agapetes buxifolia</i>	<i>Agapetes cauliflora</i>	<i>Agapetes flava</i>
<i>Agapetes forrestii</i>	<i>Agapetes helenae</i>	<i>Agapetes incurvata</i>
<i>Agapetes incurvata x serpens</i>	<i>Agapetes lobbii</i>	<i>Agapetes macrantha</i>
<i>Agapetes mannii</i>	<i>Agapetes meiniana</i>	<i>Agapetes moorei</i>
<i>Agapetes oblonga</i>	<i>Agapetes obovata</i>	<i>Agapetes rubrobracteata</i>
<i>Agapetes rugosa</i>	<i>Agapetes serpens</i>	<i>Agapetes serpens x incurvata</i>
<i>Agapetes smithiana</i>	<i>Agapetes variegata</i>	<i>Agapetes vitiensis</i>
<i>Agarista populifolia</i>	<i>Agastache aurantiaca</i>	<i>Agastache breviflora</i>
<i>Agastache cana</i>	<i>Agastache foeniculum</i>	<i>Agastache mexicana</i>
<i>Agastache micrantha</i>	<i>Agastache pallida</i>	<i>Agastache pallidiflora</i>
<i>Agastache palmeri</i>	<i>Agastache pringlei</i>	<i>Agastache rugosa</i>
<i>Agastache rupestris</i>	<i>Agastache scrophulariifolia</i>	<i>Agastache urticifolia</i>
<i>Agastache wrightii</i>	<i>Agastachys odorata</i>	<i>Agathis atropurpurea</i>
<i>Agathis australis</i>	<i>Agathis lanceolata</i>	<i>Agathis macrophylla</i>
<i>Agathis microstachya</i>	<i>Agathis moorei</i>	<i>Agathis obtusa</i>
<i>Agathis ovata</i>	<i>Agathis philippinensis</i>	<i>Agathis robusta</i>
<i>Agathosma apiculata</i>	<i>Agathosma betulina</i>	<i>Agathosma capensis</i>
<i>Agathosma cerefolium</i>	<i>Agathosma ciliaris</i>	<i>Agathosma corymbosa</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Agathosma crenulata</i>	<i>Agathosma erecta</i>	<i>Agathosma glabrata</i>
<i>Agathosma gonaquensis</i>	<i>Agathosma ovata</i>	<i>Agathosma pulchella</i>
<i>Agathosma villosa</i>	<i>Agauria buxifolia</i>	<i>Agave aktites</i>
<i>Agave americana</i>	<i>Agave angustifolia</i>	<i>Agave attenuata</i>
<i>Agave aurea</i>	<i>Agave avellanidens</i>	<i>Agave beauleriana</i>
<i>Agave bovicornuta</i>	<i>Agave bracteosa</i>	<i>Agave capensis</i>
<i>Agave celsii</i>	<i>Agave cerulata</i>	<i>Agave chiapensis</i>

<i>Agave chrysantha</i>	<i>Agave colorata</i>	<i>Agave cupreata</i>
<i>Agave dasylirioides</i>	<i>Agave dasylirioides</i>	<i>Agave debilis</i>
<i>Agave decipiens</i>	<i>Agave deserti</i>	<i>Agave desmettiana</i>
<i>Agave difformis</i>	<i>Agave durangensis</i>	<i>Agave echinoides</i>
<i>Agave felgeri</i>	<i>Agave ferdinandi-regis</i>	<i>Agave filifera</i>
<i>Agave flexispina</i>	<i>Agave franzosinii</i>	<i>Agave funkiana</i>
<i>Agave garciae-mendozae</i>	<i>Agave geminiflora</i>	<i>Agave gentryi</i>
<i>Agave ghiesbreghtii</i>	<i>Agave gigantensis</i>	<i>Agave guadalajarana</i>
<i>Agave guiengola</i>	<i>Agave guttata</i>	<i>Agave gypsophila</i>
<i>Agave havardiana</i>	<i>Agave horrida</i>	<i>Agave hurteri</i>
<i>Agave isthmensis</i>	<i>Agave karwinskii</i>	<i>Agave kerchovei</i>
<i>Agave lecheguilla</i>	<i>Agave lecheguilla</i>	<i>Agave lophantha x lecheguilla</i>
<i>Agave macracantha</i>	<i>Agave macroacantha</i>	<i>Agave mckelveyana</i>
<i>Agave micracantha</i>	<i>Agave mitraeformis</i>	<i>Agave multifilifera</i>
<i>Agave murpheyi</i>	<i>Agave ocahui</i>	<i>Agave ocahui x attenuata</i>
<i>Agave ornithobroma</i>	<i>Agave oroensis</i>	<i>Agave pacifica</i>
<i>Agave palmeri</i>	<i>Agave parrasana</i>	<i>Agave parryi</i>
<i>Agave parviflora</i>	<i>Agave peacockii</i>	<i>Agave pedunculifera</i>
<i>Agave pelona</i>	<i>Agave polianthiflora</i>	<i>Agave polyacantha</i>
<i>Agave polyphylla</i>	<i>Agave potatorum</i>	<i>Agave pumila</i>
<i>Agave purpurorum</i>	<i>Agave salmiana</i>	<i>Agave schidigera</i>
<i>Agave schottii</i>	<i>Agave sebastiana</i>	<i>Agave seemanniana</i>

<i>Agave shawii</i>	<i>Agave shrevei</i>	<i>Agave sisalana</i>
<i>Agave sobria</i>	<i>Agave spicata</i>	<i>Agave splendens</i>
<i>Agave striata</i>	<i>Agave stricta</i>	<i>Agave stringens</i>
<i>Agave tequilana</i>	<i>Agave titanota</i>	<i>Agave toumeyana</i>
<i>Agave triangularis</i>	<i>Agave univitatta</i>	<i>Agave univitatta x lecheguilla</i>
<i>Agave utahensis</i>	<i>Agave vera-cruz</i>	<i>Agave victoriae-reginae</i>
<i>Agave vilmoriniana</i>	<i>Agave weberi</i>	<i>Agave wercklei</i>
<i>Agave xylonacantha</i>	<i>Agave zebra</i>	<i>Agenium villosum</i>
<i>Ageratina adenophora</i>	<i>Ageratina glechonophyllum</i>	<i>Ageratina riparia</i>
<i>Ageratum houstonianum</i>	<i>Aglaia argentea</i>	<i>Aglaia australiensis</i>
<i>Aglaia brownii</i>	<i>Aglaia cucullata</i>	<i>Aglaia euryanthera</i>
<i>Aglaia meridionalis</i>	<i>Aglaia odorata</i>	<i>Aglaia sapindina</i>
<i>Aglaia tomentosa</i>	<i>Aglaomorpha cornucopia</i>	<i>Aglaomorpha coronans</i>
<i>Aglaomorpha drynarioides</i>	<i>Aglaomorpha heraclea</i>	<i>Aglaomorpha meyeniana</i>
<i>Aglaomorpha novoguineensis</i>	<i>Aglaomorpha pilosa</i>	<i>Aglaomorpha splendens</i>
<i>Aglaonema commutatum</i>	<i>Aglaonema costatum</i>	<i>Aglaonema crispum</i>
<i>Aglaonema densinervium</i>	<i>Aglaonema flemingianum</i>	<i>Aglaonema marantifolium</i>
<i>Aglaonema modestum</i>	<i>Aglaonema nebulosum</i>	<i>Aglaonema nitidum</i>
<i>Aglaonema roebelini</i>	<i>Aglaonema rotundum</i>	<i>Aglaonema siamense</i>
<i>Aglaonema simplex</i>	<i>Aglaonema tenuipes</i>	<i>Aglaonema treubii</i>
<i>Agonis conspicua</i>	<i>Agonis floribunda</i>	<i>Agonis grandiflora</i>
<i>Agonis hypericifolia</i>	<i>Agonis juniperina</i>	<i>Agonis linearifolia</i>
<i>Agonis marginata</i>	<i>Agonis obtusissima</i>	<i>Agonis parviceps</i>
<i>Agonis scortechiniana</i>	<i>Agonis spathulata</i>	<i>Agrimonia eupatoria</i>
<i>Agrimonia leucantha</i>	<i>Agriophyllum minus</i>	<i>x Agropogon lutosus</i>
<i>Agropyron brownei</i>	<i>Agropyron michnoi</i>	<i>Agropyron mongolicum</i>
<i>Agropyron obtusiusculum</i>	<i>Agropyron pseudo-agropyrum</i>	<i>Agrostemma githago</i>
<i>Agrostis adamsonii</i>	<i>Agrostis australiensis</i>	<i>Agrostis billardierei</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Agrostis billardieri</i>	<i>Agrostis capillaris</i>	<i>Agrostis elliotii</i>
<i>Agrostis emirnensis</i>	<i>Agrostis filiformis</i>	<i>Agrostis forsteri</i>
<i>Agrostis gigantea</i>	<i>Agrostis glabra</i>	<i>Agrostis inconspicua</i>
<i>Agrostis juressi</i>	<i>Agrostis muelleriana</i>	<i>Agrostis quadriseta</i>
<i>Agrostis schleicheri</i>	<i>Agrostis sciurea</i>	<i>Agrostis solandri</i>
<i>Agrostis stolonifera</i>	<i>Agrostocrinum stypandroides</i>	<i>Agrostophyllum majus</i>
<i>Agrostophyllum montanum</i>	<i>Agrostophyllum parviflorum</i>	<i>Aichryson bollei</i>
<i>Aichryson x domesticum</i>	<i>Aichryson laxum</i>	<i>Aichryson pachycaulon</i>
<i>Aichryson porphyrogenetos</i>	<i>Aichryson tortuosum</i>	<i>Aichryson villosum</i>
<i>Aidia cochinchinensis</i>	<i>Aidia vitiensis</i>	<i>Ailanthus altissima</i>
<i>Ailanthus excelsa</i>	<i>Ailanthus malabarica</i>	<i>Ainsliaea acerifolia</i>
<i>Ainsliaea henryi</i>	<i>Ainsliaea triflora</i>	<i>Aiphanes acaulis</i>
<i>Aiphanes aculeata</i>	<i>Aiphanes chiribogensis</i>	<i>Aiphanes deltoidea</i>
<i>Aiphanes duquei</i>	<i>Aiphanes eggersii</i>	<i>Aiphanes erinacea</i>
<i>Aiphanes gelatinosa</i>	<i>Aiphanes grandis</i>	<i>Aiphanes hirsuta</i>
<i>Aiphanes leiostachys</i>	<i>Aiphanes lindeniana</i>	<i>Aiphanes linearis</i>
<i>Aiphanes macroloba</i>	<i>Aiphanes minima</i>	<i>Aiphanes pilaris</i>
<i>Aiphanes simplex</i>	<i>Aiphanes spicata</i>	<i>Aiphanes tricuspida</i>
<i>Aiphanes ulei</i>	<i>Aiphanes verrucosa</i>	<i>Aiphanes weberbaueri</i>
<i>Aira caryophyllea</i>	<i>Aira cupaniana</i>	<i>Aira elegantissima</i>
<i>Aira praecox</i>	<i>Aizoon canariense</i>	<i>Aizoon glabrum</i>
<i>Aizoon quadrifidum</i>	<i>Aizoon rigidum</i>	<i>Ajuga australis</i>
<i>Ajuga laxmanni</i>	<i>Ajuga macrosperma</i>	<i>Ajuga ovalifolia</i>
<i>Ajuga pyramidalis</i>	<i>Ajuga reptans</i>	<i>Ajuga salicifolia</i>
<i>Ajuga tenorii</i>	<i>Akania bidwillii</i>	<i>Akania lucens</i>
<i>Akebia longeracemosa</i>	<i>Akebia quinata</i>	<i>Alafia thouarsii</i>
<i>Alamania punicea</i>	<i>Alangium chinense</i>	<i>Alangium platanifolium</i>
<i>Alangium villosum</i>	<i>Alania cunninghami</i>	<i>Alania endlicheri</i>

Alberta magna	Albizia adianthifolia	Albizia anthelmintica
Albizia antunesiana	Albizia austrobrasiliica	Albizia coreana
Albizia cubana	Albizia edwallii	Albizia forbesii
Albizia glaberrima	Albizia granulosa	Albizia gummifera
Albizia julibrissin	Albizia kalkora	Albizia lucidior
Albizia odoratissima	Albizia petersiana	Albizia tanganyicensis
Albizia versicolor	Albizia xanthoxylon	Albizia zygia
Albuca abyssinica	Albuca acuminata	Albuca altissima
Albuca batteniana	Albuca clanwilliamae-gloria	Albuca cooperi
Albuca echinosperma	Albuca fastigiata	Albuca glauca
Albuca hallii	Albuca humilis	Albuca juncifolia
Albuca namaquensis	Albuca nigritana	Albuca rupestris
Albuca schoenlandii	Albuca shawii	Albuca spiralis
Albuca transvaalensis	Albuca viscosa	Alcantarea brasiliana
Alcantarea extensa	Alcantarea geniculata	Alcantarea glaziouana
Alcantarea imperialis	Alcantarea nahoumii	Alcantarea odorata
Alcantarea regina	Alcantarea vinicolor	Alcea ficifolia
Alcea pallida	Alcea rosea	Alcea rugosa
Alcea setosa	Alcea xanthochlora	Alchemilla alpina
Alchemilla argyrophylla	Alchemilla bulgarica	Alchemilla conjuncta
Alchemilla crinita	Alchemilla erythropoda	Alchemilla faeroensis
Alchemilla gorcensis	Alchemilla hessii	Alchemilla japonica
Alchemilla mollis	Alchemilla pedata	Alchemilla psilomischa
Alchemilla rothii	Alchemilla splendens	Alchemilla venosa
Alchemilla viridiflora	Alchemilla vulgaris	Alchemilla xanthochlora
Alchornea aquifolia	Alectryon coriaceus	Alectryon diversifolius
Alectryon excelsus	Alectryon forsythii	Alectryon grandis
Alectryon semicinereus	Alectryon subcinereus	Alectryon subdentatus
Alectryon unilobatus	Alepidea longifolia	Aletris farinosa
Aletris foliata	Aletris luteo-viridis	Aletris spicata

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Aleurites moluccana</i>	<i>Aleurites rockinghamensis</i>	<i>Alhagi kirghisorum</i>
<i>Alibertia edulis</i>	<i>Alisma lanceolatum</i>	<i>Alisma plantago-aquatica</i>

<i>Alkanna tinctoria</i>	<i>Allagopappus dichotomus</i>	<i>Allagoptera arenaria</i>
<i>Allagoptera brevicealyx</i>	<i>Allagoptera campestris</i>	<i>Allagoptera leucocalyx</i>
<i>Allamanda cathartica</i>	<i>Allamanda grandiflora</i>	<i>Allamanda oenotherifolia</i>
<i>Allamanda schottii</i>	<i>Allamanda violacea</i>	<i>Allantodia australis</i>
<i>Alliaria petiolata</i>	<i>Allittia cardiocarpa</i>	<i>Allium aaseae</i>
<i>Allium abramsii</i>	<i>Allium acuminatum</i>	<i>Allium affine</i>
<i>Allium aflatunense</i>	<i>Allium akaka</i>	<i>Allium albovianum</i>
<i>Allium alexeianum</i>	<i>Allium altissimum</i>	<i>Allium amabile</i>
<i>Allium ampeloprasum</i>	<i>Allium anacoleum</i>	<i>Allium anceps</i>
<i>Allium angustitepalum</i>	<i>Allium anisopodium</i>	<i>Allium atropurpureum</i>
<i>Allium atrorubens</i>	<i>Allium aucheri</i>	<i>Allium auctum</i>
<i>Allium baeticum</i>	<i>Allium baissunense</i>	<i>Allium barsczewskii</i>
<i>Allium beesianum</i>	<i>Allium bigelovii</i>	<i>Allium bodeanum</i>
<i>Allium bourgeai</i>	<i>Allium bucharicum</i>	<i>Allium burlewii</i>
<i>Allium caeruleum</i>	<i>Allium caesium</i>	<i>Allium callimischon</i>
<i>Allium calocephalum</i>	<i>Allium campanulatum</i>	<i>Allium cardiostemon</i>
<i>Allium carolinianum</i>	<i>Allium cepa</i>	<i>Allium cernuum</i>
<i>Allium chamaemoly</i>	<i>Allium chloranthum</i>	<i>Allium christii</i>
<i>Allium chrysantherum</i>	<i>Allium cratericola</i>	<i>Allium crenulatum</i>
<i>Allium crispum</i>	<i>Allium cristophii</i>	<i>Allium cristophii x macleanii</i>
<i>Allium cupani</i>	<i>Allium cupuliferum</i>	<i>Allium cyaneum</i>
<i>Allium cyathophorum</i>	<i>Allium darvasicum</i>	<i>Allium darvasicum</i>
<i>Allium denudatum</i>	<i>Allium dichlamydeum</i>	<i>Allium dictyoprasum</i>
<i>Allium dioscoridis</i>	<i>Allium dregeanum</i>	<i>Allium drummondii</i>
<i>Allium falcifolium</i>	<i>Allium fedtschenkoi</i>	<i>Allium fetisowii</i>
<i>Allium fetissovii</i>	<i>Allium fimbriatum</i>	<i>Allium firmotunicatum</i>
<i>Allium fistulosum</i>	<i>Allium flavescens</i>	<i>Allium flavum</i>

Allium foliosum	Allium fuscoviolaceum	Allium galanthum
Allium giganteum	Allium glaciale	Allium guttatum
Allium gypsaceum	Allium haematochiton	Allium heldreichii
Allium helicophyllum	Allium hierochuntinum	Allium hirtovaginatum
Allium hissaricum	Allium hoffmanii	Allium hollandicum
Allium hyalinum	Allium hymenorrhizum	Allium insubricum
Allium jesdianum	Allium jubatum	Allium karataviense
Allium kharputense	Allium komarowi	Allium kurtzianum
Allium lacunosum	Allium lemmonii	Allium libani
Allium lineare	Allium litvinovii	Allium longicuspis
Allium loratum	Allium lusitanicum	Allium macleanii
Allium macranthum	Allium macrum	Allium mairei
Allium maximowiczii	Allium meteoricum	Allium mirum
Allium moly	Allium monophyllum	Allium narcissiflorum
Allium neapolitanum	Allium nevskianum	Allium nutans
Allium obliquum	Allium obtusum	Allium olympicum
Allium oreophilum	Allium paniculatum	Allium parciflorum
Allium parvum	Allium peninsulare	Allium platycaule
Allium platyspathum	Allium porrum	Allium praecox
Allium x proliferum	Allium protensum	Allium przewalskianum
Allium pskemense	Allium pyrenaicum	Allium ramosum
Allium rosenbachianum	Allium rothii	Allium sannineum
Allium sarawschanicum	Allium sativum	Allium schoenoprasum
Allium scilloides	Allium scorzonerifolium	Allium senescens
Allium serra	Allium sewertzowii	Allium sharsmithiae
Allium sibthorpiatum	Allium sikkimense	Allium simillimum
Allium siskiyouense	Allium sphaerocephalon	Allium splendens
Allium staticiforme	Allium stellatum	Allium stenopetalum
Allium stipitatum	Allium strictum	Allium suaveolens
Allium taeniopetalum	Allium tanguticum	Allium tauricum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Allium tel-avivense</i>	<i>Allium texanum</i>	<i>Allium thunbergii</i>
<i>Allium togashii</i>	<i>Allium tribracteatum</i>	<i>Allium tricoccum</i>
<i>Allium tripedale</i>	<i>Allium triquetrum</i>	<i>Allium tschimganicum</i>
<i>Allium tuberosum</i>	<i>Allium umbilicatum</i>	<i>Allium uniflorum</i>
<i>Allium validum</i>	<i>Allium vavilovii</i>	<i>Allium victorialis</i>
<i>Allium victoris</i>	<i>Allium vineale</i>	<i>Allium virgunculae</i>
<i>Allium wallichii</i>	<i>Allium woronowii</i>	<i>Allium yosemitense</i>
<i>Allium zebdanense</i>	<i>Allocassine laurifolia</i>	<i>Allocasuarina brachystachya</i>
<i>Allocasuarina crassa</i>	<i>Allocasuarina diminuta</i>	<i>Allocasuarina distyla</i>
<i>Allocasuarina duncanii</i>	<i>Allocasuarina emuina</i>	<i>Allocasuarina glareicola</i>
<i>Allocasuarina grampiana</i>	<i>Allocasuarina gymnanthera</i>	<i>Allocasuarina inophloia</i>
<i>Allocasuarina littoralis</i>	<i>Allocasuarina luehmannii</i>	<i>Allocasuarina media</i>
<i>Allocasuarina monilifera</i>	<i>Allocasuarina muelleriana</i>	<i>Allocasuarina nana</i>
<i>Allocasuarina paludosa</i>	<i>Allocasuarina paradoxa</i>	<i>Allocasuarina portuensis</i>
<i>Allocasuarina portuensis x littoralis</i>	<i>Allocasuarina pusilla</i>	<i>Allocasuarina rigida</i>
<i>Allocasuarina robusta</i>	<i>Allocasuarina rupicola</i>	<i>Allocasuarina striata</i>
<i>Allocasuarina thalassoscopica</i>	<i>Allocasuarina torulosa</i>	<i>Allocasuarina verticillata</i>
<i>Allocasuarina zephyrea</i>	<i>Allochrysa gypsophiloides</i>	<i>Allomorpha howellii</i>
<i>Allophylus cobbe</i>	<i>Allophylus natalensis</i>	<i>Allophylus serratus</i>
<i>Alloplectus cristatus</i>	<i>Alloplectus nummularia</i>	<i>Alloschmidia glabrata</i>
<i>Allosyncarpia ternata</i>	<i>Alloxylon flammeum</i>	<i>Alloxylon pinnatum</i>
<i>Alloxylon wickhamii</i>	<i>Alluaudia comosa</i>	<i>Alluaudia dumosa</i>
<i>Alluaudia humbertii</i>	<i>Alluaudia montagnacii</i>	<i>Alluaudia procera</i>
<i>Almaleea incurvata</i>	<i>Almaleea subumbellata</i>	<i>Alniphyllum fortunei</i>
<i>Alnus acuminata</i>	<i>Alnus arguta</i>	<i>Alnus x aschersoniana</i>
<i>Alnus cordata</i>	<i>Alnus cremastogyne</i>	<i>Alnus ferdinandi-coburgii</i>
<i>Alnus firma</i>	<i>Alnus formosana</i>	<i>Alnus glutinosa</i>
<i>Alnus hirsuta</i>	<i>Alnus incana</i>	<i>Alnus japonica</i>

<i>Alnus jorullensis</i>	<i>Alnus x koehnei</i>	<i>Alnus maritima</i>
<i>Alnus matsumurae</i>	<i>Alnus maximowiczii</i>	<i>Alnus nitida</i>
<i>Alnus orientalis</i>	<i>Alnus rubra</i>	<i>Alnus sieboldiana</i>
<i>Alnus subcordata</i>	<i>Alnus trabeculosa</i>	<i>Alocasia aequiloba</i>
<i>Alocasia x amazonica</i>	<i>Alocasia argyrea</i>	<i>Alocasia arifolia</i>
<i>Alocasia boa</i>	<i>Alocasia brancifolia</i>	<i>Alocasia brisbanensis</i>
<i>Alocasia brisbanensis x crassifolia</i>	<i>Alocasia chaii</i>	<i>Alocasia clypeolata</i>
<i>Alocasia cucullata</i>	<i>Alocasia cuprea</i>	<i>Alocasia flabellifera</i>
<i>Alocasia flemingiana</i>	<i>Alocasia gageana</i>	<i>Alocasia gageana x odora</i>
<i>Alocasia guttata</i>	<i>Alocasia hollrungii</i>	<i>Alocasia inornata</i>
<i>Alocasia lancifolia</i>	<i>Alocasia lauterbachiana</i>	<i>Alocasia longiloba</i>
<i>Alocasia longiloba x pucciana</i>	<i>Alocasia melo</i>	<i>Alocasia micholitziana</i>
<i>Alocasia monticola</i>	<i>Alocasia x mortfontanensis</i>	<i>Alocasia navicularis</i>
<i>Alocasia nicolsonii</i>	<i>Alocasia odora</i>	<i>Alocasia pangeran</i>
<i>Alocasia plumbea</i>	<i>Alocasia porphyroneura</i>	<i>Alocasia portei</i>
<i>Alocasia portei x odora</i>	<i>Alocasia princeps</i>	<i>Alocasia principiculus</i>
<i>Alocasia pubera</i>	<i>Alocasia puteri</i>	<i>Alocasia pyrospatha</i>
<i>Alocasia regina</i>	<i>Alocasia reginula</i>	<i>Alocasia reversa</i>
<i>Alocasia ridleyi</i>	<i>Alocasia robusta</i>	<i>Alocasia robusta x princeps</i>
<i>Alocasia sanderiana</i>	<i>Alocasia sarawakensis</i>	<i>Alocasia scabriuscula</i>
<i>Alocasia x sedeni</i>	<i>Alocasia sinuata</i>	<i>Alocasia suhirmaniana</i>
<i>Alocasia wentii</i>	<i>Alocasia wongii</i>	<i>Alocasia zebrina</i>
<i>Aloe aculeata</i>	<i>Aloe acutissima</i>	<i>Aloe adigratana</i>

<i>Aloe affinis</i>	<i>Aloe africana</i>	<i>Aloe albida</i>
<i>Aloe albiflora</i>	<i>Aloe alooides</i>	<i>Aloe ambigens</i>
<i>Aloe ammophila</i>	<i>Aloe andongensis</i>	<i>Aloe angelica</i>
<i>Aloe antandroi</i>	<i>Aloe arborescens</i>	<i>Aloe archeri</i>
<i>Aloe arenicola</i>	<i>Aloe aristata</i>	<i>Aloe armatissima</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Aloe aspera	Aloe asperifolia	Aloe austroarabica
Aloe babatiensis	Aloe bakeri	Aloe bakeri x bellatula
Aloe ballyi	Aloe barberae	Aloe barbertoniae
Aloe bellatula	Aloe berthana	Aloe betsileensis
Aloe boiteaui	Aloe boscawenii	Aloe bosseri
Aloe bowiea	Aloe boylei	Aloe branddraaiensis
Aloe brevifolia	Aloe broomii	Aloe bruynsii
Aloe buchlohii	Aloe buettneri	Aloe buhrii
Aloe bulbillifera	Aloe burgersfortensis	Aloe bussei
Aloe x caesia	Aloe calcairophila	Aloe camperi
Aloe capitata	Aloe castanea	Aloe castellorum
Aloe chabaudii	Aloe cheranganiensis	Aloe chlorantha
Aloe citrea	Aloe classenii	Aloe claviflora
Aloe commixta	Aloe commutata	Aloe comosa
Aloe compressa	Aloe comptonii	Aloe concinna
Aloe confusa	Aloe conifera	Aloe cooperi
Aloe craibii	Aloe cremnophila	Aloe cryptopoda
Aloe dawei	Aloe debrana	Aloe decaryi
Aloe decurva	Aloe delphinensis	Aloe deltoideodonta
Aloe descoingsii	Aloe deserti	Aloe dewetii
Aloe dhufarensis	Aloe dichotoma	Aloe dinteri
Aloe diolii	Aloe distans	Aloe divaricata
Aloe dolomitica	Aloe dorotheae	Aloe droseroides
Aloe dyeri	Aloe ecklonis	Aloe elegans
Aloe elgonica	Aloe ellenbeckii	Aloe eremophila
Aloe erensii	Aloe erinacea	Aloe erythrophylla
Aloe esculenta	Aloe excelsa	Aloe falcata
Aloe ferox	Aloe ferox x arborescens	Aloe fibrosa
Aloe fievetii	Aloe fleurentinorum	Aloe flexilifolia
Aloe forbesii	Aloe forsteri	Aloe fosteri

Aloe fragilis	Aloe framesii	Aloe gariensis
Aloe gerstneri	Aloe glauca	Aloe globuligemma
Aloe gracilis	Aloe graminicola	Aloe grandidentata
Aloe greathedii	Aloe greenii	Aloe haemanthifolia
Aloe hardyi	Aloe harlana	Aloe haworthioides
Aloe hazeliana	Aloe hemmingii	Aloe hereroensis
Aloe hexapetala	Aloe hijazensis	Aloe hildebrandtii
Aloe hoffmannii	Aloe humilis	Aloe ibitiensis
Aloe imalotensis	Aloe inermis	Aloe inexpectata
Aloe intermedia	Aloe inyangensis	Aloe isaloensis
Aloe itremensis	Aloe jacksonii	Aloe jucunda
Aloe juvenna	Aloe karasbergensis	Aloe kedongensis
Aloe keithii	Aloe ketabrowniorum	Aloe khamiesensis
Aloe kilifiensis	Aloe krapohlana	Aloe kraussii
Aloe laeta	Aloe lateritia	Aloe lettyae
Aloe linearifolia	Aloe lineata	Aloe littoralis
Aloe lomatoxyloides	Aloe longistyla	Aloe lutescens
Aloe macra	Aloe macracantha	Aloe macroclada
Aloe macrosiphon	Aloe maculata	Aloe maculata x striata
Aloe madecassa	Aloe marlothii	Aloe mawii
Aloe mccoysi	Aloe mcloughlinii	Aloe medishiana
Aloe melanacantha	Aloe meyeri	Aloe micracantha
Aloe microstigma	Aloe millotii	Aloe minima
Aloe mitriformis	Aloe modesta	Aloe morijensis
Aloe mudenensis	Aloe munchii	Aloe mutabilis
Aloe myriacantha	Aloe niebuhriana	Aloe nubigena
Aloe nyeriensis	Aloe obscura	Aloe occidentalis
Aloe officinalis	Aloe ortholopha	Aloe pachygaster
Aloe parallelifolia	Aloe parvidens	Aloe parvula
Aloe peckii	Aloe peglerae	Aloe pendens

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Aloe penduliflora	Aloe percrassa	Aloe perfoliata
Aloe perryi	Aloe petricola	Aloe pictifolia
Aloe pillansii	Aloe pirottae	Aloe plicatilis
Aloe pluridens	Aloe polyphylla	Aloe porphyrostachys
Aloe praetermissa	Aloe pratensis	Aloe pretoriensis
Aloe prinslooii	Aloe propagulifera	Aloe prostrata
Aloe pruinosa	Aloe pseudorubroviolacea	Aloe pubescens
Aloe purpurea	Aloe rabaiensis	Aloe ramosissima
Aloe rauhii	Aloe rauhii x saundersiae	Aloe rebmannii
Aloe reitzii	Aloe reynoldsii	Aloe rivierei
Aloe rubroviolacea	Aloe x runcinata	Aloe rupestris
Aloe rupicola	Aloe sabaea	Aloe sakarahensis
Aloe saponaria x striata	Aloe saundersiae	Aloe scabrifolia
Aloe schelpei	Aloe schomeri	Aloe scobinifolia
Aloe secundiflora	Aloe shadensis	Aloe sheilae
Aloe simii	Aloe sinkatana	Aloe sladeniana
Aloe sladeniana x dinteri	Aloe somaliensis	Aloe soutpansbergensis
Aloe speciosa	Aloe spicata	Aloe x spinosissima
Aloe spinulosa	Aloe splendens	Aloe squarrosa
Aloe steudneri	Aloe striata	Aloe striatula
Aloe suarezensis	Aloe subacutissima	Aloe suffulta
Aloe suprafoliata	Aloe suzannae	Aloe swynnertonii
Aloe tauri	Aloe tenuifolia	Aloe tenuior
Aloe tewoldei	Aloe thompsoniae	Aloe thraskii
Aloe tomentosa	Aloe tormentorii	Aloe trachyticola
Aloe transvaalensis	Aloe trichosantha	Aloe turkanensis
Aloe tweediae	Aloe umfoloziensis	Aloe vacillans
Aloe vanbalenii	Aloe vandermerwei	Aloe vaombe
Aloe vaotsanda	Aloe variegata	Aloe vera
Aloe viguieri	Aloe viridiflora	Aloe vogtsii

<i>Aloe volkensii</i>	<i>Aloe vossii</i>	<i>Aloe vryheidensis</i>
<i>Aloe whitcombei</i>	<i>Aloe wickensii</i>	<i>Aloe wildii</i>
<i>Aloe x winteri</i>	<i>Aloe wollastonii</i>	<i>Aloe rauhii</i> x <i>Gasteria obliqua</i>
<i>Aloe yemenica</i>	<i>Aloe zebrina</i>	<i>Aloinopsis acuta</i>
<i>Aloinopsis luckhoffii</i>	<i>Aloinopsis malherbei</i>	<i>Aloinopsis peersii</i>
<i>Aloinopsis rosulata</i>	<i>Aloinopsis rubrolineata</i>	<i>Aloinopsis schooneesii</i>
<i>Aloinopsis setifera</i>	<i>Aloinopsis spathulata</i>	<i>Aloinopsis villetii</i>
<i>Alonsoa acutifolia</i>	<i>Alonsoa albiflora</i>	<i>Alonsoa grandiflora</i>
<i>Alonsoa linearis</i>	<i>Alonsoa meridionalis</i>	<i>Alonsoa mutisii</i>
<i>Alopecurus aucheri</i>	<i>Alopecurus brachystachyus</i>	<i>Alopecurus castellanus</i>
<i>Alopecurus geniculatus</i>	<i>Alopecurus myosuroides</i>	<i>Alopecurus pratensis</i>
<i>Alopecurus textilis</i>	<i>Alopecurus vaginatus</i>	<i>Alophia drummondii</i>
<i>Alophia pulchella</i>	<i>Alophia veracruzana</i>	<i>Aloysia chamaedryfolia</i>
<i>Aloysia citriodora</i>	<i>Aloysia virgata</i>	<i>Aloysia wrightii</i>
<i>Alphitonia excelsa</i>	<i>Alphitonia neocaledonica</i>	<i>Alphitonia obtusifolia</i>
<i>Alphitonia petriei</i>	<i>Alphitonia ponderosa</i>	<i>Alphitonia zizyphoides</i>
<i>Alpinia arctiflora</i>	<i>Alpinia arundelliana</i>	<i>Alpinia breviligulata</i>
<i>Alpinia calcarata</i>	<i>Alpinia chinensis</i>	<i>Alpinia coerulea</i>
<i>Alpinia formosana</i>	<i>Alpinia galanga</i>	<i>Alpinia hainanensis</i>
<i>Alpinia havilandii</i>	<i>Alpinia hylandii</i>	<i>Alpinia intermedia</i>
<i>Alpinia japonica</i>	<i>Alpinia katsumadai</i>	<i>Alpinia luteo-carpa</i>
<i>Alpinia malaccensis</i>	<i>Alpinia modesta</i>	<i>Alpinia nigra</i>
<i>Alpinia nutans</i>	<i>Alpinia oceanica</i>	<i>Alpinia officinarum</i>
<i>Alpinia purpurata</i>	<i>Alpinia racemigera</i>	<i>Alpinia rafflesiana</i>
<i>Alpinia romburghiana</i>	<i>Alpinia roxburghii</i>	<i>Alpinia sichuanensis</i>
<i>Alpinia vittata</i>	<i>Alpinia zerumbet</i>	<i>Alrawia bellii</i>
<i>Alrawia nutans</i>	<i>Alseuosmia macrophylla</i>	<i>Alseuosmia pusilla</i>
<i>Alsmithia longipes</i>	<i>Alsobia dianthiflora</i>	<i>Alsophila baileyana</i>
<i>Alsophila colensoi</i>	<i>Alsophila cunninghamii</i>	<i>Alsophila dregei</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Alsophila kermadecensis</i>	<i>Alsophila rebecca</i>	<i>Alsophila robertsiana</i>
<i>Alsophila smithii</i>	<i>Alsophila spinulosa</i>	<i>Alsophila tricolor</i>
<i>Alsophila woollsiana</i>	<i>Alstonia costata</i>	<i>Alstonia ophioxylodes</i>
<i>Alstonia plumosa</i>	<i>Alstonia scholaris</i>	<i>Alstonia spatulata</i>
<i>Alstonia venenata</i>	<i>Alstonia yunnanensis</i>	<i>Alstroemeria achirae</i>
<i>Alstroemeria andina</i>	<i>Alstroemeria angustifolia</i>	<i>Alstroemeria aurea</i>
<i>Alstroemeria x aurea</i>	<i>Alstroemeria crispata</i>	<i>Alstroemeria diluta</i>
<i>Alstroemeria exserens</i>	<i>Alstroemeria garaventae</i>	<i>Alstroemeria graminea</i>
<i>Alstroemeria hookeri</i>	<i>Alstroemeria huemulina</i>	<i>Alstroemeria hybrida</i>
<i>Alstroemeria kingii</i>	<i>Alstroemeria ligtu</i>	<i>Alstroemeria x ligtu</i>
<i>Alstroemeria magenta</i>	<i>Alstroemeria magnifica</i>	<i>Alstroemeria modesta</i>
<i>Alstroemeria pallida</i>	<i>Alstroemeria patagonica</i>	<i>Alstroemeria paupercula</i>
<i>Alstroemeria pelegrina</i>	<i>Alstroemeria polyphylla</i>	<i>Alstroemeria presliana</i>
<i>Alstroemeria pseudospathulata</i>	<i>Alstroemeria pulchella</i>	<i>Alstroemeria pulchra</i>
<i>Alstroemeria revoluta</i>	<i>Alstroemeria schizanthoides</i>	<i>Alstroemeria spathulata</i>
<i>Alstroemeria spectabilis</i>	<i>Alstroemeria timida</i>	<i>Alstroemeria umbellata</i>

<i>Alstroemeria versicolor</i>	<i>Alstroemeria werdermannii</i>	<i>Alstroemeria zoellneri</i>
<i>Alternanthera bettzickiana</i>	<i>Alternanthera brasiliensis</i>	<i>Alternanthera pungens</i>
<i>Alternanthera reineckii</i>	<i>Alternanthera sessilis</i>	<i>Althaea officinalis</i>
<i>Altingia chinensis</i>	<i>Alysicarpus ferrugineus</i>	<i>Alysicarpus hamosus</i>
<i>Alysicarpus heyneanus</i>	<i>Alysicarpus ovalifolius</i>	<i>Alysicarpus pubescens</i>
<i>Alysicarpus rugosus</i>	<i>Alysicarpus tetragonolobus</i>	<i>Alysicarpus vaginalis</i>
<i>Alysicarpus zeyheri</i>	<i>Alyssoides cretica</i>	<i>Alyssoides graeca</i>
<i>Alyssoides graecum</i>	<i>Alyssoides utriculata</i>	<i>Alyssum alpestre</i>
<i>Alyssum armenum</i>	<i>Alyssum baldaccii</i>	<i>Alyssum caespitosum</i>
<i>Alyssum fallacinum</i>	<i>Alyssum idaeum</i>	<i>Alyssum lenense</i>
<i>Alyssum linifolium</i>	<i>Alyssum moellendorffianum</i>	<i>Alyssum oschtenicum</i>

<i>Alyssum ovirens</i>	<i>Alyssum podolicum</i>	<i>Alyssum propinquum</i>
<i>Alyssum pyrenaicum</i>	<i>Alyssum repens</i>	<i>Alyssum spinosum</i>
<i>Alyssum stribrnyi</i>	<i>Alyssum wulfenianum</i>	<i>Alyxia gynopogon</i>
<i>Alyxia ilicifolia</i>	<i>Alyxia oblongata</i>	<i>Alyxia orophila</i>
<i>Alyxia ruscifolia</i>	<i>Alyxia sinensis</i>	<i>Alyxia stellata</i>
<i>Alyxia tropica</i>	<i>Amana edulis</i>	<i>Amana erythronioides</i>
<i>Amaranthus albus</i>	<i>Amaranthus atropurpureus</i>	<i>Amaranthus blitum</i>
<i>Amaranthus caudatus</i>	<i>Amaranthus cruentus</i>	<i>Amaranthus grandiflorus</i>
<i>Amaranthus hybridus</i>	<i>Amaranthus powellii</i>	<i>Amaranthus retroflexus</i>
<i>Amaranthus tricolor</i>	<i>Amaranthus viridis</i>	x <i>Amarcrinum memoria-corsii</i>
x <i>Amarine tubergenii</i>	x <i>Amarygia parkeri</i>	<i>Amaryllis belladonna</i>
<i>Amaryllis papilio</i>	<i>Amaryllis paradisicola</i>	<i>Amaryllis belladonna</i> x <i>Crinum moorei</i>
<i>Amberboa amberboi</i>	<i>Amberboa moschata</i>	<i>Amblyopyrum muticum</i>
<i>Amborella trichopoda</i>	<i>Ambrosia artemisiifolia</i>	<i>Ambrosia psilostachya</i>
<i>Amelanchier arborea</i>	<i>Amelanchier asiatica</i>	<i>Amelanchier canadensis</i>
<i>Amelanchier</i> x <i>grandiflora</i>	<i>Amelanchier laevis</i>	<i>Amelanchier lamarckii</i>
<i>Amelanchier pumila</i>	<i>Amelanchier utahensis</i>	<i>Amellus capensis</i>
<i>Amellus lychnitis</i>	<i>Amesiella</i> spp.	<i>Amherstia nobilis</i>
<i>Amicia zygomeris</i>	<i>Amischotolype hispida</i>	<i>Ammandra decasperma</i>
<i>Ammannia auriculata</i>	<i>Ammannia gracilis</i>	<i>Ammi majus</i>
<i>Ammi visnaga</i>	<i>Ammobium alatum</i>	<i>Ammobium calyceroides</i>
<i>Ammobium craspedioides</i>	<i>Ammocharis baumii</i>	<i>Ammocharis coccinea</i>
<i>Ammocharis longifolia</i>	<i>Ammocharis nerinoides</i>	<i>Ammocharis tinneana</i>
<i>Amomum aculeatum</i>	<i>Amomum compactum</i>	<i>Amomum dallachyi</i>
<i>Amomum queenslandicum</i>	<i>Amomum subulatum</i>	<i>Amomum tsao-ko</i>
<i>Amomyrtus luma</i>	<i>Amoora ferruginea</i>	<i>Amorpha californica</i>
<i>Amorpha elata</i>	<i>Amorpha glabra</i>	<i>Amorpha nana</i>
<i>Amorpha roemeriana</i>	<i>Amorpha tomentosa</i>	<i>Amorphophallus abyssinicus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

---

Amorphophallus albispatus	Amorphophallus albus	Amorphophallus angulatus
Amorphophallus ankarana	Amorphophallus asterostigmatus	Amorphophallus atrorubens
Amorphophallus atroviridis	Amorphophallus beccarii	Amorphophallus borneensis
Amorphophallus boyceanus	Amorphophallus brachyphyllus	Amorphophallus brevispathus
Amorphophallus bulbifer	Amorphophallus carnea	Amorphophallus cicatricifer
Amorphophallus cirrifer	Amorphophallus coetaneus	Amorphophallus commutatus
Amorphophallus corrugatus	Amorphophallus cruddasianus	Amorphophallus curvistylis
Amorphophallus decussilvae	Amorphophallus decussilvae	Amorphophallus discophorus
Amorphophallus dunnii	Amorphophallus eburneus	Amorphophallus eichleri
Amorphophallus elatus	Amorphophallus elegans	Amorphophallus excentricus
Amorphophallus gallaensis	Amorphophallus gigas	Amorphophallus glossophyllus
Amorphophallus haematospadix	Amorphophallus hayi	Amorphophallus henryi
Amorphophallus hewittii	Amorphophallus hildebrandtii	Amorphophallus hirsutus
Amorphophallus hirtus	Amorphophallus hohenackeri	Amorphophallus infundibuliformis
Amorphophallus johnsonii	Amorphophallus kachinensis	Amorphophallus kiusianus
Amorphophallus konjac	Amorphophallus koratensis	Amorphophallus krausei
Amorphophallus lambii	Amorphophallus laxiflorus	Amorphophallus lewallei
Amorphophallus linearis	Amorphophallus longituberosus	Amorphophallus macrorhizus
Amorphophallus manta	Amorphophallus maximus	Amorphophallus maxwellii
Amorphophallus mossambicensis	Amorphophallus muelleri	Amorphophallus napalensis
Amorphophallus opertus	Amorphophallus paeoniifolius	Amorphophallus parvulus

Amorphophallus polyanthus	Amorphophallus prainii	Amorphophallus putii
Amorphophallus pygmaeus	Amorphophallus salmoneus	Amorphophallus saraburensis
Amorphophallus sizemoreae	Amorphophallus smithsonianus	Amorphophallus spectabilis
Amorphophallus sumawongii	Amorphophallus sutepensis	Amorphophallus taurostigma
Amorphophallus tenuispadix	Amorphophallus tenuistylis	Amorphophallus titanum
Amorphophallus tonkinensis	Amorphophallus variabilis	Amorphophallus yuloensis
Amorphophallus yunnanensis	Amorphospermum antilogum	Amorphospermum whitei
Ampalis mauritiana	Ampelocissus arachnoidea	Ampelocissus sikkimensis
Ampelodesma mauritanica	Ampelopsis brevipedunculata	Ampelopsis glandulosa
Ampelopsis megalophylla	Ampelopsis vitifolia	Amperea xiphoclada
Amphibolia rupis-arcuatae	Amphibromus archeri	Amphibromus neesii
Amphibromus pithogastrus	Amphibromus recurvatus	Amphilophium crucigerum
Amphilophium cynanchoides	Amphineuron immersum	Amphineuron opulentum
Amphineuron terminans	Amsonia ciliata	Amsonia hubrichtii
Amsonia illustris	Amsonia orientalis	Amsonia tabernaemontana
Amydrium humile	Amydrium magnificum	Amydrium medium
Amydrium zippelianum	Amyema fasciculata	Amyema gaudichaudii
Amyema miraculosum	Amyema pendulum	Amygdalus petunnikowi
Anabasis haussknechtii	Anacampseros albidiflora	Anacampseros arachnoides
Anacampseros baeseckeii	Anacampseros densifolia	Anacampseros dielsiana
Anacampseros filamentosa	Anacampseros karasmontana	Anacampseros lanceolata
Anacampseros marlothii	Anacampseros retusa	Anacampseros rufescens
Anacampseros schoenlandii	Anacampseros starkiana	Anacampseros subnuda
Anacampseros telephiastrum	Anacampseros trigona	Anacamptis morio

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Anacamptis palustris</i>	<i>Anacardium excelsum</i>	<i>Anacardium giganteum</i>
<i>Anacardium humile</i>	<i>Anacardium microsepalum</i>	<i>Anacardium occidentale</i>
<i>Anacardium othonianum</i>	<i>Anacardium spruceanum</i>	<i>Anacyclus depressus</i>
<i>Anacyclus pyrethrum</i>	<i>Anadelphia afzeliana</i>	<i>Anadenanthera colubrina</i>
<i>Anadendrum microstachyum</i>	<i>Anagallis arvensis</i>	<i>Anagallis minima</i>
<i>Anagallis pumila</i>	<i>Anagallis serpens</i>	<i>Anagyris latifolia</i>
x <i>Anamea</i> hybrids	<i>Anamirta cocculus</i>	<i>Ananas ananassoides</i>
<i>Ananas bracteatus</i>	<i>Ananas comosus</i>	<i>Ananas lucidus</i>
<i>Ananas nanus</i>	<i>Ananas sagenaria</i>	<i>Ananassa sativa</i>
<i>Anapalina caffra</i>	<i>Anaphalioides trinervis</i>	<i>Anaphalis alpicola</i>
<i>Anaphalis hellwigii</i>	<i>Anaphalis nubigena</i>	<i>Anaphyllopsis americana</i>
<i>Anaphyllum wightii</i>	<i>Anarrhinum forskahlii</i>	<i>Anarthropteris dictyopteris</i>
<i>Anastrabe integerrima</i>	<i>Ancana stenopetala</i>	<i>Anchomanes dalzielii</i>
<i>Anchomanes difformis</i>	<i>Anchomanes nigritianus</i>	<i>Anchusa arvensis</i>
<i>Anchusa capensis</i>	<i>Anchusa cespitosa</i>	<i>Anchusa leptophylla</i>
<i>Anchusa officinalis</i>	<i>Ancistrachne uncinulata</i>	<i>Ancistrochilus rothschildianus</i>
<i>Ancylobothrys amoena</i>	<i>Ancylobothrys capensis</i>	<i>Ancylobothrys petersiana</i>
<i>Andira sapindoides</i>	<i>Androcymbium asteroides</i>	<i>Androcymbium bellum</i>
<i>Androcymbium burchellii</i>	<i>Androcymbium capense</i>	<i>Androcymbium ciliolatum</i>
<i>Androcymbium circinatum</i>	<i>Androcymbium crispum</i>	<i>Androcymbium cruciatum</i>
<i>Androcymbium cuspidatum</i>	<i>Androcymbium dregei</i>	<i>Androcymbium eucomoides</i>
<i>Androcymbium latifolium</i>	<i>Androcymbium longipes</i>	<i>Androcymbium melanthioides</i>
<i>Androcymbium rechingeri</i>	<i>Androcymbium striatum</i>	<i>Androcymbium volutare</i>
<i>Andrographis paniculata</i>	<i>Androlepis skinneri</i>	<i>Andromeda floribunda</i>
<i>Andromeda polifolia</i>	<i>Andropogon abyssinicus</i>	<i>Andropogon appendiculatus</i>
<i>Andropogon canaliculatus</i>	<i>Andropogon chrysostachyus</i>	<i>Andropogon distachyos</i>
<i>Andropogon gabonensis</i>	<i>Andropogon gerardii</i>	<i>Andropogon liebmannii</i>
<i>Andropogon paniculatus</i>	<i>Andropogon pinguipes</i>	<i>Andropogon pseudapricus</i>

Andropogon pumilus	Andropogon schinzii	Andropogon schirensis
Andropogon tenuiberbis	Andropogon ternatus	Androsace adenocephala
Androsace akbajtalensis	Androsace alaica	Androsace albana
Androsace alchemilloides	Androsace alpina	Androsace armeniaca
Androsace bisulca	Androsace brachystegia	Androsace brevis
Androsace bryomorpha	Androsace bulleyana	Androsace bungeana

Androsace cantabrica	Androsace carnea	Androsace chaixii
Androsace chamaejasme	Androsace chumbyi	Androsace ciliata
Androsace cylindrica	Androsace delavayi	Androsace elatior
Androsace euryantha	Androsace foliosa	Androsace geraniifolia
Androsace globifera	Androsace graceae	Androsace graminifolia
Androsace halleri	Androsace hausmanni	Androsace hedreantha
Androsace helvetica	Androsace henryi	Androsace himalaica
Androsace hirtella	Androsace idahoensis	Androsace imbricata
Androsace integra	Androsace jacquemontii	Androsace lactea
Androsace laevigata	Androsace laggeri	Androsace lanuginosa
Androsace lehmannii	Androsace mariae	Androsace x marpensis
Androsace mathildae	Androsace microphylla	Androsace minor
Androsace mirabilis	Androsace montana	Androsace mucronifolia
Androsace nivalis	Androsace nortonii	Androsace obtusifolia
Androsace ovalifolia	Androsace paxiana	Androsace pubescens
Androsace pyrenaica	Androsace rigida	Androsace robusta
Androsace runcinata	Androsace sarmentosa	Androsace selago
Androsace sempervivoides	Androsace sericea	Androsace spinulifera
Androsace strigillosa	Androsace tanggulashanensis	Androsace tapete
Androsace triflora	Androsace vandellii	Androsace villosa
Androsace wardii	Androsace wilsoniana	Androsace wulfeniana
Androsace yargongensis	Androsace zambalensis	Androstephium breviflorum
Androstoma empetrifolia	Andryala agardhii	Andryala pinnatifida

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Aneilema acuminatum</i>	<i>Aneilema aequinoctiale</i>	<i>Aneilema forskalei</i>
<i>Aneilema papuanum</i>	<i>Anemarrhena asphodeloides</i>	<i>Anemia adiantifolia</i>
<i>Anemia dregeana</i>	<i>Anemia mexicana</i>	<i>Anemia phyllitidis</i>
<i>Anemia tomentosa</i>	<i>Anemocarpa podolepidium</i>	<i>Anemocarpa saxatilis</i>
<i>Anemone alba</i>	<i>Anemone altaica</i>	<i>Anemone amurensis</i>
<i>Anemone baicalensis</i>	<i>Anemone baissunensis</i>	<i>Anemone baldensis</i>
<i>Anemone begoniifolia</i>	<i>Anemone berlandieri</i>	<i>Anemone blanda</i>
<i>Anemone bucharica</i>	<i>Anemone caerulea</i>	<i>Anemone caroliniana</i>
<i>Anemone caucasica</i>	<i>Anemone coronaria</i>	<i>Anemone coronaria x pavonina</i>
<i>Anemone crassifolia</i>	<i>Anemone crinita</i>	<i>Anemone decapetala</i>
<i>Anemone demissa</i>	<i>Anemone drummondii</i>	<i>Anemone eranthoides</i>
<i>Anemone fanninii</i>	<i>Anemone gortschakowii</i>	<i>Anemone halleri</i>
<i>Anemone hepatica</i>	<i>Anemone hortensis</i>	<i>Anemone hupehensis</i>
<i>Anemone x hybrida</i>	<i>Anemone imbricata</i>	<i>Anemone keiskeana</i>
<i>Anemone laceratoincisa</i>	<i>Anemone x lesseri</i>	<i>Anemone leveillei</i>
<i>Anemone x lipsiensis</i>	<i>Anemone magellanica</i>	<i>Anemone mexicana</i>
<i>Anemone multifida</i>	<i>Anemone narcissiflora</i>	<i>Anemone nemorosa</i>
<i>Anemone nobilis</i>	<i>Anemone obtusiloba</i>	<i>Anemone palmata</i>
<i>Anemone parviflora</i>	<i>Anemone pavonina</i>	<i>Anemone petiolulosa</i>
<i>Anemone polyanthes</i>	<i>Anemone pratensis</i>	<i>Anemone prattii</i>
<i>Anemone protracta</i>	<i>Anemone pseudo-altaica</i>	<i>Anemone quinquefolia</i>
<i>Anemone x ranunculoides</i>	<i>Anemone regeliana</i>	<i>Anemone rivularis</i>
<i>Anemone rockii</i>	<i>Anemone rossii</i>	<i>Anemone rupicola</i>
<i>Anemone x seemannii</i>	<i>Anemone slavica</i>	<i>Anemone smithiana</i>
<i>Anemone speciosa</i>	<i>Anemone sulphurea</i>	<i>Anemone sylvestris</i>
<i>Anemone tetrasepala</i>	<i>Anemone tomentosa</i>	<i>Anemone transylvanica</i>
<i>Anemone tschernaewi</i>	<i>Anemone umbrosa</i>	<i>Anemone vernalis</i>
<i>Anemone vitifolia</i>	<i>Anemonella thalictroides</i>	<i>Anemonopsis macrophylla</i>

Anemopaegma chamberlaynii	Anemopsis californica	Anethum graveolens
Angelica acutiloba	Angelica archangelica	Angelica atropurpurea
Angelica dahurica	Angelica dawsonii	Angelica gigas
Angelica glauca	Angelica hendersonii	Angelica keiskei
Angelica lineariloba	Angelica polymorpha	Angelica pubescens
Angelica purpurascens	Angelica rosaefolia	Angelica setchuenensis
Angelica sinensis	Angelica taiwaniana	Angelica triquinata
Angelica ursina	Angelonia angustifolia	Angianthus lanigerus
Angiopteris evecta	Angiopteris salicifolia	Angolluma baldratii
Angolluma deflersiana	Angolluma foetida	Angolluma gemugofana
Angolluma hesperidum	Angolluma laticorona	Angolluma rogersii
Angolluma wissmannii	Angophora bakeri	Angophora costata
Angophora floribunda	Angophora hispida	Angophora intermedia
Angophora melanoxylon	Angophora subvelutina	Angophora subvelutina x floribunda
Angophora woodsiana	Angraecum spp.	Anguloa spp.
x Angulocaste spp.	Anigozanthos fuliginosus	Anigozanthos x hybrid
Anisacanthus thurberi	Anisodonteia capensis	Anisodonteia elegans
Anisodonteia x hypomandarum	Anisodonteia julii	Anisodus tanguticus
Anisopogon avenaceus	Anisotome aromatica	Anisotome flexuosa
Anisotome haastii	Anisotome imbricata	Anisotome latifolia
Anisotome lyallii	Anisotome procumbens	Anneliesia candida
Anneslea fragrans	Annickia chlorantha	Annona x atemoya
Annona bullata	Annona cacans	Annona cherimola
Annona cherimola x squamosa	Annona chrysophylla	Annona cornifolia
Annona crassiflora	Annona dioica	Annona diversifolia
Annona liebmanniana	Annona macrophyllata	Annona montana
Annona muricata	Annona paludosa	Annona prevostiae
Annona reticulata	Annona salzmännii	Annona scleroderma

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Annona squamosa</i>	<i>Annona testudinea</i>	<i>Annona tomentosa</i>
<i>Anoda cristata</i>	<i>Anodopetalum biglandulosum</i>	<i>Anoectochilus albolineatus</i>
<i>Anoectochilus brevilabris</i>	<i>Anoectochilus geniculatus</i>	<i>Anoectochilus imitans</i>
<i>Anoectochilus koshunensis</i>	<i>Anoectochilus lanceolatus</i>	<i>Anoectochilus reinwardtii</i>
<i>Anoectochilus roxburghii</i>	<i>Anoectochilus sandvicensis</i>	<i>Anoectochilus setaceus</i>
<i>Anoectochilus siamensis</i>	<i>Anoectochilus sikkimensis</i>	<i>Anoectochilus vitiensis</i>
<i>Anoectochilus yatesiae</i>	<i>Anogeissus latifolia</i>	<i>Anogra pallida</i>
<i>Anogramma chaerophylla</i>	<i>Anoiganthus breviflorus</i>	<i>Anomalesia cunonia</i>
<i>Anomalesia saccata</i>	<i>Anomalesia splendens</i>	<i>Anomatheca fistulosa</i>
<i>Anomatheca viridis</i>	<i>Anonidium manni</i>	<i>Anopterus glandulosus</i>
<i>Anopterus macleayanus</i>	<i>Anredera cordifolia</i>	<i>Ansellia</i> spp.
<i>Antegibbaeum fissoides</i>	<i>Antennaria carpatica</i>	<i>Antennaria dioica</i>
<i>Antennaria linearifolia</i>	<i>Antennaria microphylla</i>	<i>Antennaria parvifolia</i>
<i>Antennaria rosea</i>	<i>Antennaria umbrinella</i>	<i>Anthemis aetnensis</i>
<i>Anthemis biebersteiniana</i>	<i>Anthemis cotula</i>	<i>Anthemis cretica</i>
<i>Anthemis marschalliana</i>	<i>Anthemis punctata</i>	<i>Anthemis sancti-johannis</i>
<i>Anthemis sosnovskyana</i>	<i>Anthemis tinctoria</i>	<i>Anthemis tricolor</i>
<i>Anthephora argentea</i>	<i>Anthephora cristata</i>	<i>Anthephora elongata</i>
<i>Anthephora nigritana</i>	<i>Anthephora schinzii</i>	<i>Anthericum falcatum</i>
<i>Anthericum liliago</i>	<i>Anthericum ramosum</i>	<i>Anthericum subpetiolatum</i>
<i>Anthocercis angustifolia</i>	<i>Anthocleista djalonensis</i>	<i>Anthocleista grandiflora</i>
<i>Anthogonium gracile</i>	<i>Antholyza bicolor</i>	<i>Anthopterus wardii</i>
<i>Anthospermum usambarense</i>	<i>Anthoxanthum odoratum</i>	<i>Anthriscus caucalis</i>
<i>Anthriscus cerefolium</i>	<i>Anthriscus sylvestris</i>	<i>Anthurium affine</i>
<i>Anthurium amnicola</i>	<i>Anthurium andicola</i>	<i>Anthurium andraeanum</i>
<i>Anthurium angustispadix</i>	<i>Anthurium antioquiense</i>	<i>Anthurium araliifolium</i>
<i>Anthurium armeniense</i>	<i>Anthurium atropurpureum</i>	<i>Anthurium aureum</i>
<i>Anthurium bakeri</i>	<i>Anthurium barclayanum</i>	<i>Anthurium bellum</i>

<i>Anthurium berriozabalense</i>	<i>Anthurium bogotense</i>	<i>Anthurium chamberlainii</i>
<i>Anthurium x chelseiense</i>	<i>Anthurium clarinervium</i>	<i>Anthurium clavigerum</i>
<i>Anthurium colonicum</i>	<i>Anthurium comtum</i>	<i>Anthurium consobrinum</i>
<i>Anthurium corallinum</i>	<i>Anthurium cordatum</i>	<i>Anthurium coriaceum</i>
<i>Anthurium corrugatum</i>	<i>Anthurium croatii</i>	<i>Anthurium crystallinum</i>
<i>Anthurium curvispadix</i>	<i>Anthurium cuspidatum</i>	<i>Anthurium decurrens</i>
<i>Anthurium digitatum</i>	<i>Anthurium dombeyanum</i>	<i>Anthurium dressleri</i>
<i>Anthurium fendleri</i>	<i>Anthurium forgetii</i>	<i>Anthurium formosum</i>
<i>Anthurium friedrichsthali</i>	<i>Anthurium galeottii</i>	<i>Anthurium geitnerianum</i>
<i>Anthurium giganteum</i>	<i>Anthurium gracile</i>	<i>Anthurium grande</i>
<i>Anthurium grandifolium</i>	<i>Anthurium gymnopus</i>	<i>Anthurium hacumense</i>
<i>Anthurium halmoorei</i>	<i>Anthurium harrisii</i>	<i>Anthurium hoffmannii</i>
<i>Anthurium hookeri</i>	<i>Anthurium x hortulanum</i>	<i>Anthurium hygrophilum</i>
<i>Anthurium imperiale</i>	<i>Anthurium interruptum</i>	<i>Anthurium jaramilloi</i>
<i>Anthurium julianii</i>	<i>Anthurium kamemotoanum</i>	<i>Anthurium kunthii</i>
<i>Anthurium lapponum</i>	<i>Anthurium lentii</i>	<i>Anthurium leuconeurum</i>
<i>Anthurium lindenianum</i>	<i>Anthurium llanense</i>	<i>Anthurium loefgrenii</i>
<i>Anthurium longilaminatum</i>	<i>Anthurium lorentense</i>	<i>Anthurium lucens</i>
<i>Anthurium luteynii</i>	<i>Anthurium x macrolobium</i>	<i>Anthurium madisonianum</i>
<i>Anthurium magnificum</i>	<i>Anthurium nakamurae</i>	<i>Anthurium nymphaeifolium</i>
<i>Anthurium ornatum</i>	<i>Anthurium ovatifolium</i>	<i>Anthurium oxybelium</i>
<i>Anthurium oxycarpum</i>	<i>Anthurium pachylaminum</i>	<i>Anthurium pallidiflorum</i>
<i>Anthurium palmatum</i>	<i>Anthurium paraguayense</i>	<i>Anthurium parvispathum</i>
<i>Anthurium pedatoradiatum</i>	<i>Anthurium pendulifolium</i>	<i>Anthurium pentaphyllum</i>
<i>Anthurium pittieri</i>	<i>Anthurium podophyllum</i>	<i>Anthurium polyschistum</i>
<i>Anthurium polystictum</i>	<i>Anthurium propinquum</i>	<i>Anthurium pseudospectabile</i>
<i>Anthurium ptarianum</i>	<i>Anthurium radicans</i>	<i>Anthurium radicans x dressleri</i>
<i>Anthurium ramonense</i>	<i>Anthurium regale</i>	<i>Anthurium rivulare</i>
<i>Anthurium rubrinervium</i>	<i>Anthurium sagittatum</i>	<i>Anthurium salvadorensense</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Anthurium salviniae</i>	<i>Anthurium sanctifidense</i>	<i>Anthurium sanguineum</i>
<i>Anthurium scandens</i>	<i>Anthurium schlechtendalii</i>	<i>Anthurium seibertii</i>
<i>Anthurium seleri</i>	<i>Anthurium sellowianum</i>	<i>Anthurium silanchense</i>
<i>Anthurium spectabile</i>	<i>Anthurium splendidum</i>	<i>Anthurium subsignatum</i>
<i>Anthurium superbum</i>	<i>Anthurium tarapotense</i>	<i>Anthurium testaceum</i>
<i>Anthurium truncicola</i>	<i>Anthurium truncicolum</i>	<i>Anthurium uleanum</i>
<i>Anthurium upalaense</i>	<i>Anthurium veitchii</i>	<i>Anthurium verapazense</i>
<i>Anthurium vittariifolium</i>	<i>Anthurium wagnerianum</i>	<i>Anthurium warocqueanum</i>
<i>Anthurium watermaliense</i>	<i>Anthurium wendlingeri</i>	<i>Anthurium willdenowii</i>
<i>Anthurium yetlense</i>	<i>Anthyllis aurea</i>	<i>Anthyllis boisseri</i>
<i>Anthyllis coccinea</i>	<i>Anthyllis hermanniae</i>	<i>Anthyllis kernerii</i>
<i>Anthyllis montana</i>	<i>Anthyllis vulneraria</i>	<i>Anticlea occidentalis</i>

<i>Antidesma buniis</i>	<i>Antidesma dallachyanum</i>	<i>Antidesma hainanense</i>
<i>Antidesma montanum</i>	<i>Antidesma parvifolium</i>	<i>Antidesma pentandrum</i>
<i>Antidesma venosum</i>	<i>Antidesma vogelianum</i>	<i>Antigonon leptopus</i>
<i>Antimima alborubra</i>	<i>Antimima amoena</i>	<i>Antimima argentea</i>
<i>Antimima dolomitica</i>	<i>Antimima dualis</i>	<i>Antimima evoluta</i>
<i>Antimima fenestrata</i>	<i>Antimima hantamensis</i>	<i>Antimima herrei</i>
<i>Antimima papillata</i>	<i>Antimima pumila</i>	<i>Antimima pygmaea</i>
<i>Antimima solida</i>	<i>Antimima turneriana</i>	<i>Antirhea ovatifolia</i>
<i>Antirhea smithii</i>	<i>Antirhea tenuiflora</i>	<i>Antirrhinum braun-blanquetii</i>
<i>Antirrhinum cirrhigerum</i>	<i>Antirrhinum hispanicum</i>	<i>Antirrhinum majus</i>
<i>Antirrhinum molle</i>	<i>Antirrhinum pulverulentum</i>	<i>Antirrhinum sempervirens</i>
<i>Antirrhinum tortuosum</i>	<i>Antopetitia abyssinica</i>	<i>Antrocaryon klaineianum</i>
<i>Antrophyum reticulatum</i>	<i>Anubias afzelii</i>	<i>Anubias barteri</i>
<i>Anubias gigantea</i>	<i>Anubias gracilis</i>	<i>Anubias hastifolia</i>
<i>Anubias heterophylla</i>	<i>Aotus ericoides</i>	<i>Aotus lanigera</i>
<i>Aotus subglauca</i>	<i>Apalochlamys spectabilis</i>	<i>Apatophyllum constablei</i>

<i>Apeiba burchellii</i>	<i>Aphananthe aspera</i>	<i>Aphananthe philippinensis</i>
<i>Aphandra natalia</i>	<i>Aphanes arvensis</i>	<i>Aphanopetalum resinolum</i>
<i>Aphelandra aurantiaca</i>	<i>Aphelandra chamissoniana</i>	<i>Aphelandra cristata</i>
<i>Aphelandra deppeana</i>	<i>Aphelandra liboniana</i>	<i>Aphelandra schiedeana</i>
<i>Aphelandra sinclairiana</i>	<i>Aphelandra squarrosa</i>	<i>Aphelandra tetragona</i>
<i>Aphelia gracilis</i>	<i>Aphelia pumilio</i>	<i>Aphyllanthes monspeliensis</i>
<i>Apios americana</i>	<i>Apios priceana</i>	<i>Apium graveolens</i>
<i>Apium insulare</i>	<i>Aplolophium dusenianum</i>	<i>Apodasmia brownii</i>
<i>Apodasmia chilensis</i>	<i>Apodolirion macowanii</i>	<i>Apodytes brachystylis</i>
<i>Apodytes dimidiata</i>	<i>Apollonias barbujana</i>	<i>Aponogeton boivinianus</i>
<i>Aponogeton bullosus</i>	<i>Aponogeton capuronii</i>	<i>Aponogeton crispum</i>
<i>Aponogeton eberhardtii</i>	<i>Aponogeton elongatus</i>	<i>Aponogeton fenestrale</i>
<i>Aponogeton henckelianus</i>	<i>Aponogeton longiplumulosus</i>	<i>Aponogeton madagascariensis</i>
<i>Aponogeton natans</i>	<i>Aponogeton proliferus</i>	<i>Aponogeton queenslandicus</i>
<i>Aponogeton tofus</i>	<i>Aponogeton ulvaceus</i>	<i>Aponogeton undulatus</i>
<i>Aponogeton vanbruggenii</i>	<i>Apophyllum anomalum</i>	<i>Apoplanesia paniculata</i>
<i>Aporocactus martianus</i>	<i>Apostasia wallichii</i>	<i>Appendicula anceps</i>
<i>Appendicula australiensis</i>	<i>Appendicula cornuta</i>	<i>Appendicula elegans</i>
<i>Appendicula pendula</i>	<i>Appendicula polystachya</i>	<i>Appendicula reflexa</i>
<i>Aptenia cordifolia</i>	<i>Aptenia lancifolia</i>	<i>Apteranthes burchardii</i>
<i>Apteranthes europaea</i>	<i>Apteranthes joannis</i>	<i>Apteropteris applanata</i>
<i>Aptosimum procumbens</i>	<i>Apuleia leiocarpa</i>	<i>Aquilaria brachyantha</i>
<i>Aquilaria crassna</i>	<i>Aquilaria filaria</i>	<i>Aquilaria malaccensis</i>
<i>Aquilegia akitensis</i>	<i>Aquilegia alpina</i>	<i>Aquilegia aurea</i>
<i>Aquilegia barnebyi</i>	<i>Aquilegia bernardii</i>	<i>Aquilegia bertolonii</i>
<i>Aquilegia brevistyla</i>	<i>Aquilegia buergeriana</i>	<i>Aquilegia chrysantha</i>
<i>Aquilegia coerulea</i>	<i>Aquilegia x cultorum</i>	<i>Aquilegia desertorum</i>
<i>Aquilegia ecalcarata</i>	<i>Aquilegia einseleana</i>	<i>Aquilegia elegantula</i>
<i>Aquilegia eximia</i>	<i>Aquilegia flabellata</i>	<i>Aquilegia flavescens</i>
<i>Aquilegia formosa</i>	<i>Aquilegia fragrans</i>	<i>Aquilegia glandulosa</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Aquilegia grata</i>	<i>Aquilegia jonesii</i>	<i>Aquilegia kareliniana</i>
<i>Aquilegia kitaibelii</i>	<i>Aquilegia laramiense</i>	<i>Aquilegia longissima</i>
<i>Aquilegia micrantha</i>	<i>Aquilegia moorcroftiana</i>	<i>Aquilegia nigricans</i>
<i>Aquilegia nivalis</i>	<i>Aquilegia olympica</i>	<i>Aquilegia ottonis</i>
<i>Aquilegia oxysepala</i>	<i>Aquilegia parviflora</i>	<i>Aquilegia pyrenaica</i>
<i>Aquilegia rockii</i>	<i>Aquilegia saximontana</i>	<i>Aquilegia scopulorum</i>
<i>Aquilegia sibirica</i>	<i>Aquilegia skinneri</i>	<i>Aquilegia thalictrifolia</i>
<i>Aquilegia viridiflora</i>	<i>Aquilegia vulgaris</i>	<i>Arabidella procumbens</i>
<i>Arabidopsis thaliana</i>	<i>Arabis alpina</i>	<i>Arabis androsacea</i>
<i>Arabis x arendsii</i>	<i>Arabis aubrietoides</i>	<i>Arabis blepharophylla</i>
<i>Arabis bryoides</i>	<i>Arabis caerulea</i>	<i>Arabis carduchorum</i>
<i>Arabis cypria</i>	<i>Arabis ferdinandi-coburgi</i>	<i>Arabis x kellereri</i>
<i>Arabis macdonaldiana</i>	<i>Arabis modesta</i>	<i>Arabis mollis</i>
<i>Arabis muralis</i>	<i>Arabis pumila</i>	<i>Arabis sagittata</i>
<i>Arabis serrata</i>	<i>Arabis soyeri</i>	<i>Arabis stelleri</i>
<i>Arabis vochinensis</i>	<i>Arachis batizocoi</i>	<i>Arachis benthamii</i>
<i>Arachis burkartii</i>	<i>Arachis cardenasii</i>	<i>Arachis correntina</i>
<i>Arachis diogeni</i>	<i>Arachis duranensis</i>	<i>Arachis glabrata</i>
<i>Arachis helodes</i>	<i>Arachis hypogaea</i>	<i>Arachis marginata</i>
<i>Arachis monticola</i>	<i>Arachis paraguariensis</i>	<i>Arachis pintoii</i>
<i>Arachis pusilla</i>	<i>Arachis repens</i>	<i>Arachis rigonii</i>
<i>Arachis villosa</i>	<i>Arachis villosulicarpa</i>	<i>Arachniodes aristata</i>
<i>Arachniodes carvifolia</i>	<i>Arachniodes dimorphophylla</i>	<i>Arachniodes hasseltii</i>
<i>Arachniodes miqueliana</i>	<i>Arachniodes standishii</i>	<i>Arachnis spp.</i>
<i>Araecoccus flagellifolius</i>	<i>Araecoccus micranthus</i>	<i>Araecoccus pectinatus</i>
<i>Araiostegia divaricata</i>	<i>Araiostegia hymenophylloides</i>	<i>Aralia cachemirica</i>
<i>Aralia continentalis</i>	<i>Aralia cordata</i>	<i>Aralia elata</i>
<i>Aralia hispida</i>	<i>Aralia nudicaulis</i>	<i>Aralia racemosa</i>
<i>Aralia tomentella</i>	<i>x Aranda spp.</i>	<i>Araucaria angustifolia</i>

<i>Araucaria araucana</i>	<i>Araucaria beccarii</i>	<i>Araucaria bernieri</i>
<i>Araucaria bidwillii</i>	<i>Araucaria biramulata</i>	<i>Araucaria columnaris</i>
<i>Araucaria cunninghamii</i>	<i>Araucaria heterophylla</i>	<i>Araucaria humboldtensis</i>
<i>Araucaria laubenfelsii</i>	<i>Araucaria luxurians</i>	<i>Araucaria montana</i>
<i>Araucaria muelleri</i>	<i>Araucaria nemorosa</i>	<i>Araucaria rulei</i>
<i>Araucaria scopulorum</i>	<i>Araucaria subulata</i>	<i>Araujia sericifera</i>
<i>Arbutus x andrachnoides</i>	<i>Arbutus arizonica</i>	<i>Arbutus canariensis</i>
<i>Arbutus glandulosa</i>	<i>Arbutus menziesii</i>	<i>Arbutus pavarii</i>
<i>Arbutus unedo</i>	<i>Arbutus xalapensis</i>	<i>Archeria eriocarpa</i>
<i>Archeria serpyllifolia</i>	<i>Archidendron grandiflorum</i>	<i>Archidendron hendersonii</i>
<i>Archidendron jiringa</i>	<i>Archidendron kanisii</i>	<i>Archidendron lucyi</i>
<i>Archidendron muellerianum</i>	<i>Archidendron vaillantii</i>	<i>Archidendron whitei</i>
<i>Archidendropsis granulosa</i>	<i>Archidendropsis xanthoxylon</i>	<i>Archirhodomertus beckleri</i>
<i>Archontophoenix alexandrae</i>	<i>Archontophoenix alexandrae x cunninghamiana</i>	<i>Archontophoenix cunninghamiana</i>
<i>Archontophoenix maxima</i>	<i>Archontophoenix myolensis</i>	<i>Archontophoenix purpurea</i>
<i>Archontophoenix tuckeri</i>	<i>Arctium lappa</i>	<i>Arctium tomentosum</i>
<i>Arctostaphylos alpina</i>	<i>Arctostaphylos arbutoides</i>	<i>Arctostaphylos bakeri</i>
<i>Arctostaphylos densiflora</i>	<i>Arctostaphylos hookeri</i>	<i>Arctostaphylos insularis</i>
<i>Arctostaphylos x media</i>	<i>Arctostaphylos obispoensis</i>	<i>Arctostaphylos pajaroensis</i>
<i>Arctostaphylos pungens</i>	<i>Arctostaphylos rubra</i>	<i>Arctostaphylos stanfordiana</i>
<i>Arctostaphylos uva-ursi</i>	<i>Arctotheca calendula</i>	<i>Arctotheca populifolia</i>
<i>Arctotis aspera</i>	<i>Arctotis auriculata</i>	<i>Arctotis decurrens</i>
<i>Arctotis fastuosa</i>	<i>Arctotis gumbletonii</i>	<i>Arctotis x hybrida</i>
<i>Arctotis laevis</i>	<i>Arctotis revoluta</i>	<i>Arctotis venusta</i>
<i>Arctous alpinus</i>	<i>Ardisia bakeri</i>	<i>Ardisia bifaria</i>
<i>Ardisia brevipedata</i>	<i>Ardisia colorata</i>	<i>Ardisia compressa</i>
<i>Ardisia cornudentata</i>	<i>Ardisia crenata</i>	<i>Ardisia crispa</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Ardisia escallonioides</i>	<i>Ardisia guadalupensis</i>	<i>Ardisia guianensis</i>
<i>Ardisia humilis</i>	<i>Ardisia japonica</i>	<i>Ardisia macrocarpa</i>
<i>Ardisia opegrapha</i>	<i>Ardisia pachyrrhachis</i>	<i>Ardisia polycephala</i>
<i>Ardisia pusilla</i>	<i>Ardisia shweliensis</i>	<i>Ardisia thyrsiflora</i>
<i>Ardisia villosa</i>	<i>Ardisia wallichii</i>	<i>Areca abdulrahmanii</i>
<i>Areca ahmadii</i>	<i>Areca andersonii</i>	<i>Areca arundinacea</i>
<i>Areca brachypoda</i>	<i>Areca caliso</i>	<i>Areca camarinensis</i>
<i>Areca catechu</i>	<i>Areca celebica</i>	<i>Areca concinna</i>
<i>Areca congesta</i>	<i>Areca costulata</i>	<i>Areca dayung</i>
<i>Areca furcata</i>	<i>Areca glandiformis</i>	<i>Areca guppyana</i>
<i>Areca hutchinsoniana</i>	<i>Areca insignis</i>	<i>Areca ipot</i>
<i>Areca jobiensis</i>	<i>Areca jugahpunya</i>	<i>Areca kinabaluensis</i>
<i>Areca klingkangensis</i>	<i>Areca laosensis</i>	<i>Areca latiloba</i>
<i>Areca ledermanniana</i>	<i>Areca macrocalyx</i>	<i>Areca macrocarpa</i>
<i>Areca madagascariensis</i>	<i>Areca mammillata</i>	<i>Areca minuta</i>
<i>Areca montana</i>	<i>Areca multifida</i>	<i>Areca nannospadix</i>
<i>Areca niga-solu</i>	<i>Areca novo-hibernica</i>	<i>Areca oxycarpa</i>
<i>Areca parens</i>	<i>Areca rechingeriana</i>	<i>Areca rheophytica</i>
<i>Areca ridleyana</i>	<i>Areca rostrata</i>	<i>Areca salomonensis</i>
<i>Areca subacaulis</i>	<i>Areca torulo</i>	<i>Areca triandra</i>
<i>Areca tunku</i>	<i>Areca vestiaria</i>	<i>Areca vidaliana</i>
<i>Areca warburgiana</i>	<i>Areca whitfordii</i>	<i>Aregelia compacta</i>
<i>Aregelia farinosa</i>	<i>Aregelia sarmentosa</i>	<i>Aregelia spectabilis</i>
<i>Arenaria caespitosa</i>	<i>Arenaria congesta</i>	<i>Arenaria grandiflora</i>
<i>Arenaria hookeri</i>	<i>Arenaria imbricata</i>	<i>Arenaria kingii</i>
<i>Arenaria ledebouriana</i>	<i>Arenaria leptoclados</i>	<i>Arenaria montana</i>
<i>Arenaria pinifolia</i>	<i>Arenaria procera</i>	<i>Arenaria purpurascens</i>
<i>Arenaria rigida</i>	<i>Arenaria serpyllifolia</i>	<i>Arenaria tetraquetra</i>
<i>Arenaria tmolea</i>	<i>Arenga ambong</i>	<i>Arenga australasica</i>
<i>Arenga borneensis</i>	<i>Arenga brevipes</i>	<i>Arenga caudata</i>

<i>Arenga engleri</i>	<i>Arenga hastata</i>	<i>Arenga hookeriana</i>
<i>Arenga listeri</i>	<i>Arenga longicarpa</i>	<i>Arenga micrantha</i>
<i>Arenga microcarpa</i>	<i>Arenga nana</i>	<i>Arenga obtusifolia</i>
<i>Arenga pinnata</i>	<i>Arenga porphyrocarpa</i>	<i>Arenga retroflorescens</i>
<i>Arenga tremula</i>	<i>Arenga undulatifolia</i>	<i>Arenga westerhoutii</i>
<i>Arenga wightii</i>	<i>Arenifera pillansii</i>	<i>Arfeuillea arborescens</i>
<i>Argania spinosa</i>	<i>Argemone grandiflora</i>	<i>Argentipallium blandowskianum</i>
<i>Argentipallium dealbatum</i>	<i>Argentipallium obtusifolium</i>	<i>Argentipallium spiceri</i>
<i>Argophyllum lejourdanii</i>	<i>Argophyllum nullumense</i>	<i>Argophyllum verae</i>
<i>Argylia radiata</i>	<i>Argyranthemum broussonetii</i>	<i>Argyranthemum callichrysum</i>
<i>Argyranthemum coronopifolium</i>	<i>Argyranthemum filifolium</i>	<i>Argyranthemum foeniculaceum</i>
<i>Argyranthemum frutescens</i>	<i>Argyranthemum gracile</i>	<i>Argyranthemum haouarytheum</i>
<i>Argyranthemum lidii</i>	<i>Argyranthemum maderense</i>	<i>Argyranthemum tenerifae</i>
<i>Argyranthemum winteri</i>	<i>Argyrocytismus battandieri</i>	<i>Argyrodendron actinophyllum</i>
<i>Argyrodendron peralatum</i>	<i>Argyrodendron polyandrum</i>	<i>Argyrodendron trifoliolatum</i>
<i>Argyroderma congregatum</i>	<i>Argyroderma crateriforme</i>	<i>Argyroderma delaetii</i>
<i>Argyroderma fissum</i>	<i>Argyroderma framesii</i>	<i>Argyroderma necopinum</i>
<i>Argyroderma octophyllum</i>	<i>Argyroderma patens</i>	<i>Argyroderma pearsonii</i>
<i>Argyroderma ringens</i>	<i>Argyroderma roseum</i>	<i>Argyroderma subalbum</i>
<i>Argyroderma testiculare</i>	<i>Argyrolobium fischeri</i>	<i>Argyrolobium harveyanum</i>

<i>Argyrolobium rupestre</i>	<i>Argyrolobium tomentosum</i>	<i>Argyrolobium zanonii</i>
<i>Argyrotegium nitidulum</i>	<i>Argyroxiphium sandwicense</i>	<i>Aridaria noctiflora</i>
<i>Aridaria vespertina</i>	<i>Arillastrum gummiferum</i>	<i>Ariocarpus agavoides</i>
<i>Ariocarpus bravoanus</i>	<i>Ariocarpus fissuratus</i>	<i>Ariocarpus kotschoubeyanus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Ariocarpus lloydii</i>	<i>Ariocarpus retusus</i>	<i>Ariocarpus scaphirostris</i>
<i>Arisaema abbreviatum</i>	<i>Arisaema abei</i>	<i>Arisaema addis-ababense</i>
<i>Arisaema agasthyanum</i>	<i>Arisaema album</i>	<i>Arisaema angustifoliatum</i>
<i>Arisaema anomalum</i>	<i>Arisaema aprile</i>	<i>Arisaema aridum</i>
<i>Arisaema arisanense</i>	<i>Arisaema asperatum</i>	<i>Arisaema auriculatum</i>
<i>Arisaema balansae</i>	<i>Arisaema barbatum</i>	<i>Arisaema barnesii</i>
<i>Arisaema bathycoleum</i>	<i>Arisaema biauriculatum</i>	<i>Arisaema bockii</i>
<i>Arisaema bogneri</i>	<i>Arisaema brachyspathum</i>	<i>Arisaema brevipes</i>
<i>Arisaema candidissimum</i>	<i>Arisaema ciliatum</i>	<i>Arisaema clavatum</i>
<i>Arisaema concinnum</i>	<i>Arisaema consanguineum</i>	<i>Arisaema cordatum</i>
<i>Arisaema costatum</i>	<i>Arisaema dahaiense</i>	<i>Arisaema daochengense</i>
<i>Arisaema decipiens</i>	<i>Arisaema deflexum</i>	<i>Arisaema dilatatum</i>
<i>Arisaema dracontium</i>	<i>Arisaema echinatum</i>	<i>Arisaema elephas</i>
<i>Arisaema engleri</i>	<i>Arisaema erubescens</i>	<i>Arisaema exappendiculatum</i>
<i>Arisaema fargesii</i>	<i>Arisaema filiforme</i>	<i>Arisaema fimbriatum</i>
<i>Arisaema flavum</i>	<i>Arisaema formosanum</i>	<i>Arisaema franchetianum</i>
<i>Arisaema franchetianum</i> x <i>candidissimum</i>	<i>Arisaema fraternum</i>	<i>Arisaema galeatum</i>
<i>Arisaema garrettii</i>	<i>Arisaema grapsospadix</i>	<i>Arisaema griffithii</i>
<i>Arisaema handelii</i>	<i>Arisaema harmandi</i>	<i>Arisaema hastatum</i>
<i>Arisaema helleborifolium</i>	<i>Arisaema heterophyllum</i>	<i>Arisaema hunanense</i>
<i>Arisaema ilanense</i>	<i>Arisaema inkiangense</i>	<i>Arisaema intermedium</i>
<i>Arisaema ishizuchiense</i>	<i>Arisaema iyoanum</i>	<i>Arisaema jacquemontii</i>
<i>Arisaema jinshajiangense</i>	<i>Arisaema kawashimae</i>	<i>Arisaema kishidae</i>
<i>Arisaema kiushianum</i>	<i>Arisaema komarovii</i>	<i>Arisaema koreanum</i>
<i>Arisaema kunstleri</i>	<i>Arisaema kuratae</i>	<i>Arisaema laminatum</i>
<i>Arisaema leschenaultii</i>	<i>Arisaema lichiangense</i>	<i>Arisaema limbatum</i>
<i>Arisaema lingyunense</i>	<i>Arisaema lobatum</i>	<i>Arisaema longilaminum</i>
<i>Arisaema longipedunculatum</i>	<i>Arisaema mairei</i>	<i>Arisaema matsudai</i>
<i>Arisaema maximowiczii</i>	<i>Arisaema meleagris</i>	<i>Arisaema monophyllum</i>

<i>Arisaema multisectum</i>	<i>Arisaema negishii</i>	<i>Arisaema nepenthoides</i>
<i>Arisaema nikoense</i>	<i>Arisaema odoratum</i>	<i>Arisaema omeiense</i>
<i>Arisaema onoticum</i>	<i>Arisaema ovale</i>	<i>Arisaema penicillatum</i>
<i>Arisaema pianmaense</i>	<i>Arisaema praecox</i>	<i>Arisaema propinquum</i>
<i>Arisaema purpureogaleatum</i>	<i>Arisaema rhizomatum</i>	<i>Arisaema rhombiforme</i>
<i>Arisaema ringens</i>	<i>Arisaema roxburghii</i>	<i>Arisaema sarracenioides</i>
<i>Arisaema saxatile</i>	<i>Arisaema sazensoo</i>	<i>Arisaema schimperianum</i>
<i>Arisaema scortechini</i>	<i>Arisaema serratum</i>	<i>Arisaema shimienense</i>
<i>Arisaema sikokianum</i>	<i>Arisaema speciosum</i>	<i>Arisaema sukotaiense</i>
<i>Arisaema taiwanense</i>	<i>Arisaema takesimense</i>	<i>Arisaema tengtsungense</i>
<i>Arisaema ternatipartitum</i>	<i>Arisaema thunbergii</i>	<i>Arisaema tortuosum</i>
<i>Arisaema triphyllum</i>	<i>Arisaema umbrinum</i>	<i>Arisaema undulatifolium</i>
<i>Arisaema utile</i>	<i>Arisaema victoriae</i>	<i>Arisaema wattii</i>
<i>Arisaema wilsonii</i>	<i>Arisaema wrayi</i>	<i>Arisaema xiangchengense</i>
<i>Arisaema yamatense</i>	<i>Arisaema yunnanense</i>	<i>Arisarum proboscideum</i>
<i>Arisarum simorrhinum</i>	<i>Aristea alata</i>	<i>Aristea angolensis</i>
<i>Aristea bakeri</i>	<i>Aristea biflora</i>	<i>Aristea cantharophila</i>
<i>Aristea capitata</i>	<i>Aristea confusa</i>	<i>Aristea dichotoma</i>
<i>Aristea ecklonii</i>	<i>Aristea glauca</i>	<i>Aristea latifolia</i>
<i>Aristea lugens</i>	<i>Aristea macrocarpa</i>	<i>Aristea major</i>
<i>Aristea oligocephala</i>	<i>Aristea platycaulis</i>	<i>Aristea spiralis</i>
<i>Aristea teretifolia</i>	<i>Aristea thyrsoflora</i>	<i>Aristea torulosa</i>
<i>Aristida adscensionis</i>	<i>Aristida arizonica</i>	<i>Aristida behriana</i>
<i>Aristida californica</i>	<i>Aristida diffusa</i>	<i>Aristida gracilipes</i>
<i>Aristida leichhardtiana</i>	<i>Aristida meridionalis</i>	<i>Aristida muelleri</i>
<i>Aristida murina</i>	<i>Aristida ramosa</i>	<i>Aristida sieberiana</i>
<i>Aristida vagans</i>	<i>Aristolochia acuminata</i>	<i>Aristolochia albida</i>
<i>Aristolochia californica</i>	<i>Aristolochia chapmaniana</i>	<i>Aristolochia chilensis</i>
<i>Aristolochia cymbifera</i>	<i>Aristolochia deltantha</i>	<i>Aristolochia elegans</i>
<i>Aristolochia fimbriata</i>	<i>Aristolochia gibbosa</i>	<i>Aristolochia gigantea</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Aristolochia kaempferi</i>	<i>Aristolochia passifloraefolia</i>	<i>Aristolochia paucinervis</i>
<i>Aristolochia pearcei</i>	<i>Aristolochia praevenosa</i>	<i>Aristolochia pubera</i>
<i>Aristolochia ruiziana</i>	<i>Aristolochia serpentaria</i>	<i>Aristolochia australasica</i>
<i>Aristolochia chilensis</i>	<i>Aristolochia x colensoi</i>	<i>Aristolochia fruticosa</i>
<i>Aristolochia megalosperma</i>	<i>Aristolochia peduncularis</i>	<i>Aristolochia pubescens</i>
<i>Aristolochia serrata</i>	<i>Aristolochia trilocularis</i>	<i>Armatocereus cartwrightianus</i>
<i>Armatocereus ghiesbreghtii</i>	<i>Armatocereus godingianus</i>	<i>Armatocereus humilis</i>
<i>Armatocereus laetus</i>	<i>Armatocereus rauhii</i>	<i>Armeria alpina</i>
<i>Armeria berlengensis</i>	<i>Armeria caespitosa</i>	<i>Armeria canescens</i>
<i>Armeria colorata</i>	<i>Armeria duriaei</i>	<i>Armeria filicaulis</i>
<i>Armeria girardii</i>	<i>Armeria leucocephala</i>	<i>Armeria macrophylla</i>
<i>Armeria maritima</i>	<i>Armeria morisii</i>	<i>Armeria nebrodensis</i>
<i>Armeria pinifolia</i>	<i>Armeria pseudarmeria</i>	<i>Armeria pungens</i>
<i>Armeria rouyana</i>	<i>Armeria ruscinoensis</i>	<i>Armeria transmontana</i>
<i>Armeria villosa</i>	<i>Armoracia rusticana</i>	<i>Arnica chamissonis</i>
<i>Arnica montana</i>	<i>Aronia arbutifolia</i>	<i>Aronia melanocarpa</i>
<i>Arpophyllum alpinum</i>	<i>Arpophyllum giganteum</i>	<i>Arpophyllum spicatum</i>
<i>Arrabidaea chica</i>	<i>Arracacia xanthorrhiza</i>	<i>Arrhenatherum elatius</i>
<i>Arrhenatherum longifolium</i>	<i>Arrhenatherum palaestinum</i>	<i>Arrhenatherum pallens</i>
<i>Arrhostoxylum elegans</i>	<i>Arrojadoa dinae</i>	<i>Arrojadoa penicillata</i>
<i>Arrojadoa rhodantha</i>	<i>Artabotrys hexapetalus</i>	<i>Artabotrys siamensis</i>
<i>Artanema fimbriatum</i>	<i>Artanthe elongata</i>	<i>Artanthe tiliifolia</i>
<i>Artemisia abrotanum</i>	<i>Artemisia absinthium</i>	<i>Artemisia absinthium x arborescens</i>
<i>Artemisia annua</i>	<i>Artemisia anomala</i>	<i>Artemisia arborescens</i>
<i>Artemisia argentea</i>	<i>Artemisia armeniaca</i>	<i>Artemisia assoana</i>
<i>Artemisia atrata</i>	<i>Artemisia camphorata</i>	<i>Artemisia cana</i>
<i>Artemisia canescens</i>	<i>Artemisia capillaris</i>	<i>Artemisia carruthii</i>
<i>Artemisia caruifolia</i>	<i>Artemisia caucasica</i>	<i>Artemisia chamaemelifolia</i>

<i>Artemisia cina</i>	<i>Artemisia dracunculus</i>	<i>Artemisia frigida</i>
<i>Artemisia genipi</i>	<i>Artemisia glacialis</i>	<i>Artemisia gorgonum</i>
<i>Artemisia incanescens</i>	<i>Artemisia keiskeana</i>	<i>Artemisia lactiflora</i>
<i>Artemisia laxa</i>	<i>Artemisia ludoviciana</i>	<i>Artemisia molinieri</i>
<i>Artemisia nitida</i>	<i>Artemisia norvegica</i>	<i>Artemisia pedemontana</i>
<i>Artemisia pontica</i>	<i>Artemisia pycnocephala</i>	<i>Artemisia schmidtiana</i>
<i>Artemisia smithii</i>	<i>Artemisia splendens</i>	<i>Artemisia stelleriana</i>
<i>Artemisia taurica</i>	<i>Artemisia thuscula</i>	<i>Artemisia vallesiaca</i>
<i>Artemisia vulgaris</i>	<i>Arthrocerus glaziovii</i>	<i>Arthrocerus melanurus</i>
<i>Arthrocerus spinosissimus</i>	<i>Arthrochilus huntianus</i>	<i>Arthrochilus irritabilis</i>
<i>Arthropodium caespitosum</i>	<i>Arthropodium candidum</i>	<i>Arthropodium cirratum</i>
<i>Arthropodium cirrhatum</i>	<i>Arthropodium milleflorum</i>	<i>Arthropodium minus</i>
<i>Arthropodium neo-caledonicum</i>	<i>Arthropodium preissii</i>	<i>Arthropodium umbellatum</i>
<i>Arthropteris articulata</i>	<i>Arthropteris beckleri</i>	<i>Arthropteris tenella</i>
<i>Artocarpus altilis</i>	<i>Artocarpus anisophyllus</i>	<i>Artocarpus annulatus</i>
<i>Artocarpus camansi</i>	<i>Artocarpus dadah</i>	<i>Artocarpus elasticus</i>
<i>Artocarpus glaucus</i>	<i>Artocarpus gomezianus</i>	<i>Artocarpus heterophyllus</i>
<i>Artocarpus hirsutus</i>	<i>Artocarpus hypargyreus</i>	<i>Artocarpus incisa</i>
<i>Artocarpus kemando</i>	<i>Artocarpus lacucha</i>	<i>Artocarpus lanceaefolia</i>
<i>Artocarpus lanceifolius</i>	<i>Artocarpus lingnanensis</i>	<i>Artocarpus longifolius</i>
<i>Artocarpus maingayi</i>	<i>Artocarpus melinoxylus</i>	<i>Artocarpus nitidus</i>
<i>Artocarpus obtusus</i>	<i>Artocarpus odoratissimus</i>	<i>Artocarpus ovatus</i>
<i>Artocarpus peltatus</i>	<i>Artocarpus rigida</i>	<i>Artocarpus rigidus</i>
<i>Artocarpus sarawakensis</i>	<i>Artocarpus sericicarpus</i>	<i>Artocarpus tamaran</i>
<i>Artocarpus teysmannii</i>	<i>Arum apulum</i>	<i>Arum balansanum</i>
<i>Arum byzantinum</i>	<i>Arum concinnatum</i>	<i>Arum creticum</i>
<i>Arum cyrenaicum</i>	<i>Arum dioscoridis</i>	<i>Arum elongatum</i>
<i>Arum euxinum</i>	<i>Arum hygrophilum</i>	<i>Arum idaeum</i>
<i>Arum italicum</i>	<i>Arum jacquemontii</i>	<i>Arum korolkowii</i>
<i>Arum maculatum</i>	<i>Arum orientale</i>	<i>Arum palaestinum</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Arum petteri</i>	<i>Arum pictum</i>	<i>Arum purpureospathum</i>
<i>Arum rupicola</i>	<i>Aruncus aethusifolius</i>	<i>Aruncus dioicus</i>
<i>Aruncus sylvestre</i>	<i>Arundina</i> spp.	<i>Arundinaria chino</i>
<i>Arundinaria funghomii</i>	<i>Arundinaria gigantea</i>	<i>Arundinaria graminea</i>
<i>Arundinaria hindsii</i>	<i>Arundinaria humilis</i>	<i>Arundinaria linearis</i>
<i>Arundinaria nagashima</i>	<i>Arundinaria pygmaea</i>	<i>Arundinaria variegata</i>
<i>Arundinaria viridistriata</i>	<i>Arundinella montana</i>	<i>Arundo donax</i>
<i>Arundo pliniana</i>	<i>Arytera bifoliolata</i>	<i>Arytera distylis</i>
<i>Arytera divaricata</i>	<i>Arytera foveolata</i>	<i>Arytera littoralis</i>
<i>Arytera macrobotrys</i>	<i>Arytera microphylla</i>	<i>Arytera pauciflora</i>
<i>Asarina procumbens</i>	<i>Asarina purpusii</i>	<i>Asarina scandens</i>
<i>Asarum arifolium</i>	<i>Asarum asaroides</i>	<i>Asarum asperum</i>
<i>Asarum blumei</i>	<i>Asarum campaniflorum</i>	<i>Asarum canadense</i>
<i>Asarum caudatum</i>	<i>Asarum caudigerum</i>	<i>Asarum caulescens</i>
<i>Asarum celsum</i>	<i>Asarum costatum</i>	<i>Asarum curvistigma</i>
<i>Asarum debile</i>	<i>Asarum delavayi</i>	<i>Asarum epigynum</i>
<i>Asarum europaeum</i>	<i>Asarum forbesii</i>	<i>Asarum fudsinoi</i>
<i>Asarum geophilum</i>	<i>Asarum gusk</i>	<i>Asarum hartwegii</i>
<i>Asarum hatsushimae</i>	<i>Asarum hayatanum</i>	<i>Asarum heterotropoides</i>
<i>Asarum hexalobum</i>	<i>Asarum hirsutisepalum</i>	<i>Asarum ikegamii</i>
<i>Asarum insigne</i>	<i>Asarum kiusianum</i>	<i>Asarum kumageanum</i>
<i>Asarum kurosawae</i>	<i>Asarum lemmonii</i>	<i>Asarum leucosepalum</i>
<i>Asarum longerhizomatosum</i>	<i>Asarum magnificum</i>	<i>Asarum maximum</i>

<i>Asarum megacalyx</i>	<i>Asarum minamitanianum</i>	<i>Asarum monodoriflorum</i>
<i>Asarum muramatsui</i>	<i>Asarum nankaiense</i>	<i>Asarum nipponicum</i>
<i>Asarum pellucidum</i>	<i>Asarum petelotii</i>	<i>Asarum pulchellum</i>
<i>Asarum rigescens</i>	<i>Asarum sakawanum</i>	<i>Asarum satsumense</i>
<i>Asarum savatieri</i>	<i>Asarum senkakuinsulare</i>	<i>Asarum sieboldii</i>
<i>Asarum simile</i>	<i>Asarum splendens</i>	<i>Asarum subglobosum</i>

Asarum takaoui	Asarum tamaense	Asarum trigynum
Asarum unzen	Asarum wulingense	Asarum yaeyamense
Asarum yakusimense	Asarum yoshikawae	Ascarina lucida
Asclepias curassavica	Asclepias exaltata	Asclepias purpurascens
Asclepias rubra	Asclepias subulata	Asclepias tuberosa
Asclepias vestita	x Ascocenda spp.	Ascocentrum spp.
Asimina parviflora	Asimina triloba	Askidiosperma esterhuyseniae
Aspalathus capensis	Aspalathus cordata	Aspalathus linearis
Aspalathus spiculata	Asparagus cooperi	Asparagus declinatus
Asparagus falcatus	Asparagus officinalis	Aspasia spp.
Asperula arcadiensis	Asperula aristata	Asperula boissieri
Asperula bryoides	Asperula capitellata	Asperula conferta
Asperula daphneola	Asperula gunnii	Asperula gussonii
Asperula hercegovina	Asperula hexaphylla	Asperula hirsuta
Asperula hirta	Asperula icarica	Asperula idaea
Asperula lilaciflora	Asperula lutea	Asperula lycia
Asperula minima	Asperula nitida	Asperula orientalis
Asperula pontica	Asperula pulvinaris	Asperula rupestris
Asperula scoparia	Asperula sintenisii	Asperula stricta
Asperula suberosa	Asperula taygetea	Asperula tenella
Asperula tinctoria	Asphodeline brevicaulis	Asphodeline damascena
Asphodeline liburnica	Asphodeline lutea	Asphodeline taurica
Asphodelus acaulis	Asphodelus aestivus	Asphodelus albus
Asphodelus cerasiferus	Asphodelus fistulosus	Aspidistra elatior
Aspidistra longifolia	Aspidistra lurida	Aspidium biserrata
Aspidium goldianum	Aspidosperma australe	Aspidosperma pyricollum
Aspidosperma quebracho-blancho	Aspidotis californica	Asplenium abscissum
Asplenium adulterinum	Asplenium alatum	Asplenium antiquum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Asplenium appendiculatum</i>	<i>Asplenium attenuatum</i>	<i>Asplenium attenuatum</i> x <i>paleaceum</i>
<i>Asplenium attenuatum</i> x <i>polyodon</i>	<i>Asplenium australasicum</i>	<i>Asplenium australasicum</i> x <i>obtusatum</i>
<i>Asplenium belangeri</i>	<i>Asplenium billotii</i>	<i>Asplenium bipinnatifidum</i>
<i>Asplenium brachycarpum</i>	<i>Asplenium bulbiferum</i>	<i>Asplenium ceii</i>
<i>Asplenium ceterach</i>	<i>Asplenium contiguum</i>	<i>Asplenium cristatum</i>
<i>Asplenium cuneatum</i>	<i>Asplenium cymbifolium</i>	<i>Asplenium dalhousiae</i>
<i>Asplenium daucifolium</i>	<i>Asplenium davallioides</i>	<i>Asplenium difforme</i>
<i>Asplenium dimorphum</i>	<i>Asplenium diversifolium</i>	<i>Asplenium</i> x <i>ebenoides</i>
<i>Asplenium elmeri</i>	<i>Asplenium erosum</i>	<i>Asplenium exiguum</i>
<i>Asplenium filidens</i>	<i>Asplenium flaccidum</i>	<i>Asplenium flexuosum</i>
<i>Asplenium foresiense</i>	<i>Asplenium formosum</i>	<i>Asplenium fraxinifolium</i>
<i>Asplenium gemmiferum</i>	<i>Asplenium gibberosum</i>	<i>Asplenium haenkeanum</i>
<i>Asplenium hallbergii</i>	<i>Asplenium harmanii</i>	<i>Asplenium hookerianum</i>
<i>Asplenium incisum</i>	<i>Asplenium kraussii</i>	<i>Asplenium lamprophyllum</i>
<i>Asplenium laserpitiifolium</i>	<i>Asplenium lividum</i>	<i>Asplenium longissimum</i>
<i>Asplenium lucidum</i>	<i>Asplenium lunulatum</i>	<i>Asplenium lyallii</i>
<i>Asplenium milnei</i>	<i>Asplenium monanthes</i>	<i>Asplenium myriophyllum</i>
<i>Asplenium nidus</i>	<i>Asplenium nitens</i>	<i>Asplenium normale</i>
<i>Asplenium novae-caledoniae</i>	<i>Asplenium oblongifolium</i>	<i>Asplenium paleaceum</i>
<i>Asplenium palmeri</i>	<i>Asplenium parvum</i>	<i>Asplenium paucifolium</i>
<i>Asplenium pellucidum</i>	<i>Asplenium polyodon</i>	<i>Asplenium protensum</i>
<i>Asplenium pteridoides</i>	<i>Asplenium resiliens</i>	<i>Asplenium richardi</i>
<i>Asplenium robinsonii</i>	<i>Asplenium ruta-muraria</i>	<i>Asplenium rutifolium</i>
<i>Asplenium sandersonii</i>	<i>Asplenium schizophyllum</i>	<i>Asplenium scleroprium</i>
<i>Asplenium scolopendrium</i>	<i>Asplenium serratum</i>	<i>Asplenium shuttleworthianum</i>
<i>Asplenium simplicifrons</i>	<i>Asplenium sodiroi</i>	<i>Asplenium stellatum</i>
<i>Asplenium subflexuosum</i>	<i>Asplenium sulcatum</i>	<i>Asplenium surrogatum</i>
<i>Asplenium sylvaticum</i>	<i>Asplenium tenerum</i>	<i>Asplenium terrestre</i>

<i>Asplenium thunbergii</i>	<i>Asplenium trichomanes-ramosum</i>	<i>Asplenium trilobum</i>
<i>Asplenium vieillardii</i>	<i>Asplundia brunneistigma</i>	<i>Asplundia euryspatha</i>
<i>Assoella purpurascens</i>	<i>Astartea clavulata</i> x <i>Baeckea astarteoides</i>	<i>Astelia alpina</i>
<i>Astelia australiana</i>	<i>Astelia banksii</i>	<i>Astelia chathamica</i>
<i>Astelia fragrans</i>	<i>Astelia grandis</i>	<i>Astelia latifolia</i>
<i>Astelia linearis</i>	<i>Astelia neocaledonica</i>	<i>Astelia nervosa</i>
<i>Astelia papuana</i>	<i>Astelia psychrocharis</i>	<i>Astelia pumila</i>
<i>Astelia solandri</i>	<i>Aster alpinus</i>	<i>Aster asperulus</i>
<i>Aster brachytrichus</i>	<i>Aster flaccidus</i>	<i>Aster x frikartii</i>
<i>Aster himalaicus</i>	<i>Aster luteus</i>	<i>Aster pringlei</i> x <i>novi-belgii</i>
<i>Aster pyrenaeus</i>	<i>Aster savatieri</i>	<i>Aster sikkimensis</i>
<i>Aster tongolensis</i>	<i>Asteranthera ovata</i>	<i>Asteriscus intermedius</i>
<i>Asteriscus maritimus</i>	<i>Asterogyne martiana</i>	<i>Asterogyne spicata</i>
<i>Asterolasia asteriscophora</i>	<i>Asterolasia buxifolia</i>	<i>Asterolasia correifolia</i>
<i>Asterolasia elegans</i>	<i>Asterolasia hexapetala</i>	<i>Asterolasia mollis</i>
<i>Asterolasia muelleri</i>	<i>Asterolasia phebalioides</i>	<i>Asterolasia trymalioides</i>
<i>Asterolinon linum-stellatum</i>	<i>Asteromyrtus angustifolia</i>	<i>Asteromyrtus brassii</i>
<i>Asteromyrtus lysicephala</i>	<i>Asteromyrtus magnifica</i>	<i>Asteromyrtus symphyocarpa</i>
<i>Asterotrichion discolor</i>	<i>Astilbe</i> x <i>arendsii</i>	<i>Astilbe biternata</i>
<i>Astilbe chinensis</i>	<i>Astilbe glaberrima</i>	<i>Astilbe grandis</i>
<i>Astilbe x hybrida</i>	<i>Astilbe japonica</i>	<i>Astilbe microphylla</i>
<i>Astilbe myriantha</i>	<i>Astilbe rubra</i>	<i>Astilbe simplicifolia</i>
<i>Astilbe thunbergii</i>	<i>Astilboides tabularis</i>	<i>Astonia australiensis</i>
<i>Astragalus aduncus</i>	<i>Astragalus akkensis</i>	<i>Astragalus aksuensis</i>
<i>Astragalus algerianus</i>	<i>Astragalus alopecias</i>	<i>Astragalus alopecurus</i>
<i>Astragalus alpinus</i>	<i>Astragalus amalecitanus</i>	<i>Astragalus amatus</i>
<i>Astragalus amphioxys</i>	<i>Astragalus angustifolius</i>	<i>Astragalus argyroides</i>
<i>Astragalus armeniacus</i>	<i>Astragalus asper</i>	<i>Astragalus atropilosulus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Astragalus australis</i>	<i>Astragalus baionensis</i>	<i>Astragalus brachycalyx</i>
<i>Astragalus bubaloceras</i>	<i>Astragalus bungeanus</i>	<i>Astragalus callichrous</i>
<i>Astragalus calycinus</i>	<i>Astragalus calycosus</i>	<i>Astragalus campylorrhynchus</i>
<i>Astragalus caprinus</i>	<i>Astragalus captiosus</i>	<i>Astragalus caraganae</i>
<i>Astragalus centralpinus</i>	<i>Astragalus chamissonis</i>	<i>Astragalus chinensis</i>
<i>Astragalus chlorostachys</i>	<i>Astragalus chrysochlorus</i>	<i>Astragalus cicer</i>
<i>Astragalus coccineus</i>	<i>Astragalus cognatus</i>	<i>Astragalus coluteocarpus</i>
<i>Astragalus commixtus</i>	<i>Astragalus coodei</i>	<i>Astragalus cornutus</i>
<i>Astragalus crassicarpos</i>	<i>Astragalus cymbicarpos</i>	<i>Astragalus demetrii</i>
<i>Astragalus depressus</i>	<i>Astragalus dipelta</i>	<i>Astragalus echinatus</i>
<i>Astragalus edulis</i>	<i>Astragalus epiglottis</i>	<i>Astragalus exscapus</i>
<i>Astragalus falcatus</i>	<i>Astragalus fastidius</i>	<i>Astragalus filicaulis</i>
<i>Astragalus floccosifolius</i>	<i>Astragalus fraxinifolius</i>	<i>Astragalus fuhsii</i>
<i>Astragalus glaux</i>	<i>Astragalus globiceps</i>	<i>Astragalus glycyphyllos</i>
<i>Astragalus gummifer</i>	<i>Astragalus guttatus</i>	<i>Astragalus hajastanus</i>
<i>Astragalus hamosus</i>	<i>Astragalus harpilobus</i>	<i>Astragalus hemiphaca</i>
<i>Astragalus humifusus</i>	<i>Astragalus incanus</i>	<i>Astragalus kadshorensis</i>
<i>Astragalus lasioglottis</i>	<i>Astragalus lasiopetalus</i>	<i>Astragalus limnocharis</i>
<i>Astragalus lithophilus</i>	<i>Astragalus malacus</i>	<i>Astragalus mareoticus</i>
<i>Astragalus maximowiczii</i>	<i>Astragalus membranaceus</i>	<i>Astragalus microcephalus</i>
<i>Astragalus mollis</i>	<i>Astragalus monspessulanus</i>	<i>Astragalus newberryi</i>
<i>Astragalus norvegicus</i>	<i>Astragalus nutans</i>	<i>Astragalus oxyglottis</i>
<i>Astragalus pallescens</i>	<i>Astragalus paucijugus</i>	<i>Astragalus peduncularis</i>
<i>Astragalus penduliflorus</i>	<i>Astragalus pissisi</i>	<i>Astragalus platyphyllus</i>
<i>Astragalus podocarpus</i>	<i>Astragalus polybotrys</i>	<i>Astragalus ponticus</i>
<i>Astragalus propinquus</i>	<i>Astragalus pseudopurpureus</i>	<i>Astragalus pulchellus</i>
<i>Astragalus pulsiferae</i>	<i>Astragalus purpureus</i>	<i>Astragalus purshii</i>
<i>Astragalus racemosus</i>	<i>Astragalus refractus</i>	<i>Astragalus reinii</i>

<i>Astragalus robbinsii</i>	<i>Astragalus roemerii</i>	<i>Astragalus sanguinolentus</i>
<i>Astragalus schelichowii</i>	<i>Astragalus schmalhauseni</i>	<i>Astragalus scorpiurus</i>
<i>Astragalus sempervirens</i>	<i>Astragalus sieversianus</i>	<i>Astragalus sikkimensis</i>
<i>Astragalus siliquosus</i>	<i>Astragalus solandri</i>	<i>Astragalus spatulatus</i>
<i>Astragalus sphaerophysa</i>	<i>Astragalus stevenianus</i>	<i>Astragalus stipulatus</i>
<i>Astragalus suberosus</i>	<i>Astragalus subumbellatus</i>	<i>Astragalus sulcatus</i>
<i>Astragalus suprapilosus</i>	<i>Astragalus taschkenticus</i>	<i>Astragalus tephrosioides</i>
<i>Astragalus thompsonae</i>	<i>Astragalus traskiae</i>	<i>Astragalus trimestris</i>
<i>Astragalus triradiatus</i>	<i>Astragalus turbinatus</i>	<i>Astragalus unifoliatus</i>
<i>Astragalus unifoliolatus</i>	<i>Astragalus utriger</i>	<i>Astragalus varius</i>
<i>Astragalus vesicarius</i>	<i>Astragalus villosissimus</i>	<i>Astragalus vogelii</i>
<i>Astragalus vulnerariae</i>	<i>Astragalus vulpinus</i>	<i>Astrantia Biebersteinii</i>
<i>Astrantia carinthiaca</i>	<i>Astrantia carniolica</i>	<i>Astrantia major</i>
<i>Astrantia maxima</i>	<i>Astridia alba</i>	<i>Astridia citrina</i>
<i>Astridia hallii</i>	<i>Astridia herrei</i>	<i>Astridia longifolia</i>
<i>Astridia lutata</i>	<i>Astridia speciosa</i>	<i>Astridia vanheerdei</i>
<i>Astridia velutina</i>	<i>Astripomoea grantii</i>	<i>Astripomoea malvacea</i>
<i>Astrocaryum aculeatissimum</i>	<i>Astrocaryum aculeatum</i>	<i>Astrocaryum alatum</i>
<i>Astrocaryum campestre</i>	<i>Astrocaryum gynacanthum</i>	<i>Astrocaryum huicungo</i>
<i>Astrocaryum jauari</i>	<i>Astrocaryum malybo</i>	<i>Astrocaryum mexicanum</i>
<i>Astrocaryum murumuru</i>	<i>Astrocaryum standleyanum</i>	<i>Astrocaryum ulei</i>
<i>Astrocaryum vulgare</i>	<i>Astrolepis cochisensis</i>	<i>Astrolepis laevis</i>
<i>Astrolepis sinuata</i>	<i>Astroloba congesta</i>	<i>Astroloba deltoidea</i>
<i>Astroloba foliolosa</i>	<i>Astroloba herrei</i>	<i>Astroloba pentagona</i>
<i>Astroloba rubriflora</i>	<i>Astroloba skinneri</i>	<i>Astroloba spiralis</i>
<i>Astroloma conostephioides</i>	<i>Astroloma humifusum</i>	<i>Astroloma pinifolium</i>
<i>Astronium fraxinifolium</i>	<i>Astronium graveolens</i>	<i>Astrophytum asterias</i>
<i>Astrophytum asterioides</i>	<i>Astrophytum capricorne</i>	<i>Astrophytum caput-medusae</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Astrophytum myriostigma</i>	<i>Astrophytum myriostigma</i> <i>x capricorne</i>	<i>Astrophytum nuda</i>
--------------------------------	---	-------------------------

<i>Astrophytum ornatum</i>	<i>Astrotricha asperifolia</i>	<i>Astrotricha biddulphiana</i>
<i>Astrotricha floccosa</i>	<i>Astrotricha latifolia</i>	<i>Astrotricha ledifolia</i>
<i>Astrotricha linearis</i>	<i>Astrotricha longifolia</i>	<i>Astrotricha obovata</i>
<i>Astrotricha pterocarpa</i>	<i>Astrotricha roddii</i>	<i>x Astroworthia bicarinata</i>
<i>Astydamia canariensis</i>	<i>Astydamia latifolia</i>	<i>Asyneuma canescens</i>
<i>Asystasia bella</i>	<i>Asystasia chelonoides</i>	<i>Asystasia gangetica</i>
<i>Asystasia scandens</i>	<i>Asystasia travancorica</i>	<i>Asystasia violacea</i>
<i>Ataenidia conferta</i>	<i>Atalantia monophylla</i>	<i>Atalaya collina</i>
<i>Atalaya multiflora</i>	<i>Atamosco pulchella</i>	<i>Athamanta chiliosciadia</i>
<i>Athamanta cretensis</i>	<i>Athamanta macedonica</i>	<i>Athamanta turbith</i>
<i>Athanasia acerosa</i>	<i>Athenaea picta</i>	<i>Atherosperma moschatum</i>
<i>Athertonia diversifolia</i>	<i>Athrixia pulverulenta</i>	<i>Athrotaxis cupressoides</i>
<i>Athrotaxis laxifolia</i>	<i>Athrotaxis selaginoides</i>	<i>Athyriopsis thwaitesii</i>
<i>Athyrium accedens</i>	<i>Athyrium assimile</i>	<i>Athyrium bantamense</i>
<i>Athyrium cuspidatum</i>	<i>Athyrium dilatatum</i>	<i>Athyrium drepanopterum</i>
<i>Athyrium filix-femina</i>	<i>Athyrium foliolosum</i>	<i>Athyrium frangulum</i>
<i>Athyrium goeringianum</i>	<i>Athyrium mearnsianum</i>	<i>Athyrium melanolepis</i>
<i>Athyrium moritzianum</i>	<i>Athyrium niponicum</i>	<i>Athyrium otophorum</i>
<i>Athyrium rubripes</i>	<i>Athyrium sheareri</i>	<i>Athyrium spinulosum</i>
<i>Athyrium subrigescens</i>	<i>Athyrium vidalii</i>	<i>Athyrium wardii</i>
<i>Athyrium yokoscense</i>	<i>Atkinsonia ligustrina</i>	<i>Atractocarpus benthamianus</i>
<i>Atractocarpus chartaceus</i>	<i>Atractocarpus fitzalanii</i>	<i>Atractocarpus hirtus</i>
<i>Atractocarpus merikin</i>	<i>Atractocarpus sessilis</i>	<i>Atractylodes macrocephala</i>
<i>Atriplex angulata</i>	<i>Atriplex atacamensis</i>	<i>Atriplex aucheri</i>
<i>Atriplex billardierei</i>	<i>Atriplex canescens</i>	<i>Atriplex conduplicata</i>
<i>Atriplex coquimbana</i>	<i>Atriplex eichleri</i>	<i>Atriplex falcata</i>
<i>Atriplex fissivalvis</i>	<i>Atriplex flabellum</i>	<i>Atriplex gardneri</i>
<i>Atriplex halimus</i>	<i>Atriplex hortensis</i>	<i>Atriplex hymenelytra</i>

<i>Atriplex incrassata</i>	<i>Atriplex inflata</i>	<i>Atriplex infrequens</i>
<i>Atriplex joaquiniana</i>	<i>Atriplex lentiformis</i>	<i>Atriplex leptocarpa</i>
<i>Atriplex madariagae</i>	<i>Atriplex moneta</i>	<i>Atriplex morrisii</i>
<i>Atriplex papillata</i>	<i>Atriplex polycarpa</i>	<i>Atriplex prostrata</i>
<i>Atriplex repanda</i>	<i>Atriplex rhagodioides</i>	<i>Atriplex spinibractea</i>
<i>Atriplex sturtii</i>	<i>Atriplex turbinata</i>	<i>Atriplex undulata</i>
<i>Atropa belladonna</i>	<i>Attalea allenii</i>	<i>Attalea amygdalina</i>
<i>Attalea amylacea</i>	<i>Attalea butyracea</i>	<i>Attalea cephalotus</i>
<i>Attalea cohune</i>	<i>Attalea colenda</i>	<i>Attalea crassispatha</i>
<i>Attalea dubia</i>	<i>Attalea insignis</i>	<i>Attalea lauromulleriana</i>
<i>Attalea leandroana</i>	<i>Attalea macrocarpa</i>	<i>Attalea maripa</i>
<i>Attalea oleifera</i>	<i>Attalea osmantha</i>	<i>Attalea rostrata</i>
<i>Attalea speciosa</i>	<i>Attalea spectabilis</i>	<i>Attalea vitrivir</i>
<i>Aubrieta canescens</i>	<i>Aubrieta x cultorum</i>	<i>Aubrieta deltoidea</i>
<i>Aubrieta erubescens</i>	<i>Aubrieta gracilis</i>	<i>Aubrieta intermedia</i>
<i>Aucuba himalaica</i>	<i>Aucuba japonica</i>	<i>Aulax cancellata</i>
<i>Aulax cneorifolia</i>	<i>Aulax pallasia</i>	<i>Aulax pinifolia</i>
<i>Aulax umbellata</i>	<i>Auranticarpa edentata</i>	<i>Auranticarpa ilicifolia</i>
<i>Auranticarpa melanosperma</i>	<i>Auranticarpa rhombifolia</i>	<i>Aurinia saxatilis</i>
<i>Australina pusilla</i>	<i>Australluma ubomboensis</i>	<i>Australopyrum calcis</i>
<i>Australopyrum velutinum</i>	<i>Austrobaileya scandens</i>	<i>Austrobuxus megacarpus</i>
<i>Austrobuxus nitidus</i>	<i>Austrobuxus swainii</i>	<i>Austrocactus bertinii</i>
<i>Austrocactus patagonicus</i>	<i>Austrocactus philippii</i>	<i>Austrocactus spiniflorus</i>
<i>Austrocylindropuntia cylindrica</i>	<i>Austrocynoglossum latifolium</i>	<i>Austrodanthonia alpicola</i>
<i>Austrodanthonia bipartita</i>	<i>Austrodanthonia carphoides</i>	<i>Austrodanthonia diemenica</i>
<i>Austrodanthonia duttoniana</i>	<i>Austrodanthonia fulva</i>	<i>Austrodanthonia geniculata</i>
<i>Austrodanthonia induta</i>	<i>Austrodanthonia laevis</i>	<i>Austrodanthonia mera</i>
<i>Austrodanthonia monticola</i>	<i>Austrodanthonia oreophila</i>	<i>Austrodanthonia popinensis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Austrodanthonia remota</i>	<i>Austrodanthonia richardsonii</i>	<i>Austrofestuca eriopoda</i>
<i>Austromuellera trinervia</i>	<i>Austromyrtus bidwillii</i>	<i>Austromyrtus dulcis</i>
<i>Austromyrtus dulcis</i> x <i>tenuifolia</i>	<i>Austromyrtus fragrantissima</i>	<i>Austromyrtus inophloia</i>
<i>Austromyrtus lasioclada</i>	<i>Austromyrtus metrosideros</i>	<i>Austromyrtus shepherdii</i>
<i>Austromyrtus tenuifolia</i>	<i>Austrosteenisia blackii</i>	<i>Austrostipa aphylla</i>
<i>Austrostipa aquarii</i>	<i>Austrostipa aristiglumis</i>	<i>Austrostipa blakei</i>
<i>Austrostipa breviglumis</i>	<i>Austrostipa centralis</i>	<i>Austrostipa curticoma</i>
<i>Austrostipa densiflora</i>	<i>Austrostipa echinata</i>	<i>Austrostipa feresetacea</i>
<i>Austrostipa gibbosa</i>	<i>Austrostipa metatoris</i>	<i>Austrostipa muelleri</i>
<i>Austrostipa multispiculis</i>	<i>Austrostipa mundula</i>	<i>Austrostipa nivicola</i>
<i>Austrostipa nullanulla</i>	<i>Austrostipa oligostachya</i>	<i>Austrostipa petraea</i>
<i>Austrostipa pilata</i>	<i>Austrostipa pubescens</i>	<i>Austrostipa pubinodis</i>
<i>Austrostipa setacea</i>	<i>Austrostipa stipoides</i>	<i>Austrostipa wakoolica</i>
<i>Austrotaxus spicata</i>	<i>Avellinia michelii</i>	<i>Avena abyssinica</i>
<i>Avena barbata</i>	<i>Avena eriantha</i>	<i>Avena fatua</i>
<i>Avena longiglumis</i>	<i>Avena maroccana</i>	<i>Avena sativa</i>
<i>Avena sterilis</i>	<i>Avena strigosa</i>	<i>Avena ventricosa</i>
<i>Avenastrum compressum</i>	<i>Averrhoa bilimbi</i>	<i>Averrhoa carambola</i>
<i>Avicennia eucalyptifolia</i>	<i>Avonia albissima</i>	<i>Avonia dinteri</i>
<i>Avonia papyracea</i>	<i>Avonia quinaria</i>	<i>Avonia recurvata</i>
<i>Avonia ruschii</i>	<i>Avonia ustulata</i>	<i>Axonopus argentinus</i>
<i>Axonopus aureus</i>	<i>Axonopus compressus</i>	<i>Axonopus fissifolius</i>
<i>Axonopus pressus</i>	<i>Axonopus purpusii</i>	<i>Axonopus siccus</i>
<i>Axonopus suffultus</i>	<i>Ayapana triplinervis</i>	<i>Aylosteria pseudodeminuta</i>
<i>Aylthonia macrantha</i>	<i>Aylthonia magalhaesii</i>	<i>Azadirachta indica</i>
<i>Azara celastrina</i>	<i>Azara dentata</i>	<i>Azara integrifolia</i>
<i>Azara lanceolata</i>	<i>Azara microphylla</i>	<i>Azara petiolaris</i>
<i>Azara serrata</i>	<i>Azara serrata</i> x <i>lanceolata</i>	<i>Azara uruguayensis</i>
<i>Azorella biloba</i>	<i>Azorella filamentosa</i>	<i>Azorella glebaria</i>

<i>Azorella incisa</i>	<i>Azorella lycopodioides</i>	<i>Azorella macquariensis</i>
<i>Azorella peduncularis</i>	<i>Azorella pedunculata</i>	<i>Azorella selago</i>
<i>Azorella trifurcata</i>	<i>Azorina vidalii</i>	<i>Aztekium hintonii</i>
<i>Aztekium ritteri</i>	<i>abiana angustifolia</i>	<i>Babiana attenuata</i>
<i>Babiana blanda</i>	<i>Babiana cedarbergensis</i>	<i>Babiana disticha</i>
<i>Babiana dregei</i>	<i>Babiana ecklonii</i>	<i>Babiana fragrans</i>
<i>Babiana hypogea</i>	<i>Babiana leipoldtii</i>	<i>Babiana minuta</i>
<i>Babiana mucronata</i>	<i>Babiana nana</i>	<i>Babiana patersoniae</i>
<i>Babiana patula</i>	<i>Babiana pubescens</i>	<i>Babiana pulchra</i>
<i>Babiana purpurea</i>	<i>Babiana pygmaea</i>	<i>Babiana ringens</i>
<i>Babiana rubrocyanea</i>	<i>Babiana salteri</i>	<i>Babiana sinuata</i>
<i>Babiana spathacea</i>	<i>Babiana stricta</i>	<i>Babiana thunbergii</i>
<i>Babiana tubulosa</i>	<i>Babiana vanzijliae</i>	<i>Babiana villosa</i>
<i>Babingtonia behrii</i>	<i>Babingtonia bidwillii</i>	<i>Babingtonia camphorosmae</i>
<i>Babingtonia crenulata</i>	<i>Babingtonia cunninghamii</i>	<i>Babingtonia densifolia</i>
<i>Babingtonia jucunda</i>	<i>Babingtonia pluriflora</i>	<i>Babingtonia similis</i>
<i>Babingtonia tozerensis</i>	<i>Babingtonia virgata</i>	<i>Baccaurea angulata</i>
<i>Baccaurea bracteata</i>	<i>Baccaurea costulata</i>	<i>Baccaurea hookeri</i>
<i>Baccaurea macrocarpa</i>	<i>Baccaurea motleyana</i>	<i>Baccaurea polyneura</i>
<i>Baccaurea racemosa</i>	<i>Baccharis magellanica</i>	<i>Baccharis sagittalis</i>
<i>Backhousia angustifolia</i>	<i>Backhousia anisata</i>	<i>Backhousia bancroftii</i>
<i>Backhousia citriodora</i>	<i>Backhousia hughesii</i>	<i>Backhousia myrtifolia</i>
<i>Backhousia sciadophora</i>	<i>Bacopa caroliniana</i>	<i>Bacopa monnieri</i>
<i>Bactris bifida</i>	<i>Bactris brongniartii</i>	<i>Bactris campestris</i>
<i>Bactris caryotifolia</i>	<i>Bactris coloradonis</i>	<i>Bactris concinna</i>
<i>Bactris gasipaes</i>	<i>Bactris glandulosa</i>	<i>Bactris glassmanii</i>
<i>Bactris gracilior</i>	<i>Bactris grayumii</i>	<i>Bactris guineensis</i>
<i>Bactris hondurensis</i>	<i>Bactris longiseta</i>	<i>Bactris major</i>
<i>Bactris maraja</i>	<i>Bactris militaris</i>	<i>Bactris minor</i>
<i>Bactris setosa</i>	<i>Bactris setulosa</i>	<i>Bactris subglobosa</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Bactris tomentosa	Baeckea ambigua	Baeckea astarteoides
Baeckea brevifolia	Baeckea camphorata	Baeckea crenatifolia
Baeckea crenulata	Baeckea cryptandroides	Baeckea cunninghamii
Baeckea densifolia	Baeckea diosmifolia	Baeckea diosmifolia x imbricata
Baeckea fascicularis	Baeckea frutescens	Baeckea gunniana
Baeckea imbricata	Baeckea jucunda	Baeckea latifolia
Baeckea leptocaulis	Baeckea linifolia	Baeckea microphylla
Baeckea oxycoccoides	Baeckea ramosissima	Baeckea schollerifolia
Baeckea stenophylla	Baeckea stowardii	Baeckea tenuifolia
Baeckea utilis	Baeckea virgata	Baeometra uniflora
Bahia ambrosioides	Bahiopsis laciniata	Baikiaea plurijuga
Balaka longirostris	Balaka macrocarpa	Balaka microcarpa
Balaka seemannii	Balaka tahitensis	Balaka tuasivica
Balakata baccata	Balanites maughamii	Balanophora papuana
Balanops australiana	Balbisia peduncularis	Balfourodendron riedelianum
Ballota acetabulosa	Ballota nigra	Ballota pseudodictamnus
Baloghia lucida	Baloskion australe	Baloskion fimbriatum
Baloskion gracile	Baloskion longipes	Baloskion pallens
Baloskion stenocoleum	Baloskion tenuiculme	Baloskion tetraphyllum
Balsamocarpon brevifolium	Balsamocitrus dawei	Balsamorhiza sericea
Bambusa arnhemica	Bambusa balcooa	Bambusa bambos
Bambusa basihirsuta	Bambusa beecheyana	Bambusa boniopsis
Bambusa burmanica	Bambusa cerosissima	Bambusa chungii

Bambusa corniculata	Bambusa diaoluoshanensis	Bambusa dissimulator
Bambusa dolichomerithalla	Bambusa emeiensis	Bambusa eutuldooides
Bambusa gibba	Bambusa guangxiensis	Bambusa heterostachya
Bambusa indigena	Bambusa insularis	Bambusa intermedia
Bambusa lako	Bambusa lapidea	Bambusa maculata

<i>Bambusa malingensis</i>	<i>Bambusa mitis</i>	<i>Bambusa moreheadiana</i>
<i>Bambusa multiplex</i>	<i>Bambusa nutans</i>	<i>Bambusa oldhamii</i>
<i>Bambusa oliveriana</i>	<i>Bambusa pachinensis</i>	<i>Bambusa pervariabilis</i>
<i>Bambusa polymorpha</i>	<i>Bambusa remotiflora</i>	<i>Bambusa rigida</i>
<i>Bambusa rutila</i>	<i>Bambusa sinospinosa</i>	<i>Bambusa stenoaurita</i>
<i>Bambusa surrecta</i>	<i>Bambusa tabacaria</i>	<i>Bambusa textilis</i>
<i>Bambusa tulda</i>	<i>Bambusa tuldoides</i>	<i>Bambusa valida</i>
<i>Bambusa variostrata</i>	<i>Bambusa ventricosa</i>	<i>Bambusa vulgaris</i>
<i>Bambusa tuldoides</i> x <i>Dendrocalamus latiflorus</i> x <i>Bambusa textilis</i>	<i>Banisteriopsis caapi</i>	<i>Banksia aemula</i>
<i>Banksia aquilonia</i>	<i>Banksia aspleniifolia</i>	<i>Banksia brevidentata</i>
<i>Banksia canei</i>	<i>Banksia conferta</i>	<i>Banksia cunninghamii</i>
<i>Banksia dolichostyla</i>	<i>Banksia ericifolia</i>	<i>Banksia ericifolia</i> x <i>spinulosa</i>
<i>Banksia hiemalis</i>	<i>Banksia hookeriana</i> x <i>prionotes</i>	<i>Banksia imbricata</i>
<i>Banksia integrifolia</i>	<i>Banksia integrifolia</i> x <i>marginata</i>	<i>Banksia marescens</i>
<i>Banksia marginata</i>	<i>Banksia oblongifolia</i>	<i>Banksia ornata</i>
<i>Banksia paludosa</i>	<i>Banksia paludosa</i> x <i>robur</i>	<i>Banksia penicillata</i>
<i>Banksia plagiocarpa</i>	<i>Banksia robur</i>	<i>Banksia saxicola</i>
<i>Banksia serrata</i>	<i>Banksia serratifolia</i>	<i>Banksia spinulosa</i>
<i>Banksia spinulosa</i> x <i>ericifolia</i>	<i>Baphia bequaertii</i>	<i>Baphia nitida</i>
<i>Baphia racemosa</i>	<i>Baptisia alba</i>	<i>Baptisia australis</i>
<i>Baptisia bracteata</i>	<i>Baptisia nuttalliana</i>	<i>Baptisia perfoliata</i>
<i>Baptisia sphaerocarpa</i>	<i>Baptisia tinctoria</i>	<i>Baptistonia</i> spp.
<i>Barbarea australis</i>	<i>Barbarea verna</i>	<i>Barbarea vulgaris</i>
<i>Barclaya longifolia</i>	<i>Barkeria</i> spp.	<i>Barleria albostellata</i>
<i>Barleria crassa</i>	<i>Barleria cristata</i>	<i>Barleria micans</i>
<i>Barleria obtusa</i>	<i>Barleria repens</i>	<i>Barleria ventricosa</i>
<i>Barnadesia caryophylla</i>	<i>Barnadesia odorata</i>	<i>Barnadesia spinosa</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Barnardia japonica</i>	<i>Barnardia numidica</i>	<i>Barombia schliebenii</i>
<i>Barringtonia asiatica</i>	<i>Barringtonia calyptrata</i>	<i>Barringtonia calyptrocalyx</i>
<i>Barringtonia edulis</i>	<i>Barringtonia gracilis</i>	<i>Barringtonia neocaledonica</i>
<i>Barringtonia novae- hiberniae</i>	<i>Barringtonia papuana</i>	<i>Barringtonia procera</i>
<i>Barringtonia racemosa</i>	<i>Barringtonia samoensis</i>	<i>Bartholina ethelae</i>
<i>Bartlettina sordida</i>	<i>Bartschella schumannii</i>	<i>Basella alba</i>
<i>Basselinia deplanchei</i>	<i>Basselinia favieri</i>	<i>Basselinia gracilis</i>
<i>Basselinia pancheri</i>	<i>Basselinia tomentosa</i>	<i>Basselinia velutina</i>
<i>Batatas edulis</i>	<i>Batemannia</i> spp.	<i>Bathya andina</i>
<i>Bauera capitata</i>	<i>Bauera juncea</i>	<i>Bauera microphylla</i>
<i>Bauera rubioides</i>	<i>Bauera rubioides</i> x <i>sessiliflora</i>	<i>Bauera sessiliflora</i>
<i>Bauerella simplicifolia</i>	<i>Bauhinia acuminata</i>	<i>Bauhinia anamesa</i>
<i>Bauhinia arborea</i>	<i>Bauhinia bauhinioides</i>	<i>Bauhinia bidentata</i>
<i>Bauhinia binata</i>	<i>Bauhinia</i> x <i>blakeana</i>	<i>Bauhinia bohniana</i>
<i>Bauhinia bowkeri</i>	<i>Bauhinia brachycarpa</i>	<i>Bauhinia candida</i>
<i>Bauhinia championii</i>	<i>Bauhinia corniculata</i>	<i>Bauhinia corymbosa</i>
<i>Bauhinia diphylla</i>	<i>Bauhinia divaricata</i>	<i>Bauhinia dolichocalyx</i>
<i>Bauhinia galpinii</i>	<i>Bauhinia genuflexa</i>	<i>Bauhinia gilva</i>
<i>Bauhinia glabra</i>	<i>Bauhinia glauca</i>	<i>Bauhinia grandidieri</i>
<i>Bauhinia guianensis</i>	<i>Bauhinia integrifolia</i>	<i>Bauhinia involucellata</i>
<i>Bauhinia jenningsii</i>	<i>Bauhinia kockiana</i>	<i>Bauhinia lucida</i>
<i>Bauhinia monandra</i>	<i>Bauhinia natalensis</i>	<i>Bauhinia petersiana</i>
<i>Bauhinia petiolata</i>	<i>Bauhinia purpurea</i>	<i>Bauhinia racemosa</i>
<i>Bauhinia reticulata</i>	<i>Bauhinia rufescens</i>	<i>Bauhinia scandens</i>
<i>Bauhinia subrotundifolia</i>	<i>Bauhinia syringifolia</i>	<i>Bauhinia tomentosa</i>
<i>Bauhinia touranensis</i>	<i>Bauhinia vahlii</i>	<i>Bauhinia variegata</i>
<i>Baumea gunnii</i>	<i>Baumea laxa</i>	<i>Baumea teretifolia</i>
<i>Baumea tetragona</i>	<i>Baumea veillonis</i>	<i>Bazzania involuta</i>
<i>Beaucarnea goldmanii</i>	<i>Beaucarnea gracilis</i>	<i>Beaucarnea guatemalensis</i>

<i>Beaucarnea pliabilis</i>	<i>Beaucarnea recurvata</i>	<i>Beaucarnea stricta</i>
<i>Beaufortia dampieri</i>	<i>Beaufortia heterophylla</i>	<i>Beaumontia fragrans</i>
<i>Beaumontia grandiflora</i>	<i>Beaumontia jerdoniana</i>	<i>Beaumontia murtonii</i>
<i>Beauprea asplenioides</i>	<i>Beauprea balansae</i>	<i>Beauprea gracilis</i>
<i>Beauprea montana</i>	<i>Beauprea neglecta</i>	<i>Beauprea pancheri</i>
<i>Beauprea paniculata</i>	<i>Beauprea spathulaefolia</i>	<i>Beaupreopsis paniculata</i>
<i>Beccariophoenix alfredii</i>	<i>Beccariophoenix madagascariensis</i>	<i>Beclardia</i> spp.
<i>Bedfordia arborescens</i>	<i>Bedfordia linearis</i>	<i>Bedfordia salicina</i>
<i>Beesia calthifolia</i>	<i>Begonia acerifolia</i>	<i>Begonia acetosa</i>
<i>Begonia acida</i>	<i>Begonia aconitifolia</i>	<i>Begonia acutifolia</i>
<i>Begonia admirabilis</i>	<i>Begonia albo-picta</i>	<i>Begonia albopicta</i>
<i>Begonia alnifolia</i>	<i>Begonia amphioxus</i>	<i>Begonia</i> x <i>angularis</i>
<i>Begonia angulata</i>	<i>Begonia annulata</i>	<i>Begonia aptera</i>
<i>Begonia arborescens</i>	<i>Begonia argentea</i>	<i>Begonia</i> x <i>argenteo-guttata</i>
<i>Begonia aridicaulis</i>	<i>Begonia aridicaulis</i> x <i>heracleifolia</i>	<i>Begonia atricha</i>
<i>Begonia attenuata</i>	<i>Begonia auriculata</i>	<i>Begonia balansana</i>
<i>Begonia barkeri</i>	<i>Begonia barsalouxiae</i>	<i>Begonia beddomei</i>
<i>Begonia belli</i>	<i>Begonia bipinnatifida</i>	<i>Begonia bogneri</i>
<i>Begonia boisiana</i>	<i>Begonia boliviensis</i>	<i>Begonia bowerae</i>
<i>Begonia bowerae</i> x <i>carrieae</i>	<i>Begonia bowerae</i> x <i>heracleifolia</i>	<i>Begonia bowerae</i> x <i>mazae</i>
<i>Begonia bowerae</i> x <i>thiemei</i>	<i>Begonia bradei</i>	<i>Begonia brevirimosa</i>
<i>Begonia bufoderma</i>	<i>Begonia bulbifera</i>	<i>Begonia bulbifera</i>
<i>Begonia cardiocarpa</i>	<i>Begonia carolineifolia</i>	<i>Begonia carrieae</i>
<i>Begonia carrieae</i> x <i>bowerae</i>	<i>Begonia carrieae</i> x <i>carolineifolia</i>	<i>Begonia cathayana</i>
<i>Begonia cavallyensis</i>	<i>Begonia chitoensis</i>	<i>Begonia chlorosticta</i>
<i>Begonia chuniana</i>	<i>Begonia cinnabarina</i>	<i>Begonia cirrosa</i>
<i>Begonia clarkei</i>	<i>Begonia coccinea</i>	<i>Begonia compta</i>
<i>Begonia conchifolia</i>	<i>Begonia coriacea</i>	<i>Begonia crassicaulis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Begonia x credneri	Begonia crenata	Begonia crispula
Begonia cristobalensis	Begonia cubensis	Begonia cucullata
Begonia davisii	Begonia decora	Begonia deliciosa
Begonia diadema	Begonia dichotoma	Begonia dichroa
Begonia dichroa x maculata	Begonia dietrichiana	Begonia x digswelliana
Begonia digyna	Begonia dipetala	Begonia domingensis
Begonia dominicalis	Begonia dregei	Begonia dregei x lubbersii
Begonia x duchartrei	Begonia echinosepala	Begonia edmundoi
Begonia egregia	Begonia elatostematoides	Begonia epiphytica
Begonia epipsila	Begonia x erythrophylla	Begonia fagifolia
Begonia fenicis	Begonia fernando-costae	Begonia fernandoi-costae
Begonia fimbristipula	Begonia fischeri	Begonia flaviflora
Begonia fluminensis	Begonia foliosa	Begonia formosana
Begonia froebelii	Begonia fruticosa	Begonia fuchsiifolia
Begonia x fuscomaculata	Begonia gehrtii	Begonia geniculata
Begonia geranioides	Begonia glabra	Begonia glandulosa
Begonia goegoensis	Begonia gracilis	Begonia guaduensis
Begonia haageana	Begonia hatacoa	Begonia hederacea
Begonia hemsleyana	Begonia henryi	Begonia x heracleicotyle
Begonia heracleifolia	Begonia heracleifolia x sandtii	Begonia heracleifolia x strigulosa
Begonia herbacea	Begonia hernandioides	Begonia x hiemalis
Begonia hirsuta	Begonia hispida	Begonia holtonis
Begonia homonyma	Begonia hookeriana	Begonia hugelii
Begonia x hybrida	Begonia hydrocotylifolia	Begonia hypolipara
Begonia imperialis	Begonia imperialis x heracleifolia	Begonia incana
Begonia incisa	Begonia x ingramii	Begonia involucrata
Begonia isoptera	Begonia itaguassuensis	Begonia jocelinoi
Begonia johnstonii	Begonia juliana	Begonia karwinskyana
Begonia kautskyana	Begonia kellermanii	Begonia kenworthyae

Begonia komoensis	Begonia lanceolata	Begonia langeana
Begonia leathermaniae	Begonia leptotricha	Begonia liebmannii
Begonia limmingheiana	Begonia lindleyana	Begonia listada
Begonia lithophila	Begonia lobata	Begonia lobulata
Begonia lokobeensis	Begonia longipes	Begonia loranthoides
Begonia lubbersii	Begonia ludwigii	Begonia luxurians
Begonia luxurians x scharffii	Begonia luzonensis	Begonia lyman-smithii
Begonia lynceorum	Begonia macdougalli	Begonia macduffieana
Begonia macrocarpa	Begonia maculata	Begonia magnifica
Begonia malabarica	Begonia malachosticta	Begonia manicata
Begonia mannii	Begonia martiana	Begonia masoniana
Begonia mazae	Begonia mazae x heracleifolia	Begonia megaphylla
Begonia megaptera	Begonia meridensis	Begonia metallica
Begonia microsperma	Begonia minor	Begonia mollerii
Begonia mollicaulis	Begonia multinervia	Begonia naumoniensis
Begonia nelumbiifolia	Begonia nitida	Begonia oaxacana
Begonia obliqua	Begonia obscura	Begonia octopetala
Begonia odeteiantha	Begonia odorata	Begonia olbia
Begonia olsoniae	Begonia opuliflora	Begonia ottonis
Begonia oxyanthera	Begonia oxyloba	Begonia oxyphylla
Begonia oxysperma	Begonia paleata	Begonia palmaris
Begonia palmata	Begonia paranaensis	Begonia parilis
Begonia parmata	Begonia partita	Begonia parvifolia
Begonia paulensis	Begonia paupercula	Begonia pearcei
Begonia pedatifida	Begonia peltata	Begonia pentaphylla
Begonia petasitifolia	Begonia philippinensis	Begonia philodendroides
Begonia picta	Begonia pinetorum	Begonia pittieri
Begonia piurensis	Begonia platanifolia	Begonia polyantha
Begonia polygonoides	Begonia popenoei	Begonia populnea

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Begonia x prestoniensis	Begonia prismatocarpa	Begonia procumbens
Begonia prostrata	Begonia pruinata	Begonia pseudolubbersii
Begonia pustulata	Begonia pycnantha	Begonia quadrialata
Begonia radicans	Begonia radicans x solananthera	Begonia rajah
Begonia rex	Begonia rex-cultorum	Begonia rhopalocarpa
Begonia x ricinifolia	Begonia robusta	Begonia rockii

Begonia roezlii	Begonia rosacea	Begonia rotundifolia
Begonia roxburghii	Begonia rudatisii	Begonia rufa
Begonia rufosericea	Begonia salicifolia	Begonia salomonensis
Begonia sandtii	Begonia sanguinea	Begonia santos-limae
Begonia sartorii	Begonia x saundersii	Begonia scabrida
Begonia scapigera	Begonia sceptrum	Begonia scharffiana
Begonia scharffii	Begonia schmidtiana	Begonia scutifolia
Begonia x sedeni	Begonia x semperflorens-cultorum	Begonia sericoneura
Begonia serotina	Begonia serratipetala	Begonia setosa
Begonia sharpeana	Begonia silletensis	Begonia sinofloribunda
Begonia sizemoreae	Begonia socotrana	Begonia solananthera
Begonia soli-mutata	Begonia soli-mutata x thelmae	Begonia sonderana
Begonia sonderiana	Begonia squamulosa	Begonia staudtii
Begonia stipulacea	Begonia strigillosa	Begonia strigosa
Begonia strigulosa	Begonia subvillosa	Begonia suffruticosa
Begonia sulcata	Begonia sunorchis	Begonia sutherlandii
Begonia sychnantha	Begonia taiwaniana	Begonia taliensis
Begonia tayabensis	Begonia tenera	Begonia teuscheri
Begonia thelmae	Begonia thiemei	Begonia thiemei x carolineifolia
Begonia tomentosa	Begonia tonduzii	Begonia x tuberhybrida
Begonia ulmifolia	Begonia umbraculifera	Begonia undulata

<i>Begonia uniflora</i>	<i>Begonia urophylla</i>	<i>Begonia uvana</i>
<i>Begonia valida</i>	<i>Begonia variegata</i>	<i>Begonia veitchii</i>
<i>Begonia velloziana</i>	<i>Begonia venosa</i>	<i>Begonia x verschaffeltii</i>
<i>Begonia versicolor</i>	<i>Begonia vittarifolia</i>	<i>Begonia x weltoniensis</i>
<i>Begonia wollnyi</i>	<i>Begonia wollnyi x mazae</i>	<i>Begonia wollnyi x thiemei</i>
<i>Begonia xanthina</i>	<i>Begonia xingyiensis</i>	<i>Behnia reticulata</i>
<i>Beilschmiedia bancroftii</i>	<i>Beilschmiedia berteroaana</i>	<i>Beilschmiedia castrisnensis</i>
<i>Beilschmiedia elliptica</i>	<i>Beilschmiedia miersii</i>	<i>Beilschmiedia obtusifolia</i>
<i>Beilschmiedia peninsularis</i>	<i>Beilschmiedia recurva</i>	<i>Beilschmiedia tarairi</i>
<i>Beilschmiedia tawa</i>	<i>Beilschmiedia tooram</i>	<i>Beilschmiedia volckii</i>
<i>Belamcanda bulbifera</i>	<i>Bellardia trixago</i>	<i>Bellendena montana</i>
<i>Bellevalia albana</i>	<i>Bellevalia atrovioleacea</i>	<i>Bellevalia aucheri</i>
<i>Bellevalia brevipedicellata</i>	<i>Bellevalia ciliata</i>	<i>Bellevalia clusiana</i>
<i>Bellevalia crassa</i>	<i>Bellevalia desertorum</i>	<i>Bellevalia dubia</i>
<i>Bellevalia fominii</i>	<i>Bellevalia gracilis</i>	<i>Bellevalia hackelii</i>
<i>Bellevalia hyacinthoides</i>	<i>Bellevalia kurdistanica</i>	<i>Bellevalia longipes</i>
<i>Bellevalia longistyla</i>	<i>Bellevalia modesta</i>	<i>Bellevalia montana</i>
<i>Bellevalia nivalis</i>	<i>Bellevalia paradoxa</i>	<i>Bellevalia pycnantha</i>
<i>Bellevalia rixii</i>	<i>Bellevalia romana</i>	<i>Bellevalia sarmatica</i>
<i>Bellevalia saviczii</i>	<i>Bellevalia tabriziana</i>	<i>Bellevalia trifoliata</i>
<i>Bellevalia turkestanica</i>	<i>Bellevalia webbiana</i>	<i>Bellis perennis</i>
<i>Bellis rotundifolia</i>	<i>Bellium minutum</i>	<i>Beloperone auriculata</i>
<i>Belvisia mucronata</i>	<i>Belvisia spicata</i>	<i>Belvisia squamata</i>
<i>Bencomia brachystachya</i>	<i>Bencomia caudata</i>	<i>Bencomia exstipulata</i>
<i>Bencomia sphaerocarpa</i>	<i>Benincasa hispida</i>	<i>Bentinckia condapanna</i>
<i>Bentinckia nicobarica</i>	<i>Benzoin odoriferum</i>	<i>Berberidopsis beckleri</i>
<i>Berberidopsis corallina</i>	<i>Berberis aemulans</i>	<i>Berberis aetnensis</i>
<i>Berberis amurensis</i>	<i>Berberis angulosa</i>	<i>Berberis approximata</i>
<i>Berberis aquifolium x repens</i>	<i>Berberis arido-calida</i>	<i>Berberis asiatica</i>
<i>Berberis atrocarpa</i>	<i>Berberis bealei</i>	<i>Berberis beaniana</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Berberis berberidifolia	Berberis bergmanniae	Berberis boschanii
Berberis brachypoda	Berberis buxifolia	Berberis calliantha
Berberis candidula	Berberis x carminea	Berberis cavaleriei
Berberis cerasina	Berberis x chenaultii	Berberis chinensis
Berberis chitria	Berberis circumserrata	Berberis commutata
Berberis concinna	Berberis congestiflora	Berberis coryi
Berberis coxii	Berberis crataegina	Berberis darwinii
Berberis dasystachya	Berberis declinata	Berberis delavayi
Berberis densiflora	Berberis diaphana	Berberis dictyophylla
Berberis dielsiana	Berberis dubia	Berberis edgeworthiana
Berberis empetrifolia	Berberis feddeana	Berberis floribunda
Berberis fortunei	Berberis franchetiana	Berberis francisci-ferdinandi
Berberis gagnepainii	Berberis gilgiana	Berberis x gladwynensis
Berberis globosa	Berberis gracilis	Berberis griffithiana
Berberis gyalaiica	Berberis hakeoides	Berberis heterophylla
Berberis heteropoda	Berberis x hybridogagnepainii	Berberis ilicifolia
Berberis insignis	Berberis jamesiana	Berberis japonica
Berberis japonica x lomariifolia	Berberis julianae	Berberis kawakamii
Berberis koreana	Berberis koreana x thunbergii	Berberis latifolia
Berberis lecomtei	Berberis lempergiana	Berberis lepidifolia
Berberis leschenaultii	Berberis linearifolia	Berberis x lologensis
Berberis lomariifolia	Berberis loxensis	Berberis lycium
Berberis manipurana	Berberis x media	Berberis mekongensis
Berberis x mentorensis	Berberis microphylla	Berberis morrisonensis
Berberis x moserii	Berberis napaulensis	Berberis nervosa
Berberis oblonga	Berberis orthobotrys	Berberis orthobotrys x ottawensis
Berberis x ottawensis	Berberis pallens	Berberis pinnata
Berberis poiretii	Berberis polyantha	Berberis potaninii

<i>Berberis prattii</i>	<i>Berberis x provincialis</i>	<i>Berberis pumila</i>
<i>Berberis regeliana</i>	<i>Berberis replicata</i>	<i>Berberis sargentiana</i>
<i>Berberis sibirica</i>	<i>Berberis sieboldii</i>	<i>Berberis sikkimensis</i>
<i>Berberis soulieana</i>	<i>Berberis x stenophylla</i>	<i>Berberis subcauliata</i>
<i>Berberis suberecta</i>	<i>Berberis taliensis</i>	<i>Berberis taylorii</i>
<i>Berberis temolaica</i>	<i>Berberis tenuifolia</i>	<i>Berberis thunbergii</i>
<i>Berberis thunbergii x vulgaris</i>	<i>Berberis tischleri</i>	<i>Berberis triacanthophora</i>
<i>Berberis tsarongensis</i>	<i>Berberis turcomanica</i>	<i>Berberis veitchii</i>
<i>Berberis verna</i>	<i>Berberis verruculosa</i>	<i>Berberis virescens</i>
<i>Berberis virgetorum</i>	<i>Berberis vulgaris</i>	<i>Berberis x wagneri</i>
<i>Berberis wallichiana</i>	<i>Berberis wilsoniae</i>	<i>Berberis xanthoxylon</i>
<i>Berberis yunnanensis</i>	<i>Berberis zabeliana</i>	<i>Berchemia discolor</i>
<i>Berchemia floribunda</i>	<i>Berchemia lineata</i>	<i>Berchemia racemosa</i>
<i>Berchemia sinica</i>	<i>Berchemia zeyheri</i>	<i>Bergenia crassifolia</i>
<i>Bergenia crassifolia x purpurascens</i>	<i>Bergenia delavayi</i>	<i>Bergenia ligulata</i>
<i>Bergenia pacifica</i>	<i>Bergenia stracheyi</i>	<i>Bergera koenigii</i>
<i>Bergeranthus artus</i>	<i>Bergeranthus concavus</i>	<i>Bergeranthus katbergensis</i>
<i>Bergeranthus multiceps</i>	<i>Bergeranthus scapiger</i>	<i>Bergeranthus vespertinus</i>
<i>Bergerocactus emoryi</i>	<i>Berkheya cuneata</i>	<i>Berkheya spinosa</i>
<i>Berlandiera lyrata</i>	<i>Berneuxia thibetica</i>	<i>Berneuxia yunnanensis</i>
<i>Berrya cordifolia</i>	<i>Berrya javanica</i>	<i>Bersama lucens</i>
<i>Bertholletia nobilis</i>	<i>Bertolonia x houtteana</i>	<i>Bertolonia maculata</i>
<i>Bertolonia x marmorata</i>	<i>Bertya astrotricha</i>	<i>Bertya brownii</i>
<i>Bertya cunninghamii</i>	<i>Bertya findlayi</i>	<i>Bertya gummifera</i>
<i>Bertya ingramii</i>	<i>Bertya mitchellii</i>	<i>Bertya mollissima</i>
<i>Bertya oleifolia</i>	<i>Bertya pomaderroides</i>	<i>Bertya rotundifolia</i>
<i>Bertya sharpeana</i>	<i>Berula erecta</i>	<i>Berzelia abrotanoides</i>
<i>Berzelia galpinii</i>	<i>Berzelia intermedia</i>	<i>Berzelia lanuginosa</i>
<i>Berzelia rubra</i>	<i>Berzelia squarrosa</i>	<i>Beschorneria albiflora</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Beschorneria bracteata	Beschorneria chiapensis	Beschorneria pubescens
Beschorneria rigida	Beschorneria tubiflora	Beschorneria wrightii
Beschorneria yuccoides	Bessera elegans	Besseyia wyomingensis
Beta patellaris	Beta vulgaris	Betula aetnensis
Betula albosinensis	Betula alnoides	Betula apoiensis
Betula x aschersoniana	Betula atrata	Betula x aurata
Betula austro-sinensis	Betula x caerulea	Betula celtiberica
Betula chichibuensis	Betula chinensis	Betula concinna
Betula corylifolia	Betula costata	Betula cylindrostachya
Betula dahurica	Betula divaricata	Betula ermanii
Betula forrestii	Betula fruticosa	Betula grossa
Betula humilis	Betula insignis	Betula kirghisorum
Betula korshinskyi	Betula lenta	Betula litwinowii
Betula luminifera	Betula maximowicziana	Betula medwediewii
Betula megrelica	Betula nana	Betula nigra
Betula obscura	Betula ovalifolia	Betula papyrifera
Betula pendula	Betula platyphylla	Betula potaninii
Betula pubescens	Betula pumila	Betula raddeana
Betula rockii	Betula rotundifolia	Betula x sandbergii
Betula schmidtii	Betula turkestanica	Betula utilis
Beyeria drummondii	Beyeria lasiocarpa	Beyeria leschenaultii
Biarum bovei	Biarum carduchorum	Biarum carratracense
Biarum davisii	Biarum dispar	Biarum eximium
Biarum spruneri	Biarum tenuifolium	Bidens atrosanguineus
Bidens bipinnata	Bidens cosmoides	Bidens ferulifolia
Bidens pilosa	Bidens triplinervia	Bifora americana
Bifrenaria spp.	Bignonia argyrea	Bignonia argyreo-violascens
Bignonia callistegioides	Bignonia lindleyi	Bignonia ornata
Bijlia cana	Bijlia dilatata	Bijlia tugwelliae
Bikkia grandiflora	Bikkia macrophylla	Bikkia tetrandra

<i>Biljia cana</i>	<i>Billardiera bignoniacea</i>	<i>Billardiera candida</i>
<i>Billardiera coeruleo-punctata</i>	<i>Billardiera cymosa</i>	<i>Billardiera drummondii</i>
<i>Billardiera erubescens</i>	<i>Billardiera fraseri</i>	<i>Billardiera fusiformis</i>
<i>Billardiera heterophylla</i> x <i>fusiformis</i>	<i>Billardiera longiflora</i>	<i>Billardiera mollis</i>
<i>Billardiera mutabilis</i>	<i>Billardiera ovalis</i>	<i>Billardiera procumbens</i>
<i>Billardiera ringens</i>	<i>Billardiera scandens</i>	<i>Billardiera sericophora</i>
<i>Billbergia (pyramidalis</i> x <i>saundersii)</i> x <i>leptopoda</i>	<i>Billbergia alfonsi-joannis</i>	<i>Billbergia amoena</i>
<i>Billbergia amoena</i> x <i>vittata</i>	<i>Billbergia brasiliensis</i>	<i>Billbergia x breauteana</i>
<i>Billbergia buchholtzii</i>	<i>Billbergia chiapensis</i>	<i>Billbergia chlorantha</i>
<i>Billbergia chlorosticta</i>	<i>Billbergia decora</i>	<i>Billbergia distachia</i>
<i>Billbergia distachia</i> x <i>amoena</i>	<i>Billbergia domingosmartinsis</i> x <i>amoena</i>	<i>Billbergia elegans</i>
<i>Billbergia euphemiae</i>	<i>Billbergia euphemiae</i> x <i>amoena</i>	<i>Billbergia gigantea</i>
<i>Billbergia horrida</i>	<i>Billbergia horrida</i> x <i>amoena</i>	<i>Billbergia horrida</i> x <i>euphemiae</i>
<i>Billbergia iridifolia</i>	<i>Billbergia x joliboisii</i>	<i>Billbergia kuhlmannii</i>
<i>Billbergia leptopoda</i>	<i>Billbergia leptopoda</i> x <i>vittata</i>	<i>Billbergia lymanii</i>
<i>Billbergia macrocalyx</i>	<i>Billbergia magnifica</i>	<i>Billbergia morelii</i>
<i>Billbergia nana</i>	<i>Billbergia nutans</i>	<i>Billbergia nutans</i> x <i>amoena</i>
<i>Billbergia pallidiflora</i>	<i>Billbergia porteana</i>	<i>Billbergia pyramidalis</i>
<i>Billbergia rosea</i>	<i>Billbergia sanderiana</i>	<i>Billbergia stenopetala</i>
<i>Billbergia viridiflora</i>	<i>Billbergia vittata</i>	<i>Billbergia vittata</i> x <i>amoena</i> x <i>nutans</i>
<i>Billbergia vittata</i> x <i>zebrina</i>	<i>Billbergia x windii</i>	<i>Billbergia x windii</i> x <i>sanderiana</i>
<i>Billbergia nutans</i> x <i>Neoregelia</i> sp.	<i>Billbergia zebrina</i>	<i>Bischofia polycarpa</i>
<i>Biscutella frutescens</i>	<i>Biserrula pelecinus</i>	<i>Bismarckia nobilis</i>
<i>Bistorta carnea</i>	<i>Bistorta elliptica</i>	<i>Bistorta emodi</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Bistorta officinalis</i>	<i>Bistorta vacciniifolia</i>	<i>Bituminaria acaulis</i>
<i>Bituminaria bituminosa</i> var. <i>albomarginata</i>	<i>Bituminaria bituminosa</i> var. <i>crassiuscula</i>	<i>Bixa orellana</i>
<i>Blackallia biloba</i>	<i>Blaeria filago</i>	<i>Blakea gracilis</i>
<i>Blandfordia cunninghamii</i>	<i>Blandfordia grandiflora</i>	<i>Blandfordia nobilis</i>

<i>Blandfordia punicea</i>	<i>Blechnum ambiguum</i>	<i>Blechnum articulatum</i>
<i>Blechnum attenuatum</i>	<i>Blechnum australe</i>	<i>Blechnum blechnoides</i>
<i>Blechnum brasiliense</i>	<i>Blechnum camfieldii</i>	<i>Blechnum cartilagineum</i>
<i>Blechnum chambersii</i>	<i>Blechnum christii</i>	<i>Blechnum colensoi</i>
<i>Blechnum discolor</i>	<i>Blechnum diversifolium</i>	<i>Blechnum filiforme</i>
<i>Blechnum fluviatile</i>	<i>Blechnum fragile</i>	<i>Blechnum fraseri</i>
<i>Blechnum fraxineum</i>	<i>Blechnum fraxinifolium</i>	<i>Blechnum gibbum</i>
<i>Blechnum gracile</i>	<i>Blechnum gregsonii</i>	<i>Blechnum membranaceum</i>
<i>Blechnum meridense</i>	<i>Blechnum milnei</i>	<i>Blechnum minus</i>
<i>Blechnum minus</i> x <i>wattsii</i>	<i>Blechnum moorei</i>	<i>Blechnum neocaledonicum</i>
<i>Blechnum nigrum</i>	<i>Blechnum norfolkianum</i>	<i>Blechnum novae-zelandiae</i>
<i>Blechnum nudum</i>	<i>Blechnum obtusatum</i>	<i>Blechnum occidentale</i>
<i>Blechnum oceanicum</i>	<i>Blechnum opacum</i>	<i>Blechnum patersonii</i>
<i>Blechnum penna-marina</i>	<i>Blechnum polypodioides</i>	<i>Blechnum procerum</i>
<i>Blechnum punctulatum</i>	<i>Blechnum serrulatum</i>	<i>Blechnum spicant</i>
<i>Blechnum tabulare</i>	<i>Blechnum vittatum</i>	<i>Blechnum vulcanicum</i>
<i>Blechnum wattsii</i>	<i>Blechnum wattsii</i> x <i>minus</i>	<i>Blechnum whelanii</i>
<i>Blechnum wurunuran</i>	<i>Blechnum moorei</i> x <i>Doodia</i> sp.	<i>Blepharis linariifolia</i>
<i>Blepharocalyx cruckshanksii</i>	<i>Blepharocalyx salicifolius</i>	<i>Blepharocarya involucrigera</i>
<i>Bletia</i> spp.	<i>Bletilla</i> spp.	<i>Blighia sapida</i>
<i>Bloomeria crocea</i>	<i>Bloomeria humilis</i>	<i>Blossfeldia liliputana</i>
<i>Blotiella natalensis</i>	<i>Blumenbachia hieronymi</i>	<i>Bobartia aphylla</i>
<i>Bobartia filiformis</i>	<i>Bobartia gladiata</i>	<i>Bobartia indica</i>
<i>Bobartia longicyma</i>	<i>Bobartia robusta</i>	<i>Bobea timonioides</i>

Bobgunnia madagascariensis	Bocconia arborea	Boea hygroskopica
Boea kinneari	Boechera holboellii	Boehmeria argentea
Boehmeria biloba	Boehmeria calophleba	Boehmeria gigantea
Boehmeria grandifolia	Boehmeria japonica	Boehmeria longispica
Boehmeria platanifolia	Boehmeria sieboldiana	Boehmeria silvestrii
Boehmeria tenacissima	Boenninghausenia albiflora	Boerhavia albiflora
Boerhavia chinensis	Boerhavia diffusa	Boesenbergia rotunda
Bolax glebaria	Bolbitis appendiculata	Bolbitis edanyoi
Bolbitis heteroclita	Bolbitis heudelotii	Bolbitis lonchophora
Bolbitis quoyana	Bolbitis taylorii	Bolivicereus samaipatanus
Bollea spp.	Boltonia asteroides	Boltonia incisa
Bolusafra bituminosa	Bolusanthus speciosus	Bolusiella maudiae
Bomarea acutifolia	Bomarea caldasii	Bomarea carderi
Bomarea edulis	Bomarea hirtella	Bomarea kalbreyeri
Bomarea lobbiana	Bomarea multiflora	Bomarea ovallei
Bomarea patacocensis	Bomarea salsilla	Bomarea shuttleworthii
Bomarea uncifolia	Bombax barrigon	Bombax buonopozense
Bombax costatum	Bombax insigne	Bombax mossambicense
Bommeria ehrenbergiana	Bommeria hispida	Bommeria knoblochii
Bonamia menziesii	Bonatea speciosa	Bonellia macrocarpa
Boophone disticha	Boophone haemanthoides	Boquila trifoliata
Borago officinalis	Borassodendron borneense	Borassodendron machadonis
Borassus aethiopum	Borassus flabellifer	Borassus heineana
Borassus madagascariensis	Borassus sambiranensis	Borojoa patinoi
Boronella koniambiensis	Boronia algida	Boronia amabilis
Boronia anemonifolia	Boronia anethifolia	Boronia barkeriana
Boronia bipinnata	Boronia chartacea	Boronia citrata
Boronia citriodora	Boronia citriodora x muelleri	Boronia crassipes x heterophylla

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Boronia deanei</i>	<i>Boronia edwardsii</i>	<i>Boronia elatior</i>
<i>Boronia falcifolia</i>	<i>Boronia filifolia</i>	<i>Boronia floribunda</i>
<i>Boronia fraseri</i>	<i>Boronia fraseri</i> x <i>mollis</i>	<i>Boronia galbraithiae</i>
<i>Boronia glabra</i>	<i>Boronia grandisepala</i>	<i>Boronia granitica</i>
<i>Boronia gunnii</i>	<i>Boronia heterophylla</i> x <i>molloyae</i>	<i>Boronia keysii</i>
<i>Boronia lanceolata</i>	<i>Boronia latipinna</i>	<i>Boronia ledifolia</i>
<i>Boronia microphylla</i>	<i>Boronia mollis</i>	<i>Boronia muelleri</i>
<i>Boronia nana</i>	<i>Boronia parviflora</i>	<i>Boronia pilosa</i>
<i>Boronia pinnata</i>	<i>Boronia polygalifolia</i>	<i>Boronia repanda</i>
<i>Boronia rhomboidea</i>	<i>Boronia rigens</i>	<i>Boronia rivularis</i>
<i>Boronia rosmarinifolia</i>	<i>Boronia ruppii</i>	<i>Boronia safrolifera</i>
<i>Boronia serrulata</i>	<i>Boronia serrulata</i> x <i>floribunda</i>	<i>Boronia subulifolia</i>
<i>Boronia thujona</i>	<i>Boronia variabilis</i>	<i>Boronia viminea</i>
<i>Boronia warrumbunglensis</i>	<i>Boronia whitei</i>	<i>Borya mirabilis</i>
<i>Borya septentrionalis</i>	<i>Borzicactus aureispinus</i>	<i>Borzicactus paucicostatus</i>
x <i>Borzipostoa mirabilis</i>	<i>Bosea amherstiana</i>	<i>Bosea yervamora</i>
<i>Bosistoa brassii</i>	<i>Bosistoa floydii</i>	<i>Bosistoa medicinalis</i>
<i>Bosistoa pentacocca</i>	<i>Bosistoa selwynii</i>	<i>Bosistoa transversa</i>
<i>Bossiaea arenicola</i>	<i>Bossiaea armitii</i>	<i>Bossiaea bracteosa</i>
<i>Bossiaea brownii</i>	<i>Bossiaea buxifolia</i>	<i>Bossiaea carinalis</i>
<i>Bossiaea cinerea</i>	<i>Bossiaea cordigera</i>	<i>Bossiaea ensata</i>
<i>Bossiaea foliosa</i>	<i>Bossiaea heterophylla</i>	<i>Bossiaea laidlawiana</i>
<i>Bossiaea neo-anglica</i>	<i>Bossiaea obcordata</i>	<i>Bossiaea prostrata</i>
<i>Bossiaea rhombifolia</i>	<i>Bossiaea riparia</i>	<i>Bossiaea rupicola</i>
<i>Bossiaea scolopendria</i>	<i>Bossiaea stephensonii</i>	<i>Boswellia neglecta</i>
<i>Boswellia sacra</i>	<i>Boswellia serrata</i>	<i>Boswellia thurifera</i>
<i>Bothriochloa erianthoides</i>	<i>Bothriochloa imperatoides</i>	<i>Bothriochloa insculpta</i>
<i>Bothriochloa ischaemum</i>	<i>Bothriochloa pertusa</i>	<i>Bothriocline fusca</i>
<i>Botrychium australe</i>	<i>Botrychium lunaria</i>	<i>Botrychium lunarioides</i>

Bouchardatia neurococca	Bouea burmanica	Bouea macrophylla
Bouea oppositifolia	Bougainvillea x buttiana	Bougainvillea glabra
Bougainvillea peruviana	Bougainvillea refulgens	Bougainvillea spectabilis
Bougainvillea spectabilis x glabra	Bougainvillea spectabilis x glabra x peruviana	Bougainvillea spectabilis x peruviana
Bouteloua chondrosioides	Bouteloua dactyloides	Bouteloua megapotamica
Bouteloua repens	Bouvardia angustifolia	Bouvardia laevis
Bouvardia leiantha	Bouvardia longiflora	Bouvardia multiflora
Bouvardia scabra	Bouvardia tenuifolia	Bouvardia ternifolia
Bowdichia virgilioides	Bowenia serrulata	Bowenia spectabilis
Bowiea volubilis	Bowkeria triphylla	Bowkeria verticillata
Boykinia aconitifolia	Boykinia major	Boykinia occidentalis
Boykinia rotundifolia	Boykinia tellimoides	Brabejum stellatifolium
Brachiaria atrisola	Brachiaria dura	Brachiaria holosericea
Brachiaria jubata	Brachiaria kurzii	Brachiaria serrifolia
Brachytilum horsfieldii	Brachytilum tenellum	Brachychiton acerifolius
Brachychiton albidus	Brachychiton australis	Brachychiton bidwillii
Brachychiton bidwillii x discolor	Brachychiton chillagoensis	Brachychiton collinus
Brachychiton compactus	Brachychiton discolor	Brachychiton x excellens
Brachychiton garrawayae	Brachychiton grandiflorus	Brachychiton x incarnatus
Brachychiton megaphyllus	Brachychiton muellerianus	Brachychiton paradoxus
Brachychiton populneus	Brachychiton x roseus	Brachychiton rupestris
Brachychiton x turgidulus	Brachychiton x vinicolor	Brachychiton vitifolius
Brachycome angustifolia	Brachycome diversifolia	Brachycome formosa
Brachycome heterophylla	Brachycome x hybrid	Brachycome iberidifolia
Brachycome multifida	Brachycome nivalis	Brachycome spatulata
Brachycorythis helferi	Brachyglottis bellidioides	Brachyglottis bidwillii
Brachyglottis brunonis	Brachyglottis buchananii	Brachyglottis greyi
Brachyglottis haastii	Brachyglottis huntii	Brachyglottis laxifolia
Brachyglottis perdicoides	Brachyglottis repanda	Brachyglottis revoluta

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Brachylaena dentata	Brachylaena discolor	Brachylaena glabra
Brachylaena huillensis	Brachylaena neriifolia	Brachylaena transvaalensis
Brachyloma ciliatum	Brachyloma daphnoides	Brachyloma depressum
Brachyloma ericoides	Brachyloma saxicola	Brachyloma scortechinii
Brachyotum ledifolium	Brachyotum lindenii	Brachypodium arbuscula
Brachypodium distachyon	Brachypodium flexum	Brachypodium perrieri
Brachyscome aculeata	Brachyscome angustifolia	Brachyscome angustifolia x formosa
Brachyscome angustifolia x multifida	Brachyscome angustifolia x segmentosa	Brachyscome ascendens
Brachyscome basaltica	Brachyscome campylocarpa	Brachyscome cardiocarpa
Brachyscome chrysoglossa	Brachyscome curvicarpa	Brachyscome decipiens
Brachyscome diversifolia	Brachyscome formosa	Brachyscome formosa x segmentosa
Brachyscome heterodonta	Brachyscome latisquamea	Brachyscome melanocarpa
Brachyscome microcarpa	Brachyscome multifida	Brachyscome multifida x curvicarpa
Brachyscome multifida x rigidula	Brachyscome nivalis	Brachyscome nodosa
Brachyscome obovata	Brachyscome parvula	Brachyscome radicans
Brachyscome readeri	Brachyscome rigidula	Brachyscome rigidula x multifida
Brachyscome scapiformis	Brachyscome scapigera	Brachyscome segmentosa
Brachyscome sinclairii	Brachyscome spathulata	Brachyscome stolonifera
Brachyscome stuartii	Brachyscome tadgellii	Brachysema bracteolosum
Brachysema macrocarpum	Brachysema melanopetalum	Brachysema minor
Brachystegia boehmii	Brachystegia eurycoma	Brachystegia glaucescens
Brachystegia microphylla	Brachystelma barberiae	Brachystelma burchellii
Brachystelma caffrum	Brachystelma cathcartense	Brachystelma circinatum
Brachystelma coddii	Brachystelma foetidum	Brachystelma gracile
Brachystelma meyerianum	Brachystelma nanum	Brachystelma pulchellum

<i>Brachystelma pygmaeum</i>	<i>Brachystelma remotum</i>	<i>Brachystelma stellatum</i>
<i>Brackenridgea nitida</i>	<i>Bracteantha viscosa</i>	<i>Brahea aculeata</i>
<i>Brahea armata</i>	<i>Brahea bella</i>	<i>Brahea brandegeei</i>
<i>Brahea calcarea</i>	<i>Brahea clara</i>	<i>Brahea decumbens</i>
<i>Brahea dulcis</i>	<i>Brahea edulis</i>	<i>Brahea edulis x brandegeei</i>
<i>Brahea moorei</i>	<i>Brahea nitida</i>	<i>Brahea pimo</i>
<i>Brahea sarukhanii</i>	<i>Brainea insignis</i>	<i>Brandisia glabrescens</i>
<i>Brasenia schreberi</i>	<i>Brasilicereus markgrafii</i>	<i>Brasilicereus phaeacanthus</i>
<i>Brasilicereus phaeacanthus</i>	<i>Brassaiopsis minor</i>	<i>Brassavola</i> spp.
<i>Brassia</i> spp.	<i>Brassica barrelieri</i>	<i>Brassica carinata</i>
<i>Brassica fruticulosa</i>	<i>Brassica gongylodes</i>	<i>Brassica insularis</i>
<i>Brassica juncea</i>	<i>Brassica napus</i>	<i>Brassica nigra</i>
<i>Brassica oleracea</i>	<i>Brassica rapa</i>	<i>Brassica tournefortii</i>
<i>Brassiophoenix drymophloeoides</i>	<i>Brassiophoenix schumannii</i>	<i>Brassolaeliocattleya</i> spp.
<i>Braunsia apiculata</i>	<i>Braunsia geminata</i>	<i>Braunsia maximiliani</i>
<i>Braunsia nelii</i>	<i>Braunsia stayneri</i>	<i>Braxireon humile</i>
<i>Braya thorild-wulffii</i>	<i>Brayera anthelmintica</i>	<i>Bredia sinensis</i>
<i>Breonadia salicina</i>	<i>Breonia chinensis</i>	<i>Breweria baccharoides</i>
<i>Brexia spinosa</i>	<i>Breynia disticha</i>	

<i>Breynia oblongifolia</i>		<i>Breynia stipitata</i>
	<i>Brianhuntleya intrusa</i>	<i>Brickellia eupatorioides</i>
<i>Bridelia cathartica</i>	<i>Bridelia exaltata</i>	<i>Bridelia insulana</i>
<i>Bridelia leichhardtii</i>	<i>Bridelia micrantha</i>	<i>Briegeria teretifolia</i>
x <i>Brigandra calliantha</i>	<i>Briggsia aurantiaca</i>	<i>Briggsia kurzii</i>
<i>Briggsia muscicola</i>	<i>Briggsia penlopii</i>	<i>Brighamia insignis</i>
<i>Brighamia rockii</i>	<i>Brillantaisia kirungae</i>	<i>Brillantaisia palisotii</i>
<i>Brimeura amethystina</i>	<i>Brimeura duvigneaudii</i>	<i>Brimeura fastigiata</i>
<i>Briza brizoides</i>	<i>Briza erecta</i>	<i>Briza glomerata</i>
<i>Briza lamarckiana</i>	<i>Briza maxima</i>	<i>Briza media</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Briza minor</i>	<i>Brocchinia acuminata</i>	<i>Brocchinia gilmartinii</i>
<i>Brocchinia reducta</i>	<i>Brodiaea appendiculata</i>	<i>Brodiaea californica</i>
<i>Brodiaea coronaria</i>	<i>Brodiaea elegans</i>	<i>Brodiaea filifolia</i>
<i>Brodiaea insignis</i>	<i>Brodiaea jolonensis</i>	<i>Brodiaea kinkiensis</i>
<i>Brodiaea minor</i>	<i>Brodiaea orcuttii</i>	<i>Brodiaea pallida</i>
<i>Brodiaea purdyi</i>	<i>Brodiaea stellaris</i>	<i>Brodiaea terrestris</i>
<i>Brombya platynema</i>	<i>Bromelia agavifolia</i>	<i>Bromelia alsodes</i>
<i>Bromelia balansae</i>	<i>Bromelia flemingii</i>	<i>Bromelia humilis</i>
<i>Bromelia karatas</i>	<i>Bromelia nidus-puellae</i>	<i>Bromelia scarlatina</i>
<i>Bromelia serra</i>	<i>Bromelia sylvestris</i>	<i>Bromheadia alticola</i>
<i>Bromheadia aporoides</i>	<i>Bromheadia finlaysoniana</i>	<i>Bromheadia pulchra</i>
<i>Bromus alopecurus</i>	<i>Bromus angrenicus</i>	<i>Bromus anomalus</i>
<i>Bromus brachyantherus</i>	<i>Bromus bromoideus</i>	<i>Bromus cappadocicus</i>
<i>Bromus catharticus</i>	<i>Bromus diandrus</i>	<i>Bromus frondosus</i>
<i>Bromus grandis</i>	<i>Bromus hordeaceus</i>	<i>Bromus inermis</i>
<i>Bromus japonicus</i>	<i>Bromus laevipes</i>	<i>Bromus lanatipes</i>
<i>Bromus lanceolatus</i>	<i>Bromus leptoclados</i>	<i>Bromus madritensis</i>
<i>Bromus marginatus</i>	<i>Bromus maritimus</i>	<i>Bromus oxyodon</i>
<i>Bromus pannonicus</i>	<i>Bromus parodii</i>	<i>Bromus x pendulinus</i>
<i>Bromus polyanthus</i>	<i>Bromus porteri</i>	<i>Bromus pseudothomini</i>
<i>Bromus richardsonii</i>	<i>Bromus rigidus</i>	<i>Bromus rubens</i>
<i>Bromus setifolius</i>	<i>Bromus sewerzowii</i>	<i>Bromus sitchensis</i>
<i>Bromus stamineus</i>	<i>Bromus sterilis</i>	<i>Bromus striatus</i>
<i>Bromus syriacus</i>	<i>Bromus tomentellus</i>	<i>Bromus tomentosus</i>
<i>Bromus tytholepis</i>	<i>Bromus variegatus</i>	<i>Brongniartia shrevei</i>
<i>Brongniartikentia lanuginosa</i>	<i>Brongniartikentia vaginata</i>	<i>Brosimum alicastrum</i>
<i>Brosimum gaudichaudii</i>	<i>Brosimum utile</i>	<i>Broughtonia</i> spp.
<i>Broussaisia arguta</i>	<i>Broussonetia kazinoki</i>	<i>Browallia speciosa</i>
<i>Brownanthus corallinus</i>	<i>Brownea ariza</i>	<i>Brownea coccinea</i>

<i>Brownea grandiceps</i>	<i>Brownea grandiceps</i> x <i>macrophylla</i>	<i>Brownea grandiflora</i>
<i>Brownea macrophylla</i>	<i>Brownea ucayalina</i>	<i>Browneopsis disepala</i>
<i>Browningia altissima</i>	<i>Browningia amstutziae</i>	<i>Browningia candelaris</i>
<i>Browningia chlorocarpa</i>	<i>Browningia hertlingiana</i>	<i>Browningia microsperma</i>
<i>Browningia pilleifera</i>	<i>Browningia riosaniensis</i>	<i>Browningia viridis</i>
<i>Brugmansia aurea</i>	<i>Brugmansia</i> x <i>candida</i>	<i>Brugmansia cornigera</i>
<i>Brugmansia</i> x <i>flava</i>	<i>Brugmansia</i> x <i>insignis</i>	<i>Brugmansia knightii</i>
<i>Brugmansia sanguinea</i>	<i>Brugmansia suaveolens</i>	<i>Brugmansia versicolor</i>
<i>Brugmansia vulcanicola</i>	<i>Bruguiera cylindrica</i>	<i>Bruguiera gymnorhiza</i>
<i>Brunfelsia americana</i>	<i>Brunfelsia australis</i>	<i>Brunfelsia bonodora</i>
<i>Brunfelsia brasiliensis</i>	<i>Brunfelsia eximia</i>	<i>Brunfelsia grandiflora</i>
<i>Brunfelsia hydrangeiformis</i>	<i>Brunfelsia jamaicensis</i>	<i>Brunfelsia lactea</i>
<i>Brunfelsia latifolia</i>	<i>Brunfelsia lindeniana</i>	<i>Brunfelsia pauciflora</i>
<i>Brunfelsia ramosissima</i>	<i>Brunfelsia undulata</i>	<i>Brunfelsia uniflora</i>
<i>Brunia albiflora</i>	<i>Brunia alopecuroides</i>	<i>Brunia laevis</i>
<i>Brunia paleacea</i>	<i>Brunia stokoei</i>	<i>Brunia stokoei</i> x <i>albiflora</i>
<i>Brunnera macrophylla</i>	<i>Brunoniella pumilio</i>	<i>Brunsvigia appendiculata</i>
<i>Brunsvigia bosmaniae</i>	<i>Brunsvigia comptonii</i>	<i>Brunsvigia elandsmontana</i>
<i>Brunsvigia grandiflora</i>	<i>Brunsvigia gregaria</i>	<i>Brunsvigia herrei</i>
<i>Brunsvigia josephinae</i>	<i>Brunsvigia litoralis</i>	<i>Brunsvigia marginata</i>
<i>Brunsvigia minor</i>	<i>Brunsvigia namaquana</i>	<i>Brunsvigia natalensis</i>
<i>Brunsvigia orientalis</i>	<i>Brunsvigia pulchra</i>	<i>Brunsvigia radula</i>
<i>Brunsvigia radulosa</i>	<i>Brunsvigia striata</i>	<i>Bryonia verrucosa</i>
<i>Bryophyllum daigremontianum</i>	<i>Bryophyllum fedtschenkoi</i>	<i>Bubbia semecarpoides</i>
<i>Bucida molinetii</i>	<i>Buckinghamia celsissima</i>	<i>Buckinghamia ferruginiflora</i>
<i>Buddleja lanceolata</i>	<i>Budawangia gnidioides</i>	<i>Buddleja agathosma</i>
<i>Buddleja albiflora</i>	<i>Buddleja alternifolia</i>	<i>Buddleja araucana</i>
<i>Buddleja auriculata</i>	<i>Buddleja brachystachya</i>	<i>Buddleja candida</i>
<i>Buddleja colvillei</i>	<i>Buddleja colvillei</i>	<i>Buddleja cordata</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Buddleja crispa</i>	<i>Buddleja davidii</i>	<i>Buddleja delavayi</i>
<i>Buddleja diversifolia</i>	<i>Buddleja dysophylla</i>	<i>Buddleja fallowiana</i>
<i>Buddleja forrestii</i>	<i>Buddleja globosa</i>	<i>Buddleja x intermedia</i>
<i>Buddleja japonica</i>	<i>Buddleja limitanea</i>	<i>Buddleja lindleyana</i>
<i>Buddleja loricata</i>	<i>Buddleja macrostachya</i>	<i>Buddleja madagascariensis</i>
<i>Buddleja nitida</i>	<i>Buddleja nivea</i>	<i>Buddleja paniculata</i>
<i>Buddleja pichinchensis</i>	<i>Buddleja pulchella</i>	<i>Buddleja saligna</i>
<i>Buddleja salviifolia</i>	<i>Buddleja skutchii</i>	<i>Buddleja thyrsoides</i>
<i>Buddleja tucumanensis</i>	<i>Buddleja venenifera</i>	<i>Buddleja x weyeriana</i>
<i>Buglossoides arvensis</i>	<i>Buglossoides gastonii</i>	<i>Bukiniczia cabulica</i>
<i>Bulbine abyssinica</i>	<i>Bulbine alooides</i>	<i>Bulbine annua</i>
<i>Bulbine asphodeloides</i>	<i>Bulbine bulbosa</i>	<i>Bulbine capitata</i>
<i>Bulbine caulescens</i>	<i>Bulbine esterhuyseniae</i>	<i>Bulbine favosa</i>
<i>Bulbine filifolia</i>	<i>Bulbine glauca</i>	<i>Bulbine haworthioides</i>
<i>Bulbine latifolia</i>	<i>Bulbine margarethae</i>	<i>Bulbine mesembryanthemoides</i>
<i>Bulbine ophiophylla</i>	<i>Bulbine praemorsa</i>	<i>Bulbine stenophylla</i>
<i>Bulbine succulenta</i>	<i>Bulbine torta</i>	<i>Bulbine vagans</i>
<i>Bulbine wiesei</i>	<i>Bulbinella angustifolia</i>	<i>Bulbinella cauda-felis</i>
<i>Bulbinella caudata</i>	<i>Bulbinella gibbii</i>	<i>Bulbinella hookeri</i>
<i>Bulbinella latifolia</i>	<i>Bulbinella nutans</i>	<i>Bulbinella triquetra</i>
<i>Bulbocodium vernum</i>	<i>Bulbophyllum</i> spp.	<i>Bulnesia arborea</i>
<i>Bunchosia argentea</i>	<i>Bunchosia glandulifera</i>	<i>Bupthalmum salicifolium</i>
<i>Bupleurum aciphyllum</i>	<i>Bupleurum fruticosum</i>	<i>Bupleurum gibraltarium</i>
<i>Bupleurum glumaceum</i>	<i>Bupleurum hamiltonii</i>	<i>Bupleurum lancifolium</i>
<i>Bupleurum longiinvolucratum</i>	<i>Bupleurum multinerve</i>	<i>Bupleurum ranunculoides</i>
<i>Bupleurum rotundifolium</i>	<i>Bupleurum salicifolium</i>	<i>Bupleurum scorzonrifolium</i>
<i>Bupleurum semicompositum</i>	<i>Bupleurum spinosum</i>	<i>Burbidgea schizocheila</i>
<i>Burchellia bubalina</i>	<i>Burkea africana</i>	<i>Burkillanthus malaccensis</i>

<i>Burnettia cuneata</i>	<i>Burrageara</i> spp.	<i>Burretiokentia dumasii</i>
<i>Burretiokentia grandiflora</i>	<i>Burretiokentia hapala</i>	<i>Burretiokentia koghiensis</i>
<i>Burretiokentia vieillardii</i>	<i>Bursaria calcicola</i>	<i>Bursaria incana</i>
<i>Bursaria lasiophylla</i>	<i>Bursaria reevesii</i>	<i>Bursaria spinosa</i>
<i>Bursaria tenuifolia</i>	<i>Bursera fagaroides</i>	<i>Bursera hindsiana</i>
<i>Bursera microphylla</i>	<i>Bursera schlechtendalii</i>	<i>Bursera simaruba</i>
<i>Burtonia scabra</i>	<i>Butea monosperma</i>	<i>Butia archeri</i>
<i>Butia campicola</i>	<i>Butia capitata</i>	<i>Butia eriospatha</i>
<i>Butia microspadix</i>	<i>Butia paraguayensis</i>	<i>Butia purpurascens</i>
<i>Butia stolonifera</i>	<i>Butia yatay</i>	<i>Buxus arborea</i>
<i>Buxus balearica</i>	<i>Buxus bodinieri</i>	<i>Buxus cephalantha</i>
<i>Buxus harlandi</i>	<i>Buxus longifolia</i>	<i>Buxus macowanii</i>
<i>Buxus macrophylla</i>	<i>Buxus microphylla</i>	<i>Buxus sempervirens</i>
<i>Buxus sinica</i>	<i>Buxus wallichiana</i>	<i>Byrsonima coriacea</i>
<i>Byrsonima lucida</i>	<i>Byrsonima spicata</i>	<i>Bystropogon canariensis</i>
<i>Bystropogon origanifolius</i>	<i>Bystropogon plumosus</i>	<i>Cabralea canjerana</i>
<i>Cacabus miersii</i>	<i>Caccinia glauca</i>	<i>Cadellia pentastylis</i>
<i>Cadetia chionantha</i>	<i>Cadetia collinsii</i>	<i>Cadetia echinocarpa</i>
<i>Cadetia funiformis</i>	<i>Cadetia maideniana</i>	<i>Cadetia taylori</i>
<i>Cadetia waryana</i>	<i>Cadia purpurea</i>	<i>Caesalpinia alternifolia</i>
<i>Caesalpinia angulicaulis</i>	<i>Caesalpinia bonduc</i>	<i>Caesalpinia bracteosa</i>
<i>Caesalpinia cinclidocarpus</i>	<i>Caesalpinia conzattii</i>	<i>Caesalpinia cucullata</i>
<i>Caesalpinia decapetala</i>	<i>Caesalpinia digyna</i>	<i>Caesalpinia echinata</i>
<i>Caesalpinia ferrea</i>	<i>Caesalpinia gilliesii</i>	<i>Caesalpinia grandis</i>
<i>Caesalpinia paraguariensis</i>	<i>Caesalpinia platyloba</i>	<i>Caesalpinia pulcherrima</i>
<i>Caesalpinia pumila</i>	<i>Caesalpinia regia</i>	<i>Caesalpinia robusta</i>
<i>Caesalpinia rubra</i>	<i>Caesalpinia sappan</i>	<i>Caesalpinia scortechinii</i>
<i>Caesalpinia tara</i>	<i>Caesalpinia tortuosa</i>	<i>Caesalpinia vesicaria</i>
<i>Caesalpinia violacea</i>	<i>Caesia alpina</i>	<i>Caesia calliantha</i>
<i>Caesia parviflora</i>	<i>Caiophora hibiscifolia</i>	<i>Caiophora lateritia</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Cajanus albicans</i>	<i>Cajanus aromaticus</i>	<i>Cajanus cajan</i>
<i>Cajanus goensis</i>	<i>Cajanus grandiflorus</i>	<i>Cajanus lineatus</i>
<i>Cajanus platycarpus</i>	<i>Cajanus rugosus</i>	<i>Cajanus sericeus</i>
<i>Cakile edentula</i>	<i>Cakile maritima</i>	<i>Caladenia</i> spp.
<i>Caladium amabile</i>	<i>Caladium bicolor</i>	<i>Caladium humboldtii</i>
<i>Caladium lindenii</i>	<i>Caladium schomburgkii</i>	<i>Calamagrostis</i> x <i>acutiflora</i>
<i>Calamagrostis angustifolia</i>	<i>Calamagrostis carinata</i>	<i>Calamagrostis crassiuscula</i>
<i>Calamagrostis imbricata</i>	<i>Calamagrostis korotkyi</i>	<i>Calamagrostis minor</i>
<i>Calamagrostis montanensis</i>	<i>Calamagrostis purpurea</i>	<i>Calamagrostis quadriseta</i>
<i>Calamagrostis stricta</i>	<i>Calamagrostis villosa</i>	<i>Calamagrostis viridiflavescens</i>
<i>Calamintha cretica</i>	<i>Calamintha grandiflora</i>	<i>Calamintha nepeta</i>
<i>Calamintha officinalis</i>	<i>Calamophyllum cylindricum</i>	<i>Calamophyllum teretifolium</i>
<i>Calamovilfa gigantea</i>	<i>Calamus arborescens</i>	<i>Calamus aruensis</i>
<i>Calamus asperimus</i>	<i>Calamus australis</i>	<i>Calamus bousigonii</i>
<i>Calamus brassii</i>	<i>Calamus caryotoides</i>	<i>Calamus castaneus</i>
<i>Calamus ciliaris</i>	<i>Calamus diepenhorstii</i>	<i>Calamus grandifolius</i>
<i>Calamus hollrungii</i>	<i>Calamus longisetus</i>	<i>Calamus marginatus</i>
<i>Calamus merrillii</i>	<i>Calamus mindorensis</i>	<i>Calamus moti</i>
<i>Calamus muelleri</i>	<i>Calamus ornatus</i>	<i>Calamus palustris</i>
<i>Calamus peregrinus</i>	<i>Calamus radicalis</i>	<i>Calamus reyesianus</i>
<i>Calamus rotang</i>	<i>Calamus siphonopathus</i>	<i>Calamus tumidus</i>
<i>Calamus usitatus</i>	<i>Calamus vidalianus</i>	<i>Calamus viminalis</i>
<i>Calamus warburgii</i>	<i>Calandrinia acaulis</i>	<i>Calandrinia acutisepala</i>
<i>Calandrinia affinis</i>	<i>Calandrinia andicola</i>	<i>Calandrinia buridgii</i>

<i>Calandrinia caespitosa</i>	<i>Calandrinia ciliata</i>	<i>Calandrinia cistiflora</i>
<i>Calandrinia colchaguensis</i>	<i>Calandrinia compacta</i>	<i>Calandrinia conferta</i>
<i>Calandrinia copiapina</i>	<i>Calandrinia discolor</i>	<i>Calandrinia frigida</i>
<i>Calandrinia gayana</i>	<i>Calandrinia gilliesii</i>	<i>Calandrinia graminifolia</i>

<i>Calandrinia grandiflora</i>	<i>Calandrinia lindleyana</i>	<i>Calandrinia megarhiza</i>
<i>Calandrinia menziesii</i>	<i>Calandrinia oblongifolia</i>	<i>Calandrinia occulta</i>
<i>Calandrinia patagonica</i>	<i>Calandrinia pickeringii</i>	<i>Calandrinia picta</i>
<i>Calandrinia potentilloides</i>	<i>Calandrinia punae</i>	<i>Calandrinia saltensis</i>
<i>Calandrinia sericea</i>	<i>Calandrinia setosa</i>	<i>Calandrinia speciosa</i>
<i>Calandrinia tricolor</i>	<i>Calandrinia villaroeli</i>	<i>Calandrinia volubilis</i>
<i>Calanthe</i> spp.	<i>Calanthe</i> x <i>Phaius</i> spp.	<i>Calathea acuminata</i>
<i>Calathea aemula</i>	<i>Calathea albertii</i>	<i>Calathea albicans</i>
<i>Calathea allouia</i>	<i>Calathea angustifolia</i>	<i>Calathea argyraea</i>
<i>Calathea bachemiana</i>	<i>Calathea baraquinii</i>	<i>Calathea bella</i>
<i>Calathea brenesii</i>	<i>Calathea burle-marxii</i>	<i>Calathea cardiophylla</i>
<i>Calathea chimboracensis</i>	<i>Calathea coccinea</i>	<i>Calathea crocata</i>
<i>Calathea crotalifera</i>	<i>Calathea cylindrica</i>	<i>Calathea ecuadoriana</i>
<i>Calathea elliptica</i>	<i>Calathea fasciata</i>	<i>Calathea glaziovii</i>
<i>Calathea hybrids</i>	<i>Calathea insignis</i>	<i>Calathea kegeljani</i>
<i>Calathea lancifolia</i>	<i>Calathea lasiostachya</i>	<i>Calathea leopardina</i>
<i>Calathea leucostachys</i>	<i>Calathea lietzei</i>	<i>Calathea lindeniana</i>
<i>Calathea loeseneri</i>	<i>Calathea louisae</i>	<i>Calathea lutea</i>
<i>Calathea macrosepala</i>	<i>Calathea majestica</i>	<i>Calathea marantifolia</i>
<i>Calathea medio-picta</i>	<i>Calathea metallica</i>	<i>Calathea micans</i>
<i>Calathea microcephala</i>	<i>Calathea musaica</i>	<i>Calathea nigricans</i>
<i>Calathea orbiculata</i>	<i>Calathea orbifolia</i>	<i>Calathea ornata</i>
<i>Calathea pavonii</i>	<i>Calathea picturata</i>	<i>Calathea pseudoveitchiana</i>
<i>Calathea regalis</i>	<i>Calathea roseopicta</i>	<i>Calathea rufibarba</i>
<i>Calathea sanderiana</i>	<i>Calathea sciuroides</i>	<i>Calathea stromanthifolia</i>
<i>Calathea truncata</i>	<i>Calathea undulata</i>	<i>Calathea vaginata</i>
<i>Calathea varians</i>	<i>Calathea variegata</i>	<i>Calathea veitchiana</i>
<i>Calathea warscewiczii</i>	<i>Calathea wioti</i>	<i>Calathea zebrina</i>
<i>Calathiana pumila</i>	<i>Calatola costaricensis</i>	<i>Calceolaria acutifolia</i>
<i>Calceolaria adscendens</i>	<i>Calceolaria alba</i>	<i>Calceolaria amplexicaulis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Calceolaria arachnoidea</i>	<i>Calceolaria bicrenata</i>	<i>Calceolaria biflora</i>
<i>Calceolaria cana</i>	<i>Calceolaria corymbosa</i>	<i>Calceolaria crenatiflora</i>
<i>Calceolaria dentata</i>	<i>Calceolaria excelsior</i>	<i>Calceolaria falklandica</i>
<i>Calceolaria fiebrigiana</i>	<i>Calceolaria fothergillii</i>	<i>Calceolaria x fruticohybrida</i>
<i>Calceolaria grandiflora</i>	<i>Calceolaria x herbeohybrida</i>	<i>Calceolaria hirsuta</i>
<i>Calceolaria integrifolia</i>	<i>Calceolaria laete-virens</i>	<i>Calceolaria lanigera</i>
<i>Calceolaria mexicana</i>	<i>Calceolaria ovata</i>	<i>Calceolaria parviflora</i>
<i>Calceolaria parvifolia</i>	<i>Calceolaria pavonii</i>	<i>Calceolaria picta</i>
<i>Calceolaria pinifolia</i>	<i>Calceolaria plantaginea</i>	<i>Calceolaria polifolia</i>
<i>Calceolaria polyrrhiza</i>	<i>Calceolaria purpurea</i>	<i>Calceolaria rugosa</i>
<i>Calceolaria tenella</i>	<i>Calceolaria thyrsoflora</i>	<i>Calceolaria uniflora</i>
<i>Caldcluvia australiensis</i>	<i>Caldcluvia paniculata</i>	<i>Caldcluvia paniculosa</i>
<i>Caldcluvia rosifolia</i>	<i>Calea ternifolia</i>	<i>Caleana major</i>
<i>Caleana minor</i>	<i>Calectasia intermedia</i>	<i>Calendula maroccana</i>
<i>Calendula officinalis</i>	<i>Calia secundiflora</i>	<i>Calibanus hookerii</i>
<i>Calibrachoa hybrida</i>	<i>Calibrachoa parviflora</i>	<i>Calicotome villosa</i>
<i>Caliphurria korsakoffii</i>	<i>Caliphurria subdentata</i>	<i>Callerya atropurpurea</i>
<i>Callerya australis</i>	<i>Callerya cinerea</i>	<i>Callerya megasperma</i>
<i>Callerya pilipes</i>	<i>Callerya reticulata</i>	<i>Calliandra californica</i>
<i>Calliandra chilensis</i>	<i>Calliandra conferta</i>	<i>Calliandra eriophylla</i>
<i>Calliandra grandiflora</i>	<i>Calliandra guildingii</i>	<i>Calliandra haematocephala</i>
<i>Calliandra haematomma</i>	<i>Calliandra juzepczukii</i>	<i>Calliandra parvifolia</i>
<i>Calliandra physocalyx</i>	<i>Calliandra riparia</i>	<i>Calliandra rosei</i>
<i>Calliandra tergemina</i>	<i>Calliandra tweedii</i>	<i>Callianthemum angustifolium</i>
<i>Callianthemum sajanense</i>	<i>Callicarpa americana</i>	<i>Callicarpa bodinieri</i>
<i>Callicarpa cana</i>	<i>Callicarpa cathayana</i>	<i>Callicarpa dichotoma</i>
<i>Callicarpa formosana</i>	<i>Callicarpa japonica</i>	<i>Callicarpa longifolia</i>
<i>Callicarpa macrophylla</i>	<i>Callicarpa membranacea</i>	<i>Callicarpa mollis</i>
<i>Callicarpa nudiflora</i>	<i>Callicarpa pedunculata</i>	<i>Callicarpa reevesii</i>

Callicarpa rubella	Callicarpa x shirasawana	Callichilia barteri
Callicoma serratifolia	Calligonum alatiforme	Calligonum arborescens
Calligonum azel	Calligonum caput-medusae	Calligonum comosum
Calligonum coriaceum	Calligonum dubianskyi	Calligonum elatum
Calligonum eriopodum	Calligonum falcilobum	Calligonum golbeckii
Calligonum gracile	Calligonum junceum	Calligonum kзыl-kumi
Calligonum lanciculatum	Calligonum leucocladum	Calligonum matteianum
Calligonum microcarpum	Calligonum paletzkianum	Calligonum platyacanthum
Calligonum plicatum	Calligonum pulcherrimum	Calligonum rubescens
Calligonum setosum	Calligonum turkestanicum	Callipteris prolifera
Callirhoe involucrata	Callirhoe leiocarpa	Callisia navicularis
Callisia rosea	Callisia tehuantepecana	Callisia warszewicziana
Callistemon acuminatus	Callistemon brachyandrus	Callistemon chisholmii
Callistemon citrinus	Callistemon coccineus	Callistemon comboynensis
Callistemon flavovirens	Callistemon formosus	Callistemon forresterae
Callistemon x hybrid	Callistemon kenmorrisonii	Callistemon lilacinus
Callistemon linearifolius	Callistemon linearis	Callistemon macropunctatus
Callistemon montanus	Callistemon nyallingensis	Callistemon pachyphyllus
Callistemon pallidus	Callistemon pancheri	Callistemon pauciflorus
Callistemon pearsonii	Callistemon pinifolius	Callistemon pityoides
Callistemon polandii	Callistemon pungens	Callistemon recurvus
Callistemon rigidus	Callistemon rugulosus	Callistemon salignus
Callistemon shiressii	Callistemon sieberi	Callistemon speciosus
Callistemon subulatus	Callistemon teretifolius	Callistemon viminalis
Callistemon viridiflorus	Callistephus chinensis	Callistopteris baueriana
Callitriche antarctica	Callitriche brachycarpa	Callitriche hamulata
Callitriche intermedia	Callitriche stagnalis	Callitris baileyi
Callitris cupressiformis	Callitris endlicheri	Callitris gracilis
Callitris intratropica	Callitris macleayana	Callitris monticola
Callitris morrisonii	Callitris muelleri	Callitris oblonga

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Callitris rhomboidea</i>	<i>Callitris tuberculata</i>	<i>Calloopsis volkensis</i>
<i>Calluna vulgaris</i>	<i>Calocedrus decurrens</i>	<i>Calocedrus formosana</i>
<i>Calocedrus macrolepis</i>	<i>Calocephalus brownii</i>	<i>Calocephalus citreus</i>
<i>Calocephalus lacteus</i>	<i>Calochilus</i> spp.	<i>Calochlaena dubia</i>
<i>Calochlaena villosa</i>	<i>Calochortus albus</i>	<i>Calochortus amabilis</i>
<i>Calochortus amoenus</i>	<i>Calochortus argillosus</i>	<i>Calochortus aureus</i>
<i>Calochortus barbatus</i>	<i>Calochortus bruneaunis</i>	<i>Calochortus caeruleus</i>
<i>Calochortus catalinae</i>	<i>Calochortus clavatus</i>	<i>Calochortus concolor</i>
<i>Calochortus coxii</i>	<i>Calochortus dunnii</i>	<i>Calochortus elegans</i>
<i>Calochortus eurycarpus</i>	<i>Calochortus fimbriatus</i>	<i>Calochortus flexuosus</i>
<i>Calochortus greenei</i>	<i>Calochortus gunnisonii</i>	<i>Calochortus howellii</i>
<i>Calochortus invenustus</i>	<i>Calochortus kennedyi</i>	<i>Calochortus leichtlinii</i>
<i>Calochortus longebarbatus</i>	<i>Calochortus luteus</i>	<i>Calochortus lyallii</i>
<i>Calochortus macrocarpus</i>	<i>Calochortus minimus</i>	<i>Calochortus monophyllus</i>
<i>Calochortus nitidus</i>	<i>Calochortus nudus</i>	<i>Calochortus nuttallii</i>
<i>Calochortus obispoensis</i>	<i>Calochortus palmeri</i>	<i>Calochortus persistens</i>
<i>Calochortus plummerae</i>	<i>Calochortus pulchellus</i>	<i>Calochortus simulans</i>
<i>Calochortus splendens</i>	<i>Calochortus striatus</i>	<i>Calochortus subalpinus</i>
<i>Calochortus superbus</i>	<i>Calochortus tiburonensis</i>	<i>Calochortus tolmiei</i>
<i>Calochortus umbellatus</i>	<i>Calochortus umpquaensis</i>	<i>Calochortus uniflorus</i>
<i>Calochortus venustus</i>	<i>Calochortus vestae</i>	<i>Calochortus weedii</i>
<i>Calochortus westonii</i>	<i>Calodendrum capense</i>	<i>Calomeria amaranthoides</i>
<i>Calophaca wolgarica</i>	<i>Calophanes burkei</i>	<i>Calophyllum costatum</i>
<i>Calophyllum inophyllum</i>	<i>Calophyllum soulattri</i>	<i>Calopogonium mucunoides</i>
<i>Calopogonium velutinum</i>	<i>Calopsis aspera</i>	<i>Calopsis gracilis</i>
<i>Calopsis paniculata</i>	<i>Calopyxis grandidieri</i>	<i>Calorophus lateriflorus</i>
<i>Calosantes indica</i>	<i>Calospatha scortechinii</i>	<i>Calostemma luteum</i>
<i>Calostemma purpureum</i>	<i>Calostemma scott-sellickiana</i>	<i>Calotis ancyrocarpa</i>
<i>Calotis anthemoides</i>	<i>Calotis cymbacantha</i>	<i>Calotis glandulosa</i>
<i>Calotis inermis</i>	<i>Calotis scabiosifolia</i>	<i>Calotropis gigantea</i>

Calpurnia aurea	Calpurnia villosa	Caltha alba
Caltha appendiculata	Caltha introloba	Caltha leptosepala
Caltha palustris	Caltha sagittata	Calvoa orientalis
Calvoa sessiliflora	Calycanthus chinensis	Calycanthus floridus
Calycanthus occidentalis	Calycopeplus casuarinoides	Calycopeplus ephedroides
Calycopeplus helmsii	Calydorea amabilis	Calydorea approximata
Calydorea coelestina	Calydorea nuda	Calydorea pallens
Calydorea xyphioides	Calylophus berlandieri	Calylophus serrulatus
Calymmanthera major	Calymmanthera paniculata	Calyptranthes bullata
Calyptranthes syzygium	Calyptrocalyx albertisianus	Calyptrocalyx amoenus
Calyptrocalyx archboldianus	Calyptrocalyx arfakianus	Calyptrocalyx awa
Calyptrocalyx caudiculatus	Calyptrocalyx doxanthus	Calyptrocalyx elegans
Calyptrocalyx flabellatus	Calyptrocalyx forbesii	Calyptrocalyx geonomiformis
Calyptrocalyx hollrungii	Calyptrocalyx julianettii	Calyptrocalyx lauterbachianus
Calyptrocalyx laxiflorus	Calyptrocalyx lepidotus	Calyptrocalyx leptostachys
Calyptrocalyx merrillianus	Calyptrocalyx micholitzii	Calyptrocalyx multifidus
Calyptrocalyx pachystachys	Calyptrocalyx pauciflorus	Calyptrocalyx polyphyllus
Calyptrocalyx pusillus	Calyptrocalyx sessiliflorus	Calyptrocalyx spicatus

Calyptrocalyx yamutumene	Calyptrochilum emarginatum	Calyptrogyne allenii
Calyptrogyne anomala	Calyptrogyne condensata	Calyptrogyne costatifrons
Calyptrogyne ghiesbreghtiana	Calyptrogyne herrerae	Calyptrogyne kunaria
Calyptrogyne pubescens	Calyptrogyne sarapiquensis	Calyptrogyne trichostachys
Calyptronoma occidentalis	Calyptronoma plumeriana	Calyptronoma rivalis
Calyptrostegia suaveolens	Calystegia affinis	Calystegia malacophylla
Calystegia marginata	Calystegia tuguriorum	Calythrix exstipulata
Calythropsis aurea	Calythrix alpestris	Calythrix ecalycata

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Calytrix ericoides</i>	<i>Calytrix glaberrima</i>	<i>Calytrix gurulumundensis</i>
<i>Calytrix involucrata</i>	<i>Calytrix islensis</i>	<i>Calytrix longiflora</i>
<i>Calytrix smeatoniana</i>	<i>Calytrix tenuifolia</i>	<i>Camassia cusickii</i>
<i>Camassia leichtlinii</i>	<i>Camassia scilloides</i>	<i>Camelina sativa</i>
<i>Camellia acutiserrata</i>	<i>Camellia boreali-yunnanica</i>	<i>Camellia brevistyla</i>
<i>Camellia caudata</i>	<i>Camellia chekiangoleosa</i>	<i>Camellia chrysantha</i>
<i>Camellia cordifolia</i>	<i>Camellia crapnelliana</i>	<i>Camellia crassipetala</i>
<i>Camellia crassissima</i>	<i>Camellia cuspidata</i>	<i>Camellia cuspidata x japonica</i>
<i>Camellia cuspidata x saluenensis</i>	<i>Camellia drupifera</i>	<i>Camellia euryoides</i>
<i>Camellia flava</i>	<i>Camellia fluviatilis</i>	<i>Camellia forrestii</i>
<i>Camellia fraterna</i>	<i>Camellia fraterna x japonica</i>	<i>Camellia fraterna x japonica x rosiflora</i>
<i>Camellia fraterna x pitardii</i>	<i>Camellia gauchowensis</i>	<i>Camellia granthamiana</i>
<i>Camellia grijsii</i>	<i>Camellia gymnogyna</i>	<i>Camellia hiemalis</i>
<i>Camellia x higo</i>	<i>Camellia hongkongensis</i>	<i>Camellia impressinervis</i>
<i>Camellia irrawadiensis</i>	<i>Camellia japonica</i>	<i>Camellia japonica x cuspidata</i>
<i>Camellia japonica x fraterna</i>	<i>Camellia japonica x lutchuensis</i>	<i>Camellia japonica x pitardii</i>
<i>Camellia japonica x reticulata</i>	<i>Camellia japonica x saluenensis</i>	<i>Camellia japonica x sasanqua x reticulata</i>
<i>Camellia kissi</i>	<i>Camellia laotica</i>	<i>Camellia lapidea</i>
<i>Camellia longicarpa</i>	<i>Camellia lutchuensis</i>	<i>Camellia lutchuensis x japonica</i>
<i>Camellia lutchuensis x rusticana</i>	<i>Camellia x maliflora</i>	<i>Camellia nitidissima</i>
<i>Camellia octopetala</i>	<i>Camellia oleifera</i>	<i>Camellia pingguoensis</i>
<i>Camellia pitardii</i>	<i>Camellia polyodonta</i>	<i>Camellia puniceiflora</i>
<i>Camellia reticulata x fraterna</i>	<i>Camellia reticulata x japonica</i>	<i>Camellia reticulata x saluenensis</i>
<i>Camellia rosiflora</i>	<i>Camellia rosiflora x fraterna</i>	<i>Camellia rosiflora x saluenensis</i>

<i>Camellia rubituberculata</i>	<i>Camellia salicifolia</i>	<i>Camellia saluenensis</i>
<i>Camellia saluenensis</i> x <i>cuspidata</i>	<i>Camellia sasanqua</i>	<i>Camellia semiserrata</i>
<i>Camellia sinensis</i>	<i>Camellia tachangensis</i>	<i>Camellia taliensis</i>
<i>Camellia transarisanensis</i>	<i>Camellia tsaii</i>	<i>Camellia</i> x <i>vernalis</i>
<i>Camellia viridicalyx</i>	<i>Camellia wabiske</i>	<i>Camellia</i> x <i>williamsii</i>
<i>Camellia yunnanensis</i>	<i>Camissonia bistorta</i>	<i>Camissonia cheiranthifolia</i>
<i>Camissonia claviformis</i>	<i>Camoensia scandens</i>	<i>Campanula acutiloba</i>
<i>Campanula albanica</i>	<i>Campanula albertii</i>	<i>Campanula alliariifolia</i>
<i>Campanula alpestris</i>	<i>Campanula alpina</i>	<i>Campanula anchlussiflora</i>
<i>Campanula andrewsii</i>	<i>Campanula ardonensis</i>	<i>Campanula argaea</i>
<i>Campanula argentea</i>	<i>Campanula argyrotricha</i>	<i>Campanula aristata</i>
<i>Campanula armena</i>	<i>Campanula arvatica</i>	<i>Campanula atlantis</i>
<i>Campanula aucheri</i>	<i>Campanula autraniana</i>	<i>Campanula bayerniana</i>
<i>Campanula bellidifolia</i>	<i>Campanula besenginica</i>	<i>Campanula betulifolia</i>
<i>Campanula bipinnatifida</i>	<i>Campanula bornmuelleri</i>	<i>Campanula buseri</i>
<i>Campanula caespitosa</i>	<i>Campanula calaminthifolia</i>	<i>Campanula cana</i>
<i>Campanula carpatha</i>	<i>Campanula carpatica</i>	<i>Campanula cashmeriana</i>
<i>Campanula celsii</i>	<i>Campanula cenisia</i>	<i>Campanula cervicaria</i>
<i>Campanula cespitosa</i>	<i>Campanula chamissonis</i>	<i>Campanula choruhensis</i>
<i>Campanula choziatowskyi</i>	<i>Campanula ciliata</i>	<i>Campanula cochlearifolia</i>
<i>Campanula collina</i>	<i>Campanula conferta</i>	<i>Campanula coriacea</i>
<i>Campanula crispa</i>	<i>Campanula cymbalaria</i>	<i>Campanula dasyantha</i>
<i>Campanula davisii</i>	<i>Campanula dichotoma</i>	<i>Campanula divaricata</i>
<i>Campanula drabifolia</i>	<i>Campanula elatines</i>	<i>Campanula elatinoides</i>
<i>Campanula excisa</i>	<i>Campanula fenestrellata</i>	<i>Campanula filicaulis</i>
<i>Campanula formanekiana</i>	<i>Campanula fragilis</i>	<i>Campanula fruticulosa</i>
<i>Campanula garganica</i>	<i>Campanula glomerata</i>	<i>Campanula grossekii</i>
<i>Campanula hagielia</i>	<i>Campanula hakkiarica</i>	<i>Campanula hawkinsiana</i>
<i>Campanula</i> x <i>haylodgensis</i>	<i>Campanula hedgei</i>	<i>Campanula hercegovina</i>
<i>Campanula herminii</i>	<i>Campanula heterophylla</i>	<i>Campanula hierapetrae</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Campanula hispanica</i>	<i>Campanula hofmannii</i>	<i>Campanula incurva</i>
<i>Campanula x innesii</i>	<i>Campanula involucrata</i>	<i>Campanula isaurica</i>
<i>Campanula isophylla</i>	<i>Campanula kantschavelii</i>	<i>Campanula kemulariae</i>
<i>Campanula keniensis</i>	<i>Campanula kolenatiana</i>	<i>Campanula laciniata</i>
<i>Campanula lactiflora</i>	<i>Campanula lactiflora x punctata</i>	<i>Campanula lasiocarpa</i>
<i>Campanula latifolia</i>	<i>Campanula lazica</i>	<i>Campanula ledebouriana</i>
<i>Campanula longistyla</i>	<i>Campanula longistyla</i>	<i>Campanula lusitanica</i>
<i>Campanula lyrata</i>	<i>Campanula macrorhiza</i>	<i>Campanula macrostyla</i>
<i>Campanula mairei</i>	<i>Campanula makaschvilii</i>	<i>Campanula marchesettii</i>
<i>Campanula medium</i>	<i>Campanula mirabilis</i>	<i>Campanula moesiaca</i>
<i>Campanula mollis</i>	<i>Campanula morettiana</i>	<i>Campanula myrtifolia</i>
<i>Campanula nitida</i>	<i>Campanula nobilis</i>	<i>Campanula oligosperma</i>
<i>Campanula olympica</i>	<i>Campanula oreadum</i>	<i>Campanula orphanidea</i>
<i>Campanula parryi</i>	<i>Campanula persica</i>	<i>Campanula persicifolia</i>
<i>Campanula petraea</i>	<i>Campanula petrophila</i>	<i>Campanula pinnatifida</i>
<i>Campanula piperi</i>	<i>Campanula portenschlagiana</i>	<i>Campanula poscharskyana</i>
<i>Campanula postii</i>	<i>Campanula primulifolia</i>	<i>Campanula x pseudoraineri</i>
<i>Campanula psilostachya</i>	<i>Campanula ptarmicifolia</i>	<i>Campanula pulla</i>
<i>Campanula pulvinaris</i>	<i>Campanula punctata</i>	<i>Campanula pyramidalis</i>
<i>Campanula quercetorum</i>	<i>Campanula raddeana</i>	<i>Campanula raineri</i>
<i>Campanula rapunculus</i>	<i>Campanula recta</i>	<i>Campanula reiseri</i>
<i>Campanula remotiflora</i>	<i>Campanula rigidipila</i>	<i>Campanula rotundifolia</i>
<i>Campanula rupestris</i>	<i>Campanula rupicola</i>	<i>Campanula sabatia</i>
<i>Campanula sarmatica</i>	<i>Campanula sartorii</i>	<i>Campanula saxatilis</i>
<i>Campanula saxifraga</i>	<i>Campanula scabrella</i>	<i>Campanula scheuchzeri</i>
<i>Campanula scouleri</i>	<i>Campanula serrata</i>	<i>Campanula shetleri</i>
<i>Campanula spatulata</i>	<i>Campanula spicata</i>	<i>Campanula stevenii</i>
<i>Campanula strigillosa</i>	<i>Campanula takesimana</i>	<i>Campanula telephioides</i>
<i>Campanula teucrioides</i>	<i>Campanula thessala</i>	<i>Campanula thyrsoides</i>

<i>Campanula tomentosa</i>	<i>Campanula tommasiniana</i>	<i>Campanula topaliana</i>
<i>Campanula trachelium</i>	<i>Campanula trachyphylla</i>	<i>Campanula tridentata</i>
<i>Campanula troegerae</i>	<i>Campanula tymphaea</i>	<i>Campanula uniflora</i>
<i>Campanula valdensis</i>	<i>Campanula van-houttei</i>	<i>Campanula velebitica</i>
<i>Campanula versicolor</i>	<i>Campanula waldsteiniana</i>	<i>Campanula wanneri</i>
<i>Campanula witasekiana</i>	<i>Campanula x wockei</i>	<i>Campanula zoysii</i>
<i>Campanumoea celebica</i>	<i>Campecarpus fulcitus</i>	<i>Camphorosma monspeliaca</i>
<i>Campomanesia guaviroba</i>	<i>Campomanesia guazumifolia</i>	<i>Campomanesia lineatifolia</i>
<i>Campsidium valdivianum</i>	<i>Campsis grandiflora</i>	<i>Campsis radicans</i>
<i>Camptosema rubicundum</i>	<i>Camptotheca acuminata</i>	<i>Campylandra aurantiaca</i>
<i>Campylanthus salsoloides</i>	<i>Campyloneurum angustifolium</i>	<i>Campyloneurum cubense</i>
<i>Campyloneurum latum</i>	<i>Campyloneurum repens</i>	<i>Campyloneurum vexatum</i>
<i>Campylotropis macrocarpa</i>	<i>Campynema lineare</i>	<i>Cananga odorata</i>
<i>Canarina canariensis</i>	<i>Canarium acutifolium</i>	<i>Canarium australasicum</i>
<i>Canarium balansae</i>	<i>Canarium indicum</i>	<i>Canarium lucidum</i>
<i>Canarium muelleri</i>	<i>Canarium odontophyllum</i>	<i>Canarium oleosum</i>
<i>Canarium ovatum</i>	<i>Canarium tramdenum</i>	<i>Canavalia ensiformis</i>
<i>Canavalia galeata</i>	<i>Canavalia gladiata</i>	<i>Canavalia hawaiiensis</i>
<i>Canavalia hirsutissima</i>	<i>Canavalia kauaiensis</i>	<i>Canavalia nitida</i>
<i>Canavalia pubescens</i>	<i>Canella winteriana</i>	<i>Canistropsis albiflora</i>
<i>Canistropsis billbergioides</i>	<i>Canistropsis burchellii</i>	<i>Canistropsis correia-araujoi</i>
<i>Canistropsis microps</i>	<i>Canistropsis seidelii</i>	<i>Canistropsis simulans</i>
<i>Canistrum aurantiacum</i>	<i>Canistrum cyathiforme</i>	<i>Canistrum fosterianum</i>
<i>Canistrum fragrans</i>	<i>Canistrum x hybrids</i>	<i>Canistrum lindenii</i>
<i>Canistrum seidelianum</i>	<i>Canistrum triangulare</i>	<i>Canistrum spp. x Aechmea spp.</i>
<i>Canna cinnabarina</i>	<i>Canna discolor</i>	<i>Canna x generalis</i>
<i>Canna humilis</i>	<i>Canna hybrida</i>	<i>Canna indica</i>
<i>Canna iridiflora</i>	<i>Canna jaegeriana</i>	<i>Canna lanuginosa</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Canna latifolium</i>	<i>Canna paniculata</i>	<i>Canna patens</i>
<i>Canna speciosa</i>	<i>Canna warszewiczii</i>	<i>Cannabis sativa</i>
<i>Canthium buxifolium</i>	<i>Canthium coprosmoides</i>	<i>Canthium gracilipes</i>
<i>Canthium latifolium</i>	<i>Canthium odoratum</i>	<i>Canthium oleifolium</i>
<i>Canthium quadrifida</i>	<i>Canthium vacciniifolium</i>	<i>Canthium venosum</i>
<i>Canthium ventosum</i>	<i>Cantua bicolor</i>	<i>Cantua buxifolia</i>
<i>Cantua dependens</i>	<i>Cantua pyrifolia</i>	<i>Capnoides sempervirens</i>
<i>Capparis arborea</i>	<i>Capparis canescens</i>	<i>Capparis diversifolia</i>
<i>Capparis lanceolaris</i>	<i>Capparis loranthifolia</i>	<i>Capparis nummularia</i>
<i>Capparis ornans</i>	<i>Capparis sarmentosa</i>	<i>Capparis zeylanica</i>
<i>Capsella bursa-pastoris</i>	<i>Capsicum annuum</i>	<i>Capsicum baccatum</i>
<i>Capsicum chacoense</i>	<i>Capsicum chinense</i>	<i>Capsicum fastigiatum</i>
<i>Capsicum galapagoense</i>	<i>Capsicum pubescens</i>	<i>Capsicum tovarii</i>
<i>Captaincockia margaretae</i>	<i>Caragana arborescens</i>	<i>Caragana brevispina</i>
<i>Caragana decorticans</i>	<i>Caragana microphylla</i>	<i>Caragana sinica</i>
<i>Caragana tragacanthoides</i>	<i>Caralluma acutangula</i>	<i>Caralluma adscendens</i>
<i>Caralluma arachnoidea</i>	<i>Caralluma burchardii</i>	<i>Caralluma deflersiana</i>
<i>Caralluma gemugofana</i>	<i>Caralluma gracilipes</i>	<i>Caralluma melanantha</i>
<i>Caralluma somalica</i>	<i>Caralluma stalagmifera</i>	<i>Caralluma subulata</i>
<i>Caralluma tubiformis</i>	<i>Carapa procera</i>	<i>Cardamine enneaphyllos</i>
<i>Cardamine gunnii</i>	<i>Cardamine hirsuta</i>	<i>Cardamine lilacina</i>
<i>Cardamine pratensis</i>	<i>Cardamine robusta</i>	<i>Cardamine taquetii</i>
<i>Cardamine waldsteinii</i>	<i>Cardiandra alternifolia</i>	<i>Cardiocrinum cathayanum</i>
<i>Cardiocrinum cordatum</i>	<i>Cardiocrinum giganteum</i>	<i>Cardiospermum grandiflorum</i>
<i>Cardiospermum halicacabum</i>	<i>Carduncellus mitissimus</i>	<i>Carduncellus pinnatus</i>
<i>Carduus pycnocephalus</i>	<i>Cardwellia sublimis</i>	<i>Carex acutata</i>
<i>Carex alba</i>	<i>Carex albescens</i>	<i>Carex albula</i>
<i>Carex alsophila</i>	<i>Carex antoniensis</i>	<i>Carex arcta</i>

Carex bichenoviana	Carex breviculmis	Carex brownii
Carex brunnea	Carex buchananii	Carex calderae
Carex cespitosa	Carex cherokeensis	Carex concinnoides
Carex cuprina	Carex dipsacea	Carex divisa
Carex dolichostachya	Carex donnell-smithii	Carex eburnea
Carex echinata	Carex elata	Carex elingamita
Carex filifolia	Carex firma	Carex flacca
Carex foenea	Carex gaudichaudiana	Carex geyeri
Carex grayi	Carex gunniana	Carex gynandra
Carex gynocrates	Carex hachijoensis	Carex hattoriana
Carex hoodii	Carex horsfieldii	Carex hyalinolepis
Carex hypandra	Carex laeviculmis	Carex limosa
Carex longebrachiata	Carex macloviana	Carex maculata
Carex merritt-fernaldii	Carex mertensii	Carex microptera
Carex morrowii	Carex muskingumensis	Carex neurochlamys
Carex nigricans	Carex ornithopoda	Carex oshimensis
Carex pachystylis	Carex pendula	Carex petriei
Carex physodes	Carex polyantha	Carex praticola
Carex purpurea	Carex rafflesiana	Carex raynoldsii
Carex riparia	Carex sartwellii	Carex secta
Carex siderosticha	Carex sprengelii	Carex tasmanica
Carex testacea	Carex trifida	Carex vaginata
Carex virgata	Carex viridula	Carex vulpina
Carica hastata	Carica jamaicensis	Carica papaya
Carissa carandas	Carissa macrocarpa	Carissa opaca
Carissa spectabilis	Carissa spinarum	Carlina acaulis
Carlina vulgaris	Carludovica drudei	Carludovica palmata
Carludovica rotundifolia	Carmichaelia appressa	Carmichaelia arborea
Carmichaelia astonii	Carmichaelia australis	Carmichaelia carmichaeliae
Carmichaelia cunninghamii	Carmichaelia egmontiana	Carmichaelia ensyis

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Carmichaelia exsul</i>	<i>Carmichaelia kirkii</i>	<i>Carmichaelia monroi</i>
<i>Carmichaelia odorata</i>	<i>Carmichaelia petriei</i>	<i>Carmichaelia rivulata</i>
<i>Carmichaelia solandrii</i>	<i>Carmichaelia williamsii</i>	<i>Carmona retusa</i>
<i>Carnarvonia araliifolia</i>	<i>Carnegiea gigantea</i>	<i>Carnegiea tetetzo</i>
<i>Carpentaria acuminata</i>	<i>Carpenteria californica</i>	<i>Carpha alpina</i>
<i>Carpha nivicola</i>	<i>Carphalea kirondron</i>	<i>Carphephorus odoratissimus</i>
<i>Carpinus betulus</i>	<i>Carpinus cordata</i>	<i>Carpinus coreana</i>
<i>Carpinus fargesiana</i>	<i>Carpinus fargesii</i>	<i>Carpinus henryana</i>
<i>Carpinus hupeana</i>	<i>Carpinus japonica</i>	<i>Carpinus laxiflora</i>
<i>Carpinus monbeigiana</i>	<i>Carpinus orientalis</i>	<i>Carpinus polyneura</i>
<i>Carpinus schuschaensis</i>	<i>Carpinus shensiensis</i>	<i>Carpinus tschonoskii</i>
<i>Carpinus turczaninowii</i>	<i>Carpinus viminea</i>	<i>Carpobrotus aequilaterus</i>
<i>Carpobrotus dimidiatus</i>	<i>Carpobrotus edulis</i>	<i>Carpobrotus edulis x virescens</i>
<i>Carpobrotus glaucescens</i>	<i>Carpobrotus muirii</i>	<i>Carpobrotus quadrifidus</i>
<i>Carpodetus serratus</i>	<i>Carpolepis laurifolia</i>	<i>Carpolobia lutea</i>
<i>Carpoxydon macrospermum</i>	<i>Carrichtera annua</i>	<i>Carronia multiselepalea</i>
<i>Carruanthus caninus</i>	<i>Carruanthus peersii</i>	<i>Carruanthus ringens</i>
<i>Carthamus glaucus</i>	<i>Carthamus palaestinus</i>	<i>Carthamus tinctorius</i>
<i>Carum carvi</i>	<i>Carum roxburghianum</i>	<i>Carya cathayensis</i>
<i>Carya illinoensis</i>	<i>Carya ovalis</i>	<i>Caryocar glabrum</i>
<i>Caryocar microcarpum</i>	<i>Caryocar nuciferum</i>	<i>Caryocar villosum</i>
<i>Caryopteris x clandonensis</i>	<i>Caryopteris incana</i>	<i>Caryopteris mongholica</i>
<i>Caryota aequatorialis</i>	<i>Caryota bacsonensis</i>	<i>Caryota cumingii</i>
<i>Caryota gigas</i>	<i>Caryota kiriwongensis</i>	<i>Caryota maxima</i>
<i>Caryota mitis</i>	<i>Caryota monostachya</i>	<i>Caryota no</i>
<i>Caryota obtusa</i>	<i>Caryota ochlandra</i>	<i>Caryota ophiopellis</i>
<i>Caryota rumphiana</i>	<i>Caryota sympetala</i>	<i>Caryota urens</i>
<i>Caryota zebrina</i>	<i>Casasia clusiifolia</i>	<i>Cascabela thevetioides</i>
<i>Casimiroa edulis</i>	<i>Casimiroa tetrameria</i>	<i>Cassia abbreviata</i>

<i>Cassia arereh</i>	<i>Cassia brewsteri</i>	<i>Cassia charlesiana</i>
<i>Cassia falcinella</i>	<i>Cassia ferruginea</i>	<i>Cassia fistula</i>
<i>Cassia fistula x javanica</i>	<i>Cassia grandis</i>	<i>Cassia javanica</i>
<i>Cassia leiandra</i>	<i>Cassia leptoclada</i>	<i>Cassia leptophylla</i>
<i>Cassia magnifolia</i>	<i>Cassia nigricans</i>	<i>Cassia pennelliana</i>
<i>Cassia purpusii</i>	<i>Cassia queenslandica</i>	<i>Cassia roxburghii</i>
<i>Cassia sieberiana</i>	<i>Cassine melanocarpa</i>	<i>Cassinia aculeata</i>
<i>Cassinia aureonitens</i>	<i>Cassinia collina</i>	<i>Cassinia cunninghamii</i>
<i>Cassinia denticulata</i>	<i>Cassinia leptcephala</i>	<i>Cassinia subtropica</i>
<i>Cassinia tenuifolia</i>	<i>Cassinia uncata</i>	<i>Cassinopsis capensis</i>
<i>Cassinopsis ilicifolia</i>	<i>Cassiope fastigiata</i>	<i>Cassiope fastigiata x tetragona</i>
<i>Cassiope lycopodioides</i>	<i>Cassiope mertensiana</i>	<i>Cassiope tetragona</i>
<i>Cassipourea verticillata</i>	<i>Castanea dentata</i>	<i>Castanea sativa</i>
<i>Castanea seguinii</i>	<i>Castanopsis acuminatissima</i>	<i>Castanopsis carlesii</i>
<i>Castanopsis diversifolia</i>	<i>Castanopsis foxworthyi</i>	<i>Castanopsis sclerophylla</i>
<i>Castanopsis sieboldii</i>	<i>Castanopsis tribuloides</i>	<i>Castanopsis wattii</i>
<i>Castanospermum australe</i>	<i>Castanospora alphanthii</i>	<i>Castilleja indivisa</i>
<i>Castilleja linariifolia</i>	<i>Castilleja miniata</i>	<i>Castilleja rhexifolia</i>
<i>Castilleja rubicundula</i>	<i>Casuarina collina</i>	<i>Casuarina cristata</i>
<i>Casuarina cunninghamiana</i>	<i>Casuarina dielsiana</i>	<i>Casuarina equisetifolia</i>
<i>Casuarina glauca</i>	<i>Casuarina grandis</i>	<i>Casuarina monilifera</i>
<i>Casuarina oligodon</i>	<i>Casuarina pinaster</i>	<i>Casuarina rigida</i>
<i>Casuarina striata</i>	<i>Casuarina tessellata</i>	<i>Catalepidia heyana</i>
<i>Catalpa bignonioides</i>	<i>Catalpa bungei</i>	<i>Catalpa x erubescens</i>
<i>Catalpa fargesii</i>	<i>Catalpa speciosa</i>	<i>Catalpa sutchuenensis</i>
<i>Catananche caerulea</i>	<i>Catananche caespitosa</i>	<i>Catananche lutea</i>
<i>Catapodium marinum</i>	<i>Catapodium rigidum</i>	<i>Catasetum spp.</i>
<i>Catha edulis</i>	<i>Catharanthus roseus</i>	<i>Catopheria chiapensis</i>
<i>Catopsis berteroniana</i>	<i>Catopsis floribunda</i>	<i>Catopsis hahnii</i>
<i>Catopsis morreniana</i>	<i>Catopsis nitida</i>	<i>Catopsis nutans</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Catopsis sessiliflora</i>	<i>Catopsis subulata</i>	<i>Cattleya</i> spp.
<i>Cattleya</i> x <i>Broughtonia</i> spp.	<i>Cattleyella araguaiensis</i>	<i>Cattleyopsis ortgiesiana</i>
<i>Catunaregam obovata</i>	<i>Catunaregam spinosa</i>	<i>Caucaea nubigena</i>
<i>Caucaea spathulata</i>	<i>Caucasalia macrophylla</i>	<i>Caucasalia platyphylloides</i>
<i>Caularthron bicornutum</i>	<i>Caularthron bilamellatum</i>	<i>Caulophyllum robustum</i>
<i>Caulophyllum thalictroides</i>	<i>Caustis blakei</i>	<i>Caustis flexuosa</i>
<i>Caustis recurvata</i>	<i>Caustis restiacea</i>	<i>Cautleya gracilis</i>
<i>Cavanillesia platanifolia</i>	<i>Cavendishia bracteata</i>	<i>Cavendishia capitulata</i>
<i>Cavendishia complectens</i>	<i>Cavendishia endresii</i>	<i>Cavendishia melastomoides</i>
<i>Cayratia acris</i>	<i>Cayratia clematidea</i>	<i>Cayratia euryneura</i>
<i>Ceanothus americanus</i>	<i>Ceanothus arboreus</i>	<i>Ceanothus coeruleus</i>
<i>Ceanothus dentatus</i>	<i>Ceanothus divergens</i>	<i>Ceanothus ferrisiae</i>
<i>Ceanothus foliosus</i>	<i>Ceanothus gloriosus</i>	<i>Ceanothus griseus</i>
<i>Ceanothus hartwegii</i>	<i>Ceanothus hybrids</i>	<i>Ceanothus impressus</i>
<i>Ceanothus incanus</i>	<i>Ceanothus jepsonii</i>	<i>Ceanothus masonii</i>
<i>Ceanothus microphyllus</i>	<i>Ceanothus oliganthus</i>	<i>Ceanothus papillosus</i>
<i>Ceanothus parryi</i>	<i>Ceanothus pinetorum</i>	<i>Ceanothus pumilus</i>
<i>Ceanothus rigidus</i>	<i>Ceanothus sonomensis</i>	<i>Ceanothus thyrsiflorus</i>
<i>Ceanothus tomentosus</i>	<i>Cecropia insignis</i>	<i>Cedrela australis</i>
<i>Cedrela fissilis</i>	<i>Cedrela odorata</i>	<i>Cedrela salvadorensis</i>
<i>Cedrela tubiflora</i>	<i>Cedronella canariensis</i>	<i>Cedronella triphylla</i>
<i>Cedrus atlantica</i>	<i>Cedrus deodara</i>	<i>Cedrus libani</i>
<i>Ceiba crispiflora</i>	<i>Ceiba insignis</i>	<i>Ceiba pentandra</i>
<i>Ceiba speciosa</i>	<i>Celastrus angulatus</i>	<i>Celastrus australis</i>
<i>Celastrus hypoleucus</i>	<i>Celastrus orbiculatus</i>	<i>Celastrus paniculatus</i>
<i>Celastrus rosthornianus</i>	<i>Celastrus scandens</i>	<i>Celastrus subspicata</i>
<i>Celmisia adamsii</i>	<i>Celmisia allanii</i>	<i>Celmisia angustifolia</i>
<i>Celmisia argentea</i>	<i>Celmisia armstrongii</i>	<i>Celmisia asteliifolia</i>
<i>Celmisia bellidioides</i>	<i>Celmisia brevifolia</i>	<i>Celmisia coriacea</i>
<i>Celmisia costiniana</i>	<i>Celmisia dallii</i>	<i>Celmisia gracilentia</i>

<i>Celmisia holosericea</i>	<i>Celmisia hookeri</i>	<i>Celmisia incana</i>
<i>Celmisia laricifolia</i>	<i>Celmisia lateralis</i>	<i>Celmisia latifolia</i>
<i>Celmisia longifolia</i>	<i>Celmisia lyallii</i>	<i>Celmisia mackaui</i>
<i>Celmisia major</i>	<i>Celmisia monroi</i>	<i>Celmisia pugioniformis</i>
<i>Celmisia pulchella</i>	<i>Celmisia ramulosa</i>	<i>Celmisia saxifraga</i>
<i>Celmisia semicordata</i>	<i>Celmisia sericophylla</i>	<i>Celmisia sessiliflora</i>
<i>Celmisia setacea</i>	<i>Celmisia spectabilis</i>	<i>Celmisia traversii</i>
<i>Celmisia verbascofolia</i>	<i>Celmisia vernicosa</i>	<i>Celmisia viscosa</i>
<i>Celosia argentea</i>	<i>Celosia huttonii</i>	<i>Celosia pyramidalis</i>
<i>Celosia rosea</i>	<i>Celosia spicata</i>	<i>Celsia arcturus</i>
<i>Celtica gigantea</i>	<i>Celtis amblyphylla</i>	<i>Celtis australis</i>
<i>Celtis bungeana</i>	<i>Celtis caucasica</i>	<i>Celtis ehrenbergiana</i>
<i>Celtis formosana</i>	<i>Celtis glabrata</i>	<i>Celtis hildebrandii</i>
<i>Celtis jessoensis</i>	<i>Celtis julianae</i>	<i>Celtis paniculata</i>
<i>Celtis philippensis</i>	<i>Celtis timorensis</i>	<i>Celtis tournefortii</i>
<i>Celtis yunnanensis</i>	<i>Cenarrhenes nitida</i>	<i>Cenchrus biflorus</i>
<i>Cenchrus ciliaris</i>	<i>Cenchrus echinatus</i>	<i>Cenchrus gracillimus</i>
<i>Cenchrus mitis</i>	<i>Cenchrus prieurii</i>	<i>Cenchrus setiger</i>
<i>Cenia barbata</i>	<i>Cenia hispida</i>	<i>Centaurea africana</i>
<i>Centaurea aggregata</i>	<i>Centaurea alpina</i>	<i>Centaurea americana</i>
<i>Centaurea arbutifolia</i>	<i>Centaurea argentea</i>	<i>Centaurea arguta</i>
<i>Centaurea calcitrapa</i>	<i>Centaurea canariensis</i>	<i>Centaurea chilensis</i>
<i>Centaurea clementei</i>	<i>Centaurea crocodylium</i>	<i>Centaurea cyanooides</i>
<i>Centaurea cyanus</i>	<i>Centaurea dealbata</i>	<i>Centaurea drabifolia</i>
<i>Centaurea faurei</i>	<i>Centaurea gymnocarpa</i>	<i>Centaurea hypoleuca</i>
<i>Centaurea kopetdaghensis</i>	<i>Centaurea kotschyana</i>	<i>Centaurea kubanica</i>
<i>Centaurea macrocephala</i>	<i>Centaurea maritima</i>	<i>Centaurea melitensis</i>
<i>Centaurea montana</i>	<i>Centaurea paniculata</i>	<i>Centaurea pawlowskii</i>
<i>Centaurea pontica</i>	<i>Centaurea procumbens</i>	<i>Centaurea pseudophrygia</i>
<i>Centaurea pulcherrima</i>	<i>Centaurea ragusina</i>	<i>Centaurea rothrockii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Centaurea rutifolia</i>	<i>Centaurea salicifolia</i>	<i>Centaurea senegalensis</i>
<i>Centaurea simplicicaulis</i>	<i>Centaurea solstitialis</i>	<i>Centaurea somchetica</i>
<i>Centaurea vanensis</i>	<i>Centaurium chilense</i>	<i>Centaurium erythraea</i>
<i>Centaurium maritimum</i>	<i>Centaurium pulchellum</i>	<i>Centaurium tenuiflorum</i>
<i>Centaurium venustum</i>	<i>Centella cordifolia</i>	<i>Centradenia floribunda</i>
<i>Centradenia inaequilateralis</i>	<i>Centranthus angustifolius</i>	<i>Centranthus lecoqii</i>
<i>Centranthus macrosiphon</i>	<i>Centranthus ruber</i>	<i>Centratherum confertum</i>
<i>Centrolepis monogyna</i>	<i>Centrolepis pedderensis</i>	<i>Centrolobium paraense</i>
<i>Centrolobium tomentosum</i>	<i>Centropodia forskalii</i>	<i>Centropodia glauca</i>
<i>Centropogon coccineus</i>	<i>Centropogon granulosus</i>	<i>Centrosema acutifolium</i>
<i>Centrosema angustifolium</i>	<i>Centrosema arenarium</i>	<i>Centrosema bifidum</i>
<i>Centrosema coriaceum</i>	<i>Centrosema dasyanthum</i>	<i>Centrosema fasciculatum</i>
<i>Centrosema grandiflorum</i>	<i>Centrosema grazielae</i>	<i>Centrosema macrocarpum</i>
<i>Centrosema pascuorum</i>	<i>Centrosema platycarpum</i>	<i>Centrosema pubescens</i>
<i>Centrosema pubescens</i> x <i>acutifolium</i>	<i>Centrosema rotundifolium</i>	<i>Centrosema schiedeanum</i>

<i>Centrosema schottii</i>	<i>Centrosema venosum</i>	<i>Centrosema vexillatum</i>
<i>Cephalanthus occidentalis</i>	<i>Cephalalaria cephalobotrys</i>	<i>Cephalalaria dipsacoides</i>
<i>Cephalalaria flava</i>	<i>Cephalalaria gigantea</i>	<i>Cephalalaria tchihatchewi</i>
<i>Cephalalaria tchihatchewii</i>	<i>Cephalocereus apicicephalum</i>	<i>Cephalocereus chrysacanthus</i>
<i>Cephalocereus columna-trajani</i>	<i>Cephalocereus euphorbioides</i>	<i>Cephalocereus glaucescens</i>
<i>Cephalocereus hoppenstedtii</i>	<i>Cephalocereus leucosteles</i>	<i>Cephalocereus nizandensis</i>
<i>Cephalocereus palmeri</i>	<i>Cephalocereus phaeacanthus</i>	<i>Cephalocereus senilis</i>
<i>Cephalocereus totolapensis</i>	<i>Cephalocleistocactus chrysocephalus</i>	<i>Cephalomanes caudatum</i>
<i>Cephalomanes obscurum</i>	<i>Cephalophyllum alstonii</i>	<i>Cephalophyllum anemoniflorum</i>
<i>Cephalophyllum aureorubrum</i>	<i>Cephalophyllum caespitosum</i>	<i>Cephalophyllum ebracteatum</i>

<i>Cephalophyllum framesii</i>	<i>Cephalophyllum francisci</i>	<i>Cephalophyllum gracile</i>
<i>Cephalophyllum littlewoodii</i>	<i>Cephalophyllum loreum</i>	<i>Cephalophyllum niveum</i>
<i>Cephalophyllum parvibracteatum</i>	<i>Cephalophyllum pillansii</i>	<i>Cephalophyllum pulchrum</i>
<i>Cephalophyllum purpureo-album</i>	<i>Cephalophyllum regale</i>	<i>Cephalophyllum rigidum</i>
<i>Cephalophyllum spissum</i>	<i>Cephalophyllum spongiosum</i>	<i>Cephalophyllum tricolorum</i>
<i>Cephalostachyum pergracile</i>	<i>Cephalostachyum virgatum</i>	<i>Cephalotaxus drupacea</i>
<i>Cephalotaxus fortunei</i>	<i>Cephalotaxus hainanensis</i>	<i>Cephalotaxus harringtonia</i>
<i>Cephalotaxus harringtonii</i>	<i>Cephalotaxus sinensis</i>	<i>Ceraria namaquensis</i>
<i>Ceraria pygmaea</i>	<i>Cerastium alpinum</i>	<i>Cerastium balearicum</i>
<i>Cerastium beeringianum</i>	<i>Cerastium boissieri</i>	<i>Cerastium candidissimum</i>
<i>Cerastium comatum</i>	<i>Cerastium diffusum</i>	<i>Cerastium glomeratum</i>
<i>Cerastium ovatum</i>	<i>Cerastium pumilum</i>	<i>Cerastium semidecandrum</i>
<i>Cerastium thomasii</i>	<i>Cerastium tomentosum</i>	<i>Cerastium uniflorum</i>
<i>Cerasus caudata</i>	<i>Ceratochilus biglandulosus</i>	<i>Ceratonia siliqua</i>
<i>Ceratopetalum apetalum</i>	<i>Ceratopetalum gummiferum</i>	<i>Ceratopetalum hylandii</i>
<i>Ceratopetalum succirubrum</i>	<i>Ceratopetalum virchowii</i>	<i>Ceratostema amplexicaule</i>
<i>Ceratostigma griffithii</i>	<i>Ceratostigma minus</i>	<i>Ceratostigma plumbaginoides</i>
<i>Ceratostigma willmottianum</i>	<i>Cerastylis</i> spp.	<i>Ceratozamia hildae</i>
<i>Ceratozamia kuesteriana</i>	<i>Ceratozamia latifolia</i>	<i>Ceratozamia mexicana</i>
<i>Ceratozamia miqueliana</i>	<i>Ceratozamia norstogii</i>	<i>Ceratozamia robusta</i>
<i>Ceratozamia zaragozae</i>	<i>Cerbera floribunda</i>	<i>Cerbera inflata</i>
<i>Cerbera manghas</i>	<i>Cerbera odollam</i>	<i>Cercestis mirabilis</i>
<i>Cercestis taiensis</i>	<i>Cercidiphyllum japonicum</i>	<i>Cercidiphyllum magnificum</i>
<i>Cercis canadensis</i>	<i>Cercis chinensis</i>	<i>Cercis chingii</i>
<i>Cercis glabra</i>	<i>Cercis griffithii</i>	<i>Cercis racemosa</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Cercis reniformis</i>	<i>Cercis siliquastrum</i>	<i>Cercocarpus breviflorus</i>
<i>Cercocarpus macrophyllus</i>	<i>Cereus adelmarii</i>	<i>Cereus aethiops</i>
<i>Cereus albicaulis</i>	<i>Cereus amazonicus</i>	<i>Cereus atroviridis</i>
<i>Cereus calcirupicola</i>	<i>Cereus chalibaeus</i>	<i>Cereus comarapanus</i>
<i>Cereus crassisepalus</i>	<i>Cereus curtisi</i>	<i>Cereus dayami</i>
<i>Cereus diffusus</i>	<i>Cereus fernambucensis</i>	<i>Cereus fricii</i>
<i>Cereus haageanus</i>	<i>Cereus hankeanus</i>	<i>Cereus hildmannianus</i>
<i>Cereus horrispinus</i>	<i>Cereus huilunchu</i>	<i>Cereus huntingtonianus</i>
<i>Cereus insularis</i>	<i>Cereus lanosus</i>	<i>Cereus lauterbachii</i>
<i>Cereus mirabella</i>	<i>Cereus mortensenii</i>	<i>Cereus pachyrrhizus</i>
<i>Cereus phatnospermus</i>	<i>Cereus polyacanthus</i>	<i>Cereus repandus</i>
<i>Cereus rhodoleucanthus</i>	<i>Cereus russelianus</i>	<i>Cereus saddianus</i>
<i>Cereus saxicola</i>	<i>Cereus sepium</i>	<i>Cereus sericifer</i>
<i>Cereus smithianus</i>	<i>Cereus spegazzinii</i>	<i>Cereus stenogonus</i>
<i>Cereus triquetter</i>	<i>Cerinthe aspera</i>	<i>Cerinthe glabra</i>
<i>Cerinthe major</i>	<i>Ceriops decandra</i>	<i>Cerochlamys gemina</i>
<i>Cerochlamys pachyphylla</i>	<i>Ceropegia africana</i>	<i>Ceropegia ampliata</i>
<i>Ceropegia arenaria</i>	<i>Ceropegia aristolochioides</i>	<i>Ceropegia ballyana</i>
<i>Ceropegia barklyi</i>	<i>Ceropegia bulbosa</i>	<i>Ceropegia carnosa</i>
<i>Ceropegia cimiciodora</i>	<i>Ceropegia crassifolia</i>	<i>Ceropegia cynanchoides</i>
<i>Ceropegia debilis</i>	<i>Ceropegia decidua</i>	<i>Ceropegia dichotoma</i>
<i>Ceropegia distincta</i>	<i>Ceropegia elegans</i>	<i>Ceropegia fusca</i>
<i>Ceropegia gemmifera</i>	<i>Ceropegia hastata</i>	<i>Ceropegia haygarthii</i>
<i>Ceropegia intermedia</i>	<i>Ceropegia linearis</i>	<i>Ceropegia lugardae</i>
<i>Ceropegia nilotica</i>	<i>Ceropegia occulta</i>	<i>Ceropegia oculata</i>
<i>Ceropegia racemosa</i>	<i>Ceropegia radicans</i>	<i>Ceropegia rendallii</i>
<i>Ceropegia robynsiana</i>	<i>Ceropegia rupicola</i>	<i>Ceropegia sandersoni</i>
<i>Ceropegia sandersonii</i>	<i>Ceropegia seticorona</i>	<i>Ceropegia stapeliiformis</i>
<i>Ceropegia stanantha</i>	<i>Ceropegia variegata</i>	<i>Ceropegia verruculosa</i>
<i>Ceropegia woodii</i>	<i>Ceroxylon alpinum</i>	<i>Ceroxylon amazonicum</i>

<i>Ceroxylon ceriferum</i>	<i>Ceroxylon echinulatum</i>	<i>Ceroxylon interruptum</i>
<i>Ceroxylon parvifrons</i>	<i>Ceroxylon parvum</i>	<i>Ceroxylon quindiuense</i>
<i>Ceroxylon sasaimae</i>	<i>Ceroxylon ventricosum</i>	<i>Ceroxylon vogelianum</i>
<i>Ceroxylon weberbaueri</i>	<i>Cestrum aurantiacum</i>	<i>Cestrum elegans</i>
<i>Cestrum elegans</i> x <i>fasciculatum</i>	<i>Cestrum endlicheri</i>	<i>Cestrum fasciculatum</i>
<i>Cestrum laurifolium</i>	<i>Cestrum newelli</i>	<i>Cestrum nocturnum</i>
<i>Cestrum parqui</i>	<i>Cestrum psittacinum</i>	<i>Cestrum roseum</i>
<i>Chadsia grevei</i>	<i>Chaenactis nevadensis</i>	<i>Chaenomeles cathayensis</i>
<i>Chaenomeles japonica</i>	<i>Chaenomeles speciosa</i>	<i>Chaenomeles</i> x <i>superba</i>
<i>Chaenorhinum glareosum</i>	<i>Chaenorhinum</i> <i>organifolium</i>	<i>Chaerophyllum bulbosum</i>
<i>Chaerophyllum hirsutum</i>	<i>Chaerophyllum temulum</i>	<i>Chaetachme aristata</i>
<i>Chaetobromus involucratus</i>	<i>Chaetocalyx brasiliensis</i>	<i>Chaetocalyx longiflorus</i>
<i>Chamaealoe africana</i>	<i>Chamaeanthus robertsii</i>	<i>Chamaebatiaria millefolium</i>
<i>Chamaecereus sylvestrii</i>	<i>Chamaecostus cuspidatus</i>	<i>Chamaecrista absus</i>
<i>Chamaecrista biensis</i>	<i>Chamaecrista dimidiata</i>	<i>Chamaecrista diphylla</i>
<i>Chamaecrista falcinella</i>	<i>Chamaecrista glandulosa</i>	<i>Chamaecrista pumila</i>
<i>Chamaecrista pygmaea</i>	<i>Chamaecrista rotundifolia</i>	<i>Chamaecyparis formosensis</i>
<i>Chamaecyparis funebris</i>	<i>Chamaecyparis lawsoniana</i>	<i>Chamaecyparis obtusa</i>
<i>Chamaecyparis pisifera</i>	<i>Chamaecyparis thyoides</i>	<i>Chamaecytisus albus</i>
<i>Chamaecytisus hirsutus</i>	<i>Chamaecytisus palmensis</i>	<i>Chamaecytisus prolifer</i>
<i>Chamaecytisus</i> <i>ratibonensis</i>	<i>Chamaedaphne calyculata</i>	<i>Chamaedorea adscendens</i>
<i>Chamaedorea allenii</i>	<i>Chamaedorea alternans</i>	<i>Chamaedorea amabilis</i>
<i>Chamaedorea angustisecta</i>	<i>Chamaedorea arenbergiana</i>	<i>Chamaedorea atrovirens</i>
<i>Chamaedorea brachypoda</i>	<i>Chamaedorea carchensis</i>	<i>Chamaedorea castillo-</i> <i>montii</i>
<i>Chamaedorea cataractarum</i>	<i>Chamaedorea correae</i>	<i>Chamaedorea costaricana</i>
<i>Chamaedorea dammeriana</i>	<i>Chamaedorea deckeriana</i>	<i>Chamaedorea donnell-</i> <i>smithii</i>
<i>Chamaedorea elatior</i>	<i>Chamaedorea elegans</i>	<i>Chamaedorea ernesti-</i> <i>augustii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Chamaedorea falcifera</i>	<i>Chamaedorea foveata</i>	<i>Chamaedorea fractiflexa</i>
<i>Chamaedorea fragrans</i>	<i>Chamaedorea frondosa</i>	<i>Chamaedorea geonomiformis</i>
<i>Chamaedorea glaucifolia</i>	<i>Chamaedorea graminifolia</i>	<i>Chamaedorea guntheriana</i>
<i>Chamaedorea hodelii</i>	<i>Chamaedorea hooperiana</i>	<i>Chamaedorea ibarrae</i>
<i>Chamaedorea keeleriorum</i>	<i>Chamaedorea klotzschiana</i>	<i>Chamaedorea latisecta</i>
<i>Chamaedorea lehmannii</i>	<i>Chamaedorea liebmannii</i>	<i>Chamaedorea linearis</i>
<i>Chamaedorea lucidifrons</i>	<i>Chamaedorea macrocarpa</i>	<i>Chamaedorea macrospadix</i>
<i>Chamaedorea matae</i>	<i>Chamaedorea metallica</i>	<i>Chamaedorea microphylla</i>
<i>Chamaedorea microspadix</i>	<i>Chamaedorea minima</i>	<i>Chamaedorea moliniana</i>
<i>Chamaedorea murriensis</i>	<i>Chamaedorea nationsiana</i>	<i>Chamaedorea neurochlamys</i>
<i>Chamaedorea nubium</i>	<i>Chamaedorea oblongata</i>	<i>Chamaedorea oreophila</i>
<i>Chamaedorea pachecoana</i>	<i>Chamaedorea palmeriana</i>	<i>Chamaedorea parvisecta</i>
<i>Chamaedorea pauciflora</i>	<i>Chamaedorea pedunculata</i>	<i>Chamaedorea pinnatifrons</i>
<i>Chamaedorea pittieri</i>	<i>Chamaedorea plumosa</i>	<i>Chamaedorea pochutlensis</i>
<i>Chamaedorea ponderosa</i>	<i>Chamaedorea pumila</i>	<i>Chamaedorea pygmaea</i>
<i>Chamaedorea queroana</i>	<i>Chamaedorea radicalis</i>	<i>Chamaedorea recurvata</i>
<i>Chamaedorea rhizomatosa</i>	<i>Chamaedorea rigida</i>	<i>Chamaedorea robertii</i>
<i>Chamaedorea rojasiana</i>	<i>Chamaedorea rossteniorum</i>	<i>Chamaedorea sartorii</i>
<i>Chamaedorea scheryi</i>	<i>Chamaedorea schiedeana</i>	<i>Chamaedorea schippii</i>
<i>Chamaedorea seifrizii</i>	<i>Chamaedorea selvae</i>	<i>Chamaedorea simplex</i>
<i>Chamaedorea skutchii</i>	<i>Chamaedorea stenocarpa</i>	<i>Chamaedorea stolonifera</i>
<i>Chamaedorea stricta</i>	<i>Chamaedorea subjectifolia</i>	<i>Chamaedorea sullivaniorum</i>
<i>Chamaedorea tenella</i>	<i>Chamaedorea tenerrima</i>	<i>Chamaedorea tepejilote</i>
<i>Chamaedorea tuerckheimii</i>	<i>Chamaedorea undulatifolia</i>	<i>Chamaedorea verecunda</i>
<i>Chamaedorea volcanensis</i>	<i>Chamaedorea vulgata</i>	<i>Chamaedorea warscewiczii</i>
<i>Chamaedorea wendlandi</i>	<i>Chamaedorea whitelockiana</i>	<i>Chamaedorea woodsoniana</i>
<i>Chamaedorea zamorae</i>	<i>Chamaelirium luteum</i>	<i>Chamaemelum nobile</i>

Chamaeranthemum gaudichaudii	Chamaeranthemum igneum	Chamaerops humilis
Chamaesyce atoto	Chamaesyce hirta	Chamaesyce hyssopifolia
Chambeyronia hookerii	Chambeyronia lepidota	Chambeyronia macrocarpa
Chamelaucium conostigmum	Chamelaucium floriferum x uncinatum	Chamelaucium hallii
Chamelaucium halophilum	Chamelaucium juniperinum	Chamelaucium leptocaulum

Chamelaucium lullfitzii	Chamelaucium megalopetalum x micranthum	Chamelaucium megalopetalum x uncinatum
Chamelaucium naviculum	Chamelaucium oenanthum	Chamelaucium repens
Chamelaucium uncinatum x axillare	Chamelaucium uncinatum x ciliatum	Chamelaucium uncinatum x forrestii
Chamelaucium uncinatum x megalopetalum	Chamelaucium uncinatum x micranthum	Chamelaucium sp. x Verticordia sp.
Chamerion latifolium	Chapmannia prismatica	Chaptalia ignota
Charpentiera obovata	Chasmanthe aethiopica	Chasmanthe bicolor
Chasmanthe floribunda	Chasmatophyllum braunsii	Chasmatophyllum musculinum
Chasmatophyllum nelii	Chasmatophyllum willowmorensis	Chassalia curviflora
Cheesmania radicata	Cheilanthes argentea	Cheilanthes aurea
Cheilanthes capensis	Cheilanthes farinosa	Cheilanthes hirta
Cheilanthes hispanica	Cheilanthes lanosa	Cheilanthes multifida
Cheilanthes myriophylla	Cheilanthes nitida	Cheilanthes pteridioides
Cheilanthes tenuifolia	Cheilanthes tomentosa	Cheilanthes vellea
Cheilocostus speciosus	Cheiranthra alternifolia	Cheiranthra cyanea
Cheiranthra linearis	Cheiranthra linearis x cyanea	Cheiranthus cinereus
Cheiridopsis aurea	Cheiridopsis brownii	Cheiridopsis candidissima
Cheiridopsis carnea	Cheiridopsis comptonii	Cheiridopsis crassa
Cheiridopsis cuprea	Cheiridopsis denticulata	Cheiridopsis derenbergiana
Cheiridopsis excavata	Cheiridopsis inspersa	Cheiridopsis meyeri

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Cheiridopsis minor</i>	<i>Cheiridopsis peculiaris</i>	<i>Cheiridopsis pillansii</i>
<i>Cheiridopsis purpurascens</i>	<i>Cheiridopsis purpurea</i>	<i>Cheiridopsis quadrifolia</i>
<i>Cheiridopsis rostrata</i>	<i>Cheiridopsis rudis</i>	<i>Cheiridopsis speciosa</i>
<i>Cheiridopsis tuberculata</i>	<i>Cheiridopsis turbinata</i>	<i>Cheiridopsis vanheerdei</i>
<i>Cheiridopsis vanzylii</i>	<i>Cheirolophus canariensis</i>	<i>Chelidonium majus</i>
<i>Chelone glabra</i>	<i>Chelone lyonii</i>	<i>Chelone obliqua</i>
<i>Chelonistele perakensis</i>	<i>Chelonistele sulphurea</i>	<i>Chelonopsis moschata</i>
<i>Chelyocarpus chuco</i>	<i>Chelyocarpus dianeurus</i>	<i>Chelyocarpus repens</i>
<i>Chelyocarpus ulei</i>	<i>Chelyorchis ampliata</i>	<i>Chengiopanax sciadophylloides</i>
<i>Chenopodium album</i>	<i>Chenopodium bonus-henricus</i>	<i>Chenopodium carinatum</i>
<i>Chenopodium giganteum</i>	<i>Chenopodium glaucum</i>	<i>Chenopodium inflatum</i>
<i>Chenopodium macrospermum</i>	<i>Chenopodium murale</i>	<i>Chenopodium quinoa</i>
<i>Chenopodium rhadinostachyum</i>	<i>Chileorebutia napina</i>	<i>Chilochista</i> spp.
<i>Chiloglottis</i> spp.	<i>Chilopsis linearis</i>	<i>Chiloschista lunifera</i>
<i>Chiloschista luniferus</i>	<i>Chiloschista phyllorhiza</i>	<i>Chiloschista usneoides</i>
<i>Chimaphila maculata</i>	<i>Chimaphila umbellata</i>	<i>Chimonanthus nitens</i>
<i>Chimonanthus praecox</i>	<i>Chimonanthus salicifolius</i>	<i>Chimonanthus yunnanensis</i>
<i>Chimonanthus zhejiangensis</i>	<i>Chimonobambusa quadrangularis</i>	<i>Chimonobambusa tumidissinoda</i>
<i>Chingia pseudoferox</i>	<i>Chionachne gigantea</i>	<i>Chionachne koenigii</i>
<i>Chionachne punctata</i>	<i>Chionanthus ramiflorus</i>	<i>Chionanthus retusus</i>
<i>Chionanthus sleumeri</i>	<i>Chionanthus virginicus</i>	<i>Chionochloa conspicua</i>
<i>Chionochloa frigida</i>	<i>Chionochloa oreophila</i>	<i>Chionochloa pallens</i>
<i>Chionochloa pallida</i>	<i>Chionochloa rigida</i>	<i>Chionodoxa albescens</i>
<i>Chionodoxa cretica</i>	<i>Chionodoxa lochiaie</i>	<i>Chionodoxa luciliae</i>
<i>Chionodoxa sardensis</i>	<i>Chionodoxa siehei</i>	<i>Chionogentias barringtonensis</i>
<i>Chionogentias bawbawensis</i>	<i>Chionogentias brevisepala</i>	<i>Chionogentias clelandii</i>

Chionogentias cunninghamii	Chionogentias demissa	Chionogentias diemensis
Chionogentias eichleri	Chionogentias grandis	Chionogentias gunniana
Chionogentias muelleriana	Chionogentias pleurogynoides	Chionogentias polysperes
Chionogentias sylvicola	Chionohebe ciliolata	Chionohebe densifolia
Chiranthodendron pentadactylon	Chirita depressa	Chirita fruticola
Chirita horsfieldii	Chirita involucrata	Chirita langshanica
Chirita lavandulacea	Chirita marcanii	Chirita micromusa
Chirita moonii	Chirita pumila	Chirita sinensis
Chirita tamiana	Chirita walkeri	Chirita zeylanica
Chironia baccifera	Chironia floribunda	Chironia frutescens
Chironia linoides	Chisocheton longistipitatus	x Chitalpa tashkentensis
Chlidanthus fragrans	Chlidanthus soratensis	Chloanthes glandulosa
Chloanthes parviflora	Chloanthes stoechadis	Chloranthus inconspicuus
Chloranthus officinalis	Chloris amethystea	Chloris berroi
Chloris bournei	Chloris castilloniana	Chloris cucullata
Chloris divaricata	Chloris elata	Chloris gayana
Chloris mossambicensis	Chloris roxburghiana	Chloris subdolichostachya
Chloris submutica	Chloris ventricosa	Chloris virgata
Chlorocardium rodiei	Chlorogalum parviflorum	Chlorophytum alismifolium
Chlorophytum amaniense	Chlorophytum bichetii	Chlorophytum bowkeri
Chlorophytum colubrinum	Chlorophytum comosum	Chlorophytum filipendulum
Chlorophytum krookianum	Chlorophytum longifolium	Chlorophytum longiscapum
Chlorophytum macrophyllum	Chlorophytum madagascariense	Chlorophytum manni
Chlorophytum minor	Chlorophytum orchidastrum	Chlorophytum sparsiflorum
Chlorophytum subpetiolatum	Chlorophytum trichophlebium	Chlorophytum triflorum
Chlorophytum tuberosum	Chlorospatha atropurpurea	Chlorospatha croatiana
Chlorospatha dodsonii	Chlorospatha hannoniae	Chlorospatha ilensis

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Chlorospatha kolbii</i>	<i>Chlorospatha longipoda</i>	<i>Chlorospatha pubescens</i>
<i>Chloroxylon swietenia</i>	<i>Choerospondias axillaris</i>	<i>Choisya dumosa</i>
<i>Choisya ternata</i>	<i>Choisya ternata x arizonica</i>	<i>Chondrodendron tomentosum</i>
<i>Chondropetalum deustum</i>	<i>Chondrorhyncha</i> spp.	<i>Chondrosium brevisetum</i>
<i>Chonemorpha fragrans</i>	<i>Chonemorpha penangensis</i>	<i>Chordifex dimorphus</i>
<i>Chordifex fastigiatus</i>	<i>Chordifex hookeri</i>	<i>Chordospartium muritai</i>
<i>Choretrum candollei</i>	<i>Choricarpia leptopetala</i>	<i>Choricarpia subargentea</i>
<i>Choriceras majus</i>	<i>Choriceras tricornis</i>	<i>Chorispora macropoda</i>
<i>Chorispora sabulosa</i>	<i>Choristemon humilis</i>	<i>Chorizema cordatum x varium</i>
<i>Chortolirion angolense</i>	<i>Christella acuminata</i>	<i>Christella arida</i>
<i>Christella distans</i>	<i>Christella subpubescens</i>	<i>Christensonia vietnamica</i>
<i>Christia obcordata</i>	<i>Christia vespertilionis</i>	<i>Chrozophora tinctoria</i>
<i>Chrysanthemum coronarium</i>	<i>Chrysanthemum foeniculaceum</i>	<i>Chrysanthemum haradjanii</i>
<i>Chrysanthemum hybridum</i>	<i>Chrysanthemum indicum</i>	<i>Chrysanthemum japonense</i>
<i>Chrysanthemum mawii</i>	<i>Chrysanthemum x morifolium</i>	<i>Chrysanthemum pacificum</i>
<i>Chrysanthemum segetum</i>	<i>Chrysanthemum shiwogiku</i>	<i>Chrysanthemum weyrichii</i>
<i>Chrysanthemum zawadskii</i>	<i>Chrysocephalum baxteri</i>	<i>Chrysochloa orientalis</i>
<i>Chrysocoma coma-aurea</i>	<i>Chrysocyathus pyrenaicus</i>	<i>Chrysolepis chrysophylla</i>
<i>Chrysophyllum cainito</i>	<i>Chrysophyllum flexuosum</i>	<i>Chrysophyllum gonocarpum</i>
<i>Chrysophyllum imperiale</i>	<i>Chrysophyllum lanceolatum</i>	<i>Chrysophyllum marginatum</i>
<i>Chrysophyllum pruniferum</i>	<i>Chrysophyllum pruniforme</i>	<i>Chrysophyllum roxburghii</i>
<i>Chrysopogon aucheri</i>	<i>Chrysopogon elongatus</i>	<i>Chrysopogon nigritanus</i>
<i>Chrysopogon plumulosus</i>	<i>Chrysopogon serrulatus</i>	<i>Chrysopogon zizanioides</i>
<i>Chrysopsis gossypina</i>	<i>Chrysopsis mariana</i>	<i>Chrysosplenium alternifolium</i>
<i>Chrysosplenium macrophyllum</i>	<i>Chrysothemis pulchella</i>	<i>Chukrasia tabularis</i>

<i>Chuniophoenix hainanensis</i>	<i>Chuniophoenix nana</i>	<i>Chuquiraga jussieui</i>
<i>Chusquea coronalis</i>	<i>Chusquea culeou</i>	<i>Chusquea foliosa</i>
<i>Chusquea lehmannii</i>	<i>Chusquea liebmannii</i>	<i>Chusquea pittieri</i>
<i>Chysis</i> spp.	<i>Cibotium assamicum</i>	<i>Cibotium barometz</i>
<i>Cibotium chamissoi</i>	<i>Cibotium glaucum</i>	<i>Cibotium menziesii</i>
<i>Cibotium regale</i>	<i>Cibotium schiedeii</i>	<i>Cicendia filiformis</i>
<i>Cicendia quadrangularis</i>	<i>Cicer arietinum</i>	<i>Cicer cuneatum</i>
<i>Cicer songaricum</i>	<i>Cichorium endivia</i>	<i>Cichorium intybus</i>
<i>Cimicifuga biternata</i>	<i>Cimicifuga brachycarpa</i>	<i>Cimicifuga elata</i>
<i>Cimicifuga japonica</i>	<i>Cimicifuga laciniata</i>	<i>Cimicifuga mairei</i>
<i>Cimicifuga ramosa</i>	<i>Cimicifuga rubifolia</i>	<i>Cimicifuga yunnanensis</i>
<i>Cinchona calisaya</i>	<i>Cineraria saxifraga</i>	<i>Cineraria tussilaginis</i>
<i>Cinnamomum aromaticum</i>	<i>Cinnamomum baileyianum</i>	<i>Cinnamomum bodinieri</i>
<i>Cinnamomum camphora</i>	<i>Cinnamomum dulce</i>	<i>Cinnamomum iners</i>
<i>Cinnamomum japonicum</i>	<i>Cinnamomum laubatii</i>	<i>Cinnamomum loureiroi</i>
<i>Cinnamomum oliveri</i>	<i>Cinnamomum parthenoxylon</i>	<i>Cinnamomum platyphyllum</i>
<i>Cinnamomum septentrionale</i>	<i>Cinnamomum tamala</i>	<i>Cinnamomum verum</i>
<i>Cinnamomum virens</i>	<i>Cinnamomum yabunikkei</i>	<i>Cintia knizeii</i>
<i>Cipocereus bradei</i>	<i>Cipocereus crassisepalus</i>	<i>Cipocereus minensis</i>
<i>Cipocereus pleurocarpus</i>	<i>Cipocereus pusilliflorus</i>	<i>Cipura paludosa</i>
<i>Cipura xanthomelas</i>	<i>Cirrhaea</i> spp.	<i>Cirsium conspicuum</i>
<i>Cirsium montanum</i>	<i>Cirsium vulgare</i>	<i>Cischweinfia</i> spp.
<i>Cissus alata</i>	<i>Cissus amazonica</i>	<i>Cissus antarctica</i>
<i>Cissus discolor</i>	<i>Cissus hastata</i>	<i>Cissus heterophylla</i>
<i>Cissus hypoglauca</i>	<i>Cissus kerrii</i>	<i>Cissus lanigera</i>
<i>Cissus lindeni</i>	<i>Cissus oblonga</i>	<i>Cissus oblongifolia</i>
<i>Cissus opaca</i>	<i>Cissus penninervis</i>	<i>Cissus rhomboidea</i>
<i>Cissus rotundifolia</i>	<i>Cissus sandersonii</i>	<i>Cissus sterculiifolia</i>
<i>Cissus striata</i>	<i>Cissus trilobata</i>	<i>Cissus tuberosa</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Cissus verticillata</i>	<i>Cissus vinosa</i>	<i>Cistanche flava</i>
<i>Cistanthe guadalupensis</i>	<i>Cistanthe umbellata</i>	<i>Cistus albanicus</i>
<i>Cistus albidus</i>	<i>Cistus x argenteus</i>	<i>Cistus x canescens</i>
<i>Cistus cinereus</i>	<i>Cistus clusii</i>	<i>Cistus creticus</i>
<i>Cistus crispus</i>	<i>Cistus crispus x dansereaui</i>	<i>Cistus x cyprius</i>
<i>Cistus x dansereaui</i>	<i>Cistus ericoides</i>	<i>Cistus x florentinus</i>
<i>Cistus formosissimus</i>	<i>Cistus heterophyllus</i>	<i>Cistus x hybridus</i>
<i>Cistus x incanus</i>	<i>Cistus inflatus</i>	<i>Cistus ladanifer</i>
<i>Cistus x laxus</i>	<i>Cistus x ledon</i>	<i>Cistus libanotis</i>
<i>Cistus loretii</i>	<i>Cistus monspeliensis</i>	<i>Cistus monspeliensis x parviflorus</i>
<i>Cistus x obtusifolius</i>	<i>Cistus osbeckiifolius</i>	<i>Cistus palhinhae</i>
<i>Cistus parviflorus</i>	<i>Cistus x pulverulentus</i>	<i>Cistus x purpureus</i>
<i>Cistus rosmarinifolius</i>	<i>Cistus salviifolius</i>	<i>Cistus x sintenisii</i>
<i>Cistus x skanbergii</i>	<i>Cistus x stenophyllus</i>	<i>Cistus symphytifolius</i>
<i>Cistus undulatus</i>	<i>Cistus x wintoniensis</i>	<i>Citharexylum berlandieri</i>

<i>Citharexylum cinereum</i>	<i>Citharexylum hidalgense</i>	<i>Citharexylum montevidense</i>
<i>Citharexylum myrianthum</i>	<i>Citharexylum spinosum</i>	<i>Citriobatus lancifolius</i>
<i>Citriobatus linearis</i>	<i>Citriobatus multiflorus</i>	<i>Citriobatus pauciflorus</i>
<i>Citriobatus spinescens</i>	<i>Citronella moorei</i>	<i>Citronella mucronata</i>
<i>Citronella smythii</i>	<i>Citrullus colocynthis</i>	<i>Citrullus lanatus</i>
<i>Citrus aurantiaca</i>	<i>Citrus aurantiifolia</i>	<i>Citrus aurantium</i>
<i>Citrus x aurantium x trifoliata</i>	<i>Citrus bergamia</i>	<i>Citrus deliciosa</i>
<i>Citrus x floridana</i>	<i>Citrus grandis x reticulata</i>	<i>Citrus hystrix</i>
<i>Citrus ichagensis x reticulata</i>	<i>Citrus ichangensis</i>	<i>Citrus indica</i>
<i>Citrus jambhiri</i>	<i>Citrus junos</i>	<i>Citrus karna</i>
<i>Citrus latifolia</i>	<i>Citrus limettioides</i>	<i>Citrus limon</i>
<i>Citrus limon x aurantium</i>	<i>Citrus limon x sinensis</i>	<i>Citrus x limonia</i>

<i>Citrus macrophylla</i>	<i>Citrus madurensis</i>	<i>Citrus maxima</i>
<i>Citrus maxima</i> x <i>reticulata</i>	<i>Citrus medica</i>	<i>Citrus meyeri</i>
<i>Citrus</i> x <i>microcarpa</i>	<i>Citrus myrtifolia</i>	<i>Citrus</i> x <i>nobilis</i>
<i>Citrus</i> x <i>paradisi</i>	<i>Citrus paradisi</i> x <i>reticulata</i>	<i>Citrus pennivesiculata</i>
<i>Citrus reticulata</i>	<i>Citrus reticulata</i> x <i>paradisi</i>	<i>Citrus reticulata</i> x <i>sinensis</i>
<i>Citrus sinensis</i>	<i>Citrus suhuiensis</i>	<i>Citrus sunki</i>
<i>Citrus tachibana</i>	<i>Citrus taiwanica</i>	<i>Citrus</i> x <i>tangelo</i>
<i>Citrus unshiu</i>	<i>Citrus</i> x <i>virgata</i>	<i>Citrus paradisi</i> x <i>Poncirus trifoliata</i>
<i>Citrus sinensis</i> x <i>Poncirus trifoliata</i>	<i>Cladium acutum</i>	<i>Cladrastis delavayi</i>
<i>Cladrastis kentukea</i>	<i>Cladrastis wilsonii</i>	<i>Claoxylon australe</i>
<i>Claoxylon tenerifolium</i>	<i>Clappertonia ficifolia</i>	<i>Clarkia amoena</i>
<i>Clarkia bottae</i>	<i>Clarkia romanzovii</i>	<i>Clarkia rubicunda</i>
<i>Clarkia tenella</i>	<i>Clarkia unguiculata</i>	<i>Clausena brevistyla</i>
<i>Clausena harmandiana</i>	<i>Clausena inequalis</i>	<i>Clausena lansium</i>
<i>Clausena smyrelliana</i>	<i>Clavija hookeri</i>	<i>Claytonia acutifolia</i>
<i>Claytonia asarifolia</i>	<i>Claytonia australasica</i>	<i>Claytonia exigua</i>
<i>Claytonia lanceolata</i>	<i>Claytonia megarhiza</i>	<i>Claytonia nevadensis</i>
<i>Claytonia sarmentosa</i>	<i>Claytonia scammaniana</i>	<i>Claytonia tuberosa</i>
<i>Cleidion claoxyloides</i>	<i>Cleistostoma</i> spp.	<i>Cleistanthus apodus</i>
<i>Cleistanthus hylandii</i>	<i>Cleistanthus oblongifolius</i>	<i>Cleistanthus peninsularis</i>
<i>Cleistocactus acanthurus</i>	<i>Cleistocactus baumannii</i>	<i>Cleistocactus brookeae</i>
<i>Cleistocactus buchtienii</i>	<i>Cleistocactus candelilla</i>	<i>Cleistocactus celsianus</i>
<i>Cleistocactus chotaensis</i>	<i>Cleistocactus crassiserpens</i>	<i>Cleistocactus dependens</i>
<i>Cleistocactus fieldianus</i>	<i>Cleistocactus fossulatus</i>	<i>Cleistocactus grossei</i>
<i>Cleistocactus horstii</i>	<i>Cleistocactus hyalacanthus</i>	<i>Cleistocactus icosagonus</i>
<i>Cleistocactus leonensis</i>	<i>Cleistocactus luribayensis</i>	<i>Cleistocactus morawetzianus</i>
<i>Cleistocactus neoroezlii</i>	<i>Cleistocactus pachycladus</i>	<i>Cleistocactus palhuayensis</i>
<i>Cleistocactus parapatiensis</i>	<i>Cleistocactus parviflorus</i>	<i>Cleistocactus piraymirensis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Cleistocactus reae</i>	<i>Cleistocactus ritteri</i>	<i>Cleistocactus roezlii</i>
<i>Cleistocactus rojoi</i>	<i>Cleistocactus roseiflorus</i>	<i>Cleistocactus samaipatanus</i>
<i>Cleistocactus sepium</i>	<i>Cleistocactus serpens</i>	<i>Cleistocactus sextonianus</i>
<i>Cleistocactus smaragdiflorus</i>	<i>Cleistocactus strausii</i>	<i>Cleistocactus tarijensis</i>
<i>Cleistocactus tenuiserpens</i>	<i>Cleistocactus tominensis</i>	<i>Cleistocactus tupizensis</i>
<i>Cleistocactus variispinus</i>	<i>Cleistocactus winteri</i>	<i>Cleistocalyx fullageri</i>
<i>Cleistocalyx gustavioides</i>	<i>Cleistocalyx operculatus</i>	<i>Clematepistephium smilacifolium</i>
<i>Clematis addisonii</i>	<i>Clematis afoliata</i>	<i>Clematis akebioides</i>
<i>Clematis alpina</i>	<i>Clematis aristata</i> x <i>gentianoides</i>	<i>Clematis armandii</i>
<i>Clematis azurea</i>	<i>Clematis balearica</i>	<i>Clematis barbellata</i>
<i>Clematis</i> x <i>bonstedtii</i>	<i>Clematis bracteata</i>	<i>Clematis buchananiana</i>
<i>Clematis</i> x <i>cartmanii</i>	<i>Clematis chiisanensis</i>	<i>Clematis chinensis</i>
<i>Clematis chrysantha</i>	<i>Clematis chrysocoma</i>	<i>Clematis cirrhosa</i>
<i>Clematis columbiana</i>	<i>Clematis crispa</i>	<i>Clematis cruttwellii</i>
<i>Clematis cunninghamii</i>	<i>Clematis douglasii</i>	<i>Clematis</i> x <i>durandii</i>
<i>Clematis</i> x <i>eriosomon</i>	<i>Clematis fasciculiflora</i>	<i>Clematis fawcettii</i>
<i>Clematis florida</i>	<i>Clematis foetida</i>	<i>Clematis forsteri</i>
<i>Clematis fremontii</i>	<i>Clematis gentianoides</i>	<i>Clematis gentianoides</i> x <i>aristata</i>
<i>Clematis glycinoides</i>	<i>Clematis gouriana</i>	<i>Clematis grandiflora</i>
<i>Clematis grata</i>	<i>Clematis gratopsis</i>	<i>Clematis grewiiflora</i>
<i>Clematis heracleifolia</i>	<i>Clematis hirsutissima</i>	<i>Clematis hookeriana</i>
<i>Clematis integrifolia</i>	<i>Clematis</i> x <i>jackmanii</i>	<i>Clematis</i> x <i>jouiniana</i>
<i>Clematis jubata</i>	<i>Clematis koreana</i>	<i>Clematis lanuginosa</i>
<i>Clematis lasiantha</i>	<i>Clematis</i> x <i>lawsoniana</i>	<i>Clematis macropetala</i>
<i>Clematis marata</i>	<i>Clematis marmoraria</i>	<i>Clematis meyeniana</i>
<i>Clematis microphylla</i>	<i>Clematis montana</i>	<i>Clematis napaulensis</i>
<i>Clematis occidentalis</i>	<i>Clematis ochroleuca</i>	<i>Clematis orientalis</i>
<i>Clematis parviflora</i>	<i>Clematis patens</i>	<i>Clematis peterae</i>

<i>Clematis petriei</i>	<i>Clematis pitcheri</i>	<i>Clematis potaninii</i>
<i>Clematis pubescens</i>	<i>Clematis recta</i>	<i>Clematis rehderiana</i>
<i>Clematis repens</i>	<i>Clematis reticulata</i>	<i>Clematis serratifolia</i>
<i>Clematis sibirica</i>	<i>Clematis songarica</i>	<i>Clematis stans</i>
<i>Clematis tashiroi</i>	<i>Clematis terniflora</i>	<i>Clematis texensis</i>
<i>Clematis tibetana</i>	<i>Clematis x triternata</i>	<i>Clematis tubulosa</i>
<i>Clematis uncinata</i>	<i>Clematis x vedrariensis</i>	<i>Clematis villosa</i>
<i>Clematis virginiana</i>	<i>Clematis viticella</i>	<i>Clematis welwitschii</i>
<i>Clematopsis villosa</i>	<i>Cleome gynandra</i>	<i>Cleome hassleriana</i>
<i>Cleome isomeris</i>	<i>Cleome violacea</i>	<i>Cleretum papulosum</i>
<i>Clermontia montis-loa</i>	<i>Clerodendrum buchananii</i>	<i>Clerodendrum bungei</i>
<i>Clerodendrum costatum</i>	<i>Clerodendrum cunninghamii</i>	<i>Clerodendrum cyrtophyllum</i>
<i>Clerodendrum dusenii</i>	<i>Clerodendrum glabrum</i>	<i>Clerodendrum griffithianum</i>
<i>Clerodendrum hettiae</i>	<i>Clerodendrum kaichianum</i>	<i>Clerodendrum kwangtungense</i>
<i>Clerodendrum lanceolatum</i>	<i>Clerodendrum longiflorum</i>	<i>Clerodendrum minahassae</i>
<i>Clerodendrum phlomidis</i>	<i>Clerodendrum sahelangii</i>	<i>Clerodendrum schweinfurthii</i>
<i>Clerodendrum speciosissimum</i>	<i>Clerodendrum splendens</i>	<i>Clerodendrum thomsoniae</i>
<i>Clerodendrum tracyanum</i>	<i>Clerodendrum trichotomum</i>	<i>Clerodendrum vinosum</i>
<i>Clerodendrum wallichii</i>	<i>Clerodendrum zambesianum</i>	<i>Clethra acuminata</i>
<i>Clethra alnifolia</i>	<i>Clethra arborea</i>	<i>Clethra barbinervis</i>
<i>Clethra delavayi</i>	<i>Clethra fargesii</i>	<i>Clethra gelida</i>
<i>Clethra monostachya</i>	<i>Clethra pringlei</i>	<i>Clethra suaveolens</i>
<i>Cleyera fortunei</i>	<i>Cleyera japonica</i>	<i>Clianthus puniceus</i>
<i>Clidemia setosa</i>	<i>Cliffortia monophylla</i>	<i>Cliffortia nitidula</i>
<i>Clinogyne oligantha</i>	<i>Clinopodium arkansanum</i>	<i>Clinopodium carolinianum</i>
<i>Clinopodium douglasii</i>	<i>Clinopodium vulgare</i>	<i>Clinosperma bractealis</i>
<i>Clinostigma carolinense</i>	<i>Clinostigma exorrhizum</i>	<i>Clinostigma gronophyllum</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Clinostigma haerestigma</i>	<i>Clinostigma harlandii</i>	<i>Clinostigma onchorhynchum</i>
<i>Clinostigma ponapense</i>	<i>Clinostigma samoense</i>	<i>Clinostigma savaiiense</i>
<i>Clinostigma savoryanum</i>	<i>Clinostigma warburgii</i>	<i>Clintonia alpina</i>
<i>Clintonia andrewsiana</i>	<i>Clintonia udensis</i>	<i>Clintonia umbellulata</i>
<i>Clintonia uniflora</i>	<i>Clitoria amazonum</i>	<i>Clitoria dendrina</i>
<i>Clitoria fragrans</i>	<i>Clitoria guianensis</i>	<i>Clitoria mariana</i>
<i>Clitoria stipularis</i>	<i>Clitoria ternatea</i>	<i>Clivia caulescens</i>
<i>Clivia gardenii</i>	<i>Clivia miniata</i>	<i>Clivia miniata x gardenii</i>
<i>Clivia mirabilis</i>	<i>Clivia nobilis</i>	<i>Clivia robusta</i>
<i>Cloezia buxifolia</i>	<i>Clowesia rosea</i>	<i>Clowesia russelliana</i>
<i>Clusia major</i>	<i>Clusia rosea</i>	<i>Clusia torresii</i>
<i>Clusiella elegans</i>	<i>Clutia pulchella</i>	<i>Clymenia polyandra</i>
<i>Clytostoma callistegioides</i>	<i>Cneoridium dumosum</i>	<i>Cneorum tricoccon</i>
<i>Cnesmocarpon dasyantha</i>	<i>Cnicus benedictus</i>	<i>Cnidium monnieri</i>
<i>Coccineorchis navarrensis</i>	<i>Coccinia rehmannii</i>	<i>Coccinia sessilifolia</i>
<i>Coccoloba cowellii</i>	<i>Coccoloba diversifolia</i>	<i>Coccoloba excoriata</i>
<i>Coccoloba latifolia</i>	<i>Coccoloba nivea</i>	<i>Coccoloba platyclada</i>
<i>Coccoloba uvifera</i>	<i>Coconerion minus</i>	<i>Coccothrinax acunana</i>
<i>Coccothrinax alexandri</i>	<i>Coccothrinax argentata</i>	<i>Coccothrinax argentea</i>
<i>Coccothrinax baracoensis</i>	<i>Coccothrinax barbadensis</i>	<i>Coccothrinax bermudezii</i>
<i>Coccothrinax borhidiana</i>	<i>Coccothrinax boschiana</i>	<i>Coccothrinax camagueyana</i>
<i>Coccothrinax clarensis</i>	<i>Coccothrinax concolor</i>	<i>Coccothrinax crinita</i>
<i>Coccothrinax cupularis</i>	<i>Coccothrinax dussiana</i>	<i>Coccothrinax ekmanii</i>
<i>Coccothrinax elegans</i>	<i>Coccothrinax fagildei</i>	<i>Coccothrinax fragrans</i>
<i>Coccothrinax garciana</i>	<i>Coccothrinax gracilis</i>	<i>Coccothrinax guantanamensis</i>
<i>Coccothrinax gundlachii</i>	<i>Coccothrinax hiorami</i>	<i>Coccothrinax inaguensis</i>
<i>Coccothrinax jamaicensis</i>	<i>Coccothrinax leonis</i>	<i>Coccothrinax litoralis</i>
<i>Coccothrinax macroglossa</i>	<i>Coccothrinax martii</i>	<i>Coccothrinax microphylla</i>
<i>Coccothrinax miraguama</i>	<i>Coccothrinax moaensis</i>	<i>Coccothrinax montana</i>

<i>Coccothrinax munizii</i>	<i>Coccothrinax muricata</i>	<i>Coccothrinax nipensis</i>
<i>Coccothrinax orientalis</i>	<i>Coccothrinax pauciramosa</i>	<i>Coccothrinax proctorii</i>
<i>Coccothrinax pseudorigida</i>	<i>Coccothrinax pumila</i>	<i>Coccothrinax readii</i>
<i>Coccothrinax rigida</i>	<i>Coccothrinax salvatoris</i>	<i>Coccothrinax saxicola</i>
<i>Coccothrinax scoparia</i>	<i>Coccothrinax spissa</i>	<i>Coccothrinax trinitensis</i>
<i>Coccothrinax victorini</i>	<i>Coccothrinax yunquensis</i>	<i>Coccothrinax yuraguana</i>
<i>Cocculus thunbergii</i>	<i>Cochleanthes</i> spp.	<i>Cochlearia officinalis</i>
<i>Cochlioda</i> spp.	<i>Cochliostema odoratissimum</i>	<i>Cochlospermum gillivraei</i>
<i>Cochlospermum religiosum</i>	<i>Cocos nucifera</i>	<i>Codariocalyx motorius</i>
<i>Codiaeum peltatum</i>	<i>Codiaeum pictum</i>	<i>Codiaeum variegatum</i>
<i>Codonanthe gracilis</i>	<i>Codonocarpus attenuatus</i>	<i>Codonocarpus pyramidalis</i>
<i>Codonopsis bhutanica</i>	<i>Codonopsis bulleyana</i>	<i>Codonopsis cardiophylla</i>
<i>Codonopsis celebica</i>	<i>Codonopsis clematidea</i>	<i>Codonopsis convolvulacea</i>
<i>Codonopsis dicentrifolia</i>	<i>Codonopsis forrestii</i>	<i>Codonopsis grey-wilsonii</i>
<i>Codonopsis handeliana</i>	<i>Codonopsis lanceolata</i>	<i>Codonopsis meleagris</i>
<i>Codonopsis mollis</i>	<i>Codonopsis obtusa</i>	<i>Codonopsis ovata</i>
<i>Codonopsis pilosula</i>	<i>Codonopsis tangshen</i>	<i>Codonopsis tubulosa</i>
<i>Codonopsis ussuriensis</i>	<i>Codonopsis vinciflora</i>	<i>Codonopsis viridiflora</i>
<i>Codonopsis viridis</i>	<i>Coelachyrum yemenicum</i>	<i>Coelebogyne ilicifolia</i>
<i>Coelia</i> spp.	<i>Coelogyne</i> spp.	<i>Coelospermum decipiens</i>
<i>Coelospermum paniculatum</i>	<i>Coffea arabica</i>	<i>Coffea canephora</i>
<i>Coffea zanguebariae</i>	<i>Coix lacryma-jobi</i>	<i>Cojoba arborea</i>
<i>Cola cauliflora</i>	<i>Cola lateritia</i>	<i>Cola urceolata</i>
<i>Colax</i> spp.	<i>Colchicum agrippinum</i>	<i>Colchicum arenarium</i>

<i>Colchicum asteranthum</i>	<i>Colchicum atropurpureum</i>	<i>Colchicum atticum</i>
<i>Colchicum autumnale</i>	<i>Colchicum balansae</i>	<i>Colchicum baytopiorum</i>
<i>Colchicum bifolium</i>	<i>Colchicum bivonae</i>	<i>Colchicum boissieri</i>
<i>Colchicum borisii</i>	<i>Colchicum bornmuelleri</i>	<i>Colchicum brachyphyllum</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Colchicum burtii</i>	<i>Colchicum byzantinum</i>	<i>Colchicum callicymbium</i>
<i>Colchicum chalcedonicum</i>	<i>Colchicum cilicicum</i>	<i>Colchicum corsicum</i>
<i>Colchicum cousturieri</i>	<i>Colchicum creticum</i>	<i>Colchicum cupanii</i>
<i>Colchicum davisii</i>	<i>Colchicum deserti-syriaci</i>	<i>Colchicum diampolis</i>
<i>Colchicum falcifolium</i>	<i>Colchicum feinbruniae</i>	<i>Colchicum filifolium</i>
<i>Colchicum fomirii</i>	<i>Colchicum giganteum</i>	<i>Colchicum graecum</i>
<i>Colchicum haynaldii</i>	<i>Colchicum hirsutum</i>	<i>Colchicum hungaricum</i>
<i>Colchicum hydrophilum</i>	<i>Colchicum kesselringii</i>	<i>Colchicum kotschyi</i>
<i>Colchicum kurdicum</i>	<i>Colchicum laetum</i>	<i>Colchicum latifolium</i>
<i>Colchicum lingulatum</i>	<i>Colchicum lusitanum</i>	<i>Colchicum macedonicum</i>
<i>Colchicum macrophyllum</i>	<i>Colchicum micranthum</i>	<i>Colchicum minutum</i>
<i>Colchicum montanum</i>	<i>Colchicum munzurense</i>	<i>Colchicum neapolitanum</i>
<i>Colchicum parlatoris</i>	<i>Colchicum parnassicum</i>	<i>Colchicum paschei</i>
<i>Colchicum persicum</i>	<i>Colchicum polyphyllum</i>	<i>Colchicum psaridis</i>
<i>Colchicum pusillum</i>	<i>Colchicum rhodopaeum</i>	<i>Colchicum robustum</i>
<i>Colchicum roseum</i>	<i>Colchicum sanguicolle</i>	<i>Colchicum schimperii</i>
<i>Colchicum serpentinum</i>	<i>Colchicum sfikasianum</i>	<i>Colchicum soboliferum</i>
<i>Colchicum speciosum</i>	<i>Colchicum steveni</i>	<i>Colchicum stevenii</i>
<i>Colchicum szovitsii</i>	<i>Colchicum tenorii</i>	<i>Colchicum trigynum</i>
<i>Colchicum triphyllum</i>	<i>Colchicum troodi</i>	<i>Colchicum turcicum</i>
<i>Colchicum umbrosum</i>	<i>Colchicum wendelboi</i>	<i>Colchicum woronowii</i>
<i>Coleocephalocereus braunii</i>	<i>Coleocephalocereus diersianus</i>	<i>Coleocephalocereus estevesii</i>
<i>Coleocephalocereus fluminensis</i>	<i>Coleocephalocereus goebelianus</i>	<i>Coleocephalocereus purpureus</i>
<i>Coleochloa setifera</i>	<i>Coleonema album</i>	<i>Coleonema pulchrum</i>
<i>Coleostephus multicaulis</i>	<i>Collabium nebulosum</i>	<i>Colletia armata</i>
<i>Collinsia bartsiiifolia</i>	<i>Collinsia heterophylla</i>	<i>Collinsia verna</i>
<i>Collinsonia canadensis</i>	<i>Collomia biflora</i>	<i>Collospermum hastatum</i>
<i>Colmanara</i> spp.	<i>Colobanthus affinis</i>	<i>Colobanthus affinis</i> x <i>apetalus</i>

<i>Colobanthus apetalus</i>	<i>Colobanthus crassifolius</i>	<i>Colobanthus curtisiae</i>
<i>Colobanthus kerguelensis</i>	<i>Colobanthus muelleri</i>	<i>Colobanthus muscoides</i>
<i>Colobanthus nivicola</i>	<i>Colobanthus pulvinatus</i>	<i>Colobanthus subulatus</i>
<i>Colocasia affinis</i>	<i>Colocasia esculenta</i>	<i>Colocasia fallax</i>
<i>Colocasia gigantea</i>	<i>Colocasia x marchallii</i>	<i>Cologania angustifolia</i>
<i>Colpoon compressum</i>	<i>Colpothrinax aphanopetala</i>	<i>Colpothrinax cookii</i>
<i>Colpothrinax wrightii</i>	<i>Colquhounia coccinea</i>	<i>Columnea ambigua</i>
<i>Columnea arguta</i>	<i>Columnea x banksii</i>	<i>Columnea consanguinea</i>
<i>Columnea crassifolia</i>	<i>Columnea flaccida</i>	<i>Columnea gloriosa</i>
<i>Columnea hirta</i>	<i>Columnea lepidocaula</i>	<i>Columnea microphylla</i>
<i>Columnea nicaraguensis</i>	<i>Columnea orientandina</i>	<i>Columnea picta</i>
<i>Columnea purpurata</i>	<i>Columnea purpureovittata</i>	<i>Columnea querceti</i>
<i>Columnea sanguinea</i>	<i>Columnea scandens</i>	<i>Columnea schiedeana</i>
<i>Columnea x vedrariensis</i>	<i>Colutea abyssinica</i>	<i>Colutea arborescens</i>
<i>Colutea x media</i>	<i>Colutea melanocalyx</i>	<i>Colutea persica</i>
<i>Colvillea racemosa</i>	<i>Colysis ampla</i>	<i>Colysis pteropus</i>
<i>Colysis sayeri</i>	<i>Colysis wrightii</i>	<i>Comanthosphace japonica</i>
<i>Comarostaphylis diversifolia</i>	<i>Comarostaphylis lucida</i>	<i>Combera minima</i>
<i>Combretum aculeatum</i>	<i>Combretum alfredii</i>	<i>Combretum bracteosum</i>
<i>Combretum caffrum</i>	<i>Combretum coccineum</i>	<i>Combretum comosum</i>
<i>Combretum constrictum</i>	<i>Combretum engleri</i>	<i>Combretum erythrophyllum</i>
<i>Combretum farinosum</i>	<i>Combretum fruticosum</i>	<i>Combretum grandiflorum</i>
<i>Combretum kraussii</i>	<i>Combretum micranthum</i>	<i>Combretum microphyllum</i>
<i>Combretum molle</i>	<i>Combretum mossambicense</i>	<i>Combretum padoides</i>
<i>Combretum roxburghii</i>	<i>Comesa spp.</i>	<i>Comesperma ericinum</i>
<i>Comesperma retusum</i>	<i>Commelina benghalensis</i>	<i>Commelina dianthifolia</i>
<i>Commersonia bartramia</i>	<i>Commersonia echinata</i>	<i>Commersonia fraseri</i>
<i>Commersonia tatei</i>	<i>Commicarpus chinensis</i>	<i>Commicarpus plumbagineus</i>
<i>Commiphora africana</i>	<i>Commiphora capensis</i>	<i>Commiphora gileadensis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Commiphora guidottii</i>	<i>Commiphora merkeri</i>	<i>Commiphora myrrha</i>
<i>Commiphora schimperi</i>	<i>Commiphora wightii</i>	<i>Comparettia</i> spp.
<i>Comptonia peregrina</i>	<i>Conandron ramondioides</i>	<i>Conanthera bifolia</i>
<i>Conanthera campanulata</i>	<i>Conanthera echeandia</i>	<i>Conanthera johowii</i>
<i>Conanthera simsii</i>	<i>Condalia velutina</i>	<i>Congea griffithiana</i>
<i>Congea tomentosa</i>	<i>Congea velutina</i>	<i>Conicosia communis</i>
<i>Conicosia elongata</i>	<i>Coniogramme fraxinea</i>	<i>Coniogramme gracilis</i>
<i>Coniogramme intermedia</i>	<i>Coniogramme japonica</i>	<i>Connarus conchocarpus</i>
<i>Conophytum achabense</i>	<i>Conophytum acutum</i>	<i>Conophytum albiflorum</i>
<i>Conophytum angelicae</i>	<i>Conophytum auriflorum</i>	<i>Conophytum bicarinatum</i>
<i>Conophytum bilobum</i>	<i>Conophytum blandum</i>	<i>Conophytum bolusiae</i>
<i>Conophytum breve</i>	<i>Conophytum brunneum</i>	<i>Conophytum burgeri</i>
<i>Conophytum calculus</i>	<i>Conophytum caroli</i>	<i>Conophytum carpiantum</i>
<i>Conophytum chauviniae</i>	<i>Conophytum concavum</i>	<i>Conophytum cubicum</i>
<i>Conophytum cupreiflorum</i>	<i>Conophytum devium</i>	<i>Conophytum ectypum</i>
<i>Conophytum ectypum</i> x <i>bilobum</i>	<i>Conophytum ernstii</i>	<i>Conophytum ficiforme</i>
<i>Conophytum flavum</i>	<i>Conophytum francisci</i>	<i>Conophytum fraternum</i>
<i>Conophytum friedrichiae</i>	<i>Conophytum frutescens</i>	<i>Conophytum fulleri</i>
<i>Conophytum globosum</i>	<i>Conophytum gracile</i>	<i>Conophytum gratum</i>
<i>Conophytum hammeri</i>	<i>Conophytum herreanthus</i>	<i>Conophytum hians</i>
<i>Conophytum jarmilae</i>	<i>Conophytum karamapoense</i>	<i>Conophytum</i> <i>klingshardtense</i>
<i>Conophytum kubusanum</i>	<i>Conophytum leiopoldtii</i>	<i>Conophytum limpidum</i>
<i>Conophytum lithopsoides</i>	<i>Conophytum loeschianum</i>	<i>Conophytum longum</i>
<i>Conophytum luckhoffii</i>	<i>Conophytum lydiae</i>	<i>Conophytum marginatum</i>
<i>Conophytum maughanii</i>	<i>Conophytum meyeriae</i>	<i>Conophytum meyeri</i>
<i>Conophytum minimum</i>	<i>Conophytum minusculum</i>	<i>Conophytum minutum</i>
<i>Conophytum obcordellum</i>	<i>Conophytum obscurum</i>	<i>Conophytum pageae</i>
<i>Conophytum pearsonii</i>	<i>Conophytum pellucidum</i>	<i>Conophytum phoeniceum</i>
<i>Conophytum piluliforme</i>	<i>Conophytum placitum</i>	<i>Conophytum praesectum</i>

Conophytum pubicalyx	Conophytum quaesitum	Conophytum ratum
Conophytum regale	Conophytum ricardianum	Conophytum roodiae
Conophytum ruschii	Conophytum saxetanum	Conophytum schlechteri
Conophytum smorenskaduense	Conophytum stephanii	Conophytum subfenestratum
Conophytum tantillum	Conophytum taylorianum	Conophytum truncatum
Conophytum udabihense	Conophytum ursprungianum	Conophytum uviforme
Conophytum vanheerdei	Conophytum vanheerdii	Conophytum velutinum
Conophytum violaciflorum	Conophytum viridicatum	Conophytum wettsteinii
Conophytum wiggetae	Conophytum wiggetae	Conospermum dorrienii
Conospermum ellipticum	Conospermum ericifolium	Conospermum longifolium
Conospermum mitchellii	Conospermum patens	Conospermum taxifolium
Conospermum tenuifolium	Conostylis crassinerva	Conostylis preissii
Conostylis canescens x Anigozanthos sp.	Conradina verticillata	Consolida ajacis
Consolida ajacis x orientalis	Consolida orientalis	Consolida regalis
Consolida rugulosa	Convallaria keiskei	Convallaria majalis
Convolvulus abruptus	Convolvulus canariensis	Convolvulus cantabrica
Convolvulus chilensis	Convolvulus cneorum	Convolvulus compactus
Convolvulus erubescens	Convolvulus floridus	Convolvulus hystrix
Convolvulus lopezsocasi	Convolvulus maritimus	Convolvulus mauritanicus
Convolvulus olgae	Convolvulus plebeius	Convolvulus prostratus
Convolvulus sabatius	Convolvulus scoparius	Convolvulus trilobus
Convolvulus velutinus	Conyza bonariensis	Conyza canadensis
Conyza parva	Conyza sumatrensis	Conzattia multiflora
Cooperia drummondii	Cooperia pedunculata	Cooperookia barbata
Copaifera langsdorffii	Copaifera pubiflora	Copaifera venezuelana
Copernicia alba	Copernicia baileyana	Copernicia berteriana
Copernicia brittonorum	Copernicia burretiana	Copernicia cowellii
Copernicia ekmanii	Copernicia fallaensis	Copernicia gigas

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Copernicia glabrescens</i>	<i>Copernicia hospita</i>	<i>Copernicia longiglossa</i>
<i>Copernicia macroglossa</i>	<i>Copernicia x occidentalis</i>	<i>Copernicia prunifera</i>
<i>Copernicia rigida</i>	<i>Copernicia x shaferi</i>	<i>Copernicia x sueroana</i>
<i>Copernicia tectorum</i>	<i>Copernicia x textilis</i>	<i>Copernicia x vespertilionum</i>
<i>Copiapoa calderana</i>	<i>Copiapoa cinerascens</i>	<i>Copiapoa cinerea</i>
<i>Copiapoa coquimbana</i>	<i>Copiapoa echinoides</i>	<i>Copiapoa fiedleriana</i>
<i>Copiapoa humilis</i>	<i>Copiapoa hypogaea</i>	<i>Copiapoa krainziana</i>
<i>Copiapoa laui</i>	<i>Copiapoa longistaminea</i>	<i>Copiapoa malletiana</i>
<i>Copiapoa marginata</i>	<i>Copiapoa megarhiza</i>	<i>Copiapoa montana</i>
<i>Copiapoa rupestris</i>	<i>Copiapoa serpentisulcata</i>	<i>Copiapoa solaris</i>
<i>Copiapoa tenuissima</i>	<i>Coprosma acerosa</i>	<i>Coprosma acutifolia</i>
<i>Coprosma areolata</i>	<i>Coprosma astoni</i>	<i>Coprosma atropurpurea</i>
<i>Coprosma australis</i>	<i>Coprosma brunnea</i>	<i>Coprosma cheesemanii</i>
<i>Coprosma x conferta</i>	<i>Coprosma crassifolia</i>	<i>Coprosma x cunninghamii</i>
<i>Coprosma divergens</i>	<i>Coprosma foetidissima</i>	<i>Coprosma granadensis</i>
<i>Coprosma grandifolia</i>	<i>Coprosma hirtella</i>	<i>Coprosma kauensis</i>
<i>Coprosma x kirkii</i>	<i>Coprosma linariifolia</i>	<i>Coprosma macrocarpa</i>
<i>Coprosma microcarpa</i>	<i>Coprosma moorei</i>	<i>Coprosma niphophila</i>
<i>Coprosma nitida</i>	<i>Coprosma nivalis</i>	<i>Coprosma parviflora</i>
<i>Coprosma perpusilla</i>	<i>Coprosma petriei</i>	<i>Coprosma prisca</i>
<i>Coprosma propinqua</i>	<i>Coprosma pseudocuneata</i>	<i>Coprosma pumila</i>
<i>Coprosma putida</i>	<i>Coprosma quadrifida</i>	<i>Coprosma repens</i>
<i>Coprosma repens x rhamnoides</i>	<i>Coprosma rhamnoides</i>	<i>Coprosma rigida</i>
<i>Coprosma rotundifolia</i>	<i>Coprosma rugosa</i>	<i>Coprosma spathulata</i>
<i>Coprosma tenuicaulis</i>	<i>Coprosma tenuifolia</i>	<i>Coprosma virescens</i>
<i>Coprosma waima</i>	<i>Coptis chinensis</i>	<i>Coptis laciniata</i>
<i>Coptis trifolia</i>	<i>Coptosperma rhodesiacum</i>	<i>Corallocarpus boehmii</i>
<i>Corallorrhiza odontorhiza</i>	<i>Corchoropsis crenata</i>	<i>Corchorus aestuans</i>
<i>Corchorus capsularis</i>	<i>Corchorus cunninghamii</i>	<i>Corchorus olitorius</i>

<i>Corchorus reynoldsiae</i>	<i>Corchorus trilocularis</i>	<i>Cordeauxia edulis</i>
<i>Cordia alliodora</i>	<i>Cordia decandra</i>	<i>Cordia dodecandra</i>
<i>Cordia ecalyculata</i>	<i>Cordia grandicalyx</i>	<i>Cordia oncocalyx</i>
<i>Cordia ovalis</i>	<i>Cordia parvifolia</i>	<i>Cordia superba</i>
<i>Cordia trichotoma</i>	<i>Cordia wallichii</i>	<i>Cordyline australis</i>
<i>Cordyline banksii</i>	<i>Cordyline baueri</i>	<i>Cordyline cannifolia</i>
<i>Cordyline congesta</i>	<i>Cordyline dracaenoides</i>	<i>Cordyline fruticosa</i>
<i>Cordyline haageana</i>	<i>Cordyline indivisa</i>	<i>Cordyline manners-suttoniae</i>

<i>Cordyline murchisoniae</i>	<i>Cordyline petiolaris</i>	<i>Cordyline petiolaris x fruticosa</i>
<i>Cordyline pumilio</i>	<i>Cordyline rubra</i>	<i>Cordyline stricta</i>
<i>Coreopsis delphiniifolia</i>	<i>Coreopsis grandiflora</i>	<i>Coreopsis lanceolata</i>
<i>Coreopsis major</i>	<i>Coreopsis maritima</i>	<i>Coreopsis palmata</i>
<i>Coreopsis pubescens</i>	<i>Coreopsis rosea</i>	<i>Coreopsis stillmanii</i>
<i>Coreopsis tinctoria</i>	<i>Coreopsis tripteris</i>	<i>Coreopsis verticillata</i>
<i>Coriandrum sativum</i>	<i>Coriaria angustissima</i>	<i>Coriaria arborea</i>
<i>Coriaria japonica</i>	<i>Coriaria myrtifolia</i>	<i>Coriaria sarmentosa</i>
<i>Coriaria sinica</i>	<i>Coriaria terminalis</i>	<i>Cornukaempferia aurantiflora</i>
<i>Cornus alba</i>	<i>Cornus alternifolia</i>	<i>Cornus amomum</i>
<i>Cornus angustata</i>	<i>Cornus asperifolia</i>	<i>Cornus bretschneideri</i>
<i>Cornus canadensis</i>	<i>Cornus capitata</i>	<i>Cornus capitata x kousa</i>
<i>Cornus chinensis</i>	<i>Cornus citrina</i>	<i>Cornus controversa</i>
<i>Cornus darvasica</i>	<i>Cornus florida</i>	<i>Cornus florida x kousa</i>
<i>Cornus florida x nuttallii</i>	<i>Cornus foemina</i>	<i>Cornus glabrata</i>
<i>Cornus hemsleyi</i>	<i>Cornus iberica</i>	<i>Cornus kousa</i>
<i>Cornus macrophylla</i>	<i>Cornus mas</i>	<i>Cornus meyeri</i>
<i>Cornus officinalis</i>	<i>Cornus paucinervis</i>	<i>Cornus poliophylla</i>
<i>Cornus pubescens</i>	<i>Cornus pumila</i>	<i>Cornus sericea</i>
<i>Cornus sessilis</i>	<i>Cornus walteri</i>	<i>Cornutia grandifolia</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Cornutia pyramidata</i>	<i>Corokia buddleioides</i>	<i>Corokia carpodetoides</i>
<i>Corokia cotoneaster</i>	<i>Corokia macrocarpa</i>	<i>Corokia x virgata</i>
<i>Corokia whiteana</i>	<i>Coronidium elatum</i>	<i>Coronilla juncea</i>
<i>Coronilla minima</i>	<i>Coronilla viminalis</i>	<i>Corpuscularia lehmannii</i>
<i>Correa aemula</i>	<i>Correa aemula x calycina</i>	<i>Correa aemula x pulchella</i>
<i>Correa alba</i>	<i>Correa backhousiana</i>	<i>Correa backhousiana x alba</i>
<i>Correa baeuerlenii</i>	<i>Correa calycina</i>	<i>Correa decumbens</i>
<i>Correa eburnea</i>	<i>Correa glabra</i>	<i>Correa hybrid</i>
<i>Correa lawrenceana</i>	<i>Correa lawrenciana</i>	<i>Correa x magnifica</i>
<i>Correa minor</i>	<i>Correa pulchella</i>	<i>Correa reflexa</i>
<i>Correa schlechtendalii</i>	<i>Corrigiola litoralis</i>	<i>Corryocactus apiciflorus</i>
<i>Corryocactus aureus</i>	<i>Corryocactus brachypetalus</i>	<i>Corryocactus brevistylus</i>
<i>Corryocactus erectus</i>	<i>Corryocactus melanotrichus</i>	<i>Corryocactus puquiensis</i>
<i>Corryocactus quadrangularis</i>	<i>Corryocactus squarrosus</i>	<i>Corryocactus tenuiculus</i>
<i>Cortaderia rudiusscula</i>	<i>Cortaderia toetoe</i>	<i>Cortia wallichiana</i>
<i>Cortusa matthioli</i>	<i>Coryanthes</i> spp.	<i>Corybas</i> spp.
<i>Corydalis adunca</i>	<i>Corydalis afghanica</i>	<i>Corydalis aitchisonii</i>
<i>Corydalis alaschanica</i>	<i>Corydalis alexeenkoana</i>	<i>Corydalis x allenii</i>
<i>Corydalis alpestris</i>	<i>Corydalis alpina</i>	<i>Corydalis ambigua</i>
<i>Corydalis angustifolia</i>	<i>Corydalis benecincta</i>	<i>Corydalis blanda</i>
<i>Corydalis bracteata</i>	<i>Corydalis buschii</i>	<i>Corydalis caucasica</i>
<i>Corydalis cava</i>	<i>Corydalis chionophila</i>	<i>Corydalis conorhiza</i>
<i>Corydalis curviflora</i>	<i>Corydalis darwasica</i>	<i>Corydalis densiflora</i>
<i>Corydalis ecristata</i>	<i>Corydalis elata</i>	<i>Corydalis elata x flexuosa</i>
<i>Corydalis elegans</i>	<i>Corydalis emanuelii</i>	<i>Corydalis erdelii</i>
<i>Corydalis firouzii</i>	<i>Corydalis flaccida</i>	<i>Corydalis flexuosa</i>
<i>Corydalis fumariifolia</i>	<i>Corydalis gigantea</i>	<i>Corydalis glaucescens</i>
<i>Corydalis gorinensis</i>	<i>Corydalis gotlandica</i>	<i>Corydalis govaniana</i>
<i>Corydalis grandicalyx</i>	<i>Corydalis griffithii</i>	<i>Corydalis hallaisanensis</i>
<i>Corydalis haussknechtii</i>	<i>Corydalis hemidicentra</i>	<i>Corydalis henrikii</i>

<i>Corydalis heterocarpa</i>	<i>Corydalis integra</i>	<i>Corydalis intermedia</i>
<i>Corydalis juncea</i>	<i>Corydalis kusnetzovii</i>	<i>Corydalis latiflora</i>
<i>Corydalis ledebouriana</i>	<i>Corydalis linstowiana</i>	<i>Corydalis longipes</i>
<i>Corydalis magadanica</i>	<i>Corydalis malkensis</i>	<i>Corydalis maracandica</i>
<i>Corydalis megacalyx</i>	<i>Corydalis meifolia</i>	<i>Corydalis melanochlora</i>
<i>Corydalis mildbraedii</i>	<i>Corydalis moorcroftiana</i>	<i>Corydalis nobilis</i>
<i>Corydalis nudicaulis</i>	<i>Corydalis ochotensis</i>	<i>Corydalis oppositifolia</i>
<i>Corydalis ornata</i>	<i>Corydalis orthoceras</i>	<i>Corydalis oxypetala</i>
<i>Corydalis pachycentra</i>	<i>Corydalis paczoskii</i>	<i>Corydalis papilligera</i>
<i>Corydalis parnassica</i>	<i>Corydalis paschei</i>	<i>Corydalis pauciflora</i>
<i>Corydalis persica</i>	<i>Corydalis petrophila</i>	<i>Corydalis polygalina</i>
<i>Corydalis popovii</i>	<i>Corydalis pseudoadoxa</i>	<i>Corydalis pumila</i>
<i>Corydalis ruksansii</i>	<i>Corydalis rupestris</i>	<i>Corydalis rutifolia</i>
<i>Corydalis scaberula</i>	<i>Corydalis schanginii</i>	<i>Corydalis scouleri</i>
<i>Corydalis seisumsiana</i>	<i>Corydalis sewerzowi</i>	<i>Corydalis smithiana</i>
<i>Corydalis solida</i>	<i>Corydalis taliensis</i>	<i>Corydalis tauricola</i>
<i>Corydalis thyrsoflora</i>	<i>Corydalis tibeto-oppositifolia</i>	<i>Corydalis tomentella</i>
<i>Corydalis triternatifolia</i>	<i>Corydalis ussuriensis</i>	<i>Corydalis vaginans</i>
<i>Corydalis verticillaris</i>	<i>Corydalis vittae</i>	<i>Corydalis wendelboi</i>
<i>Corydalis wilsonii</i>	<i>Corydalis zetterlundii</i>	<i>Corylopsis glabrescens</i>
<i>Corylopsis gotoana</i>	<i>Corylopsis griffithii</i>	<i>Corylopsis multiflora</i>
<i>Corylopsis pauciflora</i>	<i>Corylopsis platypetala</i>	<i>Corylopsis sinensis</i>
<i>Corylopsis spicata</i>	<i>Corylopsis veitchiana</i>	<i>Corylus avellana</i>
<i>Corylus chinensis</i>	<i>Corylus columna</i>	<i>Corylus ferox</i>
<i>Corylus sieboldiana</i>	<i>Corymbia abergiana</i>	<i>Corymbia arnhemensis</i>
<i>Corymbia bloxsomei</i>	<i>Corymbia brachycarpa</i>	<i>Corymbia bunites</i>
<i>Corymbia calophylla x ficifolia</i>	<i>Corymbia calophylla x haematoxylon</i>	<i>Corymbia capricornia</i>
<i>Corymbia citriodora</i>	<i>Corymbia citriodora x eximia</i>	<i>Corymbia clandestina</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Corymbia clarksoniana</i>	<i>Corymbia dolichocarpa</i>	<i>Corymbia dolichocarpa</i> x <i>tumescens</i>
<i>Corymbia ellipsoidea</i>	<i>Corymbia erythrophloia</i>	<i>Corymbia eximia</i>
<i>Corymbia gilbertensis</i>	<i>Corymbia gummifera</i>	<i>Corymbia hendersonii</i>
<i>Corymbia henryi</i>	<i>Corymbia hylandii</i>	<i>Corymbia intermedia</i>
<i>Corymbia jacobiana</i>	<i>Corymbia kombolgiensis</i>	<i>Corymbia lamprophylla</i>
<i>Corymbia leichhardtii</i>	<i>Corymbia leptoloma</i>	<i>Corymbia maculata</i>
<i>Corymbia novoguineensis</i>	<i>Corymbia</i> x <i>nowraensis</i>	<i>Corymbia ollaris</i>
<i>Corymbia oocarpa</i>	<i>Corymbia papuana</i>	<i>Corymbia peltata</i>
<i>Corymbia petalophylla</i>	<i>Corymbia pocillum</i>	<i>Corymbia polysciada</i>
<i>Corymbia porphyritica</i>	<i>Corymbia porrecta</i>	<i>Corymbia ptychocarpa</i> x <i>ficifolia</i>
<i>Corymbia rhodops</i>	<i>Corymbia scabrida</i>	<i>Corymbia setosa</i>
<i>Corymbia sphaerica</i>	<i>Corymbia stockeri</i>	<i>Corymbia terminalis</i>
<i>Corymbia tessellaris</i>	<i>Corymbia torelliana</i>	<i>Corymbia trachyphloia</i>
<i>Corymbia umbonata</i>	<i>Corymbia watsoniana</i>	<i>Corymbia xanthope</i>
<i>Corynabutilon ochsenii</i>	<i>Corynabutilon</i> x <i>suntense</i>	<i>Corynabutilon vitifolium</i>
<i>Corynocarpus laevigatus</i>	<i>Corynocarpus rupestris</i>	<i>Corynostylis hybanthus</i>
<i>Corynotheca licrota</i>	<i>Corypha griffithiana</i>	<i>Corypha lecomtei</i>
<i>Corypha microclada</i>	<i>Corypha taliera</i>	<i>Corypha utan</i>
<i>Coryphantha borwiggii</i>	<i>Coryphantha bumamma</i>	<i>Coryphantha calipensis</i>
<i>Coryphantha calochlora</i>	<i>Coryphantha clava</i>	<i>Coryphantha clavata</i>
<i>Coryphantha compacta</i>	<i>Coryphantha cornifera</i>	<i>Coryphantha delaetiana</i>
<i>Coryphantha durangensis</i>	<i>Coryphantha elephantidens</i>	<i>Coryphantha erecta</i>
<i>Coryphantha glanduligera</i>	<i>Coryphantha guerkeana</i>	<i>Coryphantha longicornis</i>
<i>Coryphantha macromeris</i>	<i>Coryphantha maiz-</i> <i>tablasensis</i>	<i>Coryphantha octacantha</i>
<i>Coryphantha odorata</i>	<i>Coryphantha ottonis</i>	<i>Coryphantha pallida</i>
<i>Coryphantha poselgeriana</i>	<i>Coryphantha potosiana</i>	<i>Coryphantha pulleineana</i>
<i>Coryphantha pycnacantha</i>	<i>Coryphantha radians</i>	<i>Coryphantha ramillosa</i>
<i>Coryphantha recurvata</i>	<i>Coryphantha salm-dyckiana</i>	<i>Coryphantha scolymoides</i>

<i>Coryphantha sulcolanata</i>	<i>Coryphantha villarensis</i>	<i>Coryphantha werdermannii</i>
<i>Corytoplectus capitatus</i>	<i>Corytoplectus speciosus</i>	<i>Cosmidium burridgeanum</i>
<i>Cosmos atrosanguineus</i>	<i>Cosmos bipinnatus</i>	<i>Cosmos diversifolius</i>
<i>Cosmos peucedanifolius</i>	<i>Cosmos sulphureus</i>	<i>Costus afer</i>
<i>Costus arabicus</i>	<i>Costus barbatus</i>	<i>Costus bicolor</i>
<i>Costus chartaceus</i>	<i>Costus claviger</i>	<i>Costus comosus</i>
<i>Costus comosus x productus</i>	<i>Costus deistelii</i>	<i>Costus dubius</i>
<i>Costus erythrocoryne</i>	<i>Costus erythrophyllus</i>	<i>Costus guanaiensis</i>
<i>Costus lucanusianus</i>	<i>Costus malortieanus</i>	<i>Costus megalobracteata</i>
<i>Costus pictus</i>	<i>Costus potierae</i>	<i>Costus productus</i>
<i>Costus productus x varzeorum</i>	<i>Costus pulverulentus</i>	<i>Costus ruber</i>
<i>Costus speciosus</i>	<i>Costus spectabilis</i>	<i>Costus spicatus</i>
<i>Costus spiralis</i>	<i>Costus stenophyllus</i>	<i>Costus subsessilis</i>
<i>Costus vargasii</i>	<i>Costus villosissimus</i>	<i>Costus woodsonii</i>
<i>Cotinus coggygia</i>	<i>Cotinus obovatus</i>	<i>Cotinus obovatus x coggygia</i>
<i>Cotoneaster adpressus</i>	<i>Cotoneaster bullatus</i>	<i>Cotoneaster cinnabarinus</i>
<i>Cotoneaster cochleata</i>	<i>Cotoneaster x crispii</i>	<i>Cotoneaster dammeri</i>
<i>Cotoneaster denticulatus</i>	<i>Cotoneaster distichus</i>	<i>Cotoneaster franchetii</i>
<i>Cotoneaster glabratus</i>	<i>Cotoneaster glaucophyllus</i>	<i>Cotoneaster harrovianus</i>
<i>Cotoneaster harrismithii</i>	<i>Cotoneaster hebephyllus</i>	<i>Cotoneaster horizontalis</i>
<i>Cotoneaster humilis</i>	<i>Cotoneaster insignis</i>	<i>Cotoneaster integerrimus</i>
<i>Cotoneaster khasiensis</i>	<i>Cotoneaster kitaibelii</i>	<i>Cotoneaster ludlowii</i>
<i>Cotoneaster microphyllus</i>	<i>Cotoneaster nanchuanicus</i>	<i>Cotoneaster nebrodensis</i>
<i>Cotoneaster nitidus</i>	<i>Cotoneaster pannosus</i>	<i>Cotoneaster racemiflorus</i>
<i>Cotoneaster radicans</i>	<i>Cotoneaster reticulatus</i>	<i>Cotoneaster rhytidophyllus</i>
<i>Cotoneaster roseus</i>	<i>Cotoneaster rubens</i>	<i>Cotoneaster submultiflorus</i>
<i>Cotoneaster thymifolia</i>	<i>Cotula alpina</i>	<i>Cotula barbata</i>
<i>Cotula bipinnata</i>	<i>Cotula coronopifolia</i>	<i>Cotula duckittiae</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Cotula filicula</i>	<i>Cotula longipes</i>	<i>Cotula pectinata</i>
<i>Cotula perpusilla</i>	<i>Cotula plumosa</i>	<i>Cotula pyrethrifolia</i>
<i>Cotula rotundata</i>	<i>Cotula sericea</i>	<i>Cotula turbinata</i>
<i>Cotyledon barbeyi</i>	<i>Cotyledon buchholziana</i>	<i>Cotyledon cuneata</i>
<i>Cotyledon deasii</i>	<i>Cotyledon eliseae</i>	<i>Cotyledon gibbiflora</i>
<i>Cotyledon integra</i>	<i>Cotyledon ladysmithiensis</i>	<i>Cotyledon linguifolia</i>
<i>Cotyledon luteosquamata</i>	<i>Cotyledon macrantha</i>	<i>Cotyledon orbiculata</i>
<i>Cotyledon paniculata</i>	<i>Cotyledon papillaris</i>	<i>Cotyledon pendens</i>
<i>Cotyledon sinus-alexandri</i>	<i>Cotyledon teretifolia</i>	<i>Cotyledon tomentosa</i>
<i>Cotyledon umbilicus</i>	<i>Cotyledon undulata</i>	<i>Cotyledon velutina</i>
<i>Couma utilis</i>	<i>Couroupita guianensis</i>	<i>Coveniella poecilophlebia</i>
<i>Crabbea reticulata</i>	<i>Crabbea velutina</i>	<i>Craibia brownii</i>

<i>Craibia zimmermannii</i>	<i>Craibiodendron yunnanense</i>	<i>Crambe abyssinica</i>
<i>Crambe cordifolia</i>	<i>Crambe maritima</i>	<i>Crambe scaberrima</i>
<i>Crambe strigosa</i>	<i>Crambe tataria</i>	<i>Craspedia alba</i>
<i>Craspedia alpina</i>	<i>Craspedia aurantia</i>	<i>Craspedia canens</i>
<i>Craspedia coolaminica</i>	<i>Craspedia costiniana</i>	<i>Craspedia glauca</i>
<i>Craspedia globosa</i>	<i>Craspedia incana</i>	<i>Craspedia jamesii</i>
<i>Craspedia lamicola</i>	<i>Craspedia lanata</i>	<i>Craspedia leucantha</i>
<i>Craspedia maxgrayi</i>	<i>Craspedia paludicola</i>	<i>Craspedia pleiocephala</i>
<i>Craspedia uniflora</i>	<i>Craspedorhachis africana</i>	<i>Crassula alata</i>
<i>Crassula alba</i>	<i>Crassula albiflora</i>	<i>Crassula alstonii</i>
<i>Crassula arborescens</i>	<i>Crassula argyrophylla</i>	<i>Crassula arta</i>
<i>Crassula atropurpurea</i>	<i>Crassula barbata</i>	<i>Crassula barklyi</i>
<i>Crassula brevifolia</i>	<i>Crassula capitella</i>	<i>Crassula coccinea</i>
<i>Crassula columella</i>	<i>Crassula corallina</i>	<i>Crassula cordata</i>
<i>Crassula cornuta</i>	<i>Crassula cotyledonis</i>	<i>Crassula deceptor</i>
<i>Crassula deltoidea</i>	<i>Crassula ernesti</i>	<i>Crassula falcata x mesembryanthemopsis</i>
<i>Crassula globularioides</i>	<i>Crassula glomerata</i>	<i>Crassula granvikii</i>

Crassula grisea	Crassula helmsii	Crassula hemisphaerica
Crassula hirtipes	Crassula lactea	Crassula lanuginosa
Crassula linguifolia	Crassula littlewoodii	Crassula macowaniana
Crassula marchandii	Crassula mesembryanthemoides	Crassula mesembryanthemopsis
Crassula montana	Crassula moschata	Crassula multicava
Crassula multiflora	Crassula muscosa	Crassula namaquensis
Crassula natans	Crassula nealeana	Crassula nudicaulis
Crassula obliqua	Crassula obovata	Crassula obtusa
Crassula ovata	Crassula pellucida	Crassula perfoliata
Crassula perforata	Crassula phyturus	Crassula picturata
Crassula plegmatoides	Crassula pruinosa	Crassula pseudolycopodioides
Crassula pyramidalis	Crassula quadrangularis	Crassula rattrayi
Crassula rogersii	Crassula rubricaulis	Crassula rupestris
Crassula rupestris x quadrangularis	Crassula sarmentosa	Crassula schmidtii
Crassula schoenlandii	Crassula socialis	Crassula spectabilis
Crassula streyi	Crassula subaphylla	Crassula susannae
Crassula swaziensis	Crassula tecta	Crassula teres
Crassula tetragona	Crassula thunbergiana	Crassula tomentosa
Crassula vaginata	Crassula versicolor	Crassula volkensis
Crataegomespilus grandiflora	Crataegus aestivalis	Crataegus atrosanguinea
Crataegus azarolus	Crataegus berberifolia	Crataegus brachyacantha
Crataegus brainerdi	Crataegus chlorosarca	Crataegus coccinea
Crataegus crus-galli	Crataegus x durobrivensis	Crataegus emersoniana
Crataegus gracilior	Crataegus hupehensis	Crataegus intricata
Crataegus jonesiae	Crataegus laevigata	Crataegus x lavallei
Crataegus layii	Crataegus mexicana	Crataegus nitida
Crataegus opaca	Crataegus pentagyna	Crataegus phaenopyrum
Crataegus pruinosa	Crataegus rhipidophylla	Crataegus scabrifolia

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Crataegus smithii</i>	<i>Crataegus spathulata</i>	<i>Crataegus suborbiculata</i>
<i>Crataegus tanacetifolia</i>	<i>Crataegus wilsonii</i>	<i>Crataeva gynandra</i>
<i>Crataeva nurvala</i>	<i>Craterostigma nanum</i>	<i>Crataeva palmeri</i>
<i>Crataeva religiosa</i>	<i>Cratylia argentea</i>	<i>Cratylia mollis</i>
<i>Crawfordia angustata</i>	<i>Crawfordia crawfordioides</i>	<i>Cremanthodium rholocephalum</i>
<i>Cremnothamnus thomsonii</i>	<i>Crepidomanes bipunctatum</i>	<i>Crepidomanes johnstonense</i>
<i>Crepidomanes pallidum</i>	<i>Crepidomanes saxifragoides</i>	<i>Crepidomanes vitiense</i>
<i>Crepis burejensis</i>	<i>Crepis capillaris</i>	<i>Crepis commutata</i>
<i>Crepis foetida</i>	<i>Crepis incana</i>	<i>Crepis intermedia</i>
<i>Crepis pygmaea</i>	<i>Crepis rubra</i>	<i>Crepis vesicaria</i>
<i>Crescentia cujete</i>	<i>Crescentia mirabilis</i>	<i>Creusa sarcocaulis</i>
<i>Cribbia brachyceras</i>	<i>Crinodendron hookerianum</i>	<i>Crinodendron patagua</i>
<i>Crinum abyssanicum</i>	<i>Crinum acaule</i>	<i>Crinum album</i>
<i>Crinum amoenum</i>	<i>Crinum arenarium</i>	<i>Crinum asiaticum</i>
<i>Crinum augustum</i>	<i>Crinum aurantiacum</i>	<i>Crinum bambusetum</i>
<i>Crinum baumii</i>	<i>Crinum biflorum</i>	<i>Crinum brachynema</i>
<i>Crinum bracteatum</i>	<i>Crinum brisbanicum</i>	<i>Crinum broussonetii</i>
<i>Crinum bulbispermum</i>	<i>Crinum buphanoides</i>	<i>Crinum calamistratum</i>
<i>Crinum campanulatum</i>	<i>Crinum capense</i>	<i>Crinum carolo-schmidtii</i>
<i>Crinum concinnum</i>	<i>Crinum crassicaule</i>	<i>Crinum crispum</i>
<i>Crinum delagoense</i>	<i>Crinum distichum</i>	<i>Crinum douglasii</i>
<i>Crinum erubescens</i>	<i>Crinum euchrophyllum</i>	<i>Crinum fimbriatulum</i>
<i>Crinum firmifolium</i>	<i>Crinum giessii</i>	<i>Crinum glaucum</i>
<i>Crinum graminicola</i>	<i>Crinum hardyi</i>	<i>Crinum harmsii</i>
<i>Crinum hildebrandtii</i>	<i>Crinum humile</i>	<i>Crinum jagus</i>
<i>Crinum johnstonii</i>	<i>Crinum kirkii</i>	<i>Crinum kunthianum</i>
<i>Crinum latifolium</i>	<i>Crinum laurentii</i>	<i>Crinum lineare</i>
<i>Crinum lorifolium</i>	<i>Crinum lugardiae</i>	<i>Crinum luteolum</i>
<i>Crinum macowanii</i>	<i>Crinum mauritianum</i>	<i>Crinum mccoysi</i>

<i>Crinum minimum</i>	<i>Crinum modestum</i>	<i>Crinum moorei</i>
<i>Crinum natans</i>	<i>Crinum occidentale</i>	<i>Crinum oliganthum</i>
<i>Crinum ornatum</i>	<i>Crinum paludosum</i>	<i>Crinum papillosum</i>
<i>Crinum parvibulbosum</i>	<i>Crinum pauciflorum</i>	<i>Crinum pedunculatum</i>
<i>Crinum politifolium</i>	<i>Crinum x powellii</i>	<i>Crinum pratense</i>
<i>Crinum purpurascens</i>	<i>Crinum rautanenianum</i>	<i>Crinum razafindratsirae</i>
<i>Crinum razafindratsiraea</i>	<i>Crinum x scabrum</i>	<i>Crinum scabrum</i>
<i>Crinum stuhlmannii</i>	<i>Crinum subcernuum</i>	<i>Crinum thaianum</i>
<i>Crinum trifidum</i>	<i>Crinum vanillodorum</i>	<i>Crinum variable</i>
<i>Crinum venosum</i>	<i>Crinum verdoorniae</i>	<i>Crinum xanthophyllum</i>
<i>Crinum xerophilum</i>	<i>Crinum yemense</i>	<i>Crinum yuccaeides</i>
<i>Crispiloba disperma</i>	<i>Crithmum maritimum</i>	<i>Crocoshmia aurea</i>
<i>Crocoshmia x crocosmiiflora</i>	<i>Crocoshmia fucata</i>	<i>Crocoshmia latifolia</i>
<i>Crocoshmia masoniorum</i>	<i>Crocoshmia pottsii</i>	<i>Crocus abantensis</i>
<i>Crocus adamii</i>	<i>Crocus adanensis</i>	<i>Crocus alatavicus</i>
<i>Crocus albiflorus</i>	<i>Crocus aleppicus</i>	<i>Crocus almehensis</i>
<i>Crocus ancyrensis</i>	<i>Crocus antalyensis</i>	<i>Crocus asturicus</i>
<i>Crocus asumaniae</i>	<i>Crocus aureus</i>	<i>Crocus autranii</i>
<i>Crocus balansae</i>	<i>Crocus biflorus</i>	<i>Crocus boryi</i>
<i>Crocus boulosii</i>	<i>Crocus cambessedesii</i>	<i>Crocus cancellatus</i>
<i>Crocus candidus</i>	<i>Crocus carpetanus</i>	<i>Crocus cartwrightianus</i>
<i>Crocus caspius</i>	<i>Crocus chrysanthus</i>	<i>Crocus corsicus</i>
<i>Crocus cvjicii</i>	<i>Crocus cyprius</i>	<i>Crocus dalmaticus</i>
<i>Crocus danfordiae</i>	<i>Crocus etruscus</i>	<i>Crocus flavus</i>
<i>Crocus fleischeri</i>	<i>Crocus gargaricus</i>	<i>Crocus gilanicus</i>
<i>Crocus goulimyi</i>	<i>Crocus graveolens</i>	<i>Crocus hadriaticus</i>
<i>Crocus hartmannianus</i>	<i>Crocus hermoneus</i>	<i>Crocus hyemalis</i>
<i>Crocus karduchorum</i>	<i>Crocus kerndorffiorum</i>	<i>Crocus korolkowii</i>
<i>Crocus kosaninii</i>	<i>Crocus kotschyanus</i>	<i>Crocus laevigatus</i>
<i>Crocus leichtlinii</i>	<i>Crocus longiflorus</i>	<i>Crocus x luteus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Crocus malyi</i>	<i>Crocus mathewii</i>	<i>Crocus medius</i>
<i>Crocus michelsonii</i>	<i>Crocus minimus</i>	<i>Crocus moabiticus</i>
<i>Crocus nevadensis</i>	<i>Crocus niveus</i>	<i>Crocus nudiflorus</i>
<i>Crocus ochroleucus</i>	<i>Crocus olivieri</i>	<i>Crocus oreoreticus</i>
<i>Crocus pallasii</i>	<i>Crocus paschei</i>	<i>Crocus pelistericus</i>
<i>Crocus pulchellus</i>	<i>Crocus pulchellus</i> x <i>speciosus</i>	<i>Crocus reticulatus</i>
<i>Crocus robertianus</i>	<i>Crocus rujanensis</i>	<i>Crocus sativus</i>
<i>Crocus scardicus</i>	<i>Crocus scharojanii</i>	<i>Crocus serotinus</i>
<i>Crocus sieberi</i>	<i>Crocus sieheanus</i>	<i>Crocus speciosus</i>
<i>Crocus suwarowianus</i>	<i>Crocus thomasii</i>	<i>Crocus tommasinianus</i>
<i>Crocus tournefortii</i>	<i>Crocus vallicola</i>	<i>Crocus veluchensis</i>
<i>Crocus veneris</i>	<i>Crocus vernus</i>	<i>Crocus vernus</i> x <i>flavus</i>
<i>Crocus vitellinus</i>	<i>Crocus zonatus</i>	<i>Crossandra flava</i>
<i>Crossandra guineensis</i>	<i>Crossandra</i> <i>infundibuliformis</i>	<i>Crossandra massaica</i>
<i>Crossandra mucronata</i>	<i>Crossandra nilotica</i>	<i>Crossandra puberula</i>
<i>Crossandra pungens</i>	<i>Crossandra subacaulis</i>	<i>Crossopteryx febrifuga</i>
<i>Crossosoma bigelovii</i>	<i>Crossosperma velutina</i>	<i>Crossyne flava</i>
<i>Crossyne guttata</i>	<i>Crotalaria agatiflora</i>	<i>Crotalaria beddomeana</i>
<i>Crotalaria benthamiana</i>	<i>Crotalaria brevidens</i>	<i>Crotalaria capensis</i>
<i>Crotalaria goreensis</i>	<i>Crotalaria juncea</i>	<i>Crotalaria meyeriana</i>
<i>Crotalaria mitchellii</i>	<i>Crotalaria prostrata</i>	<i>Crotalaria semperflorens</i>
<i>Crotalaria spectabilis</i>	<i>Crotalaria trifolium</i>	<i>Croton acronychioides</i>
<i>Croton ambovombensis</i>	<i>Croton angustifolius</i>	<i>Croton arnhemicus</i>
<i>Croton byrnesii</i>	<i>Croton ciliatoglandulifer</i>	<i>Croton eluteria</i>
<i>Croton euryphyllus</i>	<i>Croton ferrugineus</i>	<i>Croton gratissimus</i>
<i>Croton insularis</i>	<i>Croton japirensis</i>	<i>Croton laurinus</i>
<i>Croton longifolius</i>	<i>Croton macrostachyus</i>	<i>Croton megalobotrys</i>
<i>Croton phebaloides</i>	<i>Croton sagraeanus</i>	<i>Croton setigerus</i>
<i>Croton spiralis</i>	<i>Croton stigmatosus</i>	<i>Croton sylvaticus</i>

Croton triacros	Croton verreauxii	Croton dentata
Croton exalata	Croton exalata x saligna	Croton saligna
Crucianella aegyptiaca	Crucianella pumila	Cryosophila albida
Cryosophila cookii	Cryosophila grayumii	Cryosophila guagara
Cryosophila kalbreyeri	Cryosophila macrocarpa	Cryosophila nana
Cryosophila stauracantha	Cryosophila warscewiczii	Cryosophila williamsii
Crypsinus simplicissimus	Crypsinus schoenoides	Cryptandra alpina
Cryptandra amara	Cryptandra buxifolia	Cryptandra ericoides
Cryptandra grandiflora	Cryptandra lanosiflora	Cryptandra leucophracta
Cryptandra pimeleoides	Cryptandra propinqua	Cryptandra scortechinii
Cryptandra spinescens	Cryptandra tomentosa	Cryptandra waterhousii
Cryptanthus acaulis	Cryptanthus arelii	Cryptanthus bahianus
Cryptanthus beuckeri	Cryptanthus bivittatus	Cryptanthus bromelioides
Cryptanthus exaltatus	Cryptanthus fosterianus	Cryptanthus glaziovii
Cryptanthus grazielae	Cryptanthus x hybrids	Cryptanthus lacerdae
Cryptanthus makoyanus	Cryptanthus marginatus	Cryptanthus maritimus
Cryptanthus praetextus	Cryptanthus pseudopetiolaris	Cryptanthus sinuosus
Cryptanthus ubairensis	Cryptanthus warren-loosei	Cryptanthus zonatus

x Cryptbergia meadii	x Cryptbergia rubra	Cryptocarya angulata
Cryptocarya bamagana	Cryptocarya bellendenkerana	Cryptocarya bidwillii
Cryptocarya brassii	Cryptocarya burckiana	Cryptocarya chinensis
Cryptocarya cinnamomifolia	Cryptocarya clarksoniana	Cryptocarya claudiana
Cryptocarya cocosoides	Cryptocarya corrugata	Cryptocarya densiflora
Cryptocarya elliptica	Cryptocarya endiandrifolia	Cryptocarya erythroxyton
Cryptocarya exfoliata	Cryptocarya floydii	Cryptocarya foetida
Cryptocarya foveolata	Cryptocarya glabella	Cryptocarya glaucescens
Cryptocarya grandis	Cryptocarya gregsonii	Cryptocarya hypospodia
Cryptocarya laevigata	Cryptocarya leucophylla	Cryptocarya lividula

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Cryptocarya macdonaldii</i>	<i>Cryptocarya mackinnoniana</i>	<i>Cryptocarya melanocarpa</i>
<i>Cryptocarya microneura</i>	<i>Cryptocarya murrayi</i>	<i>Cryptocarya nitens</i>
<i>Cryptocarya nova-anglica</i>	<i>Cryptocarya oblata</i>	<i>Cryptocarya oblongifolia</i>
<i>Cryptocarya obovata</i>	<i>Cryptocarya onoprienkoana</i>	<i>Cryptocarya pleurosperma</i>
<i>Cryptocarya rhodosperma</i>	<i>Cryptocarya rigida</i>	<i>Cryptocarya rubra</i>
<i>Cryptocarya saccharata</i>	<i>Cryptocarya sclerophylla</i>	<i>Cryptocarya scortechinii</i>
<i>Cryptocarya triplinervis</i>	<i>Cryptocarya vulgaris</i>	<i>Cryptocarya williwilliana</i>
<i>Cryptocarya woodii</i>	<i>Cryptocarya wyliei</i>	<i>Cryptocentrum standleyi</i>
<i>Cryptochilus sanguinea</i>	<i>Cryptocoryne affinis</i>	<i>Cryptocoryne albida</i>
<i>Cryptocoryne aponogetifolia</i>	<i>Cryptocoryne balansae</i>	<i>Cryptocoryne beckettii</i>
<i>Cryptocoryne ciliata</i>	<i>Cryptocoryne cordata</i>	<i>Cryptocoryne crispatula</i>
<i>Cryptocoryne griffithii</i>	<i>Cryptocoryne lingua</i>	<i>Cryptocoryne longicauda</i>
<i>Cryptocoryne lucens</i>	<i>Cryptocoryne lutea</i>	<i>Cryptocoryne moehlmannii</i>
<i>Cryptocoryne nevillii</i>	<i>Cryptocoryne nurii</i>	<i>Cryptocoryne parva</i>
<i>Cryptocoryne petchii</i>	<i>Cryptocoryne pontederiifolia</i>	<i>Cryptocoryne retrospiralis</i>
<i>Cryptocoryne spiralis</i>	<i>Cryptocoryne tonkinensis</i>	<i>Cryptocoryne undulata</i>
<i>Cryptocoryne walkeri</i>	<i>Cryptocoryne wendtii</i>	<i>Cryptocoryne x willisii</i>
<i>Cryptogramma crispa</i>	<i>Cryptolepis sinensis</i>	<i>Cryptomeria japonica</i>
<i>Cryptopus</i> spp.	<i>Cryptostephanus haemanthoides</i>	<i>Cryptostephanus vansonii</i>
<i>Cryptostylis erecta</i>	<i>Cryptostylis hunteriana</i>	<i>Cryptostylis leptochila</i>
<i>Cryptostylis subulata</i>	<i>Cryptotaenia canadensis</i>	<i>Cryptotaenia japonica</i>
<i>Crysophila warscewiczii</i>	<i>Ctenanthe amabilis</i>	<i>Ctenanthe burle-marxii</i>
<i>Ctenanthe compressa</i>	<i>Ctenanthe kummeriana</i>	<i>Ctenanthe lubbersiana</i>
<i>Ctenanthe oppenheimiana</i>	<i>Ctenanthe setosa</i>	<i>Ctenitis eatonii</i>
<i>Ctenitis grandis</i>	<i>Ctenitis hirta</i>	<i>Ctenitis lanuginosa</i>
<i>Ctenitis lepigera</i>	<i>Ctenitis sloanei</i>	<i>Ctenitis subglandulosa</i>
<i>Ctenium elegans</i>	<i>Ctenopteris heterophylla</i>	<i>Cubanola domingensis</i>
<i>Cucumeropsis mannii</i>	<i>Cucumis africanus</i>	<i>Cucumis heptadactylus</i>

<i>Cucumis humifructus</i>	<i>Cucumis meeusei</i>	<i>Cucumis melo</i>
<i>Cucumis myriocarpus</i>	<i>Cucumis pustulatus</i>	<i>Cucumis sagittatus</i>
<i>Cucumis sativus</i>	<i>Cucurbita argyrosperma</i>	<i>Cucurbita ecuadorensis</i>
<i>Cucurbita ficifolia</i>	<i>Cucurbita gracilior</i>	<i>Cucurbita maxima</i>
<i>Cucurbita moschata</i>	<i>Cucurbita okeechobeensis</i>	<i>Cucurbita palmata</i>
<i>Cucurbita pedatifolia</i>	<i>Cucurbita pepo</i>	<i>Cuitlauzina pendula</i>
<i>Cuitlauzina pulchella</i>	<i>Culcasia falcifolia</i>	<i>Culcasia lanceolata</i>
<i>Culcasia liberica</i>	<i>Culcasia panduriformis</i>	<i>Culcasia seretii</i>
<i>Culcita dubia</i>	<i>Cullen drupaceum</i>	<i>Cullen microcephalum</i>
<i>Cullen parvum</i>	<i>Cullen tenax</i>	<i>Cullen tomentosum</i>
<i>Cuminum cyminum</i>	<i>Cumulopuntia rossiana</i>	<i>Cunila origanoides</i>
<i>Cunninghamia cupressoides</i>	<i>Cunninghamia lanceolata</i>	<i>Cunonia capensis</i>
<i>Cunonia macrophylla</i>	<i>Cunonia purpurea</i>	<i>Cupania americana</i>
<i>Cupania longifolia</i>	<i>Cupania vernalis</i>	<i>Cupaniopsis cooperorum</i>
<i>Cupaniopsis curvidentata</i>	<i>Cupaniopsis dallachyi</i>	<i>Cupaniopsis diploglottoides</i>
<i>Cupaniopsis flagelliformis</i>	<i>Cupaniopsis foveolata</i>	<i>Cupaniopsis newmanii</i>
<i>Cupaniopsis parvifolia</i>	<i>Cupaniopsis serrata</i>	<i>Cupaniopsis shirleyana</i>
<i>Cupaniopsis simulatus</i>	<i>Cupaniopsis wadsworthii</i>	<i>Cuphea aequipetala</i>
<i>Cuphea blepharophylla</i>	<i>Cuphea caeciliae</i>	<i>Cuphea cyanea</i>
<i>Cuphea glutinosa</i>	<i>Cuphea hookeriana</i>	<i>Cuphea hyssopifolia</i>
<i>Cuphea ignea</i>	<i>Cuphea llavea</i>	<i>Cuphea mexiae</i>
<i>x Cupressocyparis leylandii</i>	<i>Cupressus abramsiana</i>	<i>Cupressus africana</i>
<i>Cupressus arizonica</i>	<i>Cupressus bakeri</i>	<i>Cupressus balfouriana</i>
<i>Cupressus cashmeriana</i>	<i>Cupressus chengiana</i>	<i>Cupressus corneyana</i>
<i>Cupressus duclouxiana</i>	<i>Cupressus forbesii</i>	<i>Cupressus guadalupensis</i>
<i>Cupressus lambertiana</i>	<i>Cupressus lusitanica</i>	<i>Cupressus macnabiana</i>
<i>Cupressus macrocarpa</i>	<i>Cupressus montana</i>	<i>Cupressus sargentii</i>
<i>Cupressus sempervirens</i>	<i>Cupressus torulosa</i>	<i>Curculigo crassifolia</i>
<i>Curculigo ensifolia</i>	<i>Curculigo seychellensis</i>	<i>Curcuma alismatifolia</i>
<i>Curcuma amada</i>	<i>Curcuma aurantiaca</i>	<i>Curcuma australasica</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Curcuma elata</i>	<i>Curcuma gracillima</i>	<i>Curcuma inodora</i>
<i>Curcuma longa</i>	<i>Curcuma parviflora</i>	<i>Curcuma petiolata</i>
<i>Curcuma roscoeana</i>	<i>Curcuma rubescens</i>	<i>Curio citriformis</i>
<i>Curio hallianus</i>	<i>Curio rowleyanus</i>	<i>Currania robertiana</i>
<i>Curtisia dentata</i>	<i>Curtonus paniculatus</i>	<i>Cuscuta epithymum</i>
<i>Cuspidaria convoluta</i>	<i>Cuspidaria pterocarpa</i>	<i>Cussonia gamtoosensis</i>
<i>Cussonia paniculata</i>	<i>Cussonia spicata</i>	<i>Cussonia thyrsoflora</i>
<i>Cuttsia viburnea</i>	<i>Cyamopsis dentata</i>	<i>Cyamopsis serrata</i>
<i>Cyamopsis tetragonoloba</i>	<i>Cyananthus argenteus</i>	<i>Cyananthus delavayi</i>
<i>Cyananthus incanus</i>	<i>Cyananthus integer</i>	<i>Cyananthus lobatus</i>
<i>Cyananthus longiflorus</i>	<i>Cyananthus microphyllus</i>	<i>Cyananthus neglectus</i>
<i>Cyananthus petiolatus</i>	<i>Cyananthus pilifolius</i>	<i>Cyanastrum cordifolium</i>
<i>Cyanella alba</i>	<i>Cyanella hyacinthoides</i>	<i>Cyanella lutea</i>
<i>Cyanella orchidiformis</i>	<i>Cyanella ramosissima</i>	<i>Cyanotis beddomei</i>
<i>Cyanotis foecunda</i>	<i>Cyanotis kewensis</i>	<i>Cyanotis loureiroana</i>
<i>Cyanotis somaliensis</i>	<i>Cyathea aculeata</i>	<i>Cyathea albifrons</i>
<i>Cyathea alta</i>	<i>Cyathea arborea</i>	<i>Cyathea atrox</i>
<i>Cyathea australis</i>	<i>Cyathea baileyana</i>	<i>Cyathea bicrenata</i>
<i>Cyathea brevipinna</i>	<i>Cyathea brownii</i>	<i>Cyathea brunei</i>
<i>Cyathea callosa</i>	<i>Cyathea capensis</i>	<i>Cyathea celebica</i>
<i>Cyathea colensoi</i>	<i>Cyathea contaminans</i>	<i>Cyathea cooperi</i>
<i>Cyathea cunninghamii</i>	<i>Cyathea dealbata</i>	<i>Cyathea delgadii</i>
<i>Cyathea dregei</i>	<i>Cyathea excelsa</i>	<i>Cyathea exilis</i>
<i>Cyathea fauriei</i>	<i>Cyathea felina</i>	<i>Cyathea fugax</i>
<i>Cyathea gigantea</i>	<i>Cyathea glauca</i>	<i>Cyathea howeana</i>
<i>Cyathea integra</i>	<i>Cyathea intermedia</i>	<i>Cyathea kermadecensis</i>
<i>Cyathea leichhardtiana</i>	<i>Cyathea lunulata</i>	<i>Cyathea macarthurii</i>
<i>Cyathea magna</i>	<i>Cyathea manniana</i>	<i>Cyathea x marcescens</i>
<i>Cyathea medullaris</i>	<i>Cyathea metteniana</i>	<i>Cyathea milnei</i>
<i>Cyathea muelleri</i>	<i>Cyathea novae-caledoniae</i>	<i>Cyathea rebecca</i>

<i>Cyathea robertsiana</i>	<i>Cyathea robinsonii</i>	<i>Cyathea robusta</i>
<i>Cyathea sellowiana</i>	<i>Cyathea smithii</i>	<i>Cyathea spinulosa</i>
<i>Cyathea tomentosa</i>	<i>Cyathea tomentosissima</i>	<i>Cyathea vestita</i>
<i>Cyathea vieillardii</i>	<i>Cyathea woollsiana</i>	<i>Cyathochaeta diandra</i>
<i>Cyathodes abietina</i>	<i>Cyathodes colensoi</i>	<i>Cyathodes dealbata</i>
<i>Cyathodes divaricata</i>	<i>Cyathodes fraseri</i>	<i>Cyathodes glauca</i>
<i>Cyathodes juniperina</i>	<i>Cyathodes nitida</i>	<i>Cyathodes parvifolia</i>
<i>Cyathodes petiolaris</i>	<i>Cyathodes platystoma</i>	<i>Cyathodes pumila</i>
<i>Cyathodes robusta</i>	<i>Cyathopsis floribunda</i>	<i>Cyathula officinalis</i>
<i>Cybistax antisiphilitica</i>	<i>Cybistetes longifolia</i>	<i>Cycas angulata</i>
<i>Cycas apoa</i>	<i>Cycas arenicola</i>	<i>Cycas armstrongii</i>
<i>Cycas arnhemica</i>	<i>Cycas balansae</i>	<i>Cycas beddomei</i>
<i>Cycas bougainvilleana</i>	<i>Cycas brunnea</i>	<i>Cycas cairnsiana</i>
<i>Cycas calcicola</i>	<i>Cycas canalis</i>	<i>Cycas conferta</i>
<i>Cycas couttsiana</i>	<i>Cycas curranii</i>	<i>Cycas debaoensis</i>
<i>Cycas edentata</i>	<i>Cycas guizhouensis</i>	<i>Cycas hainanensis</i>
<i>Cycas javana</i>	<i>Cycas kennedyana</i>	<i>Cycas lindstromii</i>
<i>Cycas litoralis</i>	<i>Cycas maconochiei</i>	<i>Cycas media</i>
<i>Cycas megacarpa</i>	<i>Cycas micholitzii</i>	<i>Cycas micronesica</i>
<i>Cycas miquelii</i>	<i>Cycas multipinnata</i>	<i>Cycas nongnoochiae</i>
<i>Cycas ophiolitica</i>	<i>Cycas orientis</i>	<i>Cycas panzhihuaensis</i>
<i>Cycas papuana</i>	<i>Cycas pectinata</i>	<i>Cycas petraea</i>
<i>Cycas platyphylla</i>	<i>Cycas revoluta</i>	<i>Cycas riuminiana</i>
<i>Cycas rumphii</i>	<i>Cycas scratchleyana</i>	<i>Cycas seemannii</i>
<i>Cycas segmentifida</i>	<i>Cycas siamensis</i>	<i>Cycas silvestris</i>
<i>Cycas simplicipinna</i>	<i>Cycas spherica</i>	<i>Cycas szechuanensis</i>
<i>Cycas taitungensis</i>	<i>Cycas taiwaniana</i>	<i>Cycas tanqingii</i>
<i>Cycas tansachana</i>	<i>Cycas thouarsii</i>	<i>Cycas tropophylla</i>
<i>Cycas tuckeri</i>	<i>Cycas wadei</i>	<i>Cycas xipholepis</i>
<i>Cycas yorkiana</i>	<i>Cyclamen africanum</i>	<i>Cyclamen alpinum</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Cyclamen balearicum</i>	<i>Cyclamen cilicium</i>	<i>Cyclamen colchicum</i>
<i>Cyclamen coum</i>	<i>Cyclamen creticum</i>	<i>Cyclamen cyprium</i>
<i>Cyclamen elegans</i>	<i>Cyclamen fatrense</i>	<i>Cyclamen graecum</i>
<i>Cyclamen hederifolium</i>	<i>Cyclamen x hildebrandii</i>	<i>Cyclamen intaminatum</i>
<i>Cyclamen latifolium</i>	<i>Cyclamen libanoticum</i>	<i>Cyclamen x meikleii</i>
<i>Cyclamen mirabile</i>	<i>Cyclamen parviflorum</i>	<i>Cyclamen peloponnesiacum</i>
<i>Cyclamen persicum</i>	<i>Cyclamen pseudibericum</i>	<i>Cyclamen purpurascens</i>
<i>Cyclamen repandum</i>	<i>Cyclamen rhodium</i>	<i>Cyclamen rohlfsianum</i>
<i>Cyclamen x saundersiae</i>	<i>Cyclamen somalense</i>	<i>Cyclamen x wellensiekii</i>
<i>Cyclanthera brachystachya</i>	<i>Cyclanthera pedata</i>	<i>Cyclea hypoglauca</i>
<i>Cyclobalanopsis glaucoides</i>	<i>Cyclobalanopsis semiserrata</i>	<i>Cyclocarpa stellaris</i>
<i>Cyclophyllum coprosmoides</i>	<i>Cyclophyllum schultzei</i>	<i>Cyclopia genistoides</i>
<i>Cyclopia maculata</i>	<i>Cyclopogon argyriifolius</i>	<i>Cyclosorus tylodes</i>
<i>Cyclosporum leptophyllum</i>	<i>Cynoches</i> spp.	<i>Cynoches x Mormodes</i> spp.
<i>Cydista aequinoctialis</i>	<i>Cydonia oblonga</i>	<i>Cylindrophyllum calamiforme</i>
<i>Cylindrophyllum comptonii</i>	<i>Cylindropuntia californica</i>	<i>Cylindropuntia fulgida</i>
<i>Cylindropuntia tunicata</i>	<i>Cymbalaria aequitriloba</i>	<i>Cymbalaria glechomifolia</i>
<i>Cymbalaria muralis</i>	<i>Cymbalaria pilosa</i>	<i>Cymbidiella</i> spp.
<i>Cymbidium</i> spp.	<i>Cymbopogon citratus</i>	<i>Cymbopogon exaltatus</i>
<i>Cymbopogon flexuosus</i>	<i>Cymbopogon martinii</i>	<i>Cymbopogon nardus</i>
<i>Cymbopogon pospischilii</i>	<i>Cymbopogon stipulatus</i>	<i>Cymbopogon winterianus</i>
<i>Cymophyllum fraserianus</i>	<i>Cynanchum bowmanii</i>	<i>Cynanchum compactum</i>
<i>Cynanchum elegans</i>	<i>Cynanchum grandidieri</i>	<i>Cynanchum insigne</i>
<i>Cynanchum mahafialense</i>	<i>Cynanchum marnieranum</i>	<i>Cynanchum messeri</i>
<i>Cynanchum perrieri</i>	<i>Cynanchum sarcostemmatoides</i>	<i>Cynara scolymus</i>
<i>Cynodon dactylon</i>	<i>Cynodon dactylon x transvaalensis</i>	<i>Cynodon nlemfuensis</i>

Cynodon nlemfuensis x dactylon	Cynoglossum amabile	Cynoglossum cheirifolium
Cynoglossum grande	Cynoglossum nervosum	Cynometra cauliflora
Cynometra iripa	Cynometra neo-caledonica	Cynometra ramiflora
Cynorchis fastigiata	Cynorkis spp.	Cynosurus balansae
Cynosurus callitrichus	Cynosurus cristatus	Cynosurus echinatus
Cynosurus polybracteatus	Cypella aquatilis	Cypella coelestis
Cypella hauthalii	Cypella herrerae	Cypella lapidosa
Cypella osteniana	Cypella pabstiana	Cypella peruviana
Cypella platensis	Cypella plumbea	Cyperus acutus
Cyperus alternifolius	Cyperus compressus	Cyperus congestus

Cyperus crassipes	Cyperus cyperinus	Cyperus disjunctus
Cyperus enervis	Cyperus eragrostis	Cyperus filipes
Cyperus floribundus	Cyperus gracilis	Cyperus hamulosus
Cyperus helferi	Cyperus imbecillis	Cyperus isocladius
Cyperus laevigatus	Cyperus laxus	Cyperus lhotskyanus
Cyperus lucidus	Cyperus mirus	Cyperus natalensis
Cyperus neo-guinensis	Cyperus owanii	Cyperus papyrus
Cyperus pedunculatus	Cyperus polystachyos	Cyperus rotundus
Cyperus sesquiflorus	Cyperus setigerus	Cyperus sphaeroideus
Cyperus subpinnatus	Cyperus surinamensis	Cyperus tenellus
Cyperus tenuiflorus	Cyperus tetraphyllus	Cyperus vorsteri
Cyphanthera albicans	Cyphanthera anthocercidea	Cyphanthera x frondosa
Cyphanthera myosotidea	Cyphanthera scabrella	Cyphanthera tasmanica
Cyphochilus parvifolius	Cyphokentia macrostachya	Cyphomandra cajanumensis
Cyphomandra caracasana	Cyphomandra corymbiflora	Cyphomandra hartwegii
Cyphophoenix elegans	Cyphophoenix nucele	Cyphosperma balansae
Cyphosperma tanga	Cyphosperma trichospadix	Cyphosperma voutmelense
Cyphostemma bainesii	Cyphostemma camerounense	Cyphostemma cirrhosum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Cyphostemma currorii</i>	<i>Cyphostemma elephantopus</i>	<i>Cyphostemma gigantophyllum</i>
<i>Cyphostemma hardyi</i>	<i>Cyphostemma humile</i>	<i>Cyphostemma jiguu</i>
<i>Cyphostemma juttae</i>	<i>Cyphostemma laza</i>	<i>Cyphostemma montagnacii</i>
<i>Cyphostemma nigroglandulosum</i>	<i>Cyphostemma quinatum</i>	<i>Cyphostemma sandersonii</i>
<i>Cyphostemma segmentatum</i>	<i>Cyphostemma seitziana</i>	<i>Cyphostemma woodii</i>
<i>Cyrtopodium x leysenianum</i>	<i>Cyrtandra racemiflora</i>	<i>Cyrtandra baileyi</i>
<i>Cyrtandra beckmanni</i>	<i>Cyrtanthera pohliana</i>	<i>Cyrtanthus angustifolius</i>
<i>Cyrtanthus attenuatus</i>	<i>Cyrtanthus bicolor</i>	<i>Cyrtanthus brachyscyphus</i>
<i>Cyrtanthus carneus</i>	<i>Cyrtanthus clavatus</i>	<i>Cyrtanthus collinus</i>
<i>Cyrtanthus contractus</i>	<i>Cyrtanthus debilis</i>	<i>Cyrtanthus elatus</i>
<i>Cyrtanthus epiphyticus</i>	<i>Cyrtanthus erubescens</i>	<i>Cyrtanthus eucallus</i>
<i>Cyrtanthus falcatus</i>	<i>Cyrtanthus fergusoniae</i>	<i>Cyrtanthus flanaganii</i>
<i>Cyrtanthus flavus</i>	<i>Cyrtanthus galpinii</i>	<i>Cyrtanthus guthrieae</i>
<i>Cyrtanthus helictus</i>	<i>Cyrtanthus herrei</i>	<i>Cyrtanthus huttonii</i>
<i>Cyrtanthus leptosiphon</i>	<i>Cyrtanthus leucanthus</i>	<i>Cyrtanthus loddigesianus</i>
<i>Cyrtanthus mackenii</i>	<i>Cyrtanthus macowanii</i>	<i>Cyrtanthus montanus</i>
<i>Cyrtanthus obliquus</i>	<i>Cyrtanthus obrieni</i>	<i>Cyrtanthus ochroleucus</i>
<i>Cyrtanthus odorus</i>	<i>Cyrtanthus parviflorus</i>	<i>Cyrtanthus rotundilobus</i>
<i>Cyrtanthus sanguineus</i>	<i>Cyrtanthus sanguineus x elatus</i>	<i>Cyrtanthus sanguineus x eucallus</i>
<i>Cyrtanthus smithiae</i>	<i>Cyrtanthus staadensis</i>	<i>Cyrtanthus stenanthus</i>
<i>Cyrtanthus suaveolens</i>	<i>Cyrtanthus tuckii</i>	<i>Cyrtanthus uniflorus</i>
<i>Cyrtanthus ventricosus</i>	<i>Cyrtanthus wellandii</i>	<i>Cyrtomium caryotideum</i>
<i>Cyrtomium falcatum</i>	<i>Cyrtomium fortunei</i>	<i>Cyrtomium lonchitoides</i>
<i>Cyrtomium macrophyllum</i>	<i>Cyrtomium tukusicola</i>	<i>Cyrtopodium andersonii</i>
<i>Cyrtopodium palmifrons</i>	<i>Cyrtopodium punctatum</i>	<i>Cyrtorchis arcuata</i>
<i>Cyrtorchis brownii</i>	<i>Cyrtorchis praetermissa</i>	<i>Cyrtorchis ringens</i>
<i>Cyrtosperma beccarianum</i>	<i>Cyrtosperma beccarianum x cuspidispathum</i>	<i>Cyrtosperma bougainvillense</i>

<i>Cyrtosperma brassii</i>	<i>Cyrtosperma carrii</i>	<i>Cyrtosperma cuspidispathum</i>
<i>Cyrtosperma ferox</i>	<i>Cyrtosperma giganteum</i>	<i>Cyrtosperma gressittorum</i>
<i>Cyrtosperma hambalii</i>	<i>Cyrtosperma johnstonii</i>	<i>Cyrtosperma kokodense</i>
<i>Cyrtosperma macrotum</i>	<i>Cyrtostachys brassii</i>	<i>Cyrtostachys compsoclada</i>
<i>Cyrtostachys elegans</i>	<i>Cyrtostachys glauca</i>	<i>Cyrtostachys kisu</i>
<i>Cyrtostachys ledermanniana</i>	<i>Cyrtostachys loriae</i>	<i>Cyrtostachys microcarpa</i>
<i>Cyrtostachys peekeliana</i>	<i>Cyrtostachys phanerolepis</i>	<i>Cyrtostachys renda</i>
<i>Cyrtostylis</i> spp.	<i>Cystacanthus turgida</i>	<i>Cystodium sorbifolium</i>
<i>Cystopteris filix-fragilis</i>	<i>Cystopteris tasmanica</i>	<i>Cytisophyllum sessilifolius</i>
<i>Cytisus aeolicus</i>	<i>Cytisus ardoinii</i>	<i>Cytisus balansae</i>
<i>Cytisus x beanii</i>	<i>Cytisus benehoavensis</i>	<i>Cytisus demissus</i>
<i>Cytisus emeriflorus</i>	<i>Cytisus filipes</i>	<i>Cytisus fontanesii</i>
<i>Cytisus frivaldszkyanus</i>	<i>Cytisus galianoi</i>	<i>Cytisus hosmariensis</i>
<i>Cytisus intermedius</i>	<i>Cytisus x kewensis</i>	<i>Cytisus oromediterraneus</i>
<i>Cytisus x praecox</i>	<i>Cytisus procumbens</i>	<i>Cytisus purgans</i>
<i>Cytisus x spachianus</i>	<i>Cytisus supranubius</i>	<i>Daboecia azorica</i>
<i>Daboecia cantabrica</i>	<i>Daboecia cantabrica x scotica</i>	<i>Daboecia x scotica</i>
<i>Dacrycarpus cinctus</i>	<i>Dacrycarpus dacrydioides</i>	<i>Dacrycarpus imbricatus</i>
<i>Dacrydium araucarioides</i>	<i>Dacrydium balansae</i>	<i>Dacrydium bidwillii</i>
<i>Dacrydium biforme</i>	<i>Dacrydium colensoi</i>	<i>Dacrydium cupressinum</i>
<i>Dacrydium falciforme</i>	<i>Dacrydium guillauminii</i>	<i>Dacrydium laxifolium</i>
<i>Dacrydium lycopodioides</i>	<i>Dacrydium nausoriense</i>	<i>Dacrydium nidulum</i>
<i>Dacryodes edulis</i>	<i>Dactylicapnos lichiangensis</i>	<i>Dactylicapnos scandens</i>
<i>Dactylicapnos torulosa</i>	<i>Dactylis glomerata</i>	<i>Dactyloctenium aegyptium</i>
<i>Dactyloctenium australe</i>	<i>Dactyloctenium bogdanii</i>	<i>Dactyloctenium geminatum</i>
<i>Dactyloctenium mucronatum</i>	<i>Dactyloctenium scindicum</i>	<i>Dactyloopsis digitata</i>
<i>Dactylorhiza fuchsii</i>	<i>Dactylorhiza maculata</i>	<i>Daemonorops draco</i>
<i>Daemonorops gracilipes</i>	<i>Daemonorops lewisiana</i>	<i>Daemonorops longipes</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Daemonorops mollis</i>	<i>Daemonorops ochrolepis</i>	<i>Dahlia coccinea</i>
<i>Dahlia dissecta</i>	<i>Dahlia excelsa</i>	<i>Dahlia x hortensis</i>
<i>Dahlia hybrid</i>	<i>Dahlia imperialis</i>	<i>Dahlia pinnata</i>
<i>Dahlia scapigera</i>	<i>Dahlia sherffii</i>	<i>Dahlia tenuicaulis</i>
<i>Dahlia tubulata</i>	<i>Dais cotinifolia</i>	<i>Daiswa delavayi</i>
<i>Daiswa forrestii</i>	<i>Daiswa yunnanensis</i>	<i>Dalbergia baronii</i>
<i>Dalbergia benthamii</i>	<i>Dalbergia cearensis</i>	<i>Dalbergia cochinchinensis</i>
<i>Dalbergia cultrata</i>	<i>Dalbergia decipularis</i>	<i>Dalbergia foliosa</i>
<i>Dalbergia frutescens</i>	<i>Dalbergia glauca</i>	<i>Dalbergia greveana</i>
<i>Dalbergia hancei</i>	<i>Dalbergia horrida</i>	<i>Dalbergia hupeana</i>
<i>Dalbergia lanceolaria</i>	<i>Dalbergia latifolia</i>	<i>Dalbergia nigra</i>
<i>Dalbergia obovata</i>	<i>Dalbergia odorifera</i>	<i>Dalbergia oliveri</i>
<i>Dalbergia retusa</i>	<i>Dalbergia sissoides</i>	<i>Dalbergia spinosa</i>
<i>Dalbergia stevensonii</i>	<i>Dalbergia tucurensis</i>	<i>Dalbergiella nyasae</i>
<i>Dalea candida</i>	<i>Dalea coerulea</i>	<i>Dalea glandulosa</i>
<i>Dalea purpurea</i>	<i>Dalea similis</i>	<i>Dalea villosa</i>
<i>Dalechampia roezliana</i>	<i>Dalechampia spathulata</i>	<i>Damnacanthus indicus</i>
<i>Dampiera adpressa</i>	<i>Dampiera cuneata</i>	<i>Dampiera discolor</i>
<i>Dampiera ferruginea</i>	<i>Dampiera lanceolata</i>	<i>Dampiera maideniana</i>
<i>Dampiera marifolia</i>	<i>Dampiera preissii</i>	<i>Dampiera prostrata</i>
<i>Dampiera purpurea</i>	<i>Dampiera rodwayana</i>	<i>Dampiera rosmarinifolia</i>
<i>Dampiera scottiana</i>	<i>Dampiera stricta</i>	<i>Dampiera subspicata</i>
<i>Daniellia ogea</i>	<i>Daniellia oliveri</i>	<i>Danthonia alpicola</i>
<i>Danthonia alpina</i>	<i>Danthonia calycina</i>	<i>Danthonia chilensis</i>
<i>Danthonia cirrata</i>	<i>Danthonia clelandii</i>	<i>Danthonia diemenica</i>
<i>Danthonia geniculata</i>	<i>Danthonia induta</i>	<i>Danthonia longifolia</i>
<i>Danthonia nivicola</i>	<i>Danthonia nudiflora</i>	<i>Danthonia parryi</i>
<i>Danthonia popinensis</i>	<i>Danthonia procera</i>	<i>Danthonia tenuior</i>
<i>Daphnandra micrantha</i>	<i>Daphnandra repandula</i>	<i>Daphnandra tenuipes</i>
<i>Daphne acutiloba</i>	<i>Daphne alba</i>	<i>Daphne albowiana</i>

Daphne alpina	Daphne altaica	Daphne arbuscula
Daphne aurantiaca	Daphne bholua	Daphne x burkwoodii
Daphne calcicola	Daphne caucasica	Daphne championii
Daphne circassica	Daphne cneorum	Daphne x eschmannii
Daphne feddei	Daphne genkwa	Daphne giraldii
Daphne glomerata	Daphne gnidioides	Daphne gracilis
Daphne x hendersonii	Daphne x houtteana	Daphne x hybrida
Daphne indica	Daphne jasminea	Daphne jezoensis
Daphne julia	Daphne kamschatica	Daphne kiusiana
Daphne kosaninii	Daphne longifolia	Daphne longilobata
Daphne macrantha	Daphne malyana	Daphne mezereum
Daphne mucronata	Daphne x napolitana	Daphne odora
Daphne penicillata	Daphne petraea	Daphne petraea x caucasica
Daphne petraea x collina	Daphne petraea x sericea	Daphne pontica
Daphne reichsteinii	Daphne retusa	Daphne rodriguezii
Daphne rosmarinifolia	Daphne x rossetii	Daphne sericea
Daphne striata	Daphne tangutica	Daphne x thauma
Daphne x transatlantica	Daphne yunnanensis	Daphniphyllum calycinum
Daphniphyllum glaucescens	Daphniphyllum humile	Daphniphyllum macropodum
Daphniphyllum oldhamii	Daphniphyllum pentandrum	Daphniphyllum teijsmannii
Daphnopsis humboldtii	Dapsilanthus ramosus	Dapsilanthus spathaceus
Darlingia darlingiana	Darlingia ferruginea	Darlingtonia californica
Darmera peltata	Darwinia biflora	Darwinia briggsiae
Darwinia decumbens	Darwinia fascicularis	Darwinia glaucophylla
Darwinia grandiflora	Darwinia homoranthoides	Darwinia leptantha
Darwinia macrostegia x meeboldii	Darwinia meeboldii x macrostegia	Darwinia micropetala
Darwinia peduncularis	Darwinia procera	Darwinia rhadinophylla
Darwinia taxifolia	Darwiniothamnus lancifolius	Dasiphora fruticosa

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Dasyilirion acrotrichum</i>	<i>Dasyilirion cedrosanum</i>	<i>Dasyilirion glaucophyllum</i>
<i>Dasyilirion graminifolium</i>	<i>Dasyilirion heteracanthum</i>	<i>Dasyilirion leiophyllum</i>
<i>Dasyilirion longissimum</i>	<i>Dasyilirion serratifolium</i>	<i>Dasyilirion wheeleri</i>
<i>Dasyphyllum spinescens</i>	<i>Dasypyrum villosum</i>	<i>Dasystachys campanulata</i>
<i>Datura bernhardii</i>	<i>Daubinya alba</i>	<i>Daubinya aurea</i>
<i>Daubinya capensis</i>	<i>Daubinya fulva</i>	<i>Daubinya marginata</i>
<i>Daubinya namaquensis</i>	<i>Daubinya stylosa</i>	<i>Daucus carota</i>
<i>Davallia bullata</i>	<i>Davallia canariensis</i>	<i>Davallia corniculata</i>
<i>Davallia denticulata</i>	<i>Davallia divaricata</i>	<i>Davallia embolostegia</i>
<i>Davallia epiphylla</i>	<i>Davallia fejeensis</i>	<i>Davallia heterophylla</i>
<i>Davallia pectinata</i>	<i>Davallia pentaphylla</i>	<i>Davallia plumosa</i>
<i>Davallia pycnocarpa</i>	<i>Davallia pyxidata</i>	<i>Davallia repens</i>
<i>Davallia solida</i>	<i>Davallia tasmanii</i>	<i>Davallia trichomanoides</i>
<i>Davallia tyermanni</i>	<i>Davallodes hirsutum</i>	<i>Davidia involucreta</i>
<i>Davidsonia jerseyana</i>	<i>Davidsonia johnsonii</i>	<i>Davidsonia pruriens</i>
<i>Daviesia acicularis</i>	<i>Daviesia alata</i>	<i>Daviesia arborea</i>
<i>Daviesia arenaria</i>	<i>Daviesia asperula</i>	<i>Daviesia brevifolia</i>
<i>Daviesia buxifolia</i>	<i>Daviesia corymbosa</i>	<i>Daviesia denudata</i>
<i>Daviesia elliptica</i>	<i>Daviesia genistifolia</i>	<i>Daviesia laevis</i>
<i>Daviesia latifolia</i>	<i>Daviesia laxiflora</i>	<i>Daviesia leptophylla</i>
<i>Daviesia mimosoides</i>	<i>Daviesia nova-anglica</i>	<i>Daviesia pectinata</i>
<i>Daviesia squarrosa</i>	<i>Daviesia umbellulata</i>	<i>Daviesia villifera</i>
<i>Daviesia wyattiana</i>	<i>Debregeasia edulis</i>	<i>Decaisnea fargesii</i>
<i>Decaisnea insignis</i>	<i>Decaryia madagascariensis</i>	<i>Decaspermum gracilentum</i>
<i>Decaspermum humile</i>	<i>Decaspermum parviflorum</i>	<i>Deckenia nobilis</i>
<i>Decumaria barbara</i>	<i>Decumaria sinensis</i>	<i>Decussocarpus minor</i>
<i>Decussocarpus rospigliosii</i>	<i>Degenia velebitica</i>	<i>Deguelia scandens</i>
<i>Dehaasia incrassata</i>	<i>Deherainia cubensis</i>	<i>Deherainia smaragdina</i>
<i>Deilanthe peersii</i>	<i>Deilanthe thudichumii</i>	<i>Deinanthe bifida</i>
<i>Deinanthe caerulea</i>	<i>Delairea odorata</i>	<i>Delarbrea lauterbachii</i>

Delarbrea michieana	Delonix boiviniana	Delonix decaryi
Delonix floribunda	Delonix pumila	Delonix regia
Delosperma aberdeenense	Delosperma algoense	Delosperma ashtonii
Delosperma cooperi	Delosperma crassuloides	Delosperma davyi
Delosperma echinatum	Delosperma ecklonis	Delosperma hirtum
Delosperma intonsum	Delosperma lehmannii	Delosperma lineare
Delosperma luteum	Delosperma mahonii	Delosperma nakurense
Delosperma napiforme	Delosperma oehleri	Delosperma pergamentaceum
Delosperma pruinatum	Delosperma steytlerae	Delosperma sutherlandii
Delosperma tradescantioides	Delosperma vinaceum	Delostoma dentatum
Delphinium albocoeruleum	Delphinium alpestre	Delphinium balansae
Delphinium beesianum	Delphinium x belladonna	Delphinium brunonianum
Delphinium cardinale	Delphinium carolinianum	Delphinium cashmerianum
Delphinium ceratophorum	Delphinium cheilanthum	Delphinium chinense
Delphinium decorum	Delphinium delavayi	Delphinium elatum
Delphinium formosum	Delphinium forrestii	Delphinium glabricaule
Delphinium glaciale	Delphinium grandiflorum	Delphinium hendersonii
Delphinium hesperium	Delphinium x hybrids	Delphinium inconspicuum
Delphinium lacostei	Delphinium likiangense	Delphinium luteum
Delphinium maackianum	Delphinium macrocentron	Delphinium mirabile
Delphinium muscosum	Delphinium nudicaule	Delphinium oreophilum
Delphinium oxysepalum	Delphinium pylzowii	Delphinium ramosum
Delphinium requienii	Delphinium schmalhauseni	Delphinium semibarbatum
Delphinium speciosum	Delphinium suave	Delphinium tatsienense
Delphinium uliginosum	Delphinium vestitum	Dendranthema x rubellum
Dendriopoterium menendezii	Dendriopoterium pulidoi	Dendrobenthamia angustata
Dendrobium spp.	Dendrocalamopsis stenoaurita	Dendrocalamopsis vario-striata

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Dendrocalamus asper</i>	<i>Dendrocalamus bambusoides</i>	<i>Dendrocalamus barbatus</i>
<i>Dendrocalamus brandisii</i>	<i>Dendrocalamus calostachyus</i>	<i>Dendrocalamus giganteus</i>
<i>Dendrocalamus hamiltonii</i>	<i>Dendrocalamus membranaceus</i>	<i>Dendrocalamus minor</i>
<i>Dendrocalamus pendulus</i>	<i>Dendrocalamus sericeus</i>	<i>Dendrocalamus sikkimensis</i>
<i>Dendrocalamus sinicus</i>	<i>Dendrocalamus strictus</i>	<i>Dendrocalamus latiflorus</i> x <i>Bambusa pervariabilis</i>
<i>Dendrocalamus latiflorus</i> x <i>Bambusa textilis</i>	<i>Dendrocalamus yunnanicus</i>	<i>Dendrocereus nudiflorus</i>
<i>Dendrochilum</i> spp.	<i>Dendrocnode cordata</i>	<i>Dendrocnode moroides</i>
<i>Dendrocnode photinophylla</i>	<i>Dendrolobium triangulare</i>	<i>Dendrolobium umbellatum</i>
<i>Dendrolobium ursinum</i>	<i>Dendromecon harfordii</i>	<i>Dendromecon rigida</i>
<i>Dendropanax chevalieri</i>	<i>Dendropanax trifidus</i>	<i>Dendrophyllax lindenii</i>
<i>Dendrosenecio keniensis</i>	<i>Dendrosenecio keniodendron</i>	<i>Dendroseris litoralis</i>
<i>Dendroseris macrophylla</i>	<i>Dendroseris micrantha</i>	<i>Dendrosicyos socotranus</i>
<i>Denhamia celastroides</i>	<i>Denhamia moorei</i>	<i>Denhamia oleaster</i>
<i>Denhamia pittosporoides</i>	<i>Denmoza rhodacantha</i>	<i>Dennstaedtia bipinnata</i>
<i>Dennstaedtia davallioides</i>	<i>Dennstaedtia dissecta</i>	<i>Deparia boryana</i>
<i>Deparia prolifera</i>	x <i>Depazium zeylanicum</i>	<i>Deplanchea tetraphylla</i>
<i>Dermatobotrys saundersii</i>	<i>Derris ferrugina</i>	<i>Derris involuta</i>
<i>Derris koolgibberah</i>	<i>Derris mindorensis</i>	<i>Derris ovalifolia</i>
<i>Derris philippinensis</i>	<i>Derris polyantha</i>	<i>Derris robusta</i>
<i>Derwentia arenaria</i>	<i>Derwentia perfoliata</i>	<i>Deschampsia cespitosa</i>
<i>Deschampsia chapmanii</i>	<i>Deschampsia media</i>	<i>Descurainia artemisioides</i>
<i>Descurainia gilva</i>	<i>Descurainia millefolia</i>	<i>Descurainia sophia</i>
<i>Desfontainia spinosa</i>	<i>Desmanthus cooleyi</i>	<i>Desmanthus fruticosus</i>
<i>Desmanthus leptalobus</i>	<i>Desmanthus leptolobus</i>	<i>Desmanthus obtusus</i>
<i>Desmanthus pubescens</i>	<i>Desmanthus virgatus</i>	<i>Desmidorchis indica</i>
<i>Desmodium acanthocladum</i>	<i>Desmodium angustifolium</i>	<i>Desmodium barbatum</i>
<i>Desmodium batocaulon</i>	<i>Desmodium brachypodum</i>	<i>Desmodium caudatum</i>

<i>Desmodium cinerascens</i>	<i>Desmodium cinereum</i>	<i>Desmodium delicatulum</i>
<i>Desmodium discolor</i> x <i>pabulare</i>	<i>Desmodium grahamii</i>	<i>Desmodium hassleri</i>
<i>Desmodium helenae</i>	<i>Desmodium heterophyllum</i>	<i>Desmodium hirtum</i>
<i>Desmodium incanum</i>	<i>Desmodium infractum</i>	<i>Desmodium intortum</i>
<i>Desmodium leiocarpon</i>	<i>Desmodium lindheimeri</i>	<i>Desmodium maxonii</i>
<i>Desmodium molliculum</i>	<i>Desmodium multiflorum</i>	<i>Desmodium nemorosum</i>
<i>Desmodium oldhamii</i>	<i>Desmodium ormocarpoides</i>	<i>Desmodium pabulare</i>
<i>Desmodium pachyrrhizum</i>	<i>Desmodium pringlei</i>	<i>Desmodium prostratum</i>
<i>Desmodium repandum</i>	<i>Desmodium rhytidophyllum</i>	<i>Desmodium salicifolium</i>
<i>Desmodium sandwicense</i>	<i>Desmodium scorpiurus</i>	<i>Desmodium sessilifolium</i>
<i>Desmodium setigerum</i>	<i>Desmodium tomentosum</i>	<i>Desmodium tortuosum</i>
<i>Desmodium trichocaulon</i>	<i>Desmodium triflorum</i>	<i>Desmodium uncinatum</i>
<i>Desmodium varians</i>	<i>Desmodium viridiflorum</i>	<i>Desmodium wydlerianum</i>
<i>Desmodium zonatum</i>	<i>Desmoncus chinantlensis</i>	<i>Desmoncus costaricensis</i>
<i>Desmoncus isthmus</i>	<i>Desmoncus orthacanthos</i>	<i>Desmoncus polyacanthos</i>
<i>Desmoncus schippii</i>	<i>Desmos chinensis</i>	<i>Desmos goezeanus</i>
<i>Desmoschoenus spiralis</i>	<i>Deuterocohnia brevifolia</i>	<i>Deuterocohnia chrysantha</i>
<i>Deuterocohnia longipetala</i>	<i>Deuterocohnia lorentziana</i>	<i>Deutzia candelabrum</i>
<i>Deutzia</i> x <i>candelabrum</i>	<i>Deutzia compacta</i>	<i>Deutzia corymbosa</i>
<i>Deutzia crenata</i>	<i>Deutzia discolor</i>	<i>Deutzia</i> x <i>elegantissima</i>
<i>Deutzia glabrata</i>	<i>Deutzia glauca</i>	<i>Deutzia glomeruliflora</i>
<i>Deutzia gracilis</i>	<i>Deutzia hookeriana</i>	<i>Deutzia</i> x <i>hybrida</i>
<i>Deutzia</i> x <i>kalmii</i> flora	<i>Deutzia</i> x <i>lemoinei</i>	<i>Deutzia longifolia</i>
<i>Deutzia</i> x <i>magnifica</i>	<i>Deutzia monbeigii</i>	<i>Deutzia ningpoensis</i>
<i>Deutzia pulchra</i>	<i>Deutzia purpurascens</i>	<i>Deutzia rehderiana</i>
<i>Deutzia</i> x <i>rosea</i>	<i>Deutzia scabra</i>	<i>Deutzia schneideriana</i>
<i>Deutzia setchuenensis</i>	<i>Deutzia staminea</i>	<i>Deutzia vilmorinae</i>
<i>Deyeuxia crassiuscula</i>	<i>Deyeuxia frigida</i>	<i>Deyeuxia imbricata</i>
<i>Deyeuxia minor</i>	<i>Dialcalpe aspidioides</i>	<i>Dialium guineense</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Dialium indum</i>	<i>Dialium schlechteri</i>	<i>Dianella amoena</i>
<i>Dianella atraxis</i>	<i>Dianella bambusifolia</i>	<i>Dianella brevipedunculata</i>
<i>Dianella caerulea</i>	<i>Dianella callicarpa</i>	<i>Dianella congesta</i>
<i>Dianella crinoides</i>	<i>Dianella ensifolia</i>	<i>Dianella fruticans</i>
<i>Dianella incollata</i>	<i>Dianella intermedia</i>	<i>Dianella laevis</i>
<i>Dianella nigra</i>	<i>Dianella odorata</i>	<i>Dianella pavopennacea</i>
<i>Dianella pendula</i>	<i>Dianella porracea</i>	<i>Dianella prunina</i>
<i>Dianella tarda</i>	<i>Dianella tasmanica</i>	<i>Dianthus acicularis</i>
<i>Dianthus x allwoodii</i>	<i>Dianthus alpinus</i>	<i>Dianthus arenarius</i>
<i>Dianthus arpadianus</i>	<i>Dianthus arrostii</i>	<i>Dianthus barbatus</i>
<i>Dianthus barbatus x chinensis</i>	<i>Dianthus barbatus x superbus</i>	<i>Dianthus basuticus</i>
<i>Dianthus bicolor</i>	<i>Dianthus brevicaulis</i>	<i>Dianthus callizonus</i>
<i>Dianthus calocephalus</i>	<i>Dianthus capitatus</i>	<i>Dianthus carmelitarum</i>
<i>Dianthus carthusianorum</i>	<i>Dianthus caryophyllus</i>	<i>Dianthus chinensis</i>
<i>Dianthus cretaeus</i>	<i>Dianthus cruentus</i>	<i>Dianthus deltoides</i>

<i>Dianthus ferrugineus</i>	<i>Dianthus filiformis</i>	<i>Dianthus freynii</i>
<i>Dianthus furcatus</i>	<i>Dianthus garganicus</i>	<i>Dianthus giganteiformis</i>
<i>Dianthus glacialis</i>	<i>Dianthus gracilis</i>	<i>Dianthus graniticus</i>
<i>Dianthus haematocalyx</i>	<i>Dianthus humilis</i>	<i>Dianthus hungaricus</i>
<i>Dianthus japonicus</i>	<i>Dianthus juniperinus</i>	<i>Dianthus kiusianus</i>
<i>Dianthus knappii</i>	<i>Dianthus leucophaeus</i>	<i>Dianthus longicalyx</i>
<i>Dianthus lumnitzeri</i>	<i>Dianthus lusitanus</i>	<i>Dianthus masmenaeus</i>
<i>Dianthus microlepis</i>	<i>Dianthus monspessulanus</i>	<i>Dianthus myrtinervius</i>
<i>Dianthus nardiformis</i>	<i>Dianthus nitidus</i>	<i>Dianthus orbelicus</i>
<i>Dianthus pamiralaicus</i>	<i>Dianthus pavonius</i>	<i>Dianthus pendulus</i>
<i>Dianthus petraeus</i>	<i>Dianthus plumarius</i>	<i>Dianthus pygmaeus</i>
<i>Dianthus pyrenaicus</i>	<i>Dianthus x roysii</i>	<i>Dianthus rupicola</i>
<i>Dianthus scaber</i>	<i>Dianthus seguieri</i>	<i>Dianthus serotinus</i>
<i>Dianthus shinanensis</i>	<i>Dianthus simulans</i>	<i>Dianthus spiculifolius</i>

<i>Dianthus squarrosus</i>	<i>Dianthus sternbergii</i>	<i>Dianthus strictus</i>
<i>Dianthus subacaulis</i>	<i>Dianthus superbus</i>	<i>Dianthus tianschanicus</i>
<i>Dianthus turkestanicus</i>	<i>Dianthus uralensis</i>	<i>Dianthus viscidus</i>
<i>Dianthus webbianus</i>	<i>Dianthus zonatus</i>	<i>Diapensia lapponica</i>
<i>Diaphananthe bidens</i>	<i>Diaphananthe pellucida</i>	<i>Diaphananthe rutila</i>
<i>Diarrhena americana</i>	<i>Diarrhena mandshurica</i>	<i>Diascia aliciae</i>
<i>Diascia anastrepta</i>	<i>Diascia barberae</i>	<i>Diascia cordata</i>
<i>Diascia fetcaniensis</i>	<i>Diascia x hybrids</i>	<i>Diascia integerrima</i>
<i>Diascia megathura</i>	<i>Diascia mollis</i>	<i>Diascia purpurea</i>
<i>Diascia racemulosa</i>	<i>Diascia rigescens</i>	<i>Diascia tugelensis</i>
<i>Diascia veronicoides</i>	<i>Diascia vigilis</i>	<i>Diastema comiferum</i>
<i>Diblemma samarensis</i>	<i>Diblemma tenuiloris</i>	<i>Dicentra eximia</i>
<i>Dicentra formosa</i>	<i>Dicentra macrocapnos</i>	<i>Dicentra nevadensis</i>
<i>Dicentra pauciflora</i>	<i>Dicentra peregrina</i>	<i>Dicentra peregrina x formosa</i>
<i>Dicentra peregrina x spectabilis</i>	<i>Dicentra uniflora</i>	<i>Dichaea morrisii</i>
<i>Dichaea trichocarpa</i>	<i>Dichanthium annulatum</i>	<i>Dichanthium aristatum</i>
<i>Dichanthium foveolatum</i>	<i>Dichapetalum papuanum</i>	<i>Dichelostemma capitatum</i>
<i>Dichelostemma congestum</i>	<i>Dichelostemma ida-maia</i>	<i>Dichelostemma multiflorum</i>
<i>Dichelostemma volubile</i>	<i>Dichilus strictus</i>	<i>Dichondra argentea</i>
<i>Dichondra micrantha</i>	<i>Dichopogon strictus</i>	<i>Dichorisandra gaudichaudiana</i>
<i>Dichorisandra hexandra</i>	<i>Dichorisandra reginae</i>	<i>Dichorisandra thyrsiflora</i>
<i>Dichosciadium ranunculaceum</i>	<i>Dichotomanthes tristaniicarpa</i>	<i>Dichroa febrifuga</i>
<i>Dicksonia antarctica</i>	<i>Dicksonia baudouinii</i>	<i>Dicksonia brackenridgei</i>
<i>Dicksonia fibrosa</i>	<i>Dicksonia herbertii</i>	<i>Dicksonia lanata</i>
<i>Dicksonia mollis</i>	<i>Dicksonia sellowiana</i>	<i>Dicksonia squarrosa</i>
<i>Dicksonia thyrsopteroides</i>	<i>Dicksonia youngiae</i>	<i>Dicliptera peruviana</i>
<i>Dicliptera suberecta</i>	<i>Dicliptera tomentosa</i>	<i>Dicranoglossum panamense</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Dicranoloma robustum</i>	<i>Dicranopygium lugonis</i>	<i>Dicranopygium umbrophila</i>
<i>Dicranopygium yacu-sisa</i>	<i>Dicranostigma lactucoides</i>	<i>Dicrocaulon brevifolium</i>
<i>Dicrocaulon microstigma</i>	<i>Dicrocaulon spissum</i>	<i>Dictamnus albus</i>
<i>Dictamnus angustifolius</i>	<i>Dictamnus fraxinella</i>	<i>Dictymia brownii</i>
<i>Dictyocaryum fuscum</i>	<i>Dictyocaryum lamarckianum</i>	<i>Dictyocaryum ptarianum</i>
<i>Dictyoneura obtusa</i>	<i>Dictyosperma album</i>	<i>Didierea madagascariensis</i>
<i>Didierea trollii</i>	<i>Didiplis diandra</i>	<i>Didiplis linearis</i>
<i>Didymaotus lapidiformis</i>	<i>Didymocarpus kinnearii</i>	<i>Didymochlaena truncatula</i>
<i>Dieffenbachia bausei</i>	<i>Dieffenbachia bowmannii</i>	<i>Dieffenbachia chelsonii</i>
<i>Dieffenbachia fourneri</i>	<i>Dieffenbachia gigantea</i>	<i>Dieffenbachia imperialis</i>
<i>Dieffenbachia leopoldii</i>	<i>Dieffenbachia x memoria-corsi</i>	<i>Dieffenbachia oerstedii</i>
<i>Dieffenbachia parlatorei</i>	<i>Dieffenbachia pittieri</i>	<i>Dieffenbachia reginae</i>
<i>Dieffenbachia rex</i>	<i>Dieffenbachia seguine</i>	<i>Dieffenbachia splendens</i>
<i>Dieffenbachia stenophylla</i>	<i>Dieffenbachia weirii</i>	<i>Diellia erecta</i>
<i>Dierama ambiguum</i>	<i>Dierama argyreum</i>	<i>Dierama atrum</i>
<i>Dierama cooperi</i>	<i>Dierama cupuliflorum</i>	<i>Dierama davyi</i>
<i>Dierama dissimile</i>	<i>Dierama dracomontanum</i>	<i>Dierama erectum</i>
<i>Dierama floriferum</i>	<i>Dierama formosum</i>	<i>Dierama galpinii</i>
<i>Dierama gracile</i>	<i>Dierama grandiflorum</i>	<i>Dierama igneum</i>
<i>Dierama insigne</i>	<i>Dierama jucundum</i>	<i>Dierama latifolium</i>
<i>Dierama luteo-albidum</i>	<i>Dierama luteoalbidum</i>	<i>Dierama medium</i>
<i>Dierama mossii</i>	<i>Dierama nixonianum</i>	<i>Dierama pallidum</i>
<i>Dierama pauciflorum</i>	<i>Dierama pendulum</i>	<i>Dierama plowesii</i>
<i>Dierama pulcherrimum</i>	<i>Dierama pumilum</i>	<i>Dierama reynoldsii</i>
<i>Dierama robustum</i>	<i>Dierama sertum</i>	<i>Dierama trichorhizum</i>
<i>Dierama tyrium</i>	<i>Diervilla fujisanensis</i>	<i>Diervilla x lemoinei</i>
<i>Diervilla purpurata</i>	<i>Diervilla rivularis</i>	<i>Diervilla x splendens</i>
<i>Diervilla venusta</i>	<i>Dietes bicolor</i>	<i>Dietes butcheriana</i>
<i>Dietes catenulata</i>	<i>Dietes flavida</i>	<i>Dietes grandiflora</i>

<i>Dietes iridioides</i>	<i>Dietes robinsoniana</i>	<i>Digitalis cariensis</i>
<i>Digitalis ciliata</i>	<i>Digitalis davisiana</i>	<i>Digitalis dubia</i>
<i>Digitalis eriostachya</i>	<i>Digitalis ferruginea</i>	<i>Digitalis fontanesii</i>
<i>Digitalis x fulva</i>	<i>Digitalis grandiflora</i>	<i>Digitalis laevigata</i>
<i>Digitalis lamarckii</i>	<i>Digitalis lanata</i>	<i>Digitalis leucophaea</i>
<i>Digitalis lutea</i>	<i>Digitalis mariana</i>	<i>Digitalis x mertonensis</i>
<i>Digitalis micrantha</i>	<i>Digitalis nervosa</i>	<i>Digitalis obscura</i>
<i>Digitalis parviflora</i>	<i>Digitalis purpurea</i>	<i>Digitalis x sibirica</i>
<i>Digitalis thapsi</i>	<i>Digitalis trojana</i>	<i>Digitalis viridiflora</i>
<i>Digitaria aequiglumis</i>	<i>Digitaria angolensis</i>	<i>Digitaria argyrograpta</i>
<i>Digitaria argyrotricha</i>	<i>Digitaria californica</i>	<i>Digitaria ciliaris</i>
<i>Digitaria diagonalis</i>	<i>Digitaria didactyla</i>	<i>Digitaria enodis</i>
<i>Digitaria eriantha</i>	<i>Digitaria eriostachya</i>	<i>Digitaria exilis</i>
<i>Digitaria gazensis</i>	<i>Digitaria humbertii</i>	<i>Digitaria hystrichoides</i>
<i>Digitaria iburua</i>	<i>Digitaria leiantha</i>	<i>Digitaria leptorrhachis</i>
<i>Digitaria macroblephara</i>	<i>Digitaria madagascariensis</i>	<i>Digitaria maitlandii</i>
<i>Digitaria milanjana</i>	<i>Digitaria parviflora</i>	<i>Digitaria porrecta</i>
<i>Digitaria sanguinalis</i>	<i>Digitaria swynnertonii</i>	<i>Digitaria x umfolozi</i>
<i>Digitaria violascens</i>	<i>Dilatris corymbosa</i>	<i>Dilatris ixioides</i>
<i>Dilatris pillansii</i>	<i>Dilatris viscosa</i>	<i>Dillenia alata</i>
<i>Dillenia aurea</i>	<i>Dillenia borneensis</i>	<i>Dillenia excelsa</i>
<i>Dillenia glabra</i>	<i>Dillenia grandifolia</i>	<i>Dillenia indica</i>
<i>Dillenia mattadensis</i>	<i>Dillenia obovata</i>	<i>Dillenia ovata</i>
<i>Dillenia pauciflora</i>	<i>Dillenia philippinensis</i>	<i>Dillenia secunda</i>
<i>Dillenia suffruticosa</i>	<i>Dillwynia acicularis</i>	<i>Dillwynia brunioides</i>
<i>Dillwynia capitata</i>	<i>Dillwynia cinerascens</i>	<i>Dillwynia floribunda</i>
<i>Dillwynia glaberrima</i>	<i>Dillwynia hispida</i>	<i>Dillwynia juniperina</i>
<i>Dillwynia oreodoxa</i>	<i>Dillwynia parvifolia</i>	<i>Dillwynia phylicoides</i>
<i>Dillwynia prostrata</i>	<i>Dillwynia ramosissima</i>	<i>Dillwynia retorta</i>
<i>Dillwynia rudis</i>	<i>Dillwynia sericea</i>	<i>Dillwynia sieberi</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Dillwynia stipulifera</i>	<i>Dillwynia tenuifolia</i>	<i>Dimerocostus strobilaceus</i>
<i>Dimocarpus australianus</i>	<i>Dimocarpus dentatus</i>	<i>Dimocarpus fumatus</i>
<i>Dimocarpus longan</i>	<i>Dimorphanthera alba</i>	<i>Dimorphanthera amblyornidis</i>
<i>Dimorphorchis lowii</i>	<i>Dimorphotheca barberiae</i>	<i>Dimorphotheca montana</i>
<i>Dimorphotheca sinuata</i>	<i>Dimorphotheca tragus</i>	<i>Dinebra retroflexa</i>
<i>Dinema polybulbon</i>	<i>Dinochloa malayana</i>	<i>Dinochloa scandens</i>
<i>Dinosperma erythroccum</i>	<i>Dinosperma melanophloia</i>	<i>Dinosperma stipitatum</i>
<i>Dinteranthus inexpectatus</i>	<i>Dinteranthus microspermus</i>	<i>Dinteranthus pole-evansii</i>
<i>Dinteranthus vanzylii</i>	<i>Dinteranthus wilmotianus</i>	<i>Dioclea guianensis</i>
<i>Dioclea hexandra</i>	<i>Dioclea virgata</i>	<i>Dionaea muscipula</i>
<i>Dionysia archibaldii</i>	<i>Dionysia aretioides</i>	<i>Dionysia aucheri</i>
<i>Dionysia bazoftica</i>	<i>Dionysia bryoides</i>	<i>Dionysia caespitosa</i>
<i>Dionysia curviflora</i>	<i>Dionysia freitagii</i>	<i>Dionysia involucrata</i>
<i>Dionysia iranshahrii</i>	<i>Dionysia lamingtonii</i>	<i>Dionysia microphylla</i>
<i>Dionysia mozzaffarianii</i>	<i>Dionysia odora</i>	<i>Dionysia tapetodes</i>
<i>Dionysia teucroides</i>	<i>Dionysia viscidula</i>	<i>Dioon califanoi</i>
<i>Dioon caputoi</i>	<i>Dioon edule</i>	<i>Dioon holmgrenii</i>
<i>Dioon mejiae</i>	<i>Dioon merolae</i>	<i>Dioon purpusii</i>
<i>Dioon rzedowskii</i>	<i>Dioon sonorensis</i>	<i>Dioon spinulosum</i>
<i>Dioon tomasellii</i>	<i>Dioscorea acutifolia</i>	<i>Dioscorea alata</i>
<i>Dioscorea araucana</i>	<i>Dioscorea auriculata</i>	<i>Dioscorea caucasica</i>
<i>Dioscorea cotinifolia</i>	<i>Dioscorea discolor</i>	<i>Dioscorea dodecaneura</i>
<i>Dioscorea dregeana</i>	<i>Dioscorea dumetorum</i>	<i>Dioscorea elephantipes</i>
<i>Dioscorea glabra</i>	<i>Dioscorea globosa</i>	<i>Dioscorea hemicrypta</i>
<i>Dioscorea hirtiflora</i>	<i>Dioscorea humifusa</i>	<i>Dioscorea mexicana</i>
<i>Dioscorea polystachya</i>	<i>Dioscorea praehensilis</i>	<i>Dioscorea quinqueloba</i>
<i>Dioscorea rupicola</i>	<i>Dioscorea septemloba</i>	<i>Dioscorea sylvatica</i>
<i>Dioscorea villosa</i>	<i>Diosma hirsuta</i>	<i>Diosma oppositifolia</i>
<i>Diospyros australis</i>	<i>Diospyros austroafricana</i>	<i>Diospyros blancoi</i>
<i>Diospyros cathayensis</i>	<i>Diospyros compacta</i>	<i>Diospyros cuneata</i>

<i>Diospyros diepenhorstii</i>	<i>Diospyros digyna</i>	<i>Diospyros duclouxii</i>
<i>Diospyros durionoides</i>	<i>Diospyros ebenaster</i>	<i>Diospyros elliptica</i>
<i>Diospyros everettii</i>	<i>Diospyros fasciculosa</i>	<i>Diospyros geminata</i>
<i>Diospyros glabra</i>	<i>Diospyros glandulosa</i>	<i>Diospyros glaucifolia</i>
<i>Diospyros grisebachii</i>	<i>Diospyros hebecarpa</i>	<i>Diospyros japonica</i>
<i>Diospyros kaki</i>	<i>Diospyros lanceifolia</i>	<i>Diospyros lotus</i>
<i>Diospyros lucida</i>	<i>Diospyros mabacea</i>	<i>Diospyros malabarica</i>
<i>Diospyros mannii</i>	<i>Diospyros melanoxylon</i>	<i>Diospyros mespiliformis</i>
<i>Diospyros natalensis</i>	<i>Diospyros pallens</i>	<i>Diospyros pentamera</i>
<i>Diospyros revoluta</i>	<i>Diospyros rhombifolia</i>	<i>Diospyros scabrida</i>
<i>Diospyros seychellarum</i>	<i>Diospyros tessellaria</i>	<i>Diospyros villosa</i>
<i>Diospyros whyteana</i>	<i>Diostea juncea</i>	<i>Dipcadi crispum</i>
<i>Dipcadi platyphyllum</i>	<i>Dipelta floribunda</i>	<i>Dipelta ventricosa</i>
<i>Dipelta yunnanensis</i>	<i>Diphylleia grayi</i>	<i>Diphylleia sinensis</i>
<i>Diphysa americana</i>	<i>Diphysa spinosa</i>	<i>Dipidax triquetra</i>
<i>Diplachne parviflora</i>	<i>Diplacus calycinus</i>	<i>Diplacus clevelandii</i>
<i>Diplacus grandiflorus</i>	<i>Dipladenia x brearleyana</i>	<i>Diplarrena latifolia</i>
<i>Diplarrhena moraea</i>	<i>Diplaspis cordifolia</i>	<i>Diplaspis hydrocotyle</i>
<i>Diplaziopsis cavaleriana</i>	<i>Diplazium assimile</i>	<i>Diplazium australe</i>
<i>Diplazium bantamense</i>	<i>Diplazium callipteris</i>	<i>Diplazium caudatum</i>
<i>Diplazium cristatum</i>	<i>Diplazium cyatheifolium</i>	<i>Diplazium dietrichianum</i>
<i>Diplazium dilatatum</i>	<i>Diplazium dolichosorum</i>	<i>Diplazium donianum</i>
<i>Diplazium esculentum</i>	<i>Diplazium harpeodes</i>	<i>Diplazium lanceum</i>
<i>Diplazium latifolium</i>	<i>Diplazium macrophyllum</i>	<i>Diplazium melanochlamys</i>
<i>Diplazium melanopodium</i>	<i>Diplazium ophiodontum</i>	<i>Diplazium pin-faense</i>
<i>Diplazium proliferum</i>	<i>Diplazium pseudocyatheifolium</i>	<i>Diplazium pycnocarpon</i>
<i>Diplazium queenslandicum</i>	<i>Diplazium sibiricum</i>	<i>Diplazium thwaitesii</i>
<i>Diplazium travancoricum</i>	<i>Diplazium werckleanum</i>	<i>Diplocaulobium abbreviatum</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Diplocaulobium arachnoideum	Diplocaulobium araneola	Diplocaulobium aratriferum
Diplocaulobium aureicolor	Diplocaulobium bicolor	Diplocaulobium chrysotropis
Diplocaulobium copelandii	Diplocaulobium cyclobulbon	Diplocaulobium filiforme
Diplocaulobium glabrum	Diplocaulobium guttulatum	Diplocaulobium ischnopetalum
Diplocaulobium jadunae	Diplocaulobium longicolle	Diplocaulobium masonii
Diplocaulobium mekynosepalum	Diplocaulobium mischobulbum	Diplocaulobium ou-hinnae
Diplocaulobium pulvilliferum	Diplocaulobium regale	Diplocaulobium savannicola
Diplocaulobium stelliferum	Diploglottis australis	Diploglottis bernieana
Diploglottis bracteata	Diploglottis campbellii	Diploglottis cunninghamii
Diploglottis diphylostegia	Diploglottis macrantha	Diploglottis obovata
Diploglottis pedleyi	Diploglottis smithii	Diplopappus filifolius
Diplopogon setaceus	Diplopterygium longissimum	Diplosoma luckhoffii
Diplotaxis muralis	Diplotaxis tenuifolia	Diplothemium maritimum
Dipodium ensifolium	Dipodium hamiltonianum	Dipodium pandanum
Dipodium pictum	Dipodium punctatum	Dipodium scandens
Dipodium squamatum	Dipodium variegatum	Dipogon lignosus
Diporidium serrulata	Dipsacus sativus	Dipteracanthus herbstii
Dipteris conjugata	Dipterocarpus alatus	Dipterocarpus obtusifolius
Dipterocarpus retusus	Dipterocarpus tuberculatus	Dipterocarpus turbinatus
Dipteronia sinensis	Dipteryx alata	Dipteryx odorata
Disa spp.	Disanthus cercidifolius	Discaria nitida
Discaria pubescens	Discaria serratifolia	Discaria trinervis

Dischidia acutifolia	Dischidia albida	Dischidia astephana
Dischidia bengalensis	Dischidia cochleata	Dischidia collyris
Dischidia cominsii	Dischidia dolichantha	Dischidia formosana

<i>Dischidia fruticulosa</i>	<i>Dischidia gaudichaudii</i>	<i>Dischidia hirsuta</i>
<i>Dischidia imbricata</i>	<i>Dischidia littoralis</i>	<i>Dischidia livida</i>
<i>Dischidia major</i>	<i>Dischidia melanesica</i>	<i>Dischidia merrillii</i>
<i>Dischidia milnei</i>	<i>Dischidia nummularia</i>	<i>Dischidia ovata</i>
<i>Dischidia pectenoides</i>	<i>Dischidia platyphylla</i>	<i>Dischidia punctata</i>
<i>Dischidia purpurea</i>	<i>Dischidia rafflesiana</i>	<i>Dischidia rhodantha</i>
<i>Dischidia ruscifolia</i>	<i>Dischidia sagittata</i>	<i>Dischidia subalata</i>
<i>Dischidia timorensis</i>	<i>Dischidia tomentella</i>	<i>Dischidia trichostemma</i>
<i>Dischidiopsis parasitica</i>	<i>Dischisma arenarium</i>	<i>Dischisma capitatum</i>
<i>Discocactus ackermannii</i>	<i>Discocactus bahiensis</i>	<i>Discocactus ferricola</i>
<i>Discocactus heptacanthus</i>	<i>Discocactus horstii</i>	<i>Discocactus placentiformis</i>
<i>Discocactus pseudoinsignis</i>	<i>Discocactus subterraneo-proliferans</i>	<i>Discocactus zehntneri</i>
<i>Discolobium psoraleifolium</i>	<i>Discolobium psoraliaefolium</i>	<i>Diselma archeri</i>
<i>Disocactus ackermannii</i>	<i>Disocactus amazonicus</i>	<i>Disocactus biformis</i>
<i>Disocactus eichlamii</i>	<i>Disocactus flagelliformis</i>	<i>Disocactus kinnachii</i>
<i>Disocactus macdougallii</i>	<i>Disocactus macranthus</i>	<i>Disocactus nelsonii</i>
<i>Disocactus phyllanthoides</i>	<i>Disocactus quezaltecus</i>	<i>Disocactus flagelliformis</i> x <i>Cereus smithii</i>
x <i>Disophyllum</i> spp.	<i>Disperis</i> spp.	<i>Disphyma australe</i>
<i>Disphyma clavellatum</i>	<i>Disporopsis aspera</i>	<i>Disporopsis fuscopicta</i>
<i>Disporopsis longifolia</i>	<i>Disporopsis pernyi</i>	<i>Disporum bodinieri</i>
<i>Disporum cantoniense</i>	<i>Disporum hookeri</i>	<i>Disporum kawakamii</i>
<i>Disporum sessile</i>	<i>Disporum smilacinum</i>	<i>Disporum smithii</i>
<i>Disporum uniflorum</i>	<i>Disporum viridescens</i>	<i>Dissiliaria baloghioides</i>
<i>Dissiliaria surculosa</i>	<i>Dissocarpus biflorus</i>	<i>Dissotis eximia</i>
<i>Dissotis plumosa</i>	<i>Dissotis princeps</i>	<i>Disterigma alaternoides</i>
<i>Disterigma empetrifolium</i>	<i>Disterigma humboldtii</i>	<i>Disterigma rimbachii</i>
<i>Distichirhops minor</i>	<i>Distichlis palmeri</i>	<i>Distichostemon malvaceus</i>
<i>Distictis buccinatoria</i>	<i>Distylium myricoides</i>	<i>Distylium racemosum</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Dittrichia graveolens</i>	<i>Dittrichia viscosa</i>	<i>Diuris</i> spp.
<i>Docynia delavayi</i>	<i>Dodecatheon alpinum</i>	<i>Dodecatheon clevelandii</i>
<i>Dodecatheon conjugens</i>	<i>Dodecatheon dentatum</i>	<i>Dodecatheon hendersonii</i>
<i>Dodecatheon jeffreyi</i>	<i>Dodecatheon x lemoinei</i>	<i>Dodecatheon meadia</i>
<i>Dodecatheon poeticum</i>	<i>Dodecatheon pulchellum</i>	<i>Dodecatheon redolens</i>
<i>Dodonaea angustissima</i>	<i>Dodonaea baueri</i>	<i>Dodonaea biloba</i>
<i>Dodonaea boroniifolia</i>	<i>Dodonaea camfieldii</i>	<i>Dodonaea ericifolia</i>
<i>Dodonaea falcata</i>	<i>Dodonaea filifolia</i>	<i>Dodonaea filiformis</i>
<i>Dodonaea heteromorpha</i>	<i>Dodonaea hirsuta</i>	<i>Dodonaea humilis</i>
<i>Dodonaea macrossanii</i>	<i>Dodonaea megazyga</i>	<i>Dodonaea multijuga</i>
<i>Dodonaea ovata</i>	<i>Dodonaea peduncularis</i>	<i>Dodonaea pinnata</i>
<i>Dodonaea polyandra</i>	<i>Dodonaea procumbens</i>	<i>Dodonaea rhombifolia</i>
<i>Dodonaea rupicola</i>	<i>Dodonaea serratifolia</i>	<i>Dodonaea sinuolata</i>
<i>Dodonaea stenophylla</i>	<i>Dodonaea subglandulifera</i>	<i>Dodonaea tenuifolia</i>
<i>Dodonaea tepperi</i>	<i>Dodonaea triangularis</i>	<i>Dodonaea triquetra</i>
<i>Dodonaea truncatiales</i>	<i>Doellingeria umbellata</i>	<i>Dolichandra cynanchoides</i>
<i>Dolichandra quadrivalvis</i>	<i>Dolichandra unguis-cati</i>	<i>Dolichandrone alba</i>
<i>Dolichandrone alternifolia</i>	<i>Dolichandrone falcata</i>	<i>Dolichandrone spathacea</i>
<i>Dolichandrone stipulata</i>	<i>Dolichopsis paraguariensis</i>	<i>Dolichos bicontortus</i>
<i>Dolichos carnosus</i>	<i>Dolichos debilis</i>	<i>Dolichos gululu</i>
<i>Dolichos kilimandscharicus</i>	<i>Dolichos leucomelas</i>	<i>Dolichos luticola</i>
<i>Dolichos martinicensis</i>	<i>Dolichos oliveri</i>	<i>Dolichos schweinfurthii</i>
<i>Dolichos sericeus</i>	<i>Dolichos trilobus</i>	<i>Dolichos trinervatus</i>
<i>Dolichothele albescens</i>	<i>Dolichothele longimamma</i>	<i>Dolichothele surculosa</i>
<i>Dolichothele zephyranthoides</i>	<i>Dombeya acutangula</i>	<i>Dombeya buettneri</i>
<i>Dombeya burgessiae</i>	<i>Dombeya cacuminum</i>	<i>Dombeya calantha</i>
<i>Dombeya cymosa</i>	<i>Dombeya dregeana</i>	<i>Dombeya elliptica</i>
<i>Dombeya ianthotricha</i>	<i>Dombeya kirkii</i>	<i>Dombeya macrantha</i>
<i>Dombeya mollis</i>	<i>Dombeya natalensis</i>	<i>Dombeya palmatisecta</i>
<i>Dombeya pulchra</i>	<i>Dombeya sparmannioides</i>	<i>Dombeya spectabilis</i>

<i>Dombeya tanganyikensis</i>	<i>Dombeya tiliacea</i>	<i>Dombeya wallichii</i>
<i>Donatia fascicularis</i>	<i>Donatia novae-zelandiae</i>	<i>Donax canniformis</i>
<i>Doodia aspera</i>	<i>Doodia australis</i>	<i>Doodia australis x linearis</i>
<i>Doodia dissecta</i>	<i>Doodia dives</i>	<i>Doodia heterophylla</i>
<i>Doodia linearis</i>	<i>Doodia maxima</i>	<i>Doodia media</i>
<i>Doodia squarrosa</i>	<i>Doritaenopsis</i> spp.	<i>Doronicum x excelsum</i>
<i>Doronicum grandiflorum</i>	<i>Doronicum orientale</i>	<i>Dorotheanthus apetalus</i>
<i>Dorotheanthus bellidiformis</i>	<i>Dorotheanthus clavatus</i>	<i>Dorotheanthus oculatus</i>
<i>Dorstenia alta</i>	<i>Dorstenia arifolia</i>	<i>Dorstenia drakena</i>
<i>Dorstenia elata</i>	<i>Dorstenia foetida</i>	<i>Dorstenia gigas</i>
<i>Dorstenia hildebrandtii</i>	<i>Dorstenia turnerifolia</i>	<i>Doryanthes excelsa</i>
<i>Doryanthes palmeri</i>	<i>Dorycnium broussonetii</i>	<i>Dorycnium fulgurans</i>
<i>Dorycnium graecum</i>	<i>Dorycnium hirsutum</i>	<i>Dorycnium pentaphyllum</i>
<i>Dorycnium rectum</i>	<i>Dorycnium spectabile</i>	<i>Dorycnopsis abyssinica</i>
<i>Dorycnopsis gerardii</i>	<i>Doryopteris ludens</i>	<i>Doryopteris nobilis</i>
<i>Doryopteris pedata</i>	<i>Doryphora aromatica</i>	<i>Doryphora sassafras</i>
<i>Douglasia laevigata</i>	<i>Douglasia montana</i>	<i>Dovyalis caffra</i>
<i>Dovyalis hebecarpa x abyssinica</i>	<i>Dovyalis rhamnoides</i>	<i>Dovyalis rotundifolia</i>
<i>Doxantha capreolata</i>	<i>Draba aizoon</i>	<i>Draba aurea</i>
<i>Draba borealis</i>	<i>Draba cappadocica</i>	<i>Draba cinerea</i>
<i>Draba crassifolia</i>	<i>Draba cretica</i>	<i>Draba dedeana</i>
<i>Draba densifolia</i>	<i>Draba glabella</i>	<i>Draba haynaldii</i>
<i>Draba lasiocarpa</i>	<i>Draba longisiliqua</i>	<i>Draba mollissima</i>
<i>Draba oligosperma</i>	<i>Draba parnassica</i>	<i>Draba pauciflora</i>
<i>Draba polytricha</i>	<i>Draba ramosissima</i>	<i>Draba sauteri</i>
<i>Draba sphaeroides</i>	<i>Draba stellata</i>	<i>Draba ventosa</i>
<i>Draba verna</i>	<i>Draba yunnanensis</i>	<i>Dracaena afromontana</i>
<i>Dracaena aletriformis</i>	<i>Dracaena americana</i>	<i>Dracaena angustifolia</i>
<i>Dracaena arborea</i>	<i>Dracaena aubryana</i>	<i>Dracaena bicolor</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Dracaena braunii</i>	<i>Dracaena cambodiana</i>	<i>Dracaena cantleyi</i>
<i>Dracaena cincta</i>	<i>Dracaena cinnabari</i>	<i>Dracaena cochinchinensis</i>
<i>Dracaena compacta</i>	<i>Dracaena concinna</i>	<i>Dracaena draco</i>
<i>Dracaena ellenbeckiana</i>	<i>Dracaena elliptica</i>	<i>Dracaena fontanesiana</i>
<i>Dracaena fragrans</i>	<i>Dracaena hendersonii</i>	<i>Dracaena hookeriana</i>
<i>Dracaena jaspidea</i>	<i>Dracaena marginata</i>	<i>Dracaena nutans</i>
<i>Dracaena phrynioides</i>	<i>Dracaena reflexa</i>	<i>Dracaena sanderiana</i>
<i>Dracaena schizantha</i>	<i>Dracaena steudneri</i>	<i>Dracaena surculosa</i>
<i>Dracaena umbraculifera</i>	<i>Dracocephalum altaense</i>	<i>Dracocephalum argunense</i>
<i>Dracocephalum bipinnatum</i>	<i>Dracocephalum botryoides</i>	<i>Dracocephalum bullatum</i>
<i>Dracocephalum diversifolium</i>	<i>Dracocephalum forrestii</i>	<i>Dracocephalum fragile</i>
<i>Dracocephalum grandiflorum</i>	<i>Dracocephalum hemsleyanum</i>	<i>Dracocephalum imberbe</i>
<i>Dracocephalum integrifolium</i>	<i>Dracocephalum isabellae</i>	<i>Dracocephalum mairei</i>
<i>Dracocephalum moldavica</i>	<i>Dracocephalum organoides</i>	<i>Dracocephalum paulsenii</i>
<i>Dracocephalum purdomii</i>	<i>Dracocephalum renati</i>	<i>Dracocephalum rupestre</i>
<i>Dracocephalum scrobiculatum</i>	<i>Dracocephalum speciosum</i>	<i>Dracocephalum wallichii</i>
<i>Dracocephalum wendelboi</i>	<i>Dracontioides desciscens</i>	<i>Dracontium amazonense</i>
<i>Dracontium angustispathum</i>	<i>Dracontium asperispathum</i>	<i>Dracontium asperum</i>
<i>Dracontium bogneri</i>	<i>Dracontium croatii</i>	<i>Dracontium dressleri</i>
<i>Dracontium dubium</i>	<i>Dracontium foecundum</i>	<i>Dracontium gigas</i>
<i>Dracontium grandispathum</i>	<i>Dracontium grayumianum</i>	<i>Dracontium margaretae</i>
<i>Dracontium nivosum</i>	<i>Dracontium peruvianum</i>	<i>Dracontium pittieri</i>
<i>Dracontium purdieanum</i>	<i>Dracontium soconuscum</i>	<i>Dracontium spruceanum</i>
<i>Dracontium ulei</i>	<i>Dracontomelon dao</i>	<i>Dracontomelon duperreanum</i>
<i>Dracophilus dealbatus</i>	<i>Dracophilus delaetianus</i>	<i>Dracophilus montis-draconis</i>
<i>Dracophyllum acerosum</i>	<i>Dracophyllum longifolium</i>	<i>Dracophyllum milliganii</i>

<i>Dracophyllum minimum</i>	<i>Dracophyllum paludosum</i>	<i>Dracophyllum palustre</i>
<i>Dracophyllum pubescens</i>	<i>Dracophyllum ramosum</i>	<i>Dracophyllum sayeri</i>
<i>Dracophyllum secundum</i>	<i>Dracophyllum strictum</i>	<i>Dracophyllum traversii</i>
<i>Dracophyllum uniflorum</i>	<i>Dracophyllum verticillatum</i>	<i>Dracula</i> spp.
<i>Dracunculus canariensis</i>	<i>Dracunculus vulgaris</i>	<i>Dransfieldia micrantha</i>
<i>Dregea sinensis</i>	<i>Dregea volubilis</i>	<i>Drepanostachyum asper</i>
<i>Drepanostachyum falcatum</i>	<i>Drepanostachyum intermedium</i>	<i>Drepanostachyum porcatum</i>
<i>Drimia altissima</i>	<i>Drimia angustifolia</i>	<i>Drimia calcarata</i>
<i>Drimia depressa</i>	<i>Drimia elata</i>	<i>Drimia filifolia</i>
<i>Drimia fragrans</i>	<i>Drimia haworthioides</i>	<i>Drimia hesperia</i>
<i>Drimia indica</i>	<i>Drimia macrantha</i>	<i>Drimia macrocarpa</i>
<i>Drimia multifolia</i>	<i>Drimia nitida</i>	<i>Drimia noctiflora</i>
<i>Drimia undata</i>	<i>Drimia zombensis</i>	<i>Drimys insipida</i>
<i>Drimys stipitata</i>	<i>Drimys winteri</i>	<i>Drimys xerophila</i>
<i>Drosanthemum albiflorum</i>	<i>Drosanthemum ambiguum</i>	<i>Drosanthemum autumnale</i>
<i>Drosanthemum bicolor</i>	<i>Drosanthemum calycinum</i>	<i>Drosanthemum candens</i>
<i>Drosanthemum eburneum</i>	<i>Drosanthemum flammeum</i>	<i>Drosanthemum floribundum</i>
<i>Drosanthemum hallii</i>	<i>Drosanthemum lavisii</i>	<i>Drosanthemum micans</i>
<i>Drosanthemum pulchellum</i>	<i>Drosanthemum speciosum</i>	<i>Drosanthemum splendens</i>
<i>Drosanthemum striatum</i>	<i>Drosanthemum subcompressum</i>	<i>Drosera adela</i>
<i>Drosera admirabilis</i>	<i>Drosera affinis</i>	<i>Drosera aliciae</i>
<i>Drosera arcturi</i>	<i>Drosera auriculata</i>	<i>Drosera burkeana</i>
<i>Drosera x californica</i>	<i>Drosera callistos x lasiantha</i>	<i>Drosera capensis</i>
<i>Drosera capillaris</i>	<i>Drosera cistiflora</i>	<i>Drosera collinsiae</i>
<i>Drosera darwinensis</i>	<i>Drosera dielsiana</i>	<i>Drosera dilatopetiolearis</i>
<i>Drosera falconeri</i>	<i>Drosera filiformis</i>	<i>Drosera intermedia</i>
<i>Drosera madagascariensis</i>	<i>Drosera mannii</i>	<i>Drosera montana</i>
<i>Drosera natalensis</i>	<i>Drosera neocaledonica</i>	<i>Drosera oblanceolata</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Drosera x obovata</i>	<i>Drosera pauciflora</i>	<i>Drosera prolifera</i>
<i>Drosera ramentacea</i>	<i>Drosera regia</i>	<i>Drosera roraimae</i>
<i>Drosera rotundifolia</i>	<i>Drosera rubrifolia</i>	<i>Drosera schizandra</i>
<i>Drosera slackii</i>	<i>Drosera spatulata</i>	<i>Drosera trinervia</i>
<i>Drosera villosa</i>	<i>Drosera whittakeri</i>	<i>Drosophyllum lusitanicum</i>
<i>Dryadella edwallii</i>	<i>Dryadella zebrina</i>	<i>Dryas integrifolia</i>
<i>Dryas octopetala</i>	<i>Dryas x suendermannii</i>	<i>Drymoanthus minimus</i>
<i>Drymonia ecuadorensis</i>	<i>Drymophila cyanocarpa</i>	<i>Drymophila moorei</i>
<i>Drymophloeus bifidus</i>	<i>Drymophloeus hentyi</i>	<i>Drymophloeus lepidotus</i>
<i>Drymophloeus litigiosus</i>	<i>Drymophloeus oliviformis</i>	<i>Drymophloeus pachycladus</i>
<i>Drymophloeus subdistichus</i>	<i>Drymophloeus whitmeeanus</i>	<i>Drymotaenium miyoshianum</i>
<i>Drynaria bonii</i>	<i>Drynaria fortunei</i>	<i>Drynaria heracleum</i>
<i>Drynaria rigidula</i>	<i>Drynaria sparsisora</i>	<i>Drynaria willdenowii</i>
<i>Dryobalanops aromatica</i>	<i>Dryopoa dives</i>	<i>Dryopteris affinis</i>
<i>Dryopteris aitoniana</i>	<i>Dryopteris amurensis</i>	<i>Dryopteris ardechensis</i>
<i>Dryopteris athamantica</i>	<i>Dryopteris bissetiana</i>	<i>Dryopteris blanfordii</i>
<i>Dryopteris cambrensis</i>	<i>Dryopteris campyloptera</i>	<i>Dryopteris caucasica</i>
<i>Dryopteris championii</i>	<i>Dryopteris cochleata</i>	<i>Dryopteris commixta</i>
<i>Dryopteris concolor</i>	<i>Dryopteris corleyi</i>	<i>Dryopteris crassirhizoma</i>
<i>Dryopteris cycadina</i>	<i>Dryopteris decursive-pinnata</i>	<i>Dryopteris deflexa</i>
<i>Dryopteris dissecta</i>	<i>Dryopteris erythrosora</i>	<i>Dryopteris expansa</i>
<i>Dryopteris extensa</i>	<i>Dryopteris filix-mas</i>	<i>Dryopteris formosana</i>
<i>Dryopteris fuscipes</i>	<i>Dryopteris goldiana</i>	<i>Dryopteris gracilipes</i>
<i>Dryopteris gracilis</i>	<i>Dryopteris guanchica</i>	<i>Dryopteris gymnosora</i>
<i>Dryopteris hadanoi</i>	<i>Dryopteris hasseltii</i>	<i>Dryopteris hirtipes</i>
<i>Dryopteris hondoensis</i>	<i>Dryopteris juxtaposita</i>	<i>Dryopteris labordei</i>
<i>Dryopteris lacera</i>	<i>Dryopteris marginalis</i>	<i>Dryopteris mindshelkensis</i>
<i>Dryopteris ochthodes</i>	<i>Dryopteris oligodonta</i>	<i>Dryopteris oreades</i>
<i>Dryopteris pacifica</i>	<i>Dryopteris paleacea</i>	<i>Dryopteris pallida</i>

<i>Dryopteris patula</i>	<i>Dryopteris poecilophlebia</i>	<i>Dryopteris pseudofilix-mas</i>
<i>Dryopteris pseudomas</i>	<i>Dryopteris purpurascens</i>	<i>Dryopteris purpurella</i>
<i>Dryopteris pycnopteroides</i>	<i>Dryopteris raddeana</i>	<i>Dryopteris remota</i>
<i>Dryopteris sabaei</i>	<i>Dryopteris sieboldii</i>	<i>Dryopteris sparsa</i>
<i>Dryopteris stenobasis</i>	<i>Dryopteris stewartii</i>	<i>Dryopteris sublacera</i>
<i>Dryopteris subsericea</i>	<i>Dryopteris tokyoensis</i>	<i>Dryopteris uniformis</i>
<i>Dryopteris unita</i>	<i>Dryopteris varia</i>	<i>Dryopteris villarii</i>
<i>Dryopteris villosa</i>	<i>Dryopteris wallichiana</i>	<i>Drypetes acuminata</i>
<i>Drypetes australasica</i>	<i>Drypetes iodoformis</i>	<i>Drypetes lasiogyna</i>
<i>Drypetes riseleyi</i>	<i>Drypetes vernicosa</i>	<i>Duabanga grandiflora</i>
<i>Dubautia raillardioides</i>	<i>Duboisia leichhardtii</i>	<i>Dubouzetia confusa</i>
<i>Duckeodendron cestroides</i>	<i>Dudleya abramsii</i>	<i>Dudleya albiflora</i>
<i>Dudleya anthonyi</i>	<i>Dudleya blochmanae</i>	<i>Dudleya brittonii</i>
<i>Dudleya candelabrum</i>	<i>Dudleya candida</i>	<i>Dudleya cultrata</i>
<i>Dudleya cymosa</i>	<i>Dudleya densiflora</i>	<i>Dudleya edulis</i>
<i>Dudleya farinosa</i>	<i>Dudleya gnoma</i>	<i>Dudleya greenei</i>
<i>Dudleya lanceolata</i>	<i>Dudleya nesiotica</i>	<i>Dudleya pulverulenta</i>
<i>Dudleya traskiae</i>	<i>Dudleya verityi</i>	<i>Dudleya virens</i>
<i>Dudleya viscida</i>	<i>Duguetia barteri</i>	<i>Duguetia staudtii</i>
<i>Dumasia truncata</i>	<i>Dunalia fasciculata</i>	<i>Dunbaria punctata</i>
<i>Duranta erecta</i>	<i>Duranta lorentzii</i>	<i>Duranta mutisii</i>
<i>Duranta serratifolia</i>	<i>Duranta stenostachya</i>	<i>Durio acutifolius</i>
<i>Durio affinis</i>	<i>Durio dulcis</i>	<i>Durio excelsus</i>
<i>Durio grandiflorus</i>	<i>Durio graveolens</i>	<i>Durio griffithii</i>
<i>Durio kinabaluensis</i>	<i>Durio kutejensis</i>	<i>Durio lanceolatus</i>
<i>Durio lowianus</i>	<i>Durio macrantha</i>	<i>Durio malaccensis</i>
<i>Durio oblongus</i>	<i>Durio oxleyanus</i>	<i>Durio purpureus</i>
<i>Durio singaporensis</i>	<i>Durio testudinarius</i>	<i>Durio zibethinus</i>
<i>Duvalia caespitosa</i>	<i>Duvalia corderoyi</i>	<i>Duvalia eilensis</i>
<i>Duvalia immaculata</i>	<i>Duvalia parviflora</i>	<i>Duvalia polita</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Duvalia pubescens</i>	<i>Duvalia radiata</i>	<i>Duvalia sulcata</i>
<i>Dyackia hendersoniana</i>	<i>Dyckia altissima</i>	<i>Dyckia argentea</i>
<i>Dyckia brevifolia</i>	<i>Dyckia brevifolia</i> x <i>fosteriana</i>	<i>Dyckia choristaminea</i>
<i>Dyckia cinerea</i>	<i>Dyckia densiflora</i>	<i>Dyckia distachya</i>
<i>Dyckia encholirioides</i>	<i>Dyckia estevesii</i>	<i>Dyckia ferox</i>
<i>Dyckia floribunda</i>	<i>Dyckia fosteriana</i>	<i>Dyckia frigida</i>
<i>Dyckia goiana</i>	<i>Dyckia hebdingii</i>	<i>Dyckia ibiramensis</i>
<i>Dyckia lenheiro</i>	<i>Dyckia leptostachya</i>	<i>Dyckia leptostachya</i> x <i>remotiflora</i>
<i>Dyckia lindevaldae</i>	<i>Dyckia marnier-lapostollei</i>	<i>Dyckia microcalyx</i>
<i>Dyckia niederleinii</i>	<i>Dyckia platyphylla</i>	<i>Dyckia platyphylla</i> x <i>fosteriana</i>
<i>Dyckia rariflora</i>	<i>Dyckia remotiflora</i>	<i>Dyckia sulphurea</i>
<i>Dyckia tuberosa</i>	<i>Dyckia velascana</i>	<i>Dyera costulata</i>
<i>Dymondia margaretae</i>	<i>Dypsis acaulis</i>	<i>Dypsis acuminum</i>
<i>Dypsis albofarinosa</i>	<i>Dypsis ambanjae</i>	<i>Dypsis ambilaensis</i>
<i>Dypsis ambositrae</i>	<i>Dypsis ampasindavae</i>	<i>Dypsis andapae</i>
<i>Dypsis andrianatonga</i>	<i>Dypsis angusta</i>	<i>Dypsis angustifolia</i>
<i>Dypsis ankaizinensis</i>	<i>Dypsis antanambensis</i>	<i>Dypsis aquatilis</i>
<i>Dypsis arenarum</i>	<i>Dypsis baronii</i>	<i>Dypsis basilonga</i>
<i>Dypsis beentjei</i>	<i>Dypsis bejofo</i>	<i>Dypsis bernierana</i>
<i>Dypsis betamponensis</i>	<i>Dypsis boiviniana</i>	<i>Dypsis bonsai</i>
<i>Dypsis bosseri</i>	<i>Dypsis brevicaulis</i>	<i>Dypsis cabadae</i>
<i>Dypsis canaliculata</i>	<i>Dypsis canescens</i>	<i>Dypsis carlsmithii</i>
<i>Dypsis catatiana</i>	<i>Dypsis caudata</i>	<i>Dypsis ceracea</i>
<i>Dypsis ceraceus</i>	<i>Dypsis commersoniana</i>	<i>Dypsis concinna</i>
<i>Dypsis confusa</i>	<i>Dypsis cookei</i>	<i>Dypsis coriacea</i>
<i>Dypsis corniculata</i>	<i>Dypsis coursii</i>	<i>Dypsis crinita</i>
<i>Dypsis curtisii</i>	<i>Dypsis decaryi</i>	<i>Dypsis decipiens</i>
<i>Dypsis digitata</i>	<i>Dypsis dransfieldii</i>	<i>Dypsis elegans</i>

<i>Dypsis eriostachys</i>	<i>Dypsis faneva</i>	<i>Dypsis fanjana</i>
<i>Dypsis fasciculata</i>	<i>Dypsis fibrosa</i>	<i>Dypsis forficifolia</i>
<i>Dypsis furcata</i>	<i>Dypsis glabrescens</i>	<i>Dypsis gracilis</i>
<i>Dypsis heteromorpha</i>	<i>Dypsis heterophylla</i>	<i>Dypsis hiarakae</i>
<i>Dypsis hildebrandtii</i>	<i>Dypsis hovomantsina</i>	<i>Dypsis humbertii</i>
<i>Dypsis humblotiana</i>	<i>Dypsis ifanadianae</i>	<i>Dypsis integra</i>
<i>Dypsis intermedia</i>	<i>Dypsis interrupta</i>	<i>Dypsis jumelleana</i>
<i>Dypsis laevis</i>	<i>Dypsis lanceolata</i>	<i>Dypsis lantzeana</i>
<i>Dypsis lanuginosa</i>	<i>Dypsis lastelliana</i>	<i>Dypsis leptocheilos</i>
<i>Dypsis leptocheilos</i> x <i>decaryi</i>	<i>Dypsis ligulata</i>	<i>Dypsis linearis</i>
<i>Dypsis lokohoensis</i>	<i>Dypsis loucoubensis</i>	<i>Dypsis louvelii</i>
<i>Dypsis lucens</i>	<i>Dypsis lutea</i>	<i>Dypsis lutescens</i>
<i>Dypsis madagascariensis</i>	<i>Dypsis mahia</i>	<i>Dypsis malcomberi</i>
<i>Dypsis mananjarensis</i>	<i>Dypsis mangorensis</i>	<i>Dypsis marojejyi</i>
<i>Dypsis mcdonaldiana</i>	<i>Dypsis minuta</i>	<i>Dypsis mirabilis</i>
<i>Dypsis mocquersiana</i>	<i>Dypsis monostachya</i>	<i>Dypsis montana</i>
<i>Dypsis moorei</i>	<i>Dypsis nauseosa</i>	<i>Dypsis nodifera</i>
<i>Dypsis nossibensis</i>	<i>Dypsis occidentalis</i>	<i>Dypsis onilahensis</i>
<i>Dypsis oreophila</i>	<i>Dypsis oropedionis</i>	<i>Dypsis ovobontsira</i>
<i>Dypsis pachyramea</i>	<i>Dypsis paludosa</i>	<i>Dypsis pembana</i>
<i>Dypsis perrieri</i>	<i>Dypsis pervillei</i>	<i>Dypsis pilulifera</i>
<i>Dypsis pinnatifrons</i>	<i>Dypsis plurisecta</i>	<i>Dypsis poivreana</i>
<i>Dypsis prestoniana</i>	<i>Dypsis procera</i>	<i>Dypsis psammophila</i>
<i>Dypsis pulchella</i>	<i>Dypsis pumila</i>	<i>Dypsis pusilla</i>
<i>Dypsis ramentacea</i>	<i>Dypsis remotiflora</i>	<i>Dypsis rivularis</i>
<i>Dypsis robusta</i>	<i>Dypsis sahanofensis</i>	<i>Dypsis saintelupei</i>
<i>Dypsis sambiranensis</i>	<i>Dypsis sanctaemariae</i>	<i>Dypsis scandens</i>
<i>Dypsis schatzii</i>	<i>Dypsis scottiana</i>	<i>Dypsis serpentina</i>
<i>Dypsis simianensis</i>	<i>Dypsis singularis</i>	<i>Dypsis soanieranae</i>
<i>Dypsis spicata</i>	<i>Dypsis tanalensis</i>	<i>Dypsis tenuissima</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Dypsis thermanum</i>	<i>Dypsis thiryana</i>	<i>Dypsis thouarsiana</i>
<i>Dypsis tokoravina</i>	<i>Dypsis trapezoidea</i>	<i>Dypsis tsaratananensis</i>
<i>Dypsis tsaravoasira</i>	<i>Dypsis utilis</i>	<i>Dypsis viridis</i>
<i>Dyschoriste repens</i>	<i>Dyosma delavayi</i>	<i>Dysoxylum arborescens</i>
<i>Dysoxylum fraserianum</i>	<i>Dysoxylum gaudichaudianum</i>	<i>Dysoxylum mollissimum</i>
<i>Dysoxylum oppositifolium</i>	<i>Dysoxylum parasiticum</i>	<i>Dysoxylum pettigrewianum</i>
<i>Dysoxylum pumilum</i>	<i>Dysoxylum rufum</i>	<i>Dysoxylum schiffneri</i>
<i>Dysoxylum spectabile</i>	<i>Dysphania botrys</i>	<i>Earina autumnalis</i>

<i>Earina deplanchei</i>	<i>Earina floripecten</i>	<i>Earina mucronata</i>
<i>Earina valida</i>	<i>Ebenopsis ebano</i>	<i>Ebenus cretica</i>
<i>Ebenus pinnata</i>	<i>Ebracteola derenbergiana</i>	<i>Ebracteola montis-moltkei</i>
<i>Ebracteola wilmaniae</i>	<i>Ecballium elaterium</i>	<i>Ecchremocarpus scaber</i>
<i>Echeandia chiapensis</i>	<i>Echeveria acutifolia</i>	<i>Echeveria affinis</i>
<i>Echeveria agavoides</i>	<i>Echeveria alata</i>	<i>Echeveria albicans</i>
<i>Echeveria amoena</i>	<i>Echeveria atropurpurea</i>	<i>Echeveria australis</i>
<i>Echeveria bella</i>	<i>Echeveria cante</i>	<i>Echeveria carnicolor</i>
<i>Echeveria chiapensis</i>	<i>Echeveria chihuahuaensis</i>	<i>Echeveria ciliata</i>
<i>Echeveria clavifolia</i>	<i>Echeveria coccinea</i>	<i>Echeveria colorata</i>
<i>Echeveria compressicaulis</i>	<i>Echeveria crenulata</i>	<i>Echeveria cuspidata</i>
<i>Echeveria dactylifera</i>	<i>Echeveria derenbergii</i>	<i>Echeveria desmetiana</i>
<i>Echeveria difractens</i>	<i>Echeveria elegans</i>	<i>Echeveria fulgens</i>
<i>Echeveria gigantea</i>	<i>Echeveria gilva</i>	<i>Echeveria globulosa</i>
<i>Echeveria goldmanii</i>	<i>Echeveria halbingeri</i>	<i>Echeveria harmsii</i>
<i>Echeveria harmsii</i> x <i>setosa</i>	<i>Echeveria hoveyi</i>	<i>Echeveria hyalina</i>
<i>Echeveria</i> x <i>hybrids</i>	<i>Echeveria</i> x <i>imbricata</i>	<i>Echeveria laui</i>
<i>Echeveria leucotricha</i>	<i>Echeveria lilacina</i>	<i>Echeveria lindsayana</i>
<i>Echeveria linguaefolia</i>	<i>Echeveria longissima</i>	<i>Echeveria macdougallii</i>
<i>Echeveria macrophylla</i>	<i>Echeveria minima</i>	<i>Echeveria montana</i>
<i>Echeveria moranii</i>	<i>Echeveria nodulosa</i>	<i>Echeveria nuda</i>

<i>Echeveria pallida</i>	<i>Echeveria paniculata</i>	<i>Echeveria peacockii</i>
<i>Echeveria pilosa</i>	<i>Echeveria potosina</i>	<i>Echeveria prolifica</i>
<i>Echeveria pubescens</i>	<i>Echeveria pulidonis</i>	<i>Echeveria pulvinata</i>
<i>Echeveria pumila</i>	<i>Echeveria purpusorum</i>	<i>Echeveria racemosa</i>
<i>Echeveria rosea</i>	<i>Echeveria rubromarginata</i>	<i>Echeveria runyonii</i>
<i>Echeveria schaffneri</i>	<i>Echeveria scopulorum</i>	<i>Echeveria secunda</i>
<i>Echeveria setosa</i>	<i>Echeveria shaviana</i>	<i>Echeveria spectabilis</i>
<i>Echeveria subalpina</i>	<i>Echeveria subcorymbosa</i>	<i>Echeveria subrigida</i>
<i>Echeveria subsessilis</i>	<i>Echeveria tolimanensis</i>	<i>Echeveria toluensis</i>
<i>Echeveria trianthina</i>	<i>Echeveria turgida</i>	<i>Echeveria unguiculata</i>
<i>Echeveria violescens</i>	<i>Echidnopsis cereiformis</i>	<i>Echidnopsis chrysantha</i>
<i>Echidnopsis dammanniana</i>	<i>Echidnopsis framesii</i>	<i>Echidnopsis hirsuta</i>
<i>Echidnopsis leachii</i>	<i>Echidnopsis montana</i>	<i>Echidnopsis radians</i>
<i>Echidnopsis scutellata</i>	<i>Echidnopsis serpentina</i>	<i>Echidnopsis sharpei</i>
<i>Echinacea angustifolia</i>	<i>Echinacea hybrida</i>	<i>Echinacea pallida</i>
<i>Echinacea paradoxa</i>	<i>Echinacea purpurea</i>	<i>Echinacea tennesseensis</i>
<i>Echinocactus grusonii</i>	<i>Echinocactus horizontalonius</i>	<i>Echinocactus leninghausii</i>
<i>Echinocactus mexicanus</i>	<i>Echinocactus platyacanthus</i>	<i>Echinocactus polycephalus</i>
<i>Echinocactus texensis</i>	<i>Echinocactus villosus</i>	<i>Echinocereus acifer</i>
<i>Echinocereus adustus</i>	<i>Echinocereus albiflorus</i>	<i>Echinocereus barthelowanus</i>
<i>Echinocereus berlandieri</i>	<i>Echinocereus brandegeei</i>	<i>Echinocereus bristolii</i>
<i>Echinocereus chisoensis</i>	<i>Echinocereus cinerascens</i>	<i>Echinocereus coccineus</i>
<i>Echinocereus dasyacanthus</i>	<i>Echinocereus delaetii</i>	<i>Echinocereus ehrenbergii</i>
<i>Echinocereus engelmannii</i>	<i>Echinocereus enneacanthus</i>	<i>Echinocereus fendleri</i>
<i>Echinocereus ferreirianus</i>	<i>Echinocereus gentryi</i>	<i>Echinocereus huitcholensis</i>
<i>Echinocereus inermis</i>	<i>Echinocereus knippelianus</i>	<i>Echinocereus laui</i>
<i>Echinocereus leonensis</i>	<i>Echinocereus leucanthus</i>	<i>Echinocereus longisetus</i>
<i>Echinocereus maritimus</i>	<i>Echinocereus nivosus</i>	<i>Echinocereus papillosus</i>
<i>Echinocereus pectinatus</i>	<i>Echinocereus pensilis</i>	<i>Echinocereus pentalophus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Echinocereus polyacanthus</i>	<i>Echinocereus poselgeri</i>	<i>Echinocereus pseudopectinatus</i>
<i>Echinocereus pulchellus</i>	<i>Echinocereus reichenbachii</i>	<i>Echinocereus rigidissimus</i>
<i>Echinocereus x roetteri</i>	<i>Echinocereus scheeri</i>	<i>Echinocereus schmollii</i>
<i>Echinocereus sciurus</i>	<i>Echinocereus scopulorum</i>	<i>Echinocereus spinigemmatum</i>
<i>Echinocereus stoloniferus</i>	<i>Echinocereus stramineus</i>	<i>Echinocereus strausianus</i>
<i>Echinocereus subinermis</i>	<i>Echinocereus tayopensis</i>	<i>Echinocereus triglochidiatus</i>
<i>Echinocereus tulensis</i>	<i>Echinocereus viereckii</i>	<i>Echinocereus viridiflorus</i>
<i>Echinocereus websterianus</i>	<i>Echinochloa colona</i>	<i>Echinochloa crus-galli</i>
<i>Echinochloa crus-pavonis</i>	<i>Echinochloa esculenta</i>	<i>Echinochloa frumentacea</i>
<i>Echinochloa haploclada</i>	<i>Echinochloa inundata</i>	<i>Echinochloa muricata</i>
<i>Echinochloa oryzoides</i>	<i>Echinochloa pyramidalis</i>	<i>Echinochloa rotundiflora</i>
<i>Echinochloa telmatophila</i>	<i>Echinochloa walteri</i>	<i>Echinocystis wrightii</i>
<i>Echinodorus andrieuxii</i>	<i>Echinodorus berteroi</i>	<i>Echinodorus berteroi</i> x <i>uruguayensis</i>
<i>Echinodorus bolivianus</i>	<i>Echinodorus grandiflorus</i>	<i>Echinodorus grisebachii</i>
<i>Echinodorus horizontalis</i>	<i>Echinodorus horizontalis</i> x <i>uruguayensis</i>	<i>Echinodorus longipetalus</i>
<i>Echinodorus macrophyllus</i>	<i>Echinodorus martii</i>	<i>Echinodorus nymphaeifolius</i>
<i>Echinodorus subalatus</i>	<i>Echinodorus tenellus</i>	<i>Echinodorus uruguayensis</i>
<i>Echinodorus xinguensis</i>	<i>Echinomastus gautii</i>	<i>Echinopogon cheelii</i>
<i>Echinops bannaticus</i>	<i>Echinops chantavicus</i>	<i>Echinops cornigerus</i>
<i>Echinops dissectus</i>	<i>Echinops giganteus</i>	<i>Echinops hoehnelii</i>
<i>Echinops horridus</i>	<i>Echinops meyeri</i>	<i>Echinops nanus</i>
<i>Echinops niveus</i>	<i>Echinops platylepis</i>	<i>Echinopsis ancistrophora</i>
<i>Echinopsis angelesiae</i>	<i>Echinopsis antezanae</i>	<i>Echinopsis arachnacantha</i>
<i>Echinopsis atacamensis</i>	<i>Echinopsis aurea</i>	<i>Echinopsis backebergii</i>
<i>Echinopsis bertramiana</i>	<i>Echinopsis boyuibensis</i>	<i>Echinopsis breviflora</i>
<i>Echinopsis bridgesii</i>	<i>Echinopsis bruchii</i>	<i>Echinopsis bruchii</i> x <i>formosa</i>

Echinopsis cabreræ	Echinopsis caespitosa	Echinopsis caineana
Echinopsis callichroma	Echinopsis calochlora	Echinopsis calorubra
Echinopsis camarguensis	Echinopsis candicans	Echinopsis cardenasiana
Echinopsis carmineiflora	Echinopsis catamarcensis	Echinopsis cephalomacrostibas
Echinopsis chalaensis	Echinopsis chamaecereus	Echinopsis chiloensis
Echinopsis chrysantha	Echinopsis chrysochete	Echinopsis cinnabarina
Echinopsis comarapana	Echinopsis conaconensis	Echinopsis coquimbana
Echinopsis coronata	Echinopsis crassicaulis	Echinopsis cuzcoensis
Echinopsis densispina	Echinopsis deserticola	Echinopsis x duvallii
Echinopsis elongata	Echinopsis escayachensis	Echinopsis eyriesii
Echinopsis fabrisii	Echinopsis ferox	Echinopsis formosa
Echinopsis formosa x bruchii	Echinopsis glauca	Echinopsis haematantha
Echinopsis hahniana	Echinopsis hertrichiana	Echinopsis herzogiana
Echinopsis huascha	Echinopsis huotii	Echinopsis hybrids
Echinopsis jajoiana	Echinopsis knuthiana	Echinopsis lageniformis
Echinopsis lamprochlora	Echinopsis lateritia	Echinopsis leucantha
Echinopsis leucorhodantha	Echinopsis litoralis	Echinopsis macrogona
Echinopsis mamillosa	Echinopsis marsoneri	Echinopsis maximiliana
Echinopsis mirabilis	Echinopsis narvaecensis	Echinopsis nigra
Echinopsis nigripilis	Echinopsis obrepanda	Echinopsis oligotricha
Echinopsis orozasana	Echinopsis orurensis	Echinopsis oxygona
Echinopsis pachanoi	Echinopsis pampana	Echinopsis pamparuizii
Echinopsis pasacana	Echinopsis pentlandii	Echinopsis polyancistra
Echinopsis pseudocandicans	Echinopsis pugionacantha	Echinopsis puquiensis
Echinopsis purpureopilosa	Echinopsis pygmaea	Echinopsis rhodotricha
Echinopsis rojasii	Echinopsis saltensis	Echinopsis sanguiniflora
Echinopsis santaensis	Echinopsis schickendantzii	Echinopsis schieliana
Echinopsis schoenii	Echinopsis schreiteri	Echinopsis scopulicola

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Echinopsis semidenudata</i>	<i>Echinopsis silvestrii</i>	<i>Echinopsis skottsbergii</i>
<i>Echinopsis smrziana</i>	<i>Echinopsis stilowiana</i>	<i>Echinopsis strigosa</i>
<i>Echinopsis subdenudatus</i>	<i>Echinopsis tacaquirensis</i>	<i>Echinopsis taquimbalensis</i>
<i>Echinopsis taratensis</i>	<i>Echinopsis tarijensis</i>	<i>Echinopsis tarmaensis</i>
<i>Echinopsis tegeleriana</i>	<i>Echinopsis terscheckii</i>	<i>Echinopsis thelegona</i>
<i>Echinopsis thelegonoides</i>	<i>Echinopsis thionantha</i>	<i>Echinopsis tiegeliana</i>
<i>Echinopsis toralapana</i>	<i>Echinopsis trichosa</i>	<i>Echinopsis tubiflora</i>
<i>Echinopsis tulhuayacensis</i>	<i>Echinopsis tunariensis</i>	<i>Echinopsis uyupampensis</i>
<i>Echinopsis valida</i>	<i>Echinopsis vasquezii</i>	<i>Echinopsis vatteri</i>
<i>Echinopsis volliana</i>	<i>Echinopsis walteri</i>	<i>Echinopsis yuquina</i>
<i>Echinospartum horridum</i>	<i>Echites melaleucus</i>	<i>Echium acanthocarpum</i>
<i>Echium aculeatum</i>	<i>Echium auberianum</i>	<i>Echium brevirame</i>
<i>Echium callithyrsum</i>	<i>Echium candicans</i>	<i>Echium candicans</i> x <i>pininana</i>
<i>Echium decaisnei</i>	<i>Echium gentianoides</i>	<i>Echium giganteum</i>
<i>Echium handiense</i>	<i>Echium hierrense</i>	<i>Echium italicum</i>
<i>Echium judaicum</i>	<i>Echium leucophaeum</i>	<i>Echium nervosum</i>
<i>Echium onosmaefolium</i>	<i>Echium perezii</i>	<i>Echium pininana</i>
<i>Echium pomponium</i>	<i>Echium simplex</i>	<i>Echium strictum</i>
<i>Echium thyrsoflorum</i>	<i>Echium virescens</i>	<i>Echium webbii</i>
<i>Echium wildpretii</i>	<i>Echium wildpretii</i> x <i>pininana</i>	<i>Edgeworthia chrysantha</i>
<i>Edgeworthia gardneri</i>	<i>Edithcolea grandis</i>	<i>Edmondia pinifolia</i>
<i>Edraianthus caudatus</i>	<i>Edraianthus dalmaticus</i>	<i>Edraianthus dinaricus</i>
<i>Edraianthus graminifolius</i>	<i>Edraianthus owerinianus</i>	<i>Edraianthus pumilio</i>
<i>Edraianthus serbicus</i>	<i>Edraianthus serpyllifolius</i>	<i>Edraianthus tenuifolius</i>
<i>Egeria najas</i>	<i>Ehretia acuminata</i>	<i>Ehretia amoena</i>
<i>Ehretia anacua</i>	<i>Ehretia dicksonii</i>	<i>Ehretia laevis</i>
<i>Ehretia macrophylla</i>	<i>Ehretia membranifolia</i>	<i>Ehretia retusa</i>
<i>Ehretia thyrsoflora</i>	<i>Ehretia tinifolia</i>	<i>Ehrharta acuminata</i>
<i>Ehrharta aphylla</i>	<i>Ehrharta brevifolia</i>	<i>Ehrharta calycina</i>

<i>Ehrharta capensis</i>	<i>Ehrharta delicatula</i>	<i>Ehrharta digyna</i>
<i>Ehrharta diplax</i>	<i>Ehrharta distichophylla</i>	<i>Ehrharta erecta</i>
<i>Ehrharta juncea</i>	<i>Ehrharta longiflora</i>	<i>Ehrharta pusilla</i>
<i>Ehrharta thunbergii</i>	<i>Ehrharta villosa</i>	<i>Eidothea zoxylocarya</i>
<i>Einadia hastata</i>	<i>Eithea blumenavia</i>	<i>Ekebergia capensis</i>
<i>Elaeagnus angustifolia</i>	<i>Elaeagnus conferta</i>	<i>Elaeagnus x ebbingei</i>
<i>Elaeagnus gonyanthes</i>	<i>Elaeagnus latifolia</i>	<i>Elaeagnus macrophylla</i>
<i>Elaeagnus matsunoana</i>	<i>Elaeagnus multiflora</i>	<i>Elaeagnus oxycarpa</i>
<i>Elaeagnus pungens</i>	<i>Elaeagnus songorica</i>	<i>Elaeagnus triflora</i>
<i>Elaeagnus umbellata</i>	<i>Elaeis guineensis</i>	<i>Elaeis oleifera</i>
<i>Elaeocarpus angustifolius</i>	<i>Elaeocarpus apiculatus</i>	<i>Elaeocarpus arnhemicus</i>
<i>Elaeocarpus bancroftii</i>	<i>Elaeocarpus carolinae</i>	<i>Elaeocarpus coorangooloo</i>
<i>Elaeocarpus cyaneus</i>	<i>Elaeocarpus decipiens</i>	<i>Elaeocarpus dentatus</i>
<i>Elaeocarpus edulis</i>	<i>Elaeocarpus elliffii</i>	<i>Elaeocarpus eumundi</i>

<i>Elaeocarpus ferruginiflorus</i>	<i>Elaeocarpus foveolatus</i>	<i>Elaeocarpus glabripetalus</i>
<i>Elaeocarpus grandiflorus</i>	<i>Elaeocarpus hainanensis</i>	<i>Elaeocarpus holopetalus</i>
<i>Elaeocarpus hookerianus</i>	<i>Elaeocarpus japonicus</i>	<i>Elaeocarpus johnsonii</i>
<i>Elaeocarpus kirtonii</i>	<i>Elaeocarpus largiflorens</i>	<i>Elaeocarpus oblongus</i>
<i>Elaeocarpus obovatus</i>	<i>Elaeocarpus oppositifolius</i>	<i>Elaeocarpus persicifolius</i>
<i>Elaeocarpus rarotongensis</i>	<i>Elaeocarpus reticulatus</i>	<i>Elaeocarpus ruminatus</i>
<i>Elaeocarpus sericopetalus</i>	<i>Elaeocarpus serratus</i>	<i>Elaeocarpus storckii</i>
<i>Elaeocarpus williamsianus</i>	<i>Elaeodendron australe</i>	<i>Elaeodendron croceum</i>
<i>Elaeodendron curtispiculum</i>	<i>Elaeodendron fruticosum</i>	<i>Elaeodendron glaucum</i>
<i>Elaeodendron laneanum</i>	<i>Elaeodendron laurifolium</i>	<i>Elaeodendron orientale</i>
<i>Elaphoglossum aemulum</i>	<i>Elaphoglossum callifolium</i>	<i>Elaphoglossum ciliatum</i>
<i>Elaphoglossum cuspidatum</i>	<i>Elaphoglossum herminieri</i>	<i>Elaphoglossum hirtum</i>
<i>Elaphoglossum peltatum</i>	<i>Elaphoglossum queenslandicum</i>	<i>Elaphoglossum stramineum</i>
<i>Elatiospermum tapos</i>	<i>Elatostema grande</i>	<i>Elatostema reticulatum</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Elatostema rupestre</i>	<i>Elatostema stipitatum</i>	<i>Elatostachys microcarpa</i>
<i>Elatostachys nervosa</i>	<i>Elatostachys xylocarpa</i>	<i>Elegia capensis</i>
<i>Elegia cuspidata</i>	<i>Elegia equisetacea</i>	<i>Elegia fenestrata</i>
<i>Elegia filacea</i>	<i>Elegia fistulosa</i>	<i>Elegia grandis</i>
<i>Elegia juncea</i>	<i>Elegia racemosa</i>	<i>Eleiodoxa conferta</i>
<i>Eleiotis monophyllos</i>	<i>Eleocharis cylindrostachys</i>	<i>Eleocharis difformis</i>
<i>Eleocharis gracilis</i>	<i>Eleocharis nuda</i>	<i>Eleocharis plana</i>
<i>Eleocharis vivipara</i>	<i>Elephantopus carolinianus</i>	<i>Elephantorrhiza goetzei</i>
<i>Elettaria cardamomum</i>	<i>Elettaria ensal</i>	<i>Eleusine coracana</i>
<i>Eleusine indica</i>	<i>Eleusine polystachya</i>	<i>Eleusine stricta</i>
<i>Eleutherine bulbosa</i>	<i>Eleutherococcus divaricatus</i>	<i>Eleutherococcus senticosus</i>
<i>Eleutherococcus sessiliflorus</i>	<i>Eleutherococcus setchuensis</i>	<i>Eleutherococcus spinosus</i>
<i>Eleutherococcus trifoliatus</i>	<i>Elingamita johnsonii</i>	<i>Elionurus tripsacoides</i>
<i>Elliottia bracteata</i>	<i>Elliottia pyroliflorus</i>	<i>Ellisiophyllum pinnatum</i>
<i>Elmera racemosa</i>	<i>Elsholtzia bodinieri</i>	<i>Elsholtzia ciliata</i>
<i>Elsholtzia stauntonii</i>	<i>Elyhordeum macounii</i>	<i>Elymus abolinii</i>
<i>Elymus angulatus</i>	<i>Elymus arizonicus</i>	<i>Elymus batalinii</i>
<i>Elymus bungeanus</i>	<i>Elymus ciliaris</i>	<i>Elymus cognatus</i>
<i>Elymus cordilleranus</i>	<i>Elymus dentatus</i>	<i>Elymus duthiei</i>
<i>Elymus enysii</i>	<i>Elymus fedtschenkoi</i>	<i>Elymus festucoides</i>
<i>Elymus fibrosus</i>	<i>Elymus glaucus</i>	<i>Elymus gmelinii</i>
<i>Elymus hitchcockii</i>	<i>Elymus hondae</i>	<i>Elymus humidus</i>
<i>Elymus jacutensis</i>	<i>Elymus kengii</i>	<i>Elymus laxiflorus</i>
<i>Elymus longearistatus</i>	<i>Elymus macrourus</i>	<i>Elymus magellanicus</i>
<i>Elymus melantherus</i>	<i>Elymus mutabilis</i>	<i>Elymus nakaii</i>
<i>Elymus x obtusiusculus</i>	<i>Elymus patagonicus</i>	<i>Elymus pendulinus</i>
<i>Elymus reflexiaristatus</i>	<i>Elymus scabrifolius</i>	<i>Elymus scabriglumis</i>
<i>Elymus stebbinsii</i>	<i>Elymus tenuis</i>	<i>Elymus transhyrcanus</i>
<i>Elymus uralensis</i>	<i>Elymus villifer</i>	<i>Elymus villosus</i>
<i>Elytraria carolinensis</i>	<i>Elytrigia disticha</i>	<i>Elytrigia pontica</i>

<i>Elytrigia repens</i>	<i>Elytropus chilensis</i>	<i>Embelia angustifolia</i>
<i>Embelia australiana</i>	<i>Embelia ribes</i>	<i>Embelia sessiliflora</i>
<i>Embergeria grandifolia</i>	<i>Embothrium coccineum</i>	<i>Embothrium grandiflorum</i>
<i>Embothrium lanceolatum</i>	<i>Embreea</i> spp.	<i>Emilia sonchifolia</i>
<i>Eminia antennulifera</i>	<i>Emmenopterys henryi</i>	<i>Emmenosperma alphonoides</i>
<i>Emmenosperma pantherianum</i>	<i>Emorycactus polycephalus</i>	<i>Empetrum eamesii</i>
<i>Empodisma minus</i>	<i>Empodium plicatum</i>	<i>Encelia californica</i>
<i>Encelia canescens</i>	<i>Encelia eriocephala</i>	<i>Encelia oblongifolia</i>
<i>Encelia virginensis</i>	<i>Enceliopsis nudicaulis</i>	<i>Encephalartos aemulans</i>
<i>Encephalartos altensteinii</i>	<i>Encephalartos arenarius</i>	<i>Encephalartos barberi</i>
<i>Encephalartos bubalinus</i>	<i>Encephalartos caffer</i>	<i>Encephalartos cerinus</i>
<i>Encephalartos chimanimaniensis</i>	<i>Encephalartos concinnus</i>	<i>Encephalartos cupidus</i>
<i>Encephalartos cycadifolius</i>	<i>Encephalartos dolomiticus</i>	<i>Encephalartos dyerianus</i>
<i>Encephalartos eugene-maraisii</i>	<i>Encephalartos ferox</i>	<i>Encephalartos friderici-guilielmi</i>
<i>Encephalartos ghellinckii</i>	<i>Encephalartos gratus</i>	<i>Encephalartos hildebrandtii</i>
<i>Encephalartos hirsutus</i>	<i>Encephalartos horridus</i>	<i>Encephalartos inopinus</i>
<i>Encephalartos ituriensis</i>	<i>Encephalartos kisambo</i>	<i>Encephalartos laevifolius</i>
<i>Encephalartos lanatus</i>	<i>Encephalartos latifrons</i>	<i>Encephalartos laurentianus</i>
<i>Encephalartos lebomboensis</i>	<i>Encephalartos lehmannii</i>	<i>Encephalartos longifolius</i>
<i>Encephalartos macrostrobilus</i>	<i>Encephalartos manikensis</i>	<i>Encephalartos marunguensis</i>
<i>Encephalartos middelburgensis</i>	<i>Encephalartos msinganus</i>	<i>Encephalartos munchii</i>
<i>Encephalartos natalensis</i>	<i>Encephalartos natalensis</i> x <i>woodii</i>	<i>Encephalartos ngoyanus</i>
<i>Encephalartos nubimontanus</i>	<i>Encephalartos paucidentatus</i>	<i>Encephalartos poggei</i>
<i>Encephalartos princeps</i>	<i>Encephalartos pterogonus</i>	<i>Encephalartos schmitzii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Encephalartos sclavoi</i>	<i>Encephalartos senticosus</i>	<i>Encephalartos septentrionalis</i>
<i>Encephalartos tegulaneus</i>	<i>Encephalartos transvenosus</i>	<i>Encephalartos trispinosus</i>
<i>Encephalartos turneri</i>	<i>Encephalartos umbeluziensis</i>	<i>Encephalartos villosus</i>
<i>Encephalartos whitelockii</i>	<i>Encholirium bradeanum</i>	<i>Encholirium horridum</i>
<i>Encyclia</i> spp.	<i>Endiandra acuminata</i>	<i>Endiandra anthropophagorum</i>
<i>Endiandra baillonii</i>	<i>Endiandra bessaphila</i>	<i>Endiandra collinsii</i>
<i>Endiandra compressa</i>	<i>Endiandra cooperana</i>	<i>Endiandra cowleyana</i>
<i>Endiandra crassiflora</i>	<i>Endiandra dichrophylla</i>	<i>Endiandra dielsiana</i>
<i>Endiandra discolor</i>	<i>Endiandra floydii</i>	<i>Endiandra glauca</i>
<i>Endiandra globosa</i>	<i>Endiandra grayi</i>	<i>Endiandra hayesii</i>
<i>Endiandra hypotephra</i>	<i>Endiandra impressicosta</i>	<i>Endiandra insignis</i>
<i>Endiandra introrsa</i>	<i>Endiandra jonesii</i>	<i>Endiandra leptodendron</i>
<i>Endiandra microneura</i>	<i>Endiandra montana</i>	<i>Endiandra muelleri</i>
<i>Endiandra palmerstonii</i>	<i>Endiandra pubens</i>	<i>Endiandra sankeyana</i>
<i>Endiandra sideroxylon</i>	<i>Endiandra sieberi</i>	<i>Endiandra tooram</i>
<i>Endiandra virens</i>	<i>Endiandra wolfei</i>	<i>Endiandra xanthocarpa</i>
<i>Endonema lateriflora</i>	<i>Endonema retzioides</i>	<i>Endopleura uchi</i>
<i>Endospermum macrophyllum</i>	<i>Endospermum peltatum</i>	<i>Endospermum robbianum</i>
<i>Endressia wardellii</i>	<i>Endymion italicus</i>	<i>Engelhardia roxburghiana</i>
<i>Engelhardia spicata</i>	<i>Engysiphon roseus</i>	<i>Enkianthus campanulatus</i>
<i>Enkianthus cernuus</i>	<i>Enkianthus chinensis</i>	<i>Enkianthus deflexus</i>
<i>Enkianthus perulatus</i>	<i>Enkianthus quinqueflorus</i>	<i>Enkianthus ruber</i>
<i>Enkianthus rubicundus</i>	<i>Enkianthus serrulatus</i>	<i>Enkianthus tectus</i>
<i>Enneapogon gracilis</i>	<i>Enneapogon oblongus</i>	<i>Enneapogon persicus</i>
<i>Enneapogon scaber</i>	<i>Ensete superbum</i>	<i>Ensete ventricosum</i>
<i>Entada abyssinica</i>	<i>Entada africana</i>	<i>Entada gigas</i>
<i>Entada phaseoloides</i>	<i>Entandrophragma angolense</i>	<i>Entandrophragma candollei</i>

Entandrophragma caudatum	Entandrophragma cylindricum	Entandrophragma utile
Entelea arborescens	Enterolobium contortisiliquum	Enterolobium cyclocarpum
Enterolobium maximum	Enteropogon acicularis	Enteropogon macrostachyus
Enteropogon monostachyos	Entolasia imbricata	Entolasia stricta
Eomecon chionantha	Epacris apiculata	Epacris apsleyensis
Epacris atleana	Epacris barbata	Epacris breviflora
Epacris calvertiana	Epacris coriacea	Epacris corymbiflora
Epacris crassifolia	Epacris curtisiae	Epacris exserta
Epacris glabella	Epacris glacialis	Epacris grandis
Epacris gunnii	Epacris hamiltonii	Epacris heteronema
Epacris impressa	Epacris x kinghornii	Epacris lanuginosa
Epacris limbata	Epacris marginata	Epacris microphylla
Epacris mucronulata	Epacris muelleri	Epacris myrtifolia
Epacris navicularis	Epacris obtusifolia	Epacris paludosa
Epacris petrophila	Epacris pulchella	Epacris reclinata
Epacris rigida	Epacris robusta	Epacris serpyllifolia
Epacris stuartii	Epacris tasmanica	Epacris virgata
Ephedra americana	Ephedra californica	Ephedra equisetina
Ephedra foeminea	Ephedra fragilis	Ephedra gerardiana
Ephedra intermedia	Ephedra lomatolepis	Ephedra major
Ephedra monosperma	Ephedra nevadensis	Ephedra regeliana
Ephedra strobilacea	Ephedra tweediana	Ephedra viridis
Epiblastus basalis	Epicattleya spp.	Epidendrum spp.
Epigaea asiatica	Epigaea repens	Epigeneium spp.

Epilobium angustifolium	Epilobium canum	Epilobium ciliatum
Epilobium crassum	Epilobium curtisiae	Epilobium davuricum
Epilobium dielsii	Epilobium fleischeri	Epilobium glabellum
Epilobium gunnianum	Epilobium nerteroides	Epilobium obcordatum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Epilobium pallidiflorum</i>	<i>Epilobium parviflorum</i>	<i>Epilobium sarmentaceum</i>
<i>Epilobium tasmanicum</i>	<i>Epilobium tetragonum</i>	<i>Epimedium acuminatum</i>
<i>Epimedium brachyrrhizum</i>	<i>Epimedium diphyllum</i>	<i>Epimedium dolichostemon</i>
<i>Epimedium epsteinii</i>	<i>Epimedium franchetii</i>	<i>Epimedium grandiflorum</i>
<i>Epimedium grandiflorum x pinnatum</i>	<i>Epimedium koreanum</i>	<i>Epimedium leptorrhizum</i>
<i>Epimedium macranthum</i>	<i>Epimedium membranaceum</i>	<i>Epimedium myrianthum</i>
<i>Epimedium ogisui</i>	<i>Epimedium x omeiense</i>	<i>Epimedium pauciflorum</i>
<i>Epimedium perralderianum</i>	<i>Epimedium pinnatum</i>	<i>Epimedium platypetalum</i>
<i>Epimedium pubescens</i>	<i>Epimedium pubigerum</i>	<i>Epimedium x rubrum</i>
<i>Epimedium sempervirens</i>	<i>Epimedium setosum</i>	<i>Epimedium shuichengense</i>
<i>Epimedium stellulatum</i>	<i>Epimedium trifoliolobinatum</i>	<i>Epimedium x versicolor</i>
<i>Epimedium x warleyense</i>	<i>Epimedium wushanense</i>	<i>Epimedium x youngianum</i>
<i>Epiphronitis x veitchii</i>	<i>Epiphyllum anguliger</i>	<i>Epiphyllum cartagense</i>
<i>Epiphyllum caudatum</i>	<i>Epiphyllum costaricense</i>	<i>Epiphyllum crenatum</i>
<i>Epiphyllum grandilobum</i>	<i>Epiphyllum guatemalense</i>	<i>Epiphyllum hybrids</i>
<i>Epiphyllum macropterum</i>	<i>Epiphyllum oxypetalum</i>	<i>Epiphyllum pittieri</i>
<i>Epiphyllum pumilum</i>	<i>Epiphyllum rubrocoronatum</i>	<i>Epiphyllum ruestii</i>
<i>Epipremnum amplissimum</i>	<i>Epipremnum falcifolium</i>	<i>Epipremnum giganteum</i>
<i>Epipremnum pinnatum</i>	<i>Episcia dianthiflora</i>	<i>Episcia lilacina</i>
<i>Episcia punctata</i>	<i>Epithelantha micromeris</i>	<i>Epithelantha pachyrhiza</i>
<i>Eragrostis barrelieri</i>	<i>Eragrostis brizantha</i>	<i>Eragrostis brizoides</i>
<i>Eragrostis caespitosa</i>	<i>Eragrostis cilianensis</i>	<i>Eragrostis coarctata</i>
<i>Eragrostis collina</i>	<i>Eragrostis curvula</i>	<i>Eragrostis erosa</i>
<i>Eragrostis falcata</i>	<i>Eragrostis lappula</i>	<i>Eragrostis leptostachya</i>
<i>Eragrostis lurida</i>	<i>Eragrostis maypurensis</i>	<i>Eragrostis mexicana</i>
<i>Eragrostis mildbraedii</i>	<i>Eragrostis minor</i>	<i>Eragrostis orthoclada</i>
<i>Eragrostis pallens</i>	<i>Eragrostis paradoxa</i>	<i>Eragrostis patula</i>
<i>Eragrostis pilosa</i>	<i>Eragrostis x pseudobtusa</i>	<i>Eragrostis secundiflora</i>

Eragrostis tef	Eragrostis tenuifolia	Eragrostis truncata
Eranthemum album	Eranthemum cinnabarinum	Eranthemum cooperi
Eranthemum laxiflorum	Eranthemum macrophyllum	Eranthemum pulchellum
Eranthemum sanguinolentum	Eranthemum seticalyx	Eranthemum strictum
Eranthemum tricolor	Eranthemum variegatum	Eranthemum wattii
Eranthis cilicica	Eranthis hyemalis	Eranthis longistipitata
Eranthis pinnatifida	Eranthis sibirica	Eranthis stellata
Eranthis x tubergenii	Ercilla spicata	Ercilla volubilis
Eremaea rosea	Eremalche rotundifolia	Eremochloa zeylanica
Eremocitrus glauca	Eremogone pseudacantholimon	Eremomastax polysperma
Eremophila alternifolia x bignoniiflora	Eremophila alternifolia x purpurascens	Eremophila angustifolia
Eremophila barbata	Eremophila behriana	Eremophila bicolor
Eremophila bignoniiflora x polyclada	Eremophila bignoniiflora x polyclada x divaricata	Eremophila bignoniiflora x alternifolia
Eremophila bignoniiflora x polyclada	Eremophila biserrata x glabra	Eremophila bowmanii
Eremophila bowmanii x latifolia	Eremophila christophori	Eremophila crassifolia
Eremophila dalyana	Eremophila debilis	Eremophila divaricata
Eremophila divaricata x polyclada	Eremophila drummondii x nivea	Eremophila freelingii
Eremophila gibbifolia	Eremophila glabra x willssii	Eremophila inflata
Eremophila leucophylla	Eremophila linsmithii	Eremophila macdonnellii
Eremophila macgillivrayi	Eremophila neglecta	Eremophila nivea x christophori
Eremophila ovata	Eremophila pachomai	Eremophila pachyphylla
Eremophila polyclada	Eremophila prostrata	Eremophila rotundifolia
Eremophila santalina	Eremophila stenophylla	Eremophila sturtii
Eremophila tetraptera	Eremophila alternifolia x Myoporum platycarpum	Eremophila youngii x latrobei
Eremopyrum buonapartis	Eremopyrum distans	Eremosparton aphyllum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Eremosparton flaccidum</i>	<i>Eremospatha cabrae</i>	<i>Eremospatha cuspidata</i>
<i>Eremospatha haullevilleana</i>	<i>Eremospatha hookeri</i>	<i>Eremospatha laurentii</i>
<i>Eremospatha macrocarpa</i>	<i>Eremospatha quinquecostulata</i>	<i>Eremospatha tessmanniana</i>
<i>Eremospatha wendlandiana</i>	<i>Eremostachys laciniata</i>	<i>Eremurus aitchisonii</i>
<i>Eremurus alberti</i>	<i>Eremurus altaicus</i>	<i>Eremurus bucharicus</i>
<i>Eremurus cristatus</i>	<i>Eremurus elwesii</i>	<i>Eremurus fuscus</i>
<i>Eremurus himalaicus</i>	<i>Eremurus x isabellinus</i>	<i>Eremurus kaufmanni</i>
<i>Eremurus lactiflorus</i>	<i>Eremurus luteus</i>	<i>Eremurus olgae</i>
<i>Eremurus regelii</i>	<i>Eremurus robustus</i>	<i>Eremurus sogdianus</i>
<i>Eremurus spectabilis</i>	<i>Eremurus stenophyllus</i>	<i>Eremurus tianschanicus</i>
<i>Eremurus turkestanicus</i>	<i>Erepsia gracilis</i>	<i>Erepsia lacera</i>
<i>Erepsia pillansii</i>	<i>Eria</i> spp.	<i>Eriachne flaccida</i>
<i>Eriachne nervosa</i>	<i>Eriachne pallescens</i>	<i>Erianthecium bulbosum</i>
<i>Eriaxis rigida</i>	<i>Erica abietina</i>	<i>Erica acuta</i>
<i>Erica aemula</i>	<i>Erica affinis</i>	<i>Erica albens</i>
<i>Erica ampullacea</i>	<i>Erica andevalensis</i>	<i>Erica andromediflora</i>
<i>Erica arborea</i>	<i>Erica archeria</i>	<i>Erica ardens</i>
<i>Erica x autumnalis</i>	<i>Erica axilliflora</i>	<i>Erica axilliflora x hirtiflora</i>
<i>Erica baccans</i>	<i>Erica baueri</i>	<i>Erica bergiana</i>
<i>Erica blandfordia</i>	<i>Erica blenna</i>	<i>Erica bodkinii</i>
<i>Erica brachialis</i>	<i>Erica breviflora</i>	<i>Erica brevifolia</i>
<i>Erica caledonica</i>	<i>Erica calycina</i>	<i>Erica canaliculata</i>
<i>Erica capensis</i>	<i>Erica capitata</i>	<i>Erica carnea</i>
<i>Erica casta</i>	<i>Erica x cavendishiana</i>	<i>Erica cerinthoides</i>
<i>Erica cerinthoides x curviflora</i>	<i>Erica chamissonis</i>	<i>Erica chloroloma</i>
<i>Erica chrysocodon</i>	<i>Erica cinerea</i>	<i>Erica coccinea</i>
<i>Erica codonodes</i>	<i>Erica colorans</i>	<i>Erica concinna</i>
<i>Erica conica</i>	<i>Erica conspicua</i>	<i>Erica copiosa</i>
<i>Erica corifolia</i>	<i>Erica cruenta</i>	<i>Erica cubica</i>

<i>Erica curviflora</i>	<i>Erica curvirostris</i>	<i>Erica cyathiformis</i>
<i>Erica daphniflora</i>	<i>Erica x darleyensis</i>	<i>Erica demissa</i>
<i>Erica densifolia</i>	<i>Erica diaphana</i>	<i>Erica diaphana x versicolor</i>
<i>Erica dichrus</i>	<i>Erica doliiformis</i>	<i>Erica elimensis</i>
<i>Erica erigena</i>	<i>Erica excelsa</i>	<i>Erica exurgens</i>
<i>Erica fascicularis</i>	<i>Erica fastigiata</i>	<i>Erica filipendula</i>
<i>Erica foliacea</i>	<i>Erica formosa</i>	<i>Erica formosa x quadrangularis</i>
<i>Erica gibbosa</i>	<i>Erica glauca</i>	<i>Erica globulifera</i>
<i>Erica glomiflora</i>	<i>Erica glumiflora</i>	<i>Erica gnaphaloides</i>
<i>Erica gracilis</i>	<i>Erica grandiflora</i>	<i>Erica grata</i>
<i>Erica grisbrookii</i>	<i>Erica halicacaba</i>	<i>Erica hebecalyx</i>
<i>Erica hexandra</i>	<i>Erica hiemalis</i>	<i>Erica hirta</i>
<i>Erica hirtiflora</i>	<i>Erica hispidula</i>	<i>Erica holosericea</i>
<i>Erica x hybrids</i>	<i>Erica x hyemalis</i>	<i>Erica imbricata</i>
<i>Erica inflata</i>	<i>Erica infundibuliformis</i>	<i>Erica insignis</i>
<i>Erica x intermedia</i>	<i>Erica irregularis</i>	<i>Erica jasminiflora</i>
<i>Erica junonia</i>	<i>Erica laeta</i>	<i>Erica lambertia</i>
<i>Erica lanipes</i>	<i>Erica lanuginosa</i>	<i>Erica lateralis</i>
<i>Erica linnaeoides</i>	<i>Erica longifolia</i>	<i>Erica lucida</i>
<i>Erica mackaiana</i>	<i>Erica mackaii</i>	<i>Erica macowanii</i>
<i>Erica mammosa</i>	<i>Erica manipuliflora</i>	<i>Erica margaritacea</i>
<i>Erica mariae</i>	<i>Erica marifolia</i>	<i>Erica mauritanica</i>
<i>Erica melanthera</i>	<i>Erica monsoniana</i>	<i>Erica multiflora</i>
<i>Erica multiflora x quadrangularis</i>	<i>Erica nana</i>	<i>Erica neglecta</i>
<i>Erica nudiflora</i>	<i>Erica oatesii</i>	<i>Erica palliflora</i>
<i>Erica parilis</i>	<i>Erica parviflora</i>	<i>Erica patersonia</i>
<i>Erica peltata</i>	<i>Erica pelviformis</i>	<i>Erica persoluta</i>
<i>Erica perspicua</i>	<i>Erica peziza</i>	<i>Erica phyllicifolia</i>
<i>Erica physodes</i>	<i>Erica pillansii</i>	<i>Erica pinea</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Erica plukenetii</i>	<i>Erica praecox</i>	<i>Erica pulchella</i>
<i>Erica pyxidiflora</i>	<i>Erica ramentacea</i>	<i>Erica regerminans</i>
<i>Erica regia</i>	<i>Erica regia x vestita</i>	<i>Erica rubens</i>
<i>Erica scytophylla</i>	<i>Erica sebana</i>	<i>Erica selaginifolia</i>
<i>Erica sessiliflora</i>	<i>Erica sicula</i>	<i>Erica sitiens</i>
<i>Erica sparmanni</i>	<i>Erica sparsa</i>	<i>Erica speciosa</i>
<i>Erica spicata</i>	<i>Erica spiculifolia</i>	<i>Erica x stuartii</i>
<i>Erica subdivaricata</i>	<i>Erica swynnertonii</i>	<i>Erica taxifolia</i>
<i>Erica tegulaefolia</i>	<i>Erica tenella</i>	<i>Erica tetralix</i>
<i>Erica thomae</i>	<i>Erica tricolor</i>	<i>Erica triflora</i>
<i>Erica tumida</i>	<i>Erica umbellata</i>	<i>Erica urna-viridis</i>
<i>Erica vagans</i>	<i>Erica x veitchii</i>	<i>Erica ventricosa</i>
<i>Erica vernix</i>	<i>Erica viridescens</i>	<i>Erica viridiflora</i>
<i>Erica viridipurpurea</i>	<i>Erica walkeria</i>	<i>Erica x watsonii</i>
<i>Erica whyteana</i>	<i>Erica x williamsii</i>	<i>Erica winteri</i>
<i>Erica woodii</i>	<i>Ericksonella saccharata</i>	<i>Erigeron alpinus</i>
<i>Erigeron argentatus</i>	<i>Erigeron aurantiacus</i>	<i>Erigeron aureus</i>
<i>Erigeron bellidioides</i>	<i>Erigeron borealis</i>	<i>Erigeron chrysopsidis</i>
<i>Erigeron compositus</i>	<i>Erigeron coulteri</i>	<i>Erigeron glabratus</i>
<i>Erigeron glaucus</i>	<i>Erigeron grandiflorus</i>	<i>Erigeron gunnii</i>
<i>Erigeron humilis</i>	<i>Erigeron karvinskianus</i>	<i>Erigeron leiomerus</i>
<i>Erigeron mucronatus</i>	<i>Erigeron pappocromus</i>	<i>Erigeron pinnatisectus</i>
<i>Erigeron setosus</i>	<i>Erigeron speciosus</i>	<i>Erigeron stellatus</i>
<i>Erigeron tasmanicus</i>	<i>Erigeron uniflorus</i>	<i>Erigeron vagus</i>
<i>Erinacea anthyllis</i>	<i>Erinus alpinus</i>	<i>Eriobotrya deflexa</i>

<i>Eriobotrya japonica</i>	<i>Eriobotrya prinoides</i>	<i>Eriocaulon australasicum</i>
<i>Eriocaulon carsonii</i>	<i>Erioccephalus africanus</i>	<i>Erioccephalus ericoides</i>
<i>Erioccephalus racemosus</i>	<i>Eriochilus spp.</i>	<i>Eriochlamys behrii</i>
<i>Eriochloa parvispiculata</i>	<i>Eriochloa sericea</i>	<i>Eriochrysis cayennensis</i>

<i>Eriodictyon californicum</i>	<i>Eriogonum alatum</i>	<i>Eriogonum arborescens</i>
<i>Eriogonum cinereum</i>	<i>Eriogonum crocatum</i>	<i>Eriogonum giganteum</i>
<i>Eriogonum incanum</i>	<i>Eriogonum jamesii</i>	<i>Eriogonum latifolium</i>
<i>Eriogonum lobbii</i>	<i>Eriogonum ovalifolium</i>	<i>Eriogonum umbellatum</i>
<i>Eriolaena candollei</i>	<i>Erioneuron pilosum</i>	<i>Eriope macrostachya</i>
<i>Eriophorum chamissonis</i>	<i>Eriopsis</i> spp.	<i>Eriosema albo-griseum</i>
<i>Eriosema chrysadenium</i>	<i>Eriosema elliotii</i>	<i>Eriosema ellipticum</i>
<i>Eriosema montanum</i>	<i>Eriosema nutans</i>	<i>Eriosema parviflorum</i>
<i>Eriosema procumbens</i>	<i>Eriosema ramosum</i>	<i>Eriosema speciosum</i>
<i>Eriosema tacuarembense</i>	<i>Eriosema violaceum</i>	<i>Eriospermum abyssinicum</i>
<i>Eriospermum brevipes</i>	<i>Eriospermum cooperi</i>	<i>Eriospermum flagelliforme</i>
<i>Eriospermum ornithogaloides</i>	<i>Eriospermum phippsii</i>	<i>Eriospermum porphyrium</i>
<i>Eriospermum pubescens</i>	<i>Eriostemon angustifolius</i>	<i>Eriostemon australasius</i>
<i>Eriostemon banksii</i>	<i>Eriostemon brevifolius</i>	<i>Eriostemon brucei</i>
<i>Eriostemon coccineus</i>	<i>Eriostemon difformis</i>	<i>Eriostemon ericifolius</i>
<i>Eriostemon gardneri</i>	<i>Eriostemon glaber</i>	<i>Eriostemon hispidulus</i>
<i>Eriostemon linearis</i>	<i>Eriostemon nodiflorus</i>	<i>Eriostemon pallidus</i>
<i>Eriostemon pinoides</i>	<i>Eriostemon pungens</i>	<i>Eriostemon scaber</i>
<i>Eriostemon sericeus</i>	<i>Eriostemon spicatus</i>	<i>Eriostemon trachyphyllus</i>
<i>Eriostemon virgatus</i>	<i>Eriostemon wonganensis</i>	<i>Eriosyce aerocarpa</i>
<i>Eriosyce andreaeana</i>	<i>Eriosyce aspillagae</i>	<i>Eriosyce aurata</i>
<i>Eriosyce bulbocalyx</i>	<i>Eriosyce ceratistes</i>	<i>Eriosyce chilensis</i>
<i>Eriosyce confinis</i>	<i>Eriosyce crispa</i>	<i>Eriosyce curvispina</i>
<i>Eriosyce engleri</i>	<i>Eriosyce esmeraldana</i>	<i>Eriosyce garaventae</i>
<i>Eriosyce heinrichiana</i>	<i>Eriosyce ihotzkyanae</i>	<i>Eriosyce islayensis</i>
<i>Eriosyce krausii</i>	<i>Eriosyce kunzei</i>	<i>Eriosyce limariensis</i>
<i>Eriosyce megacarpa</i>	<i>Eriosyce napina</i>	<i>Eriosyce occulta</i>
<i>Eriosyce odieri</i>	<i>Eriosyce recondita</i>	<i>Eriosyce rodentiophila</i>
<i>Eriosyce sandillon</i>	<i>Eriosyce sociabilis</i>	<i>Eriosyce strausiana</i>
<i>Eriosyce subgibbosa</i>	<i>Eriosyce taltalensis</i>	<i>Eriosyce umadeave</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Eriosyce villicumensis</i>	<i>Eriosyce villosa</i>	<i>Eritrichium canum</i>
<i>Eritrichium pectinatum</i>	<i>Eritrichium rupestre</i>	<i>Eritrichium villosum</i>
<i>Erlangea fusca</i>	<i>Erlangea incana</i>	<i>Ernodea littoralis</i>
<i>Erodium aureum</i>	<i>Erodium botrys</i>	<i>Erodium brachycarpum</i>
<i>Erodium carvifolium</i>	<i>Erodium cheilanthifolium</i>	<i>Erodium chrysanthum</i>
<i>Erodium cicutarium</i>	<i>Erodium corsicum</i>	<i>Erodium corsicum x reichardii</i>
<i>Erodium foetidum</i>	<i>Erodium glandulosum</i>	<i>Erodium gruinum</i>
<i>Erodium guttatum</i>	<i>Erodium moschatum</i>	<i>Erodium oxyrhynchum</i>
<i>Erodium pelargoniflorum</i>	<i>Erodium reichardii</i>	<i>Erodium rupestre</i>
<i>Erodium trifolium</i>	<i>Erophaca baetica</i>	<i>Eruca sativa</i>
<i>Eruca vesicaria</i>	<i>Erucastrum griquense</i>	<i>Erucastrum virgatum</i>
<i>Ervatamia angustisepala</i>	<i>Eryngium agavifolium</i>	<i>Eryngium alpinum</i>
<i>Eryngium amethystinum</i>	<i>Eryngium bourgatii</i>	<i>Eryngium bromeliifolium</i>
<i>Eryngium caeruleum</i>	<i>Eryngium expansum</i>	<i>Eryngium foetidum</i>
<i>Eryngium giganteum</i>	<i>Eryngium glaciale</i>	<i>Eryngium humile</i>
<i>Eryngium lassauxii</i>	<i>Eryngium maritimum</i>	<i>Eryngium ovinum</i>
<i>Eryngium paludosum</i>	<i>Eryngium planum</i>	<i>Eryngium proteiflorum</i>
<i>Eryngium spinalba</i>	<i>Eryngium ternatum</i>	<i>Eryngium x tripartitum</i>
<i>Eryngium tripartitum</i>	<i>Eryngium variifolium</i>	<i>Eryngium vesiculosum</i>
<i>Eryngium x zabelii</i>	<i>Erysimum arenicola</i>	<i>Erysimum areniculum</i>
<i>Erysimum bicolor</i>	<i>Erysimum cheiri</i>	<i>Erysimum cinereus</i>
<i>Erysimum comatum</i>	<i>Erysimum heritierii</i>	<i>Erysimum hybrids</i>
<i>Erysimum x hybridum</i>	<i>Erysimum x kewensis</i>	<i>Erysimum kotschyanum</i>
<i>Erysimum linifolium</i>	<i>Erysimum x marshallii</i>	<i>Erysimum mutabile</i>
<i>Erysimum ochroleucum</i>	<i>Erysimum perofskianum</i>	<i>Erysimum pieninicum</i>
<i>Erysimum pseudorhaeticum</i>	<i>Erysimum pulchellum</i>	<i>Erysimum pumilum</i>
<i>Erysimum scoparium</i>	<i>Erysimum semperflorens</i>	<i>Erysimum witmannii</i>
<i>Erythrina addisoniae</i>	<i>Erythrina amazonica</i>	<i>Erythrina americana</i>
<i>Erythrina arborescens</i>	<i>Erythrina atitlanensis</i>	<i>Erythrina berenices</i>

<i>Erythrina x bidwillii</i>	<i>Erythrina breviflora</i>	<i>Erythrina brucei</i>
<i>Erythrina buchii</i>	<i>Erythrina burana</i>	<i>Erythrina burtii</i>
<i>Erythrina caffra</i>	<i>Erythrina chiapasana</i>	<i>Erythrina chiriquensis</i>
<i>Erythrina cobanensis</i>	<i>Erythrina corallo dendron</i>	<i>Erythrina coralloides</i>
<i>Erythrina costaricensis</i>	<i>Erythrina crista-galli</i>	<i>Erythrina dominguezii</i>
<i>Erythrina falcata</i>	<i>Erythrina folkersii</i>	<i>Erythrina fulgens</i>
<i>Erythrina guatemalensis</i>	<i>Erythrina haerdii</i>	<i>Erythrina hondurensis</i>
<i>Erythrina huehuetenangensis</i>	<i>Erythrina humeana</i>	<i>Erythrina insignis</i>
<i>Erythrina lanceolata</i>	<i>Erythrina latissima</i>	<i>Erythrina livingstoniana</i>
<i>Erythrina lysistemon</i>	<i>Erythrina lysistemon x caffra</i>	<i>Erythrina macrophylla</i>
<i>Erythrina mexicana</i>	<i>Erythrina pallida</i>	<i>Erythrina parcellii</i>
<i>Erythrina peruviana</i>	<i>Erythrina rubrinervia</i>	<i>Erythrina salviiflora</i>
<i>Erythrina sandwicensis</i>	<i>Erythrina secundiflora</i>	<i>Erythrina senegalensis</i>
<i>Erythrina sigmoidea</i>	<i>Erythrina standleyana</i>	<i>Erythrina steyermarkii</i>
<i>Erythrina x sykesii</i>	<i>Erythrina tahitensis</i>	<i>Erythrina tajumulcensis</i>
<i>Erythrina variegata</i>	<i>Erythrina velutina</i>	<i>Erythrina zeyheri</i>
<i>Erythrochiton brasiliensis</i>	<i>Erythrocoeca bongensis</i>	<i>Erythronium albidum</i>
<i>Erythronium californicum</i>	<i>Erythronium californicum x tuolumnense</i>	<i>Erythronium caucasicum</i>
<i>Erythronium citrinum</i>	<i>Erythronium elegans</i>	<i>Erythronium grandiflorum</i>
<i>Erythronium helenae</i>	<i>Erythronium hendersonii</i>	<i>Erythronium howellii</i>
<i>Erythronium japonicum</i>	<i>Erythronium klamathense</i>	<i>Erythronium mesochoreum</i>
<i>Erythronium montanum</i>	<i>Erythronium multiscapideum</i>	<i>Erythronium oregonum</i>
<i>Erythronium pluriflorum</i>	<i>Erythronium propullans</i>	<i>Erythronium purpurascens</i>
<i>Erythronium pusaterii</i>	<i>Erythronium revolutum</i>	<i>Erythronium rostratum</i>
<i>Erythronium sibiricum</i>	<i>Erythronium taylorii</i>	<i>Erythronium tuolumnense</i>
<i>Erythronium umbilicatum</i>	<i>Erythrophleum suaveolens</i>	<i>Erythrophysa aesculina</i>
<i>Erythrophysa transvaalensis</i>	<i>Erythrophysopsis aesculina</i>	<i>Erythrorchis cassythoides</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Erythrorhizalis pulchra</i>	<i>Erythroxyllum argentinum</i>	<i>Erythroxyllum australe</i>
<i>Erythroxyllum hypericifolium</i>	<i>Erythroxyllum novo-granatense</i>	<i>Escallonia alpina</i>
<i>Escallonia bifida</i>	<i>Escallonia clausenii</i>	<i>Escallonia floribunda</i>
<i>Escallonia x franciscana</i>	<i>Escallonia hybrids</i>	<i>Escallonia illinita</i>
<i>Escallonia x iveyi</i>	<i>Escallonia laevis</i>	<i>Escallonia x langleyensis</i>
<i>Escallonia montevidensis</i>	<i>Escallonia organensis</i>	<i>Escallonia pterocladon</i>
<i>Escallonia pulverulenta</i>	<i>Escallonia punctata</i>	<i>Escallonia resinosa</i>
<i>Escallonia revoluta</i>	<i>Escallonia x rigida</i>	<i>Escallonia x rockii</i>
<i>Escallonia rosea</i>	<i>Escallonia rubra</i>	<i>Escallonia virgata</i>
<i>Eschscholzia caespitosa</i>	<i>Eschscholzia californica</i>	<i>Escobaria aguirreana</i>
<i>Escobaria albicolumnaria</i>	<i>Escobaria alversonii</i>	<i>Escobaria asperispina</i>
<i>Escobaria chaffeyi</i>	<i>Escobaria chihuahuensis</i>	<i>Escobaria cubensis</i>
<i>Escobaria dasyacantha</i>	<i>Escobaria deserti</i>	<i>Escobaria emskoetteriana</i>
<i>Escobaria henricksonii</i>	<i>Escobaria hesteri</i>	<i>Escobaria laredoi</i>
<i>Escobaria lloydii</i>	<i>Escobaria minima</i>	<i>Escobaria missouriensis</i>
<i>Escobaria orcuttii</i>	<i>Escobaria organensis</i>	<i>Escobaria radiosa</i>
<i>Escobaria robbinsorum</i>	<i>Escobaria roseana</i>	<i>Escobaria sneedii</i>
<i>Escobaria tuberculosa</i>	<i>Escobaria villardii</i>	<i>Escontria chiotilla</i>
<i>Esenbeckia flava</i>	<i>Esenbeckia leiocarpa</i>	<i>Esmeralda cathcartii</i>
<i>Esmeralda clarkei</i>	<i>Espostoa baumannii</i>	<i>Espostoa blossfeldiorum</i>
<i>Espostoa guentheri</i>	<i>Espostoa huanucoensis</i>	<i>Espostoa hylaea</i>
<i>Espostoa lanata</i>	<i>Espostoa melanostele</i>	<i>Espostoa mirabilis</i>
<i>Espostoa nana</i>	<i>Espostoa ritteri</i>	<i>Espostoa senilis</i>
<i>Espostoa superba</i>	<i>Espostopsis dybowskii</i>	<i>Etlingera australasica</i>
<i>Etlingera elatior</i>	<i>Etlingera fulgens</i>	<i>Etlingera hemisphaerica</i>
<i>Etlingera maingayi</i>	<i>Etlingera venusta</i>	<i>Euadenia eminens</i>
<i>Eucalyptus abbreviata</i>	<i>Eucalyptus abergiana</i>	<i>Eucalyptus acaciiformis</i>
<i>Eucalyptus acmenoides</i>	<i>Eucalyptus agglomerata</i>	<i>Eucalyptus aggregata</i>
<i>Eucalyptus alaticaulis</i>	<i>Eucalyptus albens</i>	<i>Eucalyptus albopurpurea</i>
<i>Eucalyptus alligatrix</i>	<i>Eucalyptus amplifolia</i>	<i>Eucalyptus anceps</i>

<i>Eucalyptus ancophila</i>	<i>Eucalyptus andrewsii</i>	<i>Eucalyptus apiculata</i>
<i>Eucalyptus apothalassica</i>	<i>Eucalyptus approximans</i>	<i>Eucalyptus archeri</i>
<i>Eucalyptus arenacea</i>	<i>Eucalyptus arenaria</i>	<i>Eucalyptus argophloia</i>
<i>Eucalyptus arnhemensis</i>	<i>Eucalyptus aromaphloia</i>	<i>Eucalyptus aspera</i>
<i>Eucalyptus atrata</i>	<i>Eucalyptus badjensis</i>	<i>Eucalyptus baeuerlenii</i>
<i>Eucalyptus baileyana</i>	<i>Eucalyptus bakeri</i>	<i>Eucalyptus bancroftii</i>
<i>Eucalyptus banksii</i>	<i>Eucalyptus barberi</i>	<i>Eucalyptus baueriana</i>
<i>Eucalyptus baxteri</i>	<i>Eucalyptus baxteri x obliqua</i>	<i>Eucalyptus baxteri x serraensis</i>
<i>Eucalyptus beaniana</i>	<i>Eucalyptus behriana</i>	<i>Eucalyptus x bennettiae</i>
<i>Eucalyptus bensonii</i>	<i>Eucalyptus benthamii</i>	<i>Eucalyptus beyeri</i>
<i>Eucalyptus x bipileata</i>	<i>Eucalyptus biterranea</i>	<i>Eucalyptus blakelyi</i>
<i>Eucalyptus blakelyi x dwyeri</i>	<i>Eucalyptus blaxlandii</i>	<i>Eucalyptus bleeseri</i>
<i>Eucalyptus bosistoana</i>	<i>Eucalyptus botryoides</i>	<i>Eucalyptus brachycarpa</i>
<i>Eucalyptus brachyphylla</i>	<i>Eucalyptus bridgesiana</i>	<i>Eucalyptus bridgesiana x nortonii</i>
<i>Eucalyptus brookeriana</i>	<i>Eucalyptus brownii</i>	<i>Eucalyptus bunites</i>
<i>Eucalyptus burgessiana</i>	<i>Eucalyptus bynesiana</i>	<i>Eucalyptus cadens</i>
<i>Eucalyptus caleyi</i>	<i>Eucalyptus caliginosa</i>	<i>Eucalyptus camaldulensis x melliodora</i>
<i>Eucalyptus cambageana</i>	<i>Eucalyptus cameronii</i>	<i>Eucalyptus camfieldii</i>
<i>Eucalyptus canaliculata</i>	<i>Eucalyptus canescens</i>	<i>Eucalyptus capitellata</i>
<i>Eucalyptus capricornia</i>	<i>Eucalyptus x carnabyi</i>	<i>Eucalyptus centralis</i>
<i>Eucalyptus cephalocarpa</i>	<i>Eucalyptus chapmaniana</i>	<i>Eucalyptus chippendalei</i>
<i>Eucalyptus chloroclada</i>	<i>Eucalyptus cinerea</i>	<i>Eucalyptus cinerea x pulverulenta</i>
<i>Eucalyptus cladocalyx</i>	<i>Eucalyptus cladocalyx x platypus</i>	<i>Eucalyptus cladocalyx x spathulata</i>
<i>Eucalyptus cladocalyx x viridis</i>	<i>Eucalyptus clandestina</i>	<i>Eucalyptus clarksoniana</i>
<i>Eucalyptus cliftoniana</i>	<i>Eucalyptus cneorifolia</i>	<i>Eucalyptus coccifera</i>
<i>Eucalyptus collina</i>	<i>Eucalyptus confertiflora</i>	<i>Eucalyptus conglomerata</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Eucalyptus conica</i>	<i>Eucalyptus conjuncta</i>	<i>Eucalyptus consideniiana</i>
<i>Eucalyptus conspicua</i>	<i>Eucalyptus contracta</i>	<i>Eucalyptus coolabah</i>
<i>Eucalyptus copulans</i>	<i>Eucalyptus cordata</i>	<i>Eucalyptus x cordierii</i>
<i>Eucalyptus cosmophylla</i>	<i>Eucalyptus crebra</i>	<i>Eucalyptus crenulata</i>
<i>Eucalyptus crenulata x kruseana</i>	<i>Eucalyptus cretata</i>	<i>Eucalyptus croajingolensis</i>
<i>Eucalyptus cullenii</i>	<i>Eucalyptus cunninghamii</i>	<i>Eucalyptus curta</i>
<i>Eucalyptus curtipes</i>	<i>Eucalyptus curtisii</i>	<i>Eucalyptus cyanophylla</i>
<i>Eucalyptus cytellocarpa</i>	<i>Eucalyptus dampieri</i>	<i>Eucalyptus dawsonii</i>
<i>Eucalyptus dealbata</i>	<i>Eucalyptus decorticans</i>	<i>Eucalyptus delegatensis</i>
<i>Eucalyptus delegatensis x pilularis</i>	<i>Eucalyptus deserticola</i>	<i>Eucalyptus deuaensis</i>
<i>Eucalyptus disclusa</i>	<i>Eucalyptus divaricata</i>	<i>Eucalyptus dives</i>
<i>Eucalyptus dives x moorei</i>	<i>Eucalyptus dixsonii</i>	<i>Eucalyptus dolichocarpa</i>
<i>Eucalyptus dorrigoensis</i>	<i>Eucalyptus drepanophylla</i>	<i>Eucalyptus drysdalensis</i>
<i>Eucalyptus dumosa</i>	<i>Eucalyptus dunnii</i>	<i>Eucalyptus dura</i>
<i>Eucalyptus dwyeri</i>	<i>Eucalyptus elaeophloia</i>	<i>Eucalyptus elata</i>
<i>Eucalyptus ellipsoidea</i>	<i>Eucalyptus eremaea</i>	<i>Eucalyptus x erythrandra</i>
<i>Eucalyptus erythronema x eremophila</i>	<i>Eucalyptus erythronema x nutans</i>	<i>Eucalyptus erythrophloia</i>

<i>Eucalyptus eucentrica</i>	<i>Eucalyptus exilipes</i>	<i>Eucalyptus exserta</i>
<i>Eucalyptus fasciculosa</i>	<i>Eucalyptus fastigata</i>	<i>Eucalyptus fergusonii</i>
<i>Eucalyptus ferriticola</i>	<i>Eucalyptus flindersii</i>	<i>Eucalyptus foecunda x albida</i>
<i>Eucalyptus foecunda x yalatensis</i>	<i>Eucalyptus foelscheana</i>	<i>Eucalyptus fracta</i>
<i>Eucalyptus froggattii</i>	<i>Eucalyptus fulgens</i>	<i>Eucalyptus fulgida</i>
<i>Eucalyptus fusiformis</i>	<i>Eucalyptus gigantangion</i>	<i>Eucalyptus gilbertensis</i>
<i>Eucalyptus gillii</i>	<i>Eucalyptus glaucina</i>	<i>Eucalyptus globoidea</i>
<i>Eucalyptus globulus</i>	<i>Eucalyptus goniocalyx</i>	<i>Eucalyptus grandifolia</i>
<i>Eucalyptus grandis</i>	<i>Eucalyptus granitica</i>	<i>Eucalyptus graniticola</i>

<i>Eucalyptus grasbyi</i>	<i>Eucalyptus gratiae</i>	<i>Eucalyptus greeniana</i>
<i>Eucalyptus gregsoniana</i>	<i>Eucalyptus grossifolia</i>	<i>Eucalyptus gunnii</i>
<i>Eucalyptus haemastoma</i>	<i>Eucalyptus haemastoma x racemosa</i>	<i>Eucalyptus haematoxylon</i>
<i>Eucalyptus hallii</i>	<i>Eucalyptus helidonica</i>	<i>Eucalyptus henryi</i>
<i>Eucalyptus howittiana</i>	<i>Eucalyptus huberiana</i>	<i>Eucalyptus hylandii</i>
<i>Eucalyptus hypochlamydea</i>	<i>Eucalyptus ignorabilis</i>	<i>Eucalyptus imlayensis</i>
<i>Eucalyptus infera</i>	<i>Eucalyptus interstans</i>	<i>Eucalyptus intrasilvatica</i>
<i>Eucalyptus irritans</i>	<i>Eucalyptus jacobsiana</i>	<i>Eucalyptus kabiana</i>
<i>Eucalyptus kartzoffiana</i>	<i>Eucalyptus x kirtoniana</i>	<i>Eucalyptus kitsoniana</i>
<i>Eucalyptus kombolgiensis</i>	<i>Eucalyptus koolpinensis</i>	<i>Eucalyptus kybeanensis</i>
<i>Eucalyptus lacrimans</i>	<i>Eucalyptus laevopinea</i>	<i>Eucalyptus lamprophylla</i>
<i>Eucalyptus lane-poolei</i>	<i>Eucalyptus langleyi</i>	<i>Eucalyptus lansdowneana</i>
<i>Eucalyptus laophila</i>	<i>Eucalyptus largeana</i>	<i>Eucalyptus largiflorens</i>
<i>Eucalyptus latifolia</i>	<i>Eucalyptus latisinensis</i>	<i>Eucalyptus latiuscula</i>
<i>Eucalyptus lenziana</i>	<i>Eucalyptus leptoloma</i>	<i>Eucalyptus leptophleba</i>
<i>Eucalyptus leucoxylon</i>	<i>Eucalyptus ligustrina</i>	<i>Eucalyptus lockyeri</i>
<i>Eucalyptus longifolia</i>	<i>Eucalyptus longirostrata</i>	<i>Eucalyptus luehmanniana</i>
<i>Eucalyptus macrocera</i>	<i>Eucalyptus macrorhyncha</i>	<i>Eucalyptus major</i>
<i>Eucalyptus malacoxylon</i>	<i>Eucalyptus mannifera</i>	<i>Eucalyptus mcintyrensis</i>
<i>Eucalyptus mckieana</i>	<i>Eucalyptus mediocris</i>	<i>Eucalyptus melanoleuca</i>
<i>Eucalyptus melanophloia</i>	<i>Eucalyptus melliodora</i>	<i>Eucalyptus mensalis</i>
<i>Eucalyptus michaeliana</i>	<i>Eucalyptus microcarpa</i>	<i>Eucalyptus microcorys</i>
<i>Eucalyptus microneura</i>	<i>Eucalyptus microphylla</i>	<i>Eucalyptus mitchelliana</i>
<i>Eucalyptus moluccana</i>	<i>Eucalyptus x montana</i>	<i>Eucalyptus moorei</i>
<i>Eucalyptus morrisbyi</i>	<i>Eucalyptus morrisii</i>	<i>Eucalyptus muelleriana</i>
<i>Eucalyptus multicaulis</i>	<i>Eucalyptus nandewarica</i>	<i>Eucalyptus neglecta</i>
<i>Eucalyptus nicholii</i>	<i>Eucalyptus nigra</i>	<i>Eucalyptus nitens</i>
<i>Eucalyptus nitida</i>	<i>Eucalyptus nobilis</i>	<i>Eucalyptus nortonii</i>
<i>Eucalyptus notabilis</i>	<i>Eucalyptus novoguineensis</i>	<i>Eucalyptus obliqua</i>
<i>Eucalyptus oblonga</i>	<i>Eucalyptus obstans x stricta</i>	<i>Eucalyptus ochrophloia</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Eucalyptus odorata</i>	<i>Eucalyptus olida</i>	<i>Eucalyptus olivacea</i>
<i>Eucalyptus olsenii</i>	<i>Eucalyptus oocarpa</i>	<i>Eucalyptus opaca</i>
<i>Eucalyptus ophitica</i>	<i>Eucalyptus oreades</i>	<i>Eucalyptus orgadophila</i>
<i>Eucalyptus ovata</i>	<i>Eucalyptus pachycalyx</i>	<i>Eucalyptus paliformis</i>
<i>Eucalyptus paludicola</i>	<i>Eucalyptus panda</i>	<i>Eucalyptus paniculata</i>
<i>Eucalyptus parramattensis</i>	<i>Eucalyptus parvula</i>	<i>Eucalyptus patellaris</i>
<i>Eucalyptus pauciflora</i>	<i>Eucalyptus peeneri</i>	<i>Eucalyptus pellita</i>
<i>Eucalyptus peltata</i>	<i>Eucalyptus peninsularis</i>	<i>Eucalyptus percostata</i>
<i>Eucalyptus perriniana</i>	<i>Eucalyptus persistens</i>	<i>Eucalyptus petalophylla</i>
<i>Eucalyptus petiolaris</i>	<i>Eucalyptus phenax</i>	<i>Eucalyptus pilligaensis</i>
<i>Eucalyptus pilularis</i>	<i>Eucalyptus placita</i>	<i>Eucalyptus planchoniana</i>
<i>Eucalyptus platyphylla</i>	<i>Eucalyptus pleurocorys</i>	<i>Eucalyptus pocillum</i>
<i>Eucalyptus polyanthemus</i>	<i>Eucalyptus polybractea</i>	<i>Eucalyptus polysciada</i>
<i>Eucalyptus populnea</i>	<i>Eucalyptus populnea x brownii</i>	<i>Eucalyptus porosa</i>
<i>Eucalyptus porrecta</i>	<i>Eucalyptus praecox</i>	<i>Eucalyptus prava</i>
<i>Eucalyptus prominula</i>	<i>Eucalyptus propinqua</i>	<i>Eucalyptus pryoriana</i>
<i>Eucalyptus psammitica</i>	<i>Eucalyptus pulchella</i>	<i>Eucalyptus pulverulenta</i>
<i>Eucalyptus pumila</i>	<i>Eucalyptus punctata</i>	<i>Eucalyptus pyriformis x youngiana</i>
<i>Eucalyptus pyrocarpa</i>	<i>Eucalyptus quadrangulata</i>	<i>Eucalyptus quadricostata</i>
<i>Eucalyptus quaerenda</i>	<i>Eucalyptus quinniorum</i>	<i>Eucalyptus racemosa</i>
<i>Eucalyptus radiata</i>	<i>Eucalyptus radiata x sieberi</i>	<i>Eucalyptus redimiculifera</i>
<i>Eucalyptus reducta</i>	<i>Eucalyptus regnans</i>	<i>Eucalyptus relictia</i>
<i>Eucalyptus remota</i>	<i>Eucalyptus resinifera</i>	<i>Eucalyptus retinens</i>
<i>Eucalyptus rhodops</i>	<i>Eucalyptus risdonii</i>	<i>Eucalyptus robertsonii</i>
<i>Eucalyptus x robsonae</i>	<i>Eucalyptus robusta</i>	<i>Eucalyptus rossii</i>
<i>Eucalyptus rubida</i>	<i>Eucalyptus rubiginosa</i>	<i>Eucalyptus rudderi</i>
<i>Eucalyptus rummeryi</i>	<i>Eucalyptus rupicola</i>	<i>Eucalyptus saligna</i>
<i>Eucalyptus saxatilis</i>	<i>Eucalyptus scabrida</i>	<i>Eucalyptus scias</i>
<i>Eucalyptus scoparia</i>	<i>Eucalyptus seeana</i>	<i>Eucalyptus serpentinicola</i>

<i>Eucalyptus serraensis</i>	<i>Eucalyptus shirleyi</i>	<i>Eucalyptus sicilifolia</i>
<i>Eucalyptus sideroxylon</i>	<i>Eucalyptus sideroxylon</i> x <i>melliodora</i>	<i>Eucalyptus sieberi</i>
<i>Eucalyptus signata</i>	<i>Eucalyptus similis</i>	<i>Eucalyptus smithii</i>
<i>Eucalyptus sparsifolia</i>	<i>Eucalyptus spathulata</i> x <i>occidentalis</i>	<i>Eucalyptus spectatrix</i>
<i>Eucalyptus sphaerocarpa</i>	<i>Eucalyptus splendens</i>	<i>Eucalyptus squamosa</i>
<i>Eucalyptus staigeriana</i>	<i>Eucalyptus steedmani</i> x <i>cladocalyx</i>	<i>Eucalyptus stellulata</i>
<i>Eucalyptus stenostoma</i>	<i>Eucalyptus stjohnii</i>	<i>Eucalyptus</i> x <i>stoataptera</i>
<i>Eucalyptus stockeri</i>	<i>Eucalyptus stricta</i>	<i>Eucalyptus sturgissiana</i>
<i>Eucalyptus subcrenulata</i>	<i>Eucalyptus suffulgens</i>	<i>Eucalyptus tardecidens</i>
<i>Eucalyptus taurina</i>	<i>Eucalyptus tenella</i>	<i>Eucalyptus tenuipes</i>
<i>Eucalyptus tereticornis</i>	<i>Eucalyptus terrica</i>	<i>Eucalyptus tetrapleura</i>
<i>Eucalyptus tholiformis</i>	<i>Eucalyptus thozetiana</i>	<i>Eucalyptus tindaliae</i>
<i>Eucalyptus tintinnans</i>	<i>Eucalyptus torquata</i> x <i>woodwardii</i>	<i>Eucalyptus tricarpa</i>
<i>Eucalyptus triflora</i>	<i>Eucalyptus triplex</i>	<i>Eucalyptus tropica</i>
<i>Eucalyptus tumescens</i>	<i>Eucalyptus umbonata</i>	<i>Eucalyptus umbra</i>
<i>Eucalyptus urnigera</i>	<i>Eucalyptus variegata</i>	<i>Eucalyptus vernicosa</i>
<i>Eucalyptus verrucata</i>	<i>Eucalyptus verrucosa</i>	<i>Eucalyptus vicina</i>
<i>Eucalyptus victoriana</i>	<i>Eucalyptus viminalis</i>	<i>Eucalyptus virens</i>
<i>Eucalyptus viridis</i>	<i>Eucalyptus whitei</i>	<i>Eucalyptus wilcoxii</i>
<i>Eucalyptus williamsiana</i>	<i>Eucalyptus willisii</i>	<i>Eucalyptus woodwardii</i> x <i>torquata</i>
<i>Eucalyptus xanthoclada</i>	<i>Eucalyptus xanthope</i>	<i>Eucalyptus yangoura</i>
<i>Eucalyptus yarraensis</i>	<i>Eucalyptus youmanii</i>	<i>Eucalyptus yumbarrana</i>
<i>Eucarpha deplanchei</i>	<i>Eucharis amazonica</i>	<i>Eucharis candida</i>
<i>Eucharis</i> x <i>grandiflora</i>	<i>Eucharis moorei</i>	<i>Eucharis subedentata</i>
<i>Euchile citrina</i>	<i>Euchile mariae</i>	<i>Euchiton argentifolius</i>
<i>Euchiton audax</i>	<i>Euchiton delicatus</i>	<i>Euchiton ensifer</i>
<i>Euchiton fordianus</i>	<i>Euchiton gymnocephalus</i>	<i>Euchiton involucratus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Euchiton japonicus</i>	<i>Euchiton lateralis</i>	<i>Euchiton limosus</i>
<i>Euchiton paludosus</i>	<i>Euchiton polylepis</i>	<i>Euchiton ruahenicus</i>
<i>Euchiton traversii</i>	<i>Euchiton umbricola</i>	<i>Euclea crispa</i>
<i>Euclea linearis</i>	<i>Euclea natalensis</i>	<i>Euclea pseudebenus</i>
<i>Euclea racemosa</i>	<i>Euclinia longiflora</i>	<i>Eucnide bartonioides</i>
<i>Eucodonia andrieuxii</i>	<i>Eucodonia verticillata</i>	<i>Eucomis autumnalis</i>
<i>Eucomis bicolor</i>	<i>Eucomis comosa</i>	<i>Eucomis humilis</i>
<i>Eucomis montana</i>	<i>Eucomis pallidiflora</i>	<i>Eucomis pole-evansii</i>
<i>Eucomis regia</i>	<i>Eucomis schijffii</i>	<i>Eucomis vandermerwei</i>
<i>Eucomis zambesiaca</i>	<i>Eucommia ulmoides</i>	<i>Eucryphia cordifolia</i>
<i>Eucryphia glutinosa</i>	<i>Eucryphia x hillieri</i>	<i>Eucryphia x intermedia</i>
<i>Eucryphia jinksii</i>	<i>Eucryphia lucida</i>	<i>Eucryphia lucida x cordifolia</i>
<i>Eucryphia milliganii</i>	<i>Eucryphia moorei</i>	<i>Eucryphia x nymansensis</i>
<i>Eucryphia wilkiei</i>	<i>Eugeissona ambigua</i>	<i>Eugeissona brachystachys</i>
<i>Eugeissona insignis</i>	<i>Eugeissona minor</i>	<i>Eugeissona utilis</i>
<i>Eugenia aggregata</i>	<i>Eugenia armstrongii</i>	<i>Eugenia brasiliensis</i>
<i>Eugenia cerasiflora</i>	<i>Eugenia cyanocarpa</i>	<i>Eugenia foetida</i>
<i>Eugenia francisii</i>	<i>Eugenia gracilipes</i>	<i>Eugenia greggii</i>
<i>Eugenia luschnathiana</i>	<i>Eugenia monticola</i>	<i>Eugenia natalitia</i>
<i>Eugenia pendula</i>	<i>Eugenia pitra</i>	<i>Eugenia squamiflora</i>
<i>Eugenia stipitata</i>	<i>Eugenia stipularis</i>	<i>Eugenia uniflora</i>
<i>Eugenia ventenatii</i>	<i>Eugenia zeyheri</i>	<i>Eulophia</i> spp.
<i>Eulophidium saundersianum</i>	<i>Eulophiella</i> spp.	<i>Eulychnia acida</i>
<i>Eulychnia breviflora</i>	<i>Eulychnia castanea</i>	<i>Eulychnia iquiquensis</i>
<i>Eumorphia prostrata</i>	<i>Eunomia rotundifolia</i>	<i>Euodia bonwickii</i>
<i>Euodia fargesii</i>	<i>Euodia hortensis</i>	<i>Euodia micrococca</i>
<i>Euodia polybotrya</i>	<i>Euodia vitiflora</i>	<i>Euodia xanthoxyloides</i>
<i>Euonymus alatus</i>	<i>Euonymus americanus</i>	<i>Euonymus atropurpureus</i>
<i>Euonymus cornutus</i>	<i>Euonymus europaeus</i>	<i>Euonymus fimbriatus</i>

<i>Euonymus fortunei</i>	<i>Euonymus grandiflorus</i>	<i>Euonymus hederaceus</i>
<i>Euonymus japonicus</i>	<i>Euonymus lucidus</i>	<i>Euonymus melananthus</i>
<i>Euonymus myrianthus</i>	<i>Euonymus obovatus</i>	<i>Euonymus oxyphyllus</i>
<i>Euonymus planipes</i>	<i>Euonymus sachalinensis</i>	<i>Euonymus sanguineus</i>
<i>Euonymus sieboldiana</i>	<i>Euonymus wilsonii</i>	<i>Eupatorium fortunei</i>
<i>Eupatorium glabratum</i>	<i>Eupatorium glechnophyllum</i>	<i>Eupatorium hemipteropodum</i>
<i>Eupatorium hyssopifolium</i>	<i>Eupatorium ianthinum</i>	<i>Eupatorium serrulatum</i>
<i>Euphorbia abyssinica</i>	<i>Euphorbia acanthothamnos</i>	<i>Euphorbia aeruginosa</i>
<i>Euphorbia aggregata</i>	<i>Euphorbia alluaudii</i>	<i>Euphorbia ammak</i>
<i>Euphorbia amygdaloides</i>	<i>Euphorbia amygdaloides x characias</i>	<i>Euphorbia andrachnoides</i>
<i>Euphorbia anoplia</i>	<i>Euphorbia antisiphilitica</i>	<i>Euphorbia aphylla</i>
<i>Euphorbia atrocarmesina</i>	<i>Euphorbia atropurpurea</i>	<i>Euphorbia aureoviridiflora</i>
<i>Euphorbia baiouensis</i>	<i>Euphorbia ballyi</i>	<i>Euphorbia balsamifera</i>
<i>Euphorbia baylissii</i>	<i>Euphorbia bicompecta</i>	<i>Euphorbia biselegans</i>
<i>Euphorbia bisellenbeckii</i>	<i>Euphorbia bougheyi</i>	<i>Euphorbia bourgaeana</i>
<i>Euphorbia brittingeri</i>	<i>Euphorbia bubalina</i>	<i>Euphorbia bupleurifolia</i>
<i>Euphorbia burmannii</i>	<i>Euphorbia caerulescens</i>	<i>Euphorbia cameronii</i>
<i>Euphorbia canariensis</i>	<i>Euphorbia candelabrum</i>	<i>Euphorbia capsaintemariensis</i>
<i>Euphorbia caput-medusae</i>	<i>Euphorbia cereiformis</i>	<i>Euphorbia characias</i>
<i>Euphorbia clava</i>	<i>Euphorbia clavarioides</i>	<i>Euphorbia colletioides</i>
<i>Euphorbia confinalis</i>	<i>Euphorbia cooperi</i>	<i>Euphorbia corallioides</i>
<i>Euphorbia cornastra</i>	<i>Euphorbia cornigera</i>	<i>Euphorbia croizatii</i>
<i>Euphorbia cylindrica</i>	<i>Euphorbia cylindrifolia</i>	<i>Euphorbia dawei</i>
<i>Euphorbia debilisipina</i>	<i>Euphorbia decaryi</i>	<i>Euphorbia decidua</i>
<i>Euphorbia delphinensis</i>	<i>Euphorbia despoliata</i>	<i>Euphorbia didiereoides</i>
<i>Euphorbia dispersa</i>	<i>Euphorbia donii</i>	<i>Euphorbia dulcis</i>
<i>Euphorbia elegans</i>	<i>Euphorbia enopla</i>	<i>Euphorbia enormis</i>
<i>Euphorbia enterophora</i>	<i>Euphorbia epithymoides</i>	<i>Euphorbia evansii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Euphorbia fasciculata</i>	<i>Euphorbia ferox</i>	<i>Euphorbia fianarantsoae</i>
<i>Euphorbia fiherenensis</i>	<i>Euphorbia fimbriata</i>	<i>Euphorbia flanagani</i>
<i>Euphorbia franckiana</i>	<i>Euphorbia francoisii</i>	<i>Euphorbia gariepina</i>
<i>Euphorbia genoudiana</i>	<i>Euphorbia geroldii</i>	<i>Euphorbia glauca</i>
<i>Euphorbia globosa</i>	<i>Euphorbia gorgonis</i>	<i>Euphorbia gottlebei</i>
<i>Euphorbia grandialata</i>	<i>Euphorbia grandicornis</i>	<i>Euphorbia greenwayi</i>
<i>Euphorbia greenwayi</i> x <i>heterochroma</i>	<i>Euphorbia griffithii</i>	<i>Euphorbia griseola</i>
<i>Euphorbia groenewaldii</i>	<i>Euphorbia guentheri</i>	<i>Euphorbia gymnocalycioides</i>

<i>Euphorbia halipedicola</i>	<i>Euphorbia hamata</i>	<i>Euphorbia helioscopia</i>
<i>Euphorbia heptagona</i>	<i>Euphorbia heterochroma</i>	<i>Euphorbia heterophylla</i>
<i>Euphorbia hislopii</i>	<i>Euphorbia horrida</i>	<i>Euphorbia hottentota</i>
<i>Euphorbia iancannellii</i>	<i>Euphorbia inconstantia</i>	<i>Euphorbia inermis</i>
<i>Euphorbia intisy</i>	<i>Euphorbia jacquineaeflora</i>	<i>Euphorbia kaokoensis</i>
<i>Euphorbia kischenensis</i>	<i>Euphorbia knuthii</i>	<i>Euphorbia lactea</i>
<i>Euphorbia lambii</i>	<i>Euphorbia lancifolia</i>	<i>Euphorbia leucocephala</i>
<i>Euphorbia limpopoana</i>	<i>Euphorbia lomelii</i>	<i>Euphorbia longifolia</i>
<i>Euphorbia lophogona</i>	<i>Euphorbia lophogona</i> x <i>milii</i>	<i>Euphorbia louwii</i>
<i>Euphorbia lugardiae</i>	<i>Euphorbia lydenburgensis</i>	<i>Euphorbia magnicapsula</i>
<i>Euphorbia</i> x <i>malahidensis</i>	<i>Euphorbia malevola</i>	<i>Euphorbia mammillaris</i>
<i>Euphorbia margalidiana</i>	<i>Euphorbia marginata</i>	<i>Euphorbia mellifera</i>
<i>Euphorbia meloformis</i>	<i>Euphorbia memoralis</i>	<i>Euphorbia milii</i>
<i>Euphorbia millotii</i>	<i>Euphorbia misera</i>	<i>Euphorbia mlanjeana</i>
<i>Euphorbia monteiri</i>	<i>Euphorbia monteiroi</i>	<i>Euphorbia myrsinites</i>
<i>Euphorbia neococcinea</i>	<i>Euphorbia neohumbertii</i>	<i>Euphorbia neomontana</i>
<i>Euphorbia neoparviflora</i>	<i>Euphorbia neostapeliodes</i>	<i>Euphorbia neostolonifera</i>
<i>Euphorbia nereidum</i>	<i>Euphorbia neriifolia</i>	<i>Euphorbia nicaeensis</i>
<i>Euphorbia norfolkiana</i>	<i>Euphorbia obesa</i>	<i>Euphorbia onoclada</i>
<i>Euphorbia opuntioides</i>	<i>Euphorbia ornithopus</i>	<i>Euphorbia paralias</i>

<i>Euphorbia patula</i>	<i>Euphorbia pekinensis</i>	<i>Euphorbia pentagona</i>
<i>Euphorbia peplus</i>	<i>Euphorbia perangusta</i>	<i>Euphorbia perrieri</i>
<i>Euphorbia persistentifolia</i>	<i>Euphorbia petricola</i>	<i>Euphorbia phosphorea</i>
<i>Euphorbia pillansii</i>	<i>Euphorbia piscatoria</i>	<i>Euphorbia planiticola</i>
<i>Euphorbia platyclada</i>	<i>Euphorbia polyacantha</i>	<i>Euphorbia polygona</i>
<i>Euphorbia polygona</i> x <i>horrida</i>	<i>Euphorbia primulifolia</i>	<i>Euphorbia procumbens</i>
<i>Euphorbia pseudocactus</i>	<i>Euphorbia pseudoglobosa</i>	<i>Euphorbia pteroneura</i>
<i>Euphorbia pubiglans</i>	<i>Euphorbia pugniformis</i>	<i>Euphorbia pulcherrima</i>
<i>Euphorbia quadrangularis</i>	<i>Euphorbia quadrilatera</i>	<i>Euphorbia ramipressa</i>
<i>Euphorbia resinifera</i>	<i>Euphorbia rhizophora</i>	<i>Euphorbia rhombifolia</i>
<i>Euphorbia richardsiae</i>	<i>Euphorbia rigida</i>	<i>Euphorbia robbiae</i>
<i>Euphorbia saxorum</i>	<i>Euphorbia scheffleri</i>	<i>Euphorbia schillingii</i>
<i>Euphorbia schoenlandii</i>	<i>Euphorbia segetalis</i>	<i>Euphorbia seguieriana</i>
<i>Euphorbia serrulata</i>	<i>Euphorbia sikkimensis</i>	<i>Euphorbia similiramea</i>
<i>Euphorbia sipolisii</i>	<i>Euphorbia squarrosa</i>	<i>Euphorbia stellata</i>
<i>Euphorbia stellispina</i>	<i>Euphorbia stenoclada</i>	<i>Euphorbia stolonifera</i>
<i>Euphorbia stygiana</i>	<i>Euphorbia submammillaris</i>	<i>Euphorbia susannae</i>
<i>Euphorbia symmetrica</i>	<i>Euphorbia teixeirae</i>	<i>Euphorbia terracina</i>
<i>Euphorbia tetracanthoides</i>	<i>Euphorbia tetragona</i>	<i>Euphorbia tirucalli</i>
<i>Euphorbia tortilis</i>	<i>Euphorbia tortirama</i>	<i>Euphorbia transvaalensis</i>
<i>Euphorbia triangularis</i>	<i>Euphorbia tridentata</i>	<i>Euphorbia trigona</i>
<i>Euphorbia tuberculata</i>	<i>Euphorbia tuberculatoides</i>	<i>Euphorbia uhligiana</i>
<i>Euphorbia umbellata</i>	<i>Euphorbia undulatifolia</i>	<i>Euphorbia valida</i>
<i>Euphorbia verrucosa</i>	<i>Euphorbia viduiflora</i>	<i>Euphorbia viguieri</i>
<i>Euphorbia virosa</i>	<i>Euphorbia wakefieldii</i>	<i>Euphorbia wallichii</i>
<i>Euphorbia whellanii</i>	<i>Euphorbia wildii</i>	<i>Euphorbia xanti</i>
<i>Euphorbia xylophylloides</i>	<i>Euphorbia zoutpansbergensis</i>	<i>Euphrasia hookeri</i>
<i>Euphrasia pseudokernerii</i>	<i>Euphrasia rostkoviana</i>	<i>Euphrasia striata</i>
<i>Eupomatia barbata</i>	<i>Eupomatia bennettii</i>	<i>Eupomatia laurina</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Euptelea pleiosperma</i>	<i>Euptelea polyandra</i>	<i>Eurhynchium praelongum</i>
<i>Euroschinus falcata</i>	<i>Euroschinus falcatus</i>	<i>Eurya brevistyla</i>
<i>Eurya chinensis</i>	<i>Eurya hebeclados</i>	<i>Eurya japonica</i>
<i>Eurya loquiana</i>	<i>Eurya macartneyi</i>	<i>Eurya megatrichocarpa</i>
<i>Eurya muricata</i>	<i>Eurya pseudocerasifera</i>	<i>Euryangium sumbul</i>
<i>Eurybia divaricata</i>	<i>Eurybia macrophylla</i>	<i>Eurybia sibirica</i>
<i>Eurybia spectabilis</i>	<i>Eurybiopsis macrorhiza</i>	<i>Eurychone rothschildiana</i>
<i>Eurychorda complanata</i>	<i>Eurycles amboinensis</i>	<i>Eurycoma longifolia</i>
<i>Eurycorymbus cavaleriei</i>	<i>Euryomyrtus denticulata</i>	<i>Euryomyrtus ramosissima</i>
<i>Euryops acraeus</i>	<i>Euryops annuus</i>	<i>Euryops chrysanthemoides</i>
<i>Euryops cuneatus</i>	<i>Euryops dacrydioides</i>	<i>Euryops euryopoides</i>
<i>Euryops evansii</i>	<i>Euryops linearis</i>	<i>Euryops linifolius</i>
<i>Euryops oligoglossus</i>	<i>Euryops pectinatus</i>	<i>Euryops pinnatipartitus</i>
<i>Euryops speciosissimus</i>	<i>Euryops subcarnosus</i>	<i>Euryops virgineus</i>
<i>Euryops wagneri</i>	<i>Euscaphis japonica</i>	<i>Eustachys distichophylla</i>
<i>Eustachys uliginosa</i>	<i>Eustephia coccinea</i>	<i>Eustigma oblongifolium</i>
<i>Eustoma andrewsii</i>	<i>Eustoma exaltatum</i>	<i>Eustrephus latifolius</i>
<i>Eutaxia diffusa</i>	<i>Eutaxia empetrifolia</i>	<i>Eutaxia obovata</i>
<i>Euterpe broadwayi</i>	<i>Euterpe edulis</i>	<i>Euterpe longibracteata</i>
<i>Euterpe luminosa</i>	<i>Euterpe oleracea</i>	<i>Euterpe precatoria</i>
<i>Euterpe purpurea</i>	<i>Euzomodendron bourgeanum</i>	<i>Everistia vacciniifolia</i>
<i>Evodia daniellii</i>	<i>Evodia hupehensis</i>	<i>Evodiella muelleri</i>
<i>Evolvulus arbuscula</i>	<i>Evolvulus nummularius</i>	<i>Evolvulus nuttallianus</i>
<i>Ewartia catipes</i>	<i>Ewartia meredithae</i>	<i>Ewartia nubigena</i>
<i>Ewartia planchonii</i>	<i>Exacum affine</i>	<i>Exacum trinervium</i>
<i>Exarrhena macrantha</i>	<i>Exbucklandia populnea</i>	<i>Excoecaria agallocha</i>
<i>Excoecaria bicolor</i>	<i>Excoecaria bussei</i>	<i>Excoecaria cochinchinensis</i>
<i>Excoecaria dallachyana</i>	<i>Exocarpos cupressiformis</i>	<i>Exocarpos humifusus</i>
<i>Exocarpos nanus</i>	<i>Exocarpos strictus</i>	<i>Exocarpos syrticola</i>
<i>Exocarpos cupressiformis</i>	<i>Exocarpos strictus</i>	<i>Exocarya scleroides</i>

<i>Exochorda racemosa</i>	<i>Exodeconus miersii</i>	<i>Exomis axyrioides</i>
<i>Eysenhardtia texana</i>	<i>Fabiana densa</i>	<i>Fabiana imbricata</i>
<i>Facheiroa chaetacantha</i>	<i>Facheiroa estevesii</i>	<i>Facheiroa tenebrosa</i>
<i>Facheiroa ulei</i>	<i>Fadogia homblei</i>	<i>Fagara mantchurica</i>
<i>Fagonia chilensis</i>	<i>Fagopyrum esculentum</i>	<i>Fagraea auriculata</i>
<i>Fagraea berteriana</i>	<i>Fagraea cambagei</i>	<i>Fagraea fagraeacea</i>
<i>Fagraea fragrans</i>	<i>Fagraea gracilipes</i>	<i>Fagraea schlechteri</i>
<i>Fagus crenata</i>	<i>Fagus sylvatica</i>	<i>Fagus taurica</i>
<i>Falcatifolium falciforme</i>	<i>Falcatifolium taxoides</i>	<i>Fallopia convolvulus</i>
<i>Fallugia paradoxa</i>	<i>Famatina herbertiana</i>	<i>Faradaya albertisii</i>
<i>Faradaya amicornum</i>	<i>Faradaya ovalifolia</i>	<i>Faradaya splendida</i>
<i>Farfugium japonicum</i>	<i>Farfugium tussilagineum</i>	<i>Fargesia dracocephala</i>
<i>Fargesia murielae</i>	<i>Fargesia nitida</i>	<i>Fascicularia bicolor</i>
<i>x Fatsyhedera lizei</i>	<i>Fatsia japonica</i>	<i>Fatsia oligocarpella</i>
<i>Faucaria albidens</i>	<i>Faucaria bosscheana</i>	<i>Faucaria britteniae</i>
<i>Faucaria cradockensis</i>	<i>Faucaria duncanii</i>	<i>Faucaria felina</i>
<i>Faucaria gratiae</i>	<i>Faucaria kingiae</i>	<i>Faucaria multidentata</i>
<i>Faucaria nemorosa</i>	<i>Faucaria subintegra</i>	<i>Faucaria tigrina</i>
<i>Faucaria tuberculosa</i>	<i>Faurea rochetiana</i>	<i>Faurea saligna</i>
<i>Faurea speciosa</i>	<i>Felicia aethiopica</i>	<i>Felicia amelloides</i>
<i>Felicia angustifolia</i>	<i>Felicia dregei</i>	<i>Felicia echinata</i>
<i>Felicia elongata</i>	<i>Felicia erigeroides</i>	<i>Felicia fragilis</i>
<i>Felicia fruticosa</i>	<i>Felicia heterophylla</i>	<i>Felicia hyssopifolia</i>
<i>Felicia ovata</i>	<i>Felicia rosulata</i>	<i>Felicia uliginosa</i>
<i>Fendlera rupicola</i>	<i>Fenestraria aurantiaca</i>	<i>Fenestraria rhopalophylla</i>
<i>Feretia aeruginescens</i>	<i>Feretia apodanthera</i>	<i>Fernandoa brilletii</i>
<i>Fernandoa madagascariensis</i>	<i>Fernandoa magnifica</i>	<i>Fernelia buxifolia</i>
<i>Ferocactus alamosanus</i>	<i>Ferocactus chrysacanthus</i>	<i>Ferocactus cylindraceus</i>
<i>Ferocactus diguetii</i>	<i>Ferocactus echidne</i>	<i>Ferocactus emoryi</i>
<i>Ferocactus flavovirens</i>	<i>Ferocactus fordii</i>	<i>Ferocactus glaucescens</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Ferocactus gracilis</i>	<i>Ferocactus haematacanthus</i>	<i>Ferocactus hamatacanthus</i>
<i>Ferocactus herrerae</i>	<i>Ferocactus histrix</i>	<i>Ferocactus johnstonianus</i>
<i>Ferocactus latispinus</i>	<i>Ferocactus lindsayi</i>	<i>Ferocactus macrodiscus</i>
<i>Ferocactus peninsulae</i>	<i>Ferocactus pilosus</i>	<i>Ferocactus pottsii</i>
<i>Ferocactus recurvus</i>	<i>Ferocactus robustus</i>	<i>Ferocactus santa-maria</i>
<i>Ferocactus schwarzii</i>	<i>Ferocactus tiburonensis</i>	<i>Ferocactus townsendianus</i>
<i>Ferocactus viridescens</i>	<i>Ferocactus wislizeni</i>	<i>Feroniella lucida</i>
<i>Feroniella oblata</i>	<i>Ferraria brevifolia</i>	<i>Ferraria crispa</i>
<i>Ferraria densepunctulata</i>	<i>Ferraria divaricata</i>	<i>Ferraria ferrariola</i>
<i>Ferraria foliosa</i>	<i>Ferraria macrochlamys</i>	<i>Ferula assa-foetida</i>
<i>Ferula communis</i>	<i>Ferula karelinii</i>	<i>Ferula latipinna</i>
<i>Ferula linkii</i>	<i>Ferula tingitana</i>	<i>Fessia greilhuberi</i>
<i>Fessia hohenackeri</i>	<i>Fessia puschkinoides</i>	<i>Fessia vvedenskyi</i>
<i>Festuca abyssinica</i>	<i>Festuca acanthophylla</i>	<i>Festuca alaica</i>
<i>Festuca algeriensis</i>	<i>Festuca alpestris</i>	<i>Festuca alpina</i>
<i>Festuca altaica</i>	<i>Festuca amethystina</i>	<i>Festuca arizonica</i>
<i>Festuca arundinacea</i>	<i>Festuca asperula</i>	<i>Festuca beckeri</i>
<i>Festuca brevipila</i>	<i>Festuca caerulea</i>	<i>Festuca carpatica</i>
<i>Festuca christianii-bernardii</i>	<i>Festuca cinerea</i>	<i>Festuca coerulea</i>
<i>Festuca contracta</i>	<i>Festuca cretacea</i>	<i>Festuca dolichophylla</i>
<i>Festuca drymeja</i>	<i>Festuca eriopoda</i>	<i>Festuca eskia</i>
<i>Festuca geniculata</i>	<i>Festuca glauca</i>	<i>Festuca gracillima</i>
<i>Festuca griffithiana</i>	<i>Festuca halleri</i>	<i>Festuca hirsuta</i>
<i>Festuca huonii</i>	<i>Festuca idahoensis</i>	<i>Festuca kerguelensis</i>
<i>Festuca kronenbergii</i>	<i>Festuca magellanica</i>	<i>Festuca mairei</i>
<i>Festuca muelleri</i>	<i>Festuca nigrescens</i>	<i>Festuca novae-zealandiae</i>
<i>Festuca occidentalis</i>	<i>Festuca ovina</i>	<i>Festuca pallens</i>
<i>Festuca pallescens</i>	<i>Festuca panciana</i>	<i>Festuca paniculata</i>
<i>Festuca pannonica</i>	<i>Festuca paradoxa</i>	<i>Festuca pratensis</i>
<i>Festuca psammophila</i>	<i>Festuca pseudodalmatica</i>	<i>Festuca pseudodura</i>

<i>Festuca pseudovina</i>	<i>Festuca pulchella</i>	<i>Festuca punctoria</i>
<i>Festuca quadriflora</i>	<i>Festuca rochellii</i>	<i>Festuca rubra</i>
<i>Festuca scirpifolia</i>	<i>Festuca sclerophylla</i>	<i>Festuca spadicea</i>
<i>Festuca spectabilis</i>	<i>Festuca tatrae</i>	<i>Festuca vaginata</i>
<i>Festuca valentina</i>	<i>Festuca varia</i>	<i>Festuca vasconensis</i>
<i>Festuca violacea</i>	<i>Festuca viridis</i>	<i>Festuca viridula</i>

<i>Festuca arundinacea</i> x <i>Lolium multiflorum</i> x perenne	<i>Festuca xanthina</i>	x <i>Festulolium loliaceum</i>
<i>Ficinia nodosa</i>	<i>Ficus abelii</i>	<i>Ficus adenosperma</i>
<i>Ficus afghanistanica</i>	<i>Ficus albipila</i>	<i>Ficus ampelos</i>
<i>Ficus aurea</i>	<i>Ficus auriculata</i>	<i>Ficus baileyana</i>
<i>Ficus benghalensis</i>	<i>Ficus benjamina</i>	<i>Ficus bennetti</i>
<i>Ficus binnendijkii</i>	<i>Ficus botryocarpa</i>	<i>Ficus brachylepis</i>
<i>Ficus brasiliensis</i>	<i>Ficus burtt-davyi</i>	<i>Ficus bussei</i>
<i>Ficus carica</i>	<i>Ficus celebensis</i>	<i>Ficus citrifolia</i>
<i>Ficus copiosa</i>	<i>Ficus cordata</i>	<i>Ficus coronata</i>
<i>Ficus crassipes</i>	<i>Ficus craterostoma</i>	<i>Ficus cumingii</i>
<i>Ficus dammaropsis</i>	<i>Ficus deltoidea</i>	<i>Ficus destruens</i>
<i>Ficus dryepontiana</i>	<i>Ficus elastica</i>	<i>Ficus eucalyptoides</i>
<i>Ficus formosana</i>	<i>Ficus fraseri</i>	<i>Ficus glandulifera</i>
<i>Ficus glumosa</i>	<i>Ficus granatum</i>	<i>Ficus henryi</i>
<i>Ficus hookeriana</i>	<i>Ficus</i> x hybrid	<i>Ficus ingens</i>
<i>Ficus kurzii</i>	<i>Ficus langkokensis</i>	<i>Ficus laurifolia</i>
<i>Ficus leptoclada</i>	<i>Ficus leucotricha</i>	<i>Ficus longifolia</i>
<i>Ficus lucida</i>	<i>Ficus lyrata</i>	<i>Ficus maclellandii</i>
<i>Ficus macrophylla</i>	<i>Ficus madagascariensis</i>	<i>Ficus marmorata</i>
<i>Ficus megapoda</i>	<i>Ficus microcarpa</i>	<i>Ficus mollior</i>
<i>Ficus moorei</i>	<i>Ficus natalensis</i>	<i>Ficus neriifolia</i>
<i>Ficus nodosa</i>	<i>Ficus nymphaeifolia</i>	<i>Ficus obliqua</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Ficus obtusata</i>	<i>Ficus opposita</i>	<i>Ficus organensis</i>
<i>Ficus ovata</i>	<i>Ficus palmeri</i>	<i>Ficus pantoniana</i>
<i>Ficus petiolaris</i>	<i>Ficus pleurocarpa</i>	<i>Ficus prasinicarpa</i>
<i>Ficus pumila</i>	<i>Ficus racemigera</i>	<i>Ficus religiosa</i>
<i>Ficus retusa</i>	<i>Ficus robusta</i>	<i>Ficus rotundifolia</i>
<i>Ficus rubiginosa</i>	<i>Ficus sagittata</i>	<i>Ficus saussureana</i>
<i>Ficus scabra</i>	<i>Ficus septica</i>	<i>Ficus sonderi</i>
<i>Ficus stipulata</i>	<i>Ficus stuhlmannii</i>	<i>Ficus subcuneata</i>
<i>Ficus subnervosa</i>	<i>Ficus superba</i>	<i>Ficus sur</i>
<i>Ficus sycomorus</i>	<i>Ficus syringifolia</i>	<i>Ficus triradiata</i>
<i>Ficus vallis-choudae</i>	<i>Ficus variegata</i>	<i>Ficus variolosa</i>
<i>Ficus vesca</i>	<i>Ficus virgata</i>	<i>Ficus vogeliana</i>
<i>Ficus watkinsiana</i>	<i>Ficus wildemaniana</i>	<i>Ficus zambesiaca</i>
<i>Fieldia australiana</i>	<i>Fieldia australis</i>	<i>Filipendula glaberrima</i>
<i>Filipendula glabra</i>	<i>Filipendula ulmaria</i>	<i>Filipendula vulgaris</i>
<i>Fimbristylis annua</i>	<i>Finschia chloroxantha</i>	<i>Fioria vitifolia</i>
<i>Firmiana colorata</i>	<i>Firmiana papuana</i>	<i>Firmiana simplex</i>
<i>Fittonia albivenis</i>	<i>Fittonia gigantea</i>	<i>Fittonia pearcei</i>
<i>Fitzroya cupressoides</i>	<i>Flacourtia indica</i>	<i>Flacourtia sapida</i>
<i>Flaveria angustifolia</i>	<i>Flaveria brownii</i>	<i>Flaveria chlorifolia</i>
<i>Flaveria cronquistii</i>	<i>Flaveria palmeri</i>	<i>Flaveria pubescens</i>
<i>Flaveria sonorensis</i>	<i>Flaveria vaginata</i>	<i>Flemingia semialata</i>
<i>Flickingeria angustifolia</i>	<i>Flickingeria appendiculata</i>	<i>Flickingeria comata</i>
<i>Flickingeria convexa</i>	<i>Flickingeria fimbriata</i>	<i>Flickingeria forcipata</i>
<i>Flickingeria kelsallii</i>	<i>Flickingeria padangensis</i>	<i>Flickingeria rhipidoloba</i>
<i>Flickingeria xantholeuca</i>	<i>Flindersia acuminata</i>	<i>Flindersia australis</i>
<i>Flindersia bennettiana</i>	<i>Flindersia bourjotiana</i>	<i>Flindersia brassii</i>
<i>Flindersia brayleyana</i>	<i>Flindersia collina</i>	<i>Flindersia ifflaiana</i>
<i>Flindersia laevicarpa</i>	<i>Flindersia maculosa</i>	<i>Flindersia oppositifolia</i>
<i>Flindersia pimenteliana</i>	<i>Flindersia schottiana</i>	<i>Flindersia xanthoxyla</i>

<i>Floscopa robusta</i>	<i>Flourensia laurifolia</i>	<i>Floydia praealta</i>
<i>Flueggea leucopyrus</i>	<i>Fockea angustifolia</i>	<i>Fockea capensis</i>
<i>Fockea crispa</i>	<i>Fockea edulis</i>	<i>Fockea multiflora</i>
<i>Foeniculum vulgare</i>	<i>Foetidia mauritiana</i>	<i>Fokienia hodginsii</i>
<i>Fontainea australis</i>	<i>Fontainea oraria</i>	<i>Fontainea rostrata</i>
<i>Fontainea venosa</i>	<i>Fontinalis antipyretica</i>	<i>Fordiophyton fordii</i>
<i>Forestiera neomexicana</i>	<i>Forsythia europaea</i>	<i>Forsythia x intermedia</i>
<i>Forsythia japonica</i>	<i>Forsythia ovata</i>	<i>Forsythia suspensa</i>
<i>Forsythia viridissima</i>	<i>Fortunearia sinensis</i>	<i>Fortunella crassifolia</i>
<i>Fortunella hindsii</i>	<i>Fortunella japonica</i>	<i>Fortunella japonica x margarita</i>
<i>Fortunella margarita</i>	<i>Fortunella polyandra</i>	<i>Fosterella elata</i>
<i>Fosterella penduliflora</i>	<i>Fosterella spectabilis</i>	<i>Fosterella villosula</i>
<i>Fothergilla gardenii</i>	<i>Fothergilla major</i>	<i>Fothergilla monticola</i>
<i>Fouquieria burragei</i>	<i>Fouquieria columnaris</i>	<i>Fouquieria diguetii</i>
<i>Fouquieria fasciculata</i>	<i>Fouquieria macdougalii</i>	<i>Fouquieria shrevei</i>
<i>Fourcroya gigantea</i>	<i>Fragaria x ananassa</i>	<i>Fragaria vesca</i>
<i>Fragaria virginiana</i>	<i>Frailea asterioides</i>	<i>Frailea castanea</i>
<i>Frailea cataphracta</i>	<i>Frailea chiquitana</i>	<i>Frailea curvispina</i>
<i>Frailea gracillima</i>	<i>Frailea grahliana</i>	<i>Frailea ignacionensis</i>
<i>Frailea mammifera</i>	<i>Frailea phaeodisca</i>	<i>Frailea pumila</i>
<i>Frailea pygmaea</i>	<i>Frailea schilinzkyana</i>	<i>Franciscodendron laurifolium</i>
<i>Francoa appendiculata</i>	<i>Francoa sonchifolia</i>	<i>Frangula californica</i>
<i>Frangula caroliniana</i>	<i>Frangula crenata</i>	<i>Frangula purshiana</i>
<i>Frangula rubra</i>	<i>Frankenia connata</i>	<i>Frankenia crispa</i>
<i>Frankenia foliosa</i>	<i>Frankenia gracilis</i>	<i>Frankenia granulata</i>
<i>Frankenia muscosa</i>	<i>Frankenia serpyllifolia</i>	<i>Frankenia uncinata</i>
<i>Franklinia alatamaha</i>	<i>Fraxinus americana</i>	<i>Fraxinus angustifolia</i>
<i>Fraxinus berlandieriana</i>	<i>Fraxinus cuspidata</i>	<i>Fraxinus dipetala</i>
<i>Fraxinus elonza</i>	<i>Fraxinus excelsior</i>	<i>Fraxinus greggii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Fraxinus griffithii</i>	<i>Fraxinus insularis</i>	<i>Fraxinus japonica</i>
<i>Fraxinus macrophylla</i>	<i>Fraxinus malacophylla</i>	<i>Fraxinus mandshurica</i>
<i>Fraxinus ornus</i>	<i>Fraxinus pennsylvanica</i>	<i>Fraxinus profunda</i>
<i>Fraxinus sieboldiana</i>	<i>Fraxinus sogdiana</i>	<i>Fraxinus spaethiana</i>
<i>Fraxinus uhdei</i>	<i>Fraxinus velutina</i>	<i>Fraxinus xanthoxyloides</i>
<i>Freesia alba</i>	<i>Freesia alba</i> x <i>corymobosa</i>	<i>Freesia alba</i> x <i>leichtlinii</i>
<i>Freesia corymbosa</i>	<i>Freesia fergusoniae</i>	<i>Freesia fucata</i>
<i>Freesia</i> x <i>hybrida</i>	<i>Freesia laxa</i>	<i>Freesia leichtlinii</i>
<i>Freesia leichtlinii</i> x <i>corymbosa</i>	<i>Freesia occidentalis</i>	<i>Freesia refracta</i>
<i>Freesia speciosa</i>	<i>Freesia verrucosa</i>	<i>Fremontodendron californicum</i>
<i>Fremontodendron decumbens</i>	<i>Fremontodendron mexicanum</i>	<i>Frerea indica</i>
<i>Freycinetia australiensis</i>	<i>Freycinetia banksii</i>	<i>Freycinetia cumingiana</i>
<i>Freycinetia excelsa</i>	<i>Freycinetia javanica</i>	<i>Freycinetia marginata</i>
<i>Freycinetia multiflora</i>	<i>Freycinetia scandens</i>	<i>Freylinia lanceolata</i>
<i>Fridericia chica</i>	<i>Fridericia floribunda</i>	<i>Fridericia leucopogon</i>
<i>Fridericia mollis</i>	<i>Friesodielsia obovata</i>	<i>Frithia humilis</i>
<i>Frithia pulchra</i>	<i>Fritillaria acmopetala</i>	<i>Fritillaria affinis</i>
<i>Fritillaria agrestis</i>	<i>Fritillaria alburyana</i>	<i>Fritillaria alfredae</i>
<i>Fritillaria amana</i>	<i>Fritillaria ariana</i>	<i>Fritillaria armena</i>
<i>Fritillaria assyriaca</i>	<i>Fritillaria atrolineata</i>	<i>Fritillaria atropurpurea</i>
<i>Fritillaria aurea</i>	<i>Fritillaria biflora</i>	<i>Fritillaria bithynica</i>
<i>Fritillaria brandegeei</i>	<i>Fritillaria brandegei</i>	<i>Fritillaria bucharica</i>
<i>Fritillaria camschatcensis</i>	<i>Fritillaria carica</i>	<i>Fritillaria caucasica</i>
<i>Fritillaria chlorantha</i>	<i>Fritillaria chlororhabdota</i>	<i>Fritillaria cirrhosa</i>
<i>Fritillaria collina</i>	<i>Fritillaria conica</i>	<i>Fritillaria crassicaulis</i>
<i>Fritillaria crassifolia</i>	<i>Fritillaria dagana</i>	<i>Fritillaria davisii</i>
<i>Fritillaria davisii</i> x <i>graeca</i>	<i>Fritillaria delavayi</i>	<i>Fritillaria drenovskii</i>
<i>Fritillaria eastwoodiae</i>	<i>Fritillaria eduardii</i>	<i>Fritillaria ehrhartii</i>

<i>Fritillaria elwesii</i>	<i>Fritillaria epirotica</i>	<i>Fritillaria euboeica</i>
<i>Fritillaria falcata</i>	<i>Fritillaria fleischeriana</i>	<i>Fritillaria forbesii</i>
<i>Fritillaria frankiorum</i>	<i>Fritillaria fusca</i>	<i>Fritillaria gentneri</i>
<i>Fritillaria gibbosa</i>	<i>Fritillaria glauca</i>	<i>Fritillaria graeca</i>
<i>Fritillaria grandiflora</i>	<i>Fritillaria grayana</i>	<i>Fritillaria gussichiae</i>
<i>Fritillaria hermonis</i>	<i>Fritillaria imperialis</i>	<i>Fritillaria involucrata</i>
<i>Fritillaria ionica</i>	<i>Fritillaria japonica</i>	<i>Fritillaria karelinii</i>
<i>Fritillaria kittaniae</i>	<i>Fritillaria kotschyana</i>	<i>Fritillaria kurdica</i>
<i>Fritillaria latakiensis</i>	<i>Fritillaria latifolia</i>	<i>Fritillaria libanotica</i>
<i>Fritillaria liliacea</i>	<i>Fritillaria lusitanica</i>	<i>Fritillaria macedonica</i>
<i>Fritillaria macrandra</i>	<i>Fritillaria maximowiczii</i>	<i>Fritillaria meleagris</i>
<i>Fritillaria meleagroides</i>	<i>Fritillaria mellea</i>	<i>Fritillaria messanensis</i>
<i>Fritillaria michailovskyi</i>	<i>Fritillaria micrantha</i>	<i>Fritillaria minima</i>
<i>Fritillaria minuta</i>	<i>Fritillaria monantha</i>	<i>Fritillaria montana</i>
<i>Fritillaria mutabilis</i>	<i>Fritillaria nigra</i>	<i>Fritillaria obliqua</i>
<i>Fritillaria ojaiensis</i>	<i>Fritillaria olgae</i>	<i>Fritillaria olivieri</i>
<i>Fritillaria omeiensis</i>	<i>Fritillaria orientalis</i>	<i>Fritillaria pallidiflora</i>
<i>Fritillaria pelinaea</i>	<i>Fritillaria persica</i>	<i>Fritillaria pinardii</i>
<i>Fritillaria pinetorum</i>	<i>Fritillaria pluriflora</i>	<i>Fritillaria pontica</i>
<i>Fritillaria pudica</i>	<i>Fritillaria purdyi</i>	<i>Fritillaria pyrenaica</i>
<i>Fritillaria raddeana</i>	<i>Fritillaria recurva</i>	<i>Fritillaria regelii</i>
<i>Fritillaria reuteri</i>	<i>Fritillaria rhodia</i>	<i>Fritillaria rhodocanakis</i>
<i>Fritillaria rixii</i>	<i>Fritillaria ruthenica</i>	<i>Fritillaria sewerzowii</i>
<i>Fritillaria sibthorpiana</i>	<i>Fritillaria sichuanica</i>	<i>Fritillaria sororum</i>
<i>Fritillaria spetsiotica</i>	<i>Fritillaria sporadum</i>	<i>Fritillaria stenantha</i>
<i>Fritillaria straussii</i>	<i>Fritillaria striata</i>	<i>Fritillaria stribnyi</i>
<i>Fritillaria taipaiensis</i>	<i>Fritillaria thessala</i>	<i>Fritillaria thunbergii</i>
<i>Fritillaria tortifolia</i>	<i>Fritillaria tubaeformis</i>	<i>Fritillaria tubiformis</i>
<i>Fritillaria tuntasia</i>	<i>Fritillaria ussuriensis</i>	<i>Fritillaria uva-vulpis</i>
<i>Fritillaria verticillata</i>	<i>Fritillaria viridea</i>	<i>Fritillaria wabuensis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Fritillaria walujewii</i>	<i>Fritillaria whittallii</i>	<i>Fritillaria yuminensis</i>
<i>Fritillaria zagrica</i>	<i>Fuchsia arborescens</i>	<i>Fuchsia austromontana</i>
<i>Fuchsia x bacillaris</i>	<i>Fuchsia bacillaris</i>	<i>Fuchsia boliviana</i>
<i>Fuchsia cinnabarina</i>	<i>Fuchsia colombiana</i>	<i>Fuchsia cordifolia</i>
<i>Fuchsia denticulata</i>	<i>Fuchsia excorticata</i>	<i>Fuchsia fulgens</i>
<i>Fuchsia globosa</i>	<i>Fuchsia hemsleyana</i>	<i>Fuchsia x hybrida</i>
<i>Fuchsia lycioides</i>	<i>Fuchsia macrantha</i>	<i>Fuchsia macrostigma</i>
<i>Fuchsia magellanica</i>	<i>Fuchsia michoacanensis</i>	<i>Fuchsia microphylla</i>
<i>Fuchsia parviflora</i>	<i>Fuchsia procumbens</i>	<i>Fuchsia pumila</i>

<i>Fuchsia regia</i>	<i>Fuchsia sanctae-rosae</i>	<i>Fuchsia serratifolia</i>
<i>Fuchsia splendens</i>	<i>Fuchsia thymifolia</i>	<i>Fuchsia triphylla</i>
<i>Fumana arabica</i>	<i>Fumana ericoides</i>	<i>Fumana procumbens</i>
<i>Fumana thymifolia</i>	<i>Fumaria bastardii</i>	<i>Fumaria capreolata</i>
<i>Fumaria densiflora</i>	<i>Fumaria muralis</i>	<i>Fumaria parviflora</i>
<i>Funtumia africana</i>	<i>Furcraea cahum</i>	<i>Furcraea elegans</i>
<i>Furcraea foetida</i>	<i>Furcraea guatemalensis</i>	<i>Furcraea macdougallii</i>
<i>Furcraea macrophylla</i>	<i>Furcraea parmentieri</i>	<i>Furcraea selloa</i>
<i>Furcraea stricta</i>	<i>Furtadoa mixta</i>	<i>Furtadoa sumatrensis</i>
<i>Fusifilum capitatum</i>	<i>Fusifilum depressum</i>	<i>Gackstroemia weindorferi</i>
<i>Gagea afghanica</i>	<i>Gagea fibrosa</i>	<i>Gagea juliae</i>
<i>Gagea mauritanica</i>	<i>Gagea vegeta</i>	<i>Gahnia aspera</i>
<i>Gahnia clarkei</i>	<i>Gahnia filum</i>	<i>Gahnia grandis</i>
<i>Gahnia javanica</i>	<i>Gahnia lacera</i>	<i>Gahnia melanocarpa</i>
<i>Gahnia microstachya</i>	<i>Gahnia radula</i>	<i>Gahnia sieberiana</i>
<i>Gahnia subaeuquglumis</i>	<i>Gahnia xanthocarpa</i>	<i>Gaillardia amblyodon</i>
<i>Gaillardia aristata</i>	<i>Gaillardia x grandiflora</i>	<i>Gaimardia fitzgeraldii</i>
<i>Galactia dubia</i>	<i>Galactia filiformis</i>	<i>Galactia latifolia</i>
<i>Galactia longiflora</i>	<i>Galactia monophylla</i>	<i>Galactia rugosa</i>
<i>Galactia texana</i>	<i>Galactia wrightii</i>	<i>Galanthus alpinus</i>

<i>Galanthus alpinus x elwesii</i>	<i>Galanthus angustifolius</i>	<i>Galanthus artjuschenkoae</i>
<i>Galanthus elwesii</i>	<i>Galanthus elwesii x caucasicus</i>	<i>Galanthus fosteri</i>
<i>Galanthus gracilis</i>	<i>Galanthus koenianus</i>	<i>Galanthus krasnovii</i>
<i>Galanthus lagodechianus</i>	<i>Galanthus nivalis</i>	<i>Galanthus peshmenii</i>
<i>Galanthus platyphyllus</i>	<i>Galanthus plicatus</i>	<i>Galanthus transcaucasicus</i>
<i>Galanthus woronowii</i>	<i>Galax aphylla</i>	<i>Galax urceolata</i>
<i>Galbulimima baccata</i>	<i>Galbulimima belgraveana</i>	<i>Galeandra spp.</i>
<i>Galega lindblomii</i>	<i>Galega officinalis</i>	<i>Galega orientalis</i>
<i>Galenia fruticosa</i>	<i>Galenia pubescens</i>	<i>Galeola cassythoides</i>
<i>Galeola foliata</i>	<i>Galeola lindleyana</i>	<i>Galinsoga parviflora</i>
<i>Galium ciliare</i>	<i>Galium divaricatum</i>	<i>Galium gaudichaudii</i>
<i>Galium hispidulum</i>	<i>Galium laevipes</i>	<i>Galium murale</i>
<i>Galium odoratum</i>	<i>Galium propinquum</i>	<i>Galium spurium</i>
<i>Galium verum</i>	<i>Galphimia glauca</i>	<i>Galpinia transvaalica</i>
<i>Galtonia princeps</i>	<i>Galtonia regalis</i>	<i>Galvezia fruticosa</i>
<i>Galvezia juncea</i>	<i>Gamanthus gamocarpus</i>	<i>Gambelia speciosa</i>
<i>Gamochaeta americana</i>	<i>Gamochaeta antillana</i>	<i>Gamochaeta calviceps</i>
<i>Gamochaeta coarctata</i>	<i>Gamochaeta pensylvanica</i>	<i>Gamochaeta subfalcata</i>
<i>Gamolepis annua</i>	<i>Gamolepis euriopoides</i>	<i>Garcia nutans</i>
<i>Garcinia andersonii</i>	<i>Garcinia aphanophlebia</i>	<i>Garcinia aristata</i>
<i>Garcinia atroviridis</i>	<i>Garcinia bancana</i>	<i>Garcinia beccarii</i>
<i>Garcinia benthamiana</i>	<i>Garcinia brasiliensis</i>	<i>Garcinia brassii</i>
<i>Garcinia buchneri</i>	<i>Garcinia celebica</i>	<i>Garcinia cowa</i>
<i>Garcinia cuneifolia</i>	<i>Garcinia dinklagei</i>	<i>Garcinia dulcis</i>
<i>Garcinia edulis</i>	<i>Garcinia floribunda</i>	<i>Garcinia forbesii</i>
<i>Garcinia gaudichaudii</i>	<i>Garcinia gibbsiae</i>	<i>Garcinia gracilis</i>
<i>Garcinia gummi-gutta</i>	<i>Garcinia hanburyi</i>	<i>Garcinia hombroniana</i>
<i>Garcinia indica</i>	<i>Garcinia intermedia</i>	<i>Garcinia kola</i>
<i>Garcinia lateriflora</i>	<i>Garcinia livingstonei</i>	<i>Garcinia macrophylla</i>
<i>Garcinia madagascariensis</i>	<i>Garcinia madruno</i>	<i>Garcinia magnifolia</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Garcinia malaccensis</i>	<i>Garcinia mangostana</i>	<i>Garcinia mannii</i>
<i>Garcinia mestonii</i>	<i>Garcinia miqueli</i>	<i>Garcinia morella</i>
<i>Garcinia ovalifolia</i>	<i>Garcinia parvifolia</i>	<i>Garcinia polyantha</i>
<i>Garcinia portoricensis</i>	<i>Garcinia prainiana</i>	<i>Garcinia riparia</i>
<i>Garcinia rostrata</i>	<i>Garcinia schomburgkiana</i>	<i>Garcinia smeathmannii</i>
<i>Garcinia vidua</i>	<i>Garcinia warrenii</i>	<i>Garcinia xanthochymus</i>
<i>Gardenia asperula</i>	<i>Gardenia brighamii</i>	<i>Gardenia carinata</i>
<i>Gardenia cornuta</i>	<i>Gardenia coronaria</i>	<i>Gardenia grandiflora</i>
<i>Gardenia hutchinsoniana</i>	<i>Gardenia imperialis</i>	<i>Gardenia jardinei</i>
<i>Gardenia jasminoides</i>	<i>Gardenia keartlandii</i>	<i>Gardenia kershawii</i>
<i>Gardenia latifolia</i>	<i>Gardenia macgillivraei</i>	<i>Gardenia magnifica</i>
<i>Gardenia merikin</i>	<i>Gardenia ochreatea</i>	<i>Gardenia ovularis</i>
<i>Gardenia posoquerioides</i>	<i>Gardenia resinifera</i>	<i>Gardenia scabrella</i>
<i>Gardenia schwarzii</i>	<i>Gardenia sootepensis</i>	<i>Gardenia tahitensis</i>
<i>Gardenia thunbergia</i>	<i>Gardenia volkensii</i>	<i>Garnieria spathulaefolia</i>
<i>Garrya buxifolia</i>	<i>Garrya elliptica</i>	<i>Garrya fadyenii</i>
<i>Garrya x issaquahensis</i>	<i>Garrya macrophylla</i>	<i>Garrya x thuretii</i>
<i>Garrya wrightii</i>	<i>Garuga forrestii</i>	<i>Garuleum bipinnatum</i>
x <i>Gasteraloe</i> spp.	<i>Gasteria acinacifolia</i>	<i>Gasteria batesiana</i>
<i>Gasteria baylissiana</i>	<i>Gasteria bicolor</i>	<i>Gasteria brachyphylla</i>
<i>Gasteria carinata</i>	<i>Gasteria cheilophylla</i>	<i>Gasteria croucheri</i>
<i>Gasteria decipiens</i>	<i>Gasteria disticha</i>	<i>Gasteria doreeniae</i>
<i>Gasteria ellaphieae</i>	<i>Gasteria ernesti-ruschii</i>	<i>Gasteria excelsa</i>
<i>Gasteria glomerata</i>	<i>Gasteria humilis</i>	<i>Gasteria huttoniae</i>
<i>Gasteria laetepunctata</i>	<i>Gasteria liliputana</i>	<i>Gasteria maculata</i>
<i>Gasteria marmorata</i>	<i>Gasteria mollis</i>	<i>Gasteria neliana</i>
<i>Gasteria nigricans</i>	<i>Gasteria nitida</i>	<i>Gasteria obliqua</i>
<i>Gasteria pendulifolia</i>	<i>Gasteria pillansii</i>	<i>Gasteria polita</i>
<i>Gasteria pulchra</i>	<i>Gasteria rawlinsonii</i>	<i>Gasteria sulcata</i>
<i>Gasteria thunbergii</i>	<i>Gasteria trigona</i>	<i>Gasteria verrucosa</i>

<i>Gasteria vlokii</i>	<i>Gasteria zeyheri</i>	<i>Gastonia crassa</i>
<i>Gastonia cutispongia</i>	<i>Gastridium phleoides</i>	<i>Gastrochilus</i> spp.
<i>Gastrococos crispa</i>	<i>Gastrodia sesamoides</i>	x <i>Gastrolea pfrimmeri</i>
<i>Gaulnettya x wisleyensis</i>	<i>Gaultheria adenothrix</i>	<i>Gaultheria antarctica</i>
<i>Gaultheria antipoda</i>	<i>Gaultheria appressa</i>	<i>Gaultheria borneensis</i>
<i>Gaultheria crassa</i>	<i>Gaultheria cuneata</i>	<i>Gaultheria depressa</i>
<i>Gaultheria erecta</i>	<i>Gaultheria eriophylla</i>	<i>Gaultheria forrestii</i>
<i>Gaultheria fragrantissima</i>	<i>Gaultheria griffithiana</i>	<i>Gaultheria hirtiflora</i>
<i>Gaultheria hispida</i>	<i>Gaultheria hispidula</i>	<i>Gaultheria hookeri</i>
<i>Gaultheria humifusa</i>	<i>Gaultheria insana</i>	<i>Gaultheria lanceolata</i>
<i>Gaultheria leucocarpa</i>	<i>Gaultheria macrostigma</i>	<i>Gaultheria microphylla</i>
<i>Gaultheria miqueliana</i>	<i>Gaultheria mundula</i>	<i>Gaultheria myrsinoides</i>
<i>Gaultheria nivea</i>	<i>Gaultheria notabilis</i>	<i>Gaultheria nummularioides</i>
<i>Gaultheria odorata</i>	<i>Gaultheria oppositifolia</i>	<i>Gaultheria ovatifolia</i>
<i>Gaultheria parvifolia</i>	<i>Gaultheria parvula</i>	<i>Gaultheria perplexa</i>
<i>Gaultheria poeppigii</i>	<i>Gaultheria procumbens</i>	<i>Gaultheria prostrata</i>
<i>Gaultheria pumila</i>	<i>Gaultheria pyrolaefolia</i>	<i>Gaultheria pyroloides</i>
<i>Gaultheria rupestris</i>	<i>Gaultheria shallon</i>	<i>Gaultheria sinensis</i>
<i>Gaultheria stapfiana</i>	<i>Gaultheria subcorymbosa</i>	<i>Gaultheria tasmanica</i>
<i>Gaultheria tenuifolia</i>	<i>Gaultheria tetramera</i>	<i>Gaultheria thymifolia</i>
<i>Gaultheria trichophylla</i>	<i>Gaultheria wardii</i>	<i>Gaultheria x wisleyensis</i>
<i>Gaussia attenuata</i>	<i>Gaussia gomez-pompae</i>	<i>Gaussia maya</i>
<i>Gaussia princeps</i>	<i>Gaussia spirituana</i>	<i>Gaylussacia dumosa</i>
<i>Gazania x hybrids</i>	<i>Gazania krebsiana</i>	<i>Gazania lichtensteinii</i>
<i>Gazania linearis</i>	<i>Gazania maritima</i>	<i>Gazania nivea</i>
<i>Gazania rigens</i>	<i>Gazania rigida</i>	<i>Gazania x splendens</i>
<i>Gazania uniflora</i>	<i>Geijera latifolia</i>	<i>Geijera paniculata</i>
<i>Geijera parviflora</i>	<i>Geissois benthamiana</i>	<i>Geissois benthamii</i>
<i>Geissois biagiana</i>	<i>Geissois pruinosa</i>	<i>Geissorhiza barkerae</i>
<i>Geissorhiza bracteata</i>	<i>Geissorhiza brehmii</i>	<i>Geissorhiza brevituba</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Geissorhiza callista</i>	<i>Geissorhiza confusa</i>	<i>Geissorhiza corrugata</i>
<i>Geissorhiza darlingensis</i>	<i>Geissorhiza eurystigma</i>	<i>Geissorhiza furva</i>
<i>Geissorhiza heterostyla</i>	<i>Geissorhiza humilis</i>	<i>Geissorhiza inconspicua</i>
<i>Geissorhiza inflexa</i>	<i>Geissorhiza juncea</i>	<i>Geissorhiza karoica</i>
<i>Geissorhiza leipoldtii</i>	<i>Geissorhiza longifolia</i>	<i>Geissorhiza mathewsii</i>
<i>Geissorhiza monantha</i>	<i>Geissorhiza monanthos</i>	<i>Geissorhiza ornithogaloides</i>
<i>Geissorhiza ovata</i>	<i>Geissorhiza purpureolutea</i>	<i>Geissorhiza rochensis</i>
<i>Geissorhiza silenoides</i>	<i>Geissorhiza splendidissima</i>	<i>Geissorhiza tenella</i>
<i>Geissorhiza tulbaghensis</i>	<i>Gelasine elongata</i>	<i>Gelasine uruguayensis</i>
<i>Gelsemium elegans</i>	<i>Gelsemium rankinii</i>	<i>Gelsemium sempervirens</i>
<i>Geniostoma ligustrifolium</i>	<i>Geniostoma rupestre</i>	<i>Genipa americana</i>
<i>Genista canariensis</i>	<i>Genista carinalis</i>	<i>Genista cinerea</i>
<i>Genista delphinensis</i>	<i>Genista ephedroides</i>	<i>Genista ferox</i>
<i>Genista glabrescens</i>	<i>Genista gomerae</i>	<i>Genista horrida</i>
<i>Genista humifusa</i>	<i>Genista januensis</i>	<i>Genista linifolia</i>
<i>Genista lydia</i>	<i>Genista monspessulana</i> x <i>spachiana</i>	<i>Genista nyssana</i>
<i>Genista paivae</i>	<i>Genista pilosa</i>	<i>Genista ramosissima</i>
<i>Genista scorpius</i>	<i>Genista stenopetala</i>	<i>Genista stenopetala</i> x <i>canariensis</i>
<i>Genista sylvestris</i>	<i>Genista tinctoria</i>	<i>Genista umbellata</i>
<i>Genlisea africana</i>	<i>Genlisea aurea</i>	<i>Genlisea filiformis</i>
<i>Genlisea glabra</i>	<i>Genlisea glandulosissima</i>	<i>Genlisea guianensis</i>
<i>Genlisea hispidula</i>	<i>Genlisea lobata</i>	<i>Genlisea pallida</i>
<i>Genlisea pygmaea</i>	<i>Genlisea repens</i>	<i>Genlisea roraimensis</i>
<i>Genlisea sanariapoana</i>	<i>Genlisea subglabra</i>	<i>Genlisea taylorii</i>
<i>Genlisea uncinata</i>	<i>Genlisea violacea</i>	<i>Genoplesium acuminatum</i>
<i>Genoplesium apostasioides</i>	<i>Genoplesium archeri</i>	<i>Genoplesium despectans</i>
<i>Genoplesium filiforme</i>	<i>Genoplesium morrisii</i>	<i>Genoplesium nigricans</i>
<i>Genoplesium rhyoliticum</i>	<i>Genoplesium rufum</i>	<i>Genoplesium tectum</i>
<i>Gentiana acaulis</i>	<i>Gentiana affinis</i>	<i>Gentiana alata</i>

<i>Gentiana alba</i>	<i>Gentiana algida</i>	<i>Gentiana alpina</i>
<i>Gentiana amarella</i>	<i>Gentiana amoena</i>	<i>Gentiana amplicrater</i>
<i>Gentiana angustifolia</i>	<i>Gentiana antarctica</i>	<i>Gentiana asclepiadea</i>
<i>Gentiana asterocalyx</i>	<i>Gentiana atuntsiensis</i>	<i>Gentiana autumnalis</i>
<i>Gentiana bavarica</i>	<i>Gentiana bellidifolia</i>	<i>Gentiana boissieri</i>
<i>Gentiana brachyphylla</i>	<i>Gentiana brevidens</i>	<i>Gentiana burseri</i>
<i>Gentiana cachemirica</i>	<i>Gentiana calycosa</i>	<i>Gentiana carinata</i>
<i>Gentiana cephalantha</i>	<i>Gentiana concinna</i>	<i>Gentiana corymbosa</i>
<i>Gentiana crassa</i>	<i>Gentiana crassicaulis</i>	<i>Gentiana crassuloides</i>
<i>Gentiana cruttwellii</i>	<i>Gentiana davidii</i>	<i>Gentiana decorata</i>
<i>Gentiana decumbens</i>	<i>Gentiana delavayi</i>	<i>Gentiana dendrologi</i>
<i>Gentiana depressa</i>	<i>Gentiana dinarica</i>	<i>Gentiana duclouxii</i>
<i>Gentiana elwesii</i>	<i>Gentiana emodii</i>	<i>Gentiana excisa</i>
<i>Gentiana farreri</i>	<i>Gentiana fetisowii</i>	<i>Gentiana fischeri</i>
<i>Gentiana freyniana</i>	<i>Gentiana frigida</i>	<i>Gentiana froelichii</i>
<i>Gentiana gelida</i>	<i>Gentiana gentilis</i>	<i>Gentiana georgei</i>
<i>Gentiana germanica</i>	<i>Gentiana gilvostriata</i>	<i>Gentiana gracilipes</i>
<i>Gentiana grandiflora</i>	<i>Gentiana grossheimii</i>	<i>Gentiana haynaldii</i>
<i>Gentiana</i> x <i>hexa-farreri</i>	<i>Gentiana hexaphylla</i>	<i>Gentiana imbricata</i>
<i>Gentiana jarmilae</i>	<i>Gentiana karelinii</i>	<i>Gentiana kesselringii</i>
<i>Gentiana kolakovskiyi</i>	<i>Gentiana kurroo</i>	<i>Gentiana lactea</i>
<i>Gentiana lawrencei</i>	<i>Gentiana ligustica</i>	<i>Gentiana loderi</i>
<i>Gentiana longicollis</i>	<i>Gentiana lutea</i>	<i>Gentiana</i> x <i>macaulayi</i>
<i>Gentiana melandriifolia</i>	<i>Gentiana namlaensis</i>	<i>Gentiana newberryi</i>
<i>Gentiana nipponica</i>	<i>Gentiana occidentalis</i>	<i>Gentiana olivieri</i>
<i>Gentiana orbicularis</i>	<i>Gentiana ornata</i>	<i>Gentiana oschtenica</i>
<i>Gentiana otophora</i>	<i>Gentiana pannonica</i>	<i>Gentiana paradoxa</i>
<i>Gentiana parryi</i>	<i>Gentiana patula</i>	<i>Gentiana pontica</i>
<i>Gentiana primuliflora</i>	<i>Gentiana prolata</i>	<i>Gentiana prostrata</i>
<i>Gentiana przewalskii</i>	<i>Gentiana pumila</i>	<i>Gentiana punctata</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Gentiana pyrenaica</i>	<i>Gentiana rhodantha</i>	<i>Gentiana rockhillii</i>
<i>Gentiana saponaria</i>	<i>Gentiana saxatilis</i>	<i>Gentiana scabra</i>
<i>Gentiana septemfida</i>	<i>Gentiana sikkimensis</i>	<i>Gentiana sinoornata</i>

<i>Gentiana sinoornata</i> x <i>farreri</i>	<i>Gentiana siphonantha</i>	<i>Gentiana stragulata</i>
<i>Gentiana stylophora</i>	<i>Gentiana syringeae</i>	<i>Gentiana terglouensis</i>
<i>Gentiana ternifolia</i>	<i>Gentiana tianschanica</i>	<i>Gentiana tibetica</i>
<i>Gentiana tongolensis</i>	<i>Gentiana townsonii</i>	<i>Gentiana trichotoma</i>
<i>Gentiana triflora</i>	<i>Gentiana tubiflora</i>	<i>Gentiana urnula</i>
<i>Gentiana utriculosa</i>	<i>Gentiana veitchiorum</i>	<i>Gentiana venusta</i>
<i>Gentiana vernayi</i>	<i>Gentiana wardii</i>	<i>Gentiana wilsonii</i>
<i>Gentiana wutaiensis</i>	<i>Gentiana yunnanensis</i>	<i>Gentianella campestris</i>
<i>Gentianella corymbifera</i>	<i>Gentianella diemensis</i>	<i>Gentianella hirculus</i>
<i>Gentianella magellanica</i>	<i>Gentianella moorcroftiana</i>	<i>Gentianella quinquefolia</i>
<i>Gentianella saxosa</i>	<i>Gentianopsis barbata</i>	<i>Gentianopsis contorta</i>
<i>Gentianopsis detonsa</i>	<i>Geodorum citrinum</i>	<i>Geodorum densiflorum</i>
<i>Geodorum recurvum</i>	<i>Geodorum siamense</i>	<i>Geogenanthus poeppigii</i>
<i>Geogenanthus undatus</i>	<i>Geohintonia mexicana</i>	<i>Geonoma appuniana</i>
<i>Geonoma arundinacea</i>	<i>Geonoma aspidiifolia</i>	<i>Geonoma atrovirens</i>
<i>Geonoma baculifera</i>	<i>Geonoma brenesii</i>	<i>Geonoma brevispatha</i>
<i>Geonoma brongniartii</i>	<i>Geonoma camana</i>	<i>Geonoma chlamydostachys</i>
<i>Geonoma chococola</i>	<i>Geonoma concinna</i>	<i>Geonoma congesta</i>
<i>Geonoma cuneata</i>	<i>Geonoma densa</i>	<i>Geonoma deversa</i>
<i>Geonoma divisa</i>	<i>Geonoma epetiolata</i>	<i>Geonoma ferruginea</i>
<i>Geonoma gamiova</i>	<i>Geonoma gastoniana</i>	<i>Geonoma hugonis</i>
<i>Geonoma interrupta</i>	<i>Geonoma irena</i>	<i>Geonoma jussieuana</i>
<i>Geonoma laxiflora</i>	<i>Geonoma leptospadix</i>	<i>Geonoma linearis</i>
<i>Geonoma longe-vaginata</i>	<i>Geonoma longepedunculata</i>	<i>Geonoma longevaginata</i>
<i>Geonoma macrostachys</i>	<i>Geonoma maxima</i>	<i>Geonoma monospatha</i>
<i>Geonoma mooreana</i>	<i>Geonoma myriantha</i>	<i>Geonoma oldemanii</i>

Geonoma oligoclona	Geonoma orbigniana	Geonoma schottiana
Geonoma spinescens	Geonoma stricta	Geonoma supracostata
Geonoma talamancana	Geonoma tenuissima	Geonoma triandra
Geonoma triglochis	Geonoma trigona	Geonoma umbraculiformis
Geonoma undata	Geonoma weberbaueri	Geraea canescens
Geranium (procurrens x lambertii) x (endressii x versicolor)	Geranium acaule	Geranium affine
Geranium albanum	Geranium antrorsum	Geranium argenteum
Geranium aristatum	Geranium asphodeloides	Geranium atlanticum
Geranium biuncinatum	Geranium bohemicum	Geranium brevicaule
Geranium brycei	Geranium caespitosum	Geranium canariense
Geranium x cantabrigiense	Geranium cataractarum	Geranium cinereum
Geranium clarkei	Geranium crassipes	Geranium dalmaticum
Geranium dissectum	Geranium donianum	Geranium endressii
Geranium endressii x papuanum	Geranium erianthum	Geranium farreri
Geranium gracile	Geranium grevilleanum	Geranium harveyi
Geranium himalayense	Geranium himalayense x pratense	Geranium himalayense x wallichianum
Geranium hispidissimum	Geranium humboldtii	Geranium ibericum
Geranium incanum	Geranium kishtvariense	Geranium koreanum
Geranium lambertii	Geranium libani	Geranium x lindavicum
Geranium linearilobum	Geranium macrorrhizum	Geranium macrostylum
Geranium maculatum	Geranium maderense	Geranium x magnificum
Geranium magniflorum	Geranium malviflorum	Geranium molle
Geranium neglectum	Geranium nodosum	Geranium oreganum
Geranium orientali-tibeticum	Geranium x oxonianum	Geranium palmatum
Geranium palustre	Geranium peloponnesiacum	Geranium phaeum
Geranium platyanthum	Geranium platypetalum	Geranium potentillifolium
Geranium potentilloides	Geranium pratense	Geranium pratense x himalayense

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Geranium pratense x regelii	Geranium procurrens	Geranium psilostemon
Geranium psilostemon x endressii	Geranium psilostemon x procurrens	Geranium pulchrum
Geranium reflexum	Geranium renardii	Geranium reuteri
Geranium x riversleaianum	Geranium rivulare	Geranium robertianum
Geranium robustum	Geranium ruprechtii	Geranium sanguineum
Geranium schlechteri	Geranium sessiliflorum	Geranium sinense
Geranium soboliferum	Geranium subcaulescens	Geranium superbum
Geranium sylvaticum	Geranium transbaicalicum	Geranium traversii
Geranium versicolor	Geranium viscosissimum	Geranium wallichianum
Geranium wlassovianum	Geranium yesoense	Geranium yoshinoi
Gerbera delavayi	Gerbera jamesonii	Gerbera jamesonii x viridifolia
Gerbera nivea	Gerrardanthus macrorhizus	Gesneria acaulis
Gesneria cardinalis	Gesneria christii	Gesneria citrina
Gesneria cuneifolia	Gesneria elliptica	Gesneria macrantha
Gesneria magnifica	Gesneria pauciflora	Gesneria pedunculosa
Gesneria pulverulenta	Gesneria reticulata	Gesneria umbellata
Gesneria ventricosa	Gesnouiunia arborea	Gethyllis afra
Gethyllis campanulata	Gethyllis ciliaris	Gethyllis grandiflora
Gethyllis hallii	Gethyllis linearis	Gethyllis longistyla
Gethyllis namaquensis	Gethyllis oliverorum	Gethyllis setosa
Gethyllis spiralis	Gethyllis transkarooica	Gethyllis verticillata
Gethyllis villosa	Geum x borisii	Geum bulgaricum
Geum calthifolium	Geum capense	Geum coccineum
Geum elatum	Geum fauriei	Geum glaciale
Geum hybridum	Geum leiospermum	Geum magellanicum
Geum molle	Geum montanum	Geum parviflorum
Geum pentapetalum	Geum pyrenaicum	Geum quellyon
Geum reptans	Geum rhodopeum	Geum rivale
Geum rossii	Geum roylei	Geum talbotianum

<i>Geum triflorum</i>	<i>Geum urbanum</i>	<i>Geum virginianum</i>
<i>Gevuina avellana</i>	<i>Gevuina bleasdalei</i>	<i>Gibasis geniculata</i>
<i>Gibbaeum album</i>	<i>Gibbaeum dispar</i>	<i>Gibbaeum geminum</i>
<i>Gibbaeum gibbosum</i>	<i>Gibbaeum heathii</i>	<i>Gibbaeum muiri</i>
<i>Gibbaeum nebrownii</i>	<i>Gibbaeum pachypodium</i>	<i>Gibbaeum petrense</i>
<i>Gibbaeum pilosulum</i>	<i>Gibbaeum pubescens</i>	<i>Gibbaeum shandii</i>
<i>Gibbaeum velutinum</i>	<i>Gigantochloa apus</i>	<i>Gigantochloa atrovioleacea</i>
<i>Gigantochloa atter</i>	<i>Gigantochloa compressa</i>	<i>Gigantochloa hasskarliana</i>
<i>Gigantochloa hosseusii</i>	<i>Gigantochloa latifolia</i>	<i>Gigantochloa levis</i>
<i>Gigantochloa ligulata</i>	<i>Gigantochloa luteostriata</i>	<i>Gigantochloa manggong</i>
<i>Gigantochloa nigrociliata</i>	<i>Gigantochloa pseudoarundinacea</i>	<i>Gigantochloa ridleyi</i>
<i>Gigantochloa robusta</i>	<i>Gigantochloa wrayi</i>	<i>Gilia capitata</i>
<i>Gilia leptantha</i>	<i>Gilia sinuata</i>	<i>Gilia stenothyrsa</i>
<i>Gilia tricolor</i>	<i>Gillbeea adenopetala</i>	<i>Gillbeea whypallana</i>
<i>Gillenia stipulata</i>	<i>Gillenia trifoliata</i>	<i>Gilliesia graminea</i>
<i>Gilruthia osbornei</i>	<i>Gingidia algens</i>	<i>Gingidia harveyana</i>
<i>Gingidia montana</i>	<i>Ginkgo biloba</i>	<i>Gironniera subaequalis</i>
<i>Gladiolus abbreviatus</i>	<i>Gladiolus alatus</i>	<i>Gladiolus angustus</i>
<i>Gladiolus appendiculatus</i>	<i>Gladiolus atrovioleaceus</i>	<i>Gladiolus aureus</i>
<i>Gladiolus blommesteinii</i>	<i>Gladiolus bonaespei</i>	<i>Gladiolus brachyphyllus</i>
<i>Gladiolus brevifolius</i>	<i>Gladiolus brevitubus</i>	<i>Gladiolus buckerveldii</i>
<i>Gladiolus bullatus</i>	<i>Gladiolus caeruleus</i>	<i>Gladiolus cardinalis</i>
<i>Gladiolus carinatus</i>	<i>Gladiolus carmineus</i>	<i>Gladiolus carneus</i>
<i>Gladiolus caryophyllaceus</i>	<i>Gladiolus caucasicus</i>	<i>Gladiolus ceresianus</i>
<i>Gladiolus citrinus</i>	<i>Gladiolus x colvillei</i>	<i>Gladiolus communis</i>
<i>Gladiolus crassifolius</i>	<i>Gladiolus cruentus</i>	<i>Gladiolus cunonius</i>
<i>Gladiolus dalenii</i>	<i>Gladiolus dalenii x oppositiflorus</i>	<i>Gladiolus debilis</i>
<i>Gladiolus deserticolus</i>	<i>Gladiolus ecklonii</i>	<i>Gladiolus elliotii</i>
<i>Gladiolus equitans</i>	<i>Gladiolus floribundus</i>	<i>Gladiolus glaucus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Gladiolus gracilis</i>	<i>Gladiolus grandiflorus</i>	<i>Gladiolus griseus</i>
<i>Gladiolus gueinzii</i>	<i>Gladiolus guthriei</i>	<i>Gladiolus hirsutus</i>
<i>Gladiolus x hortulanus</i>	<i>Gladiolus huttonii</i>	<i>Gladiolus hyalinus</i>
<i>Gladiolus inflatus</i>	<i>Gladiolus x insignis</i>	<i>Gladiolus insolens</i>
<i>Gladiolus involutus</i>	<i>Gladiolus jonquilliodorus</i>	<i>Gladiolus kamiesbergensis</i>
<i>Gladiolus kotschyanus</i>	<i>Gladiolus lewisiae</i>	<i>Gladiolus liliaceus</i>
<i>Gladiolus longicollis</i>	<i>Gladiolus loteniensis</i>	<i>Gladiolus maculatus</i>
<i>Gladiolus marlothii</i>	<i>Gladiolus martleyi</i>	<i>Gladiolus meliusculus</i>
<i>Gladiolus melleri</i>	<i>Gladiolus mortonius</i>	<i>Gladiolus mostertiae</i>
<i>Gladiolus muirii</i>	<i>Gladiolus murielae</i>	<i>Gladiolus nanus</i>
<i>Gladiolus nerineoides</i>	<i>Gladiolus nigromontanus</i>	<i>Gladiolus ochroleucus</i>
<i>Gladiolus oppositiflorus</i>	<i>Gladiolus orchidiflorus</i>	<i>Gladiolus papilio</i>
<i>Gladiolus pappei</i>	<i>Gladiolus patersoniae</i>	<i>Gladiolus permeabilis</i>
<i>Gladiolus pillansii</i>	<i>Gladiolus priorii</i>	<i>Gladiolus pritzelii</i>
<i>Gladiolus pubigerus</i>	<i>Gladiolus punctulatus</i>	<i>Gladiolus quadrangularis</i>
<i>Gladiolus quadrangulus</i>	<i>Gladiolus recurvus</i>	<i>Gladiolus rhodanthus</i>
<i>Gladiolus robertsoniae</i>	<i>Gladiolus rogersii</i>	<i>Gladiolus saccatus</i>
<i>Gladiolus salteri</i>	<i>Gladiolus saundersii</i>	<i>Gladiolus sempervirens</i>
<i>Gladiolus sericeovillosus</i>	<i>Gladiolus serpenticola</i>	<i>Gladiolus stefaniae</i>
<i>Gladiolus stellatus</i>	<i>Gladiolus tenellus</i>	<i>Gladiolus teretifolius</i>
<i>Gladiolus trichonemifolius</i>	<i>Gladiolus tristis</i>	<i>Gladiolus ukambanensis</i>
<i>Gladiolus undulatus</i>	<i>Gladiolus unguiculatus</i>	<i>Gladiolus uysiae</i>
<i>Gladiolus vaginatus</i>	<i>Gladiolus vandermerwei</i>	<i>Gladiolus variegatus</i>
<i>Gladiolus varius</i>	<i>Gladiolus venustus</i>	<i>Gladiolus vigilans</i>
<i>Gladiolus vinosomaculatus</i>	<i>Gladiolus violaceo-lineatus</i>	<i>Gladiolus virescens</i>
<i>Gladiolus viridiflorus</i>	<i>Gladiolus watermeyeri</i>	<i>Gladiolus watsonius</i>
<i>Gladiolus wilsonii</i>	<i>Gladiolus x lewisiae</i>	<i>Glandularia aristigera</i>
<i>Glandularia aurantiaca</i>	<i>Glandularia laciniata</i>	<i>Glandularia lilacina</i>
<i>Glandularia peruviana</i>	<i>Glandularia tenera</i>	<i>Glaucidium palmatum</i>
<i>Glaucium corniculatum</i>	<i>Glaucium fimbriigerum</i>	<i>Glaucium fischeri</i>

<i>Glaucium flavum</i>	<i>Glebionis carinata</i>	<i>Gleditsia aquatica</i>
<i>Gleditsia caspica</i>	<i>Gleditsia fera</i>	<i>Gleditsia japonica</i>
<i>Gleditsia triacanthos</i>	<i>Glehnia littoralis</i>	<i>Gleichenia abscida</i>
<i>Gleichenia alpina</i>	<i>Gleichenia dicarpa</i>	<i>Gleichenia microphylla</i>
<i>Gleichenia rupestris</i>	<i>Gliricidia maculata</i>	<i>Gliricidia sepium</i>
<i>Glischrocaryon behrii</i>	<i>Globba cernua</i>	<i>Globba colpicola</i>
<i>Globba franciscii</i>	<i>Globba leucantha</i>	<i>Globba malaccensis</i>
<i>Globba marantina</i>	<i>Globba schomburgkii</i>	<i>Globba unifolia</i>
<i>Globba variabilis</i>	<i>Globba winitii</i>	<i>Globularia alypum</i>
<i>Globularia amygdalifolia</i>	<i>Globularia aphyllanthes</i>	<i>Globularia bellidifolia</i>
<i>Globularia cordifolia</i>	<i>Globularia incanescens</i>	<i>Globularia meridionalis</i>
<i>Globularia nudicaulis</i>	<i>Globularia punctata</i>	<i>Globularia repens</i>
<i>Globularia salicina</i>	<i>Globularia trichosantha</i>	<i>Globularia vulgaris</i>
<i>Glochidion acuminatum</i>	<i>Glochidion ferdinandi</i>	<i>Glochidion harveyanum</i>
<i>Glochidion hylandii</i>	<i>Glochidion philippicum</i>	<i>Glochidion pruinosum</i>
<i>Glochidion sessiliflorum</i>	<i>Glochidion wilsonii</i>	<i>Glomera microphylla</i>
<i>Gloriosa superba</i>	<i>Glossocardia bidens</i>	<i>Glossocardia orthochaeta</i>
<i>Glossodia</i> spp.	<i>Glossostigma elatinoides</i>	<i>Glottiphyllum album</i>
<i>Glottiphyllum angustum</i>	<i>Glottiphyllum compressum</i>	<i>Glottiphyllum cruciatum</i>
<i>Glottiphyllum depressum</i>	<i>Glottiphyllum fragrans</i>	<i>Glottiphyllum grandiflorum</i>
<i>Glottiphyllum latum</i>	<i>Glottiphyllum linguiforme</i>	<i>Glottiphyllum longum</i>
<i>Glottiphyllum marlothii</i>	<i>Glottiphyllum muirii</i>	<i>Glottiphyllum neilii</i>
<i>Glottiphyllum oligocarpum</i>	<i>Glottiphyllum parvifolium</i>	<i>Glottiphyllum platycarpum</i>
<i>Glottiphyllum praepingue</i>	<i>Glottiphyllum regium</i>	<i>Glottiphyllum salmii</i>
<i>Glottiphyllum semicylindricum</i>	<i>Glottiphyllum starkeae</i>	<i>Glottiphyllum surrectum</i>
<i>Glottiphyllum uncatum</i>	<i>Gloxinella lindeniana</i>	<i>Gloxinia erinoides</i>
<i>Gloxinia gymnostoma</i>	<i>Gloxinia sylvatica</i>	<i>Glumicalyx nutans</i>
<i>Glyceria arundinacea</i>	<i>Glyceria australis</i>	<i>Glyceria leptolepis</i>
<i>Glyceria lithuanica</i>	<i>Glyceria maxima</i>	<i>Glyceria melicaria</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Glyceria nemoralis</i>	<i>Glycine chinensis</i>	<i>Glycine clandestina</i>
<i>Glycine latifolia</i>	<i>Glycine max</i>	<i>Glycosmis pentaphylla</i>
<i>Glycyrrhiza glabra</i>	<i>Glycyrrhiza triphylla</i>	<i>Glycyrrhiza uralensis</i>
<i>Glyptostrobos lineatus</i>	<i>Gmelina arborea</i>	<i>Gmelina asiatica</i>
<i>Gmelina dalrympleana</i>	<i>Gmelina fasciculiflora</i>	<i>Gmelina leichhardtii</i>
<i>Gmelina macrophylla</i>	<i>Gmelina philippensis</i>	<i>Gnaphalium antillanum</i>
<i>Gnaphalium argentifolium</i>	<i>Gnaphalium coarctata</i>	<i>Gnaphalium fordianum</i>
<i>Gnaphalium gymnocephalum</i>	<i>Gnaphalium hookeri</i>	<i>Gnaphalium mackayi</i>
<i>Gnaphalium nitidulum</i>	<i>Gnaphalium obovatum</i>	<i>Gnaphalium panaetioides</i>
<i>Gnaphalium platense</i>	<i>Gnaphalium polycaulon</i>	<i>Gnaphalium traversii</i>
<i>Gnaphalium umbricola</i>	<i>Gnephosis eriocarpa</i>	<i>Gnephosis skirrophora</i>
<i>Gnetum africanum</i>	<i>Gnetum buchholzianum</i>	<i>Gnetum costatum</i>
<i>Gnetum gnemon</i>	<i>Gnetum latifolium</i>	<i>Gnetum montanum</i>
<i>Gnidia caniflora</i>	<i>Gnidia heterophylla</i>	<i>Gnidia juniperifolia</i>
<i>Gnidia simplex</i>	<i>Gochnatia fascicularis</i>	<i>Gomesa barkeri</i>
<i>Gomesa crispa</i>	<i>Gomesa foliosa</i>	<i>Gomesa recurva</i>
<i>Gomortega keule</i>	<i>Gomphia sumatrana</i>	<i>Gomphocarpus physocarpus</i>
<i>Gompholobium aspalathoides</i>	<i>Gompholobium ecostatum</i>	<i>Gompholobium foliolosum</i>
<i>Gompholobium grandiflorum</i>	<i>Gompholobium huegelii</i>	<i>Gompholobium latifolium</i>
<i>Gompholobium pinnatum</i>	<i>Gompholobium uncinatum</i>	<i>Gompholobium virgatum</i>
<i>Gomphrena albiflora</i>	<i>Gomphrena aurea</i>	<i>Gomphrena celosioides</i>
<i>Gomphrena globosa</i>	<i>Gomphrena haageana</i>	<i>Gomphrena leontopodioides</i>
<i>Gonatanthus ornatus</i>	<i>Gonatopus boivinii</i>	<i>Gonatostylis vieillardii</i>
<i>Gongora</i> spp.	<i>Goniolimon tataricum</i>	<i>Goniophlebium dissimile</i>
<i>Goniophlebium korthalsii</i>	<i>Goniophlebium percussum</i>	<i>Goniophlebium persicifolium</i>
<i>Goniophlebium subauriculatum</i>	<i>Gonocarpus elatus</i>	<i>Gonocarpus longifolius</i>

Gonocarpus montanus	Gonocarpus oreophilus	Gonocarpus tetragynus
Gonocarpus teucroides	Gonospermum fruticosum	Gonostemon asterias
Gonostemon gariepensis	Gonostemon gettliffei	Gonostemon grandiflorus
Gonostemon longipedicellatus	Gonostemon obductus	Gonostemon schinzii
Goodenia amplexans	Goodenia bellidifolia	Goodenia blackiana
Goodenia calcarata	Goodenia decurrens	Goodenia elongata
Goodenia fascicularis	Goodenia fordiana	Goodenia geniculata
Goodenia glabra	Goodenia glauca	Goodenia glomerata
Goodenia gracilis	Goodenia hederacea	Goodenia heteromera
Goodenia heterophylla	Goodenia humilis	Goodenia lanata
Goodenia latifolia	Goodenia lineata	Goodenia macmillanii
Goodenia ovata	Goodenia paniculata	Goodenia pterygosperma
Goodenia robusta	Goodenia rostrivalvis	Goodenia rotundifolia
Goodenia stelligera	Goodenia stephensonii	Goodenia stirlingii
Goodenia tenella	Goodenia vernicosa	Goodenia willisiana
Goodia lotifolia	Goodyera grandis	Goodyera hemsleyana
Goodyera pubescens	Goodyera rubicunda	Goodyera viridiflora
Goodyera vittata	Gordonia lasianthus	Gordonia speciosa
Gordonia yunnanensis	Gorteria personata	Gossia acmenoides
Gossia bamagensis	Gossia bidwillii	Gossia dallachiana
Gossia floribunda	Gossia fragrantissima	Gossia gonoclada
Gossia hillii	Gossia inophloia	Gossia myrsinocarpa
Gossia sankowskiorum	Gossia shepherdii	Gossypium anomalum
Gossypium arboreum	Gossypium armourianum	Gossypium barbadense
Gossypium bickii	Gossypium harknessii	Gossypium herbaceum
Gossypium hirsutum	Gossypium nandewarensense	Gossypium nobile
Gossypium rotundifolium	Gossypium stocksii	Gouania latifolia
Gouania mauritiana	Grabowskia duplicata	Grahamia australiana
Grammangis ellisii	Grammangis stapeliiflora	Grammanthes gentianoides
Grammatophyllum spp.	Grammitis billardieri	Grammitis poeppigiana

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Graphorchis lurida</i>	<i>Graphorkis</i> spp.	<i>Graptopetalum amethystinum</i>
<i>Graptopetalum craigii</i>	<i>Graptopetalum filiferum</i>	<i>Graptopetalum glassii</i>
<i>Graptopetalum goldi</i>	<i>Graptopetalum macdougallii</i>	<i>Graptopetalum mendozae</i>
<i>Graptopetalum pachyphyllum</i>	<i>Graptopetalum paraguayense</i>	<i>Graptopetalum pentandrum</i>
<i>Graptopetalum saxifragoides</i>	<i>Graptopetalum superbum</i>	<i>Graptophyllum excelsum</i>
<i>Graptophyllum ilicifolium</i>	<i>Graptophyllum pictum</i>	<i>Graptophyllum reticulatum</i>
<i>Graptophyllum spinigerum</i>	<i>Graptophyllum thorooodii</i>	x <i>Graptoveria</i> spp.
<i>Gratiola latifolia</i>	<i>Gratiola nana</i>	<i>Gratiola officinalis</i>
<i>Gratiola peruviana</i>	<i>Greenovia aizoon</i>	<i>Greenovia aurea</i>
<i>Greenovia diplocycla</i>	<i>Greenovia dodrentalis</i>	<i>Greigia cochabambae</i>
<i>Greigia sphacelata</i>	<i>Grevillea acanthifolia</i>	<i>Grevillea acerata</i>
<i>Grevillea acerosa</i>	<i>Grevillea adpressa</i>	<i>Grevillea albiflora</i>
<i>Grevillea alpestris</i>	<i>Grevillea alpina</i>	<i>Grevillea angulata</i>
<i>Grevillea apiculoba</i>	<i>Grevillea aquifolium</i>	<i>Grevillea aspleniifolia</i>
<i>Grevillea aurea</i>	<i>Grevillea australis</i>	<i>Grevillea baileyana</i>
<i>Grevillea banksii</i>	<i>Grevillea banyabba</i>	<i>Grevillea barklyana</i>
<i>Grevillea baueri</i>	<i>Grevillea beadleana</i>	<i>Grevillea bedggoodiana</i>
<i>Grevillea benthamiana</i>	<i>Grevillea brevicuspis</i>	<i>Grevillea brevifolia</i>
<i>Grevillea brownii</i>	<i>Grevillea buxifolia</i>	<i>Grevillea caleyi</i>
<i>Grevillea callichlaena</i>	<i>Grevillea capitellata</i>	<i>Grevillea celata</i>
<i>Grevillea chrysophaea</i>	<i>Grevillea cinerea</i>	<i>Grevillea confertifolia</i>
<i>Grevillea coriacea</i>	<i>Grevillea decora</i>	<i>Grevillea diffusa</i>
<i>Grevillea diminuta</i>	<i>Grevillea dryophylla</i>	<i>Grevillea evansiana</i>
<i>Grevillea exul</i>	<i>Grevillea floribunda</i>	<i>Grevillea floripendula</i>
<i>Grevillea formosa</i>	<i>Grevillea gillivrayi</i>	<i>Grevillea glabrata</i>
<i>Grevillea glabrescens</i>	<i>Grevillea glauca</i>	<i>Grevillea glossadenia</i>
<i>Grevillea goodii</i>	<i>Grevillea granulifera</i>	<i>Grevillea guthrieana</i>
<i>Grevillea halmaturina</i>	<i>Grevillea helmsiae</i>	<i>Grevillea hilliana</i>

Grevillea hockingsii	Grevillea hodgei	Grevillea humilis
Grevillea hybrid	Grevillea iaspicula	Grevillea ilicifolia
Grevillea irrasa	Grevillea jephcottii	Grevillea johnsonii
Grevillea juniperina	Grevillea kedumbensis	Grevillea kennedyana
Grevillea lanigera	Grevillea laurifolia	Grevillea lavandulacea
Grevillea leiophylla	Grevillea linearifolia	Grevillea linsmithii
Grevillea longifolia	Grevillea longistyla	Grevillea macleayana
Grevillea macrostylis	Grevillea masonii	Grevillea meissneri
Grevillea micrantha	Grevillea microstegia	Grevillea miqueliana
Grevillea mollis	Grevillea molyneuxii	Grevillea montana
Grevillea montis-cole	Grevillea mucronulata	Grevillea muricata
Grevillea neurophylla	Grevillea obtecta	Grevillea oldei
Grevillea oxyantha	Grevillea pachylostyla	Grevillea papuana
Grevillea parallelinervis	Grevillea parviflora	Grevillea parvula
Grevillea patulifolia	Grevillea phyllicoides	Grevillea polyacida
Grevillea polybractea	Grevillea pungens	Grevillea quadricauda
Grevillea quinquenervis	Grevillea ramosissima	Grevillea raybrownii
Grevillea renwickiana	Grevillea repens	Grevillea rhizomatosa
Grevillea rhyolitica	Grevillea rivularis	Grevillea robusta
Grevillea rogersii	Grevillea rosmarinifolia	Grevillea scortechinii
Grevillea sericea	Grevillea sessilis	Grevillea shiressii
Grevillea singuliflora	Grevillea speciosa	Grevillea sphacelata
Grevillea steiglitziana	Grevillea treueriana	Grevillea tridentifera
Grevillea trinervis	Grevillea triternata	Grevillea venusta
Grevillea victoriae	Grevillea whiteana	Grevillea wilkinsonii
Grevillea willisii	Grewia abutilifolia	Grewia asiatica
Grewia avellana	Grewia bicolor	Grewia biloba
Grewia caffra	Grewia carpinifolia	Grewia excelsa
Grewia hexamita	Grewia hirsuta	Grewia hornbyi
Grewia inaequilatera	Grewia latifolia	Grewia monticola

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Grewia multiflora</i>	<i>Grewia occidentalis</i>	<i>Grewia optiva</i>
<i>Grewia pachycalyx</i>	<i>Grewia polygama</i>	<i>Grewia retinervis</i>
<i>Grewia robusta</i>	<i>Grewia stolzii</i>	<i>Grewia sulcata</i>
<i>Greyia flanaganii</i>	<i>Greyia radlkoferi</i>	<i>Greyia sutherlandii</i>
<i>Grias cauliflora</i>	<i>Grielum grandiflorum</i>	<i>Grielum humifusum</i>
<i>Griffinia concinna</i>	<i>Griffinia espiritensis</i>	<i>Griffinia liboniana</i>
<i>Griffonia simplicifolia</i>	<i>Grindelia camporum</i>	<i>Griselinia jodiniifolia</i>
<i>Griselinia littoralis</i>	<i>Griselinia lucida</i>	<i>Griselinia scandens</i>
<i>Grislea herbacea</i>	<i>Grobya amherstiae</i>	<i>Gronophyllum affine</i>
<i>Gronophyllum apricum</i>	<i>Gronophyllum cariosum</i>	<i>Gronophyllum flabellatum</i>
<i>Gronophyllum gibbsianum</i>	<i>Gronophyllum kjellbergii</i>	<i>Gronophyllum ledermannianum</i>
<i>Gronophyllum leonardii</i>	<i>Gronophyllum luridum</i>	<i>Gronophyllum microcarpum</i>
<i>Gronophyllum microspadix</i>	<i>Gronophyllum montanum</i>	<i>Gronophyllum oxypetalum</i>
<i>Gronophyllum pinangoides</i>	<i>Gronophyllum pleurocarpum</i>	<i>Gronophyllum procerum</i>
<i>Gronophyllum ramsayi</i>	<i>Gronophyllum rhopalocarpum</i>	<i>Gronophyllum sarasinorum</i>
<i>Gronophyllum selebicum</i>	<i>Guadua amplexifolia</i>	<i>Guadua angustifolia</i>
<i>Guadua paniculata</i>	<i>Guaiaicum coulteri</i>	<i>Guarea macrophylla</i>
<i>Guarianthe aurantiaca</i>	<i>Guarianthe bowringiana</i>	<i>Guarianthe x guatemalensis</i>
<i>Guarianthe skinneri</i>	<i>Guatteria ouregou</i>	<i>Guettarda elliptica</i>
<i>Guettarda odorata</i>	<i>Guettarda speciosa</i>	<i>Guettarda uruguensis</i>
<i>Guettardella tenuiflora</i>	<i>Guibourtia coleosperma</i>	<i>Guibourtia conjugata</i>
<i>Guiera senegalensis</i>	<i>Guihaia argyrata</i>	<i>Guihaia grossefibrosa</i>
<i>Guilfoylia monostylis</i>	<i>Guilleminea densa</i>	<i>Guindilia trinervis</i>
<i>Guioa acutifolia</i>	<i>Guioa coriaceae</i>	<i>Guioa lasioneura</i>
<i>Guioa sarcopterifruca</i>	<i>Guioa semiglauca</i>	<i>Guizotia abyssinica</i>
<i>Guizotia schultzei</i>	<i>Gulubia costata</i>	<i>Gulubia cylindrocarpa</i>
<i>Gulubia hombronii</i>	<i>Gulubia longispatha</i>	<i>Gulubia macrospadix</i>

<i>Gulubia microcarpa</i>	<i>Gulubia moluccana</i>	<i>Gulubia palauensis</i>
<i>Gulubia valida</i>	<i>Gunnarella begaudii</i>	<i>Gunnarella robertsii</i>
<i>Gunnera albocarpa</i>	<i>Gunnera cordifolia</i>	<i>Gunnera densiflora</i>
<i>Gunnera dentata</i>	<i>Gunnera flavida</i>	<i>Gunnera hamiltonii</i>
<i>Gunnera insignis</i>	<i>Gunnera magellanica</i>	<i>Gunnera manicata</i>
<i>Gunnera mixta</i>	<i>Gunnera monoica</i>	<i>Gunnera perpensa</i>
<i>Gunnera prorepens</i>	<i>Gunnera strigosa</i>	<i>Gunnera tinctoria</i>
<i>Gustavia acuminata</i>	<i>Gustavia angustifolia</i>	<i>Gustavia augusta</i>
<i>Gustavia dodsonii</i>	<i>Gustavia gracillima</i>	<i>Gustavia longifolia</i>
<i>Gustavia macarenensis</i>	<i>Gustavia marcgraaviana</i>	<i>Gustavia nana</i>
<i>Gustavia parviflora</i>	<i>Gustavia poeppigiana</i>	<i>Gustavia serrata</i>
<i>Gustavia speciosa</i>	<i>Gustavia superba</i>	<i>Guzmania alborosea</i>
<i>Guzmania andreettae</i>	<i>Guzmania angustifolia</i>	<i>Guzmania berteroniana</i>
<i>Guzmania bipartita</i>	<i>Guzmania blassii</i>	<i>Guzmania calamifolia</i>
<i>Guzmania cardinalis</i>	<i>Guzmania circinnata</i>	<i>Guzmania claviformis</i>
<i>Guzmania dissitiflora</i>	<i>Guzmania donnellsmithii</i>	<i>Guzmania erythrolepis</i>
<i>Guzmania fosteriana</i>	<i>Guzmania x hybrid</i>	<i>Guzmania kraenzliniana</i>
<i>Guzmania lindeni</i>	<i>Guzmania lingulata</i>	<i>Guzmania melinonis</i>
<i>Guzmania monostachia</i>	<i>Guzmania musaica</i>	<i>Guzmania nicaraguensis</i>
<i>Guzmania paniculata</i>	<i>Guzmania patula</i>	<i>Guzmania pennellii</i>
<i>Guzmania plicatifolia</i>	<i>Guzmania rauhiana</i>	<i>Guzmania remyi</i>
<i>Guzmania rosea</i>	<i>Guzmania rubrolutea</i>	<i>Guzmania sanguinea</i>
<i>Guzmania scherzeriana</i>	<i>Guzmania spectabilis</i>	<i>Guzmania sprucei</i>
<i>Guzmania squarrosa</i>	<i>Guzmania stenostachya</i>	<i>Guzmania stricta</i>
<i>Guzmania subcorymbosa</i>	<i>Guzmania teuscheri</i>	<i>Guzmania variegata</i>
<i>Guzmania vittata</i>	<i>Guzmania wittmackii</i>	<i>Guzmania xanthobractea</i>
<i>Guzmania zahnii</i>	<i>Gymnanthera nitida</i>	<i>Gymnaster savatieri</i>
<i>Gymnema dunnii</i>	<i>Gymnema geminatum</i>	<i>Gymnema sylvestre</i>
<i>Gymnocalycium ambatoense</i>	<i>Gymnocalycium andreae</i>	<i>Gymnocalycium anisitsii</i>
<i>Gymnocalycium baldianum</i>	<i>Gymnocalycium bruchii</i>	<i>Gymnocalycium buenekeri</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Gymnocalycium calochlorum	Gymnocalycium capillaense	Gymnocalycium cardenasianum
Gymnocalycium castellanosi	Gymnocalycium chiquitanum	Gymnocalycium deeszianum
Gymnocalycium delaetii	Gymnocalycium denudatum	Gymnocalycium eurypleurum
Gymnocalycium ferrarii	Gymnocalycium fleischerianum	Gymnocalycium friedrichii
Gymnocalycium gibbosum	Gymnocalycium glaucum	Gymnocalycium horridispinum
Gymnocalycium horstii	Gymnocalycium hossei	Gymnocalycium hybopleurum
Gymnocalycium intertextum	Gymnocalycium joossensianum	Gymnocalycium leeanum
Gymnocalycium marsoneri	Gymnocalycium mazanense	Gymnocalycium mesopotamicum
Gymnocalycium mihanovichii	Gymnocalycium monvillei	Gymnocalycium mostii
Gymnocalycium multiflorum	Gymnocalycium neuhuberi	Gymnocalycium neumannianum
Gymnocalycium nigriareolatum	Gymnocalycium occultum	Gymnocalycium pflanzii
Gymnocalycium platense	Gymnocalycium quehlianum	Gymnocalycium ragonesei
Gymnocalycium riojense	Gymnocalycium ritterianum	Gymnocalycium saglionis
Gymnocalycium schickendantzii	Gymnocalycium schroederianum	Gymnocalycium spagazzinii
Gymnocalycium stellatum	Gymnocalycium tillianum	Gymnocalycium triacanthum
Gymnocalycium uruguayense	Gymnocalycium valnicekianum	Gymnocalycium vatteri
Gymnocarpium oyamense	Gymnocladus chinensis	Gymnocladus dioicus
Gymnoschoenus sphaerocephalus	Gymnospermium albertii	Gymnosporia buxifolia
Gymnosporia diversifolia	Gymnosporia inermis	Gymnosporia senegalensis
Gymnostachys anceps	Gymnostachyum pearcei	Gymnostoma australianum

Gymnostoma chamaecypris	Gymnostoma deplancheanum	Gymnostoma intermedium
Gymnostoma leucodon	Gymnostoma papuanum	Gymnostoma poissonianum
Gymnostoma sumatranum	Gymnostoma webbium	Gynandris anomala
Gynandris cedarmontana	Gynandris pritzeliana	Gynandris setifolia
Gynandris simulans	Gynura drymophila	Gynura procumbens
Gynura sechellensis	Gypsophila aretioides	Gypsophila arrostii
Gypsophila bungeana	Gypsophila elegans	Gypsophila fastigiata
Gypsophila glomerata	Gypsophila oldhamiana	Gypsophila pacifica
Gypsophila paniculata	Gypsophila paniculata x repens	Gypsophila repens
Gypsophila struthium	Gypsophila tenuifolia	Gypsophila tubulosa
Gyrostemon australasicus	Haageocereus albispinus	Haageocereus australis
Haageocereus chosicensis	Haageocereus decumbens	Haageocereus fascicularis
Haageocereus lanugispinus	Haageocereus limensis	Haageocereus multangularis
Haageocereus pacalaensis	Haageocereus platinospinus	Haageocereus tenuis
Haageocereus versicolor	x Haagespostoa albisetata	x Haagespostoa climaxantha
Haastia pulvinaris	Haastia recurva	Haastia sinclairii
Habenaria spp.	Haberlea ferdinandi-coburgii	Haberlea rhodopensis
Hablitzia tamnoides	Habranthus andersonii	Habranthus brachyandrus
Habranthus caeruleus	Habranthus estensis	Habranthus martinezii
Habranthus martinezii x robustus	Habranthus niveus	Habranthus pedunculatus
Habranthus robustus	Habranthus texanus x robustus	Habranthus tubispathus
Habranthus tubispathus x robustus	Habranthus vittatus	Haeckeria cassiniiformis
Haeckeria ozothamnoides	Haeckeria pholidota	Haemanthus albiflos
Haemanthus amarylloides	Haemanthus barkerae	Haemanthus canaliculatus
Haemanthus carneus	Haemanthus coccineus	Haemanthus crispus

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Haemanthus deformis</i>	<i>Haemanthus humilis</i>	<i>Haemanthus lanceifolius</i>
<i>Haemanthus montanus</i>	<i>Haemanthus namaquensis</i>	<i>Haemanthus nortieri</i>
<i>Haemanthus paucifolius</i>	<i>Haemanthus pubescens</i>	<i>Haemanthus sanguineus</i>
<i>Haemanthus tristis</i>	<i>Haemanthus unifolius</i>	<i>Haemodorum coccineum</i>
<i>Haemodorum planifolium</i>	<i>Hainardia cylindrica</i>	<i>Hakea actites</i>
<i>Hakea archaeoides</i>	<i>Hakea arida</i>	<i>Hakea bakeriana</i>
<i>Hakea constablei</i>	<i>Hakea coriacea</i>	<i>Hakea crassifolia</i>
<i>Hakea crassinervia</i>	<i>Hakea cunninghamii</i>	<i>Hakea cycloptera</i>
<i>Hakea dactyloides</i>	<i>Hakea decurrens</i>	<i>Hakea doherlyi</i>
<i>Hakea ednieana</i>	<i>Hakea epiglottis</i>	<i>Hakea eyreana</i>
<i>Hakea florulenta</i>	<i>Hakea francisiana</i> x <i>bucculenta</i>	<i>Hakea fraseri</i>
<i>Hakea glabella</i>	<i>Hakea grammatophylla</i>	<i>Hakea ivoryi</i>
<i>Hakea lissosperma</i>	<i>Hakea macraeana</i>	<i>Hakea macrorrhyncha</i>
<i>Hakea microcarpa</i>	<i>Hakea mitchellii</i>	<i>Hakea muelleriana</i>
<i>Hakea myrtoides</i> x <i>petiolaris</i>	<i>Hakea nodosa</i>	<i>Hakea obtusa</i> x <i>petiolaris</i>
<i>Hakea persiehana</i>	<i>Hakea plurinervia</i>	<i>Hakea propinqua</i>
<i>Hakea purpurea</i>	<i>Hakea repullulans</i>	<i>Hakea roei</i>
<i>Hakea rostrata</i>	<i>Hakea rugosa</i>	<i>Hakea salicifolia</i>
<i>Hakea sericea</i>	<i>Hakea suberea</i>	<i>Hakea tephrosperma</i>
<i>Hakea trineura</i>	<i>Hakea ulicina</i>	<i>Hakea vittata</i>
<i>Hakonechloa macra</i>	<i>Halanthium rarifolium</i>	<i>Haldina cordifolia</i>
<i>Halenia weddelliana</i>	<i>Halesia diptera</i>	<i>Halesia macgregorii</i>
<i>Halesia tetraptera</i>	<i>Halfordia kendack</i>	<i>Halfordia scleroxyla</i>
<i>Halgania brachyrhyncha</i>	<i>Halgania preissiana</i>	<i>Halgania rigida</i>
<i>Halgania viscosa</i>	x <i>Halimocistus revolii</i>	x <i>Halimocistus</i> <i>wintonensis</i>
<i>Halimione pedunculata</i>	<i>Halimium alyssoides</i>	<i>Halimium atriplicifolium</i>
<i>Halimium calycinum</i>	<i>Halimium commutatum</i>	<i>Halimium halimifolium</i>
<i>Halimium ocymoides</i>	<i>Halimium umbellatum</i>	<i>Halimocnemis mollissima</i>

<i>Halimocnemis pilosa</i>	<i>Halimocnemis villosa</i>	<i>Halleria lucida</i>
<i>Hallianthus planus</i>	<i>Halmoorea trispatha</i>	<i>Halocarpus bidwillii</i>
<i>Halocarpus biformis</i>	<i>Halocarpus kirkii</i>	<i>Halocharis gossypina</i>
<i>Halopeplis pygmaea</i>	<i>Haloragis aspera</i>	<i>Haloragis exalata</i>
<i>Haloragis eyreana</i>	<i>Haloragis heterophylla</i>	<i>Haloragis serra</i>
<i>Haloragis tetragyna</i>	<i>Haloragodendron baeuerlenii</i>	<i>Haloragodendron lucasii</i>
<i>Haloragodendron monospermum</i>	<i>Halosarcia bulbosa</i>	<i>Halosarcia lylei</i>
<i>Halosarcia pruinosa</i>	<i>Halosarcia syncarpa</i>	<i>Halostachys caspica</i>
<i>Halothamnus glaucus</i>	<i>Halothamnus hierochunticus</i>	<i>Halothamnus iliensis</i>
<i>Halothamnus subaphyllus</i>	<i>Haloxylon aphyllum</i>	<i>Haloxylon articulatum</i>
<i>Haloxylon persicum</i>	<i>Hamadryas argentea</i>	<i>Hamamelis x intermedia</i>
<i>Hamamelis japonica</i>	<i>Hamamelis mollis</i>	<i>Hamamelis obtusata</i> f. <i>flavo-purpurascens</i>
<i>Hamamelis vernalis</i>	<i>Hamamelis virginiana</i>	<i>Hamelia patens</i>
<i>Hammada leptoclada</i>	<i>Hammeria meleagris</i>	<i>Hampea trilobata</i>
<i>Hanguana malayana</i>	<i>Hannafordia shanesii</i>	<i>Hapaline brownii</i>
<i>Haplocarpha rueppellii</i>	<i>Haplopappus foliosus</i>	<i>Haplopappus glutinosus</i>
<i>Haplostichanthus fruticosus</i>	<i>Haplostichanthus johnsonii</i>	<i>Haplostichanthus ramiflorus</i>
<i>Haplostichanthus rufescens</i>	<i>Hardenbergia violacea</i>	<i>Hardwickia binata</i>
<i>Harfordia macroptera</i>	<i>Harmsiodoxa blennodioides</i>	<i>Harmsiodoxa puberula</i>
<i>Harmsiopanax ingens</i>	<i>Harpephyllum caffrum</i>	<i>Harperia confertospicata</i>
<i>Harperia confertospicatus</i>	<i>Harpullia alata</i>	<i>Harpullia frutescens</i>
<i>Harpullia fruticosa</i>	<i>Harpullia hillii</i>	<i>Harpullia leichhardtii</i>
<i>Harpullia pendula</i>	<i>Harpullia ramiflora</i>	<i>Harpullia rhyticarpa</i>
<i>Harrimanella hypnoides</i>	<i>Harrimanella stelleriana</i>	<i>Harrisia adscendens</i>
<i>Harrisia balansae</i>	<i>Harrisia divaricata</i>	<i>Harrisia fernowii</i>
<i>Harrisia gracilis</i>	<i>Harrisia guelichii</i>	<i>Harrisia hahniana</i>
<i>Harrisia simpsonii</i>	<i>Harrisia tetracantha</i>	<i>Hartia sinensis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Hartogiella schinoides	Hartwegia purpurea	Harveya capensis
Harveya huttonii	Harveya purpurea	Harveya speciosa
Hastingsia alba	Hatiora epiphyllloides	Hatiora gaertneri
Hatiora herminiae	Hatiora rosea	Hatiora salicornioides
Haumania leonardiana	Haumania liebrechtsiana	Hauya elegans
Hauya heydeana	Havardia albicans	Havardia sonorae

x Hawkinsara spp.	Haworthia altilinea	Haworthia angustifolia
Haworthia arachnoidea	Haworthia archeri	Haworthia aristata
Haworthia armstrongii	Haworthia asperula	Haworthia attenuata
Haworthia batesiana	Haworthia bayeri	Haworthia blackbeardiana
Haworthia blackburniae	Haworthia bolusii	Haworthia breueri
Haworthia browniana	Haworthia bruynsii	Haworthia chloracantha
Haworthia coarctata	Haworthia comptoniana	Haworthia cooperi
Haworthia cummingii	Haworthia cuspidata	Haworthia cymbiformis
Haworthia cymbiformis x retusa	Haworthia cymbiformis x springbokvlakensis	Haworthia decipiens
Haworthia emelyae	Haworthia esterhuizenii	Haworthia fasciata
Haworthia floribunda	Haworthia geraldii	Haworthia glabrata
Haworthia glauca	Haworthia gracilis	Haworthia graminifolia
Haworthia haageana	Haworthia habdomadis	Haworthia hastata
Haworthia heidelbergensis	Haworthia herbacea	Haworthia herrei
Haworthia hurlingii	Haworthia integra	Haworthia jacobseniana
Haworthia janseana	Haworthia jansenvillensis	Haworthia x kewensis
Haworthia kingiana	Haworthia koelmaniorum	Haworthia laetevirens
Haworthia lateganae	Haworthia leightonii	Haworthia limifolia
Haworthia lockwoodii	Haworthia longiana	Haworthia maculata
Haworthia magnifica	Haworthia maraisii	Haworthia margaritifera
Haworthia marginata	Haworthia marumiana	Haworthia maughanii
Haworthia maughanii x magnifica	Haworthia minima	Haworthia minor

Haworthia mirabilis	Haworthia mucronata	Haworthia multifolia
Haworthia mundula	Haworthia mutica	Haworthia mutica x cymbiformis
Haworthia nigra	Haworthia nortieri	Haworthia odetteae
Haworthia outeniquensis	Haworthia pallens	Haworthia parksiana
Haworthia pearsonii	Haworthia pehlemanniae	Haworthia picta
Haworthia pilifera	Haworthia pubescens	Haworthia pulchella
Haworthia pumila	Haworthia pungens	Haworthia pygmaea
Haworthia radula	Haworthia ramosa	Haworthia recurva
Haworthia reinwardtii	Haworthia resendeana	Haworthia reticulata
Haworthia retusa	Haworthia x rigida	Haworthia rubrobrunnea
Haworthia rugosa	Haworthia scabra	Haworthia semiviva
Haworthia serrata	Haworthia setata	Haworthia smitii
Haworthia sordida	Haworthia springbokvlakensis	Haworthia starkiana
Haworthia subattenuata	Haworthia x tauteae	Haworthia tauteae
Haworthia tessellata	Haworthia tortuosa	Haworthia tradouwensis
Haworthia transiens	Haworthia translucens	Haworthia tetryensis
Haworthia truncata	Haworthia truncata x magnifica	Haworthia tuberculata
Haworthia turgida	Haworthia unicolor	Haworthia variegata
Haworthia venosa	Haworthia virella	Haworthia viscosa
Haworthia vittata	Haworthia vlokii	Haworthia wimii
Haworthia wittebergensis	Haworthia woolleyii	Haworthia xiphiophylla
Haworthia zantneriana	x Haynaldoticum turgidovillosum	Hazardia detonsa
Hebe acutiflora	Hebe albicans	Hebe allanii
Hebe amplexicaulis	Hebe x andersonii	Hebe armstrongii
Hebe astoni	Hebe balfouriana	Hebe benthamii
Hebe x bishopiana	Hebe bollonsii	Hebe brevifolia
Hebe breviracemosa	Hebe buchananii	Hebe canterburiensis
Hebe x carnea	Hebe carnosula	Hebe carsei

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Hebe chathamica	Hebe cheesemanii	Hebe ciliolata
Hebe colensoi	Hebe corriganii	Hebe cupressoides
Hebe darwiniana	Hebe diosmifolia	Hebe diosmifolia x speciosa
Hebe divaricata	Hebe elliptica	Hebe elliptica x pimeleoides
Hebe epacridea	Hebe evenosa	Hebe fairfieldii
Hebe x franciscana	Hebe fruticeti	Hebe gibbsii
Hebe glaucophylla	Hebe gracillima	Hebe haastii
Hebe hectoris	Hebe hybrida	Hebe imperialis
Hebe insularis	Hebe lavaudiana	Hebe lewisii
Hebe ligustrifolia	Hebe lycopodioides	Hebe macrantha
Hebe macrocalyx	Hebe macrocarpa	Hebe myrtifolia
Hebe ochracea	Hebe odora	Hebe pareora
Hebe parviflora	Hebe pauciramosa	Hebe petriei
Hebe pimeleoides	Hebe pinguifolia	Hebe poppelwellii
Hebe propinqua	Hebe pubescens	Hebe rakaiensis
Hebe raoulii	Hebe recurva	Hebe rigidula
Hebe rupicola	Hebe salicifolia	Hebe salicornioides
Hebe speciosa	Hebe speciosa x diosmifolia	Hebe stenophylla
Hebe strictissima	Hebe subalpina	Hebe tetragona
Hebe tetrasticha	Hebe topiaria	Hebe townsonii
Hebe traversii	Hebe treadwellii	Hebe truncatula
Hebe venustula	Hebe vernicosa	Hebenstretia dentata
Hebenstretia dura	Hebenstretia fastigiosa	Hechtia argentea
Hechtia capituligera	Hechtia desmetiana	Hechtia epigyna
Hechtia glomerata	Hechtia macdougallii	Hechtia marnier-lapostollei
Hechtia podantha	Hechtia rosea	Hechtia roseana
Hechtia schottii	Hechtia stenopetala	Hechtia texensis
Hechtia tillandsioides	Hedera helix	Hedera maderensis

Hedera nepalensis	Hedera sinensis	Hedraianthera porphyropetala
Hedycarya angustifolia	Hedycarya arborea	Hedycarya loxocarya
Hedychium carneum	Hedychium coronarium	Hedychium coronarium x gardnerianum
Hedychium densiflorum	Hedychium ellipticum	Hedychium flavum
Hedychium forrestii	Hedychium gardnerianum	Hedychium greenii
Hedychium greenii	Hedychium horsfieldii	Hedychium longicornutum
Hedychium neocarneum	Hedychium speciosum	Hedychium spicatum
Hedychium tenellum	Hedyotis galioides	Hedyotis littoralis
Hedyotis st.-johnii	Hedypnois rhagadioloides	Hedysarum alpinum
Hedysarum argyreum	Hedysarum biebersteinii	Hedysarum boreale
Hedysarum boutignyanum	Hedysarum carnosum	Hedysarum coronarium
Hedysarum cyprium	Hedysarum dasycarpum	Hedysarum flavescens
Hedysarum flexuosum	Hedysarum formosum	Hedysarum hedysaroides
Hedysarum humile	Hedysarum iliense	Hedysarum macranthum
Hedysarum membranaceum	Hedysarum microcalyx	Hedysarum micropterum
Hedysarum multijugum	Hedysarum pallidum	Hedysarum semenowii
Hedysarum sikkimense	Hedysarum songaricum	Hedysarum spicatum
Hedysarum splendens	Hedysarum taschkenticum	Hedysarum varium
Hedysarum vicioides	Hedyscepe canterburyana	Hegemone micrantha
Heimerlia brunoniana	Heimia salicifolia	Helcia spp.
Heliamphora chimantensis	Heliamphora elongata	Heliamphora exappendiculata
Heliamphora folliculata	Heliamphora glabra	Heliamphora heterodoxa
Heliamphora heterodoxa x ionasii	Heliamphora heterodoxa x minor	Heliamphora heterodoxa x nutans
Heliamphora hispida	Heliamphora ionasii	Heliamphora minor
Heliamphora nutans	Heliamphora nutans x ionasii	Heliamphora pulchella
Heliamphora sarracenioides	Heliamphora tatei	Helianthemum aegyptiacum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Helianthemum broussonetii	Helianthemum bystropogophyllum	Helianthemum canariense
Helianthemum canum	Helianthemum cinereum	Helianthemum croceum
Helianthemum gorgoneum	Helianthemum grandiflorum	Helianthemum hybrids
Helianthemum ledifolium	Helianthemum neopiliferum	Helianthemum nitidum
Helianthemum nummularium	Helianthemum oelandicum	Helianthemum piliferum
Helianthemum scoparium	Helianthemum thymiphyllum	Helianthemum virgatum
Helianthus annuus	Helianthus anomalus	Helianthus arizonensis
Helianthus ciliaris	Helianthus debilis	Helianthus gracilentus
Helianthus maximiliani	Helianthus microcephalus	Helianthus neglectus
Helianthus occidentalis	Helianthus paradoxus	Helianthus salicifolius
Helianthus tuberosus	x Heliaporus smithii	Helichrysum acuminatum
Helichrysum adenophorum	Helichrysum adnatum	Helichrysum africanum
Helichrysum albo-brunneum	Helichrysum album	Helichrysum alpinum
Helichrysum ambiguum	Helichrysum amarginum	Helichrysum amplexans
Helichrysum antennarium	Helichrysum arenarium	Helichrysum ayersii
Helichrysum backhousei	Helichrysum baxteri	Helichrysum bellidioides
Helichrysum bellum	Helichrysum bidwillii	Helichrysum billardierei
Helichrysum bilobum	Helichrysum blackallii	Helichrysum blandowskianum
Helichrysum brownei	Helichrysum cassinianum	Helichrysum chionosphaerum
Helichrysum cinereum	Helichrysum citrispinum	Helichrysum conditum
Helichrysum cooperi	Helichrysum coralloides	Helichrysum costatifructum
Helichrysum cuneifolium	Helichrysum dasyanthum	Helichrysum dealbatum
Helichrysum dendroideum	Helichrysum depressum	Helichrysum diotophyllum
Helichrysum ecklonis	Helichrysum expansifolium	Helichrysum felinum
Helichrysum frigidum	Helichrysum glomeratum	Helichrysum glutinosum

<i>Helichrysum gossypinum</i>	<i>Helichrysum humile</i>	<i>Helichrysum intermedium</i>
<i>Helichrysum italicum</i>	<i>Helichrysum lanuginosum</i>	<i>Helichrysum lepidophyllum</i>
<i>Helichrysum lindleyi</i>	<i>Helichrysum lindsayanum</i>	<i>Helichrysum litorale</i>
<i>Helichrysum lycopodioides</i>	<i>Helichrysum marginatum</i>	<i>Helichrysum meyeri-johannis</i>
<i>Helichrysum microphyllum</i>	<i>Helichrysum milfordiae</i>	<i>Helichrysum milliganii</i>
<i>Helichrysum newcastlianum</i>	<i>Helichrysum newii</i>	<i>Helichrysum nitens</i>
<i>Helichrysum nodiflorum</i>	<i>Helichrysum oxylepis</i>	<i>Helichrysum pandurifolium</i>
<i>Helichrysum papillosum</i>	<i>Helichrysum paralium</i>	<i>Helichrysum parvifolium</i>
<i>Helichrysum pendulum</i>	<i>Helichrysum petiolare</i>	<i>Helichrysum pleurandroides</i>
<i>Helichrysum plicatum</i>	<i>Helichrysum plumeum</i>	<i>Helichrysum podolepidium</i>
<i>Helichrysum populifolium</i>	<i>Helichrysum pumilum</i>	<i>Helichrysum ramosissimum</i>
<i>Helichrysum reticulatum</i>	<i>Helichrysum retortum</i>	<i>Helichrysum retrorsum</i>
<i>Helichrysum rufescens</i>	<i>Helichrysum rupestre</i>	<i>Helichrysum rupicola</i>
<i>Helichrysum rutidolepis</i>	<i>Helichrysum scorpioides</i>	<i>Helichrysum scutellifolium</i>
<i>Helichrysum selaginoides</i>	<i>Helichrysum selago</i>	<i>Helichrysum semifertile</i>
<i>Helichrysum sessilioides</i>	<i>Helichrysum sibthorpii</i>	<i>Helichrysum splendidum</i>
<i>Helichrysum sutherlandii</i>	<i>Helichrysum thianschanicum</i>	<i>Helichrysum tuckeri</i>
<i>Helichrysum virgineum</i>	<i>Helichrysum viscosum</i>	<i>Helichrysum whitei</i>
<i>Helicia australasica</i>	<i>Helicia blakei</i>	<i>Helicia ferruginea</i>
<i>Helicia glabriflora</i>	<i>Helicia lamingtoniana</i>	<i>Helicia lewisensis</i>
<i>Helicia nortoniana</i>	<i>Helicodiceros muscivorus</i>	<i>Heliconia acuminata</i>
<i>Heliconia aemygdiana</i>	<i>Heliconia angusta</i>	<i>Heliconia x angusta</i>
<i>Heliconia atropurpurea</i>	<i>Heliconia bihai</i>	<i>Heliconia bihai x caribaea</i>
<i>Heliconia bihai x psittacorum</i>	<i>Heliconia bourgaeana</i>	<i>Heliconia brasiliensis</i>
<i>Heliconia caribaea</i>	<i>Heliconia caribaea x bihai</i>	<i>Heliconia champneiana</i>
<i>Heliconia chartacea</i>	<i>Heliconia collinsiana</i>	<i>Heliconia curtispatha</i>
<i>Heliconia danielsiana</i>	<i>Heliconia densiflora</i>	<i>Heliconia episcopalis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Heliconia farinosa</i>	<i>Heliconia gracilis</i>	<i>Heliconia imbricata</i>
<i>Heliconia indica</i>	<i>Heliconia irrasa</i>	<i>Heliconia lankesteri</i>
<i>Heliconia lasiorachis</i>	<i>Heliconia latispatha</i>	<i>Heliconia laxa</i>
<i>Heliconia librata</i>	<i>Heliconia lingulata</i>	<i>Heliconia longa</i>
<i>Heliconia longiflora</i>	<i>Heliconia maculata</i>	<i>Heliconia marginata</i>
<i>Heliconia mariae</i>	<i>Heliconia mariae x pogonantha</i>	<i>Heliconia mathiasiae</i>
<i>Heliconia meridensis</i>	<i>Heliconia metallica</i>	<i>Heliconia mutisiana</i>
<i>Heliconia x nickeriensis</i>	<i>Heliconia nigripaerfixa</i>	<i>Heliconia nutans</i>
<i>Heliconia obscuroides</i>	<i>Heliconia orthotricha</i>	<i>Heliconia osaensis</i>
<i>Heliconia papuana</i>	<i>Heliconia pastazae</i>	<i>Heliconia pendula</i>
<i>Heliconia platystachys</i>	<i>Heliconia pogonantha</i>	<i>Heliconia pseudoaemygdiana</i>
<i>Heliconia psittacorum</i>	<i>Heliconia psittacorum x spathocircinata</i>	<i>Heliconia ramonensis</i>
<i>Heliconia richardiana</i>	<i>Heliconia rostrata</i>	<i>Heliconia sarapiquensis</i>
<i>Heliconia schiedeana</i>	<i>Heliconia sclerotricha</i>	<i>Heliconia solomonensis</i>
<i>Heliconia spathocircinata</i>	<i>Heliconia spissa</i>	<i>Heliconia standleyi</i>
<i>Heliconia steyermarkii</i>	<i>Heliconia stricta</i>	<i>Heliconia subulata</i>
<i>Heliconia talamancana</i>	<i>Heliconia thomasiana</i>	<i>Heliconia tortuosa</i>
<i>Heliconia undulata</i>	<i>Heliconia vaginalis</i>	<i>Heliconia vellerigera</i>
<i>Heliconia wagneriana</i>	<i>Heliconia zebrina</i>	<i>Helicteres baruensis</i>
<i>Helicteres hirsuta</i>	<i>Helicteres semiglabra</i>	<i>Helictotrichon alpinum</i>
<i>Helictotrichon compressum</i>	<i>Helictotrichon decorum</i>	<i>Helictotrichon hookeri</i>
<i>Helictotrichon imberbe</i>	<i>Helictotrichon marginatum</i>	<i>Helictotrichon parlatorei</i>
<i>Helictotrichon sedenense</i>	<i>Helictotrichon sempervirens</i>	<i>Helictotrichon tianschanicum</i>
<i>Helictotrichon versicolor</i>	<i>Helinus integrifolius</i>	<i>Heliocereus aurantiacus</i>
<i>Heliocereus cinnabarinus</i>	<i>Heliocereus schrankii</i>	<i>Heliohebe lavaudiana</i>
<i>Heliohebe raoulii</i>	<i>Heliophila africana</i>	<i>Heliophila amplexicaulis</i>
<i>Heliophila crithmifolia</i>	<i>Heliophila integrifolia</i>	<i>Heliophila longifolia</i>

Heliophila pusilla	Heliopsis balsamorhiza	Heliopsis helianthoides
Heliotropium amplexicaule	Heliotropium arborescens	Heliotropium curassavicum
Heliotropium foertherianum	Heliotropium gossei	Heliotropium gymnostomum
Heliotropium indicum	Heliotropium marifolium	Heliotropium stenophyllum
Heliotropium supinum	Heliotropium x voltaireanum	Helipterum albicans
Helipterum anthemoides	Helipterum argyropsis	Helipterum chlorocephalum
Helipterum corymbiflorum	Helipterum cotula	Helipterum diffusum
Helipterum fitzgibbonii	Helipterum fuscescens	Helipterum gracile
Helipterum hyalospermum	Helipterum maryonii	Helipterum microglossum
Helipterum molle	Helipterum moschatum	Helipterum phlomoides
Helipterum polygalifolium	Helipterum praecox	Helipterum pterochaetum
Helipterum saxatile	Helipterum semisterile	Helipterum spicatum
Helipterum sterilecens	Helipterum stipitatum	Helipterum strictum
Helipterum stuartianum	Helipterum tenellum	Helipterum tietkensis
Helipterum venustum	Helleborus abchasicus	Helleborus x ballardiae
Helleborus bocconei	Helleborus corsicus	Helleborus croaticus
Helleborus cyclophyllus	Helleborus dumetorum	Helleborus x ericsmithii
Helleborus foetidus	Helleborus x hybridus	Helleborus lividus
Helleborus multifidus	Helleborus niger	Helleborus x nigercors
Helleborus odoratus	Helleborus orientalis	Helleborus purpurascens
Helleborus x sternii	Helleborus thibetanus	Helleborus torquatus
Helleborus vesicarius	Helmholtzia acorifolia	Helmholtzia glaberrima
Heloniopsis japonica	Heloniopsis orientalis	Hemerocallis dumortieri
Hemerocallis dumortieri x middendorffii	Hemerocallis esculenta	Hemerocallis fulva
Hemerocallis x hybrids	Hemerocallis middendorffii	Hemerocallis nana
Hemerocallis thunbergii	Hemerocallis yezoensis	Hemiandra rupestris
Hemiboea subcapitata	Hemichaena fruticosa	Hemidesmus indicus
Hemigenia cuneifolia	Hemigenia purpurea	Hemigramma decurrens

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Hemigraphis alternata</i>	<i>Hemigraphis repanda</i>	<i>Hemionitis arifolia</i>
<i>Hemionitis palmata</i>	<i>Hemiphragma heterophyllum</i>	<i>Hemisorghum venustum</i>
<i>Hemizygia flabellifolia</i>	<i>Hemizygia obermeyeriae</i>	<i>Hemsleya gigantea</i>
<i>Henrardia persica</i>	<i>Hepatica x media</i>	<i>Hepatica triloba</i>
<i>Heptacodium jasminoides</i>	<i>Heptacodium miconioides</i>	<i>Heptapleurum arboriculum</i>
<i>Heracleum candicans</i>	<i>Heracleum lehmannianum</i>	<i>Heracleum minimum</i>
<i>Herbertia amorum</i>	<i>Herbertia lahue</i>	<i>Herbertia platensis</i>
<i>Herbertia pulchella</i>	<i>Herbertia quareimana</i>	<i>Herbertia unguiculata</i>
<i>Hereroa brevifolia</i>	<i>Hereroa carinans</i>	<i>Hereroa dyeri</i>
<i>Hereroa glenensis</i>	<i>Hereroa gracilis</i>	<i>Hereroa granulata</i>
<i>Hereroa herrei</i>	<i>Hereroa hesperantha</i>	<i>Hereroa incurva</i>
<i>Hereroa puttkameriana</i>	<i>Hereroa rehneltiana</i>	<i>Hereroa standfordiae</i>
<i>Hereroa stanfordiae</i>	<i>Hereroa stanleyi</i>	<i>Hereroa tenuifolia</i>
<i>Hereroa teretifolia</i>	<i>Hereroa wilmaniae</i>	<i>Heritiera actinophylla</i>
<i>Heritiera elata</i>	<i>Heritiera littoralis</i>	<i>Heritiera macrophylla</i>
<i>Heritiera trifoliolata</i>	<i>Hermannia cuneifolia</i>	<i>Hermannia grossularifolia</i>
<i>Hermannia hyssopifolia</i>	<i>Hermannia linifolia</i>	<i>Hermannia multiflora</i>
<i>Hermannia pinnata</i>	<i>Hermannia procumbens</i>	<i>Hermannia trifurca</i>
<i>Hermannia verticillata</i>	<i>Hermodactylus tuberosus</i>	<i>Hernandia albiflora</i>
<i>Hernandia bivalvis</i>	<i>Hernandia cordigera</i>	<i>Hernandia mascarenensis</i>
<i>Hernandia nymphaeifolia</i>	<i>Herniaria baetica</i>	<i>Herniaria cinerea</i>
<i>Herniaria glabra</i>	<i>Herpolirion novae-zelandiae</i>	<i>Herrania balaensis</i>
<i>Herrania mariae</i>	<i>Herreanthus meyeri</i>	<i>Herreria stellata</i>
<i>Herschelianthe graminifolia</i>	<i>Hesperalbizia occidentalis</i>	<i>Hesperaloe funifera</i>
<i>Hesperaloe nocturna</i>	<i>Hesperaloe parviflora</i>	<i>Hesperantha bachmannii</i>
<i>Hesperantha baurii</i>	<i>Hesperantha ciliolata</i>	<i>Hesperantha coccinea</i>
<i>Hesperantha crocopsis</i>	<i>Hesperantha cucullata</i>	<i>Hesperantha erecta</i>
<i>Hesperantha falcata</i>	<i>Hesperantha flava</i>	<i>Hesperantha hantamensis</i>
<i>Hesperantha humilis</i>	<i>Hesperantha karooica</i>	<i>Hesperantha latifolia</i>

<i>Hesperantha luticola</i>	<i>Hesperantha montana</i>	<i>Hesperantha muirii</i>
<i>Hesperantha oligantha</i>	<i>Hesperantha pauciflora</i>	<i>Hesperantha pilosa</i>
<i>Hesperantha purpurea</i>	<i>Hesperantha radiata</i>	<i>Hesperantha sufflava</i>
<i>Hesperantha truncatula</i>	<i>Hesperantha vaginata</i>	<i>Hesperantha woodii</i>
<i>Hesperis matronalis</i>	<i>Hesperochiron pumilus</i>	<i>Hesperoxiphion peruvianum</i>
<i>Hesperozygis myrtoides</i>	<i>Hessea breviflora</i>	<i>Hessea chaplinii</i>
<i>Hessea cinnamomea</i>	<i>Hessea crispa</i>	<i>Hessea gemmata</i>
<i>Hessea incana</i>	<i>Hessea mathewsii</i>	<i>Hessea monticola</i>
<i>Hessea pilosula</i>	<i>Hessea pulcherrima</i>	<i>Hessea pusilla</i>
<i>Hessea speciosa</i>	<i>Hessea stellaris</i>	<i>Hessea stenosphon</i>
<i>Hessea tenella</i>	<i>Hessea undosa</i>	<i>Hetaeria oblongifolia</i>
<i>Heteranthera zosteraefolia</i>	<i>Heterocentron elegans</i>	<i>Heterocentron roseum</i>
<i>Heterodendrum diversifolium</i>	<i>Heterodendrum pubescens</i>	<i>Heterogonium alderwereltii</i>
<i>Heterolepis aliena</i>	<i>Heteromeles salicifolia</i>	<i>Heteropteris angustifolia</i>
<i>Heteropteris nitida</i>	<i>Heteropterys angustifolia</i>	<i>Heteropterys chrysophylla</i>
<i>Heteropterys nitida</i>	<i>Heteropterys syringifolia</i>	<i>Heteropterys umbellata</i>
<i>Heteropyxis natalensis</i>	<i>Heterospathe annectens</i>	<i>Heterospathe arfakiana</i>
<i>Heterospathe brevicaulis</i>	<i>Heterospathe cagayanensis</i>	<i>Heterospathe califrons</i>
<i>Heterospathe clemensiae</i>	<i>Heterospathe delicatula</i>	<i>Heterospathe elata</i>
<i>Heterospathe elegans</i>	<i>Heterospathe elmeri</i>	<i>Heterospathe glabra</i>
<i>Heterospathe glauca</i>	<i>Heterospathe humilis</i>	<i>Heterospathe intermedia</i>
<i>Heterospathe ledermanniana</i>	<i>Heterospathe lepidota</i>	<i>Heterospathe longipes</i>
<i>Heterospathe macgregorii</i>	<i>Heterospathe micrantha</i>	<i>Heterospathe minor</i>
<i>Heterospathe muelleriana</i>	<i>Heterospathe negrosensis</i>	<i>Heterospathe obriensis</i>
<i>Heterospathe parviflora</i>	<i>Heterospathe philippinensis</i>	<i>Heterospathe phillipsii</i>
<i>Heterospathe pilosa</i>	<i>Heterospathe pulchra</i>	<i>Heterospathe salomonensis</i>
<i>Heterospathe scitula</i>	<i>Heterospathe sensisi</i>	<i>Heterospathe sibuyanensis</i>
<i>Heterospathe sphaerocarpa</i>	<i>Heterospathe trispatha</i>	<i>Heterospathe uniformis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Heterospathe versteegiana</i>	<i>Heterospathe woodfordiana</i>	<i>Heterotheca pumila</i>
<i>Heterotheca rutteri</i>	<i>Heuchera alba</i>	<i>Heuchera americana</i>
<i>Heuchera bracteata</i>	<i>Heuchera brevistaminea</i>	<i>Heuchera x briziodes</i>
<i>Heuchera chlorantha</i>	<i>Heuchera cylindrica</i>	<i>Heuchera drummondii</i>
<i>Heuchera elegans</i>	<i>Heuchera glabra</i>	<i>Heuchera grossulariifolia</i>
<i>Heuchera hallii</i>	<i>Heuchera himalayensis</i>	<i>Heuchera maxima</i>
<i>Heuchera merriamii</i>	<i>Heuchera micrantha</i>	<i>Heuchera parvifolia</i>
<i>Heuchera pilosissima</i>	<i>Heuchera pubescens</i>	<i>Heuchera pulchella</i>
<i>Heuchera richardsonii</i>	<i>Heuchera rubescens</i>	<i>Heuchera sanguinea</i>
<i>Heuchera tiarelloides</i>	<i>Heuchera undulata</i>	<i>Heuchera villosa</i>
<i>Heuchera x Tiarella</i> spp.	<i>x Heucherella</i> spp.	<i>Hevea brasiliensis</i>
<i>Hewittia malabarica</i>	<i>Hexalobus crispiflorus</i>	<i>Hexalobus monopetalus</i>
<i>Hexaneurocarpon brilletii</i>	<i>Hexastylis shuttleworthii</i>	<i>Hexastylis speciosa</i>
<i>Hexisea</i> spp.	<i>Heynea trijuga</i>	<i>Hibanobambusa tranquillans</i>
<i>Hibbertia acicularis</i>	<i>Hibbertia appressa</i>	<i>Hibbertia aspera</i>
<i>Hibbertia astrotricha</i>	<i>Hibbertia banksii</i>	<i>Hibbertia bennettii</i>
<i>Hibbertia bracteata</i>	<i>Hibbertia bracteosa</i>	<i>Hibbertia calycina</i>
<i>Hibbertia cistiflora</i>	<i>Hibbertia dentata</i>	<i>Hibbertia diffusa</i>
<i>Hibbertia elata</i>	<i>Hibbertia empetrifolia</i>	<i>Hibbertia enervia</i>
<i>Hibbertia fasciculata</i>	<i>Hibbertia hermanniifolia</i>	<i>Hibbertia hexandra</i>
<i>Hibbertia hirsuta</i>	<i>Hibbertia humifusa</i>	<i>Hibbertia linearis</i>
<i>Hibbertia longifolia</i>	<i>Hibbertia lucens</i>	<i>Hibbertia melhanoides</i>
<i>Hibbertia monogyna</i>	<i>Hibbertia obtusifolia</i>	<i>Hibbertia obtusifolia</i>
<i>Hibbertia paeninsularis</i>	<i>Hibbertia pallidiflora</i>	<i>Hibbertia pedunculata</i>
<i>Hibbertia procumbens</i>	<i>Hibbertia prostrata</i>	<i>Hibbertia riparia</i>
<i>Hibbertia saligna</i>	<i>Hibbertia scandens</i>	<i>Hibbertia sericea</i>
<i>Hibbertia serpyllifolia</i>	<i>Hibbertia tasmanica</i>	<i>Hibbertia tetrandra</i>
<i>Hibbertia torulosa</i>	<i>Hibbertia vestita</i>	<i>Hibbertia virgata</i>
<i>Hibiscadelphus distans</i>	<i>Hibiscus aculeatus</i>	<i>Hibiscus andersonii</i>

Hibiscus archeri	Hibiscus arnhemensis	Hibiscus arnottianus x schizopetalus
Hibiscus boryanus	Hibiscus brackenridgei	Hibiscus burtt-davyi
Hibiscus cameronii	Hibiscus cannabinus	Hibiscus clayi
Hibiscus coccineus	Hibiscus colimensis	Hibiscus columnaris
Hibiscus cravenii	Hibiscus denudatus	Hibiscus divaricatus
Hibiscus diversifolius	Hibiscus erectus	Hibiscus farragei
Hibiscus ferrugineus	Hibiscus forsteri	Hibiscus fragilis
Hibiscus furcellatus	Hibiscus genevii	Hibiscus greenwayi
Hibiscus heterophyllus	Hibiscus huegelii	Hibiscus indicus
Hibiscus insularis	Hibiscus kokio	Hibiscus laevis
Hibiscus lasiocarpus	Hibiscus liliiflorus	Hibiscus lobatus
Hibiscus ludwigii	Hibiscus lunariifolius	Hibiscus luteus
Hibiscus macilwraithensis	Hibiscus macranthus	Hibiscus makinoi
Hibiscus mechowii	Hibiscus menzelii	Hibiscus moscheutos
Hibiscus mutabilis	Hibiscus nigricaulis	Hibiscus paramutabilis
Hibiscus pedunculatus	Hibiscus praeteritus	Hibiscus rosa-sinensis
Hibiscus sabdariffa	Hibiscus schizopetalus	Hibiscus splendens
Hibiscus syriacus	Hibiscus taiwanensis	Hibiscus tozerensis

Hibiscus trilobus	Hibiscus waimeae	Hibiscus zonatus
Hicksbeachia pilosa	Hicksbeachia pinnatifolia	Hierochloe alpina
Hierochloe occidentalis	Hierochloe odorata	Hierochloe rariflora
Hierochloe redolens	Hierochloe submutica	Hildegardia australiensis
Hildegardia erythrosiphon	Himalayacalamus falconeri	Himalayacalamus hookerianus
Hippeastrum advenum	Hippeastrum aglaiae	Hippeastrum angustifolium
Hippeastrum argentinum	Hippeastrum aulicum	Hippeastrum aulicum x psittacinum
Hippeastrum baguoldi	Hippeastrum bicolor	Hippeastrum bifidum
Hippeastrum blossomfieldiae	Hippeastrum brasilianum	Hippeastrum breviflorum
Hippeastrum calypratum	Hippeastrum cybister	Hippeastrum doraniae

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Hippeastrum elegans</i>	<i>Hippeastrum elwesii</i>	<i>Hippeastrum evansiae</i>
<i>Hippeastrum fosteri</i>	<i>Hippeastrum fragrantissimum</i>	<i>Hippeastrum fuscum</i>
<i>Hippeastrum gracilifolium</i>	<i>Hippeastrum x hybridum</i>	<i>Hippeastrum igneum</i>
<i>Hippeastrum leopoldii</i>	<i>Hippeastrum mandoni</i>	<i>Hippeastrum miniatum</i>
<i>Hippeastrum morelianum</i>	<i>Hippeastrum papilio</i>	<i>Hippeastrum pardinum</i>
<i>Hippeastrum parodii</i>	<i>Hippeastrum petiolatum</i>	<i>Hippeastrum phycelloides</i>
<i>Hippeastrum pratense</i>	<i>Hippeastrum procerum</i>	<i>Hippeastrum psittacinum</i>
<i>Hippeastrum puniceum</i>	<i>Hippeastrum reginae</i>	<i>Hippeastrum reginae x vittatum</i>
<i>Hippeastrum reticulatum</i>	<i>Hippeastrum x splendens</i>	<i>Hippeastrum stylosum</i>
<i>Hippeastrum vittatum</i>	<i>Hippeastrum yungacense</i>	<i>Hippeophyllum micranthum</i>
<i>Hippocratea africana</i>	<i>Hippocratea barbata</i>	<i>Hippocratea longipetiolata</i>
<i>Hippocrepis balearica</i>	<i>Hippocrepis emerus</i>	<i>Hippocrepis scabra</i>
<i>Hippophae rhamnoides</i>	<i>Hippophae salicifolia</i>	<i>Hirpicium armerioides</i>
<i>Hirpicium echinus</i>	<i>Hirpicium integrifolium</i>	<i>Hirschfeldia incana</i>
<i>Hodgkinsonia frutescens</i>	<i>Hodgkinsonia ovatiflora</i>	<i>Hodgsonia heteroclita</i>
<i>Hoffmannia discolor</i>	<i>Hoffmannia ghiesbreghtii</i>	<i>Hoffmannia refulgens</i>
<i>Hohenbergia augusta</i>	<i>Hohenbergia burle-marxii</i>	<i>Hohenbergia castellanosii</i>
<i>Hohenbergia catingae</i>	<i>Hohenbergia correia-arauji</i>	<i>Hohenbergia disjuncta</i>
<i>Hohenbergia edmundoi</i>	<i>Hohenbergia leopoldo-horstii</i>	<i>Hohenbergia ramageana</i>
<i>Hohenbergia salzmännii</i>	<i>Hohenbergia stellata</i>	<i>Hohenbergia vestita</i>
<i>Hoheria angustifolia</i>	<i>Hoheria glabrata</i>	<i>Hoheria lyallii</i>
<i>Hoheria populnea</i>	<i>Hoheria sexstylosa</i>	<i>Hoita macrostachya</i>
<i>Holarrhena pubescens</i>	<i>Holboellia angustifolia</i>	<i>Holboellia chapaensis</i>
<i>Holboellia coriacea</i>	<i>Holboellia latifolia</i>	<i>Holcoglossum spp.</i>
<i>Holcus lanatus</i>	<i>Holcus setiger</i>	<i>Hollandaea riparia</i>
<i>Hollandaea sayeriana</i>	<i>Holmskioldia sanguinea</i>	<i>Holmskioldia tettensis</i>
<i>Holochlamys beccarii</i>	<i>Holochlamys guineensis</i>	<i>Holodiscus discolor</i>
<i>Holodiscus dumosus</i>	<i>Holothrix spp.</i>	<i>Holubia saccata</i>

Homalanthus novo-guineensis	Homalanthus nutans	Homalanthus populifolius
Homalanthus stillingifolius	Homalium circumpinnatum	Homalium foetidum
Homalocalyx polyandrus	Homalocladium platycladum	Homalomena aromatica
Homalomena cordata	Homalomena davidiana	Homalomena gaudichaudii
Homalomena hastata	Homalomena havilandii	Homalomena humilis
Homalomena johorensis	Homalomena lindeni	Homalomena megalophylla
Homalomena monandra	Homalomena occulta	Homalomena peekelii
Homalomena pendula	Homalomena robusta	Homalomena rostrata
Homalomena rubescens	Homalomena sagittifolia	Homalomena sarawakensis
Homalomena schlechteri	Homalomena speariae	Homalomena tenuispadix
Homalomena vagans	Homalomena wallisii	Homalomena wendlandii
Homogyne discolor	Homogyne sylvestris	Homoranthus biflorus
Homoranthus cernuus	Homoranthus darwinioides	Homoranthus decumbens
Homoranthus flavescens	Homoranthus homoranthoides	Homoranthus papillatus
Homoranthus porteri	Homoranthus thomasii	Homoranthus virgatus
Homoranthus wilhelmii	Honckenya ficifolia	Hoodia bainii
Hoodia currorii	Hoodia dregei	Hoodia flava
Hoodia gordonii	Hoodia juttae	Hoodia officinalis
Hoodia parviflora	Hoodia pilifera	Hoodia ruschii
Hoodia gordonii x Stapelia arenosa	Hordeum brachyatherum	Hordeum bulbosum
Hordeum depressum	Hordeum erectifolium	Hordeum fuegianum
Hordeum glaucum	Hordeum leporinum	Hordeum marinum
Hordeum murinum	Hordeum patagonicum	Hordeum roshevitzii
Hordeum tetraploideum	Hordeum vulgare	Hordeum marinum x Triticum aestivum
Hormathophylla spinosa	Horminum pyrenaicum	Hornstedtia scottiana
Horridocactus garaventa	Horsfieldia australiana	Hosta atropurpurea
Hosta capitata	Hosta cathayana	Hosta clausa

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Hosta coerulea	Hosta crispula	Hosta decorata
Hosta fluctuans	Hosta fortunei	Hosta grandiflora
Hosta hybrid	Hosta kikutii	Hosta lancifolia
Hosta longipes	Hosta longissima	Hosta minor
Hosta montana	Hosta nakaiana	Hosta nigrescens
Hosta plantaginea	Hosta rectifolia	Hosta sieboldiana
Hosta sieboldii	Hosta tardiana	Hosta tardiflora
Hosta tardiva	Hosta tokudama	Hosta tsushimensis
Hosta undulata	Hosta ventricosa	Hosta venusta
Hosta yingeri	Houletia spp.	Houstonia procumbens
Houstonia serpyllifolia	Hovea acutifolia	Hovea heterophylla
Hovea lanceolata	Hovea linearis	Hovea longifolia
Hovea montana	Hovea pannosa	Hovea purpurea
Hovea rosmarinifolia	Hovenia acerba	Hovenia dulcis
Hovenia tomentella	Hovenia trichocarpa	Howea belmoreana
Howea forsteriana	Howittia trilocularis	Hoya acuta
Hoya affinis	Hoya alata	Hoya albiflora
Hoya aldrichii	Hoya anulata	Hoya archboldiana
Hoya ariadna	Hoya arnotiana	Hoya bandaensis
Hoya bella	Hoya benguetensis	Hoya betchei
Hoya bhutanica	Hoya bicarinata	Hoya bicknellii
Hoya bicolor	Hoya bilobata	Hoya blashernaezii
Hoya bordenii	Hoya breviaolata	Hoya bulusanensis
Hoya buotii	Hoya burtoniae	Hoya cagayanensis
Hoya callistophylla	Hoya calycina	Hoya campanulata
Hoya camphorifolia	Hoya cardiophylla	Hoya carnosia
Hoya caudata	Hoya cembra	Hoya chlorantha
Hoya chloroleuca	Hoya chunii	Hoya ciliata
Hoya cinnamomifolia	Hoya citrina	Hoya clandestina
Hoya clemensorum	Hoya collina	Hoya commsii

Hoya compacta	Hoya coriacea	Hoya corona-ariadnes
Hoya coronaria	Hoya crassicaulis	Hoya crassifolia
Hoya crassipes	Hoya cumingiana	Hoya curtisii
Hoya cystiantha	Hoya darwinii	Hoya dasyantha
Hoya davidcummingii	Hoya dennisii	Hoya densifolia
Hoya deykei	Hoya dimorpha	Hoya diptera
Hoya dischorensis	Hoya diversifolia	Hoya dolichosparte
Hoya edanoi	Hoya edeni	Hoya eitapensis
Hoya el-nidicus	Hoya elegans	Hoya elliptica
Hoya endauensis	Hoya engleriana	Hoya epedunculata
Hoya erythrina	Hoya erythrostemma	Hoya excavata
Hoya fetuana	Hoya finlaysonii	Hoya flagellata
Hoya flavescens	Hoya flavida	Hoya forbesii
Hoya fraterna	Hoya fungii	Hoya fusca
Hoya fuscomarginata	Hoya gigantanganensis	Hoya gigas
Hoya gildingii	Hoya glabra	Hoya globulifera
Hoya globulosa	Hoya golamcoana	Hoya gonoloboides
Hoya gracilis	Hoya graveolens	Hoya greenii
Hoya griffithii	Hoya guppyi	Hoya halconensis
Hoya halophila	Hoya hellwigiana	Hoya heuschkeliana
Hoya hollrungii	Hoya hypolasia	Hoya imbricata
Hoya imperialis	Hoya inconspicua	Hoya incrassata
Hoya incurvula	Hoya ischnopus	Hoya javanica
Hoya juanguoiana	Hoya kanyakumariana	Hoya kastbergii
Hoya kenejiana	Hoya kentiana	Hoya kerrii

Hoya keysii	Hoya kloppenburgii	Hoya kuhlii
Hoya lacunosa	Hoya lambii	Hoya lamingtoniae
Hoya lanceolata	Hoya lasiantha	Hoya latifolia
Hoya lauterbachii	Hoya leucorhoda	Hoya leytensis

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

---

Hoya limoniaca	Hoya linearis	Hoya litoralis
Hoya lobanii	Hoya loheri	Hoya longifolia
Hoya loyceandrewsiana	Hoya luzonica	Hoya macgillivrayi
Hoya macrophylla	Hoya madulidii	Hoya magnifica
Hoya marginata	Hoya mcgregorii	Hoya megalaster
Hoya meliflua	Hoya membranifolia	Hoya memoria
Hoya meredithii	Hoya merrillii	Hoya micrantha
Hoya microphylla	Hoya minahassae	Hoya mindorensis
Hoya mitrata	Hoya monetteae	Hoya montana
Hoya multiflora	Hoya myrmecopa	Hoya nabawanensis
Hoya naumannii	Hoya neo-caledonica	Hoya neo-ebudica
Hoya nicholsoniae	Hoya nummularioides	Hoya nyhuusiae
Hoya obovata	Hoya obscura	Hoya obtusifolia
Hoya odetteae	Hoya odorata	Hoya oligotricha
Hoya onychoides	Hoya oreogena	Hoya pachyclada
Hoya padangensis	Hoya palawanica	Hoya pallida
Hoya pallilimba	Hoya panchoi	Hoya papillantha
Hoya parasitica	Hoya parviflora	Hoya parvifolia
Hoya patella	Hoya pauciflora	Hoya paxtonii
Hoya paziae	Hoya pentaphlebia	Hoya picta
Hoya piestolepis	Hoya pimenteliana	Hoya plicata
Hoya polyneura	Hoya polystachya	Hoya pottsii
Hoya praetorii	Hoya pseudolittoralis	Hoya pubera
Hoya pubescens	Hoya pubicalyx	Hoya pubifera
Hoya pulchella	Hoya purpurea	Hoya purpureofusca
Hoya pusilla	Hoya recurvula	Hoya reticulata
Hoya retusa	Hoya revolubilis	Hoya revoluta
Hoya ridleyi	Hoya rigida	Hoya rubida
Hoya rumphii	Hoya rupicola	Hoya ruscifolia
Hoya salweenica	Hoya samoensis	Hoya sana

Hoya sariae	Hoya scortechinii	Hoya serpens
Hoya shepherdii	Hoya siamica	Hoya sigillatis
Hoya sipitangensis	Hoya solaniflora	Hoya spartioides
Hoya subcalva	Hoya subglabra	Hoya subquintuplinervis
Hoya sussuela	Hoya telosmoides	Hoya thailandica
Hoya thomsonii	Hoya tjadasmalangensis	Hoya tomataensis
Hoya trigonolobos	Hoya tsangii	Hoya uncinata
Hoya venusta	Hoya verticillata	Hoya villosa
Hoya vitellina	Hoya vitellinoides	Hoya vitiensis
Hoya wallichii	Hoya walliniana	Hoya wayetii
Hoya waymaniae	Hoya wightii	Huernia aspera
Huernia barbata	Huernia bayeri	Huernia boleana
Huernia brevirostris	Huernia clavigera	Huernia concinna
Huernia confusa	Huernia echidnopsioides	Huernia erinacea
Huernia guttata	Huernia hislopii	Huernia humilis
Huernia hystrix	Huernia insigniflora	Huernia insigniflora x zebrina
Huernia keniensis	Huernia kennedyana	Huernia kirkii
Huernia leachii	Huernia levyi	Huernia loeseneriana
Huernia longituba	Huernia macrocarpa	Huernia namaquensis
Huernia oculata	Huernia pendula	Huernia penzigii
Huernia piersii	Huernia pillansii	Huernia plowesii
Huernia praestans	Huernia primulina	Huernia procumbens
Huernia quinta	Huernia recondita	Huernia reticulata
Huernia rosea	Huernia schneideriana	Huernia somalica
Huernia stapelioides	Huernia thudichumii	Huernia thuretii
Huernia transvaalensis	Huernia urceolata	Huernia verekeri
Huernia vogtsii	Huernia volkartii	Huernia whitesloaneana
Huernia zebrina	Huerniopsis atrosanguinea	Huerniopsis decipiens
Hugonia orientalis	Hugonia tomentosa	Hulsea algida
Hulsea nana	Hulsea vestita	Humata griffithiana

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Humata heterophylla</i>	<i>Humata ophioglossa</i>	<i>Humata tyermannii</i>
<i>Humulus japonicus</i>	<i>Humulus lupulus</i>	<i>Hunnemannia fumariifolia</i>
<i>Huntleya</i> spp.	<i>Huodendron biaristatum</i>	<i>Huperzia australiana</i>
<i>Huperzia brassii</i>	<i>Huperzia carinata</i>	<i>Huperzia dalhousieana</i>
<i>Huperzia filiformis</i>	<i>Huperzia foliosa</i>	<i>Huperzia lockyeri</i>
<i>Huperzia marsupiiiformis</i>	<i>Huperzia nummulariifolia</i>	<i>Huperzia phlegmaria</i>
<i>Huperzia phlegmarioides</i>	<i>Huperzia polytrichoides</i>	<i>Huperzia prolifera</i>
<i>Huperzia salvinoides</i>	<i>Huperzia squarrosa</i>	<i>Huperzia subtrifoliata</i>
<i>Huperzia tetragona</i>	<i>Huperzia tetrasticha</i>	<i>Huperzia varia</i>
<i>Hutchinsia alpina</i>	<i>Huttonaea pulchra</i>	<i>Hyacinthella azurea</i>
<i>Hyacinthella campanulata</i>	<i>Hyacinthella dalmatica</i>	<i>Hyacinthella glabrescens</i>
<i>Hyacinthella heldreichii</i>	<i>Hyacinthella hispida</i>	<i>Hyacinthella lineata</i>
<i>Hyacinthella litwinowii</i>	<i>Hyacinthella nervosa</i>	<i>Hyacinthella pallasiana</i>
<i>Hyacinthella pallens</i>	<i>Hyacinthella siirtensis</i>	<i>Hyacinthella transcaspica</i>
<i>Hyacinthella venusta</i>	<i>Hyacinthoides hispanica</i>	<i>Hyacinthoides italica</i>
<i>Hyacinthoides lingulata</i>	<i>Hyacinthoides x massartiana</i>	<i>Hyacinthoides non-scripta</i>
<i>Hyacinthus azureus</i>	<i>Hyacinthus ciliatus</i>	<i>Hyacinthus flexuosus</i>
<i>Hyacinthus hispidus</i>	<i>Hyacinthus orientalis</i>	<i>Hyalosperma semisterile</i>
<i>Hybanthus bicolor</i>	<i>Hybanthus stellarioides</i>	<i>Hybanthus vernonii</i>
<i>Hydnophytum formicarum</i>	<i>Hydnophytum moseleyanum</i>	<i>Hydnophytum papuanum</i>
<i>Hydrangea amagiana</i>	<i>Hydrangea anomala</i>	<i>Hydrangea arborescens</i>
<i>Hydrangea aspera</i>	<i>Hydrangea heteromalla</i>	<i>Hydrangea hirta</i>
<i>Hydrangea indochinensis</i>	<i>Hydrangea involucrata</i>	<i>Hydrangea lobbii</i>
<i>Hydrangea macrophylla</i>	<i>Hydrangea paniculata</i>	<i>Hydrangea preslii</i>
<i>Hydrangea quercifolia</i>	<i>Hydrangea scandens</i>	<i>Hydrangea seemannii</i>
<i>Hydrangea serratifolia</i>	<i>Hydrangea umbellata</i>	<i>Hydrastis canadensis</i>
<i>Hydriastele affinis</i>	<i>Hydriastele aprica</i>	<i>Hydriastele beccariana</i>
<i>Hydriastele beguinii</i>	<i>Hydriastele cariosa</i>	<i>Hydriastele carrii</i>
<i>Hydriastele costata</i>	<i>Hydriastele cylindrocarpa</i>	<i>Hydriastele dransfieldii</i>

<i>Hydriastele flabellata</i>	<i>Hydriastele geelvinkiana</i>	<i>Hydriastele gibbsiana</i>
<i>Hydriastele hombronii</i>	<i>Hydriastele kasesa</i>	<i>Hydriastele kjellbergii</i>
<i>Hydriastele ledermanniana</i>	<i>Hydriastele lepidota</i>	<i>Hydriastele longispatha</i>
<i>Hydriastele lurida</i>	<i>Hydriastele macrospadix</i>	<i>Hydriastele manusii</i>
<i>Hydriastele mayrii</i>	<i>Hydriastele micrantha</i>	<i>Hydriastele microcarpa</i>
<i>Hydriastele microspadix</i>	<i>Hydriastele moluccana</i>	<i>Hydriastele montana</i>
<i>Hydriastele nannostachys</i>	<i>Hydriastele oxypetala</i>	<i>Hydriastele palauensis</i>
<i>Hydriastele pinangoides</i>	<i>Hydriastele pleurocarpa</i>	<i>Hydriastele procera</i>
<i>Hydriastele ramsayi</i>	<i>Hydriastele rheophytica</i>	<i>Hydriastele rhopalocarpa</i>
<i>Hydriastele rostrata</i>	<i>Hydriastele sarasinorum</i>	<i>Hydriastele selebica</i>
<i>Hydriastele valida</i>	<i>Hydriastele variabilis</i>	<i>Hydriastele wendlandiana</i>
<i>Hydrocharis dubia</i>	<i>Hydrochloa fluitans</i>	<i>Hydrocotyle bonariensis</i>
<i>Hydrocotyle geraniifolia</i>	<i>Hydrocotyle heteromeria</i>	<i>Hydrocotyle pedicellosa</i>
<i>Hydrocotyle peduncularis</i>	<i>Hydrothrix gardneri</i>	<i>Hydrotriche hottoniiflora</i>
<i>Hygrochilus</i> spp.	<i>Hygrophila corymbosa</i>	<i>Hygrophila costata</i>
<i>Hygrophila difformis</i>	<i>Hygrophila lacustris</i>	<i>Hygrophila polysperma</i>
<i>Hygrophila spinosa</i>	<i>Hylebates chlorochloe</i>	<i>Hylocereus bronxensis</i>
<i>Hylocereus calcaratus</i>	<i>Hylocereus extensus</i>	<i>Hylocereus guatemalensis</i>
<i>Hylocereus lemairei</i>	<i>Hylocereus megalanthus</i>	<i>Hylocereus minutiflorus</i>
<i>Hylocereus ocamponis</i>	<i>Hylocereus polyrhizus</i>	<i>Hylocereus triangularis</i>
<i>Hylocereus trigonus</i>	<i>Hylocereus undatus</i>	<i>Hylocereus undatus</i> x <i>polyrhizus</i>
<i>Hylomecon japonica</i>	<i>Hylotelephium caucicola</i>	<i>Hylotelephium caucicola</i> x <i>spectabile</i>

<i>Hylotelephium erythrostickum</i>	<i>Hylotelephium spectabile</i>	<i>Hymenaea martiana</i>
<i>Hymenaea parvifolia</i>	<i>Hymenaea verrucosa</i>	<i>Hymenanchera alpina</i>
<i>Hymenanchera chathamica</i>	<i>Hymenanchera crassifolia</i>	<i>Hymenanchera dentata</i>
<i>Hymenanchera latifolia</i>	<i>Hymenanchera obovata</i>	<i>Hymenocallis acutifolia</i>
<i>Hymenocallis amancaes</i> x <i>narcissiflora</i>	<i>Hymenocallis arenicola</i>	<i>Hymenocallis astrostephana</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Hymenocallis eucharidifolia	Hymenocallis x festalis	Hymenocallis fragrans
Hymenocallis franklinensis	Hymenocallis glauca	Hymenocallis harrisiana
Hymenocallis howardii	Hymenocallis lehmilleri	Hymenocallis littoralis
Hymenocallis x macrostephana	Hymenocallis maximiliani	Hymenocallis ovata
Hymenocallis pimana	Hymenocallis proterantha	Hymenocallis rotata
Hymenocallis sonorensis	Hymenocallis speciosa	Hymenocallis tubiflora
Hymenocardia ulmoides	Hymenocarpos circinnatus	Hymenocarpos hamosus
Hymenocarpos lotoides	Hymenodictyon floribundum	Hymenodictyon orixense
Hymenodictyon parvifolium	Hymenoglossum cruentum	Hymenogyne glabra
Hymenolepis parviflora	Hymenolobus procumbens	Hymenophyllum australe
Hymenophyllum cupressiforme	Hymenophyllum demissum	Hymenophyllum dilatatum
Hymenophyllum flabellatum	Hymenophyllum javanicum	Hymenophyllum marginatum
Hymenophyllum minimum	Hymenophyllum peltatum	Hymenophyllum pulcherrimum
Hymenophyllum rarum	Hymenophyllum rolandi-principis	Hymenophyllum scabrum
Hymenosporum flavum	Hymenoxys cooperi	Hyophorbe amaricaulis
Hyophorbe indica	Hyophorbe lagenicaulis	Hyophorbe vauhanii
Hyophorbe verschaffeltii	Hyophorbe verschaffeltii x lagenicaulis	Hyoscyamus desertorum
Hyoscyamus niger	Hyoscyamus pallidus	Hyoscyamus physaloides
Hyospathe elegans	Hyospathe macrorhachis	Hypagophytum abyssinicum
Hyparrhenia confinis	Hyparrhenia cymbaria	Hyparrhenia hirta
Hyparrhenia nyassae	Hyparrhenia papillipes	Hyparrhenia pilgeriana
Hyparrhenia subplumosa	Hypericum acmosepalum	Hypericum addingtonii
Hypericum athoum	Hypericum balearicum	Hypericum barbatum
Hypericum beanii	Hypericum bellum	Hypericum buckleyi

<i>Hypericum calycinum</i>	<i>Hypericum cerastoides</i>	<i>Hypericum coris</i>
<i>Hypericum elegans</i>	<i>Hypericum ellipticum</i>	<i>Hypericum empetrifolium</i>
<i>Hypericum forrestii</i>	<i>Hypericum fragile</i>	<i>Hypericum glandulosum</i>
<i>Hypericum grandiflorum</i>	<i>Hypericum hookerianum</i> x <i>leschenaultii</i>	<i>Hypericum hyssopifolium</i>
<i>Hypericum kalmianum</i>	<i>Hypericum kiusianum</i>	<i>Hypericum leschenaultii</i>
<i>Hypericum montanum</i>	<i>Hypericum</i> x <i>moserianum</i>	<i>Hypericum oblongifolium</i>
<i>Hypericum patulum</i>	<i>Hypericum prostratum</i>	<i>Hypericum pseudohenryi</i>
<i>Hypericum pseudopetiolum</i>	<i>Hypericum reflexum</i>	<i>Hypericum repens</i>
<i>Hypericum revolutum</i>	<i>Hypericum roeperianum</i>	<i>Hypericum stellatum</i>
<i>Hypericum tomentosum</i>	<i>Hypericum uralum</i>	<i>Hypericum vesiculosum</i>
<i>Hypericum yakusimense</i>	<i>Hypertelis bowkeriana</i>	<i>Hyphaene compressa</i>
<i>Hyphaene coriacea</i>	<i>Hyphaene dichotoma</i>	<i>Hyphaene guineensis</i>
<i>Hyphaene macrosperma</i>	<i>Hyphaene natalensis</i>	<i>Hyphaene petersiana</i>
<i>Hyphaene reptans</i>	<i>Hyphaene thebaica</i>	<i>Hyphaene ventricosa</i>
<i>Hypnodendron comatulum</i>	<i>Hypnodendron comosum</i>	<i>Hypnodendron vitiense</i>
<i>Hypnum cupressiforme</i>	<i>Hypocalyptus sophoroides</i>	<i>Hypochaeris glabra</i>
<i>Hypochaeris radicata</i>	<i>Hypocyrtia glabra</i>	<i>Hypodematium crenatum</i>
<i>Hypoestes antennifera</i>	<i>Hypoestes aristata</i>	<i>Hypoestes flavescens</i>
<i>Hypoestes phyllostachya</i>	<i>Hypoestes sanguinolenta</i>	<i>Hypoestes taeniata</i>
<i>Hypoestes verticillatis</i>	<i>Hypolepis amaurorachis</i>	<i>Hypolepis ambigua</i>
<i>Hypolepis dicksonioides</i>	<i>Hypolepis distans</i>	<i>Hypolepis elegans</i>
<i>Hypolepis glandulifera</i>	<i>Hypolepis lactea</i>	<i>Hypolepis millefolium</i>
<i>Hypolepis muelleri</i>	<i>Hypolepis rufobarbata</i>	<i>Hypolepis rugosula</i>
<i>Hypolepis tenuifolia</i>	<i>Hypolytrum latifolium</i>	<i>Hypoxidia maheensis</i>
<i>Hypoxidia rhizophylla</i>	<i>Hypoxis alba</i>	<i>Hypoxis angustifolia</i>
<i>Hypoxis aquatica</i>	<i>Hypoxis argentea</i>	<i>Hypoxis arillacea</i>
<i>Hypoxis capensis</i>	<i>Hypoxis erecta</i>	<i>Hypoxis flaccida</i>
<i>Hypoxis floccosa</i>	<i>Hypoxis goetzei</i>	<i>Hypoxis hemerocallidea</i>
<i>Hypoxis hygrometrica</i>	<i>Hypoxis iridifolia</i>	<i>Hypoxis leptantha</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Hypoxis linearis</i>	<i>Hypoxis longifolia</i>	<i>Hypoxis minuta</i>
<i>Hypoxis monophylla</i>	<i>Hypoxis multiceps</i>	<i>Hypoxis neocaniculata</i>
<i>Hypoxis nitida</i>	<i>Hypoxis pratensis</i>	<i>Hypoxis rigidula</i>
<i>Hypoxis serrata</i>	<i>Hypoxis setosa</i>	<i>Hypoxis stellata</i>
<i>Hypoxis trifurcillata</i>	<i>Hypoxis villosa</i>	<i>Hypsela reniformis</i>
<i>Hypserpa laurina</i>	<i>Hypsophila dielsiana</i>	<i>Hyptis capitata</i>
<i>Hyptis emoryi</i>	<i>Hyptis suaveolens</i>	<i>Hyssopus officinalis</i>
<i>Hyssopus seravschanicus</i>	<i>Iberis affinis</i>	<i>Iberis amara</i>
<i>Iberis aurosica</i>	<i>Iberis bernardiana</i>	<i>Iberis ciliata</i>
<i>Iberis corifolia</i>	<i>Iberis jordanii</i>	<i>Iberis jucunda</i>
<i>Iberis lagascana</i>	<i>Iberis linifolia</i>	<i>Iberis procumbens</i>
<i>Iberis saxatilis</i>	<i>Iberis sempervirens</i>	<i>Iberis soyeri</i>
<i>Iberis spathulata</i>	<i>Iberis tenoreana</i>	<i>Iberis umbellata</i>
<i>Ibervillea sonorae</i>	<i>Ibervillea tenuisecta</i>	<i>Ida barringtoniae</i>
<i>Ida ciliata</i>	<i>Ida locusta</i>	<i>Idesia polycarpa</i>
<i>Idiogenes cloeziana</i>	<i>Idiospermum australiense</i>	<i>Iguanura ambigua</i>
<i>Iguanura bicornis</i>	<i>Iguanura borneensis</i>	<i>Iguanura chaiana</i>
<i>Iguanura corniculata</i>	<i>Iguanura curvata</i>	<i>Iguanura divergens</i>
<i>Iguanura elegans</i>	<i>Iguanura geonomiformis</i>	<i>Iguanura macrostachya</i>
<i>Iguanura melinauensis</i>	<i>Iguanura minor</i>	<i>Iguanura myochodoides</i>
<i>Iguanura palmuncula</i>	<i>Iguanura polymorpha</i>	<i>Iguanura prolifera</i>
<i>Iguanura remotiflora</i>	<i>Iguanura sanderiana</i>	<i>Iguanura wallichiana</i>
<i>Ihlenfeldtia excavata</i>	<i>Ihlenfeldtia vanzylii</i>	<i>Ilex aculeolata</i>
<i>Ilex x altaclerensis</i>	<i>Ilex asprella</i>	<i>Ilex buergeri</i>
<i>Ilex canariensis</i>	<i>Ilex collina</i>	<i>Ilex corallina</i>
<i>Ilex cornuta</i>	<i>Ilex crenata</i>	<i>Ilex cyrtura</i>
<i>Ilex decidua</i>	<i>Ilex dipyrena</i>	<i>Ilex dumosa</i>
<i>Ilex editicostata</i>	<i>Ilex elmerilliana</i>	<i>Ilex ficoidea</i>
<i>Ilex forrestii</i>	<i>Ilex insignis</i>	<i>Ilex integerrima</i>
<i>Ilex kingiana</i>	<i>Ilex x koehneana</i>	<i>Ilex kwangtungensis</i>

<i>Ilex latifolia</i>	<i>Ilex lohfauiensis</i>	<i>Ilex longicaudata</i>
<i>Ilex macrocarpa</i>	<i>Ilex macropoda</i>	<i>Ilex maximowicziana</i>
<i>Ilex x meserveae</i>	<i>Ilex micrococca</i>	<i>Ilex mitis</i>
<i>Ilex myrtifolia</i>	<i>Ilex nothofagacifolia</i>	<i>Ilex opaca</i>
<i>Ilex paraguariensis</i>	<i>Ilex pedunculosa</i>	<i>Ilex perado</i>
<i>Ilex pernyi</i>	<i>Ilex poneantha</i>	<i>Ilex pubescens</i>
<i>Ilex purpurea</i>	<i>Ilex spinigera</i>	<i>Ilex suaveolens</i>
<i>Ilex sugerokii</i>	<i>Ilex verticillata</i>	<i>Ilex vomitoria</i>
<i>Ilex wilsonii</i>	<i>Iliamna bakeri</i>	<i>Iliamna rivularis</i>
<i>Illecebrum verticillatum</i>	<i>Illicium anisatum</i>	<i>Illicium floridanum</i>
<i>Illicium henryi</i>	<i>Illicium lanceolatum</i>	<i>Illicium majus</i>
<i>Illicium mexicanum</i>	<i>Illicium parviflorum</i>	<i>Illicium verum</i>
<i>Illigera grandiflora</i>	<i>Impatiens aurea</i>	<i>Impatiens auricomma</i>
<i>Impatiens balsamina</i>	<i>Impatiens congolensis</i>	<i>Impatiens cuspidata</i>
<i>Impatiens edgeworthii</i>	<i>Impatiens flaccida</i>	<i>Impatiens grandis</i>
<i>Impatiens hawkeri</i>	<i>Impatiens latifolia</i>	<i>Impatiens mirabilis</i>
<i>Impatiens namchabarwensis</i>	<i>Impatiens nana</i>	<i>Impatiens niamniamensis</i>
<i>Impatiens repens</i>	<i>Impatiens stuhlmannii</i>	<i>Impatiens taprobanica</i>
<i>Impatiens tuberosa</i>	<i>Impatiens walleriana</i>	<i>Impatiens walleriana x auricomma</i>
<i>Incarvillea arguta</i>	<i>Incarvillea compacta</i>	<i>Incarvillea delavayi</i>
<i>Incarvillea diffusa</i>	<i>Incarvillea forrestii</i>	<i>Incarvillea lutea</i>
<i>Incarvillea mairei</i>	<i>Incarvillea olgae</i>	<i>Incarvillea sinensis</i>
<i>Incarvillea younghusbandi</i>	<i>Incarvillea zhongdianensis</i>	<i>Indigastrium costatum</i>
<i>Indigastrium parviflorum</i>	<i>Indigofera adesmiifolia</i>	<i>Indigofera alternans</i>
<i>Indigofera amblyantha</i>	<i>Indigofera ammoxylum</i>	<i>Indigofera aspera</i>
<i>Indigofera asperifolia</i>	<i>Indigofera balfouriana</i>	<i>Indigofera basedowii</i>
<i>Indigofera carlesii</i>	<i>Indigofera cassioides</i>	<i>Indigofera charlierana</i>
<i>Indigofera cryptantha</i>	<i>Indigofera cytisoides</i>	<i>Indigofera daleoides</i>
<i>Indigofera decora</i>	<i>Indigofera dendroides</i>	<i>Indigofera diphylla</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Indigofera dosua</i>	<i>Indigofera dyeri</i>	<i>Indigofera filifolia</i>
<i>Indigofera flavicans</i>	<i>Indigofera frutescens</i>	<i>Indigofera galegoides</i>
<i>Indigofera glandulosa</i>	<i>Indigofera gracilis</i>	<i>Indigofera heterantha</i>
<i>Indigofera lespedezioides</i>	<i>Indigofera lupatana</i>	<i>Indigofera miniata</i>
<i>Indigofera nigritana</i>	<i>Indigofera nummulariifolia</i>	<i>Indigofera oblongifolia</i>
<i>Indigofera paniculata</i>	<i>Indigofera parodiana</i>	<i>Indigofera pendula</i>
<i>Indigofera potaninii</i>	<i>Indigofera pulchra</i>	<i>Indigofera rautanenii</i>
<i>Indigofera secundiflora</i>	<i>Indigofera sessiliflora</i>	<i>Indigofera sessilifolia</i>
<i>Indigofera splendens</i>	<i>Indigofera strobilifera</i>	<i>Indigofera tinctoria</i>
<i>Indigofera volkensii</i>	<i>Indigofera wightii</i>	<i>Indigofera zanzibarica</i>
<i>Indigofera zeyheri</i>	<i>Indigofera zollingeriana</i>	<i>Indocalamus emeiensis</i>
<i>Indocalamus tessellatus</i>	<i>Inga alba</i>	<i>Inga cinnamomea</i>
<i>Inga edulis</i>	<i>Inga feuillei</i>	<i>Inga feuillei</i>
<i>Inga laurina</i>	<i>Inga macrophylla</i>	<i>Inga portobellensis</i>
<i>Inga sessilis</i>	<i>Inga vera</i>	<i>Inocarpus fagifer</i>
<i>Inula candida</i>	<i>Inula ensifolia</i>	<i>Inula grandis</i>
<i>Inula helenium</i>	<i>Inula hookeri</i>	<i>Inula macrocephala</i>
<i>Inula magnifica</i>	<i>Inula montana</i>	<i>Inula orientalis</i>
<i>Inula racemosa</i>	<i>Inula rhizocephala</i>	<i>Inula royleana</i>
<i>Inula spiraeifolia</i>	<i>Iochroma calycinum</i>	<i>Iochroma coccinea</i>
<i>Iochroma cyanea</i>	<i>Iochroma cyaneum</i>	<i>Iochroma fuchsoides</i>
<i>Iochroma gesnerioides</i>	<i>Iochroma warszewiczii</i>	<i>Ionactis linariifolia</i>
<i>Ionopsis paniculata</i>	<i>Ionopsis utricularioides</i>	<i>Ipheion peregrinans</i>
<i>Ipheion sellowianum</i>	<i>Ipheion sessile</i>	<i>Ipheion uniflorum</i>
<i>Ipomoea acanthocarpa</i>	<i>Ipomoea aculeata</i>	<i>Ipomoea alba</i>
<i>Ipomoea batatas</i>	<i>Ipomoea bolusiana</i>	<i>Ipomoea bonariensis</i>
<i>Ipomoea cairica</i>	<i>Ipomoea capillacea</i>	<i>Ipomoea carnea</i>
<i>Ipomoea coccinea</i> x <i>quamoclit</i>	<i>Ipomoea dichroa</i>	<i>Ipomoea donaldsoni</i>
<i>Ipomoea</i> x <i>hardingii</i>	<i>Ipomoea hederifolia</i>	<i>Ipomoea holubii</i>

<i>Ipomoea horsfalliae</i>	<i>Ipomoea indica</i>	<i>Ipomoea jalapa</i>
<i>Ipomoea lobata</i>	<i>Ipomoea x multifida</i>	<i>Ipomoea murucoides</i>
<i>Ipomoea pauciflora</i>	<i>Ipomoea pes-tigridis</i>	<i>Ipomoea platensis</i>
<i>Ipomoea polpha</i>	<i>Ipomoea purpurea</i>	<i>Ipomoea quamoclit</i>
<i>Ipomoea triloba</i>	<i>Ipomoea velutina</i>	<i>Ipomopsis aggregata</i>
<i>Ipomopsis macrosiphon</i>	<i>Ipomopsis rubra</i>	<i>Iresine acuminata</i>
<i>Iresine diffusa</i>	<i>Iresine herbstii</i>	<i>Iriartea deltoidea</i>
<i>Iriartella setigera</i>	<i>Iriartella stenocarpa</i>	<i>Iridodictyum winogradowii</i>
<i>Iris acutiloba</i>	<i>Iris afghanica</i>	<i>Iris aitchisonii</i>
<i>Iris albertii</i>	<i>Iris albomarginata</i>	<i>Iris alexeenkoi</i>
<i>Iris anguifuga</i>	<i>Iris antilibanotica</i>	<i>Iris aphylla</i>
<i>Iris assadiana</i>	<i>Iris atrofusca</i>	<i>Iris atropurpurea</i>
<i>Iris attica</i>	<i>Iris aucheri</i>	<i>Iris aurantica</i>
<i>Iris babadagica</i>	<i>Iris bakeriana</i>	<i>Iris baldschuanica</i>
<i>Iris barbatula</i>	<i>Iris barnumae</i>	<i>Iris barnumiae</i>
<i>Iris basaltica</i>	<i>Iris belouini</i>	<i>Iris bicapitata</i>
<i>Iris biflora</i>	<i>Iris biggeri</i>	<i>Iris biliotti</i>
<i>Iris bismarckiana</i>	<i>Iris bloudowii</i>	<i>Iris boissieri</i>
<i>Iris bosniaca</i>	<i>Iris bostrensis</i>	<i>Iris bracteata</i>
<i>Iris brandzae</i>	<i>Iris brevicaulis</i>	<i>Iris brevituba</i>
<i>Iris bucharica</i>	<i>Iris bulleyana</i>	<i>Iris bungei</i>
<i>Iris cabulica</i>	<i>Iris camillae</i>	<i>Iris campanulata</i>
<i>Iris carterorum</i>	<i>Iris caucasica</i>	<i>Iris cedretii</i>
<i>Iris chrysantha</i>	<i>Iris chrysographes</i>	<i>Iris chrysophylla</i>
<i>Iris clarkei</i>	<i>Iris coelestina</i>	<i>Iris collettii</i>
<i>Iris confusa</i>	<i>Iris cristata</i>	<i>Iris croatica</i>
<i>Iris crocea</i>	<i>Iris cuniculiformis</i>	<i>Iris curvifolia</i>
<i>Iris cycloglossa</i>	<i>Iris damascena</i>	<i>Iris darwasica</i>
<i>Iris decora</i>	<i>Iris delavayi</i>	<i>Iris dichotoma</i>
<i>Iris doabensis</i>	<i>Iris dolichosiphon</i>	<i>Iris domestica</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

---

<i>Iris drepanophylla</i>	<i>Iris dubia</i>	<i>Iris dykesii</i>
<i>Iris edomensis</i>	<i>Iris elegantissima</i>	<i>Iris eleonora</i>
<i>Iris elisabethae</i>	<i>Iris ensata</i>	<i>Iris falcata</i>
<i>Iris falcifolia</i>	<i>Iris fernaldii</i>	<i>Iris fieberi</i>
<i>Iris filifolia</i>	<i>Iris foetidissima</i>	<i>Iris formaldii</i>
<i>Iris formosana</i>	<i>Iris forrestii</i>	<i>Iris fosteriana</i>
<i>Iris fragrans</i>	<i>Iris fulva</i>	<i>Iris galatica</i>
<i>Iris gatesii</i>	<i>Iris giganteaerulea</i>	<i>Iris goniocarpa</i>
<i>Iris gracilipes</i>	<i>Iris graeberiana</i>	<i>Iris graminea</i>
<i>Iris grant-duffii</i>	<i>Iris griffithii</i>	<i>Iris grossheimii</i>
<i>Iris hartwegii</i>	<i>Iris haynei</i>	<i>Iris helena</i>
<i>Iris hermona</i>	<i>Iris heweri</i>	<i>Iris hexagona</i>
<i>Iris heylandiana</i>	<i>Iris hippolyti</i>	<i>Iris histrio</i>
<i>Iris histrioides</i>	<i>Iris hoogiana</i>	<i>Iris hookeri</i>
<i>Iris hookeriana</i>	<i>Iris x hybrid</i>	<i>Iris hymenospata</i>
<i>Iris iberica</i>	<i>Iris illyrica</i>	<i>Iris imbricata</i>
<i>Iris inconspicua</i>	<i>Iris innominata</i>	<i>Iris japonica</i>
<i>Iris jordana</i>	<i>Iris juncea</i>	<i>Iris kashmiriana</i>
<i>Iris kemaonensis</i>	<i>Iris keredjensis</i>	<i>Iris kerneriana</i>
<i>Iris kirkwoodiae</i>	<i>Iris kirkwoodii</i>	<i>Iris kolpakowskiana</i>
<i>Iris kopetdagensis</i>	<i>Iris koreana</i>	<i>Iris korolkowii</i>
<i>Iris kuschakewiczii</i>	<i>Iris kuschensis</i>	<i>Iris lactea</i>
<i>Iris lacustris</i>	<i>Iris laevigata</i>	<i>Iris lazica</i>
<i>Iris leptophylla</i>	<i>Iris leptorhiza</i>	<i>Iris lineata</i>
<i>Iris linifolia</i>	<i>Iris loczyi</i>	<i>Iris longiscapa</i>
<i>Iris longituba</i>	<i>Iris lortetii</i>	<i>Iris lusitanica</i>
<i>Iris maackii</i>	<i>Iris macrosiphon</i>	<i>Iris maculata</i>
<i>Iris magnifica</i>	<i>Iris mandschurica</i>	<i>Iris maracandica</i>
<i>Iris mariae</i>	<i>Iris marsica</i>	<i>Iris masia</i>
<i>Iris meda</i>	<i>Iris mesopotamica</i>	<i>Iris microglossa</i>

<i>Iris milesii</i>	<i>Iris minutoaurea</i>	<i>Iris monadelpha</i>
<i>Iris monnieri</i>	<i>Iris munzii</i>	<i>Iris narbuti</i>
<i>Iris narbutii</i>	<i>Iris narcissiflora</i>	<i>Iris narynensis</i>
<i>Iris nectarifera</i>	<i>Iris nelsonii</i>	<i>Iris nicolai</i>
<i>Iris nigricans</i>	<i>Iris nusairiensis</i>	<i>Iris odaesanensis</i>
<i>Iris odontostyla</i>	<i>Iris odorata</i>	<i>Iris orchioides</i>
<i>Iris orientalis</i>	<i>Iris palaestina</i>	<i>Iris pallida</i>
<i>Iris pamphylica</i>	<i>Iris paniculata</i>	<i>Iris paradoxa</i>
<i>Iris parvula</i>	<i>Iris patens</i>	<i>Iris perrieri</i>
<i>Iris persica</i>	<i>Iris petrana</i>	<i>Iris platyptera</i>
<i>Iris plicata</i>	<i>Iris polakii</i>	<i>Iris pontica</i>
<i>Iris popovii</i>	<i>Iris porphyrochrysa</i>	<i>Iris postii</i>
<i>Iris potaninii</i>	<i>Iris prismatica</i>	<i>Iris proantha</i>
<i>Iris pruitii</i>	<i>Iris pseudacorus</i>	<i>Iris pseudocaucasica</i>
<i>Iris pseudopumila</i>	<i>Iris purdyi</i>	<i>Iris purpureobractea</i>
<i>Iris reginae</i>	<i>Iris regis-uzziae</i>	<i>Iris reichenbachii</i>
<i>Iris reticulata</i>	<i>Iris revoluta</i>	<i>Iris rosenbachiana</i>
<i>Iris rossii</i>	<i>Iris rouxii</i>	<i>Iris ruthenica</i>
<i>Iris samariae</i>	<i>Iris sanguinea</i>	<i>Iris sari</i>
<i>Iris scariosa</i>	<i>Iris schachtii</i>	<i>Iris schelkownikowii</i>
<i>Iris schischkinii</i>	<i>Iris serotina</i>	<i>Iris setosa</i>
<i>Iris sibirica</i>	<i>Iris sikkimensis</i>	<i>Iris sintenisii</i>
<i>Iris songarica</i>	<i>Iris speculatrix</i>	<i>Iris sprengeri</i>
<i>Iris spuria</i>	<i>Iris staintonii</i>	<i>Iris stenophylla</i>
<i>Iris stocksii</i>	<i>Iris stolonifera</i>	<i>Iris stricta</i>
<i>Iris suaveolens</i>	<i>Iris subbiflora</i>	<i>Iris subdecolorata</i>
<i>Iris susiana</i>	<i>Iris svetlanae</i>	<i>Iris swensoniana</i>
<i>Iris tadshikorum</i>	<i>Iris talischi</i>	<i>Iris taochia</i>
<i>Iris tectorum</i>	<i>Iris tenax</i>	<i>Iris tenuifolia</i>
<i>Iris tenuis</i>	<i>Iris tenuissima</i>	<i>Iris thompsonii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Iris thoroldii</i>	<i>Iris tianschanica</i>	<i>Iris tigridia</i>
<i>Iris timofejewii</i>	<i>Iris tingitana</i>	<i>Iris tridentata</i>
<i>Iris trifolia</i>	<i>Iris trojana</i>	<i>Iris tubergeniana</i>
<i>Iris typhifolia</i>	<i>Iris unguicularis</i>	<i>Iris uniflora</i>
<i>Iris vartanii</i>	<i>Iris ventricosa</i>	<i>Iris venusta</i>
<i>Iris versicolor</i>	<i>Iris vicaria</i>	<i>Iris vinicolor</i>
<i>Iris virginica</i>	<i>Iris viridiflora</i>	<i>Iris vvedenskyi</i>
<i>Iris warleyensis</i>	<i>Iris wattii</i>	<i>Iris wendelboi</i>
<i>Iris westii</i>	<i>Iris willmottiana</i>	<i>Iris wilsonii</i>
<i>Iris winkleri</i>	<i>Iris winogradowii</i>	<i>Iris xanthochlora</i>
<i>Iris xanthospuria</i>	<i>Iris xiphium</i>	<i>Iris yebrudii</i>
<i>Iris zaprjagajewii</i>	<i>Iris zenaidae</i>	<i>Irvingbaileya australis</i>
<i>Irvingia wombolu</i>	<i>Isabelia</i> spp.	<i>Isachne pulchella</i>
<i>Isatis boissieriana</i>	<i>Isatis praecox</i>	<i>Ischaemum triticeum</i>
<i>Ischnolepis natalensis</i>	<i>Ischnosiphon leucophaeus</i>	<i>Ischnosiphon rotundifolius</i>

<i>Ischyrolepis subverticillata</i>	<i>Iseilema prostratum</i>	<i>Iseilema</i> spp.
<i>Iseilema windersii</i>	<i>Isertia haenkeana</i>	<i>Ismene longipetala</i>
<i>Ismene narcissiflora</i>	<i>Ismene pedunculata</i>	<i>Isoberlinia angolensis</i>
<i>Isochilus linearis</i>	<i>Isodon calycinus</i>	<i>Isodon effusus</i>
<i>Isodon japonicus</i>	<i>Isodon parvifolius</i>	<i>Isodon rosthornii</i>
<i>Isodon trichocarpus</i>	<i>Isoetes elatior</i>	<i>Isoetes gunnii</i>
<i>Isoetes pusilla</i>	<i>Isolepis aucklandica</i>	<i>Isolepis crassiuscula</i>
<i>Isolepis hystrix</i>	<i>Isolepis marginata</i>	<i>Isolepis mucronata</i>
<i>Isolepis nigricans</i>	<i>Isolepis nodosa</i>	<i>Isolepis prolifera</i>
<i>Isolepis subtilissima</i>	<i>Isolona campanulata</i>	<i>Isolona leonensis</i>
<i>Isophysis tasmanica</i>	<i>Isoplexis canariensis</i>	<i>Isoplexis isabelliana</i>
<i>Isoplexis sceptrum</i>	<i>Isopogon anemonifolius</i>	<i>Isopogon anethifolius</i>
<i>Isopogon ceratophyllus</i>	<i>Isopogon dawsonii</i>	<i>Isopogon fletcheri</i>
<i>Isopogon mnoraifolius</i>	<i>Isopogon petiolaris</i>	<i>Isopogon prostratus</i>

Isopogon roseus	Isopogon tripartitus	Isopyrum leveilleum
Isopyrum tuberosum	Isotoma anethifolia	Isotoma axillaris
Isotoma fluviatilis	Isotoma gulliveri	Isotoma senecioides
Isotropis wheeleri	Itaya amicorum	Itea chinensis
Itea ilicifolia	Itea japonica	Itea virginica
Itea yunnanensis	Itoa orientalis	Iva axillaris
Ixanthus viscosus	Ixerba brexioides	Ixia atrandra
Ixia aurea	Ixia bellendenii	Ixia brevitiba
Ixia campanulata	Ixia capillaris	Ixia curta
Ixia curvata	Ixia dubia	Ixia erubescens
Ixia esterhuyseniae	Ixia flexuosa	Ixia gloriosa
Ixia hybrida	Ixia latifolia	Ixia lutea
Ixia maculata	Ixia maculata x polystachya	Ixia metelerkampiae
Ixia monadelpha	Ixia orientalis	Ixia paniculata
Ixia patens	Ixia polystachya	Ixia purpureorosea
Ixia rapunculoides	Ixia rouxii	Ixia scillaris
Ixia stricta	Ixia tenuifolia	Ixia thomasiae
Ixia trifolia	Ixia vanzijliae	Ixia versicolor
Ixia vinacea	Ixia viridiflora	Ixianthes retzioides
Ixiolaena brevicompta	Ixiolaena chloroleuca	Ixiolaena leptolepis
Ixiolaena pluriseta	Ixiolaena supina	Ixiolaena tomentosa
Ixiolirion tataricum	Ixodia achillaeoides	Ixodia flindersica
Ixora barbata	Ixora beckleri	Ixora biflora
Ixora casei	Ixora chinensis	Ixora coccinea
Ixora congesta	Ixora fulgens	Ixora hookeri
Ixora javanica	Ixora klanderiana	Ixora lanceolata
Ixora macrothyrsa	Ixora malabarica	Ixora nematopoda
Ixora nigricans	Ixora notoniana	Ixora opaca
Ixora pentamera	Ixora queenslandica	Ixora rosea
Ixora stenophylla	Ixora subauriculata	Ixora tomentosa

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Ixora williamsii</i>	<i>Jaborosa sativa</i>	<i>Jacaranda acutifolia</i>
<i>Jacaranda atrolilacina</i>	<i>Jacaranda caerulea</i>	<i>Jacaranda caroba</i>
<i>Jacaranda caucana</i>	<i>Jacaranda chelonia</i>	<i>Jacaranda copaia</i>
<i>Jacaranda cuspidifolia</i>	<i>Jacaranda decurrens</i>	<i>Jacaranda micrantha</i>
<i>Jacaranda mimosifolia</i>	<i>Jacaranda obtusifolia</i>	<i>Jacaranda puberula</i>
<i>Jacaratia corumbensis</i>	<i>Jacaratia mexicana</i>	<i>Jacaratia spinosa</i>
<i>Jacksonia dilatata</i>	<i>Jacksonia pungens</i>	<i>Jacksonia scoparia</i>
<i>Jacksonia stackhousii</i>	<i>Jacobaea aquatica</i>	<i>Jacobinia sericea</i>
<i>Jacobsenia vaginata</i>	<i>Jacquemontia ovalifolia</i>	<i>Jacquinia armillaris</i>
<i>Jacquinia aurantiaca</i>	<i>Jacquiniella teretifolia</i>	<i>Jagera discolor</i>
<i>Jagera javanica</i>	<i>Jagera madida</i>	<i>Jagera pseudorhus</i>
<i>Jambosa longifolia</i>	<i>Jamesbrittenia grandiflora</i>	<i>Jamesia americana</i>
<i>Jancaea heldreichii</i>	<i>Jankaea heldreichii</i>	<i>Jansonia formosa</i>
<i>Jarava ichu</i>	<i>Jarilla heterophylla</i>	<i>Jasione heldreichii</i>
<i>Jasione humilis</i>	<i>Jasione laevis</i>	<i>Jasione lusitanica</i>
<i>Jasione perennis</i>	<i>Jasminocereus thouarsii</i>	<i>Jasminum arborescens</i>
<i>Jasminum azoricum</i>	<i>Jasminum beesianum</i>	<i>Jasminum calcareum</i>
<i>Jasminum cuspidatum</i>	<i>Jasminum dallachii</i>	<i>Jasminum dispernum</i>
<i>Jasminum elongatum</i>	<i>Jasminum floridum</i>	<i>Jasminum lanceolarium</i>
<i>Jasminum laurifolium</i>	<i>Jasminum le-ratti</i>	<i>Jasminum mesnyi</i>
<i>Jasminum multipartitum</i>	<i>Jasminum nudiflorum</i>	<i>Jasminum odoratissimum</i>
<i>Jasminum officinale</i>	<i>Jasminum parkeri</i>	<i>Jasminum polyanthum</i>
<i>Jasminum rex</i>	<i>Jasminum rottlerianum</i>	<i>Jasminum sambac</i>
<i>Jasminum simplicifolium</i>	<i>Jasminum stenolobum</i>	<i>Jasminum x stephanense</i>
<i>Jasminum subhumile</i>	<i>Jasminum tortuosum</i>	<i>Jateorhiza palmata</i>
<i>Jatropha cathartica</i>	<i>Jatropha cinerea</i>	<i>Jatropha glauca</i>
<i>Jatropha macrantha</i>	<i>Jatropha multifida</i>	<i>Jatropha pandurifolia</i>
<i>Jatropha podagrica</i>	<i>Jeffersonia diphylla</i>	<i>Jeffersonia dubia</i>
<i>Jensenobotrya lossowiana</i>	<i>Johannesteijsmannia altifrons</i>	<i>Johannesteijsmannia lanceolata</i>

<i>Johannesteijsmannia magnifica</i>	<i>Johannesteijsmannia perakensis</i>	<i>Jordaaniella cuprea</i>
<i>Jordaaniella dubia</i>	<i>Jordaaniella spongiosa</i>	<i>Jovellana punctata</i>
<i>Jovellana sinclairii</i>	<i>Jovellana violacea</i>	<i>Jovibarba allionii</i>
<i>Jovibarba arenaria</i>	<i>Jovibarba hirta</i>	<i>Joycea clelandii</i>
<i>Joycea pallida</i>	<i>Juania australis</i>	<i>Juanulloa aurantiaca</i>
<i>Juanulloa mexicana</i>	<i>Juanulloa parasitica</i>	<i>Jubaea chilensis</i>
<i>Jubaeopsis caffra</i>	<i>Juglans ailantifolia</i>	<i>Juglans australis</i>
<i>Juglans hindsii</i>	<i>Juglans hindsii x nigra</i>	<i>Juglans hindsii x regia</i>
<i>Juglans lavalleyi</i>	<i>Juglans microcarpa</i>	<i>Juglans neotropica</i>
<i>Juglans nigra</i>	<i>Juglans regia</i>	<i>Juglans sigillata</i>
<i>Julbernardia globiflora</i>	<i>Julbernardia paniculata</i>	<i>Jumellea spp.</i>
<i>Juncus acutus</i>	<i>Juncus alpinoarticulatus</i>	<i>Juncus antarcticus</i>
<i>Juncus articulatus</i>	<i>Juncus australis</i>	<i>Juncus bufonius</i>
<i>Juncus capitatus</i>	<i>Juncus effusus</i>	<i>Juncus falcatus</i>
<i>Juncus filiformis</i>	<i>Juncus gerardii</i>	<i>Juncus imbricatus</i>
<i>Juncus ingens</i>	<i>Juncus microcephalus</i>	<i>Juncus oxycarpus</i>
<i>Juncus polyanthemus</i>	<i>Juncus psammophilus</i>	<i>Juncus revolutus</i>
<i>Juncus sandwithii</i>	<i>Juncus usitatus</i>	<i>Junellia ligustrina</i>
<i>Juniperus brevifolia</i>	<i>Juniperus californica</i>	<i>Juniperus cedrus</i>
<i>Juniperus chinensis</i>	<i>Juniperus coahuilensis</i>	<i>Juniperus communis</i>
<i>Juniperus conferta</i>	<i>Juniperus davurica</i>	<i>Juniperus drupacea</i>
<i>Juniperus excelsa</i>	<i>Juniperus formosana</i>	<i>Juniperus horizontalis</i>
<i>Juniperus komarovii</i>	<i>Juniperus lutchuensis</i>	<i>Juniperus pachyphloea</i>
<i>Juniperus x pfitzeriana</i>	<i>Juniperus pingii</i>	<i>Juniperus polycarpus</i>
<i>Juniperus przewalskii</i>	<i>Juniperus pseudosabina</i>	<i>Juniperus recurva</i>
<i>Juniperus rigida</i>	<i>Juniperus sabina</i>	<i>Juniperus scopulorum</i>
<i>Juniperus semiglobosa</i>	<i>Juniperus sheppardii</i>	<i>Juniperus sphaerica</i>
<i>Juniperus squamata</i>	<i>Juniperus taxifolia</i>	<i>Juniperus virginiana</i>
<i>Juniperus wallichiana</i>	<i>Juniperus zeravschanica</i>	<i>Juno warleyensis</i>
<i>Jurinea humilis</i>	<i>Justicia adhatoda</i>	<i>Justicia adhatodoides</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Justicia albomarginata</i>	<i>Justicia aurea</i>	<i>Justicia bonneyana</i>
<i>Justicia brasiliensis</i>	<i>Justicia californica</i>	<i>Justicia carnea</i>
<i>Justicia comosa</i>	<i>Justicia cydoniifolia</i>	<i>Justicia floribunda</i>
<i>Justicia fulvicoma</i>	<i>Justicia furcata</i>	<i>Justicia ghiesbreghtiana</i>
<i>Justicia guttata</i>	<i>Justicia hygrophiloides</i>	<i>Justicia hyssopifolia</i>
<i>Justicia kotschy</i>	<i>Justicia leucantha</i>	<i>Justicia oblongata</i>
<i>Justicia oblongifolia</i>	<i>Justicia x penrhoziensis</i>	<i>Justicia peruviana</i>
<i>Justicia rizzinii</i>	<i>Justicia scheidweileri</i>	<i>Justicia sericea</i>
<i>Justicia subpaniculata</i>	<i>Justicia tweediana</i>	<i>Justicia velutina</i>
<i>Justicia ventricosa</i>	<i>Juttadinteria ausensis</i>	<i>Juttadinteria deserticola</i>
<i>Juttadinteria simpsonii</i>	<i>Juttadinteria suavissima</i>	<i>Kadsura coccinea</i>
<i>Kadsura japonica</i>	<i>Kadua littoralis</i>	<i>Kaempferia angustifolia</i>
<i>Kaempferia atrovirens</i>	<i>Kaempferia candida</i>	<i>Kaempferia elegans</i>
<i>Kaempferia galanga</i>	<i>Kaempferia gilbertii</i>	<i>Kaempferia ovalifolia</i>
<i>Kaempferia pulchra</i>	<i>Kaempferia roscoeana</i>	<i>Kaempferia rotunda</i>
<i>Kaempferia spectabilis</i>	<i>Kaempferia undulata</i>	<i>Kageneckia oblonga</i>
<i>Kailarsenia jardinei</i>	<i>Kailarsenia ochreatea</i>	<i>Kalanchoe ambolensis</i>
<i>Kalanchoe arborescens</i>	<i>Kalanchoe aromatica</i>	<i>Kalanchoe aubrevillei</i>
<i>Kalanchoe beauverdii</i>	<i>Kalanchoe beharensis</i>	<i>Kalanchoe blossfeldiana</i>
<i>Kalanchoe bracteata</i>	<i>Kalanchoe campanulata</i>	<i>Kalanchoe citrina</i>
<i>Kalanchoe delagoensis</i>	<i>Kalanchoe dixoniana</i>	<i>Kalanchoe dyeri</i>
<i>Kalanchoe eriophylla</i>	<i>Kalanchoe figuereidoi</i>	<i>Kalanchoe globulifera</i>
<i>Kalanchoe guillauminii</i>	<i>Kalanchoe hildebrandtii</i>	<i>Kalanchoe x houghtonii</i>
<i>Kalanchoe x hybrids</i>	<i>Kalanchoe jongmansii</i>	<i>Kalanchoe x kewensis</i>
<i>Kalanchoe laciniata</i>	<i>Kalanchoe lateritia</i>	<i>Kalanchoe laxiflora</i>
<i>Kalanchoe lobata</i>	<i>Kalanchoe luciae</i>	<i>Kalanchoe manginii</i>
<i>Kalanchoe marmorata</i>	<i>Kalanchoe millotii</i>	<i>Kalanchoe mitejea</i>
<i>Kalanchoe mocambicana</i>	<i>Kalanchoe nyikae</i>	<i>Kalanchoe obtusa</i>
<i>Kalanchoe orgyalis</i>	<i>Kalanchoe paniculata</i>	<i>Kalanchoe peltata</i>
<i>Kalanchoe peteri</i>	<i>Kalanchoe petitiana</i>	<i>Kalanchoe prittwitzii</i>

<i>Kalanchoe prolifera</i>	<i>Kalanchoe pubescens</i>	<i>Kalanchoe pumila</i>
<i>Kalanchoe quartiniana</i>	<i>Kalanchoe rhombopilosa</i>	<i>Kalanchoe robusta</i>
<i>Kalanchoe rosei</i>	<i>Kalanchoe schimperiana</i>	<i>Kalanchoe synsepala</i>
<i>Kalanchoe tetraphylla</i>	<i>Kalanchoe thyrsoiflora</i>	<i>Kalanchoe tomentosa</i>
<i>Kalanchoe trichantha</i>	<i>Kalanchoe uniflora</i>	<i>Kalanchoe velutina</i>
<i>Kalanchoe welwitschii</i>	<i>Kalanchoe wildii</i>	<i>Kalanchoe zimbabwensis</i>
<i>Kalimeris incisa</i>	<i>Kalimeris yomena</i>	<i>Kallstroemia platyptera</i>
<i>Kalmia angustifolia</i>	<i>Kalmia cuneata</i>	<i>Kalmia hirsuta</i>
<i>Kalmia latifolia</i>	<i>Kalmia microphylla</i>	<i>Kalmiopsis leachiana</i>
<i>Kalopanax septemlobus</i>	<i>Karatas sarmentosa</i>	<i>Karatas spectabilis</i>
<i>Karomia tettensis</i>	<i>Keckiella breviflora</i>	<i>Keckiella cordifolia</i>
<i>Keckiella corymbosa</i>	<i>Kedrostis africana</i>	<i>Kedrostis crassirostrata</i>
<i>Kedrostis natalensis</i>	<i>Keetia venosa</i>	<i>Kefersteinia</i> spp.
<i>Kelleria dieffenbachii</i>	<i>Kelseyia uniflora</i>	<i>Kengyilia alata</i>
<i>Kennedia procurrens</i>	<i>Kennedia retrorsa</i>	<i>Kennedia rubicunda</i>
<i>Kentiopsis magnifica</i>	<i>Kentiopsis oliviformis</i>	<i>Kentiopsis pyriformis</i>
<i>Keraudrenia collina</i>	<i>Keraudrenia corollata</i>	<i>Keraudrenia hillii</i>
<i>Kermadecia rotundifolia</i>	<i>Kermadecia sinuata</i>	<i>Kerria japonica</i>
<i>Kerriodoxa elegans</i>	<i>Keteleeria davidiana</i>	<i>Keteleeria evelyniana</i>
<i>Keteleeria fortunei</i>	<i>Khaya anthotheca</i>	<i>Khaya grandifoliola</i>
<i>Khaya senegalensis</i>	<i>Kickxia elatine</i>	<i>Kickxia spuria</i>
<i>Kigelia africana</i>	<i>Kiggelaria africana</i>	<i>Kingidium decumbens</i>
<i>Kirengeshoma palmata</i>	<i>Kirkia acuminata</i>	<i>Kirkia wilmsii</i>
<i>Kitaibela vitifolia</i>	<i>Kleinia anteuphorbium</i>	<i>Kleinia descoingsii</i>
<i>Kleinia fulgens</i>	<i>Kleinia galpinii</i>	<i>Kleinia gregorii</i>
<i>Kleinia kleinioides</i>	<i>Kleinia neriifolia</i>	<i>Kleinia odora</i>
<i>Kleinia pendula</i>	<i>Kleinia petraea</i>	<i>Kleinia schweinfurthii</i>
<i>Kleinia stapeliiformis</i>	<i>Knautia arvensis</i>	<i>Knautia macedonica</i>
<i>Knautia orientalis</i>	<i>Knightia deplanchei</i>	<i>Knightia excelsa</i>
<i>Knightia strobilina</i>	<i>Kniphofia albescens</i>	<i>Kniphofia baurii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Kniphofia benguelensis</i>	<i>Kniphofia bruceae</i>	<i>Kniphofia caulescens</i>
<i>Kniphofia citrina</i>	<i>Kniphofia ensifolia</i>	<i>Kniphofia foliosa</i>
<i>Kniphofia hirsuta</i>	<i>Kniphofia ichopensis</i>	<i>Kniphofia laxiflora</i>
<i>Kniphofia leucocephala</i>	<i>Kniphofia linearifolia</i>	<i>Kniphofia multiflora</i>
<i>Kniphofia nelsonii</i>	<i>Kniphofia northiae</i>	<i>Kniphofia parviflora</i>
<i>Kniphofia pauciflora</i>	<i>Kniphofia pauciflora x citrina</i>	<i>Kniphofia porphyrantha</i>

<i>Kniphofia x praecox</i>	<i>Kniphofia primulina</i>	<i>Kniphofia pumila</i>
<i>Kniphofia rooperi</i>	<i>Kniphofia sarmentosa</i>	<i>Kniphofia snowdenii</i>
<i>Kniphofia stricta</i>	<i>Kniphofia thomsoni</i>	<i>Kniphofia thomsonii</i>
<i>Kniphofia triangularis</i>	<i>Kniphofia tuckii</i>	<i>Kniphofia typhoides</i>
<i>Kniphofia tysonii</i>	<i>Kniphofia uvaria</i>	<i>Knowltonia capensis</i>
<i>Koeleria castellana</i>	<i>Koeleria cenisia</i>	<i>Koeleria eriostachya</i>
<i>Koeleria hirsuta</i>	<i>Koeleria luerksenii</i>	<i>Koeleria villosa</i>
<i>Koelreuteria bipinnata</i>	<i>Koelreuteria paniculata</i>	<i>Kohleria bogotensis</i>
<i>Kohleria eriantha</i>	<i>Kohleria x gigantea</i>	<i>Kohleria hirsuta</i>
<i>Kohleria lindeniana</i>	<i>Kohleria spicata</i>	<i>Kohleria warszewiczii</i>
<i>Kokia drynarioides</i>	<i>Kolkwitzia amabilis</i>	<i>Kopsia officinalis</i>
<i>Kopsia singaporensis</i>	<i>Korthalsia laciniosa</i>	<i>Korthalsia merrillii</i>
<i>Korthalsia rigida</i>	<i>Korthalsia robusta</i>	<i>Kosteletzkya pentacarpa</i>
<i>Kosteletzkya virginica</i>	<i>Krameria lappacea</i>	<i>Krascheninnikovia ewersmanniana</i>
<i>Krascheninnikovia lanata</i>	<i>Kraussia floribunda</i>	<i>Kreysigia multiflora</i>
<i>Kummerowia stipulacea</i>	<i>Kummerowia striata</i>	<i>Kuniwatsukia cuspidata</i>
<i>Kunstleria stipularis</i>	<i>Kuntheria pedunculata</i>	<i>Kunzea ambigua</i>
<i>Kunzea ambigua x capitata</i>	<i>Kunzea baxteri x pulchella</i>	<i>Kunzea bracteolata</i>
<i>Kunzea cabbagei</i>	<i>Kunzea capitata</i>	<i>Kunzea capitata x rupestris</i>
<i>Kunzea ericoides</i>	<i>Kunzea flavescens</i>	<i>Kunzea graniticola</i>
<i>Kunzea muelleri</i>	<i>Kunzea obovata</i>	<i>Kunzea opposita</i>
<i>Kunzea parvifolia</i>	<i>Kunzea phyllicioides</i>	<i>Kunzea pomifera</i>

<i>Kunzea rupestris</i>	<i>Kunzea vestita</i>	<i>Kunzea villiceps</i>
<i>Kydia calycina</i>	<i>Kyllinga brevifolia</i>	<i>Labichea buettneriana</i>
<i>Labichea nitida</i>	<i>Labisia pumila</i>	<i>Lablab purpureus</i>
<i>Laburnocytisus adamii</i>	<i>Laburnum x watereri</i>	<i>Lacaena bicolor</i>
<i>Laccospadix australasica</i>	<i>Lachenalia algoensis</i>	<i>Lachenalia aloides</i>
<i>Lachenalia ameliae</i>	<i>Lachenalia anguinea</i>	<i>Lachenalia arbutnotiae</i>
<i>Lachenalia bachmannii</i>	<i>Lachenalia barkeriana</i>	<i>Lachenalia bolusii</i>
<i>Lachenalia bulbifera</i>	<i>Lachenalia campanulata</i>	<i>Lachenalia capensis</i>
<i>Lachenalia carnosa</i>	<i>Lachenalia comptonii</i>	<i>Lachenalia concordiana</i>
<i>Lachenalia contaminata</i>	<i>Lachenalia convallarioides</i>	<i>Lachenalia duncanii</i>
<i>Lachenalia elegans</i>	<i>Lachenalia fistulosa</i>	<i>Lachenalia giessii</i>
<i>Lachenalia gillettii</i>	<i>Lachenalia haarlemensis</i>	<i>Lachenalia hirta</i>
<i>Lachenalia juncifolia</i>	<i>Lachenalia karooica</i>	<i>Lachenalia kliprandensis</i>
<i>Lachenalia latifolia</i>	<i>Lachenalia latimerae</i>	<i>Lachenalia liliflora</i>
<i>Lachenalia longibracteata</i>	<i>Lachenalia longituba</i>	<i>Lachenalia marginata</i>
<i>Lachenalia mathewsii</i>	<i>Lachenalia maximiliani</i>	<i>Lachenalia mediana</i>
<i>Lachenalia minima</i>	<i>Lachenalia muirii</i>	<i>Lachenalia mutabilis</i>
<i>Lachenalia namaquensis</i>	<i>Lachenalia namibiensis</i>	<i>Lachenalia neilii</i>
<i>Lachenalia nervosa</i>	<i>Lachenalia nordenstamii</i>	<i>Lachenalia nutans</i>
<i>Lachenalia orchioides</i>	<i>Lachenalia orthopetala</i>	<i>Lachenalia pallida</i>
<i>Lachenalia paucifolia</i>	<i>Lachenalia peersii</i>	<i>Lachenalia physocaulos</i>
<i>Lachenalia polyphylla</i>	<i>Lachenalia purpureo-caerulea</i>	<i>Lachenalia pusilla</i>
<i>Lachenalia pustulata</i>	<i>Lachenalia reflexa</i>	<i>Lachenalia rosea</i>
<i>Lachenalia rubida</i>	<i>Lachenalia salteri</i>	<i>Lachenalia sargeantii</i>
<i>Lachenalia splendida</i>	<i>Lachenalia trichophylla</i>	<i>Lachenalia unicolor</i>
<i>Lachenalia unifolia</i>	<i>Lachenalia valeriae</i>	<i>Lachenalia variegata</i>
<i>Lachenalia ventricosa</i>	<i>Lachenalia verticillata</i>	<i>Lachenalia violacea</i>
<i>Lachenalia viridiflora</i>	<i>Lachenalia zebrina</i>	<i>Lachenalia zeyheri</i>
<i>Lachnanthes caroliniana</i>	<i>Lactuca saligna</i>	<i>Lactuca sativa</i>
<i>Lactuca serriola</i>	<i>Lactuca tenerrima</i>	<i>Lactuca virosa</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Laelia</i> spp.	<i>Laeliocatarthron</i> spp.	<i>Laeliocattleya</i> spp.
<i>Lafoensia puniceifolia</i>	<i>Lafoensia vandelliana</i>	<i>Lagarostrobos franklinii</i>
<i>Lagarostrobos colensoi</i>	<i>Lagenandra lancifolia</i>	<i>Lagenandra ovata</i>
<i>Lagenandra thwaitesii</i>	<i>Lagenaria siceraria</i>	<i>Lagenophora gracilis</i>
<i>Lagerstroemia x amabilis</i>	<i>Lagerstroemia calyculata</i>	<i>Lagerstroemia chekiangensis</i>
<i>Lagerstroemia duperreana</i>	<i>Lagerstroemia fauriei</i>	<i>Lagerstroemia fauriei</i> x <i>indica</i>
<i>Lagerstroemia hirsuta</i>	<i>Lagerstroemia indica</i>	<i>Lagerstroemia indica</i> x <i>fauriei</i>
<i>Lagerstroemia limii</i>	<i>Lagerstroemia loudonii</i>	<i>Lagerstroemia x matthewsii</i>
<i>Lagerstroemia ovalifolia</i>	<i>Lagerstroemia parviflora</i>	<i>Lagerstroemia speciosa</i>
<i>Lagerstroemia subcostata</i>	<i>Lagerstroemia villosa</i>	<i>Lagoecia cuminoides</i>
<i>Lagotis glauca</i>	<i>Lagunaria patersonii</i>	<i>Lagurus ovatus</i>
<i>Lallemantia royleana</i>	<i>Lamanonia ternata</i>	<i>Lamarckia aurea</i>
<i>Lambertia formosa</i>	<i>Lambertia propinqua</i>	<i>Lamiophlomis rotata</i>
<i>Lamium amplexicaule</i>	<i>Lamium armenum</i>	<i>Lamium galeobdolon</i>
<i>Lamium garganicum</i>	<i>Lamium maculatum</i>	<i>Lamium orvala</i>
<i>Lamium purpureum</i>	<i>Lamium veronicifolium</i>	<i>Lamourouxia viscosa</i>
<i>Lampranthus aurantiacus</i>	<i>Lampranthus aureus</i>	<i>Lampranthus blandus</i>
<i>Lampranthus candidus</i>	<i>Lampranthus conspicuus</i>	<i>Lampranthus curvifolius</i>
<i>Lampranthus deltooides</i>	<i>Lampranthus falcatus</i>	<i>Lampranthus glaucoides</i>
<i>Lampranthus glaucus</i>	<i>Lampranthus haworthii</i>	<i>Lampranthus multiradiatus</i>
<i>Lampranthus purpureus</i>	<i>Lampranthus spectabilis</i>	<i>Lampranthus stenus</i>
<i>Lampranthus sublaxus</i>	<i>Lampranthus tenuifolius</i>	<i>Lampranthus variabilis</i>
<i>Lamprocapnos spectabilis</i>	<i>Lamprolobium fruticosum</i>	<i>Lanaria lanata</i>
<i>Landolphia angustisepala</i>	<i>Landolphia kirkii</i>	<i>Landolphia watsoniana</i>
<i>Landoltia punctata</i>	<i>Lannea edulis</i>	<i>Lansium domesticum</i>
<i>Lantana montevidensis</i>	<i>Lantana rugulosa</i>	<i>Lapageria rosea</i>
<i>Lapeirousia anceps</i>	<i>Lapeirousia arenicola</i>	<i>Lapeirousia corymbosa</i>
<i>Lapeirousia divaricata</i>	<i>Lapeirousia dolomitica</i>	<i>Lapeirousia erythrantha</i>

Lapeirousia exilis	Lapeirousia fabricii	Lapeirousia fastigiata
Lapeirousia galaxoides	Lapeirousia jacquinii	Lapeirousia juncea
Lapeirousia oreogena	Lapeirousia pyramidalis	Lapeirousia schimperi
Lapeirousia silenoides	Lapeirousia verecunda	Lapidaria margaretae
Lapiedra martinezii	Lappula squarrosa	Lapsana communis
Lardizabala biternata	Larix decidua	Larix gmelinii
Larix kaempferi	Larix x marschlinsii	Larix potaninii
Larrea tridentata	Larryleachia cactiformis	Larsenaikia jardinei
Larsenaikia ochreatea	Laserpitium halleri	Laserpitium nitidum
Lasiacis grisebachii	Lasiacis oxacensis	Lasiacis procerrima
Lasianthus japonicus	Lasianthus kilimandscharicus	Lasimorpha senegalensis
Lasiopetalum baueri	Lasiopetalum dasyphyllum	Lasiopetalum ferrugineum
Lasiopetalum joyceae	Lasiopetalum macrophyllum	Lasiopetalum micranthum
Lasiopetalum parviflorum	Lasiopetalum rufum	Lasiopetalum schulzenii
Lasiopetalum x tepperi	Lasiurus scindicus	Lasthenia californica
Lasthenia macrantha	Lastrea nipponica	Lastreopsis acuminata
Lastreopsis calantha	Lastreopsis davallioides	Lastreopsis decomposita
Lastreopsis glabella	Lastreopsis grayi	Lastreopsis hispida
Lastreopsis marginans	Lastreopsis microsora	Lastreopsis munita
Lastreopsis nephrodioides	Lastreopsis rufescens	Lastreopsis shepherdii
Lastreopsis smithiana	Lastreopsis tenera	Lastreopsis tinarooensis
Lastreopsis velutina	Latania loddigesii	Latania lontaroides
Latania verschaffeltii	Lathyrus alatus	Lathyrus aureus
Lathyrus azureus	Lathyrus bauhinii	Lathyrus belinensis
Lathyrus biflorus	Lathyrus cassius	Lathyrus chloranthus
Lathyrus cicera	Lathyrus cirrhosus	Lathyrus crassipes
Lathyrus davidii	Lathyrus digitatus	Lathyrus filiformis
Lathyrus hookeri	Lathyrus hygrophilus	Lathyrus laevigatus
Lathyrus latifolius	Lathyrus laxiflorus	Lathyrus littoralis

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Lathyrus longifolius</i>	<i>Lathyrus magellanicus</i>	<i>Lathyrus mulkak</i>
<i>Lathyrus nervosus</i>	<i>Lathyrus neurolobus</i>	<i>Lathyrus nevadensis</i>
<i>Lathyrus nigriavalvis</i>	<i>Lathyrus occidentalis</i>	<i>Lathyrus ochraceus</i>
<i>Lathyrus odoratus</i>	<i>Lathyrus pallescens</i>	<i>Lathyrus pisiformis</i>
<i>Lathyrus pseudocicera</i>	<i>Lathyrus pubescens</i>	<i>Lathyrus rotundifolius</i>
<i>Lathyrus sativus</i> cv. Ceora	<i>Lathyrus splendens</i>	<i>Lathyrus sylvestris</i>
<i>Lathyrus tingitanus</i>	<i>Lathyrus tomentosus</i>	<i>Lathyrus tremolsianus</i>
<i>Lathyrus undulatus</i>	<i>Lathyrus vernus</i>	<i>Lathyrus vestitus</i>
<i>Lathyrus vinealis</i>	<i>Latua pubiflora</i>	<i>Launaea arborescens</i>
<i>Laurelia novae-zelandiae</i>	<i>Laurelia sempervirens</i>	<i>Laureliopsis philippiana</i>
<i>Laurentia anethifolia</i>	<i>Laurentia armstrongii</i>	<i>Laurentia baueri</i>
<i>Laurentia ferdinandi</i>	<i>Laurentia fluviatilis</i>	<i>Laurentia gaudichaudii</i>
<i>Laurentia gulliveri</i>	<i>Laurentia hypocrateriformis</i>	<i>Laurentia pusilla</i>
<i>Laurophyllus capensis</i>	<i>Laurus azorica</i>	<i>Laurus nobilis</i>
<i>Lavandula x allardii</i>	<i>Lavandula angustifolia</i>	<i>Lavandula aristibracteata</i>
<i>Lavandula bipinnata</i>	<i>Lavandula buchii</i>	<i>Lavandula burmanni</i>
<i>Lavandula canariensis</i>	<i>Lavandula x christiana</i>	<i>Lavandula coronopifolia</i>
<i>Lavandula dentata</i>	<i>Lavandula dhofarensis</i>	<i>Lavandula x heterophylla</i>
<i>Lavandula hybrid</i>	<i>Lavandula x intermedia</i>	<i>Lavandula lanata</i>
<i>Lavandula lanata x angustifolia</i>	<i>Lavandula latifolia</i>	<i>Lavandula luisieri</i>
<i>Lavandula mairei</i>	<i>Lavandula maroccana</i>	<i>Lavandula minutolii</i>
<i>Lavandula multifida</i>	<i>Lavandula pedunculata</i>	<i>Lavandula pinnata</i>

<i>Lavandula pubescens</i>	<i>Lavandula rotundifolia</i>	<i>Lavandula stoechas</i>
<i>Lavandula subnuda</i>	<i>Lavandula viridis</i>	<i>Lavatera acerifolia</i>
<i>Lavatera x clementii</i>	<i>Lavatera maritima</i>	<i>Lavatera olbia</i>
<i>Lavatera trimestris</i>	<i>Lavoixia macrocarpa</i>	<i>Lawsonia inermis</i>
<i>Laxmannia compacta</i>	<i>Laxmannia gracilis</i>	<i>Laxmannia orientalis</i>
<i>Layia platyglossa</i>	<i>Leandra xanthocoma</i>	<i>Lebeckia ambigua</i>
<i>Lebeckia contaminata</i>	<i>Lebeckia multiflora</i>	<i>Lebetanthus myrsinites</i>

<i>Lebronnecia kokioides</i>	<i>Lecanopteris carnosa</i>	<i>Lecanopteris curtisii</i>
<i>Lecanopteris mirabile</i>	<i>Lecanopteris sinuosa</i>	<i>Lechenaultia biloba</i> x <i>formosa</i>
<i>Lechenaultia floribunda</i> x <i>laricina</i>	<i>Lecomtedoxa klaineana</i>	<i>Lecythis minor</i>
<i>Lecythis ollaria</i>	<i>Ledebouria atrobrunnea</i>	<i>Ledebouria botryoides</i>
<i>Ledebouria cooperi</i>	<i>Ledebouria dolomiticola</i>	<i>Ledebouria ensifolia</i>
<i>Ledebouria floribunda</i>	<i>Ledebouria galpinii</i>	<i>Ledebouria humifusa</i>
<i>Ledebouria hypoxidioides</i>	<i>Ledebouria inquinata</i>	<i>Ledebouria luteola</i>
<i>Ledebouria marginata</i>	<i>Ledebouria ovalifolia</i>	<i>Ledebouria ovatifolia</i>
<i>Ledebouria petiolata</i>	<i>Ledebouria sandersonii</i>	<i>Ledebouria socialis</i>
<i>Ledebouria undulata</i>	<i>Ledebouria violacea</i>	<i>Ledebouria viscosa</i>
<i>Ledenbergia roseosana</i>	<i>Leea aculeata</i>	<i>Leea crispa</i>
<i>Leea guineensis</i>	<i>Leea indica</i>	<i>Leea rubra</i>
<i>Legnephora moorei</i>	<i>Legousia speculum-veneris</i>	<i>Leichardtia australis</i>
<i>Leichardtia leptophylla</i>	<i>Leiocarpa gatesii</i>	<i>Leiocarpa panaetioides</i>
<i>Leionema ambiens</i>	<i>Leionema bilobum</i>	<i>Leionema carruthersii</i>
<i>Leionema coxii</i>	<i>Leionema dentatum</i>	<i>Leionema diosmeum</i>
<i>Leionema elatius</i>	<i>Leionema elatius</i> x <i>lamprophyllum</i>	<i>Leionema equestre</i>
<i>Leionema gracile</i>	<i>Leionema hillebrandii</i>	<i>Leionema lachnaeoides</i>
<i>Leionema lamprophyllum</i>	<i>Leionema microphyllum</i>	<i>Leionema montanum</i>
<i>Leionema nudum</i>	<i>Leionema obtusifolium</i>	<i>Leionema oldfieldii</i>
<i>Leionema phyllicifolium</i>	<i>Leionema ralstonii</i>	<i>Leionema rotundifolium</i>
<i>Leionema sympetalum</i>	<i>Leionema viridiflorum</i>	<i>Leipoldtia schultzei</i>
<i>Lemaireocereus marginatus</i>	<i>Lemboglossum cervantesii</i>	<i>Lemmaphyllum</i> <i>drymoglossoides</i>
<i>Lemmaphyllum</i> <i>microphyllum</i>	<i>Lemurophoenix halleuxii</i>	<i>Lenbrassia australiana</i>
<i>Lenophyllum guttatum</i>	<i>Lenophyllum reflexum</i>	<i>Lens culinaris</i>
<i>Lenwebbia lasioclada</i>	<i>Lenwebbia prominens</i>	<i>Leocereus bahiensis</i>
<i>Leochilus</i> spp.	<i>Leonotis leonurus</i>	<i>Leonotis nepetifolia</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Leonotis ocymifolia</i>	<i>Leontochir ovallei</i>	<i>Leontodon filii</i>
<i>Leontodon saxatilis</i>	<i>Leontodon tuberosus</i>	<i>Leontopodium alpinum</i>
<i>Leontopodium caespitosum</i>	<i>Leontopodium calocephalum</i>	<i>Leontopodium fauriei</i>
<i>Leontopodium haplophyloides</i>	<i>Leontopodium jacotianum</i>	<i>Leontopodium japonicum</i>
<i>Leontopodium monocephalum</i>	<i>Leontopodium palibinianum</i>	<i>Leontopodium sibiricum</i>
<i>Leontopodium stracheyi</i>	<i>Leonurus cardiaca</i>	<i>Leonurus glaucescens</i>
<i>Leonurus quinquelobatus</i>	<i>Leopoldia longipes</i>	<i>Leopoldinia pulchra</i>
<i>Lepachys columnaris</i>	<i>Lepanthopsis</i> spp.	<i>Lepechinia calycina</i>
<i>Lepechinia chamaedryoides</i>	<i>Lepechinia floribunda</i>	<i>Lepechinia hastata</i>
<i>Lepechinia salviae</i>	<i>Lepeostegeres beccarii</i>	<i>Lepianthes peltata</i>
<i>Lepiderema hirsuta</i>	<i>Lepiderema largiflorens</i>	<i>Lepiderema pulchella</i>
<i>Lepidium africanum</i>	<i>Lepidium bonariense</i>	<i>Lepidium didymum</i>
<i>Lepidium eckloni</i>	<i>Lepidium leptopetalum</i>	<i>Lepidium meyenii</i>
<i>Lepidium muelleriferdinandi</i>	<i>Lepidium oleraceum</i>	<i>Lepidium perfoliatum</i>
<i>Lepidium sativum</i>	<i>Lepidobolus drapetocoleus</i>	<i>Lepidopetalum fructoglabrum</i>
<i>Lepidorrhachis mooreana</i>	<i>Lepidosperma australe</i>	<i>Lepidosperma canescens</i>
<i>Lepidosperma concavum</i>	<i>Lepidosperma congestum</i>	<i>Lepidosperma curtisiae</i>
<i>Lepidosperma elatius</i>	<i>Lepidosperma filiforme</i>	<i>Lepidosperma flexuosum</i>
<i>Lepidosperma forsythii</i>	<i>Lepidosperma inops</i>	<i>Lepidosperma laterale</i>
<i>Lepidosperma leptophyllum</i>	<i>Lepidosperma limicola</i>	<i>Lepidosperma lineare</i>
<i>Lepidosperma neesii</i>	<i>Lepidosperma quadrangulatum</i>	<i>Lepidosperma semiteres</i>
<i>Lepidosperma tortuosum</i>	<i>Lepidosperma urophorum</i>	<i>Lepidothamnus fonkii</i>
<i>Lepidothamnus intermedius</i>	<i>Lepidothamnus laxifolius</i>	<i>Lepidozamia hopei</i>
<i>Lepidozamia peroffskyana</i>	<i>Lepidozia ulothrix</i>	<i>Lepironia articulata</i>
<i>Lepisanthes amoena</i>	<i>Lepisanthes senegalensis</i>	<i>Lepisanthes tetraphylla</i>
<i>Lepismium aculeatum</i>	<i>Lepismium bolivianum</i>	<i>Lepismium brevispinum</i>

Lepismium crenatum	Lepismium cruciforme	Lepismium houlettianum
Lepismium ianthothele	Lepismium incachacatum	Lepismium lorentzianum
Lepismium lumbricoides	Lepismium micranthum	Lepismium miyagawae
Lepismium monacanthum	Lepismium paranganiense	Lepismium warmingianum
Lepisorus tosaensis	Leptarrhena pyrolifolia	Leptaspis banksii
Leptecophylla abietina	Leptecophylla divaricata	Leptecophylla juniperina
Leptecophylla pendulosa	Leptinella dioica	Leptinella filicula
Leptinella maniototo	Leptinella plumosa	Leptinella pusilla
Leptinella pyrethrifolia	Leptobryum pyriforme	Leptocarpus aristatus
Leptocarpus brownii	Leptocarpus canus	Leptocarpus chilensis
Leptocarpus diffusus	Leptocarpus laxus	Leptocarpus scariosus
Leptocarpus spathaceus	Leptocarpus tenellus	Leptocereus grantianus
Leptocereus paniculatus	Leptocereus sylvestris	Leptochloa obtusiflora
Leptochloa uniflora	Leptocodon gracilis	Leptodermis potanini
Leptomeria acida	Leptomeria aphylla	Leptomeria billardieri
Leptomeria drupacea	Leptomeria spinosa	Leptopteris fraseri
Leptopteris hymenophylloides	Leptopteris x intermedia	Leptopteris moorei
Leptopteris superba	Leptopteris wilkesiana	Leptorhynchus elongatus
Leptorhynchus gatesii	Leptorhynchus linearis	Leptorhynchus panaetioides
Leptorhynchus squamatus	Leptorhynchus tenuifolius	Leptorhynchus waitzia
Leptosema villosum	Leptospermum arachnoides	Leptospermum blakelyi
Leptospermum brachyandrum	Leptospermum brevipes	Leptospermum continentale
Leptospermum coriaceum	Leptospermum crassifolium	Leptospermum deanei
Leptospermum deuense	Leptospermum ellipticum	Leptospermum emarginatum
Leptospermum epacridoideum	Leptospermum fabricia	Leptospermum firmum
Leptospermum glabrescens	Leptospermum glaucescens	Leptospermum grandiflorum
Leptospermum grandifolium	Leptospermum gregarium	Leptospermum humifusum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Leptospermum hybrid	Leptospermum javanicum	Leptospermum jingera
Leptospermum juniperinum	Leptospermum laevigatum	Leptospermum lamellatum
Leptospermum lanigerum	Leptospermum liversidgei	Leptospermum longifolium
Leptospermum luehmannii	Leptospermum macrocarpum	Leptospermum microcarpum
Leptospermum micromyrtus	Leptospermum minutifolium	Leptospermum morrisonii
Leptospermum multicaule	Leptospermum myrsinoides	Leptospermum myrtifolium
Leptospermum namadgiensis	Leptospermum neglectum	Leptospermum nitidum
Leptospermum novae-angliae	Leptospermum obovatum	Leptospermum oreophilum
Leptospermum parviflorum	Leptospermum parvifolium	Leptospermum petersonii
Leptospermum petraeum	Leptospermum phyllicoides	Leptospermum polyanthum
Leptospermum polygalifolium	Leptospermum polygalifolium x scoparium	Leptospermum purpurascens
Leptospermum recurvum	Leptospermum riparium	Leptospermum rotundifolium
Leptospermum rotundifolium x spectabile	Leptospermum rupestre	Leptospermum rupicola
Leptospermum scoparium	Leptospermum sejunctum	Leptospermum spectabile
Leptospermum sphaerocarpum	Leptospermum sphaerocarpum x rotundifolium	Leptospermum squarrosom
Leptospermum subglabratum	Leptospermum thompsonii	Leptospermum trinervium
Leptospermum turbinatum	Leptospermum variabile	Leptospermum venustum
Leptospermum whitei	Leptospermum woornooran	Leptostigma reptans
Leptotes spp.	Lepyrodia anarthria	Lepyrodia flexuosa
Lepyrodia muelleri	Lepyrodia scariosa	Lepyrodia stricta
Lepyrodia tasmanica	Lespedeza buergeri	Lespedeza capitata
Lespedeza cuneata	Lespedeza davidii	Lespedeza floribunda
Lespedeza homoloba	Lespedeza japonica	Lespedeza virginica
Lesquerella angustifolia	Lesquerella auriculata	Lesquerella densipila

Lesquerella fendleri	Lesquerella lasiocarpa	Lesquerella palmeri
Lesquerella perforata	Lesquerella rubicundula	Lessertia benguellensis
Lessertia capitata	Lessertia diffusa	Lessertia excisa
Lessertia falciformis	Lessertia frutescens	Lessertia herbacea
Lessertia incana	Lessertia inflata	Lessertia macrostachya
Lessertia microphylla	Lessertia pauciflora	Lessertia perennans
Lessertia tomentosa	Leucadendron album	Leucadendron arcuatum
Leucadendron argenteum	Leucadendron brunioides	Leucadendron chameleae

Leucadendron comosum	Leucadendron conicum	Leucadendron coniferum
Leucadendron cryptocephalum	Leucadendron daphnoides	Leucadendron decurrens
Leucadendron discolor	Leucadendron discolor x salignum	Leucadendron discolor x uliginosum
Leucadendron dregei	Leucadendron dubium	Leucadendron elimense
Leucadendron eucalyptifolium	Leucadendron flexuosum	Leucadendron floridum
Leucadendron foedum	Leucadendron galpinii	Leucadendron gandogeri
Leucadendron gandogeri x spissifolium	Leucadendron glaberrimum	Leucadendron grandiflorum
Leucadendron gydoense	Leucadendron lanigerum	Leucadendron laureolum
Leucadendron laureolum x discolor	Leucadendron laureolum x salignum	Leucadendron laxum
Leucadendron levisanus	Leucadendron linifolium	Leucadendron loeriense
Leucadendron loranthifolium	Leucadendron macowanii	Leucadendron meridianum
Leucadendron microcephalum	Leucadendron modestum	Leucadendron muirii
Leucadendron nervosum	Leucadendron nobile	Leucadendron orientale
Leucadendron platyspermum	Leucadendron procerum	Leucadendron pubescens
Leucadendron rourkei	Leucadendron rubrum	Leucadendron salicifolium
Leucadendron salignum	Leucadendron salignum x discolor	Leucadendron salignum x stelligerum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Leucadendron sessile</i>	<i>Leucadendron spissifolium</i>	<i>Leucadendron stelligerum</i>
<i>Leucadendron strobilinum</i>	<i>Leucadendron teretifolium</i>	<i>Leucadendron thymifolium</i>
<i>Leucadendron tinctum</i>	<i>Leucadendron uliginosum</i>	<i>Leucadendron venosum</i>
<i>Leucadendron xanthoconus</i>	<i>Leucaena collinsii</i>	<i>Leucaena cuspidata</i>
<i>Leucaena greggii</i>	<i>Leucaena lanceolata</i>	<i>Leucaena leucocephala</i>
<i>Leucaena macrophylla</i>	<i>Leucaena pallida</i>	<i>Leucaena retusa</i>
<i>Leucaena shannoni</i>	<i>Leucaena trichandra</i>	<i>Leucanthemopsis alpina</i>
<i>Leucanthemopsis minima</i>	<i>Leucanthemum lacustre</i>	<i>Leucanthemum maximum</i>
<i>Leucanthemum maximum</i> <i>x lacustre</i>	<i>Leucanthemum x superbum</i>	<i>Leucanthemum vulgare</i>
<i>Leuchtenbergia principis</i>	<i>Leucobryum candidum</i>	<i>Leucochrysum albicans</i>
<i>Leucochrysum</i> <i>graminifolium</i>	<i>Leucochrysum</i> <i>graminifolium x albicans</i>	<i>Leucochrysum molle</i>
<i>Leucocoryne alliacea</i>	<i>Leucocoryne coquimbensis</i>	<i>Leucocoryne ixioides</i>
<i>Leucocoryne narcissiflora</i>	<i>Leucocoryne purpurea</i>	<i>Leucogenes grandiceps</i>
<i>Leucogenes leontopodium</i>	<i>Leucojum aestivum</i>	<i>Leucojum nicaeense</i>
<i>Leucojum vernum</i>	<i>Leucophyllum frutescens</i>	<i>Leucopogon amplexicaulis</i>
<i>Leucopogon appressus</i>	<i>Leucopogon attenuatus</i>	<i>Leucopogon biflorus</i>
<i>Leucopogon cicatricatus</i>	<i>Leucopogon ciliatus</i>	<i>Leucopogon clelandii</i>
<i>Leucopogon collinus</i>	<i>Leucopogon costatus</i>	<i>Leucopogon ericoides</i>
<i>Leucopogon fletcheri</i>	<i>Leucopogon fraseri</i>	<i>Leucopogon gelidus</i>
<i>Leucopogon glacialis</i>	<i>Leucopogon hookeri</i>	<i>Leucopogon juniperinus</i>
<i>Leucopogon lanceolatus</i>	<i>Leucopogon maccraei</i>	<i>Leucopogon malayanus</i>
<i>Leucopogon microphyllus</i>	<i>Leucopogon montanus</i>	<i>Leucopogon muticus</i>
<i>Leucopogon neurophyllus</i>	<i>Leucopogon riparius</i>	<i>Leucopogon rufus</i>
<i>Leucopogon setiger</i>	<i>Leucopogon spathaceus</i>	<i>Leucopogon stuartii</i>
<i>Leucopogon suaveolens</i>	<i>Leucopogon thymifolius</i>	<i>Leucopogon virgatus</i>
<i>Leucospermum album</i>	<i>Leucospermum bolusii</i>	<i>Leucospermum catherinae</i>
<i>Leucospermum</i> <i>conocarpodendron</i>	<i>Leucospermum</i> <i>conocarpodendron x</i> <i>glabrum</i>	<i>Leucospermum cordifolium</i>

Leucospermum cordifolium x glabrum	Leucospermum cordifolium x lineare	Leucospermum cordifolium x patersonii
Leucospermum cordifolium x tottum	Leucospermum cuneiforme	Leucospermum erubescens
Leucospermum formosum	Leucospermum glabrum	Leucospermum glabrum x lineare
Leucospermum glabrum x tottum	Leucospermum grandiflorum	Leucospermum hypophyllocarpodendron
Leucospermum lineare	Leucospermum lineare x cordifolium	Leucospermum muirii
Leucospermum mundii	Leucospermum oleifolium	Leucospermum patersonii
Leucospermum praecox	Leucospermum prostratum	Leucospermum reflexum
Leucospermum rodolentum	Leucospermum saxosum	Leucospermum tottum
Leucospermum tottum x cordifolium	Leucospermum truncatum	Leucospermum vestitum
Leucostegia immersa	Leucostegia pallida	Leucosyke alba
Leucothoe davisiae	Leucothoe fontanesiana	Leucothoe grayana
Leucothoe keiskei	Leucothoe racemosa	Leucothoe recurva
Leuzea conifera	Levenhookia sonderi	Levisticum officinale
Lewisia brachycalyx	Lewisia cantelovii	Lewisia columbiana
Lewisia congdonii	Lewisia cotyledon	Lewisia glandulosa
Lewisia kelloggii	Lewisia leeana	Lewisia longipetala
Lewisia maguirei	Lewisia nevadensis	Lewisia oppositifolia
Lewisia pygmaea	Lewisia rediviva	Lewisia serrata
Lewisia stebbinsii	Lewisia triphylla	Lewisia tweedyi
Leycesteria crocothyrsos	Leycesteria formosa	Leymus akmolinensis
Leymus alaicus	Leymus arenarius	Leymus cinereus
Leymus condensatus	Leymus x multiflorus	Lhotskya acutifolia
Lhotskya alpestris	Lhotskya ericoides	Liatris aspera
Liatris elegans	Liatris pilosa	Liatris pycnostachya
Liatris scariosa	Liatris spicata	Liatris squarrosa
Liatris squarrulosa	Libanotis macedonica	Libertia cranwelliae
Libertia edgariae	Libertia formosa	Libertia grandiflora

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Libertia ixioides</i>	<i>Libertia micrantha</i>	<i>Libertia paniculata</i>
<i>Libertia peregrinans</i>	<i>Libertia pulchella</i>	<i>Libertia sessiliflora</i>
<i>Libocedrus arfakensis</i>	<i>Libocedrus bidwillii</i>	<i>Libocedrus chilensis</i>
<i>Libocedrus plumosa</i>	<i>Libocedrus yateensis</i>	<i>Licuala acuminata</i>
<i>Licuala acutifida</i>	<i>Licuala angustiloba</i>	<i>Licuala anomala</i>
<i>Licuala arbuscula</i>	<i>Licuala aruensis</i>	<i>Licuala aurantiaca</i>
<i>Licuala bacularia</i>	<i>Licuala bayana</i>	<i>Licuala beccariana</i>
<i>Licuala bellatula</i>	<i>Licuala bidentata</i>	<i>Licuala borneensis</i>
<i>Licuala bracteata</i>	<i>Licuala brevicalyx</i>	<i>Licuala cabalionii</i>
<i>Licuala calciphila</i>	<i>Licuala concinna</i>	<i>Licuala cordata</i>
<i>Licuala corneri</i>	<i>Licuala dasyantha</i>	<i>Licuala debilis</i>
<i>Licuala delicata</i>	<i>Licuala densiflora</i>	<i>Licuala distans</i>
<i>Licuala elegantissima</i>	<i>Licuala fatua</i>	<i>Licuala ferruginea</i>
<i>Licuala ferruginoides</i>	<i>Licuala flavida</i>	<i>Licuala fordiana</i>
<i>Licuala furcata</i>	<i>Licuala gjellerupii</i>	<i>Licuala glaberrima</i>
<i>Licuala glabra</i>	<i>Licuala grandiflora</i>	<i>Licuala grandis</i>
<i>Licuala hallieriana</i>	<i>Licuala hexasepala</i>	<i>Licuala hirta</i>
<i>Licuala insignis</i>	<i>Licuala kemamanensis</i>	<i>Licuala khoonmengii</i>
<i>Licuala kiahii</i>	<i>Licuala kingiana</i>	<i>Licuala klossii</i>
<i>Licuala kunstleri</i>	<i>Licuala lanata</i>	<i>Licuala lauterbachii</i>
<i>Licuala leprosa</i>	<i>Licuala leptocalyx</i>	<i>Licuala linearis</i>
<i>Licuala longicalycata</i>	<i>Licuala longipes</i>	<i>Licuala macrantha</i>
<i>Licuala magna</i>	<i>Licuala malajana</i>	<i>Licuala mattanensis</i>
<i>Licuala merguensis</i>	<i>Licuala micrantha</i>	<i>Licuala mirabilis</i>
<i>Licuala modesta</i>	<i>Licuala montana</i>	<i>Licuala moszkowskiana</i>
<i>Licuala moyseyi</i>	<i>Licuala nauroannii</i>	<i>Licuala olivifera</i>
<i>Licuala oninensis</i>	<i>Licuala orbicularis</i>	<i>Licuala pachycalyx</i>
<i>Licuala pahangensis</i>	<i>Licuala paludosa</i>	<i>Licuala parviflora</i>
<i>Licuala paucisecta</i>	<i>Licuala peekelii</i>	<i>Licuala peltata</i>
<i>Licuala penduliflora</i>	<i>Licuala petiolulata</i>	<i>Licuala platydactyla</i>

<i>Licuala polyschista</i>	<i>Licuala pulchella</i>	<i>Licuala pumila</i>
<i>Licuala punctulata</i>	<i>Licuala pusilla</i>	<i>Licuala radula</i>
<i>Licuala ramsayi</i>	<i>Licuala reptans</i>	<i>Licuala ridleyana</i>
<i>Licuala robinsoniana</i>	<i>Licuala rumphii</i>	<i>Licuala sarawakensis</i>
<i>Licuala scortechinii</i>	<i>Licuala simplex</i>	<i>Licuala spathellifera</i>
<i>Licuala spicata</i>	<i>Licuala spinosa</i>	<i>Licuala steinii</i>
<i>Licuala tanycola</i>	<i>Licuala telifera</i>	<i>Licuala thoana</i>
<i>Licuala tiomanensis</i>	<i>Licuala tomentosa</i>	<i>Licuala tonkinensis</i>
<i>Licuala triphylla</i>	<i>Licuala valida</i>	<i>Licuala veitchii</i>
<i>Ligularia alatipes</i>	<i>Ligularia clivorum</i>	<i>Ligularia cymbulifera</i>
<i>Ligularia dentata</i>	<i>Ligularia hodgsonii</i>	<i>Ligularia kaialpina</i>
<i>Ligularia przewalskii</i>	<i>Ligularia sachalinensis</i>	<i>Ligularia veitchiana</i>
<i>Ligusticum involucreatum</i>	<i>Ligusticum officinale</i>	<i>Ligusticum porteri</i>
<i>Ligustrum brachystachyum</i>	<i>Ligustrum compactum</i>	<i>Ligustrum confusum</i>
<i>Ligustrum delavayanum</i>	<i>Ligustrum ibota</i>	<i>Ligustrum leucanthum</i>
<i>Ligustrum massalongianum</i>	<i>Ligustrum ovalifolium</i>	<i>Ligustrum sempervirens</i>
<i>Ligustrum undulatum</i>	<i>Lilaeopsis brasiliensis</i>	<i>Lilaeopsis brisbanica</i>
<i>Lilium akkusianum</i>	<i>Lilium amabile</i>	<i>Lilium amoenum</i>
<i>Lilium arboricola</i>	<i>Lilium auratum</i>	<i>Lilium x aurelianense</i>
<i>Lilium bakerianum</i>	<i>Lilium bolanderi</i>	<i>Lilium brownii</i>
<i>Lilium callosum</i>	<i>Lilium canadense</i>	<i>Lilium canadense x grayi</i>
<i>Lilium candidum</i>	<i>Lilium catesbaei</i>	<i>Lilium cernuum</i>
<i>Lilium chalcedonicum</i>	<i>Lilium ciliatum</i>	<i>Lilium columbianum</i>
<i>Lilium concolor</i>	<i>Lilium x dalhansoni</i>	<i>Lilium davidii</i>
<i>Lilium distichum</i>	<i>Lilium duchartrei</i>	<i>Lilium fargesii</i>
<i>Lilium georgei</i>	<i>Lilium grayi</i>	<i>Lilium hansonii</i>
<i>Lilium henrici</i>	<i>Lilium henryi</i>	<i>Lilium humboldtii</i>
<i>Lilium hybrid</i>	<i>Lilium iridollae</i>	<i>Lilium jankae</i>
<i>Lilium japonicum</i>	<i>Lilium jinfushanense</i>	<i>Lilium kelleyanum</i>
<i>Lilium kelloggii</i>	<i>Lilium kesselringianum</i>	<i>Lilium lancifolium</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Lilium lankongense</i>	<i>Lilium ledebourii</i>	<i>Lilium leichtlinii</i>
<i>Lilium leucanthum</i>	<i>Lilium longiflorum</i>	<i>Lilium lophophorum</i>
<i>Lilium mackliniae</i>	<i>Lilium majoense</i>	<i>Lilium maritimum</i>
<i>Lilium martagon</i>	<i>Lilium medeoloides</i>	<i>Lilium michauxii</i>
<i>Lilium monadelphum</i>	<i>Lilium nanum</i>	<i>Lilium nepalense</i>
<i>Lilium nobilissimum</i>	<i>Lilium occidentale</i> x <i>pardalinum</i>	<i>Lilium papilliferum</i>
<i>Lilium paradoxum</i>	<i>Lilium pardalinum</i>	<i>Lilium parryi</i>
<i>Lilium parvum</i>	<i>Lilium philippinense</i>	<i>Lilium pilosiusculum</i>
<i>Lilium poilanei</i>	<i>Lilium polyphyllum</i>	<i>Lilium primulinum</i>
<i>Lilium pumilum</i>	<i>Lilium regale</i>	<i>Lilium rhodopaeum</i>
<i>Lilium rosthornii</i>	<i>Lilium rubellum</i>	<i>Lilium rubescens</i>
<i>Lilium sargentiae</i>	<i>Lilium sempervivoideum</i>	<i>Lilium sherriffiae</i>
<i>Lilium souliei</i>	<i>Lilium speciosum</i>	<i>Lilium stewartianum</i>
<i>Lilium sulphureum</i>	<i>Lilium superbum</i>	<i>Lilium taliense</i>
<i>Lilium testaceum</i>	<i>Lilium</i> x <i>testaceum</i>	<i>Lilium tsingtauense</i>
<i>Lilium wallichianum</i>	<i>Lilium wardii</i>	<i>Lilium washingtonianum</i>
<i>Lilium wilsonii</i>	<i>Lilium xanthellum</i>	<i>Limnanthes douglasii</i>
<i>Limnanthes montana</i>	<i>Limnanthes striata</i>	<i>Limnophila aquatica</i>
<i>Limnophila aromatica</i>	<i>Limnophila sessiliflora</i>	<i>Limonia acidissima</i>

<i>Limonium anfractum</i>	<i>Limonium bellidifolium</i>	<i>Limonium bellidifolium</i> x <i>latifolium</i>
<i>Limonium brassicifolium</i>	<i>Limonium caesium</i>	<i>Limonium cancellatum</i>
<i>Limonium carolinianum</i>	<i>Limonium caspium</i> x <i>gerberi</i>	<i>Limonium companyonis</i>
<i>Limonium cordatum</i>	<i>Limonium cosyrense</i>	<i>Limonium dictyocladum</i>
<i>Limonium dodartii</i>	<i>Limonium emarginatum</i>	<i>Limonium eximium</i>
<i>Limonium fruticans</i>	<i>Limonium gerberi</i>	<i>Limonium gmelinii</i>
<i>Limonium gougetianum</i>	<i>Limonium imbricatum</i>	<i>Limonium lobatum</i>
<i>Limonium macrophyllum</i>	<i>Limonium malacitanum</i>	<i>Limonium minutum</i>
<i>Limonium ovalifolium</i>	<i>Limonium pectinatum</i>	<i>Limonium peregrinum</i>

<i>Limonium perezii</i>	<i>Limonium platyphyllum</i>	<i>Limonium puberulum</i>
<i>Limonium purpuratum</i>	<i>Limonium roseum</i>	<i>Limonium sinense</i>
<i>Limonium sinuatum</i>	<i>Limonium spathulatum</i>	<i>Limonium spectabile</i>
<i>Limonium tomentellum</i>	<i>Linanthus aureus</i>	<i>Linanthus dianthiflorus</i>
<i>Linanthus grandiflorus</i>	<i>Linanthus nuttallii</i>	<i>Linaria alpina</i>
<i>Linaria anticaria</i>	<i>Linaria capraria</i>	<i>Linaria ficelhoana</i>
<i>Linaria grandiflora</i>	<i>Linaria maroccana</i>	<i>Linaria purpurea</i>
<i>Linaria triornithophora</i>	<i>Linaria tristis</i>	<i>Lindelofia anchusoides</i>
<i>Lindelofia longiflora</i>	<i>Lindera aggregata</i>	<i>Lindera benzoin</i>
<i>Lindera caudata</i>	<i>Lindera chienii</i>	<i>Lindera citriodora</i>
<i>Lindera communis</i>	<i>Lindera erythrocarpa</i>	<i>Lindera glauca</i>
<i>Lindera obtusiloba</i>	<i>Lindera praecox</i>	<i>Lindera queenslandica</i>
<i>Lindera reflexa</i>	<i>Lindera rubronervia</i>	<i>Lindera triloba</i>
<i>Lindera umbellata</i>	<i>Lindernia intrepida</i>	<i>Lindheimera texana</i>
<i>Lindsaea incisa</i>	<i>Lindsaea microphylla</i>	<i>Lindsaea obtusa</i>
<i>Lindsaea trichomanoides</i>	<i>Lindsayomyrtus brachyandrus</i>	<i>Lindsayomyrtus racemoides</i>
<i>Linociera quadristaminea</i>	<i>Linospadix aequisegmentosa</i>	<i>Linospadix albertisianus</i>
<i>Linospadix apetirolatus</i>	<i>Linospadix longicuris</i>	<i>Linospadix microcarya</i>
<i>Linospadix microspadix</i>	<i>Linospadix minor</i>	<i>Linospadix monostachya</i>
<i>Linospadix palmeriana</i>	<i>Lintonia nutans</i>	<i>Linum africanum</i>
<i>Linum alatum</i>	<i>Linum altaicum</i>	<i>Linum arboreum</i>
<i>Linum aristatum</i>	<i>Linum australe</i>	<i>Linum caespitosum</i>
<i>Linum campanulatum</i>	<i>Linum capitatum</i>	<i>Linum compactum</i>
<i>Linum decumbens</i>	<i>Linum dolomiticum</i>	<i>Linum elegans</i>
<i>Linum elongatum</i>	<i>Linum floridanum</i>	<i>Linum grandiflorum</i>
<i>Linum hudsonioides</i>	<i>Linum imbricatum</i>	<i>Linum lundellii</i>
<i>Linum maritimum</i>	<i>Linum monogynum</i>	<i>Linum mucronatum</i>
<i>Linum narbonense</i>	<i>Linum pallescens</i>	<i>Linum perenne</i>
<i>Linum puberulum</i>	<i>Linum pubescens</i>	<i>Linum setaceum</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Linum sulcatum</i>	<i>Linum trigynum</i>	<i>Linum usitatissimum</i>
<i>Linum viscosum</i>	<i>Liparia splendens</i>	<i>Liparis</i> spp.
<i>Liparophyllum gunnii</i>	<i>Lipochaeta connata</i>	<i>Lipochaeta lavarum</i>
<i>Lipochaeta micrantha</i>	<i>Lipochaeta succulenta</i>	<i>Lippia alba</i>
<i>Lippia chamaedrifolia</i>	<i>Lippia graveolens</i>	<i>Liquidambar acalycina</i>
<i>Liquidambar formosana</i>	<i>Liquidambar formosana</i> x <i>styraciflua</i>	<i>Liquidambar orientalis</i>
<i>Liquidambar styraciflua</i>	<i>Liquidambar taiwaniana</i>	<i>Liriodendron chinense</i>
<i>Liriodendron tulipifera</i>	<i>Liriope graminifolia</i>	<i>Liriope minor</i>
<i>Liriope muscari</i>	<i>Liriope spicata</i>	<i>Lisianthus capitatus</i>
<i>Lisianthus laxiflorus</i>	<i>Lisianthus nigrescens</i>	<i>Lisianthus umbellatus</i>
<i>Lissanthe sapida</i>	<i>Litchi chinensis</i>	<i>Lithocarpus aggregatus</i>
<i>Lithocarpus corneus</i>	<i>Lithocarpus crassifolius</i>	<i>Lithocarpus dealbatus</i>
<i>Lithocarpus echinops</i>	<i>Lithocarpus edulis</i>	<i>Lithocarpus elegans</i>
<i>Lithocarpus fenestratus</i>	<i>Lithocarpus fohaiensis</i>	<i>Lithocarpus glaber</i>
<i>Lithocarpus hancei</i>	<i>Lithocarpus harlandii</i>	<i>Lithocarpus henryi</i>
<i>Lithocarpus kawakamii</i>	<i>Lithocarpus konishii</i>	<i>Lithocarpus leucostachyus</i>
<i>Lithocarpus nantoensis</i>	<i>Lithocarpus</i> <i>pachyphylloides</i>	<i>Lithocarpus paniculatus</i>
<i>Lithocarpus polystachyus</i>	<i>Lithocarpus spicata</i>	<i>Lithocarpus truncatus</i>
<i>Lithodora diffusa</i>	<i>Lithodora rosmarinifolia</i>	<i>Lithomyrtus obtusa</i>
<i>Lithophragma parviflorum</i>	<i>Lithops aucampiae</i>	<i>Lithops bella</i>
<i>Lithops bromfieldii</i>	<i>Lithops coleorum</i>	<i>Lithops comptonii</i>
<i>Lithops dinteri</i>	<i>Lithops divergens</i>	<i>Lithops dorotheae</i>
<i>Lithops erniana</i>	<i>Lithops francisci</i>	<i>Lithops fulleri</i>
<i>Lithops fulviceps</i>	<i>Lithops gesinae</i>	<i>Lithops geyeri</i>
<i>Lithops gracilidelineata</i>	<i>Lithops hallii</i>	<i>Lithops helmutii</i>
<i>Lithops hermetica</i>	<i>Lithops herrei</i>	<i>Lithops hookeri</i>
<i>Lithops julii</i>	<i>Lithops karasmontana</i>	<i>Lithops lesliei</i>
<i>Lithops localis</i>	<i>Lithops marmorata</i>	<i>Lithops meyeri</i>
<i>Lithops naureeniae</i>	<i>Lithops olivacea</i>	<i>Lithops optica</i>

Lithops otzeniana	Lithops pseudotruncatella	Lithops ruschiorum
Lithops salicola	Lithops schwantesii	Lithops steineckeana
Lithops terricolor	Lithops turbiniformis	Lithops vallis-mariae
Lithops verruculosa	Lithops villetii	Lithops viridis
Lithops weneri	Lithospermum canescens	Lithospermum fruticosum
Lithospermum matamorensis	Lithospermum multiflorum	Lithospermum officinale
Lithospermum prostratum	Lithraea caustica	Lithraea molleoides
Litsea australis	Litsea bindoniana	Litsea brevumbellata
Litsea chunii	Litsea fawcettiana	Litsea garciae
Litsea japonica	Litsea leefeana	Litsea reticulata
Litsea umbellata	Littonia modesta	Livistona australis
Livistona benthamii	Livistona carinensis	Livistona chinensis
Livistona concinna	Livistona decipiens	Livistona decora
Livistona drudei	Livistona endauensis	Livistona exigua
Livistona fulva	Livistona humilis	Livistona inermis
Livistona jenkinsiana	Livistona lanuginosa	Livistona mariae
Livistona merrillii	Livistona muelleri	Livistona nitida
Livistona papuana	Livistona rigida	Livistona robinsoniana
Livistona rotundifolia	Livistona saribus	Livistona speciosa
Livistona surru	Livistona tahanensis	Livistona tothur
Livistona woodfordii	Llavea cordifolia	Lloydia delavayi
Lloydia serotina	Loasa vulcanica	Lobelia aberdarica
Lobelia alata	Lobelia arnhemica	Lobelia beagleholei
Lobelia cardinalis	Lobelia decipiens	Lobelia deckenii
Lobelia dentata	Lobelia douglasiana	Lobelia erinus
Lobelia gelida	Lobelia x gerardii	Lobelia gibberoa
Lobelia holstii	Lobelia ignea	Lobelia inflata
Lobelia irrigua	Lobelia keniensis	Lobelia laxiflora
Lobelia leschenaultiana	Lobelia linarioides	Lobelia linnaeoides
Lobelia lutea	Lobelia membranacea	Lobelia mildbraedii

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Lobelia patula	Lobelia polyphylla	Lobelia pratioides
Lobelia pteropoda	Lobelia rosea	Lobelia salicifolia
Lobelia sessilifolia	Lobelia simplicicaulis	Lobelia siphilitica
Lobelia x speciosa	Lobelia telekii	Lobelia trigonocaulis
Lobelia tupa	Lobelia valida	Lobivia atrovirens
Lobivia chilensis	Lobivia leucomalla	Lobivia oligotricha
Lobivia steinmannii	Lobostemon fruticosus	Lobostemon lehmannianus
Lobularia intermedia	Lobularia maritima	Lockhartia spp.
Lodoicea maldivica	Logania albiflora	Logania crassifolia
Logania linifolia	Logania ovata	Logania pusilla
Logfia gallica	Loiseleuria procumbens	Lolium subulatum
Lolium x hubbardii	Lolium x hybridum	Lolium multiflorum
Lolium perenne	Lolium perenne x multiflorum	Lolium remotum
Lolium rigidum	Lolium temulentum	Lomandra banksii
Lomandra bracteata	Lomandra brevis	Lomandra confertifolia
Lomandra cylindrica	Lomandra densiflora	Lomandra dura
Lomandra elongata	Lomandra fibrata	Lomandra filiformis
Lomandra fluviatilis	Lomandra glauca	Lomandra gracilis
Lomandra hystrix	Lomandra insularis	Lomandra juncea
Lomandra laxa	Lomandra longifolia	Lomandra montana
Lomandra multiflora	Lomandra nana	Lomandra obliqua
Lomandra patens	Lomandra sororia	Lomandra spicata
Lomaria lanceolata	Lomariopsis kingii	Lomariopsis novae-caledoniae
Lomariopsis sorbifolia	Lomatia arborescens	Lomatia dentata
Lomatia ferruginea	Lomatia fraseri	Lomatia fraxinifolia
Lomatia hirsuta	Lomatia ilicifolia	Lomatia myricoides
Lomatia polymorpha	Lomatia polymorpha x tinctoria	Lomatia silaifolia
Lomatia tasmanica	Lomatia tinctoria	Lomatium dasycarpum

Lomatium dissectum	Lonas annua	Lonchitis hirsuta
Lonchocarpus blackii	Lonchocarpus chrysophyllus	Lonchocarpus cultratus
Lonchocarpus martynii	Lonchocarpus nitidus	Lonchocarpus sutherlandii
Lonicera altmannii	Lonicera x americana	Lonicera x amoena
Lonicera arborea	Lonicera aurea	Lonicera x brownii
Lonicera canadensis	Lonicera chamissoi	Lonicera ciliata
Lonicera ciliosa	Lonicera confusa	Lonicera conjugialis
Lonicera cyanocarpa	Lonicera discolor	Lonicera etrusca
Lonicera ferdinandii	Lonicera flava	Lonicera floribunda
Lonicera fragrantissima	Lonicera gibbosa	Lonicera gracilipes
Lonicera graebneri	Lonicera gynochlamydea	Lonicera x heckrottii
Lonicera heteroloba	Lonicera hildebrandiana	Lonicera hispidula
Lonicera implexa	Lonicera japonica	Lonicera korolkowii
Lonicera lanata	Lonicera lanceolata	Lonicera ligustrina
Lonicera maackii	Lonicera maximowiczii	Lonicera microphylla
Lonicera morrowi	Lonicera x muendeniensis	Lonicera myrtillus
Lonicera nervosa	Lonicera nigra	Lonicera nummulariifolia
Lonicera olgae	Lonicera orientalis	Lonicera pyrenaica
Lonicera ramosissima	Lonicera rupicola	Lonicera spinosa
Lonicera tatsienensis	Lonicera x tellmanniana	Lonicera tragophylla
Lophanthera lactescens	Lophomyrtus bullata	Lophomyrtus obcordata
Lophomyrtus x ralphii	Lophopetalum wightianum	Lophosoria quadripinnata
Lophospermum erubescens	Lophostemon confertus	Lophostemon lactifluus
Lophostemon suaveolens	Loranthus loxantherus	Lordhowea insularis
Loropetalum chinense	Loropetalum subcordatum	Lotononis angolensis
Lotononis bainesii	Lotononis brachyantha	Lotononis burchellii
Lotononis calycina	Lotononis corymbosa	Lotononis crumaniana
Lotononis divaricata	Lotononis laxa	Lotononis leptoloba
Lotononis listii	Lotononis listioides	Lotononis maculata
Lotononis marlothii	Lotononis minima	Lotononis pulchra

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

---

<i>Lotononis pungens</i>	<i>Lotononis serpentinicola</i>	<i>Lotononis solitudinis</i>
<i>Lotononis stipulosa</i>	<i>Lotononis stricta</i>	<i>Lotononis subulata</i>
<i>Lotus angustissimus</i>	<i>Lotus arborescens</i>	<i>Lotus arenarius</i>
<i>Lotus argyrodes</i>	<i>Lotus azoricus</i>	<i>Lotus berthelotii</i>
<i>Lotus biflorus</i>	<i>Lotus broussonetii</i>	<i>Lotus brunneri</i>
<i>Lotus callis-viridis</i>	<i>Lotus campylocladus</i>	<i>Lotus coccineus</i>
<i>Lotus collinus</i>	<i>Lotus conimbricensis</i>	<i>Lotus conjugatus</i>
<i>Lotus corniculatus</i>	<i>Lotus crassifolius</i>	<i>Lotus creticus</i>
<i>Lotus cytisoides</i>	<i>Lotus dendroideus</i>	<i>Lotus denticulatus</i>
<i>Lotus dumetorum</i>	<i>Lotus edulis</i>	<i>Lotus emeroides</i>
<i>Lotus eremiticus</i>	<i>Lotus eriophthalmus</i>	<i>Lotus formosissimus</i>
<i>Lotus gebelia</i>	<i>Lotus genistoides</i>	<i>Lotus glareosus</i>
<i>Lotus glaucus</i>	<i>Lotus goetzei</i>	<i>Lotus grandiflorus</i>
<i>Lotus halophilus</i>	<i>Lotus haydonii</i>	<i>Lotus hillebrandii</i>
<i>Lotus holosericeus</i>	<i>Lotus humistratus</i>	<i>Lotus jacobaeus</i>
<i>Lotus krylovii</i>	<i>Lotus kunkelii</i>	<i>Lotus lancerottensis</i>
<i>lotus loweanus</i>	<i>Lotus macranthus</i>	<i>Lotus macrotrichus</i>
<i>Lotus maculatus</i>	<i>Lotus maritimus</i>	<i>Lotus maroccanus</i>
<i>Lotus mascaensis</i>	<i>Lotus mearnsii</i>	<i>Lotus oblongifolius</i>
<i>Lotus oliveirae</i>	<i>Lotus ononopsis</i>	<i>Lotus ornithopodioides</i>
<i>Lotus parviflorus</i>	<i>Lotus pedunculatus</i>	<i>Lotus peregrinus</i>
<i>Lotus purpureus</i>	<i>Lotus pyranthus</i>	<i>Lotus rigidus</i>
<i>Lotus scoparius</i>	<i>Lotus sessilifolius</i>	<i>Lotus spartioides</i>
<i>Lotus strictus</i>	<i>Lotus strigosus</i>	<i>Lotus subbiflorus</i>
<i>Lotus tenuis</i>	<i>Lotus tetragonolobus</i>	<i>Lotus uliginosus</i>
<i>Lotus unifoliolatus</i>	<i>Lotus weilleri</i>	<i>Lotus wrightii</i>
<i>Loudonia flavescens</i>	<i>Loudonia roei</i>	<i>Loxanthocereus sulcifer</i>
<i>Loxocarya fasciculata</i>	<i>Loxocarya flexuosa</i>	<i>Loxocarya pubescens</i>
<i>Loxococcus rupicola</i>	<i>Loxodiscus coriaceus</i>	<i>Loxogramme lanceolata</i>

<i>Loxostylis alata</i>	<i>Luckhoffia beukmanii</i>	<i>Luculia grandifolia</i>
<i>Luculia gratissima</i>	<i>Luculia intermedia</i>	<i>Luculia pinceana</i>
<i>Lucuma montana</i>	<i>Lucya tetrandra</i>	<i>Ludisia</i> spp.
<i>Ludovia lancifolia</i>	<i>Ludwigia arcuata</i>	<i>Ludwigia palustris</i> x <i>repens</i>
<i>Ludwigia peploides</i>	<i>Ludwigia repens</i>	<i>Lueddemannia</i> spp.
<i>Luehea divaricata</i>	<i>Luetkea pectinata</i>	<i>Luffa acutangula</i>
<i>Luffa operculata</i>	<i>Luisia teres</i>	<i>Luisia teretifolia</i>
<i>Luisia tristis</i>	<i>Luma apiculata</i>	<i>Luma chequen</i>
<i>Lumnitzera littorea</i>	<i>Lunaria annua</i>	<i>Lunaria rediviva</i>
<i>Lunasia amara</i>	<i>Lunathyrium japonicum</i>	<i>Lupinus abramsii</i>
<i>Lupinus affinis</i>	<i>Lupinus albescens</i>	<i>Lupinus albicaulis</i>
<i>Lupinus albifrons</i>	<i>Lupinus albus</i>	<i>Lupinus aneanus</i>
<i>Lupinus andersonii</i>	<i>Lupinus angustifolius</i>	<i>Lupinus arbustus</i>
<i>Lupinus atlanticus</i>	<i>Lupinus bakeri</i>	<i>Lupinus benthamii</i>
<i>Lupinus bracteolaris</i>	<i>Lupinus chamissonis</i>	<i>Lupinus cosentinii</i>
<i>Lupinus digitatus</i>	<i>Lupinus elegans</i>	<i>Lupinus exaltatus</i>
<i>Lupinus excubitus</i>	<i>Lupinus gibertianus</i>	<i>Lupinus hirsutissimus</i>
<i>Lupinus hispanicus</i>	<i>Lupinus incanus</i>	<i>Lupinus latifolius</i>
<i>Lupinus lepidus</i>	<i>Lupinus lindleyanus</i>	<i>Lupinus littoralis</i>
<i>Lupinus longifolius</i>	<i>Lupinus luteolus</i>	<i>Lupinus luteus</i>
<i>Lupinus maculatus</i>	<i>Lupinus mariae-josephi</i>	<i>Lupinus mexicanus</i>
<i>Lupinus micranthus</i>	<i>Lupinus microcarpus</i>	<i>Lupinus montanus</i>
<i>Lupinus multiflorus</i>	<i>Lupinus mutabilis</i>	<i>Lupinus nanus</i>
<i>Lupinus odoratus</i>	<i>Lupinus pachylobus</i>	<i>Lupinus palaestinus</i>
<i>Lupinus paniculatus</i>	<i>Lupinus pilosus</i>	<i>Lupinus polyphyllus</i>
<i>Lupinus princei</i>	<i>Lupinus rotundiflorus</i>	<i>Lupinus sparsiflorus</i>
<i>Lupinus stiversii</i>	<i>Lupinus subcarnosus</i>	<i>Lupinus succulentus</i>
<i>Lupinus sulphureus</i>	<i>Lupinus texensis</i>	<i>Lupinus truncatus</i>
<i>Lupinus vallicola</i>	<i>Lupinus variicolor</i>	<i>Lupinus versicolor</i>
<i>Lupinus villosus</i>	<i>Luzula abyssinica</i>	<i>Luzula alpestris</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Luzula alpinopilosa</i>	<i>Luzula canariensis</i>	<i>Luzula crenulata</i>
<i>Luzula crinita</i>	<i>Luzula erecta</i>	<i>Luzula hawaiiensis</i>
<i>Luzula modesta</i>	<i>Luzula nivea</i>	<i>Luzula pumila</i>
<i>Luzula spicata</i>	<i>Luzula sudetica</i>	<i>Luzula ulophylla</i>
<i>Luzuriaga parviflora</i>	<i>Luzuriaga polyphylla</i>	<i>Luzuriaga radicans</i>
<i>Lyallia kerguelensis</i>	<i>Lycaste</i> spp.	<i>Lychnis arkwrightii</i>
<i>Lychnis chalcedonica</i>	<i>Lychnis chilensis</i>	<i>Lychnis coronaria</i>
<i>Lychnis flos-cuculi</i>	<i>Lychnis miqueliana</i>	<i>Lychnis nivalis</i>
<i>Lychnis sibirica</i>	<i>Lychnis sieboldii</i>	<i>Lychnis viscosa</i>
<i>Lychnis x walkeri</i>	<i>Lychnis wilfordii</i>	<i>Lychnis yunnanensis</i>
<i>Lycianthes biflora</i>	<i>Lycianthes cuchumatensis</i>	<i>Lycianthes rantonnetii</i>
<i>Lycianthes tricolor</i>	<i>Lycium barbarum</i>	<i>Lycium cestroides</i>
<i>Lycium chilense</i>	<i>Lycium chinense</i>	<i>Lycium ferocissimum</i>
<i>Lycium horridum</i>	<i>Lycium pallidum</i>	<i>Lycopersicon cheesmaniae</i>
<i>Lycopersicon esculentum</i>	<i>Lycopersicon hirsutum</i>	<i>Lycopersicon peruvianum</i>
<i>Lycopersicon pimpinellifolium</i>	<i>Lycopodiella lateralis</i>	<i>Lycopodium alpinum</i>
<i>Lycopodium dalhousieanum</i>	<i>Lycopodium deuterodensum</i>	<i>Lycopodium fastigiatum</i>
<i>Lycopodium foliaceum</i>	<i>Lycopodium laterale</i>	<i>Lycopodium lockyeri</i>
<i>Lycopodium marsupiforme</i>	<i>Lycopodium nummularifolium</i>	<i>Lycopodium phlegmarioides</i>
<i>Lycopodium proliferum</i>	<i>Lycopodium scariosum</i>	<i>Lycopodium serpentinum</i>
<i>Lycopodium varium</i>	<i>Lycopus australis</i>	<i>Lycopus europaeus</i>
<i>Lycoris albiflora</i>	<i>Lycoris aurea</i>	<i>Lycoris chinensis</i>
<i>Lycoris elsiae</i>	<i>Lycoris incarnata</i>	<i>Lycoris longituba</i>
<i>Lycoris radiata</i>	<i>Lycoris rosea</i>	<i>Lycoris shaanxiensis</i>
<i>Lycoris sprengeri</i>	<i>Lycoris squamigera</i>	<i>Lycurus phleoides</i>
<i>Lygodium circinatum</i>	<i>Lygodium japonicum</i>	<i>Lygodium reticulatum</i>
<i>Lygodium venustum</i>	<i>Lymania corallina</i>	<i>Lymania smithii</i>
<i>Lyonia elliptica</i>	<i>Lyonia ligustrina</i>	<i>Lyonia mariana</i>

<i>Lyonia nezikii</i>	<i>Lyonia ovalifolia</i>	<i>Lyonia villosa</i>
<i>Lyonothamnus floribundus</i>	<i>Lyperanthus</i> spp.	<i>Lysiana linearifolia</i>
<i>Lysicarpus angustifolius</i>	<i>Lysichiton americanus</i>	<i>Lysidice rhodostegia</i>
<i>Lysiloma acapulcensis</i>	<i>Lysiloma candida</i>	<i>Lysiloma divaricatum</i>
<i>Lysiloma latisiliquum</i>	<i>Lysiloma watsonii</i>	<i>Lysimachia acroadenia</i>
<i>Lysimachia davurica</i>	<i>Lysimachia decurrens</i>	<i>Lysimachia ephemerum</i>
<i>Lysimachia glutinosa</i>	<i>Lysimachia henryi</i>	<i>Lysimachia kalalauensis</i>
<i>Lysimachia lanceolata</i>	<i>Lysimachia leschenaultii</i>	<i>Lysimachia lichiangensis</i>
<i>Lysimachia minoricensis</i>	<i>Lysimachia nummularia</i>	<i>Lysimachia paridiformis</i>
<i>Lysimachia procumbens</i>	<i>Lysimachia punctata</i>	<i>Lysimachia serpyllifolia</i>
<i>Lysimachia yunnanensis</i>	<i>Lysionotus heterophyllus</i>	<i>Lysionotus pauciflorus</i>
<i>Lysionotus serratus</i>	<i>Lysiphyllum cunninghamii</i>	<i>Lythrum hyssopifolia</i>
<i>Lythrum junceum</i>	<i>Lythrum lineare</i>	<i>Lythrum salicaria</i>
<i>Lytocaryum hoehnei</i>	<i>Lytocaryum weddellianum</i>	<i>Maackia amurensis</i>
<i>Maackia chinensis</i>	<i>Maackia fauriei</i>	<i>Macadamia claudiensis</i>
<i>Macadamia grandis</i>	<i>Macadamia heyana</i>	<i>Macadamia integrifolia</i>
<i>Macadamia janseni</i>	<i>Macadamia praealta</i>	<i>Macadamia tetraphylla</i>
<i>Macadamia whelanii</i>	<i>Macaranga cuspidata</i>	<i>Macaranga inamoena</i>
<i>Macaranga involucrata</i>	<i>Macaranga peltata</i>	<i>Macaranga polyadenia</i>
<i>Macaranga subdentata</i>	<i>Macarthuria neo-cambrica</i>	<i>Macfadyena mollis</i>
<i>Macfadyena uncata</i>	<i>Machaerina acuta</i>	<i>Machaerina arthrophylla</i>
<i>Machaerina articulata</i>	<i>Machaerina gunnii</i>	<i>Machaerina juncea</i>
<i>Machaerina laxa</i>	<i>Machaerina preissii</i>	<i>Machaerina rubiginosa</i>
<i>Machaerina sinclairii</i>	<i>Machaerina teretifolia</i>	<i>Machaerina tetragona</i>

<i>Machaerium paraguariense</i>	<i>Machaerium stipitatum</i>	<i>Machairophyllum albidum</i>
<i>Machairophyllum bijlae</i>	<i>Machaonia lindeniana</i>	<i>Mackaya bella</i>
<i>Mackaya indica</i>	<i>Mackinlaya confusa</i>	<i>Mackinlaya macrosciadea</i>
<i>Macleania insignis</i>	<i>Macleania rupestris</i>	<i>Macleaya cordata</i>
<i>Maclura pomifera</i>	<i>Maclura tinctoria</i>	<i>Maclura tricuspidata</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Macodes cominsii</i>	<i>Macodes petola</i>	<i>Macodes sandariana</i>
<i>Macowania pulvinaris</i>	<i>Macradenia</i> spp.	<i>Macroglena caudata</i>
<i>Macropiper excelsum</i>	<i>Macropteranthes keckwickii</i>	<i>Macropteranthes leichhardtii</i>
<i>Macroptilium atropurpureum</i>	<i>Macroptilium bracteatum</i>	<i>Macroptilium erythroloma</i>
<i>Macroptilium gracile</i>	<i>Macroptilium lathyroides</i>	<i>Macroptilium longepedunculatum</i>
<i>Macroptilium martii</i>	<i>Macroptilium monophyllum</i>	<i>Macroptilium panduratum</i>
<i>Macroptilium psammodes</i>	<i>Macrosiphonia longiflora</i>	<i>Macrostelia grandifolia</i>
<i>Macrothelypteris polypodioides</i>	<i>Macrotyloma africanum</i>	<i>Macrotyloma axillare</i>
<i>Macrotyloma daltonii</i>	<i>Macrotyloma densiflorum</i>	<i>Macrotyloma ellipticum</i>
<i>Macrotyloma geocarpum</i>	<i>Macrotyloma oliganthum</i>	<i>Macrotyloma stenophyllum</i>
<i>Macrotyloma stipulosum</i>	<i>Macrotyloma uniflorum</i>	<i>Macrozamia communis</i>
<i>Macrozamia conferta</i>	<i>Macrozamia cranei</i>	<i>Macrozamia crassifolia</i>
<i>Macrozamia diplomera</i>	<i>Macrozamia diplomera</i> x <i>heteromera</i>	<i>Macrozamia elegans</i>
<i>Macrozamia fawcettii</i>	<i>Macrozamia fearnsidei</i>	<i>Macrozamia flexuosa</i>
<i>Macrozamia glaucophylla</i>	<i>Macrozamia heteromera</i>	<i>Macrozamia johnsonii</i>
<i>Macrozamia lomandroides</i>	<i>Macrozamia longispina</i>	<i>Macrozamia lucida</i>
<i>Macrozamia macdonnellii</i>	<i>Macrozamia machinii</i>	<i>Macrozamia macleayi</i>
<i>Macrozamia miquelii</i>	<i>Macrozamia moorei</i>	<i>Macrozamia moorei</i> x <i>pauli-guilielmi</i>
<i>Macrozamia mountperriensis</i>	<i>Macrozamia pauli-guilielmi</i>	<i>Macrozamia platyrachis</i>
<i>Macrozamia plurinervia</i>	<i>Macrozamia polymorpha</i>	<i>Macrozamia reducta</i>
<i>Macrozamia serpentina</i>	<i>Macrozamia spiralis</i>	<i>Macrozamia stenomera</i>
<i>Macrozamia viridis</i>	<i>Maesa dependens</i>	<i>Maesa japonica</i>
<i>Maesa montana</i>	<i>Maesa perlarius</i>	<i>Maesobotrya barteri</i>
<i>Magnolia (campbellii</i> x <i>sargentiana)</i> x <i>soulangeana</i>	<i>Magnolia acuminata</i>	<i>Magnolia acuminata</i> x <i>brooklynensis</i>
<i>Magnolia</i> x <i>alba</i>	<i>Magnolia amoena</i>	<i>Magnolia ashei</i>

Magnolia biondii	Magnolia x brooklynensis	Magnolia campbellii
Magnolia campbellii x liliiflora	Magnolia campbellii x sargentiana	Magnolia campbellii x sargentiana x soulangeana
Magnolia campbellii x soulangeana	Magnolia coco	Magnolia conifera
Magnolia cylindrica	Magnolia dawsoniana	Magnolia dealbata
Magnolia delavayi	Magnolia denudata	Magnolia denudata x acuminata
Magnolia denudata x stellata	Magnolia diva	Magnolia doltsopa
Magnolia doltsopa x figo	Magnolia emarginata	Magnolia ernestii
Magnolia figo	Magnolia fordiana	Magnolia foveolata
Magnolia fraseri	Magnolia globosa	Magnolia grandiflora
Magnolia kobus	Magnolia kobus x stellata	Magnolia laevifolia
Magnolia lanuginosa	Magnolia liliiflora	Magnolia liliiflora x veitchii
Magnolia x loebneri	Magnolia macrophylla	Magnolia mexicana
Magnolia obovata	Magnolia officinalis	Magnolia ovata
Magnolia platyphylla	Magnolia pyramidata	Magnolia rostrata
Magnolia salicifolia	Magnolia sargentiana	Magnolia sargentiana x sprengeri
Magnolia schiedeana	Magnolia sieboldii	Magnolia x soulangeana
Magnolia sprengeri	Magnolia stellata	Magnolia stellata x liliiflora
Magnolia x thompsoniana	Magnolia tomentosa	Magnolia tripetala
Magnolia x veitchii	Magnolia virginiana	Magnolia wilsonii
Magnolia zenii	x Mahoberberis aquicandidula	x Mahoberberis aquisargentiae
x Mahoberberis miethkeana	x Mahoberberis neubertii	Mahonia aquifolium
Mahonia dictyota	Mahonia ehrenbergii	Mahonia eutriphylla
Mahonia mairei	Mahonia x media	Mahonia repens
Mahonia trifolia	Maianthemum bifolium	Maianthemum racemosum
Maianthemum stellatum	Maihuenia patagonica	Maihuenia poeppigii
Maireana astrotricha	Maireana cheelii	Maireana ciliata

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Maireana coronata	Maireana decalvans	Maireana eriantha
Maireana excavata	Maireana humillima	Maireana microcarpa
Maireana microphylla	Malachra fasciata	Malacocarpus sellowii
Malacothamnus fasciculatus	Malaisia scandens	Malaxis spp.
Malcolmia bicolor	Malcolmia maritima	Malleola palustris
Mallophora globiflora	Mallophora rugosifolia	Mallotus claoxyloides
Mallotus discolor	Mallotus ficifolius	Mallotus mollissimus
Mallotus nepalensis	Mallotus paniculatus	Mallotus philippensis
Mallotus polyadenos	Mallotus repandus	Malosma laurina
Malpighia coccigera	Malpighia emarginata	Malpighia urens
Malus x adstringens	Malus angustifolia	Malus x arnoldiana
Malus x asiatica	Malus x atrosanguinea	Malus baccata
Malus baccata x sieboldii	Malus bhutanica	Malus coronaria
Malus coronaria x pumila	Malus x domestica	Malus eleyi
Malus floribunda	Malus fusca	Malus x gloriosa
Malus halliana	Malus halliana x sieboldii	Malus hupehensis
Malus ioensis	Malus kansuensis	Malus mandshurica
Malus mandshurica x sieboldii	Malus x moerlandsii	Malus parkmani
Malus x platycarpa	Malus prattii	Malus prunifolia
Malus pumila	Malus pumila x spectabilis	Malus sargentii
Malus sargentii x ioensis	Malus x scheideckeri	Malus sieversii
Malus sikkimensis	Malus spectabilis	Malus x sublobata
Malus toringo	Malus transitoria	Malus trilobata
Malus tschonoskii	Malus yunnanensis	Malva australiana
Malva dendromorpha	Malva linnaei	Malva moschata
Malva nicaeensis	Malva parviflora	Malvastrum americanum
Malvastrum coromandelianum	Malvastrum lateritium	Malvaviscus candidus
Malvaviscus mollis	Malvaviscus penduliflorus	Malvella leprosa

Mammea africana	Mammea americana	Mammea touriga
Mammillaria albiarmata	Mammillaria albicans	Mammillaria albicoma
Mammillaria albilanata	Mammillaria anniana	Mammillaria armillata
Mammillaria ascensionis	Mammillaria aureilanata	Mammillaria aurihamata
Mammillaria barbata	Mammillaria baumii	Mammillaria baxteriana
Mammillaria beneckeii	Mammillaria blossfeldiana	Mammillaria bocasana
Mammillaria bombycina	Mammillaria boolii	Mammillaria brauneana
Mammillaria bravoae	Mammillaria calacantha	Mammillaria candida
Mammillaria canelensis	Mammillaria capensis	Mammillaria carmenae
Mammillaria carmenae x laui	Mammillaria carnea	Mammillaria carretii

Mammillaria chica	Mammillaria chionocephala	Mammillaria coahuilensis
Mammillaria collina	Mammillaria collinsii	Mammillaria columbiana
Mammillaria compressa	Mammillaria conspicua	Mammillaria crucigera
Mammillaria decipiens	Mammillaria deherdtiana	Mammillaria densispina
Mammillaria dioica	Mammillaria discolor	Mammillaria dixanthocentron
Mammillaria dodsonii	Mammillaria dumetorum	Mammillaria duoformis
Mammillaria durispina	Mammillaria echinaria	Mammillaria eichlamii
Mammillaria elongata	Mammillaria erectacantha	Mammillaria erythrosperma
Mammillaria evermanniana	Mammillaria fittkauii	Mammillaria flavovirens
Mammillaria formosa	Mammillaria garessii	Mammillaria gaumeri
Mammillaria geminispina	Mammillaria gigantea	Mammillaria glareosa
Mammillaria glassii	Mammillaria globosa	Mammillaria glochidiata
Mammillaria grahamii	Mammillaria grusonii	Mammillaria guelzowiana
Mammillaria guerreronis	Mammillaria guillauminiana	Mammillaria haageana
Mammillaria hahniana	Mammillaria halei	Mammillaria hamata
Mammillaria heeseana	Mammillaria heidiae	Mammillaria hernandezii
Mammillaria herrerae	Mammillaria heyderi	Mammillaria humboldtii
Mammillaria hutchisoniana	Mammillaria inaiiae	Mammillaria insularis

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Mammillaria jaliscana	Mammillaria johnstonii	Mammillaria karwinskiana
Mammillaria klissingiana	Mammillaria knebeliana	Mammillaria knippeliana
Mammillaria kraehenbuehlii	Mammillaria lasiacantha	Mammillaria laui
Mammillaria lenta	Mammillaria longiflora	Mammillaria longimamma
Mammillaria magallanii	Mammillaria magnifica	Mammillaria magnimamma
Mammillaria mainiae	Mammillaria mammillaris	Mammillaria maritima
Mammillaria marksiana	Mammillaria matudae	Mammillaria mazatlanensis
Mammillaria melaleuca	Mammillaria melanocentra	Mammillaria mendeliana
Mammillaria mercadensis	Mammillaria microhelia	Mammillaria microthele
Mammillaria miegiana	Mammillaria moelleriana	Mammillaria morganiana
Mammillaria movensis	Mammillaria muehlenpfordtii	Mammillaria multidigitata
Mammillaria mystax	Mammillaria nana	Mammillaria napina
Mammillaria neomystax	Mammillaria nivosa	Mammillaria nunezii
Mammillaria oteroi	Mammillaria painteri	Mammillaria parkinsonii
Mammillaria pectinifera	Mammillaria pennispinosa	Mammillaria perbella
Mammillaria perezdelarosae	Mammillaria petrophila	Mammillaria petterssonii
Mammillaria picta	Mammillaria pilispina	Mammillaria plumosa
Mammillaria polyedra	Mammillaria polythele	Mammillaria pondii
Mammillaria poselgeri	Mammillaria pottsii	Mammillaria prolifera
Mammillaria pseudocrucigera	Mammillaria pseudoperbella	Mammillaria pulchella
Mammillaria pygmaea	Mammillaria pyrrocephala	Mammillaria raphidacantha
Mammillaria rekoii	Mammillaria reppenhagenii	Mammillaria rhodantha
Mammillaria ritteriana	Mammillaria roseocentra	Mammillaria rubrograndis
Mammillaria saboae	Mammillaria saetigera	Mammillaria sartorii
Mammillaria schiedeana	Mammillaria schmollii	Mammillaria schumannii
Mammillaria schwarzii	Mammillaria scrippsiana	Mammillaria sempervivi
Mammillaria senilis	Mammillaria setispina	Mammillaria sheldonii
Mammillaria solisioides	Mammillaria sonorensis	Mammillaria sphacelata

<i>Mammillaria sphaerica</i>	<i>Mammillaria spinosissima</i>	<i>Mammillaria stampferi</i>
<i>Mammillaria standleyi</i>	<i>Mammillaria stella-de-tacubaya</i>	<i>Mammillaria subangularis</i>
<i>Mammillaria supertexta</i>	<i>Mammillaria surculosa</i>	<i>Mammillaria swinglei</i>
<i>Mammillaria tayloriorum</i>	<i>Mammillaria tegelbergiana</i>	<i>Mammillaria tenuis</i>
<i>Mammillaria tesopacensis</i>	<i>Mammillaria tetrancistra</i>	<i>Mammillaria theresae</i>
<i>Mammillaria uncinata</i>	<i>Mammillaria vetula</i>	<i>Mammillaria viereckii</i>
<i>Mammillaria viperina</i>	<i>Mammillaria viridiflora</i>	<i>Mammillaria voburnensis</i>
<i>Mammillaria wagneriana</i>	<i>Mammillaria weingartiana</i>	<i>Mammillaria wiesingeri</i>
<i>Mammillaria wilcoxii</i>	<i>Mammillaria winterae</i>	<i>Mammillaria woodsii</i>
<i>Mammillaria wrightii</i>	<i>Mammillaria yaquensis</i>	<i>Mammillaria zacatecasensis</i>
<i>Mammillaria zahniana</i>	<i>Mammillaria zeilmanniana</i>	<i>Mammillaria zephyranthoides</i>
<i>Mammilloidia candida</i>	<i>Mandevilla x amabilis</i>	<i>Mandevilla x amoena</i>
<i>Mandevilla boliviensis</i>	<i>Mandevilla crassinoda</i>	<i>Mandevilla laxa</i>
<i>Mandevilla pentlandiana</i>	<i>Mandevilla sanderi</i>	<i>Mandevilla splendens</i>
<i>Mandirola multiflora</i>	<i>Mandragora caulescens</i>	<i>Mandragora officinarum</i>
<i>Manettia bicolor</i>	<i>Manettia cordifolia</i>	<i>Manettia discolor</i>
<i>Manettia inflata</i>	<i>Manettia luteo-rubra</i>	<i>Manettia reclinata</i>
<i>Manfreda brachystachys</i>	<i>Manfreda guttata</i>	<i>Manfreda maculata</i>
<i>Manfreda maculosa</i>	<i>Manfreda pringlei</i>	<i>Manfreda rubescens</i>
<i>Manfreda scabra</i>	<i>Manfreda singuliflora</i>	<i>Manfreda variegata</i>
<i>Manfreda virginica</i>	<i>Mangifera altissima</i>	<i>Mangifera applanata</i>
<i>Mangifera austroindica</i>	<i>Mangifera caesia</i>	<i>Mangifera casturi</i>
<i>Mangifera decandra</i>	<i>Mangifera foetida</i>	<i>Mangifera griffithii</i>
<i>Mangifera indica</i>	<i>Mangifera kemanga</i>	<i>Mangifera laurina</i>
<i>Mangifera macrocarpa</i>	<i>Mangifera odorata</i>	<i>Mangifera pajang</i>
<i>Mangifera pentandra</i>	<i>Mangifera quadrifida</i>	<i>Mangifera similis</i>
<i>Mangifera swintonioides</i>	<i>Mangifera torquenda</i>	<i>Mangifera zeylanica</i>
<i>Manglietia chingii</i>	<i>Manglietia fordiana</i>	<i>Manglietia insignis</i>
<i>Manicaria saccifera</i>	<i>Manihot carthagenensis</i>	<i>Manihot caudata</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Manihot esculenta</i>	<i>Manilkara bidentata</i>	<i>Manilkara hexandra</i>
<i>Manilkara jaimiqui</i>	<i>Manilkara kauki</i>	<i>Manilkara zapota</i>
<i>Maniltoa grandiflora</i>	<i>Maniltoa scheffera</i>	<i>Manisuris myurus</i>
<i>Manochlamys albicans</i>	<i>Mansoa alliacea</i>	<i>Mansoa difficilis</i>
<i>Mansoa hymenaea</i>	<i>Mansonia altissima</i>	<i>Mapania cuspidata</i>
<i>Mapania floribunda</i>	<i>Mapania macrocephala</i>	<i>Marah macrocarpus</i>
<i>Maranta arundinacea</i>	<i>Maranta bicolor</i>	<i>Maranta cristata</i>
<i>Maranta depressa</i>	<i>Maranta leuconeura</i>	<i>Maranta lietzei</i>
<i>Maranta makoyana</i>	<i>Maranta massangeana</i>	<i>Maranthes corymbosa</i>
<i>Marantochloa cuspidata</i>	<i>Marantochloa filipes</i>	<i>Marantochloa leucantha</i>
<i>Marattia attenuata</i>	<i>Marattia fraxinea</i>	<i>Marattia howeana</i>
<i>Marattia oreades</i>	<i>Marattia salicina</i>	<i>Marcetella moquiniana</i>
<i>Marcgravia trinitatis</i>	<i>Marchantia polymorpha</i>	<i>Marianthus bignoniaceus</i>
<i>Marianthus coeruleopunctatus</i>	<i>Marianthus mollis</i>	<i>Marina nutans</i>
<i>Markhamia acuminata</i>	<i>Markhamia cauda-felina</i>	<i>Markhamia lutea</i>
<i>Markhamia obtusifolia</i>	<i>Markhamia stipulata</i>	<i>Markhamia tomentosa</i>
<i>Markhamia zanzibarica</i>	<i>Marlothistella stenophylla</i>	<i>Marlothistella uniondalensis</i>
<i>Marniera macroptera</i>	<i>Marojejya darianii</i>	<i>Marojejya insignis</i>
<i>Marsdenia brevifolia</i>	<i>Marsdenia cinerascens</i>	<i>Marsdenia flavescens</i>
<i>Marsdenia fraseri</i>	<i>Marsdenia leptophylla</i>	<i>Marsdenia lloydii</i>
<i>Marsdenia micradenia</i>	<i>Marsdenia muelleri</i>	<i>Marsdenia suaveolens</i>
<i>Marshallia grandiflora</i>	<i>Marsilea quadrifolia</i>	<i>Marsippospermum grandiflorum</i>
<i>Mascarena verschaffeltii</i>	<i>Mascarenhasia arborescens</i>	<i>Masdevallia</i> spp.
<i>Masoala kona</i>	<i>Masoala madagascariensis</i>	<i>Massonia bifolia</i>
<i>Massonia comata</i>	<i>Massonia depressa</i>	<i>Massonia echinata</i>
<i>Massonia etesionamibensis</i>	<i>Massonia hirsuta</i>	<i>Massonia pustulata</i>
<i>Massonia zeyheri</i>	<i>Matayba elaeagnoides</i>	<i>Matelea lanata</i>
<i>Matisia cordata</i>	<i>Matricaria matricarioides</i>	<i>Matricaria recutita</i>

<i>Matteuccia orientalis</i>	<i>Matteuccia struthiopteris</i>	<i>Matthiola arborescens</i>
<i>Matthiola fruticulosa</i>	<i>Matthiola incana</i>	<i>Matucana aurantiaca</i>
<i>Matucana aureiflora</i>	<i>Matucana blancii</i>	<i>Matucana currundayensis</i>
<i>Matucana formosa</i>	<i>Matucana fruticosa</i>	<i>Matucana haynei</i>
<i>Matucana huagalensis</i>	<i>Matucana hystrix</i>	<i>Matucana intertexta</i>
<i>Matucana krahni</i>	<i>Matucana madisoniorum</i>	<i>Matucana madisoniorum</i> x <i>paucicostata</i>
<i>Matucana mirabilis</i>	<i>Matucana myriacantha</i>	<i>Matucana oreodoxa</i>
<i>Matucana paucicostata</i>	<i>Matucana polzii</i>	<i>Matucana ritteri</i>
<i>Matucana tuberculata</i>	<i>Matucana weberbaueri</i>	<i>Maughaniella luckhoffii</i>
<i>Maurandia triglochoides</i>	<i>Maurandella antirrhiniflora</i>	<i>Maurandya barclaiana</i>

<i>Maurandya purpusii</i>	<i>Maurandya semperflorens</i>	<i>Mauranthemum paludosum</i>
<i>Mauritia carana</i>	<i>Mauritia flexuosa</i>	<i>Mauritiella aculeata</i>
<i>Mauritiella armata</i>	<i>Mauritiella macroclada</i>	<i>Maurocena frangula</i>
<i>Maxillaria</i> spp.	<i>Maytenus acuminata</i>	<i>Maytenus bachmannii</i>
<i>Maytenus bilocularis</i>	<i>Maytenus boaria</i>	<i>Maytenus disperma</i>
<i>Maytenus disticha</i>	<i>Maytenus magellanica</i>	<i>Maytenus mossambicensis</i>
<i>Maytenus peduncularis</i>	<i>Maytenus quadrangulata</i>	<i>Maytenus silvestris</i>
<i>Maytenus undata</i>	<i>Maytenus wallichiana</i>	<i>Mazus pumilio</i>
<i>Mazus radicans</i>	<i>Mazus reptans</i>	<i>Mecardonia caespitosa</i> x <i>tenella</i>
<i>Meconopsis aculeata</i>	<i>Meconopsis baileyi</i>	<i>Meconopsis bella</i>
<i>Meconopsis betonicifolia</i>	<i>Meconopsis cambrica</i>	<i>Meconopsis chelidonifolia</i>
<i>Meconopsis delavayi</i>	<i>Meconopsis dhwojii</i>	<i>Meconopsis discigera</i>
<i>Meconopsis forrestii</i>	<i>Meconopsis grandis</i>	<i>Meconopsis horridula</i>
<i>Meconopsis impedita</i>	<i>Meconopsis integrifolia</i>	<i>Meconopsis lancifolia</i>
<i>Meconopsis latifolia</i>	<i>Meconopsis lyrata</i>	<i>Meconopsis napaulensis</i>
<i>Meconopsis paniculata</i>	<i>Meconopsis punicea</i>	<i>Meconopsis quintuplinervia</i>
<i>Meconopsis regia</i>	<i>Meconopsis</i> x <i>sarsonsii</i>	<i>Meconopsis</i> x <i>sheldonii</i>
<i>Meconopsis simplicifolia</i>	<i>Meconopsis sinuata</i>	<i>Meconopsis speciosa</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Meconopsis superba</i>	<i>Meconopsis villosa</i>	<i>Medemia argun</i>
<i>Medicago arabica</i>	<i>Medicago arborea</i>	<i>Medicago biflora</i>
<i>Medicago brachycarpa</i>	<i>Medicago cancellata</i>	<i>Medicago constricta</i>
<i>Medicago cretacea</i>	<i>Medicago granadensis</i>	<i>Medicago huberi</i>
<i>Medicago hypogaea</i>	<i>Medicago intertexta</i>	<i>Medicago italica</i>
<i>Medicago laciniata</i>	<i>Medicago lanigera</i>	<i>Medicago littoralis</i>
<i>Medicago littoralis x tornata</i>	<i>Medicago lupulina</i>	<i>Medicago minima</i>
<i>Medicago monantha</i>	<i>Medicago murex</i>	<i>Medicago muricoleptis</i>
<i>Medicago orbicularis</i>	<i>Medicago orthoceras</i>	<i>Medicago ovalis</i>
<i>Medicago papillosa</i>	<i>Medicago polymorpha</i>	<i>Medicago praecox</i>
<i>Medicago rhodopea</i>	<i>Medicago rugosa</i>	<i>Medicago ruthenica</i>
<i>Medicago sativa</i>	<i>Medicago sauvagei</i>	<i>Medicago scutellata</i>
<i>Medicago suffruticosa</i>	<i>Medicago syriaca</i>	<i>Medicago truncatula</i>
<i>Medicosma cunninghamii</i>	<i>Medinilla astronioides</i>	<i>Medinilla balls-headleyi</i>
<i>Medinilla eximia</i>	<i>Medinilla magnifica</i>	<i>Medinilla mannii</i>
<i>Medinilla multiflora</i>	<i>Medinilla scortechinii</i>	<i>Medinilla speciosa</i>
<i>Medinilla teysmannii</i>	<i>Mediocalcar spp.</i>	<i>Medusanthera laxiflora</i>
<i>Megacodon stylophorus</i>	<i>Megahertzia amplexicaulis</i>	<i>Megaskepasma erythrochlamys</i>
<i>Megastylis gigas</i>	<i>Megastylis glandulosa</i>	<i>Megastylis latilabris</i>
<i>Megastylis montana</i>	<i>Megathyrsus maximus</i>	<i>Meiogyne cylindrocarpa</i>
<i>Meiogyne stenopetala</i>	<i>Melaleuca acacioides</i>	<i>Melaleuca acerosa</i>
<i>Melaleuca alternifolia</i>	<i>Melaleuca arcana</i>	<i>Melaleuca arenaria</i>
<i>Melaleuca armillaris</i>	<i>Melaleuca baxteri</i>	<i>Melaleuca biconvexa</i>
<i>Melaleuca brassii</i>	<i>Melaleuca canaliculata</i>	<i>Melaleuca capitata</i>
<i>Melaleuca cheelii</i>	<i>Melaleuca citrolens</i>	<i>Melaleuca conferta</i>
<i>Melaleuca cornucopiae</i>	<i>Melaleuca cuneata</i>	<i>Melaleuca cymbifolia</i>
<i>Melaleuca dawsonii</i>	<i>Melaleuca deanei</i>	<i>Melaleuca decora</i>
<i>Melaleuca decussata</i>	<i>Melaleuca densispicata</i>	<i>Melaleuca diosmatifolia</i>
<i>Melaleuca ericifolia</i>	<i>Melaleuca erubescens</i>	<i>Melaleuca exarata</i>

Melaleuca foliolosa	Melaleuca gibbosa	Melaleuca groveana
Melaleuca howeana	Melaleuca hypericifolia	Melaleuca irbyana
Melaleuca kunzeoides	Melaleuca leptoclada	Melaleuca linariifolia
Melaleuca magnifica	Melaleuca nodosa	Melaleuca oxyphylla
Melaleuca pancheri	Melaleuca pustulata	Melaleuca quinquenervia
Melaleuca radula x fulgens	Melaleuca saligna	Melaleuca saligna x arcana
Melaleuca sieberi	Melaleuca squamea	Melaleuca squarrosa
Melaleuca stenostachya	Melaleuca styphelioides	Melaleuca tamariscina
Melaleuca tenella	Melaleuca thymifolia	Melaleuca tortifolia
Melaleuca trichostachya	Melaleuca wilsonii	Melandrium elisabethae
Melanthera biflora	Melasphaerula ramosa	Melastoma denticulatum
Melastoma polyanthum	Melastoma sanguinea	Melia dubia
Melianthus elongatus	Melianthus major	Melianthus pectinatus
Melianthus villosus	Melica amethystina	Melica argyrea
Melica bauhinii	Melica brasiliana	Melica californica
Melica canariensis	Melica hyalina	Melica imperfecta
Melica mutica	Melica persica	Melica sarmentosa
Melica transsilvanica	Melichrus adpressus	Melichrus erubescens
Melichrus procumbens	Melichrus urceolatus	Melicoccus bijugatus
Melicoccus lepidopetalus	Melicope accedens	Melicope barbigerata
Melicope bonwickii	Melicope broadbentiana	Melicope denhamii
Melicope erythrocca	Melicope hayesii	Melicope jonesii
Melicope melanophloia	Melicope micrococca	Melicope octandra
Melicope peninsularis	Melicope rubra	Melicope simplex
Melicope stipitata	Melicope ternata	Melicope vitiflora
Melicope xanthoxyloides	Melicytus alpinus	Melicytus angustifolius
Melicytus chathamicus	Melicytus dentatus	Melicytus lanceolatus
Melicytus latifolius	Melicytus macrophyllus	Melicytus micranthus
Melicytus obovatus	Melicytus ramiflorus	Melilotus albus
Melilotus altissimus	Melilotus dentatus	Melilotus hirsutus

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Melilotus indicus	Melilotus infestus	Melilotus macrocarpus
Melilotus officinalis	Melilotus polonicus	Melilotus siculus
Melilotus speciosus	Melilotus spicatus	Melilotus sulcatus
Melilotus tauricus	Melinis minutiflora	Melinis repens
Meliosma dilleniifolia	Meliosma myriantha	Meliosma parviflora
Meliosma veitchiorum	Melissa officinalis	Melloa quadrivalvis
Melocactus albicephalus	Melocactus amethystinus	Melocactus andinus
Melocactus azureus	Melocactus bahiensis	Melocactus bellavistensis
Melocactus broadwayi	Melocactus caroli-linnaei	Melocactus concinnus
Melocactus conoideus	Melocactus cremnophilus	Melocactus curvispinus
Melocactus deinacanthus	Melocactus ernestii	Melocactus estevesii
Melocactus glaucescens	Melocactus guitarti	Melocactus harlowii
Melocactus intortus	Melocactus krainzianus	Melocactus lanssensianus
Melocactus lemairei	Melocactus levitestatus	Melocactus macracanthos
Melocactus matanzanus	Melocactus mazelianus	Melocactus neryi
Melocactus oaxacensis	Melocactus oreas	Melocactus pachyacanthus
Melocactus paucispinus	Melocactus perezassoi	Melocactus peruvianus
Melocactus praerupticola	Melocactus salvadorensis	Melocactus schatzlii
Melocactus smithii	Melocactus violaceus	Melocactus zehntneri
Melocanna baccifera	Melocanna humilis	Melocanna virgata
Melocanna zollingeri	Melochia pyramidata	Melodinus australis
Melodinus baueri	Melodinus cochinchinensis	Melodinus orientalis
Melodinus scandens	Melodinus suaveolens	Melodorum leichhardtii
Melodorum siamense	Melodorum urhii	Memecylon edule
Memecylon hylandii	Mendoncella fimbriata	Meniscium simplex
Menodora scabra	Mentha aquatica	Mentha australis
Mentha basilica	Mentha cervina	Mentha cunninghamii
Mentha diemenica	Mentha x gracilis	Mentha laxiflora
Mentha longifolia	Mentha x piperita	Mentha x piperita x citrata
Mentha x piperita x tingitana	Mentha pulegium	Mentha requienii

<i>Mentha x rotundifolia</i>	<i>Mentha saturejoides</i>	<i>Mentha spicata</i>
<i>Mentha spicata x suaveolens</i>	<i>Mentha suaveolens</i>	<i>Mentha x villosa-nervata</i>
<i>Mentzelia dispersa</i>	<i>Mentzelia laevicaulis</i>	<i>Mentzelia lindleyi</i>
<i>Mentzelia micrantha</i>	<i>Menziesia ciliicalyx</i>	<i>Menziesia multiflora</i>
<i>Menziesia pentandra</i>	<i>Menziesia purpurea</i>	<i>Mercurialis annua</i>
<i>Merendera montana</i>	<i>Merendera robusta</i>	<i>Merendera sobolifera</i>
<i>Merinthosorus drynarioides</i>	<i>Merope angulata</i>	<i>Merremia aurea</i>
<i>Merremia dissecta</i>	<i>Merrillia caloxylon</i>	<i>Mertensia alpina</i>
<i>Mertensia arizonica</i>	<i>Mertensia asiatica</i>	<i>Mertensia echioides</i>
<i>Mertensia lanceolata</i>	<i>Mertensia longiflora</i>	<i>Mertensia oblongifolia</i>
<i>Mertensia paniculata</i>	<i>Mertensia primuloides</i>	<i>Mertensia pterocarpa</i>
<i>Mertensia racemosa</i>	<i>Mertensia sibirica</i>	<i>Mertensia simplicissima</i>
<i>Merwillia lazulina</i>	<i>Meryta angustifolia</i>	<i>Meryta denhamii</i>
<i>Meryta latifolia</i>	<i>Meryta sinclairii</i>	<i>Mesembryanthemum aitonis</i>
<i>Mesembryanthemum barklyi</i>	<i>Mesembryanthemum crystallinum</i>	<i>Mesembryanthemum minimum</i>
<i>Mesembryanthemum nodiflorum</i>	<i>Mesembryanthemum tenuifolium</i>	<i>Mespilus germanica</i>
<i>Messerschmidia fruticosa</i>	<i>Mestoklema arboriforme</i>	<i>Mestoklema tuberosum</i>
<i>Mesua ferrea</i>	<i>Metanartheccium luteoviride</i>	<i>Metapanax delavayi</i>
<i>Metasequoia glyptostroboides</i>	<i>Metaxya rostrata</i>	<i>Metrosideros albiflora</i>
<i>Metrosideros bartlettii</i>	<i>Metrosideros carminea</i>	<i>Metrosideros colensoi</i>
<i>Metrosideros collina</i>	<i>Metrosideros diffusa</i>	<i>Metrosideros excelsa</i>
<i>Metrosideros fulgens</i>	<i>Metrosideros kermadecensis</i>	<i>Metrosideros laurifolia</i>
<i>Metrosideros nervulosa</i>	<i>Metrosideros operculata</i>	<i>Metrosideros perforata</i>
<i>Metrosideros polymorpha</i>	<i>Metrosideros queenslandica</i>	<i>Metrosideros robusta</i>
<i>Metrosideros sclerocarpa</i>	<i>Metrosideros umbellata</i>	<i>Metrosideros villosa</i>
<i>Metroxylon amicarum</i>	<i>Metroxylon paulcoxii</i>	<i>Metroxylon sagu</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Metroxylon salomonense</i>	<i>Metroxylon vitiense</i>	<i>Metroxylon warburgii</i>
<i>Metternichia princeps</i>	<i>Meum athamanticum</i>	<i>Meyerocactus horizonthalonius</i>
<i>Meyerophytum globosum</i>	<i>Meyerophytum meyeri</i>	<i>Mezobromelia capituligera</i>
<i>Mibora minima</i>	<i>Michauxia campanuloides</i>	<i>Michauxia tchihatcheffii</i>
<i>Michelia x alba</i>	<i>Michelia cavaleriei</i>	<i>Michelia champaca</i>
<i>Michelia compressa</i>	<i>Michelia crassipes</i>	<i>Michelia doltsopa</i>
<i>Michelia doltsopa x figo</i>	<i>Michelia figo</i>	<i>Michelia leveilleana</i>
<i>Michelia longifolia</i>	<i>Michelia macclurei</i>	<i>Michelia maudiae</i>
<i>Michelia mediocris</i>	<i>Michelia odora</i>	<i>Michelia pilifera</i>
<i>Michelia skinneriana</i>	<i>Michelia velutina</i>	<i>Michelia wilsonii</i>
<i>Michelia yunnanensis</i>	<i>Micraira subulifolia</i>	<i>Micranthemum callitrichoides</i>
<i>Micranthemum umbrosum</i>	<i>Micranthemum demissum</i>	<i>Micranthemum ericoides</i>
<i>Micranthemum hexandrum</i>	<i>Micranthemum serpentinum</i>	<i>Micranthocereus albicephalus</i>
<i>Micranthocereus auriazureus</i>	<i>Micranthocereus densiflorus</i>	<i>Micranthocereus dolichospermaticus</i>
<i>Micranthocereus estevesii</i>	<i>Micranthocereus flaviflorus</i>	<i>Micranthocereus polyanthus</i>
<i>Micranthocereus purpureus</i>	<i>Micranthocereus streckeri</i>	<i>Micranthocereus violaciflorus</i>
<i>Micranthus alopecuroides</i>	<i>Micranthus alopecuroideus</i>	<i>Microbiota decussata</i>
<i>Microcachrys tetragona</i>	<i>Microcitrus australasica</i>	<i>Microcitrus australis</i>
<i>Microcitrus garrawayae</i>	<i>Microcitrus inodora</i>	<i>Microcoelia</i> spp.
<i>Microcycas calocoma</i>	<i>Microgonium motleyi</i>	<i>Microgramma nitida</i>
<i>Microlaena avenacea</i>	<i>Microlepidia firma</i>	<i>Microlepidia khasiyana</i>
<i>Microlepidia marginata</i>	<i>Microlepidia platyphylla</i>	<i>Microlepidia pyramidata</i>
<i>Microlepidia strigosa</i>	<i>Microloma sagittatum</i>	<i>Micromeria biflora</i>
<i>Micromeria corsica</i>	<i>Micromeria douglasii</i>	<i>Micromeria graeca</i>
<i>Micromeria helianthemifolia</i>	<i>Micromeria imbricata</i>	<i>Micromeria juliana</i>
<i>Micromeria marginata</i>	<i>Micromeria pilosa</i>	<i>Micromeria thymifolia</i>

<i>Micromeria varia</i>	<i>Micromeria viminea</i>	<i>Micromyrtus albicans</i>
<i>Micromyrtus blakelyi</i>	<i>Micromyrtus capricornia</i>	<i>Micromyrtus carinata</i>
<i>Micromyrtus ciliata</i>	<i>Micromyrtus delicata</i>	<i>Micromyrtus forsteri</i>
<i>Micromyrtus gracilis</i>	<i>Micromyrtus grandis</i>	<i>Micromyrtus hexamera</i>
<i>Micromyrtus leptocalyx</i>	<i>Micromyrtus littoralis</i>	<i>Micromyrtus minutiflora</i>
<i>Micromyrtus patula</i>	<i>Micromyrtus rosea</i>	<i>Micromyrtus rotundifolia</i>
<i>Micromyrtus sessilis</i>	<i>Micromyrtus vernicosa</i>	<i>Micropera apiculata</i>
<i>Micropera fasciculata</i>	<i>Micropera pallida</i>	<i>Micropera philippinensis</i>
<i>Micropyrum patens</i>	<i>Microsemma setosa</i>	<i>Microseris lanceolata</i>
<i>Microseris scapigera</i>	<i>Microsorium australiense</i>	<i>Microsorium brachylepis</i>
<i>Microsorium fortunei</i>	<i>Microsorium linguiforme</i>	<i>Microsorium maximum</i>
<i>Microsorium membranifolium</i>	<i>Microsorium monstrosum</i>	<i>Microsorium musifolium</i>
<i>Microsorium palmatopedatum</i>	<i>Microsorium pappei</i>	<i>Microsorium parksii</i>
<i>Microsorium punctatum</i>	<i>Microsorium pustulatum</i>	<i>Microsorium scandens</i>
<i>Microsorium sibomense</i>	<i>Microsorium superficiale</i>	<i>Microsorium vieillardii</i>
<i>Microstemma tuberosum</i>	<i>Microstrobos fitzgeraldii</i>	<i>Microstrobos niphophilus</i>
<i>Microtatorchis oreophila</i>	<i>Microtatorchis schlechteri</i>	<i>Microtis spp.</i>
<i>Mikania dentata</i>	<i>Mikania guaco</i>	<i>Mikania ternata</i>
<i>Mila caespitosa</i>	<i>Mila nealeana</i>	<i>Milicia excelsa</i>
<i>Milium effusum</i>	<i>Miliusa horsfieldii</i>	<i>Milla magnifica</i>
<i>Millettia ferruginea</i>	<i>Millettia grandis</i>	<i>Millettia japonica</i>
<i>Millettia nitida</i>	<i>Millettia pilipes</i>	<i>Millettia pinnata</i>
<i>Millettia pulchra</i>	<i>Millettia sericea</i>	<i>Millettia stuhlmannii</i>
<i>Millettia sutherlandi</i>	<i>Millettia thonningii</i>	<i>Milligania densiflora</i>
<i>Milligania johnstonii</i>	<i>Milligania lindoniana</i>	<i>Milligania stylosa</i>
<i>Miltonia spp.</i>	<i>Miltonioides karwinskii</i>	<i>Miltoniopsis spp.</i>
<i>Mimetes argenteus</i>	<i>Mimetes cucullatus</i>	<i>Mimetes fimbriifolius</i>
<i>Mimetes hirtus</i>	<i>Mimetes hottentoticus</i>	<i>Mimetes lyrigera</i>
<i>Mimosa borealis</i>	<i>Mimosa dysocarpa</i>	<i>Mimosa incana</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Mimosa lindheimeri</i>	<i>Mimosa martindelcampoi</i>	<i>Mimosa scabrella</i>
<i>Mimosa spegazzinii</i>	<i>Mimosa uraguensis</i>	<i>Mimulus aurantiacus</i>
<i>Mimulus bolanderi</i>	<i>Mimulus brevipes</i>	<i>Mimulus cardinalis</i>
<i>Mimulus cusickii</i>	<i>Mimulus eastwoodiae</i>	<i>Mimulus fremontii</i>
<i>Mimulus guttatus</i> x <i>luteus</i>	<i>Mimulus lewisii</i>	<i>Mimulus luteus</i>
<i>Mimulus</i> x <i>paridinus</i>	<i>Mimulus pictus</i>	<i>Mimulus primuloides</i>
<i>Mimulus ringens</i>	<i>Mimulus speciosus</i>	<i>Mimulus tilingii</i>
<i>Mimusops caffra</i>	<i>Mimusops congolensis</i>	<i>Mimusops obovata</i>
<i>Mimusops zeyheri</i>	<i>Minuartia austriaca</i>	<i>Minuartia circassica</i>
<i>Minuartia erythrosepala</i>	<i>Minuartia graminifolia</i>	<i>Minuartia hybrida</i>
<i>Minuartia laricifolia</i>	<i>Minuartia mediterranea</i>	<i>Minuartia yukonensis</i>
<i>Minuria annua</i>	<i>Minuria denticulata</i>	<i>Mirabilis dichotoma</i>
<i>Mirabilis jalapa</i>	<i>Mirbelia confertiflora</i>	<i>Mirbelia oxylobioides</i>
<i>Mirbelia rubiifolia</i>	<i>Mirbelia speciosa</i>	<i>Miscanthus junceus</i>
<i>Miscanthus oligostachyus</i>	<i>Miscanthus sacchariflorus</i>	<i>Miscanthus sinensis</i>
<i>Miscanthus transmorrisonensis</i>	<i>Mischarytera lautereriana</i>	<i>Mischarytera macrobotrys</i>
<i>Mischarytera megaphylla</i>	<i>Mischocarpus anodontus</i>	<i>Mischocarpus australis</i>
<i>Mischocarpus exangulatus</i>	<i>Mischocarpus grandissimus</i>	<i>Mischocarpus lachnocarpus</i>
<i>Mischocarpus macrocarpus</i>	<i>Mischocarpus pyriformis</i>	<i>Mischocarpus stipitatus</i>
<i>Misopates orontium</i>	<i>Mitchella repens</i>	<i>Mitella breweri</i>
<i>Mitella ovalis</i>	<i>Mitella pentandra</i>	<i>Mitracarpus hirtus</i>
<i>Mitragyna parvifolia</i>	<i>Mitragyna rotundifolia</i>	<i>Mitragyna speciosa</i>
<i>Mitraria coccinea</i>	<i>Mitrasacme archeri</i>	<i>Mitrasacme montana</i>
<i>Mitrasacme pilosa</i>	<i>Mitrasacme polymorpha</i>	<i>Mitrasacme serpyllifolia</i>
<i>Mitrephora diversifolia</i>	<i>Mitrephora vandiflora</i>	<i>Mitriostigma axillare</i>
<i>Mitrophyllum niveum</i>	<i>Mobilabium hamatum</i>	<i>Modiola caroliniana</i>
<i>Moenchia erecta</i>	<i>Mohria caffrorum</i>	<i>Molineria capitulata</i>
<i>Molineria crassifolia</i>	<i>Molineria gracilis</i>	<i>Molineria latifolia</i>
<i>Molineriella minuta</i>	<i>Molinia caerulea</i>	<i>Moltkia doerfleri</i>
<i>Moltkia</i> x <i>intermedia</i>	<i>Moltkia petraea</i>	<i>Moltkia suffruticosa</i>

Moluccella laevis	Moluccella spinosa	Momordica balsamina
Momordica cardiospermoides	Momordica charantia	Momordica clematidea
Momordica friesiorum	Momordica rostrata	Monadenium guentheri
Monadenium invenustum	Monadenium lugardae	Monanthes anagensis
Monanthes brachycaulon	Monanthes laxiflora	Monanthes muralis
Monanthes polyphylla	Monanthotaxis caffra	Monanthotaxis chasei
Monanthotaxis orophila	Monarda austromontana	Monarda bartlettii
Monarda bradburiana	Monarda citriodora	Monarda clinopodia
Monarda didyma	Monarda fistulosa	Monarda purpurea
Monarda russeliana	Monardella cinerea	Monardella nana
Monardella odoratissima	Monardella purpurea	Mondia whiteii
Monechma pseudopatulum	Monelytrum luderitzianum	Moneses grandiflora
Monilaria moniliformis	Monilaria pisiformis	Monilaria salmonea
Monizia edulis	Monnina xalapensis	Monochaetum alpestre
Monochaetum bracteolatum	Monochaetum vulcanicum	Monochoria australasica
Monococcus echinophorus	Monocostus uniflorus	Monoculus monstrosus
Monodora junodii	Monodora myristica	Monolopia major
Monomeria barbata	Monopsis debilis	Monopsis decipiens
Monopsis lutea	Monopsis scabra	Monopsis unidentata
Monotoca elliptica	Monotoca empetrifolia	Monotoca glauca
Monotoca ledifolia	Monotoca linifolia	Monotoca rotundifolia
Monotoca scoparia	Monotoca submutica	Monsonia emarginata
Monstera acuminata	Monstera adansonii	Monstera deliciosa
Monstera dilacerata	Monstera dubia	Monstera friedrichsthali
Monstera punctulata	Monstera standleyana	Monstera subpinnata
Monstera tenuis	Montanoa bipinnatifida	Montanoa leucantha
Montanoa mollissima	Montia australasica	Montinia caryophyllacea
Montiopsis umbellata	Montrichardia arborescens	Monvillea apoloensis

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Monvillea jaenensis</i>	<i>Mora excelsa</i>	<i>Moraea algoensis</i>
<i>Moraea angulata</i>	<i>Moraea angusta</i>	<i>Moraea aristata</i>
<i>Moraea atropunctata</i>	<i>Moraea barkerae</i>	<i>Moraea barnardiella</i>
<i>Moraea barnardii</i>	<i>Moraea bituminosa</i>	<i>Moraea britteniae</i>
<i>Moraea caeca</i>	<i>Moraea comptonii</i>	<i>Moraea contorta</i>
<i>Moraea cookii</i>	<i>Moraea crispa</i>	<i>Moraea debilis</i>
<i>Moraea diandra</i>	<i>Moraea elegans</i>	<i>Moraea elliotii</i>
<i>Moraea falcifolia</i>	<i>Moraea fergusoniae</i>	<i>Moraea flexicaulis</i>
<i>Moraea fugax</i>	<i>Moraea galaxia</i>	<i>Moraea galpinii</i>
<i>Moraea gawleri</i>	<i>Moraea gigandra</i>	<i>Moraea gracilentata</i>
<i>Moraea herrei</i>	<i>Moraea huttonii</i>	<i>Moraea inconspicua</i>
<i>Moraea insolens</i>	<i>Moraea kamiesensis</i>	<i>Moraea knersvlaktensis</i>
<i>Moraea lewisiae</i>	<i>Moraea lilacina</i>	<i>Moraea loubseri</i>
<i>Moraea lurida</i>	<i>Moraea luteoalba</i>	<i>Moraea macrocarpa</i>
<i>Moraea marlothii</i>	<i>Moraea melanops</i>	<i>Moraea minima</i>
<i>Moraea minor</i>	<i>Moraea moggii</i>	<i>Moraea nana</i>
<i>Moraea neglecta</i>	<i>Moraea neopavonia</i>	<i>Moraea nubigena</i>
<i>Moraea ochroleuca</i>	<i>Moraea ovalifolia</i>	<i>Moraea pallida</i>
<i>Moraea papilionacea</i>	<i>Moraea pendula</i>	<i>Moraea polyanthos</i>
<i>Moraea pritzeliana</i>	<i>Moraea radians</i>	<i>Moraea ramosissima</i>
<i>Moraea saxicola</i>	<i>Moraea serpentina</i>	<i>Moraea setifolia</i>
<i>Moraea sisyrinchium</i>	<i>Moraea speciosa</i>	<i>Moraea stagnalis</i>
<i>Moraea stricta</i>	<i>Moraea thomsonii</i>	<i>Moraea tortilis</i>
<i>Moraea tricolor</i>	<i>Moraea tricuspida</i>	<i>Moraea tripetala</i>
<i>Moraea tulbaghensis</i>	<i>Moraea unguiculata</i>	<i>Moraea vallisbelli</i>
<i>Moraea variabilis</i>	<i>Moraea vegeta</i>	<i>Moraea versicolor</i>
<i>Moraea vespertina</i>	<i>Moraea villosa</i>	<i>Moraea villosa x aristata</i>
<i>Moraea virgata</i>	<i>Moraea viscaria</i>	<i>Moraea worcesterensis</i>
<i>Moratia cerifera</i>	<i>Morella californica</i>	<i>Morella caroliniensis</i>
<i>Morella cordifolia</i>	<i>Morella pensylvanica</i>	<i>Morella rubra</i>

Morella serrata	Morgania pubescens	Moricandia nitens
Morina longifolia	Morina nepalensis	Morina persica
Morinda acutifolia	Morinda coreia	Morinda parvifolia
Morinda reticulata	Morinda umbellata	Moringa drouhardii
Moringa hildebrandtii	Moringa oleifera	Moringa ovalifolia
Moringa peregrina	Morisia hypogaea	Morisia monanthos
Mormodes spp.	Mormolyca ringens	Morus alba
Morus bombycis	Morus lhou	Morus macroura
Morus nigra	Morus pendulina	Morus rubra
Mosiera bullata	Mossia intervallaris	Motherwellia haplosciadea
Moussonia elegans	Mucizonia hispida	Mucuna bennettii
Mucuna holtonii	Mucuna novoguineensis	Mucuna platyphylla
Mucuna poggei	Mucuna sloanei	Mucuna stans
Muehlenbeckia astonii	Muehlenbeckia x austracompla	Muehlenbeckia complexa
Muehlenbeckia ephedroides	Muehlenbeckia gracillima	Muehlenbeckia gunnii
Muehlenbeckia rhyticarya	Muellerina eucalyptoides	Muhlenbergia arenacea
Muhlenbergia arenicola	Muhlenbergia cuspidata	Muhlenbergia emersleyi
Muhlenbergia glomerata	Muhlenbergia montana	Muhlenbergia porteri
Muhlenbergia rigida	Muhlenbergia sylvatica	Muhlenbergia wrightii
Muilla coronata	Muilla maritima	Muiria hortenseae
Mukdenia rossii	Mukia micrantha	Mundulea sericea
Murdannia edulis	Murdannia elata	Murdannia gigantea
Murdannia japonica	Murdannia loureirii	Murdannia nudiflora
Murraya ovatifoliolata	Musa acuminata	Musa acuminata x balbisiana
Musa banksii	Musa fitzalanii	Musa flaviflora
Musa ingens	Musa jackeyi	Musa malaccensis
Musa mannii	Musa ornata	Musa sikkimensis
Musa sumatrana	Musa thomsonii	Musa velutina

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Musa violacea</i>	<i>Muscari adilii</i>	<i>Muscari ambrosiacum</i>
<i>Muscari armeniacum</i>	<i>Muscari aucheri</i>	<i>Muscari azureum</i>
<i>Muscari caucasicum</i>	<i>Muscari chalusicum</i>	<i>Muscari coeleste</i>
<i>Muscari commutatum</i>	<i>Muscari comosum</i>	<i>Muscari cycladicum</i>
<i>Muscari dionysicum</i>	<i>Muscari dolichanthum</i>	<i>Muscari grandifolium</i>
<i>Muscari holzmanni</i>	<i>Muscari inconstictum</i>	<i>Muscari latifolium</i>
<i>Muscari longipes</i>	<i>Muscari macrocarpum</i>	<i>Muscari motelayi</i>
<i>Muscari muscarimi</i>	<i>Muscari neglectum</i>	<i>Muscari paradoxum</i>
<i>Muscari parviflorum</i>	<i>Muscari pinardi</i>	<i>Muscari polyanthum</i>
<i>Muscari pseudomuscari</i>	<i>Muscari pulchellum</i>	<i>Muscari sosnowskyi</i>
<i>Muscari spreitzenhoferi</i>	<i>Muscari tenuiflorum</i>	<i>Muscari weissii</i>
<i>Musella lasiocarpa</i>	<i>Musgravea heterophylla</i>	<i>Musgravea stenostachya</i>
<i>Mussaenda arcuata</i>	<i>Mussaenda erythrophylla</i>	<i>Mussaenda esquirolii</i>
<i>Mussaenda frondosa</i>	<i>Mussaenda glabra</i>	<i>Mussaenda incana</i>
<i>Mussaenda philippica</i>	<i>Mussaenda pubescens</i>	<i>Musschia aurea</i>
<i>Musschia wollastonii</i>	<i>Mutisia clematis</i>	<i>Mutisia coccinea</i>
<i>Mutisia decurrens</i>	<i>Mutisia ilicifolia</i>	<i>Mutisia latifolia</i>
<i>Mutisia oligodon</i>	<i>Mutisia retusa</i>	<i>Mutisia rosea</i>
<i>Mutisia spinosa</i>	<i>Myagrurn perfoliatum</i>	<i>Myodocarpus fraxinifolius</i>
<i>Myodocarpus simplicifolius</i>	<i>Myonima violacea</i>	<i>Myoporum acuminatum</i>
<i>Myoporum adscendens</i>	<i>Myoporum apiculatum</i>	<i>Myoporum bateae</i>
<i>Myoporum betcheanum</i>	<i>Myoporum boninense</i>	<i>Myoporum crassifolium</i>
<i>Myoporum crystallinum</i>	<i>Myoporum floribundum</i>	<i>Myoporum gracile</i>
<i>Myoporum kermadecense</i>	<i>Myoporum laetum</i>	<i>Myoporum mauritianum</i>
<i>Myoporum parvifolium</i>	<i>Myoporum petiolatum</i>	<i>Myoporum refractum</i>
<i>Myoporum sandwicense</i>	<i>Myoporum verrucosum</i>	<i>Myoporum viscosum</i>
<i>Myosotidium hortensia</i>	<i>Myosotis arnoldii</i>	<i>Myosotis baetica</i>
<i>Myosotis capitata</i>	<i>Myosotis colensoi</i>	<i>Myosotis discolor</i>
<i>Myosotis exarrhena</i>	<i>Myosotis eximia</i>	<i>Myosotis explanata</i>
<i>Myosotis maritima</i>	<i>Myosotis monroi</i>	<i>Myosotis scorpioides</i>

<i>Myosotis sylvatica</i>	<i>Myosotis traversii</i>	<i>Myostemma advena</i>
<i>Myostemma bifida</i>	<i>Myostemma gilliesiana</i>	<i>Myostemma pratensis</i>
<i>Myrceugenella chequen</i>	<i>Myrceugenia exsucca</i>	<i>Myrceugenia fernandeziana</i>
<i>Myrceugenia lanceolata</i>	<i>Myrceugenia lechleriana</i>	<i>Myrceugenia stenophylla</i>
<i>Myrcia citrifolia</i>	<i>Myrcia revolutifolia</i>	<i>Myrcianthes pungens</i>
<i>Myrciaria cauliflora</i>	<i>Myrciaria dubia</i>	<i>Myrciaria floribunda</i>
<i>Myrciaria jaboticaba</i>	<i>Myrciaria vexator</i>	<i>Myrialepis paradoxa</i>
<i>Myrica aethiopica</i>	<i>Myrica meyerijohannis</i>	<i>Myrica phanerodonta</i>
<i>Myrica quercifolia</i>	<i>Myrica rivas-martinezii</i>	<i>Myrica serrata</i>
<i>Myriocarpa longipes</i>	<i>Myriocephalus gracilis</i>	<i>Myriocephalus stuartii</i>
<i>Myriophyllum alpinum</i>	<i>Myriophyllum amphibium</i>	<i>Myriophyllum austropygmaeum</i>
<i>Myriophyllum caput-medusae</i>	<i>Myriophyllum gracile</i>	<i>Myriophyllum latifolium</i>
<i>Myriophyllum mattogrossense</i>	<i>Myriophyllum muricatum</i>	<i>Myriophyllum papillosum</i>
<i>Myriophyllum pedunculatum</i>	<i>Myristica fragrans</i>	<i>Myristica globosa</i>
<i>Myristica moschata</i>	<i>Myristica muelleri</i>	<i>Myrmecodia beccarii</i>
<i>Myrmecodia echinata</i>	<i>Myrmecodia muelleri</i>	<i>Myrmecodia platytyrea</i>
<i>Myrmecodia tuberosa</i>	<i>Myrmecophila humboldtii</i>	<i>Myrmecophila tibicinis</i>
<i>Myrocarpus frondosus</i>	<i>Myrospermum sousanum</i>	<i>Myrrhinium atropurpureum</i>
<i>Myrrhis odorata</i>	<i>Myrsine africana</i>	<i>Myrsine australis</i>
<i>Myrsine chathamica</i>	<i>Myrsine divaricata</i>	<i>Myrsine nummularia</i>
<i>Myrsine ralstoniae</i>	<i>Myrsine salicina</i>	<i>Myrsine semiserrata</i>
<i>Myrsine urvillei</i>	<i>Myrteola obtusa</i>	<i>Myrteola nummularia</i>
<i>Myrteola phylloides</i>	<i>Myrtillocactus cochal</i>	<i>Myrtillocactus schenckii</i>
<i>Myrtus anomala</i>	<i>Myrtus bullata</i>	<i>Myrtus communis</i>
<i>Myrtus nummularia</i>	<i>Myrtus pendula</i>	<i>Mystacidium spp.</i>
<i>Mystroxydon aethiopicum</i>	<i>Nablonium calyceroides</i>	<i>Nageia fleuryi</i>
<i>Nageia nagi</i>	<i>Nageliella spp.</i>	<i>Najas indica</i>
<i>Namaquanthus vanheerdei</i>	<i>Namibia cinerea</i>	<i>Nananthus aloides</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Nananthus cibdelus</i>	<i>Nananthus luckhoffii</i>	<i>Nananthus malherbei</i>
<i>Nananthus rosulatus</i>	<i>Nananthus schooneesii</i>	<i>Nananthus setiferus</i>
<i>Nananthus spathulatus</i>	<i>Nananthus transvaalensis</i>	<i>Nananthus vittatus</i>
<i>Nandina domestica</i>	<i>Nannorrhops ritchiana</i>	<i>Nannothelypteris inaequilobata</i>
<i>Nanozostera muelleri</i>	<i>Napaea dioica</i>	<i>Napoleonaea imperialis</i>
<i>Napoleonaea vogelii</i>	<i>Narcissus abscissus</i>	<i>Narcissus alcaracensis</i>
<i>Narcissus assoanus</i>	<i>Narcissus asturiensis</i>	<i>Narcissus atlanticus</i>
<i>Narcissus bicolor</i>	<i>Narcissus broussonetii</i>	<i>Narcissus bugei</i>
<i>Narcissus bulbocodium</i>	<i>Narcissus calcicola</i>	<i>Narcissus cantabricus</i>
<i>Narcissus cavanillesii</i>	<i>Narcissus x compressus</i>	<i>Narcissus cordubensis</i>
<i>Narcissus cuatrecasii</i>	<i>Narcissus cyclamineus</i>	<i>Narcissus dubius</i>
<i>Narcissus elegans</i>	<i>Narcissus fernandesii</i>	<i>Narcissus gaditanus</i>
<i>Narcissus gigas</i>	<i>Narcissus hedraeanthus</i>	<i>Narcissus intermedius</i>
<i>Narcissus jacetanus</i>	<i>Narcissus jonquilla</i>	<i>Narcissus lagoi</i>
<i>Narcissus longispathus</i>	<i>Narcissus x medioluteus</i>	<i>Narcissus x odorus</i>
<i>Narcissus pachybolbus</i>	<i>Narcissus palearensis</i>	<i>Narcissus papyraceus</i>
<i>Narcissus parviflorus</i>	<i>Narcissus patulus</i>	<i>Narcissus poeticus</i>
<i>Narcissus pseudonarcissus</i>	<i>Narcissus romieuxii</i>	<i>Narcissus rupicola</i>
<i>Narcissus scaberulus</i>	<i>Narcissus serotinus</i>	<i>Narcissus tazetta</i>
<i>Narcissus x tenuior</i>	<i>Narcissus tortifolius</i>	<i>Narcissus triandrus</i>
<i>Narcissus viridiflorus</i>	<i>Narcissus willkommii</i>	<i>Narcissus yepesii</i>
<i>Naringi crenulata</i>	<i>Nashia inaguensis</i>	<i>Nasturtium officinale</i>
<i>Nasturtium officinale x microphyllum</i>	<i>Nastus elatus</i>	<i>Nauclea calycina</i>
<i>Nauplius intermedius</i>	<i>Nauplius schultzei</i>	<i>Nauplius sericeus</i>
<i>Nautilocalyx adenosiphon</i>	<i>Nautilocalyx bullatus</i>	<i>Nautilocalyx forgetii</i>
<i>Nautilocalyx lynchii</i>	<i>Nautilocalyx melittifolius</i>	<i>Nautilocalyx pemphidius</i>
<i>Nautilocalyx picturatus</i>	<i>Nautilocalyx villosus</i>	<i>Navarretia squarrosa</i>
<i>Navia igneosicola</i>	<i>Nectandra angustifolia</i>	<i>Nectandra salicifolia</i>
<i>Nectaroscordum siculum</i>	<i>Neea buxifolia</i>	<i>Negria rhabdothamnoides</i>

Negundo nikoense	Neillia affinis	Neillia ribesioides
Neillia sinensis	Neillia thibetica	Neillia thyrsoiflora
Neillia uekii	Neisosperma poweri	Nelia meyeri
Nelia pillansii	Nelia schlechteri	Nelumbo nucifera

Nematanthus crassifolius	Nematanthus fissus	Nematanthus fritschii
Nematanthus gregarius	Nematanthus longipes	Nematanthus strigillosus
Nematanthus wettsteinii	Nematolepis elliptica	Nematolepis frondosa
Nematolepis ovatifolia	Nematolepis rhytidophylla	Nematolepis squamea
Nematolepis wilsonii	Nemcia coriacea	Nemcia dilatata
Nemcia lehmannii	Nemcia obovata	Nemcia punctata
Nemcia truncata	Nemesia caerulea	Nemesia capensis
Nemesia denticulata	Nemesia fruticans	Nemesia strumosa
Nemophila discoidalis	Nemophila maculata	Nemophila menziesii
Nenga banaensis	Nenga pumila	Neoastelia spectabilis
Neobassia proceriflora	Neobathiea spp.	Neobenthamia gracilis
Neobuxbaumia euphorbioides	Neobuxbaumia macrocephala	Neobuxbaumia polylopha
Neobuxbaumia scoparia	Neobuxbaumia tetetzo	Neocallitropsis pancheri
Neochamaelea pulverulenta	Neochilenia lembckeii	Neochilenia transitensis
Neocinnamomum caudatum	Neodryas spp.	Neodypsis ceraceus
Neodypsis leptocheilos	Neodypsis tsaratananensis	Neofabricia mjoebergii
Neofabricia myrtifolia	Neofabricia sericisepala	Neofinetia spp.
Neogardneria spp.	Neogardneria x Pabstia x Zygotetalum spp.	Neogardneria x Zygotetalum spp.
Neoglaziovia variegata	Neohenricia sibbettii	Neohouzeaua mekongensis
Neohymenopogon parasiticus	Neolauchea pulchella	Neolehmannia spp.
Neolepisorus ensatus	Neolitsea australiensis	Neolitsea brassii
Neolitsea dealbata	Neolitsea sericea	Neolloydia conoidea

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Neololeba atra</i>	<i>Neomammillaria vagaspina</i>	<i>Neomammillaria zuccariniana</i>
<i>Neomarica brachypus</i>	<i>Neomarica caerulea</i>	<i>Neomarica gracilis</i>
<i>Neomarica longifolia</i>	<i>Neomarica northiana</i>	<i>Neomarica vittata</i>
x <i>Neomea</i> spp.	<i>Neomillspaughia emarginata</i>	<i>Neomortonia nummularia</i>
<i>Neomyrtus pedunculata</i>	<i>Neonauclea calycina</i>	<i>Neonauclea excelsa</i>
<i>Neonauclea glabra</i>	<i>Neonauclea gordoniana</i>	<i>Neonauclea obtusa</i>
<i>Neonauclea purpurea</i>	<i>Neonicholsonia watsonii</i>	<i>Neonotonia wightii</i>
x <i>Neophytum</i> spp.	<i>Neopicrorhiza scrophulariiflora</i>	<i>Neoporteria andreaeana</i>
<i>Neoporteria aricensis</i>	<i>Neoporteria aspillagae</i>	<i>Neoporteria bulbocalyx</i>
<i>Neoporteria chilensis</i>	<i>Neoporteria clavata</i>	<i>Neoporteria confinis</i>
<i>Neoporteria crispa</i>	<i>Neoporteria curvispina</i>	<i>Neoporteria eriosyzoides</i>
<i>Neoporteria garaventae</i>	<i>Neoporteria horrida</i>	<i>Neoporteria islayensis</i>
<i>Neoporteria jussieui</i>	<i>Neoporteria kunzei</i>	<i>Neoporteria napina</i>
<i>Neoporteria occulta</i>	<i>Neoporteria odieri</i>	<i>Neoporteria pilispina</i>
<i>Neoporteria planiceps</i>	<i>Neoporteria rapifera</i>	<i>Neoporteria recondita</i>
<i>Neoporteria senilis</i>	<i>Neoporteria simulans</i>	<i>Neoporteria sociabilis</i>
<i>Neoporteria strausiana</i>	<i>Neoporteria taltalensis</i>	<i>Neoporteria umadeave</i>
<i>Neoporteria vallenarensis</i>	<i>Neoporteria villicumensis</i>	<i>Neoporteria villosa</i>
<i>Neoraimondia arequipensis</i>	<i>Neoraimondia herzogiana</i>	<i>Neorautanenia mitis</i>
<i>Neoregelia abendrothae</i>	<i>Neoregelia aculeatosepala</i>	<i>Neoregelia ampullacea</i>
<i>Neoregelia azevedoi</i>	<i>Neoregelia bahiana</i>	<i>Neoregelia burlemarxii</i>
<i>Neoregelia carcharodon</i>	<i>Neoregelia carolinae</i>	<i>Neoregelia chlorosticta</i>
<i>Neoregelia compacta</i>	<i>Neoregelia concentrica</i>	<i>Neoregelia coriacea</i>
<i>Neoregelia correia-araujoi</i>	<i>Neoregelia cruenta</i>	<i>Neoregelia cyanea</i>
<i>Neoregelia dungsiana</i>	<i>Neoregelia farinosa</i>	<i>Neoregelia fosteriana</i>
<i>Neoregelia hoehneana</i>	<i>Neoregelia</i> x hybrids	<i>Neoregelia johannis</i>
<i>Neoregelia kautskyi</i>	<i>Neoregelia kerryi</i>	<i>Neoregelia lilliputiana</i>
<i>Neoregelia macrosepala</i>	<i>Neoregelia marmorata</i>	<i>Neoregelia martinellii</i>

Neoregelia mooreana	Neoregelia nivea	Neoregelia olens
Neoregelia pascoaliana	Neoregelia pauciflora	Neoregelia pendula
Neoregelia pernambucana	Neoregelia pineliana	Neoregelia princeps
Neoregelia punctatissima	Neoregelia rubrifolia	Neoregelia rubrovittata
Neoregelia sarmentosa	Neoregelia smithii	Neoregelia spectabilis
Neoregelia tigrina	Neoregelia tristis	Neoregelia wilsoniana
Neoregelia wurdackii	Neoregelia zonata	Neorites kevediana
Neoroepera banksii	Neosepicaea jucunda	Neoshirakia japonica
Neotriblemma lancea	Neottia nidus-avis	Neottia ovata
Neoveitchia storckii	Neowerdermannia chilensis	Neowerdermannia vorwerkii
Nepenthes adnata	Nepenthes alata	Nepenthes albomarginata
Nepenthes ampullaria	Nepenthes anamensis	Nepenthes argenti
Nepenthes aristolochioides	Nepenthes bellii	Nepenthes benstonei
Nepenthes bicalcarata	Nepenthes bongso	Nepenthes boschiana
Nepenthes burbridgeae	Nepenthes burkei	Nepenthes burkeii
Nepenthes campanulata	Nepenthes carunculata	Nepenthes chaniana
Nepenthes clipeata	Nepenthes danseri	Nepenthes densiflora
Nepenthes diatas	Nepenthes distillatoria	Nepenthes dubia
Nepenthes edwardsiana	Nepenthes ehippiata	Nepenthes eustachya
Nepenthes eymae	Nepenthes eymai	Nepenthes faizaliana
Nepenthes fusca	Nepenthes glabrata	Nepenthes gracilis
Nepenthes gracillima	Nepenthes hamata	Nepenthes hirsuta
Nepenthes hurrelliana	Nepenthes hybrids	Nepenthes inermis
Nepenthes insignis	Nepenthes izumiae	Nepenthes jacquelineae
Nepenthes kampoiana	Nepenthes khasiana	Nepenthes lamii
Nepenthes lavicola	Nepenthes leptochila	Nepenthes longifolia
Nepenthes lowii	Nepenthes macfarlanei	Nepenthes macrophylla
Nepenthes macrovulgaris	Nepenthes madagascariensis	Nepenthes mantalingajanensis
Nepenthes masoalensis	Nepenthes maxima	Nepenthes merrilliana

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Nepenthes mikei</i>	<i>Nepenthes mira</i>	<i>Nepenthes mirabilis</i>
<i>Nepenthes muluensis</i>	<i>Nepenthes murudensis</i>	<i>Nepenthes northiana</i>
<i>Nepenthes ovata</i>	<i>Nepenthes pectinata</i>	<i>Nepenthes pervillei</i>
<i>Nepenthes petiolata</i>	<i>Nepenthes philippinensis</i>	<i>Nepenthes platychila</i>
<i>Nepenthes rafflesiana</i>	<i>Nepenthes rajah</i>	<i>Nepenthes ramispina</i>
<i>Nepenthes reinwardtiana</i>	<i>Nepenthes rhombicaulis</i>	<i>Nepenthes sanguinea</i>
<i>Nepenthes sibuyanensis</i>	<i>Nepenthes singalana</i>	<i>Nepenthes spathulata</i>
<i>Nepenthes spectabilis</i>	<i>Nepenthes stenophylla</i>	<i>Nepenthes sumatrana</i>
<i>Nepenthes talangensis</i>	<i>Nepenthes tentaculata</i>	<i>Nepenthes tenuis</i>
<i>Nepenthes thorelii</i>	<i>Nepenthes tobaica</i>	<i>Nepenthes treubiana</i>
<i>Nepenthes truncata</i>	<i>Nepenthes veitchii</i>	<i>Nepenthes ventricosa</i>
<i>Nepenthes vieillardii</i>	<i>Nepenthes villosa</i>	<i>Nepenthes vogelii</i>
<i>Nepeta camphorata</i>	<i>Nepeta cataria</i>	<i>Nepeta clarkei</i>
<i>Nepeta dirphyia</i>	<i>Nepeta erecta</i>	<i>Nepeta x faassenii</i>
<i>Nepeta govaniana</i>	<i>Nepeta grandiflora</i>	<i>Nepeta hemsleyana</i>
<i>Nepeta isaurica</i>	<i>Nepeta italica</i>	<i>Nepeta lanceolata</i>
<i>Nepeta latifolia</i>	<i>Nepeta leucolaena</i>	<i>Nepeta nervosa</i>
<i>Nepeta nuda</i>	<i>Nepeta parnassica</i>	<i>Nepeta prattii</i>
<i>Nepeta salviaefolia</i>	<i>Nepeta sibirica</i>	<i>Nepeta sibthorpii</i>
<i>Nepeta stewartiana</i>	<i>Nepeta subsessilis</i>	<i>Nepeta teydea</i>
<i>Nepeta troodi</i>	<i>Nepeta tuberosa</i>	<i>Nephelaphyllum pulchrum</i>
<i>Nephelium compressum</i>	<i>Nephelium cuspidatum</i>	<i>Nephelium lappaceum</i>
<i>Nephelium macrophyllum</i>	<i>Nephelium maingayi</i>	<i>Nephelium mangayi</i>
<i>Nephelium meduseum</i>	<i>Nephelium melanomiscum</i>	<i>Nephelium ramboutan-ake</i>
<i>Nephelium uncinatum</i>	<i>Nephelium xerospermoides</i>	<i>Nephrolepis acuminata</i>
<i>Nephrolepis acutifolia</i>	<i>Nephrolepis cordifolia</i>	<i>Nephrolepis dicksonioides</i>
<i>Nephrolepis duffii</i>	<i>Nephrolepis ensifolia</i>	<i>Nephrolepis exaltata</i>
<i>Nephrolepis falcata</i>	<i>Nephrolepis multifida</i>	<i>Nephrolepis oblitterata</i>
<i>Neprosperma vanhoutteanum</i>	<i>Nephtytis afzelii</i>	<i>Nephtytis bintuluensis</i>
<i>Nephtytis poissoni</i>	<i>Nephtytis swainii</i>	<i>Nerine alta</i>

<i>Nerine angustifolia</i>	<i>Nerine bowdenii</i>	<i>Nerine bowdenii</i> x <i>corusca</i>
<i>Nerine bowdenii</i> x <i>filamentosa</i>	<i>Nerine bowdenii</i> x <i>flexuosa</i>	<i>Nerine bowdenii</i> x <i>fothergilli</i>
<i>Nerine bowdenii</i> x <i>undulata</i>	<i>Nerine corusca</i> x <i>pudica</i>	<i>Nerine curvifolia</i>
<i>Nerine filamentosa</i>	<i>Nerine filamentosa</i> x <i>sarniensis</i>	<i>Nerine flexuosa</i>
<i>Nerine humilis</i>	<i>Nerine huttoniae</i>	<i>Nerine krigei</i>
<i>Nerine laticoma</i>	<i>Nerine marginata</i>	<i>Nerine masoniorum</i>
<i>Nerine platypetala</i>	<i>Nerine pudica</i>	<i>Nerine sarniensis</i>
<i>Nerine sarniensis</i> x <i>bowdenii</i>	<i>Nerine sarniensis</i> x <i>corusca</i>	<i>Nerine sarniensis</i> x <i>flexuosa</i>
<i>Nerine sarniensis</i> x <i>undulata</i>	<i>Nerine undulata</i>	<i>Nerine</i> x <i>versicolor</i>
<i>Nerium oleander</i>	<i>Nertera granadensis</i>	<i>Nervilia crociformis</i>
<i>Nervilia discolor</i>	<i>Nervilia peltata</i>	<i>Nervilia plicata</i>

<i>Nervilia uniflora</i>	<i>Nesaea pedicellata</i>	<i>Nesocodon mauritanus</i>
<i>Nesoluma polynesianum</i>	<i>Nesphostylis junodii</i>	<i>Nestegis ligustrina</i>
<i>Nestegis montana</i>	<i>Neuropoa fax</i>	<i>Neviusia alabamensis</i>
<i>Newbouldia laevis</i>	<i>Newcastelia interrupta</i>	<i>Nicandra physalodes</i>
<i>Nicodemia diversifolia</i>	<i>Nicotiana acaulis</i>	<i>Nicotiana africana</i>
<i>Nicotiana alata</i>	<i>Nicotiana amplexicaulis</i>	<i>Nicotiana arentsii</i>
<i>Nicotiana attenuata</i>	<i>Nicotiana benavidesii</i>	<i>Nicotiana bonariensis</i>
<i>Nicotiana clevelandii</i>	<i>Nicotiana cordifolia</i>	<i>Nicotiana corymbosa</i>
<i>Nicotiana fragrans</i>	<i>Nicotiana glauca</i>	<i>Nicotiana glutinosa</i>
<i>Nicotiana gossei</i>	<i>Nicotiana knightiana</i>	<i>Nicotiana langsdorffii</i>
<i>Nicotiana linearis</i>	<i>Nicotiana maritima</i>	<i>Nicotiana megalosiphon</i>
<i>Nicotiana miersii</i>	<i>Nicotiana mutabilis</i>	<i>Nicotiana mutabilis</i> x <i>alata</i>
<i>Nicotiana noctiflora</i>	<i>Nicotiana nudicaulis</i>	<i>Nicotiana obtusifolia</i>
<i>Nicotiana otophora</i>	<i>Nicotiana pauciflora</i>	<i>Nicotiana petunioides</i>
<i>Nicotiana raimondii</i>	<i>Nicotiana repanda</i>	<i>Nicotiana rustica</i>
<i>Nicotiana</i> x <i>sanderæ</i>	<i>Nicotiana setchellii</i>	<i>Nicotiana solanifolia</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Nicotiana spegazzinii</i>	<i>Nicotiana stocktonii</i>	<i>Nicotiana sylvestris</i>
<i>Nicotiana tabacum</i>	<i>Nicotiana thyrsoiflora</i>	<i>Nicotiana tomentosa</i>
<i>Nicotiana tomentosiformis</i>	<i>Nicotiana wigandioides</i>	<i>Nidularium angustifolium</i>
<i>Nidularium antoineanum</i>	<i>Nidularium atalaiaense</i>	<i>Nidularium billbergioides</i>
<i>Nidularium burchellii</i>	<i>Nidularium campos-portoi</i>	<i>Nidularium cariacicaense</i>
<i>Nidularium compactum</i>	<i>Nidularium ferdinando-coburgii</i>	<i>Nidularium fulgens</i>
<i>Nidularium innocentii</i>	<i>Nidularium innocentii x fulgens</i>	<i>Nidularium linehamii</i>
<i>Nidularium longiflorum</i>	<i>Nidularium microps</i>	<i>Nidularium procerum</i>
<i>Nidularium punctatissimum</i>	<i>Nidularium purpureum</i>	<i>Nidularium rubens</i>
<i>Nidularium rutilans</i>	<i>Nidularium rutilans x rosulatum</i>	<i>Nidularium scheremetiewii</i>
x <i>Nidumea</i> hybrids	x <i>Niduregelia</i> spp.	<i>Niemeyera antiloga</i>
<i>Niemeyera chartacea</i>	<i>Niemeyera prunifera</i>	<i>Niemeyera whitei</i>
<i>Nierembergia caerulea</i>	<i>Nierembergia gracilis</i>	<i>Nierembergia hippomanica</i>
<i>Nierembergia repens</i>	<i>Nierembergia rivularis</i>	<i>Nierembergia scoparia</i>
<i>Nigella damascena</i>	<i>Nigella orientalis</i>	<i>Nigella sativa</i>
<i>Nigromnia globosa</i>	<i>Niphaea cupreo-virens</i>	<i>Niphaea oblonga</i>
<i>Niphidium americanum</i>	<i>Niphidium crassifolium</i>	<i>Nissolia schottii</i>
<i>Nitraria schoberi</i>	<i>Nivenia binata</i>	<i>Nocca decipiens</i>
<i>Nolana filifolia</i>	<i>Nolana humifusa</i>	<i>Nolana paradoxa</i>
<i>Nolina beldingii</i>	<i>Nolina bigelovii</i>	<i>Nolina erumpens</i>
<i>Nolina interrata</i>	<i>Nolina longifolia</i>	<i>Nolina matapensis</i>
<i>Nolina nelsonii</i>	<i>Nolina palmeri</i>	<i>Nolina parryi</i>
<i>Nolina stricta</i>	<i>Nomaphila siamensis</i>	<i>Nomocharis aperta</i>
<i>Nomocharis basilissa</i>	<i>Nomocharis biluoensis</i>	<i>Nomocharis farreri</i>
<i>Nomocharis forrestii</i>	<i>Nomocharis meleagrina</i>	<i>Nomocharis oxypetala</i>
<i>Nomocharis pardanthina</i>	<i>Nomocharis saluenensis</i>	<i>Nomocharis synaptica</i>
<i>Norantea guianensis</i>	<i>Normanbya normanbyi</i>	<i>Northia seychellana</i>
<i>Notechidnopsis tessellata</i>	<i>Notelaea johnsonii</i>	<i>Notelaea ligustrina</i>

<i>Notelaea linearis</i>	<i>Notelaea lloydii</i>	<i>Notelaea longifolia</i>
<i>Notelaea microcarpa</i>	<i>Notelaea ovata</i>	<i>Notelaea venosa</i>
<i>Nothapodytes nimmoniana</i>	<i>Nothoalsomitra suberosa</i>	<i>Nothofagus alessandrii</i>
<i>Nothofagus alpina</i>	<i>Nothofagus antarctica</i>	<i>Nothofagus betuloides</i>
<i>Nothofagus codonandra</i>	<i>Nothofagus cunninghamii</i>	<i>Nothofagus dombeyi</i>
<i>Nothofagus fusca</i>	<i>Nothofagus glauca</i>	<i>Nothofagus gunnii</i>
<i>Nothofagus leoni</i>	<i>Nothofagus menziesii</i>	<i>Nothofagus moorei</i>
<i>Nothofagus nitida</i>	<i>Nothofagus obliqua</i>	<i>Nothofagus pumilio</i>
<i>Nothofagus solandri</i>	<i>Nothofagus x solfusca</i>	<i>Nothofagus truncata</i>
<i>Notholaena brownii</i>	<i>Notholaena candida</i>	<i>Notholaena distans</i>
<i>Notholaena reynoldsii</i>	<i>Notholaena velutina</i>	<i>Notholirion bulbuliferum</i>
<i>Notholirion campanulatum</i>	<i>Notholirion macrophyllum</i>	<i>Notholirion thomsonianum</i>
<i>Nothorites megacarpus</i>	<i>Nothoscordum x borbonicum</i>	<i>Nothoscordum dialystemon</i>
<i>Nothoscordum felipponei</i>	<i>Nothoscordum gracile</i>	<i>Nothoscordum minarum</i>
<i>Nothotsuga longibracteata</i>	<i>Notobuxus macowanii</i>	<i>Notocactus beltranii</i>
<i>Notocactus campestris</i>	<i>Notocactus grossei</i>	<i>Notocactus haselbergii</i>
<i>Notocactus incomptus</i>	<i>Notocactus kovaricii</i>	<i>Notocactus leucocarpus</i>
<i>Notocactus macracanthus</i>	<i>Notocactus macrogonus</i>	<i>Notocactus orthacanthus</i>
<i>Notocactus polyacanthus</i>	<i>Notocactus pulvinatus</i>	<i>Notocactus rauschii</i>
<i>Notocactus roseiflorus</i>	<i>Notocactus rubricostatus</i>	<i>Notocactus schaeferianus</i>
<i>Notocactus schlosseri</i>	<i>Notocactus stegmannii</i>	<i>Notochloe microdon</i>
<i>Notodanthonia gracilis</i>	<i>Notodanthonia linkii</i>	<i>Notodanthonia semiannularis</i>
<i>Notonia hildebrandtii</i>	<i>Notonia petraea</i>	<i>Notothlaspi rosulatum</i>
<i>Nototrichium sandwicense</i>	<i>Notyilia spp.</i>	<i>Nuphar japonica</i>
<i>Nuphar x rubrodisca</i>	<i>Nuphar sagittifolium</i>	<i>Nuxia floribunda</i>
<i>Nyctanthes arbor-tristis</i>	<i>Nylandtia spinosa</i>	<i>Nymanina capensis</i>
<i>Nymphaea alba</i>	<i>Nymphaea alba x candida</i>	<i>Nymphaea alba x mexicana</i>
<i>Nymphaea alba x tuberosa</i>	<i>Nymphaea caerulea</i>	<i>Nymphaea candida</i>
<i>Nymphaea elleniae</i>	<i>Nymphaea gigantea</i>	<i>Nymphaea glandulifera</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Nymphaea hybrida</i>	<i>Nymphaea immutabilis</i>	<i>Nymphaea x leydekeri</i>
<i>Nymphaea lotus</i>	<i>Nymphaea x marliacea</i>	<i>Nymphaea mexicana</i>
<i>Nymphaea odorata</i>	<i>Nymphaea pubescens</i>	<i>Nymphaea rubra</i>
<i>Nymphoides aquatica</i>	<i>Nymphoides cordata</i>	<i>Nymphoides cristata</i>
<i>Nymphoides montana</i>	<i>Nymphoides peltata</i>	<i>Nymphoides spinulosperma</i>
<i>Nymphoides spongiosa</i>	<i>Nypa fruticans</i>	<i>Nyssa aquatica</i>
<i>Nyssa biflora</i>	<i>Nyssa ogeche</i>	<i>Nyssa sinensis</i>
<i>Nyssa sylvatica</i>	<i>Nyssa ursina</i>	<i>Oberonia anceps</i>
<i>Oberonia anguina</i>	<i>Oberonia carnosa</i>	<i>Oberonia complanata</i>
<i>Oberonia disticha</i>	<i>Oberonia equitans</i>	<i>Oberonia gracilis</i>
<i>Oberonia heliophila</i>	<i>Oberonia iridifolia</i>	<i>Oberonia longispica</i>
<i>Oberonia lycopodioides</i>	<i>Oberonia maxima</i>	<i>Oberonia mucronata</i>
<i>Oberonia muelleriana</i>	<i>Oberonia oligotricha</i>	<i>Oberonia pachyglossa</i>
<i>Oberonia palmicola</i>	<i>Oberonia rubra</i>	<i>Oberonia titania</i>
<i>Oberonia vieillardii</i>	<i>Obetia ficifolia</i>	<i>Obregonia denegrii</i>
<i>Ochagavia lindleyana</i>	<i>Ochagavia litoralis</i>	<i>Ochroma pyramidale</i>
<i>Ochrosia borbonica</i>	<i>Ochrosia coccinea</i>	<i>Ochrosia haleakalae</i>
<i>Ochrosia kilneri</i>	<i>Ochrosia minima</i>	<i>Ochrosia moorei</i>
<i>Ochrosia oppositifolia</i>	<i>Ochrosia poweri</i>	<i>Ochrosperma lineare</i>
<i>Ochrosperma monticola</i>	<i>Ochrosperma oligomerum</i>	<i>Ochthochloa compressa</i>
<i>Ocimum americanum</i>	<i>Ocimum basilicum</i>	<i>Ocimum x citriodorum</i>
<i>Ocimum gratissimum</i>	<i>Ocimum kilimandscharicum</i>	<i>Ocimum kilimandscharicum x basilicum</i>
<i>Ocimum minimum</i>	<i>Ocimum obovatum</i>	<i>Ocimum tenuiflorum</i>
<i>Ocotea foetens</i>	<i>Ocotea porosa</i>	<i>Ocotea quixos</i>
<i>Octarrhena angraecoides</i>	<i>Octarrhena pusilla</i>	<i>Octomeles sumatrana</i>
<i>Octomeria spp.</i>	<i>Odixia achlaena</i>	<i>Odixia angusta</i>
<i>Odontadenia macrantha</i>	<i>Odontadenia nitida</i>	<i>Odontoglossum spp.</i>
<i>Odontoglossum bictoniense</i> <i>x Oncidium forbesii</i>	<i>Odontonema rutilans</i>	<i>Odontonema schomburgkianum</i>

<i>Odontophorus angustifolius</i>	<i>Odontophorus herrei</i>	<i>Odontophorus marlothii</i>
<i>Odontophorus nanus</i>	<i>Odontophorus primulinus</i>	<i>Odontosoria chinensis</i>
<i>Odontosoria retusa</i>	<i>Odontospermum maritimum</i>	<i>Odontospermum odorum</i>
<i>Odontostomum hartwegii</i>	<i>Odosicyos bosserii</i>	<i>Oeceoclades calcarata</i>
<i>Oeceoclades pulchra</i>	<i>Oeceoclades saundersiana</i>	<i>Oenanthe divaricata</i>
<i>Oenocarpus bacaba</i>	<i>Oenocarpus balickii</i>	<i>Oenocarpus bataua</i>
<i>Oenocarpus circumtextus</i>	<i>Oenocarpus distichus</i>	<i>Oenocarpus mapora</i>
<i>Oenocarpus minor</i>	<i>Oenothera affinis</i>	<i>Oenothera drummondii</i>
<i>Oenothera fraseri</i>	<i>Oenothera fruticosa</i>	<i>Oenothera glabra</i>
<i>Oenothera glazioviana</i>	<i>Oenothera indecora</i>	<i>Oenothera jamesii</i>
<i>Oenothera lindheimeri</i>	<i>Oenothera macrocarpa</i>	<i>Oenothera mollissima</i>
<i>Oenothera organensis</i>	<i>Oenothera pallida</i>	<i>Oenothera rosea</i>
<i>Oenothera rubrinervis</i>	<i>Oenothera sinuata</i>	<i>Oenothera speciosa</i>
<i>Oenothera stricta</i>	<i>Oenothera tetraptera</i>	<i>Oenothera versicolor</i>
<i>Oenothera xylocarpa</i>	<i>Oenothera youngii</i>	<i>Oenotrichia dissecta</i>
<i>Oenotrichia tripinnata</i>	<i>Oeonia</i> spp.	<i>Oeoniella</i> spp.
<i>Oerstedella</i> spp.	<i>Ohlendorffia procumbens</i>	<i>Olex stricta</i>
<i>Oldenburgia arbuscula</i>	<i>Oldenburgia grandis</i>	<i>Oldenlandia auricularia</i>
<i>Oldenlandia coerulescens</i>	<i>Oldenlandia corymbosa</i>	<i>Oldenlandia cristata</i>
<i>Oldenlandia diffusa</i>	<i>Oldenlandia longifolia</i>	<i>Oldenlandia uniflora</i>
<i>Olea capensis</i>	<i>Olea dioica</i>	<i>Olea europaea</i>
<i>Olea fragrans</i>	<i>Olea glandulifera</i>	<i>Olea paniculata</i>
<i>Olea yuennanensis</i>	<i>Oleandra articulata</i>	<i>Oleandra herrei</i>
<i>Oleandra neriiformis</i>	<i>Oleandra pistillaris</i>	<i>Olearia adenophora</i>
<i>Olearia albida</i>	<i>Olearia algida</i>	<i>Olearia allenderae</i>
<i>Olearia alpicola</i>	<i>Olearia alpina</i>	<i>Olearia angulata</i>
<i>Olearia angustifolia</i>	<i>Olearia argophylla</i>	<i>Olearia asterotricha</i>
<i>Olearia astroloba</i>	<i>Olearia ballii</i>	<i>Olearia chathamica</i>
<i>Olearia cheesemanii</i>	<i>Olearia chrysophylla</i>	<i>Olearia colensoi</i>
<i>Olearia cordata</i>	<i>Olearia covenyi</i>	<i>Olearia cymbifolia</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Olearia ericoides</i>	<i>Olearia erubescens</i>	<i>Olearia flocktoniae</i>
<i>Olearia floribunda</i>	<i>Olearia frostii</i>	<i>Olearia frostii</i> x <i>phlogopappa</i>
<i>Olearia furfuracea</i>	<i>Olearia glandulosa</i>	<i>Olearia glutinosa</i>
<i>Olearia grandiflora</i>	<i>Olearia gravis</i>	<i>Olearia hygrophila</i>
<i>Olearia iodochroma</i>	<i>Olearia lacunosa</i>	<i>Olearia lanceolata</i>
<i>Olearia lasiophylla</i>	<i>Olearia ledifolia</i>	<i>Olearia lineata</i>
<i>Olearia lirata</i>	<i>Olearia megalophylla</i>	<i>Olearia microdisca</i>
<i>Olearia microphylla</i>	<i>Olearia montana</i>	<i>Olearia mooneyi</i>
<i>Olearia myrsinoides</i>	<i>Olearia nernstii</i>	<i>Olearia obcordata</i>
<i>Olearia oppositifolia</i>	<i>Olearia pachyphylla</i>	<i>Olearia pannosa</i>
<i>Olearia persoonioides</i>	<i>Olearia phlogopappa</i>	<i>Olearia pinifolia</i>
<i>Olearia propinqua</i>	<i>Olearia quercifolia</i>	<i>Olearia ramulosa</i>
<i>Olearia rani</i>	<i>Olearia rhizomatica</i>	<i>Olearia rosmarinifolia</i>
<i>Olearia rugosa</i>	<i>Olearia semidentata</i>	<i>Olearia speciosa</i>
<i>Olearia stellulata</i>	<i>Olearia suffruticosa</i>	<i>Olearia tasmanica</i>
<i>Olearia tenuifolia</i>	<i>Olearia teretifolia</i>	<i>Olearia tomentosa</i>
<i>Olearia townsonii</i>	<i>Olearia tubiflora</i>	<i>Olearia viscidula</i>
<i>Olearia viscosa</i>	<i>Olfersia cervina</i>	<i>Oligoneuron album</i>
<i>Oligoneuron riddellii</i>	<i>Oligoneuron rigidum</i>	<i>Oligostachyum spongiosum</i>
<i>Olinia emarginata</i>	<i>Olinia ventosa</i>	<i>Olmediella betschleriana</i>
<i>Olneya tesota</i>	<i>Olsynium douglasii</i>	<i>Olsynium filifolium</i>
<i>Olsynium junceum</i>	<i>Olsynium nigricans</i>	<i>Omalthus novo-</i> <i>guineensis</i>
<i>Omalthus nutans</i>	<i>Omalthus populneus</i>	<i>Omalthus stillingiifolius</i>
<i>Omegandra kanisii</i>	<i>Omphacomeria acerba</i>	<i>Omphalea celata</i>
<i>Omphalea queenslandiae</i>	<i>Omphalocarpum elatum</i>	<i>Omphalodes cappadocica</i>
<i>Omphalodes linifolia</i>	<i>Omphalodes luciliae</i>	<i>Omphalodes nitida</i>
<i>Omphalogramma delavayi</i>	<i>Omphalogramma</i> <i>vinciflorum</i>	<i>Oncidium</i> spp.
<i>Oncinocalyx betchei</i>	<i>Oncoba routledgei</i>	<i>Oncoba spinosa</i>

<i>Oncosiphon africanum</i>	<i>Oncosiphon suffruticosum</i>	<i>Oncosperma fasciculatum</i>
<i>Oncosperma horridum</i>	<i>Oncosperma platyphyllum</i>	<i>Oncosperma tigillarum</i>
<i>Onixotis punctata</i>	<i>Onixotis stricta</i>	<i>Onixotis triquetra</i>
<i>Onobrychis altissima</i>	<i>Onobrychis arenaria</i>	<i>Onobrychis argyrea</i>
<i>Onobrychis biebersteinii</i>	<i>Onobrychis chorassanica</i>	<i>Onobrychis cyri</i>
<i>Onobrychis gaubae</i>	<i>Onobrychis grandis</i>	<i>Onobrychis hajastana</i>
<i>Onobrychis hypargyrea</i>	<i>Onobrychis iberica</i>	<i>Onobrychis inermis</i>
<i>Onobrychis kachetica</i>	<i>Onobrychis kemulariae</i>	<i>Onobrychis megataphros</i>
<i>Onobrychis melanotricha</i>	<i>Onobrychis michauxii</i>	<i>Onobrychis micrantha</i>
<i>Onobrychis montana</i>	<i>Onobrychis oxyodonta</i>	<i>Onobrychis oxytropoides</i>
<i>Onobrychis pallasii</i>	<i>Onobrychis persica</i>	<i>Onobrychis petraea</i>
<i>Onobrychis radiata</i>	<i>Onobrychis saxatilis</i>	<i>Onobrychis sintenisii</i>
<i>Onobrychis stenorrhiza</i>	<i>Onobrychis subacaulis</i>	<i>Onobrychis supina</i>
<i>Onobrychis tournefortii</i>	<i>Onobrychis transcaucasica</i>	<i>Onobrychis vaginalis</i>
<i>Onobrychis vassilczenkoi</i>	<i>Onobrychis viciifolia</i>	<i>Ononis adenotricha</i>
<i>Ononis cristata</i>	<i>Ononis fruticosa</i>	<i>Ononis ornithopodioides</i>
<i>Ononis pubescens</i>	<i>Ononis reclinata</i>	<i>Ononis rotundifolia</i>
<i>Ononis subspicata</i>	<i>Ononis variegata</i>	<i>Onopordum acanthium</i>
<i>Onopordum bracteatum</i>	<i>Onosma alborosea</i>	<i>Onosma echioides</i>
<i>Onosma frutescens</i>	<i>Onosma helvetica</i>	<i>Onosma nana</i>
<i>Onosma sericeum</i>	<i>Onosma taurica</i>	<i>Onychium japonicum</i>
<i>Onychium siliculosum</i>	<i>Oophytum nanum</i>	<i>Oophytum oviforme</i>
<i>Opercularia aspera</i>	<i>Opercularia hispida</i>	<i>Opercularia varia</i>
<i>Operculicarya decaryi</i>	<i>Operculicarya pachypus</i>	<i>Ophioglossum filiforme</i>
<i>Ophionella willowmorensis</i>	<i>Ophiopogon bodinieri</i>	<i>Ophiopogon clarkei</i>
<i>Ophiopogon grandis</i>	<i>Ophiopogon intermedius</i>	<i>Ophiopogon jaburan</i>
<i>Ophiopogon japonicus</i>	<i>Ophiopogon ohwii</i>	<i>Ophiopogon planiscapus</i>
<i>Ophiorrhiza australiana</i>	<i>Ophrestia oblongifolia</i>	<i>Ophrestia radicata</i>
<i>Opisthiolepis heterophylla</i>	<i>Oplismenus aemulus</i>	<i>Oplismenus imbecillis</i>
<i>Opopanax chironium</i>	<i>Orania appendiculata</i>	<i>Orania archboldiana</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Orania decipiens</i>	<i>Orania disticha</i>	<i>Orania lauterbachiana</i>
<i>Orania longisquama</i>	<i>Orania macropetala</i>	<i>Orania moluccana</i>
<i>Orania palindan</i>	<i>Orania paraguayensis</i>	<i>Orania regalis</i>
<i>Orania rubiginosa</i>	<i>Orania sylvicola</i>	<i>Orania trispatha</i>
<i>Oraniopsis appendiculata</i>	<i>Orbea baldratii</i>	<i>Orbea caudata</i>
<i>Orbea ciliata</i>	<i>Orbea cooperi</i>	<i>Orbea decaisneana</i>
<i>Orbea distincta</i>	<i>Orbea dummeri</i>	<i>Orbea gemugofana</i>
<i>Orbea laticorona</i>	<i>Orbea lepida</i>	<i>Orbea longidens</i>
<i>Orbea lutea</i>	<i>Orbea macloughlinii</i>	<i>Orbea melanantha</i>
<i>Orbea namaquensis</i>	<i>Orbea rogersii</i>	<i>Orbea schweinfurthii</i>
<i>Orbea semota</i>	<i>Orbea tubiformis</i>	<i>Orbea ubomboensis</i>
<i>Orbea variegata</i>	<i>Orbea verrucosa</i>	<i>Orbea wissmannii</i>
<i>Orbea woodii</i>	<i>Orbeanthus hardyi</i>	<i>Orbeopsis caudata</i>
<i>Orbignya lydiae</i>	<i>Orchis anthropophora</i>	<i>Oreobolus distichus</i>
<i>Oreobolus pumilio</i>	<i>Oreocallis mucronata</i>	<i>Oreocallis pinnata</i>
<i>Oreocallis wickhamii</i>	<i>Oreocereus celsianus</i>	<i>Oreocereus celsianus</i> x <i>pseudofossulatus</i>
<i>Oreocereus doelzianus</i>	<i>Oreocereus hempelianus</i>	<i>Oreocereus leucotrichus</i>
<i>Oreocereus piscoensis</i>	<i>Oreocereus</i> <i>pseudofossulatus</i>	<i>Oreocereus ritteri</i>
<i>Oreocereus trollii</i>	<i>Oreocnide frutescens</i>	<i>Oreomyrrhis argentea</i>
<i>Oreomyrrhis brevipes</i>	<i>Oreomyrrhis ciliata</i>	<i>Oreomyrrhis colensoi</i>
<i>Oreomyrrhis eriopoda</i>	<i>Oreomyrrhis gunnii</i>	<i>Oreomyrrhis pulvinifica</i>
<i>Oreomyrrhis sessiliflora</i>	<i>Oreopanax argentatus</i>	<i>Oreopanax dactylifolius</i>
<i>Oreopanax epremesnilianus</i>	<i>Oreopanax reticulatum</i>	<i>Oreoporanthera petalifera</i>
<i>Oreosyce africana</i>	<i>Origanum</i> x <i>applii</i>	<i>Origanum calacratum</i> x <i>rotundifolium</i>
<i>Origanum calcaratum</i>	<i>Origanum compactum</i>	<i>Origanum dictamnus</i>
<i>Origanum dictamnus</i> x <i>amanum</i>	<i>Origanum laevigatum</i>	<i>Origanum majorana</i>
<i>Origanum majoricum</i>	<i>Origanum maru</i>	<i>Origanum micranthum</i>
<i>Origanum microphyllum</i>	<i>Origanum onites</i>	<i>Origanum</i> x <i>paniculatum</i>

Origanum pulchellum	Origanum rotundifolium	Origanum rotundifolium x scabrum
Origanum scabrum	Origanum sipyleum	Origanum sipyleum x dictamnus
Origanum syriacum	Origanum tournefortii	Origanum vulgare
Orites acicularis	Orites diversifolia	Orites excelsa
Orites fragrans	Orites lancifolia	Orites myrtoidea
Orites revoluta	Orixa japonica	Orleanesia yauaperyensis
Ormosia balansae	Ormosia coccinea	Ormosia henryi
Ormosia minor	Ormosia monosperma	Ormosia ormondii
Ormosia pachycarpa	Ormosia pinnata	Ornithidium densum
Ornithochilus difformis	Ornithogalum arabicum	Ornithogalum arcuatum
Ornithogalum auratum	Ornithogalum candicans	Ornithogalum candidum
Ornithogalum clavatum	Ornithogalum collinum	Ornithogalum concinnum
Ornithogalum concordianum	Ornithogalum conicum	Ornithogalum dubium
Ornithogalum exscapum	Ornithogalum fimbriatum	Ornithogalum fimbri-marginatum
Ornithogalum fragrans	Ornithogalum glandulosum	Ornithogalum graminifolium
Ornithogalum gussonei	Ornithogalum hispidum	Ornithogalum juncifolium
Ornithogalum longibracteatum	Ornithogalum maculatum	Ornithogalum magnum
Ornithogalum maximum	Ornithogalum montanum	Ornithogalum multifolium
Ornithogalum nanum	Ornithogalum nelsonii	Ornithogalum nutans
Ornithogalum oligophyllum	Ornithogalum pilosum	Ornithogalum polyphyllum
Ornithogalum ponticum	Ornithogalum princeps	Ornithogalum pruinosum
Ornithogalum refractum	Ornithogalum reverchonii	Ornithogalum saundersiae
Ornithogalum saxatile	Ornithogalum scilloides	Ornithogalum secundum
Ornithogalum serotinum	Ornithogalum sigmoideum	Ornithogalum suaveolens
Ornithogalum tenuifolium	Ornithogalum thyrsoides	Ornithogalum unifolium
Ornithogalum viride	Ornithogalum viridiflorum	Ornithogalum woronowii

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Ornithopus compressus</i>	<i>Ornithopus perpusillus</i>	<i>Ornithopus pinnatus</i>
<i>Ornithopus sativus</i>	<i>Ornithopus sativus x compressus</i>	<i>Ornithopus uncinatus</i>
<i>Ornithostaphylos oppositifolia</i>	<i>Orobanche minor</i>	<i>Orontium aquaticum</i>
<i>Orostachys chanelii</i>	<i>Orostachys iwarenge</i>	<i>Orostachys japonica</i>
<i>Orothamnus zeyheri</i>	<i>Oroxylum indicum</i>	<i>Oroya borchersii</i>
<i>Oroya peruviana</i>	<i>Orphium frutescens</i>	<i>Ortegocactus macdougalii</i>
<i>Ortgiesia organensis</i>	<i>Orthilia secunda</i>	<i>Orthiopteris campylura</i>
<i>Orthoceras strictum</i>	<i>Orthophytum disjunctum</i>	<i>Orthophytum foliosum</i>
<i>Orthophytum glabrum</i>	<i>Orthophytum gurkenii</i>	<i>Orthophytum gurkenii x lemei</i>
<i>Orthophytum x hybrids</i>	<i>Orthophytum leprosum</i>	<i>Orthophytum magalhaesii</i>
<i>Orthophytum maracasense</i>	<i>Orthophytum rubrum</i>	<i>Orthophytum saxicola</i>
<i>Orthophytum saxicola x gurkenii</i>	<i>Orthophytum saxicola x vagans</i>	<i>Orthophytum sucrei</i>
<i>Orthophytum vagans</i>	<i>Orthophytum vagans x navioides</i>	<i>Orthopterum coeganum</i>
<i>Orthopterum waltoniae</i>	<i>Orthosiphon aristatus</i>	<i>Orthothylax glaberrimus</i>
<i>Orthrosanthus chimboracensis</i>	<i>Oryza brachyantha</i>	<i>Oryza eichingeri</i>
<i>Oryza glaberrima</i>	<i>Oryza grandiglumis</i>	<i>Oryza longiglumis</i>
<i>Oryza meyeriana</i>	<i>Oryza sativa</i>	<i>Oryza schlechteri</i>
<i>Oryza spontanea</i>	<i>Oryzopsis lessoniana</i>	<i>Osbeckia aspera</i>
<i>Osbeckia crinita</i>	<i>Osbeckia glauca</i>	<i>Osbeckia kewensis</i>
<i>Osbeckia nepalensis</i>	<i>Osbeckia rubicunda</i>	<i>Osbeckia stellata</i>
<i>Osbeckia wightiana</i>	<i>Oschatzia cuneifolia</i>	<i>Oschatzia saxifraga</i>
<i>Osmanthus americanus</i>	<i>Osmanthus armatus</i>	<i>Osmanthus x burkwoodii</i>
<i>Osmanthus decorus</i>	<i>Osmanthus delavayi</i>	<i>Osmanthus x fortunei</i>
<i>Osmanthus fragrans</i>	<i>Osmanthus heterophyllus</i>	<i>Osmanthus matsumuranus</i>
<i>Osmanthus serrulatus</i>	<i>Osmanthus yunnanensis</i>	<i>Osmoglossum pulchellum</i>
<i>Osmorhiza occidentalis</i>	<i>Osmoxylon borneense</i>	<i>Osmoxylon eminens</i>
<i>Osmoxylon lineare</i>	<i>Osmunda asiatica</i>	<i>Osmunda banksiifolia</i>

<i>Osmunda gracilis</i>	<i>Osmunda lancea</i>	<i>Osmunda regalis</i>
<i>Osmunda vachellii</i>	<i>Osteomeles anthyllidifolia</i>	<i>Osteomeles schweriniae</i>
<i>Osteomeles subrotunda</i>	<i>Osteospermum calendulaceum</i>	<i>Osteospermum ecklonis</i>
<i>Osteospermum fruticosum</i>	<i>Osteospermum jucundum</i>	<i>Osteospermum leptolobum</i>
<i>Osteospermum sinuatum</i>	<i>Osteospermum spinescens</i>	<i>Ostreaia australiana</i>
<i>Ostrowskia magnifica</i>	<i>Ostrya japonica</i>	<i>Ostryopsis davidiana</i>
<i>Osyris quadripartita</i>	<i>Otaara</i> spp.	<i>Otacanthus caeruleus</i>
<i>Otatea acuminata</i>	<i>Otholobium candicans</i>	<i>Otholobium glandulosum</i>
<i>Otholobium pubescens</i>	<i>Othonna arborescens</i>	<i>Othonna cacalioides</i>
<i>Othonna capensis</i>	<i>Othonna dentata</i>	<i>Othonna euphorbioides</i>
<i>Othonna herrei</i>	<i>Othonna lobata</i>	<i>Othonna retrorsa</i>
<i>Otoglossum coronarium</i>	<i>Otoglossum globuliferum</i>	<i>Otoptera burchellii</i>
<i>Otoptera madagascariensis</i>	<i>Otostylis</i> spp.	<i>Ottelia ulvifolia</i>
<i>Ourisia alpina</i>	<i>Ourisia breviflora</i>	<i>Ourisia caespitosa</i>
<i>Ourisia coccinea</i>	<i>Ourisia crosbyi</i>	<i>Ourisia glandulosa</i>
<i>Ourisia integrifolia</i>	<i>Ourisia macrocarpa</i>	<i>Ourisia macrophylla</i>
<i>Ourisia microphylla</i>	<i>Ourisia sessilifolia</i>	<i>Ovidia andina</i>
<i>Owenia cepiodora</i>	<i>Owenia venosa</i>	<i>Oxalis adenophylla</i>
<i>Oxalis borjensis</i>	<i>Oxalis bowiei</i>	<i>Oxalis brasiliensis</i>
<i>Oxalis caprina</i>	<i>Oxalis carnosae</i>	<i>Oxalis corniculata</i>
<i>Oxalis deppei</i>	<i>Oxalis depressa</i>	<i>Oxalis eckloniana</i>
<i>Oxalis elegans</i>	<i>Oxalis enneaphylla</i>	<i>Oxalis fabaeifolia</i>
<i>Oxalis flava</i>	<i>Oxalis fruticosa</i>	<i>Oxalis furcillata</i>
<i>Oxalis gigantea</i>	<i>Oxalis glabra</i>	<i>Oxalis gracilis</i>
<i>Oxalis hedyaroides</i>	<i>Oxalis herrerae</i>	<i>Oxalis hirta</i>
<i>Oxalis imbricata</i>	<i>Oxalis incarnata</i>	<i>Oxalis katangensis</i>
<i>Oxalis latifolia</i>	<i>Oxalis linearis</i>	<i>Oxalis magellanica</i>
<i>Oxalis massoniana</i>	<i>Oxalis melanosticta</i>	<i>Oxalis namaquana</i>
<i>Oxalis obtriangulata</i>	<i>Oxalis obtusa</i>	<i>Oxalis palmifrons</i>
<i>Oxalis pentaphylla</i>	<i>Oxalis perdicaria</i>	<i>Oxalis peruviana</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Oxalis pes-caprae</i>	<i>Oxalis polyphylla</i>	<i>Oxalis punctata</i>
<i>Oxalis purpurea</i>	<i>Oxalis regnellii</i>	<i>Oxalis rosea</i>
<i>Oxalis rusciformis</i>	<i>Oxalis stipulata</i>	<i>Oxalis succulenta</i>
<i>Oxalis triangularis</i>	<i>Oxalis truncatula</i>	<i>Oxalis tuberosa</i>
<i>Oxalis versicolor</i>	<i>Oxalis violacea</i>	<i>Oxalis virginea</i>
<i>Oxalis zeekoevleyensis</i>	<i>Oxera pulchella</i>	<i>Oxyanthera papuana</i>
<i>Oxyanthus pyriformis</i>	<i>Oxyceros longiflorus</i>	<i>Oxydendrum arboreum</i>
<i>Oxylobium angustifolium</i>	<i>Oxylobium arborescens</i>	<i>Oxylobium cordifolium</i>
<i>Oxylobium ellipticum</i>	<i>Oxylobium ilicifolium</i>	<i>Oxylobium lineare</i>
<i>Oxylobium microphyllum</i>	<i>Oxylobium procumbens</i>	<i>Oxylobium pulteneae</i>
<i>Oxylobium racemosum</i>	<i>Oxylobium robustum</i>	<i>Oxylobium scandens</i>
<i>Oxylobium tricuspidatum</i>	<i>Oxylobium trilobatum</i>	<i>Oxytenanthera stocksii</i>
<i>Oxytropis baldshuanica</i>	<i>Oxytropis borealis</i>	<i>Oxytropis halleri</i>
<i>Oxytropis immersa</i>	<i>Oxytropis kopetdagensis</i>	<i>Oxytropis lapponica</i>
<i>Oxytropis parryi</i>	<i>Oxytropis uralensis</i>	<i>Oziroë biflora</i>
<i>Ozoroa longipetiolata</i>	<i>Ozothamnus adnatus</i>	<i>Ozothamnus alpinus</i>

<i>Ozothamnus antennarius</i>	<i>Ozothamnus argophyllus</i>	<i>Ozothamnus backhousii</i>
<i>Ozothamnus bidwillii</i>	<i>Ozothamnus cassinioides</i>	<i>Ozothamnus conditus</i>
<i>Ozothamnus coralloides</i>	<i>Ozothamnus costatifructus</i>	<i>Ozothamnus cuneifolius</i>
<i>Ozothamnus decurrens</i>	<i>Ozothamnus dendroideus</i>	<i>Ozothamnus diosmifolius</i>
<i>Ozothamnus diotophyllus</i>	<i>Ozothamnus ericifolius</i>	<i>Ozothamnus eriocephalus</i>
<i>Ozothamnus ferrugineus</i>	<i>Ozothamnus hookeri</i>	<i>Ozothamnus ledifolius</i>
<i>Ozothamnus leptophyllus</i>	<i>Ozothamnus lycopodioides</i>	<i>Ozothamnus microphyllus</i>
<i>Ozothamnus obcordatus</i>	<i>Ozothamnus obovatus</i>	<i>Ozothamnus purpurascens</i>
<i>Ozothamnus reticulatus</i>	<i>Ozothamnus retusus</i>	<i>Ozothamnus rodwayi</i>
<i>Ozothamnus rosmarinifolius</i>	<i>Ozothamnus rufescens</i>	<i>Ozothamnus scutellifolius</i>
<i>Ozothamnus secundiflorus</i>	<i>Ozothamnus selago</i>	<i>Ozothamnus stirlingii</i>
<i>Ozothamnus thyrsoideus</i>	<i>Ozothamnus tuckeri</i>	<i>Ozothamnus turbinatus</i>
<i>Ozothamnus vagans</i>	<i>Ozothamnus whitei</i>	<i>Pabstia</i> spp.

<i>Pabstia x Zygopetalum</i> spp.	<i>Pachira alba</i>	<i>Pachira aquatica</i>
<i>Pachira glabra</i>	<i>Pachira insignis</i>	<i>Pachira nervosa</i>
<i>Pachira quinata</i>	<i>Pachycereus foetidus</i>	<i>Pachycereus gatesii</i>
<i>Pachycereus gaumeri</i>	<i>Pachycereus hollianus</i>	<i>Pachycereus lepidanthus</i>
<i>Pachycereus marginatus</i>	<i>Pachycereus militaris</i>	<i>Pachycereus pecten-aboriginum</i>
<i>Pachycereus pringlei</i>	<i>Pachycereus schottii</i>	<i>Pachycereus weberi</i>
<i>Pachycladon novae-zelandiae</i>	<i>Pachycormus discolor</i>	<i>Pachycornia triandra</i>
<i>Pachycymbium keithii</i>	<i>Pachynema junceum</i>	<i>Pachyphytum bracteosum</i>
<i>Pachyphytum coeruleum</i>	<i>Pachyphytum compactum</i>	<i>Pachyphytum fittkaui</i>
<i>Pachyphytum glutinicaule</i>	<i>Pachyphytum hookeri</i>	<i>Pachyphytum kinnachii</i>
<i>Pachyphytum oviferum</i>	<i>Pachyplectron arifolium</i>	<i>Pachypodanthium staudtii</i>
<i>Pachypodium ambongense</i>	<i>Pachypodium baronii</i>	<i>Pachypodium bicolor</i>
<i>Pachypodium bispinosum</i>	<i>Pachypodium brevicaule</i>	<i>Pachypodium cactipes</i>
<i>Pachypodium densiflorum</i>	<i>Pachypodium eburneum</i>	<i>Pachypodium geayi</i>
<i>Pachypodium gracilius</i>	<i>Pachypodium horombense</i>	<i>Pachypodium inopinatum</i>
<i>Pachypodium lamerei</i>	<i>Pachypodium lealii</i>	<i>Pachypodium makayense</i>
<i>Pachypodium meridionale</i>	<i>Pachypodium mikea</i>	<i>Pachypodium namaquanum</i>
<i>Pachypodium rosulatum</i>	<i>Pachypodium rutenbergianum</i>	<i>Pachypodium saundersii</i>
<i>Pachypodium softense</i>	<i>Pachypodium succulentum</i>	<i>Pachypodium windsorii</i>
<i>Pachyrhizus ahipa</i>	<i>Pachyrhizus erosus</i>	<i>Pachyrhizus ferrugineus</i>
<i>Pachysandra axillaris</i>	<i>Pachysandra procumbens</i>	<i>Pachysandra terminalis</i>
<i>Pachystachys coccinea</i>	<i>Pachystachys lutea</i>	<i>Pachystegia insignis</i>
<i>Pachystegia minor</i>	<i>Pachystegia rufa</i>	<i>Pachystroma longifolium</i>
<i>x Pachyveria</i> spp.	<i>Packera aurea</i>	<i>Packera cana</i>
<i>Packera streptanthifolia</i>	<i>Paederota densifolia</i>	<i>Paederota lutea</i>
<i>Paeonia anomala</i>	<i>Paeonia bakeri</i>	<i>Paeonia broteri</i>
<i>Paeonia broteroi</i>	<i>Paeonia brownii</i>	<i>Paeonia californica</i>
<i>Paeonia cambessedesii</i>	<i>Paeonia carthalinica</i>	<i>Paeonia clusii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Paeonia delavayi</i>	<i>Paeonia emodi</i>	<i>Paeonia fimbriata</i>
<i>Paeonia hybrids</i>	<i>Paeonia jishanensis</i>	<i>Paeonia lactiflora</i>
<i>Paeonia lithophila</i>	<i>Paeonia ludlowii</i>	<i>Paeonia macrophylla</i>
<i>Paeonia mairei</i>	<i>Paeonia mascula</i>	<i>Paeonia mlokosewitschii</i>
<i>Paeonia mollis</i>	<i>Paeonia obovata</i>	<i>Paeonia officinalis</i>
<i>Paeonia ostii</i>	<i>Paeonia peregrina</i>	<i>Paeonia ruprechtiana</i>
<i>Paeonia russoi</i>	<i>Paeonia sinjiangensis</i>	<i>Paeonia sterniana</i>
<i>Paeonia suffruticosa</i>	<i>Paeonia tenuifolia</i>	<i>Paeonia wittmanniana</i>
<i>Paeonia yananensis</i>	<i>Paesia rugosula</i>	<i>Paesia scaberula</i>
<i>Pagetia medicinalis</i>	<i>Palafoxia texana</i>	<i>Palaquium galactoxylum</i>
<i>Palaquium warburgianum</i>	<i>Paliavana prasinata</i>	<i>Palisota albertii</i>
<i>Palisota barberi</i>	<i>Palisota elizabethae</i>	<i>Palisota schweinfurthii</i>
<i>Palmeria scandens</i>	<i>Pamianthe peruviana</i>	<i>Panax ginseng</i>
<i>Panax japonicus</i>	<i>Panax pseudoginseng</i>	<i>Panax quinquefolius</i>
<i>Pancheria hirsuta</i>	<i>Pancreatium canariense</i>	<i>Pancreatium foetidum</i>
<i>Pancreatium illyricum</i>	<i>Pancreatium maritimum</i>	<i>Pancreatium parviflorum</i>
<i>Pancreatium speciosa</i>	<i>Pancreatium tenuifolium</i>	<i>Panda oleosa</i>
<i>Pandanus amaryllifolius</i>	<i>Pandanus bakeri</i>	<i>Pandanus baptistii</i>
<i>Pandanus basedowii</i>	<i>Pandanus concinnus</i>	<i>Pandanus conicus</i>
<i>Pandanus conoideus</i>	<i>Pandanus dubius</i>	<i>Pandanus forceps</i>
<i>Pandanus forsteri</i>	<i>Pandanus furcatus</i>	<i>Pandanus gemmifer</i>
<i>Pandanus graminifolius</i>	<i>Pandanus japensis</i>	<i>Pandanus kaida</i>
<i>Pandanus laevis</i>	<i>Pandanus lauterbachii</i>	<i>Pandanus monothecha</i>
<i>Pandanus montanus</i>	<i>Pandanus monticola</i>	<i>Pandanus oblatus</i>
<i>Pandanus odoratus</i>	<i>Pandanus pedunculatus</i>	<i>Pandanus polycephalus</i>
<i>Pandanus pygmaeus</i>	<i>Pandanus rabaiensis</i>	<i>Pandanus sechellarum</i>
<i>Pandanus solms-laubachii</i>	<i>Pandanus tectorius</i>	<i>Pandanus utilis</i>
<i>Pandanus vandermeeschii</i>	<i>Pandanus yalna</i>	<i>Pandanus zea</i>
<i>Pandorea austro-caledonica</i>	<i>Pandorea baileyana</i>	<i>Pandorea doratoxylon</i>
<i>Pandorea jasminoides</i>	<i>Pandorea nervosa</i>	<i>Pandorea oxleyi</i>

<i>Pangium edule</i>	<i>Panicum antidotale</i>	<i>Panicum arechavaletae</i>
<i>Panicum atosanguineum</i>	<i>Panicum australiense</i>	<i>Panicum capillare</i>
<i>Panicum coloratum</i>	<i>Panicum germanicum</i>	<i>Panicum glabripes</i>
<i>Panicum kalahareense</i>	<i>Panicum lachnophyllum</i>	<i>Panicum lanipes</i>
<i>Panicum massaiense</i>	<i>Panicum miliaceum</i>	<i>Panicum minus</i>
<i>Panicum monticola</i>	<i>Panicum pygmaeum</i>	<i>Panicum schinzii</i>
<i>Panicum simile</i>	<i>Panicum torridum</i>	<i>Panicum trichanthum</i>
<i>Panopsis cinnamomea</i>	<i>Panopsis suaveolens</i>	<i>Papaver alboroseum</i>
<i>Papaver alpinum</i>	<i>Papaver atlanticum</i>	<i>Papaver bracteatum</i>
<i>Papaver californicum</i>	<i>Papaver carmeli</i>	<i>Papaver commutatum</i>
<i>Papaver fugax</i>	<i>Papaver glaucum</i>	<i>Papaver hybridum</i>
<i>Papaver lapponicum</i>	<i>Papaver lateritium</i>	<i>Papaver nudicaule</i>
<i>Papaver orientale</i>	<i>Papaver orientale x lateritium</i>	<i>Papaver persicum</i>
<i>Papaver pilosum</i>	<i>Papaver pseudocanescens</i>	<i>Papaver radicatum</i>
<i>Papaver rhoeas</i>	<i>Papaver rupifragum</i>	<i>Papaver somniferum</i>
<i>Papaver spicatum</i>	<i>Papaver tianschanicum</i>	<i>Papaver triniifolium</i>
<i>Paphia vitiensis</i>	<i>Paphinia spp.</i>	<i>Paphiopedilum spp.</i>
<i>Papilionanthe spp.</i>	<i>Papillaria flavolimbata</i>	<i>Pappea capensis</i>
<i>Papuacedrus arfakensis</i>	<i>Papuacedrus papuana</i>	<i>Parabenzoin trilobum</i>
<i>Paradisea liliastrum</i>	<i>Paradisea lusitanica</i>	<i>Paradrymonia ciliosa</i>
<i>Paradrymonia hypocyrtia</i>	<i>Paradrymonia maculata</i>	<i>Paragenipa lancifolia</i>
<i>Parageum reptans</i>	<i>Paragramma longifolia</i>	<i>Parahebe arcuata</i>
<i>Parahebe arenaria</i>	<i>Parahebe x bidwillii</i>	<i>Parahebe birleyi</i>
<i>Parahebe blakelyi</i>	<i>Parahebe canescens</i>	<i>Parahebe catarractae</i>
<i>Parahebe cheesemanii</i>	<i>Parahebe decora</i>	<i>Parahebe decorosa</i>
<i>Parahebe derwentiana</i>	<i>Parahebe derwentiana x perfoliata</i>	<i>Parahebe hookeriana</i>
<i>Parahebe lanceolata</i>	<i>Parahebe linifolia</i>	<i>Parahebe lithophila</i>
<i>Parahebe lyallii</i>	<i>Parahebe olsenii</i>	<i>Parahebe perfoliata</i>
<i>Parahebe planopetiolata</i>	<i>Parahebe spatulata</i>	<i>Parahebe trifida</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Parajubaea cocoides	Parajubaea sunkha	Parajubaea torallyi
Parakeelya balonensis	Parakmeria lotungensis	Paraleucothoe keiskei
Paramignya monophylla	Paramongaia weberbaueri	Paranomus reflexus
Parantennaria uniceps	Paraphalaenopsis labukensis	Paraphalaenopsis laycockii
Parapholis incurva	Parapiptadenia rigida	Parapteroceras odoratissimum
Parapteroceras papuanum	Parapteroceras speciosum	Pararchidendron pruinatum
Pararistolochia australopithecurus	Pararistolochia deltantha	Pararistolochia laheyana
Pararistolochia peninsulensis	Pararistolochia praevenosa	Parartocarpus venenosa
Parartocarpus venenosus	Paraserianthes toona	Parathesis crenulata
Paratrophis microphylla	x Pardancanda norrisii	Parentucellia latifolia
Parentucellia viscosa	Parietaria australis	Parietaria judaica
Parinari curatellifolia	Parinari montana	Parinari sprucei
Paris axialis	Paris bashanensis	Paris cronquistii
Paris daliensis	Paris delavayi	Paris fargesii
Paris forrestii	Paris lancifolia	Paris luquanensis
Paris mairei	Paris marmorata	Paris polyphylla
Paris rugosa	Paris thibetica	Paris verticillata
Parkia biglandulosa	Parkia biglobosa	Parkia filicoidea
Parkia speciosa	Parkinsonia florida	Parkinsonia microphylla
Parmentiera cereifera	Parmentiera millspaughiana	Parodia alacriportana
Parodia allosiphon	Parodia ayopayana	Parodia brevihamata
Parodia buiningii	Parodia caespitosa	Parodia chrysacanthion
Parodia claviceps	Parodia columnaris	Parodia comarapana
Parodia compressa	Parodia concinna	Parodia crassigibba
Parodia elachisantha	Parodia erinacea	Parodia escayachensis
Parodia formosa	Parodia gibbulosa	Parodia graessneri
Parodia gutekunstiana	Parodia haselbergii	Parodia hausteiniana
Parodia herteri	Parodia horstii	Parodia langsdorfii

<i>Parodia laui</i>	<i>Parodia leninghausii</i>	<i>Parodia maassii</i>
<i>Parodia magnifica</i>	<i>Parodia mammulosa</i>	<i>Parodia microsperma</i>
<i>Parodia miguillensis</i>	<i>Parodia minuta</i>	<i>Parodia mueller-melchersii</i>
<i>Parodia neohorstii</i>	<i>Parodia nigrispina</i>	<i>Parodia nivosa</i>
<i>Parodia nothorauschii</i>	<i>Parodia ocampoii</i>	<i>Parodia ottonis</i>
<i>Parodia oxycostata</i>	<i>Parodia penicillata</i>	<i>Parodia procera</i>
<i>Parodia prolifera</i>	<i>Parodia rechensis</i>	<i>Parodia rutilans</i>
<i>Parodia saint-pieana</i>	<i>Parodia schumanniana</i>	<i>Parodia schwebsiana</i>
<i>Parodia scopa</i>	<i>Parodia sellowii</i>	<i>Parodia setifera</i>
<i>Parodia stuemeri</i>	<i>Parodia submammulosa</i>	<i>Parodia subterranea</i>

<i>Parodia subtilhamata</i>	<i>Parodia succinea</i>	<i>Parodia tabularis</i>
<i>Parodia tuberculata</i>	<i>Parodia turbinata</i>	<i>Parodia warasii</i>
<i>Parodia werdermanniana</i>	<i>Parolinia ornata</i>	<i>Paronychia kapela</i>
<i>Paronychia sessiliflora</i>	<i>Paronychia virginica</i>	<i>Parrotia persica</i>
<i>Parrotiopsis jacquemontiana</i>	<i>Parsonsia brownii</i>	<i>Parsonsia capsularis</i>
<i>Parsonsia dorrigoensis</i>	<i>Parsonsia eucalyptophylla</i>	<i>Parsonsia fulva</i>
<i>Parsonsia heterophylla</i>	<i>Parsonsia howeana</i>	<i>Parsonsia induplicata</i>
<i>Parsonsia lanceolata</i>	<i>Parsonsia latifolia</i>	<i>Parsonsia leichhardtii</i>
<i>Parsonsia lenticellata</i>	<i>Parsonsia lilacina</i>	<i>Parsonsia longipetiolata</i>
<i>Parsonsia purpurascens</i>	<i>Parsonsia rotata</i>	<i>Parsonsia straminea</i>
<i>Parsonsia tenuis</i>	<i>Parsonsia ventricosa</i>	<i>Parthenium argentatum</i>
<i>Parthenium fruticosum</i>	<i>Parthenium incanum</i>	<i>Parthenium integrifolium</i>
<i>Parthenium schottii</i>	<i>Parthenium tomentosum</i>	<i>Parthenocissus henryana</i>
<i>Parthenocissus heptaphylla</i>	<i>Parthenocissus quinquefolia</i>	<i>Parthenocissus tricuspidata</i>
<i>Parvatia brunoniana</i>	<i>Pasania harlandii</i>	<i>Pasania kawakamii</i>
<i>Pasania konishii</i>	<i>Pasania nantoensis</i>	<i>Pascaliala glauca</i>
<i>Pasitheia coerulea</i>	<i>Paspalidium albobillosum</i>	<i>Paspalidium aversum</i>
<i>Paspalidium desertorum</i>	<i>Paspalum arundinaceum</i>	<i>Paspalum commune</i>
<i>Paspalum conjugatum</i>	<i>Paspalum cromyrorhizon</i>	<i>Paspalum densum</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Paspalum dilatatum</i>	<i>Paspalum distichum</i>	<i>Paspalum erianthum</i>
<i>Paspalum fasciculatum</i>	<i>Paspalum floridanum</i>	<i>Paspalum geminiflorum</i>
<i>Paspalum guenoarum</i>	<i>Paspalum haumanii</i>	<i>Paspalum hyalinum</i>
<i>Paspalum indecorum</i>	<i>Paspalum ionanthum</i>	<i>Paspalum juergensii</i>
<i>Paspalum langei</i>	<i>Paspalum laxum</i>	<i>Paspalum notatum</i>
<i>Paspalum pauciciliatum</i>	<i>Paspalum plicatulum</i>	<i>Paspalum praecox</i>
<i>Paspalum saccharoides</i>	<i>Paspalum secans</i>	<i>Paspalum simplex</i>
<i>Paspalum stellatum</i>	<i>Paspalum urvillei</i>	<i>Paspalum vaginatum</i>
<i>Paspalum wettsteinii</i>	<i>Paspalum wrightii</i>	<i>Passiflora actinia</i>
<i>Passiflora alata</i>	<i>Passiflora x alatocaerulea</i>	<i>Passiflora allantophylla</i>
<i>Passiflora x allardii</i>	<i>Passiflora amazonica</i>	<i>Passiflora ambigua</i>
<i>Passiflora amethystina</i>	<i>Passiflora amoena</i>	<i>Passiflora ampullacea</i>
<i>Passiflora antioquiensis</i>	<i>Passiflora arborea</i>	<i>Passiflora aurantia</i>
<i>Passiflora australis</i>	<i>Passiflora bahiensis</i>	<i>Passiflora bangii</i>
<i>Passiflora banksii</i>	<i>Passiflora bauhiniifolia</i>	<i>Passiflora x belotii</i>
<i>Passiflora boenderi</i>	<i>Passiflora x buonapartea</i>	<i>Passiflora caerulea</i>
<i>Passiflora x caerulea-racemosa</i>	<i>Passiflora capparidifolia</i>	<i>Passiflora capsularis</i>
<i>Passiflora cerasina</i>	<i>Passiflora chaparensis</i>	<i>Passiflora ciliata</i>
<i>Passiflora cinnabarina</i>	<i>Passiflora cirrhiflora</i>	<i>Passiflora citrina</i>
<i>Passiflora coccinea</i>	<i>Passiflora coriacea</i>	<i>Passiflora crenata</i>
<i>Passiflora cuprea</i>	<i>Passiflora cyanea</i>	<i>Passiflora x decaisneana</i>
<i>Passiflora deidamioides</i>	<i>Passiflora edmundoi</i>	<i>Passiflora edulis</i>
<i>Passiflora elegans</i>	<i>Passiflora x exoniensis</i>	<i>Passiflora exura</i>
<i>Passiflora filamentosa</i>	<i>Passiflora foetida</i>	<i>Passiflora galbana</i>
<i>Passiflora garckeii</i>	<i>Passiflora glandulosa</i>	<i>Passiflora gracillima</i>
<i>Passiflora granadilla</i>	<i>Passiflora guazumaefolia</i>	<i>Passiflora guentheri</i>
<i>Passiflora helleri</i>	<i>Passiflora incarnata</i>	<i>Passiflora jamesonii</i>
<i>Passiflora jileki</i>	<i>Passiflora kermesina</i>	<i>Passiflora kermesina x caerulea</i>
<i>Passiflora lehmannii</i>	<i>Passiflora ligularis</i>	<i>Passiflora loefgrenii</i>

<i>Passiflora x loudoni</i>	<i>Passiflora macdougaliana</i>	<i>Passiflora macrophylla</i>
<i>Passiflora malacophylla</i>	<i>Passiflora maliformis</i>	<i>Passiflora mapiriensis</i>
<i>Passiflora mayarum</i>	<i>Passiflora menispermifolia</i>	<i>Passiflora miersii</i>
<i>Passiflora misera</i>	<i>Passiflora mooreana</i>	<i>Passiflora mucronata</i>
<i>Passiflora nigradenia</i>	<i>Passiflora nitida</i>	<i>Passiflora odontophylla</i>
<i>Passiflora oerstedii</i>	<i>Passiflora organensis</i>	<i>Passiflora palenquensis</i>
<i>Passiflora pectinata</i>	<i>Passiflora perfoliata</i>	<i>Passiflora pergrandis</i>
<i>Passiflora phoenicea</i>	<i>Passiflora pittieri</i>	<i>Passiflora platyloba</i>
<i>Passiflora popenovii</i>	<i>Passiflora quadrangularis</i>	<i>Passiflora quadrifaria</i>
<i>Passiflora quadriglandulosa</i>	<i>Passiflora racemosa</i>	<i>Passiflora raddiana</i>
<i>Passiflora reflexiflora</i>	<i>Passiflora retipetala</i>	<i>Passiflora riparia</i>
<i>Passiflora rufostipulata</i>	<i>Passiflora sanguinolenta</i>	<i>Passiflora seemannii</i>
<i>Passiflora serratifolia</i>	<i>Passiflora serratodigitata</i>	<i>Passiflora serrulata</i>
<i>Passiflora setacea</i>	<i>Passiflora x smytheana</i>	<i>Passiflora speciosa</i>
<i>Passiflora sprucei</i>	<i>Passiflora standleyi</i>	<i>Passiflora stipulata</i>
<i>Passiflora subpeltata</i>	<i>Passiflora tarapotina</i>	<i>Passiflora tatei</i>
<i>Passiflora tetrandra</i>	<i>Passiflora tiliifolia</i>	<i>Passiflora trialata</i>
<i>Passiflora trifasciata</i>	<i>Passiflora triloba</i>	<i>Passiflora tripartita</i>
<i>Passiflora urbaniana</i>	<i>Passiflora variolata</i>	<i>Passiflora vespertilio</i>
<i>Passiflora viridiflora</i>	<i>Passiflora vitifolia</i>	<i>Pastinaca sativa</i>
<i>Patagonula americana</i>	<i>Patersonia fragilis</i>	<i>Patersonia glabrata</i>
<i>Patersonia longiscapa</i>	<i>Patersonia macrantha</i>	<i>Patersonia sericea</i>
<i>Patersonia xanthina</i>	<i>Patrinia gibbosa</i>	<i>Patrinia scabiosifolia</i>
<i>Patrinia triloba</i>	<i>Paullinia cupana</i>	<i>Paulownia coreana</i>
<i>Paulownia elongata</i>	<i>Paulownia fargesii</i>	<i>Paulownia fortunei</i>
<i>Paulownia kawakamii</i>	<i>Paulownia lilacina</i>	<i>Paulownia x taiwaniana</i>
<i>Paulownia tomentosa</i>	<i>Pausinystalia johimbe</i>	<i>Pavetta australiensis</i>
<i>Pavetta caffra</i>	<i>Pavetta capensis</i>	<i>Pavetta gardeniifolia</i>
<i>Pavetta lanceolata</i>	<i>Pavetta natalensis</i>	<i>Pavetta opaca</i>
<i>Pavetta revoluta</i>	<i>Pavonia columella</i>	<i>Pavonia x gledhillii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Pavonia hastata</i>	<i>Pavonia makoyana</i>	<i>Pavonia missionum</i>
<i>Pavonia montana</i>	<i>Pavonia multiflora</i>	<i>Pavonia praemorsa</i>
<i>Pearcea abunda</i>	<i>Pearsonia aristata</i>	<i>Pearsonia sessilifolia</i>
<i>Pearsonia uniflora</i>	<i>Pecteilis gigantea</i>	<i>Pecteilis hawkesiana</i>
<i>Pecteilis sagarikii</i>	<i>Pecteilis susannae</i>	<i>Peddiea africana</i>
<i>Pedicularis alopecuros</i>	<i>Pedicularis foliosa</i>	<i>Pedicularis galeata</i>
<i>Pedicularis recutita</i>	<i>Pedicularis tuberosa</i>	<i>Pedilanthus carinatus</i>
<i>Pedilanthus macrocarpus</i>	<i>Pedilanthus tithymaloides</i>	<i>Pediocactus bradyi</i>
<i>Pediocactus despainii</i>	<i>Pediocactus knowltonii</i>	<i>Pediocactus paradinei</i>
<i>Pediocactus peeblesianus</i>	<i>Pediocactus sileri</i>	<i>Pediocactus simpsonii</i>
<i>Pediocactus winkleri</i>	<i>Pediomelum esculentum</i>	<i>Pelagodoxa henryana</i>
<i>Pelargonium abrotanifolium</i>	<i>Pelargonium acetosum</i>	<i>Pelargonium alchemilloides</i>
<i>Pelargonium alternans</i>	<i>Pelargonium appendiculatum</i>	<i>Pelargonium ardens</i>
<i>Pelargonium aridum</i>	<i>Pelargonium x asperum</i>	<i>Pelargonium barklyi</i>
<i>Pelargonium betulinum</i>	<i>Pelargonium x blandifordianum</i>	<i>Pelargonium caffrum</i>
<i>Pelargonium camphoratum</i>	<i>Pelargonium capitatum</i>	<i>Pelargonium capitatum x quercifolium</i>
<i>Pelargonium carnosum</i>	<i>Pelargonium ceratophyllum</i>	<i>Pelargonium citriodorum</i>
<i>Pelargonium citronellum</i>	<i>Pelargonium cordifolium</i>	<i>Pelargonium coriandrifolium</i>
<i>Pelargonium cotyledonis</i>	<i>Pelargonium crispum</i>	<i>Pelargonium crithmifolium</i>
<i>Pelargonium cucullatum</i>	<i>Pelargonium denticulatum</i>	<i>Pelargonium x domesticum</i>
<i>Pelargonium drummondii</i>	<i>Pelargonium echinatum</i>	<i>Pelargonium endlicherianum</i>
<i>Pelargonium fragrans</i>	<i>Pelargonium fragrantissimum</i>	<i>Pelargonium gibbosum</i>
<i>Pelargonium glutinosum</i>	<i>Pelargonium grandiflorum</i>	<i>Pelargonium graveolens</i>
<i>Pelargonium grossularioides</i>	<i>Pelargonium helmsii</i>	<i>Pelargonium hirtum</i>
<i>Pelargonium hispidum</i>	<i>Pelargonium x hortorum</i>	<i>Pelargonium x hortorum x peltatum</i>

Pelargonium hybridum	Pelargonium ignescens	Pelargonium incrassatum
Pelargonium ionidiflorum	Pelargonium x kewense	Pelargonium klinghardtense
Pelargonium laxum	Pelargonium x limoneum	Pelargonium lobatum
Pelargonium luridum	Pelargonium luteolum	Pelargonium madagascariense
Pelargonium magenteum	Pelargonium x magnistipulatum	Pelargonium x melissinum
Pelargonium multibracteatum	Pelargonium multicaule	Pelargonium myrrhifolium
Pelargonium nanum	Pelargonium x nervosum	Pelargonium odoratissimum
Pelargonium ovale	Pelargonium x paradoxum	Pelargonium peltatum
Pelargonium pinnatum	Pelargonium pulchellum	Pelargonium quercetorum
Pelargonium quercifolium	Pelargonium quinquelobatum	Pelargonium radens
Pelargonium rapaceum	Pelargonium reniforme	Pelargonium ribifolium
Pelargonium rodneyanum	Pelargonium scabrum	Pelargonium sidoides
Pelargonium x splendidum	Pelargonium suburbanum	Pelargonium ternatum
Pelargonium tetragonum	Pelargonium tomentosum	Pelargonium tricolor
Pelargonium trifidum	Pelargonium triste	Pelargonium vitifolium

Pelargonium xerophyton	Pelargonium zonale	Pelatantheria ctenoglossum
Pelecypora aselliformis	Pelecypora strobiliformis	Peliosanthes teta
Pellacalyx pustulata	Pellaea boivinii	Pellaea calidirupium
Pellaea calomelanos	Pellaea cordifolia	Pellaea doniana
Pellaea falcata	Pellaea hastata	Pellaea intramarginalis
Pellaea mucronata	Pellaea nana	Pellaea nivea
Pellaea ovata	Pellaea paradoxa	Pellaea pectiniformis
Pellaea rotundifolia	Pellaea sagittata	Pellaea viridis
Pellionia daveauana	Pellionia pulchra	Pellionia repens
Peltoboykinia tellimoides	Peltoboykinia watanabei	Peltogyne guarubu
Peltophorum adnatum	Peltophorum dubium	Peltophorum pterocarpum
Peniocereus greggii	Peniocereus haackeanus	Peniocereus hirschtianus

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Peniocereus johnstonii</i>	<i>Peniocereus lazaro-cardenasii</i>	<i>Peniocereus maculatus</i>
<i>Peniocereus marianus</i>	<i>Peniocereus oaxacensis</i>	<i>Peniocereus striatus</i>
<i>Peniocereus viperinus</i>	<i>Peniocereus zopilotensis</i>	<i>Pennantia corymbosa</i>
<i>Pennantia cunninghamii</i>	<i>Pennantia endlicheri</i>	<i>Pennisetum x advena</i>
<i>Pennisetum alopecuroides</i>	<i>Pennisetum bambusiforme</i>	<i>Pennisetum clandestinum</i>
<i>Pennisetum distachyum</i>	<i>Pennisetum glaucum</i>	<i>Pennisetum hohenackeri</i>
<i>Pennisetum longistylum</i>	<i>Pennisetum macrourum</i>	<i>Pennisetum massaicum</i>
<i>Pennisetum megianum</i>	<i>Pennisetum pedicellatum</i>	<i>Pennisetum purpureum</i>
<i>Pennisetum ramosum</i>	<i>Pennisetum setaceum</i>	<i>Pennisetum squamulatum</i>
<i>Pennisetum stramineum</i>	<i>Pennisetum subangustum</i>	<i>Pennisetum trachyphyllum</i>
<i>Pennisetum tristachyum</i>	<i>Pennisetum unisetum</i>	<i>Pennisetum villosum</i>
<i>Penstemon abietinus</i>	<i>Penstemon absarokensis</i>	<i>Penstemon acaulis</i>
<i>Penstemon alamosensis</i>	<i>Penstemon albertinus</i>	<i>Penstemon arenicola</i>
<i>Penstemon aridus</i>	<i>Penstemon attenuatus</i>	<i>Penstemon auriberbis</i>
<i>Penstemon azureus</i>	<i>Penstemon baccharifolius</i>	<i>Penstemon barbatus</i>
<i>Penstemon barrettiae</i>	<i>Penstemon breviculus</i>	<i>Penstemon buckleyi</i>
<i>Penstemon caesius</i>	<i>Penstemon caespitosus</i>	<i>Penstemon californicus</i>
<i>Penstemon calycosus</i>	<i>Penstemon campanulatus</i>	<i>Penstemon cardinalis</i>
<i>Penstemon cardwellii</i>	<i>Penstemon caryi</i>	<i>Penstemon centranthifolius</i>
<i>Penstemon clevelandii</i>	<i>Penstemon clutei</i>	<i>Penstemon cobaea</i>
<i>Penstemon confertus</i>	<i>Penstemon crandallii</i>	<i>Penstemon cyananthus</i>
<i>Penstemon cyaneus</i>	<i>Penstemon davidsonii</i>	<i>Penstemon deaveri</i>
<i>Penstemon digitalis</i>	<i>Penstemon diphyllus</i>	<i>Penstemon dissectus</i>
<i>Penstemon dolius</i>	<i>Penstemon eatonii</i>	<i>Penstemon ellipticus</i>
<i>Penstemon eriantherus</i>	<i>Penstemon euglaucus</i>	<i>Penstemon flavescens</i>
<i>Penstemon fremontii</i>	<i>Penstemon fruticosus</i>	<i>Penstemon gairdneri</i>
<i>Penstemon glaber</i>	<i>Penstemon gormanii</i>	<i>Penstemon gracilentus</i>
<i>Penstemon grahamii</i>	<i>Penstemon grandiflorus</i>	<i>Penstemon griffinii</i>
<i>Penstemon hallii</i>	<i>Penstemon harbourii</i>	<i>Penstemon hartwegii</i>
<i>Penstemon heterodoxus</i>	<i>Penstemon heterophyllus</i>	<i>Penstemon hirsutus</i>

Penstemon humilis	Penstemon hybrid	Penstemon isophyllus
Penstemon jamesii	Penstemon janishiae	Penstemon kunthii
Penstemon labrosus	Penstemon laetus	Penstemon laevigatus
Penstemon laricifolius	Penstemon leiophyllus	Penstemon lemhiensis
Penstemon lentus	Penstemon leonardii	Penstemon linarioides
Penstemon lyallii	Penstemon mensarum	Penstemon montanus
Penstemon murrayanus	Penstemon nanus	Penstemon neomexicanus
Penstemon newberryi	Penstemon nitidus	Penstemon nudiflorus
Penstemon ophianthus	Penstemon ovatus	Penstemon pachyphyllus
Penstemon parryi	Penstemon parvus	Penstemon payettensis
Penstemon paysoniorum	Penstemon peckii	Penstemon petiolatus
Penstemon pinifolius	Penstemon procerus	Penstemon pruinosis
Penstemon pseudospectabilis	Penstemon pumilus	Penstemon purpusii
Penstemon rattanii	Penstemon richardsonii	Penstemon roezlii
Penstemon rostriflorus	Penstemon rubicundus	Penstemon rupicola
Penstemon saxosorum	Penstemon secundiflorus	Penstemon secundiflorus
Penstemon serrulatus	Penstemon smallii	Penstemon spectabilis
Penstemon strictus	Penstemon teucroides	Penstemon thompsoniae
Penstemon thurberi	Penstemon tracyi	Penstemon triphyllus
Penstemon tubaeiflorus	Penstemon tubiflorus	Penstemon tusharensis
Penstemon uintahensis	Penstemon utahensis	Penstemon venustus
Penstemon virens	Penstemon virgatus	Penstemon washingtonensis
Penstemon watsonii	Penstemon whippleanus	Penstemon wislizeni
Pentaceras australe	Pentachondra ericifolia	Pentachondra involucrata
Pentachondra pumila	Pentalinon luteum	Pentanisia prunelloides
Pentapanax henryi	Pentapterygium rugosum	Pentapterygium serpens
Pentas bussei	Pentas lanceolata	Pentas zanzibarica
Pentaschistis airoides	Pentaschistis natalensis	Pentaschistis pallida
Pentaschistis silvatica	Pentaschistis trisetata	Pentaspadon motleyi
Penthorum sedoides	Pentzia spinescens	Peperomia acuminata

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Peperomia alata</i>	<i>Peperomia argyreia</i>	<i>Peperomia arifolia</i>
<i>Peperomia asperula</i>	<i>Peperomia bellendenkerensis</i>	<i>Peperomia bicolor</i>
<i>Peperomia blanda</i>	<i>Peperomia butaguensis</i>	<i>Peperomia calvifolia</i>
<i>Peperomia camptotricha</i>	<i>Peperomia campylotropa</i>	<i>Peperomia canaminana</i>
<i>Peperomia caperata</i>	<i>Peperomia clusiifolia</i>	<i>Peperomia columella</i>
<i>Peperomia coquimbensis</i>	<i>Peperomia cordifolia</i>	<i>Peperomia cuspidilimba</i>
<i>Peperomia dahlstedtii</i>	<i>Peperomia dolabriformis</i>	<i>Peperomia elongata</i>
<i>Peperomia enervis</i>	<i>Peperomia forsythii</i>	<i>Peperomia fraseri</i>
<i>Peperomia glabella</i>	<i>Peperomia graveolens</i>	<i>Peperomia griseoargentea</i>
<i>Peperomia hesperomannii</i>	<i>Peperomia hirsuta</i>	<i>Peperomia hombroni</i>
<i>Peperomia incana</i>	<i>Peperomia johnsonii</i>	<i>Peperomia lancifolia</i>
<i>Peperomia liebmannii</i>	<i>Peperomia maculosa</i>	<i>Peperomia magnoliifolia</i>
<i>Peperomia marmorata</i>	<i>Peperomia metallica</i>	<i>Peperomia microphylla</i>
<i>Peperomia nivalis</i>	<i>Peperomia obtusifolia</i>	<i>Peperomia orba</i>
<i>Peperomia panamensis</i>	<i>Peperomia perrottetiana</i>	<i>Peperomia polybotrya</i>
<i>Peperomia polystachya</i>	<i>Peperomia pseudovariegata</i>	<i>Peperomia pulchella</i>
<i>Peperomia puteolata</i>	<i>Peperomia quadrangularis</i>	<i>Peperomia rotundifolia</i>
<i>Peperomia rubella</i>	<i>Peperomia sandersii</i>	<i>Peperomia scandens</i>
<i>Peperomia septentrionalis</i>	<i>Peperomia serpens</i>	<i>Peperomia tetragona</i>
<i>Peperomia tetraphylla</i>	<i>Peperomia trianae</i>	<i>Peperomia tricolor</i>
<i>Peperomia trinervis</i>	<i>Peperomia urocarpa</i>	<i>Peperomia urvilleana</i>
<i>Peperomia velutina</i>	<i>Peperomia verschaffeltii</i>	<i>Peperomia verticillata</i>
<i>Pepinia sanguinea</i>	<i>Peranema aspidioides</i>	<i>Pereskia aculeata</i>
<i>Pereskia bahiensis</i>	<i>Pereskia guamacho</i>	<i>Pereskia humboldtii</i>
<i>Pereskia lychnidiflora</i>	<i>Pereskia nemorosa</i>	<i>Pereskia portulacifolia</i>
<i>Pereskia sacharosa</i>	<i>Pereskia spathulata</i>	<i>Pereskia stenantha</i>
<i>Pereskia weberiana</i>	<i>Pereskia zinniiflora</i>	<i>Pereskiaopsis diguetii</i>
<i>Pereskiaopsis gatesii</i>	<i>Pereskiaopsis porteri</i>	<i>Pereskiaopsis rotundifolia</i>
<i>Pereskiaopsis spathulata</i>	<i>Perezia recurvata</i>	<i>Pergularia daemia</i>
<i>Periandra coccinea</i>	<i>Pericallis cruenta</i>	<i>Pericallis hansenii</i>

<i>Pericallis lanata</i>	<i>Pericallis multiflora</i>	<i>Pericopsis angolensis</i>
<i>Perideridia kelloggii</i>	<i>Perilla frutescens</i>	<i>Peripentadenia mearsii</i>
<i>Periphanes cinnamomea</i>	<i>Peristeranthus hillii</i>	<i>Peristeria</i> spp.
<i>Peristrophe angustifolia</i>	<i>Peristrophe hyssopifolia</i>	<i>Peristrophe lanceolaria</i>
<i>Peristylus novoebudorum</i>	<i>Peristylus papuanus</i>	<i>Peristylus tradescantifolius</i>
<i>Perityle emoryi</i>	<i>Pernettya coriacea</i>	<i>Pernettya insana</i>
<i>Pernettya lanceolata</i>	<i>Pernettya litoralis</i>	<i>Pernettya macrostigma</i>
<i>Pernettya mucronata</i>	<i>Pernettya nana</i>	<i>Pernettya prostrata</i>
<i>Pernettya pumila</i>	<i>Pernettya tasmanica</i>	<i>Perovskia abrotanoides</i>
<i>Perovskia atriplicifolia</i>	<i>Persea americana</i>	<i>Persea caerulea</i>
<i>Persea donnell-smithii</i>	<i>Persea grijsii</i>	<i>Persea ichangensis</i>
<i>Persea indica</i>	<i>Persea lingue</i>	<i>Persea schiedeana</i>
<i>Persicaria capitata</i>	<i>Persicaria lapathifolia</i>	<i>Persicaria maculosa</i>
<i>Persicaria odorata</i>	<i>Persicaria orientalis</i>	<i>Persicaria vacciniifolia</i>
<i>Persicaria virginiana</i>	<i>Persoonia acerosa</i>	<i>Persoonia acuminata</i>
<i>Persoonia adenantha</i>	<i>Persoonia amaliae</i>	<i>Persoonia arborea</i>
<i>Persoonia aspera</i>	<i>Persoonia asperula</i>	<i>Persoonia attenuata</i>
<i>Persoonia bargoensis</i>	<i>Persoonia brevifolia</i>	<i>Persoonia chamaepeuce</i>
<i>Persoonia chamaepitys</i>	<i>Persoonia confertiflora</i>	<i>Persoonia confertiflora</i> x <i>chamaepeuce</i>
<i>Persoonia cornifolia</i>	<i>Persoonia cornifolia</i> x <i>fastigiata</i>	<i>Persoonia curvifolia</i>
<i>Persoonia cuspidifera</i>	<i>Persoonia daphnoides</i>	<i>Persoonia glaucescens</i>
<i>Persoonia gunnii</i>	<i>Persoonia hindii</i>	<i>Persoonia hirsuta</i>
<i>Persoonia iogyne</i>	<i>Persoonia juniperina</i>	<i>Persoonia katerae</i>
<i>Persoonia lanceolata</i>	<i>Persoonia laurina</i>	<i>Persoonia levis</i>
<i>Persoonia linearis</i>	<i>Persoonia linearis</i> x <i>pinifolia</i>	<i>Persoonia marginata</i>
<i>Persoonia media</i>	<i>Persoonia microphylla</i>	<i>Persoonia mollis</i>
<i>Persoonia muelleri</i>	<i>Persoonia myrtilloides</i>	<i>Persoonia nutans</i>
<i>Persoonia oblongata</i>	<i>Persoonia oleoides</i>	<i>Persoonia oxycoccoides</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Persoonia pinifolia</i>	<i>Persoonia procumbens</i>	<i>Persoonia prostrata</i>
<i>Persoonia recedens</i>	<i>Persoonia recedens</i> x <i>myrtilloides</i>	<i>Persoonia rigida</i>
<i>Persoonia rufa</i>	<i>Persoonia sericea</i>	<i>Persoonia silvatica</i>
<i>Persoonia stradbokensis</i>	<i>Persoonia stradbokensis</i> x <i>tenuifolia</i>	<i>Persoonia subtilis</i>
<i>Persoonia subvelutina</i>	<i>Persoonia tenuifolia</i>	<i>Persoonia terminalis</i>
<i>Persoonia tropica</i>	<i>Persoonia virgata</i>	<i>Persoonia volcanica</i>
<i>Pescatorea</i> spp.	<i>Pescatoria cerina</i>	<i>Pescatoria dayana</i>
<i>Pescatoria lehmannii</i>	<i>Pescatoria wallisii</i>	<i>Petalidium barlerioides</i>
<i>Petalostemon purpureum</i>	<i>Petalostigma banksii</i>	<i>Petalostigma pachyphyllum</i>
<i>Petalostigma triloculare</i>	<i>Petasites hybridus</i>	<i>Petasites japonicus</i>
<i>Petermannia cirrosa</i>	<i>Petraeomyrtus punicea</i>	<i>Petrea arborea</i>
<i>Petrea glandulosa</i>	<i>Petrea rugosa</i>	<i>Petrea volubilis</i>
<i>Petrocallis pyrenaica</i>	<i>Petrocoptis glaucifolia</i>	<i>Petrocosmea barbata</i>
<i>Petrocosmea begoniifolia</i>	<i>Petrocosmea duclouxii</i>	<i>Petrocosmea flaccida</i>
<i>Petrocosmea formosa</i>	<i>Petrocosmea grandiflora</i>	<i>Petrocosmea grandifolia</i>
<i>Petrocosmea henryi</i>	<i>Petrocosmea kerrii</i>	<i>Petrocosmea menglianensis</i>
<i>Petrocosmea minor</i>	<i>Petrocosmea parryorum</i>	<i>Petrocosmea rosettifolia</i>
<i>Petrocosmea sericea</i>	<i>Petromarula pinnata</i>	<i>Petrophile canescens</i>
<i>Petrophile fucifolia</i>	<i>Petrophile multisecta</i>	<i>Petrophile pedunculata</i>
<i>Petrophile pulchella</i>	<i>Petrophile sessilis</i>	<i>Petrophile shirleyae</i>
<i>Petrophytum caespitosum</i>	<i>Petrorhagia dianthoides</i>	<i>Petrorhagia dubia</i>
<i>Petrorhagia illyrica</i>	<i>Petrorhagia nanteuillii</i>	<i>Petrorhagia saxifraga</i>
<i>Petroselinum crispum</i>	<i>Petteria ramentacea</i>	<i>Petunia axillaris</i>
<i>Petunia</i> x <i>hybrida</i>	<i>Petunia minima</i>	<i>Petunia nyctaginiflora</i>
<i>Petunia patagonica</i>	<i>Peucedanum japonicum</i>	<i>Peucedanum ostruthium</i>
<i>Peucedanum verticillare</i>	<i>Peumus boldus</i>	<i>Phacelia corymbosa</i>
<i>Phacelia divaricata</i>	<i>Phacelia fimbriata</i>	<i>Phacelia glandulosa</i>
<i>Phacelia imbricata</i>	<i>Phacelia lyonii</i>	<i>Phacelia sericea</i>
<i>Phacelia tanacetifolia</i>	<i>Phaedranassa cinerea</i>	<i>Phaenocoma prolifera</i>

<i>Phaiophleps biflora</i>	<i>Phaiophleps nigricans</i>	<i>Phaius</i> spp.
<i>Phalacrocarpum hoffmannseggii</i>	<i>Phalacrocarpum oppositifolium</i>	<i>Phalaenopsis</i> spp.
<i>Phalaris amethystina</i>	<i>Phalaris angusta</i>	<i>Phalaris aquatica</i>
<i>Phalaris aquatica x arundinacea</i>	<i>Phalaris arundinacea</i>	<i>Phalaris californica</i>
<i>Phalaris canariensis</i>	<i>Phalaris x daviesii</i>	<i>Phalaris minor</i>
<i>Phalaris paradoxa</i>	<i>Phaleria chermsideana</i>	<i>Phaleria clerodendron</i>
<i>Phaleria neumannii</i>	<i>Phaleria octandra</i>	<i>Phalocallis coelestis</i>
<i>Phalocallis herbertii</i>	<i>Pharbitis learii</i>	<i>Pharus lappulaceus</i>
<i>Phaseolus acutifolius</i>	<i>Phaseolus angustissimus</i>	<i>Phaseolus coccineus</i>
<i>Phaseolus filiformis</i>	<i>Phaseolus grayanus</i>	<i>Phaseolus lunatus</i>
<i>Phaseolus pedicellatus</i>	<i>Phaseolus polystachios</i>	<i>Phaseolus truxillensis</i>
<i>Phaseolus vulgaris</i>	<i>Phebalium ambiens</i>	<i>Phebalium anceps</i>
<i>Phebalium bilobum</i>	<i>Phebalium brachyphyllum</i>	<i>Phebalium bullatum</i>
<i>Phebalium carruthersii</i>	<i>Phebalium coxii</i>	<i>Phebalium daviesii</i>
<i>Phebalium dentatum</i>	<i>Phebalium diosmeum</i>	<i>Phebalium elatius</i>
<i>Phebalium ellipticum</i>	<i>Phebalium equestre</i>	<i>Phebalium glandulosum</i>
<i>Phebalium gracile</i>	<i>Phebalium hillebrandii</i>	<i>Phebalium lamprophyllum</i>
<i>Phebalium lowanense</i>	<i>Phebalium montanum</i>	<i>Phebalium nottii</i>
<i>Phebalium nudum</i>	<i>Phebalium obcordatum</i>	<i>Phebalium obtusifolium</i>
<i>Phebalium ovatifolium</i>	<i>Phebalium ozothamnoides</i>	<i>Phebalium phyllicifolium</i>
<i>Phebalium ralstonii</i>	<i>Phebalium rhytidophyllum</i>	<i>Phebalium rotundifolium</i>
<i>Phebalium rude</i>	<i>Phebalium squameum</i>	<i>Phebalium squamulosum</i>
<i>Phebalium stenophyllum</i>	<i>Phebalium sympetalum</i>	<i>Phebalium viridiflorum</i>
<i>Phebalium whitei</i>	<i>Phebalium wilsonii</i>	<i>Phebalium woombye</i>
<i>Phedimus ellacombianus</i>	<i>Phedimus florifer</i>	<i>Phedimus kamschaticus</i>
<i>Phedimus middendorffianus</i>	<i>Phedimus obtusifolius</i>	<i>Phedimus selskianus</i>
<i>Phedimus spurius</i>	<i>Phelline comosa</i>	<i>Phellodendron amurense</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Phellodendron chinense</i>	<i>Phellodendron fargesii</i>	<i>Phenakospermum guyannense</i>
<i>Philadelphus argyrocalyx</i>	<i>Philadelphus caucasicus</i>	<i>Philadelphus coronarius</i>
<i>Philadelphus coulteri</i>	<i>Philadelphus delavayi</i>	<i>Philadelphus x falconeri</i>
<i>Philadelphus floridus</i>	<i>Philadelphus hirsutus</i>	<i>Philadelphus hybrids</i>
<i>Philadelphus incanus</i>	<i>Philadelphus keteleeri</i>	<i>Philadelphus laxus</i>
<i>Philadelphus lewisii</i>	<i>Philadelphus maculatus</i>	<i>Philadelphus magdaleneae</i>
<i>Philadelphus mexicanus</i>	<i>Philadelphus microphyllus</i>	<i>Philadelphus pekinensis</i>
<i>Philadelphus purpurascens</i>	<i>Philadelphus satumanus</i>	<i>Philadelphus schrenkii</i>
<i>Philadelphus sericanthus</i>	<i>Philadelphus splendens</i>	<i>Philadelphus tenuifolius</i>
<i>Philadelphus zeyheri</i>	<i>Philenoptera bussei</i>	<i>Philenoptera violacea</i>
<i>Philesia magellanica</i>	<i>Philibertia gracilis</i>	<i>Philippia excelsa</i>
<i>Phillyrea angustifolia</i>	<i>Phillyrea latifolia</i>	<i>Philodendron advena</i>
<i>Philodendron andreanum</i>	<i>Philodendron angustisectum</i>	<i>Philodendron anisotomum</i>
<i>Philodendron asperatum</i>	<i>Philodendron auriculatum</i>	<i>Philodendron bipennifolium</i>
<i>Philodendron bipinnatifidum</i>	<i>Philodendron burle-marxii</i>	<i>Philodendron crassinervium</i>
<i>Philodendron crinipes</i>	<i>Philodendron cruentum</i>	<i>Philodendron deltoideum</i>
<i>Philodendron discolor</i>	<i>Philodendron distantilobum</i>	<i>Philodendron domesticum</i>
<i>Philodendron elegans</i>	<i>Philodendron erubescens</i>	<i>Philodendron fragrantissimum</i>
<i>Philodendron giganteum</i>	<i>Philodendron gigas</i>	<i>Philodendron gloriosum</i>
<i>Philodendron grandifolium</i>	<i>Philodendron grandipes</i>	<i>Philodendron grazielae</i>
<i>Philodendron guttiferum</i>	<i>Philodendron hederaceum</i>	<i>Philodendron x hybrid</i>
<i>Philodendron imbe</i>	<i>Philodendron insigne</i>	<i>Philodendron laciniatum</i>
<i>Philodendron leyvae</i>	<i>Philodendron lindenii</i>	<i>Philodendron mamei</i>
<i>Philodendron martianum</i>	<i>Philodendron melanochrysum</i>	<i>Philodendron melinonii</i>
<i>Philodendron mexicanum</i>	<i>Philodendron microstictum</i>	<i>Philodendron ornatum</i>
<i>Philodendron panduriforme</i>	<i>Philodendron pastazanum</i>	<i>Philodendron pearcei</i>
<i>Philodendron pedatum</i>	<i>Philodendron radiatum</i>	<i>Philodendron recurvifolium</i>

Philodendron rothschubianum	Philodendron rudgeanum	Philodendron rugosum
Philodendron sanguineum	Philodendron speciosum	Philodendron squamiferum
Philodendron tatei	Philodendron tenue	Philodendron tripartitum
Philodendron verrucosum	Philodendron warszewiczii	Philodendron wendlandii
Philodendron williamsii	Philonotis tenuis	Philotheca angustifolia
Philotheca brevifolia	Philotheca buxifolia	Philotheca difformis
Philotheca ericifolia	Philotheca hispidula	Philotheca myoporoides
Philotheca obovalis	Philotheca pungens	Philotheca salsolifolia
Philotheca scabra	Philotheca trachyphylla	Philotheca verrucosa
Philotheca virgata	Phinaea divaricata	Phinaea rubida
Phlebodium aureum	Phlebodium decumanum	Phlebodium aureum x Pteris umbrosa
Phleum arenarium	Phleum montanum	Phleum pratense
Phlogacanthus asperulus	Phlomis agraria	Phlomis alpina
Phlomis amanica	Phlomis americana	Phlomis anisodonta
Phlomis bourgaei	Phlomis bovei	Phlomis capitata
Phlomis cashmeriana	Phlomis chimerae	Phlomis cretica
Phlomis crinita	Phlomis ferruginea	Phlomis grandiflora
Phlomis italica	Phlomis laciniata	Phlomis lanata
Phlomis lunarifolia	Phlomis lycia	Phlomis medicinalis
Phlomis megalantha	Phlomis milingensis	Phlomis paohsingensis
Phlomis platystegia	Phlomis pratensis	Phlomis purpurea
Phlomis rigida	Phlomis rotata	Phlomis russeliana
Phlomis tatsienensis	Phlomis tenorei	Phlomis tuberosa
Phlomis viscosa	Phlox aculeata	Phlox adsurgens
Phlox albomarginata	Phlox alyssifolia	Phlox amabilis
Phlox amoena	Phlox andicola	Phlox austromontana
Phlox bifida	Phlox buckleyi	Phlox caespitosa
Phlox caryophylla	Phlox cluteana	Phlox colubrina
Phlox covillei	Phlox cuspidata	Phlox diffusa

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Phlox divaricata</i>	<i>Phlox dolichantha</i>	<i>Phlox drummondii</i>
<i>Phlox floridana</i>	<i>Phlox glaberrima</i>	<i>Phlox gladiformis</i>
<i>Phlox griseola</i>	<i>Phlox hirsuta</i>	<i>Phlox jonesii</i>
<i>Phlox kelseyi</i>	<i>Phlox latifolia</i>	<i>Phlox longifolia</i>
<i>Phlox maculata</i>	<i>Phlox mesoleuca</i>	<i>Phlox mexicana</i>
<i>Phlox mollis</i>	<i>Phlox multiflora</i>	<i>Phlox nana</i>
<i>Phlox nelsonii</i>	<i>Phlox nivalis</i>	<i>Phlox oklahomensis</i>
<i>Phlox ovata</i>	<i>Phlox paniculata</i>	<i>Phlox paniculata x maculata</i>
<i>Phlox peckii</i>	<i>Phlox pilosa</i>	<i>Phlox pulchra</i>
<i>Phlox pulvinata</i>	<i>Phlox reptans</i>	<i>Phlox richardsonii</i>
<i>Phlox rugelii</i>	<i>Phlox sibirica</i>	<i>Phlox speciosa</i>
<i>Phlox stansburyi</i>	<i>Phlox stolonifera</i>	<i>Phlox subulata</i>
<i>Phlox tenuifolia</i>	<i>Phlox triovulata</i>	<i>Phlox variabilis</i>
<i>Phlox viscida</i>	<i>Phlox x wheeleriana</i>	<i>Phoebe nanmu</i>
<i>Phoenicophorium borsigianum</i>	<i>Phoenix acaulis</i>	<i>Phoenix andamanensis</i>
<i>Phoenix atlantica</i>	<i>Phoenix caespitosa</i>	<i>Phoenix canariensis</i>
<i>Phoenix canariensis x reclinata</i>	<i>Phoenix dactylifera</i>	<i>Phoenix loureiroi</i>
<i>Phoenix paludosa</i>	<i>Phoenix pusilla</i>	<i>Phoenix reclinata</i>
<i>Phoenix reclinata x dactylifera</i>	<i>Phoenix reclinata x roebelenii</i>	<i>Phoenix roebelenii</i>
<i>Phoenix rupicola</i>	<i>Phoenix sylvestris</i>	<i>Phoenix sylvestris x canariensis</i>
<i>Phoenix theophrasti</i>	<i>Pholidocarpus ihur</i>	<i>Pholidocarpus kingianus</i>
<i>Pholidocarpus macrocarpus</i>	<i>Pholidocarpus mucronata</i>	<i>Pholidocarpus mucronatus</i>
<i>Pholidostachys dactyloides</i>	<i>Pholidostachys kalbreyeri</i>	<i>Pholidostachys pulchra</i>
<i>Pholidostachys synanthera</i>	<i>Pholidota articulata</i>	<i>Pholidota cantonensis</i>
<i>Pholidota carnea</i>	<i>Pholidota chinensis</i>	<i>Pholidota gibbosa</i>
<i>Pholidota imbricata</i>	<i>Pholidota pallida</i>	<i>Pholidota parviflora</i>
<i>Pholidota uraiensis</i>	<i>Pholistoma aurita</i>	<i>Phonus arborescens x rhiphaeus</i>

Phormium colensoi x tenax	Phormium cookianum	Phormium cookianum x tenax
Phormium tenax	Photinia beauverdiana	Photinia davidiana
Photinia x fraseri	Photinia glabra	Photinia integrifolia
Photinia lasiogyna	Photinia loriformis	Photinia niitakayamensis
Photinia parvifolia	Photinia prunifolia	Photinia schneideriana
Photinopteris speciosa	Phragmipedium spp.	Phragmites australis
Phreatia baileyana	Phreatia coclonychia	Phreatia crassiuscula
Phreatia cylindrostachya	Phreatia densiflora	Phreatia elata
Phreatia elongata	Phreatia iridifolia	Phreatia limenophylax
Phreatia listeri	Phreatia matthewsii	Phreatia micrantha
Phreatia neocaledonica	Phreatia pachyphylla	Phreatia plagiopetala
Phreatia plantaginifolia	Phreatia secunda	Phreatia sororia
Phreatia stenostachya	Phreatia sublata	Phrynium paniculatum
Phrynium philippinense	Phrynium pubinerve	Phuopsis stylosa
Phycella cyrtanthoides	Phycella herbertiana	Phygelius aequalis
Phygelius capensis	Phygelius x rectus	Phyla canescens
Phyla dulcis	Phyla nodiflora	Phyla scaberrima
Phylica axillaris	Phylica buxifolia	Phylica capitata
Phylica cylindrica	Phylica lachneaeoides	Phylica leipoldtii
Phylica oleaefolia	Phylica oleifolia	Phylica paniculata
Phylica plumosa	Phylica pubescens	Phylica purpurea
Phylica stipularis	Phylica villosa	Phyllachne colensoi
Phyllanthus acidus	Phyllanthus albiflorus	Phyllanthus amarus
Phyllanthus australis	Phyllanthus bourgeoisii	Phyllanthus brassii
Phyllanthus ciccoides	Phyllanthus cuscutiflorus	Phyllanthus dallachyanus
Phyllanthus emblica	Phyllanthus fuernrohrii	Phyllanthus gastroemii
Phyllanthus gunnii	Phyllanthus hirtellus	Phyllanthus hypospodius
Phyllanthus inflatus	Phyllanthus lamprophyllus	Phyllanthus microcladus
Phyllanthus minutiflorus	Phyllanthus montanus	Phyllanthus multiflorus
Phyllanthus myrtifolius	Phyllanthus pusillifolius	Phyllanthus sellowianus

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Phyllanthus subcrenulatus	Phyllanthus thymoides	x Phylliopsis hillieri
Phyllis nobla	Phyllobolus abbreviatus	Phyllocladus alpinus

Phyllocladus aspleniifolius	Phyllocladus hypophyllus	Phyllocladus toatoa
Phyllocladus trichomanoides	Phyllodoce aleutica	Phyllodoce breweri
Phyllodoce caerulea	Phyllodoce nipponica	Phyllopodium cordatum
Phyllopodium heterophyllum	Phyllostachys acuta	Phyllostachys arcana
Phyllostachys atrovaginata	Phyllostachys aureosulcata	Phyllostachys edulis
Phyllostachys elegans	Phyllostachys glauca	Phyllostachys humilis
Phyllostachys iridescens	Phyllostachys makinoi	Phyllostachys mannii
Phyllostachys nidularia	Phyllostachys nigra	Phyllostachys nuda
Phyllostachys praecox	Phyllostachys sulphurea	Phyllostachys vivax
Phyllota diffusa	Phyllota grandiflora	Phyllota humifusa
Phyllota phyllicoides	Phyllota pleurandroides	Phyllota remota
Phyllota squarrosa	Phymaspermum acerosum	Phymaspermum parvifolium
Phymatosorus membranifolius	Phymatosorus nigrescens	Phymatosorus parksii
Phymatosorus scandens	Phymatosorus scolopendria	Phymosia umbellata
Physalis alkekengi	Physalis angulata	Physalis minima
Physalis peruviana	Physalis philadelphica	Physalis pruinosa
Physalis pubescens	Physalis viscosa	Physaria alpina
Physaria didymocarpa	Physaria eburniflora	Physaria vitulifera
Physocarpus bracteatus	Physocarpus capitatus	Physocarpus malvaceus
Physocarpus monogynus	Physocarpus opulifolius	Physocarpus ribesifolia
Physochlaina physaloides	Physokentia avia	Physokentia dennisii
Physokentia insolita	Physokentia petiolata	Physokentia rosea
Physokentia tete	Physokentia thurstonii	Physokentia whitmorei
Physoplexis comosa	Physostegia virginiana	Physostelma wallichii
Physostigma venenosum	Phytelephas aequatorialis	Phytelephas macrocarpa

Phytelephas seemanii	Phytelephas tenuicaulis	Phytelephas tumacana
Phyteuma balbisii	Phyteuma charmelii	Phyteuma cordatum
Phyteuma globulariifolium	Phyteuma hedraianthifolium	Phyteuma hemisphaericum
Phyteuma humile	Phyteuma nigrum	Phyteuma ovatum
Phyteuma scheuchzeri	Phyteuma scorzonerifolium	Phyteuma sieberi
Phyteuma zahlbruckneri	Phytolacca dioica	Phytolacca icosandra
Piaranthus atosanguineus	Piaranthus comptus	Piaranthus decipiens
Piaranthus decorus	Piaranthus foetidus	Piaranthus geminatus
Piaranthus parvulus	Piaranthus pillansii	Picconia excelsa
Picea abies	Picea alcoquiana	Picea asperata
Picea balfouriana	Picea bicolor	Picea brachytyla
Picea breweriana	Picea chihuahuana	Picea engelmannii
Picea glauca	Picea glehnii	Picea jezoensis
Picea koraiensis	Picea koyamai	Picea likiangensis
Picea x lutzii	Picea mariana	Picea x mariorika
Picea maximowiczii	Picea mexicana	Picea montigena
Picea morrisonicola	Picea obovata	Picea omorika
Picea orientalis	Picea polita	Picea pungens
Picea purpurea	Picea schrenkiana	Picea sitchensis
Picea smithiana	Picea spinulosa	Picea wilsonii
Picnomon acarna	Picalima nitida	Picramnia polyantha
Picrasma crenata	Picrasma excelsa	Picrasma quassioides
Picris echioides	Picrorhiza kurrooa	Pieris floribunda
Pieris formosa	Pieris japonica	Pieris phillyreifolia
Pieris polita	Pigafetta elata	Pigafetta filaris
Pilea cadierei	Pilea depressa	Pilea inaequalis
Pilea mollis	Pilea nummulariifolia	Pilea spruceana
Pileostegia viburnoides	Pilgerodendron uviferum	Pilidiostigma glabrum
Pilidiostigma papuanum	Pilidiostigma rhytispermum	Pilidiostigma tetramerum
Pilidiostigma tropicum	Piliostigma malabaricum	Piliostigma thonningii

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Pilocarpus jaborandi</i>	<i>Pilocarpus pennatifolius</i>	<i>Pilosocereus albisummus</i>
<i>Pilosocereus alensis</i>	<i>Pilosocereus arrabidae</i>	<i>Pilosocereus aureispinus</i>
<i>Pilosocereus aurilanus</i>	<i>Pilosocereus brasiliensis</i>	<i>Pilosocereus braunii</i>
<i>Pilosocereus catingicola</i>	<i>Pilosocereus chrysacanthus</i>	<i>Pilosocereus chrysostele</i>
<i>Pilosocereus coerulescens</i>	<i>Pilosocereus collinsii</i>	<i>Pilosocereus cometes</i>
<i>Pilosocereus cristalinensis</i>	<i>Pilosocereus diersianus</i>	<i>Pilosocereus flavipulvinatus</i>
<i>Pilosocereus flexibilispinus</i>	<i>Pilosocereus floccosus</i>	<i>Pilosocereus fulvilanatus</i>
<i>Pilosocereus gaumeri</i>	<i>Pilosocereus glaucescens</i>	<i>Pilosocereus glaucochrous</i>
<i>Pilosocereus gounellei</i>	<i>Pilosocereus guerreronis</i>	<i>Pilosocereus juaruensis</i>
<i>Pilosocereus lanuginosus</i>	<i>Pilosocereus luetzelburgii</i>	<i>Pilosocereus machrisii</i>
<i>Pilosocereus magnificus</i>	<i>Pilosocereus moritzianus</i>	<i>Pilosocereus oligolepis</i>
<i>Pilosocereus pachycladus</i>	<i>Pilosocereus parvus</i>	<i>Pilosocereus pentaedrophorus</i>
<i>Pilosocereus piauihyensis</i>	<i>Pilosocereus polygonus</i>	<i>Pilosocereus purpusii</i>
<i>Pilosocereus quadricentralis</i>	<i>Pilosocereus rosae</i>	<i>Pilosocereus royenii</i>
<i>Pilosocereus rupicola</i>	<i>Pilosocereus ruschianus</i>	<i>Pilosocereus salvadorensis</i>
<i>Pilosocereus sartorianus</i>	<i>Pilosocereus tuberculatus</i>	<i>Pilosocereus tweedyanus</i>
<i>Pilosocereus ulei</i>	<i>Pilosocereus vilaboensis</i>	<i>Pilosocereus zehntneri</i>
<i>Pimelea alpina</i>	<i>Pimelea aquilonia</i>	<i>Pimelea arenaria</i>
<i>Pimelea axiflora</i>	<i>Pimelea biflora</i>	<i>Pimelea bracteata</i>
<i>Pimelea curviflora</i>	<i>Pimelea decora</i>	<i>Pimelea decussata</i>
<i>Pimelea drupacea</i>	<i>Pimelea elongata</i>	<i>Pimelea filiformis</i>
<i>Pimelea flava</i>	<i>Pimelea glauca</i>	<i>Pimelea gnidia</i>
<i>Pimelea haematostachya</i>	<i>Pimelea hewardiana</i>	<i>Pimelea humilis</i>
<i>Pimelea ligustrina</i>	<i>Pimelea linifolia</i>	<i>Pimelea longifolia</i>
<i>Pimelea macrostegia</i>	<i>Pimelea modesta</i>	<i>Pimelea neo-anglica</i>
<i>Pimelea nivea</i>	<i>Pimelea octophylla</i>	<i>Pimelea oreophila</i>
<i>Pimelea pauciflora</i>	<i>Pimelea penicillaris</i>	<i>Pimelea phyllicoides</i>
<i>Pimelea prostrata</i>	<i>Pimelea pseudolyallii</i>	<i>Pimelea pygmaea</i>
<i>Pimelea sericea</i>	<i>Pimelea spicata</i>	<i>Pimelea stricta</i>

<i>Pimelea strigosa</i>	<i>Pimelea suaveolens</i>	<i>Pimelea tomentosa</i>
<i>Pimelea treyvaudii</i>	<i>Pimelea williamsonii</i>	<i>Pinelodendron amboinicum</i>
<i>Pimenta dioica</i>	<i>Pimpinella anisum</i>	<i>Pimpinella saxifraga</i>
<i>Pimpinella villosa</i>	<i>Pinanga acaulis</i>	<i>Pinanga adangensis</i>
<i>Pinanga albescens</i>	<i>Pinanga angustisecta</i>	<i>Pinanga annamensis</i>
<i>Pinanga aristata</i>	<i>Pinanga arundinacea</i>	<i>Pinanga auriculata</i>
<i>Pinanga barnesii</i>	<i>Pinanga basilanensis</i>	<i>Pinanga batanensis</i>
<i>Pinanga baviensis</i>	<i>Pinanga beccariana</i>	<i>Pinanga bicolana</i>
<i>Pinanga borneensis</i>	<i>Pinanga bowiana</i>	<i>Pinanga brevipes</i>
<i>Pinanga caesia</i>	<i>Pinanga capitata</i>	<i>Pinanga celebica</i>
<i>Pinanga chaiana</i>	<i>Pinanga chinensis</i>	<i>Pinanga cleistantha</i>
<i>Pinanga cochinchinensis</i>	<i>Pinanga copelandii</i>	<i>Pinanga coronata</i>
<i>Pinanga crassipes</i>	<i>Pinanga cucullata</i>	<i>Pinanga curranii</i>
<i>Pinanga densiflora</i>	<i>Pinanga dicksonii</i>	<i>Pinanga discolor</i>
<i>Pinanga disticha</i>	<i>Pinanga dumetosa</i>	<i>Pinanga duperreana</i>
<i>Pinanga elmerii</i>	<i>Pinanga furfuracea</i>	<i>Pinanga globulifera</i>
<i>Pinanga gracilis</i>	<i>Pinanga gracillima</i>	<i>Pinanga grandis</i>
<i>Pinanga griffithii</i>	<i>Pinanga heterophylla</i>	<i>Pinanga hexasticha</i>
<i>Pinanga hookeriana</i>	<i>Pinanga hymenospata</i>	<i>Pinanga inaequalis</i>
<i>Pinanga insignis</i>	<i>Pinanga isabelensis</i>	<i>Pinanga jamariensis</i>
<i>Pinanga javana</i>	<i>Pinanga kuhlii</i>	<i>Pinanga latisecta</i>
<i>Pinanga lepidota</i>	<i>Pinanga ligulata</i>	<i>Pinanga limosa</i>
<i>Pinanga macroclada</i>	<i>Pinanga maculata</i>	<i>Pinanga malaiana</i>
<i>Pinanga manii</i>	<i>Pinanga minor</i>	<i>Pinanga minuta</i>
<i>Pinanga mirabilis</i>	<i>Pinanga modesta</i>	<i>Pinanga mooreana</i>
<i>Pinanga negrosensis</i>	<i>Pinanga pachyphylla</i>	<i>Pinanga paradoxa</i>
<i>Pinanga patula</i>	<i>Pinanga pectinata</i>	<i>Pinanga perakensis</i>
<i>Pinanga philippinensis</i>	<i>Pinanga pilosa</i>	<i>Pinanga polymorpha</i>
<i>Pinanga pulchella</i>	<i>Pinanga punicea</i>	<i>Pinanga quadrijuga</i>
<i>Pinanga ridleyana</i>	<i>Pinanga rigida</i>	<i>Pinanga riparia</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Pinanga rivularis</i>	<i>Pinanga rumphiana</i>	<i>Pinanga rupestris</i>
<i>Pinanga salicifolia</i>	<i>Pinanga samarana</i>	<i>Pinanga sclerophylla</i>
<i>Pinanga scortechinii</i>	<i>Pinanga sessilifolia</i>	<i>Pinanga sibuyanensis</i>
<i>Pinanga simplicifrons</i>	<i>Pinanga sinii</i>	<i>Pinanga speciosa</i>
<i>Pinanga stricta</i>	<i>Pinanga stylosa</i>	<i>Pinanga subintegra</i>
<i>Pinanga subruminata</i>	<i>Pinanga sylvestris</i>	<i>Pinanga tashiroi</i>
<i>Pinanga tenacinervis</i>	<i>Pinanga tenella</i>	<i>Pinanga tomentella</i>
<i>Pinanga trichoneura</i>	<i>Pinanga urdanetensis</i>	<i>Pinanga urosperma</i>
<i>Pinanga variegata</i>	<i>Pinanga veitchii</i>	<i>Pinanga woodiana</i>
<i>Pinanga yassinii</i>	<i>Pinellia cordata</i>	<i>Pinellia ternata</i>
<i>Pinellia tripartita</i>	<i>Pinguicula agnata</i>	<i>Pinguicula alpina</i>
<i>Pinguicula antarctica</i>	<i>Pinguicula balcanica</i>	<i>Pinguicula caerulea</i>
<i>Pinguicula crystallina</i>	<i>Pinguicula ehlersiae</i>	<i>Pinguicula emarginata</i>
<i>Pinguicula emarginata x filifolia</i>	<i>Pinguicula esseriana</i>	<i>Pinguicula filifolia</i>
<i>Pinguicula gigantea</i>	<i>Pinguicula grandiflora</i>	<i>Pinguicula gypsicola</i>
<i>Pinguicula hemiepiphytica</i>	<i>Pinguicula hirtiflora</i>	<i>Pinguicula ionantha</i>
<i>Pinguicula laeana</i>	<i>Pinguicula leptoceras</i>	<i>Pinguicula longifolia</i>
<i>Pinguicula lusitanica</i>	<i>Pinguicula lutea</i>	<i>Pinguicula mesophytica</i>
<i>Pinguicula moctezumae</i>	<i>Pinguicula moctezumae x rectifolia</i>	<i>Pinguicula moranensis</i>
<i>Pinguicula planifolia</i>	<i>Pinguicula primuliflora</i>	<i>Pinguicula rectifolia</i>
<i>Pinguicula rotundifolia</i>	<i>Pinguicula vallisneriifolia</i>	<i>Pinguicula variegata</i>
<i>Pinguicula vulgaris</i>	<i>Pinus albicaulis</i>	<i>Pinus aristata</i>
<i>Pinus arizonica</i>	<i>Pinus armandii</i>	<i>Pinus attenuata</i>
<i>Pinus balfouriana</i>	<i>Pinus banksiana</i>	<i>Pinus brutia</i>
<i>Pinus bungeana</i>	<i>Pinus canariensis</i>	<i>Pinus caribaea</i>
<i>Pinus caribaea x elliottii</i>	<i>Pinus cembra</i>	<i>Pinus cembroides</i>
<i>Pinus coulteri</i>	<i>Pinus cubensis</i>	<i>Pinus dalatensis</i>
<i>Pinus densiflora</i>	<i>Pinus devoniana</i>	<i>Pinus engelmannii</i>
<i>Pinus flexilis</i>	<i>Pinus gerardiana</i>	<i>Pinus greggii</i>

Pinus halepensis	Pinus heldreichii	Pinus henryi
Pinus herrerae	Pinus koraiensis	Pinus krempfii
Pinus leiophylla	Pinus leucodermis	Pinus longaeva
Pinus luchuensis	Pinus lumholtzii	Pinus massoniana
Pinus maximartinezii	Pinus maximinoi	Pinus michoacana

Pinus monophylla	Pinus montezumae	Pinus montezumae x patula
Pinus mugo	Pinus palustris	Pinus parviflora
Pinus patula	Pinus pinaster	Pinus pinceana
Pinus pinea	Pinus ponderosa	Pinus pumila
Pinus pungens	Pinus quadrifolia	Pinus radiata
Pinus x rhaetica	Pinus sabiniana	Pinus scopulorum
Pinus sibirica	Pinus sosnovskyi	Pinus stankewiczii
Pinus strobiformis	Pinus strobus	Pinus sylvestris
Pinus tabuliformis	Pinus tecunumanii	Pinus teocote
Pinus thunbergii	Pinus tropicalis	Pinus uncinata
Pinus wallichiana	Pinus yunnanensis	Piper aculeatum
Piper apiculatum	Piper betle	Piper capense
Piper chaba	Piper cubeba	Piper curtipedunculum
Piper excelsum	Piper fimbriatum	Piper hederaceum
Piper hongkongense	Piper kadsura	Piper lancifolium
Piper latifolium	Piper longifolium	Piper mestonii
Piper methysticum	Piper nigrum	Piper novae-hollandiae
Piper ornatum	Piper pedicellatum	Piper porphyrophyllum
Piper postelsianum	Piper sarmentosum	Piper sylvaticum
Piptadeniastrum africanum	Piptanthus nepalensis	Piptanthus tomentosus
Piptatherum coerulescens	Piptatherum holciforme	Piptatherum miliaceum
Piptocalyx moorei	Piptochaetium fimbriatum	Piptochaetium hackelii
Piptochaetium lasianthum	Piptochaetium lejopodum	Piptochaetium napostaense
Piptochaetium panicoides	Piptochaetium ruprechtianum	Piptochaetium uruguense

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Piptochaetium verruculosum</i>	<i>Piptospatha insignis</i>	<i>Pipturus albidus</i>
<i>Pipturus argenteus</i>	<i>Pisonia brunoniana</i>	<i>Pisonia grandis</i>
<i>Pisonia inermis</i>	<i>Pisonia umbellifera</i>	<i>Pistacia atlantica</i> x <i>integerrima</i>
<i>Pistacia chinensis</i>	<i>Pistacia lentiscus</i>	<i>Pistacia terebinthus</i>
<i>Pistacia vera</i>	<i>Pistacia weinmannifolia</i>	<i>Pisum fulvum</i>
<i>Pisum sativum</i>	<i>Pitaviaster haplophyllus</i>	<i>Pitcairnia albiflos</i>
<i>Pitcairnia altensteinii</i>	<i>Pitcairnia andreana</i>	<i>Pitcairnia aphelandriflora</i>
<i>Pitcairnia arcuata</i>	<i>Pitcairnia atrorubens</i>	<i>Pitcairnia bromeliifolia</i>
<i>Pitcairnia burle-marxii</i>	<i>Pitcairnia carioana</i>	<i>Pitcairnia carnea</i>
<i>Pitcairnia corallina</i>	<i>Pitcairnia echinata</i>	<i>Pitcairnia flammea</i>
<i>Pitcairnia grafii</i>	<i>Pitcairnia heterophylla</i>	<i>Pitcairnia hitchcockiana</i>
<i>Pitcairnia imbricata</i>	<i>Pitcairnia integrifolia</i>	<i>Pitcairnia leprieurii</i>
<i>Pitcairnia macrochlamys</i>	<i>Pitcairnia maidifolia</i>	<i>Pitcairnia mirabilis</i>
<i>Pitcairnia nuda</i>	<i>Pitcairnia oblanceolata</i>	<i>Pitcairnia paniculata</i>
<i>Pitcairnia pulverulenta</i>	<i>Pitcairnia pungens</i>	<i>Pitcairnia punicea</i>
<i>Pitcairnia recurvata</i>	<i>Pitcairnia riparia</i>	<i>Pitcairnia scandens</i>
<i>Pitcairnia spicata</i>	<i>Pitcairnia staminea</i>	<i>Pitcairnia straminea</i>
<i>Pitcairnia tabuliformis</i>	<i>Pitcairnia undulata</i>	<i>Pitcairnia wendlandii</i>
<i>Pitcairnia xanthocalyx</i>	<i>Pithecellobium mangense</i>	<i>Pittosporum ambrense</i>
<i>Pittosporum anomalum</i>	<i>Pittosporum argentifolium</i>	<i>Pittosporum bicolor</i>
<i>Pittosporum bicolor</i> x <i>undulatum</i>	<i>Pittosporum brevicalyx</i>	<i>Pittosporum buchananii</i>
<i>Pittosporum colensoi</i>	<i>Pittosporum confertiflorum</i>	<i>Pittosporum coriaceum</i>
<i>Pittosporum cornifolium</i>	<i>Pittosporum crassicaule</i>	<i>Pittosporum crassifolium</i>
<i>Pittosporum dallii</i>	<i>Pittosporum daphniphyloides</i>	<i>Pittosporum erioloma</i>
<i>Pittosporum eugenioides</i>	<i>Pittosporum fairchildii</i>	<i>Pittosporum glabratum</i>
<i>Pittosporum gracile</i>	<i>Pittosporum heterophyllum</i>	<i>Pittosporum hosmeri</i>
<i>Pittosporum huttonianum</i>	<i>Pittosporum illicioides</i>	<i>Pittosporum kauaiense</i>
<i>Pittosporum kirkii</i>	<i>Pittosporum lancifolium</i>	<i>Pittosporum mannii</i>

Pittosporum melanospermum	Pittosporum michiei	Pittosporum microphyllum
Pittosporum multiflorum	Pittosporum napaulense	Pittosporum obcordatum
Pittosporum odoratum	Pittosporum oreillyanum	Pittosporum ornatum
Pittosporum patulum	Pittosporum pauciflorum	Pittosporum phillyreoides
Pittosporum pimeleoides	Pittosporum pullifolium	Pittosporum ramiflorum
Pittosporum revolutum	Pittosporum rhombifolium	Pittosporum rhytidocarpum
Pittosporum rigidum	Pittosporum rubiginosum	Pittosporum sahnianum
Pittosporum salicifolium	Pittosporum senacia	Pittosporum sinuatum
Pittosporum tenuifolium	Pittosporum tobira	Pittosporum trigonocarpum
Pittosporum trilobum	Pittosporum truncatum	Pittosporum umbellatum
Pittosporum undulatifolium	Pittosporum undulatum	Pittosporum venulosum
Pittosporum viridiflorum	Pittosporum viscidum	Pittosporum wingii
Pityrodia angustisepala	Pityrodia halganiacea	Pityrogramma argentea
Pityrogramma calomelanos	Pityrogramma chrysophylla	Pityrogramma ebenea
Pityrogramma ochracea	Pityrogramma pearcei	Pityrogramma pulchella
Pityrogramma sulphurea	Placea amoena	Placea arzae
Placea grandiflora	Placea lutea	Placea ornata
Placospermum coriaceum	Plagianthus betulinus	Plagianthus divaricatus
Plagianthus regius	Plagiostachys lateralis	Planchonella brownlessiana
Planchonella chartacea	Planchonella cotinifolia	Planchonella euphlebica
Planchonella laurifolia	Planchonella macrocarpa	Planchonella myrsinoides
Planchonella neo-caledonica	Planchonella novo-zelandica	Planchonella obovata
Planchonella obovoidea	Planchonella papyracea	Planchonella singuliflora
Planchonella xerocarpa	Planocarpa nitida	Planocarpa petiolaris
Planocarpa sulcata	Plantago afra	Plantago alpestris
Plantago arborescens	Plantago arenaria	Plantago coronopus
Plantago cretica	Plantago daltonii	Plantago eriopoda
Plantago famarae	Plantago glacialis	Plantago lanceolata
Plantago lanigera	Plantago latifolia	Plantago major

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Plantago muelleri</i>	<i>Plantago nivalis</i>	<i>Plantago ovata</i>
<i>Plantago palustris</i>	<i>Plantago webbii</i>	<i>Platanthera clavellata</i>
<i>Platanus x acerifolia</i>	<i>Platanus digitata</i>	<i>Platanus x hispanica</i>
<i>Platanus mexicana</i>	<i>Platanus occidentalis</i>	<i>Platanus orientalis</i>
<i>Platanus racemosa</i>	<i>Platyaechmea flavorosea</i>	<i>Platycapnos saxicola</i>
<i>Platycarya strobilacea</i>	<i>Platycerium alcornae</i>	<i>Platycerium andinum</i>
<i>Platycerium angolense</i>	<i>Platycerium bifurcatum</i>	<i>Platycerium coronarium</i>
<i>Platycerium ellisii</i>	<i>Platycerium grande</i>	<i>Platycerium madagascariense</i>
<i>Platycerium quadridichotomum</i>	<i>Platycerium ridleyi</i>	<i>Platycerium stemaria</i>
<i>Platycerium superbum</i>	<i>Platycerium wallichii</i>	<i>Platycerium wandae</i>
<i>Platycladus orientalis</i>	<i>Platycodon grandiflorus</i>	<i>Platycrater arguta</i>
<i>Platylobium alternifolium</i>	<i>Platylobium formosum</i>	<i>Platylobium obtusangulum</i>
<i>Platylobium triangulare</i>	<i>Platyopuntia viridirubra</i>	<i>Platysace arnhemica</i>
<i>Platysace ericoides</i>	<i>Platysace heterophylla</i>	<i>Platysace lanceolata</i>
<i>Platysace stephensonii</i>	<i>Platysace valida</i>	<i>Platystele stenostachya</i>
<i>Platytheca verticillata</i>	<i>Plectostachys serpyllifolia</i>	<i>Plectocomia assamica</i>
<i>Plectocomia billitonensis</i>	<i>Plectocomia bractealis</i>	<i>Plectocomia dransfieldiana</i>
<i>Plectocomia elongata</i>	<i>Plectocomia himalayana</i>	<i>Plectocomia kerrana</i>
<i>Plectocomia longistigma</i>	<i>Plectocomia lorzingii</i>	<i>Plectocomia macrostachya</i>
<i>Plectocomia microstachys</i>	<i>Plectocomia mulleri</i>	<i>Plectocomia pierreana</i>
<i>Plectocomia pygmaea</i>	<i>Plectorrhiza brevilabris</i>	<i>Plectorrhiza tridentata</i>
<i>Plectrachne bynoei</i>	<i>Plectrachne pungens</i>	<i>Plectrachne schinzii</i>
<i>Plectranthus actites</i>	<i>Plectranthus aegyptiacus</i>	<i>Plectranthus alloplectus</i>
<i>Plectranthus ambiguus</i>	<i>Plectranthus amboinicus</i>	<i>Plectranthus amoenus</i>
<i>Plectranthus apreptus</i>	<i>Plectranthus arabicus</i>	<i>Plectranthus argentatus</i>
<i>Plectranthus barbatus</i>	<i>Plectranthus blakei</i>	<i>Plectranthus caninus</i>
<i>Plectranthus chimanimanensis</i>	<i>Plectranthus coleoides</i>	<i>Plectranthus comosus</i>
<i>Plectranthus cremnus</i>	<i>Plectranthus cylindraceus</i>	<i>Plectranthus discolor</i>

<i>Plectranthus diversus</i>	<i>Plectranthus dolichopodus</i>	<i>Plectranthus ecklonii</i>
<i>Plectranthus effusus</i>	<i>Plectranthus ernstii</i>	<i>Plectranthus esculentus</i>
<i>Plectranthus excelsus</i>	<i>Plectranthus foetidus</i>	<i>Plectranthus forsteri</i>
<i>Plectranthus fruticosus</i>	<i>Plectranthus glabratus</i>	<i>Plectranthus glabriflorus</i>
<i>Plectranthus glaucocalyx</i>	<i>Plectranthus grandidentatus</i>	<i>Plectranthus graniticola</i>
<i>Plectranthus gratus</i>	<i>Plectranthus graveolens</i>	<i>Plectranthus habrophyllus</i>
<i>Plectranthus hadiensis</i>	<i>Plectranthus hereroensis</i>	<i>Plectranthus hilliardiae</i>
<i>Plectranthus japonicus</i>	<i>Plectranthus leiperi</i>	<i>Plectranthus mahonii</i>
<i>Plectranthus mandalensis</i>	<i>Plectranthus megadontus</i>	<i>Plectranthus mirabilis</i>
<i>Plectranthus mirus</i>	<i>Plectranthus myrianthus</i>	<i>Plectranthus neochilus</i>
<i>Plectranthus nitidus</i>	<i>Plectranthus oertendahlii</i>	<i>Plectranthus omissus</i>
<i>Plectranthus ornatus</i>	<i>Plectranthus parviflorus</i>	<i>Plectranthus pentheri</i>
<i>Plectranthus pulchellus</i>	<i>Plectranthus purpuratus</i>	<i>Plectranthus rehmannii</i>
<i>Plectranthus saccatus</i>	<i>Plectranthus sanguineus</i>	<i>Plectranthus sphaerophyllus</i>
<i>Plectranthus spicatus</i>	<i>Plectranthus suaveolens</i>	<i>Plectranthus tenuiflorus</i>
<i>Plectranthus thyrsoides</i>	<i>Plectranthus torrenticola</i>	<i>Plectranthus trichocarpus</i>
<i>Plectranthus venterii</i>	<i>Plectranthus verticillatus</i>	<i>Plectranthus zuluensis</i>
<i>Plectrelminthus caudatus</i>	<i>Plectronia hookeriana</i>	<i>Plectrophora</i> spp.
<i>Pleioblastus argenteostriatus</i>	<i>Pleioblastus shibuyanus</i>	<i>Pleioblastus tsukubensis</i>
<i>Pleio gynium cerasiferum</i>	<i>Pleio gynium timorense</i>	<i>Pleione</i> spp.
<i>Pleiospermium alatum</i>	<i>Pleiospilos bolusii</i>	<i>Pleiospilos compactus</i>
<i>Pleiospilos dekenahi</i>	<i>Pleiospilos dimidiatus</i>	<i>Pleiospilos fergusoniae</i>
<i>Pleiospilos kingiae</i>	<i>Pleiospilos latifolius</i>	<i>Pleiospilos longibracteatus</i>
<i>Pleiospilos minor</i>	<i>Pleiospilos nelii</i>	<i>Pleiospilos peersii</i>
<i>Pleiospilos prismaticus</i>	<i>Pleiospilos purpusii</i>	<i>Pleiospilos simulans</i>
<i>Pleiospilos willowmorensis</i>	<i>Pleio stachya pruinosa</i>	<i>Pleocnemia cumingiana</i>
<i>Pleocnemia macrodonta</i>	<i>Pleomele goldieana</i>	<i>Pleomele marginata</i>
<i>Pleomele sanderiana</i>	<i>Pleomele surculosa</i>	<i>Pleopeltis excavata</i>
<i>Pleopeltis lanceolata</i>	<i>Pleopeltis macrocarpa</i>	<i>Pleopeltis polypodioides</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Pleopeltis pustulata</i>	<i>Pleopeltis uchiyamae</i>	<i>Pleroma sarmentosum</i>
<i>Pleuranthodium racemigerum</i>	<i>Pleurocalyptus austrocaledonicus</i>	<i>Pleurocalyptus pancheri</i>
<i>Pleuromanes pallidum</i>	<i>Pleuropetalum darwinii</i>	<i>Pleurophyllum hookeri</i>
<i>Pleuropterus multiflorus</i>	<i>Pleurospermum amabile</i>	<i>Pleurospermum angelicoides</i>
<i>Pleurostima fanniae</i>	<i>Pleurostyliya pachyphloea</i>	<i>Pleurothallis</i> spp.
<i>Plinia cauliflora</i>	<i>Plinia glomerata</i>	<i>Plocama pendula</i>
<i>Plocoglottis atroviridis</i>	<i>Plocoglottis lowii</i>	<i>Ploiarium alternifolium</i>
<i>Pluchea baccharoides</i>	<i>Pluchea squarrosa</i>	<i>Plumbago auriculata</i>
<i>Plumbago coccinea</i>	<i>Plumbago indica</i>	<i>Plumeria filifolia</i>
<i>Plumeria hybrid</i>	<i>Plumeria obtusa</i>	<i>Plumeria obtusifolia</i>
<i>Plumeria pudica</i>	<i>Plumeria rubra</i>	<i>Plumeria stenopetala</i>
<i>Pneumatopteris nitidula</i>	<i>Pneumatopteris pennigera</i>	<i>Pneumatopteris sandwicensis</i>
<i>Pneumatopteris sogerensis</i>	<i>Poa annua</i>	<i>Poa badensis</i>
<i>Poa binata</i>	<i>Poa bulbosa</i>	<i>Poa cenisia</i>
<i>Poa chapmaniana</i>	<i>Poa cita</i>	<i>Poa clivicola</i>
<i>Poa compressa</i>	<i>Poa cookii</i>	<i>Poa costiniana</i>
<i>Poa crassicaulis</i>	<i>Poa densa</i>	<i>Poa digitata</i>
<i>Poa ensiformis</i>	<i>Poa fawcettiae</i>	<i>Poa foliosa</i>
<i>Poa helmsii</i>	<i>Poa hiemata</i>	<i>Poa hothamensis</i>
<i>Poa iberica</i>	<i>Poa induta</i>	<i>Poa infirma</i>

<i>Poa iridifolia</i>	<i>Poa kirkii</i>	<i>Poa labillardierei</i>
<i>Poa lanigera</i>	<i>Poa lanuginosa</i>	<i>Poa lipskyi</i>
<i>Poa litorosa</i>	<i>Poa lowanensis</i>	<i>Poa maniototo</i>
<i>Poa meionectes</i>	<i>Poa mollis</i>	<i>Poa morrisii</i>
<i>Poa nemoralis</i>	<i>Poa pannonica</i>	<i>Poa phillipsiana</i>
<i>Poa pratensis</i>	<i>Poa pumila</i>	<i>Poa queenslandica</i>
<i>Poa rodwayi</i>	<i>Poa saxicola</i>	<i>Poa secunda</i>
<i>Poa sieberana</i>	<i>Poa stiriaca</i>	<i>Poa tenera</i>

<i>Poa trivialis</i>	<i>Podalyria biflora</i>	<i>Podalyria calyptata</i>
<i>Podalyria cuneifolia</i>	<i>Podalyria sericea</i>	<i>Podalyria tinctoria</i>
<i>Podanthus mitiqui</i>	<i>Podanthus ovatifolius</i>	<i>Podocarpus acutifolia</i>
<i>Podocarpus affinis</i>	<i>Podocarpus aristulatus</i>	<i>Podocarpus brassii</i>
<i>Podocarpus chinensis</i>	<i>Podocarpus chingianus</i>	<i>Podocarpus cunninghamii</i>
<i>Podocarpus dawei</i>	<i>Podocarpus decumbens</i>	<i>Podocarpus degeneri</i>
<i>Podocarpus elatus</i>	<i>Podocarpus elatus x spinulosus</i>	<i>Podocarpus elongatus</i>
<i>Podocarpus fasciculus</i>	<i>Podocarpus ferruginea</i>	<i>Podocarpus gnidioides</i>
<i>Podocarpus grayae</i>	<i>Podocarpus henkelii</i>	<i>Podocarpus koordersii</i>
<i>Podocarpus lambertii</i>	<i>Podocarpus latifolius</i>	<i>Podocarpus lawrencei</i>
<i>Podocarpus longefoliolatus</i>	<i>Podocarpus macrocarpus</i>	<i>Podocarpus macrophyllus</i>
<i>Podocarpus maki</i>	<i>Podocarpus matudae</i>	<i>Podocarpus montana</i>
<i>Podocarpus montanus</i>	<i>Podocarpus nivalis</i>	<i>Podocarpus novae-caledoniae</i>
<i>Podocarpus nubigenus</i>	<i>Podocarpus oleifolius</i>	<i>Podocarpus pilgeri</i>
<i>Podocarpus polystachyus</i>	<i>Podocarpus rumphii</i>	<i>Podocarpus salignus</i>
<i>Podocarpus smithii</i>	<i>Podocarpus spinulosus</i>	<i>Podocarpus subtropicalis</i>
<i>Podocarpus taxifolia</i>	<i>Podocarpus totara</i>	<i>Podochilus australiensis</i>
<i>Podochilus imitans</i>	<i>Podochilus khasianus</i>	<i>Podochilus polytrichoides</i>
<i>Podococcus barteri</i>	<i>Podocoma hieracifolia</i>	<i>Podolasia stipitata</i>
<i>Podolepis arachnoidea</i>	<i>Podolepis hieracioides</i>	<i>Podolepis jaceoides</i>
<i>Podolepis muelleri</i>	<i>Podolepis robusta</i>	<i>Podolobium aciculiferum</i>
<i>Podolobium alpestre</i>	<i>Podolobium ilicifolium</i>	<i>Podolobium procumbens</i>
<i>Podolobium scandens</i>	<i>Podophyllum aurantiocaulis</i>	<i>Podophyllum delavayi</i>
<i>Podophyllum difforme</i>	<i>Podophyllum glaucescens</i>	<i>Podophyllum guangxiensis</i>
<i>Podophyllum hemsleyi</i>	<i>Podophyllum hexandrum</i>	<i>Podophyllum mairei</i>
<i>Podophyllum majoense</i>	<i>Podophyllum peltatum</i>	<i>Podophyllum pleianthum</i>
<i>Podophyllum trilobulus</i>	<i>Podophyllum versipelle</i>	<i>Podranea brycei</i>
<i>Podranea ricasoliana</i>	<i>Poellnitzia rubriflora</i>	<i>Poga oleosa</i>
<i>Pogogyne douglasii</i>	<i>Pogonatherum paniceum</i>	<i>Pogonolobus reticulatus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Pogostemon cablin</i>	<i>Pogostemon helferi</i>	<i>Pogostemon heyneanus</i>
<i>Poikilospermum cordifolium</i>	<i>Poitea carinalis</i>	<i>Poitea dubia</i>
<i>Polaskia chende</i>	<i>Polaskia chichipe</i>	<i>Polemonium acutiflorum</i>
<i>Polemonium boreale</i>	<i>Polemonium brandegei</i>	<i>Polemonium caeruleum</i>
<i>Polemonium carneum</i>	<i>Polemonium confertum</i>	<i>Polemonium elegans</i>
<i>Polemonium himalayanum</i>	<i>Polemonium lacteum</i>	<i>Polemonium laxiflorum</i>
<i>Polemonium liniflorum</i>	<i>Polemonium occidentale</i>	<i>Polemonium pulcherrimum</i>
<i>Polemonium richardsonii</i>	<i>Polemonium robustum</i>	<i>Polemonium vanbruntiae</i>
<i>Polemonium viscosum</i>	<i>Polemonium yezoense</i>	<i>Polianthes geminiflora</i>
<i>Polianthes guttata</i>	<i>Polianthes tuberosa</i>	<i>Poliothyrsis sinensis</i>
<i>Pollia crispata</i>	<i>Pollia macrophylla</i>	<i>Polyalthia littoralis</i>
<i>Polyalthia longifolia</i>	<i>Polyalthia michaelii</i>	<i>Polyalthia nitidissima</i>
<i>Polyalthia obtusa</i>	<i>Polyalthia suberosa</i>	<i>Polyandrococos caudescens</i>
<i>Polyaulax cylindrocarpa</i>	<i>Polycarpon tetraphyllum</i>	<i>Polyceratocarpus microtrichus</i>
<i>Polycycnis</i> spp.	<i>Polygala calcarea</i>	<i>Polygala chamaebuxus</i>
<i>Polygala x dalmaisiana</i>	<i>Polygala dalmaisiana x compacta</i>	<i>Polygala duarteana</i>
<i>Polygala major</i>	<i>Polygala myrtifolia</i>	<i>Polygala myrtifolia x oppositifolia</i>
<i>Polygala palmeri</i>	<i>Polygala rehmannii</i>	<i>Polygala sinaica</i>
<i>Polygala vayredae</i>	<i>Polygala virgata</i>	<i>Polygonatum alternicirrhosum</i>
<i>Polygonatum cathcartii</i>	<i>Polygonatum cirrhifolium</i>	<i>Polygonatum cryptanthum</i>
<i>Polygonatum curvistylum</i>	<i>Polygonatum cyrtoneura</i>	<i>Polygonatum filipes</i>
<i>Polygonatum franchetii</i>	<i>Polygonatum fuscum</i>	<i>Polygonatum hirtellum</i>
<i>Polygonatum hookeri</i>	<i>Polygonatum humile</i>	<i>Polygonatum x hybridum</i>
<i>Polygonatum inflatum</i>	<i>Polygonatum involucratum</i>	<i>Polygonatum kingianum</i>
<i>Polygonatum lasianthum</i>	<i>Polygonatum latifolium</i>	<i>Polygonatum macranthum</i>
<i>Polygonatum multiflorum</i>	<i>Polygonatum odoratum</i>	<i>Polygonatum oppositifolium</i>
<i>Polygonatum prattii</i>	<i>Polygonatum punctatum</i>	<i>Polygonatum sibiricum</i>

Polygonatum stewartianum	Polygonatum zanlanscianense	Polygonum arenastrum
Polygonum aviculare	Polygonum caurianum	Polygonum hydropiper
Polygonum paleaceum	Polygonum tenuicaule	Polygonum vacciniifolium
Polylepis australis	Polylepis pauta	Polymita albiflora
Polymnia connata	Polyosma cunninghamii	Polyphlebium venosum
Polypodiodes niponica	Polypodium acrostichoides	Polypodium aspidiolepis
Polypodium attenuatum	Polypodium australe	Polypodium billardierei
Polypodium californicum	Polypodium dissimile	Polypodium evecta
Polypodium fauriei	Polypodium feuillei	Polypodium formosanum
Polypodium fraxinifolium	Polypodium furfuraceum	Polypodium grandiceps
Polypodium japonicum	Polypodium loriceum	Polypodium nigrescens
Polypodium niponicum	Polypodium pappei	Polypodium pellucidum
Polypodium persicifolium	Polypodium polycarpon	Polypodium punctatum
Polypodium rhodopleuron	Polypodium scouleri	Polypodium subauriculatum
Polypodium vulgare	Polypogon maritimus	Polypogon monspeliensis
Polypogon viridis	Polypompholyx multifida	Polypompholyx tenella
Polyscias australiana	Polyscias cissodendron	Polyscias cumingiana
Polyscias elegans	Polyscias fruticosa	Polyscias fulva
Polyscias grandifolia	Polyscias guilfoylei	Polyscias murrayi
Polyscias nodosa	Polyscias sambucifolia	Polyscias willmottii
Polyspatha paniculata	Polyspora axillaris	Polyspora speciosa
Polyspora tonkinensis	Polystachya spp.	Polystichum andersonii
Polystichum aquilinum	Polystichum australiense	Polystichum berterianum
Polystichum x bicknellii	Polystichum blepharistegium	Polystichum braunii
Polystichum craspedosorum	Polystichum dudleyi	Polystichum echinatum
Polystichum fallax	Polystichum formosanum	Polystichum formosum
Polystichum fortunei	Polystichum fragile	Polystichum horizontale
Polystichum lachenense	Polystichum lentum	Polystichum makinoi

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Polystichum munitum</i>	<i>Polystichum neolobatum</i>	<i>Polystichum polyblepharum</i>
<i>Polystichum proliferum</i>	<i>Polystichum pungens</i>	<i>Polystichum retroso-paleaceum</i>
<i>Polystichum richardii</i>	<i>Polystichum rigens</i>	<i>Polystichum scopulinum</i>
<i>Polystichum setiferum</i>	<i>Polystichum setigerum</i>	<i>Polystichum silvaticum</i>
<i>Polystichum squarrosum</i>	<i>Polystichum tagawanum</i>	<i>Polystichum triangulum</i>
<i>Polystichum tripterum</i>	<i>Polystichum vestitum</i>	<i>Polystichum whiteleggii</i>
<i>Polystichum woronowii</i>	<i>Polystichum xiphophyllum</i>	<i>Polytoca digitata</i>
<i>Polytrichum commune</i>	<i>Polytrichum juniperinum</i>	<i>Polyxena angustifolia</i>
<i>Polyxena corymbosa</i>	<i>Polyxena ensifolia</i>	<i>Polyxena haemanthoides</i>
<i>Polyxena maughanii</i>	<i>Polyxena odorata</i>	<i>Polyxena paucifolia</i>
<i>Polyxena pygmaea</i>	<i>Pomaderris affinis</i>	<i>Pomaderris andromedifolia</i>
<i>Pomaderris angustifolia</i>	<i>Pomaderris apetala</i>	<i>Pomaderris argrophylla</i>
<i>Pomaderris aspera</i>	<i>Pomaderris aurea</i>	<i>Pomaderris betulina</i>
<i>Pomaderris bilocularis</i>	<i>Pomaderris brogoensis</i>	<i>Pomaderris brunnea</i>
<i>Pomaderris cinerea</i>	<i>Pomaderris cocoparrana</i>	<i>Pomaderris costata</i>
<i>Pomaderris cotoneaster</i>	<i>Pomaderris discolor</i>	<i>Pomaderris elachophylla</i>
<i>Pomaderris elliptica</i>	<i>Pomaderris eriocephala</i>	<i>Pomaderris ferruginea</i>
<i>Pomaderris flabellaris</i>	<i>Pomaderris gilmourii</i>	<i>Pomaderris halmaturina</i>
<i>Pomaderris helianthemifolia</i>	<i>Pomaderris humilis</i>	<i>Pomaderris intermedia</i>
<i>Pomaderris intermedia x lanigera</i>	<i>Pomaderris kumeraho</i>	<i>Pomaderris lanigera</i>
<i>Pomaderris ledifolia</i>	<i>Pomaderris ligustrina</i>	<i>Pomaderris mediora</i>
<i>Pomaderris multiflora</i>	<i>Pomaderris nitidula</i>	<i>Pomaderris notata</i>
<i>Pomaderris obcordata</i>	<i>Pomaderris oraria</i>	<i>Pomaderris pallida</i>
<i>Pomaderris parrisiae</i>	<i>Pomaderris pauciflora</i>	<i>Pomaderris phylicifolia</i>
<i>Pomaderris pilifera</i>	<i>Pomaderris precaria</i>	<i>Pomaderris prunifolia</i>
<i>Pomaderris queenslandica</i>	<i>Pomaderris racemosa</i>	<i>Pomaderris reperta</i>
<i>Pomaderris rugosa</i>	<i>Pomaderris subcapitata</i>	<i>Pomaderris tropica</i>
<i>Pomaderris vacciniifolia</i>	<i>Pomaderris vellea</i>	<i>Pomaderris velutina</i>

<i>Pomaderris virgata</i>	<i>Pomaria rubicunda</i>	<i>Pomatocalpa diffusum</i>
<i>Pomatocalpa latifolium</i>	<i>Pomatocalpa macphersonii</i>	<i>Pomatocalpa marsupiale</i>
<i>Pomax umbellata</i>	<i>Pometia pinnata</i>	<i>Ponapea hosinoi</i>
<i>Ponapea ledermanniana</i>	<i>Poncirus trifoliata</i>	<i>Pongelion vilmorinianum</i>
<i>Pontederia cordata</i>	<i>Pontederia rotundifolia</i>	<i>Ponthieva maculata</i>
<i>Populus x acuminata</i>	<i>Populus alba</i>	<i>Populus alba x tremuloides</i>
<i>Populus argenteus</i>	<i>Populus x canadensis</i>	<i>Populus cathayana</i>
<i>Populus ciliata</i>	<i>Populus deltoides</i>	<i>Populus deltoides x yunnanensis</i>
<i>Populus euphratica</i>	<i>Populus euroamericana</i>	<i>Populus x generosa</i>
<i>Populus hopeiensis</i>	<i>Populus lasiocarpa</i>	<i>Populus maximowiczii</i>
<i>Populus nigra</i>	<i>Populus pseudograndidentata</i>	<i>Populus pyramidalis</i>

<i>Populus x roxbury</i>	<i>Populus simonii</i>	<i>Populus szechuanica</i>
<i>Populus tremula</i>	<i>Populus tremuloides</i>	<i>Populus yunnanensis</i>
<i>Porana sericea</i>	<i>Poranopsis paniculata</i>	<i>Poranthera corymbosa</i>
<i>Poranthera ericifolia</i>	<i>Poraqueiba paraensis</i>	<i>Poraqueiba sericea</i>
<i>Porlieria microphylla</i>	<i>Porphyrocoma pohliana</i>	<i>Porphyrodesme papuana</i>
<i>Porphyroglottis maxwelliae</i>	<i>Porroglossum spp.</i>	<i>Portea alatisepala</i>
<i>Portea fosteriana</i>	<i>Portea kermesina</i>	<i>Portea petropolitana</i>
<i>Portea leptantha x Hohenbergia ridleyi</i>	<i>Portlandia grandiflora</i>	<i>Portlandia platantha</i>
<i>Portulaca decipiens</i>	<i>Portulaca grandiflora</i>	<i>Portulaca kermesina</i>
<i>Portulaca lutea</i>	<i>Portulaca molokiniensis</i>	<i>Portulaca oleracea</i>
<i>Portulaca pilosa</i>	<i>Portulaca rosae</i>	<i>Portulaca thellusonii</i>
<i>Portulaca villosa</i>	<i>Portulacaria afra</i>	<i>Posoqueria latifolia</i>
<i>Posoqueria longiflora</i>	<i>Posoqueria macropus</i>	<i>Posoqueria multiflora</i>
<i>Postuera longifolia</i>	<i>Potamogeton australiensis</i>	<i>Potamogeton gayi</i>
<i>Potamogeton mucronatus</i>	<i>Potamogeton octandrus</i>	<i>Potamogeton sulcatus</i>
<i>Potentilla agrophylla</i>	<i>Potentilla alchemilloides</i>	<i>Potentilla ambigens</i>
<i>Potentilla ambigua</i>	<i>Potentilla andicola</i>	<i>Potentilla apennina</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Potentilla atosanguinea</i>	<i>Potentilla x aurantiaca</i>	<i>Potentilla biflora</i>
<i>Potentilla brauniana</i>	<i>Potentilla calabra</i>	<i>Potentilla clusiana</i>
<i>Potentilla concinna</i>	<i>Potentilla coriandrifolia</i>	<i>Potentilla delphinensis</i>
<i>Potentilla desertorum</i>	<i>Potentilla detommasii</i>	<i>Potentilla dickinsii</i>
<i>Potentilla dombeyi</i>	<i>Potentilla drummondii</i>	<i>Potentilla erecta</i>
<i>Potentilla eriocarpa</i>	<i>Potentilla fissa</i>	<i>Potentilla flabellifolia</i>
<i>Potentilla frigida</i>	<i>Potentilla geoides</i>	<i>Potentilla grandiflora</i>
<i>Potentilla haynaldiana</i>	<i>Potentilla heptaphylla</i>	<i>Potentilla hippiana</i>
<i>Potentilla hookeriana</i>	<i>Potentilla incisa</i>	<i>Potentilla megalantha</i>
<i>Potentilla x menziesii</i>	<i>Potentilla mirabilis</i>	<i>Potentilla montegrina</i>
<i>Potentilla nana</i>	<i>Potentilla nepalensis</i>	<i>Potentilla neumanniana</i>
<i>Potentilla nipponica</i>	<i>Potentilla nitida</i>	<i>Potentilla nivea</i>
<i>Potentilla ovina</i>	<i>Potentilla pamiroalaica</i>	<i>Potentilla pedata</i>
<i>Potentilla polyphylla</i>	<i>Potentilla pulcherrima</i>	<i>Potentilla pulvinaris</i>
<i>Potentilla pyrenaica</i>	<i>Potentilla recta</i>	<i>Potentilla rupestris</i>
<i>Potentilla thurberi</i>	<i>Potentilla x tonguei</i>	<i>Potentilla tonguei</i>
<i>Potentilla umbrosa</i>	<i>Pothos acaule</i>	<i>Pothos brassii</i>
<i>Pothos chinensis</i>	<i>Pothos longipes</i>	<i>Pothos scandens</i>
<i>Pothuava kleinii</i>	<i>x Potinara spp.</i>	<i>Pourouma cecropiifolia</i>
<i>Pourthiaea beauverdiana</i>	<i>Pouteria arguacoensium</i>	<i>Pouteria arnhemica</i>
<i>Pouteria asterocarpon</i>	<i>Pouteria australis</i>	<i>Pouteria brownlessiana</i>
<i>Pouteria caimito</i>	<i>Pouteria campechiana</i>	<i>Pouteria castanosperma</i>
<i>Pouteria chartacea</i>	<i>Pouteria cotinifolia</i>	<i>Pouteria durlandii</i>
<i>Pouteria eerwah</i>	<i>Pouteria egassia</i>	<i>Pouteria euphlebia</i>
<i>Pouteria gardneriana</i>	<i>Pouteria glomerata</i>	<i>Pouteria grandifolia</i>
<i>Pouteria lucuma</i>	<i>Pouteria macrophylla</i>	<i>Pouteria malaccensis</i>
<i>Pouteria multiflora</i>	<i>Pouteria myrsinifolia</i>	<i>Pouteria myrsinodendron</i>
<i>Pouteria papyracea</i>	<i>Pouteria pariry</i>	<i>Pouteria pearsoniorum</i>
<i>Pouteria pohlmaniana</i>	<i>Pouteria queenslandica</i>	<i>Pouteria ramiflora</i>
<i>Pouteria richardii</i>	<i>Pouteria salicifolia</i>	<i>Pouteria sapota</i>

<i>Pouteria sericea</i>	<i>Pouteria singuliflora</i>	<i>Pouteria speciosa</i>
<i>Pouteria splendens</i>	<i>Pouteria torta</i>	<i>Pouteria ucuqui</i>
<i>Pouteria unmackiana</i>	<i>Pouteria valparadisaea</i>	<i>Pouteria venosa</i>
<i>Pouteria viridis</i>	<i>Pouteria wakere</i>	<i>Pouteria xerocarpa</i>
<i>Pouteria xylocarpa</i>	<i>Pozoa volcanica</i>	<i>Praecereus euchlorus</i>
<i>Praecereus saxicola</i>	<i>Praecitrullus fistulosus</i>	<i>Prasium majus</i>
<i>Prasophyllum alpinum</i>	<i>Prasophyllum archeri</i>	<i>Prasophyllum australe</i>
<i>Prasophyllum brevilabre</i>	<i>Prasophyllum flavum</i>	<i>Prasophyllum frenchii</i>
<i>Prasophyllum odoratum</i>	<i>Prasophyllum pallidum</i>	<i>Prasophyllum parviflorum</i>
<i>Prasophyllum patens</i>	<i>Prasophyllum ringens</i>	<i>Prasophyllum suttonii</i>
<i>Pratia macrodon</i>	<i>Pratia pedunculata</i>	<i>Pratia physaloides</i>
<i>Pratia platycalyx</i>	<i>Pratia puberula</i>	<i>Pratia purpurascens</i>
<i>Pratia surrepens</i>	<i>Premna lignum-vitae</i>	<i>Premna microphylla</i>
<i>Prenia sladeniana</i>	<i>Prenia tetragona</i>	<i>Prepodesma orpenii</i>
<i>Prestoea acuminata</i>	<i>Prestoea carderi</i>	<i>Prestoea decurrens</i>
<i>Prestoea longipetiolata</i>	<i>Priestleya laevigata</i>	<i>Primula advena</i>
<i>Primula agleniana</i>	<i>Primula algida</i>	<i>Primula allionii</i>
<i>Primula alpicola</i>	<i>Primula angustifolia</i>	<i>Primula apennina</i>
<i>Primula atrodentata</i>	<i>Primula aurantiaca</i>	<i>Primula auricula</i>
<i>Primula baileyana</i>	<i>Primula baldshuanica</i>	<i>Primula bella</i>
<i>Primula bellidifolia</i>	<i>Primula boothii</i>	<i>Primula bracteata</i>
<i>Primula bracteosa</i>	<i>Primula burmanica</i>	<i>Primula calderiana</i>
<i>Primula calliantha</i>	<i>Primula capitata</i>	<i>Primula carniolica</i>
<i>Primula caveana</i>	<i>Primula cawdoriana</i>	<i>Primula cernua</i>
<i>Primula chapaensis</i>	<i>Primula chionantha</i>	<i>Primula chungensis</i>
<i>Primula clusiana</i>	<i>Primula cockburniana</i>	<i>Primula concholoba</i>
<i>Primula cortusoides</i>	<i>Primula cuneifolia</i>	<i>Primula cusickiana</i>
<i>Primula daonensis</i>	<i>Primula darialica</i>	<i>Primula deflexa</i>
<i>Primula denticulata</i>	<i>Primula deorum</i>	<i>Primula dickieana</i>
<i>Primula dryadifolia</i>	<i>Primula edelbergii</i>	<i>Primula elatior</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Primula elliptica</i>	<i>Primula elongata</i>	<i>Primula erosa</i>
<i>Primula falcifolia</i>	<i>Primula farinifolia</i>	<i>Primula fimbriata</i>
<i>Primula firmipes</i>	<i>Primula flaccida</i>	<i>Primula forrestii</i>
<i>Primula frondosa</i>	<i>Primula gambeliana</i>	<i>Primula gaubaeana</i>
<i>Primula gemmifera</i>	<i>Primula geraniifolia</i>	<i>Primula glabra</i>
<i>Primula glaucescens</i>	<i>Primula glutinosa</i>	<i>Primula gracilipes</i>
<i>Primula griffithii</i>	<i>Primula halleri</i>	<i>Primula heterochroma</i>
<i>Primula heucherifolia</i>	<i>Primula hirsuta</i>	<i>Primula x hybrids</i>
<i>Primula integrifolia</i>	<i>Primula involucrata</i>	<i>Primula ioessa</i>
<i>Primula japonica</i>	<i>Primula jesoana</i>	<i>Primula kisoana</i>
<i>Primula kitaibeliana</i>	<i>Primula latifolia</i>	<i>Primula laurentiana</i>
<i>Primula luteola</i>	<i>Primula macrophylla</i>	<i>Primula malacoides</i>
<i>Primula marginata</i>	<i>Primula minima</i>	<i>Primula minkwitziae</i>
<i>Primula mistassinica</i>	<i>Primula modesta</i>	<i>Primula mollis</i>
<i>Primula morsheadiana</i>	<i>Primula muscarioides</i>	<i>Primula nanobella</i>
<i>Primula nivalis</i>	<i>Primula obconica</i>	<i>Primula obliqua</i>
<i>Primula obtusifolia</i>	<i>Primula optata</i>	<i>Primula palinuri</i>
<i>Primula parryi</i>	<i>Primula pedemontana</i>	<i>Primula petiolaris</i>
<i>Primula pinnatifida</i>	<i>Primula poissonii</i>	<i>Primula polyneura</i>
<i>Primula praenitens</i>	<i>Primula prenantha</i>	<i>Primula prolifera</i>
<i>Primula pseudocapitata</i>	<i>Primula pulchella</i>	<i>Primula pulchra</i>
<i>Primula pumilio</i>	<i>Primula purdomii</i>	<i>Primula redolens</i>
<i>Primula reidii</i>	<i>Primula rhodochroa</i>	<i>Primula rosea</i>
<i>Primula ruprechtii</i>	<i>Primula rusbyi</i>	<i>Primula sapphirina</i>
<i>Primula saxatilis</i>	<i>Primula scandinavica</i>	<i>Primula scapigera</i>
<i>Primula secundiflora</i>	<i>Primula sherriffiae</i>	<i>Primula sieboldii</i>
<i>Primula sonchifolia</i>	<i>Primula strumosa</i>	<i>Primula suffrutescens</i>
<i>Primula tangutica</i>	<i>Primula tanneri</i>	<i>Primula tibetica</i>
<i>Primula tsariensis</i>	<i>Primula turkestanica</i>	<i>Primula tyrolensis</i>
<i>Primula veris</i>	<i>Primula verticillata</i>	<i>Primula vialii</i>

<i>Primula villosa</i>	<i>Primula viscosa</i>	<i>Primula vulgaris</i>
<i>Primula waltonii</i>	<i>Primula watsonii</i>	<i>Primula whitei</i>
<i>Primula wilsonii</i>	<i>Primula wollastonii</i>	<i>Primula woodwardii</i>
<i>Primula wulfeniana</i>	<i>Primula yuparensis</i>	<i>Primulina tabacum</i>
<i>Pringlea antiscorbutica</i>	<i>Prinsepia sinensis</i>	<i>Prinsepia uniflora</i>
<i>Prionophyllum maritimum</i>	<i>Prionotes cerinthoides</i>	<i>Prismatocarpus fruticosus</i>
<i>Prismatocarpus pedunculatus</i>	<i>Pristiglottis montana</i>	<i>Pritchardia affinis</i>
<i>Pritchardia arecina</i>	<i>Pritchardia aylmer-robinsonii</i>	<i>Pritchardia beccariana</i>
<i>Pritchardia forbesiana</i>	<i>Pritchardia gaudichaudii</i>	<i>Pritchardia hardyi</i>
<i>Pritchardia hillebrandii</i>	<i>Pritchardia kaalae</i>	<i>Pritchardia lanaiensis</i>
<i>Pritchardia limahuliensis</i>	<i>Pritchardia lowreyana</i>	<i>Pritchardia maideniana</i>
<i>Pritchardia martii</i>	<i>Pritchardia minor</i>	<i>Pritchardia munroi</i>
<i>Pritchardia napaliensis</i>	<i>Pritchardia pacifica</i>	<i>Pritchardia pericularum</i>
<i>Pritchardia perlmanii</i>	<i>Pritchardia remota</i>	<i>Pritchardia schattaueri</i>
<i>Pritchardia thurstonii</i>	<i>Pritchardia viscosa</i>	<i>Pritchardia vuylstekeana</i>
<i>Pritchardia waialealeana</i>	<i>Proboscidea lutea</i>	<i>Procris insularis</i>
<i>Procris pedunculata</i>	<i>Proiphys cunninghamii</i>	<i>Promenaea</i> spp.
<i>Pronaya elegans</i>	<i>Pronaya fraseri</i>	<i>Pronephrium asperum</i>
<i>Pronephrium triphyllum</i>	<i>Prosartes smithii</i>	<i>Prosopidastrum mexicanum</i>
<i>Prostanthera askania</i>	<i>Prostanthera aspalathoides</i>	<i>Prostanthera behriana</i>
<i>Prostanthera caerulea</i>	<i>Prostanthera calycina</i>	<i>Prostanthera chlorantha</i>
<i>Prostanthera cineolifera</i>	<i>Prostanthera cruciflora</i>	<i>Prostanthera cryptandroides</i>
<i>Prostanthera cuneata</i>	<i>Prostanthera debilis</i>	<i>Prostanthera decussata</i>
<i>Prostanthera densa</i>	<i>Prostanthera denticulata</i>	<i>Prostanthera discolor</i>
<i>Prostanthera euphrasioides</i>	<i>Prostanthera eurybioides</i>	<i>Prostanthera florifera</i>
<i>Prostanthera granitica</i>	<i>Prostanthera hindii</i>	<i>Prostanthera hirtula</i>
<i>Prostanthera howelliae</i>	<i>Prostanthera hybrid</i>	<i>Prostanthera incana</i>
<i>Prostanthera incisa</i>	<i>Prostanthera junonis</i>	<i>Prostanthera lanceolata</i>
<i>Prostanthera lasianthos</i>	<i>Prostanthera latifolia</i>	<i>Prostanthera leichhardtii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Prostanthera linearis</i>	<i>Prostanthera lithospermoides</i>	<i>Prostanthera marifolia</i>
<i>Prostanthera melissifolia</i>	<i>Prostanthera microphylla</i>	<i>Prostanthera monticola</i>
<i>Prostanthera nivea</i>	<i>Prostanthera odoratissima</i>	<i>Prostanthera ovalifolia</i>
<i>Prostanthera parvifolia</i>	<i>Prostanthera phyllicifolia</i>	<i>Prostanthera porcata</i>
<i>Prostanthera prunelloides</i>	<i>Prostanthera rhombea</i>	<i>Prostanthera ringens</i>
<i>Prostanthera rotundifolia</i>	<i>Prostanthera rugosa</i>	<i>Prostanthera saxicola</i>
<i>Prostanthera scutellarioides</i>	<i>Prostanthera spinosa</i>	<i>Prostanthera staurophylla</i>
<i>Prostanthera stricta</i>	<i>Prostanthera suborbicularis</i>	<i>Prostanthera teretifolia</i>
<i>Prostanthera violacea</i>	<i>Prostanthera walteri</i>	<i>Protarum sechellarum</i>
<i>Protasparagus macowanii</i>	<i>Protea acaulos</i>	<i>Protea acuminata</i>
<i>Protea amplexicaulis</i>	<i>Protea aristata</i>	<i>Protea aurea</i>
<i>Protea barbiger</i>	<i>Protea burchellii</i>	<i>Protea caffra</i>
<i>Protea canaliculata</i>	<i>Protea compacta</i>	<i>Protea cordata</i>

<i>Protea coronata</i>	<i>Protea cynaroides</i>	<i>Protea decurrens</i>
<i>Protea denticulata</i>	<i>Protea effusa</i>	<i>Protea eximia</i>
<i>Protea gaguedi</i>	<i>Protea grandiceps</i>	<i>Protea holosericea</i>
<i>Protea hybrids</i>	<i>Protea lacticolor</i>	<i>Protea laevis</i>
<i>Protea lanceolata</i>	<i>Protea latifolia</i>	<i>Protea laurifolia</i>
<i>Protea lepidocarpodendron</i>	<i>Protea longifolia</i>	<i>Protea lorifolia</i>
<i>Protea magnifica</i>	<i>Protea minor</i>	<i>Protea mundii</i>
<i>Protea nana</i>	<i>Protea neriifolia</i>	<i>Protea nitida</i>
<i>Protea obtusifolia</i>	<i>Protea pudens</i>	<i>Protea pulchra</i>
<i>Protea punctata</i>	<i>Protea recondita</i>	<i>Protea repens</i>
<i>Protea roupelliae</i>	<i>Protea rubropilosa</i>	<i>Protea scabra</i>
<i>Protea scabriuscula</i>	<i>Protea scolymocephala</i>	<i>Protea simplex</i>
<i>Protea speciosa</i>	<i>Protea stokoei</i>	<i>Protea subpulchella</i>
<i>Protea subvestita</i>	<i>Protea susannae</i>	<i>Protea venusta</i>
<i>Protea welwitschii</i>	<i>Protea witzenbergiana</i>	<i>Protea xanthoconus</i>
<i>Protium copal</i>	<i>Proustia cuneifolia</i>	<i>Proustia pyrifolia</i>

<i>Prumnopitys amara</i>	<i>Prumnopitys andina</i>	<i>Prumnopitys ferruginea</i>
<i>Prumnopitys ferruginoides</i>	<i>Prumnopitys ladei</i>	<i>Prumnopitys montana</i>
<i>Prumnopitys taxifolia</i>	<i>Prunella hyssopifolia</i>	<i>Prunella incisa</i>
<i>Prunella vulgaris</i>	<i>Prunella x webbiana</i>	<i>Prunus alabamensis</i>
<i>Prunus alaica</i>	<i>Prunus ansu</i>	<i>Prunus armeniaca</i>
<i>Prunus avium</i>	<i>Prunus avium x cerasus</i>	<i>Prunus bifrons</i>
<i>Prunus x blireiana</i>	<i>Prunus bokhariensis</i>	<i>Prunus bucharica</i>
<i>Prunus campanulata x incisa</i>	<i>Prunus canescens</i>	<i>Prunus capollin</i>
<i>Prunus cerasifera</i>	<i>Prunus cerasoides</i>	<i>Prunus cerasus</i>
<i>Prunus cerasus x canescens</i>	<i>Prunus conradinae</i>	<i>Prunus x dasycarpa</i>
<i>Prunus davidiana</i>	<i>Prunus dawyckensis</i>	<i>Prunus dielsiana</i>
<i>Prunus domestica</i>	<i>Prunus dulcis</i>	<i>Prunus fenzliana</i>
<i>Prunus fremontii</i>	<i>Prunus fruticosa</i>	<i>Prunus grayana</i>
<i>Prunus grisea</i>	<i>Prunus hirtipes</i>	<i>Prunus hortulana</i>
<i>Prunus ilicifolia</i>	<i>Prunus incana</i>	<i>Prunus incisa</i>
<i>Prunus incisa x serrula</i>	<i>Prunus x kanzakura</i>	<i>Prunus laurocerasus</i>
<i>Prunus lusitanica</i>	<i>Prunus lyonii</i>	<i>Prunus maackii</i>
<i>Prunus mahaleb</i>	<i>Prunus maximowiczii</i>	<i>Prunus mume</i>
<i>Prunus nipponica</i>	<i>Prunus padus</i>	<i>Prunus persica</i>
<i>Prunus x persicoides</i>	<i>Prunus x pollardii</i>	<i>Prunus prostrata</i>
<i>Prunus pseudocerasus</i>	<i>Prunus pumila</i>	<i>Prunus salicina</i>
<i>Prunus salicina x persica</i>	<i>Prunus sargentii</i>	<i>Prunus sato-zakura</i>
<i>Prunus x schmittii</i>	<i>Prunus serotina</i>	<i>Prunus serrula</i>
<i>Prunus serrulata</i>	<i>Prunus sibirica</i>	<i>Prunus x sieboldii</i>
<i>Prunus simonii</i>	<i>Prunus spinosa</i>	<i>Prunus subhirtella</i>
<i>Prunus tenella</i>	<i>Prunus texana</i>	<i>Prunus triloba x spinosa</i>
<i>Prunus virginiana</i>	<i>Prunus webbii</i>	<i>Przewalskia tangutica</i>
<i>Psammophora longifolia</i>	<i>Psammophora modesta</i>	<i>Psathyrostachys huashanica</i>
<i>Psathyrostachys juncea</i>	<i>Psephellus kopet-daghensis</i>	<i>Psephellus simplicicaulis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Pseudaechmanthera glutinosa</i>	<i>Pseudananas sagenarius</i>	<i>Pseudanthus divaricatissimus</i>
<i>Pseudanthus pimeleoides</i>	<i>Pseudanthus virgatus</i>	<i>Pseudarthria hookeri</i>
<i>Pseudarthria viscida</i>	<i>Pseudemia comosa</i>	<i>Pseuderanthemum alatum</i>
<i>Pseuderanthemum andersonii</i>	<i>Pseuderanthemum atropurpureum</i>	<i>Pseuderanthemum cooperi</i>
<i>Pseuderanthemum indicum</i>	<i>Pseuderanthemum kewense</i>	<i>Pseuderanthemum laxiflorum</i>
<i>Pseuderanthemum repandum</i>	<i>Pseuderanthemum reticulatum</i>	<i>Pseuderanthemum seticalyx</i>
<i>Pseuderanthemum sinuatum</i>	<i>Pseuderanthemum tricolor</i>	<i>Pseuderanthemum tuberculatum</i>
<i>Pseudobombax ellipticum</i>	<i>Pseudobombax grandiflorum</i>	<i>Pseudocarapa nitidula</i>
<i>Pseudocaryopteris bicolor</i>	<i>Pseudocydonia sinensis</i>	<i>Pseudodichanthium serrafalcoides</i>
<i>Pseudodrynaria coronans</i>	<i>Pseudoeriosema borianii</i>	<i>Pseudofumaria lutea</i>
<i>Pseudognaphalium domingense</i>	<i>Pseudognaphalium luteo-album</i>	<i>Pseudolachnostylis maprouneifolia</i>
<i>Pseudolarix amabilis</i>	<i>Pseudolithos caput-viperae</i>	<i>Pseudolithos cubiformis</i>
<i>Pseudolithos dodsonianus</i>	<i>Pseudolithos mccoysi</i>	<i>Pseudolithos migiurtinus</i>
<i>Pseudolysimachion kiusianum</i>	<i>Pseudomitrocereus fulviceps</i>	<i>Pseudomuscari azureum</i>
<i>Pseudomuscari chalusicum</i>	<i>Pseudomuscari coeleste</i>	<i>Pseudomuscari pallens</i>
<i>Pseudomussaenda flava</i>	<i>Pseudopanax arboreus</i>	<i>Pseudopanax chathamicus</i>
<i>Pseudopanax colensoi</i>	<i>Pseudopanax crassifolius</i>	<i>Pseudopanax discolor</i>
<i>Pseudopanax discolor x lessonii</i>	<i>Pseudopanax ferox</i>	<i>Pseudopanax gunnii</i>
<i>Pseudopanax laetus</i>	<i>Pseudopanax lessonii</i>	<i>Pseudopanax simplex</i>
<i>Pseudophegopteris aurita</i>	<i>Pseudophegopteris paludosa</i>	<i>Pseudophoenix ekmanii</i>
<i>Pseudophoenix lediniana</i>	<i>Pseudophoenix sargentii</i>	<i>Pseudophoenix vinifera</i>
<i>Pseudoraphis paradoxa</i>	<i>Pseudorhipsalis acuminata</i>	<i>Pseudorhipsalis alata</i>
<i>Pseudorhipsalis himantoclada</i>	<i>Pseudorhipsalis lankesteri</i>	<i>Pseudorhipsalis ramulosa</i>

<i>Pseudoroegneria spicata</i>	<i>Pseudosamanea cubana</i>	<i>Pseudosasa amabilis</i>
<i>Pseudosasa hamadae</i>	<i>Pseudosasa japonica</i>	<i>Pseudostachyum polymorphum</i>
<i>Pseudostellaria heterophylla</i>	<i>Pseudotsuga japonica</i>	<i>Pseudotsuga macrocarpa</i>
<i>Pseudotsuga menziesii</i>	<i>Pseudotsuga sinensis</i>	<i>Pseudovanilla foliata</i>
<i>Pseudoweinmannia lachnocarpa</i>	<i>Pseudowintera axillaris</i>	<i>Pseudowintera colorata</i>
<i>Pseudowintera traversii</i>	<i>Pseudoxytenanthera albociliata</i>	<i>Psidium trinervia</i>
<i>Psidium viscosa</i>	<i>Psidium acutangulum</i>	<i>Psidium cattleianum</i>
<i>Psidium cuneifolium</i>	<i>Psidium guajava</i>	<i>Psidium humile</i>
<i>Psidium montanum</i>	<i>Psidium sartorianum</i>	<i>Psidium sintenisii</i>
<i>Psilanthus bengalensis</i>	<i>Psilocaulon bicorne</i>	<i>Psilocaulon corallinum</i>
<i>Psilocaulon parviflorum</i>	<i>Psilocaulon subnodosum</i>	<i>Psilocaulon tenue</i>
<i>Psilotum complanatum</i>	<i>Psiloxylon mauritianum</i>	<i>Psophocarpus lancifolius</i>
<i>Psophocarpus scandens</i>	<i>Psophocarpus tetragonolobus</i>	<i>Psoralea aculeata</i>
<i>Psoralea aphylla</i>	<i>Psoralea badocana</i>	<i>Psoralea gueinzii</i>
<i>Psoralea parva</i>	<i>Psoralea pinnata</i>	<i>Psoralea plumosa</i>
<i>Psoralea pustulata</i>	<i>Psychanthus racemiger</i>	<i>Psychilis atropurpurea</i>
<i>Psychopsiella limminghei</i>	<i>Psychotria asiatica</i>	<i>Psychotria capensis</i>
<i>Psychotria carronis</i>	<i>Psychotria carthagenensis</i>	<i>Psychotria coelospermum</i>
<i>Psychotria daphnoides</i>	<i>Psychotria gardenioides</i>	<i>Psychotria hoffmannseggiana</i>
<i>Psychotria kirkii</i>	<i>Psychotria laurentii</i>	<i>Psychotria loniceroides</i>
<i>Psychotria pervillei</i>	<i>Psychotria polioSTEMMA</i>	<i>Psychotria rubra</i>
<i>Psychotria sarmentosa</i>	<i>Psychotria serpens</i>	<i>Psychotria simmondsiana</i>
<i>Psychotria viridis</i>	<i>Psychotria zombamontana</i>	<i>Psychrophila introloba</i>
<i>Psychrophila phylloptera</i>	<i>Psydrax latifolia</i>	<i>Psydrax odorata</i>
<i>Psydrax oleifolia</i>	<i>Psydrax whitei</i>	<i>Psymorchis spp.</i>
<i>Psylliostachys suworowii</i>	<i>Pteleopsis myrtifolia</i>	<i>Pteridium falcatum</i>
<i>Pteridium lineare</i>	<i>Pteridoblechnum acuminatum</i>	<i>Pteridoblechnum neglectum</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Pteridophyllum racemosum</i>	<i>Pteris altissima</i>	<i>Pteris argyraea</i>
<i>Pteris aspericaulis</i>	<i>Pteris biaurita</i>	<i>Pteris buchananii</i>
<i>Pteris cadieri</i>	<i>Pteris comans</i>	<i>Pteris cretica</i>
<i>Pteris dalhousiae</i>	<i>Pteris dentata</i>	<i>Pteris ensiformis</i>
<i>Pteris excelsa</i>	<i>Pteris fauriei</i>	<i>Pteris inaequalis</i>
<i>Pteris kingiana</i>	<i>Pteris laurisolvicola</i>	<i>Pteris longifolia</i>
<i>Pteris macilenta</i>	<i>Pteris microptera</i>	<i>Pteris multifida</i>
<i>Pteris oshimensis</i>	<i>Pteris pacifica</i>	<i>Pteris pedicellata</i>
<i>Pteris quadriaurita</i>	<i>Pteris ryukyuensis</i>	<i>Pteris schlechteri</i>
<i>Pteris tremula</i>	<i>Pteris umbrosa</i>	<i>Pteris wallichiana</i>
<i>Pterocactus fischeri</i>	<i>Pterocactus gonjianii</i>	<i>Pterocactus hickenii</i>
<i>Pterocactus kuntzei</i>	<i>Pterocactus meglolii</i>	<i>Pterocactus reticulatus</i>
<i>Pterocactus valentini</i>	<i>Pterocarpus acapulcensis</i>	<i>Pterocarpus angolensis</i>
<i>Pterocarpus brenanii</i>	<i>Pterocarpus dalbergioides</i>	<i>Pterocarpus indicus</i>
<i>Pterocarpus lucens</i>	<i>Pterocarpus macrocarpus</i>	<i>Pterocarpus marsupium</i>
<i>Pterocarpus osun</i>	<i>Pterocarpus santalinus</i>	<i>Pterocarpus soyauxii</i>
<i>Pterocarpus vernalis</i>	<i>Pterocarpus violaceus</i>	<i>Pterocarya hupehensis</i>
<i>Pterocarya rehderiana</i>	<i>Pterocarya rhoifolia</i>	<i>Pterocarya tonkinensis</i>
<i>Pterocaulon glandulosum</i>	<i>Pteroceltis tatarinowii</i>	<i>Pterocephalus depressus</i>
<i>Pterocephalus dumetorum</i>	<i>Pterocephalus parnassii</i>	<i>Pterocephalus perennis</i>
<i>Pterocephalus porphyranthus</i>	<i>Pteroceras chrysanthum</i>	<i>Pteroceras pallidum</i>
<i>Pteroceras x Sarcophilus</i> spp.	<i>Pterodiscus aurantiacus</i>	<i>Pterodiscus ngamicus</i>
<i>Pteronia camphorata</i>	<i>Pterospermum acerifolium</i>	<i>Pterospermum heterophyllum</i>
<i>Pterospermum lanceifolium</i>	<i>Pterospermum xylocarpum</i>	<i>Pterostylis</i> spp.
<i>Pterostyrax corymbosus</i>	<i>Pterostyrax hispidus</i>	<i>Pterostyrax psilophyllus</i>
<i>Pterygodium catholicum</i>	<i>Pterygopappus lawrencei</i>	<i>Pterygota alata</i>
<i>Pterygota brasiliensis</i>	<i>Pteryxia terebinthina</i>	<i>Ptilotrichum spinosum</i>
<i>Ptilotus atriplicifolius</i>	<i>Ptilotus beckerianus</i>	<i>Ptychococcus archboldianus</i>

<i>Ptychococcus arecinus</i>	<i>Ptychococcus elatus</i>	<i>Ptychococcus guppyanus</i>
<i>Ptychococcus kraemerianus</i>	<i>Ptychococcus lepidotus</i>	<i>Ptychococcus paradoxus</i>
<i>Ptycholibium biflorum</i>	<i>Ptycholibium contortum</i>	<i>Ptychomnion aciculare</i>
<i>Ptychopetalum olacoides</i>	<i>Ptychosperma ambiguum</i>	<i>Ptychosperma bleeseri</i>
<i>Ptychosperma buabe</i>	<i>Ptychosperma burretianum</i>	<i>Ptychosperma caryotoides</i>

<i>Ptychosperma cuneatum</i>	<i>Ptychosperma elegans</i>	<i>Ptychosperma furcatum</i>
<i>Ptychosperma hentyi</i>	<i>Ptychosperma hosinoi</i>	<i>Ptychosperma lauterbachii</i>
<i>Ptychosperma ledermannianum</i>	<i>Ptychosperma lineare</i>	<i>Ptychosperma macarthurii</i>
<i>Ptychosperma mambare</i>	<i>Ptychosperma micranthum</i>	<i>Ptychosperma microcarpum</i>
<i>Ptychosperma nicolai</i>	<i>Ptychosperma palauense</i>	<i>Ptychosperma praemorsum</i>
<i>Ptychosperma propinquum</i>	<i>Ptychosperma pullenii</i>	<i>Ptychosperma ramosissimum</i>
<i>Ptychosperma rosselense</i>	<i>Ptychosperma salomonense</i>	<i>Ptychosperma sanderianum</i>
<i>Ptychosperma schefferi</i>	<i>Ptychosperma streimannii</i>	<i>Ptychosperma tagulense</i>
<i>Ptychosperma vestitum</i>	<i>Ptychosperma waitianum</i>	<i>Puccinellia angustata</i>
<i>Puccinellia ciliata</i>	<i>Puccinellia distans</i>	<i>Puccinellia gigantea</i>
<i>Puccinellia limosa</i>	<i>Puccinellia lucida</i>	<i>Puccinellia macquariensis</i>
<i>Puccinellia macra</i>	<i>Puccinellia sevangensis</i>	<i>Pueraria phaseoloides</i>
<i>Pueraria pulcherrima</i>	<i>Pulicaria canariensis</i>	<i>Pullea stutzeri</i>
<i>Pulmonaria longifolia</i>	<i>Pulmonaria mollis</i>	<i>Pulmonaria officinalis</i>
<i>Pulmonaria vulgaris</i>	<i>Pulsatilla alpina</i>	<i>Pulsatilla campanella</i>
<i>Pulsatilla cernua</i>	<i>Pulsatilla georgica</i>	<i>Pulsatilla koreana</i>
<i>Pulsatilla montana</i>	<i>Pulsatilla myrrhidifolia</i>	<i>Pulsatilla patens</i>
<i>Pulsatilla regeliana</i>	<i>Pulsatilla rubra</i>	<i>Pulsatilla sulphurea</i>
<i>Pulsatilla turczaninovii</i>	<i>Pulsatilla vernalis</i>	<i>Pulsatilla violacea</i>
<i>Pulsatilla vulgaris</i>	<i>Pulsatilla zimmermannii</i>	<i>Pultenaea acerosa</i>
<i>Pultenaea altissima</i>	<i>Pultenaea aristata</i>	<i>Pultenaea baeuerlenii</i>
<i>Pultenaea benthamii</i>	<i>Pultenaea blakelyi</i>	<i>Pultenaea canescens</i>
<i>Pultenaea capitata</i>	<i>Pultenaea capitellata</i>	<i>Pultenaea costata</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Pultenaea cunninghamii</i>	<i>Pultenaea d'altonii</i>	<i>Pultenaea daphnoides</i>
<i>Pultenaea densifolia</i>	<i>Pultenaea dentata</i>	<i>Pultenaea divaricata</i>
<i>Pultenaea echinula</i>	<i>Pultenaea euchila</i>	<i>Pultenaea ferruginea</i>
<i>Pultenaea flexilis</i>	<i>Pultenaea foliolosa</i>	<i>Pultenaea graveolens</i>
<i>Pultenaea gunnii</i>	<i>Pultenaea hispidula</i>	<i>Pultenaea humilis</i>
<i>Pultenaea juniperina</i>	<i>Pultenaea lapidosa</i>	<i>Pultenaea largiflorens</i>
<i>Pultenaea laxiflora</i>	<i>Pultenaea luehmannii</i>	<i>Pultenaea microphylla</i>
<i>Pultenaea mollis</i>	<i>Pultenaea paleacea</i>	<i>Pultenaea paludosa</i>
<i>Pultenaea parrisiae</i>	<i>Pultenaea parviflora</i>	<i>Pultenaea pedunculata</i>
<i>Pultenaea petiolaris</i>	<i>Pultenaea polifolia</i>	<i>Pultenaea procumbens</i>
<i>Pultenaea prostrata</i>	<i>Pultenaea retusa</i>	<i>Pultenaea rigida</i>
<i>Pultenaea scabra</i>	<i>Pultenaea selaginoides</i>	<i>Pultenaea sericea</i>
<i>Pultenaea spinosa</i>	<i>Pultenaea stipularis</i>	<i>Pultenaea stricta</i>
<i>Pultenaea stuartiana</i>	<i>Pultenaea subalpina</i>	<i>Pultenaea subspicata</i>
<i>Pultenaea subternata</i>	<i>Pultenaea tenella</i>	<i>Pultenaea trichophylla</i>
<i>Pultenaea tuberculata</i>	<i>Pultenaea villosa</i>	<i>Pultenaea viscidula</i>
<i>Pultenaea viscosa</i>	<i>Pultenaea weindorferi</i>	<i>Pultenaea whiteana</i>
<i>Pultenaea williamsoniana</i>	<i>Punica granatum</i>	<i>Punica grandiflora</i>
<i>Pupalia lappacea</i>	<i>Pupalia micrantha</i>	<i>Purpureostemon ciliatus</i>
<i>Purshia mexicana</i>	<i>Putterlickia pyracantha</i>	<i>Puya alpestris</i>
<i>Puya berteroniana</i>	<i>Puya boliviensis</i>	<i>Puya chilensis</i>
<i>Puya coerulea</i>	<i>Puya dasylirioides</i>	<i>Puya ferruginea</i>
<i>Puya floccosa</i>	<i>Puya furfuracea</i>	<i>Puya humilis</i>
<i>Puya laxa</i>	<i>Puya mirabilis</i>	<i>Puya pyramidata</i>
<i>Puya raimondii</i>	<i>Puya roezlii</i>	<i>Puya spathacea</i>
<i>Puya venusta</i>	<i>Pycnanthemum muticum</i>	<i>Pycnanthemum setosum</i>
<i>Pycnanthemum verticillatum</i>	<i>Pycnanthemum virginianum</i>	<i>Pycnosorus chrysanthus</i>
<i>Pycnosorus globosus</i>	<i>Pycnosorus pleiocephalus</i>	<i>Pycnosorus thompsonianus</i>
<i>Pycnospatha arietina</i>	<i>Pycnostachys dawei</i>	<i>Pycnostachys reticulata</i>
<i>Pycnostachys speciosa</i>	<i>Pycnostachys urticifolia</i>	<i>Pycreus sanguinolentus</i>

<i>Pygmaecereus bylesianus</i>	<i>Pyracantha coccinea</i>	<i>Pyracantha coccinea</i> x <i>crenulata</i>
<i>Pyrenaria microcarpa</i>	<i>Pyrenaria spectabilis</i>	<i>Pyrethrum coccineum</i>
<i>Pyrola grandiflora</i>	<i>Pyrola rotundifolia</i>	<i>Pyrolirion flavum</i>
<i>Pyrorchis</i> spp.	<i>Pyrostegia venusta</i>	<i>Pyrrhobryum paramattense</i>
<i>Pyrrhocactus limariensis</i>	<i>Pyrosia christii</i>	<i>Pyrosia confluens</i>
<i>Pyrosia dielsii</i>	<i>Pyrosia eleagnifolia</i>	<i>Pyrosia fallax</i>
<i>Pyrosia lanceolata</i>	<i>Pyrosia lingua</i>	<i>Pyrosia longifolia</i>
<i>Pyrosia mollis</i>	<i>Pyrosia niphoboloides</i>	<i>Pyrosia penangiana</i>
<i>Pyrosia polydactylis</i>	<i>Pyrosia rupestris</i>	<i>Pyrosia samarensis</i>
<i>Pyrosia serpens</i>	<i>Pyrosia sphaerosticha</i>	<i>Pyrosia subfurfuracea</i>
<i>Pyrosia varia</i>	<i>Pyrosia winkleri</i>	<i>Pyrus amygdaliformis</i> x <i>calleryana</i>
<i>Pyrus betulifolia</i>	<i>Pyrus boissieriana</i>	<i>Pyrus bretschnederi</i>
<i>Pyrus calleryana</i>	<i>Pyrus</i> x <i>canescens</i>	<i>Pyrus communis</i>
<i>Pyrus cossonii</i>	<i>Pyrus elaeagnifolia</i>	<i>Pyrus fauriei</i>
<i>Pyrus gharbiana</i>	<i>Pyrus korshinskyi</i>	<i>Pyrus mamorensis</i>
<i>Pyrus nivalis</i>	<i>Pyrus pashia</i>	<i>Pyrus</i> x <i>phaeocarpa</i>
<i>Pyrus pyrifolia</i>	<i>Pyrus salicifolia</i>	<i>Pyrus</i> x <i>serrulata</i>
<i>Pyrus turcomanica</i>	<i>Pyrus ussuriensis</i>	<i>Qiongzhusua tumidinoda</i>
<i>Quaqua arida</i>	<i>Quaqua mammillaris</i>	<i>Quararibea obliquifolia</i>
<i>Quassia amara</i>	<i>Quercifilix zeylanica</i>	<i>Quercus acuta</i>
<i>Quercus acutifolia</i>	<i>Quercus acutissima</i>	<i>Quercus agrifolia</i>
<i>Quercus alba</i>	<i>Quercus alnifolia</i>	<i>Quercus anatolica</i>
<i>Quercus arkansana</i>	<i>Quercus austrina</i>	<i>Quercus</i> x <i>bebbiana</i>
<i>Quercus berberidifolia</i>	<i>Quercus bicolor</i>	<i>Quercus boissieri</i>
<i>Quercus buckleyi</i>	<i>Quercus canariensis</i>	<i>Quercus canariensis</i> x <i>robur</i>
<i>Quercus candicans</i>	<i>Quercus castanea</i>	<i>Quercus castaneifolia</i>
<i>Quercus cerris</i>	<i>Quercus chapmanii</i>	<i>Quercus chenii</i>
<i>Quercus chrysolepis</i>	<i>Quercus coccifera</i>	<i>Quercus coccinea</i>
<i>Quercus</i> x <i>comptonae</i>	<i>Quercus crassifolia</i>	<i>Quercus</i> x <i>crenata</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Quercus dalechampii</i>	<i>Quercus delavayi</i>	<i>Quercus dentata</i>
<i>Quercus douglasii</i>	<i>Quercus dumosa</i>	<i>Quercus durata</i>
<i>Quercus ellipsoidalis</i>	<i>Quercus emoryi</i>	<i>Quercus engelmannii</i>
<i>Quercus fabri</i>	<i>Quercus falcata</i>	<i>Quercus frainetto</i>
<i>Quercus franchetii</i>	<i>Quercus fruticosa</i>	<i>Quercus galeotti</i>
<i>Quercus gambelii</i>	<i>Quercus garryana</i>	<i>Quercus georgiana</i>
<i>Quercus gilva</i>	<i>Quercus glauca</i>	<i>Quercus graciliformis</i>
<i>Quercus griffithii</i>	<i>Quercus grisea</i>	<i>Quercus hartwissiana</i>
<i>Quercus hemisphaerica</i>	<i>Quercus x heterophylla</i>	<i>Quercus ilex</i>
<i>Quercus imbricaria</i>	<i>Quercus ithaburensis</i>	<i>Quercus jenseniana</i>
<i>Quercus john-tuckeri</i>	<i>Quercus kelloggii</i>	<i>Quercus kerrii</i>
<i>Quercus kingiana</i>	<i>Quercus laevis</i>	<i>Quercus lamellosa</i>
<i>Quercus lanata</i>	<i>Quercus laurifolia</i>	<i>Quercus laurina</i>
<i>Quercus x leana</i>	<i>Quercus libani</i>	<i>Quercus lobata</i>
<i>Quercus lobata x robur</i>	<i>Quercus longinux</i>	<i>Quercus longipes</i>
<i>Quercus lusitanica</i>	<i>Quercus lyrata</i>	<i>Quercus macranthera</i>
<i>Quercus macranthera x frainetto</i>	<i>Quercus macrocarpa</i>	<i>Quercus marilandica</i>
<i>Quercus mexicana</i>	<i>Quercus michauxii</i>	<i>Quercus mongolica</i>
<i>Quercus montana</i>	<i>Quercus muehlenbergii</i>	<i>Quercus myrsinaefolia</i>
<i>Quercus nigra</i>	<i>Quercus obtusata</i>	<i>Quercus oglethorpensis</i>
<i>Quercus pagoda</i>	<i>Quercus palustris</i>	<i>Quercus petraea</i>
<i>Quercus phellos</i>	<i>Quercus phillyraeoides</i>	<i>Quercus polymorpha</i>
<i>Quercus pubescens</i>	<i>Quercus pubescens x petraea</i>	<i>Quercus pyrenaica</i>
<i>Quercus robur</i>	<i>Quercus robur x canariensis</i>	<i>Quercus rubra</i>
<i>Quercus rugosa</i>	<i>Quercus rysophylla</i>	<i>Quercus sadleriana</i>
<i>Quercus salicina</i>	<i>Quercus x saulii</i>	<i>Quercus x schochiana</i>
<i>Quercus semiserrata</i>	<i>Quercus serrata</i>	<i>Quercus serratifolia</i>
<i>Quercus shumardii</i>	<i>Quercus skinneri</i>	<i>Quercus stellata</i>
<i>Quercus suber</i>	<i>Quercus texana</i>	<i>Quercus tlemcenensis</i>

<i>Quercus tomentella</i>	<i>Quercus trojana</i>	<i>Quercus x turneri</i>
<i>Quercus uxoris</i>	<i>Quercus vaccinifolia</i>	<i>Quercus variabilis</i>
<i>Quercus velutina</i>	<i>Quercus virginiana</i>	<i>Quercus wislizeni</i>
<i>Quercus xalapensis</i>	x <i>Quesistrum</i> hybrids	<i>Quesnelia arvensis</i>
<i>Quesnelia blanda</i>	<i>Quesnelia humilis</i>	<i>Quesnelia imbricata</i>
<i>Quesnelia lateralis</i>	<i>Quesnelia liboniana</i>	<i>Quesnelia marmorata</i>
<i>Quesnelia quesneliana</i>	<i>Quesnelia testudo</i>	<i>Quiabentia verticillata</i>
<i>Quiabentia zehntneri</i>	<i>Quillaja brasiliensis</i>	<i>Quillaja saponaria</i>
<i>Quintinia fawkneri</i>	<i>Quintinia sieberi</i>	<i>Quintinia verdonii</i>
<i>Quisqualis indica</i>	<i>Quisqualis mussaendiflora</i>	<i>Rabiea albinota</i>

<i>Rabiea albipuncta</i>	<i>Rabiea cibdela</i>	<i>Rabiea difformis</i>
<i>Rabiea lesliei</i>	<i>Racinaea commixa</i>	<i>Racinaea contorta</i>
<i>Racinaea multiflora</i>	<i>Racinaea spiculosa</i>	<i>Racinaea undulifolia</i>
<i>Racopilum cuspidigerum</i>	<i>Racosperma leptostachyum</i>	<i>Radermachera fencis</i>
<i>Radermachera frondosa</i>	<i>Radermachera gigantea</i>	<i>Radermachera pinnata</i>
<i>Radermachera sinica</i>	<i>Radermachera xylocarpa</i>	<i>Radinosiphon leptostachya</i>
<i>Raffenaldia primuloides</i>	<i>Raimannia indecora</i>	<i>Ramonda nathaliae</i>
<i>Ramonda serbica</i>	<i>Randia armata</i>	<i>Randia audasii</i>
<i>Randia benthamiana</i>	<i>Randia chartacea</i>	<i>Randia disperma</i>
<i>Randia echinocarpa</i>	<i>Randia fitzalanii</i>	<i>Randia formosa</i>
<i>Randia hirta</i>	<i>Randia macrantha</i>	<i>Randia moorei</i>
<i>Randia sessilis</i>	<i>Randia stipulosa</i>	<i>Randia vitiensis</i>
<i>Rangaeris</i> spp.	<i>Ranunculus acaulis</i>	<i>Ranunculus acrophilus</i>
<i>Ranunculus amerophyllus</i>	<i>Ranunculus amplexicaulis</i>	<i>Ranunculus anemoneus</i>
<i>Ranunculus arvensis</i>	<i>Ranunculus asiaticus</i>	<i>Ranunculus baurii</i>
<i>Ranunculus biternatus</i>	<i>Ranunculus buchananii</i>	<i>Ranunculus calandrinoides</i>
<i>Ranunculus caucasicus</i>	<i>Ranunculus collinus</i>	<i>Ranunculus constantinopolitanus</i>
<i>Ranunculus divaricatus</i>	<i>Ranunculus eichlerianus</i>	<i>Ranunculus ficaria</i>
<i>Ranunculus glabrifolius</i>	<i>Ranunculus glacialis</i>	<i>Ranunculus gramineus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Ranunculus grandifolius</i>	<i>Ranunculus graniticola</i>	<i>Ranunculus gunnianus</i>
<i>Ranunculus insignis</i>	<i>Ranunculus kamchaticus</i>	<i>Ranunculus lappaceus</i>
<i>Ranunculus lyallii</i>	<i>Ranunculus mentiens</i>	<i>Ranunculus millanii</i>
<i>Ranunculus muelleri</i>	<i>Ranunculus muricatus</i>	<i>Ranunculus nanus</i>
<i>Ranunculus niphophilus</i>	<i>Ranunculus nivicola</i>	<i>Ranunculus pachyrrhizus</i>
<i>Ranunculus papulentus</i>	<i>Ranunculus pimpinellifolius</i>	<i>Ranunculus prasinus</i>
<i>Ranunculus pseudowii</i>	<i>Ranunculus pyrenaicus</i>	<i>Ranunculus scapiger</i>
<i>Ranunculus sericocephalus</i>	<i>Ranunculus serpens</i>	<i>Ranunculus trilobus</i>
<i>Ranunculus undosus</i>	<i>Ranunculus victoriensis</i>	<i>Ranzania japonica</i>
<i>Raoulia australis</i>	<i>Raoulia eximia</i>	<i>Raoulia glabra</i>
<i>Raoulia grandiflora</i>	<i>Raoulia haastii</i>	<i>Raoulia hectori</i>
<i>Raoulia hookeri</i>	<i>Raoulia lutescens</i>	<i>Raoulia mammillaris</i>
<i>Raoulia monroi</i>	<i>Raoulia parkii</i>	<i>Raoulia subsericea</i>
<i>Raoulia tenuicaulis</i>	<i>Rapanea benthamiana</i>	<i>Rapanea crassifolia</i>
<i>Rapanea howittiana</i>	<i>Rapanea platystigma</i>	<i>Rapanea porosa</i>
<i>Rapanea ralstoniae</i>	<i>Rapanea subsessilis</i>	<i>Rapanea variabilis</i>
<i>Raphanus oleifer</i>	<i>Raphanus raphanistrum</i>	<i>Raphanus sativus</i>
<i>Raphia africana</i>	<i>Raphia australis</i>	<i>Raphia farinifera</i>
<i>Raphia gentiliana</i>	<i>Raphia hookeri</i>	<i>Raphia laurentii</i>
<i>Raphia longiflora</i>	<i>Raphia mannii</i>	<i>Raphia matombe</i>
<i>Raphia monbuttorum</i>	<i>Raphia regalis</i>	<i>Raphia rostrata</i>
<i>Raphia ruwenzorica</i>	<i>Raphia sese</i>	<i>Raphia sudanica</i>
<i>Raphia taedigera</i>	<i>Raphia textilis</i>	<i>Raphia vinifera</i>
<i>Raphiolepis delacourii</i>	<i>Raphionacme burkei</i>	<i>Raphionacme divaricata</i>
<i>Raphionacme hirsuta</i>	<i>Raphionacme velutina</i>	<i>Rapistrum rugosum</i>
<i>Ratibida columnifera</i>	<i>Rauhia multiflora</i>	<i>Raukahu gunnii</i>
<i>Raukahu laetevirens</i>	<i>Raukahu simplex</i>	<i>Raukahu valdiviensis</i>
<i>Rauwolfia caffra</i>	<i>Rauwolfia nitida</i>	<i>Rauwolfia serpentina</i>
<i>Rauwolfia verticillata</i>	<i>Rauwenhoffia leichhardtii</i>	<i>Rauwenhoffia siamensis</i>
<i>Ravenala guyanensis</i>	<i>Ravenala madagascariensis</i>	<i>Ravenea albicans</i>

<i>Ravenea dransfieldii</i>	<i>Ravenea glauca</i>	<i>Ravenea hildebrandtii</i>
<i>Ravenea julietiae</i>	<i>Ravenea krociana</i>	<i>Ravenea lakatra</i>
<i>Ravenea latisecta</i>	<i>Ravenea louvelii</i>	<i>Ravenea madagascariensis</i>
<i>Ravenea moorei</i>	<i>Ravenea rivularis</i>	<i>Ravenea robustior</i>
<i>Ravenea sambiranensis</i>	<i>Ravenea xerophila</i>	<i>Ravenea spectabilis</i>
<i>Rayjacksonia phyllocephala</i>	<i>Rebutia albopectinata</i>	<i>Rebutia arenacea</i>
<i>Rebutia aureiflora</i>	<i>Rebutia breviflora</i>	<i>Rebutia brunescens</i>
<i>Rebutia caineana</i>	<i>Rebutia canigueralii</i>	<i>Rebutia cardenasiana</i>
<i>Rebutia cylindrica</i>	<i>Rebutia deminuta</i>	<i>Rebutia einsteinii</i>
<i>Rebutia famatinensis</i>	<i>Rebutia fidaiana</i>	<i>Rebutia fiebrigii</i>
<i>Rebutia flavistyla</i>	<i>Rebutia fulviseta</i>	<i>Rebutia heliosa</i>
<i>Rebutia jujuyana</i>	<i>Rebutia kieslingii</i>	<i>Rebutia margarethae</i>
<i>Rebutia marsoneri</i>	<i>Rebutia mentosa</i>	<i>Rebutia minuscula</i>
<i>Rebutia muscula</i>	<i>Rebutia neocumingii</i>	<i>Rebutia neumanniana</i>
<i>Rebutia oligacantha</i>	<i>Rebutia pseudodeminuta</i>	<i>Rebutia pulvinosa</i>
<i>Rebutia pygmaea</i>	<i>Rebutia ritteri</i>	<i>Rebutia spagazziniana</i>
<i>Rebutia spinosissima</i>	<i>Rebutia steinbachii</i>	<i>Rebutia steinmannii</i>
<i>Rebutia wessneriana</i>	<i>Rebutia xanthocarpa</i>	<i>Redfieldia flexuosa</i>
<i>Reevesia formosana</i>	<i>Reevesia sinica</i>	<i>Reevesia thyrsoides</i>
<i>Regelia punicea</i>	<i>Rehderodendron macrocarpum</i>	<i>Rehmannia elata</i>
<i>Rehmannia henryi</i>	<i>Rehmannia piasezkii</i>	<i>Rehsonia x formosa</i>
<i>Reichardia gaditana</i>	<i>Reichardia tingitana</i>	<i>Reineckea carnea</i>
<i>Reinhardtia elegans</i>	<i>Reinhardtia gracilis</i>	<i>Reinhardtia koschnyana</i>
<i>Reinhardtia latisecta</i>	<i>Reinhardtia paiewonskiana</i>	<i>Reinhardtia simplex</i>
<i>Reinwardtia indica</i>	<i>Relbunium hypocarpium</i>	<i>Relchela panicoides</i>
<i>Relhania fruticosa</i>	<i>Relhania pungens</i>	<i>Remusatia hookeriana</i>
<i>Remusatia pumila</i>	<i>Remusatia vivipara</i>	<i>Remusatia yunnanensis</i>
<i>Renanthera</i> spp.	<i>Renantherella histrionica</i>	<i>Renealmia brasiliensis</i>
<i>Renealmia cernua</i>	<i>Requienia sphaerosperma</i>	<i>Reseda alba</i>
<i>Reseda crystallina</i>	<i>Reseda lutea</i>	<i>Reseda luteola</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Reseda odorata</i>	<i>Restio amblycoleus</i>	<i>Restio australis</i>
<i>Restio complanatus</i>	<i>Restio dispar</i>	<i>Restio gracilis</i>
<i>Restio leptocarpoides</i>	<i>Restio stenocoleus</i>	<i>Restio tetraphyllus</i>
<i>Restio tremulus</i>	<i>Restio ustulatus</i>	<i>Restrepia</i> spp.
<i>Retama monosperma</i>	<i>Retama sphaerocarpa</i>	<i>Retanilla ephedra</i>
<i>Retanilla trinervia</i>	<i>Retrophyllum comptonii</i>	<i>Retrophyllum minor</i>
<i>Retrophyllum vitiensis</i>	<i>Retzia capensis</i>	<i>Reutealis trisperma</i>
<i>Revwattsia fragilis</i>	<i>Reya umbellata</i>	<i>Reynoldsia sandwicensis</i>
<i>Reynoldsia verrucosa</i>	<i>Rhabdothamnus solandri</i>	<i>Rhachidosorus mesosorus</i>
<i>Rhagodia parabolica</i>	<i>Rhamnella franguloides</i>	<i>Rhamnus alaternus</i>
<i>Rhamnus cathartica</i>	<i>Rhamnus diffusa</i>	<i>Rhamnus erythroxyloides</i>
<i>Rhamnus erythroxyton</i>	<i>Rhamnus globosa</i>	<i>Rhamnus imeretina</i>
<i>Rhamnus koraiensis</i>	<i>Rhamnus libanotica</i>	<i>Rhamnus napalensis</i>
<i>Rhamnus pirifolia</i>	<i>Rhamnus saxatilis</i>	<i>Rhamnus yoshinoi</i>
<i>Rhaphidophora angustata</i>	<i>Rhaphidophora australasica</i>	<i>Rhaphidophora beccarii</i>
<i>Rhaphidophora celatocaulis</i>	<i>Rhaphidophora decursiva</i>	<i>Rhaphidophora falcata</i>
<i>Rhaphidophora foraminifera</i>	<i>Rhaphidophora korthalsii</i>	<i>Rhaphidophora latevaginata</i>
<i>Rhaphidophora ledermannii</i>	<i>Rhaphidophora lobbii</i>	<i>Rhaphidophora lovellae</i>
<i>Rhaphidophora neoguineensis</i>	<i>Rhaphidophora pachyphylla</i>	<i>Rhaphidophora petrieana</i>
<i>Rhaphidophora pinnata</i>	<i>Rhaphidophora stenophylla</i>	<i>Rhaphidophora sylvestris</i>
<i>Rhaphidophora versteegii</i>	<i>Rhaphiolepis x delacourii</i>	<i>Rhaphiolepis delacourii</i>
<i>Rhaphiolepis indica</i>	<i>Rhaphiolepis ovata</i>	<i>Rhaphiolepis umbellata</i>
<i>Rhaphithamnus spinosus</i>	<i>Rhaphidophyllum hystrix</i>	<i>Rhapis excelsa</i>
<i>Rhapis gracilis</i>	<i>Rhapis laosensis</i>	<i>Rhapis micrantha</i>
<i>Rhapis multifida</i>	<i>Rhapis robusta</i>	<i>Rhapis siamensis</i>
<i>Rhapis subtilis</i>	<i>Rhaponticum scariosum</i>	<i>Rhazya orientalis</i>
<i>Rhektophyllum mirabile</i>	<i>Rheum acuminatum</i>	<i>Rheum alexandrae</i>
<i>Rheum altaicum</i>	<i>Rheum australe</i>	<i>Rheum compactum</i>
<i>Rheum crassinervium</i>	<i>Rheum forrestii</i>	<i>Rheum franzenbachii</i>

<i>Rheum x hybridum</i>	<i>Rheum moorcroftianum</i>	<i>Rheum nobile</i>
<i>Rheum palmatum</i>	<i>Rheum rhabarbarum</i>	<i>Rheum rhabarbarum x rhaponticum</i>
<i>Rheum ribes</i>	<i>Rheum spiciforme</i>	<i>Rheum tanguticum</i>
<i>Rheum tibeticum</i>	<i>Rheum webbianum</i>	<i>Rhexia mariana</i>
<i>Rhexia virginica</i>	<i>Rhigozum obovatum</i>	<i>Rhinacanthus communis</i>
<i>Rhinanthus glacialis</i>	<i>Rhinephyllum broomii</i>	<i>Rhinephyllum comptonii</i>
<i>Rhinephyllum grandiforme</i>	<i>Rhinephyllum muiri</i>	<i>Rhinephyllum pillansii</i>
<i>Rhinephyllum schonlandii</i>	<i>Rhinerrhiza divitiflora</i>	<i>Rhinerrhiza moorei</i>
<i>Rhinerrhizopsis moorei</i>	<i>Rhipsalis alata</i>	<i>Rhipsalis baccifera</i>
<i>Rhipsalis bambusoides</i>	<i>Rhipsalis burchellii</i>	<i>Rhipsalis cereoides</i>
<i>Rhipsalis cereuscula</i>	<i>Rhipsalis chrysantha</i>	<i>Rhipsalis clavata</i>
<i>Rhipsalis crispata</i>	<i>Rhipsalis dissimilis</i>	<i>Rhipsalis elliptica</i>
<i>Rhipsalis floccosa</i>	<i>Rhipsalis goebeliana</i>	<i>Rhipsalis grandiflora</i>
<i>Rhipsalis ianthothele</i>	<i>Rhipsalis kirbergii</i>	<i>Rhipsalis mesembryanthoides</i>
<i>Rhipsalis micrantha</i>	<i>Rhipsalis neves-armondii</i>	<i>Rhipsalis oblonga</i>
<i>Rhipsalis occidentalis</i>	<i>Rhipsalis pachyptera</i>	<i>Rhipsalis paradoxa</i>
<i>Rhipsalis pentaptera</i>	<i>Rhipsalis pilocarpa</i>	<i>Rhipsalis platycarpa</i>
<i>Rhipsalis pulvinigera</i>	<i>Rhipsalis puniceodiscus</i>	<i>Rhipsalis rhombea</i>
<i>Rhipsalis rosea</i>	<i>Rhipsalis russelli</i>	<i>Rhipsalis saxatile</i>
<i>Rhipsalis sulcata</i>	<i>Rhipsalis teres</i>	<i>Rhipsalis triangularis</i>
<i>Rhipsalis trigona</i>	<i>Rhizogonium novae-hollandiae</i>	<i>Rhodamnia acuminata</i>
<i>Rhodamnia argentea</i>	<i>Rhodamnia blairiana</i>	<i>Rhodamnia costata</i>
<i>Rhodamnia dumicola</i>	<i>Rhodamnia glauca</i>	<i>Rhodamnia longisepala</i>
<i>Rhodamnia maideniana</i>	<i>Rhodamnia rubescens</i>	<i>Rhodamnia sessiliflora</i>
<i>Rhodamnia trinervia</i>	<i>Rhodanthe anthemoides</i>	<i>Rhodanthe diffusa</i>
<i>Rhodanthe microglossa</i>	<i>Rhodanthe stuartiana</i>	<i>Rhodanthemum catananche</i>
<i>Rhodanthemum gayanum</i>	<i>Rhodanthemum hosmariense</i>	<i>Rhodiola coccinea</i>
<i>Rhodiola himalensis</i>	<i>Rhodiola primuloides</i>	<i>Rhodiola rosea</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Rhodochiton atrosanguineum	Rhodocoma capensis	Rhodocoma gigantea
Rhododendron aberconwayi	Rhododendron abietifolium	Rhododendron acrophilum
Rhododendron acuminatum	Rhododendron adenogynum	Rhododendron adenopodum
Rhododendron adinophyllum	Rhododendron aechmophyllum	Rhododendron aequabile
Rhododendron aganniphum	Rhododendron alabamense	Rhododendron alborugosum
Rhododendron albrechtii	Rhododendron album	Rhododendron alutaceum
Rhododendron amagianum	Rhododendron amakusaense	Rhododendron amamiense
Rhododendron ambiguum	Rhododendron amesiae	Rhododendron anagalliflorum
Rhododendron annae	Rhododendron anthopogon	Rhododendron anthosphaerum

Rhododendron anwheiense	Rhododendron aperantum	Rhododendron araiophyllum
Rhododendron arborescens	Rhododendron archboldianum	Rhododendron arfskianum
Rhododendron argipeplum	Rhododendron argyrophyllum	Rhododendron arizelum
Rhododendron armitii	Rhododendron atlanticum	Rhododendron atropurpureum
Rhododendron augustinii	Rhododendron aureum	Rhododendron auriculatum
Rhododendron aurigeranum	Rhododendron auritum	Rhododendron austrinum
Rhododendron baenitzianum	Rhododendron bagobonum	Rhododendron baileyi
Rhododendron bainbridgeanum	Rhododendron balfourianum	Rhododendron basilicum
Rhododendron bauhiniiflorum	Rhododendron beanianum	Rhododendron beyerinckianum
Rhododendron blackii	Rhododendron bloembergenii	Rhododendron boothii
Rhododendron borneense	Rhododendron brachyanthum	Rhododendron brachycarpum

Rhododendron brevinerve	Rhododendron brookeanum	Rhododendron bryophilum
Rhododendron bureavii	Rhododendron burmanicum	Rhododendron burtii
Rhododendron buxifolium	Rhododendron caesium	Rhododendron calendulaceum
Rhododendron caliginis	Rhododendron callimorphum	Rhododendron calophytum
Rhododendron calostrotum	Rhododendron camelliiflorum	Rhododendron campanulatum
Rhododendron campylocarpum	Rhododendron campylogynum	Rhododendron capitatum
Rhododendron carneum	Rhododendron carringtoniae	Rhododendron catacosmum
Rhododendron catawbiense	Rhododendron caucasicum	Rhododendron cephalanthum
Rhododendron cerasinum	Rhododendron chamaecistus	Rhododendron championae
Rhododendron charitopes	Rhododendron chengshienianum	Rhododendron christi
Rhododendron christianae	Rhododendron christii	Rhododendron chrysodoron
Rhododendron ciliatum	Rhododendron ciliicalyx	Rhododendron ciliipes
Rhododendron cinnabarinum	Rhododendron citriniflorum	Rhododendron citrinum
Rhododendron clementinae	Rhododendron coelicum	Rhododendron coeloneurum
Rhododendron commonae	Rhododendron complexum	Rhododendron concinnoides
Rhododendron concinnum	Rhododendron x coriifolium	Rhododendron coriifolium
Rhododendron coryanum	Rhododendron coxianum	Rhododendron crassifolium
Rhododendron crinigerum	Rhododendron cruttwellii	Rhododendron culminicola
Rhododendron culminicolum	Rhododendron cumberlandense	Rhododendron cuneatum
Rhododendron cyanocarpum	Rhododendron dalhousiae	Rhododendron dauricum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

---

Rhododendron davidi	Rhododendron davidsonianum	Rhododendron decandrum
Rhododendron degronianum	Rhododendron dendricola	Rhododendron dendrocharis
Rhododendron dianthosmum	Rhododendron dichroanthum	Rhododendron dielsianum
Rhododendron dilatatum	Rhododendron diphrocalyx	Rhododendron diversipilosum
Rhododendron eastmanii	Rhododendron eclecticum	Rhododendron edanoi
Rhododendron edgarianum	Rhododendron edgeworthii	Rhododendron elegantulum
Rhododendron elliotii	Rhododendron emarginatum	Rhododendron ericoides
Rhododendron eriocarpum	Rhododendron erosum	Rhododendron excellens
Rhododendron faberi	Rhododendron facetum	Rhododendron falconeri
Rhododendron fallacinum	Rhododendron fastigiatum	Rhododendron fimbriatum
Rhododendron flammeum	Rhododendron flavidum	Rhododendron fletcherianum
Rhododendron flinckii	Rhododendron floribundum	Rhododendron formosanum
Rhododendron formosum	Rhododendron forrestii	Rhododendron fortunei
Rhododendron fulgens	Rhododendron fulvum	Rhododendron galactinum
Rhododendron gardenia	Rhododendron genestierianum	Rhododendron glaucophyllum
Rhododendron glischroides	Rhododendron glischrum	Rhododendron goodenoughii
Rhododendron gracilentum	Rhododendron grande	Rhododendron gratum
Rhododendron griersonianum	Rhododendron griffithianum	Rhododendron habrotrichum
Rhododendron haematodes	Rhododendron hanceanum	Rhododendron hancockii
Rhododendron heliolepis	Rhododendron hellwigii	Rhododendron hemitrichotum
Rhododendron hemsleyanum	Rhododendron henryi	Rhododendron herzogii
Rhododendron hidakanum	Rhododendron himantodes	Rhododendron hippophaeoides

Rhododendron hirsutum	Rhododendron hirtipes	Rhododendron hodgsonii
Rhododendron hongkongense	Rhododendron hookeri	Rhododendron horlickianum
Rhododendron hunnewellianum	Rhododendron hyacinthosmum	Rhododendron hybrid
Rhododendron hylaeum	Rhododendron hyperythrum	Rhododendron hypoleucum
Rhododendron impeditum	Rhododendron impositum	Rhododendron inconspicuum
Rhododendron indicum	Rhododendron insigne	Rhododendron x intermedium
Rhododendron intranervatum	Rhododendron intricatum	Rhododendron inundatum
Rhododendron irroratum	Rhododendron jasminiflorum	Rhododendron javanicum
Rhododendron johnstoneanum	Rhododendron kaempferi	Rhododendron kanehirae
Rhododendron kanehiraei	Rhododendron kanehirai	Rhododendron kawakamii
Rhododendron keiskei	Rhododendron kendrickii	Rhododendron kesangiae
Rhododendron keysii	Rhododendron kiusianum	Rhododendron kiyosumense
Rhododendron kochii	Rhododendron konori	Rhododendron kotschyi
Rhododendron kwangtungense	Rhododendron kyawii	Rhododendron lacteum
Rhododendron laetum	Rhododendron lagopus	Rhododendron laguncularium
Rhododendron lanatum	Rhododendron lanceolatum	Rhododendron lanigerum
Rhododendron lapponicum	Rhododendron lasiostylum	Rhododendron lateum
Rhododendron latoucheae	Rhododendron lepidostylum	Rhododendron lepidotum
Rhododendron leptanthum	Rhododendron leptocarpum	Rhododendron leptocladon
Rhododendron leptothrium	Rhododendron leucaspis	Rhododendron leucogigas
Rhododendron liliiflorum	Rhododendron lindleyi	Rhododendron lineare
Rhododendron lochiaie	Rhododendron longiflorum	Rhododendron longipes

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

---

Rhododendron lopsangianum	Rhododendron loranthiflorum	Rhododendron lowii
Rhododendron ludlowii	Rhododendron ludwigianum	Rhododendron lukiangense
Rhododendron luraluense	Rhododendron luteiflorum	Rhododendron lutescens
Rhododendron lyi	Rhododendron macabeanum	Rhododendron macgregoriae
Rhododendron macrosepalum	Rhododendron maculiferum	Rhododendron maddenii
Rhododendron madulidii	Rhododendron magnificum	Rhododendron maius
Rhododendron makinoi	Rhododendron malayanum	Rhododendron mallotum
Rhododendron mariesii	Rhododendron meddianum	Rhododendron megacalyx
Rhododendron megeratum	Rhododendron mejeri	Rhododendron mekongense
Rhododendron melinanthum	Rhododendron meliphagidum	Rhododendron micranthum
Rhododendron microgynum	Rhododendron micromalayanum	Rhododendron microphyton
Rhododendron mimetes	Rhododendron molle	Rhododendron mollicomum
Rhododendron montroseanum	Rhododendron morii	Rhododendron moullmainense
Rhododendron moupinense	Rhododendron mucronatum	Rhododendron mucronulatum
Rhododendron multicolor	Rhododendron multinervium	Rhododendron myrtifolium
Rhododendron naamkwanense	Rhododendron nakaharae	Rhododendron nankotaisanense
Rhododendron neoglandulosum	Rhododendron neriiflorum	Rhododendron nervosulum
Rhododendron nieuwenhuisii	Rhododendron nikoense	Rhododendron nipponicum
Rhododendron nitens	Rhododendron nivale	Rhododendron niveum
Rhododendron noriakianum	Rhododendron notiale	Rhododendron nudipes
Rhododendron nuttallii	Rhododendron obtusum	Rhododendron ochraceum
Rhododendron odoriferum	Rhododendron oldhamii	Rhododendron orbiculare

Rhododendron orbiculatum	Rhododendron oreodoxa	Rhododendron oreotrephes
Rhododendron orthocladum	Rhododendron ovatum	Rhododendron pachypodum
Rhododendron pachysanthum	Rhododendron pachytrichum	Rhododendron parmulatum
Rhododendron parryae	Rhododendron pauciflorum	Rhododendron pemakoense
Rhododendron pentaphyllum	Rhododendron perakense	Rhododendron periclymenoides
Rhododendron petrocharis	Rhododendron phaeochitum	Rhododendron phaeocephalum
Rhododendron piercei	Rhododendron planecostatum	Rhododendron planetum
Rhododendron pleianthum	Rhododendron pocophorum	Rhododendron polyandrum
Rhododendron polyanthemum	Rhododendron polycladum	Rhododendron polylepis
Rhododendron praestans	Rhododendron praetervisum	Rhododendron praevernium
Rhododendron prattii	Rhododendron preptum	Rhododendron principis
Rhododendron prinophyllum	Rhododendron proteoides	Rhododendron protistum
Rhododendron prunifolium	Rhododendron przewalskii	Rhododendron pseudochrysanthum

Rhododendron pubescens	Rhododendron x pulchrum	Rhododendron pulleanum
Rhododendron quadrasianum	Rhododendron quinquefolium	Rhododendron racemosum
Rhododendron ramsdenianum	Rhododendron rarum	Rhododendron recurvoides
Rhododendron reticulatum	Rhododendron retivenium	Rhododendron retusum
Rhododendron rex	Rhododendron rhodoleucum	Rhododendron rhodopus
Rhododendron rigidum	Rhododendron ririei	Rhododendron robinsonii
Rhododendron rothschildii	Rhododendron rousei	Rhododendron roxieanum
Rhododendron rubellum	Rhododendron rubiginosum	Rhododendron rubineiflorum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Rhododendron rubropilosum	Rhododendron rufum	Rhododendron rugosum
Rhododendron rupicola	Rhododendron rushforthii	Rhododendron russatum
Rhododendron rutenii	Rhododendron salicifolium	Rhododendron saluenense
Rhododendron sanctum	Rhododendron sanguineum	Rhododendron santapau
Rhododendron sargentianum	Rhododendron saxicolum	Rhododendron saxifragoides
Rhododendron sayeri	Rhododendron scabridibracteum	Rhododendron scabrifolium
Rhododendron scabrum	Rhododendron schlippenbachii	Rhododendron schoddei
Rhododendron scopulorum	Rhododendron searleanum	Rhododendron searsiae
Rhododendron selense	Rhododendron semibarbatum	Rhododendron serotoninum
Rhododendron serpyllifolium	Rhododendron sessilifolium	Rhododendron setosum
Rhododendron sherriffii	Rhododendron sichotense	Rhododendron sidereum
Rhododendron siderophyllum	Rhododendron sikayotaizanense	Rhododendron simiarum
Rhododendron simsii	Rhododendron sinofalconeri	Rhododendron sinogrande
Rhododendron smirnowii	Rhododendron solitarium	Rhododendron souliei
Rhododendron tashiroi	Rhododendron sperabile	Rhododendron sphaeroblastum
Rhododendron spiciferum	Rhododendron spinuliferum	Rhododendron spondylophyllum
Rhododendron stamineum	Rhododendron stapfianum	Rhododendron stenophyllum
Rhododendron stevensianum	Rhododendron strigillosum	Rhododendron suaveolens
Rhododendron subansiriense	Rhododendron subsessile	Rhododendron sulfureum
Rhododendron sumatranum	Rhododendron superbum	Rhododendron taggianum
Rhododendron taiwanalpinum	Rhododendron taliense	Rhododendron tanastylum
Rhododendron tapetiforme	Rhododendron taronense	Rhododendron tatsienense

Rhododendron taxifolium	Rhododendron telmateium	Rhododendron temenium
Rhododendron tephropeplum	Rhododendron thayerianum	Rhododendron thomsonii
Rhododendron tomentosum	Rhododendron tosaense	Rhododendron traillianum
Rhododendron trichanthum	Rhododendron trichocladum	Rhododendron trichostomum
Rhododendron triflorum	Rhododendron tsangpoense	Rhododendron tsariense
Rhododendron tschonoskii	Rhododendron tsusiophyllum	Rhododendron tuba
Rhododendron ungerii	Rhododendron uniflorum	Rhododendron uvarifolium
Rhododendron vaccinioides	Rhododendron valentinianum	Rhododendron vanvuurenii
Rhododendron variolosum	Rhododendron vaseyi	Rhododendron veitchianum
Rhododendron venator	Rhododendron vernicosum	Rhododendron vesiculiferum
Rhododendron virgatum	Rhododendron viridescens	Rhododendron viriosum
Rhododendron viscidifolium	Rhododendron viscosum	Rhododendron vitis-idaea
Rhododendron wadanum	Rhododendron wallichii	Rhododendron wardii
Rhododendron wasonii	Rhododendron websterianum	Rhododendron wentianum
Rhododendron westlandii	Rhododendron weyrichii	Rhododendron wightii
Rhododendron williamsianum	Rhododendron williamsii	Rhododendron wiltonii
Rhododendron womersleyi	Rhododendron wrayi	Rhododendron wrightianum
Rhododendron xanthostephanum	Rhododendron yedoense	Rhododendron yelliottii
Rhododendron yelliottii	Rhododendron yongii	Rhododendron yungningense
Rhododendron yunnanense	Rhododendron zaleucum	Rhododendron zoelleri
Rhododendron zollingeri	Rhodohypoxis baurii	Rhodohypoxis milloides
Rhodoleia championii	Rhodomyrtus canescens	Rhodomyrtus effusa
Rhodomyrtus pervagata	Rhodomyrtus sericea	Rhodomyrtus trineura
Rhodophiala advena	Rhodophiala andicola	Rhodophiala araucana

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Rhodophiala bagnoldii</i>	<i>Rhodophiala berteriana</i>	<i>Rhodophiala bifida</i>
<i>Rhodophiala chilensis</i>	<i>Rhodophiala elwesii</i>	<i>Rhodophiala fulgens</i>
<i>Rhodophiala gladioloides</i>	<i>Rhodophiala laeta</i>	<i>Rhodophiala mendocina</i>
<i>Rhodophiala modesta</i>	<i>Rhodophiala montana</i>	<i>Rhodophiala phycelloides</i>
<i>Rhodophiala pratensis</i>	<i>Rhodophiala rhodolirion</i>	<i>Rhodophiala soratensis</i>
<i>Rhodophiala splendens</i>	<i>Rhodophiala tenuiflora</i>	<i>Rhodophiala uniflora</i>
<i>Rhodosphaera rhodantha</i>	<i>Rhodothamnus chamaecistus</i>	<i>Rhoicissus tomentosus</i>
<i>Rhombophyllum dolabriforme</i>	<i>Rhombophyllum dyeri</i>	<i>Rhombophyllum nelii</i>
<i>Rhombophyllum rhomboideum</i>	<i>Rhopaloblaste augusta</i>	<i>Rhopaloblaste brassii</i>
<i>Rhopaloblaste ceramica</i>	<i>Rhopaloblaste dyscrita</i>	<i>Rhopaloblaste elegans</i>
<i>Rhopaloblaste ledermanniana</i>	<i>Rhopaloblaste singaporensis</i>	<i>Rhopalostylis baueri</i>
<i>Rhopalostylis cheesemani</i>	<i>Rhopalostylis sapida</i>	<i>Rhus angustifolia</i>
<i>Rhus chinensis</i>	<i>Rhus chirindensis</i>	<i>Rhus crenata</i>
<i>Rhus delavayi</i>	<i>Rhus dentata</i>	<i>Rhus fraseri</i>
<i>Rhus glabra</i> x <i>typhina</i>	<i>Rhus hypoleuca</i>	<i>Rhus incisa</i>
<i>Rhus integrifolia</i>	<i>Rhus lentii</i>	<i>Rhus longipes</i>
<i>Rhus natalensis</i>	<i>Rhus orientalis</i>	<i>Rhus potaninii</i>
<i>Rhus</i> x <i>pulvinata</i>	<i>Rhus pulvinata</i>	<i>Rhus taitensis</i>
<i>Rhus trichocarpa</i>	<i>Rhus typhina</i>	<i>Rhus vulgaris</i>
<i>Rhus wallichii</i>	<i>Rhynchocalyx lawsonioides</i>	<i>Rhynchoglossum gardneri</i>
<i>Rhynchoglossum notonianum</i>	<i>Rhyncholaelia digbyana</i>	<i>Rhyncholaelia glauca</i>
<i>Rhynchophreatia micrantha</i>	<i>Rhynchoryza subulata</i>	<i>Rhynchosia adenodes</i>
<i>Rhynchosia americana</i>	<i>Rhynchosia aurea</i>	<i>Rhynchosia balansae</i>
<i>Rhynchosia baukea</i>	<i>Rhynchosia burkartii</i>	<i>Rhynchosia candida</i>
<i>Rhynchosia crassifolia</i>	<i>Rhynchosia densiflora</i>	<i>Rhynchosia diversifolia</i>
<i>Rhynchosia edulis</i>	<i>Rhynchosia ferruginea</i>	<i>Rhynchosia goetzei</i>
<i>Rhynchosia himalensis</i>	<i>Rhynchosia holosericea</i>	<i>Rhynchosia insignis</i>

<i>Rhynchosia lobata</i>	<i>Rhynchosia longeracemosa</i>	<i>Rhynchosia luteola</i>
<i>Rhynchosia micrantha</i>	<i>Rhynchosia monophylla</i>	<i>Rhynchosia nyasica</i>
<i>Rhynchosia orthobotrya</i>	<i>Rhynchosia parviflora</i>	<i>Rhynchosia pulverulenta</i>
<i>Rhynchosia pyramidalis</i>	<i>Rhynchosia resinosa</i>	<i>Rhynchosia rothii</i>
<i>Rhynchosia rufescens</i>	<i>Rhynchosia schimperii</i>	<i>Rhynchosia senna</i>
<i>Rhynchosia sordida</i>	<i>Rhynchosia swynnertonii</i>	<i>Rhynchosia tomentosa</i>
<i>Rhynchosia totta</i>	<i>Rhynchosia usambarensis</i>	<i>Rhynchosia velutina</i>
<i>Rhynchosia verdcourtii</i>	<i>Rhynchospora brownii</i>	<i>Rhynchospora colorata</i>
<i>Rhynchosyilis</i> spp.	<i>Rhysotoechia robertsonii</i>	<i>Rhysopterys timorensis</i>
<i>Rhytidocaulon macrolobum</i>	<i>Rhytidophyllum petiolare</i>	<i>Rhytidosporum alpinum</i>
<i>Rhytidosporum procumbens</i>	<i>Rhytidosporum prostratum</i>	<i>Rhytionanthos</i> spp.
<i>Ribes alpinum</i>	<i>Ribes ambiguum</i>	<i>Ribes aureum</i>
<i>Ribes costaricensis</i>	<i>Ribes cucullatum</i>	<i>Ribes x culverwellii</i>
<i>Ribes diacanthum</i>	<i>Ribes fasciculatum</i>	<i>Ribes gayanum</i>
<i>Ribes x gordonianum</i>	<i>Ribes indecorum</i>	<i>Ribes komarovii</i>
<i>Ribes laurifolium</i>	<i>Ribes magellanicum</i>	<i>Ribes malvaceum</i>
<i>Ribes nelsonii</i>	<i>Ribes x nidigrolaria</i>	<i>Ribes nigrum</i>
<i>Ribes petraeum</i>	<i>Ribes rubrum</i>	<i>Ribes rubrum x uva-crispa</i>
<i>Ribes sanguineum</i>	<i>Ribes uva-crispa</i>	<i>Ribes warszewiczii</i>
<i>Ribes watsonianum</i>	<i>Richardia brasiliensis</i>	<i>Richardia scabra</i>
<i>Richea acerosa</i>	<i>Richea continentis</i>	<i>Richea curtisiae</i>
<i>Richea dracophylla</i>	<i>Richea gunnii</i>	<i>Richea milliganii</i>
<i>Richea pandanifolia</i>	<i>Richea procera</i>	<i>Richea scoparia</i>
<i>Richea sprengelioides</i>	<i>Richea victoriana</i>	<i>Ricinocarpos bowmanii</i>
<i>Ricinocarpos cyanescens x tuberculatus</i>	<i>Ricinocarpos gloria-medii</i>	<i>Ricinocarpos pinifolius</i>
<i>Ricinocarpos speciosus</i>	<i>Ricinodendron heudelotii</i>	<i>Ricinus communis</i>
<i>Ridleyandra atrocyanea</i>	<i>Ridleyandra castaneifolia</i>	<i>Ridleyandra petiolata</i>
<i>Ridleyandra quercifolia</i>	<i>Ridleyella paniculata</i>	<i>Riedelia nymanii</i>
<i>Rigidella flammea</i>	<i>Rigidella orthantha</i>	<i>Rimacola elliptica</i>
<i>Rinorea bengalensis</i>	<i>Ripogonum album</i>	<i>Ripogonum brevifolium</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Ripogonum discolor</i>	<i>Ripogonum elseyanum</i>	<i>Ripogonum fawcettianum</i>
<i>Ripogonum papuanum</i>	<i>Ripogonum scandens</i>	<i>Ristantia pachysperma</i>
<i>Rivina portulaccoides</i>	<i>Robinia x ambigua</i>	<i>Robinia decaisneana</i>
<i>Robinia hispida</i>	<i>Robinia x margaretta</i>	<i>Robinia neomexicana</i>
<i>Robinia pseudoacacia</i>	<i>Robinia x slavinii</i>	<i>Robiquetia</i> spp.
<i>Rochea jasminea</i>	<i>Rockinghamia angustifolia</i>	<i>Rockinghamia brevipes</i>
<i>Rodgersia aesculifolia</i>	<i>Rodgersia henrici</i>	<i>Rodgersia nepalensis</i>
<i>Rodgersia pinnata</i>	<i>Rodgersia podophylla</i>	<i>Rodgersia sambucifolia</i>
<i>Rodgersia tabularis</i>	<i>Rodriguezia</i> spp.	<i>Roella ciliata</i>
<i>Roepera foetida</i>	<i>Rohdea japonica</i>	<i>Rollinia emarginata</i>

<i>Rollinia exalbida</i>	<i>Rollinia mucosa</i>	<i>Rollinia sylvatica</i>
<i>Romanzoffia sitchensis</i>	<i>Romanzoffia unalaschcensis</i>	<i>Romnalda grallata</i>
<i>Romneya coulteri</i>	<i>Romneya trichocalyx</i>	<i>Romulea albiflora</i>
<i>Romulea albomarginata</i>	<i>Romulea amoena</i>	<i>Romulea atrandra</i>
<i>Romulea austinii</i>	<i>Romulea autumnalis</i>	<i>Romulea barkerae</i>
<i>Romulea biflora</i>	<i>Romulea bulbocodium</i>	<i>Romulea camerooniana</i>
<i>Romulea citrina</i>	<i>Romulea clusiana</i>	<i>Romulea columnae</i>
<i>Romulea congoensis</i>	<i>Romulea crocea</i>	<i>Romulea cruciata</i>
<i>Romulea dichotoma</i>	<i>Romulea diversiformis</i>	<i>Romulea eximia</i>
<i>Romulea flava</i>	<i>Romulea grandiscapa</i>	<i>Romulea hallii</i>
<i>Romulea hantamensis</i>	<i>Romulea hartungii</i>	<i>Romulea hirsuta</i>
<i>Romulea hirta</i>	<i>Romulea kamisensis</i>	<i>Romulea komsbergensis</i>
<i>Romulea leipoldtii</i>	<i>Romulea ligustica</i>	<i>Romulea linaresii</i>
<i>Romulea luteiflora</i>	<i>Romulea minutiflora</i>	<i>Romulea monadelphica</i>
<i>Romulea montana</i>	<i>Romulea monticola</i>	<i>Romulea multisulcata</i>
<i>Romulea namaquensis</i>	<i>Romulea neglecta</i>	<i>Romulea numidica</i>
<i>Romulea obscura</i>	<i>Romulea pearsonii</i>	<i>Romulea ramiflora</i>
<i>Romulea requienii</i>	<i>Romulea revelierei</i>	<i>Romulea rosea</i>
<i>Romulea sabulosa</i>	<i>Romulea saldanhensis</i>	<i>Romulea schlechteri</i>

Romulea setifolia	Romulea sladenii	Romulea speciosa
Romulea subfistulosa	Romulea tabularis	Romulea tetragona
Romulea tortuosa	Romulea toximontana	Romulea triflora
Romulea uliginosa	Romulea unifolia	Romulea vinacea
Rondeletia amoena	Rondeletia anomala	Rondeletia buddleioides
Rondeletia cordata	Rondeletia gratissima	Rondeletia hirsuta
Rondeletia leucophylla	Rondeletia odorata	Rondeletia splendens
Rondeletia strigosa	Rondeletia tacanensis	Ronnbergia deleonii
Ronnbergia hathewayi	Ronnbergia morreniana	Ronnbergia nidularioides
Roridula dentata	Roridula gorgonias	Rorippa palustris
Rorippa palustris x microphylla	Rosa amblyotis	Rosa andegavensis
Rosa anemoniflora	Rosa banksiae	Rosa banksiopsis
Rosa beggeriana	Rosa canina	Rosa clinophylla
Rosa corymbifera	Rosa corymbulosa	Rosa cymosa
Rosa davidii	Rosa dumalis	Rosa ecae
Rosa elegantula	Rosa elliptica	Rosa fargesii
Rosa farreri	Rosa fedtschenkoana	Rosa foliolosa
Rosa forrestiana	Rosa gentiliana	Rosa giraldii
Rosa heckeliana	Rosa hemisphaerica	Rosa henryi
Rosa horrida	Rosa hybrids	Rosa iberica
Rosa incarnata	Rosa jundzillii	Rosa kochiana
Rosa kokanica	Rosa laevigata	Rosa latibracteata
Rosa laxa	Rosa longicuspis	Rosa macrophylla
Rosa minutifolia	Rosa montana	Rosa montezumae
Rosa moysesii	Rosa mulligani	Rosa multibracteata
Rosa multiflora	Rosa x noisettiana	Rosa obtusifolia
Rosa oxyodon	Rosa parvifolia	Rosa persetosa
Rosa persica	Rosa pisocarpa	Rosa pouzinii
Rosa pulverulenta	Rosa rhaetica	Rosa rubus
Rosa rugosa	Rosa scaphusiensis	Rosa sertata

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Rosa setipoda</i>	<i>Rosa setosa</i>	<i>Rosa sinowilsonii</i>
<i>Rosa soulieana</i>	<i>Rosa helenae</i>	<i>Rosa stellata</i>
<i>Rosa stylosa</i>	<i>Rosa sweginzowii</i>	<i>Rosa wardii</i>
<i>Rosa webbiana</i>	<i>Roscheria melanochaetes</i>	<i>Roscoea alpina</i>
<i>Roscoea auriculata</i>	<i>Roscoea capitata</i>	<i>Roscoea cauleoides</i>
<i>Roscoea humeana</i>	<i>Roscoea purpurea</i>	<i>Roscoea schneideriana</i>
<i>Roscoea scillifolia</i>	<i>Roscoea sinopurpurea</i>	<i>Roscoea tibetica</i>
<i>Roscoea yunnanensis</i>	<i>Rosenbergiodendron formosum</i>	<i>Rosenstockia rolandi-principis</i>
<i>Rosmarinus lavandulaceus</i>	<i>Rosmarinus officinalis</i>	<i>Rossioglossum</i> spp.
<i>Rostkovia magellanica</i>	<i>Rostraria cristata</i>	<i>Rostraria pumila</i>
<i>Rosularia globulariifolia</i>	<i>Rosularia libanotica</i>	<i>Rosularia pallida</i>
<i>Rosularia paniculata</i>	<i>Rosularia platyphylla</i>	<i>Rosularia serrata</i>
<i>Rotala macrandra</i>	<i>Rotala wallichii</i>	<i>Rothea incisa</i>
<i>Rothea myricoides</i>	<i>Rothmannia capensis</i>	<i>Rothmannia fischeri</i>
<i>Rothmannia globosa</i>	<i>Rothmannia longiflora</i>	<i>Rothmannia macrophylla</i>
<i>Rothmannia manganjajae</i>	<i>Rothmannia urcelliformis</i>	<i>Rothmannia whitfieldii</i>
<i>Rottlera tinctoria</i>	<i>Roupala brasiliensis</i>	<i>Roupala elegans</i>
<i>Roupala grossedentata</i>	<i>Roupala macrophylla</i>	<i>Roupala montana</i>
<i>Roupala pohlii</i>	<i>Roupala pseudo-cordata</i>	<i>Rourea coccinea</i>
<i>Royena glabra</i>	<i>Roystonea altissima</i>	<i>Roystonea borinquena</i>
<i>Roystonea dunlapiana</i>	<i>Roystonea lenis</i>	<i>Roystonea oleracea</i>
<i>Roystonea princeps</i>	<i>Roystonea regia</i>	<i>Roystonea stellata</i>
<i>Roystonea venezuelana</i>	<i>Roystonea violacea</i>	<i>Rubia cordifolia</i>
<i>Rubia fruticosa</i>	<i>Rubia manjith</i>	<i>Rubia tinctorum</i>
<i>Rubia yunnanensis</i>	<i>Rubus allegheniensis</i> x hybrids	<i>Rubus argutus</i> x hybrids
<i>Rubus asperifolius</i>	<i>Rubus australis</i>	<i>Rubus biflorus</i>
<i>Rubus calycinus</i>	<i>Rubus corchorifolius</i>	<i>Rubus crataegifolius</i>
<i>Rubus delavayi</i>	<i>Rubus edulis</i>	<i>Rubus frondosus</i>
<i>Rubus geoides</i>	<i>Rubus gunnianus</i>	<i>Rubus hawaiensis</i>

<i>Rubus hayata-koidzumii</i>	<i>Rubus idaeus</i> x hybrids	<i>Rubus laciniatus</i>
<i>Rubus lineatus</i>	<i>Rubus loganobaccus</i>	<i>Rubus mulleri</i>
<i>Rubus nebulosus</i>	<i>Rubus parviflorus</i>	<i>Rubus parvifolius</i>
<i>Rubus pentalobus</i>	<i>Rubus praecox</i>	<i>Rubus probus</i>
<i>Rubus setchuenensis</i>	<i>Rubus splendens</i>	<i>Rubus squarrosus</i>
<i>Rubus strigosus</i>	<i>Rubus taiwanicola</i>	<i>Rubus tephrodes</i>
<i>Rubus thibetanus</i>	<i>Rubus ursinus</i> x hybrids	<i>Rubus ursinus</i> x <i>idaeus</i>
<i>Rudbeckia californica</i>	<i>Rudbeckia fulgida</i>	<i>Rudbeckia hirta</i>
<i>Rudbeckia laciniata</i>	<i>Rudbeckia maxima</i>	<i>Rudbeckia newmani</i>
<i>Rudbeckia nitida</i>	<i>Rudbeckia occidentalis</i>	<i>Rudbeckia subtomentosa</i>
<i>Rudolphiella</i> spp.	<i>Ruellia affinis</i>	<i>Ruellia albiflora</i>
<i>Ruellia angustifolia</i>	<i>Ruellia barbillana</i>	<i>Ruellia caroliniensis</i>
<i>Ruellia chartacea</i>	<i>Ruellia devosiana</i>	<i>Ruellia dipteracanthus</i>
<i>Ruellia elegans</i>	<i>Ruellia herbstii</i>	<i>Ruellia humilis</i>
<i>Ruellia macrantha</i>	<i>Ruellia makoyana</i>	<i>Ruellia portellae</i>
<i>Ruellia rosea</i>	<i>Ruellia schaueriana</i>	<i>Ruellia speciosa</i>
<i>Ruellia strepens</i>	<i>Ruellia tweediana</i>	<i>Rulingia dasyphylla</i>
<i>Rulingia hermanniifolia</i>	<i>Rulingia pannosa</i>	<i>Rulingia prostrata</i>
<i>Rulingia salviifolia</i>	<i>Rumex bidens</i>	<i>Rumex brownii</i>
<i>Rumex bucephalophorus</i>	<i>Rumex conglomeratus</i>	<i>Rumex crispus</i>
<i>Rumex flexuosus</i>	<i>Rumex frutescens</i>	<i>Rumex lunaria</i>
<i>Rumex maderensis</i>	<i>Rumex obtusifolius</i>	<i>Rumex pulcher</i>
<i>Rumex roseus</i>	<i>Rumex scutatus</i>	<i>Rumohra adiantiformis</i>
<i>Rumrillara</i> spp.	<i>Rungia klossii</i>	<i>Rupertia physodes</i>
<i>Rupicola apiculata</i>	<i>Rupicola ciliata</i>	<i>Rupicola gnidioides</i>
<i>Rupicola sprengelioides</i>	<i>Ruprechtia apetala</i>	<i>Ruprechtia polystachya</i>
<i>Ruprechtia salicifolia</i>	<i>Ruschia albiflora</i>	<i>Ruschia congesta</i>
<i>Ruschia crassa</i>	<i>Ruschia herrei</i>	<i>Ruschia hexamera</i>
<i>Ruschia intrusa</i>	<i>Ruschia laxa</i>	<i>Ruschia macowanii</i>
<i>Ruschia perfoliata</i>	<i>Ruschia pungens</i>	<i>Ruschia rubricaulis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Ruschia rupis-arcuatae</i>	<i>Ruschia sarmentosa</i>	<i>Ruschia strubeniae</i>
<i>Ruschia tumidula</i>	<i>Ruschia uncinata</i>	<i>Ruschia valida</i>
<i>Ruschianthus falcatus</i>	<i>Ruscus aculeatus</i>	<i>Ruscus hypophyllum</i>
<i>Ruscus x microglossus</i>	<i>Ruscus ponticus</i>	<i>Ruspolia seticalyx</i>
<i>Russelia equisetiformis</i>	<i>Russelia x lemoinei</i>	<i>Russelia rotundifolia</i>
<i>Russelia sarmentosa</i>	<i>Ruta angustifolia</i>	<i>Ruta corsica</i>
<i>Ruta graveolens</i>	<i>Ruta pinnata</i>	<i>Rutidosis heterogama</i>
<i>Rutidosis leptorrhynchoides</i>	<i>Ruttya fruticosa</i>	<i>Ruttya speciosa</i>
<i>Ryparosa acuminata</i>	<i>Ryparosa baccaureoides</i>	<i>Ryparosa glauca</i>
<i>Ryparosa hirsuta</i>	<i>Ryparosa hullettii</i>	<i>Ryparosa javanica</i>
<i>Ryparosa kostermansii</i>	<i>Rytidosperma acerosum</i>	<i>Rytidosperma alpicola</i>
<i>Rytidosperma australe</i>	<i>Rytidosperma clelandii</i>	<i>Rytidosperma fortunea- hibernae</i>
<i>Rytidosperma indutum</i>	<i>Rytidosperma linkii</i>	<i>Rytidosperma longifolium</i>
<i>Rytidosperma merum</i>	<i>Rytidosperma monticola</i>	<i>Rytidosperma nivicola</i>
<i>Rytidosperma occidentale</i>	<i>Rytidosperma procerum</i>	<i>Rytidosperma unarede</i>
<i>Sabal bahamensis</i>	<i>Sabal bermudana</i>	<i>Sabal causiarum</i>
<i>Sabal domingensis</i>	<i>Sabal etonia</i>	<i>Sabal gretherae</i>
<i>Sabal longepedunculata</i>	<i>Sabal maritima</i>	<i>Sabal mauritiiformis</i>
<i>Sabal mexicana</i>	<i>Sabal minor</i>	<i>Sabal palmetto</i>
<i>Sabal parviflora</i>	<i>Sabal princeps</i>	<i>Sabal pumos</i>
<i>Sabal rosei</i>	<i>Sabal umbraculiferum</i>	<i>Sabal uresana</i>
<i>Sabal yapa</i>	<i>Sabatia angularis</i>	<i>Sabatia campestris</i>
<i>Sabina bermudiana</i>	<i>Sabina chinensis</i>	<i>Sabina przewalskii</i>
<i>Saccharum fallax</i>	<i>Saccharum officinarum</i>	<i>Saccharum officinarum x spontaneum</i>
<i>Saccoglossum papuanum</i>	<i>Saccolabium quisumbingii</i>	<i>Saccolabium speciosum</i>
<i>Saccoloma campylurum</i>	<i>Saccoloma elegans</i>	<i>Saccoloma inaequale</i>
<i>Sadleria cyatheoides</i>	<i>Sadleria pallida</i>	<i>Sadleria souleytiana</i>
<i>Sageretia thea</i>	<i>Sagina apetala</i>	<i>Sagina glabra</i>
<i>Sagina maritima</i>	<i>Sagina pilifera</i>	<i>Sagina procumbens</i>

<i>Sagina subulata</i>	<i>Sagittaria sagittifolia</i>	<i>Saintpaulia confusa</i>
<i>Saintpaulia difficilis</i>	<i>Saintpaulia diplotricha</i>	<i>Saintpaulia grandifolia</i>
<i>Saintpaulia grotei</i>	<i>Saintpaulia intermedia</i>	<i>Saintpaulia ionantha</i>
<i>Saintpaulia magungensis</i>	<i>Saintpaulia nitida</i>	<i>Saintpaulia orbicularis</i>
<i>Saintpaulia pendula</i>	<i>Saintpaulia rupicola</i>	<i>Saintpaulia shumensis</i>
<i>Saintpaulia teitensis</i>	<i>Saintpaulia tongwensis</i>	<i>Saintpaulia velutina</i>
<i>Saiocarpus coulterianus</i>	<i>Saiocarpus nuttallianus</i>	<i>Salacca affinis</i>
<i>Salacca clemensiana</i>	<i>Salacca dransfieldiana</i>	<i>Salacca flabellata</i>
<i>Salacca glabrescens</i>	<i>Salacca graciliflora</i>	<i>Salacca lophospatha</i>
<i>Salacca magnifica</i>	<i>Salacca minuta</i>	<i>Salacca multiflora</i>
<i>Salacca ramosiana</i>	<i>Salacca rupicola</i>	<i>Salacca sarawakensis</i>
<i>Salacca secunda</i>	<i>Salacca vermicularis</i>	<i>Salacca wallichiana</i>
<i>Salacca zalacca</i>	<i>Salacia disepala</i>	<i>Salacia pallescens</i>
<i>Salix babylonica</i>	<i>Salix x calodendron</i>	<i>Salix x reichardtii</i>
<i>Salpichlaena volubilis</i>	<i>Salpichroa origanifolia</i>	<i>Salpiglossis sinuata</i>
<i>Salsola arbuscula</i>	<i>Salsola glabrescens</i>	<i>Salsola komarovii</i>
<i>Salsola nitraria</i>	<i>Salsola paletzkianum</i>	<i>Salsola richleri</i>
<i>Salvia aethiopis</i>	<i>Salvia africana</i>	<i>Salvia agnes</i>
<i>Salvia algeriensis</i>	<i>Salvia amarissima</i>	<i>Salvia ambigens</i>
<i>Salvia apiana</i>	<i>Salvia argentea</i>	<i>Salvia arizonica</i>
<i>Salvia atrocyanea</i>	<i>Salvia atropatana</i>	<i>Salvia aurea</i>
<i>Salvia aurita</i>	<i>Salvia azurea</i>	<i>Salvia barrelieri</i>
<i>Salvia bertolonii</i>	<i>Salvia blancoana</i>	<i>Salvia blepharophylla</i>
<i>Salvia bolleana</i>	<i>Salvia bracteata</i>	<i>Salvia brevilabra</i>
<i>Salvia broussonetii</i>	<i>Salvia buchananii</i>	<i>Salvia bulleyana</i>
<i>Salvia cacaliaefolia</i>	<i>Salvia cadmica</i>	<i>Salvia caerulea</i>
<i>Salvia campanulata</i>	<i>Salvia canariensis</i>	<i>Salvia candelabrum</i>
<i>Salvia candidissima</i>	<i>Salvia cardinalis</i>	<i>Salvia carnea</i>
<i>Salvia castanea</i>	<i>Salvia chamaedryoides</i>	<i>Salvia chameleagnea</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

---

Salvia chiapensis	Salvia chionantha	Salvia chionophylla
Salvia clevelandii	Salvia coahuilensis	Salvia coccinea
Salvia columbariae	Salvia concolor	Salvia confertiflora
Salvia corrugata	Salvia cyanescens	Salvia daghestanica
Salvia darcyi	Salvia dentata	Salvia deserta
Salvia desoleana	Salvia digitaloides	Salvia discolor
Salvia disermas	Salvia disjuncta	Salvia divinorum
Salvia dolichantha	Salvia dolomitica	Salvia dombeyi
Salvia dominica	Salvia dorisiana	Salvia dorrii
Salvia eigii	Salvia elegans	Salvia engelmannii
Salvia eremostachya	Salvia evansiana	Salvia fallax
Salvia farinacea	Salvia flava	Salvia flocculosa
Salvia forskahlei	Salvia frigida	Salvia fruticosa
Salvia fulgens	Salvia funerea	Salvia gesneraeflora
Salvia glechomifolia	Salvia glutinosa	Salvia grahami
Salvia greggii	Salvia guaranitica	Salvia heerii
Salvia henryi	Salvia hians	Salvia hierosolymitana
Salvia hirtella	Salvia hispanica	Salvia holwayi
Salvia horminoides	Salvia hybrid	Salvia hypargeia
Salvia ianthina	Salvia indica	Salvia interrupta
Salvia involucrata	Salvia iodantha	Salvia judaica
Salvia jurisicii	Salvia karwinskii	Salvia kiangsiensis
Salvia kopetdaghensis	Salvia lanata	Salvia lanceolata
Salvia lavandulifolia	Salvia lavanduloides	Salvia lemmonii
Salvia leucantha	Salvia littae	Salvia longispicata
Salvia lycioides	Salvia lyrata	Salvia madrensis
Salvia mekongensis	Salvia melissodora	Salvia mellifera
Salvia merjamie	Salvia mexicana	Salvia microphylla
Salvia microstegia	Salvia multiorrhiza	Salvia miniata
Salvia mohavensis	Salvia muelleri	Salvia muirii

Salvia munzii	Salvia namaensis	Salvia nana
Salvia neurepia	Salvia nilotica	Salvia nipponica
Salvia nubicola	Salvia nutans	Salvia officinalis
Salvia omeiana	Salvia oppositiflora	Salvia pachyphylla
Salvia patens	Salvia phlomoides	Salvia plectranthoides
Salvia polystachya	Salvia pomifera	Salvia pratensis
Salvia prattii	Salvia prionitis	Salvia prunelloides
Salvia przewalskii	Salvia puberula	Salvia pulchella
Salvia purpurea	Salvia recognita	Salvia regeliana
Salvia regla	Salvia repens	Salvia reptans
Salvia rhyacophila	Salvia ringens	Salvia roborowskii
Salvia roemeriana	Salvia rubescens	Salvia runcinata
Salvia russellii	Salvia rutilans	Salvia sagittata
Salvia scabra	Salvia scapiformis	Salvia sclarea
Salvia sclareoides	Salvia scutellarioides	Salvia semiatrata
Salvia serpyllifolia	Salvia silvarum	Salvia sinaloensis
Salvia smithii	Salvia somalensis	Salvia sonomensis
Salvia spathacea	Salvia splendens	Salvia sprucei
Salvia squalens	Salvia staminea	Salvia styphelus
Salvia subpalatinervis	Salvia summa	Salvia sylvestris
Salvia taraxacifolia	Salvia tarayensis	Salvia tesquicola
Salvia thermara	Salvia thymoides	Salvia tingitana
Salvia transcaucasica	Salvia transsilvanica	Salvia tricolor
Salvia trijuga	Salvia tubifera	Salvia tubiflora
Salvia uliginosa	Salvia vaseyi	Salvia verbenaca
Salvia verticillata	Salvia villosa	Salvia viridis
Salvia viscosa	Salvia wagneriana	Salvia yunnanensis
Samaipaticereus inquisivensis	Samanea saman	Sambucus caerulea
Sambucus ebulus	Sambucus nigra	Sambucus racemosa
Sambucus sachalinensis	Samolus valerandi	Sanchezia oblonga

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Sandersonia aurantiaca</i>	<i>Sandoricum koetjape</i>	<i>Sanguinaria canadensis</i>
<i>Sanguisorba albiflora</i>	<i>Sanguisorba hakusanensis</i>	<i>Sanguisorba menendezii</i>
<i>Sanguisorba minor</i>	<i>Sanguisorba tenuifolia</i>	<i>Sanicula crassicaulis</i>
<i>Sanicula graveolens</i>	<i>Saniella verna</i>	<i>Sankowskya stipularis</i>
<i>Sansevieria abyssinica</i>	<i>Sansevieria aethiopica</i>	<i>Sansevieria arborescens</i>
<i>Sansevieria aubrytiana</i>	<i>Sansevieria canaliculata</i>	<i>Sansevieria concinna</i>
<i>Sansevieria conspicua</i>	<i>Sansevieria cylindrica</i>	<i>Sansevieria dawei</i>
<i>Sansevieria deserti</i>	<i>Sansevieria ehrenbergii</i>	<i>Sansevieria fischeri</i>
<i>Sansevieria forskaliana</i>	<i>Sansevieria gracilis</i>	<i>Sansevieria grandicuspis</i>
<i>Sansevieria grandis</i>	<i>Sansevieria kirkii</i>	<i>Sansevieria liberica</i>
<i>Sansevieria parva</i>	<i>Sansevieria patens</i>	<i>Sansevieria pearsonii</i>
<i>Sansevieria phillipsiae</i>	<i>Sansevieria pinguicula</i>	<i>Sansevieria raffillii</i>
<i>Sansevieria rorida</i>	<i>Sansevieria roxburghiana</i>	<i>Sansevieria senegambica</i>
<i>Sansevieria singularis</i>	<i>Sansevieria stuckyi</i>	<i>Sansevieria subspicata</i>
<i>Sansevieria suffruticosa</i>	<i>Sansevieria sulcata</i>	<i>Sansevieria trifasciata</i>
<i>Santalum album</i>	<i>Santalum austrocaledonicum</i>	<i>Santalum freycinetianum</i>
<i>Santalum paniculatum</i>	<i>Santalum yasi</i>	<i>Santolina chamaecyparissus</i>
<i>Santolina neapolitana</i>	<i>Santolina oblongifolia</i>	<i>Santolina pectinata</i>
<i>Santolina pinnata</i>	<i>Santolina rosmarinifolia</i>	<i>Santolina tomentosa</i>
<i>Santolina viridis</i>	<i>Sanvitalia procumbens</i>	<i>Sapindus frutescens</i>
<i>Sapindus marginatus</i>	<i>Sapindus mukorossi</i>	<i>Sapindus oahuensis</i>
<i>Sapindus rarak</i>	<i>Sapindus saponaria</i>	<i>Sapindus vitiensis</i>
<i>Sapium integerrimum</i>	<i>Sapium japonicum</i>	<i>Saponaria caespitosa</i>
<i>Saponaria calabrica</i>	<i>Saponaria cypria</i>	<i>Saponaria lutea</i>
<i>Saponaria ocymoides</i>	<i>Saponaria officinalis</i>	<i>Saponaria x olivana</i>
<i>Saponaria pamphylica</i>	<i>Saponaria rubra</i>	<i>Saponaria sicula</i>
<i>Saraca arborescens</i>	<i>Saraca declinata</i>	<i>Saraca indica</i>
<i>Saraca kunstleri</i>	<i>Saraca thaipingensis</i>	<i>Sarcandra glabra</i>
<i>Sarcantopsis nagarensis</i>	<i>Sarcantopsis quaifei</i>	<i>Sarcantopsis warocqueana</i>

<i>Sarcocaulon burmanni</i>	<i>Sarcocaulon crassicaule</i>	<i>Sarcocaulon l'heritieri</i>
<i>Sarcocaulon vanderietiae</i>	<i>Sarcocephalus latifolius</i>	<i>Sarcochilus</i> spp.
<i>Sarcococca confusa</i>	<i>Sarcococca hookeriana</i>	<i>Sarcococca longifolia</i>
<i>Sarcococca orientalis</i>	<i>Sarcococca ruscifolia</i>	<i>Sarcococca saligna</i>
<i>Sarcococca wallichii</i>	<i>Sarcoglottis acaulis</i>	<i>Sarcomelicope simplicifolia</i>
<i>Sarcopetalum harveyanum</i>	<i>Sarcophyton pachyphyllum</i>	<i>Sarcopteryx martyana</i>
<i>Sarcopteryx montana</i>	<i>Sarcopteryx stipata</i>	<i>Sarcostemma insigne</i>
<i>Sarcostemma stipitatum</i>	<i>Sarcostemma stolonifera</i>	<i>Sarcostemma stoloniferum</i>
<i>Sarcostemma subterranea</i>	<i>Sarcostemma vanlessenii</i>	<i>Sarcotoechia cuneata</i>
<i>Sarcotoechia heterophylla</i>	<i>Sarcotoechia serrata</i>	<i>Sarcotoechia villosa</i>
<i>Sarिताea magnifica</i>	<i>Sarmienta repens</i>	<i>Sarmienta scandens</i>
<i>Saropsis fastigiata</i>	<i>Sarracenia alata</i>	<i>Sarracenia flava</i>
<i>Sarracenia hybrids</i>	<i>Sarracenia leucophylla</i>	<i>Sarracenia minor</i>
<i>Sarracenia oreophila</i>	<i>Sarracenia psittacina</i>	<i>Sarracenia purpurea</i>
<i>Sarracenia rubra</i>	<i>Saruma henryi</i>	<i>Sasa admirabilis</i>
<i>Sasa argenteostriata</i>	<i>Sasa borealis</i>	<i>Sasa fortunei</i>
<i>Sasa kurilensis</i>	<i>Sasa masamuneana</i>	<i>Sasa palmata</i>
<i>Sasa quelpaertensis</i>	<i>Sasa tsuboiana</i>	<i>Sasa veitchii</i>
<i>Sasaella bitchuensis</i>	<i>Sasaella glabra</i>	<i>Sassafras albidum</i>
<i>Sassafras tzumu</i>	<i>Satakentia liukuensis</i>	<i>Satranala decussilvae</i>
<i>Satureja biflora</i>	<i>Satureja gilliesii</i>	<i>Satureja hortensis</i>
<i>Satureja montana</i>	<i>Satureja parnassica</i>	<i>Satureja spicigera</i>
<i>Satureja thymbra</i>	<i>Satureja thymbrifolia</i>	<i>Satureja thymifolia</i>
<i>Satyria warszewiczii</i>	<i>Satyrium carneum</i>	<i>Satyrium chlorocorys</i>
<i>Satyrium nepalense</i>	<i>Satyrium rostratum</i>	<i>Satyrium trinerve</i>
<i>Saurauia andreana</i>	<i>Saurauia fasciculata</i>	<i>Saurauia madrensis</i>
<i>Saurauia napaulensis</i>	<i>Saurauia roxburghii</i>	<i>Sauromatum guttatum</i>
<i>Sauromatum venosum</i>	<i>Sauropus albiflorus</i>	<i>Sauropus androgynus</i>
<i>Sauropus macranthus</i>	<i>Sauropus rigens</i>	<i>Sauropus stenocladus</i>
<i>Saururus cernuus</i>	<i>Saussurea albescens</i>	<i>Saussurea alpina</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Saussurea costus</i>	<i>Saussurea gnaphalodes</i>	<i>Saussurea obvallata</i>
<i>Saussurea pygmaea</i>	<i>Saussurea uniflora</i>	<i>Saxegothaea conspicua</i>
<i>Saxifraga adscendens</i>	<i>Saxifraga aizoides</i>	<i>Saxifraga andersonii</i>
<i>Saxifraga androsacea</i>	<i>Saxifraga x anglica</i>	<i>Saxifraga x apiculata</i>
<i>Saxifraga x arendsii</i>	<i>Saxifraga aretioides</i>	<i>Saxifraga aspera</i>
<i>Saxifraga biflora</i>	<i>Saxifraga bronchialis</i>	<i>Saxifraga bryoides</i>
<i>Saxifraga burnati</i>	<i>Saxifraga burserana</i>	<i>Saxifraga caesia</i>
<i>Saxifraga caespitosa</i>	<i>Saxifraga calcicola</i>	<i>Saxifraga callosa</i>
<i>Saxifraga cardiophylla</i>	<i>Saxifraga cebennensis</i>	<i>Saxifraga cherlerioides</i>
<i>Saxifraga chryso-splenifolia</i>	<i>Saxifraga cochlearis</i>	<i>Saxifraga continentalis</i>
<i>Saxifraga cortusifolia</i>	<i>Saxifraga corymbosa</i>	<i>Saxifraga cotyledon</i>
<i>Saxifraga crustata</i>	<i>Saxifraga cuneata</i>	<i>Saxifraga demnatisensis</i>

<i>Saxifraga diapensioides</i>	<i>Saxifraga x elisabethae</i>	<i>Saxifraga x eudoxiana</i>
<i>Saxifraga exarata</i>	<i>Saxifraga federici-augusti</i>	<i>Saxifraga ferdinandi-coburgi</i>
<i>Saxifraga ferruginea</i>	<i>Saxifraga flagellaris</i>	<i>Saxifraga florulenta</i>
<i>Saxifraga fortunei</i>	<i>Saxifraga georgei</i>	<i>Saxifraga geranioides</i>
<i>Saxifraga grisebachii</i>	<i>Saxifraga x haagii</i>	<i>Saxifraga heucherifolia</i>
<i>Saxifraga hirculoides</i>	<i>Saxifraga imbricata</i>	<i>Saxifraga intricata</i>
<i>Saxifraga irrigua</i>	<i>Saxifraga x irvingii</i>	<i>Saxifraga juniperifolia</i>
<i>Saxifraga karadzicensis</i>	<i>Saxifraga kotschyi</i>	<i>Saxifraga x landaueri</i>
<i>Saxifraga latepetiolata</i>	<i>Saxifraga longifolia</i>	<i>Saxifraga luteo-viridis</i>
<i>Saxifraga manshuriensis</i>	<i>Saxifraga marginata</i>	<i>Saxifraga media</i>
<i>Saxifraga moncayensis</i>	<i>Saxifraga moschata</i>	<i>Saxifraga muscoides</i>
<i>Saxifraga mutata</i>	<i>Saxifraga nivalis</i>	<i>Saxifraga x obristii</i>
<i>Saxifraga oregana</i>	<i>Saxifraga pallida</i>	<i>Saxifraga pedemontana</i>
<i>Saxifraga pensylvanica</i>	<i>Saxifraga porophylla</i>	<i>Saxifraga pubescens</i>
<i>Saxifraga pulvinaria</i>	<i>Saxifraga punctulata</i>	<i>Saxifraga retusa</i>
<i>Saxifraga rotundifolia</i>	<i>Saxifraga x salmonica</i>	<i>Saxifraga scardica</i>
<i>Saxifraga sempervivum</i>	<i>Saxifraga siberica</i>	<i>Saxifraga sikkimensis</i>

<i>Saxifraga spruneri</i>	<i>Saxifraga squarrosa</i>	<i>Saxifraga stellaris</i>
<i>Saxifraga stribnyi</i>	<i>Saxifraga tombeanensis</i>	<i>Saxifraga umbrosa</i>
<i>Saxifraga valdensis</i>	<i>Saxifraga vayredana</i>	<i>Scabiosa africana</i>
<i>Scabiosa alpina</i>	<i>Scabiosa atropurpurea</i>	<i>Scabiosa caucasica</i>
<i>Scabiosa cinerea</i>	<i>Scabiosa crenata</i>	<i>Scabiosa cretica</i>
<i>Scabiosa crinita</i>	<i>Scabiosa dumetorum</i>	<i>Scabiosa epirota</i>
<i>Scabiosa farinosa</i>	<i>Scabiosa graminifolia</i>	<i>Scabiosa gramuntia</i>
<i>Scabiosa hymettia</i>	<i>Scabiosa incisa</i>	<i>Scabiosa isetensis</i>
<i>Scabiosa japonica</i>	<i>Scabiosa lachnophylla</i>	<i>Scabiosa lucida</i>
<i>Scabiosa pulsatilloides</i>	<i>Scabiosa rhodopensis</i>	<i>Scabiosa saxatilis</i>
<i>Scabiosa silenifolia</i>	<i>Scabiosa speciosa</i>	<i>Scabiosa sphaciotica</i>
<i>Scabiosa taygetea</i>	<i>Scabiosa tomentosa</i>	<i>Scabiosa triandra</i>
<i>Scabiosa turolensis</i>	<i>Scabiosa variifolia</i>	<i>Scabiosa vestina</i>
<i>Scadoxus cinnabarinus</i>	<i>Scadoxus membranaceus</i>	<i>Scadoxus multiflorus</i>
<i>Scadoxus pole-evansii</i>	<i>Scadoxus pseudocaulus</i>	<i>Scadoxus puniceus</i>
<i>Scaevola albida</i>	<i>Scaevola balansae</i>	<i>Scaevola calendulacea</i>
<i>Scaevola dielsii</i>	<i>Scaevola enantophylla</i>	<i>Scaevola gracilis</i>
<i>Scaevola helmsii</i>	<i>Scaevola holosericea</i>	<i>Scaevola hookeri</i>
<i>Scaevola humilis</i>	<i>Scaevola x hybrida</i>	<i>Scaevola linearis</i>
<i>Scaevola montana</i>	<i>Scaevola oppositifolia</i>	<i>Scaevola procera</i>
<i>Scaevola ramosissima</i>	<i>Scaevola stricta</i>	<i>Scaevola tahitensis</i>
<i>Scandia rosifolia</i>	<i>Scaphochlamys biloba</i>	<i>Scaphochlamys lanceolata</i>
<i>Scaphoselapum</i> spp.	<i>Scaphyglottis</i> spp.	<i>Sceletium emarcidum</i>
<i>Sceletium tortuosum</i>	<i>Sceletium varians</i>	<i>Scelochilus</i> spp.
<i>Schaffneria nigripes</i>	<i>Schaueria calycotricha</i>	<i>Schaueria flavicoma</i>
<i>Schefflera actinophylla</i>	<i>Schefflera albido-bracteata</i>	<i>Schefflera albidobracteata</i>
<i>Schefflera arboricola</i>	<i>Schefflera belangeri</i>	<i>Schefflera cephalotes</i>
<i>Schefflera chaetorrhachis</i>	<i>Schefflera delavayi</i>	<i>Schefflera digitata</i>
<i>Schefflera elegantissima</i>	<i>Schefflera elliptica</i>	<i>Schefflera gabriellae</i>
<i>Schefflera heptaphylla</i>	<i>Schefflera insularum</i>	<i>Schefflera kerchoveiana</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Schefflera macrophylla</i>	<i>Schefflera microphylla</i>	<i>Schefflera osyana</i>
<i>Schefflera petelotii</i>	<i>Schefflera pubigera</i>	<i>Schefflera pueckleri</i>
<i>Schefflera reginae</i>	<i>Schefflera rotundifolia</i>	<i>Schefflera roxburghii</i>
<i>Schefflera setulosa</i>	<i>Schefflera taiwaniana</i>	<i>Schefflera tomentosa</i>
<i>Schefflera veitchii</i>	<i>Schefflera venulosa</i>	<i>Schefflera versteegii</i>
<i>Schelhammera multiflora</i>	<i>Schelhammera undulata</i>	<i>Schellolepis percussa</i>
<i>Schellolepis persicifolia</i>	<i>Schellolepis subauriculata</i>	<i>Schima brevifolia</i>
<i>Schima wallichii</i>	<i>Schinopsis balansae</i>	<i>Schinopsis quebracho-colorado</i>
<i>Schinus latifolius</i>	<i>Schinus lentiscifolius</i>	<i>Schinus molle</i>
<i>Schinus patagonicus</i>	<i>Schinus terebinthifolius</i>	<i>Schinus weinmanniaefolius</i>
<i>Schinziophyton rautanenii</i>	<i>Schippia concolor</i>	<i>Schisandra chinensis</i>
<i>Schisandra neglecta</i>	<i>Schisandra propinqua</i>	<i>Schisandra repanda</i>
<i>Schisandra rubriflora</i>	<i>Schisandra sphenanthera</i>	<i>Schismatoglottis acuminatissima</i>
<i>Schismatoglottis ahmadii</i>	<i>Schismatoglottis asperata</i>	<i>Schismatoglottis barbata</i>
<i>Schismatoglottis bauensis</i>	<i>Schismatoglottis brevicuspis</i>	<i>Schismatoglottis brevipes</i>
<i>Schismatoglottis calyprata</i>	<i>Schismatoglottis calyprata x wallichii</i>	<i>Schismatoglottis convolvula</i>
<i>Schismatoglottis emarginata</i>	<i>Schismatoglottis ferruginea</i>	<i>Schismatoglottis hottae</i>
<i>Schismatoglottis lingua</i>	<i>Schismatoglottis longicaulis</i>	<i>Schismatoglottis motleyana</i>
<i>Schismatoglottis multiflora</i>	<i>Schismatoglottis mutata</i>	<i>Schismatoglottis okadae</i>
<i>Schismatoglottis ovata</i>	<i>Schismatoglottis retinervia</i>	<i>Schismatoglottis rupestris</i>
<i>Schismatoglottis scortechini</i>	<i>Schismatoglottis scortechinii</i>	<i>Schismatoglottis tectorata</i>
<i>Schismatoglottis wallichii</i>	<i>Schismus arabicus</i>	<i>Schismus barbatus</i>
<i>Schistostephium oxylobum</i>	<i>Schistotylus purpuratus</i>	<i>Schivereckia podolica</i>
<i>Schizachne purpurascens</i>	<i>Schizachyrium scoparium</i>	<i>Schizachyrium tenerum</i>
<i>Schizacme montana</i>	<i>Schizaea asperula</i>	<i>Schizaea bifida</i>
<i>Schizandra chinensis</i>	<i>Schizanthus gilliesii</i>	<i>Schizanthus grahamii</i>
<i>Schizanthus hookeri</i>	<i>Schizanthus pinnatus</i>	<i>Schizanthus venustus</i>

Schizanthus x wisetonensis	Schizeilema fragoseum	Schizobasis intricata
Schizogyne glaberrima	Schizolobium parahyba	Schizomeria ovata
Schizonepeta tenuifolia	Schizopetalon walkeri	Schizophragma corylifolium
Schizophragma hydrangeoides	Schizophragma integrifolia	Schizophragma integrifolium
Schizostachyum brachycladum	Schizostachyum dumetorum	Schizostachyum funghomii
Schizostachyum glaucifolium	Schizostachyum jaculans	Schizostachyum lima
Schizostachyum lumampao	Schizostachyum polymorphum	Schizostachyum pseudolima
Schlechteranthus hallii	Schleichera oleosa	Schleinitzia fosbergii
Schleinitzia insularum	Schleinitzia novo-guineensis	Schlimia spp.
Schlumbergera x buckleyi	Schlumbergera opuntioides	Schlumbergera orssichiana
Schlumbergera x reginae	Schlumbergera russelliana	Schlumbergera truncata
Schmaltzia integrifolia	Schoenia ramosissima	Schoenocaulon texanum
Schoenoplectiella erecta	Schoenoplectiella juncoides	Schoenoplectiella supina
Schoenoplectus inclinatus	Schoenorchis spp.	Schoenus calyptratus
Schoenus imberbis	Schoenus latelaminatus	Schoenus melanostachys
Schoenus tesquorum	Schomburgkia spp.	Schotia brachypetala
Schotia capitata	Schotia latifolia	Schrebera alata
Schrebera saundersiae	Schwantesia acutipetala	Schwantesia herrei
Schwantesia loeschiana	Schwantesia ruedebuschii	Schwantesia speciosa
Schwantesia succumbens	Schwantesia triebneri	Sciadopitys verticillata
Scilla autumnalis	Scilla berthelotii	Scilla bithynica
Scilla cilicica	Scilla cretica	Scilla greilhuberi
Scilla haemorrhoidalis	Scilla hohenackeri	Scilla hughii
Scilla kraussii	Scilla latifolia	Scilla litardierei
Scilla mischtschenkoana	Scilla monophyllos	Scilla morrisii
Scilla nana	Scilla numidica	Scilla nutans
Scilla obtusifolia	Scilla pauciflora	Scilla peruviana

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Scilla polyphylla</i>	<i>Scilla pubescens</i>	<i>Scilla ramburei</i>
<i>Scilla rosenii</i>	<i>Scilla scilloides</i>	<i>Scilla sicula</i>
<i>Scilla spicata</i>	<i>Scilla vincentina</i>	<i>Scilla vvedenskyi</i>
<i>Scilla welwitschii</i>	<i>Scindapsus altissimus</i>	<i>Scindapsus beccarii</i>
<i>Scindapsus hederaceus</i>	<i>Scindapsus pictus</i>	<i>Scindapsus rupestris</i>
<i>Scindapsus siamensis</i>	<i>Scindapsus splendidus</i>	<i>Scirpodendron ghaeri</i>
<i>Scirpoides burkei</i>	<i>Scirpus albescens</i>	<i>Scirpus inclinatus</i>
<i>Scirpus merrillii</i>	<i>Scleranthus biflorus</i>	<i>Scleranthus brockiei</i>
<i>Scleranthus diander</i>	<i>Scleranthus pungens</i>	<i>Scleranthus singuliflorus</i>
<i>Scleranthus uniflorus</i>	<i>Scleria ciliaris</i>	<i>Scleria laevis</i>
<i>Scleria sphacelata</i>	<i>Scleroblitum atriplicinum</i>	<i>Sclerocactus blainei</i>
<i>Sclerocactus brevihamatus</i>	<i>Sclerocactus erectocentrus</i>	<i>Sclerocactus glaucus</i>
<i>Sclerocactus intertextus</i>	<i>Sclerocactus johnsonii</i>	<i>Sclerocactus mariposensis</i>
<i>Sclerocactus mesae-verdae</i>	<i>Sclerocactus nyensis</i>	<i>Sclerocactus papyracanthus</i>
<i>Sclerocactus polyancistrus</i>	<i>Sclerocactus pubispinus</i>	<i>Sclerocactus scheeri</i>
<i>Sclerocactus sileri</i>	<i>Sclerocactus spinosior</i>	<i>Sclerocactus uncinatus</i>
<i>Sclerocactus unguispinus</i>	<i>Sclerocactus warnockii</i>	<i>Sclerocactus whipplei</i>
<i>Sclerocactus wrightiae</i>	<i>Sclerocarya birrea</i>	<i>Sclerochiton harveyanus</i>
<i>Sclerocroton integerrimus</i>	<i>Sclerolaena brachyptera</i>	<i>Sclerolaena divaricata</i>
<i>Sclerolaena napiformis</i>	<i>Sclerolaena stelligera</i>	<i>Sclerolaena tetracuspis</i>
<i>Scleropogon brevifolius</i>	<i>Sclerostegia arbuscula</i>	<i>Sclerostegia tenuis</i>
<i>Scolochloa festucacea</i>	<i>Scolopia braunii</i>	<i>Scolopia brownii</i>
<i>Scolopia chinensis</i>	<i>Scolopia mundii</i>	<i>Scolymus hispanicus</i>
<i>Scolymus maculatus</i>	<i>Scoparia dulcis</i>	<i>Scopelogenia veruculata</i>
<i>Scopolia physaloides</i>	<i>Scopolia stramonifolia</i>	<i>Scorodocarpus borneensis</i>
<i>Scorpiurus muricatus</i>	<i>Scorzonera hispanica</i>	<i>Scrophularia frutescens</i>
<i>Scrophularia nodosa</i>	<i>Scrophularia olympica</i>	<i>Scrophularia parviflora</i>
<i>Scrophularia smithii</i>	<i>Scrophularia sublyrata</i>	<i>Scutellaria albida</i>
<i>Scutellaria alpina</i>	<i>Scutellaria antirrhinoides</i>	<i>Scutellaria aurata</i>
<i>Scutellaria baicalensis</i>	<i>Scutellaria californica</i>	<i>Scutellaria coccinea</i>

<i>Scutellaria columnae</i>	<i>Scutellaria costaricana</i>	<i>Scutellaria formosana</i>
<i>Scutellaria goulimyi</i>	<i>Scutellaria hirta</i>	<i>Scutellaria hookeri</i>
<i>Scutellaria humilis</i>	<i>Scutellaria incana</i>	<i>Scutellaria incarnata</i>
<i>Scutellaria indica</i>	<i>Scutellaria integrifolia</i>	<i>Scutellaria javanica</i>
<i>Scutellaria lateriflora</i>	<i>Scutellaria mollis</i>	<i>Scutellaria novae-zelandiae</i>
<i>Scutellaria oblonga</i>	<i>Scutellaria orientalis</i>	<i>Scutellaria pichleri</i>
<i>Scutellaria pontica</i>	<i>Scutellaria rubicunda</i>	<i>Scutellaria speciosa</i>
<i>Scutellaria suffrutescens</i>	<i>Scutellaria tournefortii</i>	<i>Scutellaria violacea</i>
<i>Scutellaria woronowii</i>	<i>Scutia buxifolia</i>	<i>Scuticaria</i> spp.
<i>Scyphularia pentaphylla</i>	<i>Scyphularia pycnocarpa</i>	<i>Scyphularia sinusora</i>
<i>Sebastiania klotzschiana</i>	<i>Secale cereale</i>	<i>Sechium edule</i>
<i>Securidaca longipedunculata</i>	<i>Securigera orientalis</i>	<i>Securigera parviflora</i>
<i>Securigera varia</i>	<i>Securinega durissima</i>	<i>Securinega flexuosa</i>
<i>Securinega melanthesoides</i>	<i>Sedeveria x hummellii</i>	<i>Sedirea japonica</i>
<i>Sedum adolphi</i>	<i>Sedum allantoides</i>	<i>Sedum americanum</i>

<i>Sedum amplexicaule</i>	<i>Sedum bellum</i>	<i>Sedum bodinieri</i>
<i>Sedum brevifolium</i>	<i>Sedum burrito</i>	<i>Sedum caeruleum</i>
<i>Sedum caucasicum</i>	<i>Sedum clavatum</i>	<i>Sedum compactum</i>
<i>Sedum compressum</i>	<i>Sedum cremnophila</i>	<i>Sedum cupressoides</i>
<i>Sedum dasyphyllum</i>	<i>Sedum divergens</i>	<i>Sedum frutescens</i>
<i>Sedum furfuraceum</i>	<i>Sedum glaucum</i>	<i>Sedum greggii</i>
<i>Sedum hernandezii</i>	<i>Sedum hintonii</i>	<i>Sedum hirsutum</i>
<i>Sedum humifusum</i>	<i>Sedum hybrids</i>	<i>Sedum japonicum</i>
<i>Sedum lanceolatum</i>	<i>Sedum lineare</i>	<i>Sedum lucidum</i>
<i>Sedum lydium</i>	<i>Sedum macdougallii</i>	<i>Sedum makinoi</i>
<i>Sedum mexicanum</i>	<i>Sedum meyeri</i>	<i>Sedum middendorffianum</i>
<i>Sedum mocinianum</i>	<i>Sedum montanum</i>	<i>Sedum moranense</i>
<i>Sedum morganianum</i>	<i>Sedum nanifolium</i>	<i>Sedum nevii</i>
<i>Sedum nussbaumerianum</i>	<i>Sedum oreganum</i>	<i>Sedum oregonense</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Sedum oxypetalum</i>	<i>Sedum pachyphyllum</i>	<i>Sedum palmeri</i>
<i>Sedum pilosum</i>	<i>Sedum potosinum</i>	<i>Sedum pulchellum</i>
<i>Sedum reniforme</i>	<i>Sedum rupestre</i>	<i>Sedum sediforme</i>
<i>Sedum sexangulare</i>	<i>Sedum sieboldii</i>	<i>Sedum spathulifolium</i>
<i>Sedum stahlii</i>	<i>Sedum tectorum</i>	<i>Sedum ternatum</i>
<i>Sedum treleasei</i>	<i>Sedum trollii</i>	<i>Seemannia gymnostoma</i>
<i>Seemannia latifolia</i>	<i>Seemannia purpurascens</i>	<i>Seemannia sylvatica</i>
<i>Seguieria guaranítica</i>	<i>Sehima sulcata</i>	<i>Seidenfadenia</i> spp.
<i>Selaginella arbuscula</i>	<i>Selaginella australiensis</i>	<i>Selaginella bryopteris</i>
<i>Selaginella canaliculata</i>	<i>Selaginella denticulata</i>	<i>Selaginella emmeliana</i>
<i>Selaginella erythropus</i>	<i>Selaginella firmuloides</i>	<i>Selaginella galeottii</i>
<i>Selaginella gigantea</i>	<i>Selaginella helvetica</i>	<i>Selaginella heterodonta</i>
<i>Selaginella hordeiformis</i>	<i>Selaginella imbricata</i>	<i>Selaginella lepidophylla</i>
<i>Selaginella lobbii</i>	<i>Selaginella pilifera</i>	<i>Selaginella plumosa</i>
<i>Selaginella polymorpha</i>	<i>Selaginella serpens</i>	<i>Selaginella uliginosa</i>
<i>Selaginella uncinata</i>	<i>Selaginella victoriae</i>	<i>Selaginella wallichii</i>
<i>Selago densiflora</i>	<i>Selago serrata</i>	<i>Selago spuria</i>
<i>Selago thunbergii</i>	<i>Selago thyrsoides</i>	<i>Selenicereus anthonyanus</i>
<i>Selenicereus boeckmanni</i>	<i>Selenicereus chontalensis</i>	<i>Selenicereus chrysocardium</i>
<i>Selenicereus donkelaarii</i>	<i>Selenicereus grandiflorus</i>	<i>Selenicereus hamatus</i>
<i>Selenicereus hondurensis</i>	<i>Selenicereus inermis</i>	<i>Selenicereus spinulosus</i>
<i>Selenicereus testudo</i>	<i>Selenicereus urbanianus</i>	<i>Selenicereus vagans</i>
<i>Selenicereus wittii</i>	<i>Selenothamnus helmsii</i>	<i>Selinum candollei</i>
<i>Selinum wallichianum</i>	<i>Selliguea feei</i>	<i>Selliguea feeioides</i>
<i>Selliguea lima</i>	<i>Semecarpus anacardium</i>	<i>Semecarpus australiensis</i>
<i>Semele androgyna</i>	<i>Semiaquilegia simulatrix</i>	<i>Semiarundinaria okuboi</i>
<i>Semiarundinaria yashadake</i>	<i>Semnanthe lacera</i>	<i>Sempervivum allionii</i>
<i>Sempervivum angustifolium</i>	<i>Sempervivum arachnoideum</i>	<i>Sempervivum arvernense</i>
<i>Sempervivum atlanticum</i>	<i>Sempervivum aureum</i>	<i>Sempervivum barbulatum</i>

<i>Sempervivum calcareum</i>	<i>Sempervivum cantabricum</i>	<i>Sempervivum caucasicum</i>
<i>Sempervivum ciliosum</i>	<i>Sempervivum decorum</i>	<i>Sempervivum x fauconnettii</i>
<i>Sempervivum frutescens</i>	<i>Sempervivum giuseppii</i>	<i>Sempervivum glaucum</i>
<i>Sempervivum grandiflorum</i>	<i>Sempervivum hirtum</i>	<i>Sempervivum hybrids</i>
<i>Sempervivum kosaninii</i>	<i>Sempervivum manriqueorum</i>	<i>Sempervivum marmoreum</i>
<i>Sempervivum montanum</i>	<i>Sempervivum palmense</i>	<i>Sempervivum pumilum</i>
<i>Sempervivum tectorum</i>	<i>Sempervivum urbicum</i>	<i>Sempervivum wulfenii</i>
<i>Sempervivum zeleborii</i>	<i>Senecio abrotanifolius</i>	<i>Senecio adonidifolius</i>
<i>Senecio albogilvus</i>	<i>Senecio amygdalifolius</i>	<i>Senecio anethifolius</i>
<i>Senecio antandroi</i>	<i>Senecio articulatus</i>	<i>Senecio bellidioides</i>
<i>Senecio brassica</i>	<i>Senecio brunonis</i>	<i>Senecio calthaefolius</i>
<i>Senecio cassinioides</i>	<i>Senecio chilensis</i>	<i>Senecio cineraria</i>
<i>Senecio cinerascens</i>	<i>Senecio citrifolius</i>	<i>Senecio cunninghamii</i>
<i>Senecio cymosus</i>	<i>Senecio dentatus</i>	<i>Senecio diaschides</i>
<i>Senecio elegans</i>	<i>Senecio ficoides</i>	<i>Senecio garlandii</i>
<i>Senecio glomeratus x minimus</i>	<i>Senecio hansenii</i>	<i>Senecio haworthii</i>
<i>Senecio hectori</i>	<i>Senecio heritieri</i>	<i>Senecio herreianus</i>
<i>Senecio hubertia</i>	<i>Senecio huntii</i>	<i>Senecio jacobsenii</i>
<i>Senecio keniodendron</i>	<i>Senecio kleinia</i>	<i>Senecio kleiniiformis</i>
<i>Senecio lanibracteus</i>	<i>Senecio leptocarpus</i>	<i>Senecio lilacinus</i>
<i>Senecio lyratus</i>	<i>Senecio macrocarpus</i>	<i>Senecio macroglossus</i>
<i>Senecio mandraliscae</i>	<i>Senecio maritimus</i>	<i>Senecio medley-woodii</i>
<i>Senecio megaglossus</i>	<i>Senecio monroi</i>	<i>Senecio neohumbertii</i>
<i>Senecio niveus</i>	<i>Senecio odoratus</i>	<i>Senecio pectinatus</i>
<i>Senecio pendulus</i>	<i>Senecio perdicioides</i>	<i>Senecio polyodon</i>
<i>Senecio primulaefolius</i>	<i>Senecio pterophorus</i>	<i>Senecio pubiger</i>
<i>Senecio radicans</i>	<i>Senecio repens</i>	<i>Senecio rowleyanus</i>
<i>Senecio saxifragoides</i>	<i>Senecio scandens</i>	<i>Senecio scaposus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Senecio scorzoneroideus</i>	<i>Senecio serpens</i>	<i>Senecio soldanella</i>
<i>Senecio spanomerus</i>	<i>Senecio tamoides</i>	<i>Senecio tropaeolifolius</i>
<i>Senecio tussilaginis</i>	<i>Senecio velleioides</i>	<i>Senecio viravira</i>
<i>Senecio vulgaris</i>	<i>Senna acclinis</i>	<i>Senna aciphylla</i>
<i>Senna appendiculata</i>	<i>Senna arnottiana</i>	<i>Senna bacillaris</i>
<i>Senna barronfieldii</i>	<i>Senna bicapsularis</i>	<i>Senna birostris</i>
<i>Senna candolleana</i>	<i>Senna circinnata</i>	<i>Senna coronilloides</i>
<i>Senna cumingii</i>	<i>Senna didymobotrya</i>	<i>Senna fruticosa</i>
<i>Senna gaudichaudii</i>	<i>Senna heptanthera</i>	<i>Senna leptoclada</i>
<i>Senna lindheimeriana</i>	<i>Senna marilandica</i>	<i>Senna mexicana</i>
<i>Senna occidentalis</i>	<i>Senna odorata</i>	<i>Senna pallida</i>
<i>Senna phyllodinea</i>	<i>Senna pistaciifolia</i>	<i>Senna polyantha</i>
<i>Senna pumilio</i>	<i>Senna purpusii</i>	<i>Senna racemosa</i>
<i>Senna reticulata</i>	<i>Senna siamea</i>	<i>Senna splendida</i>
<i>Senna stipulacea</i>	<i>Senna sturtii</i>	<i>Senna versicolor</i>
<i>Senna wislizenii</i>	<i>Sequoia sempervirens</i>	<i>Sequoiadendron giganteum</i>
<i>Serapias lingua</i>	<i>Serapias orientalis</i>	<i>Serenoa repens</i>
<i>Serianthes sachetae</i>	<i>Sericanthe andongensis</i>	<i>Sericocarpus linifolius</i>
<i>Sericocoma avolans</i>	<i>Seringia arborescens</i>	<i>Seriphidium vallesiacum</i>
<i>Serissa japonica</i>	<i>Serjania clematidifolia</i>	<i>Serjania filicifolia</i>
<i>Serjania mexicana</i>	<i>Serpyllopsis caespitosa</i>	<i>Serratula nudicaulis</i>
<i>Serratula seoanei</i>	<i>Serruria acrocarpa</i>	<i>Serruria adscendens</i>
<i>Serruria aitonii</i>	<i>Serruria elongata</i>	<i>Serruria florida</i>
<i>Serruria florida x rosea</i>	<i>Serruria fucifolia</i>	<i>Serruria glomerata</i>
<i>Serruria gracilis</i>	<i>Serruria linearis</i>	<i>Serruria pedunculata</i>
<i>Serruria phyllicoides</i>	<i>Serruria rosea</i>	<i>Sesamothamnus lugardii</i>
<i>Sesamum capense</i>	<i>Sesamum indicum</i>	<i>Sesamum prostratum</i>
<i>Sesbania aegyptica</i>	<i>Sesbania coerulescens</i>	<i>Sesbania goetzii</i>
<i>Sesbania grandiflora</i>	<i>Sesbania greenwayi</i>	<i>Sesbania keniensis</i>
<i>Sesbania longifolia</i>	<i>Sesbania microphylla</i>	<i>Sesbania pachycarpa</i>

<i>Sesbania paulensis</i>	<i>Sesbania quadrata</i>	<i>Sesbania rostrata</i>
<i>Sesbania sesban</i>	<i>Sesbania speciosa</i>	<i>Seseli gummiferum</i>
<i>Seseli transcasicum</i>	<i>Sesleria alba</i>	<i>Sesleria caerulea</i>
<i>Sesleria heufleriana</i>	<i>Sessilistigma radians</i>	<i>Setaria appendiculata</i>
<i>Setaria faberi</i>	<i>Setaria fiebrigii</i>	<i>Setaria finita</i>
<i>Setaria incrassata</i>	<i>Setaria italica</i>	<i>Setaria italica x faberi</i>
<i>Setaria kagerensis</i>	<i>Setaria lachnea</i>	<i>Setaria leucopila</i>
<i>Setaria palmifolia</i>	<i>Setaria parviflora</i>	<i>Setaria phragmitoides</i>
<i>Setaria porphyrantha</i>	<i>Setaria pumila</i>	<i>Setaria scabrifolia</i>
<i>Setaria spartella</i>	<i>Setaria sphacelata</i>	<i>Setaria tenuiseta</i>
<i>Setaria verticillata</i>	<i>Seyrigia bosseri</i>	<i>Seyrigia gracilis</i>
<i>Seyrigia humbertii</i>	<i>Sherardia arvensis</i>	<i>Shibataea kumasasa</i>
<i>Shibataea lanceifolia</i>	<i>Shirakiopsis indica</i>	<i>Shorea curtisii</i>
<i>Shorea glauca</i>	<i>Shorea macrophylla</i>	<i>Shorea macroptera</i>
<i>Shorea mecistopterix</i>	<i>Shorea obtusa</i>	<i>Shorea pinanga</i>
<i>Shorea robusta</i>	<i>Shorea siamensis</i>	<i>Shortia galacifolia</i>
<i>Shortia soldanelloides</i>	<i>Shortia uniflora</i>	<i>Shuteria hirsuta</i>
<i>Shuteria involocrata</i>	<i>Sibbaldia purpurea</i>	<i>Sibiraea angustata</i>
<i>Sibiraea laevigata</i>	<i>Sicana odorifera</i>	<i>Sida corrugata</i>
<i>Sida cryphiopetala</i>	<i>Sida cunninghamii</i>	<i>Sida fallax</i>
<i>Sida goniocarpa</i>	<i>Sida spinosa</i>	<i>Sida subcordata</i>
<i>Sida subspicata</i>	<i>Sidalcea candida</i>	<i>Sidalcea hendersonii</i>
<i>Sidalcea malviflora</i>	<i>Siderasis fuscata</i>	<i>Sideritis barbellata</i>
<i>Sideritis bolleana</i>	<i>Sideritis cabreræ</i>	<i>Sideritis canariensis</i>
<i>Sideritis candicans</i>	<i>Sideritis cystosiphon</i>	<i>Sideritis dasygnaphala</i>
<i>Sideritis discolor</i>	<i>Sideritis gomerae</i>	<i>Sideritis hirsuta</i>
<i>Sideritis hyssopifolia</i>	<i>Sideritis macrostachys</i>	<i>Sideritis nutans</i>
<i>Sideritis syriaca</i>	<i>Sideritis taurica</i>	<i>Sideroxylon grandiflorum</i>
<i>Sideroxylon inerme</i>	<i>Sideroxylon lanuginosum</i>	<i>Sideroxylon majus</i>
<i>Sievekingia</i> spp.	<i>Sigesbeckia orientalis</i>	<i>Sigmatostalix</i> spp.

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Silene alpestris</i>	<i>Silene andicola</i>	<i>Silene apetala</i>
<i>Silene araratica</i>	<i>Silene armeria</i>	<i>Silene asterias</i>
<i>Silene atlantica</i>	<i>Silene atropurpurea</i>	<i>Silene auriculata</i>
<i>Silene banksia</i>	<i>Silene bellidioides</i>	<i>Silene bourgaei</i>
<i>Silene burchellii</i>	<i>Silene californica</i>	<i>Silene campanulata</i>
<i>Silene capensis</i>	<i>Silene capitata</i>	<i>Silene chilensis</i>
<i>Silene coeli-rosa</i>	<i>Silene compacta</i>	<i>Silene coronaria</i> x <i>flos-jovis</i>
<i>Silene delavayi</i>	<i>Silene dinarica</i>	<i>Silene flos-jovis</i>
<i>Silene frivaldszkyana</i>	<i>Silene fruticosa</i>	<i>Silene gallica</i>
<i>Silene gonosperma</i>	<i>Silene grandiflora</i>	<i>Silene hifacensis</i>
<i>Silene hookeri</i>	<i>Silene keiskei</i>	<i>Silene laciniata</i>
<i>Silene linnaeana</i>	<i>Silene longicaulis</i>	<i>Silene magellanica</i>
<i>Silene multicaulis</i>	<i>Silene nigrescens</i>	<i>Silene nocturna</i>
<i>Silene olympica</i>	<i>Silene orientalis</i>	<i>Silene parishii</i>
<i>Silene parnassica</i>	<i>Silene parryi</i>	<i>Silene petraea</i>

<i>Silene regia</i>	<i>Silene rupestris</i>	<i>Silene saxatilis</i>
<i>Silene saxifraga</i>	<i>Silene schafta</i>	<i>Silene suecica</i>
<i>Silene suksdorfii</i>	<i>Silene supina</i>	<i>Silene undulata</i>
<i>Silene uniflora</i>	<i>Silene vallesia</i>	<i>Silene virginica</i>
<i>Silene viscaria</i>	<i>Silene vulgaris</i>	<i>Silene waldsteinii</i>
<i>Silene wolgensis</i>	<i>Silene yunnanensis</i>	<i>Silene zawadskii</i>
<i>Silphium compositum</i>	<i>Silphium laciniatum</i>	<i>Silphium trifoliatum</i>
<i>Simethis planifolia</i>	<i>Simmondsia chinensis</i>	<i>Sinapidendron frutescens</i>
<i>Sinapis alba</i>	<i>Sinapis arvensis</i>	<i>Sinapis sinensis</i>
<i>Sinarundinaria intermedia</i>	<i>Sinningia aggregata</i>	<i>Sinningia barbata</i>
<i>Sinningia brasiliensis</i>	<i>Sinningia canescens</i>	<i>Sinningia cardinalis</i>
<i>Sinningia cooperi</i>	<i>Sinningia douglasii</i>	<i>Sinningia elliptica</i>
<i>Sinningia eumorpha</i>	<i>Sinningia gigantifolia</i>	<i>Sinningia hirsuta</i>
<i>Sinningia incarnata</i>	<i>Sinningia lateritia</i>	<i>Sinningia leucotricha</i>

<i>Sinningia lineata</i>	<i>Sinningia macropoda</i>	<i>Sinningia macrostachya</i>
<i>Sinningia sceptrum</i>	<i>Sinningia sellowii</i>	<i>Sinningia speciosa</i>
<i>Sinningia tuberosa</i>	<i>Sinningia tubiflora</i>	<i>Sinningia warmingii</i>
<i>Sinningia warszewiczii</i>	<i>Sinobambusa rubroligula</i>	<i>Sinobambusa tootsik</i>
<i>Sinocalamus latiflorus</i>	<i>Sinocalycanthus chinensis</i>	<i>Sinocalycanthus chinensis</i> <i>x Calycanthus floridus</i>
<i>Sinocalycanthus chinensis x</i> <i>Chimonanthus praecox</i>	<i>Sinocrassula yunnanensis</i>	<i>Sinofranchetia chinensis</i>
<i>Sinoga lysicephala</i>	<i>Sinojackia rehderiana</i>	<i>Sinojackia xylocarpa</i>
<i>Sinomenium acutum</i>	<i>Siphocampylus comosus</i>	<i>Siphocampylus giganteus</i>
<i>Siphonochilus decorus</i>	<i>Siphonochilus kirkii</i>	<i>Siphonodon australis</i>
<i>Siraitia grosvenorii</i>	<i>Sisymbrium altissimum</i>	<i>Sisymbrium erysimoides</i>
<i>Sisymbrium irio</i>	<i>Sisymbrium luteum</i>	<i>Sisymbrium officinale</i>
<i>Sisymbrium orientale</i>	<i>Sisymbrium runcinatum</i>	<i>Sisyrinchium angustifolium</i>
<i>Sisyrinchium bellum</i>	<i>Sisyrinchium bermudiana</i>	<i>Sisyrinchium bogotense</i>
<i>Sisyrinchium californicum</i>	<i>Sisyrinchium filifolium</i>	<i>Sisyrinchium</i> <i>graminifolium</i>
<i>Sisyrinchium idahoense</i>	<i>Sisyrinchium iridifolium</i>	<i>Sisyrinchium junceum</i>
<i>Sisyrinchium littorale</i>	<i>Sisyrinchium macrocarpon</i>	<i>Sisyrinchium macrocarpum</i>
<i>Sisyrinchium patagonicum</i>	<i>Sisyrinchium pearcei</i>	<i>Sisyrinchium striatum</i>
<i>Sisyrinchium tinctorium</i>	<i>Sium sisarum</i>	<i>Skimmia anquetilia</i>
<i>Skimmia arborescens</i>	<i>Skimmia x confusa</i>	<i>Skimmia japonica</i>
<i>Skimmia laureola</i>	<i>Skimmia reevesiana</i>	<i>Sleumerodendron austro-</i> <i>caledonicum</i>
<i>Sloanea australis</i>	<i>Sloanea sinensis</i>	<i>Sloanea woollsii</i>
<i>Smallanthus sonchifolius</i>	<i>Smelowskia calycina</i>	<i>Smicrostigma viride</i>
<i>Smilax anceps</i>	<i>Smilax aristolochiifolia</i>	<i>Smilax calophylla</i>
<i>Smilax china</i>	<i>Smilax ferox</i>	<i>Smilax glyciophylla</i>
<i>Smilax lanceifolia</i>	<i>Smilax latifolia</i>	<i>Smilax marginulata</i>
<i>Smilax officinalis</i>	<i>Smirnowia turkeстана</i>	<i>Smithia blanda</i>
<i>Smithia ciliata</i>	<i>Smithia setulosa</i>	<i>Smithiantha cinnabarina</i>
<i>Smithiantha laui</i>	<i>Smithiantha multiflora</i>	<i>Smithiantha zebrina</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Smitinandia spp.	Smodingium argutum	Smyrniolum olusatrum
Smyrniolum perfoliatum	Sobennikoffia spp.	Sobralia amabilis
Sobralia augusta	Sobralia decora	Sobralia macrantha
Sobralia xantholeuca	Socratea durissima	Socratea hecatonandra
Socratea montana	Socratea rostrata	Socratea salazarii
Solandra guttata	Solandra hirsuta	Solandra longiflora
Solandra maxima	Solanecio mannii	Solanopteris bifrons
Solanopteris brunei	Solanum aculeatissimum	Solanum africanum
Solanum americanum	Solanum amotapense	Solanum anguivi
Solanum angustifolium	Solanum anomalum	Solanum arboreum
Solanum asymmetriphyllum	Solanum aviculare	Solanum bahamense
Solanum baylisii	Solanum betaceum	Solanum campanulatum
Solanum canense	Solanum capsicoides	Solanum caricaefolium
Solanum cervantesii	Solanum chancayense	Solanum cookii
Solanum corifolium	Solanum crinitum	Solanum dallachii
Solanum densiflorum	Solanum dimorphispinum	Solanum diploconos
Solanum discolor	Solanum dulcamara	Solanum dulcamaroides
Solanum elaeagnifolium	Solanum elegans	Solanum erianthum
Solanum fraxinifolium	Solanum furfuraceum	Solanum galeatum
Solanum geniculatum	Solanum guineense	Solanum hendersonii
Solanum hyporhodium	Solanum jacquini	Solanum kurzii
Solanum laciniatum	Solanum laxum	Solanum lycioides
Solanum mammosum	Solanum melongena	Solanum morrisonii
Solanum multivenosum	Solanum muricatum	Solanum nigrum
Solanum opacum	Solanum orbiculatum x nummularium	Solanum palustre
Solanum pancheri	Solanum parvifolium	Solanum phureja
Solanum piluliferum	Solanum pinnatum	Solanum pseudocapsicum
Solanum pseudolulo	Solanum pseudolycioides	Solanum quadrangulare
Solanum quercifolium	Solanum quitoense	Solanum rostratum
Solanum sandwicense	Solanum scabrum	Solanum schimperianum

<i>Solanum seforthianum</i>	<i>Solanum sessiliflorum</i>	<i>Solanum shanesii</i>
<i>Solanum sisymbriifolium</i>	<i>Solanum stellatiglandulosum</i>	<i>Solanum stelligerum</i>
<i>Solanum suaveolens</i>	<i>Solanum tetrahectum</i>	<i>Solanum tomentosum</i>
<i>Solanum tridynamum</i>	<i>Solanum triflorum</i>	<i>Solanum tripartitum</i>
<i>Solanum tuberosum</i>	<i>Solanum tucumanense</i>	<i>Solanum umbelliferum</i>
<i>Solanum uporo</i>	<i>Solanum vescum</i>	<i>Solanum vesperilio</i>
<i>Solanum viridifolium</i>	<i>Solanum wendlandii</i>	<i>Soldanella alpina</i>
<i>Soldanella austriaca</i>	<i>Soldanella carpatica</i>	<i>Soldanella cyanaster</i>
<i>Soldanella dimonieii</i>	<i>Soldanella hungarica</i>	<i>Soldanella minima</i>
<i>Soldanella montana</i>	<i>Soldanella pindicola</i>	<i>Soldanella pusilla</i>
<i>Soldanella villosa</i>	<i>Soleirolia soleirolii</i>	<i>Solenangis aphylla</i>
<i>Solenomelus pedunculatus</i>	<i>Solenophora calycosa</i>	<i>Solenostemon austrani</i>
<i>Solenostemon scutellarioides</i>	<i>Solenostemon thyrsoiflorum</i>	<i>Solidago canadensis</i>
<i>Solidago caucasica</i>	<i>Solidago glomerata</i>	<i>Solidago mollis</i>
<i>Solidago multiradiata</i>	<i>Solidago ptarmicoides</i>	<i>Solidago ptarmicoides x canadensis</i>
<i>Solidago rugosa x canadensis</i>	<i>Solidago simplex</i>	<i>Solidago speciosa</i>
<i>Solidago uliginosa</i>	<i>Solidago virgaurea</i>	<i>x Solidaster luteus</i>
<i>Soliva sessilis</i>	<i>Sommieria affinis</i>	<i>Sommieria elegans</i>
<i>Sommieria leucophylla</i>	<i>Sonchus acaulis</i>	<i>Sonchus asper</i>
<i>Sonchus canariensis</i>	<i>Sonchus capillaris</i>	<i>Sonchus congestus</i>
<i>Sonchus fauces-orci</i>	<i>Sonchus gandogeri</i>	<i>Sonchus gonzalezpadroni</i>
<i>Sonchus hierrensis</i>	<i>Sonchus oleraceus</i>	<i>Sonchus ortunoi</i>
<i>Sonchus tenerrimus</i>	<i>Sonerila elegans</i>	<i>Sonerila margaritacea</i>
<i>Sonerila rheedii</i>	<i>Sophora chrysophylla</i>	<i>Sophora davidii</i>
<i>Sophora japonica</i>	<i>Sophora macrocarpa</i>	<i>Sophora microphylla</i>
<i>Sophora moorcroftiana</i>	<i>Sophora prostrata</i>	<i>Sophora tetraptera</i>
<i>Sophora tomentosa</i>	<i>Sophora toromiro</i>	<i>Sophora velutina</i>
<i>Sophrocattleya</i> spp.	<i>Sophrolaelia</i> spp.	<i>Sophrolaeliocattleya</i> spp.

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Sophronis spp.	Sorbaria sorbifolia	Sorbaria tomentosa
Sorbaronia dippelii	Sorbus alnifolia	Sorbus anglica
Sorbus aria	Sorbus x arnoldiana	Sorbus aronioides
Sorbus arranensis	Sorbus astateria	Sorbus aucuparia
Sorbus californica	Sorbus cashmiriana	Sorbus chamaemespilus
Sorbus commixta	Sorbus corymbifera	Sorbus discolor
Sorbus domestica	Sorbus esserteauana	Sorbus esserteauiana
Sorbus filipes	Sorbus folgneri	Sorbus forrestii
Sorbus glabrescens	Sorbus granulosa	Sorbus hupehensis
Sorbus incisa	Sorbus insignis	Sorbus intermedia
Sorbus japonica	Sorbus koehneana	Sorbus lanata
Sorbus lancastrensis	Sorbus maderensis	Sorbus megalocarpa
Sorbus meinichii	Sorbus meliosmifolia	Sorbus minima
Sorbus oligodonta	Sorbus pallescens	Sorbus pohuashanensis
Sorbus prattii	Sorbus randaiensis	Sorbus reducta
Sorbus rehderiana	Sorbus rhamnoides	Sorbus scopulina
Sorbus setschwanensis	Sorbus sitchensis	Sorbus subcuneata
Sorbus subsimilis	Sorbus thibetica	Sorbus tianschanica
Sorbus vestita	Sorbus vilmorinii	Sorbus wilmottiana
Sorbus wilsoniana	Sorbus zahlbruckneri	Sorghastrum nutans
Sorghum x almum x bicolor	Sorghum bicolor	Sorghum x drummondii
Sorghum halepense	Sorghum halepense x bicolor	Sorghum leiocladum
Sorghum macrospermum	Sorghum purpureosericeum	Sowerbaea juncea
Sparaxis bulbifera	Sparaxis elegans	Sparaxis grandiflora
Sparaxis metelerkampiae	Sparaxis parviflora	Sparaxis pillansii
Sparaxis tricolor	Sparaxis variegata	Sparaxis villosa
Sparganium antipodum	Sparganium subglobosum	Sparrmannia africana
Sparrmannia ricinocarpa	Spartina ciliata	Spartium junceum
Spartothamnella juncea	Spatalla setacea	Spathicarpa hastifolia

<i>Spathiphyllum blandum</i>	<i>Spathiphyllum cannifolium</i>	<i>Spathiphyllum cochlearispathum</i>
<i>Spathiphyllum commutatum</i>	<i>Spathiphyllum floribundum</i>	<i>Spathiphyllum x hybridum</i>
<i>Spathiphyllum patinii</i>	<i>Spathiphyllum phryniifolium</i>	<i>Spathiphyllum wallisii</i>
<i>Spathodea campanulata</i>	<i>Spathoglottis</i> spp.	<i>Spergula arvensis</i>
<i>Spergula pentandra</i>	<i>Spergularia bocconii</i>	<i>Spergularia diandra</i>

<i>Spergularia marina</i>	<i>Spergularia rubra</i>	<i>Spermacoce gilliesiae</i>
<i>Spermacoce remota</i>	<i>Sphaeradenia acutitepala</i>	<i>Sphaeradenia carrilloana</i>
<i>Sphaeralcea acerifolia</i>	<i>Sphaeralcea ambigua</i>	<i>Sphaeralcea caespitosa</i>
<i>Sphaeralcea incana</i>	<i>Sphaeralcea munroana</i>	<i>Sphaerocionium applanata</i>
<i>Sphaerolobium minus</i>	<i>Sphaeromeria cana</i>	<i>Sphaeromeria capitata</i>
<i>Sphaeropteris australis</i>	<i>Sphaeropteris excelsa</i>	<i>Sphaeropteris robusta</i>
<i>Sphaerorrhiza sarmentiana</i>	<i>Sphaerostephanos loherianus</i>	<i>Sphaerostephanos polycarpa</i>
<i>Sphaerostephanos taiwanensis</i>	<i>Sphagneticola trilobata</i>	<i>Sphagnum cristatum</i>
<i>Sphalmanthus sulcatus</i>	<i>Sphalmanthus tenuiflorus</i>	<i>Sphenomeris deltoidea</i>
<i>Sphenopholis x pallens</i>	<i>Sphenostylis stenocarpa</i>	<i>Sphyrastylis</i> spp.
<i>Sphyrospermum buxifolium</i>	<i>Sphyrospermum cordifolium</i>	<i>Spigelia marilandica</i>
<i>Spiloxene alba</i>	<i>Spiloxene aquatica</i>	<i>Spiloxene canaliculata</i>
<i>Spiloxene capensis</i>	<i>Spiloxene linearis</i>	<i>Spiloxene serrata</i>
<i>Spiloxene stellata</i>	<i>Spinacia oleracea</i>	<i>Spinifex sericeus</i>
<i>Spiraea albiflora</i>	<i>Spiraea alpina</i>	<i>Spiraea angustifolia</i>
<i>Spiraea arcuata</i>	<i>Spiraea x arguta</i>	<i>Spiraea bella</i>
<i>Spiraea betulifolia</i>	<i>Spiraea blumei</i>	<i>Spiraea cantoniensis</i>
<i>Spiraea chinensis</i>	<i>Spiraea x cinerea</i>	<i>Spiraea dasyantha</i>
<i>Spiraea decumbens</i>	<i>Spiraea douglasii</i>	<i>Spiraea flexuosa</i>
<i>Spiraea x fontenaysii</i>	<i>Spiraea fritschiana</i>	<i>Spiraea fulvescens</i>
<i>Spiraea gemmata</i>	<i>Spiraea gracilis</i>	<i>Spiraea hayatae</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Spiraea henryi</i>	<i>Spiraea humilis</i>	<i>Spiraea japonica</i>
<i>Spiraea longigemmis</i>	<i>Spiraea x margaritae</i>	<i>Spiraea micrantha</i>
<i>Spiraea miyabei</i>	<i>Spiraea x multiflora</i>	<i>Spiraea nervosa</i>
<i>Spiraea nipponica</i>	<i>Spiraea pikoviensis</i>	<i>Spiraea prunifolia</i>
<i>Spiraea pubescens</i>	<i>Spiraea rosthornii</i>	<i>Spiraea rupestris</i>
<i>Spiraea sericea</i>	<i>Spiraea splendens</i>	<i>Spiraea stevenii</i>
<i>Spiraea thunbergii</i>	<i>Spiraea trichocarpa</i>	<i>Spiraea veitchii</i>
<i>Spiraea velutina</i>	<i>Spiraea wilsonii</i>	<i>Spiranthes argyrifolia</i>
<i>Spiranthes australis</i>	<i>Spiranthes lacera</i>	<i>Spiranthes navarrensis</i>
<i>Spirostachys africana</i>	<i>Spondias borbonica</i>	<i>Spondias dulcis</i>
<i>Spondias lakonensis</i>	<i>Spondias tuberosa</i>	<i>Sporadanthus caudatus</i>
<i>Sporadanthus interruptus</i>	<i>Sporadanthus tasmanicus</i>	<i>Sporobolus aeneus</i>
<i>Sporobolus agrostoides</i>	<i>Sporobolus airoides</i>	<i>Sporobolus consimilis</i>
<i>Sporobolus contractus</i>	<i>Sporobolus coromandelianus</i>	<i>Sporobolus diander</i>
<i>Sporobolus filipes</i>	<i>Sporobolus flexuosus</i>	<i>Sporobolus giganteus</i>
<i>Sporobolus indicus</i>	<i>Sporobolus interruptus</i>	<i>Sporobolus nealleyi</i>
<i>Sporobolus texanus</i>	<i>Sporobolus wrightii</i>	<i>Sprekelia formosissima</i>
<i>Sprengelia distichophylla</i>	<i>Sprengelia incarnata</i>	<i>Sprengelia montana</i>
<i>Sprengelia monticola</i>	<i>Sprengelia sprengelioides</i>	<i>Spyridium bifidum</i>
<i>Spyridium burragorang</i>	<i>Spyridium buxifolium</i>	<i>Spyridium cinereum</i>
<i>Spyridium daltonii</i>	<i>Spyridium eriocephalum</i>	<i>Spyridium gunnii</i>
<i>Spyridium lawrencei</i>	<i>Spyridium microphyllum</i>	<i>Spyridium obcordatum</i>
<i>Spyridium obovatum</i>	<i>Spyridium parvifolium</i>	<i>Spyridium phyllicoides</i>
<i>Spyridium scortechinii</i>	<i>Spyridium spathulatum</i>	<i>Spyridium ulicinum</i>
<i>Spyridium vexilliferum</i>	<i>Staberoha remota</i>	<i>Stachyphrynium jagorianum</i>
<i>Stachys affinis</i>	<i>Stachys albens</i>	<i>Stachys alopecuros</i>
<i>Stachys arvensis</i>	<i>Stachys byzantina</i>	<i>Stachys chrysantha</i>
<i>Stachys coccinea</i>	<i>Stachys decumbens</i>	<i>Stachys densiflora</i>
<i>Stachys discolor</i>	<i>Stachys glutinosa</i>	<i>Stachys hissarica</i>

<i>Stachys lavandulifolia</i>	<i>Stachys linearis</i>	<i>Stachys macrantha</i>
<i>Stachys monieri</i>	<i>Stachys officinalis</i>	<i>Stachys palaestina</i>
<i>Stachys pradica</i>	<i>Stachys rugosa</i>	<i>Stachys setifera</i>
<i>Stachys thirkei</i>	<i>Stachytarpheta cayennensis</i>	<i>Stachytarpheta fallax</i>
<i>Stachytarpheta jamaicensis</i>	<i>Stachyurus chinensis</i>	<i>Stachyurus himalaicus</i>
<i>Stachyurus praecox</i>	<i>Stachyurus yunnanensis</i>	<i>Stackhousia huegelii</i>
<i>Stackhousia pulvinaris</i>	<i>Stackhousia spathulata</i>	<i>Stackhousia viminea</i>
<i>Staehelina dubia</i>	<i>Staehelina petiolata</i>	<i>Stangeria eriopus</i>
<i>Stanhopea</i> spp.	<i>Stapelia acuminata</i>	<i>Stapelia asterias</i>
<i>Stapelia cedrimontana</i>	<i>Stapelia clavicornona</i>	<i>Stapelia engleriana</i>
<i>Stapelia erectiflora</i>	<i>Stapelia flavopurpurea</i>	<i>Stapelia gettleffii</i>
<i>Stapelia glabricaulis</i>	<i>Stapelia glanduliflora</i>	<i>Stapelia grandiflora</i>
<i>Stapelia hirsuta</i>	<i>Stapelia kwebensis</i>	<i>Stapelia leendertziae</i>
<i>Stapelia longidens</i>	<i>Stapelia macowanii</i>	<i>Stapelia namaquensis</i>
<i>Stapelia nudiflora</i>	<i>Stapelia olivacea</i>	<i>Stapelia paniculata</i>
<i>Stapelia peglerae</i>	<i>Stapelia pillansii</i>	<i>Stapelia pulvinata</i>
<i>Stapelia rufa</i>	<i>Stapelia verrucosa</i>	<i>Stapelia vetula</i>
<i>Stapelianthus decaryi</i>	<i>Stapelianthus pilosus</i>	<i>Stapeliopsis neronis</i>
<i>Stapeliopsis pillansii</i>	<i>Stapeliopsis saxatilis</i>	<i>Stapeliopsis urniflora</i>
<i>Staphylea bumalda</i>	<i>Staphylea colchica</i>	<i>Staphylea coulombieri</i>
<i>Staphylea holocarpa</i>	<i>Staphylea pinnata</i>	<i>Staphylea pringlei</i>
<i>Staphylea trifolia</i>	<i>Statice glumacea</i>	<i>Stauntonia hexaphylla</i>
<i>Staurochilus fasciatus</i>	<i>Staurochilus luzonensis</i>	<i>Steenisiolechnum acuminatum</i>
<i>Stegnosperma cubense</i>	<i>Steirodiscus tagetes</i>	<i>Stelechocarpus burahol</i>
<i>Stelis</i> spp.	<i>Stellaria angustifolia</i>	<i>Stellaria media</i>
<i>Stellaria parviflora</i>	<i>Stellaria pungens</i>	<i>Stemmacantha australis</i>
<i>Stemmacantha carthamoides</i>	<i>Stemmadenia grandiflora</i>	<i>Stemmadenia litoralis</i>
<i>Stemmadenia sinaloana</i>	<i>Stemmadenia tomentosa</i>	<i>Stemona japonica</i>
<i>Stemona javanica</i>	<i>Stemona philippinensis</i>	<i>Stemona tuberosa</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Stenandrium lindenii</i>	<i>Stenanthemum leucophractum</i>	<i>Stenanthemum pimeleoides</i>
<i>Stenanthemum scortechinii</i>	<i>Stenanthium occidentale</i>	<i>Stenia</i> spp.
<i>Stenocactus coptonogonus</i>	<i>Stenocactus crispatus</i>	<i>Stenocactus dichroacanthus</i>
<i>Stenocactus hastatus</i>	<i>Stenocactus multicostatus</i>	<i>Stenocactus obvallatus</i>
<i>Stenocactus ochoterenanus</i>	<i>Stenocactus phyllacanthus</i>	<i>Stenocactus sulphureus</i>
<i>Stenocactus vaupelianus</i>	<i>Stenocarpus angustifolius</i>	<i>Stenocarpus cryptocarpus</i>
<i>Stenocarpus davallioides</i>	<i>Stenocarpus gracilis</i>	<i>Stenocarpus milnei</i>
<i>Stenocarpus reticulatus</i>	<i>Stenocarpus salignus</i>	<i>Stenocarpus sinuatus</i>
<i>Stenocarpus trinervis</i>	<i>Stenocarpus umbelliferus</i>	<i>Stenocarpus verticis</i>
<i>Stenocereus alamosensis</i>	<i>Stenocereus aragonii</i>	<i>Stenocereus beneckeii</i>
<i>Stenocereus dumortieri</i>	<i>Stenocereus eichlamii</i>	<i>Stenocereus eruca</i>
<i>Stenocereus fimbriatus</i>	<i>Stenocereus gummosus</i>	<i>Stenocereus kerberi</i>
<i>Stenocereus laevigatus</i>	<i>Stenocereus martinezii</i>	<i>Stenocereus montanus</i>
<i>Stenocereus pruinosus</i>	<i>Stenocereus queretaroensis</i>	<i>Stenocereus quevedonis</i>
<i>Stenocereus standleyi</i>	<i>Stenocereus stellatus</i>	<i>Stenocereus thurberi</i>
<i>Stenocereus treleasei</i>	<i>Stenochlaena milnei</i>	<i>Stenoglottis fimbriata</i>
<i>Stenoglottis longifolia</i>	<i>Stenoglottis woodii</i>	<i>Stenomesson aurantiacum</i>
<i>Stenomesson incarnatum</i>	<i>Stenomesson miniatum</i>	<i>Stenomesson pearcei</i>
<i>Stenomesson variegatum</i>	<i>Stenorrhynchos speciosum</i>	<i>Stenospermation angosturense</i>
<i>Stenospermation multiovulatum</i>	<i>Stenospermation popayanense</i>	<i>Stenostephanus jamesonii</i>
<i>Stenotaphrum secundatum</i>	<i>Stephanandra chinensis</i>	<i>Stephanandra tanakae</i>
<i>Stephania aculeata</i>	<i>Stephania cyanantha</i>	<i>Stephania delavayi</i>
<i>Stephania discolor</i>	<i>Stephanocereus leucostele</i>	<i>Stephanocereus leutzburgii</i>
<i>Stephanocereus luetzelburgii</i>	<i>Stephanophysum baikiei</i>	<i>Stephanotis floribunda</i>
<i>Stephanotis japonica</i>	<i>Stephanotis thouarsii</i>	<i>Sterculia alexandri</i>
<i>Sterculia apetala</i>	<i>Sterculia foetida</i>	<i>Sterculia garrawayae</i>
<i>Sterculia hamiltonii</i>	<i>Sterculia lanceolata</i>	<i>Sterculia laurifolia</i>

<i>Sterculia mexicana</i>	<i>Sterculia quinqueloba</i>	<i>Sterculia rogersii</i>
<i>Sterculia rubiginosa</i>	<i>Sterculia shillinglawii</i>	<i>Sterculia urens</i>
<i>Sterculia villosa</i>	<i>Sterculia viscidula</i>	<i>Stereospermum chelonoides</i>
<i>Stereospermum hypostictum</i>	<i>Stereospermum kunthianum</i>	<i>Stereospermum suaveolens</i>
<i>Steriphoma paradoxum</i>	<i>Sternbergia candida</i>	<i>Sternbergia clusiana</i>
<i>Sternbergia colchiciflora</i>	<i>Sternbergia greuteriana</i>	<i>Sternbergia lutea</i>
<i>Sternbergia pulchella</i>	<i>Sternbergia schubertii</i>	<i>Sternbergia sicula</i>
<i>Sternbergia vernalis</i>	<i>Stetsonia coryne</i>	<i>Stevia caracasana</i>
<i>Stevia lucida</i>	<i>Stevia rebaudiana</i>	<i>Stewartia gemmata</i>
<i>Stewartia malacodendron</i>	<i>Stewartia monadelpha</i>	<i>Stewartia ovata</i>
<i>Stewartia pseudocamellia</i>	<i>Stewartia pteropetiolata</i>	<i>Stewartia rostrata</i>
<i>Stewartia serrata</i>	<i>Stewartia sinensis</i>	<i>Sticherus cunninghamii</i>
<i>Sticherus flabellatus</i>	<i>Sticherus lobatus</i>	<i>Sticherus milnei</i>
<i>Sticherus tener</i>	<i>Stictocardia beraviensis</i>	<i>Stictocardia tiliifolia</i>
<i>Stiffia chrysantha</i>	<i>Stigmaphyllon bonariense</i>	<i>Stigmaphyllon ciliatum</i>
<i>Stigmaphyllon emarginatum</i>	<i>Stigmaphyllon jatrophifolium</i>	<i>Stilbocarpa lyallii</i>
<i>Stilbocarpa polaris</i>	<i>Stipa acrociliata</i>	<i>Stipa aphylla</i>
<i>Stipa bigeniculata</i>	<i>Stipa breviglumis</i>	<i>Stipa curticoma</i>
<i>Stipa eremophila</i>	<i>Stipa hemipogon</i>	<i>Stipa juncifolia</i>
<i>Stipa macalpinei</i>	<i>Stipa mollis</i>	<i>Stipa muelleri</i>
<i>Stipa nervosa</i>	<i>Stipa nivicola</i>	<i>Stipa oligostachya</i>
<i>Stipa platychaeta</i>	<i>Stipa ramosissima</i>	<i>Stipa rudis</i>
<i>Stipa setacea</i>	<i>Stipa stipoides</i>	<i>Stipa tuckeri</i>
<i>Stipa velutina</i>	<i>Stipagrostis hirtigluma</i>	<i>Stipagrostis karelinii</i>
<i>Stipagrostis namaquensis</i>	<i>Stipagrostis obtusa</i>	<i>Stipagrostis pennata</i>
<i>Stockwellia quadrifida</i>	<i>Stoeberia carpii</i>	<i>Stokesia laevis</i>
<i>Stomatium alboroseum</i>	<i>Stomatium beaufortense</i>	<i>Stomatium bryantii</i>
<i>Stomatium duthieae</i>	<i>Stomatium ermininum</i>	<i>Stomatium fulleri</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Stomatium meyeri</i>	<i>Stomatium mustelinum</i>	<i>Stomatium mustellinum</i>
<i>Stomatium peersii</i>	<i>Stomatium pluridens</i>	<i>Stomatostemma pendulina</i>
<i>Stonesiella selaginoides</i>	<i>Storckiella australiensis</i>	<i>Strangea linearis</i>
<i>Strasburgeria robusta</i>	<i>Streblus brunonianus</i>	<i>Streblus smithii</i>
<i>Strelitzia caudata</i>	<i>Strelitzia juncea</i>	<i>Strelitzia x kewensis</i>
<i>Strelitzia nicolai</i>	<i>Strelitzia reginae</i>	<i>Streptanthus farnsworthianus</i>
<i>Streptocalyx biflorus</i>	<i>Streptocalyx pallidus</i>	<i>Streptocarpus caulescens</i>
<i>Streptocarpus comptonii</i>	<i>Streptocarpus cooperi</i>	<i>Streptocarpus cyaneus</i>
<i>Streptocarpus dunnii</i>	<i>Streptocarpus gardenii</i>	<i>Streptocarpus haygarthii</i>
<i>Streptocarpus x hybridus</i>	<i>Streptocarpus johannis</i>	<i>Streptocarpus michelmorci</i>

<i>Streptocarpus polyanthus</i>	<i>Streptocarpus primulifolius</i>	<i>Streptocarpus pusillus</i>
<i>Streptocarpus rexii</i>	<i>Streptocarpus saxorum</i>	<i>Streptocarpus stomandra</i>
<i>Streptocarpus wendlandii</i>	<i>Streptopus lanceolatus</i>	<i>Streptopus streptopoides</i>
<i>Streptosolen jamesonii</i>	<i>Strobilanthes anisophylla</i>	<i>Strobilanthes auriculata</i>
<i>Strobilanthes cusia</i>	<i>Strobilanthes cuspidata</i>	<i>Strobilanthes dyerianus</i>
<i>Strobilanthes glomerata</i>	<i>Strobilanthes gossypinus</i>	<i>Strobilanthes isophyllus</i>
<i>Strobilanthes micholitzii</i>	<i>Strobilanthes rankanensis</i>	<i>Strobilanthes urticifolia</i>
<i>Stromanthe amabilis</i>	<i>Stromanthe jacquini</i>	<i>Stromanthe portea</i>
<i>Stromanthe sanguinea</i>	<i>Stromanthe thalia</i>	<i>Stromanthe tonckat</i>
<i>Strombocactus disciformis</i>	<i>Strongylodon lucidus</i>	<i>Strongylodon macrobotrys</i>
<i>Strongylodon pseudolucidus</i>	<i>Strophanthus amboensis</i>	<i>Strophanthus boivinii</i>
<i>Strophanthus courmontii</i>	<i>Strophanthus divaricatus</i>	<i>Strophanthus gratus</i>
<i>Strophanthus kombe</i>	<i>Strophanthus nicholsonii</i>	<i>Strophanthus petersianus</i>
<i>Strophanthus preussii</i>	<i>Strophanthus sarmentosus</i>	<i>Strophostyles umbellata</i>
<i>Strumaria barbariae</i>	<i>Strumaria chaplinii</i>	<i>Strumaria rubella</i>
<i>Strumaria salteri</i>	<i>Strumaria spiralis</i>	<i>Strumaria tenella</i>
<i>Strumaria truncata</i>	<i>Strumaria watermeyeri</i>	<i>Strychnos arborea</i>
<i>Strychnos axillaris</i>	<i>Strychnos decussata</i>	<i>Strychnos ignatii</i>

<i>Strychnos madagascariensis</i>	<i>Strychnos minor</i>	<i>Strychnos potatorum</i>
<i>Strychnos psilosperma</i>	<i>Stylidium debile</i>	<i>Stylidium eglandulosum</i>
<i>Stylidium graminifolium</i>	<i>Stylidium laricifolium</i>	<i>Stylidium lehmannianum</i>
<i>Stylidium lineare</i>	<i>Stylidium productum</i>	<i>Stylidium soboliferum</i>
<i>Stylogyne orinocensis</i>	<i>Stylomecon heterophylla</i>	<i>Stylophorum diphyllum</i>
<i>Stylophorum lasiocarpum</i>	<i>Stylosanthes angustifolia</i>	<i>Stylosanthes biflora</i>
<i>Stylosanthes bracteata</i>	<i>Stylosanthes calcicola</i>	<i>Stylosanthes capitata</i>
<i>Stylosanthes debilis</i>	<i>Stylosanthes fruticosa</i>	<i>Stylosanthes guianensis</i>
<i>Stylosanthes hamata</i>	<i>Stylosanthes hispida</i>	<i>Stylosanthes humilis</i>
<i>Stylosanthes ingrata</i>	<i>Stylosanthes leiocarpa</i>	<i>Stylosanthes macrocarpa</i>
<i>Stylosanthes macrocephala</i>	<i>Stylosanthes mexicana</i>	<i>Stylosanthes montevidensis</i>
<i>Stylosanthes pilosa</i>	<i>Stylosanthes ruellioides</i>	<i>Stylosanthes scabra</i>
<i>Stylosanthes sympodialis</i>	<i>Stylosanthes tomentosa</i>	<i>Stylosanthes viscosa</i>
<i>Stypandra grandiflora</i>	<i>Stypandra grandis</i>	<i>Styphelia acerosa</i>
<i>Styphelia adscendens</i>	<i>Styphelia laeta</i>	<i>Styphelia longifolia</i>
<i>Styphelia perileuca</i>	<i>Styphelia psiloclada</i>	<i>Styphelia suaveolens</i>
<i>Styphelia triflora</i>	<i>Styphelia tubiflora</i>	<i>Styphelia viridis</i>
<i>Styrax americanus</i>	<i>Styrax benzoin</i>	<i>Styrax confusus</i>
<i>Styrax dasyanthus</i>	<i>Styrax faberi</i>	<i>Styrax hemsleyanus</i>
<i>Styrax hookeri</i>	<i>Styrax japonicus</i>	<i>Styrax obassia</i>
<i>Styrax odoratissimus</i>	<i>Styrax officinalis</i>	<i>Styrax rediviva</i>
<i>Styrax shiraianus</i>	<i>Styrax tonkinensis</i>	<i>Styrax wilsonii</i>
<i>Suaeda baccifera</i>	<i>Succowia balearica</i>	<i>Sulcolluma shadhbana</i>
<i>Sulcorebutia cardenasiana</i>	<i>Sulcorebutia krugerae</i>	<i>Sulcorebutia langeri</i>
<i>Sundacarpus amara</i>	<i>Sunipia andersonii</i>	<i>Sunipia bicolor</i>
<i>Sutera carvalhoi</i>	<i>Sutera cephalotes</i>	<i>Sutera cordata</i>
<i>Sutera fastigiata</i>	<i>Sutera hispida</i>	<i>Sutera polyantha</i>
<i>Sutherlandia montana</i>	<i>Sventenia bupleuroides</i>	<i>Swainsona galegifolia</i>
<i>Swainsona laxa</i>	<i>Swainsona lessertiifolia</i>	<i>Swainsona monticola</i>
<i>Swainsona murrayana</i>	<i>Swainsona plagiotropis</i>	<i>Swainsona recta</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Swainsona sericea</i>	<i>Swainsona stipularis</i>	<i>Swartzia nitida</i>
<i>Swartzia pinnata</i>	<i>Swertia bimaculata</i>	<i>Swertia carolinensis</i>
<i>Swertia chirayita</i>	<i>Swertia crassiuscula</i>	<i>Swertia cuneata</i>
<i>Swertia dilatata</i>	<i>Swertia hookeri</i>	<i>Swertia kingii</i>
<i>Swertia perennis</i>	<i>Swertia volkensis</i>	<i>Swertia zeylanica</i>
<i>Swietenia humilis</i>	<i>Swietenia mahagoni</i>	<i>Swintonia schwenkii</i>
<i>Syagrus amara</i>	<i>Syagrus botryophora</i>	<i>Syagrus campos-portoana</i>
<i>Syagrus campylospatha</i>	<i>Syagrus cardenasii</i>	<i>Syagrus cocoides</i>
<i>Syagrus comosa</i>	<i>Syagrus coronata</i>	<i>Syagrus x costae</i>
<i>Syagrus duartei</i>	<i>Syagrus flexuosa</i>	<i>Syagrus glaucescens</i>
<i>Syagrus graminifolia</i>	<i>Syagrus harleyi</i>	<i>Syagrus inajai</i>
<i>Syagrus leptospatha</i>	<i>Syagrus macrocarpa</i>	<i>Syagrus microphylla</i>
<i>Syagrus oleracea</i>	<i>Syagrus orinocensis</i>	<i>Syagrus petraea</i>
<i>Syagrus pleioclada</i>	<i>Syagrus pseudococos</i>	<i>Syagrus romanzoffiana</i>
<i>Syagrus ruschiana</i>	<i>Syagrus sancona</i>	<i>Syagrus schizophylla</i>
<i>Syagrus smithii</i>	<i>Syagrus stratincola</i>	<i>Syagrus tostana</i>
<i>Syagrus vagans</i>	<i>Syagrus werdermannii</i>	<i>Sycopsis sinensis</i>
<i>Symphionema montanum</i>	<i>Symphionema paludosum</i>	<i>Symphoricarpos acutus</i>
<i>Symphoricarpos albus</i>	<i>Symphoricarpos chenaultii</i>	<i>Symphoricarpos doorenbosii</i>
<i>Symphoricarpos mollis</i>	<i>Symphyandra pendula</i>	<i>Symphyandra zangezur</i>
<i>Symphyglossum</i> spp.	<i>Symphyotrichum chilense</i>	<i>Symphyotrichum cordifolium</i>
<i>Symphyotrichum dumosum</i>	<i>Symphyotrichum ericoides</i>	<i>Symphyotrichum lateriflorum</i>
<i>Symphyotrichum novi-belgii</i>	<i>Symphyotrichum oolentangiense</i>	<i>Symphyotrichum praealtum</i>
<i>Symphyotrichum puniceum</i>	<i>Symphyotrichum racemosum</i>	<i>Symphyotrichum x salignum</i>
<i>Symphyotrichum spathulatum</i>	<i>Symphyotrichum subulatum</i>	<i>Symphyotrichum vahlii</i>
<i>Symphysia poasana</i>	<i>Symphytum grandiflorum</i>	<i>Symphytum officinale</i>
<i>Symphytum x uplandicum</i>	<i>Symplocarpus foetidus</i>	<i>Symplocos crassiramifera</i>

<i>Symplocos prunifolia</i>	<i>Synadenium cupulare</i>	<i>Synadenium grantii</i>
<i>Syncarpha argyropsis</i>	<i>Syncarpha eximia</i>	<i>Syncarpha milleflora</i>
<i>Syncarpha speciosissima</i>	<i>Syncarpha variegata</i>	<i>Syncarpia glomulifera</i>
<i>Syncarpia hillii</i>	<i>Syncarpia procera</i>	<i>Syncolostemon flabellifolius</i>
<i>Synechanthus fibrosus</i>	<i>Synechanthus warscewiczianus</i>	<i>Syngonanthus chrysanthus</i>
<i>Syngonium angustatum</i>	<i>Syngonium auritum</i>	<i>Syngonium erythrophyllum</i>
<i>Syngonium hastiferum</i>	<i>Syngonium hoffmannii</i>	<i>Syngonium macrophyllum</i>
<i>Syngonium podophyllum</i>	<i>Syngonium steyermarkii</i>	<i>Syngonium wendlandii</i>
<i>Synima cordieri</i>	<i>Synima macrophylla</i>	<i>Synoum glandulosum</i>
<i>Synsepalum dulcificum</i>	<i>Synthyris missurica</i>	<i>Synurus excelsus</i>
<i>Syringa afghanica</i>	<i>Syringa x chinensis</i>	<i>Syringa x diversifolia</i>
<i>Syringa x henryi</i>	<i>Syringa x hyacinthiflora</i>	<i>Syringa x josiflexa</i>
<i>Syringa josikaea</i>	<i>Syringa komarowii</i>	<i>Syringa x laciniata</i>
<i>Syringa meyeri</i>	<i>Syringa oblata</i>	<i>Syringa x persica</i>
<i>Syringa pinetorum</i>	<i>Syringa pinnatifolia</i>	<i>Syringa potaninii</i>
<i>Syringa x prestoniae</i>	<i>Syringa protolaciniata</i>	<i>Syringa pubescens</i>
<i>Syringa x swegiflexa</i>	<i>Syringa sweginzowii</i>	<i>Syringa tomentella</i>
<i>Syringa vulgaris</i>	<i>Syringa wolfii</i>	<i>Syringa yunnanensis</i>
<i>Symmatium tomentosum</i>	<i>Syzygium alatoramulum</i>	<i>Syzygium alliligneum</i>
<i>Syzygium anisatum</i>	<i>Syzygium apodophyllum</i>	<i>Syzygium aqueum</i>
<i>Syzygium argyropedicum</i>	<i>Syzygium aromaticum</i>	<i>Syzygium australe</i>
<i>Syzygium bamagense</i>	<i>Syzygium banksii</i>	<i>Syzygium boonjee</i>
<i>Syzygium branderhorstii</i>	<i>Syzygium buettnerianum</i>	<i>Syzygium bungadinnia</i>
<i>Syzygium buxifolium</i>	<i>Syzygium canicortex</i>	<i>Syzygium claviflorum</i>
<i>Syzygium coolminianum</i>	<i>Syzygium cormiflorum</i>	<i>Syzygium corynanthum</i>
<i>Syzygium crebrinerve</i>	<i>Syzygium cryptophlebium</i>	<i>Syzygium cumini</i>
<i>Syzygium curranii</i>	<i>Syzygium dansiei</i>	<i>Syzygium endophloium</i>
<i>Syzygium erythrocalyx</i>	<i>Syzygium erythroxum</i>	<i>Syzygium fibrosum</i>
<i>Syzygium francisii</i>	<i>Syzygium fratris</i>	<i>Syzygium fullagarii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Syzygium glenum</i>	<i>Syzygium grande</i>	<i>Syzygium gustavioides</i>
<i>Syzygium hemilamprum</i>	<i>Syzygium hodgkinsoniae</i>	<i>Syzygium ingens</i>
<i>Syzygium jambos</i>	<i>Syzygium johnsonii</i>	<i>Syzygium kuranda</i>
<i>Syzygium longifolium</i>	<i>Syzygium luehmannii</i>	<i>Syzygium macilwraithianum</i>
<i>Syzygium maire</i>	<i>Syzygium malaccense</i>	<i>Syzygium maraca</i>
<i>Syzygium megacarpum</i>	<i>Syzygium minutuliflorum</i>	<i>Syzygium monimioides</i>
<i>Syzygium monospermum</i>	<i>Syzygium moorei</i>	<i>Syzygium oleosum</i>
<i>Syzygium paniculatum</i>	<i>Syzygium papyraceum</i>	<i>Syzygium phillyreifolium</i>
<i>Syzygium polyanthum</i>	<i>Syzygium pringlei</i>	<i>Syzygium pseudofastigiatum</i>
<i>Syzygium puberulum</i>	<i>Syzygium purpureum</i>	<i>Syzygium pycnanthum</i>
<i>Syzygium rubrimolle</i>	<i>Syzygium samarangense</i>	<i>Syzygium sharonae</i>
<i>Syzygium tierneyanum</i>	<i>Syzygium trachyphloium</i>	<i>Syzygium velae</i>
<i>Syzygium wesa</i>	<i>Syzygium wilsonii</i>	<i>Syzygium wilsonii</i> x <i>luehmannii</i>
<i>Syzygium xerampelinum</i>	<i>Syzygium zeylanicum</i>	<i>Tabebuia alba</i>
<i>Tabebuia angustata</i>	<i>Tabebuia aurea</i>	<i>Tabebuia chrysantha</i>
<i>Tabebuia chrysotricha</i>	<i>Tabebuia dubia</i>	<i>Tabebuia guayacan</i>
<i>Tabebuia heptaphylla</i>	<i>Tabebuia heterophylla</i>	<i>Tabebuia hypoleuca</i>
<i>Tabebuia impetiginosa</i>	<i>Tabebuia ochracea</i>	<i>Tabebuia pulcherrima</i>
<i>Tabebuia rosea</i>	<i>Tabebuia roseo-alba</i>	<i>Tabernaemontana australis</i>
<i>Tabernaemontana catharinensis</i>	<i>Tabernaemontana cerifera</i>	<i>Tabernaemontana corymbosa</i>
<i>Tabernaemontana dichotoma</i>	<i>Tabernaemontana divaricata</i>	<i>Tabernaemontana elegans</i>
<i>Tabernaemontana laurifolia</i>	<i>Tabernaemontana pachysiphon</i>	<i>Tabernaemontana pandacaqui</i>
<i>Tabernaemontana ventricosa</i>	<i>Tabernanthe iboga</i>	<i>Tacca chantrieri</i>
<i>Tacca integrifolia</i>	<i>Tacca palmata</i>	<i>Tacca plantaginea</i>
<i>Taccarum weddellianum</i>	<i>Tachiadenus longiflorus</i>	<i>Tacinga funalis</i>
<i>Tacitus bellus</i>	<i>Taekholmia arborea</i>	<i>Taekholmia pinnata</i>

Taeniophyllum fasciola	Taeniophyllum graptolium	Taeniophyllum malianum
Tagetes erecta	Tagetes filifolia	Tagetes lemmonii
Tagetes lucida	Tagetes minuta	Tagetes patula
Tagetes tenuifolia	Tahina spectabilis	Tainia hookeriana
Tainia penangiana	Tainia wrayana	Taiwania cryptomerioides
Taiwania flousiana	Talauma oreadum	Talauma ovata
Talbotia elegans	Talinum brevifolium	Talinum caffrum

Talinum calycinum	Talinum cuneifolium	Talinum guadalupense
Talinum paniculatum	Talinum portulacifolium	Talinum sediforme
Talinum spinescens	Talinum teretifolium	Talipariti glabrum
Talipariti hamabo	Talipariti hastatum	Talipariti tiliaceum
Talisia oliviformis	Tamarindus indica	Tamarix leptostachys
Tamarix parviflora	Tamarix ramosissima	Tambourissa peltata
Tambourissa sieberi	Tanacetum aureum	Tanacetum balsamita
Tanacetum cilicicum	Tanacetum cinerariifolium	Tanacetum densum
Tanacetum ferulaceum	Tanacetum haradjanii	Tanacetum niveum
Tanacetum parthenium	Tanacetum ptarmiciflorum	Tanacetum roseum
Tanacetum vulgare	Tanaecium selloi	Tanquana archeri
Tanquana hilmarii	Tanquana prismatica	Tapeinia magellanica
Tapeinia pumila	Tapeinidium moorei	Tapeinochilos ananassae
Tapeinochilos hollrungii	Tapeinochilos queenslandiae	Tapeinochilos recurvatus
Tapeinochilos spectabilis	Tapeinosperma pseudojambosa	Tapiscia sinensis
Tapiscia yunnanensis	Taraxacum mongolicum	Taraxacum officinale
Tarenna cameronii	Tarenna compactiflora	Tarenna ixoroides
Tarenna longifolia	Tarenna zimbabwensis	Tasmania glaucifolia
Tasmania insipida	Tasmania lanceolata	Tasmania membranea
Tasmania purpurascens	Tasmania stipitata	Tasmania xerophila
Tavaresia barklyi	Tavaresia grandiflora	Taxodium distichum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Taxodium mucronatum</i>	<i>Taxus baccata</i>	<i>Taxus celebica</i>
<i>Taxus x media</i>	<i>Taxus sumatrana</i>	<i>Taxus wallichiana</i>
<i>Tecoma capensis</i>	<i>Tecoma filicifolia</i>	<i>Tecoma floribunda</i>
<i>Tecoma fulva</i>	<i>Tecoma garrocha</i>	<i>Tecoma sambucifolia</i>
<i>Tecoma x smithii</i>	<i>Tecoma stans</i>	<i>Tecomanthe dendrophila</i>
<i>Tecomanthe hillii</i>	<i>Tecomanthe speciosa</i>	<i>Tecomanthe volubilis</i>
<i>Tecophilaea cyanocrocus</i>	<i>Tectaria brachiata</i>	<i>Tectaria cicutaria</i>
<i>Tectaria confluens</i>	<i>Tectaria decurrens</i>	<i>Tectaria fimbriata</i>
<i>Tectaria gemmifera</i>	<i>Tectaria gigantea</i>	<i>Tectaria heracleifolia</i>
<i>Tectaria macrodonta</i>	<i>Tectaria moorei</i>	<i>Tectaria muelleri</i>
<i>Tectaria nicotianifolia</i>	<i>Tectaria sinuata</i>	<i>Tectaria subtriphylla</i>
<i>Tectaria trifoliata</i>	<i>Tectaria zeilanica</i>	<i>Tectaridium macleanii</i>
<i>Tectaridium primitivum</i>	<i>Tectona grandis</i>	<i>Telanthophora grandifolia</i>
<i>Telesonix jamesii</i>	<i>Telfairia pedata</i>	<i>Teline gomerae</i>
<i>Teline osyroides</i>	<i>Telipogon</i> spp.	<i>Tellima grandiflora</i>
<i>Telocalyptus deglupta</i>	<i>Telopea aspera</i>	<i>Telopea mongaensis</i>
<i>Telopea mongaensis x oreades</i>	<i>Telopea oreades</i>	<i>Telopea speciosissima</i>
<i>Telopea speciosissima x mongaensis</i>	<i>Telopea speciosissima x oreades</i>	<i>Telopea truncata</i>
<i>Telosma cordata</i>	<i>Tephrocactus atroglobosus</i>	<i>Tephrocactus papyracantha</i>
<i>Tephrocactus strobiliformis</i>	<i>Tephrosia acaciifolia</i>	<i>Tephrosia bracteolata</i>
<i>Tephrosia capensis</i>	<i>Tephrosia euprepes</i>	<i>Tephrosia grandiflora</i>
<i>Tephrosia griseola</i>	<i>Tephrosia heckmanniana</i>	<i>Tephrosia hispidula</i>
<i>Tephrosia hochstetteri</i>	<i>Tephrosia holstii</i>	<i>Tephrosia hookeriana</i>
<i>Tephrosia interrupta</i>	<i>Tephrosia linearis</i>	<i>Tephrosia longipes</i>
<i>Tephrosia lupinifolia</i>	<i>Tephrosia maxima</i>	<i>Tephrosia montana</i>
<i>Tephrosia nyikensis</i>	<i>Tephrosia paniculata</i>	<i>Tephrosia pentaphylla</i>
<i>Tephrosia pumila</i>	<i>Tephrosia radicans</i>	<i>Tephrosia rhodesica</i>
<i>Tephrosia spicata</i>	<i>Tephrosia strigosa</i>	<i>Tephrosia subtriflora</i>
<i>Tephrosia villosa</i>	<i>Tephrosia vogelii</i>	<i>Tepualia stipularis</i>

Teramnus axilliflorus	Teramnus repens	Teramnus uncinatus
Teratophyllum brightiae	Teratophyllum wilkesianum	Terminalia arjuna
Terminalia badamia	Terminalia bellerica	Terminalia bentzoe
Terminalia brassii	Terminalia brownii	Terminalia catappa
Terminalia chebula	Terminalia complanata	Terminalia januarensis
Terminalia kaernbachii	Terminalia melanocarpa	Terminalia muelleri
Terminalia phanerophlebia	Terminalia pyrifolia	Terminalia richii
Terminalia sericocarpa	Terminalia stenostachya	Ternstroemia cherryi
Ternstroemia gymnanthera	Ternstroemia japonica	Ternstroemia kwangtungensis
Ternstroemia longipes	Tersonia brevipes	Testudinaria sylvatica
Tetracarpaea tasmanica	Tetracentron sinense	Tetracera akara
Tetracera loureiri	Tetracera nordtiana	Tetrachne dregei
Tetradenia brevispicata	Tetradenia fruticosa	Tetradenia riparia
Tetradium daniellii	Tetradium fraxinifolium	Tetradium ruticarpum
Tetraena alba	Tetraena dumosa	Tetragonia arbuscula
Tetragonia decumbens	Tetragonia fruticosa	Tetragonia hirsuta
Tetragonia nigrescens	Tetragonia trigyna	Tetranema roseum
Tetraneuris grandiflora	Tetraneuris herbacea	Tetrapanax papyrifer
Tetraplasandra hawaiiensis	Tetrapogon tenellus	Tetarrhena acuminata
Tetarrhena distichophylla	Tetarrhena juncea	Tetrastigma nitens
Tetrastigma serrulatum	Tetrastigma yunnanense	Tetrasynandra pubescens
Tetratheca bauerifolia	Tetratheca ciliata	Tetratheca ericifolia
Tetratheca glandulosa	Tetratheca halmaturina	Tetratheca insularis
Tetratheca juncea	Tetratheca labillardierei	Tetratheca neglecta
Tetratheca pilosa	Tetratheca procumbens	Tetratheca rubioides
Tetratheca rupicola	Tetratheca shiressii	Tetratheca stenocarpa
Tetratheca thymifolia	Tetratheca viminea	Tetrathyrium subcordatum
Tetrazygia coriacea	Teucrium parvifolium	Teucrium arduini
Teucrium argutum	Teucrium aroanium	Teucrium asiaticum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Teucrium betonicum</i>	<i>Teucrium chamaedrys</i>	<i>Teucrium corymbosum</i>
<i>Teucrium creticum</i>	<i>Teucrium cuneifolium</i>	<i>Teucrium divaricatum</i>
<i>Teucrium fruticans</i>	<i>Teucrium halacsyanum</i>	<i>Teucrium heterophyllum</i>
<i>Teucrium hircanicum</i>	<i>Teucrium hyrcanicum</i>	<i>Teucrium x lucidrys</i>
<i>Teucrium lucidum</i>	<i>Teucrium marum</i>	<i>Teucrium massiliense</i>
<i>Teucrium microphyllum</i>	<i>Teucrium montanum</i>	<i>Teucrium polium</i>
<i>Teucrium pyrenaicum</i>	<i>Teucrium rouyanum</i>	<i>Teucrium subspinosum</i>
<i>Teucrium webbium</i>	<i>Thaleropia queenslandica</i>	<i>Thalia dealbata</i>
<i>Thalictrum aquilegiifolium</i>	<i>Thalictrum baicalense</i>	<i>Thalictrum buschianum</i>
<i>Thalictrum calabricum</i>	<i>Thalictrum chelidonii</i>	<i>Thalictrum dasycarpum</i>
<i>Thalictrum delavayi</i>	<i>Thalictrum diffusiflorum</i>	<i>Thalictrum fendleri</i>
<i>Thalictrum filamentosum</i>	<i>Thalictrum finetii</i>	<i>Thalictrum flavum</i>
<i>Thalictrum foliolosum</i>	<i>Thalictrum grandiflorum</i>	<i>Thalictrum isopyroides</i>
<i>Thalictrum javanicum</i>	<i>Thalictrum kiusianum</i>	<i>Thalictrum lucidum</i>
<i>Thalictrum macrocarpum</i>	<i>Thalictrum minus</i>	<i>Thalictrum pubescens</i>
<i>Thalictrum ramosum</i>	<i>Thalictrum rhynchocarpum</i>	<i>Thalictrum rochebrunianum</i>
<i>Thalictrum tuberosum</i>	<i>Thalictrum uchiyamae</i>	<i>Thamnocalamus nitidus</i>
<i>Thamnocalamus tessellatus</i>	<i>Thamnochortus acuminatus</i>	<i>Thamnosma montana</i>
<i>Thapsia villosa</i>	<i>Thaumatococcus daniellii</i>	<i>Thayeria cornucopia</i>
<i>Thea assamica</i>	<i>Thecostele alata</i>	<i>Thelasis carinata</i>
<i>Thelasis macrobulbon</i>	<i>Thelepogon elegans</i>	<i>Thelesperma burridgeanum</i>
<i>Thelesperma filifolium</i>	<i>Thelesperma megapotamicum</i>	<i>Thelionema caespitosum</i>
<i>Thelionema grande</i>	<i>Thelionema umbellatum</i>	<i>Thelocactus bicolor</i>
<i>Thelocactus conothelos</i>	<i>Thelocactus flavidispinus</i>	<i>Thelocactus hastifer</i>
<i>Thelocactus heterochromus</i>	<i>Thelocactus hexaedrophorus</i>	<i>Thelocactus leucacanthus</i>
<i>Thelocactus macdowellii</i>	<i>Thelocactus rinconensis</i>	<i>Thelocactus schwarzii</i>
<i>Thelocactus setispinus</i>	<i>Thelocactus tulensis</i>	<i>Thelocephala glabrescens</i>
<i>Thelocephala krausii</i>	<i>Thelymitra</i> spp.	<i>Thelypteris confluens</i>

<i>Thelypteris glandulosa</i>	<i>Thelypteris grandis</i>	<i>Thelypteris interrupta</i>
<i>Thelypteris ligulata</i>	<i>Thelypteris oligocarpa</i>	<i>Thelypteris patens</i>
<i>Thelypteris puberula</i>	<i>Thelypteris quelpaertensis</i>	<i>Thelypteris reptans</i>
<i>Thelypteris rudis</i>	<i>Thelypteris serra</i>	<i>Thelypteris serrata</i>
<i>Thelypteris truncata</i>	<i>Thelypteris uliginosa</i>	<i>Themeda caudata</i>
<i>Themeda intermedia</i>	<i>Themeda minor</i>	<i>Themeda quadrivalvis</i>
<i>Theobroma angustifolium</i>	<i>Theobroma bicolor</i>	<i>Theobroma cacao</i>
<i>Theobroma gileri</i>	<i>Theobroma glaucum</i>	<i>Theobroma speciosum</i>
<i>Theobroma subincanum</i>	<i>Thermopsis chinensis</i>	<i>Thermopsis lupinoides</i>
<i>Thermopsis mollis</i>	<i>Therorhodium camtschaticum</i>	<i>Thespesia lampas</i>
<i>Thevetia ovata</i>	<i>Thevetia peruviana</i>	<i>Thevetia thevetioides</i>
<i>Thismia rodwayi</i>	<i>Thlaspi alpinum</i>	<i>Thlaspi bulbosum</i>
<i>Thlaspi rotundifolium</i>	<i>Thlaspi stylosum</i>	<i>Thonandia gracilis</i>
<i>Thonandia longifolia</i>	<i>Thorncroftia succulenta</i>	<i>Thrinax compacta</i>
<i>Thrinax ekmaniana</i>	<i>Thrinax excelsa</i>	<i>Thrinax morrisii</i>
<i>Thrinax parviflora</i>	<i>Thrinax radiata</i>	<i>Thrinax rivularis</i>
<i>Thrixspermum</i> spp.	<i>Thryptomene calycina</i>	<i>Thryptomene ericaea</i>
<i>Thryptomene maisonneuvei</i>	<i>Thryptomene micrantha</i>	<i>Thryptomene miqueliana</i>
<i>Thryptomene parviflora</i>	<i>Thryptomene prolifera</i>	<i>Thuja koraiensis</i>
<i>Thuja meldensis</i>	<i>Thuja occidentalis</i>	<i>Thuja plicata</i>
<i>Thuja standishii</i>	<i>Thunbergia alata</i>	<i>Thunbergia battiscombei</i>
<i>Thunbergia chrysops</i>	<i>Thunbergia crispa</i>	<i>Thunbergia erecta</i>
<i>Thunbergia gibsonii</i>	<i>Thunbergia gregorii</i>	<i>Thunbergia lutea</i>
<i>Thunbergia mysorensis</i>	<i>Thunbergia natalensis</i>	<i>Thunbergia reticulata</i>
<i>Thunbergia togoensis</i>	<i>Thunbergia vogeliana</i>	<i>Thuranthos macranthum</i>
<i>Thymbra capitata</i>	<i>Thymbra spicata</i>	<i>Thymus albicans</i>
<i>Thymus argaeus</i>	<i>Thymus baeticus</i>	<i>Thymus caespititius</i>
<i>Thymus camphoratus</i>	<i>Thymus capitellatus</i>	<i>Thymus carnosus</i>
<i>Thymus cephalotes</i>	<i>Thymus cilicicus</i>	<i>Thymus x citriodorus</i>
<i>Thymus comosus</i>	<i>Thymus degenii</i>	<i>Thymus dimorphus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Thymus doerfleri</i>	<i>Thymus dzevanovskyi</i>	<i>Thymus glabrescens</i>
<i>Thymus herba-barona</i>	<i>Thymus integer</i>	<i>Thymus kosteleckyanus</i>
<i>Thymus kotschyanus</i>	<i>Thymus leucotrichus</i>	<i>Thymus longicaulis</i>
<i>Thymus lotocephalus</i>	<i>Thymus mastichina</i>	<i>Thymus membranaceus</i>
<i>Thymus neiceffii</i>	<i>Thymus nummularius</i>	<i>Thymus odoratissimus</i>
<i>Thymus praecox</i>	<i>Thymus pseudolanuginosus</i>	<i>Thymus pulcherrimus</i>

<i>Thymus pulegioides</i>	<i>Thymus purpureo-violaceus</i>	<i>Thymus quinquecostatus</i>
<i>Thymus richardii</i>	<i>Thymus roegneri</i>	<i>Thymus serpyllum</i>
<i>Thymus sibthorpii</i>	<i>Thymus thracicus</i>	<i>Thymus tomentosus</i>
<i>Thymus villosus</i>	<i>Thymus vulgaris</i>	<i>Thymus willdenowii</i>
<i>Thymus zygis</i>	<i>Thyrsopteris elegans</i>	<i>Thyrsostachys oliveri</i>
<i>Thyrsostachys siamensis</i>	<i>Thysanolaena latifolia</i>	<i>Thysanotus juncifolius</i>
<i>Thysanotus tuberosus</i>	<i>Thysanotus wangariensis</i>	<i>Tiarella cordifolia</i>
<i>Tiarella hybrids</i>	<i>Tiarella polyphylla</i>	<i>Tiarella trifoliata</i>
<i>Tibouchina asperior</i>	<i>Tibouchina bicolor</i>	<i>Tibouchina boraceiensis</i>
<i>Tibouchina candolleana</i>	<i>Tibouchina clavata</i>	<i>Tibouchina elegans</i>
<i>Tibouchina floribunda</i>	<i>Tibouchina foveolata</i>	<i>Tibouchina granulosa</i>
<i>Tibouchina heteromalla</i>	<i>Tibouchina laxa</i>	<i>Tibouchina lepidota</i>
<i>Tibouchina longisepala</i>	<i>Tibouchina microphylla</i>	<i>Tibouchina multiflora</i>
<i>Tibouchina mutabilis</i>	<i>Tibouchina organensis</i>	<i>Tibouchina pulcherrima</i>
<i>Tibouchina pulchra</i>	<i>Tibouchina sellowiana</i>	<i>Tibouchina stenocarpa</i>
<i>Tibouchina urvilleana</i>	<i>Tieghemopanax multifidus</i>	<i>Tigridia chiapensis</i>
<i>Tigridia flammea</i>	<i>Tigridia pavonia</i>	<i>Tigridia seleriana</i>
<i>Tigridia vanhouttei</i>	<i>Tilia americana</i>	<i>Tilia amurensis</i>
<i>Tilia chinensis</i>	<i>Tilia cordata</i>	<i>Tilia dasystyla</i>
<i>Tilia x euchlora</i>	<i>Tilia henryana</i>	<i>Tilia insularis</i>
<i>Tilia japonica</i>	<i>Tilia kiusiana</i>	<i>Tilia mandshurica</i>
<i>Tilia maximowicziana</i>	<i>Tilia mongolica x cordata</i>	<i>Tilia obscura</i>
<i>Tilia oliveri</i>	<i>Tilia paucicostata</i>	<i>Tilia petiolaris</i>

<i>Tilia platyphyllos</i>	<i>Tilia texana</i>	<i>Tilia tomentosa</i>
<i>Tilia tuan</i>	<i>Tilia vitifolia</i>	<i>Tilia x vulgaris</i>
<i>Tilingia ajanensis</i>	<i>Tillandsia achyrostachys</i>	<i>Tillandsia acosta-solisii</i>
<i>Tillandsia acostae</i>	<i>Tillandsia aeranthos</i>	<i>Tillandsia albertiana</i>
<i>Tillandsia albida</i>	<i>Tillandsia ampla</i>	<i>Tillandsia anceps</i>
<i>Tillandsia andicola</i>	<i>Tillandsia andreana</i>	<i>Tillandsia andrieuxii</i>
<i>Tillandsia araujei</i>	<i>Tillandsia arequitae</i>	<i>Tillandsia argentea</i>
<i>Tillandsia argentina</i>	<i>Tillandsia arhiza</i>	<i>Tillandsia arroyoensis</i>
<i>Tillandsia atrovioleacea</i>	<i>Tillandsia atroviridipetala</i>	<i>Tillandsia australis</i>
<i>Tillandsia bagua-grandensis</i>	<i>Tillandsia baileyi</i>	<i>Tillandsia balbisiana</i>
<i>Tillandsia balsasensis</i>	<i>Tillandsia bartramii</i>	<i>Tillandsia bella</i>
<i>Tillandsia belloensis</i>	<i>Tillandsia bergeri</i>	<i>Tillandsia bergiana</i>
<i>Tillandsia bermejoensis</i>	<i>Tillandsia beutelspacheri</i>	<i>Tillandsia boliviensis</i>
<i>Tillandsia bourgaei</i>	<i>Tillandsia brachycaulos</i>	<i>Tillandsia brealitoensis</i>
<i>Tillandsia bryoides</i>	<i>Tillandsia buchlohii</i>	<i>Tillandsia bulbosa</i>
<i>Tillandsia burle-marxii</i>	<i>Tillandsia butzii</i>	<i>Tillandsia cacticola</i>
<i>Tillandsia caerulea</i>	<i>Tillandsia cajamarcensis</i>	<i>Tillandsia calcicola</i>
<i>Tillandsia califani</i>	<i>Tillandsia caliginosa</i>	<i>Tillandsia callichroma</i>
<i>Tillandsia calothyrsus</i>	<i>Tillandsia candelifera</i>	<i>Tillandsia canescens</i>
<i>Tillandsia capillaris</i>	<i>Tillandsia capistranoensis</i>	<i>Tillandsia capitata</i>
<i>Tillandsia caput-medusae</i>	<i>Tillandsia cardenasii</i>	<i>Tillandsia carlos-hankii</i>
<i>Tillandsia carlsoniae</i>	<i>Tillandsia carminea</i>	<i>Tillandsia castellanii</i>
<i>Tillandsia caulescens</i>	<i>Tillandsia chartacea</i>	<i>Tillandsia chiapensis</i>
<i>Tillandsia chiletensis</i>	<i>Tillandsia chlorophylla</i>	<i>Tillandsia churinensis</i>
<i>Tillandsia chusgonensis</i>	<i>Tillandsia circinnatoides</i>	<i>Tillandsia clavigera</i>
<i>Tillandsia cochabambae</i>	<i>Tillandsia colganii</i>	<i>Tillandsia comarapaensis</i>
<i>Tillandsia complanata</i>	<i>Tillandsia compressa</i>	<i>Tillandsia concolor</i>
<i>Tillandsia confinis</i>	<i>Tillandsia contorta</i>	<i>Tillandsia copalaensis</i>
<i>Tillandsia copanensis</i>	<i>Tillandsia cornuta</i>	<i>Tillandsia crista-gallii</i>
<i>Tillandsia crocata</i>	<i>Tillandsia cyanea</i>	<i>Tillandsia dasyliriifolia</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

---

<i>Tillandsia delicata</i>	<i>Tillandsia deppeana</i>	<i>Tillandsia dexteri</i>
<i>Tillandsia diaguitensis</i>	<i>Tillandsia didisticha</i>	<i>Tillandsia diguetii</i>
<i>Tillandsia disticha</i>	<i>Tillandsia dodsonii</i>	<i>Tillandsia dorotheae</i>
<i>Tillandsia dudleyi</i>	<i>Tillandsia dura</i>	<i>Tillandsia durangensis</i>
<i>Tillandsia duratii</i>	<i>Tillandsia dyeriana</i>	<i>Tillandsia edithae</i>
<i>Tillandsia ehlersiana</i>	<i>Tillandsia eizii</i>	<i>Tillandsia elizabethiae</i>
<i>Tillandsia erici</i>	<i>Tillandsia erubescens</i>	<i>Tillandsia esseriana</i>
<i>Tillandsia exserta</i>	<i>Tillandsia fasciculata</i>	<i>Tillandsia fendleri</i>
<i>Tillandsia festucoides</i>	<i>Tillandsia filifolia</i>	<i>Tillandsia flabellata</i>
<i>Tillandsia flavobracteata</i>	<i>Tillandsia flexuosa</i>	<i>Tillandsia floribunda</i>
<i>Tillandsia foliosa</i>	<i>Tillandsia fraseri</i>	<i>Tillandsia fresnilloensis</i>
<i>Tillandsia friesii</i>	<i>Tillandsia fuchsii</i>	<i>Tillandsia funckiana</i>
<i>Tillandsia gardneri</i>	<i>Tillandsia geissei</i>	<i>Tillandsia geminiflora</i>
<i>Tillandsia genseri</i>	<i>Tillandsia gerd-muelleri</i>	<i>Tillandsia gerdae</i>
<i>Tillandsia gilliesii</i>	<i>Tillandsia glabrior</i>	<i>Tillandsia glauca</i>
<i>Tillandsia globosa</i>	<i>Tillandsia grandis</i>	<i>Tillandsia grazielae</i>
<i>Tillandsia guatemalensis</i>	<i>Tillandsia guerreroensis</i>	<i>Tillandsia gutteana</i>
<i>Tillandsia gymnotrya</i>	<i>Tillandsia hamaleana</i>	<i>Tillandsia hammeri</i>
<i>Tillandsia harrisii</i>	<i>Tillandsia hasei</i>	<i>Tillandsia hegeri</i>
<i>Tillandsia heteromorpha</i>	<i>Tillandsia heubergeri</i>	<i>Tillandsia hildae</i>
<i>Tillandsia hintoniana</i>	<i>Tillandsia hirta</i>	<i>Tillandsia hondurensis</i>
<i>Tillandsia horstii</i>	<i>Tillandsia huarazensis</i>	<i>Tillandsia humilis</i>
<i>Tillandsia</i> x hybrids	<i>Tillandsia ignesiae</i>	<i>Tillandsia imperialis</i>
<i>Tillandsia incarnata</i>	<i>Tillandsia insignis</i>	<i>Tillandsia intermedia</i>
<i>Tillandsia ionantha</i>	<i>Tillandsia ixioides</i>	<i>Tillandsia jalisco monticola</i>
<i>Tillandsia jucunda</i>	<i>Tillandsia juncea</i>	<i>Tillandsia juncifolia</i>
<i>Tillandsia kalmbacheri</i>	<i>Tillandsia kammii</i>	<i>Tillandsia karwinskyana</i>
<i>Tillandsia kautskyi</i>	<i>Tillandsia kegeliana</i>	<i>Tillandsia kirchhoffiana</i>
<i>Tillandsia kirschnekii</i>	<i>Tillandsia klausii</i>	<i>Tillandsia kolbii</i>
<i>Tillandsia krahni</i>	<i>Tillandsia krukoffiana</i>	<i>Tillandsia kuehhasii</i>

<i>Tillandsia kurt-horstii</i>	<i>Tillandsia kuzmae</i>	<i>Tillandsia lajensis</i>
<i>Tillandsia lampropoda</i>	<i>Tillandsia landbeckii</i>	<i>Tillandsia latifolia</i>
<i>Tillandsia leiboldiana</i>	<i>Tillandsia leonamiana</i>	<i>Tillandsia lepidosepala</i>
<i>Tillandsia leucolepis</i>	<i>Tillandsia lindenii</i>	<i>Tillandsia linearis</i>
<i>Tillandsia lithophila</i>	<i>Tillandsia loliacea</i>	<i>Tillandsia longibracteata</i>
<i>Tillandsia lorentziana</i>	<i>Tillandsia lotteae</i>	<i>Tillandsia lucida</i>
<i>Tillandsia lydiae</i>	<i>Tillandsia lymanii</i>	<i>Tillandsia macbrideana</i>
<i>Tillandsia maddougallii</i>	<i>Tillandsia magnusiana</i>	<i>Tillandsia mallefontii</i>
<i>Tillandsia malyi</i>	<i>Tillandsia malzinei</i>	<i>Tillandsia marabascoensis</i>
<i>Tillandsia marconae</i>	<i>Tillandsia marnier-lapostollei</i>	<i>Tillandsia matudae</i>
<i>Tillandsia mauryana</i>	<i>Tillandsia mazatlanensis</i>	<i>Tillandsia meridionalis</i>
<i>Tillandsia micans</i>	<i>Tillandsia mima</i>	<i>Tillandsia mirabilis</i>
<i>Tillandsia mitlaensis</i>	<i>Tillandsia mixtecorum</i>	<i>Tillandsia mollis</i>
<i>Tillandsia montana</i>	<i>Tillandsia moronesensis</i>	<i>Tillandsia muhriae</i>
<i>Tillandsia multicaulis</i>	<i>Tillandsia myosura</i>	<i>Tillandsia nana</i>
<i>Tillandsia narthecioides</i>	<i>Tillandsia neglecta</i>	<i>Tillandsia nidus</i>
<i>Tillandsia novakii</i>	<i>Tillandsia nuptialis</i>	<i>Tillandsia oaxacana</i>
<i>Tillandsia oblivata</i>	<i>Tillandsia occulta</i>	<i>Tillandsia oerstediana</i>
<i>Tillandsia olmosana</i>	<i>Tillandsia paleacea</i>	<i>Tillandsia paucifolia</i>
<i>Tillandsia peiranoi</i>	<i>Tillandsia pfeufferi</i>	<i>Tillandsia piurensis</i>
<i>Tillandsia plagiotropica</i>	<i>Tillandsia platyrhachis</i>	<i>Tillandsia plumosa</i>
<i>Tillandsia pohliana</i>	<i>Tillandsia praschekii</i>	<i>Tillandsia pretiosa</i>
<i>Tillandsia propagulifera</i>	<i>Tillandsia pruinosa</i>	<i>Tillandsia pseudobaileyi</i>
<i>Tillandsia pseudomicans</i>	<i>Tillandsia pseudosetacea</i>	<i>Tillandsia pucaraensis</i>
<i>Tillandsia pueblensis</i>	<i>Tillandsia punctulata</i>	<i>Tillandsia purpurea</i>
<i>Tillandsia pyramidata</i>	<i>Tillandsia queroensis</i>	<i>Tillandsia raackii</i>
<i>Tillandsia ramellae</i>	<i>Tillandsia rauhii</i>	<i>Tillandsia rauschii</i>
<i>Tillandsia rectangula</i>	<i>Tillandsia reducta</i>	<i>Tillandsia reichenbachii</i>
<i>Tillandsia retorta</i>	<i>Tillandsia rhodocephala</i>	<i>Tillandsia rhomboidea</i>
<i>Tillandsia rodrigueziana</i>	<i>Tillandsia roezlii</i>	<i>Tillandsia roland-gosselinii</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Tillandsia rosea</i>	<i>Tillandsia roseoscapa</i>	<i>Tillandsia rothii</i>
<i>Tillandsia rotundata</i>	<i>Tillandsia rubia</i>	<i>Tillandsia rupicola</i>
<i>Tillandsia salmonea</i>	<i>Tillandsia scaligera</i>	<i>Tillandsia schatzlii</i>
<i>Tillandsia schiedeana</i>	<i>Tillandsia schusteri</i>	<i>Tillandsia secunda</i>
<i>Tillandsia seideliana</i>	<i>Tillandsia seleriana</i>	<i>Tillandsia setacea</i>
<i>Tillandsia socialis</i>	<i>Tillandsia somnians</i>	<i>Tillandsia sphaerocephala</i>
<i>Tillandsia spiculosa</i>	<i>Tillandsia sprengeliana</i>	<i>Tillandsia standleyi</i>
<i>Tillandsia stellifera</i>	<i>Tillandsia streptocarpa</i>	<i>Tillandsia streptophylla</i>
<i>Tillandsia stricta</i>	<i>Tillandsia subteres</i>	<i>Tillandsia subulifera</i>
<i>Tillandsia sucrei</i>	<i>Tillandsia takizawae</i>	<i>Tillandsia tectorum</i>
<i>Tillandsia tenuifolia</i>	<i>Tillandsia tomekii</i>	<i>Tillandsia toropiensis</i>
<i>Tillandsia tortilis</i>	<i>Tillandsia tricholepis</i>	<i>Tillandsia tricolor</i>
<i>Tillandsia ulrici</i>	<i>Tillandsia umbellata</i>	<i>Tillandsia usneoides</i>
<i>Tillandsia utriculata</i>	<i>Tillandsia variabilis</i>	<i>Tillandsia velickiana</i>
<i>Tillandsia velutina</i>	<i>Tillandsia venusta</i>	<i>Tillandsia vernicosa</i>
<i>Tillandsia vicentina</i>	<i>Tillandsia viridiflora</i>	<i>Tillandsia wagneriana</i>
<i>Tillandsia walter-richteri</i>	<i>Tillandsia walteri</i>	<i>Tillandsia weberi</i>
<i>Tillandsia welzii</i>	<i>Tillandsia werdermannii</i>	<i>Tillandsia winkleri</i>
<i>Tillandsia wuelfinghoffii</i>	<i>Tillandsia xerographica</i>	<i>Tillandsia xiphioides</i>
<i>Tillandsia yuncharaensis</i>	<i>Tillandsia yunckeri</i>	<i>Tillandsia zaragozaensis</i>
<i>Tillandsia zecheri</i>	<i>Tillandsia zoquensis</i>	<i>Timonius singularis</i>
<i>Tinantia fugax</i>	<i>Tinantia violacea</i>	<i>Tinguarra montana</i>
<i>Tinnea aethiopica</i>	<i>Tinnea rhodesiana</i>	<i>Tinospora caffra</i>
<i>Tinospora cordifolia</i>	<i>Tinus paniculata</i>	<i>Tipuana tipu</i>
<i>Tipularia discolor</i>	<i>Tischleria peersii</i>	<i>Titanopsis calcarea</i>
<i>Titanopsis hugo-schlechteri</i>	<i>Titanopsis schwantesii</i>	<i>Tithonia rotundifolia</i>
<i>Tmesipteris obliqua</i>	<i>Tmesipteris ovata</i>	<i>Tmesipteris parva</i>
<i>Tmesipteris tannensis</i>	<i>Toddalia asiatica</i>	<i>Todea barbara</i>
<i>Toechima daemelianum</i>	<i>Toechima dasyrrhache</i>	<i>Toechima erythrocarpum</i>
<i>Toechima monticola</i>	<i>Toechima pterocarpum</i>	<i>Toechima tenax</i>

Tolmiea menziesii	Tolpis barbata	Tolpis succulenta
Toona ciliata	Toona sinensis	Torenia atropurpurea
Torenia bailloni	Torenia fournieri	Torenia fournieri x concolor
Torenia hirsuta	Torilis africana	Torilis nodosa
Toronia toru	Torreya grandis	Torreya nucifera
Torreya taxifolia	Tournefortia arborescens	Tournefortia argentea
Tournefortia messerschmidia	Townsendia alpigena	Townsendia formosa
Townsendia hookeri	Townsendia incana	Townsendia jonesii
Townsendia mensana	Townsendia nuttallii	Townsendia parryi
Townsendia rothrockii	Townsendia spathulata	Toxicodendron delavayi

Toxicodendron sylvestre	Toxicodendron vernicifluum	Toxicoscordion fremontii
Toxicoscordion micranthum	Trachelium caeruleum	Trachelospermum asiaticum
Trachelospermum bodinieri	Trachelospermum jasminoides	Trachoma papuanum
Trachoma speciosum	Trachoma stellatum	Trachyandra divaricata
Trachyandra falcata	Trachycarpus fortunei	Trachycarpus latisectus
Trachycarpus martianus	Trachycarpus nana	Trachycarpus oreophilus
Trachycarpus princeps	Trachycarpus takil	Trachycarpus wagnerianus
Trachymene hemicarpa	Trachymene humilis	Trachymene incisa
Trachypogon vestitus	Trachyspermum ammi	Trachystemon orientalis
Tradescantia (virginiana x canaliculata) x subaspera	Tradescantia cymbispatha	Tradescantia fluminensis
Tradescantia hirsutiflora	Tradescantia ohiensis	Tradescantia pallida
Tradescantia paludosa	Tradescantia sillamontana	Tradescantia spathacea
Tradescantia virginiana	Tradescantia virginica	Tradescantia zanonina
Tradescantia zebrina	Tragopogon porrifolius	Treulia africana
Trema micrantha	Trevesia burckii	Trevesia palmata
Trevesia sundaica	Trevoa trinervis	Trevoria spp.

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Trewia nudiflora</i>	<i>Triadica cochinchinensis</i>	<i>Triadica sebifera</i>
<i>Triaenophora rupestris</i>	<i>Trianthera portulacastrum</i>	<i>Trias</i> spp.
<i>Tribolium echinatum</i>	<i>Tribolium obliterum</i>	<i>Tribolium uniola</i>
<i>Tribonanthes variabilis</i>	<i>Tribulus terrestris</i>	<i>Trichantha dissimilis</i>
<i>Trichantha sanguinolenta</i>	<i>Trichilia cathartica</i>	<i>Trichilia dregeana</i>
<i>Trichilia sinensis</i>	<i>Trichocentrum</i> spp.	<i>Trichocereus andalgalensis</i>
<i>Trichocereus grandiflorus</i>	<i>Trichocereus scopulicola</i>	<i>Trichocereus tephraanthus</i>
<i>Trichocereus volcanensis</i>	<i>Trichocladus crinitus</i>	<i>Trichocladus ellipticus</i>
<i>Trichodiadema barbatum</i>	<i>Trichodiadema bulbosum</i>	<i>Trichodiadema decorum</i>
<i>Trichodiadema densus</i>	<i>Trichodiadema intonsum</i>	<i>Trichodiadema marlothii</i>
<i>Trichodiadema mirabile</i>	<i>Trichodiadema stellatum</i>	<i>Trichodiadema stelligerum</i>
<i>Trichoglottis</i> spp.	<i>Trichomanes exiguum</i>	<i>Trichomanes javanicum</i>
<i>Trichomanes pyxidiferum</i>	<i>Trichomanes radicans</i>	<i>Trichomanes reniforme</i>
<i>Trichopetalum plumosum</i>	<i>Trichophorum alpinum</i>	<i>Trichopilia</i> spp.
<i>Trichosanthes holtzei</i>	<i>Trichosanthes pentaphylla</i>	<i>Trichosanthes subvelutina</i>
<i>Trichosanthes tricuspidata</i>	<i>Trichospermum pleiostigma</i>	<i>Trichostema arizonicum</i>
<i>Trichostema lanatum</i>	<i>Trichostema parishii</i>	<i>Trichostema fulgens</i>
<i>Trichostigma peruvianum</i>	<i>Trichotomia ferox</i>	<i>Trichotomia gracilis</i>
<i>Trichotomia xanthotricha</i>	<i>Tricoryne anceps</i>	<i>Tricoryne platyptera</i>
<i>Tricoryne simplex</i>	<i>Tricostularia pauciflora</i>	<i>Tricyrtis affinis</i>
<i>Tricyrtis bakeri</i>	<i>Tricyrtis flava</i>	<i>Tricyrtis formosana</i>
<i>Tricyrtis formosana</i> x <i>hirta</i>	<i>Tricyrtis hirta</i>	<i>Tricyrtis lasiocarpa</i>
<i>Tricyrtis latifolia</i>	<i>Tricyrtis macrantha</i>	<i>Tricyrtis macranthopsis</i>
<i>Tricyrtis macropoda</i>	<i>Tricyrtis maculata</i>	<i>Tricyrtis nana</i>
<i>Tricyrtis ohsumiensis</i>	<i>Tricyrtis puberula</i>	<i>Tricyrtis stolonifera</i>
<i>Tridactyle anthomaniaca</i>	<i>Tridactyle bicaudata</i>	<i>Tridactyle oblongifolia</i>
<i>Tridactyle scottellii</i>	<i>Tridax procumbens</i>	<i>Tridens muticus</i>
<i>Tridentea baylissii</i>	<i>Tridentea gemmiflora</i>	<i>Tridentea jucunda</i>
<i>Tridentea parvipuncta</i>	<i>Tridentea peculiaris</i>	<i>Tridentea pedunculata</i>
<i>Tridentea umdausensis</i>	<i>Trifolium affine</i>	<i>Trifolium africanum</i>

Trifolium aintabense	Trifolium albopurpureum	Trifolium alexandrinum
Trifolium alpestre	Trifolium alpinum	Trifolium amabile
Trifolium ambiguum	Trifolium angustifolium	Trifolium ankaratrense
Trifolium apertum	Trifolium arvense	Trifolium aureum
Trifolium baccarinii	Trifolium batmanicum	Trifolium bejariense
Trifolium berytheum	Trifolium billardierei	Trifolium bocconeii
Trifolium boissieri	Trifolium brutium	Trifolium bullatum
Trifolium burchellianum	Trifolium calocephalum	Trifolium campestre
Trifolium canescens	Trifolium carmelii	Trifolium carolinianum
Trifolium caucasicum	Trifolium cernuum	Trifolium cheranganiense
Trifolium cherleri	Trifolium chilense	Trifolium ciliolatum
Trifolium clusii	Trifolium clypeatum	Trifolium congestum
Trifolium constantinopolitanum	Trifolium cryptopodium	Trifolium dasyphyllum
Trifolium dasyurum	Trifolium decorum	Trifolium depauperatum
Trifolium dichroanthum	Trifolium diffusum	Trifolium dubium
Trifolium echinatum	Trifolium eriosphaerum	Trifolium fragiferum
Trifolium glanduliferum	Trifolium globosum	Trifolium glomeratum
Trifolium gracilentum	Trifolium grandiflorum	Trifolium haussknechtii
Trifolium haydenii	Trifolium heldreichianum	Trifolium hirtum
Trifolium hybridum	Trifolium incarnatum	Trifolium israeliticum
Trifolium isthmocarpum	Trifolium lappaceum	Trifolium latinum
Trifolium leucanthum	Trifolium ligusticum	Trifolium longipes
Trifolium lucanicum	Trifolium lugardii	Trifolium lupinaster
Trifolium macrocephalum	Trifolium masaiense	Trifolium mattirolianum
Trifolium medium	Trifolium meduseum	Trifolium meironense
Trifolium michelianum	Trifolium micranthum	Trifolium microdon
Trifolium miegeanum	Trifolium monanthum	Trifolium montanum
Trifolium multinerve	Trifolium mutabile	Trifolium nanum
Trifolium nigrescens	Trifolium noricum	Trifolium obscurum
Trifolium obtusiflorum	Trifolium ochroleucon	Trifolium oliganthum

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Trifolium ornithopodioides</i>	<i>Trifolium palaestinum</i>	<i>Trifolium pallidum</i>
<i>Trifolium pannonicum</i>	<i>Trifolium parnassi</i>	<i>Trifolium parryi</i>
<i>Trifolium philistaeum</i>	<i>Trifolium phleoides</i>	<i>Trifolium physodes</i>
<i>Trifolium pichisermollii</i>	<i>Trifolium pilulare</i>	<i>Trifolium plebeium</i>
<i>Trifolium plumosum</i>	<i>Trifolium polymorphum</i>	<i>Trifolium polystachyum</i>
<i>Trifolium pratense</i>	<i>Trifolium pseudostriatum</i>	<i>Trifolium purpureum</i>
<i>Trifolium purseglovei</i>	<i>Trifolium quartinianum</i>	<i>Trifolium radicosum</i>
<i>Trifolium reflexum</i>	<i>Trifolium repens</i>	<i>Trifolium resupinatum</i>
<i>Trifolium retusum</i>	<i>Trifolium riograndense</i>	<i>Trifolium rubens</i>
<i>Trifolium rueppellianum</i>	<i>Trifolium salmoneum</i>	<i>Trifolium scabrum</i>
<i>Trifolium schimperi</i>	<i>Trifolium scutatum</i>	<i>Trifolium semipilosum</i>
<i>Trifolium setiferum</i>	<i>Trifolium simense</i>	<i>Trifolium spumosum</i>
<i>Trifolium squamosum</i>	<i>Trifolium squarrosus</i>	<i>Trifolium stellatum</i>
<i>Trifolium steudneri</i>	<i>Trifolium striatum</i>	<i>Trifolium strictum</i>
<i>Trifolium subterraneum</i>	<i>Trifolium suffocatum</i>	<i>Trifolium sylvaticum</i>
<i>Trifolium tembense</i>	<i>Trifolium tomentosum</i>	<i>Trifolium trichocephalum</i>
<i>Trifolium tumens</i>	<i>Trifolium uniflorum</i>	<i>Trifolium usambarense</i>
<i>Trifolium variegatum</i>	<i>Trifolium vavilovii</i>	<i>Trifolium vernum</i>
<i>Trifolium vesiculosum</i>	<i>Trifolium wigginsii</i>	<i>Trifolium willdenovii</i>
<i>Trifolium wormskioldii</i>	<i>Triglochin bulbosa</i>	<i>Triglochin huegelii</i>
<i>Triglochin procera</i>	<i>Triglochin triglochinoides</i>	<i>Triglochin turriferum</i>
<i>Trigonella arabica</i>	<i>Trigonella balansae</i>	<i>Trigonella caerulea</i>
<i>Trigonella calliceras</i>	<i>Trigonella coelesyriaca</i>	<i>Trigonella cylindracea</i>
<i>Trigonella foenum-graecum</i>	<i>Trigonella glabra</i>	<i>Trigonella gladiata</i>
<i>Trigonella spinosa</i>	<i>Trigonella strangulata</i>	<i>Trigonidium spp.</i>
<i>Trigonospora ciliata</i>	<i>Trillium albidum</i>	<i>Trillium album</i>
<i>Trillium angustipetalum</i>	<i>Trillium apetalon</i>	<i>Trillium camschatcense</i>
<i>Trillium catesbaei</i>	<i>Trillium cernuum</i>	<i>Trillium chloropetalum</i>
<i>Trillium cuneatum</i>	<i>Trillium decipiens</i>	<i>Trillium decumbens</i>
<i>Trillium discolor</i>	<i>Trillium erectum x flexipes</i>	<i>Trillium flexipes</i>

<i>Trillium foetidissimum</i>	<i>Trillium govanianum</i>	<i>Trillium gracile</i>
<i>Trillium grandiflorum</i>	<i>Trillium hageae</i>	<i>Trillium kamschaticum</i>
<i>Trillium kurabayashii</i>	<i>Trillium lancifolium</i>	<i>Trillium ludovicianum</i>
<i>Trillium luteum</i>	<i>Trillium maculatum</i>	<i>Trillium nivale</i>
<i>Trillium ovatum</i>	<i>Trillium parviflorum</i>	<i>Trillium persistens</i>
<i>Trillium petiolatum</i>	<i>Trillium pusillum</i>	<i>Trillium recurvatum</i>
<i>Trillium reliquum</i>	<i>Trillium rivale</i>	<i>Trillium roseum</i>
<i>Trillium rugelii</i>	<i>Trillium sessile</i>	<i>Trillium simile</i>
<i>Trillium smallii</i>	<i>Trillium stamineum</i>	<i>Trillium sulcatum</i>
<i>Trillium tschonokii</i>	<i>Trillium underwoodii</i>	<i>Trillium undulatum</i>
<i>Trillium vaseyi</i>	<i>Trillium viride</i>	<i>Trillium viridescens</i>
<i>Trimezia fosteriana</i>	<i>Trimezia juncifolia</i>	<i>Triodia aristiglumis</i>
<i>Triodia bunicola</i>	<i>Triodia contorta</i>	<i>Triodia mollis</i>
<i>Triodia uniaristata</i>	<i>Triosteum himalayanum</i>	<i>Triphasia aurantiola</i>
<i>Tripladenia cunninghamii</i>	<i>Triplarina imbricata</i>	<i>Triplaris caracassana</i>
<i>Triplaris weigeltiana</i>	<i>Tripleurospermum caucasicum</i>	<i>Tripleurospermum maritimum</i>
<i>Triplochiton scleroxylon</i>	<i>Triplochlamys multiflora</i>	<i>Tripterodendron filicifolium</i>
<i>Tripterospermum japonicum</i>	<i>Tripterygium regelii</i>	<i>Tripterygium wilfordii</i>
<i>Trisetum aeneum</i>	<i>Trisetum argenteum</i>	<i>Trisetum distichophyllum</i>
<i>Trisetum rigidum</i>	<i>Tristagma poeppigianum</i>	<i>Tristania grandiflora</i>
<i>Tristania neriifolia</i>	<i>Tristaniopsis collina</i>	<i>Tristaniopsis exiliflora</i>
<i>Tristaniopsis guillainii</i>	<i>Tristaniopsis jaffrei</i>	<i>Tristaniopsis laurina</i>
<i>Tristaniopsis ninndoensis</i>	<i>Tristellateia australasiae</i>	<i>Tristiropsis acutangula</i>
<i>Tristiropsis canarioides</i>	<i>Triteleia bridgesii</i>	<i>Triteleia dudleyi</i>
<i>Triteleia grandiflora</i>	<i>Triteleia hendersonii</i>	<i>Triteleia hyacinthina</i>
<i>Triteleia ixioides</i>	<i>Triteleia laxa</i>	<i>Triteleia lilacina</i>
<i>Triteleia peduncularis</i>	<i>Triteleia x tubergenii</i>	<i>Trithrinax brasiliensis</i>
<i>Trithrinax campestris</i>	<i>Trithrinax schizophylla</i>	x <i>Triticosecale</i> hybrids

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Triticum aestivum</i>	<i>Triticum durum</i> x <i>Agropyron glaucum</i>	<i>Triticum monococcum</i>
<i>Triticum</i> x <i>timococcum</i>	<i>Triticum timopheevii</i>	<i>Triticum turgidum</i>
<i>Triticum turgidum</i> x <i>Agropyron glaucum</i>	<i>Triticum vulgare</i> x <i>Agropyron glaucum</i>	<i>Triticum aestivum</i> x <i>Elymus hispidus</i>
<i>Triticum durum</i> x <i>Elymus hispidus</i>	<i>Triticum turgidum</i> x <i>Elymus hispidus</i>	<i>Tritonia bakeri</i>

<i>Tritonia cooperi</i>	<i>Tritonia crispa</i>	<i>Tritonia crocata</i>
<i>Tritonia deusta</i>	<i>Tritonia disticha</i>	<i>Tritonia dubia</i>
<i>Tritonia flabellifolia</i>	<i>Tritonia flava</i>	<i>Tritonia florentiae</i>
<i>Tritonia karoocica</i>	<i>Tritonia laxifolia</i>	<i>Tritonia lineata</i>
<i>Tritonia lineata</i> x <i>crocata</i>	<i>Tritonia pallida</i>	<i>Tritonia parvula</i>
<i>Tritonia securigera</i>	<i>Tritonia undulata</i>	<i>Triumfetta cordifolia</i>
<i>Triumfetta pentandra</i>	<i>Triunia erythrocarpa</i>	<i>Triunia montana</i>
<i>Triunia robusta</i>	<i>Triunia youngiana</i>	<i>Trochetia blackburniana</i>
<i>Trochetia boutoniana</i>	<i>Trochetiopsis melanoxyton</i>	<i>Trochocarpa bellendenkerensis</i>
<i>Trochocarpa clarkei</i>	<i>Trochocarpa cunninghamii</i>	<i>Trochocarpa disticha</i>
<i>Trochocarpa ericifolia</i>	<i>Trochocarpa gunnii</i>	<i>Trochocarpa involucrata</i>
<i>Trochocarpa laurina</i>	<i>Trochocarpa parviflora</i>	<i>Trochocarpa pumila</i>
<i>Trochocarpa thymifolia</i>	<i>Trochocarpa verticillata</i>	<i>Trochodendron aralioides</i>
<i>Trochomeriopsis diversifolia</i>	<i>Trollius acaulis</i>	<i>Trollius altaicus</i>
<i>Trollius asiaticus</i>	<i>Trollius buddae</i>	<i>Trollius chartosepalus</i>
<i>Trollius chinensis</i>	<i>Trollius hondoensis</i>	<i>Trollius laxus</i>
<i>Trollius ledebourii</i>	<i>Trollius lilacinus</i>	<i>Trollius micranthus</i>
<i>Trollius pumilus</i>	<i>Trollius ranunculinus</i>	<i>Trollius riederianus</i>
<i>Trollius yunnanensis</i>	<i>Tromotriche engleriana</i>	<i>Tromotriche revoluta</i>
<i>Tromotriche umdausensis</i>	<i>Tropaeolum azureum</i>	<i>Tropaeolum brachyceras</i>
<i>Tropaeolum ciliatum</i>	<i>Tropaeolum incisum</i>	<i>Tropaeolum lepidum</i>
<i>Tropaeolum majus</i>	<i>Tropaeolum minus</i>	<i>Tropaeolum pentaphyllum</i>

<i>Tropaeolum peregrinum</i>	<i>Tropaeolum polyphyllum</i>	<i>Tropaeolum sessilifolium</i>
<i>Tropaeolum speciosum</i>	<i>Tropaeolum tricolor</i>	<i>Tropaeolum tuberosum</i>
<i>Tropaeolum violaeflorum</i>	<i>Tropidia</i> spp.	<i>Trymalium albicans</i>
<i>Trymalium daltonii</i>	<i>Trymalium ramosissimum</i>	<i>Trymalium spathulatum</i>
<i>Tsuga canadensis</i>	<i>Tsuga caroliniana</i>	<i>Tsuga chinensis</i>
<i>Tsuga diversifolia</i>	<i>Tsuga dumosa</i>	<i>Tsuga heterophylla</i>
<i>Tsuga sieboldii</i>	<i>Tuberolabium kotoense</i>	<i>Tuberolabium stellatum</i>
<i>Tulbaghia acutiloba</i>	<i>Tulbaghia alliacea</i>	<i>Tulbaghia capensis</i>
<i>Tulbaghia coddii</i>	<i>Tulbaghia cominsii</i>	<i>Tulbaghia galpinii</i>
<i>Tulbaghia leucantha</i>	<i>Tulbaghia ludwigiana</i>	<i>Tulbaghia montana</i>
<i>Tulbaghia simmleri</i>	<i>Tulbaghia violacea</i>	<i>Tulipa acuminata</i>
<i>Tulipa agenensis</i>	<i>Tulipa albertii</i>	<i>Tulipa altaica</i>
<i>Tulipa armena</i>	<i>Tulipa bakeri</i>	<i>Tulipa biebersteiniana</i>
<i>Tulipa biflora</i>	<i>Tulipa bifloriformis</i>	<i>Tulipa butkovii</i>
<i>Tulipa celsiana</i>	<i>Tulipa clusiana</i>	<i>Tulipa cretica</i>
<i>Tulipa dasystemon</i>	<i>Tulipa fosteriana</i>	<i>Tulipa gesneriana</i>
<i>Tulipa goulimyi</i>	<i>Tulipa greigii</i>	<i>Tulipa grengiolensis</i>
<i>Tulipa heterophylla</i>	<i>Tulipa humilis</i>	<i>Tulipa hungarica</i>
<i>Tulipa hybrida</i>	<i>Tulipa iliensis</i>	<i>Tulipa ingens</i>
<i>Tulipa kaufmanniana</i>	<i>Tulipa kurdica</i>	<i>Tulipa kuschkensis</i>
<i>Tulipa lanata</i>	<i>Tulipa linifolia</i>	<i>Tulipa micheliana</i>
<i>Tulipa neustruevae</i>	<i>Tulipa orphanidea</i>	<i>Tulipa platystigma</i>
<i>Tulipa praestans</i>	<i>Tulipa primulina</i>	<i>Tulipa rhodopea</i>
<i>Tulipa saxatilis</i>	<i>Tulipa sprengeri</i>	<i>Tulipa stapfii</i>
<i>Tulipa suaveolens</i>	<i>Tulipa sylvestris</i>	<i>Tulipa systola</i>
<i>Tulipa tarda</i>	<i>Tulipa tetraphylla</i>	<i>Tulipa tubergeniana</i>
<i>Tulipa turkestanica</i>	<i>Tulipa undulatifolia</i>	<i>Tulipa urumiensis</i>
<i>Tulipa urumoffii</i>	<i>Tulipa whittallii</i>	<i>Tulipa zenaidae</i>
<i>Tupidanthus calyptratus</i>	<i>Tupistra aurantiaca</i>	<i>Tupistra squalida</i>
<i>Turbincarpus beguinii</i>	<i>Turbincarpus gielsdorfianus</i>	<i>Turbincarpus horripilus</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Turbincarpus knuthianus</i>	<i>Turbincarpus laui</i>	<i>Turbincarpus lophophoroides</i>
<i>Turbincarpus mandragora</i>	<i>Turbincarpus pseudomacrochele</i>	<i>Turbincarpus pseudopectinatus</i>
<i>Turbincarpus roseiflorus</i>	<i>Turbincarpus saueri</i>	<i>Turbincarpus schmiedickeanus</i>
<i>Turbincarpus subterraneus</i>	<i>Turbincarpus valdezius</i>	<i>Turbincarpus viereckii</i>
<i>Turbincarpus ysabelae</i>	<i>Turbincarpus zaragozae</i>	<i>Turnera diffusa</i>
<i>Turnera trioniflora</i>	<i>Turnera ulmifolia</i>	<i>Turpinia arguta</i>
<i>Turpinia pomifera</i>	<i>Turraea casimiriana</i>	<i>Turraea heterophylla</i>
<i>Turraea mombassana</i>	<i>Turraea obtusifolia</i>	<i>Turricula parryi</i>
<i>Turrillia ferruginea</i>	<i>Turrillia lutea</i>	<i>Tussilago farfara</i>
<i>Tweedia caerulea</i>	<i>Tylecodon buchholzianus</i>	<i>Tylecodon pearsonii</i>
<i>Tylecodon reticulatus</i>	<i>Tylecodon schaeferanus</i>	<i>Tylophora barbata</i>
<i>Tylophora biglandulosa</i>	<i>Tylophora colorata</i>	<i>Tylophora crebriflora</i>
<i>Tylophora glabriflora</i>	<i>Tylophora woollsi</i>	<i>Tylosema esculentum</i>
<i>Tylosema fassoglensis</i>	<i>Typha orientalis</i>	<i>Typhonium alismifolium</i>
<i>Typhonium brownii</i>	<i>Typhonium eliosurum</i>	<i>Typhonium filiforme</i>
<i>Typhonium flagelliforme</i>	<i>Typhonium giganteum</i>	<i>Typhonium javanicum</i>
<i>Typhonium jonesii</i>	<i>Typhonium mirabile</i>	<i>Typhonium venosum</i>
<i>Typhonium wilbertii</i>	<i>Uebelmannia buiningii</i>	<i>Uebelmannia gummifera</i>
<i>Uebelmannia pectinifera</i>	<i>Uebelmannia pseudopectinifera</i>	<i>Ugni candollei</i>
<i>Ugni molinae</i>	<i>Ugni montana</i>	<i>Ugni myricoides</i>
<i>Ugni poeppigii</i>	<i>Ulex parviflorus</i>	<i>Ulmus canescens</i>
<i>Ulmus davidiana</i>	<i>Ulmus x elegantissima</i>	<i>Ulmus glabra</i>
<i>Ulmus glaucescens</i>	<i>Ulmus x hollandica</i>	<i>Ulmus mexicana</i>
<i>Ulmus minor</i>	<i>Ulmus minor x glabra</i>	<i>Ulmus parvifolia</i>
<i>Ulmus procera</i>	<i>Ulmus rubra</i>	<i>Ulmus sarniensis</i>
<i>Ulmus stricta</i>	<i>Ulmus vegeta</i>	<i>Ulmus x viminalis</i>
<i>Ulmus wallichiana</i>	<i>Umbilicus oppositifolius</i>	<i>Umbilicus schmidtii</i>
<i>Uncaria elliptica</i>	<i>Uncaria gambier</i>	<i>Uncarina abbreviata</i>

<i>Uncarina decaryi</i>	<i>Uncarina leptocarpa</i>	<i>Uncarina peltata</i>
<i>Uncarina perrieri</i>	<i>Uncarina platycarpa</i>	<i>Uncarina roeoesliana</i>
<i>Uncarina sakalava</i>	<i>Uncarina stellulifera</i>	<i>Uncarina turicana</i>
<i>Uncinia banksii</i>	<i>Uncinia compacta</i>	<i>Uncinia divaricata</i>
<i>Uncinia egmontiana</i>	<i>Uncinia flaccida</i>	<i>Uncinia hookeri</i>
<i>Uncinia nemoralis</i>	<i>Uncinia phleoides</i>	<i>Uncinia rubra</i>
<i>Uncinia tenella</i>	<i>Uncinia uncinata</i>	<i>Ungnadia speciosa</i>
<i>Uniola paniculata</i>	<i>Uraria lagopodoides</i>	<i>Uraria lagopus</i>
<i>Uraria picta</i>	<i>Uraria rufescens</i>	<i>Urbanolophium dusenianum</i>
<i>Urceola rosea</i>	<i>Urceolina urceolata</i>	<i>Urginea hesperia</i>
<i>Urginea undulata</i>	<i>Urocarpus grandiflorus</i>	<i>Urocarpus pallidus</i>
<i>Urochloa decumbens</i>	<i>Urochloa humidicola</i>	<i>Urochloa mosambicensis</i>
<i>Urochloa mutica</i>	<i>Urochloa panicoides</i>	<i>Urochloa ramosa</i>
<i>Urochloa ruziziensis</i>	<i>Uromyrtus australis</i>	<i>Uromyrtus lamingtonensis</i>
<i>Uromyrtus metrosideros</i>	<i>Urospatha friedrichsthalii</i>	<i>Urospatha sagittifolia</i>
<i>Urospermum picroides</i>	<i>Ursinia anethoides</i>	<i>Ursinia anthemoides</i>
<i>Ursinia cakilefolia</i>	<i>Ursinia calenduliflora</i>	<i>Ursinia paleacea</i>
<i>Ursinia sericea</i>	<i>Ursinia speciosa</i>	<i>Ursinia tenuiloba</i>
<i>Ursulaea macvaughii</i>	<i>Urtica dioica</i>	<i>Urtica lucifuga</i>
<i>Urtica urens</i>	<i>Utleya costaricensis</i>	<i>Utricularia arenaria</i>
<i>Utricularia bisquamata</i>	<i>Utricularia capensis</i>	<i>Utricularia cornuta</i>
<i>Utricularia delicatula</i>	<i>Utricularia gibba</i>	<i>Utricularia humboltii</i>
<i>Utricularia livida</i>	<i>Utricularia longifolia</i>	<i>Utricularia monanthos</i>
<i>Utricularia novae-zelandiae</i>	<i>Utricularia ochroleuca</i>	<i>Utricularia praelonga</i>
<i>Utricularia protrusa</i>	<i>Utricularia pubescens</i>	<i>Utricularia pygmaea</i>
<i>Utricularia reniformis</i>	<i>Utricularia sandersonii</i>	<i>Utricularia striata</i>
<i>Utricularia tricolor</i>	<i>Uvaria chamae</i>	<i>Uvaria cordata</i>
<i>Uvaria grandiflora</i>	<i>Uvaria macrophylla</i>	<i>Uvaria microcarpa</i>
<i>Uvaria rufa</i>	<i>Uvularia grandiflora</i>	<i>Vaccaria hispanica</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Vaccinium ambyandrum</i>	<i>Vaccinium angustifolium</i>	<i>Vaccinium angustifolium</i> x <i>corymbosum</i>
<i>Vaccinium arctostaphylos</i>	<i>Vaccinium bracteatum</i>	<i>Vaccinium bulleyanum</i>
<i>Vaccinium calycinum</i>	<i>Vaccinium consanguineum</i>	<i>Vaccinium corymbosum</i>
<i>Vaccinium corymbosum</i> x <i>ashei</i> x <i>darrowi</i>	<i>Vaccinium crassifolium</i>	<i>Vaccinium cylindraceum</i>
<i>Vaccinium delavayi</i>	<i>Vaccinium deliciosum</i>	<i>Vaccinium dendrocharis</i>
<i>Vaccinium duclouxii</i>	<i>Vaccinium dunalianum</i>	<i>Vaccinium floribundum</i>
<i>Vaccinium fragile</i>	<i>Vaccinium gaultheriifolium</i>	<i>Vaccinium glaucoalbum</i>
<i>Vaccinium helenae</i>	<i>Vaccinium hirtum</i>	<i>Vaccinium macrocarpon</i>
<i>Vaccinium mandarinorum</i>	<i>Vaccinium modestum</i>	<i>Vaccinium myrsinites</i>
<i>Vaccinium myrtilus</i>	<i>Vaccinium nummularia</i>	<i>Vaccinium oldhamii</i>
<i>Vaccinium ovatum</i>	<i>Vaccinium padifolium</i>	<i>Vaccinium parvifolium</i>
<i>Vaccinium petelotii</i>	<i>Vaccinium praestans</i>	<i>Vaccinium scopulorum</i>
<i>Vaccinium tonkinense</i>	<i>Vaccinium varingifolium</i>	<i>Vaccinium virgatum</i>
<i>Vaccinium vitis-idaea</i>	<i>Vachellia bidwillii</i>	<i>Vachellia farnesiana</i>
<i>Vagaria parviflora</i>	<i>Valenzuela trinervis</i>	<i>Valeriana arizonica</i>
<i>Valeriana capitata</i>	<i>Valeriana fauriei</i>	<i>Valeriana hardwickii</i>

<i>Valeriana jatamansi</i>	<i>Valeriana montana</i>	<i>Valeriana officinalis</i>
<i>Valeriana prionophylla</i>	<i>Valeriana saliunca</i>	<i>Valeriana sitchensis</i>
<i>Valeriana supina</i>	<i>Valerianella eriocarpa</i>	<i>Valerianella locusta</i>
<i>Valerianella truncata</i>	<i>Vallisneria glabra</i>	<i>Vallea stipularis</i>
<i>Vallisneria australis</i>	<i>Vallisneria caulescens</i>	<i>Vallisneria gigantea</i> x <i>spiralis</i>
<i>Vallisneria nana</i>	<i>Vallisneria natans</i> x <i>spiralis</i>	<i>Vallisneria spiralis</i>
<i>Vallisneria triptera</i>	<i>Vancouveria chrysantha</i>	<i>Vancouveria hexandra</i>
<i>Vancouveria planipetala</i>	<i>Vanda</i> spp.	<i>Vanda</i> x <i>Ascocentrum</i> spp.
<i>Vandopsis</i> spp.	<i>Vangueria esculenta</i>	<i>Vangueria infausta</i>
<i>Vanheerdea primosii</i>	<i>Vanheerdea roodiae</i>	<i>Vanheeredia divergens</i>
<i>Vanheeredia primosii</i>	<i>Vanhouttea gardneri</i>	<i>Vanilla</i> spp.
<i>Vanzijlia annulata</i>	<i>Vasconcellea cauliflora</i>	<i>Vasconcellea chilensis</i>

Vasconcellea goudotiana	Vasconcellea x heilbornii	Vasconcellea microcarpa
Vasconcellea monoica	Vasconcellea pubescens	Vasconcellea quercifolia
x Vascostylis spp.	Vataireopsis araroba	Vateria seychellarum
Vauquelinia californica	Vavaea australiana	Vavilovia formosa
Veillonia alba	Veitchia arecina	Veitchia filifera
Veitchia joannis	Veitchia macdanielsii	Veitchia metiti
Veitchia montgomeryana	Veitchia simulans	Veitchia spiralis
Veitchia vitiensis	Veitchia winin	Vella bourgaeana
Velleia montana	Velleia paradoxa	Velleia spathulata
Vellereophyton dealbatum	Vellozia equisetoides	Veltheimia bracteata
Veltheimia capensis	Vepris lanceolata	Vepris undulata
Veratrilla baillonii	Veratrum maackii	Veratrum mengtzeanum
Veratrum nigrum	Veratrum taliense	Verbascum acaule
Verbascum adzharicum	Verbascum baldaccii	Verbascum bombyciferum
Verbascum chaixii	Verbascum creticum	Verbascum dumulosum
Verbascum dumulosum x spinosum	Verbascum epixanthinum	Verbascum fruticosum
Verbascum x hybridum	Verbascum lagurus	Verbascum niveum
Verbascum olympicum	Verbascum pestalozzae	Verbascum phoeniceum
Verbascum spinosum	Verbascum thapsus	Verbascum virgatum
Verbascum wiedemannianum	Verbena africana	Verbena bonariensis
Verbena bonariensis x litoralis	Verbena hastata	Verbena x hybrida
Verbena macdougallii	Verbena minutiflora	Verbena officinalis
Verbena patagonica	Verbena plicata	Verbena rigida
Verbesina arnottii	Verbesina virginica	Vernicia fordii
Vernonia amygdalina	Vernonia anthelmintica	Vernonia cinerea
Vernonia elliptica	Vernonia glabra	Vernonia mespilifolia
Vernonia pedunculata	Vernonia saligna	Veronica allionii
Veronica alpina	Veronica arborea	Veronica arenaria

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Veronica arguta</i>	<i>Veronica arvensis</i>	<i>Veronica austriaca</i>
<i>Veronica bellidioides</i>	<i>Veronica brownii</i>	<i>Veronica decorosa</i>
<i>Veronica densifolia</i>	<i>Veronica dichrus</i>	<i>Veronica filifolia</i>
<i>Veronica formosa</i>	<i>Veronica formosana</i>	<i>Veronica forrestii</i>
<i>Veronica fruticulosa</i>	<i>Veronica gentianoides</i>	<i>Veronica gracilis</i>
<i>Veronica grandis</i>	<i>Veronica gunae</i>	<i>Veronica hillebrandii</i>
<i>Veronica hybrids</i>	<i>Veronica incana</i>	<i>Veronica lobelioides</i>
<i>Veronica longifolia</i>	<i>Veronica morrisonicola</i>	<i>Veronica multifida</i>
<i>Veronica nana</i>	<i>Veronica nivea</i>	<i>Veronica notabilis</i>
<i>Veronica nummularia</i>	<i>Veronica officinalis</i>	<i>Veronica oltensis</i>
<i>Veronica ornata</i>	<i>Veronica pectinata</i>	<i>Veronica peduncularis</i>
<i>Veronica persica</i>	<i>Veronica petraea</i>	<i>Veronica pinnata</i>
<i>Veronica ponae</i>	<i>Veronica porphyriana</i>	<i>Veronica prostrata</i>
<i>Veronica repens</i>	<i>Veronica saturejoides</i>	<i>Veronica schmidtiana</i>
<i>Veronica spicata</i>	<i>Veronica squalida</i>	<i>Veronica subsessilis</i>
<i>Veronica syriaca</i>	<i>Veronica tauricola</i>	<i>Veronica tenuifolia</i>
<i>Veronica teucrium</i>	<i>Veronica variegata</i>	<i>Veronicastrum japonicum</i>
<i>Veronicastrum latifolium</i>	<i>Veronicastrum sibiricum</i>	<i>Veronicastrum stenostachyum</i>
<i>Veronicastrum villosulum</i>	<i>Veronicastrum virginicum</i>	<i>Verschaffeltia splendida</i>
<i>Verticordia wilhelmii</i>	<i>Verticordia plumosa</i> x <i>Chamelaucium uncinatum</i>	<i>Vesicularia dubyana</i>
<i>Vesicularia ferriei</i>	<i>Vesicularia reticulata</i>	<i>Vesselowskyia rubifolia</i>
<i>Vestia foetida</i>	<i>Vestia lycioides</i>	<i>Vetiveria pauciflora</i>
<i>Viburnum arboreum</i>	<i>Viburnum atrocyaneum</i>	<i>Viburnum betulifolium</i>
<i>Viburnum bitchiuense</i>	<i>Viburnum</i> x <i>bodnantense</i>	<i>Viburnum brachybotryum</i>
<i>Viburnum burejaeticum</i>	<i>Viburnum</i> x <i>burkwoodii</i>	<i>Viburnum carlesii</i>
<i>Viburnum carlesii</i> x <i>burkwoodii</i>	<i>Viburnum congestum</i>	<i>Viburnum cotinifolium</i>
<i>Viburnum cylindricum</i>	<i>Viburnum davidii</i>	<i>Viburnum edule</i>
<i>Viburnum erosum</i>	<i>Viburnum erubescens</i>	<i>Viburnum farreri</i>

<i>Viburnum flavescens</i>	<i>Viburnum foetidum</i>	<i>Viburnum fordiae</i>
<i>Viburnum furcatum</i>	<i>Viburnum x globosum</i>	<i>Viburnum grandiflorum</i>
<i>Viburnum harryanum</i>	<i>Viburnum henryi</i>	<i>Viburnum x hillieri</i>
<i>Viburnum hirtulum</i>	<i>Viburnum hupehense</i>	<i>Viburnum ichangense</i>
<i>Viburnum japonicum</i>	<i>Viburnum x juddii</i>	<i>Viburnum lantana</i>
<i>Viburnum lentago</i>	<i>Viburnum lobophyllum</i>	<i>Viburnum luzonicum</i>
<i>Viburnum mongolicum</i>	<i>Viburnum mullaha</i>	<i>Viburnum nudum</i>
<i>Viburnum obovatum</i>	<i>Viburnum odoratissimum</i>	<i>Viburnum opulus</i>
<i>Viburnum orientale</i>	<i>Viburnum phlebotrimum</i>	<i>Viburnum plicatum</i>
<i>Viburnum punctatum</i>	<i>Viburnum rhytidophyllum</i>	<i>Viburnum rigidum</i>
<i>Viburnum schensianum</i>	<i>Viburnum sempervirens</i>	<i>Viburnum suspensum</i>
<i>Viburnum taitoense</i>	<i>Viburnum ternatum</i>	<i>Viburnum tinus</i>
<i>Viburnum urceolatum</i>	<i>Viburnum utile</i>	<i>Viburnum veitchii</i>
<i>Viburnum wrightii</i>	<i>Vicia alpestris</i>	<i>Vicia amurensis</i>
<i>Vicia anatolica</i>	<i>Vicia andicola</i>	<i>Vicia articulata</i>
<i>Vicia benghalensis</i>	<i>Vicia biennis</i>	<i>Vicia ciceroidea</i>
<i>Vicia cirrhosa</i>	<i>Vicia dionysiensis</i>	<i>Vicia epetiolaris</i>
<i>Vicia ervilia</i> cv. Cazar	<i>Vicia faba</i>	<i>Vicia ferruginea</i>
<i>Vicia filicaulis</i>	<i>Vicia floridana</i>	<i>Vicia fulgens</i>
<i>Vicia galeata</i>	<i>Vicia hirsuta</i>	<i>Vicia hyaeniscyamus</i>
<i>Vicia loiseleurii</i>	<i>Vicia macrograminea</i>	<i>Vicia michauxii</i>
<i>Vicia minutiflora</i>	<i>Vicia monantha</i>	<i>Vicia montevidensis</i>
<i>Vicia multicaulis</i>	<i>Vicia narbonensis</i> cv. Tanami	<i>Vicia ocalensis</i>
<i>Vicia ochroleuca</i>	<i>Vicia pannonica</i>	<i>Vicia pseudo-orobus</i>
<i>Vicia sativa</i>	<i>Vicia scandens</i>	<i>Vicia sericocarpa</i>
<i>Vicia sicula</i>	<i>Vicia sylvatica</i>	<i>Vicia venosa</i>
<i>Vicia villosa</i>	<i>Victoria amazonica</i>	<i>Victoria cruziana</i>
<i>Vieraea laevigata</i>	<i>Vigna aconitifolia</i>	<i>Vigna adenantha</i>
<i>Vigna ambacensis</i>	<i>Vigna angivensis</i>	<i>Vigna angularis</i>
<i>Vigna candida</i>	<i>Vigna caracalla</i>	<i>Vigna dalzelliana</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Vigna elegans</i>	<i>Vigna friesiorum</i>	<i>Vigna frutescens</i>
<i>Vigna gracilis</i>	<i>Vigna heterophylla</i>	<i>Vigna kirkii</i>
<i>Vigna lasiocarpa</i>	<i>Vigna laurentii</i>	<i>Vigna linearis</i>
<i>Vigna lobatifolia</i>	<i>Vigna longifolia</i>	<i>Vigna luteola</i>
<i>Vigna membranacea</i>	<i>Vigna minima</i>	<i>Vigna monophylla</i>
<i>Vigna mungo</i>	<i>Vigna nervosa</i>	<i>Vigna nuda</i>
<i>Vigna peduncularis</i>	<i>Vigna racemosa</i>	<i>Vigna radiata</i>
<i>Vigna schimperii</i>	<i>Vigna subterranea</i>	<i>Vigna trilobata</i>
<i>Vigna umbellata</i>	<i>Vigna unguiculata</i>	<i>Vigna vexillata</i>
<i>Vigna wittei</i>	<i>Villadia guatemalensis</i>	<i>Villamilla peruviana</i>
<i>Villarsia exaltata</i>	<i>Villarsia reniformis</i>	<i>Villarsia umbricola</i>
<i>Vinca elegantissima</i>	<i>Vinca major</i>	<i>Vinca minor</i>
<i>Viola adunca</i>	<i>Viola aethnensis</i>	<i>Viola aetolica</i>
<i>Viola alba</i>	<i>Viola allchariensis</i>	<i>Viola alpina</i>
<i>Viola altaica</i>	<i>Viola angustifolia</i>	<i>Viola arborescens</i>
<i>Viola arguta</i>	<i>Viola arsenica</i>	<i>Viola athois</i>
<i>Viola aurantiaca</i>	<i>Viola auricula</i>	<i>Viola bangii</i>
<i>Viola beckwithii</i>	<i>Viola bertolonii</i>	<i>Viola biflora</i>
<i>Viola brevistipulata</i>	<i>Viola bubanii</i>	<i>Viola calaminaria</i>
<i>Viola caleyana</i>	<i>Viola canescens</i>	<i>Viola canina</i>
<i>Viola cano-barbata</i>	<i>Viola cazorlensis</i>	<i>Viola cenisia</i>
<i>Viola chaerophylloides</i>	<i>Viola collina</i>	<i>Viola cornuta</i>
<i>Viola coronifera</i>	<i>Viola corsica</i>	<i>Viola cotyledon</i>
<i>Viola crassa</i>	<i>Viola crassiuscula</i>	<i>Viola cucullata</i>
<i>Viola cuneata</i>	<i>Viola cunninghamii</i>	<i>Viola dactyloides</i>
<i>Viola dasyphylla</i>	<i>Viola delphinantha</i>	<i>Viola delphinifolia</i>
<i>Viola demetria</i>	<i>Viola diffusa</i>	<i>Viola dissecta</i>
<i>Viola diversifolia</i>	<i>Viola douglasii</i>	<i>Viola dubyana</i>
<i>Viola dyris</i>	<i>Viola eizanensis</i>	<i>Viola elatior</i>
<i>Viola elegantula</i>	<i>Viola epipsila</i>	<i>Viola eugeniae</i>

<i>Viola eximia</i>	<i>Viola faurieana</i>	<i>Viola filicaulis</i>
<i>Viola flettii</i>	<i>Viola fluhmannii</i>	<i>Viola fragrans</i>
<i>Viola fuscoviolacea</i>	<i>Viola germainii</i>	<i>Viola glabella</i>
<i>Viola glacialis</i>	<i>Viola gracilis</i>	<i>Viola grayi</i>
<i>Viola grisebachiana</i>	<i>Viola grypoceras</i>	<i>Viola hallii</i>
<i>Viola hastata</i>	<i>Viola hederacea</i>	<i>Viola hieronymi</i>
<i>Viola hirtipes</i>	<i>Viola hirtipes x japonica</i>	<i>Viola hispida</i>
<i>Viola indica</i>	<i>Viola jaubertiana</i>	<i>Viola keiskei</i>
<i>Viola kermesina</i>	<i>Viola kosaninii</i>	<i>Viola kunawarensis</i>
<i>Viola kusanoana</i>	<i>Viola labradorica</i>	<i>Viola lactea</i>

<i>Viola langsdorfii</i>	<i>Viola lobata</i>	<i>Viola lyallii</i>
<i>Viola macloskeyi</i>	<i>Viola maculata</i>	<i>Viola magellanica</i>
<i>Viola mandonii</i>	<i>Viola mandshurica</i>	<i>Viola maymanica</i>
<i>Viola mirabilis</i>	<i>Viola munbyana</i>	<i>Viola niederleinii</i>
<i>Viola nivalis</i>	<i>Viola nummulariifolia</i>	<i>Viola nuttallii</i>
<i>Viola ocellata</i>	<i>Viola odorata</i>	<i>Viola orbiculata</i>
<i>Viola oreades</i>	<i>Viola orientalis</i>	<i>Viola orphanidis</i>
<i>Viola pedata</i>	<i>Viola pedatifida</i>	<i>Viola persicifolia</i>
<i>Viola philippii</i>	<i>Viola pilosa</i>	<i>Viola pinnata</i>
<i>Viola poetica</i>	<i>Viola primulifolia</i>	<i>Viola pumila</i>
<i>Viola purpurea</i>	<i>Viola pygmaea</i>	<i>Viola pyrenaica</i>
<i>Viola raddeana</i>	<i>Viola reichei</i>	<i>Viola renifolia</i>
<i>Viola rodriguezii</i>	<i>Viola rosulata</i>	<i>Viola rubella</i>
<i>Viola rubra</i>	<i>Viola sacculus</i>	<i>Viola selkirkii</i>
<i>Viola septemloba</i>	<i>Viola sheltonii</i>	<i>Viola sororia</i>
<i>Viola stojanowii</i>	<i>Viola striata</i>	<i>Viola suavis</i>
<i>Viola tricolor</i>	<i>Viola tridentata</i>	<i>Viola triflabellata</i>
<i>Viola vaginata</i>	<i>Viola valdiviana</i>	<i>Viola vulcanica</i>
<i>Viola walteri</i>	<i>Viola x wittrockiana</i>	<i>Viola yezoensis</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Virgilia divaricata</i>	<i>Virgilia oroboides</i>	<i>Virola peruviana</i>
<i>Virotia leptophylla</i>	<i>Virotia neurophylla</i>	<i>Viscainoa geniculata</i>
<i>Viscum album</i>	<i>Visnea mocanera</i>	<i>Vitaliana primuliflora</i>
<i>Vitex agnus-castus</i>	<i>Vitex carvalhi</i>	<i>Vitex lignum-vitae</i>
<i>Vitex megapotamica</i>	<i>Vitex melicopea</i>	<i>Vitex mossambicensis</i>
<i>Vitex negundo</i>	<i>Vitex paniculata</i>	<i>Vitex trifolia</i>
<i>Vitis acerifolia</i>	<i>Vitis amurensis</i>	<i>Vitis x champinii</i>
<i>Vitis cinerea</i>	<i>Vitis congesta</i>	<i>Vitis davidii</i>
<i>Vitis ficifolia</i>	<i>Vitis flexuosa</i>	<i>Vitis labrusca</i>
<i>Vitis monticola</i>	<i>Vitis mustangensis</i>	<i>Vitis persica</i>
<i>Vitis riparia</i>	<i>Vitis rotundifolia</i>	<i>Vitis rupestris</i>
<i>Vitis shuttleworthii</i>	<i>Vitis vinifera</i>	<i>Vitis welwitschii</i>
<i>Vittadinia condyloides</i>	<i>Vittadinia megacephala</i>	<i>Vittadinia tenuissima</i>
<i>Vittaria elongata</i>	<i>Vittaria ensiformis</i>	<i>Voacanga africana</i>
<i>Voacanga grandifolia</i>	<i>Voacanga schweinfurthii</i>	<i>Voanioala gerardii</i>
<i>Vochysia ferruginea</i>	<i>Vriesea altodaserrae</i>	<i>Vriesea atropurpurea</i>
<i>Vriesea barilletii</i>	<i>Vriesea bituminosa</i>	<i>Vriesea carinata</i>
<i>Vriesea cereicola</i>	<i>Vriesea chrysostachys</i>	<i>Vriesea corcovadensis</i>
<i>Vriesea correia-arauji</i>	<i>Vriesea correia-araujoi</i>	<i>Vriesea delicatula</i>
<i>Vriesea discolor</i>	<i>Vriesea dubia</i>	<i>Vriesea elata</i>
<i>Vriesea ensiformis</i>	<i>Vriesea erythrodactylon</i>	<i>Vriesea espinosae</i>
<i>Vriesea fenestralis</i>	<i>Vriesea flammea</i>	<i>Vriesea fosteriana</i>
<i>Vriesea geniculata</i>	<i>Vriesea gigantea</i>	<i>Vriesea gladioliflora</i>
<i>Vriesea glaziouana</i>	<i>Vriesea glutinosa</i>	<i>Vriesea gradata</i>
<i>Vriesea guttata</i>	<i>Vriesea heliconioides</i>	<i>Vriesea heterandra</i>
<i>Vriesea heterostachys</i>	<i>Vriesea hieroglyphica</i>	<i>Vriesea hitchcockiana</i>
<i>Vriesea hybrids</i>	<i>Vriesea imperialis</i>	<i>Vriesea incurvata</i>
<i>Vriesea inflata</i>	<i>Vriesea irazuensis</i>	<i>Vriesea jonghei</i>
<i>Vriesea joyae</i>	<i>Vriesea languida</i>	<i>Vriesea lubbersii</i>
<i>Vriesea malzinei</i>	<i>Vriesea marnier-lapostollei</i>	<i>Vriesea muelleri</i>

<i>Vriesea nephrolepis</i>	<i>Vriesea olmosana</i>	<i>Vriesea ospinae</i>
<i>Vriesea pastuchoffiana</i>	<i>Vriesea philippocoburgii</i>	<i>Vriesea platynema</i>
<i>Vriesea poenulata</i>	<i>Vriesea procera</i>	<i>Vriesea psittacina</i>
<i>Vriesea racinae</i>	<i>Vriesea rauhii</i>	<i>Vriesea regina</i>
<i>Vriesea reitzii</i>	<i>Vriesea rodigasiana</i>	<i>Vriesea rubra</i>
<i>Vriesea rubrobracteata</i>	<i>Vriesea rubyae</i>	<i>Vriesea sagasteguii</i>
<i>Vriesea saundersii</i>	<i>Vriesea scalaris</i>	<i>Vriesea schwackeana</i>
<i>Vriesea simplex</i>	<i>Vriesea splendens</i>	<i>Vriesea sucrei</i>
<i>Vriesea triangularis</i>	<i>Vriesea tuerckheimii</i>	<i>Vriesea unilateralis</i>
<i>Vriesea vagans</i>	<i>Vriesea vinicolor</i>	<i>Vriesea warmingii</i>
<i>Vriesea wuelfinghoffii</i>	<i>Vriesea zamorensis</i>	<i>Vulpia bromoides</i>
<i>Vulpia fasciculata</i>	<i>Vulpia membranacea</i>	<i>Vulpia muralis</i>
<i>Vulpia myuros</i>	<i>Wachendorfia brachyandra</i>	<i>Wachendorfia paniculata</i>
<i>Wachendorfia thyrsoflora</i>	<i>Wahlenbergia albens</i>	<i>Wahlenbergia albomarginata</i>
<i>Wahlenbergia capensis</i>	<i>Wahlenbergia ceracea</i>	<i>Wahlenbergia congesta</i>
<i>Wahlenbergia consimilis</i>	<i>Wahlenbergia cuspidata</i>	<i>Wahlenbergia dalmatica</i>
<i>Wahlenbergia fluminalis</i>	<i>Wahlenbergia gloriosa</i>	<i>Wahlenbergia graminifolia</i>
<i>Wahlenbergia gymnoclada</i>	<i>Wahlenbergia litticola</i>	<i>Wahlenbergia luteola</i>
<i>Wahlenbergia pygmaea</i>	<i>Wahlenbergia saxicola</i>	<i>Wahlenbergia undulata</i>
<i>Waitzia aurea</i>	<i>Waitzia citrina</i>	<i>Waitzia paniculata</i>
<i>Wajira grahamiana</i>	<i>Walleria nutans</i>	<i>Wallichia caryotoides</i>
<i>Wallichia chinensis</i>	<i>Wallichia densiflora</i>	<i>Wallichia disticha</i>
<i>Wallichia mooreana</i>	<i>Wallichia siamensis</i>	<i>Wallichia triandra</i>
<i>Warrea</i> spp.	<i>Warszewiczia coccinea</i>	<i>Wasabia japonica</i>
<i>Washingtonia filifera</i>	<i>Washingtonia robusta</i>	<i>Waterhousea floribunda</i>
<i>Waterhousea hedraiohylla</i>	<i>Waterhousea unipunctata</i>	<i>Watsonia aletroides</i>
<i>Watsonia aletroides</i> x <i>coccinea</i>	<i>Watsonia angusta</i>	<i>Watsonia borbonica</i>
<i>Watsonia brevifolia</i>	<i>Watsonia coccinea</i>	<i>Watsonia densiflora</i>
<i>Watsonia galpinii</i>	<i>Watsonia humilis</i>	<i>Watsonia hysterantha</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Watsonia knysnana</i>	<i>Watsonia laccata</i>	<i>Watsonia latifolia</i>
<i>Watsonia lepida</i>	<i>Watsonia marginata</i>	<i>Watsonia marginata</i> x <i>borbonica</i>
<i>Watsonia meriana</i>	<i>Watsonia meriana</i> x <i>borbonica</i>	<i>Watsonia occulta</i>
<i>Watsonia paucifolia</i>	<i>Watsonia pillansii</i>	<i>Watsonia pulchra</i>
<i>Watsonia roseo-alba</i>	<i>Watsonia schlechteri</i>	<i>Watsonia spectabilis</i>
<i>Watsonia stanfordii</i>	<i>Watsonia stenosphon</i>	<i>Watsonia strictiflora</i>
<i>Watsonia strubeniae</i>	<i>Watsonia tabularis</i>	<i>Watsonia transvaalensis</i>
<i>Watsonia vanderspuyiae</i>	<i>Watsonia versfeldii</i>	<i>Watsonia watsonioides</i>
<i>Watsonia wilmaniae</i>	<i>Watsonia zeyheri</i>	<i>Wattakaka sinensis</i>
<i>Weberbauerocereus johnsonii</i>	<i>Weberbauerocereus longicomus</i>	<i>Weberbauerocereus weberbaueri</i>
<i>Weberbauerocereus winterianus</i>	<i>Weberocereus biolleyi</i>	<i>Weberocereus bradei</i>
<i>Weberocereus glaber</i>	<i>Weberocereus imitans</i>	<i>Weberocereus rosei</i>
<i>Weberocereus tonduzii</i>	<i>Weberocereus tunilla</i>	<i>Websteria confervoides</i>
<i>Wehlia coarctata</i>	<i>Weigela decora</i>	<i>Weigela florida</i>
<i>Weigela japonica</i>	<i>Weigela maximowiczii</i>	<i>Weigela middendorffiana</i>
<i>Weigela sinica</i>	<i>Weigela</i> x <i>styriaca</i>	<i>Weigela subsessilis</i>
<i>Weigela venusta</i>	<i>Weigela</i> x <i>wagneri</i>	<i>Weingartia kargliana</i>
<i>Weingartia oligacantha</i>	<i>Weinmannia pinnata</i>	<i>Weinmannia racemosa</i>
<i>Weinmannia sylvicola</i>	<i>Weinmannia tinctoria</i>	<i>Weinmannia trichosperma</i>
<i>Welchiodendron longivalve</i>	<i>Welfia georgii</i>	<i>Welfia regia</i>
<i>Welwitschia mirabilis</i>	<i>Werauhia gladioliflora</i>	<i>Werauhia insignis</i>
<i>Werauhia kupperiana</i>	<i>Werauhia latissima</i>	<i>Werauhia leucophylla</i>
<i>Werauhia marnier-lapostollei</i>	<i>Werauhia ororiensis</i>	<i>Werauhia sanguinolenta</i>
<i>Werauhia viridiflora</i>	<i>Werauhia werckleana</i>	<i>Werauhia viridiflora</i> x <i>Vriesea gigantea</i>
<i>Wercklea insignis</i>	<i>Werneria nubigena</i>	<i>Westringia amabilis</i>
<i>Westringia angustifolia</i>	<i>Westringia blakeana</i>	<i>Westringia brevifolia</i>
<i>Westringia cheelii</i>	<i>Westringia crassifolia</i>	<i>Westringia cremnophila</i>

<i>Westringia davidii</i>	<i>Westringia eremicola</i>	<i>Westringia eremicola</i> x <i>fruticosa</i>
<i>Westringia fruticosa</i>	<i>Westringia fruticosa</i> x <i>eremicola</i>	<i>Westringia glabra</i>
<i>Westringia grandifolia</i>	<i>Westringia grevillina</i>	<i>Westringia longifolia</i>
<i>Westringia lucida</i>	<i>Westringia raleighii</i>	<i>Westringia rubiifolia</i>
<i>Westringia rupicola</i>	<i>Westringia saxatilis</i>	<i>Westringia senifolia</i>
<i>Westringia sericea</i>	<i>Westringia tenuicaulis</i>	<i>Westringia viminalis</i>
<i>Wettinia aequalis</i>	<i>Wettinia augusta</i>	<i>Wettinia castanea</i>
<i>Wettinia disticha</i>	<i>Wettinia drudei</i>	<i>Wettinia fascicularis</i>
<i>Wettinia hirsuta</i>	<i>Wettinia kalbreyeri</i>	<i>Wettinia longipetala</i>
<i>Wettinia maynensis</i>	<i>Wettinia microcarpa</i>	<i>Wettinia oxycarpa</i>
<i>Wettinia praemorsa</i>	<i>Wettinia quinaria</i>	<i>Wettinia radiata</i>
<i>Wettinia verruculosa</i>	<i>Whipplea modesta</i>	<i>White-sloanea crassa</i>
<i>Whiteheadia bifolia</i>	<i>Whitfieldia elongata</i>	<i>Whitfieldia longifolia</i>
<i>Widdringtonia cedarbergensis</i>	<i>Widdringtonia dracomontana</i>	<i>Widdringtonia nodiflora</i>
<i>Widdringtonia whytei</i>	<i>Wigandia urens</i>	<i>Wightia speciosissima</i>
<i>Wikia extenuata</i>	<i>Wikstroemia australis</i>	<i>Wilkesia gymnoxiphium</i>
<i>Wilkesia hobdyi</i>	<i>Wilkiea angustifolia</i>	<i>Wilkiea austroqueenslandica</i>
<i>Wilkiea huegeliana</i>	<i>Wilkiea macoorai</i>	<i>Wilkiea macrophylla</i>
<i>Willughbeia angustifolia</i>	<i>Willughbeia coriacea</i>	<i>Winifredia sola</i>
<i>Winteria aureispina</i>	<i>Wissadula excelsior</i>	<i>Wisteria brachybotrys</i>
<i>Wisteria chinensis</i>	<i>Wisteria floribunda</i>	<i>Wisteria</i> x <i>formosa</i>
<i>Wisteria frutescens</i>	<i>Wisteria multijuga</i>	<i>Wisteria sinensis</i>
<i>Wisteria villosa</i>	<i>Withania aristata</i>	<i>Withania frutescens</i>
<i>Withania riebeckii</i>	<i>Withania somnifera</i>	<i>Witheringia coccoloboides</i>
<i>Witheringia solanacea</i>	<i>Wittrockia amazonica</i>	<i>Wittrockia cyathiformis</i>
<i>Wittrockia superba</i>	<i>Wittsteinia vacciniacea</i>	<i>Wodyetia bifurcata</i>
<i>Wollemia nobilis</i>	<i>Woodfordia fruticosa</i>	<i>Woodsia ilvensis</i>
<i>Woodsia polystichoides</i>	<i>Woodsia scopulina</i>	<i>Woodwardia fimbriata</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

Woodwardia japonica	Woodwardia orientalis	Woodwardia radicans
Woodwardia unigemmata	Woodwardia virginica	Wooleya farinosa
Woollisia pungens	Wormia alata	Worsleya procera
Worsleya rayneri	Wrightia antidysenterica	Wrightia arborea
Wrightia religiosa	Wrightia tinctoria	Wrightia versicolor
Wulfenia baldaccii	Wulfenia blechicii	Wulfenia carinthiaca
Wurmbea marginata	Wurmbea recurva	Wurmbea spicata
Xantheranthemum igneum	Xanthisma texanum	Xanthoceras sorbifolium
Xanthocercis zambesiaca	Xanthocyparis nootkatensis	Xanthorhiza simplicissima
Xanthorrhoea arborea	Xanthorrhoea australis	Xanthorrhoea bracteata
Xanthorrhoea concava	Xanthorrhoea fulva	Xanthorrhoea glauca
Xanthorrhoea johnsonii	Xanthorrhoea latifolia	Xanthorrhoea macronema
Xanthorrhoea malacophylla	Xanthorrhoea media	Xanthorrhoea minor
Xanthorrhoea pecoris	Xanthorrhoea quadrangulata	Xanthorrhoea reflexa
Xanthorrhoea resinosa	Xanthorrhoea semiplana	Xanthosia diffusa
Xanthosia dissecta	Xanthosia pilosa	Xanthosia stellata
Xanthosoma maculatum	Xanthosoma mafaffa	Xanthosoma stenospathum
Xanthosoma striatipes	Xanthostemon arenarius	Xanthostemon aurantiacum
Xanthostemon carlii	Xanthostemon chrysanthus	Xanthostemon crenulatus
Xanthostemon ferrugineus	Xanthostemon francii	Xanthostemon glaucum
Xanthostemon grisei	Xanthostemon gugerlii	Xanthostemon laurinus
Xanthostemon longipes	Xanthostemon macrophyllum	Xanthostemon multiflorum
Xanthostemon myrtifolium	Xanthostemon oppositifolius	Xanthostemon pubescens
Xanthostemon ruber	Xanthostemon sulfureum	Xanthostemon verdugonianus
Xanthostemon verticillatus	Xanthostemon vieillardii	Xanthostemon whitei
Xanthostemon xerophilus	Xanthostemon youngii	Xantolis tomentosa

<i>Xenoscapa fistulosa</i>	<i>Xeranthemum annuum</i>	<i>Xeranthemum cylindraceum</i>
<i>Xerochrysum palustre</i>	<i>Xerochrysum papillosum</i>	<i>Xerochrysum subundulatum</i>
<i>Xerochrysum viscosum</i>	<i>Xeroderris stuhlmannii</i>	<i>Xeromphis spinosa</i>
<i>Xeronema callistemon</i>	<i>Xeronema moorei</i>	<i>Xerophyllum asphodeloides</i>
<i>Xerophyllum tenax</i>	<i>Xerophyta dasylirioides</i>	<i>Xerophyta equisetoides</i>
<i>Xerophyta villosa</i>	<i>Xerophyta viscosa</i>	<i>Xerosicyos danguyi</i>
<i>Xerosicyos perrieri</i>	<i>Xerothamnella herbacea</i>	<i>Xerothamnella parvifolia</i>
<i>Ximenia americana</i>	<i>Xylia torreana</i>	<i>Xylobium</i> spp.
<i>Xylococcus bicolor</i>	<i>Xylomelum cunninghamianum</i>	<i>Xylomelum pyriforme</i>
<i>Xylophia aethiopica</i>	<i>Xylophia maccraei</i>	<i>Xylosma congesta</i>
<i>Xylosma crenata</i>	<i>Xylosma japonicum</i>	<i>Xylosma senticosa</i>
<i>Xylothea kraussiana</i>	<i>Xyris bracteata</i>	<i>Xyris difformis</i>
<i>Xyris gracilis</i>	<i>Xyris marginata</i>	<i>Xyris operculata</i>
<i>Yavia cryptocarpa</i>	<i>Ypsilopus longifolia</i>	<i>Yucca aloifolia</i>
<i>Yucca angustissima</i>	<i>Yucca arkansana</i>	<i>Yucca australis</i>
<i>Yucca baccata</i>	<i>Yucca baileyi</i>	<i>Yucca brevifolia</i>
<i>Yucca constricta</i>	<i>Yucca de-smetiana</i>	<i>Yucca decipiens</i>
<i>Yucca elata</i>	<i>Yucca endlichiana</i>	<i>Yucca faxoniana</i>
<i>Yucca filamentosa</i>	<i>Yucca filifera</i>	<i>Yucca gigantea</i>
<i>Yucca glauca</i>	<i>Yucca gloriosa</i>	<i>Yucca guatemalensis</i>
<i>Yucca harrimaniae</i>	<i>Yucca louisianensis</i>	<i>Yucca pallida</i>
<i>Yucca rigida</i>	<i>Yucca schidigera</i>	<i>Yucca schottii</i>
<i>Yucca thompsoniana</i>	<i>Yucca treculeana</i>	<i>Yucca valida</i>
<i>Yucca whipplei</i>	<i>Zaluzianskya capensis</i>	<i>Zaluzianskya divaricata</i>
<i>Zaluzianskya glareosa</i>	<i>Zaluzianskya katharinae</i>	<i>Zaluzianskya ovata</i>
<i>Zaluzianskya villosa</i>	<i>Zamia acuminata</i>	<i>Zamia amblyphyllidia</i>
<i>Zamia boliviana</i>	<i>Zamia encephalartoides</i>	<i>Zamia fairchildiana</i>
<i>Zamia fischeri</i>	<i>Zamia furfuracea</i>	<i>Zamia herrerae</i>

**Plant Diseases Regulations 1989****Schedule 5** Non-native plants that may be brought into the State

<i>Zamia integrifolia</i>	<i>Zamia ipetiensis</i>	<i>Zamia lecointei</i>
<i>Zamia lindleyi</i>	<i>Zamia loddigesii</i>	<i>Zamia manicata</i>
<i>Zamia monticola</i>	<i>Zamia muricata</i>	<i>Zamia neurophyllidia</i>
<i>Zamia paucijuga</i>	<i>Zamia picta</i>	<i>Zamia poeppigiana</i>
<i>Zamia polymorpha</i>	<i>Zamia prasina</i>	<i>Zamia pseudoparasitica</i>
<i>Zamia pumila</i>	<i>Zamia purpurea</i>	<i>Zamia pygmaea</i>
<i>Zamia roezlii</i>	<i>Zamia skinneri</i>	<i>Zamia soconuscensis</i>
<i>Zamia spartea</i>	<i>Zamia standleyi</i>	<i>Zamia tuerckheimii</i>
<i>Zamia variegata</i>	<i>Zamia vazquezii</i>	<i>Zamia verschaffeltii</i>
<i>Zamioculcas zamiifolia</i>	<i>Zantedeschia albomaculata</i>	<i>Zantedeschia eliottiana</i>
<i>Zantedeschia eliottiana</i> x <i>pentlandii</i>	<i>Zantedeschia eliottiana</i> x <i>rehmannii</i>	<i>Zantedeschia jucunda</i>
<i>Zantedeschia pentlandii</i>	<i>Zantedeschia rehmannii</i>	<i>Zantedeschia rehmannii</i> x <i>pentlandii</i>
<i>Zantedeschia sprengeri</i>	<i>Zanthoxylum</i> <i>acanthopodium</i>	<i>Zanthoxylum alpinum</i>
<i>Zanthoxylum armatum</i>	<i>Zanthoxylum dipetalum</i>	<i>Zanthoxylum esquirolii</i>
<i>Zanthoxylum hawaiiense</i>	<i>Zanthoxylum</i> <i>heterophyllum</i>	<i>Zanthoxylum nitidum</i>
<i>Zanthoxylum ovalifolium</i>	<i>Zanthoxylum piasezkii</i>	<i>Zanthoxylum piperitum</i>
<i>Zanthoxylum rhetsa</i>	<i>Zanthoxylum veneficum</i>	<i>Zapoteca portoricensis</i>
<i>Zauschneria arizonica</i>	<i>Zea diploperennis</i>	<i>Zea mays</i>
<i>Zelenkoa onusta</i>	<i>Zelkova crenata</i>	<i>Zelkova hirta</i>
<i>Zelkova schneideriana</i>	<i>Zelkova serrata</i>	<i>Zelkova sinica</i>
<i>Zelkova verschaffeltii</i>	<i>Zenobia pulverulenta</i>	<i>Zephyranthes</i> x <i>ajax</i>
<i>Zephyranthes albicans</i>	<i>Zephyranthes albiella</i>	<i>Zephyranthes atamasca</i>
<i>Zephyranthes bifolia</i>	<i>Zephyranthes candida</i>	<i>Zephyranthes candida</i> x <i>verecunda</i>
<i>Zephyranthes citrina</i>	<i>Zephyranthes clintiae</i>	<i>Zephyranthes filifolia</i>
<i>Zephyranthes flavissima</i>	<i>Zephyranthes gracilifolia</i>	<i>Zephyranthes grandiflora</i>
<i>Zephyranthes lindleyana</i>	<i>Zephyranthes macrosiphon</i>	<i>Zephyranthes minima</i>
<i>Zephyranthes primulina</i>	<i>Zephyranthes</i> <i>puertoricensis</i>	<i>Zephyranthes traubii</i>

<i>Zephyranthes verecunda</i>	<i>Zieria adenodonta</i>	<i>Zieria adenophora</i>
<i>Zieria arborescens</i>	<i>Zieria aspalathoides</i>	<i>Zieria baeuerlenii</i>
<i>Zieria buxijugum</i>	<i>Zieria caducibracteata</i>	<i>Zieria citriodora</i>
<i>Zieria collina</i>	<i>Zieria compacta</i>	<i>Zieria covenyi</i>
<i>Zieria cytisoides</i>	<i>Zieria cytisoides x laevigata</i>	<i>Zieria formosa</i>
<i>Zieria fraseri</i>	<i>Zieria furfuracea</i>	<i>Zieria granulata</i>
<i>Zieria hindii</i>	<i>Zieria ingramii</i>	<i>Zieria involucrata</i>
<i>Zieria laevigata</i>	<i>Zieria laevigata x cytisoides</i>	<i>Zieria laxiflora</i>
<i>Zieria littoralis</i>	<i>Zieria minutiflora</i>	<i>Zieria montana</i>
<i>Zieria murphyi</i>	<i>Zieria obcordata</i>	<i>Zieria odorifera</i>
<i>Zieria oreocaena</i>	<i>Zieria parrisiae</i>	<i>Zieria pilosa</i>
<i>Zieria prostrata</i>	<i>Zieria rimulosa</i>	<i>Zieria robusta</i>
<i>Zieria smithii</i>	<i>Zieria smithii x cytisoides</i>	<i>Zieria southwellii</i>
<i>Zieria tuberculata</i>	<i>Zieria veronicea</i>	<i>Zieria verrucosa</i>
<i>Zingiber trichopoda</i>	<i>Zingiber collinsii</i>	<i>Zingiber gramineum</i>
<i>Zingiber griffithii</i>	<i>Zingiber malaysianum</i>	<i>Zingiber officinale</i>
<i>Zingiber parishii</i>	<i>Zingiber pseudopungens</i>	<i>Zingiber roseum</i>
<i>Zingiber spectabile</i>	<i>Zingiber striolatum</i>	<i>Zingiber zerumbet</i>
<i>Zinnia angustifolia</i>	<i>Zinnia elegans</i>	<i>Zinnia grandiflora</i>
<i>Zinnia haageana</i>	<i>Zinnia peruviana x angustifolia</i>	<i>Zinnia violacea x angustifolia</i>
<i>Zizania aquatica</i>	<i>Ziziphus jujuba cv. Dabailing</i>	<i>Ziziphus jujuba cv. HunanjidaZao</i>
<i>Ziziphus jujuba cv. HuluZao</i>	<i>Ziziphus jujuba cv. LongZao</i>	<i>Ziziphus jujuba cv. Jinnanguo</i>
<i>Ziziphus jujuba cv. XiangZao</i>	<i>Ziziphus jujuba cv. Zaocuiwang</i>	<i>Ziziphus jujuba cv. QiyueXian</i>
<i>Ziziphus jujuba cv. Sushuicui</i>	<i>Ziziphus jujuba cv. Kongfusu</i>	<i>Ziziphus jujuba cv. Mankouxiang</i>
<i>Ziziphus oenoplia</i>	<i>Zoellnerallium andinum</i>	<i>Zombia antillarum</i>
<i>Zornia brasiliensis</i>	<i>Zornia durumuensis</i>	<i>Zornia fimbriata</i>

**Plant Diseases Regulations 1989**

**Schedule 5** Non-native plants that may be brought into the State

---

Zornia gemella	Zornia glochidiata	Zornia guanipensis
Zornia milneana	Zornia myriadena	Zornia pratensis
Zornia tenuifolia	Zoysia macrantha	Zoysia matrella
Zygochloa paradoxa	Zygopetalum spp.	Zygophyllum sessilifolium
Zygosepalum spp.	Zygostates spp.	

*[Schedule 5 inserted in Gazette 17 Sep 2010 p. 4420-754.]*

*[Schedule 6 deleted in Gazette 6 Jan 1998 p. 173.]*

## Schedule 7

[Regulation 15A]

### Prescribed diseases under section 10 of the Act

*[Heading inserted in Gazette 24 Jun 1994 p. 2842.]*

- American onion smut (*Urocystis cepulae*)
- American rib fluked snail (*Pseudosuccinea columella*)
- Apple scab (*Venturia inaequalis*)
- Avocado cercospora leaf spot (*Pseudocercospora purpurea* synonym *Cercospora purpurea*)
- Banana aphid
- Banana bunchy top virus
- Banana weevil borer (*Cosmopolites sordidus*)
- Codling moth (*Cydia pomonella*)
- Cotton verticillium wilt (*Verticillium dahliae* and *V. alboatrum*)
- Dothistroma needle blight (*Dothistroma septospora*)
- Elm leaf beetle (*Pyrrhalta luteola*)
- European red mite (*Panonychus ulmi*)
- Fire blight (*Erwinia amylovora*)
- Grape downy mildew (*Plasmopara viticola*)
- Grape phylloxera (*Daktulosphaira vitifoliae*)
- Hibiscus erineum mite/leaf crumpling mite (*Eriophyes hibisci nalepa*)
- Lucerne bacterial wilt (*Clavibacter (Corynebacterium) michiganense* subsp. *insidiosum*)
- Maize boil smut (*Ustilago maydis*)
- Mango seed weevil (*Sternochaetus mangiferae*)
- Melon thrips (*Thrips palmi*)
- Mungbean tan spot (*Curtobacterium flaccumfaciens*)
- Mushroom bubble disease (*Verticillium fungicola*)

**Plant Diseases Regulations 1989**

**Schedule 7** Prescribed diseases under section 10 of the Act

---

Onion rust (*Puccinia allii*)  
Onion white rot (*Sclerotium cepivorum*)  
Palm leaf beetle (*Brontispa longissima*)  
Panama disease (*Fusarium oxysporum* f. sp. *cubense*)  
Papaya black spot (*Asperisporium caricae*)  
Papaya ringspot virus type P  
Poplar leaf spot (*Marssonina brunea* and *M. castagnei*)  
Potato bacterial wilt (*Pseudomonas solanacearum*)  
Potato cyst nematode (*Globodera rostochiensis*)  
Potato late blight (*Phytophthora infestans*)  
Potato spindle tuber viroid  
Queensland fruit fly (*Bactrocera tryoni*)  
Red imported fire ant (*Solenopsis invicta*)  
Sorghum midge (*Contarinia sorghicola*)  
Soybean black leaf blight (*Arkoola nigra*)  
Soybean stem rot (*Phytophthora megasperma* f.sp. *glycinea*)  
Stonefruit brown rot (*Monilinia (Sclerotinia) fructicola* and *M. laxa*)  
Sugar cane Fiji disease  
Sugarcane ratoon stunting virus  
Warehouse beetle (*Trogoderma variabile*)

[Schedule 7 inserted in Gazette 24 Jun 1994 p. 2842-3; amended in Gazette 21 Feb 1997 p. 1167; 4 Mar 1997 p. 1355; 6 Jan 1998 p. 173; 23 Mar 1999 p. 1262; 4 Feb 2000 p. 421; 31 Oct 2003 p. 4559.]

---

## Schedule 8

[Regulation 20B]

[Heading inserted in Gazette 30 Sep 1994 p. 4955; amended in  
Gazette 20 Aug 1996 p. 4059.]

Provision creating offence	Nature of offence	Penalty \$
<i>Plant Diseases Act 1914</i>		
1. Section 11(1)	Failure to carry out prescribed steps and measures to eradicate diseases	200
2. Section 12(3)	Failure to carry out prescribed steps and measures to eradicate diseases in a declared infected area	150
3. Section 13(2)	Failure to stop a conveyance or vessel when required to do so by an inspector	150
4. Section 14(3)	Failure to comply with a requisition to eradicate disease	200
5. Section 34	Any other offence under the Act for which a penalty is not specified (other than in section 34) — For a natural person: For a body corporate:	200 500
<i>Plant Diseases Regulations 1989</i>		
6A. Regulation 3B(1)	Bringing into State non-native plant not listed in Schedule 5 without approval or in breach of conditions of approval	150
6. Regulation 4(2)	Importing a potential carrier in contravention of Scheduled conditions	150
7. Regulation 6(2)	Failure to present a specified potential carrier, being imported, for inspection	150
7A. Regulation 6(5)	Failure to stop a conveyance or keep it stationary at an inspection point	150
8. Regulation 7(2)	Removal or unpacking a potential carrier without permission	150

**Plant Diseases Regulations 1989**  
**Schedule 8**

	<b>Provision creating offence</b>	<b>Nature of offence</b>	<b>Penalty \$</b>
9.	Regulation 8(1)	Transporting imported carriers in used or not approved containers, or containers which do not bear the required details on the label	150
10.	Regulation 11(3)	Failing to stop or follow directions on reaching a warning sign	150
11.	Regulation 12	Failing to follow the order of an inspector to stop at or near a warning sign	150
12.	Regulation 13	Damaging a warning sign	150
13.	Regulation 14(2)	Contravention of a quarantine notice	200
14.	Regulation 14(3)	Removal of a detained conveyance, vessel or consignment without permission	200
15.	Regulation 16(2)	Failure to carry out treatment or controls to eradicate diseases	200
15A.	Regulation 17F(2)	Contravention of a prohibition on taking citrus fruit or stone fruit into the Ord River Irrigation Area from another part of the State	150
16.	Regulation 19(4)	Failure to comply with Schedule 4A, Part 1 (steps and measures to eradicate, etc., potato cyst nematode under section 11 of the Act)	200
17.	Regulation 19(6)	Failure to comply with Schedule 4A, Part 1, clause 10 (steps and measures on an associated orchard to eradicate, etc., potato cyst nematode under section 11 of the Act)	150
18.	Regulation 19(9)	Failure to comply with Schedule 4A, Part 2 (steps and measures to eradicate, etc., potato cyst nematode under section 12 of the Act)	150
19.	Regulation 19A(3)	Failure to comply with Schedule 4A, Part 3 (steps and measures to eradicate, etc., disease)	150

Provision creating offence	Nature of offence	Penalty \$
20. Regulation 19B(4)	Failure to comply with Schedule 4B, Part 1 (steps and measures to eradicate, etc., apple scab under section 11 of the Act)	200
21. Regulation 19B(7)	Failure to comply with Schedule 4B, Part 2 (steps and measures to eradicate, etc., apple scab under section 12 of the Act)	150
22. Regulation 19C(3)	Failure to comply with Schedule 4B, Part 3 (steps and measures by persons referred to in regulation 19C to eradicate, etc., disease)	150
23. Regulation 19D(3)	Failure to comply with Schedule 4B, Part 4 (steps and measures by persons referred to in regulation 19D to eradicate, etc., disease)	200
24. Regulation 19E(4)	Failure to comply with Schedule 4C, Part 1 (steps and measures to eradicate, etc., codling moth under section 11 of the Act)	200
25. Regulation 19E(7)	Failure to comply with Schedule 4C, Part 2 (steps and measures to eradicate, etc., codling moth under section 12 of the Act)	150
26. Regulation 19F(3)	Failure to comply with Schedule 4C, Part 3 (steps and measures by persons referred to in regulation 19F to eradicate, etc., disease)	150

*[Schedule 8 inserted in Gazette 30 Sep 1994 p. 4955-6; amended in Gazette 20 Aug 1996 p. 4059; 14 Jan 1997 p. 380; 3 Oct 1997 p. 5514; 11 Aug 2000 p. 4693; 8 Jun 2001 p. 2922 (correction to reprint 3 Dec 2002 p. 5713); 10 Jan 2003 p. 31; 17 Sep 2010 p. 4754.]*

**Schedule 9 — Genera within the Poaceae (Gramineae)  
family**

[Schedule 1 Part B item 28]

[Heading inserted in Gazette 21 Sep 2004 p. 4110.]

<i>Acamptocladus</i>	<i>X Agrositanion</i>	<i>Anomochloa</i>
<i>Achlaena</i>	<i>Agrostis</i>	<i>Anthaenantiopsis</i>
<i>Achnatherum</i>	<i>X Agrotrigia</i>	<i>Anthenantia</i>
<i>Aciachne</i>	<i>X Agrotrisecale</i>	<i>Anthephora</i>
<i>Acidosasa</i>	<i>X Agrotriticum</i>	<i>Anthochloa</i>
<i>Acostia</i>	<i>Aira</i>	<i>Anthoxanthum</i>
<i>Acrachne</i>	<i>Airopsis</i>	<i>Antinoria</i>
<i>Acritochaete</i>	<i>Alexfloydia</i>	<i>Apera</i>
<i>Acroceras</i>	<i>Alloeochaete</i>	<i>Aphanelytrum</i>
<i>Actinocladum</i>	<i>Allolepis</i>	<i>Apluda</i>
<i>Aegilops</i>	<i>Alloteropsis</i>	<i>Apochiton</i>
<i>X Aegilosecale</i>	<i>Alopecurus</i>	<i>Apoclada</i>
<i>X Aegilotricale</i>	<i>Alvimia</i>	<i>Apocopis</i>
<i>X Aegilotrichum</i>	<i>Amblyopyrum</i>	<i>Arberella</i>
<i>X Aegilotriticum</i>	<i>Ammochloa</i>	<i>Arctagrostis</i>
<i>X Aegilotriticum</i>	<i>Ammophila</i>	<i>Arctophila</i>
<i>Aegopogon</i>	<i>Ampelodesmos</i>	<i>Aristida</i>
<i>Aeluropus</i>	<i>Amphibromus</i>	<i>Arrhenatherum</i>
<i>Afrotrichloris</i>	<i>Amphicarpum</i>	<i>Arthragrostis</i>
<i>Agenium</i>	<i>Amhipogon</i>	<i>Arthraxon</i>
<i>Agnesia</i>	<i>Anadelphia</i>	<i>Arthropogon</i>
<i>X Agrocalamagrostis</i>	<i>Ancistrachne</i>	<i>Arthrostylidium</i>
<i>X Agroelymus</i>	<i>Ancistragrostis</i>	<i>Arundinaria</i>
<i>X Agrohordeum</i>	<i>Andropogon</i>	<i>Arundinella</i>
<i>X Agropogon</i>	<i>Andropterum</i>	<i>Arundo</i>
<i>X Agropyrohordeum</i>	<i>Anemanthele</i>	<i>Arundoclaytonia</i>
<i>Agropyron</i>	<i>Aniselytron</i>	<i>Asthenochloa</i>
<i>Agropyropsis</i>	<i>Anisopogon</i>	<i>Astrebla</i>

---

<i>Athroostachys</i>	<i>Bromus</i>	<i>Chasmopodium</i>
<i>Atractantha</i>	<i>Brylkinia</i>	<i>Chevalierella</i>
<i>Aulonemia</i>	<i>Buchloë</i>	<i>Chikusichloa</i>
<i>Australopyrum</i>	<i>Buchlomimus</i>	<i>Chimonobambusa</i>
<i>Austrochloris</i>	<i>Buergersiochloa</i>	<i>Chionachne</i>
<i>Austrodanthonia</i>	<i>Calamagrostis</i>	<i>Chionochloa</i>
<i>Austrofestuca</i>	<i>Calamovilfa</i>	<i>Chloachne</i>
<i>Austrostipa</i>	<i>Calderonella</i>	<i>Chloris</i>
<i>Avellinia</i>	<i>Calosteca</i>	<i>Chlorocalymma</i>
<i>Avena</i>	<i>Calyptochloa</i>	<i>Chrysochloa</i>
<i>Axonopus</i>	<i>Camusiella</i>	<i>Chrysopogon</i>
<i>Bambusa</i>	<i>Capillipedium</i>	<i>Chumsriella</i>
<i>Baptorhachis</i>	<i>Castellia</i>	<i>Chusquea</i>
<i>Bealia</i>	<i>Catabrosa</i>	<i>Cinna</i>
<i>Beckeropsis</i>	<i>Catabrosella</i>	<i>Cladoraphis</i>
<i>Beckmannia</i>	<i>Catalepis</i>	<i>Clausospicula</i>
<i>Bellardiochloa</i>	<i>Catapodium</i>	<i>Cleistachne</i>
<i>Bewsia</i>	<i>Cathestecum</i>	<i>Cleistochloa</i>
<i>Bhidea</i>	<i>Cenchrus</i>	<i>Cliffordiochloa</i>
<i>Blepharidachne</i>	<i>Centotheca</i>	<i>Cockaynea</i>
<i>Blepharoneuron</i>	<i>Centrochloa</i>	<i>Coelachne</i>
<i>Boissiera</i>	<i>Centropodia</i>	<i>Coelachyropsis</i>
<i>Boivinella</i>	<i>Cephalostachyum</i>	<i>Coelachyrum</i>
<i>Borinda</i>	<i>Chaboissaea</i>	<i>Coelorachis</i>
<i>Bothriochloa</i>	<i>Chaetium</i>	<i>Coix</i>
<i>Bouteloua</i>	<i>Chaetobromus</i>	<i>Colantheia</i>
<i>Brachiaria</i>	<i>Chaetopoa</i>	<i>Coleanthus</i>
<i>Brachyachne</i>	<i>Chaetopogon</i>	<i>Colpodium</i>
<i>Brachychloa</i>	<i>Chaetostichium</i>	<i>Commelinidium</i>
<i>Brachyelytrum</i>	<i>Chamaeraphis</i>	<i>Cornucopiae</i>
<i>Brachypodium</i>	<i>Chandrasekharania</i>	<i>Cortaderia</i>
<i>Briza</i>	<i>Chasechloa</i>	<i>Corynephorus</i>
<i>Bromuniola</i>	<i>Chasmanthium</i>	<i>Cottea</i>

**Plant Diseases Regulations 1989****Schedule 9** Genera within the Poaceae (Gramineae) family

---

<i>Craspedorhachis</i>	<i>Dendrochloa</i>	<i>Dupontia</i>
<i>Crinipes</i>	<i>Deschampsia</i>	<i>Duthiea</i>
<i>Crithopsis</i>	<i>Desmazeria</i>	<i>Dybowskia</i>
<i>Crypsis</i>	<i>Desmostachya</i>	<i>Eccoilopus</i>
<i>Cryptochloa</i>	<i>Deyeuxia</i>	<i>Eccoptocarpa</i>
<i>Ctenium</i>	<i>Diandrochloa</i>	<i>Echinaria</i>
<i>Ctenopsis</i>	<i>Diandrolyra</i>	<i>Echinochloa</i>
<i>Cutandia</i>	<i>Diandrostachya</i>	<i>Echinolaena</i>
<i>Cyathopus</i>	<i>Diarrhena</i>	<i>Echinopogon</i>
<i>Cyclostachya</i>	<i>Dichaetaria</i>	<i>Ectrosia</i>
<i>Cymbopogon</i>	<i>Dichantherium</i>	<i>Ectrosiopsis</i>
<i>Cymbosetaria</i>	<i>Dichanthium</i>	<i>Ehrharta</i>
<i>Cynodon</i>	<i>Dichelachne</i>	<i>Ekmanochloa</i>
<i>Cynosurus</i>	<i>Diectomis</i>	<i>Eleusine</i>
<i>Cyperochloa</i>	<i>Dielsiochloa</i>	<i>Elionurus</i>
<i>Cyphochlaena</i>	<i>Digastrium</i>	<i>X Elyhordeum</i>
<i>Cypholepis</i>	<i>Digitaria</i>	<i>X Elyleymus</i>
<i>Cyrtococcum</i>	<i>Digitariopsis</i>	<i>Elymandra</i>
<i>Dactylis</i>	<i>Dignathia</i>	<i>X Elymopyrum</i>
<i>Dactyloctenium</i>	<i>Diheteropogon</i>	<i>X Elymordeum</i>
<i>Daknopholis</i>	<i>Dilophotriche</i>	<i>X Elymostachys</i>
<i>Dallwatsonia</i>	<i>Dimeria</i>	<i>X Elymotrigia</i>
<i>Danthonia</i>	<i>Dimorphochloa</i>	<i>X Elymotriticum</i>
<i>Danthoniastrum</i>	<i>Dinebra</i>	<i>Elymus</i>
<i>Danthonidium</i>	<i>Dinochloa</i>	<i>Elytrigia</i>
<i>Danthoniopsis</i>	<i>Diplachne</i>	<i>Elytrophorus</i>
<i>Dasyochloa</i>	<i>Diplopogon</i>	<i>Elytrostachys</i>
<i>Dasypoa</i>	<i>Dissantherium</i>	<i>Enneapogon</i>
<i>Dasypyrum</i>	<i>Dissochondrus</i>	<i>Enteropogon</i>
<i>Davidsea</i>	<i>Distichlis</i>	<i>Entolasia</i>
<i>Decaryella</i>	<i>Drake-Brockmania</i>	<i>Entoplocamia</i>
<i>Decaryochloa</i>	<i>Dregeochloa</i>	<i>Eragrostiella</i>
<i>Dendrocalamus</i>	<i>Dryopoa</i>	<i>Eragrostis</i>

---

<i>Eremium</i>	<i>Gilglochloa</i>	<i>Hierochloë</i>
<i>Eremochloa</i>	<i>Glaziophyton</i>	<i>Hilaria</i>
<i>Eremopoa</i>	<i>Glyceria</i>	<i>Hitchcockella</i>
<i>Eremopogon</i>	<i>Glyphochloa</i>	<i>Holcolemma</i>
<i>Eremopyrum</i>	<i>Gouinia</i>	<i>Holcus</i>
<i>Eriachne</i>	<i>Gouldochloa</i>	<i>Homolepis</i>
<i>Erianthecium</i>	<i>Grappheporum</i>	<i>Homopholis</i>
<i>Erianthus</i>	<i>Greslania</i>	<i>Homozeugos</i>
<i>Eriochloa</i>	<i>Griffithsochloa</i>	<i>Hookerchloa</i>
<i>Eriochrysis</i>	<i>Guaduella</i>	<i>Hordelymus</i>
<i>Erioneuron</i>	<i>Gymnachne</i>	<i>Hordeum</i>
<i>Euchlaena</i>	<i>Gymnopogon</i>	<i>Hubbardia</i>
<i>Euclasta</i>	<i>Gynerium</i>	<i>Hubbardochloa</i>
<i>Eulalia</i>	<i>Habrochloa</i>	<i>Humbertochloa</i>
<i>Eulaliopsis</i>	<i>Hackelochloa</i>	<i>Hyalopoa</i>
<i>Eustachys</i>	<i>Hainardia</i>	<i>Hydrochloa</i>
<i>Euthryptochloa</i>	<i>Hakonechloa</i>	<i>Hydrothauma</i>
<i>Exotheca</i>	<i>Halopyrum</i>	<i>Hygrochloa</i>
<i>Fargesia</i>	<i>Harpachne</i>	<i>Hygroryza</i>
<i>Farrago</i>	<i>Harpochloa</i>	<i>Hylebates</i>
<i>Fasciculochloa</i>	<i>Helictotrichon</i>	<i>Hymenachne</i>
<i>Festuca</i>	<i>Helleria</i>	<i>Hyparrhenia</i>
<i>Festucella</i>	<i>Hemarthria</i>	<i>Hyperthelia</i>
<i>Festucopsis</i>	<i>Hemisorghum</i>	<i>Hypogynium</i>
<i>Fingerhuthia</i>	<i>Henrardia</i>	<i>Hypseochloa</i>
<i>Froesiochloa</i>	<i>Hesperostipa</i>	<i>Hystrix</i>
<i>Garnotia</i>	<i>Heterachne</i>	<i>Ichnanthus</i>
<i>Gastridium</i>	<i>Heterantherium</i>	<i>Imperata</i>
<i>Gaudinia</i>	<i>Heteranthoecia</i>	<i>Indocalamus</i>
<i>Gaudiniopsis</i>	<i>Heterocarpha</i>	<i>Indopoa</i>
<i>Germainia</i>	<i>Heteropholis</i>	<i>Indosasa</i>
<i>Gerritea</i>	<i>Heteropogon</i>	<i>Isachne</i>
<i>Gigantochloa</i>	<i>Hickelia</i>	<i>Isalus</i>

**Plant Diseases Regulations 1989****Schedule 9** Genera within the Poaceae (Gramineae) family

---

<i>Ischaemum</i>	<i>Leptothrium</i>	<i>Lygeum</i>
<i>Ischnochloa</i>	<i>Lepturella</i>	<i>Maclurolyra</i>
<i>Ischnurus</i>	<i>Lepturidium</i>	<i>Maillea</i>
<i>Iseilema</i>	<i>Lepturopetium</i>	<i>Malacurus</i>
<i>Ixophorus</i>	<i>Lepturus</i>	<i>Maltebrunia</i>
<i>Jansenella</i>	<i>Leucophrys</i>	<i>Manisuris</i>
<i>Jardinea</i>	<i>Leucopoa</i>	<i>Megalachne</i>
<i>Jouvea</i>	<i>Leymus</i>	<i>Megaloprotachne</i>
<i>Joycea</i>	<i>Libyella</i>	<i>Megastachya</i>
<i>Kampochloa</i>	<i>Limnas</i>	<i>Melanocenchris</i>
<i>Kaokochloa</i>	<i>Limnodea</i>	<i>Melica</i>
<i>Karoochloa</i>	<i>Limnopoia</i>	<i>Melinis</i>
<i>Kengia</i>	<i>Lindbergella</i>	<i>Melocalamus</i>
<i>Kengyilia</i>	<i>Linkagrostis</i>	<i>Melocanna</i>
<i>Kerriochloa</i>	<i>Lintonia</i>	<i>Merostachys</i>
<i>Koeleria</i>	<i>Lithachne</i>	<i>Merxmuellera</i>
<i>Lagurus</i>	<i>Littledalea</i>	<i>Mesosetum</i>
<i>Lamarckia</i>	<i>Loliolum</i>	<i>Metasasa</i>
<i>Lamprothyrus</i>	<i>Lolium</i>	<i>Metcalfia</i>
<i>Lasiacis</i>	<i>Lombardochloa</i>	<i>Mibora</i>
<i>Lasiiorhachis</i>	<i>Lophacme</i>	<i>Micraira</i>
<i>Lasiurus</i>	<i>Lophatherum</i>	<i>Microbriza</i>
<i>Lecomtella</i>	<i>Lopholepis</i>	<i>Microcalamus</i>
<i>Leersia</i>	<i>Lophopogon</i>	<i>Microchloa</i>
<i>Lepargochloa</i>	<i>Lophopyrum</i>	<i>Microlaena</i>
<i>Leptagrostis</i>	<i>Lorenzochloa</i>	<i>Micropyropsis</i>
<i>Leptaspis</i>	<i>Loudetia</i>	<i>Micropyrum</i>
<i>Leptocarydion</i>	<i>Loudetiopsis</i>	<i>Microstegium</i>
<i>Leptochloa</i>	<i>Louisiella</i>	<i>Mildbraediochloa</i>
<i>Leptochloöpsis</i>	<i>Loxodera</i>	<i>Milium</i>
<i>Leptocoryphium</i>	<i>Luziola</i>	<i>Miscanthidium</i>
<i>Leptoloma</i>	<i>Lychochloa</i>	<i>Miscanthus</i>
<i>Leptosaccharum</i>	<i>Lycurus</i>	<i>Mnesithea</i>

---

<i>Mniochloa</i>	<i>Ochthochloa</i>	<i>Parectenium</i>
<i>Molinia</i>	<i>Odontelytrum</i>	<i>Pariana</i>
<i>Monachather</i>	<i>Odyssea</i>	<i>Parodiolyra</i>
<i>Monanthochloë</i>	<i>Olmeca</i>	<i>Pascopyrum</i>
<i>Monelytrum</i>	<i>Olyra</i>	<i>Paspalidium</i>
<i>Monium</i>	<i>Ophiochloa</i>	<i>Paspalum</i>
<i>Monocladus</i>	<i>Ophiuros</i>	<i>Pennisetum</i>
<i>Monocymbium</i>	<i>Opizia</i>	<i>Pentameris</i>
<i>Monodia</i>	<i>Oplismenopsis</i>	<i>Pentapogon</i>
<i>Mosdenia</i>	<i>Oplismenus</i>	<i>Pentarrhaphis</i>
<i>Muhlenbergia</i>	<i>Orcuttia</i>	<i>Pentaschistis</i>
<i>Munroa</i>	<i>Oreobambos</i>	<i>Pereilema</i>
<i>Myriocladus</i>	<i>Oreochloa</i>	<i>Periballia</i>
<i>Myriostachya</i>	<i>Orinus</i>	<i>Peridictyon</i>
<i>Narduroides</i>	<i>Oropetium</i>	<i>Perotis</i>
<i>Nardus</i>	<i>Ortachne</i>	<i>Perrierbambus</i>
<i>Narenga</i>	<i>Orthoclada</i>	<i>Perulifera</i>
<i>Nassella</i>	<i>Oryza</i>	<i>Petriella</i>
<i>Nastus</i>	<i>Oryzidium</i>	<i>Peyritschia</i>
<i>Neeragrostis</i>	<i>Oryzopsis</i>	<i>Phacelurus</i>
<i>Neesiochloa</i>	<i>Otachyrium</i>	<i>Phaenanthoecium</i>
<i>Nematopoa</i>	<i>Otatea</i>	<i>Phaenosperma</i>
<i>Neobouteloua</i>	<i>Ottochloa</i>	<i>Phalaris</i>
<i>Neohouzeaua</i>	<i>Oxychloris</i>	<i>Pharus</i>
<i>Neostapfia</i>	<i>Oxyrhachis</i>	<i>Pheidochloa</i>
<i>Neostapfiella</i>	<i>Oxytenanthera</i>	<i>Phippsia</i>
<i>Nephelochloa</i>	<i>Panicum</i>	<i>Phleum</i>
<i>Neurachne</i>	<i>Pappophorum</i>	<i>Pholiurus</i>
<i>Neurolepis</i>	<i>Parafestuca</i>	<i>Phragmites</i>
<i>Neyraudia</i>	<i>Parahyparrhenia</i>	<i>Phyllorachis</i>
<i>Notochloë</i>	<i>Paraneurachne</i>	<i>Phyllostachys</i>
<i>Notodanthonia</i>	<i>Parapholis</i>	<i>Pilgerochloa</i>
<i>Ochlandra</i>	<i>Paratheria</i>	<i>Piptatherum</i>

**Plant Diseases Regulations 1989****Schedule 9** Genera within the Poaceae (Gramineae) family

---

<i>Piptochaetium</i>	<i>Psammagrostis</i>	<i>Ratzeburgia</i>
<i>Piptophyllum</i>	<i>Psammochloa</i>	<i>Redfieldia</i>
<i>Piresia</i>	<i>Psathyrostachys</i>	<i>Reederochloa</i>
<i>Piresiella</i>	<i>Pseudanthistiria</i>	<i>Rehia</i>
<i>Plagiantha</i>	<i>Pseudarrhenatherum</i>	<i>Reimarochloa</i>
<i>Plagiosetum</i>	<i>Pseudechinolaena</i>	<i>Reitzia</i>
<i>Planichloa</i>	<i>Pseudobromus</i>	<i>Relchela</i>
<i>Plectrachne</i>	<i>Pseudochaetochloa</i>	<i>Rendlia</i>
<i>Pleiadelphia</i>	<i>Pseudocoix</i>	<i>Reynaudia</i>
<i>Pleuropogon</i>	<i>Pseudodanthonia</i>	<i>Rhipidocladum</i>
<i>Plinthanthesis</i>	<i>Pseudodichanthium</i>	<i>Rhizocephalus</i>
<i>Poa</i>	<i>Pseudopentameris</i>	<i>Rhombolytrum</i>
<i>Pobeguinea</i>	<i>Pseudophleum</i>	<i>Rhynchelytrum</i>
<i>Podophorus</i>	<i>Pseudopogonatherum</i>	<i>Rhynchoryza</i>
<i>Poecilostachys</i>	<i>m</i>	<i>Rhytachne</i>
<i>Pogonachne</i>	<i>Pseudoraphis</i>	<i>Richardsiella</i>
<i>Pogonarthria</i>	<i>Pseudoroegneria</i>	<i>Robynsiochloa</i>
<i>Pogonatherum</i>	<i>Pseudosasa</i>	<i>Rottboellia</i>
<i>Pogoneura</i>	<i>Pseudosorghum</i>	<i>Rytidosperma</i>
<i>Pogonochloa</i>	<i>Pseudostachyum</i>	<i>Saccharum</i>
<i>Pohlidium</i>	<i>Pseudovossia</i>	<i>Sacciolepis</i>
<i>Poidium</i>	<i>Pseudoxytenanthera</i>	<i>Sartidia</i>
<i>Polevansia</i>	<i>Pseudozoysia</i>	<i>Sasa</i>
<i>Polliniopsis</i>	<i>Psilathera</i>	<i>Saugetia</i>
<i>Polypogon</i>	<i>Psilolemma</i>	<i>Schaffnerella</i>
<i>Polytoca</i>	<i>Psilurus</i>	<i>Schedonnardus</i>
<i>Polytrias</i>	<i>Pterochloris</i>	<i>Schenckochloa</i>
<i>Pommereulla</i>	<i>Ptilagrostis</i>	<i>Schismus</i>
<i>Porteresia</i>	<i>Puccinellia</i>	<i>Schizachne</i>
<i>Potamophila</i>	<i>Puelia</i>	<i>Schizachyrium</i>
<i>Pringleochloa</i>	<i>Racemobambos</i>	<i>Schizostachyum</i>
<i>Prionanthium</i>	<i>Raddia</i>	<i>Schmidtia</i>
<i>Prosphytochloa</i>	<i>Raddiella</i>	<i>Schoenefeldia</i>

---

<i>Sclerachne</i>	<i>Spheneria</i>	<i>Tetrachne</i>
<i>Sclerochloa</i>	<i>Sphenopholis</i>	<i>Tetrapogon</i>
<i>Sclerodactylon</i>	<i>Sphenopus</i>	<i>Tetrarrhena</i>
<i>Scleropogon</i>	<i>Spinifex</i>	<i>Thamnocalamus</i>
<i>Sclerostachya</i>	<i>Spodiopogon</i>	<i>Thaumastochloa</i>
<i>Scolochloa</i>	<i>Sporobolus</i>	<i>Thelepogon</i>
<i>Scribneria</i>	<i>Steinchisma</i>	<i>Thellungia</i>
<i>Scrotochloa</i>	<i>Steirachne</i>	<i>Themeda</i>
<i>Scutachne</i>	<i>Stenotaphrum</i>	<i>Thinopyrum</i>
<i>Secale</i>	<i>Stephanachne</i>	<i>Thrasya</i>
<i>Sehima</i>	<i>Stereochlaena</i>	<i>Thrasyopsis</i>
<i>Semiarundinaria</i>	<i>Steyermarkochloa</i>	<i>Thuarea</i>
<i>Sesleria</i>	<i>Stiburus</i>	<i>Thyridachne</i>
<i>Sesleriella</i>	<i>Stilpnophleum</i>	<i>Thyridolepis</i>
<i>Setaria</i>	<i>Stipa</i>	<i>Thyrsia</i>
<i>Setariopsis</i>	<i>Stipagrostis</i>	<i>Thyrsostachys</i>
<i>Shibataea</i>	<i>Streblochaete</i>	<i>Thysanolaena</i>
<i>Silentvalleya</i>	<i>Streptochaeta</i>	<i>Torreyochloa</i>
<i>Simplicia</i>	<i>Streptogyna</i>	<i>Tovarochloa</i>
<i>Sinarundinaria</i>	<i>Streptolophus</i>	<i>Trachypogon</i>
<i>Sinobambusa</i>	<i>Streptostachys</i>	<i>Trachys</i>
<i>Sinochasea</i>	<i>Styppeiochloa</i>	<i>Tragus</i>
<i>Sitanion</i>	<i>Sucrea</i>	<i>Tribolium</i>
<i>Snowdenia</i>	<i>Suddia</i>	<i>Tricholaena</i>
<i>Soderstromia</i>	<i>Swallenia</i>	<i>Trichoneura</i>
<i>Sohnsia</i>	<i>Swallenochloa</i>	<i>Trichopteryx</i>
<i>Sorghastrum</i>	<i>Symplectrodia</i>	<i>Tridens</i>
<i>Sorghum</i>	<i>Taeniatherum</i>	<i>Trikeriaia</i>
<i>Spartina</i>	<i>Taeniorhachis</i>	<i>Trilobachne</i>
<i>Spartochloa</i>	<i>Tarigidia</i>	<i>Triniochloa</i>
<i>Spathia</i>	<i>Tatianyx</i>	<i>Triodia</i>
<i>Sphaerobambos</i>	<i>Teinostachyum</i>	<i>Triplachne</i>
<i>Sphaerocaryum</i>	<i>Tetrachaete</i>	<i>Triplasis</i>

**Plant Diseases Regulations 1989**

**Schedule 9** Genera within the Poaceae (Gramineae) family

---

<i>Triplopogon</i>	<i>Uniola</i>	<i>Whiteochloa</i>
<i>Tripogon</i>	<i>Uranthoecium</i>	<i>Willkommia</i>
<i>Tripsacum</i>	<i>Urelytrum</i>	<i>Xerochloa</i>
<i>Triraphis</i>	<i>Urochloa</i>	<i>Yakirra</i>
<i>Triscenia</i>	<i>Urochondra</i>	<i>Ystia</i>
<i>X Trisetokoeleria</i>	<i>Vahlodea</i>	<i>Yushania</i>
<i>Trisetum</i>	<i>Vaseyochloa</i>	<i>Yvesia</i>
<i>Tristachya</i>	<i>Ventenata</i>	<i>Zea</i>
<i>X Triticale</i>	<i>Vetiveria</i>	<i>Zenkeria</i>
<i>X Triticosecale</i>	<i>Vietnamochloa</i>	<i>Zeugites</i>
<i>Triticum</i>	<i>Vietamosasa</i>	<i>Zingeria</i>
<i>X Tritisecale</i>	<i>Viguiarella</i>	<i>Zizania</i>
<i>X Trititrigia</i>	<i>Vossia</i>	<i>Zizaniopsis</i>
<i>X Tritordeum</i>	<i>Vulpia</i>	<i>Zonotriche</i>
<i>Tsvelevia</i>	<i>Vulpiella</i>	<i>Zoysia</i>
<i>Tuctoria</i>	<i>Wangenheimia</i>	<i>Zygochloa</i>

[Schedule 9 inserted in Gazette 21 Sep 2004 p. 4110-19.]

## Schedule 10 — Asteraceae (Compositae)

[Schedule 1 Part A and Part B item 58]

*[Heading inserted in Gazette 7 Feb 2006 p. 616.]*

### Tribe Mutisieae – 76 ca. 970 species

Achnopogon	Gongylolepis	Pasaccardoa
Achyrothalamus	Gypothamnium	Perdicium
Acourtia	Hecastocleis	Perezia
Actinoserus	Hesperomannia	Pertya
Adenocaulon	Holocheilus	Plazia
Ainsliaea	Hyalis	Pleiotaxis
Ameghinoa	Hyaloseris	Pleocarpus
Aphyllocladus	Jungia	Polyachurus
Brachyclados	Leibnitzia	Proustia
Brachylaena	Leucheria	Quelchia
Burkartia	Leunisia	Stenopadus
Catamixis	Lophopappus	Stifftia
Cephalopappus	Lulia	Stomatochaeta
Chaetanthera	Lycoseris	Trachonanthus
Chaptalia	Macrachaenium	Trichocline
Chimantaea	Macroclinidium	Triptilion
Chucoa	Marticorenia	Trixis
Cnicothamnus	Moscharia	Uechtritza
Cyclolepis	Mutisia	Urmenetea
Dicoma	Myripnois	Wunderlichia
Dolichlasium	Nassauvia	
Duidaea	Neblinaea	
Eriachaenium	Nouelia	
Erythrocephalum	Oldenburgia	
Gerbera	Onoseris	
Gladiopappus	Oxyphyllum	
Glossarion	Pachylaena	
Gochnatia	Panphalea	

**Tribe Cardueae – 83 genera, 2500 species**

Acantholepis	Cynara	Picnomon
Acroptilon	Diplazoptilon	Pilostemon
Aegopordon	Dolomiaea	Plagiobasis
Alfredia	Echinops	Polytaxis
Amberboa	Fremenisia	Ptilostemon
Amphoricarpos	Galactites	Russowia
Anacantha	Goniocaulon	Saussurea
Ancathia	Hemistepta	Schischkinia
Arctium	Hyalochaete	Schmalhausenia
Atractylis	Hymenocephalus	Serratula
Atractylodes	Hypacanthium	Siebera
Berardia	Jurinea	Silybum
Callicephalus	Jurinella	Staehelina
Cardopatrium	Karvandarina	Stemmacantha
Carduncellus	Lamyropappus	Stephanochilus
Carduus	Lamyropsis	Stizolophus
Carlina	Leuzea	Synurus
Carthamus	Lipskyella	Syreitschikovia
Centaurea	Mantisalca	Thevenotia
Centaurodendron	Myopordon	Tiarocarpus
Centaurothamnus	Nikitinia	Tricholepis
Chamaelon	Notobasis	Tugarinovia
Chardinia	Ochrocephala	Tyrimnus
Cheirolophus	Olgaea	Volutaria
Cirsium	Oligochaeta	Xanthopappus
Cousinia	Onopordum	Xeranthemum
Cousiniopsis	Outreya	Zoegea
Crupina	Phalacrachaena	

**Tribe Lactuceae – 98 genera, 1550 species**

Acanthocephalus	Aetheorhiza	Andryala
Actites	Agoseris	Anisocoma

Aposeris	Hymenonema	Prenanthes
Arnoseris	Hyoseris	Pterachaenia
Atrichoseris	Hypochaeris	Pterocypsela
Babcockia	Ixeridium	Pyrrhopappus
Calycocorsus	Ixeris	Rafinesquia
Calycoseris	Kirkianella	Reichardia
Catananche	Koelpinia	Rhagadiolus
Cephalorrhynchus	Krigia	Rothmaleria
Chaetadelpha	Lactuca	Scariola
Chaetoseris	Lactucella	Scolymus
Chondrilla	Lactucosonchus	Scorzonera
Chorisis	Lagedium	Shinnersoseris
Cicerbita	Lapsana	Sonchus
Cichorium	Launaea	Soroseris
Crepidiastrum	Leontodon	Spirosaris
Crepis	Lygodesmia	Stebbinoseris
Dendrosaris	Malacothrix	Stenosaris
Dianthoseris	Microsaris	Stephanomeria
Dubyaea	Mulgedium	Steptorrhampus
Embergeria	Munzothamnus	Sventenia
Epilasia	Mycelis	Syncalathium
Garhadiolus	Nabalus	Taeckholmia
Geropogon	Nothocalais	Taraxacum
Glyptopleura	Notosaris	Thamnosaris
Hedypnois	Paraprenanthes	Tolpis
Helminthotheca	Phalacroseris	Tourneuxia
Heteracia	Picris	Tragopogon
Heteroderis	Picrosia	Uropappus
Hieracium	Pilosella	Urospermum
Hispidella	Pinaropappus	Youngia
Holleion	Prenanthes	

**Tribe Vernoniae – 98 genera, 1300 species**

Acanthodesmos	Acilepidopsis	Adenoon
---------------	---------------	---------

**Plant Diseases Regulations 1989**  
**Schedule 10** Asteraceae (Compositae)

---

Aedesia	Eremanthus	Neurolakis
Ageratinastrum	Eremosis	Oiospermum
Albertinia	Erlangea	Oliganthes
Alcantara	Ethulia	Omphalopappus
Anteremanthus	Glaziovianthus	Pacourina
Argyrovernonia	Gorceixia	Paralychnophora
Aynia	Gossweilera	Phyllocephalum
Baccharoides	Gutenbergia	Piptocarpha
Bishopalea	Harleya	Piptocoma
Blanchetia	Herderia	Piptolepis
Bothriocline	Heterocoma	Pithecoseris
Brachythrix	Heterocypsela	Pleurocarpaea
Camchaya	Huberopappus	Pollalesta
Centauropsis	Hystriochophora	Prestelia
Centratherum	Iodocephalus	Proteopsis
Chresta	Irwinia	Pseudelephantopus
Chronopappus	Joseanthus	Pycnocephalum
Chrysolaena	Kinghamia	Rastophyllum
Critoniopsis	Lachnorhiza	Rolandra
Cuatrecasanthus	Lamprachaenium	Sipolisia
Cyanthillium	Leiboldia	Soaresia
Cyrtocymura	Lepidaploa	Spiracantha
Decastyllocarpus	Lepidonia	Stenocephalum
Dewildemania	Lessingianthus	Stilpnopappus
Diaphractanthus	Lychnophora	Stokesia
Dipterocypsela	Lychnophoriopsis	Stramentopappus
Distephanus	Mattfeldanthus	Struchium
Echinocoryne	Mesanthophora	Telmatophila
Eirmocephala	Minasia	Trichospira
Ekmania	Moquinia	Vernonanthura
Elephantopus	Msuata	Vernonia
	Muschleria	Xiphochaeta
<b>Tribe Liabeae – 14 genera, 160 species</b>		
Bishopanthus	Cacosmia	Chionopappus

Chrysactinium	Microliabum	Philoglossa
Erato	Munnozia	Pseudonosseris
Ferreyranthus	Oligactis	Sinclairia
Liabum	Paranephelius	

**Tribe Arctoteae – 16 genera, 200 species**

Arctotheca	Didelta	Heterolepis
Arctotis	Dymondia	Heterorhachis
Berkheya	Gazania	Hirpicium
Cullumia	Gorteria	Platycarpha
Cuspidia	Gundelia	
Cymbonotus	Haplocarpha	

**Cichorioideae unassigned to a Tribe**

Corymbium	Eremothamnus	Hoplophyllum
Cratystylis	Gymnarrhena	Warionia

*[Schedule 10 inserted in Gazette 7 Feb 2006 p. 616-19.]*

## Schedule 11 — Prohibited diseases

[r. 6A]

[Heading inserted in Gazette 30 Mar 2010 p. 1256.]

### Division 1 — Bacteria

[Heading inserted in Gazette 30 Mar 2010 p. 1256.]

Bacteria, Family	Genus	Species	Subtaxa
Burkholderiaceae	Burkholderia	caryophylli	
Microbacteriaceae	Clavibacter	michiganensis	subsp. insidiosus
Microbacteriaceae	Clavibacter	michiganensis	subsp. michiganensis
Microbacteriaceae	Clavibacter	michiganensis	subsp. nebraskensis
Microbacteriaceae	Clavibacter	michiganensis	subsp. sepedonicus
Microbacteriaceae	Clavibacter	michiganensis	subsp. tessellarius
Microbacteriaceae	Curtobacterium	flaccumfaciens	
Enterobacteriaceae	Erwinia	amylovora	
Enterobacteriaceae	Erwinia	persicina	
Enterobacteriaceae	Erwinia	pyrifoliae	
Enterobacteriaceae	Erwinia	rhapontici	
Enterobacteriaceae	Erwinia	tracheiphila	
Acetobacteraceae	Gluconacetobacter	liquefaciens	
Microbacteriaceae	Leifsonia	xyli	subsp. xyli
Phyllobacteriaceae	Liberobacter	asiaticum	
Phyllobacteriaceae	Liberobacter	asiaticum	
Enterobacteriaceae	Pantoea	ananatis	
Acholeplasmataceae	Phytoplasma	Grapevine flavescence doree	
Acholeplasmataceae	Phytoplasma	mali	
Acholeplasmataceae	Phytoplasma	Palm lethal yellowing	

**Plant Diseases Regulations 1989**  
**Prohibited diseases Schedule 11**  
**Bacteria Division 1**

<b>Bacteria, Family</b>	<b>Genus</b>	<b>Species</b>	<b>Subtaxa</b>
Acholeplasmataceae	Phytoplasma	pruni	
Acholeplasmataceae	Phytoplasma	prunorum	
Acholeplasmataceae	Phytoplasma	ulmi	
Pseudomonadaceae	Pseudomonas	marginalis	pv. marginalis
Pseudomonadaceae	Pseudomonas	syringae	pv. apii
Pseudomonadaceae	Pseudomonas	syringae	pv. morsprunorum
Pseudomonadaceae	Pseudomonas	syringae	pv. papulans
Pseudomonadaceae	Pseudomonas	syringae	pv. persicae
Burkholderiaceae	Ralstonia	solanacearum	race 1
Burkholderiaceae	Ralstonia	solanacearum	race 2
Burkholderiaceae	Ralstonia	solanacearum	race 3
Burkholderiaceae	Ralstonia	solanacearum	race 3 biovar 2
Spiroplasmataceae	Spiroplasma	citri	
Xanthomonadaceae	Xanthomonas	albilineans	
Xanthomonadaceae	Xanthomonas	axonopodis	pv. alfalfae
Xanthomonadaceae	Xanthomonas	axonopodis	pv. citri
Xanthomonadaceae	Xanthomonas	axonopodis	pv. citrumelo
Xanthomonadaceae	Xanthomonas	axonopodis	pv. dieffenbachiae
Xanthomonadaceae	Xanthomonas	axonopodis	pv. malvacearum
Xanthomonadaceae	Xanthomonas	axonopodis	pv. vasculorum
Xanthomonadaceae	Xanthomonas	campestris	pv. musacearum
Xanthomonadaceae	Xanthomonas	translucens	pv. translucens
Xanthomonadaceae	Xanthomonas	translucens	pv. undulosa
Xanthomonadaceae	Xanthomonas	translucens	
Xanthomonadaceae	Xylella	fastidiosa	
Not assigned	Xylophilus	ampelinus	

*[Division 1 inserted in Gazette 30 Mar 2010 p. 1256-7.]*

**Division 2 — Chromista**

*[Heading inserted in Gazette 30 Mar 2010 p. 1257.]*

<b>Chromista, Family</b>	<b>Genus</b>	<b>Species</b>	<b>Subtaxa</b>
Peronosporaceae	Peronosclerospora	sorghii	
Pythiaceae	Phytophthora	fragariae	var. fragariae
Pythiaceae	Phytophthora	fragariae	
Pythiaceae	Phytophthora	infestans	
Pythiaceae	Phytophthora	kernoviae	
Pythiaceae	Phytophthora	meadii	
Pythiaceae	Phytophthora	palmivora	
Pythiaceae	Phytophthora	porri	
Pythiaceae	Phytophthora	ramorum	
Pythiaceae	Phytophthora	sojae	
Pythiaceae	Phytophthora	syringae	
Pythiaceae	Pythium	deliense	
Pythiaceae	Pythium	mastophorum	
Pythiaceae	Pythium	sylvaticum	
Pythiaceae	Pythium	violae	

*[Division 2 inserted in Gazette 30 Mar 2010 p. 1257.]*

**Division 3 — Fungi**

*[Heading inserted in Gazette 30 Mar 2010 p. 1257.]*

<b>Fungi, Family</b>	<b>Genus</b>	<b>Species</b>	<b>Subtaxa</b>
Incertae sedis	Acremonium	diospyri	
Incertae sedis	Acremonium	strictum	
Lophiostomataceae	Acrocalymma	medicaginis	
Incertae sedis	Aecidium	cantense	
Pleosporaceae	Alternaria	alternata	f.sp. cucurbitae

<b>Fungi, Family</b>	<b>Genus</b>	<b>Species</b>	<b>Subtaxa</b>
Pleosporaceae	Alternaria	alternata	pv. citri
Pleosporaceae	Alternaria	japonica	
Pleosporaceae	Alternaria	limicola	
Pleosporaceae	Alternaria	porri	
Venturiaceae	Apiosporina	morbosa	
Venturiaceae	Arkoola	nigra	
Marasmiaceae	Armillaria	gallica	
Marasmiaceae	Armillaria	nabsnona	
Marasmiaceae	Armillaria	tabescens	
Incertae sedis	Ascochyta	gerberae	
Incertae sedis	Ascochyta	gossypii	
Incertae sedis	Asperisporium	caricae	
Incertae sedis	Asperisporium	sequoiae	
Dermateaceae	Blumeriella	jaapii	
Botryosphaeriaceae	Botryosphaeria	dothidea	
Sclerotiniaceae	Botryotinia	squamosa	
Sclerotiniaceae	Botrytis	diospyri	
Incertae sedis	Brooksia	tropicalis	
Capnodiaceae	Capnodium	citri	
Capnodiaceae	Capnophaeum	fuliginoides	
Ceratobasidiaceae	Ceratocystis	platani	
Mycosphaerellaceae	Cercospora	hayi	
Mycosphaerellaceae	Cercospora	kaki	
Mycosphaerellaceae	Cercospora	kakivora	
Mycosphaerellaceae	Cercospora	mangiferae	
Hapalopilaceae	Ceriporia	spissa	
Mycosphaerellaceae	Cladosporium	cucumerinum	

**Plant Diseases Regulations 1989**  
**Schedule 11** Prohibited diseases  
**Division 3** Fungi

Fungi, Family	Genus	Species	Subtaxa
Clavicipitaceae	Claviceps	sorghii	
Clavicipitaceae	Claviceps	sorghicola	
Rhizmataceae	Coccomyces	vilis	
Pleosporaceae	Cochliobolus	tuberculatus	
Glomerellaceae	Colletotrichum	fragariae	
Glomerellaceae	Colletotrichum	truncatum	
Incertae sedis	Cordana	johnstonii	
Incertae sedis	Cordana	musae	
Corticaceae	Corticium	koleroga	
Corynesporascaceae	Corynespora	cassicola	
Incertae sedis	Denticularia	mangiferae	
Diaporthaceae	Diaporthe	phaseolorum	var. batatatis
Diaporthaceae	Diaporthe	phaseolorum	var. caulivora
Diaporthaceae	Diaporthe	phaseolorum	var. meridionalis
Diaporthaceae	Diaporthe	phaseolorum	var. sojae
Diaporthaceae	Diaporthe	phaseolorum	
Dermateaceae	Drepanopeziza	populi-albae	
Dermateaceae	Drepanopeziza	punctiformis	
Elsinoaceae	Elsinoë	australis	
Elsinoaceae	Elsinoë	fawcettii	
Elsinoaceae	Elsinoë	mangiferae	
Erysiphaceae	Erysiphe	cruciferarum	
Diatrypaceae	Eutypa	lata	
Polyporaceae	Fomes	fomentarius	
Fomitopsidaceae	Fomitopsis	cajanderi	
Fomitopsidaceae	Fomitopsis	pinicola	
Fomitopsidaceae	Fomitopsis	rosea	

**Plant Diseases Regulations 1989**  
**Prohibited diseases Schedule 11**  
**Fungi Division 3**

<b>Fungi, Family</b>	<b>Genus</b>	<b>Species</b>	<b>Subtaxa</b>
Nectriaceae	Fusarium	mangiferae	
Nectriaceae	Fusarium	oxysporum	f.sp. citri
Nectriaceae	Fusarium	oxysporum	f.sp. conglutinans
Nectriaceae	Fusarium	oxysporum	f.sp. cubense
Nectriaceae	Fusarium	oxysporum	f.sp. cubense "subtropical" race 4
Nectriaceae	Fusarium	oxysporum	f.sp. cubense "tropical" race 4
Nectriaceae	Fusarium	oxysporum	f.sp. cubense race 2
Nectriaceae	Fusarium	oxysporum	f.sp. cubense race 3
Nectriaceae	Fusarium	oxysporum	f.sp. cucumerinum
Nectriaceae	Fusarium	oxysporum	f.sp. vasinfectum
Nectriaceae	Fusarium	oxysporum	
Nectriaceae	Fusarium	pallidroseum	
Nectriaceae	Fusarium	poae	
Botryosphaeriaceae	Fusicoccum	amygdali	
Botryosphaeriaceae	Fusicoccum	arbuti	
Ganodermataceae	Ganoderma	brownii	
Choanephoraceae	Gilbertella	persicaria	
Gloeophyllaceae	Gloeophyllum	sepiarium	
Dermateaceae	Gloeosporium	kaki	
Valsaceae	Greeneria	uvicola	
Botryosphaeriaceae	Guignardia	bidwellii	
Botryosphaeriaceae	Guignardia	citricarpa	
Botryosphaeriaceae	Guignardia	mangiferae	
Botryosphaeriaceae	Guignardia	musae	
Helicobasidiaceae	Helicobasidium	mompa	
Saccharomycetaceae	Issatchenkia	scutulata	

**Plant Diseases Regulations 1989**  
**Schedule 11** Prohibited diseases  
**Division 3** Fungi

Fungi, Family	Genus	Species	Subtaxa
Xylariaceae	Kretzschmaria	deusta	
Rutstroemiaceae	Lambertella	pruni	
Valsaceae	Leucostoma	persoonii	
Rhytismataceae	Lophodermium	mangiferae	
Botryosphaeriaceae	Macrophoma	kaki	
Botryosphaeriaceae	Macrophoma	mangiferae	
Botryosphaeriaceae	Macrophomina	diospyricola	
Meliolaceae	Meliola	citricola	
Sclerotiniaceae	Monilinia	fructigena	
Incertae sedis	Monographella	cucumerina	
Incertae sedis	Monosporascus	cannonballus	
Mucoraceae	Mucor	circinelloides	
Mucoraceae	Mucor	piriformis	
Mucoraceae	Mucor	racemosus	
Mycosphaerellaceae	Mycosphaerella	cerasella	
Mycosphaerellaceae	Mycosphaerella	citri	
Mycosphaerellaceae	Mycosphaerella	eumusae	
Mycosphaerellaceae	Mycosphaerella	fijiensis	
Mycosphaerellaceae	Mycosphaerella	musae	
Mycosphaerellaceae	Mycosphaerella	nawae	
Mycosphaerellaceae	Mycosphaerella	perseae	
Mycosphaerellaceae	Mycosphaerella	pini	
Pucciniastraceae	Naohidomyces	vaccinii	
Nectriaceae	Nectria	cinnabarina	
Nectriaceae	Nectria	galligena	
Incertae sedis	Nematospora	coryli	
Dermateaceae	Neofabraea	perennans	

**Plant Diseases Regulations 1989**  
 Prohibited diseases **Schedule 11**  
 Fungi **Division 3**

<b>Fungi, Family</b>	<b>Genus</b>	<b>Species</b>	<b>Subtaxa</b>
Dermateaceae	Oculimacula	aciformis	
Dermateaceae	Oculimacula	yallundae	
Erysiphaceae	Oidium	tingitaninum	
Ophiostomataceae	Ophiostoma	novo-ulmi	
Amphisphaeriaceae	Pestalotia	diospyri	
Amphisphaeriaceae	Pestalotiopsis	funerea	
Dermateaceae	Pezicula	malicorticis	
Togniniaceae	Phaeoacremonium	inflatipes	
Mycosphaerellaceae	Phaeoramularia	angolensis	
Phakopsoraceae	Phakopsora	euvitis	
Phanerochaetaceae	Phanerochaete	arizonica	
Corticaceae	Phanerochaete	salmonicolor	
Leptosphaeriaceae	Phoma	exigua	var. diversispora
Leptosphaeriaceae	Phoma	tracheiphila	
Valsaceae	Phomopsis	diospyri	
Valsaceae	Phomopsis	juniperivora	
Valsaceae	Phomopsis	mali	
Valsaceae	Phomopsis	sclerotioides	
Valsaceae	Phomopsis	viticola	
Phyllachoraceae	Phyllachora	musicola	
Erysiphaceae	Phyllactinia	guttata	
Erysiphaceae	Phyllactinia	kakicola	
Erysiphaceae	Phymatotrichopsis	omnivora	
Atheliaceae	Plicaturopsis	crispa	
Erysiphaceae	Podosphaera	clandestina	var. clandestina
Erysiphaceae	Podosphaera	tridactyla	
Incertae sedis	Polyscytalum	pustulans	

**Plant Diseases Regulations 1989**  
**Schedule 11** Prohibited diseases  
**Division 3** Fungi

Fungi, Family	Genus	Species	Subtaxa
Mycosphaerellaceae	Pseudocercospora	purpurea	
Mycosphaerellaceae	Pseudocercospora	vitis	
Pucciniaceae	Puccinia	allii	
Pucciniaceae	Puccinia	purpurea	
Dermateaceae	Pyrenopeziza	brassicae	
Venturiaceae	Rhizosphaera	kalkhoffii	
Phyllachoraceae	Rhodosticta	quercina	
Typhulaceae	Sclerotium	cepivorum	
Capnodiaceae	Scorias	communis	
Mycosphaerellaceae	Septoria	citri	
Elsinoaceae	Sphaceloma	perseae	
Microbotryaceae	Sphacelotheca	reiliana	
Micropeltidaceae	Stomiopeltis	citri	
Taphrinaceae	Taphrina	pruni	
Taphrinaceae	Taphrina	wiesneri	
Tilletiaceae	Tilletia	controversa	
Tilletiaceae	Tilletia	indica	
Uropyxidaceae	Tranzschelia	discolor	f.sp. domesticae
Capnodiaceae	Tripospermum	juglandis	
Incertae sedis	Uredo	musae	
Urocystidiaceae	Urocystis	cepulae	
Pucciniaceae	Uromyces	ciceris-arietini	
Pucciniaceae	Uromyces	minor	
Pucciniaceae	Uromyces	musae	
Ustilaginaceae	Ustilago	maydis	
Incertae sedis	Valsaria	insitiva	
Venturiaceae	Venturia	cerasi	

Fungi, Family	Genus	Species	Subtaxa
Venturiaceae	Venturia	inaequalis	
Hypocreaceae	Verticillium	albo-atrum	
Hypocreaceae	Verticillium	dahliae	
Hypocreaceae	Verticillium	fungicola	

*[Division 3 inserted in Gazette 30 Mar 2010 p. 1257-61.]*

#### Division 4 — Nematoda

*[Heading inserted in Gazette 30 Mar 2010 p. 1261.]*

Nematoda, Family	Genus	Species	Subtaxa
Pratylenchidae	Achlysiella	williamsi	
Anguinidae	Anguina	agrostis	
Anguinidae	Anguina	wevelli	
Aphelenchoididae	Aphelenchoides	arachidis	
Aphelenchoididae	Aphelenchoides	besseyi	
Heteroderidae	Atalodera	andinus	
Hoplolaimidae	Basirolaimus	indicus	
Aphelenchoididae	Bursaphelenchus	cocophilus	
Aphelenchoididae	Bursaphelenchus	xylophilus	
Criconeematidae	Criconeemella	similis	
Criconeematidae	Criconeemoides	eroshenkoi	
Anguinidae	Ditylenchus	africanus	
Anguinidae	Ditylenchus	angustus	
Anguinidae	Ditylenchus	destructor	
Anguinidae	Ditylenchus	dipsaci	
Longidoridae	Elongiphinema	italiae	
Heteroderidae	Globodera	pallida	
Heteroderidae	Globodera	rostochiensis	

**Plant Diseases Regulations 1989**  
**Schedule 11** Prohibited diseases  
**Division 4** Nematoda

---

Nematoda, Family	Genus	Species	Subtaxa
Heteroderidae	Globodera	tabacum	
Hoplolaimidae	Helicotylenchus	erythrinae	
Criconematidae	Hemicriconemoides	strictathecatus	
Heteroderidae	Heterodera	cajani	
Heteroderidae	Heterodera	carotae	
Heteroderidae	Heterodera	ciceri	
Heteroderidae	Heterodera	cruciferae	
Heteroderidae	Heterodera	delvii	
Heteroderidae	Heterodera	elachista	
Heteroderidae	Heterodera	glycines	
Heteroderidae	Heterodera	goettingiana	
Heteroderidae	Heterodera	latipons	
Heteroderidae	Heterodera	oryzae	
Heteroderidae	Heterodera	oryzicola	
Heteroderidae	Heterodera	sacchari	
Heteroderidae	Heterodera	zeae	
Longidoridae	Longidorus	attenuatus	
Longidoridae	Longidorus	elongatus	
Meloidogynidae	Meloidogyne	acronea	
Meloidogynidae	Meloidogyne	arabica	
Meloidogynidae	Meloidogyne	artiellia	
Meloidogynidae	Meloidogyne	brevicauda	
Meloidogynidae	Meloidogyne	chitwoodi	
Meloidogynidae	Meloidogyne	citri	
Meloidogynidae	Meloidogyne	coffeicola	
Meloidogynidae	Meloidogyne	donghaiensis	
Meloidogynidae	Meloidogyne	ethiopica	

Nematoda, Family	Genus	Species	Subtaxa
Meloidogynidae	Meloidogyne	exigua	
Meloidogynidae	Meloidogyne	fallax	
Meloidogynidae	Meloidogyne	fujianensis	
Meloidogynidae	Meloidogyne	indica	
Meloidogynidae	Meloidogyne	jiangyangensis	
Meloidogynidae	Meloidogyne	kongi	
Meloidogynidae	Meloidogyne	mali	
Meloidogynidae	Meloidogyne	mingnanica	
Meloidogynidae	Meloidogyne	naasi	
Meloidogynidae	Meloidogyne	paranaensis	
Criconeematidae	Mesocriconema	curvatum	
Criconeematidae	Mesocriconema	xenoplax	
Pratylenchidae	Nacobbus	aberrans	
Dolichodoridae	Neodolichodorus	australis	
Tylenchulidae	Paratylenchus	hamatus	
Pratylenchidae	Pratylenchus	fallax	
Pratylenchidae	Pratylenchus	hexincisus	
Pratylenchidae	Pratylenchus	loosi	
Pratylenchidae	Pratylenchus	pratensis	
Heteroderidae	Punctodera	chalcoensis	
Heteroderidae	Punctodera	punctata	
Pratylenchidae	Radopholus	citri	
Pratylenchidae	Radopholus	citrophilus	
Pratylenchidae	Radopholus	similis	
Hoplolaimidae	Rotylenchulus	macrodoratus	
Telotylenchidae	Tylenchorhynchus	claytoni	
Longidoridae	Xiphinema	algeriense	

Nemata, Family	Genus	Species	Subtaxa
Longidoridae	Xiphinema	diversicaudatum	
Longidoridae	Xiphinema	ifacolum	
Longidoridae	Xiphinema	index	
Longidoridae	Xiphinema	vuittenezi	
Pratylenchidae	Zygotylenchus	guevarai	

*[Division 4 inserted in Gazette 30 Mar 2010 p. 1261-2.]*

### **Division 5 — Plantae**

*[Heading inserted in Gazette 30 Mar 2010 p. 1262.]*

Plantae, Family	Genus	Species	Subtaxa
Trentepohliaceae	Cephaleuros	virescens	

*[Division 5 inserted in Gazette 30 Mar 2010 p. 1262.]*

### **Division 6 — Protozoa**

*[Heading inserted in Gazette 30 Mar 2010 p. 1262.]*

Protozoa, Family	Genus	Species	Subtaxa
Plasmodiophoraceae	Polymyxa	graminis	

*[Division 6 inserted in Gazette 30 Mar 2010 p. 1262.]*

### **Division 7 — Virus**

*[Heading inserted in Gazette 30 Mar 2010 p. 1263.]*

Virus, Family	Genus	Species	Subtaxa
Potyviridae	Rymovirus	Agropyron mosaic virus	
Pospiviroidae	Apscaviroid	Apple scar skin viroid	
Flexiviridae	Capillovirus	Apple stem grooving virus	
Flexiviridae	Foveavirus	Apple stem pitting virus	
Comoviridae	Nepovirus	Arabis mosaic virus	

<b>Virus, Family</b>	<b>Genus</b>	<b>Species</b>	<b>Subtaxa</b>
Potyviridae	Potyvirus	Asparagus virus 1	
Bromoviridae	Ilarvirus	Asparagus virus 2	
Potyviridae	Potyvirus	Banana bract mosaic virus	
Nanoviridae	Nanovirus	Banana bunchy top virus	
Caulimoviridae	Badnavirus	Banana streak virus	
Potyviridae	Bymovirus	Barley yellow mosaic virus	
Geminiviridae	Curtovirus	Beet curly top virus	
Not assigned	Benyvirus	Beet necrotic yellow vein virus	
Closteroviridae	Closterovirus	Beet pseudo-yellows virus	
Closteroviridae	Closterovirus	Beet yellows virus	
Comoviridae	Fabavirus	Broad bean wilt virus 1	
Comoviridae	Fabavirus	Broad bean wilt virus 2	
Rhabdoviridae	Cytorhabdovirus	Broccoli necrotic yellows virus	
Flexiviridae	Trichovirus	Cherry mottle leaf virus	
Not assigned	Not assigned	Cherry twisted leaf virus	
Potyviridae	Potyvirus	Chilli veinal mottle virus	
Geminiviridae	Mastrevirus	Chloris striate mosaic virus	
Bunyaviridae	Tospovirus	Chrysanthemum stem necrosis virus	
Pospiviroidae	Pospiviroid	Chrysanthemum stunt viroid	
Pospiviroidae	Apscaviroid	Citrus bent leaf viroid	
Not assigned	Ophiovirus	Citrus psorosis virus	
Closteroviridae	Closterovirus	Citrus tristeza virus	

**Plant Diseases Regulations 1989**  
**Schedule 11** Prohibited diseases  
**Division 7** Virus

<b>Virus, Family</b>	<b>Genus</b>	<b>Species</b>	<b>Subtaxa</b>
Not assigned	Not assigned	Citrus xyloporosis virus	
Pospiviroidae	Apscaviroid	CitrusIIIviroid	
Pospiviroidae	Cocadviroid	Citrusviriod	
Pospiviroidae	Cocadviroid	Coconut cadang-cadang viroid	
Pospiviroidae	Pospiviroid	Columnea latent viroid	
Geminiviridae	Begomovirus	Cotton leaf curl virus - Pakistan 1	
Geminiviridae	Begomovirus	Cotton leaf curl virus - Pakistan 2	
Luteoviridae	Polerovirus	Cotton leafroll dwarf virus	
Flexiviridae	Carlavirus	Cowpea mild mottle virus	
Not assigned	Tenuivirus	High plains virus	
Bunyaviridae	Tospovirus	Impatiens necrotic spot virus	
Not assigned	Pecluvirus	Indian peanut clump virus	
Closteroviridae	Crinivirus	Lettuce infectious yellows virus	
Sequiviridae	Waikavirus	Maize chlorotic dwarf virus	
Not assigned	Tenuivirus	Maize stripe virus	
Geminiviridae	Begomovirus	Melon leaf curl virus	
Tombusviridae	Carmovirus	Melon necrotic spot virus	
Potyviridae	Potyvirus	Papaya ringspot virus 'Type P'	
Flexiviridae	Foveavirus	Peach asteroid spot virus	
Avsunviroidae	Avsunviroid	Peach latent mosaic viroid	

<b>Virus, Family</b>	<b>Genus</b>	<b>Species</b>	<b>Subtaxa</b>
Flexiviridae	Trichovirus	Peach mosaic virus	
Comoviridae	Nepovirus	Peach rosette mosaic virus	
Not assigned	Not assigned	Peach stubby twig	
Not assigned	Not assigned	Peach wart disease	
Not assigned	Pecluvirus	Peanut clump virus	
Potyviriidae	Potyvirus	Peanutmottlevirus	
Flexiviridae	Potexvirus	Pepino mosaic virus	
Potyviriidae	Potyvirus	Plumopoxvirus	
Flexiviridae	Potexvirus	Potato aucuba mosaic virus	
Pospiviroidae	Pospiviroid	Potato spindle tuber viroid	
Flexiviridae	Carlavirus	Potato virus M	
Potyviriidae	Potyvirus	Potato virus Y necrotic strain	
Potyviriidae	Potyvirus	Potato virus Y necrotic tuber ringspot	
Potyviriidae	Potyvirus	Potato virus Y ordinary strain	
Potyviriidae	Potyvirus	Potato virus Y	
Not assigned	Not assigned	Prune diamond canker virus	
Not assigned	Not assigned	Rose wilt virus	
Geminiviridae	Begomovirus	Squash leaf curl virus	
Comoviridae	Nepovirus	Strawberry latent ringspot virus	
Reoviridae	Fijivirus	Sugarcane Fiji disease virus	
Tombusviridae	Necrovirus	Tobacco necrosis virus A	
Tombusviridae	Necrovirus	Tobacco necrosis virus B	

**Plant Diseases Regulations 1989**  
**Schedule 11** Prohibited diseases  
**Division 7** Virus

<b>Virus, Family</b>	<b>Genus</b>	<b>Species</b>	<b>Subtaxa</b>
Not assigned	Tobravirus	Tobacco rattle virus	
Bromoviridae	Ilarvirus	Tobacco streak virus	
Comoviridae	Nepovirus	Tomato black ring virus	
Geminiviridae	Begomovirus	Tomato leaf curl virus	
Comoviridae	Nepovirus	Tomato ringspot virus	
Geminiviridae	Begomovirus	Tomato yellow leaf curl China virus	
Geminiviridae	Begomovirus	Tomato yellow leaf curl Nigeria virus	
Geminiviridae	Begomovirus	Tomato yellow leaf curl Sardinia virus	
Geminiviridae	Begomovirus	Tomato yellow leaf curl Saudi Arabia virus	
Geminiviridae	Begomovirus	Tomato yellow leaf curl Tanzania virus	
Geminiviridae	Begomovirus	Tomato yellow leaf curl Thailand virus	
Geminiviridae	Begomovirus	Tomato yellow leaf curl Yemen virus	
Geminiviridae	Begomovirus	Watermelon curly mottle virus	
Potyviridae	Potyvirus	Watermelon mosaic virus	
Potyviridae	Bymovirus	Wheat spindle streak mosaic virus	

*[Division 7 inserted in Gazette 30 Mar 2010 p. 1263-5.]*

**Notes**

- <sup>1</sup> This is a compilation of the *Plant Diseases Regulations 1989* and includes the amendments made by the other written laws referred to in the following table. The table also contains information about any reprint.

**Compilation table**

<b>Citation</b>	<b>Gazettal</b>	<b>Commencement</b>
<i>Plant Diseases Regulations 1989</i>	30 Jun 1989 p. 1980-93	1 Jul 1989 (see r. 2)
<i>Plant Diseases Amendment Regulations 1989</i>	26 Jan 1990 p. 649	26 Jan 1990
<i>Plant Diseases Amendment Regulations 1990</i>	4 May 1990 p. 2129	4 May 1990
<i>Plant Diseases Amendment Regulations (No. 2) 1990</i>	25 May 1990 p. 2376-87	25 May 1990 (see r. 2)
<i>Plant Diseases Amendment Regulations (No. 3) 1990</i>	3 Aug 1990 p. 3668	3 Aug 1990
<i>Plant Diseases Amendment Regulations (No. 4) 1990</i>	17 Aug 1990 p. 4067	17 Aug 1990
<i>Plant Diseases Amendment Regulations (No. 5) 1990</i>	21 Sep 1990 p. 4889	21 Sep 1990
<i>Plant Diseases Amendment Regulations (No. 6) 1990</i>	26 Oct 1990 p. 5361	26 Oct 1990
<i>Plant Diseases Amendment Regulations (No. 2) 1991</i>	18 Oct 1991 p. 5314-15	18 Oct 1991
<i>Plant Diseases Amendment Regulations (No. 4) 1992</i>	24 Jul 1992 p. 3606-7	17 Aug 1992 (see r. 2)
<i>Plant Diseases Amendment Regulations (No. 2) 1992</i>	7 Aug 1992 p. 3842	7 Aug 1992
<i>Plant Diseases Amendment Regulations 1992</i>	18 Sep 1992 p. 4668-79	18 Sep 1992
<i>Plant Diseases Amendment Regulations 1993</i>	5 Mar 1993 p. 1432-7	5 Mar 1993
<i>Plant Diseases Amendment Regulations (No. 2) 1993</i>	5 Mar 1993 p. 1438-44	5 Mar 1993
<i>Plant Diseases Amendment Regulations (No. 3) 1993</i>	4 Jun 1993 p. 2796-7	4 Jun 1993

## Plant Diseases Regulations 1989

<b>Citation</b>	<b>Gazettal</b>	<b>Commencement</b>
<i>Plant Diseases Amendment Regulations (No. 4) 1993</i>	2 Jul 1993 p. 3253-4	2 Jul 1993
<i>Plant Diseases Amendment Regulations (No. 5) 1993</i>	17 Sep 1993 p. 5038-41	17 Sep 1993
<i>Plant Diseases Amendment Regulations (No. 6) 1993</i>	17 Sep 1993 p. 5046	17 Sep 1993
<i>Plant Diseases Amendment Regulations (No. 7) 1993</i>	1 Oct 1993 p. 5343	1 Oct 1993
<i>Plant Diseases Amendment Regulations (No. 8) 1993</i>	1 Oct 1993 p. 5344	1 Oct 1993
<i>Plant Diseases Amendment Regulations (No. 9) 1993</i>	1 Oct 1993 p. 5345-6	1 Oct 1993
<i>Plant Diseases Amendment Regulations (No. 2) 1994</i>	24 Jun 1994 p. 2836-7	1 Jul 1994 (see r. 2)
<i>Plant Diseases Amendment Regulations 1994</i>	24 Jun 1994 p. 2840-1	24 Jun 1994
<i>Plant Diseases Amendment Regulations (No. 3) 1994</i>	24 Jun 1994 p. 2841-3	30 Jun 1994 (see r. 2)
<i>Plant Diseases Amendment Regulations (No. 6) 1994</i>	2 Sep 1994 p. 4521-2	2 Sep 1994
<i>Plant Diseases Amendment Regulations (No. 5) 1994</i>	30 Sep 1994 p. 4949	30 Sep 1994
<i>Plant Diseases Amendment Regulations (No. 7) 1994</i>	30 Sep 1994 p. 4949-56	1 Oct 1994 (see r. 2 and <i>Gazette</i> 30 Sep 1994 p. 4947)
<i>Plant Diseases Amendment Regulations (No. 4) 1994</i>	28 Oct 1994 p. 5462	28 Oct 1994
<i>Plant Diseases Amendment Regulations (No. 8) 1994</i>	28 Oct 1994 p. 5462-3	28 Oct 1994
<i>Plant Diseases Amendment Regulations (No. 9) 1994</i>	11 Nov 1994 p. 5689	11 Nov 1994
<i>Plant Diseases Amendment Regulations (No. 10) 1994</i>	30 Dec 1994 p. 7216	30 Dec 1994
<i>Plant Diseases Amendment Regulations 1995</i>	17 Mar 1995 p. 1011-12	17 Mar 1995
<i>Plant Diseases Amendment Regulations (No. 3) 1995</i>	16 May 1995 p. 1839	16 May 1995
<i>Plant Diseases Amendment Regulations (No. 4) 1995</i>	21 Jul 1995 p. 3063-4	21 Jul 1995

<b>Citation</b>	<b>Gazettal</b>	<b>Commencement</b>
<i>Plant Diseases Amendment Regulations 1996</i>	2 Feb 1996 p. 395-404	2 Feb 1996
<i>Plant Diseases Amendment Regulations (No. 2) 1996</i>	7 Jun 1996 p. 2373-88	7 Jun 1996
<i>Plant Diseases Amendment Regulations (No. 3) 1996</i>	20 Aug 1996 p. 4053-9	20 Aug 1996
<i>Plant Diseases Amendment Regulations (No. 5) 1996</i>	3 Sep 1996 p. 4375	4 Sep 1996 (see r. 2)
<i>Plant Diseases Amendment Regulations (No. 4) 1996</i>	14 Jan 1997 p. 378-80	14 Jan 1997
<i>Plant Diseases Amendment Regulations (No. 8) 1996</i>	14 Jan 1997 p. 380-2	14 Jan 1997
<i>Plant Diseases Amendment Regulations (No. 9) 1996</i>	14 Jan 1997 p. 383	14 Jan 1997
<i>Plant Diseases Amendment Regulations (No. 10) 1996</i>	21 Feb 1997 p. 1166-7	21 Feb 1997
<i>Plant Diseases Amendment Regulations 1997</i>	4 Mar 1997 p. 1352-5	4 Mar 1997
<b>Reprint of the <i>Plant Diseases Regulations 1989</i> as at 7 Jul 1997</b> (includes amendments listed above)		
<i>Plant Diseases Amendment Regulations (No. 4) 1997</i>	19 Aug 1997 p. 4712	19 Aug 1997
<i>Plant Diseases Amendment Regulations (No. 3) 1997</i>	3 Oct 1997 p. 5513-14	3 Oct 1997
<i>Plant Diseases Amendment Regulations (No. 5) 1997</i>	6 Jan 1998 p. 47	6 Jan 1998
<i>Plant Diseases Amendment Regulations (No. 2) 1997</i>	6 Jan 1998 p. 48-173	6 Jan 1998
<i>Plant Diseases Amendment Regulations (No. 2) 1998</i>	23 Jun 1998 p. 3314	23 Jun 1998
<i>Plant Diseases Amendment Regulations (No. 3) 1998</i>	19 Aug 1998 p. 4475-664	19 Aug 1998
<i>Plant Diseases Amendment Regulations (No. 4) 1998</i>	19 Aug 1998 p. 4665-6	19 Aug 1998
<i>Plant Diseases Amendment Regulations 1999</i>	9 Mar 1999 p. 1145-6	9 Mar 1999
<i>Plant Diseases Amendment Regulations (No. 2) 1999</i>	23 Mar 1999 p. 1259-62	23 Mar 1999

## Plant Diseases Regulations 1989

Citation	Gazettal	Commencement
<i>Plant Diseases Amendment Regulations (No. 3) 1999</i>	4 Jun 1999 p. 2267-8	4 Jun 1999
<i>Plant Disease Amendment Regulations (No. 4) 1999</i>	22 Jun 1999 p. 2669-70	22 Jun 1999
<i>Plant Diseases Amendment Regulations (No. 6) 1999</i>	16 Jul 1999 p. 3184-5	16 Jul 1999
<i>Plant Diseases Amendment Regulations 2000</i>	4 Feb 2000 p. 419-21	4 Feb 2000
<i>Plant Diseases Amendment Regulations (No. 2) 2000</i>	16 Mar 2000 p. 1239-459	16 Mar 2000
<b>Reprint of the Plant Diseases Regulations 1989 as at 17 Mar 2000</b> (correction in <i>Gazette</i> 7 Apr 2000 p. 1819) (includes amendments listed above)		
<i>Plant Diseases Amendment Regulations (No. 4) 2000</i>	20 Jun 2000 p. 3005-6	1 Jul 2000 (see r. 2)
<i>Plant Diseases Amendment Regulations (No. 3) 2000</i>	30 Jun 2000 p. 3399-400	30 Jun 2000
<i>Plant Diseases Amendment Regulations (No. 5) 2000</i>	11 Aug 2000 p. 4692-3	11 Aug 2000
<i>Plant Diseases Amendment Regulations (No. 6) 2000</i>	29 Sep 2000 p. 5533-5	29 Sep 2000
<i>Plant Diseases Amendment Regulations (No. 7) 2000</i>	5 Jan 2001 p. 113-14	5 Jan 2001
<i>Plant Diseases Amendment Regulations 2001</i>	13 Feb 2001 p. 866	13 Feb 2001
<i>Plant Diseases Amendment Regulations (No. 2) 2001</i> <sup>4</sup>	8 Jun 2001 p. 2921-2	8 Jun 2001
<i>Plant Diseases Amendment Regulations (No. 3) 2001</i>	8 Jun 2001 p. 2922-3	1 Jul 2001 (see r. 2)
<i>Plant Diseases Amendment Regulations (No. 4) 2001</i>	17 Jul 2001 p. 3635	17 Jul 2001
<i>Plant Diseases Amendment Regulations (No. 8) 2001</i>	7 Dec 2001 p. 6179-80	7 Dec 2001
<i>Plant Diseases Amendment Regulations (No. 6) 2001</i>	8 Jan 2002 p. 31-2	8 Jan 2002
<i>Plant Diseases Amendment Regulations 2002</i>	19 Apr 2002 p. 2077-8	19 Apr 2002
<i>Plant Diseases Amendment Regulations (No. 2) 2002</i>	28 Jun 2002 p. 3044-5	1 Jul 2002 (see r. 2)

<b>Citation</b>	<b>Gazettal</b>	<b>Commencement</b>
<b>Reprint of the <i>Plant Diseases Regulations 1989</i> as at 20 Sep 2002</b> (includes amendments listed above) (correction in <i>Gazette</i> 3 Dec 2002 p. 5713)		
<i>Plant Diseases Amendment Regulations (No. 5) 2002</i>	10 Jan 2003 p. 31	10 Jan 2003
<i>Plant Diseases Amendment Regulations 2003</i>	24 Jan 2003 p. 141-3	24 Jan 2003
<i>Plant Diseases Amendment Regulations (No. 2) 2003</i>	11 Feb 2003 p. 407-8	11 Feb 2003
<i>Plant Diseases Amendment Regulations (No. 4) 2003</i>	11 Feb 2003 p. 409-11	11 Feb 2003
<i>Plant Diseases Amendment Regulations (No. 5) 2003</i>	17 Jun 2003 p. 2202-3	1 Jul 2003 (see r. 2)
<i>Plant Diseases Amendment Regulations (No. 6) 2003</i>	29 Jul 2003 p. 3260	29 Jul 2003
<i>Plant Diseases Amendment Regulations (No. 3) 2003</i>	31 Oct 2003 p. 4553-9	31 Oct 2003
<i>Plant Diseases Amendment Regulations (No. 8) 2003</i>	16 Jan 2004 p. 193-5	16 Jan 2004
<i>Plant Diseases Amendment Regulations 2004</i>	23 Jan 2004 p. 305-6	23 Jan 2004
<i>Plant Diseases Amendment Regulations (No. 2) 2004</i>	18 May 2004 p. 1562-4	18 May 2004
<i>Plant Diseases Amendment Regulations (No. 3) 2004</i>	21 Sep 2004 p. 4106-7	21 Sep 2004
<i>Plant Diseases Amendment Regulations (No. 4) 2004</i>	21 Sep 2004 p. 4108-19	21 Sep 2004
<i>Plant Diseases Amendment Regulations (No. 5) 2004</i>	21 Sep 2004 p. 4119-21	21 Sep 2004
<i>Plant Diseases Amendment Regulations (No. 6) 2004</i>	30 Dec 2004 p. 6899	1 Jan 2005 (see r. 2 and <i>Gazette</i> 31 Dec 2004 p. 7130)
<i>Plant Diseases Amendment Regulations 2005</i>	17 May 2005 p. 2103-28	17 May 2005
<i>Plant Diseases Amendment Regulations (No. 2) 2005</i>	17 May 2005 p. 2131-4	17 May 2005
<i>Plant Diseases Amendment Regulations (No. 3) 2005</i>	31 May 2005 p. 2398-9	1 Jul 2005 (see r. 2)
<i>Plant Diseases Amendment Regulations (No. 4) 2005</i>	16 Dec 2005 p. 6074-8	16 Dec 2005

## Plant Diseases Regulations 1989

Citation	Gazettal	Commencement
<i>Plant Diseases Amendment Regulations (No. 2) 2006</i>	7 Feb 2006 p. 615-19	7 Feb 2006
<b>Reprint 4: The <i>Plant Diseases Regulations 1989</i> as at 3 Mar 2006</b> (includes amendments listed above) (correction in <i>Gazette</i> 30 Jun 2006 p. 2363)		
<i>Plant Diseases Amendment Regulations 2006</i>	21 Apr 2006 p. 1571-4	21 Apr 2006
<i>Plant Diseases Amendment Regulations (No. 4) 2006</i>	30 May 2006 p. 1965-6	30 May 2006
<i>Plant Diseases Amendment Regulations (No. 3) 2006</i>	16 Jun 2006 p. 2110	16 Jun 2006
<i>Plant Diseases Amendment Regulations (No. 5) 2006</i>	16 Jun 2006 p. 2116-18	1 Jul 2006 (see r. 2)
<i>Plant Diseases Amendment Regulations 2007</i>	6 Mar 2007 p. 725-7	6 Mar 2007
<b>Reprint 5: The <i>Plant Diseases Regulations 1989</i> as at 18 May 2007</b> (includes amendments listed above)		
<i>Plant Diseases Amendment Regulations (No. 3) 2007</i>	15 Jun 2007 p. 2756-7	1 Jul 2007 (see r. 2)
<i>Plant Diseases Amendment Regulations 2008</i>	20 May 2008 p. 1939-40	r. 1 and 2: 20 May 2008 (see r. 2(a)); Regulations other than r. 1 and 2: 1 Jul 2008 (see r. 2(b))
<i>Plant Diseases Amendment Regulations (No. 2) 2009</i>	26 Jun 2009 p. 2605-8	r. 1 and 2: 26 Jun 2009 (see r. 2(a)); Regulations other than r. 1 and 2: 1 Jul 2009 (see r. 2(b))
<i>Plant Diseases Amendment Regulations 2010</i>	30 Mar 2010 p. 1255-65	r. 1 and 2: 30 Mar 2010 (see r. 2(a)); Regulations other than r. 1 and 2: 31 Mar 2010 (see r. 2(b))
<i>Plant Diseases Amendment Regulations (No. 3) 2010</i>	30 Jun 2010 p. 3117-19	r. 1 and 2: 30 Jun 2010 (see r. 2(a)); Regulations other than r. 1 and 2: 1 Jul 2010 (see r. 2(b))
<i>Plant Diseases Amendment Regulations (No. 2) 2010</i>	17 Sep 2010 p. 4417-754	r. 1 and 2: 17 Sep 2010 (see r. 2(a)); Regulations other than r. 1 and 2: 18 Sep 2010 (see r. 2(b))

<sup>2</sup> Under the *Alteration of Statutory Designations Order (No. 3) 2001* the department formerly called Agriculture Western Australia was called the Department of Agriculture.

Under the *Alteration of Statutory Designations Order 2006* a reference to the Department of Agriculture is, unless the contrary is intended, to be read and construed as a reference to the Department of Agriculture and Food.

<sup>3</sup> Deleted by the *Planning and Development (Consequential and Transitional Provisions) Act 2005* s. 4. The part of the State that was, as at 30 June 1989, described in the Third Schedule to the *Metropolitan Region Town Planning Scheme Act 1959* is also described in the *Planning and Development Act 2005* Sch. 3 as it was enacted on 12 December 2005.

<sup>4</sup> The amendment in the *Plant Diseases Amendment Regulations (No. 2) 2001* r. 4(1)(b) is not included because of an error in the reference to the provision to be amended.