


B 70

# AMPHIPOD NEWSLETTER

14



Edited by: Wim Vader, Tromsø Museum

Produced by: Les Watling, University of Maine-Darling Center

NEW AND REVISED AMPHIPOD TAXA IN AMPHIPOD NEWS LETTER 1-10

AN INDEX TO THE BIBLIOGRAPHY

II. SPECIES AND SUBSPECIES

George I. Crawford & Wim Vader

Introduction

This is the second part of the index which was promised when the first part (on genera and higher taxa) was issued. It is arranged on the same lines with lists, arranged in alphabetical order, of new species; subspecies newly raised to specific rank; and new subspecies. New species described but not named (of the type Gammarus sp. A) have not been included. The bibliography includes, for completeness, all papers which contain descriptions of the new taxa listed, including papers from the bibliography of Part I (1980). Entries consist of the specific (or subspecific) name; the genus or species of which this is a sub-taxon; the author's reference; the AN reference; and the type locality. The scope of the index has been extended to cover new taxa named in the papers abstracted in AN 1-10, whether or not the names of these taxa are recorded in the abstracts. This has involved a great deal of re-examination of the texts and has made the index far more complete - though not, of course, absolutely complete. In particular we expect a number of omissions in the list of infraspecific taxa raised to specific rank. We shall be grateful if such omissions are brought to our notice along with any other errors or omissions detected. We have tried to give the type locality area of each species or subspecies rather than its complete distributional range, but this has not always been possible.

NEW AND REVISED AMPHIPOD TAXA IN AMPHIPOD NEWSLETTER 1-10

AN INDEX TO THE BIBLIOGRAPHY

I. GENERA AND HIGHER TAXA - ADDITIONS AND CORRECTIONS

George I. Crawford and Wim Vader

Introduction

Part I of this index was circulated in 1980 with AN 11. Some omissions and errors have since been found. These are listed below with a reference to the original page number and, where appropriate, column (L or R).

7L Between entries for ASPROGAMMARUS and AUSATELSON insert:

ASPROGAMMARUS (new subgen. of  
ASPROGAMMARUS, Gammaridae s.l.)  
Bazikalova 1975a (AN 9/43)  
apparently Gammarus rhodophthalmus  
Lake Baikal

7R after the entry for BIRUBIUS insert:

BOLLEGIDIA (Bogidiellidae)  
Ruffo 1974 (AN 5/35)  
B. capensis n. sp.  
Cape Town, S. Africa

9L in entry for KOZHOVIA insert as type species:

K. mirabilis n. sp.

10L Under PARACALLIOPELLA, line 4 correct spelling:

Leptamphopus, not Lemtamphopus

10R between entries for PARACERCOPS and PARANIPHARGOIDES insert:

PARAMOERELLA (Eusiridae)  
Ruffo 1974b (AN 5/35)  
P. interstitialis n. sp.  
Cape Town, S. Africa.

11L between entries for PSEUDOCERCOPS and PSEUDONESIMOIDES insert:

PSEUDODODECAS (Phthisicidae)  
McCain & Gray 1971 (AN 2/29)  
P. bowmani n. sp.  
South Shetland Islands

11L under PSEUDUNCIOLA correct spelling:

Unciola not Unicola

12L between entries for SCUTOCYAMUS and SPELAEOGAMMARUS insert:

SMARAGDOGAMMARUS (n. subgen. of  
Asprogammarus, Gammaridae s.l.  
Bazikalova 1975a (AN 9/43)  
apparently Gammarus smaragdinis  
Lake Baikal

14L under ALLORCHESTES delete:

KRAPP SCHICKEL 1974 (AN 6/5)

16L under LEPECHINELLA correct reference to read:

Barnard 1973b (AN 3/22)

19 correct BARNARD, J.L., 1976 to 1973b.

19 delete entry BARNARD, J.L. & M.M. DRUMMOND 1978 (the abstract of which appears in AN 11/20, 21 - not in AN 1-10) and substitute:

BARNARD, J.L. & M.M. DRUMMOND, 1976. Classification of 5 genera of Phoxocephalidae (marine Amphipoda). Proc. biol. Soc. Wash. 88, 515-548.

24 after entry for RUFFO, S., 1974 insert:

SCHIECKE, U., 1977. Zwei neue Vertreter der Cyproideinae (Amphipoda: Amphilochina) aus dem Mittelmeer:  
Pseudopeltocoxa gibbosa n.g., n.sp. und Peltocoxa mediterranea n.sp. Boll. Mus. civ. Stor. nat. Verona 4, 525-542

25 for VASSILENKO substitute VASILENKO.

25 in last line delete 223-236, and substitute 237-250

26 for VASSILENKO substitute VASILENKO.

(a) New species

- ABDITUS (Stygobromus)  
Holsinger 1978 (AN 10/42)  
Virginia, USA
- ABERRANS (Niphargus)  
Sket 1972 (AN 3/37)  
Slovenia, N. Yugoslavia
- ABSCISUS (Gammarus)  
Karaman 1973g (AN 4/25)  
Kirseljir, Turkey
- ACALCEOLOATUS (Gammarus)  
Pinkster 1971 (AN 2/31)  
Meknes Province, Morocco
- ACANTHOPODA (Mayerella)  
Benedict 1977 (AN 10/38)  
Newport Harbor, California
- ACCOLAE (Gammarus)  
Karaman 1973g (AN 4/25)  
Kirgoz, near Antalya, Turkey
- ACKERLYI (Stygobromus)  
Holsinger 1978 (AN 10/42)  
Georgia, USA
- ACRANIA (Dikwa)  
Griffiths 1974b (AN 5/27)  
Still Bay, Cape Province
- ACRIS (Ampelisca)  
Griffiths 1974b (AN 5/27)  
Mossel Bay, Cape Province
- ACUMINATA (Oradarea)  
Thurston 1974a (AN 4/29)  
McMurdo Sound, Antarctica
- ACUTIBASALIS (Acontiostoma)  
Bellan-Santini & Ledoyer 1974 (AN 5/32)  
Kerguelen Island
- ACUTICAUDA (Schraderia)  
Bellan-Santini & Ledoyer 1974 (AN 5/32)  
Kerguelen Island
- ACUTICEPHALUS (Laetmatophilus)  
Ledoyer 1978 (AN 10/44)  
Mauritius (reef cavities)
- ACUTICOXA (Periocolodes)  
Ledoyer 1973c (AN 3/26)  
Nosy Bé, Madagascar
- ACUTILOBA (Leucothoe)  
Ledoyer 1978 (AN 10/44)  
Mauritius (reef cavities)
- ADBIPTUS (Niphargus)  
Karaman 1973c (AN 3/36, 4/25)  
Balkans
- ADELIENSIS (Kerguelenia)  
Bellan-Santini 1972a (AN 2/18)  
Adelie Land, Antarctica
- ADIPATUS (Echinogammarus)  
Karaman & Tibaldi 1973 (AN 5/29)  
Sicily, Italy
- ADRIATICUS (Neogammarus)  
Karaman 1973b (AN 3/35)  
Adriatic coast
- ADVENA (Caprella)  
Vasilenko 1974 (AN 5/36)  
Russian & neighbouring seas
- AENIGMATICA (Aeginina)  
Laubitz 1972 (AN 3/36)  
Henry Land, E. Greenland
- AESTUARIORUM (Anisogammarus (Eogammarus))  
Tzvetkova 1972 (AN 2/36, 3/30, 31)  
Sea of Okhotsk
- AESTUARIUS (Parapleustes)  
Watling and Maurer 1973 (AN 3/38)  
Delaware, Eastern USA  
(estuarine)
- AFER (Echinogammarus)  
Stock 1974b (AN 3/38)  
Hot spring between Gabes  
and Sfax, Tunisia
- ALCYONE (Leucothoe)  
Imbach 1967 (AN 3/38)  
Bay of Nhatrang, Vietnam
- ALGOR (Typhlogammarus)  
Karaman 1973 (AN 4/25)  
Near Bileca, Hercegovina, Yugoslavia
- ALKOOMIE (Paradexamine)  
Barnard 1972a (AN 2/17)  
Pearson Islands, S. Australia
- ALLA (Chucullba)  
Barnard 1974 (AN 4/30)  
Albany, W. Australia

- ALLINGA (Stenothoe)  
Barnard 1974 (AN 4/30)  
Albany, W. Australia
- ALOE (Seba)  
Karaman 1971c (AN 2/26)  
Adriatic Sea, off Montenegro, 500m.
- ALTAGAHIZI (Niphargus)  
Alouf 1973 (AN 3/32)  
Lebanon
- ALUTENSIS (Niphargus)  
Dancau 1971 (AN 2/20)  
Olt Valley, Rumania
- AMBULATOR (Niphargus)  
Karaman 1975f (AN 9/46)  
Como region, Italy
- AMENTATUS (Carinurus)  
Karaman 1977a (AN 10/52)  
Lake Baikal
- AMERICANUM (Synchelidium)  
Bousfield 1973 (AN 3/18-20)  
Atlantic coast of USA, central  
Maine to Georgia
- ANA (Rotomelita)  
Barnard 1977 (AN 10/37)  
Hawaiian Islands (Maui)
- ANGULIPES (Syrrhoe)  
Ledoyer 1977 (AN 10/43, 44)  
Off Southern France
- ANGUSTICOXA (Leucothopsis)  
Ledoyer 1972 (AN 2/28)  
Tuléar, Madagascar
- ANGUSTIPES (Ensayara)  
Ledoyer 1978 (AN 10/44)  
Mauritius (reef cavities)
- ANOMALUS (Eurystheus)  
Rabindranath 1971d (AN 2/31)  
Gulf of Mannar, India
- ANOPHTHALMA (Ampelisca)  
Bellan-Santini & Kaim-Malka  
1977 (AN 10/38)  
Banyuls, France
- ANOQUESANA (Orchestia)  
Bousfield 1971 (AN 2/18, 19)  
Nuka Hwa Island, Marquesas  
Islands, alt. 4050 ft.
- ANTENNATA (Ampelisca)  
Bellan-Santini & Kaim-Malka  
1977 (AN 10/38)  
Marseille, S. France
- ANTENNATUM (Anatatelson)  
Bellan-Santini & Ledoyer 1974 (AN 5/32)  
Kerguelen Island
- ANVERSENSIS (Ampelisca)  
Karaman 1975e (AN 3/39)  
Anvers Island, Antarctica
- AORANGI (Ampithoe)  
Barnard 1972b (AN 3/39)  
Wellington, New Zealand
- APOPO (Microdeutopus)  
Barnard 1972b (AN 3/39)  
Leigh, New Zealand
- AQUAFUSCUM (Corophium)  
Heard & Sikora 1972 (AN 3/25)  
Georgia, USA (low salinity brackish)
- ARCTICA (Protellina)  
Vasilenko 1974 (AN 5/36)  
Russian & neighbouring seas
- ARDUUS (Gammarus)  
Karaman 1975A (AN 7/25)  
Turkey (Tekirdag Prov.)
- ARGANOI (Bogidiella)  
Ruffo & Vigna-Taglianti 1974 (AN 7/28)  
Veracruz, Mexico
- ARIZONENSIS (Stygobromus)  
Holsinger 1974a (AN 4/32)  
Cochise Co., Arizona USA
- ARMATUS (Concholestes)  
Griffiths 1974b (AN 5/27)  
Still Bay, Cape Province
- ARMATUS (Pseudocercops)  
Vasilenko 1974 (AN 5/36)  
Russian & neighbouring seas.
- ARNAUDI (Orchomene)  
Bellan-Santini 1972a (AN 2/18)  
Adelie Land, Antarctica
- ASPER (Niphargus)  
Karaman 1972a (AN 2/26)  
Titograd, Yugoslavia

- ASSIMILIS (*Leucothoe*)  
Barnard 1974 (AN 4/30)  
Western Port, Victoria, Australia
- ASTERICOLA (*Caprella*)  
Jankowskii & Vasilenko 1972 (AN 3/9)  
S. Sakhalin, from starfish
- AUCA (*Lepechinella*)  
Barnard 1973 (AN 3/22)  
off Chile, 480-510fms
- AURICULATA (*Ampithoe (Pleonexes)*)  
Rabindranath 1972a (AN 2/32)  
Gulf of Mannar, India
- AWA (*Melita*)  
Barnard 1972b (AN 3/39)  
Hutt river, New Zealand  
(brackish)
- BACESCUI (*Pseudoamphithoides*)  
Ortiz 1976a (AN 10/52)  
Hicacos Peninsula, Matanzas prov., Cuba
- BAHIENSIS (*Spelaeogammarus*)  
Silva Brum 1975 (AN 7/33)  
Bahia Stae, Brazil
- BALEARICA (*Bogidiella*)  
Dancau 1973b (AN 4/21)  
Majorca
- BARNARDI (*Dulichiopsis*)  
Laubitz 1977 (AN 9/57)  
Alaska 52°14'N, 74°13'E, 882m
- BARNARDI (*Gammaropsis (Podoceropsis)*)  
Kudrjashov & Tzvetkova 1975 (AN 7/26)  
South Sakhulin
- BARNARDI (*Gnathiphimedia*)  
Thurston 1974b (AN 6/23)  
South Georgia
- BARNARDI (*Paramelita*)  
Thurston 1973 (AN 4/29)  
Cape Town, S. Africa
- BARNARDI (*Parapleustes*)  
Ledoyer 1972 (AN 2/28)  
Tuléar, Madagascar
- BARNARDI (*Pontogeneia*)  
Rabindranath 1972c (AN 2/32)  
India
- BARNARDI (*Schraderia*)  
Thurston 1974a (AN 4/29)  
Signy Is., S. Orkney Islands
- BAROODYI (*Stygobromus*)  
Holsinger 1978 (AN 10/42)  
Virginia, USA
- BARRYI (*Stygobromus*)  
Holsinger 1978 (AN 10/42)  
Tennessee, U.S.A.
- BATHYALIS (*Caprella*)  
Vasilenko 1972a (AN 3/38)  
Sea of Okhotsk & N.W. Pacific
- BATHYPHILUS (*Asprogamarus (A.)*)  
Bazikalova 1975a (AN 9/43)  
Lake Baikal
- BAZIKALOVAE (*Carinurus*)  
Karaman 1977a (AN 10/52)  
Lake Baikal
- BELLABELLA (*Allorchestes*)  
Barnard 1974 (AN 4/30)  
Kyska Harbour, Alaska, USA
- BENNETTI (*Gammaropsis*)  
Thurston 1974b (AN 6/23)  
South Shetland Islands
- BERISFORDI (*Ingolfiella*)  
Ruffo 1974b (AN 5/35)  
Cape Town, S. Africa
- BERRINGAR (*Cottesloe*)  
Barnard 1974 (AN 4/30)  
Cottesloe, near Perth, W. Australia
- BERYTENSIS (*Echinogammarus*)  
Alouf 1976 (AN 9/51)  
Near Beirut, Lebanon
- BICARINATUM (*Nodotergum*)  
Bellan-Santini 1972a (AN 2/18)  
Adelie Land, Antarctica
- BICUSPIDATUS (*Microprotopus*)  
Rabindranath 1971d (AN 2/31)  
Gulf of Mannar, India
- BIDENTATA (*Lemboides*)  
Ledoyer 1972 (AN 2/28)  
Tuléar, Madagascar

BIFIDUS (Microdeutopus)  
Myers 1977c (AN 10/47)  
Catania, Sicily

BIFRONS (Carinurus)  
Karaman 1977a (AN 10/52)  
Lake Baikal

BIGGERSI (Stygobromus)  
Holsinger 1978 (AN 10/42)  
Virginia, U.S.A.

BIRSTEINI (Acanthoscina)  
Vinogradov 1976 (AN 8/32)  
7°36'N, 162°01'E (0-3500m)

BIRSTEINI (Crybelocephalus)  
Thurston 1976 (AN 8/26)  
off Canary Islands, 910m

BIRSTEINI (Gammarus)  
(nom. nov. for Rivulogammarus argaeus brachyurus  
Birstein, non G. argaeus brachyurus Vavra  
Karaman & Pinkster 1977a (omitted from AN,  
see bibliography)  
Kazakhstan Republic, USSR

BOLO (Echinogammarus)  
Karaman & Tibaldi 1973 (AN 5/29)  
Sardinia, Italy (freshwater)

BOLTOVSKOYI (Niphargoides)  
Derzhavin & Pjatakova 1968 (AN 7/9)  
Caspian Sea

BOOLPOOLI (Leucothoe)  
Barnard 1974 (AN 4/30)  
Western Port, Victoria, Australia

BOREALIS (Lembos)  
Myers 1976b (AN 9/60)  
Jan Mayen Island, 100-125m

BOREALIS (Stygobromus)  
Holsinger 1978 (AN 10/42)  
Vermont, USA

BOUSFIELDI (Metaniphargus)  
Stock 1977a (AN 10/49)  
Puerto Rico

BOWMANI (Hyperia)  
Vinogradov 1976 (AN 8/32)  
0°01'N 154°48'W (0-800m.)

BOWMANI (Pseudododecas)  
McCain & Gray 1971 (AN 2/29)  
South Shetland Is., 769m.

BRACHYCEPHALA (Byblis)  
Mills 1971 (AN 2/30)  
Western North Atlantic  
48°7'N, 70°40.8'W

BRACHYURA (Gmelina)  
Derzhavin & Pjatakova 1962 (AN 7/9)  
Caspian Sea

BRASSICACEPHALA (Biancolina)  
Lowrey 1974 (AN 5/30)  
Sargasso Sea

BREVICORNIS (Ronconcoides)  
Ledoyer 1973b (AN 3/26)  
Tuléar, Madagascar

BREVICUSPIS (Eohaustorius)  
Bosworth 1973 (AN 4/20)  
Oregon, USA

BREVIDACTYLUS (Megamphopus)  
Myers 1976a (AN 8/31)  
Napoli, Italy

BREVIDACTYLUS (Metaphoxus)  
Ledoyer 1973b (AN 3/26)  
Nosy Bé, Madagascar

BREVIDENS (Primno)  
Bowman 1978 (AN 10/51)  
off San Diego, Calif., USA

BREVIRAMUS (Gammarus)  
Bousfield & Elwood 1971 (AN 2/19)  
Anderson Co., Tennessee, USA

BREVIROSTRIS (Niphargus)  
Sket 1971 (AN 2/35)  
Lika R., Yugoslavia

BREVIROSTRIS (Waitangi)  
Fincham 1977 (AN 9/56)  
North Island, New Zealand

BREVIUROPUS (Patuki)  
Cooper & Fincham 1974 (AN 5/26 & 7/21)  
Stewart Island, New Zealand

BRUNNEOMACULATUS (Lembos)  
Myers 1977a (AN 10/47)  
Sebastian Inlet, Brevard Co., Florida  
USA

- BUCHI (Nicippe)  
 Andres 1975b (AN 7/30)  
 Lanzarote, Canary Is. (in sea cave.)
- BJLYTSCHEVAE (Synchelidium)  
 Kudrjashov & Tzvetkova 1975 (AN 7/26)  
 South Sakhalin
- CABON (Wallametopa)  
 Barnard 1974 (AN 4/30)  
 Western Port, Victoria, Australia
- CACHI (Lepechinella)  
 Barnard 1973 (AN 3/22)  
 Drake Passage, 4008 m.
- CAECA (Rhachotropis)  
 Ledoyer 1977 (AN 10/43, 44)  
 off southern France
- CALISTO (Byblis)  
 Imbach 1967 (AN 2/11, 12)  
 Bay of Nhatrang, Vietnam
- CALYPSONIS (Ampelisca)  
 Bellan-Santini & Kaim-Malka  
 1977 (AN 10/38)  
 Cap Dauro, Aegean Sea
- CAMPTONYX (Ischyrocerus)  
 Thurston 1974a (AN 4/29)  
 Signy Is., S. Orkney Islands
- CANNUBINENSIS (Echinogammarus)  
 Alouf 1975 (AN 7/20)  
 Cannoubine Valley, N. Lebanon
- CANTOR (Gammarus)  
 Karaman 1973g (AN 4/25)  
 Thasos, Greece
- CANUI (Niphargus)  
 Karaman 1976d (AN 9/56)  
 Verona, Italy
- CAPENSIS (Bollegidia)  
 Ruffo 1974b (AN 5/35)  
 Cape Town, S. Africa
- CAPERESCA (Paralicella)  
 Shulenberger & Barnard 1976 (AN 9/49)  
 28°N, 155°W, 5700m.
- CARAUSUI (Stenogammarus)  
 corrected spelling (fide Stock 1974a)  
 for KEREUSCHI (q.v.)
- CARDIA (Urothoe)  
 Imbach 1967 (AN 2/11, 12)  
 Bay of Nhatrang, Vietnam
- CARINATUS (Pleustoides)  
 Gurjanova 1972 (AN 2/24, 3/34, 35)  
 Sea of Okhotsk
- CAROLINENSIS (Stygobromus)  
 Hölsinger 1978 (AN 10/42)  
 N. Carolina, USA
- CAROLINIANA (Maera)  
 Bynum & Fox 1977 (AN 9/53)  
 North Carolina, USA
- CARPINEI (Ensayara)  
 Bellan-Santini 1974 (AN 4/19)  
 Mediterranean, off Corsica, 1900m.
- CARTETA (Megamoera)  
 Barnard 1972a (AN 2/17)  
 Albany, W. Australia
- CASSIGERUS (Odius)  
 Gurjanova 1972 (AN 2/24, 3/34, 35)  
 Sea of Japan
- CATALUMBAE (Echinogammarus)  
 Karaman & Ruffo 1977 (AN 10/34)  
 Sicily (Italy), Siracusa Prov.  
 (in a spring)
- CAVIMANA (Ampithoe)  
 Sivaprakasam 1971a (AN 2/34)  
 Madras Coast, India
- CELERICULA (Melita)  
 Croker 1971b (AN 2/19)  
 Eniwetok Atoll, Micronesia
- CENTROTA (Caprella)  
 Vasilenko 1972a (AN 3/38)  
 Sea of Okhotsk & N.W. Pacific
- CEPHALODENS (Heterophoxus)  
 Griffiths 1975 (AN 7/23)  
 Western Cape Province
- CHELATUS (Paraphoxus)  
 Cooper 1974 (AN 5/26)  
 Wellington, New Zealand
- CHELIFERUS (Pseudelasmopus)  
 Ledoyer 1978 (AN 10/44)  
 Mauritius (reef cavities)

- CHIKOA (Parajassa)**  
Griffiths 1974b (AN 5/27)  
34° 33'S, 24° 01'E
- CHINENSIS (Ampelisca)**  
Imbach 1967 (AN 2/11, 12)  
Bay of Nhatrang, Vietnam
- CHURINGA (Paradexamine)**  
Barnard 1972a (AN 2/17)  
Cockburn Sound, W. Australia
- CIMBALUKI (Dogielinotus)**  
Kudrjaschov 1972 (AN 2/27)  
Sea of Okhotsk
- CLAVIGERA (Caprella)**  
Vasilenko 1972a (AN 3/38)  
Sea of Okhotsk & N.W. Pacific
- CLAVIGERA (Heterocaprella)**  
Arimoto 1976 (AN 8/18)  
Korean Straits
- COLEI (Mexiweckelia)**  
Holsinger & Minckley 1971 (AN 2/25)  
Northern Mexico (subterranean)
- COLORADENSIS (Stygbromus)**  
Ward 1977 (AN 10/50)  
Colorado, USA (subterranean)
- COLUMBIAE (Syrrhoites)**  
Barnard 1972c (AN 3/39)  
off Oregon, USA,  
44°40'N, 125°6.7'W, 800m.
- COMANITA (Latacunga)**  
Barnard 1972c (AN 3/39)  
off Caribbean Columbia,  
11°30'N, 75° 50'W, 2875-2944m.
- COMEGRUDUS (Anonyx)**  
Barnard 1971 (AN 2/15, 17)  
off Oregon, USA  
44°50'N, 124° 05'W, 80-120m.
- COMPACTA (Iphimedia)**  
Ledoyer 1978 (AN 10/44)  
Mauritius (reef cavities)
- COMPARATIVUS (Cerapus)**  
Kudrjaschov 1973 (AN 6/25)  
Kurile Islands
- CONCINNA (Paramphithoe)**  
Gurjanova 1972 (AN 2/24, 3/34, 35)  
Sea of Okhotsk
- CONCORDIA (Epimeria)**  
Griffiths 1977b (AN 10/41)  
34°36'S, 17° 00'E, 2740m.
- CONTIGUUS (Chaetogammarus)**  
Pjatakova 1962a (AN 7/8)  
Caspian Sea
- COOCOO (Moolapheonoides)**  
Barnard 1974 (AN 4/30)  
Western Port, Victoria, Australia
- COPILLIUS (Tabatzius)**  
McKinley & Barnard 1977 (AN 10/45)  
Yucatan Peninsula, Mexico
- COQUILLA (Pleusymtes)**  
Barnard 1971 (AN 2/15, 17)  
off Oregon, USA 44° 38.5'N  
124° 35.7'W, 200m.
- CORA (Epimeria)**  
Barnard 1971 (AN 2/15, 17)  
off Oregon, USA, 44° 21'N,  
125° 14'W, 2086m.
- CORNUTILABRIS (Pseudonesimoides)**  
Bellan-Santini & Ledoyer 1974 (AN 5/32)  
Kerguelen Island
- COSTELLANA (Valettiella)**  
Griffiths 1977 (AN 10/41)  
Off Natal, 550m.
- COXALIS (Urothoe)**  
Griffiths 1974a (AN 4/23)  
Natal, S. Africa
- CRASSA (Hypéria)**  
Bowman 1973 (AN 3/23)  
Gulf of Guinea
- CRENATIPALMA (Leucothoe)**  
Ledoyer 1972 (AN 2/28)  
Tuléar, Madagascar
- CRENULATUS (Gammarus)**  
Karaman & Pinkster 1977a  
(omitted from AN, see bibliography)  
Karditsa prov., Greece
- CRYOPHILE (Neoxenodice)**  
Lowry 1976 (AN 8/24)  
Ross Sea, Antarctica

CRYPTICUM ( <u>Lepidepecreum</u> )	DEMERSALIS ( <u>Idunella</u> )
Ruffo & Schiecke 1977 (AN 10/48)	Sivaprakasam 1972 (AN 2/34)
Napoli, Italy	off Cochin, Kerala, India
CU ( <u>Syrrhoites</u> )	DENTATA ( <u>Leucothoe</u> )
Barnard 1972c (AN 3/39)	Ledoyer 1973b (AN 3/26)
off Pacific Columbia	Nosy Bé & Tuléar, Madagascar
05°00'N. 79°04'W, 3023-3251m.	
CUBANICA ( <u>Weckelia (Neoweckelia)</u> )	DENTATUS ( <u>Cercops</u> )
Dancau 1973a (AN 4/21)	Vasilenko 1972b (AN 3/38)
Cuba	North Pacific
CULVERI ( <u>Stygobromus</u> )	DENTIFERA ( <u>Eriopisella</u> )
Holsinger 1978 (AN 10/42)	Ledoyer 1978 (AN 10/44)
West Virginia, USA	Mauritius (reef cavities)
CUMBERLANDUS ( <u>Stygobromus</u> )	DENTISCHIUM ( <u>Lembos</u> )
Holsinger 1978 (AN 10/42)	Myers 1977b (AN 10/47)
Virginia, USA	Conch Key, Monroe Co., Florida, USA
CURA ( <u>Lepechinella</u> )	DENTITELSON ( <u>Ampelisca</u> )
Barnard 1973 (AN 3/22)	Ledoyer 1973b (AN 3/26)
Off Panama (Pacific) 2234m.	Nosy Bé, Madagascar
CURVIPALMA (?Aorcho)	DEPRESSA ( <u>Amphithopsis</u> )
Ledoyer 1978 (AN 10/44)	Schiecke 1976b (AN 9/60)
Mauritius (reef cavities)	Bay of Naples
CUSPIS ( <u>Urothoe</u> )	DERTOO ( <u>Raumahara</u> )
Imbach 1967 (AN 2/11, 12)	Barnard 1972a (AN 2/17)
Bay of Nhatrang, Vietnam	Cape Naturaliste, W. Australia
DABBER ( <u>Unyapheonoides</u> )	DERZHAVINI ( <u>Niphargoides</u> )
Barnard 1972a (AN 2/17)	Pjatakova 1962b (AN 7/9)
Albany, W. Australia	Caspian Sea
DALMATINA ( <u>Ampelisca</u> )	DESMONDI ( <u>Gitanopsis</u> )
Karaman 1975b (AN 7/25)	Barnard 1972b (AN 3/39)
Boka Kotorska, Adriatic coast of	Port Chalmers, New Zealand
Montenegro, Yugoslavia	
DANDALOO ( <u>Paradexamine</u> )	DICKSONI ( <u>Stygobromus</u> )
Barnard 1972a (AN 2/17)	Holsinger 1978 (AN 10/42)
West Island, S. Australia	Alabama, USA
DANICUS ( <u>Palaeogammarus</u> )	DILATATA ( <u>Aorchoides</u> )
Just 1974 (AN 5/28)	Ledoyer 1972 (AN 2/28)
Denmark (?Jutland) in amber	Tuléar, Madagascar
DEELEMANAE ( <u>Niphargus</u> )	DILKERA ( <u>Parawaldeckia</u> )
Karaman 1973d (AN 3/35, 4/25)	Barnard 1972a (AN 2/17)
Pirot, Eastern Serbia, Yugoslavia	Cape Naturaliste, W. Australia
DELLAVALLEI ( <u>Haploops</u> )	DISCOVERYI ( <u>Halicooides</u> )
Kaim-Malka 1976 (AN 9/60)	Thurston 1976 (AN 8/26)
Mediterranean	off Canary Islands, 780m
	DISPLOSUS ( <u>Pleustostenus</u> )
	Gurjanova 1972 (AN 2/24, 3/34, 35)
	Sea of Okhotsk

- DISSIMULANTIA** (Socarnes)  
 Imbach 1967 (AN 2/11, 12)  
 Bay of Nhatrang, Vietnam
- DOOLIBA** (Ceradocus)  
 Barnard 1972a (AN 2/17)  
 Port Phillip, Victoria, Australia
- DRACONI** (Cercops)  
 Vasilenko 1972b (AN 3/38)  
 North Pacific
- DUBIA** (Schraderia)  
 Thurston 1974a (AN 4/29)  
 Signy Is., S. Orkney Islands
- DUPLEX** (Niphargus)  
 Karaman 1976d (AN 9/56)  
 Bergamo region, Italy
- DYAU LANUS** (Brevitalitrus)  
 Bousfield 1971 (AN 2/18, 19)  
 Dyaul, Bismarck Archipelago  
 (primary forest)
- DZJUBANI** (Stenogammarus)  
 Mordukhai-Boltovskoi & Ljakchov 1972  
 (AN 2/30, 7/6)  
 Reservoirs in Volga basin
- EBURNEA** (Parhyale)  
 Krapp-Schickel 1974 (AN 6/5)  
 Ancona, Italy (Adriatic)
- ECHINOICUS** (Parapleustes)  
 Tzvetkova 1975 (AN 6/23)  
 Bering Island, from sea urchins
- ECHINOS ETOSUS** (Echinogammarus)  
 Pinkster 1973 (AN 3/28)  
 Zaragoza Prov., N.E. Spain
- ECHO** (Parelasmopus)  
 Barnard 1972a (AN 2/17)  
 Bunbury, W. Australia
- ECHUCA** (Paradexamine)  
 Barnard 1972a (AN 2/17)  
 Pearson Islands, S. Australia
- EDUARDI** (Stenothoe)  
 Krapp-Schickel, 1976 (AN 6/9, 8/30)  
 Napoli, Italy
- EFFLUTUS** (Gammarus)  
 Karaman 1975a (AN 7/25)  
 Turkey (Ankara Prov.)
- ELACHISTA** (Stenothoe)  
 Krapp-Schickel, 1976 (AN 6/9, 8/30)  
 Livorno, Italy
- ELANORA** (Tethygeneia)  
 Barnard 1972a (AN 2/17)  
 Albany, W. Australia
- ELIZAE** (Urothoe)  
 Cooper & Fincham 1974 (AN 5/26, 7/21)  
 Auckland, New Zealand
- ELLIOTTI** (Stygobromus)  
 Holsinger 1974a (AN 4/32)  
 Skamania Co., Washington, USA
- ELONGATA** (Thorina)  
 Laubitz & Mills 1972 (AN 2/28)  
 North Atlantic, 38°46'N, 70°00'W  
 2886m.
- ELTANINAE** (Dodecas)  
 McCain & Gray 1971 (AN 2/29)  
 54°49'S, 129°48'W, 250-600m.
- EMARGINATA** (Maera)  
 Griffiths 1975 (AN 7/23)  
 Western Cape Province
- EMARGINATA** (Saliweckelia)  
 Stock 1977a (AN 10/49)  
 Curacao, Dutch West Indies
- ENAMALLA** (Delkarlye)  
 Barnard 1972a (AN 2/17)  
 West Island, S. Australia
- ENDOTA** (Guernea)  
 Barnard 1972a (AN 2/17)  
 Albany, W. Australia
- ENNA** (Quasimodia)  
 Barnard 1972a (AN 2/17)  
 Pearson Islands, S. Australia
- EPIMERA** (Eriopisella)  
 Griffiths 1974c (AN 4/23)  
 off Luderitz Bay, S.W. Africa
- EPISTOMATA** (Eriopisa)  
 Griffiths 1974c (AN 4/23)  
 Luderitz Bay, S.W. Africa
- ERIDUNDA** (Ochlesis)  
 Barnard 1972a (AN 2/17)  
 West Island, S. Australia

- ESTESI** (*Stygobromus*)  
 Holsinger 1978 (AN 10/42)  
 Virginia, USA
- ESTUARIUS** (*Eohaustorius*)  
 Bosworth 1973 (AN 4/20)  
 Oregon, USA
- EUPRAXIELLA** (*Lepechinella*)  
 Barnard 1973 (AN 3/22)  
 (apparently) 78°02'N, 09°12'W
- EURYCRADUS** (*Liljeborgia*)  
 Thurston 1974b (AN 6/23)  
 South Georgia
- EURYDACTYLA** (*Caprella*)  
 Vasilenko 1974 (AN 5/36).  
 Russian & neighbouring seas
- EXCAVATA** (*Mesoproboloides*)  
 Fenwick 1977 (AN 10/40)  
 Kaikoura, New Zealand
- EXCAVATUS** (*Lembos*)  
 Myers 1975b (AN 8/25)  
 Watamu Bay, Kenya
- EXCAVATUS** (*Paranamixis*)  
 Ledoyer 1978 (AN 10/44)  
 Maruitius (reef cavities)
- EXCELSA** (*Caprella*)  
 Vasilenko 1974 (AN 5/36)  
 Russian & neighbouring seas
- FEBRIS** (*Byblis*)  
 Imbach 1967 (AN 2/11, 12)  
 Bay of Nhatrang, Vietnam
- FECUNDUS** (*Stygobromus*)  
 Holsinger 1978 (AN 10/42)  
 Tennessee, USA
- FEMINATUS** (*Echinogammarus*)  
 Pinkster 1973 (AN 3/28)  
 Basses Pyrenées, S. France
- FERGUSONI** (*Stygobromus*)  
 Holsinger 1978 (AN 10/24)  
 Virginia, USA
- FIHLA** (*Izinkala*)  
 Griffiths 1977 (AN 10/41)  
 off Natal, 550m.
- FILLARIS** (*Sternophysinx*)  
 Holsinger & Straskraba 1973 (AN 4/23)  
 Krugersdorp, Transvaal, S. Africa
- FINLEYI** (*Stygobromus*)  
 Holsinger 1978 (AN 10/42)  
 Tennessee, USA
- FISSICAUDATA** (*Podopriionella*)  
 Ledoyer 1977 (AN 10/43, 44)  
 off southern France
- FONTINALIS** (*Ingolfiella* (*Gevgeliella*))  
 Stock 1977b (AN 10/49)  
 Banaire, Dutch West Indies.
- FRANZI** (*Stygobromus*)  
 Holsinger 1978 (AN 10/42)  
 Maryland, USA
- FRATER** (*Gammarus*)  
 Karaman & Pinkster 1977a (omitted  
 from AN, see bibliography).  
 S.W. Bulgaria
- FRAUDATRIX** (*Paradexamine*)  
 Tzvetkova 1976 (AN 8/23)  
 Possjet Bay, S. of Vladivostok,  
 Sea of Japan
- FUCHSI** (*Gnathiphimedia*)  
 Thurston 1974a (AN 4/29)  
 Signy Is., S. Orkney Islands
- GELANE** (*Guerneia*)  
 Barnard 1972a (AN 2/17)  
 Merimbula, New South Wales,  
 Australia
- GELASINA** (*Urothoe*)  
 Imbach 1967 (AN 2/11, 12)  
 Bay of Nhatrang, Vietnam
- GEODESIAE** (*Subepimeria*)  
 Bellan-Santini 1972a (AN 2/18)  
 Adelie Land, Antarctica
- GEORGIANA** (*Stenothoe*)  
 Bynum & Fox 1977 (AN 9/53)  
 North Carolina, USA
- GERULICORNIS** (*Orchomene*)  
 Shulenberger & Barnard 1976 (AN 9/49)  
 28°N, 155°W, 5700m.
- GIBBOSA** (*Pseudopeltocoxa*)  
 Schiecke 1977 (AN 10/48)  
 Napoli, Italy
- GIGANTEA** (*Amphiporeia*)  
 Bousfield 1973 (AN 3/18)  
 Atlantic coast of USA, Cape Cod  
 Bay to New Jersey

<b>GLABRA</b> ( <i>Rhachotropis</i> )	<b>GRISEUS</b> ( <i>Lembos</i> )
Ledoyer 1977 (AN 10/43, 44) off southern France	Sivaprakasam 1971b (AN 2/34) India, south-east coast
<b>GOEDMAKERSAE</b> ( <i>Gammarus</i> )	<b>GROSSIMANA</b> ( <i>Anamixis</i> )
Karaman & Pinkster 1977b (AN 10/43) Kayseri prov., Turkey	Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)
<b>GOMEZI</b> ( <i>Tropichelura</i> )	<b>GROSSIMANA</b> ( <i>Iphimedia</i> )
Ortiz 1976d (AN 10/53) Cuba	Ledoyer 1972 (AN 2/28) Tuléar, Madagascar
<b>GOOMAI</b> ( <i>Paradexamine</i> )	<b>GUAYACURA</b> ( <i>Bruzelius</i> )
Barnard 1972a (AN 2/17) Cape Naturaliste, W. Australia	Barnard 1972c (AN 3/39) off Péru, 16°12'S. 74°71'W 2858-2599m.
<b>GOOWERA</b> ( <i>Leucothoe</i> )	<b>GULEKANI</b> ( <i>Asprogammarus</i> ( <i>Smaragdogammarus</i> ))
Barnard 1974 (AN 4/30) Geraldton, W. Australia	Bazikalova 1975a (AN 9/43) Lake Baikal
<b>GORGONIA</b> ( <i>Caprella</i> )	<b>GURJANOVAE</b> ( <i>Ischyrocerus</i> )
Laubitz & Lewbel 1974 (AN 5/29) Southern California	Kudrjashov 1973 (AN 6/25) Kurile Islands
<b>GOWERENSIS</b> ( <i>Parorchestia</i> )	<b>GURJANOVAE</b> ( <i>Synchelidium</i> )
Bousfield 1976 (AN 8/19) Lord Howe Island	Kudrjashov & Tzvetkova 1975 (AN 7/26) South Sakhalin
<b>GRACILIS</b> ( <i>Eriopisa</i> )	<b>HALICHONDRIA</b> ( <i>Colomastix</i> )
Ruffo & Schiecke 1976 (AN 8/31) Malta	Bousfield 1973 (AN 3/18) Atlantic coast of USA, southern New England to Georgia
<b>GRADYI</b> ( <i>Stygobromus</i> )	<b>HALONA</b> ( <i>Halicella</i> )
Holsinger 1974a (AN 4/32) Tuolumne Co., Calif., USA	Barnard 1971 (AN 2/15, 17) Oregon USA, 44°39'N, 124°36'W, 200m.
<b>GRAHAMI</b> ( <i>Stygobromus</i> )	<b>HARAI</b> ( <i>Stygobromus</i> )
Holsinger 1974a (AN 4/32) Calaveras Co., Calif., USA	Holsinger 1974a (AN 4/32) Tuolumne Co., Calif., USA
<b>GRANDIMANA</b> ( <i>Gammaropsis</i> )	<b>HARTMANNORUM</b> ( <i>Paracorophium</i> )
Ledoyer 1978 (AN 10/44) Mauritius (reef cavities)	Andres 1975a (AN 6/25) Concepcion, Chile
<b>GRANDIMANA</b> ( <i>Parametopa</i> )	<b>HEDGPETHI</b> ( <i>Pseudoprotomima</i> )
Griffiths 1974b (AN 5/27) Still Bay, Cape Province	McCain & Gray 1971 (AN 2/29) 41°41'S, 59°19'W, 71-403m.
<b>GRANDIMANUS</b> ( <i>Macropereiopus</i> )	<b>HELLERI</b> ( <i>Ampithoe</i> )
Bazikalova 1975b (AN 9/43) Lake Baikal	(new name for <i>A. bicuspidis</i> Heller 1866)
<b>GRANDIS</b> ( <i>Stygobromus</i> )	Karaman 1975c (AN 7/25) Hvar, Adriatic
Holsinger 1978 (AN 10/42) Georgia, USA	

- HINATORE (Ampithoe)  
Barnard 1972b (AN 3/39)  
Kaikoura, New Zealand
- HIRSUTA (Seba)  
Ledoyer 1978 (AN 10/44)  
Mauritius (reef cavities)
- HOFFMANI (Stygobromus)  
Holsinger 1978 (AN 10/42)  
Virginia, USA
- HOLMESI (Proboloides)  
Bousfield 1973 (AN 3/18)  
Atlantic coast of USA, Vineyard Sound to Buzzards Bay
- HOLSINGERI (Bogidiella)  
Ruffo & Vigna-Taglianti 1974 (AN 7/28)  
Alta Verapaz, Guatemala
- HOLSINGERI (Saliweckelia)  
Stock 1977a (AN 10/49)  
Bonaire, Dutch West Indies
- HOLSINGERI (Stygobromus)  
Ward 1977 (AN 10/50)  
Colorado, USA (subterranean)
- HONMUNGENSIS (Ampelisca)  
Imbach 1967 (AN 2/11, 12)  
Bay of Nhatrang, Vietnam
- HOUTETE (Paradexamine)  
Barnard 1972b (AN 3/39)  
Huaroa Pt., New Zealand
- HUACO (Lepechinella)  
Barnard 1973 (AN 3/22)  
78°02'N, 09°12'W (apparently?)
- HUREAUI (Orchomene)  
De Broyer 1973 (AN 3/33)  
Adelie Land, Antarctica
- HURLEYI (Paramoera)  
Thurston 1974a (an 4/29)  
Signy Is., S. Orkney Islands
- HUSVIKENSIS (Paramoera)  
Thurston 1974b (AN 6/23)  
South Georgia
- HYALELLOIDES (Gammarus)  
Cole 1976 (AN 8/28)  
Texas, USA
- IBERIENSIS (Bathyceradocus)  
Andres 1977 (AN 9/55)  
Deep sea off Spain
- ILUKA (Nihotunga)  
Barnard 1972a (AN 2/17)  
Cape Naturaliste, W. Australia
- IMBROGLIO (Cymadusa)  
Rabindranath 1972a (AN 2/32)  
Gulf of Mannar, India
- IMPARIDENTATA (?Pariphimediella)  
Bellan-Santini 1972a (AN 2/18)  
Adelie Land, Antarctica
- IMPROVISA (Yulamara)  
Griffiths 1976 (AN 8/29)  
Mossel Bay, S. Africa
- INBERBUS (Gammarus)  
Karaman & Pinkster 1977a (omitted from AN, see bibliography)  
Lake Issyk-Kul, Kazakhstan Republic, USSR
- INCERTA (Gnathiphimedia)  
Bellan-Santini 1972a (AN 2/18)  
Adelie Land, Antarctica
- INCLINATUS (Niphargus)  
Karaman 1973c (AN 4/25)  
Montenegro
- INCURVARIA (Amphyllodomus)  
Just 1977a (AN 10/34)  
Barbados
- INDENTATA (Paradexamine)  
Ledoyer 1978 (AN 10/44)  
Mauritius (reef cavities)
- INDICA (Arugella)  
Rabindranath 1971a (AN 2/31)  
Gulf of Mannar, S. India
- INERMIS (Rhachotropis)  
Ledoyer 1977 (AN 10/43, 44)  
off southern France
- INEXPECTATA (Ilvanella)  
Vigna-Taglianti 1972 (AN 3/31)  
Isle of Elba, Italy (subterranean)
- INEXPECTATUS (Stygobromus)  
Holsinger 1978 (AN 10/42)  
Alabama, USA

INFLATA ( <i>Aora</i> ) Griffiths 1976 (AN 8/29) False Bay, S. Africa	JAPANICOIDES ( <i>Pleustomesus</i> ) Gurjanova 1972 (AN 2/24, 3/34, 35) N.W. Pacific & High Arctic
INHACA ( <i>Gammaropsis</i> ) Griffiths 1973 (AN 3/25) Inhaca Island, S. Mozambique	JAPONICUS ( <i>Haustoriooides</i> ) Kamihira 1977 (AN 9/60) Hokkaido, Japan
INQUILINUS ( <i>Parametopella</i> ) Watling 1975 (AN 7/35 & 8/27) Delaware Bay, USA	JENNERI ( <i>Gammarus</i> ) Bynum & Fox 1977 (AN 9/53) North Carolina, USA
INTERITUS ( <i>Stygbromus</i> ) Holsinger 1978 (AN 10/42) Virginia, USA	JOHNSONI ( <i>Primno</i> ) Bowman 1978 (AN 10/51) S.E. of Bermuda
INTERMEDIUM ( <i>Corophium</i> ) Dang 1965 (AN 6/13) Coast of North Vietnam (brackish & fresh water)	JUGOSLAVICA ( <i>Iphimedia</i> ) Karaman 1975d (AN 8/22, 23) Adriatic Sea
INTERSTITIALIS ( <i>Paramoerella</i> ) Ruffo 1974b (AN 5/35) Cape Town, S. Africa	KADEE ( <i>Moolapheonoides</i> ) Barnard 1974 (AN 4/30) Pearson Islands, S. Australia
IO ( <i>Byblis</i> ) Imbach 1967 (AN 2/11, 12) Bay of Nhatrang, Vietnam	KAIKOURA ( <i>Cylindryllioides</i> ) Barnard 1972b (AN 3/39) Kaikoura, New Zealand
ISCHITANA ( <i>Ingolfiella</i> ) Schiecke 1976a (AN 9/60) Bay of Naples	KAMTSCHATICUS ( <i>Gammarus</i> ) ( <i>Lagunogammarus</i> ) Tzvetkova 1972 (AN 2/36, 3/30, 31) Zaliv Kronotski, E. Kamchatka
ISOCHELATUS ( <i>Lembos</i> ) Ledoyer 1972 (AN 2/28) Tulear, Madagascar	KANDARI ( <i>Hyale</i> ) Barnard 1974 (AN 4/30) Western Port, Victoria, Australia
ITALICUS ( <i>Gammarus</i> ) Goedmakers & Pinkster 1977 (AN 9/54) Sardinia	KAPURI ( <i>Ingolfiella</i> ) Coineau & Chandrasekhara Rao 1973 (AN 4/21) Andaman and/or Nicobar Islands
JAFFAENSIS ( <i>Ampelisca</i> ) Bellan-Santini & Kaim-Malka 1977 (AN 10/38) Tel Aviv, Israel	KARAMANI ( <i>Lembos</i> ) Myers 1976b (AN 9/60) Boka Kotorska, Montenegro, Yugoslavia
JAMAICAE ( <i>Hadzia</i> ) Holsinger 1974b (AN 6/17) Jamaica (brackish water)	KARAMANI ( <i>Rhipidogammarus</i> ) Stock 1971 (AN 2/35) Corsica (France)
JANICEAE ( <i>Colomastix</i> ) Heard & Perlmutter 1977 (AN 10/52) Florida Keys, USA	KARAUSCHI ( <i>Stenogammarus</i> ) alternative spelling of KEREUSCHI (q.v.)
JANISAE ( <i>Idunella</i> ) Imbach 1967 (AN 2/11, 12) Bay of Nhatrang, Vietnam	KARITANE ( <i>Paracalliope</i> ) Barnard 1972b (AN 3/39) Hutt River, New Zealand (?brackish)

KARORI ( <u>Taihape</u> )	KUNKELAE ( <u>Lembos</u> )
Barnard 1972b (AN 3/39)	Myers 1977b (AN 10/47)
Wellington, New Zealand	Conch Key, Monroe Co., Florida, USA
KARU ( <u>Podocerus</u> )	KUPE ( <u>Gitanopsis</u> )
Barnard 1972b (AN 3/39)	Barnard 1972b (AN 3/39)
Wellington, New Zealand	Kaikoura, New Zealand
KEISKAMA ( <u>Colomastix</u> )	KUSSAKINI ( <u>Pseudocercops</u> )
Griffiths 1974b (AN 5/27)	Vasilenko 1972b (AN 3/38)
33°59'S, 25°41'E	North Pacific
KENKI ( <u>Stygobromus</u> )	LABORIFER ( <u>Gammarus</u> )
Holsinger 1978 (AN 10/42)	Karaman & Pinkster 1977a (omitted from AN, see bibliography)
Washington DC, USA	Lake Yanoune, Syria
KEREUSCHI ( <u>Stenogammarus</u> )	LACICOLUS ( <u>Stygobromus</u> )
Berzhavin & Pjatakova 1962 (AN 7/9)	Holsinger 1974a (AN 4/32)
Caspian Sea	L. Tahoe, Placer Co., Calif., USA
(see also under CARAUSUI)	
KEREUSHUI ( <u>Stenogammarus</u> )	LANACOURA ( <u>Paradexamine</u> )
Alternative spelling of	Barnard 1972a (AN 2/17)
KEREUSCHI (q.v.)	Western Port, Victoria, Australia
KERGUELENENSIS ( <u>Liljeborgia</u> )	LARAI ( <u>Paracalliope</u> )
Bellan-Santini & Ledoyer 1974 (AN 5/32)	Knott 1975 (AN 8/23)
Kerguelen Island	Dip River, N.W. Tasmania
KIDALI ( <u>Lembos</u> )	LATACUNGA ( <u>Latacunga</u> )
Myers 1975b (AN 8/25)	Barnard 1972c (AN 3/39)
Bongoyo Island, Tanzania	Off Ecuador, 01°30'S, 82°19'W 1363-1369m.
KNIPOWITSCHI ( <u>Akerogammarus</u> )	LATICARPA ( <u>Amphilocella</u> )
Derzhavin & Pjatakova 1967 (AN 7/9)	Ledoyer 1978 (AN 10/44)
Caspian Sea	Mauritius (reef cavities)
KOA ( <u>Grandidierella</u> )	LATIOXALIS ( <u>Gammarus</u> )
Barnard 1977a (AN 10/37)	Karaman & Pinkster 1977a (omitted from AN, see bibliography)
Hawaiian Islands (Hawaii)	Anti-Lebanon Mountains, Syria (in a well)
KOLLE ( <u>Ausatelson</u> )	LATIMERUS ( <u>Melita</u> )
Barnard 1974 (AN 4/30)	Bousfield 1971 (AN 2/18, 19)
Pearson Islands, S. Australia	Lake Noinalo, Mussau Island, Bismarck Archipelago.
KOLOANA ( <u>Spelaeorchestia</u> )	LATIPES ( <u>Ceinina</u> )
Bousfield & Howarth 1976 (AN 9/59)	Ledoyer 1978 (AN 10/44)
Hawaii (in lava tubes)	Mauritius (reef cavities)
KOMMA ( <u>Maera</u> )	LATIPES ( <u>Mandibulophoxus</u> )
Griffiths 1975 (AN 7/23)	Griffiths 1976 (AN 8/29)
Western Cape Province	Luderitz Bay, S.W. Africa
KUNDUCHII ( <u>Neomegamphopus</u> )	
Myers 1973a (AN 3/42)	
Dar es Salaam, Tanzania	

- LEDOYERI (Ampelisca)**  
Bellan-Santini & Kaim-Malka  
1977 (AN 10/38)  
Marseille, S. France
- LEENSIS (Stygbromus)**  
Holsinger 1978 (AN 10/42)  
Virginia, USA
- LEONI (Chaka)**  
Griffiths 1974a (AN 4/23)  
Natal, S. Africa
- LEPTURA (Hyperia)**  
Bowman 1973 (AN 3/23)  
off Baja California
- LEUCOPHTHALMA (Bathyporeia)**  
Bellan-Santini 1973 (AN 3/39)  
Marseille (S. France)
- LEVIS (Asprogammarus (Echiuropus))**  
Bazikalova 1975a (AN 9/43)  
Lake Baikal
- LINDAE (Listriella)**  
Griffiths 1974c (AN 4/23)  
Luderitz Bay, S.W. Africa
- LINGA (Paradexamine)**  
Barnard 1972a (AN 2/17)  
Cape Naturaliste, W. Australia
- LITORALIS (Caprella)**  
Vasilenko 1972a (AN 3/38)  
Sea of Okhotsk & N.W. Pacific
- LITTORALIS (Metaphoxus)**  
Cooper & Fincham 1974 (AN 5/26 & 7/21)  
Stewart Island, New Zealand
- LOBATA (Maera)**  
Griffiths 1976 (AN 8/29)  
S. Cape Province, S. Africa
- LOKOA (Rotomelita)**  
Barnard 1977a (AN 10/37)  
Hawaiian Islands (Hawaii)
- LOKOWAI (Paramoera)**  
Barnard 1977a (AN 10/37)  
Hawaiian Islands (Hawaii)
- LOLO (?Pardisynopia)**  
Barnard 1971 (AN 2/15, 17)  
off Oregon, USA 44°39'7"N, 124°58'W  
400m.
- LONGICARPUS (Gitana)**  
Ledoyer 1977 (AN 10/43, 44)  
off southern France
- LONGICARPUS (Metaphoxus)**  
Ledoyer 1973b (AN 3/26)  
Tulear, Madagascar
- LONGICIRRATA (Caprella)**  
Vasilenko 1974 (AN 5/36)  
Russian & neighbouring seas
- LONGICORNIS (Ritaumius)**  
Ledoyer 1978 (AN 10/44)  
Mauritius (reef cavities)
- LONGIDACTYLUS (Photis)**  
Griffiths 1974c (AN 4/23)  
Luderitz Bay, S.W. Africa
- LONGIMANA (Monoculodopsis)**  
Ledoyer 1973b (AN 3/26)  
Tulear, Madagascar
- LONGIPES (Metaniphargus)**  
Stock 1977a (AN 10/49)  
Aruba, Dutch West Indies
- LONGIROSTRIS (Parapanoploea)**  
Bellan-Santini 1972a (AN 2/18)  
Adelie Land, Antarctica
- LONGISETOSUS (Echinogammarus)**  
Pinkster 1973 (AN 3/28)  
Navarra Prov., Spain
- LONOMAKA (Hadzia (Liagoceradocus))**  
Barnard 1977a (AN 10/37)  
Hawaiian Islands (Maui)
- LOOREA (Hyale)**  
Barnard 1974 (AN 4/30)  
Cape Naturaliste, W. Australia
- LUKINI (Caprella)**  
Vasilenko 1974 (AN 5/36)  
Russian & neighbouring seas
- MACEDONICUS (Gammarus)**  
Karaman 1976c (AN 9/46)  
L. Ohrid (Yugoslavia)
- MACKENZIEI (Stygbromus)**  
Holsinger 1974a (AN 4/32)  
Santa Cruz Co., Calif., USA
- MACROCEPHALUS (?Hippomedon)**  
Bellan-Santini 1972a (AN 2/18)  
Adelie Land, Antarctica

<b>MACROCHELA</b> ( <i>Parorchestia</i> )	<b>MANNARENSIS</b> ( <i>Orchomenella</i> )
Bousfield 1971 (AN 2/18, 19)	Rabindranath 1971a (AN 2/31)
Hermit Island, Bismarck Archipelago	Gulf of Mannar, S. India
<b>MACROCORNUTUS</b> ( <i>Pleonexes</i> )	<b>MANTA</b> ( <i>Westwoodilla</i> )
Kensley 1972 (AN 2/27)	Griffiths 1974b (AN 5/27)
Moçamedes, Southern Angola	off Cape Province 34°07'S, 23°33'E
<b>MACRODACTYLA</b> ( <i>Antarctogeneia</i> )	<b>MARDENI</b> ( <i>Dolobrotus</i> )
Thurston 1974b (AN 6/23)	Bowman 1974 (AN 5/25)
Graham Land, Antarctica	Atlantic coast of USA 39°52'N, 70°12'W, 170-256m
<b>MACROPHTHALMA</b> ( <i>Xenodice</i> )	<b>MARGALEFI</b> ( <i>Echinogammarus</i> )
Schiecke 1976c (AN 9/60)	Pinkster 1973 (AN 3/28)
Bay of Naples, Italy	Teruel Prov., E. Spain
<b>MACROPSIS</b> ( <i>Aspogammarus</i> (A.))	<b>MARIAE</b> ( <i>Gitanopsis</i> )
Bazikalova 1975a (AN 9/34)	Griffiths 1973 (AN 3/25)
Lake Baikal	Inhaca Island, Mozambique
<b>MADAGASCARENSIS</b> ( <i>Aristias</i> )	<b>MARIAE</b> ( <i>Leptocheirus</i> )
Ledoyer 1972 (AN 2/28)	Karaman 1973a (AN 4/25)
Madagascar	Adriatic Sea
<b>MAGELLANICA</b> ( <i>Mayerella</i> )	<b>MARILLA</b> ( <i>Megamoera</i> )
McCain & Gray 1971 (AN 2/29)	Barnard 1972a (AN 2/17)
43°25'S, 75°05'W, 70-676m	Port Phillip, Victoria, Australia
<b>MAGNA</b> ( <i>Princaxelia</i> )	<b>MARLIE</b> ( <i>Paradexamine</i> )
Kamenskaya 1977 (AN 10/42)	Barnard 1972a (AN 2/17)
Yap Trench (Ultra-abyssal)	Cockburn Sound, W. Australia
<b>MAIA</b> ( <i>Ampelisca</i> )	<b>MARRI</b> ( <i>Tryphoselia</i> )
Imbach 1967 (AN 2/11, 12)	Thurston 1974b (AN 6/23)
Bay of Nhatrang, Vietnam	Graham Land, Antarctica
<b>MALLEE</b> ( <i>Austropheonoides</i> )	<b>MARTINI</b> ( <i>Bogidiella</i> )
Barnard 1974 (AN 4/30)	Stock 1978 (AN 10/49)
Pearson Islands S. Australia	St Martin Island, Dutch West Indies
<b>MANAWATU</b> ( <i>Podocerus</i> )	<b>MASLOVI</b> ( <i>Menigrates</i> )
Barnard 1972b (AN 3/39)	Bryazgin 1974b (AN 5/25)
Wellington, New Zealand	Barents Sea, 73°22'N, 18°59'E
<b>MANCO</b> ( <i>Lepechinella</i> )	<b>MASSILIENSIS</b> ( <i>Ampelisca</i> )
Barnard 1973 (AN 3/22)	Bellan-Santini & Kaim-Malka
N.W. Crete, 843m	1977 (AN 10/38)
<b>MANENE</b> ( <i>Waitomo</i> )	Mediterranean
Barnard 1972b (AN 3/39)	<b>MASSILIENSIS</b> ( <i>Atylus</i> )
off Oamaru, New Zealand, 860m	Bellan-Santini 1975 (AN 7/20)
<b>MANEROO</b> ( <i>Pontogeneiella</i> )	Marseille, S. France
Barnard 1972a (AN 2/17)	<b>MASSILIENSIS</b> ( <i>Leptamphopus</i> )
Cape Naturaliste, W. Australia	Ledoyer 1977 (AN 10/43, 44)
	off southern France

- MASSILIENSIS (Orchomene)**  
 Ledoyer 1977 (AN 10/43, 44)  
 off southern France
- MATEUSI (Orchestia)**  
 Afonso 1977 (AN 10/37)  
 Azores
- MATILDA (Melita)**  
 Barnard 1972a (AN 2/17)  
 Swan River, W. Australia
- MAURITIENSIS (Gammaropsis)**  
 Ledoyer 1978 (AN 10/44)  
 Mauritius (reef cavities)
- MAURITIENSIS (Paradusa)**  
 Ledoyer 1978 (AN 10/44)  
 Mauritius (reef cavities)
- MAURITIENSIS (?Paralysianopsis)**  
 Ledoyer 1978 (AN 10/44)  
 Mauritius (reef cavities)
- MECOCHIRA (Jerbarnia)**  
 Croker 1971a (AN 2/19)  
 Eniwetok Atoll, Pacific
- MEDIA (Caprella)**  
 Vasilenko 1974 (AN 5/36)  
 Russian & neighbouring seas
- MEDIALIS (Byblis)**  
 Mills 1971 (AN 2/30)  
 Western North Atlantic  
 $39^{\circ}47'N$ ,  $70^{\circ}45'W$ , 1500m.
- MEDITERRANEA (Peltocoxa)**  
 Schiecke 1977 (AN 10/48)  
 Napoli, Italy
- MEDITERRANEUM (Pachychelium)**  
 Ruffo 1975 (AN 7/28)  
 Central Adriatic  $43^{\circ}36'N$ ,  $15^{\circ}42'W$   
 160m
- MEDITERRANEUS (Onesimoides)**  
 Bellan-Santini 1974 (AN 4/19)  
 off Corsica, 1900m.
- MELAPE (Guernea)**  
 Barnard 1972a (AN 2/17)  
 Cape Naturaliste, W. Australia
- MELLOI (Orthoprotella)**  
 Quiteite 1975 (AN 8/25)  
 Coast of Brazil
- MENURTE (Elasmopus)**  
 Barnard 1974 (AN 4/30)  
 Cape Naturaliste, W. Australia
- MERALDI (Ochlesis)**  
 Barnard 1972a (AN 2/17)  
 Pearson Islands, South Australia
- MERIDIONALIS (Echinogammarus)**  
 Pinkster 1973 (AN 3/28)  
 Leira Prov., Portugal
- MERRINGANNEE (Cottesloe)**  
 Barnard 1974 (AN 4/30)  
 Western Port, Victoria, Australia
- MICHAELAE (Bogidiella)**  
 Ruffo & Vigna-Taglianti 1977  
 (AN 10/48)  
 Oaxaca prov., Mexico
- MICROCERBERUS (Niphargus)**  
 Sket 1972 (AN 3/37)  
 Torre, N.E. Italy
- MICROPLEON (Synchelidium)**  
 Barnard 1977b (AN 10/52)  
 San Francisco Ocean Beach, California
- MICROPS (Gammarus)**  
 Pinkster & Goedmakers 1975 (AN 6/22)  
 Taza Prov., Morocco
- MIMONECTES (Andaniexis)**  
 Ruffo 1975 (AN 7/28)  
 Central Adriatic  $42^{\circ}31'N$ ,  $17^{\circ}9'W$ , 225m
- MINIMUS (Eulimnogammarus)**  
**(Philolimnogammarus)**  
 Bazikalova 1975b (AN 9/43)  
 Lake Baikal
- MINIMUS (Lembos)**  
 Myers 1977a (AN 10/47)  
 Molasses Key, Monroe, Co., Florida,  
 USA
- MINOTAURUS (Bogidiella)**  
 Ruffo & Schiecke 1976 (AN 9/60)  
 Crete
- MINUTA (Boltszia)**  
 Griffiths 1976 (AN 8/29)  
 Lake Sibayi, S. Africa
- MINUTUM (Corophium)**  
 Dang 1965 (AN 6/13-15)  
 Coast of North Vietnam  
 (brackish and fresh waters)

MINUTUS ( <i>Stygobromus</i> )	MORBIHANENSIS ( <i>Orchomene</i> )
Holsinger 1978 (AN 10/42)	Bellan-Santini & Ledoyer (AN 5/32)
Georgia, USA	Kerguelen Island
MIRABILIS ( <i>Kozhovia</i> )	MUCRONATA ( <i>Melita</i> )
Bazikalova 1975b (AN 9/43)	Griffiths 1975 (AN 7/23)
Lake Baikal	Western Cape Province
MIRACULUM ( <i>Synchelidium</i> )	MUELLERI ( <i>Nuuana</i> )
Imach 1967 (An 2/11, 12)	Ortiz 1976c (AN 10/53)
Bay of Nhatrang, Vietnam	Cuba
MIRUS ( <i>Macropereiopus</i> )	MULLAUNA ( <i>Syndexamine</i> )
Bazikalova 1975b (An 9/43)	Barnard 1974 (AN 4/30)
Lake Baikal	Pearson Islands, S. Australia
MITCHELLI ( <i>Mexiweckelia</i> )	MULLAYA ( <i>Narapheonoides</i> )
Holsinger 1973 (AN 4/23)	Barnard 1972a (AN 2/17)
Durango, Mexico	Cape Naturaliste, W. Australia
MLADENI ( <i>Gammarus</i> )	MULTISPINOSA ( <i>Ampelisca</i> )
Karaman & Pinkster 1977b (AN 10/34)	Bellan-Santini & Kaim-Malka 1977 (AN 10/38)
Konya prov., Turkey	Marseille, S. France
MOE ( <i>Stenothoe</i> )	MUNDOE ( <i>Austrophonenoides</i> )
Barnard 1972b (AN 3/39)	Barnard 1972a (AN 2/17)
Wellington, New Zealand	Albany, W. Australia
MOKARI ( <i>Nuuanu</i> )	MURICULATA ( <i>Protoaeginella</i> )
Barnard 1974 (AN 4/30)	Laubitz & Mills 1972 (AN 2/28)
Western Port, Victoria, Australia	Western North Atlantic 39°26'N, 70°33'W, 2496m.
MOKE ( <i>Atyloella</i> )	MURIWAI ( <i>Paradexamine</i> )
Barnard 1972b (AN 3/39)	Barnard 1972b (AN 3/39)
Otago Harbour, New Zealand	Kaikoura, New Zealand
MONASTERIENSIS ( <i>Megaluropus</i> )	MYERSI ( <i>Microdeutopus</i> )
Ledoyer 1976 (AN 8/23)	Bynum & Fox 1977 (AN 9/53)
Marseille, S. France	North Carolina, USA
MONOCERA ( <i>Paramphithoe</i> )	MYSTICUS ( <i>Stygobromus</i> )
Gurjanova 1972 (AN 2/23, 3/34, 35)	Holsinger 1974a (AN 4/32)
Newfoundland Area	Siskiyou Co., Calif., USA
MONODONTUS ( <i>Cheirocratus</i> )	NADARINI ( <i>Niphargus</i> )
Karaman 1977b (AN 10/43)	Alouf 1972 (AN 3/33)
Napoli, Italy	Lebanon
MONSPELIENSIS ( <i>Gammarus</i> )	NAGLEI ( <i>Rudilemboides</i> )
Pinkster 1972 (AN 3/28)	Bousfield 1973 (AN 3/18)
Herault dept., S.E. France	Atlantic coast of America, southern New England to Gulf of Mexico
MONTANENSIS ( <i>Stygobromus</i> )	
Holsinger 1974a (AN 4/32)	
Ravalli Co., Montana, USA	
MONTEZUMAE ( <i>Hyalella</i> )	
Cole & Watkins 1977 (AN 9/44)	
Arizona, USA	

NALGO ( <u>Tethygeneia</u> )	NUDUS ( <u>Neogammarus</u> )
Barnard 1972a (AN 2/17)	Stock 1971 (AN 2/35)
Albany, W. Australia	Dept. Bouches-du-Rhone, S. France (on the beach)
NANUS ( <u>Stygbromus</u> )	NUMBADI ( <u>Nuumanu</u> )
Holsinger 1978 (AN 10/42)	Barnard 1974 (AN 4/30)
West Virginia, USA	Western Port, Victoria, Australia
NARLUKE ( <u>Paradexamine</u> )	NUTTOO ( <u>Syndexamine</u> )
Barnard 1972a (AN 2/17)	Barnard 1972a (AN 2/17)
Cape Naturaliste, W. Australia	Port Philip, Victoria, Australia
NATALENSIS ( <u>Ceradocus</u> )	NYALA ( <u>Neomicrodeutopus</u> )
Griffiths 1974a (AN 4/23)	Griffiths 1974b (AN 5/27)
Natal, S. Africa	Still Bay, Cape Province
NIPHARGOIDES ( <u>Bogidiella</u> )	OBA ( <u>Melita</u> )
Ruffo & Vigna-Taglianti 1977 (AN 10/48)	Barnard 1972a (AN 2/17)
Oaxaca prov., Mexico	Cape Naturaliste, W. Australia
NIPPONENSIS ( <u>Talorchestia</u> )	OBNIXUS ( <u>Gammarus</u> )
Morino 1972 (AN 3/28)	Karaman & Pinkster 1977b (AN 10/34)
Hikari City, Yamaguchi Prov., Japan	Afyon Prov., Turkey
NIRAE ( <u>Haploops</u> )	OBOA ( <u>Leucothoe</u> )
Kaim-Malka 1976 (AN 9/60)	Karaman 1971b (AN 2/26)
Golfe de Fos, S. France	Boka Kotorska, Adriatic
NITIOR ( <u>Coboldus</u> )	OBRUTUS ( <u>Stygbromus</u> )
Krapp-Schickel 1974 (AN 6/5)	Holsinger 1978 (AN 10/42)
Hvar, Adriatic	Virginia, USA
NOA ( <u>Nihotunga</u> )	OBSCURUS ( <u>Stygbromus</u> )
Barnard 1972b (AN 3/39)	Holsinger 1974a (AN 4/32)
Kaikoura, New Zealand	Ravalli Co., Montana, USA
NOKO ( <u>Raumahara</u> )	OBTUSATA ( <u>Biancolina</u> )
Barnard 1974 (AN 4/30)	Tzvetkova 1976 (AN 8/32)
Pearson Islands, S. Australia	Possjet Bay, S. of Vladivostok, Sea of Japan
NONEDIA ( <u>Stenothoe</u> )	OBTUSATUS ( <u>Microdeutopus</u> )
Barnard 1974 (AN 4/30)	Mvers 1973b (AN 4/32)
Cape Naturaliste, W. Australia	Aegean Sea, W. of Izmir, Turkey
NOVAECALEDONIAE ( <u>Paracalliope</u> )	OBTUSIDENS ( <u>Echinogammarus</u> )
Ruffo & Vesentini Paiotta 1972	Pinkster & Stock 1972 (AN 2/31)
(AN 3/32)	Cordoba Prov., Spain (freshwater)
New Caledonia	OCCLO ( <u>Lepechinella</u> )
NUBIFER ( <u>Lepidepecreoides</u> )	Barnard 1973 (AN 3/22)
Barnard 1971 (AN 2/15, 17)	S.E. of Kaikoura, New Zealand, 721m.
off Oregon, USA, 44°38'N, 126°01'W,	OCCULTA ( <u>Leucothoe</u> )
2860m.	Krapp-Schickel 1975b (AN 6/9, 8/30)
NUDUM ( <u>Lepidepecreum</u> )	Napoli, Italy
Imbach 1967 (AN 2/11, 12)	
Bay of Nhatrang, Vietnam	

- OCELLATA (Oradarea)  
Thurston 1974a (AN 4/29)  
Signy Is., S. Orkney Islands
- OLIVIERI (Adeliella)  
De Broer 1975 (AN 6/16)  
70°19'S, 24°14'E, 200m.
- OLONO (Gabophlias)  
Barnard 1972a (AN 2/17)  
West Island, S. Australia
- OLUTA (Syrrhoe)  
Barnard 1972c (AN 3/39)  
off Pacific Columbia  
05°00'N, 79°04'W, 3023-3251m.
- OMNIFERA (Finoculodes)  
Barnard 1971 (AN 2/15, 17)  
off Oregon, USA  
44°40'N, 124°38'W, 800m.
- OPUNAKE (Amphilochus)  
Barnard 1972b (AN 3/39)  
Wellington, New Zealand
- OPUS (Heterophoxus)  
Griffiths 1975 (AN 7/23)  
Western Cape Province
- ORANA (Tryphosella)  
Barnard 1972a (AN 2/17)  
Albany, W. Australia
- ORCHESTIPES (Bogidiella)  
Ruffo & Vigna-Taglianti 1977 (AN 10/48)  
Chiapas Prov., Mexico
- OREGONENSIS (Stygbromus)  
Holsinger 1974a (AN 4/32)  
Douglas, Co., Oregon, USA
- ORIENTALIS (Iphiplateia)  
Tzvetkova 1976 (AN 8/32)  
Possjet Bay, S. of Vladivostok,  
Sea of Japan
- OROPS (Ampelisca)  
Imbach 1967 (AN 2/11, 12)  
Bay of Nhatrang, Vietnam
- ORTHODACTYLUS (Atylopsis)  
Thurston 1974b (AN 6/23)  
South Shetland Islands
- OSELLAI (Gammarus)  
Karaman & Pinkster 1977a (omitted  
from AN, see bibliography)  
Kayseri Prov., Turkey
- OSELLAI (Synurella)  
Ruffo 1974a (AN 5/30)  
Tirebolu Prov., Turkey
- OTICHI (Paradexamine)  
Barnard 1972a (AN 2/17)  
Albany, W. Australia
- OXYARTHRA (Caprella)  
Vasilenko 1974 (AN 5/36)  
Russian & neighbouring seas
- PAAKAI (Paramoera)  
Barnard 1977a (AN 10/37)  
Hawaiian Islands (Hawaii)
- PACHYTELSON (Maera)  
Karaman & Ruffo 1971 (AN 2/27)  
Caesarea, Israel
- PACIFICA (Caprella)  
Vasilenko 1972a (AN 3/38)  
Sea of Okhotsk & N.W. Pacific
- PACIS (Stegophippsiella)  
Bellan-Santini & Ledoyer 1974 (AN 5/32)  
Kerguelen Island
- PAGURI (Gitanopsis)  
Myers 1974a (AN 4/27)  
Mombasa, Kenya, from hermit crabs
- PALAMA (Grandidierella)  
Barnard 1977a (AN 10/37)  
Hawaiian Islands (Maui)
- PALLIDUS (Perioculodes)  
Griffiths 1975 (AN 7/23)  
Western Cape Province
- PALMATA (Liljeborgia)  
Griffiths 1974b (AN 5/27)  
Still Bay, Cape Province
- PALMATUS (Lembopsis)  
Ledoyer 1972 (AN 2/28)  
Madagascar
- PALMYRENSIS (Echinogammarus)  
Alouf 1975 (AN 7/20)  
Tadmor, N.E. Lebanon
- PALPATOR (Metaniphargus)  
Stock 1977a (AN 10/49)  
St. Martin, Dutch West Indies
- PANAMUNUS (Birubius)  
Barnard & Drummond 1976 (AN 8/18)  
Australia

- PANTASMA (*Syrrhoites*)**  
Barnard 1972c (AN 3/39)  
off Ecuador, 01°30'S, 82°19'W,  
1363-1369m.
- PAVECEVICI (*Niphargus*)**  
Karaman 1976a (AN 9/46).  
Piva River Valley, Montenegro,  
Yugoslavia
- PARADOXUS (*Pontogammarus*)**  
Derzhavin & Pjatakova 1967 (AN 7/9).  
Caspian Sea
- PARAHASTATUS (*Lembos*)**  
Myers 1975a (AN 8/24)  
Kendwa Island, Tanzania
- PARAPARADOXA (*Paramphithoe*)**  
Gurjanova 1972 (AN 2/24, 3/34, 35)  
White Sea
- PARAPAULINA (*Caprella*)**  
Vasilenko 1974 (AN 5/36)  
Russian & neighbouring seas
- PARKERI (*Bathyporeia*)**  
Bousfield 1973 (AN 3/18)  
Atlantic coast of USA, Cape Cod  
to Florida.
- PARTHENOPEIA (*Rhinolabia*)**  
Ruffo 1972 (AN 3/29)  
Gulf of Naples, Italy
- PARTICEPS (*Mexiweckelia*)**  
Holsinger & Minckley 1971 (AN 2/25)  
Northern Mexico (subterranean  
waters)
- PARVICEPS (*Hyperietta*)**  
Bowman 1973 (AN 3/23)  
off Baja California
- PARVUS (*Scutocyamus*)**  
Lincoln & Hurley 1974 (AN 5/29)  
Peterhead, Scotland (on white  
beaked dolphin)
- PASQUINII (*Bogidiella*)**  
Ruffo & Vigna-Taglianti 1977  
(AN 10/48)  
Guatemala
- PAULI (*Idunella*)**  
Imbach 1967 (AN 2/11, 12)  
Bay of Nhatrang, Vietnam
- PAVECEVICI (*Niphargus*)**  
Karaman 1976a (AN 9/46).  
Piva River Valley, Montenegro,  
Yugoslavia
- PAVO (*Cammarus*)**  
Karaman & Pinkster 1977b (AN 10/34).  
Burdur prov., Turkey
- PECTINICAUDA (*Niphargus*)**  
Sket 1971 (AN 2/35)  
near Ljubljana, Slovenia, Yugoslavia
- PEKE (*Ceradopsis*)**  
Barnard 1972b (AN 3/39)  
Kaikoura, New Zealand
- PENNAKI (*Stygobromus*)**  
Ward 1977 (AN 10/50)  
Colorado, USA (subterranean)
- PERCELLARIS (*Harpiniopsis*)**  
Barnard 1971 (AN 2/15, 17)  
off Oregon 44°40'N, 124°59'W, 800m.
- PERICU (*Bruzelia*)**  
Barnard 1972c (AN 3/39)  
Caribbean 09°46.5'N, 79°37.5'W,  
825-860m.
- PERPLEXUS (*Asprogammarus (Echiuropus)*)**  
Bazikalova 1975a (AN 9/43)  
Lake Baikal
- PHAIOPHTHALMA (*Bathyporeia*)**  
Bellan-Santini 1973 (AN 3/39)  
Marseille, S. France
- PHREATICUS (*Stygobromus*)**  
Holsinger 1978 (AN 10/42)  
Virginia, USA
- PILOSA (*Byblis*)**  
Imbach 1967 (AN 2/11, 12)  
Bay of Nhatrang, Vietnam
- PINKSTERI (*Echinogammarus*)**  
van Maren 1973 (AN 4/26)  
Central Italy
- PIRATA (*Idunella*)**  
Krapp-Schickel 1975a (AN 6/8, 7/25)  
Mediterranean
- PLANIERENSIS (*Ampelisca*)**  
Bellan-Santini & Kaim-Malka 1977  
(AN 10/38)  
Mediterranean

PLANIERENSIS (*Amphilochus*)

Ledoyer 1977 (AN 10/43, 44)

off southern France

PROFUNDI (*Byblisoides*)

Mills 1971 (AN 2/30)

Western North Atlantic,

36°20'N, 67°56'W, 4694m.

PLATEPISTOMUM (*Paracallisoma*)

Andres 1977 (AN 9/55)

Deep sea off Spain

PLATYCERA (*Ampithoe*)

Sivaprakasam 1971a (AN 2/34)

Madras coast, India

PLATYDACTYLA (*Urothoe*)

Rabindranath 1971c (AN 2/31)

Quilon, Kerala, India

PLATYPODA (*Urothoe*)

Griffiths 1974b (AN 5/27)

off Cape Province 34°05'S, 23°24'E

PLATYROSTRIS (*Metaphoxus*)

Ledoyer 1973b (AN 3/26)

Tulear, Madagascar

PLUMOSA (*Ceradomaera*)

Ledoyer 1973b (AN 3/26)

Ifaty, Madagascar

POLLOSTUS (*Stygobromus*)

Holsinger 1978 (AN 10/42)

West Virginia, USA

POMBOI (*Ampithoe* (*Pleonexes*))

Mateus & Afonso 1974 (AN 7/26)

Azores

POONTEE (*Moolapheonoides*)

Barnard 1974 (AN 4/30)

Western Port, Victoria, Australia

POPOLICAN (*Bruzellia*)

Barnard 1974 (AN 3/49)

off Pacific Nicaragua

12°45'N, 88°38'W, 377-3950m

POTON (*Bruzellia*)

Barnard 1974 (AN 3/30)

E. of Tierra del Fuego

55°03'S, 58°57'W, 2452m.

PREDENTICULATA (*Leucothoe*)

Ledoyer 1978 (AN 10/44)

Mauritius (reef cavities)

PROCESSIFER (*Atylus* (*Kamehatylus*))

Sivaprakasam 1971c (AN 2/34)

Gulf of Mannar, India

PROFOUNDUS (*Cunicus*)

Griffiths 1974b (AN 5/27)

Cape Province, 33°52'S, 35°38'E

PROPAGATIO (*Eriopisella*)

Imbach 1967 (AN 2/11, 12)

Bay of Nhatrang, Vietnam

PROVINCIALIS (*Ampelisca*)

Bellan-Santini & Kaim-Malka 1977

(AN 10/38)

Cassis, S. France

PROXIMA (*Haploops*)

Kaim-Malka 1976 (AN 9/60)

Mediterranean

PSALTRICA (*Liljeborgia*)

Krapp-Schickel 1975a (AN 6/8, 7/25)

Mediterranean

PSEUDOLONGIMANUS (*Amphilochoides*)

Ledoyer 1977 (AN 10/43, 44)

off southern France

PSEUDOPUNCTATUS (*Lembos*)

Ledoyer 1978 (AN 10/44)

Mauritius (reef cavities)

PSEUDOSARSI (*Ampelisca*)

Bellan-Santini & Kaim-Malka 1977

(AN 10/38)

Coast of Israel

PSEUDOSPINIMANA (*Ampelisca*)

Bellan-Santini & Kaim-Malka 1977

(AN 10/38)

Marseille, S. France

PSEUDOSPINOSUS (*Stygobromus*)

Holsinger 1978 (AN 10/42)

Virginia, USA

PSEUDOSTROUMOVI (*Gammaropsis*)

Ledoyer 1977 (AN 10/43, 44)

off southern France

PSEUDOSYRIACUS (*Gammarus*)

Karaman & Pinkster 1977a (omitted

from AN, see bibliography)

near Damascus, Syria

- PUER** (*Asprogammarus* (A.))  
 Bazikalova 1975a (AN 9/43)  
 Lake Baikal
- PULCHELLIFORMIS** (*Asprogammarus* (A.))  
 Bazikalova 1975a (AN 9/43)  
 Lake Baikal
- PUNCTATUS** (*Lembos*)  
 Myers 1975a (AN 8/24)  
 Pangavani Island, Tanzania
- PUTEALIS** (*Ingolfiella* (*Gevgeliella*)))  
 Stock 1976a (AN 9/49)  
 Bonaire Island, Dutch West Indies
- PUTEANUS** (*Stygbromus*)  
 Holsinger 1974a (AN 4/32)  
 Gallatin Co., Montana, USA
- PYURAE** (*Podocerus*)  
 Griffiths 1975 (AN 7/23)  
 False Bay, Western Cape Province  
 (in branchial cavity of ascidian  
*Pyura*)
- QUABARA** (*Stenothoe*)  
 Barnard 1974 (AN 4/30)  
 Albany, W. Australia
- QUADRIMANUS** (*Lembos*)  
 Sivaprakasam 1971b (AN 2/34)  
 Appa Island, Gulf of Mannar,  
 India
- QUARALLIA** (*Paradexamine*)  
 Barnard 1972a (AN 2/17)  
 Albany, W. Australia
- RAKJURA** (*Paraphoxus*)  
 Cooper & Fincham 1974 (AN 5/26  
 5/7/21)  
 Stewart Island, New Zealand
- RANGATIRA** (*Paramoera*)  
 Barnard 1972b (AN 3/39)  
 Dunedin, New Zealand
- RASHIINI** (*Echinogammarus*)  
 Alouf 1976 (AN 9/51)  
 Near Tripoli, Lebanon
- RAUA** (*Lepechinella*)  
 Barnard 1973 (AN 3/22)  
 Caribbean, off Panama,  
 566-811m
- RECTANGULATUS** (*Lembos*)  
 Myers 1977b (AN 10/47)  
 Cherokee Sound, Great Abaco Island,  
 Bahamas
- RECTITELSON** (*Maxillipius*)  
 Ledoyer 1973a (AN 3/26)
- NOSY BE, MADAGASCAR**
- REDACTUS** (*Stygbromus*)  
 Holsinger 1978 (AN 10/42)  
 West Virginia, USA
- REDFEARNI** (*Pontogeneia*)  
 Thurston 1974a (AN 4/29)  
 Signy Is., S. Orkney Islands
- REDUCTA** (*Kerguelenia*)  
 Ledoyer 1977 (AN 10/43, 44)  
 Off southern France
- RELICTA** (*Paramoera*)  
 Ueno 1971a (AN 2/36)  
 West Japan (lava caves)
- RHOMBA** (*Guernea*)  
 Griffiths 1974c (AN 4/23)  
 Cape Town, S. Africa
- RICHARDSONI** (*Ampelisca*)  
 Karaman 1975e (AN 8/23)  
 Anvers Island, Antarctica
- ROCO** (*Echinogammarus*)  
 Karaman 1973f (AN 4/25)  
 Abruzzo, Italy
- RONGGI** (*Paradexamine*)  
 Barnard 1972a (AN 2/17)  
 Cape Naturaliste, W. Australia
- RONGI** (*Kaumehara*)  
 Barnard 1972b (AN 3/39)  
 Kaikoura, New Zealand
- ROSSI** (*Oradarea*)  
 Thurston 1974a (AN 4/29)  
 Ross Sea, Antarctica
- ROSTRATUM** (*Antatelson*)  
 Bellan-Santini & Ledoyer 1974 (AN 5/23)  
 Kerguelen Island
- ROSTRATUS** (*Niphargus*)  
 Sket 1971 (AN 2/35)  
 Sinj, Dalmatia Provi., Yugoslavia

- ROTORUA** (*Gondogeneia*)  
 Barnard 1972b (AN 3/39)  
 Kaikoura, New Zealand
- ROTUNDICOXA** (*Dexamineilla*)  
 Ledoyer 1972 (AN 2/28)  
 Madagascar
- ROTUNDIDENTATA** (*Caprella*)  
 Vasilenko 1972a (AN 3/38)  
 Sea of Okhotsk & N.W. Pacific
- ROTUNDIPLEURA** (*Hippomedon*)  
 Ledoyer 1973 (AN 3/26)  
 Tulear, Madagascar
- ROUCHI** (*Parasalentinella*)  
 Bou 1971 (AN 2/18)  
 French Pyrenees (subterranean waters)
- ROUXI** (*Gammarus*)  
 Pinkster & Goedmakers 1975 (AN 6/22)  
 Fez prov., Morocco
- RUA** (*Paramoera*)  
 Barnard 1977a (AN 10/37)  
 Hawaiian Islands (Maui)
- RUBROMACULATUS** (*Lembos*)  
 Ledoyer 1973d (AN 3/26)  
 Marseille, S. France
- RUFFOI** (*Ampelisca*)  
 Bellan-Santini & Kaim-Malka 1977  
 (AN 10/38)  
 Marseille, S. France
- RUFFOI** (*Bathyporeiapus*)  
 Escofet 1971 (AN 2/21)  
 Buenos Aires, Argentina
- RUFFOI** (*Lembos*)  
 Myers 1975b (AN 8/25)  
 Watamu Bay, Kenya
- RUFFOI** (*Niphargus*)  
 Karaman 1976d (AN 9/56)  
 Friuli region, Italy
- RUNDE** (*Syndexamine*)  
 Barnard 1972a (AN 2/17)  
 West Island, S. Australia
- RUSANOVAE** (*Acanthonotozoma*)  
 Bryazgin 1974 (AN 5/25)  
 Barents Sea
- SALDANHA** (*Listriella*)  
 Griffiths 1975 (AN 7/23)  
 Western Cape Province
- SAMOANA** (*Orchestia*)  
 Bousfield 1971 (AN 2/18, 19)  
 Samoa, 2000ft (very wet forest)
- SAWYERI** (*Eohaustorius*)  
 Bosworth 1973 (AN 4/20)  
 Oregon, USA
- SBORDONII** (*Bogidiella*)  
 Ruffo & Vigna-Taglianti 1974  
 (AN 7/28)  
 Chiapas, Mexico
- SCHELLENBERGI** (*Orchomene*)  
 Thurston 1972 (AN 3/30)  
 South Georgia
- SCHIECKEI** (*Maera*)  
 Karaman & Ruffo 1971 (AN 2/27)  
 Ischia, Gulf of Naples, Italy
- SCHINOSETOSUS** (*Echinogammarus*)  
 Pinkster 1973 (AN 3/28)  
 Western Europe
- SCHOENERAE** (*Eriopisa*)  
 Fox 1973 (AN 4/22)  
 Bimini, Bahama Is.
- SCUTATUS** (*Euonyx*)  
 Griffiths 1977b (AN 10/41)  
 off Cape Town, 34°37'S, 17°03'E,  
 2900m
- SEPTIMUS** (*Socarnes*)  
 Griffiths 1975 (AN 7/23)  
 Western Cape Province
- SERRA** (*Irenella*)  
 Imbach 1967 (AN 2/11, 12)  
 Bay of Nhatrang, Vietnam
- SERRATICARPA** (*Leucothoe*)  
 Krapp-Schickel 1976 (AN 6/9, 8/30)  
 Napoli, Italy (originally described  
 by Della Valle, and now restored to  
 specific rank from synonymy with *L.  
 spinicarpa* L.)
- SERRATICAUDA** (*Ampithoe*)  
 Rabindranath 1972a (AN 2/32)  
 Gulf of Mannar, India

- SERRIMA** (*Syrrhoe*)  
 Barnard 1972c (AN 3/39)  
 E. of Bahia Blanca, Argentina  
 40°14.6'S, 55°24.7'W, 1475m.
- SETICOXA** (*Heterophlias*)  
 Ortiz 1976b (AN 10/52)  
 Hicacos Peninsula, Matanza's Prov., Cuba
- SETIFER** (*Paracercops*)  
 Vasilenko 1972b (AN 3/38)  
 North Pacific
- SETIFERUS** (*Crangonyx*)  
 Birstein & Ljovuschkin 1972 (AN 3/33)  
 Tian Shan (Middle Asia)
- SETIMERUS** (*Lembos*)  
 Myers 1976b (AN 9/60)  
 off Guinea, West Africa 10°49'N, 16°39'W
- SEXSTACHYA** (*Melita*)  
 Gamo 1977 (AN 10/52)  
 Sagami Bay, Japan
- SHELDONI** (*Stygobromus*)  
 Holsinger 1974a (AN 4/32)  
 Nevada Co., Calif., USA
- SHOEMAKERI** (*Ceradocus*)  
 Fox 1973 (AN 4/22)  
 Bimini, Bahama Is.
- SHOEMAKERI** (*Lestrigonus*)  
 Bowman 1973 (AN 3/23)  
 Off Baja California
- SHOEMAKERI** (*Microprotopus*)  
 Lowry 1972 (AN 2/28)  
 Florida, USA
- SICILIANUS** (*Echinogammarus*)  
 Karaman & Tibaldi 1972 (AN 5/29)  
 Sicily, Italy (freshwater)
- SIERRENSIS** (*Stygobromus*)  
 Holsinger 1974a (AN 4/32)  
 Sierra Co., Calif., USA
- SIGNIENSIS** (*Atylopsis*)  
 Thurston 1974a (AN 4/29)  
 Signy Is., S. Orkney Islands
- SIMILIS** (*Cheirimedon*)  
 Thurston 1974b (AN 6/23)  
 Graham Land, Antarctica
- SIMILIS** (*Listriella*)  
 Rabindranath 1971b (AN 2/31)  
 Kerala, India
- SIMILIS** (*Microdeutopus*)  
 Myers 1977c (AN 10/47)  
 Pantelleria Island, Italy
- SIMILIS** (*Parorchestia*)  
 Bousfield 1971 (AN 2/18, 19)  
 Bismarck Archipelago
- SIMPLICIFORMIS** (*Eulimnogammarus*  
 (*Philolimnogammarus*))  
 Bazikalova 1975b (AN 9/43)  
 Lake Baikal
- SINENSE** (*Corophium*)  
 Zhang Wei-Quan 1974 (AN 9/58)  
 Shantung Peninsula, North China
- SINUOSA** (*Listriella*)  
 Griffiths 1974b (AN 5/27)  
 Still Bay, Cape Province
- SODALIS** (*Maera*)  
 Karaman & Ruffo 1971 (AN 2/27)  
 Boka Kotorska, Montenegro, Yugoslavia
- SOOTAI** (*Bogidiella*)  
 Coineau & Chandrasekhara Rao 1973  
 (AN 4/21)  
 Andaman and/or Nicobar Islands
- SPARSUS** (*Stygobromus*)  
 Holsinger 1978 (AN 10/42)  
 Tennessee, USA
- SPINIBASUS** (*Paraphoxus*)  
 Cooper 1974 (AN 5/26)  
 Wellington, New Zealand
- SPINICAUDATA** (*Ampelisca*)  
 Ledoyer 1972 (AN 2/28)  
 Madagascar
- SPINICORNIS** (*Aora*)  
 Afonso 1976 (AN 8/27)  
 Azores
- SPINICOXA** (*Gondogeneia*)  
 Bellan-Santini & Ledoyer 1974 (AN 5/32)  
 Crozet Islands
- SPINICOXA** (*Grandidierella*)  
 Myers 1972 (AN 3/28)  
 Tulear, Madagascar (intertidal)

- SPINIDACTYLA** (*Janice*)  
Griffiths 1973 (AN 3/25)  
Morrumbere Estuary, S. Mozambique  
(brackish)
- SPINIFERA** (*Ceradocus*)  
Ledoyer 1973b (AN 3/26)  
Tulear, Madagascar
- SPINIMANUS** (*Leptocheirus*)  
Ledoyer 1973d (AN 3/26)  
Marseille, S. France
- SPINIPES** (*Pterunciola*)  
Just 1977b (AN 10/42)  
Carolina, USA, 800-1540m (in empty  
Pteropod shells)
- SPINOSA** (*Unciolella*)  
Griffiths 1974a (AN 4/23)  
Natal, S. Africa
- SPINOSUS** (*Mesoprobolooides*)  
Bellan-Santini & Ledoyer 1974 (AN 5/32)  
Kerguelen & Crozet Islands
- STANKOI** (*Niphargus*)  
Karaman 1974a (AN 4/25)  
Bukovo, southern Macedonia, Yugoslavia
- STANKOKARAMANI** (*Gammarus*)  
Karaman 1976b (AN 9/46)  
L. Ohrid, Yugoslavia
- STARMEHLNERI** (*Orchestia*)  
Ruffo & Vesentini Paiotta 1972  
(AN 3/32)  
New Caledonia
- STEBBINGI** (*Hyperietta*)  
Bowman 1973 (AN 3/23)  
Off Central California
- STEGERORUM** (*Stygobromus*)  
Holsinger 1978 (AN 10/42)  
Virginia, USA
- STEGOSAURA** (*Panoploea*)  
Griffiths 1975 (AN 7/23)  
Western Cape Province
- STEPHENSENI** (*Brevitalitrus*)  
Bousfield 1971 (AN 2/18, 19)  
Samoa, alt. 2000 ft. (very wet forest)
- STEPHENSENI** (*Hyperietta*)  
Bowman 1973 (AN 3/23)  
Off southern California
- STEPHENSENI** (*Parawaldeckia*)  
Hurley & Cooper 1974 (AN 5/39)  
Wellington, New Zealand
- STONINGTONENSIS** (*Seba*)  
Thurston 1974b (AN 6/23)  
Marguerite Bay, Antarctica
- SUBCLYPEATUM** (*Lepidepecreum*)  
Ruffo & Schiecke 1977 (AN 10/48)  
Central Adriatic, 200m.
- SUBPUSILLA** (*Gitanopsis*)  
Rabindranath 1972b (AN 2/32)  
Quilon, Kerala, India
- SULCUS** (*Uristes*)  
Griffiths 1974b (AN 5/27)  
Off Cape Province 34°04'S, 23°26'E
- TABARINI** (*Orchomene*)  
Thurston 1972 (AN 3/30)  
Hope Bay, Antarctic Peninsula
- TABU** (*Echinogammarus*)  
Karaman 1972c (AN 2/38)  
Var dept., S. France
- TABULARIS** (*Ingolfiella* (*Gevgeliella*))  
Stock 1977b (AN 10/49)  
Curacao
- TAHOENSIS** (*Stygobromus*)  
Holsinger 1974a (AN 4/32)  
L. Tahoe, Placer Co., Calif., USA
- TAKKURE** (*Austropheonoides*)  
Barnard 1974 (AN 4/30)  
Pearson Islands, S. Australia
- TALIKADZEI** (*Niphargus*)  
Giliarov, Lagidze, Levushkin & Talikadze  
1974 (AN 5/33)  
Shair Gele, N. Of Batum, Georgia, USSR
- TANABENSIS** (*Siphonoecetes*)  
Harada 1971 (AN 2/24)  
Tanage Bay, Honshu, Japan
- TARRAGONENSIS** (*Echinogammarus*)  
Pinkster 1973 (AN 3/28)  
Tarragona Prov., N.E. Spain

- TARTE (Leucothoe)  
Barnard 1974 (AN 4/30)  
Port Phillip, Victoria, Australia
- TAUPO (Atylus)  
Barnard 1972b (AN 3/39)  
Kaikoura, New Zealand
- TAVARESI (Hadzia)  
Mateus & Mateus 1972 (AN 3/27)  
Algarve, Portugal (subterranean)
- TAWAHI (Gammaropsis)  
Barnard 1972b (AN 3/39)  
Kaikoura, New Zealand
- TENUICAUDA (Homocerisca)  
Bazikalova 1975b (An 9/43)  
Lake Baikal
- TEPUNI (Maera)  
Barnard 1972b (AN 3/39)  
Port Hutt, New Zealand
- TEXANA (Hyalella)  
Stevenson & Peden, 1973 (AN 3/39)  
Texas, USA
- TEXENSIS (Mexiweckelia)  
Holsinger 1973 (AN 4/23)  
Texas, USA
- THADALEE (Paradexamine)  
Barnard 1972a (AN 2/17)  
Albany, W. Australia
- THRIXA (Maera)  
Griffiths 1975 (AN 7/23)  
Western Cape Province
- THUMBELLINUS (Microdentopus)  
Griffiths 1974a (AN 4/23)  
Natal, S. Africa
- THYABILIS (Byblis)  
Barnard 1971 (AN 2/15, 17)  
Off Oregon, USA, 44°40'N, 125°07'W,  
800m.
- TIMARU (?Guernea)  
Barnard 1972b (AN 3/39)  
Huaroa Pt., New Zealand
- TORRIDA (Leucothoides)  
Barnard 1974 (AN 4/30)  
Falarik Islet, Ifaluk, Micronesia
- TRACATRIX (?Hippomedon)  
Barnard 1971 (AN 2/15, 17)  
Off Oregon, UDS, 44°38'N, 125°30'W  
2800m.
- TRANSITIVUS (Niphargus)  
Sket 1971 (AN 2/35)  
Torre, Friuli Prov., Italy
- TRANSVAALENSIS (Sternophysinx)  
Holsinger & Straskraba 1973 (AN 4/23)  
Drakensberg MTS, Transvaal, S. Africa
- TRICHIATUS (Sarothrogammarus)  
Stock 1971 (AN 2/35)  
Central Afghanistan, 3000m alt.
- TRIDACTYLA (Lepidepecreella)  
Bellan-Santini 1972a (An 2/18)  
Adelie Land, Antarctica
- TRIDENTATUS (Eusirus)  
Bellan-Santini & Ledoyer 1974 (AN 5/32)  
Adelie Land, Antarctica
- TRILOBATA (Protella)  
McCain & Gray 1971 (AN 2/29)  
off Falkland Islands, 51°58'S,  
56°38'W, 646-845m.
- TRIPLEX (Harpiniopsis)  
Barnard 1971 (AN 2/15, 17)  
Off Oregon, USA, 44°36.4'N  
125°24.8'W, 2800m.
- TRIPOLIENSIS (Echinogammarus)  
Alouf 1976 (AN 9/51)  
Near Tripoli, Lebanon
- TRISPINOSUM (Paracanthonotosoma)  
Bellan-Santini 1972a (AN 2/18)  
Adelie Land, Antarctica
- TRITUS (Stygobromus)  
Holsinger 1974a (AN 4/32)  
Ravalli Co., Montana, USA
- TROPAKIS (Tiron)  
Barnard 1972c (AN 3/39)  
California, USA, 34°24'N, 119°50.5'W
- TROPICA (Gitanogeiton)  
Rabindranath 1972b (AN 2/32)  
Gulf of Mannar, India
- TRUNCATA (Ampelisca)  
Bellan-Santini & Kaim-Malka 1977  
(AN 10/38)  
Napoli, Italy

TSUSHIMANA ( <u>Paramoera</u> )	UNICORNIS ( <u>Lembos</u> )
Ueno 1971b (AN 2/36)	Bynum & Fox 1977 (AN 9/53)
Tsushima Is., Japan	North Carolina, USA
TULEARENSIS ( <u>Maera</u> )	UNIDENTATA ( <u>Oradarea</u> )
Ledoyer 1972 (AN 2/28)	Thurston 1974a (AN 4/29)
Madagascar	Signy Is., S. Orkney Islands
TULKARA ( <u>Tethygenenia</u> )	UNIFASCIATUS ( <u>Lembos</u> )
Barnard 1972a (AN 2/17)	Myers 1977a (AN 10/47)
Cape Naturaliste, W. Australia	Conch Key, Monroe County, Florida, USA
TUMOROSA ( <u>Urothoe</u> )	VAGGALA ( <u>Orchestia</u> )
Griffiths 1974a (AN 4/23)	Bowman 1977 (AN 10/30)
Off Natal, S. Africa	Cristobal, Galapagos
TUMULOSA ( <u>Guernea</u> )	VALOSA ( <u>Cymadusa</u> )
Griffiths 1976 (AN 8/29)	Imbach 1967 (AN 2/11, 12)
Mossel Bay, S. Africa	Bay of Nhatrang, Vietnam
TURCARUM ( <u>Obesogammarus</u> )	VARSOVIENSIS ( <u>Gammarus</u> )
Stock 1974a (AN 7/6, 7)	Jazdzewski 1975 (AN 7/24)
Agri Prov., Turkey	Old bed of R. Vistula, Warsaw prov., Poland
TWALAE ( <u>Lepidepecreum</u> )	VEMAE ( <u>Luconacia</u> )
Griffiths 1974b (AN 5/27)	McCain & Gray 1971 (AN 2/29)
36°39'S, 23°41'E	Western North Atlantic, 41°57'S, 59°03'W
TZVETKOVAE ( <u>Ischyrocerus</u> )	VERVECEI ( <u>Ampelisca</u> )
Kudrjashov 1973 (AN 6/25)	Bellan-Santini & Kaim-Malka 1977 (AN 10/38)
Kurile Islands	Napoli, Italy
UCHU ( <u>Lepechinella</u> )	VIDUARUM ( <u>Lembos</u> )
Barnard 1973 (AN 3/22)	Myers 1974b (AN 8/24)
Off Costa Rica (Pacific), 3545m.	Ischia, Italy
ULCISOR (? <u>Halice</u> )	VIETNAMICA ( <u>Melita</u> )
Barnard 1971 (AN 2/15, 17)	Dane 1967 (AN 6/14)
Off Oregon, USA, 44°39'N, 124°55'W, 600m.	North Vietnam (brackish waters)
ULE ( <u>Ausatelson</u> )	VIGITEGUS ( <u>Paraphoxus</u> )
Barnard 1972a (AN 2/17)	Barnard 1971 (AN 2/15, 17)
Cape Naturaliste, W. Australia	Oregon, USA 44°39.8'N, 124°59'W
ULTIMA ( <u>Orchomene</u> )	VILLATICUS ( <u>Echinogammarus</u> )
Bellan-Santini 1972b (AN 3/22)	Mateus 1974 (AN 5/30)
Adelie Land, Antarctica	Coimbra, Portugal
ULUDAGI ( <u>Gammarus</u> )	VITREA ( <u>Lepechinella</u> )
Karaman 1975a (AN 7/25)	Kamenskaja 1977 (AN 10/42)
Bursa Prov., Turkey	Yap Trench (ultraabyssal)
UNCHALKA ( <u>Guernea</u> )	
Barnard 1972a (AN 2/17)	
Albany, W. Australia	

VOMEROI ( <u>Bogidiella</u> ) Ruffo & Vigna-Taglianti 1977 (AN 10/48) Chiapas prov., Mexico	WARROO ( <u>Garatelson</u> ) Barnard 1972a (AN 2/17) Cape Naturaliste, W. Australia
VULPECULUS ( <u>Bathymedon</u> ) Barnard 1971 (AN 2/15, 17) Off Oregon, USA 44°39'N, 128°57'W, 800m.	WECOMUS ( <u>Hippomedon</u> ) Barnard 1971 (AN 2/15, 17) Oregon, USA 44°39'N, 124°18'W
WAHINE ( <u>Elasmopus</u> ) Barnard 1972b (AN 3/39) Off Cape Young, New Zealand	WELLINGTONENSIS ( <u>Urothoe</u> ) Cooper 1974 (AN 5/26) Wellington, New Zealand
WAIPIRO ( <u>Paraphoxus</u> ) Barnard 1972b (AN 3/39) Wellington, New Zealand	WENGERORUM ( <u>Stygobromus</u> ) Holsinger 1974a (AN 4/32) Mariposa Co., Calif., USA
WAIRARAPA (? <u>Wandelia</u> ) Barnard 1972b (AN 3/39) Wellington, New Zealand	WHAKATANE ( <u>Metaceradocus</u> ) Barnard 1972b (AN 3/39) Wellington, New Zealand
WAKA ( <u>Stenothoe</u> ) Barnard 1974 (AN 4/30) Albany, W. Australia	WILARI ( <u>Hyale</u> ) Barnard 1974 (AN 4/30) Pearson Islands, S. Australia
WALKERI ( <u>Pardisynopia</u> ) Ledoyer 1973d (AN 3/26) Marseille, south France	WILLIAMSI ( <u>Maera</u> ) Bynum & Fox 1977 (AN 9/53) North Carolina, USA
WALLANGAR ( <u>Yulamara</u> ) Barnard 1972a (AN 2/17) Pt. Noalunga, S. Australia	WINDARRA ( <u>Paradexamine</u> ) Barnard 1972a (AN 2/17) Albany, W. Australia
WALLAROO ( <u>Andaniotes</u> ) Barnard 1972a (AN 2/17) Port Phillip, Victoria, Australia	WOLFFI ( <u>Brevitalitrus</u> ) Bousfield 1971 (AN 2/18, 19) Bismarck Archipelago
WAMINDA ( <u>Tethygeneia</u> ) Barnard 1972a (AN 2/17) Cape Naturaliste, W. Australia	WOLFFI ( <u>Dulichia</u> ) Laubitz 1977 (AN 9/57) S. Greenland
WANE ( <u>Syndexamine</u> ) Barnard 1972a (AN 2/17) Pearson Islands, S. Australia	WUNDA ( <u>Syndexamine</u> ) Barnard 1972a (AN 2/17) Albany, W. Australia
WANGANUI ( <u>Podocerus</u> ) Barnard 1972b (AN 3/39) Dunedin, New Zealand	YA ( <u>Parelasmopus</u> ) Barnard 1972a (AN 2/17) Cockburn Sound, W. Australia
WANNAPE ( <u>Ceina</u> ) Barnard 1972a (AN 2/17) Albany, W. Australia	YAKE ( <u>Hyale</u> ) Barnard 1974 (AN 4/30) Cheyne Beach, W. Australia
WAREA ( <u>Chucullba</u> ) Barnard 1974 (AN 4/30) Cape Naturaliste, W. Australia	YAMBA ( <u>Parawaldeckia</u> ) Barnard 1972a (AN 2/17) West Island, S. Australia

YAQUINA (?Pardaliscella)  
Barnard 1971 (AN 2/15, 17)  
Oregon, USA, 44°39'N, 125°50'W, 400m

YAQUINAE (Epimeria)  
McCain 1971 (AN 2/29)  
Oregon, USA, 2800m.

YARREGA (Leucothoides)  
Barnard 1974 (AN 4/30)  
Western Port, Victoria, Australia

YAYA (Unguja)  
Griffiths 1976 (AN 8/29)  
Mossel Bay, S. Africa

YUNDE (Elasmopus)  
Barnard 1974 (AN 4/30)  
Port Peron, W. Australia

ZYGODONTA (Caprella)  
Vasilenko 1974 (AN 5/36)  
Russian & neighbouring seas

(b) Subspecies newly raised to specific rank

AGRARIUS (Gammarus)

(previously G. monspeliensis agrarius  
G. Karaman)  
Karaman & Pinkster 1977a  
(omitted from AN, see bibliography  
Vilayet Konya, Turkey

PACIFICA (Ampelisca)

(previously A. eschrichtii pacifica  
Gurjanova 1955)  
Karaman 1975e (AN 8/23)

CALVUS (Echinogammarus)

(previously Gammarus berilloni  
calvus Margalef 1956)  
Pinkster 1973 (AN 3/28)  
Western Europe

RAMBOUSEKI (Gammarus)

(previously G. pulex rambouseki  
S. Karaman 1931)  
Karaman 1973g (AN 4/25)

DALMATINA (Bogidiella)

(previously B. albertimagni dalmatina  
S. Karaman 1953)  
Karaman 1973h (AN 4/25)  
Yugoslavia

STOJICEVICI (Gammarus)

(previously G. argaeus stojicevici  
S. Karaman  
Karaman & Pinkster 1977b (AN 10/34)

DULENSIS (Gammarus)

(previously Gammarus pavlovici dulensis  
S. Karaman 1939)  
Karaman 1973g (AN 4/25)

TURPIS (Lepechinella)

(previously L. arctica turpis  
Barnard 1973b (AN 3/22)  
Off Baja California, 1205-2667m.

GLACIALIS (Bogidiella)

(previously B. albertimagni glacialis  
S. Karaman 1959)  
Karaman 1973h (AN 4/25)  
Yugoslavia

IBERICUS (Gammarus)

(previously G. pulex ibericus  
Margalef 1951)  
Pinkster 1971 (AN 2/31)

MICROPHTHALMUS (Carinurus)

(previously Acanthogammarus platycarinus  
var. microphthalmus Sovensky 1915)  
Karaman 1977a (AN 10/52)  
Lake Baikal

OBSCURUS (Carinurus)

(previously C. solskii obscurus  
Dorogostajskij 1922)

PACHYPUS (Niphargus)

(previously N. kochianus pachypus)  
Stock & Gledhill 1977 (AN 10/36)  
N.W. Europe

(c) New subspecies and other taxa below specific rank

ACANTHOPODA (n. forma of Polycheria antarctica)

Thurston 1974b (AN 6/23)

Antarctica

AGRARIUS (n. ssp. of Gammarus monspeliensis)

Karaman 1973g (AN 4/25)

Vilayet Konya, Turkey

ALATUS (n. ssp. of Niphargus boskovicus)

Karaman 1973c (AN 4/25)

Montenegro

ANGUSTIPES (n. ssp. of Unyapheonoides dabberi)

Ledoyer 1978 (AN 10/44)

Mauritius (reef cavities)

ANTALYAE (n. spp. of Echinogammarus thoni)

Karaman 1971a (AN 2/26)

Antalya, S. Turkey (freshwater)

ARAURENSIS (n. ssp. of Gammarus pulex)

Pinkster 1972 (AN 3/28)

Herault dept., S.E. France

ARCADIENSIS (n. ssp. of Echinogammarus tabu)

Alouf 1975 (AN 7/20)

Akkar, N. Lebanon

ARCTICUS (n. ssp. of Arrhis phyllonyx)

Bryazgin 1974 (AN 5/25)

Barents Sea

ASIATICUS (n. ssp. of Pleusirus seccorus)

Kudrjashov & Tzvetkova 1975 (AN 7/26)

South Sakhalin

ATLANTIS (n. ssp. of Scina wagleri)

Thurston 1976 (AN 8/26)

off Canary Islands, 780m.

BARBICRA (n. ssp. of Caprella neglecta)

Arimoto 1971 (AN 2/17)

Japan

BRACHYURUS (n. ssp. of Aspogammarus (A.) rhodophtalmus)

Bazikalova 1975a (AN 9/43)

Lake Baikal

BREVIS (n. ssp. of Plesiogammarus gerstaeckeri)

Bazikalova 1975b (AN 9/43)

Lake Baikal

CHRISTOPHORENSIS (n. ssp. of Metaniphargus longipes)

Stock 1977a (AN 10/49)

Curacao, Dutch West Indies

COGNOMINIS (n. ssp. of Gammarus pulex)

Karaman & Pinkster 1977a (AN 10/34)

Bulgaria (in caves)

DIMORPHOPUS (n. ssp. of Niphargus kochianus)

Stock & Gledhill 1977 (AN 10/36)

Benelux Countries (N.W. Europe)

EUACANTHOIDES (n. ssp. of Neopleustes pulchellus)

Gurjanova 1972 (AN 2/24, 3/34, 35)

Bering Sea

EUGENOVIA (n. ssp. of Paramphithoe cuspidata)

Gurjanova 1972 (AN 2/24, 3/34, 35)

Barents Sea

GAGARAE (n. ssp. of Stenopleustes cornigera)

Gurjanova 1972 (AN 2/24, 3/34, 35)

Sea of Okhotsk

GALLICUS (n. ssp. of Gammarus pulex)

Pinkster 1972 (AN 3/28)

Western Europe

HAUMURI (n. ssp. of Ceradocus rubromaculatus)

Barnard 1972b (AN 3/28)

Wellington, New Zealand

HETEROPALPUS (n. ssp. of Typhlogammarus mrazekii)

Karaman 1972b (AN 2/27)

Yugoslavia

- HIRSUTUS** (n. ssp. of Amphithoe pollex  
 Ledoyer 1978 (AN 10/44)  
 Mauritius (reef cavities)
- HUMBOLDTIENSIS** (n. ssp. of Caprella acanthifera)  
 Martin 1977 (AN 10/46)  
 Coast of N. California
- HYRCANUS** (n. ssp. of Chaetogammarus pauxillus)  
 Pjatakova 1962b (AN 7/8)  
 Caspian Sea
- ITALICUS** (n. ssp. of Niphargus stygocharis)  
 Karaman 1976d (AN 9/56)  
 Bergamo region, Italy
- JAPONENSIS** (n. ssp. of Pleustes cataphractus)  
 Gurjanova 1972 (AN 2/24, 3/34, 35)  
 Zaliv Petra Velikogo, Sea of Japan
- KAUERTI** (n. ssp. of Melita zeylanica)  
 Barnard 1972a (AN 2/17)  
 Swan River, W. Australia
- MASSILIENSIS** (n. ssp. of Megaluropus agilis)  
 Ledoyer 1976 (AN 8/23)  
 Marseille, S. France
- MELTICENSIS** (n. ssp. of Niphargus kochianus)  
 Dancau & Andreev 1973 (AN 3/32)  
 Bulgaria
- MONTEIGRINA** (n. ssp. of Synurella intermedia)  
 Karaman 1974b (AN 5/29)  
 Yugoslavia
- MOZAMBICUS** (n. ssp. of Lembos quadrimanus)  
 Myers 1975a (AN 8/24)  
 Mozambique Channel
- MUTUS** (n. ssp. of Echinogammarus tabu  
 Karaman & Tibaldi 1973 (AN 5/29)  
 Sicily, Italy (freshwater)
- OCHOTICUS** (n. ssp. of Pleustoides quadridens)  
 Gurjanova 1972 (AN 2/24, 3/34, 35)  
 Sea of Okhotsk
- ORIENTIS** (n. ssp. of Metaniphargus curasavicus)  
 Stock 1977a (AN 10/49)  
 Curacao, Dutch West Indies
- PARADOXUS** (n. ssp. of Pleustes angulatus  
 Gurjanova 1972 (AN 2/24, 3/34, 35)  
 Iturup Is., W. of Hokkaidai, Japan, 414m.
- PETSCHORICUS** (n. ssp. of Hippomedon propinquus)  
 Bryazgin 1974b (AN 5/25)  
 Barents Sea, 73°22'N, 18°59'W
- POLONENSIS** (n. ssp. of Gammarus pulex)  
 Karaman & Pinkster 1977a  
 (omitted from AN, see bibliography)  
 Poznan prov., Poland
- REDUCTUS** (n. ssp. of Nannonyx goesi)  
 Greze 1975 (AN 6/21, 7/3)  
 Black Sea
- SEMPERCARINATUS** (n. ssp. of Asprogammarus (Echiropus) macronychus)  
 Bazikalova 1975a (AN 9/43)  
 Lake Baikal
- SIBIRICUS** (n. ssp. of Pleustes panoplus)  
 Gurjanova 1972 (AN 2/24, 3/34, 35)  
 77°01'N, 142°28'W
- STANKOI** (ssp. of Gammarus pavlovici  
 replacing G. p. montanus S. Karaman  
 1929, preoccupied)  
 Karaman 1974c (AN 5/37)  
 Yugoslavia
- STRENUUS** (n. ssp. of Asprogammarus (A.) rhodophtalmus)  
 Bazikalova 1975a (AN 9/43)  
 Lake Baikal
- VAFER** (n. ssp. of Paramphithoe buchholzi)  
 Gurjanova 1972 (AN 2/24, 3/34, 35)  
 Sea of Okhotsk

#### BIBLIOGRAPHY

- AFONSO, O., 1976. Amphipoda des Açores cueillis par scaphandrier autonome (avec la description d'une nouvelle espèce). Publicações Inst. Zool. Dr. Augusto Nobre 130, 1-38.
- AFONSO, O., 1977. Contribution à l'étude des Amphipodes des Açores - description d'une nouvelle espèce. Publicações Inst. Zool. Dr. Augusto Nobre 135, 1-32.
- ALOUF, N.J., 1972. Description d'un nouvel amphipode gammaride des eaux souterraines du Liban, Niphargus nadarini n.sp. Ann. Speleol. 27, 547-558.
- ALOUF, N.J., 1973. Biotope et description de Niphargus altaqahizi n.sp., Amphipode Gammaride souterrain du Liban. Int. J. Speleol. 5, 49-61.
- ALOUF, N.J., 1975. Sur la présence d'Echinogammarus du groupe pungens au Proche Orient: E. palmyrensis n.sp., E. cannubinensis n.sp. et E. tabu arcadiensis n.sp. Bull. zool. Mus. Univ. Amsterdam 4, 125-140.
- ALOUF, N.J., 1976. Sur la présence d'Echinogammarus du groupe pungens au Liban: E. berytensis n.sp., E. tripolensis n.sp. et E. rashiini n.sp. (Crustacea, Amphipoda). Bull. zool. Mus. Univ. Amsterdam 5, 163-176.
- ANDRES, H.G., 1975a. Zur Verbreitung eulitoraler Gammaridea (Amphipoda, Crustacea) an den von Kaltwasserströmen beeinflussten Küsten Sudamerikas und Sudafrikas sowie Angaben über sublitorale Gammaridea von der Chilenischen Küste. Diss. Univ. Hamburg, 139pp.
- ANDRES, H.G., 1975b. Nicippe buchi n.sp., ein Pardaliscide aus einem Lavatunnel auf Lanzarote (Amphipoda, Crustacea). Mitt. hamb. zool. Mus. Inst. 72, 91-95.
- ANDRES, H.G., 1977. Gammaridea (Crustacea, Amphipoda) aus dem Iberischen Tiefseebecken. Auswertung des Material der Fahrten 3 und 15 von F.S. "Meteor". Meteor ForschErgebn. D.25, 54-67.
- ARIMOTO, I., 1971. List of Caprellidae Amphipoda in Japan with record of new localities (sic) part 2. Bull. biogeogr. Soc. Japan 26, 13-20.
- ARIMOTO, I., 1976. Heterocaprella clavigera n. gen., n. sp., unique new caprellid with remarkable sexual dimorphism from the Korean Straits (Amphipoda, Caprellidae). Crustaceana 30, 43-48.
- BARNARD, J.L., 1971. Gammaridean Amphipoda from a deep-sea transect off Oregon. Smithson. Contr. Zool. 61, 1-86.
- BARNARD, J.L., 1972a. Gammaridean Amphipoda of Australia, part 1. Smithson. Contr. Zool. 103, 1-333.
- BARNARD, J.L., 1972b. The marine fauna of New Zealand: algae-living littoral Gammaridea (Crustacea Amphipoda). Mem. N.Z. oceanogr. Inst. 62, 1-216.

BARNARD, J.L., 1972c. A review of the family Synopiidae (=Trionidae) mainly distributed in the deep sea. Smithson. Contr. Zool. 124, 1-94.

BARNARD, J.L., 1973. Deep-sea Amphipoda of the genus Lepechinella (Crustacea). Smithson. Contr. Zool. 133, 1-30.

BARNARD, J.L., 1974. Gammaridean Amphipoda of Australia, part 2. Smithson. Contr. Zool. 139, 1-148.

BARNARD, J.L., 1977a. The cavernicolous fauna of Hawaiian lava tubes. 9. Amphipoda (Crustacea) from brackish lava ponds on Hawaii and Maui. Pacif. Insects 17, 267-299.

BARNARD, J.L., 1977b. A new species of Synchelidium (Crustacea, Amphipoda) from sand beaches in California. Proc. biol. Soc. Wash. 90, 877-883.

BARNARD, J.L. & M.M. DRUMMOND, 1976. Clarification of five genera of Phoxocephalidae (Marine Amphipoda). Proc. biol. Soc. Wash. 88, 515-548.

BAZIKALOVA, A.Ya., 1975a. (On the taxonomy of Baikal amphipods). Trudy limnol. Inst. Sibirs. otdel. Akad. Nauk SSSR 18, 31-81. (in Russian).

BAZIKALOVA, A.Ya., 1975b. (New amphipods of Lake Baikal.) Trudy limnol. Inst. Sibirs. otdel. Akad. Nauk SSSR 18, 81-92. (In Russian).

BELLAN-SANTINI, D., 1972a. Invertebres marins des XII<sup>e</sup>me et XV<sup>e</sup>me expéditions antarctiques françaises en Terre Adelie. 10. - Amphipodes gammatiens. Tethys, Suppl. 4, 157-238.

BELLAN-SANTINI, D., 1972b. Amphipodes provenant des continus stomacaux de trois espèces de poissons Nototheniidae recueillis en Terre Adelie (Antarctique). Tethys 4, 683-702.

BELLAN-SANTINI, D., 1973. Sur deux nouvelles espèces méditerranéennes de Bathyporeia (Amphipoda, Haustoriidae). Bull. Soc. zool. Fr. 98, 91-103.

BELLAN-SANTINI, D., 1974. Amphipodes bathyaux de Méditerranée. Bull. Inst. oceanogr. Monaco 71(1427), 1-9.

BELLAN-SANTINI, D., 1975. Au sujet d'une nouvelle espèce d'Atylus (Amphipoda, Dexaminidae) de Méditerranée: Atylus massiliensis n.sp. Boll. Mus. civ. Stor. nat. Verona 1(1974), 473-479.

BELLAN-SANTINI, D. & R.A. KAIM-MALKA, 1977. Ampelisca nouvelles de Méditerranée (Crustacea - Amphipoda). Boll. Mus. civ. Stor. nat. Verona 4, 479-523.

BELLAN-SANTINI, D. & M. LEDOYER, 1974. Gammatiens (Crustacea - Amphipoda) des îles Kerguelen et Crozet. Tethys 5(1973), 635-708.

BENEDICT, J.A., 1977. Mayerella acanthopoda, a new species (Amphipoda, Caprellidae) from Southern California. Crustaceana 33, 47-55.

- BIRSTEIN, J.A. & S.I. LJOVUSCHKIN, 1972. (Cranconyx setiferus sp.n. (Crustacea, Amphipoda) from springs of Tian Shan. Fauna of the subterranean waters from Middle Asia.) Trudy zool. Inst. Leningr. 51, 139-146 (In Russian).
- BOSWORTH, W.S., 1973. Three new species of Eohaustorius (Amphipoda, Haustoriidae) from the Oregon coast. Crustaceana 25, 253-260.
- BOU, Cl., 1971. Parasalentinelia rouchi n.g., n.sp., des eaux souterraines des Pyrenees francaises (Amphipoda, Gammaridae). Ann. Speleol. 26, 481-494.
- BOUSFIELD, E.L., 1971. Amphipoda of the Bismarck Archipeago and adjacent Indo-Pacific Islands. Steenstrupia 1, 255-293.
- BOUSFIELD, E.L., 1973. Shallow-water Gammaridean Amphipoda of New England. Cornell University Press.
- BOUSFIELD, E.L., 1976. A new terrestrial amphipod from Lord Howe Island. Rec. Aust. Mus. 30, 118-122.
- BOUSFIELD, E.L. & J.W. ELWOOD, 1971. A new Gammarus (Crustacea: Amphipoda) from Tennessee. Am. Midl. Nat. 85, 247-253.
- BOUSFIELD, E.L. & F.G. HOWARTH, 1976. The cavernicolous fauna of Hawaiian lava tubes. 8. Terrestrial Amphipoda (Talitridae), including a new genus and species, with notes on its biology. Pacif. Insects 17, 144-154.
- BOWMAN, Th.E., 1973. Pelagic amphipods of the genus Hyperia and closely related genera (Hyperiidea: Hyperiidae). Smithson. Contr. Zool. 136, 1-76.
- BOWMAN, Th.E., 1974. The "sea-flea" Dolobrotus mardeni n.gen., n.sp., a deep-water American lobster bait scavenger (Amphipoda: Eusiridae). Proc. biol. Soc. Wash. 87, 129-138.
- BOWMAN, Th.E., 1977. Orchestia vaggala n.sp., a new land-hopper from the Galapagos Islands (Crustacea: Amphipoda: Talitridae). Proc. biol. Soc. Wash. 90, 658-668.
- BOWMAN, Th.E., 1978. Revision of pelagic amphipod genus Primno (Hyperiidea: Phrosinidae). Smithson. Contr. Zool. 275, 1-23.
- BRYAZGIN, V.F., 1974a. (A contribution to the fauna of Gammaridea (Amphipoda) in the Barents Sea.) Zool. Zh. 53, 1417-1420. (In Russian, with English summary.)
- BRYAZGIN, V.F., 1974b. (Species of the family Lysianassidae (Amphipoda, Gammaridea) first recorded from the Barents Sea). Zool. Zh. 53, 1570-1574. (In Russian, with English summary).
- BYNUM, K.H. & R.S. FOX, 1977. New and noteworthy amphipod crustaceans from North Carolina, U.S.A. Chesapeake Sci. 18, 1-33.

- COINEAU, N. & G. CHANDRASEKHARA RAO, 1973. Isopodes et amphipodes des sables intertidaux des îles Andaman et Nicobar (Golfe du Bengale). Vie et Milieu 23A(1972), 65-100.
- COLE, G.A., 1976. A new amphipod crustacean, Gammarus hyalelloides n.sp. from Texas. Trans. Am. microsc. Soc. 95, 80-85.
- COLE, G.A. & R.L. WATKINS, 1977. Hyalella montezumae a new species (Crustacea: Amphipoda) from Montezuma Well, Arizona. Hydrobiologia 52, 175-184.
- COOPER, R.D., 1974. Preliminary diagnoses of three new amphipod species from Wellington Harbour. N.Z. Jl mar. freshw. Res. 8, 239-241.
- COOPER, R.D. & A.A. FINCHAM, 1974. New species of Haustoriidae, Phoxocephalidae, and Oedicerotidae (Crustacea: Amphipoda) from northern and southern New Zealand. Rec. Dominion Mus. 8, 159-179.
- CROKER, R.A., 1971a. A remarkable new amphipod genus from Eniwetok Atoll lagoon. Pacif. Sci. 25, 382-386.
- CROKER, R.A., 1971b. A new species of Melita from the Marshall Islands, Micronesia. Pacif. Sci. 25, 100-108.
- DANCAU, D., 1971. Sur un nouvel amphipode souterrain de Roumanie, Niphargus alutensis. Trav. Inst. Speleol. Emile Racovitza 10, 209-215.
- DANCAU, D., 1973. Contribution à la connaissance des Amphipodes souterraines de Cuba - in T. Orghida, A.N. Jimenez et al. (ed.). Resultats des expéditions biospéologiques Cubano-Roumaines à Cuba 1, 223-229.
- DANCAU, D., 1973b. Observation sur les Amphipodes souterrains de l'Île de Majorque. Genre Bogidielia Herzog. Trav. Inst. Speleol. Emile Racovitza 12, 113-119.
- DANCAU, D. & S. ANDREEV, 1973. Sur un nouvel amphipode souterrain de Bulgarie Niphargus kochianus melticensis n. sp. Int. J. Speleol. 5, 135-142.
- DANG NGOC THANH, 1965. Tap San Sinhuat-Dia Hoc (Journal biologique et géologique, Hanoi) 4(3), 146-152. (In Vietnamese).
- DANG NGOC THANH, 1967. Tap San Sinhuat-Dia Hoc (Journal biologique et géologique, Hanoi) 6(3-4), 155-165. (In Vietnamese).
- DE BROUWER, C., 1973. Notes sur les Orchomene (Amphipodes, Lysianassidae) de l'Océan Austral. 1. Description d'Orchomene hureaui n.sp. de Terre Adélie. Bull. Inst. r. Sci. nat. Belg. 49(7), 1-12.
- DE BROUWER, C., 1975. Revision du genre Adeliella (Amphipoda, Gammaridae, Lysianassidae) et description d'une nouvelle espèce antarctique. Crustaceana 28, 73-85.

- DERZHAVIN, A.N. & G.M. PJATAKOVA, 1962. Nove vidy kaspiskix amfipod. (New species of Caspian amphipoda). Dokl. Akad. Nauk azerb. SSR 18(9), 53-57.
- DERZHAVIN, A.N. & G.M. PJATAKOVA, 1967. Novye vidy gammarid Kaspijskogo Morja (New species of gammarids from the Caspian Sea). in M.A. Musaev et al. (eds.): "Biologiceskaja produktionost' Kurinsko-Kaspijskogo rybolovnogo rajona" Isdatel'stvo Akademii Nauk Azerbajdzan Skogo SSR, Baku, 79-84.
- DERZHAVIN, A.N. & G.M. PJATAKOVA, 1968. A new species of Amphipod of the genus Niphargoides from the Caspian Sea. Crustaceana 15, 98-100.
- ESCOFET, A., 1971. (Marine Amphipoda from the province of Buenos Aires. II. Observations on the genus Bathyporeiapus, with the description of B. ruffoi n.sp.). Neotropica 17, 107-115 (In Spanish).
- FENWICK, G.D., 1977. Mesoproboloides excavata n.sp. (Amphipoda: Gammaridea: Stenothoidae) from New Zealand. N.Z. Jl mar. freshw. Res. 11, 471-478.
- FINCHAM, A.A., 1977. Establishment of a new genus in the family Phoxocephalidae (Crustacea: Amphipoda) and a description of a new species from North Island, New Zealand. Bull. Br. Mus. nat. Hist. (Zool.) 31, 285-292.
- FOX, R.S., 1973. Ceradocus shoemakeri and Eriopisa schoenerae, new amphipods (Crustacea: Gammaridae) from the Bahama Islands. J. Elisha Mitchell scient. Soc. 89, 147-159.
- GAMO, S., 1977. A new gammaridean Amphipoda, Melita sextachya sp. nov. from Sagami Bay. Proc. jap. Soc. syst. Zool. 13, 65-71.
- GILIAROV, M.S., O.I. LAGIDZE, S.I. LEVUSHKIN & D.A. TALIKADZE, 1974. (The first species of soil inhabiting gammarid belonging to the genus Niphargus (Amphipoda, Crustacea). Dokl. Akad. Nauk SSSR Biol. 217, 1149-1152. (In Russian.)
- GOEDMAKERS, A. & S. PINKSTER, 1977. The Gammarus pulex-group in Italy (Crustacea - Amphipoda) (A study based on material from the Museo Civico di Storia Naturale, Verona). Bull. zool. Mus. Univ. Amsterdam 6, 11-20.
- GREZE, I.I., 1975. (A new species Nannonyx goesi reductus (Amphipoda, Gammaridea) from the Black Sea.) Zool. Zh. 54, 297-299. (In Russian.)
- GRIFFITHS, C.L., 1973. The Amphipoda of southern Africa. 1. The Gammaridea and Caprellidea of Southern Mocambique. Ann. S. Afr. Mus. 60, 265-306.
- GRIFFITHS, C.L., 1974a. The Amphipoda of Southern Africa. 3. The Gammaridea and Caprellidea of Natal. Ann. S. Afr. Mus. 62, 209-264.
- GRIFFITHS, C.L., 1974b. The Amphipoda of Southern Africa. 4. The Gammaridea and Caprellidea of the Cape Province east of Cape Agulhas. Ann. S. Afr. Mus. 65, 251-336.

GRIFFITHS, C.L., 1974c. The Amphipoda of Southern Africa. 2. The Gammaridea and Caprellidea of S.W. Africa south of 20 S. Ann. S. Afr. Mus. 62, 169-208.

GRIFFITHS, C.L., 1975. The Amphipoda of Southern Africa. 5. The Gammaridea and Caprellidea of the Cape Province west of Cape Agulhas. Ann. S. Afr. Mus. 67, 91-181.

GRIFFITHS, C.L., 1976. Some new and notable Amphipoda from Southern Africa. Ann. S. Afr. Mus. 72, 11-35.

GRIFFITHS, C.L., 1977a. The South African Museum's Meiring Naude cruises. 6. Amphipoda. Ann. S. Afr. Mus. 74, 105-123.

GRIFFITHS, C.L., 1977b. Deep-sea amphipods from west of Cape Point, South Africa. Ann. S. Afr. Mus. 73, 93-104.

GURJANOVA, E.F., 1972. (Some new species of amphipods (Amphipoda, Gammaridea) from the northwestern part of the Pacific and High Arctic). Trudy zool. Inst. Leningr. 51, 129-200. (In Russian).

HARADA, E., 1971. A new amphipod of the genus Siphonoecetes from the shallow bottom of southern Japan, with reference to the diagnoses of the genus and its species. Publs Seto mar. biol. Lab. 18, 355-378.

HEARD, R.W. & D.G. PERLMUTTER, 1977. Description of Colomastix janiceae n.sp., a commensal amphipod (Gammaridea: Colomastigidae) from the Florida Keys, U.S.A. Proc. biol. Soc. Wash. 90, 30-42.

HEARD, R.W. & W.B. SIKORA, 1972. A new species of Corophium Latreille, 1806 (Crustacea: Amphipoda) from Georgia brackish waters with some ecological notes. Proc. biol. Soc. Wash. 84, 467-476.

HOLSINGER, J.R., 1973. Two new species of the subterranean amphipod genus Mexiweckelia (Gammaridae) from Mexico and Texas, with notes on the origin and distribution of the species. Bull. Ass. Mex. Cave Stud. 5, 1-12.

HOLSINGER, J.R., 1974a. Systematics of the subterranean amphipod genus Stygobromus (Gammaridae), Part 1: Species of the western United States. Smithson. Contr. Zool. 160, 1-63.

HOLSINGER, J.R., 1974b. A new cavernicolous amphipod crustacean of the genus Hadzia (Gammaridae) from Jamaica, with notes on the distribution and taxonomic status of the species. Ann. Speleol. 29, 647-655.

HOLSINGER, J.R., 1978. Systematics of the subterranean amphipod genus Stygobromus (Crangonyctidae), part 2. Species of the eastern United States. Smithson. Contr. Zool. 226, 1-144.

HOLSINGER, J.R. & W.L. MINCKLEY, 1971. A new genus and two new species of subterranean amphipod crustaceans (Gammaridae) from Northern Mexico. Proc. biol. Soc. Wash. 83, 425-444.

- HOLSINGER, J.R. & M. STRASKRABA, 1973. A new genus and two new species of subterranean amphipod crustaceans (Gammaridae) from South Africa. Ann. Speleol. 28, 69-79.
- HURLEY, D.E. & R. COOPER, 1974. Preliminary descriptions of a new species of Parawaldeckia (Crustacea Amphipoda, Lysianassidae) from New Zealand (Note). N.Z. Jl mar. freshw. Res. 8, 563-567.
- IMBACH, M.C., 1967. Gammaridean Amphipoda from the South China Sea. Naga Rep. 4(1), 39-167.
- JANKOWSKI, A.V. & S.V. VASILENKO, 1972. (Commensological sketches. 5. Caprella astericola sp.n. (Amphipoda, Caprellidae) from Asterias amurensis). Zool. Zh. 52, 947-951. (In Russian with English summary.)
- JAZDZEWSKI, K., 1975. Remarks on Gammarus lacustris G.O. Sars, 1863, with description of Gammarus varsoviensis n.sp. (Crustacea, Amphipoda). Bijdr. Dierk. 45, 71-86.
- JUST, J., 1974. On Palaeogammarus Zaddach, 1864, with a description of a new species from western Baltic amber. Steenstrupia 3, 93-99.
- JUST, J., 1977a. Amphyllodomus incurvaria gen. et sp.n. (Crustacea, Amphipoda) a remarkable leaf-cutting amphithoid from the marine shallows of Barbados. Zoologica Scr. 6, 229-232.
- JUST, J., 1977b. A new genus and species of corophiid Amphipoda from pteropod shells of the bathyal western Atlantic, with notes on related genera (Crustacea). Steenstrupia 4, 131-138.
- KAIM-MALKA, R.A., 1976. Revision des Haploops (Crustacea, Amphipoda) de Mediterranee. Boll. Mus. civ. Stor. nat. Verona 3, 269-308.
- KAMENSKAJA, O.E., 1977. (Two new species of ultraabyssal amphipods from Yap Trench). Trudy Inst. Okeanol. 108, 105-115. (In Russian.)
- KAMIHIRA, Y., 1977. A new species of sand-burrowing marine amphipods from Hokkaido, Japan. Bull. Fac. Fish. Hokkaido Univ. 28, 1-5.
- KARAMAN, G.S., 1971a. Beitrag zur Kenntnis der Amphipoden. 30. Ueber einige Amphipoden aus Griechenland und Kleinasien. Acta Mus. maced. Sci. nat. 12, 21-40.
- KARAMAN, G.S., 1971b. Beitrag zur Kenntnis der Amphipoden. 33. Ueber einige neue und schon bekannte Arten der Gattung Leucothoe (Fam. Leucothoidae) aus der Adria sowie dem Mittelmeer. Memorie Mus. civ. Stor. nat. Verona 19, 57-71.

KARAMAN, G.S., 1971c. Beitrag zur Kenntnis der Amphipoden. 35.

Zum Problem der Seba-Arten: Seba aloe n.sp. und Seba armata (Chevreux) (Fam. Sebidae). Memorie Mus. civ. Stor. nat. Verona 19, 73-90.

KARAMAN, G.S., 1972a. Contribution to the knowledge of the Amphipoda.

37. Niphargus asper, n.sp., Echinogammarus foxi (Schell.) and E. stocki G. Kar. (fam. Gammaridae) from Yugoslavia. Acta Mus. maced. Sci. nat. 13, 1-18.

KARAMAN, G.S., 1972b. Contribution to the knowledge of the Amphipoda.

38. On the genus Typhlogammarus (Schaferna) (fam. Gammaridae) from Yugoslavia. Fragm. balcan. 9, 21-34.

KARAMAN, G.S., 1972c. Contributions to the knowledge of the Amphipoda.

36. On some Echinogammarus and Chaetogammarus species from France and Italy. Glasn. rep. Zav. Zast. Prir. Zbirke Titogradu 4 (1971), 83-99.

KARAMAN, G.S., 1973a. Contribution to the knowledge of the Amphipoda.

42. On some new or very interesting Amphipoda of the Adriatic Sea. Memorie Mus. civ. Stor. nat. Verona 20 (1972), 99-147.

KARAMAN, G.S., 1973b. Contribution to the knowledge of the Amphipoda.

44. On three interesting Neogammarus species from Mediterranean and Adriatic seas (Amphipoda: Gammaridae). Acta Mus. maced. Sci. nat. 13, 109-129.

KARAMAN, G.S., 1973c. Contribution to the knowledge of the Amphipoda.

47. Two new Niphargus species from Crna Gora (Montenegro), N. inclinatus n.sp. and N. boskovicci alatus n.ssp. Periodicum biol. 75, 275-283.

KARAMAN, G.S., 1973d. Contribution to the knowledge of the Amphipoda.

48. Two new species of family Gammaridae from Yugoslavia, Niphargus deelemanae n.sp. and Typhlogammarus algor n.sp. Arch. Hydrobiol. 72, 490-500.

KARAMAN, G.S., 1973e. Contribution to the knowledge of the Amphipoda.

49. On three Niphargus species (Family Gammaridae) from the Balkans. Int. J. Speleol. 5, 143-152.

KARAMAN, G.S., 1973f. Contribution to the knowledge of the Amphipoda.

51. Two members of Echinogammarus simoni group from Southern Europe, E. cari (S. Kar. 1931) and E. roco n.sp. (fam Gammaridae). Poljopr. Sum. 19(1), 1-21.

KARAMAN, G.S., 1973g. Contribution to the knowledge of the Amphipoda.

53. Some new or very interesting Gammarus species from southern Europe and Asia Minor. Poljopr. Sum. 19(3), 1-42.

KARAMAN, G.S., 1973h. Contribution to the knowledge of the Amphipoda.

54. On the genus Bogidiella Hert. (fam. Gammaridae) in Yugoslavia. Poljopr. Sum. 19(4), 21-53.

- KARAMAN, G.S., 1974a. Contribution to the knowledge of the Amphipoda.  
46. Two subterranean Niphargus species from Yugoslavia, N. stankoi n.sp. and N. ilidzensis Schaferna (Fam. Gammaridae). Glasn. rep. Zav. Zast. Prir. prirodn. Zbirke Tirogradu 6 (1973), 35-57.
- KARAMAN, G.S., 1974b. Contribution to the knowledge of the Amphipoda.  
58. Genus Synirella Wrzes. in Yugoslavia with remarks on its all world known species, their synonymy, bibliography and distribution (Fam. Gammaridae). Poljopr. Sum. 20(2-3), 49-60.
- KARAMAN, G.S., 1974c. Crustacea Amphipoda in Catalogus Faunae Jugoslaviae (Ljubljana) 3 - 3, 1-42.
- KARAMAN, G.S., 1975a. Contribution to the knowledge of the Amphipoda.  
56. Gammarus species from Asia Minor (Fam. Gammaridae). Boll. Mus. civ. Stor. nat. Verona 1, 311-343.
- KARAMAN, G.S., 1975b. Contribution to the knowledge of the Amphipoda.  
61. Ampelisca dalmatina n.sp., one new ampeliscid from the Adriatic Sea (fam. Ampeliscidae). Poljopr. Sum. 21, 105-112.
- KARAMAN, G.S., 1975c. Contribution to the knowledge of the Amphipoda.  
63. Ampithoe helleri n.sp., a new name for Ampithoe bicuspis Heller 1866. Glasn. rep. Zav. Zast. Prir. prirodn. Zbirke Titogradu 8, 39-41.
- KARAMAN, G.S., 1975d. Contribution to the knowledge of the Amphipoda.  
65. Two interesting amphipods from the Adriatic Sea, Iphimedea jugoslavica n.sp. and Idunella pirate Krapp-Schickel, 1975. Poljopr. Sum. 21, 31-48.
- KARAMAN, G.S., 1975e. Contribution to the knowledge of the Amphipoda.  
68. Description of 2 new species of the genus Ampelisca (Family Ampeliscidae) along with a redescription of A. bouvieri Chevreux, 1913. Beaufortia 24, 37-54.
- KARAMAN, G.S., 1975f. Contribution to the knowledge of the Amphipoda.  
73. Three Niphargus species from Yugoslavia and Italy, N. ambulator n.sp., N. pupetta Sket and N. transitivus Sket (fam. Gammaridae). Poljopr. Sum. 21, 13-34.
- KARAMAN, G.S., 1976a. Contribution to the knowledge of the Amphipoda.  
71. Two Niphargus species from Crna Gora, N. pavicevici n.sp. and N. evijici S. Karaman, 1950 (Fam. Gammaridae). Glas. rep. Zav. Zast. Prir. prirodn. Zbirke Titogradu 9, 21-30.
- KARAMAN, G.S., 1976b. Contribution to the knowledge of the Amphipoda.  
75. Description of one new species of the genus Gammarus (family Gammaridae) from the Ohrid Lake, G. stankokaramani n.sp. Poljopr. Sum. 22, 87-96.
- KARAMAN, G.S., 1976c. Contribution to the knowledge of the Amphipoda.  
76. Gammarus macedonicus n.sp., one new species from Ohrid Lake. Posebno Izd. prirod. Muz. Skopje 7, 71-79.

- KARAMAN, G.S., 1976d. Contribution to the knowledge of the Amphipoda.  
72. Four new Niphargus species from Italy, N. duplus, N. stygocharis italicus, N. ruffoi, and N. canui (Gammaridae). Vie Milieu 26c, 21-50.
- KARAMAN, G.S., 1977a. Contribution to the knowledge of the Amphipoda.  
81. Revision of the genus Carinurus Sov. 1915 from Baikal Lake (fam. Gammaridae). Poljopr. Sum. 13, 33-52.
- KARAMAN, G.S., 1977b. Contribution to the knowledge of the Amphipoda.  
82. New members of the genus Cheiocratus Nor. from Mediterranean Sea, C. monodontus n.sp. (fam. Gammaridae). Glas. rep. Zav. Zast. Prir. prir. Zbirke Titogradu 10, 59-68.
- KARAMAN, G.S., 1977c. Contribution to the knowledge of the Amphipoda.  
88. The value of genus Neogammarus (Ruffo 1937) and its relation to the genus Echinogammarus Stebb. 1889 (fam. Gammaridae). Animalia 4, 109-121.
- KARAMAN, G.S. & S. PINKSTER, 1977a. Freshwater Gammarus species from Europe, North Africa and adjacent regions of Asia (Crustacea - Amphipoda) Part I - Gammarus pulex group and related species. Bijdr. Dierk. 47, 1-97.
- KARAMAN, G.S. & S. PINKSTER, 1977b. Freshwater Gammarus species from Europe, North Africa and adjacent regions of Asia (Crustacea - Amphipoda) Part II. Gammarus roeseli - group and related species. Bijdr. Dierk. 47, 165-196.
- KARAMAN, G.S. & S. RUFFO, 1971. (Contribution to the knowledge of the Mediterranean species of the genus Maera). Memorie Mus. civ. Stor. nat. Verona 19, 113-176. (In Italian with English summary.)
- KARAMAN, G.S. & S. RUFFO, 1977. On some interesting Echinogammarus species from the Mediterranean basin with description of a new species, E. catacumbeae n.sp. (Amphipoda, Gammaridae). Animalia 4, 163-182.
- KARAMAN, G.S. & E. TIBALDI, 1973. Some new Echinogammarus species (Amphipoda, Gammaridae) from Italy. Memorie Mus. civ. Stor. nat. Verona 20(1972), 325-344.
- KENSLEY, B., 1972. Amphipoda from Southern Angola. Ann. S. Afr. Mus. 57, 149-156.
- KNOTT, B., 1975. A new species of freshwater amphipod, Paracalliope larai (family Eusiridae), from Tasmania. Pap. Proc. R. Soc. Tasm. 109, 39-52.
- KRAPP-SCHICKEL, G., 1974. Camill HELLERS Sammlung Adriatischer Amphipoden - 1866 und heute. Annln naturh. Mus. Wien 78, 319-379.
- KRAPP-SCHICKEL, G., 1975a. Neues über die Liljeborgiiden des Mittelmeeres (Crustacea, Amphipoda). Boll. Mus. civ. Stor. nat. Verona 1(1974), 455-472.

- KRAPP-SCHICKEL, G., 1975b. Revision of Mediterranean Leucothoe species (Crustacea, Amphipoda). *Boll. Mus. civ. Stor. nat. Verona* 2, 91-118.
- KRAPP-SCHICKEL, G., 1976. Die Gattung Stenothoe (Crustacea, Amphipoda) in Mittelmeer. *Bijdr. Dierk.* 46, 1-34.
- KUDRJASHOV, V.A., 1972. On a new species of Dogielinotus (Amphipoda) from the Sea of Okhotsk. *Crustaceana, Suppl.* 3, 246-250.
- KUDRJASHOV, V.A., 1973. (New amphipod species (Gammaridae) from the intertidal zone of the Kurile Islands). *Zool. Zh.* 34, 364-371.
- KUDRJASHOV, V.A. & N.L. TZVETKOVA, 1975. (New and rare species of Amphipods (Gammaridae) from the coastal waters of the South Sakhalin). *Zool. Zh.* 54, 1306-1315. (In Russian, English summary.)
- LAUBITZ, D.R., 1972. The Caprellidae (Crustacea: Amphipoda) of Atlantic and Arctic Canada. *Publs biol. Oceanogr. natn. Mus. Can.* 4, 1-82.
- LAUBITZ, D.R., 1977. A revision of the genera Dulichia Kroyer and Paradulichia Boeck (Amphipoda, Podoceridae). *Can. J. Zool.* 55, 942-982.
- LAUBITZ, D.R. & G.S. LEWBEL, 1974. A new species of caprellid (Crustacea: Amphipoda) associated with gorgonian octocorals. *Can. J. Zool.* 52, 549-551.
- LAUBITZ, D.R. & E.L. MILLS, 1972. Deep-sea Amphipoda from the western north Atlantic Ocean. Caprellidae. *Can. J. Zool.* 50, 371-383.
- LEDOYER, M., 1972. Amphipodes Gammatiens vivant dans les alveoles des constructions organogenes recifales intertidales de la region de Tulear (Madagascar). Etude systematique et ecologique. *Tethys, Suppl.* 3, 165-286.
- LEDOYER, M., 1973a. Amphipodes gammatiens de la frondaison des herbiers d'Enhalus de la region de Nosy-Be (Madagascar) (Systematique et ecologique). comparaison avec la faune des herbiers de Tulear (Cymodocea, Thalassia, etc.). *Tethys, Suppl.* 5, 25-36.
- LEDOYER, M., 1973b. Etude des amphipodes gammatiens des biotopes de substrats sableux et sablo-vaseux de la region de Tulear et de Nosy-Be (Madagascar). *Tethys, Suppl.* 5, 51-94.
- LEDOYER, M., 1973c. Etude systematique des amphipodes recueillis a Tulear (Madagascar) lors d'une petite serie de peches a la lumiere. Comparaison avec les phenomenes observes en Mediterranee. *Tethys, Suppl.* 5, 37-50.
- LEDOYER, M., 1973d. Amphipodes gammatiens nouveaux ou peu connus de la region de Marseille. *Tethys* 4(1972), 881-898.

LEDOYER, M., 1976. Megaluropus monasteriensis (Crustacea, Amphipoda, Gammaridae) espece nouvelle de Mediterranee comparee a M. agilis massiliensis n.ssp. et a M. agilis Hoek. Bull Mus. natn. Hist. nat. Paris (3)336 (1975), 1305-1316.

LEDOYER, M., 1977. Contribution a l'etude de l'ecologie de la faune vagile profonde de la Mediterranee Nord Occidentale. 1. Les gammariens (Crustacea, Amphipoda). Boll. Mus. civ. Stor. nat. Verona 4, 321-421.

LEDOYER, M., 1978. Amphipodes gammariens (Crustacea) des biotopes cavitaires organogenes recifaux de l'Ile Maurice (Ocean Indien). Mauritius Inst. Bull. 8, 197-332.

LINCOLN, R.J. & D.E. HURLEY, 1974. Scutocyamus parvus, a new genus and species of whale louse (Amphipoda, Cyamidae) ectoparasitic on the North Atlantic white-beaked dolphin. Bull. Br. Mus. nat. Hist. (Zool.) 27, 59-64.

LOWRY, J.K., 1972. Taxonomy and distribution of Microprotopus along the east coast of the United States (Amphipoda, Isaeidae). Crustaceana, Suppl. 3, 277-286.

LOWRY, J.K., 1974. A new species of the amphipod Biancolina from the Sargasso Sea. Trans. Am. microsc. Soc. 93, 71-78.

LOWRY, J.K., 1976. Neoxenodice cryophile, a new podocerid from the Ross Sea, Antarctica (Amphipoda). Crustaceana 30, 98-104.

MAREN, M.L. van, 1973. A new Echinogammarus of the pungens-group, Echinogammarus pinksteri nov. sp. from central Italy (Crustacea, Amphipoda). Bull. zool. Mus. Univ. Amsterdam 3, 103-108.

MARTIN, D.W., 1977. Survey of the family Caprellidae (Crustacea, Amphipoda) from selected sites along the northern California coast. Bull. 8th Calif. Acad. Sci. 76, 146-167.

MATEUS, A., 1974. Description d'une nouvelle espece d'Echinogammarus (Amphipoda, Gammaridae) du Portugal. Publicoes Inst. Zool. Dr. Augusto Nobre 123, 1-32.

MATEUS, A. & E. de O. MATEUS, 1972. Une nouvelle espece d'Hadzia (Crustacea Amphipoda) du Portugal. Publicoes Inst. Zool. Dr. Augusto Nobre 117, 9-30.

MATEUS, E. de O. & O. AFONSO, 1974. Etude d'une collection d'Amphipoda des Acores avec la description d'une nouvelle espece. Publicoes Inst. Zool. Dr. Augusto Nobre 126, 9-39.

McCAIN, J.C., 1971. A new deep-sea species of Epimeria from Oregon. Crustaceana 20, 159-166.

McCAIN, J.C. & W. SCOTT GRAY, 1971. Antarctic and subantarctic Caprellidae (Crustacea, Amphipoda). Antarct. Res. Ser. Washington 17, 111-139.

MCKINNEY, L.D. & J.L. BARNARD, 1977. A new marine genus and species of the Nuuauu-group (Crustacea, Amphipoda) from the Yucatan Peninsula. Proc. biol. Soc. Wash. 90, 161-171.

MILLS, E.L., 1971. Deep-sea Amphipoda from the western North Atlantic Ocean. The family Ampeliscidae. Limnol. Oceanogr. 16, 357-386.

MORDUKHAI-BOLTOVSKOI, F.D. & S.M. LJAKCHOV, 1972. (A new amphipod species of the genus Stenogammarus (Gammaridae) in the Volga river basin.) Zool. Zh. 51, 21-27. (In Russian.)

MORINO, H., 1972. Studies on the Talitridae (Amphipoda, Crustacea) in Japan. 1. Taxonomy of Talorchestia and Orchestoidea. Publs Seto mar. biol. Lab. 21, 43-65.

MYERS, A.A., 1972. Taxonomic studies on the genus Grandidierella Coutiere (Crustacea, Amphipoda) III. The Malagasy species. Bull. Mus. natn Hist. nat. Paris (3)64, 789-796.

MYERS, A.A., 1973a. Neomegamphopus kunduchi sp. nov. (Crust: Amphipoda) from East Africa, with a discussion of gnathopodal dominance in isaeiid amphipods. Zool. J. Linn. Soc. 52, 263-267.

MYERS, A.A., 1973b. A new species of amphipod (Microdeutopus obtusatus sp. nov.) from the Aegean Sea. Memorie Mus. civ. Stor. nat. Verona 20(1972), 303-321.

MYERS, A.A., 1974a. A new species of commensal amphipod from East Africa. Crustaceana 26, 33-36.

MYERS, A.A., 1974b. Studies on the genus Lembos Bate. 1. Mediterranean endemics: L. spiniventris (Della Valle), L. angularis Ledoyer, L. viquieri Chevreux, L. rubromaculatus Ledoyer, L. viduarum sp. nov. Boll. Mus. civ. Stor. nat. Verona 1, 11-52.

MYERS, A.A., 1975a. Studies on the genus Lembos Bate. 2. Indo-Pacific species: L. quadrimanus Sivaprakasam, L. punctatus sp. nov., L. parahastatus sp. nov., L. palmatus (Ledoyer). Boll. Mus. civ. Stor. nat. Verona 1(1974), 359-385.

MYERS, A.A., 1975b. Studies on the genus Lembos Bate. 3. Indo-Pacific species: L. kidali sp. nov., L. ruffoi sp. nov., L. excavatus sp. nov., L. leptochirus Walker. Boll. Mus. civ. Stor. nat. Verona 2, 13-50.

MYERS, A.A., 1976a. The genera Megamphopus Norman and Microprotopus Norman (Amphipoda, - Gammaridea) in the Mediterranean. Bull. Mus. natn. Hist. nat. Paris 250, 121-132.

MYERS, A.A., 1976b. Studies on the genus Lembos Bate. 4. L. megacheir (Sars), L. borealis sp. nov., L. hirsutipes Stebbing, L. karamani sp. nov., L. setimerus sp. nov. Boll. Mus. civ. Stor. nat. Verona, 3, 445-477.

- MYERS, A.A., 1977a. Studies on the genus Lembos Bate. 5. Atlantic species: L. smithi (Holmes), L. brunneomaculatus sp. nov., L. minimus sp. nov., L. unifasciatus sp. nov. *Boll. Mus. civ. Stor. nat. Verona* 4, 95-124.
- MYERS, A.A., 1977b. Studies on the genus Lembos Bate. 6. Atlantic species. L. dentischium sp. nov., L. kunkelae sp. nov., L. rectangulatus sp. nov., L. unicornis Bynum & Fox. *Boll. Mus. civ. Stor. nat. Verona* 4, 125-154.
- MYERS, A.A., 1977c. Two new species of the amphipod genus Microdeutopus Costa from the Mediterranean Sea. *Boll. Mus. civ. Stor. nat. Verona* 4, 475-478.
- ORTIZ, M., 1976a. (A new genus and new species of amphipods from Cuban waters (Amphipoda, Gammaridae, Ampithoidae)). *Ciencias, La Habana (Invest. mar.)* (8)27, 3-12. (In Spanish.)
- ORTIZ, M., 1976b. (A new amphipod from Cuban waters). *Ciencias, La Habana (Invest. mar.)* (8)25, 21-35. (In Spanish.)
- ORTIZ, M., 1976c. (A new amphipod (Amphipoda, Gammaridea, Gammaridae), collected from the stomach content of the Yellow Grunt Haemulon sciurus in Cuban waters. *Ciencias, La Habana (Invest. mar.)* (8)27, 13-20. (In Spanish.)
- ORTIZ, M., 1976d. (A new species of wood-boring amphipod (Amphipoda, Gammaridea, Cheluridae) from Cuba). *Ciencias, La Habana (Invest. mar.)* (8)27, 21-26. (In Spanish.)
- PINKSTER, S., 1971. Members of the Gammarus pulex-group from North Africa and Spain, with description of a new species from Morocco. *Bull. zool. Mus. Univ. Amsterdam* 2, 45-52.
- PINKSTER, S., 1972. On members of the Gammarus pulex-group (Crustacea, Amphipoda) from western Europe. *Bijdr. Dierk.* 42, 164-191.
- PINKSTER, S., 1973. The Echinogammarus berilloni-group, a number of predominantly Iberian amphipod species (Crustacea). *Bijdr. Dierk.* 43, 1-38.
- PINKSTER, S. & A. GOEDMAKERS, 1975. On two freshwater species of the genus Gammarus from North America (Crustacea, Amphipoda). *Beaufortia* 23, 93-100.
- PINKSTER, S. & J.H. STOCK, 1972. Members of the Echinogammarus simoni-group and the genus Eulimnogammarus (Crustacea, Amphipoda) from the Iberian Peninsula and North Africa, with description of a new species. *Bull. zool. Mus. Univ. Amsterdam* 2, 85-115.
- PJATAKOVA, G.M., 1962a. Novye formy gammarid Kaspijskogo morja. (New forms of gammarids from the Caspian Sea). *Dokl. Akad. Nauk azerb. SSR* 18(6), 47-51.

- PJATAKOVA, G.M., 1962b. Niphargoides derzhavini - Novyy vid amfipod Kaspijkogo morja. (N. derzhavini, a new amphipod species from the Caspian Sea). Dokl. Akad. Nauk azerb. SSR 18(11), 71-73.
- QUITETE, J.M., Penteado de Aranjo, 1975. (Orthoprotella melloi, a new species of caprellid (Crustacea: Amphipoda) of the Brazilian coast). Univ. Fed. Rio de Janeiro, Inst. Biol., Dept. Zool. 24, 1-9. (In Spanish.)
- RABINDRANATH, P., 1971a. Two new gammaridean amphipods from the Gulf of Mannar, S. India. Hydrobiologia 37, 152-172.
- RABINDRANATH, P., 1971b. A new liljeborgiid amphipod from Kerala, India. Biol. Bull. mar. biol. Lab, Woods Hole 140, 482-488.
- RABINDRANATH, P., 1971c. Haustoriid amphipods from India. Hydrobiologia 38, 521-539.
- RABINDRANATH, P., 1971d. On a collection of Isaeidae (Crustacea: Amphipoda) from the southern Indian Ocean. Bijdr. Dierk. 41, 67-93.
- RABINDRANATH, P., 1972a. Marine Gammaridea (Crustacea: Amphipoda) from the Indian region: family Ampithoidae. Mar. Biol. 14, 161-178.
- RABINDRANATH, P., 1972b. Marine Gammaridea (Crustacea: Amphipoda) from the Indian region: family Amphilochidae. Hydrobiologia 39, 509-526.
- RABINDRANATH, P., 1972c. Studies on gammaridean Amphipoda (Crustacea) from India. Bull. zool. Mus. Univ. Amsterdam 2, 155-172.
- RUFFO, S., 1972. (Studies on amphipod crustaceans. 69. A new genus of Lysianassidae from the Gulf of Naples and observations of Lysianella dellavallei Stebbing (Crustacea, Amphipoda). Memorie Mus. civ. Stor. nat. Verona 19 (1971), 103-112. (In Italian.)
- RUFFO, S., 1974a. (Studies on amphipod crustaceans. 75. The genus Synurella Wrzesn. in Anatolia, description of a new species, and a reevaluation of Lyurella hyrcana Derzh. (Crustacea Amphipoda Gammaridae)). Memorie Mus. civ. Stor. nat. Verona 20 (1972), 389-404. (In Italian.)
- RUFFO, S., 1974b. (Studies on Crustacea Amphipods. 77. New interstitial amphipods from the coast of South Africa). Atti Ist. veneto Sci. 132, 399-419. (In Italian.)
- RUFFO, S., 1975. (Studies on Crustacea Amphipoda. 78. New lysianassids and stegocephalids from the Mediterranean (Crustacea, Amphipoda)). Boll. Mus. civ. Stor. nat. Verona 1 (1974), 439-453. (In Italian.)
- RUFFO, S. & U. SCHIECKE, 1976. (A new Bogidiella from Crete (Amphipoda, Gammaridae), Bogidiella minotaurus n.sp.). Boll. Mus. civ. Stor. nat. Verona 3, 147-155. (In Italian.)

- RUFFO, S. & U. SCHIECKE, 1977. (The Mediterranean species of the genus Lepidipectrum Bate & Westwood (Amphipoda, Lysianassidae)). Boll. Mus. civ. Stor. nat. Verona 4, 429-447. (In Italian, with German summary).
- RUFFO, S. & G. VESENTINI PAIOTTA, 1972. Etudes hydrobiologiques en Nouvelle Caledonie (Mission 1965 du premier institut de Zoologie de l'Universite de Vienne) (Amphipodes de la Nouvelle Caledonie). Cah. Off. Rech. Sci. Tech. Outre-Mer (Ser. Hydrobiologie) 6, 247-260.
- RUFFO, S. & A. VIGNA-TAGLIANTI, 1974. Three new subterranean Bogidiella from Mexico and Guatemala (Crustacea, Amphipoda). Quaderni Accad. Naz. Lincei 171 (1973), 105-133.
- RUFFO, S. & A. VIGNA-TAGLIANTI, 1977. (Second contribution to the knowledge of the genus Bogidiella in Mexico and Guatemala (Crustacea, Amphipoda, Gammaridae)). Quaderni Accad. Naz. Lincei 171(3), 125-172.
- SCHIECKE, U., 1976a. Eine marine Ingolfiella (Amphipoda : Ingolfiellidae) im Golf von Neapel: Ingolfiella ischittana n.sp. Boll. Mus. civ. Stor. nat. Verona 3, 413-420.
- SCHIECKE, U., 1976b. Eine zweite Art der Gattung Amphithopsis Boeck (Amphipoda): A. depressa n.sp. aus dem Golf von Neapel (Italien). Boll. Mus. civ. Stor. nat. Verona 3, 421-434.
- SCHIECKE, E., 1976c. Xenodice macrophtalma n.sp. (Amphipoda : Podoceridae) from the Bay of Naples, Italy with correction of the genus diagnosis. Boll. Mus. civ. Stor. nat. Verona 3, 435-443.
- SCHIECKE, U., 1977. Zwei neue Vertreter der Cyproideinae (Amphipoda : Amphilochidae) aus dem Mittelmeer : Pseudopeltocoxa gibbosa n.g. n.sp. und Peltocoxa mediterranea n.sp. Boll. Mus. civ. Stor. nat. Verona 4, 525-542.
- SHULENBERGER, E. & J.L. BARNARD, 1976. Amphipods from an abyssal trap set in the North Pacific gyre. Crustaceana 31, 241-258.
- SILVA BRUM, I.N. da, 1975. (Spelaeogammarus bahiensis n.gen., n. sp. of cavernicolous amphipod from Brazil (Amphipoda, Bogidiellidae)). Atas Soc. biol. Rio de J. 17, 125-128. (In Portuguese).
- SIVAPRAKASAM, T.E., 1971a. Amphipods of the family Ampithoidae from the Madras Coast. J. mar. biol. Ass. India 12 (1970), 54-80.
- SIVAPRAKASAM, T.E., 1971b. Amphipods of the genus Lembos Bate from the south-east coast of India. J. mar. biol. Ass. India 12 (1970), 81-92.
- SIVAPRAKASAM, T.E., 1971c. Description of Atylus (Kamehatylus) processifer sp.nov. (Amphipoda : Dexaminiidae) from the Gulf of Mannar, India. J. mar. biol. Ass. India 12 (1970), 93-96.
- SIVAPRAKASAM, T.E., 1972. A new species of Idunella Sars (Amphipoda, Liljeborgiidae) from India. Crustaceana, Suppl. 3, 308-312.

- SKET, B., 1971. Vier neue aberrante Niphargus - Arten (Amphipoda, Gammaridae) und einige Bemerkungen zur Taxonomie der Niphargus - ähnlichen Gruppen. Raspr. slov. Akad. Znan. Umet. Ljubljana 14, 1-25.
- SKET, B., 1972. Die Niphargus jovanivici-Gruppe (Amphipoda, Gammaridae) in Jugoslawien und NO-Italien, taxonomisch, zoogeografisch und phylogenetisch betrachtet. Razprave Diss., Ljubljana 15, 3-45.
- STEVENSON, M.M. & A.E. PEDEN, 1973. Description and ecology of Hyalella texana n.sp. (Crustacea : Amphipoda) from the Edwards Plateau of Texas. Am. Midl. Nat. 89, 426-436.
- STOCK, J.H. 1971. A revision of the Sarathrogammarus-group (Crustacea Amphipoda). Bijdr. Dierk. 41, 94-129. (See also Bijdr. Dierk. 42, p.91 where the genus name is corrected to Sarothrogammarus).
- STOCK, J.H., 1974a. The systematics of certain Ponto-Caspian Gammaridae (Crustacea, Amphipoda). Mitt. Ham. zool. Mus. Inst. 70, 79-95.
- STOCK, J.H., 1974b. Echinogammarus afer sp. nov., un nouvel amphipode Gammaride d'Afrique du Nord. Boll. Mus. civ. Stor. nat. Verona 1, 1-10.
- STOCK, J.H., 1976. A new member of the crustacean suborder Ingolfiellidea from Bonaire. Stud. Fauna Curacao 50, 56-75.
- STOCK, J.H., 1977a. The taxonomy and zoogeography of the hadziid Amphipoda with emphasis on the West Indian taxa. Stud. Fauna Curacao 55, 1-130.
- STOCK, J.H., 1977b. The zoogeography of the crustacean suborder Ingolfiellidea with description of new West Indian Taxa. Stud. Fauna Curacao 55, 131-146.
- STOCK, J.H., 1978. Bogidiella martini, un nouvel amphipode souterrain de l'Isle Saint-Martin (Antilles) et la zoogeographie des Bogidiellidae. Int. J. Speleol. 9, 103-113.
- STOCK, J.H. & T. GLEDHILL, 1977. The Niphargus kochianus-group in north-western Europe. Crustaceana Suppl. 4, 212-243.
- THURSTON, M.H., 1972. Two new species of Orchomene Boeck (Crustacea, Amphipoda) from the Falkland Islands, S. Georgia and Graham Land. Bull. Br. Antarct. Surv. 30, 51-63.
- THURSTON, M.H., 1973. A new species of Paramelita (Crustacea, Amphipoda) from South Africa. Ann. S. Afr. Mus. 62, 159-168.
- THURSTON, M.H., 1974a. The Crustacea Amphipoda of Signy Island, South Orkney Islands. Scient. Rep. Br. Antarct. Surv. 71 (1972), 1-133.
- THURSTON, M.H., 1974b. Crustacea Amphipoda from Graham Land and the Scotia Arc, collected by Operation Tabarin and the Falkland Islands Dependencies Survey, 1944-1959. Scient. Rep. Br. Antarct. Surv. 85, 1-89.

- THURSTON, M.H., 1976. New pelagic amphipods (Crustacea: Amphipoda) collected in the Sond Cruise. *J. mar. biol. Ass. U.K.* 56, 143-159.
- TZVETKOVA, N.L., 1972. (Taxonomy of the genus Gammarus Fabr. with the description of some new species of gammarids (Amphipoda, Gammaridea) from the north-western part of the Pacific Ocean.) *Trudy zool. Inst. Leningr.* 52, 201-222. (In Russian.)
- TZVETKOVA, N.L., 1975. (A new species of Pleustidae (Amphipoda), a commensal of sea urchins, from the Commander Islands). *Zool. Zh.* 54, 121-124. (In Russian, with English summary.)
- TZVETKOVA, N.L., 1976. (New species of Dexaminidae, Phliantidae and Biancolinidae, warm-water elements of the Possjet Bay fauna (Sea of Japan)). *Zool. Zh.* 55, 684-695. (In Russian.)
- UENO, M., 1971a. The fauna of the insular lava caves in West Japan. 7. Subterranean Amphipoda. *Bull. natn Sci. Mus. Tokoyo* 14, 161-170.
- UENO, M., 1971b. Subterranean Amphipoda from the Islands of Tsushima. *Bull. natn Sci. Mus. Tokyo* 14, 195-199.
- VASILENKO, S.V., 1972a. (New species of the genus Caprella (Amphipoda, Caprellidae) from the sea of Okhotsk and the north-west Pacific). *Trudy zool. Inst. Leningr.* 52, 223-236. (In Russian.)
- VASILENKO, S.V., 1972b. (A new family, new genus and species of caprellids (Amphipoda, Caprellidea) from the North Pacific). *Trudy zool. Inst. 52*, 237-250. (In Russian.)
- VASILENKO, S.V., 1974. (Caprellidea (skeleton shrimps) in Russian and neighbouring seas. Order Amphipoda, families Paracercopidae, Phtisicidae, Caprellidae). *Opred. Faune SSSR* 107, 1-288. (In Russian.)
- VIGNA-TAGLIANTI, A., 1972. (A new Gammaridae of subterranean waters: Ilvanella inexpectata n.gen., n.sp. of the island of Elba). *Memorie Mus. civ. Stor. nat. Verona* 19 (1971), 39-56. (In Italian.)
- VINOGRADOV, M.E., 1976. (New species of Hyperiida (Amphipoda, Hyperiidae) from the Tropical Pacific). *Trudy Inst. Okeanol.* 105, 130-134. (In Russian, with English minisummary.)
- WARD, J.V., 1977. First records of subterranean amphipods from Colorado with descriptions of 3 new species of Stygobromus (Crangonyctidae). *Trans. Am. microsc. Soc.* 96, 452-466.
- WATLING, L., 1975. Parametopella iquelinus, new species from Delaware oyster beds (Amphipoda: Stenothoidae). *Proc. biol. Soc. Wash.* 88, 429-432.
- WATLING, L. & D. MAURER, 1973. A new euryhaline species of Parapleustes (Amphipoda) from the east coast of North America. *Proc. biol. Soc. Wash.* 86, 1-8.
- ZHANG WEI-QUAN, 1974. (A new species of the genus Corophium from the southern coast of Shantung peninsula, North China (C. sinense sp.n.)). *Studia mar. sin.* 1974 (9), 139-? (In Chinese, with English summary.)

NEW AND REVISED TAXA IN AMPHIPOD NESLETTER 1 - 10. AN INDEX TO THE BIBLIOGRAPHY. III. SYSTEMATIC INDEX OF NEW SPECIES, INCLUDING SUB-SPECIES NEWLY RAISED TO SPECIFIC RANK.

George I. Crawford & Wim Vader

Introduction with associated bibliography

1. New species, and subspecies newly raised to specific rank, are listed in alphabetical order of specific name in Part II of this index. These same species are here arranged in systematic order under genera, families and higher taxa. Subspecies newly raised to specific rank are entered in brackets; they will be found in a separate section of Part II. Subspecies, as such, are included in Part II but not in Part III.

2. The arrangement of families and higher taxa, apart from the Hyperiidea, follows the scheme in Table I on pp. 378, 379 of Bousfield 1978. (This scheme, though controversial, is the only currently available framework for the Amphipoda as a whole - apart from the Hyperiidea, where we follow Bowman and Gruner 1973.)

3. Genera are assigned to families as below:

(a) Bousfield 1978 is followed for Urothoidae (pp. 356, 357) and Pontoporeiidae (p. 359).

(b) Bousfield 1977 is followed for the families contained in superfamilies Gammaroidea (pp. 290-296), Melitoidea (pp. 296-300), Crangonyctoidea (pp. 300-303), Niphagoidea (pp. 303-305), Bogidielloidea (pp. 305-307), Melphidippoidea (pp. 307-308), and the synopiid group of families.

(c) Part I of this index (Crawford and Vader 1980) is followed for genera there listed as new, unless they are otherwise assigned under (a) or (b) above.

(d) Barnard 1969 is followed for genera not assigned under (a), (b) or (c) above.

4. Within the family, genera are arranged in alphabetical order.

5. Genera described as new in AN 1-10, and so recorded in Crawford and Vader 1980, are marked with an asterisk.

6. Species are listed alphabetically under the genus to which they were assigned in the original papers abstracted in AN 1-10 (see part II of this index for bibliography and detailed information on each species).

BARNARD, J.L., 1969. The Families and Genera of Marine Gammaridean Amphipoda. Bull. U.S. natn. Mus. 271.

BOUSFIELD, E.L., 1977. A new look at the systematics of Gammaridean Amphipods of the world. Crustaceana, Suppl. 4, 282-316.

BOUSFIELD, E.L., 1978. A Revised classification and phylogeny of amphipod crustaceans. Trans. R. Soc. Can. ser. 4, 16, 342-390.

BOWMAN, Th.E. & H.E. GRUNER, 1973. The families and genera of Hyperiidea (Crustacea: Amphipoda). Smithson. Contr. Zool. 146, 1-64.

CRAWFORD, G.I. & W. VADER, 1980. New and revised amphipod taxa in Amphipod Newsletter 1-10. An index to the bibliography. I. Genera and higher taxa - issued with Amphipod Newsletter 11.

List of species in systematic order

SUB-ORDER GAMMARIDEA

PHOXOCEPHALOIDEA

PHOXOCEPHALIDAE

* Birubius	panamunus
Harpiniopsis	percellaris, triplex
Heterophoxus	cephalodens, opus
Mandibulophoxus	latipes
Metaphoxus	brevidactylus, littoralis, longicarpus, platyrostris
Paraphoxus	chelatus, rakiura, spinibasus, vigitegus, waipiro
* Waitangi	brevirostris

UROTHOIDAE

* Cunicus	profundus
Urothoe	carda, coxalis, cuspis, elizae, gelasina, platydactyla, platypoda, tumorosa, wellingtonensis

LYSIANASSOIDEA

LYSIANASSIDAE

Acontiostoma	acutibasalis
Adeliella	olivieri
Anonyx	comecrudus
Aristias	madagascarensis
Arugella	indica
Cheirimedon	similis
Crybelocephalus	birsteini
Ensayara	angustipes, carpinei
Euonyx	scutatus
Hippomedon	rotundipleura, wecomus
Hippomedon (?)	macrocephalus, tracatrix
* Izinkala	fihla
Kerguelenia	adeliensis, reducta
Lepidepecrella	tridactyla
Lepidepecreoides	nubifer
Lepidipecrum	crypticum, nudum, subclypeatum, twalae
Menigrates	maslovi
Onesimoides	mediterraneus
Orchomene	arnaudi, gerulicornis, hureaui, massiliensis, morbihanensis, schellenbergi, tabarini, ultima
Orchomenella	mannarensis
Pachychelium	mediterraneum
Paracallisoma	platepistomum
Paralicella	caperesca
?Paralyssianopsis	mauritanus
Parawaldeckia	dilkera, stephensenii, yamba
Podopriionella	fissicaudata
* Pseudonesimoides	cornutilabris

* Rhinolabia	parthenopeia
Socarnes	dissimulantia, septimus
Tryphosella	marri, orana
Uristes	sulcus
* Valettiella	costellana

#### PONTOPOREIOIDEA

##### PONTOPOREIIDAE

Amphiporeia	gigantea
Bathyporeia	leucopthalma, parkeri, phaiophthalma

##### HAUSTORIIDAE

Eohaustorius	brevicuspis, estuarius, sawyeri
--------------	---------------------------------

#### GAMMAROIDEA

##### ACANTHOGAMMARIDAE

* Aspogammarus	bathyphilus, gulekani, levis, macropsis,
Carinurus	perplexus, puer, pulchelliformis
Homocerisca	amentatus, bazikalovae, bifrons,
* Kozhovia	(microphthalmus), (obscurus)
	tenuicauda
	mirabilis

##### ANISOGAMMARIDAE

Anisogammarus	aestuariorum
---------------	--------------

##### GAMMARIDAE

Chaetogammarus	contiguus
Echinogammarus	adipatus, afer, berytensis, bolo, (calvus), cannubensis, catacumbe, echinasetosus, feminatus, longisetosus, margalefi, meridionalis, obtusidens, palmyrensis, pinksteri, rashiini, roco, echinasetosus sicilianus, tabu, tarragonensis, tripoliensis, villaticus
Eulimnogammarus	minimus, simpliciformis
Gammarus	abscisus, acalceolatus, accolae, (agrarius), arduus, birsteini, breviramus, cantor, crenulatus, (dulensis), effultus, frater, goedmakersae, hyalelloides, (ibericus), inberbus, italicus, jenneri, kamschaticus, laborifer, laticoxalis, macedonicus, microps, mladenii, monapeliensis, obnixus, osellai, pavo, pseudosyriacus, (rambouseki), rouxi, stankokaramani, (stojicevici), uludagi, varsovienensis
* Ilvanella	inexpectata
Macropereiopus	grandimanus, mirus

<i>Neogammarus</i>	<i>adriaticus</i> , <i>nudus</i>
* <i>Rhipidogammarus</i>	<i>karamani</i>
<i>Sarothrogammarus</i>	<i>trichiatus</i>

#### PONTOGAMMARIDAE

<i>Akerogammarus</i>	<i>knipowitschi</i>
<i>Gmelina</i>	<i>brachyura</i>
<i>Niphargooides</i>	<i>boltovskoyi</i> , <i>derzhavini</i>
* <i>Obesogammarus</i>	<i>turcarum</i>
<i>Pontogammarus</i>	<i>paradoxus</i>
<i>Stenogammarus</i>	<i>dzjubani</i> , <i>kereuschi</i> (alt. spellings: <i>carausui</i> , <i>karausachi</i> , <i>kereushui</i> )

#### TYPHLOGAMMARIDAE

<i>Typhlogammarus</i>	<i>algor</i>
-----------------------	--------------

#### CRANGONYCTOIDEA

##### PARAMELITIDAE

<i>Paramelita</i>	<i>barnardi</i>
-------------------	-----------------

##### CRANGONYCTIDAE

<i>Crangonyx</i>	<i>setiferus</i>
<i>Palaeogammarus</i>	<i>danicus</i>
<i>Stygobromus</i>	<i>abditus</i> , <i>ackerleyi</i> , <i>arizonensis</i> , <i>baroodyi</i> , <i>barryi</i> , <i>biggersi</i> , <i>borealis</i> , <i>carolinensis</i> , <i>coloradensis</i> , <i>culveri</i> , <i>cumberlandus</i> , <i>dicksoni</i> , <i>elliotti</i> , <i>estesi</i> , <i>fecundus</i> , <i>fergusoni</i> , <i>finleyi</i> , <i>franzi</i> , <i>gradyi</i> , <i>grahami</i> , <i>grandis</i> , <i>harai</i> , <i>hoffmani</i> , <i>holsingeri</i> , <i>inexpectatus</i> , <i>interitus</i> , <i>kenki</i> , <i>lacicolus</i> , <i>leensis</i> , <i>mackenziei</i> , <i>minutus</i> , <i>montanensis</i> , <i>mysticus</i> , <i>nanus</i> , <i>obrutes</i> , <i>obscurus</i> , <i>oregonensis</i> , <i>pennaki</i> , <i>phreaticus</i> , <i>pollostus</i> , <i>pseudospinosus</i> , <i>puteanus</i> , <i>redactus</i> , <i>sheldoni</i> , <i>sierrensis</i> , <i>sparsus</i> , <i>steigerorum</i> , <i>tahoensis</i> , <i>tritus</i> , <i>wengerorum</i>
<i>Synurella</i>	<i>osellai</i>

##### PSEUDOCRANGONYX-STERNOPHYSINX FAMILY GROUP

* <i>Sternophysinx</i>	<i>filaris</i> , <i>transvaalensis</i>
* <i>Tabatzius</i>	<i>copillius</i>

#### NIPHARGOIDEA

##### NIPHARGIDAE

<i>Niphargus</i>	<i>aberrans</i> , <i>adbiptus</i> , <i>altagahizi</i> , <i>alutensis</i> , <i>ambulator</i> , <i>asper</i> , <i>brevirostris</i> , <i>canui</i> , <i>deelemanae</i> , <i>duplus</i> , <i>inclinatus</i> , <i>microcerberus</i> , <i>nadarini</i> , ( <i>pachypus</i> ), <i>pavecevici</i> , <i>pectinicauda</i> , <i>rostratus</i> , <i>ruffoi</i> , <i>stankoi</i> , <i>talikadzei</i> , <i>transitivus</i>
------------------	--

## BOGIDIELLOIDEA

### BOGIDIELLIDAE

#### Bogidiella

araganoi, balearica, (dalmatina), (glacialis),  
holsingeri, martini, michaelae, minotaurus,  
niphargoides, orchestipes, pasquinii,  
abordonii, sootai, vomeroi

#### \* Bollegidia

capensis

### SPELAEOGAMMARUS FAMILY GROUP

#### \* Spelaeogammarus

bahiensis

## EUSIROIDEA

### EUSIRIDAE

- \* *Antarctogeneia*
- Atyloella*
- \* *Dolobrotus*
- Eusirus*
- Paramoera*
  
- Paramoerella*
- Pontogeneiella*
- Rhachotropis*
- \* *Ronconoides*
- Schraderia*

macrodactyla  
moke  
mardeni  
tridentatus  
hurleyi, husvikensis, lokowai, paakai,  
rangatira, relictia, rua, tsushima  
interstitialis  
maneroo  
caeca, glabra, inermis  
brevicornis  
acuticauda, barnardi, dubia

### PONTOGENEIIDAE

- \* *Gondogeneia*
- Pontogeneia*
- \* *Tethygeneia*

rotorua, spinicoxa  
barnardi, redfearni  
elanora, nalgo, tulkara, waminda

### CALLIOPIIIDAE

- Amphithopsis*
- Atylopsis*
- Leptamphopus*
- Oradarea*
- Paracalliope*

depressa  
orthodactylus, signiensis  
massiliensis  
acuminata, ocellata, rossi, unidentata  
karitane, larai, novaecaledoniae

### PARAMPHITHOIDAE

- Epimeria*
- Paramphithoe*
- \* *Subepimeria*

concordia, cora, yaquinae  
concinna, monocera, paraparadoxa  
geodesiae

## OEDICEROTOIDEA

### OEDICEROTIDAE

Bathymedon	vulpeculus
Bathyporeiapus	ruffoi
* Finoculodes	omnifera
* Monoculodopsis	longimana
* Patuki	breviuropus
Periocolodes	acuticoxa, pallidus
Synchelidium	americanum, bulytschevae, gurjanovae,
Westwoodilla	micropleon, miraculum manta

## LEUCOTHOOIDEA

### PLEUSTIDAE

Parapleustes	aestuarius, barnardi, echinoicus
* Pleustoides	carinatus
* Pleustomesus	japanicoides
* Pleustostenus	displosus
Pleusytes	coquilla

### AMPHILOCHIDAE

Amphilocella	laticarpa
Amphilochoides	pseudolongimanus
Amphilochus	opunake, planierensis
+ * Austropheonoides	maliee, mundoe, takkure
* Boltzia	minuta
Gitana	longicarpus
Gitanogeiton	tropica
Gitanopsis	desmondi, kupe, mariae, paguri, subpusilla
+ * Moolapheonoides	coocoo, kadee, poontee
+ * Narapheonoides	nullaya
Peltocoxa	mediterranea
* Pseudopeltocoxa	gibbosa
+ * Unguja	yaya
+ * Unyapheonoides	dabber

(+ sub-fam. Cyprloidinae)

## LEUCOTHOIDAE

Leucothoe	acutiloba, alcyone, assimilis, boolpooli, crenatipalma, dentata, goowera, oboa, occulta, predenticulata, serraticarpa, tarte torrida, yarrega
Leucothoides	angusticoxa

\* Leucothopsis

## ANAMIXIDAE

Anamixis	grossimana
Paranamixis	excavatus

## MAXILLIPIIDAE

\* *Maxillipius* rectitelson

## COLOMASTIGIDAE

*Colomastix* halichondriæ, janiceæ, keiskama  
\* *Yulamara* improvisa, wallangar

## NIHOTUNGIDAE

\* *Nihotunga* iluka, noa

## STENOTHOIDAE

+ *	<i>Antatelson</i>	antennatum, rostratum
+ *	<i>Ausatelson</i>	kolie, ule
*	<i>Chucullba</i>	alla, warea
+ *	<i>Garatelson</i>	warroo
	<i>Mesoproboloides</i>	excavata, spinosus
	<i>Parametopa</i>	grandimana
	<i>Parametopella</i>	inquilinus
	<i>Probolooides</i>	holmesi
*	<i>Raumahara</i>	dertoo, noko, rongo
	<i>Stenothoe</i>	allinga, eduardi, elachista, georgiana, moe, nonedia, quabara, waka
*	<i>Wallametopa</i>	cabon

(+ sub-fam. Thaumatelsoninae)

## TALITROIDEA

### HYALIDAE

*Hyale* kandari, loorea, wilari, yake  
*Parhyale* eburnea

### HYALELLIDAE

*Allorchestes* bellabella  
*Hyalella* montezumae, texana

### TALITRIDAE

*	<i>Brevitalitrus</i>	dyaulanus, stephensi, wolffi
	<i>Orchestia</i>	anoquesana, mateusi, samoana, starmuehlneri, vaggala
	<i>Parorchestia</i>	gowerensis, macrochela, similis
*	<i>Spelaeorchestia</i>	koloana
	<i>Talorchestia</i>	nipponensis

#### CEINIDAE

*	Ceina	wannape
*	Taihape	karori
*	Waitomo	manene

#### DOGIELINOTIDAE

Dogielinotus	cimbaluki
Haustoriooides	japonicus

#### EOPHLIANTIDAE

Biancolina	brassicacephala, obtusata
Ceinina	latipes
Cylindryllioides	kaikoura
(?) Wandelia	wairarapa

#### PHLIANTIDAE

*	Gabophlias	olono
	Heterophlias	seticoxa
	Iphiplateia	orientalis
	Quasimodia	enna

#### STEGOCEPHALOIDEA

##### STEGOCEPHALIDAE

Andaniexis	mimonectes	
Andaniotes	wallaroo	
*	Stegophippsiella	pacis

##### ACANTHONOTOZOMATIDAE

Acanthonotozoma	rusanovae	
*	Coboldus	nitior
*	Dikwa	acrania
	Gnathiphimedia	barnardi, fuchsi, incerta
	Iphimedia	compacta, grossimana, jugoslavica
*	Nodotergum	bicarinatum
	Odius	cassigerus
	Panoploea	stegosaura
*	Paracanthonotosoma	trispinosum
	Parapanoploea	longirostris
?	Pariphimediella	imparidentata

##### OCHLESIDAE

Ochlesia	eridunda, meraldi
----------	-------------------

## SYNOPIOIDEA

### SYNOPIIDAE

Bruzelia	guayacura, pericu, poton
? Bruzelia	popolocan
* Latacunga	comanita, latacunga
Syrrhoe	angulipes, oluta, serrima
Syrrhoites	columbiae, cu, pantasma
Tiron	tropakis

## PARDALISCOIDEA

### PARDALISCIDAE

? Halice	ulcisor
Halicella	halona
Halicoides	discoveryi
Nicippe	buchi
? Pardaliscella	yaquina
Pardisynopia	walkeri
? Pardisynopia	lolo
Princaxelia	magna

## LILJEBORGIOIDEA

### LILJEBORGIIDAE

Idunella	demersalis, janisae, pauli, pirata, serra
Liljeborgia	eurycradus, kerguelensis, palmata, psaltrica
Listriella	lindae, saldanha, similis, sinuosa

### SEBIDAE

Seba	aloë, hirsuta, stoningtonensis
------	--------------------------------

### SALENTINELLIDAE

* Parasalentinella	rouchi
--------------------	--------

## DEXAMINOIDEA

### ATYLIDAE

Atylus	massiliensis, processifer, taupo
--------	----------------------------------

### LEPECHINELLIDAE

Lepechinella	auca, cachi, cura, eupraxiella, huaco, manco, occlo, raua, (turpis), uchu, vitrea
--------------	---

#### DEXAMINIDAE

* Delkarlye	enamalla
Dexaminnella	rotundicoxa
Guernea	endota, gelane, melape, rhomba, tumulosa, unchalka
? Guerneia	timaru
Paradexamine	alkoomie, churinga, dandaloo, echuca, fraudatrix, goomai, houtete, indentata, lancoura, linga, marlie, muriwai, nariuke, otichi, quarallia, ronggi, thadalee, windarra mullauna, nottoo, runde, wane, wunda
Syndexamine	

#### AMPELISCOIDEA

##### AMPELISCIDAE

Ampelisca	acris, anophthalma, antennata, anversensis, calypsonis, chinensis, dalmatina, dentitelson, honnungensis, jaffaensis, ledoyerii, maia, massiliensis, multispinosa, orops, (pacific) planierensis, provincialis, pseudosarsi, pseudospinimana, richardsoni, ruffoi, spinicaudata, truncata, vervecei brachycephala, calisto, febris, io, medialis, pilosa, thyabilis
Byblis	profundi
Byblisoides	dellavallei, nirae, proxima
Haploops	

#### MELPHIDIPOIDEA

##### MELPHIDIPIDIAE

Cheirocratus	monodontus
Metaceradocus	whakatane

#### MEGALUROPUSS FAMILY GROUP

Megaluropus	monasteriensis
-------------	----------------

#### MELITOIDEA

##### HADZIIDAE

Hadzia	jamaicae, lonomaka, tavaresi
Metaniphargus	bousfieldi, longipes, palpator
# Mexiweckelia	colei, mitchelli, particeps, texensis
# Saliweckelia	emarginata, holsingeri
Weckelia	cubanica

#### MELITIDAE

Bathyceradocus	iberiensis
Ceradocus	dooliba, natalensis, shoemakeri, spinifera
Ceradocopsis	peke

* Ceradomaera	plumosa
* Cottealoe	berringar, merringannee
Elasmopus	menurte, wahine, yunde
Eriopisa	epistomata, gracilia, schoenerae
Eriopisella	dentifera, epimera, propagatio
* Jerbarnia	mecochira
Maera	caroliniana, emarginata, komma, lobata, pachytelson, schiecki, sodalis, tepuni, thrixia, tulearensis, williamsi
Megamoera	carteta, marilla
Melita	awa, celericula, latimerus, matilda, mucronata, oba, sexstachya, vietnamica
Nuuanu	mokari, muelleri, numbadi
Parelasmopus	echo, ya
* Pseudelasmopus	cheliferus
* Rotomelita	ana, lokoa

#### COROPHIOIDEA

##### PHOTIDAE

Eurystheus	anomalus
Gammaropsis	barnardi, bennetti, grandimana, inhaca, mauritiensis, pseudostroumovi, tawahi
Megamphopus	brevidactylus
Microprotopus	bicuspidatus, shoemakeri
Photis	longidactylus

##### ISCHYROCERIDAE

Ischyrocerus	camptonyx, gurjanovae, tzvetkovae
Parajassa	chikoa

##### AMPITHOIDAE

* Amphyllodorus	incurvaria
Ampithoe	aorangi, auriculata, cavimana, helleri, hinatore, piatycera, pomboi, serraticauda
Cymadusa	imbroglio, valosa
Paradusa	mauritiensis
Pleonexes	macrocornutus
* Pseudoamphithoides	bacescui

##### AORIDAE

Aora	inflata, spinicornis
? Aorcho	curvipalma
* Aorchoides	dilatata
* Janice	spinidactyla
Lemboides	bidentata
Lembopsis	palmatus
Lembos	borealis, brunneomaculatus, dentischium, excavatus, griseus, isochelatus, karamani, kidali, kunkelae, minimus, parahaastatus, pseudopunctatus, punctatus, quadrimanus,

<i>Leptocheirus</i>	<i>rectangulatus, rubromaculatus, ruffoi,</i>
<i>Microdeutopus</i>	<i>setimerus, unicornis, unifasciatus, viduarum</i>
<i>Neomegamphopus</i>	<i>mariae, spinimanus</i>
<i>Neomicrodeutopus</i>	<i>apopo, bifidus, myersi, obtusatus, similis,</i>
<i>Rudilemboides</i>	<i>thumbellinus</i>
	<i>kunduchii</i>
	<i>nyala</i>
	<i>naglei</i>

#### CHELURIDAE

<i>Tropichelura</i>	<i>gomezi</i>
---------------------	---------------

#### COROPHIIDAE

<i>Cerapus</i>	<i>comparativus</i>
<i>Concholestes</i>	<i>armatus</i>
<i>Corophium</i>	<i>aquafuscum, intermedium, minutum, sinense</i>
<i>Grandidierella</i>	<i>koa, palama, spinicoxa</i>
<i>Paracorophium</i>	<i>hartmannorum</i>
* <i>Pterunciola</i>	<i>spinipes</i>
* <i>Ritaumius</i>	<i>longicornis</i>
<i>Siphonoecetes</i>	<i>tanabensis</i>
<i>Unciolella</i>	<i>spinosa</i>

#### PODOCERIDAE

<i>Dulichia</i>	<i>wolffi</i>
* <i>Dulichiopsis</i>	<i>barnardi</i>
<i>Laetmatophilus</i>	<i>acuticephalus</i>
<i>Neoxenodice</i>	<i>cryophile</i>
<i>Podocerus</i>	<i>karu, manawatu, pyurae, wanganui</i>
<i>Xenodice</i>	<i>macrophthalma</i>

#### SUB-ORDER CAPRELLIDEA

(infra-order CAPRELLIDA)

#### PHTHISICOIDEA

##### PARACERCOPIDAE

# <i>Paracercopa</i>	<i>setifer</i>
* <i>Pseudocercops</i>	<i>armatus, kussakini</i>

##### PHTHISICIDAE

# <i>Chaka</i>	<i>leoni</i>
<i>Dodecas</i>	<i>eltaninae</i>
# <i>Pseudocodecas</i>	<i>bowmani</i>
<i>Pseudoprotomima</i>	<i>hedgpethi</i>

#### CAPRELLOIDEA

##### CAPROGAMMARIDAE

<i>Cercopa</i>	<i>dentatus, draconis</i>
----------------	---------------------------

#### AEGINELLIDAE

<i>Aeginina</i>	<i>aenigmatica</i>
<i>Luconacia</i>	<i>vemae</i>
<i>Mayerella</i>	<i>acanthopoda, magellanica</i>
<i>Orthoprotella</i>	<i>melloi</i>
<i>Protella</i>	<i>trilobata</i>
<i>Protellina</i>	<i>arctica</i>
* <i>Protaeginella</i>	<i>muriculata</i>
<i>Thorina</i>	<i>elongata</i>

#### CAPRELLIDAE

<i>Caprella</i>	<i>advena, astericola, bathyalis, centrota,</i>
	<i>clavigera, eurydactyla, excelsa, gorgonia,</i>
	<i>litoralis, longicirrata, lukini, media,</i>
	<i>oxyarthra, pacifica, parapaulina,</i>
	<i>rotundidentata, zygodonta</i>
* <i>Heterocaprella</i>	<i>clavigera</i>

(Infra-order CYAMIDA)

#### CYAMOIDEA

##### CYAMIDAE

* <i>Scutocyamus</i>	<i>parvus</i>
----------------------	---------------

#### SUB-ORDER HYPERIIDEA

#### PHRONIMOIDEA

##### HYPERIIDAE

<i>Hyperia</i>	<i>bowmani, crassa, leptura</i>
* <i>Hyperietta</i>	<i>parviceps, stebbingi, stephensi</i>
<i>Lestrigonus</i>	<i>shoemakeri</i>

#### PHROSINIDAE

<i>Primno</i>	<i>brevidens, johnsoni</i>
---------------	----------------------------

#### SCINOIDEA

##### SCINIDAE

<i>Acanthoscina</i>	<i>birsteini</i>
---------------------	------------------

#### SUB-ORDER INGOLFIELLIDEA

#### INGOLFIELLIDAE

<i>Ingolfiella</i>	<i>berisfordi, fontinalis, ischitana, kapuri,</i>
	<i>putealis, tabularis</i>