



Product Catalog, 2024  
Internal Hexagon



Internal Hexagon  
Product Catalog

# TABLE OF CONTENTS



## IMPLANT SYSTEMS

4 - 25.

SEVEN XD	6
M4	16



## TOOLS AND KITS

26 - 63.

Step Pilot Drills, External Irrigation	28
SEVEN Twist Drills, External Irrigation	30
M4 Twist Drills, External Irrigation	31
SEVEN and M4 Short Twist Drills	32
Marking Drills and Countersinks	34
Trephine Burrs	36
Insertion Tools	37
Surgical Tools	38
Prosthetic Instruments	40
SEVEN XD Placement Set	43
SEVEN Surgical Kit	45
SEVEN Drill Replacement Kit	49
M4 Surgical Kit	50
Bone Profiler Kit	53
SEVEN Drill Stoppers Kit, SP	54
SEVEN Drill Stopper Kits, Depth Based	55
Bone Compression Kit	56
Prosthetic Tools Kit	58
Abutment Holding System Kit	61
Crown Set	62



**PROSTHETIC OPTIONS 64 - 94.**

Analogs and Impression Copings	66
Temporary Cylinders	68
Multi-Unit System	70
Plastic Cylinders	73
EZ-Base System	75
Ti-Bases	76
Scan Posts	77
Digital Model Analogs	78
Titanium Blanks	79
Cementable Abutments	80
Cementing Posts	83
CPK - Complete Prosthetic Kit	85
LOCKiT Attachment System	88
OT-Equator Kits	91
Ball Attachment System	95



**MGUIDE 96 - 107.**

MGUIDE Custom Surgical Template	98
MGUIDE SEVEN Surgical Set	99
MGUIDE Drill Replacement Kit	103
MGUIDE SEVEN Surgical Set, Narrow Sleeve	104
MGUIDE Drill Replacement Kit, Narrow Sleeve	107



**ADDITIONAL INFORMATION 108 - 116.**

MIS XD	110
Pilot Drills, External Irrigation	112
SEVEN Twist Drills, External Irrigation	113
M4 Twist Drills, External Irrigation	114
SEVEN & M4 Short Twist Drills, External Irrigation	115
Alloy Composition	116



**INDEX 119 - 125**




## IMPLANT SYSTEMS

MIS proudly offers an extensive range of implant systems, providing simple solutions for a wide variety of clinical scenarios, from basic to complex. Our implants are the outcome of an exceptionally high-level R&D process resulting in implant systems that are simple, yet offer enhanced functionality and performance features.


The surface roughness and micro-morphology of MIS implants are a result of sandblasting and acid-etching. It has been documented to be highly osseo-conductive in type IV bone. The MIS surface technology has been acclaimed for its high cleanliness, making it one of the most outstanding surfaces on the market.









Implant Systems

SEVEN XD Implant  
Internal Hex.  
Ø3.30 NP



Implant Cover Screw and Healing Caps:


Thin		Standard		Anatomic	
	Ø4mm 2/3/4/6/8mm		Ø4mm 4/5/6mm 		Ø4.3mm 2/3/4/5/6mm
MH-N2330 MH-N3330 MH-N4330 MH-N6330 MH-N8330		MH-N0440 MH-N0540 MH-N0640		MH-52330 MH-53330 MH-54330 MH-55330 MH-56330	 Cover screw




Cat. No	Dimensions (mm)	Description	Material	Item includes
MF7-D10330	Ø3.30 L=10	SEVEN XD internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
MF7-D11330	Ø3.30 L=11.5	SEVEN XD internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
MF7-D13330	Ø3.30 L=13	SEVEN XD internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
MF7-D16330	Ø3.30 L=16	SEVEN XD internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills

L = Length

**Ø3.30mm Drilling Protocol**




**i** Do not use the last drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.













Implant Systems

SEVEN XD Implant  
Internal Hex.  
Ø3.75 SP




Implant Cover Screw and Healing Caps:

Thin	Standard	Standard	Anatomic	
 <p>Ø4mm 3/4/5/6mm</p>	 <p>Ø4.8mm 3/4/5/6mm</p>	 <p>Ø4.8mm 4/5/6mm</p> <p>CONCAVE</p>	 <p>Ø5.5mm 3/4/5/6mm</p>	 <p>Cover screw</p>
MH-03375 MH-04375 MH-05375 MH-06375	MH-A3375 MH-A4375 MH-A5375 MH-A6375	MH-S0448 MH-S0548 MH-S0648	MH-53375 MH-54375 MH-55375 MH-56375	


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-D08375	Ø3.75 L=8	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D10375	Ø3.75 L=10	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D11375	Ø3.75 L=11.5	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D13375	Ø3.75 L=13	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D16375	Ø3.75 L=16	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills

L = Length

### Ø3.75mm Drilling Protocol




Do not use the last drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.














Implant Systems

SEVEN XD Implant  
Internal Hex.  
Ø4.20 SP




Implant Cover Screw and Healing Caps:


Thin	Standard	Standard	Anatomic	
 <p>Ø4mm 3/4/5/6mm</p>	 <p>Ø4.8mm 3/4/5/6mm</p>	 <p>Ø4.8mm 4/5/6mm</p> <p style="text-align: center;">CONCAVE</p>	 <p>Ø5.5mm 3/4/5/6mm</p>	 <p>Cover screw</p>
<p>MH-03375 MH-04375 MH-05375 MH-06375</p>	<p>MH-A3375 MH-A4375 MH-A5375 MH-A6375</p>	<p>MH-S0448 MH-S0548 MH-S0648</p>	<p>MH-53375 MH-54375 MH-55375 MH-56375</p>	


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-D06420	Ø4.20 L=6	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D08420	Ø4.20 L=8	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D10420	Ø4.20 L=10	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D11420	Ø4.20 L=11.5	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D13420	Ø4.20 L=13	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D16420	Ø4.20 L=16	SEVEN XD internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills

L = Length

### Ø4.20mm Drilling Protocol




 Do not use the last drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.










Implant Systems

SEVEN XD Implant  
Internal Hex.  
Ø5 WP



Implant Cover Screw and Healing Caps:

<p>Standard</p>  <p>Ø5mm 3/4, 5mm</p> <p>MH-W3500 MH-W4500 MH-W5500</p>	<p>Standard</p>  <p>Ø5.5mm 4/5, 6mm CONCAVE</p> <p>MH-W0455 MH-W0555 MH-W0655</p>	<p>Anatomic</p>  <p>Ø6.5mm 3/4, 5mm</p> <p>MH-W3630 MH-W4630 MH-W5630</p>	 <p>Cover screw</p>
--	--	---	--

Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-D06500	Ø5 L=6	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D08500	Ø5 L=8	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D10500	Ø5 L=10	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D11500	Ø5 L=11.5	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D13500	Ø5 L=13	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills
 MF7-D16500	Ø5 L=16	SEVEN XD internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw XD single-use drills


L = Length

### Ø5mm Drilling Protocol





**i** \* When placing Ø5 implants in soft bone, the last drill should be drilled to the first depth indicator, which is 6mm deep. For 8mm length implants, the first depth marking is 4mm deep.

Do not use the last drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.




Implant Systems

SEVEN Implant  
Internal Hex.  
Ø6 WP



Standard




Ø5mm

3/4/5mm

Implant Cover Screw  
and Healing Caps:

MH-W3500  
MH-W4500  
MH-W5500

Standard



Ø5.5mm

4/5/6mm

CONCAVE

MH-W0455  
MH-W0555  
MH-W0655

Anatomic








Ø6.5mm

3/4/5mm

MH-W3630  
MH-W4630  
MH-W5630





Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-06600	Ø6 L=6	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-08600	Ø6 L=8	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-10600	Ø6 L=10	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-11600	Ø6 L=11.5	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-13600	Ø6 L=13	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length


\* SEVEN 6mm implants are not available with XD drills.

### Ø6mm Drilling Protocol

Drilling Speed (RPM)	1200-1500		900-1200		500-700		400-700		400-600		300-500		300-500		Bone type 3 and 4	Bone type 1 and 2	15-25
	Ø1.90	Ø2.40	Ø2.40	Ø2.80	Ø3.20	Ø4	Ø4.50	Ø5	Ø5	Ø5	Ø5	Ø5	Ø5	Ø5.30 Ø5.90 Final drill	Ø6 Countersink	Ø6	




**i** For SEVEN Ø6mm implants, use the SEVEN surgical kit (MK-T048).  
 Do not use the final drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant.  
 Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.








Implant Systems

M4 Implant  
Internal Hex.  
Ø3.30 NP



Implant Cover Screw and Healing Caps:

Thin		Standard		Anatomic	
 <p>Ø4mm 2/3/4/6/8mm</p>	<p>MH-N2330 MH-N3330 MH-N4330 MH-N6330 MH-N8330</p>	 <p>Ø4mm 4/5/6mm</p>	 <p>CONCAVE</p> <p>MH-N0440 MH-N0540 MH-N0640</p>	 <p>Ø4.3mm 2/3/4/5/6mm</p>	<p>MH-52330 MH-53330 MH-54330 MH-55330 MH-56330</p>




Cover screw


Cat. No	Dimensions (mm)	Description	Material	Item includes
MF4-10330	Ø3.30 L=10	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
MF4-11330	Ø3.30 L=11.5	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
MF4-13330	Ø3.30 L=13	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
MF4-16330	Ø3.30 L=16	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

### Ø3.30mm Drilling Protocol





**i** The drilling sequence is illustrated using a 13mm implant.  
 Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.













Implant Systems

M4 Implant  
Internal Hex.  
Ø3.75 SP



Implant Cover Screw and Healing Caps:


Thin	Standard	Standard	Anatomic	
 <p>Ø4mm 3/4/5/6mm</p>	 <p>Ø4.8mm 3/4/5/6mm</p>	 <p>Ø4.8mm 4/5/6mm</p> <p>CONCAVE</p>	 <p>Ø5.5mm 3/4/5/6mm</p>	 <p>Cover screw</p>
<p>MH-03375 MH-04375 MH-05375 MH-06375</p>	<p>MH-A3375 MH-A4375 MH-A5375 MH-A6375</p>	<p>MH-S0448 MH-S0548 MH-S0648</p>	<p>MH-53375 MH-54375 MH-55375 MH-56375</p>	


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-08375	Ø3.75 L=8	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10375	Ø3.75 L=10	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11375	Ø3.75 L=11.5	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13375	Ø3.75 L=13	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16375	Ø3.75 L=16	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw


L = Length

### Ø3.75mm Drilling Protocol

Drilling Speed (RPM)	BONE TYPE					
	1200-1500	900-1200	500-700	Hard 1 and 2	Soft 3 and 4	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.20	Ø3.75 Countersink	Ø3.75



  


 The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.














Implant Systems

M4 Implant  
Internal Hex.  
Ø4.20 SP




Implant Cover Screw and Healing Caps:


Thin	Standard	Standard	Anatomic	
 <p>Ø4mm 3/4/5/6mm</p>	 <p>Ø4.8mm 3/4/5/6mm</p>	 <p>Ø4.8mm 4/5/6mm</p> <p>CONCAVE</p>	 <p>Ø5.5mm 3/4/5/6mm</p>	 <p>Cover screw</p>
<p>MH-03375 MH-04375 MH-05375 MH-06375</p>	<p>MH-A3375 MH-A4375 MH-A5375 MH-A6375</p>	<p>MH-S0448 MH-S0548 MH-S0648</p>	<p>MH-53375 MH-54375 MH-55375 MH-56375</p>	


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-06420	Ø4.20 L=6	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-08420	Ø4.20 L=8	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10420	Ø4.20 L=10	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11420	Ø4.20 L=11.5	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13420	Ø4.20 L=13	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16420	Ø4.20 L=16	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

### Ø4.20mm Drilling Protocol





 The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.







Implant Systems







M4 Implant  
Internal Hex.  
Ø5 WP



Implant Cover Screw and Healing Caps:


<p>Standard</p>  <p>Ø5mm 3/4/5mm</p> <p>MH-W3500 MH-W4500 MH-W5500</p>	<p>Standard</p>  <p>Ø5.5mm 4/5/6mm CONCAVE</p> <p>MH-W0455 MH-W0555 MH-W0655</p>	<p>Anatomic</p>  <p>Ø6.5mm 3/4/5mm</p> <p>MH-W3630 MH-W4630 MH-W5630</p>	 <p>Cover screw</p>
---	---	--	--




Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-06500	Ø5 L=6	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-08500	Ø5 L=8	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10500	Ø5 L=10	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11500	Ø5 L=11.5	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13500	Ø5 L=13	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16500	Ø5 L=16	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

### Ø5mm Drilling Protocol





**i** The drilling sequence is illustrated using a 13mm implant.  
 Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.








Implant Systems

M4 Implant  
Internal Hex.  
Ø6 WP




Implant Cover Screw and Healing Caps:

Standard	Standard	Anatomic	
			Cover screw
MH-W3500 MH-W4500 MH-W5500	MH-W0455 MH-W0555 MH-W0655	MH-W3630 MH-W4630 MH-W5630	


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-06600	Ø6 L=6	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-08600	Ø6 L=8	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10600	Ø6 L=10	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11600	Ø6 L=11.5	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13600	Ø6 L=13	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

### Ø6mm Drilling Protocol



**i** The drilling sequence is illustrated using a 13mm implant.  
 Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.



## TOOLS AND KITS

MIS offers a wide range of surgical instruments and innovative tools to assure smooth and accurate surgical procedures. The range incorporates a wide variety of drills, body try-ins, keys, ratchets and insertion tools. All kits feature an ergonomical kit design, for easy, single-handed opening.










Tools and Kits

## Step Pilot Drills, External Irrigation




Cat. No	Dimensions (mm)	Description	Material	Sold
CT-P2406	Ø2.4/2.0 L=31.8	Step pilot drill with built-in stopper for 6mm length implants	Stainless steel	INSIDE KIT STAND ALONE
CT-P2408	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	INSIDE KIT STAND ALONE
CT-P2410	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	INSIDE KIT STAND ALONE

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
CT-P2411	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 
CT-P2413	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 

L = Length

# 6 Depth Marks















Tools and Kits

## SEVEN Twist Drills, External Irrigation



Cat. No	Dimensions (mm)	Description	Material	Sold
MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
MT-TDT50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 

L = Length

















Tools and Kits

## M4 Twist Drills, External Irrigation



Cat. No	Dimensions (mm)	Description	Material	Sold
MT-TDN28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
MT-TDN32	Ø3.20 L=37.6	Twist drill, external irrigation	Stainless steel	 
MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	 
MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	 

L = Length



Tools and Kits

## SEVEN and M4 Short Twist Drills, External Irrigation




Cat. No	Dimensions (mm)	Description	Material	Sold
MT-TDI28	Ø2.80 L=30	Short twist drill	Stainless steel	
MT-TDI32	Ø3.20 L=30	Short twist drill	Stainless steel	
MT-TDI38	Ø3.80 L=30	Short twist drill	Stainless steel	
MT-TDI40	Ø4.0 L=30	Short twist drill	Stainless steel	

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
MT-TDI45	Ø4.50 L=30	Short twist drill	Stainless steel	STAND ALONE
MT-TDI50	Ø5.0 L=30	Short twist drill	Stainless steel	STAND ALONE
MT-TDI55	Ø5.50 L=30	Short twist drill	Stainless steel	STAND ALONE

L = Length

## 7 Drilling Diameter Options





Tools and Kits

## Marking Drills and Countersinks




Cat. No	Dimensions (mm)	Description	Material	Sold
MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	INSIDE KIT STAND ALONE
MT-SMD10	L=30	Spade marking drill	Stainless steel	INSIDE KIT STAND ALONE
MT-PD440	Ø4 L=32.7	Position drill	Stainless steel	STAND ALONE

L = Length


Cat. No	Dimensions (mm)	Description	Material	Sold
MT-CS330	Ø3.30 L=25	Countersink for Ø3.30 implant, narrow platform	Stainless steel	
MT-CS375	Ø3.75 L=25	Countersink for Ø3.75 implant, standard platform	Stainless steel	
MT-CS420	Ø4.20 L=25	Countersink for Ø4.20 implant, standard platform	Stainless steel	
MT-CS500	Ø5 L=25	Countersink for Ø5 implant, wide platform	Stainless steel	
MT-CSN33	Ø3.30 L=31	Countersink, narrow platform	Stainless steel	
MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	
MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	

L = Length



## 5 Countersinks Depth Marks



Narrow Platform



Standard Platform



Wide Platform



Tools and Kits

## Trepine Burrs



Cat. No	Dimensions (mm)	Description	Material	Sold
MT-00400	Ø4/5 L=37	Trepine burr	Stainless steel	
MT-00500	Ø5/6 L=37	Trepine burr	Stainless steel	
MT-00600	Ø6/7 L=37	Trepine burr	Stainless steel	




















L = Length



Tools and Kits

## Insertion Tools



Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-HLI21	L=28.2	Long motor insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-HSI21	L=24.4	Short motor insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-HSI10	L=24.4	Short motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-SRH21	L=22.3	Short ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 








L = Length



Tools and Kits

## Surgical Tools



Cat. No	Dimensions (mm)	Description	Material	Sold
MT-BTI20	Ø1.40 L=100	Implant site depth probe	Stainless steel	 
MT-RDE30	L=32	Extra-long driver for 0.05 inch hex.	Stainless steel	
MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 

L = Length



Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-RDM30	L=11.5	Extra-short driver for 0.05 inch hex.	Stainless steel	
 MT-DE001	L=24	Drill extender	Stainless steel	 
 MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	
 MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
 MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
 MT-SRA10	L=15.5	Square connection to ratchet adapter	Stainless steel	
 MT-TP420	Ø4.30 L=30	Motor tissue punch	Stainless steel	
 MT-TP500	Ø4.30 L=28	Manual tissue punch	Stainless steel	
 MT-RT070	L=95	Surgical torque ratchet		 
 MT-RI030	L=84	Monoblock ratchet		 
 MT-RA480	L=7.5	Ratchet to hex. adapter	Stainless steel	
 MT-MFXGS		MULTIFIX guide strip	Stainless steel	





L = Length



































Tools and Kits

## Prosthetic Instruments















Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-IT100	L=16.5	Impression coping key for closed tray	Stainless steel	STAND ALONE
 MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	INSIDE KIT STAND ALONE
 MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	STAND ALONE
 MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	INSIDE KIT STAND ALONE

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-UN002	L=24	Implant analog for universal hand driver, internal hex., narrow platform	Stainless steel	 
 MT-US002	L=24	Implant analog for universal hand driver, internal hex., standard platform	Stainless steel	 
 MT-UW002	L=24	Implant analog for universal hand driver, internal hex., wide platform	Stainless steel	 
 MT-HTS10	L=144.5	Technical hex. screwdriver	Stainless steel + plastic	 
 MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
 MT-RDE30	L=32	Extra-long driver for 0.05 inch hex.	Stainless steel	
 MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
 MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
 MT-RDM30	L=11.5	Extra-short driver for 0.05 inch hex.	Stainless steel	
 MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	 
 MT-MURS2	L=16	Straight Multi-Unit short ratchet key	Stainless steel	
 MT-MUML2	L=31	Straight Multi-Unit long motor key	Stainless steel	

L = Length


## Prosthetic Instruments

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-MUMS2	L=24	Straight Multi-Unit short motor key	Stainless steel	STAND ALONE
	MT-RSD19	L=19	LOCKIT short torque ratchet driver	Stainless steel	INSIDE KIT STAND ALONE
	MT-RSD24	L=24	LOCKIT long torque ratchet driver	Stainless steel	INSIDE KIT STAND ALONE
	MT-ELM10	L=30	Long motor key for angled screw channel	Stainless steel	STAND ALONE
	MT-ESM10	L=24	Short motor key for angled screw channel	Stainless steel	STAND ALONE
	MT-ELR10	L=22.5	Long ratchet key for angled screw channel	Stainless steel	INSIDE KIT STAND ALONE
	MT-ESR10	L=18.7	Short ratchet key for angled screw channel	Stainless steel	STAND ALONE
	MT-LOC10	Ø7.8 L=86	LOCKIT core tool	Stainless steel	INSIDE KIT STAND ALONE
	ET-IT002		OT-Equator handling tool		INSIDE KIT STAND ALONE
	MG1-TE480	Ø8.6 L=16	MGUIDE tool extender	Stainless steel	STAND ALONE
	MT-RA480		Ratchet to hex. adapter	Stainless steel	STAND ALONE
	MT-RI040	L=95	Torque ratchet for prosthetic screws		INSIDE KIT STAND ALONE

L = Length

Tools and Kits

# SEVEN XD Placement Set



**MK-XD01**  
XD organizer tray

The XD Organizer Tray is designed to support the XD procedure by providing a convenient place to store the XD drills during surgery. Please note that the organizer isn't included in the surgical kit and should be sterilized prior to surgery.

**MK-SVXD**  
SEVEN XD Placement Set







































Cat. No.	Dimensions (mm)	Description	Material	Sold
MT-PDM24	Ø2.4 L=32	Position drill mill	Stainless steel	INSIDE KIT STAND ALONE
MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	INSIDE KIT STAND ALONE
CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	INSIDE KIT STAND ALONE
CT-BTC24	Ø2.4 L=28.5	Body try-in	Titanium	INSIDE KIT STAND ALONE



L = Length

## SEVEN XD Placement Set

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-CSN33	Ø3.3 L=31	Countersink, narrow platform	Stainless steel	 
 MT-GDN33	Ø3.75/4.2 L=26	Countersink, standard platform	Stainless steel	 
 MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
 MT-DE001	L=24	Drill extender	Stainless steel	 
 MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
 MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
 MT-HLI21	L=28.2	Long motor insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-RMR10	L=38.5	Long direct hand and ratchet key, standard/wide platform	Stainless steel	 
 MT-RT070	L=95	Surgical torque ratchet		 

L = Length















Tools and Kits

## SEVEN Surgical Kit



MK-T048  
SEVEN Surgical Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	 
MT-SMD10	L=30	Spade marking drill	Stainless steel	 
CT-P2406	Ø2.40/2.0 L=31.8	Step pilot drill with built-in stopper for 6mm length implants	Stainless steel	 
CT-P2408	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
CT-P2410	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 
CT-P2411	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 


L = Length

# SEVEN Surgical Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
 CT-P2413	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
 CT-P2416	Ø2.40/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
 MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDT50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
 CT-BTC24	Ø2.40 L=28.5	Body try-in	Titanium	 
 MT-BTT28	Ø2.80 L=28.5	Body try-in	Titanium	 
 MT-BTT32	Ø3.20 L=28.5	Body try-in	Titanium	 
 MT-BTT40	Ø4 L=28.5	Body try-in	Titanium	 
 MT-BTT45	Ø4.50 L=28.5	Body try-in	Titanium	 













L = Length



Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-BTT50	Ø5 L=28.5	Body try-in	Titanium	 
 MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
 MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
 MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	 
 MT-HLI21	L=28.2	Long motor insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-HSI10	L=24.4	Short motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
 MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
 MT-DE001	L=24	Drill extender	Stainless steel	 
 MT-RMR10	L=38.5	Long direct hand and ratchet key, standard/wide platform	Stainless steel	 

L = Length


SEVEN  
Surgical Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
 MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
 MN-PF330 MD-PF375	Ø4.5, L=11 Ø5, L=11	Press fit for closed tray, internal hex.	Titanium	 
 MT-RT070	L=95	Surgical torque ratchet		 

L = Length



# 5 Drilling Procedures





Tools and Kits

## SEVEN Drill Replacement Kit



MK-SD01

SEVEN Drill Replacement Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
CT-P2408	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
CT-P2410	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 
CT-P2411	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 
CT-P2413	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
CT-P2416	Ø2.40/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 

L = Length



Tools and Kits



## M4 Surgical Kit



MK-0016  
M4 Surgical Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	INSIDE KIT STAND ALONE
MT-SMD10	L=30	Spade marking drill	Stainless steel	INSIDE KIT STAND ALONE
CT-P2416	Ø2.40/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	INSIDE KIT STAND ALONE
MT-TDN28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	INSIDE KIT STAND ALONE
MT-TDN32	Ø3.20 L=37.6	Twist drill, external irrigation	Stainless steel	INSIDE KIT STAND ALONE

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	 
MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
MT-DE001	L=24	Drill extender	Stainless steel	 
MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
MT-HSI10	L=24.4	Short motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
MT-CSN33	Ø3.30 L=31	Countersink, narrow platform	Stainless steel	 
MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	
MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 


L = Length

M4 Surgical Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
MT-LRH20	L=32.3	Long ratchet insertion tool, standard/wide platform, internal hex.	Stainless steel	INSIDE KIT STAND ALONE
MT-SRH20	L=22.3	Short ratchet insertion tool, standard/wide platform, internal hex.	Stainless steel	INSIDE KIT STAND ALONE
MT-RMR10	L=38.5	Long direct hand and ratchet key, standard/wide platform	Stainless steel	INSIDE KIT STAND ALONE
MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	INSIDE KIT STAND ALONE
MT-RI030	L=84	Monoblock ratchet		INSIDE KIT STAND ALONE

L = Length

 5 Surgical Procedures

















Tools and Kits

## Bone Profiler Kit



MK-0059   
Bone Profiler Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-BP320	Ø3.20	Bone profiler, internal hex., narrow platform	Stainless steel	
 MT-BP370	Ø3.70	Bone profiler, internal hex., standard platform	Stainless steel	
 MT-BP460	Ø4.60	Bone profiler, internal hex., wide platform	Stainless steel	
 MT-BGP32	Ø3.20	Bone profiler guide pin, internal hex., narrow platform	Stainless steel	
 MT-BGP37	Ø3.70	Bone profiler guide pin, internal hex., standard platform	Stainless steel	
 MT-BGP46	Ø4.60	Bone profiler guide pin, internal hex., wide platform	Stainless steel	

L = Length



Tools and Kits

## SEVEN Drill Stoppers Kit, Standard Platform

Following the use of MIS length-based pilot drills, MIS Drill Stopper Kits ensure drilling to the exact desired depth.

The Standard Platform Kit includes the most commonly used implant lengths: 8, 10, 11.5 and 13mm.



Cat. No

Description



MK-BS001

Drill stopper kit for SEVEN implant, standard platform











Tools and Kits

## SEVEN Drill Stopper Kits, Depth Based



MK-SDS(06-13)   
Drill Stopper Kits

Cat. No	Dimensions (mm)	Description	Material
 MK-SDS06	L=6	Drill stoppers kit for 6mm SEVEN implant	Stainless steel
 MK-SDS08	L=8	Drill stoppers kit for 8mm SEVEN implant	Stainless steel
 MK-SDS10	L=10	Drill stoppers kit for 10mm SEVEN implant	Stainless steel
 MK-SDS11	L=11.5	Drill stoppers kit for 11.5mm SEVEN implant	Stainless steel
 MK-SDS13	L=13	Drill stoppers kit for 13mm SEVEN implant	Stainless steel

L = Length



Tools and Kits













## Bone Compression Kit



MK-0020  
Bone Compression Kit


Cat. No	Dimensions (mm)	Description	Material	Sold
MO-CO160	Ø1.80-2.90 L=25	Convex compression screw	Stainless steel	INSIDE KIT
MO-CO200	Ø2.30-3.30 L=25	Convex compression screw	Stainless steel	INSIDE KIT
MO-CO240	Ø2.70-3.70 L=25	Convex compression screw	Stainless steel	INSIDE KIT
MO-CO280	Ø3.10-4.50 L=25	Convex compression screw	Stainless steel	INSIDE KIT
MO-SO300	Ø3 L=25	Concave sinus screw	Stainless steel	INSIDE KIT
MO-SO350	Ø3.50 L=25	Concave sinus screw	Stainless steel	INSIDE KIT
MO-SO400	Ø4 L=25	Concave sinus screw	Stainless steel	INSIDE KIT

L = Length


Cat. No	Dimensions (mm)	Description	Material	Sold
MT-SMD10	L=30	Spade marking drill	Stainless steel	 
MT-HSI10	L=24.4	Short motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard/wide platform	Stainless steel	 
MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex., standard/wide platform	Stainless steel	 
MT-RI030	L=84	Monoblock ratchet		 

L = Length

## 2 Surgical Procedures



Bone Compression



















Sinus Lifting














Tools and Kits

## Prosthetic Tools Kit

 MK-0039  
 Prosthetic Tools Kit


Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
 MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
 MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	 
 MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
 MT-CLR21	L=31.6	CONNECT long ratchet insertion tool	Stainless steel	 

L = Length

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	 
 MT-MUML2	L=31	Straight Multi-Unit long motor key	Stainless steel	 
 MT-RE160	L=28.5	Abutment extractor, conical connection, narrow platform	Titanium	 
 MT-RE172	L=28.5	Abutment extractor, conical connection, standard/wide platform	Titanium	 
 MT-RSD19	L=19	LOCKIT short torque ratchet driver	Stainless steel	 
 MT-RSD24	L=24	LOCKIT long torque ratchet driver	Stainless steel	 
 MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
 MT-UN002	L=24	Implant analog for universal hand driver, internal hex., narrow platform	Stainless steel	 
 MT-US002	L=24	Implant analog for universal hand driver, internal hex., standard platform	Stainless steel	 
 MT-UW002	L=24	Implant analog for universal hand driver, internal hex., wide platform	Stainless steel	 
 CT-UN001	L=24	Implant analog for universal hand driver, conical connection, narrow platform	Stainless steel	
 CT-US001	L=24	Implant analog for universal hand driver, conical connection, standard platform	Stainless steel	

L = Length




Cat. No.	Dimensions (mm)	Description	Material	Sold
CT-UW001	L=24	Implant analog for universal hand driver, conical connection, wide platform	Stainless steel	INSIDE KIT
ET-IT002		OT-Equator handling tool		INSIDE KIT STAND ALONE
MT-LOC10	Ø7.8 L=86	LOCKiT core tool	Stainless steel	INSIDE KIT STAND ALONE
MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	INSIDE KIT STAND ALONE
MT-ELR10	L=22.5	Long ratchet key for angled screw channel	Stainless steel	INSIDE KIT STAND ALONE
MT-RI040	L=95	Torque ratchet for prosthetic screws		INSIDE KIT STAND ALONE

L = Length



4 Prosthetic Tools

2 Implant Connections





Tools and Kits

## Abutment Holding System Kit

The abutment holding system allows convenient grip of prosthetic components for adjustments and preparation of both ceramic and titanium abutments.



Cat. No.

Description



MK-0001

Abutment holding system kit, internal hex.



Tools and Kits

## Crown Set

The MIS Crown Set is a delivery system comprised of an auto-mix, easy-to-use dispensing syringe and disposable dispensing tips. The resin-based cement combines high retention properties along with the ability to remove a restoration if needed. The cement sets within 120 -150 seconds and allows easy removal of excess material. **Note:** Abutments should be sand-blasted prior to cementation to achieve maximum retention.



Cat. No.

Description



MK-0022

Crown set







## PROSTHETIC OPTIONS

MIS offers a comprehensive range of prosthetic systems, which are suitable for any indication and procedure type, including analog and digital workflows. Combined with a wide variety of supporting tools and digital solutions, our products are designed to provide the biological advantages that are critical for successful treatment.

MIS superstructures are designed to meet all prosthetic needs and fit all accepted working methods. Abutments are available in a wide range of heights, gingival collar heights, angles and margin types, as well as a line of concave emergence profile abutments. This abutment profile was designed to give more room for soft tissue ingrowth.

MIS offers solutions for both screw retained and cement retained treatments, for temporary and permanent restorations.





Impression Coping

## Analogs and Impression Copings
























	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-ITC30	NP	Ø4, H=2, C=6	Impression coping for closed tray, concave, internal hex.	Titanium	
	MD-ITC30	SP	Ø4.8, H=2, C=6			
	MW-ITC30	WP	Ø5.5, H=2, C=6			
	MN-IO401	NP	Ø3.2, L=11	Impression coping for open tray, concave, internal hex.	Titanium	
	MD-IO481	SP	Ø3.75, L=11			
	MW-IO551	WP	Ø5, L=11			
	MN-IT100	NP	Ø4, L=9	Impression coping for closed tray, internal hex.	Stainless steel	
	MD-IT100	SP	Ø4.5, L=9			
	MW-IT100	WP	Ø5.4, L=9			
	MN-IO330	NP	Ø4.6, L=11	Impression coping for open tray, internal hex.	Stainless steel	
	MD-IO375	SP	Ø5, L=11			
	MW-IO470	WP	Ø5.5, L=11			

Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-IT300 MD-IT300 MW-IT300	NP	Ø4, H=2, C=6	Impression coping set for closed tray, internal hex.	Titanium	  
	SP	Ø4.8, H=2, C=6			
	WP	Ø5.5, H=2, C=6			
 MN-PF330 MD-PF375 MW-PF550	NP	Ø4.5, L=11	Press fit for closed tray, internal hex.	Titanium	  
	SP	Ø5, L=11			
	WP	Ø5.5, L=11			
 MN-RSM10 MD-RSM10 MW-RSM10	NP	Ø3.3, L=12	Implant analog, internal hex.	Stainless steel	  
	SP	Ø3.75, L=12			
	WP	Ø4.6, L=12			
 MN-S0160 MD-S0220	NP	L=7.6	Prosthetic screw, 30 Ncm	Titanium	  
	SP/WP				
MD-G0213	SP/WP	L=23	Impression coping guide pin for open tray	Titanium	  
MN-GP100	NP	L=16.5	Impression coping guide pin, internal hex.	Titanium	  

● Concave emergence profile    
 H = Gingival height    
 C = Crown height    
 L = Length

# 3 Platforms

  
 Narrow Platform

  
 Standard Platform

















  
 Wide Platform



Temporary Restoration

## Temporary Cylinders


























Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-TC023 MD-TC023 MW-TC023	NP	Ø4, H=2, C=10	Temporary cylinder, concave, free rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=2, C=10			
	WP	Ø5.5, H=2, C=10			
 MN-TC033 MD-TC033 MW-TC033	NP	Ø4, H=3, C=10	Temporary cylinder, concave, free rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=3, C=10			
	WP	Ø5.5, H=3, C=10			
 MN-TCH23 MD-TCH23 MW-TCH23	NP	Ø4, H=2, C=10	Temporary cylinder, concave, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=2, C=10			
	WP	Ø5.5, H=2, C=10			
 MN-TCH33 MD-TCH33 MW-TCH33	NP	Ø4, H=3, C=10	Temporary cylinder, concave, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=3, C=10			
	WP	Ø5.5, H=3, C=10			

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-TC013 MD-TC013 MW-TC013	NP	Ø4, H=1, C=10	Temporary cylinder, free rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=1, C=10			
	WP	Ø5.5, H=1, C=10			
 MN-TCH13 MD-TCH13 MW-TCH13	NP	Ø4, H=1, C=10	Temporary cylinder, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.8, H=1, C=10			
	WP	Ø5.5, H=1, C=10			
 MN-TPA10 MD-TPA10 MW-TPA10	NP	Ø4, H=1, C=10	Temporary plastic abutment, anti-rotation, internal hex.	PEEK	  
	SP	Ø4.75, H=1, C=10			
	WP	Ø5.5, H=1, C=10			
 MN-TPA12 MD-TPA12 MW-TPA12	NP	Ø3.5, H=1, C=10	Narrow profile temporary plastic abutment, anti-rotation, internal hex.	PEEK	  
	SP	Ø3.75, H=1, C=10			
	WP	Ø4.5, H=1, C=10			
 MD-TPH50 MW-TPH50	SP	Ø5, H=2.5, C=9.5	Temporary plastic cylinder, anti-rotation, internal hex.	PEEK	 
	WP	Ø5.5, H=2.5, C=9.5			
 MN-S0160 MD-S0220	NP	L=7.6	Prosthetic screw, 30 Ncm	Titanium	  
	SP/WP				

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

## 2 Abutment Options

Ti

Titanium

PEEK































Polyether ether ketone




Screw Retained Restoration

## Multi-Unit System



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MA-NC248 MA-SC248	NP SP	Ø4.8, H=2	Multi-Unit concave abutment, internal hex.	Titanium	 
 MA-NC348 MA-SC348 MA-WC348	NP SP WP	Ø4.8, H=3	Multi-Unit concave abutment, internal hex.	Titanium	  
 MA-NC448 MA-SC448	NP SP	Ø4.8, H=4	Multi-Unit concave abutment, internal hex.	Titanium	 
 MA-WC548	WP	Ø4.8, H=5	Multi-Unit concave abutment, internal hex.	Titanium	
 MA-N1480 MA-S1480 MA-W1480	NP SP WP	Ø4.8, H=1	Multi-Unit abutment, internal hex.	Titanium	  
 MA-N2480 MA-S2480	NP SP	Ø4.8, H=2	Multi-Unit abutment, internal hex.	Titanium	 
 MA-N3480 MA-S3480 MA-W3480	NP SP WP	Ø4.8, H=3	Multi-Unit abutment, internal hex.	Titanium	  
 MA-N4480 MA-S4480	NP SP	Ø4.8, H=4	Multi-Unit abutment, internal hex.	Titanium	 
 MA-N5480 MA-S5480 MA-W5480	NP SP WP	Ø4.8, H=5	Multi-Unit abutment, internal hex.	Titanium	  

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MA-NO171 MA-SO171 MA-WO171	NP SP WP	Ø4.8, H=1	Multi-Unit angulated abutment, 17°, internal hex.	Titanium	
 MA-NO172 MA-SO172 MA-WO172	NP SP WP	Ø4.8, H=2	Multi-Unit angulated abutment, 17°, internal hex.	Titanium	
 MA-SO173 MA-WO173	SP WP	Ø4.8, H=3	Multi-Unit angulated abutment, 17°, internal hex.	Titanium	
 MA-NO301 MA-SO301 MA-WO301	NP SP WP	Ø4.8, H=1	Multi-Unit angulated abutment, 30°, internal hex.	Titanium	
 MA-NO302 MA-SO302 MA-WO302	NP SP WP	Ø4.8, H=2	Multi-Unit angulated abutment, 30°, internal hex.	Titanium	
 MA-SO303 MA-WO303	SP WP	Ø4.8, H=3	Multi-Unit angulated abutment, 30°, internal hex.	Titanium	
 MU-BGC48		L=3.3	Gold bar coping abutment for Multi-Unit	Gold-e	
 MU-RSM48		L=12	Analog for Multi-Unit	Titanium	
 MU-CC480		Ø4.8 L=3.3	Cementing cap for Multi-Unit	Titanium	
 MU-CC481		Ø4.8 L=4.3	Cementing cap for Multi-Unit (New design)	Titanium	
 MU-CP048		L=10	Plastic cylinder for Multi-Unit	Burnout plastic	
 MU-H4480		Ø4.8 L=4.3	Healing cap for Multi-Unit	Titanium	
 MU-IO480		Ø4.8 L=10	Impression coping for Multi-Unit, open tray	Titanium	
 MU-IT480		Ø4.8 L=8	Impression coping for Multi-Unit, closed tray	Titanium	

## Multi-Unit System

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MU-MG480		Ø4.8 L=14.5	Direct gold for Multi-Unit	Burnout plastic + gold-a	
	MU-TO480		Ø4.8 L=10	Titanium temporary cylinder for Multi-Unit	Titanium	
	MU-SP102		L=10	Multi-Unit scan post	Titanium	
	MU-MAN10		Ø4.8 L=10	Digital model analog for Multi-Unit	Titanium	
	MT-MURL2		L=21	Straight Multi-Unit long ratchet key	Stainless steel	
	MT-MURS2		L=16	Straight Multi-Unit short ratchet key	Stainless steel	
	MT-MUML2		L=31	Straight Multi-Unit long motor key	Stainless steel	
	MT-MUMS2		L=24	Straight Multi-Unit short motor key	Stainless steel	
	MT-RDL30		L=27	Long driver for 0.05 inch hex.	Stainless steel	
	MU-S0220		L=3.8	Prosthetic screw for Multi-Unit, 25Ncm	Titanium	
	MU-G0220		L=3.8	Prosthetic gold screw for Multi-Unit, 20Ncm	Gold-s	

 Concave emergence profile

H = Gingival height

C = Crown height















L = Length



Screw Retained Restoration

## Plastic Cylinders



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-CPH13 MD-CPH13 MW-CPH13	NP	Ø3.5, C=11	Plastic cylinder, anti-rotation, internal hex.	Burnout Plastic	  
	SP	Ø3.75, C=11			
	WP	Ø4.5, C=11			
 MN-CP013 MD-CP013 MW-CP013	NP	Ø3.5, C=11	Plastic cylinder, free rotation, internal hex.	Burnout Plastic	  
	SP	Ø3.75, C=11			
	WP	Ø4.5, C=11			
 MD-CPH50 MW-CPH60	SP	Ø5, C=11	Wide profile plastic cylinder, anti-rotation, internal hex.	Burnout Plastic	 
	WP	Ø6.5, C=11			
 MD-CP050 MW-CP060	SP	Ø5, C=11	Wide profile plastic cylinder, free rotation, internal hex.	Burnout Plastic	 
	WP	Ø6.5, C=11			






























 Concave emergence profile


H = Gingival height

C = Crown height

L = Length

# Plastic Cylinders

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-GPC10 MD-GPC10 MW-GPC10	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Gold plastic cylinder, anti-rotation, internal hex.	Burnout Plastic + Gold-a	  
	MN-GP010 MD-GP010 MW-GP010	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Gold plastic cylinder, free rotation, internal hex.	Burnout plastic + Gold-a	  
	MN-CCI10 MD-CCI10 MW-CCI10	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	CoCr plastic cylinder, anti-rotation, internal hex.	Cobalt-Chrome	  
	MN-CC010 MD-CC010 MW-CC010	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	CoCr plastic cylinder, free rotation, internal hex.	Cobalt-Chrome	  
	MN-S0160 MD-S0220	NP SP/WP	L=7.6	Prosthetic screw, 30 Ncm	Titanium	  
	MD-S0224	SP/WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 
	MD-S0222	SP/WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
	MD-G0220	SP/WP	L=7.7	Gold prosthetic screw, 20 Ncm	Gold-s	 

 Concave emergence profile

H = Gingival height


C = Crown height

L = Length



Digital Restoration

## EZ-Base System



Cat. No. Platform Dimensions (mm) Description Material Platform



MN-EZB15  
MD-EZB15  
MW-EZB15

NP  
SP  
WP

Ø4.25, H=1.5, C=5  
Ø4.3, H=1.5, C=5  
Ø5.7, H=1.5, C=5

EZ-Base abutment, internal hex.

Titanium



MT-ELM10

L=30

Long motor key for angled screw channel

Stainless steel



MT-ESM10

L=24

Short motor key for angled screw channel

Stainless steel



MT-ELR10

L=22.5

Long ratchet key for angled screw channel

Stainless steel



MT-ESR10

L=18.7

Short ratchet key for angled screw channel

Stainless steel



MN-E0160  
MD-E0220

NP  
SP

L=7.1  
L=7.6

EZ-Base prosthetic screw

Titanium



● Concave emergence profile

H = Gingival height


C = Crown height

L = Length



Digital Restoration

## Ti-Bases



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-TBC15 MD-TBC15 MW-TBC15	NP	Ø4.2, H=1.5, C=4	Ti-Base, concave, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=1.5, C=4			
	WP	Ø5.7, H=1.5, C=4			
 MN-FTB15 MD-FTB15 MW-FTB15	NP	Ø4.2, H=1.5, C=4	Ti-Base, concave, free rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=1.5, C=4			
	WP	Ø5.7, H=1.5, C=4			
 MN-TBC30 MD-TBC30 MW-TBC30	NP	Ø4.2, H=3, C=4	Ti-Base, concave, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=3, C=4			
	WP	Ø5.7, H=3, C=4			
 MN-FTB30 MD-FTB30 MW-FTB30	NP	Ø4.2, H=3, C=4	Ti-Base, concave, free rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=3, C=4			
	WP	Ø5.7, H=3, C=4			
 MN-TB001 MD-TB001 MW-TB001	NP	Ø4.2, H=0.5, C=4	Ti-Base, anti-rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=0.5, C=4			
	WP	Ø5.7, H=0.5, C=4			
 MN-TB002 MD-TB002 MW-TB002	NP	Ø4, H=0.5, C=4	Ti-Base, free rotation, internal hex.	Titanium	  
	SP	Ø4.3, H=0.5, C=4			
	WP	Ø5.7, H=0.5, C=4			
 MN-IN060 MD-IN060	NP	Ø4.2, H=0.5, C=6	Incisor esthetic Ti abutment, internal hex.	Titanium	 
	SP	Ø4.3, H=0.5, C=6			
 MN-S0160 MD-S0220	NP SP/WP	L=7.6	Prosthetic screw, 30 Ncm	Titanium	  

 Concave emergence profile

H = Gingival height

C = Crown height










L = Length

Digital Restoration

Scan Posts



MK-0056  
Scan post kit, internal hex.


Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-SP102 MD-SP102 MW-SP102	NP SP WP	L=10	Scan post, internal hex.	Titanium	  
 MU-SP102		L=10	Multi-Unit scan post	Titanium	
 MN-S0160 MD-S0220	NP SP/WP	L=7.6	Prosthetic screw, 20 Ncm	Titanium	  

● Concave emergence profile      H = Gingival height      C = Crown height      L = Length



Digital Restoration

## Digital Model Analogs



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
MN-MAN10 MD-MAN10 MW-MAN10	NP SP WP	Ø3.30, L=10 Ø3.80, L=10 Ø4.60, L=10	Digital model analog, internal hex.	Titanium	
MU-MAN10		Ø4.80 L=10			



MN-MAN10  
MD-MAN10  
MW-MAN10

NP  
SP  
WP

Ø3.30, L=10  
Ø3.80, L=10  
Ø4.60, L=10

Digital model analog, internal hex.

Titanium



MU-MAN10

Ø4.80  
L=10

Digital model analog for Multi-Unit

Titanium

Concave emergence profile

H = Gingival height

C = Crown height

L = Length





















Digital Restoration

## Titanium Blanks



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-IB091 MD-IB091 MW-IB091	NP SP WP	Ø9 L=13.5	Titanium Blank, anti-rotation, internal hex.	Titanium	  
 MN-IB121 MD-IB121 MW-IB121	NP SP WP	Ø12 L=13.5	Titanium Blank, anti-rotation, internal hex.	Titanium	  
 MN-AGT12 MD-AGT12 MW-AGT12	NP SP WP	Ø12 L=13.5	Titanium Blank for Amann Girrbach, anti-rotation, internal hex.	Titanium	  
 MN-MAB10 MD-MAB10 MW-MAB10	NP SP WP	Ø5 L=13.5	Milling analog for Titanium Blank, internal hex.	Stainless steel	  

 Concave emergence profile

H = Gingival height


C = Crown height

L = Length



Cemented Restoration

## Cementable Abutments



Cat. No. Platform Dimensions (mm) Description Material Platform

	MN-AT102	NP	Ø4, H=2, C=7	Cementable angulated abutment, 10°, concave, internal hex.	Titanium	
	MD-AT152 MW-AT152	SP WP	Ø4.8, H=2, C=7.5 Ø5.5, H=2, C=7.5	Cementable angulated abutment, 15°, concave, internal hex.	Titanium	
	MD-AT153	SP	Ø4.8, H=3, C=7.5	Cementable angulated abutment, 15°, concave, internal hex.	Titanium	
	MN-AT202	NP	Ø4, H=2, C=7	Cementable angulated abutment, 20°, concave, internal hex.	Titanium	

Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MD-AT252	SP	Ø4.8, H=2, C=7.5	Cementable angulated abutment, 25°, concave, internal hex.	Titanium	
 MD-AT253	SP	Ø4.8, H=3, C=7.5	Cementable angulated abutment, 25°, concave, internal hex.	Titanium	
 MD-A0010 MW-P0010	SP WP	Ø5.5, H=1, C=8 Ø6.3, H=1, C=8	Cementable abutment, internal hex.	Titanium	 
 MD-P0030	SP	Ø5.6, H=3, C=8	Cementable abutment, internal hex.	Titanium	
 MN-AT101	NP	Ø4, H=1, C=7	Cementable angulated abutment, 10°, internal hex.	Titanium	
 MD-A1510 MW-P1510	SP WP	Ø5.2, H=1, C=8 Ø5.8, H=1, C=8	Cementable angulated abutment, 15°, internal hex.	Titanium	 
 MN-AN020	NP	Ø4, H=1, C=7.3	Cementable angulated abutment, 20°, internal hex.	Titanium	
 MD-AN151 MW-AN151	SP WP	Ø4.9, H=1, C=7.5 Ø6, H=1, C=7.3	Cementable angulated abutment, 15°, internal hex.	Titanium	 
 MD-P1530	SP	Ø5.2, H=3, C=8	Cementable angulated abutment, 15°, internal hex.	Titanium	
 MD-A2510	SP	Ø5.6, H=1, C=8	Cementable angulated abutment, 25°, internal hex.	Titanium	
 MD-AN251	SP	Ø5.9, H=1, C=7	Cementable angulated abutment, 25°, internal hex.	Titanium	
 MD-P2530	SP	Ø5.7, H=3, C=8	Cementable angulated abutment, 25°, internal hex.	Titanium	

















 Concave emergence profile

H = Gingival height

C = Crown height


L = Length

# Cementable Abutments

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-S0160 MD-S0220	NP SP/WP	L=7.6	Prosthetic screw, 30 Ncm	Titanium	  
 MD-S0224	SP/WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 
 MD-S0222	SP/WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
 MD-S0200	SP/WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
 MD-G0220	SP/WP	L=7.7	Gold prosthetic screw, 20 Ncm	Gold-s	 

 Concave emergence profile   
 H = Gingival height   
 C = Crown height   
 L = Length

## 5 Angle Options



Cemented Restoration

















Cementing Posts




Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
MN-MC102 MD-MC102 MW-MC102	NP SP WP	Ø4, H=2, C=10 Ø4.8, H=2, C=10 Ø5.5, H=2, C=10	Cementing post, concave, internal hex.	Titanium	NP SP WP
MN-MAC10 MD-MAC10 MW-MAC10	NP SP WP	Ø4, H=1, C=10 Ø4.75, H=1, C=10 Ø5.5, H=1, C=10	Cementing post, internal hex.	Titanium	NP SP WP
MD-WMAC1 MW-WMAC1	SP WP	Ø5.5, H=1, C=10 Ø6.5, H=1, C=10	Wide profile cementing post, internal hex.	Titanium	SP WP
MD-MACF1	SP	Ø4.8, H=2.5, C=8.5	Friction fit cementing post with platform switching, internal hex.	Titanium	SP
MD-CTP10 MW-CTP10	SP WP	Ø3.75, H=0, C=8.5 Ø5.5, H=0, C=8.5	Narrow profile cementing post, internal hex.	Titanium	SP WP


● Concave emergence profile    H = Gingival height    C = Crown height    L = Length

Cementing Posts

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-S0160 MD-S0220	NP SP/WP	L=7.6	Prosthetic screw, 30 Ncm	Titanium	  
 MD-S0224	SP/WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 
 MD-S0222	SP/WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
 MD-S0200	SP/WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
 MD-G0220	SP/WP	L=7.7	Gold prosthetic screw, 20 Ncm	Gold-s	 

 Concave emergence profile   
 H = Gingival height   
 C = Crown height   
 L = Length

 4 Screw Height Options









Cemented Restoration

## CPK - Complete Prosthetic Kit



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MK-NPC62 MK-CPC62 MK-WPC62	NP	Ø4, H=2, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	  
	SP	Ø4.8, H=2, C=6			
	WP	Ø5.5, H=2, C=6			
 MK-NPC63 MK-CPC63 MK-WPC63	NP	Ø4, H=3, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	  
	SP	Ø4.8, H=3, C=6			
	WP	Ø5.5, H=3, C=6			
 MK-NPC64 MK-CPC64 MK-WPC64	NP	Ø4, H=4, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	  
	SP	Ø4.8, H=4, C=6			
	WP	Ø5.5, H=4, C=6			
 MK-NPK41 MK-CPK41 MK-WPK41	NP	Ø4, H=1, C=4	Complete Prosthetic Kit, internal hex.	Titanium	  
	SP	Ø4.8, H=1, C=4			
	WP	Ø5.5, H=1, C=4			
 MK-NPK42 MK-CPK42 MK-WPK42	NP	Ø4, H=2, C=4	Complete Prosthetic Kit, internal hex.	Titanium	  
	SP	Ø4.8, H=2, C=4			
	WP	Ø5.5, H=2, C=4			
 MK-NPK43 MK-CPK43 MK-WPK43	NP	Ø4, H=3, C=4	Complete Prosthetic Kit, internal hex.	Titanium	  
	SP	Ø4.8, H=3, C=4			
	WP	Ø5.5, H=3, C=4			
 MK-NPK44 MK-CPK44 MK-WPK44	NP	Ø4, H=4, C=4	Complete Prosthetic Kit, internal hex.	Titanium	  
	SP	Ø4.8, H=4, C=4			
	WP	Ø5.5, H=4, C=4			
 MK-NPK61 MK-CPK61 MK-WPK61	NP	Ø4, H=1, C=6	Complete Prosthetic Kit, internal hex.	Titanium	  
	SP	Ø4.8, H=1, C=6			
	WP	Ø5.5, H=1, C=6			
 MK-NPK62 MK-CPK62 MK-WPK62	NP	Ø4, H=2, C=6	Complete Prosthetic Kit, internal hex.	Titanium	  
	SP	Ø4.8, H=2, C=6			
	WP	Ø5.5, H=2, C=6			

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

# CPK - Complete Prosthetic Kit

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MK-NPK63	NP	Ø4, H=3, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK63	SP	Ø4.8, H=3, C=6			
	MK-WPK63	WP	Ø5.5, H=3, C=6			
	MK-NPK64	NP	Ø4, H=4, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK64	SP	Ø4.8, H=4, C=6			
	MK-WPK64	WP	Ø5.5, H=4, C=6			
	MK-CPK81	SP	Ø4.8, H=1, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK81	WP	Ø5.5, H=1, C=8			
	MK-CPK82	SP	Ø4.8, H=2, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK82	WP	Ø5.5, H=2, C=8			
	MK-CPK83	SP	Ø4.8, H=3, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK83	WP	Ø5.5, H=3, C=8			
	MK-CPK84	SP	Ø4.8, H=4, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK84	WP	Ø5.5, H=4, C=8			
	MN-CPC62	NP	Ø4, H=2, C=6	Transgingival abutment, concave, internal hex.	Titanium	
	MD-CPC62	SP	Ø4.8, H=2, C=6			
	MW-CPC62	WP	Ø5.5, H=2, C=6			
	MN-CPC63	NP	Ø4, H=3, C=6	Transgingival abutment, concave, internal hex.	Titanium	
	MD-CPC63	SP	Ø4.8, H=3, C=6			
	MW-CPC63	WP	Ø5.5, H=3, C=6			
	MN-CPC64	NP	Ø4, H=4, C=6	Transgingival abutment, concave, internal hex.	Titanium	
	MD-CPC64	SP	Ø4.8, H=4, C=6			
	MW-CPC64	WP	Ø5.5, H=4, C=6			
	MN-CPK41	NP	Ø4, H=1, C=4	Transgingival abutment, internal hex.	Titanium	
	MD-CPK41	SP	Ø4.8, H=1, C=4			
	MW-CPK41	WP	Ø5.5, H=1, C=4			
	MN-CPK42	NP	Ø4, H=2, C=4	Transgingival abutment, internal hex.	Titanium	
	MD-CPK42	SP	Ø4.8, H=2, C=4			
	MW-CPK42	WP	Ø5.5, H=2, C=4			
	MN-CPK43	NP	Ø4, H=3, C=4	Transgingival abutment, internal hex.	Titanium	
	MD-CPK43	SP	Ø4.8, H=3, C=4			
	MW-CPK43	WP	Ø5.5, H=3, C=4			

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length





















	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-CPK44 MD-CPK44 MW-CPK44	NP SP WP	Ø4, H=4, C=4 Ø4.8, H=4, C=4 Ø5.5, H=4, C=4	Transgingival abutment, internal hex.	Titanium	
	MN-CPK61 MD-CPK61 MW-CPK61	NP SP WP	Ø4, H=1, C=6 Ø4.8, H=1, C=6 Ø5.5, H=1, C=6	Transgingival abutment, internal hex.	Titanium	
	MN-CPK62 MD-CPK62 MW-CPK62	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Transgingival abutment, internal hex.	Titanium	
	MN-CPK63 MD-CPK63 MW-CPK63	NP SP WP	Ø4, H=3, C=6 Ø4.8, H=3, C=6 Ø5.5, H=3, C=6	Transgingival abutment, internal hex.	Titanium	
	MN-CPK64 MD-CPK64 MW-CPK64	NP SP WP	Ø4, H=4, C=6 Ø4.8, H=4, C=6 Ø5.5, H=4, C=6	Transgingival abutment, internal hex.	Titanium	
	MD-CPK81 MW-CPK81	SP WP	Ø4.8, H=1, C=8 Ø5.5, H=1, C=8	Transgingival abutment, internal hex.	Titanium	
	MD-CPK82 MW-CPK82	SP WP	Ø4.8, H=2, C=8 Ø5.5, H=2, C=8	Transgingival abutment, internal hex.	Titanium	
	MD-CPK83 MW-CPK83	SP WP	Ø4.8, H=3, C=8 Ø5.5, H=3, C=8	Transgingival abutment, internal hex.	Titanium	
	MD-CPK84 MW-CPK84	SP WP	Ø4.8, H=4, C=8 Ø5.5, H=4, C=8	Transgingival abutment, internal hex.	Titanium	
	MN-IC600 MD-IC800 MW-IC800	NP SP WP	Ø4.2, L=8 Ø5, L=10 Ø5.7, L=10	Transfer plastic cap for CPK	Plastic	
	MM-CHC40 MM-CHC60 MM-CHC80	NP SP WP	C=4 C=6 C=8	Plastic healing cap	PEEK	
	MN-RSM60 MD-RSM60 MW-RSM60	NP SP WP	Ø4, C=6, L=18 Ø4.8, C=6, L=18 Ø5.5, C=6, L=18	Abutment analog for CPK	Stainless steel	



Overdentures

## LOCKiT Attachment System



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-LOC01 MD-LOC01 MW-LOC01	NP	Ø3.75, H=1	LOCKiT abutment, internal hex.	Titanium	  
	SP	Ø3.75, H=1			
	WP	Ø4.5, H=1			
 MN-LOC02 MD-LOC02	NP	Ø3.75, H=2	LOCKiT abutment, internal hex.	Titanium	 
	SP	Ø3.75, H=2			
 MN-LOC03 MD-LOC03 MW-LOC03	NP	Ø3.75, H=3	LOCKiT abutment, internal hex.	Titanium	  
	SP	Ø3.75, H=3			
	WP	Ø4.5, H=3			
 MN-LOC04 MD-LOC04	NP	Ø3.75, H=4	LOCKiT abutment, internal hex.	Titanium	 
	SP	Ø3.75, H=4			
 MN-LOC05 MD-LOC05 MW-LOC05	NP	Ø3.75, H=5	LOCKiT abutment, internal hex.	Titanium	  
	SP	Ø3.75, H=5			
	WP	Ø4.5, H=5			

 Concave emergence profile

H = Gingival height


C = Crown height

L = Length


Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MK-NLC1 MK-SLC1 MK-WLC1	NP	Ø3.75, H=1	LOCKiT abutment kit, internal hex.	Titanium	
	SP	Ø3.75, H=1			
	WP	Ø4.5, H=1			
 MK-NLC2 MK-SLC2	NP	Ø3.75, H=2	LOCKiT abutment kit, internal hex.	Titanium	
	SP	Ø3.75, H=2			
 MK-NLC3 MK-SLC3 MK-WLC3	NP	Ø3.75, H=3	LOCKiT abutment kit, internal hex.	Titanium	
	SP	Ø3.75, H=3			
	WP	Ø4.5, H=3			
 MK-NLC4 MK-SLC4	NP	Ø3.75, H=4	LOCKiT abutment kit, internal hex.	Titanium	
	SP	Ø3.75, H=4			
 MK-NLC5 MK-SLC5 MK-WLC5	NP	Ø3.75, H=5	LOCKiT abutment kit, internal hex.	Titanium	
	SP	Ø3.75, H=5			
	WP	Ø4.5, H=5			
 MT-LOC10		Ø7.8 L=86	LOCKiT core tool	Stainless steel	
 MM-LOC1		Ø5.4 L=4.4	LOCKiT impression coping	Titanium	
 MM-LOA40 MM-LOA50	NP/SP	Ø4, L=10.2 Ø5, L=10.2	LOCKiT analog	Titanium	
	WP				
 MM-LOC02			LOCKiT male processing package		
 MM-CLE10		Ø4.75 H=1.78	LOCKiT male retention cap 10° standard (clear)	Nylon	
 MM-PIN10		Ø4.72 H=1.78	LOCKiT male retention cap 10° light (pink)	Nylon	
 MM-BLU10		Ø4.72 H=1.78	LOCKiT male retention cap 10° extra light (blue)	Nylon	


LOCKiT  
Attachment  
System

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MM-GRE10		Ø4.75 H=1.78	LOCKiT male retention cap 20° standard (green)	Nylon	
	MM-RED10		Ø4.72 H=1.78	LOCKiT male retention cap 20° extra light (red)	Nylon	
	MM-BLA10		Ø4.75 H=1.9	LOCKiT male processing cap for impression coping (black)	Polyethylene	
	MM-TIT10		Ø5.5 H=2.25	LOCKiT metal housing titanium cap	Titanium	
	MT-RSD19		L=19	LOCKiT short torque ratchet driver	Stainless steel	
	MT-RSD24		L=24	LOCKiT long torque ratchet driver	Stainless steel	
	MT-LOC11		Ø7.35 H=4.1	LOCKiT abutment holder sleeve		

 Concave emergence profile      H = Gingival height      C = Crown height      L = Length

 **5** Retention Options
















Overdentures












# OT-Equator Kits




Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MK-NOE1 MK-SOE1 MK-WOE1	NP	Ø4, H=1	OT-Equator kit, internal hex.	Titanium	
	SP	Ø4, H=1			
	WP	Ø5, H=1			
 MK-NOE2 MK-SOE2	NP	Ø4, H=2	OT-Equator kit, internal hex.	Titanium	
	SP	Ø4, H=2			
 MK-NOE3 MK-SOE3 MK-WOE3	NP	Ø4, H=3	OT-Equator kit, internal hex.	Titanium	
	SP	Ø4, H=3			
	WP	Ø5, H=3			
 MK-NOE4 MK-SOE4	NP	Ø4, H=4	OT-Equator kit, internal hex.	Titanium	
	SP	Ø4, H=4			
 MK-NOE5 MK-SOE5	NP	Ø4, H=5	OT-Equator kit, internal hex.	Titanium	
	SP	Ø4, H=5			

 Concave emergence profile    
 H = Gingival height    
 C = Crown height    
 L = Length

OT-Equator Kits

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	ET-IT002			OT-Equator handling tool		
	OE-IC002			OT-Equator impression coping cap		
	OE-IC001			OT Equator tear-off impression transfer cap		
	OE-RSM60			OT-Equator analog	Stainless steel	
	MT-RDL30		L=27	Long driver for 0.05 inch hex.	Stainless steel	
	MT-RDS30		L=21.3	Short driver for 0.05 inch hex.	Stainless steel	
	OE-RCP01			OT-Equator soft retentive cap (pink), 4-pack		
	OE-RCW01			OT-Equator standard retentive cap (white), 4-pack		
	OE-RCV01			OT-Equator rigid retentive cap (violet), 4-pack		
	OE-RCY01			OT-Equator extra soft retentive cap (yellow), 4-pack		
	OE-RCB01			OT-Equator laboratory retentive cap (black), 4-pack		
	OE-MH001			OT-Equator metal housing		

 Concave emergence profile

H = Gingival height


C = Crown height






















L = Length



Overdentures

## Ball Attachment System



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MB-N1375 MW-B1500	SP	Ø4, H=1 Ø5, H=1	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	WP				
 MB-N2330 MB-N2375	NP	Ø4, H=2	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	SP				
 MB-N3330 MB-N3375 MW-B3500	NP	Ø4, H=3 Ø4, H=3 Ø5, H=3	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	  
	SP				
	WP				
 MB-N4330 MB-N4375	NP	Ø4, H=4	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	SP				
 MB-N5375 MW-B5500	SP	Ø4, H=5 Ø5, H=5	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	WP				
 MB-AN152	SP	H=2	Ball anchor angulated abutment, 15°, internal hex.	Titanium	
 MB-AN252	SP	H=2	Ball anchor angulated abutment, 25°, internal hex.	Titanium	
 MB-RS375		L=15.1	Ball attachment analog	Stainless steel	












 Concave emergence profile


H = Gingival height

C = Crown height

L = Length

# Ball Attachment System

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MB-SF200		Ø3.7 L=3.5	Plastic ball cap for ball attachment	Plastic	
	MB-GPS10		L=2.4	Gold ball cap for ball attachment	Gold-e	
	MB-TTP10		Ø3.5 L=3.1	Titanium ball cap for ball attachment	Titanium	
	MB-PR010		Ø3.8 L=2	Plastic mounting sleeve for ball attachment	Plastic	
	MB-TBS10		Ø2.5	Titanium ball cap spring for ball attachment, standard	Steel	
	MB-TBS20		Ø2.6	Titanium ball cap spring for ball attachment, soft	Steel	
	MB-DMH10			Double metal housing for ball attachment		
	MB-PPC10		Ø4.2 L=2.6	Standard plastic cap for ball attachment metal housing	Plastic	
	MB-PPR10		Ø4.2 L=2.6	Soft plastic cap for ball attachment metal housing, 800-950g retention	Plastic	
	MB-DB235		Ø15 L=2.6	Plastic disc for ball attachment	Plastic	
	MT-RB225		L=22	Ball attachment anchor key	Stainless steel	

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length







## MGUIDE - DIGITAL DENTISTRY

MGUIDE is an advanced yet simple solution for guided surgery. The 3D-printed template is designed with an open frame for maximum visibility, irrigation and accessibility from all angles without the need for removal.

MGUIDE is a keyless system, designed for single handed procedures, eliminating the need for unnecessary tools. Raised flap surgery may also be more easily performed.





MGUIDE

## MGUIDE Custom Surgical Template



Cat. No

Description



MG-TMP10

MGUIDE value pack



MG-TMP20

MGUIDE value pack for edentulous cases



MGUIDE

## MGUIDE SEVEN Surgical Set







































MG-K001  
MGUIDE SEVEN Surgical Set

Cat. No	Dimensions (mm)	Description	Material	Sold
MG-TP047	Ø4.7 L=26	MGUIDE tissue punch, standard platform	Stainless steel	INSIDE KIT STAND ALONE
MG-TP055	Ø5.5 L=26	MGUIDE tissue punch, wide platform	Stainless steel	INSIDE KIT STAND ALONE
MG-BM047	Ø4.7 L=24.5	MGUIDE bone mill, standard platform	Stainless steel	INSIDE KIT STAND ALONE
MG-BM055	Ø5.5 L=24.5	MGUIDE bone mill, wide platform	Stainless steel	INSIDE KIT STAND ALONE
MG-D0624	Ø2.4 L=30.8	MGUIDE 6mm pilot drill	Stainless steel	INSIDE KIT STAND ALONE
MG-D0824	Ø2.4 L=32.8	MGUIDE pilot drill for 8mm length implant	Stainless steel	INSIDE KIT STAND ALONE
MG-D1024	Ø2.4 L=34.8	MGUIDE pilot drill for 10mm length implant	Stainless steel	INSIDE KIT STAND ALONE

L = Length

## MGUIDE SEVEN Surgical Set


































Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-D1124	Ø2.4 L=36.3	MGUIDE pilot drill for 11.5mm length implant	Stainless steel	 
 MG-D1324	Ø2.4 L=37.8	MGUIDE pilot drill for 13mm length implant	Stainless steel	 
 MG-D0633	Ø2.2-3.2 L=30.8	MGUIDE drill for Ø3.30 x 6mm length implant	Stainless steel	 
 MG-D0833	Ø2.2-3.2 L=32.8	MGUIDE drill for Ø3.30 x 8mm length implant	Stainless steel	 
 MG-D1033	Ø2.2-3.2 L=34.8	MGUIDE drill for Ø3.30 x 10mm length implant	Stainless steel	 
 MG-D1133	Ø2.2-3.2 L=36.3	MGUIDE drill for Ø3.30 x 11.5mm length implant	Stainless steel	 
 MG-D1333	Ø2.2-3.2 L=37.8	MGUIDE drill for Ø3.30 x 13mm length implant	Stainless steel	 
 MG-D0637	Ø2.8-3.6 L=30.8	MGUIDE drill for Ø3.75 x 6mm length implant	Stainless steel	 
 MG-D0837	Ø2.8-3.6 L=32.8	MGUIDE drill for Ø3.75 x 8mm length implant	Stainless steel	 
 MG-D1037	Ø2.8-3.6 L=34.8	MGUIDE drill for Ø3.75 x 10mm length implant	Stainless steel	 
 MG-D1137	Ø2.8-3.6 L=36.3	MGUIDE drill for Ø3.75 x 11.5mm length implant	Stainless steel	 
 MG-D1337	Ø2.8-3.6 L=37.8	MGUIDE drill for Ø3.75 x 13mm length implant	Stainless steel	 

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-D0642	Ø3.3-4.1 L=30.8	MGUIDE drill for Ø4.20 x 6mm length implant	Stainless steel	 
 MG-D0842	Ø3.3-4.1 L=32.8	MGUIDE drill for Ø4.20 x 8mm length implant	Stainless steel	 
 MG-D1042	Ø3.3-4.1 L=34.8	MGUIDE drill for Ø4.20 x 10mm length implant	Stainless steel	 
 MG-D1142	Ø3.3-4.1 L=36.3	MGUIDE drill for Ø4.20 x 11.5mm length implant	Stainless steel	 
 MG-D1342	Ø3.3-4.1 L=37.8	MGUIDE drill for Ø4.20 x 13mm length implant	Stainless steel	 
 MG-D0650	Ø4.1-4.9 L=30.8	MGUIDE drill for Ø5 x 6mm length implant	Stainless steel	 
 MG-D0850	Ø4.1-4.9 L=32.8	MGUIDE drill for Ø5 x 8mm length implant	Stainless steel	 
 MG-D1050	Ø4.1-4.9 L=34.8	MGUIDE drill for Ø5 x 10mm length implant	Stainless steel	 
 MG-D1150	Ø4.1-4.9 L=36.3	MGUIDE drill for Ø5 x 11.5mm length implant	Stainless steel	 
 MG-D1350	Ø4.1-4.9 L=37.8	MGUIDE drill for Ø5 x 13mm length implant	Stainless steel	 
 MG-DLG55	Ø5.5 L=55	MGUIDE drill length gauge	Titanium	 
 MG-GRI01	Ø7 L=29.7	MGUIDE direct ratchet insertion tool, internal hex.	Stainless steel	 

L = Length

## MGUIDE SEVEN Surgical Set



























	Cat. No	Dimensions (mm)	Description	Material	Sold
	MG-GRN01	Ø7 L=29.7	MGUIDE direct ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-GMI10	Ø5.4 L=28.9	MGUIDE motor insertion tool, internal hex.	Stainless steel	 
	MG-GR110	Ø7 L=24.5	MGUIDE ratchet insertion tool, internal hex.	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MG-IE172	L=32.7	MGUIDE insertion tool extractor, internal hex., standard/wide platform	Titanium	 
	MG-IE160	L=32.7	MGUIDE insertion tool extractor, internal hex., narrow platform	Titanium	 
	MG-DFP20	Ø2 L=35.3	MGUIDE drill for fixation pin	Stainless steel	 
	MG-FP020	Ø2 L=29	MGUIDE fixation pin	Titanium	 
	MG-TAS55	Ø5.5 L=24	MGUIDE template anchoring screw	Titanium	 
	MT-RA480		Ratchet to hex. adapter	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length





MG-SD01  
MGUIDE Drill Replacement Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-TP047	Ø4.7 L=26	MGUIDE tissue punch, standard platform	Stainless steel	 
 MG-TP055	Ø5.5 L=26	MGUIDE tissue punch	Stainless steel	 
 MG-BM047	Ø4.7 L=24.5	MGUIDE bone mill, standard platform	Stainless steel	 
 MG-BM055	Ø5.5 L=24.5	MGUIDE bone mill, wide platform	Stainless steel	 
 MG-D0624	Ø2.4 L=30.8	MGUIDE pilot drill for 6mm length implant	Stainless steel	 
 MG-D0824	Ø2.4 L=32.8	MGUIDE pilot drill for 8mm length implant	Stainless steel	 
 MG-D1024	Ø2.4 L=34.8	MGUIDE pilot drill for 10mm length implant	Stainless steel	 
 MG-D1124	Ø2.4 L=36.3	MGUIDE pilot drill for 11.5mm length implant	Stainless steel	 
 MG-D1324	Ø2.4 L=37.8	MGUIDE pilot drill for 13mm length implant	Stainless steel	 

L = Length







MGUIDE

## MGUIDE SEVEN Surgical Set, Narrow Sleeve



**MG-K002**  
MGUIDE SEVEN Surgical Set,  
Narrow Sleeve

























Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-NBM40	Ø4 L=24.5	MGUIDE Narrow Sleeve bone mill	Stainless steel	 
 MG-NTP40	Ø4 L=26	MGUIDE Narrow Sleeve tissue punch	Stainless steel	 
 MG-N0624	Ø2.4 L=30.8	MGUIDE Narrow Sleeve pilot drill for 6mm length implant	Stainless steel	 
 MG-N0824	Ø2.4 L=32.8	MGUIDE Narrow Sleeve pilot drill for 8mm length implant	Stainless steel	 
 MG-N1024	Ø2.4 L=34.8	MGUIDE Narrow Sleeve pilot drill for 10mm length implant	Stainless steel	 

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-N1124	Ø2.4 L=36.3	MGUIDE Narrow Sleeve pilot drill for 11.5mm length implant	Stainless steel	 
 MG-N1324	Ø2.4 L=37.8	MGUIDE Narrow Sleeve pilot drill for 13mm length implant	Stainless steel	 
 MG-N0633	Ø2.2-3.2 L=30.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 6mm length implant	Stainless steel	 
 MG-N0833	Ø2.2-3.2 L=32.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 8mm length implant	Stainless steel	 
 MG-N1033	Ø2.2-3.2 L=34.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 10mm length implant	Stainless steel	 
 MG-N1133	Ø2.2-3.2 L=36.3	MGUIDE Narrow Sleeve drill for Ø3.30 x 11.5mm length implant	Stainless steel	 
 MG-N1333	Ø2.2-3.2 L=37.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 13mm length implant	Stainless steel	 
 MG-N0637	Ø2.8-3.6 L=30.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 6mm length implant	Stainless steel	 
 MG-N0837	Ø2.8-3.6 L=32.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 8mm length implant	Stainless steel	 
 MG-N1037	Ø2.8-3.6 L=34.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 10mm length implant	Stainless steel	 
 MG-N1137	Ø2.8-3.6 L=36.3	MGUIDE Narrow Sleeve drill for Ø3.75 x 11.5mm length implant	Stainless steel	 
 MG-N1337	Ø2.8-3.6 L=37.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 13mm length implant	Stainless steel	 

L = Length


## MGUIDE Surgical Set for SEVEN Implant, Narrow Sleeve






















Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-NLG40	Ø4 L=55	MGUIDE Narrow Sleeve drill length gauge	Titanium	 
 MG-NMN10	Ø5 L=30.4	MGUIDE Narrow Sleeve motor insertion tool, internal hex., narrow platform	Stainless steel	 
 MG-NMS10	Ø5 L=28.9	MGUIDE Narrow Sleeve motor insertion tool, internal hex., standard platform	Stainless steel	 
 MG-NRN01	Ø5.3 L=29.5	MGUIDE Narrow Sleeve direct ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
 MG-NRS01	Ø5.3 L=24.7	MGUIDE Narrow Sleeve direct ratchet insertion tool, internal hex., standard platform	Stainless steel	 
 MG-NRN10	Ø5.3 L=25	MGUIDE Narrow Sleeve ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
 MG-NRS10	Ø5.3 L=24.5	MGUIDE Narrow Sleeve ratchet insertion tool, internal hex., standard platform	Stainless steel	 
 MG-NTAS0	Ø5.3 L=24	MGUIDE Narrow Sleeve template anchoring screw	Titanium	 

L = Length



MG-ND01  
MGUIDE Drill Replacement Kit, Narrow Sleeve



Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-NBM40	Ø4 L=24.5	MGUIDE Narrow Sleeve bone mill	Stainless steel	 
 MG-NTP40	Ø4 L=26	MGUIDE Narrow Sleeve tissue punch	Stainless steel	 
 MG-N0624	Ø2.4 L=30.8	MGUIDE Narrow Sleeve pilot drill for 6mm length implant	Stainless steel	 
 MG-N0824	Ø2.4 L=32.8	MGUIDE Narrow Sleeve pilot drill for 8mm length implant	Stainless steel	 
 MG-N1024	Ø2.4 L=34.8	MGUIDE Narrow Sleeve pilot drill for 10mm length implant	Stainless steel	 
 MG-N1124	Ø2.4 L=36.3	MGUIDE Narrow Sleeve pilot drill for 11.5mm length implant	Stainless steel	 
 MG-N1324	Ø2.4 L=37.8	MGUIDE Narrow Sleeve pilot drill for 13mm length implant	Stainless steel	 

L = Length





## ADDITIONAL INFORMATION

For your convenience, the following section provides an additional resource about products and processes that may require expanded explanations in the form of visuals, schematics, technical information or documentation.



Additional information

## XD Drills

## NEW. SHARP. EVERY SINGLE TIME

MIS XD are single-use, sharp, sterile, procedure-ready drills in every implant package. MIS XD deliver a full procedure in every implant package. These single-use drills are designed for optimal implant-drill compatibility and high initial stability, while ensuring safe and simplified procedures.

### XD SHARP

MIS XD, supplied in every implant package, are always sharp. Using sharp drills in every drilling procedure prevents drill wear and deformation.

### XD STERILE

MIS XD, supplied in every implant package, are always sterile. This eliminates the need for post-surgery sterilization and reduces the risk of cross-contamination and infection.

### XD SAFE

MIS XD, supplied in every implant package, are always compatible with the implant shape and dimensions. MIS XD are designed for depth control, which provides more visibility and confidence in every drilling procedure.

### XD SIMPLE

MIS XD, supplied in every implant package, are single-use drills. Single-use drills allow for a simple and quick procedure while eliminating cleaning, re-sterilization and reduce managing drill replacement in the surgical kits.





### BONE PROTECTION

- Studies have shown that bone temperature increase is directly correlated with higher drill usage.
- MIS XD are new and sharp every single time.

### DEPTH PLANNING

- Predetermined drill length and diameter, matching the relevant implant shape and dimension may enhance initial stability.
- Drills are marked for depth control.

### STRENGTH

MIS XD drills are manufactured according to the most stringent standards and tests.

### BONE COLLECTION

MIS XD blades are designed to collect bone chips for autografting.

### PRECISE POSITIONING


The tip of the step drill has the same diameter as the previously used drill, which provides a more precise positioning of the drill inside the osteotomy.





Additional information


### Pilot Drills, External Irrigation





Additional information

# SEVEN Twist Drills, External Irrigation





Additional information

# M4 Twist Drills, External Irrigation

16mm depth


13mm depth

11.5mm depth

10mm depth

8mm depth


6mm depth




MT-TDN28




MT-TDN32




MT-TDN38



MT-TDN45



MT-TDN50




MT-TDN55



Additional information

### SEVEN and M4 Short Twist Drills, External Irrigation






Additional information

## Alloy Composition

Material	Titanium Alloy Ti 6Al 4V ELI	Gold-a	Gold-s	Gold-e	
Application	C, K	L, G, K	L, G, K	L, K	
Composition	Gold %	-	60	61	70
	Platinum %	-	19	13.5	8.50
	Silver %	-	-	16.5	13.40
	Palladium %	-	20	-	-
	Copper %	-	-	9	7.50
	Zinc %		-	Balance	0.05
	Iridium %		Balance	-	0.10
	Titanium (max)	Balance	-	-	-
	Carbon (max)	0.08	-	-	-
	Iron (max)	0.25	-	-	-
	Oxygen (max)	0.13	-	-	-
	Nitrogen (max)	0.05	-	-	-
	Hydrogen (max)	0.013	-	-	-
	Aluminum	5.5-6.5	-	-	-
	Vanadium	3.5-4.5	-	-	-
	Melting range °C	1604-1660	1400-1490	950-1050	895-1010
	Hardness	Soft annealing HV5	-	145	160
Hardened HV5		350-385	240	250	295
Soft °C / min		-	100/30	750/5	750/5
Hardened °C / min		-	700/30	350/15	450/15

Legend: C-bonding K-resin L-soldering G-casting onto



INDEX

Cat. No. Page

## C

CT-BTC24	43
CT-BTC24	46
CT-P2406	28
CT-P2406	45
CT-P2408	28
CT-P2408	45
CT-P2408	49
CT-P2410	28
CT-P2410	45
CT-P2410	49
CT-P2411	29
CT-P2411	45
CT-P2411	49
CT-P2413	29
CT-P2413	46
CT-P2413	49
CT-P2416	29
CT-P2416	43
CT-P2416	46
CT-P2416	49
CT-P2416	50
CT-UN001	59
CT-US001	59
CT-UW001	60

## E

ET-IT002	42
ET-IT002	60
ET-IT002	92

Cat. No. Page

## M

MA-N1480	70
MA-N2480	70
MA-N3480	70
MA-N4480	70
MA-N5480	70
MA-NC248	70
MA-NC348	70
MA-NC448	70
MA-NO171	71
MA-NO172	71
MA-NO301	71
MA-NO302	71
MA-S1480	70
MA-S2480	70
MA-S3480	70
MA-S4480	70
MA-S5480	70
MA-SC248	70
MA-SC348	70
MA-SC448	70
MA-SO171	71
MA-SO172	71
MA-SO173	71
MA-SO301	71
MA-SO302	71
MA-SO303	71
MA-W1480	70
MA-W3480	70
MA-W5480	70
MA-WC348	70
MA-WC548	70
MA-WO171	71
MA-WO172	71
MA-WO173	71
MA-WO301	71
MA-WO302	71
MA-WO303	71
MB-AN152	93
MB-AN252	93
MB-DB235	94
MB-DMH10	94
MB-GPS10	94
MB-N1375	93
MB-N2330	93
MB-N2375	93
MB-N3330	93

Cat. No. Page

MB-N3375	93
MB-N4330	93
MB-N4375	93
MB-N5375	93
MB-PPC10	94
MB-PPR10	94
MB-PRO10	94
MB-RS375	93
MB-SF200	94
MB-TBS10	94
MB-TBS20	94
MB-TTP10	94
MD-A0010	81
MD-A1510	81
MD-A2510	81
MD-AGT12	79
MD-AN151	81
MD-AN251	81
MD-AT152	80
MD-AT153	80
MD-AT252	81
MD-AT253	81
MD-CC010	74
MD-CCI10	74
MD-CP013	73
MD-CP050	73
MD-CPC62	86
MD-CPC63	86
MD-CPC64	86
MD-CPH13	73
MD-CPH50	73
MD-CPK41	86
MD-CPK42	86
MD-CPK43	87
MD-CPK44	87
MD-CPK61	87
MD-CPK62	87
MD-CPK63	87
MD-CPK64	87
MD-CPK81	87
MD-CPK82	87
MD-CPK83	87
MD-CPK84	87
MD-CTP10	83
MD-E0220	75
MD-EZB15	75
MD-FTB15	76
MD-FTB30	76
MD-G0213	67
MD-G0220	74
MD-G0220	82
MD-G0220	84
MD-GP010	74



Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MD-GPC10	74	MD-TPA12	69	MF7-D16420	11
MD-I0375	66	MD-TPH50	69	MF7-D16500	13
MD-IB091	79	MD-WMAC1	83	MG1-TE480	42
MD-IB121	79	MF4-06420	21	MG-BM047	99
MD-IC800	87	MF4-06500	23	MG-BM047	103
MD-IN060	76	MF4-06600	25	MG-BM055	99
MD-IO481	66	MF4-08375	19	MG-BM055	103
MD-IT100	66	MF4-08420	21	MG-D0624	99
MD-IT300	67	MF4-08500	23	MG-D0624	103
MD-ITC30	66	MF4-08600	25	MG-D0633	100
MD-LOC01	88	MF4-10330	17	MG-D0637	100
MD-LOC02	88	MF4-10375	19	MG-D0642	101
MD-LOC03	88	MF4-10420	21	MG-D0650	101
MD-LOC04	88	MF4-10500	23	MG-D0824	99
MD-LOC05	88	MF4-10600	25	MG-D0824	103
MD-MAB10	79	MF4-11330	17	MG-D0833	100
MD-MAC10	83	MF4-11375	19	MG-D0837	100
MD-MACF1	83	MF4-11420	21	MG-D0842	101
MD-MAN10	78	MF4-11500	23	MG-D0850	101
MD-MC102	83	MF4-11600	25	MG-D1024	99
MD-P0030	81	MF4-13330	17	MG-D1024	103
MD-P1530	81	MF4-13375	19	MG-D1033	100
MD-P2530	81	MF4-13420	21	MG-D1037	100
MD-PF375	48	MF4-13500	23	MG-D1042	101
MD-PF375	67	MF4-13600	25	MG-D1050	101
MD-RSM10	67	MF4-16330	17	MG-D1124	100
MD-RSM60	87	MF4-16375	19	MG-D1124	103
MD-S0200	82	MF4-16420	21	MG-D1133	100
MD-S0200	84	MF4-16500	23	MG-D1137	100
MD-S0220	67	MF7-06600	15	MG-D1142	101
MD-S0220	69	MF7-08600	15	MG-D1150	101
MD-S0220	74	MF7-10600	15	MG-D1324	100
MD-S0220	76	MF7-11600	15	MG-D1324	103
MD-S0220	82	MF7-13600	15	MG-D1333	100
MD-S0220	84	MF7-D06420	11	MG-D1337	100
MD-S0222	74	MF7-D06500	13	MG-D1342	101
MD-S0222	82	MF7-D08375	9	MG-D1350	101
MD-S0222	84	MF7-D08420	11	MG-DFP20	102
MD-S0224	74	MF7-D08500	13	MG-DLG55	101
MD-S0224	82	MF7-D10330	7	MG-FP020	102
MD-S0224	84	MF7-D10375	9	MG-GMI10	102
MD-SP102	77	MF7-D10420	11	MG-GRI01	101
MD-TB001	76	MF7-D10500	13	MG-GRI10	102
MD-TB002	76	MF7-D11330	7	MG-GRN01	102
MD-TBC15	76	MF7-D11375	9	MG-IE160	102
MD-TBC30	76	MF7-D11420	11	MG-IE172	102
MD-TC013	69	MF7-D11500	13	MG-K001	99
MD-TC023	68	MF7-D13330	7	MG-K002	104
MD-TC033	68	MF7-D13375	9	MG-N0624	104
MD-TCH13	69	MF7-D13420	11	MG-N0624	107
MD-TCH23	68	MF7-D13500	13	MG-N0633	105
MD-TCH33	68	MF7-D16330	7	MG-N0637	105
MD-TPA10	69	MF7-D16375	9	MG-N0824	104

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MG-N0824	107	MK-CPK82	86	MK-WPK61	85
MG-N0833	105	MK-CPK83	86	MK-WPK62	86
MG-N0837	105	MK-CPK84	86	MK-WPK63	86
MG-N1024	104	MK-NLC1	89	MK-WPK64	86
MG-N1024	107	MK-NLC2	89	MK-WPK81	86
MG-N1033	105	MK-NLC3	89	MK-WPK82	86
MG-N1037	105	MK-NLC4	89	MK-WPK83	86
MG-N1124	105	MK-NLC5	89	MK-WPK84	86
MG-N1124	107	MK-NOE1	91	MM-BLA10	90
MG-N1133	105	MK-NOE2	91	MM-BLU10	89
MG-N1137	105	MK-NOE3	91	MM-CLE10	89
MG-N1324	105	MK-NOE4	91	MM-GRE10	90
MG-N1324	107	MK-NOE5	91	MM-LOA40	89
MG-N1333	105	MK-NPC62	85	MM-LOA50	89
MG-N1337	105	MK-NPC63	85	MM-LOC02	89
MG-NBM40	104	MK-NPC64	85	MM-LOC1	89
MG-NBM40	107	MK-NPK41	85	MM-PIN10	89
MG-NLG40	106	MK-NPK42	85	MM-RED10	90
MG-NMN10	106	MK-NPK43	85	MM-TIT10	90
MG-NMS10	106	MK-NPK44	85	MN-AGT12	79
MG-NRN01	106	MK-NPK61	85	MN-AN020	81
MG-NRN10	106	MK-NPK62	86	MN-AT101	81
MG-NRS01	106	MK-NPK63	86	MN-AT102	80
MG-NRS10	106	MK-NPK64	86	MN-AT202	80
MG-NTAS0	106	MK-SD01	49	MN-CC010	74
MG-NTP40	104	MK-SDS06	55	MN-CCI10	74
MG-NTP40	107	MK-SDS08	55	MN-CP013	73
MG-TAS55	102	MK-SDS10	55	MN-CPC62	86
MG-TMP10	98	MK-SDS11	55	MN-CPC63	86
MG-TMP20	98	MK-SDS13	55	MN-CPC64	86
MG-TP047	99	MK-SLC1	89	MN-CPH13	73
MG-TP047	103	MK-SLC2	89	MN-CPK41	86
MG-TP055	99	MK-SLC3	89	MN-CPK42	86
MG-TP055	103	MK-SLC4	89	MN-CPK43	87
MK-0001	61	MK-SLC5	89	MN-CPK44	87
MK-0016	50	MK-SOE1	91	MN-CPK61	87
MK-0020	56	MK-SOE2	91	MN-CPK62	87
MK-0022	62	MK-SOE3	91	MN-CPK63	87
MK-0056	77	MK-SOE4	91	MN-CPK64	87
MK-0059	53	MK-SOE5	91	MN-E0160	75
MK-BS001	54	MK-T048	45	MN-EZB15	75
MK-CPC62	85	MK-WLC1	89	MN-FTB15	76
MK-CPC63	85	MK-WLC3	89	MN-FTB30	76
MK-CPC64	85	MK-WLC5	89	MN-GP010	74
MK-CPK41	85	MK-WOE1	91	MN-GP100	67
MK-CPK42	85	MK-WOE3	91	MN-GPC10	74
MK-CPK43	85	MK-WPC62	85	MN-I0330	66
MK-CPK44	85	MK-WPC63	85	MN-IB091	79
MK-CPK61	85	MK-WPC64	85	MN-IB121	79
MK-CPK62	86	MK-WPK41	85	MN-IC600	87
MK-CPK63	86	MK-WPK42	85	MN-IN060	76
MK-CPK64	86	MK-WPK43	85	MN-IO401	66
MK-CPK81	86	MK-WPK44	85	MN-IT100	66

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MN-IT300	67	MT-BTT40	46	MT-LOC10	89
MN-ITC30	66	MT-BTT45	46	MT-LOC11	90
MN-LOC01	88	MT-BTT50	47	MT-LRH20	37
MN-LOC02	88	MT-CLR21	58	MT-LRH20	44
MN-LOC03	88	MT-CS330	35	MT-LRH20	47
MN-LOC04	88	MT-CS375	35	MT-LRH20	52
MN-LOC05	88	MT-CS420	35	MT-LRH20	57
MN-MAB10	79	MT-CS500	35	MT-LRH21	37
MN-MAC10	83	MT-CSN33	35	MT-LRH21	44
MN-MAN10	78	MT-CSN33	44	MT-LRH21	47
MN-MC102	83	MT-CSN33	51	MT-LRH21	51
MN-PF330	48	MT-DE001	39	MT-MFXGS	39
MN-PF330	67	MT-DE001	44	MT-MSD20	40
MN-RSM10	67	MT-DE001	47	MT-MSD20	60
MN-RSM60	87	MT-DE001	51	MT-MUML2	41
MN-S0160	67	MT-ELM10	42	MT-MUML2	59
MN-S0160	69	MT-ELM10	75	MT-MUML2	72
MN-S0160	74	MT-ELR10	42	MT-MUMS2	42
MN-S0160	76	MT-ELR10	60	MT-MUMS2	72
MN-S0160	82	MT-ELR10	75	MT-MURL2	41
MN-S0160	84	MT-ESM10	42	MT-MURL2	59
MN-SP102	77	MT-ESM10	75	MT-MURL2	72
MN-TB001	76	MT-ESR10	42	MT-MURS2	41
MN-TB002	76	MT-ESR10	75	MT-MURS2	72
MN-TBC15	76	MT-GDN33	35	MT-PD440	34
MN-TBC30	76	MT-GDN33	44	MT-PDM24	43
MN-TC013	69	MT-GDN33	47	MT-PP240	39
MN-TC023	68	MT-GDN33	51	MT-PP240	47
MN-TC033	68	MT-GDN50	35	MT-PP240	51
MN-TCH13	69	MT-GDN50	44	MT-RA480	39
MN-TCH23	68	MT-GDN50	47	MT-RA480	42
MN-TCH33	68	MT-GDN50	51	MT-RA480	102
MN-TPA10	69	MT-HLI10	37	MT-RB225	41
MN-TPA12	69	MT-HLI10	44	MT-RB225	59
MO-CO160	56	MT-HLI10	47	MT-RB225	94
MO-CO200	56	MT-HLI10	51	MT-RDE30	38
MO-CO240	56	MT-HLI10	57	MT-RDE30	41
MO-CO280	56	MT-HLI21	37	MT-RDL30	38
MO-SO300	56	MT-HLI21	44	MT-RDL30	41
MO-SO350	56	MT-HLI21	47	MT-RDL30	44
MO-SO400	56	MT-HSI10	37	MT-RDL30	48
MT-00400	36	MT-HSI10	47	MT-RDL30	52
MT-00500	36	MT-HSI10	51	MT-RDL30	58
MT-00600	36	MT-HSI10	57	MT-RDL30	72
MT-BGP32	53	MT-HSI21	37	MT-RDL30	92
MT-BGP37	53	MT-HTS10	41	MT-RDL30	102
MT-BGP46	53	MT-IT100	40	MT-RDM30	39
MT-BP320	53	MT-LM005	39	MT-RDM30	41
MT-BP370	53	MT-LM005	40	MT-RDS30	38
MT-BP460	53	MT-LM005	51	MT-RDS30	41
MT-BTI20	38	MT-LM005	58	MT-RDS30	44
MT-BTT28	46	MT-LOC10	42	MT-RDS30	48
MT-BTT32	46	MT-LOC10	60	MT-RDS30	58

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MT-RDS30	92	MT-TDN50	31	MW-CPC63	86
MT-RE160	59	MT-TDN50	51	MW-CPC64	86
MT-RE172	59	MT-TDN55	31	MW-CPH13	73
MT-RI030	39	MT-TDN55	51	MW-CPH60	73
MT-RI030	52	MT-TDT28	30	MW-CPK41	86
MT-RI030	57	MT-TDT28	46	MW-CPK42	86
MT-RI030	102	MT-TDT28	49	MW-CPK43	87
MT-RI040	42	MT-TDT32	30	MW-CPK44	87
MT-RI040	60	MT-TDT32	46	MW-CPK61	87
MT-RMR10	44	MT-TDT32	49	MW-CPK62	87
MT-RMR10	47	MT-TDT40	30	MW-CPK63	87
MT-RMR10	52	MT-TDT40	46	MW-CPK64	87
MT-RSD19	42	MT-TDT40	49	MW-CPK81	87
MT-RSD19	59	MT-TDT45	30	MW-CPK82	87
MT-RSD19	90	MT-TDT45	46	MW-CPK83	87
MT-RSD24	42	MT-TDT45	49	MW-CPK84	87
MT-RSD24	59	MT-TDT50	30	MW-CTP10	83
MT-RSD24	90	MT-TDT50	46	MW-EZB15	75
MT-RT070	39	MT-TP420	39	MW-FTB15	76
MT-RT070	44	MT-TP500	39	MW-FTB30	76
MT-RT070	48	MT-UN002	41	MW-GP010	74
MT-SM005	39	MT-UN002	59	MW-GPC10	74
MT-SM005	40	MT-US002	41	MW-I0470	66
MT-SM005	58	MT-US002	59	MW-IB091	79
MT-SMD10	34	MT-UW002	41	MW-IB121	79
MT-SMD10	45	MT-UW002	59	MW-IC800	87
MT-SMD10	50	MU-BGC48	71	MW-IO551	66
MT-SMD10	57	MU-CC480	71	MW-IT100	66
MT-SRA10	39	MU-CC481	71	MW-IT300	67
MT-SRH20	37	MU-CP048	71	MW-ITC30	66
MT-SRH20	47	MU-G0220	72	MW-LOC01	88
MT-SRH20	52	MU-H4480	71	MW-LOC03	88
MT-SRH20	57	MU-I0480	71	MW-LOC05	88
MT-SRH21	37	MU-IT480	71	MW-MAB10	79
MT-TDI28	32	MU-MAN10	72	MW-MAC10	83
MT-TDI32	32	MU-MAN10	78	MW-MAN10	78
MT-TDI38	32	MU-MG480	72	MW-MC10	83
MT-TDI40	32	MU-RSM48	71	MW-P0010	81
MT-TDI45	33	MU-S0220	72	MW-P1510	81
MT-TDI50	33	MU-SP102	72	MW-PF550	67
MT-TDI55	33	MU-SP102	77	MW-RSM10	67
MT-TDN19	34	MU-TO480	72	MW-RSM60	87
MT-TDN19	43	MW-AGT12	79	MW-SP102	77
MT-TDN19	45	MW-AN151	81	MW-TB001	76
MT-TDN19	50	MW-AT152	80	MW-TB002	76
MT-TDN28	31	MW-B1500	93	MW-TBC15	76
MT-TDN28	50	MW-B3500	93	MW-TBC30	76
MT-TDN32	31	MW-B5500	93	MW-TC013	69
MT-TDN32	50	MW-CC010	74	MW-TC023	68
MT-TDN38	31	MW-CCI10	74	MW-TC033	68
MT-TDN38	51	MW-CP013	73	MW-TCH13	69
MT-TDN45	31	MW-CP060	73	MW-TCH23	68
MT-TDN45	51	MW-CPC62	86	MW-TCH33	68

Cat. No. Page

MW-TPA10	69
MW-TPA12	69
MW-TPH50	69
MW-WMAC1	83

# O

OE-IC001	92
OE-IC002	92
OE-MH001	92
OE-RCB01	92
OE-RCP01	92
OE-RCV01	92
OE-RCW01	92
OE-RCY01	92
OE-RSM60	92





PERFECT  
MATCH

**MIS**<sup>®</sup>  
**MGUIDE**

DESIGNED FOR ACCURACY. **MAKE IT SIMPLE**

The 3D printed template is designed with an open-frame for maximum visibility, irrigation and accessibility from all angles without the need for removal. MGUIDE is a keyless system, designed for single handed procedures, eliminating the need for unnecessary tools. Learn more about MIS at : [www.mis-implants.com](http://www.mis-implants.com)

