

Bombycidae

Bombyx huttoni Westwood, 1847



Taxonomy:


Bombyx huttoni Westwood, 1847: 46.–
India (Bengal).

Hostplant:

Flight period: v-vi.

Altitude: 1555-1580 m.

Imago



Distribution map

Bombycidae

Mustilia falcipennis Walker, 1865



Taxonomy

Mustilia falcipennis Walker, 1865: 581.– India (Darjeeling).


Mustilia castanea Moore, 1979: 82. – India (Darjeeling).

Hostplant

Flight period: v-vi.

Altitude: 1750-2925 m.

Imago



Distribution map

Bombycidae

Mustilia hepatica Moore, 1879



Taxonomy


Mustilia hepatica Moore, 1879: 82.–
India.

Hostplant

Flight period: v-vi.

Altitude: 1530-2020 m.

Imago



Distribution map

Bombycidae

Mustilia phaeopera Hampson, 1910

Taxonomy

Mustilia phaeopera Hampson, 1910:
83.– India (Assam, Khasi Hills).


Hostplant

Flight period

Altitude

Remarks: Specimen in BOLD from
Bumthang, 24.x.2009, 2420 m.(ZSM).

Imago



Bombycidae

Mustilia sphingiformis Moore, 1879



Taxonomy


Mustilia sphingiformis Moore, 1879: 407.– India (Masuri, NW Himalaya).

Hostplant

Flight period: v.

Altitude: 1530-1750 m.

Imago



Distribution map