

Research papers (peer reviewed)

- Wägele, J. W. & Brandt, A. (1985): New West Atlantic localities for the stygobiont paranthurid *Curassanthura* (Crustacea, Isopoda, Anthuridea) with description of *C. bermudensis* n. sp. *Bijdr. tot de Dierkd.* 55 (2): 324-330.
- Brandt, A. (1988): Morphology and ultrastructure of the sensory spine, a presumed mechanoreceptor of the isopod *Sphaeroma hookeri* (Crustacea, Isopoda) and remarks on similar spines in other peracarids. *J. Morphol.* 198: 219-229.
- Brandt, A. & Wägele, J. W. (1988): *Antarbbicturus bovinus* n. sp., a new Weddell Sea isopod of the family Arcturidae (Isopoda, Valvifera) *Polar Biology* 8: 411-419.
- Wägele, J. W. & Brandt, A. (1988): *Protognathia* n. gen. *bathypelagica* (Schultz, 1978) rediscovered in the Weddell Sea: A missing link between the Gnathiidae and the Cirolanidae (Crustacea, Isopoda). *Polar Biology* 8: 359-365.
- Brandt, A. & Wägele, J. W. (1989): Redescriptions of *Cymodocella tubicauda* Pfeffer, 1878 and *Exosphaeroma gigas* (Leach, 1818) (Crustacea, Isopoda, Sphaeromatidae). *Antarctic Science* 1(3): 205-214.
- Brandt, A. & Wägele, J. W. (1990): Redescription of *Pseudidothea scutata* (Stephensen, 1947) (Crustacea, Isopoda, Valvifera) and adaptations to a microphagous nutrition. *Crustaceana* 58 (1): 97-105.
- Brandt, A. & Wägele, J. W. (1990): Isopoda (Asseln). In: Sieg, J. & Wägele, J. W. (Hrsg.) *Fauna der Antarktis*. Verlag Paul Parey, Berlin und Hamburg, S. 152-160.
- Brandt, A. (1990): The Deep Sea Genus *Echinozone* Sars, 1897 and its Occurrence on the Continental shelf of Antarctica (Ilyarachnidae, Munnopsidae, Isopoda, Crustacea). *Antarctic Science* 2(3): 215-219.
- Brandt, A. (1991): Revision of the Acanthaspididae Menzies, 1962 (Asellota, Isopoda, Crustacea). *Journal of the Linnean Society of London* 102: 203-252.
- Brandt, A. (1991): Redescriptions of the most frequent Antarctic fish parasites *Aega glacialis* Tattersall, 1921 and *Aega antarctica* Hodgson, 1910 (Crustacea, Isopoda, Aegidae). *Senckenbergiana Maritima* 21(5/6): 215-232.
- Brandt, A. (1991): Zur Besiedlungsgeschichte des antarktischen Schelfes am Beispiel der Isopoda (Crustacea, Malacostraca). *Berichte zur Polarforschung* 98: 1-240.
- Brandt, A. & Wägele, J. W. (1991): Parasitic Isopoda of the Family Gnathiidae from the Atlantic Sector of the Southern Ocean, Redescriptions and Remarks on the Synonymy (Crustacea, Isopoda). *Senckenbergiana maritima* 21(5/6): 233-261.
- Brandt, A. (1992): Biogeography and redescription of the deep-sea isopod *Mesosignum antarcticum* Schultz, 1979 (Isopoda, Asellota, Mesosignidae). *Zoologischer Anzeiger* 227(3/4): 229-239.
- Brandt, A. (1992): New Asellota from the Antarctic deep sea (Crustacea, Isopoda, Asellota), with description of two new genera. *Zoologica Scripta* 21(1): 57-78.
- Brandt, A. (1992): The occurrence of the asellote isopod genera *Haplomesus* (Ischnomesidae) and *Haploniscus* (Haploniscidae) in Antarctica, with two redescriptions and description of *Ischnomesus curtispinus* n. sp. *Mitteilungen des Zoologischen Museums Berlin* 68(2): 183-207.
- Brandt, A. (1992): The genus *Coperonus* (Isopoda: Asellota: Munnopsidae). *Journal of the Linnean Society* 106: 63-95.
- Brandt, A. (1992): A new deep-sea isopod from the Weddell Sea, Antarctica, *Coperonus pinguis* n. sp. (Crustacea, Isopoda, Munnopsidae). *Bijdragen tot de Dierkunde* 62(1): 55-61.
- Brandt, A. (1992): Origin of Antarctic Isopoda (Crustacea, Malacostraca). *Marine Biology* 113: 415-423.
- Brandt, A. (1992): *Nannoniscus bidens* Vanhoffen, 1914 from West Antarctica (Crustacea, Isopoda, Nannoniscidae). *Zoologischer Anzeiger* 228(3-4): 140-148.
- Brandt, A. (1992): Comparative morphology of *Frontoserolis* Brandt, 1991, *Heteroserolis* Brandt, 1991, and *Thysanoserolis* Brandt, 1991 (Crustacea, Isopoda, Serolidae). *Zoologischer Anzeiger* 229 (5/6): 227-235.
- Wägele, J. W. & A. Brandt (1992): Aspects of the biogeography and biology of Antarctic isopods (Crustacea). In: V. A. Gallardo, O. Ferretti & H. I. Moyano (eds.): *Oceanografia in Antartide*. ENEA - PROGETTO ANTARTIDE - ITALIA, pp. 417-420.
- Zimmermann, A. & A. Brandt (1992): New results of the "EPOS" leg 3-cruise to Antarctica: Horizontal and vertical distribution of isopods (Crustacea) in the eastern Weddell Sea. *Polar Biology* 12: 121-128.
- Brandt, A. (1993): Redescription of *Janiralata pulchra* (Hansen, 1916) (Janiridae) from the Kolbeinsey-Ridge, North Atlantic, and synonymy with *Ianthopsis* (Acanthaspidiidae). *Ophelia* 37:127-141.
- Brandt, A. (1993): Composition, abundance and diversity of peracarid crustaceans on a transect of the Kolbeinsey-Ridge, north of Iceland. *Polar Biology* 13: 565-576.
- Winkler, H. & A. Brandt (1993): Janiridae (Crustacea, Asellota) from the Southern Hemisphere: *Janiroopsis varians* sp. n., and redescriptions of five little known species. *Zoologica Scripta* 22(4): 387-424.

- Brandt, A. (1993): *Notophryxus clypeatus* Sars, 1885, a parasitic isopod of mysidaceans from the Kolbeinsey-Ridge, North Atlantic. *Sarsia* 78: 123-127.
- Brandt, A. & D. Piepenburg (1994): Peracarid crustacean assemblages of the Kolbeinsey-Ridge, north of Iceland. *Polar Biology* 14: 97-105.
- Brandt, A. (1994): Acanthaspidiidae (Crustacea: Isopoda) from the continental shelf and slope of southeastern Australia with description of two new species. *Memoirs of the Museum of Victoria* 54: 125-147.
- Brandt, A. & H. H. Janssen (1994): Redescription of *Zonophryxus quinquedens* Barnard, 1913 (Crustacea, Isopoda, Bopyridae) from the Weddell Sea, Antarctica (with remarks on the zoogeography). *Polar Biology* 14: 343-350.
- Brandt, A., Svavarsson, J. & T. Brattegard (1994): *Eurycope brevirostris* (Isopoda, Asellota) from the deep Arctic Ocean; redescription, postmarsupial development and reproductive patterns. *Sarsia* 79: 127-143.
- Janssen, H. H. & A. Brandt (1994): *Heterocepion marginatum* Shiino, 1936, (Crustacea: Isopoda: Epicaridea: Bopyridae), a new Philippine hyperparasite, and a short review of the biology of the Bopyridae. *Philippine Scientist* 31: 5-31.
- Brandt, A. (1995): Taxonomie in der Polarforschung - unverzichtbar?! In: Hempel, I & G. Hempel (Hrg.) "Biologie der Polarmeere", Gustav Fischer Verlag, Jena, 282-290.
- Brandt, A. & S. V. Vassilenko (1995): Amphipoda from Northeast Greenland: a new genus and two new species (Crustacea: Peracarida). *Journal of Natural History* 29: 1447-1459.
- Brandt, A. (1995): The Peracarida (Crustacea, Malacostraca) of the Northeast Water Polynya off Greenland, documenting close pelagic-benthic coupling. *Marine Ecology Progress Series* 121: 39-51.
- Brandt, A. & Barthel, D. (1995): An improved supra- and epibenthic sledge for catching Peracarida (Crustacea, Malacostraca). *Ophelia* 43 (1): 15-23.
- Brandt, A., Vassilenko, S., Piepenburg, D. & M. Thurston (1996): The species composition of the peracarid fauna (Crustacea, Malacostraca) of the Northeast Water Polynya (Greenland). *Meddelelser om Groenland, Bioscience* 44: 1-30.
- Barthel, D. & A. Brandt (1996): *Gnathia robusta* (G. O. Sars, 1879) (Crustacea, Isopoda) in *Geodia mesotriaena* (Hentschel, 1929) (Demospongiae, Choristidae) at 75°N off NE Greenland. *Sarsia* 80: 223-228.
- Brandt, A. (1996): Peracarid crustaceans from a "time-series-station" in the Westwind Trough of the NEW-Polynya (Greenland) document a benthic response to productivity. *Crustaceana* 69 (8): 985-1004.
- Vassilenko, S. V. & A. Brandt (1996): Composition and biogeographic structure of the Cumacea (Peracarida) off Northeast Greenland (New Polynya). *Arthropoda Selecta* 5(3/4): 27-38.
- Brandt, A. (1997): Abundance, diversity, and community patterns of epi- and benthic-boundary layer Crustacea Peracarida at 75°N of East Greenland. *Polar Biology* 17: 159-174.
- Seiler, D. & A. Brandt (1997): Seasonal occurrence of Crustacea in sediment trap samples in three depth horizons off the Greenland Sea. *Polar Biology* 17: 337-349.
- Brandt, A. (1997): Redescription of *Munnopsurus giganteus* (Sars, 1879) (Isopoda, Asellota, Munnopsidae, Eurycopidae) and description of its postembryonal development. *Crustaceana* 70(3): 288-303.
- Brandt, A. & I. Negescu (1997): Revision of the Arctic-boreal species *Calathura brachiata* (Stimpson, 1853) (Isopoda, Anthuridea, Paranthuridae). *Crustaceana* 70(4): 418-453.
- Brandt, A.; Linse, K. & U. Weber (1997): Abundance and diversity of peracarid taxa (Crustacea, Malacostraca) along a transect through the Beagle Channel, Patagonia. *Polar Biology* 18: 83-90.
- Brandt, A. (1997): Biodiversity of peracarid crustaceans (Malacostraca) from the shelf down to the deep Arctic Ocean. *Biodiversity and Conservation* 6: 1533-1556.
- Piepenburg, D.; Ambrose, W. G.; Brandt, A.; Renaud, P. E., Ahrens, M. J. & P. Jensen (1997): Benthic community patterns reflect water column processes in the Northeast Water Polynya (Greenland). *J. Marine Systems* 10: 467-482.
- Poore, G. C. B & A. Brandt (1997): Crustacea Isopoda Serolidae: *Acutiserolis cidaris* and *Caecoserolis novaecaledoniae*, two new species from the Coral Sea. *Res. Camp. Musorstrom* 18, Mem. Mus. Nat. Hist. 176:151-168.
- Brandt, A.; Mühlenhardt-Siegel, U. & V. Siegel (1998): An account of the Mysidacea (Crustacea, Malacostraca) of the Southern Ocean. *Antarctic Science* 10 (1): 3-11.
- Linse, K. & Brandt, A. (1998): Distribution of epibenthic Mollusca on a transect trough the Beagle Channel (southern Chile). *Journal of the Marine Biological Association of the United Kingdom* 78: 875-889.
- Brandt, A. (1998): Sphaeromatidae (Crustacea, Isopoda) of the Beagle Channel and description of *Cymodopsis beageli*, n. sp.. *Beaufortia*, 48 (7): 137-161.
- Brandt, A. (1999): Redescription of *Echinomunna horrida* Vanhoffen, 1914, a highly derived and rare species from the Antarctic (Crustacea, Isopoda, Munnidae). *Bulletin Zoologisch Museum, Amsterdam*, 17(2): 9-16.
- Brandt, A. & K. Schnack (1999): Macrofaunal abundance at 79°N off East Greenland: opposing data from epibenthic-sledge and box-corer samples. *Polar Biology* 22: 75-81.

- Brandt, A.; Crame, A.; Polz, H. & M. Thomson (1999): Late Jurassic Tethyan ancestry of recent southern high latitude marine isopods (Crustacea, Malacostraca). *Palaeontology* 42 (4): 663-675.
- Brandt, A.; Mühlenhardt-Siegel, U. & A. Schmidt (1999). Density, diversity, and community patterns of selected peracarid taxa (Crustacea, Malacostraca) in the Beagle Channel, South America. *Proceedings of the Fourth International Crustacean Congress, Amsterdam, The Netherlands, July 20-24, 1998. "Crustaceans in the Biodiversity Crisis"*, Schramm, F. R. & J. C. von Vaupel Klein, Brill, Leiden, 541-558.
- Brandt, A.; Thomsen, H.; Heide Jørgensen, H.; Kristensen, R. M. & H. Ruhberg (eds.) (1999): The 1998 Danish-German Excursion to Disco Island, West Greenland. *Berichte zur Polarforschung* 330: 1-184.
- Brandt, A. (1999): Redescription of *Heteroserolis mgrayi* (Menzies & Frankenberg, 1966), the northernmost species of the Serolidae from Florida (Crustacea, Isopoda). *Senckenbergiana biologica* 79(2): 195-210.
- Brandt, A. (1999): Redescriptions of *Paramunna lunata* Hale, 1937 and *Pleurosignum chilensis* Menzies, 1962 (Crustacea, Isopoda, Paramunnidae). *Mitt. Hamb. Zool. Mus. Inst.* 96: 129-139.
- Brandt, A. (1999): *Dolichiscus spinosetosus* n. sp., a new arcturid isopod from the Weddell Sea, Antarctica. *Antarctic Science* 11(4): 399-407.
- Brandt, A. (1999): On the origin and evolution of Antarctic Peracarida (Crustacea, Malacostraca). *Scientia Marina*, 63(1): 261-274.
- Brandt, A.; Linse, K. & U. Mühlenhardt-Siegel (1999): Biogeography of Crustacea and Mollusca of the Magellan and Antarctic region. *Scientia Marina* 63(1): 383-389.
- Wolff, T. & A. Brandt (1999): Caribbean species of Munnidae, Paramunnidae, and Santiidae (Isopoda, Asellota). *Steenstrupia* 25:121-146.
- Brandt, A. (2000): Hypotheses on Southern Ocean peracarid evolution and radiation (Crustacea, Malacostraca). *Antarctic Science* 12 (3): 269-275.
- Postel, U.; Becker, W.; Brandt, A.; Luck-Kopp, S.; Riesenpatt, S.; Weihrauch, D. & D. Siebers (2000): Active osmoregulatory ion uptake across the pleopods of the isopod *Idotea baltica* (Pallas, 1772): Electrophysiological measurements on isolated split rami mounted in a micro-ussing chamber. *Journal of Experimental Biology* 203: 1141-1152.
- Piepenburg, D.; Brandt, A.; Mayer, M.; Schnack, K.; Seiler, D.; von Juterzenka, K.; Witte, U. & M. Spindler (2000): Patterns in the distribution and structure of benthic assemblages in the northern North Atlantic. In: Schäfer, P., Ritzrau, W., Schlüter, M., & J. Thiede (eds.): *The Northern North Atlantic: A Changing Environment*. Springer, Berlin 2000, pp. 179-198.
- Brandt, A. (2001): Great differences in peracarid crustacean density of Arctic and Antarctic deep sea. *Polar Biology* 24: 785-789.
- Brandt, A. (2001): *Acanthaspidea namibia* sp. nov. from the deep Angola basin. *Beaufortia* 51 (5): 91-101.
- Brandt, A. & G. C. B. Poore (2001): Two new species of *Tridentella* (Crustacea: Isopoda: Tridentellidae) from Namibia. *Beaufortia* 51 (11): 199-212.
- Andres, H.G. & Brandt, A. (2001): Lepechinellid genera *Paralepechinella* Pirlot, 1933 and *Lepechinelloides* Thurston, 1980: first records from Antarctica (Crustacea: Amphipoda). *Mitt. Hamb. Zool. Mus. Inst.* 98: 77-97.
- Negoescu, I. & A. Brandt (2001): *Apanthura monodi* sp. nov. and *Apanthura forceps* sp. nov. (Isopoda: Anthuridea) from the southwest Pacific Ocean, Papua New Guinea and redescription of two species. *Mitt. Hamb. Zool. Mus. Inst.* 98: 99-130.
- Poore, G. C. B. & Brandt, A. (2001): *Plakarthrium australiense*, a third species of Plakarthriidae (Crustacea, Isopoda). *Mem. Mus. Vic.* 58(2): 373-382.
- Schmidt, A. & A. Brandt (2001): The tanaidacean fauna of the Beagle Channel (southern Chile) and its relationship to the fauna of the Antarctic continental shelf. *Antarctic Science* 13 (4): 420-429.
- Schmidt, A. & A. Brandt (2001): Diversity of Subantarctic Tanaidacea (Crustacea, Malacostraca) in and off the Beagle Channel. *Polish Polar Research* 22 (3-4): 213-226.
- Brandt, A. & M. Malyutina (2002): *Storthyngura kussakini* sp. nov. from the Southern Ocean. *Mitt. Mus. Nat.kd. Berl., Zool.*, Reihe 78 (1): 97-107.
- Linse, K.; Brandt, A.; Hilbig, B. & G. Wegener (2002): Composition and distribution of suprabenthic fauna in the southeastern Weddell Sea and at King George Island. *Antarctic Science* 14(1): 3-10.
- Storch, V., Strus, J. & A. Brandt (2002): Microscopic anatomy and ultrastructure of the alimentary canal of *Natatolana obtusata* (Vanhöffen, 1914) (Crustacea, Isopoda). *Acta Zoologica* 83: 1-14.
- Brandt, A. (2002): *Storthyngura spinosissima* n. sp. from the Weddell Sea and the Drake Passage. *Beaufortia* 52 (1): 1-13.
- Brandt, A. (2002): *Cylindrarcturus longitelson* n. sp. from the South Shetland Islands, Antarctica. *Beaufortia* 52 (3): 25-35.
- Schmidt, A.; Siegel, V. & A. Brandt (2002): Postembryonic development of *Apseudes heroae* Sieg, 1986 and *Allotanais hirsutus* (Beddard, 1886). *Antarctic Science* 14 (3): 201-211.

- Brandt, A. (2002): New species of Nannoniscidae (Crustacea, Isopoda) and *Saetoniscus* n. gen. from the deep sea of the Angola Basin. Zootaxa 88: 1-36.
- Brandt, A. (2002): *Desmostylis gerdesi* sp. nov. (Isopoda, Malacostraca) from Kapp Norvegia, Weddell Sea. Proc. Biol. Soc. Wash. 115(3): 616-627.
- Brandt, A. & Retzlaff, B. (2002): *Anuropus panteni* sp. nov. (Isopoda: Anuropidae) from East Greenland. Mitt. Hamb. Zool. Mus. Inst. 99: 127-137.
- Brandt, A. & G.C. B. Poore (2002): Suborder Limnoriidea. In: Houston, W.W.K. & P. L. Beesley (eds), Zoological Catalogue of Australia. Vol. 19.2A Crustacea: Malacostraca. Syncarida, Peracarida: Isopoda, Tanaidacea, Mictacea, Thermosbaenacea, Speleogriphacea. CSIRO Publishing, Collingwood, Australia, p.196.
- Andres, H. G.; Lörz, A.N. & A. Brandt (2002): *Eusirus giganteus*, n. sp., a huge amphipod from the Weddell Sea, Antarctica with a key to the Antarctic species of Eusiridae. Mitt. Hamb. Zool. Mus. Inst. 99: 109-126.
- Weitschat, W.; Brandt, A.; Coleman, C.O.; Møller-Andersen, N.; Myers, A. A. & W. Wichard (2002): Taphocoenosis of an extraordinary arthropod community in Baltic amber. Mitt. Geol.-Paläont. Inst. Univ. Hamburg 86: 189-210.
- Guerrero-Kommritz, J., Schmidt, A. & A. Brandt (2002): *Paranathrura* Hansen, 1913 (Crustacea: Tanaidacea) from the Angola Basin, description of *Paranathrura angolensis* n. sp. Zootaxa 116: 1-12.
- Brandt, A. (2003): *Frontoserolis abyssalis* sp. nov. and *Serolis arntzi* sp. nov. from the Antarctic deep sea. Beaufortia 53(3): 111-128.
- Heip, C. ; Brandt, A.; Gattuso, J.-P.; Antia, A.; Berger, W. H.; Boissonnas, J.; Burkhill, P.; d'Ozouville, L.; Graf, G.; Herndl, J.; Patching, J.; Reise, K.; Riou, G.; Simó, R.; Smetacek, V. & P. Wassmann (2003): Ecosystem functioning and biodiversity. In: Wefer, G.; Lamy, F.; Mantoura, F. (eds): Marina Science Frontiers for Europe. Springer-Verlag, Berlin, Heidelberg, New York, Tokyo, pp. 289-302.
- Brandt, A. & Poore, G. (2003): Higher classification of flabelliferan and related Isopoda based on a reappraisal of relationships. Invertebrate Systematics 17: 893-923.
- Fütterer, D. K.; Brandt, A. & G. C. B. Poore (2003): The expeditions Antarktis-XIX/3 and XIX/4 of the Research Vessel POLARSTERN in 2002 (ANDEEP I and II: Antarctic Benthic deep-sea Biodiversity: colonisation history and recent community patterns). Berichte Polarforsch Meeresforsch. 470: 1-174.
- Gutt, J.; Arntz, W. E.; Balguerias, E.; Brandt, A.; Gerdes, D.; Gorny, M.; Sirenko, B. (2003): Diverse approaches to the questions of biodiversity: German contributions to studies of marine benthos around South America and Antarctica. Gayana 76(2): 177-189.
- Lörz, A.-N. & A. Brandt (2003): Composition of suprabenthic Peracarida (Crustacea, Malacostraca) during the Antarctic autumn. Antarctic Science, 15 (4): 433-438.
- Martínez Arbizu, P., Brandt, A., Türkay, M. Wägele, W. Schminke, H.-K. & K. Hausmann (2003): Census of Abyssal Marine Life (CeDAMAr). Pp 409-410. In Sustainable use and conservation of biological diversity. A challenge for society. Symposium Report, Part A. BMBF, Pp 464. ISBN:3-00-012577-9
- Brandt, A. (2004): Abundance, diversity, and community patterns of isopods in the Weddell Sea (Crustacea, Isopoda). (EVOLANTAR), Antarctic Science 16 (1): 5-10.
- Brandt, A. (2004): New deep-sea species of Macrostyliidae (Asellota: Isopoda: Malacostraca) from the Angola Basin off Namibia, South West Africa. Zootaxa 448:1-35.
- Lörz & Brandt (2004): Phylogeny of Antarctic *Epimeria* (Epimeriidae, Amphipoda). Journal of the Marine Biological Association of the United Kingdom 84: 179-190.
- Malyutina, M. & A. Brandt (2004): New records of *Storthyngura* (Crustacea, Isopoda, Asellota) from the Antarctic deep sea with descriptions of two new species. Mitt. Mus. Nat.kd. Berl., Zool., Reihe. 80 (1): 3-32.
- Peters, J.; Tuschling, K. & A. Brandt (2004): Zooplankton in the Arctic Laptev Sea – feeding ecology as indicated by fatty acid composition. Journal of Plankton Research 26(2): 227-234.
- Choudhury, M. & Brandt, A. (2004): *Mesosignum weddellensis* sp. nov. (Crustacea: Asellota: Mesosignidae), a new isopod species from the abyssal Weddell Sea, Antarctica. Zootaxa 501: 1-10.
- Malyutina, M. & Brandt, A. (2004): *Rectisura menziesi* sp. nov. - a new deep-sea isopod from the Weddell Sea, Southern Ocean (Storthyngurinae: Munnopsididae: Asellota). Mitt. Hamb. Zool. Mus. Inst. 101: 237-247.
- Malyutina, M. & Brandt, A. (2004): Acanthocopinae (Crustacea: Isopoda: Munnopsididae) from the Southern Ocean deep sea with the description of *Acanthocope eleganta* sp. nov. Zootaxa 550:1-20.
- Malyutina, M. & Brandt, A. (2004): An addition to the fauna of Storthyngurinae (Isopoda: Asellota: Munnopsididae) from the Antarctic deep sea with the descriptions of three new species. Beaufortia, 54 (1): 1-38.
- Brandt, A.; Brökeland, W.; Brix, S.; Malyutina, M. (2004): Diversity of Antarctic deep-sea Isopoda (Crustacea, Malacostraca) – a comparison with shelf data. Deep-Sea Research II 51 (14-16): 1753-1769.

- Brandt, A. C. de Broyer, A. J. Gooday, B. Hilbig & M.R.A. Thomson: Introduction to ANDEEP (ANtarctic benthic DEEP-sea biodiversity: colonization history and recent community patterns: a tribute to Howard L. Sanders (2004): Deep-Sea Research II 51 (14-16): 1457-1467.
- Brökeland, W. & Brandt, A. (2004): Neoteny in the deep sea asellote family Ischnomesidae (Crustacea: Isopoda) and descriptions of two new species from the Southern Ocean. Deep-Sea Research II 51 (14-16): 1769-1787.
- Brandt, A.; Malyutina, M.; Borowski C.; Schriever, G. & H. Thiel (2004): Munnopsidid isopod attracted to bait in the DISCOL area, Pacific Ocean. Mitt. Hamb. Zool. Mus. Inst. 101: 275-279.
- Brandt, A., Brenke, N., Andres, H.-G., Brix, S., Guerrero-Kommritz, J., Mühlenhardt-Siegel, U., & J.-W. Wägele (2005): Diversity of peracarid crustaceans (Malacostraca) from the abyssal plain of the Angola Basin. Organisms, Diversity and Evolution 5: 105-112.
- Brandt, A. (2005): Evolution of Antarctic biodiversity in the context of the past: the importance of the Southern Ocean deep sea. Antarctic Science 17(4): 509-521.
- Brandt, A. Ellingsen, K.E.E., Brix, S., Brökeland, W. and M. Malyutina (2005): Southern Ocean deep-sea isopod species richness (Crustacea, Malacostraca): influences of depth, latitude and longitude. Polar Biology 28: 284-289.
- Arndt, C. E., Berge, J. & Brandt, A. (2005): Mouthpart-Atlas of Arctic sympagic amphipods – trophic niche separation based on mouthpart morphology and feeding ecology. Journal of Crustacean Biology 25(3): 401-412.
- Brandt, A. (2005): Isopoda of the European North Atlantic from depths exceeding 2000 m (without Epicaridea). Mitt. Hamb. Zool. Mus. Inst. 102: 179-190.
- Guerrero-Kommritz, J. & Brandt, A. (2005): Phylogenetic analysis of genera of “Akanthophoreinae”(Crustacea: Tanaidacea) Organisms, Diversity & Evolution 5:285-296.
- Brandt, A. (2006): Marine Biodiversität in den Polarregionen: Nordpolarmeer versus Südpolarmeer. In: J. L. Lozán (ed.) Warnsignale aus den Polarregionen 2006, pp. 164-168.
- Brandt, A. (2006): Lebensgemeinschaften der Tiefsee. In: G. Hempel, I. Hempel & S. Schiel (eds.), Ökologisches Lesebuch, H.M. Hauschild Verlag, Bremen, pp. 166-170.
- Brandt, A. & Bruce, N. (2006): *Edotia tangaroa* sp. nov. (Crustacea: Isopoda: Idoteidae) from the western Ross Sea, Antarctica. Zootaxa 1313: 57-68.
- Bruce, N. & Brandt, A. (2006): A new species of *Cirolana* (Isopoda, Cymothoida, Cirolanidae) from the western Ross Sea, Antarctica, the first record of the genus from polar waters. Zoosystema 28(2): 315-324.
- Brökeland, W. & Brandt, A. (2006): New records of *Mastigoniscus* Lincoln, 1985 (Isopoda: Asellota: Haploniscidae) in the Southern Ocean, with descriptions of three new species. Mitt. Ham. zool. Mus. Inst. 103: 85-128.
- Choudhury, M. & Brandt, A. (2006) *Mesosignum bathyalis* sp. nov. (Crustacea, Isopoda, Asellota) from the bathyal Weddell Sea, Antarctica. Mitt. Ham. zool. Mus. Inst. 103: 129-136.
- Malyutina, M. & Brandt, A. (2006): A revaluation of the Eurycopinae (Crustacea, Isopoda, Munnopsidae) with a description of *Dubinectes* gen. nov. from the southern Atlantic deep sea. Zootaxa 1272: 1-44.
- Rehm, P., Arntz, W., Brandt, A. & S. Thatje (2006): Distribution and composition of macrozoobenthic communities along a Victoria-land transect (Ross Sea, Antarctica), with special emphasis on the peracarid crustacean fauna. Polar Biology 29:782-790.
- Brandt, A. (2007); ANDEEP Programme. Encyclopedia of the Antarctic, vol. 1, ed. Beau Riffenburgh. New York: Routledge, 38-39.
- Brandt, A. (2007); Marine Biology: Biodiversity, Marine. Encyclopedia of the Antarctic, vol. 1, ed. Beau Riffenburgh. New York: Routledge, 144-149.
- Brandt, A. (2007); Marine Biology: History and Evolution. Encyclopedia of the Antarctic, vol. 2., ed. Beau Riffenburgh. New York: Routledge, 627-630.
- Brandt, A. (2007): Three new species of *Fissarcturus* (Isopoda, Antarcturidae) from the Southern Ocean. Journal of the Linnean Society 149: 263-290.
- Kaiser, S. & A. Brandt (2007): On sympatric sibling species within the genus *Austroniscus* Vanhoffen, 1914 (Isopoda: Nannoniscidae) from the Antarctic shelf. ZOOTAXA 1394:47-68.
- Brandt, A., De Broyer, C., De Mesel, I., Ellingsen, K.E., Gooday, A., Hilbig B., Linse, K., Thomson, M., Tyler, P. (2007): The deep benthos. In: A. Rogers (ed.): Antarctic Ecology: From Genes to Ecosystems, Royal Society, London. Phil. Trans. R. Soc. B (2007) 362, 39–66
- Rehm, P., Thatje, S., Mühlenhardt-Siegel, U. & A. Brandt (2007): Composition and distribution of the peracarid crustacean fauna along a latitudinal transect off Victoria Land (Ross Sea, Antarctica) with special emphasis on the Cumacea. Polar Biology 30: 871 - 881.
- Brandt, A., Gooday, A.J., Brix S.B., Brökeland, W., Cedhagen, T., Choudhury, M., Cornelius, N., Danis, B., De Mesel, I., Diaz, R.J., Gillan, D.C., Ebbe, B., Howe, J., Janussen, D., Kaiser, S., Linse, K., Malyutina, M.,

- Brando, S., Pawlowski, J., Raupach, M., (2007): The Southern Ocean deep sea: first insights into biodiversity and biogeography. *Nature* 447: 307-311.
- Ellingsen, K., Brandt, A., Hilbig, B. & K. Linse (2007): The diversity and spatial distribution of polychaetes, isopods and bivalves in the Atlantic sector of the deep Southern Ocean. *Polar Biology* 30: 1265-1273.
- Choudhury, M. & A. Brandt (2007): Distribution and composition of benthic Isopoda off Victoria-Land Coast (Ross Sea, Antarctica). *Polar Biology* 30: 1431-1437.
- Brandt, A., Hilbig, B., Gooday, A.J., (2007): Introduction to ANDEEP, summary and outlook. *DSR II*, 54: 1645-1651.
- Brandt, A., Brökeland, W., Choudhury, M., Brix, S., Kaiser, S & Malyutina, M. (2007): Deep-sea isopod biodiversity, abundance and endemism in the Atlantic sector of the Southern Ocean – results from the ANDEEP I - III expeditions. *DSR II*, 54: 1760-1775.
- Brökeland, W., Choudhury, M. & Brandt, A. (2007): Composition, abundance and distribution of Peracarida from the Southern Ocean deep sea, *DSR II*, 54: 1752-1759.
- Malyutina, M. & Brandt, A. (2007a): Diversity and zoogeography of Antarctic deep-sea Munnopsidae (Crustacea, Isopoda, Asellota). *DSR II* 54: 1790-1805.
- Malyutina, M. & Brandt, A. (2007b): *Gurjanopsis antarcticus* gen. nov., sp. nov, a new epibenthic deep-sea munnopsid (Crustacea, Isopoda, Munnopsidae) from the Weddell Sea, Southern Ocean. *DSR II* 54: 1806-1819.
- Raupach, M.J., Malyutina, M., Brandt, A. & Wägele, J. W. (2007): Molecular data reveal a highly diverse species flock within the deep-sea isopod *Betamorpha fusiformis* (Crustacea: Isopoda: Asellota) in the Southern Ocean. *DSR II*, 54: 1820-1830.
- Linse, K., Brandt, A., Bohn, J., Danis, B., De Broyer, C., Heterier, V., Hilbig, B., Janussen, D., López González, P.J., Schwabe, E., Thomson, M. (2007): Macro- and megabenthic communities in the abyssal Weddell Sea (South Atlantic). *DSR II*, 54:1848–1863.
- Kaiser, S., Barnes, D.K.A. & Brandt, A. (2007): Slope and deep-sea abundance across scales: Southern Ocean isopods show how complex the deep sea can be. *DSR II* 54: 1776-1789.
- Brandt, A. & J. Berge (2007). Peracarid composition, diversity and species richness in the area of the Northeast Water polynya, East Greenland (Crustacea, Malacostraca). *Polar Biology* 31: 15-22. DOI 10.1007/s00300-007-0327-6.
- Brandt, A. & H.G. Andres (2008): Description of *Aega sarsae* sp. nov. and redescription of *Syscenus atlanticus* Kononenko, 1988 (Crustacea, Isopoda, Aegidae) from the Mid-Atlantic ridge. *Marine Research* 4:61-75.
- Brandt, A. (2008): Leben in Kälte und Dunkel - Wirbellose in der südpolaren Tiefsee. *Meer und Museum* 20: 114-122.
- Brandt, A. (2008): Leben im ewigen Dunkel – Expedition in die Tiefsee des Südozeans. In: D. Fütterer & E. Fahrbach (eds.), „Polarstern – 25 Jahre Forschung in Arktis und Antarktis“, S. 212-220.
- Kaiser, S.; Barnes, D.K.A., Linse, K. & Brandt, A. (2008): Epibenthic macrofauna associated with the shelf and slope of a young and isolated Southern Ocean island. *Antarctic Science* 20(3): 281-290.
- Brandt, A. & H.G. Andres (2008): A new species of Ischnomesidae (Crustacea: Isopoda) from the Southern Ocean, *Stylomesus weddellensis* sp. nov. *Zootaxa* 1866: 263–276 (CeDAMar volume).
- Brandt, A. (2008): Deep-sea ecology: infectious impact on ecosystem function. *Current Biology* 18(23): R1104-R1105.
- Stuart, C.T.; Martinez Arbizu, P.; Smith, C. R.; Moldtssova, T.; Brandt, A.; Etter, R.; Escobar-Briones, E.; Fabri, M.-C. & M. Rex (2008): CeDAMar global database of abyssal biological sampling. *Aquatic Biology* 4: 143-145.
- Pearse, J. S., Mooi, R., Lockhart, S.J., Brandt, A. (2009): Brooding and Species Diversity in the Southern Ocean: Selection for Brooders or Speciation within Brooding Clades? In: " Smithsonian at the Poles: Contributions to International Polar Year Science" ed. Igor Krupnik, Michael A. Lang, and Scott E. Miller, pp. 181-196. Proceedings of Smithsonian at the Poles Symposium, Smithsonian Institution, Washington, D.C., 3-4 May 2007. Washington, D.C.: Smithsonian Institution Scholarly Press.
- Choudhury, M. & A. Brandt (2009): Benthic isopods (Crustacea, Malacostraca) from the Ross Sea, Antarctica: species checklist and their distribution in the Southern Ocean. *Polar Biology* 32: 599-610.
- Kaiser, S., Barnes, D. K. A., Sands, C.J. & A. Brandt (2009): Biodiversity of the Amundsen Sea (Southern Ocean): spatial patterns of richness and abundance in shelf isopods. *Marine Biodiversity* 39: 27-43.
- Merrin, K. L., Malyutina, M. V. and Brandt, A. (2009): A revision of the munnopsid genus *Bathybadistes* (Isopoda: Asellota: Munnopsidae) with two new species from the Southern Hemisphere. *Invertebrate Systematics* 23: 61-76.
- Doti, B.L.; Choudhury, M. & A. Brandt (2009): *Holodentata*, n. gen. of Paramunnidae (Isopoda: Asellota) with description of two new species: *H. caeca* and *H. triangulata* from the Southern Ocean, Antarctica. *Zootaxa* 2096: 395-412.

- Brandt, A., Enderlein, P. & K. Linse (2009): Investigations of the unknown: The benthos of the Antarctic deep sea and Amundsen Sea. In: G. and I. Hempel (eds), Biological studies in Polar Oceans – Exploration of life in icy waters, pp. 143-150.
- Brandt, A. & B. Ebbe (2009): Southern Ocean deep-sea biodiversity – from patterns to processes. Deep-Sea Research II 56: 1732-1738. doi:10.1016/j.dsr2.2009.05.017
- Brandt, A.; Linse, K. & M. Schüller (2009): Bathymetric distribution patterns of Southern Ocean macrofaunal taxa: Bivalvia, Gastropoda, Isopoda and Polychaeta. DSR I 56: 2013-2025. doi:10.1016/j.dsr.2009.06.007
- Malyutina, M. & Brandt, A. (2009): Description of three new species of the deep-sea munnopsid genus *Belonectes* (Crustacea, Isopoda, Asellota) from the Weddell Sea, Southern Ocean. Zootaxa 2277: 33-52.
- Brandt, A. (2009): *Acutiserolis poorei* sp. nov. from the Amundsen Sea, Southern Ocean (Crustacea, Isopoda, Serolidae). Mem. Mus. Vict. Austr. 66:17-24.
- Stransky, B. & A. Brandt (2010): Occurrence, diversity and community structures of peracarid crustaceans (Crustacea, Malcostraca) along the southern shelf of Greenland. Polar Biology 33:851–867; DOI 10.1007/s00300-010-0785-0
- Riehl, T. & A. Brandt (2010): Two new species in the genus *Macrostylis* Sars, 1964 (Isopoda, Asellota, Macrostylidae) from the Weddell Sea, with a synonymisation of *Desmostylis* Brandt, 1992 with *Macrostylis*. ZooKeys 57: 9–49 (2010) doi: 10.3897/zookeys.@@.310.
- Ramirez-Llodra, E., Brandt, A., Danovaro, R., Escobar, E., German,C. R., Levin, L. A., Martínez Arbizu,P., Menot, L., Buhl-Mortensen, P., Narayanaswamy, B. E., Smith, C. R., Tittensor, D. P., Tyler, P. A., Vanreusel, A. and M. Vecchione (2010): Deep, diverse and definitely different: unique attributes of the world's largest ecosystem. Biogeosciences Discussions 7: 2361-2485.
- Ebbe, B., Billett, D.S.M., Brandt, A., Ellingsen, K., Glover, A., Keller, S., Malyutina, M., Martinez Arbizu, P., Molodtsova, T., Rex, M., Smith, C. & A. Tselepides. 2010. Chapter 8. Diversity of Abyssal Marine Life. Pp. 139-160 in: A.D. McIntyre (ed), Life in the World's Oceans. Blackwell Publishing Ltd., 361 pp.
- Choudhury, M., Doti, B. & A. Brandt (2011): *Coulmannia rossensis* sp. nov. (Isopoda: Asellota: Paramunnidae) from the Ross Sea, Southern Ocean. Zookeys 82: 45-57.
- De Broyer, C., Danis, B., Allock, L., Angel, M., Arango, C., Artois, T., Barnes, D., Bartsch, I., Bester, M., Blachowiak-Samolyk, K., Blasewicz, M., Bohn, J., Brandt, A., Brandão, S. N., David, B., de Salas, M., Eleaume, M., Emig, C., Fautin, D., George, K.H., Gillan, D., Gooday, A., Hopcroft, R., Jangoux, M., Janussen, D., Koubbi, P., Kouwenberg, J., Kuklinski, P., Ligowski, R., Lindsay, D., Linse, K., Longshaw, M., Lopez-Gonzalez, P., Martin, P., Munilla, T., Mühlhardt-Siegel, U., Neuhaus, B., Norenburg, J., Ozouf-Costaz, C., Pakhomov, E., Perrin, W., Petryashov, V., Pena-Cantero, A.L., Piatkowski, U., Pierrot-Bults, A., Rocka, A., Saiz-Salinas, J., Salvini-Plawen, L., Scarabino, V., Schiaparelli, S., Sschrodl, M., Schwabe, E., Scott, F., Sicinski, J., Siegel, V., Smirov, I., Thatje, S., Utevsky, A., Vanreusel, A., Wiencke, C., Woehler, E., Zdzitowiecki, K. & Zeidler, W. (2011). How many species in the Southern Ocean? Towards a dynamic inventory of the Antarctic marine species. Deep-sea Research II, 58: 5-17. (doi:10.1016/j.dsr2.2010.10.007)
- Kaiser, S. Griffiths, H. J., Barnes, D. K. A., Brandão, S. N. & Brandt, A. (2011). Is there a distinct continental slope fauna in the Antarctic? Deep-sea Research II, 58: 91–104. (doi: 10.1016/j.dsr2.2010.05.017)
- Würzberg, L.; Peters, J.; Schüller, M. & A. Brandt (2011a): Diet insights of deep-sea polychaetes derived from fatty acid analyses. Deep-Sea Research II 58: 153-162. doi:10.1016/j.dsr2.2010.10.014.
- Würzberg, L.; Peters, J.; A. Brandt (2011b): Fatty acid patterns of Southern Ocean shelf and deep sea peracarid crustaceans and a possible food source, foraminiferans. Deep-Sea Research II (2011) 2027-2035.
- Würzberg, L.; Peters, J.; Flores, H. & A. Brandt (2011 c): Demersal fishes from the Antarctic shelf and deep sea: a diet study based on fatty acid patterns and gut content analyses. Deep-Sea Research II (2011) 2036-2042.
- Brandt, A.; Ebbe, B., Bathmann, U. (2011): Southern Ocean biodiversity – From pelagic processes to deep-sea response. DSR II 58: 1945-1947.
- Brandt, A.; Bathmann, U.; Brix, S.; Cisewski, B., Flores, H.; Göcke, C.; Janussen, D.; Krägesky, S.; Kruse, S.; Leach, H., Linse, K.; Pakhomov, E.; Peek, I.; Riehl, T.; Sauter, E.; Sachs, O.; Schüller, M.; Schrödl, M.; Schwabe, E.; Strass, V.; van Franeker, J.; Wilmsen, E. (2011): Maud Rise – A snapshot through the water column. DSR II 58: 1962-1982. DOI: 10.1016/j.dsr2.2011.01.008
- Brandt, A. & J. Gutt (2011): Biodiversity of a unique environment: the Southern Ocean benthos threat by climate change. In: Zachos, F. & J. C. Habel, Biodiversity hotspots, 25, pp. 503-526, Springer Publishers, Heidelberg. DOI 10.1007/978-3-642-20992-5.
- Malyutina, M. & Brandt, A. (2011): *Dubinectes infirmus*, a new species of deep-water Munnopsidae (Crustacea, Isopoda, Asellota) from the Argentine Basin, South Atlantic Ocean. Zookeys 144: 1–19. doi: 10.3897/zookeys.144.1578
- Brandt, A.; De Broyer, C.; Ebbe, B.; Ellingsen, K.E.; Gooday, A.J.; Janussen, D.; Kaiser, S.; Linse, K.; Schueler, M.; Thomson, M.R.A; Tyler, P.A. & A. Vanreusel (2012): Southern Ocean deep benthic

- biodiversity. In: Antarctic Ecosystems: An Extreme Environment in a Changing World, First Edition. Edited by Alex D. Rogers, Nadine M. Johnston, Eugene J. Murphy and Andrew Clarke. Blackwell Publishing Ltd., Oxford, pp. 291-334.
- Brandt, A. (2012): Southern Ocean deep-sea isopod biodiversity research – from census towards ecosystem functioning. In: G. di Prisco, David Walton, Roland Kallenborn (eds.), From Pole to Pole: Polar Environmental Research during the International Polar Year 2007 – 2009, Springer Verlag, Heidelberg, pp. 21-34.
- Ingels, J., Vanreusel, A., Brandt, A., Catarino, A.I., David, B., De Ridder, C., Dubois, P.; Gooday, A.J.; Martin, P.; Pasotti, f.; Robert, H. (2012): Possible effects of global environmental changes on Antarctic benthos: a synthesis across five major taxa. *Ecology and Evolution*, pp. 453-485. doi: 10.1002/ece3.96
- Brandt, A., Bamber, R.N., Mühlenhardt-Siegel, U., Malyutina, M., Kaiser, S., Blažewicz-Paszkowycz, M., De Broyer, C., Havermans, C., Osborn, K. (2012): Are there widespread peracarid species in the deep sea (Crustacea: Malacostraca)? *Polish Polar Research* 33(2): 139-162.
- Brandt A., Elsner N., Golovan, O., Malyutina, M.V., Riehl, T., Schwabe, E., Würzberg, L., Brenke, N. (2013): Epifauna of the Sea of Japan collected via a new epibenthic sledge equipped with camera and environmental sensor systems. *Deep-Sea Research II* 86-87: 43-55.
- Elsner, N.O., Golovan, G.A.; Malyutina, M. & A. Brandt (2013): Alone in the dark: population structure and reproductive mode of the most prevalent isopod species *Eurycope spinifrons* (Asellota: Munlopsidae). from bathyal and abyssal depths of the Sea of Japan. *Deep-Sea Research II* 86-87: 66-78.
- Golovan, O.A., Blazewicz-Paszkowycz, M., Brandt, A., Budnikova, L.L., Elsner, N.O., Ivin, V.V., Lavrenteva, A.V., Malyutina, M.V., Petryashov, V.V. Tzareva L.A. (2013): Diversity and distribution of peracarid crustaceans (Malacostraca) from the continental slope and the deep sea basin of the Sea of Japan. *Deep-Sea Research II* 86-87: 66-78.
- Kharlamenko V., Brandt A., Kiyashko S., Würzberg L. (2013): Trophic position of benthic invertebrates from the Sea of Japan derived by multidimensional analysis. Part I: Bathyal communities. *Deep-Sea Research II* 86-87: 34-42.
- Malyutina M.V., Brandt A. (2013): Introduction to SoJaBio (Sea of Japan Biodiversity Studies). *Deep-Sea Research II* 86-87: 1-9.
- Convey, P.; Brandt, A. & S. Nicol (2013): Life in a cold environment. In: D.W.H. Walton (ed.) *Antarctica – Global Science from a Frozen Continent*. CUP, Cambridge, Chapter 10, pp. 161-211.
- Riehl, T., Brandt, A. (2013): Southern-Ocean Macrostyliidae reviewed with a key to the species and new descriptions from Maud Rise. *Zootaxa* 3692(1): 160-203.
- Timm, M., Kaiser, S., Brandt, A. (2013): A new species of *Acanthaspidea* Stebbing, 1898 (Isopoda, Asellota, Acanthaspidiidae Menzies, 1962) from the bathyal Weddell Sea (Southern Ocean). *Zootaxa* 3692 (1): 238–258.
- Nickel, J., Brandt, A. (2013): A new species of *Fissarcturus* Brandt, 1990 (Isopoda, Valvifera, Antarcturidae) from the Southern Ocean, off the South Sandwich Islands. *Zootaxa* 3692 (1): 136–148.
- Brandt, A. (2013): *Fissarcturus walteri* sp. nov. from the Ross Sea of the Southern Ocean (Isopoda, Antarcturidae). *Zootaxa* 3670(3) 339-348.
- Kaiser, S., Brandão, S.N., Brix, S., Barnes, D.K.A., Bowden, D., Ingels, J., Leese, F., Linse, K., Schiaparelli, S., Arango, C., Bax, N., Blazewicz-Paszkowycz, M., Brandt, A., Catarino, A.I., Danis B., David, B.,¹³ De Ridder, C., Dubois, P., Ellingsen, K.E., Glover, A., Griffiths, H.J., Gutt, J., Halanych, K., Havermans, C., Held, C., Janussen, D., Lörz, A.-N., Pearce, D., Pierrat, B., Riehl, T., Rose, A., Sands, C.J., Soler i Membrives, A., Schüller, M., Strugnell, J., Vanreusel, A., Veit-Köhler, G., Wilson, N., Yasuhara, M. (2013): Pattern, process and vulnerability of Southern Ocean benthos - a decadal leap in knowledge and understanding. *Marine Biology* DOI 10.1007/s00227-013-2232-6.
- Schüller, M., Brandt, A. Ebbe, B. (2013): Diversity of Southern Ocean deep-sea benthos between cosmopolitanism and cryptic speciation: new species from the ANDEEP expeditions. *Zootaxa* 3692 (1): 4-6.
- Brandt, A. (2014): Marine Biodiversität in den Polarregionen nach der Volkszählung der Meere. In: Lozán, J. L., Grassl, H., Notz, D. & D. Piepenburg (Hrsg.). *Warnsignal Klima: Die Polarregionen*. pp. 200-205. Online: www.klima-warnsignale.uni-hamburg.de. doi:10.2312/warnsignalklima.die-Polarregionen.28
- Linse, K., Griffiths, H.J., Barnes, D.K.A., Brandt, A., David, B., Eleaume, M., Glover, A., Mah, C., Munilla, T., O'Loughlin, M., Saucedo, T., Sands, C., Strugnell, J.M., Enderlein, P. (2013): The macro- and megabenthic fauna on the continental shelf of the eastern Amundsen Sea, Antarctica. *Continental Shelf Research* 68: 80–90.
- Schnurr, S., Brandt, A., Brix, S., Fiorentino, D., Malyutina, M. & J. Svavarsson (2014): Diversity, Ecology and Distribution of selected munlopsid genera (Crustacea) around Iceland. *Deep-Sea Research I* 84: 42–155.

- Linse, K., Jackson, J.A., Malyutina, M.V., Brandt, A. (2014) Shallow-Water Northern Hemisphere *Jaera* (Crustacea, Isopoda, Janiridae) Found on Whale Bones in the Southern Ocean Deep Sea: Ecology and Description of *Jaera tyleri* sp. nov.. PLOS ONE 9(3): e93018. doi:10.1371/journal.pone.0093018.
- Malyutina M.V. & Brandt A. (2014): New species of the deep-sea munopsid genus *Tytthocope* (Crustacea, Isopoda, Asellota) from the south Atlantic and the Weddell Sea. Zootaxa 3786 (1): 001–043.
- Brandt, A. van de Putte, A., Griffiths, H. (2014): Southern Ocean benthic deep-sea biodiversity and biogeography. In: De Broyer C., Koubbi P., Griffiths H.J., Raymond B., Udekem d'Acoz C. d', Van de Putte A.P., Danis B., David B., Grant S., Gutt J., Held C., Hosie G., Huettmann F., Post A., Ropert-Coudert Y. (eds.), 2014. Biogeographic Atlas of the Southern Ocean. Scientific Committee on Antarctic Research, Cambridge, XII + 498 pp., pp. 233-239.
- Connolly, S.R., MacNeil, M.A., Caley, M.J., Knowlton, N., Cripps, E., Hisano, M., Thibaut, L.M., Bhattacharya, B.D., Benedetti-Cecchi, L., Brainard, R.E., Brandt, A., Bulleri, F., Ellingsen, K.E., Kaiser, S., Kröncke, I., Linse, K., Maggi, E., O'Hara, T.D., Plaisance, L., Poore, G.C.B., Sarkar, S.K., Satpathy, K.K., Schückel, U., Williams, A., Wilson, R.S., 2014. Commonness and rarity in the marine biosphere. Proc. Nat. Ac. Sci. 111, 8524-8529. www.pnas.org/cgi/doi/10.1073/pnas.1406664111
- Constable, A.J., Melbourne-Thomas, J., Corney, S.P., Arrigo, K.R., Barbraud, C., Barnes, D.K.A., Bindoff, N.L., Boyd, P.W., Brandt, A., Costa, D.P., Davidson, A.T., Ducklow, H.W., Emmerson, L., Fukuchi, M., Gutt, J., Hindell, M.A., Hofman, H.E., Hosie, G.W., Iida, T., Jacob, S., Johnston, N.M., Kawaguchi, S., Koubbi, P., Lea, M.-A., Makhado, A., Massom, R.A., Meiners, K., Meredith, M.P., Murphy, E.J., Nicol, S., Richerson, K., Riddle, M.J., Rintoul, S.R., Smith Jr., W.O., Southwell, C., Stark, J.S., Sumner, M., Swadling, K.M., Takahashi, K.T., Trathan, P.N., Welsford, D.C., Weimerskirch, H., Westwood, K.J., Wienecke, B.C., Wolf-Gladrow, D., Wright, S.W., Xavier, J.C., Ziegler, P. (2014): Climate change and Southern Ocean ecosystems I: How changes in physical habitats directly affect marine biota. Global Change Biology, 1-22, doi: 10.1111/gcb.12623.
- Riehl, T. Brenke, N., Brix, S.B., Driskell, A., Kaiser, S., Brandt, A. (2014): Field and laboratory methods for DNA studies on deep-sea isopod crustaceans. Polish Polar Research 35(2): 203–224.
- Douglass, L.L., Grantham, H.S., Kaiser, S., Constable, A., Nicoll, R., Raymond, B., Post, A., Brandt, A., Beaver, D., (2014): A hierarchical classification of benthic biodiversity and assessment of protected areas in the Southern Ocean. PLOS ONE 9(7): 1-16.
- Douglass, L.L., Beaver, D., Raymond, B., Constable, A.J., Brandt, A., Post, A.L., Kaiser, S., Grantham, H.S., Nicoll, R.A. (2014): Benthic regional classification. In: De Broyer C., Koubbi P., Griffiths H.J., Raymond B., Udekem d'Acoz C. d', Van de Putte A.P., Danis B., David B., Grant S., Gutt J., Held C., Hosie G., Huettmann F., Post A., Ropert-Coudert Y. (eds.), 2014. Biogeographic Atlas of the Southern Ocean. Scientific Committee on Antarctic Research, Cambridge, XII + 498 pp., pp. 414-417.
- Kersken, D., Göcke, C., Brandt, A., Lejzerowicz, F., Schwabe, E., Sefeld, M., Veit-Köhler, G., Janussen, D. (2014): The infauna of three widely distributed sponge species (Hexactinellida and Demospongidae) from the deep Ekström shelf in the Weddell Sea, Antarctica. Deep-Sea Research II (2014), <http://dx.doi.org/10.1016/j.dsrr.2014.06.005>.
- Brandt A., Brix, S.B., Held, C., Kihara, T.C. (2014): Molecular differentiation in sympatry despite morphological stasis: deep-sea *Atlantoserolis* Wägele, 1994 and *Glabroserolis* Menzies, 1962 from the south-west Atlantic (Crustacea: Isopoda: Serolidae). Zoological Journal of the Linnean Society 172: 318–359.
- Brandt, A., Vanreusel, A., Bracher, A., Hoppe, C., Lins, L., Meyer-Löbbecke, A., Altenburg Soppa, M., Würzberg, L. (2014): Are boundary conditions in surface productivity at the Southern Polar Front are reflected in benthic activity? Deep-Sea Research II (2014), 108: 51-60.
- Brandt A., Würzberg, L. (2014): Southern Ocean biodiversity – a benthic view to pelagic processes. Deep-Sea Research II (2014), 108: 1-5. DOI: 10.1016/j.dsrr.2014.07.011
- Brandt A., Havermans, C., Janussen, D., Jörger, K.M., Meyer-Löbbecke, A., Schnurr, S., Schüller, M., Schwabe, E., Würzberg, L., Zinkann, A.-C. (2014): Composition of epibenthic sledge catches in the South Polar Front of the Atlantic. Deep-Sea Research II (2014), 108: 69-75.
- Brandão, S. N. Vital, H., Brandt, A. (2014): Southern Polar Front Macroecological and Biogeographical Insights gained from Benthic Ostracoda. Deep-Sea Research II, 108: 33-50.
- Würzberg, L., Zinkann, A.-C., Brandt, A., Janussen, D., Bohn, J.M., Schwabe, E. (2014): Abyssal megafauna sampled with the Agassiz Trawl along the Polar Front during the expedition SYSTCO II (ANTXXVIII/3) – general comments on abundance and comparison of echinoderm biomass estimates. Deep-Sea Research II, 108: 85-94.
- Meyer-Löbbecke, A., Brandt, A., Brix, S. (2014): Diversity and abundance of deep-sea Isopoda along the Southern Polar Front: Results from the SYSTCO I and II expeditions. Deep-Sea Research II, 108: 76-84.
- Brandt, A., Griffiths, H., Gutt, J., Linse, K., Schiaparelli, S., Ballerini, T., Danis, B., Pfannkuche, O. (2014): Challenges of Southern Ocean deep-sea biodiversity assessments. Advances in Polar Sciences, Vol. 25 No.

- 3: 204-212, doi: 10.13679/j.advps.2014.3.00204.
- Kennicutt II, M. C., Chown, S. L., Cassano, J. J., Liggett, D., Massom, R., Peck, L. S., Rintoul, S. R., Storey, J., W. V., Vaughn, D. G., Wilson, T. J., Sutherland, W. J., Allison, I., Ayton, J., Badhe, R., Baeseman, J., Barrett, P. J., Bell, R. E., Bertler, N., Bo, S., Brandt, A., Bromwich, D., Cary, C., Clark, M. S., Convey, P., Costa, E. S., Cowan, D., DeConto, R., Dunbar, R., Elfring, C., Escutia, C., Francis, J., Fricker, H. A., Fukuchi, M., Gilbert, N., Gutt, J., Havermans, C., Hik, D., Hosie, G., Jones, C., Kim, Y., Le Maho, Y., Lee, S., Leppe, M., Leichenkova, G., Li, X., Lipenkov, V., Lochte, K., López-Martínez, J., Lüdecke, C., Lyons, W. B., Marenssi, S., Miller, H., Morozova, P., Naish, T., Nayak, S., Ravindra, R., Retamales, J., Ricci, C. A., Rogan-Finnemore, M., Ropert-Coudert, Y., Samah, A. A., Sanson, L., Scambos, T., Schloss, I., Shiraishi, K., Siegert, M. A., Simões, J., Sparrow, M. D., Storey, B., Wall, D. H., Walsh, J. C., Wilson, G., Winter, J.-G., Xavier, J. C., Yang, H. (2014a). Six priorities for Antarctic science (and supplementary information). *Nature* 512: 23-25. doi:10.1038/512023a (all scientists are co-signatories in this COMMENT paper).
- Kennicutt II M., Chown S.L., Cassano J., Liggett D., Massom R., Peck L., Rintoul S., Storey J., Vaughan D., Wilson T., Allison I., Ayton J., Badhe R., Baeseman J., Barrett P., Bell R., Bertler N., Bo S., Brandt A., Bromwich D., Cary C., Clark M., Convey P., Costa E.S., Cowan D., Deconto R., Dunbar R., Elfring C., Escutia C., Francis J., Fricker H., Fukuchi M., Gilbert N., Gutt J., Havermans C., Hik D., Hosie G., Jones C., Kim Y., Le Maho Y., Lee S.H., Leppe M., Leichenkova G., Li X., Lipenkov V., Lochte K., López-Martínez J., Lüdecke C., Lyons W., Marenssi S., Miller H., Morozova P., Naish T., Nayak S., Ravindra R., Retamales J., Ricci C., Rogan-Finnemore M., Ropert-Coudert Y., Samah A.A., Sanson L., Scambos T., Schloss I., Shiraishi K., Siegert M.J., Simões J., Sparrow M., Storey B., Wall D., Walsh J., Wilson G., Winther J.G., Xavier J., Yang H., Sutherland W.J. (2014b). A roadmap for Antarctic and Southern Ocean science for the next two decades and beyond. *Antarctic Science*, online, 1-16, doi:10.1017/S0954102014000674.
- Brandt A., Elsner N., Brenke, N., Golovan, O.A., Lavrenteva, A.V., Malyutina, M.V., Riehl, T. (2015): Abyssal macrofauna of the Kuril-Kamchatka Trench area collected by means of a camera-epibenthic sledge (Northwest Pacific). *Deep-Sea Research II* 111: 175-188. doi.org/10.1016/j.dsr2.2014.11.002
- Malyutina, M.V., Brandt, A. (2015): The first data on the composition and distribution of Munnopsidae (Crustacea, Isopoda, Asellota), collected during the KuramBio expedition 2012 from the Kuril-Kamchatka Trench area. *Deep-Sea Research II* 111: 245-256. doi.org/10.1016/j.dsr2.2014.08.016
- Elsner, N., Malyutina, M.V., Golovan, O.A., Nis Brenke, N., Riehl, T., Brandt, A. (2015): Deep down: Isopod biodiversity of the Kuril-Kamchatka abyssal area including a comparison with previous expeditions of the RV *Vityaz*. *Deep-Sea Research II* 111: 210-220.
- Fischer, V., Elsner, N.O., Brenke, N., Schwabe, E., Brandt, A. (2015): Plastic pollution of the Kuril-Kamchatka-trench area (NW Pacific). *Deep-Sea Research II* 111: 399-406.
- Fischer, V., Brandt, A. (2015): Composition of the abyssal fauna of the Kuril-Kamchatka area (NW Pacific) collected with a box corer. *Deep-Sea Research II* 111: 26-34.
- Brandt, A. Stüven, J.K., Caurant, C., Elsner, N.O. (2015): An account of the Ischnomesidae (Peracarida, Isopoda) from the Kurile Kamchatka Trench and abyssal plain (Northwest Pacific) with the description of two new species. *Deep-Sea Research II* 111: 279-294. doi.org/10.1016/j.dsr2.2014.08.014
- Brandt A., Malyutina, M.V. (2015): The German-Russian deep-sea expedition KuramBio (Kurile Kamchatka Biodiversity Studies) to the abyssal area of the Kuril-Kamchatka Trench on board of the RV *Sonne* in 2012 following the footsteps of the legendary expeditions with RV *Vityaz*. *Deep-Sea Research II* 111: 1-10. doi.org/10.1016/j.dsr2.2014.11.001
- Snelgrove, P., Van den Berghe, E., Miloslavich, P., Archambault, P., Bailly, N., Brandt, A., Bucklin, A., Clark, M., Dahdouh-Guebas, F., Danovaro, R., Frere, E., Halpin, P., Hopcroft, R., Kaschner, K., Lascelles, B., Levin, L.A., Menden-Deuer, S., Metaxas, A., Obura, D., O'Dor, R., Reeves, R.R., Rynearson, T., Sato, M., Stocks, K., Tarzia, M., Tittensor, D., Tunnicliffe, V., Wallace, B., Wanless, R., Webb, T., Wei, C.-L. (2015): World Ocean Assessment. Chapter 34 Global Patterns in Marine Biodiversity, p.1-37.
- Miloslavich, P., Webb, T., Snelgrove, P., Vanden Berghe, E., Kaschner, K., Halpin, P.N., Reeves, R.R., Lascelles,B., Tarzia, M., Wallace, B.P., Dulvy, N., Simpfendorfer, C.A., Schillinger, G., Boustany, A., Collette, B.B., Graves, J.E., Obura, D., Edwards, M., Clark, M., Stocks, K., Morato, T., Tunnicliffe, V., Hopcroft, R., Archambault, P., Pepin, P., Tunnell, Jr., J.W., Moretzsohn, F., Escobar-Briones, E., Ojaveer, H., Gobin, J., Nakaoka, M., Fujikura, K., Yamano, H., Li, H., Venkataraman, K., Raghunathan, C., Griffiths, C.L., Bax, N.J., Butler, A.L., Brandt, A. Griffiths, H.J., Rice, J. (2015). World Ocean Assessment. Chapter 35 Extent of Assessment of Marine Biological Diversity, p. 1-58.
- Brandt, A., Linse, K., Ellingsen, K., Somerfield, P. (2016): Depth-related gradients in community structure and relatedness of bivalves and isopods in the Southern Ocean? *Progress in Oceanography* 144: 25–38, doi: http://dx.doi.org/10.1016/j.pocean.2016.03.003

- Constable,A.J., Costa,D.P., Schofield,O., Newman,L., Urban Jr.,E.R., Fulton,E.A., Melbourne-Thomas,J., Ballerini,T., Boyd,P.W., Brandt,A., de la Mare,W.K., Edwards,M., Eléaume,M., Emmerson,L., Fennel,K., Fielding,S., Griffiths,H., Gutt,J., Hindell,M.A., Hofmann,E.E., Jennings,S., La,H-S, McCurdy,A., Mitchell,B.G., Moltmann, T., Muelbert,M., Murphy,E., Press,A.J., Raymond,B., Reid,K., Reiss,C., Rice,J., Salter,I., Smith,D.C., Song,S., Southwell,C., Swadling,K.M., Van de Putte,A., Willis,Z., (2016): Developing priority variables ("ecosystem Essential Ocean Variables" - eEOVs) for observing dynamics and change in Southern Ocean ecosystems. *Journal of Marine Systems* 161: 26–41, doi: 10.1016/j.jmarsys.2016.05.003.
- Brandt, A., Gutt, J., Hildebrandt, M., Pawłowski, J., Schwendner, J., Soltwedel, T., Thomsen, L. (2016): Cutting the umbilical - new technological perspectives in benthic deep-sea research. *Journal of Marine Systems and Engineering* 4, 36; doi:10.3390/jmse4020036.
- Brandão, S. N., Stuhlmann, A., Vital, V., Brandt, A. (2016): Biogeography of *Abyssocythere* and *Dutoitella* (Ostracoda), with description of three new species. *Zootaxa* 4139 (3): 391–418.
- Xavier, J.C., Brandt ,A., Ropert-Coudert, Y., Badhe, R., Gutt, J., Havermans, C., Jones, C., Costa, E.S., Lochte, K., Schloss, I.R., Kennicutt, M.C. II, Sutherland, W.J. (2016): Future Challenges in Southern Ocean Ecology Research. *Frontiers in Marine Sciences* 3:94. doi: 10.3389/fmars.2016.00094.
- Brandt, A. (2016): Tiefseebiodiversität am Beispiel des Kurilen-Kamtschatka-Grabens. In: Lozán, J. L. et al. (Hrsg.). Warnsignal Klima: Die Biodiversität. pp. 128-133. Online: www.klima-warnsignale.uni-hamburg.de. doi:10.2312/warnsignal.klima.
- Frutos, I., Brandt, A., Sorbe, J.C. (2017): Deep-sea suprabenthic communities: the forgotten biodiversity. In: Sergio Rossi, Lorenzo Bramanti, Andrea Gori, Covadonga Orejas (eds.), *Marine Animal Forests*. Springer, Heidelberg, 1-29.
- David, C., Schaafsma, F.J., van Franeker, J.A., Lange, B., Brandt, A., Flores, H. (2017): Community structure of under-ice fauna in relation to winter sea-ice habitat properties from the Weddell Sea. *Polar Biology* 40:247-261.
- Kohlbach, D., Graeve, M, Lange, B.A., David, C., F.J., Schaafsma, van Franeker, J.A., Vortkamp, M., Brandt, A., Leu, E., Flores, H. (2017 online): Overwintering of Weddell Sea under-ice community strongly linked to sea ice-associated food sources. *Journal of Plankton Research*.
- Golovan, O.A., Malyutina, M.V., Brandt, A. (2017): First record of the deep-sea isopod family Dendroctoniidae (Isopoda: Asellota) from the Northwest Pacific with description of two new species of *Dendromunna*. *J. Mar. Biodiversity* DOI 10.1007/s12526-017-0725-0.
- Guggolz, T., Lins, L., Meißner, K., Brandt, A. (2017 online, 2018): Biodiversity and distribution of polychaetes (Annelida) in the Vema Fracture Zone. *Deep-Sea Research II* 148: 54-63.
<https://doi.org/10.1016/j.dsr2.2017.07.013>
- Schmidt, C., Wolf, K.H.E., Lins, L., Martinez, P., Brandt, A., (2017 online, 2018): Abundance and community pattern of meiofauna in the Vema Fracture Zone and in the Puerto Rico trench. *Deep-Sea Research II* 148: 236-250.
- Brandt, A., Frutos, I., Bober, S., Brix, S., Brenke, N., Guggolz, T., Heitland, N., Malyutina, M., Minzlaff, U., Riehl, T., Schwabe, E., Zinkann, A.-C., Linse, K. (2017 online, 2018): Composition of abyssal macrofauna along the Vema Fracture Zone and the hadal Puerto Rico Trench, northern tropical Atlantic. *Deep-Sea Research II* 148: 35-44. <https://doi.org/10.1016/j.dsr2.2017.07.014>
- Bober S., Riehl T., Brandt, A. (2017 online; 2018): An organ of equilibrium in deep-sea isopods revealed. The statocyst of Macrostyliidae (Crustacea, Peracarida, Janiroidea). *Zoomorphology* 137:71–82.
<https://doi.org/10.1007/s00435-017-0376-5>
- Bober S., Riehl T., Henne S., Brandt A. (2017): New Macrostyliidae (Crustacea, Isopoda) from the abyssal Northwest Pacific Basin described by means of integrative taxonomy with a reference to geographic barriers in the abyssal deep sea. *Zoological Journal of the Linnean Society* XX: 1–55, 40 figures.
<https://doi.org/10.1093/zoolinnean/zlx042/4604647>
- Kniesz, K., Riehl, T., Brandt, A. (2017 online, 2018): Peritrich epibionts on the hadal isopod species *Macrostylis marionae* n. sp. from the Puerto Rico Trench as an indicator for sex-specific behaviour. *Deep-Sea Research II* 148: 151-179.
- Riehl, T., Lins, L., Brandt, A. (2017 online, 2018): The effects of depth, distance, and the Mid-Atlantic Ridge on genetic differentiation of abyssal and hadal isopods (Macrostyliidae). *Deep-Sea Research II* 148: 74-90.
- Baker, P., Minzlaff-Weber, U., Schoenle, A., Schwabe, E., Hohlfeld, M., Brenke, N., Rothenbeck, M., Brix, S., Frutos, I., Koppelman, R., Devey, C., Brandt, A., Arndt, H. (2017 online, 2018): Potential contribution of surface-dwelling *Sargassum* algae to deep-sea ecosystems in the southern North Atlantic. *Deep-Sea Research II* 148: 21-34.
- Lörz, A.-N., Jaźdżewska, A.M., A., Brandt, A. (2017 online, 2018): Abyssal *Rhachotropis* (Eusiroidea, Amphipoda) from the Sea of Okhotsk. *Deep-Sea Research II* 154: 320-329.
- Malyutina, M.V., Frutos, I., Brandt, A. (2017 online, 2018): Diversity and distribution of the deep-sea Atlantic

- Acanthocope* (Crustacea, Isopoda, Munnopsidae), with description of two new species. Deep-Sea Research II 148: 130-150.
- Golovan, O.A., Malyutina, M.V., Brandt, A. (2017 online, 2018): Arcturoid isopods (Isopoda: Valvifera) from the SokhoBio expedition: first records from the abyss of the Sea of Okhotsk with description of *Neastacilla birsteini* sp. nov. Deep-Sea Research II.
- Bergmeier, F.S., Brandt, A., Schwabe, E. and Jörger, K.M. (2017): Abyssal Solenogastres (Mollusca, Aplacophora) from the Northwest Pacific: Scratching the Surface of Deep-Sea Diversity Using Integrative Taxonomy. Front. Mar. Sci. 4:410. doi: 10.3389/fmars.2017.00410
- Devey, C.W.; Augustin, N.; Brandt, A.; Brenke, N.; Köhler, J.; Lins, L.; Schmidt, C.; Yeo, I.A. (2018): Habitat characterization of the Vema Fracture Zone and Puerto Rico Trench. Deep-Sea Research Part II 148: 7-20. <https://doi.org/10.1016/j.dsr2.2018.02.003>
- Bober, S., Brix, S., Riehl, T., Schwentner, M., Brandt, A. (2018): Does the Mid Atlantic Ridge affect the distribution of benthic crustaceans across the Atlantic Ocean? Deep-Sea Research II 148: 91-104. <https://doi.org/10.1016/j.dsr2.2018.02.007>
- Malyutina, M.V., Brandt, A. (2017 online, 2018): First records of deep-sea Munnopsidae (Isopoda: Asellota) from the Kuril Basin of the Sea of Okhotsk, with description of *Gurjanopsis kuriensis* sp. nov. Deep-Sea Research II 154: 275-291.
- Brandt, A., Scholz, J., Allspach, A., Brenke, N., Brix, S., George, K.H., Hörschemeyer, T., Holst, S., Hoppenrath, M., Iwan, F., Janssen, A., Janssen, R., Janussen, D., Jeskulke, K., Fiege, D., Kaiser, S., Kieneke, A., Kihara, T.C., Kröncke, I., Krupp, F., Martha, S.O., Martínez Arbizu, P.M., Meißner, K., Miljutina, M., Miljutin, D., Renz, J., Riehl, T., Saeedi, H., Siegler, V., Sonnewald, M., Stuckas, H., Veit-Köhler, G. (2017 online, 2018): 200 Years of Marine Research at Senckenberg – Selected Highlights. Marine Biodiversity. 200 years of marine research at Senckenberg: selected highlights. Marine Biodiversity 48:159–178. <https://doi.org/10.1007/s12526-017-0839-4>.
- Brandt, A., Alalykina, I., Fukumori, H., Golovan, O., Kniesz, K., Lavrenteva, A., Loerz, A., Malyutina, M., Philipps-Bussau, K., Stransky, B. (2018): First insights into macrofaunal composition from the SokhoBio expedition (Sea of Okhotsk, Bussol Strait and northern slope of the Kuril Kamchatka Trench). Deep-Sea Research II, 154: 106-120.
- Kohlbach, D. et al., Brandt, A. (2018): Dependency of Antarctic zooplankton species on ice algae-produced carbon suggests sea ice-driven ecosystem during winter. Global Change Biology; 1-15. DOI: 10.1111/gcb.14392
- Lörz, A.N., Jaźdżewska, A.M., Brandt, A. (2018): A new predator connecting the abyssal with the hadal in the Kuril-Kamchatka Trench, NW Pacific. PeerJ 6:e4887; DOI 10.7717/peerj.4887
- Brasier, M.J., Grant, S.M., Trathan, P.N., Allcock, L., Ashford, O., Blagbrough, H., Brandt, A., Danis, B., Downey, R., Eléaume, M., Enderlein, P., Ghiglione, C., Hogg, O., Linse, K., Mackenzie, M., Moreau, C., Robinson, L., Rodriguez, E., Spiridonov, V., Tate, A., Taylor, M., Waller, C., Wiklund, H. and Griffiths, H.J. (2018): Benthic biodiversity in the South Orkney Islands Southern Shelf Marine Protected Area. BIODIVERSITY pp. 1-15, <https://doi.org/10.1080/14888386.2018.1468821>
- Ostermair, L., Brandt, A., Haszprunar, G., Jörger, K. M., Bergmeier, F. S. (2018): First insights into the Solenogaster diversity of the Sea of Okhotsk with the description of a new species of *Kruppomenia* (Simrothiellidae, Cavibelonida). Deep-Sea Research II, 154: 214-229.
- Golovan, O., Błażewicz, M., Brandt, A., Jaźdżewska, A., Józwiak, P., Lavrenteva, A.V., Malyutina, M.V., Petryashov, V., Riehl, T. (2018): Diversity and distribution of peracarid crustaceans (Malacostraca) from the abyss adjacent to the Kuril-Kamchatka Trench. J. Mar. Biodiversity. <https://doi.org/10.1007/s12526-018-0908-3>
- Malyutina, M.V., Chernyshev, A.V., Brandt, A. (2018): Introduction to the SokhoBio (Sea of Okhotsk Biodiversity Studies) expedition 2015. Deep-Sea Research II, 154: 1-9.
- Ashford, O.S., Kenny, A.J., Barrio Froján, C.R.S., Bonsall, M.B., Horton T., Brandt, A., Bird G.J., Gerken, S. & Rogers, A.D. (2018): Under-dispersed deep-sea crustacean assemblages linked to temperature and trawling. Proceedings of the Royal Society B 285: 20180923. <http://dx.doi.org/10.1098/rspb.2018.0923>
- Riehl, T., Brandão, S.N., Brandt, A. (2019): Chapter 6. Conquering the Ocean Depths Over Three Geological Eras. In G. Poore and M. Thiel, editors. The Natural History of the Crustacea, Volume 8: Evolution and Biogeography. Oxford University Press, New York, USA. In Preparation to press.
- Halsband, C., S. Ahyong, A. Brandt, K. Kosobokova, P. Ward, WP. Goodall-Copestake, and E. Macpherson. 2019. Biogeography of the Oceans. In G. Poore and M. Thiel, editors. The Natural History of the Crustacea, Volume 8: Evolution and Biogeography. Oxford University Press, New York, USA. In Preparation to press.
- Guggolz, T., Meißner, K., Schwentner, M., Brandt, A. (2019): Diversity and distribution of *Laonice* species (Annelida: Spionidae) in the equatorial North Atlantic and Puerto Rico Trench. Nature Scientific Reports: 2019, 9:9260 | <https://doi.org/10.1038/s41598-019-45807-7>.

- Canonico, G., Buttigieg, P.L., Montes, E., Carol A., Stepien, Wright, D., Benson, A., HelmbRANDAOuth, B., Costello, M.J., Muller-Karger, F.E., Sousa Pinto, I., Saeedi, H., Newton, J.A., Appeltans, W., Bednaršek, N., Bodrossy, L., Best, B.D., Brandt, A., Goodwin, K., Iken, K., Marques, A., Miloslavich, P., Ostrowski, M., Turner, W., Achterberg, E.P., Barry, T., Defeo, O., Bigatti, G., Henry, L.-A., Sanchez, B.R., Muñoz, P.D., Cuardo, M.M., Morato, T., Roberts, M., Garcia-Alegre, A.G., Murton, B.J. (2019): Global Observational Needs and Resources for Marine Biodiversity. *Frontiers in Marine Science*, section Ocean Observation, doi: 10.3389/fmars.2019.00367.
- Brandao, S., Hoppema M., Riehl, T., Brandt, A., Karanovic, I., Tanaka, H., Vital, H., Kamenev, G. (2019): Review of Ostracoda (Crustacea) living below the Carbonate Compensation Depth and the deepest record of an ostracod with a calcified carapace. *Progress in Oceanography* 178 (2019) 102144. <https://doi.org/10.1016/j.pocean.2019.102144>
- Gerdes, K., Schwentner, M., Kihara, T.C., Freitag, R., Brandt, A., Schwarz-Schampera, U., Martinez Arbizu, P. (in review): Megabenthic assemblages at the southern Central Indian Ridge – Geographic segregation of inactive vent fields from active-, periphery- and non-vent sites. *Marine Environmental Research*, *Marine Environmental Research*, pp 1-11; <https://doi.org/10.1016/j.marenvres.2019.104776>
- Saeedi, H., Costello, M.J., Warren, D., Brandt, A. (2019): Latitudinal and bathymetrical species richness in the NW Pacific and Arctic Ocean. *Nature Scientific Reports*, 2019; 9:9303, 1-10, | <https://doi.org/10.1038/s41598-019-45813-9>.
- Saeedi, H., Simões, M., Brandt, A. (2019): Endemicity and community composition of marine species along the NW Pacific and adjacent Arctic Ocean. *PROOCE* 178, 1-11; <https://doi.org/10.1016/j.pocean.2019.102199>
- Saeedi, H., Simões, M., Brandt, A. (2020): Biodiversity and distribution patterns of deep-sea fauna along the temperate NW Pacific. *Progress in Oceanography* 183, 1-12; <https://doi.org/10.1016/j.pocean.2020.102296>
- Rabone, M., Horton, T., Harden-Davies, H., Brandt, A., Droege, G., Appeltans, W., Zajderman, S., Pardo, L., Dahlgren, T., Glover, A., Collins, J. (2019): Access to Marine Genetic Resources (MGR): raising awareness and strengthening best-practice through a new agreement for biodiversity beyond national jurisdiction (BBNJ). *Frontiers of Marine Sciences*, September 2019, | Volume 6, Article 520, pp 1-22: doi: 10.3389/fmars.2019.00520
- Käß, M., Soltwedel, T., Hasemann, C., Brandt, A., Vedenin, A. (submitted): Community structure of macrofauna in the deep Fram Strait: A comparison between two bathymetric gradients in ice-covered and ice-free areas. *Deep-Sea Research I* 152: 1-8. <https://doi.org/10.1016/j.dsr.2019.103102>
- Brandt, A., Alalykina, I., Brix, S., Brenke, N., Błażewicz, M., Golovan, O., Heitland, N., Hrinko, A.M., Jaźdżewska, A.M., Jeskulke, K., Kamenev, G., Lavrenteva, A., Malyutina, M., Riehl, T., Lins, L. (2019): Depth zonation of Northwest Pacific deep-sea macrofauna. *Progress in Oceanography* 176 (2019), pp 1-10102131; <https://doi.org/10.1016/j.pocean.2019.102131>
- Dreutter, S., Steffen, M., Martínez Arbizu, P., Brandt, A. (2020): Will the “top five” deepest trenches loose one of its members? *PROOCE* 181, 1-6; <https://doi.org/10.1016/j.pocean.2019.102258>
- Bergmeier F.S., Brandt A., Jörger K.M. Molecular and morphological diversity of Solenogastres (Mollusca, Aplacophora) from abyssal and hadal depths in the Kuril-Kamchatka Trench. *Progress in Oceanography*, 178 (2019)1-17. <https://doi.org/10.1016/j.pocean.2019.102187>
- Hayer, S., Bick, A., Brandt, A., Ewers-Saucedo, C., Fiege, D., Fütting, S., Krause-Kyora, B., Michalik, P., Reinicke, G.-B., Brandis, D. (submitted): Coming and going – Historical distributions of the European oyster *Ostrea edulis* Linnaeus, 1758 and the introduced slipper limpet *Crepidula fornicate* Linnaeus, 1758 in the North Sea. *PLoS ONE* 14(10): 1-15; e0224249.
- Ashford, A.S., Horton, T., Roterman, C.N., Thurston, M., Griffiths, H.J., Brandt, A. (in press): A new genus within the remarkable and rare amphipod family Podosiridae. *Journal of the Linnean Society*.
- Johannsen, N., Lins, L., Riehl, T., Brandt, A. (2019): Changes in species composition of Hapliscidae (Crustacea: Isopoda) across potential barriers to dispersal in the Northwest Pacific. *PROOCE*. <https://doi.org/10.1016/j.pocean.2019.102233>
- Kohnert P.C., Brandt, A. Schroedl, M. (2020): Pteropoda from the Sea of Okhotsk and the Kurile-Kamchatka trench. *PROOCE; Progress in Oceanography* 181: 102259
- Malyutina M.V., Brandt A. (2020): Munnopsidae (Crustacea, Isopoda, Asellota) from Kuril-Kamchatka Trench with a regional and inter-ocean comparison of their biogeographic and richness patterns. *PROOCE* 183, 1-14; <https://doi.org/10.1016/j.pocean.2020.102289>
- Brandt, A., Brix, S. Riehl, T., Malyutina, M. (2019): Biodiversity and biogeography of the abyssal and hadal Kuril-Kamchatka Trench and adjacent NW Pacific deep-sea regions - (Introduction to the KuramBio II volume for PROOCE). 10.1016/j.pocean.2019.102232
- Józwiak, P., Pabis, K., Brandt, A., Błażewicz, M. (2020): Epibenthic sled versus giant box corer – Comparison of

- sampling gears for tanaidacean species richness assessment in the abyssal benthic ecosystem. PROOCE 181: 1-10; <https://doi.org/10.1016/j.pocean.2019.102255>
- Lins, L. Brandt, A. (2020): Comparability between box-corer and epibenthic-sledge data on higher taxon level: A case study based on deep-sea samples from the NW Pacific. PROOCE. Progress in Oceanography 182 (2020) 102273
- Guggolz, T., Meißner, K., Schwentner, M., Dahlgren, T.G., Wiklund, H., Bonifácio, P., Brandt, A. (2020): High diversity and pan-oceanic distribution of deep-sea polychaetes: *Prionospio* and *Aurospio* (Annelida: Spionidae) in the Atlantic and Pacific Ocean. Organisms Diversity & Evolution; pp. 1-17; <https://doi.org/10.1007/s13127-020-00430-7>

Books

- Brandt, A. (1988): Antarctic Serolidae and Cirolanidae (Crustacea, Isopoda): New Genera, New Species, and Redescriptions, With a Key to the Antarctic Serolidae and Cirolanidae. Koeltz, Theses Zoologicae, 143 Seiten.
- Brandt, A. (1990): Antarctic Valviferans (Crustacea, Isopoda, Valvifera): New Genera, New Species, and Redescriptions. Brill, Leiden, 178 Seiten.
- Spindler, M., Arntz, W., Kleinschmidt, G., Oerter, H., Brandt, A. (2005): Deutsche Forschung in der Antarktis. Wissenschaftlicher Fortschritt und Perspektiven. DFG Denkschrift. Wiley-VCH Verlag Weinheim, 1-211.
- Brandt, A.; Haas, A.; Misof, B. & R. Thiel (2008): Zoologisches Museum Hamburg. Wissenschaftliche Sammlungen und Forschung. Hamburg, Zoologisches Museum Hamburg, 1-75.
- Brandt, A., Kotthoff, U. & G. Kranz (2010): Naturwissenschaftliche Museen und Sammlungen Hamburg – VNSH. Hamburg, Zoologisches Museum Hamburg, Druckerei Steffens, 1-68, ISBN: 978-3-00-031816-0.
- Willmott, V., Azzolini, R., Brandt, A., Brinkhuis, H., Camerlenghi, A., Coakley, B., De Santis, L., Kristoffersen, Y., Lembke-Jene, L., Rebesco, M., Thiede, J. (2012): The Aurora Borealis Science Plan. ESF Publication, pp. 1-161.
- Malyutina, M., Lutaenko, K., Brandt, A. (2013): Proceedings of the Russian-German Workshop „Future Vision II“. Deep-Sea Investigations in the Northwestern Pacific. Vladivostok, Russia, September 6-12 2013. A.V. Zhirmunsky Institute of Marine Biology FEB RAS, Vladivostok, 1-92.
- Naylor, E., Brandt, A. (2015): Intertidal Marine Isopods. Synopses of the British Fauna (New Series). Edited by J.H. Crothers and P.J. Hayward. Linnean Society of London, London, No. 3: 1-144. ISBN 978-1-908819-23-9.
- Xavier JC, Cherel Y, Boxshall, G., Brandt, A., Coffer, T., Forman, J., Havermans, C., Jaźdżewska, A. M., Kouwenberg, J., Schnabel, K., Schiaparelli, S., Siegel, V., Tarling, G. A., Thatje, S., Ward, P., Gutt, J. (2020) Crustacean guide for predator studies in the Southern Ocean. Scientific Committee on Antarctic Research, Cambridge, UK. 255pp. ISBN 978-0-85665-146-5.
- Saeedi, H., Brandt, A. (in press): Biogeography of the deep Northwest Pacific benthos. Pensoft Publisher; Sofia, Bulgaria; appr. 500 pages.

Books or journal volumes edited

- Brandt, A. & Hilbig, B. (2004): ANDEEP (ANtarctic benthic DEEP-sea biodiversity: colonization history and recent community patterns) - a tribute to Howard L. Sanders. Deep-Sea Research II, 51 (14-16): 1457-1919.
- Brandt, A. & Ebbe, B. (2007): ANDEEP III ANtarctic benthic DEEP-sea biodiversity: colonisation history and recent community patterns. Deep-Sea Research II, 54(16-17): 1645-1904.
- Brandt, A. & Ebbe, B. (2011): Southern Ocean biodiversity - from pelagic processes to deep-sea response. Deep-Sea Research II (19-20): 1945-2050.
- Malyutina, M. & Brandt, A. (2013): SoJaBio (Sea of Japan Biodiversity study). Deep-Sea Research II (guest editors) 86-87: Pages 1-238.
- Schüller, M., Brandt, A., Ebbe, B. (2013): Diversity of Southern Ocean deep-sea benthos between cosmopolitanism and cryptic speciation: new species from the ANDEEP expeditions. Zootaxa 3692: 1-258.
- Brandt, A., Würzberg, L. (2014): Southern Ocean deep sea – a benthic view to pelagic processes. Deep-Sea Research II: 108: 1-112.
- Brandt A., Malyutina, M.V. (eds.) (2015): The German-Russian deep-sea expedition KuramBio (Kurile Kamchatka Biodiversity Studies) to the abyssal area of the Kuril-Kamchatka Trench on board of the RV

- Sonne* in 2012 following the footsteps of the legendary expeditions with RV *Vityaz*. Deep-Sea Research II 111: 1-405.
- Brandt, A. (2016): "Research Tools and Methods for Marine Species Acquisition and Identification". Journal of Marine Science and Engineering.
- Brandt A., Kaiser, S., Riehl, T. (eds.) (2018): bathymetry of the Vema-Fracture Zone and Puerto Rico TRench and Abyssal AtlaNtic BiodiverSITy Study (Vema-TRANSIT). Deep-Sea Research II 148: 1-259.
- Malyutina, M.V., Chernyshev, A.V., Brandt, A. (eds.) (2018): SokhoBio (Sea of Okhotsk Biodiversity Studies). Deep-Sea Research II 154: 1-382.
- Brandt A., Brix, S., Malyutina, M.V., Riehl, T. (eds.) (in preparation for 2019): Biodiversity and biogeography of the abyssal and hadal Kuril-Kamchatka Trench and adjacent NW Pacific deep-sea regions. Progress in Oceanography.

Scientific films

Wägele, J. W. & Brandt, A. (1989): Organisation und Bewegungsweisen der Arcturidae (Isopoda). Wissenschaftlicher Film (IWF) C 1679 mit Begleitheft, Publ. Wiss. Film., Biol. 21 (1991), 1-10.

Online datasets

- Brandt, A., Kaiser, S., Brix, S., Brandão, S. N. (2011). ANDEEP SYSTCO – EBS. SCAR-MarBIN, the Regional OBIS Node for the Antarctic.
Accessible at: <http://www.scarmarbin.be/imis.php?module=dataset&dasid=2648>.
- Brandt, A., Kaiser, S., Brix, S., Brandão, S. N. (2011). ANDEEP I – EBS. SCAR-MarBIN, the Regional OBIS Node for the Antarctic.
Accessible at: <http://www.scarmarbin.be/imis.php?module=dataset&dasid=2644>.
- Brandt, A., Kaiser, S., Brix, S., Brandão, S. N. (2011). ANDEEP II – EBS. SCAR-MarBIN, the Regional OBIS Node for the Antarctic.
Accessible at: <http://www.scarmarbin.be/imis.php?module=dataset&dasid=2646>.
- Brandt, A., Kaiser, S., Brix, S., Brandão, S. N. (2011). ANDEEP III – EBS. SCAR-MarBIN, the Regional OBIS Node for the Antarctic.
Accessible at: <http://www.scarmarbin.be/imis.php?module=dataset&dasid=2647>.
- Saeedi H, Winterberg H, Alalykina LI, Bergmeier SF, Downey R, Golovan O, Jaźdżewska A, kamenev G, kameneva N, Maiorova A, Malyutina M, Minin K, Mordukhovich V, Petrunina A, Schwabe E, Brandt A (2018): NW pacific deep-sea benthos distribution and abundance (Beneficial Project). v1.1. Deep-sea OBIS node. Dataset/Samplingevent. http://ipt.iobis.org/obis-deepsea/resource?r=beneficial_deepsea&v=1.1
- David, Carmen L; Schaafsma, Fokje L; van Franeker, Jan Andries; Lange, Benjamin Allen; Brandt, Angelika; Flores, Hauke (2019): Zooplankton and environmental parameters sampled under-ice during POLARSTERN cruise PS81 (ANT-XXIX/7). PANGAEA, <https://doi.org/10.1594/PANGAEA.909682>

Popular articles, short research papers and notes

- Brandt, A.; Coleman, O. & J. W. Wägele (1992): Antarctica - Home of a unique fauna and centre of radiation. Verh. Dt. Zool. Ges. 1992(85.1): 184.
- Brandt, A. & H. Winkler (1992): Ein ungewöhnlicher Sexualdimorphismus bei *Notasellus sarsi* Pfeffer, 1887 (Crustacea, Isopoda). Verh. Dt. Zool. Ges. 1992(85.1): 185.
- Brandt, A. (1993): Colonization of Antarctica by the isopod families Serolidae and Arcturidae. In: Proceedings of the First European Crustacean Conference. P. Noel (Hrg); Paris, 16-17.
- Brandt, A. & H. H. Janssen (1994): *Zonophryxus quinquedens* Barnard, 1913 (Crustacea, Isopoda, Dajidae), a parasite of *Nematocarcinus longirostris* Bate, 1888 from the Weddell Sea, Antarctica. Verh. dt. Zool. Ges., 1994 (87.1): 217.
- Sieg, J., Brandt, A. & B. Hosfeld (1991): Zoogeographie und Systematik von Tiefseecrustaceen. Ber. Polarforsch. 90: 139-145.
- Brandt, A., v. Juterzenka, K., Müller-Wille, S., Piepenburg, D., Reitner, U., Witte, U. (1993): Benthic communities of the Greenland, Island, and Norwegian Sea (SFB 313). In: Pfannkuche, O. et al., Meteor Berichte 93(4): 155-159.
- Ambrose, W., Ahrens, M., Brandt, A., Dimmler, W., Graf, G., Gutt, J., Herman, R. L., Jensen, P., Piepenburg, D., Queisser, W., Renard, P., Ritzrau, W., Scheltz, A., Thomsen, L. (1994): Benthic studies ARK IX 2-3.

- Berichte für Polarforschung 142: 106-112.
- Brandt, A. (1995): Postmarsupiale Entwicklung und reproductive Stadien von Isopoda des Europäischen Nordmeeres. Verh. Dt. Zool. Ges. 1995 (88.1): 23.
- Brandt, A. (1995): Comments on the proposed conservation of *Livoneca* Leach, 1818 (Crustacea, Isopoda) as the correct spelling (case 2915). Bull. Zool. Nomencl. 52 (1): 69.
- Barthel, D., Brandt, A., Göbel, Y., Maier, M., Ritzrau, W., Scheltz, A., Schnack, K. (1995): Benthosuntersuchungen am Grönlandischen Kontinentalhang. Ber. Polarforsch. 181: 63-69.
- Brandt, A.; Berg, J. S.; Gedamke, M.; Lunau, A.; Sauter, E.; Scheltz, A.; Schnack, K.; Wanner, S. (1996): Benthic-pelagic coupling. Ber. Polarforsch. 197: 45-55.
- Brandt, A. (1996): First observations on the composition and occurrence of Peracarida (Crustacea, Malacostraca) in the Beagle Channel. Ber. Polarforsch. 190: 54-55.
- Brandt, A.; Berg, S.; Gedamke, M.; Lunau, A.; Sauter, E.; Scheltz, A.; Schnack, K. & S. Wanner (1996): Benthic-pelagic coupling. Ber. Polarforsch. 197: 45-55.
- Brandt, A. (1996): Community patterns of benthic Crustacea Peracarida at 75°N of East Greenland and the influence of lateral advection". Verh. Dt. Zool. Ges. 89.1: 5.
- Brandt, A. (1996): Was kann man von Krebsen über die Tiefsee lernen? Meer und Museum Band 12, Stralsund, 69-72.
- Brandt, A. (1997): Suprabenthic Peracarida (Crustacea, Malacostraca) sampled at 75°N off East Greenland. Polar Biology 17: 462-464 (short note).
- Brandt, A. (1997): (book review) Annelida, Borstenwürmer. (Hartman-Schröder, G. 1996) 2. Aufl. (Die Tierwelt Deitschlands, T. 58), Jena, Fischer, 1996, 648 pp., Helgoländer Meeresunters. 51: 393-394.
- Brandt, A.; Linse, K. & Mühlenhardt-Siegel, U. (1997): Biogeography of Crustacea and Mollusca of the Magellan and Antarctic region. Verh. Dt. Zool. Ges. 90.1: 167.
- Schmidt, M. & Brandt, A. (1997): Presumptive chemosensory sensilla on the tailfan of the crayfish *Cherax destructor*. Verh. Dt. Zool. Ges. 90.1: 319.
- Brandt, A. (1998): Polarforschung in der Tiefsee - Stand der Forschung und Perspektiven dargestellt am Beispiel der Peracarida (Crustacea, Malacostraca). Ber. Polarforsch. 277: 17-18.
- Brandt, A., Crame, A., Polz, H. & M. Thomson (1998): Origin and adaptive radiation of Antarctic taxa with special reference to the Sphaeromatidea (Isopoda, Crustacea). New Zealand Natural Sciences 23: 19.
- Vassilenko, S. & A. Brandt (1998): Composition and biogeographic structure of the cumacean fauna in the polynya near northeast Greenland in relation to the geomorphology and hydrology of the region. In: Current conditions in the plankton and benthos, the problems of biodiversity conservation in the Arctic Seas. Abstract, international conference held in Murmansk on April 27-30, 1998: 13-15.
- Postel, U., Brandt, A., Becker, W., Riestenpatt, S., Weihrauch, D. & D. Siebers (1998): Die aktive Ionenabsorption über die Pleopoden der Meeresassel *Idotea baltica*: Elektrophysiologische Untersuchungen an isolierten Pleopoden-Halbplättchen. Verh. Dt. Zool. Ges. 91.1: 66
- Brandt, A. (1999): Variety is the spice of life. Biodiversity in the Ocean. Ocean Challenge 9 (2): 34-39.
- Brandt, A. & C. De Broyer (1999): Biodiversity and biogeography. Rationale and general objectives for EASIZ. Ber. Polarforsch. 301: 123-124.
- Brandt, A., Hilbig, B., Linse, K. & G. Wegener (1999): Biodiversity and zoogeography of Mollusca, Polychaeta, and Crustacea Peracarida. Ber. Polarforsch. 301: 135-149.
- Brandt, A. & G. Wegener (1999): Inventory of chemo- and mechanosensitive sensillae and lipid storage in Antarctic and boreal Isopoda (Crustacea, Malacostraca). Ber. Polarforsch. 301: 177-178.
- Storch, V., Bluhm, B., Brandt, A. & A. Lombarte (1999): Anatomy, histochemistry, and ultrastructure of selected taxa. Ber. Polarforsch. 301: 178-181.
- Brandt, A., Bohlmann, H., De Broyer, C., Gambi, M. C., Gerdes, D., Lee, H.J., Hilbig, B., Linse, K., Rauschert, M., Scailteur, Y., Storch, V., Van de Velde, J. & G. Wegener (1999). Peninsula transects. Ber. Polarforsch. 301: 181-182.
- Thomsen, H. & A. Brandt (1999): The 1998 Danish-German Excursion to Disco Island, West Greenland. Introduction. Ber. Polarforsch. 330: 1-10.
- Brandt, A. (1999): (book review) The Biology of Polar Habitats (G. E. FOGG, 1998) Oxford, Oxford University Press, 1-263, a series edited by M. Crawley, C. Little, T. R. E. Southwood, and S. Ulfstrand, Crustaceana: 72(7): 713, (book review).
- Brandt, A. (2000): A *Storithyngura* from the Bellingshausen Sea, Antarctica (Crustacea, Isopoda). Contributions to Zoology 68 (4): 261-264.
- Brandt, A. (2001): Die Tiefsee-Expedition "DIVA 1" mit FS "Meteor". DGM Mitteilungen, 1-3.
- Brandt, A. (2002): Marine Biodiversity – An Ultimate Gift. Pacem in Maribus XXVIII, International Ocean Institute, Halifax, pp. 21-24.
- Brandt, A., de Broyer, C., Gooday, A., Hilbig, B. & Thomson, M. (2003): Introduction to ANtarctic benthic

- DEEP-sea biodiversity (ANDEEP): colonization history and recent community patterns. Berichte zur Polarforschung 470: 45-50.
- Brandt, A., Brökeland, W., Hilbig, B., Mühlhardt-Siegel, U., Raupach, M., Strieso, G. & Wegener, G. (2003): Biodiversity and zoogeography of Crustacea Peracarida and Polychaeta. Berichte zur Polarforschung 470: 66-71
- Brandt, A., Brökeland, W., Raupach, M., Strieso, G. & Wegener, G. (2003): Investigations on the systematics, zoogeography, and evolution of Antarctic deep-sea isopods (Crustacea, Malacostraca). Berichte zur Polarforschung 470: 86-88.
- Brandt, A., Hilbig, B., Blake, J., Ellingsen, K. & B. E. Narayanaswamy (2003): Macrofauna - Introduction to work at sea. Berichte zur Polarforschung 470: 62-64.
- Brandt, A. & G. Wegener (2003): Ultrastructure of isopod sensillae (Crustacea, Malacostraca). Berichte zur Polarforschung 470: 90-91.
- Brandt, A. (2003): Biodiversität in der Tiefsee insbesonders des Benthos der Antarktis. Mitteilungen zur Kieler Polarforschung 19: 20-25.
- Brandt, A., De Broyer, C., Gooday, A.J., Hilbig, B. & M.R.A. Thomson (2006): Introduction to ANDEEP: ANtarctic benthic DEEP-sea biodiversity - colonization history and recent community patterns (ANDEEP III). Ber. Polar & Meeresforsch. 533: 77-84.
- Brandt, A. & B. Hilbig (2006): Macrofauna. Introduction to work at sea. Ber. Polar & Meeresforsch. 533: 107-110.
- Brandt, A., Brökeland, W., Choudhury, M., Hilbig, B., Malyutina, M., Raupach, M. & G. Wegener (2006): Biodiversity and zoogeography of Crustacea Peracarida and Polychaeta. Ber. Polar & Meeresforsch. 533: 127-134.
- Brandt, A., Brökeland, W., Choudhury, M., Malyutina, M., Raupach, M. & G. Wegener (2006): Investigations on the systematics, zoogeography, and evolution of Antarctic deep-sea isopods (Crustacea, Malacostraca). Ber. Polar & Meeresforsch. 533: 120-126.
- Linse, K. & A. Brandt (2006): Megabenthos. Introduction to work at sea. Ber. Polar & Meeresforsch. 533: 160-161.
- Linse, K., Brandt, A., Bohn, J., Danis, B., De Broyer, C., Heterier, V., Hilbig, B., Janussen, D., Lopéz Gonzales, P.J., Schwabe, E. & M.R.A. Thomson (2006): Megabenthos collected by the Agassiz trawl. Ber. Polar & Meeresforsch. 533: 161-173.
- Linse, K., Schwabe, E., & A. Brandt (2006): Mollusca collected during ANDEEP III – preliminary results. Ber. Polar & Meeresforsch. 533: 151-160.
- Ellingsen, K.E., Brandt, A., Hilbig, B., Linse, K. & A. J. Gooday (2006): Spatial patterns of Antarctic deep-sea soft-sediment biodiversity. Ber. Polar & Meeresforsch. 533: 114-116.
- Brandt, A., Brenke, N., Mühlhardt-Siegel, U. & J. W. Wägele (2007): Macrofauna represented in sledge samples. Meteor cruise M48-1 Meteor Berichte No.xxx.
- Kaiser, S., Barnes, D.K.A., Brandt, A. (2007): Antarctic deep-sea biodiversity, scale and predicting responses to climate change? EMBS Symposium Kiel (abstract).
- Brandt, A., Ebbe, B., Sauter, E.J. (2010): ANDEEP-SYSTCO (System Coupling in the Southern Ocean) From census to ecosystem functioning. Ber. Polar & Meeresforsch. 604: 82-87.
- Brandt, A., Brenke, N., Ebbe, B., Henche, A., Janussen, D., Veit-Köhler, G., Sachs, O., Sauter, E.J. (2010): Work at the seafloor - introduction to work at sea. Ber. Polar & Meeresforsch. 604: 88-98.
- Brandt, A., Brix, S., Ebbe, B., Kramer, L., Riehl, T., Schüller, M., Würzberg, L. (2010): Macrofauna - Biodiversity, ecology and zoogeography of peracarid crustaceans and Polychaeta. Ber. Polar & Meeresforsch. 604: 114-122.
- Janussen, Schrödl, M., Schwabe, E., Ebbe, B., Robert, H., Wadley, V., Würzberg, L., Zapata Guardiola, R., Brandt, A. (2010): Preliminary report on AGT catches during ANT XXIV-2. Ber. Polar & Meeresforsch. 604: 128-132.
- Brandt, A., Janussen, D., Schroedl, M. & B. Ebbe (2010): Biodiversität in den Tiefen des Eismeeres. Mikrokosmos 99 (2): 70-77.
- Kaiser, S., Brandt, A., Brix, S., Díaz-Agras, G., Riehl, T., Schüller, M. (in press): Macrofaunal richness and abundance patterns along a latitudinal (productivity) gradient in the Argentinean and Brazil Basin (South-West Atlantic) using an epibenthic sledge. Meteor cruise M79-1 Meteor Berichte.
- Malyutina, M., Brandt, A. (2011): Die russisch deutsche Tiefseeexpedition SoJaBio (Sea of Japan Biodiversity Studies) an Bord des FS *Akademik Lavrentyev* (11. Aug. – 5. Sept. 2010). DGM Mitteilungen 1/2011:8 -9.
- Brandt, A., Malyutina, M. (2012): Die deutsch-russische Tiefsee-Expedition KuramBio (SO 223) (Kurile Kamchatka Biodiversity Study). TIB (Technische Instituts Bibliothek), Hannover. Expeditions Fahrbericht, 100 Seiten.
- Brandt, A. (2012): Leben unter Druck – Organismen in der Tiefsee. In: Wefer, G., Schmieder, F., von Neuhoff,

- S. Tiefsee-Expeditionen zu den Quellen des Lebens.. Begleitbuch zur Sonderausstellung im Ausstellungszentrum Lokschuppen Rosenheim. Bibliographische Information der Deutschen Nationalbibliothek, pp. 112-121.
- Brandt, A. (2012): Das kalte Leuchten. In: Wefer, G., Schmieder, F., von Neuhoff, S. Tiefsee-Expeditionen zu den Quellen des Lebens.. Begleitbuch zur Sonderausstellung im Ausstellungszentrum Lokschuppen Rosenheim. Bibliographische Information der Deutschen Nationalbibliothek, pp. 121-122.
- Brandt, A., Ebbe, B .(2013): System Coupling in the Southern Ocean. Berichte zur Polar und Meeresforschung 661, pp. 75.
- Brandt, A., Würzberg, L., Brandao, S., Schnurr, S., Meyer Löbbecke, A., Havermans, C., Zinkann, A.-C., Jörger, K., Schwabe, E., Janussen, D., Vortkamp, M. (2013): The epibenthic (EBS) deployment. Berichte zur Polar und Meeresforschung 661, pp. 87-90.
- Brandt, A., Würzberg, L., Schnurr, S., Meyer Löbbecke, A., Zinkann, A.-C., Vortkamp, M., Schüller, M. (2013): On the functional biodiversity and ecology of macrobenthic abyssal key species with focus on the Isopoda and Polychaeta. Berichte zur Polar und Meeresforschung 661, pp. 96-98.
- Malyutina, M., Brandt, A. (2013): The joint Russian-German deep-sea research projects SoJaBio (Sea of Japan Biodiversity Studies) and KuramBio (Kurile Kamchatka Deep-Sea Biodiversity). Proceedings of the Russia-China Bilateral Symposium on “Marine Ecosystems under Global Change in the Northwestern Pacific.” Ed., M. Malyutina, K.A. Lutaenko, A. Brandt, Vladivostok, Russia, 11-15.
- Brandt, A., Malyutina, M. (2013): The German-Russian deep-sea expedition KuramBio (Kurile kamchatka Biodiversity Study) to the Kurile Kamchatka Trench and abyssal plain on board of the R/V Sonne, 223 rd expedition. DGM Mitteilungen 2: 3-9.
- Janussen, D., Brandao, S., Cedhagen, T., Hauquier, F., Havermans, C., Jörger, K., Lejzerowicz, F., Meyer-Löbbecke, A., Schnurr, S., Schwabe, E., Vortkamp, M., Würzberg, L., Zinkann, A.-C., Brandt, A. (2013): Agassiz trawl (AGT) deployments. Berichte zur Polar und Meeresforschung 661, pp. 115-117.
- Meyer-Löbbecke, A., Brandt, A. (2013): Investigations on systematics, zoogeography and diversity of deep-sea Isopoda (Crustacea, Malacostraca) in the polar front of the Southern Ocean. Berichte zur Polar und Meeresforschung 661, pp. 99-101.
- Schnurr, S., Meyer-Löbbecke, A., Brandt, A., Brix, S. (2013): Barcoding deep-sea Isopoda. Berichte zur Polar und Meeresforschung 661, pp. 94-95.
- Würzberg, L., Zinkann, A.-C., Brandt, A. (2013): On the functional biodiversity and ecology of benthic abyssal key species. Berichte zur Polar und Meeresforschung 661, pp. 91-93.
- Brandt, A., Malyutina, M. (2012) "The German-Russian deep-sea expedition KuramBio (Kurile Kamchatka Biodiversity Study) : to the Kurile Kamchatka Trench and abyssal plain on board of the R/V Sonne, 223rd Expedition, July 21th - September 7th 2012". Biocenter Grindel and Zoological Museum, University of Hamburg - Hamburg [u.a.], 2012. - Online-Ressource (100 S., 5,46 MB). : Förderkennzeichen BMBF 03G0223A <http://opac.tib.uni-hannover.de/DB=1/XMLPRS=N/PPN?PPN=741102293>
- Laura Würzberg, Nils Brenke¹, Kirill Minin², Angelika Brandt (2012): Video survey on the seafloor of the abyssal plain adjacent to the Kurile-Kamchatka Trench by means of the OFOS (Ocean Floor Observation System). Biocenter Grindel and Zoological Museum, University of Hamburg - Hamburg [u.a.], 2012. - Online-Ressource (S. 17-20). : Förderkennzeichen BMBF 03G0223A <http://opac.tib.uni-hannover.de/DB=1/XMLPRS=N/PPN?PPN=741102293>
- Angelika Brandt¹, Nils Brenke², Nikolaus Elsner¹, Olga Golovan³, Anna Lavrenteva³, Marina Malyutina³, Torben Riehl (2012): Investigations of the epifaunal macrofauna using the camera-epibenthic sledge during the KuramBio (*Kurile Kamchatka Biodiversity Study*) expedition. Biocenter Grindel and Zoological Museum, University of Hamburg - Hamburg [u.a.], 2012. - Online-Ressource (S. 43-52). : Förderkennzeichen BMBF 03G0223A <http://opac.tib.uni-hannover.de/DB=1/XMLPRS=N/PPN?PPN=741102293>
- Torben Riehl¹, Angelika Brandt¹, Marina Malyutina², Nikolaus Elsner (2012): Molecular genetic studies on deep-sea isopods. Biocenter Grindel and Zoological Museum, University of Hamburg - Hamburg [u.a.], 2012. - Online-Ressource (S. 57-61). : Förderkennzeichen BMBF 03G0223A <http://opac.tib.uni-hannover.de/DB=1/XMLPRS=N/PPN?PPN=741102293>
- Nils Brenke^{1,2}, Angelika Brandt (2012): Seabed Images and Videos from the C-EBS during SO 223. Biocenter Grindel and Zoological Museum, University of Hamburg - Hamburg [u.a.], 2012. - Online-Ressource (S. 62-67). : Förderkennzeichen BMBF 03G0223A <http://opac.tib.uni-hannover.de/DB=1/XMLPRS=N/PPN?PPN=741102293>
- Brandt, A., Malyutina, M. (2013): Russian-German workshop Future Visions II - Deep-Sea Investigations in the Northwestern Pacific. Proceedings of the German-Russian Workshop Future Visions II.” Ed., K.A. Lutaenko, Vladivostok, Russia, 7-9.
- Brandt, A., Malyutina, M. (2013): The German-Russian deep-sea expedition KuramBio (Kuril-Kamchatka

- Biodiversity Studies) to the Kuril-Kamchatka Trench and abyssal plain on board of the RV *Sonne*. Proceedings of the German-Russian Workshop Future Visions II." Ed., K.A. Lutaenko, Vladivostok, Russia, 10-14.
- Elsner, N.O., Golovan, O.A., Malyutina, M.V., Brandt, A. (2013): Preliminary results of the macrofauna with a special focus on the Isopoda from the Kurile- Kamchatka deep-sea area sampled by the means of an epibenthic sledge. Proceedings of the German-Russian Workshop Future Visions II." Ed., K.A. Lutaenko, Vladivostok, Russia, 31-34.
- Fischer, V., Alalykina, I.L., Meißner, K., Brandt, A. (2013): Preliminary data on the composition of the macrobenthic infauna from the Kurile-Kamchatka deep-sea area collected with the giant box corer with a special focus on the Polychaeta (Annelida). Proceedings of the German-Russian Workshop Future Visions II." Ed., K.A. Lutaenko, Vladivostok, Russia, 35-37.
- Brandt, A. (2013): Bericht aus dem DGM Vorstand. Mitteilungen der Deutschen Gesellschaft für Meeresforschung 2(2012), 2.
- Brandt, A., Malyutina, M. (2013): Die deutsch-russische Tiefsee-Expedition KuramBio (SO 223) (Kurile Kamchatka Biodiversity Study). GfbS (Gesellschaft für biologische Systematik) newsletter 28: 20-23.
- Brandt, A. (2013): Tiefsee – die große Unbekannte. Akademie der Wissenschaften und der Literatur, Mainz; Jahrbuch 2013; Franz Steiner Verlag, Stuttgart, pp. 125-126.
- Teschke, K., Bester, M.N., Bornemann, H., Brandt, A., Brtník, P., de Broyer, C., Burkhardt, E., Dieckmann, Flores, H., Gerdes, D., Griffiths, H.J., Gutt, J., Hain, S., Hellmer, H., Herata, H., Isla, E., Jerosch, K., Knust, R., Kock, K.-H., Krause, R., Kuhn, G., Lemke, P., Liebschner, A., Linse, K., Pehlk, H., Petrov, A., Schröder, A.M., Shust, K.V., Schwegmann, S., Siegel, V., Timmermann, R., Trathan, P.N., van de Putte, A., van Franeker, J., van Opzeeland, I.C., von Nordheim, H., Brey, T. (2014): Scientific background document in support of the development of a CCAMLR MPA in the Weddell Sea (Antarctica) – Version 2014. This report has been compiled by members of the German Weddell Sea MPA project team and by experts from other CCAMLR member states and acceding states.
- Devey, C. W., ed and Shipboard scientific party. (2015) RV SONNE Fahrtbericht / Cruise Report SO237 Vema-TRANSIT : bathymetry of the Vema-Fracture-Zone and Puerto Rico Trench and Abyssal Atlantic BiodiverSITY Study, Las Palmas (Spain) - Santo Domingo (Dom. Rep.) 14.12.14 - 26.01.15 GEOMAR Report, N.Ser. 023 . GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel, Kiel, 130 pp.
doi:10.3289/GEOMAR_REP_NS_23_2015.
- Brandt, A., Bober, S., Brix, Frutos, I., S. Guggolz, T., Heitland, N., Linse, K., Malyutina, M., Minzlauff, U., Riehl, T., Schwabe, E., Zinkann, A.-C.) (2015): Camera-epibenthic sledge deployment and preliminary results. Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23: 17-23.
- Brenke, N., Elsner, N., Brandt, A. (2015): The Epibenthic sledge: technical descriptions, sensor data and photo and video documentation of the seabed. Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23: 24-27.
- Guggolz, T., Brandt, A. (2015): The diversity of macrofaunal Polychaeta of the abyssal Vema Transform. Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23: 29-30
- Brandt, A., Bober, S., Brix, Frutos, I., S. Guggolz, T., Heitland, N., Linse, K., Malyutina, M., Riehl, T., Schwabe, E. (2015): The diversity of macrofaunal Isopoda of the abyssal Vema Transform. Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23: 31-36.
- Riehl, T., Brix, S. Bober, S., Malyutina, M., Heitland, N., Brandt, A. (2015): Analysis of trans-Mid-Atlantic-Ridge distribution and connectivity of abyssal Isopoda using molecular methods. Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23: 37-38.
- Zinkann, A., Minzlauff, U., Peters, J., Koppelman, R., Brandt, A. (2015): Food-web analysis using fatty acids and stable isotope composition of benthic organisms along an east-west transect of the Vema Transform. Berichte aus dem GEOMAR Helmholtz-Zentrum für Ozeanforschung Kiel Nr. 23: 39-40.
- Brandt, A. (2015): Sampling the hadal Puerto Rico Trench with fine meshed gear. Deep-Sea Life 15:18.
- Brandt, A., Malyutina, M. (2015): Polar deep-sea biodiversity and the SokhoBio expedition to the Sea of Ochotsk. In: High latitudes and high mountains: driver of or driven by global change? 26th International Congress on Polar Research 6 – 11 September 2015, Munich, Germany German Society for Polar Research, eds. Eva-Maria Pfeiffer, Heidemarie Kassens, Christoph Mayer, Mirko Scheinert, Ralf Tiedemann and Members of the DGP Advisory Board, Reports on Polar and Marine Research, p. 34.
- Malyutina, M., Brandt, A., Ivin, V.V. (2015): The Russian-German deep-sea expedition SokhoBio (Sea of Okhotsk Biodiversity Studies) to the Kurile Basin of the Sea of Okhotsk on board of the R/V Akademik M.A.Lavrentyev 71st Cruise, July 6th - August 6th, 2015. Expedition report, 100 pages.
- Brandt, A., Frutos, I., Fukumori, H., Golovan, O., Kniesz, K., Lavrenteva, A., Malyutina, M., Philipps-Bussau, K. (2015): Investigations of the macrofauna using the camera-epibenthic sledge during the Sea of Okhotsk. Biodiversity Studies (SokhoBio) expedition. In: Malyutina, M., Brandt, A., Ivin, V.V. (eds.): The Russian-

- German deep-sea expedition SokhoBio (Sea of Okhotsk Biodiversity Studies) to the Kurile Basin of the Sea of Okhotsk on board of the R/V Akademik M.A.Lavrentyev 71st Cruise, July 6th - August 6th, 2015, 66-84.
- Brandt, A. (2016): Review. J.C. von Vaupel Klein, M. Charmatier & F.R. Schram (eds.), 2013. Treatise on Zoology—Anatomy, taxonomy, biology. The Crustacea revised and updated, as well as extended from the *Traité de Zoologie*, 5: i-viii, 1-370. (Brill, Leiden). ISBN 978-90-04-19084-9. Hardcover. *Crustaceana* 89 (4) 515-517.
- Griffiths, H.J., Brandt, A., Danis, B., Moreau, C., Waller, C., Ghiglione, C., Rodriguez, E., Wiklund, H., Blagbrough, H., Robinson, L., Allcock, L., Brasier, M., Eléaume, M., Mackenzie, M., Taylor, M., Ashford, O., Hogg, O., Enderlein, P., Downey, R., Grant, S., Spiridonov, V. (2016): Agassiz Trawl (AGT). In: RRS James Clark Ross JR15005 Cruise Report - South Orkneys - State of the Antarctic Ecosystem, Huw Griffiths & the scientists of SO-AntEco, pp. 11-14. BAS Archive Reference Number: ES*/*/2015/*
- Ghiglione, C., Brandt, C.A., Enderlein, P., Blagbrough, H., Spiridonov, V., Griffiths, H.J. (2016): Rauschert dredge. In: RRS James Clark Ross JR15005 Cruise Report - South Orkneys - State of the Antarctic Ecosystem, Huw Griffiths & the scientists of SO-AntEco, pp. 15-17. BAS Archive Reference Number: ES*/*/2015/*
- Brandt, A., Ashford, O., Brasier, M., Hogg, O., Enderlein, P., Griffiths, H.L. (2016): Epi-benthic Sledge (EBS). In: RRS James Clark Ross JR15005 Cruise Report - South Orkneys - State of the Antarctic Ecosystem, Huw Griffiths & the scientists of SO-AntEco, pp. 18-22. BAS Archive Reference Number: ES*/*/2015/*
- Brandt, A., Ashford, O., Spiridonov, V. (2016): Crustacea (Malacostraca) sampled with the Agassiz trawl during the expedition SO-AntEco. In: RRS James Clark Ross JR15005 Cruise Report - South Orkneys - State of the Antarctic Ecosystem, Huw Griffiths & the scientists of SO-AntEco, pp. 53-58. BAS Archive Reference Number: ES*/*/2015/*
- Brandt, A. (2016): KuramBio II (Kuril-Kamchatka Trench Deep-Sea Biodiversity Studies II): German Russian deep-sea biodiversity studies in the Kuril-Kamchatka Trench (KKT). *Deep-Sea Life* 7: 3.
- Brandt, A. (2016): *Lebensgemeinschaften am Grund der Tiefsee*. Erschienen in: Schickhoff, Udo (Hrsg.): Biogeographie und Biodiversität. Hamburg 2016 (Hamburger Symposium Geographie, Band 8): 21-38.
- Brandt, A. and shipboard scientific party (2016): RV Sonne SO-250. Cruise Report / Fahrtbericht, Tomakomai - Yokohama (Japan) (16.08.-26.09.2016), KuramBio II (Kuril Kamchatka Biodiversity Studies). ZB MED - Leibniz-Informationszentrum Lebenswissenschaften, Fachrepository Lebenswissenschaften, doi:10.4126/FRL01-006401131. <https://repository.publisso.de/resource/frl:6401131>
- Brandt, A., Riehl, T., and shipboard scientific party (2016): KuramBio II (SO250). (Kuril Kamchatka Biodiversity Studies). *Deep-Sea Life* 8 (11/2016): 5-6.
- Riehl, T., Bober, S., Voltski, I., Malyutina, M.V., Brandt, A. (2016): Caught in the act: An abyssal isopod collected while feeding on Komokiaceae. *Marine Biodiversity* (in press).
- Brandt, A., Devey, C., Arndt, H., Martinez Arbizu, P., Riehl, T., Bober, S., Schmidt, C., Schönle A., Heitland, N. (2017): SO237 – Vema-TRANSIT – Bathymetry of the Vema-Fracture Zone and Puerto Rico TRench and Abyssal AtlaNtic BiodiverSITY Study. Statusseminar Meeresforschung mit FS SONNE 14. – 15. Februar 2017 in Oldenburg, 23-29.
- Brandt, A., Martinez Arbizu, P., Malyutina, M., Riehl, T., Schmidt, C., Heitland, C. (2017): SO250 – KuramBio II (Kuril Kamchatka Biodiversity Studies). Statusseminar Meeresforschung mit FS SONNE 14. – 15. Februar 2017 in Oldenburg, 91-95.
- Heitland, N., Riehl, T., Brandt, A. (2017): SO237 – Eine monophyletische Gruppe sexualdimorpher Arten – Hinweise auf eine neue Gattung der Macrostylidae (Crustacea : Isopoda). Statusseminar Meeresforschung mit FS SONNE 14. – 15. Februar 2017 in Oldenburg, 124.
- Brasier, M.J., Grant, S.M., Trathan, P.N., Allcock, L., Ashford, O., Blagbrough, H., Brandt, A., Danis, B., Downey, R., Eléaume, M., Enderlein, P., Ghiglione, C., Hogg, O., Linse, K., Mackenzie, M., Moreau, C., Robinson, L., Rodriguez, E., Spiridonov, V., Tate, A., Taylor, M., Waller, C., Wiklund, H. and Griffiths, H.J. (2017): SO-AntEco: Contributing information and scientific advice on benthic biodiversity in the South Orkney Islands (Domain 1) region. Report to CCAMLR, pp.- 1-28.
- Riehl, T.; Brandt, A. (2017): The final stage of the Vema-TRANSIT project, *Deep-Sea Life* 10: 9-10.
- Heitland, N.; Lins, L.; Riehl, T.; Brandt, A. (2017): Updates on the project KuramBio II: Kuril Kamchatka Biodiversity Studies. *Deep-Sea Life* 10: 15-16.
- Saeedi, H.; Brandt, A. (2017): Biogeography of the NW Pacific deep-sea fauna and their possible future invasions to the Arctic Ocean (Beneficial Project). *Deep-Sea Life* 10: 21-22.
- Brandt, A., Malyutina, M., Martinez, P. (2018): Faunistic deep-sea investigations in the Northwest Pacific have increased faunal knowledge at the edge of the changing Arctic Ocean. *PeerJ Preprints*, <https://doi.org/10.7287/peerj.preprints.26541v1>.
- Riehl, T., Augustin, N., Bober, S., Brix, S., Devey, C., Heitland, N., Lins, L., Wölfli, A.-C., Brandt, A. (2018):

- The evolutionary origins of abyssal biodiversity — new ideas from biogeography and habitat mapping. PeerJ Preprints, <https://doi.org/10.7287/peerj.preprints.26845v1>.
- Bober, S., Riehl, T., Schwentner, M., Brandt, A. (2018): Does the mid-Atlantic Ridge affect the distribution of abyssal benthic crustaceans across the Atlantic Ocean? ICC9 (International Crustacean Conference 9, Washington May 2018), Poster and Abstract.
- Wright, D.J., Kavanaugh, M., Henry, L.-A., Brandt, A., Saeedi, H., Bednarsek, N., Muller-Karger, F., Ramiro-Sánchez, B., Roberts, J.M., Morato, T., Butler, K., VanGraafeiland, K., Breyer, S., Sayre, R. (2018): Use Cases of Ecological Marine Units for Improved Regional Ocean Observation Data Integration and Linkage Between End Users and Providers. Abstract Submitted to Ocean Observation 19.
- Brandt, A., Heitland, N., Riehl, T. (2018): Kleine Unbekannte vom Meeresgrund. Senckenberg Natur Forschung Museum 148: 64-71.
- Saeedi, H., Brandt, A. (2018): The first big dataset from the deep-sea NW Pacific is now available worldwide. Deep-Sea Life 11: page 13.
- Brandt, A (2018): Außer Reichweite des Menschen? Nirgendwo leben mehr Arten als in der Tiefsee. Aber auf unseren Tauchgängen sehen wir auch: Die Bedrohungen nehmen zu. Frankfurter Allgemeine Zeitung 235: Seite 2 (10.10.2018).
- Ingels, J., Aronson, R., Smith, C.R., Taylor, A.B., Bik, H., Blake, J., Brandt, A., Cape, M., DeMaster, D., Dolan, E., Domack, E., Fire, S., Geisz, H., Griffiths, H., Halanych, K.C. (2018): Antarctic Ecosystem Research Following Ice Shelf Collapse and Iceberg Calving Events. MEASO (Marine Ecosystem Assessment of the Southern Ocean) 2018 Conference.
- Saeedi, H., Simoes, M., Brandt, A. (2018): Deep-sea fauna in the NW Pacific: biodiversity patterns and future invasions into the Arctic Ocean (Beneficial Project). Deep-Sea Life12: 11-12.
- Di Franco, D., Linse, K., Griffiths, H., Brandt, A. (2020): Influence of ice cover and latitude on Antarctic peracarid crustaceans in a changing environment. Deep-Sea Life 14: 15-17.