SV8100 License Registration

Logging into the License Server	2
Creating Customer Sites and Locations	3
License Attaching and Registering	4
Loading the License File to the SV8100	8
Transferring Licenses after CP00 Replacement	10
Re-Generating the License File	11
License Descriptions	12

Logging into the License Server

First you must have an administrator's login. If you do not have this, administrator rights can be upgraded to your existing NEC portal login (see below on obtaining a **NEC Portal Login**). To be upgraded have your current License Administrator send an email to <u>necportaladmin@necunified.com</u> requesting your login be upgraded. Or you may contact your NEC Account manager and request the change. NEC has created License Administrator logins for existing NEC Portal logins which had CMPR rights.





Page 4 of 15		SV8100 Cheat Sheet
Dealer Change	The Customer Location rec enter a Location Name an NEC System type along wi Hardware Key Code. Hard Version and Software Ver mandatory/necessary entries sure the Active box is chee Click on "Save" when com	d then the tith the dware rsion are not es. Make cked. plete.
NEC System SV8100 Hardware Key Code 19000002204 Hardware Version Software Version 1.01	 The Hardware Key Code is a 12 digit serial number that is unique to each CP00 board. It can be found in the following locations 1. Printed on the original packaging. 2. A white sticker on the CPU board. 3. With CPU online from any display s press <i>Feature 3</i>. 4. From the Feature Activation section Pc-Pro or Web-Pro 	al (CPU). set on in Save Refresh
Customer Locations	After the Save key is selected the site will now appear at the bottom of the screen and another Customer Location can be created if required.	
Location	Hardware Key Code	NEC System
BooBoos Lair	19000002204	SV8100 🧷

License Attaching and Registering

Now in the top left corner of this page select License, then License Administration.

Licenses					
Last Five Li	censes awaiting action				
Date	Purchase Order	Part Number	Qty	Part Name	
6/6/2008	P01234	670750	1	LK-DESKTOP SUITE-ENHANCE PKG4-LIC (T719-0HMN-12MT-2WK1-H9UL)	
6/6/2008	PO5678	670744	1	LK-DESKTOP SUITE- PC ATTENDANT1- LIC (1419-RHFV-TN5T-N4DF-VFNC)	
6/6/2008	P01234	670749	1	LK-DESKTOP SUITE-ENHANCE PKG1-LIC (8119-HP6R-4DA3-JWCU-14TH)	
6/6/2008	P05678	670782	1	LKS-VM-INMAIL2-LIC	
6/6/2008	P01234	670 You must clic button to allo licenses for th created.	ck the w sel he sit	e "Show All" ection of ees you have	C Show All



The new scr selected. Yo and the Loc to load these	een will show ou must then so ation Details e selected lice	only the lic elect the C for the site nses to.	enses you u stomer you wish		At this p "Regist licenses finalize t for the o	oint you can e er". "Attach" for the chose the process. F outcome of eac	ither "Attac will reserve n site. "Reg i ollow the arr ch option.	h" <i>or</i> these i ster " wi rows belo	ill ow
Purcha	le lollor	Part Numbe	r G)ty.	Sel. Qty	. Part Name		Г	
PO5678		670707	1		1	LK-SYS-SMDR- CX197TPGX9L9D946	LIC B5FB		
PO5678		670782	1		1	LKS-VM-INMAIL: AXXXF0NWG4MHGE	2-LIC DNVLNU		
Select Cus Customer Jellystone N	tomer And Loca	Locations I BooBoos	Details Lair: SV8100	•					
Attached Li	censes						Attach	Regis Nex Pac	ster
Loot five licens		ad to a quatar	porthat are populing	o pu o oti	uction			Fay	je
Date	Part Number	Qtv	Part Name	any acu	vauon.	Cu	stomer		
8/4/2008	670707	1	LK-SYS-SMDR-LIC (CX19-7TPG-X9L9-D948-8	B5FB)		Je	lystone National	Park	
8/4/2008	670782	1	LKS-VM-INMAIL2-L	<u>.IC</u>		Je	lystone National	Park	
After select page and the	ting "Attach" he chosen lice	you will be inses will no	taken back to th ow show under	ne Lic the At	ense Ad ttached	ministration Licenses list.	\searrow	Show A	AII.

from the main Licenses pool) awaiting registration. If a license can sit (removed attached to a customer it can be de-attached back to the main License pool. Once the licenses have been confirmed for this customer you need to select "Show All" to move onto the Register process. *Always* double check that each license *IS* valid for the selected customer before proceeding.

Cust Jelly	<mark>stomer</mark> omer ystone National Park	Locations Details BooBoos Lair: SV8100	You will be prompted once a Customer and Location Depreviously attached licenses licenses you wish to "Detact" "Detach" will place the licent License pool to be available "Register" will permanently the selected customer (See	again to select the etails and the s will appear. Check the ch" or "Register". nse back into the main of or another site. / attach the license to next page).
Lic	enses Attached			$\neg \land$
	Date/Time	Part Name	Customer	
•	8/4/2008	LKS-VM-INMAIL2-LIC AXXX-F0NW-G4MH-GE0N-VLNU	Jellystone National Park BooBoos Lair: SV8100	
	8/4/2008	LK-SYS-SMDR-LIC CX19-7TPG-X9L9-D946-85FB	Jellystone National Park BooBoos Lair: SV8100	
				Detach Register





Loading the License File to the SV8100

"USB"

Copy the Downloaded License file to the root of a USB memory stick. Insert the USB stick with the license file into the USB slot on the front of the CP00.





Through telephone programming mode (# * # * 47544) go to CM **10-49-01** and enter a **1** followed by the Transfer key to load the file to the SV8100.



Feature Activation					×		
Hardware Code 190000002204	Feature Code	Qua	Sta	Expires	•		
	Max Port	0	On	Unlimited		10	
Email	NetLink	10	On	Unlimited			
	Hotel/Motel (PMS)	1	On	Unlimited			
Password	SMDR	1	On	Unlimited			
Software Code 🛛 🙀 🗙	Remote Upgrade	1	On	Unlimited			
	256 Port	1	On	Unlimited		Properties	
	Open						<u>?</u> ×
	Look in: 🖙 F	ATS_DRIV	E (F:)			💽 🔇 🤣 📂 🛄-	
Demo License License Server uslic.necinfrontia.com/license Load File Load File User: necii (MF)	My Recent Documents My Documents My Computer My Network Places	Once "Load locatio licens highlig Select send t Featu succe	in Fe on on e file the fil re Co ssful.	ature / " butto your P is locat ne " Op e into t ode list	Activ n an C w ted. he S to c	vation select the d browse to the here the Downloaded Left click on the file to button will immediate V8100. Check the onfirm the load was	Dpen Cancel

"Confirming Options"

Feature Code	Qua	Sta	Expires	
Max Port	0	On	Unlimited	
NetLink	10	On	Unlimited 🧹	
Hotel/Motel (PMS)	1	On	Unlimited	
SMDR	1	On	Unlimited	
Remote Upgrade	1	On	Unlimited	
256 Port	1	On	Unlimited	
				200000000

The options available from license procedure are available from the Pc-Pro and Web-Pro Feature Activation Screen or via telephone programming with **CM 10-50-01**. See the SV8100 Programming Manual for details on using this CM.

"Confirming License File"

If you have several License files on your PC, and cannot remember which file is for which site, simply open the file with a basic text editor such as Notepad. The Hardware Key Code of the SV8100 the file is for will be displayed on the first line.

📕 002204GE0NVLNU-2.lic - Notepad
<u>File Edit Fo</u> rmat <u>V</u> iew <u>H</u> elp
THardware Key Code]19000002204 [The Number of Section]2 [Software Key Code]AX19F0NwG4MHGE0NVLNU [Expiry Date]0 [Feature Code]1002002 [Activation Code]6626E086 [Software Key Code]CX197TPGX9L9D946B5FB [Evniry Date]0

Transferring Licenses after CP00 Replacement

On the rare occasion that you would have to replace your reliable NEC hardware, the following steps should be taken to allow transfer of the licenses from the defective CPU to the replacement. Remember once you receive the new CP00 it will have 60 days of demo license available from the moment of power on of the unit. You must complete this following procedure within that 60 days or customer operation may be interrupted.





Re-Generating the License File

Once the "**Replace Hardware**" button is selected the Customer Location profile will be updated with the new Hardware Key Code.

At this point you need to go and generate a new License file for loading to the Customers new CPU. First return to the Home page of the license server and select "License Administration". At the bottom of this page select the "Show All" button.

Activated	l Licenses			
Last five lice	enses that were Activ	vated by custo	mer.	
Date	Part Number	Qty	Part Name	Customer
8/4/2008	670707	1	LK-SYS-SMDR-LIC (CX19-7TPG-X9L9-D946-B5FB)	Jellystone National Ak
8/4/2008	670782	1	LKS-VM-INMAIL2-LIC (AXXX-F0NW-G4MH-GE0N-VLNU)	Jellystone National Park
				Show All
Custome Customer	r	Locations	Select The pr check Licens	the Customer and then the correct Location reviously activated licenses will appear. Sin these before selecting the " Re-Generate se File" button.
Custome Customer Jellystone	r • National Park	Locations ▼ BooBoos	Details	the Customer and then the correct Location reviously activated licenses will appear. Sin these before selecting the " Re-Generate se File" button.
Customer Customer Jellystone Activated Par	r National Park	Locations BooBoos Qty <u>Part</u>	Details Lair: SV8100	the Customer and then the correct Location reviously activated licenses will appear. Sin these before selecting the " Re-Generate se File" button.
Customer Jellystone Activated Par 670	r National Park	Locations BooBoos	Select The pr check Licens a Lair: SV8100 VS-SMDR-LIC TPGX9L9D94685FB	the Customer and then the correct Location reviously activated licenses will appear. Sin these before selecting the " Re-Generate se File" button.
Customer Jellystone Activated ☑ Par ☑ 670 ☑ 670	r National Park d Licenses t Number 707 782	Locations BooBoos Qty Part 1 LK-S CX197 1 LKS-1 AXXXF	Details a Lair: SV8100 ▼ Name YS-SMDR-LIC TPGX9L9D94685FB VM-INIMAIL2-LIC ONWG4MHGEDNVLNU	the Customer and then the correct Location reviously activated licenses will appear. Sin these before selecting the " Re-Generate se File " button.

Return here for direction on loading the new License File.

License Descriptions

License	Function	Description
System Licenses		
LK-SYS-UPG FM 65 TO 256 PORT-LIC	System Ports - 256 Port License	This system license supports a maximum of 256 System Port Licenses. Supports flexible port configuration with the onboard memory daughter board (PZ- ME50) and System license.
LK-SYS-UPG FM 257 TO 712 PORT-LIC	System Port - upgrade from 257 to 712 Port License	This System License supports a maximum of 712 System Port Licenses. Supports flexible port configuration with the onboard memory daughter board (PZ-ME50) and System license.
LK-SYS-NETLINK1-LIC LK-SYS-NETLINK2-LIC LK-SYS-NETLINK5- LIC LK-SYS-NETLINK10-LIC	Netlink - One node	The Netlink 1/2/5/10 node license will support 1/2/5/10 remote nodes. The primary chassis will require a license for each remote node. The memory daughter board is required by both primary chassis and remote nodes to support this feature.
LK-SYS-HM-LIC	Hotel/Motel (PMS) License	Enables system Hotel/Motel and PMS features.
LK-SYS-SMDR-LIC	SMDR License	Enables system SMDR feature which provides a record of system trunk calls.
LK-SYS-ACD-LIC	InACD Activation License	System wide activation key supporting InACD.
LK-SYS-IP-TRUNK1-LIC LK-SYS-IP-TRUNK4-LIC LK-SYS-IP-TRUNK8-LIC LK-SYS-IP-TRUNK16-LIC	IP Trunk (SIP and/or H.323) - 1/4/8/16 Trunk License	IP Trunk License. Supports 1/4/8/16 system SIP or H.323 Trunk. This license is NOT REQUIRED to support the CCISOIP Trunking Feature.
LK-SYS-IP-TERMINAL-1-LIC LK-SYS-IP-TERMINAL-4-LIC LK-SYS-IP-TERMINAL-8-LIC LK-SYS-IP-TERMINAL-16-LIC LK-SYS-IP-TERMINAL-32-LIC	NEC SIP Client - One license	1/4/8/16/32 NEC SIP Client - supports NEC MLT SIP Terminal and/or NEC Softphone (SP310).
LK-SYS-IP-TERMINAL-SIP1-LIC LK-SYS-IP-TERMINAL-SIP4-LIC LK-SYS-IP-TERMINAL-SIP8-LIC LK-SYS-IP-TERMINAL-SIP16-LIC LK-SYS-IP-TERMINAL-SIP32-LIC	SIP Client – 1/4/8/16/32 license	1/4/8/16/32 SIP Clients - supports 3rd party SIP telephones, NEC MLT SIP Terminals and/or NEC Softphone (SP310).
LK-SYS-1ST-CTI1-LIC	1st Party CTI (Ethernet) - One license	One 1st party CTI (Ethernet) Client License supports CTI over Ethernet and may support maximum of 128 clients.
LK-SYS-3RD-CTI-LIC	3rd Party CTI license	3rd Party CTI License Enables 3rd Party CTI (System Wide)
LK-SYS-UCB-LIC	Unified Communications for Business	Supports Unified Communication for Business application.
LK-DESKTOP SUITE- PC ASSISTANT1-LIC LK-DESKTOP SUITE- PC ASSISTANT4-LIC LK-DESKTOP SUITE- PC ASSISTANT16-LIC LK-DESKTOP SUITE- PC ASSISTANT32-LIC LK-DESKTOP SUITE- PC ASSISTANT64-LIC	Desktop Suite PC Assistant Client – 1/4/16/32/64 license	1/4/16/32/64 Desktop Suite - PC Assistant Client license used in conjunction with NEC Desktop Suite (Assistant, Attendant, SP310) Part No. 670829 AK DESKTOP PC APP-CD. The NEC Softphone (SP310) client license and NEC SIP Client license is provided with each PC Assistant client license.
LK-DESKTOP SUITE- PC ATTENDANT1-LIC LK-DESKTOP SUITE- PC ATTENDANT4-LIC	Desktop Suite PC Attendant Client – 1/4 license	1/4 Desktop Suite - PC Attendant Client license used in conjunction with NEC Desktop Suite (Assistant, Attendant, SP310) Part No. 670829 AK DESKTOP PC APP-CD. The NEC Softphone (SP310) client license and NEC SIP Client license is provided with each PC Assistant client license

LK-DESKTOP SUITE-ENHANCE PKG1-LIC LK-DESKTOP SUITE-ENHANCE PKG1-LIC LK-DESKTOP SUITE-ENHANCE PKG1-LIC LK-DESKTOP SUITE-ENHANCE PKG1-LIC LK-DESKTOP SUITE-ENHANCE PKG1-LIC	Desktop Suite Enhancement Pkg Client – 1/4/16/32/64 license	1/4/16/32/64 Desktop Suite - Enhancement Pkg client license used in conjunction with NEC Desktop Suite (Assistant, Attendant, SP310) Part No. 670829 AK DESKTOP PC APP-CD provides enhanced features (White board, File Transfer, File Sharing, Instant Msg).
VRS		
LKS-VM-VRS2-LIC LKS-VM-VRS4-LIC LKS-VM-VRS8-LIC LKS-VM-VRS16-LIC	VRS Port - Two license	2/4/8/16 Port License VRS – supports general message, personal greeting, Automated Attendant, ACD messages. Supports a maximum 16 dynamic VRS ports and/or eight dynamic InMail ports. May not exceed 16 simultaneous ports used among both InMail and VRS.
Voice Mail and Unified M	essaging	
LKS-VM-INMAIL2-LIC LKS-VM-INMAIL4-LIC LKS-VM-INMAIL8-LIC	VM8000 InMail Port – 2/4/8 license	2/4/8 Port license (VM8000 InMail) - Approximately 33 hours of storage and requires stock no. 670831 AKS InMail- 512M - APP CF Supports a maximum of 16 Dynamic VRS Ports and/or eight Dynamic InMail ports. May not exceed 16 simultaneous ports used among both InMail and VRS.
LKS-VM-LANGUAGE-LIC	VM8000 InMail Multi	One Language activation license.
LKS-UMS-CLIENT1-LIC LKS-UMS-CLIENT4-LIC LKS-UMS-CLIENT8-LIC LKS-UMS-CLIENT16-LIC LKS-UMS-CLIENT32-LIC	UM8000 Mail View App Session - One license	1/4/8/16/32 Client View App Session UMS8000 Mail. Supports client, View Mail, View Call Plus, VMM (outlook), VML (Lotus Notes), VMG (GroupWise) and Web Mailbox Manager.
LKS-UMS-PORT4-LIC LKS-UMS-PORT4-LIC LKS-UMS-PORT4-LIC	UM8000 Mail Port – 4/8/16 license	4/8/16 UMS port license
LKS-UMS-PORT 2 LITE-LIC LKS-UMS-PORT 4 LITE-LIC LKS-UMS-PORT 8 LITE-LIC LKS-UMS-PORT 16 LITE-LIC	UM8000 Mail Lite Port (2/4/8/16 License)	2/4/8/16 UMS Lite Port License The Lite port license does not support Text-to-speech, Networking and will support up to two ports of fax. UPGRADES - The 2 UMS Lite requires stock number: 670851 LKS-UMS2 PORT LITE UPG KIT
LKS-UMS-PORT2 LITE UPG KIT-LIC	UM8000 Mail Two Port Lite Upgrade Kit License	Two-port LITE Upgrade Kit - License
LKS-UMS UPG FM LITE TO FULL-LIC	UM8000 Mail Upgrade from LITE to FULL License	Upgrade from UMS LITE to FULL License
LKS-UMS PORT 4 UPG-LIC	UM8000 Mail Four Port (FULL) Upgrade License	Four-port Upgrade Kit - License
LKS-UMS VIDEO MAIL CLIENT1-LIC LKS-UMS VIDEO MAIL CLIENT5-LIC	UM8000 Mail Video Mail Client – 1/5 License	1/5 Video Mail Client - One License
LKS-UMS-LANGUAGE-LIC	UM8000 Mail Multi language Support - One license	One language activation license. Supports a maximum of 24 languages.
LKS-UMS-FAX-LIC	UMS000 Mail FAX Port - One license	One port FAX
LKS-UMS-HOTEL-PMS-LIC	UM8000 Mail Hospitality/ PMS license	Hospitality and PMS activation license
LKS-UMS-HOTEL-LANGUAGE-LIC	UM8000 Mail Hospitality Language - One license	One hospitality language activation license
LKS-UMS-AMIS-PLUS-LIC	UM8000 Mail AMIS/Plus Net	
ACD/MIS		
LKS-ACDMIS-BASIC-LIC	ACD-MIS Basic License	
LKS-ACDMIS-ADDMON-LIC	ACD-MIS Add. Monitor	ACD MIS additional monitor report license
LKS-ACDMIS-AGENT-LIC	ACD-MIS Agent Client – One lic	ACD MIS agent client license

PVA Conference		
LKS-PVA-CONF-PORT8-LIC	Multimedia Conference Port - Eight ports	Eight-port Conference license Requires Stock Number 670838 AKS CONF BRIDGE APP CF
LKS-PVA-CONF-PVA-Enhancement PKGLIC	Multimedia Conference Enhancement Package	Requires Stock Number 670838 AKS CONF BRIDGE APP CF
PVA IVR		
LKS-PVA-IVR-PORT8-LIC	IVR Port - Eight license	Eight license ports to support the IVR Application. Requires Stock Number 670839 AKS IVR APP CF.
Desktop Suite		
LKS-DESKTOP SUITE-SOFTPHONE1-LIC LKS-DESKTOP SUITE-SOFTPHONE4-LIC LKS-DESKTOP SUITE-SOFTPHONE16-LIC LKS-DESKTOP SUITE-SOFTPHONE32-LIC LKS-DESKTOP SUITE-SOFTPHONE641-LIC	Desktop Suite Soft Phone (SP310) Client – 1/4/16/32/64 license	1/4/16/32/64 Desktop Suite - Soft Phone (SP310) client license fused in conjunction with NEC Desktop Suite (Assistant, Attendant, SP310) Part No. 670829 AKS DESKTOP PC APP-CD. The NEC Softphone SP310 requires a NEC SIP client license stock number 670716 LK-SYS-IP-TERMINAL-1-LIC.
Communications Analyst		
LKS-CA - 20 STATION PKG-LIC LKS-CA - 256 STATION PKG-LIC	SMB8000 Communications Analyst – 20/256 STA license pack	Communications Analyst X.X-Full- featured call accounting with support for up to 20/256 stations. Network users may be added by purchasing Communications Analyst - Network User Pack licenses. This package also includes additional features such as: CallAlert, Project, Case Billing Manager and Campaign Manager.
LKS-CA-NW-1CLIENT-LIC	SMB8000 Communications Analyst - Network user pack	Provides five additional concurrent network users access to application from desktop PCs on the network. Network user license is supported on both the 20 STA or 256 STA Base packages (reference stock numbers 670802 or 670803).
LKS-CA-UPG 20TO256-LIC	SMB8000 Communications Analyst - Upgrade from 20 to 256 stations	Communications Analyst – upgrade from 20 STA Base Package License to 256 STA Base Package License.
LKS-CA-ADD REMOTE SITE-LIC	SMB8000 Communications Analyst - Additional remote site	Additional remote phone system (SMDR/ CDR data source) support. Required for each additional phone system the Communications Analyst will collect SMDR data from. This license can be used in conjunction with part number 670803 LKS-CA-256 STATION BASE PKG-LIC.
LKS-CA-TRAFFIC ANALYSIS-LIC	SMB8000 Communications Analyst - Traffic analysis	Communication Analyst Traffic Analysis – Enables understanding of trunk utilization and what-if analysis for trunk capacity and bandwidth optimization.
LKS-CA-PMS INTEGRATION-LIC	SMB8000 Communications Analyst - PMS integration	Communication Analyst PMS Integration – Provides the interface to property management systems for guest billing services.
LK-CA-IPK II CES MIGRATION-LIC	SMB8000 Communications Analyst - ELITE IPK II CES MIGRATION	Version Upgrade (This part number will not be available in the first release. This part number to be released only when migration of Elite IPK II to SMB100 is announced).
LKS-CA-REMOTE SITE SOFTWARE-LIC	SMB8000 Communications Analyst - Remote site software (Serial-IP connector)	Software that runs on a PC at the remote site that helps buffer local data during network downtime and help connect serial SMDR data sources to Communications Analyst server over IP network. This optional software, running on a PC at the remote site, substitutes for a Serial-to-IP bardware buffer adapter

LKS-CA-ADDITIONAL STATION 256-LIC	SMB8000 Communications Analyst - Additional 256 stations pack	Supports additional 256 stations. This license can be used in conjunction with part number 670803 LKS-CA-256 BASE STATION PKG-LIC.
LKS-CA-WEB REPORTING-LIC	SMB8000 Communications Analyst - Web reporting user pack	Each license unit provides Internet browser access to reports for five additional named users. Web Reporting User Pack license is supported on both the 20 STA and 256 STA base packages (reference stock numbers 670802 and 670803).