

Annotated catalogue of Porifera type specimens in the Belgian national collections

by Philippe WILLENZ

Abstract

The national zoological collections of Belgium house 161 type specimens representing a total of 64 nominal species of Porifera. A list of extant and lost specimens is provided, presenting their original name, synonyms, museum characteristics and bibliography.

Key words : Collections, Type specimens, Porifera.

Résumé

Les collections zoologiques nationales belges regroupent 161 spécimens types représentant un total de 64 espèces nominales de Porifera. Une liste des spécimens préservés et perdus est présentée, avec leur nom original, synonymes, caractéristiques muséologiques et une bibliographie.

Mots-clés : Collections, Spécimens types, Porifera.

Introduction

The Belgian collections of Porifera type specimens are held in two scientific institutions : the Royal Belgian Institute of Natural Sciences (RBINS) and the Musée Royal de l'Afrique Centrale (MRAC).

The Porifera collection of the RBINS houses specimens collected during national scientific expeditions between 1897 and 1936. These are the Journey of the S.Y. Belgica in the Antarctic from 1897 to 1899 (TOPSENT, 1901a; 1901b), the Expedition of T.R.H. the Prince and Princess Léopold of Belgium to the Netherlands East Indies in 1929 (BRØNDSTED, 1934) and the 9th cruise of the Belgian Training Ship Mercator from 1935 to 1936 (ADAM, 1937). Some additional specimens were occasionally donated from other sources (THUM, 1903; TOPSENT, 1912).

The collection of the MRAC houses African freshwater specimens collected from 1911 to 1974 (BRIEN, 1967; 1968a; 1968b; 1969; 1970; 1972; 1974; BRIEN & GOVAERT-MALLEBRANCKE, 1958; BURTON, 1938a; JAFFÉ, 1916). In addition, the MRAC houses an extensive collection of marine demosponges made by J. BOUILLON during three expeditions organized by the Musée Royal de l'Afrique Centrale and the Université Libre de Bruxelles, to the Seychelles in 1966 and 1972 (THOMAS, 1973;

1981), and to the Mozambique in 1969 (THOMAS, 1979). Some additional freshwater type specimens were occasionally deposited (BURTON, 1938a; WELTNER, 1913). The collections house 161 type specimens corresponding to 64 nominal species. In the following catalogue, Hexactinellida and Demospongidae are successively presented, with a distinction between marine and freshwater Demospongidae. Within each category, specimens are listed according to the alphabetical order of the original genera. The abbreviations "POR" or "MRAC" allow to recognize to which collection each specimen belongs.

Main bibliographical characteristics, reference numbers, original status and synonyms are given for each specimen, followed by their mode of preservation (dry or alcohol preserved) and their origin (type locality and collector).

Abbreviations used

CMFRI	= Central Marine Fisheries Research Institute, Cochin 18, India.
POR	= Porifera collection of the Royal Belgian Institute of Natural Sciences
MRAC	= Musée Royal de l'Afrique Centrale, Steenweg op Leuven, B-1980 Tervuren.
RBINS	= Royal Belgian Institute of Natural Sciences, Rue Vautier, 29, B-1040 Brussels.
ULB	= Université Libre de Bruxelles, Avenue F.D. Roosevelt, B-1050 Brussels.

List of species

HEXACTINELLIDA

Eurete gerlachei TOPSENT, 1901b : 38,
pl. 2, fig. 4, pl. 5, figs. 2-9.

POR.001 - 2 bits of the syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, samples 557, 723 &

984 (Fauberts VII, VIII & IX), Antarctic Ocean, 70°1' S to 70°23' S - 80°48' W to 83°23' W, 8 Oct. to 29 Oct. 1898, 450 - 550 m.

Remark : although TOPSENT mentions three specimens, each one corresponding to a station, only two paratypes were deposited at the RBINSc, initially labelled as "cotypes", in the same jar.

Rhabdochalyptus australis TOPSENT, 1901b : 37, pl. 2, figs. 5 & 6, pl. 4, figs. 14-21, pl. 5, fig. 1.

POR.002 - 10 syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, sample 723c (Faubert IX), Antarctic Ocean, 70°20' S - 83°23' W, 29 Nov. 1898, 450 m.

Remark : original label indicates "types".

Rossella nuda TOPSENT, 1901a : IX; 1901b : 32, pl. 1, fig. 7, pl. 4, figs. 8-13.

POR.003 - holotype (alcohol), Antarctic Expedition of the Belgica 1897-99, sample 359c (Faubert IX), Antarctic Ocean, 71°18' S - 88°02' W, 18 May 1898.

Remark : the original label indicates "type".

Rossella racovitzae TOPSENT, 1901a : X; 1901b : 33, pl. 1, fig. 5, pl. 4, figs. 1-7.

POR.004 - 1 syntype (alcohol), Antarctic Expedition of the Belgica 1897-99, sample 910a (Nasse I), Antarctic Ocean, 71°15' S - 87°39' W, 27 May 1898, 450 m.

Remark : no type specimen has been designated by TOPSENT, the original label indicates "cotype".

POR.005 - 2 syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, samples 556 & 559 (Faubert VII), Antarctic Ocean, 70°23' S - 82°47' W, 8 Oct. 1898, 500 m.

Remark : the original label indicates "cotypes".

POR.006 - 4 syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, samples 636 & 672 (Faubert VIII), Antarctic Ocean, 70°00' S - 80°48' W, 18 Oct. 1898, 550 m.

Remark : the original label indicates "cotypes". Five syntypes from this locality were initially deposited, only four remain.

POR.007 - 2 syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, sample 793a (Faubert X), Antarctic Ocean, 70°15' S - 84°06' W, 20 Dec. 1898, 569 m.

Remark : the original label indicates "cotypes".

Uncinatera plicata TOPSENT, 1901a : XII; 1901b : 41, pl. 2, figs. 7, 10-12, pl. 6, figs. 1-10.

POR.008 - 1 syntype (alcohol), Antarctic Expedition of the Belgica 1897-99, sample 359a (Faubert IV), Antarctic Ocean, 71°18' S - 88°02' W, 18 May 1898, 430 m.

Remark : no holotype was originally designated. The original label indicates "cotypes". This specimen is the best preserved.

POR.009 - 3 syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, sample 293 (Faubert II), Antarctic Ocean, 71°14' S - 89°14' W, 12 May 1898, 450 m.

Remark : the original label indicates "cotypes".

POR.010 to POR.013 - 4 syntypes (dry), Antarctic Expedition of the Belgica 1897-99, sample 424a (Faubert VI), Antarctic Ocean, 71°19' S - 87°37' W, 28 May 1898, 450 m.

Remark : the original label indicates "cotypes".

POR.014 - 2 syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, samples 558 & 1011a (Faubert VII), Antarctic Ocean, 70°23' S - 82°47' W, 8 Oct. 1898, 500 m.

Remark : the original label indicates "cotypes".

DEMOSPONGIAE (MARINE)

Acanthocinachyra seychellensis THOMAS, 1973 : 80, pl. 4, fig. 5.

= *Acanthotetilla seychellensis*; VAN SOEST, 1977 : 6, fig. 3, pl. 2e.

MRAC 1410, CMFRI 145 - holotype (dry), 2 microscope slides n° 1410, Zoological Mission MRAC-ULB, Seychelles, Mahé, 7 Sep. 1966.

Remark : also labelled RN 50. An additional vial with a fragment used for the preparation is also deposited.

Aurora oxytoxa THOMAS, 1973 : 77, pl. 4, fig. 2.

MRAC 1400, CMFRI 143 & 144 - holotype (dry), 3 microscope slides, Zoological Mission MRAC-ULB, Seychelles, Mahé, 7 Sep. 1966.

Remark : also labelled RN 54.

Axinella minor THOMAS, 1981 : 30, pl. 1, figs. 12, 12A, pl. 2, fig. 16.

MRAC 1655 - holotype (dry), Zoological Mission MRAC-ULB, Seychelles, Mahé, 7 Sep. 1972.

MRAC 1654 & 1657 - 2 paratypes (dry), Zoological Mission MRAC-ULB, Seychelles, Mahé, 7 Sep. 1972.

Axinella tenuidigitata DENDY ssp. *oxeata* THOMAS, 1979 : 60, pl. 3, figs. 13 & 13A.

MRAC 1479 - holotype (dry), Zoological Mission MRAC-ULB, Mozambique, Mambone, 7 Aug. 1969, coll. BOUILLON.

Remark : erroneously indicated as MRAC 527 in the publication, which probably corresponds to a CMFRI number. Original label indicates Inhaca Island.

Biemna variantia* (BOWERBANK) var. *seychellensis

THOMAS, 1973 : 39, pl. 2, fig. 11.

MRAC 1348, CMFRI 16 - holotype (dry), Zoological Mission MRAC-ULB, Seychelles, Mahé, 7 Sep. 1966.
Remark : also labelled RN 25.

Ceraochalina reteplax* (LENDENFELD) var. *tenuis

THUM 1903 : 7, figs. 14-17.

= *Callyspongia reteplax* var. *tenuis*; BERGQUIST & WARNE, 1980 : 24.

POR.015 - holotype (dry), 20 Mar. 1936.

Remark : this specimen remained unregistered at the RBINSc until 1933. The original label indicates "type".

***Chalina sorongae* BRØNDSTED, 1934 : 14,**

figs. 10 & 11.

= *Haliclona sorongae*; BERGQUIST & WARNE, 1980 : 12.

POR.016 - holotype (alcohol), Expedition of T.R.H. the Prince and Princess Léopold of Belgium to the Netherlands East Indies, Exp. ref. n° 23, Sorong Door, Irian Jaya, Indonesia (ex Nova-Guinea), 23 Mar. 1929.

Remark : the original label indicates "type", the holotype status of this specimen is indicated by its number in the original publication. The paratype n° 18 has been lost.

POR.017 - 1 paratype (dry), Expedition of T.R.H. the Prince and Princess Léopold of Belgium to the Netherlands East Indies, Exp. ref. n° 13b, Mansfield Island, 1 Mar. 1929.

Remark : the original label indicates "cotype".

POR.018 - 1 paratype (dry), Expedition of T.R.H. the Prince and Princess Léopold of Belgium to the Netherlands East Indies, Exp. ref. n° 46, Indonesia, Irian Jaya, Aroe Islands, Poelo Enoe, 24 Mar. 1929.

Remark : the original label indicates "cotype".

Chalinissa communis* (LENDENFELD) var. *tenuis

THUM, 1903 : 14, figs. 10-11.

= *Axinella communis* var. *tenuis*; DE LAUBENFELS, 1936 : 132.

POR.019 - holotype (dry).

Remark : this specimen remained unregistered at the RBINSc until 1933. The original label indicates "type".

Chalinissa elongata* (LENDENFELD) var. *tenuispicula

THUM, 1903 : 13, figs. 8 & 9.

= *Axinella elongata* var. *tenuispicula*; DE LAUBENFELS, 1936 : 132.

POR.020 - holotype (dry).

Remark : this specimen remained unregistered at the RBINSc until 1933. Locality is neither mentioned in the publication, nor in the collection. The original label indicates "type".

***Cladocalina doorae* BRØNDSTED, 1934 : 15,**

figs. 12 & 13.

= *Callyspongia doorae*; DE LAUBENFELS, 1936 : 59.

POR.021 - holotype (alcohol), Expedition of T.R.H. the Prince and Princess Léopold of Belgium to the Netherlands East Indies, Exp. ref. n° 25, Sorong Door, Irian Jaya, Indonesia (ex Nova-Guinea), 23 Mar. 1929.

Remark : the original label indicates "type".

Cladorhiza (Asbestopluma) belgicae

TOPSENT, 1901a : VIII; TOPSENT, 1901b : 23,
pl. 1, fig. 4, pl. 3, fig. 8.

POR.022 - 1 syntype (alcohol), Antarctic Expedition of the Belgica 1897-99, station 422 (Faubert VI), Antarctic Ocean, 71°19' S - 87°37' W, 28 May 1898, 450 m.

Remark : the original label indicates "cotype".

POR.023 - 1 syntype (alcohol), Antarctic Expedition of the Belgica 1897-99, station 786 (Faubert X), Antarctic Ocean, 70°15' S - 84°06' W, 20 Dec. 1898, 569 m.

Remark : the original label indicates "cotype".

***Clathria inhacensis* THOMAS, 1979 : 27,**

pl. 2, figs. 2, 2A, 2B.

MRAC 1456 - holotype (dry), Zoological Mission MRAC-ULB, Mozambique, Inhaca Island, 7 Aug. 1969.

Remark : erroneously indicated as MRAC 511 in the publication, which probably corresponds to a CMFRI number.

Dendoryx incrassans* GRAY var. *australis

TOPSENT, 1901b : 17, pl. 3, fig. 11.

POR.024 - 1 holotype (alcohol), Antarctic Expedition of the Belgica 1897-99, sample 421d (Faubert VI), Antarctic Ocean, 71°19' S - 87°37' W, 28 May 1898, 450 m.

Remark : preserved in the same jar as the *Iophon radiatus* specimen it was associated with. The original label indicates "type".

Desmacidon setifer TOPSENT 1901a : VII;
TOPSENT, 1901b : 17, pl. 1, fig. 3, pl. 3, fig. 6;
TOPSENT, 1908 : 26.

- = *Desmacidon spinigera* KIRKPATRICK, 1907 : 283; 1908 : 39, pl. 19, fig. 3., pl.23, fig. 3; BRØNDSTED, 1927 : 3.
- = *Homoeodictya verrucosa* TOPSENT, 1913 : 636, pl. 5, fig. 1, pl. 6, fig. 13.
- = *Homoeodictya setifera*; TOPSENT, 1913 : 637; HENTSCHEL, 1914 : 81.
- = *Homoeodictya trigona* TOPSENT, 1917 : 66.
- = *Isodictya spinigera* BURTON, 1929 : 424.
- = *Isodictya verrucosa* BURTON, 1929 : 424.
- = *Isodictya setifer*; BURTON, 1932 : 284 (partim); BURTON, 1934 : 19; KOLTUN, 1964 : 42, pl. 8, figs. 8-10.
- = *Platyhalina setifer*; BURTON, 1938 : 9.

POR.025 - 4 bits syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, station 910c (Nasse I), Antarctic Ocean, 71°15' S - 87°39' W, 27 May 1898, 450 m.

Remark : the original label indicates "types".

Echinodictyum pulchrum BRØNDSTED, 1934 : 18,
figs. 16-18.

- = *Spongia cancellata*; LAMARCK, 1814 : 456.
- = *Echinodictyum cancellatum*; RIDLEY, 1884 : 457; HENTSCHEL, 1912 : 370; TOPSENT, 1933 : 7; HOOPER, 1991 : 1358.

POR.026 & POR.027 - 2 syntypes (dry), Expedition of T.R.H. the Prince and Princess Léopold of Belgium to the Netherlands East Indies, Exp. ref. n° 47, Indonesia, Irian Jaya, Aroe Islands, Poelo Mariri, 25 Mar. 1929.

Remark : the original label indicates "types".

POR.028 to POR.030 - 3 syntypes (dry), Expedition of T.R.H. the Prince and Princess Léopold of Belgium to the Netherlands East Indies, Exp. ref. n° 37, Indonesia, Irian Jaya, Aroe Islands, Poelo Enoe, 23 Mar. 1929.

Remark : the original label indicates "otypes".

Gelliodes benedeni TOPSENT, 1901a : VII;
TOPSENT, 1901b : 16, pl. 2, fig. 3, pl. 3, fig. 5;
BURTON, 1929 : 423.

- = *Microxina charcoti* TOPSENT, 1916 : 170; 1917 : 73, pl. 1, fig. 3, pl. 2, fig. 3, pl. 6, fig. 17; BURTON 1929 : 423.
- = *Gelliodes benedeni* var. *fortior* TOPSENT, 1917 : 75, pl. 2, fig. 1, pl. 6, fig. 22.
- = *Gelliodes benedeni*; BURTON, 1929 : 423.
- = *Microxina benedeni*; BURTON, 1932 : 271, fig. 10, pl. 50, fig. 1; KOLTUN, 1964 : 107, pl. 15, figs. 14-16.

POR.031 - holotype (alcohol), Antarctic Expedition of the Belgica 1897-99, station 725 (Faubert IX), Antarctic Ocean, 70°20' S - 83°23' W, 29 Nov. 1898, 450 m.

Remark : the original label indicates "type".

Gellius bidens TOPSENT, 1901a : VII;
TOPSENT, 1901b : 14, pl. 2, fig. 8, pl. 3, fig. 7;
HENTSCHEL, 1914 : 129; BURTON, 1929 : 423.

= *Haliclona bidens*; BURTON, 1938b : 6; KOLTUN, 1964 : 101.

POR.032 - holotype (alcohol), Antarctic Expedition of the Belgica 1897-99, station 637 (Faubert VII), Antarctic Ocean, 70°00' S - 80°48' W, 18 Oct. 1898, 550 m.
Remark : the original label indicates "type".

Gellius rufus TOPSENT, 1901a : VI;
TOPSENT, 1901b : 14, pl. 1, fig. 9, pl. 3, fig. 4;
KIRKPATRICK, 1908 : 45,
pl. 17, fig. 1, 1a, pl. 24, fig. 1, a-b;
TOPSENT, 1917 : 77, pl. 3, fig. 2;
HENTSCHEL, 1914 : 130; BURTON, 1929 : 422 (partim).

= *Gellius fimbriatus* KIRKPATRICK, 1907 : 286.
= *Hemigellius rufus*; BURTON, 1932 : 272.
= *Haliclona rufus*; KOLTUN, 1964 : 101, pl. 15, figs. 9-10.

POR.033 - holotype in 2 fragments (alcohol), Antarctic Expedition of the Belgica 1897-99, station 555 (Faubert VII), Antarctic Ocean, 70°23' S - 82°47' W, 8 Oct. 1898, 500 m.

Remark : This species has been involved in a complicated story reported by DE WEERDT & VAN SOEST (1987). KIRKPATRICK (1908) identified specimens from Mc Murdo Bay as *Gellius rufus*, these were later synonymized by BURTON (1932) with *Gellius fimbriatus* KIRKPATRICK (1907) under the new genus *Hemigellius* (*Hemigellius rufus*). The conspecificity of KIRKPATRICK's *Gellius rufus* with TOPSENT's type became doubtful when VACELET & ARNAUD (1972) found out that the diagnosis of BURTON didn't correspond to TOPSENT's type species but to KIRKPATRICK's specimens. Afterward, BOURY-ESNAULT & VAN BEVEREN (1982) confirmed that BURTON's generic diagnosis referred to KIRKPATRICK's rather than TOPSENT's specimens. VACELET & ARNAUD also pointed out that KIRKPATRICK's *Gellius fimbriatus* was clearly conspecific with his alleged *Gellius rufus*, providing the opportunity to accept *fimbriatus* as the type species of *Hemigellius* without changing its diagnosis. The original label indicates "types".

Halisarca dujardini JOHNSTON var. *magellanica*
TOPSENT, 1901b : 44, pl. 1, fig. 2, pl. 6, figs. 11-14.

POR.034 - 4 syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, sample 47, Chile, Londonderry Island, Torrent Bay, 18 Dec. 1897, 0 m.

Remark : the original label indicates "types".

Hemectyon multidentata BURTON, 1948 : 757, fig. 2.

= *Endectyon multidentata*; HOOPER, 1991 : 1284.

MRAC 395 - holotype (alcohol), French Equatorial Africa, Pointe Noire : on rocks, Jun. 1938, coll. DARTEVELLE (see DARTEVELLE, 1948 for collection description).

Hymeniacidon paucispicula (BURTON) var. *atlantica*
BURTON, 1948 : 757.

MRAC 377 - holotype (alcohol), Zaïre (ex Belgian Congo), Moanda, Feb. 1938, coll. DARTEVELLE.

MRAC 378 -379 - 2 paratypes (alcohol), Zaïre (ex Belgian Congo), Moanda, Feb. 1938, coll. DARTEVELLE.

Iophon radiatus TOPSENT, 1901a : VIII;
TOPSENT, 1901b : 21, pl. 3, fig. 13;
KIRKPATRICK, 1908 : 28, pl. 21,
figs. 3, 4 & 4a-c, pl. 25, fig. 4a-c;
KOLTUN, 1964 : 59.

= *Iophon pluricornis* TOPSENT, 1908 : 29, pl. 3, fig. 5, pl. 5,
fig. 5; TOPSENT, 1913 : 627, pl. 6; fig. 9; TOPSENT,
1917 : 58.

= *Iophon pluricornis* var. *trullifera* HENTSCHEL, 1914 : 84, pl.
6, fig. 9.

= *Iophonopsis radiatus*; BURTON, 1929 : 442 (partim); 1932 :
296 (partim).

POR.035 - 1 syntype (alcohol), Antarctic Expedition of
the Belgica 1897-99, station 306a (Faubert II), Antarctic
Ocean, 71°14' S - 89°14' W, 12 May 1898, 450 m.

Remark : associated with *Lissodendoryx spongiosa*
(RIDLEY & DENDY) var. *asigmata* TOPSENT, 1901a (holo-
type POR.038) and 1 sample of *Suberites antarcticus*
CARTER on a branch of ramosus Hydrocoral. The origi-
nal label indicates "cotype".

POR.036 - 1 syntype (alcohol), Antarctic Expedition of
the Belgica 1897-99, sample 421a (Faubert VI), Antarc-
tic Ocean, 71°19' S - 87°37' W, 28 May 1898, 450 m.

Remark : the original label indicates "cotype".

Jaspis bandae BRØNDSTED, 1934 : 8,
figs. 4-6.

= *Melophus sarasinorum* THIELE, 1899 : 8, pl. 1, fig. 2, pl. 5,
fig. 3.

= *Stellettinopsis isis* DE LAUBENFELS, 1954 : 221, fig. 153, pl.
10a.

= *Asteropus sarasinorum*; BERGQUIST, 1965 : 187, fig. 30a,b,c.

POR.037 - holotype (dry), Expedition of T.R.H. the
Prince and Princess Léopold of Belgium to the Nether-
lands East Indies, Exp. ref. n° 52, Indonesia, Mollucas,
Bandanaira (Banda-Neira), 23 Feb. 1929.

Remark : the original label indicates "type". Four glass
photographic plates used in the original publication
(figs. 4 & 5) were deposited as well.

Jaspis bouilloni THOMAS, 1973 : 65,
pl. 3, fig. 15, pl. 5, figs. 4 & 4A, pl. 8, figs. 1 & 2.

MRAC 1411, CMFRI 138 & 139 - holotype (dry),
microscope slide, Zoological Mission MRAC-ULB,
Seychelles, Mahé, 7 Sep. 1966.

Remark : also labelled RN 32. An additional vial with
spicules used for preparing the microscope slide is
deposited as well.

Jaspis jonesi THOMAS, 1973 : 66, pl. 3, fig. 16.

MRAC 1421, CMFRI 137 - holotype (dry), 2 microscop-
e slides, Zoological Mission MRAC-ULB, Seychelles,
Mahé, 7 Sep. 1966.

Remark : also labelled RN 55. An additional vial with
spicules used for preparing the microscope slide is
deposited as well.

Lissodendoryx spongiosa (RIDLEY & DENDY)

var. *asigmata* TOPSENT, 1901a : VIII;

TOPSENT, 1901b : 18; TOPSENT, 1908 : 26, pl. 3, fig. 1.

= *Myxilla spongiosa* var. *asigmata*; TOPSENT, 1913 : 625, pl.
3, fig. 3; HENTSCHEL, 1914 : 99.

= *Myxilla asigmata*; BURTON, 1932 : 310; KOLTUN, 1964 : 51,
pl. 9, figs. 8-11.

POR.038 - holotype (alcohol), Antarctic Expedition of
the Belgica 1897-99, station 306b, Antarctic Ocean,
71°14' S - 89°14' W, 12 May 1898, 450 m.

Remark : same jar as *Iophon radiatus* POR.035. The
original label indicates "type".

Megaciella sp. BURTON, 1939 (unpublished)

POR.039 - "holotype" (alcohol), 9 th Cruise of the Bel-
gian Training Ship Mercator 1935-1936, station 7, Rio
de Oro, 1.5 mile off south coast of Garnet Head, 24°50'
N - 14°56' W, 30 Oct. 1935, depth not mentioned.

Remark : specimen labelled as "*Megaciella achela*".
BURTON never published the description of this species.
The original slides are conserved under the same name
as well in the collection of the Natural History Museum
in London ("holotype" = 1939.5.8.32a and "paratype" =
1939.5.8.33a).

POR.040 - 1 "paratype" (alcohol), 9 th Cruise of the
Belgian Training Ship Mercator 1935-1936, station 7,
Rio de Oro, 1.5 mile off south coast of Garnet Head,
24°50' N - 14°56' W, 30 Oct. 1935, depth not men-
tioned.

Myxilla seychellensis THOMAS, 1981 : 21,
pl. 1, fig. 15; pl. 2, fig. 7.

MRAC 1548 - holotype (dry), Zoological Mission
MRAC-ULB, Seychelles, Mahé, 7 Sep. 1972.

Parasyringella cervicornis BURTON, 1948 : 757,
fig. 1.

= *Raspailia cervicornis*; HOOPER, 1991 : 1195, 1200.

MRAC 396 - holotype (alcohol), Angola, Cabinda, Landana, coast of the Portuguese enclave : on rocks at low tide, Oct. 1937, coll. DARTEVELLE (see DARTEVELLE, 1948).

Reniera altera TOPSENT, 1901a : VI;
TOPSENT, 1901b : 13, pl. 3, fig. 12.

= *Chalina altera*; BURTON, 1929 : 420 (partim).

= *Haliclona altera*; BURTON, 1938b : 6; KOLTUN, 1964 : 96.

POR.041 - 2 syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, station 910b (Nasse I), Antarctic Ocean, 71°15' S - 87°39' W, 27 May 1898, 450 m.

Remark : no holotype was originally designated. The original label indicates "types".

Reniera cinerea* (GRANT) var. *porosa
TOPSENT, 1901b : 12, pl. 2, fig. 2, pl. 3, fig. 2.

= *Reniera topsenti*; THIELE, 1905 : 462, figs. 4, 78, 104.

= *Reniera kerguelensis* HENTSCHEL, 1914 : 134, pl. 4, fig. 15, pl. 8, fig. 15.

= *Chalina topsenti*; BURTON, 1929 : 419.

= *Haliclona topsenti*; LÉVI, 1956 : 32, fig. 7; KOLTUN, 1964 : 96; DESQUEYROUX, 1975 : 68-69; BOURY-ESNAULT & VAN BEVEREN, 1982 : 108-109, figs. 32 a-c; URIZ, 1988 : 98.

POR.042 - 8 syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, Exp. ref. n° 110, Tierra del Fuego, Beagle Canal, Lapataia, 24 Dec. 1897.

Remark : no holotype was originally designated. The original label indicates "types".

Reniera dancoi TOPSENT, 1901a : VI;
TOPSENT, 1901b : 12, pl. 2, fig. 1, pl. 3, fig. 3;
KIRKPATRICK, 1908 : 53, pl. 18, fig. 3;
HENTSCHEL 1914, 134.

= *Reniera scotti* KIRKPATRICK, 1907 : 291; 1908 : 52, pl. 18, figs. 1-2, pl. 24, fig. 6.

= *Reniera flaccida* TOPSENT, 1908 : 16, pl. 3, fig. 7, pl. 5, fig. 7.

= *Reniera cylindrica* TOPSENT, 1913 : 639 : pl. 2, fig. 6.

= *Chalina dancoi*; BURTON, 1929 : 420; 1938 : 6.

= *Haliclona dancoi*; KOLTUN, 1964 : 97, pl. 15, figs. 5-6.

POR.043 - 2 syntypes (alcohol), Antarctic Expedition of the Belgica 1897-99, station 421b & 997 (Faubert VI), Antarctic Ocean, 71°19' S - 87°37' W, 28 May 1898, 450 m.

Remark : the original description mentions several small specimens and fragments. In the collection, 21 bits are preserved together in the same jar. Since they result from two batches from the same locality, we consider them as mixed fragments of 2 syntypes. The original label indicates "types".

Rhaphidectyon encrusta THOMAS, 1981 : 24,
pl. 2, fig. 10.

= *Aulospongus encrusta*; HOOPER, 1991 : 1307.

MRAC 1553 - holotype (dry), Zoological Mission MRAC-ULB, Seychelles, Mahé, 7 Sep. 1972.

Rhaphidophlus orientalis BRØNDSTED, 1934 : 20,
figs. 20-22.

POR.044 - 1 syntype (dry), Expedition of T.R.H. the Prince and Princess Léopold of Belgium to the Netherlands East Indies, Exp. ref. n° 38, Indonesia, Irian Jaya, Aroe Islands, Poelo Enoe, 23 Mar. 1929.

Remark : the original label indicates "type".

POR.045 - 1 syntype (dry), Expedition of T.R.H. the Prince and Princess Léopold of Belgium to the Netherlands East Indies, Exp. ref. n° 48, Indonesia, Irian Jaya, Aroe Islands, Poelo Enoe, 23 Mar. 1929.

Remark : the original label indicates "type".

Stelletta cylindrica THOMAS, 1973 : 76,
pl. 4, fig. 1, pl. 5, fig. 7.

MRAC 1354, CMFRI 141 & 142 - holotype in 2 fragments (dry), 2 microscope slides, Zoological Mission MRAC-ULB, Seychelles, Mahé, 7 Sep. 1966.

Remark : also labelled RN 34.

Stelletta herdmani DENNY ssp. *robusta* THOMAS,
1973 : 41, pl. 2, fig. 23.

MRAC 1495 - holotype (dry), Zoological Mission MRAC-ULB, Mozambique, Inhaca Island, 7 Aug. 1969.

Remark : erroneously registered as MRAC 507 J in the publication, which probably corresponds to a CMFRI number.

Stylotella suberitoides BRØNDSTED, 1934 : 24,
figs. 25 & 26.

POR.046 - holotype (dry), Expedition of T.R.H. the Prince and Princess Léopold of Belgium to the Netherlands East Indies, Exp. ref. 13a, Mansfield Island, 1 Mar. 1929.

Remark : the original label indicates "type".

***Tetilla enoi* BRØNDSTED, 1934 : 7, fig. 3.**

POR.047 - holotype (alcohol), Expedition of T.R.H. the Prince and Princess Léopold of Belgium to the Netherlands East Indies, Exp. ref. n° 9, Indonesia, Irian Jaya, Aroe Islands, Enoe Island, 24 Mar. 1929.
Remark : the original label indicates "type".

***Thorectopsamma benoiti* THOMAS, 1979 : 17,
pl. 1, figs. 6 & 6A.**

MRAC 1442 - holotype (dry), Zoological Mission MRAC-ULB, Mozambique, Inhaca Island, 7 Aug. 1969.
Remark : erroneously registered as MRAC 509 E in the publication, which probably corresponds to a CMFRI number.

***Thorectopsamma seychellensis* THOMAS, 1973 : 15,
pl. 1, figs. 3, 3A, pl. 6, figs 5 & 6.**

MRAC 1403, CMFRI 126 & 127 C - holotype (dry), 1 microscope slide, Zoological Mission MRAC-ULB, Exp. ref. n° 126 & 127c, Seychelles, Mahé, 7 Sep. 1966.
Remark : also labelled RN 29 C.

MRAC 1404, CMFRI 127 E - 3 paratypes (fragments) (dry), 1 microscope slide, Zoological Mission MRAC-ULB, Exp. ref. n° 127e, Seychelles, Mahé, 7 Sep. 1966.
Remark : also labelled RN 29 E.

DEMOSPONGIAE (FRESHWATER)***Corvospongilla micramphidiscoides*
WELTNER, 1913 : 477; PENNEY, 1960, 37;
PENNEY & RACEK, 1968 : 57.**

MRAC 207 - fragment of the holotype ("schizotype") (dry), Zaïre (ex Belgian Congo), Aruwimi River near Banalia.

Remark : fragment of the type, ex Coll. Zool. Mus. Berlin (3733a), leg 1908, Dr. H. SCHUBOTZ, gift from Dr. ARNDT.

***Corvospongilla sodenia* BRIEN, 1969 : 146,
figs. 14 & 15, pl. 3, figs. 18-23**

Soden Lake, Cameroun, date not mentioned.

Remark : although BRIEN reports in his publication that the holotype was deposited at the MRAC, it is not mentioned in the register and could not be found in the collection. The holotype is apparently lost.

***Echinospongia brichardi* BRIEN, 1974 : 605,
figs. 8-12, pl. 6.**

MRAC 1430 - holotype (alcohol), Tanganyica, Tanganyica Lake, May 1973, coll. BRICHARD.

***Malawispongia echinoides* BRIEN, 1972 : 85,
figs. 1-6, pls. 1-3.**

MRAC 1426 - holotype (alcohol), Malawi, Monkey Bay, 1971, coll. ECCLES.

MRAC 1427 - 11 paratypes (alcohol), Malawi, Monkey Bay, 1971, coll. ECCLES.

***Metania vanrijni* BRIEN, 1968 : 406,
figs. 8 & 9, pl. 3, figs. 32-38.**

MRAC 1008 - holotype (dry), Zaïre (ex Belgian Congo), Kinshasa (Léopoldville), Aug. 1946, coll. DARTEVELLE.

***Metania lissostrongyla* BURTON, 1938a : 463,
fig. 6, pl. 2, figs. 1-4.**

MRAC 129 - holotype (dry), Zaïre (ex Belgian Congo), Tumba Lake, Feb. 1921, coll. SCHOUTEDEN.

Remark : note of C. VOLKMER RIBEIRO in the collection, Oct. 1988 : presence of small assemblages of *Trochospongilla tanganyikae* (EVANS) reported by BURTON in 1938. Collection date and collector omitted in the publication, but indicated in the MRAC collection.

MRAC 21 - paratype (dry), Luali, Shiloango River, Cassel Mission, Sep. 1937, coll. DARTEVELLE.

Remark : on valves of *Aetheria elliptica*. Paratypes are not mentioned in the publication of BURTON.

MRAC 133 & 134 - 2 paratypes (dry), Zaïre (ex Belgian Congo), Mayumbe, Lukula River, between Tshinifuku-Zobe and Kaïka-Padi, 1937, coll. DARTEVELLE.

MRAC 130, 131, 132, 145 - 4 paratypes (dry), Zaïre (ex Belgian Congo), Eala, Ruki River, 1937, coll. BRIEN.

Remark : in his publication, BURTON reports only to have deposited the holotype at MRAC, the 7 paratypes are not mentioned.

***Parametania godeauxi* BRIEN, 1968 : 387,
figs. 3-5, pl. 2.**

MRAC 1312 - holotype (dry), Zaïre (ex Belgian Congo), Katanga, Luapula, mouth of Kafubu River, 1967, coll. GODEAUX.

Remark : collection date mentioned on the original label and in the register is 1963.

***Potamolepis marshalli* BURTON, 1938a : 462,
fig. 4, pl. 1, fig. 8.**

MRAC 144 - holotype (dry), Zaïre (ex Belgian Congo), Matadi, River Congo, on stone, (by dredging), 1938, coll. BRIEN.

Remark : collection date omitted in the publication, but mentioned in the register of MRAC.

Potamolepis micropora BURTON, 1938a : 462,
fig. 5, pl. 1, fig. 8a.

MRAC 1696 - holotype (dry), Zaïre (ex Belgian Congo), Matadi, Congo River, (by dredging), 1938, coll. BRIEN.

Remark : this holotype is on the same rock as the holotype of *Potamolepis marshalli* and beared the same inventory number (MRAC 144) until the distinction between both holotypes was pointed out by C. VOLKMER RIBEIRO in Oct. 1988 (manuscript note in the collection).

Potamolepis schoutedeni BURTON, 1938 : 461,
fig. 3, pl. 1, fig. 7.

= *Parametania schoutedeni*; BRIEN, 1968 : 375, fig. 1, fig. 2,
pl. 1.

MRAC 141 - holotype (dry), Zaïre (ex Belgian Congo), Kinshasa (Léopoldville), River Congo, 1937, coll. TINANT.

Remark : the collection date is omitted in the publication, but is mentioned in the register of MRAC.

MRAC 142 & 143 - 2 paratypes (dry), Zaïre (ex Belgian Congo), Kinshasa (Léopoldville), River Congo, 1937, coll. TINANT.

Remark : collection date omitted in the publication, but mentioned in the register of MRAC.

Potamolepis stendelli JAFFÉ, 1916 : 13.

= *Potamophloios stendelli*; BRIEN, 1970 : 170, figs. 1b, 2f, 3.

MRAC 410 to 412 - 3 syntypes (alcohol), Zaïre (ex Belgian Congo), Kasenga, Luapula Lake, 1966, 0-10 m, coll. Rev. GILBERT.

Remark : three specimens are labelled as types of *Potamophloios stendelli*.

MRAC 413 - holotype (alcohol), Zaïre (ex Belgian Congo), Kasenga, Luapula Lake, 1911, 0-10 m, by dredging, 25 Jul. 1911, coll. STAPPERS.

Remark : This is the holotype deposited by JAFFÉ, attached on a shell of *Aetheria elliptica*. It is registered as MRAC 413, although the label erroneously indicates MRAC 412.

Potamolepis symoensi BRIEN, 1967 : 37,
fig. 17, pl. 5, figs. 34b, 36-38.

= *Potamophloios symoensi*; BRIEN, 1970 : 170.

MRAC 1319 - holotype (dry), Zaïre (ex Belgian Congo), Katanga River. Luapula, near Kabunda, Oct. 1965, coll. SYMOENS.

Remark : this specimen is labelled as the paratype. When C. VOLKMER RIBEIRO examined the collection in 1988, she pointed out that this is the holotype, since it is the only specimen BRIEN had when he described the species (see BRIEN, 1970).

MRAC 13 - paratype (dry), Zaïre (ex Belgian Congo), Katanga River. Luapula, near Kabunda, Feb. 1930, coll. DE WITTE.

Remark : originally designated as the holotype, this specimen is in fact the paratype, according to VOLKMER RIBEIRO (see preceding remark).

Potamolepis thysi BRIEN, 1968 : 120,
figs. 1-3; pl. 1, figs. 1-9.

= *Corvospongilla thysi*; BRIEN, 1969 : 123, figs. 1-13, pls. 1 & 2.

MRAC 1311 - holotype (alcohol), French Equatorial Africa, Cameroun, Barombi-ma-Mbu Lake, Oct. 1966, 2 to 3 m, coll. THYS VAN DEN AUDENAERDE.

Potamophloios gilberti BRIEN, 1970 : 172, figs. 1c, 2d.

MRAC 1316 - holotype (dry), Zaïre (ex Belgian Congo), Katanga, Moero Lake, mouth of Kansinsa River, between Lukonzolwa and Songolo, 1966, coll. Rev. GILBERT.

Potamophloios hispida BRIEN, 1970 : 171,
figs. 1d, 2a, 2h.

MRAC 1318 - holotype (dry), Zaïre (ex Belgian Congo), Katanga, Moero Lake, mouth of Kansinsa River, between Lukonzolwa and Songolo, 1966, coll. Rev. GILBERT.

Potamophloios sangoloensis BRIEN, 1970 : 173,
figs. 1e, 2e.

MRAC 1317 - holotype (dry), Zaïre (ex Belgian Congo), Katanga, Moero Lake, mouth of Kansinsa River, between Lukonzolwa and Songolo, 1966, coll. Rev. GILBERT.

Spinospongilla polli BRIEN, 1974 : 589, figs. 1-7, pl. 5.

MRAC 1431 - holotype (alcohol), Tanganyica, Tanganyica Lake, date not mentioned, coll. BRICHARD.

Spongilla brieni BURTON, 1938 : 459, fig. 1.

MRAC 201 - holotype (alcohol), Zaïre (ex Belgian Congo), Lake Upemba, Aug. 1937, coll. BRIEN.

Spongilla (Stratospongilla) gilsoni

TOPSENT, 1912 : 187, pl. 1, figs. 1-8.

= *Spongilla gilsoni*; PENNEY, 1960 : 19; PENNEY & RACEK, 1968 : 48.

POR.048 - 15 syntypes (alcohol), Fiji Island, Viti Levu, Wainiwa River, between Nasuvu and Namosi, 22/10/1897.

Remark : the material remained unregistered at the RBINSc until 1929. The original label indicates "type".

Spongilla (Stratospongilla) schubotzi

WELTNER, 1913 : 481.

= *Spongilla schubotzi*; PENNEY, 1960 : 28; PENNEY & RACEK, 1968 : 47.

MRAC 204 & 205 - 2 paratypes (bits) (dry), 1 microscope slide numbered MRAC 206, Congo River.

Remark : gift from W. ARNDT, 1938 (SCHUBOTZ leg) ref n°3716.

Index

ACTUAL NAMES OR SYNONYMS ORIGINAL NAMES

<i>Acanthotetilla seychellensis</i> ..	<i>Acanthocinachrysa seychellensis</i>
<i>Asteropus sarasinorum</i> ..	<i>Jaspis bandae</i>
<i>Aulosponges encrusta</i> ..	<i>Rhaphidectyon encrusta</i>
<i>Axinella communis</i> var. <i>tenuis</i> ..	<i>Chalinissa communis</i> var. <i>tenuis</i>
<i>Axinella elongata</i> var. <i>tenuispicula</i> ..	<i>Chalinissa elongata</i> var. <i>tenuispicula</i>
<i>Callyspongia doorae</i> ..	<i>Cladochalina doorae</i>
<i>Callyspongia reteplax</i> var. <i>tenuis</i> ..	<i>Ceraochalina reteplax</i> var. <i>tenuis</i>
<i>Chalina altera</i> ..	<i>Reniera altera</i>
<i>Chalina dancoi</i> ..	<i>Reniera dancoi</i>
<i>Chalina topsenti</i> ..	<i>Reniera cinerea</i> var. <i>porosa</i>
<i>Corvospongilla thysi</i> ..	<i>Potamolepis thysi</i>
<i>Desmacidon spinigera</i> ..	<i>Desmacidon setifer</i>
<i>Echinodictyum cancellatum</i> ..	<i>Echinodictyum pulchrum</i>
<i>Endectyon multidentata</i> ..	<i>Hemectyon multidentata</i>
<i>Gelliodes benedeni</i> var. <i>fortior</i> ..	<i>Gelliodes benedeni</i>
<i>Gellius benedeni</i> ..	<i>Gelliodes benedeni</i>
<i>Gellius fimbriatus</i> ..	<i>Gellius rudis</i>
<i>Haliclona altera</i> ..	<i>Reniera altera</i>
<i>Haliclona bidens</i> ..	<i>Gellius bidens</i>
<i>Haliclona dancoi</i> ..	<i>Reniera dancoi</i>
<i>Haliclona rufida</i> ..	<i>Gellius rudis</i>
<i>Haliclona sorongae</i> ..	<i>Chalina sorongae</i>
<i>Haliclona topsenti</i> ..	<i>Reniera cinerea</i> var. <i>porosa</i>
<i>Hemigellius rudis</i> ..	<i>Gellius rudis</i>
<i>Homoeodictya setifera</i> ..	<i>Desmacidon setifer</i>
<i>Homoeodictya trigona</i> ..	<i>Desmacidon setifer</i>
<i>Homoeodictya verrucosa</i> ..	<i>Desmacidon setifer</i>
<i>Iophon pluricornis</i> ..	<i>Iophon radiatus</i>
<i>Iophon pluricornis</i> var. <i>trullifera</i> ..	<i>Iophon radiatus</i>
<i>Iophonopsis radiatus</i> ..	<i>Iophon radiatus</i>
<i>Isodictya setifer</i> ..	<i>Desmacidon setifer</i>

<i>Isodictya spinigera</i> ..	<i>Desmacidon setifer</i>
<i>Isodictya verrucosa</i> ..	<i>Desmacidon setifer</i>
<i>Melophus sarasinorum</i> ..	<i>Jaspis bandae</i>
<i>Microxina benedeni</i> ..	<i>Gelliodes benedeni</i>
<i>Microxina charcoti</i> ..	<i>Gelliodes benedeni</i>
<i>Myxilla asigmata</i> ..	<i>Lissodendoryx spongiosa</i> var. <i>asigmata</i>
<i>Myxilla spongiosa</i> var. <i>asigmata</i> ..	<i>Lissodendoryx spongiosa</i> var. <i>asigmata</i>
<i>Parametania schoutedeni</i> ..	<i>Potamolepis schoutedeni</i>
<i>Platychalina setifer</i> ..	<i>Desmacidon setifer</i>
<i>Potamophloios stendelli</i> ..	<i>Potamolepis stendelli</i>
<i>Potamophloios symoensi</i> ..	<i>Potamolepis symoensi</i>
<i>Raspailia cervicornis</i> ..	<i>Parasyringella cervicornis</i>
<i>Reniera cylindrica</i> ..	<i>Reniera dancoi</i>
<i>Reniera flaccida</i> ..	<i>Reniera dancoi</i>
<i>Reniera kerguelensis</i> ..	<i>Reniera cinerea</i> var. <i>porosa</i>
<i>Reniera scotti</i> ..	<i>Reniera dancoi</i>
<i>Reniera topsenti</i> ..	<i>Reniera cinerea</i> var. <i>porosa</i>
<i>Spongia cancellata</i> ..	<i>Echinodictyum pulchrum</i>
<i>Spongilla gilsoni</i> ..	<i>Spongilla (Stratospongilla) gilsoni</i>
<i>Spongilla schubotzi</i> ..	<i>Spongilla (Stratospongilla) schubotzi</i>
<i>Stellettinopsis isis</i> ..	<i>Jaspis bandae</i>

Acknowledgments

This paper benefited from the comments of the participants to the IXth Atlanto Mediterranean Workshop, Feb. 1994. I am most grateful to Dr F. PUylaert and Dr R. JOCQUÉ (MRAC) for providing access to and assistance with the MRAC Collection.

I thank Dr W.D. HARTMAN for his encouragement and comments on the manuscript.

For her help in tracking down original material of BURTON in The Natural History Museum (British Museum) collection I thank Dr. C. VALENTINE. I also thank Dr. C. MASSIN, Dr. R.W.M. VAN SOEST and Dr. N. BOURY-ESNAULT for their appreciated remarks on the manuscript.

References

- ADAM, W., 1937. Résultats scientifiques des croisières du navire-école belge "Mercator". Neuvième croisière : 1935-1936. Introduction. *Mémoires du Musée royal d'histoire naturelle de Belgique*, 1 (Fasc. 9) : 3-10.
- BERGQUIST, P.R., 1965. The sponges of Micronesia, Part I. The Palau Archipelago. *Pacific Science*, 19 (2) : 123-204.
- BERGQUIST, P.R. & WARNE, K.P., 1980. The marine fauna of New Zealand : Porifera, Demospongiae, part 3 (Haplosclerida and Nepheliospongida). *New Zealand Oceanographic Institute Memoir*, 87 : 1-77.
- BOURY-ESNAULT, N. & VAN BEVEREN, M., 1982. Les démosponges du plateau continental de Kerguelen-Heard. *Comité National Français des Recherches Antarctiques (CNFRA)*, 52 : 1-175.
- BRIEN, P., 1967. Eponges du Luapula et du Lac Moero. Exploration hydrobiologique du Lac Bangweolo et du Luapula : Résultats Scientifiques. J.J. SYMOENS (ed.) *Cercle hydrobiologique de Bruxelles*, 11 (1) : 1-52.

- BRIEN, P., 1968. Eponge nouvelle du Cameroun : *Potamolepis thysi* (n. sp.). *Revue de zoologie et de botanique africaines*, 78 (1-2) : 113-122.
- BRIEN, P., 1968. Les genres *Parametania* (n. gen.) et *Metania* (GRAY). *Bulletin de l'Académie royale de Belgique. Classe des sciences* (5e série), 54 : 374-416.
- BRIEN, P., 1969. A propos de deux éponges du Cameroun appartenant au genre *Corvospongilla* (Annandale). Embryogénèse - la parenchymula - la gemmule. *Revue de zoologie et de botanique africaines*, 80 (1-2) : 121-156.
- BRIEN, P., 1970. Les Potamolepides africaines nouvelles du Luapula et du Lac Moero. In : FRY, W.G. (Editor), *The Biology of the Porifera. Symposia of the Zoological Society of London*. Academic Press, London, 25 : 63-187.
- BRIEN, P., 1972. *Malawispongia echinoides* (n. g., n. sp.). Eponge Céactinelle Haploscléride africaine du lac Malawi (Formation de la spongine périspiculaire). *Revue de zoologie et de botanique africaines*, 86 (1-2) : 65-92.
- BRIEN, P., 1974. Deux éponges nouvelles du lac Tanganyika. Histologie, embryogénèse, parenchymula. *Revue zoologique africaine*, 88 (3) : 585-624.
- BRIEN, P., and GOVAERT-MALLEBRANCKE, D., 1958. A propos de deux éponges du Tanganyika. *Mémoires. Académie royale des sciences coloniales. Classe des sciences naturelles et médicales*, 8 : 3-43.
- BRØNDSTED, H.V., 1927. Antarctic and subantarctic sponges collected by S. WALLIN 1924. *Arkiv för zoologi*, 19A (6) : 1-6.
- BRØNDSTED, H.V., 1934. Sponges. In : VAN STRAELEN, V. (Editor), *Résultats Scientifiques du Voyage aux Indes Orientales Néerlandaises de LL. AA. RR. le Prince et la Princesse Léopold de Belgique. Mémoires du Musée royal d'histoire naturelle de Belgique*, Hors série, 2 (15) : 1-27.
- BURTON, M., 1929. Porifera. Part II. Antarctic sponges. In : British Antarctic ("Terra Nova") Expedition, 1910. *Natural history report. London, British Museum (Natural History). Zoology*, 6 (4) : 393-458.
- BURTON, M., 1932. Sponges. *Discovery Reports*, 6 : 237-392.
- BURTON, M., 1934. Sponges. *Further Zoological Results of the Swedish Antarctic Expedition, 1901-03*, 3 (2) : 1-58.
- BURTON, M., 1938a. Some fresh-water sponges from the Belgian Congo, including descriptions of two new species from Northern Rhodesia. *Revue de zoologie et de botanique africaines*, 30 (4) : 458-468.
- BURTON, M., 1938b. Non-calcareous sponges. *Australasian Antarctic Expedition 1911-14. Scientific reports Ser. C. (Zoology and Botany)*, 9 (3) : 5-22.
- BURTON, M., 1948. Marine sponges of Congo coast. *Bulletin de l'Institut royal colonial belge*, 19 (3) : 753-758.
- DARTEVELLE, E., 1948. Note sur les éponges marines du Congo. *Bulletin de l'Institut royal colonial belge*, (3) : 750-752.
- DE LAUBENFELS, M.W., 1936. A discussion of the sponge fauna of the Dry Tortugas in particular and the West Indies in general, with material for a revision of the families and orders of the Porifera. *Carnegie Institution Washington Publication (Papers from Tortugas Laboratory, vol. 30) N° 467* : 1-225.
- DE LAUBENFELS, M.W., 1954. The sponges of the West Central Pacific. *Oregon State Monographs. Studies in Zoology*, 7 : 1-306.
- DESQUEYROUX, R., 1975. Esponjas (Porifera) de la region antartica chilena. *Cahiers de biologie marine*, 16 : 47-82.
- DE WEERDT, W.H. & VAN SOEST, R.W.M., 1987. A review of North-Eastern Atlantic *Hemigellius* (Niphatidae, Haplosclerida). In : VACELET, J. and BOURY-ESNAULT, N. (Editors). *Taxonomy of Porifera. NATO ASI Series*, Springer-Verlag, Berlin, G13 : 309-321.
- HENTSCHEL, E., 1912. Kiesel-und Hornschwämme der Aru und Kei-Inseln. *Abhandlungen hrsg von der Senckenbergischen naturforschenden Gesellschaft*, 34 (Band 3) : 291-448.
- HENTSCHEL, E., 1914. Monaxone Kieselschwämme und Hornschwämme der Deutschen Südpolar-Expedition 1901-1903. In : DRYGALSKI, E. von (ed.), *Deutsche Südpolar-Expedition 1901-1903*. Berlin, G. Reimer, vol. 15, *Zoologie* 8 : 35-142.
- HOOPER, J.N.A., 1991. Revision of the family Raspaillidae (Porifera : Demospongiae), with description of Australian species. *Invertebrate Taxonomy*, 5 (6) : 1179-1418.
- JAFFÉ, G., 1916. Zwei Schwämme aus dem Tanganjikasee. (*Spongilla moorei* EVANS und *Potamolepis stendelli* n. sp.). *Zoologischer Anzeiger*, 48 : 5-14.
- KIRKPATRICK, R., 1907. Preliminary Report on the Monaxonellida of the National Antarctic Expedition. *Annals and Magazine of Natural History* (ser. 7), 20 (117) : 271-291.
- KIRKPATRICK, R., 1908. Porifera, Tetraxonida. *National Antarctic Expedition, 1901-1904, Natural History*, 4 : 1-56.
- KOLTUN, V.M., 1964. Sponges of the Antarctic. I Tetraxonida and Cornacuspongida. *Biological Reports of the Soviet Antarctic Expedition 1955-1958*, 2 (10) [English translation, 1966, Israel Program for Scientific Translations : 6-133, 443-448.
- LAMARCK, J.B.P. DE MONET, 1814 (1815). Suite des éponges. *Annales du Muséum d'Histoire naturelle*, 20 : 432-458.
- LÉVI, C., 1956. Eponges littorales des îles Kerguelen récoltées par M. ANGOT. *Mémoires de l'Institut scientifique de Madagascar (Série A)*, 10 : 25-34.
- PENNEY, J.T., 1960. Distribution and bibliography (1892-1957) of the fresh water sponges. *University of South Carolina Publications (Series 3)*, 3 (1) : 1-97.
- PENNEY, J.T., & RACEK, A.A., 1968. Comprehensive revision of a worldwide collection of freshwater sponges (Porifera : Spongillidae). *U.S. National Museum Bulletin*, 272 : 1-184.
- RIDLEY, S.O., 1884. Spongiida. pp. 366-482 (Australia), 582-630 (Western Indian Ocean). In : Report on the Zoological Collections made in the Indo-Pacific Ocean during the Voyage of H.M.S. 'Alert', 1881-2. British Museum (Natural History) London.
- THIELE, J., 1899. Studien über pazifische Spongien II. *Zoologica*, 24 : 1-33.
- THIELE, J., 1905. Die Kiesel- und Hornschwämme der Sammlung Plate. *Zoologische Jahrbücher, Suppl.* 6 : 407-496.
- THOMAS, P.A., 1973. Mariné Demospongiae of Mahé Island in the Seychelles Bank (Indian Ocean). *Annales du Musée royal de l'Afrique Centrale. Série 8vo*, (203) : 1-96.
- THOMAS, P.A., 1979. Studies on sponges of the Mozambique Channel. I. Sponges of Inhaca Island. II. Sponges of Mambo-ne and Paradise Islands. *Annales du Musée royal de l'Afrique Centrale. Série 8vo*, 227 : 1-73.

- THOMAS, P.A., 1981. A second collection of marine Demospongiae from Mahé Island in the Seychelles Bank (Indian Ocean). *Annales du Musée royal de l'Afrique Centrale. Série 8vo*, 233 : 1-54.
- THUM, E., 1903. Bericht über Eine Sammlung trockener Chalineen-Skelete aus dem Brüsseler Museum. *Annales de la Société royale zoologique et malacologique de Belgique*, 38 : 9-12.
- TOPSENT, E., 1901a. Notice préliminaire sur les éponges de l'expédition antarctique belge. *Archives de zoologie expérimentale et générale (3e série)*, 9 : 5-16.
- TOPSENT, E., 1901b. Spongaires. 6-9 In : Expédition antarctique belge. Résultats du voyage du S.Y. Belgica en 1897-1898-1899. Rapports scientifiques. Zoologie. Antwerp : 1-54.
- TOPSENT, E., 1908. Spongaires. *Expédition antarctique française (1903-1905) commandée par le Dr. Jean Charcot* (Paris), 4 : 1-37.
- TOPSENT, E., 1912. Description de *Spongilla (Stratospongilla) gilsoni* n. sp. épingle d'eau douce des Iles Fidji. *Annales de Biologie lacustre*, 5 : 187-191.
- TOPSENT, E., 1913. Spongaires de l'expédition antarctique nationale écossaise. *Transactions of the Royal Society of Edinburgh*, 49 pt. 3 No. 9 : 579-643.
- TOPSENT, E., 1916. Diagnoses d'éponges recueillies dans l'Antarctique par le Pourquoi-Pas ? *Bulletin du Muséum national d'histoire naturelle*, 22 (3) : 163-172.
- TOPSENT, E., 1917. Spongaires. *Deuxième Expédition Antarctique Française (1908-1910) Commandée par le Dr. Jean Charcot. Sciences Physiques : Documents Scientifiques* (Paris), 4 : 1-88.
- TOPSENT, E., 1933. Eponges de Lamarck conservées au Muséum de Paris. Fin. *Archives du Muséum national d'histoire naturelle*. (ser. 6), 10 : 1-60.
- URIZ, M.J., 1988. Deep-water sponges from the continental shelf and slope off Namibia (Southwest Africa) : Classe Hexactinellida and Demospongia. *Monografías de Zoología Marina III (Contributions in the Marine Fauna of Southern Africa)* Instituto de Ciencias del Mar Barcelona 3 : 9-157.
- VACELET, J. & ARNAUD, F., 1972. Invertébrés marins des XIIème et XVème expéditions antarctiques françaises en Terre Adélie. 2. Démospanges. *Tethys*, Supplément 4 : 9-24.
- VAN SOEST, R.W.M., 1977. A revision of the megacanthoxea-bearing Tetillids (Porifera, Spirophorida), with a description of a new species. *Studies of the Fauna of Curaçao and other Caribbean Islands*, 53 : 1-14.
- WELTNER, W., 1913. Süßwasserschwämme (Spongillidae) der Deutschen Zentralafrika - Expedition 1907-1908. *Wissenschaftliche Ergebnisse der Deutschen Zentral-Africa-Expedition, 1907-08*. Bd. 4. Zoologie 2 Lief. 12 : 475-485.

Philippe WILLENZ
Royal Belgian Institute for Natural Sciences
Department of Invertebrates
Rue Vautier, 29
B-1040 Brussels, Belgium