

elongata Jullien & Calvet, 1903
gracilis M. Sars, 1935
matsushi-mana Toriumi, 1951
mutabilis Toriumi, 1951
ramosa (Robertson, 1900)

MOLLUSCA

Compiled by Philippe Bouchet, Jacques Le Renard and Serge Gofas

The Mollusca part of ERMS is based on CLEMAM (Checklist of European Marine Molluscs), a database at the website <http://www.mnhn.fr/base/malaco.html>.

The need to compile a check-list of the European marine molluscs was discussed during the 10th International Malacological Congress (Tübingen, 1989) and a resolution was passed to this effect by the General Assembly of Unitas Malacologica, and Anders Warén (Stockholm) and Philippe Bouchet (Paris) were asked to investigate into its feasibility. The acronym CLEMAM (Check List of the European MArine Molluscs) was chosen because of its similarity to CLOFNAME and CLOFETA, the very successful regional checklists of Fishes compiled under the umbrella of UNESCO. In 1994, an *ad hoc* meeting, funded by Unitas Malacologica, brought together in Paris malacologists representing several regional or national lists of marine molluscs:

- (i) Riccardo Giannuzzi-Savelli, representing the *Catalogo annotato dei molluschi marini del Mediterraneo*, compiled by B. Sabelli, R. Giannuzzi-Savelli and D. Bedulli (1992) for Società Italiana di Malacologia, and published by Libreria Naturalistica Bolognese, Bologna.
- (ii) Elizabeth Platts, representing the *Checklist of British Marine Mollusca*, compiled by D. Heppell and S. Smith (1991), and published by the National Museums of Scotland.
- (iii) Jon-Arne Sneli, representing the *Annotated checklist of marine molluscs of the Norwegian coast and adjacent waters*, compiled by T. Hoisaeter (1986) and published in *Sarsia*, 71: 73-145.

In the following year, electronic versions of these three lists, in addition to a card catalogue of post-1960 names, were merged by Serge Gofas into a single list in text format. The resulting list was then transformed into database format by Jacques Le Renard, and the first CLEMAM was presented at the 12th International Malacological Congress (Vigo, 1995).

Considering the data added since 1995, CLEMAM currently contains ca. 15,000 names and over 3,300 valid species. New literature is permanently scanned for new material. Old literature is also being scanned for synonyms and gaps in taxonomical coverage. As of 1999, illustrations of type material of valid species and synonyms are being added to the backbone of taxonomical and nomenclatural information.

All native species, benthic or planktonic, and introduced species that have become established are listed in CLEMAM. Old and/or unconfirmed records of non-native species are excluded.

CLEMAM records published information only and does not make new taxonomical decisions. When different state-of-the-art taxonomical opinions exist in the recent literature, the taxonomic editor records what he thinks best reflects the needs of the users of the database.

The following manage CLEMAM: Jacques Le Renard (Directeur de Recherches, INRA. E-mail: lerenard@mnhn.fr), Database design and development; Serge Gofas (Curator, MNHN and Lecturer, University

of Malaga. E-mail: gofas@mnhn.fr), Taxonomic editor; and Philippe Bouchet (Senior Curator, MNHN. E-mail: bouchet@mnhn.fr), External liaison.

We thank the following persons and institutions who have permitted the development of CLEMAM: Unitas Malacologica and its secretary (E. Gittenberger, Leiden, NL) and treasurer (J. van Goethem, Brussels, B) for seed money in the early phases of the project; Società Italiana di Malacologia and R. Giannuzzi-Savelli (Palermo, I), J.-A. Sneli and T. Hoisaeter (Trondheim and Bergen, N), E. Platts, D. Heppell and S. Smith (Edinburgh, UK), and A. Guerra (Vigo, SP) for making available electronic versions of published checklists; A. Warén (Stockholm, S) for input especially on northern and Arctic taxa; staff of MNHN for input at various levels: P. Lozouet, A. Foubert.

Within the list genera are listed alphabetically within sub-families although subfamily names have not been included. The on-line database contains more details on phylogeny and nomenclature.

PHYLUM MOLLUSCA

Class Aplacophora

Family Chaetodermatidae

Chaetoderma

- intermedium* Knipowitsch, 1896
- luifredi* (Ivanov in Scarlato, 1987)
- marinae* (Ivanov in Scarlato, 1987)
- nitens* Möbius, 1876
- nitidulum* Lovén, 1844
- pellucidum* Ivanov in Scarlato, 1987
- simplex* Salvini-Plawen, 1971
- strigisquamatum* Salvini-Plawen, 1977
- tetradens* (Ivanov, 1981)

Falcidens

- aequabilis* Salvini-Plawen, 1972
- crossotus* Salvini-Plawen, 1968
- gutturosus* (Kowalewsky, 1901)
- profundus* Salvini-Plawen, 1968
- sagittiferus* Salvini-Plawen, 1968
- sterreri* (Salvini-Plawen, 1967)
- thorensis* Salvini-Plawen, 1971
- vasconiensis* Salvini-Plawen, 1996

Family Limifossoridae

Scutopus

- robustus* Salvini-Plawen, 1970
- ventrolineatus* Salvini-Plawen, 1968

Psilodens

- elongatus* (Salvini-Plawen, 1972)
- tenius* Salvini-Plawen, 1977

Family Prochaetodermatidae

Prochaetodermia

- breve* (Salvini-Plawen, 1999)
- iberogalicum* (Salvini-Plawen, 1999)
- raduliferum* (Kowalewsky, 1901)
- yongei* (Scheltema, 1985)

Spathoderma

- clenchi* (Scheltema, 1985)

Chevroderma

- gauson* (Scheltema, 1985)
- turnerae* (Scheltema, 1985)

Family Dondersiidae

Dondersia

- festiva* Hubrecht, 1888

Ichthyomenia

- ichthyooides* (Pruvot, 1890)

Micromenia

- fodiens* (Schwabl, 1955)
- simplex* Leloup, 1948

Nematomenia

- banyulensis* (Pruvot, 1890)

corallophila (Kowalewsky, 1881)

flavens (Pruvot, 1890)

Stylomenia

salvatori Pruvot, 1899

Squamatoherpia

tricuspidata (Büchinger & Handl, 1996)

Helluoherpia

aegiri (Handl & Büchinger, 1996)

Family Gymnomeniidae

Gymnomenia

pellucida Odhner, 1921

Genitoconia

atriolonga Salvini-Plawen, 1967

rosea Salvini-Plawen, 1967

Wirenia

argentea Odhner, 1921

gonoconata (Salvini-Plawen, 1988)

Family Lepidomeniidae

Lepidomenia

hystrix Marion & Kowalewsky in Fischer, 1885

swedmarki Salvini-Plawen, 1985

Tegulaherpia

myodoryata Salvini-Plawen, 1988

stimulosa Salvini-Plawen, 1983

Family Macellomeniidae

Macellomenia

palifera (Pruvot, 1890)

Family Neomeniidae

Neomenia

carinata Tullberg, 1875

dalyelli (Koren & Danielssen, 1877)

Meromenia

hirondellei (Leloup, 1949)

Family Amphimeniidae

Amphimenia

neapolitana Thiele, 1889

Alexandromenia

crassa Odhner, 1921

grimaldii Leloup, 1946

Paragymnomenia

richardi Leloup, 1947

Family Drepanomeniidae

Drepanomenia

incrusted (Koren & Danielssen, 1877)

Family Pruvotinidae

Pararrhopalia

pruvoti Simroth, 1893

Eleutheromenia

sierra (Pruvot, 1890)

Hypomenia

nierstraszi Lummel, 1930

Pruvotina

impexa (Pruvot, 1890)

Family Proneomeniidae

Proneomenia

desiderata (Kowalewsky & Marion, 1887)

sluiteri Hubrecht, 1880

Dorymenia

sarsii (Koren & Danielssen, 1877)

vagans (Kowalewsky & Marion, 1887)

Entonomenia

atlantica Leloup, 1948

Family Rhopalomeniidae

Rhopalomenia

aglaopheniae (Kowalewsky & Marion, 1887)

Pruvotia

sopita (Pruvot, 1891)

Family Simrothiellidae

Simrothiella

borealis Odhner, 1921

margaritacea (Koren & Danielssen, 1877)

minima (Nierstrasz, 1903)

- Biserramenia**
psammobionta Salvini-Plawen, 1967
- Uncimenia**
neapolitana Nierstrasz, 1903
- Family Strophomeniidae**
- Anamenia*
borealis (Koren & Danielssen, 1877)
gorgonophila (Kowalewsky, 1880)
- Strophomenia**
lacazei Pruvot, 1899
- Class Monoplacophora**
- Family Neopilinidae**
- Laevipilina*
rolani Warén & Bouchet, 1990
- Micropilina*
minuta Warén, 1989
- Rokopella*
brummeri Goud & Gittenberger, 1993
euglypta (Dautzenberg & Fischer H., 1897)
- Veleropilina*
reticulata (Seguenza G., 1876)
zografi (Dautzenberg & Fischer H., 1896)
- Class Polyplacophora**
- Family Leptochitonidae**
- Lepidopleurus*
cajetanus (Poli, 1791)
- Leptochiton*
africanus (Nierstrasz, 1906)
algesirensis (Capellini, 1859)
alveolus (Lovén, 1846)
arcticus (Sars G.O., 1878)
asellus (Gmelin, 1791)
bedullii Dell'Angelo & Palazzi, 1986
cancellatus (Sowerby G.B. II, 1840)
cimicooides (Monterosato, 1879)
compostellanum (Carmona Zalvide & Urgorri, 1999)
gascognensis Kaas & Van Belle, 1985
geronensis Kaas & Van Belle, 1985
leloupi (Kaas, 1979)
odhneri (Bergenhayn, 1931)
pseudogloriosus (Strack, 1991)
rarinotus (Jeffreys, 1883)
sarsi Kaas, 1981
scabridus (Jeffreys, 1880)
tenuis Kaas, 1979
thalattius Kaas & Van Belle, 1985
xanthus (Kaas & Van Belle, 1990)
- Family Hanleyidae**
- Hanleya*
hanleyi (Bean in Thorpe, 1844)
nagelfar (Lovén, 1846)
- Family Ischnochitonidae**
- Ischnochiton*
albus (Linné, 1767)
dolii (Van Belle & Dell'Angelo, 1998)
exaratus (Sars G.O., 1878)
obtusus (Carpenter in Pilsbry, 1893)
rissoi (Payraudeau, 1826)
usticensis (Dell'Angelo & Castriota, 1999)
vanellei Kaas, 1985
- Connexochiton*
platynomenus Kaas, 1979
- Callistochiton*
pachylasmae (Monterosato, 1878)
- Callochiton*
calcatus Dell'Angelo & Palazzi, 1994
septemvalvis (Montagu, 1803)
- Lepidochitona*
canariensis (Thiele, 1909)
cinerea (Linné, 1767)
corrugata (Reeve, 1848)
furtiva (Monterosato, 1879)
iberica Kaas & Van Belle, 1981
- monterosatoi* Kaas & Van Belle, 1981
piceola (Shuttleworth, 1853)
simrothi (Thiele, 1902)
stroemfelti (Bergenhayn, 1931)
- Tonicella*
marmorea (Fabricius O., 1780)
rubra (Linné, 1767)
- Chaetopleura*
angulata (Spengler, 1797)
- Family Mopaliidae**
- Placiophorella*
atlantica (Verrill & Smith, 1882)
- Family Chitonidae**
- Chiton*
corallinus (Risso, 1826)
hululensis (Smith E.A. in Gardiner, 1903)
olivaceus Spengler, 1797
phaseolinus Monterosato, 1879
- Family Acanthochitonidae**
- Acanthochitona*
crinita (Pennant, 1777)
discrepans (Brown, 1827)
fascicularis (Linné, 1767)
- Class Gastropoda**
- Family Patellidae**
- Patella*
caerulea Linné, 1758
cander d'Orbigny, 1840
ferruginea Gmelin, 1791
intermedia Murray in Knapp, 1857
nigra da Costa, 1771
piperata Gould, 1846
rustica Linné, 1758
ulyssiponensis Gmelin, 1791
vulgata Linné, 1758
- Ansates*
pellucida (Linné, 1758)
- Family Nacellidae**
- Cellana*
rota (Gmelin, 1791)
- Family Acmaeidae**
- Acmaea*
virginea (Müller O.F., 1776)
- Pectinodonta*
maxima (Dautzenberg, 1925)
- Family Lepetidae**
- Lepeta*
caeca (Müller O.F., 1776)
- Iothia*
fulva (Müller O.F., 1776)
- Propilidium*
exiguum (Thompson W., 1844)
- Family Lottiidae**
- Erginus*
rubellus (Fabricius O., 1780)
- Tectura*
testudinalis (Müller O.F., 1776)
- Family Cocculinidae**
- Cocculina*
leptoglypta Dautzenberg & Fischer H., 1897
- Coccopigya*
lata (Warén, 1996)
spinigera (Jeffreys, 1883)
viminensis (Rocchini, 1990)
- Family Bathysciadiidae**
- Bathysciadium*
costulatum (Locard, 1898)
xylophagum Warén & Carozza in Warén, 1997
- Xenodonta*
bogasoni Warén, 1993
- Family Lepetellidae**

- Lepetella**
barrajoni Dantart & Luque, 1994
espinosae Dantart & Luque, 1994
laterocompressa (de Rayneval & Ponzi, 1854)
sierrai Dantart & Luque, 1994
- Bogia**
labronica (Bogi, 1984)
- Family Addisoniidae**
Addisonia
excentrica (Tiberi, 1855)
- Family Choristellidae**
Choristella
nofronii McLean, 1992
- Family Osteopeltidae**
Osteopelta
ceticola Warén, 1989
- Family Pseudococculinidae**
Amphiplica
concentrica (Thiele, 1909)
Copulabyschia
corrugata (Jeffreys, 1883)
- Pilus**
conicus (Verrill, 1884)
Kaiparapelta
askewi McLean & Harasewych, 1995
- Family Neritidae**
Nerita
sanguinolenta Menke, 1829
Smaragdia
souverbiana (Montrouzier, 1863)
viridis (Linné, 1758)
- Family Fissurellidae**
Fissurella
nubecula (Linné, 1758)
Diodora
dorsata (Monterosato, 1878)
gibberula (Lamarck, 1822)
graeca (Linné, 1758)
italica (Defrance, 1820)
producta (Monterosato, 1880)
ruppelli (Sowerby G.B. I, 1835)
Emarginula
adriatica Costa O.G., 1829
christiana Piani, 1985
crassa Sowerby J., 1813
divae (van Aartsen & Carrozza, 1995)
fissura (Linné, 1758)
hazardii (Payraudeau, 1826)
multistriata Jeffreys, 1882
octaviana Coen, 1939
punctulum Piani, 1980
pustula Thiele in Küster, 1913
rosea Bell T., 1824
sicula Gray J.E., 1825
solidula Costa O.G., 1829
tenera Locard, 1892
tuberculosa Libassi, 1859
Cranopsis
asturiana (Fischer P., 1882)
Fissurepta
crossei (Dautzenberg & Fischer H., 1896)
granulosa Jeffreys, 1883
microphyma (Dautzenberg & Fischer H., 1896)
Puncturella
alicei (Dautzenberg & Fischer H., 1897)
noachina (Linné, 1771)
profundi (Jeffreys, 1877)
Zeidora
naufragia Watson, 1883
- Family Scissurellidae**
Scissurella
costata d'Orbigny, 1824
Anatoma
- aspera* (Philippi, 1844)
crispata (Fleming, 1828)
richardi (Dautzenberg & Fischer H., 1896)
umbilicata (Jeffreys, 1883)
- Sinezona**
cingulata (Costa O.G., 1861)
semicostata (Burnay & Rolán, 1990)
- Family Haliotidae**
Haliotis
coccinea Reeve, 1846
pustulata subsp. *cruenta* Reeve, 1846
tuberculata Linné, 1758
- Family Trochidae**
Trochus
erythreus Brocchi, 1821
Clanculus
berthelotii (d'Orbigny, 1840)
corallinus (Gmelin, 1791)
cruciatus (Linné, 1758)
jussieui (Payraudeau, 1826)
Clelandella
miliaris (Brocchi, 1814)
Jujubinus
baudoni (Monterosato, 1891)
dispar Curini-Galletti, 1982
exasperatus (Pennant, 1777)
gravinæ (Dautzenberg, 1881)
guanchus Curini-Galletti, 1985
karpathoensis Nordsieck, 1973
montagui (Wood W., 1828)
poppei Curini-Galletti, 1985
pseudogravinae Nordsieck, 1973
rusrurianus (Weinkauff, 1868)
striatus (Linné, 1758)
tumidulus (Aradas, 1846)
unidentatus (Philippi, 1844)
vexationis Curini-Galletti, 1990
- Gibbula**
adansonii (Payraudeau, 1826)
adriatica (Philippi, 1844)
albida (Gmelin, 1791)
ardens (Von Salis, 1793)
candei (d'Orbigny, 1844)
cineraria (Linné, 1758)
delgadensis Nordsieck, 1982
deversa Milaschewitsch, 1916
divaricata (Linné, 1758)
drepanensis (Brugnone, 1873)
fanulum (Gmelin, 1791)
guttadauri (Philippi, 1836)
leucophæa (Philippi, 1836)
magus (Linné, 1758)
nivosa Adams A., 1851
pennanti (Philippi, 1846)
philberti (Récluz, 1843)
racketti (Payraudeau, 1826)
rarielineata (Michaud, 1829)
spratti (Forbes, 1844)
spurca (Gould, 1856)
tingitana Pallary, 1901
tumida (Montagu, 1803)
turbinoïdes (Deshayes, 1835)
umbilicalis (da Costa, 1778)
umbilicaris (Linné, 1758)
varia (Linné, 1758)
vimontiae Monterosato, 1884
- Phorcus**
mutabilis (Philippi, 1846)
richardi (Payraudeau, 1826)
- Osilinus**
articulatus (Lamarck, 1822)
atratus (Wood W., 1828)
lineatus (da Costa, 1778)
sauciatus (Koch, 1845)
turbinatus (Von Born, 1778)

- Calliostoma*
caroli (Dautzenberg, 1927)
cleopatra (Locard, 1896)
conulus (Linné, 1758)
granulatum (Von Born, 1778)
grimaldii (Dautzenberg & Fischer H., 1896)
gualterianum (Philippi, 1848)
gubbiolii Nofroni, 1984
hirondellei (Dautzenberg & Fischer H., 1896)
kochi Pallary, 1902
laugieri (Payraudeau, 1826)
leptophyma (Dautzenberg & Fischer H., 1896)
lithocletum (Dautzenberg, 1925)
milneedwardsi (Locard, 1898)
normani (Dautzenberg & Fischer H., 1897)
obesulum (Locard, 1898)
occidentale (Mighels & Adams, 1842)
virescens Coen, 1933
zizyphinum (Linné, 1758)
- Danilia*
affinis (Dautzenberg & Fischer H., 1896)
otaviana (Cantraine, 1835)
- Turcicula*
alicei (Dautzenberg & Fischer H., 1896)
miranda (Locard, 1898)
- Calliotropis*
ottoi (Philippi, 1844)
- Putzeysia*
wiseri (Calcara, 1842)
- Margarites*
costalis (Gould, 1841)
groenlandicus (Gmelin, 1791)
helicinus (Phipps, 1774)
olivaceus (Brown, 1827)
vahlii (Møller, 1842)
- Solariella*
amabilis (Jeffreys, 1865)
cincta (Philippi, 1836)
cingulima (Locard, 1898)
infundibulum Watson, 1879
lusitanica (Fischer P., 1887)
micans (Dautzenberg & Fischer H., 1896)
mogadorensis (Locard, 1898)
obscura (Couthouy, 1838)
paucivaricosa (Dautzenberg, 1889)
regalis (Verrill & Smith, 1880)
rhina (Watson, 1886)
rudecta (Locard, 1898)
vallanti (Dautzenberg & Fischer H., 1896)
varicosa (Mighels & Adams, 1842)
- Callumbonella*
suturalis (Philippi, 1836)
- Minolia*
nedyma Melvill, 1897
- Family Seguenziidae**
- Seguenzia*
elegans Jeffreys, 1885
ionica Watson, 1878
monocingulata Seguenza G., 1876
- Basilissopsis*
watsoni (Dautzenberg & Fischer H., 1897)
- Carenzia*
carinata (Jeffreys, 1877)
- Asthelys*
mundus (Watson, 1879)
- Ancistrobasis*
reticulata (Philippi, 1844)
- Family Trochaclididae**
- Trochacalis*
islandicus Warén, 1989
versilensis Warén, Carozza & Rocchini in Warén, 1992
- Family Pendromidae**
- Rugulina*
- fragilis* (Sars G.O., 1878)
monterosatoi (van Aartsen & Bogi, 1987)
- Family Skeneidae**
- Skenea*
areolata (Sars G.O., 1878)
basistriata (Jeffreys, 1877)
catenoides (Monterosato, 1877)
ferruginea Warén, 1991
larseni Warén, 1993
nilarum (Engl, 1996)
ossiansarsi Warén, 1991
pelagia Nofroni & Valenti, 1987
peterseni (Friele, 1877)
politá Warén, 1993
ponsonbyi (Dautzenberg & Fischer H., 1897)
profunda (Friele, 1879)
rugulosa (Sars G.O., 1878)
serpuloides (Montagu, 1808)
trochoides (Friele, 1876)
turgida (Odhner, 1912)
valvatoides (Jeffreys, 1883)
- Adeuomphalus*
ammoniformis (Seguenza G., 1876)
- Akritogyra*
conspicua (Monterosato, 1880)
curvilineata Warén, 1992
helicella Warén, 1993
similis (Jeffreys, 1883)
- Anekse*
affinis (Jeffreys, 1883)
giustii Bogi & Nofroni, 1989
infidata Warén, 1992
paucistriata Warén, 1992
sculpturata Warén, 1992
undulisculpta Bouchet & Warén, 1979
- Cirsonella*
ateles (Dautzenberg & Fischer H., 1896)
gaudryi (Dautzenberg & Fischer H., 1896)
romellensis (Granata-Grillo, 1877)
- Dikoleps*
cutleriana (Clark W., 1848)
depressa (Monterosato, 1880)
marianae (Rubio, Dantart & Luque, 1998)
pruinosa (Chaster, 1896)
pusilla (Jeffreys, 1847)
rolani (Rubio, Dantart & Luque, 1998)
umbilicostriata (Gaglini, 1987)
- Eudaronia*
aperta (Sykes, 1925)
- Ganesa*
bujnitzkii (Gorbunov, 1946)
nitidiuscula Jeffreys, 1883
- Granigryra*
arenosa Warén, 1993
granulifera Warén, 1992
pruinosa (Jeffreys, 1883)
tenera (Jeffreys, 1883)
- Lissomphalia*
bithynoides (Monterosato, 1880)
- Lissotesta*
gittenbergeri (van Aartsen & Bogi, 1988)
major Warén, 1992
minima (Seguenza G., 1876)
turrita (Gaglini, 1987)
- Mikro*
globulus Warén, 1996
- Protolira*
thorvaldsoni (Warén, 1996)
- Moelleriopsis*
messanensis (Seguenza G., 1876)
normani (Dautzenberg & Fischer H., 1897)
richardi (Dautzenberg & Fischer H., 1896)
- Palazzia*
ausonia (Palazzi, 1988)
- Parviturbo*

- elegantulus* (Philippi, 1844)
fenestratus (Chaster, 1896)
Pseudorbis
granulum (Brugnone, 1873)
jameoensis (Rubio & Rodriguez Babio, 1991)
Reticyra
granulosa (Sykes, 1925)
iheringi (Dautzenberg & Fischer H., 1897)
millipunctata (Friele, 1886)
Skeneoides
digeronimo (La Perna, 1998)
exilissima (Philippi, 1844)
jeffreysii (Monterosato, 1872)
Xyloskenea
naticiformis (Jeffreys, 1883)
- Family Cyclostrematidae**
Vetulonia
cancellata (Jeffreys, 1883)
- Family Turbinidae**
Bolma
macandrewii (Mørch, 1868)
rugosa (Linné, 1767)
Cantrainea
peloritana (Cantraine, 1835)
Homalopoma
carmelae Oliverio & Buzzurro, 1994
sanguineum (Linné, 1758)
Moelleria
costulata (Møller, 1842)
- Family Tricoliidae**
Tricolia
algoidea (Pallary, 1920)
deschampsi Gofas, 1993
entomocheila Gofas, 1993
miniata (Monterosato, 1884)
nordsiecki (Talavera, 1978)
pullus (Linné, 1758)
punctura Gofas, 1993
speciosa (Von Mühlfeldt, 1824)
tenuis (Michaud, 1829)
tingitana Gofas, 1982
- Family Cerithiidae**
Cerithium
nodulosum Bruguière, 1792
alukastrum (Brocchi, 1814)
lividulum Risso, 1826
nesioticum Pilsbry & Vanatta, 1906
protractum Bivona Ant. in Bivona And., 1838
rupestrum Risso, 1826
scabridum Philippi, 1848
vulgatum Bruguière, 1792
Bittium
depauperatum Watson, 1897
incile Watson, 1897
lacteum (Philippi, 1836)
latreillii (Payraudeau, 1826)
proteinum (Jousseaume, 1930)
reticulatum (da Costa, 1778)
simplex (Jeffreys, 1867)
submammillatum (de Rayneval & Ponzi, 1854)
watsoni (Jeffreys, 1885)
Cassiella
abyensis Gofas, 1987
Clypeomorus
bifasciatus (Sowerby G.B. II, 1855)
Rhinoclavis
kochi (Philippi, 1848)
- Family Dialidae**
Diala
varia Adams A., 1861
- Family Fossaridae**
Fossarus
ambiguus (Linné, 1758)
- Family Litiopidae**
Litiopa
melanostoma (Rang, 1829)
Alaba
mirabilis (Hornung & Mermad, 1926)
- Family Obtortionidae**
Finella
pupoides Adams A., 1860
Clathrofenella
fusca (Adams A., 1860)
- Family Planaxidae**
Planaxis
punctostriata Smith E.A., 1872
savignyi Deshayes, 1844
- Family Potamididae**
Potamides
conicus (de Blainville, 1829)
- Family Scaliolidae**
Scaliola
elata Issel, 1869
- Family Siliquariidae**
Tenagodus
obitusus (Schumacher, 1817)
senegalensis (Récluz in Mørch, 1860)
- Family Turritellidae**
Mesalia
brevialis (Lamarck, 1822)
Turritella
communis Risso, 1826
decipiens Monterosato, 1878
turbona Monterosato, 1877
Tachyrhynchus
spitzbergensis Golikov, 1986
- Family Triphoridae**
Cheirodonta
pallescens (Jeffreys, 1867)
Cosmotriphora
melanura (Adams C.B., 1850)
Marshallora
adversa (Montagu, 1803)
Monophorus
erythrosoma (Bouchet & Guillemot, 1978)
perversus (Linné, 1758)
thiriota Bouchet, 1985
- Obesula*
marisnstri Bouchet, 1985
Pogonodon
pseudocanaricus (Bouchet, 1985)
Nototriphora
canarica Nordsieck & Talavera, 1979
- Similiphora*
similior (Bouchet & Guillemot, 1978)
tricolata (Bouchet, 1997)
- Strobiligera*
brychia (Bouchet & Guillemot, 1978)
flammulata Bouchet & Warén, 1993
lubrica Bouchet & Warén, 1993
- Metaxia*
abrupta (Watson, 1880)
bacillum (Issel, 1869)
metaxae (delle Chiaje, 1828)
- Family Cerithiopsidae**
Cerithiopsis
atalaya Watson, 1885
barleei Jeffreys, 1867
perlata (Monterosato, 1889)
diadema Monterosato, 1874
fayalensis Watson, 1886
horrida (Monterosato, 1874)
jeffreysi Watson, 1885
minima (Brusina, 1865)
nofronii Amati, 1987
pulvis (Issel, 1869)

- scalaris* (Locard, 1892)
tenthrenoides (Melvill, 1896)
tuberculatus (Montagu, 1803)
- Cerithiella**
amblytera (Watson, 1880)
enodis (Watson, 1880)
insignis (Jeffreys, 1885)
metula (Lovén, 1846)
- Triforis**
anel pistos (Bouchet & Fechter, 1981)
superstes (Bouchet & Fechter, 1981)
- Dizoniopsis**
coppolae (Aradas, 1870)
micalii Cecalupo & Villari, 1997
- Ektonus**
turbanilloides (Dautzenberg & Fischer H., 1896)
- Krachia**
cossmanni (Dautzenberg & Fischer H., 1896)
cylindrata (Jeffreys, 1885)
guernei (Dautzenberg & Fischer H., 1896)
obeliscoidea (Jeffreys, 1885)
tiara (Monterosato, 1874)
- Laeocochlis**
sinistratus (Nyst, 1835)
- Onchodia**
valeriae (Giusti Fr., 1987)
- Seila**
trilineata (Philippi, 1836)
- Eumetula**
aliceae (Dautzenberg & Fischer H., 1896)
arctica (Mørch, 1857)
bouvieri (Dautzenberg & Fischer H., 1896)
- Family Janthinidae**
- Janthina**
exigua Lamarck, 1816
janthina (Linné, 1758)
nitens Menke, 1828
pallida Thompson W., 1840
- Family Acididae**
- Aclis**
ascaris (Turton, 1819)
attenuans Jeffreys, 1883
gulsonae (Clark W., 1850)
minor (Brown, 1827)
sarsi Dautzenberg & Fischer H., 1912
trilineata Watson, 1897
verduini van Aartsen, Menhorst & Gittenberger, 1984
vitrea Watson, 1897
walleri Jeffreys, 1867
- Discalis**
canariensis Moolenbeek & Warén, 1987
- Family Epitonidae**
- Epitonium**
aculeatum (Allan, 1818)
algerianum (Weinkauf, 1866)
candidissimum (Monterosato, 1877)
celesti (Aradas, 1854)
clathratulum (Kanmacher, 1798)
commune (Lamarck, 1822)
dallianum (Verrill & Smith, 1880)
delicatulum (Adams H., 1869)
dendrophylliae Bouchet & Warén, 1986
fischeri (Watson, 1897)
fulvovittatum (Dautzenberg, 1890)
greenlandicum (Perry, 1811)
hispidulum (Monterosato, 1874)
jolyi (Monterosato, 1878)
linctum (de Boury & Monterosato, 1890)
nanum (Jeffreys, 1884)
pseudonanum Bouchet & Warén, 1986
pulchellum (Bivona, 1832)
rhips (Watson, 1897)
semidisjunctum (Jeffreys, 1884)
- striatissimum* (Monterosato, 1878)
tiberii (de Boury, 1890)
trevelyanum (Thompson W., 1840)
tryoni (de Boury, 1913)
turtonis (Turton, 1819)
vittatum (Jeffreys, 1884)
webbii (d'Orbigny, 1840)
- Cycloscala**
hyalina (Sowerby G.B. II, 1844)
- Acisra**
coarctata (Jeffreys, 1884)
subdecussata (Cantraine, 1835)
- Acriloscala**
lamyi (de Boury, 1909)
- Alora**
retifera Bouchet & Warén, 1986
tenerrima (Dautzenberg & Fischer H., 1896)
- Cirsorema**
cochlea (Sowerby G.B. II, 1844)
- Claviscala**
richardi (Dautzenberg & de Boury, 1897)
- Cylindriscala**
acus (Watson, 1883)
auricula Bouchet & Warén, 1986
guernei (Dautzenberg & de Boury, 1897)
jeffreysi (Tryon, 1887)
mirifica (Fischer P. in Filhol, 1886)
thalassae Bouchet & Warén, 1986
vicina (Dautzenberg & de Boury, 1897)
- Gregorioscalca**
exfoliata Bouchet & Warén, 1986
pachya (Locard, 1897)
sarsi (Kobelt, 1904)
- Gyroscalca**
lamellosa (Lamarck, 1822)
- Opalia**
abbotti Clench & Turner, 1952
crenata (Linné, 1758)
fortunata Bouchet & Warén, 1986
hellenica (Forbes, 1844)
- Periapta**
gracilis (Verrill, 1880)
polygyrella (Fischer P. in Locard, 1897)
- Punctiscala**
cerigottana (Sturany, 1896)
- Eccliseogrya**
exquisita Bouchet & Warén, 1986
folini (Dautzenberg & de Boury, 1897)
formosissima (Jeffreys, 1884)
monnioti Bouchet & Warén, 1986
nitida (Verrill & Smith in Verrill, 1885)
sericea Bouchet & Warén, 1986
- Iphitus**
cancellatus Dautzenberg & Fischer H., 1896
marshalli (Sykes, 1925)
tuberatus Jeffreys, 1883
- Narrimania**
concinna (Sykes, 1925)
- Opaliopsis**
atlantis (Clench & Turner, 1952)
- Papuliscala**
cerithielloides Bouchet & Warén, 1986
elongata (Watson, 1881)
praelonga (Jeffreys, 1877)
tavianii Bouchet & Warén, 1986
- Family Eulimidae**
- Eulima**
altilimirai Nordsieck, 1977
anonyma Bouchet & Warén, 1986
bilineata Alder, 1848
chionea Bouchet & Warén, 1986
confusa Bouchet & Warén, 1986
devistoma Bouchet & Warén, 1986
fuscozonata Bouchet & Warén, 1986
glabra (da Costa, 1778)

- leptozena* Dautzenberg & Fischer H., 1896
strongylostoma Bouchet & Warén, 1986
Acrochalix
callosa Bouchet & Warén, 1986
Auriculigerina
miranda Dautzenberg, 1925
Bathewulma
abbreviata (Jeffreys, 1884)
fuscoapicata (Jeffreys, 1884)
Bathyrycincola
curta (Warén, 1972)
macrapex Bouchet & Warén, 1986
micrapex Bouchet & Warén, 1986
talaena (Dautzenberg & Fischer H., 1897)
Bulimeulima
magna Bouchet & Warén, 1986
Campylorhaphion
famelicum (Watson, 1883)
machaeropse (Dautzenberg & Fischer H., 1896)
Costaclis
mizon (Watson, 1881)
Crinolamia
angustispira Bouchet & Warén, 1986
dahli Bouchet & Warén, 1979
Crinophtheiros
comatuliculus (Graff, 1875)
giustii Gaglini, 1991
junii (de Folin, 1887)
Curveulima
macrophthalmica (Warén, 1972)
marshalli Bouchet & Warén, 1986
obliquistoma Bouchet & Warén, 1986
Enteroxenos
oestergreni Bonnevie, 1902
Entocolax
ludwigi Voigt, 1888
Entoconcha
mirabilis (Müller J., 1852)
Ersilia
mediterranea (Monterosato, 1869)
Eulitoma
arca Bouchet & Warén, 1986
insignis (Dautzenberg & Fischer H., 1896)
josephinae Bouchet & Warén, 1986
obtusiuscula Bouchet & Warén, 1986
Fuscapex
baptocephalus (Dautzenberg & Fischer H., 1896)
cabiochi Bouchet & Warén, 1986
major Bouchet & Warén, 1986
microcostellatus Bouchet & Warén, 1986
talismanni Bouchet & Warén, 1986
Fuseulima
boscheineni (Engl, 1998)
fulva (Watson, 1897)
ingolfiana Bouchet & Warén, 1986
minuta (Jeffreys, 1884)
projectilabrum Bouchet & Warén, 1986
sordida (Watson, 1897)
thalassae Bouchet & Warén, 1986
Haliella
canarica Bouchet & Warén, 1986
stenostoma (Jeffreys, 1858)
Halielloides
fragilis Bouchet & Warén, 1986
nitidus (Verrill, 1884)
Hemiaclis
major Bouchet & Warén, 1986
obtusus Bouchet & Warén, 1986
ventrosus (Friele, 1876)
Megadenus
oneirophantae Bouchet & Lützen, 1980
Melanella
alba (da Costa, 1778)
boscii (Payraudeau, 1826)
charissa (Verrill, 1884)
compactilis (Monterosato, 1884)
costellata (Dautzenberg & Fischer H., 1897)
crosseana (Brusina, 1886)
densicostata Bouchet & Warén, 1986
doederleini (Brusina, 1886)
frielei (Jordan, 1895)
gagei Bouchet & Warén, 1986
glypta Bouchet & Warén, 1986
halopora (Dautzenberg & Fischer H., 1896)
inconspicua (Watson, 1897)
insculpta Bouchet & Warén, 1986
jeffreysi (Tryon, 1886)
laurae (Friele, 1886)
lineata (Monterosato, 1869)
lubrica (Monterosato, 1890)
lucida (Verrill, 1884)
martynjordani (Jordan, 1895)
microsculpta Bouchet & Warén, 1986
monterosatoi (Monterosato, 1890)
myriotrochi Bouchet & Warén, 1986
obtusoapicata Bouchet & Warén, 1986
orphanensis Clarke A.H., 1974
petitiana (Brusina, 1869)
planisulis Bouchet & Warén, 1986
polita (Linné, 1758)
praecurta (Pallary, 1904)
pseudoglabra (Dautzenberg & Fischer H., 1912)
reticulata Bouchet & Warén, 1986
richardi (Dautzenberg & Fischer H., 1896)
similior Bouchet & Warén, 1986
spiridioni (Dautzenberg & Fischer H., 1896)
stalioi (Brusina, 1869)
translucens (Monterosato, 1890)
trunca (Watson, 1897)
turbanilloides Bouchet & Warén, 1986
turrita Bouchet & Warén, 1986
Mucronalia
mammillata Dall, 1927
Nanobalcis
nanus (Monterosato, 1878)
Niso
foresti Bouchet & Warén, 1986
Oceanida
confluens Bouchet & Warén, 1986
Ophieulima
minima (Dall, 1927)
Ophiolamia
fragilissima Bouchet & Warén, 1986
Parastilbe
acuta (Jeffreys, 1884)
Parvioris
ibizencus (Nordsieck, 1968)
Pelseneeria
media Koehler & Vaney, 1908
minor Koehler & Vaney, 1908
profunda Koehler & Vaney, 1908
striata Bouchet & Warén, 1986
stylifera (Turton, 1825)
Echineulima
mittrei (Petit de la Saussaye, 1851)
Pisolania
brychia (Watson, 1883)
Rectilabrum
lanceolatum Bouchet & Warén, 1986
Sabinella
pachya (Dautzenberg & Fischer H., 1896)
piriformis Brugnone, 1873
Slichteulima
badia (Watson, 1897)
jeffreysiana (Brusina, 1869)
lata Bouchet & Warén, 1986
lentiginosa (Adams A., 1861)
richteri (Engl, 1997)
wareni (Engl, 1997)
Umbilibalcis

- crassulus* Bouchet & Warén, 1986
subumbilicatus (Jeffreys, 1883)
- Vitreolina**
antiflexa Monterosato, 1884
cionella (Monterosato, 1878)
curva (Monterosato, 1874)
incurva (Bucquoy, Dautzenberg & Dollfus, 1883)
knudseni Bouchet & Warén, 1986
levantina Oliverio, Buzzurro & Villa, 1994
permixta (Jeffreys, 1883)
philippi (de Raynal & Ponzi, 1854)
- Family Littorinidae**
Melarhaphe
neritoidea (Linné, 1758)
Nodilittorina
punctata (Gmelin, 1791)
Littorina
arcana Hannaford-Ellis, 1978
sabalis (Turton, 1825)
littorea (Linné, 1758)
compressa Jeffreys, 1865
obtusata (Linné, 1758)
saxatilis (Olivi, 1792)
striata King & Broderip, 1832
- Family Lacunidae**
Lacuna
crassior (Montagu, 1803)
pallidula (da Costa, 1778)
parva (da Costa, 1778)
vincta (Montagu, 1803)
- Family Skeneopsidae**
Skeneopsis
planorbis (Fabricius O., 1780)
sultanicum Gofas, 1983
- Family Zerotulidae**
Zerotula
incognita Warén & Hain, 1996
- Family Cingulopsidae**
Eatonina
celata (Monterosato, 1884)
cossuriae (Calcaria, 1841)
fulgida (Adams J., 1797)
maiilidae Rubio & Rodriguez Babio, 1996
ochroleuca (Brusina, 1869)
pumila (Monterosato, 1884)
- Tubbrevia**
micrometrica (Aradas & Benoit, 1876)
- Family Rissoidae**
Rissoa
aartseni Verduin, 1985
albugo Watson, 1873
alleryi (Nordsieck, 1972)
angustior (Monterosato, 1917)
auriformis Pallary, 1904
auriscalpium (Linné, 1758)
decorata Philippi, 1846
frauenseldiana Brusina, 1868
gemmula Fischer P. in de Folin, 1869
gomerica (Nordsieck & Talavera, 1979)
guernei Récluz, 1843
italiensis Verduin, 1985
janusi (Nordsieck, 1972)
lilacina Récluz, 1843
lia (Monterosato, 1884)
membranacea (Adams J., 1800)
monodonta Philippi, 1836
multicincta (Smriglio & Mariottini, 1995)
multicostata (Nordsieck & Talavera, 1979)
panhormensis Verduin, 1985
paradoxa (Monterosato, 1884)
parva (da Costa, 1778)
pseudoguerini (Nordsieck & Talavera, 1979)
- rodhensis* Verduin, 1985
scurra (Monterosato, 1917)
similis Scacchi, 1836
splendida Eichwald, 1830
torquilla Pallary, 1912
variabilis (Von Mihlfeldt, 1824)
ventricosa Desmarest, 1814
violacea Desmarest, 1814
- Pusillina**
amblia (Watson, 1886)
benzi (Aradas & Maggiore, 1844)
ehrenbergi (Philippi, 1844)
inconspicua (Alder, 1844)
lineolata (Michaud, 1832)
marginata (Michaud, 1832)
metivieri Bouchet & Warén, 1993
munda (Monterosato, 1884)
philippi (Aradas & Maggiore, 1844)
radiata (Philippi, 1836)
sarsi (Lovén, 1846)
testudae (Verduin, 1979)
- Setia**
aartseni (Verduin, 1984)
amabilis (Locard, 1886)
ambigua (Brugnone, 1873)
anselmoi (van Aartsen & Engl, 1999)
antiopolitana (van der Linden & Wagner, 1987)
bruggenii (Verduin, 1984)
gittenbergeri (Verduin, 1984)
jansseni (Verduin, 1984)
kuiperi (Verduin, 1984)
lacourtii (Verduin, 1984)
latior (Mighels & Adams, 1842)
lidya Verduin, 1988
maculata (Monterosato, 1869)
miae Verduin, 1988
microbia Hoenselaar & Hoenselaar, 1991
pulcherrima (Jeffreys, 1848)
quisquilarum (Watson, 1886)
scillae (Aradas & Benoit, 1876)
slifikorum (Verduin, 1984)
subvaricosa Gofas, 1990
tiberiana (Issel, 1869)
ugesae Verduin, 1988
valvatoides (Milaschewitsch, 1909)
- Rudolphosetia**
fusca (Philippi, 1844)
- Alvania**
aartseni Verduin, 1986
abstersa van der Linden & van Aartsen, 1993
adiaphoros Bouchet & Warén, 1993
adinogramma Bouchet & Warén, 1993
aeoliae Palazzi, 1988
algeriana (Monterosato, 1877)
amatii Oliverio, 1986
angioyi van Aartsen, 1982
angularis (Warén, 1996)
aspera (Philippi, 1844)
aurantiaca (Watson, 1873)
basteriae (Moolenbeek & Faber, 1986)
beani (Hanley in Thorpe, 1844)
canariensis (d'Orbigny, 1840)
cancapae Bouchet & Warén, 1993
cancellata (da Costa, 1778)
carinata (da Costa, 1778)
cimex (Linné, 1758)
cinicoides (Forbes, 1844)
cingulata (Philippi, 1836)
clarae (Nofroni & Pizzini, 1991)
clathrella (Seguenza L., 1903)
colossaliphila Oberling, 1970
consociella Monterosato, 1884
corona Nordsieck, 1972
coeli (Gofas, 1999)
datchaensis Amati & Oliverio, 1987

- dianensis* Oliverio, 1988
dictyophora (Philippi, 1844)
dijkstrai (Hoenselaar & Goud, 1998)
dipacoi Giusti Fr. & Nofroni, 1989
discors (Allan, 1818)
disparilis Monterosato, 1890
dorbignyi (Audouin, 1826)
electa (Monterosato, 1874)
elegantissima (Monterosato, 1875)
euchila (Watson, 1886)
fischeri (Jeffreys, 1884)
formicarum Gofas, 1989
fractospira (Oberling, 1970)
gagliniae Amati, 1985
geryonia (Nardo, 1847)
guancha Moolenbeek & Hoenselaar, 1989
hallgassi Amati & Oliverio, 1985
hirta (Monterosato, 1884)
hispidula (Monterosato, 1884)
imperspicua (Pallary, 1920)
incognita (Warén, 1996)
internodula (Hoenselaar & Goud, 1998)
iunoniae Palazzi, 1988
jeffreysi (Waller, 1864)
johannae (Moolenbeek & Hoenselaar, 1998)
joseae (Hoenselaar & Goud, 1998)
lactea (Michaud, 1832)
lamellata Dautzenberg, 1889
lanciae (Calcaria, 1845)
leacocki (Watson, 1873)
lineata Risso, 1826
litoralis (Nordsieck, 1972)
lucinae Oberling, 1970
macandrewi (Manzoni, 1868)
mamillata Risso, 1826
marchadi (Gofas, 1999)
mediolittoralis Gofas, 1989
microstriata (Hoenselaar & Goud, 1998)
minuta (Golikov & Fedjakov in Scarlato, 1987)
moerchi (Collin, 1886)
moniziana (Watson, 1873)
multiquadrata van der Linden & Wagner, 1989
nestaresi Oliverio & Amati, 1990
nonsculpta (Hoenselaar & Goud, 1998)
obliqua Warén, 1974
pagodula (Bucquoy, Dautzenberg & Dollfus, 1884)
parvula (Jeffreys, 1884)
piersmai Moolenbeek & Hoenselaar, 1989
platycephala Dautzenberg & Fischer H., 1896
porcupinae Gofas & Warén, 1982
poucheti Dautzenberg, 1889
pseudoareolata Warén, 1974
pseudosyngenes Warén, 1973
punctura (Montagu, 1803)
renei (Hoenselaar & Goud, 1998)
rudis (Philippi, 1844)
scabra (Philippi, 1844)
schwartziana Brusina, 1866
scrobiculata (Møller, 1842)
sculptilis (Monterosato, 1877)
settepassii Amati & Nofroni, 1985
simulans Locard, 1886
steuersi (Amati, 1987)
slieringsi (Hoenselaar & Goud, 1998)
sororecula Granata-Grillo, 1877
spinosa (Monterosato, 1890)
stenolopha Bouchet & Warén, 1993
subareolata Monterosato, 1869
subcalathus (Dautzenberg & Fischer H., 1906)
subcrenulata (Bucquoy, Dautzenberg & Dollfus, 1884)
subsoluta (Aradas, 1847)
tarsodes (Watson, 1886)
tenera (Philippi, 1844)
tessellata Weinkauff, 1868
- testae* (Aradas & Maggiore, 1844)
tomentosa (Pallary, 1920)
verrilli (Friele, 1886)
watsoni (Schwartz in Watson, 1873)
weinkauffi Weinkauff, 1868
wyvillethomsoni (Friele, 1877)
zetlandica (Montagu, 1815)
zoderi (Hoenselaar & Goud, 1998)
zylenensis Gofas & Warén, 1982
- Amphirissa*
cyclostomoides Dautzenberg & Fischer H., 1897
- Benthonella*
tenella (Jeffreys, 1869)
- Benthonellania*
agastyches Bouchet & Warén, 1993
fayalensis (Watson, 1886)
oligostigma Bouchet & Warén, 1993
- Boreocingula*
castanea (Møller, 1842)
- Cingula*
trifasciata (Adams J., 1800)
- Crisilla*
amphiglypha Bouchet & Warén, 1993
beniamina (Monterosato, 1884)
callosa (Manzoni, 1868)
chiarelli (Cecalupo & Quadri, 1995)
cristallinula (Manzoni, 1868)
depicta (Manzoni, 1868)
lincta (Watson, 1873)
marioni Fasulo & Gaglini, 1987
permixta (Manzoni, 1868)
picta (Jeffreys, 1867)
postrema (Gofas, 1990)
semistriata (Montagu, 1808)
spadix (Watson, 1897)
- Frigidoalvania*
cruenta (Odhner, 1915)
janmayeni (Friele, 1878)
thalassae Bouchet & Warén, 1993
- Gofasia*
galiciae Bouchet & Warén, 1993
josephinae Bouchet & Warén, 1993
vanderlandi Bouchet & Warén, 1993
- Manzonia*
boogi Moolenbeek & Faber, 1987
boucheti Amati, 1992
castanea Moolenbeek & Faber, 1987
crassa (Kanmacher, 1798)
crispa (Watson, 1873)
darwini Moolenbeek & Faber, 1987
dionisi Rolán, 1987
gibbera (Watson, 1873)
guitiani Rolán, 1987
heroensis Moolenbeek & Hoenselaar, 1992
madeirensis Moolenbeek & Faber, 1987
overdiepi van Aartsen, 1983
pelorum Moolenbeek & Faber, 1987
unifasciata Dautzenberg, 1889
vigoensis (Rolán, 1983)
wilmae Moolenbeek & Faber, 1987
- Obtusella*
intersecta (Wood S., 1857)
macilenta (Monterosato, 1880)
roseotincta (Dautzenberg, 1889)
tumidula (Sars G.O., 1878)
- Onoba*
aculeus (Gould, 1841)
dimassai Amati & Nofroni, 1991
gianninii (Nordsieck, 1974)
guzmani Hoenselaar & Moolenbeek, 1987
improcera (Warén, 1996)
islandica (Friele, 1876)
josae Moolenbeek & Hoenselaar, 1987
leptalea (Verill, 1884)
manzoniana Rolán, 1987

- mighelsi* (Stimpson, 1851)
moreleti Dautzenberg, 1889
obliqua (Warén, 1974)
semicostata (Montagu, 1803)
tarifensis Hoenselaar & Moolenbeek, 1987
torelli (Warén, 1996)
- Plagyostila**
asturiana Fischer P. in de Folin, 1872
- Peringiella**
denticulata Ponder, 1985
elegans (Locard, 1892)
- Botryphallus**
epidauricus (Brusina, 1866)
ovummuscae (Gofas, 1990)
- Pseudosetia**
amydroax Bouchet & Warén, 1993
azorica Bouchet & Warén, 1993
ficariensis (Brugnone, 1876)
semipellucida (Friele, 1879)
turgida (Jeffreys, 1870)
- Rissoina**
bertholleti Issel, 1869
bruguieri (Payraudeau, 1826)
- Zebina**
paivensis (Watson, 1873)
robustior (Gofas, 1999)
- Family Adeorbidae**
Circulus
striatus (Philippi, 1836)
supranitidus (Wood S., 1848)
tricarinatus (Wood S., 1848)
- Teinostoma**
azoricum (Dautzenberg & Fischer H., 1896)
- Family Anabathridae**
Nodulus
contortus (Jeffreys, 1856)
- Pisinna**
glabrata (Von Mühlfeldt, 1824)
- Family Assimineidae**
Assiminea
grayana Fleming, 1828
Paludinella
littorina (delle Chiaje, 1828)
- Family Barleeidae**
Barleeia
gougeti (Michaud, 1830)
seminulum (Monterosato, 1877)
unifasciata (Montagu, 1803)
- Family Caecidae**
Caecum
armoricum de Folin, 1869
atlantidis Watson, 1897
auriculatum de Folin, 1868
clarkii Carpenter, 1859
elegantissimum (Carpenter, 1859)
engli (Nofroni, Pizzini & Oliverio, 1997)
eunoai (Nofroni, Pizzini & Oliverio, 1997)
glabrum (Montagu, 1803)
pollicare Carpenter, 1859
searleswoodi Carpenter, 1859
subannulatum de Folin, 1870
swinneni (Nofroni, Pizzini & Oliverio, 1997)
trachea (Montagu, 1803)
vitreum (Carpenter, 1859)
- Parastrophia**
asturiana de Folin, 1870
- Family Elachisinae**
Laeviphitus
verduini van Aartsen, Bogi & Giusti, 1989
- Elachisina**
canarica Nordsieck & Talavera, 1979
globulooides (Warén, 1972)
- Family Hydrobiidae**
- Hydrobia**
acuta (Draparnaud, 1805)
joossei van Aartsen, Menkhorst & Gittenberger, 1984
neglecta Muus, 1963
ulvae (Pennant, 1777)
ventrosa (Montagu, 1803)
- Heleobia**
stagnorum (Gmelin, 1791)
- Family Iravadiidae**
Ceratia
proxima (Forbes & Hanley, 1850)
- Hyala**
vitrea (Montagu, 1803)
- Family Tornidae**
Tornus
mienisi (van Aartsen, Carrozza & Menkhorst, 1998)
subcarinatus (Montagu, 1803)
- Discopsis**
costulatus (de Folin, 1870)
- Family Truncatellidae**
Truncatella
subcylindrica (Linné, 1767)
- Family Vermetidae**
Vermetus
granulatus (Gravenhorst, 1831)
rugulosus Monterosato, 1878
semisorrectus Bivona Ant., 1832
triquetrus Bivona Ant., 1832
- Dendropoma**
anguliferum (Monterosato, 1884)
petraeum (Monterosato, 1884)
- Petalonconchus**
glomeratus (Linné, 1758)
- Serpulorbis**
arenarius (Linné, 1767)
- Family Strombidae**
Strombus
persicus (Swainson, 1821)
- Family Aporrhaidae**
Aporrhais
pespelecani (Linné, 1758)
serresianus (Michaud, 1828)
- Family Vanikoridae**
Larsenia
scalaroides Warén, 1989
- Macromphalus**
abyensis Warén & Bouchet, 1988
- Megalomphalus**
azonus (Brusina, 1865)
disciformis (Granata-Grillo, 1877)
petitianus (Tiberi, 1869)
- Talassia**
coriacea (Manzoni, 1868)
daguenneti (de Folin, 1873)
tenuisculpta (Watson, 1873)
- Family Hippocoridae**
Hipponix
conicus (Schumacher, 1817)
- Leptonotis**
perplexus (Suter, 1907)
- Family Xenophoridae**
Xenophora
crispa (Koenig, 1825)
- Family Calyptaeidae**
Calyptaea
chinensis (Linné, 1758)
- Crepidula**
calyptraeiformis Deshayes, 1830
fornicata (Linné, 1758)
gibbosa Defrance, 1818
porcellana Linné, 1758
unguiformis Lamarck, 1822

Family Haloceratidae	<i>Pseudosimnia</i>
<i>Haloceras</i>	<i>carnea</i> (Poiret, 1789)
<i>carinatus</i> (Jeffreys, 1883)	
<i>cingulatus</i> (Verrill, 1884)	
<i>laxus</i> (Jeffreys, 1885)	
<i>mediocostatus</i> (Dautzenberg & Fischer H., 1896)	
<i>tricarinatus</i> (Jeffreys, 1885)	
Family Capulidae	<i>Simnia</i>
<i>Capulus</i>	<i>nicaensis</i> Risso, 1826
<i>simplex</i> Locard, 1898	<i>patula</i> (Pennant, 1777)
<i>ungaricus</i> (Linné, 1758)	<i>purpurea</i> Risso, 1826
<i>Torellia</i>	<i>Primovula</i>
<i>delicata</i> (Philippi, 1844)	<i>bellociae</i> (Cardin, 1997)
<i>didyma</i> Bouchet & Warén, 1993	<i>Pedicularia</i>
<i>Trichotropis</i>	<i>sicula</i> Swainson, 1840
<i>borealis</i> Broderip & Sowerby G.B. I, 1829	
<i>conicus</i> Møller, 1842	Family Naticidae
<i>bicarinatus</i> subsp. <i>tenuis</i> Smith E.A., 1877	<i>Natica</i>
Family Lamellariidae	<i>canariensis</i> Odhner, 1932
<i>Lamellaria</i>	<i>dillwynii</i> Payraudeau, 1826
<i>latens</i> (Müller O.F., 1776)	<i>furva</i> Watson, 1897
<i>perspicua</i> (Linné, 1758)	<i>gualteriana</i> Récluz, 1844
<i>Calyptococoncha</i>	<i>hebraea</i> (Martyn, 1784)
<i>pellucida</i> (Verrill, 1880)	<i>prietoi</i> (Hidalgo, 1873)
<i>Marseniella</i>	<i>stercusmuscarum</i> (Gmelin, 1791)
<i>borealis</i> Bergh, 1886	<i>vittata</i> (Gmelin, 1791)
<i>Marsenina</i>	Cryptonatica
<i>glabra</i> (Couthouy, 1839)	<i>affinis</i> (Gmelin, 1791)
Family Velutinidae	<i>bathybii</i> (Friele, 1879)
<i>Velutina</i>	<i>operculata</i> (Jeffreys, 1885)
<i>lanigera</i> Møller, 1842	Tectonatica
<i>plicatilis</i> (Müller O.F., 1776)	<i>filosa</i> (Philippi, 1845)
<i>scheideri</i> Friele, 1886	<i>rizzae</i> (Philippi, 1844)
<i>undata</i> Smith J., 1839	Euspira
<i>velutina</i> (Müller O.F., 1776)	<i>catena</i> (da Costa, 1778)
<i>Onchidiopsis</i>	<i>fusca</i> (de Blainville, 1825)
<i>glacialis</i> (Sars M., 1851)	<i>grossularia</i> (Marche-Marchad, 1957)
<i>latissima</i> Odhner, 1913	<i>guillemini</i> (Payraudeau, 1826)
<i>spitzbergensis</i> Jensen in Thorson, 1944	<i>macilenta</i> (Philippi, 1844)
<i>Piliscus</i>	<i>montagui</i> (Forbes, 1838)
<i>commodus</i> (Middendorff, 1851)	<i>notabilis</i> Jeffreys, 1885
<i>Pseudotorellia</i>	<i>obtusa</i> (Jeffreys, 1885)
<i>fragilis</i> Warén, 1989	<i>pallida</i> (Broderip & Sowerby G.B. I, 1829)
Family Triviidae	<i>phaeocephala</i> (Dautzenberg & Fischer H., 1896)
<i>Trivia</i>	<i>presubplicata</i> (Bouchet & Warén, 1993)
<i>arcica</i> (Pulteney, 1799)	<i>pulchella</i> (Risso, 1826)
<i>bitou</i> Pallary, 1913	<i>subplicata</i> (Jeffreys, 1885)
<i>levantina</i> (Smriglio, Mariottini & Buzzurro, 1998)	Amauroopsis
<i>monacha</i> (da Costa, 1778)	<i>brassiculina</i> (Locard, 1897)
<i>multilirata</i> Sowerby G.B. II, 1870	<i>islandica</i> (Gmelin, 1791)
<i>pulex</i> (Solander in Gray J.E., 1828)	<i>sphaeroides</i> (Jeffreys, 1877)
<i>spongicola</i> (Monterosato, 1923)	Bulbus
Family Eratoidae	<i>globosus</i> (Jeffreys, 1885)
<i>Erato</i>	<i>smithii</i> Brown, 1839
<i>voluta</i> (Montagu, 1803)	Pseudopolinices
Family Cypraeidae	<i>nanus</i> (Møller, 1842)
<i>Erosaria</i>	Neverita
<i>spurca</i> (Linné, 1758)	<i>josephinia</i> Risso, 1826
<i>turdus</i> (Lamarck, 1810)	Payraudeautia
<i>Luria</i>	<i>intricata</i> (Donovan, 1804)
<i>lurida</i> (Linné, 1758)	Sinum
<i>Purpuradusta</i>	<i>bifasciatum</i> (Récluz, 1851)
<i>gracilis</i> (Gaskoin, 1849)	Family Tonnidae
<i>Schilderia</i>	<i>Tonna</i>
<i>achatidea</i> (Gray in Sowerby G.B. II, 1837)	<i>galea</i> (Linné, 1758)
<i>Zonaria</i>	Eudolium
<i>pyrum</i> (Gmelin, 1791)	<i>bairdii</i> (Verrill & Smith, 1881)
Family Ovulidae	Family Cassidae
<i>Aperiowlia</i>	<i>Galeoidea</i>
<i>adriatica</i> (Sowerby G.B. I, 1828)	<i>echinophora</i> (Linné, 1758)
<i>juanjosensis</i> Perez & Gomez, 1987	<i>rugosa</i> (Linné, 1771)
<i>Neosimnia</i>	Oocorys
<i>spelta</i> (Linné, 1758)	<i>sulcata</i> Fischer P., 1883
	Phalium
	<i>granulatum</i> (Von Born, 1778)
	<i>saburon</i> (Bruguière, 1792)
	Family Laubierinidae
	<i>Laubierina</i>
	<i>peregrinator</i> Warén & Bouchet, 1990
	Family Ranellidae

- Ranella**
olearium (Linné, 1758)
- Charonia**
lampas (Linné, 1758)
tritonis subsp. *variegata* Lamarck, 1816
- Cymatium**
aquatile (Reeve, 1844)
corrugatum (Lamarck, 1816)
kobelti (Von Maltzan, 1884)
labiosum (Wood W., 1828)
martinianum (d'Orbigny, 1847)
muricinum (Röding, 1798)
nicobaricum (Röding, 1798)
parthenopeum (Von Salis, 1793)
pharcidum (Dall, 1889)
trambiquecum (Lamarck, 1816)
trigonum (Gmelin, 1791)
- Cabestana**
cutacea (Linné, 1767)
dolaria (Linné, 1767)
- Linatella**
caudata (Gmelin, 1791)
- Family Pisaniuridae**
Pisanianura
grimaldii (Dautzenberg, 1899)
- Family Personidae**
Distorsio
perdistorta (Fulton, 1938)
- Family Bursidae**
Bursa
marginata (Gmelin, 1791)
scrabiculator (Linné, 1758)
ranelloides subsp. *tenuisculpta* Dautzenberg & Fischer H., 1906
thomae (d'Orbigny, 1842)
- Family Carinariidae**
Carinaria
mediterranea de Blainville, 1825
- Family Atlantidae**
Atlanta
fusca Souleyet, 1852
helicinoides Souleyet, 1852
inclinata Souleyet, 1852
infata Souleyet, 1852
lesueurii Souleyet, 1852
peresi Frontier, 1966
peronii Lesueur, 1817
- Oxygyrus*
keraudrenii (Lesueur, 1817)
- Protatlanta*
souleyeti (Smith E.A., 1888)
- Family Fiolidae**
Fioloida
desmarestia Lesueur, 1817
- Pterotrachea**
coronata Forskål, 1775
hippocampus Philippi, 1836
minuta Bonnevie, 1920
scutata Gegenbaur, 1855
- Family Muricidae**
Murex
forskoehlii Röding, 1798
- Aspella*
anceps (Lamarck, 1822)
- Bolinus*
brandaris (Linné, 1758)
cornutus (Linné, 1758)
- Murexiella*
bojadorensis (Locard, 1897)
- Dermomurex*
gosasi Houart, 1996
scalaroides (de Blainville, 1829)
- Hadriana*
- craticuloides* (Vokes, 1964)
- Hexaplex**
trunculus (Linné, 1758)
- Muricopsis**
aradasii (Poirier, 1883)
cristata (Brocchi, 1814)
medicago (Watson, 1897)
- Ocenebra**
chavesi Houart, 1996
erinacea (Linné, 1758)
inordinata Houart & Abreu, 1994
- Ocinebrina**
aciculata (Lamarck, 1822)
edwardsii (Payraudeau, 1826)
hybrida (Aradas & Benoit, 1876)
miscewichi Pallary, 1920
- Houartiella**
alboranensis Smriglio, Mariottini & Bonfitto, 1997
- Pterynotus**
atlantideus Bouchet & Warén, 1985
leucas (Locard, 1897)
- Trophon**
barvicensis (Johnston, 1825)
clathratus (Linné, 1767)
clavatus Sars G.O., 1878
dabneyi Dautzenberg, 1889
drouetti Dautzenberg, 1889
echinatus (Kiener, 1840)
fabricii Beck in Möller, 1842
muricatus (Montagu, 1803)
truncatus (Ström, 1768)
- Poirieria**
actinophora (Dall, 1889)
- Typhinellus**
sowerbyi (Broderip, 1833)
- Ergalatax**
obscura Houart, 1996
- Urosalpinx**
cinerea (Say, 1822)
- Thais**
lacerus (Von Born, 1778)
- Stramonita**
haemastoma (Linné, 1766)
- Nucella**
lapillus (Linné, 1758)
- Orania**
fusulus (Brocchi, 1814)
- Cytheromorula**
grayi (Dall, 1889)
- Rapana**
rapiformis (Von Born, 1778)
venosa (Valenciennes, 1846)
- Family Coralliophilidae**
Coralliophila
basis (Dautzenberg & Fischer H., 1896)
brevis (de Blainville, 1832)
meiyendorffii (Calcara, 1845)
panormitana (Monterosato, 1869)
richardi (Fischer P., 1882)
sofiae (Aradas & Benoit, 1876)
squamosa (Bivona Ant. in Bivona And., 1838)
- Littaxis**
benoiti (Tiberi, 1855)
cariniferus (Sowerby G.B. I, 1834)
sentix (Bayer, 1971)
- Family Fasciolariidae**
Fasciolaria
lignaria (Linné, 1758)
- Fusinus**
agadirensis (Hadorn & Rolán, 1999)
amiantus (Dall, 1889)
bocagei (Fischer P., 1882)
boucheti (Hadorn & Ryall, 1999)
crassus (Pallary, 1901)
marmoratus (Philippi, 1846)

- maroccensis* (Gmelin, 1791)
profetai (Nofroni, 1982)
pulchellus (Philippi, 1844)
rostratus (Olivii, 1792)
rudis (Philippi, 1844)
rusticulus (Monterosato, 1880)
syracusanus (Linné, 1758)
tenerifensis (Hadorn & Rolán, 1999)
- Latirus*
armatus Adams A., 1854
- Family Buccinidae**
- Buccinum*
abyssorum Verrill & Smith, 1884
angulosum Gray J.E., 1839
belcheri Reeve, 1845
ciliatum (Fabricius O., 1780)
conoideum Sars G.O., 1878
cyanum Bruguière, 1792
fimmarchianum Verkrüzen, 1875
glaciale Linné, 1761
humphreysianum Bennet, 1824
hydrophanum Hancock, 1846
kjennerudae Bouchet & Warén, 1985
maltzani Pfeffer, 1886
micropoma Thorson, 1944
nivale Friele, 1882
oblitum Sykes, 1911
parvulum Verkrüzen, 1875
polare Gray J.E., 1839
pulchellum Sars G.O., 1878
scalariforme Möller, 1842
superangulare Thorson & Oskarsson in Oskarsson, 1962
tumidulum Sars G.O., 1878
undatum Linné, 1758
- Belomitra*
quadruplex (Watson, 1882)
- Beringius*
ossiania (Friele, 1879)
turttoni (Bean, 1834)
- Buccinulum*
cornuum (Linné, 1758)
- Chauvetia*
affinis (Monterosato, 1889)
brunnea (Donovan, 1804)
candidissima (Philippi, 1836)
crassior (Odner, 1932)
decorata Monterosato, 1889
gjunchiorum (Micali, 1999)
lefebvrei (Maravigna, 1840)
lineolata (Tiberi, 1868)
obliqua Nordsieck & Talavera, 1979
procerula Monterosato, 1889
recondita (Brugnone, 1873)
retifera (Brugnone, 1880)
submamilata (Bucquoy, Dautzenberg & Dollfus, 1882)
turritellata (Deshayes, 1835)
ventrosa Nordsieck, 1976
- Colubraria*
canariensis Nordsieck & Talavera, 1979
reticulata (de Blainville, 1829)
- Colus*
altus (Wood S., 1848)
frielei (Kantor, 1981)
glaber (Kobelt, 1876)
gracilis (da Costa, 1778)
holboelli (Möller, 1842)
howsei (Marshall, 1902)
islandicus (Mohr, 1786)
jeffreysianus (Fischer P., 1868)
kroeyeri (Möller, 1842)
latericeus (Möller, 1842)
sabini (Gray J.E., 1824)
turgidulus (Friele, 1877)
- verkruzezeni* (Kobelt, 1876)
- Engina*
leucozona (Philippi, 1843)
- Kryptos*
koehleri (Locard, 1896)
- Liomesus*
ovum (Turton, 1825)
- Mohnia*
abyssorum (Fischer P., 1883)
caelata (Verrill & Smith, 1880)
danielsseni (Friele, 1879)
glypta (Verrill, 1882)
mohni (Friele, 1877)
parva (Verrill & Smith, 1882)
simplex (Verrill, 1884)
- Neptunea*
antiqua (Linné, 1758)
brevicauda (Deshayes, 1832)
contraria (Linné, 1771)
despecta (Linné, 1758)
- Pisania*
striata (Gmelin, 1791)
- Pollia*
assimilis (Reeve, 1846)
dorbignyi (Payraudeau, 1826)
scabra Locard, 1886
scacchiana (Philippi, 1844)
viverratoides (d'Orbigny, 1840)
- Troschelia*
berniensis (King, 1846)
- Turrisiphon*
dalli (Friele in Tryon, 1881)
fenestratus (Turton, 1834)
lachesis (Mørch, 1869)
moebii (Dunker & Metzger, 1874)
undulatus (Friele in Tryon, 1881)
voerungi Bouchet & Warén, 1985
- Volutopsis*
deformis (Reeve, 1847)
norwegicus (Gmelin, 1791)
- Euthriostoma*
saharicum (Locard, 1897)
- Family Nassariidae**
- Nassarius*
antiquatus (Watson, 1897)
circumcinctus (Adams A., 1852)
coralligenus (Pallary, 1900)
corniculum (Olivii, 1792)
cuvieri (Payraudeau, 1826)
denticulatus (Adams A., 1852)
elatus (Gould, 1845)
frigens (Von Martens, 1878)
gibbosulus (Linné, 1758)
goreensis (Von Maltzan, 1884)
granum (Lamarck, 1822)
heynemani (Von Maltzan, 1884)
incrassatus (Ström, 1768)
johni (Monterosato, 1889)
lima (Dillwyn, 1817)
louisi (Pallary, 1912)
mutabilis (Linné, 1758)
nitidus (Jeffreys, 1867)
ovoideus (Locard, 1886)
pfeifferi (Philippi, 1844)
arcularius subsp. *plicatus* (Röding, 1798)
pygmæus (Lamarck, 1822)
macrodon subsp. *recidivus* (Von Martens, 1876)
reticulatus (Linné, 1758)
robustus (Monterosato, 1890)
tinei (Maravigna in Guérin, 1840)
tingitanus (Pallary, 1901)
turulosus (Risso, 1826)
unifasciatus (Kiener, 1834)
vaucheri (Pallary, 1906)
- Cyclope*

- neritea* (Linné, 1758)
pellucida Risso, 1826
Demoulia
obtusata (Link, 1807)
Family Columbellidae
Columbella
rustica (Linné, 1758)
adansonii Menke, 1853
Amphissa
acuteostriata (Philippi, 1844)
Anachis
aliceae (Pallary, 1900)
avaroides Nordsieck, 1975
savignyi (Moazzo, 1939)
troglodytes (Souverbie in Souverbie & Montrouzier, 1866)
Mitrella
broderipi (Sowerby G.B. I, 1844)
bruggeni van Aartsen, Menkhorst & Gittenberger, 1984
gervillii (Payraudeau, 1826)
minor (Scacchi, 1836)
nitidulina (Locard, 1897)
ocellata (Gmelin, 1791)
ocellina (Nordsieck, 1975)
pallaryi (Dautzenberg, 1927)
rac (Dautzenberg, 1891)
rosacea (Gould, 1840)
scripta (Linné, 1758)
- Family Costellariidae**
Vexillum
dexenum (Deshayes, 1834)
ebenus (Lamarck, 1811)
granum (Forbes, 1844)
hypatiae (Pallary, 1913)
savignyi (Payraudeau, 1826)
tricolor (Gmelin, 1791)
zebrinum (d'Orbigny, 1840)
- Family Marginellidae**
Marginella
aronnax Bouchet & Warén, 1985
colomborum (Bozzetti, 1995)
gabella (Linné, 1758)
hesperia Sykes, 1905
impudica Fischer P., 1883
limbata Lamarck, 1822
marocana Locard, 1897
subturrita Fischer P., 1883
Volvarina
ampelusica Monterosato, 1906
ingolfi Bouchet & Warén, 1985
mitrella (Risso, 1826)
oceanica Gofas, 1989
olivaeformis (Kiener, 1834)
ptychasthenia Gofas, 1989
roberti Bavay, 1917
Granulina
boucheti Gofas, 1992
gofasi Smriglio & Mariottini, 1996
guancha (d'Orbigny, 1840)
gubbiolii (Smriglio & Mariottini, 1999)
guttula (La Perna, 1999)
marginalata (Bivona, 1832)
melitensis (Smriglio, Mariottini & Rufini, 1998)
minusculina (Locard, 1897)
occulta (Monterosato, 1869)
torosa Gofas, 1992
vanharenii (van Aartsen, Menkhorst & Gittenberger, 1984)
- Family Cystiscidae**
Gibberula
abyssicola Locard, 1897
caelata (Monterosato, 1877)
epigrus (Reeve, 1865)
- jansseni* van Aartsen, Menkhorst & Gittenberger, 1984
lazaroi (Contreras, 1992)
miliaria (Linné, 1758)
oryza (Lamarck, 1822)
philippii (Monterosato, 1878)
recondita Monterosato, 1884
secreta Monterosato, 1889
turgidula (Locard & Caziot, 1900)
vignali (Dautzenberg & Fischer H., 1896)
- Persicula**
canaryensis (Clover, 1972)
- Family Mitridae**
Mitra
corniculum (Linné, 1758)
cornea (Lamarck, 1811)
zonata Marryat, 1818
- Family Olividae**
Olivella
oteroi Bermejo, 1979
- Family Pseudolivididae**
Benthobia
tryonii Dall, 1889
- Family Turbinellidae**
Latiromitra
cryptodon (Fischer P., 1882)
Metzgeria
alba (Wyville-Thompson, 1873)
gagei Bouchet & Warén, 1985
- Family Volutidae**
Cymbium
cucumis Röding, 1798
olla (Linné, 1758)
tritonis (Broderip, 1830)
Ampulla
priamus (Gmelin, 1791)
- Family Volutomitridae**
Volutomitra
groenlandica (Beck in Möller, 1842)
Microvoluta
superstes Bouchet & Warén, 1985
- Family Cancillariidae**
Cancillaria
cancellata (Linné, 1767)
coronata Scacchi, 1835
similis Sowerby G.B. I, 1833
Axerella
minima (Reeve, 1856)
Broccchinia
azorica (Bouchet & Warén, 1985)
clenchi Petit R.E., 1986
cornidei (Altimira, 1978)
nodosa (Vertill & Smith, 1885)
pusilla (Adams H., 1869)
Solatia
piscatoria (Gmelin, 1791)
Admete
contabulata Friele, 1879
sadko Gorbulov, 1946
viridula (Fabricius O., 1780)
- Iphinopsis*
alba Bouchet & Warén, 1985
fuscoapicata Bouchet & Warén, 1985
inflata (Friele, 1879)
- Family Drillidae**
Crassopleura
maravignae (Bivona Ant. in Bivona And., 1838)
Spirotropis
azoricus Bouchet & Warén, 1980
centimatus (Dall, 1889)
modiolus (de Cristofori & Jan, 1832)
monterosatoi Locard, 1897

Family Turridae*Fusiturris*

- similis* (Bivona Ant. in Bivona And., 1838)
undatiruga (Bivona Ant. in Bivona And., 1838)

Haedropleura

- flexicosta* (Monterosato, 1884)
septangularis (Montagu, 1803)

Micropleurotoma

- melvilli* (Sykes, 1906)
spirotropoides (Thiele, 1925)
travailleurii Bouchet & Warén, 1980

Ancistrosyrinx

- clytotropis* (Sykes, 1906)

Irenosyrinx

- hypomela* (Dall, 1889)

Leucosyrinx

- verrillii* (Dall, 1881)

Family Conidae*Borsonia*

- hirondellae* (Dautzenberg, 1891)

Typhlomangelia

- nivalis* (Lovén, 1846)

Comarmondia

- gracilis* (Montagu, 1803)

Corinnaeturris

- leucomata* (Dall, 1881)

Mitrolumna

- crenipicta* Dautzenberg, 1889
dalli (Dautzenberg & Fischer H., 1896)
melitensis (Mifsud, 1993)
olivoidea (Cantraine, 1835)
smithi (Dautzenberg & Fischer H., 1896)
wilheminae van Aartsen, Menhorst & Gittenberger, 1984

Drilliola

- emendata* (Monterosato, 1872)
megalacme (Sykes, 1906)

Microdrillia

- loprestiana* (Calcaria, 1841)
priuina (Watson, 1881)

Oenopota

- angulosa* (Sars G.O., 1878)
assimilis (Sars G.O., 1878)
bergensis (Friele, 1886)
cinerea (Møller, 1842)
conoidea (Sars G.O., 1878)
convexigyrta Bouchet & Warén, 1980
declivis (Lovén, 1846)
dictyophora Bouchet & Warén, 1980
elegans (Møller, 1842)
exarata (Møller, 1842)
graphica (Locard, 1897)
arpa (Dall, 1884)
harpularia (Couthouy, 1838)
impressa (Mørch, 1869)
nobilis (Møller, 1842)
novajasemljensis (Leche, 1878)
obliqua (Sars G.O., 1878)
ovalis (Friele, 1877)
pingelii (Møller, 1842)
pyramidalis (Ström, 1788)
rufa (Montagu, 1803)
rugulata (Troschel, 1866)
scalaris (Møller, 1842)
scalaroides (Sars G.O., 1878)
spitzbergensis (Friele, 1886)
tenuicostata (Sars G.O., 1878)
trevelliiana (Turton, 1834)
turricula (Montagu, 1803)
violacea (Mighels & Adams, 1842)
viridula (Møller, 1842)

Obesotoma

- gigas* (Verkrüzen, 1875)
simplex (Middendorff, 1849)
woodiana (Møller, 1842)

Bela

- brachystoma* (Philippi, 1844)
costulata (Risso, 1826)
cycladensis (Reeve, 1845)
decussata (Locard, 1897)
laevigata (Philippi, 1836)
menhorsti van Aartsen, 1988
nebula (Montagu, 1803)
oceanica (Locard, 1897)
ornata (Locard, 1897)
septenvillei (Dautzenberg, 1913)
zonata (Locard, 1892)
- Benthomangelia*
- antonia* (Dall, 1881)
decapitata Bouchet & Warén, 1980
macra (Watson, 1881)
- Clathromangelia*
- granum* (Philippi, 1844)
loiselieri Oberling, 1970
strigillata Pallary, 1904
- Fehria*
- taprurensis* (Pallary, 1904)
zenetouae van Aartsen, 1988
- Mangelia*
- attenuata* (Montagu, 1803)
barashi (van Aartsen & Fehr-de Wal, 1978)
bertrandii (Payraudeau, 1826)
brusinae van Aartsen & Fehr-de Wal, 1978
caerulans (Philippi, 1844)
callosa (Nordsieck, 1977)
coarctata (Forbes, 1840)
costata (Donovan, 1804)
difficilis (Locard & Caziot, 1900)
fieldeni (van Aartsen & Fehr-de Wal, 1978)
goodallii Reeve, 1846
indistincta (Monterosato, 1875)
jerbaensis (Della Bella & Spada in Chirli, 1997)
multilineolata (Deshayes, 1835)
nuperrima (Tiberi, 1855)
paciniana (Calcaria, 1839)
pallaryi (Nordsieck, 1977)
payraudeaui (Deshayes, 1835)
pontica Milaschewitsch, 1908
sandrii (Brusina, 1865)
scabrida Monterosato, 1890
secreta (van Aartsen & Fehr-de Wal, 1978)
serga (Dall, 1881)
sicula Reeve, 1846
smithii (Forbes, 1840)
stossiciana Brusina, 1869
taeniata (Deshayes, 1835)
tenuicostata Brugnone, 1868
unifasciata Deshayes, 1835
vauquelini (Payraudeau, 1826)
- Raphitoma*
- aequalis* Jeffreys, 1867
alternans (Monterosato, 1884)
arnoldi Pallary, 1904
atropurpurea (Locard & Caziot, 1900)
bosilliana (Sulliotti, 1889)
bracteata (Pallary, 1904)
concinna (Scacchi, 1836)
corbis (Potiez & Michaud, 1838)
cordieri (Payraudeau, 1826)
cylindracea (Locard & Caziot, 1900)
densa (Monterosato, 1884)
divae Carrozza, 1984
echinata (Brocchi, 1814)
erronea (Monterosato, 1884)
histrix Bellardi, 1847
horrida (Monterosato, 1884)
leufroyi (Michaud, 1828)
linearis (Montagu, 1803)
mirabilis (Pallary, 1904)
nivea (Marshall in Sykes, 1906)

- papillosa* (Pallary, 1904)
philberti (Michaud, 1829)
pruinosa (Pallary, 1906)
pseudohystrix Sykes, 1906
pupoidea (Monterosato, 1884)
purpurea (Montagu, 1803)
volutella (Kiener, 1839)
- Nepotilla**
amoena (Sars G.O., 1878)
- Teretia**
teres (Reeve, 1844)
- Tereiopsis**
thaumastopsis (Dautzenberg & Fischer H., 1896)
- Conopleura**
aliena Smriglio, Mariottini & Calascibetta, 1999
- Gymnobela**
abyssorum (Locard, 1897)
agassizi (Verrill & Smith, 1880)
aquilarum (Watson, 1881)
chyla (Watson, 1881)
emertoni (Verrill & Smith, 1884)
engonia Verrill, 1884
frielei (Verrill, 1885)
fulvotincta (Dautzenberg & Fischer H., 1896)
homeotata (Watson, 1886)
lamyi (Dautzenberg, 1925)
leptoglypta (Dautzenberg & Fischer H., 1896)
physanor (Watson, 1886)
pyrrhogamma (Dautzenberg & Fischer H., 1896)
subaraneosa (Dautzenberg & Fischer H., 1896)
watsoni (Dautzenberg, 1889)
- Pleurotomella**
anceyi (Dautzenberg & Fischer H., 1897)
benedicti Verrill & Smith, 1884
bureaui (Dautzenberg & Fischer H., 1897)
coelaropha (Dautzenberg & Fischer H., 1896)
demosia (Dautzenberg & Fischer H., 1896)
eurybroscha (Dautzenberg & Fischer H., 1896)
gibbera Bouchet & Warén, 1980
lottae Verrill, 1885
megalembryon (Dautzenberg & Fischer H., 1896)
obesa Bouchet & Warén, 1980
packardi Verrill, 1872
sandersoni Verrill, 1884
- Neopleurotomoides**
callembryon (Dautzenberg & Fischer H., 1897)
distinctus Bouchet & Warén, 1980
- Thesbia**
nana (Lovén, 1846)
- Theta**
chariessa (Watson, 1881)
lyronuclea (Clarke A.H., 1959)
vayssierei (Dautzenberg, 1925)
- Famelia**
catharinæ (Verrill & Smith, 1884)
mirmidina (Dautzenberg & Fischer H., 1896)
monoceros (Watson, 1881)
monotropis (Dautzenberg & Fischer H., 1896)
- Bathybela**
nudator (Locard, 1897)
tenelluna (Locard, 1897)
- Xanthodaphne**
bruneri (Verrill, 1884)
charcotiana Bouchet & Warén, 1980
dalmasi (Dautzenberg & Fischer H., 1897)
heterogramma (Odhner, 1960)
leptalea (Bush, 1893)
- Aliceia**
aenigmatica Dautzenberg & Fischer H., 1897
- Lusitanops**
blanchardi (Dautzenberg & Fischer H., 1896)
bullioides (Sykes, 1906)
cingulatus Bouchet & Warén, 1980
expansus (Sars G.O., 1878)
hyaloïdes (Dautzenberg, 1925)
- lusitanicus* (Sykes, 1906)
macrapex Bouchet & Warén, 1980
sigmoideus Bouchet & Warén, 1980
- Phymorhynchus**
alberti (Dautzenberg & Fischer H., 1906)
chevreuxi (Dautzenberg & Fischer H., 1897)
sulciferus (Bush, 1893)
- Taranis**
borealis Bouchet & Warén, 1980
laevisculpta Monterosato, 1880
malmi (Dall, 1889)
moerchi (Malm, 1863)
- Conus**
mediterraneus Hwass in Bruguière, 1792
vayssierei Pallary, 1906
- Family Architectonicidae**
- Basisulcata*
lepidia (Bayer, 1942)
- Discotectonica*
discus (Philippi, 1844)
- Heliacus*
canariensis Nordsieck, 1982
contextus (Seguenza L., 1903)
jeffreysianus (Tiberi, 1867)
subvariegatus (d'Orbigny, 1852)
- Philippia*
hybrida (Linné, 1758)
- Pseudomalaxis*
zancleus (Philippi, 1844)
- Pseudotorinia*
architae (Costa O.G., 1841)
- Solatisonax*
alleryi (Seguenza G., 1876)
bannocki (Melone & Taviani, 1980)
certesi (Dautzenberg & Fischer H., 1896)
dolfusi (Dautzenberg & Fischer H., 1896)
- Spirolaxis*
centrifugus (Monterosato, 1890)
clenchi Jaume & Borro, 1916
lamelliferus (Rehder, 1935)
- Family Mathildidae**
- Mathilda*
cochlaeformis Brugnone, 1873
coronata Monterosato, 1875
gemmulata Semper, 1865
quadricarinata (Brocchi, 1814)
retusa Brugnone, 1873
- Tuba*
jeffreysi (Dall, 1889)
pinguis (Jeffreys, 1884)
- Turritellopsis*
stimpsoni (Dall, 1919)
- Brookesena*
turrita (Warén, 1996)
- Family Rissoellidae**
- Rissoella*
diaphana (Alder, 1848)
globularis (Forbes & Hanley, 1853)
opalina (Jeffreys, 1848)
- Family Omalogyridae**
- Omalogyra*
atomus (Philippi, 1841)
discula Palazzi, 1988
simplex (Costa O.G., 1861)
undosa Palazzi, 1988
- Ammonicera**
fischeriana (Monterosato, 1869)
ligneua (Palazzi, 1988)
rota (Forbes & Hanley, 1850)
rotundata (Palazzi, 1988)
- Retrotortina**
fuscata Chaster, 1896
- Family Xylodisculidae**
Xylodiscula

- boucheti* Warén, Carrozza & Rocchini in Warén, 1992
lens Warén, 1992
- Family Cornirostridae**
- Tomura*
depressa (Granata-Grillo, 1877)
- Noerrevangia*
fragilis Warén & Schander in Warén, Gofas & Schander, 1993
- Family Hyalogyrinidae**
- Xenoskenea*
pellucida (Monterosato, 1874)
- Hyalogryra*
zibrowii Warén in Warén, Carrozza & Rocchini, 1997
- Hyalogyrina*
amphorae Warén, Carrozza & Rocchini, 1997
- Family Cimidae**
- Cima*
cuticulata Warén, 1993
cylindrica (Jeffreys, 1856)
inconspicua Warén, 1993
melitensis Mifsud, 1998
minima (Jeffreys, 1858)
- Murchisonella*
columna (Hedley, 1907)
- Graphis*
albida (Kanmacher, 1798)
gracilis (Monterosato, 1874)
striata (Jeffreys, 1884)
- Family Orbitestellidae**
- Orbitestella*
dariae (Liuzzi & Zucchi Stolfa, 1979)
- Family Pyramidellidae**
- Tiberia*
minusculoides (van Aartsen, Gittenberger & Goud, 1998)
minuscula (Monterosato, 1880)
- Atomiscala*
islandica Warén, 1989
- Rissopsetia*
islandica Warén, 1989
- Chrysallida*
angulosa (Monterosato, 1889)
bjoernsoni Warén, 1991
boucheti (Peñas & Rolán, 1999)
brattstroemi Warén, 1991
brevicula (Jeffreys, 1883)
brusinai (Cossmann, 1921)
canariensis Nordsieck & Talavera, 1979
clathrata (Jeffreys, 1848)
decussata (Montagu, 1803)
dollfusi (Kobelt, 1903)
elegans (de Folin, 1870)
emaciata (Brusina, 1866)
excavata (Philippi, 1836)
eximia (Jeffreys, 1849)
fenerata (Jeffreys, 1848)
fischeri (Hornung & Mermod, 1925)
flexuosa (Monterosato, 1874)
ghisotti (van Aartsen, 1984)
hoeisaeteri Warén, 1991
indistincta (Montagu, 1808)
intermixta (Monterosato, 1884)
interstincta (Adams J., 1797)
jeffreysiana (Monterosato, 1884)
juliæ (de Folin, 1872)
limitum (Brusina in de Folin & Périer, 1876)
maiae (Hornung & Mermod, 1924)
marthinae (Nofroni & Schander, 1994)
monozena (Brusina, 1869)
monterosatii (Clessin, 1900)
moolenbeeki Amati, 1987
nivosa (Montagu, 1803)
palazzii Micali, 1984
pellucida (Dillwyn, 1817)
- pirinthella* (Melvill, 1910)
sarsi Nordsieck, 1972
- seamounti* (Peñas & Rolán, 1999)
sigmoidea (Monterosato, 1880)
stefanisi (Jeffreys, 1869)
sublustris (Friele, 1886)
suturalis (Philippi, 1844)
terebellum (Philippi, 1844)
truncatula (Jeffreys, 1850)
undata (Watson, 1897)
- Kejdonia*
cachiai (Mifsud, 1998)
- Pseudoscilla*
bilirata (de Folin, 1870)
pauciemersa Peñas & Rolán, 1999
- Odostomella*
doliolum (Philippi, 1844)
- Clathrella*
clathrata (Philippi, 1844)
- Euparthenia*
bulinea (Lowe, 1841)
humboldti (Risso, 1826)
- Iolaea*
neofelixoides (Nomura, 1936)
- Monotygra*
amoena (Adams A., 1853)
modesta (de Folin, 1870)
- Oscilla*
jocosa Melvill, 1904
- Cingulina*
isseli (Tryon, 1886)
- Styloptygma*
beatrix (Melvill, 1911)
- Eulimella*
acicula (Philippi, 1836)
ataktos Warén, 1991
atlantis (Peñas & Rolán, 1999)
bogii van Aartsen, 1995
carmina (Peñas & Micali, 1999)
cerullii (Cossmann, 1916)
compactilis (Jeffreys, 1867)
cossignani van Aartsen, 1995
neoattenuata (Gaglini, 1992)
phaula (Dautzenberg & Fischer H., 1896)
protofunis (Peñas & Rolán, 1999)
scillae (Scacchi, 1835)
similebala (Peñas & Rolán, 1999)
sudis (Peñas & Rolán, 1999)
unifasciata (Forbes, 1844)
vanhareni (van Aartsen, Gittenberger & Goud, 1998)
ventricosa (Forbes, 1844)
verduini (van Aartsen, Gittenberger & Goud, 1998)
- Syrnola*
cinctella (Adams A., 1860)
fasciata Jickeli, 1882
minuta Adams H., 1869
wenzi Nordsieck, 1972
- Odostomia*
aartseni Nofroni, 1988
acuta Jeffreys, 1848
angusta Jeffreys, 1867
bernardi (van Aartsen, Gittenberger & Goud, 1998)
bismichaelis Sacco, 1892
bulimulus Monterosato, 1874
buzzurroi (Peñas & Rolán, 1999)
carrozzai van Aartsen, 1987
clavulina Fischer P., 1877
conoidea (Brocchi, 1814)
conspicua Alder, 1850
duurenii (van Aartsen, Gittenberger & Goud, 1998)
electa Jeffreys, 1883
erjaveciana Brusina, 1869
eulimoides Hanley, 1844
fehrae (van Aartsen, Gittenberger & Goud, 1998)
franki (Peñas & Rolán, 1999)

- fusulus* Monterosato, 1878
glabrata Forbes & Hanley, 1850
harveyi van Aartsen & Smith, 1996
hieroensis (Peñas & Rolán, 1999)
ignorata (Monterosato, 1917)
kromi van Aartsen, Menkhorst & Gittenberger, 1984
kuiperi (van Aartsen, Gittenberger & Goud, 1998)
lesuroiti (Peñas & Rolán, 1999)
lorellae Micali, 1987
lorioli (Hornung & Mermod, 1924)
lukisi Jeffreys, 1859
marci (van Aartsen, Gittenberger & Goud, 1998)
microeques (Rolán & Templado in Peñas & Rolán, 1999)
nitens Jeffreys, 1870
oblongula Marshall, 1895
odostomella (Peñas & Rolán, 1999)
omphaloessa Watson, 1897
palmaensis (Peñas & Rolán, 1999)
plicata (Montagu, 1803)
prona (Peñas & Rolán, 1999)
restii (Peñas & Rolán, 1999)
rutor (Nofroni & Schander, 1994)
scalaris MacGillivray, 1843
sicula Philippi, 1851
silesui Nofroni, 1988
striolata Forbes & Hanley, 1850
suboblonga Jeffreys, 1884
testicula (Peñas & Rolán, 1999)
turgida Sars G.O., 1878
turriculata Monterosato, 1869
turrita Hanley, 1844
umbilicaris (Malm, 1863)
umbilicatissima (Peñas & Rolán, 1999)
indentata (Montagu, 1803)
verduini van Aartsen, 1987
winfredi (Peñas & Rolán, 1999)
- Aartsenia*
candida (Møller, 1842)
- Liostomia*
afzelii Warén, 1991
clavulus (Lovén, 1846)
eburnea (Stimpson, 1851)
hansgei Warén, 1991
mamoi Mif sud, 1993
- Menestho*
albula (Fabricius O., 1780)
truncatula Odhner, 1915
- Noemiamea*
dolioliformis (Jeffreys, 1848)
- Ordina*
anceps (Gaglini, 1992)
coarctata (Sars G.O., 1878)
crystallina Locard, 1892
diaphana (Jeffreys, 1848)
dilucida (Monterosato, 1884)
divisa (Adams J., 1797)
mosti (van Aartsen, Gittenberger & Goud, 1998)
normani (Friele, 1886)
obliqua (Alder, 1844)
scandens (Monterosato, 1884)
vitrea (Brusina, 1866)
warreni (Thompson W., 1845)
- Turbanilla*
abradi (Fischer-Piette & Nicklès, 1946)
acutissima Monterosato, 1884
acuta (Donovan, 1804)
atlantica (Locard, 1897)
attenuata (Jeffreys, 1884)
amoena (Monterosato, 1878)
crenata (Brown, 1827)
delicata Monterosato, 1874
edgari (Melvill, 1896)
eodem (Peñas & Rolán, 1999)
formosa (Jeffreys, 1848)
- fulgidula* (Jeffreys, 1884)
gofasi (Peñas & Rolán, 1999)
gradata Bucquoy, Dautzenberg & Dollfus, 1883
hamata Nordsieck, 1972
hamonvillei (Dautzenberg & Fischer H., 1896)
hannoni Pallary, 1920
hoecki (Dautzenberg & Fischer H., 1896)
inobservata (Peñas & Rolán, 1999)
internodula (Wood S., 1848)
jéffreysii (Forbes & Hanley, 1851)
lactea (Linné, 1758)
macandreae (Adams H., 1871)
magnifica (Seguenza G., 1879)
mediocris (Peñas & Rolán, 1999)
micans (Monterosato, 1875)
mirifica Pallary, 1904
multilirata (Monterosato, 1875)
nofronii Peñas & Rolán, 1997
obliquata (Philippi, 1844)
pallaryi Dautzenberg, 1910
paucistriata (Jeffreys, 1884)
pauperata Locard, 1897
postacuticostata Sacco, 1892
pumila Seguenza G., 1876
pusilla (Philippi, 1844)
rectogallica Sacco, 1892
rosewateri Corgan & van Aartsen, 1993
rufescens (Forbes, 1846)
rufa (Philippi, 1836)
semicostata (Jeffreys, 1884)
sinuosa (Jeffreys, 1884)
striatula (Linné, 1758)
subulina Monterosato, 1889
syrtensis van Aartsen, 1981
vallanti (Dautzenberg & Fischer H., 1896)
- Family Ebalidae**
Ebala
nitidissima (Montagu, 1803)
pointeli (de Folin, 1868)
striatula (Jeffreys, 1856)
trigonostoma (de Folin, 1872)
- Family Tjaernoiidae**
Tjaernoeia
boucheti Warén, 1991
exquisita (Jeffreys, 1883)
unisulcata (Chaster, 1897)
- Family Acteonidae**
Acteon
monterosatoi Dautzenberg, 1889
tornatilis (Linné, 1758)
- Tomlinula*
turrita (Watson, 1886)
- Inopinodon*
azoricus (Locard, 1897)
- Crenilabrum*
exile (Jeffreys, 1870)
- Liocarenus*
globulinus (Forbes, 1844)
- Japonacteon*
pusillus (MacGillivray, 1843)
- Callostracon*
amabile (Watson, 1886)
tyrrhenicum Smriglio & Mariottini, 1996
- Family Hydatinidae**
Hydatina
vesicaria (Lightfoot, 1786)
- Micromelo*
undatus (Bruguière, 1792)
- Family Diaphanidae**
Diaphana
abyssalis (Schiøtte, 1999)
cretica (Forbes, 1844)
flava (Watson, 1897)
glacialis (Odhner, 1907)

- globosa* (Jeffreys, 1864)
hiemalis (Couthouy, 1839)
lactea (Jeffreys, 1877)
makarovi (Gorbunov, 1946)
marshalli (Sykes, 1905)
minuta Brown, 1827
quadrata (Monterosato, 1874)
Colobocephalus
costellatus Sars M., 1870
striatulus (Monterosato, 1874)
Colpodaspis
pusilla Sars M., 1870
Rhinodiaphana
ventricosa (Jeffreys, 1865)
Toledonia
limnaeoides (Odhner, 1913)
Bogasonia
volutoides Warén, 1989
- Family Retusidae**
Retusa
candidula (Locard, 1892)
fourierii (Audouin, 1826)
leptoeneilema (Brusina, 1866)
mammillata (Philippi, 1836)
mariei (Dautzenberg, 1889)
minutissima (Monterosato, 1878)
obtusa (Montagu, 1803)
pellucida (Sars G.O., 1878)
piriformis Monterosato, 1878
tornata (Watson, 1886)
truncatula (Bruguière, 1792)
- Relichna**
simplex (Locard, 1897)
- Cylchnina**
canariensis Nordsieck & Talavera, 1979
crebrisculpta Monterosato, 1884
girardi (Audouin, 1826)
laevisculpta (Granata-Grillo, 1877)
nitidula (Lovén, 1846)
robagliana (Fischer P. in de Folin, 1869)
tenerifensis Nordsieck & Talavera, 1979
umbilicata (Montagu, 1803)
- Pyrunculus**
hoernesii (Weinkauff, 1866)
ovatus (Jeffreys, 1870)
spretus (Watson, 1897)
- Volvulella**
acuminata (Bruguière, 1792)
- Family Ringiculidae**
Ringicula
auriculata (Ménard de la Groye, 1811)
pulchella Morlet, 1880
leptocheila Brugnone, 1873
- Family Runcinidae**
Runcina
adriatica Thompson T., 1980
africana Pruvot-Fol, 1953
aurata Garcia-Gomez, Lopez, Luque & Cervera, 1988
bahiensis Cervera, Garcia-Gomez & Garcia, 1991
brenkoae Thompson T., 1980
capreensis Mazzarelli, 1894
coronata (de Quatrefages, 1844)
ferruginea Kress, 1977
macrodenticulata Garcia-Gomez & Lopez de la Cuadra, 1990
zavodnikii Thompson T., 1980
- Family Bullidae**
Bulla
amygdala Dillwyn, 1817
striata Bruguière, 1792
- Family Haminoeidae**
Haminoea
cymoelia Monterosato, 1917
elegans Leach, 1852
- exigua* Schaefer, 1992
fusari Alvarez, Garcia & Villani, 1983
hydatis (Linné, 1758)
navicula (da Costa, 1778)
orbignyana (de Féussac, 1822)
orteai Talavera, Murillo & Templado, 1987
templanoi Garcia, Perez-Hurtado & Garcia-Gomez, 1991
- Atys**
blainvilliana (Récluz, 1843)
jeffreysi (Weinkauff, 1866)
macandrewi Smith E.A., 1872
- Cylchnium**
africanum (Locard, 1897)
oliviforme (Watson, 1883)
- Smaragdinella**
algirae (Adams A. in Sowerby G.B. II, 1850)
- Weinkauffia**
turgidula (Forbes, 1844)
- Family Philinidae**
Philine
angulata Jeffreys, 1867
aperta (Linné, 1767)
azorica Bouchet, 1975
calva van der Linden, 1995
catena (Montagu, 1803)
complanata Watson, 1897
condensa (van der Linden, 1995)
denticulata (Adams J., 1800)
desmotis Watson, 1897
infornata Pilsbry, 1895
intricata Monterosato, 1875
lima (Brown, 1827)
monilifera Bouchet, 1975
monterosati Monterosato, 1874
monterosatoi (Sykes, 1905)
punctata (Adams J., 1800)
quadrata (Wood S., 1839)
rugulosa (Dautzenberg & Fischer H., 1896)
scabra (Müller, 1784)
trachyostraca Watson, 1897
- Johania**
retifera (Forbes, 1844)
- Laona**
finmarchica (Sars M., 1858)
flexuosa (Sars M., 1870)
pruinosa (Clark W., 1827)
- Family Aglajidae**
Aglaja
berrieri (Dieuzeide, 1935)
maderensis (Watson, 1897)
taila Marcus Ev. & Er., 1966
tricolorata Renier, 1807
- Chelidonura**
fulvipunctata Baba, 1938
italica Sordi, 1980
orchidea Perrone, 1990
- Melanochlamys**
seurati (Vayssiére, 1926)
- Philinopsis**
depicta (Renier, 1807)
- Family Cylichnidae**
Cylichna
alba (Brown, 1827)
crossei Bucquoy, Dautzenberg & Dollfus, 1886
cylindracea (Pennant, 1777)
lemchei Bouchet & Warén, 1979
occulta (Mighels & Adams, 1842)
parvula Jeffreys, 1883
propecylindracea (de Gregorio, 1890)
- Acteocina**
mucronata (Philippi, 1849)
- Roxania**
monterosatoi Dautzenberg & Fischer H., 1896

- pinguicula* (Seguenza G., 1879)
utriculus (Brocchi, 1814)
- Scaphander**
gracilis Watson, 1886
lignarius (Linné, 1758)
nobilis Verrill, 1884
punctostriatus (Mighels & Adams, 1842)
- Melosaphander**
imperceptus Bouchet, 1975
- Mamillocylichna**
abyssicola Bouchet, 1975
richardi (Dautzenberg, 1889)
- Utriculopsis**
vitrea Sars M., 1870
- Family Gasteropteridae**
Gasteropteron
meckeli Kosse, 1813
- Family Philinoglossidae**
Philinoglossa
helgolandica Hertling, 1932
latosoleata Salvini-Plawen, 1973
praelongata Salvini-Plawen, 1973
remanei Marcus Ev. & Er., 1958
- Family Cavoliniidae**
Cavolinia
gibbosa (d'Orbigny, 1835)
inflexa (Lesueur, 1813)
tridentata (Forskål, 1775)
uncinata (Rang, 1829)
- Diacavolinia*
constricta (van der Spoel, Bleeker & Kobayashi, 1993)
deshayesi (van der Spoel, Bleeker & Kobayashi, 1993)
limbata (d'Orbigny, 1836)
atlantica van der Spoel, Bleeker & Kobayashi, 1993
- Diacria*
atlantica (Dupont in Bontes & van der Spoel, 1998)
quadridentata (Lesueur, 1821)
rampali (Dupont, 1979)
rubecula (Bontes & van der Spoel, 1998)
trispinosa (Lesueur, 1821)
- Clio*
cuspidata (Bosc, 1802)
pyramidata Linné, 1767
- Creesis*
acicula Rang, 1828
virgula Rang, 1828
- Hyalocylis*
obtusa Di Geronimo, 1974
striata (Rang, 1828)
- Styliola*
subula (Quoy & Gaimard, 1827)
- Cuvierina*
columnella (Rang, 1827)
- Family Limacinidae**
Limacina
bulimoides (d'Orbigny, 1836)
helicina Phipps, 1774
helicoides Jeffreys, 1877
inflata (d'Orbigny, 1836)
lesueuri (d'Orbigny, 1836)
retroversa (Fleming, 1823)
trochiformis (d'Orbigny, 1836)
- Family Cymbuliidae**
Cymbulia
parvidentata Pelseneer, 1888
peronii Lamarck, 1819
- Gleba*
chrysosticta (Troschel, 1854)
cordata Forskål, 1776
- Corolla*
spectabilis Dall, 1871
- Family Desmopteridae**
- Desmopterus*
cirropterus Gegenbaur, 1855
papilio Chun, 1889
- Family Peracidae**
Peracle
bispinosa Pelseneer, 1888
diversa (Monterosato, 1875)
reticulata (d'Orbigny, 1836)
triacantha (Fischer P., 1882)
- Family Clionidae**
Clione
limacina (Phipps, 1774)
Fowlerina
punctata (Tesch, 1903)
zetesios Pelseneer, 1906
- Paraclione*
flavescens (Gegenbaur, 1855)
longicaudata (Souleyet, 1852)
- Thalassopterus*
zancleus Kwietniewski, 1910
- Thliptodon*
gegenbauri Boas, 1886
- Family Cliopsidae**
Cliopsis
krohni Troschel, 1854
- Family Notobranchaeidae**
Notobranchaea
bleekerae van der Spoel & Pafort, 1985
mcdonaldi Pelseneer, 1886
- Schleschia*
tetrabranchiata (Bonnevie, 1913)
- Family Pneumodermatidae**
Pneumoderma
mediterraneum van Beneden, 1838
violaceum d'Orbigny, 1836
- Pneumodermopsis*
canephora Pruvot-Fol, 1924
ciliata (Gegenbaur, 1855)
paucidens (Boas, 1886)
pupula Pruvot-Fol, 1926
teschi van der Spoel, 1973
- Family Oxynoidea**
Oxynoe
olivacea Rafinesque, 1814
Lobiger
serradifalci (Calcaria, 1840)
- Family Volvatellidae**
Ascobulla
fragilis (Jeffreys, 1856)
- Family Elysiidae**
Elysia
j lava Verrill, 1901
gordanae Thompson & Jaklin, 1988
hetta Perrone, 1990
ornata (Swainson, 1840)
picta Verrill, 1901
timida (Risso, 1818)
translucens Pruvot-Fol, 1957
viridis (Montagu, 1804)
- Thuridilla*
hopei (Vérany, 1853)
- Family Boselliidae**
Bosellia
levis Fernandez-Ovies & Ortea, 1986
mimetica Trinchese, 1891
- Family Hermaeidae**
Polybranchia
borgniini (Trinchese, 1896)
viridis (Deshayes, 1857)
- Aplysiopsis*
elegans Deshayes, 1864
formosa Pruvot-Fol, 1953

- Cyerce**
crystallina (Trinchesse, 1881)
graeca Thompson T., 1988
- Hermaea**
bifida (Montagu, 1815)
boucheti (Cervera, Garcia-Gomez & Ortea, 1991)
paucicirra Pruvot-Fol, 1953
variopicta (Costa A., 1869)
- Caliphylla**
mediterranea Costa A., 1869
- Family Costasiellidae**
Costasiella
virescens Pruvot-Fol, 1951
- Family Stiligeridae**
Alderella
comosa (Costa A., 1867)
Alderia
modesta (Lovén, 1844)
Calliopaea
bellula d'Orbigny, 1837
oophaga Lemche in Gascoigne & Sartory, 1974
rissoana Milne-Edwards, 1842
souleyeti Vérany, 1846
- Ercolania*
coerulea Trinchesse, 1892
funerea (Costa A., 1867)
lozanoi Ortea, 1981
viridis (Costa A., 1866)
- Placida*
cremoniana (Trinchesse, 1892)
dendritica (Alder & Hancock, 1843)
saronica (Thompson T., 1988)
tardyi (Trinchesse, 1873)
verticillata Ortea, 1981
viridis (Trinchesse, 1873)
- Stiliger*
llerai Ortea, 1981
niger Lemche, 1935
- Family Limapontiidae**
Limapontia
capitata (Müller O.F., 1774)
depressa Alder & Hancock, 1862
senestra (de Quatrefages, 1844)
- Family Umbraculidae**
Umbraculum
umbraculum (Röding, 1798)
Spiricella
unguicula Rang, 1828
- Family Tylodinidae**
Anidolya
duebeni (Lovén, 1846)
Tylodina
perversa (Gmelin, 1791)
- Family Pleurobranchidae**
Pleurobranchus
forskali (Rüppell & Leuckart, 1831)
membranaceus (Montagu, 1815)
testudinarius Cantraine, 1835
- Berthella*
aurantiaca (Risso, 1818)
dautzenbergi (Watson, 1897)
elongata (Cantraine, 1835)
lowei (Watson, 1897)
ocellata (delle Chiaje, 1830)
plumula (Montagu, 1803)
sideralis Lovén, 1846
stellata (Risso, 1826)
- Berthellina*
citrina (Rüppell & Leuckart, 1831)
engeli Gardiner, 1936
- Pleurobranchaea*
inconspicua Bergh, 1897
meckelii Meckelin Leue, 1813
- Family Microhedylylidae**
Microhedylyle
glandulifera (Kowalewsky, 1901)
glomerans Salvini-Plawen, 1973
lactea Hertling, 1930
neapolitana (Rankin, 1979)
odhneri (Marcus Ev. & Er., 1955)
- Pontohedyle*
milatschevitchi (Kowalewsky, 1901)
- Parahedylyle*
cryptophtalma (Westheide & Wawra, 1974)
tyrtowii (Kowalewsky, 1901)
- Family Platyhedylylidae**
Platyhedylyle
denudata Salvini-Plawen, 1973
- Family Asperspinidae**
Asperspina
brambelli (Swedmark, 1968)
rhopalotecta (Salvini-Plawen, 1973)
- Antemnella*
loricata (Swedmark, 1968)
- Family Hedylopsidae**
Hedylopsis
brambelli Swedmark, 1968
spiculifera (Kowalewsky, 1901)
suecica Odhner, 1937
- Family Minicheviellidae**
Minicheviella
murmanica (Kuchinskaja & Minichev, 1978)
- Family Rhopopidae**
Rhodope
crucispiculata Salvini-Plawen, 1988
veranyi Koelliker, 1847
- Family Akeridae**
Akera
bullata Müller O.F., 1776
- Family Aplysiidae**
Aplysia
dactylomela Rang, 1828
depilans Gmelin, 1791
fasciata Poiret, 1789
juliana Quoy & Gaimard, 1832
parvula Guilding in Mørch, 1863
punctata (Cuvier, 1803)
- Bursatella*
leachii de Blainville, 1817
- Family Dolabriferidae**
Dolabrifera
holboelli Bergh, 1872
- Notarchus*
indicus Schweigger, 1820
punctatus Philippi, 1836
- Petalifera*
gravieri (Vayssiére, 1906)
petalifera (Rang, 1828)
- Phyllaplysia*
depressa (Cantraine, 1835)
lafonti (Fischer P., 1870)
- Family Bathydorididae**
Bathydoris
ingolfiana Bergh, 1899
- Family Aegiretidae**
Aegires
leuckarti Vérany, 1853
palensis Ortea, Luque & Templado, 1990
punctilucens (d'Orbigny, 1837)
sublaevis Odhner, 1932
- Triopella*
incisa (Sars G.O., 1872)
- Family Corambidae**
Corambe
obscura (Verrill, 1870)

- testudinaria* Fischer P., 1889
Echinocorambe
brattegardi (Valdés & Bouchet, 1998)
- Family Goniodorididae**
Goniodoris
barroisi Vayssiére, 1901
castanea Alder & Hancock, 1845
nodosa (Montagu, 1808)
Lophorodoris
danielsseni (Friele & Hansen, 1876)
Okenia
aspersa (Alder & Hancock, 1845)
elegans (Leuckart, 1828)
hispanica (Valdés & Ortea, 1995)
cupella (Vogel & Schultz, 1970)
leachii (Alder & Hancock, 1854)
mediterranea (Von Ihering, 1886)
Ancula
gibbosa (Risso, 1818)
Trapania
fusca (Lafont, 1874)
hispalensis Cervera & Garcia-Gomez, 1989
lineata Haefelfinger, 1960
maculata Haefelfinger, 1960
orteai Garcia-Gomez & Cervera in Cervera & Garcia-Gomez, 1989
pallida Kress, 1968
tartanella (Von Ihering, 1886)
Bermudella
polycerelloides Ortea & Bouchet, 1983
- Family Onchidorididae**
Onchidoris
albonigra (Pruvot-Fol, 1951)
aspera (Alder & Hancock, 1842)
bouvieri (Vayssiére, 1919)
cervinoi Ortea & Urgorri, 1979
depressa (Alder & Hancock, 1842)
fusca (Müller O.F., 1776)
inconspicua (Alder & Hancock, 1851)
muricata (Müller O.F., 1776)
neapolitana (delle Chiaje, 1841)
oblonga (Alder & Hancock, 1845)
pusilla (Alder & Hancock, 1845)
reticulata Ortea, 1979
sparsa (Alder & Hancock, 1846)
tridactila Ortea & Ballesteros, 1982
- Acanthodoris*
pilosa (Abildgaard in Müller, 1789)
Adalaria
loveni Alder & Hancock, 1862
proxima (Alder & Hancock, 1854)
Diaphorodoris
luteocincta (Sars M., 1870)
papillata Portmann & Sandmeier, 1960
- Doridunculus*
echinulatus Sars G.O., 1878
- Family Triophidae**
Crimora
papillata Alder & Hancock, 1862
Kaloplocamus
aureus (Odhner, 1932)
filosus Cattaneo-Vietti & Sordi, 1988
ramosus (Cantraine, 1835)
Plocamopherus
maderae (Lowe, 1842)
ocellatus (Rüppell & Leuckart, 1831)
- Family Dorididae**
Doris
alboranica Bouchet, 1977
bertheloti (d'Orbigny, 1839)
bicolor (Bergh, 1884)
marmorata Risso, 1818
nobilis Odhner, 1907
ocelligera (Bergh, 1881)
- pseudoverrucosa* (Von Ihering, 1886)
sticta (Iredale & O'Donoghue, 1923)
verrucosa Linné, 1758
Thorybopus
lophatus Bouchet, 1977
- Family Aldisidae**
Aldisa
banyulensis Pruvot-Fol, 1951
barlettae Ortea & Ballesteros, 1989
berghi Vayssiére, 1901
binotata Pruvot-Fol, 1953
zealandica (Alder & Hancock, 1854)
- Family Archidorididae**
Archidoris
pseudoargus (Rapp, 1827)
Anisodoris
marmorata (Bergh, 1881)
Atagema
gibba Pruvot-Fol, 1951
rugosa Pruvot-Fol, 1951
Sclerodoris
minor Eliot, 1903
- Family Chromodorididae**
Chromodoris
britoi Ortea & Perez, 1983
elegantula (Philippi, 1844)
goslineri Ortea & Valdés in Ortea, Valdés & Garcia-Gómez, 1996
krohni (Vérany, 1846)
luteopunctata (Gantès, 1962)
luteorosea (Rapp, 1827)
purpurea (Risso in Guérin, 1831)
quadricolor (Rüppell & Leuckart, 1831)
rodomaculata Ortea & Valdés, 1991
Cadlina
excavata (Pruvot-Fol, 1951)
glabra (Friele & Hansen, 1876)
laevis (Linné, 1767)
pellucida (Risso, 1826)
Glossodoris
edmundsi Cervera, Garcia-Gomez & Ortea, 1989
limbata Vicente, 1967
Hypsodoris
bilineata (Pruvot-Fol, 1953)
cantabrica Bouchet & Ortea, 1980
orsini (Vérany, 1846)
fontanraui (Pruvot-Fol, 1951)
gasconi Ortea, Valdés & Garcia-Gómez, 1996
infuscata (Rüppell & Leuckart, 1831)
malacitana Luque, 1986
tricolor (Cantraine, 1835)
villafranca (Risso, 1818)
picta (Schultz in Philippi, 1836)
- Family Discodorididae**
Discodoris
atromaculata (Bergh, 1880)
concinna (Alder & Hancock, 1864)
confusa Ballesteros, Llera & Ortea, 1985
edwardsi Vayssiére, 1902
erubescens Bergh, 1884
fragilis (Alder & Hancock, 1864)
maculosa Bergh, 1884
millegrana (Alder & Hancock, 1854)
patriziae Perrone, 1991
porri (Vérany, 1846)
punctifera (Abraham, 1877)
rosi Ortea, 1979
rubens Vayssiére, 1919
sordii (Perrone, 1990)
stellifera (Ihering in Vayssiére, 1904)
Geitodoris
bacalladoi Ortea, 1990
bonosi Ortea & Ballesteros, 1981
joubini (Vayssiére, 1919)

- perfossa* Ortea, 1990
planata (Alder & Hancock, 1846)
portmanni (Schmekel, 1972)
pusae (Marcus Er., 1955)
rubens (Vayssi  re, 1919)
- Paradoris**
ceneris Ortea, 1995
granulata Bergh, 1884
indecora (Bergh, 1881)
inversa Ortea, 1995
mollis Ortea, 1995
- Thordisa**
aurea Pruvot-Fol, 1951
azmani Cervera & Garc  a-Gomez, 1989
filix Pruvot-Fol, 1951
pallida Bergh, 1884
- Family Kentrodorididae**
Jorunna
atypa Bergh, 1881
onubensis Cervera, Garc  a-Gomez & Garc  a, 1986
tomentosa (Cuvier, 1804)
- Family Platydorididae**
Platydoris
argo (Linn  , 1767)
dura Pruvot-Fol, 1951
maculata Bouchet, 1977
philippi Bergh, 1877
stomascuta Bouchet, 1977
- Baptodoris*
cinnabarinus Bergh, 1884
perezi Llera & Ortea in Ortea, Perez & Llera, 1982
- Carminodoris*
boucheti Ortea, 1979
spinobranchialis Ortea & Martinez, 1992
- Taringa*
armata Swennen, 1961
ascitica Ortea, Perez & Llera, 1982
bacalladoi Ortea, Perez & Llera, 1982
faba Ballesteros, Llera & Ortea, 1985
fanabensis Ortea & Mart  nez, 1992
oleica Ortea, Perez & Llera, 1982
pinoi Perrone, 1985
tarifaensis Garc  a-Gomez, Cervera & Garc  a-Martin, 1993
tritorquis Ortea, Perez & Llera, 1982
- Family Rostangidae**
Rostanga
anthelia Perrone, 1991
rubra (Risso, 1818)
- Family Polyceridae**
Polycreta
aurantiomarginata Garc  a-Gomez & Bobo, 1984
dubia Sars M., 1829
elegans (Bergh, 1894)
faeroensis Lemche, 1929
hedgpethi (Marcus Er., 1964)
maculata Pruvot-Fol, 1951
nothus (Johnston, 1838)
quadrilineata (M  ller O.F., 1776)
- Colga*
pacifica (Bergh, 1894)
- Limacia*
clavigera (M  ller O.F., 1776)
- Polycrella*
emertoni Verrill, 1881
- Thecacera*
pennigera (Montagu, 1815)
virescens Forbes & Hanley, 1851
- Family Gymnodorididae**
Robostra
europea Garc  a-Gomez, 1985
- Tambja*
ceutae Garc  a-Gomez & Ortea, 1988
marbellensis (Schick & Cervera, 1998)
- Family Dendrodorididae**
Dendrodoris
grandiflora (Rapp, 1827)
herytra Vald  s & Ortea in Vald  s, Ortea, Avila & Ballesteros, 1996
limbata (Cuvier, 1804)
nigra (Stimpson, 1855)
- Doriopsilla*
areolata Bergh, 1880
pelseneeri d'Oliveira, 1895
- Family Phyllidiidae**
Phyllidia
flava Aradas, 1847
- Phyllidiopsis*
berghi Vayssi  re, 1902
- Fryeria*
bayi Bouchet, 1983
- Family Dendronotidae**
Dendronotus
comteti (Vald  s & Bouchet, 1998)
frondosus (Ascanius, 1774)
lacteus (Thompson W., 1840)
robustus Verrill, 1880
- Family Dotidae**
Doto
acuta Schmekel & Kress, 1977
affinis (d'Orbigny, 1835)
arteoi Ortea, 1978
cerviceniga Ortea & Bouchet, 1989
cindyneutes Bouchet, 1977
confluens Hesse, 1872
coronata (Gmelin, 1791)
crassicornis Sars M., 1870
cuspidata Alder & Hancock, 1862
dunnei Lemche, 1976
eireana Lemche, 1976
escallari (Ortea, Moro & Espinosa, 1998)
floridicola Simroth, 1888
fluctifraga Ortea & Perez, 1982
fragaria Ortea & Bouchet, 1989
fragilis (Forbes, 1838)
furva Garc  a J.C. & Ortea, 1984
hydrallmanniae (Morrow, Thorpe & Picton, 1992)
hystrix Picton & Brown, 1981
koenneckeri Lemche, 1976
lemchei Ortea & Urgorri, 1978
leopardina Vicente, 1967
millbayana Lemche, 1976
oblicua Ortea & Urgorri, 1978
paulinae Trinchese, 1881
pinnatifida (Montagu, 1804)
pontica Swennen, 1961
pygmaea (Bergh, 1871)
rosea Trinchese, 1881
sotilloi (Ortea, Moro & Espinosa, 1998)
tuberculata Lemche, 1976
unguis Ortea & Rodriguez, 1989
verdicioi Ortea & Urgorri, 1978
- Family Hancockiidae**
Hancockia
uncinata (Hesse, 1872)
- Family Lomanotidae**
Lomanotus
barlettai Garc  a-Gomez, Lopez-Gonzalez & Garc  a, 1990
genei V  rany, 1846
marmoratus (Alder & Hancock, 1845)
- Family Phylliroididae**
Phylliroe
atlantica Bergh, 1871
bucephala P  eron & Lesueur, 1810
- Cephalopyge*
trematoides (Chun, 1889)

- Family Scyllaeidae**
- Scyllaea*
 - pelagica* Linné, 1758
- Family Tethydidae**
- Tethys*
 - fimbria* Linné, 1767
 - Melibe*
 - fimbriata* Alder & Hancock, 1864
- Family Tritoniidae**
- Tritonia*
 - episcopalis* Bouchet, 1977
 - griegi* Odhner, 1922
 - hombergi* Cuvier, 1803
 - ingolfiana* (Bergh, 1899)
 - lineata* Alder & Hancock, 1848
 - manicata* Deshayes, 1853
 - nilsodhneri* Marcus Ev., 1983
 - plebeia* Johnston, 1828
 - striata* Haefelfinger, 1963
 - Marionia*
 - blainvillaea* (Risso, 1818)
 - Tritoniopsis*
 - cincta* (Pruvot-Fol, 1937)
- Family Arminidae**
- Armina*
 - loveni* (Bergh, 1860)
 - maculata* Rafinesque, 1814
 - neapolitana* (delle Chiaje, 1824)
 - tigrina* Rafinesque, 1814
 - tricuspidata* Thompson, Cattaneo & Wong, 1990
- Lingella**
- elfortiana* de Blainville, 1823
 - quadrilateralis* (Bergh, 1860)
- Family Heterodorididae**
- Heterodoris*
 - ingolfiana* (Bergh, 1899)
 - robusta* Verrill & Emerton, 1882
- Family Heroidae**
- Hero*
 - blanchardi* Vayssièvre, 1888
 - formosa* (Lovén, 1844)
- Family Gonaeolidiidae**
- Gonaeolis*
 - typica* Sars M., 1861
- Family Madrellidae**
- Madrella*
 - aurantiaca* Vayssièvre, 1902
 - Eliotia*
 - souleyeti* Vayssièvre, 1909
- Family Proctonotidae**
- Janolus*
 - cristatus* (delle Chiaje, 1841)
 - faustoi* Ortea & Llera, 1988
 - hyalinus* (Alder & Hancock, 1854)
 - Proctonotus*
 - mucroniferus* (Alder & Hancock, 1844)
- Family Aeolidiidae**
- Aeolidia*
 - papillosa* (Linné, 1761)
 - Aeolidiella*
 - alderi* (Cocks, 1852)
 - glauca* (Alder & Hancock, 1845)
 - indica* Bergh, 1888
 - rubra* (Cantraine, 1835)
 - sanguinea* (Norman, 1877)
 - Baeolidia*
 - cryoporus* Bouchet, 1977
 - nodosa* (Haefelfinger & Stamm, 1958)
 - Berghia*
 - columbina* (Garcia-Gomez & Thompson, 1990)
 - norvegica* Odhner, 1939
 - Spurilla*
- caeruleescens* Laurillard, 1830
- neapolitana* (delle Chiaje, 1841)
- vayssierei* Garcia J.C. & Cervera, 1985
- verrucicornis* (Costa A., 1867)
- Cerberilla*
- bernadettae* Tardy, 1965
- Phidiana*
- indica* (Bergh, 1896)
- Family Calmidae**
- Calma*
 - glaucooides* (Alder & Hancock, 1854)
- Family Cumanotidae**
- Cumanotus*
 - beaumonti* (Eliot, 1906)
 - cuenoti* (Pruvot-Fol, 1948)
- Family Eubranchidae**
- Eubranchus*
 - arci* Ortea, 1981
 - cingulatus* (Alder & Hancock, 1847)
 - doriae* (Trinchesi, 1874)
 - exiguus* (Alder & Hancock, 1848)
 - farrani* (Alder & Hancock, 1844)
 - limensis* Garcia-Gomez, Cervera & Garcia, 1990
 - pallidus* (Alder & Hancock, 1842)
 - prietoi* Llera & Ortea, 1981
 - rupium* (Møller, 1842)
 - tricolor* Forbes, 1838
 - vittatus* (Alder & Hancock, 1842)
- Family Facelinidae**
- Facelina*
 - annulicornis* (Chamisso & Eysenhardt, 1821)
 - bostoniensis* (Couthouy, 1838)
 - coronata* (Forbes & Goodsir, 1839)
 - dubia* (Pruvot-Fol, 1948)
 - fusca* Schmekel, 1966
 - lugubris* (Bergh, 1882)
 - quatrefoigesi* Vayssièvre, 1888
 - rubrovittata* (Costa A., 1866)
 - rutila* Pruvot-Fol, 1951
 - variegata* d'Oliveira, 1895
 - vicina* (Bergh, 1882)
 - Algarvia*
 - alba* Garcia-Gomez & Cervera, 1989
- Antonietta*
- luteorufa* Schmekel, 1966
- Caloria*
- elegans* (Alder & Hancock, 1845)
- Facelinopsis*
- marioni* (Vayssièvre, 1888)
- Pruvofolia*
- pselliotes* (Labbé, 1923)
- Rolandia*
- hispanica* Pruvot-Fol, 1951
- Family Favorinidae**
- Favorinus*
 - blianus* Lemche & Thompson, 1974
 - branchialis* (Rathke, 1806)
 - vitreus* Ortea, 1982
- Dicata*
- odhneri* Schmekel, 1967
- Dondice*
- banyulensis* Portmann & Sandmeier, 1960
- Family Fionidae**
- Fiona*
 - pinnata* (Eschscholtz, 1831)
- Family Flabellinidae**
- Flabellina*
 - affinis* (Gmelin, 1791)
 - babai* Schmekel, 1972
 - baetica* Garcia-Gomez, 1984
 - insolita* Garcia-Gomez & Cervera, 1989
 - ischitana* Hirano & Thompson, 1990
 - pedata* (Montagu, 1815)

- pellucida* (Alder & Hancock, 1843)
rubrolineata (O'Donoghue, 1929)
- Calmella**
cavolini (Vérany, 1846)
- Coryphella**
borealis Odhner, 1922
browni Picton, 1980
gracilis (Alder & Hancock, 1844)
lineata (Lovén, 1846)
nobilis Verrill, 1880
parva Hadfield, 1963
salmonacea (Couthouy, 1838)
sarsi Friele, 1902
verrucosa (Sars M., 1829)
- Rioselleolis**
anadoni Ortea, 1979
- Paracoryphella**
islandica (Odhner, 1937)
- Family Glaucidae**
Glaucus
atlanticus Forster, 1777
- Family Piseinotecidae**
Piseinotecus
gabinieri (Vicente, 1975)
gaditanus Cervera, Garcia-Gomez & Garcia, 1987
sphaeriferus (Schmekel, 1965)
- Family Pseudovermidae**
Pseudovermis
artabrensis Urgorri, Cobo & Besteiro, 1991
axi Marcus Ev. & Er., 1955
boadeni Salvini-Plawen & Sterrer, 1968
kowalewskyi Salvini-Plawen & Sterrer, 1968
papillifer Kowalewsky, 1901
paradoxus Periaslavzev, 1891
schultzi Marcus Ev. & Er., 1955
setensis Fize, 1961
thompsoni Salvini-Plawen, 1991
- Family Tergipedidae**
Tergipes
edwardsii Nordmann, 1844
tergipes (Forskål, 1775)
- Catriona*
gymnota (Couthouy, 1838)
maua Marcus Ev. & Er., 1960
- Cuthona*
abyssicola (Bergh, 1884)
albopunctata (Schmekel, 1968)
amoena (Alder & Hancock, 1845)
berghi (Friele, 1902)
caerulea (Montagu, 1804)
concinna (Alder & Hancock, 1843)
distans Odhner, 1922
ferruginea (Friele, 1902)
foliata (Forbes & Goodsir, 1839)
genovae (O'Donoghue, 1929)
granosaa (Schmekel, 1966)
ilonae (Schmekel, 1968)
leopardina (Vayssiére, 1888)
miniostriata (Schmekel, 1968)
nana (Alder & Hancock, 1842)
norvegica (Odhner, 1929)
ocellata (Schmekel, 1966)
peregrina (Gmelin, 1791)
pustulata (Alder & Hancock, 1854)
rubescens Picton & Brown, 1978
suecica (Odhner, 1940)
thompsoni Garcia, Lopez-Gonzalez & Garcia-Gomez, 1991
viridis (Forbes, 1840)
willani Cervera, Garcia-Gomez & Lopez-Gonzalez, 1992
- Embletonia*
pulchra (Alder & Hancock, 1844)
- Tenellia*
adspersa (Nordmann, 1845)
- Family Siphonariidae**
Siphonaria
kurracheensis (Reeve, 1856)
pectinata (Linné, 1758)
- Williamia*
gussonii (Costa O.G., 1829)
- Family Trimusculidae**
Trimusculus
afer (Gmelin, 1791)
mammilaris (Linné, 1758)
- Family Onchidiidae**
Onchidella
celtica (Cuvier, 1817)
- Family Ellobiidae**
Pseudomelampus
exiguus (Lowe, 1832)
- Auriculinella*
bidentata (Montagu, 1808)
- Ovatella*
aequalis (Lowe, 1832)
firminii (Payraudeau, 1826)
vulcani (Morelet, 1860)
- Myosotella*
denticulata (Montagu, 1803)
myosotis (Draparnaud, 1801)
- Pedipes*
afer (Gmelin, 1791)
- Family Otinidae**
Otina
ovata (Brown, 1827)
- Class Bivalvia**
- Family Xenoturbellidae**
Xenoturbella
bocki (Westblad, 1949)
westbladi (Israelsson, 1999)
- Family Solemyidae**
Solemya
togata (Poli, 1795)
- Family Nuculidae**
Nucula
atacellana Schenck, 1939
bicornis Gofas & Salas, 1996
decipiens Philippi, 1844
hanleyi Winckworth, 1931
nitidosa Winckworth, 1930
nucleus (Linné, 1758)
recondita Gofas & Salas, 1996
sulcata Bronn, 1831
tumidula Malm, 1861
- Ennucula*
aegaeensis (Forbes, 1844)
bushae (Dollfus, 1898)
corticata (Möller, 1842)
tenuis (Montagu, 1808)
- Brevinucula*
verrilli (Dall, 1886)
- Family Pristiglomidae**
Pristigloma
nitens (Jeffreys, 1876)
- Family Nuculanidae**
Nuculana
commutata (Philippi, 1844)
illirica Carrozza, 1987
minuta (Müller O.F., 1776)
pella (Linné, 1767)
pernula Müller O.F., 1779
- Family Malletidae**
Katadesmia
cuneata (Jeffreys, 1876)

- kolthoffi* (Hägg, 1904)
Pseudomalletia
obtusa (Sars G.O., 1872)
- Family Neilonellidae**
Neilonella
striolata (Brugnone, 1876)
- Family Spinulidae**
Bathyspinula
excisa (Philippi, 1844)
- Family Tindariidae**
Tindaria
derjugini Gorbunov, 1946
sericea (Jeffreys, 1876)
- Family Yoldiidae**
Yoldia
amygdalea Valenciennes, 1846
hyperborea Torell, 1859
micrometrika Seguenza G., 1877
minima Seguenza G., 1877
Yoldiella
annenkovae (Gorbunov, 1946)
dissimilis Verrill & Bush, 1898
expansa (Jeffreys, 1876)
folini Warén, 1978
frami Knudsen, 1985
frigida (Torell, 1859)
insculpta (Jeffreys, 1879)
intermedia (Sars M., 1865)
jeffreysi (Hidalgo, 1877)
lenticula (Møller, 1842)
lucida (Lovén, 1846)
messanensis (Jeffreys, 1870)
nana (Sars M., 1865)
philippiana (Nyst, 1845)
propinqua (Leche, 1878)
pustulosa (Jeffreys, 1876)
seguenzae Bonfitti & Sabelli, 1995
semistriata (Jeffreys, 1879)
solidula Warén, 1989
subaequilatera (Jeffreys, 1879)
tamara (Gorbunov, 1946)
- Megayoldia*
thraciaeformis (Storer, 1838)
- Portlandia*
arctica (Gray J.E., 1824)
- Microgloma*
guilonardi (Hoeksema, 1993)
pusilla (Jeffreys, 1879)
tumidula (Monterosato, 1880)
- Family Arcidae**
- Arcia*
noae Linné, 1758
tetragona Poli, 1795
- Asperarca*
magdalena (La Perna, 1998)
nodulosa (Müller O.F., 1776)
secreta (La Perna, 1998)
- Barbatia*
barbata (Linné, 1758)
clathrata (Defrance, 1816)
plicata (Dillwyn, 1817)
- Anadara*
corbuloides (Monterosato, 1878)
demiri (Piani, 1981)
inaequivalvis (Bruguière, 1789)
natalensis (Krauss, 1848)
polii (Mayer, 1868)
- Bathyarca*
frielei (Friele, 1877)
glacialis (Gray J.E., 1824)
inaequisculpta (Smith E.A., 1885)
pectunculoides (Scacchi, 1834)
philippiana (Nyst, 1848)
- Bentharca*
- asperula* (Dall, 1881)
- Family Noetiidae**
Striarca
lactea (Linné, 1758)
- Family Limopsidae**
Limopsis
angusta Jeffreys, 1879
aurita (Brocchi, 1814)
cristata Jeffreys, 1876
minuta (Philippi, 1836)
multistriata (Forskål, 1775)
friedbergi Glibert & van de Poel, 1965
- Family Glycymerididae**
Glycymeris
bimaculata (Poli, 1795)
glycymeris (Linné, 1758)
violacea (Lamarck, 1819)
- Family Mytilidae**
Mytilus
edulis Linné, 1758
galloprovincialis Lamarck, 1819
trossulus Gould, 1850
- Brachidontes*
pharaonis (Fischer P., 1870)
- Mytilaster*
lineatus (Gmelin, 1791)
marioni (Locard, 1889)
minimus (Poli, 1795)
solidus Monterosato, 1872
- Perna*
perna (Linné, 1758)
- Crenella*
arenaria Monterosato, 1875
canariensis (Odhner, 1932)
decussata (Montagu, 1808)
pellucida (Jeffreys, 1859)
- Gregariella*
petagna (Scacchi, 1832)
semigranata (Reeve, 1858)
- Modiolarca*
subpicta (Cantraine, 1835)
- Musculus*
costulatus (Risso, 1826)
discors (Linné, 1767)
laevigatus (Gray J.E., 1824)
niger (Gray J.E., 1824)
- Rhomboidella*
prideauxi (Leach, 1815)
- Lithophaga*
lithophaga (Linné, 1758)
- Myoforceps*
aristatus (Dillwyn, 1817)
- Modiolus*
adriaticus (Lamarck, 1819)
auriculatus Krauss, 1848
barbatus (Linné, 1758)
lulat (Dautzenberg, 1891)
martorelli (Hidalgo, 1878)
modiolus (Linné, 1758)
stultorum (Jousseaume, 1893)
- Amygdalum*
agglutinans (Cantraine, 1835)
politum (Verrill & Smith, 1880)
- Dacrydium*
abyssorum (Allen, 1999)
balgimi Salas & Gofas, 1997
dauvini Salas & Gofas, 1997
filiferum Salas & Gofas, 1997
hyalinum Monterosato, 1875
ockelmanni Mattson & Warén, 1977
sandersi (Allen, 1999)
vitreum (Møller, 1842)
viviparum Ockelmann, 1983
wareni Salas & Gofas, 1997

- Idas***
argenteus Jeffreys, 1876
ghisotti Warén & Carozza, 1990
modiolaeformis (Sturany, 1896)
pelagicus (Forbes in Woodward, 1854)
simpsoni (Marshall, 1900)
- Bathymodiolus***
azoricus (Cosel & Comtet in Cosel, Comtet & Krylova, 1999)
- Modiolula***
phaseolina (Philippi, 1844)
- Musculista***
perfragilis (Dunker, 1857)
senhousia (Benson in Cantor, 1842)
- Xenostrobus***
securis (Lamarck, 1819)
- Family Pinnidae**
- Pinna***
nobilis Linné, 1758
rudis Linné, 1758
- Atrina***
pectinata (Linné, 1767)
- Family Pteriidae**
- Pteria***
hirundo (Linné, 1758)
- Pinctada***
radiata (Leach, 1814)
- Family Malleidae**
- Malleus***
regulus (Forskål, 1775)
- Family Isognomonidae**
- Isognomon***
isognomon (Linné, 1758)
- Family Pectinidae**
- Pecten***
jacobeus (Linné, 1758)
maximus (Linné, 1758)
- Aequipecten***
commutatus (Monterosato, 1875)
opercularis (Linné, 1758)
- Lissopecten***
hyalinus (Poli, 1795)
- Nodipecten***
corallinoides (d'Orbigny, 1840)
- Palliolum***
furtivum (Lovén, 1846)
incomparabile (Risso, 1826)
striatum (Müller O.F., 1776)
tigerinum (Müller O.F., 1776)
- Arctinula***
greenlandica (Sowerby G.B. II, 1842)
- Propeamussium***
fenestratum (Forbes, 1844)
lucidum (Wyville-Thompson, 1873)
propinquum (Smith E.A., 1885)
- Pseudamussium***
clavatum (Poli, 1795)
peslutrae (Linné, 1771)
- Cyclopecten***
brundisiensis Smriglio & Mariottini, 1990
hoskynsi (Forbes, 1844)
imbrifer (Lovén, 1846)
- Electopecten***
vitreus (Gmelin, 1791)
- Hyalopecten***
frigidus Jensen, 1904
similis (Laskey, 1811)
- Crassadoma***
multistriata (Poli, 1795)
pusio (Linné, 1758)
- Chlamys***
alicei Dautzenberg & Fischer H., 1897
flexuosa (Poli, 1795)
glabra (Linné, 1758)
- islandica*** (Müller O.F., 1776)
pesfelis (Linné, 1758)
protea (Dillwyn, 1817)
sulcata (Müller O.F., 1776)
varia (Linné, 1758)
- Family Spondylidae**
- Spondylus***
gaederopus Linné, 1758
gussonii Costa O.G., 1829
senegalensis (Schreibers, 1793)
spinosus (Schreibers, 1793)
- Family Anomiidae**
- Anomia***
ephippium Linné, 1758
- Isonomia***
alberti (Dautzenberg & Fischer H., 1896)
- Heteranomia***
squamula (Linné, 1758)
- Pododesmus***
patelliformis (Linné, 1761)
squama (Gmelin, 1791)
- Family Limidae**
- Lima***
lima (Linné, 1758)
marioni Fischer P., 1888
- Limaria***
hians (Gmelin, 1791)
tuberculata (Wood S., 1839)
- Limea***
loscombii (Sowerby G.B. I, 1824)
- Acesta***
excavata (Fabricius J.C., 1779)
- Limatula***
gwyni (Sykes, 1903)
hyperborea Jensen, 1905
jeffreysi (Fischer P., 1882)
laminifera (Smith E.A., 1885)
similis (Jensen, 1912)
subauriculata (Montagu, 1808)
subovata (Jeffreys, 1876)
- Notolimea***
clandestina Salas, 1994
crassa (Forbes, 1844)
- Family Ostreidae**
- Ostrea***
edulis Linné, 1758
- Crassostrea***
gigas (Thunberg, 1793)
virginica (Gmelin, 1791)
- Ostreola***
stentina (Payraudeau, 1826)
- Saccostrea***
commercialis (Iredale & Roughley, 1933)
- Family Gryphaeidae**
- Neopycnodonte***
cochlear (Poli, 1795)
- Family Lucinidae**
- Linga***
adansoni (d'Orbigny, 1839)
- Ctena***
decussata (Costa O.G., 1829)
- Loripes***
lacteus (Linné, 1758)
- Megaxinus***
appendiculatus (Locard, 1898)
unguiculinus (Pallary, 1904)
- Divaricella***
angulifera Von Martens, 1880
- Lucinella***
divaricata (Linné, 1758)
- Anodontia***
fragilis (Philippi, 1836)
- Myrtea***

- amorpha* (Sturany, 1896)
spinifera (Montagu, 1803)
- Lucinoma**
borealis (Linné, 1767)
- Family Thyasiridae**
- Axinus*
grandis (Verrill, 1885)
- Axinopsida*
orbiculata (Sars G.O., 1878)
- Thyasira*
allenii Carrozza, 1981
biplicata (Philippi, 1836)
biscayensis Payne & Allen, 1991
brevis (Verrill & Bush, 1898)
croulinensis (Jeffreys, 1847)
equalis (Verrill & Bush, 1898)
eumyaria (Sars M., 1870)
ferruginea (Locard, 1886)
flexuosa (Montagu, 1803)
gouldii (Philippi, 1845)
granulosa (Monterosato, 1874)
incrassata (Jeffreys, 1876)
inflata Payne & Allen, 1991
oblonga (Monterosato, 1878)
obsoleta (Verrill & Bush, 1898)
planata (Jeffreys, 1882)
perplicata (Salas, 1996)
pygmaea (Verrill & Bush, 1898)
sarsi (Philippi, 1845)
striata (Sturany, 1896)
subcircularis Payne & Allen, 1991
subovata (Jeffreys, 1881)
succisa (Jeffreys, 1876)
tortuosa (Jeffreys, 1881)
transversa Payne & Allen, 1991
ultima Payne & Allen, 1991
- Family Ungulinidae**
- Diplodonita*
apicalis Philippi, 1836
brocchii (Deshayes, 1852)
eddystonia (Marshall, 1895)
rotundata (Montagu, 1803)
subrotunda (Issel, 1869)
torelli Jeffreys, 1876
- Ungulina*
cuneata (Spengler, 1782)
- Family Chamidae**
- Chama*
pacifica (Broderip, 1834)
gryphoides Linné, 1758
- Pseudochama*
cornucopia (Reeve, 1846)
gryphina (Lamarck, 1819)
radians (Lamarck, 1819)
- Family Galeommatidae**
- Galeomma*
turtoni Sowerby G.B. I in Turton, 1825
- Vasconiella*
jeffreysiana (Fischer P. in de Folin & Périer, 1873)
- Family Kelliidae**
- Kellia*
suborbicularis (Montagu, 1803)
- Pseudopythina*
macandrewi (Fischer P., 1867)
- Bornia*
geoffroyi (Payraudeau, 1826)
sebetia (Costa O.G., 1829)
- Solecardia*
rotunda (Jeffreys, 1881)
- Family Lasaeidae**
- Lasaea*
rubra (Montagu, 1803)
- Scacchia*
- oblonga* (Philippi, 1836)
zorni van Aartsen & Fehr-de Wal, 1985
- Family Leptonidae**
- Lepton*
lacerum Jeffreys in de Folin & Périer, 1873
squamosum (Montagu, 1803)
subtrigonom Jeffreys in de Folin & Périer, 1873
- Hemilepton*
nitidum (Turton, 1822)
- Arculus*
sykesi (Chaster, 1895)
- Litigiella*
corganii van Aartsen, 1996
glabra (Fischer P. in de Folin & Périer, 1873)
- Family Montacutidae**
- Montacuta*
convexa Monterosato, 1875
donacina Wood S., 1848
ferruginosa (Montagu, 1808)
goudii (van Aartsen, 1996)
maltzani Verkrüzen, 1876
phascolionis Dautzenberg & Fischer H., 1925
pura (Smith E.A., 1885)
semirubra (Gaglini, 1992)
substriata (Montagu, 1808)
tenella Lovén, 1846
voeringi Friese, 1879
- Axinodon*
symmetros (Jeffreys, 1876)
- Kelliopsis*
jozinae (van Aartsen & Carrozza, 1997)
- Mysella*
bidentata (Montagu, 1803)
dawsoni (Jeffreys, 1864)
obliquata (Chaster, 1897)
ovata (Jeffreys, 1881)
pellucida (Jeffreys, 1881)
triangularis (Watson, 1897)
tumidula (Jeffreys, 1866)
- Devonia*
perrieri (Malard, 1904)
- Epilepton*
clarkiae (Clark W., 1852)
parrussetensis (Giribet & Peñas, 1999)
- Family Neoleptonidae**
- Neolepton*
cancellatum (Salas & Gofas, 1998)
guanche (Salas & Gofas, 1998)
sulcatulum (Jeffreys, 1859)
- Family Sportellidae**
- Sportella*
recondita (Fischer P. in de Folin, 1872)
- Family Turtoniidae**
- Turtonia*
minuta (Fabricius O., 1780)
- Family Carditidae**
- Cardita*
calyculata (Linné, 1758)
- Glans*
aculeata (Poli, 1795)
trapezia (Linné, 1767)
- Pteromeris*
jozinae van Aartsen, 1984
minuta (Scacchi, 1836)
- Venericardia*
antiquata (Linné, 1758)
- Family Astartidae**
- Astarte*
acuticostata Friese, 1877
arctica (Gray, 1824)
borealis (Schumacher, 1817)
crebricostata McAndrew & Forbes, 1847
crenata (Gray, 1824)

- elliptica* (Brown, 1827)
fusca (Poli, 1795)
montagui (Dillwyn, 1817)
sulcata (da Costa, 1778)
- Digitaria**
digitaria (Linné, 1758)
- Gonlia**
biplicata (Dall, 1903)
- Goodallia**
gofasi (Giribet & Peñas, 1999)
macandrewi (Smith E.A., 1881)
micalii (Giribet & Peñas, 1999)
pusilla (Forbes, 1844)
triangularis (Montagu, 1803)
- Family Crassatellidae**
Crassatina
planata (Calcaro, 1840)
- Family Cardiidae**
Cardium
indicum Lamarck, 1818
Acanthocardia
aculeata (Linné, 1758)
deshayesii (Payraudeau, 1826)
echinata (Linné, 1758)
paucicostata (Sowerby G.B. II, 1841)
spinosa (Solander, 1786)
tuberculata (Linné, 1758)
- Parvicardium*
elegantulum (Møller, 1842)
exiguum (Gmelin, 1791)
hauniense (Høpner Petersen & Russell, 1971)
minimum (Philippi, 1836)
ovale (Sowerby G.B. II, 1840)
scabrum (Philippi, 1844)
trapezium (Cecalupo & Quadri, 1996)
- Afrocardium*
richardi (Audouin, 1826)
- Plagiocardium*
papillosum (Poli, 1795)
- Laevicardium*
angmagsalikense (Voskuil & Onverwagt, 1992)
crassum (Gmelin, 1791)
flavum (Linné, 1758)
oblongum (Gmelin, 1791)
- Cerastoderma*
edule (Linné, 1758)
glaucum (Poiret, 1789)
- Ciliocardium*
ciliatum (Fabricius O., 1780)
- Serripes*
groenlandicus (Bruguière, 1789)
- Fulvia*
australis (Sowerby G.B. II, 1834)
fragilis (Forskål, 1775)
- Family Mactridae**
Mactra
glauca Von Born, 1778
olorina Philippi, 1846
stultorum (Linné, 1758)
- Spisula*
elliptica (Brown, 1827)
solida (Linné, 1758)
subtruncata (da Costa, 1778)
- Lutraria*
angustior Philippi, 1844
lutraria (Linné, 1758)
magna (da Costa, 1778)
- Eastonia*
rugosa (Helbling, 1779)
- Family Mesodesmatidae**
Atactodea
striata (Gmelin, 1791)
- Donacilla*
cornea (Poli, 1795)
- Monterosatus*
primus (Locard, 1899)
- Family Solenidae**
Solen
marginatus Pulteney, 1799
- Family Pharidae**
Pharus
legumen (Linné, 1758)
- Ensis*
arcuatus (Jeffreys, 1865)
directus (Conrad, 1843)
ensis (Linné, 1758)
minor (Chenu, 1843)
silqua (Linné, 1758)
- Phaxas*
pellucidus (Pennant, 1777)
- Sinupharus*
combieri (Fischer-Piette & Nicklès, 1946)
- Family Tellinidae**
Tellina
compressa Brocchi, 1814
distorta Poli, 1791
donacina Linné, 1758
fabula Gmelin, 1791
incarnata Linné, 1758
nitida Poli, 1791
planata Linné, 1758
pulchella Lamarck, 1818
punicea (Von Born, 1778)
pygmaea Lovén, 1846
serrata Brocchi, 1814
tenuis da Costa, 1778
valtonis Hanley, 1844
- Arcopagia*
balaustina (Linné, 1758)
crassa (Pennant, 1777)
- Macoma*
balthica (Linné, 1758)
calcarea (Gmelin, 1791)
cumana (Costa O.G., 1829)
melo (Sowerby G.B. III, 1866)
- Gastrana*
fragilis (Linné, 1758)
- Strigilla*
pseudocarnaria (Boss, 1969)
- Family Donacidae**
Donax
semistriatus Poli, 1795
trunculus Linné, 1758
venustus Poli, 1795
vittatus (da Costa, 1778)
- Capsella*
variegata (Gmelin, 1791)
- Family Psammobiidae**
Gari
costulata (Turton, 1822)
depressa (Pennant, 1777)
fervens (Gmelin, 1791)
intermedia (Deshayes, 1855)
pseudoweinkauffi Cosel, 1989
tellinella (Lamarck, 1818)
- Soletellina*
rubra (Schroeter, 1788)
subradiata (Deshayes in Reeve, 1857)
- Family Scrobiculariidae**
Scrobicularia
cottardi (Payraudeau, 1826)
plana (da Costa, 1778)
- Family Semelidae**
Semele
striata (Reeve, 1853)
- Ervilia*
castanea (Montagu, 1803)

- Abra**
alba (Wood W., 1802)
longicallus (Scacchi, 1834)
nitida (Müller O.F., 1776)
prismatica (Montagu, 1808)
profundorum (Smith E.A., 1885)
segmentum (Récluz, 1843)
tenuis (Montagu, 1803)
- Family Solecurtidae**
Solecurtus
multistriatus (Scacchi, 1835)
scopula (Turton, 1822)
strigilatus (Linné, 1758)
- Azorinus*
chamasolen (da Costa, 1778)
- Family Arcticidae**
Arctica
islandica (Linné, 1767)
- Family Kelliellidae**
Kelliella
abyssicola (Forbes, 1844)
- Family Trapezidae**
Trapezium
oblongum (Linné, 1758)
Coralliphaga
lithophagella (Lamarck, 1819)
- Isorropodon*
perplexum (Sturany, 1896)
- Family Vesicomyidae**
Vesicomya
atlantica (Smith E.A., 1885)
- Family Glossidae**
Glossus
humanus (Linné, 1758)
- Family Veneridae**
Venus
casina Linné, 1758
nux Gmelin, 1791
verrucosa Linné, 1758
- Mercenaria*
mercenaria (Linné, 1758)
- Globivenus*
effossa (Philippi, 1836)
- Chamelea*
gallina (Linné, 1758)
striatula (da Costa, 1778)
- Liocyma*
fluctuosa (Gould, 1841)
- Clausinella*
fasciata (da Costa, 1778)
- Timoclea*
ovata (Pennant, 1777)
roemeriana (Issel, 1869)
- Gastrarium*
calipygum (Von Born, 1778)
pectinatum (Linné, 1758)
- Gouldia*
minima (Montagu, 1803)
- Clementia*
papyracea (Gmelin, 1791)
- Dosinia*
exoleta (Linné, 1758)
lupinus (Linné, 1758)
- Pitar*
mediterranea (Tiberi, 1855)
rudis (Poli, 1795)
- Callista*
chione (Linné, 1758)
- Tapes*
decussata (Linné, 1758)
philippinarum (Adams & Reeve, 1850)
- Irus*
irus (Linné, 1758)
- Paphia**
aurea (Gmelin, 1791)
dura (Gmelin, 1791)
lucens (Locard, 1886)
rhomboides (Pennant, 1777)
textilis (Gmelin, 1791)
- Venerupis*
geographica (Gmelin, 1791)
pullastra (Montagu, 1803)
saxatilis (Fleuriau de Bellevue, 1802)
- Family Petricolidae**
Petricola
lithophaga (Philippson, 1788)
pholadiformis Lamarck, 1818
- Lajonkairia*
lajonkairii (Payraudeau, 1826)
- Mysia*
undata (Pennant, 1777)
- Family Myidae**
Mya
arenaria Linné, 1758
truncata Linné, 1758
- Sphenia*
binghami Turton, 1822
rueppelli Adams A., 1850
- Family Corbulidae**
Corbula
gibba (Olivi, 1792)
- Lentidium*
mediterraneum (Costa O.G., 1829)
- Family Gastrochaenidae**
Gastrochaena
cymbium Spengler, 1783
dubia (Pennant, 1777)
- Family Hiatellidae**
Hiatella
arctica (Linné, 1767)
rugosa (Linné, 1767)
- Panomya*
norvegica (Spengler, 1793)
- Panopea*
glycimeris (Von Born, 1778)
- Saxicavella*
angulata (Wood S., 1857)
jeffreysi Winckworth, 1930
- Cyrtodaria*
siliqua (Spengler, 1793)
- Family Pholadidae**
Pholas
dactylus Linné, 1758
- Barnea*
candida (Linné, 1758)
parva (Pennant, 1777)
- Pholadidea*
loscombiana Goodall in Turton, 1819
- Zirfaea*
crispata (Linné, 1767)
- Family Teredinidae**
Teredo
bartschi Clapp, 1923
bipartita (Jeffreys, 1860)
navalis Linné, 1758
utriculus Gmelin, 1791
- Lyrodus*
pedicellatus (de Quatrefages, 1849)
- Psiloteredo*
megotara (Hanley in Forbes & Hanley, 1848)
senegalensis (de Blainville, 1824)
- Teredora*
malleola (Turton, 1822)
- Bankia*
bipennata (Turton, 1819)
carinata (Gray J.E., 1827)

<i>jimbriatula</i> (Moll & Roch, 1931)	<i>Lyonsiella</i>
<i>Nototeredo</i>	<i>abyssicola</i> Sars G.O., 1878
<i>norvegica</i> (Spengler, 1792)	<i>compressa</i> (Locard, 1898)
<i>Teredothyra</i>	<i>frielei</i> Allen & Turner, 1974
<i>excavata</i> (Jeffreys, 1860)	<i>smidti</i> (Friele, 1886)
<i>Spathoteredo</i>	<i>subquadrata</i> (Jeffreys, 1881)
<i>spatha</i> (Jeffreys, 1860)	
Family Xylophagidae	Policordia
<i>Xylophaga</i>	<i>densicostata</i> (Locard, 1898)
<i>anselli</i> (Harvey, 1996)	<i>gemma</i> (Verrill, 1880)
<i>dorsalis</i> (Turton, 1819)	<i>jeffreysi</i> (Friele, 1879)
<i>gagei</i> (Harvey, 1996)	
<i>nidarosiensis</i> Santhakumaran, 1980	Family Cuspidariidae
<i>noradi</i> Santhakumaran, 1980	<i>Cuspidaria</i>
<i>praestans</i> Smith E.A., 1903	<i>arctica</i> (Sars M., 1859)
<i>ricei</i> (Harvey, 1996)	<i>atlantica</i> Allen & Morgan, 1981
<i>Xyloredo</i>	<i>canariensis</i> De Boer, 1985
<i>ingolfia</i> (Turner, 1972)	<i>centobi</i> Bouchet & Warén, 1979
Family Pholadomyidae	<i>circinata</i> (Jeffreys, 1876)
<i>Pholadomya</i>	<i>cuspidata</i> (Olivi, 1792)
<i>loveni</i> Jeffreys, 1882	<i>elliptica</i> Di Geronimo, 1974
Family Thraciidae	<i>exigua</i> (Jeffreys, 1876)
<i>Thracia</i>	<i>glacialis</i> (Sars G.O., 1878)
<i>convexa</i> (Wood W., 1815)	<i>inflata</i> (Jeffreys, 1882)
<i>corbuloides</i> Deshayes, 1830	<i>jeffreysi</i> (Dall, 1881)
<i>devexa</i> Sars G.O., 1878	<i>Jugosa</i> (Wood S., 1856)
<i>distorta</i> (Montagu, 1803)	<i>lamellosa</i> (Sars G.O., 1878)
<i>myopsis</i> Beck in Møller, 1842	<i>obesa</i> (Lovén, 1846)
<i>papyracea</i> (Poli, 1791)	<i>obliqua</i> De Boer, 1985
<i>pubescens</i> (Pulteney, 1799)	<i>parva</i> Verrill & Bush, 1898
<i>villosiuscula</i> (MacGillivray, 1827)	<i>rostrata</i> (Spengler, 1793)
Family Laternulidae	<i>subtorta</i> (Sars G.O., 1878)
<i>Laternula</i>	<i>teres</i> (Jeffreys, 1882)
<i>subrostrata</i> (Lamarck, 1818)	<i>truncata</i> (Jeffreys, 1882)
Family Periplomatidae	<i>ventricosa</i> Verrill & Bush, 1898
<i>Cochlodesma</i>	<i>wollastoni</i> (Smith E.A., 1885)
<i>praetenue</i> (Pulteney, 1799)	
<i>tenerum</i> Fischer P., 1882	Tropidomya
Family Clavagellidae	<i>abbreviata</i> (Forbes, 1843)
<i>Clavagella</i>	
<i>aperta</i> Sowerby G.B. I., 1824	Cardiomya
<i>balanorum</i> Scacchi, 1841	<i>costellata</i> (Deshayes, 1835)
<i>melitensis</i> Broderip, 1835	<i>curta</i> (Jeffreys, 1876)
Family Pandoridae	<i>knudseni</i> Allen & Morgan, 1981
<i>Pandora</i>	<i>striata</i> (Jeffreys, 1876)
<i>glacialis</i> Leach, 1819	Rhinoclama
<i>inaequivalvis</i> (Linné, 1758)	<i>halimera</i> (Dall, 1886)
<i>pimma</i> (Montagu, 1803)	<i>notabilis</i> (Jeffreys, 1876)
Family Lyonsiidae	
<i>Lyonsia</i>	Myonera
<i>arenosa</i> (Møller, 1842)	<i>angularis</i> (Jeffreys, 1876)
<i>norwegica</i> (Gmelin, 1791)	<i>atlantica</i> Allen & Morgan, 1981
<i>Allogramma</i>	<i>paucistriata</i> (Dall, 1881)
<i>formosa</i> (Jeffreys, 1882)	<i>tillamookensis</i> Dall, 1916
Family Poromyidae	
<i>Poromya</i>	Halonympha
<i>granulata</i> (Nyst & Westendorp, 1839)	<i>depressa</i> (Jeffreys, 1882)
<i>neaeroides</i> Seguenza G., 1877	
<i>tornata</i> (Jeffreys, 1876)	Protocuspidaria
<i>Cetoconcha</i>	<i>atlantica</i> (Allen & Morgan, 1981)
<i>braziliensis</i> Allen & Morgan, 1981	<i>azorica</i> (Smith E.A., 1885)
Family Verticordiidae	<i>colpodes</i> (Dautzenberg & Fischer H., 1897)
<i>Verticordia</i>	<i>simplicis</i> (Allen & Morgan, 1981)
<i>acuticostata</i> (Philippi, 1844)	
<i>angulata</i> (Jeffreys, 1882)	Class Scaphopoda
<i>granulata</i> Seguenza G., 1860	
<i>quadrata</i> Smith E.A., 1885	Family Dentaliidae
<i>sinuosa</i> (Jeffreys, 1882)	<i>Dentalium</i>
<i>trapezoidea</i> Seguenza G., 1876	<i>agile</i> Sars M. in Sars G.O., 1872
<i>Halicardia</i>	<i>dentalis</i> Linné, 1758
<i>axinoides</i> Seguenza G., 1876	<i>entalis</i> Linné, 1758
<i>ferruginea</i> Di Geronimo, 1897	<i>inaequicostatum</i> (Bucquoy, Dautzenberg & Dollfus, 1891)

- scamnamum* (Locard, 1897)
Laevidentalium
caudani (Locard, 1896)
- Family Fustiariidae**
Fustiaria
rubescent (Deshayes, 1825)
- Family Gadilinidae**
Episiphon
filum (Sowerby G.B. II, 1860)
- Family Entalinidae**
Entalina
tetragona (Brocchi, 1814)
Bathoxiphus
ensiculus (Jeffreys, 1877)
Heteroschismoides
subterfissum (Jeffreys, 1877)
- Family Pulsellidae**
Pulsellum
affine (Sars G.O., 1878)
lofotense (Sars M., 1865)
teres (Jeffreys, 1883)
- Family Gadiliidae**
Cadulus
amphora (Jeffreys, 1883)
artatus (Locard, 1897)
cylindratus (Jeffreys, 1877)
gibbus (Jeffreys, 1880)
gracilis (Jeffreys, 1877)
jeffreysi (Monterosato, 1875)
monterosatoi (Locard, 1897)
- Gadila*
olivii (Scacchi, 1835)
- Cadulus*
ovulum (Philippi, 1844)
propinquus (Sars G.O., 1878)
strangulatus (Locard, 1897)
subfusiformis (Sars M., 1865)
tumidostus (Jeffreys, 1877)
- Dischides*
politus (Wood S., 1842)
- Siphondentalium*
laubieri Bouchet & Warén, 1979
lobatum (Sowerby G.B. II, 1860)
- Class Cephalopoda**
- Family Spirulidae**
Spirula
spirula (Linné, 1758)
- Family Sepiidae**
Sepia
bertheloti (d'Orbigny, 1839)
elegans de Blainville, 1827
officinalis Linné, 1758
orbigniana de Féussac, 1826
- Family Sepiolidae**
Rossia
macrosoma (Delle Chiaje, 1828)
- Neorossia*
caroli (Joubin, 1902)
- Heteroteuthis*
dispar (Rüppell, 1845)
- Stoloteuthis*
leucophterus (Verrill, 1878)
- Rondeletiola*
minor (Naef, 1912)
- Sepiola*
affinis Naef, 1912
atlantica d'Orbigny, 1839
aurantiaca Jatta, 1896
intermedia Naef, 1912
ligulata Naef, 1912
robusta Naef, 1912
rondeleti Leach, 1817
- steenstrupiana* Levy, 1912
Sepieta
neglecta Naef, 1916
obscura Naef, 1916
oweniana (d'Orbigny, 1839)
- Family Loliginidae**
Loligo
forbesi Steenstrup, 1856
vulgaris Lamarck, 1798
- Alloleuthis*
medius (Linné, 1758)
subulatus (Lamarck, 1798)
- Family Ctenopterygidae**
Ctenopteryx
siculus (Vérany, 1851)
- Family Lycoteuthidae**
Lampadioteuthis
megaleius Berry, 1916
- Family Enoplateuthidae**
Abralia
veranyi (Rüppell, 1844)
- Abraaliopsis*
pfefferi Joubin, 1896
- Family Pyroteuthidae**
Pyroteuthis
margaritifer (Rüppell, 1844)
- Pterygioteuthis*
giardi Fischer, 1896
- Family Ancistrocheiridae**
Ancistrocheirus
lesueurii (de Féussac & d'Orbigny, 1835)
- Family Octopoteuthidae**
Octopoteuthis
siculus Rüppell, 1844
- Taningia*
danae Joubin, 1931
- Family Onychoteuthidae**
Chaunoteuthis
mollis Appellöf, 1890
- Onychoteuthis*
banksii (Leach, 1817)
- Ancistroteuthis*
lichtensteinii (de Féussac & d'Orbigny, 1839)
- Onykia*
carriboea Lesueur, 1821
- Family Cycloteuthidae**
Cycloteuthis
sirventi Joubin, 1919
- Family Gonatidae**
Gonatus
steenstrupi Kristensen, 1981
- Family Lepidoteuthidae**
Lepidoteuthis
grimaldii Joubin, 1895
- Family Histiopteuthidae**
Histioteuthis
bonnellii (de Féussac, 1835)
- corona* (Voss & Voss, 1962)
- doylei* (Pfeffer, 1912)
- elongatus* (Voss & Voss, 1962)
- meleagrotoeuthis* (Chun, 1910)
- reversus* (Verrill, 1880)
- Family Bathytteuthidae**
Bathyteuthis
abyssicola Hoyle, 1885
- Family Brachioteuthidae**
Brachioteuthis
riisei (Steenstrup, 1882)
- Family Ommastrephidae**
Illex

- coindetii* (Vérany, 1839)
Todaropsis
eblanae (Ball, 1841)
Todarodes
sagittatus (Lamarck, 1798)
Ommastrephes
bartrami (Lesueur, 1821)
Sthenoteuthis
pteropus (Steenstrup, 1855)
- Family Thysanoteuthidae**
Thysanoteuthis
rhombus Troschel, 1857
- Family Chiroteuthidae**
Chiroteuthis
picteti Joubin, 1894
veranyi (de Féussac, 1835)
Valbyteuthis
danae Joubin, 1931
- Family Mastigoteuthidae**
Mastigoteuthis
atlanticus Joubin, 1933
flammeus Chun, 1908
grimaldii (Joubin, 1895)
schmidti Degner, 1925
talismani (Fischer & Joubin, 1906)
- Family Cranchiidae**
Leachia
atlantica (Degner, 1925)
Liocranchia
reinhardtii (Steenstrup, 1856)
Helicocranchia
pfefferi Massy, 1907
Bathothauma
lyromma Chun, 1906
Taonius
pavo (Lesueur, 1821)
Galiteuthis
armatus Joubin, 1898
Teuthowenia
megalops (Prosche, 1847)
Megalocranchia
speculator (Chun, 1906)
- Family Vampyroteuthidae**
Vampyroteuthis
infernalis Chun, 1903
- Family Cirroteuthidae**
Cirrothauma
murrayi Chun, 1911
- Family Opisthoteuthidae**
Opisthoteuthis
agassizi Verrill, 1883
grimaldii (Joubin, 1903)
Grimpoteuthis
umbellatus (Fischer, 1883)
- Family Bolitaenidae**
Japetella
diaphana Hoyle, 1885
- Family Vitreledonellidae**
Vitreledonella
richardi Joubin, 1918
- Family Octopodidae**
Octopus
defilippi Vérany, 1851
macropus Risso, 1826
salutii Vérany, 1836
vulgaris Cuvier, 1797
Scaeurgus
unicirrus (Delle Chiaje, 1838)
Pteroctopus
tetricirrus (Delle Chiaje, 1830)
Eledone
cirrhosa (Lamarck, 1798)
- moschata* (Lamarck, 1798)
Bathytopypus
arcticus (Prosche, 1849)
proschi Muus, 1962
sponsalis (Fischer & Fischer, 1892)
Benthocotpus
ergasticus (Fischer & Fischer, 1892)
- Family Tremoctopodidae**
Tremoctopus
violaceus Delle Chiaje, 1830
- Family Ocythoidae**
Ocythoe
tuberculata Rafinesque, 1814
- Family Argonautidae**
Argonauta
argo Linné, 1758
- Family Alloposidae**
Haliphron
atlanticum Steenstrup, 1861