

<i>zezinæ</i> Kudinova-Pasternak, 1973	A	<i>jonesi</i> Sieg, 1977	A
<i>Mirandotanais</i>		<i>lilljeborgi</i> G.O. Sars, 1882	A
<i>vorax</i> Kussakin & Tsareva, 1974	A	<i>longispinus</i> Bird & Holdich, 1989	A
<i>Nematotanais</i>		<i>macrocheles</i> G.O. Sars, 1882	A M
<i>mirabilis</i> Bird & Holdich, 1985	A	<i>mediterraneus</i> G.O. Sars, 1882	A M
<i>Pseudoparatanaïis</i>		= <i>P. mediterraneus</i>	
<i>batei</i> (G.O. Sars, 1882)	A M	<i>scalpellum</i> Bird & Holdich, 1989	A
= <i>Paratanaïis batei</i>		<i>spatula</i> Bird & Holdich, 1989	A
<i>Tanaopsis</i>		<i>spicatus</i> Bird & Holdich, 1989	A
<i>graciloïdes</i> (Lilljeborg, 1864)	A M	<i>vulsella</i> Bird & Holdich, 1989	A
= <i>T. laticaudata</i>			
Family Typhlotanaiidae		Family Nototanaiidae	
<i>Meromonakantha</i>		<i>Bathytanaïssus</i>	
<i>macrocephala</i> (Hansen, 1913)	A	<i>spinulosus</i> Bird & Holdich, 1989	A
= <i>Typhlotanaïis macrocephalus</i>		<i>Tanaïssus</i>	
<i>Peraeospinosus</i>		<i>elongatus</i> Jones & Holdich, 1983	A
<i>mixtus</i> (Hansen, 1913)	A	<i>lilljeborgi</i> (Stebbing, 1891)	A
= <i>Typhlotanaïis mixtus</i>		= <i>Leptognathia crassimana</i> Dollfus, 1898	
<i>Typhlotanaïis</i>			
<i>aequiremis</i> (Lilljeborg, 1864)	A M		
<i>assimilis</i> G.O. Sars, 1882	A		
<i>brevicornis</i> (Lilljeborg, 1864)	A		
<i>cornutus</i> G.O. Sars, 1879	A		
<i>eximius</i> Hansen, 1913	A		
<i>finmarchicus</i> G.O. Sars, 1882	A		
<i>gracilipes</i> Hansen, 1913	A		
<i>grandis</i> Hansen, 1913	A		
<i>inaequipes</i> Hansen, 1913	A		
<i>inermis</i> Hansen, 1913	A		
<i>irregularis</i> Hansen, 1913	A		
<i>kerguelenensis</i> Beddard, 1886	A		
<i>longimanus</i> Dollfus, 1897	A		
<i>messinensis</i> G.O. Sars, 1882	A M		
<i>microcheles</i> G.O. Sars, 1882	A		
<i>mucronatus</i> Hansen, 1913	A		
<i>penicillatus</i> G.O. Sars, 1882	A		
<i>plebejus</i> Hansen, 1913	A		
<i>proctagon</i> Tattersall, 1904	A		
<i>profundus</i> Hansen, 1913	A		
<i>pulcher</i> Hansen, 1913	A		
<i>richardi</i> Dollfus, 1897	A		
<i>solidus</i> Hansen, 1913	A		
<i>spinicauda</i> Hansen, 1913	A		
<i>spinipes</i> Kudinova-Pasternak, 1982	M		
<i>spiniventris</i> Dollfus, 1897	A		
<i>tenuicornis</i> G.O. Sars, 1882	A		
<i>tenuimanus</i> (Lilljeborg, 1864)	A		
= <i>T. tenuimanu</i>			
<i>trispinosus</i> Hansen, 1913	A		
<i>variabilis</i> Hansen, 1913	A		
Family Pseudotanaiidae			
Subfamily Cryptocopinae			
<i>Cryptocope</i>			
<i>abbreviata</i> (G.O. Sars, 1868)	A M		
<i>longa</i> Kudinova-Pasternak, 1982	M		
<i>vitjazi</i> Kudinova-Pasternak, 1982	M		
<i>Cryptocopoides</i>			
<i>arcticus</i> (Hansen, 1886)	A		
= <i>Cryptocope arctica</i>			
Subfamily Pseudotanainae			
<i>Mystriocentrus</i>			
<i>serratus</i> Bird & Holdich, 1989	A		
<i>Parapseudotanais</i>			
<i>abyssalis</i> Bird & Holdich, 1989	A		
<i>Pseudotanais</i>			
<i>longipes</i> Hansen, 1913	A		
<i>similis</i> Sieg, 1977	A		
<i>affinis</i> Hansen, 1887	A		
<i>borceai</i> Bacescu, 1960	A		
<i>colonus</i> Bird & Holdich, 1989	A		
<i>falculata</i> Bird & Holdich, 1989	A		
= <i>P. abyssi</i> Hansen, 1913			
<i>denticulatus</i> Bird & Holdich, 1989	A		
<i>forcipatus</i> (Lilljeborg, 1864)	A		

Isopoda

Compiled by Jacob van der Land

The ERMS-list of Isopoda is mainly based on the "World List of Marine and Freshwater Crustacea Isopoda", compiled by Brian Kensley and Marilyn Schotte, Department of Invertebrate Zoology, National Museum of Natural History, Smithsonian Institution Washington, D.C. 20560. It has been compiled from a variety of sources, including numerous individual papers and monographic works, and the collections and catalogues of the National Museum of Natural History, Smithsonian Institution. The following experts co-operated: Dr Thomas E. Bowman, National Museum of Natural History, Smithsonian Institution, (Asellidae in part, Cymothoidae); Dr Niel Bruce, Queensland Museum, South Brisbane, Australia (Aegidae, Cirolanidae, Sphaeromatidae); Dr Richard Brusca, Columbia University Biosphere 2 Center, Oracle, Arizona U.S.A. (Cirolanidae); Dr Hans-Georg Mueller, Germany (Anthuridea, Asellota); Dr Gary C. B. Poore, Museum of Victoria, Melbourne, Australia (Anthuridea, Valvifera); Dr Fahmida Rafi, Canadian Museum of Nature, Ottawa, Canada (Valvifera); Dr Ernest Williams, and Dr Lucy Bunkley Williams, University of Puerto Rico, Mayaguez, Puerto Rico (Cymothoidae). The main list of isopods has not been checked in detail by an expert on the European species. The isopod fauna of deeper waters and parts of the Mediterranean has been least studied (Waegle, personal communication).

The Internet address is: <http://www.nmnh.si.edu/gopher-menues/WorldListofMarineandFreshwaterCrustacealsopoda.html>

References

- Bate, C. S., and J. O. Westwood. 1868. *A history of the British sessile-eyed Crustacea*. lvi + 536 pages. London: John van Voorst.
- Bonnier, J. 1900. Contribution à l'étude des épicarides. Les Bopyridae. *Travaux de l'Institut Zoologique de Lille et du Laboratoire de Zoologie Maritime de Wimereux* 8: 1-478.
- Bourdon, R. 1968. Les Bopyridae des mers européennes. *Mémoires du Muséum National d'Histoire Naturelle de Paris, Nouvelle Série (A)* 50 (2): 77-424.
- Bourdon, R. 1981. Bopyriens nouveaux pour la faune européenne de l'Atlantique (Isopoda Epicaridea). *Bulletin du Muséum National d'Histoire Naturelle, Paris (4)* 3 (Section A) (no. 2): 615-634.
- Carayon, J. 1943. Sur les épicarides du Bassin d'Arcachon (2e note). *Bulletin de la Société Zoologique de France* 68: 43-48.

Caroli, E. 1930. Notizia di tre specie nuove ed una poco nota di Bopiridi addominali, parassiti di Caridei del golfo di Napoli. (Contributo alla conoscenza del genere <i>Phrixus</i> Rathke). <i>Bollettino della Società Naturale di Napoli</i> 41: 258-269.		<i>caprii</i> Wägele, 1981	M
Codreanu, R., and M. Codreanu. 1963. Sur plusieurs bopyriens parasites branchiaux des anomoures de la Mer Noire, de la Méditerranée et du Viet-Nam. <i>Rapports et Procès verbaux de réunions de la Commission internationale pour l'Exploration scientifique de la mer Méditerranée</i> 17: 283-285.		<i>mjoelniri</i> Negoescu & Svavarsson, 1997	A
Giard, A., and J. Bonnier. 1887. Contributions à l'étude des bopyriens. <i>Travaux de l'Institut Zoologique de Lille et du Laboratoire Marine de Wimereux</i> 5: 1-272.		<i>Malacanthura cantabrica</i> Kensley, 1982	A
Markham, J. C. 1985. A review of the bopyrid isopods infesting caridean shrimps in the northwestern Atlantic Ocean, with special reference to those collected during the Hourglass cruises in the Gulf of Mexico. <i>Memoirs of the Hourglass Cruises</i> 7 (3): 1-156.		<i>truncata</i> (Hansen, 1916)	A
Nobili, G. 1906. Nuovi Bopiridi. <i>Atti della Real Accademia della Scienze di Torino</i> 41: 1-18.		<i>Monodanthura maroccana</i> Wägele & Platvoet, 1982	A
Norman, A. M. 1886. <i>Museum Normanianum, or a catalogue of the Invertebrata of Europe, and the Arctic and North Atlantic Oceans, which are contained in the collection of the Rev. Canon A. M. Norman, M.A.D.C.L., F.L.S. III-Crustacea</i> . Houghton-Le-Spring: Morton. 26 pp.		<i>Pilosanthura fresii</i> (Wägele, 1980)	A M
Popov, V. K. 1927. [Rhizocephala and Bopyridae of the Bay of Sevastopol]. <i>Trudy Sevastopol'skoy Biologicheskoy Stantsii Akademii Nauk SSSR</i> 1 (1-26).		<i>Quantanthura tyri</i> Negoescu & Svavarsson, 1997	A
Richardson, H. 1905. A monograph on the isopods of North America. <i>Bulletin of the United States National Museum</i> 54: i-liii, 1-727.		Family Hyssuridae	
Sars, G. O. 1898. <i>An account of the Crustacea of Norway with short descriptions and figures of all the species. Volume II. Isopoda. Part XI, XII, pp. 185-232. Oniscidae (concluded), Bopyridae, Dajidae</i> . Bergen: Bergen Museum.		<i>Eisothistos macrurus</i> Wägele, 1979	M
Tattersall, W. M. 1905. The marine fauna of the coast of Ireland. Part 5. Isopoda. <i>Scientific Investigations for 1904, Fisheries Branch, Ireland</i> 2: 1-90.		<i>pumilus</i> Wägele, 1979	M
Trilles, J.-P., 1999. Ordre des isopodes. Sous-ordre des Épicarides (Epicaridea Latreille, 1825). In Forest, J., ed., <i>Traité de zoologie: Anatomie, systématique, biologie</i> . Tome VII, Fascicule IIIA. <i>Mémoires de l'Institut Océanographique de Monaco</i> 19: 279-352.		<i>Hyssura ligurica</i> Wägele, 1981	M
		<i>producta</i> Norman & Stebbing, 1886	A
		<i>profunda</i> Barnard, 1925	M
		Family Paranthuridae	
		<i>Kupellonura flexibilis</i> (Pasternak, 1982)	M
		<i>mediterranea</i> Barnard, 1925	M
		<i>serritelsoni</i> Wägele, 1981	M
		<i>Neohyssura spinicauda</i> (Walker, 1901)	M
		<i>Stellanthura cryptobia</i> Wägele, 1979	M
		<i>Apanthuroides mediterranea</i> (Negoescu, 1981)	M
		<i>spathulicauda</i> (Wägele, 1981)	M
		<i>Bullowanthura aquitana</i> Kensley, 1982	A
		<i>Calathura brachiata</i> (Stimpson, 1854)	A
		<i>Curassanthura canariense</i> Wägele, 1985	A
		<i>Leptanthura affinis</i> (Bonnier, 1896)	A
		<i>agulhasensis</i> Kensley, 1975	A
		<i>apalpata</i> Wägele, 1981	M
		<i>chardyi</i> Negoescu, 1992	A
		<i>laevigata</i> (Stimpson, 1855)	A
		<i>muelleri</i> Negoescu, 1980	M
		<i>sculpta</i> Pasternak, 1982	M
		<i>tenuis</i> (Sars, 1873)	A
		<i>thori</i> Barnard, 1925	A
		<i>victori</i> Negoescu, 1985	A
		<i>Paranthura costana</i> Bate & Westwood, 1868	A
		<i>nigropunctata</i> (Lucas, 1846)	M
		Suborder Asellota	
		Family Acanthaspidiidae	
		<i>Acanthaspidia decorata</i> (Hansen, 1895)	
		<i>laevis</i> Chardy, 1978	
		<i>typhlops</i> (G.O. Sars, 1879)	A
		<i>Ianthopsis pulchra</i> (Hansen, 1916)	A
		Family Dendroitiidae	
		<i>Acanthomunna hystrix</i> (Hansen, 1916)	A
		<i>Dendromunna compsa</i> Lincoln & Boxshall, 1983	A
		<i>Dendrotion elegans</i> Lincoln & Boxshall, 1983	A
		<i>paradoxum</i> Hansen, 1916	A
		<i>setosum</i> Lincoln & Boxshall, 1983	A
		<i>spinosum</i> Sars, 1872	A
		<i>Munella danteci</i> Bonnier, 1896	A
		Family Desmosomatidae	
		<i>Balbidocolon</i>	
Order Isopoda			
Suborder Anthuridea			
Family Antheluridae			
<i>Ananthura abyssorum</i> (Norman & Stebbing, 1886)	A		
<i>Anthelura elongata</i> Norman & Stebbing, 1886	A		
<i>ovalis</i> (Barnard, 1925)	M		
= <i>Ananthura ovalis sulcatauda</i> (Barnard, 1925)	A		
= <i>Ananthura sulcatauda truncata</i> (Hansen, 1916)			
Family Anthuridae			
<i>Alloanthura larwoodi</i> Wägele, 1981	M		
<i>Amakusanthura iberica</i> Reboresda & Wägele, 1992	A		
<i>Anthura gracilis</i> (Montagu, 1808)	A M		
<i>Apanthura corsica</i> Amar, 1953	M		
<i>libyana</i> Negoescu, 1980	M		
<i>tyrrhenica</i> Wägele, 1980	M		
<i>Apanthuroides mediterranea</i> (Negoescu, 1981)	M		
<i>spathulicauda</i> Wägele, 1981	M		
<i>Cyathura carinata</i> (Krøyer, 1847)	A		
<i>Haliophasma alaticauda</i> Amar, 1966	M		

<i>atlanticum</i> Hessler, 1970		<i>Pseudogerda</i>	
<i>polare</i> Malyutina & Kussakin, 1996	A	<i>filipes</i> (Hult, 1936)	
<i>Chelator</i>		<i>intermedia</i> (Hult, 1936)	A
<i>chelatus</i> (Stephensen, 1915)	M	<i>Thaumastosoma</i>	
<i>stellae</i> Malyutina & Kussakin, 1996	A	<i>platycarpus</i> Hessler, 1970	
<i>striatus</i> (Menzies, 1962)		<i>Torwolia</i>	
<i>verecundus</i> Hessler, 1970		<i>creper</i> Hessler, 1970	
<i>vulgaris</i> Hessler, 1970		<i>subchelatus</i> Hessler, 1970	
<i>Cryodesma</i>		<i>Whoia</i>	
<i>agnari</i> Svavarsson, 1988	A	<i>angusta</i> (G.O. Sars, 1899)	A
<i>cryoabyssale</i> Svavarsson, 1987	A	<i>dumbshafensis</i> Svavarsson, 1988	A
<i>Desmosoma</i>		<i>variabilis</i> Hessler, 1970	
<i>affine</i> Fresi & Schiecke, 1969	M	Family Eurycopidae	
<i>atypicum</i> Schiecke & Fresi, 1969	M	<i>Acanthocope</i>	
<i>elegans</i> Fresi & Schiecke, 1969	M	<i>annulatus</i> Menzies, 1962	A
<i>elongatum</i> Bonnier, 1896	A	<i>armata</i> Chardy, 1972	
<i>lineare</i> G.O. Sars, 1864	A	<i>carinata</i> Chardy, 1972	
<i>puritanum</i> Fresi & Schiecke, 1969	M	<i>Amuletta</i>	
<i>serratum</i> Fresi & Schiecke, 1969	M	<i>abyssorum</i> (Richardson, 1911)	A
<i>strombergi</i> Svavarsson, 1988	A	<i>Baeonectes</i>	
<i>thoracicum</i> Fresi & Schiecke, 1969	M	<i>muticus</i> (Sars, 1864)	A
<i>tyrrhenicum</i> Fresi & Schiecke, 1969	M	<i>Bathyopsurus</i>	
<i>Desmosomella</i>		<i>abyssicolus</i> (Beddard, 1885)	A
<i>armata</i> (G.O. Sars, 1864)		<i>Bellibos</i>	
<i>Disparella</i>		<i>buzwilsoni</i> Haugsness & Hessler, 1979	A
<i>pachytrix</i> Hessler, 1970		<i>dageti</i> (Chardy, 1975)	A
<i>valida</i> Hessler, 1970		<i>monicae</i> (Chardy, 1975)	A
<i>Echinopleura</i>		<i>Belonectes</i>	
<i>aculeata</i> (G.O. Sars, 1864)	A	<i>parvus</i> (Bonnier, 1896)	A
<i>Eugerdia</i>		<i>Disconectes</i>	
<i>arctica</i> Svavarsson, 1988	A	<i>coxalis</i> Kussakin, 1983	A
<i>dubia</i> Malyutina & Kussakin, 1996	A	<i>furcatus</i> (G.O. Sars, 1870)	A
<i>fragilis</i> (Kussakin, 1965)	A	<i>latirostris</i> (Sars, 1882)	A
<i>fulcimandibulata</i> Hessler, 1970		<i>phalangium</i> (Sars, 1864)	A
<i>gurjanovae</i> Malyutina & Kussakin, 1996	A	<i>picardi</i> (Amar, 1957)	A
<i>imbricata</i> Hessler, 1970		<i>Eurycope</i>	
<i>mandibulata</i> Malyutina & Kussakin, 1996	A	<i>brevirostris</i> Hansen, 1916	A
<i>pannosa</i> Hessler, 1970		<i>canariensis</i> Wilson, 1983	A
<i>reticulata</i> (Gurjanova, 1946)	A	<i>complanata</i> Bonnier, 1896	A
<i>setiflusa</i> Hessler, 1970		<i>cornuta</i> Sars, 1864	A
<i>tenuimana</i> (G.O. Sars, 1868)		<i>dahli</i> Svavarsson, 1987	A
<i>tetarta</i> Hessler, 1970		<i>errabunda</i> Wilson, 1983	
<i>Eugerdella</i>		<i>hessleri</i> Wilson, 1983	A
<i>armata</i> (G.O. Sars, 1864)	A	<i>iphthima</i> Wilson, 1981	A
<i>coarctata</i> (G. O Sars, 1899)	A	<i>laticuneata</i> Pasternak, 1982	M
<i>cornuta</i> Hessler, 1970		<i>longiflagrata</i> Wilson, 1983	A
<i>hessleri</i> Just, 1980	A	<i>nobili</i> Richardson, 1911	A
<i>ischnomesoides</i> Hessler, 1970	A	<i>producta</i> G.O. Sars, 1868	A
<i>lateralis</i> (G.O. Sars, 1899)		<i>pygmaea</i> Sars, 1870	A
<i>longimana</i> (Vanhöffen, 1914)	A	<i>ratmanovi</i> Gurjanova, 1946	A
<i>polita</i> (Hansen, 1916)	A	<i>septentrionalis</i> Malyutina & Kussakin, 1996	A
<i>pugilator</i> Hessler, 1970		<i>vasinae</i> Malyutina & Kussakin, 1996	A
<i>zenkevitschi</i> (Gurjanova, 1946)	A	<i>Lipomera</i>	
<i>Mirabilicoxa</i>		<i>lamellata</i> Tattersall, 1905	A
<i>acuminata</i> Hessler, 1970		<i>Munneurycope</i>	
<i>curtioxalis</i> Pasternak, 1982	M	<i>glacialis</i> Malyutina & Kussakin, 1996	A
<i>exopodata</i> Hessler, 1970		<i>incisa</i> (Gurjanova, 1946)	A
<i>fletcheri</i> Paul & George, 1975	A	<i>murrayi</i> (Walker, 1903)	
<i>minuta</i> Hessler, 1970		<i>nodifrons</i> (Hansen, 1916)	
<i>palpata</i> Hessler, 1970		<i>Munnopsurus</i>	
<i>plana</i> Hessler, 1970		<i>arcticus</i> Richardson, 1912	A
<i>Momedossa</i>		<i>atlanticus</i> (Bonnier, 1896)	A
<i>profunda</i> Hessler, 1970		<i>giganteus</i> subsp. <i>giganteus</i> (Sars, 1877)	A
<i>Oecidiobranchus</i>		<i>murrayi</i> (Walker, 1903)	A
<i>glacialis</i> Malyutina & Kussakin, 1996	A	<i>Storhyngura</i>	
<i>nansenii</i> Just, 1980	A	<i>atlantica</i> (Beddard, 1885)	A
<i>plebejum</i> (Hansen, 1916)	A	<i>Syneurycope</i>	
<i>polare</i> (Gurjanova, 1946)	A	<i>dageti</i> Chardy, 1975	A
<i>Prochelator</i>		<i>Tyithocope</i>	
<i>abyssalis</i> Hessler, 1970		<i>beddardi</i> (Bonnier, 1896)	A
<i>hampsoni</i> Hessler, 1970		<i>laktionovi</i> (Gurjanova, 1946)	A
<i>incomitatus</i> Hessler, 1970		<i>megalura</i> (Sars, 1872)	A
<i>lateralis</i> (G.O. Sars, 1899)	A	<i>neupokoevi</i> (Gurjanova, 1946)	A
<i>litus</i> Hessler, 1970		<i>pygmaea</i> (Sars, 1879)	A
<i>uncatus</i> Hessler, 1970		Family Gnathostenetroididae	

<i>Caecostenetroides</i>		<i>hessleri</i> Kussakin, 1988	
<i>ischitanum</i> Fresi & Schiecke, 1968	M	<i>norvegicus</i> Svavarsson, 1984	A
<i>ruderalis</i> Stock & Vonk, 1990	A	Family Janirellidae	
<i>Gnathostenetroides</i>		<i>Dactylostylis</i>	
<i>laodicense</i> Amar, 1957	M	<i>acutispinis</i> Richardson, 1911	A
Family Haplomunnidae		<i>Janirella</i>	
<i>Munella</i>		<i>abyssicola</i> Richardson, 1911	A
<i>danteci</i> Bonnier, 1896	A	<i>bocqueti</i> Chardy, 1974	
Family Haploniscidae		<i>bonnieri</i> Stephensen, 1915	M
<i>Antennuloniscus</i>		<i>glabra</i> Richardson, 1911	A
<i>dilatatus</i> Chardy, 1974		<i>hessleri</i> Chardy, 1975	
<i>diversus</i> Lincoln, 1985	A	<i>laevis</i> Hansen, 1916	
<i>simplex</i> Lincoln, 1985	A	<i>laubieri</i> Chardy, 1974	
<i>Haploniscus</i>		<i>nanseni</i> Bonnier, 1896	A
<i>aduncus</i> Lincoln, 1985	A	<i>priseri</i> Chardy, 1972	A
<i>ampliatus</i> Lincoln, 1985	A	<i>spongicola</i> Hansen, 1916	A
<i>angustus</i> Lincoln, 1985	A	Family Janiridae	
<i>bicuspis</i> subsp. <i>bicuspis</i> (G.O. Sars, 1877)	A	<i>Caecijaera</i>	
<i>bicuspis</i> subsp. <i>tepidus</i> Wolff, 1962	A	<i>borealis</i> Kussakin, 1962	A
<i>borealis</i> Lincoln, 1985	A	<i>mirabilis</i> Kussakin, 1962	
<i>charcoti</i> Chardy, 1975	A	<i>Carpias</i>	
<i>foresti</i> Chardy, 1974		<i>galloprovincialis</i> (Amar, 1950)	A
<i>furcatus</i> Chardy, 1974		<i>stebbingi</i> (Monod, 1933)	M
<i>hamatus</i> Lincoln, 1985	A	<i>Ianiropsis</i>	
<i>ingolfs</i> Wolff, 1962	A	<i>breviremis</i> (Sars, 1883)	
<i>monodi</i> Chardy, 1974		<i>Jaera</i>	
<i>myriamae</i> Chardy, 1974		<i>albifrons</i> subsp. <i>albifrons</i> Leach, 1814	A
<i>obtusifrons</i> Chardy, 1974		<i>bocqueti</i> Veuille & Kocatas, 1979	M
<i>reysyi</i> Chardy, 1974		<i>forsmani</i> Bocquet, 1950	
<i>Hydroniscus</i>		<i>hopeana</i> Costa, 1853	M
<i>abyssi</i> Hansen, 1916		<i>ischiosetosa</i> Forsman, 1949	A
<i>vandeli</i> Chardy, 1974		<i>istri</i> Veuille, 1979	M
Family Ilyarachnidae		<i>italica</i> Kesselyak, 1938	
<i>Echinozone</i>		<i>nordica</i> Lemercier, 1958	M
<i>coronata</i> (Sars, 1870)		<i>nordmanni</i> (Rathke, 1837)	M
<i>Ilyarachna</i>		<i>nordmanni</i> subsp. <i>guernei</i> Dollfus, 1889	A
<i>arctica</i> (Hansen, 1916)	A	<i>nordmanni</i> subsp. <i>illyrica</i> Veuille, 1979	M
<i>bergendahli</i> Ohlin, 1901	A	<i>nordmanni</i> subsp. <i>massiliensis</i> Lemercier, 1960	M
<i>calva</i> Pasternak, 1982	M	<i>nordmanni</i> subsp. <i>occidentalis</i> Veuille, 1979	M
<i>clypeata</i> (Sars, 1870)	A	<i>petiti</i> Schulz, 1953	M
<i>derjugini</i> Gurjanova, 1946	A	<i>praehirsuta</i> Forsman, 1949	A
<i>frami</i> Just, 1980	A	<i>sarsi</i> Valkanov, 1936	M
<i>hirticeps</i> Sars, 1870	A	<i>schellenbergi</i> Kesselyak, 1938	
<i>longicornis</i> (G.O. Sars, 1864)	A	<i>sorrentina</i> Verhoeff, 1943	M
<i>mediorientalis</i> Chardy, 1974	M	<i>syei</i> Bocquet, 1950	
<i>polita</i> Bonnier, 1896	A	<i>Janira</i>	
<i>torleivi</i> Svavarsson, 1988	A	<i>alta</i> (Stimpson, 1853)	A
<i>Pseudarachna</i>		<i>denticulata</i> Gourret, 1891	M
<i>hirsuta</i> G.O. Sars, 1864	A	<i>maculosa</i> Leach, 1814	A
Family incertae sedis		<i>Janiralata</i>	
<i>Tole</i>		<i>holmesi</i> (Richardson, 1905)	
<i>laciniata</i> (Sars, 1872)	A	<i>tricornis</i> (Krøyer, 1847)	
<i>speciosa</i> (Bovallius, 1881)	A	<i>Microjaera</i>	
<i>Urias</i>		<i>anisopoda</i> Bocquet & Levi, 1955	
<i>spinus</i> Richardson, 1911	A	<i>Microjanira</i>	
Family Ischnomesidae		<i>dentifrons</i> Schiecke & Fresi, 1970	M
<i>Haplomesus</i>		Family Joeropsidae	
<i>angustus</i> Hansen, 1916	A	<i>Joeropsis</i>	
<i>bicuspis</i> (G.O. Sars, 1877)		<i>antarctica</i> Menzies & Schultz, 1968	A
<i>biscayensis</i> Chardy, 1975	A	<i>brevicornis</i> subsp. <i>brevicornis</i> Koehler, 1885	A
<i>quadrispinus</i> (Sars, 1879)	A	<i>brevicornis</i> subsp. <i>littoralis</i> Amar, 1949	M
<i>tropicalis</i> Menzies, 1962	M	<i>dollfusi</i> Norman, 1899	M
<i>Heteromesus</i>		<i>legrandi</i> Juchault, 1962	M
<i>dentatus</i> Hansen, 1916	A	Family Katianiridae	
<i>frigidus</i> Hansen, 1916	A	<i>Katianira</i>	
<i>greeni</i> (Tattersall, 1905)	A	<i>bilobata</i> Gurjanova, 1930	A
<i>schmidtii</i> Hansen, 1916	A	<i>chelifera</i> Hansen, 1916	A
<i>similis</i> Richardson, 1911	A	Family Macrostylidae	
<i>spinus</i> (Beddard, 1886)	A	<i>Macrostylis</i>	
<i>wolffi</i> Chardy, 1974	A	<i>elongata</i> Hansen, 1916	A
<i>Ischnomesus</i>		<i>longipes</i> Hansen, 1916	A
<i>bispinosus</i> Sars, 1868	A	<i>longiremis</i> (Meinert, 1890)	A
<i>chardyi</i> Kussakin, 1988		<i>polaris</i> Malyutina & Kussakin, 1996	A
<i>gracilis</i> Chardy, 1974		<i>spinifera</i> G.O. Sars, 1864	A

<i>subinermis</i> Hansen, 1916	A	<i>Pleurogonium</i>	
Family Microparasellidae		<i>inermis</i> G.O. Sars, 1882	A
<i>Angliera</i>		<i>intermedium</i> Hansen, 1916	A
<i>phreaticola</i> Chappuis & Delamare, 1952	A	<i>pulchrum</i> Hansen, 1916	A
<i>Microcharon</i>		<i>rubicundum</i> (G.O. Sars, 1864)	A
<i>boutini</i> Boulanouar, Yacoubi, Messouli & Coineau, 1995	A	<i>spinosisimum</i> (G.O. Sars, 1866)	A
Family Munnidae		<i>variable</i> Schiecke & Modigh-Tota, 1976	M
<i>Munna</i>		Family Pseudomesidae	
<i>acanthifera</i> Hansen, 1916	A	<i>Pseudomesus</i>	
<i>armoricana</i> Carton, 1962	A	<i>bispinosus</i> Chardy, 1974	M
<i>coeca</i> Gurjanova, 1930	A	<i>brevicornis</i> Hansen, 1916	A
<i>fabricii</i> Krøyer, 1846	A	Family Stenetriidae	
<i>groenlandica</i> Hansen, 1916	A	<i>Hansenium</i>	
<i>hanseni</i> Stappers, 1911	A	<i>caicoensis</i> (Kensley & Heard, 1991)	M
<i>kroyeri</i> Goodsir, 1842	A	<i>Stenetrium</i>	
<i>limicola</i> Sars, 1866	A	<i>mediterraneum</i> Hansen, 1905	M
<i>minuta</i> Hansen, 1916	A	<i>Tristenium</i>	
<i>palmata</i> Lilljeborg, 1851	A	<i>longicorne</i> (Lucas, 1849)	M
<i>pellucida</i> Gurjanova, 1930	A	Family Thambematidae	
<i>roemeri</i> Gurjanova, 1930	A	<i>Thambema</i>	
<i>similis</i> Fresi & Mazzella, 1971	M	<i>amicorum</i> Stebbing, 1912	A
<i>spitzbergensis</i> Gurjanova, 1930	A	<i>fiatum</i> Harrison, 1987	A
<i>wolffi</i> Fresi & Mazzella, 1974	M	<i>golanachum</i> Harrison, 1987	A
<i>Uromunna</i>		<i>tanum</i> Harrison, 1987	A
<i>petiti</i> (Amar, 1948)	M	Suborder Flabellifera	
Family Munnopsidae		Family Aegidae	
<i>Lipomera</i>		<i>Aega</i>	
<i>lamellata</i> Tattersall, 1905	A	<i>arctica</i> Lutken, 1859	A
<i>Munnopsis</i>		<i>bicarinata</i> Leach, 1818	
<i>beddardi</i> (Tattersall, 1905)		<i>crenulata</i> Lutken, 1859	A
<i>typica</i> M. Sars, 1861	A	<i>deshaysiana</i> (H. Milne Edwards, 1840)	M
<i>Paramunnopsis</i>		<i>emarginata</i> Leach, 1818	
<i>justi</i> Svavarsson, 1988	A	<i>gracilipes</i> Hansen, 1895	A
<i>oceanica</i> (Tattersall, 1905)		<i>hirsuta</i> Schiödte & Meinert, 1879	A
Family Nannoniscidae		<i>incisa</i> Schiödte & Meinert, 1879	M
<i>Austroniscus</i>		<i>loveni</i> Bovallius, 1886	A
<i>coronatus</i> Schiecke & Modigh-Tota, 1976	M	<i>megalops</i> Norman & Stebbing, 1886	A
<i>groenlandicus</i> (Hansen, 1916)	A	<i>microphthalma</i> Dana, 1853	A
<i>norbi</i> Svavarsson, 1982	A	<i>monophthalma</i> Johnston, 1834	A
<i>Hebefustis</i>		<i>nordenskioldii</i> Bovallius, 1885	A
<i>alleni</i> Siebenaller & Hessler, 1977	A	<i>psora</i> (Linnaeus, 1758)	A
<i>Nannoniscoides</i>		<i>rosea</i> (Risso, 1816)	M
<i>angulatus</i> Hansen, 1916		<i>stroemii</i> Lutken, 1859	A
<i>Nannoniscus</i>		<i>tridens</i> Leach, 1815	A
<i>aequiremus</i> Hansen, 1916	A	<i>ventrosa</i> M. Sars, 1859	A
<i>affinis</i> Hansen, 1916	A	<i>webi</i> (Guérin-Ménéville, 1836)	A
<i>arcticus</i> Hansen, 1916	A	<i>Alitropus</i>	
<i>arctoabyssalis</i> Just, 1980	A	<i>foveolatus</i> Schiödte & Meinert, 1879	
<i>bicuspis</i> G.O. Sars, 1877	A	<i>Rocinela</i>	
<i>laticeps</i> Hansen, 1916	A	<i>danmoniensis</i> Leach, 1818	A
<i>oblongus</i> G.O. Sars, 1870	A	<i>dumerili</i> (Lucas, 1849)	M
<i>plebejus</i> Hansen, 1916	A	<i>Systemus</i>	
<i>profundus</i> Svavarsson, 1982	A	<i>atlanticus</i> Kononenko, 1988	A
<i>reticulatus</i> Hansen, 1916	A	<i>lilljeborgii</i> (Bovallius, 1885)	A
<i>simplex</i> Hansen, 1916	A	<i>Xenuraega</i>	
<i>spincornis</i> Hansen, 1916	A	<i>ptilocera</i> Tattersall, 1909	A
<i>teres</i> Siebenaller & Hessler, 1981	A	Family Cirolanidae	
<i>Panetela</i>		<i>Cirolana</i>	
<i>compacta</i> Malyutina & Kussakin, 1996	A	<i>cranchii</i> Leach, 1818	A
<i>Rapaniscus</i>		<i>ferruginosa</i> Risso, 1826	M
<i>crassipes</i> (Hansen, 1916)	A	<i>perlata</i> Barnard, 1936	A
Family Paramunnidae		<i>Comilera</i>	
<i>Paramunna</i>		<i>cylindracea</i> (Montagu, 1804)	A
<i>bilobata</i> G.O. Sars, 1866		<i>Eurydice</i>	
<i>brevipes</i> (Bate & Westwood, 1868)		<i>affinis</i> Hansen, 1905	A
<i>typica</i> Tattersall, 1905	A	<i>caeca</i> Hansen, 1916	
Family Pleurocopidae		<i>clymeneia</i> Monod, 1926	A
<i>Pleurocope</i>		<i>czerniavsky</i> Bacescu, 1948	M
<i>dasyura</i> Walker, 1901	M	<i>dolfusi</i> Monod, 1930	A
Family Pleurogoniidae		<i>grimaldii</i> Dollfus, 1888	A
<i>Neasellus</i>		<i>inermis</i> Hansen, 1890	A
<i>oculatum</i>		<i>longispina</i> Jones, 1969	M
		<i>pontica</i> (Czerniavsky, 1868)	M

<i>pulchra</i> Leach, 1815	A	<i>laticauda</i> Milne Edwards, 1840	
<i>racovitzae</i> Bacescu, 1949	M	<i>Lironeca</i>	
<i>rotundicauda</i> Norman, 1906	A	<i>galinae</i> Kononenko, 1989	A
<i>truncata</i> (Norman, 1868)	A	<i>ricinoides</i> Risso, 1816	M
<i>valkanovi</i> Bacescu, 1949	M	<i>Livonectus</i>	
Faucheria		<i>pomatoi</i> Gaillat Airoldi, 1940	M
<i>faucheri</i> (Dollfus & Vire, 1900)	A	<i>Mothocya</i>	
Metacirolana		<i>contracta</i> Costa, 1851	M
<i>hanseni</i> (Bonnier, 1896)	A	<i>Nerocila</i>	
Natatolana		<i>cuspidata</i> Costa, 1851	M
<i>borealis</i> (Lilljeborg, 1851)	A	Family incertae sedis	
<i>caeca</i> (Dollfus, 1903)	M	<i>Aega</i>	
<i>gallica</i> (Hansen, 1905)	A	<i>affinis</i> Milne Edwards, 1840	
<i>imicola</i> (Dollfus, 1903)	A	Family Limnoriidae	
<i>neglecta</i> (Hansen, 1890)	M	<i>Limnoria</i>	
Politolana		<i>borealis</i> Kussakin, 1963	A
<i>microphalma</i> (Hoek, 1882)	A	<i>carinata</i> Menzies & Becker, 1957	M
Saharolana		<i>lignorum</i> (Rathke, 1799)	A
<i>seurati</i> Monod, 1930	M	<i>quadripunctata</i> Holthuis, 1949	A
Family Cymothoidae		<i>tuberculata</i> Sowinsky, 1884	M
Ceratothoa		Family Serolidae	
<i>capri</i> (Trilles, 1964)	A	<i>Serolidae i.s.</i>	
<i>collaris</i> Schiödte & Meinert, 1883	M	<i>acutangula</i> Grube, 1871	
<i>gobii</i> Schiödte & Meinert, 1883	M	<i>rugosa</i> Kussakin, 1982	
<i>italica</i> Schiödte & Meinert, 1883	M	Family Sphaeromatidae	
<i>oestroides</i> (Risso, 1816)	M	<i>Anoplocopea</i>	
<i>parallela</i> (Otto, 1828)	M	<i>hanseni</i> Racovitza, 1908	M
<i>potassoniensis</i> (Penso, 1939)		<i>ischiana</i> Verhoeff, 1943	M
<i>steindachneri</i> Koelbel, 1879	A	<i>lusitanica</i> Nolting; Reboreda & Wägele, 1998	A
<i>trigonocephala</i> (Leach, 1818)		<i>Bathycopea</i>	
Colombia		<i>typhlops</i> Tattersall, 1905	A
<i>atlantica</i> Schiödte & Meinert, 1881	A	<i>Campecopea</i>	
<i>frontalis</i> Milne Edwards, 1840	M	<i>hirsuta</i> (Montagu, 1804)	A
<i>hedenborgi</i> Bovallius, 1887	M	<i>Cilicea</i>	
<i>physodes</i> (Linnaeus, 1758)	M	<i>latreillei</i> Leach, 1818	
<i>rissoniana</i> (Leach, 1818)		<i>Cymodoce</i>	
Cymothoa		<i>emarginata</i> Leach, 1818	A
<i>carryensis</i> Gourret, 1892	M	<i>erythraea</i> subsp. <i>euxinica</i> Bacescu, 1958	M
<i>curta</i> Schiödte & Meinert, 1884		<i>hanseni</i> Dumay, 1972	M
<i>dufresni</i> Leach, 1818		<i>pilosa</i> Milne Edwards, 1840	M
<i>gibbosa</i> Gourret, 1892	M	<i>rubopunctata</i> (Grube, 1864)	M
<i>globosa</i> Schiödte & Meinert, 1884	A	<i>spinosa</i> (Risso, 1816)	M
<i>ichtiola</i> (Brünnich, 1764)		<i>tattersalli</i> Torelli, 1929	M
<i>nigropunctata</i> Risso, 1816	M	<i>truncata</i> Leach, 1814	A
<i>oestrum</i> (Linnaeus, 1758)		<i>tuberculata</i> Costa in Hope, 1851	M
<i>paradoxa</i> (Fabricius, 1787)		<i>Dynamene</i>	
<i>scopulorum</i> (Linnaeus, 1758)	A	<i>bicolor</i> (Rathke, 1837)	M
<i>slusarskii</i> Rokicki, 1986	A	<i>bidentatus</i> (Adams, 1800)	A
Elthusa		<i>bifida</i> Torelli, 1930	M
<i>atlantiroi</i> (Kononenko, 1988)	A	<i>edwardsi</i> (Lucas, 1849)	M
Emetha		<i>magnitorata</i> Holdich, 1968	M
<i>adriatica</i> Bovallius, 1885	M	<i>torelliae</i> Holdich, 1968	M
<i>audouini</i> (H. Milne Edwards, 1840)	M	<i>tubicauda</i> Holdich, 1968	M
Glossobius		<i>Dynamenella</i>	
<i>albinae</i> Kononenko, 1986	A	<i>savignii</i> (H. Milne Edwards, 1840)	M
<i>auritus</i> Bovallius, 1885		<i>Exosphaeroma</i>	
Idusa		<i>gigas</i> (Leach, 1818)	
<i>dieuzeidei</i> Dollfus, 1950	M	<i>Ischyromene</i>	
Mothocya		<i>bicarinata</i> Harrison, 1981	M
<i>belonae</i> Bruce, 1986	M	<i>lacazei</i> Racovitza, 1908	M
<i>epimerica</i> Costa, 1851	M	<i>Lekanesphaera</i>	
<i>taurica</i> (Czerniavsky, 1868)	M	<i>bocqueti</i> (Daguerre de Hureaux, Hoestlandt & Lejuez, 1961)	A
Nerocila		<i>ephippium</i> (Costa, 1882)	M
<i>aculeata</i> Milne Edwards, 1840		<i>glabella</i> Jacobs, 1987	A
<i>acuminata</i> Schiödte & Meinert, 1881		<i>hoestlandti</i> (Daguerre de Hureaux, Elkaim & Lejuez, 1965)	A
<i>bivittata</i> (Risso, 1816)	M	<i>hookeri</i> (Leach, 1814)	A
<i>blainvillei</i> Leach, 1818		<i>levii</i> (Argano & Ponticelli, 1981)	A
<i>depressa</i> Milne Edwards, 1840		<i>marginata</i> (H. Milne Edwards, 1840)	M
<i>orbignyi</i> (Guérin-Ménéville, 1832)	M	<i>monodi</i> (Arcangeli, 1934)	M
<i>swainsoni</i> Leach, 1818	M	<i>panousei</i> (Daguerre de Hureaux, Elkaim & Lejuez, 1964)	A
Olencira		<i>rugicauda</i> (Leach, 1814)	A
<i>lamarckii</i> Leach, 1818			
Ourozeuktes			
<i>owenii</i> Milne Edwards, 1840			
Ceratothoa			