

HEMICORDATA

Compiled by Jacob van der Land.

The European list was derived from URMO with names provided by J. Hallan. No expert has checked the accuracy of the ERMS list.

PHYLUM HEMICORDATA

Class Enteropneusta

Family Harrimaniidae

<i>Harrimania</i>	
<i>kupfferi</i> (von Willemoes-Suhm, 1871)	A
<i>Saccoglossus</i>	
<i>horsti</i> Brambell & Goodhart, 1941	A
<i>kowalevskii</i> (Agassiz, 1873)	A
<i>mereschkowskii</i> (Wagner, 1885)	A M
<i>pygmaeus</i> Hinrichs & Jacobi, 1938	A
<i>ruber</i> Tattersall, 1905	A
<i>Stereobalanus</i>	
<i>canadensis</i> (Spengel, 1893)	A
<i>Protoglossus</i>	
<i>koehleri</i> (Caulery & Mesnil, 1900)	A

Family Ptychoderidae

<i>Balanoglossus</i>	
<i>clavigerus</i> delle Chiaje, 1829	A M
<i>Glossobalanus</i>	
<i>elongatus</i> Spengel, 1904	M
<i>marginatus</i> Meek, 1922	A
<i>minutus</i> Kowalevsky, 1866	A M
<i>sarniensis</i> (Koehler, 1886)	A

Family Spengelidae

<i>Glandiceps</i>	
<i>talaboti</i> (Marion, 1876)	M

Family incertae sedis

<i>Planctosphaera</i>	
<i>pelagica</i> (Spengel, 1932)	A

Class Pterobranchia

Family Rhabdopleuridae

<i>Rhabdopleura</i>	
<i>compacta</i> Hincks, 1880	A
<i>normani</i> Allmann, 1869	A M

ECHINODERMATA

Compiled by Hans G. Hansson

The list of European Echinodermata was compiled by Hans G. Hansson. It used the Echinoderm part of the compilers NEAT lists (available via Internet at address <http://www.tmbi.gu.se/libdb/taxon/taxa.html>) as a starting point. NEAT (North East Atlantic Taxa) are preliminary check-lists, covering Scandinavian marine animal taxa. The chapter by F.J. Fell on Echinodermata in Parker (1982) was used as the systematic framework. The asteroids are mainly listed from the recent monograph on Atlantic species by Clark & Downey (1992). Mortensen (1927) is used as a basal source for the other groups. Additions from several other sources have been made, and the electronic part of the Zoological Record (covering recent decades) has been utilised. However, examination of the reports from the large expeditions (except the Norwegian North Atlantic and the Ingolf) and other literature since WWII, may add to the species list.

The compiler is generally interested in marine fauna, but is not a specialist on any Echinoderm taxon, so there are certainly several omissions and lapses in this draft list. The assistance of experts in groups of Echinodermata was thus invaluable. Dr Sabine Stöhr, Stockholm, assisted with ophiuroid names, Dr Claude Massin, Brussels, assisted with the holothurians and added 9 omitted species of this taxon to the list. Dr Andrey Gebruk, Moscow, together with his friends Alexander Mironov and Alexei Smirnov kindly helped with several corrections and additions to the holothurians, the crinoids, the echinoids and the genus *Caulaster* among the asteroids. Prof. Dusan Zavodnik, Rovinj, Croatia, provided several corrections, new distribution notes (particularly for the Adriatic Sea area), information about synonyms, and added a few omitted species. Dr Mateo Garrido, Gran Canaria, provided additional records from the Canaries.

Authors of most genus and species names in the list below have been found, and most often also the years of description, but with several exceptions. Also, some of the years of authority in this list may be wrong, because different sources often have different opinions regarding which year a certain species is described (e.g. gen. *Poliometra* Clark; the original publication: 1923, Neave: 1924, McKenzie in Howson & Picton 1997: 1913; in this case the year from the original publication must be correct). Thus, further study of the primary literature may improve the accuracy of this list.

References

- Belyaev G.M. & A.N. Mironov, 1996. Starfishes Porcellanaster and *Caulaster* (Porcellanasteridae) from the Atlantic and the Antarctic. *Zoologichesky zhurnal*, 75 (6): 886 - 899 (In Russian, English summary).
- Brattegard, T & T. Holthe (Eds.). 1997. *Distribution of marine, benthic macro-organisms in Norway. A tabulated catalogue*. Preliminary edition. Research Report for DN, Nr. 1997-1. Trondheim. 409 pp. (Echinoderm chapters by T. Høisæter, T Brattegard & J.-A. Sneli, pp. 301-315).
- Clark, A.H. 1923. *Crinoidea*. The Danish Ingolf Expedition. Vol. IV. Luno, Copenhagen. 58 pp.
- Clark, A.M. 1970. Echinodermata Crinoidea. *Marine Invertebrates of Scandinavia*. 3. Universitetsforlaget, Oslo. 55 pp.
- Clark, A.M. & M.E. Downey 1992. *Starfishes of the Atlantic*. Chapman & Hall, London. 794 pp.

- D'yakonov, A.M. 1967. *Ophiuroids of the USSR Seas*. Israel Program for Scientific Translations, Jerusalem 123 pp.
- D'yakonov, A.M. 1968. *Sea Stars (Asteroidea) of the USSR Seas*. Israel Program for Scientific Translations, Jerusalem 183 pp.
- D'yakonov, A.M. 1969. Echinodermata, Vol. I. Sea-Urchins (Echinoidea) No. I. *Fauna of Russia and adjacent Countries*. Israel Program for Scientific Translations, Jerusalem 265 pp.
- Fell, H.B. 1960. Synoptic Keys to the Genera of Ophiuroidea. *Zoology Publications from Victoria University of Wellington* No. 26. 34 pp + literature index.
- Fiege, D. & Y. Liao 1996. *Penipidida ludwigi* (Marenzeller, 1893) (Holothurioidea: Elpidiidae) rediscovered from the Eastern Mediterranean Sea. In: Uiblein, F., Ott, J., Stachowitsch, M. (Eds) Deep-sea and extreme shallow-water habitats: affinities and adaptations. *Biosystematics and Ecology Series*, 11, 61-66.
- Gebruk, A.V. 1989. Revision of the family Pelagothuriidae (Holothurioidea, Elasipodida) with a review of swimming holothurians. Part I. Revision of Pelagothuriidae. *Zool. Zhurnal* 68 (12): 57-66. (In Russian, English summary).
- Gebruk, A.V., 1990. *Deep-sea holothurians of the family Elpidiidae*. Moscow, Nauka, 160 p. [In Russian].
- Gulliksen, B., Palerud, R., Brattegård, T. & J.-A. Snell, 1999. Distribution of marine benthic macro-organisms at Svalbard (including Bear Island) and Jan Mayen. Research report for DN 1999 - 4. 148 pp. Trondheim, Norway.
- Hansen, B. 1975. Systematics and biology of the deep-sea holothurians. *Galathea Report*, 13, 1-262.
- Heding, S.G. 1935. *Holothurioidea I. The Danish Ingolf Expedition*. Vol. IV. Hagerup, Copenhagen. 84 pp + 8 plates.
- Heding, S.G. 1935 Echinoderms. *Meddelelser om Grønland*. Bd. 104, Nr. 13. 68 pp + 1 plate.
- Heding, S.G. 1936 Echinoderms. *Meddelelser om Grønland*. Bd. 108, Nr. 1. 34 pp.
- Heding, S.G. 1942. *Holothurioidea II. The Danish Ingolf Expedition*. Vol. IV. Hagerup, Copenhagen. 39 pp + 2 plates.
- Heding, S.G. & A. Panning 1954. *Phyllophoridae*. Spolia Zooligica Musei Hauniensis XIII. 209 pp.
- Howson, C.M. & B.E. Picton 1997 (Eds.). *The Species Directory of the Fauna and Flora of the British Isles and Surrounding Seas*. The Ulster Museum, Belfast & The Marine Conservation Society, Ross-on-Wye. 508 pp. (Echinoderm chapter by J.D. McKenzie, pp. 287-295).
- Høisæter, T. 1990. An annotated check-list of the echinoderms of the Norwegian coast and adjacent waters. *Sarsia* 75 : 83-106
- Kier P.M. & M. H. Lawson, 1978. Index of Living and Fossil Echinoids 1924-1970. *Smithson. Contrib. Paleobiol.* 34 : vi+182 pp. (not yet seen)
- Madsen, F.J. 1947. The Echinoderms collected by the "Skagerak" expedition in the eastern Atlantic 1946. I. Asteroidea, Ophiuroidea, Echinoidea, and Holothuroidea. *Göteborgs Kungl. Vetenskaps- och Vitterhets-Samhälles Handlingar*, Sjätte följdjen. Ser. B, Band 5. N:o 7. 16 pp.
- Madsen, F.J. 1987. The *Henricia sanguinolenta* complex (Echinodermata, Asteroidea) of the Norwegian Sea and adjacent waters. A re-evaluation, with notes on related species. *Steenstrupia* 13 (5), pp. 201-268.
- Madsen, F.J. & B. Hansen 1994. Echinodermata. Holothurioidea. *Marine Invertebrates of Scandinavia*. 9. Scandinavian University Press. 143 pp.
- Miller, J.E and Pawson, D.L. 1990. Swimming sea cucumbers (Echinoderata:Holothuroidea): a survey, with analysis of swimming behaviour in four bathyal species. *Smithsonian Contributions to Marine Sciences*, 35, 18p.
- Mironov A.N., 1974. Pourtalesiid sea urchins of the Antarctic and Subantarctic (Echinoidea: Pourtalesiidae). *Transactions of the P.P. Shirshov Institute of oceanology*, 98: 240 - 252. (In Russian, English summary).
- Mironov A.N., 1985. Circumcontinental zonation in distribution of Atlantic echinoids. *Transactions of the P.P. Shirshov Institute of oceanology*, 120, 70-95. (In Russian, English summary).
- Mironov A.N. 1995. Holasteroid echinoids. 2. *Pourtalezia*. *Zoologichesky zhurnal*, 74 (12), 59-75. (In Russian, English summary).
- Mironov A.N. 1997. Holasteroid echinoids. 4. *Echinosigra*. *Zoologichesky zhurnal*, 76, (2): 173-186. (In Russian, English summary).
- Mortensen, T. 1903. *Echinoidea I. The Danish Ingolf Expedition*. Vol. IVa. Luno, Copenhagen. 183 pp + 21 plates.
- Mortensen, T. 1907. *Echinoidea II. The Danish Ingolf Expedition*. Vol. IVa. Luno, Copenhagen. 200 pp + 19 plates.
- Mortensen, T. 1927. *Handbook of the Echinoderms of the British Isles*. Clarendon Press, Oxford. 471 pp.
- Mortensen, T. 1933. *Ophiuroidea. The Danish Ingolf Expedition*. Vol. IV. Luno, Copenhagen. 121 pp + 3 plates.
- Neave, S.A. 1939-50. *Nomenclator Zoologicus*. Vol. I-5. The Zoological Society of London. + M.A. Edwards & A.T. Hopwood (Eds.) 1966 Vol. 6 + M.A. Edwards & H.G. Vevers (Eds.) Vol. 7.
- Parker, S.P. (Ed.) 1982. *Synopsis and Classification of Living Organisms*. 2 Vols. McGraw-Hill, New York. 1166 + 1232 pp.
- Paterson, G.L.J. 1985. The deep-sea Ophiuroidea of the north Atlantic Ocean. *Bulletin of the British Museum (Natural History). Zoology*, 49 (1). 162 pp. (not seen)
- Pereira, Mariano Olivéiro Rego 1997. Checklist of the littoral echinoderms of the Azores. *Açoreana* 8 (3): 331-337.
- Picton, B.E. 1993. *A Field Guide to the Shallow-water Echinoderms of the British Isles*. Immel Publishing. 96 pp.
- Sherborn, C.D. 1902. *Index Animalium sive index nominum quae ab a.d. MDCCCLVIII generibus et speciebus animalium imposita sunt. Sectio prima a kalendis Ianuariis, MDCCCLVIII usque ad finem Decembris, MDCCC. C. J. Clay & Sons, Cambridge Univ. Press, London. 1195 pp.*
- Sherborn, C.D. 1922-32. *Index Animalium sive index nominum quae ab a.d. MDCCCLVIII generibus et speciebus animalium imposita sunt. Sectio secunda a kalendis Ianuariis, MDCCCI usque ad finem Decembris, MDCCCL. The Trustees of the British Museum, London. 7056 + 1098 pp.*
- Tortesone, E. 1965. Echinodermata. *Fauna d'Italia*. Vol. 6. Edizioni Calderini, Bologna. 422 pp.

PHYLUM ECHINODERMATA

Class Crinoidea

Order Millericrinida

Family Hyocrinidae

Gephyrocrinus grimaldii Koehler & Bather, 1902

Order Cyrtocrinida

Family Holopodidae

Cyathidium foresti Cherbonnier & Guille, 1972
= *C. meteorensis* Fechter, 1973

Order Bourgueticrinida

Family Bourgueticrinidae

Conocrinus cabioshi Roux, 1976
cherbonnieri Roux, 1976

Democrinus

parfaiti Perrier, 1883
= *Rhizocrinus magnus* Gislén, 1947
= *Rhizocrinus rawsoni* Koehler, 1909, non Pourtalès, 1874
conifer (A.H. Clark, 1909)
= *Bythocrinus intermedius* A.H. Clark, 1915
= *Rhizocrinus conifer* A.H. Clark, 1909
= *Rhizocrinus robustus* A.H. Clark, 1909
rawsonii (Pourtalès, 1874)
= *Rhizocrinus rawsonii* Pourtalès, 1874

Rhizocrinus

- Iosotensis* M. Sars, 1868
 = *R. verrilli* A.H. Clark, 1908
- Family Bathycrinidae**
- Bathycrinus*
aldrichianus Wyville Thomson, 1877
 = *B. serratus* A.H. Clark, 1908
carpenterii (Danielssen & Koren, 1877)
 = *Illycrinus carpenterii* Danielssen & Koren, 1877
gracilis Wyville Thomson, 1877
- Monachocrinus*
perrieri (Koehler & Vaney, 1910)
 = *Bathycrinus perrieri* Koehler & Vaney, 1910
 = *M. coelus* H.L. Clark, 1923
recuperatus (Perrier, 1885)
 = *Illycrinus recuperatus* Perrier, 1885
sexradiatus A.H. Clark, 1919
- Family Phryncrinidae**
- Zeuctocrinus*
gisleni A.M. Clark, 1973
- Family Porphyrocrinidae**
- Porphyrocrinus*
incrassatus (Gislen, 1933)
thalassae Roux, 1977
- Order Isocrinida**
- Family Isocrinidae**
- Diplocrinus*
(Annocrinus) wyvillethomsoni (Jeffreys, 18???)
 = *Pentacrinus wyville-thomsoni* Jeffreys, 18???
- Order Comatulida**
- Family Pentametrocrinidae**
- Pentametrocrinus*
atlanticus (Perrier, 1883)
 = *Eudicrinus atlanticus* Perrier, 1883
- Thaumatacrinus*
jungensi A.H. Clark, 1923
- Family Antedonidae**
- Antedon*
bifida (Pennant, 1777)
 = ? *Antedon duebeni* Böhlse, 1866
 = *A. gorgia* de Freminville, 1811
 = *A. maroccana* A.H. Clark, 1910
 = *Asterias bifida* Pennant, 1777
mediterranea (de Lamarck, 1816)
 = *A. adriatica* A.H. Clark, 1911
 = *Comatula annulata* Risso, 1826
 = *Comatula mediterranea* de Lamarck, 1816
petasus (Düben & Koren, 1846)
 = *Alecto petasus* Düben & Koren, 1846
- Hathrometa*
sarsi (Düben & Koren, 1846)
 = *Antedon tenella* Carpenter non (Retzius)
 = *H. tenella* (Carpenter, 1888) non (Retzius, 1783)
- Heliometra*
glacialis (Owen, 1833 ex Leach MS)
 = *Alecto eschrichtii* J. Müller, 1841
 = *Alecto glacialis* Owen, 1833 ex Leach MS
 = *Antedon quadrata* P.H. Carpenter, 1884
- Leptometra*
celtica (M'Andrew & Barrett, 1858)
 = *Comatula celtica* M'Andrew & Barrett, 1858
 = *Comatula woodwardi* Barrett, 1857, non Forbes, 1852
 = *L. phalangium* (Carpenter, 1881) non (J. Müller, 1841)
phalangium (J. Müller, 1841)
 = *Alecto phalangium* J. Müller, 1841
- Meteorometra*
monticola A.M. Clark, 1980
- Orthometra*
hibernica (A.H. Clark, 1913)
 = *Trichometra hibernica* A.H. Clark, 1913
- Poliometra*
prolixa (Sladen, 1881)
 = *Antedon prolixa* Sladen, 1881
 = *Hathrometa prolixa* (Sladen)
- Trichometra*
cubensis (Pourtalès, 1869)
 = *Antedon cubensis* Pourtalès, 1869
 = *T. aspera* A.H. Clark, 1908
delicata A.H. Clark, 1911
- Thaumatometra*
septentrionalis A.H. Clark, 1923
- Family Atelecrinidae**
- Atelecrinus*
balanooides P.H. Carpenter, 1881
 = *A. helgae* A.H. Clark, 1913
- Family Comasteridae**
- Neocomatella*
europaea A.H. Clark, 19??
- Family Thalassometridae**
- Koehlermetra*
flava (Koehler)
 = *Antedon flava* Koehler
orrecta (P.H. Carpenter, 18???)
 = *Antedon orrecta* P.H. Carpenter, 18???
- Thalassometra*
lusitanica (P.H. Carpenter, 1884) A.M. Clark, 1980
 = *Antedon lusitanica* P.H. Carpenter, 1884
 = *Stiremetra lusitanica* (P.H. Carpenter, 1884)
omissa (Koehler)
 = *Antedon omissa* Koehler
- Class Asteroidea**
- Order Paxillosida**
- Family Astropectinidae**
- Astropecten*
aranciacus (Linnaeus, 1758)
 = *Asterias aranciaca* Linnaeus, 1758
 = *Asterias aurantiaca* Tiedemann, 1816
 = *A. antarcticus* Studer, 1876
 = *A. crenaster* Dujardin & Hupé, 1862
 = *A. gruveli* Koehler, 1912
 = *A. meridionalis* Studer, 1876
 = *A. perarmatus* Perrier, 1869
bispinosus (Otto, 1823)
 = *Asterias bispinosa* Otto, 1823
 = *A. myosurus* Perrier, 1869
hermatophilus Sladen, 1883
ibericus Perrier, 1894
irregularis subsp. *irregularis* (Pennant, 1777)
 = *Asterias irregularis* Pennant, 1777
 = *A. acicularis* Norman, 1865
 = *A. echinulatus* J. Müller & Troschel, 1844
 = *A. helgolandicus* Greeff, 1871
 = *A. muelleri* J. Müller & Troschel, 1844
irregularis subsp. *pentacanthus* (Delle Chiaje, 1827)
 = *Asterias pentacantha* Delle Chiaje, 1827
- jonstoni* (Delle Chiaje, 1827)
 = *Asterias jonstoni* Delle Chiaje, 1827
 = *A. aster* De Filippi, 1859
 = *A. squamatus* J. Müller & Troschel, 1844
platyacanthus (Philippi, 1837)
 = *Asterias platyacantha* Philippi, 1837
spinulosus (Philippi, 1837)
 = *Asterias spinulosa* Philippi, 1837
- Bathybiaster*
vexillifer (W. Thomson, 1873)
 = *Archaster robustus* Verrill, 1884
 = *Archaster vexillifer* W. Thomson, 1873
 = *Astropecten pallidus* Danielssen & Koren, 1877
 = *Illyaster mirabilis* Danielssen & Koren, 1884
 = *Phoxaster pumilus* Sladen, 1889
- Dytaster*
grandis subsp. *grandis* (Verrill, 1884)
 = *Archaster grandis* Verrill, 1884
 = *D. agassizi* Perrier, 1894
 = *D. biserialis* Sladen, 1889
 = *D. exilis* var. *carinata* Sladen, 1889
 = *D. madreporeif* Sladen, 1889

- = *D. rigidus* Perrier, 1894
intermedius Perrier, 1891
mollis (Perrier, 1885)
= *Crenaster mollis* Perrier, 1885
semispinosus (Perrier, 1894)
= *Crenaster semispinosus* Perrier, 1894
= *D. parvulus* Koehler, 1909
- Leptychaster**
arcticus (M. Sars, 1851)
= *Astropecten arcticus* M. Sars, 1851
= *Astropecten lutkeni* Barrett, 1857
- Lonchotaster**
tartareus Sladen, 1889
- Persephonaster**
leptactis H.L. Clark, 1941
patagiatus (Sladen, 1889)
= *P. spinulosus* H.L. Clark, 1941
= *Psilaster patagiatus* Sladen, 1889
sphenoplax (Bell, 1892)
= *Astropecten sphenoplax* Bell, 1892
= *Psilasteropsis humilis* Koehler, 1907
- Plutonaster**
agassizi subsp. *notatus* Sladen, 1889
= ?*Gonipecten edwardsi* Perrier, in Milne-Edwards, 1882
= ?*Gonipecten inermis* Perrier, 1885 (*nomen nudum*)
= *P. abbreviatus* Sladen, 1889
= *P. granulosus* Perrier, 1891
= *P. notatus* Sladen, 1889
bifrons (Wyville Thomson, 1873)
= *Archaster bifrons* Wyville Thomson, 1873
= *P. proteus* H.L. Clark, 1923
- Psilaster**
andromeda subsp. *andromeda* (J. Müller & Troschel, 1842)
= *Astropecten andromeda* J. Müller & Troschel, 1842
= *Astropecten cristii* Düben & Koren, in Düben, 1845
cassiope Sladen, 1889
= ?*Archaster pulcher* Perrier, 1881
= *P. andromeda* var. *cassiope* Grieg, 1907
= *P. squameus* H.L. Clark, 1941
- Tethyaaster**
subinermis (Philippi, 1837)
= *Asterias subinermis* Philippi, 1837
- Family Luidiidae**
Luidia
atlantidea Madsen, 1950
ciliaris (Philippi, 1837)
= *Asterias imperati* Delle Chiaje, 1841
= *L. fragilissima* Forbes, 1839
sarsi subsp. *sarsi* Düben & Koren, in Düben, 1845
= *Astrella simplex* Perrier, in Milne-Edwards, 1882
= *L. africana* Sladen, 1889
- Family Ctenodiscidae**
Ctenodiscus
crispatus (Retzius, 1805)
= *Asterias arancia* Dewhurst, 1834
= *Asterias crispa* Retzius, 1805
= *Asterias polaris* Sabine, 1824
= *C. corniculatus* Perrier, 1875
= *C. pygmaeus* J. Müller & Troschel, 1842
- Family Radiasteridae**
Radiaster
tizardi (Sladen, 1882)
= *Mimaster tizardi* Sladen, 1882
- Family Porcellanasteridae**
Caulaster
eremicus (Sladen, 1889)
= *Albatrotrossaster richardi* Koehler, 1909
= *Porcellanaster eremicus* Sladen, 1889
pedunculatus Perrier, 1882
- Hyphalaster**
inermis Sladen, 1883
= *H. antonii* Perrier, 1885
- = *H. fortis* Koehler, 1907
= *H. gracilis* Koehler, 1907
= *H. parfaiti* Perrier, 1885
- Porcellanaster**
ceruleus Wyville Thomson, 1877
= *Albatrossia semimarginalis* Ludwig, 1905
= *Caulaster sladeni* Perrier, 1885
= *P. granulosus* Perrier, 1885
= *P. inermis* Perrier, 1885
= *P. irregularis* Lieberkind, 1932
- Stylocaster**
armatus Sladen, 1883
= *Machairaster pictus* Perrier, 1884
= *S. edwardsi* Perrier, 1885
= *S. spinosus* Perrier, 1885
chuni Ludwig, 1907
elongatus Koehler, 1907
horridus Sladen, 1883
= *Chunaster scapanophorus* Ludwig, 1907
- Thoracaster**
cylindratus Sladen, 1883
= *Pseudaster cordifer* Perrier, 1885
= *T. magnus* Ludwig, 1907
- Order Notomyotida**
- Family Benthopectinidae**
Benthopecten
simplex subsp. *simplex* (Perrier, 1881)
= *Archaster simplex* Perrier, 1881
= *B. spinosus* Grieg, 1918 (p.p.), non Verrill, 1884
= *Pararchaster armatus* Sladen, 1889
spinossissimus (Sladen, 1889)
= *Pararchaster spinosissimus* Sladen, 1889
- Cheiraster**
sepitus (Verrill, 1885)
= *Archaster sepitus* Verrill, 1885
= *Luidiaster dubius* H.L. Clark, 1941
= *Pectinaster dispar* Verrill, 1915
= *Pectinaster echinulatus* Ludwig, 1910 (p.p.)
= *Pontaster perplexus* Perrier, 1894
= *Pontaster venustus* Sladen, 1889
- Pectinaster**
filholi Perrier, 1885
= *Pontaster forcipatus* Sladen, 1889
= *Pontaster pristinus* Sladen, 1889
- Pontaster**
tenuispinus (Düben & Koren, 1846)
= *Astropecten tenuispinus* Düben & Koren, 1846
= *Crenaster marionis* Perrier, 1885
= *P. hebitus* Sladen, 1889
= *P. limbatus* Sladen, 1889
- Order Valvatida**
- Family Chaetasteridae**
Chaetaster
longipes (Retzius, 1805)
= *Asterias longipes* Retzius, 1805
= *Asterias subulata* de Lamarck, 1816
= *Nepanthia tessellata* Gray, 1840
- Family Odontasteridae**
Hoplasaster
spinosa Perrier, in Milne-Edwards, 1882
= *Pentagonaster lepidus* Sladen, 1889
- Odontaster**
mediterraneus (von Marenzeller, 1893)
= *Gnathaster mediterraneus* von Marenzeller, 1893
- Family Goniasteridae**
Ceramaster
granularis subsp. *granularis* (Retzius, 1783)
= *Asterias granularis* Retzius, 1783
= *Asterias tessellatus* de Lamarck, 1816
= *Astrogonium boreale* Barrett, 1857
= *Pentagonaster eximius* Verrill, 1894
= *Pentagonaster simplex* Verrill, 1895
grenadensis subsp. *grenadensis* (Perrier, 1881)

- = *Astrogonium greeni* Bell, 1889
 = *Pentagonaster affinis* Perrier, 1884
 = *Pentagonaster balteatus* Sladen, 1891
 = *Pentagonaster crassus* Perrier, 1885
 = *Pentagonaster deplasi* Perrier, 1885
 = *Pentagonaster gosselini* Perrier, 1884
 = *Pentagonaster grenadensis* Perrier, 1881
 = *Pentagonaster haesitans* Perrier, 1885
 = *Pentagonaster hystericis* von Marenzeller, 1893
 = *Pentagonaster kerghoensi* Koehler, 1895
- Evoplosoma**
scorpio Downey, 1981
- Goniaster**
tessellatus (de Lamarck, 1816)
 = *Asterias granularis* Gmelin, 1791 (p.p.)
 = *Asterias tessellata* de Lamarck, 1816
 = *Astrogonium dubium* Perrier, 1869
 = *G. africanus* Verrill, 1871
 = *G. americanus* Verrill, 1871
 = *G. cuspidatus* Gray, 1840
 = *G. sebae* Gray, 1840
- Hippasteria**
phrygiana subsp. *phrygiana* (Parelius, 1768)
 = *Asterias equestris* de Lamarck, 1816, non Retzius, 1805
 = *Asterias johnstoni* Gray, in Johnston, 1836
 = *Asterias phrygianus* Parelius, 1768
 = *Astrogonium aculeatum* Barrett, 1857
 = *Goniaster abbensis* Gray, 1843
 = *H. (Nehippasteria) insignis* Dons, 1938
 = *H. cornuta* Gray, 1840
 = *H. europaea* Gray, 1840
 = *H. plana* Gray, 1840
 = *H. sebae* Gray, 1840
- insignis* Dons, 1937
- Mediaster**
bairdi subsp. *bairdi* (Verrill, 1882)
 = *Archaster bairdi* Verrill, 1882
 = *M. stellatus* Perrier, 1891
- Nymphaster**
arenatus (Perrier, 1881)
 = *Dorigona jacqueti* Perrier, 1894
 = *Dorigona prehensilis* Perrier, 1885
 = *N. albidus* Sladen, 1889
 = *N. basilicus* Sladen, 1889
 = *N. protentus* Sladen, 1889
 = *Pentagonaster arenatus* Perrier, 1881
 = *Pentagonaster subspinosus* Perrier, 1881
 = *Pentagonaster ternalis* Perrier, 1881
- Paragonaster**
subtilis (Perrier, 1881)
 = *Archaster formosus* Verrill, 1884
 = *Goniopecten subtilis* Perrier, 1881
 = *P. cylindratus* Sladen, 1889
 = *P. strictus* Perrier, 1894
 = *Pentagonaster elongatus* Perrier, 1885
- Peltaster**
placenta (J. Müller & Troschel, 1842)
 = *Goniaster nidarosiensis* Storm, 1881
 = *Goniodiscus acutus* Heller, 1863
 = *Goniodiscus placenta* J. Müller & Troschel, 1842
 = *Goniodiscus placentaformis* Heller, 1863
 = *P. hebes* Verrill, 1899
 = *Pentagonaster minor* Koehler, 1895
 = *Pentagonaster mirabilis* Perrier, 1875
 = *Pentagonaster planus* Verrill, 1895
 = *Pentagonaster vincenti* Perrier, 1885
- Plinthaster**
dentatus (Perrier, 1884)
 = *Pentagonaster concinnus* Sladen, 1891
 = *Pentagonaster dentatus* Perrier, 1884
 = *Pentagonaster grandis* Perrier, 1885
 = *Pentagonaster perrieri* Sladen, 1889
 = *Tosia (Plinthaster) compita* Verrill, 1899
 = *Tosia (Plinthaster) nitida* Verrill, 1899
- Pseudarchaster**
gracilis subsp. *gracilis* (Sladen, 1889)
- = *Aphroditaster gracilis* Sladen, 1889
 = *Astrogonium aequabile* Koehler, 1907
 = *Astrogonium aphrodite* Perrier, 1894
 = *Astrogonium eminens* Koehler, 1907
 = *Astrogonium marginatum* Koehler, 1909
 = *Astrogonium necator* Perrier, 1894
 = *P. concinnus* Verrill, 1894
 = *P. granuliferus* Verrill, 1899
 = *P. ordinatus* Verrill, 1899
 = *Parellii* (Düben & Koren, 1846)
 = *Astrogonium annectens* Perrier, 1894
 = *Astrogonium fallax* Perrier, 1885
 = *Astrogonium hystrix* Perrier, 1894
 = *Astrogonium longobrachiale* Koehler, 1907
 = *Astropecten parellii* Düben & Koren, 1846
 = *P. intermedius* var. *insignis* Verrill, 1895
 = *P. intermedius* Sladen, 1889
 = *P. tessellatus* var. *arcticus* Sluiter, 1895
- Sphaeriodiscus**
bourgeti (Perrier, 1885)
 = *Stephanaster bourgeti* Perrier, 1885
- Family Ophidiasteridae**
- Hazelia**
attenuata Gray, 1840
 = *Asterias coriacea* Grube, 1840
 = *Asterias laevigata* subsp. *varietas* de Lamarck, 1816
 = *Asterias variolata* Risso, 1826, non Retzius, 1805
 = *Ophidiaster (Hazelia) attenuatus* Gray, 1840
 = *Ophidiaster lessonae* Gasco, 1876
- Narcissia**
canariensis (d'Orbigny, 1839)
 = *Asterias canariensis* d'Orbigny, 1839
 = *Fromia narcissae* Perrier, 1885
 = *Fromia narcissiae* Perrier, 1894
 = *N. teneriffae* Gray, 1840
 = *trigonaria* Sladen, 1889
- Ophidiaster**
ophidianus (de Lamarck, 1816)
 = *Asterias ophidiana* de Lamarck, 1816
 = *O. aurantius* Gray, 1840
 = *O. canariensis* Greeff, 1872
 = *reissyi* Sibuet, 1977
- Family Poraniidae**
- Chondraster**
grandis (Verrill, 1878)
 = *?Marginaster fimbriatus* Sladen, 1889
 = *Porania grandis* Verrill, 1878
- Marginaster**
caprensis (Gasco, 1876)
 = *Asteropsis caprensis* Gasco, 1876
- Porania**
(Porania) pulvillus subsp. *pulvillus* (O.F. Müller, 1776)
 = *Asteropsis ctenacantha* J. Müller & Troschel, 1842
 = *Goniaster templetoni* Thomson, in Forbes, 1839
 = *P. gibbosa* Gray, 1840 (*nomen nudum*)
 = *(Pseudoporania) stormi* (Dons, 1935)
 = *Pseudoporania stormi* Dons
- Poraniomorpha**
(Poraniomorpha) bidens Mortensen, 1932
(Poraniomorpha) hispida subsp. *hispida* (M. Sars, 1872)
 = *?Rhegaster murrayi* Sladen, 1883
 = *Asterina borealis* Verrill, 1878
 = *Goniaster hispidus* M. Sars, 1872
 = *Porania spinulosa* Verrill, 1880
(Poraniomorpha) hispida subsp. *rosea* Danielssen & Koren, 1881
 = *Lasiaster villosus* Sladen, 1889
 = *P. rosea* Danielssen & Koren, 1881
(Poraniomorpha) tumida (Stuxberg, 1878)
 = *Rhegaster tumidus* (Stuxberg) auctt.
 = *Solaster tumida* Stuxberg, 1878
 = *Sphaeriaster bjoerklykki* (Dons, 1938)
(Culcitopsis) borealis (Süssbach & Breckner, 1911)

- = *?Marginaster pentagonus* Perrier, in Milne-Edwards, 1882
= *Culcita borealis* Süßbach & Breckner, 1911
= *Sphaeraster berthae* Dons, 1938
= *Sphaeraster berthae* Dons, 1939
Tylaster
willei Danielssen & Koren, 1881
- Family Sphaerasteridae**
Podosphaeraster
thalassae Cherbonnier, 1970
- Family Asterinidae**
Allopatiria
ocellifera (Gray, 1847)
= *Palmipes lobiancoi* Ludwig, 1897
= *Parasterina africana* Engel & Croes, 1960
= *Patiria ocellifera* Gray, 1847
= *Patiria pulla* Koehler & Vaney, 1906
= *Patiria rosea* Koehler & Vaney, 1906
Anseropoda
lobiancoi (Ludwig, 1897)
= *Palmipes lobiancoi* Ludwig, 1897
placenta (Pennant, 1777)
= *Asterias cartilaginea* Fleming, 1828
= *Asterias membranacea* Retzius, 1783
= *Asterias placenta* Pennant, 1777
= *Asteriscus palmipes* J. Müller & Troschel, 1842
Asterina
gibbosa (Pennant, 1777)
= *Asterias gibbosa* Pennant, 1777
= *Asterias verruculata* Retzius, 1805
= *A. minuta* Nardo, 1834
= *Asteriscus arrecifiensis* Greeff, 1872
pancerli (Gasco, 1870)
= *Asteriscus pancerii* Gasco, 1870
phylactica Emson & Crump, 1979
wega Perrier
Tremaster
mirabilis Verrill, 1880
= *T. laevis* H.L. Clark, 1941
- Order Spinulosida**
- Family Echinasteridae**
Echinaster
(*Echinaster*) *sepositus* subsp. *sepositus* (Retzius, 1783)
= *Asterias sagena* Retzius, 1805
= *Asterias seposita* Retzius, 1783
= *Rhopia mediterranea* Gray, 1840
Henricia
caudani (Koehler, 1895)
= *Cribella caudani* Koehler, 1895
cylindrella (Sladen, 1883)
= *Cribella abyssalis* Perrier, 1894
= *Cribella oculata* var. *cylindrella* Sladen, 1883
= *H. abyssicola* Perrier, 1885 & Farran, 1913 & Mortensen, 1927
eschrichti (J. Müller & Troschel, 1842)
= *Echinaster eschrichti* J. Müller & Troschel, 1842
= *Magdalenaaster arcticus* Koehler, 1907
hedingi Madsen, 1987
lisa A.H. Clark, 1949
lisa subsp. *ingolfi* Madsen, 1987
oculata (Pennant, 1777)
= *Asterias oculata* Pennant, 1777
= *H. sanguinolenta* auctt., non (O.F. Müller) (p.p.)
perforata (O.F. Müller, 1776)
= *Asterias perforata* O.F. Müller, 1776
= *Cribella oculata* var. *murina* Perrier, 1875
= *Cribella sanguinolenta* f. *scabrior* Michailovskij, 1902
= *Echinaster scrobiculatus* Danielssen & Koren, 1883
= *H. sanguinolenta* auctt., non (O.F. Müller)
= *H. crossispika* Heding, in Jägerskiöld, 1971 (*nomen nudum*)
= *H. fisheri* subsp. *echinata* Heding, in Jägerskiöld, 1971 (*nomen nudum*)
- = *H. knipowitschi* D'yakonov, 1950
= *H. sanguinolenta* Rasmussen, 1965 non (O.F. Müller)
pertusa (O.F. Müller, 1776)
= *?Cribella biscayensis* Koehler, 1895
= *Asterias pertusa* O.F. Müller, 1776
= *Cribella sanguinolenta* var. *abyssicola* Norman, 1869
= *Echinaster oculatus* f. *major* Düben & Koren, 1846
sanguinolenta (O.F. Müller, 1776)
= *Asterias sanguinolenta* O.F. Müller, 1776
= *Cribella pectinata* Verrill, 1894
= *Cribella sanguinolenta* var. *curta* Norman, 1869
= *Cribella sanguinolenta* f. *laevior* Michailovskij, 1902
= *Echinaster oculatus* f. *minor* Düben & Koren, 1846
= *Echinaster sarsi* J. Müller & Troschel, 1844
= *H. perforata* Rasmussen, 1965 non (O.F. Müller)
= *H. sanguinolenta* subsp. *miliaris* Verrill, 1914
skorikovi D'yakonov, 1950
solida D'yakonov, 1950
spongiosa (O. Fabricius, 1780)
- Order Velatida**
- Family Solasteridae**
Crossaster
papposus (Linnaeus, 1767)
= *Asterias affinis* Brandt, 1835
= *Asterias helianthoides* Pennant, 1777
= *Asterias papposa* Linnaeus, 1767
squamatus (Döderlein, 1900)
= *Solaster affinis* Danielssen & Koren, 1877 non (Brandt, 1835)
= *Solaster papposus* var. *squamata* Döderlein
= *Solaster squamatus* Döderlein
Lophaster
furcifer (Düben & Koren, 1846)
= *Solaster furcifer* Düben & Koren, 1846
Solaster
earlli Verrill, 1879
endeca (Linnaeus, 1771)
= *Asterias alboverrucosa* Brandt, 1835
= *Asterias aspera* O.F. Müller, 1776
= *Asterias endeca* Linnaeus, 1771
= *Asterias rumphii* Parelius, 1768
= *S. endeca* subsp. *decemradiata* Sladen, 1889
= *S. galaxides* Verrill, 1909
= *S. intermedius* Sluiter, 1895
glacialis Danielssen & Koren, 1881
= *S. echinatus* Storm, 1888
syrizensis Verrill, 1894
- Family Korethrasteridae**
Korethraster
hispidus Wyville Thomson, 1873
= *K. setosus* Perrier, in Milne-Edwards, 1882
- Family Pterasteridae**
Diploptaster
multipes (M. Sars, 1866)
= *Pteraster multipes* M. Sars, 1866
Hymenaster
giboryi Perrier, 1894
pellucidus Thomson, 1873
= *H. giganteus* Sladen, 1891
= *H. membranaceus* Thomson, 1877
= *H. perissonotus* Fisher, 1910
regalis Verrill, 1895
= *H. kieri* Downey, 1979
reticulatus Sibuet, 1976
rex Perrier, 1885
= *H. gennaeus* H.L. Clark, 1923
roseus Koehler, 1907
temuropinus Sibuet, 1976
Pteraster
acicula (Downey, 1970)
= *Marsipaster acicula* Downey, 1970
alveolatus Perrier, 1894
hystrix Harvey, 1989
militaris (O.F. Müller, 1776)

- = *Asterias militaris* O.F. Müller, 1776
 = *P. aporus* Ludwig, 1886
obscurus (Perrier, 1891)
 = *Hexaster obscurus* Perrier, 1891
 = *P. (Temnaster) hexactis* Verrill, 1894
personatus Sladen, 1891
 = ?*Pteraster sordidus* Perrier, 1894
 = *P. reductus* Koehler, 1907
pulvillus (M. Sars, 1861)
- Family Myxasteridae**
- Myxaster*
perrieri Koehler, 1896
sol Perrier, 1885
- Pythonaster*
atlanticus A.H. Clark, 1948
- Order Brisingida**
- Family Brisingidae**
- Brisinga*
endecacnemos Asbjørnsen, 1856
hirsuta Perrier, 1894
- Brisingella*
coronata (G.O. Sars, 1871)
 = *Brisinga coronata* G.O. Sars, 1871
 = *Brisingia mediterranea* Perrier, 1885
- Novodinia*
homonyma Downey, 1986
 = *Brisinga elegans* Perrier, 1885, non Verrill, 1884
 = *Odinia elegans* Perrier, 1894
pandina (Sladen, 1889) Downey, 1986
 = *Odinia pandina* Sladen, 1889
semicoronata (Perrier, 1885) Downey, 1986
 = *Brisinga robusta* Perrier, 1885
 = *Brisinga semicoronata* Perrier, 1885
- Family Freyellidae**
- Colpaster*
edwardsi (Perrier, 1882) Downey, 1986
 = *Brisinga edwardsi* Perrier, 1882
scutigerula Sladen, 1889
- Freyastera*
benthophila (Sladen, 1889) Downey, 1986
 = *Freyella benthophila* Sladen, 1889
sexradiata (Perrier, 1885) Downey, 1986
 = *Freyella sexradiata* Perrier, 1885
tuberculata (Sladen, 1889) Downey, 1986
 = *Freyella tuberculata* Sladen, 1889
- Freyella*
elegans (Verrill, 1884)
 = *Brisinga elegans* Verrill, 1884
 = *F. aspera* Verrill, 1895
 = *F. bracteata* Sladen, 1889
 = *F. laubieri* Cherbonnier & Sibuet, 1973
 = *F. spinosa* var. *abyssicola* Perrier, 1894
 = *F. spinosa* Perrier, 1885
recta Koehler, 1907
- Order Forcipulatida**
- Family Asteriidae**
- Asterias*
rubens Linnaeus, 1758
 = *A. clathrata* Pennant, 1777
 = *A. holsatica* Retzius, 1805
 = *A. minuta* Linnaeus, 1761
 = *A. rubens* subsp. *violacea* O.F. Müller, 1776
 = *A. spinosa* Say, 1825
 = *A. vulgaris* Packard, 1863
- Coscinasterias*
tenuispina (de Lamarck, 1816)
 = *Asterias atlantica* Verrill, 1868
 = *Asterias savarensis* Delle Chiaje, 1827
 = *Asterias tenuispina* de Lamarck, 1816
 = *Lytaster inaequalis* Perrier, 1894
- Icastarias*
panopla (Stuxberg, 1878)
 = *Asterias panopla* Stuxberg
- Leptasterias*
canuti Heding, 1936
clavispina Heding, 1936
(Leptasterias) danica (Levinsen, 1887)
degerboelli Heding, 1935
floccosa (Levinsen, 18???)
floccosa var. *crassa* Heding, 1935
(Endogenasterias) groenlandica (Steenstrup, 1857)
 = *Asteracanthion groenlandica* Steenstrup, 1857
 = *Asterias cribaria* Stimpson, 1862
(Leptasterias) hyperborea (Danielssen & Koren, 1883)
 = *Asterias hyperborea* Danielssen & Koren, 1883
 = *Asterias normani* Danielssen & Koren, 1884
hyperborea var. *intermedia* Heding, 1935
(Leptasterias) islandica (Levinsen, 1887)
 = *Asterias mülleri* var. *islandica* Levinsen, 1887
(Leptasterias) muelleri subsp. *muelleri* (M. Sars, 1846)
 = *Asteracanthion mülleri* M. Sars, 1846
(Leptasterias) muelleri subsp. *celtica* Clark & Downey, 1992
 = *Asterias hispida* Pennant, 1777
(Hexasterias) polaris (J. Müller & Troschel, 1842)
 = *Asteracanthion polaris* J. Müller & Troschel, 1842
 = *Asterias acervata* Stimpson, 1862
 = *Asterias borealis* Perrier, 1875
- Marthasterias*
glacialis (Linnaeus, 1758)
 = *Asteracanthion africanus* J. Müller, & Troschel, 1842
 = *Asterias angulosa* O.F. Müller, 1788
 = *Asterias echinophora* Delle Chiaje, 1827
 = *Asterias glacialis* Linnaeus, 1758
 = *Asterias madeirensis* Stimpson, 1862
 = *Asterias rarispina* Perrier, 1875
 = *Asterias spinosa* Pennant, 1777
 = *M. foliacea* Jullien, 1878
 = *Sellonia webbianae* d'Orbigny, 1839
- Sclerasterias*
guernei Perrier, 1891
neglecta (Perrier, 1891)
 = *Asterias edmundi* Ludwig, 1897
 = *Stolasterias neglecta* Perrier, 1891
richardi (Perrier, 1882)
 = *Asterias richardi* Perrier, 1882
- Stephanasterias*
albula (Stimpson, 1853)
 = *Asteracanthion albulus* Stimpson, 1853
 = *Asteracanthion problema* Steenstrup, 1855
 = *Asterias gracilis* Perrier, 1881
- Stichasterella*
ambigua (Farran, 1913)
 = *Stichaster roseus* var. *ambiguus* Farran, 1913
rosea (O.F. Müller, 1776)
 = *Asterias rosea* O.F. Müller, 1776
 = *Chaetaster hermanni* J. Müller & Troschel, 1842
 = *Stichaster arcticus* Danielssen & Koren, 1883
- Urasterias*
linckii (J. Müller & Troschel, 1842)
 = *Asteracanthion linckii* J. Müller & Troschel, 1842
 = *Asteracanthion stellionura* E. Perrier, 1869
 = *Asterias enopla* Verrill, 1895
 = *Asterias gunneri* Danielssen & Koren, 1884
- Family Pedicellasteridae**
- Hydrasterias*
sexradiata (Perrier, in Milne-Edwards, 1882)
 = *Pedicellaster sexradiatus* Perrier, in Milne-Edwards, 1882
- Pedicellaster*
typicus M. Sars, 1861
 = *Archaster bifrons* W. Thomson, 1873
 = *Asteracanthion palaeocrystallus* Duncan & Sladen, 1877
- Family Zoroasteridae**
- Zoroaster*

- fulgens* Thomson, 1873
- Family Labidiasteridae**
- Coronaster*
- volsellatus* (Sladen, 1889)
 - = *Asterias (Stolasterias) volsellatus* Sladen, 1889
 - = *C. antonii* Perrier, 1894
- Family Neomorphasteridae**
- Neomorphaster*
- margaritaceus* (Perrier, *in* Milne-Edwards, 1882)
 - A.M. Clark & Downey, 1992
 - = *Calycaster monoecus* Perrier, 1891
 - = *N. eustichus* Sladen, 1889
 - = *N. parfaitei* Koehler, 1896
 - = *Pedicellaster margaritaceus* Perrier, *in* Milne-Edwards, 1882
 - = *Stichaster talismani* Perrier, 1885
- Class Ophiuroidea**
- Order Phrynomphiurida**
- Family Ophiomyxidae**
- Astrogeron*
- supinus* (Lyman, 1883)
 - = *Ophiogeron supinus* Lyman, 1883
- Ophiogeron*
- edentulus* Lyman, 1878
- Ophilomyxa*
- pentagona* (de Lamarck, 1816)
 - = *Ophiura pentagona* de Lamarck, 1816
 - serpentaria* Lyman, 1883
- Ophiophrixus*
- spinosis* (Storm, 1881)
 - = *Ophiobrysa hystricis* Lyman, 1883
 - = *Ophiobryssa hystricis* (Lyman, 1883)
- Ophioscolex*
- glacialis* J. Müller & Troschel, 1842
 - purpureus* Döbken & Koren, 1846
 - = ?*Ophioscolex quadrispinus* Verrill, 1885
- Order Euryalina**
- Family Asteronychidae**
- Asteronyx*
- loveni* J. Müller & Troschel, 1842
 - = *A. cooperi* Bell, 1909
 - = *A. dispar* Lütken & Mortensen, 1899
 - = *A. locardi* Koehler, 1896
 - = *Ophiuropsis lymani* Studer, 1884
- Astroadia*
- tenuispina* (Verrill, 1884)
 - = *A. bispinosa* Koehler, 1922
- Family Gorgonocephalidae**
- Astrospartus*
- mediterraneus* (Risso, 1826)
 - = *Euryale arborescens* L. Agassiz, 1839
 - = *Euryale mediterraneus* Risso, 1826
 - = *Gorgonocephalus verrucosus* Grube, 1840
- Gorgonocephalus*
- arcticus* Leach, 1819
 - = *Astrophyton agassizi* Stimpson, 1853
 - caput-medusae* (Linnaeus, 1758)
 - = *Asterias caput-medusae* Linnaeus, 1758
 - = *Astrophyton linckii* J. Müller & Troschel, 1842
 - = *Astrophyton scutatum* Fleming, 1828
 - eucnemis* (J. Müller & Troschel, 1842) Lyman, 1882
 - = *Astrophyton eucnemis* J. Müller & Troschel, 1842
 - = *Astrophyton malmsgreni* Danielssen & Koren, 1877
 - = *G. caryi* Lyman, 1860
 - = *G. japonicus* Döderlein, 1907
 - lamarckii* (J. Müller & Troschel, 1842) Lyman, 1882
 - = *Astrophyton lamarckii* J. Müller & Troschel, 1842
- Family Asteroschematidae**
- Asterschema*
- ornatum* Koehler, 19??
- Ophiocreas*
- oedipus* Lyman, 1879
- Order Ophiurida**
- Family Ophiotrichidae**
- Ophiothrix*
- fragilis* (Abildgaard, *in* O.F. Müller, 1789)
 - = *Asteria cuvieri* Delle Chiaje, 1828
 - = *Asterias echinata* Delle Chiaje, 1822-29
 - = *Asterias fragilis* Abildgaard, *in* O.F. Müller, 1789
 - = *Asterias pentaphylla* Pennant, 1777
 - = *Asterias rubra* Delle Chiaje, 18??
 - = *Ophiocoma minuta* Forbes, 1839
 - = *Ophiocoma rosula* Forbes, 1839
 - = *O. alopecurus* J. Müller & Troschel, 1842
 - = *O. ferussacii* J. Müller & Troschel, 1842
 - = *O. lusitanica* Ljungman, 1872
 - = *O. rammelsbergii* J. Müller & Troschel, 1842
 - = *O. rubra* Ljungman, 1872
 - = *Ophiura quinquemaculata* Delle Chiaje, 1828
 - indigna* Koehler, 1906
 - luetkeni* Wyville Thomson, 1873
 - maculata* Ljungman, 1872
 - = *O. inducta* Koehler, 1906
- Family Ophiactidae**
- Histampica*
- duplicata* (Lyman, 1875)
- Ophiactis*
- abyssicola* (M. Sars, 1861) Ljungman, 1866
 - = ?*Ophiactis cuspidata* Lyman, 1882
 - = *Amphiura abyssicola* M. Sars, 1861
 - = *O. corallicola* Koehler, 1896
 - = *O. echinata* Koehler, 1898
 - = *O. poa* Lyman, 1882
 - balli* (W. Thompson, 1840)
 - = *Ophiocoma balli* W Thompson, 1840
 - = *Ophiocoma goodsir* Forbes, 1840 (Nov.)
 - canotia* Lyman, 1882
 - lymani* Ljungman, 1872
 - nidarosiensis* Mortensen, 1920
 - profundi* Lütken & Mortensen, 1899
 - savignyi* (J. Müller & Troschel, 1842)
 - = *O. brocki* de Loriol, 1893
 - = *O. krebsii* Lütken, 1857
 - = *Ophiolepis savignyi* J. Müller & Troschel, 1842
 - virens* (M. Sars, 1857)
 - = *Amphiura virens* M. Sars, 1857
- Ophiopholis*
- aculeata* (Linnaeus, 1767)
 - = *Ophiocoma bellis* Forbes, 1839
 - = *Ophiolepis scolopendrica* J. Müller & Troschel, 1842
 - = *Polypholis echinata* Duncan, 18??
- Ophiopus*
- arcticus* Ljungman, 1867
 - = *Ophiaregma abyssorum* G.O. Sars, 1872
- Family Amphiuridae**
- Amphichilus*
- daleus* (Lyman, 1882) Matsumoto, 1917
 - = *Amphiura dalea* Lyman, 1882
- Amphioplus*
- verrilli* (Lyman, 1879)
 - = *Silix pulvinus* Cherbonnier & Sibuet, 1972
- Amphipholis*
- instructa* Koehler, 1906
 - muranica* D'yakonov, 1929
 - squamata* (Delle Chiaje, 1829)
 - = *A. lineata* Ljungman, 1872
 - = *A. tenera* Lütken, 18??
 - = *Amphiura elegans* (Leach, 1815)
 - = *Asterias squamata* Delle Chiaje, 1829
 - = *Axiognathus squamata* (Delle Chiaje)
 - torelli* Ljungman, 1872
- Amphiura*
- abyssorum* Norman, *in* Jeffreys, 1876
 - = *A. digna* Koehler, 1906
 - bellis* Lyman, 1879
 - bellis* var. *tritonis* Hoyle, 1884

- borealis* (G.O. Sars, 1871) Ljungman, 1872
 = *Ophiopeltis borealis* G.O. Sars, 1871
(Acrocnida) brachiata (Montagu, 1804)
 = *Amphiocnida brachiata* (Montagu)
 = *A. neapolitana* M. Sars, 1857
 = *Asterias brachiata* Montagu, 1804
cherbonnieri Guille, 1972
chiajei Forbes, 1843
delamarei Cherbonnier, 1958?
denticulata Koehler, 189
filiformis (O.F. Müller, 1776)
 = *Asterias filiformis* O.F. Müller, 1776
fragilis Verrill, 1885
 = *A. denticulata* Koehler, 1898
grandisquama Lyman, 1869
 = *A. iris* Lyman, 1879
 = *A. josephinae* Ljungman, 1872
 = *A. longispina* Koehler
griegi Mortensen, 1920
incana Lyman, 1879
medierranea Lyman, 1882
otteri Ljungman, 1872
 = *A. grandis* Koehler, 1896
palmeri Lyman, 1882
richardi Koehler, 1906
sarsi Ljungman, 1872
(Ophiopeltis) securigera (Düben & Koren, 1846)
 = *Ophiopeltis securigera* Düben & Koren, 1846
(Acrocnida) semi squamata (Koebler)
senegalensis Madsen, 1970
stepanovi D'yakonov, 1954
 = *A. stepanovi* Chernyavskii, 1861 (*nomen nudum*)
 = *A. stepanovi* Lyman, 1869 (*nomen nudum*)
sundevalli (J. Müller & Troschel, 1842)
 = *Ophiolepis sundevalli* J. Müller & Troschel, 1842
- Monophiura**
apicula (Cherbonnier, 1957)
 = *Amphiura apicula* Cherbonnier, 1957
- Paramphiura**
punctata (Forbes, 1841)
 = *Ophiocoma punctata* Forbes, 1841
- Family Amphilepididae**
Amphilepis
norvegica (Ljungman, 1865)
 = *Amphiura norvegica* Ljungman, 1865
ingolfiana Mortensen, 1933
- Order Laemophiurina**
- Family Ophiacanthidae**
Ophiacantha
abyssicola G.O. Sars, 1871
 = *O. millespina* Verrill, 1879
angolensis Koehler, 1923
anomala G.O. Sars, 1871
 = ?*Ophiacantha nodosa* Lyman, 18??
aristata Koehler
bidentata (Retzius, 1805)
 = *Asterias bidentata* Retzius, 1805
 = *O. fraterna* Verrill, 1885
 = *O. groenlandica* J. Müller & Troschel, 1844
 = *O. hibernica* Farran, 1913
 = *O. spinulosa* J. Müller & Troschel, 1842
brevispina Koehler, 1898?
composita Koehler, 1907
crassidens Verrill
cuspidata Lyman, 1882
(Ophiotreta) danae Mortensen, 1933
 = *O. valenciennesi* Lieberkind, 1929, *non* Lyman
decipiens Koehler, 1906
densa Farran, 1913?
enopla subsp. *veterna* (Koehler, 1907)
hirsuta Lyman, 1875
lineata Koehler, 1909
mesembria H.L. Clark, 1915
nodosa Lyman, 1882
- notata* Koehler, 1906
opercularis (Koehler, 1909)
 = *Ophiolimna opercularis* Koehler, 1909
parcita Koehler, 1906
setosa (Retzius, 1805)
 = *Ophiura setosa* Retzius, 1805
smitti Ljungman, 1872
simulans Koehler, 1896
 = *O. composita* Koehler, 1906, *non* Koehler, 1904
 = *O. composita* Mortensen, 1927
spectabilis G.O. Sars, 1871
spinosella Mortensen, 1933
valenciennesi Lyman, 1879
- Ophiambix**
devaneyi Paterson, 1985
meteoris Bartsch, 1983
- Ophiochondrus**
armatus (Koehler, 1909)
 = *Ophioplus armatus* Koehler, 1909
- Ophiocomina**
nigra (Abildgaard, *in* O.F. Müller, 1789)
 = *Asterias nigra* Abildgaard, *in* O.F. Müller, 1789
 = *Ophiacantha danae* Mortensen, 1933
 = *Ophiocoma granulata* Forbes, 1839
 = *Ophiocoma nigra* (Abildgaard)
 = *Ophiocoma nilssonii* J. Müller & Troschel, 1842
 = *Ophiocoma raschi* G.O. Sars, 18??
- Ophiolebes**
bacata Koehler, 1909
reecta (Koehler, 1896)
 = *Ophioscolex reectus* Koehler, 1896
- Ophiomitra**
hamula Mortensen, 1933
- Ophiopsila**
annulosa (M. Sars, 1859)
 = *Ophianoplus annulosus* M. Sars, 1859
aranea Forbes, 1845
 = *Ophianoplus marmoreus* M. Sars, 18??
aff. guineensis (Koehler, 1914)
- Ophiocamax**
dominans Koehler, 19??
- Ophiomitrella**
clavigera (Ljungman, 1865)
 = ?*Ophiomitrella cordifera* Koehler, 1909
 = *Ophiactis clavigera* Ljungman, 1865
 = *Ophiolebes acanellae* Verrill, 1885
 = *Ophiolebes claviger* (Ljungman, 1865)
globulifera (Koehler, 1896)
- Ophioplinthaca**
carduus (Lyman, 1882)
chelys (Lyman, 1882)
- Ophiothamnus**
affinis Ljungman, 1872
 = *Ophioleda minima* Koehler, 1906
 = *Ophioplinthaca occlusa* Koehler, 1907
 = *O. minima* Matsumoto, 1917
chariis H.L. Clark, 1915
 = *O. gracilis* (Verrill, 1885), *non* (Studer, 1822)
- Ophiolimna**
bairdi (Lyman, 1883) Verrill, 1899
 = *Ophiacantha bairdi* Lyman, 1883
- Ophiomedea**
duplicata Koehler, 1906
- Ophioprium**
rosea (Lyman, 1879) Baker & Devaney, 1981
 = *Ophiacantha rosea* Lyman, 1879
 = *Ophiacantha truncata* Koehler, 1930
- Ophiotoma**
bartletti (Lyman, 18??)
coriacea Lyman, 1883
- Ophiotrema**
alberti Koehler, 1896
- Ophiomyces**
fructosus Lyman, 1869
grandis Lyman, 1878

Order Chilophiurina**Family Ophiuridae***Amphiophiura*

- bullata* (Wyville Thomson, 1873) Matsumoto, 1915
- = *Ophioglypha abdita* Koehler, 1909
- = *Ophioglypha bullata* Wyville Thomson, 1873
- bullata* subsp. *convexa* (Lyman, 1878)
- = *Ophioglypha convexa* Lyman, 1878
- bullata* subsp. *vittata* Litvinova, 1971
- = *A. vittata* Litvinova, 1971
- saurura* (Verrill, 1894)
- = *Ophioglypha aspera* Koehler, 1898
- = *Ophioglypha saurura* Verrill, 1894

Anthophiura

- ingolfi* Fasmer, 1930

Aspidophiura

- minuta* (Lyman, 1878)
- = *Ophioglypha minuta* Lyman, 1878

Homophiura

- abyssorum* (Lyman, 1883)
- abyssorum* var. *africana* (Madsen, 1947)
- = *Homalophiura abyssorum* var. *africana* Madsen, 1947
- tessellata* (Verrill, 1894)
- = *Homalophiura tessellata* (Verrill, 1894)
- = *Ophioglypha tessellata* Verrill, 1894

Ophiocten

- abyssicolum* von Marenzeller, 18??
- affinis* (Lütken, 1858) Sumida, Tyler, Gage & Nørrevang, 1998
- = *Ophiusa affinis* Lütken, 1858
- centobi* Paterson, Tyler & Gage, 1982
- gracilis* (G.O. Sars, 1871)
- = *O. sericeum* auct., non (Forbes, 1852) (p.p.)
- = *Ophioglypha gracilis* G.O. Sars, 1871
- = *Ophioglypha signata* Verrill, 1882
- = *Ophiusa signata* (Verrill, 1882)
- hastatum* Lyman, 1878
- = *Ophiocten longispinum* Koehler, 1898
- = *O. latens* Koehler, 1906
- = *O. pacificum* Lütken & Mortensen, 1899
- scutatum* Koehler, 1898
- sericeum* (Forbes, 1852)
- = *O. kroeyeri* Lütken, 1855
- = *Ophiusa sericea* Forbes, 1852

Ophioctenella

- acies* Tyler, Paterson, Sibuet, Guille, Murton & Segonzac, 1995

Ophiolepis

- paucispina*?

Ophiomisidium

- pulchellum* (Wyville Thomson, 18??)
- = *Ophiomusium pulchellum* Wyville Thomson, 18??

Ophiomusium

- africanum* Koehler, 1909
- lymani* Wyville Thomson, 1873

Ophiodyskis

- mirabilis* Koehler, 1901

Ophiolepta

- aurantiaca* (Verrill, 1882) Verrill, 1882
- = *Ophioglypha aurantiaca* Verrill, 1882
- borealis* Danielssen & Koren, 1877
- = *Luetkenia arctica* Duncan, 1878

Ophiosphalma

- armigerum* (Lyman, 1878) H.L. Clark, 1941
- = *Ophiomusium armigerum* Lyman, 1878
- planum* (Lyman, 1878) H.L. Clark, 1941
- = *Ophiomusium planum* Lyman, 1878

Ophiotjalfa

- vivipara* Mortensen, 1913

Ophiotypa

- simplex* Koehler, 1897

Ophiozonella

- molesta* (Koehler, 1906)

- = *Ophiozona molesta* Koehler, 1906

- sincera* (Koehler, 1906)

= *Ophiozona sincera* Koehler, 1906

tfalfiana (Mortensen, 1913) Matsumoto, 1915

= *Ophiozona tfalfiana* Mortensen, 1913

Ophiura

- albida* Forbes, 1839

africana (Koehler)

= *Ophiocten africana* Koehler

(*Dictenophiura*) *carnea* Lütken, 1858 ex M. Sars MS

clemens (Koehler, 1906)

= *Ophioglypha clemens* Koehler, 1906

flagellata (Lyman, 1878)

= *Gymnophiura caerulescens* Lütken & Mortensen, 1899

= *Ophioglypha flagellata* Lyman, 1878

grubei Heller, 1863

imprudens (Koehler, 1906)

= *Ophioglypha imprudens* Koehler, 1906

inermis (Lyman, 1882)

= *Ophioglypha inermis* Lyman, 1882

(*Ophiuroglypha*) *irrorata* (Lyman, 1878)

= *Ophioglypha grandis* Verrill, 1894

= *Ophioglypha involuta* Koehler, 1899

= *Ophioglypha irrorata* Lyman, 1878

= *Ophioglypha orbiculata* Lyman, 1882

= *Ophioglypha tumulosa* Lütken & Mortensen, 1899

(*Ophiuroglypha*) *irrorata* subsp. *concreta* (Koehler, 1901)

= *Ophioglypha concreta* Koehler, 1901

(*Ophiuroglypha*) *irrorata* subsp. *polyacantha*

Mortensen, 1933

= *Homalophiura multispina* Cherbonnier & Sibuet, 1972

ljungmani (Lyman, 1878)

= *Ophioglypha lepida* Lyman, 1882

= *Ophioglypha ljungmani* Lyman, 1878

= *Ophioglypha thouleti* Koehler, 1896

madseni (Belyaev, 1972)

= *Homalophiura madseni* (Belyaev, 1972)

(*Ophiuroglypha*) *mundata* Koehler, 1906

niida Mortensen, 1933

ophiura (Linnaeus, 1758)

= *Asterias ophiura* Linnaeus, 1758

= *O. ciliaris* (Linnaeus, 1766)

= *O. ciliata* (Retzius, 1783) non (O.F. Müller, 1776)

= *O. lacertosa* (Pennant, 1777)

= *O. texturata* de Lamarck, 1816

robusta (Ayres, 1851)

= *Ophiolepis robusta* Ayres, 1851

= *O. fasciculata* Forbes, 1854

= *O. squamosa* Lütken, 1859

sarsi Lütken, 1858

violaine (Cherbonnier & Sibuet, 1972)

= *Homalophiura violaine* Cherbonnier & Sibuet, 1972

Ophiurolepis

inornata (Lyman, 1878) Paterson, 1985

= *Homalophiura inornata* (Lyman, 1878)

= *Ophioglypha indivisa* Lütken & Mortensen, 1899

= *Ophioglypha inornata* Lyman, 1878

Stegophiura

nodosa (Lütken, 1858) Matsumoto, 1917

= *Ophiura nodosa* Lütken, 1858

stuvitzii (Lütken, 1858) Matsumoto, 1917

= *Ophiura stuvitzii* Lütken, 1858

Uriopha

ios Paterson, 1980

Family Ophioleucidae*Ophiermus*

adspersus Lyman, 1883

vallincola Lyman, 1878

= *O. abyssalis* Koehler, 1896

Ophiocrates

intervallus Madsen, 1947

secundus Koehler, 1906

Ophiopyren

striatum Mortensen, 1933

Family Ophionereididae*Ophiochiton*

- solutus* Koehler, 1906
ternispinus Lyman, 1883
 = *O. grandis* Verrill, 1884
 = *O. tenuispinus* Hoyle, 1884
- Ophionereis*
reticulata (Say, 1825)
 = *Ophiura reticulata* Say, 1825
- Family Ophiodermatidae**
- Bathypectinura*
heros (Lyman, 1879)
 = *B. elata* (Koehler, 1906)
 = *Pectinura elata* Koehler, 1906
 = *Pectinura heros* Lyman, 1879
- Cryptopelta*
brevispina (Ludwig, 1879)
 = *Ophioconis brevispina* Ludwig, 1879
- Ophiarachnella*
semicincta (Studer, 18???)
 = *Pectinura semicincta* Studer, 18???
- Ophioconis*
forbesi (Heller, 1863)
 = *Pectinura forbesi* Heller, 1863
vivipara Mortensen, 19???
- Ophiiderma*
longicauda (Retzius, 1805)
 = *Asterias longicauda* Retzius, 1805
 = *O. lacertosum* Lamarck, 1801
 = *Ophiura laevis* Lyman, 1865
- Pectinura*
vestita Forbes, 1843
- Class Echinoidea**
- Order Cidaroida**
- Family Cidaridae**
- Cidaris*
cidaris (Linnaeus, 1758)
 = *C. borealis* Düben & Koren, 1846
 = *C. papillata* Leske, 1778
 = *Cidarites hystrix* de Lamarck, 1816
 = *Dorocidaris abyssicola* A. Agassiz, 1869?
 = *Echinus cidaris* Linnaeus, 1758
tribuloides de Lamarck, 1816
- Poriocidaris*
purpurata (Wyville Thomson, 1875)
 = *Porocidaris gracilis* Sladen, 1891
 = *Porocidaris purpurata* Wyville Thomson, 1875
- Stereocidaris*
ingolfiana Mortensen, 1903
- Stylocidaris*
affinis (Philippi, 1845)
 = *Cidaris affinis* Philippi, 1845
 = *Cidaris stokesii* L. Agassiz & Desor, 1846-47
- Order Echinothuroidea**
- Family Echinothuridae**
- Calveriosoma*
fenestratum (Wyville Thomson, 1872)
 = *Araeosoma violaceum* Mortensen, 1903
 = *Calveria fenestrata* Wyville Thomson, 1872
- hystrix* (Wyville Thomson, 1872)
 = *Asthenosoma reynoldsi* A. Agassiz, 1880
 = *Calveria hystrix* Wyville Thomson, 1872
- Hygrosoma*
petersii (A. Agassiz, 1880)
 = *Phormosoma luculentum* Koehler, 1896, non A. Agassiz, 18???
 = *Phormosoma petersii* A. Agassiz, 1880
- Phormosoma*
placenta Wyville Thomson, 1874
 = *P. sigsbei* A. Agassiz, 1883
- Sperosoma*
- grimaldii* Koehler, 1897
Tromikosoma
koehleri Mortensen, 1903
- Order Diadematoida**
- Family Aspidodiadematidae**
- Aspidodiadema*
jacobyi A. Agassiz, 1883
- Plesiodiadema*
antillarum (A. Agassiz, 1883)
 = *Aspidodiadema antillarum* A. Agassiz, 1883
- Family Diadematidae**
- Centrostephanus*
longispinus (Philippi, 1845)
 = *Cidaris (Diadema) longispina* Philippi, 1845
- Diadema*
antillarum Philippi, 1845
 = *Cidaris (Diadema) antillarum* Philippi, 1845
- Order Pedinoida**
- Family Pedinidae**
- Caenopedia*
cubensis A. Agassiz, 1869
- Order Salenoida**
- Family Saleniidae**
- Salenia*
pattersoni A. Agassiz
- Salenocidaris*
profundi subsp. *profundi* (Duncan, 1877)
 = ?*Salenia hastigera* A. Agassiz
 = *Salenia hastigera* subsp. *acuminata* Mortensen, 1935
 = *Salenia profundi* subsp. *occlusa* Mortensen, 1934
 = *Salenia profundi* Duncan, 1877
profundi subsp. *brevispina* Markov, 1988
varispina A. Agassiz, 1869
- Order Arbacoida**
- Family Arbacidae**
- Arbacia*
lixula (Linnaeus, 1758)
 = *Cidaris pustulosa* Leske, 1778
 = *Echinus aequituberculatus* de Blainville, 1825
 = *Echinus lixula* Linnaeus, 1758
 = *Echinus neopolitanus* Delle Chiaje, 1825
- Arbaciella*
elegans Mortensen, 1910
- Coelopleurus*
floridanus A. Agassiz, 1872
- Habrocidaris*
scutata (A. Agassiz, 1880)
- Podocidaris*
sculpia A. Agassiz
- Order Temnopleuroidea**
- Family Temnopleuridae**
- Genocidaris*
maculata A. Agassiz, 1869
 = *Arbacina pallaryi* Gauthier, 1897
 = *Temnechinus maculatus* A. Agassiz, 1869
- Hypsiechinus*
coronatus Mortensen, 1903
- Trigonocidaris*
albida A. Agassiz
- Family Toxopneustidae**
- Sphaerechinus*
granularis (de Lamarck, 1816)
 = *Echinus (Toxopneustes) brevispinosus* Risso, 1826
 = *Echinus granularis* de Lamarck, 1816
 = *S. roseus* Russo, 1893
- Order Echinoida**
- Family Echinidae**
- Echinus*
acutus de Lamarck, 1816
 = ?*Echinus depressus* G.O. Sars, 1871

- = *Echinus microstoma* Wyville Thomson, 1875
 = *Echinus norvegicus* Dübén & Koren, 1846
 = *Echinus rarispinus* G.O. Sars, 1872
 = *E. flemingii* Forbes, 1841
 = *E. sardicus* Delle Chiaje, 1841
affinis Mortensen, 1903
alexandri Danielssen & Koren, 1883
elegans Dübén & Koren, 1846
 = *Echinus wallisi* A. Agassiz, 1883
esculentus Linnaeus, 1758
 = *E. aurantiacus* de Blainville, 1825
 = *E. globiformis* de Lamarck, 1801
 = *E. pseudomelo* de Blainville, 1825
 = *E. quinqueangulatus* de Blainville, 1825
 = *E. quinqueangulosus* de Blainville, 1834
 = *E. schwartzii* Nilsson & Holst, 1817
 = *E. sphaera* O.F. Müller, 1776
 = *E. subangulosus* de Blainville, 1826
 = *E. violaceus* de Blainville, 1825
esculentus var. *glacialis* D'yakonov, 1923
melo Lamarck, 1816
tenuispinus Norman, 1868
 = *E. esculentus* var. *tenuispinus* Norman, 1868
- Paracentrotus**
lividus (de Lamarck, 1816)
 = *Echinus lividus* de Lamarck, 1816
 = *Echinus purpureus* Risso, 1826
 = *Echinus saxatilis* Tiedemann, 1816
 = *Echinus vulgaris* de Blainville, 1825
- Psammechinus**
microtuberculatus (de Blainville, 1825) Heller, 1868
 = *Echinus microtuberculatus* de Blainville, 1825
miliaris (P.L.S. Müller, 1771)
 = *Echinus miliaris* P.L.S. Müller, 1766
 = *Parechinus miliaris* Mortensen, 1903
- Family Strongylocentrotidae**
Strongylocentrotus
droebachiensis (O.F. Müller, 1776)
 = *Echinus droebachiensis* O.F. Müller, 1776
 = *Echinus granularis* Say, 1826
 = *Echinus neglectus* de Lamarck, 1816
 = *S. chlorocentrotus* Brandt, 1835
 = *Toxopneustes pictus* Norman, 18??
pallidus (G.O. Sars, 1871)
 = *?Strongylocentrotus granularis* (Say, 1827)
 = *S. echinoides* A. Agassiz & H.L. Clark, 1907
 = *S. pictus* (Norman, 1868)
 = *S. sachalinicus* Clark, 1912
- Order Clypeasteroida**
- Family Fibulariidae**
Echinocyamus
grandiporus Mortensen, 1907
macrostomus Mortensen, 1907
pusillus (O.F. Müller, 1776)
 = *E. angulosus* Leske, 1778
 = *E. parthenopaeus* Costa, 1869
 = *E. speciosus* Costa, 1869
 = *Echinus minutus* Gmelin, 1790
 = *Fibularia equina* Aradas, 1850
 = *Fibularia tarentina* de Lamarck, 1816
 = *Spatagus pusillus* O.F. Müller, 1776
- Order Cassiduloida**
- Family Neolampadidae**
Neolampas
rostellata A. Agassiz, 1869
- Order Pourtalesioida**
- Family Pourtalesiidae**
Echinosigra
phiale (Wyville Thomson, 1873) Mortensen, 1907
 = *E. paradoxa* (Mortensen, 1905) Mortensen, 1907
 = *Pourtalezia paradoxa* Mortensen, 1905
 = *Pourtalezia phiale* Wyville Thomson, 1873
- Pourtalezia*
- aff. *alcocki* Koehler, 1914
 = *P. miranda* auctt., non A. Agassiz, 1869
jeffreysi Wyville Thomson, 1873
wandeli Mortensen, 1905
- Family Urechinidae**
Urechinus
naresianus A. Agassiz, 1881
- Family Plexechinidae**
Plexechinus
hirsutus Mortensen, 1905
- Family Calymnidae**
Calymne
relicta Wyville Thomson, 1877?
- Order Spatangoida**
- Family Hemiasteridae**
Hemiaster
expergitus Lovén, 1874
 = *H. gibbosus* A. Agassiz, 1881
 = *H. mentzii* A. Agassiz, 1883
 = *H. zonatus* A. Agassiz, 1881
- Family Spatangidae**
Spatangus
inermis Mortensen, 1913
purpureus (O.F. Müller, 1776)
 = *Spatagus purpureus* O.F. Müller, 1776
 = *S. meridionalis* Risso, 1825
 = *S. reginae* Gray, 1855
 = *S. spinosissimus* Desor, 1847
raschi Lovén, 1869
 = *S. meridionalis* Norman, 18??, non Risso, 1825
- Family Schizasteridae**
Brisaster
fragilis (Dübén & Koren, 1846)
 = *Brissus fragilis* Dübén & Koren, 1846
 = *Schizaster fragilis* (Dübén & Koren)
Schizaster
canaliferus (de Lamarck, 1816)
 = *Spatangus canaliferus* de Lamarck, 1816
- Family Brissidae**
Brissopsis
atlantica Mortensen, 1907
atlantica var. *mediterranea* Mortensen, 1913
lyrifera (Forbes, 1841)
 = *B. parma* Val., 18??
 = *Brissus lyrifer* Forbes, 1841
 = *Brissus pulvinatus* Philippi, 1845
 = *Schizaster incertus* Aradas, 1850
- Brissus*
unicolor (Leske, 1778)
 = *B. brissus* auctt.
 = *B. scillae* L. Agassiz, 1836
 = *Spatangus brissus* subsp. *unicolor* Leske, 1778
 = *Spatangus columbaris* de Lamarck, 1816
- Plagiobrissus*
affinis?
costai (Gasco, 1876)
 = *Metalia costae* Gasco, 1876
 = *Rhabdobraissus perrieri* Bernard
- Family Loveniidae**
Echinocardium
cordatum (Pennant, 1777)
 = *Amphidetus kürzii* Girard, 1852
 = *E. sebae* Gray, 18??
 = *Echinus cordatus* Pennant, 1777
 = *Spatangus arcarius* de Lamarck, 1816
fenaui Péquignat, 1963
flavescens (O.F. Müller, 1776)
 = *Amphidetus roseus* Forbes, 1841
 = *Spatagus flavescens* O.F. Müller, 1776
 = *Spatangus ovatus* Leske, 1778
mediterraneum (Forbes, 1844)
 = *Amphidetus mediterraneus* Forbes, 1844

- = *E. gibbosus* L. Agassiz & Desor, 1847
mortenseni Thiéry, 1909
= ?*Echinocardium laevigaster* A. Agassiz, 18??
= ?*Echinocardium pennatifidum* Koehler, 1898, non Norman, 1868
= *E. intermedium* Mortensen, 1907
pennatifidum Norman, 1868
= *E. gibbosus* Barrett, 1857 non L. Agassiz & Desor, 1847
- Family Aeropsidae**
Aceste
bellidifera Wyville Thomson, 1877
Aeropsis
rostrata (Wyville Thomson, 1877) Mortensen, 1907
= *Aerope rostrata* Wyville Thomson, 1877
- Family Asterostomatidae**
Palaeotropus
josephinae Lovén, 18??
= *Palaeobrissus hilgardi* A. Agassiz
= *P. hirondellei* Koehler
Peripatagus
cinctus Koehler
- Class Holothuroidea**
- Order Dendrochirotida**
- Family Psolididae**
Psolidium
complanatum Cherbonnier, 1969
Psolus
fabricii (Düben & Koren, 1846)
= *Cuvieria fabricii* Düben & Koren, 1846
hypsinotus Heding, 1942
nummularis R. Perrier, 1899
operculatus (Pourtalès, 1868)
= *Cuvieria operculata* Pourtalès, 1868
phantapus (Strassenfels, 1765) Jaeger, 1833
= *Holothuria phantapus* Strassenfels, 1765
= *P. granulatus* Ayres, 1851
= *P. laevigatus* Ayres, 1851
= *P. regalis* Verrill, 1866
pourtalesii Théel, 1886
squamatus (O.F. Müller, 1776) Lütken, 1857
= *Holothuria squamata* O.F. Müller, 1776
= *P. valvatus* Östergren, 1904
tesselatus Koehler, 1896
- Family Phyllophoridae**
Ekmania
barthii (Troschel, 1846)
= *Orcula barthii* Troschel, 1846
= *Orcula luminosa* Lampert, 1885
= *Thyonidium pellucidum* Düben & Koren, 1846
- Euthyonidiella**
atlantica (Ludwig & Heding, 1935)
= *Pseudocucumis atlantica* Ludwig & Heding, 1935
- Neocucumis**
atlantica (Ludwig & Heding, 1935)
marioni (von Marenzeller, 1878)
= *Cucumaria marioni* von Marenzeller, 1878
= *Pseudocucumis marioni* Ludwig, 1874
- Neopentadactyla**
mixta (Östergren, 1898) Deichmann, 1944
= *Pseudocucumis cuenoti* Koehler & Vaney, 1905
= *Pseudocucumis mixta* Östergren, 1898
- Phyllophorus**
drachi Cherbonnier & Guille, 1968
granulatus (Grube, 1840)
= *Psolus granulatus* Grube, 1840
(*Phyllophorus*) *pedinaequalis* Cherbonnier, 1969
(*Phyllophorus*) *urna* Grube, 1840
= *Holothuria penicillus* Delle Chiaje, 1828
- Thyonidium**
hyalinum (Forbes, 1841)
= *Holothuria pellucida* Fleming, 1828, non Vahl, 1806
drummondii (Thompson, 1840)
- = *Cucumaria communis* Forbes, 1841
= *Cucumaria nobilis* Ludwig, 1874
= *Cucumaria perspicua* Ludwig, 1874
= *Holothuria drummondii* Thompson, 1840
= *Thyone portlocki* Forbes, 1841
= *T. düberi* Norman, 1869
- Family Cucumiidae**
Abyssocucumis
abyssorum (Théel, 1886)
= *Cucumaria abyssorum* auctt., non Théel, 1886
= *Cucumaria abyssorum* Théel, 1886
= *Cucumaria shuteri* Ohshima, 1915
= *Staurocucumis ingolfi* Clark & Deichmann, 1936
- Aslia*
lefevrei (Barrois, 1882)
= *Cucumaria lefevrei* Barrois, 1882
= *Cucumaria normani* Allen & Pace, 1904
= *Holothuria montagui* Fleming, 1828 (p.p.)
- Cucumaria*
arcuata (Hérouard, 1921)
= *Psolidium arcuatum* Hérouard, 1921
compressa (R. Perrier, 1898)
= *Ocnus compressus* R. Perrier, 1898
frondosa (Gunnerus, 1767)
= *C. assimilis* Düben & Koren, 1846
= *Holothuria frondosa* Gunnerus, 1767
= *Holothuria fucicola* Forbes & Goodsir, 1839
= *Holothuria grandis* Forbes & Goodsir, 1839
= *Holothuria pentactes* Linnaeus, 1767
paraglacialis Heding, 1942
- Havelockia*
inermis (Heller, 1868)
= *Thyone elegans* Norman, 1869
= *Thyone inermis* Heller, 1868
= *Uroxia aurantiaca* Costa, 1869
- Neocnus*
incubans Cherbonnier, 1972
- Ocnus*
glacialis (Ljungman, 1879)
= *Cucumaria glacialis* Ljungman, 1879
grubei (von Marenzeller, 1874)
= *Cucumaria dicquemarii* M. Sars, 1857
= *Cucumaria grubei* von Marenzeller, 1874
= *Pseudocnus grubei* Panning, 1949
koellikeri (Semper, 1868)
= *Cucumaria köllikeri* Semper, 1868
= *Pseudocnus dubiosus* (Semper) Panning, 1962
= *Pseudocnus köllikeri* Panning, 1949
lacteus (Forbes & Goodsir, 1839)
= *Cucumaria mosterensis* Grieg, 1889
= *Holothuria lactea* Forbes & Goodsir, 1839
petiti (Cherbonnier, 1958)
= *Ludwigia petiti* Cherbonnier, 1958
planci (Brandt, 1835)
= ?*Holothuria brunneus* (W. Thompson, 1840, ex Forbes MS), non Chamisso & Eysenhardt, 1821
= ?*Ocnus brunneus* Forbes & Goodsir, in Forbes, 1841
= *Cladodactyla plonci* Brandt, 1835
syracusana (Grube, 1840) Panning, 1949
= *Cladodactyla syracusana* Grube, 1840
= *Cucumaria hyndmanni* W. Thompson, 1840
= *Cucumaria syracusana* auctt.
= *Pseudocnus syracusana* auctt.
- Paracucumaria*
mauritanica (Hérouard, 1929)
= *Cucumaria mauritanica* Hérouard, 1929
thalassae Cherbonnier, 1969
- Pawsonia*
saxicola (Brady & Robertson, 1871)
= *Colochirus lacazei* Hérouard
= *Cucumaria saxicola* Brady & Robertson, 1871
= *Holothuria montagui* Fleming, 1828 (p.p.)
aff. *saxicola* Garrido (email check-list of Canarian echinoderms)
- Pentamera*

- calcigera* (Stimpson, 1851)
 = *Cucumaria koreni* Lütken, 1857
 = *Pentacta calcigera* Stimpson, 1851
- Pseudothyone*
furnesti Cherbonnier, 1969
raphanus (Düben & Koren, 1846)
 = *Thyone poucheti* Barrois, 1882
 = *Thyone raphanus* Düben & Koren, 1846
sculponea Cherbonnier, 1958
serrifera (Östergren, 1898) Jensenius Madsen & Hansen, 1994
 = *Thyone serrifera* Östergren, 1898
- Stereoderma*
incerta Cherbonnier, 1969
kirchsbergii (Heller, 1868)
 = *Cucumaria kirchsbergii* Heller, 1868
 = *Ocnus?* *kirchsbergii* von Marenzeller, 1874
- Thyone*
cherbonnieri Reys, 1960
fusus (O.F. Müller, 1776)
 = ?*Thyone flexus* Hodge, 1867
 = *Holothuria fusus* O.F. Müller, 1776
 = *Holothuria papillosa* Abildgaard, 1789
 = *T. subvillosa* Hérouard, 1890
fusus subsp. *mediterranea* Madsen, 1941
gadeana R. Perrier, 1898
 = *T. wahrbergii* Madsen, 1941
roscovia Hérouard, 1890
- Leptopentacta*
elongata (Düben & Koren, 1846)
 = ?*Cucumaria cucumis* (Risso, 18??)
 = *Cucumaria elongata* Düben & Koren, 1846
 = *Cucumaria pentactes* Forbes, 1841 non (Linnaeus, 1767)
tergestina (M. Sars, 1857)
 = *Cucumaria incurvata* Perrier, 1902
 = *Cucumaria tergestina* M. Sars, 1857
- Order Dactylochirotida**
- Family Ypsilothuriidae**
- Echinocucumis*
hispida (Barrett, 1857)
 = *Cucumaria hispida* (Barrett, 1857)
 = *E. typica* M. Sars, 1859
 = *Eupyrgus hispidus* Barrett, 1857
- Ypsilothuria*
bitentaculata subsp. *attenuata* E. Perrier, 1886
talismani subsp. *talismani* E. Perrier, 1886
 = ?*Echinocucumis hispida* var. *abyssalis* Koehler, 1896
- Order Aspidochirotida**
- Family Stichopodidae**
- Eostichopus*
regalis (Cuvier, 1817)
 = *Holothuria columnae* Cuvier, 1817
 = *Holothuria regalis* Cuvier, 1817
 = *Holothuria triquetra* Delle Chiaje, 1841
 = *Stichopus regalis* (Cuvier, 1817)
- Parastichopus*
tremulus (Gunnerus, 1767)
 = ?*Stichopus griegi* Östergren, 1896
 = *Holothuria ecalarea* M. Sars, 1859
 = *Holothuria elegans* O.F. Müller, 1781
 = *Holothuria tremula* Gunnerus, 1767
 = *Stichopus richardi* Hérouard, 1896
 = *Stichopus tremulus* (Gunnerus)
- Family Synallactidae**
- Bathyplotes*
natans (M. Sars, 1868) Östergren, 1896
 = *B. assimilis* Koehler & Vaney, 1905
 = *B. heterostylides* Heding, 1942
 = *B. ostergreni* Ohshima, 1915
 = *B. papillosus* Koehler & Vaney, 1905
 = *B. patagiatus* Fisher, 1907
 = *Holothuria natans* M. Sars, 1868
- = *Stichopus moseleyi* Théel, 1886
pourtalesii (Théel, 1886)
 = *B. bipartitus* Hérouard, 1923
 = *Stichopus pourtalesii* Théel, 1886
tizardi (Théel, 1882)
 = *B. fallax* Östergren, 1896
 = *B. reptans* R. Perrier, 1902
 = *Stichopus tizardi* Théel, 1882
- Benthothuria*
junebris R. Perrier, 1898
 = *Benthothuria valdiviae* Heding, 1940
- Gephyrothuria*
alcocki Koehler & Vaney, 1905
 = *G. europeensis* Hérouard, 1923
- Mesothuria*
bifurcata Hérouard, 1906
candelabra Hérouard, 1923
cathedralis Heding, 1940
connectens (R. Perrier, 1898)
 = *Zygothuria connectens* R. Perrier, 1898
expectans R. Perrier, 1898
intestinalis (Ascanius, 1805) Östergren, 1896
 = *Fistularia mollis* M. Sars, 1835
 = *Holothuria intestinalis* Ascanius, 1805
 = *Thyonidium scabrum* M. Sars, 1868
lactea (Théel, 1886)
 = ?*Holothuria aspera* Bell, 1892
 = *Holothuria lactea* Théel, 1886
 = *Zygothuria lactea* (Théel, 1886)
maroccana Perrier, 1902
murrayi var. *grandipes* Hérouard
roulei (Koehler, 1896)
 = *Holothuria roulei* Koehler, 1896
rugosa Hérouard, 1912
triradiata Heding, 1942
verrilli (Théel, 1886)
 = *Holothuria verrilli* Théel, 1886
 = *M. oktaknemus* Sluiter, 1901
- Meseres*
acaudum Heding, 1935
ingolfi (Heding, 1940)
 = *Plicastichopus ingolfi* Heding, 1942
- Paelopaitidae*
atlantica Hérouard, 1902
grisea R. Perrier, 1902
- Paroriza*
pallens (Koehler, 1896)
 = *Stichopus pallens* Koehler, 1896
prahoi Hérouard, 1902
- Pseudostichopus*
atlanticus R. Perrier, 1898
depressus Hérouard, 1902
globigerinae Hérouard, 1902
lapidus Hérouard
marenzelleri Hérouard, 1902
occultatus von Marenzeller, 1893
vilosus Théel, 1886
- Scotothuria*
herringi Hansen, 1978
 = ?*Dendrothuria similis* Koehler & Vaney, 1905
- Synallactes*
crucifera R. Perrier, 1898
- Family Holothuriidae**
- Gastroturia*
limbata R. Perrier, 1899
- Holothuria*
(Roweothuria) arguinensis Koehler & Vaney, 1906
dakarensis Panning, 19??
forskali Delle Chiaje, 1823
 = *H. catanensis* Grube, 1840
 = *H. nigra* Peach, 1845
 = *Stichopus selenkae* Barrois, 1882
helleri von Marenzeller, 1878
 = *H. affinis* Heller, 1868, non Brandt, 1835
(Thymiosicya) impatiens (Forskål, 1775)

- = *Fistularia impatiens* Forskål, 1775
 = *H. botellus* Selenka, 1867
 = *H. impatiens* subsp. *bicolor* Clark, 1938
 = *H. impatiens* subsp. *concolor* Clark, 1921
 = *H. impatiens* subsp. *lutea* Clark, 1921
 = *H. impatiens* subsp. *pulchra* Clark, 1921
 = *H. truncata* Lampert, 1885
(Paneyothuria) lentiginosa von Marenzeller, 1892
mammata Grube, 1840
(Halodeima) mexicana Ludwig, 1875
(Platyperona) parvula (Selenka, 18???)
polii Delle Chiaje, 1823
sanctori Delle Chiaje, 1823
= *H. sarcimen* Selenka, 1867
(Holothuria) stellata Delle Chiaje, 1823
(Holothuria) tubulosa Gmelin, 1788
= *H. cavelinii* Delle Chiaje, 1841
= *H. columnae* Delle Chiaje, 1823, non Cuvier, 1817
= *H. maxima* Delle Chiaje, 1823
= *H. pentagnaiae* Delle Chiaje, 1823
- Order Elasipodida**
- Family Elpidiidae**
Achlyonice
myriamae Gebruk, 1997
Amperima
furcata (Hérouard, 1899)
= *Kolga furcata* Hérouard, 1899
rosea (R. Perrier, 1896)
= *Periamma rosea* R. Perrier, 1896
Ellipinion
delagei (Hérouard, 1896)
= *Scotoplanes delagei* Hérouard, 1896
Elpidia
glacialis Théel, 1876
echinata (R. Perrier, 1896)
= *Tutela echinata* R. Perrier, 1896
Irpa
abyssicola Danielssen & Koren, 1878
Kolga
hyalina Danielssen & Koren, 1879
= *Elpidia nana* Théel, 1879
Peniagone
azorica von Marenzeller, 1893
diaphana (Théel, 1882)
= *Scotoanassa translucida* Hérouard, 1899
gracilis (Ludwig, 1894)
islandica Deichmann, 1930
porcella R. Perrier, 1900
purpurea (Théel, 1882)
= *P. ferruginea* Grieg, 1921
= *P. vexillum* R. Perrier, 1900
wyvillii Théel, 1882
Penilpidea
ludwigi (von Marenzeller, 1893)
= *Kolga ludwigi* von Marenzeller, 1893
Psychroplanes
obsoleta (Hérouard, 1899)
= *Kolga foliacea* Hérouard, 1912
= *Kolga obsoleta* Hérouard, 1899
= *Peniagone foliacea* (Hérouard, 1912)
= *Peniagone obsoleta* (Hérouard, 1899)
- Family Deimatidae**
Deima
validum subsp. *validum* Théel, 1879
= *D. atlanticum* Hérouard, 1898
= *D. blakei* Théel, 1886
Oneirophanta
mutabilis Théel, 1879
= *O. alternata* R. Perrier, 1900
- Family Laetmogonidae**
Benthogone
rosea Koehler, 1896
= *B. quadrilineata* Heding, 1940
Laetmogone
- = *Violacea* Théel, 1879
= *Cryodora spongiosa* Théel, 1879
= *L. bronniarti* E. Perrier, 1886
= *L. journainii* Petit, 1885
= *L. wyvillethomsoni* Théel, 1879
Pannychia
glutinosa Hérouard, 1902
- Family Psychropotidae**
Benthodytes
janthina von Marenzeller, 1893
= *B. lingua* R. Perrier, 1896
typica Théel, 1882
= *B. glutinosa* R. Perrier, 1902
Psychropotes
depressa (Théel, 1882)
= *Euphronides auricularia* R. Perrier, 1902
= *Euphronides cornuta* Verrill, 1884
= *Euphronides talismani* R. Perrier, 1896
= *Euphronides violacea* Perrier, 1902
grimaldii Hérouard, 1896
longicauda Théel, 1882
= *Nectothuria translucida* Belyaev & Vinogradov, 1969
= *P. buglossa* R. Perrier, 1896
= *P. furcata* R. Perrier, 1896
semperviana Théel, 1882
= *Euphronides anchora* Hérouard, 1912
= *Euphronides kerhervei* (Hérouard, 1896)
= *P. kerhervei* Hérouard, 1896
- Family Pelagothuridae**
Enypniastes
eximia Théel, 1882
= *Pelagothuria bouvieri* Hérouard, 1906
= *Plankothuria diaphana* Gilchrist, 1920
- Order Apodida**
- Family Synaptidae**
Epitomapta
roseola (Verrill, 1874)
= *Leptosynapta roseola* Verrill, 1874
Euapta
lappa (J. Müller, 1850)
= *Synapta lappa* J. Müller, 1850
Labidoplax
buskii (M'Intosh, 1866)
= *Synapta buskii* M'Intosh, 1866
= *Synapta tenera* Norman, 1865 (*nomen nudum*)
digitata (Montagu, 1815)
= *Holothuria digitata* Montagu, 1815
= *L. (Oestergrenia) adriatica* Heding, 1931
digitata var. *profundicola* Kemp, 1905
media Östergren, 1905
mortensi Heding, 1931
= *L. (Oestergrenia) mortensi* Heding, 1931
similimedia Gage, 1985
southwardorum Gage, 1985
thomsoni (Heraphath, 1865)
= *Synapta digitata* var. *thomsonii* Heraphath, 1865
Leptosynapta
bergensis (Östergren, 1905)
= *Synapta bergensis* Östergren, 1905
decaria (Östergren, 1905)
= *Synapta decaria* Östergren, 1905
gallienii (Heraphath, 1865)
= *Synapta gallienii* Heraphath, 1865
= *Synapta sarniensis* Heraphath, 1865
inhaerens (O.F. Müller, 1776)
= *Holothuria inhaerens* O.F. Müller, 1776
= *Synapta duvernaea* de Quatrefages, 18??
makrankyra (Ludwig, 1898)
= *Synapta makrankyra* Ludwig, 1898
minuta (Becher, 1906)
= *Synapta minuta* Becher, 1906
Protankyra
abyssicola (Théel, 1886)
= *Synapta abyssicola* Théel, 1886

- Rhabdomolgus*
ruber Keferstein, 1863
- Synapta*
reciproca (Forskal, 1775)
 = *Synapta reciproca* Forskål, 1775
- Family Chiridotidae**
- Achiridota*
profunda Heding, 1935
- Chiridota*
abyssicola von Marenzeller, 1893
laevis (O. Fabricius, 1780)
 = *C. groenlandica* Heding, 1935
 = *C. spirourna* Heding, 1935
 = *Holothuria laevis* O. Fabricius, 1780
 = *Holothuria pellucida* Vahl, 1806
- Trochodota*
furcipraedita Salvini Plawen, 1972
venusta (Semon, 1887)
 = *Chiridota venusta* Semon, 1887
- Family Myriotrochidae**
- Acanthotrochus*
mirabilis Danielssen & Koren, 1879
- Myriotrochus*
bathybius H.L. Clark, 1920
clarki Gage & Bilett, 1986
eurycyclus Heding, 1935
geminiradiatus Salvini-Plawen, 1977
giganteus Clark, 1920
rinkii Steenstrup, 1851
theeli Östergren, 1905
vitreus (M. Sars, 1872)
 = *Chiridota brevis* Huxley, 1852
 = *Chiridota laevis* C.G.J. Petersen, 1898
 = *Oligotrochus vitreus* M. Sars, 1872
- Parvotrochus*
belyaevi Gage & Bilett, 1986
- Siniotrochus*
myriodontus Gage & Bilett, 1986
- Trochoderma*
elegans Théel, 1877
- Order Molpadiida**
- Family Molpadiidae**
- Cherbonniera*
utriculus Sibuet, 1974
- Molpadia*
blakei (Théel, 1886)
 = *Paratrichostoma spiniferum* Heding, 1932
 = *Trochostoma blakei* var. *excentrica* Hérouard
 = *Trochostoma blakei* Théel, 1886
 = *Trochostoma grossularia* Hérouard
borealis M. Sars, 1859
 = *Ankyroderma affine* Danielssen & Koren, 1882
 = *Ankyroderma jeffreysii* Danielssen & Koren, 1878
 = *Haplodactyla arctica* von Marenzeller, 1877
 = *M. (Paramolpadia) diploa* Heding, 1935
 = *M. oolitica* Mortensen, 1914 non Pourtales, 1851
 = *Trochostoma arctica* Danielssen & Koren, 1880 non
 (von Marenzeller, 1877)
 = *Trochostoma boreale* (M. Sars)
 = *Trochostoma Thomsonii* Danielssen & Koren, 1879
loricata (R. Perrier, 1898)
 = *Ankyroderma loricatum* Perrier, 1898
maroccana (Perrier, 1898)
 = *Ankyroderma maroccana* Perrier, 1898
musculus Risso, 1826
 = *Ankyroderma danielsseni* Théel, 1886
 = *Ankyroderma hispanicum* Petit
 = *Ankyroderma perrieri* Petit
 = *Eumolpadia asaphes* Heding, 1935
 = *Haplodactyla mediterranea* Grube, 1840
 = *Trochostoma violaceum* Théel, 1886
oolitica (Pourtales, 1851)
- Family Eupyrgidae**
- Eupyrgus*