



2<sup>nd</sup> basally incrassate, strongly tapering apicad, nearly 1.9 x as long as diatone (51:27), slightly longer than basal width of pronotum (51:49), hair covering of antennal joints rather pale. Rostrum to middle of metasternum. Pronotum convex, strongly sloping apicad, remarkably narrow, 1.8 x as broad as head, nearly 1.6 x as broad as long, lateral margins slightly insinuated, disk somewhat transversely rugose in basal part. Elytra extending well beyond apex of abdomen. Legs as in *R. crassicornis*, tibiae with short black spines. Length of hind femur 1.98 mm., of hind tibia 2.70 mm.




Fig. 1: *Roudairea crassicornis* Rt. (Algeria, Ain Sefra, 5. u. 6. V. 1964) ECKERLEIN.




Fig. 2: *Roudairea atargatis* n. sp. Holotypus. Iran (Makran) am Kahuran bei Putab, 25. III. 1954, W. RICHTER & F. SCHÄUFFELE leg.

Material studied: Iran, Makran, Kahuran near Putab, 1 ♀, type, 25. III. 1954, RICHTER & SCHÄUFFELE, in Mus. Stuttgart.

The new species is very similar to *R. crassicornis* Rt. The female sex of the latter (Fig. 1) is much robuster, however. Especially the pronotum is much broader, 1.83—1.87 x as broad as long, and the dark basal spots are absent. The head is 1.44—1.45 x as broad as long, ocular index 2.25—2.46. The 2<sup>nd</sup> antennal joint is shorter than the basal width of the pronotum (50:56) and the hair covering of the antennae is somewhat longer and darker. The legs are also slightly shorter: length of hind femur 1.71—1.90 mm., of hind tibia 2.47—2.55 mm. A complete redescription has recently been published by WAGNER (1965).

## References

- PUTON, A. (1886): Énumération des Hémiptères recueillis en Tunisie en 1883 et 1884 par MM. Valery MAYET et Maurice SÉDILLOT, etc. Suivie de la description d'espèces nouvelles (including description of the genus *Roudairea* Reuter in p. 21—22). — Expl. Sci. Tunis. Zool. Hem., p. 1—24.
- WAGNER, E. (1965): Zur Gattung *Roudairea* Reuter 1886 (Hemiptera, Heteroptera, Miridae). — Reichenbachia 5 (6), p. 47—50.

Author's address:

Dr. Rauno Linnavuori, Raisio, Somersoja, Finland

# ZOBODAT - [www.zobodat.at](http://www.zobodat.at)

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Stuttgarter Beiträge Naturkunde Serie A \[Biologie\]](#)

Jahr/Year: 1971

Band/Volume: [228](#)

Autor(en)/Author(s): Linnavuori Rauno E.

Artikel/Article: [A new species of the genus Roudairea Rt. from Iran \(Het. Miridae\). 1-3](#)