

Mystery of 'zombie worm' development unveiled

March 12 2013



This image shows *Osedax japonicus*: An adult female exposed from a bone.
Credit: Norio Miyamoto/*Naturwissenschaften*

How do bone-eating worms reproduce? A new study by Norio Miyamoto and colleagues from the Japan Agency for Marine-Earth Science and Technology sheds light on this question through a detailed observation of the postembryonic development and sexual maturation of *Osedax* worms,

also known as "zombie worms." These worms typically inhabit vertebrate bones on the seafloor. The study is published online in Springer's journal *Naturwissenschaften - The Science of Nature*.

Osedax is Latin for "bone-devourer," which refers to how the worms bore into the bones of [whale carcasses](#) to reach enclosed fats and oils, on which they rely for sustenance. The first two species of *Osedax* were discovered by scientists in 2002. To date, information about the postembryonic development of these [marine worms](#), *Osedax* species, is lacking. In order to understand their development and maturation, Miyamoto and team induced settlement of the bone-eating worm's larvae (*Osedax japonicus* specifically) by adding small pieces of whale bone to the [petri dishes](#) in which they were cultivating the larvae. After a period of time, they dissected the bones to observe the juvenile worms.

The researchers witnessed the whole development process of the worms, including the duration of the larval stage, the development of typically small, dwarf males and the maturation time in this species. They found that females started to spawn eggs six weeks after settlement. This rapid [sexual maturation](#) of females, alongside the male dwarfism which was observed, enables the worms to reproduce effectively in the food-rich, but highly isolated habitat of whale bones.

Dr. Miyamoto said, "Our findings provide essential information on the reproductive strategy of *Osedax* worms. *Osedax japonicus* are a promising [model organism](#) with which to address the evolution and development of these so-called bone-eating worms."

More information: Miyamoto N et al (2013). Postembryonic Development of Bone-eating Worm *Osedax japonicus*.

Naturwissenschaften – The Science of Nature; [DOI 10.1007/s00114-013-1024-7](#) . [link.springer.com/article/10.1007/s00114-013-1024-7](#)

Provided by Springer

Citation: Mystery of 'zombie worm' development unveiled (2013, March 12) retrieved 18 April 2024 from <https://phys.org/news/2013-03-mystery-zombie-worm-unveiled.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.