Case 2894

Monstrilla Dana, 1849 and Thaumaleus Krøyer, 1849 (Crustacea, Copepoda): proposed conservation

M.J. Grygier

14804 Notley Road, Silver Spring, Maryland 20905, U.S.A.

Abstract. The purpose of this application is to conserve the copepod names *Monstrilla* Dana, 1849 and *Thaumaleus* Krøyer, 1849 (family MONSTRILLIDAE Dana, 1849). The unused senior name *Thaumatoessa* Krøyer in Gaimard, [1842] threatens both names, as a subjective synonym of *Monstrilla* and as an objective synonym of *Thaumaleus*. It is proposed that *Thaumatoessa* be suppressed. Members of the MONSTRILLIDAE, the sole family of the order Monstrilloida, have larvae that are endoparasites of polychaetes and gastropods, whilst the non-feeding adults are free-swimming.

Keywords. Nomenclature; taxonomy; Copepoda; Monstrilla; Thaumaleus.

1. In the work of illustrations known as Gaimard's Atlas de Zoologie, Krøyer (pl. 42, figs. 4a–e) figured a copepod with the accompanying caption 'Thaumatoessa Typica Kr. nov. gen. et sp.' There was no text but the illustrations serve as an indication that renders available the names of both the genus and species (Article 12b(7) of the Code), the latter being the type species by monotypy. In December 1842 de la Roquette (p. 446) recorded that the first livraison, consisting of Atlas plates only, of the publication Voyages de la Commission scientifique du Nord, edited by Gaimard, had been issued (see also Sherborn & Woodward, 1901, p. 492 and Woodward, 1904, p. 607). The date [1842] has generally been accepted for Krøyer's crustacean illustrations. In their English translation of Krøyer's works Damkaer & Damkaer (1979, p. 4) 'somewhat arbitrarily' set the date of the Atlas as [1845] although they noted that 'possibly the plates were published over several years'.

2. Krøyer (1849) gave an extended description in Danish of the copepod *Thaumaleus typicus* (pp. 595–598), together with an etymology and Latin diagnosis of a new nominal genus *Thaumaleus* (p. 604), measurements of *Thaumaleus typicus* (p. 607), and dorsal and lateral illustrations of the single specimen (pl. 6, figs. 30 and 31), with the caption *Taumaleus* [sic] *typicus* and subcaptions referring to '*Th. typicus*'. The spelling '*Taumaleus*' of the generic name in the figure caption was overlooked until recently but I (Grygier, 1994), acting as first reviser, established *Thaumaleus* as the definitive spelling. The single individual was that previously illustrated by Krøyer in Gaimard's *Atlas de Zoologie* (para. 1 above). Krøyer (1849, p. 598) cited his earlier ([1842]) figure but did not mention the earlier generic name *Thaumatoessa*. Thus, under Articles 19a and 33b(i) of the Code, *Thaumaleus* Krøyer, 1849 is not an emendation but a junior objective synonym of *Thaumatoessa*, being based on the same type species (Article 61c(iii)). The date 1849 is given in the volume

index for Krøyer's paper. In the absence of more precise information the date of publication must be taken as 31 December 1849 (Article 21c).

3. Heine (1863, pp. 209–210) proposed '*Thaumatoëssa*' as a replacement name for the hummingbird genus *Loddigesia* Gould in Bonaparte, 1849 (family TROCHILIDAE) on the invalid grounds that the latter, being based on the name of a person, was unscientific. *Thaumatoessa* Heine is a junior homonym of *Thaumatoessa* Krøyer in Gaimard, [1842] and *Loddigesia*, having priority, is currently recognized as the valid name of this monotypic genus.

4. Only Hesse (1868, pp. 362–370, pl. 19, figs. 20–34) has used *Thaumatoessa* Krøyer as a valid name, in the description of his new species *Thaumatoessa* armoricana. Hesse's work went unnoticed until Giard (1900, p. 396) transferred this species to the new monotypic genus *Thaumatohessia*, where it still remains.

5. Apart from Hesse (1868), Krøyer's works remained unknown to other taxonomists working on monstrilloid copepods until Poppe (1891) cited the 1849 work. Some subsequent authors (Giesbrecht, 1892; Giard, 1900; Malaquin, 1901; Damkaer & Damkaer, 1979) have explicitly noted Krøyer's ([1842]) earlier use of Thaumatoessa but they and other authors have continued to treat Thaumaleus as the valid name. At least 26 nominal species worldwide have at one time or another been assigned to Thaumaleus in at least 50 taxonomic and planktological works (see, for example, T. Scott, 1904; van Breemen, 1908; A. Scott, 1909; Davis, 1949; Isaac, 1974, 1975; Huys & Boxshall, 1991). A representative list of 40 other works is held by the Commission Secretariat. Sars (1921) attempted to restrict the application of Thaumaleus to only T. typicus. Numerous authors have followed him by using Cymbasoma Thompson, 1888 in preference to Thaumaleus for species other than T. typicus. The taxonomic controversy surrounding these two genera paid no heed to the priority and availability of Thaumatoessa until I (Grygier, 1994) pointed out the earlier name; I mentioned (p. 241) the present application to suppress Thaumatoessa in order to conserve Monstrilla (see paras. 9 and 10 below).

6. I (Grygier, 1994) redescribed the holotype of *Thaumatoessa* (= *Thaumaleus*) typica Krøyer, [1842], a young female found at Bejan at the entrance to Trondheimsfjorden, Norway, and now housed in the Crustacea Collection of the University Zoological Museum, Copenhagen. I found that it fits the current definition of *Monstrilla* Dana, and that *T. typica* is very likely a senior subjective synonym of *Monstrilla longicornis* Thompson, 1890 or perhaps of the latter's supposed (see Isaac, 1975) junior synonym *M. clavata* Sars, 1921. The name *Monstrilla* thereby becomes a junior subjective synonym of *Thaumatoessa*. However, *Monstrilla* is much in use and more than 50 nominal species have been assigned to the genus (history summarized by Razouls, 1983).

7. The name *Monstrilla* Dana has almost always been attributed to 'Dana 1848' but its true date of publication, and that of its type species by monotypy *M. viridis* Dana, is really 1849. Huys & Böttger-Schnack (1994, pp. 208–209) and I (Grygier, 1994, p. 241) have discussed the relative priority of the three publications involved (Dana, 1849a, [1849]b, 1849c). Dana ([1849]b) is the full version of part 2 of the *Conspectus Crustaceorum* and it forms part of the proceedings of the 311th meeting of the American Academy of Arts and Sciences, convened on 8 November 1848. Dana (p. 53) presented Latin diagnoses of *Monstrilla* and of the only included species, *M. viridis* from 'mari Sulu' (the Sulu Sea between Borneo and the

246

Philippines). This was published after 8 August 1849, which was the date of the proceedings of the final meeting included in pp. 1-160 of the journal volume; these pages were issued together in 1849, a fact which has generally been overlooked because the title page of the whole volume is dated 1852. Dana (1849a) is a pamphlet which includes separates of parts 1 and 2 of the Conspectus bound with a common title page bearing the date 1847-1849, part 2 being unchanged in content and pagination from Dana ([1849]b) except for differently arranged footnotes on pp. 9-11. This separate's heading mistakenly gives 8 November 1849 (recte 1848) as the date of the oral presentation. In a summary of parts 1 and 2 of the Conspectus, Dana (1849c, p. 283) repeated the same Latin diagnosis of Monstrilla and mentioned M. viridis. The introductory paragraph cites Dana ([1849]b) by volume and page numbers but mistakenly reports that the oral presentation had taken place on 8 November 1849 (recte 1848). The monthly journal issue in which Dana (1849c) was published was dated September, 1849. The earliest evidence of the existence of these three versions of part 2 of the Conspectus, which I found in a survey of the proceedings of several American learned societies of the period, comes from a list of donations to the library of the Academy of Natural Sciences in Philadelphia (Proceedings of the Academy, 4(11): 242-243); 1850). Dana's (1849a) publication is cited in a list dated 4 September 1849, whilst the journal issues in which Dana ([1849]b, 1849c) were published appear in a list dated 18 September 1849. On these grounds Dana's (1849a) publication has priority over the other two versions. The names MONSTRILLIDAE (published as 'Tribus Monstrillacea'), Monstrilla and M. viridis were all made available in the work (p. 53).

8. Dana (1849a, p. 53; [1849]b, p. 53; 1849c, p. 283) proposed 'Tribus Monstrillacea' for his new genus *Monstrilla*. I (Grygier, 1994) considered this rank of 'Tribus' between 'Ordo' and 'Familia' as equivalent to a superfamily. Dana (1852, p. 1311) classified *Monstrilla* as the only genus of the family MONSTRILLIDAE. Dana (1852) was an unofficial release by the author of part 2 of the Crustacea of the United States Exploring Expedition. Haskell (1942) did not present unambiguous evidence to contradict that date (the official issue, dated 1853, could not have been issued before 1854; see Haskell, 1942). Later authors have rarely attributed the family name MONSTRILLIDAE to an author, and then usually to 'Giesbrecht, 1892' but never, except for myself (Grygier, 1994), to Dana's *Conspectus*.

9. The name *Thaumaleus* Krøyer, 1849 has been used, rather than the senior name *Thaumatoessa* Krøyer in Gaimard, [1842], in about 50 publications over the last 100 years, and with recently increasing frequency in planktological as well as taxonomic works. The name *Monstrilla* Dana, 1849 which, in my view, is a junior subjective synonym of *Thaumatoessa* (and a senior synonym of the latter's objective synonym *Thaumaleus*), has been widely used and universally recognized for over 140 years and now includes more than 50 nominal species. *Monstrilla* is the type genus of the family MONSTRILLIDAE Dana and, by extension, of the order Monstrilloida. Suppression of *Thaumatoessa*, which since its publication has been treated as valid only by Hesse (1868; in 1994 I noted the need for its suppression), would ensure stability of current usage by conserving both the names *Monstrilla* and *Thaumaleus*. Approval of this suppression by the Commission will allow those workers who accept the synonymy of *Monstrilla* and *Thaumaleus* to use *Monstrilla* as the valid name; both these names will remain available to those who separate them at generic or subgeneric rank.

10. The International Commission on Zoological Nomenclature is accordingly asked:

- to use its plenary powers to suppress the generic name *Thaumatoessa* Krøyer in Gaimard, [1842] for the purposes of the Principle of Priority but not for those of the Principle of Homonymy;
- (2) to place on the Official List of Generic Names in Zoology the following names:
 (a) Monstrilla Dana, 1849 [4 September] (gender: feminine), type species by monotypy Monstrilla viridis Dana, 1849;
 - (b) *Thaumaleus* Krøyer, 1849 [31 December] (gender: masculine), type species by monotypy *Thaumatoessa typica* Krøyer in Gaimard, [1842];
- (3) to place on the Official List of Specific Names in Zoology the following names:
 - (a) viridis Dana, 1849, as published in the binomen Monstrilla viridis (specific name of the type species of Monstrilla Dana, 1849);
 - (b) typica Krøyer in Gaimard, [1842], as published in the binomen Thaumatoessa typica (specific name of the type species of Thaumaleus Krøyer, 1849);
- (4) to place on the Official List of Family-Group Names in Zoology the name MONSTRILLIDAE Dana, 1849 (type genus *Monstrilla* Dana, 1849);
- (5) to place on the Official Index of Rejected and Invalid Generic Names in Zoology the following names:
 - (a) Thaumatoessa Krøyer in Gaimard, [1842], as suppressed in (1) above;
 - (b) *Thaumatoessa* Heine, 1863 (a junior objective synonym of *Loddigesia* Gould in Bonaparte, 1849 and a junior homonym of *Thaumatoessa* Krøyer in Gaimard, [1842]).

References

- Damkaer, C.C. & Damkaer, D.M. 1979. Henrik Krøyer's publications on pelagic marine Copepoda (1838–1849). Transactions of the American Philosophical Society, 69(6): 1–48.
- Dana, J.D. 1849a ([4 September]). Conspectus Crustaceorum quae in Orbis Terrarum circumnavigatione, Carolo Wilkes e Classe Reipublicae Faederatae Duce, lexit et descripsit Jacobus D. Dana, pars I and II. Pagination various. Academiae Artium Scientiarumque Americanae nuntiis. Cantabrigiae: Typis Metcalf et Soc. Univ. Typograph. 1847–1849.
- Dana, J.D. [1849, 18 September]b. Conspectus Crustaceorum quae in Orbis Terrarum circumnavigatione, Carolo Wilkes e Classe Reipublicae Faederatae Duce, lexit et descripsit Jacobus D. Dana. Pars II. Proceedings of the American Academy of Arts and Sciences, 2: 9-61.
- Dana, J.D. 1849c ([18 September]). Conspectus Crustaceorum quae in Orbis Terrarum circumnavigatione, Carolo Wilkes e Classe Reipublicae Faederatae Duce, lexit et descripsit Jacobus D. Dana. *The American Journal of Science and Arts*, (2)8(23): 276–285.
- Dana, J.D. 1852. Crustacea. Part 2 in: United States Exploring Expedition. During the years 1838, 1839, 1840, 1841, 1842. Under the command of Charles Wilkes, U.S.N., vol. 13, part 2. Pp. 691–1618. Philadelphia.
- Davis, C.C. 1949. A preliminary revision of the Monstrilloida, with descriptions of two new species. Transactions of the American Microscopical Society, 68(3): 245-255.
- Giard, A. 1900. Sur un type oublié de la famille des Monstrillidae (*Thaumatoessa armoricana* Hesse) et sur un cas nouveau de parasitisme chez les *Monstrilla* [Crust. Cop.]. *Bulletin de la Société Entomologique de France*, **1900**(20): 395–397.
- Giesbrecht, W. 1892. Systematik und Faunistik der pelagischen Copepoden des Golfes von Neapel und der angrenzenden Meeres-Abschnitte. Fauna und Flora des Golfes von Neapel und der angrenzenden Meeres-Abschnitte herausgegeben von der Zoologischen Station zu Neapel, 19: 1–831.

- Grygier, M.J. 1994 (dated 1993). Identity of *Thaumatoessa* (= *Thaumaleus*) *typica* Krøyer, the first described monstrilloid copepod. Sarsia, 78: 235–242.
- Haskell, D.C. 1942. The United States Exploring Expedition, 1838–1842 and its publications 1844–1874. 188 pp. New York Public Library, New York. (Reprinted 1968, Greenwood Press, New York).
- Heine, F. 1863. Trochilidica. Journal für Ornithologie, 11(63): 173-217.
- Hesse. 1868. Observations sur des Crustacés rares ou nouveaux des côtes de France (seizième article). Annales des Sciences Naturelles, Zoologie et Paléontologie, (5)10: 347–371.
- Huys, R. & Böttger-Schnack, R. 1994. Taxonomy, biology and phylogeny of Miraciidae (Copepoda: Harpacticoida). Sarsia, 79: 207–283.
- Huys, R. & Boxshall, G.A. 1991. Copepod evolution. 468 pp. Ray Society, London.
- Isaac, M.J. 1974. Copepoda Monstrilloida from south-west Britain including six new species. Journal of the Marine Biological Association of the United Kingdom, 54: 127-140.
- Isaac, M.J. 1975. Copepoda, Suborder: Monstrilloida. Fiches d'identification du zooplancton, 144/145: 1–10.
- Krøyer, H. [1842]. Crustacées. 43 pls. in Gaimard, J.P. (Ed.), Atlas de zoologie. Voyages de la Commission scientifique du Nord en Scandinavie, en Laponie, au Spitzberg et aux Féröe pendant les années 1838, 1839, et 1840 sur la corvette La Recherche, commandée par M. Fabvre. 86 pls. Bertrand, Paris.
- Krøyer, H. 1849. Karcinologiske Bidrag (Fortsættelse). Naturhistorisk Tidsskrift, Ny Hæfte, 2(6): 561–609, pl. 6.
- Malaquin, A. 1901. Le parasitisme évolutiv des Monstrillides (Crustacés Copépodes). Archives de Zoologie Experimentale et Générale, (3)9: 81–232, pls. 2–8.
- Poppe, S.A. 1891. Zur Litteratur des Genus Monstrilla Dana. Abhandlungen des Naturwissenschaftlichen Vereins zu Bremen, 12: 142–144.
- Razouls, C. 1983. Reportoire mondial taxonomique et bibliographique provisoire des Copépodes planctoniques marins et des eaux saumâtres - Divers systèmes de classification, vol. 2. Pp. 395–7811, i–ix. (Issued as microfiche No. SN 82 400 340 by the Institut d'Ethnologie, Paris).
- Roquette, de la. 1842 (December). Notice annuelle des progrès des sciences géographiques et des travaux de la Société de Géographie pendant l'année 1842. Bulletin de la Société de Géographie, (2)18: 397–609.
- Sars, G.O. 1921. An account of the Crustacea of Norway with short descriptions and figures of all the species, vol. 8 (Copepoda Monstrilloida and Notodelphyoida). 91 pp., 37 pls. Bergen Museum, Bergen.
- Scott, A. 1909. The Copepoda of the Siboga Expedition. Part 1. Free-swimming, littoral and semi-parasitic Copepoda. Siboga-Expeditie, 24a: 1–323, pls. 1–69.
- Scott, T. 1904. Notes on some rare and interesting marine Crustacea. Twenty-second Annual Report of the Fishery Board for Scotland, part 3 (Scientific investigations). Pp. 242–260, pls. 12–15.
- Sherborn, C.D. & Woodward, B.B. 1901. Dates of publication of the zoological and botanical portions of some French voyages. Part 2. Annals and Magazine of Natural History, (7)8: 491–493.
- Woodward, B.B. 1904. Catalogue of the books, manuscripts, maps and drawings in the British Museum (Natural History), vol. 2 (E-K). Pp. 501–1038. British Museum (Natural History), London.
- van Breemen, P.J. 1908. 8. Copepoden in: Nordisches Plankton, Zoologischer Teil, part 4 (Entomostraca). Pp. 1–264. Lipsius & Tischer, Kiel & Leipzig.



Grygier, Mark J. 1995. "Case 2894. Monstrilla Dana, 1849 and Thaumaleus Krøyer, 1849 (Crustacea, Copepoda): proposed conservation." *The Bulletin of zoological nomenclature* 52, 245–249. <u>https://doi.org/10.5962/bhl.part.6783</u>.

View This Item Online: https://doi.org/10.5962/bhl.part.6783 DOI: https://doi.org/10.5962/bhl.part.6783 Permalink: https://www.biodiversitylibrary.org/partpdf/6783

Holding Institution Natural History Museum Library, London

Sponsored by Natural History Museum Library, London

Copyright & Reuse Copyright Status: In copyright. Digitized with the permission of the rights holder. Rights Holder: International Commission on Zoological Nomenclature License: <u>http://creativecommons.org/licenses/by-nc-sa/3.0/</u> Rights: <u>https://biodiversitylibrary.org/permissions</u>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.