ARMY, MARINE CORPS, NAVY, AIR FORCE



AIR LAND SEA APPLICATION CENTER

TMD IPB

MULTISERVICE TACTICS, TECHNIQUES, AND PROCEDURES FOR THEATER MISSILE DEFENSE INTELLIGENCE PREPARATION OF THE BATTLESPACE

> FM 3-01.16 MCWP 2-12.1A NTTP 2-01.2 AFTTP(I) 3-2.36

MARCH 2002

DISTRIBUTION RESTRICTION: Approved for public release; distribution is unlimited.

FOREWORD

This publication has been prepared under our direction for use by our respective commands and other commands as appropriate.

JOHN N. ABRAMS

General, USA Commander

Training and Doctrine Command

BRUCE B. KNUTSON, JR.

Lieutenant General, USMC

Commanding General

Marine Corps Combat

Development Command

R. G. SPRIGG Rear Admiral, USN Commander

Navy Warfare Development Command

LANCE L. SMITH

Major General, USAF

Commander

Headquarters Air Force Doctrine Center

This publication is available on the General Dennis J. Reimer Training and Doctrine Digital Library at www.adtdl.army.mil

PREFACE

1. Scope

In support of theater missile defense (TMD) operations, this multiservice publication provides detailed tactics, techniques, and procedures (TTP) for conducting intelligence preparation of the battlespace (IPB). TMD IPB reduces uncertainties regarding terrain, weather, and adversary capabilities to develop potential adversary courses of action. The 4-step IPB methodology detailed in this publication is based on Joint Publication 2-01.3, *Joint Tactics, Techniques, and Procedures for Joint Intelligence Preparation of the Battlespace.*

2. Purpose

This publication provides the intelligence analyst the tools to support commander and staff planning and decision making at the joint, combined, and service levels by providing a systematic, continuous, and common methodology for analyzing the adversary theater missile force.

3. Application

The target audience for this publication is the intelligence analyst responsible for IPB development. It will also aid the joint force commander in planning and executing cohesive joint operations against theater missiles throughout the battlespace and be beneficial for sensor employment, collection management, target development, and force application.

4. Implementation Plan

Participating service command offices of primary responsibility (OPRs) will review this publication, validate the information and, where appropriate, reference and incorporate it in service and command manuals, regulations, and curricula as follows:

Army. The Army will incorporate the tactics, techniques, and procedures (TTP) in this publication in United States (US) Army training and doctrinal publications as directed by the Commander, US Army Training and Doctrine Command (TRADOC). Distribution is in accordance with Department of the Army Form 12-99-R.

Marine Corps. The Marine Corps will incorporate the TTP in this publication in US Marine Corps training and doctrinal publications as directed by the Commanding General, US Marine Corps Combat Development Command (MCCDC). Distribution is in accordance with Marine Corps Publication Distribution System.

Navy. The Navy will incorporate these procedures in US Navy training and doctrinal publications as directed by the Commander, Navy Warfare Development Command (NWDC). Distribution is in accordance with Military Standard requisitioning and Issue Procedure Desk Guide and Navy Standing Operating Procedure Publication 409.

Air Force. Air Force units will validate and incorporate appropriate procedures in accordance with applicable governing directives. Distribution is in accordance with Air Force Instruction 33-360.

Marine Corps: PCN 14400009400

5. User Information

- a. TRADOC, MCCDC, NWDC, Headquarters Air Force Doctrine Center (HQ AFDC) Air Land Sea Application (ALSA) Center developed this publication with the joint participation of the approving service commands. ALSA Center will review and update this publication as necessary.
- b. This publication reflects current joint and service doctrine, command and control organizations, facilities, personnel, responsibilities, and procedures. Changes in service protocol, appropriately reflected in joint and service publications, will likewise be incorporated in revisions of this document.
- c. We encourage recommended changes for improving this publication. Key your comments to the specific page and paragraph and provide a rationale for each recommendation. Send comments and recommendations directly to—

Army

Commander

US Army Training and Doctrine Command

ATTN: ATDO-A

Fort Monroe VA 23651-5000

DSN 680-3454 COMM (757) 727-3454 E-mail Address: doctrine@monroe.army.mil

Marine Corps

Commanding General US Marine Corps Combat Development Command ATTN: C42 3300 Russell Road Suite 318A Quantico, VA 22134-5021 DSN 278-6234 COMM (703) 784-6234

Navy

Navy Warfare Development Command Doctrine Development Division (Code N5) 686 Cushing Road Newport, RI 02841-1207 DSN 948-4201 COMM (401) 841-4201

Air Force

Headquarters Air Force Doctrine Center ATTN: DJ 216 Sweeney Boulevard, Suite 109 Langley AFB, VA 23665-2722 DSN 574-8091 COMM (757) 764-8091 E-mail Address: afdc.di@langley.af.mil

ALSA

ALSA Center
ATTN: Director
114 Andrews Street
Langley AFB, VA 23665-2785
DSN 575-0902 COMM (757) 225-0902
E-mail Address: alsa.director@langley.af.mil

FM 3-01.16 MCWP 2-12.1A NTTP 2-01.2 AFTTP(I) 3-2.36

FM 3-01.16	US Army Training and Doctrine Command Fort Monroe, Virginia
MCWP 2-12.1A	Marine Corps Combat Development Command Quantico, Virginia
NTTP 2-01.2	Navy Warfare Development Command Newport, Rhode Island
AFTTP(I) 3-2.36	Air Force Doctrine Center Maxwell Air Force Base, Alabama

04 March 2002

TMD IPB

Multiservice Tactics, Techniques, and Procedures for Theater Missile Defense Intelligence Preparation of the Battlespace

TABLE OF CONTENTS

		Page
EXECUTIVE S	SUMMARY	ix
CHAPTER I	OVERVIEW	
	Scope	I-1
	TMD Mission Areas	
	TMD IPB Overview	
	TM Threat Forces	
	Phases of TMD Operations	
	Who Conducts IPB	I-8
CHAPTER II	STEP-1: DEFINE THE BATTLESPACE ENVIRONMENT What Is It?	II_ 1
	How To Do It For TMD	II-1
CHAPTER III	STEP-2: DEFINE THE BATTLESPACE EFFECTS	
	What Is It?	
	How To Do It For TMD	III-1

V STEP-3: EVALUATE THE TM FORCE What Is It? How to Create TM Models Doctrinal Template		
STEP-4: DETERMINE TM COURSES OF ACTION What Is It? How To Do It		
MMON TMD IPB PROCESSES	A-1	
GESTED TMD IPB TEMPLATES	B-1	
AUTOMATED TOOLS AND EXAMPLE ARCHITECTURES		
TMD IPB CHECKLIST AND DEVELOPMENT PLAN		
) IPB INTERNET LINKS	E-1	
Reference	ces-1	
Gloss	ary-1	
Inc	dex-1	
AO and AOI Assessment Process for TMD IPB	I-4 I-6 II-1 II-6 II-7 II-8 II-10 . II-11 . II-12 . II-13 . II-14 . II-17	
	at Is It? w to Create TM Models ctrinal Template EP-4: DETERMINE TM COURSES OF ACTION at Is It? w To Do It MMON TMD IPB PROCESSES GGESTED TMD IPB TEMPLATES TOMATED TOOLS AND EXAMPLE ARCHITECTURES D IPB CHECKLIST AND DEVELOPMENT PLAN D IPB INTERNET LINKS Continuous 4-Step TMD Process TMD IPB and TMD Operations Multiple Dimensions of the TM Threat Step 1 - Define the Battlespace Environment A O and AOI Assessment Process for TMD IPB Composite AOI Assessment Process Potential TM Force Coverage Template Potential TM Force Deployment Area Assessment Template AO and AOI Assessment for TMD Active Defense Operations Template AO and AOI Assessment for TMD Passive Defense Operations Template AO and AOI Assessment for TMD Attack Operations Template AO and AOI Assessment Template (1 of 2) TMD Battlespace Assessment Template (2 of 2) Template (1 of 2) Adversary TM Force Capabilities Assessment Template (1 of 2) Adversary TM Force Capabilities Assessment	

III-3	Infrastructure Functional Decomposition Assessment	
	Template (1 of 2)	III-21
III-3	Infrastructure Functional Decomposition Assessment	
	Template (2 of 2)	
IV-1	Step 3 - Evaluate the TM Force	
IV-2	TM National Level Organization and C2 Template	
IV-3	TM Unit Level Organization and C2 Template	
V-1	Step 4 - Determine TM COAs	
V-2	Adversary TM COA Development Flow Process	
V-3	Situation Template Concept	
V-4	Event Template Concept	
B-1	TMD IPB Template Cover Sheet - Example	
B-2	TMD IPB Template Cover Sheet	
B-3	Command Mission(s) Objective(s) Summary Template	
B-4	Command Mission(s) Objective(s) Worksheet Template	
B-5	Command Mission(s) Guidance Worksheet Template	
B-6	AO/AOI/ Battlespace Assessment Template	
B-7	Geopolitical and Regional Threat Assessment Template	B-8
B-8	TM Force General Capabilities Assessment	Б.
D o	Template (1 of 2)	B-9
B-8	TM Force General Capabilities Assessment	D 40
D o	Template (2 of 2)	
B-9	Major Terrain and LOC Overview Template	. B-11
B-10	TMD IPB Holdings, Database, Sources, and Links	D 40
D 10	Assessment Template (1 of 3)	B-12
B-10	TMD IPB Holdings, Database, Sources, and Links	D 40
D 10	Assessment Template (2 of 3)	B-13
B-10	TMD IPB Holdings, Database, Sources, and Links	D 44
D 11	Assessment Template (3 of 3)	D-14
B-11	TMD IPB Information Sources Evaluation	D 15
B-11	Template (1 of 2) TMD IPB Information Sources Evaluation	D-10
D-11	Template (2 of 2)	D 16
B 19	1 ' '	
	TMD IPB POC Template	D-11
D-10	Worksheet Template (1 of 2)	R-18
B-13	Recommended PIR/EEI/RFI/Other Requirement Request	D-10
D-10	Worksheet Template (2 of 2)	R-19
B-14	TMD IPB Key Word Search Template (1 of 4)	
	TMD IPB Key Word Search Template (2 of 4)	
	TMD IPB Key Word Search Template (3 of 4)	
	TMD IPB Key Word Search Template (4 of 4)	
	DIA Standardized Functional Category Code Information	_,
	Search Template (1 of 2)	B-24
B-15	DIA Standardized Functional Category Code Information	
	Search Template (2 of 2)	B-25
B-16	DIA Standardized Equipment Code Information Search	
	Template (1 of 4)	B-26

B-16	DIA Standardized Equipment Code Information Search	
	Template (2 of 4)	B-27
B-16	DIA Standardized Equipment Code Information Search	
	Template (3 of 4)	B-28
B-16	DIA Standardized Equipment Code Information Search	
	Template (4 of 4)	B-29
B-17	Feature Class Data to Terrain Analysis Template Cross	
	Reference Template (1 of 5)	B-33
B-17	Feature Class Data to Terrain Analysis Template Cross	
	Reference Template (2 of 5)	B-34
B-17	Feature Class Data to Terrain Analysis Template Cross	
	Reference Template (3 of 5)	B-35
B-17	Feature Class Data to Terrain Analysis Template Cross	
	Reference Template (4 of 5)	B-36
B-17	Feature Class Data to Terrain Analysis Template Cross	
	Reference Template (5 of 5)	B-37
B-18	Terrain Assessment Checklist and Status Template	B-38
B-19	TMD IPB Slope Categories Template	B-39
B-20	Transportation and LOC Legend Symbols	B-45
B-21	CCM Overlay(s) Worksheet Template (1 of 2)	B-46
B-21		B-47
B-22	Climatology Assessment Template	B-48
B-23	Weather Effects on Adversary TM Force Operations	
	Template	B-49
B-24	Current/Forecasted Weather Effects on TM Force	
	Operations Template	B-50
B-25	TM Force Required Infrastructure Assessment Template	B-51
B-26	Integrated TM Force Infrastructure List Template (1 of 2)	B-52
B-26	Integrated TM Force Infrastructure List Template (2 of 2)	B-53
B-27	General Facility/Area Assessment Template (1 of 4)	B-54
B-27	General Facility/Area Assessment Template (2 of 4)	B-55
B-27	- '	B-56
B-27	General Facility/Area Assessment Template (4 of 4)	B-57
B-28	Field Operating Area Assessment Template	
B-29	Area Limitation Worksheet Template	
B-30	Doctrinal Template Requirements Template	
B-31	TM Equipment Template	
B-32	TM Equipment List Template	B-62
B-33	TM System Ground Vehicle Equipment Template	B-63
B-34	TM Force Attack Objectives Worksheet Template	
B-35	TM Unit Functional Doctrinal Template	
B-36	TM Force Employment Worksheet Template (1 of 2)	B-66
B-36	TM Force Employment Worksheet Template (2 of 2)	
B-37	Time-Pattern Analysis Template	
B-38	Date-Pattern Analysis Template	
B-39		
B-40	TM Operational State Doctrinal Template	B-/0
D-40	TM HVT Relative Value Matrix Template	
B-40 B-41		B-71

	B-43	NAI and HVT Assessment Template (1 of 2)	B-74
	B-43	NAI and HVT Assessment Template (2 of 2)	B-75
	B-44	TM COA Situation/Event Template (1 of 2)	B-76
	B-44	TM COA Situation/Event Template (2 of 2)	B-77
	B-45	TM Event Matrix Template	B-78
		Recommended Target Nominations and TAIs Worksheet	
		Template	B-79
	C-1	32d AAMDC Brigade G-2 TOC	C-2
	C-2	32d AAMDC External Information Sources	C-3
	C-3	TMD Flight Simplified Organizational Relationships	C-3
	C-4	Physical Layout of the 7th Air Force TMD Intelligence Team	
	D-1	TMD IPB Checklist (1 of 2)	
	D-1	TMD IPB Checklist (2 of 2)	
	D-2	TMD IPB Development Plan (1 of 2)	
	D-2	TMD IPB Development Plan (2 of 2)	
TABLES	I-1	TMD Mission Areas, Objectives, and Associated TMD IPB Requirements	I-2
	I-2	Some Organizations and Intelligence Roles and	
		Responsibilities in Support of TMD	I-9
	A-1	Matrix of General Sensor Types to Intelligence Advantage and Disadvantages	ges
	A-2	Typical Intelligence Reports	
	A-3	Commonly Used Digital/Hardcopy GGI&S Products	
	A-4	Other Vector-Based/Digital GGI&S Products	A-11
	A-5	Other Raster-Based/Hardcopy GGI&S Products	
	A-6	Geospatial Precision and Accuracy Comparisons	
	B-1	Overlays, Doctrinal Templates, and GGI&S Products	
		Supporting Terrain Analysis	
	B-2	Vegetation Type Codes	
	B-3	Unified Soils Classification System and Associated Ratin Cone Index Values	_
	B-4	Landforms and Commonly Associated Soils	
	B-5	Lane Widths Typical of Current Military Maps	
	B-6	Urban Area Building Type Codes and Descriptions	
	C-1	Selected Automated Tools	
	C-2	Specific 7th Air Force TMD Intelligence Team Functions	

EXECUTIVE SUMMARY

TMD IPB

Multiservice Tactics, Techniques, and Procedures for Theater Missile Defense Intelligence Preparation of the Battlespace

Theater missile defense intelligence preparation of the battlespace (TMD IPB) is a systematic, continuous process of analyzing the adversary theater missile (TM) force and environment in a specific geographic area and the battlespace around it. By determining the likely adversary TM force courses of action (COAs) and their associated branches and sequels and by describing the environment where TM forces are operating, this TMD IPB process helps the commander and staff selectively apply and maximize combat power at critical points in time and space in the battlespace. Applied properly, TMD IPB provides for the timely and effective suppression and/or destruction of a TM force, while minimizing the use of friendly assets for the TMD mission. This provides the commander and staff with a cost-effective method for providing force protection from an adversary's TM force. A large number of adversary countries possess or are trying to acquire TMs for prestige and/or military purposes. TMs have the potential to give adversaries military advantages against the United States (US) and allied forces. The TM threat these adversaries present is a complex multi-dimensional intelligence problem. To develop potential adversary TM COAs, the TMD IPB procedures concept decomposes and correlates the "who and what (equipment and units); where (infrastructure); when, why, and how (operations)." Typically TM forces are equipped, organized, trained, and employed differently. Many of these differences are relatively minor, while some are more dramatic. TMD IPB uses templating to standardize the process of analyzing adversary TM forces. Templates can be in the form of text, tables, forms, or graphics. Templates in this publication provide a starting framework for analysis and development. They are not meant to be all encompassing, and they should be adapted for a particular geographic area or situation. TMD IPB is a continuous process consisting of four major iterative and parallel steps (Figure 1).




Figure-1. Continuous 4-Step TMD IPB Process

- STEP-1 Define the Battlespace Environment (Focus). This step focuses the initial intelligence collection efforts and the remaining steps of the TMD IPB process. It identifies battlespace characteristics requiring in-depth evaluation of their effects on adversary TM force operations, such as terrain, weather, logistical infrastructure, and demographics. The initial effort is oriented on defining the limits of the area of operations (the geographic region where TM forces operate and/or where TMD operations will be conducted) and area of interest (the area from which information and intelligence are required). Defining the significant characteristics of the battlespace environment aids in identifying and filling current intelligence data gaps.
- STEP-2 Define the Battlespace Effects (Influences). This step evaluates the environment's effect on adversary TM force operations. This assessment examines terrain, weather, and other battlespace characteristics (that is, adversary TM force infrastructure) to determine how these characteristics may limit or provide opportunities for TM force operations. The objective is to integrate these effects into a terrain analysis designating the most probable adversary TM force operations areas.
- STEP-3 Evaluate the TM Force (Operational Model). This step examines in detail how the adversary TM force normally organizes for combat and conducts operations under ideal conditions. The evaluation is portrayed in a threat model of the TM force that includes doctrinal templates depicting how the TM force operates when unconstrained by the effects of the battlespace environment. TM force threat models are depicted graphically (doctrinal templates) supplemented by high-value target matrices and simple narratives.
- *STEP-4* **Determine TM COAs (Integrate).** This step integrates the results of the previous steps into a meaningful conclusion. Given what the adversary TM force normally prefers to do, and the effects of the environment it is currently operating in, this step attempts to define the likely objectives and COAs available to the TM force. This is accomplished by creating event templates and matrices focusing on intelligence collection aimed at identifying the COA the TM force will most likely execute.

TMD IPB is a complicated and time-consuming process. Automated intelligence and terrain analysis tools greatly assist this process. Currently, several core intelligence systems are being developed and fielded that will greatly enhance the TMD IPB process. To more efficiently solve the threat TM problem, continued emphasis on these current and future automated TMD IPB techniques is essential. However, equally important is the emphasis placed on development of the intelligence data needed for the TMD IPB. It is critical to begin the TMD IPB process during the prehostilities phase, with well-developed intelligence databases, in order to successfully impact US and allied TMD operations.

PROGRAM PARTICIPANTS

The following commands and agencies participated in the development of this publication:

Joint

Ballistic Missile Defense Organization, Pentagon, Washington, D.C. Joint Theater Attack Analysis Center, Kirtland AFB, Albuquerque, NM Joint Theater Air and Missile Defense Office, Pentagon, Washington, D.C.

Unified

USSTRATCOM, Joint Intelligence Center, Offutt AFB, NE

Army

32d Army Air and Missile Defense Command, Fort Bliss, TX United States Army Intelligence and Security Command, Fort Belvoir, VA United States Army Intelligence Center, Fort Huachuca, AZ

Marine Corps

Marine Corps Combat Development Command, Quantico, VA

Navy

Naval Surface Warfare Center, Dahlgren, VA Naval Strike and Air Warfare Center, Fallon, NV Navy Warfare Development Command (Norfolk Detachment), Norfolk, VA PEO-Surface Warfare Combatants, McLean, VA

Air Force

7th Air Force, Osan Air Base, Korea 612 Air Intelligence Squadron, Davis-Monthan AFB, Tucson, AZ Air Combat Command/XOIP, Langley AFB, Hampton, VA Air Combat Command/XOFR, Langley AFB, Hampton, VA Headquarters, Air Intelligence Agency/DOOQ, Kelly AFB, San Antonio, TX

Other

Anteon Corporation, Arlington, VA Pacific-Sierra Research, Arlington, VA SPARTA Corporation, Huntsville, AL

Chapter I

OVERVIEW

1. Scope

This publication gives multiservice tactics, techniques, and procedures (MTTP) for conducting intelligence preparation of the battlespace (IPB) analysis in support of theater missile defense (TMD) operations. "Joint theater missile defense is an integral part of counterair operations. . . . which integrates both offensive and defensive operations from all components to counter the air and missile threat." (This quote can be found in Joint Publication (JP) 3-01, Joint Doctrine for Countering Air and Missile Threats, Chapter I, page I-2.) TMD IPB is a systematic and continuous process for analyzing adversary theater missile (TM) capabilities, weather, terrain, and related infrastructure in a specific geographic region to support friendly TMD operations. Although this MTTP focuses specifically on the manual method of performing IPB, Appendix C lists some supporting automated tools. This basic TMD IPB methodology is derived from the steps, functions, and the structure established by the United States Army (USA) Field Manual (FM) 2-01.3 (FM 34-130), Intelligence Preparation of The Battlefield, JP 2-01.3, Joint Tactics, Techniques, and Procedures for Joint Intelligence Preparation of The Battlespace, and JP 3-01.5, Doctrine for Joint Theater Missile Defense. This document is derived from authoritative and fieldtested concepts. It addresses unique aspects of the TM threat such as—

- a. Encompass the strategic, operational, and tactical levels of war.
- b. Operate theater-wide and significantly impact on a wide array of friendly operations.
- c. Operate noncontinuous, nonlinear, and asymmetric in time and space and over large nonlinear geographic areas.
 - d. Do not require direct contact with friendly forces.
- e. Are a highly diversified target system including infrastructure, movement, and highly mobile tactical target elements.
 - f. Move and launch using TM specific unit patterns.
 - g. Conceal and camouflage easily.
 - h. Are capable of employing weapons of mass destruction (WMD).
 - i. Have geopolitical implications.

2. TMD Mission Areas

Joint TMD is the integration of joint force capabilities to destroy enemy TMs in-flight or before launch or otherwise disrupt the enemy's TM operations. This is accomplished through an appropriate mix of mutually supportive command, control, communications, computers, and intelligence (C4I) activities; active attack operations; active missile defense operations; and passive missile defense operations. TMD incorporates several missions requiring IPB. Table I-1 shows the correlation between TMD missions and their required TMD IPB.

Table I-1. TMD Mission Areas, Objectives, and Associated TMD IPB Requirements

Mission Area	rea Include Associated TMD IPB Requiremen		
TMD C4I	Timely and accurate data and systems to plan, monitor, direct, control, and report TMD operations. Integrated systems of doctrine, organizational structures, facilities, communications, computers, supporting intelligence, and missile warning and cueing by sensors and ground stations. OPSEC.	TM probable operating areas. TM countermeasures. TM WMD capabilities. TM warhead types. Threat employment COAs. TM OB. TM system signatures.	Adversary TM targeting process. TM probable targets and target areas. TM attack timing and numbers. TM TTPs. Meteorological effects on TM operations. Adversary knowledge of TMD deployment. Defense suppression threat capabilities.
Attack Operations	• Destruction, disruption, or neutralization of TM launch platforms; supporting C3; logistics; and platforms.	TM RDT&E infrastructure. TM field operating areas. Probable hide sites/launch sites. TM equipment. Threat employment COAs. TM system signatures. Air defenses supporting TMs. TM system C2 nodes.	TM production infrastructure. TM Fixed operational infrastructure. TM TTPs. Meteorological effects on TM operations. TM OB. TM WMD infrastructure.
Active Defense	Multi-tiered defense indepth via multiple engagements using land, sea, air, space, and special operations forces. Active EW to disrupt remote or on-board guidance systems. Information Operations.	TM probable operating areas. Probable TM targets. TM flight characteristics. TM WMD capabilities. Threat employment COAs. TM OB. Defense suppression threat capabilities.	Adversary TM targeting process. TM attack timing and numbers. TM countermeasures. TM warhead types. Meteorological effects on TM operations. Adversary knowledge of TMD deployment.
Passive Defense	 Deception. NBC protection. TM early warning. EW. OPSEC. Countersurveillance. Recovery and reconstitution. Camouflage and concealment. Mobility, dispersal, and hardening. 	TM time of flight. TM accuracy. TM OB. TM WMD capabilities. TM warhead types and effects. Meteorological effects.	Adversary TM targeting process. TM probable targets and target areas. TM attack timing and numbers. Threat employment COAs.

a. TMD C4I. Command and control (C2) for joint TMD operations is a commander's exercise of authority and direction over forces assigned joint TMD missions. Use existing joint and service C4I systems and resources to efficiently accomplish C4I for joint TMD missions. This integrates other operational functions and optimizes the use of scarce resources. The C4I system links passive defense, active defense, and attack operations to provide timely assessment of the threat (to include IPB); rapid dissemination of tactical warning; and mission assignment, targeting data, and poststrike assessment to the appropriate joint TMD element. For each operational element, the C4I system must provide rapid communications among intelligence assets, the fusion and decision-making facilities, and the warning and weapon systems, to include a capability for rapid coordination with supporting combatant commanders. Space assets and information operations are critical to attack operations, active

defense, and passive defense because they provide launch warning, launch point prediction, launch point detection, threat type determination, impact point prediction, weapon systems cueing, communications, and related intelligence. Joint TMD C4I capabilities must support the principles of centralized planning, decentralized execution, and coordinated efforts by forces assigned joint TMD tasks.

- b. Attack Operations. Attack operations are characterized by offensive actions intended to destroy and disrupt adversary TM capabilities before, during, and after launch. Attack operations prevent TM launch or additional TM launches by attacking critical elements (that is, launch platforms, reconnaissance, surveillance, and target acquisition [RSTA] platforms, C2 nodes, missile stocks, and infrastructure) of the overall system. The preferred method of countering adversary TM operations is to attack and destroy or disrupt TMs before their launch. Attack operations can be preemptive or reactive as part of counterair, strategic attack, interdiction, fire support, maneuver, antisubmarine warfare, antisurface warfare, strike warfare, amphibious, or special operations. Attack operations are challenging because TM systems are generally hard to detect and are normally dispersed, mobile, electronically quiet, and redundant. Thus, the detection, acquisition, identification, tracking, and attack tasks are highly dependent on a near-real-time C4I process and rapid targeting capability.
- c. Active Defense. The role of active defense operations is to protect selected assets and forces from attack by destroying TM airborne launch platforms and/or TMs in-flight. Active defense must consist of defense in-depth against all classes of TMs. When destruction of the TM launch platform before launch is not possible or successful, TMs should be engaged by all means available throughout their entire flight profile. Defense in-depth provides multiple opportunities to negate the TMs with differing capabilities, increases probability of kill, and prohibits the enemy from being able to counter the defensive system with a single technique. Active defense also includes those actions that mitigate the effectiveness of targeting and delivery systems through electronic warfare (EW) against remote or on-board guidance systems.
- d. Passive Defense. Passive defense is necessary to provide essential individual and collective protection for friendly forces, population centers, and critical assets. Passive defense measures should be planned whenever United States (US) forces might face a TM threat. By examining various combinations of TM warhead accuracy and effects, numbers of available missiles, and the adversary targeting process, the likelihood and timing of an attack may be predicted and passive measures selected for employment before, during, and after a TM attack.
- e. Mission Focus. The different mission areas of TMD require different types of IPB products. For instance, the C4I mission requires a focus that addresses the adversary's use of ISR assets and how to counter them. Attack operations need IPB products that highlight vulnerable nodes in the adversary's TM infrastructure and launch complexes. Active defense missions require IPB products that highlight the adversary's targeting process and probable targets. Passive defense missions require IPB data on the accuracy of adversary TMs and probable warhead selection. The intelligence analyst should focus the friendly IPB process to best support the commander's specific TMD mission.

A good IPB is essential if the operators are to understand how the threat is likely to operate, to get sensors in the most effective configuration and to react to subtle TM activity indicators. The IPB information helps sort out real TM information from the distracting background traffic.

Joint Theater Missile Defense - Attack Operations Test Force, 1997

3. TMD IPB Overview

- a. What is TMD IPB? TMD IPB is a systematic, continuous process of analyzing the adversary TM force and environment in a specific geographic area. The process is designed to support planning and decision making by commanders and staffs. It allows them to selectively apply and maximize combat power at critical points in the battlespace.
- b. What are the objectives of TMD IPB? TMD IPB identifies facts and assumptions about the battlespace environment and the TM threat. TMD IPB determines likely TM courses of action (COAs), their associated branches and sequels, and describes the operating environment for TM operations. This supports commander and staff planning and the development of friendly COAs. TMD IPB provides the basis for intelligence collection, synchronization, and target development to support the commander's chosen COA. (Figure I-1).
 - c. TMD IPB contains the following 4 major iterative and parallel steps:
- (1) Step-1 Define the Battlespace Environment. Step-1 focuses the command's initial intelligence collection efforts and the remaining TMD IPB steps. To focus the remaining steps, the analyst should identify the battlespace characteristics affecting TM force operations. Generally these characteristics include terrain, weather, lines of communications (LOCs), infrastructure, and demographics. To limit the analytical and intelligence collection efforts to the geographic areas significant to the command's mission, the joint force commander (JFC) will establish the limits of the area of operations (AO) and the




Figure I-1. TMD IPB and TMD Operations

area of interest (AOI) for the TMD IPB process. The AO and AOI limits are dynamic and based on the location and characteristics of the battlespace influencing the operation. Defining the significant characteristics of the battlespace environment aids in identifying gaps in current intelligence holdings and the specific intelligence required to fill them. Similarly, the TMD IPB identifies gaps in the analyst's knowledge of the TM force and its current situation. Once approved by the commander, the specific intelligence required to fill gaps in information regarding the battlespace environment and adversary TM force disposition becomes the commander's TMD priority intelligence requirements.

- (2) Step-2 Define the Battlespaces Effects. Step-2 evaluates environmental effects impacting adversary TM forces. The analysis performed in this step examines terrain, weather, and other battlespace characteristics (that is, the adversary's use of the electromagnetic spectrum and their TM force infrastructure) to determine how these characteristics may limit or provide opportunities for TM force operations. The objective is to integrate these effects into an analysis that designates the most probable adversary TM force operating areas. This integrated analysis provides key pieces of information for evaluating COAs by focusing on how the environment impacts on TM capabilities.
- (3) Step-3 Evaluate the TM Force. In Step-3, TMD IPB focuses in detail on how the TM force normally organizes for combat and conducts operations under ideal conditions. When facing a well-known adversary, the TMD IPB process can rely on historical databases and well-developed threat models. When operating against a new, changing, or less well-known adversary, the analyst may need to develop intelligence databases and threat models concurrently. The TM force evaluation is portrayed in a threat model that includes doctrinal templates depicting how the TM force operates when unconstrained by battlespace environmental effects. Threat models are depicted graphically (doctrinal templates) supplemented by high-value target matrices and simple narratives.
- (4) Step-4 Determine TM COAs. Step-4 integrates the results of the previous steps into a meaningful conclusion. Given what the TM force normally prefers to do and the effects of the specific environment in which it is now operating, this step assesses adversary objectives and available TM COAs. In addition, Step-4 includes preparation of event templates and matrices that focus intelligence collection on identifying which COA the TM force will execute for each phase of operations. The TM COA models developed in Step-4 are the products that the command staff will use to portray the TM force in their decision-making and force management processes. These models can only be produced effectively if a good foundation has been established during the first 3 steps of the TMD IPB process.

4. TM Threat Forces

a. The TM Threat. The TM threat is a complex multidimensional intelligence problem, as illustrated in Figure I-2. TMD IPB aims to decompose and correlate the "who, what (equipment and units), where (infrastructure), when, why, and how (operations)" in order to develop potential TM COAs for the operational planning process. Each TM force is equipped, organized, trained,

and employed with various degrees of difference. Many of these differences are relatively minor, while some are more dramatic. TMD IPB encompasses all dimensions of the threat. Because of the gravity of the TM threat, TMD IPB focuses on developing this information to allow for the best possible choice of friendly COAs.

- b. TM Systems. There is a wide range of TMs currently deployed and available to adversary countries. JP 3-01, *Joint Doctrine for Countering Air and Missile Threats*, defines the following major categories as—
- (1) Theater ballistic missiles (TBMs) with range capabilities of less than or equal to 3500 kilometers (km).
- (a) Short range ballistic missiles (SRBMs) with range capabilities of less than or equal to 1000 km.
- (b) Medium range ballistic missiles (MRBMs) with range capabilities between 1000 and 3000 km.
- (c) Intermediate range ballistic missiles (IRBMs) with range capabilities between 3000 and 3500 km.
- (d) Sea-launched ballistic missiles (SLBMs) with range capabilities of less than or equal to $3500~\mathrm{km}$.




Figure I-2. Multiple Dimensions of the TM Threat

- (2) Cruise Missiles (CMs).
- (a) Land attack cruise missiles (LACMs) including sea, underwater, air, and land launched types.
- (b) Antiship cruise missiles (ASCMs) including sea, underwater, air, and land launched types.
- (3) Air-to-surface missiles (ASMs) or tactical air-to-surface missiles (TASM). ASM as defined in JP 3-01 excludes short-range, nonnuclear, direct fire missiles, bombs, and rockets such as Maverick or wire-guided missiles. This definition does not adequately define the boundaries of what should be or should not be considered when addressing ASMs. To provide boundaries, this publication will exclude ASMs with less than a 30-km range capability.
- c. TMD IPB Focus. The examples used in this publication focus on the TBM threat. This focus is based on the inherent complexities involved in TBM operations. In short, there are more steps involved in launching a TBM vice launching a CM or ASM. By using the TBM threat as an example, this publication attempts to provide a more complete TMD IPB methodology. This focus does not imply a lesser importance to the CM or ASM threat. These systems are, and will continue to be, a credible threat to friendly operations. However, the methodology for conducting IPB against a ground-launched CM threat is sufficiently similar to the IPB against a TBM threat that the procedures described are applicable for either system. The IPB against a sea-launched cruise missile (SLCM), an air-launched cruise missile, or an ASM is sufficiently different in that it is much more platform-centric. In these cases, the focus of the IPB is more on the launch platform and the different environments in which they operate. With these systems, the IPB process must focus on the physical maritime and air battlespace environments. These system specific differences are discussed further in Chapter III.
- d. Deployed TM Systems. Technologically, TM systems span a spectrum of sophistication that has direct implications for the IPB process.
- (1) The most widely deployed TMs today are systems with technologies (guidance and control (G&C), liquid-propellant propulsion, and airframe) dating from the 1940s through the 1960s. Operationally, the surface-to-surface missile system (SCUD) TBMs and SILKWORM ASCMs representative of this class are the most widely deployed and continue to be improved and proliferated. They are manpower and equipment intensive when compared to modern systems.
- (2) Advanced TM systems are currently deployed in fewer numbers and include solid-propellant propulsion, improved G&C with digital flight computers and global positioning systems (GPSs), improved airframe, and modern ground support equipment (GSE) technologies. These more modern technologies result in improved quick reaction times, accuracy, lethality, and a need for less support vehicles and operational support. Operationally these systems require significantly less manpower and integrate automation in erector-launchers and other GSE. Although limited in number, these systems pose a growing threat to TMD operations.

5. Phases of TMD Operations

US military operations can be broken into 5 major phases: prehostilities, lodgment, decisive combat and stabilization, follow-through, and posthostilities and redeployment.

- a. Prehostilities Phase. The prehostilities phase encompasses normal day-to-day peacetime operations and offers the highest leverage for TMD IPB preparation. During this phase, TMD IPB development can draw upon the distributed production assets of the intelligence community (national, theater, and service organizations), which have the responsibility for providing the key data needed for TMD IPB development. To optimize the value of these sources, the analyst should begin TMD IPB development as early as possible and continually refine to provide as much depth as possible given available intelligence data.
- b. Lodgment Phase. The lodgment phase involves the movement and buildup of a decisive combat force in the operational area. It may include initial strikes from outside the theater as well as holding or defensive actions from units already in-theater. During this phase, TMD IPB plays an important role in TMD deployments, initial planning for TMD attack operations, options for passive defense, and overall command COA development to mitigate the effects of an adversary's TMs. Joint or component level units assigned TMD IPB responsibilities should acquire as much TMD IPB data as possible before deployment. Links should be established with appropriate national intelligence organizations to provide support to TMD intelligence operations as required.
- c. Decisive Combat and Stabilization Phase. This phase initially focuses on the continuing rapid buildup of joint force capabilities. The goal is to deter hostilities, but if deterrence fails, to conduct decisive combat operations. In this phase, the TMD IPB should be updated and refined based on observed and anticipated adversary combat operations and used to plan and execute active defense operations, attack operations, and passive defense measures.
- d. Follow-Through Phase. The follow-through phase aims to bring the conflict to a successful conclusion. In this phase, TMD IPB will be updated based on observed adversary combat operations. TMD IPB will be used to optimize active defense deployments, attack operations, passive defense, and the command's COAs.
- e. Posthostilities and Redeployment Phase. This phase includes closing the campaign with a coordinated withdrawal while maintaining theater integrity. TMD IPB will again be updated based on observed adversary combat operations and used to establish posthostility defensive COAs.

6. Who Conducts IPB

Organizational Roles and Responsibilities. Many organizations have the role and responsibility to support the integrated TMD IPB effort; Table I-2 lists some of these through the execution level. One important aspect not depicted in the table is the essential relationship between the intelligence and operations staffs. That relationship must be 2-way for the TMD IPB process to work properly. It is

properly. It is essential that the intelligence staff understands the current operations situation and plan in order to facilitate a smooth and efficient TMD IPB. It is also essential that the intelligence staff performing the TMD IPB function adequately convey the TMD IPB information to the operations staff in a timely manner. In essence, neither operations nor intelligence can function properly without each other. Teamwork is essential for TMD IPB and TMD to succeed.

Table I-2. Some Organizations and Intelligence Roles and Responsibilities in Support of TMD

Responsibilities in Support of TMD Some Organizations and Intelligence Roles and Responsibilities in Support of TMD			
Some Organizations and In	itelligence Roles and Responsi	Roles and Responsibilities	
Organization	Subordinated To	in Support of TMD	
	National Level		
DIA	Secretary of Defense	General Military Intelligence	
NSA	Secretary of Defense	SIGINT and ELINT	
CIA	President	General Military Intelligence	
Central MASINT Office	DIA	MASINT	
USAF Director ISR	USAF/Deputy Chief of Staff Air and Space Operations	General Military Intelligence on Threat TM Forces	
USA Deputy Chief of Staff for Intelligence	Chief of Staff USA	General Military Intelligence	
USN Chief of Naval Intelligence	Chief of Naval Operations	General Military Intelligence	
USMC Assistant Chief of Staff C4I	Commandant of the USMC	General Military Intelligence	
Joint Information Operations Center	US Space Command	Information Operations	
US Strategic Command JIC	CINC Strategic Command	General Military Intelligence on Ballistic Missiles	
US Space Command CINC NORAD J-2	US Space Command CINC NORAD	TBM Indications and Warnings	
MSIC	DIA	DIA executive agent for TMD IPB, S&TI on SRBMs and Air Defense Systems	
NAIC	USAF	S&TI on M/IRBMs, Aircraft, and Cruise Missiles	
NGIC	USA Deputy Chief of Staff for Intelligence	S&TI on Ground Systems, ELs, and GSE	
Armed Forces Medical Intelligence Center	DIA	S&TI on CBW	
Office of Naval Intelligence	Chief of Naval Operations	S&TI on SLBMs, Ships, and ASCMs	
NIMA	Secretary of Defense	Overhead Intelligence Collection & MC&G Support	
Defense Special Missile and Astronautics	DIA	Foreign Missile/Space Activity	
Center	Canadama of Chata	Indications & Warning	
Department of State Intelligence	Secretary of State	Arms Control and Political Considerations	
	Theater Level		
National Military JIC	Secretary of Defense	National Level Intelligence Point of Entry for JTF	
J-2 & JISE	Combatant Command CINC	The CINC's Immediate Intelligence Staff	
JTF J-2 and JISE	JFC	The JFC's Immediate Intelligence Staff	
NIST	JFC and NMJIC	National Level Augmentation to JTF J-2 & JISE	
USAF Theater Intelligence Elements	JFC and Air Force Forces	USAF Theater Intelligence Elements	
USA Theater Intelligence Elements	JFC and Army Forces	USA Theater Intelligence Elements	
USN Theater Intelligence Elements	JFC and Navy Forces	USN Theater Intelligence Elements	
USMC Theater Intelligence Elements	JFC and Marine Forces	USMC Theater Intelligence Elements	

Chapter II

STEP-1: DEFINE THE BATTLESPACE ENVIRONMENT

1. What Is It?

a. Definition. *Step-1* of the TMD IPB process identifies for further analysis specific features of the environment or activities within it that affect the battlespace for both adversary and friendly operations.

b. Desired End Effect.

- (1) Focus the IPB effort on the battlespace areas and characteristics that influence the command's mission.
- (2) Acquire the intelligence needed to complete the TMD IPB process to the degree of detail required to support the decision-making process.
- (3) Save time and effort by focusing only on those areas and features that influence TMD operations. Information must be to a level of detail required to support the command's decision-making process.

2. How To Do It For TMD

The primary sub-steps are shown in Figure II-I. The products are a series of templates used to direct, focus, and feed the analytical efforts of *Steps-2*, *-3*, *and -4* with intelligence data/information.




Figure II-1. Step 1 - Define the Battlespace Environment

- a. Step-1.1 Analyze the Command's Mission in Relation to TMD. The TM mission is determined by understanding provided objectives and guidance. Objectives and guidance identify what is to be achieved and under what conditions and parameters. This is an important stage in the TMD IPB process. Without a clear understanding of what is to be achieved, it is impossible to achieve efficient TMD IPB development. Objectives and guidance begin at the national level as broad concepts and should end as short-term, well-defined mission objectives at the appropriate command level.
- (1) Objectives. An objective must be understandable, attainable, measurable, and allow room for a solution. It defines the specific TMD IPB problems to be solved. When possible, identify the specific starting and ending times for the objective as knowledge of the timing is critical to providing TMD IPB support. If possible, estimate latest time information is of value (LTIOV). This is the time by which information about the objective must be delivered in order to provide decision makers with timely intelligence. Another significant part of an objective is identifying the area in which to affect the adversary activity. This information narrows the geographical scope and simplifies the TMD IPB analyst's job.
- (a) Relationship of Objectives. The 3 broad levels of objectives are national, theater, and component. The objective levels are intertwined and each successive level down becomes more detailed and specific. The component commander's objectives are based on the objectives set by the theater commander, the assigned mission(s), the resources available, adversary characteristics, and the military characteristics of the AO. Components normally supplement operation and contingency plans. The theater commander sets objectives for the theater of operations, which are contingent upon the national objectives. Operation/contingency plans normally specify the command objectives, commander's concept of operations, the threat, and forces available. The President and Secretary of Defense are responsible for setting the very broad national objectives, which generally outline the overall desired outcome of the campaign. There should be no conflicting objectives among the levels and the TMD IPB developers must be cognizant of all objectives.
- (b) Objectives Template. A simple questionnaire worksheet can provide a template for evaluating and recording mission objectives. Once a complete set of objectives is defined, summarize them in a list form. First develop the objectives for the command's overall mission if not already obtained from higher headquarters. Next evaluate TMD specific mission objectives. See Appendix B, Figure B-3 for suggested template examples of an objectives summary template and Figure B-4 for an objectives worksheet template. The objectives worksheet template should be completed for each identified objective.
- (2) Guidance. Guidance provides the framework to achieve the objectives and establishes the force employment scope and restrictions.
- (a) Types. The law of armed conflict (LOAC) (also referred to as *law of armed war*) is that portion of international law that regulates the conduct of armed hostilities. The LOAC includes treaties, conventions, international agreements and customary international law. Ratified treaties, conventions, and

international agreements, as well as applicable customary international law legally bind the US. Rules of engagement (ROE) are directives issued by competent military authority that delineate the circumstances and limitations under which US forces will initiate and/or continue combat engagement with other forces encountered. The ROE can change within each conflict, based on directives issued by competent military authority.

(b) Command Guidance. Command guidance comes in many forms and can entail a broad range of subjects, from approved tactics for active TMD to proper behavior in local establishments. A template for recording the command's mission and TMD mission guidance is at Appendix B, Figure B-5. List each of the identified command guidance, ROE, and applicable LOAC on the worksheet and describe each in as much detail as needed.

Note: Objectives and guidance are the cornerstones of the TMD IPB process. They guide the 4 major steps of the TMD IPB process and should be clear and well defined. Once developed, theater and command objectives are constantly reviewed to assure they accurately reflect the current command TMD mission. Everyone involved in the TMD IPB process should fully understand the commander's objectives and guidance or request further clarification. A starting point for receiving and assessing the commander's objectives and guidance follow:

- Operations Plan (OPLAN).
- Operations Order (OPORD).
- Warning Order.
- Alert Order/Deploy Order.
- Planning Order.
- Air Tasking Order/Integrated Tasking Order.
- Fragmentary Order.
- Operation Plan in Concept Format (CONPLAN).
- Concept of Operations (CONOPS).
- Time-Phased Force and Deployment List.
- Defended Asset List (DAL).
- Standing ROEs.

b. Step-1.2 - Identify the Limits of the AO, AOI, and Battlespace for the TMD IPB Process. To assist in the coordination and deconfliction of joint action, JFCs may define operational or joint areas. For operations limited in scope (such as TMD) geographic combatant commanders can designate operational areas such as joint operation areas, joint special operations areas (JSOAs), joint rear areas

(JRAs), amphibious objective areas, or AOs. An AO is the geographical area where a commander is assigned the responsibility and authority to conduct military operations. An AOI is based on operational factors and the command's concept of operations, as defined by higher headquarters. The intelligence cell recommends the AOI to the commander based on IPB.

- (1) AO for TMD IPB. To save time and focus the IPB effort on the areas and characteristics of the battlespace that most directly affect the command's mission, the intelligence analyst will limit the analysis to the geographical areas supporting troops and capabilities that can influence TMD operations. This publication refers to that geographical area as the AO. AOs for TMD IPB are those geographical regions analysts use to define missile threat envelopes, the locations where TM forces operate, and/or where TMD operations will be conducted. Note: The Army and Marine Corps use the term area of operations (AO) in their IPB manual [FM 2-01.3/MCRP 2-12A] whereas the Air Force uses operational area (OA) in their IPB pamphlet. For the purpose of TMD IPB, these terms are analogous. Both references define these terms as "that portion of an area of conflict necessary for military operations." This publication uses the term AO; however, the definition differs from that in JP 1-02. The use of AO in this publication does not infer that a specified AO commander, as defined in JP 1-02, has responsibility and authority for TMD operations, nor does it limit the size of the geographical area or limit it to only naval or land commanders. This term only defines a geographical area necessary to focus the IPB process for the intelligence analyst. The maximum attack depth of the commander's available TMD attack operations assets usually limits the AO for TMD IPB. The evaluation of the battlespace's effects in the AO is generally more thorough and detailed than it is within the AOI. The AO for TMD IPB is derived from the DAL, OPLAN, OPORD, CONPLAN, and/or CONOPS. Remember that the DAL requires an analysis, which includes several IPB products, of the adversary's targeting strategy. Generally the DAL is established based upon what the friendly commander wants to protect that may leave possible targets unprotected.
- (2) AOI for TMD IPB. The TM operations battlespace defines the AOI for TMD IPB. To plan and successfully conduct the TMD mission, AOI information and intelligence are required. The limits of the TMD composite AOI are based on the ability of the adversary to project power or move TM forces into the AO. Geographical locations of other activities (for example, terrorists) or characteristics of the environment that might influence COAs or the commander's decisions, are also considered. Because the limits of the TMD composite, AOIs are based on threats to mission accomplishment rather than strictly terrain considerations; they might cross into other countries. For example, if political developments in a neutral country might influence the accomplishment of the command's mission, that country should be included in the TMD composite AOI. Likewise, if another country provides a base of support for the adversary country's TM force, it should be included within the TMD composite AOI. The following templates should be created for defining the AOs and AOIs for TMD IPB:

- Potential TM Force Coverage.
- Potential TM Force Deployment Area(s).
- TMD Active Defense AO and AOI Template.
- TMD Passive Defense AO and AOI Template.
- TMD Attack Operations AO and AOI Template.
- Composite AO and AOI Template.

Two basic considerations the TMD IPB analyst should keep in mind are division of AO and AOI templates into multiple sets and knowledge of TM force infrastructure data. Depending upon the situation, it may be beneficial to divide the AO templates into multiple areas based upon TM force weapon system category. For example, there are significant differences between TBMs and ASCMs. In most cases, it is better to build a set of AO templates for TBMs and another set of AO templates for ASCMs. Some countries have many more SRBMs than MRBMs. Because of the differences between missiles, this is a case when separate AO templates may again be better. Each situation is different, and the TMD IPB analyst will have to use the best judgement in determining how to divide the AO templates. One final consideration is the extent of knowledge of the adversary TM force infrastructure data. If the TM force operating areas are unknown, then assume that the TM force (air, land, or sea-based) can operate from any part of the adversary's battlespace. This can include occupied portions of neighboring countries such as Kuwait for Iraq during the Gulf War of 1991.

(3) TMD Battlespace. The AO and AOI are geographic areas that can be defined not only in three-dimensions (height, width, and depth) but in other dimensions as well. In determining other dimensions of the TMD battlespace, the TMD intelligence function must move beyond addressing only the concrete, physical aspects of the geographic environment. The TMD battlespace includes all elements of the environment that are relevant to the command's TMD mission. The TMD forces use of the electromagnetic spectrum (for example, radios and radars); the capabilities of the TMD force to use satellites for communications and intelligence gathering; and TMD force information systems capabilities and vulnerabilities, both inside and outside the TMD IPB AO, are examples of other environment elements that must be considered when determining the dimensions of the command's TMD battlespace. Figure II-2 and Figure II-3 provide the basic processes for assessing the AO/AOI for TMD IPB. Using these processes, Figures II-4 through II-10 provide illustrative examples of assessing the AO, AOI, and battlespace for TMD IPB. See Appendix B, Figures B-6 through B-9 for correlating blank templates.




Figure II-2. AO and AOI Assessment Process for TMD IPB




Figure II-3. Composite AOI Assessment Process




Figure II-4. Potential TM Force Coverage Template




Figure II-5. Potential TM Force Deployment Area Assessment Template




Figure II-6. AO and AOI Assessment for TMD Active Defense Operations Template




Figure II-7. AO and AOI Assessment for TMD Passive Defense Operations Template




Figure II-8. AO and AOI Assessment for TMD Attack Operations Template




Figure II-9. Composite AO and AOI Assessment Template




Figure II-10. TMD Battlespace Assessment Template (1 of 2)




Figure II-10 (Continued). TMD Battlespace Assessment Template (2 of 2)

- c. Step-1.3 Determine the Significant Environmental Characteristics of the AO. Battlespace characteristics that affect the commander's decisions or the available command or adversary COAs are of special significance in the TMD IPB process. For TM operations include—
- (1) Geopolitical and Regional Threat Assessment. An assessment of the geopolitical and regional situation (Figure II-11) is useful in developing a framework in which TMs will likely be employed. This definition should address national security goals, regional factors, and relations with the US and allies, and be condensed into short bulletized statements. Use the theater level IPB, military capabilities study (MCS), and Defense Intelligence Agency (DIA) as sources and supplement as appropriate where gaps exist.
- (2) General TM Force Capabilities. A general understanding of the TM force's capabilities helps orient the TMD IPB process. To develop an understanding, determine, at a minimum, the following TM force parameters:
 - (a) TM role/missions/targeting.
 - (b) Historical use.
 - (c) Order of battle (OB) data.
 - Missile and launcher types and numbers.
 - WMD capabilities and numbers.
- Known or potential mobile (that is, field operating areas) and fixed TM infrastructures, (that is, research, development, test and evaluation [RDT&E], production and operational garrisons/storage).
- Performance data (that is, basic flight trajectory and accuracy and lethality data). Examine each characteristic in general terms to identify those of significance to the command and mission. Further evaluation of characteristic effects occurs later in the process. Figure II-12 provides an example template.
- (3) TM Force Active Defense Suppression Capabilities Assessment. Assessing the adversary's intent and capability to suppress active TMD operations provides valuable inputs to active TMD operations and security planning. Consider the following information when doing this assessment (template at Figure II-12):
- (a) Historical use of suppression against theater air and missile defenses.
 - (b) Distinction between theater air defense and TMD.
 - (c) Motivation and intent to suppress active TMD operations.
 - (d) Capability to suppress TMD operations.
 - TMs to suppress TMD operations.
 - TM tactics to penetrate active TMD operations.
- TMs configured with penetration aids (signature reduction, decoys, jammers, etc.).

- Aircraft to suppress active TMD operations.
- •ASCMs to suppress ship-based TMD elements.
- Antiradiation missiles and/or electronic combat to suppress TMD radar and C4I elements.
- WMD, special operations forces, terrorist and insurgent forces, combined arms tactics, and/or conventional ground and naval forces (artillery, armor, infantry, naval surface warfare, underwater warfare, etc.) to suppress TMD operations.
 - Capabilities to locate TMD assets for suppression.
- (4) Major Terrain and Environment. An understanding of the general terrain environment is gained by completing TMD IPB Step-1. For TMD IPB Steps-1 and -2, review and update the current hard copy, digital global geospatial information and services (GGI&S) databases, and imagery. The National Imagery and Mapping Agency (NIMA), a primary source for this data, can provide terrain maps depicting surface configuration (plains, hills, and mountains) and vegetation (forested area, scrub, swamps, desert and open grassland). Figure II-13 is an example of a Central Intelligence Agency (CIA) produced map showing an analysis of terrain. Digital chart of the world (DCW) II can provide an alternative view. TMD IPB Step-2 addresses terrain and environmental effects on TM operations in detail.
- (5) Major LOCs. Defining the LOCs (road, rail, and telecommunication networks) is important for the detailed area limitation analysis in TMD IPB Step-2. TMD IPB Step-1 defines and uses the primary road/rail network as an overlay when determining the AO and AOI. Rail networks will typically be less significant for TM operations in most countries. An overlay is not needed if its TM force does not use a particular adversary country's rail network. Also, an overlay for telecommunication networks should be developed. The military telecommunications network is more important than the civilian network, though in many countries the military uses the civilian network. Landlines are of particular importance to TM operations. Use MCS, country studies, or digital intelligence databases to obtain information. Available data within DCW-II and commercial GGI&S systems generated the example (Figure II-13) of a kind of graphic needed for this step.
- d. Step-1.4 Identify the Amount of Detail Required and Feasible Within the Time Available. Understanding the TMD IPB development process is essential in order to collect the required information and to deliver that information in a timely manner. Failing to get the right information to the right place at the right time can result from trying to do too much. Yet, doing too little results in getting the wrong information to the right place at the right time. To avoid this, develop a TMD IPB checklist to gauge the amount and detail of work that needs be accomplished, then build a TMD IPB development plan to schedule the work identified in the TMD IPB checklist (Appendix D). This helps in focusing the development effort to get the right information to the right place at the right time.




Figure II-11. Geopolitical and Regional Threat Assessment Template




Figure II-12. Adversary TM Force Capabilities Assessment Template (1 of 2)

Adversary TM Force Capabilities Assessment

Active Defense Suppression Capabilities

Motivation and Intent

Motivation - US and allied TMD and TAD forces can destroy or at a minimum neutralize RED theater air and missile forces, effectively rendering them useless.

Intent - Given RED priority for TM forces and historical use of SEAD, RED is assessed to be highly motivated to conduct active defense suppression of US and allied TMD forces. Therefore, it is assessed that RED intent is to suppress active defenses with available military forces when operationally feasible.

Historical Use of Suppression of Active Air or TMD

TAD Versus TMD

During the 1992 RED-GRAY war, RED conducted 3 separate SEAD attacks against GRAY SA-2 radars. In each attack, RED used 2 Su-24 FENCER Ds, with each launching 2AS-17a ARMs.

RED places a higher strategic value on its TBM and SLCM force and is therefore assessed to place at least the same priority on countering US and allied TMD as on countering US and allied TAD forces. However, defense against air attack by the US and allied air forces is first priority for the RED air force.

Capability to Locate TMD Assets for Suppression

The primary intelligence asset available to RED will be indigenous personnel sympathetic to RED and inserted intelligence covert operations. These in-place agents will likely blend in with the local populace to avoid detection. They may carry still or video cameras, as well as small hand-held GPS receivers for recce in support of targeting US and allied TMD assets by other RED forces. They are not expected to carry laser ranging equipment, laser designators for PGMs, or weapons.

The use of SOF teams is possible, but will likely have difficultly in being inserted in a timely fashion. If inserted, they are not expected to present a physical threat unless RED perceives that hostilities are a direct threat to the current political regime. The SOF teams will likely conduct recce to support targeting by other RED forces. SOF teams may include laser designators for directing PGMs onto US and allied TMD assets.

RED has 6-8 French built Mirage III fighters configured for recce and could use them against US and allied TMD assets. However, their survival against US and allied TAD is questionable. See doctrinal templates for these recce configured Mirage IIIs and details on deployment, performance, characteristics, and tactics.

RED operates a handful of mobile ELINT vehicles; however, their range is limited to less than 50 km, placing them out of range of the current deployment for US and allied TMD assets.

Suppression Capabilities	
Suppression Capability	Applicable To:
TMs in Suppression Role - Probable against land-based TMD assets and very probable against sea-based TMD assets using ASCMs.	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs.
FM Penetration Tactics - Only salvo launch is expected with 6-12 TBMs or SLCMs against a single target within a 1-minute time span.	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs.
TM TMD Countermeasures - Only simple RCS reduction expected.	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs.
Aircraft - Very probable if aircraft can survive to weapon release points.	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs.
ASCMs to Suppress TMD Capable Ships - Very probable.	TMD equipped AEGIS CGs and DDGs.
ARMs - Very probable if aircraft can survive to weapon release points.	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs.
Information Warfare (Including EC) - Very unlikely, no known capability.	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs.
WMD - Not expected in a active defense suppression role.	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs.
SOF - Medium probability in an intelligence collection role and very low probability for physical attack role.	PATRIOT and THAAD.
Terrorist and Insurgent Forces - Very probable for intelligence collection role and very low probability for physical attack role.	PATRIOT and THAAD.
Conventional Ground Forces - Very unlikely.	PATRIOT and THAAD.
Conventional Naval Forces - Unlikely.	TMD equipped AEGIS CGs and DDGs.
Combined Arms Tactics - Unlikely.	PATRIOT, THAAD, and TMD equipped AEGIS CGs and DDGs.
FMD IPB Template 18 March 2000 UNCLASS	IFIED Local Reproduction Authorized

Figure II-12 (Continued). Adversary TM Force Capabilities Assessment Template (2 of 2)




Figure II-13. Major Terrain and LOC Overview Template

- e. Step-1.5 Evaluate Existing Databases and Identify Gaps. The TMD IPB database will not have all the intelligence and information required to evaluate the effects of each battlespace characteristic and each TM force. Databases only contain a fraction of the information required to support TMD IPB development. Hardcopy reports are still very valuable sources of information. Maps are essential and digital maps are required. Valuable on-line sources include intelligence link (INTELINK) and near real time links (that is, tactical related applications [TRAP] data dissemination service [TDDS], tactical information broadcast service [TIBS], Joint Tactical Information Distribution System, and moving target indicator feeds). Open source resources include books, periodicals, academia and industry. Identifying intelligence gaps early allows for data collection operations before the start of combat operations. In many cases, support from other intelligence organizations is needed to obtain and analyze data to fill gaps. Identifying gaps that cannot be filled within the time allowed is equally important in developing the TMD IPB. Maintain communication with the command staff regarding the gaps not expected to be filled and formulate reasonable assumptions. Identify gaps by identifying organizational sources and points of contact (POCs); identifying current, on-order, and desired information holdings and connectivity to sources (Appendix B, Figure B-10); evaluating the identified sources; and assess the critical gaps in the information relative to the TMD IPB steps (Appendix B, Figure B-11).
- (1) IPB Holdings and Database Assessment. It is good practice to maintain a log of the information holdings. Each organization handles this function differently. Some organizations use a library function to keep a log of information holdings and others find it more efficient to develop and maintain ones own log. Appendix B, Figure B-10 shows one way to catalog the information holdings. Ideally, maintain the catalog within a computerized database accessible over a network.
- (2) POCs. No single organization can accomplish the TMD IPB process alone and support is needed from outside organizations. To develop a complete and accurate TMD IPB, it is important to identify and establish national through theater level POCs early. Establish a POC for each of the organizations identified in the organizational sources template (Appendix B, Figure B-10). A general purpose computerized personal information manager or contact manager is very useful in managing POCs. See Appendix B, Figure B-12, to build a list of POCs manually.
- f. Step-1.6. Collect the Material and Intelligence Required to Support Further TMD IPB Analysis. Collecting intelligence and incorporating it into the TMD IPB process is a continuous effort. The TMD intelligence team fills intelligence gaps by initiating collection operations through priority intelligence requirements (PIRs), essential elements of information (EEIs), and requests for information (RFIs). Additional intelligence data is applied to the appropriate steps to allow updating of all TMD IPB products.
- (1) PIRs, EEIs, and RFIs. PIRs represent the commander's most important intelligence requirements that are prioritized according to relative value. PIRs are single requirements, typically in the form of a single question

and oriented towards identifying the COA an adversary is executing. Recommended PIRs are typically submitted to the command's intelligence collection manager who submits them and other command PIRs to the commander for approval. The collection manager is then responsible for submitting the PIRs to the appropriate intelligence functions for collection. EEIs identify information needed to support a wide variety of standing information requirements and may duplicate PIRs. The TMD IPB team typically submits EEIs to the command's intelligence collection management that then racks and stacks them with other command EEIs to form the command's collection requirements. RFIs are used to request any needed information that does not fall into the PIR or EEI categories and range from simple to very complex requests. See Appendix B, Figure B-13 for a PIR, EEI, and RFI worksheet.

(2) Information Searches. Appendix B, Figures B-14 through B-16 assist in developing initial information search profiles for documents, text message retrieval, digital databases (INTELINK, modernized integrated database [MIDB], National Exploitation System), and other digital information sources. Conduct information searches early, as they are useful for performing parts of TMD IPB Step-1. After the initial search is complete, review the data for relevancy and accuracy. This review refines the search profiles that is critical to retrieving the appropriate information. A narrow search profile results in missed information, while a wide search profile results in information overload. The search profile is relatively static during peacetime. During crisis, it needs to be dynamic to keep up with changing adversary and friendly situations. The information retrieval specialists are essential to getting the search criteria correct for the current situation, because each search system is different and requires different filtering criteria to achieve the desired results. The *key* is to interact frequently with the information retrieval specialists.

Chapter III

STEP-2: DEFINE THE BATTLESPACE EFFECTS

1. What Is It?

- a. Definition. Step-2 determines how the battlespace environment affects adversary TM and friendly TMD operations.
- b. Desired End Effect. The desired end effect is the identification of how the battlespace environment influences adversary TM and friendly TMD operations. Terrain plays an important role because TM systems are so mobile. By focusing on terrain suitability for TM and TMD operations based on geography, weather, and the technical characteristics of the TM equipment and forces, the terrain assessment process analyzes the military aspects of the terrain. Two primary objectives of the TMD IPB terrain assessment are—identification of potential mobility areas within TM force operating areas and identification of exploited terrain for countering mobile TM operations. Terrain analysis is not the end product of the TMD IPB process. It is the means to determine which friendly COAs best exploit the terrain and how the terrain affects the adversary's available TM COAs and friendly forces ability to defend against them.

2. How To Do It For TMD

Step-2 is concerned with the evaluation and integration of the various environmental and infrastructure factors affecting adversary TM force operations. The primary steps in Step-2 are shown in Figure III.




Figure III-1. Step 2 - Define the Batllespace Effects

Generally, the AO is evaluated in more detail than the AOI. The focus also varies for different TMD mission areas. For example, an active defense only IPB analysis would reduce the urgency for a detailed missile infrastructure analysis. The battlespace is not homogeneous because certain areas or sub-sectors will affect various types of operations in varying degrees. During the evaluation, identify those areas that favor each type of operation and consider traditional operations (defense and offense) as well as operations associated with any specific operational factors (launch, transload, etc.). The following discussion focuses on adversary capabilities and effects, but the processes are also required for analysis of friendly TMD operations.

- a. Step-2.1 Analyze the TM Battlespace Environment. The detail in which the battlespace environment is analyzed varies depending on the command's mission, the general TM forces' capabilities, and each battlespace dimension's relative significance or importance to the specific command operation being planned. Military planning requirements generally require a more detailed evaluation of the AO than the AOI. Since the battlespace is not homogeneous, various air, land, and maritime areas may require greater or lesser analysis depending on the relative geographical complexity of the region. Each battlespace dimension's environment is analyzed for its military aspects and evaluated for its effects on military operations. In the case of SLCM, airlaunched cruise missiles (ALCMs), and ASMs, give special consideration to analyzing the maritime and air dimensions and their effects on TM operations. Weather is considered in terms of its ability to modify each dimension's environment and as a separate factor capable of directly affecting military operations. For example, heavy rainfall modifies the land environment by swelling streams and degrading/reducing soil trafficability, but it can also directly impact military operations across the spectrum of all battlespace dimensions by reducing visibility.
- (1) It is important to focus the analysis, because performing a detailed terrain analysis is generally unrealistic for very large areas. TMs normally operate over much more constrained geographic areas. An assessment is made to define a TM force's field operating areas and to focus terrain and weather analysis to only those areas from which the TM force is likely to operate. If time allows, expand the analysis areas to where TM operations could take place.
- (2) Maritime Dimension Considerations. The maritime dimension of the battlespace is the environment in which all naval operations take place to include SLCM operations. The maritime dimension is influenced both by the sea and the littorals. When conducting IPB against SLCMs, examine the effects of maritime geography on the battlespace for both the AO and AOI. Key military aspects of the maritime dimension include maneuver space and chokepoints, natural harbors, anchorages, ports, naval bases, sea LOCs, and the hydrographic and topographic characteristics of the ocean floor and littoral land mass. Base the evaluation of these key aspects on the degree to which they control or dominate SLCM operations. Evaluate the location of adversary naval bases in relation to how well they support SLCM operations. Identify adversary axes and avenues of approach, high-risk areas, low-risk areas, and potential naval engagement areas. The end result is an evaluation of how the maritime environment helps or hinders SLCM operations. Identifying potential SLCM launch locations is the ultimate goal. Identifying these areas is problematic and

depends largely on factors such as friendly target locations, SLCM ranges, and the specific launch platform (that is, surface combatant vice submarine). For example, analyze bottom composition and fathom curves to determine the possible locations of subsurface threats (particularly quieted diesel submarines) within SCLM range of potential targets.

- (3) Air Dimension Considerations. The air dimension of the battlespace is the environment in which ALCM and ASM operations are conducted. IPB against these threats is also focused on the launch platforms more so than the missile itself. Give special consideration during the IPB process in analyzing how the air dimension affects these platforms. When conducting TMD IPB against ALCMs and ASMs, analyze air avenues of approach. Likely approaches are those that protect the launch platforms from detection and engagement (masking terrain) while still allowing maneuver and providing adequate line-ofsight (LOS) to the target. Other factors that affect ALCM/ASM platforms include attack profiles, ordnance, point of origin, and ground control radar positions. Ordnance or payload may affect range and altitude and will probably influence the avenues of approach. Adverse weather may also affect the enemy's ability to employ these air-breathing launch platforms. The air dimension is analyzed in a 2-step process that analyzes the various military aspects of the environment and then evaluates how the environment affects military operations. The first step is to identify and locate friendly assets that are potential adversary targets. This is followed by identifying adversary airfields from which air attacks might be launched and that are within range of the previously identified target areas. The surface and air environment located between these adversary airfields and friendly targets are then analyzed to determine likely air avenues of approach and to determine any other characteristics of the air dimension that may influence ALCM/ASM launch operations. The ultimate purpose of this type of analysis is to determine the optimal air attack heading and profile in effect, the ALCM/ASM forward operating locations.
- b. Step-2.1.1 Terrain Assessment. The best TMD IPB terrain analysis technique is a combined approach using automated terrain analysis tools supplemented by reconnaissance and manual techniques using high-resolution maps and imagery. A comprehensive TMD IPB terrain analysis integrates data developed during TMD IPB Steps 1, 2, and 3 and is iterative throughout the effort.
- (1) Analysis of Military Terrain Aspects. To conduct this analysis, break down the elements of the battlespace terrain and analyze each aspect. Key aspects are—
 - (a) Surface configuration (includes land, sea and littoral).
 - (b) Vegetation.
 - (c) Surface materials.
 - (d) Obstacles.
 - (e) Transportation and LOC infrastructures.

- (f) Urban areas.
- (g) Cover.
- (h) Concealment.
- (i) Cross-country movement (CCM).
- (i) Observation/LOS.
- (k) Key terrain.
- (l) Electromagnetic (EM) spectrum.

Consider all of these factors when analyzing terrain but focus on the ones most relevant to the specific situation and the commander's needs. Evaluate the factors in the order that best supports the analysis. Each terrain analysis template has its own requirements for either digital data and/or hard copy maps/charts (Appendix B, Table B-1). In most cases, only limited types of digital data and hard copy maps/charts will be available.

- (2) Terrain Feature Data. Terrain feature data is used throughout the terrain analysis process. NIMA's foundation feature data (FFD) classifies terrain features data across multiple GGI&S products. Appendix B, Figure B-17 provides a suggested template for identifying terrain FFD codes, attributes, and values.
- (3) Terrain Reconnaissance. Identify the terrain knowledge gaps that analysis cannot satisfy. Use these gaps as a guide for reconnaissance planning and focus the reconnaissance on the areas most important to the mission. When feasible, supplement the predeployment terrain analyses with actual reconnaissance.
- (4) Terrain Analysis and Weather. Terrain analysis must always consider weather effects. The terrain analysts should work closely with the weather detachment or staff weather officer to ensure that the analysis incorporates the effects of current and projected weather. Terrain analysis is a continuous process and changes in the battlespace environment may alter the evaluations of its terrain-derived effects. For example, if built-up areas are reduced to rubble or LOCs are destroyed in battle, reevaluate the mobility characteristics of the AO. Similarly, if weather conditions change, reevaluate the terrain's impact on military operations. Finally, TM unit operations use organic engineering capabilities to develop hide and launch locations in areas previously judged unsuitable.
- (5) Terrain Analysis and TM Force COAs. Evaluating terrain effects identifies the battlespace areas that affect each TM force's COA. For example, terrain effect evaluation helps identify areas best suited for launch sites/areas, airfields, ports, fire control sites, hide sites, transloading areas, forward operating locations (FOLs), and forward storage areas.
- (6) Terrain Analysis Templates. There are 12 basic types of terrain analysis templates applicable to TMD IPB development. See Appendix B, Figure B-18 for a suggested checklist to determine which ones apply to a particular

TMD IPB development. Templates provide a good method for tracking the status of the terrain analysis. Use USA FM 3-34.33 (FM 5-33), *Terrain Analysis*, as the primary source for terrain analysis techniques and analytical procedures. The following sections provide the primary terrain analysis steps and resultant templates. Step-1 is identical for each section.

- (a) Surface Configuration. A surface configuration template depicts the terrain's slope by using degrees or percent of slope. Terrain slope affects area suitability for TM force operations (launch, missile handling, field storage, and radar siting). The surface configuration template helps determine cross-country mobility. Use the following terrain analysis steps to produce the land surface configuration and bathymetric surface configuration templates.
- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17), use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33] for the remaining steps).
- Step-2 (Optional for land surface configuration). Plot elevation/depth contours. Select an appropriate contour interval for the current TMD IPB development. Five, 10, and 20 meters (m) are typical values for contour intervals.
- Step-3 (Optional). Plot identified (see Appendix B, Figure B-17) surface drainage features. Label the outlined areas with a W.
- Step-4 (Optional). Plot dissected terrain (pits, quarries, dumps, piles, landfills, ravines, gorges, etc.). Most of these features are easily recognized on topographic maps.
- Step-5. Define, plot, and code label the desired slope categories (see Appendix B, Figure B-19).
- (b) Vegetation. A vegetation overlay shows the natural and cultivated vegetated areas. It helps determine LOS, cover, concealment, and the capability of the TM force's equipment to move cross-country. Use the following terrain analysis steps and USA FM 3-34.33 (FM 5-33) to produce the vegetation template:
- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33] for the remaining steps).
- Step-2 (Optional). Plot identified surface drainage features (see Appendix B, Figure B-17). Label the outlined areas with a W.
- Step-3 (Optional). Use available imagery or human intelligence (HUMINT) resources to identify vegetation areas by type that are not in the vegetation FFD. Use the dominant (60 percent or greater) vegetation in the area to type an area with mixed vegetation. Digitize previously unavailable data and add it to the available local vegetation FFD.

• Step-4. Plot the boundaries and areas of all identified vegetation types using the vegetation FFD and overhead or HUMINT from Step-3. Label and code each type of vegetation (see Appendix B, Table B-2). Use additional user defined codes as required.

Note: After completing each of the following steps through Step-7, apply step results to Step-8. Digitize the previously unavailable data and add it to the available local vegetation FFD.

- Step-5 (Optional). Determine the canopy closure and mean height to the canopy top for each forested area using the coding standard in Appendix B, Table B-2. Add the canopy closure and height results to Step-4.
- Step-6 (Optional). Determine the tree crown diameter for each forested area. Tree crown diameter is the distance across the spread of a tree crown and is measured in meters.
- Step-7 (Optional). Determine the mean stem diameter and the stem spacing for each forested area. Tree stem diameter is the diameter of a tree at 1.4 m above the ground. Stem spacing is the distance from the center of one tree to the center of the nearest adjacent tree.
- Step-8 (Optional). Estimate the vegetation roughness factor (VRF) for each vegetation area. The VRF is a numerical estimation of vehicular speed degradation when moving over flat terrain and through a particular type of vegetation. The factor decreases from 1.0 (no speed degradation) to 0.00 (vegetation roughness does not permit off-road mobility). For example, grassland with little slowdown effect has a VRF of 1.0 to 0.9 but virtually impassable swamp with dense ground vegetation, fallen branches and trees, and exposed stumps has a VRF of 0.1. The VRF designated to a vegetation category is subjective and designated by the terrain analyst.
- (c) Surface Materials. A surface materials' template shows the natural and cultivated vegetated areas. It helps determine LOS, cover, concealment, and the capability of the TM force's equipment to move cross-country. Use the following terrain analysis steps and USA FM 3-34.33 (FM 5-33) to produce the surface materials' template.
- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33]) for the remaining steps.
- Step-2 (Optional). Plot identified surface drainage features (use Figure B-17). Label the outlined areas with a W.
- Step-3 (Optional). Plot built-up area features using completed Figure B-17. Label the outlined areas with an X.
- Step-4 (Optional). Plot permanent snowfield features using completed Appendix B, Figure B-17. Label the outlined areas with a PS.

- Step-5 (Optional). Plot salt evaporators and salt encrustation features using completed Appendix B, Figure B-17. Label the outlined areas with an EV.
- Step-6 (Optional). Use available imagery or HUMINT resources to identify any surface material areas by type that are not contained in the available surface material FFD. Use the dominant (60 percent or greater) surface material in the area to type an area with mixed types Digitize previously unavailable data and add it to the available local surface materials FFD.
- Step-7 (Optional). Plot exposed bedrock features or those void of surface materials using completed Appendix B, Figure B-17. Label the outlined areas with a RK.
- Step-8. Plot the boundaries and areas of all identified surface material types using surface materials FFD and overhead or HUMINT from Step-6. Label each surface material type using the codes in Appendix B, Figure B-17. A 3d digit is used with the Unified Soils Classification System (USCS) (see Appendix B, Table B-3). The 3d through 6th digit indicates the surface roughness factor from the next step. Do not assign a surface roughness factor to the USCS codes RK, PS, EV, X, and W. Use additional user defined codes as required. See Appendix B, Table B-4 for landforms and commonly associated soils to assist in identifying surface materials.
- Step-9. Estimate surface roughness factors and compute the degree to which a vehicle's speed is degraded by surface characteristics (boulder fields, gullies, and rugged bedrock). Factors can be any number from 0.00 to 1.00 in 0.05 increments. The surface roughness factor of 1.00 indicates no vehicle speed degradation while a 0.80 factor indicates a degradation by 20 percent. In estimating the factor, consider all physical characteristics of the feature as well as vehicle characteristics (ground clearance, wheel size, etc.). Estimate surface roughness factors for the primary TM force vehicle or create a surface materials template for each important TM vehicle type.
- (d) Obstacles. An obstacle template depicts the location and type of man-made or natural movement obstacles. It is used with the other terrain analysis templates to produce cross-country movement overlays. Use the following terrain analysis steps to produce the land obstacles and nautical obstacles templates:
- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33]) for the remaining steps.
- Step-2 (Optional). Use available imagery or HUMINT resources to identify any obstacles by type that are not contained in available surface material FFD. Start with the LOC infrastructure and search along its infrastructure. Digitize previously unavailable data and add it to the available local obstacle FFD.

- Step-3. Plot existing obstacle features (see Appendix B, Figure B-17) using the appropriate military symbology.
- (e) Transportation and LOC Infrastructures. Transportation and LOC infrastructure templates show the 2 infrastructures. Transportation is all the routes (land, sea, and air) within the operating area of a TM force. Air transportation includes all of the routes for air delivered TMs from the operating base to the targets. LOCs are all the supply and equipment routes (land, sea, and air) that connect an operating military force with a base of operations. Use the following terrain analysis steps to produce the road transportation and LOC template; railroad transportation and LOC template; air lanes and LOC template; and port transportation, inland waterways and LOC template:

Note: To perform the labeling and coding in the following steps, use the symbology and coding in USA FM 3-25.31 (FM 21-31), Topographic Symbols, USA FM 3-34.33 (FM 5-33) and Appendix B, Figure B-20. After completing each of the steps, digitize the previously unavailable data and add it to the available local transportation and LOC FFD.

- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33]) for the remaining steps.
- Step-2. Use available imagery or HUMINT resources to perform an analysis of the terrain to locate all appropriate transportation and LOC features. Restrict the transportation and LOC analysis to the transportation infrastructure operating areas and the LOC infrastructure routes connecting the field operating areas and fixed locations. This step is necessary since most NIMA GGI&S products are either incomplete, out-of-date, or lack the resolution to support TMD IPB transportation and LOC analysis.

Note: For each unique segment of the transportation and LOC infrastructures, do the following steps:

- Step-3 (Optional). Identify and label the surface material of the roads.
- Step-4 (Optional). Determine the minimum road width and number of lanes. Each segment is assigned a minimum width value (see Appendix B, Table B-5 for military map lane widths). Always use a decimal point to record the segment width (5 m = 5.0 m) and place that number parallel to the segment. Note and label every point at which a change in width occurs and place a segment symbol at each.
- Step-5 (Optional). Determine the gradient, degree, or percent of slope when it exceeds a predefined value (less than or equal to 17 or 25 degrees) based on the equipment templates from TMD IPB Step-3. Place an arrowhead symbol at each end of the gradient with the flat end of the arrowhead at the bottom of the grade and the point of the arrowhead at the top.

- Step-6 (Optional). Depict constrictions when the segment narrows to less than a predefined value (default of 3 m) based on the TMD IPB Step-3 equipment templates. Indicate the width measurement adjacent to the arrowhead symbol.
- Step-7 (Optional). Depict all sharp curves with a radius in meters of a predefined value (default of 30 m) based on TMD IPB Step-3 equipment templates. Indicate the width measurement adjacent to the arrowhead symbol.
- Step-8 (Optional). Depict all features that are currently under construction with the circled symbol "UC."
- Step-9 (Optional). Determine and label each bridge segment's length and width and height clearances in meters and its military load classification in tons.
- Step-10. Determine each bridge segment's bypass potential within a 2 km distance from the bridge. Rate and label the bypass potential as either easy, difficult, or impossible.
- Step-11. Determine and label each segment's under-bridge width and height clearance in meters.
- Step-12. Determine and label each tunnel segment's length, width and height clearances, and overburden depth in meters.
- Step-13. Determine each tunnel segment's bypass potential within a 2 km distance from the tunnel. Rate and label the bypass potential as either easy, difficult, or impossible
- Step-14 (Optional). Estimate and label each fording location's length and width and each ferry location's length and capacity.
- Step-15. Plot each runway outline to show which way it is oriented. Determine its length, width, and surface material. Label the facility as either airfield, heliport, or both.
- Step-16 (Optional). Determine and label all railroad segment track gages and any point a change occurs.
- (f) Urban Areas. An urban areas template depicts built-up areas that could conceal TM equipment and forces. Use the following terrain analysis steps to produce the urban areas template:

Note: To perform the labeling and coding in the following steps, use the symbology and coding in USA FM 3-25.31 (FM 21-31), USA FM 3-34.33 (FM 5-33) and Appendix B, Table B-6. After completing each of the steps, digitize the previously unavailable data and add it to the local obstacle or transportation FFD.

- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33]) for the remaining steps.
- Step-2 (Optional). Use available imagery to identify any built-up areas which are not contained in available surface material FFD. Start with the LOC infrastructure and search along it.
 - Step-3. Plot and label all built-up area boundaries.
- Step-4 (Optional). Divide and label the urban areas by dominant (60 percent or greater) building type into smaller areas.
- (g) Cover. A cover template depicts locations and terrain features which can provide the TM force cover from friendly attack operations. Use the following terrain analysis steps to produce the land cover and nautical cover templates.
- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33]) for the remaining steps.
- Step-2. Determine the potential friendly attack assets and their capabilities from the commander's guidance and command OPLANs. Information on the general types of weapon systems and capabilities that penetrate and destroy hardened targets is needed. Information from higher should suffice for this step.
- Step-3. Using Step-2 information, examine each terrain feature found in all previous templates and determine which terrain features provide potential cover from the command's TMD attack assets. Plot and label features. If the command has a fully deployed air capability with significant assets allocated to TMD attack operations, very few terrain features may provide cover. For example, current precision-guided munitions can penetrate significantly hardened targets and only deep tunnels may be capable of providing cover. Consider all factors when determining a terrain feature's potential for providing cover.
- (h) Concealment. A concealment template depicts potential TM force hide locations. Concealment is protection from friendly observation. Use the following terrain analysis steps to produce the friendly air defense and TMD radar masking template; friendly airborne radar masking template; and friendly surface radar masking template.
- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33]) for the remaining steps.

- Step-2. Determine the potential friendly intelligence, surveillance, reconnaissance (ISR) assets and their capabilities from the commander's guidance and command OPLANs. Information on the general types of ISR systems and capabilities used to observe TM forces is needed.
- Step-3. Using information from Step-2, examine each terrain feature found in all previous templates and determine which terrain features provide potential concealment from the command's TMD ISR assets. Plot and label using USA FM 3-25.31 (FM 21-31) and FM 3-34.33 (FM 5-33). Consider all relevant factors when determining a terrain feature's potential for providing concealment.
- (i) CCM. A CCM template depicts the mobility of a TM force. Also referred to as an avenue of approach overlay, the CCM template depicts the mobility corridors and best off-road routes TM vehicles can use to get to an objective. It also shows the terrain that these vehicles cannot cross. It relies on many of the previously produced templates, such as surface configuration and obstacle templates and vegetation and surface materials templates. CCM analysis is a very manually intensive process; when possible, use automated terrain analysis tools. Use the following terrain analysis steps to produce the CCM template:
- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33]) for the remaining steps.
- Step-2. Determine the types of vehicles and conditions (dry, wet or both) for which CCM templates will be developed. Several templates may be required to support a TMD IPB development. The following is typical for a TBM case in an environment with both a dry and wet season:
 - •• TBM transporter erector launcher (TEL) dry season CCM template.
 - •• TBM TEL wet season CCM template.
 - •• TBM GSE vehicles dry season CCM template.
 - •• TBM GSE vehicles wet season CCM template.
- Step-3. Retrieve and consider the below factors for each overlay. Estimate the ones that can not be calculated (see USA FM 3-34.33 [FM 5-33] to calculate) and ignore those with insufficient data. Most of the factors are on the previously constructed templates (surface configuration and vegetation). If required, consider and use additional factors. Use Appendix B, Figure B-21 to gather all the factors and start the CCM template production. The standard terrain analysis factors are—
- •• Road slope versus maximum vehicle speed. Express in kilometers per hour (kph).
 - •• Off-road slope versus maximum vehicle speed (express in kph).

- •• Slope-intercept-frequency. This is the number of times the ground surface changes between positive and negative slopes over a 1 km distance. Express as a factor between 0.00 and 1.00.
- •• Dry soils. Express as a factor between 0.00 and 1.00 for each soil type.
- •• Wet soils. Express as a factor between 0.00 and 1.00 for each soil type.
 - •• Surface roughness. Express as a factor between 0.00 and 1.00.
- •• VRF. Express as a factor between 0.00 and 1.00 for each vegetation type.
- •• Vegetation. This is the combination of VRF, vehicle factor, vehicle clearance factor, and vehicle override. Express as a factor between 0.00 and 1.00.
- Step-4. Establish vehicle speed categories (go, no go, restricted, severely restricted, and not evaluated) using Appendix B, Figure B-21.

Note: After completing Steps 5 and 6, digitize previously unavailable data and add it to the available local transportation FFD.

- Step-5. Determine each unique area's slope. Multiply all of the factors together and then remultiply using the road or off-road slope speed.
- Step-6. Assign a speed category to each unique area's terrain as established in Step 4 and Appendix B, Figure B-21.
- Step-7. Plot all unique areas, mark their speed categorization, and code each area with shading, color, or alphanumerically.
- (j) Observation/LOS. An observation/LOS template depicts the ability to see the adversary or for the adversary to see friendly TMD operations visually or with surveillance devices. Factors that limit or deny observation include concealment and cover. Use the following terrain analysis steps to produce the friendly overhead ISR and TMD radar template; friendly standoff ISR and TMD radar template (includes special forces [SF]); adversary air defense and TMD radar coverage template; adversary overhead ISR template; adversary standoff ISR template; adversary surface ISR template (includes SF).
- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33]) for the remaining steps.
- Step-2. Retrieve and plot the locations and sensor coverage capabilities for all friendly ISR and TMD radar assets assigned to the command. Take into account the effects of terrain masking. If an ISR or radar asset is

mobile (that is, Airborne Warning and Control System or Joint Surveillance Target Attack Radar System [JSTARS]), plot the areas of coverage for which 100 percent coverage will be available. Mark other visible areas as less than 100 percent coverage. If feasible, develop a variable scale areas with 100, 75-100, 50-75, 25-50, and 0-25 percent coverage.

- Step-3. Retrieve and plot the known locations and sensor coverage capabilities for all adversary ISR, air defense radar, and TMD radar assets. Take into account the effects of terrain masking. If an ISR or radar asset is mobile (that is, overhead imagery satellite and aerial surveillance radar), plot the areas of coverage for which 100 percent coverage will be available. Mark other visible areas as less than 100 percent coverage. If feasible, develop a variable scale for areas with 100, 75-100, 50-75, 25-50, and 0-25 percent coverage.
- (k) Key Terrain. A key terrain overlay depicts terrain features that afford a marked advantage to either combatant if seized, retained, or controlled. Use the following terrain analysis steps to produce the key terrain template;
- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33]) for the remaining steps.
- Step-2. Examine each terrain feature found in all previous templates and determine which terrain features are key terrain to either the adversary TM force or friendly TMD operations.
- Step-3. Plot and outline each key terrain feature's location. Label each as key terrain for the adversary TM force and/or friendly TMD operations.
- (l) EM spectrum. A TM force EM spectrum template depicts the potential EM emissions from a TM force. It keys friendly signals intelligence (SIGINT) operations to locate and/or directly target TM force assets. New measurement and signature intelligence (MASINT) technologies may permit the detection of generator (and other similar equipment) EM energy; therefore, the generator becomes the transmitter. The TMD analyst needs to carefully check the sensor technologies available and adjust the intelligence targets accordingly. Use the following analysis steps to produce the EM spectrum template.
- Step-1. Retrieve available data. Depending on the type of FFD available (see Appendix B, Figure B-17) use automated terrain analysis tools or manual terrain analysis techniques (see USA FM 3-34.33 [FM 5-33]) for the remaining steps.
- Step-2. List all of the TM force types of equipment that transmit in the EM spectrum (retain this information for further analysis in TMD IPB Step 3). Include the equipment's basic transmitter type, frequency limits, antenna pattern characteristics, and antenna pointing capabilities.
- Step-3. Plot the frequency limits of each transmitter type using a logarithmic scale.

- Step-4. Plot and code label all the known transmitter locations.
- Step-5. Plot the coverage of each transmitter not included in an observation/LOS overlay template.
- c. Step-2.1.2 Assess Weather Effects on TM Operations. Weather analysis evaluates the weather's direct effects on TM force operations. Terrain and weather analyses are inseparable. The weather assessments needed to support TMD IPB are climatology, current weather, and forecast weather.
- (1) Climatology Assessment. Climatology assessment is statistical weather data collected or calculated for an area. It focuses on mean weather conditions likely to affect peacetime readiness planning phases and/or future TM force operations. Favorable TM climatology factors obscure observation of TM force operations (that is, cloud cover) and detrimental factors impede TM force operations (that is, precipitation, thunderstorms, temperature extremes, high winds [surface and at flight altitudes], inversion, and humidity). Climate/weather can have the following effects on TM force operations:
- (a) Impacts the tempo of operations by reducing missile crew efficiency.
- (b) Adversely affects technical performance of the missile system and associated support equipment, particularly if the adversary is denied access to current meteorological data.
- (c) Enables the adversary to tactically exploit its effects on friendly TMD.
- (d) Impacts the effectiveness and likely use of chemical and biological weapons, both negatively and positively. Climatology data is assessed for each TM operating area. Appendix B, Figure B-22 depicts sample climatology data for a given TM operating area. The first source for this data is the local weather unit and if unavailable, the Air Force Combat Climatology Center at 151 Patton Avenue, Room 120, Asheville, North Carolina.
- (2) Current and Forecast Weather. Current and forecast weather are used during combat operations. Current assessment is used to support active missions and operations. Forecast assessment is used for mission planning and TMD IPB development out to 5 to 7 days. To focus weather analysis, begin with available weather trend information or climatology-based overlays for specific TM operational locations within the AO, and analyze each military weather aspect. Evaluate the aspects that have the most bearing on TM missile operations (that is, visibility, precipitation, and winds). Weather has both direct and indirect effects on missile operations. Integrate the effects of the different weather aspects into a single template to provide current and forecast effects on missile operations (see Appendix B, Figures B-23 and B-24). Use it in conjunction with other terrain analysis products to further refine estimates of CCM and when operations may occur. Use local climatology data and then finetune with more current information. Military weather aspects significantly impacting TM operations are—
- (a) Visibility. Low visibility benefits TM operations because it conceals TM unit movement and field deployed activities and enhances the

possibility of surprise. Consider all aspects when evaluating visibility. Precipitation and other obscurants have varying effects. For example, cloud cover can negate friendly overhead reconnaissance of TM. A major factor in evaluating visibility is the amount of available light. Consider phases of the moon, times associated with sunrise, sunset, moonrise, and moonset. Night or low visibility operations can screen launches and limit TEL and GSE visual signatures (during DESERT STORM, the majority of Iraqi missile launches occurred at night). In future conflicts, TM forces are likely to conduct missile launch operations at night or during periods of reduced visibility and cloud cover. During periods of poor flying weather, missile operations degrade the ability of TMD attack operations to visually search for missile equipment. Extreme darkness can cause crew disorientation and slow TM unit movement. Movement would probably be in closed column formation, transit speeds reduced, and vehicle spacing less than 100m.

- (b) Winds. Winds can affect TM operations by reducing crew efficiency in performing transloading operations, reducing crew efficiency in performing prelaunch missile operations (that is, launch site setup and missile erection and alignment), and degrading missile accuracy if the wind's effects are not accounted for during the prelaunch operations (particularly for certain types of warheads). Wind-generated blowing sand, dust, rain, or snow reduces the effectiveness of friendly TMD systems (that is, radar and communication systems). Strong winds hamper the efficiency of directional antenna systems by inducing antenna wobble and can detrimentally impact friendly attack operations.
- (c) Precipitation. Precipitation affects visibility and soil trafficability and can hamper TM crew performance at the launch, transloading, and fueling sites. Combined with lightning, it would likely stop launch activity. It can degrade the functioning of electro-optical systems. Heavy snow cover can reduce mobility, affect communication systems, and degrade the effects of many munitions and air operations.
- (d) Temperature and Humidity. Temperature and humidity extremes reduce personnel and equipment capabilities and may require the use of special personnel shelters or equipment. Missile range performance is slightly sensitive to temperature conditions. Temperature extremes can reduce the maximum range performance of liquid propellant systems by 5 percent under severe conditions (<-30° Celsius (C) and >50° C). Nominal operational conditions (0°-30° C) generally do not impact the performance. Solid propellant missiles are more sensitive to temperature and humidity constraints. The missiles are stored at nominal temperature ranges of 5-25° C. Environmental covers on the TEL or heating cloths placed on the missile maintain missile temperature. Maintaining solid propellant motors within nominal temperature bounds decreases the variation in propellant burn rate and corresponding variation in delivered thrust. High temperatures will increase burn rate (and delivered thrust), while cold temperatures will significantly degrade missile delivered thrust. Unexpected thermal variations may adversely impact accuracy.
- d. Step-2.1.3 Assess Other Characteristics of the Battlespace. This includes other TMD related terrain aspects. Normally, fixed TM force facilities have a specific assessment area while mobile TM force operations have a wider

geographical area assessment. An important limitation in countering mobile TM force operations is the lack of TM infrastructure information. This can be partially overcome by using broad area imagery of National Imagery Interpretability Rating Scale 4.0 quality or better to classify a TM force infrastructure and related terrain features; prioritizing the manpower and time intensive identification and cataloging of a confirmed or potential TM force infrastructure and related terrain features; and using the detailed imagery-based cataloging technique to enhance TMD IPB.

To analyze a TM force's infrastructure, see Figure III-2 for the general process and Appendix B, Figures B-25 and B-26 for example templates used during the process. Known TM force infrastructure typically consists of RDT&E and production facilities, fixed operational facilities, and assessed field operating areas.

(1) RDT&E and Production. A country's TM RDT&E and production infrastructure represents a long-term investment in specialized manufacturing, test equipment, and facilities. TMD IPB analysis against this infrastructure provides specialized support to potential strike missions intended to disrupt, degrade or destroy a country's capability to produce ballistic missile systems. To support this objective, elements of the infrastructure that are unique and difficult to reconstitute are identified and a detailed IPB of the infrastructure




Figure III-2. Adversary TM Force Infrastructure Assessment Process

during the readiness phase is performed. This analysis is a primary function of DIA, Missile and Space Intelligence Center (MSIC) and National Air Intelligence Center (NAIC) and requires specialized engineering expertise and databases.

- (a) When developing a detailed IPB of missile-associated RDT&E and production infrastructure—
- Use all available intelligence resources to determine system component stockage, associated manufacturing processes and subsystems that impact on missile operations.
- Identify the critical nodes within the RDT&E and production complexes such as difficult to replace manufacturing facilities requiring long lead development time, controlled manufacturing equipment and technology, one-of-a-kind or high value production or test equipment, and component and system integration/test points.
- Correlate specific RDT&E and production functions with specific buildings in a complex. Use MSIC and NAIC assessments of system components, production flow, manufacturing techniques/processes to develop candidate facility signatures to support correlations.
- Identify potential RDT&E and production elements that would most directly impact the conduct of the war. For example, identify facilities that might support a production surge to increase operational inventories or high priority weapons modification/development efforts in response to the TMD battle. See Figure III-3 for a sample infrastructure and production decomposition assessment template.
- (b) The level of RDT&E and production infrastructure within a country depends upon the degree to which indigenous production of TMs is underway. The 5 levels of missile production capability are—
- Complete dependence on import of assembled ballistic missile systems; the RDT&E and production infrastructure is minimal with few facilities. Focus on missile logistics and off-the-shelve modifications (that is, extended range Al Hussein).
- Assembly of missile systems from semi-knock down kits (major components preassembled); the RDT&E and production infrastructure is minimal with few final integration and flight test range facilities.
- Assembly of missile systems from complete-knock down kits (missile shipped in parts with all major components disassembled); the RDT&E and production infrastructure is significant with multiple component assembly and test facilities for specialized and critical assembly and test equipment.
- Indigenous production (missile entirely manufactured in-country from country's raw materials and general products); the RDT&E and production infrastructure is extensive with multiple component assembly and test facilities for specialized and critical manufacturing equipment.
- Indigenous development (missile designed and manufactured incountry from country's raw materials and general products); the RDT&E and production infrastructure is comprehensive with complete design and test capability and multiple component assembly and test facilities for specialized and critical manufacturing equipment.

- (c) Production is characterized by manufacturing functions and processes. A facility's specific usage varies from country to country. The following factors will influence a country's actual facility layout and organization:
 - Missile system hardware decomposition.
- Production functions such as metal forming and working (rolling, extruding, stamping/pressing, casting, cutting, milling, machining, etc.), metal treating and finishing (heat treating, chemical treating, painting, coating/preparation for storage, etc.), and electronics fabrication (board manufacture, soldering, component manufacture, cable/harness manufacture, etc.).
- Production labor craft skills (that is, technicians and engineers of various types, administration and support personnel, etc.).
- Production environments and fit-to-process including but not limited to general industrial (rolling, welding, etc.), toxic (chemical treatment, etc.), explosive hazard (explosive loading, etc.), clean (precision fabrication, manufacturing, etc.).
- Overall production flow (time and motion efficiency and common sense).
 - Test areas.

The desired production rate dictates the degree of parallelism in facilities. For example, a single machine shop could manufacture all the machined parts in the TM system; however, actual production is likely grouped by manufacturing function (part type, size, materials) system component or assembly, etc.

- (2) Fixed Operational Infrastructure. During the employment/ sustainment phase, TMD IPB operational infrastructure analysis confirms operational status, identifies structures, equipment, and functions, tracks and analyzes deployment patterns, and tracks unit and equipment movements. A complete analysis of the operational infrastructure involves TMD IPB Steps-2 and -3. Operational infrastructures of interest to the TMD IPB process at all levels (national, strategic, operational, tactical) are C4I, TM garrisons and ports, storage areas/maintenance/logistics/depots, training garrisons, and training areas. At the national/strategic level, flight test areas/sites are of interest. At the operational/tactical levels, field operating areas or deployment areas, field launch areas/sites, field support areas/sites (functions such as—warhead mating, fueling, and transloading) and field hide areas/sites are of interest. Infrastructure analysis develops a functional evaluation of facilities and/or areas (see Appendix B, Figure B-27 for a suggested template.) This functional evaluation and the mapping of its results for the entire operational infrastructure helps to develop the critical node analysis of the fixed operational infrastructure.
- (3) Assessed Field Operating Areas. The operational deployment of units and missile equipment begins from missile garrison and storage areas/depots. The missile garrison houses the missile force (typically a brigade level unit) with its associated GSE. It may also have missile and warhead storage areas that primarily maintain the original missile condition and reliability by controlling the missile's environment and performing scheduled maintenance and operational checks. Peacetime deployment areas maintain alert force operations, hence reveal characteristic terrain and doctrinal practices, which

probably apply to wartime models. Training areas are good readiness phase TMD IPB targets to understand enemy practices regarding the use of terrain and overall threat capabilities. See Appendix B, Figure B-28 for a suggested field operating area assessment template.

- (a) WMD Infrastructure Analysis. In the context of TMD IPB, WMD infrastructure analysis is limited to those facilities that support production, test, and storage of chemical, biological, and nuclear warheads for TMs. This infrastructure is a subset of the overall WMD infrastructure and may include basic resource and development (R&D), agent production, weapons development, testing, storage and disposal for delivery systems other than ballistic missiles. TMD IPB must draw information from the national level agencies (DIA, CIA, Armed Forces Medical Intelligence Center, etc.) that have the primary responsibility for this area. Analyze the WMD infrastructure to—
- Locate and monitor operational status of potential warhead storage facilities and correlate with TMD IPB.
 - · Locate missile assembly and fueling facilities.
- Determine primary LOCs and establish named areas of interest (NAIs).
- Determine specific chemical and biological warfare agents available for TMs and specific warhead types (unitary or sublimation).
- Identify unique TMD indicators (for example, unique canisters) associated with WMD.
- (b) TM Command, Control and Communications (C3) Infrastructure. A primary function of joint and service (National Security Agency, Joint Warfare Analysis Center, Air Force Information Warfare Center ["Links and Nodes" analysis under the CONSTANT WEB program], DIA [MIDB], published intelligence studies, and TIBS/TRAP broadcasts) information warfare analysis efforts is detailed analysis of the C3 infrastructure. TMD IPB must use these intelligence sources and focus on identifying the communications infrastructure supporting TM operations and correlating the C3 infrastructure location with other battlespace factors (for example, terrain, fixed infrastructure). C3 data vital to the TMD IPB are—
 - National command centers.
- Locations where the adversary TM target list is developed and maintained.
 - Brigade command posts.
 - Landline communications and radio or microwave relay networks.
 - Satellite communications (SATCOM) nodes.
- Intercepted mobile high frequency/very high frequency (HF/VHF) radio communications.

These targets are normally high priority information warfare targets, and it is vital to receive updates about their status throughout a conflict. A C3 overlay needs to be built for use in Step-2.2's area limitation analysis.

- (4) Conclusion. As with terrain and weather, express other battlespace characteristics in terms of their effects on adversary missile and friendly TMD COAs. The graphic depictions of the other battlespace characteristics developed during TMD IPB Step-2 provide a template to annotate broad COA text assessments. Some examples are—
- (a) On the operational TM infrastructure graphic, show COA indications such as— $\,$
- The adversary missile force requires prepositioned equipment or depends on long logistics LOCs to maintain deployed operations.
- The adversary has 3 primary deployment routes from this missile garrison.
- (b) On the probable adversary target set graphic, show implied missile operations areas to highlight the closest target sets.
- e. Step-2.2. Assess Battlespace Effects on TM Force Capabilities and Broad COAs. Once the effects of terrain, weather, and the other battlespace characteristics have been evaluated and defined, combine them into an integrated product. For TMD IPB this critical integration step is referred to as area limitation analysis.
- (1) Area Limitation Analysis. The area limitation analysis produces a detailed area limitation product providing a graphic overlay of likely missile operations areas delineating C4I, TM garrisons and ports, storage areas/logistics/maintenance/depots, operating areas or deployment areas, field launch areas/sites, field support areas/sites (functions such as—warhead mating, fueling, and transloading and terms such as FOL, forward support element, forward operating base, and transload site), and field hide areas/sites. Also desirable are graphical overlays that correlate key infrastructures (fixed missile infrastructure, probable TM target sets, communication networks (landlines, SATCOM, etc.), road networks, and air defense coverage areas. Automated terrain analysis tools assist in performing area limitation. See Appendix B, Figure B-29 for example area limitation assessment inputs.
- (2) Automated Terrain Analysis Tools. Automated terrain analysis tools assist in rapidly evaluating terrain for TMD IPB by integrating features and general military information that facilitate movement modeling and locational assessment of mobile targets (see Appendix C). This process combines analytic assumptions regarding the movement of a target (that is, speed, direction, destination, and hold times) with the inherent terrain suitability analysis (that is, road accessibility, elevation, slope, distance from support sites, etc.). Automated TM terrain analysis is affected by 3 primary factors:
- (a) Limited potential TM related operational infrastructure (hide sites, potential launch sites, etc.) databases.
- (b) Limited available digital terrain materials (that is, terrain elevation data, digital mapping products, digital road network, and features data, etc.).
- (c) Difficulty in correlating operational restrictions with existing terrain databases and determining COAs since TM operations favor use of diverse terrain.

Even with automated terrain analysis, some factors may have to be evaluated through map analysis supplemented by reconnaissance and imagery. NIMA and DIA produce specialized maps, overlays, and databases to aid in map based evaluations.




Figure III-3. Infrastructure Functional Decomposition Assessment Template (1 of 2)




Figure III-3 (Continued). Infrastructure Functional Decomposition Assessment Template (2 of 2)

Chapter IV

STEP-3: EVALUATE THE TM FORCE

1. What Is It?

- a. Definition. Step-3 determines TM force capabilities and the doctrinal principles and tactics, techniques, and procedures (TTP) TM forces prefer to employ.
- b. Desired End Effect. The desired end effect of Step-3 is to know the TM force capability given the current situation. This is achieved by developing models that accurately portray how TM forces normally execute operations and how they have previously reacted in similar situations.

2. How To Create TM Models

Evaluating an adversary involves creating models and identifying capabilities and uses the common understanding of the battlespace established in TMD IPB Step-2. TM models depict how TM forces prefer to conduct operations under ideal conditions and are based on the TM force's normal or "doctrinal" organization, equipment, doctrine, and TTP. They result from a detailed study of the TM force and address both its temporal and spatial factors. The model construction can involve in-depth analysis requiring data and expertise from national and theater intelligence organizations. Construct models before deployment and include both graphical depictions and text descriptions of the TM tactics and employment options. Continue to evaluate the TM force after deployment and update the TM models as required. TM models consist of doctrinal templates, description of preferred TTP and options, and high value target (HVT) identification (Figure IV-1).




Figure IV-1. Step 3 - Evaluate the TM Force

3. Doctrinal Templates

Doctrinal templates illustrate the TM force's deployment pattern and disposition when not constrained by battlespace environmental effects. They are scaled graphic depictions of TM force dispositions for a particular type of standard operation and are constructed through an analysis of the intelligence database and an evaluation of the TM force's past operations. To develop doctrinal templates, determine how the TM force organizes for combat and how it deploys and employs its units and various TM assets. Observe patterns in task force organization, timing, distances, relative locations, groupings, and use of the terrain or weather. Focus on major elements as well as individual HVTs. Conduct a comprehensive analysis/OB of TM force capabilities (organization, equipment, TTP, and the temporal and spatial factors) by breaking the capabilities down into the following components:

- Composition Identification and organization of TM units.
- Disposition Physical location of TM units.
- Strength Unit description in terms of personnel, weapons and equipment.
- Tactics Force and unit level tactical doctrine.
- Training Individual and unit level.
- Logistics Supplies and LOCs.
- Combat Effectiveness Abilities and fighting quality of a unit.
- C4I OB Unit network, equipment, and personnel makeup and array.
- Miscellaneous Data Additional intelligence needed to "know your enemy."

Use the MIDB to begin the analysis but thoroughly evaluate all available databases and published defense intelligence reference documents (DIRDs), and directly interface with national intelligence organizations throughout the process. Doctrinal templates integrate a mixture of graphic adversary representations for both the force and unit level combined with descriptive text (that is a force level coordinated attack plan is expanded by a template subset of individual TEL units deployed throughout the battlespace). Tailor doctrinal templates to the type of friendly TMD mission being pursued. Templates for an active defense mission focus on potential and likely TM launch areas, likely TM targets, raid size, maximum and minimum number of missiles per target, types of warheads, and so forth. Templates for an attack operation mission focus on an adversary's TM marshalling areas, likely launch areas, TELs, and C2 facilities supporting TM operations.

To develop the set of TMD IPB templates, start at the TM force level and work down to the individual TM firing battery. Modify generic template sets to fit the particular TM force and the available intelligence data by adding new unique templates and omitting or adding data fields as required. If a crisis

occurs and templates are not available before deployment, develop a minimum subset of the most critical templates for the deploying or deployed TMD unit. See Figure B-30 to determine which templates are the most critical for each specific TMD mission.

Once deployed, continually update templates with the latest intelligence. The following describes example doctrinal templates, including attributes, contents, and instructions. These templates provide a graphic overview of the TM organizational structure and force level OB. This helps visualize both the organizational structure and the national through lowest TM unit C2 structure. There are no prescribed steps for doing these templates. Use intelligence databases and expertise from responsible organizations (DIA, MSIC, NAIC, and National Ground Intelligence Center [NGIC]).

- a. TM Organizational/C4I Templates. These templates define the composition and strength of the TM force and define the C4I system used to control those units.
- (1) The first template in this series is a national level TM organizational structure (Figure IV-2). The organizational structure delineates the flow of control for peacetime and crisis/wartime. Since most countries control TMs as strategic assets, the line of control begins at the highest level of execution authority in the country and extends to the lowest TM unit level. If known, write key individuals' names, unit designators, skip echelon communication, unit composition, etc., on the graphic.
- (2) The second organizational template graphically depicts the brigade level table of organization and equipment (TO&E) by providing a functional representation of the TM force, annotating strength in terms of personnel and equipment, and providing detail on specific units assigned at the brigade, battalion, and battery levels (Figure IV-3 for a battalion level example). Include known specific unit designators and locational data, if available. TM units worldwide use a high level of operations security (OPSEC) and communications security (COMSEC) that limits available intelligence and hinders construction of this template. Initiate and maintain the database for this template using the "facilities, units, and equipment views" in the MIDB and supplement with allsource analysis. One of the most important techniques in constructing the template is a detailed imagery review of the TM unit's home garrisons and supporting depots. The garrison worksheet (TMD IPB Step-2) provides a guide for confirming the functional and equipment status of TM units. Identify the status of those functions and equipment as confirmed, probable, likely, possible, or doubtful as defined in Section-3 of Appendix A. In addition, consider potential modifications, such as a special weapons storage function being accomplished by a TM force. Compile results into a new template representing the current assessment of the particular TM force under analysis.
- (3) The final template provides a graphical C4I breakout of the operational communications structure from the national level down to the battery execution level. It is important to graphically depict the communications connectivity throughout the brigade equivalent structure. As with the other 2 templates, write as much detail as possible on the template.




Figure IV-2. TM National Level Organization and C2 Template




Figure IV-3. TM Unit Level Organization and C2 Template

- b. TM Equipment Templates. In terms of equipment, a TM force has a missile system, launcher, fire control, and GSE. Equipment template detail varies significantly depending on mission requirements and the time and depth of the TMD IPB analysis. They address composition, strength, logistics, and force effectiveness factors from the OB analysis. To meet this requirement, develop a set of quick reference templates for the most critical data. More detailed templates may be developed later for all other equipment areas.
- (1) Missile Data System. This template provides a quick reference format for key TMD mission parameters and addresses critical information requirements for the TMD IPB. Required missile system data varies between TMD mission areas (see Appendix B, Figure B-31). Typical data is photograph, external line drawing with dimensions, internal line drawing annotated with propellant type and number of stages, key performance, parameters/ characteristics, warhead data including mass and type, flight trajectories (maximum, 2/3 maximum, and minimum ranges), nominal reaction times, and median in-flight signature data. Tailor the data template to the specific country of interest (for example, available warhead types), and augment with textual data such as missile descriptions and operational status. MSIC, NAIC, and Office of Naval Intelligence (ONI) are responsible for developing detailed missile engineering data. This data is distributed in missile handbooks, detailed systems reports, engineering reference documents, and spot reports. Data and missile expertise is also accessible through on-line sources such as INTELINK. Published DIRDs or direct interface with the appropriate intelligence center provide the highly detailed missile design information (see missile R&D) infrastructure discussion in TMD IPB Step-2) needed for detailed peacetime IPB.

There are 2 TMD IPB critical analysis areas that go beyond the general information requirements covered by the quick-reference missile equipment template. The first area is evidence of modified or improved missile system capabilities discovered during the TMD IPB. It is unlikely that an adversary could develop and deploy a new missile system for which there is no intelligence data. However, it is possible that an adversary may be able to integrate modifications or improvements to an operational missile for use during a crisis or conflict that have gone undetected by intelligence systems. The primary modification concerns are performance (changes to an existing missile's range/payload capability), lethality (change or development of new warhead options), and defense penetration (changes to the missile's nominal operation, signature, or tactical employment). Defense penetration operations are likely to include TM tactics and missile equipment changes, thus will become critical TMD IPB issues. Integrate MSIC, NAIC, and ONI technical expertise into the TMD IPB process to address missile technical issues.

The second important missile consideration for TMD IPB, particularly for the active and passive defense missions, is the specific warhead options available to a country. Specific warhead options are defined within the intelligence databases and reference sources supporting the TMD IPB. However, because of the particular importance of this area for the TMD IPB, consider the following questions:

(a) Has the adversary weaponized nuclear, biological, or chemical (NBC) warheads for TMs?

- (b) Does the adversary have multiple warhead options? Which ones are better suited for specific targets?
- (c) Does the adversary have advanced warhead options (that is terminal or anti-radiation homing)?
- (d) Do a specific country's warhead systems have any unique employment constraints?
- (2) Launchers and GSE. It is vital to analyze certain TM vehicles for function, value, mobility characteristics, signatures, imagery keys, and other purposes. This aids in determining HVTs and identifying TM force activity in imagery searches. In some cases, such characteristics provide visual, infrared, and radar recognition guides for attack operations assets. Begin template development (time and resources dictate scope) by identifying the TM force vehicle complement (see Appendix B, Figure B-32). Vehicle types to consider in the analysis are missile launcher, missile handling equipment, missile checkout equipment, missile support equipment, missile fueling equipment, and site survey equipment. Collect data from applicable DIA reference documents, the MIDB "equipment view" and the responsible analysts at DIA, NGIC, MSIC, NAIC, and ONI. A suggested vehicle template is provided at Appendix B, Figure B-33. Insert data and applicable graphics as needed.

The most important vehicle for TM operations is the missile launcher. There are three primary types of TM launchers:

- (a) TEL Self-powered vehicle with integrated launcher erector mechanism and on-board equipment compartments and possible internal launch control capability
- (b) Mobile Erector Launchers Separate towing vehicle required; typical configuration is missile erector-launcher on flatbed trailer; mobility is generally more restrictive than a TEL.
- (c) Launch Platforms Aircraft (cruise missiles and TASMs) and naval vessels (cruise missiles) are the primary launch platforms available for launching TMs.

A critical missile launcher issue is the possibility of the adversary employing launcher systems not previously included in intelligence estimates. This employment could take the form of a country having a larger number of launchers of a known type—either indigenously developed or purchased—than previously estimated or indigenously developing a previously unidentified launcher system. Such systems could span the spectrum from a simple fixed launcher or a simple TEL system to more sophisticated TELs. Analysts should also consider the potential use of vehicles modified to support missile operations such as one that integrates missile checkout equipment into a single vehicle specifically to reduce the number of support vehicles used in missile operations. Communications between these support vehicles and TM launchers are usually via tactical wire. TM forces may also use radio frequency communications that increases the possibility of detection by intelligence sources. Some TM missiles

(ASCMs and TASMs) use radar systems and require at least a search/surveillance radar; others require a tracking and fire control radar. Radars are detectable when they emit, which allows them to be geographically located for attack operations assets. Their locations also imply operating areas for the launchers and other supporting functions. The destruction or disruption of these radars will severely impede a TM unit's operations.

Some TM units employ organic or local air defense equipment in support of TM operations. Depending on the situation, the inclusion of air defense equipment templates is important to identify these assets for attack operations. Use standard air defense equipment data (available in the MIDB or within standard references) as a data source.

c. TM TTP. TM TTP templates show the deployment pattern, disposition, tactics, training, and logistics OB factors in graphic, matrix, and text form. They describe the major operations, associated timelines, and options should an operation fail (branches), or subsequent operations should it succeed (sequels). Doctrinal TTP template development for TM operations is vital in the IPB process. Depict a TM force's preferred TTP graphically and include text descriptions. This aids in mentally wargaming the operation's duration during TM COA and situation template development. Displaying the functions of an operation in time-event charts to show how the TM force normally conducts an operation is another technique. For example, while it is difficult to depict a large scale TMD operation graphically, the time relationships between the various elements and their normal composition can easily be described in a time-event chart, narrative, or matrix format. The description addresses characteristic signatures, timelines and phases of the operation (operations, movement, and support), points where units transition from one formation to another, and how the different types of TM equipment contribute to the operation's success. Describe equipment in enough detail to allow later identification of HVTs and high priority targets (HPTs). Since the target's value usually varies with its role in each phase of the operation, ensure that each phase is separately examined.

The description of the TM force's TTP is developed from an evaluation of its doctrine and past or current operations. Include a description of the branches and sequels normally available to or preferred by the TM force should the depicted operation succeed or fail. Examine the basic scheme of operations and for each, check how each type of equipment 'fits in' or provides support. Tag key events or positions on the template (that is, describe the TM force's normal reaction to a friendly attack operation).

- (1) TM Attack Objectives. Consider political and military factors, TM weapons system and warhead capabilities, and intelligence available to the TM force to guide target selection when analyzing TM attack objectives. TMD IPB Step-2 summarized the important factors impacting the analysis of TM attack objectives. The suggested attack objective worksheet (see Appendix B, Figure B-34) assists in systematically addressing the important issues impacting TBM employment. Available intelligence rarely supports stating TM objectives as facts, so qualify assumptions with standard confidence levels (confirmed, probable, etc.).
- (2) TM Tactics. Developing a detailed assessment of the TM force's tactical operations concept is a critical factor in separating the individual activities within the battlespace. The aspects of the TM tactics model are—

- (a) Functions Doctrinal Template. It provides a graphic representation of TM operations (see Appendix B, Figure B-35) and begins with the missile garrison and the missile/warhead storage depot (fixed infrastructure). It illustrates the multi-axes movement to the deployment area where operations are geographically dispersed. Dispersing versus centralizing operations enhances TM survivability at the force, brigade, and battalion level. The generic operation template implies the following functions:
 - C2
 - Storage
 - Missiles, warheads, propellants.
 - Missile transporter loading and fueling at the FOL.
- TEL loading, TEL hide, launch site setup, launch operations, fire control.
 - Support and services, security/defense.
 - Movement and transportation and engineering support (optional).

Breaking down TM operations helps in understanding TM dispositions. A deployed TM force is typically brigade-sized and spread out into battalion-sized deployment areas. Functions are normally redundant within the battalion-sized deployment areas in order to minimize concentration of units, scatter the vehicle movement pattern and increase the effectiveness of camouflage, cover and concealment measures.

The functions template is based on the TM force, in line with operational doctrine, dispersing throughout the battlespace to enhance survivability and effectiveness. The variation in the model shows functions centralized in one location. For example, some countries will centralize some missile support functions (storage, transloading, refueling, etc.) in large underground facilities (UGFs). This tactic significantly reduces the number of vehicles deployed in the battlespace, but gives attack forces a greater opportunity to significantly disrupt operations if the centralized location is successfully identified and attacked. Examine existing historical exercise data and focus on the employment of support assets as well as the launcher. Support asset exercise and training indicate a TM force's preference toward either fielddispersed or centralized operations. Terrain and infrastructure analysis (TMD) IPB Step-2) also indicate battlespace suitability for 1 model or the other. The basic model can serve as a starting point for other missile systems, such as solid propellant systems, that eliminates the need for propellant storage and fueling functions.

(b) Dispersed Deployment Estimate. Develop this estimate for the operational brigade level. Determining the distances between units/functions requires all source analysis, terrain delimitation and tactical judgement. Focus all-source analysis on doctrinal information, typically contained in human or communications intelligence data, combined with exercise/training pattern analysis. Draw terrain factors supporting dispersed deployment doctrine from the integrated terrain analysis (TMD IPB Step-2).

- (c) Time-phased Factors. Analyze the time-phased factors of the TM operation. Develop timelines for all TM operational phases in order to correlate the time and distance factors for TM functions being executed on the battlespace. The TM force's objectives impact the TM time-phased factors. The worksheet at Appendix B, Figure B-36 includes time-phased factors and target/weapon/warhead correlation. Important TM time-phased factors are—
 - Time-of-day considerations.
 - Missile launch and arrival timelines.
 - Execution timelines for specific operations.

Definition of these 3 elements requires detailed analysis of the adversary's doctrinal and technical capabilities. To examine time-phased execution, time-event charts and time-pattern analysis charts are useful techniques. Time-event charts, depict the sequential flow of the steps needed to execute a specific operation and are constructed for any level of execution. For instance, a time-event chart shows the broad sequential steps a TM force takes to deploy from garrison. For a much more specific operation, such as a missile setup and launch, the sequential steps would be much more detailed. The purpose of defining steps to this level of detail is to have a technical understanding of the operational requirements, that drive the timelines. This understanding will support estimating minimum timelines, pacing events, and potential areas where changes to or omission of specific steps could impact timelines and/or performance. Examples of detailed time-event charts are provided at Appendix B, Figures B-37 and B-38. The second technique, a timepattern analysis chart, supports specific operation scheduling and timing analysis, such as the pattern associated with missile launch history. It is an analysis tool to estimate when specific operations need to occur in order to meet the pattern of observed launch activity.

(3) Operation Doctrinal Templates. These templates show the relationships between the TM types of operations. Begin template development with comprehensive operation branches and sequels diagram (see Appendix B, Figure B-39). This diagram forms the basis for doctrinal template development of specific operations. An alternative to the branches and sequels technique is to detail the conditions for possible variations to the basic operation doctrinal template. Use the TM functions doctrinal template and identify a series of possible TM operations. Next, graphically and in text form depict the specific operations required to perform the function onto doctrinal templates.

These templates represent the entire TM deployment sequence. Develop operation templates at the lowest individual unit level required to perform the particular function. Breakdown to this level is required in order to identify specific signatures associated with the TM operations and the HVTs required for the operations. Integration of these operation templates into a TM battlespace situation template is done in TMD IPB Step-4 for specific COAs. Use all-source intelligence analysis to develop operation doctrinal templates and accurately depict times and relative distances. Notations describe the activity and associated characteristic signature patterns and help to identify HVTs and their locations in time and space. Several combat operations TTP templates may be needed. Begin development of TM operation doctrinal templates with a specific

missile system and perform detailed analysis of the required operations and characterize each basic operation. Integrate terrain and equipment information particular to the specific operation. Missile specific manuals (foreign material exploitation information), the intelligence center responsible for the missile system, and country exercise data (missile system operation and employment requirements-based assessments) are good sources of information.

Tailor generic missile system templates to the country of interest. Integrate terrain factors (TMD IPB Step-2) that dictate changes to the generic template. Overlay country-specific TO&E data to identify specific variations in support equipment and consider different technical capabilities of the equipment. The basic components are a graphical depiction of the operation, a functional description, and characteristic signatures addressing site configuration, surrounding environment, accessibility, equipment, and movement patterns. To illustrate, a series of generic TBM templates follow:

- (a) TBM Garrison and Missile/Warhead Storage Depot. Operational employment begins at the TM garrison and storage depot. The TM garrison is normally the peacetime location of the personnel, the brigade's launchers and GSE and can vary significantly in composition. Most TM garrisons include hardened storage bunkers or tunnels to house critical equipment, particularly launchers, and vehicle maintenance and small unit training areas. Normally, missile systems and warheads are not stored at the garrison (except for some training and emergency alert supplies), but maintained in storage depots. A typical storage depot includes hardened bunkers for separate airframe and warhead storage and assembly/checkout areas for routine and major maintenance.
- (b) TBM Field Deployed Storage Sites. TM units usually use dispersed storage locations for field operations. Missile systems are normally stored unfueled (liquid propellant only), but in a ready condition with only limited additional checkout required. Missiles are normally stored on missile transporters or triple carry frameworks. Warheads, especially NBC types, are usually stored separately. Propellant is stored in prepositioned storage containers, or storage containers carried on cargo trucks. Liquid-propellant is stored in standard-sized containers or oversized storage tanks.
- (c) TBM FOL. Missile preparation in the field is done at the FOL, which is typically a deployed area of operations. The FOL site is normally dispersed for increased security and vehicles use cover, concealment, and camouflage. It can encompass several square km, though consolidating the FOL functions into a single location (a UGF or an above ground building or cleared area), is an alternate possibility. The primary field preparation activities are missile and warhead mating, limited missile checkout/maintenance, missile transporter loading (direct TEL loading at FOL is also possible), and missile fueling operations (liquid-propellant systems only).
- (d) TBM Transloading Area. This is the location where fueled, ready missiles are loaded onto the TEL. TEL loading can be done at the FOL, but for OPSEC reasons the doctrinal template depicts this function performed at a separate field location or UGF. Develop a separate timeline template for the transloading operation detailing specific steps.

- (e) TBM Hide Site. The TM hide site refers to TEL cover and concealment positions with the most important locations being those that support hiding pre- and post-TEL launches. Based on general operational practices, these sites are located within a few km and several minutes travel time of a launch site. This pattern analysis helps to establish the current position of the TEL after a launch. Use analysis of wartime launch activity to revalidate or modify patterns and distance/time estimate. TM forces also employ long-term hide sites that are at greater distances from the launch areas but usually within tens of km from support areas. Routine TEL maintenance is probably performed at long-term hide sites.
- (f) TBM Launch Site. The TM fire position is referred to as the launch site. TMD IPB uses terrain analysis to determine potential launch sites. Characteristic signature guidelines provide constraints for the area limitation analysis of potential launch areas. However, the combination of broad TM flexibility and limited fidelity terrain data make classification of launch sites a difficult and tenuous process.
- (g) TBM Launch Operations. An actual missile launch operation takes less than a minute once all prelaunch set activity is complete, though terrain, weather and TTP constraints can impact the launch procedure. Cable and hoses connecting the launcher to the missile are normally replaced after each launch, so it takes minimally several minutes before the launcher can begin travel. Preparing the launcher for travel can be an automated sequence.
- (h) TM Support and Services. Combat service support is the total logistical and administrative effort required to maintain the TM capability to fight. Its functions include missile, warhead and propellant (if applicable) storage, vehicle maintenance support, medical, mess, supply, etc. Very little missile maintenance occurs in the field.
- (i) TM Security/Defense. Security/defense measures that deployed missile units primarily use are passive defense measures (against visual and electronic detection), physical site security, and air defense (either through organic or non-organic assets). Protection of TM assets against sensors and air and ground attack assets, including SF, is a high priority because of their strategic value. A TM unit's inherent small unit mobility, dispersed operational modes, and passive and active defense measures (camouflage, concealment, and deception (CCD) techniques) help provide missile force survivability. Analysis of terrain cover and concealment factors (TMD IPB Step-2) impact missile operating area selection. Planned movement under conditions of low visibility, equipment siting, and light and noise discipline complicate visual detection. A wide range of camouflage techniques (paints, nets, covers, and obscurants) are integrated into missile operations. The use of decoy launchers, radar corner reflectors, and other techniques vary in fidelity and scale. Integrate analysis of OPSEC CCD practices throughout the doctrinal template development process. TM units, lightly armed, perform physical security against US and allied SF operations with security patrols, defensive perimeters and possibly listening/ observation posts.

COMSEC is a demonstrated strength of TM forces worldwide because they use landlines and couriers and avoid radio communications in wartime.

When they do use electronic communications equipment, they employ directional antennas, low power VHF radios, unscheduled transmission patterns of short duration and coded messages.

d. HVT Identification. HVTs are assets that the adversary commander requires for successful completion of the mission. Identify HVTs from database evaluation, doctrinal and TTP templates, supporting narrative, and the use of tactical judgement. Develop the initial list of HVTs by mentally wargaming and thinking through the operation. Consider how the TM force will use each type of equipment to accomplish specific operational functions. Use target relative value matrices to evaluate HVTs. Target value matrices measure a target's relative worth, gives the rationale for attacking each type of target, and the resulting effects on the operation.

First rank order the operational functions the TM force is performing (see Appendix B, Figure B-40). This identifies assets that are key to executing the primary operation or are needed to satisfy decision criteria or initial adoption of branches and sequels. Next, determine how the TM force might react to the loss of each identified HVT and consider its ability to substitute other assets or adopt alternate branches and sequels to the operation. To develop target sets, group important assets into the following categories:

- (1) C3.
- (2) Fire support (includes missiles, TELs, and support).
- (3) Air defense.
- (4) Engineer.
- (5) RSTA.
- (6) NBC (includes support elements and weapons).
- (7) Radio electronic combat or EW assets.
- (8) Bulk fuels (storage and refueling assets).
- (9) Missile and warhead storage/distribution points.
- (10) Maintenance and repair units.
- (11) Transportation.
- (12) LOCs (roads, bridges, railheads, transloading facilities, airfields, choke points).

Finally, rank order the identified HVT set with regard to each HVT's relative worth to the TM force's operation. Record as part of the adversary model. The value of HVTs usually vary over the course of an operation. Identify the changes in value by operational phase and make annotations.

Chapter V

STEP-4: DETERMINE TM COURSES OF ACTION

1. What Is It?

- a. Definition. Step-4 identifies and develops likely TM COAs that will influence accomplishment of the TMD mission.
- b. Desired End Effect. The desired end effect of Step-4 is to replicate the set of specific COAs that the TM commander and staff are executing and considering. All specific COAs that will influence the friendly TMD mission need to be identified including NAIs, HVTs, and TM COA branches and sequels.

2. How To Do It

The primary steps in Step-4 are shown in Figure V-1. Step-4 is a general process for developing and determining TM force COAs (Figure V-2). One example of a TM COA is for an adversary's TM forces to deploy from their peacetime garrison locations to their wartime forward operating locations to target airfields and port facilities to prevent allied forces from completing their lodgment phase operations. Another TM COA—used unsuccessfully by the Iraqis in the Gulf War—is to target a third party nonbelligerent with the goal of forcing that country to enter into the conflict with resultant political consequences.

a. Identify Objectives and Desired End States. State these in simple, 1-line bullet statements and ensure that confidence levels are clearly identified. Rarely is sufficient intelligence available to state the objectives and desired end state as facts. Even during noncombat operations, the TM force has objectives, such as maintaining combat readiness while remaining in cover.




Figure V-1. Step 4 - Determine TM COAs




Figure V-2. Adversary TM COA Development Flow Process

- b. Identify the Full Set of Available COAs. Consider the following when developing— $\,$
- (1) The probable doctrinal COAs given the current situation and the likely objectives. This requires understanding the adversary's decision-making process and perception of the current situation.
- (2) The TM COAs that could significantly influence the command's mission, even if doctrine considers them infeasible or "suboptimum" under current conditions. Consider any indirect or "wildcard" COAs that the TM force is capable of executing.

- (3) The TM COAs indicated by recent activities and events. To avoid surprise from an unanticipated COA, consider all possible explanations for the TM activity in terms of possible COAs.
- (4) Asymmetric and asynchronous threats that could impact TMD operations.

Consider each COA subset independently to avoid forming biases that restrict the analysis and evaluation. Once subsets have been evaluated separately, combine them to eliminate redundancy and minor variations. Compare the consolidated list to TM capabilities (TMD IPB Step-3) to eliminate any nonexecutable COAs. Based on the capabilities evaluation, select TM models that will accomplish the likely TM objectives. The effects of the battlespace (TMD IPB Step-2) influence their application as COAs. Typically terrain, weather, and other characteristics of the battlespace environment "offer" a limited set of COAs, encouraging some while discouraging others. Start with general COAs open to the adversary, such as "deploy to field," "maintain combat readiness in the field," and "multiple missile combat operations." Define each general COA further as a set of specific COAs by integrating the TM models from Step-3 with the description of the battlespace's effects from Step-2. For example, a general COA such as "single missile combat operations" might be further defined as a set of specific COAs such as "with SCUD Bs from a specific geographic area using chemical warfare warheads . . . against the enemy command center." TM factors to consider are intent or desired end state and likely attack objectives; effects of the battlespace environment on operations and broad COAs; vulnerabilities or shortages in equipment or personnel and current dispositions; and location of main and supporting efforts and perception of friendly forces and efforts to present an ambiguous situation or achieve surprise. Each identified COA should meet the following criteria:

- (a) Suitability. A COA must have the potential for accomplishing the TM force's likely objective or desired end state. If the COA is successfully executed, will it accomplish the objective?
- (b) Feasibility. To determine the feasibility of a COA, consider the time and space, resources, and physical means required to successfully execute the COA. Force compositions or other factors might indicate the lack of means to accomplish likely TM objectives. Consider all actions that could create the conditions needed for success before discounting the COA completely. For example, the adversary might conduct economy of force operations in some sectors in order to generate sufficient combat power for offensive operations in others. A lack of resources might force the TM force to violate its own doctrine in order to accomplish its objective. Avoid surprise, consider any seemingly radical measure that may be taken to create the conditions for success.
- (c) Acceptability. Consider the amount of risk a TM force will accept in adopting the COA. Can it afford the resource expenditure for an uncertain chance at success? This is a subjective judgement based on knowledge of the TM force and its doctrine. Sometimes the TM force might undertake otherwise unfavorable COAs, if they are the only means to accomplishing its objective.
- (d) Uniqueness. Each COA must be significantly different from the others or else consider it a variation rather than a distinct COA. Consider the following factors to determine if a COA is "significantly" different:

- Its effect on the friendly mission.
- Exposure of force assets and location.
- Employment concept and task organization.
- (e) Consistency with Doctrine. Each COA must be consistent with TM doctrine. The evaluation of consistency is based on written doctrine and observations of the TM force's past application of that doctrine. Check the intelligence database and templates from TMD IPB Step-3 for this information. Do not overlook TM efforts to achieve surprise by deviating from known doctrine or using "wildcard" COAs.
- (f) Additional Considerations. Consider the following guidelines to identify the full set of available COAs:
- Account for the effect of or the TM force's perception of friendly dispositions, when determining the available TM COAs. Conduct a "reverse IPB" by replicating the process that the TM force is using to discern friendly COAs.
- Focus on those COAs that will affect accomplishment of the friendly command's mission. Include indications that the TM force might adopt a COA that favors accomplishment of the command's mission. This prepares the commander to take advantage of opportunities that might arise.
- Identify the full set of COAs available to the TM force. History repeatedly demonstrates that those who predict only one COA are often surprised by the adversary.
- c. Evaluate and Prioritize Specific COA. The resulting set of COAs depicts the full set of options available to the TM force. It is not possible to predict with complete accuracy which of the COAs the TM force will employ because the identified TM force COAs are predictive, not exclusively facts. The templates at Appendix B, Figures B-41 and B-42, assist in listing COAs and prioritizing them. The commander and staff need to develop a plan targeted at one of the COAs, while still allowing for contingency options if the TM force chooses another COA. Therefore, evaluate and prioritize each COA according to its likely adoption by the TM force. An initial priority list allows the staff to plan for friendly COAs. Even after the commander selects a friendly COA, continue to reorder the TM COAs according to the situation and any change in the adversary's perception of friendly forces.

In developing TM COAs for TMD, focus on the types of COAs the TMD command may execute based on the adversary's predicted targeting strategy and the terrain and weapon limitations. For instance, the TMD unit wants to use TMD systems to their best advantage over adversary missile launches. Specific details on TM launch areas, targets, attack structure, flight azimuths, etc., allow adjustment of TMD radar systems. Similarly, the attack operations unit wants to quickly react to TM activity when on SCUD hunting missions. Focus COA development on those data elements that provide the highest leverage for TMD commanders. To prioritize each TM COA—

(1) Analyze each to identify its strengths and weaknesses, centers of gravity, decisive points and risk factor.

- (2) Evaluate how well each meets the criteria of suitability, feasibility, acceptability, uniqueness and consistency with doctrine.
- (3) Evaluate how well each takes advantage of the battlespace environment.
- (4) Consider that the TM force may choose the second or third "best" COA while attempting a deception operation portraying acceptance of the "best" COA.
- (5) Analyze recent TM activity to determine if there are indications that a specific COA is being adopted. Do current dispositions favor one COA over others?
- d. Expand Each COA in the Amount of Detail Time Allows. Once the complete set of TM COAs has been identified, evaluated, and prioritized, develop each COA with as much detail as the situation requires and time allows. Develop each in the order of its priority and the commander's guidance. Each COA should answer the following 5 questions:
 - WHAT (the type of operation [that is, deploy, attack, or maintain])?
- WHEN (the time the action will begin [state this in term of the earliest time that the TM force can adopt the COA under consideration])?
 - WHERE (the COA sectors, zones, direction of attack, and objectives)?
- → HOW (the method [that is, dispositions, location of main effort, the scheme of maneuver, and how it will be supported] the TM force uses to employ its assets)?
 - WHY (the TM objective or end state)?

Time permitting, the final product should consist of a comprehensive, detailed set of TM COAs. Each developed TM COA has the following 4 parts:

(1) Situation Template. Situation templates are graphic depictions of the expected TM dispositions should a particular COA be adopted. Several templates represent different "snapshots in time" and start with the TM force's initial array of forces. They depict points where the TM force might adopt branches or sequels to its main COA, places where the TM force is especially vulnerable, or other key points in the battlespace (that is, initial contact or TM operations against friendly forces). Use situation templates to support staff wargaming and to develop event templates and event matrices.

Begin construction of a situation template with the TM model from TMD IPB Step-3, representing the operation under consideration. Overlay the doctrinal template on the products that depict the battlespace environment's effects on operations from TMD IPB Step-2. Use the integrated area limitations product to build the situation template (Figure V-3). This approach combines the TM force's doctrine for fighting (TMD IPB Step-3) with the environment (integrated area limitation product) from TMD IPB Step-2, and the current intelligence situation. Using judgment and knowledge of TM tactics and doctrine (see TM model), account for battlespace environmental effects and adjust the dispositions portrayed on the doctrinal template. There will be many options, so consider the situation from the TM commander's point of view when selecting from among them.




Figure V-3. Situation Template Concept

The situation template is a checkpoint to ensure that all the major assets have been accounted for, and that none have been inadvertently duplicated. This ensures that the template reflects the main effort identified for this COA. Compare the depicted dispositions to the known TM doctrine, checking for consistency. Always consider the TM force's desire to present an ambiguous situation and achieve surprise. Include as much detail as the time and situation warrant in the template. For example, if the TM force is conducting multiple missile combat operations, identify the operations' likely launch and hide sites, FOLs, and transloading areas. Depict the locations and activities of the HVTs listed in the TM model. Next, using preferred TM TTP (accompanies the doctrinal template), evaluate the COA's scheme of maneuver. Visualize how the TM force transitions from its current positions to those depicted on the template and consider its scheme of maneuver through the COA's success or failure. Identify points where forces will transition from one formation to another, potential hide sites, etc. After working though the scheme of maneuver, determine how each of the TM systems "fits in" and supports the operation.

The command level and type of operation have a direct bearing on the detail that goes into each situation template. At strategic levels, situation templates might focus on the shift of TM forces from garrison to field deployment, as well as political and economic developments that may indicate an adversary's intent to use TMs. NAIs highlighting these actions can sometimes encompass large regions. At operational levels, the situation template might focus on groups of TM vehicles, operating areas, and LOCs. Operational NAIs may be large operating areas or logistical support areas. At tactical levels, the focus may be on individual vehicles in TM dispositions. These NAIs are often "pinpoint" locations such as road junctions or small unit battle positions. Tailor the situation templates to the factors that are important to the commander or mission area. For example, if the important factor is TM launchers, focus on them when determining and developing TM COAs and produce a situation template that shows only the location and movement routes TM launchers, their likely employment areas and NAIs.

Depicting TM movement by evaluating time and space factors develops time phase lines (TPLs). TPLs are drawn on the template to depict the expected progress of the operation and are based on the doctrinal TM rates of movement, with some modification. Evaluate and compare actual database movement rates with written doctrine. Consider battlespace environmental effects on mobility by using terrain analysis systems, such as generic area limitation environment (GALE). Some situation templates can be presented in a matrix format. For example, a situation template in matrix form could show one COA for a TM strike against friendly targets. The timeline could indicate spacing between the various elements as well as the time each element is expected within each NAI.

- (2) Description of the COA and Options. Describe TM activities and systems depicted on the situation template either in text form or with a detailed "synchronization matrix." Address timelines to include the earliest time the TM force COA can be executed, phases associated with the COA, and probable TM command decisions made during and after COA execution. Use the TM COA depiction and timeline to support staff wargaming and to develop event template and supporting indicators. As the TM force approaches friendly decision points (DP), record each decision and its timeline into the TM COA depiction. DPs are points in space and time where the commander anticipates making a decision concerning the specific friendly COA. These decisions are usually triggered by specific threat force activity and are normally associated with one or more NAIs. This is the basis for developing TM branches or sequels, if they are needed to support friendly planning. Record any decision criterion that is associated with a DP.
- (3) HVTs. As the situation template is prepared and mentally wargamed, note how and where each TM force activity and asset provides critical support to the COA. This leads to HVT identification. The list of HVTs in the TM model serves as a guide and may not be all-encompassing. Determine the COA effect of losing each HVT and identify likely TM responses. Each HVT's relative worth varies depending on the specific situation and COA execution. Identify times or phases in the COA when the target is most valuable to the TM commander and make appropriate notations on the HVT list. Transfer the refined and updated HVT list to the situation template. The list supports staff wargaming and the targeting process. Note on the situation template where HVTs must appear or be employed to make the operation successful. Highlight these locations at or just before the times they are most valuable.

- (4) HPTs. HPTs are those targets whose loss to the enemy will significantly contribute to the success of the friendly COA. Identify HPTs by correlating the HVT list with the selected friendly COA. In accordance with the commander's intent, the operations and targeting staff may also select HPTs that are not on the TMD IPB HVT list. The end result is a list of HPTs that must be successfully attacked in order to successfully accomplish the friendly commander's mission.
- e. Identify Initial Collection Requirements. After identifying the set of potential TM COAs, determine which one will be adopted. Initial collection requirements aid in this identification. To identify these requirements, predict specific areas and activities that when observed will confirm which COA the TM force has chosen. NAIs are the areas, routes, and points where key events are expected to occur. NAIs can be—
- ♦ Large areas, such as brigade or battalion field operating areas; often referred to as "SCUD boxes" or "TM operating areas."
- ♦ Normal or focused areas, such as terrain, over which TM units are expected to move and suitable field operating areas (that is, launch and hide sites).
 - Linear routes, such as roads or waterways.
 - Point locations, such as road intersections and fixed facilities.

NAIs are typically hierarchical in nature. A large area NAI may include many area, linear and point NAIs. Linear NAIs, such as roads, may contain point NAIs, such as road intersections. Indicators are the activities that identify the selected COA (see Appendix B, Figure B-43, for an aid in documenting NAIs).

(1) The Event Template. The differences between the NAIs, indicators, and COA phases of operations form the basis of the event template (Figure V-4). The event template (see Appendix B, Figure B-44) is a guide for collection, reconnaissance, and surveillance planning. It aids in determining which COA the TM force has adopted by showing where to collect the information. Since single TMD event templates may not be practical, considerable cooperation amongst all the friendly TMD intelligence elements within a multiservice TMD environment is needed. One method is to produce multiple event templates at the strategic, operational, and tactical levels and for the TMD operation they are supporting (that is, active defense, passive defense, and attack operations). Evaluate each COA to identify its associated NAIs. It is important to mentally wargame execution of the COA and note places where activity must occur if that COA is adopted. Pay particular attention to times and places TM HVTs enter or use areas, so that they can be easily acquired and engaged. These areas evolve into NAIs and together with the correct use of DPs and timelines can support targeting. Allow enough time from the verification of an NAI activity and the decision to target to asset identification and strike mission. Consider those places the TM force expects to take certain actions or make certain decisions. An NAI can be a specific point, a route, or an area and can match obvious natural terrain features or arbitrary features, such as engagement areas. Make NAIs large enough to encompass the activity that indicates the TM COA. Compare and contrast COA associated NAIs and indicators with each other and identify any differences. Place emphasis on the differences that most reliably confirm or deny the adoption of a COA. Mark the selected NAIs on the event template. The initial event template focuses only on identifying which of the predicted COAs the TM force has adopted. Later, it will be updated and refined to support friendly decisions identified during staff wargaming.

(2) The Event Matrix. The event matrix supports the event template by providing details on the type of activity expected in each NAI, the times the NAI is expected to be active, and its relationship to other events in the battlespace. It plans intelligence collection and serves as an aid to situation development (see Appendix B, Figure B-45). Examine the events associated with each NAI on the event template and restate in the form of indicators. Enter the indicators into the event matrix along with the times they are likely to occur. By using the situation template's phases of operations or the COA description, establish the expected times in the event matrix. If there is a latest-time-information-of-value timeline, based on the expected flow of events, record it into the event matrix as a guide for the collection manager (Figure V-4).




Figure V-4. Event Template Concept

- (3) Additional Considerations. To identify initial collection requirements consider the following:
- (a) Differences between COAs can consist of different TPLs or indicators associated with a particular NAI but are usually reflected in different NAIs.
- (b) TM deception can affect the reliability of each event as an indicator.
- (c) During staff wargaming, a decision support template (DST) can incorporate NAIs to support decisions by the commander and track HPTs. Develop additional NAIs from potential NAIs identified on the situation templates and the results of decisions made during friendly COA wargaming. TM COA models drive friendly COA wargaming and aid in the construction of the command's DST and other staff synchronization tools used during mission execution. Disseminate these TM COA models as widely as possible.

The event template and event matrix, once completed, form the basis for planning collection strategies, synchronizing intelligence with friendly operations, and preparing the collection plan. In some cases, the event template might be disseminated in the form of a collection graphic to support intelligence planning and collection by other units. The collection plan, based on the event template and matrix, determines the types, quantity, and quality of future intelligence fed into the TMD IPB process. The ability to improve the TMD IPB process and output depends on the quality of the event template and matrix.

f. Identify Target Nominations. After identifying potential TM COAs and establishing initial collection requirements, identify as many targets as possible for attack operations. To identify HVTs, predict specific points, areas, equipment, and activities which, when observed from established collection requirements, reveal TM targets for attack operations. The result is an HVT nomination list, an event template, and an event matrix. Develop the event template and matrix using the same guidelines as those for identification of initial collection requirements but focus on HVTs. The completed event template and matrix aid in target planning for attack operations. Certain HVTs are nominated during the command staff wargaming process to become HPTs and make their engagement an integral part of the friendly COA under consideration. HVT graphic and targeting materials may also be required (see Appendix B, Figure B-46). The TMD IPB process produced a number of graphics, textual descriptions, and imagery products, some of which are used within target folders. Package and give these and any updated products to the target planners as some targets may not have target folders built or may have only partial target folders.

Appendix A

COMMON TMD IPB PROCESSES

1. Introduction

There are several common processes used throughout the TMD IPB process. It requires a great deal of discipline, but it is essential that the basics are followed in order to complete and maintain an adequate TMD IPB for the command.

2. Graphics and Templates

- a. Graphics are basic to TMD IPB analysis and best communicate the intelligence picture. They assist but do not replace battlespace analysis and the intelligence estimate and are the basis for intelligence and operational planning. Currency is maintained through graphic renewal or update. Currently, the majority of IPB analysis is done manually—a time and manpower intensive process. Exploit automated graphical analysis and display of IPB—it is worth the investment of time and resources. Automated tools are particularly useful when dealing with time critical targets (TCT)/time sensitive targets. Use available automation, time, resources, and personnel to produce the graphics that are most beneficial to the command and distribute TMD IPB products to subordinate units when feasible. This maximizes unit efficiency and permits subordinate units to expand on higher level TMD IPB products or produce others unique to their unit mission.
- b. Adversary evaluation and integration is achieved by templating. Templates are normally graphical illustrations but can be in a matrix, tabular, textual, or other format. Templates provide a visualization of the intelligence databases and have numerous purposes and functions. Terrain and weather factor overlays; for example, depict the effects of terrain and weather on potential TM COAs. Templates graphically depict TM force capabilities; TM force characteristics (that is, force dispositions, weapons, and equipment) predict probable TM force COAs and confirm or refute predictions. Templates need to be dynamic and continuously updated to maintain a current assessment of the TM force status. The TMD IPB process normally produces 4 types of templates:
- (1) General Provides general information (terrain, weather, etc.) not fitting into the next 3 types of templates and not related to specific TM force operations.
- (2) Doctrinal Provides unconstrained weather and terrain TM force TTP. Depicted information includes depths, composition, formations, TO&E, and HVTs.
- (3) Situation Depicts how the TM force might deploy and operate when constrained by weather and terrain. These templates normally depict TM force COAs.

(4) Event - Depicts where critical events and activities are expected to occur and critical targets expected to appear. Depicted information includes NAIs and HPTs.

Establish a consistent format for all templates. The particular format is not as important as consistency. The format depends greatly on whether the templates will be distributed electronically, hardcopy, or both. Electronic templates look and feel very different than hardcopy templates. They also vary depending on the type of software and computer. For example, commercial off the shelf (COTS) software may impose limitations on a consistent format but have benefits generally not available in non-COTS software.

Note: This TTP illustrates only hardcopy template formats using a 2-part concept. The first part/page is the template cover page and provides valuable overview and classification information (see Appendix B, Figures B-1 and B-2). The second part/follow-on page(s) is the body/analytical content of the template (see Appendix B, Figures B-3 through B-46). The templates and formats are illustrative and can be freely used for actual TMD IPB development but are not the only suitable formats. Tailor formats to the needed product, customer, and unique situation(s). The rest of this TTP shows only the second part/follow-on page(s) of the illustrative and blank example template(s).

3. Knowns Versus Assumptions

TMD IPB development distinguishes between what is known with confidence (based on the situational facts and adversary) and what are untested assumptions. Intelligence can be an observed fact or a conclusion based on facts of such certainty that it is considered to be knowledge. It can also be conclusions and estimates deduced from incomplete sets of facts or deduced from potentially related facts. Make and maintain these distinctions when using intelligence for operations. The commander may decide objectives and operations based on whether the intelligence is "fact" or assumption, its confidence level, and the particular logic used to develop the intelligence estimate.

Adapt an internal methodology for tracking the reliability and credibility of TMD IPB intelligence analysis and conclusions and for presenting consistent and uniform information to decision makers. The intelligence community uses 3 methodologies, which can be used independently or in conjunction with each other, to assess information validity. The 3 methodology scales are *confidence level, source reliability, and information credibility*. The latter 2 are typically used with HUMINT information but are equally applicable to many other types of information.

- a. Confidence-Level Scale:
 - (1) HIGH PROBABILITY (CONFIRMED) >95 percent.
 - (2) PROBABLE 75-94 percent.
 - (3) LIKELY 50-74 percent.
 - (4) LOW PROBABILITY (UNLIKELY) 5-49 percent.
- (5) VERY LOW PROBABILITY (VERY UNLIKELY or DOUBTFUL) <4 percent.

- b. Source Reliability Scale:
 - (1) A COMPLETELY RELIABLE.
 - (2) B USUALLY RELIABLE.
 - (3) C FAIRLY RELIABLE.
 - (4) D NOT USUALLY RELIABLE.
 - (5) E UNRELIABLE.
 - (6) F CANNOT BE JUDGED.
- c. Information Credibility Scale:
 - (1) 1 SEVERAL CONFIRMATIONS.
 - (2) 2 PROBABLY TRUE.
 - (3) 3 POSSIBLY TRUE.
 - (4) 4 DOUBTFUL.
 - (5) 5 IMPROBABLE.
 - (6) 6 CANNOT BE JUDGED.

4. All Source Approach

Evaluate, correlate, and integrate information and intelligence from all sources into TMD IPB products to present the most complete, accurate, and objective views possible. In particular, joint operations require complete and composite views of the situation and TM forces. Using and having access to all information and intelligence sources is essential to understanding the actual situation, because single-source intelligence analysis may lead to incomplete assessments. Use of the all-source concept and methodology reduces the risks of deception, and all-source collection and analysis help to identify and frustrate an adversary's deception and denial attempts. All-source intelligence fusion begins with collection and production planning. Each source can provide useful information and cues for other source collection and exploitation.

a. Sources. The intelligence community divides sources into several distinct categories; each with a unique contribution to the TMD IPB process. They are imagery intelligence (IMINT), SIGINT, HUMINT, MASINT, open source intelligence, scientific and technical (S&T) intelligence or technical intelligence, and counterintelligence.

A multitude of sensors are available to perform the many intelligence collection missions. They vary in their technical performance (weather plays a limiting role) and capabilities. The same sensor can vary in performance when used in different ways. For example, the range and angle that a sensor is employed greatly affects the resolution of its product. To understand basic advantages, disadvantages, products, and timeliness of different sensor types, see Tables A-1 and A-2 for a basic matrix of general sensor type characteristics.

- b. Classification of Sources. The all-source approach stresses using all available intelligence to include sources classified up to and including TOP SECRET (TS) sensitive compartmented information (SCI). Overall, most source reports are classified TS/SCI, but a lot of the information is classified at the collateral level. Valuable information that is not collateral can usually be sanitized to the collateral level. When information has to remain at the TS/SCI classification level, distribute separate TS/SCI TMD IPB products to those with the proper clearances and need to know.
- c. Typical Types of Intelligence Reports. Reports are verbal or written explanations of intelligence information and are generally prepared by reconnaissance aircrews or by imagery analysts who glean information from reconnaissance imagery. Each of the various intelligence reports possesses unique characteristics of timeliness and precision, and the intelligence requester needs to know them to tailor requests to actual information needs. See Table A-2, JP 2-01, *Joint Intelligence Support to Military Operations*, and the following paragraphs for descriptions of typical intelligence reports.
- (1) In-flight Report (INFLTREP). Aircrews and unmanned aerial vehicle (UAV) operators use the INFLTREP to report mission results or other sighted tactical information of such importance and urgency that the delay (if reported by normal debriefing) would negate the usefulness of the information. The INFLTREP is a voice-only message.
- (2) Reconnaissance Exploitation Report. This provides an abbreviated imagery interpretation report for tactical reporting. It is normally transmitted within 45 minutes of reconnaissance platform recovery but may take several hours depending on the sensor, film type, processing, and quality of image sensor reading.
- (3) Mission Report. This reports mission results and items of intelligence interest in all tactical roles.
- (4) Imagery Interpretation Report. This is a single-message format for sending either the Initial Phase Interpretation Report (IPIR) or the Supplemental Photographic Interpretation Report (SUPIR). The IPIR provides the results of first-phase exploitation of imagery. IPIRs are normally transmitted within 15 minutes of imagery receipt. For a mission, all IPIRs are normally completed within 24 hours of reconnaissance platform recovery. The SUPIR provides results of second-phase exploitation of imagery and may take hours or days to complete based on the detail of the requested information.
- $\,$ (5) RFI . This is the message format used to reply to RFI/production requirement. It is used to advise requesters that a previously transmitted message (reference the message) contained the requested information.
- (6) Tactical Reports. Tactical reports are of immediate interest to commanders and operators of tactical units at all levels. The intent of tactical reports is to get perishable, concise information to units in time for it to be acted upon. Tactical reports include the tactical report, the tactical ELINT report, and the operations report.

Table A-1. Matrix of General Sensor Types to Intelligence Advantages and Disadvantages

SENSOR TYPE	ADVANTAGES	DISADVANTAGES	PRODUCTS	TIMELINESS*
IMINT Other than Visib		BIOND WHEN ICES	T HODOGIO	THILLING
Forward looking infrared	Both day and night	Stand off range Weather obscuration Field of view Resolution Dusk/dawn crossover Rain washout	Video report INFLTREP	>1 hour Near real time
Infrared linescanner	Both day and night High resolution	Stand off range Weather obscuration Field of view Resolution Dusk/dawn crossover Rain washout	Hardcopy Video report INFLTREP	>4 hours >4 hours Near real time
Ultraviolet linescanner	High resoultion May "see thru" camouflage	Day only Weather obscuration View time Field of view	Hardcopy Video report INFLTREP	>4 hours >4 hours Near real time
Multi-spectral fusion	Both day and night	Weather obscuration	Video report	>4 hours
sensors	Medium resolution	Field of view	INFLTRÉP	Near real time
IMINT Visible Spectrum		•	1	_
Image-intensified video	Night Medium resolution	No day capability Standoff	Video report IINFLTREP	>4 hours Near real time
Framing camera – wet film	Resolution Standoff range	Timeliness View time Weather obscuration Information dissemination Day only	Textual report Photos Oblique Vertical Panoramic	1-2 hours 12-24 hours
Framing camera – digital	Standoff Timeliness	Resolution Viewtime Weather obscuration	Textual report Photos Oblique Vertical Panoramic	>1 hour >1 hour
Framing camera – electro- optical	Standoff Timeliness Resolution	View time Weather obscuration	Textual report Photos Oblique Vertical Panoramic	>1 hour >1 hour
Video	Timeliness	Resolution Weather obscuration Day only Information dissemination	Videotape Textual report INFLTREP	>1 hour >1 hour Near real time

Table A-1 (Continued). Matrix of General Sensor Types to Intelligence Advantages and Disadvantages

Sensor/Intelligence M	atrix			
SENSOR TYPE	ADVANTAGES	DISADVANTAGES	PRODUCTS	TIMELINESS
IMINT – Radar				
Side-looking airborne radar	Area coverage All-weather Day and night	Requires interpretation	Video Textual report Dry film INFLTREP	<1 hour <1 hour <1 hour Near real time
Inverse synthetic aperture radar	High resolution Range independent Standoff range Best for maritime targets	Requires interpretation	Video Textual report INFLTRPT	<1 hour <1 hour Near real time
Synthetic aperture radar	Moving target indicator Best for land targets Range independent Standoff range	Requires interpretation	Video Textual report Dry film INFLTRPT	<1 hour <1 hour <1 hour Near real time
Forward looking airborne radar	Standoff range Small target detection	Resolution Target classification	Video Textual report INFLTRPT	<1 hour <1 hour Near real time
Ground surveillance radar	Timeliness Resolution	Range	Report	Near real time
Visual Intelligence		•	•	
Surface-aggressive (cavalry)	Direct observation	Possible loss of reconnaissance asset Limited range Field of view	Report	Near real time
Surface-stealth (cavalry/ reconnaissance)	Direct observation	Limited range Field of view	Report	Near real time
SOF	Direct observation	Limited range Field of view Need for clandestine insertion/extraction	Report	Ranges from near real time to considerable delays
Aircrew	Direct observation	Limited view Time Standoff Reference for information	Report	Near real time
SIGINT	•	•	•	
ELINT	Passive detection of non- communications radiation	Target must emit in order to collect intelligence	Report	Near real time
Communications intelligence	Passive detection of communications	Target must emit in order to collect intelligence	Report	Near real time
Foreign instrumentation signals intelligence	Passive detection of telemetry and other data	Target must emit in order to collect intelligence	Report	<1 hour
MASINT				
MASINT	Passive detection Measures specific emitter data	Requires interpretation	Report	<1 hour
Acoustic				
Active acoustic	Timeliness Able to work subsurface	Thermal layer blockage Standoff Possible loss of sensor platform	Report	Near real time
Passive acoustic	Timeliness	Thermal layer blockage range	Report	Near real time

Table A-2. Typical Intelligence Reports

Intelligence Category	Intelligence Products		
Visual	Textual – Written report	Verbal – INFLTREP over the radio	
Imagery	Visual - Imagery prints - Video - Digital imagery	Verbal/Textual – Accompanying reports	
Signal	On-line – TIBS display –Special information systems/voice product net	Textual - ELINT reports - Tactical reports	Verbal - Tactical reports
Weather	Visual - Charts - Imagery	Verbal - INFLTREP reports - Weather briefings	

- (a) Tactical Report. This provides the most urgent, perishable information of tactical significance to tactical unit commanders. It alerts them to immediate threats and provides enhanced situational awareness. Though the report can be either a free-flow voice report or a hardcopy computer-formatted message, send it via message precedence commensurate with its content. Examples of the voice format and the hardcopy report are in JP 6-04, *United States Text Formatting Program*.
- (b) Tactical ELINT Report. This reports time-critical operational ELINT and parametric information and may be used for indications and warning, database maintenance, orders of battle, and strike planning.
- (c) Operations Report. Any unit can use the Operations Report-3 to provide the joint force commander and other appropriate commanders with immediate notification of an incident or event where national interest is not indicated or has not been determined.
- (7) Tactical Information Broadcasting System. This is a satellite broadcast of intelligence and combat information. It is used during contingency and exercise operations and provides near-real-time data on adversary force disposition and array and friendly elements. This transportable system can be placed with battle managers or other C2 nodes. It links intelligence producers with consumers and allows selected users to query collectors for data during operations. Data is filtered by software and displayed either graphically or as text.
- (8) Special Information System/Voice Product Net. This is a secure ultra high frequency (UHF) KY-58 voice link between intelligence producer and consumer. It is used to pass the tactical report and situational awareness information based on pre-mission tasking or on-scene dynamic tasking.

5. Establishing Collection Requirements

a. Collection Management. Collection management is the process of converting intelligence requirements into collection requirements, establishing, tasking or coordinating with appropriate collection sources or agencies, monitoring results and retasking, as required. It is a staff activity that focuses on decisions and choices that concern collection requests and RFI. There are many ways to task the intelligence community to get needed information for

operational use. A variety of collectors, ranging from humans to airborne collectors (controlled manually or software-driven), are tasked to fulfill intelligence requirements. Intelligence support personnel at the unit level need to determine the direction and flow of intelligence information. Intelligence needs, referred to as requirements, are registered based on time sensitivity. Requirements satisfied by airborne platforms are defined as follows:

- (1) Time Critical Requirements Requester needs the intelligence either in near-real-time or based upon the requester's LTIOV but no later than 24 hours. Typically the timeliness required is "upon recognition." (Example: A location request for a SCUD TEL that recently launched a missile is a time critical requirement.)
- (2) Routine Requirements Requester needs in 24 hours or more. It supports routine combat operations and is addressed through the collections process (for example, creation of collection targets to search for specific adversary units not yet located in the AO).
- (3) Standing Requirements Established before a contingency arises and provides a baseline for the intelligence problem set (that is, request to monitor TM operating areas for operational activity).
- b. Collection Requirements. Always state intelligence requests clearly and include precise parameters (desired and minimum required) and a written justification statement. Parameters include suspense dates, frequency of coverage, resolution/level of information, and specific viewing angles/direction (IMINT).
- (1) Requirement Identification. Ensure collection managers are aware of TMD IPB objectives, information needs (quality, quantity, frequency, etc.), and the constraints and limitations imposed on the TMD IPB process. Inform the collection manager as soon as possible of tasked targets.
- (2) Collection Priorities. A target's value changes. Keep the collection manager informed so collection priorities can be adjusted, if needed. Establish requirements and their associated priorities for peacetime target surveillance, crisis monitoring, and combat support. Prioritize and monitor all targets on a routine basis. Higher priority targets are normally collected with greater expediency and frequency than lower priority targets. Mobile targets present a specific collection problem because their data is extremely perishable and current data is essential to target analysis.
- (3) Frequency. Establish collection requirements through the collection management process and for any frequency (daily, twice weekly, weekly, every 2 weeks, monthly, every 2 months, quarterly, semiannually, annually, or until satisfactorily acquired). The specific time of collection may also be requested.
- (4) Exploitation Requirements. Targeting must also identify the EEI needed from imagery and all-source analysts. The 2 types of EEI are *generic* and *specific*. If generic EEIs are requested, the imagery and all-source analysts reports all activity and identifies all structures on or in the target area. Generic EEIs are listed as part of the overall command objectives and may vary in

different commands. If information on specific activity/observations is needed, provide specific EEIs with the RFI.

c. Collection Operations (Systems). The collection manager is responsible for managing the assets and choosing the most efficient methods and sensors to satisfy requirements. Overall theater sensors are more flexible and can react faster to collection requirements. National collection platforms are not as flexible and have set times and locations where they collect on a target area. National assets collect on targets within their specific collection ground tracks. Dissemination of national system products relies on primary and secondary dissemination methods and equipment in theater. If communication lines cannot handle intelligence dissemination, the product will not be responsive to theater needs.

6. Target System Development

- a. The Target System Concept. The target system concept is important because almost all targeting is based on targeting systems. A target is composed of components, and components are composed of elements. A single target may be significant because of its own characteristics, but often its importance lies in its relationship to other targets. Usually the effect of a strike or attack mission upon an adversary can be determined only by analyzing the target in the overall adversary's target system. JP 1-02, DOD Dictionary of Military and Associated Terms, states that a "target system includes all the targets situated in a particular geographic area and functionally related; or a group of targets which are so related that their destruction will produce some particular effect desired by the attacker." Targeteers normally focus on functionality. "Functionally related" means that all targets in the system have the same activity or that each makes one or more parts of a particular product or type of product. Usually the effect of an attack upon an adversary can be determined only by analyzing the adversary's target systems combined with their relationship(s) with the adversary's warmaking or warfighting capability.
- b. Target System Characteristics. All target systems are goal, objective, or purpose oriented and composed of individual parts called components, through which they perform activities to achieve their goals. Survival is fundamental for all systems and they adapt to survive. Systems are complex. System components are interdependent and a change in one component causes change in or to other components. Each system is a component of a larger, more inclusive system.
- c. Target System Activity. Do not focus the targeting process on the system or its components but on the activity of the system or its components. Identify and nominate important target systems and target system components for strike by determining which activity is to be modified or affected by friendly forces. On a lesser scale, perform this same analysis for individual targets. Identify key and vulnerable elements of each target for attack. A comprehensive analysis of the system and its component parts is essential to understand the activities of the entire system.
- d. Target System Analysis. This is a systematic approach to determine adversary target system vulnerabilities and exploitable weaknesses. It determines what effects will likely be achieved against target systems and their

associated activities. Review the functions and interactions between components and elements of a target system, to determine how the target system works. The analysis helps to determine what effects are likely to be achieved by attacking the system, where the system must be attacked, and how long the attack will disrupt adversary plans or operations. By reviewing probabilities of damage and arrival for a weapon system, targeteers can evaluate the effects of attacks on different components and isolate relevant elements to plan the disruption or neutralization of an entire target system.

7. Recording Information

Recording information makes evaluation and analysis easier and more accurate. It provides a useful source for historical data during and after operations are concluded and is essential for supporting the lessons learned process. Recording means and techniques must permit timely information and intelligence dissemination and the means must adequately handle the volume of information and intelligence received and serve the needs of those who must have access to it. Some common recording techniques are TMD IPB templates, intelligence journals, intelligence community databases, and local TMD IPB databases.

Intelligence community and local TMD IPB databases are typically fully automated and require trained personnel to operate them. The TMD IPB process generates the templates. An intelligence journal is an official, permanent, and chronological record of received and transmitted reports and messages, important events that have occurred, and actions taken in response. Since the journal will be referenced during the TMD IPB process, accuracy and completeness are essential. The journal covers a specified time period, usually 24 hours, and entries should accurately and concisely state the message, report, or event (meeting purposes, subjects, and conclusions, TMD IPB organizational or personnel changes, TM force incidents or movements, etc.); note the sender or individual making the report (include unit and unit duty position); note the receipt or dispatch time and method of transmission; and any actions taken as a result (disseminating reports, other internal TMD IPB recording, actions taken based on TM force activities).

8. Lessons Learned

During development of the TMD IPB, systematically identify, evaluate, and apply intelligence lessons learned. It is important to benefit from significant operations, training, and intelligence experiences. Use the Joint Universal Lessons Learned System to document intelligence lessons learned.

9. Geospatial Information and Products

a. Geospatial Information. Geospatial information is found on maps and charts, and spatial imagery (mapping, charting, and geodesy, imagery, and IMINT). It gives physical and cultural phenomenon characteristics, properties, and locations associated with the earth's natural and man-made environment. NIMA's global geospatial information and services (GGI&S) provide geospatial information in four information classes; *hard copy* (traditional GGI&S products produced as paper products), *digital raster data*, *digital vector*, and *digital composite*. Definitions can be found on the NIMA home page.

b. GGI&S and TMD IPB Development. For TMD development, GGI&S is divided into commonly used digital/hardcopy GGI&S (Table A-3), other vector-based/digital GGI&S (TableA-4), and other raster-based/hard copy GGI&S (Table A-5).

Table A-3. Commonly Used Digital/Hardcopy GGI&S Products

Arc Second Raster Chart Digitized Raster Graphic

Compressed Arc Second Raster Chart Digitized Raster Graphic

Digital Bathymetric Database Digital Feature Analysis Data Joint Operations Graphic Hydrographic Chart

Operational Navigation Chart Topographic Line Map

Vector Map Level 1

Bathymetric Navigation Chart Controlled Image Base Digital Chart of the World Digital Terrain Elevation Data

Nautical Chart or

Tactical Pilotage Chart Vector Map Level 0 Vector Map Level 2

Vector Map Coverages (boundaries, data quality, elevation, hydrography, industry, physiography, population, transportation, utilities, vegetation, political entities, place names)

World Vector Shoreline

Table A-4. Other Vector-Based/Digital GGI&S Products

Anaglyph

Compressed Aeronautical Chart

Digital Cities Data Base
Digital Elevation Model
Digital Line Graph-Enhanced

High Speed Digital Chart Interim Terrain Data

Relocatable Target Assessment Data Tactical Terrain Data

Vertical Obstruction Data
World Mean Elevation Data

Arc Second Raster Chart Digital Raster Imagery

Compressed Raster Graphic

Digital Aeronautical Flight Information File

Digital Line Graph
Digital Topographic Data

Digitized/Digital Point Positioning Database

Planning Terrain Analysis Database Probabilistic Vertical Obstruction Data Tactical Terrain Analysis Database Video Point Positioning Database

Table A-5. Other Raster-Based/Hardcopy GGI&S Products

Approach Chart

Bathymetric Navigation Planning Chart

Bottom Contour Chart Coastal Chart Gazetteer

Harbor Chart

Hypsographic or Hypsometric Map (or Chart)

Instrument Approach Chart
Magnetic Anomaly Detection
Military Installation Map
Naval Operating Area Chart

Pilot Chart

Point Positioning Database

Sound Surveillance Systems Charts (SOSUS)

Antisubmarine Warfare Prediction Area Chart

Bathymetric Recovery Area Chart

City Graphic Current Chart

Harbor and Approach Chart

Hydrographic Chart or Nautical Chart

Ice Chart

Magnetic Anomaly Detection Planning Chart

Operational Effectiveness Chart Modified Cacsimile Chart Non-Submarine Contact List

Precise Bathymetric Navigation Zone Chart

Provisional Map

10. Target Materials

Target materials are graphic, textual, tabular, digital, video, or other physical and quantitative presentations of target intelligence. These products locate, identify, and describe potential targets with enough accuracy to attack designated targets by one or more weapon systems. Current target materials suitable for TMD IPB production are basic target graphics, automated tactical target graphics, operational target graphics, quick response graphics, and operational support plans graphics.

11. Locational Information

- a. TMD IPB and Locational Information. TMD IPB relies on and generates a large amount of locational information. Locational information is defined by coordinates that are linear or angular quantities that designate the position that a point occupies in a given reference frame or system. The use of cartographic techniques to derive coordinates is suitable for cueing but cannot provide the precise coordinates needed for many of the newer weapon systems. Because it is easy to make locational errors, it is important to have a basic working knowledge of coordinate systems, datums, and other accuracy measures.
- b. Errors and Mismatches. Data errors or mismatches can occur when mixing locational data from multiple sources. For example, database locations taken and placed on a map can lead to severe errors unless the locations' coordinates use the same scale and datum as the map. However, if the locations' coordinates use different scales and/or datums, large errors can result ranging from several meters to several kilometers. Another example, 2 objects, such as roads, taken from different databases and placed on a map can result in mismatches (do not intersect on the map where they are suppose to join) if different scales and/or datums are used. In some cases, the intersection can be off as much as several kilometers. When the same road exists in 2 databases and both are plotted on a map, a set of nearly parallel roads may result from the differences in the scale and/or datums. It is important to use identical scales and datums, but when this is not possible, understand and account for the resulting errors in the locational information. It is easy to make errors when using digital terrain data and since most of the data uses the same datum, it is usually a scale error. Remember, if locational data information is incorrect and not accounted for, the terrain analysis results are confusing and useless.
- c. Coordinate Reference System. Coordinate reference systems are a shorthand means of communicating earth surface locations. The most familiar coordinate reference system uses latitude, longitude, and elevation, while the Universal Transverse Mercator (UTM) and Universal Polar Stereographic (UPS) grid systems are two-dimensional. They identify a location without the lengthy description of latitude and longitude degrees, minutes, and seconds by placing grids on maps. The Military Grid Reference System is an alphanumeric shorthand for expressing UTM and UPS coordinates with fewer numbers. A coordinate reference system always connects to a datum that defines its reference frame and point of origin; when the datum changes, so do the position coordinates.
- d. Datums. A critical consideration often overlooked in using coordinates is the geodetic datum upon which the coordinates and stated accuracy are based. A datum is a regional or global coordinate reference system. It includes a reference ellipsoid (a mathematical representation of the earth's size and shape) and a specific origin point. Coordinates within the same geodetic datum are directly

related to the same origin point. Coordinates within different datums must be converted to a common reference before they can be used. The World Geodetic System (WGS) provides the basic reference frame and geometric figure for the earth, models the earth gravimetrically, and provides the means for relating positions on various local geodetic systems to an earth-centered, earth-fixed (ECEF) coordinate system. World Geodetic System-1984 (WGS 84) is the ECEF system officially authorized for use by the Department of Defense. WGS represents NIMA's modeling of the earth from a geometric, geodetic, and gravitational standpoint. It was developed using new and more extensive data sets and improved computer software and is constantly upgraded.

- e. Coordinate Conversion/Transformation. NIMA has a computer-based program to convert and transform coordinates. This program is called GEOTRANS and is very useful for accurately converting coordinates from one datum or coordinate system to another. NIMA maintains an INTELINK page for converting datums and coordinates online.
- f. Measures of Accuracy. Geospatial data cannot be more accurate than its original source, and sources vary in accuracy. Furthermore, each step in the production process can introduce position or elevation errors because of production hardware and software limitations, human factors, and inherent product characteristics (that is, chart size and scale or the digital data specification accuracy). If not accounted for, significant accuracy errors will occur from mixing products and data of different scale. Error distribution assumes that systematic errors and blunders have been removed and only random errors are left. Systematic errors need to be detected before they can be removed from positional information and one method is to compare the positional information against given control. If systematic errors are not removed, they will affect, for example, geodetic and photogrammetric measurements and the resulting positional information. Statistical techniques are used to measure and identify errors. The measures express an accuracy confidence level of the NIMA data to the user. Depending on the data's intended use, geospatial accuracy is normally expressed in absolute and/or relative accuracy terms. Absolute accuracy is how close each feature or data point is to the specified higher standard and includes all random and systematic errors. Relative accuracy is how close the measured distance or elevation is between two features or data points over a specified distance within standard and includes only random errors. Geospatial position accuracy is traditionally measured in feet or meters of linear error for heights, and feet or meters of circular error for horizontal position, both at 90 percent probability. Spherical error is the threedimensional (3-D) combination of horizontal and vertical errors at 90 percent probability and is increasingly used as the geospatial fidelity measure. Target location error is the difference between the target's actual and expected location.
- g. Precision and Accuracy. There is an important difference between the terms precision and accuracy. Precision is the closeness with which repeated measurements made under similar conditions are grouped together, and accuracy is the closeness of the best-estimated measured value to the measured quantity's true value. Precision is affected only by random measuring process errors, while accuracy is affected by precision as well as the existence of unknown or systematic errors. Measurements may be both precise and inaccurate, but they cannot be accurate unless they are precise. Developed, transmitted, and used coordinates should support measurements down to a precision equal to DDD MM SS.SSS. At the equator, these coordinates would be

precise within 3 centimeters. State the associated coordinates' accuracy so that the user can determine the usefulness of the coordinate data. Not all coordinates must be to that level of precision or positions to that level of accuracy. For example, an object's measurements may determine the precise location within 6 inches, while the object's positional accuracy may only be within 100 feet. If the objective is to measure the object, this precision may suffice, but if the objective is to verify and bomb the object, this precision is unneeded and the accuracy may or may not be adequate based on the bombing scenario. Table A-6 compares precision with scale and coordinate resolution and lists some products used during the TMD IPB process.

Table A-6. Geospatial Precision and Accuracy Comparisons

Starting Unit, Scale, and/or Precision		Resulting Precision/Resolution					
Coordinate	Scale	Precision	DDD MM SS.SSS	meters	m/inch	Example Product	
DDD				111,120			
DDD MM				1,852			
DDD MM SS				30.87			
DDD MM SS.S				3.087			
DDD MM SS.SS				0.3087			
DDD MM SS.SSS				0.03087			
	1:25,000				635	City Graphic	
	1:50,000				1,270	Topographic Line Map Vector Smart Map Level 2	
	1:100,000				2,540	Topographic Line Map	
	1:250,000				6,350	Joint Operations Graphic Vector Map Level 1	
	1:500,000				5,080	Tactical Pilotage Chart	
	1:1,000,000				10,160	Operational Navigation Chart Vector Map Level 0 Digital Chart of the World	
	1:2,000,000				20,320	Jet Navigation Chart	
	1:5,000,000				127.000	Global Navigation Chart	
		100 m	000 03 14.384			DTED Level 1	
		30 m	000 00 58.315			DTED Level 2	
		10 m	000 00 19.438			DTED Level 3 Controlled Image Base Space Imaging's Ikonos Satellite Land satellite and SPOT	
		5 m	000 00 09.719			DTED Level 4 Controlled Image Base Space Imaging's Ikonos Satellite	
		1 m	000 00 01.944			DTED Level 5 Controlled Image Base Space Imaging's Ikonos Satellite	
Scale		Horizontal Circular Error 90%	Vertical Linear Error 90%		Example Product		
1:25,000			50 m	± 20 m		City Graphic	
1:50,000			50 m	± 20 m		Topographic Line Map Vector Map Level 2	
1:100,000			50 m	± 20 m		Topographic Line Map	
1:250,000		250 m	± 100 m		Joint Operations Graphic Vector Map Level 1		
1:500.000			1,000 m	± 150 m		Tactical Pilotage Chart	
1:1,000,000		2,000 m	± 650 m		Operational Navigation Chart Vector Map Level 0 Digital Chart of the World		

h. Precise Geopositioning Capability. Coordinate derivation is the process of generating geodetic coordinates that precisely identify the position of a point or target. Accuracy in describing position or desired mean point of impact within a common reference system is an important element in the TMD IPB function. Point positioning data base (PPDB) are sets of geodetically controlled photographic materials, accompanying data, and computer programs that enable trained personnel to derive accurate coordinates for any identifiable ground feature within the database area. PPDB accuracy is estimated for the entire coverage. To derive PPDB target or point coordinates, use the manual Analytical Photogrammetric Positioning System (APPS) or automated RAINDROP software for mensuration and geopositioning. The operator selects the appropriate stereo pair, locates the target optically, and determines the point's geoposition. NIMA began phasing out hardcopy PPDB production in FY96, so APPS and PPDB use is decreasing. Digital point positioning database (DPPDB) is a classified image product consisting of high-resolution digital stereo image pairs and replaces the hardcopy PPDB. The DPPDB provides warfighters with a deployable product. Digital exploitation workstations with stereo capability quickly and accurately derive latitude, longitude, and elevation. The DPPDB consists of 3 main components: imagery support data, a digital map graphic for reference, and stereo imagery. The nominal DPPDB area coverage is a rectangle, called the product rectangle, measuring 60 nautical miles on each side. At the equator, a product rectangle is a 1-degree x 1-degree geocell and is bounded by 1-degree parallels on the north and south and by 1-degree meridians on the east and west. Smaller DPPDBs unconstrained by geocell boundaries can also be produced. Ground coordinates derived using the DPPDB rational function model are referenced to the WGS ellipsoid. The DPPDB absolute and relative accuracy is consistent with the rigorous triangulation performed by NIMA's Digital Production System. The computed absolute and relative accuracy values, which vary from product to product, are provided as part of the imagery support data. Basic DPPDB imagery viewing and point mensuration can be performed on a suitably equipped workstation using NIMA's RAINDROP software.

12. Required Intelligence Databases for TMD IPB Production

- a. Modernized Integrated Database. The MIDB is a standardized intelligence data system providing data exchange between national to tactical level intelligence and operational consumers. The database contains a baseline source of intelligence on installations, military forces, population concentrations, C2 structures, significant events, and equipment.
- b. Basic Encyclopedia (BE). This manual of MIDB installation intelligence is the most inclusive of all installation lists. It describes every identified installation with an active function or of valid interest to intelligence agencies, particularly to the unified command operational and planning staffs. The BE contains basic data on the identification, location, and function of each installation. It can be used to select potential fixed targets for ground, sea, or air attack or to identify installations (such as public utilities and hospitals) to be spared from attack. The BE lists installations in Eurasia, Western Europe, Latin America and the Atlantic, Middle East and Africa, and Southeast Asia and the Western Pacific.

- c. Military Equipment and Parameters Engineering Database. This is a standardized intelligence data system providing data exchange between national to tactical level intelligence and operational consumers. The database contains a more baseline source of intelligence on military equipment than the MIDB to include engineering level parameters.
- d. NIMA Exploitation System (NES). NES is a standardized intelligence data system designed to provide for data exchange between national to tactical level intelligence and operational consumers. The database contains a baseline source of intelligence on overhead imagery and information on available overhead imagery. Imagery reports within NES are textual and contain a brief imagery analysis by NIMA.
- e. Standard Coding System Functional Classification Handbook. This handbook contains guidance and procedures for using functional category codes. The classification system uses a 5-digit numeric character code to classify installations by function and indicate the products, capability, or activity associated with the installation.

13. How TMD IPB Relates to Everything Else

IPB and its products are essential elements of the intelligence cycle. The intelligence cycle and its functions (procedures, organizations, and equipment that collect, process, store, and disseminate intelligence) respond to the commander's intelligence needs. IPB products aid the intelligence staff in processing volumes of information and exploiting modern technology. They focus collection systems, so that sufficiently accurate near-real-time information can be used to directly target TCTs. IPB enables a staff to put steel on target and also helps to prioritize and maximize targeting effects; it plays a critical role in the decision-making process. The commander leads the IPB effort and the entire staff executes the IPB process.

Appendix B

SUGGESTED TMD IPB TEMPLATES

The TMD IPB templates and tables in this appendix are initial starting points for building a TMD IPB. They are not meant to represent the entire spectrum of TMD IPB products. Use them as the situation requires (reproduce as is, modified, and/or discarded). Many can be used with current or future intelligence and operational automated systems. Figures B-1 and B-2 are suggested cover pages for completed or in development TMD IPB templates. Figures B-3 through B-46 are suggested templates for developing the TMD IPB and are organized in the TMD IPB 4-step process order.

DTG: <u>180600Z MAR 00</u> Clas	ssification:	NCLASSIFIED		Page: of:		
TMD IPB Template (U)						
Title:						
TMD IPB Dummy Template (U)						
Time is a summing remplate (e)						
TMD IPB Associated Step(s)	1.2, 1.3, and 3.2					
Date / Date Time Group (DTG)	180600Z MAR 00		Number of Pages	Cover + 2		
Time	0900 Local		Copy Number	5		
Date of Information (DOI)	011200Z APR 99		Number of Copies	25		
Originator Control Number	ABC-12345		Work Station	Gilligan		
Holder Control Number			Network or Hard Disk			
		IDD D To colote de	Network of Hala Disk	Окіррої		
	D:\TMD\IPB\Templates\Step1\TMD_	IPB_Dummy_Template.doc				
Status	'					
Template Description and/or U	U ()					
This TMD IPB template is intended as a	a dummy template for illustration p	ourposes only.				
Originator	2 1 1					
Agency // Organization // Unit // Offic						
1st TMD IPB Unit, Terrain Analysis Division // 1st TII Address: □ Unclassified & Classified ■ U		Name, Last	Name, First	Name, Middle		
1st TIU/TAD	onclassified Offig to Classified Offig	Doe	John] [A		
Attn: Sgt John Doe Camp Smith, AL 35777-5555		Rank Sgt	Service USA	Country		
		Title / Position				
		NCOIC TMD IPB Terrain Analys Non-Secure Phone (DSN)	Secure Phone	(DSN)		
Address: Unclassified & Classified U	Jnclassified Only ■ Classified Only	DSN 555-5555 x55 DSN 555-5555 x55				
1st TIU/TAD Attn: Document Control		Non-Secure Phone (Commercial) Secure Phone (Commercial) (555) 333-5555 x55 (555) 333-5555 x55				
Camp Smith, AL 35777-5555		E-Mail: Unclassified On John.doe@campsmith.army.mil	nly □ Collateral □ TS/SCI □ Othe	r:		
			nly □ Collateral ■TS/SCI □ Other	r:		
		Jdoe@campsmith.army.mil				
Overall II S Cla	assification [UNCLASSIFIED			1		
	assification Not Applicable					
SCI Control Systems and C	Code Words Not Applicable					
Foreign Government I Disseminatio						
Non-Intelligence Communit						
Declassification Da						
Composite Classification and Cont Classification Authority / Classified By (If A						
Derived From (If	f Applicable) Not Applicable					
Downgrade Instruction(s) (If a Downgrade Event / Declassify On (If a						
, ,	rol Number DEF-67890					
□ See Attachment for Warning(s), Destruction Notice, Distribution Restrictions, and Other Notices and Warning						
■ Regrade this Cover Sheet to UNCLASS	IFIED When Separated from the Doc	ument				
TMD IPB Template 18 March 2000 Clas	ssification:	NCLASSIFIED	Lo	cal Reproduction Authorized		

Figure B-1. TMD IPB Template Cover Sheet - Example

DTG: Classification:			Page:	_ of:	
Title:					
Title.					
TMD IPB Associated Step(s)					
Date / Date Time Group (DTG)		Number of Pages			
Time		Copy Number			
Date of Information (DOI)		Number of Copies [
Originator Control Number		Work Station [
Holder Control Number	Net	work or Hard Disk [
File and Location					
Status					
Template Description and/or Usage Note(s)					
Originator					
Agency // Organization // Unit // Office Symbol					
Address: □ Unclassified & Classified □ Unclassified Only □ Classified Only	Nome Leef	Name Cient	N-ma Middle		
Address: Dunclassined a classined Dunclassined Only		Name, First	Name, Middle		
	Rank	Service	Country		
	Title / Position				
Address: □Unclassified & Classified □Unclassified Only □ Classified Only	Non-Secure Phone (DSN) DSN - x	Secure Phone DSN - x			
	Non-Secure Phone (Commercial) Secure Phone (Commercial) () - x				
	E-Mail: □ Unclassified Only □ Collateral □ TS/SCI □ Other:				
	E-Mail: Unclassified Only	Collateral □TS/SCI □Other:			
Overall U.S. Classification Overall Non-U.S. Classification					
SCI Control Systems and Code Words					
Foreign Government Information Dissemination Controls					
Non-Intelligence Community Markings					
Declassification Date Marking					
Composite Classification and Control Marking Classification Authority / Classified By (If Applicable)					
Derived From (If Applicable)					
Downgrade Instruction(s) (If Applicable) Downgrade Event / Declassify On (If Applicable)					
Security Control Number					
□ See Attachment for Warning(s), Destruction Notice, Distribution Restriction □ Regrade this Cover Sheet to UNCLASSIFIED When Separated from the Doc		g			
TMD IPB Template 18 March 2000 Classification: Local Reproduction Authorized					

Figure B-2. TMD IPB Template Cover Sheet

DTG: Classification:	Page: of	:
Command Mission(s)	Objective(s) Summary (U)	
Overall Command I	Mission(s) Objective(s) (U)	
Objective:		
01:		
02:		
03:		
04:		
05:		
Overall Component	Mission(s) Objective(s) (U)	
Objective:		
01:		
02:		
03:		
04:		
05:		
Overall TMD Mis	sion(s) Objective(s) (U)	
Objective:		
01:		
02:		
03:		
04:		
05:		
Notes:		
TMD IPB Template 18 March 2000 Classification:	Local Reproduction Authorized	

Figure B-3. Command Mission(s) Objective(s) Summary Template

DTG: Classification:	Page:	_ of:
Command Mission(s) Objective(s) Worksheet (U)		
Objective:		
WHAT do we want to make the adversary do?		
Against WHOM?		
HOW do we want to reach the objective?		
WHY do we want to reach the objective?		
How much (TO WHAT DEGREE) do we want to affect adversary activity?		
WHEN and for HOW LONG do we want to reach the objective?		
WHERE do we want to affect the adversary activity?		
HOW MUCH will it cost to achieve the objective and is it WORTH the cost?		
How do we know when we have REACHED the objective?		
Notes:		
TMD IPB Template 18 March 2000 Classification: Local Reprod	uction Author	ized

Figure B-4. Command Mission(s) Objective(s) Worksheet Template

DTG:	Classification:	Page: of:
	Command's Mission(s) Guidance Worksheet Template (U)	
	TMD and TMD Related Command Guidance	
Command Guidance:		
Details:		
Command Guidance:		
Details:		
Command Guidance:		
Details:		
Command Guidance:		
Details:		
	TMD and TMD Related Rules of Engagement (ROE)	
Command Guidance:		
Details:		
Command Guidance:		
Details:		
Command Guidance:		
Details:		
0		
Command Guidance:		
Details:		
	TMD and TMD Related Applicable Laws of Armed Conflict (LOAC)	
Command Guidance:	Timb and Timb Related Applicable Laws of Affiled Collinict (LOAC)	
Details:		
Details.		
Command Guidance:		
Details:		
Command Guidance:		
Details:		
Command Guidance:		
Details:		
Notes:		
TMD IPB Template 18 March 2000	Classification: Local	Reproduction Authorized

Figure B-5. Command Mission(s) Guidance Worksheet Template




Figure B-6. AO/AOI/Battlespace Assessment Template

DTG:	Classification:	Page:	_ of:
	Geopolitical and Regional Threat Assessment Template (U)		
	Adversary National Security Goals and Desired End State		
	And the second s		
Regional Overview Map:			
	Adversary Regional Strategic Vulnerabilities		
	Adversary Strategic and Operational Objectives		
	Auversally Strategic and Operational Objectives		
	Adversary Intent and Strategic Concept of Operations		
	• • • • •		
Notes:			
TMD IPB Template 18 March 2000	Classification: Local Repro	duction Author	ized

Figure B-7. Geopolitical and Regional Threat Assessment Template

DTG:	Classification:				Page: of:
	TM Force General	Capabilitie	s Assessme	ent Template (U)	V
		-		Types and Order of Batt	le of TMs
				i ypes and Order of Ball	IC OI I IVIO
				Role / Mission / Targetin	a of TMs
Lie-	4!!!!			FI	
HIS	storical Use			Employment Conc	epts
	TM CI	naracteristics	and Performan	ce	
Parameters					
Propulsion Type					
Length (m) Diameter (m)					
Wing Span (m)					
Maximum Range (km)					
Minimum Range (km)					
Accuracy (CEP) (m)					
Maximum Range Apogee (m)					
Nominal Launch Altitude (m)					
Nominal Cruise Altitude (m)					
Nominal Cruise Speed (mach) Maximum Time of Flight (minutes)					
Payload Mass					
Warhead Mass					
Payload Options					
				1	I.
TMD IPB Template 18 March 2000	Classification:				Local Reproduction Authorized

Figure B-8. TM Force General Capabilities Assessment Template (1 of 2)

DTG: Classification:	Page: of:
TM Force General Capabiliti	es Assessment Template (U)
Motivation	and Intent
Motivation -	
Intent -	
Historical Use of Suppression of Active Air or TMD	Theater Air Defense versus TMD
Conshilling to Locate TAN	Accept for Suppression
Capability to Locate 1 Mil	O Assets for Suppression
`	
Suppression	Capabilities
Suppression Capability	Applicable To:
TMs in Suppression Role -	
TM Penetration Tactics -	
TM TMD Countermeasures -	
	•
Aircraft	
ASCMs to Suppress TMD Capable Ships	
ARMs	
	•
Information Warfare (Including EC)	
WMD	
SOF	
Terrorist and Insurgent Forces	
Conventional Ground Forces	
Conventional Naval Forces	
Combined Arms Tactics	
TMD IPB Template 18 March 2000 Classification:	Local Reproduction Authorized

Figure B-8 (Continued). TM Force General Capabilities Assessment Template (2 of 2)

DTG:		_ Classification:	line of Committee	niaatiana O	mulau Tamalata (IN	Page: of:
			Line of Commu	nications Ove	erview Template (U)	
		rrain Features Map			Major LOC Features	Мар
			Physic	cal Map		
Area:	Total: Land Only: Water Only:			Terrain: Elevation Extremes:	Lowest Point: Highest Point:	
Area-Comparitive: Land Boundaries: Maritime Claims:	Total: Coastline: Territorial Sea: Continental Shelf:			Land Use:	Arable Land: Permanent Crops: Permanent Pastures: Forests and Woodland: Other:	
MD IPB Template '	18 March 2000	Classification:				Local Reproduction Authorized

Figure B-9. Major Terrain and LOC Overview Template

DTG: Classification:						of:
	TMD IPB Holdings, Database, Sources, and Links Assessment (U)					
			Organizational So	ources		
Organization	POC Established	MOU or Equivalent	Status	Type of S	Support	
Command Intelligence Staff						
Command Operations Staff						
Command Plans Staff JIC						
US Army Component						
US Air Force Component						
US Navy Component						
US Marine Corps Component						
NMJIC						
NMCC						
DIA						
NIMA - Imagery Services						
NIMA - GGI&S						
CIA						
NSA	-					
USSPACECOM	1					
MSIC	1					
NAIC ONI	-					
NGIC	-					
AFMIC						
DTRA						
51101			Others			
			Others			
Notes:						
Notes.						
TMD IDD Templet - 40 March 2000	Classifis-41-				Level Danier duritary Avids 100	
TMD IPB Template 18 March 2000	Classificatio	···			Local Reproduction Authorized	

Figure B-10. TMD IPB Holdings, Database, Sources, and Links Assessment Template (1 of 3)

DTG:	Classification:			Page: of:			
	TMD IPB Holding	s, Database, Sources, a	nd Links Assessment (U)	-			
Connection	Speed	Connectivity	Reliability of Connection	Status (G, Y, R)			
Voice - Unclassified	Зрее а		Reliability of Connection	Status (G, 1, K)			
Voice - Collateral							
Voice - High							
INTELINK							
SIPRNET							
e-Mail - Unclassified							
e-Mail - Collateral							
e-Mail - High							
MIDB - National							
MIDB - Theater							
MIDB - Local							
MEPED	<u> </u>						
SAFE							
NES Message Traffic							
Message Traffic 5D							
IPL							
IPA							
TDDS (TRAP)							
TIBS							
JTIDS							
GCCS							
	•	Others					
Notes:							
TMD IPB Template 18 March 2000	Classification:			Local Reproduction Authorized			

Figure B-10 (Continued). TMD IPB Holdings, Database, Sources, and Links Assessment Template(2 of 3)

DTG: Classificat	ion:				_	Page: of:		
TMD IPE	ВН	oldings, Database, Source	es,	and Links Assessment (l	J)			
		On-Order, and Desired TM		·				
Title:	e: Originator Control #: Copies:							
	Dat	e or DTG:	DOI	:	Rec	eived:		
	Ord	ered:	Ехр	ected Delivery Date:				
		Ty	/pe			Format		
		Report:		Targeting Material:		Hardcopy:		
		Imagery: EO, Radar, MSI, Other		SA Data:		Digital:		
Classification of Title:	T	GGI&S:		Software:		On-line:		
Classification:		Message Traffic:		Other:		Other:		
Source:	-		-		-			
Assessment (Green/Yellow/Red [G/Y/R]):	App	licable To:						
Checked Out To:	1							
Notes:								
Title:	Ori	ginator Control #:				Copies:		
	Dat	e or DTG:	DOI		Rec	eived:		
	Ord	ered:	Ехр	ected Delivery Date:				
		Ty	/pe			Format		
		Report:	Ī	Targeting Material:		Hardcopy:		
		Imagery: EO, Radar, MSI, Other		SA Data:		Digital:		
Classification of Title:		GGI&S:		Software:		On-line:		
Classification:		Message Traffic:		Other:		Other:		
Source:		-	_					
Assessment (G, Y, R):	Apr	licable To:						
Checked Out To:	1.44							
Notes:								
Title:	Ori	jinator Control #:				Copies:		
	Dat	e or DTG:	DOI		Rec	eived:		
	Ord	ered:	Ехр	ected Delivery Date:				
		Ту	/pe			Format		
		Report:	Targeting Material:			Hardcopy:		
		Imagery: EO, Radar, MSI, Other		SA Data:		Digital:		
Classification of Title:		GGI&S:		Software:		On-line:		
Classification:		Message Traffic:		Other:		Other:		
Source:								
Assessment (G, Y, R):	App	licable To:						
Checked Out To:								
Notes:								
Title:	Orio	jinator Control #:				Copies:		
	\vdash	or DTG:	DOI		Rec	eived:		
	\vdash	ered:	-	ected Delivery Date:				
			/pe			Format		
		Report:		Targeting Material:		Hardcopy:		
		Imagery: EO, Radar, MSI, Other		SA Data:		Digital:		
Classification of Title:	t	GGI&S:		Software:	\vdash	On-line:		
Classification:	\vdash	Message Traffic:		Other:		Other:		
Source:		g				1		
Assessment (G, Y, R):	Apr	licable To:						
Checked Out To:	1							
Notes:								
TMD IPB Template 18 March 2000 Classificat	ion:				_	Local Reproduction Authorized		

Figure B-10 (Continued). TMD IPB Holdings, Database, Sources, and Links Assessment Template(3 of 3)

DTG: Classification:		Page: of:
TMD IPB Information Sources Evalua	ation Tem	plate (U)
		,
# Checklist item	Status (G,Y,R)	Critical Gaps
01 Step 1 - Define the Battlespace Environment	(0,1,10)	
02 1.1 - Analyze the Command's Mission in Relation to TMD		
03 1.1.1 - Summarize the Command's Mission and Objectives		
04 1.1.2 - Summarize the Commander's Guidance		
05 1.2 - Identify the Limits of the AO, AOI, and Battlespace		
06 1.2.1 - Assess TM Force Coverage		
07 1.2.2 - Assess Potential TM Force Deployment Area		
08 1.2.3 - Assess Passive Defense AO and AOI		
09 1.2.4 - Assess Active Defense AO and AOI		
10 1.2.5 - Assess Attack Operations AO and AOI		
11 1.2.6 - Assess Composite AO and AOI		
12 1.2.7 - Assess TMD Battlespace		
13 1.3 - Determine the Significant Environment Characteristics of the AO		
14 1.3.1 - Assess Geopolitical and Regional Threat		
15 1.3.2 - Assess TM Force General Capabilities		
16 1.3.3 - Assess TM Force Active Defense Suppression Capabilities		
17 1.3.4 - Assess Major Terrain Features		
18 1.3.5 - Assess Major Lines of Communication		
19 1.4 - Identify the Amount of Detail Required & Feasible Within the Time Available		
20 1.4.1 - Create or Update IPB Checklist and Development Plan		
21 1.5 - Evaluate Existing Databases and Identify Gaps		
22 1.5.1 - Assess TMD IPB Holdings, Databases, Sources, and Links		
23 1.5.2 - Evaluate TMD IPB Information Sources		
24 1.5.3 - Establish TMD IPB POCs		
25 1.6 - Collect Material & Intelligence Required for Further TMD IPB Analysis		
26 1.6.1 - Collect Recommended PIRs/EEIs/RFIs		
27 1.6.2 - Search for Information by Key Word and Equipment & Category Codes		
28 Step 2 - Define the Battlespace Effects		
29 2.1 - Analyze the TM Battlespace Environment		
30 2.1.1 - Assess Terrain		
31 2.1.1.1 - Assess Surface Configuration		
32 2.1.1.2 - Assess Vegetation		
33 2.1.1.3 - Assess Surface Materials		
34 2.1.1.4 - Assess Obstacles		
35 2.1.1.5 - Assess Transportation and LOC Infrastructure		
36 2.1.1.6 - Assess Urban Areas		
37 2.1.1.7 - Assess Cover		
38 2.1.1.8 - Assess Concealment		
39 2.1.1.9 - Assess CCM		
40 2.1.1.10 - Assess Observation/LOS		
41 2.1.1.11 - Assess Key Terrain		
42 2.1.1.12 - Assess Electromagnetic Spectrum		
43 2.1.2 - Assess Weather Effects on TM Operations		
44 2.1.2.1 - Assess TM Force Climatology		
45 2.1.2.2 - Assess Current and Forecast Weather		
46 2.1.3 - Assess Other Characteristics of the Battlespace		
47 2.1.3.1 - Assess TM Infrastructure		
48 2.1.3.2 - Assess TM Facility/Area		
49 2.1.3.3 - Assess TM Infrastructure HVTs		
50 2.2 - Assess Battlespace Effects on TM Force Capabilities and Broad COAs		
TMD IPB Template 18 March 2000 Classification:		Local Reproduction Authorized

Figure B-11. TMD IPB Information Sources Evaluation Template (1 of 2)

TMD IPB Information Sources Evaluation Template (U)	
# Checklist item Status (G, Y, R) Critical Gaps	
# Checklist item (G,Y,R) Critical Gaps 51 2.2.1 - Assess Area Limitation	
52 Step 3 - Evaluate the TM Force	
53 3.1 - Create TM Models	
54 3.1.1 - Assess TM Organizational/C4I Structure	
55 3.1.2 - Assess TM Equipment 56 3.1.3 - Assess TM TTPs	
57 3.1.4 - Assess HVTs	
58 Step 4 - Determine TM COAs	
59 4.1 - Identify Likely TM Objectives and Desired End State	
60 4.2 - Identify the Full Set of TM COAs	
61 4.3 - Evaluate and Prioritize Each Specific TM COA	
62 4.4 - Expand Each COA in the Amount of Detail Time Allows	
63 4.4.1 - Develop Situation Template and Assess HVTs	
64 4.5 - Identify Initial Collection Requirements	
65 4.5.1 - Develop Event Template and Matrix	
66 4.6 - Identify Target Nominations	
67 4.6.1 - Assess Current Situation and Weather Data	
68 4.6.2 - Assess NAI Intelligence Collection Results	
69 4.6.3 - Assess Most Likely TM Force COA	
70 4.6.4 - Assess PIRs	
TMD IPB Template 18 March 2000 Classification: Local Reproduction Au	horized

Figure B-11 (Continued). TMD IPB Information Sources Evaluation Template (2 of 2)

DTG:	Classification:		Page: of:
	TMD IP	B Points-of-Con	tact (POC) Template (U)
Name, Last	Name, First	Name, Middle	Rank Service Country
Organization / Office Symbol			Title / Position
Address: Unclassified Only □ Classifi	ied Only □ Both □ Collate	eral TS/SCI Other	Non-Secure Phone Secure Phone
			() - x () - x Cellular Phone Pager
			() - x
			Home Phone
Address Unclassified Only □ Classifi	ied Only 🗆 Both 🗆 🔻 Collate	eral □ TS/SCI □ Other □	E-Mail Unclassified Only Classified Only Both Collateral TS/SCI Other
			E-Mail Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □
			E-Mail Unclassified Only Classified Only Both Collateral TS/SCI Other
Notes:			
Name, Last	Name, First	Name, Middle	Rank Service Country
Organization / Office Symbol			Title / Position
Address: Unclassified Only □ Classifi	ied Only □ Both □ Collat	eral □ TS/SCI □ Other □	Non-Secure Phone Secure Phone
			() - x () - x Cellular Phone Pager
			() - x () - x
			Home Phone Other:
Address Unclassified Only □ Classifi	ied Only □ Both □ Collate	eral 🗆 TS/SCI 🗆 Other 🗆	(
			E-Mail Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □
			Uniclassified Only II Classified Offig II Bottl II Contateral II 13/3C/II Office II
			E-Mail Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □
Notes:			
Name, Last	Nama Eirat	Nama Middle	Dank Canica Causter
Name, Last	Name, First	Name, Middle	Rank Service Country
Organization / Office Symbol			Title / Position
Address: Unclassified Only □ Classifi	ied Only □ Both □ Collate	eral □ TS/SCI □ Other □	Non-Secure Phone Secure Phone
			() - x
			Cellular Phone
			() - X () - X Home Phone Other:
Address Unclassified Only □ Classifi	iad Only □ Rath □ Collat	eral □ TS/SCI □ Other □	(
Address Oficiassified Offiy 🗆 Classifi	ed Only 🗆 Both 🗀 — Collate	erai 🗆 19/9Ci 🗀 Other 🗀	Conateral D 13/5C D Other D
			E-Mail Unclassified Only Classified Only Both Collateral TS/SCI Other
			E-Mail Unclassified Only Classified Only Both Collateral TS/SCI Other
Notes:			
TMD IPB Template 18 March 2000	Classification:		Local Reproduction Authorized

Figure B-12. TMD IPB POC Template

DTG:Classification:	Page: of:
Recommended PIR / EEI / RFI / Other	Requirement Request Worksheet (U)
Requesting Organization / Point-of-Contact (POC) for PIR / EEI RFI / Other	
Name, Last Name, First Name, Middle	Rank Service Country
Organization / Office Symbol	Title / Position
Organization / Office Symbol	Title / Position
Address: Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □	Non-Secure Phone Secure Phone
	() - x
	Cellular Phone Pager () - x () - x
	Non-Secure FAX Secure FAX
	() - x
Address Unclassified Only Classified Only Both Collateral TS/SCI Other	E-Mail Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □
	E-Mail Unclassified Only Classified Only Both Collateral TS/SCI Other
	E-Mail Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □
December 19 Company of the 19	D / FFI DFI / Other if Kraum
Recommended / Suggested Supporting Organization / Point-of-Contact (POC) for PII Name, Last Name, First Name, Middle	R / EEI RFI / Other if Known Rank Service Country
Organization / Office Symbol	Title / Position
Address: Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □	Non-Secure Phone Secure Phone
	() - x
	Cellular Phone Pager
	(
	Non-Secure FAX Secure FAX () - x
Address Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □	e-Mail Unclassified Only Classified Only Both Collateral TS/SCI Other
	e-Mail Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □
	e-Mail Unclassified Only □ Classified Only □ Both □ Collateral □ TS/SCI □ Other □
Potential Intelligence Sources	
Ves No Unknown NA Obssible NA Unknown NA	Yes Possible Unknown NA Yes Oossible No Unknown NA
Yes No No No No Unk No Unk No Unk NA NA N	Y es N o N o Si N o N o N o N o N o N o N o N o N o N o
IMINT O O O O O O O O O O O O O O O O O O O	HUMINT MASINT - NUCINT
MINT - Visible	MASINT - C C MASINT - RINT C C C C C C C C C
IMINT - IR O O O O O O O O O O O O O O O O O O	MASINT - Electro-Optical
IMINT - MSI	MASINT - IRINT
Period of Relevance / Frequency of Response	****
Date (DD / MMM / YY) / DTG Time of Day (HH:MM:SS) / DTG Date (DD / MMI	
Start End End By Date (DD / MMM / YY) / DTG By Time of Day (HH:MM:SS) / DTG	Date (DD / MMM / YY) / DTG Time of Day (HH:MM:SS) / DTG
	Time Information of Value (LTIOV)
Desired Within:	Desired Within:
≤8 Hours □ ≤16 Hours □ ≤24 Hours □ ≤2 Days □ ≤3 Days □ ≤1 Week □ ≤2 Weeks □ ≤3 Weeks □ ≤1 Month □ ≤2 Months □	≤1 Week □ ≤2 Weeks □ ≤3 Weeks □ ≤1 Month □ ≤2 Months □
See Notes □ See Notes □ □ □ See Notes □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	≤ 3 Months □ ≤ 6 Months □ ≤ 1 Years □ ≤ 3 Years □ See Notes □ □ Time Standard: Local □ Zulu □ Year: Calendar □ Fiscal □
Readiness Phase Crisis / Deployment Phase	Combat Phase Other Phase:
Real Time	Real Time
	Hourly Every Wednesday Hourly Hourly Every Wednesday Hourly Hourly Every Wednesday Hourly Hou
Daily □ Every Thursday □ Daily □ Every Thursday □	Daily □ Every Thursday □ □ Daily □ Every Thursday □ □
Weekly □ Every Friday □ Weekly □ Every Friday □ Monthly □ Every Saturday □ Monthly □ Every Saturday □	Weekly
Quarterly	Quarterly □ Every Sunday □ Quarterly □ Every Sunday □
Yearly □ See Notes □	Yearly □ See Notes □ Yearly □ See Notes □ See Notes □ At: (HH:MM) See Notes □ At: (HH:MM)
See Notes L. At. (III.MM)	See Notes L. At. (HIT.MM)
TMD IPB Template 18 March 2000 Classification:	Local Reproduction Authorized

Figure B-13. Recommended PIR/EEI/RFI/Other Requirement Request Worksheet Template (1 of 2)

DTG:		Classification:							Page: of	f.
ы	Do		DID / EEI /	DEL / Other E	Poquiromo	nt Dogu	iest Workshee	4 /IIV		<u>" </u>
D i d F 4 - 4 D		commenueu	FIK / EEI /	KFI/ Other F	\equilenie	iii Kequ	iest worksliee	ι (υ)		
Desired Format of Respo	onse									
Formal Response	□ In	-Formal Response	1	Hardcopy		Softcopy	lr.	nagery	□ GGI8	&S 🗆
Real Time / Near Real Time		Voice	1	FAX 🗆	Message	(USMTF)			☐ Video Teleconference (VT	
Presentation		Briefing	Meeting	/ Conference O	ther:	□	Other:		□ Other:	_ 0
Maximum Level of Class	ification De	sired								
		Use Only (FOUO)		- Confidential		I - Secret □				
Special Access Releasable To:		No ORCON □		lo Proprietary O		o LIMDIS 🗆		OFORM	V ☐ Contractor Releasab ☐ Other:	ole 🗆
Hardcopy						_				
Report	п	Presentation	1 White / Talking	/Etc Paner □ O	lther:		Other:		☐ Other:	
Softcopy			- Trinto / Tanking	,			0			
Туре		Data / Da			Format		Physical Format		Hosted On	
	eport □ ation □		MIDB Local MIDB	Windows OS:		Цic	CDROM gh Density Floppy Disk		5D Serv	
	agery 🗆		MEPED				100 MByte Zip Disk		IPA Serv	ver 🗆
HTML (i.e. INTE	LĬNK) 🗆		PB Data Base	File Type(s):			250 MByte Zip Disk	Π.	L/	AN 🗆
	tware □ Video □	Local Intelligend	ce Data Base Tab delimited	File Type(s):_ File Type(s):_			8 mm Tape 4 mm Tape	_	W/	AN □ ver □
1	Audio 🗆	ASCII - I	Fixed Length	ine i y pe(s).	NITF -		Tape	ō	INTELINK Serv	ver 🗆
Message (US Other:	MTF)	Other:		Other:		Other:			Other:	🗆
	⊔	Other:		Julei	L	Outer:			Other:	
Softcopy Print Si	ze	Target Area (Mis	ssion Planning)	Туре о	flmagery		Resolution		Other	
3 x 5 F	rint 🗆	18.5 km (10 nr	mi) x 18.5 km 🔲		lectro-Optical	Broad Area	a Coverage - 30 meters		Registered / Georectifie	
	Print □ Print □		nmi) x 9.3 km nmi) x 5.6 km		IR □ Radar □		a Coverage - 15 meters ea Coverage - 3 meters		Annotation No Annotatio	
"x"	Print	km (nm	ni) x km 🗖	Multi-Spectral I	Imagery (MSI)		Resolution - 1-2 meters		Duplicate Positiv	
	Print	Target (Attack	k Parameters)	MSI - F	Panchromatic MSI - Color		Resolution - ≤1 meters		VPF Compatible (i.e CADRO	
"x" Wide Area (O	Print rientation		nmi) x 1.8 km 🗖 nmi) x 0.9 km 🗖		MSI - TERCAT		ea Coverage - ≥ NIIRS 3 Resolution - NIIRS 4-5		Best Availab Textual Imagery Repo	
185.2 km (100 nmi) x 185	.2 km 🗆	km (nm	ni) x km 🛚	MSI - Cha	nge Detection	High	Resolution - NIIRS 5-6		Vertical / Near-Vertical Sh	hot 🗆
111.1 km (60 nmi) x 111 59.3 km (32 nmi) x 59		Close-Up of Sp MSI Mosaic of Area o	pecific Object	MSI - Seas Other:	sonal Imagery		Resolution -≥ NIIRS 6 NIIRS		High Oblique Sh Low Oblique Sh	
km (nmi) x		Other:		Other:		Other:	meters		Other:	
Global Geospatial Inform	-4!									
	iation and S	Services								
General 1	уре		DFAD Level 2		DTOP 🗆		Мар Туре		Scale	
General 1 Hardcopy (Paper	ype Map 🗆	DF	FAD Level 1C	Interim Terr	DDPDB		GNC (1:5,000,000)		1:25,0	
General I Hardcopy (Paper Softcopy (Digital or Raster On-Line	ype Map Map Map)	C DF DF V	FAD Level 1C FAD Level 3C /MAP Level 0	Vector Produ	DDPDB rain Data (ITD) uct ITD (VITD)		GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000)		1:25,0 1:50,0 1:100,0	000
General T Hardcopy (Paper Softcopy (Digital or Raster	ype Map Map Map Map Map Map	C DF DF V V	FAD Level 1C FAD Level 3C /MAP Level 0 /MAP Level 1	Vector Produ	DDPDB		GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000)	0	1:25,0 1:50,0 1:100,0 1:250,0	000 000 000
General I Hardcopy (Paper Softcopy (Digital or Raster On-Line	ype Map Map Map Map Map Map Map Map Text Map	C DF DF V V V	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 1 MAP Level 1 MAP Level 2 MAP Level 2 MAP Level 2 MAP Level 2 MAP	Vector Produ DI DBI	DDPDB rain Data (ITD) uct ITD (VITD)		GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000)		1:25,0 1:50,0 1:100,0	000 000 000
General T Hardcopy (Paper) Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m	ype Map	C DF DF V V Urban VM	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 1 MAP Level 1 MAP Level 2 MAP (UVMAP) CIB 10 meter	Vector Produ DI DBI DBI Digital Chart of the W	DDPDB rain Data (ITD) uct ITD (VITD) BDB 5 minute DB 0.5 minute DB 0.1 minute Vorld (DCW) II	JOG- JO	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000)	00000	1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:1,000,0(1:2,000,0(000 000 000 000 000
General T Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 m	ype Map	C DF DF V V Urban VM	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 1 MAP Level 2 MAP (UVMAP) CIB 10 meter CIB 5 meter	Vector Produ DI DBI DBI Digital Chart of the W	DDPDB rain Data (ITD) uct ITD (VITD) BDB 5 minute DB 0.5 minute DB 0.1 minute Vorld (DCW) II oreline (WVS)	JOG-	GNC (1.5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) TLM (1:100,000)	000000	1:25,0 1:50,0 1:200,0 1:250,0 1:500,0 1:2,000,0(1:5,000,0(000 000 000 000 00
General 1 Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 me DTED Level 4 (50 m DTED Level 4 (50 m	ype Map Ma	C DF DF V V Urban VM	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 1 MAP Level 1 MAP Level 2 MAP (UVMAP) CIB 10 meter	Vector Produ DI DBI DBI Digital Chart of the W World Vector Sh Other:	DDPDB rain Data (ITD) uct ITD (VITD) BDB 5 minute DB 0.5 minute Vorld (DCW) II oreline (WVS) DNC DNC	JOG- JO	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G-G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:100,000)		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:1,000,0 1:2,000,0 0	000 000 000 000 00
General Hardcoy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (100 m DTED Level 2 (100 m DTED Level 4 (5 m DTED Level 4 (5 m DTED Level 5 (1 m DTED Level 5 (1 m	ype Map Ma	E DF V V V Urban VM	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 1 MAP Level 2 IAP (UVMAP) CIB 10 meter CIB 5 meter CIB 1 meter CAPAGE TTADB	Vector Produ DI DBI DBI Digital Chart of the W World Vector Sh Other: Other:	DDPDB	JOG- JOG- C Other:	GNC (1.5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) -G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:100,000) TLM (1:50,000) ity Graphics (1:25,000)		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:5,000,0 1:2,000,0 1:5,000,0 Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 3 (10 m DTED Level 4 (5 m DTED Level 5 (1 m	ype Map Ma	E DF V V V Urban VM	FAD Level 1C FAD Level 3C /MAP Level 0 /MAP Level 1 /MAP Level 1 /MAP Level 1 /MAP LOUIN /MAP L	Vector Produ DI DBI DBI Digital Chart of the W World Vector Sh Other:	DDPDB	JOG- JOG- C Other:	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G-G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:100,000)		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:1,000,0 1:2,000,0 0	000 000 000 000 000 000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 m DTED Level 3 (10 m DTED Level 4 (5 m DTED Level 5 (1 m DFAD Lev	ype Map Ma	E DF V V V Urban VM	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 1 MAP Level 1 MAP Level 2 In MAP Level 3 In MAP Level 4 In MAP Level 2 In MAP Level 5 In MAP Level 5 In MAP Level 6 In MAP Level 6 In MAP Level 7 In MAP Level 7 In MAP Level 7 In MAP Level 8 In MAP Level 8 In MAP Level 9 In MAP Level 9	Vector Produ DI DBI DBI Digital Chart of the W World Vector Sh Other: Other:	DDPDB DPDB DPDB DPDB DPDB DPDB DPDB DPD	JOG- JOO C Other: Other:	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:100,000) TLM (1:50,000) ity Graphics (1:25,000)		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:1,000,0t 1:2,000,0t 0ther: Other: Other: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (100 m DTED Level 2 (100 m DTED Level 2 (100 m DTED Level 4 (100 m DTED Level 4 (100 m DTED Level 5 (10	ype Map Ma	E DF DF V V V Urban VM Diç	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 1 MAP Level 2 IAP (UVMAP) CIB 10 meter CIB 5 meter CIB 1 meter CAPAGE TTADB	Vector Produ DI DET DBI DBI DBI DI	DDPDB	JOG- JOO C Other: Other:	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:00,000) TLM (1:50,000) Sity Graphics (1:25,000)		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:5,000,0 1:2,000,0 1:5,000,0 Other: Other: Other:	000
General Thardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 m DTED Level 3 (10 m DTED Level 5 (1 m DTED Le	Type Map M	E DF V V V Urban VM	FAD Level 1C FAD Level 1C FAD Level 2C FAD Le	Vector Produ DI DBI DBI Digital Chart of the W World Vector Sh Other: Other:	DDPDB DPDB DPDB DPDB DPDB DPDB DPDB DPD	JOG- JOO C Other: Other:	GNC (1:5,000,000) JNC (1:1,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:100,000) TLM (1:50,000) ity Graphics (1:25,000)		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:500,0 1:2,000,0 1:5,000,0 0ther: Other: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 3 (10 m DTED Level 3 (10 m DTED Level 4 (5 m DTED Level 5 (1 m DFAD Level 5 (1 m DFAD Level 5 (1 m DFAD Level 5 (1 m DTED Level 5 (1 m DFAD Lev	Wap Map	DICTIONS OTHER TRANSPORTER TO THE TRANSPORTER TRANSPORTER TO THE TRANSPORTER T	FAD Level 1C	Vector Produ Di DBI DBI DBI DBI Digital Chart of the W World Vector Sh Other: Other:	DDPDB DPDB DPDB DPDB DPDB IDDPB IDDP	JOG- JOHer: Other:	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:50,000) TLM (1:50,000) TLM (1:50,000) TDDS (TRAP) TADIL-J		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:500,0 1:1,000,0(1:2,000,0(1:5,000,0(0ther: Other: Other: Other: Other: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 3 (10 m DTED Level 3 (10 m DTED Level 4 (5 m DTED Level 5 (1 m DFAD Level 5 (1 m DFAD Level 5 (1 m DFAD Level 5 (1 m DTED Level 5 (1 m DFAD Lev	Wap Map	DE CONTROLLING	FAD Level 1C FAD Level 1C FMAP Level 0 MAP Level 1 MAP Level 1 FMAP Level 1 FMAP Level 1 FMAP Level 2 FMAP Level 3 FMAP Level 4 FMAP Lev	Vector Produ Did DBC	DDPDB DPDB DPDB DPDB DPDB DPDB DPDB DPD	JOG- JOHer: Other:	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G-G (Ground) (1:250,000) TLM (1:50,000) TLM (1:50,000) ity Graphics (1:25,000) TDDS (TRAP) TADIL-J		1:25,0 1:50,0 1:100,0 1:100,0 1:250,0 1:500,0 1:500,0 1:5,000,0 1:5,000,0 0ther: Other: Other: TIE Voi Other: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 m DTED Level 3 (10 m DTED Level 5 (1 m DTED Level 5 (1 m DTED Level 4 (5 m DTED Level 4 (5 m DTED Level 5 (1 m DTED Lev	Wap Map	DICTIONS OTHER TRANSPORTER TO THE TRANSPORTER TRANSPORTER TO THE TRANSPORTER T	FAD Level 1C FAD Level 1C FMAP Level 0 MAP Level 1 MAP Level 1 FMAP Level 1 FMAP Level 1 FMAP Level 2 FMAP Level 3 FMAP Level 4 FMAP Lev	Vector Produ Di DBI DBI DBI DBI Digital Chart of the W World Vector Sh Other: Other:	DDPDB DPDB DPDB DPDB DPDB DPDB DPDB DPD	JOG- JOHer: Other:	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:50,000) TLM (1:50,000) TLM (1:50,000) TDDS (TRAP) TADIL-J		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:500,0 1:1,000,0(1:2,000,0(1:5,000,0(0ther: Other: Other: Other: Other: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 m DTED Level 3 (10 m DTED Level 5 (1 m DFAD Lev	ype Map Ma	Dig	FAD Level 1C FAD Level 3C FAD Level 0 MAP Level 0 MAP Level 1 MAP Level 2 IAP (UVMAP) CIB 10 meter CIB 11 meter CADRG JTIADB JTIADB JTIDS - S(SIPRNET)	Vector Produ Dil DBI	DDPDB DPDB DPDB DPDB DPDB DPDB DPDB DPD	JOG- JO(Other: Other: Other: Other:	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G-G (Ground) (1:250,000) TLM (1:50,000) TLM (1:50,000) ity Graphics (1:25,000) TDDS (TRAP) TADIL-J		1:25,0 1:50,0 1:100,0 1:100,0 1:250,0 1:500,0 1:500,0 1:5,000,0 1:5,000,0 0ther: Other: Other: TIE Voi Other: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 m DTED Level 3 (10 m DTED Level 5 (1 m DFAD Lev	ype Map Ma	Dig Urban VM Dig INTELINK- Other: Other:	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 1 MAP Level 2 IAP (UVMAP) CIB 10 meter CIB 5 meter CIB 5 meter TTADB JTIDB JTIDS JTIDS JTIDS	Vector Produ Dil DBI	DDPDB	JOG-JOHer:Other:O	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:50,000) TLM (1:50,000) ity Graphics (1:25,000) TDDS (TRAP) TADIL-J		1:25,0 1:50,0 1:100,0 1:250,0 1:250,0 1:500,0 1:5,000,0 1:2,000,0 1:5,000,0 Other: Other: Other: TIE Voi Other: Other: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 m DTED Level 3 (10 m DTED Level 4 (5 m DTED Level 5 (1 m DFAD Lev	ype Map Ma	DE D	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 1 MAP Level 1 MAP Level 2 MAP Level 1 MAP Level 3 MAP Level 3 MAP Level 4 MAP Level 5 MAP Level 5 MAP Level 6 MAP Level 6 MAP Level 7 MAP Level 7 MAP Level 8 MAP Level 8 MAP Level 9 MAP Level 1	Vector Production Distriction Distriction Distriction Distriction Distriction Distriction Distriction Distriction World Vector Sh World Vector Sh Other: Other: Other: Other: Other: Other: Area	DDPDB	JOG-JOHer:Other:	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G-G (Ground) (1:250,000) TLM (1:50,000) TLM (1:50,000) ity Graphics (1:25,000) TDDS (TRAP) TADIL-J		1:25,0 1:50,0 1:100,0 1:250,0 1:250,0 1:500,0 1:5,000,0 1:2,000,0 1:5,000,0 Other: Other: Other: TIE Voi Other: Other: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 3 (10 m DTED Level 3 (10 m DTED Level 5 (10	ype Map	Dig Urban VM Dig INTELINK- Other: Other: Other: INFRIED How	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 1 MAP Level 1 MAP Level 2 MAP Level 1 MAP Level 3 MAP Level 3 MAP Level 4 MAP Level 5 MAP Level 5 MAP Level 6 MAP Level 6 MAP Level 7 MAP Level 7 MAP Level 8 MAP Level 8 MAP Level 9 MAP Level 1	Vector Produ DBI	DDPDB	JOG-JOHer:Other:	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:50,000) TLM (1:50,000) ity Graphics (1:25,000) TDDS (TRAP) TADIL-J		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:500,0 1:1,000,0(1:2,000,0(1:5,000,0(0ther: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 3 (10 m DTED Level 3 (10 m DTED Level 4 (5 m DTED Level 5 (1 m DFAD Lev	ype Map Ma	DF DF V V V Urban VM Dig INTELINK- Other: Other: Other: Ohn-Fixed - Mov	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 1 MAP Level 1 MAP Level 2 MAP Level 1 MAP Level 2 MAP Level 1 MAP Level 2 MAP Level 3	Vector Production Distriction Other: Other: Other: Other: Other:	DDPDB DPDB DPDB DPDB DPDB DPDB DPDB DPD	JOG-JOHer: Other: Other: Other: Other: Other: Other: MGRS	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:100,000) TLM (1:50,000) TLM (1:50,000) TLM (1:50,000) TLM (1:50,000) TLM (1:50,000)		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:500,0 1:1,000,0(1:2,000,0(1:5,000,0(0ther: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 3 (10 m DTED Level 3 (10 m DTED Level 4 (5 m DTED Level 5 (1 m DFAD Lev	ype Map	DE CONTRACTOR CONTRACT	FAD Level 1C FAD Level 3C FMAP Level 0 FMAP Level 1 FMAP Level 1 FMAP Level 2 FMAP Level 3 FMAP L	Vector Produ DBI	DDPDB DPDB DPDB DPDB DPDB DPDB DPDB DPD	JOG-JOHer: Other: Other: Other: Other: Other: Other: MGRS	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G-G (Ground) (1:250,000) TLM (1:500,000) TLM (1:		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:500,0 1:1,000,0(1:2,000,0(1:5,000,0(0ther: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 m DTED Level 5 (1 m DTED Level 6 (1 m DTED Leve	ype Map Ma	Dig Urban VM Dig INTELINK- Other: Other: Other: Non-Fixed - Mov Point Radius Iddmmss dd.mmss on: Longitude	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 0 MAP Level 1 MAP Level 2 MAP Level 1 MAP Level 3 MAP Level 4	Vector Produce of Market Produ	DDPDB	JOG- JOHer: Other: Other: Other: Other: Other: ute / Polylin WIGRS	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:50,000) TLM (1:50,000) ity Graphics (1:25,000) TDDS (TRAP) TADIL-J TDDS (TRAP) TADIL-J		1:25,0 1:50,0 1:100,0 1:250,0 1:250,0 1:500,0 1:5000,0 1:5,000,0 1:5,000,0 0ther: Other: Othe	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 mc DTED Level 3 (10 mc DTED Level 5 (1	ype Map Ma	Dig Urban VM Dig INTELINK- Other: Other: Other: Other: Completed Mov Point □ Radius Idmmss □ dd.mmss Dig Longitude	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 0 MAP Level 1	Vector Produce of Market Produ	DDPDB	JOG- JOHer: Other: Other: Other: Other: ute / Polylin WGRS	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:100,000) TLM (1:50,000) TLM (1:50,000) TLM (1:50,000) TLM (1:50,000) TADIL-J TADIL-J TADIL-J W Next Point Next Point Next Point		1:25,0 1:50,0 1:100,0 1:250,0 1:250,0 1:50,00,0 1:2,000,0 1:2,000,0 1:5,000,0 0ther: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 m DTED Level 5 (1 m DTED Leve	ype Map Ma	DIF DIF V V V Urban VM Dig INTELINK- Other: Other: Other: Other: Indicate didmens didmens didmens didmens Longitude Longitude	FAD Level 1C FAD Level 3C FAD Level 3C FAD Level 1 FAD Level 1 FAD Level 2 FAD Level 2 FAD Level 2 FAD Level 3 FAD Level 3 FAD Level 3 FAD Level 4 FAD	Vector Produ DBI	DDPDB	JOG-JOU C C Other: Other: Other: Other: Other: ute / Polylin	GNC (1:5,000,000) JNC (1:1,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G-G (Ground) (1:250,000) TLM (1:50,000) TLM (1:50,000) TLM (1:50,000) TLM (1:50,000) TADIL-J TDDS (TRAP) TADIL-J TDDS (TRAP) TADIL-J W Latitude Next Point Next Point Next Point		1:25,0 1:50,0 1:100,0 1:250,0 1:500,0 1:500,0 1:1,000,0(1:2,000,0(1:5,000,0(0ther: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 m DTED Level 5 (1 m DTED Leve	ype Map Ma	Dig Urban VM Urban VM Dig INTELINK- Other: Other: Other: Other: Completed - Mov Point Radius ddmmss dd.mmss Dn: Longitude	FAD Level 1C FAD Level 3C FAD Level 3C FAD Level 0 FAD Level 0 FAD Level 1	Vector Produ DBI	DDPDB DDPDB	JOG- JOHer: Other: Other: Other: oute / Polylin WGRS ude E \u00e4 III III III III III III III III III II	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:50,000)		1:25,0 1:50,0 1:100,0 1:250,0 1:250,0 1:250,0 1:2,000,0(1:2,000,0(1:2,000,0(1:5,000,0(0ther: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 3 (10 m DTED Level 3 (10 m DTED Level 5 (1 m DTED Lev	ype Map Ma	Dig INTELINK- Other: Other: Other: Comparison delimination deliminati	FAD Level 1C FAD Level 3C MAP Level 0 MAP Level 0 MAP Level 1 MAP Level 1 MAP Level 2 MAP Level 2 MAP Level 3 MAP Level 4	Vector Produ DBI	DDPDB DPDB D	JOG-JOHER: Other: Other: Other: Other: Under: Other: Other	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G (Ground) (1:250,000) TLM (1:50,000) TLM (1:50,000) itly Graphics (1:25,000) TDDS (TRAP) TADIL-J W		1:25,0 1:50,0 1:100,0 1:250,0 1:250,0 1:50,00,0 1:5,000,0 1:2,000,0 1:5,000,0 0ther: Other:	000
General Hardcopy (Paper Softcopy (Digital or Raster On-Line Other: DTED Level 0 (1,000 m DTED Level 1 (100 m DTED Level 2 (30 m DTED Level 5 (1 m DTED Leve	ype Map Ma	Dig INTELINK- Other: Other: Other: Comparison delimination deliminati	FAD Level 1C FAD Level 3C FAD Level 3C FAD Level 0 FAD Level 0 FAD Level 1	Vector Produ DBI	DDPDB DDPDB	JOG-JOHER: Other: Other: Other: Other: Under: Other: Other	GNC (1:5,000,000) JNC (1:2,000,000) ONC (1:1,000,000) TPC (1:500,000) JOG-A (Air) (1:250,000) G (Ground) (1:250,000) G-R (Radar) (1:250,000) TLM (1:50,000)		1:25,0 1:50,0 1:100,0 1:250,0 1:250,0 1:250,0 1:2,000,0(1:2,000,0(1:2,000,0(1:5,000,0(0ther: Other:	000

Figure B-13 (Continued). Recommended PIR/EEI/RFI Other Requirement Request Worksheet Template (2 of 2)

OTG: Class	TMD IPB Key Word Search Tem	Page: of				
	TWID IPB Key Word Search Tem	plate (U)				
	Adversary / Country Focus Key Word	s				
Country 1 Name:		Country 3 Name:				
Country 4 Name:	U Country 5 Name:	U Country 6 Name:				
Country 7 Name:		□ Country 9 Name:				
Country 1 3-Letter Designator:	☐ Country 2 3-Letter Designator:	☐ Country 3 3-Letter Designator:				
Country 4 3-Letter Designator:	☐ Country 5 3-Letter Designator:	Country 6 3-Letter Designator:				
Country 7 3-Letter Designator:	☐ Country 8 3-Letter Designator:	Country 9 3-Letter Designator:				
Country 1 2-Letter Designator:	Country 2 2-Letter Designator:	Country 3 2-Letter Designator:				
Country 4 2-Letter Designator:	☐ Country 5 2-Letter Designator:	☐ Country 6 2-Letter Designator:				
Country 7 2-Letter Designator:	☐ Country 8 2-Letter Designator:	☐ Country 9 2-Letter Designator:				
Country 1 Nick Name:						
ountry 4 Nick Name:	Country 5 Nick Name:	Country 6 Nick Name:				
ountry 7 Nick Name:						
ussia	China	North Korea				
an		Syria				
	□ India	□ Syria □ Pakistan				
ibya	□ India □ Area 2 Name:	u Pakistali				
rea 1 Name:	U Area 2 Name:					
rea 4 Name:						
rea 7 Name:		☐ Area 9 Name:				
ther:	□ Other:	□ Other:				
Other:						
linaila	General Key Words	D. Theotex Missile				
issile	□ Rocket	☐ Theater Missile				
esearch	☐ Development	D R&D				
esting	☐ Evaluation	□ T&E				
DT&E	☐ Production	☐ Flight Test				
heater Missile Defense	□ TMD	□ Order of battle				
В	□ 00B	☐ Missile Order of Battle				
IOB	Defensive Missile Order of Battle	□ DMOB				
Air Route Closure	☐ Area Closure	 Operational Test 				
xercise	☐ Field Exercise	☐ Command				
control	© C2	□ Communications				
onaoi	□ Computers	C4				
4-11:						
ntelligence	□ C3I	D C4I				
uppression of Enemy Air Defense	□ SEAD	☐ Suppression of Enemy Missile Defense				
EMD	☐ Defense Suppression	☐ Defense Suppression Threat				
ST	☐ Air Defense	□ AD				
urface-to-Air Missile	□ SAM	☐ Electronic Warfare				
W	☐ Electronic Combat	□ EC				
nformation Warfare	□ IW	□ Information Operations				
	☐ Electronic Countermeasures	□ ECM				
Electronic Attack	□ EA	☐ Fire Control System				
Fire Control	□ Radar	☐ Search				
arly Warning	□ Acquisition	□ Track				
arget	□ Point Target	☐ Area Target				
ingine Test Stand	☐ Inertial Navigation System	□ INS				
atellite Navigation	SATNAV	☐ Global Positioning System				
SPS	GLONASS	□ Seeker				
erminal Guidance	☐ Midcourse Guidance	☐ Midcourse Update Guidance				
uidance and Control	□ G&C	Guidance, Navigation, and Control				
NC .	☐ Booster	☐ Airframe				
ocket Motor	☐ Rocket Engine	☐ Turbojet				
amjet	□ Turbofan	☐ Turboprop				
ther:	□ Other:	Other:				
ther:		Other:				
	Weapon System Nomenclature					
rimary Designator System 1:	Primary Designator System 2:	☐ Primary Designator System 3:				
rimary Designator System 4:		Primary Designator System 6:				
rimary Designator System 7:						
digenous Designator System 1:	Indigenous Designator System 2:	☐ Indigenous Designator System 3:				
idigenous Designator System 1: idigenous Designator System 4:	Indigenous Designator System 5:	Indigenous Designator System 5:				
	Indigenous Designator System 5:	☐ Indigenous Designator System 6:				
ndigenous Designator System 7:	☐ Indigenous Designator System 8:	☐ Indigenous Designator System 9:				
lick Name System 1:	Nick Name System 2:	□ Nick Name System 3:				
lick Name System 4:	□ Nick Name System 5:					
ick Name System 7:	☐ Nick Name System 8:	□ Nick Name System 9:				
ATO Designator System 1:	NATO Designator System 2:	NATO Designator System 3:				
ATO Designator System 4:	□ NATO Designator System 5:	NATO Designator System 6:				
ATO Designator System 7:	□ NATO Designator System 8:	□ NATO Designator System 9:				
ATO Code Name System 1:	□ NATO Code Name System 2:	□ NATO Code Name System 3:				
ATO Code Name System 4:	NATO Code Name System 5:	NATO Code Name System 6:				
ATO Code Name System 7:	□ NATO Code Name System 8:	NATO Code Name System 9:				
/SSIC Designator System 1:	□ WSSIC Designator System 2:	USSIC Designator System 3:				
/SSIC Designator System 4:	□ WSSIC Designator System 5:	WSSIC Designator System 6:				
/SSIC Designator System 7:	□ WSSIC Designator System 8:	☐ WSSIC Designator System 9:				
ASSC Designator System 1:	ASSC Designator System 2:	ASSC Designator System 3:				
ASSC Designator System 4:	ASSC Designator System 5:	ASSC Designator System 6:				
ASSC Designator System 7:	ASSC Designator System 8:	☐ ASSC Designator System 9:				
ther:	□ Other:					

Figure B-14. TMD IPB Key Word Search Template (1 of 4)

	Classification:	MD IPB Key Word Search Template (U)	Page: c
		mb ir b key word Search Template (O)	
		sile (not including: launcher, delivery vehicle, or suppor	
☐ Theater Ballistic Missile		☐ Tactical Ballistic Missile	□ TBM
Ballistic Missile		☐ Short Range Ballistic Missile	□ SRBM
Medium range Ballistic Missile		□ MRBM	☐ Intermediate Range Ballistic Missile
IRBM		☐ Sea Launched Ballistic Missile	☐ Submarine Launched Ballistic Missile
I Ship Launched Ballistic Missile		□ SLBM	☐ Surface-to-Surface Missile
l System		☐ Theater Missile	□ TM
Other:		☐ Other:	☐ Other:
Other:		☐ Other:	☐ Other:
		ile (not including: launcher, delivery vehicle, or support	
Cruise Missile			☐ Antiship Cruise Missile
ASCM		□ Antiship	☐ Land Attack Cruise Missile
LACM		☐ Unmanned Aerial Vehicle	□ UAV
			— ···
Attack Unmanned Aerial Vehicle		□ AUAV	Remotely Piloted Vehicle
I RPV		☐ Air-to-Surface Missile	□ ASM
Other:		☐ Other:	☐ Other:
Other:		☐ Other:	☐ Other:
	Non-Ballistic and Non-	Cruise Missile (not including: launcher, delivery vehicle,	or support equipment
Antiradiation Missile		□ ARM	☐ Antiradiation
AR		☐ Antiradiation Homing	□ARH
Air-to-Surface Missile		□ ASM	☐ Tactical Air-to-Surface Missile
I TASM		☐ Artillery Rocket	☐ Field Artillery Rocket
		Weapons of Mass Destruction (WMD)	
1 Chemical Warfare		Weapons of Mass Destruction (WMD) Chemical Weapon	Chemical Warhood
			☐ Chemical Warhead
1 CW		☐ Biological Warfare	☐ Biological Weapon
Biological Warhead		□ BW	☐ Nuclear Warfare
Nuclear Weapon		☐ Nuclear Warhead	□ Nuke
Special Weapon		☐ Protective Measures	☐ Chemical Agent
l Biological Agent		□ Bio	☐ Chem
1 Chemical Weapons Program		☐ Biological Weapons Program	☐ Nuclear Weapons Program
1 Weaponization		☐ Weaponize	□ Persistent
Non-Persistent		☐ Decontamination	☐ Binary Weapon
I VX		□ GF	□ Soman
I GD		□ Sarin	□ GB
l Tabun		□ GA	☐ Mustard
l Anthrax		□ Q-Fever	☐ Toxin
1 Other:		☐ Other:	☐ Other:
1 Other:		□ Other:	☐ Other:
		Warhead / Payload	
Ramjet		☐ Turbofan	☐ Warhead
Payload		□ Unitary	□ Submunition
Blast		☐ High Explosive	□ HE
Fragmentation		☐ Blast Fragmentation	☐ Semi-Armor Piercing
I SAP			
		☐ Armor Piercing	Mine
Terminally Guided Submunition		□ TGSM	□ Chemical
l Biological		☐ Nuclear	☐ Conventional
1 Cluster		□ Bulk Fill	☐ Fuel Air Explosive
I FAE		□ Bomblet	☐ Electro-Magnetic Pulse
I EMP		☐ Antiradiation Missile	□ ARM
Electronic Attack		—	☐ Electronic Warfare
1 EW		□ Laser Guided	☐ Laser Designated
I GPS Guided		☐ Circular Error Probable	□ CEP
		☐ Other:	
1 Other:			Other:
Other:		□ Other:	□ Other:
		Countermeasures	
l Electronic Warfare		□ EW	☐ Electronic Countermeasures
I ECM		☐ Electronic Counter-Countermeasures	□ ECCM
Penetration Aid		☐ Penaid	□ Decoy
Chaff		□ Flare	□ Jammer
Replica		□ Shroud	□ Signature
Signature Reduction		□ Radar Cross Section	□ RCS
Radar Cross Section Reduction		□ RCS Reduction	Coating
IR Coating		☐ Camouflage, Concealment, and Deception	□ CCD
		□ D&D	□ DD
Denial and Deception		□ Concealment	□ Deception
			☐ Time-on-Target Control
l Camouflage		☐ Salvo I aunch	
l Camouflage I Denial		□ Salvo Launch	
l Camouflage I Denial I Simultaneous Arrival		☐ Simultaneous Impact	☐ Operations Security
Camouflage Denial Simultaneous Arrival OPSEC		□ Simultaneous Impact □ Communications Security	☐ Operations Security ☐ COMSEC
I Camouflage I Denial I Simultaneous Arrival I OPSEC I Maneuvering		☐ Simultaneous Impact ☐ Communications Security ☐ Maneuvering Reentry Vehicle	☐ Operations Security ☐ COMSEC ☐ MaRV
1 Camouflage 1 Denial 1 Simultaneous Arrival 1 OPSEC 1 Maneuvering		□ Simultaneous Impact □ Communications Security	☐ Operations Security ☐ COMSEC
I Camouflage I Denial I Simultaneous Arrival I OPSEC I Maneuvering I Multiple Reentry Vehicles		□ Simultaneous Impact □ Communications Security □ Maneuvering Reentry Vehicle □ MRV	☐ Operations Security ☐ COMSEC ☐ MaRV ☐ Stealth
I Camouflage I Denial I Simultaneous Arrival I OPSEC I Maneuvering I Multiple Reentry Vehicles I Balloon		□ Simultaneous Impact □ Communications Security □ MRV □ Light replica	□ Operations Security □ COMSEC □ MaRV □ Stealth □ Heavy Replica
1 Camouflage 1 Denial 2 Simultaneous Arrival 1 OPSEC 1 Maneuvering 1 Multiple Reentry Vehicles 2 Balloon 1 Terrain Bounce Jammer		☐ Simultaneous Impact ☐ Communications Security ☐ Maneuvering Reentry Vehicle ☐ MRV ☐ Light replica ☐ Towed Decoy	☐ Operations Security ☐ COMSEC ☐ MaRV ☐ Stealth ☐ Heavy Replica ☐ Escort Jammer
1 Camouflage 1 Denial 1 Denial 2 Simultaneous Arrival 1 OPSEC 1 Maneuvering 1 Multiple Reentry Vehicles 1 Balloon 1 Terrain Bounce Jammer 1 Barrage Jammer		□ Simultaneous Impact □ Communications Security □ Maneuvering Reentry Vehicle □ MRV □ Light replica □ Towed Decoy □ Countermeasures Dispenser	☐ Operations Security ☐ COMSEC ☐ MaRV ☐ Stealth ☐ Heavy Replica ☐ Escort Jammer ☐ Early Release of Submunitions
1 Camouflage 1 Denial 3 Simultaneous Arrival 1 OPSEC 1 Maneuvering 1 Multiple Reentry Vehicles 1 Balloon 1 Terrain Bounce Jammer 1 Barrage Jammer		□ Simultaneous Impact □ Communications Security □ Maneuvering Reentry Vehicle □ MRV □ Light replica □ Towed Decoy □ Countermeasures Dispenser □ Defense Suppression	☐ Operations Security ☐ COMSEC ☐ MaRV ☐ Stealth ☐ Heavy Replica ☐ Escort Jammer ☐ Early Release of Submunitions ☐ Suppression of Enemy Air Defense
1 Denial and Deception 1 Camouflage 1 Denial 1 Simultaneous Arrival 1 OPSEC 1 Maneuvering 1 Multiple Reentry Vehicles 1 Balloon 1 Terrain Bounce Jammer 1 Barrage Jammer 1 ERS 1 SEAD		☐ Simultaneous Impact ☐ Communications Security ☐ Maneuvering Reentry Vehicle ☐ MRV ☐ Light replica ☐ Towed Decoy ☐ Countermeasures Dispenser ☐ Defense Suppression ☐ Air Defense Suppression	☐ Operations Security ☐ COMSEC ☐ MaRV ☐ Stealth ☐ Heavy Replica ☐ Escort Jammer ☐ Early Release of Submunitions ☐ Suppression of Enemy Air Defense ☐ Simultaneous Launch
1 Camouflage 1 Denial 3 Simultaneous Arrival 1 OPSEC 1 Maneuvering 1 Multiple Reentry Vehicles 1 Balloon 1 Terrain Bounce Jammer 1 Barrage Jammer		□ Simultaneous Impact □ Communications Security □ Maneuvering Reentry Vehicle □ MRV □ Light replica □ Towed Decoy □ Countermeasures Dispenser □ Defense Suppression	□ Operations Security □ COMSEC □ MaRV □ Stealth □ Heavy Replica □ Escort Jammer □ Early Release of Submunitions □ Suppression of Enemy Air Defense □ Simultaneous Launch □ Terrain Masking
I Camouflage I Denial I Denial I Simultaneous Arrival I OPSEC I Maneuvering I Multiple Reentry Vehicles I Balloon I Terrain Bounce Jammer I Barrage Jammer I ERS I SEAD		☐ Simultaneous Impact ☐ Communications Security ☐ Maneuvering Reentry Vehicle ☐ MRV ☐ Light replica ☐ Towed Decoy ☐ Countermeasures Dispenser ☐ Defense Suppression ☐ Air Defense Suppression	☐ Operations Security ☐ COMSEC ☐ MaRV ☐ Stealth ☐ Heavy Replica ☐ Escort Jammer ☐ Early Release of Submunitions ☐ Suppression of Enemy Air Defense ☐ Simultaneous Launch
I Camouflage I Denial I Denial I Simultaneous Arrival I OPSEC I Maneuvering Multiple Reentry Vehicles I Balloon I Terrain Bounce Jammer I Barrage Jammer I ERS I SEAD I SEAD I Standoff Jammer		□ Simultaneous Impact □ Communications Security □ Maneuvering Reentry Vehicle □ MRV □ Light replica □ Towed Decoy □ Countermeasures Dispenser □ Defense Suppression □ Air Defense Suppression □ Terrain Following	□ Operations Security □ COMSEC □ MaRV □ Stealth □ Heavy Replica □ Escort Jammer □ Early Release of Submunitions □ Suppression of Enemy Air Defense □ Simultaneous Launch □ Terrain Masking

Figure B-14 (Continued). TMD IPB Key Word Search Template (2 of 4)

Base I al Level Garrison I al Level Depot I al Level Deporating Location I al Level Deporating Location I al Level Deporating Location I al Level Deporating Area I al Level Deporation I al Level Dep	□ Airfield □ Port □ National Garrison □ National Level Storage □ Field Storage Location □ Field Operating Base □ FOL □ Warhead Mating □ Launch Site □ Hide Area □ Flight Test Activity □ Field Exercise □ Deparating Procedures □ Operating Procedures
Base al Level Garrison al Level Garrison torage Area perating Location g Area and Area ite perating Area raining	□ Port □ National Garrison □ National Level Storage □ Field Storage Location □ Field Operating Base □ FOL □ Warhead Mating □ Launch Site □ Hilde Area □ Flight Test Activity □ Field Exercise □ Tactics □ Operating Procedures
Base al Level Garrison al Level Garrison torage Area perating Location g Area and Area ite perating Area raining	□ Port □ National Garrison □ National Level Storage □ Field Storage Location □ Field Operating Base □ FOL □ Warhead Mating □ Launch Site □ Hilde Area □ Flight Test Activity □ Field Exercise □ Tactics □ Operating Procedures
al Level Garrison al Level Depot torage Area perating Location J Area pad Area te perating Area raining gy	□ National Garrison □ Ried Storage □ □ Field Storage □ Field Exercise □ Tactics □ Operating Procedures
al Level Depot torage Area perating Location g Area coad Area tite diperating Area raining g g g g g g g g g g g g g g g g g	□ National Level Storage □ Field Storage Location □ Field Operating Base □ FOL □ Warhead Mating □ Launch Site □ Hide Area □ Flight Test Activity □ Field Exercise □ Tactics □ Operating Procedures
torage Area pperating Location g Area and Area ite perating Area raining g g g g g g g g g g g g	□ Field Storage Location □ Field Operating Base □ FOL □ Warhead Mating □ Launch Site □ Hilde Area □ Flight Test Activity □ Field Exercise □ Tactics □ Operating Procedures
torage Area perating Location J Area	□ Field Operating Base □ Field Operating Base □ Warhead Mating □ Launch Site □ Hide Area □ Flight Test Activity □ Field Exercise □ Tactics □ Operating Procedures
pperating Location J Area J Area Italian Ita	□ FOL □ Workead Mating □ Launch Site □ Hide Area □ Flight Test Activity □ Flactics □ Operating Procedures
g Area (pad Area (pad Area (page 1) perating Area (page 2) perating Area (page 2) perating (page 2) pe	□ Warhead Mating □ Launch Site □ Ide Area □ Flight Test Activity □ Field Exercise □ Tactics □ Operating Procedures
oad Area () ite () perating Area () raining () gy ()	□ Launch Site □ □ Hide Area □ Flight Test Activity □ Field Exercise □ Tactics □ Operating Procedures
ite perating Area raining 1979	□ Hide Area □ Flight Test Activity □ Fleld Exercise □ Tactics □ Operating Procedures
operating Area raining Sy To the state of	□ Flight Test Activity □ Field Exercise □ Tactics □ Operating Procedures
raining to the state of the sta	□ Field Exercise □ Tactics □ Operating Procedures
gy [[[] [] [] [] [] [] [] [] [□ Tactics □ Operating Procedures
" [□ Operating Procedures
[
[□ Dre and use
[□ Procedure
	□ Other:
	□ Other:
Launchers and Delivery vehicles	
	□ Transporter Erector Launcher
	□ TEL Chassis Model:
	□ Fixed Launcher
	□ Launch Aircraft Manufacture:
	□ Launch Ship Manufacture:
	□ Transportable launcher
n Ship Type Abbreviation:	□ Rail Launcher
orter Erector Launcher and Radar	□ TELAR
[□ Other:
	□ Other:
quipment (not including: launchers and delivery v	
· · · · · · · · · · · · · · · · · · ·	□ Ground Support
ehicle [□ Fuel Truck
er Truck	□ Checkout vehicle
out Van	□ Box-Bodied Van
ply Vehicle	□ RSV
	□ Vehicle Chassis manufacture:
	□ Transporter
	□ Warhead Vehicle
	□ Warhead Container
	□ Fire Control Truck
	□ Warhead Van
	□ Command and Control Truck
	□ Horizontal Test Truck
	□ Autonomous Test Truck
	□ Comprehensive Test Equipment
	□ Comprehensive rest Equipment □ Aiming Vehicle
	□ Missile Container
	□ Missile Container □ Airframe Container
	☐ Missile Container Transporter
	□ Airframe Container Transporter
	□ HET
	□ Fuel Cannister
	□ Starter Fuel Container
	□ IRFNA Cannister
	□ Washing and Neutralizing Truck
	Compressed Air Vehicle
	□ Tanker Truck
	□ Wash Down Vehicle
	□ Warhead Dolly
	□ Warhead/Fin Trolley
	□ Sustained Handling Skid
	□ Missile Airframe Dolly
	□ Meteorological Truck
	□ Survey Vehicle
Parts Vehicle	□ Spare Parts Truck
	□ Ambulance
ehicle [□ POL Truck
iter Truck	□ Computer Van
	□ Topographical Van
	□ Radio Van
	□ Other:
	□ Other:
Other	
	□ Other:
	□ Other:
	□ Other:
[□ Other: □ Other:
en en le contractor de la contractor de	promous Test Vehicle Power Truck Cannister Cannister Cannister Cannister Transporter Cannister Transporter Cannister Transporter Equipment Transporter Fuel Cannister Fuel Cannister Gundaler G

Figure B-14 (Continued). TMD IPB Key Word Search Template (3 of 4)

DTC	S: Classification: Page: of:
	TMD IPB Key Word Search Template (U)
Ins	tructions:
	Check each keyword required to search for the desired information.
2 -	Provide the data search operator with the logic for relating the key words to each other key word for filtering the data sources. This is usually in the form of boolean logic. Boolean logic uses simple operators to relate key words:
	AND - "key word 1" AND "key word 2" filters such that any returned hit has both "key word 1" and "key word 2" in the returned hit. OR - "key word 1" OR "key word 2" filters such that any returned hit has either "key word 1" or "key word 2" in the returned hit, not necessarily both. NOT - "key word 1" NOT "key word 2" filters such that any returned hit has "key word 1" and does not have "key word 2" in the returned hit.
	For Example:
	In most cases, the country name or country 2- or 3-letter designator of the adversary is always associated with any desired information search return to ensure that the search returns only information focused on the AO and AOI, for example:
	[RD OR RED] AND [TBM] will return hits that are focused on the country RED that relate to theater ballistic missiles.
	There is no effective way to provide a template for building the filtering logic for an information search, because of the wide variety of search engines used by the intelligence community. This template provides a way of identifying the key words and then the analyst must work with the data search operator to define the filtering logic based on the search tools available to the data search operator.
3-	After receiving the results of the data information search, evaluate the results. If the search returned a much larger number of hits that are not relevant, then tighten the filtering logic to reduce the number to a manageable level. If the search returned a much smaller number of hits then expected and there appears to be missing information, then expand the filtering logic to increase the number of returns. In any case, it will likely take several iterations to get to an efficient and effective set of key words and filtering logic. In some cases the key words and filtering logic will have to be dynamic to keep up with changing situations.
4-	When choosing key words and setting up filtering logic, take caution with the use of plurals, abbreviations, compound words, and others. The particular cautions and their fixes will be dependent on the specific search system being used. Work closely with the data search operator to ensure the best possible choices of key words and filtering logic have been chosen. As an example, the use of the key word "Denial & Deception" may yield little or no results on some search systems while "Denial and Deception" retrieves the results that are of interest.
No	tes:
L	
TMD	IPB Template 18 March 2000 Classification: Local Reproduction Authorized

Figure B-14 (Continued). TMD IPB Key Word Search Template (4 of 4)




Figure B-15. DIA Standardized Functional Category Code Information Search Template (1 of 2)

DTG: Classification:	Page:	of:
DIA Standardized Functional Category Code Information Search Template (U)	•	
Operational Support Garrisons/Bases/Ports/Facilities/Posts SLBMs [8760?, 8762?, 88270. 88272] MRBMs [8760?, 8762?, 88270. 88271] GLCMs[8760?, 8765?, 88270. 88271] Aviation [88270. 88273] Aviation Delivered Missiles [88270. 88273] Naval TMs [8790?, 8791?, 8792?, 8793?, 8794?, 88270. 88272] Coastal Defense Missiles [8790?, 8795?, 88270. 88272] Multiple Missile Types [8760?, 87667] Operational Field Garrisons/Bases/Facilities/Posts/Areas SRBMs [87609, 87639] MRBMs [87609, 87639]		
○ IRBMs [87609, 87629] ○ GLCMs [87609, 87659] ○ Multiple Missile Types [87609, 87669] Operational Missile Sites/Areas Fixed		
SRBMs [87007, 87067, 87147] MRBMs [87007, 87032, 87142, 88007, 88100, 88101, 88130, 88131, 88134, 88135, 88136, 88140, 88141, 88144, 88145, 88146] IRBMs [87007, 87022, 87147, 88007, 88100, 88101, 88120, 88121, 88124, 88125, 88126, 88140, 88141, 88144, 88145, 88146] GLCMs [87007, 87057, 87147, 88007, 88103, 88123, 88133, 88143, 88153, 88150, 88151, 88154, 88155, 88156, 88161] Naval Surface-to-Surface Missiles (SSM) [87007, 88007, 88102, 88122, 88132, 88142, 88152, 88162] Mobile Launch Positions Road [87187] Railroad [87177] Troops in the Field, Tactical Missile Troop Field Position [90247] Naval Relocation Areas [9537? (except 95374 and 95347)] Coastal Defenses [98007, 9817? (except 98237)]		
Operational Training Garrisons/Bases/Facilities/Posts/Areas SRBMs [87606, 87646, 88260, 88261] MRBMs [87606, 87628, 87646, 88260, 88261] IRBMs [87606, 87628, 87646, 88260, 88261] GLCMs [87606, 88293, 87646, 87656, 88260, 88261] Naval TiMs [88262] Aviation and Aviation Delivered Missiles [88263] Multiple Missile Types [87666] Potential Mobile Ground-Launched TM Hide Sites		
Road Bridges and Viaducts [441?7] Railroad Bridges and Viaducts [441?7] Road Tunnels and Bunkers [442?7] Railroad Tunnels and Bunkers [422?7] Other Man-made Tunnels and Bunkers [9820?, 9821?, 9828?, 9829?] Natural and Constructed Caves [9826?] Covered Storage Areas [481?? (except 4814? and 4815?)] Artillery Positions [9823?] Other [443??]		
O National and National Command Authority (NCA)[8900? (except 89002), 8901?, 8910?, 893?? (except 8932?), 894?? (except 8942?), 895?? (except 8952?)] O National Level TM [8740?, 8741?, (except 874?1)] SRBMS [8740?, 87476, 8748.8 [7470, [except 874?1), 88300, 88311] O NRBMS [8740?, 87473, 87474, 87470, [except 874?1), 8780?, 8783?, 88300, 88311] IRBMS [8740?, 87472, 87474, 87470, [except 874?1), 8780?, 8782?, 88300, 88311] O GLCMS [8740?, 87475, 87470, [except 874?1], 8780?, 8782?, 88300, 88311] Aviation and Aviation Delivered Munitions [8100?, 813?? (except 81300), 814??, 88313] Naval TMs [88302, 9557?, 96000, 96001, 96002, 96100, 96101, 96102, 962?? (except 96213, 96223, 9623?, 9624?, 96253, 9626?), 96300, 96301, 96302] Multiple Missile Types [8740?, 87477, 874?0, (except 874?1)] Communications Landlines		
Coaxial Cable [41300, 41327, 41337] Submarine Cable [41300, 41317] Multiconductor [41300, 41337] Fiber Optic [41300, 41347] Switching and Control Centers [414??] RF [4117? except 41113] SATCOM [4114?] Fixed Base Mobile Signal Units [8960?, 8966?, 8968?, 8969?]		
Early Warning, Surveillance, Detection, Tracking, and Acquisition Radars [851??] GCI Radar Facilities [852??] Missile Control Radars [853??] Surveillance Radar [854??] Anti-aircraft artillery (AAA) Gunfire Control Radar [850?, 8552?] Complexes [8720?, 872?2, 872?5, 872?7 (except 8724?), 8730?, 873?4, 873?5, 873?6, 873?9, 8740?,] Meteorological		
All DIA Standardized Functional Category Codes are 5 numerical characters in length. There are a potential 90,000 category codes. In order to provide an efficient methor most information systems, use wild card characters. Only one wild card character is used within this template. That wild card character is ?. The ? represents 0 through example, the category code 2191? represents the category codes 21910 through 21919; category code 219?? represents the category codes 21900 through 21999; and category codes 21010, 21110, 21210, 21310, 21410, 21510, 21610, 21710, 21810, & 21910.	9 in any combinat	tion. For
TMD IPB Template – 18 March 2000 Classification: Local Rep	roduction Authorize	ed

Figure B-15 (Continued). DIA Standardized Functional Category Code Information Search Template (2 of 2)

G:			Classific		LEquipme	Page: of:
			DIA Sta	idardized	Equipme	ent Code Information Search Template (U)
	Characte 1st	er Position 2nd	3rd	4th	5th	Description
	Α					Aircraft, Fixed Wing
		A B				Bomber, Long Range Bomber, Intermediate Range
		C				Bomber, Short Range
		D				Fighter, All-Weather
		E				Fighter, Day
		F G				Attack Fighter-Bomber
		i				Antisubmarine Warfare
		P				Unmanned Aerial Vehicles (UAV), Drones, and Remotely Piloted Vehicles (RPV)
		Q				Multi-Role Combat Aircraft
		U	•	•		Mixed / Unknown Types and 'Total' Entries
			?	?	Α	Unique Aircraft Type Identifier Antiship Capability
					В	Attack
					С	Antisubmarine Warfare (ASW)
					D P	Antiradar
					S	No Modification to Basic Type UAV / Drone / RPV Conversion Control
					Ü	Other Special Modifications
					٧	Multiple Capability
					X Z	Fighter-Bomber All Weather Fighter
	В				-	Aircraft, Rotary Wing
		A				Attack Helicopter
		G H				ASW Helicopter UAVs / Drones / Remotely Piloted Helicopters (RPH)
		Ü				Mixed/Unknown Types and 'Total' Entries
		v				Autogyro
			?	?		Unique Aircraft Type Identifier
					A B	ASW Attack
					J	No Modification to Basic Type
					U	Other Special Modifications
	_				٧	Antiship
	С	Α				Vessels, Combatant Ship Category Submarine Type
		В				Aircraft Carrier Type
		С				Surface Combatant Type, Battleship
		D				Surface Combatant Type, Cruiser
		E F				Surface Combatant Type, Destroyer Surface Combatant Type, Frigate
		G				Patrol Combatant Type
		W				Coast Guard Cutter
			?	Α	0	Unique Vessel / Ship Type Identifier Ship Type Entry (without Ship Class Name Indication)
				A	1	Not Further Identified
				Α	2	Single Ship Entry
				A	3	New Ship Class Entry
				A A	4 5	Hulls Under Construction Miscellaneous Groupings
				Ä	7	Projected
	_			Α	9	Total Count Entry for the Given Ship Type
	D	1				Vessels, Combatant Craft Category Patrol Craft Type
		J				Patrol Craft Type Patrol Craft Type
		-	?			Unique Vessel / Ship Type Identifier
				A	0	Ship Type Entry (without Ship Class Name Indication)
				A A	1 2	Not Further Identified Single Ship Entry
				A	3	New Ship Class Entry
				A	4	Hulls Under Construction
				A A	5 7	Miscellaneous Groupings Projected
				Â	9	Total Count Entry for the Given Ship Type
template.	That wild card	character is ?. The	? represents 0 th	rough 9 in any cor	nbination. For exar	efficient method for information searching most information systems use wild card characters. Only one wild card character is used mple, the equipment code AA79P represents the equipment codes AA00P through AAZZP; and equipment code AA00P represent AA00L, AA00M, AA00M, AA00M, AA00P, AA0P, AA00P, AA0P, AA

Figure B-16. DIA Standardized Equipment Code Information Search Template (1 of 4)

TG:			Classific			Page: of
			DIA Stai	ndardized	Equipme	ent Code Information Search Template (U)
	Characte	er Position		· <u> </u>		
	1st	2nd	3rd	4th	5th	Description
	J					Engines and Propulsion Systems
	J	Α				Aircraft Engines (for Fixed Wing Aircraft)
		В				Aircraft Engines (for Rotary Wing Aircraft)
		С				Naval/Marine Engines
		K				Space Launch Vehicle/Spacecraft Engines and Propulsion Systems
		N				Armored Vehicle/Tank Engines
		Q R				Vehicular Engines Rail Locomotive Engines
		Z				Missile/Rocket Propulsion Systems
		ī				Miscellaneous Engines/Propulsion Systems
			?	?	?	Unique Equipment Identifier
	L					Associated / Miscellaneous Equipment
		A				Aircraft, Fixed Wing Related
		В				Aircraft, Rotary Wing Related
		C D				Vessels, Combatant Ship Category Related
		J				Vessels, Combatant Craft Category Related Engines and Propulsion Systems Related
		Ň				Armored Vehicle Related
		Q				General Purpose Vehicles Related
		R				Special Purpose Vehicles Related
		S				Engineering Equipment Related
		T				Air Defense Weapons Related
		U V				Field Artillery/Surface Bombardment/Torpedo Systems Related
		V X				Surface-to-Surface Missile (SSM) Launchers/Rocket Launchers Related Radar/Electronic Equipment Related
		Ŷ				Communications/Automated Data Processing (ADP) Related
		ž				Ammunition Reload Related
		L				Not Otherwise Categorized Related
			?	?	?	Unique Equipment Identifier
	N	_				Armored Vehicles
		C				Armored Command Vehicle (ACV)
		D E				Armored Combat Support Vehicles
		E	Α			Armored Service Support Vehicles Amphibious / Tracked
			B			Amphibious / Wheeled
			D			Non-Amphibious / Tracked
			С			Non-Amphibious / Wheeled
			Н			Half-Tracked Vehicles
			V			Mixed or Variant Types
			U	_	_	Mixed or Variant Types
	Q			?	?	Unique Equipment Identifier
	Q	R				General Purpose Vehicles Tractor (Prime Mover)
		s				Trailer / Semitrailer
		Ť				Truck
		U				Combination / Variant / Unknown
			Α			Less Than or Equal to 1/4 Ton / 5 Personnel
			В			Less Than or Equal to 1/2 Ton / 10 Personnel
			C			Less Than or Equal to 3/4 Ton / 15 Personnel
			D E			Less Than or Equal to 1 Ton / 20 Personnel Less Than or Equal to 1.5 Ton / 25 Personnel
			F			Less Than of Equal to 1.5 for 7.25 Personnel Less Than or Equal to 2 Tons / 30 Personnel
			Ġ			Less Than or Equal to 2.15 Tons / 35 Personnel
			Н			Less Than or Equal to 3 Tons / 40 Personnel
			I.			Less Than or Equal to 4 Tons / 45 Personnel
			J			Less Than or Equal to 5 Tons / 50 Personnel
			K V			More Than 5 Tons / 50 Personnel
			V U			Mixed or Multiple Weight / Personnel Categories
			U	?	?	Unknown Unique Equipment Identifier
	R			•	•	Special Purpose Vehicles
		С				Communications (Exclusive of Specific Communications Gear)
		Ĥ				Chemical / Biological / Radiological (CBR) Defense and Decontamination
		I				POL / Water / Liquid Carriers and Tankers
		K				Tank / Heavy Equipment Transporters
		L				Other Special Purpose
		Р	^			Missile Transporter-Erector-Launcher (TEL) & Associated Missile Support Vehicles Tracked, Self-Propelled
			A B			Tracked, Seit-Propelled Tracked, Towed
			C			Wheeled, Self-Propelled
			Ď			Wheeled, Towed
			N			Not Applicable
			Q			Rail, Locomotives and Self-Propelled Rail Vehicles
DIA Standa	ardized Fauin-	ent Codes are 5 cla	hanumerical charac	ters in lanath In	der to provide an aff	ficient method for information searching most information systems use wild card characters. Only one wild card character is used
s template.	That wild card	character is ?. The	e ? represents 0 thr	ough 9 in any com	bination. For exam	ncient memoaror information searching most information systems use wind card characters. Unly one wind card character is usec ple, the equipment code AA??P represents the equipment codes AA00P through AAZZP, and equipment code AA00P represe A00L,AA00M,AA00N,AA00O,AA00P,AA00R,AA00S,AA00T,AA00U,AA00W,AA00W,AA00X,AA00Y,AA00X
-р-пенте		,,	Classific		.,	

Figure B-16 (Continued). DIA Standardized Equipment Code Information Search Template (2 of 4)

G:			Classific			Page: of:
			DIA Star	ndardized	Equipme	nt Code Information Search Template (U)
	Characte	r Position				
	1st	2nd	3rd	4th	5th	Description
	s					Engineering Equipment
		В				Earth-Moving Equipment (Bulldozers, Excavators, etc.)
		С				Construction (Cranes, Jackhammers, etc.)
		F				Material Lifting and Handling Equipment
		M				Mixed or Multi-Purpose Equipment Tracked Self-Propelled, Amphibious
			A B			Tracked Self-Propelled, Non-Amphibious
			Č			Wheeled, Self-Propelled, Amphibious
			D			Wheeled, Self-Propelled, Non-Amphibious
			E			Wheeled, Towed, Amphibious
			F			Wheeled, Towed, Non-Amphibious
			G H			Floating Only Fixed
			Ü			Unknown or Not Applicable
			Ū	?	?	Unique Equipment Identifier
	T					Air Defense Weapons
		G				Missile Launcher, Fixed Site
		Н				Missile Launcher, Man-Portable
		l J				Missile Launcher, Self-Propelled
		K				Missile Launcher, Towed Missile Launcher, Shipboard Mounted
		Ü				Mixed/Multiple Categories/Unknown
		-	1			Optical Tracking/Unguided
			2			Radar Tracking, Unguided
			3			Optical Tracking, Homing
			4 5			Radar Tracking, Homing Command Guided/Wire Guided
			5 6			Command Guided/wire Guided Homing
			Ü			Unknown
			v			Mixed/Variant
				?	?	Unique Equipment Identifier
	U					Field Artillery / Surface Bombardment Weapons / Torpedo Tubes
		0				Multiple Rocket Launcher, Towed
		R P				Rocket Launcher, Single Rail (not mounted) Multiple Rocket Launcher, Self-Propelled
		r	М			Equal To 122 mm
			N.			Greater Than 122 mm But Less Than 152 mm
			0			Greater Than Or Equal To 152 mm But Less Than 155 mm
			Р			Equal To 155 mm
			Q			Greater Than 152 mm But Less Than Or Equal To 175 mm
			R S			Greater Than 175 mm But Less Than Or Equal To 210 mm Greater Than 210 mm But Less Than 240 mm
			T			Equal To Or Greater Than 240 mm
			Ü			Unknown
			V			Mixed/Variant
				?	?	Unique Equipment Identifier
	V	В				SSM Launchers / Rocket Launchers
		B C				Ballistic Missiles With Ranges Greater Than 600 km Ballistic Missiles With Ranges Less Than 600 km
		D				Free Rockets
		Ē				Guided Cruise Missiles
		G				Antiship Surface Missile
		U	_			Unknown / Mixed
			A			Fixed Site
			B C			Ship or Submarine Launcher Self-Propelled Launcher
			D			Towed Launcher
			E			Semi-Mobile Launcher
			U			Unknown / Mixed
		_		?	?	Unique Equipment Identifier
		В				Alternative 2nd Character For Intermediate Range Ballistic Missiles (IRBM)
		C S				Alternative 2nd Character For Medium Range Ballistic Missiles (MRBM) Alternative 2nd Character For Short Range Ballistic Missiles (SRBM)
		•				Automative and orientation for orient traingle ballione missines (ONDM)
A Standa	rdized Equipme	ent Codes are 5 alph character is ?. The	? represents 0 thr	ters in length. In or	der to provide an eff	ficient method for information searching most information systems use wild card characters. Only one wild card character is used ple, the equipment code AA??? represents the equipment codes AA00P through AAZZP; and equipment code AA00? represen 0001_AA00M_AA000, AA00P, AA00P, AA00P, AA00S, AA00T, AA00V, AA00V, AA00V, AA00V, AA00Z.
unent cod	JES AAUUA, AA(ub, AAUUC, AAUUD	, MAUUE, AAUUF, AA	UUU, AAUUH, AA00	ı, AAUUJ, AAUUK, AA	NUUL, AAUUM, AAUUM, AAUUM, AAUUM, AAUUK, AAUUS, AAUU I, AAUUU, AAUUW, AAUUW, AAUUX, AAUUX, AAUUZ.

Figure B-16 (Continued). DIA Standardized Equipment Code Information Search Template (3 of 4)

DTG:		Classific			Page: of:
		DIA Star	ndardized	l Equipme	nt Code Information Search Template (U)
	Character Position	0.1	40.	54	P
		3ra	4tn	ətn	·
000000000000000000000000000000000000000	Character Position 1st 2nd X A B C D F I J K O R	3rd A B C E F H I J N Q R S T W X Z U D E F G H I J K L	4th	5th	Radars, Electronic Warfare (EW) Equipment, And Other Remote Detection Devices Early Warning / Acquisition Radars, Component Parts, And Overall Systems Height Finding Radars, Component Parts, And Overall Systems Missile Guidance Radars, Component Parts, And Overall Systems Fire Control Radars, Component Parts, And Overall Systems Combat Surveillance Radars, Component Parts, And Overall Systems Mixed Of Unidentified Radars, Component Parts, And Overall Systems Mixed Of Unidentified Radars, Component Parts, And Overall Systems Radiosondes And Ionosondes EW Equipment (Active) Waterway / Seaway Traffic Control And Ship Navigational Radars Land Based Or Radiosondes Sounders Land Based Or Radiosonde Sounders Land Based Or Radiosonde Sounders Land Based Experimental And Developmental Radars Radar Entries By Megahertz And Frequency Band Harbor Surveillance Radars Ionosondes Countermeasures / Jammer Naval U.S. Produced Airborne Airborne Intercept Or 3-Dimensional Or Coastal Surveillance Radar Tracking Or Direction Finder Weather Weather Wind Finder General / Mixed / Totals Unidentified Electronic Equipment Unique Equipment Identifier Communications And ADP Equipment Communications Equipment Communications Equipment Communications Equipment Radio Sets and Stations Radio Transmitters Radio Receivers Radio Receivers Radio Transmitters Radio Receivers Radio Receivers Radio Transmitters Radio Receivers Radio Receivers Radio Receivers Radio Leguipment, Fire Control ADP Associated Equipment
		Q			Communications Antennas, Naval (Shipboard)
0		R	?	?	Communications Antennas, Airborne Unique Equipment Identifier
	Z B C D E G W	N H R W			Ammunition Reload Ballistic Missiles with Ranges from 600 km to 5,500 km Ballistic Missiles with Ranges Less Than 600 km Free Rockets Guided Cruise Missiles Anti-Ari Missiles, Ground or Air Launched Air-to-Surface Missiles (ASM) Nuclear Devices Naval Missile Nuclear Warheads (W 2nd Character Only) Nuclear Rockets (W 2nd Character Only) Nuclear Weapons (W 2nd Character Only)
this template. equipment cod	That wild card character is ?. The	? represents 0 thr	ough 9 in any com A00G, AA00H, AA0	bination. For exam	licient method for information searching most information systems use wild card characters. Only one wild card character is used within ple, the equipment code AA0?P represents the equipment codes AA00P through AA2ZP; and equipment code AA00? represents the IA00L, AA00M, AA00M, AA00N, AA00O, AA00P, AA00P, AA00P, AA00S, AA00T, AA00U, AA00V, AA00W, AA00X, AA00Z. Local Reproduction Authorized

Figure B-16 (Continued). DIA Standardized Equipment Code Information Search Template (4 of 4)

Table B-1. Overlays, Doctrinal Templates, and GGI&S Products Supporting Terrain Analysis

Table B-1. Overlays, Doctrinal Templates, a	anu v	GGI	αJ r	-100	iuci	s ou	ppo	Turr	y re	Hall	II AI	iaiy	515
Basic Terrain Analysis Products Potential Overlays, Doctrinal Templates, and GGIS Products Grayed boxes indicate overlays, doctrinal templates, and GGIS products that typically can contribute to the production of these basic terrain analysis products on the left.	Basic Mapping Functionality	Surface Configuration	Vegetation	Surface Materials	Obstacles	Transportation / LOC Infrastructure	Urban Areas	Cover	Concealment	Cross-Country Movement	Observation / Line-of-Sight	Key Terrain	Electromagnetic Spectrum
Terrain A	nalve	ie Ov	orlav	e									
	illalys	IS UV	enay	>	_								
Surface Configuration Overlay(s)													
Vegetation Overlay(s)													
Surface Materials Overlay(s)													
Obstacles Overlay(s)													
Transportation Infrastructure Overlay(s)	_												
Urban Areas Overlay(s)													
Cover Overlay(s)													
Concealment Overlay(s)													
Cross-Country Movement Overlay(s)													
Observation / Line-of-Sight Overlay(s)													
Key Terrain Overlay(s)													
Electromagnetic Spectrum Overlay(s)													
Doctrinal Te	mplat	es fro	om St	ep 3									
TM Equipment Doctrinal Template(s)													
TM TTP Doctrinal Template(s)													
			<u> </u>			_							
Weather Effects on	I M O	perati	ons /	Asses	ssmei	าเ							
Climatology Assessment(s)													
Weather Forecast(s)													
Current Weather Observation(s)													
Commonly Av	ailabl	e GG	S Pro	duct	s								
Global Navigation Chart(s)													
Jet Navigation Chart(s)													
Operational Navigation Chart(s)													
Tactical Pilotage Chart(s)													
Joint Operations Graphic / Ground (Series 1501) Chart(s)													
Joint Operations Graphic / Air (Series 1501 Air) Chart(s)													
Joint Operations Graphic / Radar (Series 1501 Radar)	1												
Chart(s)													
Topographic Line Map(s) (1:25,000)													
Topographic Line Map(s) (1:50,000)	1												
Topographic Line Map(s) (1:30,000)	1												
Nautical Chart(s) or Hydrographic Chart(s)													
Digital Chart of the World II													
Digital Terrain Elevation Data Level 1													
Digital Terrain Elevation Data Level 1 Digital Terrain Elevation Data Level 2	+				 								
ARC Digitized Raster Graphic(s)													
Compressed ARC Digitized Raster Graphic(s)													
Vector Map Level 0													
Vector Map Level 0													
A COTOL IAIN FEACI I													
Voctor Man Loyal 2													
Vector Map Level 2													
Terrain Categorization Data													
Terrain Categorization Data Digital Features Analysis Data Level 1													
Terrain Categorization Data Digital Features Analysis Data Level 1 Digital Features Analysis Data Level 2													
Terrain Categorization Data Digital Features Analysis Data Level 1 Digital Features Analysis Data Level 2 Controlled Image Base 10 meter													
Terrain Categorization Data Digital Features Analysis Data Level 1 Digital Features Analysis Data Level 2 Controlled Image Base 10 meter Controlled Image Base 5 meter													
Terrain Categorization Data Digital Features Analysis Data Level 1 Digital Features Analysis Data Level 2 Controlled Image Base 10 meter													

Table B-1 (Continued). Overlays, Doctrinal Templates, and GGI&S Products Supporting Terrain Analysis

Terra	in A	naly	sis										
Basic Terrain Analysis Products Potential Overlays, Doctrinal Templates, and GGIS Products Grayed boxes indicate overlays, doctrinal templates, and GGIS products that typically can contribute to the production of these basic terrain analysis products on the left.	Basic Mapping Functionality	Surface Configuration	Vegetation	Surface Materials	Obstacles	Transportation / LOC Infrastructure	Urban Areas	Cover	Concealment	Cross-Country Movement	Observation / Line-of-Sight	Key Terrain	Electromagnetic Spectrum
DBDB - Variable Resolution													_
DBDB 5'													
DBDB 0.5'													
DBDB 0.1'													
Other Vector, Raster, Dat	a. and	d Har	d Cor	ov GO	SIS Pr	oduc	ts						
Aim Point Graphic(s)	.,			, , ,			-						
Air Target Chart(s) – Series 200													
Anaglyph(s)													
Approach Chart(s)													
ARC Digitized Raster Image(s)													
ASW Prediction Area Chart(s)													
Automated Tactical Target Graphic(s)													
Basic Target Graphic(s)													
Bathymetric Navigation Planning Chart(s)													
Bathymetric Recovery Area Chart(s)													
Bottom Contour Chart(s)													
City Graphic(s)													
Coastal Chart(s)													
Combat Chart(s)													
Compressed Aeronautical Chart(s)													
Compressed Digital Terrain Elevation Data													
Compressed Raster Graphic(s)													
Current Chart(s)													
DBDB - Variable Resolution													
Digital Aeronautical Flight Information File													
Digital Cities Data Base													
Digital Elevation Model													
Digital Features Analysis Data Level 1C													
Digital Features Analysis Data Level 3C													
Digital Landmass Blanking System Digital Line Graph													
Digital Line Graph-Enhanced													
Digital Nautical Chart(s)													
Digital Point Positioning Data Base													
Digital Terrain Elevation Data Level 0													
Digital Terrain Elevation Data Level 3													
Digital Terrain Elevation Data Level 4													
Digital Terrain Elevation Data Level 5													
Digital Topographic Data													
Digital World Port Index													
Foundation Features Data													
Gazetteer													
Gridded Airfield Photograph(s)				$ldsymbol{ldsymbol{ldsymbol{eta}}}$									
Gridded Installation Photograph(s)				$ldsymbol{ldsymbol{ldsymbol{eta}}}$									
Harbor Chart(s)													
Harbor, Approach and Coastal Chart(s)													
Harbor, Approach and Coastal 1 Chart(s)													
Harbor, Approach and Coastal 2 Chart(s)													
Harbor, Approach and Coastal 3 Chart(s)													

Table B-1 (Continued). Overlays, Doctrinal Templates, and GGI&S Products Supporting Terrain Analysis

Terrai	n Ar	nalys	sis										
Basic Terrain Analysis Products Potential Overlays, Doctrinal Templates, and GGIS Products Grayed boxes indicate overlays, doctrinal templates, and GGIS products that typically can contribute to the production of these basic terrain analysis products on the left.	Basic Mapping Functionality	Surface Configuration	Vegetation	Surface Materials	Obstacles	Transportation / LOC Infrastructure	Urban Areas	Cover	Concealment	Cross-Country Movement	Observation / Line-of-Sight	Key Terrain	Electromagnetic Spectrum
Harbor, Approach and Coastal 4 Chart(s)													
Harbor, Approach and Coastal 4 Chart(s)													\vdash
Harbor, Approach and Coastal 5 Chart(s)													\vdash
Harbor, Approach and Coastal 7 Chart(s)													H
Harbor, Approach and Coastal 7 Chart(s)													\vdash
Harbor, Approach and Coastal 9 Chart(s)													$\vdash \vdash$
Harbor, Approach, Coastal & General Nautical Chart(s)													$\vdash \vdash$
High Speed Digital Chart(s)													\vdash
lce Chart(s)													$\vdash \vdash$
Instrument Approach Chart(s)													
Interim Terrain Data													\vdash
Joint Digital Target Material													\vdash
Littoral Warfare Data													\vdash
Magnetic Anomaly Detection Planning Chart(s)													\vdash
Magnetic Anomaly Detection Operational Effectiveness													\vdash
Chart(s)													
Military Installation Map(s)													
Modified Facsimile Chart(s)													
Naval Operating Area Chart(s)													
Non-Submarine Contact List(s)													
Operational Support Plan Graphic(s)													
Operational Target Graphic(s)													
Pilot Chart(s)													
Planning Interim Terrain Data													
Planning Terrain Analysis Data Base													
Point Positioning Data Base													
Precise Bathymetric Navigation Zone Chart(s)													
Probabilistic Vertical Obstruction Data													
Provisional Map(s)													
Quick Response Graphic(s)													
Regridded Terrain Elevation Data													
Relocatable Targets Data Base													
Sound Surveillance Systems Chart(s)													
Standard Image Map													
Tactical Oceanographic Data - Level 0													
Tactical Oceanographic Data - Level 1													
Tactical Oceanographic Data - Level 2													
Tactical Terrain Analysis Data Base													
Tactical Terrain Data													
Urban Vector Map(s)													
Vector Product Interim Terrain Data													
Vector Relocatable Targets Analysis Data													
Vector Vertical Obstruction Data													
Vertical Obstruction Data													
Video Point Positioning Data Base													
World Data Bank II													
World Magnetic Model													
World Mean Elevation Data													
G = Good Applicability, Y = Marginal Applicability, R = Poor Appl	licabili	ty, an	d BL	ANK =	No A	Applica	ability						
Some products are available on a limited basis or are planned to													

Some products are available on a limited basis or are planned for future production (in *italics*) by NIMA

DTG:	Classification:			Page: of:
	Feature Class Data to Terrain Analysi	s Ten	plat	•
Feature Four	adation Data (EED) is a set of features defined by NIMA and found in NIMA's hard conv	and digits	I GGIS	IS products. The Feature Foundation Data is divided into codes, attributes, and values and
consistent wi	th terrain features used in USA FM 5-33 "Terrain Analysis". For each Terrain Analysis Templa	ite check t	he avail	ailability of the Feature Foundation Data within your available GGIS products. Next check wheth
				ich Terrain Analysis Template block requiring the Feature Foundation Data. If optional place an as grayed cells for typically required Feature Foundation Data for each Teπain Analysis Templat
		l		Tawain Anglusia Tamplata
		_		Terrain Analysis Template
		Fext		Temp ate plate mplate m
		ge T		plate mpla ate tee (FC)' Temp smpk smpk smpk smpk smpk smpk smpk sm
		L P		ate or Temple mutrol itrol Tricol Tri
		oint		emplate emplate emplate emplate emplate emplate emplate and a second construction of the construction of t
		Data Type [L=line A=Area P=Point N=node T=Text]		Land Surface Configuration Template Baltymetric Surface Configuration Template Surface Materials Template Surface Materials Template Land Obstacle Template The About Configuration Template Antified LOC Infrastructure Template Antified LOC Infrastructure Template Antified LOC Infrastructure Template Fallroad Locy Template Antified LOC Infrastructure Template Fallroad Cover Template Friendly Abo and TMD Radar Masking Template Friendly Surface ISR and Fire Control (FC)Template Adversary AD and TMD Radar Coverage Template Adversary Overhead SIR and Fic Control Template Adversary Standoff ISR and Fire Control Template Adversary Surface ISR and Fic Coverage Template Adversary Surface ISR and Fic Coverage Template Adversary Standoff ISR and Fic Coverage Template Adversary Standoff ISR and Fic Coverage Template KRy Terrain Template KRy Terrain Template Adversary Tall Forne FM Spertrum Template
		=Are	ata	Land Surface Configuration Bathymeric Surface Configuration Vegetation Template Surface Materials Template Lobra Amera Template Neutical Obstacle Template Antified LOC Infrastructure Template Antified LOC Infrastructure Template Antified LOC Infrastructure Template Antified LOC Infrastructure Template Friendly Ab and Tulb Read Antifier Read Material Friendly Surface Read Mas Adversary Overhead SR and if Friendly Surface ISR and if Adversary Schnorf ISR and Adversary Schnorf ISR and Adversary Surface ISR and if Adversary Surface ISR and if Adversary Surface ISR and if Key Tarria Template Key Terria Template Adversary Surface ISR and if Key Terria Template Adversary Surface ISR and if Adversary Surface ISR and if Key Terria Template Adversary Surface ISR and if Adversary Surface ISR and if Key Terria Template Adversary Surface ISR and if Adversary Surface ISR and if
nte .		ine A	Available Terrain Data	Land Surface Configured Surface Surface Surface Surface Surface Surface Surface Surface Surface Medicals Template Surface Medicals Template Surface Su
Feature Code Feature Attribute Feature Value]]	Terra	face in Teres and Teres and Teres are a face in Teres and Teres and Teres are a face in Teres and Teres are a face in Teres and Teres are a face in Teres and Teres and Teres are a face in Teres and Teres are a face in Teres and Teres and Teres are a face in Teres and Teres and Teres and Teres are a face in Teres and Teres and Teres and Teres are a face in Teres and Teres and Teres and Teres are a face in Teres and Teres an
Feature Code Feature Attrib Feature Value		Ě	lable	d Sur station and y see and y see and A LO by
Feat Feat Feat	Feature Name	Data	Avai	Lance Batt Lance Surface Surfa
[X]	Foundation Feature Coastline / Shoreline		indaries	ss Coverage
Х	Vertical Datum Category	L	Н	
X	Mean Sea Level Mean High Water	L	Н	
Х	Mean Low Water Administrative Boundary	L	П	
X	Administrative Area	L A	Н	
X	Armistice Line Maritime Limit Boundary	L	Н	
X	Cease-Fire Line	L	Ц	
x	Foundation Feature Depth Contour	L L	vation C	Coverage
X	Depth Curve or Contour Value (meters) Contour Line (Land)	L	H	
Х	Hydrography Portrayal Category	L	Ħ	
X	Index Intermediate	L	Н	
X	Depression Index Depression Intermediate	L	Н	
X	Highest Z-value (meters)	Ī	П	
X	Spot Elevation Highest Z-value (meters)	P	Н	
TX	Foundation Feature Settling Basin / Sludge Pond	Data – Hyd	rograph	hy Coverage
X	Island	Α	П	
X	Water (Except Inland) Aqueduct	L	Н	
X	Hydrological Category Dry	L	H	
Х	Non-Perennial / Intermittent / Fluctuating	L	Ħ	
X	Perennial / Permanent Width (meters)	L	Н	
X	Canal Hydrological Category	LA	H	
Х	Dry	LA	Ħ	
X	Non-Perennial / Intermittent / Fluctuating Perennial / Permanent	LA	Н	
X	Width (meters)	LA	П	
X	Hydrological Category	LA	Н	
X	Dry Non-Perennial / Intermittent / Fluctuating	LA	Н	
X	Perennial / Permanent Width (meters)	LA	П	
X	Filtration Beds / Aeration Beds	Α	H	
X	Fish Hatchery / Fish Farm / Marine Farm Lake / Pond	A	Н	╽ ╒┋┋┋┋┋┋┋┋┋┋┋┋
X	Hydrological Category Dry	A	П	
X	Perennial / Permanent	Α	Н	
X	Land Subject to Inundation Reservoir	A	Н	
X	Hydrological Category	A		

Figure B-17. Feature Class Data to Terrain Analysis Template Cross Reference Template (1 of 5)

DTG:	Classification:	_					_	Ļ			_		_		,,,,			P	age:	_	of:	_
	Feature Class Data to Terrain Analysis	s Ten	npla	te (Cro	SS	Re	eter	en	ce	Te	m	pla	ite	(U))				_		_
consistent with	Idation Data (FFD) is a set of features defined by NIMA and found in NIMA's hard copy h terrain features used in USA FM 5-33 " <i>Terrain Analysis</i> ". For each Terrain Analysis Templa	te check t	the avai	ilabilit	y of th	he Fe	ature	Four	datio	n Da	ata wi	ithin	your	avail	able	GGIS	proc	lucts.	Next	chec	k wh	nethe
	oundation Data is required or optional for a particular Terrain Analysis Template. If required in Analysis Template block requiring the Feature Foundation Data. As an initial starting point																					
	,		1	T					Ė											_		_
		_								16	errair	n An	aıys	is re	mpla	ite			. 4	9	40	
		Data Type [L=line A=Area P=Point N=node T=Text]											ate				plate	ate	Adversary AD and TMD Radar Coverage Template	Adversary Standoff ISR and FC Coverage Template	Adversary Surface ISR and FC Coverage Template Kev Terrain Template	
		ode T			Bathymetric Surface Configuration Template								Naturcal Cover remplate Friendly AD and TMD Radar Masking Template	ate	ate		Friendly Overhead ISR and Fire Control Template Friendly Standoff ISB and Fire Control Template	Friendly Surface ISR and Fire Control Template	e Ten	ge Te	je Ter	Adversary TM Force EM Spectrum Template
		N=N		ate	n Ten					ate			Ind	Temp	emp	ē	ontro	T out	verag	overa	veraç	Tem r
		Point		Temp	ıratio				nplate		plate		Mask	sking	king T late	mpla	و ايون ايون	Ş	S L	5.0	ပို	ctrun
		ea P=		ation	onfig	late	6	olate	e Ten	oture Ture T	Tem		adar	I Mas	Mas	ant Te	and	Ē	Rada	and	and F	/ Spe
		A=Ar	Data	ligur	O e	ate Temp	mplat	lem olate	ng.	astru	rotare	late	MDF	Rada	Radar King	vem	ISB SBS	SRar	TME	# ISF	e ISR late	Ce El
e pute		=line	rain	Col	Surfa	empk erials	e Te	stacle Tem	frast	Infra Infra	rastr	Temp	and I	orne	face I	Ņ	rhead	ace	Danc	tando	urfac Temb	M For
Cod Attri		De [L	e Te	urfac	etric	ion T	bstac	Areas	00	<u> </u>	i i	over	A S	y Airt	y Sur	orm	o v	Sur	ary A	aryS	ary Si rain	ary ∏
Feature Code Feature Attribute Feature Value	Factory Name	ata Ty	Available Terrain Data	Land Surface Configuration Template	athyn	Vegetation Template Surface Materials Template	Land Obstacle Template	Nautical Obstacle Template Urban Areas Template	Road LOC Infrastructure Template	Railroad LOC Infrastructure Template Airfield LOC Infrastructure Template	Port LOC Infrastructure Template	Land Cover Template	riend	Friendly Airborne Radar Masking Template	Friendly Surface Radar Masking Template Friendly ABL Masking Template	Cross Country Movement Template	riend	riend	dvers	dvers	Adversary Surface ISI Kev Terrain Temolate	dvers
<u> </u>	Feature Name Foundation Feature D						: ב	ž >	Œ 1	Ϋ́	ď.	ב ב	2 11	Œ	E E	. ပ		· Œ	4 4	. 4	ά¥	. A
X Dry A Dry A																						
X	Salt Evaporator	A PNLA	H	þ	П	#	Ħ	#	Ħ	#	Ħ	\downarrow	Ŧ	Ħ	#	Ħ	#	Ħ	#	\sharp	#	Ħ
X	Dam / Weir Lock	PN	Н	E	\forall	\pm	\forall	†	H	\pm	Н	\pm	\pm	Н	\pm	Н	\pm	Н	\pm	\forall	\pm	\pm
x	Foundation Feature Built-Up Area	Data – Po	pulation	1 Cove	rage	Т	П	Т	П	Т	П		Т	П	\top	П	Т	П	Т	П	т	\Box
X	World Port Index Code Settlement	A	Я		П	ļ	Н	ļ	H	1	Н	1	Ŧ	Н	1	Н	1	H		Ħ	1	Ħ
X	World Port Index Code	Α	П			#	\parallel	+	Ħ	#	Н	1	t		#	П	#	Ħ	#	Ħ	#	\pm
X	Native Settlement World Port Index Code	A	Н	H	H	+	Н	+	H	+	Н	+	+	Н	+	H	+	Н	+	H	+	Н
X	Foundation Feature Da	nta – Trans	sportatio	on Co	verag	e	П	_	П	Ŧ	$\overline{\Box}$		_	П	_	П	_			\Box		$\overline{}$
X	Existence Category	N	П	E		#	\parallel	#	Ħ	#	П	#	ļ		#	П	#	Ħ	#	\Box	#	\pm
X	Under Construction Abandoned / Disused	N N	Н	E	H	t	Н	†	Ħ	t	Н	\pm	†	Н	+	Н	\pm	Ħ	\pm	\pm	\pm	\pm
X	Destroyed Dismantled	N N	Н	\vdash	Н	+	Н	+	H	+	Н	+	+	Н	+	Н	+	Н	+	Н	+	H
X	Operational Location Category	N N	П			1	H	ļ	П	1	П	1	1	П	1	П	1	Ħ		\Box	1	\blacksquare
X	On Ground Surface	N	Н			#	П	1		#	П	1	t		#	П	#	Ħ		Ħ	#	Ħ
X	Suspended / Elevated Above Ground or Water Track / Lane Number	N N	Н	H	H	+	Н	+	H	+	Н	+	+	Н	+	Н	+	Н	+	\forall	+	Н
X	Railroad Gauge Category Broad	N N	Н	F	Н	-	Н	\perp	Н	-	Н	\blacksquare	-	Н	1	Н	-	H		H	-	H
X	Narrow	N N	П		П	1	Ħ	ļ		#	П	1	ļ		1	Ħ	1	Ħ		Ħ	1	Ħ
Х	Normal Railroad Siding / Railroad Spur	N	Н		П	t	П	t		t		1	t	Ш	1		1	П		廿	1	廿
X	Existence Category Under Construction	N N	Н	H	Н	+	Н	+	H	+	Н	+	+	Н	+	Н	+	$^{+}$	+	H	+	+
X	Abandoned / Disused Destroyed	N N	Н	F	Н	-	Н	\blacksquare	Н	-	Н		-	Н	1	Н	-	H		H	-	H
X	Dismantled Operational	N	П		П	#	Ħ	1	П	#	П	1	1	П	1	П	1	П		\parallel	#	\pm
X	Railroad Gauge Category	N N	Н	E			Н			\pm			†	Н	\pm		†	Н		\exists	\pm	\pm
X X	Broad Narrow	N N	Н	\vdash	${\mathbb H}$	+	\forall	+	${\mathbb H}$	+	H	+	+	\forall	+	\forall	+	$^{\rm H}$	+	\dashv	+	\dashv
X	Normal Rail Siding / Spur Attribute	N N	П	F	H	+	H	+	H	+	H	\dashv	Ŧ	H	+	H	+	H	\dashv	\exists	+	\blacksquare
X	Spur	N	H	þ	П	#	\parallel	#	Ħ	#	Ħ	\downarrow	#	Ħ	#	Ħ	#	Ħ	\downarrow	廿	#	\pm
X	Siding Passing Track	N N	Н	F	∄	\pm	∄	\pm	H	\pm	oxdot	\pm	\pm	H	\pm	H	\pm	\pm	\pm	\forall	\pm	\pm
X	Railroad Yard / Marshalling Yard Existence Category	N N	Я	F	H	Ŧ	H	Ŧ	H	Ŧ	П	Ŧ	Ŧ	П	Ŧ	H	Ŧ	Ħ	Ŧ	\dashv	Ŧ	$ \Pi $
X	Under Construction Abandoned / Disused	N N	H	F	П	#	Ħ	1	H	#	Н	\dashv	Ŧ	Ħ	#	Н	#	Ħ	Ħ	\sharp	#	Ħ
X	Operational	N	Н	E	Н	\pm	\exists	\pm	Ħ	#		\pm	1	\Box	\pm	\exists	\pm	Ħ	\pm	廿	\pm	\pm
X	Cart Track Weather Type Category	N N	Н	\vdash	${\mathbb H}$	+	\dashv	+	${\mathbb H}$	+	H	+	+	\forall	+	\forall	+	Н	+	\dashv	+	\dashv
X	Fair / Dry Weather Winter Only	N N	П	F	П	Ŧ	Ħ	1	Ħ	#	П	1	1	П	1	Ħ	#	Ħ	Ħ	otan	#	Ħ
X ^	Road	N		L	Н	1	\Box	\perp	H	1	Н	\perp	1	\Box		Н	\pm	H		\pm	\perp	\pm
																				_		

Figure B-17 (Continued). Feature Class Data to Terrain Analysis Template Cross Reference Template (2 of 5)

DTG:	Classification:											_					Pa	ge: _	_ (of:
	Feature Class Data to Terrain Analysi	is Ten	ıplat	te C	ros	s l	Refe	re	nce	e Te	em	pla	ite	(U)						
Feature Four	ndation Data (FFD) is a set of features defined by NIMA and found in NIMA's hard copy	and digita	al GGIS	prod	ucts.	The I	eature	Fou	ındat	ion D	ata is	s divi	ided	into c	odes	s, attr	butes	, and	value	s and
consistent wi	th terrain features úsed in USA FM 5-33 " <i>Terrain Ánalysi</i> s". For each Terrain Analysis Templi oundation Data is required or optional for a particular Terrain Analysis Template. If required	ate check t	he avail	lability	of the	Feat	ure Fo	undat	tion D	ata w	ithin'	your	avail	able (GGIS	prod	ucts. I	Next c	heck 1	wheth
in each Terra	oundation Data is required or optional for a particular Terrain Analysis Template. If required n Analysis Template block requiring the Feature Foundation Data. As an initial starting poin	t this templ	ate has	graye	am An ed cell:	alysi sfort	s remp ypicall	y requ	uired	requi Featu	iring t ire Fo	ine r ound	eatu latior	ne Fol Data	unda I for e	ach T	errair	Analy	iai pia isis Te	mplat
				Г					_		_								_	_
									1	errai	n An	alys	is Te	mpla	te			9	_	
		ext]										_				ate te	. 1	Adversary AD and Timb hadar Coverage remiplate Adversary Overhead ISR and FC Coverage Template	Adversary Standoff ISR and FC Coverage Template Adversary Surface ISR and FC Coverage Template	
		<u> </u>			ate							plate		_		ampla	. pa		Tem Tempt	ate
		pou			шb							Tem	nplat	plate		트루	10	erag	rage age	- Name
		불		plate	<u> </u>			ę	plate	ate e		kina	y Ter	Tem	ate	Sont	ntro	3	Sove	E E
		- Poi		Tem	urati			mpla	. اما	lem plat		Mas	skin	king	dma	Fire Sire	2 2	5 E	5 5	actru
		Data Type [L=line A=Area P=Point N=node T=Text]		ation	Julia	ate	e olate	Urban Areas Iempiate Road LOC Infrastructure Tempiate	ture.	Ter a		e	r Ma	Mas Temp	m T	and	E E	Ran	and	Key Terrain Template Adversary TM Force EM Spectrum Template
		A=Ar	ata	igura	ပိ ဦးမာ	Gmp.	Temp.	ict Ict	struc	oture	ate	nplat MD R	Rada	adar	veme	SRa	Rar	SI DE	F 8	ate Se EN
욬		ine /	E	Sol	urfa npla	lals.	inel acle	emp	Infra	niras istru	du.	- E	Ē	ce R Mask	Mo	nead loff	9	arhe.	ndoi face	Force
alue alue		Ξ	Te L	ace	ric S n Ter	later	bst:	as i	8	1 E	er Te	ove Dan	Virbo	Surfa NBL I	untr	Overl	Surfa	ξě	Sur Sta	i Te
9 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		P, P	ape	Sur	ymet tatio	e E	<u> </u>	ĕĕ	pad	5 5	8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ğ.	슬슬	s င်	÷ ÷	e e	Sar	rsar	Ferra
Feature Code Feature Attribute Feature Value	Feature Name	Data	Available Terrain Data	Land Surface Configuration Template	Bathymetric Surface Configuration Template Vegetation Template	Surface Materials Template	Land Obstacle Template Nautical Obstacle Template	Urban Areas Template Road LOC Infrastructu	Railroad LOC Infrastructure Template	Airrield LOC Infrastructure Template Port LOC Infrastructure Template	Land Cover Template	Nautical Cover Template Friendly AD and TMD Radar Masking Template	Friendly Airborne Radar Masking Template	Friendly Surface Radar Masking Template Friendly ABL Masking Template	Cross Country Movement Template	Friendly Overhead ISR and Fire Control Template Friendly Standoff ISR and Fire Control Template	Friendly Surface ISR and Fire Control Template	Adversary AD and IMD hadal Coverage Template Adversary Overhead ISR and FC Coverage Templa	Adversary Standoff ISR and FC Coverage Template Adversary Surface ISR and FC Coverage Template	Key Terrain Template Adversary TM Force I
Foundation Feature Data = Transportation Coverage																				
X Existence Category N																				
Х	Operational	N	П	H	1	Ħ	\blacksquare	ļ	Ħ	1	H	1	П	#	Ħ	#	Ħ	\blacksquare	丰	口
X X	On Ground Surface	N	Н	Н	+	Н	+	+	Н	+	H	+	Н	+	Н	+	H	+	+	\vdash
Х	Suspended / Elevated above Ground or Water	N			#		\blacksquare	T		#		1		#	Ħ	1	П	\blacksquare	丰	\Box
X	Median Category With Median	N N	H	Н	+	H	+	+	Н	+	Н	+	Н	-	Н	+	Н	+	+	H
Х	Without Median	N													П				士	廿
X	Road / Runway Surface Type Hard / Paved	N N	Н	\mathbb{H}	+	Н		+	Н	+	Н	+	Н	+	Н	+	Н	+	+	\vdash
x	Loose / Paved	N	Н	H	+	H	\forall	†	H	+	H	t	Н	+	Н	+	Ħ	$\forall t$	\pm	+
X	Minimum Traveled Way Width (meters) Weather Type Category	N	П	H	4	П	\blacksquare	4	Н	-	Н	+	Н	4	Н	-	Н	\blacksquare	Ŧ	H
^ x	All Weather	N N	Н	H		H	+	+	H	+	H	t	Н	+	Н	+	H	+	+	H
X	Fair / Dry Weather	N		П		П			П	1	П	1	П		П		П	Ш	Ŧ	П
X	Trail Bridge / Overpass / Viaduct	LN	Н	H	+	H	+	+	H	+	H	$^{+}$	Н	+	H	+	H	+	+	H
X	Existence Category Under Construction	LN		П		П	П		П	\perp	П	Ŧ	П	1	Н		П	Ш	Ŧ	\blacksquare
X	Dinder Construction Destroyed	LN	Н	H	+	H	+	+	H	+	H	$^{+}$	Н	+	Н	+	H	+	+	+
X	Operational	LN		П		П	\blacksquare		П	\perp	П	1	П	#	П	1	П	\blacksquare	丰	\Box
X	Length / Diameter (meters) Transportation Use Category	LN	Н	H	+	Н	+	+	H	+	Н	+	Н	+	Н	+	H	+	+	+
Х	Both Road and Railroad	LN							П						П		П		I	
X	Railroad Road	LN	Н	Н	+	H	+	+	H	+	Н	+	Н	+	Н	+	H	+	+	+
Х	Minimum Traveled Way Width (decimeters)	LN	П		1	Ħ	\Box	Ţ	Ħ	1	П	Ţ	П	#	П	#	Ħ	\blacksquare	丰	\Box
X	Ferry Crossing Ferry Crossing Length (meters)	LN	Н	H	+	H	+	+	\forall	+	\forall	+	Н	+	Н	+	H	+	+	+
X	Transportation Use Category	LN	П		1	Ħ	\Box	ļ	Ħ	1	П	1	П	#	Ħ	#	П	\blacksquare	丰	耳
X X	Both Road and Railroad Railroad	LN	Н	H	+	Н	+	+	\forall	+	H	+	Н	+	Н	+	$^{+}$	+	+	+
Х	Road	LN	П	H	#	Ħ	\blacksquare	1	Ħ	1	П	1	П	#	Ħ	1	Ħ	\blacksquare	丰	口
X	Tunnel Existence Category	LN	Н	H	+	H	++	+	\forall	+	\forall	+	Н	+	Н	+	+	+	+	+
Х	Under Construction	LN	П	H	\bot	Ħ	\Box	Ţ	Ħ	1	П	Ţ	П	†	Ħ	\perp	Ħ	\Box	丰	口
X	Operational Length / Diameter (meters)	LN	Н	H	+	\vdash	++	+	H	+	\dashv	+	H	+	H	+	${}^{\rm H}$	+	+	+
Х	Transportation Use Category	LN	Н	H	ᆂ	Ħ	廿	İ	Ħ		Ц	1	Ħ	\pm	Ħ	\pm	Ħ	世	士	廿
X	Both Road and Railroad Railroad	LN	Н	H	+	H	+	+	H	+	H	+	H	+	H	+	H	+I	+	+
Х	Road	LN			\perp	ㅂ	丗	†	⇈	\pm	⇈	1		\pm	Ħ	\pm	\Box	\pm	士	廿
X	Pier / Wharf / Quay Length / Diameter (meters)	LN	Я	П	Ŧ	П	\blacksquare	Ŧ	П	F	П	Ŧ	П	Ŧ	П	Ŧ	H	\Box	Ŧ	Ŧ
X	Width	LN	Н	H	\pm	H	╅		H	\pm	H	╁	Ħ	\pm	Ħ	+	Ħ	∄	\pm	廾
X	Ford Airport / Airfield	LN	П	П	1	H	\prod	Ŧ	П	Ŧ	П	Ŧ	П	1	H	7	П	П	丰	\Box
X	Airport / Airfield Existence Category	P L A	Н	H	+	H	+	+	\forall	+	H	+	Н	+	Н	+	H	+	+	+
Х	Under Construction	PLA	П		#	H	\Box	Ţ	П		П	ļ	П	\downarrow	П	#	Ħ	\blacksquare	丰	\Box
X	Abandoned / Disused Destroyed	P L A	Н	H	+	\vdash	+	+	H	+	\forall	+	Н	+	Н	+	H	+	+	+
X	Operational	PLA				Ц	廿	İ	П		Ц	1	П	1	П	1	П	廿	土	ഥ
																			_	_
MD IPB Ten	nplate 18 March 2000 Classification:													local	Rer	rodu	ction	Δuth	orized	ч

Figure B-17 (Continued). Feature Class Data to Terrain Analysis Template Cross Reference Template (3 of 5)

DTG:	Classification:												_					Pa	ge:		of:
	Feature Class Data to Terrain Analys	is Te	mpl	ate	e Cro	oss	s R	efe	rer	nce	Te	m	pla	te	(U)						
	ndation Data (FFD) is a set of features defined by NIMA and found in NIMA's hard copy																				
the Feature F	th terrain features used in USA FM 5-33 " <i>Terrain Analysis</i> ". For each Terrain Analysis Templ Foundation Data is required or optional for a particular Terrain Analysis Template. If required	d place a	an Rin e	each	Terrain	Anal	lysis	Temp	late b	lock r	equi	ring t	he F	eatu	re Fou	ındat	ion D	ata. It	optio	nal pla	ace an O
in each Terra	n Analysis Template block requiring the Feature Foundation Data. As an initial starting poin	t this ter	nplate h	as g	rayed c	ellsf	ortyp	ically	requi	ired F	eatu	re Fo	und	ation	Data	fore	ach Te	errain	Analy	sis Te	mplate.
		T £								Te	errai	n An	alys	is Te	mplat	te			ate	9 0	
		 - -											0	·			ate Te	0	ample	nplat iplate	
		- epo			plate								plan	i e	φ		Femp mplo	pldr '	ige I	e ler	a de
		Z			e Fe					e .	n		<u>[</u>	hpk	pla	•	Troll	ol Ter	overa	erag	emp
		P Fig			atton				late	pldm	a e		askin	ng Te	e Te	plate	e Cont	Youtr	နီ ပို ပို့	Š	_ E
					ifigur	ł	a e	ate	lemp	e Te Te	ğ d		<u> 5</u>	Aaski	laskir	Ten	를 를	Fire (and	a F	pect
		= Are	1	2	Con		impk olate	ld me	ture.	ructu	le Te	9	Plare Rac	dar	Jar M	men	SR ar	and	I ISR	SRan	EMS
e e		le A	8		config	told!	als Te Tem	cle T	struc	of frast	ruct	npla	E E	e Rd	a Rac	Move	ad II	SI e	heac	doff I	plat
Code		=	. 5		ic Su	Ten	arteri	obsto		00 1	ofrast	er Ter	o de	rborr	Irfac 3L Mc	aft.	verhe	July 6	S S	Stan	TAF
ure /																					
Feature Code Feature Attribute Feature Value	Foundation Feature Data Transportation Coverage																				
	Foundation Feature Data Transportation Coverage																				
	X Damaged PLA																				
X	Military Joint Military / Civilian	P L	A L	7	\blacksquare	\blacksquare	+	H	\perp	Н	-	Н	+	\perp		\blacksquare	-	Н	\blacksquare	+	\mathbf{H}
X	Civilian / Public	PL	A	1	ш	1	1		İ	İ	t	Ħ	#	I		П	1	Ħ		1	ш
X	Heliport Existence Category	P L P L	A	┨	\Box	H	+	H	+	H		H	+	H	\vdash	H		H	\pm	+	++
X	Under Construction Abandoned / Disused	l P L	Al I	7	\blacksquare	\blacksquare	+	H	\perp	Н	\perp	Н	+	\blacksquare	\vdash	Н	-	H	+	+	H
X	Destroyed	P L	Ā	1	ш	1	#		İ	I	L	Ħ	#	İ		П	1	Ħ		1	ш
X	Operational Damaged	P L	A	┨		H	+	+	+	H		H	+	H	\vdash	H		H	+	+	++
X	Usage Military	PL PL	A	7		H	\bot		\perp	Н		H	1	H		H		H	H		H
X	Joint Military / Civilian	PL	A L	1			1						1					Ħ			丗
X	Civilian / Public Runway	P L	╗┌	\exists									t					H			Ш
X	Existence Category Under Construction	A		7		\dashv	+	\vdash	+	H	+	Н	+	+		H	+	H	+	+	++
X	Abandoned / Disused	Α	7 [1	ш	1	#	П	İ		L	Ħ	ļ	I		П	1	П	П	1	ш
X	Destroyed Operational	A		1			╅	H								Н		H	+		\Box
X	Damaged Length / Diameter (meters)	A		4		+	+	\vdash	+	H	+	H	+	+		H	+	H	+	+	\mathbf{H}
X	Road / Runway Surface Type	Α		1	ш	1	ļ		İ	Ħ	t	Ħ	#	İ			1	Ħ		1	ш
X	Hard / Paved Loose / Unpaved	A		Ⅎ			1						t			Н		Н	$^{+}$		
X X	Width (meters) Highest Z-value (meters)	A	4 F	4	\vdash	+	+	H	+	H	+	H	+	+	H	H	+	H	+	+	Ш
X	Seaplane Base Existence Category	A PL PL	Ā	1	Ш	\Box	#	H	İ	Ħ	L	Ħ	#	Ħ	Ħ	\Box	1	Ħ	Ц	#	Ħ
X	Under Construction	PL	A	Ⅎ									\pm								
X X X	Abandoned / Disused Destroyed	P L	A	4	\vdash	+	+	H	+	H	-	H	+	+		H	+	H	+	+	+H
X	Operational Damaged	PL	A	1		1	#				ļ	Ħ	#	T		П		П	П	1	Ш
	Usage	P L	Α	1		1		H					t			Ш		Ħ	\pm		$\pm \pm$
X	Military Joint Military / Civilian	P L		4	\mathbf{H}	4	+	H	\perp	4	+	H	+	\vdash		H		H	+	+	Н
 x	Civilian / Public	PL	A	<u></u>	Щ		İ	Ħ	İ	Ш	t	Ш	1	Ħ	Ш	Ħ	1	П	П	1	Ш
X	Marsh / Swamp	Α			Overage		I	П		П		П	Ţ			П		П	П		Ш
X	Surface Material Category Herbaceous / Scrub Vegetation (no trees)	A		+	\mathbb{H}	\mathbb{H}	+	H	+	H	+	H	+	+	H	H	+	H	\mathbb{H}	+	\mathbb{H}
X	Trees [swamp] Tree Type Category	A		7	Ħ	4	1	Ħ	Ħ	Ħ	L	Ħ	ļ	Н	H	H	1	Ħ	Ħ	1	Ħ
x X	Deciduous	Α		1	Ш	\exists	⇟	Ħ	t	Ħ		Ħ	1	H	\vdash	Ħ	\pm	Ħ	Ħ	\pm	Ш
X	Evergreen Mixed	A	4 F	+	\mathbb{H}	H	+	H	+	H	+	H	+	+	H	H	+	H	\mathbb{H}	+	\mathbb{H}
X	Vegetation Characteristic Mangrove	A		1	H	4	‡	H	Þ	Ħ	F	Ħ	ļ	Ħ		H	#	Ħ	Ħ	#	Ħ
X	Rice Field	Α		1	Ш	\pm	⇟	Ħ	t	Ħ		Ħ	1	L	\vdash	Ħ	\pm	Ħ	Ħ	\pm	Ш
X	Orchard / Plantation	Α			Ш		L	Ш	L	Ш		Ш	1		Ш	<u> </u>		П	Ш		ш
TMD IDD Ton	aulata 49 March 2000 Classification:															Dan		ati an			

Figure B-17 (Continued). Feature Class Data to Terrain Analysis Template Cross Reference Template (4 of 5)

DTC	2.	Classification:																Pag	٥.	of:	
DIC	J	Feature Class Data to Terrain Analysis	s Te	mpla	ate	: Cı	'OSS	Re	efei	en	ce T	em	_ ıpla	ate	(U))		ray	·	_ 01.	
cons the F	sistent w eature	ndation Data (FFD) is a set of features defined by NIMA and found in NIMA's hard copy ifth terrain features used in USA FM 5-33 "Terrain Analysis". For each Terrain Analysis Templa Foundation Data is required or optional for a particular Terrain Analysis Template. If required in Analysis Template block requiring the Feature Foundation Data. As an initial starting point	and dig e checl	ital GG k the av n R in ea	IS p ailab	roduo oility o Terrai	ts. Th f the F n Anal	e Fea eature ysis T	ture I Four	Foundation	lation I n Data ck req	Data withir uiring	is div	ided avail	into di lable (odes, GGIS undati	produ on Da	cts. No ita. If c	ext che ptional	ck who I place	ether an O
		3p		T	T	-,		7		- 1		ain A									
			Æ										,-				10	ø	late	ē	
Feature Code	Feature Attribute Feature Value	Feature Name	Data Type [L=line A=Area P=Point N=node T=Text]	Available Terrain Data		Land Surface Configuration Template Bathymetric Surface Configuration Template		Land Obstacle Template	Nautical Obstacle Template Urban Areas Template	Road LOC Infrastructure Template	Airfield LOC Infrastructure Template	Land Cover Template	Nautical Cover Template Friendly AD and TMD Radar Masking Template	Friendly Airborne Radar Masking Template	Friendly Surface Radar Masking Template Friendly ABL Masking Template	Cross Country Movement Template	Friendly Standoff ISR and Fire Control Template	Friendly Surface ISR and Fire Control Template Adversary AD and TMD Radar Coverage Template	Adversary Overhead ISR and FC Coverage Template Adversary Standoff ISR and FC Coverage Template	Adversary Surface ISR and FC Coverage Template Key Terrain Template	Adversary TM Force EM Spectrum Template
	Х	Tree Type Category Foundation Feature	Data =	Vegetati	ion C	overa	ge 	П	Τ	П	П	П	Т	П	Т	П	П	Т			
	X	Deciduous Evergreen	A	ΗF		Ŧ	H	\prod	Ŧ	H	H	H	Ŧ	Π	Ŧ	H	Ħ	Ŧ	H	H	A.
╢	X	Mixed	Α	1	1		Ш	Ш		Ш	Ш	Ħ	1		1	Ш					Н
X	X	Trees Tree Type Category	A	╅┝	+		+	+	+	Н	+	Н	+	\mathbb{H}	+	H	+	+	H	H	Н
╢╡	Х	Deciduous	Α	1	1		П	П	#		Ħ	\blacksquare	#		#	П	П	1			Ħ
ıΗ	X	Evergreen Mixed	A	┨┝	┨	+	++	+	+	\vdash	+	+	+	Н	+	H	+	+	\vdash	\vdash	Н
		Foundation Feat		- Other	Cov	erage															
╢Ӈ	+	User Defined: User Defined:		$+\vdash$	┨	+	++	+	+	\vdash	++	+	+	+	+	++	Н	+	\vdash	\vdash	Н
ıl⊟		User Defined:		1 🗀	1		П					П		\Box	1	П					\Box
ιН	+	User Defined: User Defined:		┥┝	1	-	Н	+	_	Н	++	Н	+	+	+	++	Н	+			Н
ılH	+	User Defined:		1	1	+	Ħ	Ħ	+	H	+	Н	+	H	+	H	Н	+	H	H	Н
ıl□		User Defined:] [1		П	П	1	П	П	П	1	\Box	1	П	П				
lH	+	User Defined: User Defined:		+	┨		H	+	+	H	+	H	+	H	+	H	+	+	H	H	Н
ıl⊟		User Defined:] [1		П	П					1	П		П					
ıН	+	User Defined:	-	┥┝		\perp	$^{++}$	+	+	Н	++	+	+	+	+	++	Н	+			Н
ıl⊢t	+	User Defined:		1	1		H	+	+	H	+	H	+	H	+	H	Ħ	+	H	H	Ħ
ıl⊟		User Defined:		1 🗆	1		П	П	1		甘	П	1	\Box	1	П	П	1			
H	+	User Defined: User Defined:		4 H	+	+	$^{++}$	+	+	\vdash	++	+	+	+	+	++	Н	+	\vdash		Н
H	+	User Defined:		1	1	\top	††	\forall	+	\vdash	+	Н	+	${}^{\dag \dag}$	+	Ħ	Н	+	H		Н
\Box		User Defined:] []		П	П	I	П	ш	\Box	1	П	1	П	П				
\parallel	+	User Defined: User Defined:	-	┪┝	1	\perp	$^{++}$	+	+	\vdash	+	+	+	+	+	$^{+}$	Н	+	Н	\vdash	Н
\Box		User Defined:		1 🗆	1		Ħ	П		\Box	+	Ħ		Ħ	\pm	Ħ	П				\Box
$ \Box$		User Defined:] []		П	П		П	П	П		П	1	П	П				
H	+	User Defined: User Defined:		┨┝	+	+	H	+	+	H	₩	Н	+	+	+	H	Н	+	\vdash		Н
\Box	\top	User Defined:		1	11	\top	†	\forall	\top	H	+	Н	\top	Ħ	\top	Ħ	П	\top			H
\Box	\blacksquare	User Defined:] []		Ш	Ш		П	ш	Ш		Ш	1	Ш			Ш	Ш	П
H	+	User Defined:		┥┝	+	+	₩	+	+	Н	++	+	+	+	+	₩	Н	+	Н	Н	H
H	+	User Defined:		┪┝	1		H	$^{+}$	+	\vdash	++	Н	+	+	+	$^{++}$	H	+	\vdash	\vdash	Н
\Box		User Defined:] [1			П			П	П		П		П					П
\parallel	+	User Defined: User Defined:	-	4 -	1	+	$^{+}$	+	+	\vdash	+	+	+	+	+	+	+	+	\vdash	\vdash	H
H	+	User Defined:		$+\vdash$	1	+	+	+	+	+	+	\forall	+	+	+	++	+	+	+	+	H
	\Box	User Defined:		1 🗆	1		Ц	П	ፗ	П	Ц	П	1	П		П	П			Ц	Ш
$ \downarrow\downarrow$	+	User Defined:		4 -	4	\vdash	+	+	+	\vdash	+	+	+	+	+	H	+	+	\vdash	\vdash	H
\parallel	++	User Defined: User Defined:	\vdash	$+\vdash$	1	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	H
	ш	User Defined:		j	1	⇈	廿	坩	士	\Box	廿	Ħ	ᆂ	Ħ	ᆂ	Ħ	Ħ		╚	╚	Ħ
$ \Box$	П	User Defined:		↓ □	1	I	П	П	Ţ	П	П	П	I	П	T	П	П	T	П		П
H	+	User Defined: User Defined:	-	$+\vdash$	1	+	+	+	+	\vdash	+	+I	+	+	+	H	+	+	\vdash	\vdash	H
\parallel	+	User Defined:		$+\vdash$	1	+	+	+	+	\vdash	+	\forall	+	+	+	++	+	+	+	+	H
		User Defined:]			П	1			П		П		П					
_		Classification:																			

Figure B-17 (Continued). Feature Class Data to Terrain Analysis Template Cross Reference Template (5 of 5)

DTG: Classifi				_			_				P	age:	_	of:	_
Ţ	Terrain Assessment Checklist and Status Te	mp	olat	:e (U)										
Field Operating Area ID#											errain Pro Not Requ			7	
							Bothl	Both]		_		_		3=Bott	rage]
			oth]	oth]	oth]	3oth]	JOG/R [H=Hardcopy C=CADRG B=Both] TLM 1:25.000 [H=Hardcopy C=CADRG B=Both]	TLM 1:50,000 [H=Hardcopy C=CADRG B=Both]	à 2	DTED [Indicate Maximum Level Available] Vmap -0 [X=Required]		DFAD [Indicate Maximum Level Available] CIB IIndicate 10 or 5 meter Coverage]		Nautical Charts [H=Hardcopy C=CADRG B=Both] WVS+ [X=Required]	DBDB [5=5' 2=0.5' 1=0.1' V=Variable Coverage]
Use Field Operating Area Assessment Templates A			3 B=B	9-B-B	B=B GB=E	B	G B=E	CAD	1	el Ave		el Ava	,	Z=2	ıriable
 □ Use Field Operating Area Centroid and a Radius of: □ Use Field Operating Area Centroid and a Rectangul 			CADR	CADR	C=CADRG B=Both]	CADE	CADE	opy C	cobs	E Lev		m Lev		dcoby)= -
	lorth-South Km atitude or MGRS or UTM N S Longitude E W		Py C	Py C≡	3 C E	py C	ppy C. Hardo	Hardo	[Pe	aximu ired]	red]	aximu r 5 m	lired]	ad Har	. 1=0.
See recording that Alexa Bermition as Follows.			GNCs [H=Hardcopy C=CADRG B=Both] JNCs [H=Hardcopy C=CADRG B=Both]	ONCs [H=Hardcopy C=CADRG B=Both]	TPCs [H=Hardcopy (JOGs [H=Hardcopy	JOG/A [H=Hardcopy C=CADRG B=Both]	JOG/R [H=Hardcopy C=CADRG B=Both] TLM 1:25.000 [H=Hardcopy C=CADRG B	#H] 00	DCW II [X=Required]	DTED [Indicate Maxim Vmap -0 [X=Required]	VMap-1 [X=Required] VMap-2 [X=Required]	DFAD [Indicate Maximum Level Avails CIB IIndicate 10 or 5 meter Coverage]	TERCAT [X=Required]	Nautical Charts [H=I WVS+ [X=Required]	2=0.5
P F F F F F F F F F F F F F F F F F F F			王王	Ŧ	Ī ±	Ē	R [H=1	1:50,0	<u> </u>	ž o-o	1. X	[Indi	XT [X	t X K	3 [5=5]
Start Date Finish Date	Terrain Analysis Product		GNC	ONC	TPCs	,00G/	70C	Σ	DCW	DTEC Vmag	VMap VMap	DFAC	TERG	WVS	DBD
	Surface Configuration Templates Land Surface Configuration Template	— I	_			11	_	11					11	_	
	Bathymetric Surface Configuration Template			Ц		Ш		Ш			Ш				$\Box $
	Vegetation Template Vegetation Template			П		П	Ι	П			Ш		П	I	\Box
	Surface Materials Template Surface Materials Template			П			T	П						I	
	Obstacle Templates Land Obstacle Template	r			_			П						_	\neg
	Nautical Obstacle Template			П	İ	П		П			Ш				ธ∣
	ransportation / Line of Communications Infrastructure Template Road LOC Infrastructure Template	les		П		П	Ţ	П			Ш		П		\Box
	Railroad LOC Infrastructure Template Airfield LOC Infrastructure Template													\pm	Ħl
	Port LOC Infrastructure Template Urban Areas Template			Ш		Ш					Ш		Ш		니
	Urban Areas Template Cover Templates			П		П		П			Ш		П		\Box
	Land Cover Template Nautical Cover Template	4	Ŧ	Н	1	\mathbb{H}	Ŧ	\blacksquare	+	H	Ш		H	F	\Box
	Concealment Templates	'		_										_	
	Friendly AD and TMD Radar Masking Template Friendly Airborne Radar Masking Template					Ħ	1				Ш			†	Ħl
	Friendly Surface Radar Masking Template Friendly ABL Masking Template	\exists		Н	t	H	$^{+}$	\forall	t		Ш	+	H	+	Ш
	Cross Country Movement Template Cross Country Movement Template	\neg	_	П	_	П	_	П					П	_	\neg
	Observation / Line of Sight Templates Friendly Overhead ISR and Radar Template	'												_	
	Friendly Standoff ISR and Radar Template Friendly Surface ISR and Radar Template			Ħ	1	Ħ	#	Ħ			Ш		П	1	ĦI
	TM Force AD and TMD Radar Coverage Template				#	\parallel		\parallel	†		Ш			+	Ħl
	TM Force Overhead ISR Template TM Force Standoff ISR Template	ᅦ				Ħ					Ш				Ħl
	TM Force Surface ISR Template Key Terrain Template	 		Ш —							ш				_
	Key Terrain Template Electromagnetic Spectrum Template	_][П		П		П			Ш		П		\Box
	TM Force Electromagnetic Spectrum Template User Defined Templates			П		П		П					П		\Box
	User Derinieu Terriplaties	\Box	1	Н	1	П	1	П	П		Ш		П	Ŧ	\Box
			#	\parallel	#	\parallel	#	\parallel	\downarrow		Ш	\perp	\parallel	+	H
			\pm	\parallel	#	\sharp	+	\sharp	\pm	\parallel	Ш	\perp	\parallel	\pm	H
				Н	+	\forall		$^{+}$	\pm		Ш		Н	\perp	$\exists $
Notes:															Ħ
TMD IPB Template 18 March 2000 Classifi	ication:							L	ocal	Repro	ductio	n Auf	horiz	ed	

Figure B-18. Terrain Assessment Checklist and Status Template

DTG:		Classification:					Page:	_ of:
		TMD	IPB Slope Categ	ories	Template (U)			
	Cat	Associated Vehicle(s) /	_					
Slope Category Unrestricted On-Road	Codes	Equipment	% Slope Definition % ≤ SLOPE ≤	%,	Degree Slope Definition Deg ≤ SLOPE ≤	Deg,	Slope Associated Speed Def Kph ≤ SPEED ≤	finition Kph
CCM Unrestricted / Go			%≤ SLOPE ≤	= /º,	Deg SLOPE S	Deg,	Kph ≤ SPEED ≤	Kph
CCM Restricted	6		% ≤ SLOPE ≤	— %,	Deg SLOPE S	Deg,	Kph ≤ SPEED ≤	Kph
CCM No Go			% ≤ SLOPE ≤	= %,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
TM Launch Operations	o		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
TM Fire Control Operations	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
TM Field Missile Handling Ops	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
TM Field Storage Operations	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	_		User Defined Slop					
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%, 	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤ % ≤ SLOPE ≤	%, %,	Deg ≤ SLOPE ≤	Deg, Deg,	Kph ≤ SPEED ≤ Kph ≤ SPEED ≤	Kph Kph
			% ≤ SLOPE ≤	— %,	Deg SLOPE S	Deg,	Kph ≤ SPEED ≤	Kph
			% ≤ SLOPE ≤	% ,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	= %,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤ % ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤ Kph ≤ SPEED ≤	Kph Kph
	0		%≤SLOPE≤ %≤SLOPE≤	%, %,	Deg S SLOPE S	Deg, Deg,	Kph SPEED S	Kph
	0		%≤ SLOPE ≤	— ^{/0,}	Deg SLOPE S	Deg,	Kph SPEED S	Kph
			% ≤ SLOPE ≤		Deg SLOPE S	Deg,	Kph = SPEED =	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	% ,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤		Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤ % ≤ SLOPE ≤	%, %,	Deg ≤ SLOPE ≤	Deg, Deg,	Kph ≤ SPEED ≤ Kph ≤ SPEED ≤	Kph Kph
	0		%≤SLOPE≤ %≤SLOPE≤		Deg S SLOPE S	Deg,	Kph SPEED S	Kph
			% ≤ SLOPE ≤	= %,	Deg SLOPE Deg SLOPE Deg SLOPE SL	Deg,	Kph ≤ SPEED ≤	Kph
	o		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	% ,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
	0		% ≤ SLOPE ≤	%,	Deg ≤ SLOPE ≤	Deg,	Kph ≤ SPEED ≤	Kph
Notes:								
TMD IPB Template 18 March 20	00	Classification:					Local Reproduction Author	rized

Figure B-19. TMD IPB Slope Categories Template

Table B-2. Vegetation Type Codes

	Table D-2. Vegetation Type Codes	
Vegetation Code	Vegetation Type	Typical Vegetation Roughness Factor (VRF)
A1	Agriculture (dry crops)	0.80
A2	Agriculture (wet crops, rice)	
A3	Agriculture (terraced crops, both wet and dry)	
A4	Agriculture (shifting cultivation)	
B1	Brushland (<5 meters high, open to medium spacing)	
B2	Brushland (<5 meters high, medium to dense spacing)	0.95
C*	Coniferous/Evergreen Forest	
D*	Deciduous Forest	
E*	Mixed Forest (Coniferous/Deciduous)	
EV	Salt Evaporators/Salt Encrustation	
F*	Orchard/Plantation (rubber, palm, fruit, etc.)	
G1	Grassland, Pasture, Meadow	0.90
G2	Grassland with Scattered Trees, some Scrub Growth	0.60
Н	Forest Clearing (cutover areas, burns, etc.)	0.50
 **	Swamp (mangrove, cypress, etc.)	0.10
J	Marsh / Bog (treeless bogs, maskegs, etc.)	0.10
K	Wetlands (low-lying wet areas)	
L	Vineyard/Hops	
М	Bamboo	
N	Bare Ground	
PS	Permanent Snowfield	
RK	Exposed Bedrock/Features Void of Surface Materials	
T	Trees Unidentified Types	
W	Open Water	0.00
Χ	Built-up Area	

^{*} These vegetation types are given a three digit code. In addition to the letter for the type code, a second digit (number) is added as the canopy closure code [1 – 0-25% canopy closure, 2 – 25-50% canopy closure, 3 - 50-75% canopy closure, and 4 – 75-100% canopy closure], and a third digit (number) and possibly fourth digit is added as the height code [Mean or average height to top of canopy for a specific tree type or category rounded to nearest meter or tenth of a meter if less than 10 meters in height].

^{**} A second digit, representing canopy closure, is added to the swamp code [1 - 0.25%] canopy closure, 2 - 25.50% canopy closure, 3 - 50.75% canopy closure, and 4 - 75.100% canopy closure].

Table B-3. Unified Soils Classification System and Associated Rating Cone Index Values

Soils Category		Ratir	ng Cone Index Val	ues
USCS Symbol ¹	Туре	Dry	Moist	Wet
GW	Gravel or sandy gravel, well graded	163	123	83
GP	Gravel or sandy gravel, poorly graded	160	120	81
GM	Gravel, silty	120	76	32
GC	Gravel or sand gravel, clayed	130	91	52
SW	Sand, well graded	155	116	78
SP	Sand, poorly graded	145	109	73
SM	Sand, Silty	119	72	25
SC	Sand, clayey	126	86	46
ML	Silts	118	69	20
CL	Clavs	123	81	40
OL	Organic silts	111	57	3
MH	Inorganic elastic silts	114	61	8
CH	Fat clays	136	99	62
OH	Fat organic clays	107	54	1
PT	High organic soils or peat	106	52	0
R^2	Rock outcrops	165	165	165
NE^2	Not evaluated	_	_	_
W^2	Open water	0	0	0

¹ Unified Soils Classification System

For a particular soil type, compare the Rating Cone Index value to the Vehicle Cone Index value found in TMD IPB Step 3 equipment templates to determine cross-country movement impacts. For example, one adversary TM launcher may have a Vehicle Cone Index1 of 30 and can therefore traverse wet clay (Rating Cone Index=40), but not sandy silt (Rating Cone Index=25). If the Vehicle Cone Index is known for multiple vehicle convoys, the same launcher in a convoy of 5 launchers with a Vehicle Cone Index5 of 48 could not traverse the same wet clay (Rating Cone Index=40).

² Not part of the Unified Soils Classification System codes.

Table B-4. Landforms and Commonly Associated Soils

	Table	e B-4. Landforms and	_	nly Associated Soils
Landform/B	edrock	Climate	Horizon ¹	USCS Symbol ²
	ou. ook			
Sandstone		unspecified	surface (A) parent material (C)	SM, SM-SC, ML, SP, SW SM, SM-SC, GM, SC, GC, ML
•		humid	A	SM
			В	SM, GM
			C	SM-GM
Shale		unspecified	surface (A)	CH, CL, CL-CH
			parent material (C)	ML, CL, MH, CH, CL-CH, SC, CL-SC, GC
		semi arid or humid	A	CL, CH
		Schill and St Hamila	В	CL, SC, CL-SC
			C	CL, SC
Limestone		unspecified	surface (A)	ML-CL, ML, CL, GM
			parent material (C)	CL, CH, MH, ML, CH-MH, ML-CL
		tropical	lower horizons (B & C)	CH, MH, GC, GM
		humid	A B	ML-CL CH
			C	CH
Interbedded,	Flat-lying	unspecified	unspecified	CL, ML, CH, MH, ML-CL, SC, GM,
sandstone, shale,		'	<u>'</u>	SM
limestone	Tilted	unspecified	unspecified	ML, MH, ML-CL
Instrusive	Granitic	unspecified	surface (A)	SM, ML, SC, ML-CL
	rock ³	hamadal .	subsurface (B)	SC, CH, CL, CL -CH
	Granite	humid	A B	SM, ML, CL SC
			C	SC, CL
Extrusive, Basaltic,	and Volcanic	humid tropical or	A	ML, CL
, ,		subtropical	В	CH, MH
			С	ML-MH, MH, CH
		arid	A	ML-CL, ML, GM
Clata		aracifical	B	CH, CL, MH, ML-CL, GC
Slate		unspecified humid	unspecified A	GM, GC, GM-GC SM
		Humiu	B	SM, ML-CL
			C	SM. GM
Schist		humid	Α	SM, SC
			В	MH-CH
Gneiss		humid	C A	SM, ML-CL, ML SM, SM-SC, ML-CL, ML
GHEISS		Hulfilla	B B	MH, CH, SC
			C	SM, ML CL, MH-CH, ML-CL, MH, CH
Glacial Tilt / Ground	Moraine ⁴	humid/derived from soft	A	ML, CL, ML-CL, OL
		sedimentary rock	В	CL, CH, CL-CH
			<u>C</u>	CL, CH, ML
		humid/derived from igneous-metamorphic	A B	SM, ML, SC SM, ML
		rock (crystalline)	C	SM. ML. GM
Glacial / Moraines		humid/derived from soft	A	CL, ML, CL-CH, CH, GM, GC
		sedimentary rock	В	GW, GC-GP, SC-SP
			C	SM-SC, SW, SP, GM, GC, SM, SC
		humid/derived from	A	SM-SP
		igneous-metamorphic rock (crystalline)	B C	GW, GC-GP, SC-SP SM-SC, SW, SP, GM, GC, SM, SC
Drumlins		humid/derived from soft	surface or surface (A or	ML, ML-CL, GM, GC
2.4		sedimentary rock	B)	CL, GM, GC
			Ć	·
		humid/derived from	A	GM-GC, SM
		igneous-metamorphic	В	GM-GC, SM
Eskers		rock (crystalline) unspecified	C	GM, SM-SC, ML GM, GM-GC, GP, SP, GW, SW, SW-
ESKEIS		unspecified	unspecified	GM, GM-GC, GP, SP, GW, SW, SW- SM
		1		OW

Table B-4 (Continued). Landforms and Commonly Associated Soils

	. (3	ontinueu). Landioin		
Landform/E	Rodrock	Climate		nly Associated Soils
	bedrock		Horizon ¹	USCS Symbol ²
Drumlins		humid / derived from soft	surface or surface (A or	ML, ML-CL, GM, GC
		sedimentary rock	B)	CL, GM, GC
		humid / derived from	C	GM-GC, SM
		igneous-metamorphic	A B	GM-GC, SM
		rock (crystalline)	C	GM, SM-SC, ML
Eskers		unspecified	unspecified	GM, GM-GC, GP, SP, GW, SW, SW-
Lakera		unspecified	unspecified	SM
Kames		unspecified	unspecified	GP, SP, GP-GM, GM, GM-GC, SM-
				SC, SP-SM, SM
Glacial Outwash		unspecified	unspecified	GW, SW, GP, SP, GM, SM, CL, GM-
				GC
Silt / Clay Lakebed	S	unspecified	A	ML-CL, CH
			В	CL-CH
			С	CL-CH, ML-CL, MH-CH
Sandy lakebeds	1	unspecified	unspecified	SM, ML, ML-MH, ML-CL
Sand Dunes	unstabilized	unspecified	no horizons	SP
	stablized	unspecified	surface (A)	SM, SP
			parent material (C)	SP
Loess deposits		unspecified	unspecified	ML, ML-CL, CL
		semi arid	A	ML-CL
			В	ML-CL
	T		C	ML-CL
Flood Plains	braided	unspecified	unspecified	GW, SP
	channels			OW OD OW
	point bars	unspecified	unspecified	SW, SP, GW
	natural	unspecified	unspecified	SM, ML
	levees slack water	unspecified	unanagified	ML CL ML CL ML CL
	swamps	unspecified	unspecified unspecified	ML, CL, MH, CH, MH-CH OL, OH, PT, ML, CL, CH
	depressions	unspecified	unspecified	OL, OH, FT, ML, OL, OH
	terrace	unspecified	surface	ML
	1011400	dioposition	subsurface	SC, GW, GP
Deltas	Arc delta	unspecified	surface (A)	ML, CL, MH, CH
			subsurface (B)	GP, SP, GM, GC, SM, SC, GM-GC
		humid	Á	ML
			В	ABSENT
			С	GM-GC
	Bird's-foot	unspecified	A	OH
	delta		В	CH-OH
All 116	1	·c ·	C	CH
Alluvial fans		unspecified	unspecified	GP, SP, SW, GW, GM, GC, SM, SC,
		aomi arid	Λ	ML, CL GM-SM
		semi arid	A B	SM, ML
			C	GM, SM, ML
Valley fills		unspecified	unspecified	GP, SP, GW, SW, GM, GC, SM, SC,
valley fills		anopoomou	unspecified	CL, ML, CL-CH, CH
		semi arid	A	SM
			B	SM
			C	ML-SM, SM, GM, SM, ML
Continental alluviur	m	unspecified	unspecified	CL, SC, CL-CH, CH
		semi arid	A	CL
			В	CL
			С	CL
Playas		unspecified	unspecified	ML. CL, SM, SC, MH, CH
Swamps, Bogs, and	d Marshes	unspecified	unspecified	PT, OH, CH, MH, OL

Table B-4 (Continued). Landforms and Commonly Associated Soils

		Commo	nly Associated Soils
Landform/Bedrock	Climate	Horizon ¹	USCS Symbol ²
Coastal Plain Uplands	unspecified	subsurface (A)	SM, SP-SM
		subsurface (B)	SM, SC, SP-SM
	humid	A	SM
		В	SC, SM
		С	SC, SM
Coastal Plain Depressions	unspecified	unspecified	OL, ML, CL, ML-CL, MH, CH, OH, PT
Beach Ridges	unspecified	surface (A)	SM, GM
-		subsurface (B)	SP, GP, GP-GM, SP-SM, SW
	humid	Α	SM
		В	absent
		С	SP, SM
Tidal Marsh	unspecified	surface (A)	PT
		subsurface (B)	OL, OH, MH
Mud Flat	unspecified	unspecified	CH, CH-MH, CH-OH
Sand Flat	unspecified	unspecified	SP

¹ Horizons are the distinct layers distinguished by differing types of soil materials.

Table B-5. Lane Widths Typical of Current Military Maps

Table B-6. Urban Area Building Type Codes and Descriptions

Description	Туре
Wood and timber frame construction	1
Masonry construction	2
One or two family dwellings	3
Prefabricated one family dwellings	4
Low rise office buildings	5
High rise office buildings	6
Low rise apartment buildings	7
High rise apartment buildings	8
Buildings common to newer industrial and warehouse complexes	9

Add a second digit to the type to designate the cover and concealment potential for each uban built-up area. Use the following codes for the second digit: a – building type interior and entrances large enough for TM equipment, b – exterior sufficient for some concealment of TM equipment, and c – unsuitable as cover or concealment for TM equipment. Example, 1a is a wood and timberframe construction building with an interior and entrances large enough to house TM equipment.

² Unified Soils Classification System.

³ Granitic rock includes rhyolite porphyry, trachyte porphyry, dacite porphyry, basalt porphyry, augitite porphyry, granite, syenite porphyry, syenite, diorite porphyry, diorite, gabbro porphyry, gabbro, pyroxenite porphyry, pyroxenite periodotite.

⁴ A much wider range of texture is possible as in the North Central United States.




Figure B-20. Transportation and LOC Legend Symbols

DTG: Classification:			Page: of:
CCM Overlay	(s) Worksheet Templa	ate (U)	
Vehicle Characteristics			
Single Vehicle CCM Overlay (Listed Below)			tics to be Used for CCM Analysis
Multiple Vehicle CCM Overlay (Listed Below)		Maximum On-Road Speed Maximum Off-Road Speed	Kph Kph
		Maximum On-Road Gradability	Degrees of slope
		Maximum Off-Road Gradability	Degrees of slope
		Vehicle Width	Meters
		Vehicle Cone Index 1 Pass (VCI ₁)	#
		Minimum Turning Radius	Meters
		Vehicle Length Military Class Load	Meters Tons
Cross-Country Movement Category Definition		willtary olass coad	10113
Speed Category Default Category Descriptor	User Speed Catego	gory User I	Defined Category Descriptor
kph Kph Go / Unrestricted	Kph	Kph	
Kph Kph Restricted	Kph	Kph	
Kph Kph Severely Restricted	Kph	Kph	
Kph Kph No Go	Kph	Kph	
Notes:	Kph	Kph Kph	
	Kph	Kph	
	Kph	Kph	
	Kph	Kph	
Vehicle Speed versus Slope and Slope-Intercept-Frequency (SIF) Factor		<u> </u>	
□ Dry Terrain □ Wet Terrain □ Other: □ Deg of slope Kph S	IF Factor Deg of	f slope Deg of slope	Kph SIF Factor
		of slope Deg of slope of slope Deg of slope	Kph SIF Factor
		of slope Deg of slope Deg of slope	Kph SIF Factor
		of slope Deg of slope	Kph SIF Factor
		of slope Deg of slope	Kph SIF Factor
	IF Factor Deg of	of slope Deg of slope	Kph SIF Factor
Vehicle Speed versus Slope and Slope-Intercept-Frequency (SIF) Factor			
□ Dry Terrain □ Wet Terrain □ Other: □ Deg of slope Leg of slope Kph S	IF Factor Deg of	f alana Dog of alana	Kph SIF Factor
		of slope Deg of slope of slope Deg of slope	Kph SIF Factor
	I === '	of slope Deg of slope	Kph SIF Factor
		of slope Deg of slope	Kph SIF Factor
		of slope Deg of slope	Kph SIF Factor
		of slope Deg of slope	Kph SIF Factor
Vehicle Speed versus Slope, Slope-Intercept-Frequency (SIF) Factor, and Surface Roug		Dry Soil Factor Wet Soi	Footor Surface Boughness Footor
Surface Materials Code and Description Dry RCI Moist R GW Gravel or Sandy Gravel, Well Graded	Wet RCI	Dry Soil Factor Wet Soi	Surface Roughness Factor
GP Gravel or Sandy Gravel, Poorly Graded			
GM Gravel, Silty			
GC Gravel or Sandy Gravel, Clayed			
SW Sand, Well Graded SP Sand, Poorly Graded			
SP Sand, Poorly Graded SM Sand, Silty			
SC Sand, Clayey			
ML Silts			
CL Clays			
OL Organic Silts			
MH Inorganic Elastic Silts			
CH Fat Clays OH Fat Organic Clays			
PT High Organic Soils or Peat			
R Rock Outcrops			
W Open Water			
Notes:			
TMD IPB Template 18 March 2000 Classification:			Local Reproduction Authorized

Figure B-21. CCM Overlay(s) Worksheet Template (1 of 2)

DTG				Page:	of:
	CCM Overlay(s) We	orksheet Template (U)			
Vegeta	tion Factor				
Su A1	rface Materials Code and Description Agriculture (Dry Crops)	Vegetation Factor	Vegetation Roughness Factor]
A2	Agriculture (Wet Crops, Rice)				
А3	Agriculture (Terraced Crops, both Wet and Dry)				
A4	Agriculture (Shifting Cultivation)				
B1 B2	Brushland (<5-meters High, Open to Medium Spacing) Brushland (<5-meters High, Medium to Dense Spacing)				
C	Coniferous / Evergreen Forest				
D	Deciduous Forest				
E	Mixed Forest (Coniferous / Deciduous)				
F	Orchard / Plantation (Rubber, Palm, Fruit, etc.)				
G1 G2	Grassland, Pasture, Meadow Grassland with Scattered Trees, some Scrub Growth				
H	Forest Clearing (Cutover Areas, Burns, etc.)				
ı	Swamp (Mangrove, Cypress, etc.)				
J	Marsh / Bog (Treeless Bogs, Muskegs, etc.)				
K L	Wetlands (Low-Lying Wet Areas) Vineyards				
M	Bamboo				
Note					$\neg \neg$
	-				
Note	s:				
	Olaver d				
TMDII	PB Template 18 March 2000 Classification:		Local Reprodu	ction Authoria	zed

Figure B-21 (Continued). CCM Overlay(s) Worksheet Template (2 of 2)

DTG: Classifica	tion:											Page: _	of:
	Cli	natolo	gy As	sessm	ent Te	mplate	e (U)						
Name of Area	140								1			1	
Description of Area	130												
	120												
	120												
BE Number	110												
Centroid of Area MGRS													
Latitude	100												
Longitude	90												
Radius Climatology Valid For Kilometers													
Climatic Region	80												
	70												
General Climate Descriptions													
	60												
	-												
	50												
Natural Climate Hazards Descriptions	40												
	30												
	20												
	20												
Surface	10												
Air													
Temperature	0												
Degrees (F)	-10												
•													
	-20												
	-30												
	-40	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Extreme High		Jaii	160	IVIQI	Арі	Way	Juli	Juj	Aug	Зер	OCI	NOV	Dec
— — — — — — — — - Average High Mean Temper													
Average Low	Temperature												
Extreme Low		1 1	F-h	Man	I A	Mari	Live	l I.d		C	0-4	l Mass	
Mean Precipitation	Units Inches	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Average Low Precipitation Average High Snow Accumulation for a 1 Hour Period	Inches Inches												
Mean Snow Accumulation for a 1 Hour Period	Inches												
Average Maximum Snow Accumulation for a 24 Hour Pe Mean Relative Humidity @ 0600 Local Standard Time	eriod Inches	<u> </u>	-	<u> </u>									<u> </u>
Mean Relative Humidity @ 1300 Local Standard Time	%												
Prevailing Surface Wind Direction Mean Prevailing Direction Surface Wind Speed	Direction Knots	-		-									-
Mean Surface Wind Speed All Observations	Knots												
Average maximum Peak Surface Wind Gust Speed Mean Cloud Cover	Knots %												
% Frequency of Ceiling / Visibility < 3,000 ft / 3 Statute M % Frequency of Ceiling / Visibility < 300 ft / 1 Statute Mil	/liles %												
% Frequency of Ceiling / Visibility < 200 ft / 0.5 Statute M													
Mean Cloud Top Altitude Minimum Cloud Top Altitude	Feet Feet												
% Frequency of Thunderstorm	%												
Mid Month Sunset ¹ Mid Month End of Evening Nautical Twilight (EENT) ¹	HHMM												
Mid Month Beginning of Morning Nautical Twilight (BMM	IT)1 HHMM												
Mid Month Sunrise ¹ # = less than 0.5 day, or 0.05 inch, or 0.5%, as applicable	ННММ												
# = less than 0.5 day, or 0.05 inch, or 0.5%, as applicable " = Data not available N = North, NE = Northeast, E = East, SE = Southeast, S = South, S\ 1 = Light data calculated using the year and the mid more	V, = Southwest, W nth being the 15th	= West, NW of each mon	= Northwest th with all tin	nes adjusted	to local stan	dard time for	;						
FMD IDD Tourists 40 Mars 2000	tions										D		
D IPB Template 18 March 2000 Classification: Local Reproduction Authorized													

Figure B-22. Climatology Assessment Template

DTG: Classificati									Page: _	of:
Weather Effects on TM Force Operations Template (U)										
Fff. stad Missila Counting	Strongly Disfavorable Precludes Operations	Unfavorable to Operations	May Be Favorable or Unfavorable to Operations Bound Temper	Favorable to Operations	Strongly Favorable to Operations	Strongly Disfavorable Precludes Operations	Unfavorable to Operations	May Be Favorable or Unfavorable to Operations nd Surface Wi	Favorable to Operations	Strongly Favorable to Operations
Effected Missile Operation		Upper E	sound remper	ature (F)			Opper Bou	nd Surrace Wi	nas (knots)	
		Lower	Bound Temper	aturo (E)			Lower Pou	nd Surface Wi	nde (knote)	
		Lower	Sound Temper	ature (F)			Lower Bou	nu Suriace Wi	nus (knots)	
		Vicih	oility (statute n	niles)				loud Cover (%	3)	
		VISIL	mry (statute II					Jour Oover (7	.,	
		Cle	oud Ceiling (fe	eet)			Cloud	Tops Altitude	(feet)	
		.	l l				0.000	- ioporimudo	(1001)	
		Pre	cipitation (incl	nes)			Snow A	ccumulation (inches)	
		Thunderstorr	ns (Heavy, Mo	derate, Light)			Lightning	(Heavy, Moder	ate, Light)	
Notes:										
nues.										
TMD IPB Template 18 March 2000 Classification	on:							Local Repro	oduction Auth	orized

Figure B-23. Weather Effects on Adversary TM Force Operations Template

DTG:Classification: Page: of:										
Current / Forecasted Weather Effects on TM Force Operations Template (U) Name of Area Current Weather Valid for Date / DTG Through										
	Current Weather Valid for Date / DTG	Inrot	gn							
Description of Area										
Be Number										
Centroid of Area MGRS	Forecast Weather Valid for Date / DTG	Throu	ıgh							
Latitude										
Longitude										
Radius Climatology Valid For Kilometers										
Light Data BMNT EECT	Sunrise	Moon	rica							
BMCT EENT	Sunset	Moon								
Effected Missile Operation	Temperature (F) Current Condition	Surface Winds (knots) Current Condition	Visibility (statute miles) Current Condition							
Effected Missile Operation	Current Condition	Current Condition	Current Condition							
	Cloud Cover (%)	Cloud Ceiling (feet)	Cloud Tops Altitude (feet)							
Effected Missile Operation	Current Condition	Current Condition	Current Condition							
Effected Missile Operation	Precipitation (inches) Current Condition	Snow Accumulation (inches) Current Condition	Thunderstorms & Lightning Current Condition							
Effected missile Operation	Current Condition	ourient condition	Current Condition							
Kov										
1 (Blue) = Strongly Disfavorable / Precludes Operations	4 (Yellow) = Favorabl	e to Operations UA (White)	= Currently Unavailable							
2 (Green) = Unfavorable to Operations		vorable to Operations								
3 (Gray) = May Be Favorable or Unfavorable Depending on the	e Circumstances NF (Black) = Not a Fa	ictor								
Notes:										
TMD IPB Template 18 March 2000 Classification:			Local Reproduction Authorized							

Figure B-24. Current/Forecasted Weather Effects on TM Force Operations Template

DTG:_							Classification:			Page: of:
							TM Force Require	ed Infrastructure Assess	ment Template (U)	
								TM Force Overview D	Description and Notes	
			National Operations	SI	ion(s)	ion(s				
	_) pe ra	ation	funct	unct				
	uctio	Щ	nalo	Ope	ired	nal				
ID	Prod	RDT	Natio	Field	Requ	optic Optic	Primary Function(s) or Process	Secondary Function(s), Processes, or Components	Feeds or Interfaces with Function(s) or Processes	Notes / Comments
							, and a control (e)			
 										
 	<u> </u>									
\parallel	<u> </u>	_	_		Н	\sqcup				
\vdash	\vdash	-	-		Н	\dashv				
 	-				Н					
<u> </u>	-									
	┢									
l	<u> </u>									
 	-									
 	-									
\mathbb{H}	\vdash	_	_		Н	Н				
$\vdash\vdash$	\vdash	-	-		Н	\dashv				
\mathbb{H}	-				Н					
$\parallel \perp \parallel$	\vdash				H	\exists				
$\parallel \parallel$	\vdash				H					
					П	Ħ				
					П	П				
Ш					Ц					
	<u> </u>				Ш					
Щ	<u> </u>				Щ					
Щ	<u> </u>				Ш					
\parallel	-				H					
\parallel	L	_	_		Н	Н				
┞	Щ	l	l							
TMD IPB	Tem	plate	18	Mar	ch 20	000	Classification:			Local Reproduction Authorized

Figure B-25. TM Force Required Infrastructure Assessment Template

DTG:	DTG: Classification: Page: of: Integrated TM Force Infrastructure List Template (U)									
			Integra	ted TM Force I						
					TM Force Overview De	scriptio	n and Notes			
		Code								
	70	onal (
ID	Located	Functional Code	MIDB Facility Name	BE Number	Latitude or MGRS	N/S	Longitudo	E/W	Primary Function(s)	
	חו		mibb i domy rume	DE NUMBEI	Latitude of WGRS	N/S	Longitude		Trimary runocion(o)	
	Ш					Ш				
	Н					Н				
						Ш				
	Н					Н		$\mid \vdash \mid$		
	Н					Н		-		
	П					Ш				
	Ш					Ш				
	Н					Н		$\ - \ $		
	Ш					Ш				
	Н					Н				
	Н					Н		\parallel		
	Н					H		$ oxed{ert}$		
						1				
	Ш					H		$ oxed{igwedge} $		
	Ш					$ \Box $				
	Ш					Ш		Щ		
	Ш					$\parallel \parallel$				
	Ш					Ш		Щ		
	Н					Н		$\ - \ $		
TMD IP	B Temp	olate 18 Ma	arch 2000 Classification:					Loc	al Reproduction Authorized	

Figure B-26. Integrated TM Force Infrastructure List Template (1 of 2)

TG: Classification: of:								
Inte	grated TM Force Infra	astructure List Tem	plate (U)					
Located Codes C - Confirmed P - Probable / Possible U - Unknown First Character Operations Level N - National Operations O - Operational Operations I - Tactical / Field Operations U - Unknown - None	Function Second Character Function A - Administration 2 - Command and Control (C2) C - Communications E - Port of Entry X - Research and Development P - Production Y - Testing T - Training G - Garrison D - Depot S - Storage F - Field Operations M - Air Defense Z - Other U - Unknown - None	Third Character Subfunction H - Headquarters Ops C - C2 Operations G - General Operations M - Missile Operations F - Fire Control Operations W - Meteorological Ops S - Storage V - Vehicle Parking P - Personnel S - Security E - Power Generation Z - Other U - Unknown None	Fourth Character Sub-subfunction M - Missile A - Airframe W - Warhead E - Warhead Mating C - Checkout T - Transload F - Fueling L - Launcher R - Fire Control 2 - C2 G - GSE P - Missile Oxidizer D - POL B - Access Control H - Housing S - Support Z - Other U - Unknown - None	Fifth Character Type C - Fixed Complex B - Bunker Complex T - Tunnel Complex T - Field / Unprepared G - Field / Prepared A - Airfield P - Port R - Road I - Railroad W - Waterway Z - Other U - Unknown - None	Fifth Character WMD Relationship C - Chemical B - Biological N - Nuclear Z - Other U - Unknown None			
Use/Instructions: 1 Using the "Adversary TM Force Required Infrastructure Asse			ory codes, and primary functi	ion(s) fields in this template w	rith the required			
and optional infrastructure in the appropriate quantities. This Using the results of the identified / located adversary TM force	_		oro possiblo. This identifi	the "Unlessted TM Fore- 1-f	ractruatura Liat "			
Where possible assess locations for the unlocated adversary			•	the Officialed Living Corce IIIII	astructure List.			
4 Repeat process as often as required.								
Notes:								
TMD IPB Template 18 March 2000 Classification		Fanna Information		Local Reproduction				

DTG: Classification:						Page: of:		
General Facilit	ty / Area Ass	sessment Te	mplate	(U)				
Facility / Area MIDB Name								
BE Number Latitude UTM	□ MGRS □			N S Longi	tude	E W		
Elevation (m) Datum: WGS-84 Other					Only Do Not Use for F	<u>.</u>		
4	unctional Code				e Infrastructure L			
MIDB Category Code(s)								
Target Materials Available : Basic Target Graphic (BTG) □					her			
Target : Soft □ Hard □ PV Character Code:								
Hard Targets Consist of:								
Data Bases Searched ICOD: From To Rel ALE IESS SAFE	ated Message DTG	Traffic Originat	or		Subject			
☐ See Attached for More Data Bases Searched ☐ S	See Attached for Mo	re Related Message	Traffic					
Facility /Area Event Chronology		D-4	Τ'	/I-A	011	Pt. t. I		
Event / Activity / Item of Interest		Date	Time	(zulu)	Start	Finish		
TMD IPB Template 18 March 2000 Classification:		l			Local Penrode	uction Authorized		

Figure B-27. General Facility/Area Assessment Template (1 of 4)

DTG:	Classification:							Page: of:
	Ge	eneral	Facility / Are	a Assess	ment Templ	ate (U)		
Facility / Area - Significance	e / Function							
Facility / Area - Dhysical De								
Facility / Area - Physical De	scription							
Facility / Area Status: Activ					ification O	ther:		
Organization Name(s) and/o	or Unit(s) Designate		Military	an □ Other			Subordinate Unit(s	1
			Suborumate 10				oubordinate Omit(s	1
Laurahar Hida Critaria								
Launcher Hide Criteria	Dimensions (m)	Width		X Height		X Lengt	th	Ventilation Required □
Launcher Type	Dimensions (m)	Width		X Height		X Leng		Ventilation Required □
ınch	Dimensions (m)			X Height [X Lengt		Ventilation Required □
	Dimensions (m)			X Height		X Lengt	th	Ventilation Required □
Communication Link(s) Above Ground Landline	# Observed	٦	Transportation Roads CAT ½	Interface(s)	# Observ		f (Runways, HWY Strips	# Observed
Buried Landline		1	Roads CAT 3				a (Ports, Docks, etc.)	
HF Radio Microwave		-	Roads CAT 4 Roads CAT 5			\Box		
Other Radio		+	Roads CAT 5			$\dashv\vdash$		
Satellite Communications]	Roads CAT 7					
None Observed]	+	Railroads			No.	ne Observed	
Electrical Power Interface(s		_						
Uses Local Power Grid	<i>)</i> □ Above Groun	d Trans	smission Lines	□ Power C	apacity		Other	
On-Site Power Generation								
Associated Security				<u></u>	NY 0412 - 5			
Terrain ☐ Single Fen Vegetation ☐ Double Fer			Manned Secui Guard Posts			other Lone Obs	erved	
TMD IPB Template 18 March 2000	Classification:							Reproduction Authorized

Figure B-27 (Continued). General Facility/Area Assessment Template (2 of 4)

DTG: Classification:	Page: of:
General Facility / Area Assessment Template (U)	
Critical Elements (CE) / Critical Nodes (CN) / High Value Targets (HVT) Within T	he Facility / Area
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS Longitude	
Datum: WGS84 Other PV Char Code JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT Mensurated Point (MP) Element or MP ID# Elevation M Ft	Critical Element Rationale
Latitude UTM MGRS	
Datum: WGS84 Other PV Char Code JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
Sinch Code Length (III) Mutu (III) Regint (III) Basic Filysical Shape	
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS Longitude Longitude	
Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS Longitude Longitude	
Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS Longitude Longitude Longitude	
Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT	Critical Element Rationale
Latitude UTM MGRS Longitude Longitude Longitude	
Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
	Critical Element Rationale
CE / CN / HVT Mensurated Point (MP) Element or MP ID # Elevation M Ft	Officer Element Nationals
Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
	Critical Element Rationale
CE / CN / HVT Mensurated Point (MP) Element or MP ID # Elevation M Ft Latitude UTM MGRS S Longitude E W	Gridda Element Rationale
Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
	Critical Element Patiennia
CE / CN / HVT Mensurated Point (MP) Element or MP ID # Elevation M Ft Latitude UTM MGRS	Critical Element Rationale
Latitude	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
CE / CN / HVT Mensurated Point (MP) Element or MP ID# Elevation M Ft Latitude UTM MGRS Image: Conference of the conference	Critical Element Rationale
Latitude UTM MGRS Dil Longitude Datum: WGS84 Other PV Char Code	
JMEM Code Length (m) Width (m) Height (m) Basic Physical Shape	
TMD IPB Template 18 March 2000 Classification:	Local Reproduction Authorized

Figure B-27 (Continued). General Facility/Area Assessment Template (3 of 4)




Figure B-27 (Continued). General Facility/Area Assessment Template (4 of 4)

DTG:	DTG: Classification: Page: of:								
			erating Area Asses	sment Templ	ate (U)				
Assigned Field Operating Area ID # Assigned Name for the Field Operating Area									
	Primary Associated Fixed Facility (MIDB Name)								
Secondary Assoc	Secondary Associated Fixed Facility (MIDB Name)								
-	Secondary Associated Fixed Facility (MIDB Name)								
	iated Fixed Facility (MIDB Name iated Fixed Facility (MIDB Name								
	Distance of Associated TM Ac		Associated Fixed facility						
Associated Launc			port Operations Activity	Km	Associated Field St	orage Operations Activity	Km		
Expected Associa	ited TM Unit(s)								
Unit TM Type		Unit Designator	r(s)		Unit	☐ Brigade ☐ Bat lent ☐ Brigade ☐ Bat	talion		
					Size	□ Brigade □ Bat			
Field Operating A									
BE Number		oint Radius (km)		olygon Route / Pol	lyline Datum:		for Front or Definition		
	Units: Dd.decimal Ddmms id Coordinates: Latitude		Longitude Other:	MGRS		UTM UTM	for Further Definition		
Field Operating A	rea / Polygon / Route / Polyline								
Starting Point	Latitude / MGRS / UTM N S	Longitude E W	Latitude / MGRS / UTM N	S Longitude	E W Next Point	Latitude / MGRS / UTM N S	Longitude E W		
Next Point					□□ Next Point				
Next Point		□□ Next	ct Point		□□ Next Point				
Next Point	00		ct Point		□□ Next Point				
Next Point					□□ Next Point				
Next Point Next Point			ct Point		□□ Next Point □□ Next Point				
Next Point			ct Point		□□ Next Point				
Next Point		□□ Next	ct Point		□□ Next Point		00		
Next Point			ct Point		□□ Next Point				
Next Point					□□ Next Point □□ Next Point				
Next Point Next Point					□□ Next Point □□ Next Point				
Next Point					□□ Next Point				
Next Point		□□ Next	ct Point		□□ Next Point		00		
Next Point					□□ Next Point				
Next Point Next Point					□□ Next Point □□ Next Point	oo			
Next Point					□□ Next Point				
Next Point					□□ Next Point				
Next Point					□□ Next Point				
Next Point					□□ Next Point				
Next Point Next Point			ct Point		□□ Next Point □□ Next Point				
Next Point					□□ Next Point				
Next Point		□□ Next	ct Point		□□ Next Point		00		
Next Point					□□ Next Point				
Next Point Next Point					□□ Next Point □□ Next Point				
Next Point					□□ Next Point				
Next Point			ct Point		□□ Next Point				
Next Point	00		ct Point		□□ Next Point	00			
Next Point			ct Point		□□ Next Point				
Next Point Next Point		□□ Next			□□ Next Point □□ Next Point				
Next Point		□□ Next		-	□□Ending Point				
Notes									
	Notes:								
TMD IPR Template	e 18 March 2000 Cla	assification:				Local Reprod	uction Authorized		

Figure B-28. Field Operating Area Assessment Template

	DTG: Classificat												Р	age:	_ of:
Field Launch Operations Capable Areas		P	rea L	mitati	on Wo	rkshe	et Tem	plate	(U)						
Field Hide Site Capable Areas Field Transload Operations Capable Areas Field Warhead Mating Operations Capable Areas Field Storage Site Capable Areas Field TM Related Communications Capable Areas Other:		Slope Less Than or Equal to xx Degrees	Within xx Kilometers of Roads	Identified Potential Hide Site Radius in Meters	Within xx Kilometers of a Potential Hide Site	Within xx Kilometers of a Potential Launch Site	Within xx Kilometers of a Communications Link or Node	All Roads +/- xx Meters	Xxxx Meters Into Tree Cover	Within xxx Meters of the Tree Line	Exclude Dry Season Obstacles	Exclude Wet Season Obstacles	Other:	Other:	Other:
Field Transload Operations Capable Areas Field Warhead Mating Operations Capable Areas Field Fueling Operations Capable Areas Field Storage Site Capable Areas Field TM Related Communications Capable Areas Other:	Field Launch Operations Capable Areas														
Field Warhead Mating Operations Capable Areas Field Fueling Operations Capable Areas Field Storage Site Capable Areas Field TM Related Communications Capable Areas Other:	Field Hide Site Capable Areas														
Field Fueling Operations Capable Areas Field Storage Site Capable Areas Field TM Related Communications Capable Areas Other:	Field Transload Operations Capable Areas														
Field Storage Site Capable Areas Field TM Related Communications Capable Areas Other:	Field Warhead Mating Operations Capable Areas														
Field TM Related Communications Capable Areas	Field Fueling Operations Capable Areas														
Other:	Field Storage Site Capable Areas														
Other:															
Other:	Other:]										
Other:	Other:														
Other:															
Other:][]][
Other:][][JL]		JL
Other:][][]][][JL
Other:]]][]]		JL
Other:][][][][][][JL
][][][][][][JL
Notes:][][][

Figure B-29. Area Limitation Worksheet Template

SUGGESTED TEMPLATES FOR STEP THREE OF THE TMD IPB PROCESS "EVALUATE THE TM FORCE"

DTG: Classification: Page: of:									
	Doctrinal Template(s) Requirements Template (U)								
	Required	Optional	Not Required	Status (G, Y, R)					
Organizational / C*I Templates	<u>ne</u>	<u> </u>			Doctrinal Template Purpose				
National Level Organization and Command & Control	\blacksquare	\vdash	Н		Provide a adversary TM force level breakout of major assigned units, equipment, command, and control				
Adversary TM Communications Structure		\vdash	Н		Provide the adversary TM force organizational structure and assigned equipment by brigade				
Adversary TM Communications Structure Other:		\vdash	\vdash		Provide the adversary TM force unit level command and control structure				
Other:	\vdash	\vdash	Н						
Other:	\vdash	\vdash	Н						
Equipment Templates			Ш						
Missile					Provide detailed equipment information and graphics for adversary theater missiles				
Launcher					Provide detailed equipment information and graphics for adversary TM launchers				
Radar			П		Provide detailed equipment information and graphics for adversary TM radars				
Ground Support Equipment			П		Provide detailed equipment information and graphics for adversary TM ground support equipment				
Other:									
Other:									
Other:									
TTP Templates	_								
Adversary TM Force Attack Objectives					Provide the adversary TM force attack objectives				
Adversary TM Force Potential Target List					Provide assessment of potential adversary TM force target list				
Adversary TM Unit Functional Breakout			П		Provide a functional breakout of the adversary TM force units				
Adversary TM Unit Spatial Deployment T⊤P			П		Provide the spatial deployment patterns for adversary TM force units				
Adversary TM Employment TTP					Provide the employment TTP for adversary TM force units				
Other:									
Other:									
Other:									
Operational State Templates	_		_						
National Level Garrison - Peacetime		Ш	Ш		Provide the operational state diagrams and timelines for the day-to-day peacetime adversary TM force garrison				
National Level Training		Ш	Ш		Provide the operational state diagrams and timelines for national level adversary TM force level training				
National Level Operational Testing	Ш	Ш	Ш		Provide the operational state diagrams and timelines for national level adversary TM force operational testing				
National Level RDT&E Testing			Ш		Provide the operational state diagrams and timelines for national level adversary TM force RDT&E testing				
National Level Depot and Storage		Ш	Ш		Provide the operational state diagrams and timelines for national level adversary TM force depot and storage				
Peacetime National Level to Field Garrison Deployment		Ш	Ш		Provide the operational state diagrams and timelines for peacetime national to field garrison deployments				
Crisis National Level to Field Garrison Deployment		Ш	Ш		Provide the operational state diagrams and timelines for crisis national to field garrison deployments				
Field Level Garrison - Peacetime		Ш	Ш		Provide the operational state diagrams and timelines for the day-to-day peacetime adversary TM force garrison				
Field Level Training	\blacksquare	Н	Н		Provide the operational state diagrams and timelines for field level adversary TM force level training				
Field Level Depot and Storage	Н	Н	Н		Provide the operational state diagrams and timelines for field level adversary TM force depot and storage				
Peacetime Field Level to Field Operating Area Deploymen	11	\vdash	Н		Provide the operational state diagrams and timelines for peacetime garrison to field op area deployments				
Crisis Field Level to Field Operating Area Deployment	\blacksquare	\vdash	Н		Provide the operational state diagrams and timelines for crisis garrison to field op area deployments				
Field Storage	Н	\vdash	\vdash		Provide the operational state diagrams and timelines for field op area field storage				
Field Warhead Mating Operations		\vdash	Н		Provide the operational state diagrams and timelines for field op area warhead-to-missile mating operations				
Field Fueling Operations Field Checkout Operations	Н	H	Н	\vdash	Provide the operational state diagrams and timelines for field op area missile fueling operations Provide the operational state diagrams and timelines for field op area missile checkout operations				
Field Transload Operations	\vdash	\vdash	Н		Provide the operational state diagrams and timelines for field op area missile transload operations				
Field Hide Operations	Н	\vdash	H	\vdash	Provide the operational state diagrams and timelines for field op area TM launcher hide operations Provide the operational state diagrams and timelines for field op area TM launcher hide operations				
Field Fire Control Operations	Н	\vdash	H	\vdash	Provide the operational state diagrams and timelines for field op area TM fire control operations				
Field Launch Operations	H	\vdash	H	\vdash	Provide the operational state diagrams and timelines for field op area missile launch operations				
Field Targeting Operations	Н	H	H		Provide the operational state diagrams and timelines for field op area TM targeting operations				
Field Communications Operations	Н	\vdash	H	\vdash	Provide the operational state diagrams and timelines for field op area communications operations				
Other:	Н	H	H	\vdash	, v				
Other:	H	H	H						
Other:	Н	Н	H						
	<u> </u>		ш						
TMD IPB Template 18 March 2000 Classifica	tion:				Local Reproduction Authorized				

Figure B-30. Doctrinal Templates Requirements Template

DTG: Clas	sification:			P	age: of:
		VI Equipmen	t Template (U)		
Sundam Image	-	- 4		wlat	
System Image			System Altitude versus Ground Range Trajectory	piot	
System Internal and / or External Drawings	<u> </u>		Typical System Flight Profile with Major System E	vents	
	General Data		Performar	nce Data	
Primary TM System Name			Maximum Range		Km
TM System Designator			2/3 Range		Km
Indigenous TM System Designator Number of Stages		#	Minimum Range Maximum Apogee or Altitude		Km M
Stage Propulsion Types			Cruising Altitude		M
Total Missile Length Payload Length		M M	Maximum Time of Flight Maximum Operation Time for Propulsion System		Seconds Seconds
Maximum Missile Diameter (less fins or wings)		M M	CEP or Accuracy		M
Missile Diameter / Wing Span (with fins or wings) Payload	Data	m	Total Missile Reliability Typical Nose-On (+/- de	grees) Signature Data	%
Payload Options			10 GHz Median RCS (Circular)		DBsm
			5.5 GHz Median RCS (Circular)		DBsm
Type of Guidance, Navigation, and Control			3 GHz Median RCS (Circular) 10 GHz Median RCS (Horizontal)		DBsm DBsm
Typical Payload Mass		Kg	5.5 GHz Median RCS (Horizontal)		DBsm
Typical Warhead Mass		Kg	3 GHz Median RCS (Horizontal)		DBsm
Notes:					
L					
TMD IPB Template 18 March 2000 Clas	sification:			Local Reproductio	n Authorized
remplate - remaion 2000 Clas	· · · · · · · · · · · · · · · · · · ·				

Figure B-31. TM Equipment Template

DTG:	Classification:		Page: of:							
	TM Equipment	t List Template (U)								
☐ Na Unit or Facility or Area Identification	☐ National Level Equipment List ☐ Unit Level Equipment List ☐ Facility / Area Level Equipment List Unit or Facility or Area Identification									
,		Equipment Class								
TM System										
Missile Launcher										
Fire Control										
The Condo										
Missile Handling										
Missile Checkout										
Missile Fueling										
Missile Support										
Site Survey Support										
Meteorological Support										
meteorological oupport										
Engineer										
Security										
General Support										
Other										
TMD IPR Template 18 March 2000	Classification:		Local Reproduction Authorized							

Figure B-32. TM Equipment List Template

DTG:	Classification:				Pa	je: of:
	TM System Gro	und Vehicl	e Equipment Template	(U)		
Vehicle Designator / Name						
Vehicle Purpose / Class						
Associated Missile System]	Maximum On-Road Speed			Kph
Length		Meters	Maximum Off-Road Speed			Kph
Width		Meters	Restricted Speed Range			Km
Height		Meters	Severely Restricted Speed Range			Km
Gross Vehicle Weight (GVW)		Kg	Ground Clearance			Meters
Military Load Class		Tons	Approach Angle			Degrees
Maximum Payload Capacity		Kg	Departure Angle			Degrees
Drive Configuration]	Trench Crossing Ability			Meters
Engine Power		KW	Ford Depth			Meters
Maximum On-Road Range		Km	Maximum On-Road Gradability			Deg of slope
Maximum Off-Road Range		Km 1/400 loss 4 00	Maximum Off-Road Gradability			Deg of slope
Fuel Consumption-to-Payload] L/100 km x 1,00] #				Meters #
Vehicle Cone Index 1 Pass (VCI ₁)		J #	Crew Size			#
Left Side View/Image			Right Side View / Image		Rear View/Image	
3D Perspective View / Image			Image			
Notes:						
TMD IPB Template 18 March 2000	Classification:				Local Reproduction	Authorized

Figure B-33. TM System Ground Vehicle Equipment Template

DTG:Classification:	Page:	of:
TM Ford	e Attack Objectives Worksheet Template (U)	
Specific Missile Event and/or Broad TM Force COA		
□ None □ Strategic □ Tactical □ Ground Forces	TM Attack Decision Factors	
Is the attack to be coordinated with other operations? Is timely ISR required?	□ No □ Yes,Explain: □ Yes,Explain: □ Yes,Expl	
Is collateral damage a concern?	□ No □ Yes, Explain:	
Is the attack likely to divert U.S. / Allied air power?	□ No □ Yes, Explain:	
Are U.S. / Allied active TMD assets deployed?	□ No □ Yes,Explain: Theater Missile Weapon System Factors	
Missile System CEP (m) Accuracy Class	Warhead Types Available	
□ Point □ Area □ Unitary HE □ Unitary Nucle:		
Missile System CEP (m) Accuracy Class	Warhead Types Available	
□ Point □ Area □ Unitary Nuclea		
Missile System CEP (m) Accuracy Class UnitaryCHE	Warhead Types Available Unitary Fizag Cluster:HE Cluster Erag Unitary:CW Cluster CW	
□ Point □ Area □ Unitary Nuclei		
Missile System CEP (m) Accuracy Class ☐ Unitary□HE	Warhead Types Available Unitary Fizag Cluster:HE Cluster Erag Unitary:ŒW Cluster CW	
□ Point □ Area □ Unitary Nuclea		
Targeting Objective(s) Military (Counterforce) Hardened Targets Alrifields Naval Vessels Commercial Ships Troop Concentrations Armored Vehicles 2cr ls auc Naval Sweets Logistics Areas Radar / Air Defense / TMD Economic (Countervalue) Indstry Power POL Transportation Political (Terror) Population Centers Government Control Cultural Centers Other: Other: Other: Other: Other: Other: Others		
TMD IPB Template 18 March 2000 Classification:	Local Reproduction Auth	orized

Figure B-34. TM Force Attack Objectives Worksheet Template

DTG:	Classification:	Page: of:
	TM Unit Functional Doctrinal Template (U)	
TM Unit		
TM Unit Function		
TM Unit Functional Relationships		
Notes:		
TMD IPB Template 18 March 2000	Classification: Loca	Reproduction Authorized

Figure B-35. TM Unit Functional Doctrinal Template

DTG: Clas	sificat				Page: of:
		TM Force Employm	ent Worksheet Ten	nplate (U)	
		Specific Missile Ev	vent and/or Broad TM Force CO	A	
TM Custom Tune 1					
TM System Type 1 TM System Type 2					
TM System Type 3					
TM System Type 1		Empl Minimum / Start	oyment Conditions Nominal	Maximum / Stop	Condition
Time of Day for TM Employment					
Visibility Conditions for TM Employment Weather Conditions for TM Employment					
TM System Type 2			JL		
Time of Day for Theater Missile Employment		Minimum / Start	Nominal	Maximum / Stop	Condition
Visibility Conditions for TM Employment					
Weather Conditions for TM Employment					
TM System Type 3		Minimum / Start	Nominal	Maximum / Stop	Condition
Time of Day for TM Employment					
Visibility Conditions for TM Employment Weather Conditions for TM Employment]		
TM System Type 1		Employ	ment Characteristics		
		Minimum / Start	Nominal	Maximum / Stop	Condition
Salvo Size Salvo Launch Time Span					
Salvo Arrival Time Span					
Salvo Interval					
Other:					
TM System Type 2			JL		
Salvo Size		Minimum / Start	Nominal	Maximum / Stop	Condition
Salvo Launch Time Span					
Salvo Arrival Time Span					
Salvo Interval Other:					
Other:					
TM System Type 3		Minimum / Chart	Manatasi	Marrian I Stan	Constition
Salvo Size		Minimum / Start	Nominal	Maximum / Stop	Condition
Salvo Launch Time Span					
Salvo Arrival Time Span Salvo Interval			1		
Other:					
Other:	_ 🗆				
Notes:					
1.000					
TMD IPB Template 18 March 2000 Clas	sificat	ion:		Lo	cal Reproduction Authorized

Figure B-36. TM Force Employment Worksheet Template (1 of 2)

DTG:		_ Classification:				Page: of:
		TI	M Force Employment Wo	rksheet Template (U)		
			TYPE versus TARGET SIZE CLASS	versus APPLICABLE WARHEAD TYP	ES	
Target Class	TM System Type 1	Target Size Class	☐ Unitary HE ☐ Unitary Frag	Applicable Warhead Types Cluster HE Cluster Frag	□ Unitary CW	☐ Cluster CW
Hardened Targets	System Type 2 System Type 3	□ Point □ Area	☐ Unitary Nuclear ☐ Unitary BW	□ Cluster BW □ ARM	□ FAE	□ EMP
Airfields	☐ System Type 1 ☐ System Type 2 ☐ System Type 3	□ Point□ Area	□ Unitary HE □ Unitary Frag □ Unitary Nuclear □ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW ☐ FAE	□ Cluster CW □ EMP
Naval Vessels	☐ System Type 1 ☐ System Type 2 ☐ System Type 3	□ Point □ Area	□ Unitary HE □ Unitary Frag □ Unitary Nuclear □ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
Commercial Ships	System Type 1 System Type 2 System Type 3	□ Point □ Area	□ Unitary HE □ Unitary Frag □ Unitary Nuclear □ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW ☐ FAE	□ Cluster CW □ EMP
Troop Concentrations	☐ System Type 1☐ System Type 2☐ System Type 3☐	□ Point □ Area	□ Unitary HE □ Unitary Frag □ Unitary Nuclear □ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	□ Unitary CW □ FAE	□ Cluster CW □ EMP
Armored Vehicles	System Type 1 System Type 2 System Type 3	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
Ports & Naval Bases	System Type 1 System Type 2 System Type 3	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
LOCs	System Type 1 System Type 2 System Type 3	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag ☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
Bridges / Dams / Waterways	System Type 1 System Type 2 System Type 3	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag ☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	□ Unitary CW □ FAE	□ Cluster CW □ EMP
Logistics Areas	System Type 1 System Type 2 System Type 3	□ Point □ Area	□ Unitary HE □ Unitary Frag □ Unitary Nuclear □ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
Radar / Air Defense / TMD	☐ System Type 1 ☐ System Type 2 ☐ System Type 3	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
Industry	☐ System Type 1 ☐ System Type 2 ☐ System Type 3	□ Point □ Area	□ Unitary HE □ Unitary Frag □ Unitary Nuclear □ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
Power	☐ System Type 1	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
POL	System Type 1 System Type 2 System Type 3	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
Transportation	System Type 1 System Type 2 System Type 3	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	□ Unitary CW □ FAE	□ Cluster CW □ EMP
Population Centers	System Type 1 System Type 2 System Type 3	□ Point □ Area	□ Unitary HE □ Unitary Frag □ Unitary Nuclear □ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	□ Unitary CW □ FAE	□ Cluster CW □ EMP
Government Control	System Type 1 System Type 2 System Type 3	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	□ Unitary CW □ FAE	□ Cluster CW □ EMP
Cultural Centers	System Type 1 System Type 2 System Type 3	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag ☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
Other:	System Type 1 System Type 2 System Type 3	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
Other:	☐ System Type 1	□ Point □ Area	☐ Unitary HE ☐ Unitary Frag ☐ Unitary Nuclear ☐ Unitary BW	□ Cluster HE □ Cluster Frag □ Cluster BW □ ARM	☐ Unitary CW☐ FAE	□ Cluster CW □ EMP
Notes:						
TMD IPB Template 18	March 2000	Classification:			Local Reprod	uction Authorized

Figure B-36 (Continued). TM Force Employment Worksheet Template (2 of 2)

DTG:	_ Classification:					Page	of:
		Time-Pattern Analys	s Template	(U)			
Analysis Focus:			•	. ,			
Analysis i odds.							
Day 1 Reference: Day of Month	Week of Month	Day of Week	Day	Month	Yes	DTG	
Day 21 Reference: Day of Month	Week of Month	Day of Week	Day	Month	Yes	DTG	
Analytical Legend:							
				_			
/							
					X////		
					X		
						\times	
							
				3////			\
			1	X	///////	///////////////////////////////////////	
			# * * * * * * * * * * * * * * * * * * *		X//////	///////////////////////////////////////	////
	///////////////////////////////////////		#XX		//////	H1111111	
	HJ////		-	7X///	///////////////////////////////////////	///////////////////////////////////////	
<i> </i>	111744//	2300 2400 / 2200 0000	0100	$\times /////$	XXIIII'	///////////////////////////////////////	HHH
	' <i> </i>	2100	0200	777744	///////////////////////////////////////	VIIIIII	
	4444111111	2000	0400	X/////	11111111	$\mathcal{M}(\mathcal{M})$	
		4//	\	JJJ-J-H-H-	MIIII	mmm	$\Pi\Pi\Pi\Pi\Pi$
		Each Ring Represents	a Single Day	7111111			
		1800 Time Referer	ce 060	00 01 02 03 04 05 06 07	708091011112131415161	17 18 19 20 21 22 23 24 25 26 27 2	3 29 30 31 32 33 34 35
	[[]]]]]]]]]]	1700 🗆 Local	0700	HIIII			
	THHHH	1600	0800	////////	HHIIII.	1	
	T//////T	1500	0900	H.///	///////////////////////////////////////	HHL]]]]]]	1111111
	(1400	1000	//////	2////////	///////////////////////////////////////	44111
	VIII-	1300 1200	1100	X////	774////	///////////////////////////////////////	//////
	H		1			7//////////	////
			+ 1			TH/////	////
					$\times //////$	///////////////////////////////////////	
							4
	X						/
						>////	
· `	X						
TMD IPB Template 18 March 2000	Classification:					Local Reproduction Au	thorized

Figure B-37. Time-Pattern Analysis Template

DTG:	Classificat					Page: of:
		Date-Pat	tern Analysis Ten	nplate (U)		
Analysis Focus:						
Starting Reference: Month		Year	DTG			
Analytical Legend:						
Wanday	Tuesday	Wednesday	Thursday	=r day	<u> </u>	Sunday
'		,		<u>'</u>		-
Notes:						
						Day Week
TMD IPB Template 18 March 200	0 Classificat					oduction Authorized

Figure B-38. Date-Pattern Analysis Template

DTG:	Classification:	Page:	of:
	TM Operational State Doctrinal Template (U)		
Analytical Focus:			
,			
0			
Operational State Characteristics:			
Operational State Spatial Relationship:			
TMD IPB Template 18 March 2000	Classification: Local Reprodu	ction Authori	zed

Figure B-39. TM Operational State Doctrinal Template

DTG:	Classification:		Page: of:
	TM HVT Relative Value Matrix Template (U)		
TM Force Broa	d COA		
Applicable Tin	neframe / Phase		
HVT Relative \	/alue Matrix		
☐ Des troy ☐ Degrade ☐ Suppress ☐ No Action		Applicable	Relative Worth (Higher Number = Higher Relative Worth)
	HVT Set	Note(s)	1 2 3 4 5 6 7 8 9 10
Notes:			
TMD IDD Tarre	plate 18 March 2000 Classification:		Local Reproduction Authorized
INDIES IEMP	nate 10 march 2000 Classification.		Local Reproduction Authorized

Figure B-40. TM HVT Relative Value Matrix Template

DTG:	Classification:		Page: of:
		TM COA Template (U)	
COA Title / Name			
Unique COA ID	Rank Order	☐ Likelihood: ☐ Very High Probability ☐ Medium Probability ☐ Low Probability ☐ N	ery Low Probability
COA Objective(s)			
COA Desired End State(s)			
COA Mission(s)			
COA Sequel(s)			
COA Branch(es)			
Notes:			
COA Title / Name Unique COA ID	Rank Order	Likelihood: ⊐ Very High Probability □ Medium Probability □ Low Probability □ \	/ery Low Probability
COA Objective(s)	Rank Order		rery Low 1 Tobability
COA Desired End State(s)			
COA Mission(s)			
COA Sequel(s)			
COA Branch(es)			
Notes:			
COA Title / Name			
Unique COA ID	Rank Order	☐ Likelihood: ¬ Very High Probability ¬ Medium Probability ¬ Low Probability ¬ N	ery Low Probability
COA Objective(s)			
COA Desired End State(s)			
COA Mission(s)			
COA Sequel(s)			
COA Branch(es)			
Notes:			
TMD IPB Template 18 March 2	000 Classification:	Local Reprodu	ction Authorized

Figure B-41. TM COA Assessment Template

DTG:	Classific			Page: of:
		TM COA S	ituation Matrix T	emplate (U)
COA Unique ID#	COA Title			
COA Description				
Period of Relevance			7	
Exclusive Period			DTG / Date Thro	
No Earlier Than Duration			DTG / Date No Later	Than DTG / Date
All Times Relative To:				
7				Units Minutes Hours Days
				Time Weeks Months Years
Potential		Activity / Event Time		Activity / Event Time
NAI(s) or NAI Type	Start Minimum Nominal Maximum	Duration	Stop	Start Duration Stop Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum
Type	Minimum Nominai Maximum	Minimum Nominai Maximum	Minimum Nominai Maximum	MINIMUM NOMINAI MAXIMUM MINIMUM NOMINAI MAXIMUM MINIMUM NOMINAI MAXIMUM
	Activity / Event Indicator:			Activity / Event Indicator:
Potential		Activity / Event Time		Activity / Event Time
NAI(s) or NAI Type	Start Minimum Nominal Maximum	Duration Minimum Nominal Maximum	Stop Minimum Nominal Maximum	Start Duration Stop Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum
ID#:				
	Activity / Event Indicator:			Activity / Event Indicator:
Potential		Activity / Event Time		Activity / Event Time
NAI(s) or NAI Type	Start Minimum Nominal Maximum	Duration Minimum Nominal Maximum	Stop Minimum Nominal Maximum	Start Duration Stop Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum
ID#:	Activity / Event Indicator:			Activity / Event Indicator:
	Activity / Event indicator.			Activity / Event indicator.
Potential NAI(s) or NAI	Start	Activity / Event Time Duration	Stop	Activity / Event Time Start Duration Stop
Туре	Minimum Nominal Maximum			
ID#:	Activity / Event Indicator:			Activity / Event Indicator:
	, , , , , , , , , , , , , , , , , , , ,			, , , , , , , , , , , , , , , , , , , ,
Potential				A # 17 15 15
NAI(s) or NAI	Start	Activity / Event Time Duration	Stop	Activity / Event Time Start Duration Stop
Type			Minimum Nominal Maximum	
10#.	Activity / Event Indicator:	<u> </u>		Activity / Event Indicator:
Legend:			Notes:	
TMD IPB Template 18 Ma	rch 2000 Classific			Local Reproduction Authorized

Figure B-42. TM COA Situation Matrix Template

DTG: Class	ification:			Page: of:
	NAI	ınd HVT Template	(U)	
	NAI and HV	Unique ID #	□ NAI	
	☐ See Attached Geogra	hical Area Definition Template for I		
Associated COA(s)				
Description:				
NAI or HVT TM Force Activity / Event Indicators				☐ Indicators Observed
NATION TO THE TOTAL ACTIVITY / EVENT INDICATORS				☐ Observations Confirmed DTG(s) of Observation(s):
Period of Interest	Then DTC:	Probable Signature Source	es	
No Earlier Than DTG: No Later T Activity / Event Time: □ Hours □ Days □ W		IMINT □ IMINT - Visible □		
Start Duration	Stop	IMINT-Radar □ IMINT-IR □		
Minimum Nominal Maximum Minimum Nominal Maxim	um Minimum Nominal Maximum	IMINT - MSI 🗆		
Associated NAIs and HVTs Unique ID Distance (km) Estimated Time I	Between Next & Previous	SIGINT □ SIGINT-SIGINT □		
Possible Previous NAIs and		SIGINT - COMINT SIGINT - ELINT		
		SIGINT - ELINT - FISINT SIGINT - ELINT - TELINT		
		SIGINT - ELINT - RADINT HUMINT		
		MASINT □		
		MASINT - ACINT ☐ MASINT - Electro-Optical ☐		
Possible Next NAIs and H	lVTs	MASINT - IRINT □ MASINT - LASINT □		
		MASINT - NUCINT □ MASINT - RINT □		
		OSINT 🗆		
		TECHINT Counter Intelligence (CI)		
David Bounding		Other: □		
Desired Reporting By Date (DD / MMM / YY) / DTG	By Time of Day (HH:MM:SS) /	DTG	Date (DD / MMM	/ YY) / DTGTime of Day (HH:MM:SS) / DTG
Desired Timeliness Desired Frequency of Response:		Latest Time Informatio		lu D Verm Celender D Fines D
Readiness Phase	Crisis / Deployment Phase	Combat Pha		Other Phase:
Real Time		londay □ Real T µesday □ Near Real T		Real Time ☐ Every Monday ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
Hourly □ Every Wednesday □ Daily □ Every Thursday □	Hourly □ Every Wed Daily □ Every Ti		urly □ Every Wednesday □ aily □ Every Thursday □	Hourly □ Every Wednesday □ Daily □ Every Thursday □
Weekly □ Every Friday □	Weekly □ Every	Friday □ Wee	ekly □ Every Friday □	Weekly □ Every Friday □ □ ■ Monthly □ Every Saturday □ □
Quarterly Every Sunday	Quarterly Every	unday 🗆 Quart	erly Every Sunday	Quarterly □ Every Sunday □
Yearly □ See Notes □ See Notes □ At: (HH:MM)	Yearly □ Se See Notes □ At: (HH:M		arly □ See Notes □ vites □ At: (HH:MM)	Yearly □ See Notes □ See Notes □ At: (HH:MM) □
Notes:				
TMD IPB Template 18 March 2000 Class	ification:			Local Reproduction Authorized

Figure B-43. NAI and HVT Assessment Template (1 of 2)

OTG:		Classification:			1.4.410			Page:	of:
			NA	I and HVT Temp	olate (U)				
ype	TOT C Fined Feelite.	Non-Fired Marine 5	D. Nam Firmed	Not Marriage C. Tarreir A	analysis - Other				
roperties	☐ TCT ☐ Fixed - Facility [□ Non-rixed - Moving L	」 Non-Fixed	- Not Moving Terrain A	analysis 🗆 Other:				
BE Number		Point Radius (km)		Area / Polyg	jon □ Route / Polyli	ne Dat	tum: WGS84 Other:		
Geocoordinate	Units: Dd.decimal □ Ddn				,		_	hed for Further Def	finition
Point or Centro	oid Coordinates: Latitude		Longit	ude	MGRS		UTM		
rea / Polygon / I	Route / Polyline Definition: Latitude / MGRS / UTM N S	Longitude E W		Latitude / MGRS / UTM N S		age for Map W	View of This Area / Polygor Latitude / MGRS / UTM 1		
Starting Point	Latitude/mgR3/01m N 3		Next Point	Latitude/ mores/orm N s		.vv J□ NextF		NS Longitude □□	—,Ē
Next Point			Next Point			□ Next F	Point	00	
Next Point		00	Next Point			I□ Next F	Point	00	\equiv
Next Point			Next Point			I□ Next F	Point	00	
Next Point			Next Point			I□ Next F		JO[
Next Point			Next Point			I□ Next F			
Next Point			Next Point			□ Next F			
Next Point			Next Point			□ Next F			—
Next Point Next Point			Next Point Next Point]□ NextF]□ NextF)O[==
Next Point			Next Point			I Next F			==
Next Point			Next Point			□ Next F			==
Next Point			Next Point			□ NextF			=
Next Point			Next Point		 -	□ Next F	Point		— ,
Next Point		00	Next Point			D□ Next F	PointC	00	
Next Point			Next Point			ı□ Next F	Point C] []	
Next Point			Next Point			I□ Next F		00	
Next Point			Next Point			ı□ Next F		JO[
Next Point			Next Point			I□ Next F			
Next Point			Next Point			I Next F			!
Next Point			Next Point			I□ NextF			إ=
Next Point Next Point			Next Point Next Point]□ NextF]□ NextF]O[=
Next Point			Next Point			I⊟ NextF		30	==';
Next Point			Next Point			□ Next F			=;
Next Point			Next Point			□ Next F			=
Next Point			Next Point			□ Next F			一
Next Point			Next Point		j_	ı□ Next F	Point	00	<u> </u>
Next Point			Next Point			I□ Next F	Point C] []	
Next Point			Next Point			I□ Next F	Point	JO[
Next Point			Next Point			I□ Next F]	
Next Point			Next Point			I□ Next F			
Next Point			Next Point			□ Next F	_ ====		!
Next Point Next Point			Next Point Next Point]□ NextF]□ NextF)O[=
Next Point			Next Point			ı NextF			=
Next Point			Next Point			□ Next F			==;
Next Point			Next Point			□ Next F			\dashv
Next Point			Next Point			□ Next F	Point		— ,
Next Point			Next Point	00		□ Next F	Point		
Next Point			Next Point			□ Next F	Point		
Next Point			Next Point			□ Next F		JO[
Next Point			Next Point			I□ Next F			
Next Point			Next Point			I Next F			
Next Point Next Point			Next Point]□ NextF]□ NextF			=
Next Point			Next Point Next Point]□ NextF]□ NextF]O[= ;
Next Point			Next Point			ı⊔ NextF I⊔ NextF		30	= ;
Next Point			Next Point			□ Next F			=;
Next Point			Next Point			□ NextF	_ = = =		=;
Next Point			Next Point			□ Next F			
Next Point			Next Point]00		□ Next F		00	
Next Point			Next Point			□ Next F		30	
Next Point			Next Point			I□ Next F	PointC	00	
Next Point			Next Point			I□ Next F		000	
Next Point		loo	Next Point		76	I□ Ending F	Point I	30	

Figure B-43 (Continued). NAI and HVT Assessment Template (2 of 2)




Figure B-44. TM COA Situation/Event Template (1 of 2)

TM COA Situation / Event Template (U)
ded Description:
Template 18 March 2000 Classification: Local Reproduction Authorized

Figure B-44 (Continued). TM COA Situation/Event Template (2 of 2)

DTG:	Classification:		Page: of:
	TM Ev	ent Matrix Templ	ate (U)
COA Unique ID #	COA Title		
Period of Polymore			
Period of Relevance Exclusive Period		DTG / Date Through	gh DTG / Date
No Earlier Than		DTG / Date No Later Th	
Duration			310/350
All Times Relative To:			Units Minutes Hours Days
			of Time Weeks Months Years
Potential	Activity / Event Time		Activity / Event Time
NAI(s) or NAI	Start Duration	Stop	Start Duration Stop
Type	Minimum Nominal Maximum Minimum Nominal Maximum	Minimum Nominal Maximum	Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum
ID#.	Activity / Event Indicator:		Activity / Event Indicator:
Potential	Activity / Event Time		Activity / Event Time
NAI(s) or NAI Type	Start Duration Minimum Nominal Maximum Minimum Nominal Maximum	Stop Minimum Nominal Maximum	Start Duration Stop Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum
ID#:	Millian Maximum Millian Normal Maximum	Milling Nominal Maximum	mininum Romaia mazinum mininum Romaia mazinum mininum Romaia mazinum
	Activity / Event Indicator:		Activity / Event Indicator:
Potential	Activity / Event Time		Activity / Event Time
NAI(s) or NAI Type	Start Duration Minimum Nominal Maximum Minimum Nominal Maximum	Stop Minimum Nominal Maximum	Start Duration Stop Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum
ID#:		Milliman Maximum	
	Activity / Event Indicator:		Activity / Event Indicator:
Potential NAI(s) or NAI	Activity / Event Time	Char	Activity / Event Time
Туре	Start Duration Minimum Nominal Maximum Minimum Nominal Maximum	Stop Minimum Nominal Maximum	Start Duration Stop Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum
ID#:	Activity / Event Indicator:		Activity / Event Indicator:
Potential	Activity / Event Time		Activity / Event Time
NAI(s) or NAI Type	Start Duration Minimum Nominal Maximum Minimum Nominal Maximum	Stop Minimum Nominal Maximum	Start Duration Stop Minimum Nominal Maximum Minimum Nominal Maximum Minimum Nominal Maximum
ID#:	Activity / Event Indicator:		Activity / Event Indicator:
	ACTIVITY / EVEIL IIIUCALOF.		ACIVILY / EVEIL III GICAGO.
Legend:		Notes:	
TMD IPR Template 18 Ma	urch 2000 Classification:		Local Reproduction Authorized

Figure B-45. TM Event Matrix Template

DTG: Classification:		Page: of:
Recommended Target Nom	ninations and TAIs Template (U)	
	, ,	
Facility / Area MIDB Name Recommended Target Priority: Time Critical / Sensitive Immediate Routine Other		
Target Available No Earlier Than DTG	Target Available No Earlier Than DTG	
Unique ID# Integrated Infrastructure List ID#	BE Number	
Type	и	
☐ HVT ☐ TCT ☐ Fixed - Facility ☐ Non-Fixed - Moving ☐ Non-Fixed - Not Moving ☐ O Point ☐ Radius (km) ☐ Area / Polygon ☐ Route / Polyline ☐ Da	·	
Geocoordinate Units: Dd.decimal Ddmmss Dd.mmss MGRS UTM Other:	tuiii. Nooda 🗆 outoi.	□ See Attached for Further Definition □
Point or Centroid Coordinates: Latitude Longitude	MGRS	UTM
Facility / Area MIDB Name		
Recommended Target Priority: Time Critical / Sensitive Immediate Routine Other		
Target Available No Earlier Than DTG	Target Available No Earlier Than DTG	
Unique ID# Integrated Infrastructure List ID#	BE Number	
Type □ HVT □ TCT □ Fixed - Facility □ Non-Fixed - Moving □ Non-Fixed - Not Moving □ O	ther:	
Point □ Radius (km)		
Geocoordinate Units: Dd.decimal □ Ddmmss □ Dd.mmss □ MGRS □ UTM □ Other:_		☐ See Attached for Further Definition ☐
Point or Centroid Coordinates: Latitude Longitude	MGRS	UTM
Facility / Area MIDB Name		
Recommended Target Priority: Time Critical / Sensitive Immediate Routine Other		
Target Available No Earlier Than DTG	Target Available No Earlier Than DTG	
Unique ID# Integrated Infrastructure List ID#	BE Number	
Type □ HVT □ TCT □ Fixed - Facility □ Non-Fixed - Moving □ Non-Fixed - Not Moving □ O	ther:	
Point □ Radius (km)		
Geocoordinate Units: Dd.decimal □ Ddmmss □ Dd.mmss □ MGRS □ UTM □ Other:_		☐ See Attached for Further Definition ☐
Point or Centroid Coordinates: Latitude Longitude	MGRS	UTM
Facility / Area MIDB Name		
Recommended Target Priority: Time Critical / Sensitive Immediate Routine Other		
Target Available No Earlier Than DTG	Target Available No Earlier Than DTG	
Unique ID# Integrated Infrastructure List ID# Integrated Infrastructure List ID# Integrated Infrastructure List ID# Integrated Infrastructure List ID# Integrated Infrastructure List ID# Integrated Infrastructure List ID#	BE Number	
□ HVT □ TCT □ Fixed - Facility □ Non-Fixed - Moving □ Non-Fixed - Not Moving □ O	ther:	
Point □ Radius (km) ☐ Area / Polygon □ Route / Polyline □ Da	tum: WGS84 🗆 Other:	
Geocoordinate Units: Dd.decimal Ddmmss Dd.mmss MGRS UTM Other:_	Luopo [☐ See Attached for Further Definition ☐
Point or Centroid Coordinates: Latitude Longitude	MGRS	UTM
Facility / Area MIDB Name		
Recommended Target Priority: Time Critical / Sensitive Immediate Routine Other		
Target Available No Earlier Than DTG Unique ID # Integrated Infrastructure List ID #	Target Available No Earlier Than DTG	
Unique ID# Integrated Infrastructure List ID# Type	BE Number	
☐ HVT ☐ TCT ☐ Fixed - Facility ☐ Non-Fixed - Moving ☐ Non-Fixed - Not Moving ☐ O	ther:	
Point □ Radius (km) □ Area / Polygon □ Route / Polyline □ Da	tum: WGS84 Other:	
Geocoordinate Units: Dd.decimal Ddmmss Dd.mmss MGRS UTM Other:_ Point or Centroid Coordinates: Latitude Longitude	MGRS	UTM Definition
Notes:		
TMD IPB Template 18 March 2000 Classification:		Local Reproduction Authorized

Figure B-46. Recommended Target Nominations and TAIs Worksheet Template

Appendix C

AUTOMATED TOOLS AND EXAMPLE ARCHITECTURES

1. Selected Automated Tools

Table C-1 lists selected automated tools that assist in TMD IPB development. At a minimum, use the Joint Deployable Intelligence Support System (JDISS), GALE, and joint services workstation (JSWS).

2. Current TMD IPB Automated Tool Architecture Examples

Each organization tasked with conducting TMD IPB is uniquely configured to accomplish that mission. Because of this diversity, there is no one-way to construct a doctrinal TMD IPB architecture. Instead, the following examples serve to illustrate how 2 real-world organizations are configured to perform the TMD IPB mission.

a. 32d Army Air and Missile Defense (AAMDC) Brigade. The 32d AAMDC is the Army Forces and Joint Forces Land Component Commander's organization that performs critical theater air and missile defense planning, integration, coordination, and execution functions. The 32d AAMDC coordinates and

Table C-1. Selected Automated Tools

ASAS-RWS:							
DESCRIPTION: Provides collateral intelligence processing capabilities to Army, corps, and division J-/G-2s; disseminates a							
collateral picture of the all-source database to tactical commanders for battlespace situational awareness; produces ground battle							
	situation analysis through adversary integration; rapidly disseminates intelligence information; provides target identification and						
nominations; and provides intelligence collection management.							
Current Capability	POC: United States Army						
ASAS-Light:							
DESCRIPTION: Same as for the ASAS.							
Current Capability	POC: United States Army						
JDISS:							
	d displays tactical, theater, and national level intelligence and imagery to support TMD						
	ily IPB products and databases at the joint level for time-sensitive targeting, TMD nodal						
	e means to share critical combat information and intelligence to coordinate courses of						
action and develop common TTPs.							
Current Capability	POC: Defense Intelligence Agency						
GALE:							
	ling and location assessments against the TMD adversary and projects probable						
1	uncher operating locations. Assists in terrain analysis by using digital mapping data; nduct detailed slope, road/rail, line of sight, and terrain analysis.						
Current Capability	POC: Defense Intelligence Agency						
JSWS:	,						
DESCRIPTION: Provides MTI/SAR inform	nation and initiates RSR. Depth of tracking in AOR limited by adversary SAM threat to						
sensor.							
Current Capability	POC:						
MCS:							
DESCRIPTION:							
Current Capability	POC:						
ABIS (MSTS):							
DESCRIPTION: Provides real-time high-re	esolution 3-D imagery, flight following, and adversary displays (TIBS and TRAP						
broadcast feeds). Allows the commander	to "stand on" or "fly over" the terrain in his AO.						
Current Capability	POC:						

integrates the 4 operational elements of the TMD mission. Its G-2 section is responsible for all current and future TMD IPB operations. Figure C-1 depicts the internal architecture that supports the G-2 section in the tactical operations center (TOC).

Although an Army organization, the AAMDC plays a critical role in the joint TMD mission arena. The AAMDC commanding general is usually assigned as the deputy, area air defense commander and is responsible for facilitating the overall air and missile defense mission. Supporting this task is a robust ISR coordination function residing in the AAMDC TOC. Figure C-2 depicts some of the external agencies that feed information to the TOC.

b. 7th Air Force TMD Intelligence Team. Another real-world organization performing TMD IPB is the 7th Air Force TMD Intelligence Team. This team is responsible for US Forces, Korea's (USFK) TMD IPB. It supports the execution of attack operations, active defense (PATRIOT), and passive defense. The team directly inputs into the integrated tasking order; dynamically retasks ISR assets; plans active defense; and cues the retasking of attack assets. The 607th Air Intelligence Squadron mans and the 32d AAMDC augments the TMD intelligence team. A simplified relationship diagram is shown in Figure C-3.

The TMD intelligence team is located in a small office space with about 14 workstations and a large plexiglas map display area. Networks available to the team are TDDS, Pacific Command automated data processing server site - Korea (PASS-K) high, Joint Worldwide Intelligence Communication System (JWICS), PASS-K low, SECRET internet protocol router network (SIPRNET), and 7th Air Force SCI wide area network/JWICS. Major available applications are applix e-mail, INTELINK, GALE, automated message handling system, JSWS, direct UAV video, contingency theater automated planning system, and other PASS-K applications (virtually identical to JDISS applications). The team also has secure




Figure C-1. 32d AAMDC Brigade G-2 TOC




Figure C-2. 32d AAMDC External Information Sources




Figure C-3. TMD Flight Simplified Organizational Relationships

telephone unit-III connectivity. Figure C-4 shows the team's physical layout. Minimal manning for the TMD intelligence team is 9 operators/analysts and each has a specific function as shown in Table C-2.




Figure C-4. Physical Layout of the 7th Air Force TMD Intelligence Team

Table C-2. Specific 7th Air Force TMD Intelligence Team Functions

Table C-2. Specific full All Force	IMD intelligence leam Functions
IPB Analyst	JSWS Analyst
Fuses all-source intelligence. Predicts adversary courses of action. Recommends potential targets and collection to team chief. Primary ADP system: JSWS (SIPRNET).	Analyzes moving target indicator data; exploits "replay" function to track activity. Coordinates with GALE operator/analyst. Provides interpretation to IPB analyst. Primary ADP system: PASS-K high.
Research Analyst	Collection Analyst
Operates message handling system. Builds queries to retrieve information on TBM and NBC activities. Passes collection summaries and battle damage assessment (BDA) reports to team members. Maintains message files. Primary ADP system: PASS-K high.	Receives and evaluates IPB collection requests. Submits requirements to collection management. Tracks requests and reports results to IPB analyst. Primary ADP system: PASS-K low and SIPRNET.
Target Analyst	Combined Unconventional Warfare Task Force (CUWTF) Liaison Officer (LNO)
Receives target nominations from IPB analyst. Builds target submission worksheet for team chief's approval. Submits coordinated targets to TMD execution cell. Tracks mission status and BDA reporting. Primary ADP system: PASS-K high.	Coordinates tasking and reporting of CUWTF operations. Focal point for training on CUWTF assets and their tactics. Point of contact for CUWTF TMD named areas Of interest. Primary ADP system: laptop computer at the SECRET level with no connectivity.
Weapons of Mass Destruction Analyst/Reporter	Team Chief and Non-commissioned Officer in Charge (NCOIC)
Monitors reporting on TBM activities. Tracks activity at NBC chemical facilities. Drafts TMD intelligence team input to 607th AIS INTSUM. Builds slides for TMD execution cell briefing. Primary ADP system: PASS-K high.	Directs and coordinates activities of team members. Ensures TMD execution cell intelligence requirements. Approves target nominations, collection requests, intelligence summaries (INTSUMS), and pit briefings. Primary ADP system: PASS-K high.
	GALE Operator
	Receives missile launch data via TDDS. Performs terrain analysis to determine ground movement limitations. Provides interpretations to IPB analyst. Primary ADP system: PASS-K high (GALE).

Appendix D

TMD IPB CHECKLIST AND DEVELOPMENT PLAN

1. TMD IPB Checklist

Figure D-1 is a template for a suggested TMD IPB checklist. Use it to quickly organize the TMD IPB process and determine the detail required. This checklist aids in identifying the depth of coverage needed to support current TMD IPB data requirements and analysis. Break each sub-step out further as required for the situation. Prioritize them using a simple 1-2-3-priority scheme or a more complex one if desired. Use the checklist for recurring requirement, assigned level of detail, and current status and to define the TMD IPB process required for the current command mission. By initially skimming the checklist and then reevaluating the requirements based on available time and resources, the entire TMD IPB process is more effectively balanced. Use the checklist as a guideline for all the steps and as intelligence requirements are filled; use it to monitor and maintain their status. The checklist is not meant to be comprehensive. It is a basis for starting, guiding, and tracking the TMD IPB process and starting the collection process.

2. IPB Development Plan

Develop a plan to help organize, guide, and track the TMD IPB development. A checklist is a good starting point for developing the plan. Give start and expected completion times to checklist items and make links between checklist items to show dependencies and information and product flow. As the checklist items progress, track them on the development plan. The development plan acts as a management tool to show the TMD IPB development's progress and status. Tailor the development plan to a particular situation's requirements. A plan for creating a new TMD IPB looks significantly different than one for a completed, but monitored TMD IPB. In a wartime situation, the TMD IPB development plan will be highly dynamic to keep it synchronized with combat operations. Figure D-2 is a TMD IPB development plan example for a completed TMD IPB that is being maintained. There are many computerized tools to help develop these plans; Microsoft Project is one such program.

DT	DTG: Classification: Page: of:							
	TMD IPB Checklist All Ste	ps Tem	plate (U)					
		I D : 11		D 1 1	01.1			
#	Checklist item	Priority (1,2,3)	Time Criticality	Detail (1,2,3)	Status (G,Y,R)	Consumer	Notes	
_	Step 1 - Define the Battlespace Environment	(1,2,3)	Cillicality	(1,2,3)	(0,1,1)	Condunior	110100	
	1.1 - Analyze the Command's Mission in Relation to TMD							
	1.1.1 - Summarize the Command's Mission and Objectives							
04	1.1.2 - Summarize the Command 3 Wildshoft and Objectives							
05	1.2 - Identify the Limits of the TMD AO, AOIs, and Battlespace							
06	1.2.1 - Assess TM Force Coverage							
07	1.2.2 - Assess Potential TM Force Deployment Area							
08	1.2.3 - Assess TMD Passive Defense AO and AOI							
09	1.2.4 - Assess TMD Active Defense AO and AOI							
10	1.2.5 - Assess TMD Attack Operations AO and AOI							
11	1.2.6 - Assess TMD Composite AO and AOI							
12	1.2.0 - Assess TMD Composite AO and AO 1.2.7 - Assess TMD Battlespace							
13								
14								
_	The state of the particular and the grantes an							
15 16								
_	The state of the s							
17	1.3.4 - Assess Major Terrain Features							
18	1.3.5 - Assess Major Lines of Communication							
19	1.4 - Identify the Amount of Detail Required & Feasible within the Time Available							
20	1.4.1 - Create or Update IPB Checklist and Development Plan							
21	1.5 - Evaluate Existing Databases and Identify Gaps							
22	1.5.1 - Assess TMD IPB Holdings, Databases, Sources and Links							
23	1.5.2 - Evaluate TMD IPB Information Sources							
24	1.5.3 - Establish TMD IPB POCs							
25	1.6 - Collect Material & Intelligence Required For Further TMD IPB Analysis							
26	1.6.1 - Collect Recommended PIRs/EEIs/RFIs							
27	1.6.2 - Search For Information by Key Word and Equipment & Category Codes							
28	Step 2 - Define the Battlespace Effects							
29	2.1 - Analyze the TM Battlespace Environment							
30	2.1.1 - Assess Terrain							
31	2.1.1.1 - Assess Surface Configuration							
32								
33	2.1.1.3 - Assess Surface Materials							
34	2.1.1.4 - Assess Obstacles							
35	2.1.1.5 - Assess Transportation and LOC Infrastructure							
36	2.1.1.6 - Assess Urban Areas							
37	2.1.1.7 - Assess Cover							
38	2.1.1.8 - Assess Concealment							
39	2.1.1.9 - Assess CCM							
40	2.1.1.10 - Assess Observation/LOS							
41	2.1.1.11 - Assess Key Terrain							
42	2.1.1.12 - Assess Electromagnetic Spectrum							
43	2.1.2 - Assess Weather Effects on TM Operations							
44	2.1.2.1 - Assess TM Force Climatology							
45	2.1.2.2 - Assess Current and Forecast Weather							
46	2.1.3 - Assess Other Characteristics of the Battlespace							
47	2.1.3.1 - Assess TM Infrastructure							
	2.1.3.2 - Assess TM Facility/Area							
49	2.1.3.3 - Assess TM Infrastructure HVTs							
50	2.2 - Assess Battlespace Effects on TM Force Capabilities and Broad COAs							
	UDD Townslate 40 Marsh 2000 Classifications							

Figure D-1. TMD IPB Checklist (1 of 2)

DTG:									
TMD IPB Checklist All Steps Template (U)									
	Priority	Time	Detail	Status		==			
# Checklist item	(1,2,3)	Criticality	(1,2,3)	(G,Y,R)	Consumer	Notes			
51 2.2.1- Assess Area Limitation	, ,		,	,					
52 Step 3 - Evaluate the TM Force									
53 3.1 - Create TM Models									
54 3.1.1 - Assess TM Organizational/C4I Structure									
55 3.1.2 - Assess TM Equipment									
56 3.1.3 - Assess TM TTPs									
57 3.1.4 - Assess HVTs									
58 Step 4 - Determine TM COAs									
59 4.1 - Identify Likely TM Objectives and Desired End State									
60 4.2 - Identify the Full Set of TM COAs									
61 4.3 - Evaluate and Prioritize Each Specific TM COA									
62 4.4 - Expand Each COA in the Amount of Detail Time Allows 63 4.4.1 - Develop Situation Template and Assess HVTs									
The state of the s									
The state of the s									
The state of the general state									
68 4.6.2 - Assess NAI Intelligence Collection Results 69 4.6.3 - Assess Most Likely TM Force COA									
70 4.6.4 - Assess PIRs									
10 4.0.4 - ASSESS FIRS		<u> </u>							
Abbreviations and	l Codes								
All NA-Not Applicable UNK- Unknown or Unassessed TBD- To Be Determined Priority 1- High (Required, Can Not Do Without) 2- Medium (Required, but Can Accept Some or Loss of Detail) 3- Low (Desirable, but Not Required) Time Critically First Digit- Recurrance 1- One Time D- Daily A-Annually W- Weekly C- Biannually B- Bimonthly B- Bimonthly B- Bimonthly C- Quarterly Q- Quarterly Q- Quarterly Second Digit- Timeliness (from Receipt of Sufficient Data) 1- Critical, Less Than 8 Hours (1 Shift) 3- High, Less Than 8 Hours (1 Shift) 3- High, Less Than 24 Hours (3 Shifts) 1- High, Must Have High Level of Detail to Meet TMD IPB Requirements 2- Medium, A Medium Level of Detail is Acceptable to Meet TMD IPB Requirements 3- Low, A Low Level of Detail is Acceptable to Meet TMD IPB Requirements Y- or YELLOW for Partially Complete, but Meets Some TMD IPB Requirements R- or RED for Innomplete or Unacceptable for Meeting TMD IPB Requirements R- or RED for Innomplete or Unacceptable for Meeting TMD IPB Requirements Q-									
TMD IPB Template 18 March 2000 Classification:				_ Local R	eproduction Auti	norized			

Figure D-1 (Continued). TMD IPB Checklist (2 of 2)

DTG	: Classification:										Page:	0	of:
	TMD IPB Development Plan A	II Ste	eps 7	Temp	late	(U)							
	<u>'</u>		<u> </u>			` ,							
П		١.	T		Ι.	١	Γ.	Γ	1.			ſ.,	
#	Checklist item Year:	Jan	Feb	Mar	Apr	May	Jun	Jui	Aug	Sep	Oct	Nov	Dec
	Step 1 - Define the Battlespace Environment												
	1.1 - Analyze the Command's Mission in Relation to TMD												
	1.1.1 - Summarize the Command's Mission and Objectives												
-	1.1.2 - Summarize the Commander's Guidance												
-	1.2 - Identify the Limits of the TMD AOs, AOIs, and Battlespace												
-	1.2.1 Assess TM Force Coverage												
07	1.2.2 - Assess Potential TM Force Deployment Area												
08	1.2.3 - Assess TMD Passive Defense AO and AOI												
-	1.2.4 - Assess TMD Active Defense AO and AOI	ļ											
10	1.2.5 - Assess TMD Attack Operation AO and AOI	ļ											
	1.2.6 - Assess TMD Composite AO and AOI												
	1.2.7 - Assess TMD Battlespace												
13	1.3 - Determine the Significant Environment Characteristics of the AO	-											
	1.3.1 - Assess Geopolitical and Regional Threat	1											
	1.3.2 - Assess TM Force General Capabilities	1											
-	1.3.3 - Assess TM Force Active Defense Suppression Capabilities	ł											
17	1.3.4 - Assess Major Terrain Features	ł											
H	1.3.5 - Assess Major Lines of Communication	ł											
-	1.4 - Identify the Amount of Detail Required & Feasible within the Time Available	ł											
	1.4.1 - Create or Update IPB Checklist and Development Plan	ł											
21	1.5 - Evaluate Existing Databases and Identify Gaps	-											
	1.5.1 - Assess TMD IPB Holdings, Databases, Sources and Links	1											
24	23 1.5.2 - Evaluate TMD IPB Information Sources												
\vdash													
l 1	1.6 - Collect Material & Intelligence Required For Further Analysis	ł											
I	1.6.1 - Collect Recommended PIRs/EEIs/RFIs	ł											
\vdash	1.6.2 - Search for Information by Key Word and Equipment and Category Codes Step 2 - Define the TM Battlespace Environment												
	2.1 - Analyze the TM Battlespace Environment	1											
30	2.1.1 - Alsayse the TWI Dattiespace Environment	1											
31	2.1.1.1 - Assess Surface Configuration	1											
32	2.1.1.2 - Assess Vegetation	1											
\vdash	2.1.1.3 - Assess Surface Materials	1											
34	2.1.1.4 - Assess Obstacles	1											
35	2.1.1.5 - Assess Transportation and LOC Infrastructure	1											
36	2.1.1.6 - Assess Urban Areas	1											
37	2.1.1.7 - Assess Cover	1											
-	2.1.1.8 - Assess Concealment	1											
39	2.1.1.9 - Assess CCM	1											
40	2.1.1.10 - Assess Observation/LOS												
41	2111110 710000 000110001200												
42													
43	2.1.2 - Assess Weather Effects on TM Operations	1											
44													
45	2.112.1 7.0000 1.111 clos dimensions												
46	2.1.3 - Assess Other Characteristics of the Battlespace	1											
47	2.1.3.1 - Assess TM Infrastructure	1											
48	2.1.3.2 - Assess TM Facility/Area	1											
49	2.1.33 - Assess TM Infrastructure HVTs	1											
50	2.2 - Assess Battlespace Effects on TM Force Capabilities and Broad COAs												
			_						•				_
TMD	PB Template 18 March 2000 Classification:							L	ocal Re	produc	tion Aut	horized	i

Figure D-2. TMD IPB Development Plan (1 of 2)

DTG: Classification: Page: of:												
TMD IPB Development Plan All Steps Template (U)												
	1	, po .	J		107	1	n	1				
# Checklist item	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
51 2.2.1 - Assess Area Limitation												
52 Step 3 - Evaluate the TM Force	1											
53 3.1 - Create TM Models	1											
54 3.1.1 - Assess TM Organizational/C4I Structure	1											
55 3.1.2 - Assess TM Equipment	1											
56 3.1.3 - Assess TM TTPs	1											
57 3.1.4 - Assess HVTs	1											
58 Step 4 - Determine TM COAs	1											
59 4.1 - Identify Likely TM Objectives and Desired End State	1											
60 4.2 - Identify the Full Set of TM COAs	1											
61 4.3 - Evaluate and Prioritize Each Specific TM COA	1											
62 4.4 - Expand Each COA in the Amount of Time and Detail Time Allows	1											
63 4.4.1 - Develop Situation Template and Assess HVTs	1											
64 4.5 - Identify Initial Collection Requirements	1											
65 4.5.1 - Develop Event Template and Matrix	1											
66 4.6 - Identify Target Nominations	1											
67 4.6.1 - Assess Current Situation and Weather Data	1											
68 4.6.2 - Assess NAI Intelligence Collection Results	1											
69 4.6.3 - Assess Most Likely TM Force COA	1											
70 4.6.4 - Assess PIRs	1											
Notes:												
Legend												
Gray bar represents planned sta	rt to f	inish	lenç	gth o	f ste	p fro	m s	cratc	h			
Black internal bar represents the meet TMD IPB requirements	estir	nate	d pei	cent	tage	of co	ompl	etior	of t	he st	ep to	
Event marker, Q is for quarterly review meeting and T is for today or the last date the plan was updated (other codes can be used as required)												
Indicates flow of data from one step to another, only used for significant data flow or dependency												
TMD IPB Template 18 March 2000 Classification:							L	ocal Re	product	tion Aut	thorized	

Figure D-2 (Continued). TMD IPB Development Plan (2 of 2)

Appendix E

TMD IPB INTERNET LINKS

1. Intelligence Organizations

Central Intelligence Agency: http://www.cia.gov Defense Intelligence Agency: http://www.dia.mil

Missile and Space Intelligence Center: http://www.msic.dia.mil National Imagery and Mapping Agency: http://www.nima.mil

National Security Agency: http://www.nsa.gov

Office of Naval Intelligence: http://www.odci.gov/ic/ni.html

2. Joint Military Organizations

Air Land Sea Application (ALSA) Center: http://www.dtic.mil/alsa Department of Defense (DOD): http://www.defenselink.mil/DOD Directives and Records: http://www.dtic.mil/whs/directives

Joint Doctrine: http://www.dtic.mil/doctrine

Joint Electronic Library: http://www.dtic.mil/doctrine/jel/index.html

US Space Command: http://www.spacecom.af.mil/usspace

3. Air Force

Air Force Space Command: http://www.peterson.af.mil/hqafspc/index.htm Air Intelligence Agency: http://www.aia.af.mil

4. Army

Homepage: http://www.army.mil/

Doctrine and Training Digital Library: http://www.adtdl.army.mil

Space and Missile Defense Command: http://www.smdc.army.mil/default.html US Army Intelligence and Security Command: http://www.inscom.army.mil

5. Marines

Marine Link: http://www.usmc.mil or http://www.hqmc.usmc.mil

6. Navy

NavyOnLine: http://www.ncts.navy.mil

Naval Space Command: http://www.navspace.navy.mil

7. US Government Agencies

Congress: http://www.senate.gov/ and http://www.house.gov/ Congressional Record: http://www.access.gpo.gov/su docs

Defense Information Systems Agency: http://www.disa.mil/disahomejs.html

Department of Justice: http://www.usdoj.gov Department of State: http://www.state.gov Department of Treasury: http://www.ustreas.gov

Embassies: http://www.embassy.org

Federal Bureau of Investigation: http://www.fbi.gov Federal Communications Commission: http://www.fcc.gov Federal Emergency Management Agency: http://www.fema.gov

Library of Congress: http://www.loc.gov

National Archives and Records Administration: http://www.nara.gov US Agency for International Development: http://www.info.usaid.gov

US Department of State, Office of International Information Programs (IIP):

http://usinfo.state.gov

White House: http://www.whitehouse.gov/

8. International Organizations/Databases

European Line: http://www.europeonline.com

France Defense: http://www.ensmp.fr/~scherer/adminet/min/def/

International Laws and Treaties: http://www.jura.uni-sb.de (contains German

and European codes)

North Atlantic Treaty Organization: http://www.nato.int/

United Nations: http://www.un.org

Office of the High Representative: http://www.ohr.int/

9. Think Tanks

Center for Defense Information: http://www.cdi.org/

Center for Nonproliferation Studies: http://cns.miis.edu/

Center for Strategic and International Studies: http://www.csis.org/

Centre for Strategic Studies: http://www.vuw.ac.nz/css/ Institute for the Advanced Study of Information Warfare:

http://www.psycom.net/iwar.1.html

Jaffe Center for Strategic Studies: http://www.tau.ac.il/jcss/

RAND Corporation: http://www.rand.org/

Stockholm International Peace Research Institute: http://www.sipri.se/

Strategic Studies Institute: http://carlisle-www.army.mil/

10. News Organizations

Cable News Network: http://www.cnn.com/ China News Digest: http://www.cnd.org

CNET: http://www.cnet.com (a news and information service)

Early Bird: http://ebird.dtic.mil/

New York Times: http://www.nytimes.com

US News and World Report: http://www.usnews.com

USA Today: http://www.usatoday.com/

11. Miscellaneous Links

IntelWeb: http://intelweb.janes.com/

Weather Information: http://www.nws.noaa.gov or

http://cirrus.sprl.umich.edu/wxnet

12. Search Tools

http://www.lycos.com

http://www2.infoseek.com

http://www.excite.com

http://www.altavista.com

http://dogpile.com

http://www.yahoo.com

http://webcrawler.com

References

Joint

- DIA NAIC-1061-0789-97, Theater Missile Defense Intelligence Preparation of the Battlespace Methodology (U), Aug 1997, Pub Classification: SECRET.
- JP 1-02, DOD Dictionary for Military and Associated Terms, Jan 2000.
- JP 2-0, Doctrine for Intelligence Support to Joint Military Operations, Mar 2000.
- JP 2-01, Joint Intelligence Support to Military Operations, Nov 1996.
- JP 2-01.3, Tactics, Techniques, and Procedures for Joint Intelligence Preparation of the Battlespace, May 2000.
- JP 3-01, Joint Doctrine for Countering Air and Missile Threats, Oct 1999.
- JP 3-01.5, Doctrine for Joint Theater Missile Defense, Feb 1996.
- JP 6-04, US Message Text Formatting Program (U), Oct 1992, Pub Classification: SECRET.
- DDB-2600-312-88, Target Intelligence Handbook Annex A, Category Assignment Responsibility List (U), Sep 1988, DIA, Pub Classification: Confidential/NOFORN.

Multiservice

- FM 2-01.3 (FM 34-130)/MCRP 2-12A, Intelligence Preparation of the Battlefield, Jul 1994.
- FM 90-43/MCRP 3-42.1A/NWP 3-01.13/AFTTP(I) 3-2.24, JTMTD, Multiservice Procedures for Joint Theater Missile Target Development, Oct 1999.
- FM 90-36 (FM 3-60.1)/ MCRP 3-16.1F/ NWP 2-01.11/AFJPAM 10-225, TARGETING The Joint Targeting Process and Procedures for Targeting Time-Critical Targets, Jul 1997.
- FM 6-99.1 (FM 101-5-1)/MCRP 5-2A, Operational Terms and Graphics, May 1997.

Army

- FM 2-33.201 (FM 34-81-1), Battlefield Weather Effects, Dec 1992.
- FM 3-0 (FM 100-5), Operations, Jun 1993.
- FM 3-09.24 (FM 6-20-10) Tactics, Techniques, and Procedures for the Targeting Process, May 1996.
- FM 3-25.31 (FM 21-31), Topographic Symbols, Jun 1961.
- FM 3-34.33 (FM 5-33), Terrain Analysis, Jul 1990.
- FM 6-99 (FM 101-5), Staff Organization and Operations, May 1997.

Air Force

AFPAM 14-118, Aerospace Intelligence Preparation of the Battlespace, 5 Jun 2001.

Glossary

PART I—ABBREVIATIONS AND ACRONYMS

1	١	
t		

AAA antiaircraft artillery

AADC area air defense commander

AAMDC Army Air Missile Defense Command

airbase AB

ABCCC airborne battlefield command and control center

ABLairborne laser

ACE all-source collection element (US Army)

ACINT acoustical intelligence **ACP** army country profile

air defense AD

ADA air defense artillery

ADP automated data processing

AEGIS Airborne Early Warning Ground Environment

Integration Segment

AFGC Armed Forces General Command

afld airfield

Armed Forces Medical Intelligence Center AFMIC

AIS air intelligence squadron

aluminum Al

ALCM air-launched cruise missile area limitation environment ALE

AMEWS Automatic Mobile Electronic Warfare System

AMHS automated message handling system

area of operations AO air operations center AOC area of interest AOI **AOR** area of responsibility \mathbf{AP} ammonium percholate

APPS analytical photogrammetric positioning system

 \mathbf{AR} artillery rocket

ARC arc-second raster chart ARH antiradiation homing **ARM** antiradiation missile **ASAS** All Source Analysis System

American Standard Code for Information Interchange ASCII

ASCM antiship cruise missile air-to-surface missile ASM

ASSC Air Standardization Coordinating Committee

ASW antisubmarine warfare

AUAV attack unmanned aerial vehicle

В

BDA battle damage assessment

BDE brigade BE basic encyclopedia

BMCT beginning morning civil twilight
BMNT beginning morning nautical twilight
BMDO Ballistic Missile Defense Organization

BTG basic targeting graphic

BN battalion

BW biological warfare

 \mathbf{C}

C Celsius

C2 command and control

C3 command, control, and communications

C3I command, control, communications, and intelligence
 C4 command, control, communications, and computers
 C4I command, control, communications, computers, and

intelligence

C4ISR command, control, communications, computers,

intelligence, surveillance, and reconnaissance

CADRG compressed ARC digitized raster graphics

CAT category

CBR chemical/biological/radiological CBW chemical and biological warfare

CCD camouflage, concealment, and deception

CCM cross-country movement

CD-ROM compact disc read-only memory

CEP circular error probable

CFC Combined Forces Command, Korea

CG cruiser

CI counterintelligence

CIA Central Intelligence Agency

CIB controlled image base CINC commander in chief CM cruise missile

COMINT communications intelligence

communications security

COMSEC communications intelligence CONOPS concept of operations

CONPLAN operation plan in concept format

COTS commercial off the shelf

CP command post

CTAPS contingency Theater Air Control System automated

planning system

CTT commander's tactical terminal

CUWTFL combined unconventional warfare task force

CW chemical warfare

D

D&D deception and denial
DA Department of the Army
DAL defended asset list

Glossary-2

DBDBdigital bathymetric data base**dBsm**decibels per square meter**DCW**Digital Chart of the World

DD destroyer

DDG guided missile destroyer

DF direction finding

DFAD Digital Features Analysis Data**DIA** Defense Intelligence Agency

DIRD defense intelligence reference document

DMOB defensive missile order of battle

DNC digital nautical chart

doc document

DOCC deep operations coordination cell

DOI date of information DP decision point

DPPDB digital point positioning data base

DSN
Defense Switched Network
DSP
Defense Satellite Program
decision support template
digital terrain elevation data

DTG date time group

DTM digital target materials
DTOP digital topographic data

DTRA Defense Threat Reduction Agency

 \mathbf{E}

E east

EA electronic attack
EC electronic combat

ECCM electronic counter-countermeasures

ECEF earth-centered, earth fixed
ECM electronic countermeasures
EECT end of evening civil twilight
EEI essential elements of information
EENT end of evening nautical twilight

EL erector launcher

ELINT electronic intelligence

EM electromagnetic electromagnetic pulse

EO electro-optical EP electronic protection

ERS early release of submunitions electronic warfare support

EW electronic warfare

EWCO Electronic Warfare Company

 \mathbf{F}

5D demand driven direct digital dissemination

FAE fuel air explosive

fax facsimile

FCV fire control vehicle

FEBA forward edge of the battle area

FFD foundation feature data

FISINT foreign instrumentation signals intelligence

FM field manual

FOA forward operating area forward operations base FOL forward operating location

FOUO for official use only
Frag fragmentation
FSU Former Soviet Union

FY fiscal year

G

G-2 Army or Marine Corps component intelligence staff

officer

G&C guidance and control GA Tabun, a nerve agent

GALE generic area limitation environment group buffer, Sarin, a nerve agent

GCC Gulf Cooperation Council

GCCS Global Command and Control System

GCI ground control intercept
GD Soman, a nerve agent
GEOTRANS geographic translator

GF a nerve agent

GGI&S global geospatial information and services

GHz gigahertz

GLCM ground-launched cruise missile
GLONASS Global Navigation Satellite System

GNC global navigation chart
GPS global positioning system
GSE ground support equipment

Η

HCV horizontal checkout vehicle

HE high explosive

HET heavy equipment transporter

HF high frequencyHH hour, hour

HOIS hostile intelligence service

HPT high payoff target

HTACC Hardened Theater Air Control Center

HTML Hypertext Markup Language

HTPB Hydroxyl-Terminated PolyButadiene

HUMINThuman intelligenceHVThigh value target

Ι

i.e. that is

IBIS Integrated Battlefield Intelligence System

ICOD intelligence cutoff data

ICWM International Committee on Weights and Measures

ID identity

IESS Imagery Exploitation Systems

IG intelligence group
IMINT imagery intelligence
INFLTREP in-flight report

INS inertial navigation system

INTELINK intelligence link
INTSUM intelligence summary

IPA intelligence production agency

IPB intelligence preparation of the battlespace

IPIR Initial Phase Interpretation Report

IPL integrated priority list

IR infrared

IRBM intermediate range ballistic missile IRFNA inhibited red fuming nitric acid

IRINT infrared intelligence

ISMD integrated suppression of missile defenseISR intelligence, surveillance, and reconnaissance

ITO integrated tasking order IW information warfare

J

J-2 intelligence directorate of a joint staff
JAADC joint area air defense commander
JCSP Joint Chiefs of Staff Publication

JDISS joint deployable intelligence support system

JFACC joint force air component commander

JFC joint force commander
JIC joint intelligence center

JISE joint intelligence support element

JLENS Joint Land Attack Cruise Missile Defense Elevated

Netted Sensor System

JMEM Joint Munitions Effectiveness Manual

JNC joint navigational chart
JOG joint operations graphics
JOG-A joint operations graphics-air
JOG-G joint operations graphics-ground
JOG-R joint operations graphics-radar

JP joint publication
JRA joint rear area

JSOA joint special operations area

JSTARS Joint Surveillance Target Attack Radar System

JSWS joint services work station

JTF joint task force

JTIDS Joint Tactical Information Distribution System

JWICS joint worldwide intelligence communication system

K

kg kilogram kilometer

km² square kilometerkph kilometers per hour

 \mathbf{L}

LACM land attack cruise missile

LAN local area network
LASINT laser intelligence
LIMDIS limited distribution
LNO liaison officer

LOAC law of armed conflict
LOC line of communications

LOS line-of-sight LR long range

LTIOV latest time information is of value

 \mathbf{M}

m meter

M/IRBM medium/intermediate range ballistic missile

Mar March

MARV maneuvering reentry vehicle

MASINT measurement and signature intelligence

Mbyte megabyte

MC&G mapping, charting, and geodesy MCOO modified combined obstacle overlay

MCS military capabilities study
MEL mobile erector launcher

MEPED Military Equipment and Parametrics Engineering

Database

METT-T mission, enemy, terrain and weather, troops and support

available, time available

MGRS Military Grid Reference System

MHz megahertz statute mile

MIDB modernized integrated data-base

MIIDS/IDB Military Intelligence Integrated Data System/Integrated

Database

mm millimeter

mmmmonth, month, monthMOBmissile order of battle

MOU memorandum of understanding

MP mission planning

MRBM medium range ballistic missile

Glossary-6

MRU multiple rocket launcher
MRV multiple reentry vehicles
m/s meter(s) per second
MSI multi-spectral imagery

MSIC Missile and Space Intelligence Center

MSTS multi-source tactical system

MTCR Missile Technology Control Regime

MTI moving target indicator

MTTP multiservice tactics, techniques and procedures

N

 ${f N}$ north

N/A not applicable

NAI named area of interest

NAIC
National Air Intelligence Center
NATO
North Atlantic Treaty Organization
nuclear, biological, and chemical

NBCCC nuclear, biological, chemical coordination center

NCOIC noncommissioned officer in charge

NES NIMA Exploitation System

NGIC National Ground Intelligence Center

NIIRs National Imagery Interpretability Rating Scale

NIMA National Imagery and Mapping Agency NIST National Intelligence Support Team

NM nautical mile

NMCC National Military Command Center

NMJIC National Military Joint Intelligence Center

NOFORN not releasable to foreign nationals

NORAD North American Aerospace Defense Command

NSA National Security Agency NUCINT nuclear intelligence

 \mathbf{o}

OA operational area
OB order of battle

ONC operational navigation chart
ONI Office of Naval Intelligence

OOB order of battle
OPLAN operations plan
OPORD operation order
OPSEC operations security

ORCON dissemination and extraction controlled by originator

OS operating system

OSINT open-source intelligence

OTE operational threat environment

P

PG patrol combatant

PGM precision-guided munitions

PHOTINT photographic intelligence

PIR primary intelligence requirements

POC point of contact

POL petroleum, oils, and lubricants
PPDB point positioning database
PS permanent snowfield
PSYOP psychological operations

PV petroleum, oils, and lubricants vehicle

 \mathbf{Q}

Q-fever an infectious disease caused by rickettsia

QUADNET quadruple network

 \mathbf{R}

R&D research and development

RADINT radar intelligence RCS radar cross section

RDA research, development and acquisition RDT&E research, development, test and evaluation

REC radioelectronic combat

recce reconnaissance RF radio frequency

RFI request for information RHAW radar homing and warning

RINT unintentional radiation intelligence

RK bedrock

ROE rules of engagement

RPH remotely piloted helicopter RPV remotely piloted vehicle

RST resupply trailer

RSTA reconnaissance, surveillance and target acquisition

RSV resupply vehicle RWS remote workstation

 \mathbf{S}

S south

S&O systems and operationsS&T scientific and technical

S&TI scientific and technical intelligence

SA selective availability (GPS)
SAFE secure analyst file environment

SAM surface-to-air missile
SAP semi-armor piercing
SAR synthetic aperature radar
SATCOM satellite communications
SATNAV satellite navigation

SBIRS space-based infrared system

SCI sensitive compartmented information

SCUD surface-to-surface missile system
SEAD suppression of enemy air defenses
SEMD suppression of enemy missile defenses

SF special forces
SIGINT signals intelligence

SIPRNET Secret Internet Protocol Router Network

SLARside looking airborne radarSLBMsea-launched ballistic missileSLCMsea-launched cruise missileSOFspecial operations forces

SOJ stand-off jammer

SPOT satellite pour l'observation de la terre

SRBM short-range ballistic missile

SS second, second

SSM surface-to-surface missile

STAR Systems Threat Assessment Report

SUPIR Supplemental Photographic Interpretation Report

 \mathbf{T}

3-D three-dimensionalT&E test and evaluationTAD theater air defense

TADIL-A tactical digital information link-A tactical digital information link-Joint

TAI target area of interest

TASM tactical air-to-surface missile

TBD to be determined

TBM theater ballistic missile TCT time critical target

TDDS TRAP data dissemination service

TECHINT technical intelligence

TEL transporter erector launcher

TELAR transporter erector launcher and radar

TELINT telemetry intelligence
TERCAT terrain categorization

TGSM terminally guided submunition
THAAD theater high altitude area defense
TIBS tactical information broadcast system

TLM topographic line map

TM theater missile

TMD theater missile defense

TO&E table of organization and equipment

TOC tactical operation center tactical pilotage chart

TPL time phase line top secret

TS/SCI top secret/sensitive compartmented information

TRAP tactical related applications

TTADB Tactical Terrain Analysis Database TTP tactics, techniques, and procedures

 \mathbf{U}

U unclassified

UAV unmanned aerial vehicle
UC under construction
UGF underground facility
UHF ultra high frequency

Unk unknown

UPS universal polar stereographic

US United States
USA United States Army
USAF United States Air Force

USCENTCOM United States Central Command USCS Unified Soils Classification System

USFK United States Forces, Korea USMC United States Marine Corps

USMTF United States message text format

USN United States Navy

USSPACECOM United States Space Command UTM universal transverse mercator

UW unconventional warfare

 \mathbf{V}

VHF very high frequency

VMAP vector map

VPF vector product format
VRF vegetation roughness factor

VTC video teleconference

VX a nerve agent

W

W west

WAN wide area network
WGS World Geodetic System
WGS-84 World Geodetic System 1984
WMD weapons of mass destruction

WSSIC Weapon and Space Systems Intelligence Committee

WVS World Vector Shoreline

X

X built up areas plotted on map (FM 5-33)

Y

YY year, year

 \mathbf{Z}

Z zulu

Glossary-10

PART II - TERMS AND DEFINITIONS

Areas of Interest - The geographical area from which information and intelligence are required to permit planning or successful conduct of the command's operation. The AOI is usually larger than the command's AO and battle space; it includes any threat forces or characteristics of the battlespace environment that will significantly influence accomplishment of the command's mission.

Areas of Operations – As used in this publication, an AO is that portion of an area of conflict necessary for military operations. AOs for TMD IPB are those geographical regions analysts use to define missile threat envelopes, the locations where TM forces operate and/or where TMD operations will be conducted.

(An operational area defined by the joint force commander for land and naval forces. Areas of operations do not typically encompass the entire operational area of the joint force commander, but should be large enough for component commanders to accomplish their missions and protect their forces. [JP 1-02])

(Operational area: that portion of an area of conflict necessary for military operations. OAs are geographical areas assigned to commanders for which they have responsibility and in which they have the authority to conduct military operations. [Air Force IPB pamphlet]).

Assumptions – Information used to replace missing facts necessary for command and staff planning, estimating, and decision making. Assumptions may also be required for facts that change due to the time difference between receipt of the mission and the time of execution, such as threat dispositions. Assumptions should be confirmed or denied by intelligence collection whenever practical.

Battle Damage Assessment – The timely and accurate estimate of damage resulting from the application of military force, either lethal or nonlethal, against an objective or target.

Battle Space – Components determined by the maximum capabilities of an unit to acquire and dominate the enemy; includes areas beyond the AO; it varies over time according to how the commander positions assets. It depends on the command's ability to both acquire and engage targets using its own assets or those of other commands on its behalf.

Beginning Morning Nautical Twilight – Morning nautical twilight begins when the sun is 12 degrees below the eastern horizon. It is the start of that period where, in good conditions and in the absence of other illumination, enough light is available to identify the general outlines of ground objects, conduct limited military operations, and engage in most types of ground movement without difficulty. See end evening nautical twilight.

Branch – A contingency plan (an option built into the basic plan) for changing the disposition, orientation, or direction of movement of the force.

Capability – The ability to successfully perform an operation or accomplish an objective. The evaluation of capabilities includes an assessment of a force's current situation as well as its organization, doctrine, and normal TTPs. Capabilities are stated in terms of broad COAs and supporting operations. Generally, only capabilities that will influence accomplishment of the friendly command's mission are addressed.

Common Understanding of the Battlespace – How the commander and staff perceive the battlespace environment. It includes the sum of all that is known or perceived of friendly and threat forces and the effects of the battlespace environment.

Confirmed Intelligence – Information or intelligence reported by three independent sources. The test for independence is certainty that the information report of one source was not derived from either of the two other sources, usually resulting in reliance on original reporting. Analytical judgement counts as one source. Ensure that no more than one source is based solely on analytical judgement.

Course of Action – A possible plan open to an individual or commander that would accomplish or is related to accomplishment of the mission. A COA is initially stated in broad terms with the details determined during staff wargaming. To develop COAs, the staff must focus on key information and intelligence necessary to make decisions. COAs include five elements: *WHAT* (the type of operation), *WHEN* (the time the action will begin), *WHERE* (boundaries, axis, etc.), *HOW* (the use of assets), *WHY* (the purpose or desired end state).

Decision Point – The point in space and time where the commander or staff anticipates making a decision concerning a specific friendly COA. DPs are usually associated with threat force activity or the battlespace environment and are therefore associated with one or more NAIs. DPs also may be associated with the friendly force and the status of ongoing operations.

Decision Support Template – A graphic record of wargaming. The DST depicts DPs, timelines associated with movement of forces and the flow of the operation, and other key items of information required to execute a specific friendly COA.

Doctrinal Template – A model based on postulated threat doctrine. Doctrinal templates illustrate the disposition and activity of threat forces and assets (HVTs) conducting a particular operation unconstrained by the effects of the battlespace environment. They represent the application of threat doctrine under ideal conditions. Ideally, doctrinal templates depict the threat's normal organization for combat, frontages, depths, boundaries and other control measures, assets available from other commands, objective depths, engagement areas, battle positions, and so forth. Doctrinal templates are usually scaled to allow ready use on a map background. They are one part of a threat model.

End Evening Nautical Twilight – Occurs when the sun has dropped 12 degrees below the western horizon, and is the instant of last available daylight for the visual control of limited ground operations. At EENT there is no further sunlight available. See beginning morning nautical twilight.

Event Matrix – A description of the indicators and activity expected to occur in each NAI. It normally cross-references each NAI and indicator with the ties they are expected to occur and the COAs they will confirm or deny. There is no prescribed format.

Event Template – A guide for collection planning. The event template depicts the NAIs where activity (or its lack) will indicate which COA the threat has adopted.

Facts – Information known to be true. In terms of intelligence, facts include confirmed intelligence. See Assumptions.

High-Payoff Target – Target whose loss to the threat will contribute to the success of the friendly COA.

High-Value Target – Assets that the threat commander requires for the successful completion of a specific COA.

Indicators – Positive or negative evidence of threat activity or any characteristic of the AO which points toward threat vulnerabilities or the adoption or rejection by the threat of a particular capability, or which may influence the commander's selection of a COA. Indicators may result from previous actions or from threat failure to take action.

Information Requirement – An intelligence requirement of lower priority than the PIR of lowest priority.

Intelligence Preparation of the Battlespace – The systematic, continuous process of analyzing the threat and environment in a specific geographic area. IPB is designed to support the staff estimate and military decision making process. Most intelligence requirements are generated as a result of the IPB process and its interrelation with the decision making process.

Intelligence Requirement - A requirement for intelligence to fill a gap in the command's knowledge and understanding of the battlespace or threat forces. Intelligence requirements are designed to reduce the uncertainties associated with successful completion of a specific friendly COA; a change in the COA usually leads to a change in intelligence requirements. Intelligence requirements that support decisions which affect the overall mission accomplishment (such as choice of a COA, branch, or sequel) are designated by the commander as PIR. Less important intelligence requirements are designated as IR.

Latest Time Information of Value – The time by which information must be delivered to the requestor in order to provide decision makers with timely intelligence. Sometimes the LTIOV is the expected time of a decision anticipated during staff wargaming and planning. If someone other than the decision maker must first process the information, the LTIOV is earlier than the time associated with the decision point. The time difference accounts for delays in processing and communicating the final intelligence to the decision maker.

Line of Contact – A general trace delineating the location where two opposing forces are engaged.

Lines of Communication – All the routes (land, water, and air) that connect an operating military force with one or more bases of operations and along which supplies and military forces move. Note that not all roads and rails are LOCs; some are unsuited, others may be suitable but not used. Note also that in this context, a communications center is an area where LOCs converge, such as transshipment points or hub-pattern cities.

Mission, Enemy, Terrain, Troops, and Time Available – Used to describe the factors that must be considered during the planning or execution of a tactical operation. Since these factors vary in any given situation, the term "METT-T dependent" is a common way of denoting that the proper approach to a problem in any situation depends on these factors and their interrelationship in that specific situation.

Modified Combined Obstacle Overlay – A product used to depict the battlespace's effects on military operations. It is normally based on a product depicting all obstacles to mobility, modified to also depict the following, which are not prescriptive nor inclusive:

- Cross-country mobility classifications (such as RESTRICTED),
- Objectives,
- AAs and mobility corridors,
- Likely locations of counter-mobility obstacle systems,
- Defensible terrain,
- Likely engagement areas, and
- Key terrain.

Named Area of Interest – The geographical area where information that will satisfy a specific information requirement can be collected. NAIs are usually selected to capture indications of threat COAs but also may be related to conditions of the battlespace.

Not Later Than - The time by which something must be accomplished.

OCOKA – A commonly used acronym and mnemonic for the military aspects of terrain. The acronym does not dictate the order in which the factors are evaluated; use the order in which the factors are evaluated; use the order best suited to the situation at hand. The military aspects of terrain are observation and fields of fire, concealment and cover, obstacles, key terrain, and avenues of approach.

Operational Area – That portion of an area of conflict necessary for military operations. OAs are geographical areas *assigned* to commanders for which they have responsibility and in which they have the authority to conduct military operations.

Order of Battle – Intelligence pertaining to identification, strength, command structure, and disposition of personnel, units, and equipment of any military force. The OB factors form the framework for analyzing military forces and their capabilities, building threat models, and hence developing COA models.

Pattern Analysis – Deducing the doctrine and TTP of a force by careful observation and evaluation of patterns in its activities. Pattern analysis leads to the development of threat models and hence to COA models. Identified patterns of threat activity can be used as indicators of threat COAs.

Possible – Information or intelligence reported by only one independent source is classified as possibly true. The test for independence is certainty that the

information report of a source was not derived from some other source, usually resulting in reliance on original reporting. A classification of possibly true cannot be based on analytical judgement alone.

Priority Intelligence Requirement – An intelligence requirement associated with a decision that will affect the overall success of the command's mission. PIRs are a subset of intelligence requirements of a higher priority than information requirements. PIRs are prioritized among themselves and may change in priority over the course of the operation's conduct. Only the commander designates PIRs.

Probable – Information or intelligence reported by two independent sources is classified as probably true. The test for independence is certainty that the information report of one source was not derived from the other source, usually resulting in reliance on original reporting. Analytical judgement counts as one source. Ensure that no more than one source is based solely on analytical judgement.

Reconnaissance – A mission undertaken to obtain information by visual observation, or other detection methods, about the activities and resources of an enemy or potential enemy, or about the meteorologic, hydrographic, or geographic characteristics of a particular area. Reconnaissance differs from surveillance primarily in duration of the mission.

Restricted – A classification indicating terrain that hinders movement. Little effort is needed to enhance mobility through restricted terrain but units may have difficulty maintaining preferred speeds, moving in combat formations, or transitioning from one formation to another. A force can generally use administrative or march formations through restricted terrain with only minimal delay.

Sequel – Major operations that follow an initial major operation. Plans for sequels are based on the possible outcome—*victory*, *stalemate*, *or defeat*—of the current operation.

Severely Restricted – A classification indicating terrain that severely hinders or slows movement in combat formations unless some effort is made to enhance mobility. Severely restricted terrain includes man-made obstacles, such as minefields and cities, as well as natural barriers. Severely restricted terrain generally slows or impedes administrative and march formations.

Situation Template – Depictions of assumed threat dispositions, based on threat doctrine and the effects of the battlespace, if the threat should adopt a particular COA. In effect, they are the doctrinal templates depicting a particular operation modified to account for the effects of the battlespace environment and the threat's current situation (training and experience levels, logistic status, losses, dispositions). Normally, the situation template depicts threat units two levels of command below the friendly force as well as the expected locations of HVTs. Situation templates use TPLs to indicate movement of forces and the expected flow of the operation. Usually, the situation template depicts a critical point in the COA. Situation templates are one part of a threat COA model. Models may contain more than one situation template.

Specific Information Requirement - Specific information requirements describe the information required to answer all or part of an intelligence requirement. A complete SIR describes the information required, the location where the required information can be collected, and the time during which it can be collected. Generally, each intelligence requirement generates sets of SIRs.

Specific Order or Request – The order or request that generates planning and execution of a collection mission or analysis of data base information. SORs sent to subordinate commands are orders. SORs sent to other commands are requests. SORs often use system-specific message formats but also induce standard military OPORDs and FRAGOs.

Surveillance – The systematic observation of airspace or surface areas by visual, aura, photographic, or other means. Surveillance differs from reconnaissance primarily in duration of the mission.

Target Area of Interest – The geographical area where HVTs can be acquired and engaged by friendly forces. Not all TAIs will form part of the friendly COA; only TAIs associated with HPTs are of interest to the staff. These are identified during staff planning and wargaming. TAIs differ from engagement areas in degree. Engagement areas plan for the use of all available weapons; TAIs might be engaged by a single weapon.

Threat Course of Action Model – A model of one COA available to the threat. It consists of a graphic depiction (situation template); a description (narrative or matrix); and a listing of assets important to the success of the COA (HVTs). The degree of detail in the model depends on available time. Ideally, threat COA models address all target sets. At a minimum, threat COA models address the five standard elements of a COA: WHAT (the type of operation), WHEN (in this case, the earliest time the action can begin), WHERE (boundaries, axis), HOW (the use of assets), and WHY (the purpose or desired end-state). Threat COA models should also meet the tests of suitability, feasibility, acceptability, uniqueness, and consistency with doctrine. Threat COAs are derived from capabilities.

Threat Model - A model of the threat force's doctrine and TTPs for the conduct of a particular operation. Threat models are based on a study of all available information, structured by the OB factors, of the particular threat force under consideration. Ideally, threat models consider all target sets in detail. Threat models are normally prepared prior to deployment.

TM Force – All of the personnel and equipment that directly impact the employment of TMs. This ranges from the field commanders who direct TM operations to the troops who actually deploy, fuel/load, and launch TMs to the vehicles, launchers, transporters, and support equipment that enable TM operations.

Unrestricted – A classification indicating terrain that is free of general restrictions to movement. In fair weather conditions movement off-road can be conducted with minimal reductions in speed.

CONVERSIONS

Parameters and measurements standards used within a joint, service, and/or combined TMD IPB function may vary significantly. The following lists the more common parameters and measurements conversions that a TMD IPB function may encounter.

Use of the International System of Units requires that a distinction be made between force and mass, which customarily have been expressed in pound-force and pound-mass, respectively.

Quantity	To Get – Divide By Conversion Factor	Conversion Factor	To Get – Multiply By Conversion Factor
Velocity	km/hr	0.539 956 8	knot
Velocity	km/hr	0.621 371 2	mph
Velocity	m/s	196.850 4	ft/min
Velocity	m/s	3.280 840	ft/sec
Velocity	m/s	1.943 844	knot
Acceleration	m/s ²	3.280 840	ft/sec ²
Acceleration	m/s ²	0.101 971 6	"g"
Dimension	km	0.539 956 8	NM
Dimension	km	0.621 371 2	mile (statute)
Dimension	m	3.280 840	foot
Dimension	m	1.093 613	yard
Dimension	cm	0.393 700 8	inch
Dimension	mm	0.039 370 08	inch
Dimension	mm	0.00039 370 08	caliber
Area	m ²	10.763 91	ft ²
Area	cm ²	0.155 000 3	in ²
Area	km²	0.291 553 3	nm²
Volume	m ³	35.314 66	ft ³
Volume	cm ³	0.061 023 74	in ³
Volume	liter	0.264 172 0	gallon
Mass	kg	2.204 623	pound-mass
Mass	g	0.035 273 96	ounce
Mass	tonne	1.102 311	ton
Force	N	0.224 808 9	pound-force
Force	kN	224.808 9	pound-force
Total Impulse	N•s	0.224 808 9	lbf-second
Specific Impulse	N • s/kg	0.101 971 6	"second"
Thrust-to-Weight	N/kg	0.101 971 6	lbf/lbm, "g"
Power	kW	1.341 022	HP (550 ft ? lbf/s)
Temperature		T _c ? 1.8 + 32 = °F (T _f – 32)/1.8 = °C	
Pressure	kPa	20.885 43	psf
Pressure	kPa	0.145 037 7	psi
Loading	kg/m²	0.204 816 1	lbm/ft ²
Density	kg/m ³	0.062 427 97	lbm/ft ³
Density	kg/liter	8.345 406	lbm/gal

Index

Α ACINT B-18, Glossary-1 Acoustical intelligence (see ACINT) Active defense v, I-2, I-3, I-8, II-5, II-9, II-15, II-19, III-2, IV-2, IV-12, V-8, C-2 AFMIC III-19, B-12, B-15, D-2, D-4, Glossary-1 AO v, vi, x, I-4, I-5, II-1, II-2, II-3, II-4, II-5, II-6, II-9, II-10, II-11, II-12, II-15, II-16, III-2, III-4, III-14, IV-11, A-8, B-7, B-15, C-1, D-2, D-4, Glossary-1, Glossary-11, Glossarv-13 AOI v, vi, x, I-5, II-1, II-3, II-4, II-5, II-6, II-9, II-10, II-11, II-12, II-16, III-2, B-7, B-15, D-2, D-4, Glossary-1, Glossary-7, Glossary-9, Glossary-11, Glossary-14, Glossary-16 Area of interest (see AOI) Area of operations (see AO) Armed forces medical intelligence center (see AFMIC) Attack operations v, I-1, I-2, I-3, I-4, I-8, II-4, II-5, II-11, III-10, III-15, IV-7, IV-8, V-4, V-8, V-10, B-15, C-2 В Battlespace effects iv, v, x, III-20 Battlespace environment iv, v, x, I-4, I-5, II-1, III-1, III-2, III-4, V-3, V-5, B-4, Glossary-11, Glossary-12, Glossary-16 Biological warfare (see BW) BW III-19, B-21, Glossary-2 C C3I B-20, Glossary-2 C4I I-1, I-2, I-3, I-4, I-9, II-16, II-18, III-18, III-20, IV-2, IV-3, B-16, B-20, B-60, D-3, Glossary-2 CBW III-19, Glossary-2 CCM vii, III-4, III-7, III-11, III-14, B-39, B-46, B-47, Glossary-2 Central Intelligence Agency (see CIA) Chemical and biological warfare (see CBW) Chemical warfare (see CW) CIA I-9, II-16, III-19, B-12, E-1, Glossary-2 COMINT IV-9, B-74, Glossary-2 Command, control, communications, and intelligence (see C3I) Command, control, communications, computers, and intelligence (see C4I) Communications intelligence (see COMINT) Communications security (see COMSEC) COMSEC I-6, IV-3, IV-12, Glossary-2 Concept of operations (see CONOPS) CONOPS II-2, II-3, II-4, Glossary-2 CONPLAN II-3, II-4, Glossary-2

Cross-country movement (see CCM) CW II-18, V-3, B-21, Glossary-2 D&D A-3, Glossary-2 DAL II-6, II-3, II-4, Glossary-2 DCW II-16, A-11, Glossary-3 Deception and denial (see D&D) Decision point (see DP) Decision support template (see DST) Defended asset list (see DAL) Defense Intelligence Agency (see DIA) DIA vi, vii, I-9, II-15, III-16, III-17, III-19, IV-3, IV-7, B-12, B-24, B-25, B-26, B-27, B-28, B-29, E-1, References-1, Glossary-3 Digital Chart of the World (see DCW) Digital point positioning data base (see DPPDB) DP V-7, Glossary-3, Glossary-12, Glossary-13 DPPDB A-15, Glossary-3 DST V-10, B-20, Glossary-3, Glossary-12 \mathbf{E} EA B-20, Glossary-3, EC II-16, II-19, IV-13, B-10, Glossary-3 ECM B-20, Glossary-3 EEI vi, II-21, II-22, A-8, B-15, B-18, B-19, D-2, D-4, Glossary-3 Electronic attack (see EA) Electronic combat (see EC) Electronic countermeasures (see ECM) Electronic intelligence (see ELINT) Electronic warfare (see EW) ELINT I-9, II-19, A-4, A-7, B-18, B-74, Glossary-3 Essential elements of information (see EEI) Event matrix viii, V-9, V-10, B-78, Glossary-13 Event template vi, viii, V-7, V-8, V-9, V-10, B-76, B-77, Glossary-13 EW I-2, I-3, IV-13, B-20, B-21, B-29, Glossary-3 \mathbf{F} FISINT B-18, B-74, Glossary-4 FOB B-22, Glossary-4 FOL III-20, IV-9, IV-11, V-6, V-9, B-22, Glossary-4 Foreign instrumentation signals intelligence (see FISINT) Forward operating location (see FOL) Forward operations base (see FOB) G G&C I-7, Glossary-4 GALE V-7, C-1, C-2, Glossary-4 GCCS B-13, Glossary-4 Generic Area Limitation Environment (see GALE) Global Command and Control System (see GCCS)

```
Global positioning system (see GPS)
GPS II-19, B-20, Glossary-4, Glossary-8
Ground support equipment (see GSE)
GSE I-7, III-11, III-15, III-18, IV-6, IV-7, IV-11, B-24, B-57, Glossary-4
Guidance and control (see G&C)
Η
High value target (see HVT)
Human intelligence (see HUMINT)
HUMINT III-5, III-6, III-7, III-8, A-2, A-3, B-18, B-74, Glossary-4
HVT vii, viii, III-16, IV-1, IV-13, V-1, V-7, V-8, V-10, B-15, B-16, B-56, B-71, B-74,
  B-75, D-2, D-3, D-4, D-5, Glossary-4
Ι
IESS B-54, Glossary-5
Imagery Exploitation Systems (see IESS)
Imagery intelligence (see IMINT)
IMINT A-3, A-5, A-6, A-8, A-10, B-18, B-74, Glossary-5
In-flight report (see INFLTREP)
INFLTREP A-4, A-5, A-6, A-7, Glossary-5
Information warfare (see IW)
Infrared intelligence (see IRINT)
Initial Phase Interpretation Report (see IPIR)
Integrated priority list (see IPL)
INTELINK II-21, II-22, IV-6, A-13, B-13, B-19, C-2, Glossary-5
Intelligence link II-21, Glossary-5
Intelligence, surveillance, and reconnaissance (see ISR)
Intermediate range ballistic missile (see IRBM)
IPIR A-4, Glossary-5
IPL B-13, Glossary-5
IRBM I-9, B-21, B-25, B-28, Glossary-5, Glossary-6
IRINT B-18, Glossary-5
ISR I-3, I-9, III-11, III-12, III-13, V-2, C-2, Glossary-2, Glossary-5
IW III-19, B-20, E-2, Glossary-5
J
JDISS C-1, C-2, Glossary-5
JIC xi, I-9, III-16, B-12, Glossary-5, Glossary-7
JISE I-9, Glossary-5
Joint deployable intelligence support system (see JDISS)
Joint intelligence center (see JIC)
Joint intelligence support element (see JISE)
Joint services work station (see JSWS)
Joint Tactical Information Distribution System (see JTIDS)
Joint worldwide intelligence communication system (see JWICS)
JSWS C-1, C-2, C-4, C-5, Glossary-5
JTIDS II-21, B-13, Glossary-5
```

JWICS C-2, Glossary-6

LACM II-18, B-21, Glossary-5, Glossary-6 Land attack cruise missile (see LACM) Laser intelligence (see LASINT) LASINT B-18, Glossary-6 Latest time information is of value (see LTIOV) LTIOV II-2, A-8, B-18, Glossary-6, Glossary-13

M

MASINT I-9, III-13, A-3, A-6, B-18, b-74, Glossary-6
Measurement and signature intelligence (see MASINT)
MIDB II-22, III-16, III-19, IV-2, IV-3, IV-7, IV-8, A-15, A-16, B-13, B-54, B-58, B-79, Glossary-6
Missile and Space Intelligence Center (see MSIC)
Modernized integrated data base (see MIDB)
MSIC I-9, III-16, III-17, IV-3, IV-6, IV-7, B-12, E-1, Glossary-7

N

NAI viii, V-1, V-2, V-7, V-8, V-9, V-10, B-73, B-74, B-75, Glossary-7, Glossary-13
Named area of interest (see NAI)
National Ground Intelligence Center (see NGIC)
National Imagery and Mapping Agency (see NIMA)
National Intelligence Support Team (see NIST)
NBC IV-6, IV-11, IV-13, Glossary-7
NGIC I-9, IV-3, IV-7, B-12, Glossary-7
NIMA I-9, II-16, III-4, III-8, III-16, A-10, A-13, A-15, A-16, B-12, B-34, B-35, B-36, B-37, E-1, Glossary-7
NIST I-9, Glossary-7
Nuclear, biological, and chemical (see NBC)

0

Open-source intelligence (see OSINT) Operation plan in concept format (see CONPLAN) Operations security (see OPSEC) OPSEC I-2, I-6, IV-3, IV-11, IV-12, B-21, Glossary-7 OSINT B-74, Glossary-7

Р

Passive defense v, I-2, I-3, I-8, II-5, II-10, IV-6, IV-12, V-8, B-15, C-2, D-2, D-4 PIR vi, II-1, II-22, V-1, B-15, B-16, B-18, B-19, D-2, D-3, D-4, D-5, Glossary-8, Glossary-13, Glossary-15 Primary intelligence requirements (see PIR)

Radar intelligence (see RADINT)
RADINT B-18, B-74, Glossary-8
Reconnaissance, surveillance, and target acquisition (see RSTA)
RSTA I-3, IV-13, Glossary-8

S

SEAD II-19, B-20, B-21, Glossary-9

Sea-launched ballistic missile (see SLBM)

Sea-launched cruise missile (see SLCM)

Secret Internet Protocol Router Network (see SIPRNET)

Short-range ballistic missile (see SRBM)

SIGINT I-9, III-13, A-3, A-6, B-18, B-74, Glossary-4, Glossary-9

Signals intelligence (see SIGINT)

SIPRNET B-13, C-2, C-5, Glossary-9

Situation template vi, IV-8, IV-10, V-5, V-6, V-7, V-9, Glossary-15, Glossary-16

SLBM B-21, B-24, B-25, Glossary-9

SLCM I-7, I-9, II-7, II-8, II-9, II-18, II-19, III-2, III-3, Glossary-9

SRBM I-9, II-18, B-24, B-25, B-28, Glossary-9

SUPIR A-4, Glossary-9

Supplemental Photographic Interpretation Report (see SUPIR)

Suppression of enemy air defenses (see SEAD)

Τ

Tactical air-to-surface missile (see TASM)

TASM I-7, B-21, Glossary-9

TECHINT A-3, B-18, b-74, Glossary-8, Glossary-9

Technical intelligence (see TECHINT)

TEL III-11, III-15, IV-2, IV-7, IV-9, IV-11, IV-12, A-8, B-22, B-27, Glossary-9

Telemetry intelligence (see TELINT)

TELINT B-18, Glossary-9

Transporter erector launcher (see TEL)

U

UGF IV-11, Glossary-10

Underground facility (see UGF)

FM 3-01.16 MCWP 2-12.1A NTTP 2-01.2 AFTTP(I) 3-2.36 4 MARCH 2002

By Order of the Secretary of the Army:

ERIC K. SHINSEKI

General, United States Army Chief of Staff

Official:

JOEL B. HUDSON

Administrative Assistant to the Secretary of the Army 0208801

DISTRIBUTION:

Active Army, Army National Guard, and U.S. Army Reserve: Distribute in accordance with Special Distribution for FM 3-01.16.

By Order of the Secretary of the Air Force:

LANCE L. SMITH

Major General, USAF Commander Headquarters Air Force Doctrine

Air Force Distribution: F

MARINE CORPS: PCN 14400009400