

NAVARA SINGLE CAB







ELECTRONIC BRAKE
FORCE DISTRIBUTION
(EBD) WITH
BRAKING ASSIST (BA)

VEHICLE DYNAMIC CONTROL (VDC)*



TRAILER STABILITY
ASSIST (TSA)*





Africa-proven Navara petrol engines have been tried and tested to offer maximum performance and durability, whilst maintaining efficient running costs and legendary reliability you can trust.



NAVARA

BUILT FOR AFRICA. BUILT TO DO MORE.

With structural durability improvements made for the toughest working conditions, the all-new Navara Single Cab range boasts high tensile steel body construction with additional reinforcements throughout. Suspension and chassis have been locally tested to exceed the demands of the harshest African road conditions.



BEST IN-CLASS LOADING CAPACITY

Nissan Navara Single Cabs arrive ready to work with and increased load box size and world class load capacity of up to 1111KG*. Then, unique side steps add every day practicality for easy load box access.



Practicality Meets Comfort

The all-new, all-capable Nissan Navara Single Cab range is an evolutionary leap forward in workhorse pickup standards. Expect dynamic styling, ergonomic interior conveniences, comfort and driver safety technology in a package that proudly delivers on the legacy of more than 85 years of proven LCV heritage, in Africa.



SAFETY AND SECURITY AS A PRIORITY

Navara Single Cabs offer driver and passenger airbags as standard, with additional side curtain and driver knee airbags for additional protection.*

Nissan Navara - 2 & 4 Wheel Drive

MODEL - Single Cab		2.5i XE 4X2 MT	2.5i XE Plus 4X2 MT	2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT	2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT
ENGINE							
Engine		2.5i Low Output	2.5i Low Output	2.5D Mid Output	2.5D Mid Output	2.5D Mid Output	2.5D Mid Output
Displacement	сс	2488	2488	2488	2488	2488	2488
Number of Cylinders		4	4	4	4	4	4
Bore and Stroke	mm	89.0 x 100.0					
Maximum Power	kW/rpm	118/6000	118/6000	120/3600	120/3600	120/3600	120/3600
Maximum Torque	Nm/rpm	233/4000	233/4000	403/2000	403/2000	403/2000	403/2000
Fuel Type		Petrol	Petrol	Diesel	Diesel	Diesel	Diesel
Fuel Supply		Multipoint, Manifold Injection	Multipoint, Manifold Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity	ę	80	80	80	80	80	80
TRANSMISSION & DRIVE TRAIN							
Transmission		6-Speed Manual					
Driven Wheels		2WD	2WD	2WD	2WD	4WD	4WD
SUSPENSION							
Front Suspension		Independent Double- Wishbone + Stabiliser					
Rear Suspension		Leaf Spring					
WEIGHTS & CAPACITY							
Gross Combination Mass (GCM)	kg	6130	6130	6130	6130	6130	6130
Gross Vehicle Mass (GVM)	kg	2950	2950	2950	2950	3000	3000
Tare Mass	kg	2680	2680	2880	2880	2930	2930
Min Kerb Weight	kg	1685	1685	1801	1801	1885	1885
Max Kerb Weight	kg	1706	1706	1822	1822	1906	1906
Payload	kg	1111	1111	1182	1182	1152	1152
Gross Axle Mass (Front - Laden)	kg	1320	1320	1320	1320	1320	1320
Gross Axle Mass (Rear - Laden)	kg	1690	1690	1785	1785	1785	1785
Maximum Towing Capacity Unbraked	kg	750	750	750	750	750	750
Maximum Towing Capacity Braked	kg	1588	1588	3500	3500	3500	3500
DIMENSIONS	9						
		5235	5275	5235	5235	5235	5335
Overall Length Overall Width (Evoluting Mirrors)	mm	1790	5235 1790	1790	1790	1790	1790
Overall Height	mm	1755	1790	1790	1755	1790	1790
Overall Height	mm						
Wheelbase	mm	3150	3150	3150	3150	3150	3150
Ground Clearance (Rear Axle)	mm	214	214	214	214	214	214
Front Track	mm	1550	1550	1550	1550	1550	1550
Rear Track	mm	1550	1550	1550	1550	1550	1550
Front Overhang	mm	885	885	885	885	885	885
Rear Overhang	mm	1200	1200	1200	1200	1200	1200
Turning Circle (Kerb to Kerb)	m	6,0	6,0	6,0	6,0	6,0	6,0
Approach Angle	Degrees	30,7	30,7	30,7	30,7	31,8	31,8
Departure Angle	Degrees	26,6	26,6	26,6	26,6	26,3	26,3
Ramp Break-Over Angle	Degrees	22,2	22,2	22,2	22,2	22,8	22,8
Load Box Length - Floor	mm	2353	2353	2353	2353	2353	2353
Load Box Length - Top	mm	2311	2311	2311	2311	2311	2311
Load Box Width - Floor	mm	1560	1560	1560	1560	1560	1560
Load Box Width - Top	mm	1552	1552	1552	1552	1552	1552

MODEL - Single Cab		2.5i XE 4X2 MT	2.5i XE Plus 4X2 MT	2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT	2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT
DIMENSIONS (Continued)							
oad Box Width - Between Wheel Arches	mm	1134	1134	1134	1134	1134	1134
oad Box Width - Tailgate Opening	mm	1360	1360	1360	1360	1360	1360
oad Box Height	mm	472	472	472	472	472	472
Vading Depth	mm	600	600	600	600	600	600
VHEELS & TYRES							
Vheel Size and Type		16" Steel					
yre		205/R16 AT					
pare Wheel		Full Size Steel					
pare Wheel Lock		Option	Option	Option	Option	Option	Option
EXTERIOR							
irill		Black	Black	Black	Black	Black	Black
ront Bumper		Black	Black	Black	Black	Black	Black
ide-Door Mirror Finish		Black	Black	Black	Black	Black	Black
ide-Door Mirrors		Manual Adjustment + Manual Fold					
external Door Handles		Black	Black	Black	Black	Black	Black
ront and Rear Mud Flaps		Std	Std	Std	Std	Std	Std
ront Towing Hook		Std	Std	Std	Std	Std	Std
leadlights		Halogen	Halogen	Halogen	Halogen	Halogen	Halogen
og Lights		-	-	-	-	-	-
COMFORT & CONVENIENCE							
eating Capacity		2	2	2	2	2	2
ront Seat Type		Separate seat					
Priver Seat Adjustment		4-Way Manual	6-Way Manual	4-Way Manual	6-Way Manual	4-Way Manual	6-Way Manual
assenger Seat Adjustment		2-Way Manual	4-Way Manual	2-Way Manual	4-Way Manual	2-Way Manual	4-Way Manual
eat Upholstery		Vinyl	Fabric	Vinyl	Fabric	Vinyl	Fabric
loor Material		Vinyl	Carpet	Vinyl	Carpet	Vinyl	Carpet
ront Cup Holders		2	2	2	2	2	2
ront Door Storage Pockets and Bottle Holder		2	2	2	2	2	2
unglass Holder		-	-	-	-	-	-
2V Outlet Inside Cabin		1	2	1	2	1	2
ISB Port		-	-	-	-	-	-
ir-Conditioning		Std	Std	Std	Std	Std	Std
Manual Windows		Std	Std	Std	Std	Std	Std
ower Windows with Driver Auto Up/ Jown Button		-	-	-	-	-	-
lear Screen		Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
auto Dimming Rear View Mirror		-	-	-	-	-	-
Manual Dimming Rear View Mirror		Std	Std	Std	Std	Std	Std
AUDIO & CONNECTIVITY							
Vithout Audio Head Unit (With Pre-Wire)		Std	Std	Std	Std	Std	Std
AFETY & SECURITY							
Priver and Front Passenger Airbags		Std	Std	Std	Std	Std	Std
ide Airbags		-	Std	-	Std	-	Std

Specifications & Features

MODEL - Single Cab	2.5i XE 4X2 MT	2.5i XE Plus 4X2 MT	2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT	2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT
SAFETY & SECURITY (Continued)						
Curtain Airbags	-	Std	-	Std	-	Std
Driver Knee Airbag	-	Std	-	Std	-	Std
Front Seat Belts 3-Point ELR with Pre- Tensioner, Load Limiter and Seatbelt Reminder	Std	Std	Std	Std	Std	Std
ISOFIX Child Seat Anchorage	-	-	-	-	-	-
Immobiliser	Std	Std	Std	Std	Std	Std
Alarm	-	-	-	-	-	-
Anti-Lock Braking System (ABS)	Std	Std	Std	Std	Std	Std
Electronic Brake Force Distribution (EBD)	Std	Std	Std	Std	Std	Std
Brake Assist (BA)	Std	Std	Std	Std	Std	Std
Vehicle Dynamic Control (VDC)	-	Std	-	Std	-	Std
Trailer Stability Assist (TSA)	-	Std	-	Std	-	Std
Hill Start Assist (HSA)	-	Std	-	Std	-	Std
Hill Descent Control (HDC)	-	-	-	-	-	Std
Front Brakes - Ventilated Discs	Std	Std	Std	Std	Std	Std
Rear Brakes - Drum	Std	Std	Std	Std	Std	Std
Windscreen Wipers	Variable Intermittent					
SERVICE						
Service Interval	5,000 km					

FEATURES AND SPECIFICATIONS ARE SUBJECT TO CHANGE DEPENDING ON MARKET AND GRADE. PLEASE CONSULT YOUR LOCAL NISSAN DEALERSHIP FOR MORE INFORMATION.



AT NISSAN WE KEEP OUR PROMISES AND TAKE CARE OF OUR FAMILY

Servicing and repairing your Nissan at an authorised Nissan dealership is the way to go. Our Nissan technicians are highly trained specialists that know your Nissan better than anyone. They will use Genuine Nissan Parts, Genuine Nissan Accessories to ensure quality, reliability and to keep your vehicle performing to optimum standards. Nissan aims to keep you and your vehicle on the road with total peace of mind - for as long as possible. That is the Nissan Aftersales commitment.

Nissan's commitment to quality: To provide all customers with a consistently high level of quality, Nissan applies the same standards worldwide, to ensure that all Nissan owners enjoy peace of mind for the lives of their vehicles. The approach is based on quality from the customer's perspective on three key elements: First, the expectation of a smooth driving experience with complete peace of mind. Second, the intangible appeal of a vehicle, its power to captivate and excite, with features that capture attention and imagination. Third, the level of attentiveness and service during the sales process, and long after the sale is concluded.

Legal notice: Every effort has been made to ensure that the contents of this brochure is correct at the time of going to print (October 2021). This brochure may be produced featuring prototype or accessorised vehicles exhibited at motorshows and in accordance with the company's policy of continuously improving its products. Nissan South Africa reserves the right to change the specifications and the vehicles described and shown in this brochure at any time. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. Due to the limitations of the printing process used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim material used. All rights reserved. Reproduction in whole or part of this brochure without the written permission from Nissan is forbidden.



Nissan's commitment to the environment

Nissan's environmental philosophy embraces people, vehicles and nature. In the pursuit of a sustainable mobile society, the Nissan Green Program aims to reduce the environmental impact of Nissan vehicles at every stage of the vehicle life cycle, while corporate activities address environmental challenges.

