

Beneficial Nematodes

Treatment Guide

Nemasys[®]

(*Steinernema feltiae*)




Millenium[®]

(*Steinernema carpocapsae*)




Nemasys[®]L

(*Steinernema kraussei*)



Nemasys[®]G

(*Heterorhabditis bacteriophora*)



Beneficial Nematodes Biological Pest Control

Nemasys®

Biocontrol for Western Flower Thrips and Fungus Gnats

Nematode species: *Steinernema feltiae*

Activity: 54-86 °F (12-30 °C)

Pests Controlled

- Fungus Gnat (*Bradysia* spp.)
- Western Flower Thrips (*Frankliniella occidentalis*)

Pests Suppressed

- Leatherjacket (*Tipula paludosa*)

Nemasys® G

Advanced Biocontrol for White Grubs

Nematode species: *Heterorhabditis bacteriophora*

Activity: 57-86 °F (14-30 °C)

Pests Controlled

- European Chafer Grub (*Rhizotrogus majalis*)
- Japanese Beetle Grub (*Popillia japonica*)
- Oriental Beetle Grub (*Exomala orientalis*)

Nemasys® L

Biocontrol for Black Vine Weevil

Nematode species: *Steinernema kraussei*

Activity: 41-86 °F (5-30 °C)

Pests Controlled

- Black Vine Weevil (*Otiorhynchus sulcatus*)

Nematac® C

Advanced Biocontrol for Cranberry Girdler

Nematode species: *Steinernema carpocapsae*

Activity: 57-86 °F (14-30 °C)

Pests Controlled

- Black Vine Weevil (*Otiorhynchus sulcatus*)
- Cranberry Girdler (*Chrysoteuchia topiaria*)

Millenium®

Biocontrol for Ground-Dwelling Insects and Borers

Nematode species: *Steinernema carpocapsae*

Activity: 54-86 °F (12-30 °C)

Pests Controlled

- Annual Bluegrass Weevil (*Listronotus maculicollis*)
- Armyworm (*Noctuidae*)
- Banana Moth (*Opogona* spp.)
- Billbug (*Sphenophorus* spp.)
- Black Vine Weevil (*Otiorhynchus sulcatus*)
- Chinch Bug (*Blissus* spp.)
- Clearwing Borer (*Sesiidae*)
- Codling Moth (*Cydia pomonella*)
- Cranberry Girdler (*Chrysoteuchia topiaria*)
- Cutworms (*Noctuidae*)
- Dogwood Borer (*Sesiidae*)
- Flea Larvae, Pupae (*Ctenocephalides felis, canis*)
- Giant Palmetto Weevil (*Rhynchophorus cruentatus*)
- Mint Flea Beetle (*Longitarsus waterhousei*)
- Mint Root Borer (*Fumibotys fumalis*)
- Navel Orange Worm (*Ameylois transitiella*)
- Peachtree Borer (*Sesiidae*)
- Root Weevils (*Otiorhynchus* spp.)
- Rotten Sugarcane Borer (*Metamasius hemipterus*)
- Shore Flies (*Ephydriidae*)
- Sod Webworm (*Pyralidae*)
- Strawberry Root Weevil (*Otiorhynchus ovatus*)
- Tropical Sod Webworm (*Herpetogramma phaeopteralis*)

Always read and follow label directions.

© 2020 BASF Corporation. All rights reserved. Nemasys, Millenium and Nematac are registered trademarks of BASF. PSS 20-20-100

betterplants.basf.us